

**Pharmacy Reengineering (PRE)
Inbound ePrescribing (IEP) 3.0
Vista Patch # PSO*7.0*508**

Release Notes



**November 2018
Version 3.0**

**Department of Veterans Affairs
Office of Information and Technology (OI&T)**

(This page included for two-sided copying.)

Table of Contents

1. Introduction.....	1
1.1 Inbound ePrescribing Process Flow	1
2. Inbound ePrescribing Web-Based Application.....	2
2.1 Pharmacy Management	3
2.2 Track/Audit	3
2.3 Reports.....	3
2.4 User Management.....	3
2.5 Help	4
3. Outpatient Pharmacy 7.0 Enhancements	4
3.1 eRx Message Types	4
3.2 Remote Procedure Call (RPC).....	4
3.3 Hidden Action 'RR' (Refill Request)	4
3.4 ERX SERVICE REASON CODES – New Status Values	4
3.5 eRx Holding Queue Message/List View.....	5
3.6 Patient Prescription Processing - eRx Identifier Added to Prescription Number	5
3.7 Refill Response and Cancel Request Messages.....	5
3.8 Cancel Requests from External Provider	5
3.9 Refill and Cancel Message Detail Views	5
3.10 Processing Refill Response Messages.....	5
3.11 Patient Centric View	6
3.12 Jump to Outpatient.....	6
4. Inbound ERX v3.0/PSO*7.0*508 Features	7
5. Inbound ERX v3.0/PSO*7.0*508 Defects	15
5.1 Inbound ERX v3.0/PSO*7.0*508 Known Defects	15
5.2 Inbound ERX v3.0/PSO*7.0*508 Defect Fixes	16
6. Product Documentation	34

(This page included for two-sided copying.)

1. Introduction

The Pharmacy Reengineering (PRE) Inbound ePrescribing (IEP) functionality addresses a longstanding need for the Department of Veterans Affairs (VA) to be able to receive and process prescriptions from external providers.

In order to improve on its ability to deliver Veterans their medications as quickly and efficiently as possible, the Veterans Health Administration (VHA), Patient Care Services (PCS), Pharmacy Benefits Management (PBM) requested a new capability as part of the PRE program to receive inbound electronic prescriptions (eRx) from an external provider (e.g., a doctor not associated with the VA, medical staff at a Department of Defense [DoD] military treatment facility, etc.).

By automating data transmission from external providers to VA, the need for VA pharmacy personnel to manually input Rx data from non-VA providers is largely eliminated, reducing the chance for data to be entered incorrectly or missed.

The modifications to the Veterans Health Information Systems & Technology Architecture (Vista) Outpatient Pharmacy (OP) 7.0 application for Inbound ePrescribing are being released under the national patch module as Patch # PSO*7.0*508.

Additionally, complementing the release of the Vista patch PSO*7.0*508 is the release of an updated IEP Web-based application Inbound ERX v3.0.5.008.

1.1 Inbound ePrescribing Process Flow

This section provides a high-level overview of the IEP process flow. Additional details on the released functionality is outlined in Sections 2 and 3.

1. eRx's are sent from an external provider to SureScripts and/or Change Healthcare (CH). CH provides commercial ePrescribing solutions and, for the purposes of the IEP implementation, serves as a gateway to all participating ePrescribing providers nationwide.
2. CH verifies and transmits eRx transactions to/from SureScripts and/or an external provider's EHR system and the IEP system.
3. The eRx's are routed from CH to the IEP Processing Hub via the Data Access Service (DAS) external gateway. DAS and CH communicate using https requests over a secured network.
4. In the IEP Processing Hub, auto-checks occur on the eRx's for Patient, Provider, and Drug/SIG. The Master Veteran Index (MVI) is used for patient checking, depending on the data set that is sent by the Prescriber for that patient. For patient Enrollment and Eligibility (E&E) checks, the Enrollment System (ES) is utilized. The ES assists Veterans to enroll for VA healthcare benefits and is the core application that feeds other VA systems with E&E data. The E&E check is optional and can be turned on or off for each site. Patient Registration is also confirmed against the instance of the receiving pharmacy.
5. The Drug Name is matched against the local Drug File first, the VA Product Name next and then the National Drug Code (NDC), depending on which it matches first on. As a note, auto-checks can be incorrect therefore the data must also be validated against the original eRx data sent (Please refer to the Validate Drug/SIG section).

6. The IEP web-based GUI allows users to view and generate reports on the auto-check results in the Processing Hub, as well as manage VA pharmacy information, and search for and print an eRx.
7. Once the eRx has completed all auto-checks in the IEP Processing Hub, the original prescription, as well as the outcomes of all of the auto-checks (patient, provider, and drug), are transmitted to VistA OP. VistA Link is used for the provider and drug checks against the VistA OP system.
8. The VistA OP's IEP Holding Queue allows for the initial validation and acceptance of an eRx before being transmitted to Pending Outpatient Orders file for additional order checks and then final dispensing.
9. A Refill Renewal Request transaction is originated by the pharmacy. This transaction is for the purpose of requesting approval for additional refills of a prescription once the original number of refills has been dispensed. A Refill Renewal Response is sent by the prescriber to the pharmacy in response to a request to refill a prescription. The response indicates whether the Refill Renewal Request has been accepted or denied.
10. A Cancel Rx Request message is used to notify the pharmacy that a previously sent prescription should be cancelled and not filled. The message is originated by the prescriber system as a Cancel Rx Request message. The Cancel Rx Response message is sent from the pharmacy to the prescriber system in response to a Cancel Rx Request message.
11. Patient Centric View is a dashboard view, in addition to the Traditional View of the eRx Holding Queue, to provide the user the ability to view the eRx records that are in actionable statuses and that are grouped by Patients. The user can further select and view only the patients who have new prescriptions in one of the actionable statuses. The user can also jump to the Outpatient side and navigate back to the Holding Queue when there is a Pending Order for the selected patient. Each site can configure the number of lookback days to view the patient/prescription records that are still actionable statuses in the Holding Queue.

2. Inbound ePrescribing Web-Based Application

Version 3.0 of the IEP functionality includes the release of Web-based application updates in support of User Management screen, Track/Audit, Pharmacy Screens, Reports, Help file updates reflecting new GUI changes and adherence to 508 compliance requirements.

This section provides an overview of the functionality released as part of the Web-based application, including the following modules: Pharmacy Management, Track/Audit, Reports, User Management and Help.

Note that all authenticated VA users will have access to the application, with limited access to only the Home, Reports, and Help modules. Access to the Pharmacy Management and Track/Audit modules are provided by roles assigned by a site's local administrator.

The IEP Web-based application is accessed at the following link:

<https://vaausappiep201.aac.va.gov/inbound/>

2.1 Pharmacy Management

The Pharmacy Management screen allows users to view a list of VA pharmacies, add new pharmacies, edit pharmacy information, and disable/enable a VA pharmacy from receiving eRx's from an external provider. The information entered on the Add Pharmacy and Edit Pharmacy screens is transmitted and updated in the local IEP database. Updates to Pharmacy Management include: removed fields from Pharmacy table that were originally related to Change Healthcare updates, redesigned Add/Update Pharmacy screen to include only the fields that are required, Data-driven configuration to turn on/off E&E check for Patient Match under Pharmacy Management >> Add/Update Pharmacy, change filter criteria to display the list of pharmacies.

2.2 Track/Audit

The Track/Audit screen provides users with the ability to search for an eRx message by various search criteria, including, but not limited to the following: (1) VISN, (2) VA Station ID, (3) Received Date Range, (4) Message Type, (5) Message ID, (6) Relates to Message ID, (7) Patient SSN, (8) Patient First & Last Name, (9) Prescriber's NPI, DEA#, First and Last Name (10) Message Status, and (11) eRx Reference #, (12) Sent or Received, (13) Prescribed Drug, and (14) Patient DOB. Search results can be exported out to .CSV format and can be viewed in Microsoft Excel.

Updates to Track/Audit: modifications to Track/Audit detail and Track/Audit grid view for New Rx, Rx Refills/Rx Refill Response, Cancel Rx/Cancel Response, Rx Change/Rx Change Response and Rx Fill messages; new Track/Audit report showing linkages of all related messages, restrict non MbM users from being able to view Track/Audit data of MbM sites and change default date range to 2 days (system date and previous date).

2.3 Reports

A Reports module is also available to generate a high-level report on the total number of eRx's, grouped by various statuses and errors for all VISNs, within a VISN, or within a VA Station ID. The report can be exported out to a local or network location in .CSV format and can be viewed in Microsoft Excel. Updates to Reports Module includes renaming one report and creating two new reports. List of Summary reports is now: Summary Report New Rx Only, Auto Check Details Report, Reject Reasons Report and eRx Summary Report. Also default date range change to 2 days (system date and previous date). Usability and readability enhancements were made to all the Summary reports.

2.4 User Management

This screen provides Administrators with the ability to add and modify users and configure their roles. This screen only will display for users with Administrator access. Updates to User Management include: Addition of "Enable/Disable User" function, the removal of "Delete User", and assigning users to specific sites. Usability enhancements were made to User Management.

2.5 Help

A Help module is available that provides step-by-step guidance on the application, as well as production support information. When the Help tab is selected, the Help Page displays in a new window. Updates to the Help file include: eRx web GUI Help File has been updated and redesigned to make it 508 compliant and to reflect new GUI changes.

3. Outpatient Pharmacy 7.0 Enhancements

This section provides a brief description of the new features and functionality of the IEP VistA enhancements for patch PSO*7.0*508 in support of: Patient Centric View, Cancel Rx/Cancel Response, Rx Refills/Rx Refill Response, Holding Queue updates, and Outpatient Pharmacy Activity Log updates.

More detailed information on the VistA functionality can be found in the application user and technical manuals found on the Outpatient Pharmacy (OP) VA Software Documentation Library (VDL) repository at the following link:

<https://www.va.gov/vdl/application.asp?appid=90>

3.1 eRx Message Types

Inbound Electronic Prescribing (eRx) v3 enhancements provides support for new eRx message types. Enhancements have been made that allow a user (pharmacist) to send a Rx Refill Request (also known as a Renewal in VistA) message type to the external provider that originally sent the eRx into VistA. After an Rx Refill Request has been sent to the external provider, the provider will be able to send an Rx Refill Response. New functionality has been added to enable automatic and manual processing of Rx Refill Response messages. Enhancements have also been made to support the receipt of cancel request messages, as well as the generation of cancel response messages. This functionality allows an external provider to send a cancel request message to the VA pharmacy. It also allows the VA to properly respond to the cancel request message. The new message types will be stored along with the New Rx type in the ERX HOLDING QUEUE file (#52.49).

3.2 Remote Procedure Call (RPC)

The Remote Procedure Call (RPC) that supports the receipt of an incoming New Rx has been enhanced to facilitate the filing and management of the new message types being supported

3.3 Hidden Action 'RR' (Refill Request)

A new hidden action 'RR' (Refill Request) has been created and attached to the 'Other OP Actions' [PSO LM HIDDEN OTHER #2] protocol. This newaction allows a user to generate a refill request from pending outpatientorders and backdoor order processing. This refill request is then sent through the eRx processing hub to the external provider who wrote the prescription.

3.4 ERX SERVICE REASON CODES – New Status Values

New status values have been added to the ERX SERVICE REASON CODES file (#52.45) in support of the new refill request, refill response, cancel request, cancel response, and error

messages that will be received in the holding queue. These status values, along with the MESSAGE TYPE field (#.08) in the ERX HOLDING QUEUE file (#52.49) will ensure the messages can be differentiated.

3.5 eRx Holding Queue Message/List View

A new action has been added to the list view in the eRx holding queue. This new action 'Message View' (MV) allows a user to select which types of messages they wish to view. This function makes it easier for a pharmacist or other use to narrow down the list of items they are viewing.

3.6 Patient Prescription Processing - eRx Identifier Added to Prescription Number

A new symbol has been added as an eRx identifier in front of the prescription number in Patient Prescription Processing [PSO LM BACKDOOR ORDERS] and Complete Orders from OERR [PSO LMOE FINISH]. This allows the user to quickly identify eRx prescriptions. The new symbol is '&', and appears in front of the prescription number (i.e. & 1234567).

3.7 Refill Response and Cancel Request Messages

Inbound eRx has been enhanced, and is now capable of receiving refill response and cancel request messages. When receiving a refill response, the system will now link the associated request and response messages, creating a relationship between the two messages. Request and response messages are also linked to the new prescription message or related message that was the source for the original prescription/communication.

3.8 Cancel Requests from External Provider

Inbound eRx has been enhanced to automatically process cancel requests sent from an external provider. If auto-processing is successful, an automated response may be built and sent to the provider automatically. In some instances, the status of the eRx will be updated to an actionable status. In these cases, users will now see the cancel request messages in the eRx holding queue. These cancel request messages require action by the user to acknowledge the cancel request. In some cases, the user will be asked for the type of cancel response message they would like to send back to the provider (approved or denied response). A new action 'ACK' (Acknowledge) can be found in the hidden actions under the eRx summary/details screen.

3.9 Refill and Cancel Message Detail Views

List Manager screens have been enhanced to display details about the refill requests, refill responses, cancel requests, cancel responses, and error messages. These screens give detailed information about the currently selected message type (request/response) as well as information related to the other linked messages. For example, if the selected message is a refill response, details related to the refill request are also displayed to the user. Additional message history information is available at the bottom of the list manager view.

3.10 Processing Refill Response Messages

Inbound eRx has been enhanced to automatically process an 'approved' refill response from the eRx holding queue, into pending outpatient orders. Refill responses that are of the type 'approved

with changes' can be manually processed from the eRx holding queue. The only refill response messages that will require manual intervention are refill responses that contain a provider change.

3.11 Patient Centric View

A new patient centric view has been added to inbound eRx. This view provides users a more generic overview of prescription activity. The new view includes information about the patient, the number of elapsed days the oldest eRx has been in the holding queue, and totals counts for all messages that are actionable by a user.

Once the user selects a patient from the patient centric view, the user will be taken to a prescription view. The prescription view will show only prescriptions for the selected patient.

3.12 Jump to Outpatient

A new hidden action has been added to the summary/details view of an eRx. The new 'JO' (Jump to OP) action uses the currently matched vista patient to pre-select the single patient filter and jump the user directly into 'Complete Orders from OERR' [PSO LMOE FINISH]. This functionality improves workflow and prevents users from being required to exit the Inbound eRx functionality completely. The users can now use the new hidden action to jump directly to the Complete Orders from OERR option to finish processing prescriptions that have been accepted from inbound eRx.

4. Inbound ERX v3.0/PSO*7.0*508 Features

RM_ID	REQUIREMENT DESCRIPTION
961496	As a Developer, I need to provide a Clear button on Pharmacy Management and Report Screens
963174	Create a new user free text field, Comment/Note, in the Holding Queue for both REFREQ and REFRES message types
964151	Create an ability to view all REFREQs/REFRESs/ERRORs available in the Holding Queue
964160	Create new statuses for outbound REFREQ messages and respective new statuses for REFRES/ERROR messages in the Holding queue
964164	Display all 4 Refill Response Types in the Holding queue and display in List View
964166	Display all Error Messages received from the Hub in the Holding queue, in List View
964186	Display all outbound REFREQ messages in the Holding queue
964201	Enhance HQ Search Criteria to view all REFREQ/REFRES/ERROR messages available in the Holding Queue
964224	Enhance RN function in OP for eRx
964230	Generate REFREQ through new hidden option RE, in OP, and send it to the hub by calling Outbound WebService
964299	Provide exit out (^) to Pharmacist while prior to generating and sending out REFREQ message
964300	Remove RR hidden action from the Holding Queue
964301	Create and send Error Message to VistA from the Hub when REFREQ fails to go to Change Healthcare
964302	Identify and send Error Messages received from Change Healthcare to VistA from the Hub - Refill Request (Outbound)
964303	Pass the Refill Response code/translations to VistA along with other REFRES message details
964307	Populate Field #.13 in File #52.49 with Rx# from File #52
964308	Inbound eRx Feature Request - “§” be added to the left side of the eRx in VistA outpatient pending queue to help differentiate that queue from non-eRx queue
965780	Display the user entered Comment/Note along with Summary/content for both REFREQ and REFRES message types
965836	Add ""Enable/Disable User"" function and remove Delete functionality under User Management screen"
965951	Add a site specific Admin role to eRx Hub GUI
966019	Store the Medication Dispensed information in the ERX HOLDING QUEUE file (#52.49)
966029	Capture Filled # on GUI Summary Report for eRx's filled in VistA

- 966048 Create and send Error Message to VistA from the Hub when Cancel Response fails to go to Change Healthcare
- 967157 Display SSN on eRx Track/Audit Details
- 967158 As a Developer, I need to move Return to Pharmacy Button for Increased Visibility (near the display of error messages)
- 967159 Support receipt of Cancellation requests by the Transaction Hub from an External Provider
- 967160 Change 'RE' function in OP to 'RR
- 967161 Create and send Error Message to VistA from the Hub when RxFill fails to go to Change Healthcare"
- 967162 Identify and send Error Messages received from Change Healthcare to VistA from the Hub - Cancel Response (Outbound)
- 967163 Modify Track/Audit summary for Outbound RxFill Message
- 967164 Modify Track/Audit detail for Inbound Cancel Request
- 967165 Modify Track/Audit detail for Outbound Cancel Response
- 967166 As a Developer, I need to modify Track/Audit summary for Inbound Cancel Request
- 967167 Modify Track/Audit summary for Outbound Cancel Response
- 967168 Modify Track/Audit details for Outbound RxFill Message
- 967169 Modify Track/Audit detail for Outbound Refill Request to include Medication Dispensed segment data
- 967274 Receive from VistA and send Cancel Response to Change Healthcare from the Hub
- 967275 Receive from VistA and send RxFill message to Change Healthcare from the Hub
- 967276 Display summary/content of all Outbound NCPDP REFREQ messages received in the Holding Queue
- 967277 Display summary/content of 4 Inbound NCPDP REFRES messages received in the Holding Queue
- 970503 Support receipt of Change Request-Response by the Transaction Hub, from an External Provider
- 970506 As a Developer, I need to send Change Request-Response to VistA Holding Queue
- 970512 Restrict non MbM users from being able to view Track/Audit data of MbM sites
- 970513 Modify Track/Audit summary for Outbound Change Request
- 970516 Modify Track/Audit summary for Inbound Change Response
- 970518 Identify and send Error Messages received from Change Healthcare to VistA from the Hub for RxFill messages
- 970569 Identify and send Error Messages received from Change Healthcare to VistA from the Hub for Change Rx Request
- 970606 Display NDC in Track/Audit Details

- 970665 Create/update reports to list out MVI Match / Drug Validation / Provider Match / etc
- 970674 Create Track/Audit details for Outbound Change Request
- 970690 Create Track/Audit details for Inbound Change Response
- 970708 Create a Track/Audit report showing linkages of all related messages
- 970731 Create a search option on the Add Pharmacy, to look for a pharmacy
- 971082 Create a DB role for troubleshooting purposes only, with no access to PII and PHI data
- 971374 Block only New eRx's from being transmitted to VistA when a pharmacy is disabled
- 971376 Create a new report to display Reject Reasons against Total eRx's per site
- 971378 Process Approved with Changes (AwC) type Refill Response in Outpatient Profile
- 971379 Process Approved type Refill Response in Outpatient Profile
- 971380 Mimic current OP functionality for precondition checks while generating outbound REFREQ using the RR action
- 971382 Display warnings to Pharmacy User at the time of exercising RR function in Outpatient Profile
- 971385 Display message details of all Inbound NCPDP ERROR messages received in the Holding Queue when outbound REFREQ messages are sent
- 971386 DC eRx in OP when a DNTF Refill Response is received in the Holding Queue
- 971388 Allow/disallow VM when an Approved with Changes (AwC) Refill Response is received in the Holding Queue
- 971391 Rename role name from "Pharmacy Tech" to "Pharmacy User"
- 971395 Limit Pharmacy Edits based on Site Specific Admin role
- 971397 Increase the Print Font size when printing from the eRx Hub
- 971943 Update current Summary Report on web GUI
- 973004 Change 'Ref Num' to 'Original Ref Num' in the Track/Audit Details screen under the Prescription section
- 977879 Display a warning under Add/Update Pharmacy for Hub related changes that do not Change Healthcare's directory
- 977880 create a new ""eRx Summary Report"" report that includes summary for all transaction types - NewRx/Change/Refill/Cancel/RxFill
- 977881 Remove Pharmacy Address columns from Reject and Autocheck reports
- 977882 Rename ""eRx"" Summary/Autocheck Details/Reject Reasons reports on web GUI
- 984303 Display diagnosis info on eRx Summary view in a compressed format
- 984304 Display newest records first when user exercises MV action to view the various message types
- 984305 Do not display 'Approved with Changes' Refill Response Type in the List View of the Holding Queue when the changes are in Drug segment only

- 984306 Do not display 'Approved' Refill Response Type in the List View of the Holding Queue
- 984810 Display Approved Refill Response pending renewal activity under the current Activity Log for eRx Prescriptions
- 985760 Create new status codes and corresponding descriptions in file #52.45 for Cancel Rx functionality
- 985761 Issues with GUI features on Summary Report screen (applicable to all Reports in general)
- 985762 Add/update columns to display more fields from each eRx in the list/table view of the matched eRxs on the Track and Audit page
- 985764 The search date range should default to 2 days or so instead of 1, for both Track/Audit and Summary Reports
- 985765 Enhance SORT to include Cancel Rx Request message type
- 985766 Design Message Details view for Cancel Rx Request message type similar to Refill Request Message type
- 985767 When Cancel Rx Request is received in the Holding Queue, store it in File #52.49
- 985768 Display Patient/Provider/Drug Autocheck validation statuses under Track/Audit details for each eRx
- 985769 Process Auto-Cancel on New and Rejected eRx's in the Holding Queue
- 985770 Enhance SEARCH to include Cancel Rx Response message type
- 985772 Design Message Details view for Cancel Rx Response message type similar to Refill Response Message type
- 985773 Enhance AD to include Cancel Rx Request message type
- 985774 Enhance SEARCH to include Cancel Rx Request message type
- 985775 Data-driven configuration to turn on/off E&E check for Patient Match under Pharmacy Management >> Add/Update Pharmacy
- 985776 Enhance AD to include Cancel Rx Response message type
- 985778 Enhance SORT to include Cancel Rx Response message type
- 985779 Make the Relates to Message ID on Track/Audit grid view a hyperlink so that the navigation between messages becomes easier
- 986638 Change codes used under MV for Cancel Request and Cancel Rx to be consistent with Refill message types
- 988053 Add new column to Pharmacy table to enable/disable E&E check for Patient Match
- 988118 Update Patient Match logic to bypass/include E&E check on hub side depending on user selection under Add/Update Pharmacy
- 992432 Create and enable ACK Acknowledge hidden action for Cancel Request in status CAO or CAD
- 992433 Process Auto-Cancel on eRx's in the Holding Queue that are not in New, PR or Rejected statuses
- 992469 Process Auto-Cancel on PR eRx's in HQ when the eRx was renewed within VA

- 992543 Process Auto-Cancel on PR eRx's in HQ and OP when there is an outstanding Approved or AwC Refill Response not in HQ's List View
- 992834 Enhance Message View action to include Cancel Rx Response message type
- 992839 Process Auto-Cancel on PR eRx's in HQ when corresponding eRx record is in OP, also auto-DC in OP (Pending eRx's)
- 992840 Design Message Details view Cancel Rx Response related Inbound ERROR, similar to Refill Request related Inbound ERROR
- 992848 Process Auto-Cancel on PR eRx's in HQ when corresponding eRx record is in OP (subsequent renewal fill), also auto-DC in OP
- 992883 Enhance SORT to include Inbound ERROR message type
- 992901 Create and enable ACK Acknowledge hidden action for Cancel Request in status CAH, CAF, CAP or CAR
- 992968 Enhance Message View action to include Inbound ERROR related to Cancel Rx Response message type
- 992987 Enhance Message View action to include Cancel Rx Request message type
- 992989 Process Auto-Cancel on PR eRx's in HQ when there is an outstanding Denied Refill Response in HQ
- 992990 Receive and store Inbound ERROR messages in the Holding Queue, but not display in List View
- 992992 Process Auto-Cancel on PR eRx's in HQ and OP when there is an outstanding AwC Refill Response in HQ's List View (AwC Response has been AC'd in HQ)
- 992995 Enhance SEARCH to include Inbound ERROR related to Cancel Rx Response message type
- 992999 Lock all validations, Hold/UnHold/RJ/RM/AC actions on Canceled NEWRX's, Cancel Request and Cancel Response Message types
- 993933 Process Auto-Cancel on PR eRx's in HQ when corresponding eRx record is in OP, also auto-DC in OP (Active eRx's)
- 993934 Process Auto-Cancel on PR eRx's in HQ when corresponding eRx record is in OP (DC'd eRx's)
- 994044 Refactor Inbound Pentaho job to determine the "related to" Hub ID of inbound messages to include with message when sent to VistA Holding Queue
- 994138 Add Prescriber DEA search criterion to Track/Audit search field list
- 994155 Modify Track/Audit detail for Inbound Refill Response to include Medication Dispensed segment data
- 996779 Process Auto-Cancel on PR eRx's in HQ and OP when there is an outstanding AwC Refill Response in HQ's List View (AwC Response has NOT been AC'd in HQ)
- 997483 Lock all validations, Hold/UnHold/RJ/RM/AC actions on all Inbound ERRORS in the Holding Queue
- 998586 Update hub side workflow when Cancel Rx is received
- 998587 Create new status code CAP and corresponding description in file #52.45 for Cancel Rx functionality

- 998588 Display an incoming Cancel Request in the Holding queue after receiving it from the Hub when the Request could not be matched against a NEWRX in the Hub (updated)
- 998589 When Cancel Rx Request is received in the Holding Queue, store the Cancel Rx Request with status CAP, if there is no matching NEWRX in HQ
- 999066 Create the patient centric view with columns displaying counts of NEWRX in the Holding in actionable statuses along with total and last user info
- 999068 Patient Centric View: Criteria to display count under NEW column
- 999074 Patient Centric View: Criteria to display count under TOTAL column
- 999123 Patient Centric View: Criteria to display count under IPR column
- 999124 Patient Centric View: Criteria to display count under HLD column
- 999125 Patient Centric View: Criteria to display count under EDAYS column
- 999126 Patient Centric View: Criteria to display Pharmacy user name under LSTUSER column
- 999128 Enhance #52.46 to store Last User info every time a lock occurs successfully on that eRx Patient
- 999129 Create a new action SP/Select Patient, which when exercised brings up only those eRx's for that patient that are in actionable statuses
- 999236 Patient Centric View: Criteria to display count under WAIT column
- 999237 When all 3 validations are completed in the HQ, change the status of NEWRX from I to W/WAIT
- 999238 Need a new Status Code for tech's completion of validation in the Holding Queue once VP/VM/VD have been validated
- 999977 Change Label - ""Refill and Change Quantity"" under OP to ""Change the # of Refills"" while generating RR with option C
- 999987 Remove fields from Pharmacy table that were originally related to Change Healthcare updates
- 999988 Redesign Add/Update Pharmacy screen to include only the fields that are required
- 999989 Modify Refill value for option 'C' while generating outbound REFREQ
- 999990 Create a new prompt when entering the eRx workflow, asking the user whether they want to see patient centric, or traditional view
- 1000025 Modify Track/Audit eRx Reference number search to account for "V#####" value being entered
- 1000169 Enhance 'Unhold' to update the status to 'W' if all 3 validations have been completed
- 1000170 Create post init that will update any active rx's to 'Wait', if all 3 validations have occurred
- 1007314 Patient Centric View (Testing Story): Ensure that PCV displays 999 patient records that have eRx records in actionable statuses
- 1007315 Patient Centric View (Testing Story): Ensure that PCV >> Prescription view displays 999 eRx records in actionable status for the selected patient

- 1007316 Patient Centric View (Testing Story): Ensure that PCV >> Prescription view displays eRx records in actionable status for the selected patient within the # of days set as default parameter in File #59
- 1007317 Patient Centric View (Testing Story): When an eRx record in Traditional is opened, the same patient's record in PCV should be locked
- 1007318 Patient Centric View (Testing Story): When a patient record is opened in PCV, the same patient's eRx records in Traditional view should be locked"
- 1007319 Provide short description with single question mark (?) option when the user has to select PCV vs Traditional View
- 1007368 Provide short description with single question mark (?) option when the user has to select by status after selecting PCV option
- 1007369 Patient Centric View: Criteria to display count under CCR column
- 1007370 Patient Centric View: Criteria to display count under OTH column
- 1007372 When a user selects PCV prompt, provide prompts to further filter by one of the New eRx statuses
- 1007405 Under PCV, rename the columns to create more room for additional columns
- 1007483 Enable ACK in the Holding Queue for Inbound Errors related to Refill Requests (RRE)
- 1007489 Create new status code CAX and corresponding description in file #52.45 for Cancel Rx functionality
- 1007491 Enable ACK Acknowledge hidden action for Cancel Request in status CAX
- 1007494 Remove VistA Patient and VistA Provider labels under Cancel Rx Request/Response Message/CNE Inbound Error Details view
- 1007495 Message Type column needs to be moved to the left, and displayed between eRx Reference Number and Patient name
- 1007496 Under each Summary Report, when the user uses the horizontal scroll bar, the totals data grid should scroll horizontally as well
- 1007504 Display DNTF Refill Response related auto-DC activity in the Activity Log for eRx Prescriptions
- 1007506 Patient Centric View (Testing Story): Ensure that PCV displays patient records that have eRx records in actionable status received within the # of days set as default parameter in File #59
- 1007509 Create a new option '8. eRx Log' and change to '9. All Logs' under the AL/Activity Logs hidden action in OP
- 1007537 Enhance VistA Key options
- 1007683 Process Auto-Cancel on PR eRx's in HQ when the eRx was renewed within VA (through CPRS)
- 1007684 Lockdown VP/VM/VD/Hold/UnHold/RJ/RM/AC actions for an Approved with Changes Refill Response with Drug segment change only
- 1007687 Display Refill Request generation activity under the new 'eRx Log'
- 1007688 When a Denied Refill Response is received in the HQ, change the response status from RXN to RXD

- 1007691 Display totals row under Track/Audit and Summary Reports exports for all the search criteria
- 1007692 Lockdown actions for an Approved with Changes Refill Response with PVD segment only or PVD segment and DRU segment change depending on various statuses
- 1007693 Print action enhancement for Cancel Rx Request and possibly Cancel Rx Response message types in the Holding Queue
- 1007804 Create a new hidden action from New eRx Summary screen from where the Pharmacy user can jump to OP and navigate back to HQ
- 1007806 Display AwC Refill Response pending renewal activity under the current Activity Log for eRx Prescriptions
- 1007807 Enable ACK in the Holding Queue for Denied Refill Responses displayed in the list view for RXD status
- 1007811 Modify Refill value display in Refill Request/Response Message Details view when an Approved with Changes response is received
- 1007814 Change status of Cancel Request to CAX when the corresponding Response does not go beyond VistA due to connectivity issue with the Hub
- 1007818 Lockdown VP/VM/VD/Hold/UnHold/RJ/RM/AC actions for an Approved Refill Response
- 1007822 When Provider Validation is completed on an AwC Refill Response with PVD segment change, change the AwC response status to RXW
- 1007825 Make ACK unavailable for AwC Refill Response in List View (Provider segment changes), which is in RXN or RXW status
- 1007880 Cancel Rx (Testing Story): When an eRx record is opened in Traditional view and a Cancel Request is sent for the current eRx record, the Cancellation should process the same way as with an unlocked record"
- 1007889 Provide short description with single question mark (?) option under ACK action for user selection of Approved or Denied Cancel Response options
- 1007890 Enable ACK in the Holding Queue for DNTF Refill Responses displayed in the list view for RXD status
- 1007891 Display eRx related text for pending AwC Refill Response processing activity under the current Activity Log for eRx Prescriptions
- 1007892 Display Cancel Request related auto-DC activity in the Activity Log for eRx Prescriptions
- 1007893 Add new status codes RXW, RXD, RXA and IRA in #52.45
- 1007894 Cancel Rx (Testing Story): When a patient record is opened in PCV and a Cancel Request is sent for one of the eRx's for that patient, the Cancellation should process the same way as with an unlocked record
- 1007895 Lockdown VP/VM/VD/Hold/UnHold/RJ/RM/AC actions for a Denied Refill Response
- 1007896 Modify Refill value for option 'R' on outbound REFREQ message

- 1007897 When an OP eRx is DC'd as a result of a DNTF Refill Response, in the final step, change the response status RXC to RXD
- 1007898 Lockdown VP/VM/VD/Hold/UnHold/RJ/RM/AC actions for a Denied New Rx to Follow Refill Response
- 1007899 Process Auto-Cancel on eRx's in the Holding Queue that are in W statuses
- 1007900 Enable ACK in the Holding Queue for Refill Responses displayed in the list view for RXF status
- 1007901 Display eRx related text for pending Approved Refill Response processing activity under the current Activity Log for eRx Prescriptions
- 1007902 Mark inbound messages as delivered (3002) after a retry error indicates the eRx record already exists in the Holding Queue and do not generate an Error message back to the provider
- 1007903 Modify Refill value display in Refill Request/Response Message Details view when an Approved response is received
- 1014292 Process Auto-Cancel on PR eRx's in HQ when corresponding eRx record is in OP, also auto-DC in OP (status not in Pending, Active, Discontinued or Done)
- 1014293 Cancel Rx Testing Story: Whenever an eRx Prescription in OP is auto-DC'd successfully, the corresponding Orders file entry's status should also be updated accordingly
- 1014638 Enhance VistA Key options for ACK on Refills related Inbound Errors (RRE)
- 1014847 Provide short description with single question mark (?) option for Refill Request generation prompts R, C and E
- 1014848 Print action enhancement for REFREQ and REFRES message types in the Holding Queue
- 1015883 Patient Centric View: Criteria to display patient record and counts under each column based on value set for ERX LOOKBACK DAYS

5. Inbound ERX v3.0/PSO*7.0*508 Defects

5.1 Inbound ERX v3.0/PSO*7.0*508 Known Defects

RTC ID	WORK ITEM DESCRIPTION
862482	Locking issue both in PCV and RX view with multiple VistA sessions open
862505	Locking issue between PCV / RX view and ERX REFERENCE NUMBER, while searching(SR) the same prescription using ERX REFERENCE NUMBER.

5.2 Inbound ERX v3.0/PSO*7.0*508 Defect Fixes

RTC ID	WORK ITEM DESCRIPTION
431760	As a Developer, I need to support receipt of Cancelation requests by the Transaction Hub from an External Provider
431761	Display an incoming Cancel Request in the Holding queue after receiving it from the Hub when the Request could not be matched against a NEWRX in the Hub
431762	Create new status codes and corresponding descriptions in file #52.45 for Cancel Rx functionality
431769	Display all 4 Refill Response Types in the Holding queue and display in List View
440852	As a Developer, I need to change 'Ref Number' to 'Original Ref Number' in the Track/Audit Details screen under the Prescription section
494147	As a Developer, I need to support receipt of Change Request-Response by the Transaction Hub, from an External Provider
512100	As a Developer, I need to block only New e-Prescriptions from being transmitted to VistA when a pharmacy is disabled
514792	As a Developer, I need to increase the Print Font size when printing from the eRx Hub"
526965	As a Developer, I need to move Return to Pharmacy Button for Increased Visibility (near the display of error messages)
534630	As a Developer, I need to capture Filled # on GUI Summary Report for e- Prescriptions filled in VistA
534734	As a Developer, I need to create a Search and Export buttons under Pharmacy Management
534734	As a Developer, I need to create a Search and Export buttons under Pharmacy Management
534810	The search date range should default to 2 days or so instead of 1, for both Track/Audit and Summary Reports
554331	Display all Error Messages received from the Hub in the Holding queue, in List View"
558378	Generate REFREQ through new hidden option RE, in OP, and send it to the hub by calling Outbound Web Service
559118	Create an ability to view all REFREQs/REFRESs/ERRORs available in the Holding Queue
564319	As a Developer, I need to display SSN on e-Prescribing Track/Audit Details
585104	Pass the Refill Response code/translations to VistA along with other REFRES message details
601032	As a Developer, I need to add a site-specific Admin role to e-Prescribing Hub GUI
601037	Data-driven configuration to turn on/off E&E check for Patient Match under Pharmacy Management >> Add/Update Pharmacy

- 604819 As a Developer, I need to create a DB role for troubleshooting purposes only, with no access to PII and PHI data
- 616458 Create a new report to display Reject Reasons against Total eRx's per site
- 616458 Create a new report to display Reject Reasons against Total e Rx's per site
- 616459 As a Developer, I need to create/update reports to list out MVI Match / Drug Validation / Provider Match / etc.
- 617425 As a Developer, I need to display NDC in Track/Audit Details
- 625709 Inbound e-Prescribing Feature Request-hurricane symbol be added to the left side of the e-Prescribing in VistA outpatient pending queue to help differentiate that queue from non-e-Prescriptions queue
- 632236 Populate Field #.13 in File #52.49 with Rx# from File #52
- 633013 As a Developer, I need to send Change Request-Response to VistA Holding Queue
- 633014 As a Developer, I need to create Track/Audit details for Outbound Change Request
- 633016 As a Developer, I need to receive from VistA and send Cancel Response to Change Healthcare from the Hub
- 633018 As a Developer, I need to add ""Enable/Disable User"" function and remove Delete functionality under User Management screen
- 633019 Identify and send Error Messages received from Change Healthcare to VistA from the Hub - Refill Request (Outbound)
- 633020 As a Developer, I need to create Track/Audit details for Inbound Change Response
- 633021 As a Developer, I need to modify Track/Audit summary for Inbound Cancel Request
- 633022 As a Developer, I need to modify Track/Audit summary for Outbound Cancel Response
- 633023 As a Developer, I need to modify Track/Audit summary for Outbound Change Request
- 633024 As a Developer, I need to modify Track/Audit summary for Inbound Change Response
- 633851 As a Developer, I need to identify and send Error Messages received from Change Healthcare to VistA from the Hub for Change Rx Request"
- 633863 As a Developer, I need to identify and send Error Messages received from Change Healthcare to VistA from the Hub - Cancel Response (Outbound)"
- 633896 As a Developer, I need to identify and send Error Messages received from Change Healthcare to VistA from the Hub for Rx Fill messages"
- 641924 Enhance HQ Search Criteria to view all REFREQ/REFRES/ERROR messages available in the Holding Queue
- 641925 Display all outbound REFREQ messages in the Holding queue
- 641926 Create new statuses for outbound REFREQ messages and respective new statuses for REFRES/ERROR messages in the Holding queue

- 641927 As a Developer, I need to create and send Error Message to VistA from the Hub when REFREQ fails to go to Change Healthcare
- 641928 Enhance RN function in OP for e-Prescribing
- 641929 Provide exit out (^) to Pharmacist while prior to generating and sending out REFREQ message
- 641931 Display Approved Refill Response pending renewal activity under the current Activity Log for eRx Prescriptions
- 641932 Print action enhancement for REFREQ and REFRES message types in the Holding Queue
- 641934 Enable ACK in the Holding Queue for Denied Refill Responses displayed in the list view for RXD status
- 642043 Remove RR hidden action from the Holding Queue
- 642498 Create a new user free text field, Comment/Note, in the Holding Queue for both REFREQ and REFRES message types"
- 651207 As a VistA Developer, I need to DC e-Prescribing in OP when a DNTF Refill Response is received in the Holding Queue
- 651237 As a VistA Developer, I need to display message details of all Inbound NCPDP ERROR messages received in the Holding Queue when outbound REFREQ messages are sent
- 651252 As a VistA Developer, I need to display summary/content of all Outbound NCPDP REFREQ messages received in the Holding Queue
- 651402 As a VistA Developer, I need to display summary/content of 4 Inbound NCPDP REFRES messages received in the Holding Queue
- 652289 As a VistA Developer, I need to change 'RE' function in OP to 'RR'
- 652473 As a VistA Developer, I need to allow/disallow VM when an Approved with Changes Refill Response is received in the Holding Queue
- 652475 As a VistA Developer, I need to process Approved Type Refill Response in Outpatient Profile
- 652476 As a VistA Developer, I need to process Approved with Changes Type Refill Response in Outpatient Profile
- 653635 As a Developer, I need to provide a Clear button on Pharmacy Management and Report Screens
- 653750 Generating Refill Request (RE) through backdoor orders getting the hard error. 2 different errors are displaying. Please see description for errors
- 653768 Actions are not displaying when I enter 2 question marks in the Summary screen (e-Prescribing Holding Queue Display) at Select Action: Next Screen//
- 654029 Selecting ""^"" or not entering number of Refills "" at ""Enter # of Refills:"", throwing error in the backdoor orders.
- 654223 As a VistA Developer, I need to display the user entered Comment/Note along with Summary/content for both REFREQ and REFRES message types
- 654295 The typo ""request"" needs to be ""Request"" for the ""Generating refill/renewal request for Rx #: "" in the backdoor orders

- 654437 As a Developer, I need to limit Pharmacy Edits based on Site Specific Admin role
- 654472 As a Developer, I need to modify Track/Audit detail for Inbound Cancel Request
- 654646 As a Developer, I need to modify Track/Audit detail for Outbound Cancel Response
- 654681 As a Developer, I need to receive from VistA and send Rx Fill message to Change Healthcare from the Hub
- 654688 As a Developer, I need to create and send Error Message to VistA from the Hub when Cancel Response fails to go to Change Healthcare
- 654690 As a Developer, I need to create and send Error Message to VistA from the Hub when Rx Fill fails to go to Change Healthcare
- 654782 As a Developer, I need to modify Track/Audit summary for Outbound Rx Fill Message
- 655357 As a VistA Developer, I need to mimic current OP functionality for precondition checks while generating outbound REFREQ using the RR action
- 655639 C - REFILL AND CHANGE QUANTITY function is not working in the Backdoor Orders
- 655640 The text ""Enter # of Refills '^' to exit: (0-11): "" needs to be ""Enter # of Refills or '^' to exit: (0-11)
- 655641 When I do ""??"" at ""Select message type:"" for the Message View (MV) on the list view screen, not displaying all message types
- 655957 As a Developer, I need to modify Track/Audit details for Outbound Rx Fill Message
- 656328 As a VistA Developer, I need to store the Medication Dispensed information in the ERX HOLDING QUEUE file (#52.49)
- 656750 System is allowing the sending of the REFILLREQUEST for the e-Prescriptions that are having 1 or more refills remain.
- 656756 Number of refills has to change to (1-11) for ""Enter # of Refills or '^' to exit: (0-11)
- 656761 Refill Response messages are not displaying in the Refill Response list view screen by going Message View or Search in the holding queue
- 656761 Refill Response messages are not displaying in the Refill Response list view screen by going Message View or Search in the holding queue.
- 656769 Error messages (both Inbound and Outbound) are not displaying in the Error list view screen by going Message View or Search in the holding queue.
- 658268 As a Developer, I need to modify Track/Audit detail for Outbound Refill Request to include Medication Dispensed segment data
- 658913 Refill Request getting OUTBOUND error with 3006. Pharmacy store address is not sending in the REFILLREQUEST when New Rx don't have Pharmacy store address
- 660172 Search With ""ERX status"" is not working for RRN, RRE and RRR, not displaying query results

- 660248 Refill Response - Reason Code not displaying in Track/Audit for all the Refill Responses Approved, Approved with Changes, Denied and Denied New Prescription to Follow
- 660355 As a Developer, I need to create a Track/Audit report showing linkages of all related messages
- 660356 As a VistA Developer, I need to display warnings to Pharmacy User at the time of exercising RR function in Outpatient Profile
- 661301 Getting the error for searching the NEWRX using Message View (MV) or Search by using MESSAGE TYPE (option 7)
- 661315 SR -Search Queue is not working for ERX STATUS, DRUG NAME and PROVIDER NAME
- 662182 As a Developer, I need to restrict non MbM users from being able to view Track/Audit data of MbM sites
- 662183 As a Developer, I need to rename role name from Pharmacy Tech to Pharmacy User
- 663798 Pharmacy disabled - For Refill Response, Processing hub Outbound job is not sending the error message back to Change Healthcare when Pharmacy is disabled
- 663864 User Management - Enable/Disable check box - When I keep the cursor on check box displaying as Delete record checkbox for row1, it is supposed to be something like Enable/Disable User
- 663869 User Management - Adding new user getting the error
- 664508 VistA Holding Queue not displaying the ERROR messages received from the Hub in the List view
- 665446 Pharmacy Management - Edit Pharmacy is displaying unnecessary error when click on the Update button by removing VISN value
- 665449 When DAS is down (DAS port changed), Processing Hub (Outbound table) still sending the Refill Request to CH successfully with Message Status 4001
- 669278 For ""RRN"" and ""RRR"" messages ""MESSAGE HISTORY"" is not displaying, and for all the messages ""New e-Prescribing Reference #:"" is not displaying
- 669288 For ""RXN"" (REFILL RESPONSE NEW) message ""VA Rx#:"" is not displaying
- 670633 As a Dev Tester, I will create 508 Compliance Testing on e-Prescribing application on the VistA side
- 670634 As a Dev Tester, I will create 508 Compliance Testing on e-Prescribing application on the Hub side
- 670640 As an RA/PA/CM/TW, I need to update Documentation for V3.0/Sprint 3
- 670880 As a Developer, I need to update current Summary Report on web GUI
- 670880 As a Developer, I need to update current Summary Report on web GUI
- 673062 As a Developer, remove Pharmacy Address columns from Reject and Auto check reports

- 673063 As a Developer, create a new ""e-Prescriptions Summary Report"" report that includes summary for all transaction types - New Rx/Change/Refill/Cancel/Rx Fill
- 673065 As a Developer, rename eRx"" Summary/Auto check Details/Reject Reasons reports on web GUI
- 674162 As a VistA Developer, I should not display 'Approved' Refill Response Type in the List View of the Holding Queue
- 674172 As a VistA Developer, I should not display ""Approved with Changes"" refill response type in the list overview of the holding queue when the changes are in the drug segment only
- 674531 Modify Refill value for option 'C' while generating outbound REFREQ
- 674570 The ""Change of Prescription Status Flag"" is not being displayed on the hub side for Cancel Rx
- 674608 Reason code is not displaying in the REFILL RESPONSE INFORMATION for the Refill Response message
- 674636 Certification Testing - Refill Request getting the NCPDP corrupted error (3006) in Outbound table, not able to send it to Change Healthcare. Please see description and attachments for more details
- 674645 Lockdown VP/VM/VD/Hold/Un-Hold/RJ/RM/AC actions for a Denied Refill Response
- 675505 Duplicate New Rx messages (one faxed, one electronic) - VistA Side Resolution
- 675531 Include NDC in Medication Dispensed segment while sending Refill Request
- 675548 When an inbound message has Written and/or Effective Date 365 days or older, the Provider has to be notified if it is not filled
- 675566 Fill Status information is not being displayed on the Rx Fill page (Fill Status, Code Description, Note)
- 675572 The Medication Dispensed segment does not contain the "e-Rx Ref Number", "Message ID", and "Relative to Message ID" fields for Refill Request page
- 675734 # of refills: needs to be # of Refills Requested: when R or C is selected for REFILLREQUEST
- 675735 Refill Response - Responses APPROVED, APPROVEDWITHCHANGES, DENIED, are not displaying in the REFILL RESPONSE INFORMATION in the Refill Response summary details
- 675736 Certification Testing - Refill Responses are getting MESSAGE STATUS 3005 (VISTAOP_DELIVERY_RETRIES_EXCEEDED) at hub Inbound job (INBOUND_NCPDP_MSG Table)
- 676317 Provide short description with single question mark (?) option for Refill Request generation prompts R, C and E
- 678645 Error displaying when INBOUND ERROR message is selected from the list view screen
- 678653 Auto Discontinue the e-Prescribing in OP is not working when DNTF Refill Response is received in the Holding Queue

- 679324 Refill Response is not working for allow/disallow VM when an Approved with Changes Refill Response is received in the Holding Queue
- 684434 As a Dev Tester, I will be performing 508 Compliance Testing on e-Prescribing application on the VistA side
- 684575 REQUEST (Rx Change Request) segment is displaying in the New Rx Track/Audit details
- 684725 When A/PRN is the Refill Qualifier with no Refill value sent in on an inbound transaction message, display the qualifier in the e-Prescribing Refills field
- 684967 The Medication Requested segment is missing fields "NDC", "Drug Form", and "Refills" in the Rx Change Request Track/Audit details
- 684971 When multiple medications are requested, they are not displaying correctly in the Medication Dispensed section of the Track/Audit details
- 684971 When multiple medications are requested, they are not displaying correctly in the Medication Dispensed section of the (CI)
- 684988 Not able to filter e-Prescription Summary Report based on Name or NCPDP # as listing in AC2
- 685212 When Refill value is over 11 in the Refill Response or when the day supply is 90 and the refill value is over 3, Holding Queue should mimic OP functionality
- 685366 Inbound Errors are not coming in to VistA holding queue and error status is not displaying RRE
- 685793 As a Developer, I need to display a warning under Add/Update Pharmacy for Hub related changes that do not Change Healthcare's directory
- 688795 Holding Queue is not displaying the "RXF" "RRR" message statuses when e-Prescribing is discontinued in OP before sending the DNTF REFILLRESPONSE
- 690282 VistA SIG is not displaying PI when PC is not copied over to it in OP Edit, prior to finishing the eRx
- 691050 Autocheck Details report failed count not matching with Patient/Provider/Drug match failure due to system error
- 691400 Certification Testing - Outbound Refill Request message should have same Refills segments in both Med Prescribed and Med Dispensed segments
- 691401 Under Med Dispensed section of Message Details view of REFREQ/REFRES, 'VistA Refills' must be the same value as in File 52 for that e-Prescription
- 691414 Refill Response sent with relates to message ID of a NEWRX or an unrelated REFREQ results in hard error when the message is opened in the Holding Queue
- 692774 #Rx in Process is displaying zero records currently, even though there are corresponding Verify messages for the new e-Prescriptions
- 693851 Errors displaying in the Installation File Print in CHYL08 test environment
- 694336 Accepting New Rx in Holding queue and generating Refill Request in OP, receiving the JTA Transaction unexpected error while saving the VistA Outbound message

- 694367 Approved with Changes Refill Response with Provider Changes - 2 Verify messages are sending to CH - One Verify message from Hub and another Verify message from VistA when Accepting e-Prescription
- 695181 User Management Page _ Single Station ID displaying duplicate rows
- 696253 Change button label from 'Return to Pharmacy Information' to 'Return to Pharmacy Management'
- 696407 VistA Processing Errors section is not displaying in the summary details for the DNTF Refill Response when the prescription is DC before sending the DNTF response from CH
- 696703 JTA Exception occurring sporadically when an e-Prescription is accepted from the Holding Queue
- 696927 Not Eligible for Refills is not displayed in the GUI for Reject Reasons report
- 696931 Reject reasons are filtered based on the New Rx date and not the actual reject dates.
- 697231 Pre-condition check - Able to generate the Refill Request from OP for an Suspended (S) e-Prescription
- 697904 As a Vista Developer, I need to display newest records first when user exercises MV action to view the various message types
- 698325 As a VistA Developer, I need to display diagnosis info on e-Prescribing Summary view in a compressed format
- 698536 Sure-Scripts Finding 1: Include Substitutions tag under Med Dispensed of REFREQ, echo back from NEWRX
- 699489 Sure-Scripts Finding 2: NDC is not 11-digit, stripping leading zeroes on the Medication Dispensed segment of REFREQ
- 699615 Precondition check - Maximum number of renewals (26) has been reached
- 699914 Lockdown VP/VM/VD/Hold/Un-Hold/RJ/RM/AC actions for a Denied New Rx to Follow Refill Response
- 699921 When Cancel Rx Request is received in the Hub, perform a match against the NEWRX messages using the Message ID linkage
- 701333 Enhance Message View action to include Cancel Rx Request message type
- 701334 Enhance Message View action to include Cancel Rx Response message type
- 701335 Enhance SORT to include Cancel Rx Response message type
- 701336 Enhance SORT to include Cancel Rx Request message type
- 701338 Enhance SEARCH to include Cancel Rx Request message type
- 701339 Enhance SEARCH to include Cancel Rx Response message type
- 701340 Enhance AD to include Cancel Rx Response message type
- 701341 Enhance AD to include Cancel Rx Request message type
- 701343 When Cancel Rx Request is received in the Holding Queue, send a Denied response if there is no matching NEWRX
- 701346 Design Message Details view for Cancel Rx Request message type similar to Refill Request Message type

- 701347 Design Message Details view for Cancel Rx Response message type similar to Refill Response Message type
- 702713 Receive and store Inbound ERROR messages in the Holding Queue, but not display in List View
- 702714 Design Message Details view Cancel Rx Response related Inbound ERROR, similar to Refill Request related Inbound ERROR
- 702714 Design Message Details View Cancel Rx Response related Inbound ERROR, similar to Refill Request Related Inbound ERROR
- 702719 Enhance SORT to include Inbound ERROR message type
- 702725 Enhance SEARCH to include Inbound ERROR related to Cancel Rx Response message type
- 702729 Enhance Message View action to include Inbound ERROR related to Cancel Rx Response message type
- 703351 Process Auto-Cancel on New and Rejected e-Prescriptions in the Holding Queue
- 703353 Process Auto-Cancel on e-Prescriptions in the Holding Queue that are not in New, PR or Rejected statuses
- 703354 Lock all validations, Hold / Un Hold/RJ/RM/AC actions on Canceled NEWRX's, Cancel Request and Cancel Response Message types
- 704398 When Cancel Rx Request is received in the Holding Queue, store it in File #52.49
- 706096 APPROVED Refill Response Provider Segment Changes after finishing the Refill Response in OP, REFILL RESPONSE is displaying with the message status RXC (Refill Response Complete) in list view screen. Also, the VM action is unlocked
- 706310 Bulk Validation - System also asking validations for the Refill Response messages that are in the list view screen
- 706610 Change codes used under MV for Cancel Request and Cancel Rx to be consistent with Refill message types
- 707234 # In Process column is currently displaying only 0 and showing less station ID values for Reject Reasons Report
- 707581 Display totals row under Track/Audit and Summary Reports exports for all the search criteria
- 707582 Sure-Scripts Testing - For Medical supply, VistA has to send REFILLREQUEST without NDC in the Medication Dispensed segment to the external provider and Drug Coverage Status Code has to be send in both
- 709468 Typo on the e-Prescription Holding Queue Display screen for - CANCEL REQUEST RECEIVED
- 709502 Typo in 'ADD Comment' in the list of options
- 710961 The export button for the reject reasons report isn't working
- 711569 Pharmacy Management Screen - Clear button not clearing the 'Pharmacy information added successfully' message
- 711652 SORT/SO does not work after Message View/MV action is invoked
- 712215 Process Auto-Cancel on PR eRx's in HQ when the eRx was renewed within VA

- 712252 Create and enable ACK Acknowledge hidden action for Cancel Request in status CAO or CAD
- 712962 Pharmacy Management page - Warning message on the Add/Update Pharmacy pages need to be corrected.
- 713623 Create and enable ACK Acknowledge hidden action for Cancel Request in status CAH, CAF, CAP or CAR
- 714387 Validate Drug - selecting the fields like 1-5 6,7 or 1-5,6,7 throwing hard error when editing the Drug for the fields at ""Which field(s) would you like Medication Dispensed' section need to be removed from the Cancel Rx and Cancel Rx Response details screen
- 715059 Cancel Rx - Cancel Request is getting denied at HUB when sending the Relates to Message ID in Cancel Rx Request is same as Message Id of the Original New Rx
- 715544 New Rx - Action ""AD"" should not allow for New Rx to add comments
- 716211 DevTest only Story - Web GUI Help file updates for Java Build 3.0.3.003
- 717738 e-Prescribing with status 'CAN' are listed in the eRx Holding Queue list view
- 718403 e-Prescribing with status 'CNP' are listed in the eRx Holding Queue list view
- 718437 The canned note "" Rx was never dispensed. Rejected at Pharmacy."" needs to be displayed on the cancel response details view screen for the rejected (RJ)
- 718447 The canned note is not being displayed on the cancel response details view screen for both new(N) and rejected (RJ) statuses
- 718454 Refactor Inbound Pentaho job to determine the "related to" Hub ID of inbound messages to include with message when sent to VistA Holding Queue
- 718507 Process Auto-Cancel on PR eRx's in HQ when corresponding eRx record is in OP (DC'd eRx's)
- 718605 Pharmacy Management _ Getting error on clicking the 'Save' button on the Add Pharmacy page.
- 720766 Expected canned message is not displaying in the response for the rejected eRx.
- 721080 Mark inbound messages as delivered (3002) after a retry error indicates the eRx record already exists in the Holding Queue and do not generate an Error
- 721836 AD (Add Comment) - Getting the error when adding the REQUEST/RESPONSE COMMENTS
- 725530 Display informational text when a user tries to generate REFREQ off of a pending eRx line entry in OP
- 726470 Update hub side workflow when Cancel Rx is received
- 728706 Patient Centric View: Criteria to display count under EDAYS column
- 729180 Patient Centric View: Criteria to display count under CCR column
- 729182 Patient Centric View: Criteria to display count under OTH column
- 730672 Rel to Msg ID"" hyperlink opening the parent message and not relates to message (CI)
- 730718 Display Cancel Request related auto-DC activity in the Activity Log for eRx Prescriptions

- 731060 Print action enhancement for Cancel Rx Request and possibly Cancel Rx Response message types in the Holding Queue
- 731846 When a user selects PCV prompt, provide prompts to further filter by one of the New eRx statuses
- 731847 Enhance VistA Key options
- 731848 Provide short description with single question mark (?) option when the user has to select PCV vs Traditional View
- 731849 Provide short description with single question mark (?) option under ACK action for user selection of Approved or Denied Cancel Response options
- 731851 Modify Refill value for option 'R' on outbound REFREQ message
- 731852 Modify Refill value display in Refill Request/Response Message Details view when an Approved response is received
- 732480 Developer Task: Web GUI Help file updates for B3 Sprint 3 (CI)
- 732731 eRX_508: We are missing the Alt=""U.S. Department of Veteran Affairs
- 732752 eRX_508: Navigating using the tab key on the Pharmacy Managing page, not in order
- 732752 eRX_508: Navigating using the a tab key on the Pharmacy Managing page, not in order (CIs)
- 732760 eRx_508: Keyboard operable user interfaces in the product do not have a visible focus indicator
- 732760 eRx_508: Keyboard operable user interfaces in the product do not have a visible focus indicator
- 732763 eRX_508 From the Track/Audit eRX page, the calendar is not read properly using screen reader (CI)
- 732764 eRX_508: Patient DOB read as (Patient DOB (DOB being read as "DOB"))
- 732764 eRX_508: Patient DOB read as (Patient DOB(DOB being read as "DOB")). (CI)
- 732797 eRx_508: The assistive technology users do not know if an item is selected to view and edit data in the user role filed
- 732797 eRx_508: The assistive technology users do not know if an item is selected to view and edit data in the user role filed
- 732935 Developer Task: As a Developer, I need to perform Refactoring of Code (CI)
- 732937 Remove fields from Pharmacy table that were originally related to Change Healthcare updates (CI)
- 732938 Add/Update Pharmacy screen to include only the fields that are required (CI)
- 732944 Message Type column needs to be moved to the left, and displayed between eRx Reference Number and Patient name
- 732944 Message Type column needs to be moved to the left, and displayed between eRx Reference Number and Patient (CI)
- 733310 Pressing the <Enter> key after entering text in the "NCPDP ID:" and "Pharmacy Name: "fields opens the "Add New Pharmacy (CI)

- 734595 Developer Task: Develop database table/materialized view to capture performance stats/status (CIs)
- 734595 Developer Task: Develop database table/materialized view to capture performance stats/status (CI)
- 734762 Add new status codes RXW, RXD, RXA and IRA in #52.45
- 734764 When an OP eRx is DC'd as a result of a DNTF Refill Response, in the final step, change the response status RXC to RXD
- 734765 When Provider Validation is completed on an AwC Refill Response with PVD segment change, change the AwC response status to RXW
- 734767 Make ACK unavailable for AwC Refill Response in List View (Provider segment changes), which is in RXN or RXW status
- 734777 eRX_508: Help page auto-scrolls before JAWS reads through the page
- 736620 Search by ERX Status for RXP is not pulling up any results while MV shows RXP records
- 737575 Process Auto-Cancel on eRx's in the Holding Queue that are in W statuses
- 738666 When an AwC Refill Response is received with changes in the Prescriber segment, OP is displaying old Provider info even though the new Provider was
- 738668 Need to see # of refills on Rx being renewed during RR process
- 739617 Create new status code CAX and corresponding description in file #52.45 for Cancel Rx functionality
- 739618 Change status of Cancel Request to CAX when the corresponding Response does not go beyond VistA due to connectivity issue with the Hub
- 739619 Enable ACK Acknowledge hidden action for Cancel Request in status CAX
- 740414 Pressing the <Enter> key after typing search text does nothing, which is not consistent with the other search fields on other tabs
- 740414 Pressing the <Enter> key after typing search text does nothing, which is not consistent with the other search fields on (CI)
- 741028 Remove VistA Patient and VistA Provider labels under Cancel Rx Request/Response Message/CNE Inbound Error Details view
- 745300 Create a new hidden action from New eRx Summary screen from where the Pharmacy user can jump to OP and navigate back to HQ
- 745495 Under each Summary Report, when the user uses the horizontal scroll bar, the totals data grid should scroll horizontally as well
- 746001 The prompt to select PCV or traditional view is displaying as 'Enter response: PT// ' where as in the AC it is mentioned as 'Select By: (PT/RX)// PT'
- 747139 When a Cancel Rx Request is received in the hub, if more than one NEWRX message is successfully matched, the jobs are halted in the INBOUND_NCPDP_MSG table
- 747139 When a Cancel Rx Request is received in the hub, if more than one NEWRX message is successfully matched, the jobs (CI)
- 747723 PCV_EDAYS count not refreshing when the status of an eRx is changed to PR from W.

- 747730 PCV the values displayed in the EDAYS column need to be right aligned.
- 748646 Under PCV, rename the columns to create more room for additional columns
- 748648 Enable ACK in the Holding Queue for Inbound Errors related to Refill Requests (RRE)
- 748652 When a Denied Refill Response is received in the HQ, change the response status from RXN to RXD
- 748653 Display Refill Request generation activity under the new 'eRx Log'
- 748654 Create a new option '8. eRx Log' and change to '9. All Logs' under the AL/Activity Logs hidden action in OP
- 748655 Display eRx related text for pending Approved Refill Response processing activity under the current Activity Log for eRx Prescriptions
- 748656 Display DNTF Refill Response related auto-DC activity in the Activity Log for eRx Prescriptions
- 748658 Patient Centric View (Testing Story): Ensure that PCV displays 999 patient records that have eRx records in actionable statuses
- 748659 Patient Centric View (Testing Story): Ensure that PCV >> Prescription view displays 999 eRx records in actionable status for the selected patient
- 748660 Patient Centric View (Testing Story): Ensure that PCV >> Prescription view displays eRx records in actionable status for the selected patient within the # of days set as default parameter in File #59
- 748661 Patient Centric View (Testing Story): Ensure that PCV displays patient records that have eRx records in actionable status received within the # of days
- 749392 When the eRx was renewed within VA, sending a Cancel Rx is not auto-cancelling the eRx entry
- 749440 Lockdown VP/VM/VD/Hold/UnHold/RJ/RM/AC actions for an Approved Refill Response
- 749442 Lockdown VP/VM/VD/Hold/UnHold/RJ/RM/AC actions for an Approved with Changes Refill Response with Drug segment change only
- 749479 When the eRx is in Hold queue in OP, sending a Cancel Rx is not auto-cancelling the eRx entry
- 749503 Confirmation prompt with Yes/No options is not displaying when the user selects a Cancel Response Type.
- 749854 Patient Centric View (Testing Story): When an eRx record in Traditional is opened, the same patient's record in PCV should be locked
- 749855 Patient Centric View (Testing Story): When a patient record is opened in PCV, the same patient's eRx records in Traditional view should be locked
- 749856 Cancel Rx (Testing Story): When a patient record is opened in PCV and a Cancel Request is sent for one of the eRx's for that patient, the Cancellation should process the same way as with an unlocked record
- 749857 Cancel Rx (Testing Story): When an eRx record is opened in Traditional view and a Cancel Request is sent for the current eRx record, the Cancellation

- 750051 Modify Refill value display in Refill Request/Response Message Details view when an Approved with Changes response is received
- 750069 Display AwC Refill Response pending renewal activity under the current Activity Log for eRx Prescriptions
- 750070 Display eRx related text for pending AwC Refill Response processing activity under the current Activity Log for eRx Prescriptions
- 750080 Enable ACK in the Holding Queue for DNTF Refill Responses displayed in the list view for RXD status
- 750273 Lockdown actions for an Approved with Changes Refill Response with PVD segment only or PVD segment and DRU segment change depending on various statuses
- 750306 Provide short description with single question mark (?) option when the user has to select by status after selecting PCV option
- 750819 508 - In "Pharmacy Management" link "NCPDP ID" doesn't read by the assistive technology (CI)
- 750822 Developer Task: DevTest only Story - Web GUI Help file updates for B4 Sprint 1 (CI)
- 750831 Developer Task: As a Developer, I need to perform Refactoring of Code (CI)
- 750904 Bulk Validation is not working for the Provider (VM)
- 752962 Enable ACK in the Holding Queue for Refill Responses displayed in the list view for RXF status
- 752974 Process Auto-Cancel on PR eRx's in HQ when the eRx was renewed within VA (through CPRS)
- 753535 When auto-cancel is processed on eRx's in the Holding Queue that are in W statuses, the Cancel Request is changed to CAO where it is expected to be
- 753546 CNE Message view details is not displaying error details and CNE is currently displaying in the list view
- 754280 VM and AC is locked when Refill Response in RXN status in list view.
- 755237 The logic is not correct when sending Refill Request with R.
- 755808 Developer Task: Link horizontal scroll bars on main and total report grids (CI)
- 757100 When acknowledging a DNTF Refill Response that is in RXD status, the acknowledge message is displaying wrong as Cancel request acknowledged
- 757114 After acknowledged, the RXA status should not display in the list view. Currently RXA status is displaying in the list view
- 757156 The maximum number of actionable statuses in PCV should be 999, but only 100 shows
- 758294 Developer Task: Modify Inbound Job to handle scenario (CI)
- 758488 The Approved and Denied descriptions appear to be swapped.
- 759308 The ED column is not updating in the PCV after editing the ""ERX DEFAULT LOOKBACK DAYS"" in File 59
- 761457 Getting hard error on selecting Print option for Cancel Request.

- 761463 Print option is locked for Cancel Response message in Holding Queue.
- 762128 Cancel request not changing to CAX when Auto-generated Cancel Response does not go beyond Vista
- 764535 508 - In "Pharmacy Management" link "NCPDP ID" doesn't read by the assistive technology (CI)
- 764544 In Track/Audit link VISN does not read by the assistive technology.
- 764544 508 - In "Track/Audit" link "VISN" doesn't read by the assistive technology. (CI)
- 764547 508 - In "User Management" link "Add User" does not read by the screen reader.
- 764547 508 - In User Management link Add User does not read by the screen reader
- 766822 The horizontal scroll bars act independently and the columns don't align when scrolling.
- 767432 Print Font size when printing from the eRx Hub is very small (CI)
- 767915 eRx_508: Information, structure, and relationships conveyed through presentation cannot be read (programmatically determined)
- 767915 eRx_508:Information, structure, and relationships conveyed through presentation cannot be read (programmatically determined) (CI)
- 767935 eRx_508: Text and images do not have a contrast ratio of at least 4.5:1.
- 767935 eRX_508 Text and images do not have a contrast ratio of at least 4.5:1.
- 767939 eRX_508: The timeout function does not allow the user to turn off, adjust, or extend the time limit
- 767939 eRX_508: The timeout function does not allow the user to turn off, adjust, or extend the time limit (CIs)
- 768372 eRx_508: Information, structure, and relationships conveyed through presentation cannot be read (programmatically determined) -Table
- 768372 eRx_508 Information, structure, and relationships conveyed through presentation cannot be read (programmatically determined) -Table
- 768373 eRx_508: Information, structure, and relationships conveyed through presentation cannot be read (programmatically determined) - Pharmacy Management
- 768373 eRx_508: Information, structure, and relationships conveyed through presentation cannot be read (programmatically determined) -Pharmacy Management
- 768382 eRX_508: The correct reading sequence cannot be read (programmatically determined)
- 768382 eRX_508: The correct reading sequence cannot be read (programmatically determined)
- 768383 eRx_508: Content functionality is not operable through a keyboard interface
- 768383 eRx_508: Content functionality is not operable through a keyboard interface
- 768385 eRx_508: The name, role, and value of user interface elements in the product cannot be read (programmatically determined) - Pharmacy Management"
- 768385 eRx_508: The name, role, and value of user interface elements in the product cannot be read (programmatically determined) - Pharmacy Management

- 768386 eRx_508: The name, role, and value of user interface elements in the product cannot be read (programmatically determined) - Track/Audit
- 768386 eRx_508: The name, role, and value of user interface elements in the product cannot be read (programmatically determined) - Track/Audit
- 768387 eRx_508: The name, role, and value of user interface elements in the product cannot be read (programmatically determined) - User Management
- 768387 eRx_508: The name, role, and value of user interface elements in the product cannot be read (programmatically determined) - User Management
- 768600 Developer Task: Code correction for ""Low"" Fortify findings (CIs)
- 768713 Cancel request on NewRx with same Message ID cancelling a different NewRx
- 769885 Incorrect Acceptance Criteria: Pending Approved Refill Response activity is not being logged under '3. Activity', under the AL/Activity Logs hidden action
- 769918 Display the last known status of the canceled NEWRX in the Cancel Request/Response Message Details view
- 769945 The Refill Request Inbound Error is not showing up in the list view, but it should
- 769963 The Refill Request - Refill Request Error is showing up in the list view, but it shouldn't
- 769992 Incorrect Acceptance Criteria: Pending AwC Refill Response activity is not being logged under '3. Activity', under the AL/Activity Logs hidden action
- 770041 The user does not have the option to filter the PCV based on a specified hold type.
- 770063 Once a status type is selected entering the PCV, the list should be filtered based on the status type, but should include totals for all other statuses
- 770290 Whenever a manual Approved Cancel Response is sent during ACK, the canned note should be: "Rx canceled at Pharmacy"
- 770294 Process Auto-Cancel on PR eRx's in HQ when corresponding eRx record is in OP, also auto-DC in OP (status not in Pending, Active, Discontinued or Done)
- 770296 Cancel Rx Testing Story: Whenever an eRx Prescription in OP is auto-DC'd successfully, the corresponding Orders file entry's status should also be
- 770717 The "Number of Records" count is not being displayed at the bottom of the .csv file for Track/Audit data"
- 770771 Developer Task: As a Developer, I need to perform Refactoring of Code (CIs)
- 770851 Display the current status of the eRx on OP side on the Message Details view of the Request and Response messages
- 770929 Enhance VistA Key options for ACK on Refills related Inbound Errors (RRE)
- 771001 Patient Centric view page displaying incorrectly the ED field value is not sorted in correct order Oldest to newest
- 772001 Failing Test Case eRX: Create a new action SP/Select Patient, which when exercised brings up only those eRXs for that patient that are in actionable
- 772410 Last Known Status of the NewRx is displaying 'WAIT' in some cases
- 772430 Last Known Status in the Cancel Rx and Cancel Response message details view is displaying blank when a Cancel Rx sent to cancel a New Rx

- 772459 Add 3 char code to Hold description. Only Hold description is displaying in the Cancel Rx message details view when a Cancel Rx is sent to cancel an eRx in Hold stat
- 772479 Display RJ and RM as the last known statuses for the Rejected and Removed eRxs
- 772768 The ERX LOOKBACK DAYS incorrectly filters the PCV list for ""All"" view
- 773275 Last known status on the Cancel Response message details view is displaying 'New' instead of 'N-New' when a Cancel Rx is sent to cancel a New Rx
- 774701 Station IDs with the same number are showing multiple times in the Station ID drop-down menu
- 775420 Failing Test Case "eRx:Message Type column needs to be moved to the left, and displayed between eRx Reference Number and Patient name"" when executing Test Execution Record "eRx:Message Type column needs to be moved to the left, and displayed between eRx Reference Number and Patient name_Inb eRx v3.0.4 SQA Sprint 1"
- 775531 Patient Centric View: Criteria to display patient record and counts under each column based on value set for ERX LOOKBACK DAYS
- 780180 Last known NewRx status is not supposed to display on Refill request and Refill response message details view in HQ
- 780226 Getting a hard error for RRE status when Print action enhancement for REFREQ message types in the Holding Queue
- 782566 When a user SORTs by received date, the Holding Queue should display in the order of newest to oldest
- 783031 Getting CAF status for Cancel Request in HQ when a CancelRx is sent for eRx's that are in Deleted / Drug-Interactions / Non-Verified statuses in OP
- 783511 Getting CAO status for Cancel request in HQ when a CancelRx is sent to eRx that is renewed through CPRS and is listed in the Pending queue in OP
- 783767 The VISN pull-down is not displaying any values on the Pharmacy Management page.
- 783769 When refreshing the Pharmacy Management page, the user is brought back to the Add Pharmacy page
- 787654 Pharmacy user editing the VistA Patient under VP is able to add a new patient
- 787657 Tradition View >> List View display logic is overriding the ERX DEFAULT LOOKBACK DAYS parameter value
- 787660 Search/SR by DOB is breaking under PCV with a Hard Error
- 787663 MV/Message View display needs to display Newest to oldest records
- 788055 Getting error for Cancel Response when a cancel Request is sent for an original eRx in OP with Pending Approved Refill Response
- 791092 eRx Refills on OP from an Approved or AwC Refill Response is displaying Refills value from the original Refill Request not from the Response itself
- 791481 Option C under RR should allow user to choose 0-11 and the when the user keys in 0, the request should have 1

- 791484 Display Refill Response Type at the top of Message Details view to avoid confusion caused by RXD status for both Denied and DNTF
- 791487 Patient Centric View: CCR actionable statuses need to be added to the filter list for selection (5 CCR >> RXN, RXW, RXD, RXF, CAO, CAR, CAH, and CAP)
- 791491 Statuses CAD / CNX / RXI can be removed from #52.45 if they are not going to be used
- 791959 Approved with Changes (Provider segment changes) Refill Response - Accept eRx in HQ screen is jumping without displaying the message. Please see the Refill Request for Active eRx - ""Select Orders by number:"" is not working in OP
- 791965 Refill Request for Active eRx - ""Select Orders by number:"" is not working in OP
- 792109 When saving at the New Pharmacy details screen, the user is logged out and returned to the login screen
- 793097 PCV incorrectly displays counts from other facilities
- 795524 Message View should be available in Patient Centric View for consistency
- 795998 JAXBException in CTXVista while generating Refill Request for Simvastatin 10 MG prescriptions
- 796203 Indicate that the New Rx is on hold in 'eRx status' field on eRx Summary screen
- 796682 Hold Reason Comment Text not fully displayed on eRx Validation Screen
- 796712 Pharmacy user needs to be able to search the Holding Queue >> Traditional View using the eRx Reference #
- 796719 Pharmacy user needs to be able to search the Holding Queue >> Patient Centric View using the eRx Reference #
- 796750 When the web GUI used logs out, s/he is not directed to the IAM-SSOi landing page
- 796798 #New Rx column needs to be displayed under the 'Reject Reasons Report' and #InProgress column should be renamed as #Accepted by Pharmacy
- 796832 #Rejected by Pharmacist column should be renamed as '#Rejected by Pharmacy' under 'Summary Report New Rx Only'
- 797105 If an eRx prescription has expired, prescription should allow for Refill Request within 120 days from expiration date, even when refills remaining is not zero
- 797322 Status History changes need to be displayed for all message types in the Holding Queue from eRx Summary screen/Message Details view
- 800003 Admin users do not have the ability to select multiple sites to be assigned for one user by CTRL + site selection prior to clicking add button
- 800004 GUI - Track/Audit Search by eRx Reference # should not be case-sensitive
- 800006 When an AwC response is received, eRx Refills and value under 'Changed Items' section should be displaying the same number
- 800007 In Traditional view, when SR is done by Patient Name/DOB, only actionable messages are displaying for all non-New Rx message types
- 801189 When a NewRx in ""Wait ""status and after editing VP, VM or VD but not AV it still displays as "Wait" instead of ""In Process"

802723	Developer Task: Refactor - Code Correction (CI)
803533	In VistA when searched by ERX REFERENCE NUMBER not retrieving outbound eRx record when searched with <eRx reference #>
804914	eRx_508: Help section are styled and indented to indicate a hierarchical structure. This structure cannot be read
804917	eRx_508: List structures cannot be read
806776	eRX_508: Text and images do not have a contrast ratio of at least 4.5:1
808729	eRX: Keyboard operable user interfaces in the product do not have a visible focus indicator - Track/Audit section:
808730	eRx_508: The name, role, and value of user interface elements in the product cannot be read (programmatically determined) - Track/Audit
811307	Developer Task: As a Developer, I need to perform Refactoring of Code (CI) (Refactored Code Listed in VDD)
812383	When the CMOP flag is set to true for the division, it causes the eRx and CMOP activity logs to be reversed
813296	Non-Actionable Messages visible in PSO ERX HOLDING QUEUE
815239	eRx_508: JAWS cannot read out loud the column sort order i.e. If a column is sorted ascending or descending in both screens
815575	Output from an older Patient Name Search showed up in newer Name search under PCV
816980	Time delay with MV search on RR and RE in PCV
818731	Exercising Sort/SO under Patient Centric View is resulting in a hard error
821510	Technical: PSO*7*508 T16 merged 482 and 508;
821884	Developer Task: As a Developer, I need to perform Refactoring of Code"
822568	Locking through PCV is not locking the patient record
822575	Status missing for Refill Requests when two NewRx's are sent with same Message ID
823027	eRX: Search option returns incorrect error message for the Pharmacy Management page
831047	eRX: Incorrect results with exporting functionality in the Pharmacy Management screen when a valid and existing NCPDP ID is keyed in
832157	PCV - Elapsed Days Calculation anomalies
843777	Technical: Merge of VistA Patch 508 with other dependency patches

6. Product Documentation

Documentation describing the new functionality introduced by this patch is available. The preferred method is to retrieve files from download.vista.med.va.gov. This transmits the files from the first available server. Sites may also elect to retrieve files directly from a specific server.

Sites may retrieve the software and/or documentation directly using Secure File Transfer Protocol (SFTP) from the ANONYMOUS.SOFTWARE directory at the following OI Field Offices:

Hines	ftp.fo-hines.med.va.gov	<ftp://ftp.fo-hines.med.va.gov>
Salt Lake City	ftp.fo-slc.med.va.gov	<ftp://ftp.fo-slc.med.va.gov>

The documentation will be in the form of Adobe Acrobat files. Documentation can also be found on the VA Software Documentation Library at:

<https://www.va.gov/vdl/application.asp?appid=90>

File Name	Title	FTP Mode
PSO_7_0_P508_ig.pdf	Installation Guide - Inbound ePrescribing (PSO*7*0*p508)	Binary
PSO_7_0_P508_img.pdf	Implementation Guide - Inbound ePrescribing (PSO*7*0*p508)	Binary
PSO_7_0_P508_rn.pdf	Release Notes - Inbound ePrescribing (PSO*7*0*p508)	Binary
PSO_7_0_tm.pdf	Technical Manual/Security Guide - Outpatient Pharmacy V.7.0	Binary
PSO_7_0_P508_um.pdf	User Manual - Inbound ePrescribing (PSO*7*0*p508)	Binary