



MENTAL HEALTH ASSISTANT
VERSION 3 (MHA3)
USER MANUAL

PATCH YS*5.01*85

Version 5.01

December 2007

Department of Veterans Affairs
VistA Health System Design & Development

Preface

The Veterans Health Information Systems and Architecture (VistA) Mental Health Assistant Version 3 (MHA3) User Manual for Patch YS*5.01*85 provides the Department of Veterans Affairs Medical Center (DVAMC) Information Resource Management (IRM) staff and other DVAMC users with a straightforward means for implementing and utilizing the MHA3 software application. Detailed instructions, functional requirements, and examples for using the MHA GUI software application are illustrated in this user manual.

NOTE: The Veterans Health Administration (VHA) fully supports Section 508 of The Rehabilitation Act and is committed to equal access for all users. While every effort has been made to ensure Section 508 compliance, we realize that there may be other issues. If you have questions or would like to see a copy of the Compliance Action Plan for future releases, please contact:

Katie Thomas, Project Manager
Software Design and Development
Clinical Specialties, Team 4
Phone# 817-385-3882
email: katie.thomas@med.va.gov

Intended Audience

The intended audience for the MHA3 User Manual includes mental health clinicians, clerks, and patients.

Mental Health Assistant Version 3 User Manual Sections

The Mental Health Assistant Version 3 (MHA3) User Manual for Patch YS*5.01*85 contains the following sections:

NOTE: The screen captures examples text is written in support of Section 508 compliance. Commands to utilize options are bolded.

Preface: This section provides an overview of the manual.

Orientation: This section addresses package or audience specific notations or directions.

Table of Contents (TOC): The TOC provides references to major chapters and/or sections of the user manual.

Introduction: This section conveys the major functions, purposes, and how the software accomplishes the objectives.

Use of the Software: This section describes what the user needs to know in order to competently operate the MHA3 software application, including screen captures examples.

Glossary: This section contains the glossary of terms that are related to the MHA3 software application.

Appendix A: This section contains a list of shortcut keys use in the Mental Health Assistant Version 3, Graphical User Interface software application:

Appendix B: This section contains descriptions of the many window commands and features used in MHA3.

Acknowledgements

In support of Veterans Health Administration (VHA) Office of Information mission to provide exceptional Information Technology services to support the delivery of the best health care to veterans, the Dallas Office of Information Field Office (OIFO) MHA Development Team would like to acknowledge the following dedicated VHA employees for their collaboration in designing, developing, and testing of the MHA software application:

Dallas Office of Information Field Office MHA3 Development Team

Rhonda Byars, Functional Analyst
Mark Devlin, Developer, Team Leader
Vickey Elijah, Software Quality Analyst
Yui-Li Hsu, 2nd Developer
Annie, Jones, Functional Analyst
Rose Kirby, Technical Writer/Webmaster
Sheri Schneider, Project Planner
Katie Thomas, Project Manager

Informatics Section Mental Health Strategic Healthcare Group

Robert (Bob) Feldman, Delphi Programmer
Allan Finkelstien, PhD, Psychologist/M Programmer
Kathleen Lysell, PsyD, Psychologist/Office of Mental Health Services Project Partner
Roger Schultz PhD, Psychologist/Delphi Programmer

Test Sites

Atlanta, GA Veterans Affairs Medical Center

Charles R (Chuck) Brown, IRM Manager
Deborah Skarda, Clinical Application Coordinator

VA Bronx, New York Healthcare Network Systems

Linda Bund, IRM Manager
Judith T. Hollander, Clinical Application Coordinator

VA Buffalo Upstate New York Healthcare Network Systems

Jason Chang, IRM Mental Health Support
Allan Finkelstein, PhD, Psychologist/MH Coordinator
Charles Kennedy, Chief of Psychology
Mary Mead, Clinical Application Coordinator
ZIGR, IRM Manager

Pacific Islands Healthcare Network Systems (HCS) Honolulu, Hawaii

Christopher Grant, IRM Manager

*Kathleen Lysell, Psy.D, Clinical Application Coordinator
Kathleen M. McNamara, Chief of Psychology*

VA Midwest Healthcare Network Systems (HCS) Minneapolis, MN

*Kristian Johnson, Clinical Application Coordinator
Dr. Ed Nightingale, Chief of Psychology
Claire Stolee, IRM Manager (Acting)*

VA Providence, RI Healthcare Systems (HCS)

*Michelle Duhaime, Clinical Application Coordinator
Mike Fournier, IRM Manager
Maryann Gnys, Assoc. Chief of Psychology
Robert Johnston, Chief of Psychology
Elaine LaCross, IRM Mental Health support
Janet Pouliot, Clinical Application Coordinator*

Puget Sound Healthcare Network Systems (HCS) Seattle, Washington

*Rob Affholter, IRM Mental Health support
Randy Grekowics, Clinical Application Coordinator
Glenn Zwinger, IRM Manager*

Salt Lake City Veterans Affairs Medical Center

*Kevin Beckstead, IRM Mental Health Support
Richard Crockett, RN, Clinical Application Coordinator
Johannes Ludema, IRM Manager
Patrick J. Miller, Chief of Psychology*

West Haven, Connecticut Healthcare Network Systems (HCS)

Joe Erdos, IRM Manager

White City, Oregon, Veterans Affairs Medical Center

*Charles Osborne, IRM Manager
Anthony Cary, Clinical Application Coordinator*

Orientation

Documentation Retrieval Locations and Formats

MHA3 Patch YS*5.01*85 exports the following folders and files:

Retrieval Formats Information

| FILE NAMES | CONTENTS | RETRIEVAL FORMATS |
|---------------------|--|--------------------------|
| YS50185_MHA3_IG.pdf | Mental Health Assistant Version 3 (MHA3) Installation Guide Patch YS*5.01*85 | BINARY |
| YS50185_MHA3_IG.doc | Mental Health Assistant Version 3 (MHA3) Installation Guide Patch YS*5.01*85 | BINARY |
| YS50185_MHA3_UM.pdf | Mental Health Assistant Version 3 (MHA3) User Manual Patch YS*5.01*85 | BINARY |
| YS50185_MHA3_UM.doc | Mental Health Assistant Version 3 (MHA3) User Manual Patch YS*5.01*85 | BINARY |

Retrieval Locations:

VistA MHA3 Installation Guide (i.e., YS50185_MHA3_IG.pdf and YS50185_MHA3_IG.doc), User Manual (i.e., YS50185_MHA3_UM.pdf and YS50185_MHA3_UM.doc) are available in MS Word Format (doc) and Portable Document Format (pdf) are available on the Office of Information Field Offices (OIFOs) ANONYMOUS SOFTWARE directory FTP addresses listed below:

NOTE: All sites are encouraged to use the File Transfer Protocol (FTP) capability. Use the FTP address “*download.vista.med.va.gov*” (without the quotes) to connect to the first available FTP server where the files are located.

| OI FIELD OFFICE | FTP ADDRESS | DIRECTORY |
|-----------------|---|----------------------|
| ALBANY | ftp.fo-albany.med.va.gov | [ANONYMOUS.SOFTWARE] |
| HINES | ftp.fo-hines.med.va.gov | [ANONYMOUS.SOFTWARE] |
| SALT LAKE CITY | ftp.fo-slc.med.va.gov | [ANONYMOUS.SOFTWARE] |

VistA Website Locations:

VistA MHA3 Installation Guide (i.e., YS50185_MHA3_IG.pdf and YS50185_MHA3_IG.doc), User Manual (i.e., YS50185_MHA3_UM.pdf and YS50185_MHA3_UM.doc) are available in MS Word Format (doc) and Portable Document Format (pdf) at the following Website locations:

VistA Mental Health Version 5.01 Home Page:

<http://vista.med.va.gov/ClinicalSpecialties/menthlth/Index.html>

VistA Documentation Library (VDL):

<http://www.va.gov/vdl/>

Related Manual

VistA Mental Health (MH) Addiction Severity Index Multimedia Version (ASI-MV) Installation and User Guide (Patch YS*5.01*78)

Table of Contents

| | |
|---|------------|
| PREFACE | III |
| <i>Intended Audience</i> | iii |
| <i>Mental Health Assistant Version 3 User Manual Sections</i> | iii |
| ACKNOWLEDGEMENTS | V |
| ORIENTATION | VII |
| DOCUMENTATION RETRIEVAL LOCATIONS AND FORMATS | VII |
| <i>Retrieval Formats Information</i> | vii |
| <i>Retrieval Locations:</i> | viii |
| <i>VistA Website Locations:</i> | viii |
| <i>VistA Mental Health Version 5.01 Home Page:</i> | viii |
| <i>VistA Documentation Library (VDL):</i> | viii |
| <i>Related Manual</i> | viii |
| INTRODUCTION | 17 |
| OVERVIEW | 17 |
| ENHANCEMENTS | 19 |
| <i>Mental Health Assistant contains the following enhancements:</i> | 19 |
| VistA Mental Health Assistant (MHA3) NEW Features | 19 |
| <i>Test Sites</i> | 20 |
| USE OF THE SOFTWARE | 21 |
| CONTINGENCY PLANNING | 21 |
| SECURITY KEYS | 21 |
| WINDOWS CONVENTIONS | 22 |
| MENTAL HEALTH ASSISTANT TEMPORARY CRASH FILES | 22 |
| <i>Mental Health Assistant Information Dialog Box</i> | 22 |
| STARTING MENTAL HEALTH ASSISTANT | 23 |
| <i>Starting Mental Health Assistant from VistA CPRS Tools Menu</i> | 23 |
| <i>Starting Mental Health Assistant from Off-line Mode</i> | 27 |
| MENTAL HEALTH ASSISTANT MAIN FORM FUNCTIONS | 28 |
| <i>Selected Patient Identification Label</i> | 28 |
| <i>Title Bar</i> | 28 |
| <i>Launch Links</i> | 29 |
| Instrument Administrator | 29 |
| Instrument Results Review | 29 |
| Addiction Severity Index Manager | 29 |
| Global Assessment of Functioning Manager | 29 |
| <i>GAF Rating is Due Label</i> | 29 |
| <i>Starting the Instrument Administrator</i> | 30 |
| <i>Starting the Instrument Results Review Functions</i> | 32 |
| <i>Starting the Addiction Severity Index Manager Function</i> | 34 |
| <i>Starting the Global Assessment of Functioning Manager</i> | 36 |
| <i>GAF rating is due</i> | 38 |
| <i>File Menu</i> | 39 |
| Select Patient | 39 |
| Upload Results | 41 |
| Exit | 42 |
| <i>Tools Menu</i> | 43 |
| METRIC Instrument Reviews... | 43 |
| Options | 45 |
| Changing User Preferences | 45 |
| <i>Help Menu</i> | 47 |

| | |
|--|----|
| Online Support | 47 |
| About | 48 |
| Accessing Program Information | 48 |
| INSTRUMENT ADMINISTRATOR FUNCTIONS | 50 |
| <i>Orientation</i> | 50 |
| Main Menu | 51 |
| Selected Patient Identification label | 51 |
| Title bar | 51 |
| Visit information | 51 |
| List filters | 51 |
| Available Instruments and Batteries list | 51 |
| Instruments Chosen list | 51 |
| Re-sequencing buttons | 51 |
| Data-entry mode selection | 51 |
| Context-sensitive help | 51 |
| <i>Ordering Tests</i> | 52 |
| <i>Selecting a Person (other than yourself) for Instruments Ordered By</i> | 53 |
| <i>Selecting a Person for “Interviewer”</i> | 54 |
| <i>Selecting a Date of Administration</i> | 55 |
| <i>Selecting a Visit Location</i> | 56 |
| <i>Filtering the display of Available Instruments and Batteries List</i> | 57 |
| <i>Choosing One or More Instruments</i> | 58 |
| <i>Restarting Incomplete Tests</i> | 59 |
| Manipulate the list of Instruments Chosen | 59 |
| <i>Selecting Display Mode for Data Entry</i> | 60 |
| <i>Selecting Patient Entry Data Entry Mode</i> | 61 |
| <i>Selecting Staff Entry Data Entry Mode</i> | 63 |
| <i>On-form Instructions</i> | 64 |
| <i>Selecting a Different Patient</i> | 65 |
| <i>Exiting the Instrument Administrator Form</i> | 66 |
| <i>Invoking the METRIC Instrument Reviews Website</i> | 67 |
| <i>Changing User Preferences</i> | 69 |
| <i>Reviewing a Description of the Selected Instrument</i> | 71 |
| <i>Accessing Online Support</i> | 73 |
| <i>Accessing Program Information</i> | 74 |
| <i>Instrument Administrator’s Battery Wizard</i> | 76 |
| Orientation | 76 |
| Main Menu | 77 |
| Title bar | 77 |
| Available Instruments and Batteries list | 77 |
| Instruments in Battery list | 77 |
| Re-sequencing buttons | 77 |
| Context-sensitive Help | 77 |
| Battery Selector | 77 |
| Save Button | 78 |
| Invoking the Battery Wizard | 78 |
| Creating a New User-defined Battery using the Battery Wizard | 80 |
| Renaming an Existing Battery | 82 |
| Deleting an Existing Battery | 84 |
| Exiting the Battery Wizard | 85 |
| Changing User Preferences | 86 |
| Accessing Online Support | 88 |
| Accessing program information | 89 |
| INSTRUMENT ADMINISTRATOR’S SINGLE-QUESTION INPUT FORM | 91 |
| Orientation | 91 |
| The Main Menu | 93 |
| The Selected Patient Identification label | 93 |

| | |
|--|-----|
| <i>The Instrument's Name</i> ----- | 93 |
| <i>The Section Title Bar</i> ----- | 93 |
| The Introduction Text----- | 93 |
| The Question Text----- | 93 |
| The Response Artifact----- | 93 |
| The Navigation Buttons----- | 93 |
| <i>The Progress Indicator</i> ----- | 93 |
| The Review Answers Form----- | 93 |
| <i>Responding to a multi-choice question using a Multiple-Selection List Box</i> ----- | 94 |
| <i>Responding to a Single-choice question using a Drop-Down List Box</i> ----- | 95 |
| <i>Responding to a question that asks for a currency amount using a Text Box</i> ----- | 96 |
| <i>Responding to a question that asks for a date using a Date-Picker</i> ----- | 97 |
| <i>Responding to a question that asks for a line of text using a Text Box</i> ----- | 98 |
| <i>Responding to a question from a list of answers using a Single-Selection List Box</i> ----- | 99 |
| <i>Responding to a question using a Masked Text Box that pre-formats input data</i> ----- | 100 |
| <i>Responding to a question that asks for a long textual answer using a Multiple-Line Text Box</i> ----- | 101 |
| <i>Respond to a question using a Spin Box that asks for an integer value</i> ----- | 102 |
| <i>Responding to a question that asks for a single choice from a list using Option Buttons</i> ----- | 103 |
| <i>Responding to a question that asks for a staff name from VistA using a Drop-Down List Box</i> ----- | 104 |
| <i>Responding to a question that asks for a value from a Slider</i> ----- | 105 |
| <i>Identifying the End Point of an Instrument and Finishing the Instrument</i> ----- | 106 |
| <i>Exiting Data-Entry Session and Saving Responses</i> ----- | 108 |
| <i>Viewing the Next Instrument</i> ----- | 109 |
| <i>Viewing the Previous Instrument</i> ----- | 110 |
| <i>Viewing the Prior Question</i> ----- | 111 |
| <i>View Next Question</i> ----- | 112 |
| <i>Review Answers</i> ----- | 114 |
| <i>Changing Answers</i> ----- | 116 |
| <i>Exiting Data-Entry Session without Saving the Answers</i> ----- | 117 |
| <i>Invoking the METRIC Instrument Reviews Website</i> ----- | 118 |
| <i>Changing User Preferences</i> ----- | 120 |
| <i>Accessing Online Support</i> ----- | 122 |
| <i>Accessing Mental Health Assistant Program Information</i> ----- | 123 |
| <i>Mental Health Assistant File Exit Menu Item</i> ----- | 125 |
| <i>Resume Responding to Questions in an Administration Previously Saved as Incomplete</i> ----- | 127 |
| INSTRUMENT ADMINISTRATOR'S ALL-QUESTIONS INPUT FORM ----- | 130 |
| <i>Orientation</i> ----- | 130 |
| <i>Main Menu</i> ----- | 131 |
| <i>Selected Patient Identification Label</i> ----- | 131 |
| <i>Instrument's Name</i> ----- | 131 |
| <i>Section Text</i> ----- | 131 |
| Introduction Text:----- | 131 |
| Question Text:----- | 131 |
| Response Artifact:----- | 131 |
| Navigation Scroll Bar:----- | 131 |
| <i>Battery Tabs</i> ----- | 132 |
| <i>Respond to all questions using the techniques learned while using Single-Question Data Entry</i> ----- | 132 |
| <i>Identify the event of reaching the end of an instrument (or battery,) and finish the instrument</i> ----- | 135 |
| <i>Selecting an Instrument within a Battery</i> ----- | 137 |
| To review answers given:----- | 138 |
| <i>Change a Previously-given Answer</i> ----- | 139 |
| <i>Invoking the METRIC Instrument Reviews Website</i> ----- | 140 |
| <i>Changing User Preferences</i> ----- | 142 |
| <i>Accessing Online Support</i> ----- | 144 |
| <i>Accessing Program Information</i> ----- | 145 |
| <i>Suspend responding to questions and save the administration in an incomplete state.</i> ----- | 147 |
| <i>Resume responding to questions in an administration previously saved as incomplete.</i> ----- | 149 |

| | |
|--|-----|
| INSTRUMENT RESULTS REVIEW FUNCTIONS ----- | 152 |
| <i>Orientation</i> ----- | 152 |
| <i>Main Menu</i> ----- | 155 |
| <i>Selected Patient Identification label</i> ----- | 155 |
| <i>Instrument's Name</i> ----- | 155 |
| <i>List of Previously-Administered Tests</i> ----- | 155 |
| The Report View: ----- | 155 |
| <i>The Navigation Tabs</i> ----- | 155 |
| The Graph View: ----- | 155 |
| The Table View: ----- | 155 |
| <i>Selecting Another Patient</i> ----- | 156 |
| <i>Saving a Graph, Report, or a Table to a File</i> ----- | 157 |
| <i>Printing a Graph, Report or Table.</i> ----- | 159 |
| <i>Copying a Graph, Report, or Table to the Windows Clipboard.</i> ----- | 160 |
| <i>Exiting the Instrument Results Review Form</i> ----- | 162 |
| <i>Switching Views from Reports to Graph and Table and Back</i> ----- | 163 |
| APPENDING COMMENTS TO AN EXISTING RECORD ----- | 164 |
| <i>Invoking the METRIC Instrument Reviews Website</i> ----- | 168 |
| <i>Changing User Preferences</i> ----- | 170 |
| <i>Accessing Online Support</i> ----- | 172 |
| <i>Accessing Program Information</i> ----- | 173 |
| ADDICTION SEVERITY INDEX MANAGER FUNCTIONS ----- | 175 |
| <i>Orientation</i> ----- | 175 |
| <i>Main Menu</i> ----- | 177 |
| <i>Selected Patient Identification Label</i> ----- | 177 |
| <i>Title Bar</i> ----- | 177 |
| <i>List of Previously-Administered ASIs</i> ----- | 177 |
| Report View ----- | 177 |
| <i>Navigation Tabs</i> ----- | 177 |
| ASI Editing Buttons ----- | 177 |
| Days Since Last ASI Label ----- | 177 |
| <i>Determining the Number of Days since the Last ASI for Selected Patient</i> ----- | 178 |
| <i>Selecting a Report Type</i> ----- | 180 |
| <i>Restarting an Unsigned ASI</i> ----- | 181 |
| <i>Starting a New ASI</i> ----- | 182 |
| <i>Selecting a New Patient</i> ----- | 185 |
| <i>Saving a Report, Graph or Table to a File</i> ----- | 186 |
| <i>Printing a Report, Graph, or Table</i> ----- | 188 |
| <i>Copying a Report, Graph, or Table to the Windows Clipboard</i> ----- | 189 |
| <i>Navigating through the Different Views on the ASI Manager Form</i> ----- | 191 |
| <i>Changing User Preferences</i> ----- | 192 |
| DATA ENTRY ----- | 194 |
| <i>Combo Boxes</i> ----- | 194 |
| <i>Date Fields</i> ----- | 196 |
| <i>Option Button Groups</i> ----- | 199 |
| <i>Spin Edit</i> ----- | 200 |
| <i>Item G12</i> ----- | 202 |
| <i>Item G19</i> ----- | 203 |
| <i>Medical Tab</i> ----- | 205 |
| <i>Item M1</i> ----- | 206 |
| <i>Medical Status Comments</i> ----- | 207 |
| <i>Ending an ASI Data-entry Session</i> ----- | 208 |
| <i>Closing ASI Data-entry Session with "Exit, Ignore Changes this session" option.</i> ----- | 209 |
| <i>Closing ASI data-entry session with "Finish Later" option</i> ----- | 210 |
| <i>Closing ASI data-entry session with "Save and sign"</i> ----- | 211 |
| BUSINESS RULES ----- | 213 |

| | |
|---|-----|
| <i>Changing User Preferences</i> ----- | 219 |
| <i>Default Form Size/Position</i> ----- | 220 |
| <i>SPEED TAB</i> ----- | 220 |
| <i>HIGHLIGHT COLOR</i> ----- | 220 |
| <i>HELP MENU OPTIONS</i> ----- | 221 |
| <i>Opening the ASI Help File</i> ----- | 221 |
| <i>Using the Help Index</i> ----- | 222 |
| <i>Accessing Online Support</i> ----- | 223 |
| <i>Access Program Information</i> ----- | 224 |
| <i>Close Form</i> ----- | 227 |
| <i>Domain Scores</i> ----- | 228 |
| <i>Item Trends</i> ----- | 229 |
| <i>Graphing a Different Item</i> ----- | 230 |
| <i>Returning to the Narrative Report View</i> ----- | 231 |
| <i>GAF MANAGER FUNCTIONS</i> ----- | 232 |
| <i>Orientation</i> ----- | 232 |
| <i>Main Menu</i> ----- | 233 |
| <i>Selected Patient Identification label</i> ----- | 233 |
| <i>Title Bar</i> ----- | 233 |
| <i>List of Previous GAF Ratings</i> ----- | 233 |
| <i>Graph View</i> ----- | 233 |
| <i>GAF Criteria Table</i> ----- | 233 |
| <i>GAF Editing Button</i> ----- | 233 |
| <i>New Rating Artifacts</i> ----- | 233 |
| <i>GAF Rating Is Due Alert label</i> ----- | 233 |
| <i>GAF Due Notification Message</i> ----- | 234 |
| <i>Selecting a Previous Rating</i> ----- | 235 |
| <i>Selecting a New Patient</i> ----- | 236 |
| <i>Entering a Rating Using GAF Criteria (Save a new rating)</i> ----- | 237 |
| <i>Entering a Rating Using the Spin Edit Control</i> ----- | 239 |
| <i>Changing the Evaluation Date</i> ----- | 240 |
| <i>Saving a Graph or a Table to a File</i> ----- | 241 |
| <i>Printing a Graph or a Table</i> ----- | 243 |
| <i>Exiting the GAF Manager Form</i> ----- | 244 |
| <i>Copying a Graph or a Table to the Windows Clipboard</i> ----- | 245 |
| <i>Marking a Rating Entered in Error</i> ----- | 246 |
| <i>Changing or Deleting a Rating</i> ----- | 249 |
| <i>Changing User Preferences</i> ----- | 252 |
| <i>Accessing Online Support</i> ----- | 254 |
| <i>ACCESSING PROGRAM INFORMATION</i> ----- | 255 |
| <i>Access Copyright Information</i> ----- | 257 |
| <i>USER PREFERENCES FUNCTIONS</i> ----- | 258 |
| <i>Orientation</i> ----- | 258 |
| <i>Form Title</i> ----- | 259 |
| <i>Navigation Tabs</i> ----- | 259 |
| <i>Editing Panel</i> ----- | 259 |
| <i>Command Buttons</i> ----- | 259 |
| <i>Changing MHA3System Font</i> ----- | 260 |
| <i>Changing the Displayed Highlight Colors on the All-Questions Data-input Form</i> ----- | 262 |
| <i>Toggling Visual Feedback On/Off</i> ----- | 263 |
| <i>Toggling Speed Tab On/Off</i> ----- | 264 |
| <i>Toggling Image Display on Main Menu On/Off</i> ----- | 265 |
| <i>Toggling Maintain Original Font on/off</i> ----- | 266 |
| <i>OFF-LINE ADMINISTRATIONS FUNCTIONS</i> ----- | 267 |
| <i>Orientation</i> ----- | 267 |
| <i>Patient Selector</i> ----- | 269 |

| | |
|--|-----|
| <i>Patient Edit Area</i> ----- | 269 |
| <i>New button</i> ----- | 269 |
| <i>Delete button</i> ----- | 269 |
| <i>Cancel button</i> ----- | 269 |
| <i>Ok button</i> ----- | 269 |
| <i>Off-line Results Synchronizer</i> ----- | 270 |
| <i>Main Menu</i> ----- | 271 |
| <i>Off-line Records List</i> ----- | 271 |
| <i>CPRS Patient Search Panel</i> ----- | 271 |
| <i>Patient Match Panel</i> ----- | 271 |
| <i>Delete Off-line Record Button</i> ----- | 271 |
| <i>Upload Button</i> ----- | 271 |
| <i>Exit button</i> ----- | 271 |
| <i>Starting MHA3 in off-line mode from the desktop icon</i> ----- | 272 |
| <i>Selecting an Existing Patient from the Drop-Down List Box</i> ----- | 273 |
| <i>Adding and Selecting a New Off-line Patient</i> ----- | 274 |
| <i>Selecting a Different Off-line Patient from the Instrument Administrator Form</i> ----- | 276 |
| <i>Deleting an Existing Off-line Patient</i> ----- | 278 |
| <i>Canceling Selection of an Off-line Patient</i> ----- | 279 |
| <i>Selecting an Existing Off-line Patient from the Off-line Patient Manager</i> ----- | 280 |
| <i>Recognizing the Availability of Off-line Administrations, and Initiating the Upload Process</i> ----- | 283 |
| <i>Selecting an Off-line Record for Uploading</i> ----- | 285 |
| <i>Searching for a Matching CPRS Patient</i> ----- | 286 |
| <i>Evaluating the results of a possible match</i> ----- | 287 |
| <i>Uploading an Off-line Record to VistA</i> ----- | 290 |
| <i>Deleting an Off-line Record</i> ----- | 292 |
| <i>Accessing Online Support</i> ----- | 294 |
| <i>Accessing program information</i> ----- | 295 |
| <i>Exiting the Off-line Results Synchronizer Form</i> ----- | 297 |
| SINGLE-INSTRUMENT ADMINISTRATOR FUNCTIONS ----- | 298 |
| <i>Orientation</i> ----- | 298 |
| <i>Main Menu</i> ----- | 299 |
| <i>Selected Patient Identification Label</i> ----- | 299 |
| <i>Instrument's Name</i> ----- | 299 |
| <i>List of Previously-Administered Tests</i> ----- | 299 |
| <i>Report View</i> ----- | 299 |
| <i>The Navigation Tabs</i> ----- | 299 |
| <i>New button</i> ----- | 299 |
| <i>Edit Button</i> ----- | 299 |
| <i>Graph & Table</i> ----- | 300 |
| <i>Graph View</i> ----- | 300 |
| <i>Table View</i> ----- | 300 |
| <i>Invoking the Single-Instrument Administrator from the CPRS Tools Menu</i> ----- | 302 |
| <i>Starting a New Administration</i> ----- | 304 |
| <i>Selecting Another Patient</i> ----- | 306 |
| <i>Saving a Graph, Report, or a Table to a File</i> ----- | 307 |
| <i>Printing a Graph, Report, or Table</i> ----- | 309 |
| <i>Copying a Graph, Report, or Table to the Windows Clipboard</i> ----- | 310 |
| <i>Switching View from Reports to Graph &Table and Back</i> ----- | 311 |
| <i>Switching to MHA3 Main Menu</i> ----- | 312 |
| <i>Editing an Existing Editable Administration</i> ----- | 313 |
| <i>Exiting the Single Instrument Administrator Form</i> ----- | 314 |
| <i>Selecting a Person (other than yourself) for Instruments Ordered By</i> ----- | 315 |
| <i>Selecting a Person for Interviewer</i> ----- | 316 |
| <i>Selecting Date of Administration</i> ----- | 317 |
| <i>Selecting Visit Location</i> ----- | 318 |

| | |
|--|------------|
| <i>Selecting Display Mode for Data Entry</i> ----- | 319 |
| <i>Selecting Patient Entry Data Entry Mode</i> ----- | 320 |
| <i>Selecting Staff Entry Data Entry Mode</i> ----- | 325 |
| <i>Appending Comments to an Existing Record</i> ----- | 328 |
| <i>Invoking the METRIC Instrument Reviews Website</i> ----- | 332 |
| <i>Changing User Preferences</i> ----- | 334 |
| <i>Accessing Online Support</i> ----- | 336 |
| <i>Accessing Program Information</i> ----- | 337 |
| GLOSSARY ----- | 340 |
| APPENDIX A ----- | 348 |
| SHORTCUT KEYS ----- | 348 |
| APPENDIX B ----- | 356 |
| WINDOWS CONVENTIONS ----- | 356 |
| Text Box ----- | 358 |
| GLOSSARY OF GRAPHICAL USER INTERFACE (GUI) COMPONENTS USED IN MENTAL HEALTH ASSISTANT 3 (MHA3) | |
| ----- | 359 |
| COMPONENT/TERMS ----- | 359 |
| DESCRIPTIONS ----- | 359 |
| <i>Multiple-Selection List Box</i> ----- | 359 |
| <i>Drop-Down Combo Box</i> ----- | 359 |
| <i>Drop-Down List Box</i> ----- | 359 |
| <i>Text Box</i> ----- | 359 |
| <i>Date-Picker</i> ----- | 360 |
| <i>Single-Selection List Box</i> ----- | 360 |
| <i>Masked Text Box</i> ----- | 360 |
| <i>Multiple-Line Text Box</i> ----- | 360 |
| <i>Spin Box</i> ----- | 361 |
| <i>Option Buttons</i> ----- | 361 |
| <i>Slider</i> ----- | 361 |
| <i>Progress Indicator</i> ----- | 361 |
| <i>Command Button</i> ----- | 361 |
| <i>Menu Button</i> ----- | 361 |
| <i>Tabs</i> ----- | 361 |

Introduction

Overview

The VistA Mental Health Assistant (MHA) is the graphical user interface (GUI) for the VistA Mental Health Package (MHP). MHA was developed to create an effective and efficient tool for mental health clinicians and their patients to use for the administration and scoring of assessment instruments and interviews. Additionally, results are displayed in report and graphical formats. MHA and MHP support mental health assessments (e.g., psychological testing, structured interviews, and staff rating scales) that are not available elsewhere in the Computerized Patient Record System (CPRS)/Veterans Information System and Technology Architecture (VistA). MHA has enjoyed widespread usage among mental health clinicians over the past several years, and the current revisions of MHA and MHP initiate steps toward re-engineering VistA Mental Health functionality.

The Veterans Health Administration (VHA) Action Agenda for implementing the President's New Freedom Commission on Mental Health recommendations regarding the use of information technology to enhance the care of Mental Health patients states, "VHA should make the integration of MHA and HealtheVet Desktop (HeVD) an explicit goal and should provide the OI with sufficient resources to accomplish this goal in collaboration with the Mental Health Strategic Healthcare Group (MHSHG) Informatics Section. The integration should eliminate the need for Mental Health clinicians to change applications. Further, the integration should make appropriate Mental Health assessment tools available to clinicians outside Mental Health (e.g., depression and alcohol screening instruments should be made available to primary care clinicians)."

This revision of MHA creates a closer integration with CPRS, by placing the MHA GUI on the CPRS Tools Menu. Additionally, functionality was created to allow a site to place an individual instrument on the Tools menu, allowing widespread access to that specific instrument without having to issue the menu for the MHP to all clinicians.

Additional functionality that strengthens the tie to the patient's medical record is the creation of a progress note in CPRS when an instrument is completed through MHA.

Furthermore, MHA maintains and strengthens its ties to the Clinical Reminders program, which allows for the presentation of specific instruments through reminder dialogs to all clinicians who resolve reminders.

Additionally, the files of the MHP have been restructured to initiate the migration toward re-engineering and placing MHA as a component of HealthVet Desktop when it is implemented.

To better meet the needs of clinicians and patients in different programs, particularly non-traditional settings, MHA can now run in a standalone mode to administer instruments offline for later uploading to VistA.

Enhancements

Mental Health Assistant contains the following enhancements:

VistA Mental Health Assistant (MHA3) NEW Features

- **M:** Completely re-organized the VistA Mental Health database files to simplify migration to Health Data Repository (HDR).
- **GUI:** MHA3 must be invoked from the CPRS Tools menu, for interaction with VistA and patient selection.
- Patient-selection is done entirely by interaction with CPRS.
- **GUI:** MHA3 can run in standalone mode, but only for administering offline tests—which later must be uploaded to VistA
- **GUI:** MHA3 allows the CPRS Tools menu to invoke any number of single types of instruments, without the need to go directly to the MHA3 Main form. For instance, a CAGE menu item can be added to the Tools menu, which would invoke only a CAGE data entry form.
- **GUI:** Major functionality (GAF, ASI, Results, etc.) is now presented on individual forms, as opposed to as tabs on one main form.
- **GUI:** MHA3 now provides a new Battery Wizard form to simplify creating batteries of instruments.
- There is a new and improved SecureDesktop component that now uses stronger code to prevent hacking.
- Clerk data-entry-mode form for psych tests has been removed.
- All completed administrations now automatically generate a progress note for review in CPRS.

- All test scores are now saved in VistA, instead of calculated on-the-fly.
- There is now a hospital location associated with an administered instrument, for progress notes purposes.
- The accompanying MHA3 help file is supplied only for describing the functions of the ASI Manager forms. All other tests and interview have built-in help that is retrieved directly from the MHP when using the “Description” pop-up menu function in the Instrument Manager.
- MHA3 now recreates a debug log file named “mha3_debug.log” for each MHA3 session. This file can be emailed to developers to assist in remote debugging. No patient-identifying data is collected in this file.

Test Sites

VistA MHA3 Patch YS*5.01*85 has been tested by the following Veteran Affairs Medical Centers (VAMCs) and Healthcare Network Systems (HCS):

| Test Sites/Integrated | Operating System Platform | Test Site Size |
|--|---------------------------|----------------|
| Atlanta, GA VAMC | Cache/VMS | Large |
| Bronx, NY VAMC | Cache/VMS | Large |
| Buffalo, NY (Upstate New York HCS) - Integrated | Cache/VMS | Large |
| Honolulu, HI (VA Pacific Islands HCS) | Cache/VMS | Medium |
| Martinez, CA (Northern California Healthcare System) | Cache/VMS | Large |
| Minneapolis, MN VAMC | Cache/VMS | Large |
| Providence, RI VAMC | Cache/VMS | Medium |
| Puget Sound, WA (Seattle HCS) - Integrated | Cache/VMS | Large |
| Salt Lake City, UT VAMC | Cache/VMS | Large |
| West Haven, Connecticut Healthcare Network Systems (HCS) | Cache/VMS | Large |
| White City, OR VAMC | Cache/VMS | Small |

Use of the Software

This section describes what is needed to successfully use the new **Mental Health Assistant Version 3** (MHA3) software application for the following enhanced activities:

- Instrument Administrator
- Instrument Results Review
- Addition Severity Index (ASI) Manager
- Global Assessment of Manager (GAF)

NOTES:

Please see Appendix A, (i.e., located in the back of this manual) for a **revised** list of MHA3 shortcut keys. The list can be removed from this manual for easy access and viewing.

Please see Appendix B, (i.e., located in the back of this manual) for a list of the MHA3 windows conventions. The list can be removed from this manual for easy access and viewing.

Contingency Planning

Each facility using the MHA3 software application **must** develop a local contingency plan to be used in the event of application problems in a live environment. The facility contingency plan **must** identify procedures used for maintaining the functionality provided by the software in the event of a system outage.

Security Keys

MHA3 software application did not release any new security keys, however, the YSP security key is required to control access to the results of “non-exempt” tests. Holders of the YSP security key are controlled (i.e., given out by the Chief of Psychology or a senior psychologist) at a facility that does not have a Chief of Psychology. The Chief of Psychology or senior psychologist also determines which tests are “exempt” (i.e., the results can be seen by anyone), and which are “non-exempt” (i.e., require the YSP key to see the results).

Windows Conventions

The startup, setup, and assignment functions for MHA3 use a Graphical User Interface (GUI). You may refer to the Appendix B, Windows Conventions for an explanation of the windows elements and form buttons used by MHA3.

Mental Health Assistant Temporary Crash Files


When the **Mental Health Assistant** software application is closed normally after administering psychological testing sessions or ASI data entry, the software prompts the user to save any unsaved data. This process will not occur if MHA3 is improperly closed (i.e., power outage). To prevent data loss resulting from MHA3 being improperly closed, MHA3 creates a **temporary crash file** on the local PC hard drive when psychological tests or ASI data entry is being preformed. This temporary crash file is updated each time a new entry is made; therefore, the temporary crash file is always current. Upon normal program closure, this temporary crash file is erased. However, the temporary crash file still exists if MHA3 is improperly closed. Each time MHA3 begins, it looks for the temporary crash file on the PC hard drive. If MHA3 is improperly closed, the data in the temporary crash file are uploaded to the VistA Mental Health Package (MHP) database so the user can restart the incomplete psychological test session or ASI data entry.

Mental Health Assistant Information Dialog Box

Whenever the **Mental Health Assistant** software application is improperly closed a Mental Health Assistant dialog box is displayed.

Click on the **OK** command button to **save** data into the **Mental Health Assistant** temporary crash file.

Example: Mental Health Assistant dialog box.



Starting Mental Health Assistant

There are two ways to start Mental Health Assistant:

- VistA CPRS Tools Menu
- Off-line Mode

Starting Mental Health Assistant from VistA CPRS Tools Menu

The VistA CPRS Tools menu is the standard way of connecting to the VistA MHA3 software application. Since all VistA Mental Health Assistant functionality is started and available to the user via the VistA CPRS Tool menu, the VistA CPRS software application **must** be installed on the PC workstation where Mental Health Assistant functionality is to be administered. The Mental Health Assistant software application is normally used by clinicians at VAMCs and VA satellite clinics where a “live” network connection to VistA is available. Most of the functionality described in this user manual assumes that the user is operating via the VistA CPRS Tools menu.

NOTE: When the users VistA account is properly configured, there will be a **Mental Health Assistant** menu located on the VistA CPRS Tools menu (as seen in the example below). If the **Mental Health Assistant** menu is missing from the VistA CPRS Tools menu, users should contact their clinical coordinator to have it added.

To start VistA CPRS software application **click** on the CPRS icon located on the Windows Desktop.

Example: CPRS icon located on the Windows Desktop.




CPRSChart.Ink

Once the VistA CPRS software application is started **click** on the VistA CPRS drop-down list **Tools** menu to start **Mental Health Assistant**.


NOTE: If **Mental Health Assistant** asks users to login to VistA again, users should contact their clinical coordinator to inquire about the availability of a Single Sign-on.

Example: VistA CPRS drop-down list Tools menu displays **Mental Health Assistant**.




Click on the **Mental Health Assistant** menu to start the **Mental Health Assistant Splash** form. The **Mental Health Assistant Splash** form is displayed briefly followed by the **Mental Health Assistant** main form.

Example: The **Mental Health Assistant Splash** form provides automated text information regarding **Mental Health Assistant**.



**MHA3 Version
Number**

Example: Mental Health Assistant main form.



Starting Mental Health Assistant from Off-line Mode

Alternatively, Off-line mode should be used only when the user and equipment are located at a remote site which has no means of connecting to the VistA network. The Off-line mode starts only the smaller subset of the Mental Health Assistant functionality. This functionality handles administering psychological instruments while not connected to VistA. To benefit from the work performed in the Off-line mode, the user must eventually reconnect to the VistA network, at which time the Off-line mode data is uploaded to the VistA database.

NOTE: Specific details about the Off-line mode are discussed later in this manual.


To start the **Mental Health Assistant** from the Off-line mode **click** on the **Mental Health Assistant 3** icon located on the Windows Desktop.

Example: Mental Health Assistant 3 icon.



Click on the **Yes** command button located on the **Mental Health Assistant** dialog box to start the **Off-line mode** function.

Example: Mental Health Assistant dialog box.



Mental Health Assistant Main Form Functions

The **Mental Health Assistant** main form is the starting point for launching the four major activity areas in MHA3:

- Instrument Administrator
- Instrument Results Review
- Addiction Severity Index Manager
- Global Assessment of Functioning Manager

The **Mental Health Assistant** main form also provides user's access to GAF rating is due, select another patient, File, Tools, and Help menus functions.

NOTE: Details about these activity areas are described later in this manual.

Selected Patient Identification Label

The **Selected Patient Identification** label displays information about the currently-selected patient within MHA3. All functions performed in MHA3 apply to this patient. This patient is the same as the one selected in CPRS and should remain synchronized with CPRS even when another patient is selected.

Title Bar

The Title Bar is used throughout MHA3 to display information about the context that applies to the current activity.

Launch Links

The launch links (i.e., Instrument Administrator, Instrument Results Review, Addiction Severity Index Manager, and Global Assessment of Functioning Manager) located on the **Mental Health Assistant** form function very similar to links on a web page—however; MHA3 links do not invoke any web pages. Clicking on a launch link will start a new form that offers the user access to all the functions associated with that particular activity.

Instrument Administrator

The Instrument Administrator launch link starts the Instrument Administrator activity, which is explained in detail later in this document.

Instrument Results Review

The Instrument Results Review launch link starts the Instrument Review activity, which is explained in detail later in this document.

Addiction Severity Index Manager

The Addiction Severity Index Manage launch link starts the ASI Manager activity, which is explained in detail later in this document.

Global Assessment of Functioning Manager

The Global Assessment of Functioning Manager link starts the GAF Manager activity which is explained in detail later in this document.

GAF Rating is Due Label


The **GAF rating is due** label is not a link. It is a notification that is displayed only when a current patient is overdue for a GAF rating. If the patient is not overdue the **GAF rating is due** label is not displayed.

Starting the Instrument Administrator

Example: To start the Instrument Administrator, **click** on the launch link underline alphabet character **I**nstrument Administrator label located on the **Mental Health Assistant** form. After a brief pause, the Instrument Administrator form is displayed.




Example: The **Instrument Administrator** form is used to start the Instrument Administrator functions.




Starting the Instrument Results Review Functions

Example: To start the **Instrument Results Review** function, **click** on the launch link underline character Instrument **R**esults Review label. After a brief pause the Instrument Results Review form is displayed.



Example: The **Instrument Results Review** form is used to start the Instrument Results Review functions.



Starting the Addiction Severity Index Manager Function

Example: To start the **Addiction Severity Index Manager**, click on the launch link underline character **A**ddiction Severity Index Manager. After a brief pause, the Addiction Severity Index Manager form is displayed.



Example: Addiction Severity Index Manager Form.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Action Tools Help

Addiction Severity Index Manager One Mhpatient
SSN: 000-00-2412

| Date | Type | Ordered By | Status | Signed |
|-------------------|-------------|-----------------------|-------------------|--------------|
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |
| 03/14/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/14/2005 | Full | Mhprovider,One | Incomplete | False |
| 03/10/2005 | Full | Mhprovider,One | Completed | True |
| 02/28/2005 | Lite | Mhprovider,One | Completed | True |
| 02/24/2005 | Lite | Mhprovider,One | Incomplete | False |
| 02/03/2005 | Lite | Mhprovider,One | Completed | True |
| 01/20/2005 | Lite | Mhprovider,One | Completed | True |
| 01/05/2005 | Lite | Mhprovider,One | Completed | True |

7 days since last ASI

MHPATIENT,ONE 000-00-2412 ASI FULL on 03/15/2005 by: MHPROVIDER,ONE
*** PSYCHOSOCIAL HISTORY ***


GENERAL INFORMATION

Ms. Mhpatient is a 83 year old White (not Hisp), fl question not answered female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Consultation/Liaison program on Mar 15, 2005. In the past 30

Narrative Report Item Report Item Trends Domain Scores

Starting the Global Assessment of Functioning Manager

Example: To start the **Global Assessment of Functioning Manager** activity, **click** on the launch link **Global Assessment of Functioning Manager** label located on the Mental Health Assistant form. After a brief pause the Global Assessment of Functioning Manager form will display.



Example: Global Assessment of Functioning Manager form.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit Action Tools Help

Global Assessment of Functioning Manager One Mhpatient
SSN: 000-00-2412

| Date | GAF | Clinician |
|------------|-----|--------------|
| 03/02/2005 | 35 | MHPROVIDER,0 |
| 03/01/2005 | 35 | MHPROVIDER,0 |
| 02/25/2005 | 35 | MHPROVIDER,0 |
| 02/22/2005 | 5 | MHPROVIDER,0 |
| 02/03/2005 | 54 | MHPROVIDER,0 |
| 02/01/2005 | 20 | MHPROVIDER,0 |


Mark Rating "Entered in Error"

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |

New GAF rating: Evaluation Date:

GAF rating is due

Example: The “GAF rating is due” alert is displayed at the bottom-right of the main form if a GAF rating is due for the currently-selected patient. If a GAF is not required at this time, the alert is not displayed.



File Menu


The **Mental Health Assistant** drop-down list **File menu** contains the following three menu items:

- Select Patient...
- Upload Results...
- Exit

NOTE: Refer to the CPRS documentation for instructions on patient selection procedures.

Select Patient

Example: From the **Mental Health Assistant** form **click** on the drop-down **File menu** and **click** on the **Select Patient...** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a different patient, both CPRS and MHA3 are synchronized and updated to identify the same new patient.



Example: Selecting a different patient in MHA3 is no different from selecting a patient in CPRS.

Patient Selection

Patient List

Default: 5 NORTH
 Providers Clinics
 Team/Person Wards
 Specialties All

Patients (5 NORTH)

Blow,Billie
 Brockert,Charlotte
 Brockert,Nancy
 Copayment,Exempt
 Dog,Lazy
 Donahue,Phil
 Duke,Patty
 Estrada,Sergio
 Heuer,Flyer
 Heuer,Ralph
 Ingles,Bent
 Jones,Joe
 Milosovich,Sloboden
 Aardvark,Jimmy Jr
 Aaron,Albert
 Ackerman,Ronald

OK
Cancel

Save Patient List Settings

Notifications

| Info | Patient | Location | Urgency | Alert Date/Time | Message |
|------|-------------------|----------|----------|------------------|--|
| | MHPATIENT (M2412) | | Moderate | 12/23/2005@15:36 | UNSIGNED MHA ASSESSMENT NOTE available for |
| | MHPATIENT (M2412) | | Moderate | 12/23/2005@15:33 | UNSIGNED MHA ASSESSMENT NOTE available for |
| | MHPATIENT (M2412) | | Moderate | 12/23/2005@15:20 | UNSIGNED MHA ASSESSMENT NOTE available for |

Process Info Process All Process Forward Remove

Upload Results

Example: If any off-line administered records remain on this PC, the Upload Results menu item becomes enabled. If no records need to be uploaded to Vista, this menu item is visible, but disabled.

Clicking on the Upload Results menu item initiates the process for uploading off-line records to VistA.



Exit

Example: To exit the **Mental Health Assistant** form and return to the Windows Desktop, **click** on **File** then **Exit**, or **click** on the **Close (X)** icon located at the top-right of the **Mental Health Assistant** form, or **press and hold** the **Alt** key then **click** the **F4** key.




Tools Menu

METRIC Instrument Reviews...


The **METRIC Instrument Reviews** menu item is located on the **Mental Health Assistant** drop-down **Tools** menu. The **METRIC Instrument Reviews** offers comprehensive information about all sorts of instrument, including Mental Health instruments. This menu item is offered as a courtesy and a quick way to link the METRIC website from **Mental Health Assistant**. This website is not associated in any way with **Mental Health Assistant**.

Click on the drop-down list **Tools** and **click** on the **METRIC Instrument Reviews...** menu item display the METRIC website homepage.

Example: The **METRIC Instrument Reviews** menu item is located on the Mental Health Assistant dialog box Tools drop-down menu.



Example: METRIC website displayed in Internet Explorer.



Options


Clicking on the Tools Options menu item invokes the User Preferences form, where users can choose from different MHA3 system properties and behaviors.

Changing User Preferences

Example: Some system parameters are user-configurable and can be changed by **clicking** on the drop-down **Tools menu** and **Options...** menu item. The User Preferences form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.



Example: Mental Health Assistant **User Preferences** form.



Help Menu


The Mental Health Assistant Help menu contains the following two menu items:

- Online Support
- About

Online Support...

Example: The Mental Health Assistant Online Support is available via the Mental Health Informatics Section's website. **Clicking** on the **Help menu** and **Online Support...** menu item will start the default Web browser and loads the following web address into the browser:

<http://vaww.mentalhealth.med.va.gov/mha.shtm>.




About...


The **About...** menu item contains useful release information about MHA Version 3.

Accessing Program Information

Example: Clicking on the drop-down list **Help menu > About...** menu item displays the **About Mental Health Assistant** form.



Example: The **About Mental Health Assistant** form.




Instrument Administrator Functions

Orientation

The Instrument Administrator functions allow the user to order new tests to administer to selected patient and specify the data entry mode for the ordered tests. First, the user **must** specify the user's name that is requesting the test to be ordered. By default, the user requesting the test to be ordered is identified as the session user. However, another user may be specified as the user requesting the test to be ordered, in which case, the original user's name that requested the test is notified by VistA E-mail that tests were administered in his/her name. The available set of tests that can be ordered depends on the user access privileges (i.e., whether the user ordering the test has the YSP key assigned).

Example: Mental Health Assistant **Instrument Administrator** form.



Main Menu

The **Main Menu** offers user functions in the context of the **Instrument Administrator Form**, such as selecting another patient and help.

Selected Patient Identification label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the Instrument Administrator will apply to this patient. This patient is the same as the one selected in CPRS and should remain synchronized with CPRS even when another patient is selected.

Title bar

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity.

Visit information

The Visit information group of data-entry controls is used to describe the clinical particulars of a patient's visit, such as the clinician's name and the location of the visit.

List filters

The list filters are used to change the number and types of instruments displayed in the Instruments and Batteries list.

Available Instruments and Batteries list

The Available Instrument and Batteries list is used to select which instruments will be administered. In some cases there will only be one instrument selected. But, this list also allows for selecting multiple instruments or batteries, or a combination of both.

Instruments Chosen list

The Instruments Chosen list is the collection of instruments selected in the Instruments and Batteries list. The instruments are listed here in the order in which they will be administered—from top to bottom.

Re-sequencing buttons

The re-sequencing buttons are used to alter the order in which the instruments in the Instruments Chosen list will be administered. Instruments can be removed from the list too.

Data-entry mode selection

There are several combinations of data-entry display modes which are selected using the data-entry mode selection buttons.

Context-sensitive help

Context-sensitive help tips are displayed in this area and are dependent on where the mouse pointer is resting.

Ordering Tests

Tests can be ordered in three ways:

1. An existing test battery may be selected.
2. An incomplete test may be restarted if it has not been too long since it was first started.
3. New tests may be selected individually and their order of administration specified.

The Instrument Administrator Permits the User to select one of two Data Entry Modes:

1. Staff entry, which is optimized for staff data entry when the staff person wishes to see test questions and answers while entering data.
2. Patient entry, which is optimized for on-line administration of tests to the patient.


NOTE: Patient entry invokes special security measures to prevent patients from using the PC for any other purpose than answering questions. Because security measures are not invoked for the staff entry modes it must not be used for the on-line administration of tests to patients.

Selecting a Person (other than yourself) for Instruments Ordered By

By default, the current user's name is selected. So, it is necessary to select a different name only if the user is not the same person ordering the tests. To select a new person:

1. Click on the **drop-down list box** labeled **Instruments Ordered By**.
2. From the **Ordered By list**, select the name of the person ordering the tests.

Example: The **Instrument Ordered By** person will receive an email notification in VistA regarding the administration and also appears as the **Instrument Ordered By** person in all reports related to this administration.




Selecting a Person for “Interviewer”

By default, the current user’s name is selected. So, it is necessary to select a different name only if the user is not the same person as the interviewer. To select a new person:

1. Click on the Drop-Down List Box labeled **Interviewer**
2. Select a name from the list

Example: The selected name also appears as the “Interviewer”, or “Printer” person in all reports related to the administration.




Selecting a Date of Administration

By default, today's day is selected. So, it is necessary to select a different date only if the date of administration is not the same as the current date. To select a new date:

1. Click on the Date-Picker labeled **Date of Administration**
2. Select the administration date from the calendar.

Example: The selected date also appears as the date in all reports related to this administration.




Selecting a Visit Location

By default, the previously-selected Visit Location is selected. So, it is necessary to select a different location only if the location is different from the one displayed. To select a new location:

1. Click on the Drop-Down List Box labeled **Visit Location**
2. Select a different location from the list.

Example: The selected location also appears as the location in all reports related to this administration.



Filtering the display of Available Instruments and Batteries List


Which tests appear in the Available Instruments and Batteries list box depends on the user's access privileges to order tests (i.e., user must hold the YSP security key.) By default, the list of Available Instruments and Batteries displays all instruments and batteries that the user identified as the Ordered By user has permission to administer. However, the list of Available Instruments and Batteries can be filtered in four different ways:

1. All instruments and batteries, in alphabetical order.
2. All instruments and batteries, organized in groups.
3. Batteries only.
4. Restartable instruments only (incomplete instruments which may be resumed.)

To change the lists filter:

1. Click on the Drop-Down List Box labeled Show
2. Select a filter for the list of available instruments.

Example: The displayed Instrument List changes to include only the instruments that meet the new filter's specification.




Choosing One or More Instruments

By default, nothing is selected on the list of Available Instruments and Batteries. The user must choose one or more instruments to administer during this session. In the case where there are multiple instruments that are administered frequently, the user has an option to create and select instrument batteries, which simplify selecting groups of instruments. The user may select any combination of single instruments and batteries.

To select instruments or batteries, **click** on the check box next to the **Available Instruments and Batteries** list box names found on the **Instrument List**.

Example: The **Available Instruments and Batteries** list box located on the Mental Health Assistant form.



The selected instruments appear in the list of **Instruments Chosen**. These are the instruments selected for administration.

NOTE: Instruments are added to the Instruments Chosen list in the order in which they were selected in the Instrument List. This is the same sequence in which the tests will be administered. The date and time of administration is appended at the end of an incomplete test name.

Restarting Incomplete Tests

Whether an incomplete test can be restarted depends on how long ago it was first entered in the VistA Mental Health Package (MHP) database. The permissible lapse is a local site parameter that is set using MHS Manager\Psych Test Utilities\Edit Instrument Restart Limit [YSINST RESTART LIMIT] option. Restarting an incomplete test from the **Instruments Chosen** list box is no different from starting a new test, so that process is not described here


Manipulate the list of Instruments Chosen

After two or more instruments are added to the Instruments Chosen list, it is possible to rearrange the order in which they will be administered. The resequencing buttons may be used to change the order of the instruments in the list, or to remove instruments from the list. The order of administration is always from top to bottom.

To change the order, select the instrument item in the **Instruments Chosen** list. Using the resequencing buttons:

- **Click** on the up-arrow button to move the instrument up the list.
- **Click** on the down-arrow button to move the instrument down the list.
- **Click** on the left-arrow button to remove the instrument from the list.

Example: The **Instruments Chosen** list box is located on the Mental Health Assistant Instrument Administer Form.



Selecting Display Mode for Data Entry

There are two display modes in MHA3: Display One Question at a Time, or display All Questions at Once.


The **One Question at a Time** display mode is ideal for patient-entry, since it only displays one question in the data entry form. This allows for a more focused and relaxed approach to responding to questions.

The **All Questions at Once** display mode is ideal for staff-entry, since it displays all the questions in a scrollable window. This allows for rapid navigation between questions, and a faster approach to entering data.

In MHA3, either **One Question at a Time** or **All Questions at Once** may be used for patient-entry or staff-entry modes. It is a user preference choice.

- To select **One Question at a Time** display mode, click on the **One Question at a Time** option button.
- To select **All Questions at Once** display mode, click on the **All Questions at Once** option button.
- At least one test **must** be available in **Instruments Chosen**.

Example: Instruments Chosen list box is located on the Mental Health Assistant Instrument Administer Form.



Selecting Patient Entry Data Entry Mode


Patient-entry mode supports the on-line testing of patients, which is by far the most common method of computerized testing in VHA. **Patient Entry** has added security features to prevent unattended patients from using the PC for unauthorized purposes. Clicking on the **Patient Entry** command button triggers the activation of the SecureDesktop security functionality. To start patient entry mode:

1. **Click** on the **Patient Entry** button
2. **Click** on **Yes** in response to the first warning prompt. Click on **No**, to abort invoking SecureDesktop and cancel patient entry.
3. **Click** on **OK** to respond to the second warning prompt


Additional notes about Patient-Entry mode:

- At least one test must be available in the **Instruments Chosen** list.
- If the Patient Entry button is disabled, this means that the SecureDesktop software is not properly installed on this PC – contact your local IRM for support, if needed.
- Any time **Patient Entry** mode is invoked, two warning messages are displayed. These messages are an indication that SecureDesktop is about to be activated.
- The **Single-Question** form or the **All-Questions** form is displayed, depending on which option button was selected.

Example: The **Instruments Chosen** list box is located on the Mental Health Assistant Instrument Administer Form displaying the **Patient Entry** button.



Example: SecureDesktop **WARNING** prompt #1.



Example: SecureDesktop **WARNING** prompt #2.




Selecting Staff Entry Data Entry Mode

1. Click on the **Staff Entry** button.

Additional notes about Staff-Entry mode:


- At least one test must be available in the **Instruments Chosen** list.
- Staff-entry mode does not make use of the SecureDesktop functionality, since it is intended for staff use only, not for patients.
- The **Single-Question** form or the **All-Questions** form is displayed, depending on which option button was selected

Example: The **Instruments Chosen** list box is located on the Mental Health Assistant Instrument Administer Form displaying the **Staff Entry** button.



On-form Instructions

Example: The **On-form Instructions** are displayed in the bottom-left corner of the Instrument Administrator form. These are context-sensitive help tips that instructions change depending upon which part of the form the mouse pointer is resting on. Not all elements of the form trigger instructions.




Selecting a Different Patient

To select a different patient, **click** on the **File > Select Patient...** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a different patient, both CPRS and MHA3 are synchronized and updated to identify the same different patient.


NOTE: Refer to the CPRS documentation for instructions on patient selection procedures.

Example: The **Tools drop-down list** is located on the Mental Health Assistant Instrument Administer Form displaying the **Select Patient... menu item** button.



Exiting the Instrument Administrator Form


Example: To exit from the **Instrument Administrator** form, **click** on the **File > Exit** menu item. The **Instrument Administrator** form will close and the user is returned to the Mental Health Assistant main form.




Invoking the METRIC Instrument Reviews Website

The **METRIC Instrument Reviews** website offers comprehensive information about all sorts of instrument, including Mental Health instruments. This menu item is offered as a courtesy and quick way to link to this website from within MHA3. The METRIC website is not associated in any way with MHA3.

Example: Clicking on Tools > METRIC Instrument Reviews... menu item causes the user's default Web browser to display the homepage of the METRIC website.




Example: METRIC website displayed in Internet Explorer.




Changing User Preferences

Some system parameters are user-configurable and can be changed by clicking on the **Tools > Options...** menu item. The User Preferences form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.




Example: User Preferences message dialog.




Reviewing a Description of the Selected Instrument

Example: The clinical and technical features of any particular instrument supported by MHA3 can be reviewed by clicking on the instrument name followed by clicking on Help > Instrument Description...




Example: Description of an instrument.



Accessing Online Support


Example: Online support for MHA3 is available via the Mental Health Informatics Section's website. **Clicking** on the **Help > Online Support...** menu item will start the default Web browser and loads the following web address into the browser:

<http://vaww.mentalhealth.med.va.gov/mha.shtm>.




Accessing Program Information

Example: Clicking on the **Help > About...** menu item displays the **About** Mental Health Assistant message dialog, which contains useful release information about MHA version 3.



Example: Message dialog containing information about the Mental Health Assistant program.




Instrument Administrator's Battery Wizard

Orientation

The Instrument Administrator's **Battery Wizard** is a tool for creating and maintaining persistent, reusable instrument batteries. User-defined batteries that are created using the **Battery Wizard** are listed in the **Available Instruments and Batteries** list box and can be added to the list of Instruments Chosen. When a battery is added to the Instruments Chosen list, the names of the instruments contained in the battery are listed in Instruments Chosen, not the name of the battery.

Creating re-usable batteries from frequently administered sets of instruments can reduce the time required to set up a testing session for patients with similar testing needs.

Example: The **Available Instruments and Batteries** list box is located on the **Mental Health Assistant Battery Wizard** form.



Main Menu

The Main Menu offers user functions in the context of the Battery Wizard, such as additional tools and help.

Title bar

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity.

Available Instruments and Batteries list

The Available Instruments and Batteries list is used to select which instruments will be administered. In some cases there will only be one instrument selected. But, this list also allows for selecting multiple instruments or batteries, or a combination of both.

Instruments in Battery list

The Instruments in Battery list is the collection of instruments selected to become part of the current battery. The instruments are listed here in the order in which they will be administered—from top to bottom.

Re-sequencing buttons

The re-sequencing buttons are used to alter the order in which the instruments in the Battery will be listed in the Instruments Chosen list. Instruments can be removed from the battery too.

Context-sensitive Help

Context-sensitive help tips are displayed in this area and are dependent on where the mouse pointer is resting.

Battery Selector

The Battery Selector Drop-Down Combo Box is used to type in the name of a new battery, or to select from a list of existing batteries. The battery name indicated here is the currently-selected battery to which all editing actions apply.


Save Button

The Save button is used to save to VistA all changes made to the current battery. After a battery is saved, its name will be listed in the list of Available Instruments and Batteries on the Instrument Administrator form.


Invoking the Battery Wizard

The Battery Wizard **must** be invoked from the **Instrument Administrator** form. Similarly, all consequences of editing batteries are reflected in the Instrument Administrator, upon closing the **Battery Wizard** form.

Example: To start the **Battery Wizard**, click on **Tools > Battery Wizard...** located on the **Instrument Administrator's Tools** drop down list menu.



Example: Mental Health Assistant **Battery Wizard** form.



Creating a New User-defined Battery using the Battery Wizard


New batteries of instruments are created by first assigning a name to the new battery. Next, instruments (and other batteries) are added to the Instruments in Battery list by clicking on the desired instrument names shown in the **Available Instruments and Batteries** list box.

The **Instruments in Battery** list box can be manipulated to change the order of the tests and to add or remove tests. To modify the **Instruments in Battery** list of an existing battery, simply load the battery by selecting the battery name using the Name of Battery Drop-Down Combo Box.


Here is an example of creating a new battery:

1. Click on **File > New** menu item.
2. Select **AUDC** and **AUDIT** instruments by clicking on the selection box next to their names.
3. Enter the name “**My New Battery**” in the **Name of Battery** box.
4. Click on the **Save** button.
5. The new battery is saved after the **Save** button is pressed.
6. The **Battery Wizard** form is closed.
7. The **Instrument Administrator** form is shown and the newly-created battery appears in the list of **Available Instruments and Batteries**.
8. When **My New Battery** is selected, the two instruments included in the battery are added to the **Instruments Chosen** list on the **Instrument Administrator** form.

Example: This is a display of creating a new battery from the **Name of Battery** box.




Example: Created battery is displayed and is available from the **Instrument Administrator** form under the **Available Instruments and Batteries** list. The two instruments included in the battery are displayed in the **Instruments Chosen** list box.




Renaming an Existing Battery

1. Select the battery that you wish to rename from the **Available Instruments and Batteries** list.
2. Click on **File > Rename** menu item.
3. Type the new name for the battery
4. **Click Ok.**


Example: Selecting the battery that you wish to rename from the **Available Instruments and Batteries** list box.



Example: Typing in a **New Name** for an existing battery.




Example: Displaying the **New Name** from the **Available Instruments and Batteries** list box.




Deleting an Existing Battery

1. Select the battery to be deleted from the **Available Instruments and Batteries** list box.
2. Click on **File > Delete** menu item.
3. Click on **Yes**.
4. The selected battery is deleted from Vista and from the list of **Available Instruments and Batteries**.

Example: Deleting an existing battery from the **Available Instruments and Batteries** list box.




Example: Click on **File > Delete** menu item. Click on the **Yes** button.



Exiting the Battery Wizard


Example: To exit the **Battery Wizard** form and return to the **Instrument Administrator** form **click** on the drop-down **File > Exit** menu item. The **Battery Wizard** form will close and the user is returned to the **Instrument Administrator** form




Changing User Preferences

Some system parameters are user-configurable and can be changed by **clicking** on the drop-down **Tools menu> Options...** menu item.

Example: The User Preferences form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.




Example: User Preferences message dialog form.



Accessing Online Support


Example: Online support for MHA3 is available via the Mental Health Informatics Section's website. **Clicking** on the drop-down **Help menu**> **Online Support...** menu item will start the default Web browser and loads the following web address into the browser:

<http://vaww.mentalhealth.med.va.gov/mha.shtm>.




Accessing program information

Example: Clicking on the drop-down **Help menu**> **About...** menu item displays the **About** Mental Health Assistant message dialog form, which contains useful release information about this version of MHA3.



Example: The Mental Health Assistant message dialog box contains information about the Mental Health Assistant program.



Instrument Administrator's Single-Question Input Form


Orientation

The **Single-question data-entry** form enables the user to answer questions by viewing and responding to one question at a time. This display mode is ideal for patient-entry, since it only displays one question in the data entry form. This allows for a more focused and relaxed approach to responding to questions. However, this mode is also suitable for staff entry as well. It boils down to a matter of personal preference.


This section lists in detail all the various types of visual artifacts that users are likely to interface with while responding to questions during an administration.

Refer to the GUI glossary for a description of the visual elements on these forms, and how they are normally used.

Example: Single-question **data-entry** form.



Example: Data Input Test form contains the **Change Answer** button.



Data Input Test One Mhpatient
SSN: 000-00-2412

| No. | Question | Answer |
|-----|---|---------------------------|
| 1. | Pick two numbers: | 0101 |
| 2. | Pick one number: | Two |
| 4. | Enter any amount in dollars and cents: | 12.52 |
| 5. | Enter any date: | 04/07/2005 |
| 6. | What is your first name? | John |
| 7. | Pick one number: | Two |
| 9. | Enter a phone number: | (801) 966-5442 |
| 10. | Write five lines of text (gibberish is accepted): | This is a test to see how |
| 11. | How many glasses of water did you drink today? | 4 |
| 12. | Pick one number: | Two |
| 13. | Select one person from the list: | MHPROVIDER,ONE |
| 14. | Slide the marker to any number you like: | 6 |

To change an answer, highlight it and press "Change Answer" or double-click on it.

The Main Menu

The Main Menu offers user functions in the context of the Single-Question form, such as tools and help.

The Selected Patient Identification label

The **Selected Patient Identification** label displays information about who is the currently-selected patient within MHA3. All functions performed in the **Single-Question** form will apply to this patient.

The Instrument's Name

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

The Section Title Bar

Sometimes, instrument designers may group questions into sections. In this case, existing section titles are displayed in the Section Title Bar.

The Introduction Text

Introduction Text is used as narrative introduction to one or more questions. Generally, introductions present instructions on how to respond to questions.

The Question Text

The Question Text is the actual question presented to the user.

The Response Artifact

A Response Artifact is a visual control that the user will use to respond to the presented question. There are a number of different types of Response Artifacts in MHA3, such as Drop-Down Combo Boxes, Text Boxes, Spin Edits and such. On the Single-question form, all response artifacts are displayed on the same area of the form.

The Navigation Buttons

The Navigation Buttons are used to display Previous and Next Questions. They are used to navigate through the sequence of all questions contained in the instrument.

The Progress Indicator

The Progress Indicator displays the current percentage of questions answered so far, represented by the number of questions answered, compared to the total number of questions in the instrument.

The Review Answers Form

The Review Answers form is a navigational aid to use with instruments that contain a large number of questions. It presents a simple way to select a question for editing that is not contiguous to the present question.


Responding to a multi-choice question using a Multiple-Selection List Box

Multiple-Selection List Boxes allow the user to select one or more of the choices listed. To respond to a question:

1. Select one or more choices from the Multiple-Selection List Box on the form
2. Click on **Next Question >** button

The choices made are recorded and the next question is automatically displayed.

Example: Selecting two choices.




Responding to a Single-choice question using a Drop-Down List Box

NOTE: Drop-Down List Boxes allow selection of a single choice from a list.

To respond to a question:

1. **Click** on the down-arrow located on the **Pick one number** drop-down list box to display the list.
2. Select a number from the **Pick one number** drop-down list box.
3. **Click** on the **Next Question >** button. The selected number is recorded and the next question is automatically displayed.

Example: Data Input Test form displaying the **Pick one number** label.



Responding to a question that asks for a currency amount using a Text Box


Some Text Box artifacts are configured to only accept valid currency values.

To respond to a question:

1. Type a currency value in the Text Box
2. Click on **Next Question >** button

The entered currency value is recorded and the next question is automatically displayed.

Example: Entering a currency amount.




Responding to a question that asks for a date using a Date-Picker

Date-Pickers are used to respond to questions requiring a date for an answer. A Date-Picker displays a calendar from which a date is selected. Alternatively, the user may simply type the date in the Text Box portion of the Date-Picker artifact. In MHA, Date-Pickers usually don't allow for selecting a date in the future. To select a date:

1. Click on the button with the arrowhead to open the Date-Picker calendar component
2. Navigate to the desired date and click on its number symbol
3. Click on Next Question > button

The selected date value is recorded and the next question is automatically displayed.

Example: Selecting a date.



Responding to a question that asks for a line of text using a Text Box


A Text Box allows entry of a single line of text as a response to a question.

To answer a question:

1. Type a line of text in the Text Box
2. Click on **Next Question >** button

The entered text is recorded and the next question is automatically displayed. A Text Box accepts any type of text.

Example: Entering text into a Text Box.




Responding to a question from a list of answers using a Single-Selection List Box

A Single-Selection List Box is very similar to a Combo Box, except that all available responses are readily visible. There is no drop-down list to trigger. To answer a question:

1. Select one item from the Single-Selection List Box on the form
2. Click on **Next Question >** button

The single choice made is recorded and the next question is automatically displayed.

Example: Selecting a single response.




Responding to a question using a Masked Text Box that pre-formats input data

Masked Text Boxes automatically format the data entered into them. For instance, a Masked Text Box configured to accept a phone number will automatically position and display the parenthesis and dashes normally found in fully-formed phone numbers. All that the user must type are the numbers in the phone number. The rest of the formatting is done automatically.

Enter a phone number:

1. Type only the numbers in a phone number, including the area code in the Masked Text Box.
2. Click on **Next Question >** button

Example: The Masked Text Box adds formatting to the entered numbers to reflect a standard phone number notation. Only numbers are accepted for input.




Responding to a question that asks for a long textual answer using a Multiple-Line Text Box

Multiple-Line Text Boxes accept more than one line of text.

To answer a question:

1. Type several lines of text in the Multiple-Line Text Box
2. Click on **Next Question >** button

Example: The entered text is recorded and the next question is automatically displayed .The Multiple-Line Text Box accepts any type of text.




Respond to a question using a Spin Box that asks for an integer value

Spin Boxes are used to select from a list of consecutive integer values. Additionally, an integer value may be typed into the Text Box area of a Spin Box artifact. To answer a question:

1. Type an integer, or use the spin buttons with the arrowheads to enter a value in the Spin Box.
2. Click on **Next Question >** button.

The entered integer value is recorded and the next question is automatically displayed. The Spin Box only accepts integer values.

Example: Entering an integer value.




Responding to a question that asks for a single choice from a list using Option Buttons

Option Buttons are used to answer questions from a list of mutually-exclusive answers. To answer a question:

1. Click on one of the Option Buttons in the group
2. Click on **Next Question >** button

The single choice made is recorded and the next question is automatically displayed.

Example: Selecting an Option Button response.



Responding to a question that asks for a staff name from VistA using a Drop-Down List Box


Staff list Drop-Down List Boxes are special list boxes that display a list of staff members from VistA.

To answer a question:

1. Begin typing the first three letters of the last name in the Text Box part of the component.
2. If the complete name is not automatically filled in, select the name from the list of names that “dropped down” in the Vista Drop-Down List Box
3. Click on **Next Question >** button

The name choice made is recorded and the next question is automatically displayed.

Example: Selecting a staff name from a list.




Responding to a question that asks for a value from a Slider

Sliders simplify visually selecting a value from a range of values.

To answer a question:

1. **Select** a value on the Slider by moving the choice indicator on the scale to the number of your choice.
2. **Click on Next Question >** button.

Example: Selecting a point on a scale. The selected Slider value is recorded and the next question is automatically displayed




Identifying the End Point of an Instrument and Finishing the Instrument

The last question in an instrument will trigger a change in the displayed navigational buttons. A new **Instrument is Finished** button appears and only it and the **Prior Question** buttons remain enabled. This is an indication that the end of the test has been reached. Clicking on the **Instrument is Finished** button will finish the test.


To finish a test:

1. Answer every question in the instrument.
2. On the last question, click on the **Instrument is finished** button.

Example: Finishing an instrument. Since this is the last question, the progress indicator is replaced by an **Instrument is finished** button. The review message dialog is displayed.




Example: Review the message dialog form.



Exiting Data-Entry Session and Saving Responses

1. On the Review message dialog, **click** on the Options Button labeled **Finished with this form.**
2. Click on the **Ok** button.


Example: When the review message form is displayed, click on the **Finish with this Form** button. All instrument responses are saved to Vista. Clicking on the **Cancel** button will abort saving and ending the session.



Viewing the Next Instrument

Within the context of a battery of instruments, it is possible to jump to the different instruments comprising the battery.


Example: To illustrate the next two tasks, it is assumed that the user has chosen a battery of tests to be administered in this order: AUDC, AUDIT and CAGE.



To move on to the next instrument in the battery **click** on the **View > Next Instrument** menu item.

The currently-selected instrument changes from AUDC to AUDIT and the first AUDIT question is displayed.


Example: Jumping to the next instrument.



Viewing the Previous Instrument

To move on to the prior instrument in the battery, **click on View> Previous Instrument** menu item.


Example: Jumping to the previous instrument. The form displays the last unanswered question of the AUDC instrument. Presumably, this is question #3.



Viewing the Prior Question

To view the question that is prior in order to the currently-selected question, **click** on the **View> Prior Question** menu item.


Example: The displayed question becomes the prior question within the current instrument.



View Next Question

To view the question that is next in order to the currently-selected question, **click** on the **View> Next Question** menu item.

Example: The displayed question becomes the next question within the current instrument.




Review Answers


In the case where navigating through the questions in an instrument using the Next Question and Prior Question buttons is too cumbersome due to a large number of questions, the **Review Answers** offers a quicker way to move around. To start the Review Answers form, **click** on the **View> Review Answers** menu item.

NB. An alternative method of reaching this function is to answer all questions and click on the **Review Answers...** options button on the Review message dialog after clicking on the **Instrument is finished** button.

Example: Starting the Review Answers form.



Example: The Review message dialog box is an alternate way to start the Review Answers form.



Changing Answers

To change a given answer, it is first necessary to return to that answer. There are two ways to navigate back to a previously-answered question: the **question navigation buttons** or the **Review Answers** form. Once the answer is again displayed in the form, simply choose or type in a different answer.

To change an answer using the Review Answers form:


1. Click on any of the previously-answered questions listed in the table, to select the question.
2. Click on the **Change Answer** button.

To return to the Single-Question input form, without making any changes, **click** on the **Exit** button, or click on **File > Exit**.

After clicking on the Change Answer button:


1. The Single-Question input form is displayed and the selected question is shown with the previously-entered response.
2. User can change the response to this question.

Example: Selecting which question to change.



Exiting Data-Entry Session without Saving the Answers

Example: To abort saving any of the given answers to an administration, **click** on the **Cancel** button. The editing session ends and no answers are saved.




Invoking the METRIC Instrument Reviews Website


The **METRIC Instrument Reviews** menu item website offers comprehensive information about all sorts of instrument, including Mental Health instruments. This menu item is offered as a courtesy and quick way to link to this website from within MHA3. The METRIC website is **not** associated in any way with MHA3.

Click on Tools > METRIC Instrument Reviews... menu item. This starts the user's default Web browser to display the METRIC website homepage.

Example: Starting the **METRIC Instrument Reviews...** menu item.




Example: METRIC website homepage displayed in Internet Explorer.




Changing User Preferences

Some system parameters are user-configurable and can be changed by **clicking** on the **Tools > Options...** menu item.

Example: Starting the **Tools > Options...** menu item.



Example: The **User Preferences** form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.




Accessing Online Support

Online support for MHA3 is available via the Mental Health Informatics Section's website.


Example: Clicking on the **Help > Online Support...** menu item will start the default Web browser and loads the following web address into the browser:

<http://vaww.mentalhealth.med.va.gov/mha.shtm>.




Accessing Mental Health Assistant Program Information

Example: Click the **Help > About...** menu item to display the **About Mental Health Assistant** message dialog box.



Example: The **About Mental Health Assistant** message dialog box contains information about the Mental Health Assistant program.



Mental Health Assistant File Exit Menu Item


It is possible to interrupt the administration of an instrument and save all the responses given so far. The administration will be saved as an “incomplete” administration, which may be completed later by using the **File > Exit** menu item.

1. The Single-question data-entry form closes and the user is returned to the **Instrument Administrator** form.
2. The instrument administration is automatically saved as an incomplete administration in VistA. No data is lost.
3. The instrument appears in the list of available instruments as an incomplete administration, which can be selected for resumption.

Example: To interrupt and save an administration, **click** on the **File > Exit** menu item, or **click** on the Window’s Close button.



Example: This is a display of the **Mental Health Assistant** message dialog box. **Click** on the OK command button to save as an incompleted administration.



Resume Responding to Questions in an Administration Previously Saved as Incomplete


Saved incomplete administrations may be reloaded into MHA3 to continue answering questions and complete the administration. Incomplete administrations are identified by the date and time text that is appended to the instrument's name. Incomplete administrations that cannot be restarted are simply not listed in the list of available instruments.

Whether an incomplete test can be restarted depends on how long ago it was first entered in the VistA Mental Health Package (MHP) database. The permissible lapse is a local site parameter that is set using MHS Manager\Psych Test Utilities\Edit Instrument Restart Limit [YSINST RESTART LIMIT] option.


To restart an incomplete administration:

1. Identify and select the incomplete administration in the list of available instruments, in the **Instrument Administrator** form.
2. Choose the display and entry modes.
3. The reminder message shown below is displayed.
4. The data-entry form is displayed and the 1st unanswered question is presented and is ready for a response.
5. All previously-saved responses are restored correctly.
6. Resume the administration in a similar fashion as new administrations after they are started.

Example: Incomplete administration listed in the **Available Instruments and Batteries** list.



Example: Mental Health Assistant message dialog box displaying the Reminder information given upon resuming an incomplete administration.



Instrument Administrator's All-questions Input Form

Orientation

The **All-questions data-entry** form allows the user to answer questions by viewing and responding to any of all the instrument questions at any time. All questions are displayed at once on a scrollable form. The **All-questions data-entry** form does not make use of a Review Answers form, navigation buttons, or a progress indicator, since they would be redundant with the functions already offered by this form.

NOTE: Refer to the glossary for a description of the visual elements on these forms, and how they are normally used.

Example: All-questions input form.

The screenshot displays the 'Mental Health Assistant in use by MHPROVIDER, ONE' window. The main title is 'Alcohol Use Disorders Identification Test Condensed' for 'One Mhpatient SSN: 000-00-2412'. The instructions state: 'Please read each item carefully and select the correct answer for you.' The first question is '1. How often did you have a drink containing alcohol in the past year?' with five radio button options: '1. Never', '2. Monthly or less', '3. Two to four times a month', '4. Two to three times per week', and '5. Four or more times a week'. The second question is '2. How many drinks containing alcohol did you have on a typical day when you were drinking in the past year?' with three radio button options: '1. 1 or 2', '2. 3 or 4', and '3. 5 or 6'. At the bottom, there are three tabs: 'AUDC', 'DIT-2005', and 'AUDIT'. A vertical scrollbar is located on the right side of the question area.

Main Menu

The Mental Health Assistant Main Menu offers user functions in the context of the Single-Question form, such as tools and help.

Selected Patient Identification Label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the Single-Question form will apply to this patient.

Instrument's Name

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

Section Text

Sometimes, instrument designers may group questions into sections. In this case, existing section titles are displayed in the form, just above any introduction or question text.

Introduction Text:

The Introduction Text is used as narrative introduction to one or more questions. Generally, introductions present instructions on how to respond to questions.

Question Text:

The Question Text is the actual question presented to the user.

Response Artifact:

A Response Artifact is a visual control that the user will use to respond to the presented question. There are a number of different types of Response Artifacts in MHA3, such as Drop-Down Combo Boxes, Text Boxes, Spin Edits and such. On the Single-question form, all response artifacts are displayed on the same area of the form.

Navigation Scroll Bar:

The Navigation Scroll Bar is used to display any questions on the form which may be hidden below or above the current view.

Battery Tabs

When the user is responding to a battery of tests, each individual test is indicated as a tab at the bottom of the form. These tabs are used to navigate among the different instruments in the battery.

Respond to all questions using the techniques learned while using Single-Question Data Entry

The data-entry visual artifacts on this form respond in the same way that they do on the Single-Question form. The difference being that all questions are presented at once and that navigation to the different questions is done differently.

To navigate using the mouse, simply use the scroll bar until the desired question is within view. To navigate using the keyboard, use the **Tab** key to jump to the next question in the sequence. **Shift-Tab** causes a reverse jump to the previous question in the sequence. Additionally, to automate the tabbing effect, there is the **Speed Tab** option on the **User Preferences > Misc.** form that automatically tabs to the next question once a question is answered. However, the **Speed Tab** option has no effect on Multiple-Line Text Boxes, Single-Line Text Boxes, and Spin Boxes.

To answer questions:

1. Respond to all questions.
2. Save the administration.

While answering questions:

1. All questions pertaining to the current instrument are available on the current form.
2. The scroll bar permits navigation to all the instrument's questions on the form.
3. Using the Tab key for navigation performs as described above.
4. All data-entry visual artifacts respond in the same way as they do on the Single-Question form.
5. After saving the administration, the answers given match the ones listed in the Instrument Results Review report.


Example: The **Mental Health Assistant View option** displays the **Data Input Test** form.

The screenshot shows a software window titled "Mental Health Assistant in use by MHPROVIDER, ONE". The window has a menu bar with "File", "View", "Tools", and "Help". The main content area is titled "Data Input Test" and displays patient information: "One Mhpatient" and "SSN: 000-00-2412". The form contains several input fields:

- 1. Pick two numbers: A list box with four options: 1. One, 2. Two, 3. Three, and 4. Four.
- 2. Pick one number: A dropdown menu.
- 4. Enter any amount in dollars and cents: A text box containing "\$0.00".
- 5. Enter any date: A dropdown menu containing "4/11/2005".
- 6. What is your first name?: A text box.

At the bottom of the window, there is a status bar displaying "DIT-2005".

Example: The **Mental Health Assistant** form **Misc.** option displays the **User Preferences** form.




Identify the event of reaching the end of an instrument (or battery,) and finish the instrument

An instrument administration is finished once all questions have been answered. In the case of the All-Questions Input form, questions may be answered on a single form which displays all questions.


To end an Instrument Administration:

1. Answer every question in the instrument.
2. **Click** on the **Instrument is finished** button, located just below the last question, at the very bottom of the form.
3. If a required answer has not been answered, a warning message is displayed and user is returned to the data-entry form.
4. All instrument responses are saved to Vista.
5. The instrument saved message is displayed and user is returned to the Instrument Administrator form.

Example: Mental Health Assistant Data Input Test form Instrument is finished button is use to end an Instrument Administration.



Example: The **Mental Health Assistant** dialog box is displaying the message “**Note: These required questions have not been answered.**”




Selecting an Instrument within a Battery

The number of instruments within a battery is indicated by the number of tabs at the bottom of the form. These tabs are used to navigate to any of these instruments.

To change the current instrument within a battery:


1. If the desired instrument tab is not the selected tab (in the foreground) **click** on the tab to bring the instrument to the foreground. **Or...**
2. Use the **View** menu option, **click** on the instrument's name in the View list.

Example: The **Mental Health Assistant** form displays the **View** menu instrument names.



To review answers given:


Example: Use the scroll bar to review every answer given. Moving the scroll bar permits all questions and answers to be viewed.



Change a Previously-given Answer

To change a previously-given answer, navigate to the question and change the answer.

Example: Question #7 with answer changed to number four.




Invoking the METRIC Instrument Reviews Website


The **METRIC Instrument Reviews...** website offers comprehensive information about all sorts of instrument, including Mental Health instruments. This menu item is offered as a courtesy and quick way to link to this website from within MHA3. The METRIC website is **not** associated in any way with MHA3.

Clicking on the **Tools > METRIC Instrument Reviews...** menu item causes the user's default Web browser to display the METRIC website homepage.

Example: This is a display of the **Mental Health Assistant** form **Tools METRIC Instrument Reviews...** menu item.




Example: METRIC website displayed in Internet Explorer.




Changing User Preferences

Some system parameters are user-configurable and can be changed by clicking on the **Tools > Options...** menu item. The User Preferences form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.

Example: This is a display of the **Mental Health Assistant** form **Tools Option...** menu item.




Example: User Preferences message dialog box.



Accessing Online Support

Online support for MHA3 is available via the Mental Health Informatics Section's website. Clicking on the **Help > Online Support...** menu item will start the default Web browser and loads the following web address into the browser: <http://vaww.mentalhealth.med.va.gov/mha.shtm>

Example: The **Mental Health Assistant** form **Help** menu **Online Support...** menu item.




Accessing Program Information


Click on the drop-down **Help menu** to display the **About...** menu item.

Click on the **About...** menu item to display the Mental Health Assistant message dialog box.

Example: Mental Health Assistant form Help menu.



Example: The **About Mental Health Assistant** message dialog box contains useful release information about MHA version 3.




Suspend responding to questions and save the administration in an incomplete state.


To suspend responding to questions **click** on the drop-down **File menu> Exit menu item**, or **click** on the Window's Close button.

1. The All-questions data-entry form closes and the user is returned to the **Instrument Administrator** form
2. The instrument administration is automatically saved as an incomplete administration in Vista. No data is lost.
3. The instrument appears in the list of available instruments as an incomplete administration, which can be selected for resumption.

Example: Mental Health Assistant form File menu.



Example: Warning given upon exiting an incomplete administration.




Resume responding to questions in an administration previously saved as incomplete.


To restart an incomplete administration:

1. Identify and select the incomplete administration in the list of available instruments in the **Instrument Administrator** form.
2. The reminder message shown below is displayed
3. The data-entry form is displayed
4. All previously-saved responses are restored correctly.
5. Resume the administration in a similar fashion as new administrations are started


Example: Incomplete administration listed in the Available Instruments and Batteries list.



Example: Reminder given upon resuming an incomplete administration.



Example: All-Questions form displaying the restored answers in a previously-incomplete administration.



Instrument Results Review Functions

Orientation

All previous tests completed by the selected patient are listed on the Instrument Results Review form, and one of those tests is always highlighted (by default, the first test in the list is highlighted when the user first access this form). A text-based report for the highlighted test is shown. If the highlighted test has a numeric score, only one scale, and if the test has been completed more than once, a graphical display of those scores is presented on the Graph & Table tab.

Example: The **Instrument Results Review** form offers functions to print, save and copy-paste reports, tables and graphs, as well as enable the user to append comments to the results of the highlighted test.

Instrument Results Review: AUDIT One Mhpatient
SSN: 000-00-2412

| Date | Test |
|------------|----------|
| 04/25/2005 | DIT-2005 |
| 04/22/2005 | DIT-2005 |
| 04/21/2005 | DIT-2005 |
| 04/21/2005 | DIT-2005 |
| 04/20/2005 | AUDC |
| 04/20/2005 | AUDIT |
| 04/20/2005 | AUDIT |
| 04/20/2005 | AUDC |
| 04/20/2005 | AUDC |
| 04/20/2005 | DIT-2005 |
| 04/20/2005 | AUDC |
| 04/15/2005 | CAGE |
| 04/15/2005 | AUDC |
| 04/15/2005 | DIT-2005 |
| 04/15/2005 | DIT-2005 |
| 04/15/2005 | AUDC |
| 04/15/2005 | AUDIT |
| 04/14/2005 | DIT-2005 |
| 04/14/2005 | DIT-2005 |
| 04/14/2005 | DIT-2005 |
| 04/14/2005 | DIT-2005 |
| 04/11/2005 | DIT-2005 |

```

000-00-2412  MHPATIENT, ONE                F AGE 83 04/27/2005 04/20/2005
                                           PRINTED  ENTERED

      --- Alcohol Use Disorders Identification Test ---
              S C A L E  RAW

              Total      16      0

A score of 8 or more indicates a strong likelihood of hazardous
or harmful alcohol consumption.

Not valid unless signed: Reviewed by .....
Printed by: MHPROVIDER, ONE
Ordered by: MHPROVIDER, ONE


000-00-2412  MHPATIENT, ONE                F AGE 83 04/27/2005 04/20/2005
                                           PRINTED  ENTERED

      --- Alcohol Use Disorders Identification Test ---
              --- ITEM RESPONSES ---


      1 2      2 0      3 2      4 X      5 2      6 2      7 1      8 3      9 1      10 1
    
```

Reports **Graph & Table**

Example: Graph and table views.



Example: Multi-scale instrument graph.



Main Menu

The Main Menu offers user functions in the context of the Single-Question form, such as tools and help.

Selected Patient Identification label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the Single-Question form will apply to this patient.

Instrument's Name

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

List of Previously-Administered Tests

This is the list of all tests that have been administered to the selected patient. The list is also used for selecting which administration to process. The list may be sorted by date or instrument type.

The Report View:

The Report View displays an administration report in textual form, based on the patient's data stored in Vista for the selected administration.

The Navigation Tabs

These tabs are used to switch between report and graph/table view.

The Graph View:

The Graph View displays a graphical representation of test data values over time.

The Table View:


The Table View represents the same data as the Graph View, except that it is in table format. The Table View also functions as a means for selecting which administrations and characteristics to represent on the graph.

Selecting Another Patient

To select a different patient, click on the **File > Select Patient** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a new patient, both CPRS and MHA3 are synchronized and updated to identify the same new patient.

Note: Refer to the CPRS documentation for instructions on patient selection procedures.


Example: Selecting another patient.




Saving a Graph, Report, or a Table to a File

To save a graph, report, or table, **click** on the drop-down **File Menu > Save As...** menu item and then click on Graph, Report, or Table. To save a graph or a table, the “Graph and Table” tab must be selected first.

Example: A message dialog appears that asks the user to enter a filename and storage location for the table, report or graph file to be saved. A graph is saved as a bitmap, a table is saved as an Excel file and a report is saved as a text file.



Example: Save As form.




Printing a Graph, Report or Table.

To print a graph, report, or table, **click** on the drop-down **File Menu > Print...** menu item and then **click** on Graph, Report, or Table menu item.

A copy of the table, report or graph is sent directly to the default printer.


Example: Printing a graph, report, or table.




Copying a Graph, Report, or Table to the Windows Clipboard.

To copy a report, graph, or table to the Windows clipboard, **click** on drop-down **Edit Menu > Copy...** menu item and then **click** on Graph, Report, or Table. A copy of the table, report or graph is sent to the Clipboard. The contents of the Clipboard can then be pasted onto an MS Word or Excel document.

Example: Copying a report the Windows clipboard.




Example: Message displayed after copying to the clipboard.



Exiting the Instrument Results Review Form


To exit the Instruments Results Review form, **click** on the **File > Exit** menu item. The Instrument Results Review form will close and the user is returned to the MHA3 Main form.

Example: Exiting the Instruments Results Review form.



Switching Views from Reports to Graph and Table and Back

Example: To switch between views, **click on View > Reports and View > Graph and Table**, to switch between views on the form. The navigation tabs at the bottom-left of the form serve the same purpose.




Appending Comments to an Existing Record


Comments can be appended to existing reports in Vista:

1. Select the instrument to which to append comments
2. **Click** on the **Tools > Append comments...** menu item
3. The Comments Editor Form is displayed.
4. Type a new comment in the Comments Editor
5. **Click** on **File > Save Comment** in the Comments Editor menu
6. Comment appears appended to the administration's report text


Example: Mental Health Assistant Tools menu > Append comments...item




Example: Comments Editor form displays **previous** and **new** comments.



Example: Save Comment and Exit items.




Example: Comment added to a report.




Invoking the METRIC Instrument Reviews Website

The **METRIC Instrument Reviews...** website offers comprehensive information about all sorts of instrument, including Mental Health instruments. This menu item is offered as a courtesy and quick way to link to this website from within MHA3. The METRIC website is not associated in any way with MHA3.

Example: Clicking on **Tools > METRIC Instrument Reviews...** menu item causes the user's default Web browser to display the homepage of the METRIC website.




Example: METRIC website displayed in Internet Explorer.



Changing User Preferences


Example: Some system parameters are user-configurable and can be changed by clicking on the **Tools > Options...** menu item. The User Preferences form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.



Example: User Preferences message dialog.


Accessing Online Support

Online support for MHA3 is available via the Mental Health Informatics Section's website. Clicking on the **Help > Online Support...** menu item will start the default Web browser and loads the following web address into the browser: <http://vaww.mentalhealth.med.va.gov/mha.shtm>.




Accessing Program Information

Clicking on the **Help > About...** menu item will display the About Mental Health Assistant message dialog, which contains useful release information about this version of MHA3.



Example: Message dialog containing information about the Mental Health Assistant program.



Addiction Severity Index Manager Functions

Orientation

The ASI Manager lists all previous interviews and makes it easy to view either the item report or narrative report for a selected interview.

Additional views of ASI data are provided. Both the **Domain Scores** and **Item Trends** functions present graphical and tabular data across multiple interviews. The Domain Scores option gives the user the opportunity to see either problem severity ratings or evaluation factor scores (see Alterman, et al., [1998] "New scales to assess change in the Addiction Severity Index for the opioid, cocaine, and alcohol dependent", *Psychology of Addictive Behavior*, 12, 233-246). The **Item Trends** option displays responses to selected individual items. It is hoped that these data views will help with treatment planning and treatment outcome monitoring.

A user-friendly interface for entering interview data is provided. This "New ASI" option enables staff to quickly enter data, to easily jump from one item to another, and to enter free text comments at any time. This option should greatly reduce data entry time, whether transcribing interview results from a paper form or entering them on-line during an interview. It is not a self-administered version of the ASI, though, and should not be used for patient entry of ASI responses.

Example: Addiction Severity Index Manage form

Main menu

Selected patient identification

Title bar

ASI editing buttons

Previous ASIs List

Last ASI days

ASI reports view

| Date | Type | Ordered By | Status | Signed |
|------------|------|----------------|---------------|--------|
| 02/08/2006 | Lite | Mhprovider,One | Completed | True |
| 02/08/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 01/24/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 04/06/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |
| 03/15/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |
| 03/14/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/14/2005 | Full | Mhprovider,One | Incomplete | False |

0 days since last ASI

MHPATIENT, ONE 000-00-2412 ASI LITE on 02/08/2006 by: MHPROVIDER, ONE
 ##### Unsigned Draft #####
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 84 year old Black (not Hisp), married female NSC veteran.
~~She lists her religious preference as Protestant.~~ She was admitted to the

Narrative Report | Item Report | Item Trends | Domain Scores

Main Menu

The Main Menu offers user functions in the context of the ASI Manager form, such as tools and help.

Selected Patient Identification Label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the ASI Manager form will apply to this patient.

Title Bar

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

List of Previously-Administered ASIs

This is the list of all ASIs that have been administered to the selected patient. The list is also used for selecting which ASI to process.

Report View

The Report View displays an administration report in textual form, based on the patient's data stored in Vista for the selected administration.

Navigation Tabs

These tabs are used to switch between the various views of the data.

ASI Editing Buttons

The ASI Editing Buttons are used to create new ASIs or edit existing ones.

Days Since Last ASI Label

The Days Since Last ASI label is a reminder about how long ago the current patient had an ASI.

Determining the Number of Days since the Last ASI for Selected Patient

To determine when the last ASI was for the current patient, observe towards the middle-left of the ASI Manager form. Read the text label that states ““x” days since last ASI.”

Example: The last ASI for this patient was administered 13 days ago.

13 days since last ASI

| Date | Type | Ordered By | Status | Signed |
|-------------------|-------------|-----------------------|-------------------|--------------|
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |
| 03/14/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/14/2005 | Full | Mhprovider,One | Incomplete | False |
| 03/10/2005 | Full | Mhprovider,One | Completed | True |
| 02/28/2005 | Lite | Mhprovider,One | Completed | True |
| 02/24/2005 | Lite | Mhprovider,One | Incomplete | False |
| 02/03/2005 | Lite | Mhprovider,One | Completed | True |
| 01/20/2005 | Lite | Mhprovider,One | Completed | True |
| 01/05/2005 | Lite | Mhprovider,One | Completed | True |

MHPATIENT,ONE 000-00-2412 ASI LITE on 02/08/2006 by: MHPROVIDER,ONE
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 84 year old Hispanic-Cuban, married female NSC veteran. She lists her religious preference as Jewish. She was admitted to the Consultation/Liaison program on Feb 08, 2006. In the past 30 days, she has been

Narrative Report | Item Report | Item Trends | Domain Scores

Selecting a Previous Interview

To select from previously-administered interviews, click on the row for the desired interview on the table that lists all previous interviews (upper section of form). The clicked row will be highlighted, and the corresponding report type (Item or Narrative) will be shown below the table.

Example: The ASI interview dated 03/15/2005 is selected, and the Narrative Report is shown below.

Addiction Severity Index Manager One Mhpatient
SSN: 000-00-2412

| Date | Type | Ordered By | Status | Signed |
|-------------------|-------------|-----------------------|-------------------|--------------|
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |
| 03/14/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/14/2005 | Full | Mhprovider,One | Incomplete | False |
| 03/10/2005 | Full | Mhprovider,One | Completed | True |
| 02/28/2005 | Lite | Mhprovider,One | Completed | True |
| 02/24/2005 | Lite | Mhprovider,One | Incomplete | False |
| 02/03/2005 | Lite | Mhprovider,One | Completed | True |
| 01/20/2005 | Lite | Mhprovider,One | Completed | True |
| 01/05/2005 | Lite | Mhprovider,One | Completed | True |

0 days since last ASI

MHPATIENT,ONE 000-00-2412 ASI LITE on 03/15/2005 by: MHPROVIDER,ONE
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 84 year old White (not Hisp), f1 question not answered female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Consultation/Liaison program on Mar 15, 2005. In the past 30

Selecting a Report Type

To select a report type, click on a navigation tab at the bottom of the form. Switch between **Narrative Report** and **Item Report**. The selected report type will be shown for the selected (highlighted) interview.

Example: The Item Report for the 03/15/2005 interview is shown. Note that more than one signed ASI record must be available for displaying the Domain Scores or Item Trends tabs.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Tools Help

Addiction Severity Index Manager One Mhpatient
SSN: 000-00-2412

| Date | Type | Ordered By | Status | Signed |
|------------|------|----------------|---------------|--------|
| 02/08/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 01/24/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 04/06/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/15/2005 | Full | Mhprovider,One | Completed | True |
| 03/15/2005 | Lite | | Incomplete | False |
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |

0 days since last ASI

MHPATIENT,ONE 000-00-2412 ASI LITE on 03/15/2005 by: MHPROVIDER,ONE

***** GENERAL INFORMATION *****

Name: MHPATIENT,ONE

SS No.: 000002412

Admission Date: MAR 15, 2005

Interview: MAR 15, 2005

Narrative Report **Item Report** Item Trends Domain Scores

Restarting an Unsigned ASI

NOTE: This option can be used to complete, edit, or sign an unsigned ASI.

Example: To restart and unsigned ASI, select an unsigned ASI in the table that lists previous ASIs on the ASI Manager. Click on the **Edit** button. The data entry form will appear, and previous answers will be inserted.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Tools Help

Addiction Severity Index Manager

One Mhpatient
SSN: 000-00-2412

| Date | Type | Ordered By | Status | Signed |
|------------|------|----------------|---------------|--------|
| 02/08/2006 | Lite | Mhprovider,One | Completed | True |
| 02/08/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 02/08/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 01/24/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 04/06/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/15/2005 | Full | Mhprovider,One | Completed | True |
| 03/15/2005 | Lite | | Incomplete | False |
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |
| 03/14/2005 | Lite | Mhprovider,One | Incomplete | False |

0 days since last ASI

MHPATIENT,ONE 000-00-2412 ASI LITE on 02/08/2006 by: MHPROVIDER,ONE
 ##### Unsigned Draft #####
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION


Ms. Mhpatient is a 84 year old Black (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the

Narrative Report Item Report Item Trends Domain Scores


Starting a New ASI

To start a New ASI, **click** on the **New ASI** button, and then **click** on the **Full** menu item. There are two types of New ASI data which can be entered: **Full** or **Lite**. The ASI data entry form will appear, and will be formatted corresponding to the choice made by the user of Full or Lite.

Example: File > New ASI... menu item



Example: The Addiction Severity Index Manager form.



When the ASI data entry form first begins, it highlights the first item. The first item, G3, is automatically set to the user's last selection. In addition, the fields “G4. Date of Admission” and “G5. Date of Interview,” contains today’s date as defaults; field “G9. Contact Type” is set to “1. In person” and “G11. Interviewer” and “G11a. Ordered By” are set to the staff member who logged on to MHA; field “G12. Special” is set to “N. Interview completed.”

| ASI Type | Items with default values |
|-----------------|--|
| Full | G4, G5, G8, G9, G11, G11a and G12. |
| Lite | G3, G4, G5, G8, G9, G11 and G11a. |
| Follow-up | G3, G4, G5, G8, G9, G11, G11a and G12. |

Example: G8 is “grayed-out” because it is modifiable. However, G8 displays the selected ASI type. Default items based on ASI type

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: **Inpatient Acute Care**

G4. Date of Admission: 3/10/2005 G5. Date of Interview: 3/10/2005

G8. Interview Form (ASI Type):
 1. Full Intake 2. Lite Intake 3. Follow-up

G9. Contact Type:
 1. In person 2. Phone

G11. Interviewer: Mhprovider1,One

G11a. Ordered By: Mhprovider1,One

G12. Special:
 1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
 0. No 1. Yes X. Not Answered

G17. Race
 1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference

General Comments:

General Info | **M Medical** | E Employment | D Drug/Alcohol | L Legal | H Family Hx | F Social | P Psychia

Click on down arrow for list of programs. F1 for help.

Selecting a New Patient

NOTE: Refer to the CPRS documentation for instructions on patient selection procedures.

Example: To select a different patient, **click** on the **File > Select Patient** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a new patient, both CPRS and MHA3 are synchronized and updated to identify the same new patient.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER, ONE' window. The 'File' menu is open, highlighting 'Select Patient...'. The main window displays the 'Severity Index Manager' for 'One Mhpatient' with SSN: 000-00-2412. A table lists patient records with columns for Date, Type, Ordered By, Status, and Signed.

| Date | Type | Ordered By | Status | Signed |
|------------|------|----------------|---------------|--------|
| 02/08/2006 | Lite | Mhprovider,One | Completed | True |
| 02/08/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 02/08/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 01/24/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 04/06/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/15/2005 | Full | Mhprovider,One | Completed | True |
| 03/15/2005 | Lite | | Incomplete | False |
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |
| 03/14/2005 | Lite | Mhprovider,One | Incomplete | False |

0 days since last ASI

MHPATIENT, ONE 000-00-2412 ASI LITE on 02/08/2006 by: MHPROVIDER, ONE
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 84 year old Hispanic-Cuban, married female NSC veteran. She lists her religious preference as Jewish. She was admitted to the Consultation/Liaison program on Feb 08, 2006. In the past 30 days, she has been

Narrative Report | Item Report | Item Trends | Domain Scores

Saving a Report, Graph or Table to a File

To save a graph, report or table, **click on File > Save As...** menu item and then click on Graph, Report or Table. To save a graph or a table, the “Graph & Table” tab must be selected first.

The following types of reports are available:

- Narrative Report
- Item Report
- Item Trends Report
- Items Trends Graph
- Domain Scores Report
- Domain Scores Graph

Select the report or graph types by clicking on each of the four tabs at the bottom of the form.

Example: A message dialog appears that asks the user to enter a filename and storage location for the table, report or graph to be saved. A graph is saved as a bitmap, a table is saved as an Excel file and a report is saved as a text file.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER, ONE' window. The 'File' menu is open, and 'Save As...' is selected. A sub-menu is visible with 'Report/Table' and 'Graph' options. A red arrow points to the 'Report/Table' option. The main window displays a 'Severity Index Manager' table with columns for Date, Severity, Provider, Status, and Signed. Below the table is a text area showing patient information and a 'GENERAL INFORMATION' section.

| Date | Severity | Ordered By | Status | Signed |
|------------|----------|----------------|------------|--------|
| 03/14/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/14/2005 | Full | Mhprovider,One | Incomplete | False |
| 03/10/2005 | Full | Mhprovider,One | Completed | True |
| 02/28/2005 | Lite | Mhprovider,One | Completed | True |
| 02/24/2005 | Lite | Mhprovider,One | Incomplete | False |
| 02/03/2005 | Lite | Mhprovider,One | Completed | True |
| 01/20/2005 | Lite | Mhprovider,One | Completed | True |
| 01/05/2005 | Lite | Mhprovider,One | Completed | True |

0 days since last ASI


MHPATIENT, ONE 000-00-2412 ASI FULL on 03/10/2005 by: MHPROVIDER, ONE
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 84 year old White (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Inpatient Acute Care program on Mar 10, 2005. In the past 30 days, she has not

Narrative Report | Item Report | Item Trends | Domain Scores

Example: Save As form.



Printing a Report, Graph, or Table

To print a graph, report, or table, **click** on **File > Print** menu item and then **click** on Graph, Report/Table item. A copy of the table, report, or graph is sent directly to the default printer.

The following types of reports are available:

- Narrative Report
- Item Report
- Item Trends Report
- Items Trends Graph
- Domain Scores Report
- Domain Scores Graph

Example: Printing a Report, Graph, or Table.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER, ONE' window. The 'File' menu is open, and the 'Print...' option is selected. A submenu is displayed with 'Report/Table' and 'Graph' options. A red arrow points to 'Report/Table', and a red box with the word 'Click' is overlaid on it. The main window displays a table of data and a text area with patient information.

| | Ordered By | Status | Signed |
|------------|----------------|------------|--------|
| | Mhprovider,One | Completed | True |
| | Mhprovider,One | Incomplete | False |
| 03/14/2005 | Mhprovider,One | Incomplete | False |
| 03/10/2005 | Mhprovider,One | Completed | True |
| 02/28/2005 | Mhprovider,One | Completed | True |
| 02/24/2005 | Mhprovider,One | Incomplete | False |
| 02/03/2005 | Mhprovider,One | Completed | True |
| 01/20/2005 | Mhprovider,One | Completed | True |
| 01/05/2005 | Mhprovider,One | Completed | True |

0 days since last ASI

MHPATIENT, ONE 000-00-2412 ASI FULL on 03/10/2005 by: MHPROVIDER, ONE
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 84 year old White (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Inpatient Acute Care program on Mar 10, 2005. In the past 30 days, she has not

Narrative Report | Item Report | Item Trends | Domain Scores


Copying a Report, Graph, or Table to the Windows Clipboard

To copy a report, graph, or table to the Windows clipboard, click on **Edit > Copy** menu item and then click on Graph, Report or Table. A copy of the table, report or graph is sent to the Clipboard. The contents of the Clipboard can then be pasted onto an MS Word or Excel document.


The following types of reports are available:

- Narrative Report
- Item Report
- Item Trends Report
- Items Trends Graph
- Domain Scores Report
- Domain Scores Graph

Example: Copying a Report, Graph, or Table to the Windows Clipboard.



Example: Message displayed after copying to the clipboard.



Navigating through the Different Views on the ASI Manager Form

To navigate, **click** on **View** > and then to any of the following **menu entries**:

- Narrative Report
- Item Report
- Item Trends
- Domain Scores

Example: The four tabs at the bottom of the form do the same thing.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit **View** Tools Help

Add **Index Manager** One Mhpatient
SSN: 000-00-2412

New Edit

| Date | Type | Provider | Status | Signed |
|-------------------|-------------|-----------------------|----------------------|--------------|
| 02/08/2006 | Lite | Mhprovider,One | Completed | True |
| 02/08/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 02/08/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 01/24/2006 | Lite | Mhprovider,One | Ready to sign | False |
| 04/06/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/15/2005 | Full | Mhprovider,One | Completed | True |
| 03/15/2005 | Lite | | Incomplete | False |
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |
| 03/14/2005 | Lite | Mhprovider,One | Incomplete | False |

0 days since last ASI

MHPATIENT,ONE 000-00-2412 ASI LITE on 02/08/2006 by: MHPROVIDER,ONE
 ##### Unsigned Draft #####
 *** PSYCHOSOCIAL HISTORY

GENERAL INFORMATION


Ms. Mhpatient is a 84 year old Black (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the

Narrative Report Item Report Item Trends Domain Scores


Changing User Preferences

Some system parameters are user-configurable and can be changed by **clicking** on the **Tools > Options...** menu item.

Example: The User Preferences form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.



Example: User Preferences message dialog.



Data Entry

This section of the guide illustrates the action of different types of form components such as combo boxes, option button groups, etc. Not every instance of each type of component is shown, but the user can learn from these examples how every component of the data entry form is to be used.

Combo Boxes

Navigation and Selection: To navigate this list with the keyboard, use the up and down keys, or type the first few letters of program type. Using the mouse, slide the scroll bar or click on the up and down arrows on the scroll bar. To select a program type using the keyboard, press the “tab” or “enter”. The highlighted item is selected. Using the mouse, left click on the desired program type and the list will disappear.

Example: From the ASI Data Entry Form, **click** on the down arrow of Item **G3. Program Type**, (light colored arrow above). A list of 21 ASI Program types will be displayed, eight at a time. Status bar will have context sensitive hints.

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Consultation/Liaison
Early Intervention/Education/Referral
Detoxification Services
Ambulatory except Opioid Substitution
Opioid Substitution
Inpatient Acute Care
Substance Abuse Residential Rehabilitation Treatment Program
Compensated Work Therapy/Transitional Residence

G4. Date of Admission:

G8. Interview Form (A) 1. Full Intake

G11. Interviewer:

G11a. Ordered By:

G12. Special:

1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
 0. No 1. Yes X. Not Answered

G17. Race

1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference

1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None

General Comments:

Q General Info M Medical E Employment D Drug/Alcohol L Legal H Family Hx F Social P Psychia

Click on down arrow for list of programs. F1 for help.

Date Fields

Navigation and Selection: To navigate this calendar using the keyboard, press the left and right keys to change days and shift-left and shift-right to change months. Pressing the "home" key moves to the 1st day of the month. Press the "tab" or "enter" key to select the date and close the calendar. Clicking the mouse on a day will select the day and close the calendar. Clicking on the left and right arrows will change the month.

Example: From the ASI Data Entry Form, **click** on the down arrow of Item G4. Date of Admission. A calendar is displayed. The status bar will update its hint.

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 3/10/2005

G5. Date of Interview: 3/10/2005

G8. Interview Form (AS):

1. Full Intake

G9. Contact Type:

1. In person 2. Phone

G11. Interviewer:

G11a. Ordered By:

G12. Special:

1. Patient termi

2. Patient refus

Patient unable to respond

Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

0. No 1. Yes X. Not Answered

G17. Race

1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican

2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban

3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference

1. Protestant 3. Jewish 5. Other

2. Catholic 4. Islamic 6. None

General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychia

Use down arrow to see calender. Do not use future dates. F1 for help.

Example: The date can be typed directly in the edit box. The following formats are accepted: 4/14/2001, 4-14-01, 4.14.01, and 4,14,2001. Notice that the year can be entered as last two digits or four digits. Acceptable delimiters are the backslash, period, comma and dash. Dates in the future are not accepted.

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 2/10/2005 ← G5. Date of Interview: 3/10/2005

G8. Interview Form (ABI Type):
 1. Full Intake 2. Lite Intake 3. Follow-up

G9. Contact Type:
 1. In person 2. Phone

G11. Interviewer: Mhprovider1_One

G11a. Ordered By: Mhprovider1_One

G12. Special:
 1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
 0. No 1. Yes X. Not Answered

G17. Race
 1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference
 1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None

General Comments:

General Info | Medical | Employment | Drug/Alcohol | Legal | Family Hx | Social | Psychia

Use down arrow to see calendar. Do not use future dates. F1 for help.

Option Button Groups

Press the keys "1", "2", or "3" and the appropriate box will be checked and the user will be taken to the next item. While mouse input is effective, experienced users find keyboard entry to be quicker and easier. If an incorrect key is pressed, an error message will appear.

Example: From the ASI Data Entry Form, **click** on one of the boxes in item, **G17**. By clicking on a box or its text a check will appear in that box and other checks will be removed from other boxes.

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 2/10/2005 G5. Date of Interview: 3/10/2005

G8. Interview Form (ASI Type): G9. Contact Type:
 1. Full Intake 2. Lite Intake 3. Follow-up 1. In person 2. Phone

G11. Interviewer: Mhprovider1,One

G11a. Ordered By: Mhprovider1,One

G12. Special:
 1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
 0. No 1. Yes X. Not Answered

G17. Race
 1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

When race is unknown, leave question blank

G18. Religious Preference
 1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None

General Comments:

General Info | **M Medical** | E Employment | D Drug/Alcohol | L Legal | H Family Hx | F Social | P Psychia

When race is unknown, leave question blank

Spin Edit

Type the number of years—an acceptable number is from 0 to 99—and then press either the "tab" or "entry" key. The "Months:" will then become the active item and will be highlighted. If an incorrect number is entered, an error message will appear.

Example: From the ASI Data Entry Form, type in the year and press tab or enter keys. The next item will then be highlighted, ready for input.

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 3/10/2005 G5. Date of Interview: 3/10/2005

G8. Interview Form (ASI Type):
 1. Full Intake 2. Lite Intake 3. Follow-up

G9. Contact Type:
 1. In person 2. Phone

G11. Interviewer: Mhprovider1,One

G11a. Ordered By: Mhprovider1,One

G12. Special:
 1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
 0. No 1. Yes X. Not Answered

G17. Race
 1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference
 1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None


General Comments:

General Info | Medical | Employment | Drug/Alcohol | Legal | Family Hx | Social | Psychia

Enter number with keyboard, or Up_Down arrows, or mouse click on arrows. F1 for help.

The spin-edit field can be increased by one when the up arrow receives a mouse click, or when the up-arrow key is pressed. To decrease the value, click on the down arrow or press the down arrow key. A number will not increase beyond the limit of the acceptable range. To move to the next item, press the "tab" or "enter" key.

Example: From the ASI Data Entry Form, **click** on the up or down arrows of the spin-edit field of G14. The number in the spin-edit box will increase or decrease by one.



Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 3/10/2005 G5. Date of Interview: 3/10/2005

G8. Interview Form (ASI Type): G9. Contact Type:
 1. Full Intake 2. Lite Intake 3. Follow-up 1. In person 2. Phone

G11. Interviewer: Mhprovider1,One

G11a. Ordered By: Mhprovider1,One

G12. Special:
 1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: 3 Months:

G15. Is this residence owned by you or your family?
 0. No 1. Yes X. Not Answered

G17. Race
 1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference
 1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None

General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychia


Enter number with keyboard, or Up_Down arrows, or mouse click on arrows. F1 for help.

Item G12

From the ASI Data Entry Form, click on

1. **Patient Terminated** or
2. **Patient Refused** or
3. **Patient unable to respond"** on Item G12.

A dialog-message will appear indicating that default values will not be set for the user.



Item G19

The edit box is active only when item G19 has response "6. Other (Specify)" checked. Otherwise the edit box is disabled (user cannot write to it).

Example: From the ASI Data Entry Form, click on **6. Other (Specify)** on Item G19. The edit box below will become active.

Addiction Severity Index

File Tools Help

General Information

G12. Special:

1. Patient terminated 3. Patient unable to respond

2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

0. No 1. Yes X. Not Answered

G17. Race

1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican

2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban

3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference

1. Protestant 3. Jewish 5. Other

2. Catholic 4. Islamic 6. None

***G19. Have you been in a controlled environment in the past 30 days?**

1. No 4. Medical Treatment X. Not Answered

2. Jail 5. Psychiatric Treatment N. Not Applicable

3. Alcohol or Drug Treatment 6. Other (specify)

G20. How many days?

General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychia

A place, theoretically, without access to drugs or alcohol. F1 for help.


By clicking on “1. No” the edit box becomes disabled as does item G20. Item G20 will have a response of “N.” This will also occur with “X. Not Answered” and “N. Not Applicable.”

From the ASI Data Entry Form on Item G19, click on

1. None) or

X. Not Answered or

Example: The edit box below will, if active, will become inactive and G20 will also become inactive with a value of “N”.



Addiction Severity Index

File Tools Help

General Information

G12. Special:

1. Patient terminated 3. Patient unable to respond

2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

0. No 1. Yes X. Not Answered

G17. Race

1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican

2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban

3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference

1. Protestant 3. Jewish 5. Other

2. Catholic 4. Islamic 6. None

*G19. Have you been in a controlled environment in the past 30 days?

1. No 4. Medical Treatment X. Not Answered

2. Jail 5. Psychiatric Treatment N. Not Applicable

3. Alcohol or Drug Treatment 6. Other (specify)

G20. How many days?

General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychia

A place, theoretically, without access to drugs or alcohol. F1 for help.

Medical Tab

The Medical Status page has a unique color on its title bar.

Example: From the ASI Data Entry Form, click on the tab, **Medical**. The form will move to the Medical Status page.

Addiction Severity Index
File Tools Help

Medical Status

*M1. How many times in your life have you been hospitalized for medical problems ("N" for never)?

M2. How long ago was your last hospitalization for a physical problem? Years: Months:

*M3. Do you have any chronic medical problems which continue to interfere with your life?
 0. No 1. Yes (specify) X. Not Answered

*M4. Are you taking any prescribed medication on a regular basis for a physical problem?
 0. No 1. Yes X. Not Answered

*M5. Do you receive a pension for a physical disability? (Exclude psychiatric disability)
 0. No 1. Yes (specify) X. Not Answered

*M6. How many days have you experienced medical problems in the past 30?

*M7. How troubled or bothered have you been by these medical problems in the past 30 days?
 0. Not at all 2. Moderately 4. Extremely
 1. Slightly 3. Considerably X. Not Answered

*M8. How important to you now is treatment for these medical problems?
 0. Not at all 2. Moderately 4. Extremely
 1. Slightly 3. Considerably X. Not Answered

M9. Interviewer: How would you rate the patient's need for medical treatment?

Medical Status Comments:


General Info **M Medical** **E Employment** **D Drug/Alcohol** **L Legal** **H Family Hx** **F Social** **P Psychia**

Include O.D.'s, D.T.'s. Exclude detox, alcohol/drug and psychiatric treatment and childbirth (if without complications). F1 for help.

Item M1

If the patient has never been hospitalized in their life, it follows that their last hospitalization queried in M2 is not applicable.

Example: From the ASI Data Entry Form, type an “N” (case insensitive) in the spin-edit field for M1. The spin-edit fields for M2 will be changed to “N” and will become inactive.



Addiction Severity Index

File Tools Help

Medical Status

*M1. How many times in your life have you been hospitalized for medical problems ("N" for never)? N

M2. How long ago was your last hospitalization for a physical problem? Years: N Months: N

*M3. Do you have any chronic medical problems which continue to interfere with your life?
 0. No 1. Yes (specify) X. Not Answered

*M4. Are you taking any prescribed medication on a regular basis for a physical problem?
 0. No 1. Yes X. Not Answered

*M5. Do you receive a pension for a physical disability? (Exclude psychiatric disability)
 0. No 1. Yes (specify) X. Not Answered

*M6. How many days have you experienced medical problems in the past 30? []

*M7. How troubled or bothered have you been by these medical problems in the past 30 days?
 0. Not at all 2. Moderately 4. Extremely
 1. Slightly 3. Considerably X. Not Answered

*M8. How important to you now is treatment for these medical problems?
 0. Not at all 2. Moderately 4. Extremely
 1. Slightly 3. Considerably X. Not Answered

M9. Interviewer: How would you rate the patient's need for medical treatment?

Medical Status Comments:

General Info **M Medical** Employment Drug/Alcohol Legal Family Hx Social Psychia

Include O.D.'s, D.T.'s. Exclude detox, alcohol/drug and psychiatric treatment and childbirth (if without complications). F1 for help.

Medical Status Comments

The medical status Comments field is an edit field that accepts free text.

Example: From the ASI Data Entry Form, type comments in **Medical Status Comments** field. The memo field will accept free text.

Addiction Severity Index

File Tools Help

Medical Status

*M1. How many times in your life have you been hospitalized for medical problems ("N" for never)? N

M2. How long ago was your last hospitalization for a physical problem? Years: N Months: N

*M3. Do you have any chronic medical problems which continue to interfere with your life?
 0. No 1. Yes (specify) X. Not Answered

*M4. Are you taking any prescribed medication on a regular basis for a physical problem?
 0. No 1. Yes X. Not Answered

*M5. Do you receive a pension for a physical disability? (Exclude psychiatric disability)
 0. No 1. Yes (specify) X. Not Answered

*M6. How many days have you experienced medical problems in the past 30? []

*M7. How troubled or bothered have you been by these medical problems in the past 30 days?
 0. Not at all 2. Moderately 4. Extremely
 1. Slightly 3. Considerably X. Not Answered

*M8. How important to you now is treatment for these medical problems?
 0. Not at all 2. Moderately 4. Extremely
 1. Slightly 3. Considerably X. Not Answered


M9. Interviewer: How would you rate the patient's need for medical treatment?

Medical Status Comments: This is an example of medical status comments


General Info | **M Medical** | Employment | Drug/Alcohol | Legal | Family Hx | Social | Psychia

Ending an ASI Data-entry Session

Example: To end an ASI session, click on the **File > Exit** menu option on the ASI data-entry form to invoke the **Close ASI** form. The **Close ASI** form is displayed




Example: ASI Close form.




Closing ASI Data-entry Session with “Exit, Ignore Changes this session” option.

Example: To exit a session, ignoring all changes made, **click on Exit, ignore changes this session** option on the **Close ASI** form. **Click on OK** button. A message box warning that ASI hasn't been saved is displayed. If user clicks **YES**, then data-entry form is closed. If user clicks on **NO**, then data-entry form remains.




Example: Message box warning that ASI hasn't been saved.




Closing ASI data-entry session with “Finish Later” option

Example: To finish a session “later”, click on **Finish Later** option on the **Close ASI** form. Click on **OK** button. Work in progress is saved and the data-entry form is closed. No messages are displayed. The ASI is listed on the ASI Manager form as an incomplete ASI.




Closing ASI data-entry session with “Save and sign”


Example: To save and sign an ASI, **click** on **Save and sign** option on the **Close ASI** form. **Click** on the **OK** button.



Example: Electronic signature form contains the option to sign ASI.



Example: Option to save a progress note.



Business Rules

Business rules check to see whether pairs of responses are logically consistent. The table below lists all of these rules and their actions.

| Item #'s | Coding Error | Cross Check Message | Yes/No OK | Cursor movement |
|---------------|--|--|--------------|---|
| G19 and G20 | G19>1, and G20=0,00, or N | IN THE LAST QUESTION (G19), YOU RECORDED THAT THE PATIENT HAS BEEN IN A CONTROLLED ENVIRONMENT IN THE PAST 30 DAYS, THIS QUESTION, (G20) HOW MANY DAYS, SHOULD BE GREATER THAN 0. | OK | Pop-up after G20 is entered. Cursor doesn't move. |
| G19 and M1 | G19=4, and M1=0, 00, N. | You recorded in the general information section (G19), that the patient had been hospitalized for medical problems in the past 30 days. This hospitalization would usually be coded in this question. Do you want to recode M1? | Yes/No | Pop-up after M1 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to M3. |
| G19 and M2 | G19=4 and M2 years or months >0, 00, or N. | In the general information section (G19), you recorded that the patient had been hospitalized this month for medical problems. The correct coding in M2 is usually 00 00 in this case. Do you want to recode M2? | Yes/No | After M2 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to M3. |
| M6 and M7 | M6>0, and M7=0. | In the last question, you recorded that the patient experienced some medical problems in the past 30 days. If this were true, then we would expect that the patient would be at least slightly bothered by these problems. Do you want to recode M7? | Yes/No | After M7 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to M8. |
| M6, M7 and M8 | M6=0 or 00, and M7 or M8>0. | In question M6, you recorded that the patient experienced no medical problems in the past 30 days, since they report being troubled or wanting treatment (M7 or M8), it is fair to expect that they had some problem days. Go back to M6 and identify the number of days the problem has bothered them. | OK | After M8 is entered. Cursor moves back to M6. |
| E1a | E1a<4 | You are reporting that the patient has had less than 4 years of education, this is rare. Please review this, did you include home schooling, grade school, etc.? Do you want to change E1? | Yes/No | Pop-up after E1b is entered. If "Yes", the cursor moves to E1a. If "No", cursor moves to E2. |
| E4 and E5 | E4=0 and E5=1 | If the client does not have a driver's license, E5 is always coded as "No". This is because E5 asks about the car as a way of evaluating ability to travel to and from a job. If the client does not have a license, they cannot "get credit" for having a car! The computer has made this change for you. | OK | Pop-up after E5 is entered. This is a forced change – there is not an option to leave E5=1 if E4=0. |

| Item #'s | Coding Error | Cross Check Message | Yes/No OK | Cursor movement |
|------------------|---|---|-----------|---|
| E8 and E9 | E8=0 and E9=1 | In the last question (E8), you said no one contributes to the client's support, and in this question, you are saying the client gets most of his or her support from someone. Do you want to change your answer in E8? | Yes/No | Pop-up after E9 is entered. If "Yes" , the cursor moves to E8. If "No" , cursor moves to E10. |
| E11 and E12 | E11=0 or 00 and E12>0 | In the last question (E11), you recorded that the patient was not paid for working at all in the past month. If this is the case, E12 is generally \$ 0. Do you want to change E11? | Yes/No | Pop-up after E12 is entered. If "Yes" , the cursor moves to E11. If "No" , cursor moves to E13. |
| | E11>0 and E12=0, 00, 000, or 0000 | In the last question (E11), you recorded that the patient was paid for working this month. If this is the case, E12 is generally not \$ 0, unless the patient has collected no money for their work. Do you want to change E12? | Yes/No | Pop-up after E12 is entered. If "Yes" , the cursor doesn't move. If "No" , cursor moves to E13. |
| E15 and M5 | E15=0, 00, 000, 0000, or 00000 and M5=1 | You recorded earlier (M5), that the patient receives a pension for a medical problem. This income is generally recorded in E15 unless they did not receive any cash this month. Do you want to change E15? | Yes/No | Pop-up after E15 is entered. If "Yes" , the cursor doesn't move. If "No" , cursor moves to E16. |
| E19 and E20 | E19>0 and E20=0 | In E19, you recorded that the patient experienced some employment problems in the past 30 days. If this were true, then we would expect that the patient would be at least slightly bothered by these problems. Do you want to recode E20? | Yes/No | Pop-up after E20 is entered. If "Yes" , the cursor doesn't move. If "No" , cursor moves to E21. |
| D1a and D2a | D2a >D1a | You recorded that the patient drank "to intoxication" (D2) more days than total number of days drinking any alcohol at all (D1). Probe and recode D1. Remember D2 is a sub-set of D1. | OK | After D2a is entered. Cursor moves to D1a. |
| D1b and D2b | D2b > D1b | You recorded that the patient drank "to intoxication" (D2) more years than total number of years drinking any alcohol at all (D1). Probe and recode D1. Remember D2 is a sub-set of D1. | Ok | After D2b is entered. Cursor moves to D1b. |
| D1-D12 and G20 | G20>0 and any item D1a-D12a=30 | You recorded in the general information section that the patient had been in a controlled environment in the past month, yet they used either drugs or alcohol every day. Please review this. Do you want to change any information in the drug/alcohol grid? | Yes/No | Pop-up after D12a is entered. If "Yes" , the cursor moves to D1a. If "No" , cursor moves to D12b. |
| D14 and D1-D12 | D14=3 - 12 or 16 and D1a>15 | You report that the patient's problem does not include alcohol, however, the patient used alcohol at least 15 days in the past month. Please review this and consider option "Alcohol and one or more drugs" for question D14. Do you want to change D14? | Yes/No | Pop-up after D14 is entered. If "Yes" , the cursor does not move. If "No" , cursor moves to D15. |
| D16 and D1a-D12a | D16=0 or 00 and D1a-D12a>0 | You recorded that the patient is "still sober", however, drug or alcohol use in the past 30 days is documented in the drug and alcohol grid. Please review this. Do you want to change D16? | Yes/No | Pop-up after D16 is entered. If "Yes" , the cursor does not move. If "No" , cursor moves to D17. |

| Item #'s | Coding Error | Cross Check Message | Yes/No OK | Cursor movement |
|-------------------|---|--|-----------|--|
| D17 | D17>5 | You recorded more than 5 episodes of DT's for this patient. This is extremely rare, please review the definition of DT's if you are unsure. Do you want to change it? | Yes/No | Pop-up after D17 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D18. |
| D19 and D21 | D19=0 or 00 and D21>00 | You recorded that the patient never had any treatments for alcohol abuse, so # of detox treatments is not applicable. Do you want to recode (D19), the total number of treatments received? | Yes/No | Pop-up after D21 is entered. If "Yes", the cursor moves to D19. If "No", cursor moves to D23. |
| D19 and D21 | D19>0, and D21>D19 | You recorded that the patient had more detox treatments than the total number of treatments received for alcohol abuse. Remember D21 is a sub-set of D19. Do you want to recode D19? | Yes/No | Pop-up after D21 is entered. If "Yes", the cursor moves to D19. If "No", cursor moves to D23. |
| D20 and D22 | D20>0, and D22>D20 | You recorded that the patient had more detox treatments than the total number of treatments received for drug abuse. Remember D22 is a sub-set of D20. Do you want to recode D20? | Yes/No | Pop-up after D22 is entered. If "Yes", the cursor moves to D20. If "No", cursor moves to D24. |
| D20 and D22 | D20=0 or 00 and D22>00 | You recorded that the patient never had any treatments for drug abuse, so # of detox treatments is not applicable. Do you want to recode (D20), the total number of treatments received? | Yes/No | Pop-up after D22 is entered. If "Yes", the cursor moves to D20. If "No", cursor moves to D24. |
| D1a and D23 | D1a=0 or 00 and D23>0 | You recorded no days of drinking in the past 30, but recorded the client has spent money on alcohol. This is unlikely. Please review. Do you want to change D23? | Yes/No | Pop-up after D23 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D20. |
| D1a, D2a, and D23 | D1a+D2a>0 and D23=0, 00, 000, 0000, or 00000 | You recorded the client's drinking in the past 30 days (D1 and D2), but no money spent on alcohol. Please review this, do you want to change D23? | Yes/No | Pop-up after D23 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D20. |
| D3a-D12a, and D24 | All items D3a through D12a = 0 or 00 and D24 >0 | You recorded zero days of drug use in the past 30, but the patient acknowledges spending money on drugs this month. Please review, and coded those drugs used in the past 30 days. Do you want to change # of days of drug use in the drug grid? | Yes/No | Pop-up after D24 is entered. If "Yes", the cursor moves to D3a. If "No", cursor moves to D25. |
| D3a-D12a, and D24 | Any item D3a-D12a>0 and D24=0, 00, 000, 0000, or 00000. | You recorded days of drug use in the past 30 days, but no money spent on drugs, please review this. Do you want to change D24? | Yes/No | Pop-up after D24 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D25. |


| Item #'s | Coding Error | Cross Check Message | Yes/No OK | Cursor movement |
|-------------------------------|--|--|--------------|--|
| D26, D28, and D30 | D26>0 and D28 and/or D30=0 | In an earlier question (D26), you recorded that the patient had experienced some days with alcohol problems in the past 30 days. If this is true, then we would expect the patient would be at least slightly bothered or slightly in need of treatment for these problems. Do you want to change your code on D28 and/or D30? | Yes/No | Pop-up after D30 is entered. If "Yes", the cursor moves to D28. If "No", cursor moves to D27. |
| D26, D28, and D30 | D26=0 or 00 and D28 or D30>0. | In an earlier question (D26), you recorded that the patient had no alcohol problems in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Go back to D26 and identify the number of days the problem has bothered them. | OK | Pop-up after D30 is entered. Cursor moves to D26. |
| D27, D29, and D31 | D27>0 and D29 and/or D31=0 | In an earlier question (D27), you recorded that the patient had experienced some days with drug problems in the past 30 days. If this is true, then we would expect the patient would be at least slightly bothered or slightly in need of treatment for these problems. Do you want to change your code on D2 and/or D31? | Yes/No | Pop-up after D31 is entered. If "Yes", the cursor moves to D29. If "No", cursor moves to D32. |
| D27, D29, and D31 | D27=0 and D29 or D31>0. | In an earlier question (D27), you recorded that the patient had no problems with drugs in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Go back to D27 and identify the number of days the problem has bothered them. | OK | Pop-up after D31 is entered. Cursor moves to D27. |
| L3-L16 and L17 | L3 through L16 total > L17 | You recorded the patient had more convictions than the total number of times they were arrested and charged (L3 to L16). This is unusual. Do you want to change L17? | Yes/No | Pop-up after L17 is entered. If "Yes", the cursor does not move. If "No", cursor moves to L18. |
| L2 and L3-L16, L18-L20. | L2=1 and all L3- L16 and L18- L20=0 or 00. | In an earlier question (L2), you indicated the patient is on probation or parole. However, no arrests or charges are documented in items L3-L20. Do you want to recode any legal charges? | Yes/No | Pop-up after L20 is entered. If "Yes", the cursor moves to L3. If "No", cursor moves to L21. |
| L24 and L3-L16, L18-L20 | L24=1, and L3- L16 and L18- L20=0 or 00 | You recorded the patient is awaiting charges, trial or sentence (L24), but no arrests and/or charges are coded in L3-L16 or L18-L20. Do you want to recode any of the charges? | Yes/No | Pop-up after L24 is entered. If "Yes", the cursor moves to L3. If "No", cursor moves to L25. |
| L24 and L25 | L24=0, and L25>0 | You recorded the patient was not awaiting charges, trial or sentence (L24), yet you coded a charge in L25 (which would be not applicable). Do you want to recode L24? | Yes/No | Pop-up after L25 is entered. If "Yes", the cursor moves to L24. If "No", cursor moves to L26. |
| L26 and G19 | G19=2 and L26=0 or 00 | In the general information section, you recorded that the patient had been in jail in the past 30 days, this is usually also represented in L26. Do you want to change your code on L26? | Yes/No | Pop-up after L26 is entered. If "Yes", the cursor does not move. If "No", cursor moves to L27. |

| Item #'s | Coding Error | Cross Check Message | Yes/No OK | Cursor movement |
|-------------------|---|---|-----------|---|
| L27 and E17 | E17>0 and L27=00 | In the employment section, you recorded that the patient had illegal income in the past 30 days, this is usually also documented in L27. Do you want to change your code on L27? | Yes/No | Pop-up after L27 is entered. If "Yes", the cursor does not move. If "No", cursor moves to L28. |
| F30, F32, and F34 | F30>0 and F32 and/or F34=0 | In an earlier question (F30), you recorded that the patient had some family conflicts in the past 30 days. If this is true, then we would expect that the patient would be at least slightly bothered or slightly in need of treatment. Do you want to recode F32 or F34? | Yes/No | Pop-up after F34 is entered. If "Yes", the cursor moves to F32. If "No", cursor moves to F31. |
| F30, F32, and F34 | F30=0 or 00 and F32 and/or F34>0. | In an earlier question (F30), you recorded that the patient had no family conflicts in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Do you want to go back to F30 and identify the number of days the problem has bothered them? | Yes/No | Pop-up after F34 is entered. Cursor moves to F30. |
| F31, F33, and F35 | F31>0 and F33 and/or F35=0 | In an earlier question (F31), you recorded that the patient had some conflicts with others in the past 30 days. If this is true, then we would expect that the patient would be at least slightly bothered or slightly in need of treatment for this recent problem. Do you want to recode F33 or F35? | Yes/No | Pop-up after F35 is entered. If "Yes", the cursor moves to F33. If "No", cursor moves to F36. |
| F31, F33, and F35 | F31=0 and F33 or F35>0. | In an earlier question (F31), you recorded that the patient had no conflicts with others in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Do you want to go back to F31 and identify the number of days the problem has bothered them? | Yes/No | Pop-up after F35 is entered. Cursor moves to F31. |
| P1, P2 and P10a/b | P1 + P2=0 or 00 and P10 a or b (past 30 days or lifetime)=1 | You recorded that the patient has not had inpatient or outpatient treatment for psychiatric problems (P1 and P2), yet they have attempted suicide. Please review treatment they may have received for the suicide attempt. Do you want to recode P1 or P2? | Yes/No | Pop-up after P10a and b are entered. If "Yes", the cursor moves to P1. If "No", cursor moves to P11a. |
| P1, P2 and P11a/b | P1 + P2=0 or 00 and P11 a or b (past 30 days or lifetime)=1 | You recorded that the patient has not had inpatient or outpatient treatment for psychiatric problems (P1 and P2), yet they have been prescribed medications for psychiatric problems. Please review treatment they may have received. Do you want to recode P1 or P2? | Yes/No | Pop-up after P11a and b are entered. If "Yes", the cursor moves to P1. If "No", cursor moves to P12. |
| P3 and E15 | E15=0, 00, 000, 0000, or 0000 and P3=1 | You recorded that the patient receives a pension for a psychiatric problem (P3). Unless they did not receive any cash this month, this income is generally recorded in the employment question about pension money received (E15). Go back and change E15 in the Employment section. | OK | Pop-up after P3 is entered. Cursor doesn't move. |

| Item #'s | Coding Error | Cross Check Message | Yes/No OK | Cursor movement |
|----------------------|---|--|--------------|--|
| P4a-P10a and P12 | P4a through P10a=0 or 00, and P12>0 | You report that the patient has had problems in the past 30 days, but none are recorded in the psychiatric symptom list P4 through P10. Please review P4 through P10, do you want to go back and change the code of any of the symptoms? | Yes/No | Pop-up after P12 is entered. If " Yes ", the cursor moves to P4. If " No ", cursor moves to P13. |
| P4a-P10a and P12 | P4a through P10a>0 and P12=0 | You report that the patient has had no problems in the past 30 days, but problems are evident from the psychiatric symptom list P4 through P10, please probe about the number of days these symptoms bothered the client and recode P12. | OK | Pop-up after P12 is entered. Cursor does not move. |
| P9a and P10a | P9a and/or P10a=1 | You report that the client has said they have either suicidal ideation or have attempted suicide in the past 30 days. Probe further for a plan for the suicide and/or dates of the suicide attempt. Notify your supervisor of these responses. | OK | After P10a is entered. Cursor moves to P10b. |
| P12, P13, and P14 | P12>0 and P13 and/or P14=0. | You report that the patient had psychiatric problems in the past 30 days, (P12). Given these problems, we would expect that the patient would be at least slightly bothered or slightly in need of treatment for this recent problem, please recode P13 and/or P14. | OK | After P14 is entered. Cursor moves to P12. |
| P12, P13, and P14 | P12=0 or 00 and P13 or P14>0. | You report that the patient had no psychiatric problems in the past 30 days (P12). If they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Go back to P12 and identify the number of days the symptoms have bothered the client. | OK | After P14 is entered. Cursor moves to P12. |

Changing User Preferences

Example: Some system parameters are user-configurable and can be changed by clicking on the **Tools > Options...** menu item.



Default Form Size/Position

When the **Default Form Size/Position option** is checked, this function is used. If it is **not** checked, the Default Form Size/Position that was true when the MHA session was closed the last time is used. The status of the **Default Form Size/Position** option (i.e., checked or not checked) is saved from one MHA session to another, so the Default Form Size/Position settings or the user-preferred settings can always be used. The first time a MHA session is started, the **Default Form Size/Position option** is checked and the default settings are used.

From the Mental Health Assistant window, **click on Tools**, and **click on Default Form Size/Position**. The check-mark symbol displayed beside the **Default Form Size/Position option** toggles on and off and the window size will adjust accordingly.


Speed Tab

The Speed Tab is provided to make data entry faster. ASI Items that require a simple click (or single keystroke) will move to the next item without the user pressing the **Tab** or **Enter** keys. This is particularly helpful on the Social and Psychiatric sections of the ASI.

Highlight Color

The colors depicting the highlighted items on the ASI form can be modified by the user. The default colors are black lettering on a yellow background. To change the foreground or background, use the combo box to select the desired colors. If the user selects the same color for both foreground and background, the item would not be visible and an error message would appear. No checks are conducted for tasteless color choices.

Example: Highlight color-selection form.




Help Menu Options

Opening the ASI Help File

Click on **Help > Contents**... on the help menu, to access the ASI Help file, from the ASI Data Entry Form. The help file for the clinician is opened. This is from the University of Pennsylvania/Veterans Administration Center for Studies of Addiction (1977).


Example: ASI help file.



Using the Help Index


From the ASI Data Entry form, **click on Help Index** on the help menu to access the Help Index. The help file will be opened. This file has information concerning the operation of the program.

Example: ASI Help Index.



Accessing Online Support

Example: Online support for MHA3 is available via the Mental Health Informatics Section's website. Clicking on the Help > Online Support... menu item will start the default Web browser and loads the following web address into the browser: <http://vaww.mentalhealth.med.va.gov/mha.shtm>.



Access Program Information

Example: Clicking on the **Help > About...** menu item displays the About Mental Health Assistant message dialog, which contains useful release information about this version of MHA3.

The screenshot shows the 'Addiction Severity Index' application window. The 'Help' menu is open, and the 'About...' option is highlighted with a red arrow. A red box with the word 'Click' is positioned over the arrow. The main window displays the 'General Information' tab with various data entry fields and checkboxes. At the bottom, there are tabs for different sections: General Info, Medical, Employment, Drug/Alcohol, Legal, Social, Psychiatric, and Spiritual. A footer note says 'Click on down arrow for list of programs. F1 for help.'

Addiction Severity Index

File Tools Help

Contents...
Online Support...
About...

General Information

G3. Program: [Yellow Highlighted]

G4. Date of Admission: 5/16/2005 G5. Date of Interview: 5/16/2005

G8. Interview Form (ASI Type): [Click] G9. Contact Type: 1. In person 2. Phone

G11. Interviewer: Mhprovider1,One

G11a. Ordered By: Mhprovider1,One

G12. Special: 1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: [] Months: []

G17. Race: 1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference: 1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None


*G19. Have you been in a controlled environment in the past 30 days?
 1. No 4. Medical Treatment X. Not Answered

General Comments:


G General Info M Medical E Employment D Drug/Alcohol L Legal F Social P Psychiatric Spiritual

Click on down arrow for list of programs. F1 for help.

Example: Clicking on the **Help > About...** menu item will display the About Mental Health Assistant message dialog, which contains useful release information about this version of MHA3.




Example: The **About Mental Health Assistant** message dialog box contains useful release information about MHA version 3



Close Form


The user is given several options when exiting the form. 1) The user may return to the form; a graceful way of acknowledging that more work is needed on the ASI. 2) The user may exit the form without saving any data. 3) The user may save the ASI in the hope of finishing it later. 4) Save the ASI and sign it. This option will verify the items for appropriate responses—see business rules—and ensure that the ASI is complete. Once the ASI is verified and saved, the user can provide an electronic signature.

Example: To **close** the ASI Data Entry Form, click on "X" in the form's upper right corner, or press **ALT-F4**, or click on "FILE" on Main Menu, then Exit Menu. The exit menu will appear.




Domain Scores

Example: To view the Domain Scores, **click on Domain Scores** tab. The ASI domain results will be displayed in graph and text form.



Item Trends


To view the Items Trend, click on **Item Trends** tab. Item-level data will be presented in tabular and graphical form across interviews.



Graphing a Different Item

To graph a different item, click on different row in table of item data. The new row will be highlighted and the data for that item will be graphed.

Example: The item was changed from M6 (previous example) to E12 by clicking on the E12 row. E12 data are graphed.



Returning to the Narrative Report View

Example: To return to the Narrative Report View, Click on the **Narrative Report** tab. The original view of the ASI tab is restored.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Tools Help

Addiction Severity Index Manager One Mhpatient
SSN: 000-00-2412

| Date | Type | Ordered By | Status | Signed |
|-------------------|-------------|-----------------------|-------------------|--------------|
| 03/15/2005 | Full | Mhprovider,One | Completed | True |
| 03/15/2005 | Lite | | Incomplete | False |
| 03/15/2005 | Lite | Mhprovider,One | Completed | True |
| 03/14/2005 | Lite | Mhprovider,One | Incomplete | False |
| 03/14/2005 | Full | Mhprovider,One | Incomplete | False |
| 03/10/2005 | Full | Mhprovider,One | Completed | True |
| 02/28/2005 | Lite | Mhprovider,One | Completed | True |
| 02/24/2005 | Lite | Mhprovider,One | Incomplete | False |
| 02/03/2005 | Lite | Mhprovider,One | Completed | True |

0 days since last ASI

MHPATIENT,ONE 000-00-2412 ASI FULL on 03/15/2005 by: MHPROVIDER,ONE
PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 84 year old White (not Hisp), f1 question not answered female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Consultation/Liaison program on Mar 15, 2005. In the past 30

Narrative Report | Item Report | Item Trends | Domain Scores

GAF Manager Functions

Orientation

The GAF Manager gives the user an easy way to enter GAF ratings and to see previous ratings, which are graphed to indicate trends. When entering a new rating, the rating is associated with the GAF rating criteria. It is hoped this association will increase the reliability of ratings and reduce inter-rater variability in the assignment of GAF ratings.

Main menu

Title bar

Selected patient identification

Previous GAFs List

| Date | GAF | Clinician |
|------------|-----|----------------|
| 02/22/2005 | 5 | MHPROVIDER.OI |
| 02/03/2005 | 54 | MHPROVIDER.O |
| 02/01/2005 | 28 | MHPROVIDER.O |
| 01/21/2005 | 37 | MHPROVIDER.O |
| 01/21/2003 | 8 | MHPROVIDER.ONE |

Graph

GAF Criteria Table (score ranges and associated criteria)

| Range | Criteria |
|-------|---|
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day, no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in school functioning (e.g., no friends, unable to keep a job). |
| 51-60 | Moderate symptoms (e.g., flat affect and circumstantial speech, occasional panic attacks) OR moderate difficulty in so |

GAF editing button

New GAF rating: 47 Evaluation Date: 2/23/2005 Save New Rating

Main Menu

The Main Menu offers user functions in the context of the GAF Manager form, such as tools and help.

Selected Patient Identification label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the GAF Manager form will apply to this patient.

Title Bar

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the form's name.

List of Previous GAF Ratings

This is the list of all GAF ratings given to the selected patient. The list is also used for selecting which GAF record to process.

Graph View

The Graph View displays a graphical representation of rating data values over time.

GAF Criteria Table

The GAF Criteria Table is a reference tool for clinicians to enable them to review the different criteria narratives and their associated rating ranges.

GAF Editing Button

The GAF Editing Button is used to edit a saved GAF rating that is still editable or to mark a saved GAF rating as "Entered in error".

New Rating Artifacts

The New Rating Artifacts are a group of controls that are adjusted to save a new GAF rating.

GAF Rating Is Due Alert label

Despite being displayed on MHA3's Main Form, the GAF Rating Is Due alert label is actually a component of the GAF rating activities in MHA3.

GAF Due Notification Message

If the selected patient has no previous GAF ratings or who's most recent rating is older than 90 days, the GAF Is Due alert label is displayed. Otherwise, the label is not displayed.

Example: "GAF rating is due" notification message on MHA's Main Form.



Selecting a Previous Rating

Example: To select a previous rating for processing, click on the row of the desired rating on the table that lists all previous ratings. That row will be highlighted.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit Action Tools Help

Global Assessment of Functioning Manager One Mhpatient
SSN: 000-00-2412

| Date | GAF | Clinician |
|------------|-----|----------------|
| 02/22/2005 | 5 | MHPROVIDER,ONE |
| 02/03/2005 | 54 | MHPROVIDER,ONE |
| 02/01/2005 | 28 | MHPROVIDER,ONE |
| 01/21/2005 | 37 | MHPROVIDER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |

Mark Rating "Entered in Error"

GAF Score

100
90
80
70
60
50
40
30
20
10
0

01/21/2003 01/21/2005

Click

| Range | Criteria |
|-------|---|
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job). |
| 51-60 | Moderate symptoms (e.g., flat affect and circumstantial speech, occasional panic attacks) OR moderate difficulty in social, occupational, or |

New GAF rating: Evaluation Date:

Selecting a New Patient

Example: To select a different patient, click on the **File > Select Patient** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a new patient, both CPRS and MHA3 are synchronized and updated to identify the same new patient.

NOTE: Refer to the CPRS documentation for instructions on patient selection procedures.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER.ONE' window. The 'File' menu is open, and 'Select Patient...' is highlighted. A red arrow points to this menu item, with a red box containing the word 'Click' next to it. The patient selection table shows the following data:

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or |

At the bottom of the window, the 'New GAF rating' is set to 25 and the 'Evaluation Date' is 2/22/2005. A 'Save New Rating' button is visible.

Entering a Rating Using GAF Criteria (Save a new rating)

The GAF Criteria table displays all GAF criteria. When the user starts the GAF Manager for the first time after selecting a new patient, the first row of GAF criteria is selected; a rating of 1 is in the **New GAF Rating** spin edit control, the **Evaluation Date** date-picker is set to today's date, and the Save Rating button disabled. The previous ratings view (above-left) includes a tabular and graphical representation of all previous GAF ratings as well as the rating criteria for the specified new GAF rating.

To save a new rating:

1. Click on one of the Criteria ranges and fine-tune the rating by adjusting the **New GAF Rating** spin-edit.
2. Select a different Evaluation Date, or leave the default date set.
3. Click on the **File > Save New Rating** menu item or the **Save New Rating** button.
4. The rating displayed in the spin edit control will be saved to Vista. The rating will be assigned the date displayed in the Evaluation Date date-picker, and the session user will be the rater. Soon after the new rating is saved, the new rating is displayed in the table and graph on the GAF Manager form.
5. The **Save New Rating** button and menu item will be disabled.
6. The GAF Due notification on the MHA Main Form will not visible.

Example: A rating of 25 is entered for a date of 2/22/2005.

1. Select a rating range

| Range | Criteria |
|-------|--|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts with suicidal ideation) OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR grossly disorganized or catatonic OR occasionally fails to attend or mute. |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometimes incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or memory (e.g., no longer able to do old work; child frequently beats up younger children, is defiant at home) OR major impairment in several areas (e.g., work or school, family relations, judgment, thinking, or memory). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or other areas of functioning. |

2. Fine-tune the rating

New GAF rating:

3. Adjust the date, if necessary

Evaluation Date:

4. Save the new rating

Save New Rating

Entering a Rating Using the Spin Edit Control

To enter or change a rating:

1. Change the rating by typing a number between 1-100 in the spin edit control or by clicking on the up or down arrows.
2. The rating in the spin edit control will change.
3. Alpha characters or numbers outside the 1-100 range are not accepted.
4. The Save Rating button is enabled.

Example: Changing the rating to 47 displays the appropriate criteria row in the Criteria view and enables the **Save New Rating** button.

The screenshot shows the 'Global Assessment of Functioning Manager' window. At the top, it displays 'Mental Health Assistant in use by MHPROVIDER,ONE' and 'One Mhpatient SSN: 000-00-2412'. The main area is divided into three sections:

- Table:** A table with columns 'Date', 'GAF', and 'Clinician'. The current row is highlighted with a blue background:

| Date | GAF | Clinician |
|------------|-----|----------------|
| 02/22/2005 | 5 | MHPROVIDER,ONE |
| 02/03/2005 | 54 | MHPROVIDER,ONE |
| 02/01/2005 | 28 | MHPROVIDER,ONE |
| 01/21/2005 | 37 | MHPROVIDER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |
- Graph:** A line graph showing 'GAF Score' on the y-axis (0 to 100) and dates on the x-axis (01/21/2003 to 01/21/2005). A red line connects the data points from the table.
- Criteria List:** A list of GAF ranges and their corresponding criteria. The 41-50 range is highlighted in blue. A red box with the text 'Fine-tune the rating' is overlaid on this section, with a red arrow pointing to the spin edit control below.

At the bottom, there is a 'New GAF rating:' spin edit control showing '47', an 'Evaluation Date:' dropdown set to '2/23/2005', and a 'Save New Rating' button. A 'Mark Rating "Entered in Error"' button is also visible.

Changing the Evaluation Date

To change an evaluation date:

1. Click on the down arrow of the Evaluation Date date-picker
2. Clicking on the down arrow produces a calendar artifact.
3. Clicking on a previous date inserts the new date into the date-picker text box.
4. Future dates cannot be selected.
5. Select a new date

Example: Clicking on the down arrow produces a calendar with the current evaluation date selected (today's date is the default). Click on the left arrow at the top of the calendar to go to a previous month. Click on today's date or an earlier date to select it as shown in the following example.

The screenshot displays the 'Global Assessment of Functioning Manager' window. At the top, it shows the patient's name 'One Mhpatient' and SSN '000-00-2412'. Below this is a table with columns 'Date', 'GAF', and 'Clinician'. The table contains the following data:

| Date | GAF | Clinician |
|------------|-----|----------------|
| 02/22/2005 | 5 | MHPROVIDER,ONE |
| 02/03/2005 | 54 | MHPROVIDER,ONE |
| 02/01/2005 | 28 | MHPROVIDER,ONE |
| 01/21/2005 | 37 | MHPROVIDER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |

To the right of the table is a line graph showing the GAF Score over time. The x-axis represents dates from 01/21/2003 to 01/21/2005, and the y-axis represents the GAF Score from 0 to 100. The graph shows a red line connecting the data points from the table.

Below the table and graph is a criteria list with columns 'Range' and 'Criteria'. The criteria for the range 41-50 is highlighted in blue:

| Range | Criteria |
|-------|---|
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job). |
| 51-60 | Moderate symptoms (e.g., flat affect and circumstantial speech, occasional panic attacks) OR moderate difficulty in social, occupational, or |

At the bottom of the window, there is a 'New GAF rating' field set to 47 and an 'Evaluation Date' field set to 2/23/2005. A red callout box with the text 'Adjust the date, as necessary' points to the 'Evaluation Date' field. Below the callout is a calendar artifact for March 2005, with the date 3/8/2005 highlighted in blue. A red circle is drawn around the number 8 in the calendar, and a red arrow points from the callout box to this date. Below the calendar, the text 'Today: 3/8/2005' is displayed.

Saving a Graph or a Table to a File

Example: To save data to a file, click on **File > Save As** menu item and save one graph and one table. A message dialog appears that allows the user to enter a filename and storage location for the table or graph file to be saved. A graph is saved as a bitmap and a table is saved as an Excel file.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER,ONE' window. The 'File' menu is open, and the 'Save As...' option is highlighted with a red arrow pointing to it. A red box with the word 'Click' is positioned above the arrow. The patient information table shows the following data:

| Date | Score | Provider |
|------------|-------|----------------|
| 01/21/2005 | 37 | MHPROVIDER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |


The GAF Score graph shows a line graph with the Y-axis labeled 'GAF Score' ranging from 0 to 100. The X-axis shows dates from 01/21/2003 to 01/21/2005. The graph shows a score of 8 in 2003 and 37 in 2005. A red arrow points to the 2005 data point.

The criteria table below the graph is as follows:

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or |

At the bottom of the window, there is a 'New GAF rating:' field with a dropdown menu set to '25', an 'Evaluation Date:' field with a dropdown menu set to '2/22/2005', and a 'Save New Rating' button.

Example: Save As form.



Printing a Graph or a Table

Example: To print a GAF graph or table, click on **File > Print** menu item and print one graph and one table. A copy of the table or the graph is sent directly to the default printer.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER,ONE' window. The 'File' menu is open, and the 'Print...' option is highlighted with a red arrow. A red box with the word 'Click' is placed over the 'Print...' option. The main window displays a 'GAF Score' graph for 'One Mhpatient' with SSN: 000-00-2412. The graph shows a score of 8 on 01/21/2003 and 37 on 01/21/2005. Below the graph is a table with columns 'Range' and 'Criteria'. At the bottom, there are input fields for 'New GAF rating: 25' and 'Evaluation Date: 2/22/2005', along with a 'Save New Rating' button.

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or |

Exiting the GAF Manager Form

Example: To exit the GAF Manager form, click on **File > Exit** menu item. The GAF Manager form closes and user is returned to the MHA3 Main form.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER,ONE' window. The 'File' menu is open, and the 'Exit' option is highlighted with a red arrow and a 'Click' label. The main window displays a line graph of GAF scores over time, a table of criteria for GAF ranges, and input fields for a new rating and evaluation date.

Table: GAF Score History

| Date | Score | Provider |
|------------|-------|----------------|
| 01/21/2005 | 3 | DER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |

Table: GAF Range Criteria

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or |

Form Fields:

New GAF rating: 25 Evaluation Date: 2/22/2005 Save New Rating

Copying a Graph or a Table to the Windows Clipboard

Example: To copy data to the clipboard, click on **Edit > Copy** menu item and copy to clipboard one graph and one table. A copy of the table or the graph is sent to the Clipboard. The contents of the Clipboard can be pasted onto an MS Word or Excel document.

The screenshot shows the 'Mental Health Assistant' window. The 'Edit' menu is open, and the 'Copy...' option is selected. A red arrow points to the 'Copy...' option. Below the menu, a table of GAF scores is visible, and a graph shows the GAF score over time. A red box with the word 'Click' is overlaid on the graph area.

| Date | GAF | Clinician |
|------------|-----|----------------|
| 02/03/2005 | 54 | MHPROVIDER,ONE |
| 02/01/2005 | 28 | MHPROVIDER,ONE |
| 01/21/2005 | 37 | MHPROVIDER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |

Mark Rating "Entered in Error"

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or |

New GAF rating: Evaluation Date:

Example: Message displayed after copying to the clipboard.

The screenshot shows a message dialog box titled 'Mental Health Assistant'. The message reads: 'The table has been copied to the Windows clipboard. If you like, you may paste it into an open MS Excel spreadsheet.' There is an 'OK' button at the bottom.

Marking a Rating Entered in Error

NOTE: Only GAF ratings previously entered by you may be modified. This applies to entering ratings in error as well as changing or deleting a rating.

Example: To mark a rating as “entered in error”, select a rating from the list of previous ratings table. Click on the **Action > Mark Rating “Entered in Error”** menu item. The **Mark Rating “Entered in Error”** button does the same thing.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER.ONE' window. The 'Action' menu is open, showing 'Save New Rating' and 'Mark Rating "Entered in Error"'. A red callout '2. Click' points to the 'Mark Rating "Entered in Error"' menu item. Below the menu, a table lists previous ratings:


| Date | GAF | Clinician |
|------------|-----|----------------|
| 02/03/2005 | 54 | MHPROVIDER.ONE |
| 02/01/2005 | 28 | MHPROVIDER.ONE |
| 01/21/2005 | 37 | MHPROVIDER.ONE |
| 01/21/2003 | 8 | MHPROVIDER.ONE |

A red callout '1. Select' points to the first row of this table. To the right is a line graph titled 'GAF Score' with a y-axis from 0 to 100 and an x-axis from 01/21/2003 to 01/21/2005. Below the graph is a table of GAF criteria:

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |
| 41-50 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or |

At the bottom of the window, there is a 'New GAF rating' field with the value '25', an 'Evaluation Date' field with the value '2/22/2005', and a 'Save New Rating' button. A red callout '2. Click' points to the 'Mark Rating "Entered in Error"' button at the bottom left of the window.

Example: A warning message appears. **Click YES** to mark the selected rating by marking with strikethrough the rating text in the table. **Click NO** to abort any changes.



Example: Rating marked as entered in error, labeled in strikethrough text.

| Date | GAF | Clinician |
|-----------------------|---------------|---------------------------|
| 02/22/2005 | 5 | MHPROVIDER,01 |
| 02/03/2005 | 54 | MHPROVIDER,ONE |
| 02/01/2005 | 28 | MHPROVIDER,ONE |
| 01/21/2005 | 37 | MHPROVIDER,ONE |

Marked "Entered in Error"

Changing or Deleting a Rating

NOTE: A GAF rating may only be changed or deleted within two days of the date of the initial rating. After two days, the rating may only be marked in error. Ratings allowing modification or deletion are indicated in the table by bold text.

NOTE: Only GAF ratings previously entered by you may be modified. This applies to entering ratings in error as well as changing or deleting a rating.

Example: To delete or change a rating, select a rating which can be deleted or changed from the list of previous ratings. Click on **Action > Change/Delete Rating** menu item. A message dialog appears that allows the user to either delete or change the rating of the selected GAF. Any change or deletion is reflected in the updated ratings table. User may abort changes before they are saved.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER, ONE' window. The 'Action' menu is open, showing 'Save New Rating' and 'Change/Delete Rating'. A red arrow points to 'Change/Delete Rating' with the text 'Click'. Below the menu is a table of GAF ratings:

| Date | GAF | Clinician |
|------------|----------|-----------------------|
| 02/22/2005 | 5 | MHPROVIDER,ONE |
| 02/03/2005 | 54 | MHPROVIDER,ONE |
| 02/01/2005 | 28 | MHPROVIDER,ONE |
| 01/21/2005 | 37 | MHPROVIDER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |

Below the table is a line graph showing 'GAF Score' on the y-axis (0 to 100) and dates on the x-axis (01/21/2003 to 01/21/2005). A red line connects the data points. At the bottom of the window is a table of GAF criteria:


| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school). |

At the bottom of the window, there is a 'New GAF rating:' dropdown menu set to '1', an 'Evaluation Date:' dropdown menu set to '2/23/2005', and a 'Save New Rating' button. A red arrow points to the 'Change/Delete Rating' button at the bottom of the table.


Example: Rating which may be deleted or changed, labeled in bold text.

| Date | GAF | Clinician |
|-------------------|----------|----------------------|
| 02/22/2005 | 5 | MHPROVIDER,01 |
| 02/03/2005 | 54 | MHPROVIDER,0NE |
| 02/01/2005 | 28 | MHPROVIDER,0NE |
| 01/21/2005 | 37 | MHPROVIDER,0NE |

Example: Deleting a rating



Example: Changing a rating



Changing User Preferences

Example: Some system parameters are user-configurable and can be changed by clicking on the **Tools > Options...** menu item. The User Preferences form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.

Mental Health Assistant in use by MHPROVIDER.ONE

File Edit Action **Tools** Help

Options...

Global Assessment of Functioning Manager One Mhpatient
SSN: 000-00-2412

| Date | GAF | Clinician |
|------------|-----|----------------|
| 02/22/2005 | 5 | MHPROVIDER,ONE |
| 02/03/2005 | 54 | MHPROVIDER,ONE |
| 02/01/2005 | 28 | MHPROVIDER,ONE |
| 01/21/2005 | 37 | MHPROVIDER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |

Change/Delete Rating


GAF Score

01/21/2003 01/21/2005

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable |

New GAF rating: 1 Evaluation Date: 2/23/2005 Save New Rating

Example: User Preferences message dialog.



Accessing Online Support

Example: Online support for MHA3 is available via the Mental Health Informatics Section's website. Clicking on the **Help > Online Support...** menu item will start the default Web browser and loads the following web address into the browser:

<http://vaww.mentalhealth.med.va.gov/mha.shtm>.

Global Assessment of Functioning Manager

One Mhpatient
SSN: 000-00-2412

| Date | GAF | MHPROVIDER.ONE |
|------------|-----|----------------|
| 02/22/2005 | 5 | MHPROVIDER.ONE |
| 02/03/2005 | 54 | MHPROVIDER.ONE |
| 02/01/2005 | 28 | MHPROVIDER.ONE |
| 01/21/2005 | 37 | MHPROVIDER.ONE |
| 01/21/2003 | 8 | MHPROVIDER.ONE |

Change/Delete Rating

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable |

New GAF rating: Evaluation Date:

Accessing Program Information

Example: Clicking on the **Help > About...** menu item will display the About Mental Health Assistant message dialog, which contains useful release information about this version of MHA3.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER,ONE' window. The 'Help' menu is open, and the 'About...' option is highlighted with a red arrow. A red box with the word 'Click' is positioned above the arrow. The main window displays a 'Global Assessment' table, a 'GAF Score' line graph, and a 'Criteria' table.

| Date | GAF | MHPROVIDER,ONE |
|------------|-----|----------------|
| 02/22/2005 | 5 | MHPROVIDER,ONE |
| 02/03/2005 | 54 | MHPROVIDER,ONE |
| 02/01/2005 | 28 | MHPROVIDER,ONE |
| 01/21/2005 | 37 | MHPROVIDER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |


Change/Delete Rating

One Mhpatient
SSN: 000-00-2412

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable |

New GAF rating: 25 Evaluation Date: 2/23/2005 Save New Rating

Example: The **About Mental Health Assistant** message dialog box contains useful release information about MHA version 3.



Access Copyright Information

Example: To access GAF copyright information, click on **Help > Copyright Info** menu item. The Copyright information message dialog is displayed.

The screenshot shows the 'Global Assessment Functioning Manager' window. The 'Help' menu is open, with 'Copyright Info...' selected. A red arrow points to this menu item. A line graph displays GAF scores from 01/21/2003 to 01/21/2005. A red box labeled 'Click' is positioned over the graph. Below the graph is a table of GAF criteria ranges and a 'Save New Rating' button.

| Date | GAF | Copyright Info... |
|------------|-----|-------------------|
| 02/22/2005 | 5 | MHPROVIDER,01 |
| 02/03/2005 | 54 | MHPROVIDER,ONE |
| 02/01/2005 | 28 | MHPROVIDER,ONE |
| 01/21/2005 | 37 | MHPROVIDER,ONE |
| 01/21/2003 | 8 | MHPROVIDER,ONE |

| Range | Criteria |
|-------|---|
| 1-10 | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| 11-20 | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| 21-30 | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends). |
| 31-40 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable |

New GAF rating: 25 Evaluation Date: 2/23/2005 Save New Rating


Example: Copyright information message dialog.

The screenshot shows the 'Mental Health Assistant' copyright information message dialog. The dialog contains an information icon, the text 'GAF criteria: Reprinted with permission from the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition. Copyright 1994 American Psychiatric Association.', and an 'OK' button.

User Preferences Functions

Orientation

Example: The User Preferences form enables the user to customize the manner in which several functions are performed and displayed in MHA3. Additionally, the font and display functions are an attempt to comply with Section 508 requirements in MHA3's user interface.



Form Title

The Form Title simply identifies the form.

Navigation Tabs

The Navigation Tabs are used to access the various functions that are distributed across three panels.

Editing Panel

The Editing Panel displays the various artifacts that the user manipulates to make adjustments to preferences. There are three panels, but only one of them is visible at any one time.

Command Buttons


The Command Buttons are used to either cancel all actions or close the window and save the changes made.

Changing MHA3System Font


There are three types of fonts that the user may select to provide the best viewing comfort possible: The CPRS Font, the Windows Font, or a New Font. Selecting the CPRS Font will change MHA3's font to match that with CPRS uses. If the user is comfortable with the CPRS font, then this may be a good choice. The Windows Font is the "default" Windows font. This font is used by the other programs on the system too. The New Font option enables the user to select from any of the fonts found on the PC. With this option it is possible to change font characteristics, such as size and bold, etc. In most cases, the font will not need to be changed from the one offered initially by MHA3. To change Font options:

1. Click on any of the three font Option Buttons.
2. Click on the **Done** button

Example: Font tab. Clicking on **Cancel** ignores any choices made.




Example: If the New Font Option Button is selected, the New Font selection prompt is displayed.



Changing the Displayed Highlight Colors on the All-Questions Data-input Form

As a navigational aide, the selected question on the All-Questions form is highlighted with a different color from the form's color. This color can be changed by choosing the Highlight Color tab and selecting colors from the artifacts on the Editing Panel.

Example: Highlight Color tab. Clicking on **Cancel**, ignores any choices made.




Toggling Visual Feedback On/Off

Visual Feedback displays error messages in addition to sound beeps.

1. Click on the **Misc. tab**
2. Click on the “**Provide visual feedback...**” Option Button, so that a checkmark is displayed.

Example: Misc. tab. **Clicking** on **Cancel** ignores any choices made.




Toggling Speed Tab On/Off

Speed Tab is a feature that some users may prefer to enable them to increase data entry speed. Speed Tab is actually an automatic “Tab” key press that is triggered after the user makes a choice from a question with multiple choice answers. This saves the user from having to press the Tab key to move on to subsequent questions on the form. However, the Speed Tab option has no effect on Multiple-Line Text Boxes, Single-Line Text Boxes and Spin Boxes.

To toggle Speed Tab:

1. Click on the **Misc. tab**
2. Click on the “**Speed Tab...**” Option Button, so that a checkmark is displayed
3. Click on the **Done** button
4. Speed Tab functions are enabled in the data-entry forms, based on whether the checkmark was visible at the time of clicking on the **Done** button.

Example: Misc. tab. clicking on **Cancel**, ignores any choices made.




Toggling Image Display on Main Menu On/Off

Images are displayed on Main Menus, based on whether the checkmark is set on this toggle. To set this toggle:

1. **Click** on the **Misc. tab**.
2. **Click** on the “**Display Image...**” Option Button, so that a checkmark is displayed.

Example: Misc. tab. Clicking on **Cancel** ignores any choices made.




Toggling Maintain Original Font on/off

The Original Font is maintained, based on whether the checkmark is set for this toggle. To set this toggle:

1. **Click** on the **Misc. tab**.
2. **Click** on the “**Maintain Original font...**” Option Button, so that a checkmark is displayed.

Example: Misc. tab. Clicking on **Cancel** ignores any choices made



Off-line Administrations Functions

Orientation

Most users are likely to use MHA3 in the standard way, that is, by administering instruments while their computer is connected to a VistA system. However, MHA3 offers “off-line” testing features for users needing such functionality, such as at CBOCs. Off-line testing enables the user to administer an instrument when the user’s computer is not able to connect to a Vista system, temporarily saving the administration’s results in an encrypted local file. When a user returns to the office and resumes a connection to VistA, the user is asked to match the off-line patient information for a selected administration with the Vista patient information. If the user is satisfied with the match, the results can be uploaded to VistA, at which time the temporary local file is deleted.

The only way that MHA3 can connect to Vista is by being “launched” from the CPRS Tools menu. This is different from previous versions of MHA. So, to invoke MHA3 for off-line use, users will need to double-click on the Mental Health Assistant icon on the desktop.

Stored Off-line administrations are not useful until they are uploaded to Vista, at which time they become part of the patient’s official record.

Example: There are two principal forms that are used for processing off-line administrations. The Off-line Patient Manager is used while disconnected to VistA, while the Off-line Results Synchronizer is used once a connection to VistA is restored.

The screenshot shows the 'Off-Line Patient Manager' window in the 'Mental Health Assistant' application. The window has a blue title bar and a close button in the top right corner. The main content area is divided into two sections. The top section, labeled 'Patient Selector', contains a dropdown menu with the text 'MHPROVIDER, THREE'. A red callout box labeled 'Patient Selector' points to this dropdown. The bottom section, labeled 'Patient details (Edit as needed)', contains several input fields: 'First Name: THREE', 'Last Name: MHPROVIDER', 'SSN: 666-12-3456', 'DOB: 8/10/1960' (with a dropdown arrow), and 'Sex: Male Female'. A red callout box labeled 'Patient Edit Area' points to this section. At the bottom of the window are four buttons: 'New', 'Delete', 'Cancel', and 'OK'.

Patient Selector

The Patient Selector Drop-Down List Box is used to choose from a list of existing off-line patients.

Patient Edit Area

The Patient Edit Area contains the input artifacts that are used to edit and display patient information.

New button

The New button is used to prepare the form for entering information about a new patient.

Delete button

The Delete button removes the selected patient from the list of patients and deletes the local record.

Cancel button

The Cancel button closes the Off-line Patient Manager without selecting a patient.

Ok button

The Ok button selects the current patient for processing of off-line administrations.

Off-line Results Synchronizer


To use the Off-line Results Synchronizer, the following must be true:

- The PC is connected to Vista.
- MHA3 is launched from the CPRS Tools menu.
- The user has previously administered at least one off-line instrument that has not yet been uploaded to Vista.

The following functionality is restored once connected to Vista:

- Instruments Ordered-by selection
- Interviewer selection
- Visit Location selection
- Online Support

Example: Off-line Synchronizer.



Main Menu

The Main Menu offers user functions in the context of the Off-line Results Synchronizer form, such as file and help.

Off-line Records List

This is the list of all tests that have been administered off-line, which haven't been uploaded to Vista yet. The list is used to select which administration to process.

CPRS Patient Search Panel

This group of artifacts is used to search for, and list, CPRS (VistA) patients which closely match the off-line patient that is selected in the Off-line Records List.

Patient Match Panel

This panel displays a table on which both the off-line and CPRS patient information is shown side-by-side to aid in determining the possibility of a match. All of the off-line patient information is assumed to come from the patient during an interview. In most cases, the information provided will be a perfect match to the information in Vista for the same patient. This matching scheme is a way for the clinician to verify that it is the same patient and to make any adjustments for typos and other minor errors.

Delete Off-line Record Button

This button triggers the deletion of the currently-selected off-line administration record. A confirmation prompt is displayed before deleting the record.

Upload Button

This button starts the process of uploading to Vista the currently-selected record.

Exit button

The Exit button closes the Off-line Results Synchronizer form.

Starting MHA3 in off-line mode from the desktop icon

To start MHA3 for off-line use:


1. Locate the **Mental Health Assistant 3** icon, as pictured below, on the Windows Desktop
2. Double-click the icon
3. Click on the **Yes** button on the “**Do you want to work off-line**” prompt.
4. Clicking on **Yes** causes the Off-line Patient Manager form to display.

Clicking on the **No** button aborts MHA3.

Example: The Mental Health Assistant icon on the Windows Desktop.



Example: “Do you want to work off-line” prompt




Selecting an Existing Patient from the Drop-Down List Box

To select an existing off-line patient record:

1. **Click** on the down-arrowhead to open up the Drop-Down List Box
2. **Click** on the name of the desired patient.

Example: The patient selected becomes the active patient on the Drop-Down List Box. Demographic information belonging to the selected patient fills the form.



Adding and Selecting a New Off-line Patient

To add a new patient to the list of off-line patients:


1. **Click** on the **New** button.
2. **Enter** the new patient information in the corresponding fields.
3. **Click** on the **Ok** button.

Example: The data entry fields are cleared and appear blank and ready for input. After clicking on the **Ok** button, the user is presented in the Instrument Administrator form

2. Enter patient information in provided fields

3. Click, to save patient and administer an instrument

Example: Instrument Administrator form.




Selecting a Different Off-line Patient from the Instrument Administrator Form

To select another off-line patient from the Instrument Administrator form:

1. From the **Instrument Administrator** form, click on **File > Select Patient...** menu option.
2. The **Off-line Patient Manager** form is displayed, offering an opportunity to choose a different existing or new patient.
3. Choose a different off-line patient from the **Off-line Patient Manager** form. After selecting another patient, and clicking **Ok**, the new selected patient is identified.

Example: Instrument Administrator Form.



Example: Off-line Patient Manager Form.

Mental Health Assistant

Off-Line Patient Manager

Select existing off-line patient

MHPROVIDER, THREE

MHPATIENT, ONE
MHPATIENT, TWO
MHPROVIDER, THREE

2. Click

First Name: THREE

Last Name: MHPROVIDER

SSN: 666-12-3456

DOB: 8/10/1960

Sex: Male Female

3. Click


New Delete Cancel OK

Deleting an Existing Off-line Patient


To delete an off-line patient:

1. **Select** the name of an off-line patient using the Drop-Down List Box.
2. **Click** on the **Delete** button.
3. The delete warning message is displayed
4. Click on **Yes** to delete the selected patient from the list OR **click** on the **No** tab to abort the deletion.

Example: Selecting the name of an off-line patient using the Drop-Down List Box.



Example: Delete warning message.




Canceling Selection of an Off-line Patient


To exit the Off-line Patient Manager without selecting a patient:

1. Click on the **Cancel** button.
2. The cancel warning message is displayed.
3. Respond with **Yes** to the cancel warning message prompt.
4. Clicking on **Yes** closes the **Off-line Patient Manager form**.
5. Clicking on **No** returns to the **Off-line Patient Manager form**.

Example: Exiting the Off-line Patient Manager without selecting a patient.



Example: Cancel warning message prompt



Selecting an Existing Off-line Patient from the Off-line Patient Manager

Patients that are already included in the list of existing patients may be selected:

1. **Select** the name of an off-line patient using the Drop-Down List Box
2. **Click** on the **Ok** button
3. The **Off-line Patient Manager** form is closed

Example: Off-line Patient Manager Form.

Mental Health Assistant

Off-Line Patient Manager

Select existing off-line patient

MHPATIENT, TWO
MHPATIENT, ONE
MHPATIENT, TWO
MHPROVIDER, THREE

First Name: TWO

Last Name: MHPATIENT

SSN: 000-00-8455

DOB: 4/10/1940


Sex: Male Female

New Delete Cancel OK

1. Click

2. Click


Example: Instrument Administrator form, shown as modified for off-line use. The **Instrument Administrator** form is displayed, identifying the selected off-line patient. After completing and saving the administration in the Instrument Administrator, the exit reminder prompt is displayed. MHA3 shuts down, as expected



The following functionality is disabled in off-line operating mode:

- Instruments Ordered-by selection
- Interviewer selection
- Visit Location selection
- METRIC Instruments Reviews
- Battery Wizard
- Instrument Description
- Online Support

Example: Exit reminder prompt.




Recognizing the Availability of Off-line Administrations, and Initiating the Upload Process

If any records exist on the PC that was administered off-line, the user is reminded about them once MHA3 is launched from the CPRS Tools bar. A notification prompt is displayed and the user is offered a choice to upload these records at this time.

To upload existing off-line records:

1. Start CPRS
2. Invoke MHA3 from the CPRS Tools menu
3. If any off-line administration files are found on the PC, the “Do you want to upload to VistA...” prompt is presented. Otherwise, uploading functionality is bypassed and MHA3 starts up in normal VistA mode.
4. Uploading the confirmation prompt.

Example: Click on the **Yes** button, on the “Do you want to upload to VistA...” prompt. After clicking on **Yes**, the Off-line Results Synchronizer form is displayed.



1. After clicking on **Yes**, the Off-line Results Synchronizer form is displayed. Clicking on the **NO** button cancels the upload process and starts MHA3 in normal Vista mode. Clicking on the **Yes** button displays the Off-line Results Synchronizer form.

Example: Off-line Results Synchronizer form.

Mental Health Assistant

File Help

Off-Line Results Synchronizer

Pick an off-line record, find a matching patient in CPRS, and upload the record.

Off-Line Records

| Name | SSN | DOB | Sex | Instrument | Date |
|----------------|-------------|------------|--------|------------|------------|
| MHPATIENT, ONE | 000-00-2412 | 03/05/1992 | FEMALE | DIT-2005 | 04/22/2005 |
| MHPATIENT, ONE | 000-00-2412 | 03/05/1992 | FEMALE | CAGE | 04/22/2005 |
| MHPATIENT, TWO | 000-00-8455 | 04/10/1940 | FEMALE | AUDC | 04/22/2005 |

Search for Matching CPRS Patient

Search for:

Enter some or all the letters of last name, or SSN, or the first letter of the last name plus last four digits of SSN. Search results below (click on name to select).

| Name | SSN | DOB | Sex |
|----------------|-------------|----------|--------|
| MHPATIENT, ONE | 000-00-2412 | 2/1/1922 | FEMALE |

Results of Match

| | Off-Line Patient | CPRS Patient |
|------|------------------|----------------|
| Name | MHPATIENT, ONE | MHPATIENT, ONE |
| SSN | 000-00-2412 | 000-00-2412 |
| DOB | 03/05/1992 | 2/1/1922 |
| Sex | FEMALE | FEMALE |

Match Confidence Level: Good


Selecting an Off-line Record for Uploading

To select a record for uploading to VistA, click on the desired record from those presented on the **Off-line Records** list.

1. The clicked-on record becomes the selected record
2. The left column of the **Results of Match** grid is populated with demographic information from the selected off-line patient's record.
3. A search in the CPRS database is automatically triggered, to find and list the closest matching CPRS patient(s) on the **CPRS Patient Search Panel**
4. The right column of the **Results of Match** grid is populated with demographic information from the selected CPRS patient's record.
5. If more than one CPRS patient match is found, the first one in the list is automatically selected, although it may not necessarily be the best match.

Example: Off-line Records list contains records.

Click



| Off-Line Records | | | | | | |
|------------------|-------------|------------|--------|------------|------------|---|
| Name | SSN | DOB | Sex | Instrument | Date | |
| MHPATIENT, ONE | 000-00-2412 | 03/05/1992 | FEMALE | CAGE | 04/22/2005 | ↑ |
| MHPATIENT, ONE | 000-00-2412 | 03/05/1992 | FEMALE | AUDIT | 04/22/2005 | ↑ |
| MHPATIENT, TWO | 000-00-8455 | 04/10/1940 | FEMALE | AUDC | 04/22/2005 | ↓ |

Searching for a Matching CPRS Patient


There are two kinds of search methods available for finding a matching CPRS patient: The automatic initial search and a manual search.

The automatic initial search uses a text filter that is built from the selected off-line patient's first letter of the last name, followed by the last four of the SSN—the same way it is done in VistA. This text filter is automatically placed in the “**Search for**” Text Box, and is used for the initial search, which is triggered automatically.

Occasionally, the automatic initial search returns no results or returns poor matching results. In this case, the search text filter may be changed to customize a new result set. To start a manual search, replace the text in the **Search for** Text Box, and click on the **Go** button to trigger a new search, and a refreshed listing of possible matches.

Any text may be entered into the **Search for** Text Box, however, the patient's last name or the default search text typically works best.

Example: The CPRS Patient Search Panel with search results.



Search for Matching CPRS Patient

Search for:

Enter some or all the letters of last name, or SSN, or the first letter of the last name plus last four digits of SSN. Search results below (click on patient name to view details)

| Name | SSN | DUB | Sex |
|----------------|-------------|----------|--------|
| MHPATIENT, ONE | 000-00-2412 | 2/1/1922 | FEMALE |

1. Enter custom search filter

2. Click

List of possible matches

Evaluating the results of a possible match

After a search, hopefully the off-line patient's demographic information results in an obvious match to the CPRS Patient, based on information stored in Vista. However, there will be exceptions, in which case the user is forced to make a judgment of whether there is a valid match or not. To aid in making this decision, the "Results of Match" grid displays information about the Off-Line Patient and the selected CPRS Patient.

Example: Results of Match grid with data from two patients.

| | Off-Line Patient | CPRS Patient |
|------|------------------|----------------|
| Name | MHPATIENT, ONE | MHPATIENT, ONE |
| SSN | 000-00-2412 | 000-00-2412 |
| DOB | 03/05/1992 | 2/1/1922 |
| Sex | FEMALE | FEMALE |

Match Confidence Level: Good

The "Results of Match" grid showing the Off-line and CPRS patients.

While MHA3 offers a calculated evaluation of the match, it is ultimately the user's responsibility to decide on the validity of a match before uploading results to Vista

Example: A poor match: No patient was found in the VistA database that matches the search text. The “Search for” text filter must be changed, and a new search initiated.

Mental Health Assistant

File Help

Off-Line Results Synchronizer

Pick an off-line record, find a matching patient in CPRS, and upload the record.

Off-Line Records

| Name | SSN | DOB | Sex | Instrument | Date |
|----------------|-------------|------------|--------|------------|-----------------|
| MHPATIENT, ONE | 000-00-2412 | 03/05/1992 | FEMALE | AUDC | 04/25/2005 02:0 |

Search for Matching CPRS Patient

Search for:

Enter some or all the letters of last name, or SSN, or the first letter of the last name plus last four digits of SSN. Search results below (click on name to select).


| Name | SSN | DOB | Sex |
|------|-----|-----|-----|
| | | | |

Results of Match

| | Off-Line Patient | CPRS Patient |
|------|------------------|--------------|
| Name | MHPATIENT, ONE | |
| SSN | 000-00-2412 | |
| DOB | 03/05/1992 | |
| Sex | FEMALE | |

Match Confidence Level: Low

Example: A good match: Three out of four fields match perfectly, and the search results list a single patient. It's possible that the unmatched field is the result of a typo or other type of data-entry mistake.




Uploading an Off-line Record to VistA


To upload a record to VistA:

1. Verify that the patient on the selected record is one that matches the CPRS patient.
2. **Click** on the **Upload** button.
3. **Click Yes** on the upload confirmation prompt
4. The additional required information prompt is displayed.
5. Enter the additional required information at the prompt, and then **click Ok**. The upload confirmation prompt is displayed.
6. The selected administration record is uploaded to VistA.
7. After uploading the record, the record is removed from the list of off-line records, which means that the record was deleted from the local file system too.


Example: To upload a record to VistA.



Example: Upload confirmation prompt. Responding with No will abort the upload.



Example: Additional required information prompt requesting Ordered By, Interviewer and Visit Location data. Change accordingly and then click Ok.




Deleting an Off-line Record

WARNING: Off-line records, by definition, have not been uploaded to VistA. Deleting a record cannot be undone.


To delete an off-line record:

1. **Select** the record to be deleted.
2. **Click** on the **Delete off-line Record** button.
3. The delete confirmation prompt is displayed.
4. **Click** on the **Yes** button on the delete confirmation prompt.

Example: The selected record is removed from the list of records and from the local file system.




Example: Delete confirmation prompt. Clicking on No will abort deleting the record.



Accessing Online Support


Example: Online support for MHA3 is available via the Mental Health Informatics Section's website. **Clicking** on the **Help > Online Support...** menu item will start the default Web browser and loads the following web address into the browser:

<http://vaww.mentalhealth.med.va.gov/mha.shtm>.




Accessing program information

Example: Clicking on the **Help > About...** menu item displays the About Mental Health Assistant message dialog, which contains useful release information about this version of MHA3.




Example: The **About Mental Health Assistant** message dialog contains information about the Mental Health Assistant program.



Exiting the Off-line Results Synchronizer Form

Example: To exit the **Off-line Results Synchronizer** form, **click** on the **Exit** button, or select File > Exit from the main menu. The Off-line Results Synchronizer form is closed and the MHA3 main form is displayed.




Single-Instrument Administrator Functions

Orientation

The Single-Instrument Administrator is useful when the goal is to quickly and frequently administer only one type of instrument and there is no need to select from a list of other instruments or batteries.

Using the Single-Instrument Administrator bypasses the MHA3 Main form and the Instrument Administrator and proceeding directly to administering the instrument.

Example: The Single-Instrument Administrator can only be invoked from the CPRS Tools menu and requires the Clinical Applications Coordinator to configure the Tools menu in VistA accordingly.



Main Menu

The Main Menu offers user functions in the context of the Single-Instrument form, such as tools and help.

Selected Patient Identification Label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the Single-Question form will apply to this patient.

Instrument's Name

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

List of Previously-Administered Tests

This is the list of all tests that have been administered to the selected patient. The list is also used for selecting which administration to process.

Report View

The Report View displays an administration report in textual form, based on the patient's data stored in VistA for the selected administration.

The Navigation Tabs

These tabs are used to switch between report and graph/table view.

New button

The New button is used to start a new administration for the selected patient.

Edit Button

In the case that the selected administration is "editable", based on how long ago it was administered, the Edit button becomes enabled and can be used to trigger editing of the selected administration.

Graph & Table

Graph View

Example: The **Graph View** displays a graphical representation of test data values over time.





Table View

The **Table View** represents the same data as the Graph View, except that it is in table format. The Table View also functions as a means for selecting which administrations and characteristics to represent on the graph.

Example: The **Splash** screen is shown upon start up.



Invoking the Single-Instrument Administrator from the CPRS Tools Menu

The only way to invoke the Single-Instrument Administrator is from the CPRS Tools menu. In addition to the Mental Health Assistant, individual instrument types may be added to the CPRS tools menu, from which the Single-Instrument Administrator is started for any particular instrument type. To configure single instruments on the CPRS Tools menu, The Clinical Applications Coordinator needs to add a set of parameters to the user's VistA CPRS GUI Tools menu.


NOTE: If the instrument's name entry is missing from the Tools menu, users should contact their Clinical Applications Coordinator for assistance.

In the following example, to start CAGE, start CPRS first. Then, once CPRS has settled, click on the **Tools** menu item, followed by a click on the **CAGE** menu item.

If CAGE starts normally, the "splash" form is displayed briefly, followed by the Single-Instrument Manager form, as shown below.

NOTE: If CAGE asks the user to logon to VistA again, users should contact their local IRM to inquire about the availability of Single Sign-on.

Example: The CAGE instrument type is started in the Single-Instrument Administrator.



Example: The Single-Instrument Administrator form.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Action Tools Help

CAGE One Mhpatient
SSN: 000-00-2412

| Date Given | Date Saved | Ordered By | Status |
|------------|------------|----------------|--------------------------|
| 04/04/2005 | 04/04/2005 | Mhprovider,One | Incomplete: Non-editable |
| 03/30/2005 | 03/30/2005 | Mhprovider,One | Complete |
| 03/28/2005 | 03/28/2005 | Mhprovider,One | Complete |
| 03/28/2005 | 03/28/2005 | Mhprovider,One | Complete |
| 03/25/2005 | 03/25/2005 | Mhprovider,One | Complete |
| 03/24/2005 | 03/24/2005 | Mhprovider,One | Complete |
| 03/24/2005 | 03/24/2005 | Mhprovider,One | Complete |

```

000-00-2412  MHPATIENT,ONE                F AGE 83 04/27/2005 04/26/2005
                PRINTED      ENTERED

        --- CAGE ---
        S C A L E  RAW

        Total      0

A total score of 2 or greater is considered clinically significant.

Not valid unless signed: Reviewed by .....
Printed by: MHPROVIDER,ONE
Ordered by: MHPROVIDER,ONE


000-00-2412  MHPATIENT,ONE                F AGE 83 04/27/2005 04/26/2005
                PRINTED      ENTERED

        --- CAGE ---
    
```


Report

Starting a New Administration

Example: To start a new administration, click on **File > New...** or click on the **New** button.




Example: The Instrument Administrator form for a single-type of instrument. This form combines the instrument Administrator and the Instrument Results Review functions on a single form.



Selecting Another Patient


Example: To select another patient, **click** on the **File > Select Patient...** menu item. The CPRS patient-selection dialog box is displayed and the user is able to select a different patient, after which the MHA patient synchronizes with the CPRS patient.




Saving a Graph, Report, or a Table to a File

To save a graph, report or table, **click** on **File > Save As...** menu item and then click on Graph, Report or Table. To save a graph or a table, the “Graph and Table” tab must be selected first.

Example: A Mental Health Assistant message dialog appears that asks the user to enter a filename and storage location for the table, report or graph file to be saved. A graph is saved as a bitmap, a table is saved as an Excel file and a report is saved as a text file.




Example: Save As form.




Printing a Graph, Report, or Table

Example: To print a graph, report or table, **click** on **File > Print** menu item and then click on Graph, Report or Table. A copy of the table, report or graph is sent directly to the default printer.




Copying a Graph, Report, or Table to the Windows Clipboard

Example: To copy a report, graph or table to the Windows clipboard, click on **Edit > Copy** menu item and then click on Graph, Report or Table. A copy of the table, report or graph is sent to the Clipboard. The contents of the Clipboard can then be pasted onto an MS Word or Excel document.




Example: The **Mental Health Assistant** message dialog box is display after copying to the clipboard.




Switching View from Reports to Graph & Table and Back

Example: To switch between views, **click on View > Reports** and **View > Graph & Table** to switch between views on the form. The navigation tabs at the bottom-left of the form serve the same purpose.



Switching to MHA3 Main Menu

Example: While the Single-Instrument Administrator initially bypasses MHA3 Main form, it offers a way to return to the Main form. **Click** on the **Action > MHA Main Menu** item.



Editing an Existing Editable Administration

To edit an administration:

1. If the selected administration is editable the **Edit** button will be enabled.
2. Find and select an editable administration.
3. **Click** on the **Edit** button.
4. Administrations older than twenty-four hours are not editable.

Example: Editing an administration.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER, ONE' window. The title bar includes standard window controls. The menu bar contains 'File', 'Edit', 'View', 'Action', 'Tools', and 'Help'. The main window displays 'CAGE' and 'One Mhpatient SSN: 000-00-2412'. Below this is a table with columns: 'Date Given', 'Date Saved', 'Ordered By', and 'Status'. A red arrow points to the 'Edit' button on the left, and a red box with the word 'Click' is overlaid on the row where 'Date Given' is '03/30/2005' and 'Status' is 'Complete'. Below the table is a text area containing a CAGE scale report for patient 000-00-2412, showing a total score of 1 and a note that a score of 2 or greater is clinically significant. The report also includes the name of the provider and the date of the entry.

| Date Given | Date Saved | Ordered By | Status |
|------------|------------|----------------|--------------------------|
| 04/04/2005 | 04/04/2005 | Mhprovider,One | Incomplete: Non-editable |
| 03/30/2005 | | Mhprovider,One | Complete |
| 03/28/2005 | | Mhprovider,One | Complete |
| 03/28/2005 | 03/28/2005 | Mhprovider,One | Complete |
| 03/25/2005 | 03/25/2005 | Mhprovider,One | Complete |
| 03/24/2005 | 03/24/2005 | Mhprovider,One | Complete |
| 03/24/2005 | 03/24/2005 | Mhprovider,One | Complete |

```

000-00-2412  MHPATIENT,ONE          F AGE 83 04/28/2005 04/28/2005
                PRINTED   ENTERED

        --- CAGE ---
        S C A L E  RAW

        Total          1

A total score of 2 or greater is considered clinically significant.


Not valid unless signed: Reviewed by .....
Printed by: MHPROVIDER,ONE
Ordered by: MHPROVIDER,ONE

000-00-2412  MHPATIENT,ONE          F AGE 83 04/28/2005 04/28/2005
                PRINTED   ENTERED

        --- CAGE ---
    
```

Exiting the Single Instrument Administrator Form

Example: To exit the **Single Instrument Administrator** form, **click** on **File > Exit** menu item. The Single Instrument Administrator form closes and the user is returned to the MHA3 Main form.




Selecting a Person (other than yourself) for Instruments Ordered By

To identify the Ordered By person:

1. **Click** on the Drop-Down List Box labeled **Instruments Ordered By**.
2. From the Ordered By list, select the name of the desired staff member.
3. The selection list folds up and the selected name is displayed in the box.
4. The **Ordered by** person will receive an email notification in VistA regarding this administration.

Example: The selected name also appears as the **Ordered By** person in all reports related to this administration. By default the current user's name is selected.




Selecting a Person for Interviewer

To select an interviewer:

1. **Click** on the Drop-Down List Box labeled **Interviewer**.
2. Select your name from the list.
3. The Drop-Down List Box folds up and the selected name is displayed in the text box.

Example: By default, the current user's name is selected. The selected name also appears as the Interviewer or Printer person in all reports related to this administration.




The screenshot shows a window titled "Mental Health Assistant in use by MHPROVIDER, ONE". The main area is labeled "CAGE". On the left, there are four drop-down menus: "Ordered By:" (MHPROVIDER, ONE), "Interviewer:" (MHPROVIDER, ONE), "Date of Administration:" (4/26/2005), and "Visit Location:" (1 TEST (NORTH)). On the right, there is a "Display:" section with two radio buttons: "One Question at a Time." (selected) and "All Questions at Once." Below this is a red "Click" button with an arrow pointing to the "Interviewer:" drop-down menu. At the bottom right, there are two buttons: "Staff Entry" and "Patient Entry".

Selecting Date of Administration

To select a date of administration:

1. Click on the Date-Picker labeled **Date of Administration**.
2. Select a random date from the calendar.
3. The Date-Picker folds up and the selected date is displayed in the box.

Example: By default, today's day is selected. The selected date also appears as the date in all reports related to this administration.




Selecting Visit Location

To select a Visit Location:


1. **Click** on the Drop-Down List Box labeled **Visit Location**.
2. Select the desired location from the list.
3. The Drop-Down List Box folds up and the selected location is displayed in the box.

Example: The selected location also appears as the location in all reports related to this administration.



Selecting Display Mode for Data Entry

Example: To select a Display mode, click on One Question at a Time display mode or click on All Questions at Once display mode. The Display mode Option Button is checked based on selection made.



Selecting Patient Entry Data Entry Mode

To select Patient Entry mode:

1. **Click** on a Display mode
2. **Click** on Patient Entry button
3. **Click** on Yes to first warning message
4. **Click** on OK to second warning message

Example: The **Single-Question** form or the **All-Questions** form is displayed, depending on which button was clicked.

1. Select Display mode

Ordered by: Mhprovider1,One

Interviewer: MHPROVIDER,ONE

Date of Administration: 4/26/2005

Visit Location: 1 TEST (NORTH)

Display:

One Question at a Time.

All Questions at Once.

Staff Entry Patient Entry

2. Click on Patient Entry

Example: Any time that **Patient Entry** mode is invoked, two warning messages are displayed. These messages are an indication that SecureDesktop is about to be activated. SecureDesktop warning #1.




Example: SecureDesktop warning #2.



Example: “Single-question” data-entry form.

Example: “All-questions” data-entry form.



The screenshot shows a window titled "Mental Health Assistant in use by MHPROVIDER, ONE". The window has a menu bar with "File", "View", "Tools", and "Help". The main area is titled "AUDIT" and displays patient information: "One Mhpatient" and "SSN: 000-00-2412". Below this, a scrollable area contains the following text and questions:

Please read each item carefully and select the correct answer for you.

1. How often do you have a drink containing alcohol?

- 1. Never
- 2. Monthly or less
- 3. Two to four times a month
- 4. Two to three times per week
- 5. Four or more times a week

2. How many drinks containing alcohol do you have on a typical day when you are drinking?

- 1. 1 or 2
- 2. 3 or 4
- 3. 5 or 6

The first question and its options are highlighted in yellow. At the bottom of the window, there is a tab labeled "AUDIT".

Selecting Staff Entry Data Entry Mode

To select Staff Entry mode:

1. **Click** on a display mode.
2. **Click** on **Staff Entry** button.

Example: The **Single- Question** form or the **All-Questions** form is displayed, depending on which button was clicked.

1. Select Display mode




2. Click on Staff Entry mode



Example: “Single-Question” data-entry form.

The screenshot shows a software window titled "Mental Health Assistant in use by MHPROVIDER,ONE". The window has a menu bar with "File", "View", "Tools", and "Help". The main content area is titled "Alcohol Use Disorders Identification Test" and displays the patient information "One Mhpatient" and "SSN: 000-00-2412". Below the title, there is a blue horizontal bar. The main text area contains the instruction "Please read each item carefully and select the correct answer for you." followed by the question "1. How often do you have a drink containing alcohol?". There are five radio button options: "1. Never", "2. Monthly or less", "3. Two to four times a month", "4. Two to three times per week", and "5. Four or more times a week". At the bottom of the window, there is a navigation bar with buttons for "< Prior Question", "Next Question >", and "1st Unanswered Question >>". To the right of these buttons is a progress indicator showing "0%" and a "0% Done" label.

Example: All-questions data-entry form.



The screenshot shows a software window titled "Mental Health Assistant in use by MHPROVIDER, ONE". The window has a menu bar with "File", "View", "Tools", and "Help". The main content area is titled "AUDIT" and displays the following text:

One Mhpatient
SSN: 000-00-2412

Please read each item carefully and select the correct answer for you.

1. How often do you have a drink containing alcohol?

- 1. Never
- 2. Monthly or less
- 3. Two to four times a month
- 4. Two to three times per week
- 5. Four or more times a week

2. How many drinks containing alcohol do you have on a typical day when you are drinking?

- 1. 1 or 2
- 2. 3 or 4
- 3. 5 or 6


The first question and its options are highlighted in yellow. At the bottom of the window, there is a tab labeled "AUDIT".

Appending Comments to an Existing Record


To append a comment to an existing record:

1. Click on **Tools > Append comments...** menu item
2. The Comments Editor Form is displayed
3. Type a new comment in the Comments Editor
4. Click on **File > Save Comment** in the Comments Editor menu
5. Click on **File > Exit**, to close Comments Editor
6. Comment appears appended to the administration's report text


Example: Mental Health Assistant Main Menu form.




Example: Comments Editor Form.



Example: Save Comment and Exit drop-down list.




Example: Revised administration report that includes the added comments.




Invoking the METRIC Instrument Reviews Website

The **METRIC Instrument Reviews** website offers comprehensive information about all sorts of instrument, including Mental Health instruments. This menu item is offered as a courtesy and quick way to link to this website from within MHA3. The **METRIC** website is not associated in any way with MHA3.

Example: Clicking on **Tools > METRIC Instrument Reviews...** menu item causes the user's default Web browser to display the homepage of the METRIC website.




Example: METRIC website displayed in Internet Explorer.




Changing User Preferences

Some system parameters are user-configurable and can be changed by clicking on the **Tools > Options...** menu item. The User Preferences form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.

Example: Mental Health Assistant Main menu Tools > Options....menu items.




Example: User Preferences message dialog form.



Accessing Online Support


Online support for MHA3 is available via the Mental Health Informatics Section's website. Clicking on the **Help > Online Support...** menu item will start the default Web browser and loads the following web address into the browser: <http://vaww.mentalhealth.med.va.gov/mha.shtm>.

Example: Mental Health Assistant drop-down list Help > Online Support... menu item.




Accessing Program Information

Example: Clicking on the **Mental Health Assistant drop-down list Help > About...** menu item displays the **About Mental Health Assistant** message dialog form, which contains useful release information about MHA3.



Example: About Mental Health Assistant message dialog form.



Glossary

The following terms are associated with the Mental Health Assistant 3 software application release:

| TERMS | DESCRIPTIONS |
|----------------------|--|
| API: | Application Programmer Interface |
| ASI: | Addiction Severity Index |
| CLIENT: | A computer that accesses shared network resources provided by another computer (called a) server. |
| CLOSE: | Closes the window. If there are any changes that have not been saved, you will get a confirmation message asking you if you want to continue without saving; save before exiting; or cancel the close action and return to the window. |
| CPRS: | Computer Patient Record System |
| DBIA: | Database Integration Agreement |
| DESKTOP: | The background on your, on which windows, icon, and dialog boxes appear. |
| EDIT: | Used to edit position information. |
| EDIT BOX | This is a box where the user can type in free text from the keyboard. |
| ELEMENT NAME: | Globally unique descriptive name for the field. |
| ENHANCEMENT: | An ‘enhancement’ to an already existing Class I software package is the introduction of new or improved functionality. |

| TERMS | DESCRIPTIONS |
|----------------------|--|
| FTP: | File Transfer Protocol |
| GAF: | Global Assessment of Functioning |
| GROUP: | In User Manager, an account containing other accounts that are called members. The permissions and rights granted to a group are also provided to its members, which makes groups a convenient way to grant common capabilities to collections of user accounts. For Windows NT, groups are managed with User Manager. For Windows NT Server, groups are managed with User Manager of Domains. |
| GUI: | Graphical User Interface. |
| HL7: | Health Level 7 |
| IMR: | Information Resources Management |
| LENGTH (LEN): | The maximum number of characters that one occurrence of the data field may occupy. |
| LIST BOX: | Box that shows a list of items. If more items exist than can be seen in the box, a scroll bar appears on the side of the box. Selecting an entry from a list box requires either double clicking the entry or single clicking the entry and pressing the spacebar. |
| MHP: | Mental Health Package |

| TERMS | DESCRIPTIONS |
|---------------------------|--|
| OK COMMAND BUTTON: | Adds the new entry after the data has been entered. |
| OPTION BUTTON: | A small round button that appears in a dialog box. Within a group of related option buttons, you can select only one button at time. |
| PACKAGE: | An icon that represents an embedded or linked object. When you choose the package, the application that was used to create the object either plays the object (such as sound file) or opens and displays the object. |
| PASSWORD: | A unique string of characters that must be entered before a logon or an access is authorized. A password is a security measure used to restrict logons to user accounts and access to computer systems and resources. For Windows NT, a password for a user account can be up to 14 characters long and is case-sensitive. |
| PATH: | Specifies the location of a file within the directory tree. For example, to specify the path of a file named README.WRI located in the WINDOWS directory on drive C, you would type c:\windows\readme.wri . |
| PID: | Patient Identification |

| TERMS | DESCRIPTIONS |
|---|--|
| PREVIOUS: | Previous enable the user to return to a previously answered question so the answer can be changed. |
| PSYCHOLOGIST: | Performs patient care duties in accordance with Clinical Privileges as assigned or granted by the appropriate governing committee in the area of Psychology and Mental Health. This may include individuals, family and group counseling and psychotherapy, assertiveness, and other behavior training, etc. |
| RADIO BUTTON: | Radio buttons appear in sets. Each button represents a single choice and normally only one button may be selected at any one time. For example, MALE or FEMALE may be offered as choices through two radio buttons. Click in the button to select it. |
| RIGHT MOUSE BUTTON or SHIFT F10: | You may click the right mouse button or press Shift F10 for a popup box of menu items. |
| RPC BROKER: | Remote Producers Call Broker |

| TERMS | DESCRIPTIONS |
|--------------------------------|--|
| RPC: | Remote Producers Call, a message-passing facility that allows a distributed application to call services available on various computers in a network. Used during remote administration of computers. |
| Save to File (Save AS): | This is a standard feature of Microsoft applications where the user can type the name of the file to be saved. The user can also define the drive and directory where the file is to be saved. In some cases the file name presented in the edit box is sufficient and the user merely needs to click on the “Ok” button to save the file. |
| SHARE: | To make resources, such as directories, printers, and ClipBook pages, available to network users. |
| Status Bar: | A line of information related to the application running in the window. Usually located at the bottom of a window. Not all windows have a status bar. |
| Task List: | A window that shows all running applications and enables you to switch between them. You can open Task List by choosing Switch To from the Control menu or by pressing CTRL=ESC. |

| TERMS | DESCRIPTIONS |
|-------------------------|---|
| Tab Key: | Use the TAB key or the mouse to move between fields. Do not use the RETURN key. The RETURN key is usually reserved for the default command button or action (except in menu fields). |
| TCP/IP: | Transmission Communication Protocol/Internet Protocol |
| TEXT BOX: | Type the desired characters into the edit box. The selected entry will not be effective until you tab off or exit from the text box. |
| TOOLBAR: | A series of shortcut buttons providing quick access to commands. Usually located directly below the menu bar. Not all windows have a toolbar. |
| TRANSPORT LAYER: | The fourth layer of the OSI model. It ensures that messages are delivered error-free, in sequence, and with no losses or duplications. This layer repackages messages for their efficient transmission over the network. At the receiving end, the Transport layer unpacks the message, reassembles the original messages, and sends an acknowledgement of receipt. |
| UID: | Unique Identifier |

| TERMS | DESCRIPTIONS |
|---------------------|---|
| VA: | Veterans Administration |
| VHA: | Veterans Health Administration |
| VAMC: | Department of Veterans Affairs Medical Center |
| VERA: | Veterans Equitable Resource |
| VISN: | Veterans Integrated Service Network |
| VistA: | Veterans Health Information Systems and Technology Architecture |
| WORKSTATION: | In general, a powerful computer having considerable calculating and graphics capability. For Windows NT, computers running the windows NT operating systems are called workstations, as distinguished from computers running Windows NT Server, which are called servers. |

Appendix A

This is a list of shortcut keys use by the VistA Mental Health Assistant Graphical User Interface software application:

NOTE: When going from one menu option to a sub-menu, do not release the Alt key.

Shortcut Keys

Main Form Window

- Alt-F File
- S Select Patient
- U Upload Results
- X Exit
- Alt-T Tools
- M METRIC Instrument Reviews
- O Options
- Alt-H Help
- O Online Support
- A About Window
- ESC Exit
- Alt-I Instrument Administrator
- Alt-R Instrument Results Review
- Alt-A Addiction Severity Index Manager
- Alt-G Global Assessment of Functioning Manager

Offline Results Synchronizer Window

- Alt-F File
- E Exit
- Alt-H Help
- O Online Support
- A About Window
- Alt-S Search for
- Alt-G Go
- Alt-D Delete Off-Line record
- Alt-U Upload
- Alt-X Exit

User Preferences Window

| | |
|-------|-------------------|
| Alt-F | Font |
| | P CPRS Font |
| | W Windows Font |
| | N New Font |
| Alt-H | Highlight Color |
| Alt-M | Misc. |
| Alt-C | Cancel |
| Alt-D | Done |

About Window

| | |
|-------|------|
| Alt-O | OK |
| ESC | Exit |

Instrument Administrator Window

| | |
|-------|-------------------------------------|
| Alt-F | File |
| | S Select Patient |
| | X Exit |
| Alt-T | Tools |
| | M METRIC Instrument Reviews |
| | B Battery Wizard |
| | O Options |
| Alt-H | Help |
| | I Instrument Description |
| | O Online Support |
| | A About Window |
| Alt-B | Instruments Ordered By |
| Alt-I | Interviewer |
| Alt-D | Date of Administration |
| Alt-L | Visit Location |
| Alt-A | Available Instruments and Batteries |
| Alt-W | Show |
| Alt-C | Instruments Chosen |
| Alt-O | One Question at a Time |
| Alt-Q | All Questions at Once |
| Alt-P | Patient Entry |
| Alt-S | Staff Entry |

Battery Wizard Window

| | |
|-------|-------------------------------------|
| Alt-F | File |
| | N New |
| | R Rename |
| | D Delete |
| | X Exit |
| Alt-T | Tools |
| | O Options |
| Alt-H | Help |
| | I Instrument Description |
| | O Online Support |
| | A About Window |
| Alt-A | Available Instruments and Batteries |
| Alt-B | Name of Battery |
| Alt-I | Instruments in Battery |
| Alt-S | Save |
| ESC | Exit |

One Question at a Time Window

| | |
|-------|-----------------------------|
| Alt-F | File |
| | C Cancel |
| Alt-V | View |
| | E Previous Instrument |
| | I Next Instrument |
| | R Review Answers |
| | P Prior Question |
| | Q Next Answer |
| Alt-T | Tools |
| | M METRIC Instrument Reviews |
| | O Options |
| Alt-H | Help |
| | O Online Support |
| | A About Window |
| Alt-P | Prior Question |
| Alt-Q | Next Question |
| Alt-R | Review Answers |

All Questions at Once Window

| | |
|-------|---|
| Alt-F | File |
| | X Exit |
| Alt-V | View |
| | (Depends on the instruments in the battery) |
| Alt-T | Tools |
| | M METRIC Instrument Reviews |
| | O Options |
| Alt-H | Help |
| | O Online Support |
| | A About Window |

Review Answers Window

| | |
|-------|----------------|
| Alt-F | File |
| X | Exit |
| Alt-H | Help |
| O | Online Support |
| A | About Window |
| Alt-C | Change Answer |
| Alt-X | Exit |

Instrument Results Review Window

| | |
|-------|---------------------------|
| Alt-F | File |
| S | Select Patient |
| A | Save As |
| R | Report |
| T | Table |
| G | Graph |
| P | Print |
| R | Report |
| T | Table |
| G | Graph |
| X | Exit |
| Alt-E | Edit |
| C | Copy |
| R | Report |
| T | Table |
| G | Graph |
| Alt-V | View |
| R | Reports |
| G | Graph and Table |
| Alt-T | Tools |
| A | Append Comments |
| M | METRIC Instrument Reviews |
| O | Options |
| Alt-H | Help |
| O | Online Support |
| A | About Window |
| Alt-R | Reports |
| Alt-G | Graph and Table |
| ESC | Exit |

Append Test Comments Window

| | | |
|-------|---|----------------|
| Alt-F | | File |
| | S | Save |
| Alt-F | | File |
| | X | Exit |
| Alt-H | | Help |
| | O | Online Support |
| | A | About Window |
| ESC | | Exit |

ASI Window

| | | |
|-------|---|---------------------|
| Alt-F | | File |
| | N | New ASI |
| | F | Full |
| | L | Lite |
| | U | Follow-Up |
| | S | Select Patient |
| | A | Save As |
| | R | Report/Table |
| | G | Graph |
| | P | Print |
| | R | Report/Table |
| | G | Graph |
| | X | Exit |
| Alt-W | | New |
| | F | Full |
| | L | Lite |
| | U | Follow-Up |
| Alt-E | | Edit |
| | C | Copy |
| | R | Report/Table |
| | G | Graph |
| Alt-V | A | ASI |
| | | View |
| | N | Narrative Report |
| | I | Item Report |
| | R | Item Trends |
| | D | Domain Scores |
| Alt-A | | Action |
| | W | Write progress note |
| Alt-T | | Tools |
| | O | Options |
| Alt-H | | Help |
| | O | Online Support |
| | A | About Window |
| ESC | | Exit |

ASI Data Entry Window

| | |
|------------------------|-------------------------------------|
| Alt-D | Drug/Alcohol Use Section |
| Alt-E | Employment/Support Section |
| Alt-G | General Information Section |
| Alt-I | Spiritual Comments Section |
| Alt-L | Legal Status Section |
| Alt-M | Medical Status Section |
| Alt-P | Psychiatric Status Section |
| Alt-R | Leisure Comments Section |
| Alt-S | Family/Social Relationships Section |
| Alt-A | Family History Section |
| Alt-F | File |
| E | Exit |
| Alt-T | Tools |
| O | Options |
| H | Highlight Color |
| T | Speed Tab |
| S | Show hints |
| D | Default Window Size/Position |
| Alt-F4 | Exit |
| ESC | Exit |
| F1 | Help for the highlighted item |
| Alt-H | Help |
| C | Contents |
| O | Online Support |
| A | About Window |
| ASI Options Window | |
| Alt-C | Cancel |
| Alt-D | Done |
| ESC | Exit |
| ASI Signature Window | |
| Alt-C | Cancel |
| Alt-O | OK |
| ESC | Exit |
| ASI Termination Window | |
| Alt-C | Cancel |
| Alt-O | OK |
| ESC | Exit |

Addiction Severity Index Manager Window

| | |
|-------|--|
| Alt-F | File |
| | S Select Patient |
| | R Save New Rating |
| | A Save As |
| | G Graph |
| | T Table |
| | P Print |
| | G Graph |
| | T Table |
| | X Exit |
| Alt-E | Edit |
| | C Copy |
| | G Graph |
| | T Table |
| Alt-A | Action |
| | S Save New Rating |
| | R Mark Rating "Entered in Error" |
| Alt-T | Tools |
| | O Options |
| Alt-H | Help |
| | O Online Support |
| | A About Window |
| | C Copyright Info |
| Alt-R | Mark Rating "Entered in Error" or Change Delete Rating |
| Alt-D | Delete Rating |
| Alt-N | New GAF Rating |
| Alt-D | Evaluation Date |
| Alt-S | Save New Rating |

Edit GAF Window

| | |
|-------|---------------|
| Alt-D | Delete Rating |
| Alt-H | Change Rating |
| Alt-C | Cancel |
| Alt-O | OK |
| ESC | Exit |

Pop-Up Menus (Only on Addiction Severity Index Manager Window)

Reports/Tables

| | |
|-------|---------|
| Alt-P | Print |
| Alt-C | Copy |
| Alt-S | Save As |

Graphs

| | |
|-------|---------|
| Alt-P | Print |
| Alt-C | Copy |
| Alt-S | Save As |

Appendix B

This section contains descriptions of the many windows commands and features used in MHA GUI software application:

Windows Conventions

Cancel

Cancels the latest entry (up until the OK or SAVE button is clicked).

Check Box

Toggles between a YES/NO and ON/OFF setting. Usually a square box containing a check mark or *x*. Clicking the box or pressing the spacebar toggles the check box setting.

Close

Closes the window. If there are any changes that have not been saved, you will get a confirmation message asking you if you want to continue without saving; save before exiting; or cancel the close action and return to the window.

Command Button

The Command button initiates an action. It is a rectangular box with a label that specifies what the button does. Command buttons that end with three dots indicate that a subsidiary screen may be evoked by selecting the command.

Date Field

Identified by “_/_/” or a date “mm/dd/yy”. Will usually have an associated popup calendar. Double clicking with the mouse inside the date edit box, or tabbing to the edit box and then pressing the F2 key, displays the calendar. Clicking on the desired date, or using the arrow keys to move to a date and then pressing the spacebar, selects the date. Each component of the date (month/day/year) must consist of two characters (i.e., 02/02/96). The selected entry will not be effective until you tab off or exit from the date field.

Drop Down List

A list box containing an arrow button on the right side which displays one entry at a time. Choose from a vertical list of choices. Select the entry you want by clicking the list entry. You cannot type in this box, only select an item from the list. Once an entry is selected, it cannot be deleted - only changed. If <None> is the last entry, selecting it will clear the list entry. If <More> is the last entry, selecting it will display additional entries. The selected entry will not be effective until you tab off or exit from the drop down list.

Edit

Used to edit position information.

Edit Box

This is a box where the user can type in free text from the keyboard.

F2 Key

Where there is an additional action, which may be taken on a field, pressing the F2 key will initiate that action.

Form Buttons

Buttons, which appear on tab pages, apply only to that tab and not the entire form. If there are action buttons on both the tab page and the form, the tab button should normally be clicked first.

Help

Provides help for the area you are currently working in.

List Box

List Box that shows a list of items. If more items exist than can be seen in the box, a scroll bar appears on the side of the box. Selecting an entry from a list box requires either double clicking the entry or single clicking the entry and pressing the spacebar.

Lookup Box

Choose from a vertical list of choices. By typing in a few characters and pressing the ENTER or TAB key, a list of matching entries drops down. Select the entry you want by clicking the list entry. Entering a question mark and then pressing ENTER or TAB, or clicking the down arrow on an empty edit field, gives a complete listing of available entries. If <More> is the last entry, selecting it will display additional entries.

OK

Adds the new entry after the data has been entered.

Radio Button

Radio buttons appear in sets. Each button represents a single choice and normally only one button may be selected at any one time. For example, MALE or FEMALE may be offered as choices through two radio buttons. Click in the button to select it.

Right Mouse Button or Shift F10

You may click the right mouse button or press Shift F10 for a popup box of menu items.

Save

Saves all changes made since the last save action. If you attempt to save and all required fields have not yet been completed, you will receive notification that the required fields must be completed before saving.

Save to File (Save AS)

This is a standard feature of Microsoft applications where the user can type the name of the file to be saved. The user can also define the drive and directory where the file is to be saved. In some cases the file name presented in the edit box is sufficient and the user merely needs to click on the “Ok” button to save the file.

Tab Key

Use the TAB key or the mouse to move between fields. Do not use the RETURN key. The RETURN key is usually reserved for the default command button or action (except in menu fields).





Text Box





Type the desired characters into the edit box. The selected entry will not be effective until you tab off or exit from the text box.








View Box

This is a box that displays text but does not allow editing (read only).

Glossary of Graphical User Interface (GUI) components used in Mental Health Assistant 3 (MHA3)

| Component/Terms | Descriptions |
|---|--|
| <p><u>Multiple-Selection List Box</u></p>  | <p>A Multiple-Selection List Box permits selection of one or more choices from a list of choices. Simply click on the little boxes next to the selection's text and a check-mark symbol appears in the box, indicating your selection.</p> |
| <p><u>Drop-Down Combo Box</u></p>  | <p>A Drop-Down Combo Box contains a “hidden” list that is not visible until the user clicks on the button with the down-arrow icon. Then, the list appears and an item can be selected from the list. Click on the item that you wish to select. Drop-Down Combo Boxes also accept typed text in the component's Text Box. Some Drop-Down Combo Boxes are used to display data directly from VistA files, such as a list of staff members.</p> |
| <p><u>Drop-Down List Box</u></p>  | <p>A Drop-Down List Box contains a “hidden” list that is not visible until the user clicks on the button with the down-arrow icon. Then, the list appears and an item can be selected from the list. Click on the item that you wish to select. Unlike Drop-Down Combo Boxes, no text can be entered into the Text Box part of the component.</p> |
| <p><u>Text Box</u></p>  | <p>Text Boxes allow for typing a relatively small amount of text—generally, the length of a single line of text, or less. Normally, Text Boxes accept any text characters typed into them. However, in some cases, Text Boxes are restricted to accept only a pre-defined group of characters. For instance, only accepting integer or currency values.</p> |

| | |
|---|---|
| <p><u>Date-Picker</u></p>  | <p>A Date-Picker component offers two ways of entering date information. The first is to type in the date in the Text Box part of the component while observing the displayed format. Another way to pick a date is to click on the button with the down-arrow icon, which triggers the display of the visual calendar. By default the calendar displays the current month. Other dates can be navigated to by clicking on the name of the month, the year, and the side-arrows. To pick a date, click on the day number on the calendar.</p> |
| <p><u>Single-Selection List Box</u></p>  | <p>A Single-Selection List Box displays all available choices at once, from which only one of the mutually-exclusive selections may be made.</p> |
| <p><u>Masked Text Box</u></p>  | <p>A Masked Text Box is a special kind of Text Box in that it adds pre-configured formatting to the data entered into the component. In this example, the “() –“ formatting elements were correctly placed and automatically added to the phone number as the user typed in only the numbers.</p> |
| <p><u>Multiple-Line Text Box</u></p>  | <p>A Multiple-Line Text Box functions in the same manner as a single-line Text Box, but provides enough space for entering large amounts of text.</p> |

| | |
|--|---|
| <p><u>Spin Box</u></p>  | <p>Spin Boxes provide for the quick entry and verification of integer data. The buttons with the up and down arrowheads respectively increase or decrease the value of the displayed integer. Additionally, an integer value can be typed into the Text Box holding the integer value.</p> |
| <p><u>Option Buttons</u></p>  | <p>Option Buttons display all available choices at once, from which one of the mutually-exclusive selections may be made. This is the most commonly-used component in Mental Health Assistant. To make a selection, click on one of the white circles, which will then display a black dot in its center.</p> |
| <p><u>Slider</u></p>  | <p>A Slider is a visual way of displaying a range from which to select a single value. The accompanying labels offer information about what the range limits mean.</p> |
| <p><u>Progress Indicator</u></p>  | <p>Indicates the amount of progress transpired during time-consuming events.</p> |
| <p><u>Command Button</u></p>  | <p>A button that executes a specific function when pressed.</p> |
| <p><u>Menu Button</u></p>  | <p>A button with more than one choice</p> |
| <p><u>Tabs</u></p>  | <p>A navigation method similar to tabs on a writing notebook.</p> |