

Remote Order Entry System (ROES)

Installation Guide



Version 3.0

October 2003

Department of Veterans Affairs

VistA Health Systems Design and Development

Revision History

Date	Description	Author
September 15, 2003	Format manual and input revisions.	Loren Behuniak
September 18, 2003	Revised format.	Loren Behuniak
October 15, 2003	Revised document based on NVS input.	Loren Behuniak

Preface

Purpose of the Remote Order Entry System

The Remote Order Entry System (ROES) version 3.0 gives authorized end users at VHA facilities the ability to order products and services from the VA Denver Distribution Center (DDC).

Scope of Manual

This manual provides instructions for the installation and maintenance of the ROES 3.0 software.

Audience

The information in this manual is intended for Information Resource Management (IRM) staff. However it may also be helpful to: National **V***ist***A** Support (NVS), Health System Design & Development (HSD&D), and ADPACs in Audiology and Speech Pathology Service (ASPS) and Prosthetics and Sensory Aids Service (PSAS).

Related Manuals

Remote Order Entry System (ROES) Version 3.0 Technical Manual

Remote Order Entry System (ROES) Version 3.0 User Manual

Remote Order Entry System (ROES) Version 3.0 Security Guide

Introduction

Purpose of ROES 3.0

ROES version 3.0 was developed to simplify and enhance the ordering of products and services from the Denver Distribution Center (DDC) including hearing aids and numerous other commodities. Ancillary functions such as updating patient records and registering devices may also be done through the web interface. ROES 3.0 is accessed from your PC as a web application through your browser allowing orders to be placed using an interactive, real time point and click interface. ROES 3.0 also accommodates keyboard navigation and entry.

ROES 3.0 was designed to use advanced technologies and practices in software design, supporting hardware platform, database management, and network integration to provide DDC customers and staff with simple and easy to use ordering capabilities. The application provides patient care providers and associated Veterans Health Administration (VHA) staff with comprehensive patient information and order histories. It was also designed to use progressive procurement and distribution practices, advanced general business practices, and current VA Regulations, which have evolved since the introduction of ROES 2.0

A definitive criterion used to establish the strategic direction and development path for ROES 3.0 involved combining:

- The necessity to optimize compatibility and data communications capability with established VA systems and business practices
- The objective of applying leading edge information technology resources to strategic business systems development, comparable to the best that can be found in the private sector
- The desire to provide a "progressive continuity" to DDC customers, implementing significant enhancements to the existing application, while minimizing transition apprehension for end users.

Benefits of ROES 3.0

The ROES 3.0 application architecture makes available, for the first time, a web-based application for activities such as order placement and inquiry functions, while retaining and improving upon the character-based interface formerly used in ROES 2.0. It is expected that a web interface, enabling point-and-click functionality, allows information to be presented in a more organized fashion, enhancing the navigation and data entry procedures.

In another departure from previous versions, the majority of ROES 3.0 system software and data files reside on DDC computer resources, leaving only selected key components on local Medical Center systems. There are a number of factors supporting this transition. These include:

- Insurance of a singularity and consistency of the available product database
- Opportunity for immediate real-time processing of orders placed
- Reduced dependency on VAMC application of patches and file modifications

Higher capacity VA wide area network resources implemented since ROES 2.0 enable these architectural changes.

In addition to the overall architecture, ROES 3.0 provides a number of process-specific benefits, features, and functionality improvements, such as the following:

- 1. Provides users with a simplified ordering process.
- 2. Includes cost comparison functionality for display/selection of all contract hearing aids meeting selected specifications.
- 3. Allows repair orders to be entered by the provider.
- 4. Includes a module to enter audiometric data and display or print the resulting audiogram in graph or tabular format.
- 5. Provides information in "real time".
- 6. Provides enhanced commodity ordering capabilities.
- 7. Provides enhanced device registration capabilities.
- 8. Provides enhanced display/update capabilities for authorized aids.
- 9. Provides enhanced station stock ordering capabilities.
- 10. Decreases delivery time to patients since orders are submitted immediately for processing.
- 11. Links with the CPRS clinical record application already in place in the VHA environment.
- 12. Provides increased accuracy in patient eligibility determination prior to order placement, with improvements to subsequent reporting and statistical analysis.
- 13. Provides access to multiple ROES 3.0 functions (clinical and administrative) through a comprehensive entry point.
- 14. Provides supervisory designation of user authorization/approval levels.
- 15. Provides a Cochlear Implant registry for tracking of cochlear implant information.
- 16. Reduces the likelihood of erroneous orders such as, orders for combinations of device specifications that cannot be accommodated by hearing aid manufacturers.

General Rules for ROES 3.0 Data Entry pages

- 1. There are no "double clicks" in ROES 3.0. Click the selection one time only.
- 2. There are no "right mouse button" commands in ROES 3.0.

NOTE: There is a key distinction between Windows-based applications (where double-clicks and right-button functionality are common) and web applications. There will not be a noticeable consequence to the user for these actions; however, the results may be unexpected. Double clicking may cause a drop-down list to open and close quickly. Right-clicking will produce selectable functions made available by the browser, but nothing specific to ROES. We strongly discourage use of the right-click in order to prevent the use of the browser's back and forward functions.

- 3. It is recommended that users not click the "X" in the top right hand section of the ROES 3.0 browser window to close a window. Use the navigational links and buttons provided within the application to exit the system. Closing the browser window without properly exiting the application will not have any detrimental effects on the user but may leave an open user session and incomplete or 'phantom' order information in the application.
- 4. Only use the Back, Forward, or Exit command buttons provided on the ROES 3.0 pages for navigation never use the windows provided "back" and "forward" commands.
- 5. The command buttons within the application perform background housekeeping functions that maintain the integrity of the order as a user navigates through the ordering process. The Windows browser's 'Forward' and 'Back' commands bypass those functions and could result in loss of information from the order.
- 6. "Grayed out" fields cannot be accessed.
- 7. Any Exit button will return you to the *View Order History* page.

Orientation

Symbols used in manual

In code examples, the caret (^) or 'U' may be used interchangeably as separators.

The caret is also used to designate a global reference when used in front of a global name as in ^DPT(.

Getting additional information

Visit the **V**ist**A** document library web site at http://www.va.gov/vdl/ for the ROES 3.0 PDF and WORD documentation.

Use the KIDS Build File Print option [XPD PRINT BUILD] if you would like a complete listing of package components exported with this software.

Use the KIDS Install File Print option [XPD PRINT INSTALL FILE] if you'd like to print out the results of the installation process.

Application Architecture Overview

ROES 3.0 includes application components that reside on two systems: the VA **V**ist**A** system and the DDC system. The VAMC components include 'M' routines, RPC Broker calls, and Delphi executables. The general purpose of these components is to gather information and initiate an interactive session to the DDC-resident ROES 3.0 Web application, passing the assembled information to the application.

Two Delphi executables invoke different capabilities within ROES 3.0. One executable and associated set of broker calls integrates as an option on the CPRS Tools menu (see also the chapter: *Charts in the ROES 3.0 Technical Manual*). This set of components performs the following functions:

- Gathers patient information for the selected patient
- Determines or initiates a request for determination of the patient's eligibility for DDC services
- Assembles patient and user information
- Initiates a browser session to the ROES 3.0 web application and passes the assembled information to ROES
- Allows for copying of specified order information to the Windows clipboard with subsequent pasting to a CPRS Progress Note or to an external application

The second combination of Delphi executable and associated set of broker calls comprises an executable application that can be invoked directly (separate from CPRS) or from an application shortcut, and performs the following functions:

- Assembles user information
- Initiates a browser session to the ROES 3.0 web application and passes the Assembled information to ROES 3.0

The DDC-resident component of ROES 3.0 exists as a Web-based order entry application. The browser is used as the application interface. Users have access to specific functional modules depending on which ROES 3.0 entry point is accessed.

Chapter 1: Pre-Installation Issues

IMPORTANT NOTE: Because the VAMC-resident components are structured to link directly to the DDC production processing system, installation of the ROES 3.0 distribution package in a 'Test' or other non-production UCI/namespace should not be performed. Installation in a non-production environment could cause fictitious orders to be processed to fulfillment by the DDC. If there is a specific need for installation in a non-production environment, contact the DDC IRM Division (303-914-5160).

Estimated installation and setup time: 30 minutes

Recommended Desktop Minimums for ROES 3.0

SPECIFICATION	RECOMMENDED MINIMUM
Processor	200 MHz
Memory	64 MB
Hard Drive	4GB
Video	AGP 2x w/4MB
CD-ROM	8x
Monitor	17" VGA, .28 pixel resolution
LAN Interface	10/100 Mbps Ethernet
Keyboard	101 -key
Mouse	Microsoft Compatible
Operating System*	Microsoft Windows 9x
	Microsoft Windows NT Workstation v4.0 or Windows 2000 Pro strongly recommended.
Browser**	Internet Explorer v5

^{*}NOTE: ROES 3.0 is compatible with Microsoft Windows XP.

A system meeting the above specifications can be expected to provide the functionality necessary for ROES 3.0. The VA Assistant Secretary for Information and Technology has established a set of minimum configurations for any new procurement of desktop systems across the enterprise (VA Directive 6401). For most of the specifications listed above, the VA minimum baseline exceeds the recommended minimum for ROES 3.0. The above specifications are provided to allow for use of equipment in current inventory, if necessary. In assessing procurement and/or other resource acquisition actions to meet ROES

^{**}NOTE: There are no minimum Browser Service Pack requirements.

3.0 desktop requirements, each facility is advised to give consideration to the specifications mandated by the above-mentioned Directive. Conformance with these established and/or emerging VA standards is encouraged. A dynamic update of the VA desktop standards is maintained at http://vaww.vairm.vaco.va.gov/vadesktop/.

System Configuration Issues

ROES 3.0 requires a standard **V***ist***A** operating environment, **V***ist***A** RPC Broker and Internet Explorer in order to function correctly. Note the recommended minimums above. Internet Explorer is expected to be found in the directory: C:\Program Files\Internet Explorer\IEXPLORE.EXE.

Two Delphi executable files are included in the ROES 3.0 distribution package. One file (ROES3.exe) is designed for integration with CPRS and depends on a patient being identified prior to the option being invoked. Upon completion of the installation procedures, this should appear as a selectable option on the CPRS Tools menu.

The other file (ROES3DeskTop.exe) is designed as a stand-alone (non-CPRS) application and ROES 3.0 entry point, and does not require pre-identification of a specific patient. It is intended that this option be made available to end users via a desktop shortcut to the application path, although other typical Windows methods of invoking the option can be considered, such as adding the option to the Windows Programs menu. The instructions throughout this document assume that the application files have been installed in a specific location and that a desktop shortcut to the application is available to the end user.

Desired placement of these ROES 3.0 Delphi files should be determined in advance and may vary based on facility-specific practices regarding broker-based applications. A common and recommended practice is to place the files on a central shared network resource. The appropriate CPRS and desktop setup procedures can then reference that central location using a standard UNC path (\servername\sharename\filename). An alternative practice may be to place the files on each client computer, referencing that application path in the CPRS and desktop setup.

ROES 3.0 transmits user and patient data to the DDC web application using HTTP and a smart URL. All order information is created and stored at the DDC. When initiating the browser session, ROES expects the Internet Explorer application file to be located in the default installation path: c:\Program Files\Internet Explorere\iexplore.exe. One Beta test facility experienced ROES connectivity problems before discovering that the current version of Internet Explorer was installed in a different path. Prior to installing ROES 3.0, confirm that Internet Explorer resides in this path on each computer, and that it is a current version of the browser.

It is recommended that proper coordination be done with ASPS and PSAS for determination of menu option assignment (see detailed description in <u>Chapter 3</u>) and mail group membership (see detailed descriptions in <u>Chapters 2</u>, <u>3</u> and the <u>Appendix</u>). In most cases, the RMPF ROES UPDATES (ASPS) and RMPF ROES UPDATES (PSAS) mail groups should already exist on the local VistA system. If not, the names of mail group coordinators for these mail groups will be required during the installation process. The names of the coordinators should be obtained from or verified by the respective Services prior to installation.

DDC ROES 3.0 order processing also incorporates patient-specific audiometric information from the Quality: Audiology and Speech Pathology Audit and Review (QUASAR) package. A companion QUASAR patch (ACKQ*3.0*3) provides end users with data entry and display capabilities for this information. It is recommended that ACKQ*3.0*3 be installed concurrently with ROES 3.0.

Remote Order Entry System (ROES), Version 3.0 Installation Guide

Routines and Checksums

The following is a list of the routines and checksums for ROES 3.0.

NOTE: All routines and checksums are new for ROES 3.0 and do not need to be mapped.

ROUTINE	CHECKSUM	DESCRIPTION	
RMPFRPC0	14317184	Used by RPC RMPFELIG to collect information and calculate eligibility and return to the GUI.	
RMPFRPC1	4846679	Used by RPC RMPFDEMOG to collect patient demographic information and return to the GUI.	
RMPFRPC3	2795744	Handles messages between PSAS and ASPS regarding eligibility	
RMPFDE2	4775274	Holds the function setting up the list of eligibility requests that have not been approved or rejected. Used by V <i>ist</i> A menu option RMPFDE2.	
RMPFDE3	6656730	Eligibility approval process for menu option RMPFDE2.	
RMPFDE4	1968602	Sends alerts when eligibility requests have not been acted on. Used by V <i>ist</i> A menu option RMPFDE4 that is placed in the repetitive queue to run daily.	

ROES 3.0 Display Considerations

IMPORTANT NOTE: ROES 3.0 application pages display best at a display resolution of 1024x768. If this is not an end user's preferred resolution, ROES pages will not appear properly formatted. This will not affect application functionality, but may make page content more difficult to understand and navigate. If an end user chooses to increase their resolution to 1024x768, they should be aware that all other Windows applications and objects in their Windows environment will be reduced in size.

FTP Software and Documentation

The software for this patch is available for retrieval via FTP. All VA Medical Centers are encouraged to use the TCPIP FTP functionality to obtain the software from one of the following OI Field Office ANONYMOUS.SOFTWARE directories:

OI FIELD OFFICE	FTP ADDRESS
Albany	ftp.fo-albany.med.va.gov
Hines	ftp.fo-hines.med.va.gov
Salt Lake City	ftp.fo-slc.med.va.gov
VistA Download Site	download.vista.med.va.gov

FILE NAME	TITLE	TRANSFER MODE	SIZE
RMPF3_0.KID	KIDS File	ASCII	92 KB
RMPF3_0.ZIP	ZIP File of Executables	Binary	588 KB

FILE NAME	TITLE	TRANSFER MODE	SIZE
RMPF3_0IG.PDF	Installation Guide	Binary	585 KB
RMPF3_0IG.DOC	Installation Guide	Binary	284 KB
RMPF3_0SG.PDF	Security Guide	Binary	425 KB
RMPF3_0SG.DOC	Security Guide	Binary	240 KB
RMPF3_0TM.PDF	Technical Manual	Binary	560 KB
RMPF3_0TM.DOC	Technical Manual	Binary	571 KB

FILE NAME	TITLE	TRANSFER MODE	SIZE
RMPF3_0UM.PDF	User Manual	Binary	1.96 MB
RMPF3_0UM.DOC	User Manual	Binary	3.04 MB

NOTE: The KIDS file must be transferred in ASCII mode. The .DOC, .PDF and .ZIP files must be transferred in binary mode. The .PDF files can be read using the Adobe Acrobat Reader program.

Chapter 2: ROES 3.0 System Additions

The KIDS Build installs the following options, mail groups, remote procedure calls and routines to the *VistA* system:

New VistA Options Added in ROES 3.0

OPTION	DESCRIPTION
RMPF ROES3	Main option controlling access to CPRS TOOLS and Desktop executables
RMPFDE2	PSAS Option for approval of ROES 3.0 eligibility before ordering.
RMPFDE4	Scheduled TaskMan option to alert PSAS users of pending eligibilities.

VistA Mail Groups used in ROES 3.0

These mail groups may already exist at your site from previous versions of ROES, but if not, you will need to name a coordinator at installation and enter appropriate users.

- 1. RMPF ROES UPDATES (ASPS) receives messages (VA MailMan) that a request for eligibility has been returned from PSAS. This should include all ASPS users that will order from the ROES 3.0 system.
- 2. RMPF ROES UPDATES (PSAS) receives messages (VA MailMan) that there are pending eligibility determinations or that they have been processed. This should include all PSAS users that give approval on patient eligibility.

New Vist A Remote Procedures

PROCEDURE	DESCRIPTION
RMPFDEMOG	Collects demographic information
RMPFELIG	Collects eligibility information
RMPF ELIG MSG	Sends the request for eligibility verification to the RMPF ROES UPDATES (PSAS) mail group

New Delphi Executable List

EXECUTABLE	DESCRIPTION
ROES3.exe	Main application for patient orders run from the CPRS Tools Menu
ROES3DeskTop.exe	Main station order routine to be run from the desktop.

New VistA File

There is one file exported with the ROES 3.0 package. It is for the storage of eligibility requests and replies. It is a standard ROES name spaced (RMPF), FileMan-compatible file

When the internal application logic is not able to definitively determine a patient's eligibility (see *Application Architecture Overview*), a request is sent to a designated RMPF ROES UPDATES (PSAS) mail group for eligibility determination. This process uses the ROES ELIGIBILITY CONFIRMATION file (#791814), to store pending eligibility information, along with the **V***ist***A** MESSAGE file (#3.9) reference where comments related to this eligibility determination process are held.

The eligibility determination process creates entries in the "^RMPF (791814," global in the following format:

```
^RMPF (791814,IEN,0)=DFN ^ entry date ^ DUZ of entering user ^ expiration date

^RMPF (791814,IEN,1)=ASPS suggested eligibility ^ msg number to PSAS

^RMPF (791814,IEN,2)=PSAS selected eligibility ^ disapprove(0), approve(1), or pending(2) ^ DUZ of PSAS user ^ date of determination
```

All information local to the station or clinic is stored in this global while awaiting PSAS approval of eligibility and is kept in the file a defined period after approval or rejection (for order modifications). This global entry is created and referenced by the ROES 3.0 application to ensure that requests for eligibility determination are acted upon in a timely manner and to provide a database of eligibility if additional ROES-related actions are necessary within a defined time period after the original determination. Currently this defined period is two years. A purge program will be released in a later patch, once the time frame is finalized.

The entry is created when a request for PSAS eligibility determination is initiated. The entry remains for up to 60 days after creation while awaiting PSAS action on the request. Beginning seven days after creation, if there has been no PSAS action, a daily alert is generated (option RMPFDE4) to mail group RMPF ROES UPDATES (PSAS) as a reminder of the request. PSAS action generates a VA MailMan message, via option RMPFDE2, to the RMPF ROES UPDATES (ASPS) mail group indicating approval or disapproval.

Chapter 3: ROES 3.0 Installation Instructions

Installation Overview

The ROES 3.0 distribution package includes a KIDS Build and the RMPF3_0.ZIP file. The KIDS installation will set up the **V***ist***A** file, menu options, mail groups, remote procedure calls and routines. The Broker-based Delphi executables, ROES3.exe and ROES3DeskTop.exe, will be extracted from the RMPF3_0.ZIP file. Option RMPF ROES3 is used to establish context and therefore access to the DDC web application for both Delphi executables.

ROES 3.0 requires that the RPC Broker V1.1 be installed on any workstation from which the GUI will be executed. If a workstation can already connect successfully via CPRS, BCMA, or PCMM, then the RPC Broker has already been installed. If you need to install the RPC Broker, please refer to the RPC Broker website http://vista.med.va.gov/broker/download.asp for configuration information and to download the installation file if you do not already have it.

The workstation used to access either of the Delphi executables will need to have the RPC Broker set up the same way that it is for CPRS, BCMA or PCMM. The serverlist.exe application, which comes with the RPC Broker installation file, determines which accounts a particular workstation can access. The RPC Broker connections will default to BROKERSERVER on port 9200 if other choices are not provided. If you need more information on serverlist.exe, please refer to the RPC BROKER TECHNICAL MANUAL.

As described in *Chapter 1*, desired placement of the two ROES 3.0 Delphi executable files should be determined in advance and may vary based on facility-specific practices regarding broker-based applications. A common and recommended practice is to place the files on a central shared network resource. The appropriate CPRS and desktop setup procedures can then reference that central location using a standard universal naming convention (UNC) path (\\servername\sharename\filename). An alternative practice may be to place the files on each client computer, referencing that application path in the CPRS and desktop setup.

The following sequence summarizes the procedures necessary for installation of all ROES 3.0 components. Detailed descriptions of these procedural steps follow.

- 1. Install KIDS
- 2. Setup Mail Group
- 3. Assign RMPF ROES3 Menu Option to Users
- 4. Assign RMPFDE2 Menu Option to Users
- 5. Schedule option RMPFDE4 in TaskMan
- 6. Add ROES 3.0 Application to CPRS Tools Menu
- 7. Add ROES 3.0 Application to User Desktop Environment

Step 1: Install KIDS

NOTE: Consider the following items before beginning Step 1:

- Users are allowed to be on the system during the installation.
- It will take less than one minute to install the patch.
- You do not need to stop TaskMan or the background filers.
- While performing step number 6 of this procedure, you may be prompted to enter your ASPS and PSAS Mail Group Coordinators if they are not already identified in the system.
- 1. Sign into the account where the package is installed. Make certain your DUZ variable is set to a valid user number and DUZ(0) equals "@". Invoke the KIDS menu (XPD Installation Menu option or D ^XPDKRN) to load the HFS file that contains the Distribution global and run the Install Package(s) option. This installation example assumes TaskMan is running.
- 2. Select Programmer Options Option: Kernel Installation & Distribution System

Edits and Distribution ...

Utilities ...

Installation

3. Select Kernel Installation & Distribution System Option: Installation

Load a Distribution

Print Transport Global

Compare Transport Global to Current System

Verify Checksums in Transport Global

Install Package(s)

Restart Install of Package (s)

Unload a Distribution

4. Select Installation Option: Load a Distribution

Enter a Host File: **RMPF3_0.KID**

Reply **YES** when asked if you want to continue with the load.

5. The patch has now been loaded into a Transport Global on your system.

NOTE: At this point you may wish to run the **Verify Checksums in Transport Global** option. If any of the routine checksums failed you should contact your distributing OI Field Office and not proceed with the installation process.

6. Select Installation Option: Install Package(s)

Select INSTALL NAME: ROES 3.0

A comment may appear stating that you are running a previous version of ROES and ask if you want to continue installing ROES 3.0. Respond **YES**

Want KIDS to Rebuild Menu Trees Upon Completion of Install? YES// NO

Want KIDS to INHIBIT LOGONs during the install? YES// NO

Want to DISABLE Scheduled Options, Menu Options, and Protocols? YES// NO

Step 2: Setup Mail Group

Mail Group - RMPF ROES UPDATES (ASPS)

This mail group may exist from prior versions of ROES, but if not, you will be asked to provide a coordinator during the installation process. All ASPS providers being assigned the RMPF ROES3 option should be made members of this group. They will receive notice when PSAS approves or disapproves eligibility requests through this group. See the <u>Appendix</u> if you need to add members.

Mail Group - RMPF ROES UPDATES (PSAS)

This mail group may also exist from prior versions of ROES, but if not, you will be asked to provide a coordinator during the installation process. All PSAS providers being assigned the RMPFDE2 option should be made members of this group. They will receive notice when ASPS requests an eligibility approval through this group.

See the **Appendix** if you need to add members.

Step 3: Assign RMPF ROES3 Menu Option to Users

All ROES 3.0 users should have access to the RMPF ROES3 option to place orders or perform actions in the ROES 3.0 system. These staff should be identified by the Audiology (ASPS) and Prosthetics (PSAS) Service Chiefs prior to installation, along with the desired menu placement (Primary Menu, Secondary Menu, or other menu placement). To place on another **V***ist***A** menu, use the Kernel Menu Management Option as follows:

From the Menu Management Option [XUMAINT]

Select Menu Management Option: EDit options

Select OPTION to edit: enter name of menu option to add to

NAME: echoes back option// <RETURN>

MENU TEXT: echoes back option menu text Replace <RETURN>

PACKAGE: <RETURN>

OUT OF ORDER MESSAGE: <RETURN>

LOCK: <RETURN>

REVERSE/NEGATIVE LOCK: <RETURN>

DESCRIPTION: <RETURN>

TYPE: Broker (Client/Server)// <RETURN>

HEADER: < RETURN>

ENTRY ACTION: <RETURN>
EXIT ACTION: <RETURN>

Select RPC: RMPF ELIG MSG//<RETURN>

RPC: RMPF ELIG MSG//<RETURN>

RPCKEY: **<RETURN>**RULES: **<RETURN>**Select RPC: **<RETURN>**

Select ITEM: xxxxxx// RMPF ROES3 ROES3 OPTION ACCESS

Are you adding 'RMPF ROES3' as a new MENU (the 3RD for this OPTION)? No// Y

(Yes)

MENU SYNONYM: **R3**SYNONYM: R3// **<RETURN>**DISPLAY ORDER: **<RETURN>**

Select ITEM: <RETURN>

CREATOR: POSTMASTER// <RETURN>

HELP FRAME: <RETURN>
PRIORITY: <RETURN>

Select TIMES PROHIBITED: <RETURN>
Select TIME PERIOD: <RETURN>
RESTRICT DEVICES?: <RETURN>
Select PERMITTED DEVICE: <RETURN>

Select OPTION to edit: <RETURN>

Step 4: Assign RMPFDE2 Menu Option to Users

Selected Prosthetics staff should have access to the RMPFDE2 option to evaluate eligibility determinations for certain patient-specific orders. These staff should be identified by the Service Chief prior to installation, along with the desired menu placement (Primary Menu, Secondary Menu, or other menu placement). To place on a **VistA** menu, use the Kernel Menu Management Option as follows:

From the Menu Management Option [XUMAINT]

Select Menu Management Option: EDit options

Select OPTION to edit: <name of menu option> NAME: <echoes back option>// <RETURN>

MENU TEXT: <echoes back option menu text> Replace <RETURN>

PACKAGE: <RETURN>

OUT OF ORDER MESSAGE: <RETURN>

LOCK: <RETURN>

REVERSE/NEGATIVE LOCK: <RETURN>

DESCRIPTION: <RETURN>

Edit? NO//

TYPE: menu// <RETURN>

Select ITEM: <name of selected menu item>// RMPFDE2 Display ROES3 Eligibility Requests

Are you adding 'RMPFDE2' as a new MENU (the 28TH for this OPTION)? No//Y

(Yes)

MENU SYNONYM:

SYNONYM:

DISPLAY ORDER:

Select ITEM:

CREATOR: POSTMASTER// <RETURN>

HELP FRAME: <RETURN> PRIORITY: <RETURN>

Select TIMES PROHIBITED: <RETURN>
Select TIME PERIOD: <RETURN>
RESTRICT DEVICES?: <RETURN>

Select PERMITTED DEVICE: <RETURN>

Select OPTION to edit: <RETURN>

NOTE: Some Prosthetics Services do not use ROES for order entry purposes, and may choose not to have the option in Step 3 assigned. However, under National Program Office direction, the local PSAS Service must review individual cases where ROES 3.0 eligibility is uncertain. The option in Step 4 must be assigned to at least one PSAS staff member.

Step 5: Schedule RMPFDE4 in TaskMan

The RMPFDE4 option is installed with the KIDS Build, but you must put it on the schedule to run. This option generates alerts notifying Prosthetics (PSAS) staff of requests awaiting determination. For each request, a daily alert will be generated if no action has been taken after the number of days specified in the RMPFDY variable (default = 7) have elapsed. Origination date of the request is maintained in the ^RMPF(791814, global (see *Chapter 2- New VistA File*).

From the TaskMan Management Option [XUTM MGR]

Select TaskMan Management Option: SCHedule/Unschedule Options

Select OPTION to schedule or reschedule: **RMPFDE4** Auto Que of Eligibility R...OK? Yes// **Yes**

Edit Option Schedule

Option Name: RMPFDE4

Menu Text: Auto Que of Eligibility Request TASK ID: XXXXXX

QUEUED TO RUN AT WHAT TIME: **T+1** @ **0100** (or other time of your choosing)

DEVICE FOR QUEUED JOB OUTPUT:

QUEUED TO RUN ON VOLUME SET: (Volume if desired)

RESCHEDULING FREQUENCY: 1D

TASK PARAMETERS:

SPECIAL QUEUEING:

Exit Save Next Page Refresh (select: Next Page)

Edit Option Schedule

Option Name: RMPFDE4

USER TO RUN TASK:

VARIABLE NAME: RMPFDY VALUE: 7 (recommended interval before alerts begin)

VARIABLE NAME: VALUE: VARIABLE NAME: VALUE: VARIABLE NAME: VALUE: VARIABLE NAME: VALUE:

COMMAND: Save and then Exit Press <PF1>H for help Insert

Step 6: Add ROES 3.0 Application to CPRS Tools Menu

- 1. Unzip RMPF30.zip and extract ROES3.exe.
- 2. Copy ROES3.exe to a folder either on a shared network resource or on each ROES 3.0 user's workstation. Installation to a shared resource is recommended, in which case a server-based folder and corresponding share name would need to be created. Ensure proper folder- or share-level permissions are applied to allow access for ROES 3.0 users. A share name of **V***ist***A** is recommended. If the file is placed in a shared location, the UNC path to that location can be used in the setup below. If placed on each workstation, the local path to that location can be used.
- 3. From the [OR PARAM COORDINATOR] menu select the option: **GUI Parameters**
- 4. From this option select: GUI TOOL MENU ITEMS

CPRS GUI Tools Menu may be set for the following:

1	User	USR	[choose from NEW PERSON]
2	Location	LOC	[choose from HOSPITAL LOCATION]
2.5	Service	SRV	[choose from SERVICE/SECTION]
3	Division	DIV	[choose from INSTITUTION]
4	System	SYS	(will vary by site)
9	Package	PKG	[ORDER ENTRY/RESULTS REPORTING]

NOTE: Selection number 4, "System", is the recommended scope selection; however, you should determine which scope selection is appropriate based on the facility's established practices regarding management of the Tools menu. Ensure that the ROES 3.0 option is added at the proper level of granularity to make it available to all identified ROES 3.0 users.

5. Enter selection: 4 System [SITENAME].MED.VA.GOV (or other appropriate scope selection)

A list of existing entries for the Tools menu will be displayed.

6. Select Sequence: 1 if none exist or the next sequence number

Name=Command: ROES3="path to executable \ROES3.EXE" DFN=%DFN DUZ=%DUZ

Optionally, you may append (after adding a space) s=BROKERSERVER (or correct server name) and p= 9200 (or correct port number).

- 7. Re-enter the CPRS menu to verify that the ROES3 application appears on the tools list.
- 8. See the CPRS Technical Manual if further instructions are desired.

Step 7: Add ROES 3.0 Application to User Desktop Environment

- 1. Unzip RMPF30.zip and extract ROES3DeskTop.exe.
- 2. Copy ROES3DeskTop.exe to a folder on the workstation or shared network resource.

NOTE: Installation to a shared resource is recommended, in which case a server-based folder and corresponding share name would need to be created. Ensure proper folder- or share-level permissions are applied to allow access for ROES 3.0 users. A share name of **V***ist***A** is recommended. The procedures in this document assume installation to this path. If installed to a different path, the shortcut procedure will need to be modified accordingly. This file can be placed in the same location as the ROES3.EXE file.

- 3. Create a shortcut on each ROES 3.0 user's desktop to ROES3DeskTop.exe by right clicking on a blank region of the desktop and selecting **NEW** | **SHORTCUT**.
- 4. When asked for location, type the location in which ROES3DeskTop.exe has been placed, along with your local server and port information as parameters:

"\\servername\VistA\ROES3DeskTop.exe"

NOTE: Include the quotes around the directory string.

Optionally, you may append (after adding a space) s=server and p=port number.

NOTE: Appending the server and port limits the application to the designated server and port for users who have access to more than one server and port combination.

- 5. Press **NEXT**.
- 6. When asked for name, type: **ROES 3 Desktop.**
- 7. Press **FINISH**.

Click the shortcut to ensure it connects successfully. A browser window indicating you are online with the VA Denver Distribution Center confirms that you have connected successfully.

Archiving/Purging

There are no package-specific archiving or purging procedures or recommendations for the ROES 3.0 package. All product and order detail information is stored and maintained on the DDC system. The only locally-stored information is that related to patient eligibility determination, which is stored in the ^RMPF(791814, the ROES ELIGIBILITY CONFIRMATION file. In general, retention of entries is required for a minimum of two years from the date an eligibility assessment is entered into the file. Purging of entries beyond this time frame is being considered and if appropriate, a purge function will be issued in a future ROES 3.0 patch. The associated comments shared between ASPS and PSAS are included in the Message file (# 3.9) text. These messages are subject to the standard VA MailMan archival/purging practices in place.

Upon implementation and complete cutover to ROES 3.0, many of the VistA routines and globals

separate guidance regarding proper removal of residual ROES 2.0 components.

maintained on the local VAMC system under ROES 2.0 will no longer be needed. The DDC will provide

Glossary

TERM	DEFINITION
ALERTS	Brief online notices that are issued to users as they complete a cycle through the menu system. Alerts are designed to provide notification of pending computing activities, such as the need to process a request for eligibility.
APPLICATION PACKAGE	Software and documentation that support the automation of a service. In this case, the Remote Order Entry System.
ASPS	Audiology and Speech Pathology Service.
DDC	Denver Distribution Center.
DFN	The internal number of the patient in the PATIENT file (#2).
GUI	Graphical User Interface. Existing in a Windows environment that allows users to interact using a mouse or keyboard.
нттр	Hypertext Transfer Protocol. A protocol for connecting to a web site.
IRM	Information Resource Management.
KERNEL	A set of VistA software routines that function as an intermediary between the host operating system and the VistA application package (in this case ROES 3.0).
LISTENER	In ROES 3.0 this is the RPC Broker on the workstation and the server.

TERM	DEFINITION
NAME SPACING	A convention for naming VistA package elements, assigned by the Database Administrator (DBA). For ROES 3.0 the name spacing is RMPF.
OPTION	An item in the VistA OPTION file (#19).
PSAS	Prosthetics and Sensory Aids Service
ROES	Remote Order Entry System.
ROUTINE	Groups of program lines that are saved, loaded, and called as a single unit via a specific name.
RPC	Remote Procedure Call. M code that takes optional parameters to do some work and then returns either a single value or an array back to the client application.
SECURITY KEY	A non-visual object or code that provides a layer of protection on the range of computing capabilities available with a particular software package. ROES 3.0 uses menu access for controlling access to options.
SUBSCRIPT	A numeric or string value that identifies a specific node within an array or global.
UNC	Universal Naming Convention.
VistA	Veterans Health Information Systems and Technology Architecture.

Appendix

Setting Up Mail Group Members:

Generally the mail group coordinator will add members, but if IRM is asked to do so, it can be done from the following options:

Manage MailMan Option [XMMGR]

Group/Distribution Management ...[XMMGR-GROUP-MAINTENANCE]

Mail Group Coordinator's Edit [XMMGR-MAIL-GRP-COORDINATOR]

- 1. Select MAIL GROUP NAME: **RMPF ROES UP**
 - 1 RMPF ROES UPDATES (ASPS)
 - 2 RMPF ROES UPDATES (PSAS)
- 2. CHOOSE 1-2: 1 RMPF ROES UPDATES (ASPS)
- 3. Select MEMBER: USER, GENERAL// USER, ASPS Enter ASPS user name
- 4. Select No//Y (Yes) at the following prompt: Are you adding 'USER, ASPS' as a new MEMBER (the 3RD for this MAIL GROUP)?
- 5. TYPE: **I** (INFO)
- 6. Select MEMBER
- 7. Select MEMBER GROUP NAME
- 8. Select No//**NO** at he following prompt: Do you wish to forward past mail group messages to the user(s) you just added to the mail group(s)?
- 9. Select MAIL GROUP NAME:
- 10. Repeat for RMPF ROES UPDATES (PSAS) with USER, PSAS