



**Patient Appointment Information
Transmission
(PAIT)**

**Release Notes Addendum to
SD*5.3*333**

Released with SD*5.3*349

April 2004

Revised January 2009

Department of Veterans Affairs
VistA Health Systems Design and Development

This page left blank intentionally

Revision History

Date	Revision	Description	Author
4.21.2004	1.0	Version 1	Steve Owen
4.28.2004	1.1	Additional Error Descriptions	Steve Owen, Ed Wolf
5.3.2004	1.2	Trouble shooting	Ed Wolf, Steve Owen
5.4.2004	1.3	Trouble shooting Revisions	Steve Owen
7.10.2006	1.4	Corrections	Ed Wolf
7.12.2006	1.5	Document Review	Berry Anderson
12.4.2008	1.7	Changes for patch SD*5.3*528	Tim Dawson
1.5.2009	1.8	Changes for patch SD*5.3*534	Tim Dawson

This page left blank intentionally

Table of Contents

Introduction	7
PAIT Changes introduced with SD*5.3*349	8
Background Job	8
Patient Status Code	8
Sort Template	9
Batch Header	9
Batch Acknowledgement	10
Description of Error Codes:	10
Error 100	11
Error 150	11
Error 200	11
Error 250	12
Error 300	12
Error 350	12
Error 400	13
Error 450	13
Error 500	14
Error 600	14
Error 650	14
Error 700	14
Error 750	14
Error 800	15
Error 850	15
Error "R"	16
Mail Message	16
PAIT Trouble shooting	16

This page left blank intentionally

Introduction

During installation and run of SD*5.3*333 - Patient Appointment Information Transmission - the following problems occurred in some locations:

1. In several instances an entry in the Outpatient Encounter file, pointed to from the Outpatient Encounter field (#21) of the Appointment multiple sub file (#2.98) of the Patient file, was missing or incomplete. This situation was not anticipated in SD*5.3*333 and is addressed in this patch by verifying the existence of the pointed entry, before trying to retrieve the desired data. If the pointed entry does not exist, PAIT will attempt to retrieve the Check Out Date/Time from the Hospital Location Appointment multiple sub file (#44.001)
2. An entry in the Appointment multiple sub file (#2.98) of the Patient file did not exist despite a pointer from the "ASADM" cross reference of the Patient file. The pointer is ignored if the entry is not found.
3. An error occurred if the Institution or Division was missing in the Hospital Location file. The error was generated by a call to `$$SITE^VASITE()` with NULL value. A call is executed without any entry for a default set up.
4. Several sites initiated the PAIT transmission prior to the scheduled start date and had to be re-started after purging the premature run. Errors occurred when HL7 acknowledgements were received for purged batches. Acknowledgement messages are now matched against the PAIT transmission log vs. HL7 logs.
5. Occasionally, duplicate acknowledgements were sent by the Austin Automation Center generating multiple records for the same acknowledged batch. Duplicate acknowledgements are now screened and removed.
6. Several sites initiated the PAIT transmission outside the scheduled dates. A restriction was implemented to prevent this, but still allow for starting within 3 days grace period.
7. When an appointment was identified with 'RS'- Re-schedule Appointment Type and the Creation Date was the same as Cancellation Date, the Reschedule Date/Time may have been equal to the Appointment Date. That situation was eliminated.
8. When an appointment in VistA is canceled and then another one is created for the same date/time the result is a single appointment recorded. We have to deal with two appointments while having only one record in VistA. This problem was discovered during testing and has been addressed.

PAIT Changes introduced with SD*5.3*349

Background Job

The PAIT BACKGROUND JOB completion message was modified to include both Starting Date and the Last Scanned Date, and they are sent to the forum server to reflect more accurate status of the site transmission in the completion report.

Patient Status Code

Modification to interpretation of the Patient Status Code.

Old version:

Table 0216 - Patient Status Codes

NTF (New To Facility)

Patient did not have a prior appointment at this facility in the past 24 months.

SHB (Seen Here Before)

Patient did have a prior appointment at this facility in the past 24 months.

The patient status code indicates if a patient is new to a facility or not. The patient is new to the facility if he/she did not have another appointment in the same facility during the last 24 months. The facility is determined from the Institution file if there is a pointer to it from the Hospital Location file, through the Division pointer to the Medical Center Division, and its Institution pointer to the Institution file with its Station Number field (#99).

New version:

Table 0216 - Patient Status Codes

NSF (New to Parent and Sub Station)

Patient did not have a prior appointment at this Facility in the past 24 months

SHB (Registered Here Before)

Patient did have a prior appointment at this Parent and Sub Station in the past 24 months

record is not corrected it is sent again by the PAIT application with the next scheduled or executed PAIT, and it may be rejected again.

PATIENT APPOINTMENT INFO LOG LIST			SEP 9, 2008	11:28	PAGE 1
PATIENT	APPT DATE				
SHORT DESCRIPTION			ERROR MESSAGE		
CLINIC					

RETENTION FLAG: YES - to be sent when 'Final'					
ERROR MESSAGE: 850					
KING, FEB	APR 29, 2008	08:00			
Admit type is invalid (table SD009)			850		
NEW CLINIC					

Error 100

PATIENT DFN IS NOT NUMERIC OR IS MISSING:

DFN, or internal entry number of a patient in the Patient File is missing or not a number. Most likely the result of a HL7 transmission formatting error. Requires no intervention or correction at site level the first time the error occurs. The record will be re-transmitted. If error persists initiate NOIS and/or call the National Help Desk.

Error 150

CLINIC IEN IS NOT NUMERIC OR IS MISSING:

Clinic IEN, or internal entry number of the Clinic in Hospital Location File is missing or not a number. Most likely the result of a HL7 transmission formatting error. Requires no intervention or correction at site level the first time the error occurs. The record will be re-transmitted. If error persists initiate NOIS and/or call the National Help Desk.

Error 200

BHS STATION NUMBER AND STA3N ARE NOT EQUAL:

Error 200 indicates that the Hospital Location of a particular appointment is set up with an Institution whose Station Number field doesn't match the sending facility number. The Institution is identified from the Medical Center Division file (# 40.8) pointed to by the Division field (# 3.5) of the Hospital Location file (#44). The first three digits of the station number have to match the sending VistA facility number. The site has to find if the Station Number in the Institution is incorrect or another Institution has to be set up with the Medical Center Division of the Hospital file. If the Institution field of the Medical Center Division file is not null it is treated as a designated location of that appointment. The PAIT retrieves the Institution and its Station

Number, following the Division field pointing to the Medical Center Division file, and its Institution File Pointer field (# .07). IRM should direct this issue to whomever is responsible for set-up of the Hospital Location file. If the issue cannot be solved locally a Remedy ticket has to be initiated and/or the National Help Desk notified.

Error 250

INVALID OR MISSING BHS STATION NUMBER:

HL7 site parameters are incorrect. Initiate NOIS and/or call the National Help Desk.

Error 300

INVALID OR MISSING STA3N:

Error similar to 250. It indicates that the Station Number field (# 99) identified from the Institution is null or its first three characters do not match the facility 3 digits number. Allow the record to be re-transmitted. If error persists initiate NOIS and/or call the National Help Desk.

Error 350

HL7 DATE IS NOT IN PROPER FORMAT OR IS MISSING:

Error 350 is mostly caused by too old desired date of appointment or bogus date of appointment itself, filed in VistA sub file 1900 of the Patient File. IRM has to address this issue consulting the Scheduling team. If no evidence can be found initiate NOIS and/or call the National Help Desk.

Example:

Error 350 would have to be evaluated by a person having programming access and authority to repair data. Please note the following examples:

```
(1) DFN 105723 error for 12/1/2004    <= CORRECTED

^DPT(105723,"S",3041201.133,0) = 5142^^^^^3^^^^^^^9^^^
3040315^^^^^0^0^0

^DPT(105723,"S",3041201.133,1) = 1200104^1    <= incorrect date

^DPT(105723,"S",3041201.133,1) = 3041201^1    <= corrected

(2) DFN 41221 error 10/11/2004

^DPT(41221,"S",3041011.1018,0) = 1072^C^^^^^3^^^^^34131
^^3031014.0845^11^9^^3413
1^3031014^^^^^0^0^0
^DPT(41221,"S",3041011.1018,1) = 3041011^1    <= appears correct
^DPT(41221,"S",3041011.1018,"R") = error
      from the Hospital Location file (#44)
```

^SC(1072,"S",3041011.1018,0) = 3041011.1018
^SC(1072,"S",3041011.1018,1,0) = ^44.003PA^^

You may have to look into a related appointment that was made on the original appointment's cancellation date, please see below:

Global ^DPT(41221,"S",1011103.1018
^DPT(41221,"S",1011103.1018,0) = 1072^^^^^3^^^^^^9^^^3031014
^^^^0^^0
^DPT(41221,"S",1011103.1018,1) = **1011103^1**

Patient DFN 41221 has appt. date 11/03/1801 - not correct.

(3) DFN 85462 error 12/2/2003 <= CORRECTED

^DPT(85462,"S",3031202.13,0) = 1048^^^^Y^3^^^^^3031202
^^^9^^^3030915^15323851^^^^0^O^0
^DPT(85462,"S",3031202.13,1) = **1200203^0** <= incorrect date

^DPT(85462,"S",3031202.13,1) = 3031202^0 <= corrected

^DPT(5385215543,"S",1120303.13,0) = 4532^C^^^^^3^^^^^40347
^^3031105.1110^11^9^^40347^3031105^^^^0^^0

^DPT(5385215543,"S",1120303.13,1) = 3031112^1

^DPT(5385215543,"S",1120303.13,"R") = error
from File #44

^SC(4532,"S",1120303.13,0) = 1120303.13

^SC(4532,"S",1120303.13,1,0) = ^44.003PA^^

(4) DFN 42092 error 12/22/2003 CORRECTED

^DPT(42092,"S",3031222.14,0) = 5175^C^^^^^3^^^^^38323

^^3031124.1512^11^9^^38323^3031124^^^^0^O^0

^DPT(42092,"S",3031222.14,1) = 1201203^1 <= incorrect date

^DPT(42092,"S",3031222.14,"R") = WRONG DATE

^DPT(42092,"S",3031222.14,1) = 3031222^1 <= corrected

Error 400

DOB IS MISSING OR INVALID:

Site staff should examine demographics of Patient for an invalid or missing date of birth and correct.

Error 450

CREATE DATE OR APPT DATE IS MISSING:

Each generated appointment must have the Creation Date. Site should verify an entry in 409.6 file checking the DATE APPT MADE field. If that field exists, allow the record to be re-transmitted. If error persists initiate NOIS and/or call the National Help Desk.

Error 500**CREATION DATE IS BEFORE SEPTEMBER 1, 2002**

PAIT evaluates appointments based on the Creation Date before Sep 1st 2002. Site should verify an entry in 409.6 file checking the DATE APPT MADE field. If its value shows a date before Sep 1st 2002 initiate NOIS and/or call the National Help Desk, otherwise allow the record to be retransmitted and if the error persists initiate NOIS or/and call the National Help Desk.

Error 600**RESCHEDULED DATE AND APPT TYPE ARE NOT IN AGREEMENT**

Please refer to description of Appointment Type: RS – Rescheduled in chapter 4.0 Appointment Selection Logic of SD*5.3*333 Release Notes. If the Rescheduled Date was identified the Appointment Type must be 'RS'. No site intervention is required, initiate NOIS and/or call the National Help Desk.

Error 650**CHECK OUT DATE AND EVENT REASON ARE NOT IN AGREEMENT**

The Event Reason: 'CO' or 'COE' require the Check Out Date to be included with a transmitted appointment. No site intervention is required, initiate NOIS and/or call the National Help Desk.

Error 700**CANCELLATION DATE AND EVENT REASON ARE NOT IN AGREEMENT**

The Cancellation Date requires the Event Reason to be either 'CC', 'CP', 'NS' or 'CT'. Please refer to SIU Event Mapping Table in chapter 4.0 Appointment Selection Logic of SD*5.3*333 Release Notes. Appointment Type 'CT' may be also sent without the Cancellation Date if a new appointment that overrode the original one is still 'pending'. Initiate NOIS and/or call the National Help Desk if no solution is evident.

Error 750**EVENT REASON AND FILLER STATUS ARE NOT IN AGREEMENT**

Review SIU Event Mapping Table in chapter 4.0 Appointment Selection Logic of SD*5.3*333 Release Notes to see the indicated relation. . Initiate NOIS and/or call the National Help Desk if no solution is evident.

Error 800**FILLER STATUS IS MISSING OR IS INVALID**

Each appointment record must have the Filler Status that corresponds to either 'pending' or 'final' value. Initiate NOIS and/or call the National Help Desk.

Error 850**ADMIT TYPE IS INVALID (table SD009)**

Patch SD*5.3*446 was released with a new sequence - Admission Type, see below, to be accepted in Austin.

PV1 - Patient Visit Segment

SEQ	LEN	DT	TBL#	ELEMENT NAME	VISTA DESCRIPTION
4	4	ID	0007	Admission Type (Purpose of Visit)	Refer to Table SD009

For a list of valid types see table SD009 - Purpose of Visit & Appointment Type in the SD*5.3*333 Release Notes.

Austin set up a new rejection code 850 - 'Admit type is invalid (table SD009)' on their site that corresponds to the code in the PCMM HL7 ERROR CODE file (#404.472).

```
IF ADMIT_TYPE NOT IN ('0101','0102','0103','0104','0105','0106',
    '0107','0108','0109','0111','0201','0202','0203','0204','0205',
    '0206','0207','0208','0209','0211','0301','0302','0303','0304',
    '0305','0306','0307','0308','0309','0311','0401','0402','0403',
    '0404','0405','0406','0407','0408',
    '0409','0411','')
THEN ERR_CODE = '850';
```

The report from the Rejected Transmissions [SD-PAIT REJECTED] option will list any entry with rejection code '850'. Like the other errors on that report, it needs to be investigated and the appointment retransmitted (in this case, the valid Purpose of Visit and Appointment Type need to be determined). Sites must not create their own local appointment types because ones not on the table will be rejected.

Error "R"

WHOLE BATCH REJECTED:

The whole batch rejection from the AAC has not been implemented at this time and will be future enhancement but a manual rejection may be implemented if needed. No action at all has to take place because there was a problem with accepting the whole batch. The batch will be retransmitted, no action is needed.

Mail Message

The message generated at the end of generated appointment batches in a Vista facility, and it will contain additional information regarding the Started and the Last Scanned Date:

Subj: 656 - PAIT BACKGROUND JOB [#5277039] 04/22/04@16:06 13 lines
From: POSTMASTER In 'IN' basket. Page 1 *New*

The PAIT job has completed - TASK #: 8949063 Log #: 2 on 4/22/04@16:05
Started: 4/22/04 **Last Scanned: 4/21/04**

Pending appointments: 33411
Final appointments: 63586

Total appointments: 96997 Number of batches: 20

Fac Log Bch Appt # Date finished IP Address Gen Sent Com R Com P
Status

656| 2| 20| 96997|4/22/04@16:05|10.104.10.89| 379| 378| 378| 378|
Inactive

WARNING: 1 out of 20 batches have to be still transmitted. This message might be generated when HL7 transmission is still in process.

PAIT Trouble shooting

After successful completion of the bi-monthly PAIT transmission, members of the SDPAIT mail group should receive a PAIT BACKGROUND JOB MailMan message confirming success. It is the site's responsibility to initiate a NOIS if this message is not received after the scheduled task finishes or if an error is found in the error log. The site should first check the error log, looking at the time when the PAIT task terminated, and call the National Help Desk to initiate a NOIS with the error log entry attached.

All completion messages are also sent to the Forum server where HSD&D and EVS can verify that the reported transmission has finished. If an error or problem occurs, IRM should not start the next PAIT task until HSD&D or EVS staff review the problem and take or advise corrective action.