

Joint Legacy Viewer (JLV) 2.6.1

User Guide



January 2018

Version 1.1

Department of Veterans Affairs

Office of Information and Technology (OIT)

Revision History

Date	Revision	Description	Author
01/26/2018	1.1	Comments addressed. Guide approved	AbleVets
01/19/2018	1.0	Submitted for review	AbleVets
01/02/2018	0.1	Initial draft of artifact	AbleVets

Artifact Rationale

Per the Veteran-focused Integrated Process (VIP) Guide, the User's Guide is required to be completed prior to Critical Decision Point #2 (CD2), with the expectation that it will be updated as needed. A User Guide is a technical communication document intended to give assistance to people using a particular system, such as VistA end users. It is usually written by a technical writer, although it can also be written by programmers, product or project managers, or other technical staff. Most user guides contain both a written guide and the associated images. In the case of computer applications, it is usual to include screenshots of the human-machine interfaces, and hardware manuals often include clear, simplified diagrams. The language used is matched to the intended audience, with jargon kept to a minimum or explained thoroughly. The User Guide is a mandatory, build-level document, and should be updated to reflect the contents of the most recently deployed build. The sections documented herein are required if applicable to your product.

Table of Contents

1. Introduction	1
1.1. Purpose of the Guide	1
1.1.1. Guide Conventions	2
1.1.2. Terminology	2
1.2. Assumptions	2
1.3. System Requirements	2
1.4. Getting Help	3
2. Logging in to JLV	4
2.1. VHA User Log In	4
2.2. VBA User Log In	6
2.3. Editing Your User Profile at Log In	6
2.3.1. Selecting a UI Theme	7
2.3.2. Community Data Display	7
2.4. Logging Out of the Current JLV Session	8
3. The Elements and Functionality of JLV	9
3.1. The JLV Portal Pages	9
3.1.1. Default View	9
3.1.2. System Menu	10
3.1.3. Viewing System Status	11
3.1.4. Context Management	12
3.1.4.1. Suspending Context	13
3.1.4.2. Establishing Context	13
3.1.4.3. Unable to Communicate with Vault	14
3.1.4.4. Context Synchronization Failure	14
3.1.5. VistA Imaging Viewer	15
3.2. Customizing JLV	16
3.2.1. Setting the UI Theme	16
3.2.2. Using the Accessible Theme's Functionality	19
3.2.2.1. Keyboard Focus and Screen Navigation	19
3.2.2.2. Accessible Theme Screen Navigation	20
3.3. User-Restricted Access to Patient Data	22
3.3.1. VHA Users Viewing DoD-only Patients	22
3.3.2. VBA Users Viewing Patients with DoD Data	23
3.3.3. Access to DoD Sensitive Records	24
3.4. Patient Searches	25
3.4.1. PDWS Search Rules and Supported Searches	26
3.4.2. MVI Search Guidelines	26
3.4.3. Patient Search Using DoD ID	26
3.4.4. Patient Search Using SSN	27

3.4.5.	Advanced Patient Search Options	29
3.4.6.	Family Member Search	30
3.4.7.	Recently Viewed Patients List	32
4.	Widgets	34
4.1.	Accessing and Opening Widgets	34
4.2.	Widget Navigation and Display Options	35
4.3.	Widget Toolbars	36
4.4.	Minimized vs. Expanded Widget View.....	37
4.4.1.	Date Range Filters.....	38
4.4.1.1.	Quick Date Range Filter.....	38
4.4.1.2.	Start and End Date Filter	39
4.5.	Viewing Interface Status	40
4.6.	Displaying Widgets on Custom Tabs	41
4.7.	Refreshing Data in a Widget	42
4.8.	Using Report Builder	43
4.9.	Printing.....	47
5.	Widget Functionality	48
5.1.	Patient Demographics Widget	48
5.1.1.	Patient Flags and Alerts	48
5.1.2.	Race Data Terminology Normalization	49
5.1.3.	Demographics from Community Partners	50
5.1.4.	Viewing Third-Party Insurance Information	50
5.2.	Documents Widget	51
5.2.1.	Documents Widget Data.....	52
5.2.2.	Viewing Documents	53
5.2.3.	Viewing DoD Sensitive Data.....	54
5.2.4.	Display and Filter Options.....	54
5.2.5.	Terminology Normalization.....	55
5.3.	Community Health Summaries and Documents - VA	55
5.3.1.	Community Health Summaries and Documents - VA Widget Data.....	56
5.3.2.	Viewing VA Community Health Summary Documents	56
5.4.	Military Health System (MHS) GENESIS Widget.....	57
5.4.1.	MHS GENESIS Widget Data	57
5.4.2.	Viewing MHS GENESIS Documents.....	58
6.	Troubleshooting.....	59
6.1.	Special Instructions for Error Correction	59
6.1.1.	Login Page Error Messages.....	60
6.1.2.	System Error Messages	61
6.1.3.	VA VLER Server Error Message	63
7.	Acronyms and Abbreviations.....	64

Table of Figures

Figure 1: Single Sign-On Page for VA Users	5
Figure 2: Edit Profile Link on the JLV Login Page.....	7
Figure 3: Community Data Display Option	8
Figure 4: JLV Log Out Icon.....	8
Figure 5: References Widget.....	9
Figure 6: JLV Tools on the Portal Pages.....	10
Figure 7: More JLV Functionality	10
Figure 8: System Status Details	11
Figure 9: System Status on the JLV Login Page	12
Figure 10: Context Indicator	12
Figure 11: Suspending Context.....	13
Figure 12: CCOW Warning Message	14
Figure 13: CCOW Error Message	14
Figure 14: Context Synchronization Failure	15
Figure 15: Camera Icon in the Image Column	15
Figure 16: Thumbnail and Link in Details View.....	16
Figure 17: Blue (Default) UI Theme	17
Figure 18: Green UI Theme	17
Figure 19: Dark Gray UI Theme	18
Figure 20: Gray UI Theme	18
Figure 21: Accessible (508 Compliant) UI Theme	19
Figure 22: Navigation Using Elements with Keyboard Focus	21
Figure 23: Document Details with Keyboard Focus	22
Figure 24: VA User Restricted Access Dialog	23
Figure 25: VBA User Audit Notification	23
Figure 26: Restricted Access Notification.....	24
Figure 27: DoD Sensitive Record and Audit Dialog Box	25
Figure 28: DoD ID (EDIPI) Search.....	27
Figure 29: SSN Search.....	28
Figure 30: Additional Identifiers Needed.....	28
Figure 31: Advanced Search Options.....	29
Figure 32: Sponsor SSN Search.....	31
Figure 33: Family Members Dialog Box	32
Figure 34: Recently Viewed Patients List.....	33
Figure 35: Widgets on the Patient Portal.....	34
Figure 36: Widget Tray.....	34
Figure 37: Date Range Filters Applied.....	38
Figure 38: Quick Date Range Filter Options.....	39
Figure 39: Start and End Date Display Filter	40
Figure 40: Interface Status Banner	41
Figure 41: Add Custom Tab Icon.....	41
Figure 42: Add Tab Dialog Box.....	42
Figure 43: Report Builder Icon	43
Figure 44: Report Builder Pane and Add Record to Report Option	44
Figure 45: Document Ready Dialog Box	44
Figure 46: Report Builder Tools	45

Figure 47: Preview of Record in Report Builder Pane	46
Figure 48: Patient Demographics Widget	48
Figure 49: Patient Flags Indicator	49
Figure 50: Patient Flags and Postings Details	49
Figure 51: Standardized Race Data	50
Figure 52: Insurance Information.....	51
Figure 53: Documents Widget, Minimized View	52
Figure 54: Documents Widget, Expanded View	53
Figure 55: Details View of a Document.....	53
Figure 56: Standardized Name and Code—Documents Widget	55
Figure 57: Community Health Summaries and Documents—VA, Minimized View	56
Figure 58: Community Health Document	57
Figure 59: MHS GENESIS Widget	58
Figure 60: CCDA Document	58
Figure 61: Log In Error - CAPRI Patient Selection Restrictions.....	59

Table of Tables

Table 1: JLV User Profiles.....	1
Table 2: ESD Contact Information.....	3
Table 3: Accessible Theme Keyboard Shortcuts.....	20
Table 4: Navigation Icons and Actions	35
Table 5: Widget Toolbar Icons	36
Table 6: Error Messages and Resolution Steps	60
Table 7: System Error Messages.....	61
Table 8: Community Health Summaries and Documents - VA Widget Error Message	63
Table 9: Acronyms and Abbreviations.....	64

PLEASE NOTE: JLV integration with VLER/DAS for data parsing functionality is disabled in JLV 2.6.1, due to further enhancements and testing.

1. Introduction

Born from a joint Department of Defense (DoD)-Department of Veterans Affairs (VA) venture called JANUS, Joint Legacy Viewer (JLV) was directed by the Secretary of the VA and the Secretary of Defense in early 2013 to further support interoperability between the two departments. JLV is a centrally hosted, Java-based web application managed as a single code baseline, and deployed in separate DoD and VA environments. Its browser-based, graphical user interface (GUI) provides an integrated, read-only view of Electronic Health Record (EHR) data from the VA, DoD, and Virtual Lifetime Electronic Record (VLER) eHealth Exchange (eHX) partners, within a single application.

JLV eliminates the need for VA and DoD clinicians to access disparate viewers. The GUI retrieves clinical data from a number of native data sources and systems, then presents it to the user via widgets, each corresponding to a clinical data domain.

Users can create and personalize tabs, drag and drop widgets onto tabs, sort data within a widget's columns, set date filters, and expand a widget for a detailed view of patient information. Within each widget, a circular, blue icon indicates the data retrieved is from a VA source; a square, orange icon indicates that the data retrieved is from a DoD source; and a hexagonal, purple icon indicates data that the data retrieved is from VA VLER partners.

This document is intended for VA JLV users supporting the:

- Veterans Health Administration (VHA)
- Veterans Benefits Administration (VBA)

[Table 1](#) describes authorized JLV users and their responsibilities.

Table 1: JLV User Profiles

User	Description and Responsibilities
DoD Clinician	DoD clinicians who access patient EHRs
VHA	VA clinicians and administrative staff who access patient EHRs to assist in providing health care services
VBA	VA administrative staff who access patient EHRs to assist in Veterans benefits administration processes

1.1. Purpose of the Guide

The purpose of the User Guide is to familiarize VA users with the important features and navigational elements of JLV.


The major features of the JLV GUI include:

- Access to patient data (through widgets)

- Context management
- User-restricted access (Break the Glass)
- Use of the Report Builder
- Option to use the accessible (508 compliant) interface

1.1.1. Guide Conventions

This document is designed for both online and hardcopy consumption.

- [Cross References](#) are indicated by blue, underlined text, and provide a hyperlink to figures, tables, and other sections within this guide
- Emphasis is expressed by **bold** and *italicized* text
- The information symbol  calls the reader's attention to additional information

1.1.2. Terminology

The following standard terms are used throughout this guide:

- **Patient Portal:** The page that displays patient data through widgets
- **Provider Portal:** The landing page, or default view, of JLV that appears after logging in to the application that displays widgets and the tools that enable quick access to basic features
- **Tabs:** Tabs display the Patient and Provider portals, and present user-customized views of widgets
- **Widget:** A component of the JLV interface that enables a user to view information or perform a function
- **Widget Tray:** An expandable and collapsible tray at the bottom of the portal pages that provides access to all widgets available for placement on the portal pages

1.2. Assumptions

The User Guide is written from the perspective of VA JLV users, assuming the following:

- You can open, navigate, and use a web browser
- You can use web-based applications, their menu options, and navigation tools
- You have the Uniform Resource Locator (URL) for the JLV Login page, a system username, and the Access/Verify codes required to launch JLV
- You are using the functionality of JLV to support VHA and/or VBA workflows

1.3. System Requirements

JLV is optimized for use with the VA standard browser, Internet Explorer (IE), currently version 11. To ensure proper viewing of patient data and other application elements, it is recommended that JLV is viewed using:

- A monitor set to a minimum screen resolution of 1024 x 768

- The approved browser, with the browser's zoom percentage set to 100

JLV must be accessed through IE versions 9 and above. Other web browsers may function, but are not certified for support. It is also recommended that Adobe Reader be installed on the user's system.

1.4. Getting Help

For how to information within JLV, please see online help. For access to JLV training videos and additional JLV training materials, please visit [JLV Resources](#).

Prior to contacting the Enterprise Service Desk (ESD) for support ([Table 2](#)), please refer to [Section 2, Logging in to JLV](#), for detailed information about how to access JLV, and to [Section 6, Troubleshooting](#), for suggested resolution steps and troubleshooting information.

If you are an authorized user, are having trouble logging in to JLV, or are experiencing other application issues, please contact the ESD via the telephone number unique to your agency for assistance.

NOTE: Unregistered users should contact support to request access to JLV.

Table 2: ESD Contact Information



VA Enterprise Service Desk

Phone: 855-673-4357


E-mail: esd@va.gov

On the Web: <http://vaww.nsd.va.gov>

2. Logging in to JLV

Authorized, registered users within the VA and DoD are provided access information to log in to JLV. VHA users who have access to the Computerized Patient Record System (CPRS) are automatically authorized to use JLV. VBA users must contact the ESD for access.

Refer to [Section 6, Troubleshooting](#), for more tips on logging in to JLV.

-  Users who are not authorized to access JLV will see an *Access denied* message. If you believe you received the message in error, please contact the ESD.

The JLV **Login** page displays the last successful and unsuccessful log in attempts in the lower left corner, along with the date, local time, and the Internet Protocol (IP) address from which access was made, or attempted access failed.

PLEASE NOTE: There is no functionality available for changing a user identification (ID) and password in JLV. For information about login errors, Access code errors, or Verify code errors, see [Section 6, Troubleshooting](#).

2.1. VHA User Log In

The log in steps detailed below apply to VHA users accessing JLV through a URL.

To log in to JLV:

1. Enter VHA's URL for JLV into the address bar of your Internet browser (<https://jlv.med.va.gov/JLV>)
2. Once SSOi is enabled, all VA users will be redirected to the **VA Single Sign-On** page ([Figure 1](#))
 - a. VA users must sign in to, and be authenticated by, the Single Sign-On system in order to access JLV



-  Once SSOi is enabled, users with a Personal Identity Verification (PIV) exemption may select any of the alternate authentication options available through the VA Single Sign-On Login page for access to JLV. PIV exemptions, if required, can be obtained from the ESD.

Figure 1: Single Sign-On Page for VA Users



3. Once authenticated by the Single Sign-On system, you are redirected to JLV
4. Read the important user consent information regarding access to a Government information system, and click **I Accept**

Optional Step:

Users of Assistive Technology can check the **Accessibility Mode** option in the top-right corner, above the JLV **Login** page fields

If selected, JLV opens and displays the application in the 508-compliant Accessible User Interface (UI) theme (See [Section 3.2.2, Using the Accessible Theme's Functionality](#), for detailed information)

5. Enter your VA login credentials:
 - a. Enter your CPRS Veterans Health Information Systems and Technology Architecture (VistA) Access Code
 - b. Enter your CPRS (VistA) Verify Code
 - c. Select VA from the Agency field
 - d. Select your VA Medical Center or regional Health Care System from the Site field
6. Click **Login**

2.2. VBA User Log In

The following instructions apply to VBA users accessing JLV through a URL only.

To log in to JLV:

1. Enter the VBA's URL for JLV into the address bar of your Internet browser (https://jlv.med.va.gov/JLV_Claims)
2. All VA users will be redirected to the **VA Single Sign-On** page ([Figure 1](#))
 - a. VA users must sign in to, and be authenticated by, the Single Sign-On system in order to access JLV
3. Once authenticated by the Single Sign-On system, you are redirected to JLV
4. Read the important user consent information regarding access to a Government information system, and click **I Accept**
5. If desired, check the **Accessibility Mode** option in the top-right corner, above the JLV **Login** page fields
 - a. If selected, JLV opens and displays the application in the 508-compliant Accessible UI theme (See [Section 3.2.2, Using the Accessible Theme's Functionality](#), for detailed information)
6. Enter your login credentials:
 - a. Enter your Compensation and Pension Record Interchange (CAPRI) Access Code
 - b. Enter your CAPRI Verify Code
7. Click **Login**



Users may select any of the authentication options available through the VA Single Sign-On Login page for access to JLV.



Users with any CAPRI patient selection restrictions will *not* be able to log in JLV.

2.3. Editing Your User Profile at Log In

One method of setting application configuration options (customizing) is by using the **Edit Profile** link (highlighted in [Figure 2](#)) to access the user profile fields through the JLV **Login** page.


The subsections below discuss the options to set the UI theme, and to enable/disable the **Include Community Data** function via the **Edit Profile** link.

User profile options can be set within JLV. See [Section 3.2, Customizing JLV](#).



The selected options are saved to the user profile by clicking **Save and Login**, and remain set for all subsequent JLV sessions until changed by the user.

Figure 2: Edit Profile Link on the JLV Login Page



2.3.1. Selecting a UI Theme

Selecting a UI theme sets the font color and foreground/background colors of the JLV GUI for the widgets, toolbars, and dialog boxes. Theme color options are Blue (Default), Green, Dark Gray, Gray, and Accessible (508 compliant). The UI theme choices appear below the **Agency** and **Site** fields, as seen in [Figure 3](#).



The **Accessible** theme provides larger fonts, enhanced tab and keystroke functionality, and screen reader compatibility, compliant with Federal accessibility requirements and Section 508 standards. Refer to [Section 3.2.2, Using the Accessible Theme's Functionality](#), for more information.

2.3.2. Community Data Display

In a future release, checking (enabling) the **Include Community Data** option will tell JLV to query for, receive, and integrate patient data from external VA VLER community partner data sources. The community data setting is in the bottom half of the **Edit Profile** dialog, seen in [Figure 3](#).

Although the community data setting is not yet active, some community data is available in the **Community Health Summaries and Documents - VA** widget. See [Section 5.3, Community Health Summaries and Documents - VA](#), for detailed information.



VHA users can see the **Include Community Data** option, but it is not yet active. VBA users do not have access to community data, and will not see the **Include Community Data** option.

Figure 3: Community Data Display Option

Accessibility Mode

VistA Access Code:

VistA Verify Code:

Agency: Site:

User Interface Theme

Blue (Default) Green Dark Gray Gray Accessible

Community Data Display

[JLV Help](#)

2.4. Logging Out of the Current JLV Session



To end the current session and exit JLV, click the **Log Out** icon  (highlighted in [Figure 4](#)) at any time.

Figure 4: JLV Log Out Icon





A JLV session will end automatically after 30 minutes of inactivity. You will receive a warning that the session will be ended after 25 minutes of inactivity. Automatic termination of a session logs you out of the application and displays the **Logout** page. To initiate a new JLV session, close and reopen the browser and return to the JLV **Login** page.

Actions in JLV that are considered activity are changing patients, refreshing widgets, opening or closing widgets, adding or removing widgets from the portal pages, and adjusting date ranges.


3. The Elements and Functionality of JLV


3.1. The JLV Portal Pages

After a successful log in, your username is shown in the upper right corner of the application, and the JLV portal pages are displayed. The JLV portal pages are:

- The Patient Portal 
- The Provider Portal 


3.1.1. Default View

Upon log in, users will see the **Provider Portal** . The portal displays the **Patient Search** dialog box and the **References** widget by default.


The **References** widget ([Figure 5](#)) is shown by default on the **Provider Portal** . The **References** widget displays hyperlinked references to online resources. Click a reference link to access the associated website. Click the **Add** icon + to add a new reference link.

Only the reference links you add can be deleted. To delete a reference link, right-click the link and select **Delete URL**. Users will not be able to delete reference links included in the default widget configuration.

Figure 5: References Widget



The **Patient Portal** displays a selected patient's clinical records and other patient-centric information.

New JLV users will see a preconfigured, default widget layout on the Patient Portal  when a patient is selected. The default layout includes the **Allergies**, **Problem List**, **Documents**, **Outpatient Medications**, and **Lab Results** widgets.



Users can configure the layout of widgets on the **Patient Portal** and create multiple widget tabs, as described in [Section 3.2, Customizing JLV after Log In](#), and in [Section 4.1](#).

[Accessing and Opening Widgets](#). Customizations are saved to the user profile as set, and remain until manually changed.

3.1.2. System Menu

Each portal page has a toolbar (highlighted in [Figure 6](#)) that enables quick access to the following features:






- **Configuration Options:** Click the **Settings** icon  in the top-right corner of either portal page to set user preferences, including the UI theme (Refer to [Section 3.2, Customizing JLV](#))
- **Report Builder:** Click the **Report Builder** icon  in the top-right corner of either portal page to create custom reports (Refer to [Section 4.8, Using Report Builder](#))
- **Access Online Help:** Click the **Help** icon  in the top-right corner of either portal page to open online help
- **Log Out of JLV:** Click the **Log Out** icon  to log out and close the current JLV session (Refer to [Section 2.4, Logging Out of the Current JLV Session](#))

Figure 6: JLV Tools on the Portal Pages



The following functions can be completed from the portal pages (highlighted in [Figure 7](#)):











- Perform a Patient Search 
- Switch between the Patient Portal  and the Provider Portal 
- View the system status   
- View Context Management status  
- Open the widget tray **Open Widget Tray**  (bottom-right corner of the portal pages)

Figure 7: More JLV Functionality



The system status is displayed to the left of the username. Hovering over **System Status** will provide additional information, as seen in [Figure 8](#).

Figure 8: System Status Details



3.1.3. Viewing System Status

System status updates are received from JLV’s Quality of Service (QoS) Monitor, also called the Health Monitor. QoS monitors the status of services that JLV uses to connect to VA and DoD data sources, which include: Master Veteran Index (MVI), Patient Discovery Web Service (PDWS), Relay Service, VistA Data Service (VDS), and jMeadows Data Service.

JLV displays the system status on the **Login** page, below the user credential fields (highlighted in [Figure 9](#)), and at the top of the Portal Pages ([Figure 8](#)).




- When all monitored systems and services are online and connected, a green icon  appears next to the status message *JLV data sources are available* on the JLV **Login** page
- When one or more of the monitored systems or services is offline or unavailable, a yellow warning icon  appears next to the status message *JLV is having problems*
 - Notification of unavailable systems persisting longer than 10 minutes should be reported to the VA Enterprise Service Desk ([Section 1.4, Getting Help](#))
- When the jMeadows Data Service is unavailable, a red icon  appears next to the message, *JLV is having problems, jMeadows Data Service is unavailable, JLV may not function properly*
 - Users may not be able to log in to JLV, or view patient data, until the jMeadows connection is restored.



Figure 9: System Status on the JLV Login Page



3.1.4. Context Management

Clinical Context Management (CCOW) is a way for applications to synchronize the display of clinical context, based on the Health Level 7 (HL7) CCOW standard. If CCOW-compliant applications are sharing context and one of the applications changes the data display to a different patient, the other applications will switch to display that same patient.

JLV is context management-enabled. When context is enabled, a patient change made in one context-enabled application (i.e., CPRS) will trigger the same change in JLV. The same effect is shown vice versa; that is, when a patient is selected in JLV, it triggers a patient change in other context-enabled applications.

Context management is enabled by default, and JLV will attempt to connect to the context vault upon a valid login. The context status appears in the top-right corner of the portal pages. When context is established, the **Context On** icon  is shown. When context is suspended, the **Context Suspended** icon  is shown.

[Figure 10](#) shows the context indicator location on a JLV portal pages. In this example, context is suspended.


Figure 10: Context Indicator



3.1.4.1. Suspending Context


Context can be manually suspended.

To manually suspend context:

1. Click the **Context On** icon 
2. The CCOW warning message, *Are you sure you want to break patient link?* appears ([Figure 11](#))
3. Click **Yes** to continue

Once context is suspended, the **Context Suspended** icon  is displayed on the portal pages.


Figure 11: Suspending Context



3.1.4.2. Establishing Context


When context is suspended, it can be reestablished manually.

To establish or reestablish context:

1. Click the **Context Suspended** icon 
2. The CCOW warning message, *Are you sure you want to rejoin patient link?* appears ([Figure 12](#))
3. Click **Yes**

Once context is established, the **Context On** icon  is displayed on the portal pages.

Figure 12: CCOW Warning Message



3.1.4.3. Unable to Communicate with Vault




If JLV is unable to initiate context management upon log in, the user will see the CCOW Error message ([Figure 13](#)). Click **OK** to continue. The **Context Suspended** icon  is displayed on the portal pages. If the CCOW error persists, contact your local service desk for assistance.

Figure 13: CCOW Error Message




3.1.4.4. Context Synchronization Failure

In the event that JLV is unable to reestablish context, a CCOW Error message is presented ([Figure 14](#)). This indicates context is suspended. Click **OK** to continue. The **Context Suspended** icon  is displayed on the portal pages.

VBA users will encounter the error message ([Figure 14](#)) at each log in, as there are no CCOW-compliant applications installed on their computers.

Figure 14: Context Synchronization Failure



3.1.5. VistA Imaging Viewer

JLV integrates access to the VistA Imaging Viewer (an external application), allowing VA users access to VA imaging artifacts for supported clinical domains (widgets). Users can open an instance of the VistA Imaging Viewer through JLV. For more information regarding the VistA Imaging Viewer, please see the [VistA Imaging SharePoint site](#).




A camera icon  displayed in the **Image** column ([Figure 15](#)) of the **Documents**, **Outpatient Encounters**, **Procedures**, **Progress Notes**, and **Radiology Reports** widgets indicates that one or more images are associated with that record. Clicking the camera icon  within the widget opens the VistA Imaging Viewer in a standalone window and displays the associated image.


Figure 15: Camera Icon in the Image Column



If a record has one or more images associated with it, the **Details** view of the record includes a display of a thumbnail in the top-right corner of the window ([Figure 16](#)). Below the thumbnail, a

link that reads, **Click image to open viewer**, is also displayed. Clicking either the thumbnail or the link opens the VistA Imaging Viewer, and displays the associated image(s).

Figure 16: Thumbnail and Link in Details View



3.2. Customizing JLV

Configuration options can be set within JLV by clicking the **Settings**  icon.

3.2.1. Setting the UI Theme

The UI theme setting is a part of the user profile. Choosing a UI theme sets the font, foreground, and background colors of the widgets, toolbars, and dialog boxes. Once selected, the UI theme is stored in the user profile, and remains set until changed. The available UI themes are Blue (Default), Green, Dark Gray, Gray, and Accessible (508 compliant).

To set the UI theme within JLV:


1. Click the **Settings**  icon in the upper right corner of the portal pages ([Figure 6](#))
2. The **User Configuration** dialog box opens
3. Select the desired theme and click **Save**
4. After clicking **Save**, click **Yes** to reload the application and apply your theme choice
5. Alternatively, click **Cancel** to exit the dialog box and restore the previous theme

Figure 17: Blue (Default) UI Theme




Figure 18: Green UI Theme




Figure 19: Dark Gray UI Theme




Figure 20: Gray UI Theme





Figure 21: Accessible (508 Compliant) UI Theme



3.2.2. Using the Accessible Theme's Functionality

The Accessible theme includes larger fonts, enhanced tab and keystroke functionality, and screen reader compatibility to support Federal accessibility requirements and Section 508 compliance.



The Accessible theme is available for users who have adaptive technologies installed on their computers.

3.2.2.1. Keyboard Focus and Screen Navigation

Keyboard focus is the highlighting of a screen element, field, or control that enables interaction with, and navigation of, JLV through the use of the keyboard and keystrokes. The item in focus is outlined in gold as a visual indicator of the element, field, or control with keyboard focus that will receive information typed on the keyboard.

JLV uses common Windows keystrokes (Tab, Shift + Tab, arrow keys, Enter), and keyboard shortcuts to move the focus to all menus, and activate all functions on the menus. All user interface items are accessible via the keyboard under the **Accessible** theme.


Pressing **Enter** or the **Spacebar** when an element that provides action is in keyboard focus performs the associated action. For example, pressing **Enter** or the **Spacebar** when the **Settings**  icon is in focus opens the **User Configuration** dialog box. Using the arrow keys or the **Tab** key moves between keyboard focus items to navigate through screen elements. A complete list of accessible keystrokes is provided in [Table 3](#).

Table 3: Accessible Theme Keyboard Shortcuts

Keystroke	Description
Application & Portal Navigation	
ALT + 4	Press to transfer keyboard focus to the main or top screen element <ol style="list-style-type: none"> 1. On a portal page, focus is transferred Patient Search or the patient tab in the Demographics widget 2. In a widget, focus is transferred to the More>> link 3. In a dialog box, focus is transferred to the dialog box's Close button
ENTER	Press to initiate the action associated with the item in focus
TAB	Press to transfer keyboard focus to other user interface items
ESC	Press to return keyboard focus to the panel containing the user interface item with keyboard focus, or to exit a window or widget
SPACEBAR	Press to activate any user interface item (for example, click a button)
Arrow Keys	When focused on a widget, press the arrow keys to change page viewing in a widget's data table When focused on a dropdown list, press the down arrow key to view list contents
Ctrl + R	When working with Report Builder, place keyboard focus on a record in a widget and press Ctrl + R to add the record to the Report Builder pane
Tab Panels	
Arrow Keys	Use the left and right arrow keys to change tab panels To add a tab panel, press the right arrow key until the last tab (labeled with a plus sign) is selected. A dialog box will prompt for the new tab name.
Windows or Dialog Boxes	
TAB	Press to transfer keyboard focus to other user interface items within the window or dialog box
Adding Widgets to a Portal Page	
Number position	To add a widget from the widget tray using keystrokes: <ol style="list-style-type: none"> 1. Determine which column (1, 2, or 3) in which to place the widget 2. Focus the desired widget icon in the widget tray and press the 1, 2, or 3 key, depending on the column chosen

3.2.2.2. Accessible Theme Screen Navigation


An element with keyboard focus is the starting point for screen navigation. Pressing the **Enter** key when a screen element or icon has keyboard focus mimics a mouse click.

[Figure 22](#) depicts the **Documents** widget with keyboard focus. Focus can be changed by pressing the **Tab** key. In this example, pressing the **Tab** key shifts the keyboard focus from the **Documents** widget to the widget immediately below the **Documents** widget. Pressing the **Tab** key again shifts the keyboard focus to the widget at the top of the next column.




To view hover text where available, focus on the element within the widget that has hover text. After a small delay, the text will appear as if the user hovered over the element with a mouse cursor.

Figure 22: Navigation Using Elements with Keyboard Focus



In [Figure 23](#), the **Document** details window has keyboard focus. Move through the toolbar buttons by using the arrow keys, or by pressing **Tab**. Move to **Close (X)** and press **Enter** to close the details window. After closing the window, keyboard focus returns to the last element that had keyboard focus prior to opening the window.

Figure 23: Document Details with Keyboard Focus



3.3. User-Restricted Access to Patient Data

3.3.1. VHA Users Viewing DoD-only Patients

VHA users are permitted to view the records of patients considered DoD-only, meaning they either have no VA identifiers or are not registered in MVI. The VA requires that these actions be audited. If an attempt is made to access DoD-only patient records, the VHA user is asked to specify the purpose for access. The purpose options presented to the user are: Emergent Care, Clinical Care, or Authorized Administrative Use ([Figure 24](#)).

Once the purpose for access is selected, clicking **Agree to be Audited & Access this Patient Record** ([Figure 24](#)), displays the requested data, and audits the action. The access purpose, organization of the VA provider, date, username, IP address, user's Internal Entry Number (IEN), host system's ID, and patient's Electronic Data Interchange Personal Identifier (EDIPI) are captured in the audit record.

Figure 24: VA User Restricted Access Dialog



3.3.2. VBA Users Viewing Patients with DoD Data

VBA users may see one of two different dialog boxes, depending on whether or not the patient is registered for care in the VA. If the patient is registered for care in the VA, they are in MVI.


- **Patient registered in MVI:** VBA users are permitted to view the records of a patient who is registered in MVI, but the VA requires that these actions be audited
 - After performing a patient search and selecting a patient from the search results, a VBA user will see the audit notification ([Figure 25](#)) if the patient they selected is registered in MVI
 - After agreeing to the audit, the VBA user can access the patient's record

Figure 25: VBA User Audit Notification




- **Patient not registered in MVI:** VBA users are not permitted to access the records of a patient who is not registered in MVI
 - After performing a patient search and selecting a patient from the search results, a VBA user will see the restricted access notification ([Figure 26](#)) if the selected patient is not registered in MVI
 - Clicking **Cancel** returns the user to the previous screen

Figure 26: Restricted Access Notification



3.3.3. Access to DoD Sensitive Records


All JLV users are audited each time a sensitive DoD record is accessed. Auditing applies to sensitive documents, lab panel results, outpatient encounters, or progress notes records. For each attempt to access sensitive data, JLV records the user's name, organization, Social Security Number (SSN)/EDIPI (for DoD users), PIV (for VA users), location, patient identifiers (patient last name, first name, middle initial [MI], SSN/EDIPI [DoD only], MVI [VA only], and date of birth [DOB]), data accessed, date and time, and reason for access.

-  The audit prompt is seen each time access to a sensitive record is attempted, even if the user has been previously audited for the same record.

JLV notifies users before they are audited. The message is triggered when the user clicks a masked record that is marked **** Sensitive ****. An example of a masked record displayed in a widget and the audit notification are depicted in [Figure 27](#).

After the user selects the purpose for viewing the record and agrees to be audited, the sensitive data is displayed in the **Details** view of the widget.

Figure 27: DoD Sensitive Record and Audit Dialog Box



3.4. Patient Searches

The core function of JLV is to display patient information on the **Patient Portal** . Use the **Patient Search** feature to perform a patient search, perform a family search, or use the advanced search options.

JLV determines which enterprise service to use for a patient search, based upon the search criteria:

- If the EDIPI or Sponsor SSN is entered, JLV utilizes PDWS for the search (See [Section 3.4.1, PDWS Search Rules and Supported Searches](#), for details)
- If the EDIPI or Sponsor SSN fields are empty, JLV utilizes MVI for the search (See [Section 3.4.2, MVI Search Guidelines](#), for details)

3.4.1. PDWS Search Rules and Supported Searches

When JLV utilizes PDWS for patient search, the applicable rules and rule sets required for the PDWS interface must be used:

- **Rule Set 1:** When searching by SSN, the full nine-digit SSN must be entered, and the Last Name or DOB must also be supplied
 - This is true for search by patient SSN, as well as Sponsor SSN
- **Rule Set 2:** If you do not have the patient's SSN, you must supply ALL of the following identifiers: last name, first name, DOB, and gender
 - Blanks in any of these four required fields will generate an error
- A 10-digit string is required for telephone number

The following search combinations are supported when PDWS is utilized:

- DoD ID, also referred to as the EDIPI
- Patient SSN and Last Name
- Patient SSN and DOB
- Sponsor SSN and Last Name
- Sponsor SSN and DOB
- Last Name, First Name, DOB, and Gender (ALL identifiers must be entered)

3.4.2. MVI Search Guidelines

JLV utilizes MVI for a patient search when the search parameters include the patient's name and SSN. MVI requires the full last name is entered when the patient's SSN is entered. MVI may also require entering the patient's first name and DOB to increase the efficiency of the search, and the likelihood of locating the patient. An example would be searching for a patient with a common last name, such as Smith or Jones.

3.4.3. Patient Search Using DoD ID

To perform a patient search using the DoD ID ([Figure 28](#)):



1. Click the **Patient Search** icon  at the top of the portal pages
 - a. The **Patient Search** dialog opens
2. Enter the 10-digit patient DoD ID (EDIPI) in the **DoD ID** field

Figure 28: DoD ID (EDIPI) Search

Name	SSN	Date of Birth	Gender
IPOAADLAND, THADDEUS A	101936540	19441023	M

3. Click **Search**
 - a. The search results are displayed in the lower third of the dialog box, under the **Search Results** tab
4. Click a patient's name in the search results list to open the associated record
 - a. The Name, SSN, DOB, and Gender columns in the results list provide information to assist with patient identification
5. After selecting a patient, the **Patient Portal**  opens and displays the selected patient's data

3.4.4. Patient Search Using SSN

To perform a patient search using the patient's SSN:


1. Click the **Patient Search** icon  at the top of the portal pages
 - a. The **Patient Search** dialog box opens
2. Enter the patient's full, nine-digit SSN in the **SSN** field ([Figure 29](#))
 - a. When searching by SSN, either the last name or the DOB *must* be entered to perform the search

Figure 29: SSN Search

The screenshot shows a 'Patient Search' window with the following fields and values:

- DoD ID:
- OR
- SSN: OR Sponsor SSN:
- * Last Name: First Name:
- << [Show Advanced Search Options](#)
- * When searching by SSN, Last Name or DOB is required.
-

Below the search fields, there are two tabs: 'Recently Viewed Patients' and 'Search Results'. The 'Search Results' tab is active, displaying a table with the following data:

Name	SSN	Date of Birth	Gender
IPOAADLAND, THADDEUS A	101936540	19441023	M


3. Click **Search**

- a. If the required patient identifiers are not provided, hover text appears, indicating the information necessary to complete the patient search
- b. If a match of patient names cannot be made, enter additional identifiers (first name, DOB) to refine the search (Figure 30)

Figure 30: Additional Identifiers Needed

The screenshot shows a 'Patient Search' window with a yellow warning triangle icon and the following text:

Patient not found with search elements entered, please provide additional patient identifying information and search again

4. The search results are displayed in the lower third of the dialog box, under the **Search Results** tab
5. Click a patient's name in the search results list to open the associated record
 - a. The Name, SSN, DOB, and Gender columns in the results list provide information to assist with patient identification
6. After selecting a patient, the **Patient Portal**  opens and displays the selected patient's data

3.4.5. Advanced Patient Search Options

Advanced patient search options in the **Patient Search** dialog box allow for the use of additional patient identifiers when performing a patient search.

To search using advanced patient search options:






1. Click the **Patient Search** icon  at the top of the portal pages
 - a. The **Patient Search** dialog box opens
2. Click the [<<Show Advanced Search Options](#) link under the ***Last Name** field (seen in [Figure 29](#))
3. Enter the patient identifiers in the appropriate search fields, as desired
 - a. Advanced search option fields include ***DOB, MI, Gender, Address, State, City, Zip, and Telephone**


Figure 31: Advanced Search Options



The screenshot shows a 'Patient Search' dialog box with the following fields and options:

- DoD ID:**
- OR** (separator)
- SSN:** **OR Sponsor SSN:**
- * Last Name:** **First Name:**
- [>> Hide Advanced Search Options](#)
- * DOB:**  **MI:** **Gender:** 
- Address:** **State:**  **Zip:**
- City:** **Telephone:**
- * When searching by SSN, Last Name or DOB is required.
- Search** (button)

At the bottom, there are two tabs: **Recently Viewed Patients** and **Search Results**. The **Search Results** tab is active, showing a table with the following columns: **Name**, **SSN**, **Date of Birth**, and **Gender**. The table body is currently empty.

4. Click **Search**
 - a. If the required patient identifiers are not provided, hover text appears, indicating the information necessary to complete the patient search
5. The search results are displayed in the lower third of the dialog box, under the **Search Results** tab
6. Click a patient's name in the search results list to open the associated record
 - a. The Name, SSN, DOB, and Gender columns in the results list provide information to assist with patient identification
7. After selecting a patient, the **Patient Portal**  opens and displays the selected patient's data

3.4.6. Family Member Search

A family member search can be performed using the **Sponsor SSN** field in the **Patient Search** dialog box.

To perform a family member search:


1. Click the **Patient Search** icon  at the top of the portal pages
 - a. The **Patient Search** dialog box opens
2. Enter the SSN in the **Sponsor SSN** field
 - a. The **Last Name** or **DOB** of the patient must also be entered in the appropriate fields ([Figure 32](#))
3. Click **Search**
 - a. If the required patient identifiers are not provided, hover text appears indicating the information necessary to complete the patient search
4. The search results are displayed in the lower third of the dialog box, under the **Search Results** tab ([Figure 32](#))

Figure 32: Sponsor SSN Search

The screenshot shows a 'Patient Search' dialog box with a search form and a results table. The search form includes fields for DoD ID, SSN, Sponsor SSN, Last Name, and First Name. A 'Search' button is located below the form. Below the search form, there are two tabs: 'Recently Viewed Patients' and 'Search Results'. The 'Search Results' tab is active, displaying a table with one row of results.

Name	SSN	Date of Birth	Gender
Pierce, Ruth M	666460945	19880422	F


5. Click a name in the **Search Results** list
 - a. The **Family Members** dialog opens ([Figure 33](#))
 - b. The sponsor's identifiers and a list of dependents are displayed in the dialog
6. Click a name in the list of family members to open the associated record
7. After selecting a patient, the **Patient Portal**  opens and displays the selected patient's data

Figure 33: Family Members Dialog Box

Name	SSN	Date of Birth	Gender
Pierce, Ruth M	666460945	19880422	F

Name	DoD ID	SSN	Date of Birth	Gender
Pierce, ROB	1903120197	666478198	20091210	M
Phillips, Rick Adam	1901651911	666307647	19880208	M

3.4.7. Recently Viewed Patients List

Users who have previously logged into JLV, searched for a patient, and viewed that patient’s records, can see and access a list of recently viewed patients. A recent patient is defined as a patient whose record has been viewed (opened) by the user.



NOTE: The **Recently Viewed Patients** list does not include search history or recent search results, only a list of patients whose data was accessed and viewed. The list is limited to 10 patients.

To open the list of recently viewed patients:



1. Click the **Patient Search** icon  at the top of the portal pages
 - a. The **Patient Search** dialog box opens
2. Click the **Recently Viewed Patients** tab in the lower third of the **Patient Search** dialog box
3. A list of recently viewed patients is displayed ([Figure 34](#))
 - a. The Name, DoD ID, SSN, DOB, and Gender columns in the results list provide information to assist with patient identification
4. Click a patient’s name in the **Recently Viewed Patients** list to open the associated record
5. After selecting a patient, the **Patient Portal**  opens and displays the selected patient’s data

Figure 34: Recently Viewed Patients List

Patient Search ✕

DoD ID:

OR

SSN: OR Sponsor SSN:

* Last Name: First Name:

[<< Show Advanced Search Options](#)

** When searching by SSN, Last Name or DOB is required.*

Recently Viewed PatientsSearch Results

Name	DoD ID	SSN	Date of Birth	Gender
IPOBEHAN, SAUL G	1606682375	101551411	17 Jun 1920	M
IPOABOOD, VANCE EUGENE	1606681182	101942147	03 Nov 1948	M
IPOAADLAND, THADDEUS A	1606681433	101936540	23 Oct 1944	M


4. Widgets

Widgets are elements on the JLV portal pages that display data specific to a clinical domain. By default, widgets are displayed in minimized view on the portal pages (Figure 35), but can be expanded to view additional details. The list of available widgets is provided in a horizontal tray at the bottom of the page.



Widgets may take anywhere between 10 seconds to 90 seconds to load, depending on the date range settings.


Figure 35: Widgets on the Patient Portal



4.1. Accessing and Opening Widgets

Widgets can be opened, rearranged, and closed. All available widgets are displayed in the widget tray, at the bottom of the portal pages (Figure 36).

Figure 36: Widget Tray



To place a widget on the Patient Portal:

1. Open the widget tray by clicking the **Open Widget Tray** link in the bottom-right corner of the portal page
2. Use the scroll bar arrows < > at either end of the tray to see all widget choices

-OR-

3. Click the **More Widgets >>** link to scroll through the list of widgets
4. Click and hold a widget in the tray, then drag it to the portal page and drop it in the desired location
5. The widget is docked on the portal page, and opens in minimized view
6. Close the widget tray by clicking the **Close Widget Tray** link




Widgets can be closed (removed from the portal page) by clicking the **Close** icon **✕** in the top-right corner of the widget. Rearrange the widgets displayed on the portal page by dragging and dropping them.

4.2. Widget Navigation and Display Options

Each widget has tools and display options available to navigate through, and change, the display of data. The vertical scroll bar allows the user to move through, and view, the widget's data. The options at the bottom of a widget provide various ways to see all the records loaded for the widget's clinical domain.

Navigation icons and actions are detailed in [Table 4](#).

Table 4: Navigation Icons and Actions

Navigation Icon/Action		
	Go to Previous Page	Changes the focus of the widget to the previous group or page of records within the results display.
	Jump to Page	Changes the focus of the widget to the page number selected.
	Go to Next Page	Changes the focus of the widget to the next group or page of records within the results display.
More >>	Go to Expanded View	Available in minimized views only. Opens the expanded view of the widget in a secondary window.
1-25 of 55	Record Display Indicator	Indicates the number of records displayed in that widget page out of the total number of results for that widget.
Show All/ Show Paged	Display Setting	Click Show All to open all records for a given widget in a scrollable window. Click Show Paged to return to the display of records grouped by pages.













When there are more than 25 records available in a widget, they are grouped in **Show Paged** view. Records 1 through 25 can be viewed by using the widget's vertical scroll bar. Records 26+ can be viewed by using the page navigation options, in the lower left corner of the widget, to jump to subsequent pages. The expanded view of a widget contains a **Show All** link, which



opens all records for that widget, in a scrollable window. Click **Show Paged** to return to the display of records grouped by pages.

4.3. Widget Toolbars

There is a toolbar in the upper right corner of both the minimized and expanded views of each widget, and most dialog boxes. Toolbar icons vary by widget, open dialog box, and window. [Table 5](#) describes the functionality of each toolbar icon.

Table 5: Widget Toolbar Icons

Icon	Name	Function
	Add to Report Builder	Adds the information displayed in the window to the Report Builder. This icon is available for supported domains when a record has a Details or Notes view that displays in a standalone window.
	Close	Removes the widget from the portal screen or closes a dialog box.
	Column Settings	Used to configure the columns within the widget. Turn on or off the columns displayed by checking the column names that appear in the pop-up box and checking Apply .
	Configure Filter	Used to filter on specific record types or other elements within the widget, including a date filter. If a date range filter is applied in an open widget, the date range is displayed in the widget header. Note: After setting a filter, the Close Filter option is enabled in the widget. Clicking Close Filter will restore the full display of records within the widget.
	Copy to Clipboard	Copies the content of the open window to the clipboard for pasting into another application.
 	Interface Status	Both icons provide a status indicator for DoD, VA, and community partner data sources. The circle with the lowercase "i"  indicates all sources are available. The yellow triangle warning  indicates one or more data sources are unavailable. Clicking either status icon will open the interface status details in a separate window. Note: Interface status updates are not available from the Clinical Reminders widget.
	Print	Prints the contents of the open window. Printing is disabled in the widget toolbar after clicking Show All within a widget. Note: It is recommended that JLV users have the latest Adobe Reader installed for the Report Builder and other printing features.
	Refresh	Refreshes the widget or window display. Only the data within that widget's dataset is updated.
	Rx	Converts the medication data within the widget to text, and opens the text in a pop-up window. Available from the Outpatient Medications widget.

Icon	Name	Function
	Site List	Opens a list of community sites where the patient has been seen (only available from the Community Health Summaries and Documents—VA widget).
	VLER Refresh	Refreshes VLER-enabled widgets with the community partner data stored in the VLER cache, in addition to refreshing DoD and VA data. NOTE: The VLER Refresh icon is shown in VLER-enabled widgets <i>only</i> when Include Community Data is enabled. (The Community Data option will be available in a future release.)

4.4. Minimized vs. Expanded Widget View

Each widget can be displayed in either a minimized (default) or an expanded view. Minimized view displays a short list of the available patient data for a clinical domain, arranged in reverse chronological order by default. Expanded view provides a longer list of similarly arranged patient data. When the expanded view of a widget is launched, it opens in a new, separate window.



The **Community Health Summaries and Documents - VA** widget does not have an expanded view. Instead, a document opened from the minimized view of the widget is displayed in a new, separate window.

Click the **More >>** link at the bottom of a widget to launch the expanded view, and see the additional display and functionality options.


Patient data displayed within a widget can be filtered by date range. If a date range filter is applied, the selected range is indicated in the widget header, below the title. Click the **Configure Filter** icon  or the **Filtered Date Range** link on the widget toolbar to change the date range of the data displayed ([Figure 37](#)).

Figure 37: Date Range Filters Applied

Scheduled Date/Time	Clinic	Provider	Site
Jul 20, 2017 14:14	Internal Medicine	ABL_USER ONEHUNDREDFTY	DoD
Jul 20, 2017 12:25	Internal Medicine	ABL_USER ONEHUNDREDFTY	DoD
Jun 05, 2017 11:14	CHY ANTICOAG	KOTHA,SREVALLI	IPO4
Oct 15, 2016 11:10	Internal Medicine	ABL_USER TWENTYONE	DoD
Oct 13, 2016 10:51	Internal Medicine	ABL_USER THREE	DoD
Oct 13, 2016 10:33	Internal Medicine	ABL_USER ONE	DoD
Sep 08, 2016 18:16	CHY CHEYENNE EYE CLINIC	BLACKSTAD,GONZALO W	IPO4
Sep 08, 2016 16:43	CHY CHEYENNE MEDICAL SPEC	BLACKSTAD,GONZALO W	IPO4

Date	Consult Order	Status	Site
Jul 31, 2017 13:41	DENTAL	PENDING	IPO4
Jul 31, 2017 13:32	DENTAL	PENDING	IPO4
Sep 08, 2016 15:20	OPHTHALMOLOGY	PENDING	IPO4
Sep 08, 2016 14:43	DENTAL	PENDING	IPO4
Mar 30, 2015 14:54	Consultation Note Document	Resolved	DoD
Apr 09, 2014 19:33	CLC CONSULT	COMPLETE	IPO4

Date Taken	Type	Result	Units	Site
Jun 01, 2017	WEIGHT	150	lb	IPO4
Jun 01, 2017	TEMPERATURE	96	F	IPO4
Jun 01, 2017	RESPIRATION	14	/min	IPO4
Jun 01, 2017	PULSE OXIMETRY	90	%	IPO4
Jun 01, 2017	PAIN	5		IPO4
Jun 01, 2017	PULSE	75	/min	IPO4
Jun 01, 2017	HEIGHT	68	in	IPO4
Jun 01, 2017	CENTRAL VENOUS PRESSURE	20	cmH2O	IPO4

Vaccine Administered Date	Vaccine Administered Product Type	Adverse Vaccine Reaction	Site
Jul 28, 2016	PNEUMOCOCCAL CONJUGATE PCV7	FEVER	IPO4
Jun 07, 2016	PPD		IPO4
Jun 06, 2016	PPD		IPO4
Jun 10, 2015	HEP B ADULT		IPO4
Jun 10, 2015	CANDIDA		IPO4
May 31, 2014	PNEUMOCOCCAL UNSPECIFIED FORMULATION	NONE	IPO5
May 31, 2014	TDIADULT UNSPECIFIED FORMULATION	OTHER	IPO5
May 31, 2014	INFLUENZA UNSPECIFIED FORMULATION	OTHER	IPO5


4.4.1. Date Range Filters

There are two ways to filter the date range of data displayed in a widget: the **Quick Date Range** filter and the **Start and End Date** filter. If the expected information does not appear in the widget display, use the date filter options to change the date range.



Changes made to the date range in a widget persist from minimized to expanded view, patient to patient, and session to session, until the widget is either removed, or the date range is changed.

4.4.1.1. Quick Date Range Filter

Use the preset, **Quick Date Range** filter to set or limit the display of patient records within a particular widget. This option is available in the expanded view of multiple widgets, by clicking the **Filtered Date Range** link, or by clicking the **Configure Filter** icon  in minimized view of a widget on the **Patient Portal**.

Clicking a **Quick Date Range** filter refreshes the data displayed to show only the records for the selected range. The options represent time counting back from the present day (for example, selecting 2y will display only records within the last 2 years). Examples of preset date ranges include 1w (last 7 days), 6m (last 6 months), and 3y (last 3 years).



The **Quick Date Range** filter is contextual. If today is January 2, 2017, the preset filters will count backwards using that date. If today is April 16, 2017, the preset filter will count backwards using that date.

[Figure 38](#) highlights the **Quick Date Range** filter options in the expanded view of the **Documents** widget.

Figure 38: Quick Date Range Filter Options

Documents (5)
 Filtered date range: 5/8/17 - 9/5/17

If the information you expect does not appear, expand the date range. [Close Filter](#)

Start date: 05/08/2017 End date: 09/05/2017 **1w** 2w 1m 3m 6m 1y 2y 3y


Filter by Description Filter by Standardized Description Filter by Provider Specialty Filter by Location

Filter by Source System Filter by Site

Date	Description	Standardized Description	Provider	Provider...	Location	Status	Im...	Source System	Site
Jul 31, 2017	DENTAL		PETERSON, BILL	Allopathic and Osteopathic Physicians		PENDING		VistA	IPO 4
Jul 31, 2017	DENTAL		PETERSON, BILL	Allopathic and Osteopathic Physicians		PENDING		VistA	IPO 4
Jun 23, 2017	ECHOGRAM CHEST B-SCAN	ULTRASOUND, CHEST (INCLUDES MEDIASTINUM), REAL TIME WITH IMAGE DOCUMENTATION						VistA	IPO 4
Jun 05, 2017	DIABETES NUTRITION MAP CLASS	Education note	KOTHA, SREVALLI	Allopathic and Osteopathic Physicians	CHYSQA260			VistA	IPO 4
Jun 05, 2017 11:14	FAMILY HISTORY OF GLAUCOMA		KOTHA, SREVALLI	Allopathic and Osteopathic Physicians	CHY ANTICOAG			VistA	IPO 4

Displaying 1-5 of 5 [Show All](#)

4.4.1.2. Start and End Date Filter


Use the **Start Date and End Date** filter to display data for a specific time range. The start and end date fields are available at the top of multiple widgets in expanded view, by clicking the **Filtered Date Range** link, or by clicking the **Configure Filter** icon  in minimized view.





The **Start and End Date** filter is static. If the start date is set to June 2, 2016 and the end date is set to June 2, 2017, the data in that date range will display, no matter what today's date is.

[Figure 39](#) provides an example of the start and end date filter fields in the expanded view of the **Radiology Reports** widget.

Figure 39: Start and End Date Display Filter





To set a custom date range:

1. Click the **Calendar** icon  next to **Start Date**
2. Choose a start date for the display filter
3. Click the **Calendar** icon  next to **End Date**
4. Select the end date for the display filter
5. When both a start and end date have been chosen, click **Apply**

The widget refreshes and displays only the records that fall within the custom date range. The date range in use is displayed in the widget header.

4.5. Viewing Interface Status

Interface status updates for clinical domains are not the same as System Status messages displayed in the top-right corner of the portal pages. See [Section 3.1.3, Viewing System Status](#), for more information.

Interface status updates are available for each widget except **Clinical Reminders**, and can be accessed through the widget's toolbar. An icon on the toolbar provides a status indicator for VA, DoD, and community partner data sources. There are two status conditions:  all sources are connected (available) or  one or more sources are not connected/unavailable. Clicking either

icon opens the interface status for VA, DoD, and community partner sources in a standalone window. Entries for the status of DoD sources are derived from responses received from Data Exchange Services (DES). Interface status notifications accessed from the widget show connection status at the domain level.

[Figure 40](#) shows a status message banner displayed in the **Documents** widget. The banner can be closed by clicking the **Close** icon **X** to the right of the status message. This action hides the banner during the current JLV session, until the widget is closed. Reopening the widget restores the banner display, if the problem persists.

Figure 40: Interface Status Banner

Date	Description	Provider	Image	Site
Jun 05, 2017	DIABETES NUTRITION MAP CLAS S	KOTHA,SREVALLI		● IPO4
Jun 05, 2017 11:14 Details	FAMILY HISTORY OF GLAUCOMA	KOTHA,SREVALLI		● IPO4
Jun 23, 2017	ECHOGRAM CHEST B-SCAN			● IPO4
Jul 31, 2017	DENTAL	PETERSON,BILL		● IPO4
Jul 31, 2017	DENTAL	PETERSON,BILL		● IPO4


4.6. Displaying Widgets on Custom Tabs

You can use the *custom tabs* feature to create additional widget configurations for ease of use and quick reference. Changes made to portal page layouts (widget layouts and custom tabs) are saved to the user profile, and are displayed in future sessions.

To create a custom tab:


1. Click the plus sign + beside the existing tabs on the portal page ([Figure 41](#))

Figure 41: Add Custom Tab Icon



2. The Add Tab dialog box opens ([Figure 42](#))

Figure 42: Add Tab Dialog Box




3. Type the name of the new tab in the **Add Tab** dialog box and click **Add**
4. Click the **Open Widget Tray** link within the new tab space to display all available widgets
5. Click, hold, and drag each of the desired widgets to the screen


i Tab configurations remain as set, until manually changed.

6. Click between tabs at any time, without losing each tab's configuration
 - a. Tab layouts persist, even when a patient change is made
 - b. Custom tabs can be renamed by double-clicking the tab name

4.7. Refreshing Data in a Widget

The data displayed in a widget can be refreshed by clicking the **Refresh** icon . This action retrieves data from VA and DoD sources and refreshes the widget's display.

i When the option to **Include Community Data** is enabled, clicking the **Refresh** icon also triggers a refresh of the VA VLER-enabled widgets' data.

A widget will display the **VLER Refresh** icon  if the widget supports community partner data, and the **Include Community Data** option is enabled. Clicking the **VLER Refresh** icon triggers two refresh actions: JLV sends a new query to VLER sources for community partner data, then refreshes DoD and VA data in open widgets with data JLV has stored in a cache. Clicking **VLER Refresh** in one widget refreshes all other open, VLER-enabled widgets.

i If the option to **Include Community Data** is disabled, the **VLER Refresh** icon will not be displayed in any of the widgets that support the display of community data.

Please Note: VHA users can see the **Include Community Data** option, but it is not yet active. It will be enabled in a future release.

4.8. Using Report Builder

Report Builder provides the ability to build custom reports by selecting patient records, or a combination of supported documents and record details. The information selected for the custom report is exported to a printable file in Portable Document Format (PDF).



As noted in [Section 1.3, System Requirements](#), it is recommended that the latest version of the Adobe Reader be installed on the system used to access JLV.

Reports can be built using patient records and/or documents from either the minimized or expanded view of a supported widget. The **Report Builder** feature can be accessed from the toolbar at the top-right corner of the **Patient Portal**.

To create a custom report:


1. Click the **Report Builder** icon  ([Figure 43](#))
 - a. The **Report Builder** pane opens on the **Patient Portal** ([Figure 44](#))

Figure 43: Report Builder Icon




2. Select records to add to the report:
 - a. Any record or demographics data within a widget can be added by right-clicking the entry in an open widget and selecting **Add Record to Report** ([Figure 44](#))
 - b. Click **Add to Report** within any **Demographics** tab to add demographics data, which will appear at the top of the report by default
 - c. If the desired record has a **Details** or **Notes** view, click the **Add Record** icon  on the toolbar of the open **Details** or **Notes** window to add the additional record information
 - Some DoD documents can only be added to **Report Builder** by opening the **Details** or **Notes** view of the document
 - Some DoD documents do not have a **Details** or **Notes** view, but clicking on their name in the list of documents will present the dialog box seen in [Figure 45](#)
 - Some DoD notes cannot be added to **Report Builder** (If a note cannot be added, there will not be an option to add the record to the report on a right-click)

Figure 44: Report Builder Pane and Add Record to Report Option






Figure 45: Document Ready Dialog Box




3. The selected records appear in the **Report Builder** window
4. Use the navigation arrows to the right of the listed records ([Figure 46](#)) to arrange the records in the desired order in the generated report
 - a. Records can be removed by clicking **Clear Selected Record** or **Clear All**

Figure 46: Report Builder Tools



5. When a record is selected for the report, it appears in the **Preview of Record** area of the **Report Builder** pane ([Figure 47](#))
6. Click **Build** to validate and prepare the records selected for the report
 - a. If a record can be added to the report with no errors, there will be a **Ready** notation next to it
 - b. If a record cannot be added to the report, an **Error** notation will appear next to the record
7. Click **Print** to generate the report, built only with those records that have a **Ready** status

Figure 47 Preview of Record in Report Builder Pane



8. The generated report opens in a new tab within the browser window
9. Save the report to your local system, if desired

Each report generated using the **Report Builder** feature includes this disclaimer:



The information contained in this transmission may contain privileged and confidential information, including patient information protected by federal and state privacy laws. It is intended only for the use of the person(s) named above. If you are not the intended recipient, you are hereby notified that any review, dissemination, distribution, or duplication of this communication is strictly prohibited. If you are not the intended recipient, please contact the sender by reply e-mail, and destroy all copies of the original message.

4.9. Printing

The data list of a widget in either minimized or expanded view, the details window of a widget, and reports created in Report Builder can be printed from JLV.

To print the data list of a widget in either minimized or expanded view click the **Print** icon on the desired widget's toolbar.

To print the details window of a widget, click the **Print** icon on the details window's toolbar.

To print a report created in Report Builder, click the **Print** button.


5. Widget Functionality

The following subsections detail the functionality in a sampling of the widgets available in JLV.



5.1. Patient Demographics Widget

The **Patient Demographics** widget displays a summary of the patient's non-clinical, personal data. The widget appears in the upper left section of the **Patient Portal** (Figure 48). The tabs above the patient's name provide a demographics summary for each site (VA, DoD, or VLER) the patient has visited.

Figure 48: Patient Demographics Widget



The **Patient Demographics** widget provides additional functionality and displays:


- Clicking the patient's name opens details in a standalone window
- Clicking an **Interface Status** icon   opens the interface status details in a separate window
- Clicking the **Flags** icon above the tabs in the widget opens clinical flag details in a new window

5.1.1. Patient Flags and Alerts

If the patient has one or more clinical warnings, alerts, or flags in their record from VA and DoD sites, the **Flags** icon is displayed next to the **Patient Name** tab, above the **Demographics** widget, on the **Patient Portal** (Figure 49).


The Patient Flags and Alerts details window opens and displays by default when the **Patient Portal** opens, if there are warnings associated with the selected patient.

Figure 49: Patient Flags Indicator



Click the **Flags** icon to open the **Patient Flags and Postings** details window ([Figure 50](#)). The window displays a list of alerts and flags within the patient’s record. If the patient’s record does not contain any clinical warnings, the **Flags** icon is not displayed.


Figure 50: Patient Flags and Postings Details



5.1.2. Race Data Terminology Normalization

Race data from VA and DoD sources in the **Patient Demographics** widget is normalized. Hovering over the **Race** information displays the standardized name and code for the race classification, normalized to the Centers for Disease Control (CDC) standard ([Figure 51](#)).

Figure 51: Standardized Race Data



5.1.3. Demographics from Community Partners

When users enable the **Include Community Data** setting and VLER patient data is displayed, the **Patient Demographics** widget displays color-coded information.

- The blue circle represents data retrieved from a VA system
- The orange square represents data retrieved from a DoD system
- The purple hexagon represents data retrieved from VLER sources


Please Note: VHA users can see the **Include Community Data** option, but it is not yet active. It will be enabled in a future release.

5.1.4. Viewing Third-Party Insurance Information

Third-party payers and insurance information is available from the **Patient Demographics** widget. Click the **Insurance** link in the **Demographics** widget. A new window ([Figure 52](#)) opens with the following insurance information:

- Health Plan Type
- Health Plan Name
- Standardized Insurance Type
- Plan Effective Date
- Plan Expiration Date
- Site
- Group Number
- Member ID
- Subscriber ID
- Subscriber Date of Birth
- Subscriber's Relationship to Insurer
- Health Plan Mailing Address
- Health Plan Contact Information

Figure 52: Insurance Information



Health Plan Type	Health Plan Name	Standardized Insurance Type	Plan Effective Date	Plan Expiration Date	Site	Group Number	Member ID
PREFERRED PROVIDER ORGANIZATION (PPO)	HUMANA	Preferred Provider Organization (PPO)	Jun 23, 2014		● IPO4	GRP NUM 12666	

Displaying 1-1 of 1

Use the scroll bar in the window to view the columns not seen within the default window size.

The data in the **Standardized Insurance Type** column is normalized to the X12 Health Insurance Type standard. Hovering over entries in this column display the standardized name and code for the insurance type.

5.2. Documents Widget


The **Documents**  widget ([Figure 53](#)) includes documents from multiple clinical domains, including radiology reports (exams), progress notes, outpatient encounters, consult encounters, discharge summaries (inpatient notes), questionnaires, and Health Artifact and Image Management Solution (HAIMS) records. HAIMS records retrieved by JLV include scanned paper records, imported paper records, scanned non-radiology images, and imported non-radiology images, displayed in chronological order by the document date.

Figure 53: Documents Widget, Minimized View

Documents (5) Filtered date range: 5/8/17 - 9/5/17				
Date	Description	Provider	Image	Site
Jul 31, 2017	DENTAL	PETERSON,BILL		● IPO4
Jul 31, 2017	DENTAL	PETERSON,BILL		● IPO4
Jun 23, 2017	ECHOGRAM CHEST B-SCAN			● IPO4
Jun 05, 2017	DIABETES NUTRITION MAP CLAS S	KOTHA,SREVALLI		● IPO4
Jun 05, 2017 11:14 Details	FAMILY HISTORY OF GLAUCOMA	KOTHA,SREVALLI		● IPO4

Displaying 1-5 of 5 [More >>](#)


5.2.1. Documents Widget Data

The minimized view of the **Documents** widget displays the following information:

- Date
- Description
- Provider
- Site

Outpatient encounter records displayed in the **Documents** widget may have a details link enabled in the **Date** column. Where available, click the link to open a **Details** window for records of this type.


The **Description** column displays the document title, where available. Click a hyperlinked entry in the **Description** column in either the minimized or expanded view of the widget to open the document.

A **camera** icon  in the **Image** column of the **Documents** widget indicates that one or more images are associated with that record. Clicking the **camera** icon opens the VistA Imaging Viewer in a standalone window and displays the associated image(s).

Click **More >>** in the minimized view of the **Documents** widget to open the expanded view ([Figure 54](#)). Information in expanded view includes:

- Date
- Description
- Standardized Description
- Provider
- Provider Specialty
- Location
- Status
- Image
- Source System
- Site


Figure 54: Documents Widget, Expanded View



5.2.2. Viewing Documents

Click a hyperlinked entry in the **Description** column in either the minimized or expanded view of the **Documents** widget to access additional information for a listed record. Depending on the record type, the additional information may open in either a details window or a separate browser window. [Figure 55](#) displays outpatient encounters details, accessed through the **Documents** widget.

Figure 55: Details View of a Document




5.2.3. Viewing DoD Sensitive Data

JLV masks the display of sensitive records in the **Documents** widget. The record is masked with the tag ****Sensitive****. A user may view the data, but the action is audited each time the sensitive DoD record is viewed.

After clicking the hyperlink in the **Description** column for a sensitive record, JLV notifies the user that they will be audited. This message is triggered each time a user clicks a sensitive record. After the user selects the purpose of viewing the record and agrees to be audited, the sensitive data appears in **Details** view, but the record remains masked in the minimized and expanded views of the widget.

5.2.4. Display and Filter Options

Display and filter options within the **Documents** widget include:

- Click a column title to sort records by that column
 - If a user sorts a column that appears in both minimized and expanded views of the widget, the sort is saved to the user profile, and appears in subsequent JLV sessions
 - If a user sorts a column that is only available in the expanded view of the widget, subsequent JLV sessions display the default widget sort, or the last sort saved to the user profile.
- Use the **Quick Date Range Selector**, or the **Start Date** and **End Date** calendars, to specify the date range of records to be displayed within the widget
 - If the information you expect does not appear in the widget display, use the **Start Date** and **End Date** filter options to expand the date range
 - When a date range filter is applied in an open widget, the date range is displayed in the widget header
 - Open or close the filter options by clicking the date range in the header
- Click the **Column Settings** icon  on the widget toolbar to show or hide columns within the widget
 - Check/uncheck the column names that appear in the pop-up dialog box, then click **Apply**
- Use the **Filter by Description** dropdown to redraw the widget and show only the records for the selected description(s) (Only available in expanded view)
- Use the **Filter by Standardized Description** dropdown to redraw the widget and show only the records for the selected description(s) (Only available in expanded view)
- Use the **Filter by Provider Specialty** dropdown to redraw the widget and show only the records for the selected provider type(s) (Only available in expanded view)
- Use the **Filter by Location** dropdown to redraw the widget and show only the records for the selected location(s) (Only available in expanded view)
- Use the **Filter by Site** dropdown to redraw the widget to show only the records for the selected site(s)

5.2.5. Terminology Normalization

Terminology normalization in the **Documents** widget is provided through the following columns:

- The **Description** column displays the name of a note or document in the patient record
 - Hovering over an entry in this column displays the standard used for terminology normalization for the clinical domain (Logical Observation Identifiers Names and Codes [LOINC]) and the standardized LOINC name and code for that document
- The **Standardized Description** column displays the standardized name for the corresponding entry in the **Description** column, mapped to the LOINC standard
 - In addition to the standardized name, hovering over an entry in this column displays the standard used for terminology normalization for the clinical domain (LOINC) and the standardized code for that document.
- The data in the **Provider and Provider Specialty** columns, in both the minimized and expanded views of the widget, is normalized to the National Uniform Claim Committee Taxonomy (NUCC) standard
 - Hovering over entries in these columns displays the standardized name and code for the provider


[Figure 56](#) highlights a document mapped to the LOINC standard. The standardized name and code are displayed in the hover text over the record in the **Description** column.

Figure 56: Standardized Name and Code—Documents Widget

Date	Description	Provider	Image	Site
Jul 31, 2017	DENTAL	PETERSON,BILL		IPO4
Jul 31, 2017	DENTAL	PETERSON,BILL		IPO4
Jun 23, 2017	ECHOGRAM CHEST B-SCAN			IPO4
Jun 05,		REVALLI		IPO4
Jun 05,		REVALLI		IPO4

Current Procedural Terminology (CPT)
 Standardized Type: ULTRASOUND, CHEST (INCLUDES MEDIASTINUM), REAL TIME WITH IMAGE DOCUMENTATION
 Standardized Code: 76604

5.3. Community Health Summaries and Documents - VA

The **Community Health Summaries and Documents - VA** widget  displays the patient's VA VLER community partner information, including Continuity of Care Documents (CCDs) in C32 and C62 formats, and HL7 Consolidated-Clinical Document (C-CDA) structured documents available for the patient. The information in this widget is sorted by the title of the entry listed in the **Document** column.

5.3.1. Community Health Summaries and Documents - VA Widget Data

Data displayed within the Community Health Summaries and Documents - VA widget includes:

- Date
- Document
- Source


The purple hexagon beside entries in the **Source** column denotes the source of the data is outside the VA.

Figure 57: Community Health Summaries and Documents—VA, Minimized View

Community Health Summaries and Documents - VA (5)		
Date	Document	Source
Sep 05, 2017	Summarization of episode note	DoD Fifteen
Dec 03, 2014	Continuity of Care CCDA 34133-9-C	Inland NW Health Services
Dec 04, 2014	C62 Pathology 27898-6	Inland NW Health Services
Mar 03, 2013	C62 Consults 11488-4	Wright State University
Jan 01, 2005	C32 Summarization of episode note 34133-9	MedVirginia

Displaying 1-5 of 5

The **Site List** icon  on the toolbar in the **Community Health Summaries and Documents - VA** widget ([Figure 57](#)) generates a list of community sites where the patient has been seen.

Click the **Site List** icon  to open the full list of community sites where the patient has been seen. The site list content is gathered from the widget's **Source** column and the sites where the patient was seen, but no document was generated. Click **Close Site List** to remove the full site list from the widget display.

5.3.2. Viewing VA Community Health Summary Documents


The **Community and Health Summaries and Documents - VA** widget is rendered only in minimized view. Instead of an expanded view, the selected document opens in a new browser window ([Figure 58](#)).

[Figure 57](#) shows health summary records available from the **Document** column in the **Community Health Summaries and Documents - VA** widget. Clicking a hyperlinked entry in the **Document** column opens the document in a separate browser tab ([Figure 58](#)).




Multiple documents can be opened in separate browser tabs for simultaneous viewing and printing.

Figure 58: Community Health Document



5.4. Military Health System (MHS) GENESIS Widget

The MHS GENESIS widget  displays the documents in patient records from the MHS GENESIS system. The information is displayed in reverse chronological order by date.

5.4.1. MHS GENESIS Widget Data

The minimized view of the MHS GENESIS widget includes the following orders information:

- Date
- Document Title
- Document Type
- Site

[Figure 59](#) highlights the MHS GENESIS widget in minimized view. There is no expanded view for the widget; instead, the CCDa document selected opens in a new browser window ([Figure 60](#)).

Medical CCDs, Dental CCDs, and aggregate CCDs with blank entries in the **Date** column for the record appear first in the widget by default.

Figure 59: MHS GENESIS Widget

Date	Document Title	Document Type	Site
	Patient Continuity of Care Document	Summarization of episode note	DoD
	Micro. Anatomic Path. Rad and Dental Notes	Summarization of episode note	DoD
Jan 31, 2017	Dental Summary	Transition of Care - Referral Summary	DoD
Jan 30, 2017	History and Physical	Hosp Admit H&P note	DoD
Jan 30, 2017	Advance Directive	Advance directives	DoD

Displaying 1-5 of 5

5.4.2. Viewing MHS GENESIS Documents

Click a hyperlink in the **Document** column in either view of the MHS GENESIS widget to display a Consolidated Clinical Document Architecture (CCDA) document ([Figure 60](#)) in a new browser window.

Figure 60: CCDA Document

Transition of Care/Referral Summary
created on **February 28, 2017, 14:30:17, CST**

MB Military Baseline Medical Center

Patient: CHDRONE
CHDRZZTESTPATIENT
DOB: March 3, 1960
Gender: Male

[-] Table of Contents

[-] Patient Information

Patient Information	
Address	Primary Home: 1234 Howard St La Jolla, CA 92038- , US Tel: (760)222-5555
Marital status	
Religious Affiliation	
Race	Black or African American
Ethnicity	Not Hispanic or Latino
Language(s)	
Preferred Language	

[-] Encounters

2/17/17
FC Fairchild Clinics 9 (9) -
2/17/17

6. Troubleshooting

The following subsections provide information about troubleshooting common errors in JLV.

For how to information within JLV, please see online help. To see JLV training videos and access additional JLV training materials, please visit [JLV Resources](#).

6.1. Special Instructions for Error Correction

JLV utilizes access control and authentication services to limit access to registered, authorized users. When enabled, JLV validates a user against information retrieved from their Smart Card. If you are having trouble logging in to JLV, and have used the correct URL for your agency, please review the following before contacting the ESD:

Users with any CAPRI patient selection restrictions will *not* be able to log in JLV. Instead, they will see this message on the JLV Login page:

Figure 61: Log In Error - CAPRI Patient Selection Restrictions

The screenshot shows the Joint Legacy Viewer login interface. At the top, the logo reads "Joint Legacy Viewer" in a stylized font, with "powered by Janus" underneath. Below the logo, a red error message states: "Your patient selection is limited. To access electronic health record data, please log into CAPRI. [Need Help?](#)".

The login form includes the following elements:

- An "Accessibility Mode" checkbox in the top right corner.
- A "Vista Access Code:" label followed by a white input field.
- A "Vista Verify Code:" label followed by a white input field.
- Agency: "VA" (selected in a dropdown menu).
- Site: "Veterans Benefits Admin" (selected in a dropdown menu).
- An "Edit Profile" link below the Agency and Site dropdowns.
- A large blue "Login" button.
- A "System Status" box containing a green checkmark icon and the text "JLV data sources available."
- A "JLV Help" link below the System Status box.

At the bottom of the page, the text "Build 2.6.1.0.2.20171219" is displayed.

VHA users:

- Have accessed JLV using the VHA URL (<https://jlv.med.va.gov/JLV>)
- Have entered their existing CPRS Access and Verify codes correctly in the fields on the JLV Login page
- Have selected a site from the **Site** dropdown list on the JLV Login page (Most users must specify the individual facility name or their parent healthcare system name)

VBA users:

- Have accessed JLV using the VBA URL (https://jlv.med.va.gov/JLV_Claims)
- Have entered their existing CAPRI Access and Verify codes correctly in the fields on the JLV Login page

6.1.1. Login Page Error Messages

Troubleshooting steps for error messages received at the login page are provided in [Table 6](#).

Table 6: Error Messages and Resolution Steps

Error Message	Resolution Steps
Access denied. You are not an authorized user.	<p>WHAT? You see the error message <i>Access Denied. You are not an authorized User.</i></p> <p>WHY? Possible causes are: a PIV card processing problem; selection of the wrong security certificate; you are not an authorized user.</p> <p>FIX IT:</p> <ol style="list-style-type: none"> 1) Close your browser window 2) Reinsert your PIV card and relaunch JLV 3) Select a certificate that is not expired, and specifies <i>Issued by: Veterans Affairs CA B1</i> 4) If unsuccessful, contact the ESD
Could not save User Profile	<p>WHAT? You receive the error message <i>Could not save User Profile.</i></p> <p>WHY? The error occurred during PIV authentication. It is typically a PIV card processing problem, or the wrong security certificate is chosen.</p> <p>FIX IT:</p> <ol style="list-style-type: none"> 1) Close your browser window 2) Reinsert your PIV card and relaunch JLV 3) Select a certificate that is not expired, and specifies <i>Issued by: Veterans Affairs CA B1</i> 4.) If unsuccessful, close all open IE windows/tabs, then open IE and try JLV again
Not a valid ACCESS/VERIFY CODE pair	<p>WHAT? You see the error message <i>Not a valid ACCESS CODE/VERIFY CODE pair</i> error at the login screen.</p> <p>WHY? 1) JLV could not match your Access and Verify codes to the site selected in the dropdown, or 2) A username and password were entered instead of Access/Verify codes.</p> <p>FIX IT:</p> <ol style="list-style-type: none"> 1) VHA users must select the parent VistA host site for their facility

Error Message	Resolution Steps
	2) Reenter your Access and Verify codes (CAPRI codes for VBA users, CPRS codes for VHA users)
Page cannot be displayed	<p>WHAT? You receive a <i>Page cannot be displayed</i> error when launching JLV.</p> <p>WHY? The JLV URL requires certain IE settings.</p> <p>FIX IT:</p> <ol style="list-style-type: none"> 1) Click the Tools menu (press ALT-X) in IE 2) Select Internet Options 3) When the dialog box opens, click the Advanced tab 4) Scroll down in the list until you see the Secure Sockets Layer (SSL) 2.0 setting, and ensure it is NOT checked 5) Ensure that the Transport Layer Security (TLS) 1.0, 1.1 and 1.2 settings ARE checked 5) Click OK to close the dialog box, then relaunch JLV (The page should load)
Smart Card required	<p>WHAT? You see the error message <i>Smart Card Required</i>.</p> <p>WHY? Your Smart Card was not read by Windows Security and JLV before opening the JLV URL.</p> <p>FIX IT:</p> <ol style="list-style-type: none"> 1) Close all browser sessions and browser-based applications 2) Reinsert your PIV card, and relaunch the JLV URL 3) If unsuccessful, close all open IE windows/tabs, then Open IE and try JLV again
VERIFY CODE must be changed before continued use	<p>WHAT? You receive the message <i>VERIFY CODE must be changed before continued use</i> at the login screen.</p> <p>WHY? Your CPRS or CAPRI VERIFY CODE has expired.</p> <p>FIX IT:</p> <ol style="list-style-type: none"> 1) Open CPRS, VistA, or CAPRI (VBA users) 2) Select the Change Verify Code checkbox on the sign-on dialog before clicking OK 3) You will be prompted to create a new Verify code 4) Once your Verify code has been changed for CPRS or CAPRI, relaunch JLV and the new code will be recognized immediately

6.1.2. System Error Messages

[Table 7](#) summarizes system messages that may be presented to JLV users.

Table 7: System Error Messages

Message	Description
<i>No Message displays, but behavior occurs:</i> The browser window does not allow the user to scroll to widgets, or access the JLV icons on the portal pages.	Access JLV using IE 11. Use a monitor with a minimum screen resolution of 1024 x 768. Set the browser zoom feature to 100%. If browser display issues continue, log out of JLV, close the browser window, open a new browser window, and log in to JLV again.
Warning: An error occurred while attempting to retrieve VistA Imaging Viewer URL.	Either VistA Data Service or VistA Imaging Exchange is offline, and JLV is unable to retrieve the necessary data

Message	Description
	object to launch a VistA Imaging Viewer instance within JLV.
MVI Message: There are no patients found using the current parameters.	No patient records were found using the information entered in the Patient Search dialog box. Reenter patient identifiers in the Patient Search dialog box fields after verifying the accuracy of the information
MVI Error: Patient not found with search elements entered, please provide additional patient identifying information and search again.	No unique patient is found with the identifiers used in the search. Click OK to return to the Patient Search window and provide additional patient identifiers, like the full first name or DOB.
MVI Error: Your query yields too many results. Please modify your search parameters to narrow the search.	JLV adheres to VA guidelines and blocks search results when a search request yields more than 10 patients. Modify the information in the Patient Search dialog box using additional patient identifiers to reduce the number of results.
MVI Error: Application Reject. There was an error attempting to process your query. Please modify your search parameters and try again.	There may be one or more errors in the Patient Search dialog fields. Validate the patient identifiers and try the search again. If problems persist, there may be an error between MVI and the Defense Enrollment Eligibility Reporting System (DEERS).
You do not have authorization to view this record. Security regulations prohibit computer access to your own medical record.	VA security regulations prevent a user from accessing their own medical records.
You do not have authorization to view this record. Your SSN is missing from the NEW PERSON file. Contact your ACP Coordinator.	Per VA policy, JLV does not allow access to patient records if the JLV user's SSN is not in their VistA profile.
An error occurred while attempting to retrieve the document.	Occurs when something goes wrong when JLV tries to retrieve a selected document.
An error occurred while attempting to display the document.	Occurs when JLV tries to receive a document, but has trouble converting the document to a viewable format.
Your patient selection is limited. To access electronic health record data, please log into CAPRI.	Some VBA users have patient or site restrictions attached to their profile. Log into CAPRI to view patient records.
Interface Status alert or error displayed in Community Health Summaries and Documents - VA widget : One or more data sources could not be connected; some entries will not appear. <i>or</i> Error: DAS Query failure. HTTP error.	These messages will appear when the VA VLER service is not available. If either message persists after 5 minutes, contact support to report the connection error.

6.1.3. VA VLER Server Error Message

[Table 8](#) details an error that may be presented to JLV users, related to the display of VA VLER data.

Table 8: Community Health Summaries and Documents - VA Widget Error Message

Message	Description
An error occurred while attempting to retrieve the document. <i>or</i> An error occurred while attempting to display the document.	These messages may occur when you try to view a - VA widget, but JLV is either unable to retrieve the document, or JLV is unable to convert the document to HTML.

7. Acronyms and Abbreviations

[Table 9](#) lists the acronyms and abbreviations used throughout this document, and their descriptions.

Table 9: Acronyms and Abbreviations

Acronym	Description
CAPRI	Compensation and Pension Record Interchange
CCD	Continuity of Care Document
CCDA	Consolidated Clinical Document Architecture
CCOW	Clinical Context Object Workgroup
CDC	Centers for Disease Control
CPRS	Computerized Patient Record System
DEERS	Defense Enrollment Eligibility Reporting System
DES	Data Exchange Services
DOB	Date of Birth
DoD	Department of Defense
EDIPI	Electronic Data Interchange Personal Identifier
EHR	Electronic Health Records
eHX	eHealth Exchange
ESD	Enterprise Service Desk
GUI	Graphical User Interface
HAIMS	Healthcare Artifact and Image Management Solution
HL7	Health Level 7
ID	Identification
IE	Internet Explorer
IEN	Internal Entry Number
IP	Internet Protocol
JLV	Joint Legacy Viewer
LOINC	Logical Observation Identifiers Names and Codes
MHS	Military Health System
MI	Middle Initial
MVI	Master Veteran Index
NUCC	National Uniform Claim Committee
OIT	Office of Information and Technology
PDF	Portable Document Format
PDWS	Patient Discovery Web Service
PIV	Personal Identity Verification
QoS	Quality of Service
SSL	Secure Sockets Layer
SSN	Social Security Number

Acronym	Description
TLS	Transport Layer Security
UI	User Interface
URL	Uniform Resource Locator
VA	Department of Veterans Affairs
VBA	Veterans Benefits Administration
VDS	VistA Data Service
VHA	Veterans Health Administration
VistA	Veterans Health Information Systems and Technology Architecture
VLER	Virtual Lifetime Electronic Record