

Beneficiary Travel

Installation Guide

Version 1.0

April 2002

Department of Veterans Affairs **V***IST***A** Software Design & Development

Table of Contents

Introduction	1
Package Integration	2
Installation	
Installation Dialogue	4
Routines	
Journaling	9

Introduction

There are no major changes in this version from PIMS V. 5.3. The purpose of this version is to create Beneficiary Travel into its own namespace (DGBT) separate from the Registration package (DG).

Package Integration

The following package versions (or higher) MUST be installed PRIOR to loading this version of Beneficiary Travel.

Package Version PIMS 5.3

Installation

Step Description

- 1 The files containing the KIDS installation file and documentation can be found on the ANONYMOUS.SOFTWARE directory: DGBT1_0_IG.PDF DGBT1_0_TM.PDF DGBT1_0_UM.PDF DGBT1_0.KID
- 2 Print out/review the existing Beneficiary Travel parameters under the Beneficiary Travel menu.
- 3 Backup system(s).
- 4 Installation should be done at a non-peak time. The Beneficiary Travel Main menu should be disabled during the installation with Beneficiary Travel users off the system.
- 5 Sign into UCI where package is to be loaded. (Use 28k partition for MSM.)
- 6 Load Beneficiary Travel V. 1.0 host file. (See Installation Dialogue Section of this document for description.)
- 7 Verify that DUZ, DT, DTIME, and U are defined and DUZ(0)="@". DUZ variable must be defined as an active user number and DUZ(0) variable must equal "@" in order to initialize.
- 8 Please answer all initialization questions carefully. We also recommend you slave print the initialization processes. Data that is printed out during the post-inits should be reviewed.
- 9 Move DGBT* routines to all systems.
- 10 Bring systems back on line.
- 11 (**Optional**) Running the Build Primary Menu Trees option on the Menu Management Menu after the install may improve system performance during the first day of operation.
- 12 Review the parameter entries from Step 2.
- 13 Journaling of the ^DGBT global is mandatory. Verify that journaling on this global is Enabled. (See Journaling Section of this document for description.)

Installation Dialogue

```
Select OPTION NAME:
>D P^DI
VA FileMan 22.0
Select OPTION:
>S DUZ(0)="@"
>ZW
%H=58694,54947
DT=3010912
DTIME=9999
DUZ=100884
DUZ(0) = @
DUZ(1) =
DUZ(2) = 500
DUZ("AG")=V
DUZ("BUF")=1
DUZ("LANG")=
IO(0)=_TNA1436:
U=^
MNT, VBB>D ^XUP
Setting up programmer environment
Terminal Type set to: C-VT320
You have 1 new message.
                                  Kernel Installation & Distribution System
Select OPTION NAME: XPD MAIN
Select Kernel Installation & Distribution System Option: Installation
Select Installation Option: LOad a Distribution
Enter a Host File: DGBT1_0.KID;1
KIDS Distribution saved on Mar 19, 2002@10:33:17
Comment: Beneficiary Travel V.1.0
This Distribution contains Transport Globals for the following Package(s):
  DGBT 1.0
Distribution OK!
Want to Continue with Load? YES// YES
Loading Distribution...
Build DGBT 1.0 has an Environmental Check Routine
Want to RUN the Environment Check Routine? YES// YES
  DGBT 1.0
Will first run the Environment Check Routine, DGBT1PRE
```

>> Environment check complete and okay. Use INSTALL NAME: DGBT 1.0 to install this Distribution. Select Installation Option: Install Package(s) Select INSTALL NAME: DGBT 1.0 Loaded from Distribution 3/28/02@10:48:02 => Beneficiary Travel V.1.0 ;Created on Mar 19, 2002@10:33:17 This Distribution was loaded on Mar 28, 2002@10:48:02 with header of Beneficiary Travel V.1.0 ;Created on Mar 19, 2002@10:33:17 It consisted of the following Install(s): DGBT 1.0 Checking Install for Package DGBT 1.0 Will first run the Environment Check Routine, DGBT1PRE >> Environment check complete and okay. Install Questions for DGBT 1.0 Incoming Files: MAS PARAMETERS (Partial Definition) 43 Note: You already have the 'MAS PARAMETERS' File. MAS EVENT RATES (Partial Definition) 43.1 Note: You already have the 'MAS EVENT RATES' File. BENEFICIARY TRAVEL CLAIM 392 Note: You already have the 'BENEFICIARY TRAVEL CLAIM' File. BENEFICIARY TRAVEL DISTANCE 392.1 Note: You already have the 'BENEFICIARY TRAVEL DISTANCE' File. BENEFICIARY TRAVEL CERTIFICATION 392.2 Note: You already have the 'BENEFICIARY TRAVEL CERTIFICATION' File. BENEFICIARY TRAVEL ACCOUNT 392.3 Note: You already have the 'BENEFICIARY TRAVEL ACCOUNT' File. 392.4 BENEFICIARY TRAVEL MODE OF TRANSPORTATION Note: You already have the 'BENEFICIARY TRAVEL MODE OF TRANSPORTATION' File. Want KIDS to Rebuild Menu Trees Upon Completion of Install? YES// NO Want KIDS to INHIBIT LOGONS during the install? YES// NO

Want to DISABLE Scheduled Options, Menu Options, and Protocols? YES// YES

Enter options you wish to mark as 'Out Of Order': DGBT BENE TRAVEL MENU Beneficiary Travel Menu Enter options you wish to mark as 'Out Of Order': Enter protocols you wish to mark as 'Out Of Order': Delay Install (Minutes): (0-60): 0// Enter the Device you want to print the Install messages. You can queue the install by enter a 'Q' at the device prompt. Enter a '^' to abort the install. DEVICE: HOME// <Chose your output printer> Install Started for DGBT 1.0 : Mar 28, 2002@10:50:04 Build Distribution Date: Mar 19, 2002 Installing Routines: Mar 28, 2002@10:50:05 Running Pre-Install Routine: PRE^DGBT1PRE Installing Data Dictionaries: . Mar 28, 2002@10:50:09 Installing PACKAGE COMPONENTS: Installing SECURITY KEY Installing PRINT TEMPLATE DGBT 1.0 _____ Installing SORT TEMPLATE Installing INPUT TEMPLATE Installing OPTION Mar 28, 2002@10:50:12 Running Post-Install Routine: POST^DGBT1PRE Updating PACKAGE File... SHORT DESCRIPTION field complete. DESCRIPTION field complete. FILE field complete. FIELD field complete. Updating Routine file... Updating KIDS files... DGBT 1.0 Installed. Mar 28, 2002@10:50:15 Install Message sent #347703 _____ +----+ | 100% | 50 75 25 Complete +-----+

Install Completed

Routines

Routine List

33 routines

Routine Checksums

Routine Name	Before Checksums Registration V.5.3	After Checksums Beneficiary Travel V.1.0			
 DGBT1	8480857	8480857			
DGBT1POS	NA	2709650			
DGBT1PRE	NA	2236658			
DGBT2	12774416	12774416			
DGBTCD	13829532	13829532			
DGBTCE	14541136	14541136			
DGBTCE1	5419607	5419607			
DGBTCR	12006227	11746140			
DGBTCR1	8137574	8137574			
DGBTCR2	12956592	12956592			
DGBTDIST	8481729	8481729			
DGBTDIV	NA	774135			
DGBTDST1	2237098	2237098			
DGBTE	8229618	8229618			
DGBTE1	9272372	9272372			
DGBTE1A	6223890	6223890			
DGBTEE	8387933	8387933			
DGBTEE1	11811803	11811803			
DGBTEE2	8101499	8132955			
DGBTEF	15591466	14955495			
DGBTEF1	8927678	8937627			
DGBTEND	12830346	12830346			
DGBTHELP	NA	367129			
DGBTOA1	14177005	14205362			
DGBTOA2	11981540	11984900			
DGBTOA3	15389059	15389059			
DGBTOA4	15019918	15019918			
DGBTOA5	3360676	3360676			
DGBTOA6	8208248	8208248			
DGBTR	9324442	9324442			
DGBTSRCH	10574383	10574383			
DGBTUTL	1356611	1356611			
DGBTUTQ	NA	4368386			

Journaling

DSM Systems

- Locate the Volume Set where ^DGBT is translated
- Run ^%GLOMAN

```
>D ^%GLOMAN
Global Management Utility
Global > ^DGBT
^DGBT is currently defined
1. Show GLOBAL Characteristics
2. Change Access Privileges
3. Change Journaling Capability
4. Change DATA GROWTH AREA
Enter option > 3
Journaling [E=Enabled/D=Disabled] <E>
```

Cache Systems

• Locate the Namespace where ^DGBT is translated. This will display whether journaling is enabled or not.

>D ^%GD
Device: Right margin: 80=>
Show detail? No => Yes

Global Directory Display of VAH 9:33 AM Apr 05 2002	Ι						
Global Vacant	Own	Grp	Wld	Net	Growth	lst PB	Jrn
^%Z Data Location: y:\rou\ Lock Location: y:\rou\ Replications: Collation: Cache standa	RWD .rd	R	R	RWD	3296	325	Y
^DGBT Data Location: w:\vaa\ Lock Location: w:\vaa\ Replications: Collation: Cache standa	RWD .rd	Ν	Ν	RWD	10296	128	Y

• If journaling (Jrn) is N, change to the namespace where ^DGBT is located and enable journaling.

```
VAH>D ^%CD
Namespace: ^^W:\VAA
You're in namespace ^^w:\vaa\
Default directory is w:\vaa\
^w:\vaa\>D ^%JOURNAL
Enable or Disable journaling of a set of globals.
Do you want to Enable or Disable journaling? (E or D) E=>
All Globals? No => No
Global ^DGBT
1 item selected from
194 available globals
Global ^
Global ^DGBT Done.
^^w:\vaa\>
^^w:\vaa\>D ^%CD
Namespace: VAH
You're in namespace VAH
Default directory is y:\rou\
VAH>
```