

ClIO Terminology Dictionary

and

Clinical Data Model

Date/Time Generated: FEB 29,2016@10:36

M Environment: DEV,DEV

=====

TERM: ABDOMEN BOWEL SOUNDS

Page: 1

ID: {A7E05486-2BF9-D304-4925-9A32165B19F0}

=====

Abbreviation..... AB BOW S
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Abdominal Bowel Sounds
Display Name..... Abdomen Bowel Sounds
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE:

6 entries

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. HYPOACTIVE (HYPOACTIVE) {2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}
3. HYPERACTIVE (HYPERACTIV) {1A548FFE-8645-4C0D-899D-5D91430CC1B1}
4. FLATULENCE (FLATULENCE) {F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}
5. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
6. BRUIT (BRUIT) {2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}

LOCATION:

5 entries

1. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
2. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACA0}
3. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
4. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
5. GENERAL UMBILICUS (GEN UMBILI)
{34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}

UNITS:

ID: {761ED47D-0598-4B17-EA65-3436FDDB8597}

=====

Abbreviation..... ABDOM COND

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... CURRENT OBSERVATION OF ABDOMINAL
CONDITION

Display Name..... Abdominal Condition

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 10 entries

1. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
2. FIRM (FIRM) {11E23F20-39A0-4A6D-B198-04BB36B0C909}
3. HARD (HARD) {7934B543-7028-4CBC-9308-99F5A952A1DE}
4. DISTENDED (DISTENDED) {B5C529CA-2BE0-4698-A153-718F4D58E643}
5. TENDER (TENDER) {30486CC7-3097-4F95-9238-FD6C2126CD10}
6. NON-TENDER (NON-TENDER) {5A3D41C0-A83D-4382-A573-D6884BB1670B}
7. GUARDING (GUARDING) {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}
8. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
9. ROUND (ROUND) {E8E741F1-F0C5-4B77-B014-63B545BED755}

10. SCAPHOID (SCAPHOID) {1BE93489-42FC-44EB-8D07-87F4224979F3}

UNITS:

=====

TERM: ABDOMINAL GIRTH

Page: 3

ID: {F70E6642-2719-22BE-BE87-DEF0A884F177}

=====

Abbreviation..... AG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Girth of patient abdomen

Display Name..... Abdominal Girth

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4536404

UNITS:

CENTIMETER

0 > 76 * 152 < 300

Dec Prec: 0

ID: {550A5C42-15F5-4182-B724-DA4DBB96F432}

=====

Abbreviation..... Wan Pre Me

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Activities of Daily Living: Wandering
Prevention Measures

Help Text..... For patients at risk for wandering

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 6 entries

10. ASSIGNED ONE TO ONE SITTER (One to One)

{07D48368-101F-4974-9EC5-7CB182A39281}

20. NO WANDERING PREVENTION MEASURES APPLIED (No Wan App)

{6967F640-223E-46CE-82F9-0E4D87745D94}

30. NO WANDERING PREVENTION MEASURES NEEDED (No Wan Nee)

{8D39BA2B-24C6-4355-9AC2-4AAAD2E66D9B}

40. PATIENT LOCATOR DEVICE IN PLACE (Loc Device)

{CAF7B45E-0143-472D-BABF-9A92857419E9}

50. SECURE TRACK IN PLACE (Secure Trk)

{33F72416-BAD4-44AD-825E-93BCBFFB9670}

60. WANDER GUARD IN PLACE (Wander Grd)

{B49D735F-A6ED-4E8F-9BD0-F8514245B262}

UNITS:

ID: {B5D8ADB2-0D19-4C07-8A09-6053A4D27003}

=====

Abbreviation..... ADL ADL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Activities of daily living assessment
Display Name..... Activities of Daily Living
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 26 entries

1. COMPLETE BATH (COMP BATH) {A7CB1F56-F88E-403B-AABC-105BE129FBB0}
2. PARTIAL BATH (PART. BATH) {60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}
3. SELF AM CARE BY PATIENT (SELF AM CR)
{C48A46C1-0E68-479C-B803-08C80617ADFF}
4. TURN AND POSITION (TURN POSIT)
{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}
5. UP TO CHAIR (UP TO CHAI) {42E598E5-82EC-428B-B5FA-1129E3095C78}
6. MEAL (MEAL) {85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}
7. AMBULATED (AMBULATED) {017D99FE-91D5-49F1-AC15-50620879C466}
8. SNACK (SNACK) {60B77974-4102-4511-A105-E24850B924D8}

9. SELF CARE OF BEDSIDE ENVIRONMENT (S CARE BED)

{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}

10. SHOWER (SHOWER) {C259929A-44DB-48FD-A2EC-BC6ECF9D0476}

11. SELF SHOWER (SELF SHOWER) {C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}

12. SHAMPOO (SHAMPOO) {95CCB23C-E614-40CD-84F0-EE4EFBC95271}

13. DRY SHAMPOO (DRY SHAMP) {8910A186-2590-4352-A884-7D692A9D2B3C}

14. NAIL CARE (NAIL CARE) {B783A171-1F0A-4135-8535-85776B81AB68}

15. TOENAIL CARE (TOEN CARE) {6CF3ABCE-FF74-43E2-81E5-D23339017CA9}

16. FOOT CARE (FOOT CARE) {332E8338-6DAE-4BC9-B195-63DAD57937D0}

17. SELF FOOT CARE (SELF FOOT)

{F2DCAF0E-389D-4987-8C73-66E35266CC78}

18. TURNING SELF INDEPENDENTLY (TURN SELF)

{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}

19. SHAVE (SHAVE) {A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}

20. SELF SHAVE (SELF SHAVE) {90F1760C-4C12-4976-ADCB-DBF456A34023}

21. FACE WASH (FACE WASH) {E1162A8B-D26D-4EB3-988F-50583B1849EA}

22. SELF FACE WASH (S FACE WAS)

{77457D46-5676-46E6-B38F-FE3AF70B5CBC}

23. PERINEAL CARE (PERIN CARE)

{D88736E4-E0EB-4FF7-9199-288A4D051A20}

24. SELF TRACH CARE (S TRACH CA)

{70BE79EC-107F-4CD3-B964-7919B3DDE222}

25. CLOTHED SELF (CLOTH S) {33802A30-FAA7-426B-ADAC-5297818DA7DE}

26. LINEN CHANGE (Lin Change) {AE30A510-112B-4F43-830E-E27FD994550A}

UNITS:

ID: {BF48D1FD-555C-4714-A624-2A350F74D8A9}

=====

Abbreviation..... ADL AMB AS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Ambulation Assistance
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

-
1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
 2. WITHOUT ASSISTANCE (WO ASSIS)
{41CE081D-CB0E-49AF-936A-4FD78E61681B}
 3. ONE PERSON ASSIST (1 PERS AS)
{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
 4. TWO PERSON ASSIST (2 PERS AST)
{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
 5. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}
 6. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
 7. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}

8. GAIT BELT (GAIT BELT) {AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}

UNITS:

=====

TERM: ADL - AMBULATION DISTANCE

Page: 7

ID: {49097AB5-ACC4-4FC5-91FB-B62DFF5EBA51}

=====

Abbreviation..... ADL AM D

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ambulation Distance

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FOOT

0 > 0 * 9999 < 9999

Dec Prec: 0

ID: {ADB040D9-C136-4AF6-809D-CDD868DA3DCA}

Abbreviation..... ADL BED MO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Bed Mobility
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
2. SUPERVISION/SET-UP HELP (SUPERVISED)
{596D028B-B60D-4244-A1B0-882177C8D25F}
3. LIMITED ASSISTANCE (LIM ASSIST)
{9A8C1310-C840-431E-BA21-065B7EA7B768}
4. EXTENSIVE ASSISTANCE (EXT ASSIST)
{C402B659-E880-4070-8345-13E5508B4D29}
5. TOTAL DEPENDENCE (TOT DEPEND)
{38702CDD-E440-4EFA-9583-36EEE719F7C3}
6. ONE PERSON ASSIST (1 PERS AS)

{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

7. TWILL TAPE (Twill Tape) {C52BE250-732D-03BB-B8F9-72BE4D546807}

8. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

ID: {3FB32B93-096A-4687-B4BE-E3FF103D75F6}

=====

Abbreviation..... ADL DRESS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dressing
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
2. SUPERVISION/SET-UP HELP (SUPERVISED)
{596D028B-B60D-4244-A1B0-882177C8D25F}
3. LIMITED ASSISTANCE (LIM ASSIST)
{9A8C1310-C840-431E-BA21-065B7EA7B768}
4. EXTENSIVE ASSISTANCE (EXT ASSIST)
{C402B659-E880-4070-8345-13E5508B4D29}
5. TOTAL DEPENDENCE (TOT DEPEND)
{38702CDD-E440-4EFA-9583-36EEE719F7C3}
6. ONE PERSON ASSIST (1 PERS AS)

{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

7. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

8. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

ID: {6293D18C-0742-4D1B-B410-E8641798DD2B}

=====

Abbreviation..... ADL EATING
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Eating
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
 2. SUPERVISION/SET-UP HELP (SUPERVISED)
{596D028B-B60D-4244-A1B0-882177C8D25F}
 3. SET UP HELP ONLY (SETUP ONLY)
{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}
 4. LIMITED ASSISTANCE (LIM ASSIST)
{9A8C1310-C840-431E-BA21-065B7EA7B768}
 5. EXTENSIVE ASSISTANCE (EXT ASSIST)
{C402B659-E880-4070-8345-13E5508B4D29}
 6. TOTAL DEPENDENCE (TOT DEPEND)

{38702CDD-E440-4EFA-9583-36EEE719F7C3}

7. ONE PERSON ASSIST (1 PERS AS)

{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

8. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

ID: {8E6573BB-DED8-47D3-AA52-C56404C5D1D9}

=====

Abbreviation..... EMO SUPPT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Emotional Support
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. PATIENT (PATIENT) {7881F205-BCD1-4948-AE66-AD572F5A02F2}
 2. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}
 3. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
 4. SIGNIFICANT OTHER (SO) {082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}
 5. CAREGIVER (CAREGIVER) {F9B8BABE-2F05-437D-85C8-585FC1FFC07F}

UNITS:

ID: {C0EC0C79-A4AB-4CB6-B026-E193E033A3DE}

=====

Abbreviation..... ADL OTHER
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Other Activity
Help Text..... Other ADL Activities
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 14 entries

1. BEDREST (BEDREST) {8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}
2. DANGLED (DANGLED) {40665750-112F-401D-AEFA-8E19F45EC0C9}
3. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}
4. COMMODORE (COMMODORE) {75C896CA-F105-4EF0-B641-3F2B1F984F1B}
5. PASSIVE RANGE OF MOTION (PASS ROM)
{DD43B9EF-E18F-4203-8564-89EBBAD963A4}
6. ACTIVE RANGE OF MOTION (ACTIVE ROM)
{F55E68F3-6788-47AE-B962-119413B4A089}
7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}
8. GURNEY CHAIR (GURN CHAIR) {B6EA0944-8414-42FD-88C0-50155DE82896}

9. BATHROOM PRIVILEGES (BATHR PRIV)

{29C1B6DD-3308-4DED-9970-1322A97C633B}

10. TRANSFER WITH ASSIST (TRANS ASST)

{62A5BFF5-9C7C-4412-83A8-F872095DE005}

11. FULL SPINAL PRECAUTIONS (FULL S P)

{42ADB74D-12CC-4111-B181-626C0F01BC7C}

12. THORACIC SPINAL PRECAUTIONS (THOR S P)

{D55AEF23-7F5E-45DD-A178-F217E6AF3873}

13. CERVICAL SPINAL PRECAUTIONS (CERV S P)

{A15F7127-2367-464A-AB7D-1E6A7C09AA21}

14. LUMBAR SPINAL PRECAUTIONS (LUMB S P)

{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}

UNITS:

ID: {AC46FCA8-4D8B-45B9-9938-9CE75B759E76}

=====

Abbreviation..... ADL REPOSI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Reposition
Display Name..... Reposition
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 9 entries

-
1. LEFT (LEFT) {81063CEE-2E83-4C95-AAEE-76B7DCB828D4}
 2. RIGHT (RIGHT) {AB74C579-DF14-4D7B-A9EF-5F119089F976}
 3. SUPINE (SUPINE) {A18F9534-17AF-47D7-8D14-2AA457A889BD}
 4. PRONE (PRONE) {41180E09-D9D6-4903-BAE9-28CD5AAC4991}
 5. SELF CARE (SELF CARE) {0E068188-75B8-46C5-8947-A6CC5C7849B5}
 6. ASSISTED (ASSISTED) {65069804-39BF-41ED-9EA3-BF2C41389F10}
 7. CARDIAC REPOSITION (CARD REPOS)
{E133FE5A-20E1-418F-BD90-D2DFE14908C0}
 8. FOWLER'S (FOWLER'S) {8E691813-A9AC-48BE-9401-528A7D762A32}
 9. HIGH FOWLER'S (HIGH FOWLE)

{EA23C94D-EE91-4552-9F74-E051FAF3E194}

UNITS:

ID: {42608477-6B3D-4036-BE05-F0DA3ED218B9}

=====

Abbreviation..... SPIRIT CA
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Spiritual care
Help Text..... Has Patient Had Spiritual Care
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {C0C8630F-6535-4C89-9556-D97CBCB41952}

=====

Abbreviation..... ADL VISITO
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Visitors
Display Name..... Visitors
Help Text..... Has the patient had any visitors today.
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {0F21C7E0-AD33-46CC-B5BD-40F7A46946D4}

=====

Abbreviation..... ADL ORAL C
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Oral Care
Display Name..... Oral Care
Help Text..... Oral Care
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 12 entries

-
1. DONE (DONE) {60412C8D-132F-46EA-8DDF-FCC282C4CC8B}
 2. ASSISTED (ASSISTED) {65069804-39BF-41ED-9EA3-BF2C41389F10}
 3. SELF CARE (SELF CARE) {0E068188-75B8-46C5-8947-A6CC5C7849B5}
 4. OFFERED (OFFERED) {715091C2-9668-4678-900E-6D55D3335A30}
 5. REFUSED (REFUSED) {D5B3E135-4D68-4528-BBC9-6E8A7A997104}
 6. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}
 7. SUCTIONED ONLY (SUCT ONLY)
{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}
 8. LIP SALVE (LIP SALVE) {612F78AB-7386-4176-9896-02DE5A8E836D}
 9. TEETH BRUSHED (TEETH BRUS)

{20841794-6E6D-4262-B1FE-9E3F20F8CC49}

10. MOUTHWASH USED (MOUTHWASH)

{9F7EF355-12A4-4EBA-92ED-0F38273E411B}

11. ETT REPOSITIONED (ETT REPOS)

{95B35EDB-76B6-433E-B526-01C543A7CCEA}

12. ETT RETAPED/SECURED (ETT RETAPE)

{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}

UNITS:

=====

TERM: AFFECT

Page: 17

ID: {CAE19296-4C9E-0049-DD90-4939FFFAA7F4}

=====

Abbreviation..... AFFECT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... an expressed or observed emotional
response

Display Name..... Affect

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

4 entries

-
1. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
 2. BLUNTED (Blunted) {F119F2DA-9182-2480-BA75-02D39F4FF69B}
 3. BRIGHT (Bright) {D16542CE-0403-2C68-A361-125CB3C75ABA}
 4. CONSTRICTED (Constrict) {A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}

UNITS:

ID: {18958F14-76F1-B4F3-DB01-F5FB4C8A70BC}

=====

Abbreviation..... ART AIR C

Active..... Yes

Boolean Value False..... Deflated

Boolean Value True..... Inflated

Data Type..... Boolean

Description..... AIRWAY CUFF INFLATED OR DEFLATED

Display Name..... Artificial Airway Cuff Status

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: AIRWAY ARTIFICIAL POSITION AT LIP/NOSE

Page: 19

ID: {A9032CCC-5479-87C2-27F8-46D8B4F68272}

=====

Abbreviation..... ART AIR PO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Artificial Airway Position at Lip/Nose

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

11.9 > 12.0 * 28.5 < 28.6 Dec Prec: 1

=====

TERM: AIRWAY ARTIFICIAL SIZE - FRENCH

Page: 20

ID: {48027138-FA36-067B-AC88-61C42902C7CC}

=====

Abbreviation..... ART AIR F

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Artifical Airway Size -French

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FRENCH

3.9 > 4.0 * 14.0 < 14.1 Dec Prec: 1

ID: {C6712EFD-7351-46E2-B31F-3F788CDECA28}

=====

Abbreviation..... ART AIR mm
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Artificial Airway Size - mm
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 13 entries

-
- | | |
|---------------|--|
| 1. 4 (4) | {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A} |
| 2. 4.5 (4.5) | {EC6C0C72-8C49-4535-92B2-7E543007EE32} |
| 3. 5 (5) | {188EDCE7-0726-4234-D8D2-92C8052CD221} |
| 4. 5.5 (5.5) | {4878F059-EC9D-44FC-9A61-734C291530E7} |
| 5. 6 (6) | {640CF2F9-3BBF-AB13-185B-CD02A609FB5A} |
| 6. 6.5 (6.5) | {CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3} |
| 7. 7 (7) | {7A010324-D2C2-5D4B-848A-7B8878666D20} |
| 8. 7.5 (7.5) | {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E} |
| 9. 8 (8) | {518E7CFC-102E-351E-C7AF-FB575E3C8F4D} |
| 10. 8.5 (8.5) | {96723567-151D-4B5C-9C65-B3EB6D584272} |

- 11. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
- 12. 9.5 (9.5) {252555A1-ADB2-4948-8764-C952F2587DC5}
- 13. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

ID: {2FC0523A-8EBD-7E24-E453-C2DEF54DAE44}

=====

Abbreviation..... ART AIRW T
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... TYPE OF ARTIFICIAL AIRWAY
Display Name..... Artificial Airway Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. NASAL ENDOTRACHEAL (Nasal Endo)
{C631352E-CAB5-0409-6133-E5D11ECC3293}
2. ORAL ENDOTRACHEAL (ORAL ENDO)
{466CAD16-D7F3-9D73-6500-959C4DA50D9A}
3. TRACHEOSTOMY (TRACHEOSTO) {2B0B7599-847E-852F-D16F-091CAAA4B205}
4. LARYNGECTOMY (LARYNGECTO) {225CB76A-BAF5-827E-729B-C3D60AD5B50A}
5. NASAL TRUMPET (NASAL TRUM)
{2FFB8510-793C-D6A4-838E-20FF7CD26533}
6. BITE BLOCK (BITE BLOCK) {E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}
7. ORAL AIRWAY (ORAL AIRWA) {B0CF4270-A68D-1322-0621-1DFF8D677B40}

8. CASS ENDOTRACHEAL TUBE (CASS)

{02BF805C-DF35-4DAB-A99F-2ED673174E49}

UNITS:

ID: {415CE93B-0510-423D-9CAC-838F59882D94}

=====

Abbreviation..... ALARM PARA
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Alarm Parameters Verified
Display Name..... Alarm Parameters Verified
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {97BADE57-C863-F3B4-4507-74BF03D4B0B9}

=====

Abbreviation..... ALARMS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Alarms
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

-
1. CENTRAL ECG (cecg) {26D36175-E4E3-C364-3018-1B0DB4DC4793}
 2. BED EXIT ALARM (BED EXIT A)
{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}
 3. WHEELCHAIR EXIT ALARM (WHEEL EXIT)
{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}
 4. IV PUMP (IV PUMP) {EFB92C16-CFA3-18BB-9D54-590089DA3962}
 5. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}
 6. UROMETER (u) {13074A3A-19D7-300C-7BFF-8DC18DDE2951}
 7. IABP (IABP) {763FE975-F5E5-80A6-AB16-E903A829E665}

UNITS:

ID: {42D5FBEB-5FBA-4E89-A1CD-D7882740C7B4}

=====

Abbreviation..... ALD CIRCUL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Modified Aldrete Scoring System

Display Name..... Aldrete Score - Circulation

Help Text..... BP +/- 50% Preop=0, 20-49% Preop= 1,
20% Preop = 2

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. 0 = BP +/- 50% PREOP (ALD CIR 0)

{675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}

2. 1 = BP +/- 20-49% PREOP (ALD CIR 1)

{D4A6100D-1228-4860-9BD6-B43F30D4FF94}

3. 2 = BP +/- 20% PREOP (ALD CIR 2)

{04B67413-7A88-409B-8005-471A7C84B879}

UNITS:

ID: {8887F08F-099D-4FE7-84EB-FB122BAFF5F5}

Abbreviation..... ALD CONSCI
 Active..... Yes
 Boolean Value False.....
 Boolean Value True.....
 Data Type..... PickList
 Description..... Modified Aldrete Scoring System
 Display Name..... Aldrete Score - Consciousness
 Help Text..... Not responding=0, Arousable with
 minimal stimulation=1, Fully awake=2
 Multi Select Picklist..... No
 Term Type..... OBSERVATION
 Vuid.....

DATA VALUE: 3 entries

1. 0 = NOT RESPONDING (ALD CON 0)

{E8765215-B0B0-430C-8C89-AB969A6AD12E}

2. 1 = AROUSABLE (ALD CON 1) {B2A07804-9829-42D0-9C49-A61FD51EEAA0}

3. 2 = FULLY AWAKE (ALD CON 2)

{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}

UNITS:

ID: {5530278D-7914-4D0B-B3AF-852FFC708808}

=====

Abbreviation..... ALD O2 SAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Modified Aldrete Scoring System

Display Name..... Aldrete - O2 Saturation

Help Text..... <90% even with O2=0, Needs O2 to
maintain >90%=1, >92% on room air=2

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-
- 1. 0 = <90% (ALD O2 0) {30042730-F600-44FD-A3D0-53172B70082B}
 - 2. 1 = NEEDS O2 (ALD O2 1) {5D97F6BB-7B02-4644-8CE5-014C89826731}
 - 3. 2 = ON ROOM AIR (ALD O2 2)
{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}

UNITS:

=====

TERM: ALDRETE - TOTAL

Page: 30

ID: {A947CF6C-094E-49B9-A856-E4103162D875}

=====

Abbreviation..... ALD TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Modified Aldrete Scoring System Total

Display Name..... Aldrete - Total Score

Help Text..... Total value of Aldrete scores

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MODIFIED ALDRETE SCORE -1 > 0 * 10 < 11 Dec Prec: 0

ID: {5E763979-792D-43A8-A065-661D4ED179E5}

=====

Abbreviation..... Anes Plan
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Anesthesia Planned
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. LOCAL (Local) {64A0FD20-4584-446C-8A2A-57F2FEF3DD10}
 2. REGIONAL BLOCK (Region Blk)
{3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}
 3. BIER BLOCK (Bier Blk) {241C28E7-6040-4ABC-B76C-4255452C66FD}
 4. GENERAL (General) {6ED377F7-55E4-4743-B781-124267567200}
 5. IV SEDATION (IV Sed) {789B61EB-5E83-4024-850D-D92370C4EC9A}
 6. SPINAL (Spinal) {AC02181C-0A2C-4F7A-B983-B32EF1BCD150}
 7. EPIDURAL (Epidural) {63317A63-16FF-4D55-A034-420C65B17AEB}
 8. MODERATE SEDATION (Mod Sed)
{C874EDC7-24BF-4F39-8FDA-E8D1193A8428}

9. NONE (NONE)

{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

UNITS:

ID: {5B202547-7AD3-4E86-9FBE-82AEC450510B}

=====

Abbreviation..... APPEARAN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Appearance
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. NEAT (NEAT) {8B01F7B8-B626-4143-A092-1E732EEB4A05}
 2. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
 3. INAPPROPRIATE (Inappropri)
{7E3B54C2-8A49-28EC-055E-FEA87599421C}
 4. DISHEVELED (DISHEVEL) {0455549E-5CCB-470D-9D7F-F3959E6D55FE}

UNITS:

ID: {D72DC694-6192-8D57-FD8B-02E49EF45DE5}

=====

Abbreviation..... AB ALLERGY
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Is the arm band for allergies present
Display Name..... Arm Band - Allergies
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {66410CB8-1475-12D5-1199-76217CC9B174}

=====

Abbreviation..... AB BL TR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Arm Band - Blood Transfusion IV

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {B7AF531A-26FA-B821-F3B6-F75911A8BBC2}

=====

Abbreviation..... AB DNR
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Is patient armband for DNR present
Display Name..... Arm Band - DNR
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {950320E8-0C68-29C0-E39A-355CEB0119C6}

=====

Abbreviation..... AB ELOPE
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Arm Band - Elopment
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {48BCE5FD-3703-4F3B-619B-8E5FD2E25D2E}

=====

Abbreviation..... AB FALL RI
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Arm Band - High Fall Risk
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4EF7E9C0-4B52-0EA5-B5ED-D29E655089FE}

=====

Abbreviation..... AB PM ALER

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Arm Band - Personal Medical Alert

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

ID: {F0D2FBB6-0843-239A-356E-D903542E9117}

=====

Abbreviation..... AB WANDER
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Arm Band - Wanderer
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {FD6E4F7D-AF64-4208-B6BD-DD965FB234C3}

=====

Abbreviation..... AB PRESENT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Arm Bands Present
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

-
1. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}
 2. IDENTIFICATION (i) {39274F69-556C-7F05-6D17-CE8A03D1867D}
 3. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}
 4. ALLERGY (a) {EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}
 5. HIGH FALL RISK (hfr) {276C15F3-5BED-0FE0-5649-337A23AB1386}
 6. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
 7. PERSONAL MEDICAL ALERT BRACELET (pmab)
{E63D5FDE-4509-5751-A11C-C023E296858A}
 8. BLOOD TRANSFUSION IV (BI TRAN IV)
{27A0BE4C-433C-F920-BAC2-066F304BDF59}

9. WANDERER (w) {C5BD737B-F9A6-5800-B45C-2585507C3EDC}

10. DO NOT INTUBATE (Do Not Int)

{88F9A76A-43BC-4BD9-A567-C8FE5A868544}

11. LATEX ALLERGY (Latex Alle)

{3E7326AA-8CA4-448C-802A-111C232B2F1C}

12. DYSPHAGIA (Dysphagia) {CC69271C-B4DF-42D1-BA91-0832DBC45E31}

13. RESTRICTED EXTREMITY (Res Extrem)

{7BC82415-996E-46F2-B2BC-DF0705AD2AA3}

UNITS:

ID: {9267950F-51B3-4C38-B280-C62D7B076F6B}

=====

Abbreviation..... ALINE ALAR
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Arterial Lines Alarms On
Display Name..... Arterial Line Alarms On
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {CFB536B3-C087-48EF-9417-94CBE1B88911}

=====

Abbreviation..... ART L CR A

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Has The Arterial Line Circulation

Been Assessed

Display Name..... Arterial Line Circulation Assessed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n)	{FC275445-1225-9912-18A3-DF36245893D3}
-----------	--

2. YES (y)	{483DE806-2EDB-34B0-FE11-C29EEEA649CD}
------------	--

UNITS:

ID: {1D4E53DD-2D96-4B9F-9912-920B96FFF942}

=====

Abbreviation..... ART LIN DC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Arterial Line Dressing Change
Display Name..... Arterial Line Dressing Change
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
 - 2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
 - 3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
 - 4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS:

=====

TERM: ARTERIAL LINE DRESSING TYPE

Page: 44

ID: {A2F0D86E-286A-0D33-2BAA-3DDE78121050}

=====

Abbreviation..... A LINE DRE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Arterial Line Dressing

Help Text..... Type of dressing used on arterial line

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

2. PRESSURE DRESSING (PRESS DRES)

{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

3. GAUZE AND TAPE (GAU & TAPE)

{5BC40405-B5C4-47CF-81C3-520732E100AC}

UNITS:

ID: {2CCDDAA0-9563-8B09-11C1-51E1E2823A48}

=====

Abbreviation..... A LINE CAR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Has Arterial Line Site Care Been Done?

Display Name..... Arterial Line Site Care

Help Text..... Date arterial line inserted

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {A87DEFA0-FD22-8AAB-AEEE-61E91FEE2154}

=====

Abbreviation..... ART LI CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Arterial Line Site Condition
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

-
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
 - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
 - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
 - 70. BLANCHED (Blanched) {EBB2EA8D-04BC-49E7-812A-62B46F0F4678}
 - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}
 - 90. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

LOCATION: 8 entries

-
1. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
 2. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
 3. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
 4. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
 5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
 6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
 7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
 8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

=====

TERM: ARTERIAL LINE SIZE

Page: 47

ID: {9D96EBB7-19E0-4832-B61F-D2A42CE15737}

=====

Abbreviation..... ART LIN SI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Arterial Line in size Gauge
Display Name..... Arterial Line Size
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

LOCATION: 8 entries

1. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
2. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
3. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
4. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

GAUGE

14 > 18 * 26 < 30

Dec Prec: 0

ID: {1B11B2EF-C905-40F6-9F6F-195FEC0CD8E6}

=====

Abbreviation..... ALINE WAVE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Arterial Line Waveform

Display Name..... Arterial Line Waveform

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

5 entries

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
5. NOT MONITORED (NOT MONITO)
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

ID: {A500DBBF-6E69-4CB3-926F-6B9988BB8B68}

=====

Abbreviation..... ALINE ZERO

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Arterial Line Zeroed

Display Name..... Arterial Line Zeroed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {E189D73A-B578-AAD3-97F5-56580209D089}

Abbreviation..... ASA Phys
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... ASA Physical Status
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

- 1. ASA PS 1 (ASA PS 1) {BAF1730E-C358-17F1-8DB8-4B6097AFF066}
- 2. ASA PS 2 (ASA PS 2) {070C0F56-3D9C-5430-EF9E-BF3B96DFB595}
- 3. ASA PS 3 (ASA PS 3) {B041CE25-82D0-EDAD-C673-A64BCD6647F4}
- 4. ASA PS 4 (ASA PS 4) {040841C3-D933-E687-C7E0-29F439C08778}
- 5. ASA PS 5 (ASA PS 5) {1F7B73A6-3F8E-E230-1C23-C7DF92032E58}
- 6. EMERGENCY (Emergency) {3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}

UNITS:

=====

TERM: BABINSKI

Page: 51

ID: {D7BB9690-82D8-F50B-93AA-1937D051AA53}

=====

Abbreviation..... BABINSKI
Active..... Yes
Boolean Value False..... Negative
Boolean Value True..... Positive
Data Type..... Boolean
Description..... Babinski Reflex Test
Display Name..... Babinski
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE:

2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {DC4D8E16-1BA9-4A45-820E-A7AAA48449FB}

=====

Abbreviation..... Barriers
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Barriers to Learning
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
1. PHYSICAL IMPAIRMENT (Phys Impai)
 {4D744081-134E-420D-9712-AF114977E490}
 2. COGNITIVE IMPAIRMENT (Cog Impair)
 {6D051F44-2124-4914-A415-B98B2AC516E9}
 3. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

ID: {D65573FE-6CAB-3A81-4572-ACC9488D8BAF}

=====

Abbreviation..... BEDPOS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Bed Position
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
1. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
 2. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
 3. SEMIFOWLERS HIGH (sh) {1BBE7175-2BD2-BFB5-1E1B-E02443433072}
 4. SEMIFOWLERS LOW (sl) {A265AF02-53FC-B182-8AE3-A06E95718D7E}
 5. CARDIAC CHAIR (cc) {D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}

UNITS:

=====

TERM: BEHAVIOR

Page: 54

ID: {BBF17C69-B1B4-37D9-0469-D124F4ADA673}

=====

Abbreviation..... BEHAVIOR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Is Patients Behavior Appropriate?
Display Name..... Behavior
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
 2. INAPPROPRIATE (Inappropri)
{7E3B54C2-8A49-28EC-055E-FEA87599421C}
 3. RESTING (Resting) {D750373F-12E2-4D95-AF0D-F7731905F723}
 4. APPEARS ASLEEP (App Asleep)
{8D1436B8-ADB0-4092-A0CE-383D74131AA8}

UNITS:

ID: {A3BE725A-A4D7-6C75-D5CD-453755C5EF21}

=====

Abbreviation..... CUR LOC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Behavior Current Location
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

-
1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
 2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
 3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
 4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
 5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
 6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
 7. SMOKING PORCH (sp) {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
 8. SMOKING AREA (sa) {8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}
 9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
 10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

ID: {E5D2F4A5-5484-2B9C-EBD0-C0EB0FBC6E8C}

=====

Abbreviation..... BEH OBS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Behavior
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

1. COOPERATIVE (c) {C176406E-EBDE-4ADE-53DE-CF191D8AFC85}
2. CALM (c) {E206C3F5-6977-302C-51FB-AF2155B5FFD9}
3. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
4. HOSTILE (h) {29EF2C04-7DB0-4491-2B5E-D92A6A558721}
5. COMBATIVE (c) {DF65D42D-6CAA-657E-AEE1-C070C1FDF177}
6. INEFFECTIVE COPING (ic) {704B1A55-B639-60F4-E3A5-16F942ABC259}
7. WITHDRAWN (w) {E74B0F04-0E3F-632F-9409-C4953D95B1BA}
8. UNCOOPERATIVE (u) {2D737EFB-F4CA-7AEA-9EB2-6FF133742815}
9. SLEEPS POORLY (sp) {AB9424B4-D0B1-148B-C800-FF535F3FAC84}
10. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

- 11. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
- 12. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
- 13. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
- 14. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
- 15. LETHARGIC (l) {4ECA2E44-093A-9354-848E-CDC72B165072}

UNITS:

ID: {1F322720-9BDF-A3A4-47A6-7DA602FFBBF4}

=====

Abbreviation..... PRE LVL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Behavior Precaution Level
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. CLOSE OBSERVATION (co) {2679BCAC-8753-FE73-56F8-3AB632161AF4}
 2. 1:1 OBSERVATION (1o) {B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}
 3. PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (pswlosons)
{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}
 4. PATIENT SIGNS SAFETY CONTRACT (PT CONTRAC)
{C65734EC-2CAF-4547-8FD8-CBCD9C706003}

UNITS:

ID: {C2808159-80A1-AF7F-7C7F-C3A96096187E}

=====

Abbreviation..... PRE REA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Behavior Precaution Level
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
- 1. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
 - 2. ESCAPE (e) {965F3201-9D63-66AB-FA25-99479AE7145A}
 - 3. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
 - 4. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
 - 5. MEDICAL DEVICE SAFETY (mds)
{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

UNITS:

ID: {B52B46E7-A947-447E-A277-71B286B6313A}

=====

Abbreviation..... BIPAP EXP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bipap machine setting for expiratory
pressure

Display Name..... Bipap Expiratory Pressure - Do Not
Check Total or Subtotals

Help Text..... Bipap machine setting for expiratory
pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

CENTIMETERS H2O

-1 > 0 * 15 < 16

Dec Prec: 0

ID: {25B30C16-509B-4537-9C06-05B1C5013C81}

=====

Abbreviation..... BIPAP IN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bipap machine setting for inspiratory
pressure

Display Name..... Bipap Inspiratory Pressure - Do Not
Check Total or Subtotals

Help Text..... Bipap machine setting for inspiratory
pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

CENTIMETERS H2O

-1 > 0 * 15 < 16

Dec Prec: 0

ID: {BEDA282C-C39A-4134-DA6D-7BFCC567A058}

=====

Abbreviation..... BLAD ASSMT
Active..... Yes
Boolean Value False..... Nondistended
Boolean Value True..... Distended
Data Type..... Boolean
Description..... Assessment of bladder
Display Name..... Bladder Assessment
Help Text..... Is bladder nondistended or distended?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {403C285B-40ED-4ECA-BFD0-4404BE4FB59E}

=====

Abbreviation..... BLAD SCAN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bladder Scan

Display Name..... Bladder Scan - Do Not Check Total or
Subtotals

Help Text..... Bladder Scan Urine Volume Results

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER 0 > 0 * 1000 < 1000 Dec Prec: 0

CUBIC CENTIMETER 0 > 0 * 1000 < 1000 Dec Prec: 0

ID: {B15F2DF6-CE99-B847-FE6B-3D5F174A2BCD}

=====

Abbreviation..... BP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Complex observation of Systolic and
Diastolic pressures.

Display Name..... Blood Pressure

Help Text..... Enter in the blood pressure values as
###/###.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500634

LOCATION: 7 entries

1. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}
2. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}
3. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
4. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
5. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
6. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
7. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

METHOD:

11 entries

1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
3. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
4. CUFF-AUTOMATED (CA) {088AAD2B-2E7B-F835-376F-3D4340790976}
5. CUFF-MANUAL (CM) {5F56C163-2B04-112F-55DE-E31374E0FB58}
6. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
7. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
8. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
9. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
10. PALPATED (Pal) {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}
11. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION:

6 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
3. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
4. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
5. TRENDELENBURG (Tr) {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}
6. SUPINE (SUPINE) {DEA8A744-B445-4A9E-875D-485E060F2ACC}

UNITS:

=====

TERM: BLOOD PRESSURE CUFF SIZE

Page: 64

ID: {46DCF900-6F2C-46D0-ADB8-2EC17E7659FF}

=====

Abbreviation..... BP CUFF SI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Blood Pressure Cuff Size
Help Text..... Blood Pressure Cuff Size
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. ADULT (ADULT) {37B557BE-B932-4757-8E08-5EA315E8AD1F}
 2. ADULT LARGE (AD LARGE) {38E64D72-2806-47FA-B82F-51844574F850}
 3. ADULT SMALL (AD SMALL) {0161A4E5-713A-406B-B3FD-9ED13BEB5366}
 4. THIGH (THIGH) {65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}
 5. PEDIATRIC (PEDIATRIC) {06865E22-3ED9-4EDD-9749-6F8641BF29DE}

UNITS:

=====

TERM: BODY SURFACE AREA

Page: 65

ID: {5C9A522B-C5ED-4D59-7BF8-3D88ADEBAB07}

=====

Abbreviation..... M2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Body Surface Area

Display Name..... BSA

Help Text..... Body Surface Area

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

SQUARE METERS

0.50 > 1.00 * 1.75 < 4.00 Dec Prec: 2

=====

TERM: BOWEL MOVEMENT EVENT(S)

Page: 66

ID: {2EB1DAFB-1E56-40A8-B371-D46EF7AF2435}

=====

Abbreviation..... BM EVENT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Number of bowel movements observed

Display Name..... Bowel Movement Event

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

EVENT(S)

-1 > 0 * 8 < 30

Dec Prec: 0

ID: {9EBBF98C-9551-3AC6-F955-6242D8416444}

=====

Abbreviation..... BR SC ACTI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Activity - degree of
physical activity

Display Name..... Braden Scale Activity

Help Text..... 1. Bedfast: Confined to bed 2.

Chairfast: Ability to walk severely
limited or non-existent. 3. Walks

Occasionally: Walks occasionally
during day, but for very short

distances, with or without

assistance. 4. Walks Frequently:

Walks outside room.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. BRADEN SCALE ACTIVITY 1 BEDFAST (BS ACT 1)

{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}

2. BRADEN SCALE ACTIVITY 2 CHAIRFAST (BS ACT 2)

{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}

3. BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (BS ACT 3)

{E47B47BC-6097-4602-9184-BF5A4F6D686A}

4. BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (BS ACT 4)

{C5A8C2EA-E042-4804-9812-77603C47FC6A}

UNITS:

ID: {03ECD9F4-3C12-A62B-FAAC-0F8A824763AA}

=====

Abbreviation..... BR SC FRIC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Friction and Shear

Display Name..... Braden Scale Friction and Shear

Help Text..... 1. Problem: Requires moderate to
maximum assistance in moving. 2
Potential Problem: Moves feebly or
requires minimum assistance.3 No
Apparent Problem: Moves in bed and
in chair independently and has
sufficient muscle strength to lift up
completely

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. BRADEN FRICTION AND SHEAR 1 PROBLEM (BS F/S 1)

{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}

2. BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (BS F/S 2)

{B56338A9-8956-4D27-8BA0-DA50E07359E0}

3. BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (BS F/S 3)

{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

UNITS:

ID: {85F9FB55-26A3-6203-C1AE-6EFED5952B3D}

=====

Abbreviation..... BR SC MOBI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Mobility - ability to
change and control body position

Display Name..... Braden Scale Mobility

Help Text..... 1=Completely Immobile, 2=Very
Limited, 3=Slightly Limited, 4=No
Impairment

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (BS MOB 1)

{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}

2. BRADEN SCALE MOBILITY 2 VERY LIMITED (BS MOB 2)

{868EFA33-877E-4B91-B4FD-9655F66A7160}

3. BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (BS MOB 3)

{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}

4. BRADEN SCALE MOBILITY 4 NO LIMITATION (BS MOB 4)

{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

UNITS:

ID: {D72122E0-C46F-D019-0CE8-FE403ABE8F52}

=====

Abbreviation..... BR SC MOIS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Braden Scale Moisture - degree to
which skin is exposed to moisture
Display Name..... Braden Scale - Moisture
Help Text..... 1=Constantly Moist, 2=Very Moist,
3=Occasionally Moist, 4=Rarely Moist
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

- 1. BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (BS MOI 1)
{3E2569BA-ECF0-4622-8F4A-26378A2CB466}
- 2. BRADEN SCALE MOISTURE 2 VERY MOIST (BS MOI 2)
{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}
- 3. BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (BS MOI 3)
{D7F2714B-B0C7-4000-8588-8582C1B32ECE}
- 4. BRADEN SCALE MOISTURE 4 RARELY MOIST (BS MOI 4)
{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}

UNITS:

ID: {C8167958-3381-1ACE-82C3-856BC2CB9FD2}

=====

Abbreviation..... BR SC NUTR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Nutrition - usual food
intake pattern

Display Name..... Braden Scale Nutrition

Help Text..... 1=Very Poor, 2=Probably Inadequate,
3=Adequate, 4=Excellent

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

1. BRADEN SCALE NUTRITION 1 VERY POOR (BS NUT 1)

{28A86074-A6B2-455E-ABA4-19195C2E3679}

2. BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (BS NUT 2)

{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}

3. BRADEN SCALE NUTRITION 3 ADEQUATE (BS NUT 3)

{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}

4. BRADEN SCALE NUTRITION 4 EXCELLENT (BS NUT 4)

{F09E4D35-1AA8-49A5-9B38-FBFFAFCFC181}

UNITS:

ID: {BC5D5F00-85EE-7FB2-3175-8EDB95485D5E}

=====

Abbreviation..... BR SC SENS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Sensory Perception - ability to
respond meaningfully

Display Name..... Braden Score - Sensory Perception

Help Text..... 1=Completely Limited, 2=Very Limited,
3=Slightly Limited, 4=No Impairment

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (BS SENC 1)

{60F646B3-790F-4C5A-B2A0-845915E120E6}

2. BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (BS SENC 2)

{98362E63-7245-4E7F-8C30-896A9B923199}

3. BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (BS SENC 3)

{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}

4. BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (BS SENC 4)

{10304656-E5E8-4F32-8358-A9F80511EFDA}

UNITS:

=====

TERM: BRADEN SCALE TOTAL

Page: 73

ID: {42F65882-FAE1-45E1-84E9-A2A71052BD0C}

=====

Abbreviation..... BRADEN TOT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Braden Scale Total
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

BRADEN SCALE 5 > 6 * 23 < 24 Dec Prec: 0

ID: {DD4858CD-DC35-9453-3144-FAE30BCE6B58}

=====

Abbreviation..... BREATH SOU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... SOUND OBSERVATIONS FROM PATIENT'S LUNGS

Display Name..... Breath Sounds

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 7 entries

-
1. RHONCHI (RHONCHI) {850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}
 2. CRACKLES (c) {6B64C108-4424-00D9-525F-D89D549476D6}
 3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 5. DIMINISHED (d) {49DE419E-DC3C-F7CD-771D-742031E0DEBC}
 6. INSPIRATORY WHEEZES (INSP WHEEZ)
{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}
 7. EXPIRATORY WHEEZES (EXP WHEEZE)
{CFC103A8-8B02-4942-BBDD-8D24C930883E}

LOCATION:

5 entries

1. LEFT LOWER LOBE (LLL) {14155C13-874D-6E26-01D8-2C03B349F913}
2. LEFT UPPER LOBE (LUL) {21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}
3. R LOWER LOBE (RLL) {418D350A-3602-1918-22C8-53D093AF49B0}
4. R MIDDLE LOBE (RML) {57879159-350C-2055-34D3-C6EFA39CA98F}
5. R UPPER LOBE (RUL) {098C11B4-B556-FBBE-7E21-AEC9D7E4408A}

UNITS:

=====

TERM: CALL LIGHT WITHIN REACH

Page: 75

ID: {ABAC4D24-C449-117E-BE4C-BFBC1F599A57}

=====

Abbreviation..... CALL LT

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Call Light Within Reach

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {951BBDAA-883A-E4F7-AD05-B086A71A2FEC}

=====

Abbreviation..... CAP REFILL
Active..... Yes
Boolean Value False..... Greater than 3 seconds
Boolean Value True..... Less than 3 seconds
Data Type..... Boolean
Description..... RATE OF CAPILLARY REFILL
Display Name..... Capillary Refill
Help Text..... RATE OF CAPILLARY REFILL
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: CARDIAC ABNORMAL BPM

Page: 77

ID: {1B168030-C39C-8120-915A-36073D044B17}

=====

Abbreviation..... ABN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Cardiac Abnormal BPM

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

BEATS PER MINUTE

0 > 1 * 200 < 201

Dec Prec: 0

=====

TERM: CARDIAC ALARM PARAMETERS VERIFIED

Page: 78

ID: {564B52F5-824E-3DBF-5EDB-493DDFFC30A3}

=====

Abbreviation..... CARD ALARM

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Cardiac Alarm Parameters Verified

Help Text..... Cardiac Alarm Parameters Verified

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {23CEA88E-9A5A-4AE2-92C7-F5204B166211}

=====

Abbreviation..... BRUIT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Bruit
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

- 1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}
- 2. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 7 entries

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
- 3. L CAROTID (L CAROTID) {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}
- 4. R CAROTID (R CAROTID) {8280ACD2-72D6-202A-89AF-86BCA7736427}
- 5. R TEMPORAL (R TEMPOR) {1F50461D-5ECF-25B2-A29A-E02803CB7814}

6. L TEMPORAL (L TEMPO) {375E65CF-A59E-A1E9-EB6D-D53CD818939E}

7. ABDOMINAL AORTA (ABD AORTA)

{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

UNITS:

ID: {74EC179C-8598-13F7-3D58-442305A3AFDB}

=====

Abbreviation..... CARD E
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Cardiac Ectopy
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

-
- 1. PJC (p) {1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}
 - 2. PAC (p) {848AB18A-598D-8E4E-8B1B-ED7478CE340B}
 - 3. PVC (p) {33FF92F1-84CC-7CFA-41CF-B271A26C59B8}
 - 4. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 - 6. MULTIFOCAL PVC (Mult PVC) {34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}
 - 7. UNIFOCAL PVC (Uni PVC) {5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}
 - 8. PAIRS (Pairs) {668B0D85-E507-4E12-B07A-A90CB98730DC}
 - 9. RUNS OF VT (Runs of VT) {3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}
 - 10. BIGEMINY (Bigeminy) {729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}
 - 11. TRIGEMINY (Trigeminy) {13D65F9F-B51C-4CEC-8002-037C8323626C}

12. QUADRAGEMINY (Quadrage mi) {899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}

13. JUNCTIONAL ESCAPE BEAT (Junctional)

{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}

14. REMNANT P-WAVE (Remnant P)

{3BBAA695-337E-41C4-BB83-8452917C07DF}

UNITS:

ID: {476105AC-C83C-ECEC-6C72-7C7C8EE87853}

=====

Abbreviation..... CARD HS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Cardiac Heart Sounds
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

-
- 1. S1 (s) {1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}
 - 2. S2 (s) {57C043D3-B227-3E7A-C1E6-5129A2800718}
 - 3. S3 (s) {9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}
 - 4. S4 (s) {9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}
 - 5. RUB (r) {0040835D-1CF0-7D55-EEBB-A94A1E0D1206}
 - 6. CLICK (c) {F1F3A1A8-35E1-61B4-C783-3314C8247380}
 - 7. MURMUR (MURMUR) {591058E0-4B71-E432-B7D7-EBD42A8C4225}

UNITS:

=====

TERM: CARDIAC INDEX

Page: 82

ID: {BFC29A9A-C666-68B5-C5CF-36B809CF66C2}

=====

Abbreviation..... CI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Cardiac Index

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

LITERS PER MINUTE PER METER2 (BSA)

-0.1 > 0.0 * 8.0 < 8.1 Dec Prec: 1

=====

TERM: CARDIAC OUTPUT

Page: 83

ID: {0B7C4991-12E5-10DE-F25D-CB81BFA1ADAD}

=====

Abbreviation..... CO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Cardiac Output
Display Name..... Cardiac Output
Help Text..... Cardiac Output
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

LITERS PER MINUTE 0.00 > 4.00 * 8.00 < 16.00

Dec Prec: 2

ID: {D5CF1A63-551A-59D4-E6BB-C851D81BDB58}

=====

Abbreviation..... CARDR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... HEART RHYTHM
Display Name..... Cardiac Rhythm
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 32 entries

1. SINUS RHYTHM (sr) {A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}
2. SINUS BRADYCARDIA (sb) {D6EF4940-63AE-22AF-1A80-D8E6F0F07839}
3. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}
4. ASYSTOLE (a) {6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}
5. ATRIAL FIB/FLUTTER (af) {9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}
6. ATRIAL FIBRILLATION (a fib)
{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}
7. ATRIAL FLUTTER (af) {9CB8D413-6762-D78E-F40E-25DB66CD23B3}
8. L BUNDLE BRANCH BLOCK (lbbb)
{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}

9. R BUNDLE BRANCH BLOCK (rbbb)
{FDE0D174-5220-F069-D284-20399D9489B0}
10. IDIOVENTRICULAR (i) {8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}
11. JUNCTIONAL (j) {4A339D84-7051-1258-877D-85AFC1CA20FE}
12. PACED: AV SEQUENTIAL (pas)
{3C485674-224C-47DA-510D-92F1A0CA54A1}
13. PACED: ATRIAL (pa) {88837DD4-098D-B77F-A754-89D5C4F5870F}
14. PACED: VENTRICULAR (pv) {A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}
15. PAROXYSMAL ATRIAL TACHYCARDIA (pat)
{27BC1FAF-A403-6EA8-044C-F1271F12A62A}
16. SINUS ARREST (sa) {3CD8F7AC-3FE0-F342-089C-787232D2A5C2}
17. SINUS ARRHYTHMIA (sa) {07A24AC9-B486-A4B8-BADB-04D2729542CE}
18. SUPRAVENTRICULAR TACHYCARDIA (st)
{F712412F-D39A-58F7-E4F1-6AC8B77445D7}
19. VENTRICULAR FIBRILLATION (vf)
{400B70C2-6E15-458F-70C6-FA2597DE2556}
20. VENTRICULAR TACHYCARDIA (vt)
{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}
21. FIRST DEGREE AV BLOCK (fdab)
{4FF046C9-B638-F86C-5D51-006B3D5225E3}
22. SECOND DEGREE AV BLOCK: TYPE 1 (sdabt1)
{508BF663-96FB-EEBE-4F06-D2F1A02BD099}
23. SECOND DEGREE AV BLOCK: TYPE 2 (sdabt2)
{3367754A-08D1-31A9-E850-1B36358E358A}
24. THIRD DEGREE AV BLOCK (tdab)
{1AC7E31B-830E-2309-3AF7-8FB03003DD86}
25. SINUS PAUSE (sp) {7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}
26. SINUS BLOCK (sb) {94D6EFED-3D08-E724-BC40-9C398919A142}

27. SINUS TACHYCARDIA (SINUS T)

{0AC41AF3-7656-A35D-E397-21D35405812A}

28. PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (PST)

{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}

29. MUTIFOCAL ATRIAL TACHYCARDIA (mat)

{562C6BBB-C210-4467-93B3-8E50640E7CCE}

30. JUNCTIONAL TACHYCARDIA (jt)

{D6EF01C1-A8F9-40FD-AE24-785041526041}

31. TORSADES DE POINTES (Tor de Poi)

{E936B787-7912-4CAE-A465-AD1A1FEA68CA}

32. PULSELESS ELECTRICAL ACTIVITY (Pulseless)

{8E21E500-78D4-462D-9483-DD81D3887EE5}

UNITS:

ID: {3F4A283A-6A9F-345A-1BE0-86980228FA6D}

=====

Abbreviation..... CAR RH LD
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Cardiac Rhythm Lead
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 12 entries

-
- 1. I (I) {BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}
 - 2. II (II) {F165C13B-397E-4182-8D72-BD1D74CFBA00}
 - 3. III (III) {D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}
 - 4. AVR (AVR) {04AF2551-1185-4BA9-AEED-977D562D188A}
 - 5. AVL (AVL) {9124A193-5F50-448D-9E60-C5869EC4029C}
 - 6. AVF (AVF) {C8E97206-58AA-47C0-BD2E-7A30E56DB46A}
 - 7. V1 (V1) {4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}
 - 8. V2 (V2) {05A3232E-A30D-4771-A1B5-E7705B717646}
 - 9. V3 (V3) {E150126E-4AA7-4F96-961E-FD1169C77158}
 - 10. V4 (V4) {255260F9-5CC7-41B1-831C-F9319FA27506}

11. V5 (V5) {D5C10744-0EB5-46FA-AE6C-CCF571318F8A}

12. V6 (V6) {B86F72D7-7884-4470-92A8-EF9277C5B584}

UNITS:

=====

TERM: CARDIAC THRILL

Page: 86

ID: {03A59127-CB5C-4DA6-91C4-5AA02DDE2C66}

=====

Abbreviation..... THRILL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Thrill
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}
2. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 8 entries

1. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
2. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
3. R CAROTID (R CAROTID) {8280ACD2-72D6-202A-89AF-86BCA7736427}
4. L CAROTID (L CAROTID) {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}
5. R TEMPORAL (R TEMPOR) {1F50461D-5ECF-25B2-A29A-E02803CB7814}

6. L TEMPORAL (L TEMPO) {375E65CF-A59E-A1E9-EB6D-D53CD818939E}

7. ABDOMINAL AORTA (ABD AORTA)

{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

8. HEART (HEART) {F7D48A36-B512-42DD-B92F-07ACF2B95E08}

UNITS:

ID: {D52A1728-1692-4742-886A-B119BB7EE598}

=====

Abbreviation..... THRILL TIM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Thrill Timing
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
 2. SYSTOLIC (SYSTOLIC) {859B5700-0990-42FF-8129-8DB24EFDA8D1}
 3. DIASTOLIC (DIASTOLIC) {3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}
 4. PRESYSTOLIC (PRESYSTOLI) {BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}

UNITS:

ID: {E4E49EAC-51FA-4355-858E-4B638F5F5534}

=====

Abbreviation..... GU Cat Dis

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... CAUTI Prevention: GU Catheter

Discontinued

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {D7A1DFC3-BBD5-4439-AAB7-D3489238A360}

=====

Abbreviation..... CAUTI: Alt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... CAUTI: alternatives attempted prior
to cath

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

10. BLADDER SCAN (Blad Scan)

{6C66BC97-1042-4E53-A49F-69AB7ABEE551}

20. EXTERNAL CONDOM CATH (Ex Con Cat)

{747E493A-C535-44EA-AD6D-27CE3E8E8CAC}

30. BEDSIDE COMMODO (Bedside Cm)

{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}

40. TOILETING BY SCHEDULE (Toilet Sch)

{D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}

UNITS:

ID: {A1A9B834-08E3-461E-8E52-03C49D1B63B0}

=====

Abbreviation..... CAUTI: Cat
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... CAUTI: Catheter in place
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 10 entries

- 10. FROM OPERATING ROOM (From Op Rm)
{2B26BD84-3D4D-4931-99C7-8204E9D49827}
- 20. FROM EMERGENCY DEPARTMENT (Fr Emergen)
{9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}
- 30. FROM INTERVENTIONAL RADIOLOGY (Fr Int Rad)
{617DA086-B121-4E2F-8B02-41133EEDD50D}
- 40. FROM ANOTHER VA FACILITY (Fr Oth VA)
{66AF9A88-6404-4E05-9640-4FB0C6513BAF}
- 50. FROM A NON-VA OUTSIDE FACILITY (Fr Non-VA)
{8090F49E-5056-4F7C-932C-538581996F8F}

60. FROM ANOTHER UNIT (Fr An Unit)

{D94B5252-7E8A-48EB-A481-0B18C68CAEF7}

70. FROM MICU (From MICU) {971D83AE-B75C-420B-B23D-844397CEE968}

80. FROM SICU (From SICU) {892002CC-E07A-49A5-B909-1F88665B3D65}

90. FROM CLC (From CLC) {8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}

100. FROM HOME (From Home) {2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}

UNITS:

ID: {66447A9A-D54B-4323-9A17-EBCD2BF0F38E}

=====

Abbreviation..... CAUTI: In
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... CAUTI: Indications
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

- 10. COMFORT CARE (Comfort Ca) {51669E41-DF78-4E49-BA5F-DE6F1B5F1148}
- 20. NEUROGENIC BLADDER (Neuro Blad)
{D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}
- 30. STAGE 3 OR 4 PRESSURE ULCER (Press Ulce)
{883029EF-BB3A-4146-95DD-3C6F1C0D097D}
- 40. SELECTED SURGERY (Sel Surg)
{6DBC6356-0F00-4001-AF94-20A479995A6C}
- 50. UNABLE TO VOID (Un to Void)
{1F2A844D-4E14-4759-B8F7-82B58E157720}
- 60. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

ID: {30CAE818-AF88-4B9A-B9A8-157E1342DD0F}

=====

Abbreviation..... CAUTI: Req
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... CAUTI: Insertion Requirements
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

- 10. HAND HYGIENE BEFORE AND AFTER (Hand Hyg)
{6005023D-3C02-4C93-99E8-2A8167574E93}
- 20. STERILE GLOVES-DRAPES USED (Ster Glove)
{F26BBB1B-1483-40CD-AC47-828F71B9187C}
- 30. ASEPTIC TECHNIQUE FOLLOWED (Aseptic)
{2DE69DDB-F455-4570-A821-C81F39FD2574}
- 40. SINGLE USE LUBRICANT PACKET (Single Use)
{7F748EDB-77D4-42D2-BE75-54F73598D4B0}
- 50. CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (Cath Secur)
{A2D2ABF1-88D4-46A2-B935-33211292FF25}

60. DRAINAGE FLOW IS UNOBSTRUCTED (Unobstruct)

{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}

70. CATH SIZE DOCUMENTED (Cath Size)

{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}

80. CATHETERIZATION TIME DOCUMENTED (Cath Time)

{4EF58FCA-A5E1-454C-B435-5BFB487618F4}

90. PROVIDED PATIENT EDUCATION (Pat Ed)

{25D0998B-3600-40C9-8608-9A0D91CCBEE0}

UNITS:

=====

TERM: CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY

Page: 93

ID: {130B6426-2DE1-4FBE-ADDD-AA8C66F24A37}

=====

Abbreviation..... Caution

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Caution-Vitals may not display in
correct sequence. Review times
carefully

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {152A037A-A6CC-4F12-8B85-25CEE78772C4}

=====

Abbreviation..... C-LINE ALA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Central Line Alarms On

Display Name..... Central Line Alarms On

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {8FA1B26D-CADB-4769-3574-18A6BD86C400}

=====

Abbreviation..... C LINE CHA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Changed
Help Text..... Central Line changed to
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}
 2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}
 3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)
{20BC183A-197F-4464-A27C-47F63C5B842A}
 4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:

=====

TERM: CENTRAL LINE DRESSING CHANGE

Page: 96

ID: {DDEA3089-9246-40F3-9A67-56A05B393309}

=====

Abbreviation..... C LI DR CH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Central Line Dressing Change

Display Name..... Central Line Dressing Change

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-
1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
 2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
 3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
 4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS:

ID: {AF276338-5F2C-1CEF-F009-AC4BAED0DDE3}

=====

Abbreviation..... C LINE DRE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Dressing Type
Help Text..... Type of dressing on central line
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. ANTI-MICROBIAL DRESSING (AB DRESSIN)
{9734C5E9-D099-47EB-93B1-D82201F64331}
 2. PRESSURE DRESSING (PRESS DRES)
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}
 3. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
 4. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}

UNITS:

=====

TERM: CENTRAL LINE INSERTION MARK

Page: 98

ID: {FAF85282-EB13-405A-B78E-36767EE4C33B}

=====

Abbreviation..... C LINE INS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Central Line Insertion Mark
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

CENTIMETER -1.00 > 5.00 * 60.00 < 250.00

Dec Prec: 2

ID: {4620B5B3-22F7-45DA-A52E-6D3EAE1C4202}

=====

Abbreviation..... C-LINE CAR
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Central Line Site Care
Display Name..... Central Line Site Care
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {7996453B-0F7C-B4E8-2007-6C26AE26C479}

=====

Abbreviation..... C LINE CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Site Condition
Help Text..... Condition of central line
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

-
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
 - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
 - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
 - 70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
 - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS:

=====

TERM: CENTRAL LINE SIZE FRENCH

Page: 101

ID: {234D330A-C51B-4D56-8631-9418BB081E96}

=====

Abbreviation..... CLINE FREN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Central Line Size (French)

Display Name..... Central Line Size (French)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FRENCH

0.0 > 6.0 * 10.0 < 50.0 Dec Prec: 1

=====

TERM: CENTRAL LINE SIZE GAUGE

Page: 102

ID: {870FAA87-69C9-4E00-97A8-CD5CC79B41D6}

=====

Abbreviation..... C-LINE GAU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Central Line Size (Gauge)

Display Name..... Central Line Size (Gauge)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

GAUGE

0 > 12 * 21 < 40

Dec Prec: 0

ID: {E038D201-2840-B759-4D91-44A093768F8B}

=====

Abbreviation..... C LINE TYP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Type
Help Text..... Type of central line
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

-
- 1. SINGLE (SINGLE) {8D305E0F-9035-E396-E768-40D7E6455BE4}
 - 2. DOUBLE (DOUBLE) {A486852F-150B-24E3-8EB3-8CAABB3D0520}
 - 3. TRIPLE (TRIPLE) {077BE8CF-F2AB-56E1-1F25-51DF80F8054D}
 - 4. INTRODUCER (INTRODUCER) {B46F7CA4-C94E-68FD-2892-52866763B5A0}
 - 5. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}
 - 6. DIALYSIS (DIALYSIS) {D218E23C-5A34-09B0-DE43-DC792DCD0F1C}

LOCATION: 16 entries

-
- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG)
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG)
{7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU)
{6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU)
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
11. L ANTECUBITAL (L ANTECUBI)
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
12. R ANTECUBITAL (R ANTECUBI)
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

ID: {4F847833-9A36-4EAE-BC73-B7AB069D39E4}

=====

Abbreviation..... C-LINE WAV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Central Line Waveform
Display Name..... Central Line Waveform
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
 3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
 4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
 5. NOT MONITORED (NOT MONITO)
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

ID: {7868021A-72D4-451F-A2E3-E3106DEC52B4}

=====

Abbreviation..... C-LINE ZER
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Central Line Zeroed
Display Name..... Central Line Zeroed
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {D30F98A7-4C5D-12E8-AB4D-9C85A4332EC3}

=====

Abbreviation..... CVP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Central Venous Pressure
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4688719

LOCATION: 8 entries

1. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
2. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
3. L INTERNAL JUGULAR (L INT JUG)
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG)
{7ABF6916-D379-198D-6454-F0518A74844A}
5. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
6. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

METHOD: 2 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

2. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

MILLIMETERS OF MERCURY 0 > 2 * 6 < 19 Dec Prec: 0

ID: {166BD1C4-D983-464A-9A6E-B3A7AC7885EB}

=====

Abbreviation..... CPP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Cerebral Perfusion Pressure

Display Name..... CPP - Do Not Check Total or Subtotals

Help Text..... Cerebral Perfusion Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 0 > 50 * 150 < 300 Dec Prec: 0

ID: {BAF272C6-1F0A-40E1-918B-3BABC5F22407}

=====

Abbreviation..... CHEST EXPA
Active..... Yes
Boolean Value False..... Asymmetrical
Boolean Value True..... Symmetrical
Data Type..... Boolean
Description..... No Description
Display Name..... Chest Expansion
Help Text..... Symetrical or Asymetrical Chest
Expansion
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
- 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {57AE16AF-8EC2-5800-131F-0AF254C3FA76}

=====

Abbreviation..... CHEST PN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... EVALUATION OF PATIENTS CHEST DISCOMFORT

Display Name..... Chest Pain

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

11 entries

-
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
 - 2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
 - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 5. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
 - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
 - 8. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
 - 9. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
 - 10. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

11. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

LOCATION: 3 entries

1. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217F52DC97}
2. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
3. MID-STERNAL (MID-STERN) {3F5168F1-9082-4FB2-A364-3CDE33B1214B}

UNITS:

ID: {03144029-2E4A-0794-86A5-DD105F707664}

=====

Abbreviation..... DRAIN CHAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... DESCRIPTION OF PATIENT'S DRAINAGE

Display Name..... Chest Tube Characteristics

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}

2. SEROSANGUINOUS (SEROSANGUI)
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}

3. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}

4. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}

UNITS:

ID: {9F88C02A-4CC7-4A51-927C-4931FAEFE7DC}

=====

Abbreviation..... CH TU SU T
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Chest Tube Drainage Suction Type
Display Name..... Chest Tube Drainage Suction Type
Help Text..... Type of Chest Tube Suction
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
1. WATERSEAL (WATERSEAL) {6D91B99D-F199-09ED-78BE-B54F2CAC4E06}
 2. GRAVITY (GRAVITY) {C0233F70-376D-41CE-9F14-714C7B35244F}
 3. CONTINUOUS SUCTION (CONT SUCTI)
{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}

LOCATION: 12 entries

-
1. L UPPER ANTERIOR CHEST (L U A CHES)
{FE63B58A-DE39-4C03-AE61-E34A5487C767}
 2. R UPPER ANTERIOR CHEST (R U A CHES)

{67890049-A4A8-4241-BDF3-573729BD6EB5}

3. L MIDDLE ANTERIOR CHEST (L M A CHES)

{36A83F77-117E-474B-AE34-0B2C02E131AE}

4. R MIDDLE ANTERIOR CHEST (R M A CHES)

{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}

5. L LOWER ANTERIOR CHEST (L L A CHES)

{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}

6. R LOWER ANTERIOR CHEST (R L A CHES)

{96BCF731-B661-4455-B5E7-C4AE2509505F}

7. L UPPER POSTERIOR CHEST (L U P CHES)

{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}

8. R UPPER POSTERIOR CHEST (R U P CHES)

{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}

9. L MIDDLE POSTERIOR CHEST (L M P CHES)

{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}

10. R MIDDLE POSTERIOR CHEST (R M P CHES)

{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}

11. L LOWER POSTERIOR CHEST (L L P CHES)

{2C19F10B-7546-4A1F-A5DC-3867359ED971}

12. R LOWER POSTERIOR CHEST (R L P CHES)

{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

UNITS:

=====

TERM: CHEST TUBE DRAINAGE SYSTEM REPLACED

Page: 112

ID: {5A32F0FC-D81E-435D-A2C9-26EDEF2DF7BB}

=====

Abbreviation..... CH TU S RE

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Chest Tube Drainage System Replaced

Help Text..... Chest Tube Drainage System Changed

Replaced

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {8DE63ADE-D3AC-49EE-BB24-ED44AB9971F5}

=====

Abbreviation..... CH T DR CH

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Chest Tube Dressing Change

Display Name..... Chest Tube Dressing Change

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {BA53D6FB-9BE9-18F4-ED0A-28AB94CEB115}

=====

Abbreviation..... CH TU ASSE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Chest Tube Site Assessment
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 - 2. AIR LEAK (AIR LEAK) {52E40E25-6D28-53EC-BC05-D1FEAA4616EF}
 - 3. FLUCTUATES (Fluctuates) {C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}
 - 4. CREPITUS (CREPITUS) {56A97506-05F0-4F37-8FD9-3AA82191408A}
 - 5. SQ EMPHYSEMA (SQ EMPHYS.) {B8D03538-0168-4CDC-FF41-BA1185EBCC87}

UNITS:

=====

TERM: CHEST TUBE SUCTION (CM H20)

Page: 115

ID: {BD9724EC-B5BB-4F95-8C24-B0A1451C33A6}

=====

Abbreviation..... CHST TU SU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Chest Tube Suction (cm H20)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETERS H2O

0 > 10 * 20 < 30

Dec Prec: 0

=====

TERM: CHIEF CONCERN/COMPLAINT

Page: 116

ID: {2A6683ED-9258-4CE9-8793-2FD0B2A56E6F}

=====

Abbreviation..... Chief Com

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Chief Concern/Complaint

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {92A124D4-B75F-9FD9-1A51-605887BCEA79}

=====

Abbreviation..... CG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... circumference
Display Name..... Circumference/Girth
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4688720

LOCATION: 11 entries

1. ABDOMINAL (Abd) {AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}
2. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}
3. CALF (Clf) {7923E496-90D6-B6D5-726A-A5B8DF3436CF}
4. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
5. HIP (Hip) {D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}
6. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}
7. LOWER ARM (LrA) {D7627720-D6B0-AC00-8FA3-F7B569ED06FC}
8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
9. THIGH (THIGH) {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}
10. UPPER ARM (UpA) {B43A2B31-1F35-3F4D-5D23-882541ABE477}

11. WRIST (Wri) {C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

UNITS:

INCH 29 > 30 * 60 < 61 Dec Prec: 0

CENTIMETER 75 > 76 * 156 < 157 Dec Prec: 0

ID: {D80F9E66-A047-400F-A7B1-D701BF019D2A}

=====
Abbreviation..... CIWA AG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Agitation
Help Text..... CIWA Agitation Observation
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

-
1. 0 - NORMAL ACTIVITY (CIWA AG 0)
 {9FF32084-A432-467C-B0A2-C8BC9F3D6D13}
 2. 1- SOMEWHAT MORE THAN NORMAL ACTIVITY (CIWA AG 1)
 {497F7A3D-72C8-4986-A1E6-74EA0E5704F9}
 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 5. 4 - MODERATELY FIDGETY AND RESTLESS (CIWA AG 4)
 {B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}
 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (CIWA AG 7)

{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

UNITS:

ID: {9552124C-8650-406F-86FA-AB31D04AC8EF}

Abbreviation..... CIWA AX
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Anxiety
Help Text..... Ask "Do You Feel Nervous?"
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

- 1. 0 - NO ANXIETY AT EASE (CIWA AX 0)
{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}
- 2. 1 - MILDLY ANXIOUS (CIWA AX 1)
{401113EE-5CE7-4AE9-80C1-1C3252E706D0}
- 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
- 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
- 5. 4 - MODERATELY ANXIOUS (CIWA AX 4)
{9A01FEFD-844C-4FAB-BEC3-96333495FA62}
- 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
- 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - ACUTE PANIC (CIWA AX 7)

{3F5E6786-FD67-405F-A535-EC1609910F14}

UNITS:

ID: {E6AA330B-96F9-4189-AE97-B93A921055A8}

=====

Abbreviation..... CIWA AU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Auditory Disturbances

Help Text..... Ask " Are You More Aware Of Sounds
Around You? Are They Harsh? Do They
Frighten You? Are You Hearing Things
You Know Are Not There?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

- 1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
- 2. 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 1)
{E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}
- 3. 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 2)
{71204969-E614-46A4-ADA5-39FAF81A79B5}
- 4. 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 3)
{77F59277-6CE4-4323-8531-3CA26E13C9C4}

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

ID: {BAA1C221-5540-4A46-96AA-32C7BA53317B}

=====

Abbreviation..... CIWA HA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Headache, Fullness In Head

Help Text..... Ask "Does your head feel different?

Does it feel like there is a band
around your head? Do not rate for
dizziness or lightheadedness."
Otherwise, rate severity.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

- 1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
- 2. 1 - VERY MILD (CIWA HA 1) {F789C1EA-CC7A-4368-87BA-08AFFE492EE6}
- 3. 2 - MILD (CIWA HA 2) {6B752397-0A4F-4176-90E7-E220DB2BF1C4}
- 4. 3 - MODERATE (CIWA HA 3) {F26EB828-6864-4384-9EBB-35A6CDCACC59}
- 5. 4 - MODERATELY SEVERE (CIWA HA 4)
{83B3DE0F-3BA4-4B0A-A222-F372BD403094}

6. 5 - SEVERE (CIWA HA 5) {7BD7B91F-DF6F-47B9-BAA6-3EF249340578}

7. 6 - VERY SEVERE (CIWA HA 6)

{241C1EF4-2E2A-4D65-9991-607BB6B29E01}

8. 7 - EXTREMELY SEVERE (CIWA HA 7)

{F8DCC910-D36D-480E-867E-B45221170C49}

UNITS:

ID: {6AAAA859-3092-48FF-93C1-55D310EFE9D4}

=====

Abbreviation..... CIWA NV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Nausea / Vomiting

Help Text..... Ask "Do you feel sick to your
stomach? Have you vomited?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. 0 - NO NAUSEA/VOMITING (CIWA NV 0)

{0569555E-E7B3-49E3-9A18-68D23CFB2B8D}

2. 1 - MILD NAUSEA / NO VOMITING (CIWA NV 1)

{582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}

3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}

4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

5. 4 - INTERMITTENT NAUSEA WITH DRY HEAVES (CIWA NV 4)

{7FBE10F0-472F-4F21-BE55-0892259141B5}

6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}

7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (CIWA NV 7)

{7F1076C4-C655-4BF2-8BB1-036F5169B619}

UNITS:

ID: {DF31A60A-D845-486A-B27C-756AB25D541B}

=====

Abbreviation..... CIWA OR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Orientation And Clouding Of Sensorium

Help Text..... Ask "What day is this? Where are you?

Who am I?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

1. 0 - ORIENTED AND CAN DO SERIAL ADDITIONS (CIWA OR 0)

{D8015F54-6E9E-457A-955C-38565BDDDBB6}

2. 1 - CANNOT DO SERIAL ADDITIONS (CIWA OR 1)

{F4446E01-E326-420E-8EA8-04451AA9D963}

3. 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (CIWA OR 2)

{01B894B0-3E70-47FA-820A-83CA48B93EF9}

4. 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (CIWA OR 3)

{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}

5. 4 - DISORIENTED FOR PLACE OR PERSON (CIWA OR 4)

{03BBFFA2-233A-41A1-8212-F988889C5E72}

UNITS:

ID: {5BA369FD-68F0-4FD6-A564-1C50063E69AC}

Abbreviation..... CIWA PS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Paroxysmal Sweats
Help Text..... Paroxysmal Sweats
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

-
- 1. 0 - NO SWEAT VISIBLE (CIWA PS 0)
{7C83E616-4414-4766-AAF5-5F5442FFBF09}
 - 2. 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (CIWA PS 1)
{93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}
 - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 5. 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (CIWA PS 4)
{8388B1A0-46EA-4003-A32B-A2C708A6F056}
 - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - DRENCHING SWEAT (CIWA PS 7)

{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}

UNITS:

ID: {306FFC89-BE89-4E74-90BC-AD8EF2273A51}

=====

Abbreviation..... CIWA TC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Tactile Disturbances

Help Text..... Ask "Have You Any Itching, Pins and
Needles Sensations, Any Burning, Any
Numbness Or Do You Feel Bugs Crawling
On Or Under Your Skin?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. 0 - NONE (CIWA TC 0) {5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}

2. 1 - VERY MILD ITCHING PINS/NEEDLES BURNING (CIWA TC 1)
{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}

3. 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (CIWA TC 2)
{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}

4. 3 - MODERATE ITCHING PINS/NEEDLES BURNING (CIWA TC 3)
{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

=====

TERM: CIWA: TOTAL

Page: 126

ID: {BD47158C-B56B-4B92-AD2E-33B7149EF6C0}

=====

Abbreviation..... CIWA TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Total CIWA Score

Help Text..... Add All CIWA Scores Together

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CIWA SCALE

-1 > 0 * 9 < 68

Dec Prec: 0

ID: {E87CAD13-134C-4556-8D55-49450A0D544C}

=====

Abbreviation..... CIWA TR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Tremor

Help Text..... Arms extended and fingers spread apart.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

8 entries

1. 0 - NO TREMOR (CIWA TR 0) {2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}

2. 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (CIWA TR 1)

{31833D55-9018-47EE-8341-A0863744CEF8}

3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}

4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

5. 4 - MODERATE WITH PATIENTS ARMS EXTENDED (CIWA TR 4)

{79CE1486-151C-4492-AFD2-7845DD69DA9E}

6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}

7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - SEVERE EVEN WITH ARMS NOT EXTENDED (CIWA TR 7)

{FE0BE72E-913A-48CD-BABF-C5B742AFED93}

UNITS:

ID: {88699710-9761-429F-9BB0-228EAFBAA3D3}

=====

Abbreviation..... CIWA VS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Visual Disturbances

Help Text..... Ask "Does the light appear to be too

bright? Is its color different? Does

it hurt your eyes? Are you seeing

anything that is disturbing to you?

Are you seeing things you know are

not there?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

8 entries

1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

2. 1 - VERY MILD SENSITIVITY (CIWA VS 1)

{8BF96CF1-3EA7-468C-838A-284430EA850D}

3. 2 - MILD SENSITIVITY (CIWA VS 2)

{ED600249-E5E8-4020-955E-A5CDA18B5DE9}

4. 3 - MODERATE SENSITIVITY (CIWA VS 3)

{D673A630-1F1E-4734-AADE-17586C48E8B9}

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

ID: {42CA9766-A28E-5379-67D7-2BB3BA4C2AE6}

=====

Abbreviation..... CO BEH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Close Observation Behavior
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

1. WALKING OR PACING (wop) {CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}
2. LYING OR SITTING (los) {52A940B1-55AF-AB4E-9E59-F93515A1296C}
3. QUIET OR RESTING (qor) {76E4908F-014C-2088-FF7F-33EBF223DE40}
4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
5. WITH PHYSICIAN (wp) {1673C53F-DA8C-2CEC-679B-B01D914FE533}
6. WITH THERAPIST (wt) {795A1300-1D60-9D67-692D-A2AB2B190596}
7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}

UNITS:

ID: {9FFE899C-A69C-4654-9AD7-B0E6F7FF888B}

=====

Abbreviation..... CO CUR LOC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Close Observation Current Location
Display Name..... Close Observation Current Location
Help Text..... Close Observation Current Location
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

-
1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
 2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
 3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
 4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
 5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
 6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
 7. SMOKING AREA (sa) {8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}
 8. SMOKING PORCH (sp) {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
 9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
 10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

ID: {1B131F5A-CD32-38CA-19A5-1038A07C9867}

=====

Abbreviation..... CO RFP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Close Observation Reason for Precaution

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

5 entries

-
- 1. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
 - 2. ESCAPE (e) {965F3201-9D63-66AB-FA25-99479AE7145A}
 - 3. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
 - 4. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
 - 5. MEDICAL DEVICE SAFETY (mds)
 {1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

UNITS:

=====

TERM: CODE STATUS

Page: 132

ID: {95248A8C-E05A-94F3-CA15-6F113997A621}

=====

Abbreviation..... CS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Code Status
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. FULL CODE (fc) {1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}
 2. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}

UNITS:

=====

TERM: COLLOID TYPE

Page: 133

ID: {C22CB099-BC3F-42AE-9A11-67B99093D959}

=====

Abbreviation..... COLLOID TY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Type of Colloid

Display Name..... Colloid Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

1. 5 PERCENT ALBUMIN (5 PERC ALB)

{38CE47CB-736B-475E-8E89-C4C13F2DF184}

2. 25 PERCENT ALBUMIN (25 PERC AL)

{2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}

3. 6 PERCENT HETASTARCH (6 PERC HET)

{D94072C9-87E8-46CA-929F-4904F3BD964C}

UNITS:

ID: {EAAF4E71-3BE6-5058-07FF-1A3D977BC569}

=====

Abbreviation..... CSE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO
SPEECH, 4: OPEN SPONTANEOUSLY

Display Name..... Coma Score

Help Text..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO
SPEECH, 4: OPEN SPONTANEOUSLY

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-
- 1. CLOSED (CLOSED) {9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}
 - 2. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 - 3. TO PAIN (TO PAIN) {AA1F818D-DCFC-4FBC-97D3-BE86D309119E}
 - 4. TO SPEECH (TO SPEECH) {2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}
 - 5. OPEN SPONTANEOUSLY (OPEN SPONT)
{013F1473-BDC9-4E7C-9709-C577357709F6}

LOCATION: 2 entries

-
1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
 2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

ID: {73CA2132-12AC-BD84-3847-2E2EA3689D94}

=====

Abbreviation..... CSM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Coma Score Motor

Help Text..... 1: None, 2: Extends to pain, 3:

Flexion to pain, 4: Withdraws to

pain, 5: Localizes to pain, 6: Obeys

Commands

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

6 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. EXTENDS TO PAIN (EXT TO PAI)

{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}

3. FLEXION TO PAIN (FLEX TO PA)

{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}

4. WITHDRAWS TO PAIN (WITHD TO P)

{013527C8-FF6B-49CD-BF45-9338F7413E81}

5. LOCALIZES TO PAIN (LOC TO PAI)

{4072DFF9-2D90-423F-B6F0-0F2B924025D9}

6. OBEYS COMMANDS (OBEYS COMM)

{EE88EE08-4C71-4C70-B93E-65F9091544C1}

UNITS:

ID: {3EC4838E-8301-F5C4-D4F0-08D1259203B1}

=====

Abbreviation..... CSV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... 0: Tubed/Dysphagic, 1: None, 2:
Incomprehensible, 3: Inappropriate,
4: Confused, 5: Oriented

Display Name..... Coma Score Verbal

Help Text..... 0: Tubed/Dysphagic, 1: None, 2:
Incomprehensible, 3: Inappropriate,
4: Confused, 5: Oriented

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

1. TUBED/DYSPHAGIC (TUBE/DYSPH)

{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}

2. NONE (NONE)

{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

3. INCOMPREHENSIBLE (INCOMPREHE)

{916CD781-563D-4F54-8752-800D37BFAA3B}

4. INAPPROPRIATE (Inappropri)

{7E3B54C2-8A49-28EC-055E-FEA87599421C}

5. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

6. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}

UNITS:

ID: {F001E3D4-07F9-4B93-9D29-0BA3DC270236}

=====

Abbreviation..... COM S HOS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Compression Hose Sequential

Compression Device

Display Name..... Compression Hose Sequential

Compression Device

Help Text..... Compression Hose Sequential

Compression Device

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

2. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

LOCATION: 3 entries

1. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}

2. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

3. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

=====

TERM: COUGH

Page: 138

ID: {23E2BBF0-3449-1760-C72D-09867FFD133B}

=====

Abbreviation..... COUGH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Patients cough character

Display Name..... Cough

Help Text..... Patients cough character

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-
1. PRODUCTIVE (p) {22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}
 2. NON-PRODUCTIVE (np) {9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}
 3. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

UNITS:

=====

TERM: CPAP

Page: 139

ID: {11AD0BDB-8E33-C04E-29B2-CCB22FDF9EEC}

=====

Abbreviation..... CPAP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Continuous Positive Airway Pressure

Display Name..... CPAP

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688690

UNITS:

CENTIMETERS H2O

-1 > 0 * 15 < 100

Dec Prec: 0

ID: {77D485C1-8A5F-225A-CEA3-1219601C23E9}

=====

Abbreviation..... CUFF INFL

Active..... Yes

Boolean Value False..... Not Checked

Boolean Value True..... Checked

Data Type..... Boolean

Description..... VERIFICATION THAT PATIENT'S CUFF
INFLATION HAS BEEN CHECKED

Display Name..... Cuff Inflation Checked

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: DENTURES

Page: 141

ID: {96B79B0B-3D26-42E9-A082-A601E5832633}

=====

Abbreviation..... Dentures
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Dentures
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. FULL UPPER (Full Up) {1808E638-62BB-4978-8706-34BD74B427DE}
 3. FULL LOWER (Full Low) {D38022EF-F4F0-44A7-82FE-B277A2A0A165}
 4. PARTIAL UPPER (Part Up) {D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}
 5. PARTIAL LOWER (Part Low) {2556CE7E-F211-4992-BCAF-09677C20BEFE}
 6. DENTAL IMPLANTS (Implants)
{D3AF96DE-6920-4C93-8105-99EE574FC092}

UNITS:

=====

TERM: DIAGNOSIS

Page: 142

ID: {025498CA-716F-440A-9638-CF34CDE29413}

=====

Abbreviation..... Diagnosis

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Diagnosis

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {3289986D-87C6-4796-AA19-76010682BBAE}

=====

Abbreviation..... DIAG TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Diagnosis
Display Name..... Diagnosis Type
Help Text..... Type of Diagnosis
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
1. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
 2. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
 3. POST PROCEDURE DIAGNOSIS (PO PRO DIA)
{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}
 4. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
 5. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}

UNITS:

ID: {E9D96923-CBA0-67B4-1D5B-3D6134AD8584}

=====

Abbreviation..... D CATH CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dialysis Catheter Site Condition
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

-
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
 - 170. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
 - 180. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
 - 190. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
 - 200. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

LOCATION: 16 entries

1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG)
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG)
{7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU)
{6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU)
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
11. L ANTECUBITAL (L ANTECUBI)
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
12. R ANTECUBITAL (R ANTECUBI)
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

ID: {A07D4532-93DF-178D-EB55-070FCF1C570F}

=====

Abbreviation..... DIAL DRESS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dialysis Dressing Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
 2. PRESSURE DRESSING (PRESS DRES)
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS:

=====

TERM: DIALYSIS RATIO

Page: 146

ID: {F0CDCBBA-E65B-FE01-2E15-640FADF9DF20}

=====

Abbreviation..... DIAL RATIO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dialysis Ratio
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

1. 1:1 (1:1)	{5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}
2. 1:2 (1:2)	{287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}
3. 1:3 (1:3)	{062B4F93-8F48-7373-F679-11F57CE98BB3}
4. 1:4 (1:4)	{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
5. 1:8 (1:8)	{94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

ID: {D015B928-D30B-49E2-A6F6-135B6131C07B}

=====

Abbreviation..... Art Press

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Dialysis: Arterial Pressure

Help Text..... Pressure measured within the blood

 circuit between the patient's

 arterial access and the dialyzer

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

MILLIMETERS OF MERCURY -300 > -300 * 9999 < 9999 Dec Prec: 0

=====

TERM: DIALYSIS: UFR (ULTRAFILTRATION RATE)

Page: 148

ID: {32B6F85E-D3BD-4810-9A57-882AB1630348}

=====

Abbreviation..... UFR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Dialysis: UFR (Ultrafiltration Rate)

Help Text..... rate at which fluid moves from the
blood into the dialysate

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

KGS/HOUR 0.00 > 0.00 * 9999.00 < 9999.00

Dec Prec: 2

ID: {8F84D7EC-BD89-46BC-BDB8-9B18231BD4B9}

=====

Abbreviation..... Ven Press

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Dialysis: Venous Pressure

Help Text..... Pressure measured within the extra
corporeal blood circuit after the
dialyzer

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

MILLIMETERS OF MERCURY 0 > 0 * 9999 < 9999 Dec Prec: 0

ID: {14B24DAF-A0C0-060C-B1C0-ECEC1DF36E8E}

=====

Abbreviation..... DIASTOL PR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Diastolic Pressure
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

LOCATION: 4 entries

- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
- 2. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
- 3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
- 4. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

- 1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
- 2. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
- 3. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}

4. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

POSITION: 3 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

MILLIMETERS OF MERCURY 0 > 40 * 90 < 300 Dec Prec: 0

=====

TERM: DIET

Page: 151

ID: {9BB08EC4-73C7-49BC-8C60-728C54999C33}

=====

Abbreviation..... DIET
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of diet ordered
Display Name..... DIET
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 46 entries

1. 1800 CALORIE CONTROLLED (1800 CAL C)
{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}
2. 1800 DIABETIC (1800 DIAB) {FC71C7D7-F24E-4316-A455-8674804BE092}
3. 2000 CALORIE CONTROLLED (2000 CAL C)
{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}
4. 2000 DIABETIC (2000 DIAB) {DF3056C9-3AEA-4F4E-B758-E35590080AFB}
5. 2200 CALORIE CONTROLLED (2200 CAL C)
{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}
6. 2200 DIABETIC (2200 DIAB) {1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}
7. 2400 CALORIE CONTROLLED (2400 CAL C)

{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}

8. 2400 DIABETIC (2400 DIAB) {2018FB65-3D4E-47E0-90E9-205A45EDF130}

9. BLAND (BLAND) {38930AFE-ECF7-4548-857C-854E1B5BE148}

10. CARDIAC DIET (CARD DIET) {218A883D-32A0-438D-B453-7CBCE02693A3}

11. CLEAR LIQUID DIET (CL LI DIET)

{D540348D-3E1D-4E42-9EDC-43C56CF56206}

12. DUMPING SYNDROME (DUMP SYND)

{0173C971-63CB-45A5-9E93-D966EB3B957D}

13. DYSPHAGIA PHASE I (DYSP PH I)

{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}

14. DYSPHAGIA STAGE II (DYSP ST II)

{294BF58A-47FD-43A1-8A1E-9E348987B004}

15. DYSPHAGIA STAGE III (DYS ST III)

{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}

16. DYSPHAGIA STAGE IV (DYSP ST IV)

{E738569A-5104-4C93-8EFC-47D80765F739}

17. DYSPHAGIA STAGE V (DYSPH ST V)

{ABE7D85D-1821-4592-B4E8-84670EE484E4}

18. FAT RESTRICTED 50 GM DIET (F RES 50gm)

{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}

19. FECAL FAT TEST DIET (FEC F TEST)

{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}

20. FULL LIQUID DIET (FULL LIQ D)

{CAC22234-7B69-44C3-8A0E-9A84A684E429}

21. FULL LIQUID DIABETIC (FULL L DIA)

{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}

22. GASTRIC BYPASS CLEAR LIQUID (GAS BYP LI)

{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}

23. GASTRIC BYPASS PUREED (GAS BY PUR)
{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}
24. GASTRIC BYPASS REGULAR (GAS BY REG)
{EE831906-EA51-4EE4-AAF2-583DF366A942}
25. GLUTEN RESTRICTED (GLUT RESTR)
{0805A164-D387-4E67-9D42-BAF1F2543337}
26. HIGH FIBER (HIGH FIBER) {3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}
27. HIGH PROTEIN (HIGH PROTE) {1595A29D-CA91-45AE-893B-856EB909E4DD}
28. HIGH CALORIE (HIGH CALOR) {FC453BF0-1E7E-4733-9605-AC3425F16205}
29. LACTOSE RESTRICTED (LACT RESTR)
{78A9066A-48E2-4285-88E3-A180CE771B5A}
30. LIBERAL DIABETIC (LIBRL DIAB)
{9B66B47B-E77E-4F69-BDFA-5323B28A283D}
31. LISTED DIET (LIST DIET) {24FBBFD9-B426-4DD9-9843-3428A1C91676}
32. LOW CHOLESTEROL (LOW CHOLE)
{88F0170A-2560-48C6-9604-982453BCFC3B}
33. LOW FIBER (LOW FIBER) {2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}
34. LOW PROTEIN 60 GM (L PROT 60g)
{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}
35. LOW TYRAMINE (LOW TYRAMI) {DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}
36. MECHANICAL (MECHANICAL) {01EA793C-B524-4685-A3EC-60A317CBACC5}
37. NEUTROPENIC (NEUTROPENI) {5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}
38. NPO DIET (NPO DIET) {BEC8F771-B082-40A2-9EE8-553222A25FBF}
39. POST CATH DIET (POST CA DT)
{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}
40. POTASSIUM MODIFIED 60 MEQ (K MOD 60M)
{6EC2F10D-CC44-4872-8473-2445A835ABB0}
41. PUREED (PUREED) {99F8AE5F-E390-4583-8A92-CAC13E21BCF4}

42. REGULAR (REGULAR) {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}

43. RENAL DIET (REN DIET) {089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}

44. SODIUM CONTROLLED 2 GM (SOD CONT 2)

{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}

45. SODIUM CONTROLLED 4 GM (SOD CON 4G)

{26538A2F-5502-4D94-A2A7-D9E0BF825C47}

46. VEGETARIAN DIET (VEG DIET)

{6B8143BE-843F-4944-9ABB-7175AFE2DF17}

UNITS:

ID: {22423A29-A1C5-497E-BBB6-109FFBC69D2B}

=====

Abbreviation..... DIS ACTI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Discharge Activities
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 12 entries

1. ALERT AND ORIENTED (AL AN OR)
{C031F776-36DF-4570-AFAF-A30B8BFA635B}
2. VITAL SIGNS STABLE (VI SI ST)
{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}
3. STEADY GAIT OR BASELINE (ST GA BA)
{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}
4. TRANSPORT FACILITATOR PRESENT (TR FA PR)
{645BF269-6B23-4377-95ED-71291F075B25}
5. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)
{E107F272-CD27-46B8-8C50-F9FF776DDCD9}

6. IV DISCONTINUED (IV DISC) {FDF951E7-5B72-4166-969B-073D5EC74800}

7. VOIDED (VOIDED) {7F23E601-A1E5-4016-8A12-06B1099041CF}

8. DISCHARGE MEDS PLANNED (DI ME PL)

{04E9DF8B-8807-47A5-AE88-180F431F3BDE}

9. MED RECONCILLIATION DOCUMENTED (ME RE DO)

{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}

10. DISCHARGE ORDER ON CHART (DI OR CH)

{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}

11. GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (DI IN UN)

{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}

12. DRESSINGS CHECKED (DRESS CH)

{21014F53-29CE-4914-8760-6976D8DBA742}

UNITS:

ID: {EFC05031-FC2F-4781-A60C-08E3F1E490BB}

=====

Abbreviation..... Dis Vis
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Distance Vision
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 21 entries

-
- | | |
|----------------------|--|
| 10. 20/15 (20/15) | {0DB4E45B-A96C-4D11-B59E-A89C9F531146} |
| 20. 20/20 (20/20) | {FE086353-09B2-4314-84E9-FA909253AAED} |
| 30. 20/25 (20/25) | {4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB} |
| 40. 20/30 (20/30) | {667B5FCD-A85D-4054-BFA9-3DA9DDD21306} |
| 50. 20/40 (20/40) | {048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF} |
| 60. 20/50 (20/50) | {C679C160-D93A-431C-8F28-800D64A019D5} |
| 70. 20/60 (20/60) | {AEAA52C2-1450-45B4-A512-73E339718B02} |
| 80. 20/70 (20/70) | {B0279832-605C-4441-B568-C131636EB634} |
| 90. 20/80 (20/80) | {60F51F22-C739-4BD1-A77E-D224517F861F} |
| 100. 20/100 (20/100) | {ECB85701-8B21-407A-9E0B-C015834E984B} |

- 110. 20/200 (20/200) {C3CAF0D6-22A6-4FD5-B8BB-55771F416D4E}
- 120. 20/300 (20/300) {E6976753-667B-418B-A6E3-0A7CD010CAC0}
- 130. 20/400 (20/400) {AE8E4C3E-D031-4047-B44E-06F4EB29C73B}
- 140. 20/800 (20/800) {1303A571-B57C-4757-AC5B-286E6B09343A}
- 150. CF: COUNTING FINGERS (CF)
{3AFD9EDB-98A2-498A-AD95-F5285130CC03}
- 160. CSM: CENTRAL STEADY MAINTAINED (CSM)
{43085BCB-4264-4E4A-BC17-A9C252A89BA8}
- 170. LP: LIGHT PERCEPTION (LP)
{3B5C4FA1-6770-4347-B5FB-2B0554D71339}
- 180. LPP: LIGHT PERCEPTION WITH PROJECTION (LPP)
{29ED35AA-49C5-4835-AF43-17173333A2BB}
- 190. NLP: NO LIGHT PERCEPTION (NLP)
{F710E3C5-9B5A-4826-876D-B5675F9AA67E}
- 200. HM: HAND MOTIONS (HM) {5180AD3D-4377-435B-9F47-FE59F3E3501B}
- 210. PROSTHESIS (PROSTHESIS) {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

LOCATION: 2 entries

- 10. RIGHT EYE (Right Eye) {56F81421-F1C7-4FD4-9757-E0EDEF26626E}
- 20. LEFT EYE (Left Eye) {D1B20983-6076-47E6-9578-2EFB3CB6A47B}

UNITS:

=====

TERM: DO NOT PROCESS

Page: 154

ID: {4615254C-EC67-46D0-BF70-9A54BEB4B32D}

=====

Abbreviation..... DNP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... Do not process

Display Name..... Do Not Process

Help Text..... Do Not Process

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: DORSI FLEXION

Page: 155

ID: {A1E251EA-9302-8851-A67F-00229BCA7163}

=====

Abbreviation..... DORFL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dorsi Flexion
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

=====

TERM: DRAIN DRESSING CHANGE

Page: 156

ID: {4D01C8F5-DE00-4238-9D07-D6C103D8131A}

=====

Abbreviation..... Dra/Dr Chg
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Drain Dressing Change
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

10. YES (y)	{483DE806-2EDB-34B0-FE11-C29EEEE649CD}
20. NO (n)	{FC275445-1225-9912-18A3-DF36245893D3}
30. N/A (n)	{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

=====

TERM: DRAIN SUCTION CM H20

Page: 157

ID: {CB2C5928-71E5-429F-9A0E-3FFBF21F62FF}

=====

Abbreviation..... Drain Suct

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Drain Suction cm H20

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETERS H2O

0 > 10 * 20 < 30

Dec Prec: 0

ID: {550360E9-AFFD-43DE-9142-F3AF7B95185D}

=====

Abbreviation..... Drain Type

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Drain Suction Type

Help Text..... When "Number" is selected, enter
numeric value as a "Comment"

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
3. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
4. BULB (Bulb) {2390453E-3353-40EB-B2D7-EF770B67F037}
5. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
6. MEDIUM (MEDIUM) {62C94066-A7B6-CAA8-064B-2AF7C0DA6323}
7. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
8. NUMBER: SPECIFY (Specify) {397D773F-78F9-4E69-9A84-B518109A95AB}

UNITS:

ID: {4D556AD1-1850-AB94-0776-B58B1D1713B3}

=====

Abbreviation..... DRAIN CHAR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Drainage Characteristics
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

-
- 1. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}
 - 2. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
 - 3. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
 - 4. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
 - 5. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
 - 6. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
 - 7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
 - 8. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 9. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
 - 10. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}

- 11. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
- 12. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
- 13. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
- 14. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
- 15. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

=====

TERM: DRAINAGE SYSTEM REPLACED

Page: 160

ID: {2C5F8E0E-8BBB-4D45-92FE-984D51A9B080}

=====

Abbreviation..... Dr Sy Repl

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Drainage System Replaced

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {C101E88C-F5C8-43D7-A25C-33E61414D180}

=====

Abbreviation..... Dress Chg
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Dressing Change
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 10. 1. DRY (1. Dry) {E6C8E56E-DFC8-42FE-9D49-BED30EC37491}
 - 20. 2. INTACT (2. Intact) {6F977B33-94E0-4F40-A5B2-9D1EBFBE8433}
 - 30. 3. CHANGED (3. Changed) {1F23AD0D-376F-4F2D-ADF4-ADF5CD475633}
 - 40. 4. REINFORCED (4. Reinfor)
{5D06DC53-DB40-47B2-9257-8FD206463014}

UNITS:

ID: {C2EE711E-C076-491F-8063-8DA80BBCA529}

=====

Abbreviation..... DVT PROPHY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... DVT Prophylaxis devices
Display Name..... DVT Prophylaxis
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

1. ANTI-EMBOLUS STOCKINGS KNEE HIGH (ANT EMB KN)
{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}
2. ANTI-EMBOLUS STOCKINGS THIGH HIGH (ANT EMB ST)
{9B32D3F3-47F1-886F-A59A-D8AB38A34754}
3. SEQUENTIAL COMPRESSION DEVICE (SCD)
{29D657DB-6679-8A55-0E33-235B5DD349F2}
4. ELASTIC WRAP (ELAST WRAP) {9EB52FA5-32D8-823F-2E3C-83375DA62342}
5. MEDICATION PROPHYLAXIS (Med Prophy)
{40D79227-A4DB-4E1E-81C6-6F4E4F243964}

UNITS:

ID: {64C54E39-9541-4FD2-8F3F-A32053F6889F}

=====

Abbreviation..... EDEMA AMOU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Edema Amount

Display Name..... Edema Amount

Help Text..... 0=Absent, +1=Slight (0-2 mm),
+2=Moderate (3-5 mm), +3=Marked (6-8
mm), +4=Very Marked (more than 8 mm)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}
3. +2 = MODERATE (+2 = MODER)
{CCF23A60-068C-443F-AFD0-2D56EEE0446C}
4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}
5. +4 = VERY MARKED (+4 = VY MA)
{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

UNITS:

ID: {E60900D9-BDF3-954C-E752-F3D1CAAC8EC1}

=====

Abbreviation..... EDEMA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Observation Of Patients Edema

Display Name..... Edema Severity

Help Text..... 0=Absent, +1=Slight (0-2 mm),
+2=Moderate (3-5 mm), +3=Marked (6-8
mm), +4=Very Marked (more than 8 mm)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}
3. +2 = MODERATE (+2 = MODER)
{CCF23A60-068C-443F-AFD0-2D56EEE0446C}
4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}
5. +4 = VERY MARKED (+4 = VY MA)
{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

LOCATION:

28 entries

-
1. GENERALIZED (GENERIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}
 2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
 3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
 4. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
 5. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
 6. BOTH HANDS (BOTH HANDS) {63AA2685-CB1D-4680-B2F4-2199A22D1EC6}
 7. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
 8. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
 9. LEFT NECK (L NECK) {40522B5F-F23E-EADB-AE64-8EDE3B9E1155}
 10. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}
 11. BILATERAL NECK (BILAT NECK)
{744BF4A2-C55E-4D55-8711-58700DD1C446}
 12. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
 13. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
 14. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
 15. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
 16. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
 17. FEET (FEET) {944CAA0E-5165-A6AF-BE3D-85455440BF40}
 18. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
 19. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
 20. KNEES (KNEES) {247D6621-3A85-F1F7-59BF-1FB0361B3C21}
 21. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}
 22. PERIORBITAL (PERIORBITA) {DBAC362B-6278-EDB4-7E28-3180321A38B2}
 23. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
 24. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
 25. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}

26. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

27. INCISIONAL SITE (INCISON SI)

{EB36A66D-751D-4031-9F68-0BB03E267321}

28. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

ID: {6B9914EF-CEA5-4B2A-A9CC-5ED6FBA420F7}

=====

Abbreviation..... EDU BARR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Barriers
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 15 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. HEARING (HEARING) {D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}
 3. LANGUAGE (LANGUAGE) {0666538E-4F44-4D34-A5EA-69CF2F1F86FA}
 4. LIMITED ATTENION SPAN (LIM ATT S)
{51553020-0CB9-483E-AC1C-15CA6D9380A3}
 5. MEMORY (MEMORY) {E30C1930-B98B-4382-B892-34E9C6008D1F}
 6. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}
 7. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
 8. VISUAL IMPAIRMENT (VIS IMPAIR)
{7B2107CE-002D-43BE-9102-FCD5B9FAD617}

9. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
10. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
11. COMMUNICATION BARRIER (COMM BARRI)
{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}
12. IMPAIRED LISTENING SKILLS (IMP LIS SK)
{9CE0E7E7-79E5-4910-918C-2022C9830171}
13. EMOTIONAL (EMOTIONAL) {626C22E6-EF2A-489F-AA79-D27541A0BC45}
14. UNABLE TO ASSESS (UNA TO AS)
{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}
15. UNABLE TO READ (ILLITERATE)
{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}

UNITS:

ID: {3CA218A6-33BA-43A8-A39A-F458BDAFEB82}

=====

Abbreviation..... EDU BELIEF

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Beliefs

Help Text..... Describe patient beliefs that may
impact education provided

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. CULTURAL (CULTURAL) {530D166D-D7C1-4204-94DC-83F4E140F11C}
2. RELIGIOUS (RELIGIOUS) {936C9949-8A30-4BBF-934C-1F194551B8E2}
3. SPIRITUAL (SPIRITUAL) {9670E2B9-6938-4487-A857-25546775B7A2}

UNITS:

ID: {50E493C5-BBBB-4D4F-B301-13CDD9B76FA9}

=====

Abbreviation..... EDU READY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Readiness To Learn

Help Text..... Evaluate patient`s desire and
motivation to learn

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 7 entries

1. EAGER TO LEARN (EAGER) {A20AF51B-C89C-4308-AE17-C66144FE68BE}

2. LACKS INTEREST (LACKS INT)
{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}

3. DENIES NEED (DENIES NE) {28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}

4. INDIFFERENT (INDIFF) {7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}

5. UNABLE TO RESPOND (UNA TO RES)
{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}

6. CONTEMPLATIVE (CONTEMPLAT)
{5194DB04-7A68-491E-B117-BD089C912DFB}

7. UNABLE TO ASSESS (UNA TO AS)

{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

UNITS:

ID: {0F8D9E47-CDD7-4652-9E30-0E4355CC2EFA}

=====

Abbreviation..... EDU TOPIC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Topic
Help Text..... Patient Education
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 51 entries

1. ACTIVITIES OF DAILY LIVING (ADL)
{12F2CA66-3DCE-443D-883C-119CE4838B4A}
2. ADVANCED CARE PLANNING (ADV CAR PL)
{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}
3. ANALGESIA (ANALGESIA) {5452ED11-25E1-437B-8048-3BB3E03BE3B9}
4. CLINICAL ASSESSMENT (CLIN ASSME)
{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}
5. COMPLIANCE (COMPLIANC) {EF43367E-9898-44C3-8AC8-F5BD28051F1D}
6. DAILY PLAN (DAILY PLAN) {B29357A5-4294-4EA0-A0D3-59182F3C94FB}
7. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}

8. DISEASE PROCESS (DISEA PROC)

{E80807AE-6208-421D-BE4C-445C470D32FA}

9. EQUIPMENT (EQUIPMENT) {04C0F805-C7B3-4A9A-91D8-0F32F3265874}

10. HOME HEALTH (HOME HEALT) {F94FB70A-AFFD-4A5E-A829-0AF933B044BB}

11. INFECTION (INFECTION) {DA00DB58-640D-4294-9468-EEF070DBAE8E}

12. INFECTION PREVENTION AND SCREENING (INF PRE SC)

{BA58329F-59EC-49F0-BACE-75AA5EC57F52}

13. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}

14. MENTAL HEALTH (MEN HEAL) {ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}

15. MENTAL HEALTH HOLD (MEN HEA HO)

{31560285-7BD5-4E53-BB77-93B244367F42}

16. NEW ADMISSION EDUCATION (N ADM EDU)

{1890BC97-FEEB-4BED-A054-3C754C01817B}

17. NUTRITION (NUTRITION) {429A28EF-8A1F-4247-85E8-68D4EFCD189C}

18. ORIENTATION (ORIENTA) {10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}

19. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}

20. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}

21. POST-PROCEDURE (POST-PROC)

{0F943BD7-BD13-412E-B4EA-9B5526587340}

22. PRE-OPERATIVE (PRE-OP) {80C418D5-54B1-4CC3-9B19-5653B8D73C45}

23. PRE-PROCEDURE (PRE-PROC) {D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}

24. SAFETY (SAFETY) {AD905A8F-33BD-4EFE-929E-A2B575797402}

25. SPIRITUAL (SPIRITUAL) {9670E2B9-6938-4487-A857-25546775B7A2}

26. TREATMENTS (TREATMENTS) {7A6879B5-F781-498E-9D71-3FA0243C3F21}

27. PRE-SEDATION (PRE SEDA) {684C764E-2BE9-4C99-A2B2-C92D75C73751}

28. POST-SEDATION (POST SED) {B829A249-CB14-4919-86F8-4A8C8D6B7753}

29. ENVIRONMENT (ENVIRO) {C61AA262-F6AF-46AC-A215-0D56FD01B234}

30. ENTERAL TUBE/STOMA CARE (Tube/Stoma)

- {B91B94EF-CFE6-4628-BEF2-D06E5870D574}
31. ENTERAL TUBE MEDICATION ADMINISTRATION (Med Admin)
{68D124A7-69CF-414B-8A47-BC666A373E24}
32. ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (Feed Form)
{D2EA8840-1123-4660-AD25-587458BF1E89}
33. ENTERAL FEEDING PUMP (Feed Pump)
{31FF069C-0060-45C3-898F-20F1A9D1552B}
34. PCA PUMP (PCA Pump) {C6F139AF-C42B-4577-83E1-A12675C31A21}
35. EPIDURAL PUMP (Epid Pump) {26C83111-5FA8-4398-8D3E-787B31A2A9E9}
360. BLOOD GLUCOSE MONITORING (BI Glu Mon)
{525C8F3C-F8F5-4158-9CDE-3A7B306BAD5}
370. COMMUNITY RESOURCES (Comm Res)
{0088604F-6A99-4D99-B451-5262734E0D17}
380. DIAGNOSIS/HEALTH STATUS (Diag/Healt)
{42F128CE-63B7-4AA9-A121-B08C507F9941}
390. FINANCIAL CONCERNS (Fin Concer)
{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}
400. GENERAL HEALTH (Gen Healt)
{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}
410. OSTOMY CARE (Ostomy Car) {BC834BC9-5861-4B94-BA34-FDF5C9FDF979}
420. PATIENT RIGHTS AND RESPONSIBILITIES (Pat Rights)
{DA69AAEE-DBDC-4CAA-849A-7242F0854385}
430. PERSONAL HYGIENE AND/OR GROOMING (Per Hyg)
{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}
440. PREVENTIVE HEALTH REHAB TECHNIQUES (Rehab Tech)
{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}
450. SELF-CARE SKILLS (Self Skill)
{39145E84-85F2-486C-9FF8-27787EC8026A}

460. SUPPORT GROUPS (Supp Group)

{7D67F542-4210-42FE-B083-7DA9D29055BD}

470. CAREGIVER STRESS (Care Stres)

{A6A201E7-259C-485E-A35E-9F2F3489B24F}

480. FAMILY NEEDS (Fam Needs) {CEB07929-0A6E-47E9-99CD-BD9333304C9C}

490. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

500. NONE IDENTIFIED AT THIS VISIT (None)

{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}

510. ISOLATION (Isolation) {BD993BAD-087B-4C88-9EEC-DC1B84F9A642}

UNITS:

=====

TERM: EKG LEAD

Page: 169

ID: {D7BAE1AC-E3DA-4C9B-1216-7A07AA310A52}

=====

Abbreviation..... EKG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... EKG Lead
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

LOCATION: 5 entries

1. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
3. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
4. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
5. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 1 entries

1. SKIN (ADHESIVE INDICATOR) (SKIN)
{C7CE7D84-6FC7-406A-7E56-B080637509DF}

QUALITY: 1 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

UNITS:

MILLIMETERS -21.00 > -20.00 * 20.00 < 21.00

Dec Prec: 2

ID: {C0633B19-939C-4213-B7C7-C04DC2ADEF0C}

=====

Abbreviation..... EF TUBE TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Enteral Feeding Tube used
Display Name..... E.F. Tube Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. NASOGASTRIC LARGE BORE TUBE (NG LG BORE)
{C3FEE16A-9998-455B-BEB8-CC55AF890202}
2. NASAL INTESTINAL SMALL BORE (N INT SM B)
{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}
3. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}
4. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
5. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}
6. ORAL GASTRIC TUBE (OG TUBE)
{C6995D6A-939C-4C31-A3C2-4504CB5597CD}
7. DUODENOSTOMY (DUODENOSTO) {FA44135D-6806-42E7-B371-8C3912B3582E}

8. TRANSPYLORIC (TRANSPYOLO) {78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}

UNITS:

ID: {EB68B555-6DE2-4BCE-942D-3B7F1E202B24}

=====

Abbreviation..... En Deliver
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Enteral Nutrition Delivery Method
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

1. PUMP - CONTINUOUS (Pump- cont)
{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}
2. PUMP - INTERMITTENT (Pump - int)
{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}
3. BAG - CONTINUOUS (Bag - cont)
{F072EF8A-B38B-4D75-82BF-D5EF851784B0}
4. BAG - INTERMITTENT (Bag - inte)
{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}
5. SYRINGE (Syringe) {8ED1EF3E-79AC-4507-A35B-473F31510FB7}
6. OPEN SYSTEM (Open syste) {2047EDE8-5D72-4541-A23A-81F097A6CA2A}

7. CLOSED SYSTEM (Closed sys)

{D076BAB6-C4D1-42F1-9036-80BF4B72E695}

UNITS:

=====

TERM: ENTERAL NUTRITION LINE TRACED

Page: 172

ID: {5ED65064-4689-4FE3-BE36-6DA708239B04}

=====

Abbreviation..... En Nut Lin

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Enteral Nutrition Line Traced

Help Text..... Line traced to origin prior to
feeding administration

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: ENTERAL NUTRITION RATE

Page: 173

ID: {75A4F240-8D8E-4F7D-84D3-3DBCE1C20F00}

=====

Abbreviation..... ENT NUT RA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Rate of Enteral Nutrition

Display Name..... Enteral Nutrition Rate

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITERS PER HOUR -1 > 0 * 500 < 1000 Dec Prec: 0

ID: {9B0AB028-886A-49A5-83BF-A9E4BC787EBF}

=====

Abbreviation..... En Sys Mnt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Enteral Nutrition System Maintenance

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-
1. BAG CHANGE (Bag Chg) {BC58D518-A742-410B-BE33-732C04D303BD}
 2. SYRINGE CHANGE (Syr Chg) {1F052EF1-F62C-4442-8B2B-D15280226C69}
 3. TUBING CHANGE (Tube Chg) {6418C2A2-D244-4C5B-A398-904B99AACEA4}
 4. STOPCOCK CHANGE (Stop Chg)
{C4A6E58E-DA4B-478F-823B-D2CFC9860072}

UNITS:

=====

TERM: ENTERAL NUTRITION TUBE PLACEMENT VERIFIED

Page: 175

ID: {45513946-76B4-4941-87A4-2737720A16E4}

=====

Abbreviation..... Tube Place

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Enteral Nutrition Tube Placement
Verified

Help Text..... Can specify method of verification in
comments

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {F083AE22-811C-432F-951A-3FF9DA485785}

=====

Abbreviation..... ENT NUT TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Enteral Nutrition Used
Display Name..... Enteral Nutrition Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 43 entries

-
1. MAGNACAL (MAGNACAL) {C810A618-FB1A-45BB-A540-EADF1414E343}
 3. OSMOLITE HN (OSMOLIT HN) {E4186CA6-302F-4513-B125-30B094151423}
 4. ULTRACAL (ULTRACAL) {179AE9A5-154D-4CD2-B70B-66E84F5D0932}
 6. VITAL HN ENTERAL NUTRITION (VITAL HN)
{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}
 7. D5W ENTERAL NUTRITION (D5W)
{D6664641-BF43-4157-9A30-8AD8CFE96518}
 8. D10W ENTERAL NUTRITION (D10W ENT N)
{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}
 9. D50W ENTERAL NUTRITION (D50W ENT N)

{528A4339-0261-4EC5-821C-7CE5592666DC}

- 17. BOOST (Boost) {2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}
- 18. BOOST PLUS (Boost Plus) {432C8151-10CE-4804-939D-6B6B609BE54A}
- 19. ENSURE PLUS (Ensure Plu) {519D1249-B6C0-49ED-BA86-1B27C0F964C9}
- 20. FIBER STAT (Fiber Stat) {201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}
- 21. GLUCERNA 1.0 (Glu 1.0) {1C465710-80F2-4C13-B8D5-B1D084151104}
- 22. GLUCERNA 1.2 (Glu 1.2) {F58F1014-D1C4-44EB-9B01-FB88F2B3D751}
- 23. ISOSOURCE VHN (Iso VHN) {D68525BF-F922-464E-97DE-1AB767974483}
- 24. JEVITY 1.0 (Jevity 1.0) {637F4523-0417-4EA4-9991-379C8362EC00}
- 25. JEVITY 1.2 (Jevity 1.2) {0B3ADECE-FC19-4D90-912B-6EDC3D35C845}
- 26. JEVITY 1.5 (Jevity 1.5) {ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}
- 27. JUVEN (Juven) {2112F76A-D581-4C55-94CA-4B4CC68813AD}
- 28. NEPRO (Nepro) {00FFC7A1-5CDA-45AF-BD50-D77666A23851}
- 29. NEPRO CARB STEADY (Nepro Car)

{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}

- 30. NUTRIHEP (Nutrihep) {ABD98675-EB60-40C7-BCE6-73FD787F6D17}
- 31. OSMOLITE 1.0 (Osmo 1.0) {D5EE7DA5-707B-4000-A133-0C571824A376}
- 32. OSMOLITE 1.2 (Osmo 1.2) {CEF57C44-82E5-43F5-8646-F8FBCD4609A0}
- 33. OSMOLITE 1.5 (Osmo 1.5) {8AF4CD1A-631A-4E95-A631-ACFF775284BA}
- 34. OXEPA (Oxepa) {1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}
- 35. PERATIVE (Perative) {9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}
- 36. PIVOT (Pivot) {2E68ED54-57F5-490D-A982-668121F0CF5A}
- 37. PIVOT 1.5 (Pivot 1.5) {9126F0C6-9716-4C33-8B7C-178D46899D44}
- 38. PRO STAT SUGAR FREE 64 (ProSta 64)

{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}

- 39. PROMOTE (Promote) {6377C8D3-F6DD-4BD2-877F-DB52525DD65D}
- 40. PROMOTE WITH FIBER (Pro W/Fib)

{33E04B6F-2976-402C-B3B7-B75705430340}

- 41. PROPASS PROTEIN POWDER (Pro Prot)
{2307C41A-92D2-4DD4-BC1F-2E78F7477D98}
- 42. PRO-STAT (Pro-Stat) {E39E36C7-0A47-459D-BA75-CF6186247B40}
- 43. PROTENEX WOUND CARE (Protenex)
{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}
- 44. PULMOCARE (Pulmocare) {8D683106-B5EE-46E1-B1C6-0C7843EDD15C}
- 45. RESOURCE BREEZE (Re Breeze)
{D3A38687-AD62-4E1D-A945-1201168E1CF6}
- 46. RESOURCE DM (Re Dm) {C9D4A461-81F9-4392-98DA-129B00E5807F}
- 47. SUPLENA (Suplena) {F606979A-083E-40C1-9EBB-EA56053EF5FD}
- 48. TWO CAL HN (Two Cal HN) {3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}
- 49. VITAL 1.0 (Vital 1.0) {D3CA653C-419D-4186-8704-E171650062DF}
- 50. VITAL 1.5 (Vital 1.5) {3665F539-7BBD-4AD9-A4D0-0A33506036D7}
- 51. VITAL AF (Vital AF) {D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}
- 52. VIVONEX RTF (Viv RTF) {461E7430-CC94-47D1-A90D-9694314C7729}

UNITS:

ID: {65B585A6-C193-4121-ACCA-0152433BC4A9}

=====

Abbreviation..... Asp Color
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Enteral Tube Aspirate Color
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 14 entries

-
1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
 2. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
 3. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
 4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
 5. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
 6. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 7. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
 8. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
 9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
 10. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

11. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}

12. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

13. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

140. GOLD (Gold) {1D1A2586-C13C-41FA-A3AD-39294BEB83E}

UNITS:

=====

TERM: ENTERAL TUBE ASPIRATE PH

Page: 178

ID: {C6DD77B7-2501-4B20-AAF8-FF40554257CF}

=====

Abbreviation..... Asp PH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Enteral Tube Aspirate pH

Help Text..... pH of enteral tube output

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

pH -1.0 > 0.0 * 14.0 < 15.0 Dec Prec: 1

=====

TERM: ENTERAL TUBE RESIDUAL VOLUME

Page: 179

ID: {22EBBA65-D612-43B8-A97F-E750C2ADC9D0}

=====

Abbreviation..... Res Vol

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Enteral Tube Residual Volume

Help Text..... volume of enteral tube output

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER

-1 > 0 * 300 < 301

Dec Prec: 0

=====

TERM: ENTERAL TUBE SITE CONDITION CHECKED

Page: 180

ID: {07A53E80-0F27-46DC-A260-B03CFE25803E}

=====

Abbreviation..... En Tube Ck

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Enteral Tube Site Condition Checked

Help Text..... Indicate any abnormal findings in
comments

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: EPIDURAL: BOLUS (ML)

Page: 181

ID: {ECED5FF9-C840-4D0A-8CD9-6A2EB772FEB0}

=====

Abbreviation..... Epi Bol ml

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Bolus (ml)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER 0.01 > 0.01 * 999.99 < 999.99

Dec Prec: 2

ID: {4BCC4DF1-B319-40E0-B740-DB96EE30A761}

=====

Abbreviation..... Epi Cat Si
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Epidural: Catheter Site
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 10. THORACIC (Thoracic) {CAC9637E-6CBC-4F12-BF5B-72EDD2148579}
 - 20. LUMBAR (Lumbar) {29729E2C-3650-4E81-B7EB-72052EBA3D48}

UNITS:

=====

TERM: EPIDURAL: CONTINUOUS RATE (ML/HR)

Page: 183

ID: {45F9DF95-EF21-4BE4-8F43-B680A3CDDC47}

=====

Abbreviation..... C Rate Hr

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Continuous Rate (ml/hr)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITERS PER HOUR 0.01 > 0.01 * 999.99 < 999.99

Dec Prec: 2

ID: {297730B0-12B4-4296-B9E5-9A112E5D4E91}

=====

Abbreviation..... Derm Left

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Epidural: Dermatome Sensory Level -
Left

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 22 entries

- 1. C1 (C1) {F942693D-F272-4A70-81FF-E750BAF082B9}
- 2. C2 (C2) {EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
- 3. C3 (C3) {B53D0E0E-7BF0-4D26-B4DD-D072035E307E}
- 4. C4 (C4) {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}
- 5. C5 (C5) {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}
- 6. T1 (T1) {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}
- 7. T2 (T2) {7536B154-F3CA-4B21-8CEC-301F204B19A9}
- 8. T3 (T3) {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}
- 9. T4 (T4) {E95970BB-3FDA-4027-AAF0-EE5670642321}

- 10. T5 (T5) {01B568D4-F9F4-44A7-94A4-EFF830691940}
- 11. T6 (T6) {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
- 12. T7 (T7) {385B254A-F256-4626-9C12-7D8984F4B605}
- 13. T8 (T8) {68337EB5-902D-4DCB-AFDD-8AC59849F58B}
- 14. T9 (T9) {06F10D8D-2E9D-454D-AD6B-B750300523DD}
- 15. T10 (T10) {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
- 16. T11 (T11) {3C40B21A-965B-48C4-A65D-9A01CF2327F1}
- 17. T12 (T12) {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
- 18. L1 (L1) {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
- 19. L2 (L2) {0E5E7F8E-BA82-499B-A57A-8D32C2113006}
- 20. L3 (L3) {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}
- 21. L4 (L4) {94632F85-0152-47C2-9D82-B49C36ABF495}
- 22. L5 (L5) {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

ID: {B7ACEED3-8360-4BC2-8608-1597C4776379}

=====

Abbreviation..... Derm Right

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Epidural: Dermatome Sensory Level -
Right

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 22 entries

-
- 1. C1 (C1) {F942693D-F272-4A70-81FF-E750BAF082B9}
 - 2. C2 (C2) {EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
 - 3. C3 (C3) {B53D0E0E-7BF0-4D26-B4DD-D072035E307E}
 - 4. C4 (C4) {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}
 - 5. C5 (C5) {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}
 - 6. T1 (T1) {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}
 - 7. T2 (T2) {7536B154-F3CA-4B21-8CEC-301F204B19A9}
 - 8. T3 (T3) {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}
 - 9. T4 (T4) {E95970BB-3FDA-4027-AAF0-EE5670642321}

- 10. T5 (T5) {01B568D4-F9F4-44A7-94A4-EFF830691940}
- 11. T6 (T6) {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
- 12. T7 (T7) {385B254A-F256-4626-9C12-7D8984F4B605}
- 13. T8 (T8) {68337EB5-902D-4DCB-AFDD-8AC59849F58B}
- 14. T9 (T9) {06F10D8D-2E9D-454D-AD6B-B750300523DD}
- 15. T10 (T10) {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
- 16. T11 (T11) {3C40B21A-965B-48C4-A65D-9A01CF2327F1}
- 17. T12 (T12) {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
- 18. L1 (L1) {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
- 19. L2 (L2) {0E5E7F8E-BA82-499B-A57A-8D32C2113006}
- 20. L3 (L3) {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}
- 21. L4 (L4) {94632F85-0152-47C2-9D82-B49C36ABF495}
- 22. L5 (L5) {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

=====

TERM: EPIDURAL: MEDICATION

Page: 186

ID: {E3AC01D5-CC7C-471E-A5B1-819416CBB405}

=====

Abbreviation..... Epi Meds
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Epidural: Medication
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

- 10. {8BC7F294-7126-4843-91A0-14F805EC4578} (Morphine)
{8BC7F294-7126-4843-91A0-14F805EC4578}
- 20. HYDROMORPHONE (Hydromorph)
{8E6E9DB1-C969-4274-9761-C9830A9FCF67}
- 30. ROPIVICAINE (Ropivicain) {911BE8BC-6737-4DBF-96AF-A501D3D54493}
- 40. BUPIVICAINE (Bupivicain) {03B908B3-365A-47F6-8D71-8F8FE1D2C16B}
- 50. FENTANYL (Fentanyl) {C0740659-05FB-4513-BD0F-4F4111B32215}

UNITS:

=====

TERM: EPIDURAL: RESERVOIR VOLUME REMAINING

Page: 187

ID: {E8DB41BB-C76C-4397-828E-42AB339D20E5}

=====

Abbreviation..... Res Vol Rm

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Reservoir Volume Remaining

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1.00 > -1.00 * 9999.00 < 9999.00

Dec Prec: 2

ID: {31D66C3C-3A8C-4F97-B9E5-7ECA49A01574}

=====

Abbreviation..... Side Eff
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Epidural: Side Effects
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 19 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
 3. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
 4. ITCHING (Itching) {33304859-7DF4-4D89-86E8-9AA3395CC80A}
 5. URINARY RETENTION (Urin Reten)
{BDD3A568-00E4-4148-8A5D-00319728022A}
 6. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
 7. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
 8. HEADACHE (Headache) {9338E67C-201C-4066-A734-8BD4B47462BD}
 9. BLURRED VISION (Blurred Vi)

{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}

10. SLURRED SPEECH (Slurred Sp)

{6C3D295A-71C9-4DA8-A172-995F431D94C9}

11. CONFUSION (Confusion) {C577D53B-2924-41C6-AAF0-426F5259B36F}

12. POOR BAL (Poor Balan) {959AFDB4-6984-452D-9235-B154409DC0ED}

13. TINGLING MOUTH/LIPS (Ting Mou/L)

{E603F979-310D-438B-80A2-1F52E4DE71C6}

14. UNEXPECTED NUMBNESS (Unexp Numb)

{6418B135-56AF-4A76-A207-55D7AE0C5364}

15. EXTENDED PERIOD OF IMMOBILITY (Ex Pd Immo)

{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}

16. SYMPTOMS OF MEDICATION ALLERGY (Sym Med Al)

{8E73F22D-7583-4F24-B946-091CF8508CED}

17. REPIRATORY DEPRESSION (Resp Depr)

{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}

18. CNS DEPRESSION (CNS Depres)

{EE349460-8B60-427B-AE98-72007DFD2F6A}

19. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====

TERM: EPIDURAL: TOTAL VOLUME GIVEN

Page: 189

ID: {9D6BECEA-1AED-42FD-BE2D-396B0B8CD472}

=====

Abbreviation..... Tot VI Giv

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Total Volume Given

Help Text..... Total Volume of Epidural given

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1.00 > -1.00 * 9999.00 < 9999.00

Dec Prec: 2

ID: {62C9FF10-1B3F-48D1-8FE7-ACF8284FD04A}

=====

Abbreviation..... ESI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... EMERGENCY SEVERITY INDEX
Display Name..... ESI
Help Text..... EMERGENCY SEVERITY INDEX
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
 - 2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 3. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 4. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
 - 5. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}

UNITS:

ID: {E4848AF5-F7CA-4B23-B436-B902B0F5555A}

=====

Abbreviation..... TRIAGE CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Triage Condition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

-
- 1. STABLE (STABLE) {A474E7BC-47EF-4472-A19A-172C441099EC}
 - 2. UNSTABLE (UNSTABLE) {5841C521-8070-4034-A69D-27DAB2990EB3}
 - 3. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====

TERM: ER TRIAGE DISPOSITION

Page: 192

ID: {4D5AB8A3-0883-4D48-AAF7-73933D411038}

=====

Abbreviation..... TRIAGE DIS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Triage Disposition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

1. EMERGENCY DEPARTMENT (ER DEPT)

{D2E511F7-8B80-4928-A64B-3F1EE17395F7}

2. WAITING ROOM (WAIT ROOM) {13476486-F895-4FFC-AB42-B274827B47DA}

3. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

ID: {7DA32BAB-D3E3-55F0-CBAC-812B366B15A5}

=====

Abbreviation..... ET LOC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... LOCATION OF ENDOTRACHEAL TUBE

Display Name..... Endotracheal Tube Location

Help Text..... Measured in centimeters from lip or
nose

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 10 entries

-
- 15. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}
 - 16. 21 (21) {C6188159-9EF1-DA5C-C015-2142A1205C4C}
 - 18. 22 (22) {DA839156-C7A9-76D7-58CD-7EC2B016EF40}
 - 20. 23 (23) {8FB6A8B1-B692-BDC7-43B9-0332F33D826A}
 - 22. 24 (24) {2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}
 - 24. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCD1}
 - 26. 26 (26) {181395F6-29FD-5A41-5AD7-BFC9CF564F3B}
 - 28. 27 (27) {64D25A86-6516-0910-B4B5-644B85378876}
 - 30. 28 (28) {66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}

32. OTHER (COMMENT REQUIRED) (Other Req)

{334806FC-36EA-4BCB-B3E4-1EC61A5C8DB9}

LOCATION: 3 entries

- 10. LIP (Lip) {43A64C98-CAE1-4069-B66E-91A512D7A703}
- 20. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
- 30. TEETH (TEETH) {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}

POSITION: 3 entries

- 10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}
- 20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}
- 30. MIDLINE (Midline) {1C6F049F-532E-406B-9C54-2AA24CAC085E}

UNITS:

ID: {7912B52F-20BC-9128-883B-08AF0EC48045}

=====

Abbreviation..... FALL PRE
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Fall Precautions
Help Text..... Fall Precautions Taken
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

ID: {D132DC0C-DEA5-460C-9278-C65A36396B53}

=====

Abbreviation..... Fall Prev
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Fall Prevention
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 17 entries

- 10. ORIENTED TO SURROUNDINGS/ROUTINE (Oriented)
{A8F3F756-E5B5-4B8D-AF21-E45746A64E46}
- 20. INCREASE ROUNDS (Inc Rds) {873180AF-9BB9-44F4-B9E4-80F8BBDF9769}
- 30. NON-SKID SLIPPERS (Non-Skid)
{D7641B31-2CB9-4284-B505-74B131BF4789}
- 40. PLACED NEAR TO NURSE STATION (Near N/Sta)
{7790D901-36F0-4DFD-9BF5-8C3A913F30E1}
- 50. NIGHT LIGHT PROVIDED (Night Lite)
{A6F3E41A-92A1-4AAE-9EFC-84D21E8A32BD}
- 60. PERSONAL ARTICLES AT REACH (At Reach)

{166DE5BA-67F1-4BDB-9378-062862519BE4}

70. ORIENTED TO CALL FOR ASSISTANCE (Call/Asst)

{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}

80. COMFORT MEASURES (Com Measu)

{A5F09A1F-921E-4469-9652-0A136BCD9C07}

90. ESTABLISHED ROUTINE TOILETING SCHEDULE (Toil Sched)

{A66F5259-5C01-4597-B881-9267DEBC017C}

100. AVOIDED LIGHT AND NOISE OVERSTIMULATION (Avoid Lght)

{135BE5DC-B93B-4A72-97AC-B423A6E81538}

110. ELIMINATED ENVIRONMENTAL HAZARDS (Eli Env Hz)

{78E77129-F53F-491D-8C86-36AE948FCCC6}

120. ALARMS ON (Alarms On) {A07F739F-3E78-405D-9012-E43CD84B2CBC}

130. HELMET (Helmet) {E65974F8-BCE7-4361-868D-C0B4D780EA21}

140. HIP-PROTECTORS (Hip-Prot)

{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}

150. FALL RISK SIGN (Fall Sign)

{E9670720-957E-487E-B0F0-7F7A8AEF69DE}

160. FALL RISK ID (Fall Risk) {EF1BE81B-656B-474C-B19E-CCDAD8BB4100}

170. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

ID: {E1CB7972-95FE-FE7B-9E6E-ECF1FF4699EB}

=====

Abbreviation..... FOTU
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Family Oriented to Unit
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: FETAL HEART TONES

Page: 197

ID: {A2E22A44-E924-ADDE-2B8E-0251666B4DE6}

=====

Abbreviation..... FT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... From Vitals
Display Name..... Fetal Heart Tones
Help Text..... From Vitals
Multi Select Picklist.....
Term Type..... OBSERVATION
Void..... 4688721

UNITS:

BEATS PER MINUTE 50 > 120 * 160 < 225 Dec Prec: 0

=====

TERM: FINGERSTICK GLUCOSE

Page: 198

ID: {805F184D-EF11-446F-A272-B08249A477E9}

=====

Abbreviation..... FINGER GLU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Fingerstick Glucose Test Result

Display Name..... Fingerstick Glucose

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

mg/dl

29 > 65 * 110 < 601

Dec Prec: 0

=====

TERM: FLATUS

Page: 199

ID: {9999776E-D262-4F64-BDEC-16A7E5885185}

=====

Abbreviation..... FLATUS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Flatus

Display Name..... Flatus

Help Text..... Flatus / Flatulence

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

4 entries

1. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}

2. PATIENT REPORTS NOT PRESENT (PT RP N PR)

{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}

3. PATIENT REPORTS PRESENT (PT REP PRE)

{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}

4. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

=====

TERM: FLOWSHEET ADDENDUM

Page: 200

ID: {72F2398C-E7DB-418F-89A4-79E07895295F}

=====

Abbreviation..... FLOW ADDEN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... Flowsheet Addendum

Display Name..... Flowsheet Addendum

Help Text..... 250 Characters ONLY: Place to enter

status updates, notes, significant

events, etc. That are relevant to the

patient and entire flowsheet.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {5B1A78F0-5C93-F5BA-29D5-D9AFC205B3C7}

=====

Abbreviation..... FOOTS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Foot Strength
Help Text..... Evaluation of foot strength
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
- 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
- 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
- 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
- 6. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

- 1. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
- 2. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

3. BILATERAL FOOT (BILAT FOOT)

{C758847D-468F-479A-B12D-F4E46F0E5E3A}

UNITS:

=====

TERM: FUNDAL HEIGHT

Page: 202

ID: {EEAB8762-624F-7BA3-4001-114FD229BA69}

=====

Abbreviation..... FH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... From Vitals

Display Name..... Fundal Height

Help Text..... Starting at 24 weeks

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688722

UNITS:

CENTIMETER

15 > 21 * 43 < 60

Dec Prec: 0

=====

TERM: GAG REFLEX

Page: 203

ID: {21F9FD70-0E30-2772-2E3C-D36C9D3ABA9D}

=====

Abbreviation..... GAG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Gag Reflex

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

=====

TERM: GAIT

Page: 204

ID: {E36F1998-896C-47EE-97FC-18E224E9A415}

=====

Abbreviation..... Gait

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Gait

Help Text..... Assessment of Gait

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE:

4 entries

10. STEADY (Steady)	{42CF2FDA-E774-4784-99D3-24545E30C46F}
---------------------	--

20. UNSTEADY (Unsteady)	{7AC26DBA-B7F1-401C-9D4C-5C0F06C87152}
-------------------------	--

30. SHUFFLING (Shuffling)	{7EA3A898-1D90-472C-BE90-2110330A1ADA}
---------------------------	--

40. SCOOTER (Scooter)	{663BC475-C20E-4B8B-B8B5-B16CC79A93C6}
-----------------------	--

UNITS:

=====

TERM: GASTRIC RESIDUAL AMOUNT DISCARDED

Page: 205

ID: {E74268D1-6DB1-40BB-810B-4A33D65F73A4}

=====

Abbreviation..... GAS DISCAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Gastric Residual Amount Discarded

Display Name..... Gastric Residual Amount Discarded

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 750 < 10000 Dec Prec: 0

=====

TERM: GASTRIC RESIDUAL CHECKED

Page: 206

ID: {7CFB9F8C-FDDB-4CB2-B977-E6570D84BAFE}

=====

Abbreviation..... GAS RES CH

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the Gastric Residual Checked?

Display Name..... Gastric Residual Checked

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

=====

TERM: GASTRIC RESIDUAL NOT DISCARDED

Page: 207

ID: {D93EDA7E-706C-4914-A774-5BE46D4A3085}

=====

Abbreviation..... GAS NOT DI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Gastric Residual Amount Not Discarded

Display Name..... Gastric Residual Amount Not Discarded

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER

-1 > 0 * 500 < 10000

Dec Prec: 0

=====

TERM: GASTRIC pH

Page: 208

ID: {5ECE05DB-47C5-43C9-A3CD-0CD31E285BA8}

=====

Abbreviation..... GASTRIC pH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Gastric pH

Display Name..... Gastric pH

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

pH

-1 > 0 * 7 < 15

Dec Prec: 0

ID: {11D9DC0B-FE5C-9374-0904-96896A69E41B}

=====

Abbreviation..... GCS EYE OP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Eye Opening
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. 4 - SPONTANEOUSLY (4-s) {4612FC84-FCA8-8C85-50DC-A9A42C195F51}
 - 2. 3 - TO VERBAL COMMAND (3-tvc)
{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}
 - 3. 2 - TO PAIN (2-tp) {49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}
 - 4. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}
 - 5. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

UNITS:

ID: {F708D210-5A49-4731-443A-DB3992450B45}

=====

Abbreviation..... GCS MOTOR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Motor Response
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
1. 6 - OBEYS COMMANDS (6-oc) {0D4956F4-7E79-8D17-EDF3-274B96BBC89A}
 2. 5 - LOCALIZES PAIN (5-lp) {CF13650F-899B-6AE1-5913-DC1F4776E5E4}
 3. 4 - WITHDRAWS FROM PAIN (4-wfp)
{D808ACF1-30CB-29AB-4957-E91D63C4DF18}
 4. 3 - ABNORMAL FLEXION FROM PAIN (3-affp)
{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}
 5. 2 - ABNORMAL EXTENSION FROM PAIN (2-aeFP)
{9B4951D8-B271-DFC3-0A00-1DC9984039E3}
 6. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:

=====

TERM: GCS - TOTAL

Page: 211

ID: {09118FCE-11BC-2679-68FC-67913B3EAAD0}

=====

Abbreviation..... GCS TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Total GCS

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

GLASGOW COMA SCALE

2 > 3 * 15 < 16

Dec Prec: 0

ID: {B4BA8135-48CB-2930-B5F2-5B93688C07FE}

=====

Abbreviation..... GCS VERBAL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Verbal Response
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. 5 - ORIENTED AND CONVERSES (5-oac)
{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}
 - 2. 4 - DISORIENTED AND CONVERSES (4-dac)
{D43F646D-A130-5D06-6DC6-DDB971027231}
 - 3. 3 - INAPPROPRIATE WORDS (3-iw)
{FE000191-243E-4D32-1E1E-546EE2CF88A5}
 - 4. 2 - INCOMPREHENSIBLE SOUNDS (2-is)
{F2261C3D-79A3-055B-702D-446B7A6A3113}
 - 5. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:

ID: {139D5B8A-4DF7-4764-A1C9-835C73A13E41}

=====

Abbreviation..... GEN. ASSMT
Active..... Yes
Boolean Value False..... Normal
Boolean Value True..... Abnormal
Data Type..... Boolean
Description..... General condition of genitals
Display Name..... Genital Assessment
Help Text..... Are genitals normal or abnormal?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {2566D442-22EA-4523-8D77-007B858C1EA0}

=====

Abbreviation..... GI SYMPTOM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... GI Symptoms
Display Name..... GI Symptoms
Help Text..... GI Symptoms
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

-
1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
 2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
 3. PROJECTILE VOMITING (PROJ VOMIT)
{0D2CB23B-B266-40E1-A6FF-20B733655B69}
 4. CRAMPING (CRAMPING) {3EC3E352-5469-4A85-80E4-3AFEB61224C4}
 5. HEARTBURN (HEARTBURN) {5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}
 6. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
 7. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

UNITS:

=====

TERM: GI TUBE DRAINAGE CHARACTERISTICS

Page: 215

ID: {D72728F5-FE40-1697-E896-BFAA1895A4A8}

=====

Abbreviation..... GI DRAIN C

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... GI Tube Drainage Characteristics

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}

2. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:

ID: {4D0CB409-25EA-40CB-ABE5-1BB2E0FDE1C3}

=====

Abbreviation..... GI DRA COL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... GI Tube Drainage Color
Display Name..... GI Tube Drainage Color
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

-
1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
 2. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
 3. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
 4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
 5. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
 6. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 7. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
 8. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
 9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
 10. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

11. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}

12. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

13. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

ID: {BFA579B5-CEA7-43EF-84C0-C4893EFD0F3A}

=====

Abbreviation..... GI T PLACE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... GI Tube Placement Confirmation
Display Name..... GI Tube Placement Confirmation
Help Text..... GI Tube Placement Confirmation
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. X-RAY (X-RAY) {C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}
 2. ASPIRATION (ASPIRATION) {68B91085-8E3C-4B94-9F97-6305F5DFD900}
 3. AUSCULTATION (AUSCULTATI) {B9D756DF-74F5-4604-B781-D7BC512FC453}
 4. pH (pH) {104FE39C-B0A2-40B5-A523-B11E5F2BA272}

UNITS:

=====

TERM: GI TUBE SIZE

Page: 218

ID: {9F0E347C-C292-41A6-B213-340B2ECD716E}

=====

Abbreviation..... GI TU SIZE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... GI Tube Size
Display Name..... GI Tube Size
Help Text..... GI Tube Size
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

FRENCH

7 > 8 * 18 < 25

Dec Prec: 0

ID: {884A773C-187A-B910-AEC0-59815DEE579E}

=====

Abbreviation..... TUBE SUC T
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... TYPE OF SUCTION APPLIED TO GI TUBE
Display Name..... GI Tube Suction Type
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
- 1. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
 - 2. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
 - 3. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
 - 4. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
 - 5. CLAMPED (CLAMPED) {B86865B8-078A-4996-B5EC-46A4A99D5A7D}
 - 6. GRAVITY (GRAVITY) {C0233F70-376D-41CE-9F14-714C7B35244F}

UNITS:

=====

TERM: GI TUBE TYPE

Page: 220

ID: {DD63CB7E-0759-F5F2-EFF6-AB6874590B43}

=====

Abbreviation..... GI TUBE TY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... TYPE OF GI TUBE

Display Name..... GI Tube Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

10 entries

1. NASOGASTRIC TUBE (NG TUBE)

{6475E343-A310-48A5-B543-D29573E7684D}

2. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}

3. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}

4. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}

5. NASAL SMALL BOWEL FEEDING TUBE (NAS SM BOW)

{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}

6. ORAL GASTRIC TUBE (OG TUBE)

{C6995D6A-939C-4C31-A3C2-4504CB5597CD}

7. SMALL BORE FEEDING TUBE (SM BO TUBE)

{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}

8. GASTROSTOMY TUBE (GAST TUBE)

{EF017A39-745E-4C29-821A-5B25F103DF99}

9. GASTROSTOMY FEEDING BUTTON (GAST F BUT)

{1627B53B-374B-42B4-BBFE-463EE37B6110}

10. EWALD TUBE (EWALD TUBE) {B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}

UNITS:

=====

TERM: GU BLADDER IRRIGATION FREQUENCY

Page: 221

ID: {D16099EA-DF97-4481-8B8F-7A25E88D15B1}

=====

Abbreviation..... GU BL IR F
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Bladder Irrigation Frequency
Display Name..... Bladder Irrigation Frequency
Help Text..... Bladder Irrigation Frequency
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
 2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
 3. PRN (PRN) {36493D81-954B-4C56-B0A2-9988EA785EBD}

UNITS:

=====

TERM: GU CATHETER CARE PERFORMED

Page: 222

ID: {F99A31A1-6D6D-4532-81F4-35EA957233D7}

=====

Abbreviation..... GU CA CARE

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Catheter Care Performed

Display Name..... Catheter Care Performed

Help Text..... Catheter Care Performed

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: GU CATHETER SIZE

Page: 223

ID: {222FF9DB-7D48-4004-B9B9-49B41D8E510B}

=====

Abbreviation..... GU CA SIZE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Catheter Size

Display Name..... Catheter Size

Help Text..... Catheter Size

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FRENCH

11 > 12 * 30 < 31

Dec Prec: 0

ID: {A73423E8-EA6C-007E-1F20-6185BD488AEA}

=====

Abbreviation..... GU CATH TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of catheter used
Display Name..... Catheter Type
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 13 entries

1. INDWELLING CATHETER (INDW CATH)
{EC16724C-D1EA-5650-58D4-38A89D4456F9}
2. EXTERNAL CATHETER (EXT. CATHE)
{C8AEE936-DD91-FE91-4DD6-6F210FB59726}
3. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}
4. L NEPHROSTOMY (L NEPHROST)
{D8FC4C18-081E-A7B9-E394-25F194BE9757}
5. R NEPHROSTOMY (R NEPHROST)
{33661137-688D-5611-4368-B1DFD8DB1469}
6. UROSTOMY (UROSTOMY) {1F9E528D-6D78-54EE-94E6-649C6F2056A3}

7. STRAIGHT CATHETER (STR. CATH)

{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

8. ILEAL CONDUIT (ILEAL COND)

{032CB6FE-77D2-702E-A0AE-46176F5CAA57}

9. L STENT (LEFT STENT) {FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}

10. R STENT (RT. STENT) {6D0EED3B-1F08-11D2-165D-97A9F58327D5}

11. FOLEY (FOLEY) {9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}

12. 3 WAY FOLEY (3WAY FOLEY) {32408760-F517-4530-AEC0-54FE0A6A062B}

13. MUSHROOM CATHETER (MUSH CATHE)

{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}

LOCATION: 16 entries

1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

3. L INTERNAL JUGULAR (L INT JUG)

{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. R INTERNAL JUGULAR (R INT JUG)

{7ABF6916-D379-198D-6454-F0518A74844A}

5. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

6. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}

10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}

11. L ANTECUBITAL (L ANTECUBI)

{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

12. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}

14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

=====

TERM: GU VOIDING

Page: 225

ID: {BE9D4DD5-CF6E-C973-C1F1-D70D9F554E38}

=====

Abbreviation..... GU VOIDING

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Method of urine elimination

Display Name..... Voiding

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

-
1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}
 2. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
 3. CATHETER (CATHETER) {B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}

UNITS:

ID: {7FA596FC-81CF-4906-BBA9-96ED54FAC55D}

=====

Abbreviation..... HAIR CONDI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Hair Condition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. ALOPECIA PARTIAL (ALOPE PART)
{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}
 3. ALOPECIA TOTAL (ALOPE TOTA)
{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}
 4. HIRSUTISM (HIRSUTISM) {A909A4FC-080A-4E9A-867A-0B30D4633602}

UNITS:

ID: {67289BB5-D6B1-53C5-53E2-6D209C1B0826}

=====

Abbreviation..... HAND GRIP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Hand Grip
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
 - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
 - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
 - 7. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

-
- 1. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
 - 2. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}

3. BILATERAL HAND (BILAT HAND)

{C782FE56-6117-493F-847F-83173407F0B5}

UNITS:

=====

TERM: HANDOFF REPORT

Page: 228

ID: {EF8C4872-1F90-4A5A-93CA-9B3DD4350A55}

=====

Abbreviation..... Handoff Rp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... String
Description.....
Display Name..... Handoff Report
Help Text.....
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: HEAD CIRCUMFERENCE

Page: 229

ID: {33827E3C-5DBB-083C-D8BE-4DFD7D42071F}

=====

Abbreviation..... HC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... From Vitals

Display Name..... Head Circumference

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4536405

UNITS:

CENTIMETER

0 > 1 * 100 < 101

Dec Prec: 0

=====

TERM: HEAD OF BED ELEVATION

Page: 230

ID: {97D6AA11-1F1A-1853-23E5-25F2F41E07CF}

=====

Abbreviation..... HOB E

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Head of Bed Elevation

Help Text..... Value in degrees

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

DEGREES (ANGLE)

-1 > 0 * 90 < 99

Dec Prec: 0

=====

TERM: HEAT/MOISTURE EXCHANGER PRESENT

Page: 231

ID: {1AAC7785-C695-44AB-9E0E-96257D66F432}

=====

Abbreviation..... HME PRESEN

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Heat & Moisture Exchanger Present

Display Name..... Heat & Moisture Exchanger Present

Help Text..... Heat & Moisture Exchanger Present

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: HEIGHT

Page: 232

ID: {B440216B-0FB3-1950-7859-7C1BE398FE4A}

=====

Abbreviation..... HT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Height of Patient
Display Name..... Height
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4688724

QUALITY: 4 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}
3. ESTIMATED BY ARM SPAN (EAS)
{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}
4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

INCH 0.00 > 1.00 * 96.00 < 100.00

Dec Prec: 2

CENTIMETER

0.0 > 1.0 * 2999.0 < 3000.0

Dec Prec: 1

ID: {996F1DCC-A6EE-4D52-B889-6E0E6185C74C}

=====

Abbreviation..... HOMAN SIGN

Active..... Yes

Boolean Value False..... Negative

Boolean Value True..... Positive

Data Type..... Boolean

Description..... No Description

Display Name..... Homan's Sign

Help Text..... Positive is calf pain with

Dorsiflexion and Plantar Flexion

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: I:E RATIO

Page: 234

ID: {7A108E36-2701-4095-B1CE-FC51773D8D10}

=====

Abbreviation..... I:E RATIO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Inspiratory Time to Expiratory Time

Ratio

Display Name..... I:E Ratio

Help Text..... Inspiratory Time to Expiratory Time

Ratio

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: IABP ASSISTED SYSTOLIC PRESSURE

Page: 235

ID: {21DA5247-9369-4E7E-8089-29087553F2AD}

=====

Abbreviation..... IABP A S P

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Assisted Systolic Pressure

Display Name..... IABP Assisted Systolic Pressure

Help Text..... IABP Assisted Systolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY

0 > 80 * 150 < 250

Dec Prec: 0

=====

TERM: IABP BAEDP

Page: 236

ID: {422441B9-61AD-4EC1-B3DE-78A593C410C7}

=====

Abbreviation..... IABP BAEDP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Balloon Assisted Aortic End

Diastolic Pressure

Display Name..... IABP BAEDP

Help Text..... IABP Balloon Assisted Aortic End

Diastolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLIMETERS OF MERCURY

0 > 40 * 80 < 200

Dec Prec: 0

=====

TERM: IABP BALLOON SIZE

Page: 237

ID: {FBA3FB62-E2E2-4246-8D39-D58E5811B1E2}

=====

Abbreviation..... IABP B SIZ
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Size of the IABP
Display Name..... Balloon Size
Help Text..... Size of the IABP
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. 34 ml (34 ml) {25952BB5-50B1-4CC0-9483-8AF891767045}
 2. 40 ml (40 ml) {37A2998F-AB1C-4493-9C7A-FFCB05ED2302}

UNITS:

ID: {D034E8DA-1C70-44D2-B556-F21860827AF9}

=====

Abbreviation..... IABP CAT F

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the Intra-aortic Balloon Pump
Flushed

Display Name..... IABP Catheter Flush

Help Text..... Was the Intra-aortic Balloon Pump
Flushed

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {59A9ADB9-6630-41B3-AE5E-495AB232E287}

=====

Abbreviation..... IABP CIR A
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... IABP Circulation Assessed
Display Name..... IABP Circulation Assessed
Help Text..... IABP Circulation Assessed
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {71923854-939D-C730-3A1B-F4A9FA02A6C6}

Abbreviation..... IABP DRESS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... IABP Dressing Type

Help Text..... Type of Invasive Arterial Blood

Pressure dressing

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
2. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}
3. GAUZE AND TAPE (GAU & TAPE)
{5BC40405-B5C4-47CF-81C3-520732E100AC}

LOCATION: 5 entries

1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

3. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
4. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

=====

TERM: IABP PEAK DIASTOLIC AUGMENTED PRESSURE

Page: 241

ID: {24E18FB7-94D9-4F2D-9D6D-3CAF3C1F9951}

=====

Abbreviation..... IABP PDAP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... BP Peak Diastolic Augmented Pressure

Display Name..... IABP Peak Diastolic Augmented Pressure

Help Text..... BP Peak Diastolic Augmented Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 0 > 80 * 120 < 200 Dec Prec: 0

ID: {19DC7448-F44F-4E90-9FC0-233738821325}

=====

Abbreviation..... IABP RATIO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... IABP Ratio
Display Name..... IABP Ratio
Help Text..... IABP Ratio
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. 1:1 (1:1) {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}
 - 2. 1:2 (1:2) {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}
 - 3. 1:3 (1:3) {062B4F93-8F48-7373-F679-11F57CE98BB3}
 - 4. 1:4 (1:4) {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
 - 5. 1:8 (1:8) {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

ID: {AA81E246-45C3-258F-4FC8-49CDD592B2D4}

=====

Abbreviation..... IABP CONDI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... IABP Site Condition
Help Text..... Condition of IABP Site
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

-
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
 - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
 - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
 - 70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
 - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS:

ID: {3C313604-F012-416F-A000-CCB92D04C30C}

=====

Abbreviation..... IABP SIZE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Intra-aortic Balloon Pump Size
Display Name..... IABP Size
Help Text..... Intra-aortic Balloon Pump Size
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

- 1. 7.5 (7.5) {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}
- 2. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
- 3. 8.5 (8.5) {96723567-151D-4B5C-9C65-B3EB6D584272}
- 4. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
- 5. 9.5 (9.5) {252555A1-ADB2-4948-8764-C952F2587DC5}

LOCATION: 5 entries

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

3. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
4. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

ID: {443F4932-9C42-EADA-4A9A-8F8956DF2CE2}

=====

Abbreviation..... IABP TIMIN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... IABP Timing
Display Name..... IABP Timing
Help Text..... IABP Timing
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. 1:1 (1:1) {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}
 - 2. 1:2 (1:2) {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}
 - 3. 1:3 (1:3) {062B4F93-8F48-7373-F679-11F57CE98BB3}
 - 4. 1:4 (1:4) {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
 - 5. 1:8 (1:8) {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

ID: {B2BA8A27-B578-40B6-83A0-77D95C49B59B}

=====

Abbreviation..... IABP TI CH
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Was The IABP Timing Checked?
Display Name..... IABP Timing Check
Help Text..... Was The IABP Timing Checked?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: IABP UAEDP

Page: 247

ID: {6CB7493C-6175-4FFA-AEA9-C60CF2EE0EE4}

=====

Abbreviation..... IABP UAEDP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Unassisted Aortic End Diastolic
Pressure

Display Name..... IABP UAEDP

Help Text..... IABP Unassisted Aortic End Diastolic
Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLIMETERS OF MERCURY

0 > 40 * 90 < 200

Dec Prec: 0

=====

TERM: IABP UNASSISTED SYSTOLIC PRESSURE

Page: 248

ID: {BA1A966E-51BE-42D7-84F6-2C119AD043F8}

=====

Abbreviation..... IABP U S P

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Unassisted Systolic Pressure

Display Name..... IABP Unassisted Systolic Pressure

Help Text..... IABP Unassisted Systolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 0 > 80 * 150 < 250 Dec Prec: 0

=====

TERM: INACTIVE - ARTERIAL LINE SITE

Page: 249

ID: {F7924F9E-16C8-0C2C-9461-FBC45435191A}

=====

Abbreviation..... A LINE SIT
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Arterial Line Site
Help Text..... Site of arterial line
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - ARTERIAL LINE TYPE

Page: 250

ID: {708908E0-9BCD-4DCA-A33D-CB5C6A729526}

=====

Abbreviation..... ALINE TYPE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Arterial Line Type

Display Name..... Arterial Line Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - AUDIOMETRY

Page: 251

ID: {FFD29134-8BB2-248E-0412-93C2C08B076F}

=====

Abbreviation..... AUD

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Audiometry

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688718

UNITS:

=====

TERM: INACTIVE - BISPECTRAL INDEX

Page: 252

ID: {4819B466-D0D0-4851-A434-E1691ECA1E65}

=====

Abbreviation..... BIS

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bispectral Index

Display Name..... Bispectral Index

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - BODY MASS INDEX

Page: 253

ID: {54398789-EC32-4F1D-8E02-913FC96FD198}

=====

Abbreviation..... BMI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... BMI

Help Text..... Body Mass Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - CARDIAC AV FISTULA BRUIT

Page: 254

ID: {A0E99499-8021-47FF-AEA2-EB33B9648B0E}

=====

Abbreviation..... AV FIST BR

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... AV Fistula Bruit

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - CATHETER TYPE

Page: 255

ID: {01941D20-3FD7-A4BF-6108-712C7EBC33A1}

=====

Abbreviation..... CATHETER T

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Catheter Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - CENTRAL LINE SITE

Page: 256

ID: {D6FC875B-CC24-2981-B85E-07FF9CD798AB}

=====

Abbreviation..... C LINE SIT
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Site
Help Text..... Site of Central Line
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - CHEST TUBE DRESSING INTACT

Page: 257

ID: {525B2489-75C2-4AB3-9441-A457BCD7B257}

=====

Abbreviation..... CH TU DR I

Active..... No

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Chest Tube Dressing Intact

Display Name..... Chest Tube Dressing Intact

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - CHEST TUBE SITE

Page: 258

ID: {C5224B54-65A5-2010-F9E3-1C4570500A11}

=====

Abbreviation..... CHEST TU S
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... SITE OF CHEST TUBE
Display Name..... Chest Tube Site
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - COUGH AND DEEP BREATH EVENTS

Page: 259

ID: {5F7D2087-018E-4DA4-8B36-02743F65A769}

=====

Abbreviation..... C&DB EVENT

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Cough and Deep Breath Events

Display Name..... Cough and Deep Breath Events

Help Text..... Cough and Deep Breath Events

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - DATE

Page: 260

ID: {5BB40FB6-173F-9656-8D5B-7A2F5A5F3B82}

=====

Abbreviation..... DATE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Todays Date

Display Name..... Date

Help Text..... Date: Year, Date: Month, Date: Day

are all available

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - DATE DAY

Page: 261

ID: {CD91474C-1EB3-304B-4E3A-B85F6976C1E7}

=====

Abbreviation..... DATE DAY
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... The day of the month
Display Name..... Date: Day
Help Text..... The day of the month
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - DATE MONTH

Page: 262

ID: {D4E1590F-7B12-FD7C-B545-9CF83BA68BAC}

=====

Abbreviation..... DATE MONTH

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Month of the year

Display Name..... Date: Month

Help Text..... Month of the year

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - DATE YEAR

Page: 263

ID: {57029BBB-5904-DE1D-F58D-AF13A890C6ED}

=====

Abbreviation..... DATE YEAR

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The Year

Display Name..... Date: Year

Help Text..... The Year

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - DIALYSIS CATHETER SITE

Page: 264

ID: {FC099337-E02E-84E6-7338-E423ECD3DDCB}

=====

Abbreviation..... DIAL CTH S

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Dialysis Catheter Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - EDEMA LOCATION

Page: 265

ID: {8C4F762B-FD4A-CB97-326F-74C4A2ED5548}

=====

Abbreviation..... EDEMA LOCA

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Location of identified edema

Display Name..... Edema Location

Help Text..... Location of identified edema

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - ENTERAL NUTRITION FORMULA

Page: 266

ID: {1C7EF762-4D93-438B-8CBD-2CB98E6C8686}

=====

Abbreviation..... ENT NUT FO

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Enteral Nutrition Formula Used

Display Name..... Enteral Nutrition Formula

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - GI EMESIS APPEARANCE

Page: 267

ID: {1B314FCB-6B36-46E0-8306-60C361377BAB}

=====

Abbreviation..... GI EME APP
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Emesis Appearance
Display Name..... Emesis Appearance
Help Text..... Emesis Appearance
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - HEARING

Page: 268

ID: {813CCC94-3D64-5093-BC6C-053EFD9948F9}

=====

Abbreviation..... HEARING

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Hearing

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688723

UNITS:

=====

TERM: INACTIVE - IABP INSERTION SITE

Page: 269

ID: {657C16D3-529D-3720-0602-7AA26EBD0D08}

=====

Abbreviation..... IABP SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... IABP Insertion Site

Help Text..... Site of Invasive Arterial Blood

 Pressure line insertion

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - IABP SITE

Page: 270

ID: {EA276ABE-52D0-6D4D-1B0A-7E6443BB264F}

=====

Abbreviation..... IABP SITE
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... IABP Site
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - INCISION LOCATION

Page: 271

ID: {8A9D3611-6984-4FA1-9C16-4DC215F9B4D6}

=====

Abbreviation..... IN LOCATIO

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Incision Location

Display Name..... Incision Location

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - INCISION SITE

Page: 272

ID: {9DBE601B-4D61-D280-1F13-0FDE3533B0A4}

=====

Abbreviation..... WOUND INCS

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... SITE OF WOUND INCISION

Display Name..... Incision Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - IV DOSE RATE

Page: 273

ID: {992F3BFD-44C8-4366-A9F0-3BDCEB9A7EEC}

=====

Abbreviation..... IV DOSE RA

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IV Dose Rate

Display Name..... IV Dose Rate

Help Text..... Enter in the IV medication dose rate
administered over time

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - IV FLUID

Page: 274

ID: {60B33951-8ABD-41B1-A9FA-5EE1F85CAB97}

=====

Abbreviation..... IV FLUID

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... IV FLUID

Display Name..... IV FLUID

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - IV INSERTION DATE

Page: 275

ID: {D01454A0-E430-8B54-C7A6-11B04EBAA417}

=====

Abbreviation..... IV DATE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV Insertion Date

Help Text..... Date IV Inserted

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - IV SITE

Page: 276

ID: {7F252F53-B53D-D8BD-097B-78197EE99FBA}

=====

Abbreviation..... IV SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Site of IV

Display Name..... IV Site

Help Text..... Site of IV

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OR OUTPUT - CHEST TUBE

Page: 277

ID: {F6ECA901-354B-4C5B-B03F-C17F7F6448B6}

=====

Abbreviation..... OR OUT CHE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Output - Chest Tube

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OR OUTPUT - DRAIN

Page: 278

ID: {1A99C3C7-9FE1-46D3-9A32-57A2C735DFC6}

=====

Abbreviation..... OR OUT DRA

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Output - Drain

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OR OUTPUT - PUMP LOSS

Page: 279

ID: {6A424E02-67FF-49F6-9B33-853BE8545B9B}

=====

Abbreviation..... OR OUT PUM

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Output - Pump Loss

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OR OUTPUT - URINE

Page: 280

ID: {3ECAAD17-1BA5-4D0A-BEDC-EC512D32EFF9}

=====

Abbreviation..... OR OUT URI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Ouput - Urine

Help Text..... contributes to output total value

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OSTOMY TYPE

Page: 281

ID: {975E1FD8-521C-4818-9975-98A30B12C1EF}

=====

Abbreviation..... OSTOMY TYP
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Ostomy Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - OXYGEN DELIVERED

Page: 282

ID: {CFD876D1-AC28-F63F-3B6C-680F5B66A1BD}

=====

Abbreviation..... D02

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Oxygen Delivered

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OXYGEN DELIVERY METHOD

Page: 283

ID: {F320E0CF-6BAC-3B6D-F5D7-21253FB88A4F}

=====

Abbreviation..... O2 DEL MET

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Type of equipment used to deliver
oxygen to patient

Display Name..... Oxygen Delivery Method

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - OXYGEN EXTRACTION RATIO

Page: 284

ID: {D6C6849F-6134-417F-AD8B-7853F5AE3451}

=====

Abbreviation..... O2ER

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Ratio of Oxygen Consumed (VO2) to
Oxygen delivered (DO2)

Display Name..... O2ER

Help Text..... Ratio of Oxygen Consumed (VO2) to
Oxygen delivered (DO2)

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - PA CATHETER INSERTION DATE

Page: 285

ID: {64ADD596-950E-EDB5-D7DE-38F5F8601D9E}

=====

Abbreviation..... PA INS DAT

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PA Catheter Insertion Date

Help Text..... Date PA Catheter Inserted

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PA CATHETER SITE

Page: 286

ID: {1E2B676E-24D4-28D6-9EC4-2200F3DA31B6}

=====

Abbreviation..... PA SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PA Catheter Site

Help Text..... Site of PA Catheter

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PACEMAKER DATE INSERTED

Page: 287

ID: {B395D1F6-2788-CA17-618C-62719C1CAF4A}

=====

Abbreviation..... PDI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Date Inserted

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PACEMAKER SITES

Page: 288

ID: {668C0AE7-061F-C573-A119-8ED8D006F018}

=====

Abbreviation..... PMSI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Pacemaker Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PAIN LOCATION

Page: 289

ID: {20836431-E2C3-41CA-BE14-A8FB1F6A8637}

=====

Abbreviation..... PAIN LOC

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Location of patients Pain

Display Name..... Pain Location

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - POST OPERATION DAY NUMBER

Page: 290

ID: {82FF0CE1-48CD-4AA8-6292-CB6879B8CD75}

=====

Abbreviation..... POD#

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... NUMBER OF DAYS SINCE OPERATION

Display Name..... Post Op Day #

Help Text..... Number of days since operation.

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PRESSURE ULCER SITE

Page: 291

ID: {580747C6-F7B1-4CCA-AE24-E82C436746B6}

=====

Abbreviation..... PR UL SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Site

Display Name..... Pressure Ulcer Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PRESSURE ULCER VISIBLE STRUCTURE

Page: 292

ID: {C911EB61-F151-42C2-A6EC-1EA357EA6F1D}

=====

Abbreviation..... PR UL VISI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Pressure Ulcer Visible Anatomical
Structure

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - PULSE OXIMETRY

Page: 293

ID: {9B830A66-0278-20E1-DB38-089A952DF381}

=====

Abbreviation..... PO2

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... O2 saturation

Display Name..... Pulse Oximetry

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4500637

UNITS:

=====

TERM: INACTIVE - SKIN DISCHARGE COLOR

Page: 294

ID: {C4633087-CBC5-4924-ADF6-846D13624D3E}

=====

Abbreviation..... SKI DIS CO

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Discharge Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - SKIN DISCHARGE ODOR

Page: 295

ID: {4E9309BD-6F1E-4D2C-B500-CE724A92A0F6}

=====

Abbreviation..... SKI DIS OD

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Discharge Odor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - SKIN DRAINAGE CHARACTERISTICS

Page: 296

ID: {9F12C134-BA23-40C9-8CC9-0AC08D8891CA}

=====

Abbreviation..... SKI DRA CH

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Drainage Characteristics

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - VENTILATOR IN-LINE NEBULIZER

Page: 297

ID: {12804E1D-9B65-4027-BCD4-1A28C9C57730}

=====

Abbreviation..... VENT I-L N

Active..... No

Boolean Value False..... Off

Boolean Value True..... On

Data Type..... Boolean

Description..... Ventilator In-Line Nebulizer

Display Name..... Ventilator In-Line Nebulizer

Help Text..... Ventilator In-Line Nebulizer

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - WOUND SITE

Page: 298

ID: {7BFBDAAF-779E-4C7A-82F3-DA9E0E7DD597}

=====

Abbreviation..... WOU SITE
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Wound Site
Display Name..... Wound Site
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - WOUND TOPICAL TREATMENT TYPE

Page: 299

ID: {29E59078-A908-496E-ABC7-B2C48A4E6400}

=====

Abbreviation..... WOU TOP TR

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Topical Treatment

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {C1E6301C-CB9C-4909-9500-9AA01C42583D}

=====

Abbreviation..... INC SPIROM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Incentive Spirometry
Display Name..... Incentive Spirometry
Help Text..... Incentive Spirometry
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}
 - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 3. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

ID: {14342EB1-1961-C52E-D00A-DA5E7509C4FD}

=====

Abbreviation..... INC DIS CH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Incision Discharge Characteristics
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
4. SEROSANGUINOUS (SEROSANGUI)
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}

UNITS:

ID: {77AAAB12-979C-2624-5CFE-7FD5F2310AD5}

=====

Abbreviation..... I DR AMOUN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Amount of incision drainage
Display Name..... Incision Drainage Amount
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
1. INCISION DRAINAGE AMOUNT NONE (I DR A NON)
{5D0D9027-4B20-43A4-B437-EA7B77CB2105}
 2. INCISION DRAINAGE AMOUNT SCANT (I DR A SCA)
{A476E395-46AA-44E7-8A00-CE22C7066BB1}
 3. INCISION DRAINAGE AMOUNT SMALL (I DR A SMA)
{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}
 4. INCISION DRAINAGE AMOUNT MODERATE (I DR A MOD)
{9B0487A9-DCB4-42D3-92E6-805C412B5D34}
 5. INCISION DRAINAGE AMOUNT HEAVY (I DR A HEA)
{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}

QUALITY:

1 entries

1. ESTIMATED (E)

{9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

ID: {4BE5369B-FBED-40B9-8950-AF370A31A189}

=====

Abbreviation..... IN DR PREV

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Incision Dressing Prevents Full
Assessment

Display Name..... Incision Dressing Prevents Full
Assessment

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

ID: {AA1F8811-85BF-187A-7A1D-D55A2B523190}

=====

Abbreviation..... INC DRE TY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... OBSERVATION OF INCISION WOUND DRESSING

Display Name..... Incision Dressing Type

Help Text..... Incision Dressing Type

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 15 entries

1. INCISION DRESSING TYPE NONE (INC DR NON)

{81F07C8D-A463-48A0-A64A-A143CECB5DD6}

2. INCISION DRESSING TYPE PRESSURE (INC DR PRE)

{B5823373-E5D8-40A5-954C-6A193D7E7511}

3. INCISION DRESSING TYPE ANTIMICROBIAL (INC DR ANT)

{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}

4. INCISION DRESSING TYPE GAUZE (INC DR GAU)

{E4AC9307-0512-4F9D-A254-FE19E654461F}

5. INCISION DRESSING TYPE TRANSPARENT (INC DR TRA)

{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}

6. INCISION DRESSING TYPE ANTIMICROBIAL DISK (INC DR ADI)
{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}
7. INCISION DRESSING TYPE GAUZE WRAP (INC DR GWR)
{E1DBEC29-1430-4DA0-99DC-49B9389D2440}
8. INCISION DRESSING TYPE FOAM DRESSING (INC DR FOA)
{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}
9. INCISION DRESSING TYPE GAUZE PACKING (INC DR GPA)
{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}
10. INCISION DRESSING TYPE HYDROCOLLOIDAL (INC DR HYD)
{424CCDCA-5196-4BBB-AE8B-0F68DDCC3FCF}
11. INCISION DRESSING TYPE CALCIUM ALGINATE (INC DR CAL)
{B20558BA-FB9E-499E-82DF-49616ACE9375}
12. INCISION DRESSING TYPE HYPERTONIC HYDROGEL (INC DR HYP)
{25820A63-AD76-4198-BEB1-EF95DDEC5B35}
13. INCISION DRESSING TYPE HYDROGEL (INC DR HYD)
{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}
14. INCISION DRESSING TYPE BALSAM OF PERU (INC DR BAL)
{A1FB45C6-6315-4282-8D89-DCB0C018E357}
15. INCISION DRESSING TYPE BISMUTH GAUZE (INC DR BIS)
{CA88C5DC-3890-49A2-800A-0528CE194BA8}

UNITS:

=====

TERM: INCISION EDGE

Page: 305

ID: {3FEA28A9-1C53-47D7-95F9-BFFFFB25576C6}

=====

Abbreviation..... INC ED
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Incision Edge
Display Name..... Incision Edge
Help Text..... Incision Edge
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

1. INCISION EDGE INDISTINCT/ATTACHED (INC ED ATT)
{AF7E7150-525E-49A4-AC23-042B788E8805}
2. INCISION EDGE NON-ATTACHED (INC ED NON)
{F457F951-F1DC-47AC-9336-AC093E149862}
3. INCISION EDGE TUNNELING (INC ED TUN)
{492CD783-3C32-40F0-AE35-5A89E90409A7}
4. INCISION EDGE UNDERMINING (INC ED UND)
{0F3E968A-B867-4123-8C05-ED6B12D364CD}
5. INCISION EDGE ROLLED (INC ED ROL)
{FFA33CAE-5D8B-4501-8120-A536BE53296F}

UNITS:

ID: {D87F3C97-622C-43D3-9C7F-55C2C848941B}

=====

Abbreviation..... INC ERYTHE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Incision Erythema

Display Name..... Incision Erythema

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. LIMITED TO INCISION (LIM TO INC)

{81A61254-55B6-47E1-8BE2-F4A47F624BC6}

3. EXTENDS INTO PERIWOUND <1CM (EX IN PER<)

{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}

4. EXTENDS INTO PERIWOUND>1CM (EX IN PER>)

{1F31FEBB-DA19-434C-8C58-67CDC5385231}

UNITS:

=====

TERM: INCISION ODOR

Page: 307

ID: {2584F1F9-CD15-450C-BDDB-D0B2B1924303}

=====

Abbreviation..... INC OD
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Incision Odor
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. INCISION ODOR NONE (INC OD NON)
{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}
 2. INCISION ODOR FOUL (INC OD FOU)
{ECDC0988-BE82-41E3-8104-A66A5F8A1093}

UNITS:

ID: {CC0DD035-AAD2-4C9F-B971-E13B2FF0DB9C}

=====

Abbreviation..... INCIS PRES
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Incision Present
Display Name..... Incision Present
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
- 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

LOCATION: 85 entries

- 1. L THORACOTOMY (L THORACOT)
{313C11A1-559A-4F68-8718-4012416EC189}
- 2. R THORACOTOMY (R THORACOT)
{A18E4BB3-0718-48D6-BD49-720A70C0EF60}
- 3. L TRAPEZIUS (L TRAPEZIU) {B74CF943-C10F-4A1B-A19A-4975E674A97A}

4. R TRAPEZIUS (R TRAPEZIU) {69753B67-AFA1-4C93-BA78-E266F9894E46}
5. DONOR SITE (DONOR SITE) {F0A65974-7650-4A4B-AC88-0945E37A0AD2}
6. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
7. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
8. L LOWER ANTERIOR CHEST (L L A CHES)
{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}
9. R LOWER ANTERIOR CHEST (R L A CHES)
{96BCF731-B661-4455-B5E7-C4AE2509505F}
10. L MIDDLE ANTERIOR CHEST (L M A CHES)
{36A83F77-117E-474B-AE34-0B2C02E131AE}
11. R MIDDLE ANTERIOR CHEST (R M A CHES)
{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}
12. L UPPER ANTERIOR CHEST (L U A CHES)
{FE63B58A-DE39-4C03-AE61-E34A5487C767}
13. R UPPER ANTERIOR CHEST (R U A CHES)
{67890049-A4A8-4241-BDF3-573729BD6EB5}
14. L LOWER POSTERIOR CHEST (L L P CHES)
{2C19F10B-7546-4A1F-A5DC-3867359ED971}
15. R LOWER POSTERIOR CHEST (R L P CHES)
{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}
16. L MIDDLE POSTERIOR CHEST (L M P CHES)
{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}
17. R MIDDLE POSTERIOR CHEST (R M P CHES)
{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}
18. L UPPER POSTERIOR CHEST (L U P CHES)
{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}
19. R UPPER POSTERIOR CHEST (R U P CHES)
{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}

20. MIDLINE ABDOMINAL (MID ABDOMI)

{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}

21. UMBILICAL (UMBILICAL) {8874B300-0751-49AF-8211-CF4C009C68B5}

22. TRANSVERSE ABDOMINAL (TRANS ABDO)

{1C10FF98-7B20-45D0-B420-714981832B3D}

23. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

24. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}

25. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

26. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

27. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}

28. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

29. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

30. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

31. L INGUINAL (L INGUINAL) {627D172E-8F33-48C9-BE89-D036E07D46BF}

32. R INGUINAL (R INGUINAL) {395233DF-3B89-49E0-946B-EB5C02E51178}

33. L FLANK (L FLANK) {6E453E8D-B456-4BFD-A015-F9C013830F30}

34. R FLANK (R FLANK) {F5700ED2-646F-4B75-A55B-111C27FB939C}

35. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

36. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

37. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}

38. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}

39. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}

40. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

41. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}

42. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

43. L CALF (L CALF) {3DAA7817-936B-444F-8A2D-D3AB09144C10}

44. R CALF (R CALF) {0298A452-4901-44BF-A7A8-F42DD3BA8B63}

45. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}

46. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}
47. MIDLINE NECK (MID NECK) {FF666713-278D-46D6-8D25-E5D57E78EA08}
48. L NECK (L NECK) {C4EA6279-05E2-4195-A638-3794DCBA7B78}
49. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}
50. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
51. SPINE CERVICAL (SPINE CERV)
{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}
52. SPINE THORACIC (SPINE THOR)
{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}
53. SPINE LUMBAR (SPINE LUMB) {E7E411AB-5C29-4906-B0A9-E8658AAFFF91}
54. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
55. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
56. L THORACIC ANTERIOR (L THOR ANT)
{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}
57. R THORACIC ANTERIOR (R THOR ANT)
{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}
58. L THORACIC POSTERIOR (L THOR POS)
{68E3381F-7605-4786-85A8-523D215A2B97}
59. R THORACIC POSTERIOR (R THOR POS)
{E91085D2-E665-4EB6-A086-8CF573DECD8F}
60. L THORACIC LATERAL (L THOR LAT)
{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}
61. R THORACIC LATERAL (R THOR LAT)
{55C48294-D3F3-4013-B552-BA3344D9513B}
62. L THORACOTOMY (L THORACOT)
{313C11A1-559A-4F68-8718-4012416EC189}
63. R THORACOTOMY (R THORACOT)
{A18E4BB3-0718-48D6-BD49-720A70C0EF60}

64. THYROID (THYROID) {6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}
65. L PARIETAL (L PARIETAL) {2687ED24-F35E-456C-99C9-F6A8EC4364E0}
66. R PARIETAL (R PARIETAL) {28C927CD-1342-483B-B366-0B7EA8ACABAD}
67. L ORBIT (L ORBIT) {1D798E35-5095-4BA0-8F9F-FA96668A5239}
68. R ORBIT (R ORBIT) {DFFD974A-1684-49AE-8230-8E12411EA62E}
69. L MANDIBULAR (L MANDIBUL) {CB9DB373-5F0A-446B-909F-F76392CB3A04}
70. R MANDIBULAR (R MANDIBUL) {303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}
71. L ORAL (L ORAL) {057B787A-8750-4563-80DB-25110CCC1146}
72. R ORAL (R ORAL) {9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}
73. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
74. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
75. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
76. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
77. L THUMB (L THUMB) {F82F4731-2CC5-4705-91BE-05E40C25B419}
78. R THUMB (R THUMB) {B414BD68-4155-45B3-985D-B2F8252A20FE}
79. L FINGER (L FINGER) {BB825645-1630-498C-A31B-6728D422EEFC}
80. R FINGER (R FINGER) {E12CA0EF-3267-4B93-8643-230E2226C3D6}
81. L TOE (L TOE) {C666DE86-E7AE-4AB3-8AE1-91496219E63D}
82. R TOE (R TOE) {B65727AB-3205-4DCE-833F-6DA8554636F9}
83. L OCCIPITAL (L OCCIPTAL) {A4234F41-CD6F-4CE1-9210-316DB847BDE2}
84. R OCCIPITAL (R OCCIPITA) {5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}
85. OCCIPITAL (OCCIPITAL) {5A3E384B-1C87-4A19-A449-DB91AB443FFC}

UNITS:

=====

TERM: INCISION STAPLES INTACT

Page: 309

ID: {FA75C02B-3698-4D85-A293-0ACC8C1D3252}

=====

Abbreviation..... IN STA INT
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Incision Stapes Intact
Display Name..... Incision Staples Intact
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: INCISION SUTURES INTACT

Page: 310

ID: {A5C84A03-633B-4A9B-891B-292449B8C409}

=====

Abbreviation..... IN SUT INT

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Incision Sutures Intact

Display Name..... Incision Sutures Intact

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: INCISION TENDER TO PALPATION

Page: 311

ID: {C6ACAC1F-0AEF-4F1B-A487-35A92207AE22}

=====

Abbreviation..... IN TENDER

Active..... Yes

Boolean Value False..... Patient Denies

Boolean Value True..... Appropriate

Data Type..... Boolean

Description..... Incision Tender To Palpation

Display Name..... Incision Tender To Palpation

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {BA138A48-8B25-40CF-8345-2AD9E12CC840}

=====

Abbreviation..... INF SET CH
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Was the infusion set changed?
Display Name..... Infusion Set Changed
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: INSULIN PUMP SQ INFUSION ON?

Page: 313

ID: {0B8DD5F9-E685-4D44-81D1-04D17DE1E5DA}

=====

Abbreviation..... In Pump on

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Insulin Pump SQ Infusion On?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INTAKE

Page: 314

ID: {062BB93E-EECB-A074-63D7-EB95E176D6A3}

=====

Abbreviation..... Intake

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Intake

Help Text..... For Volume (ml) inputs use a value
between 0 and 9999, For Volume (.oz)
use value between 0 and 64

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 7 entries

1. IV (IV) {52141E2F-7942-4C60-9B08-62F3B4640020}

2. TPN (TPN) {B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}

3. ENTERAL FEEDING / SUPPLEMENT (EF/SUPPLEM)
{8389A9F5-0D48-496D-A605-1560B055DCC0}

4. ENTERAL FEEDING TUBE (ENT FEED T)
{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}

5. P.O. (PO) {7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}

6. TRANSFUSION (TRANSFUSIO) {9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}

7. COLLOID (COLLOID M) {2AE33508-5EA2-44DF-A401-74DD7B93AB6E}

PRODUCT: 33 entries

1. FORMULA 1.5 CAL (1.5 C FORM)

{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}

2. FORMULA 2.0 CAL (2.0 C FORM)

{E5FB9590-25AA-435A-B9B4-4812EA15C217}

3. 25 PERCENT ALBUMIN (25 PERC AL)

{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

4. 5 PERCENT ALBUMIN (5 PERC ALB)

{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

5. 6 PERCENT HETASTARCH (6 PERC HET)

{8A82F108-D2FE-4C21-93BB-344502235AE8}

6. BLOOD PRODUCT (bp) {A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}

7. CRYOPRECIPITATE (CRYOPRECIP)

{5329E737-E059-480D-83F8-1146B091C14E}

8. ELEMENTAL FORMULA (ELE FORM)

{E85DFA33-7F32-4348-9E0E-249AC301EC03}

9. FFP (FFP) {9DD0ECF5-634F-49CF-A529-A2657240A80C}

10. FFP - THAWED (FFP-THAWED) {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}

11. FORMULA FIBER (FIBER FORM)

{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}

12. GRANULOCYTES PHERESIS (GRAN PHERE)

{2B90878D-9C29-4731-9525-D7DD7FCB513B}

13. HEPATIC FORMULA (HEPAT FORM)

{41DEECAB-168F-4522-852C-C1ED751BFEDC}

14. JUICE (JUICE) {91FFF519-1677-BB1D-D959-65B1BFA10285}

15. NEPRO RENAL FORMULA (NEPR RENAL)
{59C9B396-A705-445B-B566-F030DA4B2B79}
16. NOVASOURCE 2.0 (NOVAS 2.0)
{67D16273-6271-43E1-80D6-D12C4D55E024}
17. PCA (PCA) {D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}
18. PLATELETS PHERESIS (PLATELET P)
{65CBDCBD-99DB-44FE-9230-D62886208EBF}
19. PLATELETS PHERESIS IRRADIATED (PLATEL P I)
{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}
20. PPN (PPN) {BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}
21. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}
22. PRBC - AUTOLOGOUS (PRBC-A)
{1580990C-0B35-4DDD-84AA-682B341C9B76}
23. PRBC - LEUKOREduced (PRBC-L)
{13DB3170-6C26-4178-B429-C02AFC541AC7}
24. PRBC - LEUKOREduced - DIRECTED (PRBC-L-D)
{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}
25. PRBC - LEUKOREduced - IRRADIATED (PRBC-L-I)
{B4431519-0102-49ED-94D6-1738E375C5A4}
26. PRBC - LEUKOREduced - WASHED (PRBC-L-W)
{BB58F35A-1086-4061-B485-FA35DFB79A0D}
27. SANDOSOURCE PEPTIDE (SAND PEPTI)
{B543461C-7316-4750-9918-B30E96AB3C95}
28. TPN (TPN) {55341B62-E356-4C38-A52D-4F196751E9EB}
29. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
30. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}
31. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
32. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

33. WHOLE BLOOD (WHOL BLOOD) {144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

OUNCE -1 > 0 * 64 < 350 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER)

Page: 315

ID: {182D805C-CF2D-4829-8925-6916D027020D}

=====

Abbreviation..... CBI Irriga

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Intake - CBI Irrigation to Subtract

(negative number)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER

-99999 > -99999 * 0 < 0 Dec Prec: 0

=====

TERM: INTAKE - DIALYSIS

Page: 316

ID: {CE3D8DBD-278C-4D3D-AA4F-2E5800C17DBF}

=====

Abbreviation..... INT DIALYS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Dialysis Intake

Display Name..... Dialysis Intake

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 4 entries

1. HEMODIALYSIS (HEMODIALYS) {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}

2. PERITONEAL DIALYSIS (PERI DIALY)

{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}

3. CVVHD (CVVHD) {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}

4. CRRT (CRRT) {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER

-1 > 0 * 9999 < 10000

Dec Prec: 0

=====

TERM: INTAKE - EF/SUPPLEMENT CALORIES

Page: 317

ID: {58506F9F-9D10-47F6-A195-5CE7D749FFBC}

=====

Abbreviation..... INT EF CAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Enteral Feeding and Supplement Calories

Display Name..... Intake - EF/Supplement Calories

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CALORIE

-1 > 0 * 500 < 2001

Dec Prec: 0

=====

TERM: INTAKE - ENTERAL FEEDING TUBE

Page: 318

ID: {769017E8-B98E-45DC-9706-FE6475B7FF8D}

=====

Abbreviation..... INT EF TU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Intake - EF Tube

Display Name..... Intake - EF Tube

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - ENTERAL TUBE FLUSH

Page: 319

ID: {9A509673-FD4C-4F7B-BDF4-FD3E6ECD4A64}

=====

Abbreviation..... En Tube FI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Intake - Enteral Tube Flush

Help Text..... Specify water flush for enteral
feeding tube

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER

0 > 0 * 9999 < 9999

Dec Prec: 0

=====

TERM: INTAKE - GI TUBE

Page: 320

ID: {38602EA8-600E-4427-A695-029DFE06883F}

=====

Abbreviation..... INT GI TU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... GI Tube Intake

Display Name..... GI Tube Intake

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {385178C8-3E17-4CEC-8C4B-3DA83E4ACA8D}

=====

Abbreviation..... INT IRRIGA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Irrigation Intakes
Display Name..... Intake - Irrigation
Help Text..... Fluid intake from irrigations
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 2 entries

- 1. BLADDER (BLAD) {E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}
- 2. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

PRODUCT: 6 entries

- 1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}
- 2. BACTERIOSTATIC WATER (BACTER H2O)
{EF13BCA6-3AF2-47E9-87A0-82642B529368}
- 3. DAKINS SOLUTION (DAKINS SOL)
{51651D24-B909-427B-9FF0-3C2859A63D73}

4. AMPHOTERICIN B (AMPHOTER B)

{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}

5. ANTIBIOTIC (AB) {BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}

6. TAP WATER (Tap Water) {EAAF11A5-6DC5-481F-81D3-A3035812D5C9}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {80BF8A4E-7536-4325-A803-F66E83C11E3B}

=====

Abbreviation..... INT BLOOD
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Blood Products given to patient
Display Name..... Intake - IV Blood Products
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

PRODUCT: 18 entries

1. CRYOPRECIPITATE (CRYOPRECIP)
{5329E737-E059-480D-83F8-1146B091C14E}
2. FFP (FFP) {9DD0ECF5-634F-49CF-A529-A2657240A80C}
3. FFP - THAWED (FFP-THAWED) {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}
4. GRANULOCYTES PHERESIS (GRAN PHERE)
{2B90878D-9C29-4731-9525-D7DD7FCB513B}
5. PLATELETS PHERESIS (PLATELET P)
{65CBDCBD-99DB-44FE-9230-D62886208EBF}
6. PLATELETS PHERESIS IRRADIATED (PLATEL P I)
{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}

7. PRBC - AUTOLOGOUS (PRBC-A)
{1580990C-0B35-4DDD-84AA-682B341C9B76}
8. PRBC - LEUKOREduced (PRBC-L)
{13DB3170-6C26-4178-B429-C02AFC541AC7}
9. PRBC - LEUKOREduced - DIRECTED (PRBC-L-D)
{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}
10. PRBC - LEUKOREduced - IRRADIATED (PRBC-L-I)
{B4431519-0102-49ED-94D6-1738E375C5A4}
11. PRBC - LEUKOREduced - WASHED (PRBC-L-W)
{BB58F35A-1086-4061-B485-FA35DFB79A0D}
12. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}
13. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}
14. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}
15. PLASMAPHERESIS (PLASMAPHER)
{E1214367-8BB0-4FAA-A916-EC707569A9C4}
16. 25 PERCENT ALBUMIN (25 PERC AL)
{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}
17. 5 PERCENT ALBUMIN (5 PERC ALB)
{A2D0F9A0-A9EC-4540-9663-B8B19A189198}
18. Rh IMMUNE GLOBULIN (Rh IM GLOB)
{1FE7BD0C-7252-427A-8216-36FCA4637089}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV CALORIES

Page: 323

ID: {868852E2-3D29-4007-BB36-62F6D90B1685}

=====

Abbreviation..... INT IV CAL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Calories taken in by IV
Display Name..... Itake - IV Calories
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

CALORIE -1 > 0 * 9999 < 20000 Dec Prec: 0

=====

TERM: INTAKE - IV CARDIAC OUTPUT INJECTATE

Page: 324

ID: {FE023C43-32D0-4937-A100-0F14CDCACEF2}

=====

Abbreviation..... INT CO INJ

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Cardiac Output Injectate

Display Name..... Cardiac Output Injectate

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV COLLOID

Page: 325

ID: {7CD55D76-7D00-414E-BF24-315A5A92A998}

=====

Abbreviation..... INT IV COL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Intake of IV Colloids
Display Name..... Intake IV Colloids
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 4 entries

-
1. ALBUMIN (ALBUMIN) {EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}
 2. 5 PERCENT ALBUMIN (5 PERC ALB)
{A2D0F9A0-A9EC-4540-9663-B8B19A189198}
 3. 25 PERCENT ALBUMIN (25 PERC AL)
{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}
 4. 6 PERCENT HETASTARCH (6 PERC HET)
{8A82F108-D2FE-4C21-93BB-344502235AE8}

UNITS:

MILLILITER -1 > 0 * 9999 < 20000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV CRYSTALLOIDS

Page: 326

ID: {DD597777-861C-44FD-82E6-1FFF925D0095}

=====

Abbreviation..... INT IV CRY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Intake of IV Crystalloids

Display Name..... Intake - IV Crystalloids

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV FLUID

Page: 327

ID: {5902ECD7-7C26-481F-AE76-999211321FFD}

=====

Abbreviation..... INT IV FL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Intake - IV Fluids

Display Name..... Intake - IV Fluids

Help Text..... Enter Fluid type as 'Comments',

Continuous or IVPB

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER -1 > 0 * 9999 < 20000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV MEDS

Page: 328

ID: {79429ADC-7CFD-48E5-B44C-5159595C10AD}

=====

Abbreviation..... INT IV MED

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IV Intake of Medicines

Display Name..... Intake - IV Meds

Help Text..... Please note the type of med being
given in the 'comment'

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {DDD9CA13-29FA-4BDB-9558-B0DFEF76FA15}

=====

Abbreviation..... IN IV NUTR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... IV Nutrition
Display Name..... IV Nutrition
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 3 entries

-
1. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
 2. COLLOID (COLLOID) {5B912A05-9ECA-43C1-A117-BE0843313CDD}
 3. LIPIDS (LIPIDS) {80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0
CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - LINE FLUSH

Page: 330

ID: {0DAF17DD-4039-406C-9F53-5AB46E172648}

=====

Abbreviation..... IN LINE FL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Intake from line flush
Display Name..... Intake - Line Flush
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 2 entries

-
1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}
 2. LINE FLUSH HEPARIN (LN FL HEPA)
{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {86B055A5-04E4-4C85-B20B-9EA8F02E45AB}

=====

Abbreviation..... INT PCA VO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Intake PCA Volume

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER 0.00 > 0.00 * 5000.00 < 5001.00

Dec Prec: 2

CUBIC CENTIMETER 0.00 > 0.00 * 5000.00 < 5001.00

Dec Prec: 2

=====

TERM: INTAKE - PERCENT MEAL CONSUMED

Page: 332

ID: {A3C27D46-477C-476E-8D56-A652B8BC3933}

=====

Abbreviation..... INT % MEAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Percentage of meal consumed by patient

Display Name..... Percent Meal Consumed

Help Text..... Percentage of meal consumed by patient

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

PERCENTAGE

-1 > 0 * 100 < 101

Dec Prec: 0

=====

TERM: INTAKE - PO CALORIES

Page: 333

ID: {DDCB1A84-6EA1-4ECC-AF57-EEA6754E8540}

=====

Abbreviation..... INT PO CAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pharyngeal Oral caloric intake

Display Name..... Intake - PO Calories

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CALORIE

-1 > 0 * 9999 < 10000

Dec Prec: 0

ID: {D6F28CE6-0E98-436E-AAC8-6749BC71F468}

=====

Abbreviation..... INT PO FLU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Oral intake of fluids
Display Name..... Intake PO Fluids
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 10 entries

1. NUTRITIONAL SUPPLEMENT (NUTR SUPPL)
{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}
2. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
3. JUICE (JUICE) {91FFF519-1677-BB1D-D959-65B1BFA10285}
4. FULL LIQUID (FL LIQUID) {C8405270-CCA3-4BFF-B9D0-398590FBB1D9}
6. OTHER PO FLUID (PO OTHER) {1EA44424-4DE2-42B8-A50F-60DC56204502}
70. MILK (Milk) {6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}
80. COFFEE (Coffee) {BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}
90. SODA: DIET (Soda: Diet) {0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}
100. SODA: NON-DIET (Soda: Non)

{B15D88DC-07B6-4980-98B2-A59B5662797A}

110. CLEAR LIQUIDS (Clear Liq)

{BBE3A652-ACDC-4797-B140-D4DB4F474B13}

UNITS:

MILLILITER 0 > 1 * 10000 < 10001 Dec Prec: 0

OUNCE 0 > 1 * 338 < 339 Dec Prec: 0

CUBIC CENTIMETER 0 > 1 * 10000 < 10001 Dec Prec: 0

=====

TERM: INTAKE - TPN CALORIES

Page: 335

ID: {6AAC56B6-D4B8-4F1C-A4D0-86FDD3B6C72E}

=====

Abbreviation..... INT TPN CA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Total parenteral nutrition calories

Display Name..... Intake - TPN Calories

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CALORIE

-1 > 0 * 2000 < 2001

Dec Prec: 0

=====

TERM: INTAKE - TRANSFUSION

Page: 336

ID: {DCD2263B-0390-4754-950A-6A410C0C59EB}

=====

Abbreviation..... INT TRANSF

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Transfusion Type

Display Name..... Transfusion

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER 0 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER 0 > 0 * 9999 < 10000 Dec Prec: 0

ID: {E11DD9AE-8220-432E-A855-4697F82AC17A}

=====

Abbreviation..... ICP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Intracranial Pressure - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTRICULAR DRAIN (VENT DRAIN)

{5FF035D1-9C97-415D-BBEB-943506395A0C}

UNITS:

MILLIMETERS OF MERCURY

0 > 8 * 20 < 30

Dec Prec: 0

ID: {B8AADF9F-BDAC-49F7-BAB8-4B6A1E9865D1}

=====

Abbreviation..... ISOLAT PRE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Isolation Precautions

Help Text..... Environmental Precautions for
Isolated Patients

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

7 entries

-
1. STRICT (STRICT) {5717A3EA-9A1F-44AB-BB0B-E86BBDED3ECF}
 2. CONTACT (CONTACT) {958F2B5E-F980-47B6-A7F7-EE7D5520B61F}
 3. NEUTROPENIC (NEUTROPENI) {5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}
 4. STANDARD (STANDARD) {C4B8C06D-BFFE-4438-A43D-926F039E5EE1}
 5. AIRBORNE (AIRBORNE) {D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}
 6. DROPLET (DROPLET) {CE1DD314-8A30-4785-BD56-1540CDA85146}
 7. NEGATIVE PRESSURE (NEG PRESSU)
{6D6CB4BB-96B0-4978-97CC-116A03479DAD}

UNITS:

ID: {48FBFFFC-1B66-4439-8B74-ECCDDDE37804}

=====

Abbreviation..... DR UN HR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Only to be used with products with
dosage measured in "Units"

Display Name..... IV DOSE RATE - UNITS/HOUR - Do Not
Check Total or Subtotals

Help Text..... Only to be used with products with
dosage measured in "Units"

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

UNITS PER HOUR 0 > 0 * 99999 < 99999 Dec Prec: 0

ID: {D1749D90-3EEE-41BE-BBF5-B3B00C18E8D2}

=====

Abbreviation..... IVDR UKH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Only to be used with products with
dosage measured in "Units"

Display Name..... IV DOSE RATE - UNITS/kg/HOUR - Do Not
Check Total or Subtotals

Help Text..... Only to be used with products with
dosage measured in "Units"

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

UNITS/kg/HOUR

0 > 10 * 51 < 101

Dec Prec: 0

ID: {5D83FE3F-45BC-4D82-A7A7-832DA99A751F}

=====

Abbreviation..... IVDR g/t

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - g/TIME - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

GRAMS PER HOUR	0 > 20 * 80 < 100	Dec Prec: 0
----------------	-------------------	-------------

GRAMS PER MINUTE	0 > 20 * 540 < 600	Dec Prec: 0
------------------	--------------------	-------------

ID: {24F22E1F-C661-4EAB-8CAE-C8D7E6A0DBFD}

=====

Abbreviation..... IV DR mc

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mcg/TIME - Do Not

 Check Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MICROGRAMS PER HOUR -1.00 > 0.00 * 9999.00 < 10000.00

 Dec Prec: 2

MICROGRAMS PER MINUTE -1.00 > 0.00 * 9999.00 < 10000.00

 Dec Prec: 2

ID: {7B983266-54DD-4F13-879B-44719FB91076}

=====

Abbreviation..... DR mckgH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mcg/kg/HOUR - Do Not

Check Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MICROGRAMS PER KILOGRAM PER HOUR

0.000 > 1.000 * 2000.000 < 9999.000

Dec Prec: 3

ID: {E4E00CBB-AE1C-48BE-A172-CDEFF039A311}

=====

Abbreviation..... nt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mg/TIME - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLIGRAMS PER HOUR -1.00 > 0.00 * 9999.00 < 10000.00

Dec Prec: 2

MILLIGRAMS PER MINUTE -1.00 > 0.00 * 9999.00 < 10000.00

Dec Prec: 2

=====

TERM: IV DOSE RATE - mg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS Page: 345

ID: {FE8EB504-6F94-4863-B673-489582F1233C}

=====

Abbreviation..... IV DR MG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mg/kg/HOUR - Do Not

Check Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLIGRAMS PER KILOGRAM PER HOUR

0 > 1 * 2000 < 9999 Dec Prec: 0

ID: {0ED682FE-21ED-4D08-9250-46CB6FB85146}

=====

Abbreviation..... IV FLOW R

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IV Flow Rate in ml / min or hour

Display Name..... IV Flow Rate - Do Not Check Total or
Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITERS PER HOUR -1.00 > 0.00 * 9999.00 < 10000.00

Dec Prec: 2

MILLILITERS PER MINUTE -1.00 > 0.00 * 9999.00 < 10000.00

Dec Prec: 2

ID: {5BDF4F11-9713-4B20-8DF1-49BB33DEAB67}

=====

Abbreviation..... IV FL kg

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV FLOW RATE - ml/kg/Time - Do Not

Check Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITERS PER KILOGRAM PER HOUR

0.00 > 1.00 * 40.00 < 100.00

Dec Prec: 2

MILLILITERS PER KILOGRAM PER MINUTE

0.00 > 0.33 * 1.33 < 1.70 Dec Prec: 2

ID: {3EC86714-EDBD-4D51-B4B7-465CB386DC72}

=====

Abbreviation..... IV LI CARE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Care of IV Lines
Display Name..... IV Line Care
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 20 entries

1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
2. DRESSING CHANGED (DRESS CHAN)
{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
3. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}
4. TUBING CHANGED/LABELED (TUBE CHANG)
{19BA337C-6E28-411E-9702-48B262C593FA}
5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
6. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}
7. LEVELED (LEVELED) {D72523B2-E0CD-40E1-AC14-2FA43636A456}
8. PRESSURE CALIBRATION (PRESS CALI)

{38C12E69-2CD2-4F61-98D9-06AB857DA51A}

9. ARTERIAL LINE CARE (ART LINE C)

{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}

10. CENTRAL VENOUS CATHETER (CENT VEN C)

{EE91E841-C09B-4432-A121-8EBAB92E9CD2}

11. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}

12. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}

13. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}

14. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}

15. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}

16. ALCOHOL PORT PROTECTOR (Al Port Pr)

{785F47CF-A279-46F9-9073-B6A6A70E8888}

17. NEUTRAL PRESSURE CONNECTOR (N Pres Con)

{263F1A2C-4384-4B6A-B930-B9AF85B7F965}

18. POSITIVE PRESSURE CONNECTOR (P Pres Con)

{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}

19. NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (Needleless)

{5D9D8D90-9B39-4DF3-8095-755235687F45}

20. MEDICAL NECESSITY CONFIRMED (med nec)

{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}

UNITS:

ID: {84D9EDBF-F38B-496F-90F7-CF99E8D11321}

=====

Abbreviation..... IV PORT #
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... IV Port descriptor or number
Display Name..... IV Port / Number
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

1. PROXIMAL PORT (PROX PORT) {3244EF4F-F18A-4250-96F5-ABCEA7BFA578}
2. MEDIAL PORT (MEDI PORT) {D1734D73-2E1A-4538-8884-05D8A78CF556}
3. DISTAL PORT (DIST PORT) {E493DF34-AD0E-4951-9715-5AD4EFA14036}
4. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
5. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
6. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
7. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
8. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
9. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
10. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}

- 11. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
- 12. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
- 13. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
- 14. 11 (11) {BD51A7B3-FACF-890C-472E-E3B28519CC16}
- 15. 12 (12) {ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

LOCATION: 20 entries

-
- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
 - 2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
 - 3. L ANTECUBITAL (L ANTECUBI)
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
 - 4. R ANTECUBITAL (R ANTECUBI)
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
 - 5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
 - 6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
 - 7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
 - 8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
 - 9. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
 - 10. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
 - 11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
 - 12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
 - 13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
 - 14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
 - 15. L INTERNAL JUGULAR (L INT JUG)
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
 - 16. R INTERNAL JUGULAR (R INT JUG)
{7ABF6916-D379-198D-6454-F0518A74844A}

17. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

18. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

19. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

20. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

ID: {84C7D095-10E1-AFD2-405D-C44C8278241F}

=====

Abbreviation..... IV ST COND
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... IV Site Condition
Help Text..... Condition of IV Site
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

-
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
 - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
 - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
 - 70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
 - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

LOCATION: 20 entries

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L ANTECUBITAL (L ANTECUBI)
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
4. R ANTECUBITAL (R ANTECUBI)
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
9. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
10. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
15. L INTERNAL JUGULAR (L INT JUG)
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
16. R INTERNAL JUGULAR (R INT JUG)
{7ABF6916-D379-198D-6454-F0518A74844A}
17. L EXTERNAL JUGULAR (L EXT JUGU)
{6F7B331B-4F83-0B79-1755-F6F673D647D6}
18. R EXTERNAL JUGULAR (R EXT JUGU)
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}
19. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
20. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: LABS PER ORDERS

Page: 351

ID: {6D66F3BC-9A35-4CE2-8677-00938428CD19}

=====

Abbreviation..... Labs p/Ord
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description.....
Display Name..... Labs per Orders
Help Text.....
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

ID: {1D980210-D857-457D-A335-DC248B264B10}

=====

Abbreviation..... LVEF - CON

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Continuous Left Ventricular Ejection
Fraction

Display Name..... LVEF - Continuous

Help Text..... If a range is provided use the midpoint

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 7 entries

1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}

2. NUCLEAR PERFUSION IMAGING (NPI)

{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)

{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}

4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)

{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}

5. MAGNETIC RESONANCE IMAGING (MRI)

{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}

6. COMPUTED TOMOGRAPHY (COM TOMOGR)

{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}

7. OTHER (OTHER)

{AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

PERCENTAGE

0 > 1 * 99 < 100

Dec Prec: 0

ID: {8B4D6E3B-1138-4BC0-A303-44B09F05A058}

=====

Abbreviation..... LVEF - CAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Categorical Left Ventricular Ejection
Fraction

Display Name..... LVEF - Categorical

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
2. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
3. BORDERLINE REDUCED (BORD REDUC)
{63703AB1-6249-403B-BDE8-FECA9FA36CF5}
4. MILD-MODERATELY REDUCED (MI-MOD-RED)
{41DA2518-0E49-4E92-A733-3ACF3D2E8199}
5. MODERATELY REDUCED (MOD REDUCE)
{91F73300-7EE0-428C-A838-5B3BE062D8BC}
6. MODERATE-SEVERELY REDUCED (MO-SEV RED)

{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}

7. SEVERELY REDUCED (SEV REDUCE)

{A895BACE-85AC-45B2-A190-4A6816DEDC1D}

8. LESS THAN 30 (<30) {5AA98A0D-9B05-425D-97CA-B8B12425AACA}

METHOD: 7 entries

1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}

2. NUCLEAR PERFUSION IMAGING (NPI)

{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)

{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}

4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)

{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}

5. MAGNETIC RESONANCE IMAGING (MRI)

{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}

6. COMPUTED TOMOGRAPHY (COM TOMOGR)

{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}

7. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

=====

TERM: LEFT VENTRICULAR STROKE WORK

Page: 354

ID: {E9D668F0-920C-7E29-A6A1-618FC8ECD19B}

=====

Abbreviation..... LVSW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Left Ventricular Stroke Work

Display Name..... Left Ventricular Stroke Work

Help Text..... Left Ventricular Stroke Work

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT 29.9 > 30.0 * 150.0 < 150.1

Dec Prec: 1

ID: {49E9E897-E19A-8FE9-416C-F98CA66EFBC9}

=====

Abbreviation..... LEGMOV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Leg Movements
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 - 2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

ID: {48EF6B0D-C435-12D4-EA93-F8F5D344E4C5}

=====

Abbreviation..... LOC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Level of Consciousness

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 11 entries

-
- 1. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
 - 2. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
 - 3. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
 - 4. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}
 - 5. LETHARGIC (l) {4ECA2E44-093A-9354-848E-CDC72B165072}
 - 60. FOLLOWS COMMANDS (Follow Cmd)
{D5722341-ACC1-4F69-B537-1D3126ADA249}
 - 70. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
 - 80. DELIRIOUS (Delirious) {6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}
 - 90. OBTUNDED (Obtunded) {356C0511-C91C-4B79-AF10-072F94D4AE09}

100. STUPOROUS (Stuporous) {4C25FF58-3346-4B06-ACE5-6ADB942877A8}

110. UNRESPONSIVE (Unresponsi)

{F6A71E77-B51F-4812-AE04-E24FA82D2AF1}

UNITS:

ID: {9215BD72-FA1A-9146-EA8D-B4A33B455724}

=====

Abbreviation..... L LOW LIMB
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Lower Limb Extremities Strength
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

-
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
 - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
 - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
 - 5. EQUAL (Equal) {AC079584-158D-EBF2-E13A-C2E919375E4D}
 - 6. UNEQUAL (Unequal) {73319200-164F-B39F-649C-B7FB1AFBDBB8}

LOCATION: 3 entries

-
- 1. L LOWER LIMB (LLLI) {4838CB05-A1DD-F4FB-587C-2D0C17A2484E}

2. R LOWER LIMB (R LOW LIMB) {A8E26A05-311A-F196-40B5-B5202D9F8058}

3. BILATERAL LEG (BILAT LEG) {0713761D-E0FC-DA03-02A1-F20EFEB99F45}

UNITS:

=====

TERM: LVSWI

Page: 358

ID: {7945FB00-2FA8-6D4C-BC85-0110EA75AC5C}

=====

Abbreviation..... LVSWI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Left Ventricular Stroke Work Index

Display Name..... LVSWI

Help Text..... Left Ventricular Stroke Work Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD:

1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT PER M2 19 > 20 * 150 < 151 Dec Prec: 0

GM-M/M2/BEAT 19 > 20 * 150 < 151 Dec Prec: 0

ID: {33452BD5-3E25-4B92-8849-F31EE04879AD}

=====

Abbreviation..... Mallampati
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Mallampati Score
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 1. CLASS I (Class I) {4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}
 - 2. CLASS II (Class II) {2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}
 - 3. CLASS III (Class III) {C0FFDE12-241C-4087-9404-DB128F6B793A}
 - 4. CLASS IV (Class IV) {176030D0-2576-4D2D-A5AB-E5DA38DADEB5}

UNITS:

ID: {273C0E5E-8503-4CBE-8DED-E002126A0BBF}

=====

Abbreviation..... Bath Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Bathing-Self Performance

Help Text..... How resident takes full-body

bath/shower, sponge bath, and

transfers in/out of tub/shower

(excludes washing of back and hair)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

6 entries

10. 0 - INDEPENDENT - NO HELP PROVIDED (0 ind)

{07AB4004-1793-410A-9872-00BB0B322DFE}

20. 1 - SUPERVISION - OVERSIGHT HELP ONLY (1 Supervi)

{F7DFB6E8-F550-4072-B693-93BF96A23834}

30. 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (2 Phys Tra)

{0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}

40. 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (3 Phys Bat)

{1F24B08B-A5C1-4430-AC56-B40C347E1DDE}

50. 4 - TOTAL DEPENDENCE (4 Tot Dep)

{062C8F50-294A-48CF-8E81-0C6D7787A4B1}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{909C971F-9C9F-4D6A-9C33-3447614E9057}

UNITS:

ID: {34BD5BDF-D8A3-4E46-B930-397C434A0F9F}

=====

Abbreviation..... Bath Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Bathing-Support

Help Text..... How resident takes full-body

bath/shower, sponge bath, and

transfers in/out of tub/shower

(excludes washing of back and hair)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {5857AA3B-9EDD-4005-BC42-2036C70A016D}

=====

Abbreviation..... Bed Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Bed Mobility-Self Performance

Help Text..... How resident moves to and from lying

position, turns, side to side, and

positions body while in bed or

alternate sleep furniture

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {D7946DB1-AEF9-4348-97C3-DF69A93981D7}

=====

Abbreviation..... Bed Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Bed Mobility-Support

Help Text..... How resident moves to and from lying

position, turns, side to side, and

positions body while in bed or

alternate sleep furniture

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {C8A5C323-5655-48FD-B5EB-53B206B60BE1}

=====

Abbreviation..... Dress Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Dressing-Self Performance

Help Text..... How resident puts on, fastens and

takes off all items of clothing,
including donning/removing a
prosthesis or TED hose. Dressing
includes putting on and changing
pajamas and housedresses.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {E70C8300-5F54-490F-BDB3-619A15C3CA90}

=====

Abbreviation..... Dress Supp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Dressing-Support
Help Text..... How resident puts on, fastens and
takes off all items of clothing,
including donning/removing a
prosthesis or TED hose. Dressing
includes putting on and changing
pajamas and housedresses.
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {CF6BFC0A-132B-44C9-939E-C3967C1692F6}

=====

Abbreviation..... Eat Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Eating-Self Performance

Help Text..... How resident eats and drinks,
regardless of skill. Do not include
eating/drinking during medication
pass. Includes intakes of nourishment
by other means (eg. Tube feeding,
total parenteral nutrition, IV fluids
administered for nutrition or
hydration)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {26FD209D-173D-4210-B50A-77C7A99CDE56}

=====

Abbreviation..... Eat Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Eating-Support

Help Text..... How resident eats and drinks,
regardless of skill. Do not include
eating/drinking during medication
pass. Includes intakes of nourishment
by other means (eg. Tube feeding,
total parenteral nutrition, IV fluids
administered for nutrition or
hydration)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {4C62560C-42F6-475E-8F7E-A58827EA975C}

=====

Abbreviation..... Locom Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: MDS: Locomotion Off Unit-Self
Performance

Help Text..... How resident moves to and returns
from off-unit locations (eg. areas
set aside for dining, activities,
treatments). If facility only has 1
floor, how resident moves to/from
distant areas on floor. If in
wheelchair, self-sufficiency once in
chair

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {E0E6DBB2-AB68-4EDB-9DE9-72FA57B67B75}

=====

Abbreviation..... Locom Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Locomotion Off Unit-Support

Help Text..... How resident moves to and returns

from off-unit locations (eg. areas
set aside for dining, activities,
treatments). If facility only has 1
floor, how resident moves to/from
distant areas on floor. If in
wheelchair, self-sufficiency once in
chair

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {AC5AF981-3195-4450-8D6F-AA7B1D75BC86}

=====

Abbreviation..... Locom Unt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Locomotion on Unit-Self
Performance

Help Text..... How resident moves between locations
in his/her room and adjacent corridor
on same floor. If in wheelchair,
self-sufficiency once in chair

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {A9D7962B-2236-41C3-A561-2FECCC8281FD}

Abbreviation..... Loc Un Sup

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Locomotion on Unit-Support

Help Text..... How resident moves between locations

in his/her room and adjacent corridor
on same floor. If in wheelchair,
self-sufficiency once in chair

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {0FA65E54-A9DB-4FDB-A07A-C972B0520D70}

=====

Abbreviation..... Hygi Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Personal Hygiene-Self Performance

Help Text..... How resident maintains personal

hygiene, including combing hair,
brushing teeth, shaving, applying
makeup, washing/drying face and hands
(excludes baths and showers)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {EC30A02C-DAE9-41A4-A7B3-49CD258A4A48}

=====

Abbreviation..... Hygi Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Personal Hygiene-Support

Help Text..... How resident maintains personal
hygiene, including combing hair,
brushing teeth, shaving, applying
makeup, washing/drying face and hands
(excludes baths and showers)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {E10FB29A-9AD5-4C4E-8D9E-0D23F10C5FE8}

=====

Abbreviation..... Toil Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Toilet Use-Self Performance

Help Text..... How resident uses the toilet room,
commode, bedpan or urinal; transfers
on/off toilet; cleanses after
elimination; changes pad; manages
ostomy or catheter; adjusts clothes.
Do not include emptying bedpan,
urinal, commode, catheter or ostomy
bag.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {0555B732-4BD3-44C7-8EC0-F5C8872337B9}

=====

Abbreviation..... Toil Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Toilet Use-Support

Help Text..... How resident uses the toilet room,
commode, bedpan or urinal; transfers
on/off toilet; cleanses after
elimination; changes pad; manages
ostomy or catheter; adjusts clothes.
Do not include emptying bedpan,
urinal, commode, catheter or ostomy
bag.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {E19A7DC4-2086-436B-BBA3-1CB4EF01FDA1}

=====

Abbreviation..... Trans Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Transfer-Self Performance

Help Text..... How resident moves between surfaces

including to or from: bed, chair,

wheelchair, standing position

(excludes to/from bath/toilet)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {F2B014BE-D247-421B-BB21-1D63C91C71B1}

Abbreviation..... Trans Supp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Transfer-Support
Help Text..... How resident moves between surfaces
including to or from: bed, chair,
wheelchair, standing position
(excludes to/from bath/toilet)
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)
{730049CC-4CD5-449E-A0E8-389AB61A02BD}
20. 1 - SETUP HELP ONLY (1 Setup)
{5494773C-99FE-4A96-B12E-D734188517CE}
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {FB71EEC1-FE9C-4D43-9D07-DB30CF6DD272}

=====

Abbreviation..... Wlk Cor Sf

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Walk in Corridor-Self Performance

Help Text..... How resident walks in corridor on unit

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {75F64D4D-D6F5-42CE-9FCC-500565FA6A0F}

=====

Abbreviation..... Wlk Cor Sp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Walk in Corridor-Support
Help Text..... How resident walks in corridor on unit
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)
{730049CC-4CD5-449E-A0E8-389AB61A02BD}
 - 20. 1 - SETUP HELP ONLY (1 Setup)
{5494773C-99FE-4A96-B12E-D734188517CE}
 - 30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}
 - 40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)
{AE401096-DF23-4A6E-8842-E1F58829902A}
 - 50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {1359D4F5-F839-4FC2-AD57-09E0DD5C472D}

=====

Abbreviation..... Wlk Rm Sel

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Walk in room-Self Performance

Help Text..... How resident walks between locations
in his/her room

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

ID: {61872309-8EF3-4CA6-B374-3D88F8563B89}

=====

Abbreviation..... Wlk Rm Sp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Walk in Room-Support

Help Text..... How resident walks between locations
in his/her room

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

ID: {B7077982-602A-426F-98A8-522722E39393}

=====

Abbreviation..... Meal Type
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Meal Type
Help Text..... Select meal or snack type
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

-
- 10. BREAKFAST (Breakfast) {59166132-625E-4E1E-9D97-13BF678EA726}
 - 20. LUNCH (Lunch) {9CF74807-8CA5-491F-98C4-97A5476FCE30}
 - 30. SUPPER (Supper) {9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}
 - 40. SNACK - AM (Snack - AM) {CBF0AFB1-AF1D-4C04-931F-3508D0472E70}
 - 50. SNACK - PM (Snack - PM) {883C1241-38DA-4C6C-BF3C-CCF3B2378560}
 - 60. SNACK - HS (Snack - HS) {861B5B9A-D59F-46D2-BA96-4BEAA50654CE}
 - 70. SNACK - OTHER (Snack - Ot)
{CDEE1A83-4546-4A81-AA12-5D27DF743E68}

UNITS:

ID: {9D9D9FD8-C352-6434-E796-C583407EBD45}

=====

Abbreviation..... MAP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Mean Arterial Pressure
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 5 entries

-
1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
 2. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
 3. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
 4. CARDIAC OUTPUT MONITOR (COM)
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}
 5. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

UNITS:

MILLIMETERS OF MERCURY

25 > 50 * 100 < 300

Dec Prec: 0

ID: {9038EF74-932A-42EE-992F-A20BD8784BB7}

=====

Abbreviation..... BP MEAN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Mean Blood Pressure
Display Name..... Mean Blood Pressure
Help Text..... Mean Blood Pressure
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 5 entries

-
- 1. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
 - 2. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
 - 3. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
 - 4. IABP (IABP) {4352A41F-AAF3-4544-9590-BAFD7977DF49}
 - 5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

MILLIMETERS OF MERCURY 20 > 50 * 100 < 200 Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE ARTERIAL LINE

Page: 385

ID: {4493FB14-8C5E-9995-C08F-D0BC9A3B5D0B}

=====

Abbreviation..... MBPAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Mean Blood Pressure Arterial Line

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY

24 > 25 * 200 < 201

Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE NON-INVASIVE

Page: 386

ID: {A89EC390-60BB-FE79-6F40-F9E2BAFE5BB5}

=====

Abbreviation..... MBPNI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Mean Blood Pressure Non-Invasive

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 24 > 25 * 200 < 201 Dec Prec: 0

=====

TERM: MEAN BP CUFF

Page: 387

ID: {1F7DAE88-DE53-4807-F51F-47AB8A672EA1}

=====

Abbreviation..... MBPC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Mean BP Cuff

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY

24 > 25 * 200 < 201

Dec Prec: 0

=====

TERM: MED LAST DOSE: ANTIBIOTIC

Page: 388

ID: {F521A3A6-27C9-48F7-8203-6E5634783198}

=====

Abbreviation..... MLD AnBio

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Antibiotic

Help Text..... Date and time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: MED LAST DOSE: ANTICOAGULANT

Page: 389

ID: {4404F3B5-B163-4F86-B2B1-E1E9E0687937}

=====

Abbreviation..... MLD AnCoag

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Anticoagulant

Help Text..... Date and Time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: MED LAST DOSE: ASPIRIN

Page: 390

ID: {40F5DD1D-4534-463F-B4C8-5FF0D589C878}

=====

Abbreviation..... MLD Aspi

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Aspirin

Help Text..... Date and Time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: MED LAST DOSE: ESA ERYTHROPOETIN

Page: 391

ID: {E63799D0-44A6-40A0-9968-FD0974BEDD17}

=====

Abbreviation..... MLD: ESA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: ESA Erythropoetin

Help Text..... Enter last time/dose of medications

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: MED LAST DOSE: HYPOGLYCEMIC AGENT

Page: 392

ID: {26E3B7EF-95A6-4ED3-A483-59DF78E4EB94}

=====

Abbreviation..... MLD: Hypog

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Hypoglycemic Agent

Help Text..... Enter last time/dose of medications

for Diabetes

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {69BB442B-01B6-485F-A78D-423A74C18D06}

=====

Abbreviation..... MLD Non-St

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Non-steroidal

Anti-inflammatory Drug

Help Text..... Date and Time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {D13CE4D4-116E-4929-A8DC-740B579E8018}

Abbreviation..... MEWS: CONS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MEWS: Conscious Level
Help Text..... (Modified Early Warning System)
Conscious level (AVPU)
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

10. 3 - UNRESPONSIVE (Unresponsi)

{F40F8A1E-ED15-424A-9481-3527B0E69DF1}

20. 2 - RESPONDS TO PAIN (Pain)

{AE6B5DEC-6510-4FEE-8461-D2E930534ACE}

30. 1 - RESPONDS TO VOICE (Voice)

{69C7DA2C-893A-40AB-969C-E003B5D2F05D}

40. 0 - ALERT (Alert) {A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}

50. 1 - NEW AGITATION CONFUSION (New Agitat)

{F458199B-A547-419B-A691-F15E7CD61F8C}

UNITS:

ID: {6D3266EC-E57D-4299-9AAC-80D0842C0D3F}

=====

Abbreviation..... MEWS: HR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MEWS: Heart Rate

Help Text..... (Modified Early Warning System) Heart
rate per minute

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

10. 2 - HR 0-39 (HR 0-39) {1243C1C9-C72F-4765-8D19-D689E1FC44F5}

20. 1 - HR 40-50 (HR 40-50) {EC915B1F-BED1-497D-AD10-4FD0C2ADEDCE}

30. 0 - HR 51-100 (HR 51-100) {6A262124-7FE8-4520-9762-87D0A3DB8AE9}

40. 1 - HR 101-110 (HR 101-110)

{FCB6C37E-1BB4-418F-8203-0916B4056DEB}

50. 2 - HR 111-129 (HR 111-129)

{6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}

60. 3 - HR 130 OR MORE (HR 130 +)

{CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}

UNITS:

ID: {11CAC7DF-6CF0-404C-ADB5-747B1AF6F48E}

=====

Abbreviation..... MEWS: Urin
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MEWS: Hourly Urine
Help Text..... (Modified Early Warning System)
Hourly urine for 2 hours
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
- 10. 3 - LESS THAN 10MLS/HR (< 10mls/hr)
{E013F8AC-7DBE-4F13-BF48-0317A46332CC}
 - 20. 2 - LESS THAN 30MLS/HR (< 30mls/hr)
{A85A05F7-3443-4E62-ACF4-3334E3EF5675}
 - 30. 1 - LESS THAN 45MLS/HR (< 45mls/hr)
{3AED380E-00F9-4C29-B303-52E08F8911B3}

UNITS:

ID: {BBB4C1F6-B418-4960-A3C7-87BAF9DB7595}

=====

Abbreviation..... MEWS: Resp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MEWS: Respiratory
Help Text..... (Modified Early Warning System)
Respiratory rate per minute
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
- 10. 2 - RR 0-8 (RR 0-8) {73DC19E6-865C-4161-9CBE-3A8D44BC4D84}
 - 20. 0 - RR 9-14 (RR 9-14) {F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}
 - 30. 1 - RR 15-20 (RR 15-20) {1CF2487B-30C6-46AB-A051-B4499F825DC2}
 - 40. 2 - RR 21-29 (RR 21-29) {72DF48C2-B8F3-4ED4-91D1-87157707C3EC}
 - 50. 3 - RR 30 OR MORE (RR 30 or +)
{6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}

UNITS:

ID: {528BE6FB-ED0A-43FA-A5A4-DF6ADD532CA1}

=====

Abbreviation..... MEWS-Score

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... (Modified Early Warning System) MEWS
Score

Display Name..... MEWS: Score

Help Text..... (Modified Early Warning System) MEWS
Score

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MEWS: SCORE UNIT 0 > 0 * 15 < 15 Dec Prec: 0

ID: {71007A41-8139-4ED7-BE65-4CCE796F430B}

=====

Abbreviation..... MEWS-SysBP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MEWS: Systolic Blood Pressure

Help Text..... (Modified Early Warning System)

Systolic Blood Pressure

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

10. 3 - SBP 70 OR LESS (SBP 70 or<)

{84DE09CE-FCB0-4E07-A72F-C1064CECF094}

20. 2 - SBP 71-80 (SBP 71-80) {063CE20D-435C-4176-9A8B-3FC3DB16FF11}

30. 1 - SBP 81-100 (SBP 81-100)

{93D627C1-2FF3-4FCC-B0AF-83A54183AE3D}

40. 0 - SBP 101-199 (SBP101-199)

{ED9B73BA-8B9E-49C0-83A2-5B2397028564}

50. 2 - SBP 200 OR MORE (SBP 200+)

{C3B80866-749C-402A-B7CA-A1B797D36885}

UNITS:

ID: {A91CD438-66B0-4809-9A1C-43E979C6C19E}

=====

Abbreviation..... MEWS-Temp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MEWS: Temperature
Help Text..... (Modified Early Warning System)
Temperature in C
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
- 10. 2 - TEMP 35.0 C OR LESS (35.0 C or<)
{D7987CD3-1866-4AE9-A2EA-C96F2CFE2850}
 - 20. 1 - TEMP 35.1-36 C (35.1-36 C)
{AF9BC2E6-9C52-4030-8422-28DCBDD43DD9}
 - 30. 0 - TEMP 36.1-38 C (36.1-38 C)
{87CCCC92-0761-47FC-BD44-C37590832EA7}
 - 40. 1 - TEMP 38.1-38.5 C (38.1-38.5C)
{21326CB3-A848-4984-BB34-5594AD7E5D32}
 - 50. 2 - TEMP MORE THAN 38.6 C (> 38.6 C)

{B45FAD7F-9438-488D-BDE1-8A64A84E51F6}

UNITS:

ID: {FC9DA0D4-F8AD-4202-8BA0-CABBB5FA3B47}

=====

Abbreviation..... Appli Remo

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Moderate sedation: Pre-assessment
appliances removed

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 6 entries

-
1. DENTURES (Dentures) {ECABE4D0-97BE-418D-AC7D-29E40D166581}
 2. EYEGASSES (Eyeglasses) {E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}
 3. CONTACTS (Contacts) {6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}
 4. PROSTHESIS (PROSTHESIS) {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}
 5. HEARING AIDS (Hear Aids) {504FF149-8889-444E-925B-C952314FDF98}
 6. OTHER (SEE COMMENTS) (Other)
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

ID: {84C38C5F-75E6-4CC4-ABD4-3E4DD128082A}

=====

Abbreviation..... Health HX

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Moderate Sedation: Pre-assessment
CPRS Health HX Reviewed

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 15 entries

1. AICD (AICD) {EDB0E730-A1DC-4639-888B-30E956CCA958}
2. ARTIFICIAL VALVES (Art Valves)
{088BB4A5-A93E-47E2-B21F-BC2957D52693}
3. BMI>35KG/M2 (BMI>35KG/M) {FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}
4. DIABETES (Diabetes) {E295E970-759D-44CD-AD43-6047382A790D}
5. GRAFTS (Grafts) {E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}
6. IMPLANTS (Implants) {14998852-14FD-4C6A-BB8A-5073D6094B11}
7. PACER (Pacer) {F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}
8. KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (Known/Susp)

{BD47DD8C-7057-403B-B393-EBCBF9907B68}

10. METAL IMPLANTS (Metal Impl)

{E7424C97-0A81-4C4E-916E-0AE812FFDB96}

11. PREGNANT, NO (Preg, No) {D08F5D48-965E-4537-83BC-14722E28B0AE}

12. PREGNANT, YES (Preg, Yes) {CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}

13. SEIZURES (Seizures) {DE974E49-2AB6-4781-9930-468F2B781BA9}

14. SHUNTS (Shunts) {8D9CB03B-6D63-4205-86C3-869421BEBD04}

15. SNORES (Snores) {69FE4ECF-E1FE-4235-AD44-5AF9E634E000}

16. STROKE (Stroke) {F0EE98A8-040F-4923-8A21-059DA7B17995}

UNITS:

=====

TERM: MODERATE SEDATION: PRE-ASSESSMENT TIME OUT

Page: 403

ID: {04BC70CE-732A-404B-94AA-ED9273CFB408}

=====

Abbreviation..... Pre-Time O

Active..... Yes

Boolean Value False..... Not Done

Boolean Value True..... Done

Data Type..... Boolean

Description.....

Display Name..... Moderate Sedation: Pre-assessment
Time out

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {6242F2E9-8402-44B6-B7C3-74B3106314AD}

=====

Abbreviation..... Prev Compl
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Moderate Sedation: PreAssess:
Previous Mod Sed. Complications
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
 3. HYPOXIA (Hypoxia) {7599629D-1206-4A1A-9D02-EEE384E5FE51}
 4. APNEA (Apnea) {BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}
 5. ARRHYTHMIA (Arrhythmi) {F12E4852-27E7-4C2C-989F-E973EBDF2C62}
 6. OTHER (SEE COMMENTS) (Other)
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

ID: {4D7D1A38-3055-4B94-82C0-49803A34C834}

=====

Abbreviation..... Sub Abuse

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Moderate Sedation: PreAssess:

Substance Abuse

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {8D5EB5DD-4552-421D-BC76-9600C4597B8F}

=====

Abbreviation..... Mod Sed Pr
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Moderate Sedation: Preparation
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

1. CODE CART IS ASSESSIBLE (Code Cart)
{DB670E39-CF90-4068-8E38-44DCA5F365B5}
2. BAG/MASK & O2 SET UP (Bag/Mask)
{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}
3. FUNCTIONAL SECTION SET UP (Func Sect)
{E156C048-11D5-4F62-8B1A-0CEA931E03EF}
4. CARDIO-RESP MONITOR (Cardio-Re)
{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}
5. PULSE OXIMETER (Pulse Ox) {773A956B-0B08-4D72-AAD4-630DF8268694}
6. END-TIDAL CO2 MONITOR (End-Tidal)

{609E3607-E441-465D-B1FC-C6986C58C11C}

UNITS:

ID: {49C83164-4646-45D7-8873-315654599E2F}

=====

Abbreviation..... Pat Identifi

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Moderate sedation: Time Out: Patient
Identifiers

Help Text..... Patient Identifiers

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-
1. FULL NAME (Full Name) {A915EA98-D18D-4887-8C50-4B6C0DF44D1D}
 2. FULL SSN (Full SSN) {3E2887AF-2DC5-40FA-9052-7B04347CC802}
 3. DATE OF BIRTH (DOB) {F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

UNITS:

=====

TERM: MONITOR PLACED

Page: 408

ID: {FA699021-BD76-4DCA-B680-6E0F523B67FF}

=====

Abbreviation..... Monitor
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Monitor Placed
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

-
1. CARDIAC (Cardiac) {2A4308E5-C843-4844-B908-32DA0A0B50E3}
 2. RESPIRATION (Respiratio) {5D6198F0-FE26-4F94-9118-D49A7EC44017}
 3. BLOOD PRESSURE (Blood Pres)
{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}
 4. PULSE OXIMETER (Pulse Ox) {D681E1E3-E914-421C-A19E-37C72F5E869F}

UNITS:

ID: {3C959476-0C22-4C00-88D8-99C944D2D4A5}

=====

Abbreviation..... MON CAMERA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Monitoring Camera
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

1. PATIENT INFORMED (PAT INFORM)
 {074A1D19-3920-49F1-8958-2EB6F9CF05BA}
2. FAMILY INFORMED (FAM INFORM)
 {77135D32-9CDD-4D3F-9B62-6E8189B77844}
3. UNABLE TO INFORM (UNABLE INF)
 {77428C87-B3F9-4BBD-B781-F7D89BCF9492}

UNITS:

ID: {472ED5D6-2DFB-4EAF-9CCB-78D77C2D685B}

=====

Abbreviation..... MORSE AID

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Morse: Ambulatory Aid During Walking

Display Name..... Morse: Ambulatory Aid During Walking

Help Text..... 0: None/bedrest/Nurse Assis./

Wheelchair, 15: Crutches/Cane/Walker,

30: Furniture

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
----------	--

2. 15 (15)	{FE8C049F-B64C-4991-2F50-3C561BA4825C}
------------	--

3. 30 (30)	{1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}
------------	--

UNITS:

ID: {7CCE584F-DDAB-090B-9E73-41D5A8696F98}

=====

Abbreviation..... MORSE GAIT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: Gait

Help Text..... 0: Normal/Bedrest/Wheelchair, 10:
Weak, 20: Impaired

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
 - 2. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
 - 3. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

ID: {9E44E0AE-F9AD-25A8-7771-589BF2DBD6B7}

=====

Abbreviation..... MORSE HIST

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: History of Falling Within Last
Three Months

Help Text..... 0 if NO, 25 if YES

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCD1}

UNITS:

=====

TERM: MORSE: IV THERAPY SALINE LOCK

Page: 413

ID: {5FB26C06-AF8D-ECBE-FC10-442510EC52F1}

=====

Abbreviation..... MORSE IV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Morse: IV Therapy Saline Lock
Help Text..... 0 if NO, 25 if YES
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
 - 2. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

ID: {E15F905B-5D1C-47CA-A23A-5EC47302D9A3}

=====

Abbreviation..... MORSE PT S

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Morse: Mental Status of Patients Own
Ability

Display Name..... Morse: Mental Status of Patients Own
Ability

Help Text..... 0: Oriented to own ability, 15
Overestimates, forgets limitations

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:

=====

TERM: MORSE: SCORE TOTAL

Page: 415

ID: {80F2ACB5-5E42-48B8-8EB8-CADAD149E7BB}

=====

Abbreviation..... MORSE TOTA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Morse Score Total

Display Name..... Morse: Score Total

Help Text..... Morse Score Total

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MORSE SCORE

-1 > 0 * 135 < 136

Dec Prec: 0

ID: {305B5629-D6B2-440A-B46F-E0535AE843F9}

=====

Abbreviation..... MORSE 2NDA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: Secondary Diagnosis Listed On C

Help Text..... 0 = No, 25 = Yes

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:

ID: {C6063BDB-3A3D-A167-3D99-3A49F17FCD0C}

=====

Abbreviation..... MOTOR ACTI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Motor Activity
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
1. NORMAL POWER (np) {0E45C061-0744-8A21-7256-003702A5005B}
 2. NO MOVEMENT (nm) {2618E301-379B-BAB9-9EDE-98FD4B60D311}
 3. FLICKER OF CONTRACTION (foc)
{218B322B-84AA-F6F6-5207-D86F9A4311F0}
 4. MOVEMENT WITH GRAVITY ELIMINATED (mwge)
{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}
 5. MOVE AGAINST GRAVITY BUT NO RESISTANCE (magbnr)
{F995A165-8536-C493-2269-286E8EFF5E43}
 6. MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (magareobte)
{2ECCC197-4A81-025F-3EF3-6214004887A9}

LOCATION:

4 entries

1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}

2. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}

3. R LOWER EXTREMITY (R LOW EXTR)

{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

4. R UPPER EXTREMITY (R UPP EXTR)

{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

=====

TERM: MOTOR CHECK

Page: 418

ID: {521171CF-BD9D-2F28-4042-EA885C40E556}

=====

Abbreviation..... MOCH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Motor Check
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. INTENTIONAL (i) {D5BBBFFC-F739-1E69-FED4-288D8E803D04}
 2. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}

UNITS:

ID: {4D9B0E42-4A15-4699-A80E-31588D8C13FD}

=====

Abbreviation..... MUC MEMBRA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Mucous Membrane Condition
Display Name..... Mucous Membrane Condition
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

-
- 1. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
 - 2. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}
 - 3. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}
 - 40. MOIST (m) {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}
 - 50. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
 - 60. LESION PRESENT (Lesion) {6AA9A82F-917E-45BB-9601-9E53A559006D}
 - 70. COLOR APPROPRIATE FOR ETHNICITY (Color Appr)
{C4128AA9-AC26-45CA-8D42-0764AB327C7F}

UNITS:

=====

TERM: NAIL COLOR

Page: 420

ID: {63FF0B1B-B57D-43A9-A05F-3F2CF6FE8926}

=====

Abbreviation..... NAIL COLOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Nail Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

5 entries

1. NORMAL FOR ETHNIC GROUP (ETH. NORM.)

{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}

2. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}

3. DISCOLORATION (DISCOLORAT)

{BBE3E910-CC49-430C-BD90-FB0A97F1B183}

4. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}

5. HEMORRHAGE (HEMORRHAGE) {E00AC828-83F3-4F69-B97B-D6AD1D87A440}

UNITS:

=====

TERM: NAIL SHAPE

Page: 421

ID: {6351A78B-67BC-46A4-B7E4-72D63C8C2917}

=====

Abbreviation..... NAIL SHAPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Nail Shape
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. CLUBBING (CLUBBING) {AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}
 3. SPOONING (SPOONING) {CA384C9F-D87D-4E2D-B4C0-89BD85692B16}

UNITS:

=====

TERM: NAIL TEXTURE

Page: 422

ID: {AD3F008F-6AA8-483F-AAA6-5F797109F4A6}

=====

Abbreviation..... NAIL TEXTU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Nail Texture
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
- | | |
|--------------------|--|
| 1. NORMAL (n) | {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B} |
| 2. THICK (THICK) | {1554A49E-1468-46B2-F851-531DDB1D1A98} |
| 3. PITTED (PITTED) | {BEA42FD8-91C7-4BF6-936E-726D78064F11} |

UNITS:

=====

TERM: NECK EVALUATION

Page: 423

ID: {6E4F4A2B-D669-4334-BF72-709317A2310F}

=====

Abbreviation..... Neck Eval
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Neck Evaluation
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 10. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 - 20. DECREASED ROM (Decr ROM) {F3C533EE-4528-4164-9F66-F2D4D3F681D5}
 - 30. THYROMENTAL DISTANCE LESS THAN 3 PB (T/D <3 PB)
{D98AED3F-9583-4A86-9D32-13B0AD0A4614}
 - 40. SHORT NECK (Short Neck) {FCBEFC55-197E-4FA1-B2EB-2DE065DCA463}

UNITS:

=====

TERM: NECK VEIN CONDITION

Page: 424

ID: {D76459ED-8572-409E-85A4-F64228AE9A36}

=====

Abbreviation..... NECK VEIN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Neck Vein Condition

Display Name..... Neck Vein Condition

Help Text..... Condition of Neck Veins

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

2. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}

3. DISTENDED (DISTENDED) {B5C529CA-2BE0-4698-A153-718F4D58E643}

UNITS:

=====

TERM: NEED FOR FLUIDS/TOILETING ASSESSED

Page: 425

ID: {816D5DB3-7AEA-E73F-08D8-68C58D4FB4FE}

=====

Abbreviation..... NFFTA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Need for Fluids/Toileting Assessed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {163D9953-B227-46AB-838D-92414FCC982E}

=====

Abbreviation..... Best Gaze
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Best Gaze
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 10. 0 = NORMAL (0 = Normal) {97C72AF0-FF56-48E0-A94E-528BB36D0AB9}
 - 20. 1 = PARTIAL GAZE PALSY (1 = Part)
{7644667F-2919-4A57-A3A6-EE709CA55960}
 - 30. 2 = FORCED DEVIATION (2 = Forced)
{FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}
 - 40. UN = UNEXAMINABLE (UN = Unex)
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

ID: {37841E3D-A4D2-4BA2-863B-366E22F7F010}

=====

Abbreviation..... Best Lang
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Best Language
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 10. 0 = NO APHASIA (No Aphasia)
{AD629099-6ED1-4DFE-9D02-075FFD67B083}
- 20. 1 = MILD TO MODERATE APHASIA (Mod Aphasi)
{FFA529FF-EDC0-4768-B308-93656C75E382}
- 30. 2 = SEVERE APHASIA (Sev Aphasi)
{82445D2A-6E9F-4574-B2D1-476E720B9113}
- 40. 3 = MUTE, GLOBAL APHASIA (Mute)
{E357021D-2B57-4AC2-BDA5-73B61726D183}
- 50. UN = UNEXAMINABLE (UN = Unex)
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

ID: {97F76DF4-8BDE-402F-98EA-93F0D8E52AA5}

=====

Abbreviation..... Dysarthria
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Dysarthria
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 10. 0 = NORMAL (0 = Normal) {405C2939-8BB2-4890-9548-D9956B297C79}
 - 20. 1 = MILD TO MODERATE DYSARTHRIA (1 = Mild)
{0EFCBA9C-36E4-4046-9A55-DAD58F08C516}
 - 30. 2 = SEVERE DYSARTHRIA (2 = Severe)
{D9864E04-1962-47AD-B3C5-58CD49CF30FD}
 - 40. UN = UNEXAMINABLE (UN = Unex)
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

ID: {110274E4-8D1D-494A-A8B9-6FE764B67439}

=====

Abbreviation..... Ext/Inatt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... NIHSS - Extinction and Inattention

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

10. 0 = NO ABNORMALITY (0 = No abn)

{DE0BF57B-1322-4581-BB38-2A61562DC87F}

20. 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (1 =
Inatt) {BEBED217-91CA-47F8-A15D-A548648D09BF}

30. 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (
2 = Profnd) {1D3AA69E-2154-4F33-BFFF-42F06365079A}

40. UN = UNEXAMINABLE (UN = Unex)

{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

ID: {C9692FC3-9FBE-4409-8235-23F713562672}

=====

Abbreviation..... Facial Pal
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Facial Palsy
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
- 10. 0 = NORMAL SYMMETRICAL MOVEMENT (0 = Normal)
{23267CFE-B306-477A-A8B2-60828C1234FA}
 - 20. 1 = MINOR PARALYSIS (1 = Minor)
{55A125E8-E83A-4163-AB50-0D3569B502D3}
 - 30. 2 = PARTIAL PARALYSIS (2 = Part)
{BC48CC51-609A-4E85-9029-8B4790E9E669}
 - 40. 3 = COMPLETE PARALYSIS (3 = comple)
{F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}
 - 50. UN = UNEXAMINABLE (UN = Unex)
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

ID: {F92A7FCB-5026-49C1-92E3-C6DF86041A29}

=====

Abbreviation..... Conscious
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Level of Consciousness
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 10. 0 = ALERT (0 = Alert) {9F918315-BDE7-43D8-BD69-442D74F41C79}
 - 20. 1 = NOT ALERT, MINOR STIMULATION RESPONSE (1 = Minor)
{29268B78-0FF2-48EE-8EA1-4BDE6C39739E}
 - 30. 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (2 = Strong)
{0F5E13CC-211C-40D0-96CB-8F8D87564612}
 - 40. 3 = UNRESPONSIVE (3 = Unresp)
{A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}
 - 50. UN = UNEXAMINABLE (UN = Unex)
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

=====
TERM: NIHSS - LIMB ATAXIA

Page: 432

ID: {BE5E7FDB-CFDC-4B5B-A138-A205C53F2389}

=====
Abbreviation..... Limb Ataxi
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Limb Ataxia
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

10. 0 = ABSENT (Absent) {16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}
20. 1 = PRESENT IN ONE LIMB (One Limb)
 {D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}
30. 2 = PRESENT IN TWO LIMBS (Two Limbs)
 {ADA3074C-1E75-42BC-B7E6-425C2281FB05}
40. UN = UNEXAMINABLE (UN = Unex)
 {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

ID: {722E75F9-9F2B-4040-A453-EF6E15738D03}

=====

Abbreviation..... LOC Ques

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... NIHSS - LOC Questions

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 3 entries

10. 0 = ANSWERS BOTH QUESTIONS CORRECTLY (Both)

{A4380E5F-206A-40CF-B508-6CA61DE87ED2}

20. 1 = ANSWERS ONE QUESTION CORRECTLY (One Ques)

{9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}

30. 2 - ANSWERS NEITHER QUESTION CORRECTLY (Neither)

{181D8ACA-49D0-496E-B22A-2839D0718836}

UNITS:

ID: {8321D970-A029-44B6-92F6-213E1ECF79CC}

=====

Abbreviation..... Motor Arm
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Motor Arm
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
- 10. 0 = NO DRIFT (No Drift) {6DD3E839-D919-4C90-94F9-216B3268944D}
 - 20. 1 = DRIFT (Drift) {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}
 - 30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)
{63885565-9ADC-4560-BC73-DEA084FB651A}
 - 40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)
{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}
 - 50. 4 = NO MOVEMENT (No Movem)
{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}
 - 60. UN = UNEXAMINABLE (UN = Unex)
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

LOCATION:

2 entries

10. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}

20. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}

UNITS:

ID: {7FDA8802-03FA-401F-9842-F2558252CC0B}

=====

Abbreviation..... Motor Leg
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Motor Leg
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
- 10. 0 = NO DRIFT (No Drift) {6DD3E839-D919-4C90-94F9-216B3268944D}
 - 20. 1 = DRIFT (Drift) {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}
 - 30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)
{63885565-9ADC-4560-BC73-DEA084FB651A}
 - 40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)
{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}
 - 50. 4 = NO MOVEMENT (No Movem)
{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}
 - 60. UN = UNEXAMINABLE (UN = Unex)
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

LOCATION:

2 entries

10. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}

20. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

UNITS:

ID: {F2F02471-5F1D-41D3-A599-932F1B67E7B1}

=====

Abbreviation..... Sensory
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Sensory
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 10. 0 = NORMAL (Normal) {7739B63B-8623-4ADB-8059-1A26B5A7BEBB}
 - 20. 1 = MILD TO MODERATE SENSORY LOSS (Moderate)
{1BF6BC0E-9A83-4589-B849-853585CF4E96}
 - 30. 2 = SEVERE TO TOTAL SENSORY LOSS (Severe)
{C3959DA5-9108-4E35-B81A-6F4FB135B3BD}
 - 40. UN = UNEXAMINABLE (UN = Unex)
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

=====

TERM: NIHSS - TOTAL SCORE

Page: 438

ID: {5B55992D-78A0-42C4-BACA-E88106607888}

=====

Abbreviation..... NIHSS Tot

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... NIHSS - Total Score

Help Text..... For computation of NIHSS Total

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

UNITS

0 > 0 * 42 < 42

Dec Prec: 0

ID: {87D5D15A-F8CD-4F98-BFEC-57BA48BEE5BA}

=====

Abbreviation..... Visual
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... NIHSS - Visual Field
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
- 10. 0 = NO VISUAL LOSS (None) {20347E7B-4A96-4000-B326-0B4B1797738A}
 - 20. 1 = PARTIAL HEMIANOPIA (Partial)
{0FDfE052-C438-48AD-A3F8-C3C53E963365}
 - 30. 2 = COMPLETE HEMIANOPIA (Complete)
{F995161E-39A0-4010-855D-EE86B1F707BB}
 - 40. 3 = BILATERAL HEMIANOPIA (Bilateral)
{89969DC1-30BA-494A-A8C8-4344C2C75D0E}
 - 50. UN = UNEXAMINABLE (UN = Unex)
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

=====

TERM: NOSE SIZE

Page: 440

ID: {0A7CD784-279C-9F56-67CC-1C0624B26F4A}

=====

Abbreviation..... ns

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Describe the size of the honker

Display Name..... Nose Size

Help Text..... Honker etiquette

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: NUMBER OF DAYS

Page: 441

ID: {C2D0AF1E-C88B-48ED-A8BE-E3C258B4317D}

=====

Abbreviation..... # of Days

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Number of Days

Help Text..... Number of days since event or device
days

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

DAY -1 > -1 * 9999 < 9999 Dec Prec: 0

=====

TERM: ORIENTATION

Page: 442

ID: {656AA278-6C1E-C1B8-6876-A85780A1608A}

=====

Abbreviation..... ORIENT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Orientation
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. ORIENTED TO TIME (ott) {C79EBE25-C51B-478C-CB39-25943792F191}
2. ORIENTED TO PLACE (otp) {8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}
3. ORIENTED TO PERSON (otp) {9912CFB9-AC55-6445-3EC1-0F1DF98C0561}
4. ORIENTED TO SITUATION (ots)
{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}
5. DISORIENTED TO TIME (dtt) {2AD1A28A-4121-4B82-CFB8-E5A8D3095704}
6. DISORIENTED TO PLACE (dtp)
{00C98809-C0D0-C7B4-0615-8F7D31017FE8}
7. DISORIENTED TO PERSON (DISOR TO P)
{E5D83C03-7EF5-770B-930F-7B3B3345048C}

8. DISORIENTED TO SITUATION (dts)

{7143B3D7-5569-4378-D3AA-10C4675F0BA5}

UNITS:

=====

TERM: ORTHOTICS

Page: 443

ID: {EBD57A7A-3D0F-FB10-EA1A-E505DE2FB84C}

=====

Abbreviation..... ORTHOTICS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Devices which support or correct
human function

Display Name..... Orthotics

Help Text..... Devices which support or correct
human function

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

1. ORTHOTIC BOOTS (ORTHO BOOT)

{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}

2. ORTHOTIC COLLAR (ORTHO COLL)

{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}

3. ORTHOTIC SPINE BRACE (ORTH SPINE)

{B47A3536-FEBC-802E-01A1-E909147D18C2}

4. ORTHOTIC KNEE IMMOBILIZER (KNEE IMMOB)

{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}

5. ORTHOTIC WEDGE PILLOW (WEDG PILLO)

{20E58D21-399B-85E4-BDAB-93B371395BCF}

6. ORTHOTIC TED HOSE (TED HOSE)

{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}

UNITS:

ID: {BB127CE7-04B9-48BA-85CB-AD895D3DA32D}

=====

Abbreviation..... Ostomy Car
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Ostomy Care
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 10. APPLIANCE CHANGED (app change)
 {CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}
- 20. BRIDGE PRESENT (bridge pre)
 {5C474C17-33C9-492D-833E-64F5EF049BF4}
- 30. CONNECTED TO DRAINAGE BAG (drain bag)
 {1901C4A7-671C-43BD-BEDD-1D48BCB43465}
- 40. PATIENT INSTRUCTED (pat instru)
 {D89A50A6-352D-4EB8-ABD7-5D732A060D9A}
- 50. FAMILY INSTRUCTED (fam instru)
 {0FD5988C-2C4D-4786-99B3-3287A355E813}

UNITS:

=====

TERM: OSTOMY TYPE

Page: 445

ID: {CA5CC473-EE95-4E81-8E24-DC23B47A7F42}

=====

Abbreviation..... OSTOMY TYP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Ostomy
Display Name..... OSTOMY TYPE
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE:

5 entries

-
1. COLOSTOMY (COLOSTOMY) {53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}
 2. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
 3. SIGMOIDOSTOMY (SIGMOIDOST)
{0C84B317-59B3-433B-A9AD-6588C1361E0C}
 4. ILEOSTOMY (ILEOSTOMY) {D5DF49C8-C6BA-44C1-9840-7765907730A3}
 70. ILEAL-CONDUIT (Ileal-Con) {C91C4E4A-2D0D-438A-8EF5-8717D703A777}

UNITS:

=====

TERM: OUTPUT - BLOOD

Page: 446

ID: {F90805CD-A0E1-4943-B871-D93B445EA639}

=====

Abbreviation..... OUT BLOOD

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Output of blood lost

Display Name..... Output - Blood

Help Text..... Output of blood lost

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: OUTPUT - CBI DRAINAGE

Page: 447

ID: {08B2CC2A-AE5A-47C3-9FFE-CD0619F8B3BE}

=====

Abbreviation..... CBI Drain

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Output - CBI Drainage

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER

0 > 0 * 99999 < 99999

Dec Prec: 0

ID: {478FE098-139E-B9EB-9F87-C03A847B6789}

=====

Abbreviation..... OUT CHE TU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... VOLUME OF CHEST TUBE DRAINAGE

Display Name..... Chest Tube Drainage Volume (ml)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1.0 > 0.0 * 9999.0 < 10000.0

Dec Prec: 1

CUBIC CENTIMETER -1.0 > 0.0 * 9999.0 < 10000.0

Dec Prec: 1

ID: {5623F6F3-3A00-E63F-706E-C9561D206920}

=====

Abbreviation..... OUT CHTU E
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... AMOUNT OF CHEST TUBE DRAINAGE
Display Name..... Chest Tube Drainage Amount Estimated
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 - 2. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
 - 3. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 - 4. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 - 5. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:

=====

TERM: OUTPUT - DIALYSIS

Page: 450

ID: {C7954A6C-4214-4CB2-B80E-8F4128D05847}

=====

Abbreviation..... OUT DIALYS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Dialysis Output

Display Name..... Dialysis Output

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 4 entries

1. HEMODIALYSIS (HEMODIALYS) {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}

2. PERITONEAL DIALYSIS (PERI DIALY)

{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}

3. CVVHD (CVVHD) {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}

4. CRRT (CRRT) {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER

-1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {733293B4-0FEC-9D4B-191C-85D490209348}

=====

Abbreviation..... OUTPUT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Output - Do Not Check Total or
Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

PRODUCT: 10 entries

1. CARDIAC OUTPUT INJECTATE (CARD OUT I)

{2128B705-DDF4-4776-87C3-AA82F854E313}

2. EF RESIDUAL (EF RESID) {35E269DF-F246-4DF6-9D68-7FD61F8FE088}

3. NG RESIDUAL (NG RESID) {B03C9557-84B5-4B05-B784-C87FA90D27A7}

4. HEME (HEME) {A0ADA229-E779-4562-84B5-67121B88C443}

5. HEMODIALYSIS (HEMODIALYS) {8409B357-C41E-4F4A-BB52-F09AD9704C30}

6. MEDIASTINAL (MEDIASTINA) {A0550B31-B937-4FC7-8F7E-071F75215311}

7. BLADDER IRRIGATION (BLAD IRRIG)

{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}

8. WOUND VACUUM (WOUND VAC) {9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}

9. GASTRIC DRAINAGE (GAST DRAIN)

{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}

10. WOUND DRAINAGE (WOUN DRAIN)

{73038CBA-1F31-47E2-A78E-50ED1067CBEA}

UNITS:

MILLILITER 0 > 0 * 9999 < 10000 Dec Prec: 0

OUNCE 0 > 0 * 338 < 339 Dec Prec: 0

CUBIC CENTIMETER 0 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: OUTPUT - DRAIN

Page: 452

ID: {B8FD2F72-FCDD-484A-98E1-14B3637B797A}

=====

Abbreviation..... OUT DRAIN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Drain Output

Display Name..... Drain Output

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD:

5 entries

-
1. JP DRAIN (JP DRAIN) {94A32247-6190-4047-B581-A212FE4C9453}
 2. HEMOVAC (HEMOVAC) {79DA0646-B811-4954-8BE1-C133398CD574}
 3. PENROSE (PENROSE) {CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}
 4. CHEST TUBE (CH TUBE M) {F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}
 5. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

MILLILITER

-1 > 0 * 9999 < 10000

Dec Prec: 0

CUBIC CENTIMETER

-1 > 0 * 9999 < 10000

Dec Prec: 0

ID: {56BD11AB-FE61-4785-B3CA-C528A5F4EBD6}

=====

Abbreviation..... OUT EMESIS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Emesis Output
Display Name..... Emesis Output
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 1 entries

1. EMESIS (EMESIS) {A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: OUTPUT - GI TUBE

Page: 454

ID: {CB54872E-CF17-4BA5-BF3B-80B0E6C745F8}

=====

Abbreviation..... OUT GI TU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... GI Tube Output
Display Name..... GI Tube Output
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: OUTPUT - NASOGASTRIC TUBE

Page: 455

ID: {77D3147A-389D-4E7C-A552-215C948314BC}

=====

Abbreviation..... Out NG tu

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Output - Nasogastric Tube

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: OUTPUT - STOOL

Page: 456

ID: {8B7CD3AF-5441-40A7-BBAA-11B822B529FD}

=====

Abbreviation..... OUT STOOL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Measured amount of stool

Display Name..... Stool Output

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 1000 < 2000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 1000 < 2000 Dec Prec: 0

ID: {5BCC5773-0627-CEC5-12D1-4D4BF55ECFB5}

=====

Abbreviation..... OUT ST EST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Stool Amount Estimated
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. SMEAR (SMEAR) {4B99BBD3-443E-4954-8ADE-5FB3EE50540A}
 - 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 - 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 - 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
 - 5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

QUALITY: 1 entries

-
- 1. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

=====

TERM: OUTPUT - URINE

Page: 458

ID: {F4998CFC-19CA-402A-AB0F-C32FA194DAA5}

=====

Abbreviation..... OUT URINE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Urine Output

Display Name..... Urine Output

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD:

10 entries

10. VOIDED (Voided) {432E7674-7F59-45AC-8BF6-D60B45F7250B}

20. EXTERNAL CATHETER (Ext. Cath)

{69A5CBA6-5142-47BC-8C7D-CDAACE6E8E78}

30. INDWELLING CATHETER (Indw Cath)

{37577D2A-FAA2-4875-BFF8-09C2F53A2311}

40. STRAIGHT CATHETER (Str. Cath)

{9076BBC9-3C76-4445-9F41-E4E59E84BED7}

50. SUPRAPUBIC (Suprapubic) {4BF7948A-0532-41A3-9C1E-171F11DA1056}

60. UROSTOMY (Urostomy) {746BDA57-3D09-4DF7-BED0-5AA1F66DD0C9}

70. NEPHROSTOMY - LEFT (Neph Left)

{E655E1BA-4803-4E19-B387-65B5F4809970}

80. NEPHROSTOMY - RIGHT (Neph Right)

{ACE81374-DC90-42C2-9E7C-EF8E5D751EDF}

90. ILEAL CONDUIT (Ileal Cond)

{B1703A2F-51B8-4B1A-89AE-B1319FD653F7}

100. PVR (POST VOID RESIDUAL) - CATHED (PVR-Cathed)

{19DC72C9-FDAD-4F51-A0F7-63510A96829F}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {C5116BFA-332E-4C05-8FF7-4C828D8999BF}

=====

Abbreviation..... OUT UR EST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Output - Urine Estimated
Display Name..... Output - Urine Estimated
Help Text..... Output - Urine Estimated
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 1. SLIGHT (SLIGHT) {805549C1-5DC5-4A2D-BC1F-046E44928843}
 - 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 - 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 - 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:

=====

TERM: OXYGEN CONSUMPTION

Page: 460

ID: {5EC773D2-D17D-EE6B-5079-BED57318658D}

=====

Abbreviation..... V02

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Oxygen Consumption

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITERS PER MINUTE PER METER SQUARE

0 > 1 * 300 < 301 Dec Prec: 0

=====

TERM: OXYGEN SATURATION

Page: 461

ID: {8013084D-A35E-264A-23EE-8D3D5C5C8382}

=====

Abbreviation..... O2 SAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Oxygen Saturation percentage

Display Name..... Oxygen Saturation

Help Text..... Enter in the percentage of O2
saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500637

UNITS:

PERCENTAGE

0 > 92 * 100 < 101

Dec Prec: 0

ID: {8129EB35-E85A-4C3B-86AF-34FB2ABE168C}

=====

Abbreviation..... PA ALARM O

Active..... Yes

Boolean Value False..... Off

Boolean Value True..... On

Data Type..... Boolean

Description..... PA Catheter Alarms On

Display Name..... PA Catheter Alarms On

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {16F7EF6A-E0B6-9931-1F74-039E9D18AC57}

=====

Abbreviation..... PA DRESSIN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PA Catheter Dressing Type

Help Text..... Type of dressing on PA Catheter site

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

2. PRESSURE DRESSING (PRESS DRES)

{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS:

=====

TERM: PA CATHETER DYNAMIC RESPONSE TEST

Page: 464

ID: {7ED7B728-5683-4660-B301-79E72C3FD1C9}

=====

Abbreviation..... PA CATH DR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... PA Catheter Dynamic Response Test

Display Name..... PA Catheter Dynamic Response Test

Help Text..... PA Catheter Dynamic Response Test

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
 3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}

UNITS:

=====

TERM: PA CATHETER INSERTION MARK

Page: 465

ID: {7E62F0A7-9233-4BD3-870B-189BC86A179E}

=====

Abbreviation..... PA INS MAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... PA Catheter Insertion Mark

Display Name..... PA Catheter Insertion Mark (cm)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER -1.0 > 0.0 * 10.0 < 20.0 Dec Prec: 1

ID: {30F7B681-FCDB-4349-9082-92BDF3618CA3}

=====

Abbreviation..... PACATH INS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... PA Catheter Insertion Technique
Display Name..... PA Catheter Insertion Technique
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

-
1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}
 2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}
 3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)
{20BC183A-197F-4464-A27C-47F63C5B842A}
 4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:

ID: {959199C6-C6DE-4F32-9303-F06CD0C80A28}

=====

Abbreviation..... PA CATH RE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... PA Catheter Repositioned/Discontinued
Reason

Display Name..... PA Catheter Repositioned/Discontinued
Reason

Help Text..... PA Catheter Repositioned/Discontinued
Reason

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

1. VENTRICULAR WHIP PRESENT (VENT WHIP)

{15CB9645-690D-446B-A380-F14CEEC9C6AA}

2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}

3. WEDGED (WEDGED) {03D7F6FD-399D-4A6B-9900-59655D76EE95}

4. UNABLE TO WEDGE (UNABLE WED)

{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}

5. WAVEFORM REFLECTS ATRIAL PLACEMENT (WAVE ATRIA)

{A1249745-41C2-4A4F-A86D-7E5E17477B06}

6. BY PROVIDER ORDER (BY ORDER)

{C038BC16-44CF-4933-BECC-B0F1A1B12603}

UNITS:

ID: {F5F81475-6135-4B0C-A144-658AB8C075C7}

=====

Abbreviation..... PA SITE CA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... PA Catheter Site Care

Display Name..... PA Catheter Site Care

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {00A7358A-DBE8-CB1D-FFC0-046F3C5E266F}

=====

Abbreviation..... PA CONDITI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PA Catheter Site Condition
Help Text..... Condition of PA catheter
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

-
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
 - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
 - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
 - 70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
 - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS:

=====

TERM: PA CATHETER SIZE

Page: 470

ID: {706045DE-B1D4-46DB-B6CE-A171BAFB0CB9}

=====

Abbreviation..... PA CATH SI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... PA Catheter Size

Display Name..... PA Catheter Size

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FRENCH -1.0 > 5.0 * 10.0 < 20.0 Dec Prec: 1

ID: {A1F96B2C-AA70-0D43-8F1E-8DD2BDDFA8F3}

=====

Abbreviation..... PA TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PA Catheter Type
Help Text..... Type of PA catheter
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

1. PLAIN (PLAIN) {483EE48F-F72B-A917-DCD0-E8B69A3FA36F}
2. OXIMETRIC (OXIMETRIC) {DA1F5AAA-A349-C17B-74CD-1794492E0A13}
3. PACER (PACER) {79499460-ACAB-33B3-52CF-D2D2E5BCD0EE}
4. VIP PORT (VIP PORT) {3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

LOCATION: 8 entries

1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG)

{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. R INTERNAL JUGULAR (R INT JUG)

{7ABF6916-D379-198D-6454-F0518A74844A}

5. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

6. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: PA CATHETER WAVEFORM

Page: 472

ID: {9EF25DC1-2B10-4248-807E-DDEDDB1B76ABC}

=====

Abbreviation..... PA WAVEFOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... PA Catheter Waveform

Display Name..... PA Catheter Waveform

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

5 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
 3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
 4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
 5. NOT MONITORED (NOT MONITO)
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

=====

TERM: PA CATHETER ZEROED

Page: 473

ID: {E8B0247F-BD12-4902-87F7-012AA4C1D73D}

=====

Abbreviation..... PA ZEROED

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... PA Catheter Zeroed

Display Name..... PA Catheter Zeroed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PACEMAKER ATRIAL mA

Page: 474

ID: {2551E3D7-CD46-909E-1D79-082B92AEDF7A}

=====

Abbreviation..... PAmA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Atrial mA

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIAMPS -0.01 > 0.00 * 24.00 < 48.00

Dec Prec: 2

=====

TERM: PACEMAKER AV INTERVAL

Page: 475

ID: {118070EB-2F23-9C3D-68D1-B57D423449E1}

=====

Abbreviation..... PAVI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker AV Interval

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

SECOND 0.01 > 0.12 * 0.20 < 0.50 Dec Prec: 2

=====

TERM: PACEMAKER CAPTURE

Page: 476

ID: {4D93B7C5-5302-085D-DFC5-EBEED03A6B31}

=====

Abbreviation..... PMC
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Pacemaker Capture
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {AC25DEC8-680C-EDD4-1141-43F841651D2A}

Abbreviation..... PMM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pacemaker Mode
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

- 1. AOO (AOO) {86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}
- 2. AAO (AAO) {E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}
- 3. AAI (AAI) {2DD18ACA-B98E-24D3-E760-6D082A76074B}
- 4. AAIR (AAIR) {3B4B6F37-B631-BE32-F1C1-65B99D0C5018}
- 5. AVO (AVO) {02EA752A-D156-96E6-3D28-3D389FFC7B58}
- 6. AVI (AVI) {8BB49456-FB80-4916-6EBE-06837BF12B0C}
- 7. VVI (VVI) {2C87F8F3-2B99-80E7-04EB-E6FE88168627}
- 8. VDD (VDD) {E733E525-EF36-2F93-AECC-BAD1C3E2C633}
- 9. DVI (DVI) {4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}
- 10. DOO (DOO) {749BCE3D-FF09-B796-FF2A-ECD2D116C96F}

- 11. DDI (DDI) {0C1E359F-B1F4-7994-D337-37622CB14BC8}
- 12. DDD (DDD) {7AA7152E-48F0-8550-AD0D-9F298E90B765}
- 13. DDDR (DDDR) {A3CC0D9D-D329-1A52-2DD1-911A1E04B871}

UNITS:

ID: {A7D28B32-845F-0E16-FDAF-F654FA6EE8A4}

=====

Abbreviation..... PMO
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Pacemaker On
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
- 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

LOCATION: 8 entries

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
- 3. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
- 4. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}
- 5. L INTERNAL JUGULAR (L INT JUG)

{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

6. R INTERNAL JUGULAR (R INT JUG)

{7ABF6916-D379-198D-6454-F0518A74844A}

7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: PACEMAKER RATE - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 479

ID: {FCA825C5-12A2-132D-8842-23D56ED6660B}

=====

Abbreviation..... PMR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Rate - Do Not Check Total
or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

BEATS PER MINUTE

0 > 45 * 100 < 200

Dec Prec: 0

=====

TERM: PACEMAKER SENSE

Page: 480

ID: {7F716D0A-ACA4-7E33-62D7-988BA22F0D7F}

=====

Abbreviation..... PMS
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Pacemaker Sense
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PACEMAKER SENSITIVITY ATRIAL

Page: 481

ID: {6CBB234D-694E-CB88-3844-6B9E9E262320}

=====

Abbreviation..... PSA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Sensitivity Atrial

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIVOLTS 0.01 > 0.05 * 2.00 < 6.00 Dec Prec: 2

=====

TERM: PACEMAKER SENSITIVITY VENTRICULAR

Page: 482

ID: {305A8823-01D3-F3FE-D66E-3CACE736CD30}

=====

Abbreviation..... PSV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Sensitivity Ventricular

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIVOLTS 0.01 > 0.05 * 2.00 < 6.00 Dec Prec: 2

ID: {3B5B64D7-9091-8511-64CE-848456CAD2CD}

=====

Abbreviation..... PACEM TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pacemaker Type
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

1. TRANSCUTANEOUS (t) {F4315F92-8804-1CB4-4D03-CCFDC95C6E71}
2. PERMANENT (p) {A31FF319-F8C3-7AAC-D7FC-765C89732D09}
3. TEMPORARY (TRANSVENOUS) (tt)
{F6A74188-3D79-D749-540F-4EA32201B0E6}
4. EPICARDIAL LEADS (el) {2B551575-3D50-96BD-7BAA-50CC9796361E}
5. ATRIAL (a) {266D2FDA-5D6A-203D-6FF0-8282D49BFD67}
6. VENTRICULAR (v) {307A4572-3CF0-7875-7313-7FD4AB23F8E7}

LOCATION: 8 entries

1. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}

2. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

3. L INTERNAL JUGULAR (L INT JUG)

{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

5. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

6. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

7. R INTERNAL JUGULAR (R INT JUG)

{7ABF6916-D379-198D-6454-F0518A74844A}

8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: PACEMAKER UNIT ID

Page: 484

ID: {CDA2992F-349C-9904-45E3-20D01DC87917}

=====

Abbreviation..... PUID

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... No Description

Display Name..... Pacemaker Unit ID

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PACEMAKER VENTRICULAR mA

Page: 485

ID: {D64D8FED-93B8-FABD-5361-96CD28F99472}

=====

Abbreviation..... PVmA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Ventricular mA

Help Text..... Pacemaker Ventricular mA

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLIAMPS -0.01 > 0.00 * 24.00 < 48.00

Dec Prec: 2

ID: {AE7D2B1A-D1BA-E1E1-4E21-B1608F627411}

Abbreviation..... PMWI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pacemaker Wires
Help Text..... Pacemaker Wires
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

- 1. 1A +1V (1+) {31711946-9F1B-0AD9-BDBE-846EDBC86AE2}
- 2. 1A + 2V (1+2) {FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}
- 3. 2A (2) {C75BDC9F-C756-9051-CAA3-A27DDD94B35E}
- 4. 2V (2) {D24B5FA4-1DA6-36DE-49DB-627A9B82E968}
- 5. 2A + 1V (2+1) {1849AA0D-1572-55E0-A780-ACE602E2C72D}
- 6. 2A + 2V (2+2) {17203251-68E8-A00A-CF54-E2CC55B8EEDD}
- 7. 1A + 3V (1+3) {CEDF220D-E593-B8F9-DB08-D32800AF3F5E}

UNITS:

ID: {D9E69897-BE8C-4A18-A490-A6FD2F2DE2E8}

=====

Abbreviation..... P DIS C
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PACU - Discharge Criteria
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 22 entries

1. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)
{E107F272-CD27-46B8-8C50-F9FF776DDCD9}
2. ABLE TO AMBULATE (AMBULAT)
{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
3. ALERT AND ORIENTED (AL AN OR)
{C031F776-36DF-4570-AFAF-A30B8BFA635B}
4. PT DENIES NAUSEA / NO VOMITING (DEN NAUS)
{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}
5. ALDRETE SCORE 8 OR GREATER (ALD 8+)
{1FACE6D7-BC92-4579-8665-C5E1D3475461}

6. AIRWAY REFLEXES INTACT / SECRETIONS (AIR REFL)
{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}
7. PAIN CONTROLLED PER PT (PAIN CON)
{7EC1AF38-39B1-475E-B58C-E33404A47E96}
8. PT PAIN AT ACCEPTABLE LEVEL (PT PA OK)
{78489498-4A5B-41C5-98C5-95D56C4A0933}
9. VOIDED (VOIDED) {7F23E601-A1E5-4016-8A12-06B1099041CF}
10. ABSENT TO MINIMAL BLEEDING (ABS BLEE)
{123460FB-1A8D-45AB-B0A2-489EAB482F67}
11. CMS INTACT DISTAL TO SURGICAL SITE (CMS INTA)
{CE2D2CDE-71C5-4993-8E46-C4799301A851}
12. SKIN WARM AND DRY COLOR APPROPRIATE (S W A DR)
{9637D510-C199-4969-8F2D-0A499151E22B}
13. MAINTAINING EFFECTIVE VENTILATION (EFF VENT)
{18774550-ECBD-412D-AD95-131FAA4CC549}
14. ALDRETE SCORE AT BASELINE (ALD BASE)
{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}
15. STABLE BP AND PULSE (Stable BP)
{F07C2F54-1182-4377-A33A-F529884013E8}
16. SaO2% AT ACCEPTABLE LEVEL BY ORDERS (SaO2 by Or)
{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}
17. SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (SaO2 w/Pre)
{8DE3440F-8049-4846-89D6-2E2DDEEA362C}
18. 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (20 Min Nar)
{FBDB50B7-19B5-472C-80E5-F4758E141BB1}
19. RESTING RESPIRATORY RATE BASELINE OR ABOVE (Rest Base)
{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}
20. MENTAL STATUS - AWAKE ORIENTED (M/S Awake)

{37818468-4798-4CBE-82ED-A793BDD10874}

21. MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (M/S Demen)

{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}

22. 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (60 Min Rev)

{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}

UNITS:

ID: {3B2F659B-ABA4-41E4-9861-B4B0FE3C873D}

=====

Abbreviation..... P DIS ME
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Discharge Criteria Met
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
 - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

ID: {9EADBFE2-2072-4B3F-A077-354B76E5F190}

=====

Abbreviation..... PAC DISP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PACU - Disposition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 12 entries

-
1. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}
 2. MICU (MICU) {28244B62-644C-4DA0-A350-EAFE0D2FA7C0}
 3. SICU (SICU) {EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}
 4. STEP DOWN (STEP DOW) {F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}
 5. WARD (WARD) {A16CB5CB-3401-4F6C-8467-7F78FC929872}
 6. AMBULATORY CARE UNIT (ACU)
{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}
 7. PROCEDURE ROOM (PROC ROO) {CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}
 8. IMAGING (IMAGING) {791A322E-F45E-40EB-B95D-E5B62E1D0A75}
 9. OPERATING ROOM (OR) {37DACE14-2A28-45F4-9DEA-35A1A433F4E6}

10. EMERGENCY DEPARTMENT (ER DEPT)

{D2E511F7-8B80-4928-A64B-3F1EE17395F7}

11. WAITING ROOM (WAIT ROOM) {13476486-F895-4FFC-AB42-B274827B47DA}

12. HOME (HOME) {C8E5E320-361B-421C-A6A9-13DC16125440}

UNITS:

=====

TERM: PACU - PT RECEIVED REVERSAL AGENT

Page: 490

ID: {08A85E74-4365-41AA-8C26-4D712C9364DE}

=====

Abbreviation..... REV AGEN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Patient Received Reversal Agent
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
 - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

=====

TERM: PACU - TIME OF REVERSAL AGENT

Page: 491

ID: {43AD957E-55D2-44BA-B591-C4B31EB64E55}

=====

Abbreviation..... Time of Rv

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... PACU - Time of Reversal Agent

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

10. DULL (DULL) {F0F80976-F6A0-4363-9C75-AAAE9937DB49}
11. ELECTRIC (ELECTRIC) {0C221385-61AF-4660-A129-35E610EA71AB}
12. GNAWING (GNAWING) {8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}
13. HEAVY (HEAVY) {1F10CD98-03FA-4705-BF7D-941E881C4E3D}
14. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
15. KNIFE-LIKE (KNIFE-LIKE) {FBA0EE3F-134B-431B-879A-9B17D65CD464}
16. NUMB (NUMB) {652634C0-5334-4D56-BE57-5F58F952FF0D}
17. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
18. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}
19. RADIATING (RADIATING) {B6807939-F809-45C1-912A-ADEF2E0DB0DC}
20. SHARP (SHARP) {20608864-E5CF-4FE3-8B6D-AE2FEE086503}
21. SHOOTING (SHOOTING) {73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}
22. SQUEEZING (SQUEEZING) {A148587A-1B99-4D0D-B11E-87ADC3D2A811}
23. STABBING (STABBING) {684640D5-B3AB-47DA-98D8-5434ABF22B7E}
24. STINGING (STINGING) {DF235170-F501-4E8D-89DD-5A3C76F4B13B}
25. TENDER (TENDER) {30486CC7-3097-4F95-9238-FD6C2126CD10}
26. THROBBING (THROBBING) {3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}
27. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
28. UNBEARABLE (UNBEARABLE) {96611993-45F3-4D1D-BF7F-5E5C46E5569E}

UNITS:

=====

TERM: PAIN DURATION

Page: 493

ID: {DF714694-E547-4D39-9355-ADF3B419F9CD}

=====

Abbreviation..... PAIN DURAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pain Duration

Display Name..... Pain Duration

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}
 2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}

UNITS:

ID: {709DFACE-B211-4160-B291-359777ED8D0F}

=====

Abbreviation..... PAIN GOAL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pain Goal
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

-
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
 - 2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
 - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 5. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
 - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
 - 8. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
 - 9. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
 - 10. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

11. 10 (10)

{0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

=====

TERM: PAIN LEVEL

Page: 495

ID: {47A83DEA-BA95-38AD-DF2E-1F209122E684}

=====

Abbreviation..... PAIN LEVEL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Standard pain scale

Display Name..... Pain Level

Help Text..... Enter 0-10, 99 or Unable to respond

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid..... 4500635

DATA VALUE:

12 entries

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 1 (1)	{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
3. 2 (2)	{38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 (4)	{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
6. 5 (5)	{188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6)	{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 (7)	{7A010324-D2C2-5D4B-848A-7B8878666D20}
9. 8 (8)	{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
10. 9 (9)	{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

- 11. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
- 12. 99 (99) {B013C05B-1AF0-1547-4F03-378883F887C5}

LOCATION: 58 entries

-
- 1. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
 - 2. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
 - 3. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
 - 4. STOMACH (STOMACH) {613C20B9-CC9C-4F5D-B5B1-69B66A663540}
 - 5. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
 - 6. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}
 - 7. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
 - 8. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
 - 9. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
 - 10. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
 - 11. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
 - 12. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
 - 13. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}
 - 14. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
 - 15. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}
 - 16. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
 - 17. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
 - 18. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
 - 19. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
 - 20. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
 - 21. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
 - 22. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
 - 23. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

24. GASTROINTESTINAL (GI) {C27C66DB-3A6A-487E-9981-FA7FD323C0C3}
25. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
26. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
27. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
28. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
29. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
30. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
31. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
32. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
33. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
34. BLADDER (BLADDER) {18E083F2-C4BB-407E-B0A3-20C4942FC97F}
35. L JAW (L JAW) {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}
36. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}
37. TOOTH (TOOTH) {8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}
38. TEETH (TEETH) {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}
39. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}
40. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}
41. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
42. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}
43. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACAO}
44. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
45. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
46. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
47. INCISIONAL SITE (INCISION SI)
{EB36A66D-751D-4031-9F68-0BB03E267321}
48. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
49. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
50. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

- 51. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
- 52. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 53. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
- 54. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
- 55. SUBSTERNAL (SUBSTERN) {3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}
- 56. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
- 57. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
- 58. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

ID: {F875330C-D06C-41A7-877F-FBF07596EFF6}

=====

Abbreviation..... PAI NONVER
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pain Non-Verbal Cues
Display Name..... Pain Non-Verbal Cues
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

-
1. CRYING (CRYING) {D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}
 2. GRIMACING (GRIMACING) {69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}
 3. MOANING (MOANING) {A71E3515-AA20-4B0E-9CB8-1612F76BA406}
 4. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
 5. SPLINTING (SPLINTING) {D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}
 6. GUARDING (GUARDING) {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}
 7. PAINFUL EXPRESSION (PAINFUL EX)
{608554F9-29F9-4B27-BE63-486AF81810BD}
 8. IRRITABLE (Irritable) {10651C11-2736-4056-BA84-E544358BA877}
 9. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}

10. NO SIGNS AND SYMPTOMS (NO SIG&SYM)

{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}

UNITS:

ID: {325DB732-E996-4DF5-9F5F-EF3B55D80935}

=====

Abbreviation..... PN FACT IN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pain Relieving Factor Intervention
Display Name..... Pain Relieving Factor Intervention
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 9 entries

-
1. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
 2. HEAT (HEAT) {E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}
 3. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
 4. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
 5. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}
 6. REFUSE MEDICATION (REFUSE MED)
{17D6956B-4CF6-492C-B113-B5A93D9E215E}
 7. REQUEST FOR MORE MEDICATION (REQ MOR ME)
{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}
 8. PRE-MEDICATED FOR ACTIVITY (PRE-MED AC)

{D6DA772A-FA22-4170-B928-855A2F68711F}

9. PHYSICIAN NOTIFIED (PHYS NOTIF)

{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}

UNITS:

ID: {6DF1DD0D-C735-4D34-ABF6-A274621EC177}

Abbreviation..... PAINAD BL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PAINAD Body Language

Help Text..... Pain Assessment in Advanced Dementia

(PAINAD)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. PAINAD BL 0 (PAINAD BL0) {C77929DB-A59A-4A24-B57B-BF111770C2AB}
2. PAINAD BL 1 (PAINAD BL1) {CC1E1516-086D-4B79-8264-0C3BD67D8552}
3. PAINAD BL 2 (PAINAD BL2) {34C3E304-DF66-40A7-906F-22AEA3F76FAD}

UNITS:

ID: {EBF3C2FD-5906-4FC8-8E75-CF998FA797C3}

=====

Abbreviation..... PAINAD BR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PAINAD Breathing

Help Text..... Pain Assessment in Advanced Dementia

(PAINAD)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

-
1. PAINAD BR 0 (PAINAD B0) {58E71B2E-F5C3-419F-8B71-A9FD701E0202}
 2. PAINAD BR 1 (PAINAD BR1) {727D1B04-A702-4806-857B-78BCBACB0FE1}
 3. PAINAD BR 2 (PAINAD BR2) {37978012-ADAC-416C-8920-48CDAAA5D59D}

UNITS:

ID: {869E7E2E-04C5-46A5-8811-C7F94E066A2C}

=====

Abbreviation..... PAINAD CO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PAINAD Consolability

Help Text..... Pain Assessment in Advanced Dementia
(PAINAD)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-
1. PAINAD CO 0 (PAINAD CO0) {06A89B55-5822-42F7-A689-DBD91B62979F}
 2. PAINAD CO 1 (PAINAD CO1) {8E5DDB47-1955-40AD-A008-A9CE4646A707}
 3. PAINAD CO 2 (PAINAD CO2) {1DFFB735-6272-4B60-8F42-CCCAA701C7A7}

UNITS:

ID: {CB17C4F3-2E4B-4355-9E63-DE165CE47A25}

=====

Abbreviation..... PAINAD FE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pain Assessment in Advanced Dementia
(PAINAD)

Display Name..... Painad Facial Expression

Help Text..... Pain Assessment in Advanced Dementia
(PAINAD)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-
1. PAINAD FE 0 (PAINAD FE0) {B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}
 2. PAINAD FE 1 (PAINAD FE1) {66C01EE9-8F36-40B5-AED2-DBC2E94F860D}
 3. PAINAD FE 2 (PAINAD FE2) {35688D06-94F2-4B36-8940-529803D4BC43}

UNITS:

ID: {815392EF-49E0-48D9-BCC0-39FD3333B255}

=====

Abbreviation..... PAINAD NV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pain Assessment in Advanced Dementia
(PAINAD)
Display Name..... PAINAD Negative Vocalization
Help Text..... Pain Assessment in Advanced Dementia
(PAINAD)
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

-
1. PAINAD NV 0 (PAINAD NV0) {63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}
 2. PAINAD NV 1 (PAINAD NV1) {D517E6C9-9D98-4D0F-A8F4-261BED4812D1}
 3. PAINAD NV 2 (PAINAD NV2) {3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}

UNITS:

=====

TERM: PAINAD TOTAL

Page: 503

ID: {4E35BBC8-DD3C-4EEA-A0BD-DADBD1252F28}

=====

Abbreviation..... PAINAD TO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PAINAD Total Score

Help Text..... Pain Assessment in Advanced Dementia

(PAINAD)

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

PAINAD SCALE

0 > 1 * 10 < 11

Dec Prec: 0

ID: {2996AB91-A21C-4A49-BEF0-833AC074347F}

=====

Abbreviation..... POSS Scale

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Pasero Opid-Induced Sedation Scale
(POSS)

Help Text..... Please follow local policy/protocol
for decision support interventions

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

10. S = SLEEP, EASY TO AROUSE (POSS Sleep)

{9AB0CB97-1451-401E-9245-445132934C3B}

20. 1 = AWAKE AND ALERT (POSS Awake)

{6D0015F9-BDD1-422C-AD60-1DBE0247D46E}

30. 2 = SLIGHTLY DROWSY, EASILY AROUSED (POSS 2)

{3027CED1-70F2-4F2B-9DCC-C6CFCAFD1832}

40. 3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATI

ON (POSS 3)

{95111092-85B2-463A-8F97-F6E56AEC1730}

50. 4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION

(POSS 4)

{7CC72ED2-FB08-4CE3-BD56-674D0DD6D3C2}

UNITS:

=====

TERM: PATIENT ABLE TO RESPOND

Page: 505

ID: {08A622B7-3939-427E-A532-7F12F8790EF7}

=====

Abbreviation..... PAT RESPON
Active..... Yes
Boolean Value False..... Unable to respond
Boolean Value True..... Able to repond
Data Type..... Boolean
Description..... No Description
Display Name..... Patient Able To Respond
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PATIENT EDUCATION PROVIDED PRIOR TO SEDATION

Page: 506

ID: {59683A04-FA78-40FA-8DDF-A728BA34C72D}

=====

Abbreviation..... Pat Ed Pro

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Patient Education Provided Prior to
Sedation

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {3705805D-6ABB-412B-8DF2-648E634237F9}

=====

Abbreviation..... PCA BOL DO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Clinical Bolus Dose

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MICROGRAMS -1.00 > 0.00 * 1000000.00 < 1001000.00

Dec Prec: 2

MILLIGRAMS -1.00 > 0.00 * 1000.00 < 1001.00

Dec Prec: 2

=====

TERM: PCA - CONTINUOUS MCG/HR (BASAL)

Page: 508

ID: {3E22F87D-E696-4401-90D0-2BE623E75DE9}

=====

Abbreviation..... PCA - MCG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Continuous mcg/hr (Basal)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MICROGRAMS PER HOUR 0.0 > 6.2 * 100.0 < 300.0 Dec Prec: 1

=====

TERM: PCA - CONTINUOUS MG/HR (BASAL)

Page: 509

ID: {39A3FFFD-8AB1-4691-A5CE-7FD268F6F5CB}

=====

Abbreviation..... PCA - MG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Continuous mg/hr (Basal)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIGRAMS PER HOUR 0.0 > 0.1 * 8.0 < 20.0 Dec Prec: 1

ID: {48E49A30-E83F-4A5B-A1EA-C58D92D08288}

=====

Abbreviation..... PCA DEM DO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA Demand Dose - Do Not Check Total
or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MICROGRAMS -1.00 > 0.00 * 1000000.00 < 1001000.00

Dec Prec: 2

MILLIGRAMS -1.00 > 0.00 * 1000.00 < 1001.00

Dec Prec: 2

ID: {BBD517C0-EDFE-452C-9B2C-5B21400E173A}

=====

Abbreviation..... PCA DAG DE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... PCA - Dosage Delivered
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MICROGRAMS -0.01 > 0.00 * 8000000.00 < 8001000.00

Dec Prec: 2

MILLIGRAMS -1.00 > 0.00 * 8000.00 < 8001.00

Dec Prec: 2

=====

TERM: PCA - DOSES DELIVERED

Page: 512

ID: {2F9D23F2-B385-4028-A2F5-F33B83A2D137}

=====

Abbreviation..... PCA DO DEL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Doses Delivered

Help Text..... Number of times patient received
analgesia

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

EVENT(S) -1 > 0 * 1000 < 1001 Dec Prec: 0

ID: {7071DC06-8738-481F-A471-EE7112BB8F10}

=====

Abbreviation..... Lev of Con
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... PCA - Level of Consciousness
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
 2. AWAKE (Awake) {D71412D4-5782-46BA-AE6C-24EDC586AE55}
 3. APPEARS ASLEEP (Asleep) {245A1E78-B5E0-4440-963C-A6ABB416D9B9}
 4. EASY TO AROUSE (Easy to Ar)
{19BB5A04-F979-449C-AA93-D5A21BD368F6}
 5. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
 6. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
 7. STUPOROUS (Stuporous) {4C25FF58-3346-4B06-ACE5-6ADB942877A8}
 8. DIFFICULT TO AROUSE (Diff to Ar)
{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}

9. UNABLE TO AROUSE (Un to Ar)

{05B32DD9-E634-4B60-A58B-2E915EA2834D}

UNITS:

ID: {854503A0-5C4C-4DBE-B137-A9BE68871874}

=====

Abbreviation..... PCA LIM DO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Limit Dose - Do Not Check Total
or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MICROGRAMS -1.00 > 0.00 * 8000000.00 < 8001000.00

Dec Prec: 2

MILLIGRAMS -1.00 > 0.00 * 8000.00 < 8001.00

Dec Prec: 2

=====

TERM: PCA - LIMIT TIME

Page: 515

ID: {A21D84E2-41B3-46E5-929A-71C24C575163}

=====

Abbreviation..... PCA LIM TI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PCA - Limit Time

Help Text..... Once the max is reached the pt will

not be able to get any further demand

doses until the appropriate time has

passed

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

- | | |
|--------------------|--|
| 1. 1 HOUR (1 HOUR) | {319BA174-1624-483C-B666-4998127B0800} |
| 2. 4 HOUR (4 HOUR) | {91B2A49D-0308-47C9-B220-63A0E318A201} |
| 3. 6 HOUR (6 HOUR) | {0D1F000A-01F0-422C-9CB8-2A04CD479444} |
| 4. 8 HOUR (8 HOUR) | {05E46D8F-C165-4552-8063-B735DECD4AF3} |
| 5. NONE (NONE) | {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65} |

UNITS:

ID: {B84F9A0A-4353-4480-9DCB-F44437E41F49}

=====

Abbreviation..... PCA LINE C
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PCA Line Care
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}
2. CENTRAL VENOUS CATHETER (CENT VEN C)
{EE91E841-C09B-4432-A121-8EBAB92E9CD2}
3. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
4. DRESSING CHANGED (DRESS CHAN)
{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
6. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
7. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}
8. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}

9. SYRINGE CHANGED (SYR CHANGE)

{BE84F060-7E03-49DD-A6BC-787375C8E1F1}

10. TUBING CHANGED/LABELED (TUBE CHANG)

{19BA337C-6E28-411E-9702-48B262C593FA}

UNITS:

ID: {845BF472-0D5F-4B42-964D-8D8DBAD4B1D1}

=====

Abbreviation..... PCA LOCK

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA Lock Out - Do Not Check Total or
Subtotals

Help Text..... If the patient pushes the button to
get a dose of medication, a dose will
not be delivered unless the the last
dose has exceeded the lock out

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MINUTE -1 > 0 * 1440 < 1441 Dec Prec: 0

ID: {7CAE5B29-5855-4E16-85DF-4886AF9A75E6}

=====

Abbreviation..... PCA MODE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PCA Mode
Help Text..... Patient Controlled Analgesia Mode
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

1. BASAL RATE ONLY (BASAL ONL)
{4BFFF2BC-837C-4D62-B811-0E547247D4D0}
2. PCA AND BASAL RATE (PCA/BASAL)
{D711BB51-0662-4DD0-8654-C737F6A6686A}
3. PCA ONLY (PCA ONLY) {30E0441A-1098-4FE9-B277-BF2BBD6B1667}

UNITS:

=====

TERM: PCA - PUMP CLEARED

Page: 519

ID: {9CD3B8C5-40C0-4EA4-8325-0B4399A91F53}

=====

Abbreviation..... PCA PUMP C

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PCA - Pump Cleared

Help Text..... PCA Pump Usage History Cleared

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

ID: {851F9560-C9AB-4F6C-AB24-283F64B5943A}

=====

Abbreviation..... PCA REQUES

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Requests

Help Text..... Number of times patient requested
analgesia

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

EVENT(S) -1 > 0 * 1000 < 1001 Dec Prec: 0

ID: {86D637CB-00FC-4F7D-B504-0124FCB7C1A8}

=====

Abbreviation..... PCA: Side
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... PCA - Side Effects
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
3. URINARY RETENTION (Urinary Re)
{959EBBDC-7F67-42EC-8CF0-295F709BB433}
4. WEAKNESS (Weakness) {E4C6D569-7961-4CB4-8E90-A02A31F98094}
5. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
6. ITCHING (Itching) {3A1FB47B-F274-458D-BDF6-E6882D6CB600}
7. TINNITUS (Tinnitus) {846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}
8. CONFUSION (Confusion) {4C1B8247-75C4-4C60-970B-3D7F07BD1164}
9. SOMNOLENT (Somnolent) {008A3F20-DD3D-4775-AA18-CCA7B817A77D}

10. RESPIRATORY DEPRESSION (Resp Depr)

{A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}

UNITS:

ID: {C18B5B5C-B1D5-440C-964B-FD7651AF2F32}

=====

Abbreviation..... Tot 24 hr

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Total Dose 24 hr

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MICROGRAMS -1.00 > -1.00 * 9999.00 < 9999.00

Dec Prec: 2

MILLIGRAMS -1.00 > -1.00 * 9999.00 < 9999.00

Dec Prec: 2

=====

TERM: PCA - TOTAL DOSE WASTED

Page: 523

ID: {1FFE57C3-3A9F-4281-B949-8AABC67CBB99}

=====

Abbreviation..... Wasted

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Total Dose Wasted

Help Text..... Enter a PCA Total Dose Wasted

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER

0.00 > 0.00 * 1000.00 < 1000.00

Dec Prec: 2

=====

TERM: PCA - TOTAL MCG PER SHIFT

Page: 524

ID: {5EEA95D7-D6D8-4FA4-AD1F-C40303A145A5}

=====

Abbreviation..... PCA mcg sh

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Micrograms per Shift

Display Name..... PCA - Total mcg Per Shift

Help Text..... Micrograms per Shift

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MICROGRAMS PER SHIFT 0.0 > 0.0 * 800.0 < 5000.0

Dec Prec: 1

=====

TERM: PCA - TOTAL MG PER SHIFT

Page: 525

ID: {58CCC88B-404B-4D47-A131-472950622B2B}

=====

Abbreviation..... PCA mg shf
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Milligrams per Shift
Display Name..... PCA - Total mg Per Shift
Help Text..... Milligrams per Shift
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MILLIGRAMS PER SHIFT 0.0 > 0.0 * 64.0 < 300.0 Dec Prec: 1

ID: {7A6CB341-8E80-4F5C-B399-857409777BB1}

=====

Abbreviation..... PCA VOL RE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Volume Remaining - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER

-1.00 > 0.00 * 8000.00 < 8001.00

Dec Prec: 2

ID: {B5644934-F363-4BE1-BC2D-473BDECBA9AC}

=====

Abbreviation..... PCA VOL ST

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Volume Start - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER

-1.00 > 0.00 * 8000.00 < 8001.00

Dec Prec: 2

ID: {DE8BBB70-21B4-4955-BEC4-C1E71BBA3E31}

=====

Abbreviation..... POC REV I
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Plan Of Care Revision Indicated
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4BBDBB76-053B-CA20-908E-017F5956DF5E}

=====

Abbreviation..... PLANFL
Active..... Yes
Boolean Value False..... Absent
Boolean Value True..... Present
Data Type..... Boolean
Description..... No Description
Display Name..... Plantar Flexion
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {3657545A-7138-94C0-03A5-3136C51B0369}

=====

Abbreviation..... PR INTERVA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The PR interval is measured from the
beginning of the P wave to the
beginning of the QRS complex

Display Name..... PRI

Help Text..... The PR interval is measured from the
beginning of the P wave to the
beginning of the QRS complex

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

SECOND 0.00 > 0.12 * 0.20 < 1.00 Dec Prec: 2

=====

TERM: PREPROCEDURE: 12 LEAD EKG DONE?

Page: 532

ID: {98DB7D48-ED01-4F73-BD71-82C62F0EBBD2}

=====

Abbreviation..... Pre-Prc 12

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: 12 lead EKG done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {DD181761-D7C1-42B3-A954-801FA62163CA}

=====

Abbreviation..... Pre-Allerg

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Allergies Reassessed
and Documented

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. PATIENT STATED (Pat Stated)

{843654E1-4BC9-4277-9EFC-0B388A70A907}

2. FAMILY STATED (Fam Stated)

{07A4B749-65F2-48E8-AD93-D142B04055B4}

3. CHART VERIFIED CORRECT (Chart Ver)

{319E702F-C7A9-409D-881F-3F4D1D9AF393}

4. ALLERGY WRISTBAND (Wristband)

{BB7F6746-102D-4CBA-8E53-EA465176812B}

UNITS:

=====

TERM: PREPROCEDURE: ANTIBIOTIC GIVEN?

Page: 534

ID: {07D521A2-01EA-404F-96C9-40EBE772E514}

=====

Abbreviation..... Pre-Prc Gv

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Antibiotic given?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: ANTIBIOTIC ORDERED?

Page: 535

ID: {5FBF230D-E096-4980-B96D-B7BB264AE733}

=====

Abbreviation..... Pre-Prc An

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Antibiotic ordered?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: BLOOD TRANSFUSION CONSENT CURRENT?

Page: 536

ID: {9A3B98C0-9478-4BFA-9274-450D8DF363DC}

=====

Abbreviation..... Pre-Prc BI

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Blood Transfusion
consent current?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {42BD0D96-88A9-44CB-94D7-BF43A7F86946}

=====

Abbreviation..... Tran Pref
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Preprocedure: Blood Transfusion
Preference?
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

-
- 10. NO PREFERENCE (No Pref) {CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}
 - 20. AUTOLOGOUS (Autologous) {666DDEC1-5D32-47F6-813C-09F50B4040D2}
 - 30. KNOWN DONOR (Known) {74BEA6F1-8FA5-49C7-9198-957838B1C971}
 - 40. DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (Declines)
{6956B7C1-5996-4ED0-91B7-040992E11DED}

UNITS:

=====

TERM: PREPROCEDURE: CHEST XRAY DONE?

Page: 538

ID: {37CC251D-A494-4E4C-AECA-D90C4AEAEF4F}

=====

Abbreviation..... Pre-Prc Xr

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Chest Xray done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: DENTURES REMOVED?

Page: 539

ID: {BA505699-D88A-41FB-AAC7-DCBE13D35D0C}

=====

Abbreviation..... Pre-Dentur

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Dentures removed?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {607C2938-639D-417D-9CFE-6FC1A6CEDB7F}

=====

Abbreviation..... Clothing

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Disposition of Clothing

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 7 entries

1. CLOTHING ROOM (Cloth Room)

{8F116C60-10B1-4033-93F2-9121629CD608}

2. LOCKER (Locker) {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

3. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}

4. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

5. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}

6. UNDER STRETCHER/BED (Stretcher)

{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}

7. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

ID: {7AD9207F-B87B-445D-A567-D229DBF475E0}

=====

Abbreviation..... Pre-Val
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Preprocedure: Disposition of Valuables
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. CLOTHING ROOM (Cloth Room)
{8F116C60-10B1-4033-93F2-9121629CD608}
2. AGENT CASHIER (Cashier) {3849A887-F353-4215-88FD-DDD0188BE1BB}
3. LOCKER (Locker) {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}
4. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}
5. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}
6. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
7. LOCK BOX (Lock Box) {974A2F44-C918-4E85-ABAF-03A21498F98B}
8. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

=====

TERM: PREPROCEDURE: DRAINAGE BAG EMPTIED?

Page: 542

ID: {5520FD8E-7B0B-45AD-A3BC-554CEBBC7109}

=====

Abbreviation..... Dr Bag Emp

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Drainage Bag Emptied?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {C68E61EA-C493-41D2-A558-95ED48B2C353}

=====

Abbreviation..... Pre-driver

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Driver/Escort to Home
Confirmed

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-
- 1. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}
 - 2. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
 - 3. RELATIVE (Relative) {F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}
 - 4. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}

UNITS:

=====

TERM: PREPROCEDURE: FINGERSTICK GLUCOSE DONE?

Page: 544

ID: {98B3541C-372E-4876-ABD2-74E04AF23DF0}

=====

Abbreviation..... Pre-Finger

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Fingerstick Glucose done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: GLASSES / CONTACTS REMOVED?

Page: 545

ID: {FBE31829-FEFC-4C11-8D62-EDCF94EA28EF}

=====

Abbreviation..... Pre-Glass

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Glasses / Contacts
removed?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: H AND P CURRENT?

Page: 546

ID: {CF191D5F-A3FF-4169-8A47-1C799BA22C48}

=====

Abbreviation..... Pre-Prc HP

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: H and P current?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: HEARING AIDS IN PLACE?

Page: 547

ID: {173DAC5E-4332-4D0B-A232-98DA65305234}

=====

Abbreviation..... Pre-Hear

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Hearing Aids in place?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {9700CD4B-2EB1-4205-B88E-405A1F77A025}

=====

Abbreviation..... Home Meds

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Preprocedure: Home Medications
taken/time

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: HOSPITAL GOWN ON?

Page: 549

ID: {62B89BA3-009B-4A2A-A6E4-E82B527FBC40}

=====

Abbreviation..... Pre-Gown

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Hospital Gown on?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: INFORMED CONSENT CURRENT

Page: 550

ID: {068445ED-622A-4549-842D-0D88922EF8CE}

=====

Abbreviation..... Pre-Prc In

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Informed Consent current?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: JEWELRY REMOVED?

Page: 551

ID: {8220E017-8816-452A-B2E1-07209A167781}

=====

Abbreviation..... Pre-Jewel

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Jewelry Removed?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: LABS DONE?

Page: 552

ID: {88D2EB1F-C5E5-4190-A697-17C1E078A12B}

=====

Abbreviation..... Pre-Prc La

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Labs Done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: NPO SINCE (DATE/TIME)

Page: 553

ID: {64F57F8D-DDB7-4CB7-9C71-F9C6C334F717}

=====

Abbreviation..... Pre-NPO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Preprocedure: NPO Since (Date/Time)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {E1A863DE-002C-47DD-A3AF-A5012F878CD6}

=====

Abbreviation..... Plan Disp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Disposition Post
Procedure

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

10. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

20. WARD (WARD) {A16CB5CB-3401-4F6C-8467-7F78FC929872}

30. OUTPATIENT (Outpatient) {CFDEB843-1AB5-4B6B-870C-1729EA4E05A9}

40. CONTRACT CARE FACILITY (Contr Care)
{74CA0AAE-119B-4D54-B7A1-3DA5B8CA6AF6}

50. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====

TERM: PREPROCEDURE: PLANNED PROCEDURE

Page: 555

ID: {696F0ABC-ADA5-4BDF-8EE6-CF9FCA84581C}

=====

Abbreviation..... Pre-Prc PI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Preprocedure: Planned Procedure

Help Text..... Enter name of procedure to be performed

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: PREMEDICATION ADMINISTERED?

Page: 556

ID: {05DCC583-7E1E-4D21-AED5-726A507C2A07}

=====

Abbreviation..... Pre-Admin

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Premedication

Administered?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: PREMEDICATION ORDERED?

Page: 557

ID: {13AD97AD-C093-4341-BC4E-834A5B016727}

=====

Abbreviation..... Pre-Meds

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Premedication ordered?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {A9CAE001-E29B-42AB-B353-63E255803169}

=====

Abbreviation..... Site Marke

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Procedure Site Marked
Correctly

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

3. SITE UNABLE TO BE MARKED (Unable/Mar)
{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}

4. PATIENT REFUSES MARKING (Pat Refuse)
{93CE893B-AFE1-4047-9EE9-2AD6388C0086}

UNITS:

=====

TERM: PREPROCEDURE: PROSTHETICS/IMPLANTS?

Page: 559

ID: {3D026E62-A5F3-4F9E-93D9-401B23EF32FB}

=====

Abbreviation..... Pre-Pros

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Prosthetics/Implants?

Help Text..... This can be used for identifying
implants the patient possess and the
information captured from patient,
family or other source

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: PULMONARY FUNCTION TEST DONE?

Page: 560

ID: {F818A685-84D0-450D-B81A-72F2EE4714D7}

=====

Abbreviation..... P/F Test?

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Pulmonary Function Test
Done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP NIGHT BEFORE? Page: 561

ID: {6CA6D46F-D9A9-49F3-95C3-EE0F91CB852E}

=====

Abbreviation..... Chlor PM?

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Shower/Bath W
Chlorhexidine Soap Night Before?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {E88314D8-0870-42E5-84CE-9A9A90151142}

=====

Abbreviation..... Chlor AM?

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Shower/Bath W

Chlorhexidine Soap this AM?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: TYPE AND CROSS MATCH DONE?

Page: 563

ID: {6CC89C30-4F13-4ECA-9D80-2A80BEB13120}

=====

Abbreviation..... Pre-Prc Cr

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Type and Cross Match
done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: TYPE AND SCREEN DONE?

Page: 564

ID: {801BD31C-760C-41DD-BE7B-F55B5C7018AD}

=====

Abbreviation..... Pre-Prc TS

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Type and Screen done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: VITALS SIGNS DONE?

Page: 565

ID: {749E6863-8E6B-43F2-A521-84959FF0260B}

=====

Abbreviation..... Pre-Vitals

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Vitals Signs done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: VOIDED?

Page: 566

ID: {F35A4852-958D-4F51-A36F-1730EC7629E3}

=====

Abbreviation..... Pre-Voided
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description.....
Display Name..... Preprocedure: Voided?
Help Text.....
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

ID: {CC98B260-63A7-43DF-956C-AFE2EE8974D4}

=====

Abbreviation..... PR UL COLO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pressure Ulcer Color
Display Name..... Pressure Ulcer Color
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

2. BLACK/NECROTIC (BLACK/NECR)

{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}

3. YELLOW/FIBRINOUS (YELLOW/FIB)

{47CF52FE-0374-4690-ADA1-643E0954E035}

40. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

50. PINK / GRANULATING (Pink/Gran)

{05245B27-3292-48B2-9F37-6AB9BB92395B}

60. SLOUGH (SLOUGH) {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}

70. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

=====

TERM: PRESSURE ULCER DEPTH

Page: 568

ID: {A829C7B5-B0E5-4B7B-882A-BA63337C65F8}

=====

Abbreviation..... PR UL DEPT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Ulcer Depth

Display Name..... Pressure Ulcer Depth

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

-1.00 > 0.00 * 20.00 < 40.00

Dec Prec: 2

ID: {A1A771D4-AF2C-4023-9265-461975D995CF}

=====

Abbreviation..... PR UL DRAI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pressure Ulcer Drainage Character
Display Name..... Pressure Ulcer Drainage
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 9 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
 3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
 4. SEROSANGUINOUS (SEROSANGUI)
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
 5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
 6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
 8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}
 90. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

ID: {856A2512-422F-479E-A0D3-A9CF12923016}

=====

Abbreviation..... PR UL D P

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Pressure Ulcer Dressing Prevents
Assessment

Display Name..... Pressure Ulcer Dressing Prevents
Assessment

Help Text..... Does the pressure ulcer dressing
prevent a full assessment?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PRESSURE ULCER LENGTH

Page: 571

ID: {B31F418F-99E1-4273-BB5B-3C56745B38C5}

=====

Abbreviation..... PR UL LENG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Ulcer Length

Display Name..... Pressure Ulcer Length

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER -1.00 > 0.00 * 50.00 < 100.00

Dec Prec: 2

=====

TERM: PRESSURE ULCER ODOR

Page: 572

ID: {48FE49CA-D1FE-4812-ACB2-D4540B0EC2B9}

=====

Abbreviation..... PR UL ODOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Odor

Display Name..... Pressure Ulcer Odor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. FOUL SMELLING (FOUL SMELL)

{761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:

=====

TERM: PRESSURE ULCER PHOTOGRAPHED

Page: 573

ID: {453C53C4-516D-4FE6-9032-496517880D3F}

=====

Abbreviation..... PR UL PHOT

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the pressure ulcer photographed?

Display Name..... Pressure Ulcer Photographed

Help Text..... Was the pressure ulcer photographed?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4C16776B-B53E-441C-AA73-BA1083D9F626}

=====

Abbreviation..... PR ULC BOO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Prevention Boots

Display Name..... Pressure Ulcer Prevention Devices

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 9 entries

1. ELBOW PAD (ELBOW PAD) {26942F81-1E33-4962-B772-A96FFBCED814}

2. FOAM AIR HEEL ELEVATOR (FO AI HEEL)

{4EC26AA3-4577-4808-8728-F360C5C5A0D4}

3. HEEL LIFT (HEEL LIFT) {974F90E6-382D-421A-A4CE-94A74CBEFC32}

5. INFLATABLE HEEL LIFT (INF HEEL L)

{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}

6. RIGID HEEL SPLINT (RIG HEEL S)

{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}

7. MULTIPODOUS (MULTIPODOU) {ED098F9D-B204-4310-813A-98D91FF9DD25}

8. WAFFLE (WAFFLE) {29A0FA73-CAA7-4660-9861-79A09F6DD98C}

90. SPECIALTY MATTRESS/BED (Specialty)

{6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}

100. OTHER (ADD COMMENTS) (Other)

{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}

UNITS:

ID: {A6658726-4361-4B3C-932D-AF2C0F9D6E54}

=====

Abbreviation..... PRE ULC RF
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pressure Ulcer Risk Factors
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. BARIATRIC PATIENT (BARIAC PAT)
{6F614334-685E-4533-A475-BDF5440855EA}
 3. DEVICE RELATED PRESSURE (DEV REL PR)
{3AED6107-A173-4B53-8EB5-2FB2B3336FC5}
 4. END OF LIFE CARE (END LIFE)
{047D8977-0567-4B90-AD6A-3AAF8DB35238}
 5. HYPOALBUMINEMIA (HYPOALBUM)
{A3397F38-2491-48E7-8366-A6FA2D91E866}
 6. VASOPRESSOR (VASOPRESS) {591FCB09-1287-48C6-8007-4CE961296BA9}

7. REFUSE TO MOVE (REF TO MOV)

{E14588CE-2498-4FE8-AB0B-E954DC1696AC}

8. UNSTABLE (UNSTABLE) {5841C521-8070-4034-A69D-27DAB2990EB3}

9. VERY LOW BMI (LOW BMI) {78B3A37B-938B-42E5-A403-75E206722BC3}

UNITS:

=====

TERM: PRESSURE ULCER SINUS/UNDERMINING

Page: 576

ID: {CAE9260D-3B9E-433E-8FCD-F5D98A0EB02D}

=====

Abbreviation..... PR UL SINU

Active..... Yes

Boolean Value False..... Not Present

Boolean Value True..... Present

Data Type..... Boolean

Description..... Pressure Ulcer Sinus/Undermining

Display Name..... Pressure Ulcer Sinus/Undermining

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4DA7EC17-AF79-4FCC-A75F-F1CEB4FE1172}

=====

Abbreviation..... PR UL STAG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pressure Ulcer Stage
Display Name..... Pressure Ulcer Stage
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

7. SUSPECTED DEEP TISSUE INJURY (SUS DEEP T)

{E82B4082-646F-4B5A-B68E-BB0872A4F6D2}

8. STAGE I (STAGE I) {B376AAAF-7143-4422-BCA2-CACF1201817C}

9. STAGE II (STAGE II) {B520BEA3-841E-490A-A3CD-63D1027B561F}

10. STAGE III (STAGE III) {A2F0866C-ECEE-4FCD-A34B-498232662D7E}

11. STAGE IV (STAGE IV) {284334AA-E488-4D45-93EF-9B93B2086A63}

12. UNSTAGEABLE (UNSTAGEABL) {5C507F64-2EC0-4FD8-A786-94D76D90C0D1}

LOCATION: 51 entries

1. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
2. HEAD OCCIPITAL (HEAD OCCIP)
{2066CA47-5A16-447F-9919-24ED435B627F}
3. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
4. L ANTECUBITAL (L ANTECUBI)
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
5. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
6. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
7. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
8. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
9. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
10. L HEAD (L HEAD) {3737DC2D-DC9E-4FC8-839D-0355987B62D1}
11. L HEEL (L HEEL) {C9154881-17C7-4921-A0EE-BFB962C59CEF}
12. L INNER KNEE (L INN KNEE) {79853581-CCF0-49E9-9D91-D16DE02A836D}
13. L ISCHIAL (L ISCHIAL) {DCDAD741-9599-4479-9D55-3279F800DBE6}
14. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
15. L OUTER KNEE (L OUT KNEE) {B143C935-2687-49C3-9F65-8D69C1775ABC}
16. L RIBS (L RIBS) {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}
17. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
18. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
19. L TROCHANTER (L TROCHANT) {C91647A4-255D-40E4-A24D-01274E5D799F}
20. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
21. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
22. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
23. R ANTECUBITAL (R ANTECUBI)
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
24. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
25. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}

26. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
27. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
28. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
29. R HEAD (R HEAD) {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}
30. R HEEL (R HEEL) {0020DD20-2EA4-4362-ADF0-07BFA220C60E}
31. R INNER KNEE (R INN KNEE) {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}
32. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}
33. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
34. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}
35. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}
36. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
37. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
38. R TROCHANTER (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}
39. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
40. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}
41. FOREHEAD (FOREHEAD) {5F892722-956E-474C-BA08-4074142D49F6}
42. L LATERAL HEEL (L LAT HEEL)
{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}
43. R LATERAL HEEL (R LAT HEEL)
{A1896CF9-0246-4323-8DED-E4B5FB12CACE}
44. L MEDIAL HEEL (L MED HEEL)
{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}
45. R MEDIAL HEEL (R MED HEEL)
{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}
46. L LATERAL MALLEOLUS (L LAT MALL)
{9A523B7C-64DD-4E47-9543-165788108D4C}
47. R LATERAL MALLEOLUS (R LAT MALL)
{950FC45B-93E8-424F-A5D4-DE646166D7B0}

48. L MEDIAL MALLEOLUS (L MED MALL)

{330E7682-407F-43CD-84FC-1CDA41F08C68}

49. R MEDIAL MALLEOLUS (R MED MALL)

{C70FB4FA-6516-4567-8E26-46BA439F1DF4}

50. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

51. TRACHEOSTOMY (TRACHEOSTO) {4D12329A-56C8-4175-986F-2F0B68EB7E6D}

UNITS:

ID: {669EE6DD-D4AA-417C-BB27-81F648BE25F3}

=====

Abbreviation..... PR UL TREA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Methods used for treatment of
Pressure Ulcer

Display Name..... Pressure Ulcer Treatment

Help Text..... Methods used for treatment of
Pressure Ulcer

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 25 entries

1. ANTIBIOTIC OINTMENT (AB OINTMEN)

{352D9690-77BB-44DC-919E-5357876DEAC4}

2. BACTERICIDAL (BACTERIOCI) {680E4A3C-A40A-461E-818D-003AE8A1EFC8}

3. BACTERIOSTATIC (BACTERIOST)

{AB74D109-8ED7-4A6C-B028-7A041781DF67}

4. CADEXOMER IODINE (CADEXO IOD)

{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}

5. CALCIUM ALGINATE (CA ALGINAT)

{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

6. COLLAGEN (COLLAGEN) {8D734495-2FAF-41C0-9146-55B22583A830}

7. DILUTE DAKINS SOLUTION (DL DAKINS)

{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}

8. ENZYMATIC OINTMENT (ENZY OINTM)

{E781DA75-8777-4884-A093-FB623774DB8F}

9. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}

10. GAUZE PACKING (GAUZE PACK)

{6C093717-82CB-4966-929E-C909310649C1}

11. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}

12. HYDROCOLLOIDAL DRESSING (HCOLL DRES)

{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

13. HYDROFIBER (H-FIBER) {42740A7F-A831-4FBD-9E59-88F315176674}

14. HYDROFIBER WITH SILVER (HYFIB W SI)

{04BD9512-DE5D-421A-9818-8A33D1F0693D}

15. HYDROGEL DRESSING (H-GEL DRES)

{F6192D10-D6EA-42C2-AB15-270659D9925C}

16. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}

17. NEGATIVE PRESSURE THERAPY DEVICE (NEG PRE TH)

{8AF0A069-66AD-4114-99D8-238AD987F0FF}

18. SALINE MOIST DRESSING (SAL MOI DR)

{19F98514-8ABF-461C-9969-C31177FE7DE7}

19. TRANSPARENT DRESSING (TRANSP DRE)

{777C7722-AEA8-4A0B-9ADD-1157D37AE539}

20. PETROLATUM (PETROLATUM) {DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}

21. PORCINE SUBMUCOSA (PORC SUBMU)

{6F3917DA-74BD-4790-9D4D-B284E27B7623}

22. SILVADENE (SILVADENE) {0889134F-C419-4366-B12E-EAB775719410}

- 23. XENADERM (XENADERM) {F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}
- 24. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}
- 30. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====

TERM: PRESSURE ULCER TUNNEL

Page: 579

ID: {584775CB-EB35-47BB-A7D4-62966A23D0DF}

=====

Abbreviation..... PRE ULC TU

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Pressure Ulcer Tunnelling

Help Text..... Is the Pressure Ulcer Tunnelling?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PRESSURE ULCER TUNNEL LENGTH

Page: 580

ID: {D7FC23D9-8C2B-42F0-A545-5102AFC22335}

=====

Abbreviation..... PR UL TU L

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pressure Ulcer Tunnel Length

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

-1.0 > 0.0 * 15.9 < 16.0 Dec Prec: 1

=====

TERM: PRESSURE ULCER UNDERMINING

Page: 581

ID: {CF9D2160-4E70-452C-B0D1-D14A4E5662CE}

=====

Abbreviation..... PRE ULC UM

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Pressure Ulcer Undermining

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PRESSURE ULCER WIDTH

Page: 582

ID: {2C1FCC95-E9D1-40A6-ACD7-58E0D4324E4E}

=====

Abbreviation..... PR UL WIDT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Ulcer Width

Display Name..... Pressure Ulcer Width

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER -1.00 > 0.00 * 50.00 < 100.00

Dec Prec: 2

ID: {81AEBA1E-F786-4091-A3E3-C9516318234B}

=====

Abbreviation..... Proc Loc

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Procedure Location

Help Text..... Document physical environment in
which the procedure is occurring.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 12 entries

1. PULMONARY PROCEDURE ROOM (Pul Proc Rm)
{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}
2. CARDIOLOGY PROCEDURE ROOM (Cardio Rm)
{744142F5-D301-4509-A96D-06AB8C1D2C81}
3. SPECIAL PROCEDURE ROOM (Special Rm)
{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}
4. EMERGENCY DEPT (Emer Dept)
{E8490DF5-278C-4102-9675-C9B40D596A10}
5. GI PROCEDURE ROOM (GI Proc Rm)

{924532F4-B52F-4EA9-8C7D-59168B340118}

6. GU PROCEDURE ROOM (GU Proc Rm)

{D4B6678F-C1DD-4A23-9045-574251F6CD74}

7. DENTAL (Dental) {0A60F06A-ED63-4B06-8FF9-EEFB12567D65}

8. RADIOLOGY (Radiology) {AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}

9. INTERVENTIONAL RADIOLOGY (Interv Rad)

{322B66E6-814F-43AF-B669-E503519DB72F}

10. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

11. BEDSIDE (Bedside) {481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}

12. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

ID: {AFB2D7A6-54C9-4891-B799-BAFB0A1F9F49}

=====

Abbreviation..... Proc Pers
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Procedure Personnel
Help Text..... Identify personnel present
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 17 entries

- 10. PHYSICIAN (PHYSICIA) {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}
- 20. NP (NP) {E7EA4017-4374-41A1-9D3D-54051CEDF63C}
- 30. PA (PA) {C057C47D-780A-4230-B577-2C528AD09DEB}
- 40. DENTIST (Dentist) {DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}
- 50. CNS (CNS) {487A4DE0-A822-437D-87A2-75FA86D7BBDE}
- 60. ANESTHESIOLOGIST (Anesthesio)
{44BAD970-DD8F-4015-9C41-AC7868CEBE79}
- 70. CRNA (CRNA) {41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}
- 80. LVN/LPN (LVN/LPN) {DC89CD99-80C5-4455-A280-3A19E74DCE7D}
- 90. HEALTH TECH (Health Tec) {7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}

- 100. RESP TECH (Resp Tech) {8A7BA130-3EDC-4D07-A852-846B37399FC9}
- 110. RAD TECH (Rad Tech) {EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}
- 120. STUDENT (STUDENT) {613AFF67-9121-4F6C-A44F-1ACFEF10E612}
- 130. RN (RN) {A103E506-EAA5-4777-8126-268CD723AD87}
- 140. NSG ASSIST (Nsg Assist) {14FA9638-3786-4FEA-BE8F-2345C1F455C3}
- 150. VENDOR REP (Vendor Rep) {4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}
- 160. TECH (Tech) {13AAF5D5-FEBC-4E09-B972-5D86BA02F307}
- 170. OTHER (SEE COMMENTS) (Other)
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

ID: {709E6959-A58C-454C-A2A4-2AF69483F21B}

=====

Abbreviation..... Proc Time

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Procedure Time

Help Text..... When entering data, make sure the
save date/time reflects the start or
stop time.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. START TIME: (Start Time) {4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}
2. STOP TIME: (Stop Time:) {784CA4D8-988F-4A59-8AB5-48AFC9CA210B}

UNITS:

=====

TERM: PROCEDURE, PLANNED

Page: 586

ID: {87C9E441-B4EA-4F72-9CDF-B9DCC072F86A}

=====

Abbreviation..... Proc, Plan

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Procedure, Planned

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PULMONARY ARTERY DIASTOLIC

Page: 587

ID: {A7126912-49DD-A952-8731-D06A323D2C3E}

=====

Abbreviation..... PAD

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pulmonary Artery Diastolic Pressure

Display Name..... Pulmonary Artery Diastolic Pressure

Help Text..... Pulmonary Artery Diastolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY

0 > 8 * 15 < 30

Dec Prec: 0

=====

TERM: PULMONARY ARTERY MEAN PRESSURE

Page: 588

ID: {BE486939-CA23-58EF-ADE2-A34D19C4F41F}

=====

Abbreviation..... PAM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pulmonary Artery Mean Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLIMETERS OF MERCURY 0 > 9 * 19 < 50 Dec Prec: 0

=====

TERM: PULMONARY ARTERY SYSTOLIC

Page: 589

ID: {4DFDF10B-3501-87E1-0EB8-AD3772E60012}

=====

Abbreviation..... PAS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pulmonary Artery Systolic

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 0 > 15 * 25 < 50 Dec Prec: 0

=====

TERM: PULMONARY CAPILLARY WEDGE PRESSURE

Page: 590

ID: {9D3EB2BE-9492-CDE3-03EC-07FE580E22E0}

=====

Abbreviation..... PCWP WEDGE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pulmonary Capillary Wedge Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLIMETERS OF MERCURY 0 > 8 * 12 < 30 Dec Prec: 0

=====

TERM: PULMONARY CARE

Page: 591

ID: {A7906E15-CBF1-A881-F3C7-4DF41A6A85B6}

=====

Abbreviation..... PUL CARE
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Pulmonary Care
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PULMONARY SECRETION AMOUNT

Page: 592

ID: {FEED2CE3-F697-D1AB-AB1B-72A7968F0EB0}

=====

Abbreviation..... PUL SEC AM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... AMOUNT OF SPUTUM FROM PATIENT

Display Name..... Pulmonary Secretion Amount

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

-
1. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
 5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

UNITS:

ID: {52529F3D-B461-1C5E-892A-1E46DFB8C003}

=====

Abbreviation..... SPUTUM COL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Color of sputum
Display Name..... Pulmonary Secretion Color
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

-
- 1. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 - 2. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
 - 3. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
 - 4. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
 - 5. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
 - 6. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
 - 7. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 8. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

UNITS:

=====

TERM: PULMONARY SECRETION CONSISTENCY

Page: 594

ID: {633A949F-FED1-7A86-5DEA-C62DAC802B7B}

=====

Abbreviation..... P SECR CON

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Sputum Consistency

Display Name..... Pulmonary Secretion Consistency

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-
1. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
 2. TENACIOUS (TENACIOUS) {EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}
 3. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:

=====

TERM: PULMONARY SUCTIONING EVENT

Page: 595

ID: {6A5A8DA3-859F-4BE3-9673-EA26D463D5F7}

=====

Abbreviation..... PUL SUC EV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Patient needed and got Pulmonary

Suctioning

Display Name..... Pulmonary Suctioning Event

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

EVENT(S)

-1 > 0 * 30 < 100

Dec Prec: 0

=====

TERM: PULMONARY SUCTIONING FREQUENCY

Page: 596

ID: {2B44A4A5-9DEA-0B46-777F-CE2C3822A514}

=====

Abbreviation..... PUL SUC FR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... FREQUENCY OF PATIENT'S PULMONARY
SUCTIONING

Display Name..... Pulmonary Suctioning Frequency

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

EVENTS PER HOUR -1 > 0 * 100 < 101 Dec Prec: 0

ID: {D011DC21-02E6-463B-DF02-6E4ADD94D703}

=====

Abbreviation..... PUL SUC SI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... SITE OF PATIENTS PULMONARY SUCTIONING
Display Name..... Pulmonary Suctioning Site
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 1. ORAL (ORAL) {BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}
 - 2. NASAL (NASAL) {0F73F0CB-E25E-4611-9625-62E6F1596A9B}
 - 3. ARTIFICIAL AIRWAY (ART AIRWAY)
{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}
 - 4. TRACHEOSTOMY (TRACHEOSTO) {2B0B7599-847E-852F-D16F-091CAAA4B205}

UNITS:

=====

TERM: PULMONARY VASCULAR RESISTANCE

Page: 598

ID: {56E4D7F3-EC49-B76A-B223-3C9E62E8B0ED}

=====

Abbreviation..... PVR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pulmonary Vascular Resistance

Display Name..... Pulmonary Vascular Resistance

Help Text..... Pulmonary Vascular Resistance

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

DYNE * SECONDS / CM(-5) * M2 50 > 150 * 250 < 500 Dec Prec: 0

=====

TERM: PULMONARY VASCULAR RESISTANCE INDEX

Page: 599

ID: {F98F291B-14F4-AA32-F218-E146364D9754}

=====

Abbreviation..... PVRI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pulmonary Vascular Resistance Index

Display Name..... Pulmonary Vascular Resistance Index

Help Text..... Pulmonary Vascular Resistance Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

DYNE * SECONDS / CM(-5) / M2 20 > 80 * 240 < 350 Dec Prec: 0

ID: {FCA63B76-EF4C-EBE5-33C1-F1EEBD7A7BC4}

=====

Abbreviation..... P
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Beats per minute
Display Name..... Pulse - Do Not Check Total or Subtotals
Help Text..... Heart beats per minute,
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4500636

LOCATION: 12 entries

1. APICAL (Ap) {C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}
2. AV FISTULA (AVF) {F977EEF6-EA6A-D56D-D1F7-29B91510A02F}
3. BILATERAL PERIPHERALS (BILAT PERI)
{7F134529-36C5-E9D4-ABD5-64B404F9E706}
4. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}
5. CAROTID (Car) {9536F203-1797-9336-6F69-604249E1B3A0}
6. DORSALIS PEDIS (DP) {9657D743-1632-2044-B4C5-9EF291A2F6D0}
7. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}
8. PERIPHERAL (Per) {36B31698-E84A-5792-8EAE-F374DFD1B55A}
9. POPLITEAL (Pop) {77030DF2-CE06-D9E2-0684-EE70209CBE73}

- 10. POSTERIOR TIBIAL (PT) {010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}
- 11. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}
- 12. ULNAR (Uln) {81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}

METHOD: 13 entries

-
- 1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
 - 2. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
 - 3. AUSCULTATE (Aus) {0C629C1F-92D3-C641-B02C-9EA43B401DC9}
 - 4. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
 - 5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
 - 6. LEAD (L) {B628FDCE-05E0-DACF-E66E-0F8380AB465A}
 - 7. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
 - 8. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
 - 9. PALPATED (Pal) {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}
 - 10. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}
 - 11. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}
 - 12. ELECTROCARDIOGRAM TRACE 1 (ECG TR 1)
{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}
 - 13. ELECTROCARDIOGRAM TRACE 2 (ECG TR 2)
{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}

POSITION: 4 entries

-
- 1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
 - 2. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
 - 3. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
 - 4. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

QUALITY:

2 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

BEATS PER MINUTE 0 > 60 * 100 < 300 Dec Prec: 0

1. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
2. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
3. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
4. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
5. R POST TIBIAL (R PO TIB) {88CDA53A-5153-4950-701A-3F4F2007CC6B}
6. L POST TIBIAL (L PO TIB) {BED130EE-31CC-C7E9-6597-78685BCE91AC}
7. R PEDAL (R PEDAL) {9532B614-F4E1-316C-1322-905EB58E58C4}
8. L PEDAL (LEFT PEDAL) {D84E9953-8C17-3130-8F21-A30D2A99FDE4}

UNITS:

ID: {9FCBF7CF-39B8-9710-6F41-9B7DDDC3BDD2}

=====

Abbreviation..... PREA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pupil Reaction
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 9 entries

-
- 1. FIXED (f) {697D8C5A-976F-F423-30EC-A04102CF85F0}
 - 2. SLUGGISH (s) {3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}
 - 3. EYE CLOSED (ec) {140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}
 - 4. DRESSING (d) {FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}
 - 5. REACTIVE (Reactive) {31B44ADB-0000-A5B0-5F56-59D4A08C05D2}
 - 6. NONREACTIVE (nonreact) {AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}
 - 7. BRISK (brisk) {980AE687-0A78-458B-BA7B-5D646C38A5F5}
 - 8. PINPOINT (pinpoint) {4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}
 - 9. DILATED (Dilated) {BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}

LOCATION:

3 entries

1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
3. BOTH EYES (Both Eyes) {FF0ED136-502C-4CC9-94D0-991A50D738A0}

UNITS:

=====

TERM: PUPIL SIZE

Page: 603

ID: {80D7541F-0EE5-D362-E781-F825A9848E8C}

=====

Abbreviation..... PS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Pupil Size
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

LOCATION: 3 entries

-
1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
 2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
 3. BOTH EYES (Both Eyes) {FF0ED136-502C-4CC9-94D0-991A50D738A0}

UNITS:

MILLIMETERS 0 > 1 * 9 < 11 Dec Prec: 0

=====

TERM: QRS

Page: 604

ID: {7E76309C-0486-40CC-B14F-0D9B042C1D83}

=====

Abbreviation..... QRS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The QRS complex is a structure on the
ECG that corresponds to the
depolarization of the ventricles.

Display Name..... QRS Complex

Help Text..... The QRS complex is a structure on the
ECG that corresponds to the
depolarization of the ventricles.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

SECOND 0.02 > 0.04 * 0.12 < 0.24 Dec Prec: 2

=====

TERM: QT

Page: 605

ID: {5226FEC7-8AD3-AE64-4122-6F9D2925448A}

=====

Abbreviation..... QT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The QT interval is measured from the
beginning of the QRS complex to the
end of the T wave.

Display Name..... QT Interval

Help Text..... The QT interval is measured from the
beginning of the QRS complex to the
end of the T wave.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

SECOND 0.10 > 0.30 * 0.46 < 1.00 Dec Prec: 2

=====

TERM: RECTAL TUBE PRESENT

Page: 606

ID: {D05DB527-8EDD-4324-B7B5-989AC004486E}

=====

Abbreviation..... REC TU PRE

Active..... Yes

Boolean Value False..... Not Present

Boolean Value True..... Present

Data Type..... Boolean

Description..... Rectal Tube Present

Display Name..... Rectal Tube Present

Help Text..... Rectal Tube Present

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {08E66099-B598-4126-925C-57592446916D}

=====

Abbreviation..... End-Tidal

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Respiration: End-Tidal CO2

Help Text..... The measurement of carbon dioxide
concentration in a patient's breath,
assumed to reflect arterial carbon
dioxide tension.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLIMETERS OF MERCURY 0.0 > 0.0 * 120.0 < 120.0 Dec Prec: 1

ID: {5E7469A0-F426-2342-DA03-7054F44D7614}

=====

Abbreviation..... RESP PATT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Respiratory Pattern
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

1. REGULAR (REGULAR) {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}
2. IRREGULAR (IRREGULAR) {6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}
3. DEEP (DEEP) {78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}
4. SHALLOW (SHALLOW) {CD205617-BF98-4177-971A-056AFECC823A}
5. DYSPNEIC (DYSPENIC) {4C6B42D9-694F-5EB2-6396-7ED85D5B154E}
6. ORTHOPNEIC (ORTHOPNIC) {FF373BD7-FD84-DF43-7A44-1B8E62917116}
7. ABDOMINAL (ABDOMINAL) {29E279F4-5D2E-4644-A2FA-CF85BEDFD480}
8. CHEYNE-STOKES (CHEYNE-STO)
{58DD2B80-B522-499C-2C60-C48A654BAD84}
9. KUSSMAUL (KUSSMAUL) {0C5ED066-F445-ABFE-F7B1-D158EC7C2976}

10. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}

11. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}

UNITS:

ID: {973ED2C0-0625-7DF9-17DC-8FFF7E376F23}

=====

Abbreviation..... RR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... RESPIRATIONS PER MINUTE

Display Name..... Respiratory Rate - Do Not Check Total
or Subtotals

Help Text..... Breaths per minute

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4688725

METHOD: 8 entries

1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}
3. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
4. CONTROLLED VENTILATOR (CV)
{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}
5. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
6. SPONTANEOUS (S) {5E9463BC-C871-54FD-F800-DCFDEDB8A93B}
7. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}
8. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION:

6 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
4. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
5. SUPINE (SUPINE) {DEA8A744-B445-4A9E-875D-485E060F2ACC}
6. TRENDELENBURG (Tr) {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}

UNITS:

BREATHS PER MINUTE -1 > 12 * 20 < 201 Dec Prec: 0

=====

TERM: RESTRAINT CIRCULATION CHECK

Page: 610

ID: {8EC55F7A-AEAB-4734-86CA-7573FC938138}

=====

Abbreviation..... Res Cir Ck

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Restraint Circulation Check

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {4B4C42F3-0F9E-40BE-90AB-C744E91228B0}

=====

Abbreviation..... RES CRITER

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Restraint Criteria

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 7 entries

1. RES CRIT: LINES (R.C. LINE)
{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}
2. RES CRIT: EQUIPMENT (R.C. EQUI)
{38C2C56C-6D57-4750-8E68-F1193B16190A}
3. RES CRIT: AMBULATE (R.C. AMBU)
{54B72608-2C13-46CD-8034-00179669762C}
4. RES CRIT: UNABLE TO FOLLOW DIRECTIONS (R.C. DIRE)
{41358EAE-9912-48F8-8931-D3C635406D21}
5. RES CRIT: COMBATIVE (R.C. COMB)
{38DBF61A-D364-4215-B4AA-36B660F96462}

6. RES CRIT: AGGRESSIVE (R.C. AGGR)

{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}

7. RES CRIT: HARM TO SELF (R.C. HARM)

{4DC33341-8F53-4D30-BC28-1E32DB54F30D}

UNITS:

=====

TERM: RESTRAINT DEVICE TRIAL RELEASE

Page: 612

ID: {90F7D38E-9E01-4907-8729-8ED436424CCC}

=====

Abbreviation..... Res Tr Rel

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Restraint Device Trial Release

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {08B0A919-200B-4874-993B-E9924E9A439F}

=====

Abbreviation..... RES EDUCAT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Education
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. FAMILY INFORMED (FAM INFORM)
{77135D32-9CDD-4D3F-9B62-6E8189B77844}
 2. PATIENT INFORMED (PAT INFORM)
{074A1D19-3920-49F1-8958-2EB6F9CF05BA}

UNITS:

ID: {05693D33-977E-4089-988F-4FE029D64BE4}

=====

Abbreviation..... RES EDU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Education Type
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

1. RESTRAINTS EXPLAINED (RES EXPL)
{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}
2. RESTRAINTS ED TYPE (RES ED TY)
{5560A332-C365-4DAF-BA33-610C4AE301F5}
3. RESTRAINTS ED REMOVAL (RES ED REM)
{B19316C8-687B-48FB-9EBC-9857662B9F85}
4. RESTRAINTS BROCHURE (RES BRO P)
{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}
5. RESTRAINTS TIME LIMIT (RES TIME L)
{513B483E-AD7B-4B1A-BD01-91133C605C3C}

UNITS:

ID: {B3B065C3-2612-45C0-9127-3CB42BDA99B6}

=====

Abbreviation..... R.E. ALT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Alternative Measures Attempted
Help Text..... Restraint Evaluation: Alternative
Measures Attempted
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

-
1. RES EVAL: DECREASE STIMULATION (R.E. DECR)
{0841626E-994E-4346-B701-1662A00209EB}
 2. RES EVAL: REALITY ORIENTATION (R.E. REALI)
{221C363C-2261-40FC-8400-8B1D2E693F69}
 3. RES EVAL: RELOCATE (R.E. RELO)
{D8165678-ECEF-4F4D-A1C4-C616349E1873}
 4. RES EVAL: INVOLVEMENT WITH FAMILY (R.E. INVO)
{0EF31047-70A5-4072-953A-B62E1ACDF84B}
 5. RES EVAL: AMBULATION/EXERCISE (R.E. EXER)

{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}

6. RES EVAL: EDUCATION (R.E. EDUC)

{76341E6E-7F0A-429C-B768-9CA83C452FD7}

7. RES EVAL: DIVERSIONAL ACTIVITIES (R.E. DIVER)

{569F6D49-C564-4910-835A-B05179086E1F}

8. RES EVAL: MEDICATION REVIEW (R.E. REVI)

{914A0F82-5863-4C84-B3AB-D5A22BD340D8}

9. RES EVAL: UNABLE TO ATTEMPT (R.E. UNAB)

{979B0477-5789-4319-9562-6752048C4005}

10. BED EXIT ALARM (BED EXIT A)

{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}

11. WHEELCHAIR EXIT ALARM (WHEEL EXIT)

{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

UNITS:

ID: {6553B5FA-F6D5-4FE4-B2B6-E55723D11907}

=====

Abbreviation..... R.E. ELIM

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Elimination Monitored

Help Text..... Restraint Evaluation: Elimination
Monitored

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {0695905D-42DC-4903-98E1-1C89CFAB2A08}

=====

Abbreviation..... R.E. INTA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Fluid / Nutrition Intake Evaluated

Help Text..... Restraint Evaluation: Fluid /

Nutrition Intake Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {EE9BB547-79C9-4C0D-9D46-5F24835F37F9}

=====

Abbreviation..... R.E. HYGI

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Hygiene / Comfort Evaluated

Help Text..... Restraint Evaluation: Hygiene /
Comfort Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {D5F408ED-1743-4CD3-BC34-41F58530DE9B}

=====

Abbreviation..... RES EV LRM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Least Restrictive Measures Evaluated

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 10 entries

1. RESTRAINTS LIMIT SETTING (RES LIM SE)

{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}

2. REDIRECT PATIENT ACTIVITY (REDIR ACT)

{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}

3. REMOVE FROM STIM. SETTING (REM SET)

{2010BA89-B399-4A30-9ACF-C65AB57B6351}

4. OFFER PRN MEDS (OFFER PRN)

{B7AF4903-913C-4848-A255-0B4767B81AE2}

5. VERBAL DE-ESCALATION (VERB DE-ES)

{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}

6. ONE TO ONE SUPERVISION (1 SUPERV)

{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}

7. FREQUENT VERBAL REMINDERS (FR VER RE)

{F30D791D-BB80-4AB3-B37F-22B6B547EA65}

8. PREVENT ACCESS TO DEVICE (PREV ACCE)

{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}

9. REORIENTED TO ENVIRONMENT (REORIENT)

{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}

10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

ID: {58C842E4-8A48-4DDD-8DEF-2C97F3314E40}

=====

Abbreviation..... R.E. DIGN

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Maintain Privacy and Dignity Evaluated

Help Text..... Restraint Evaluation: Maintain

Privacy and Dignity Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {54C82D71-B32F-48A2-87A9-683D6023D905}

=====

Abbreviation..... R.E. REPOS

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Reposition / Range of Motion Evaluated

Help Text..... Restraint Evaluation: Reposition /

Range of Motion Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {1EE22D46-855D-4705-858B-D7623CC79F83}

=====

Abbreviation..... R.E. SKIN
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Skin Integrity Evaluated
Help Text..... Restraint Evaluation: Assess Skin
Integrity Evaluated
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {5EE7B156-51FF-4819-A0F4-8796D518B092}

=====

Abbreviation..... RES FM U

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Family Understanding Of Restraints

Education

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 3 entries

1. INDICATES UNDERSTANDING (UNDERSTAND)

{C4AEFE5F-C388-4E00-9663-6B308934284B}

2. NEEDS REINFORCEMENT (NEED REINF)

{B6171F65-4530-418D-A63B-65DFFF522786}

3. UNSUCCESSFUL (UNSUCCESSF) {54DC58A1-7585-4A32-B810-90B586ED9332}

UNITS:

=====

TERM: RESTRAINT INITIATED BY

Page: 625

ID: {6939E11B-F414-435F-93B2-D69334A50FA1}

=====

Abbreviation..... RES INIT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Seclusion/Restraint Initiated By

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. REGISTERED NURSE (RN) {524F344F-FDCD-423F-AD34-291D5DB4271B}

2. PHYSICIAN ORDER (PHY ORDER)

{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}

UNITS:

ID: {1132E26A-19E0-40D0-9602-68AB41F415FA}

=====

Abbreviation..... RES LRME

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Least Restrictive Measures Evaluated

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 10 entries

1. RES LRM: LIMIT SETTING (RLRM SETT)

{96417DDF-8562-4EFF-B4F6-0933FD91CD36}

2. RES LRM: REDIRECT (RLRM REDI)

{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}

3. RES LRM: REMOVE FROM SETTING (RLRM REMO)

{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}

4. RES LRM: PRN MEDS (RLRM: MEDS)

{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}

5. RES LRM: VERBAL DE-ESCALATION (RLRM VERB)

{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}

6. RES LRM: SUPERVISION (RLRM SUPR)

{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}

7. RES LRM: VERBAL REMINDERS (RLRM REMI)

{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}

8. RES LRM: DEVICE ACCESS (RLRM ACCE)

{1662F5E1-30E7-4E8A-BCC5-1738868435B8}

9. RES LRM: REORIENT (RLRM REOR)

{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}

10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

ID: {78C70CF3-3253-46B1-AD61-4A6E7C72442E}

=====

Abbreviation..... RES MENT A

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Mental Assessment Patient Evaluation

Display Name..... Mental Assessment

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

-
1. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}
 2. DISORIENTED (DISORIENTE) {A7D1F2EA-CD7C-4100-8552-44834684C6DE}
 3. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
 4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
 5. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

UNITS:

ID: {843976A3-7C4A-4E09-A273-4589923DDDC2}

=====

Abbreviation..... RES ORD TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Order Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. SECLUSION (SECLUSION) {65B57F6C-C849-4BF7-8705-175361BC900F}
 - 2. RESTRAINT (RESTRAINT) {0429322D-A987-4913-B64D-A6414645B214}

UNITS:

ID: {5002371C-E683-459E-A4B0-3CC914081E78}

=====

Abbreviation..... RES PT U

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Patient Understanding Of Restraints

Education

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. INDICATES UNDERSTANDING (UNDERSTAND)

{C4AEFE5F-C388-4E00-9663-6B308934284B}

2. NEEDS REINFORCEMENT (NEED REINF)

{B6171F65-4530-418D-A63B-65DFFF522786}

3. UNSUCCESSFUL (UNSUCCESSF) {54DC58A1-7585-4A32-B810-90B586ED9332}

UNITS:

=====

TERM: RESTRAINT SAFETY CARE

Page: 630

ID: {1450E52B-CBF3-BA02-F4E0-4AE793AE9614}

=====

Abbreviation..... RESSC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Safety Care
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. CIRCULATION CHECK (ccq) {BA32C2A8-F15C-84EF-4859-6277EFA6463A}
 2. DEVICE RELEASE (drq) {9F97947F-CFFE-3285-F4C3-A8DF294DA46C}

UNITS:

ID: {696245B7-717E-4CF4-3C92-7E0F4DFEDEDDE}

=====

Abbreviation..... RES TYPE A
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Type
Help Text..... Location and type of restraint used
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 19 entries

1. RESTRAINT SOFT (RESTR SOFT)
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}
2. RESTRAINT SOFT 2 POINT (RES S2POIN)
{66B71CFE-2603-40C9-9625-24448012BAB5}
3. RESTRAINT SOFT 4 POINT (RES S4POIN)
{6820E997-60A0-4802-BE26-CA29B4F48F32}
4. RESTRAINT SOFT ARMS + WAIST (RES S A+W)
{4A322BB6-0F63-4BB7-9290-C0655BD7D772}
5. RESTRAINT SOFT ARMS + LOCKED WAIST (RES S A+LW)
{C480D67C-958C-42F9-9203-98E2F2BDBEC8}

6. RESTRAINT SINGLE HAND MITT (RES S HA M)
{A5F1D037-FB5E-402B-9F25-22DE48404D57}
7. RESTRAINT BILATERAL HAND MITT (RES BI H M)
{5E293110-1235-4307-80C2-0FFFA007E1DA}
8. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
9. RESTRAINT BILATERAL ANKLE (RES BI ANK)
{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}
10. RESTRAINT WRIST (RES WRIST)
{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}
11. RESTRAINT GERI CHAIR (RES GERI C)
{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}
12. RESTRAINT HARD PLASTIC/LEATHER 2 POINT (RES P/L 2P)
{17CB8739-612A-4319-946A-2062C5245C90}
13. RESTRAINT HARD PLASTIC/LEATHER 4 POINT (RES P/L 4P)
{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}
14. RESTRAINT ONE ARM (RES ONE AR)
{839914DA-6D63-43EB-961E-70DA56737A92}
15. RESTRAINT ONE LEG (RES ONE LE)
{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}
16. RESTRAINT WAIST LOCKED (RES WAI LO)
{1EE7AB42-CE17-4D49-849B-CA550966E58C}
17. RESTRAINT WAIST (RES WAIST)
{253E2757-5A57-4410-9C0E-F4A907A1EC16}
18. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)
{9BB528F4-7016-4030-B73F-4037ADF2621D}
19. RESTRAINT STRAP (RES STRAP)
{642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION:

11 entries

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
4. BILATERAL WRIST (BILAT WRIS)
{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}
5. BILATERAL LEG (BILAT LEG) {0713761D-E0FC-DA03-02A1-F20EFEB99F45}
6. BILATERAL ANKLES (BILA ANKLE)
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}
7. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
8. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
9. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
10. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
11. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

ID: {0A2CB443-AA1A-4526-9BF0-9C63B49D7603}

=====

Abbreviation..... RES TY ARM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Arm Restraints
Display Name..... Arm Restraints
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

-
1. RESTRAINT SINGLE HAND MITT (RES S HA M)
{A5F1D037-FB5E-402B-9F25-22DE48404D57}
 2. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)
{9BB528F4-7016-4030-B73F-4037ADF2621D}
 3. RESTRAINT SOFT (RESTR SOFT)
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

LOCATION: 6 entries

-
1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}

- 2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
- 3. BOTH ARMS (BOTH ARMS) {A493AB32-9DE9-40AC-8C46-7EFF395B63B5}
- 4. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
- 5. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
- 6. BILATERAL WRIST (BILAT WRIS)
{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

ID: {C3B1D18A-FF73-4362-8FCF-7AFB5304A4CF}

=====

Abbreviation..... RES TY LEG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Leg Restraints
Display Name..... Leg Restraints
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

1. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)
{9BB528F4-7016-4030-B73F-4037ADF2621D}
2. RESTRAINT SOFT (RESTR SOFT)
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}
3. RESTRAINT STRAP (RES STRAP)
{642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION: 6 entries

1. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}

- 2. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
- 3. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}
- 4. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
- 5. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
- 6. BILATERAL ANKLES (BILA ANKLE)
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}

UNITS:

ID: {40448F75-66C2-4FA1-AA02-6B827C9A06F8}

=====

Abbreviation..... RES TYP OT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Restraint Type Other
Display Name..... Restraint Type Other
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

-
1. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}
 2. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
 3. RESTRAINT WAIST (RES WAIST)
{253E2757-5A57-4410-9C0E-F4A907A1EC16}

LOCATION: 3 entries

-
1. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
 2. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
 3. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

=====

TERM: RESTRAINT- ACTIVE ORDER

Page: 635

ID: {C950673E-C098-4C68-A62D-ACDA3DB25A8A}

=====

Abbreviation..... Restraint

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Restraint- Active Order

Help Text..... Is there an Active Order for
restraints?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: RESTRAINT/SECLUSION DISCONTINUED

Page: 636

ID: {048B5F3A-6B94-4E15-935F-CC8EA8A6079B}

=====

Abbreviation..... Res Discon

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Restraint/Seclusion Discontinued

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {C74C9527-37B3-42EB-BCA2-AAC6FAA20ADE}

=====

Abbreviation..... Restr/Beha

Active..... Yes

Boolean Value False..... Unmet

Boolean Value True..... Met

Data Type..... Boolean

Description.....

Display Name..... Restraints: Behavior criteria for
discontinue

Help Text..... Refer to local policy for list of
behaviors that meet discontinuation
criteria or as specified in order

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: RIGHT VENTRICULAR STROKE WORK

Page: 638

ID: {3A72DA75-5112-7980-4F4F-E1E34FFCD1A6}

=====

Abbreviation..... RVSW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Right Ventricular Stroke Work

Display Name..... Right Ventricular Stroke Work

Help Text..... Right Ventricular Stroke Work

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT 0.0 > 5.0 * 30.0 < 50.0 Dec Prec: 1

=====

TERM: RIGHT VENTRICULAR STROKE WORK INDEX

Page: 639

ID: {EE450A40-E87C-1F5C-FDEF-BAAD030B8149}

=====

Abbreviation..... RVSWI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Right Ventricular Stroke Work Index

Display Name..... Right Ventricular Stroke Work Index

Help Text..... Right Ventricular Stroke Work Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT PER M2 1.9 > 2.0 * 18.0 < 18.1 Dec Prec: 1

GM-M/M2/BEAT 3.9 > 4.0 * 18.0 < 18.1 Dec Prec: 1

=====

TERM: SAFETY DEVICE WAIST BELT APPLIED

Page: 640

ID: {27E75399-989F-4598-A972-646FBFF51A20}

=====

Abbreviation..... WAIST BE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Safety Device Waist Belt Applied

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

ID: {9015CE78-A973-4A4C-AC57-6F39E180B09F}

=====

Abbreviation..... Seclu/Cri

Active..... Yes

Boolean Value False..... Unmet

Boolean Value True..... Met

Data Type..... Boolean

Description.....

Display Name..... Seclusion: Behavior criteria for
discontinuation

Help Text..... Refer to local policy for list of
behaviors that meet discontinuation
criteria or as specified in order

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {97EB4C11-C7C5-4F6D-9488-DA9369CC5060}

=====

Abbreviation..... 2nd Verf
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Second Verifier
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

-
- 10. RN (RN) {A103E506-EAA5-4777-8126-268CD723AD87}
 - 20. LVN (LVN) {8F8300FD-5A33-4B01-9F0B-901E2A3D96AB}
 - 30. NA (NA) {1993F8D9-D536-4ECA-AFAD-366F79BA0CBD}
 - 40. MD (MD) {9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8}
 - 50. DO (DO) {F70738A6-7BFA-4D76-881C-6A4B4F4E41E4}
 - 60. RT (RT) {6E374EFA-B7CE-44C2-ADCE-DF9C132E951E}
 - 70. NP (NP) {E7EA4017-4374-41A1-9D3D-54051CEDF63C}
 - 80. PA (PA) {C057C47D-780A-4230-B577-2C528AD09DEB}

UNITS:

ID: {CF2E7E29-8C96-461B-9074-CA94455F62D6}

=====

Abbreviation..... SED RAMSAY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Ramsay Sedation Scale
Display Name..... RAMSAY
Help Text..... Ramsay Sedation Scale
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

1. RAMSAY ANXIOUS (RAM ANXIOU)
{88205A0C-7065-4616-8FCF-75059462DD15}
2. RAMSAY COOPERATIVE (RAM COOPER)
{56846ADA-0F0E-44AA-9779-A567B9D24C4F}
3. RAMSAY SEDATED (RAM SEDATE)
{CC12405F-60DB-485F-94E5-78C1EB32AB74}
4. RAMSAY ASLEEP BRISK RESPONSE (RAM ASL BR)
{00F4A117-F9E7-4B60-A521-F2E8725AECD3}
5. RAMSAY ASLEEP SLUGGISH (RAM ASL SL)
{AA61604F-00F9-4103-B27F-E817FBC9577B}

6. RAMSAY ASLEEP NO RESPONSE (RAM ASL NO)

{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}

UNITS:

ID: {F4900650-2584-4A5B-9F97-171A9552C7BA}

=====

Abbreviation..... RASS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Richmond Agitation Sedation Scale
Display Name..... RASS
Help Text..... Richmond Agitation Sedation Scale
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. RASS COMBATIVE (RASS COMBA)
{A97E064A-7709-42F9-9A88-4AAFF1020883}
2. RASS VERY AGITATED (RASS V AGI)
{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}
3. RASS AGITATED (RASS AGITA)
{D81A5D5D-E7FC-445A-A814-495731ABA0F8}
4. RASS RESTLESS (RASS RESTL)
{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}
5. RASS ALERT AND CALM (RASS AL CA)
{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}

6. RASS DROWSY (RASS DROWS) {5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}

7. RASS LIGHT SEDATION (RASS LT SE)

{FDEEC084-3922-4065-A863-4893E42F8F93}

8. RASS MODERATE SEDATION (RASS MD SE)

{D12B0A3E-B80E-494F-B89F-A79E8B81B080}

9. RASS DEEP SEDATION (RASS DP SE)

{83CB4E64-3581-452F-987A-D31CB3AB38D2}

10. RASS UNAROUSABLE (RASS UNARO)

{1578E147-7D2C-4469-828E-FCA97109B27C}

UNITS:

ID: {8281E806-CEC9-4236-B984-495B8A3973E5}

=====

Abbreviation..... SED SC SAS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Riker Sedation-Agitation Scale
Display Name..... SAS
Help Text..... Riker Sedation-Agitation Scale
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

-
1. SAS DANGEROUS AGITATION (SAS DA AGI)
{0701FB25-1DF0-4771-8C81-AC19A985A3B6}
 2. SAS VERY AGITATED (SAS VY AGI)
{B501606A-EEA7-470E-81BE-F51D422272F1}
 3. SAS AGITATED (SAS AGITAT) {107143D4-9527-4A26-8CB7-EEBB656B68B3}
 4. SAS CALM AND COOPERATIVE (SAS C COOP)
{F0633778-280C-43C3-9E6E-9C35C18179F6}
 5. SAS SEDATED (SAS SEDATE) {AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}
 6. SAS VERY SEDATED (SAS VY SED)
{4B13529B-61C5-4B68-857A-3A5351DC4BE2}

7. SAS UNAROUSABLE (SAS UNAROU)

{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

UNITS:

ID: {5B11E0C7-C95C-440B-BA16-EEA0B8AED008}

=====

Abbreviation..... CPRS note

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... See CPRS Progress Note for Additional

Data and Assessments

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {15B23878-6E4C-4FCE-9F49-1C728A4A65D2}

=====

Abbreviation..... SEIZU CHAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Seizure Character

Display Name..... Seizure Character

Help Text..... Character of Seizure

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

1. TONIC/CLONIC (TON/CLON) {81932BAA-6C79-47A3-85B3-592824B6C09C}

2. PARTIAL IMPAIRED (PART IMPAI)

{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}

3. PARTIAL SIMPLE (PART SIMP)

{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

UNITS:

=====

TERM: SEIZURE DURATION

Page: 648

ID: {DAABDF54-F64C-6306-87EA-B8F5DE034DA0}

=====

Abbreviation..... SEID

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Seizure Duration

Help Text..... Value in minutes

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MINUTE

0 > 1 * 15 < 30

Dec Prec: 0

=====

TERM: SEIZURE FOCI

Page: 649

ID: {719641C6-BA10-0BA3-65F1-17DC4B1B92E0}

=====

Abbreviation..... SEIF
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Seizure FOCI
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
1. STARTED ON LEFT (sol) {AA6767EE-57F6-F565-76E9-EB219644492F}
 2. STARTED ON RIGHT (sor) {0C690E36-E710-244D-44FC-5DB5BCC0FF7E}
 3. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}

UNITS:

ID: {9BD54461-23E5-F317-E5AC-5FAF87EECA0C}

=====

Abbreviation..... SEI PREC
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Seizure Precautions
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SEIZURES

Page: 651

ID: {BB006255-D69A-E29C-1286-D71E6FF15830}

=====

Abbreviation..... SEI
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Seizures
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {CCF961DC-8590-2498-3836-0F010461F69A}

=====

Abbreviation..... SENSF
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sensation Foot
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
- 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
- 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
- 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

- 1. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
- 2. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

UNITS:

ID: {7B880F9C-83F8-3395-9983-F10A1EF2F97A}

=====

Abbreviation..... SENSH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sensation Hand
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
- 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
- 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
- 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

- 1. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
- 2. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}

UNITS:

ID: {EB69E23D-9C3B-F2AB-B7F6-CAE402C87DE9}

=====

Abbreviation..... SLEX
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sensation Lower Extremity
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
- 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
- 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
- 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

- 1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}
- 2. R LOWER EXTREMITY (R LOW EXTR)
{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

UNITS:

ID: {25313956-8B3E-FA21-0AA7-8E9DD4ABFF8D}

=====

Abbreviation..... SUEX
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sensation Upper Extremity
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
- 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
- 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
- 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

- 1. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}
- 2. R UPPER EXTREMITY (R UPP EXTR)
{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

ID: {1D7F207B-7808-4280-8CA6-8A59478DAB7B}

=====

Abbreviation..... SEQ DEV AP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sequential Compression Device
Application

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. INITIATED (INITIATED) {562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}
2. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
3. INTERRUPTED (INTERRUPTED) {AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}
4. DISCONTINUED (DISCONTINUED) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
5. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
6. OFF WHILE AMBULATORY (OFF AMBULATORY)
{FF4610BF-8C92-408F-882A-1D6B2C2F146F}
7. ON WHILE SITTING IN CHAIR (ON IN CHAIR)
{4139F4C3-BB68-4477-BF63-9BE7813AADA7}

8. OFF DURING BATHING (OFF BATHIN)

{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}

UNITS:

=====

TERM: SEWS - AGITATION

Page: 657

ID: {012BB6B1-0CF8-4F51-832C-D85EF58C0831}

=====

Abbreviation..... SEWS AGITA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Agitation

Help Text..... Agitation: fidgety, restless, pacing?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

ID: {1F7184F3-45F0-4D93-808C-FB797589814F}

=====

Abbreviation..... SEWS ANXIE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity of Ethanol Withdrawl Scale

Display Name..... Anxiety

Help Text..... Do you feel that something bad is
about to happen to you right now?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

=====

TERM: SEWS - DISORIENTATION NAME PLACE

Page: 659

ID: {A6E459CA-ADEF-4EA5-8B24-11300836DE9A}

=====

Abbreviation..... SEWS N PL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Disorientation: Knows Name and Place

Help Text..... Disorientation: Knows name and place

but not date

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

ID: {4CDA775D-987A-442E-A260-82DE115FC127}

=====

Abbreviation..... SEWS H ANY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Hallucinations Visual, Tactile,
Olfactory, Gustatory (any)

Help Text..... Hallucinations: Visual, Tactile,
Olfactory, Gustatory (any)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

=====

TERM: SEWS - HALLUCINATION AUDITORY ONLY

Page: 661

ID: {6C720EBC-4E08-44B5-BAFC-7473E0E7E6DD}

=====

Abbreviation..... SEWS HAL A

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Hallucination: Auditory Only

Help Text..... Auditory Only (Check for major
psychotic disorder)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

=====

TERM: SEWS - NAME ONLY

Page: 662

ID: {7F010DD2-E6C5-45EF-800D-37C238ED69A1}

=====

Abbreviation..... SEWS N ONL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Disorientation: Knows Name Only

Help Text..... Disorientation: Knows Name Only

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

=====

TERM: SEWS - NAUSEA

Page: 663

ID: {168E97DD-48FA-45BF-A3C0-8FCB5B316B6D}

=====

Abbreviation..... SEWS NAUSE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Nausea and Dry Heaves or Vomitting?

Help Text..... Nausea and Dry Heaves or Vomitting?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

ID: {4B7D9035-79F8-4736-9A20-87671D76E12B}

=====

Abbreviation..... SEWS SWEAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Sweating

Help Text..... Sweating: Includes moist palms,
sweating now?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

=====

TERM: SEWS - TOTAL

Page: 665

ID: {6220504D-6961-4138-B1EC-1257142F5E49}

=====

Abbreviation..... SEWS TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Severity Of Ethanol Withdrawl Scale

Total

Display Name..... SEWS TOTAL

Help Text..... 5 Or Less = Lower Risk For Withdrawl.

6 Or More = Higher Risk For Withdrawl

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

SEWS SCALE

-1 > 0 * 5 < 24

Dec Prec: 0

ID: {8BC41692-A9A8-4900-BB2D-5E60E5625798}

=====

Abbreviation..... SEWS TREMO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Tremor

Help Text..... Tremor: with arms extended, eyes
closed?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

ID: {657A9E0B-12CC-4D33-B4A8-99827CAE5CFF}

=====

Abbreviation..... SEWS VITAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Vitals: Pulse > 110, Diastolic BP >
90, Temp > 99.6

Help Text..... Vitals: Pulse > 110, Diastolic BP >
90, Temp > 99.6

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
 - 2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

ID: {1BE3FF8D-BC95-CE9E-ABFB-9C94CF591F24}

=====

Abbreviation..... SD RAIL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Side Rails
Help Text..... Side Rail Positions
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 14 entries

1. ALL UP (ALL UP) {48199083-ACC2-408C-9242-7A6313CD7A7F}
2. ALL DOWN (ALL DOWN) {76C14E79-95E2-49B7-B847-3B114653E98C}
3. HEAD UP (hu) {BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}
4. R HEAD UP (R HEAD UP) {D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}
5. L HEAD UP (L HEAD UP) {BB39792D-B572-4A10-BA81-8685809E7437}
6. HEAD DOWN (hd) {80BF3425-D252-F917-052E-DC54D39E464E}
7. R HEAD DOWN (R HEAD DOW) {FDfE0638-444C-4023-B586-985E84EEA1FA}
8. L HEAD DOWN (L HEAD DOW) {3C919CB8-1C0A-498D-95A6-C46D25744CEC}
9. FOOT UP (fu) {49CCC59E-002E-8387-E8D6-D57AAC089EF3}
10. R FOOT UP (R FOOT UP) {5928B710-6EB1-4183-93CB-6C72B37A97C3}

- 11. L FOOT UP (L FOOT UP) {A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}
- 12. FOOT DOWN (fd) {13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}
- 13. R FOOT DOWN (R FOOT DOW) {DBCC0BA2-3097-42C7-AE9E-DF71FA779162}
- 14. L FOOT DOWN (L FOOT DOW) {5B18895B-DAD5-4874-87DB-DACFFF88B170}

UNITS:

=====

TERM: SIGNIFICANT EVENT

Page: 669

ID: {0DBEF78C-8CFC-0173-2A39-02C24EB10A5F}

=====

Abbreviation..... se

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... No Description

Display Name..... Significant Event

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {05B77F59-77DE-424F-ACD1-413E70D52429}

=====

Abbreviation..... SIN DRA CH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sinus Drainage Character
Help Text..... Describe The Sinus Drainage
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

-
1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
 2. SEROSANGUINOUS (SEROSANGUI)
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
 3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 4. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

UNITS:

=====

TERM: SINUS DRAINAGE PRESENT

Page: 671

ID: {0F9CDF0D-A7A8-408D-BBFD-A6F74E5B8D6F}

=====

Abbreviation..... SIN DRAI P
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Sinus Drainage Present
Help Text..... Is Sinus Drainage Present?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SINUS NECROTIC TISSUE APPEARANCE

Page: 672

ID: {0578E21E-CFBE-440A-A532-8135AD414085}

=====

Abbreviation..... SNEC TI AP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sinus Necrotic Tissue Appearance

Help Text..... Sinus Necrotic Tissue Appearance

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-
1. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
 2. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
 3. HARD (HARD) {7934B543-7028-4CBC-9308-99F5A952A1DE}
 4. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}

UNITS:

=====

TERM: SINUS NECROTIC TISSUE PRESENT

Page: 673

ID: {299921C9-5A13-4D9E-BC0D-8F777ED490D4}

=====

Abbreviation..... SIN NEC TI
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Sinus Necrotic Tissue Present
Help Text..... Is Sinus Necrotic Tissue Present?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {59D298AC-1BE0-4C13-B75B-1CE331454151}

=====

Abbreviation..... SIN TI CHA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sinus Tract Surrounding Tissue
Character

Help Text..... Sinus Tract Surrounding Tissue
Character

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. ERYTHEMA (ERYTHEMA) {0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}
2. DISCOLORATION (DISCOLORAT)
{BBE3E910-CC49-430C-BD90-FB0A97F1B183}
3. INDURATION (INDURAITON) {A1669576-45D9-435C-87B9-488E9CF6BBA4}
4. MACERATION (MACERATION) {B7C63E05-E193-40AA-A572-F1ACA0162B8B}

UNITS:

=====

TERM: SINUS TRACT ULCER

Page: 675

ID: {D89C6750-E1F0-4817-9EDD-205EE310A09A}

=====

Abbreviation..... SIN TRA UL

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Sinus Tract Ulcer

Help Text..... Is a Sinus Tract Ulcer Present?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {63375C18-43BF-4969-989F-8239440E4040}

=====

Abbreviation..... SIN ULC EP

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Sinus Tract Ulcer Epithelialization

Help Text..... Is Sinus Tract Ulcer

Epithelialization Present?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SINUS TRACT ULCER GRANULIZATION

Page: 677

ID: {64BE9437-2EAB-40F2-93BC-2D0C9DBDC1EB}

=====

Abbreviation..... SIN ULC GR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Sinus Tract Ulcer Granulization

Help Text..... Is Sinus Tract Ulcer Granulization
Present?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SKIN ALTERATION

Page: 678

ID: {6B4325F4-F776-48C1-902D-2CFFC73A22BB}

=====

Abbreviation..... SKIN ALTER
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Alteration
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. WOUND (WOUND) {1EC40149-051E-4750-8651-2B2D0DD2DEAC}

UNITS:

=====

TERM: SKIN COLOR

Page: 679

ID: {8D3A8036-39B5-AA2B-BF62-CC1EB134BB19}

=====

Abbreviation..... SKIN COLOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Observation of Patients Skin Color

Display Name..... Skin Color

Help Text..... Observation of Patients Skin Color

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

13 entries

-
1. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}
 2. MOTTLED (m) {4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}
 3. ICTERIC (ICTERIC) {274ED5BB-5A34-20EE-A9B0-81AB7803780E}
 4. JAUNDICE (j) {B17F4603-7C68-660D-96A7-119140A998D3}
 5. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}
 6. DUSKY (d) {2ABF845E-4E2F-883F-3FCC-F72B8507FF85}
 7. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}
 8. ASHEN (ASHEN) {7431E4EC-DCF1-4966-85CB-29BF65311855}
 9. NORMAL FOR ETHNIC GROUP (ETH. NORM.)
{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}

- 10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
- 11. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}
- 12. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
- 13. ECCHYMOSIS (ECCHYMOSIS) {DF076906-CC17-6AD1-76E7-B07678A126DE}

UNITS:

=====

TERM: SKIN CONDITION

Page: 680

ID: {831BEB82-92CE-07A0-F36B-09C94030D088}

=====

Abbreviation..... SKIN COND.
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Condition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
 2. BREAKDOWN (BREAKDOWN) {9CFD21C0-A805-47C4-E559-8033C754DE80}

UNITS:

ID: {B973CF56-27AD-447B-9B12-A4326997E027}

=====

Abbreviation..... SKI DRA AM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Device Drainage Amount
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 - 2. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
 - 3. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 - 4. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 - 5. HEAVY (HEAVY) {1F10CD98-03FA-4705-BF7D-941E881C4E3D}

UNITS:

=====

TERM: SKIN ERYTHEMA EXTENDS AROUND INCISION

Page: 682

ID: {A88D0DBE-7CC6-4983-B9AC-AF9CCF9653AB}

=====

Abbreviation..... ER EXI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Erythema Extension Around Incision

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. EXTENDS AROUND INCISION NONE (ER EXI NON)
{91F1A7C5-885C-4B13-9F7F-189C93E505CC}
2. EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (ER EXI <
1) {095709D0-6190-49A3-AB08-BF4575DC8396}
3. EXTENDS AROUND INCISION MORE THAN 1 CM (ER EXI >1)
{11F13A1F-7AC2-4629-A960-CD92655EE101}
4. LIMITED TO INCISION (ER EXI LIM)
{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}

UNITS:

ID: {6BABC7F1-2C62-41A7-83E2-F5F4B5ACE087}

=====

Abbreviation..... ERY EX

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Skin Erythema Extension Around Wound

Display Name..... Erythema Extension Around Wound

Help Text..... Skin Erythema Extension Around Wound

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

1. EXTENSION AROUND WOUND NONE (ERY EX NON)

{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}

2. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (ERY EX >1

) {175B2505-C596-4036-8FC3-DFEA8EFB76F9}

3. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (ERY EX <1

) {48C7FA69-D31A-4AAA-84F3-79AC863B71FD}

4. EXTENSION AROUND WOUND LIMITED TO WOUND (ERY EX LIM)

{2DC83B85-B3B6-4679-9F48-7DD26EFFC4D4}

UNITS:

ID: {210023AD-813A-05F9-29E5-9F4339FD8BFE}

=====

Abbreviation..... INCI CLOSU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Incision Closure
Help Text..... Type of material used to close incision
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

-
1. SKIN INCISION WOUND CLOSURE SUTURES (INC CL SUT)
{DED8DEDA-82C9-4D3A-A81E-641583314919}
 2. INCISION WOUND CLOSURE GLUE (IN CL GLU)
{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}
 3. SKIN INCISION WOUND CLOSURE STAPLES (INC CL STA)
{4F48D42D-C206-423C-970B-02C03B2EE0B6}
 4. SKIN INCISION WOUND CLOSURE STERI-STRIPS (INC CL STE)
{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}
 5. INCISION WOUND CLOSURE NOT CLOSED (INC CL)
{D63A05BF-1205-45F6-A78D-15D198BCB1C6}

6. SKIN INCISION WOUND CLOSURE OPEN WOUND (INC CL OPE)

{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}

7. INCISION WOUND CLOSURE APPROXIMATED (INC CL APP)

{2DD5713E-D81C-484B-A0DF-6A5730B396DF}

8. INCISION WOUND CLOSURE DEHISCENCE (INC CL DEH)

{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

UNITS:

ID: {36580CA5-4FB0-4562-9652-0B3BD7D04307}

=====

Abbreviation..... INC IN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Induration Extension Around Incision

Display Name..... Induration Extension Around Incision

Help Text..... Induration Extension Around Incision

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

1. SKIN INDURATION AROUND INCISION NONE (INC IN NON)

{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}

2. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (INC IN <1)

{2A5097BF-955C-4F79-B483-7EE14AF05786}

3. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (INC IN >1)

{D8EE448D-00EB-412D-95AC-2E2E92C53EEB}

4. SKIN INDURATION AROUND INCISION LIMITED TO INCISION (INC IN LIM)

{88BCE7F9-F21F-427A-A50B-C1BA831639AB}

UNITS:

ID: {20391515-609B-4D18-AE79-533E47AFCAA8}

=====

Abbreviation..... WOU IN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Induration Extension Around Wound

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

1. SKIN INDURATION EXTENSION AROUND WOUND NONE (WOU IN NON)

{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}

2. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (W
OU IN <1) {3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}

3. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (W
OU IN >1) {7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}

4. SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (WOU IN LIM)

{1828A9EA-FF9D-4A49-9543-15B85FBF211E}

UNITS:

=====

TERM: SKIN MOISTURE

Page: 687

ID: {BE934424-A7CF-EEF0-8098-26B3AFC4B2FE}

=====

Abbreviation..... SKIN MOIST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Moisture
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- | | |
|--------------------|--|
| 1. DRY (d) | {D8F4F0FD-1B19-2515-3815-EC88D175B305} |
| 2. MOIST (m) | {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0} |
| 3. DIAPHORETIC (d) | {F5F1E644-A1BD-0137-54B5-1C02678C1D5A} |
| 4. NORMAL (n) | {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B} |

UNITS:

=====

TERM: SKIN PATCHES PRESENT

Page: 688

ID: {D48AF8EF-A439-4D1B-9987-A04D9E030B45}

=====

Abbreviation..... SKIN PAT P
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Are Skin Patches Present
Display Name..... Skin Patches Present
Help Text..... Are Skin Patches Present? (EKG,
Medication...)
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SKIN RISK FACTORS PRESENT

Page: 689

ID: {8258C84C-8C09-417D-8FB2-FC1999456654}

=====

Abbreviation..... SK RISK PR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Are Skin Risk Factors Present?

Display Name..... Skin Risk Factors Present

Help Text..... Does The Patient Have Spinal Cord
Injury, Paralysis, Or Neurological
Disease?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SKIN SWELLING EXTENSION AROUND INCISION

Page: 690

ID: {AB9716EF-235C-4434-A96D-5BC289C9458A}

=====

Abbreviation..... INC SW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Skin Swelling Extension Around Incision

Display Name..... Skin Swelling Extension Around Incision

Help Text..... Skin Swelling Extension Around Incision

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

-
1. SKIN SWELLING EXTENSION AROUND INCISION NONE (INC SW NON)
{54C9FC46-899C-460B-9524-D6F196B9FF31}
 2. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (INC SW <1)
{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}
 3. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (INC SW >1)
{106A2AD3-F482-4DEE-967E-6F06C6026944}
 4. SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (INC SW LIM)
{B8503D54-6925-430E-8AB6-692412347D5D}
 5. SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (INC SW FLU)
{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

UNITS:

=====

TERM: SKIN SWELLING EXTENSION AROUND WOUND

Page: 691

ID: {FE9F8966-B828-473C-9285-E189A448E304}

=====

Abbreviation..... WOU SW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Swelling Extension Around Wound

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

1. SKIN SWELLING EXTENSION AROUND WOUND NONE (WOU SW NON)
{550E3B92-2C69-403B-A997-2DBE61374ABF}
2. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (WOU SW <1)
{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}
3. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (WOU SW >1)
{EA6AC933-0737-4C28-9F31-D36F3452DA96}
4. SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (WOU SW LIM)
{413CD1EC-309C-45D0-A1E0-E829EA615E2A}
5. SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (WOU SW FLU)
{DB5077E7-D339-4C87-B8CA-D16269DB2935}

UNITS:

ID: {7E791776-2C73-E8F3-64A6-D965319D79BA}

=====

Abbreviation..... SKIN TEMP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Skin Temperature
Display Name..... Skin Temperature
Help Text..... Skin Temperature
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. COOL (COOL) {48A1FEA8-FD75-DAF8-174A-9C6AB2044439}
 2. WARM (WARM) {E03BBEB4-5643-968F-190F-309A1293FCF9}
 3. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
 4. HOT (HOT) {401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}
 5. CONSISTENT WITH BODY TEMPERATURE (CON W TEMP)
{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}
 6. WARMER THAN GENERAL BODY TEMP (WARM B TEM)
{AE43F2B4-B585-43F4-9E97-D61E225A803B}
 7. WARMER THAN OPPOSITE BODY PART (WARM OPP P)
{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}

8. COOLER THAN OPPOSITE BODY PART (COOL OPP P)

{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}

9. COOLER THAN GENERAL BODY TEMPERATURE (CoolGenT)

{03D7D4CF-9B3C-49CA-9650-213E9BABE064}

LOCATION: 49 entries

-
1. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
 2. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
 3. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
 4. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
 5. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}
 6. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
 7. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
 8. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
 9. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
 10. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
 11. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
 12. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}
 13. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
 14. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}
 15. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
 16. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
 17. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
 18. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
 19. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
 20. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
 21. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

22. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
23. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
24. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
25. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
26. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
27. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
28. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
29. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
30. L JAW (L JAW) {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}
31. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}
32. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}
33. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}
34. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
35. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}
36. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
37. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACA0}
38. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
39. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
40. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
41. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
42. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
43. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
44. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
45. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
46. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
47. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
48. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
49. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

ID: {832CCFB8-A5D4-49C0-A97D-2079E698D0EA}

=====

Abbreviation..... INC TP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Skin Temperature at Incision Site
Display Name..... Skin Temperature at Incision Site
Help Text..... Skin Temperature at Incision Site
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

1. SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (INC TP CON) {D349175A-4B20-4243-BE40-E01E50C5583F}
2. SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (WARM BD OP) {5F888E9D-8F65-49ED-BC5D-F6F287A9D478}
3. SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (WARME R OP) {F518787A-325A-45F3-82B4-73C856802073}
4. SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (INC TP CBT) {D357C975-857D-4293-B3EF-EFA7A4586357}
5. SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (INC T P COP) {85307AD8-F730-43F0-BCB3-882594D9DDF8}

UNITS:

ID: {52AE1F41-553B-4D21-8A65-33B4CEDFA783}

=====

Abbreviation..... WOU TP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Skin Temperature at Wound Site
Display Name..... Skin Temperature at Wound Site
Help Text..... Skin Temperature at Wound Site
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

1. SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (WOU TP CBT) {672D56C1-D1A3-4DDF-8815-F05DEE197061}
2. SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (WOU TP WGB) {03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}
3. SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (WOU TP WOB) {6290BD23-24BF-4A3A-8555-DCE52D2274B3}
4. SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (WOU TP COB) {A904C666-2810-4211-B53A-2961DCE6894E}
5. SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (WOU TP CGB)

U TP CGB)

{7203993E-3334-44EC-9FD9-14224253283D}

UNITS:

=====

TERM: SKIN TURGOR

Page: 695

ID: {4D90E9F2-5E61-67AA-1ACA-874AED4E6C79}

=====

Abbreviation..... SKIN TURG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Turgor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

1. GOOD (GOOD) {39ECA304-49F9-44B7-9735-B33CEC9D8119}

2. DECREASED (DECREASED) {D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}

3. POOR (POOR) {A3D75A12-A791-446D-AF63-9435054DFC4C}

UNITS:

ID: {975D025B-F852-4212-A182-1D9469BCA5B1}

=====

Abbreviation..... WOU CLOSUR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Closure
Help Text..... Type of material used to close wound
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. SKIN WOUND CLOSURE APPROXIMATED (WOU CL APP)
{83D48E0F-8643-436B-9ECC-80795857C322}
2. SKIN WOUND CLOSURE DEHISCENCE (WOU CL DEH)
{425A460F-19C0-4A4A-8E4E-712C66968C38}
3. SKIN WOUND CLOSURE GLUE (WOU CL GLU)
{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}
4. SKIN WOUND CLOSURE NOT CLOSED (WOU CL NOT)
{0E69F1FA-35F6-4F34-8547-CC3602670A7B}
5. SKIN WOUND CLOSURE OPEN WOUND (WOU CL OPE)
{C6F2AD2C-932F-434A-8A7A-513029092FFD}

6. SKIN WOUND CLOSURE STAPLES (WOU CL STA)

{FE04BFE3-DF81-48E7-9FA1-1CF4ECAD71}

7. SKIN WOUND CLOSURE STERI-STRIPS (WOU CL STE)

{AD451791-6B49-4A51-ABC3-796D08BEF910}

8. SKIN WOUND CLOSURE SUTURES (WOU CL SUT)

{F2840AE4-216B-477C-9FE6-DC91E8CE5364}

UNITS:

=====

TERM: SLEEP AMOUNT

Page: 697

ID: {E68F85F4-35A1-4FAC-BA86-90BF1FD5D63F}

=====

Abbreviation..... SLEEP AMOU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Sleep Amount

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

HOUR -0.1 > 0.0 * 24.0 < 24.1 Dec Prec: 1

ID: {7727D9C8-C3F2-4676-A2B8-23F4DAC72B90}

=====

Abbreviation..... SLEEP QUAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sleep Qualifiers

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

6 entries

-
1. NAPS ONLY (NAPS ONLY) {CF749F5C-2E4B-419A-B020-C81B30A7E482}
 2. HAS NOT SLEPT (NO SLEEP) {3BF9DB54-5D1E-422D-90AF-918F81C9EA85}
 3. ASLEEP AT ROUNDS (SLEEP ROUN)
{24E1D9F0-D8F1-4DC8-911F-6170F343C087}
 4. DENIES HAVING SLEPT (DENIES SL)
{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}
 5. SLEPT WELL (SLEPT WELL) {18573E82-568F-4D2E-B9E1-6E4589EBEE2D}
 6. INTERMITTENT SLEEP (INT SLEEP)
{5005C433-5892-4F4D-A64D-4C94AD1853E2}

UNITS:

ID: {274B7CFD-D091-47F2-9F35-602F14D75340}

=====

Abbreviation..... SPEC BED/M
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of specialty Bed or Mattress
Display Name..... Specialty Bed/Mattress
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

1. BARIATRIC FRAME (BARI FRAME)
{CF95B426-F280-451B-86F2-CEF7A1A2B967}
2. BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (BAR L AIR)
{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}
3. LOW AIRLOSS/ALTERNATING PRESSURE COMBO (L AIRL ALT)
{ADDD1260-C95B-4D7B-AB89-3749D76A3700}
4. LOW AIRLOSS OVERLAY (L AIR OVRL)
{282C439C-A697-43E6-85C1-786352EB56BC}
5. PERCUSSION BED (PERC BED) {BE0B086B-A2F3-446A-ADE0-9589E92689FE}
6. ROTATIONAL THERAPY (ROT THERAP)

{BB795594-720C-40D7-9B7C-6792BC849DA0}

7. STANDARD PRESSURE REDUCTION (STAN P RED)

{556537CD-A84D-4493-81F6-51CBD844B5B7}

8. STRYKER FRAME (STRYKER FR)

{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}

9. FLOTATION BED (FLOT BED) {FA6329AB-85A6-4301-BC14-D0D089249356}

UNITS:

=====

TERM: SPECIFIC GRAVITY

Page: 700

ID: {CFB61154-54BD-4DE2-B83B-BC497AEC0F33}

=====

Abbreviation..... SPEC GRAVI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Specific Gravity

Display Name..... Specific Gravity

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

PRODUCT:

1 entries

1. URINE (u) {1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

UNITS:

SI UNIT 0.500 > 1.000 * 1.030 < 2.000

Dec Prec: 3

ID: {F5ECC376-8003-62AF-64E7-08D52B244095}

=====

Abbreviation..... STAVF

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment Average Vector Foot

Display Name..... ST Segment AVF

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {BB728DEB-4928-4714-9D0D-051EBC0187D2}

=====

Abbreviation..... STAVL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment Average Vector Left

Display Name..... ST Segment AVL

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {AE4E7CCA-2453-99B2-B345-6A03580214AD}

=====

Abbreviation..... STAVR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment Average Vector Right

Display Name..... ST Segment AVR

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {6D678028-BDCB-65D9-6F76-455102C8B05A}

=====

Abbreviation..... ST1

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment 1

Display Name..... ST Segment 1

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {6F42CE65-5097-918C-93B6-7D3000CA402E}

=====

Abbreviation..... ST2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment 2

Display Name..... ST Segment 2

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {C2D177EB-A435-9EAA-E518-2039E8592E69}

=====

Abbreviation..... ST 3

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment 3

Display Name..... ST Segment 3

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {6D9794A3-5374-CE1D-6AD4-D4601683F6F0}

=====

Abbreviation..... STV1

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead V1

Display Name..... ST Segment V1

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V1

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {BA2FE2E9-D587-5F6C-66D4-B046A3746ADE}

=====

Abbreviation..... STV2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead V2

Display Name..... ST Segment V2

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V2

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {ACEEBB4D-FDFD-31BA-7151-446EAB274549}

=====

Abbreviation..... STV3

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead v3

Display Name..... ST Segment V3

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V3

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

=====

TERM: ST SEGMENT V4

Page: 710

ID: {A48D67C4-49D9-4EFD-DF99-7088D8E2DFBA}

=====

Abbreviation..... STV4

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead 4

Display Name..... ST Segment V4

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V4

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {0B6F3CF6-9DDB-17EC-EFC0-37610387E274}

=====

Abbreviation..... STV5

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead 5

Display Name..... ST Segment V5

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V5

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {4D796057-5561-652D-D6A0-387DB5D16973}

=====

Abbreviation..... STV6

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead 6

Display Name..... ST Segment V6

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V6

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

=====

TERM: ST/T WAVE MEASUREMENT

Page: 713

ID: {F825C20C-82DE-4DD6-BC78-4E25030D0DB1}

=====

Abbreviation..... ST/T measu

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... ST/T Wave Measurement

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS

-9.0 > -9.0 * 9.0 < 9.0 Dec Prec: 1

ID: {811C87C7-BC37-72E2-98B5-AF4E61976DBB}

=====

Abbreviation..... STOOL CHAR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Stool Characteristics
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. NORMAL STOOL (NORM STOOL) {486B0693-CAC5-48EE-B2E6-1F73C651418A}
2. LOOSE (LOOSE) {1346A74E-3AA1-4D81-876B-91201F9717A5}
3. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
4. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
5. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
6. TARRY (TARRY) {09364271-6307-471F-A334-A8F7E051EF46}
7. MUCOID (MUCOID) {073E5514-DACE-4F43-ADE5-91A1A87D6601}
8. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
9. FRANK BLOOD (FRANK BLD) {CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}
10. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}

UNITS:

=====

TERM: STOOL COLOR

Page: 715

ID: {85012C5D-09F3-4078-9A4D-82564BF57235}

=====

Abbreviation..... STOOL COLO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Stool Color
Display Name..... Stool Color
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
2. YELLOW/GREEN (YELLOW/GRN) {1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}
3. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
4. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
5. MAROON (MAROON) {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
9. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

ID: {85348D14-F821-4043-A1C6-07D5BA407198}

=====

Abbreviation..... NUM STOOLS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Number of stools

Display Name..... Number of stools

Help Text..... Number of stools

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

11 entries

-
- | | |
|-------------|--|
| 1. 1 (1) | {8F5D10A8-FE17-47BC-DACA-6972D12CC00A} |
| 2. 2 (2) | {38E22B79-A2B6-3401-B195-C955F24E1278} |
| 3. 3 (3) | {E714454D-6A67-91F6-2FB7-D8F24F184328} |
| 4. 4 (4) | {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A} |
| 5. 5 (5) | {188EDCE7-0726-4234-D8D2-92C8052CD221} |
| 6. 6 (6) | {640CF2F9-3BBF-AB13-185B-CD02A609FB5A} |
| 7. 7 (7) | {7A010324-D2C2-5D4B-848A-7B8878666D20} |
| 8. 8 (8) | {518E7CFC-102E-351E-C7AF-FB575E3C8F4D} |
| 9. 9 (9) | {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC} |
| 10. 10 (10) | {0C827160-18DB-816F-7FAA-A3C175C6D33B} |

11. N/A (n)

{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

=====

TERM: STROKE INDEX

Page: 717

ID: {14D70939-EDAB-9318-200B-D71EF2F38570}

=====

Abbreviation..... SI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Stroke Index
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MILLILITERS PER BEAT 10 > 25 * 45 < 100 Dec Prec: 0

=====

TERM: STROKE VOLUME

Page: 718

ID: {97938D03-0837-552B-5BC2-3F8D1A38E386}

=====

Abbreviation..... SV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Stroke Volume
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLILITERS PER BEAT 30 > 60 * 130 < 200 Dec Prec: 0

=====

TERM: STROKE VOLUME INDEX

Page: 719

ID: {0FFED66D-43F3-E4CA-18B7-DBFCAA2F5EC5}

=====

Abbreviation..... SVI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Stroke Volume Index
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLILITERS PER BEAT PER METER SQUARE (BSA)

20 > 41 * 51 < 100 Dec Prec: 0

ID: {56F82CAC-3564-46CE-A520-1025020DADE9}

=====

Abbreviation..... FIO2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... This is the level of O2 that is set
on the machine to be delivered to the
patient

Display Name..... FiO2

Help Text..... Fraction of Inspired Oxygen

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 8 entries

1. AEROSOL/HUMIDIFIED MASK (AM)

{CAF54B28-D5D2-8481-FAE3-9C74C2D51551}

2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}

3. FACE TENT (FT) {1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}

4. LARYNGEAL MASK (LARYNGMASK)

{DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}

5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}

6. T-PIECE (TP) {27FC4BC6-2F25-2154-553C-2B452E28A91C}

7. TRACHEOSTOMY COLLAR (TC) {CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}

8. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

PERCENTAGE

0 > 21 * 100 < 101

Dec Prec: 0

ID: {3BB314E8-9BBB-480E-B34E-B56EDE43BAC4}

=====

Abbreviation..... O2FLOWRATE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Supplemental Oxygen Flow Rate
Display Name..... Supplemental Oxygen Flow Rate
Help Text..... Supplemental Oxygen Flow Rate
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 12 entries

1. AMBU BAG (AB) {E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}
2. BIPAP (BIP) {3CFD1D11-EF8D-58BA-6381-B24956344D2E}
3. BIPAP-CPAP (PAP) {2BCBE562-8F44-662F-469B-13AC0E863A3D}
4. CPAP (CP) {A041FB71-08EF-F3FE-82FA-051FF74C824F}
5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}
6. NASAL CANNULA (NC) {EFFD38AE-6AF5-77FD-72E1-E0F7E3DEBA29}
7. NEBULIZER (NEBULIZER) {3CF184A3-2688-4988-B956-D5B0F303E8E8}
8. NON RE-BREATHING (NRB) {1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}
9. PARTIAL RE-BREATHING (PRB) {6F1DF170-5128-2E3F-1831-12FB0BB5E95C}
10. PENDANT CANNULA (PC) {A1451228-4ABB-DBCB-31AD-578BCD93012F}

11. RESERVOIR CANNULA (RC) {B332C44D-29BE-765C-932C-63EBFC9631FC}

12. VENTURI MASK (VM) {E0401675-9C4E-2AFA-2B93-F352B781E963}

UNITS:

LITERS PER MINUTE

-1 > 0 * 20 < 21

Dec Prec: 0

=====

TERM: SYSTEMIC VASCULAR RESISTANCE

Page: 722

ID: {BD2C3F43-186B-A312-2514-186EFE223B65}

=====

Abbreviation..... SVR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Systemic Vascular Resistance

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

DYNE * SECONDS / CM(-5) * M2 400 > 800 * 1200 < 3000 Dec Prec: 0

=====

TERM: SYSTEMIC VASCULAR RESISTANCE INDEX

Page: 723

ID: {62C5A9F1-C0D2-DD0C-5A01-459C833375EE}

=====

Abbreviation..... SVRI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Systemic Vascular Resistance Index

Display Name..... Systemic Vascular Resistance Index

Help Text..... Systemic Vascular Resistance Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

DYNE * SECONDS / CM(-5) / M2 1500 > 1760 * 2600 < 4000 Dec Prec: 0

ID: {D66590AE-5D02-A206-A7CD-7EFB22AE591D}

=====

Abbreviation..... SYSTOL PRE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Systolic Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

LOCATION: 4 entries

-
- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
 - 2. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
 - 3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
 - 4. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

-
- 1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
 - 2. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
 - 3. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}

4. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

5. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

POSITION: 3 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

MILLIMETERS OF MERCURY 0 > 80 * 150 < 300 Dec Prec: 0

=====

TERM: SaO2%

Page: 725

ID: {D2D98D5C-552B-9913-31FB-E4FE5BB32912}

=====

Abbreviation..... SaO2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Arterial Oxygen Saturation

Display Name..... SaO2%

Help Text..... Arterial Oxygen Saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

PERCENTAGE

50 > 92 * 100 < 101

Dec Prec: 0

=====

TERM: SpO2%

Page: 726

ID: {5F84DD55-3CCF-094C-2536-B51EB7FAD999}

=====

Abbreviation..... SpO2
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Spot Oxygen Saturation
Display Name..... SpO2%
Help Text..... Oxygen Saturation
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4500637

METHOD: 2 entries

-
- 13. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
 - 19. PULSE OX MONITOR (POM) {A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

UNITS:

PERCENTAGE 50 > 92 * 100 < 101 Dec Prec: 0

=====

TERM: SvO2%

Page: 727

ID: {A7862F66-E515-838A-6F71-2099DCC02C9E}

=====

Abbreviation..... SvO2%

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Venous Oxygen Saturation

Display Name..... SvO2%

Help Text..... Venous Oxygen Saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

PERCENTAGE

30 > 60 * 75 < 100

Dec Prec: 0

ID: {0F33223E-DF2C-6B8B-5201-5E091C5F9065}

=====

Abbreviation..... T

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Internal body temperature of a patient.

Display Name..... Temperature

Help Text..... Enter in the numeric value of the
patients temperature with up to one
decimal.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500638

LOCATION: 7 entries

1. AXILLARY (Ax) {135AA5F4-A1C7-978D-E9AB-6873841AEB57}
2. CORE (C) {5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}
3. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
4. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
5. SKIN (SKIN) {0803BC59-1582-AEC8-3DA2-A81363038210}
6. TEMPORAL (TEMPORAL) {E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}
7. TYMPANIC (Tym) {0A58C14C-E447-E034-AA93-D41E6E0D2F69}

QUALITY: 2 entries

- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
- 2. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

DEGREES F 70.0 > 95.0 * 100.9 < 108.0

Dec Prec: 1

DEGREES C 21.1 > 35.0 * 38.3 < 42.2 Dec Prec: 1

ID: {339EAE62-5A1A-4F43-8D83-F9152EE5AB94}

=====

Abbreviation..... ID Method

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Time Out: Patient Identification Method

Help Text..... Method of Patient Identification

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 3 entries

1. VERBALIZED BY PATIENT (Verbal)

{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}

2. ID BAND (ID Band) {5526C5AB-64C8-4AB1-B77F-DAF45D26B439}

3. ID CARD (ID Card) {CFD540F0-3D73-498F-B590-CCEF11499078}

UNITS:

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED

Page: 730

ID: {AD9203C2-342A-4397-B71D-1AE9F36D4582}

=====

Abbreviation..... T/O Confir

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Time Out: Verbal confirmation by team
of procedure to be performed

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY

Page: 731

ID: {C90F1CBF-5CC7-49DB-8643-D220B20D954C}

=====

Abbreviation..... T/O Lat

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Time Out: Verbal confirmation by team
of procedure and laterality

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: TONGUE POSITION

Page: 732

ID: {1A1007C3-2485-483F-8CBF-D6153DE4DEAF}

=====

Abbreviation..... Tongue Pos

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Tongue Position

Help Text..... Neurological Testing

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 3 entries

10. MIDLINE (Midline) {3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}

20. DEVIATION RIGHT (DeviationR)
{D716E41B-4042-4C35-8FE3-6B7BDC3DB1A9}

30. DEVIATION LEFT (DeviationL)
{B8F53B29-9BE7-4681-8AFF-DE5D3F962755}

UNITS:

=====

TERM: TONOMETRY

Page: 733

ID: {C06989EF-4B0F-4941-B1A7-FA9D81A480FF}

=====

Abbreviation..... TON

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Tonometry

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688726

UNITS:

MILLIMETERS OF MERCURY

0 > 0 * 80 < 80

Dec Prec: 0

ID: {8A29B49B-7338-7943-B6C0-9027BE094607}

=====

Abbreviation..... TSS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Electrocardiogram Reading

Display Name..... Trace ST Segment

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {ED106F43-5AB7-8B5C-D282-8458B35169C2}

=====

Abbreviation..... TSS2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ECG Reading

Display Name..... Trace ST Segment 2

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

=====

TERM: TRACHEA MIDLINE DEVIATED

Page: 736

ID: {E952DF23-0FC7-5809-2135-C8AA60FE159B}

=====

Abbreviation..... TRACH MIDL
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Trachea Midline Deviated
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: TRACTION TYPE

Page: 737

ID: {5A9CB3E0-7141-45E9-BE82-AA026A7889AB}

=====

Abbreviation..... TRACT TYPE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Traction Type

Display Name..... Traction Type

Help Text..... Type of traction used

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

1. BUCKS TRACTION (BUCK TRACT)

{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}

2. SLING TRACTION (SLING TRAC)

{304E924C-C95A-4DBE-B30B-191BC4D26EF7}

3. PIN TRACTION (PIN TRACT) {C75104A5-3B6B-4CFE-8E2E-05877522C811}

UNITS:

ID: {0C913807-C678-4E94-BD20-B8B2EBE697BE}

=====

Abbreviation..... TRACT WEIG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Weight used in traction

Display Name..... Traction Weight - Do Not Check Total
or Subtotals

Help Text..... Weight used in traction

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

POUND

-1 > 0 * 30 < 31

Dec Prec: 0

ID: {86E4352A-A72E-4287-8C17-ABCF97DCAF94}

=====

Abbreviation..... TOF RESP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Train of Four response
Display Name..... Train of Four Response
Help Text..... Record the number of responses
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- | | |
|--------------|--|
| 1. 1:4 (1:4) | {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD} |
| 2. 2:4 (2:4) | {7D423C9A-42B3-4FDD-999B-889193492F5C} |
| 3. 3:4 (3:4) | {E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2} |
| 4. 4:4 (4:4) | {E9FCD5A0-995A-401D-8E85-6F0C753609B6} |

UNITS:

=====

TERM: TRAIN OF FOUR SMS

Page: 740

ID: {63E1D230-3238-4D03-95C5-24BF51FD0CEF}

=====

Abbreviation..... TOF SMS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Train of Four sms

Display Name..... Train of Four SMS

Help Text..... Record current setting in milliamps

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIAMPS -1.0 > 10.0 * 100.0 < 1000.0

Dec Prec: 1

=====

TERM: TRANSPORT FACILITATOR

Page: 741

ID: {9F4001FD-C520-4360-87CC-1420803FF72A}

=====

Abbreviation..... TRANS FA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Transport Facilitator
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}
 2. STAFF (STAFF) {BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}
 3. PHYSICIAN (PHYSICIA) {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}
 4. STUDENT (STUDENT) {613AFF67-9121-4F6C-A44F-1ACFEF10E612}
 5. FAMILY/FRIEND (FAM/FRIE) {FA8FE272-E659-41EF-A394-F907A5F55ED8}

UNITS:

ID: {976E8051-8473-4FBE-B4EA-CF96762CACC5}

=====

Abbreviation..... TRANS MO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Transportation Mode/Device
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 10 entries

1. ABLE TO AMBULATE (AMBULAT)
{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
2. CRUTCH (CRUTCH) {2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}
3. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}
4. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
5. CANES (CANES) {DF37C541-1C7D-4527-A4D2-31867B5ED438}
6. MOTORIZED WHEELCHAIR (MO WH CH)
{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}
7. WHEELCHAIR (WH CHAIR) {EC1B82CE-4037-466F-90AC-52CD5C3B26BE}
8. STRETCHER (STRETCHER) {93CB521A-3A67-41FB-A59C-3DD54D810B11}

9. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}

10. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}

UNITS:

=====

TERM: TUBE POSITION VERIFIED

Page: 744

ID: {1B065DF3-2D96-4F90-8CA2-7F377A0C2D28}

=====

Abbreviation..... TUBE POS V
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Was the tube position verified
Display Name..... Tube Position Verified
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: TURN AND SKIN CARE

Page: 745

ID: {42B46B96-C43B-4F36-B7F9-A3413F02EEA7}

=====

Abbreviation..... TURN SKIN

Active..... Yes

Boolean Value False..... Not Done

Boolean Value True..... Done

Data Type..... Boolean

Description..... Turn and Skin Care

Display Name..... Turn and Skin Care

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: ULNAR DRIFT

Page: 746

ID: {70284DFB-2F51-403D-54BE-DA51C83F2DDD}

=====

Abbreviation..... ULDT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Ulnar Drift

Help Text..... position of the metacarpophalangeal
joints

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

-
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

ID: {C713F418-605C-1E77-7834-610B6394D5F2}

=====

Abbreviation..... UP. LIM. S
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Upper Limb Extremities Strength
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

-
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
 - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
 - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
 - 5. EQUAL (Equal) {AC079584-158D-EBF2-E13A-C2E919375E4D}
 - 6. UNEQUAL (Unequal) {73319200-164F-B39F-649C-B7FB1AFBDBB8}

LOCATION: 3 entries

-
- 1. L UPPER LIMB (L Upp Limb) {E6453716-62D3-DFCB-F84D-F6F2FDFC20B7}

2. R UPPER LIMB (R UPP LIMB) {5E028BFF-ED9B-014F-74F0-C4137DB074FB}

3. BILATERAL WRIST (BILAT WRIS)

{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

ID: {3112FF47-AF91-5D4B-AD9B-1A2D95AA9CA7}

=====

Abbreviation..... URINE CHAR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Urine Characteristics
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

-
1. ANURIC (ANURIC) {0CCA4B44-7A59-4042-BAB9-EB2395A63C51}
 2. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 3. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
 4. HEMATURIA (HEMATURIA) {ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}
 5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
 6. SEDIMENT (SEDIMENT) {4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}
 7. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}
 8. THREADS (Threads) {029BB303-B428-41D0-978B-6A8176108D7D}

UNITS:

=====

TERM: URINE COLOR

Page: 749

ID: {80D67904-3FE2-98BA-6810-F15D88A637B3}

=====

Abbreviation..... URINE COLO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Color of urine
Display Name..... Urine Color
Help Text..... Color of urine
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 14 entries

1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
2. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
3. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
4. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
5. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
6. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
7. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
8. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
9. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
10. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

- 11. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
- 12. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
- 13. DYE PRESENT (DYE PRESEN) {E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}
- 14. TEA (TEA) {E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

UNITS:

ID: {298781A7-DC46-4065-AA8E-1567F72FBCB8}

=====

Abbreviation..... URINE VOID
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Urine Voids
Help Text..... Number of urine voids since last entry
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 11 entries

-
- 1. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
 - 2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 3. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 4. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
 - 5. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 - 6. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
 - 7. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
 - 8. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
 - 9. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
 - 10. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

11. N/A (n)

{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

ID: {CF4BE586-DB30-CD14-BEE1-704461E412C5}

=====

Abbreviation..... VOIDING
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Urine Voiding Method
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 12 entries

-
1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}
 2. DYSURIA (DYSURIA) {75AC5ECD-8975-406A-30C7-E2EB23F10F84}
 3. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
 4. DIVERSION (DIVERSION) {087AAE9F-7FE1-5717-6423-07574C637875}
 5. INDWELLING CATHETER (INDW CATH)
{EC16724C-D1EA-5650-58D4-38A89D4456F9}
 6. EXTERNAL CATHETER (EXT. CATHE)
{C8AEE936-DD91-FE91-4DD6-6F210FB59726}
 7. STRAIGHT CATHETER (STR. CATH)
{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

8. ILEAL CONDUIT (ILEAL COND)

{032CB6FE-77D2-702E-A0AE-46176F5CAA57}

9. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}

10. L NEPHROSTOMY (L NEPHROST)

{D8FC4C18-081E-A7B9-E394-25F194BE9757}

11. R NEPHROSTOMY (R NEPHROST)

{33661137-688D-5611-4368-B1DFD8DB1469}

12. REPORTED (REPORTED) {1D13BAC5-D8F9-455C-B815-8E256943492E}

QUALITY: 2 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

ID: {EA42E7E0-23CA-43D3-984E-CC421E0A90DF}

=====

Abbreviation..... VENT AU PE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Auto Peep

Display Name..... Ventilator Auto Peep - Do Not Check

Total or Subtotals

Help Text..... Ventilator Auto Peep

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -1.00 > 0.00 * 10.00 < 100.00

Dec Prec: 2

ID: {C0494BB3-5896-41BD-89B4-86C684078604}

=====

Abbreviation..... VENT CIR C
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Ventilator Circuit Change
Display Name..... Ventilator Circuit Change
Help Text..... Ventilator Circuit Change
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

METHOD: 1 entries

-
- 1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

=====

TERM: VENTILATOR EXHALED VOLUME

Page: 754

ID: {404A3850-382D-4E86-B7F3-29DDAF1616BC}

=====

Abbreviation..... VENT EXHAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Exhaled Volume

Display Name..... Ventilator Exhaled Volume

Help Text..... Ventilator Exhaled Volume

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITER 0.0 > 1.0 * 99.0 < 100.0 Dec Prec: 1

=====

TERM: VENTILATOR EXPIRATORY TIME

Page: 755

ID: {004C6736-FFB2-4002-B92C-E2F17D03AF4E}

=====

Abbreviation..... VENT EXP T
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Ventilator Expiratory Time
Display Name..... Ventilator Expiratory Time
Help Text..... Ventilator Expiratory Time
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

SECOND 0.00 > 0.01 * 9.99 < 10.00

Dec Prec: 2

=====

TERM: VENTILATOR FLOW RATE

Page: 756

ID: {548E1F72-B501-49DD-B22B-1366CE06C2BE}

=====

Abbreviation..... VENT FL RA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Ventilator Flow Rate
Display Name..... Ventilator Flow Rate
Help Text..... Ventilator Flow Rate
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITERS PER MINUTE -1 > 0 * 150 < 151 Dec Prec: 0

=====

TERM: VENTILATOR INSPIRATORY TIME

Page: 757

ID: {35948B65-6D8F-4BD4-8F4E-CE785D8D829D}

=====

Abbreviation..... VENT INS T
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Ventilator Inspiratory Time
Display Name..... Ventilator Inspiratory Time
Help Text..... Ventilator Inspiratory Time
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

SECOND 0.00 > 0.01 * 9.99 < 10.00

Dec Prec: 2

=====

TERM: VENTILATOR MEAN AIR PRESSURE

Page: 758

ID: {BD28B791-7E79-4116-8DF1-6296B60FCC57}

=====

Abbreviation..... VENT MAP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Mean Air Pressure

Display Name..... Ventilator Mean Air Pressure

Help Text..... Ventilator Mean Air Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 * 99 < 100 Dec Prec: 0

MILLIBAR 0 > 20 * 80 < 100 Dec Prec: 0

=====

TERM: VENTILATOR MINUTE VOLUME

Page: 759

ID: {1C718F1D-EE59-4743-888D-7767864C4EB0}

=====

Abbreviation..... VENT MIN V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Minute Volume

Display Name..... Ventilator Minute Volume

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITERS PER MINUTE -1 > -1 * 30 < 30 Dec Prec: 0

ID: {21CF6705-7597-53D0-F5EA-CBB704128A4B}

=====

Abbreviation..... VENT MODE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Ventilator Mode
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

1. CONTROL MODE VENTILATION (CMV)
{2E79351C-BA31-FC04-B636-F39728B23EA6}
2. ASSIST CONTROL (AC) {862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}
3. SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (SIMV)
{A606BB2B-5C00-FEA1-127F-1D3455AE5996}
4. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)
{387B42F0-F587-AAFC-ECA0-66067F18BEC6}
5. PRESSURE CONTROL (PRESS CONT)
{C3CDF756-484F-1483-9883-9B63DEF3B012}
6. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)

{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

7. SPONTANEOUS (SPONTANEOU) {C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

=====

TERM: VENTILATOR PATIENT EXHALE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 761

ID: {A125A0E0-8385-43F0-9A55-56D18B33CA24}

=====

Abbreviation..... VT PT EX V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Exhale Volume that the patient
actually achieved

Display Name..... Ventilator Patient Exhale Volume - Do
Not Check Total or Subtotals

Help Text..... Exhale Volume that the patient
actually achieved

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CUBIC CENTIMETER 0 > 1 * 499 < 500 Dec Prec: 0

=====

TERM: VENTILATOR PATIENT MINUTE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 762

ID: {0E7E1130-0CC0-4D61-9BA4-7E88B18A7A77}

=====

Abbreviation..... VT PT MN V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Minute Volume that the patient
actually achieved

Display Name..... Ventilator Patient Minute Volume - Do
Not Check Total or Subtotals

Help Text..... Minute Volume that the patient
actually achieved

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITERS PER MINUTE -0.1 > 0.0 * 4.9 < 5.0 Dec Prec: 1

ID: {4266EFCB-CF00-4363-8E5A-244653F6F17A}

=====

Abbreviation..... VT PT RATE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Rate that the patient actually achieved

Display Name..... Ventilator Patient Rate - Do Not
Check Total or Subtotals

Help Text..... Value that is determined by taking
the number of breaths total per
minute minus the breaths set to be
delivered by the machine

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE 0 > 1 * 119 < 120 Dec Prec: 0

ID: {B2681753-B7DE-4E0B-8901-B7CDF22D0E45}

=====

Abbreviation..... VT PT R TO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Total rate that the patient actually
achieved

Display Name..... Ventilator Patient Rate Total - Do
Not Check Total or Subtotals

Help Text..... Value of breaths delivered by the
machine plus any additional breaths
that the patient takes on their own

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE 0 > 1 * 119 < 120 Dec Prec: 0

=====

TERM: VENTILATOR PCV SET PRESSURE

Page: 765

ID: {BC521E68-B7AA-4B6E-AAC1-0594EE27D94E}

=====

Abbreviation..... VENT PCV S

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Control Ventilator Pressure

Display Name..... Ventilator PCV Set Pressure

Help Text..... Pressure Control Ventilator Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 * 99 < 100 Dec Prec: 0

=====

TERM: VENTILATOR PEEP

Page: 767

ID: {4847847A-7EB7-9A8F-D565-1DF26438A616}

=====

Abbreviation..... VENT PEEP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... PEEP: Positive End Expiratory Pressure

Display Name..... Ventilator PEEP

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD:

1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -1 > 0 * 20 < 21 Dec Prec: 0

=====

TERM: VENTILATOR PRESSURE SUPPORT

Page: 768

ID: {B6ABD066-7B39-126F-C4C2-A4243C2F93E9}

=====

Abbreviation..... V PRES SUP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Ventilator Pressure Support
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -1 > 0 * 20 < 40 Dec Prec: 0

=====

TERM: VENTILATOR PSV SET PRESSURE

Page: 769

ID: {B2494FE0-0B78-4BD9-97B6-DE604B711801}

=====

Abbreviation..... VENT PSV S

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Support Ventilator Pressure

Display Name..... Ventilator PSV Set Pressure

Help Text..... Pressure Support Ventilator Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 * 99 < 100 Dec Prec: 0

=====

TERM: VENTILATOR RATE

Page: 770

ID: {001D591B-6CE7-F51F-098C-79AC6B3E0E09}

=====

Abbreviation..... VENT RATE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ventilator Rate Set

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE 0 > 8 * 40 < 120 Dec Prec: 0

=====

TERM: VENTILATOR SENSITIVITY

Page: 771

ID: {52F9AF8D-CF31-430B-8A11-A8115BFF4B2E}

=====

Abbreviation..... VENT SENSI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Sensitivity

Display Name..... Ventilator Sensitivity

Help Text..... Ventilator Sensitivity

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -10.0 > -9.9 * -0.1 < 0.0 Dec Prec: 1

ID: {0592309F-98B7-DBF1-F9F7-94051584BF9F}

=====

Abbreviation..... TIDL VOL A
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Tidal Volume Actual - Do Not Check
Total or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

MILLILITER 0 > 400 * 1200 < 5000 Dec Prec: 0

LITER 0.000 > 0.400 * 1.200 < 5.000

Dec Prec: 3

=====

TERM: VENTILATOR TIDAL VOLUME SET

Page: 773

ID: {90D4A5CA-E21B-06F6-7AAC-FC6D4B11E7AC}

=====

Abbreviation..... TIDL VOL S
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Tidal Volume Set
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

MILLILITER 0 > 800 * 1200 < 5000 Dec Prec: 0

LITER 0.000 > 0.800 * 1.200 < 5.000

Dec Prec: 3

ID: {58151FCB-646B-4CC5-A89F-6D34DFB7E622}

=====

Abbreviation..... VENT TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Ventilator
Display Name..... Ventilator Type
Help Text..... Type of Ventilator
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 13 entries

1. VENTILATOR PB 840 (PB 840)
{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}
2. VENTILATOR ACHIEVA P5O2 (ACHIEVA P5)
{1690EEA5-3C3B-4D30-AC5C-214C94626699}
3. VENTILATOR ADULT STAR (ADULT STAR)
{879B13DA-4874-42D4-99EC-8E4ADB31B14E}
4. VENTILATOR BEAR 1000 (BEAR 1000)
{03C30F99-A27C-427C-B0ED-872F0DE646BD}
5. VENTILATOR DRAEGER (DRAEGER)
{DD18C42F-EF13-460B-8676-9ED1E429B54B}

6. VENTILATOR PB 7200ae (PB7200ae)

{86AE485F-ECD1-4B8E-820F-71CF159F318B}

7. VENTILATOR SERVO (SERVO) {D6F06715-1ADD-4941-B026-B9A5E463943E}

8. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)

{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

9. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)

{387B42F0-F587-AAFC-ECA0-66067F18BEC6}

10. VENTILATOR OTHER (VENT OTHER)

{138B7B3D-9F8B-447A-9785-12AB396AE6DE}

11. BIPAP - RESPIRONICS (BIPAP RESP)

{AA94A723-4C68-489F-88AC-2C6F276EAB76}

12. BIPAP - VISION (BIPAP VISI)

{AA39C765-BA1F-4289-B459-200A57C07FFF}

13. BIPAP/CPAP (BIPAP/CPAP) {8D767C67-3712-410F-A96B-69C731E03C5D}

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

ID: {17F52B3E-B4C9-483A-B02F-0F4DD809E673}

=====

Abbreviation..... VENT WA FO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Ventilator Wave Form Setting
Display Name..... Ventilator Wave Form
Help Text..... Ventilator Wave Form Setting
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

-
- 1. SQUARE (SQUARE) {63F70678-2CAF-48E8-964D-2805D8B9A43B}
 - 2. ACCELERATING (ACCELERATI) {514FE300-87EE-4C2C-AC70-5E57DBECAFF7}
 - 3. DECELERATING (DECELERATI) {B259D4D4-82B8-454A-B53D-F12F4952BB61}

METHOD: 1 entries

-
- 1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

=====

TERM: VISION CORRECTED

Page: 776

ID: {ED022AC1-EBE4-E708-684D-63D00628A94C}

=====

Abbreviation..... VC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Vision Corrected

Help Text..... Enter Acuity value XX/20

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688727

LOCATION: 2 entries

1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

FOOT -1 > 0 * 200 < 201 Dec Prec: 0

=====

TERM: VISION UNCORRECTED

Page: 777

ID: {BEA5E565-D728-F5B3-0A3A-0528C42A45C4}

=====

Abbreviation..... VU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Vision Uncorrected

Help Text..... Enter Acuity value XX/20

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688728

UNITS:

FOOT

-1 > 0 * 200 < 201

Dec Prec: 0

=====

TERM: VT/VC - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 778

ID: {FF8D8ABA-E89E-429A-AE65-7C25E22EF199}

=====

Abbreviation..... VT/VC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Tidal Volume / Vital Capacity

Display Name..... Vt/VC - Do Not Check Total or Subtotals

Help Text..... Tidal Volume / Vital Capacity

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

LITER 0.00 > 1.00 * 99.00 < 100.00

Dec Prec: 2

ID: {34F4BAF5-8388-4431-8AE1-F04670A25FE4}

=====

Abbreviation..... WM CL DEV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Warming, Cooling Device
Help Text..... Warming or Cooling Device
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 11 entries

1. AIR FLOW DEVICE (AIR FLOW D)
{60AF6215-CE2A-4EEE-9596-909E3E50BE71}
2. K-PAD (K-PAD) {10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}
3. WARMING BLANKET (WARM BLANK)
{23D20AE5-DE25-4456-8F77-BF0411FB19A6}
4. HUMIDIFIER (HUMIDIFIER) {A4CE67D1-F885-423B-B914-392D8CAC697E}
5. HEAT LAMP (HEAT LAMP) {4E9DE229-F810-4AB0-9FD7-4596759CEA11}
6. HEAT CHEM PACK (HT CHEM PA)
{D759F891-2535-40C2-A68C-678170E56F7A}
7. COOL CHEM PACK (CO CHEM PA)

{6DE5E644-28C2-4190-A2EF-1A766E014A65}

8. ICE PACK (ICE PACK) {E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}

9. WARMING BOTTLE (WARM BOTTL)

{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}

10. WARM HUMIDITY WITH O2 (WM HUM O2)

{E62E07C3-4CA2-426B-8EBA-48C406837D9C}

11. COOLING BLANKET (COOL BLANK)

{13A42B12-4959-4674-AF97-2D1242CFD934}

UNITS:

ID: {17908A29-AF84-4217-A035-1CE6CA0F7316}

=====

Abbreviation..... WM CL APPL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Warming/Cooling Device Application

Help Text..... Current State of Warming/Cooling Device

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-
1. WARMING ON (WARMING ON) {6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}
 2. WARMING OFF (WARMING OF) {98FAC977-8E2E-406A-9217-A77E1DDCDF50}
 3. COOLING ON (COOLING ON) {911CA17D-614E-445A-969E-4F5220E469EB}
 4. COOLING OFF (COOLING OF) {14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}

UNITS:

=====

TERM: WEIGHT

Page: 781

ID: {CD2D8263-6B71-0E1C-0AFE-87B4B2C12632}

=====

Abbreviation..... WT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Weight of patient

Display Name..... Weight

Help Text..... Patients weight in lb or kg.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500639

METHOD:

8 entries

1. BED (B) {20188D9F-3815-1F7F-34EC-BA77F75B310E}
2. CHAIR (Ch) {BBF5C05C-220D-D052-C7E8-236E791A4FC9}
3. LIFT SCALE (LS) {8D741461-25C5-3955-BE2C-CBD27317CBA1}
4. STANDING WEIGHT (SW) {BE16FA09-16DA-510B-D235-B7F0F93AB105}
5. WHEELCHAIR SCALE (WcS) {8C496753-9F42-2A36-E5CA-750188306ED4}
6. WITH CAST OR BRACE (WCB) {47709C05-DF21-FB7D-DE7F-0699D1B7E457}
7. WITH PROSTHESIS (WP) {73C93D2D-934B-CA55-3557-E756A89710F5}
8. WITHOUT PROSTHESIS (WOP) {9AACA852-E70D-1048-FCE7-112D46C12619}

POSITION:

3 entries

-
1. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
 2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
 3. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

QUALITY: 4 entries

-
1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
 2. DRY (D) {B319EFF4-BA4A-85B1-2617-E00E46A54ABE}
 3. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}
 4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

POUND 0.0 > 1.0 * 1499.0 < 1500.0

Dec Prec: 1

KILOGRAM 0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

=====

TERM: WEIGHT AT ADMISSION

Page: 782

ID: {F9C859E2-ACD7-44F5-8E0D-3166C3D0A61F}

=====

Abbreviation..... WT AT ADM I

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Weight at Admission

Help Text..... Weight of patient at admission time

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

POUND 0.0 > 1.0 * 1499.0 < 1500.0

Dec Prec: 1

KILOGRAM 0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

=====

TERM: WEIGHT DRY

Page: 783

ID: {8594A12F-97BD-41A5-802A-76E5317448C6}

=====

Abbreviation..... WEIGHT DRY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Dry Weight
Help Text..... Patient Dry Weight
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

QUALITY: 3 entries

-
- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
 - 2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}
 - 3. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

POUND 0.0 > 1.0 * 1499.0 < 1500.0

Dec Prec: 1

KILOGRAM 0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

=====

TERM: WOUND BED COLOR

Page: 784

ID: {2B890957-8886-4BC8-84AC-D46DDAE733A0}

=====

Abbreviation..... WOU BED CO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Bed Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

8 entries

-
- | | |
|--------------------|--|
| 1. BLACK (BLACK) | {7A55AFB9-6861-4918-0746-3D67D47FE5C3} |
| 2. GRAY (GRAY) | {D38ABEE0-52D7-4316-A713-40ACF4250599} |
| 3. GREEN (GREEN) | {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF} |
| 4. PINK (PINK) | {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D} |
| 5. RED (RED) | {515D7CFB-3527-30E7-EC4B-B607C272DFA0} |
| 6. TAN (TAN) | {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1} |
| 7. WHITE (WHITE) | {AB04EF54-5246-EF3A-E1D9-02E9E24369DD} |
| 8. YELLOW (YELLOW) | {90DC31AD-6211-9F25-4237-79F7122A2763} |

UNITS:

=====

TERM: WOUND CARE TYPE

Page: 785

ID: {09114B46-DF13-431B-B9F3-C15667811A2C}

=====

Abbreviation..... WOU CARE T

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Care Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. TOPICAL TREATMENT (TOPICAL T)

{4E995342-8A6F-4B21-8013-F8C6A9FC7658}

2. DRESSING (d)

{FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

UNITS:

=====

TERM: WOUND DEPTH

Page: 786

ID: {B8FDF2BE-E6ED-49E3-8F42-4CEF94E29C47}

=====

Abbreviation..... WOU DEPTH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Wound Depth

Display Name..... Wound Depth

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

-1.00 > 0.00 * 200.00 < 400.00

Dec Prec: 2

ID: {02DD62D6-E771-43DB-8CDF-F45A27263CFC}

=====

Abbreviation..... WOU DR CHA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Wound Drainage
Display Name..... Wound Discharge Characteristics
Help Text..... Wound Discharge Characteristics Pick
One
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

1. WOUND DISCHARGE CHARACTERISTICS NONE (WOU DI NON)
{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}
2. WOUND DISCHARGE CHARACTERISTICS BLOODY (WOU DI BLO)
{628DBFBC-9B77-48EA-99FE-0DF000376506}
3. WOUND DISCHARGE CHARACTERISTICS CLOUDY (WOU DI CLO)
{159C9993-A2E1-4133-9D5F-315EF9985EC4}
4. WOUND DISCHARGE CHARACTERISTICS PURULENT (WOU DI PUR)
{C1E10410-B6D8-4429-BD94-0B179992EAAB}
5. WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (WOU DI SSA)

{B431D8EF-5B53-4DCF-A390-431EB5ED3704}

6. WOUND DISCHARGE CHARACTERISTICS SEROUS (WOU DI SER)

{2124005E-5C36-48AC-AA6B-03E06510D70A}

7. WOUND DISCHARGE CHARACTERISTICS VISCOUS (WOU DI VIS)

{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}

UNITS:

ID: {6BF2AAEF-0D62-4D2D-9E41-F2EDCA714150}

=====

Abbreviation..... WOU DIS CO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Discharge Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 15 entries

1. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
2. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
3. BLUE (BLUE) {8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}
4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
5. COLORLESS (COLORLESS) {D093D8C5-E284-47D4-8FA6-DCD5B030B10E}
6. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
8. MAROON (MAROON) {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

- 11. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
- 12. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
- 13. VIOLET (VIOLET) {1249AE97-CF1F-4604-A17A-5FC85F6D0185}
- 14. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
- 15. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

=====

TERM: WOUND DISCHARGE ODOR

Page: 789

ID: {67D752F7-CC83-4D76-96EB-ECE6DBA40210}

=====

Abbreviation..... WOU DIS OD

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Discharge Odor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. FOUL SMELLING (FOUL SMELL)

 {761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:

ID: {8EC56666-A337-AA7F-5109-A10155D4FD58}

=====

Abbreviation..... WOU DR TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of drain used
Display Name..... Wound Drain Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. BULB SUCTION (Bulb Sucti) {B0839A82-BB79-BB9F-5E4E-0ED67F716A50}
2. HEMOVAC (HEMOVAC) {82DA2DA7-E20B-E571-659C-457DF42472C2}
3. JP DRAIN (JP Drain) {20F3B3D5-D3A4-96FD-5446-253FD031DF2B}
4. LUMBAR DRAIN (LUM DRAIN) {FF36A046-1799-0734-286B-2272C34E3056}
5. PENROSE DRAIN (Penrose D) {DE508E95-D044-ACCA-EE69-33B9A8454E6C}
6. SUMP (Sump) {DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}
7. TWILL TAPE (Twill Tape) {C52BE250-732D-03BB-B8F9-72BE4D546807}
8. VENTRICULOSTOMY (Ventriculo)
{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}
9. WOUND VAC DEVICE (WOUND VAC)

{A03F4978-969D-DCB8-DCE2-26EB33F097B3}

10. VACUUM ASSISTED CLOSURE (VAC ASS CL)

{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}

UNITS:

ID: {3BABF5D4-BD30-4814-A397-EEEEAE0EE1D13}

=====

Abbreviation..... WOU DRA AM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Amount of drainage from wound
Display Name..... Wound Drainage Amount
Help Text..... Amount of drainage from wound
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

1. WOUND DRAINAGE AMOUNT NONE (WOU DR A N)
{92910398-311F-D4D7-8BD5-AB66C3DC5E72}
2. WOUND DRAINAGE AMOUNT SCANT (W DR SCANT)
{9C3CD0BD-F960-4098-B14C-17B20703B242}
3. WOUND DRAINAGE AMOUNT SMALL (W DR A SMA)
{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}
4. WOUND DRAINAGE AMOUNT MODERATE (W DR A MOD)
{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}
5. WOUND DRAINAGE AMOUNT HEAVY (W DR A HEA)
{BF959172-6672-4FEB-8FB7-0568405F3C83}

UNITS:

ID: {01A45F49-9EBB-44E7-8B9A-6920886F51BB}

=====

Abbreviation..... WOU DR CHA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Has Wound Dressing Been Changed?

Display Name..... Wound Dressing Changed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4C47F5C1-BA38-4FDC-A334-32EA297D8A16}

=====

Abbreviation..... WOU DR TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Dressing Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 15 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. ANTI-MICROBIAL DRESSING (AB DRESSIN)
{9734C5E9-D099-47EB-93B1-D82201F64331}
3. ANTIMICROBIAL DISK (WOU DR ADI)
{1F1745EA-D763-4AFD-9CED-82E974E57692}
4. BALSAM OF PERU (WOU DR PER)
{DD412BB1-B1C1-4A48-A38F-832629448E06}
5. BISMUTH GAUZE (WOU DR BIS)
{010DED59-C808-4D92-A7F8-87AEB86B4439}
6. CALCIUM ALGINATE (CA ALGINAT)

{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

7. FOAM DRESSING (WOU DR FOA)

{D18A5EDD-0EF6-470E-8370-4EDB6D322477}

8. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}

9. GAUZE PACKING (GAUZE PACK)

{6C093717-82CB-4966-929E-C909310649C1}

10. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}

11. HYDROCOLLOIDAL DRESSING (HCOLL DRES)

{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

12. HYDROGEL DRESSING (H-GEL DRES)

{F6192D10-D6EA-42C2-AB15-270659D9925C}

13. HYPERTONIC HYDROGEL (WOU DR HYP)

{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}

14. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}

15. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

UNITS:

=====

TERM: WOUND EDGE

Page: 794

ID: {BC1B996C-35E6-4A05-BDF6-00DF84EA90EF}

=====

Abbreviation..... WOU ED
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Edge
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

1. WOUND EDGE INDISTINCT/ATTACHED (WOU ED IND)
{C899235C-4A07-4420-92BC-8F818B8E0A7F}
2. WOUND EDGE NON-ATTACHED (WOU ED NON)
{1D5C1317-B4FF-421C-96A0-C20C1089E672}
3. WOUND EDGE TUNNELING (WOU ED TUN)
{97425206-5261-46C1-905F-E03E2F071381}
4. WOUND EDGE UNDERMINING (WOU ED UND)
{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}
5. WOUND EDGE ROLLED (WOU ED ROL)
{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}

UNITS:

ID: {687C2787-FDDF-4796-8195-23152E8A9FD9}

=====

Abbreviation..... WOU HEA ST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Healing Status
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. EPITHELIALIZATION (EPITHELIAL)
{5FC43A6D-921D-4736-A234-9993DB6499B7}
2. ESCHAR (ESCHAR) {555E03C5-FBFE-4EB9-816F-25CE34476B3C}
3. FIBRINOUS (FIBRINOUS) {D286EAE2-6902-4B7E-845D-BBB316941B2C}
4. GRANULATING (GRANULATI) {F8930276-3954-4BFE-82B0-6C44A8E9CAE0}
5. HYPERGRANULIZATION (HYPERGRANU)
{C14B9FB0-6F33-4ACB-88B3-4B799594F845}
6. NECROTIC (NECROTIC) {86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}
7. SLOUGH (SLOUGH) {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}
8. SMOOTH (SMOOTH) {5D71A0D5-52ED-4B8D-B359-AC7D500660D8}

UNITS:

ID: {7DDD37DD-4323-4704-BC23-7722732D9B32}

=====

Abbreviation..... WOU IDENTI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Wound Identified
Display Name..... Wound Identified
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 1. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
- 2. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
- 3. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}
- 4. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
- 5. POST-FALL (POST-FALL) {9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}

LOCATION: 70 entries

- 1. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
- 2. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

3. R TESTICLE (R TESTICLE) {0947D277-50AD-47F8-A76D-0EC34EB3B168}
4. L TESTICLE (L TESTICLE) {1E376539-E89F-4472-8274-CFD11275E11F}
5. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
6. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
7. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
9. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
10. R UPPER LEG (R UPPER LE) {113BD5ED-5A0A-47CA-B100-91B244BFD04A}
11. L UPPER LEG (L UPPER LE) {1DB35895-F74C-4B88-A3EE-3E556CB6559A}
12. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}
13. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}
14. R INNER KNEE (R INN KNEE) {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}
15. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}
16. L INNER KNEE (L INN KNEE) {79853581-CCF0-49E9-9D91-D16DE02A836D}
17. L OUTER KNEE (L OUT KNEE) {B143C935-2687-49C3-9F65-8D69C1775ABC}
18. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
19. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
20. L HEAD (L HEAD) {3737DC2D-DC9E-4FC8-839D-0355987B62D1}
21. R HEAD (R HEAD) {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}
22. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
23. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
24. GENITALS (GENITALS) {83437106-3336-4925-92C8-F959561687FC}
25. GENERALIZED (GENERIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}
26. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
27. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
28. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
29. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
30. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

31. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
32. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
33. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
34. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
35. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
36. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
37. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
38. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
39. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
40. UPPER BACK (UPPER BACK) {C1DA4294-E0DC-438B-810D-7F91E170244A}
41. MID BACK (MID BACK) {F8C515E0-F437-4596-B030-DA1811038CDF}
42. LOWER BACK (LOWER BACK) {7E761680-61BC-450F-9905-C45CE760EC45}
43. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
44. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
45. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
46. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
47. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
48. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
49. UPPER ABDOMEN (UP ABDOM) {234C677B-1CE6-498B-9375-BB5DC3958842}
50. R ABDOMEN (R ABDOMEN) {5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}
51. LOWER ABDOMEN (LO ABDOM) {077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}
52. L ABDOMEN (L ABDOMEN) {46B37481-4105-492D-96F0-E2D3895379C1}
53. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
54. HEAD OCCIPITAL (HEAD OCCIP)
{2066CA47-5A16-447F-9919-24ED435B627F}
55. L ANTECUBITAL (L ANTECUBI)
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
56. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

- 57. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 58. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
- 59. L HEEL (L HEEL) {C9154881-17C7-4921-A0EE-BFB962C59CEF}
- 60. R HEEL (R HEEL) {0020DD20-2EA4-4362-ADF0-07BFA220C60E}
- 61. L ISCHIAL (L ISCHIAL) {DCDAD741-9599-4479-9D55-3279F800DBE6}
- 62. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}
- 63. L RIBS (L RIBS) {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}
- 64. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}
- 65. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
- 66. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 67. L TROCHANTER (L TROCHANT) {C91647A4-255D-40E4-A24D-01274E5D799F}
- 68. R TROCHANTER (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}
- 69. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
- 70. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

UNITS:

=====

TERM: WOUND LENGTH

Page: 797

ID: {B43EAD3E-A282-4351-B83A-1A4F9ADD0B46}

=====

Abbreviation..... WOU LEN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Wound Length

Display Name..... Wound Length

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

-1.00 > 0.00 * 200.00 < 400.00

Dec Prec: 2

=====

TERM: WOUND ODOR

Page: 798

ID: {F71814E1-2D36-4074-B8F4-253AC6BDA1AA}

=====

Abbreviation..... WOU ODOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Wound Odor

Display Name..... Wound Odor

Help Text..... Wound Odor

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. WOUND ODOR NONE (WOU OD NON)

{D2E388F7-B531-4D60-A2BE-830F11B9AA75}

2. WOUND ODOR FOUL (WOU OD FOU)

{99A74112-EA71-4896-A4DD-911379E5B453}

UNITS:

=====

TERM: WOUND PHOTOGRAPHED

Page: 799

ID: {398E171E-93A6-4DB3-82E7-5C0D118A80EE}

=====

Abbreviation..... WOU PHOTOG
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Has Wound Been Photographed
Display Name..... Wound Photographed
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4883E272-E8D4-48D4-A7C5-B00F5315B6DC}

=====

Abbreviation..... WOU TREATM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Wound Treatment
Display Name..... Wound Treatment
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

1. HYDROCOLLOIDAL DRESSING (HCOLL DRES)
{D85741EF-0DB3-48CF-BC9A-88C834A72F36}
2. TRANSPARENT DRESSING (TRANSP DRE)
{777C7722-AEA8-4A0B-9ADD-1157D37AE539}
3. SALINE MOIST DRESSING (SAL MOI DR)
{19F98514-8ABF-461C-9969-C31177FE7DE7}
4. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}
5. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AE4}

UNITS:

ID: {1DCC28AC-700F-4E61-85BC-71D00758F9EB}

=====

Abbreviation..... WOU TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of wound
Display Name..... Wound Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 29 entries

1. ABRASION (ABRASION) {7E962B43-24B1-46D2-A79A-54811117271A}
2. BLISTERING (BLISTERING) {3A4212D5-F2A8-4636-BB7F-F36FA8CED192}
3. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}
4. BURN (BURN) {97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}
5. CELLULITIS (CELLULITIS) {709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}
6. CRUSHING (CRUSHING) {92D4BAF1-63E3-4FC0-B096-B5CBC4736245}
7. DIABETIC/VASCULAR ULCER (DIA/VAS UL)
{E209E53E-EFF1-48F5-9581-75236C89D9B9}
8. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
9. PREVIOUS PERCUTANEOUS SITE (PRE PER SI)

{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}

10. RASH/EXFOLIATION (RASH/EXFOL)

{AB83ABA9-28A7-6484-67E7-4E66B5526942}

11. SKIN TEAR (SKIN TEAR) {2E230C6E-119F-4F9F-8797-2FFA9D76F337}

12. SKIN TRAUMA (SKIN TRAUM) {91C8EE13-2C4A-468C-94EB-C53E0D153EBA}

13. SURGICAL DONOR (SURG DONOR)

{F3EE10EA-5776-479B-A58C-F59D6526F90B}

14. SURGICAL GRAFT (SURG GRAFT)

{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}

15. SURGICAL (SURGICAL) {2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}

16. VASCULAR (VASCULAR) {60523BF8-6372-4760-881C-A62F85D2A0F6}

17. VASCULAR/NEUROPATHIC (VASC/NEURO)

{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}

18. BITE (Bite) {FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}

19. BULLET (BULLET) {1570D8E2-D936-494D-AF6E-13838EA34EFD}

20. CONTUSION (Contusion) {5285197A-CC0A-4D12-A1F8-966765C687F1}

21. INCONTENENCE DERMATITIS (INCON DERM)

{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}

22. LACERATION (LACERATION) {F4548BB2-39AF-4E0D-B52F-472EA080D6FF}

23. PENETRATING (PENETRATIN) {00A2D4C8-EDDE-4593-A1F8-A87A836B3379}

24. PRESSURE ULCER (PRE ULCER)

{7279639E-498D-4EA3-A3FA-4A6D611E6F48}

25. PUNCTURE (PUNCTURE) {28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}

26. TAPE BURN (TAPE BURN) {DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}

27. VASCULAR LESION ARTERIAL (VASLES ART)

{EA565D3F-D984-4553-B597-DFE844554CE9}

28. VASCULAR LESION MIXED (VASLES MIX)

{8684AB2D-9162-4DC2-A5FA-A14558678689}

29. VASCULAR LESION VENOUS (VASLES VEN)

{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}

UNITS:

=====

TERM: WOUND VACUUM ASSISTED CLOSURE

Page: 802

ID: {04748983-B61B-4121-AF49-FA1FDA1D9646}

=====

Abbreviation..... WOU VAC AS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Vacuum Assisted Closure Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}

2. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}

UNITS:

=====

TERM: WOUND WIDTH

Page: 803

ID: {7EED882C-3CAE-4A54-88FA-D0B380D81658}

=====

Abbreviation..... WOU WIDTH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Wound Width

Display Name..... Wound Width

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

-1.00 > 0.00 * 200.00 < 400.00

Dec Prec: 2

DATA VALUE: 0

ABBREVIATION.....0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0

HELP_TEXT.....No Help Text

ID.....{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

TERM.....0

DATA VALUE: 1

ABBREVIATION.....1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1

HELP_TEXT.....No Help Text

ID.....{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

TERM.....1

DATA VALUE: 2

ABBREVIATION.....2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2

HELP_TEXT.....No Help Text

ID.....{38E22B79-A2B6-3401-B195-C955F24E1278}

TERM.....2

DATA VALUE: 3

ABBREVIATION.....3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3

HELP_TEXT.....No Help Text

ID.....{E714454D-6A67-91F6-2FB7-D8F24F184328}

TERM.....3

DATA VALUE: 4

ABBREVIATION.....4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4

HELP_TEXT.....No Help Text

ID.....{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

TERM.....4

DATA VALUE: 4.5

ABBREVIATION.....4.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4.5

HELP_TEXT.....No Help Text

ID.....{EC6C0C72-8C49-4535-92B2-7E543007EE32}

TERM.....4.5

DATA VALUE: 5

ABBREVIATION.....5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5

HELP_TEXT.....No Help Text

ID.....{188EDCE7-0726-4234-D8D2-92C8052CD221}

TERM.....5

DATA VALUE: 5.5

ABBREVIATION.....5.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5.5

HELP_TEXT.....No Help Text

ID.....{4878F059-EC9D-44FC-9A61-734C291530E7}

TERM.....5.5

DATA VALUE: 6

ABBREVIATION.....6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6

HELP_TEXT.....No Help Text

ID.....{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

TERM.....6

DATA VALUE: 6.5

ABBREVIATION.....6.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6.5

HELP_TEXT.....No Help Text

ID.....{CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3}

TERM.....6.5

DATA VALUE: 7

ABBREVIATION.....7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7

HELP_TEXT.....No Help Text

ID.....{7A010324-D2C2-5D4B-848A-7B8878666D20}

TERM.....7

DATA VALUE: 7.5

ABBREVIATION.....7.5

ACTIVE.....Yes

DESCRIPTION.....7.5

DISPLAY_NAME.....7.5

HELP_TEXT.....No Help Text

ID.....{7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}

TERM.....7.5

DATA VALUE: 8

ABBREVIATION.....8

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....8

HELP_TEXT.....No Help Text

ID.....{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

TERM.....8

DATA VALUE: 8.5

ABBREVIATION.....8.5

ACTIVE.....Yes

DESCRIPTION.....8.5

DISPLAY_NAME.....8.5

HELP_TEXT.....8.5

ID.....{96723567-151D-4B5C-9C65-B3EB6D584272}

TERM.....8.5

DATA VALUE: 9

ABBREVIATION.....9

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....9

HELP_TEXT.....No Help Text

ID.....{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

TERM.....9

DATA VALUE: 9.5

ABBREVIATION.....9.5

ACTIVE.....Yes

DESCRIPTION.....9.5

DISPLAY_NAME.....9.5

HELP_TEXT.....9.5

ID.....{252555A1-ADB2-4948-8764-C952F2587DC5}

TERM.....9.5

DATA VALUE: 10

ABBREVIATION.....10

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....10

HELP_TEXT.....No Help-Text

ID.....{0C827160-18DB-816F-7FAA-A3C175C6D33B}

TERM.....10

DATA VALUE: 11

ABBREVIATION.....11

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....11

HELP_TEXT.....11

ID.....{BD51A7B3-FACF-890C-472E-E3B28519CC16}

TERM.....11

DATA VALUE: 12

ABBREVIATION.....12

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....12

HELP_TEXT.....No Help Text

ID.....{ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

TERM.....12

DATA VALUE: 12.5

ABBREVIATION.....12.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....12.5

HELP_TEXT.....No Help Text

ID.....{97A947AE-2BCC-F75D-1794-6AF9BAC1497B}

TERM.....12.5

DATA VALUE: 13

ABBREVIATION.....13

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....13

HELP_TEXT.....No Help Text

ID.....{030242DB-3F82-7517-3DEE-4D50E3E8AE23}

TERM.....13

DATA VALUE: 13.5

ABBREVIATION.....13.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....13.5

HELP_TEXT.....No Help Text

ID.....{34D24648-B2D9-9C6C-6D71-F80E977CE185}

TERM.....13.5

DATA VALUE: 14

ABBREVIATION.....14

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....14

HELP_TEXT.....No Help Text
ID.....{EDF1C2B1-123B-011F-9B02-7D71088971C1}
TERM.....14

DATA VALUE: 14.5

ABBREVIATION.....14.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....14.5
HELP_TEXT.....No Help Text
ID.....{373C8F8C-5D36-4AD6-6A76-513064669CB5}
TERM.....14.5

DATA VALUE: 15

ABBREVIATION.....15
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....15
HELP_TEXT.....No Help Text
ID.....{FE8C049F-B64C-4991-2F50-3C561BA4825C}
TERM.....15

DATA VALUE: 15.5

ABBREVIATION.....15.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....15.5

HELP_TEXT.....No Help Text

ID.....{1BBF5122-2FFA-6B27-445B-3291C3F83A36}

TERM.....15.5

DATA VALUE: 16

ABBREVIATION.....16

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....16

HELP_TEXT.....No Help Text

ID.....{9E4B84FF-430A-39FB-E6AA-E1031814796D}

TERM.....16

DATA VALUE: 16.5

ABBREVIATION.....16.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....16.5

HELP_TEXT.....No Help Text
ID.....{7D4EA1D4-5233-760F-FD2B-A70FB0969815}
TERM.....16.5

DATA VALUE: 17

ABBREVIATION.....17
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....17
HELP_TEXT.....No Help Text
ID.....{2E89B9C8-5E80-F3C9-FE66-4396CB63201A}
TERM.....17

DATA VALUE: 17.5

ABBREVIATION.....17.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....17.5
HELP_TEXT.....No Help Text
ID.....{FDE6FFD9-00D0-9C55-1A7F-4AA70CE313BA}
TERM.....17.5

DATA VALUE: 18

ABBREVIATION.....18

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....18

HELP_TEXT.....No Help Text

ID.....{F2815231-0FCE-4988-95E9-D9AF46C57086}

TERM.....18

DATA VALUE: 18.5

ABBREVIATION.....18.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....18.5

HELP_TEXT.....No Help Text

ID.....{75ABCB85-4D6E-0BBC-157F-CA69B7737402}

TERM.....18.5

DATA VALUE: 19

ABBREVIATION.....19

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....19

HELP_TEXT.....No Help Text

ID.....{478FFB89-4941-1474-04E1-C838B2467439}

TERM.....19

DATA VALUE: 19.5

ABBREVIATION.....19.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....19.5

HELP_TEXT.....No Help Text

ID.....{58F0F98D-299A-8C4E-F50F-AE21B6E696D6}

TERM.....19.5

DATA VALUE: 20

ABBREVIATION.....20

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....20

HELP_TEXT.....No Help Text

ID.....{532FBDF8-7F7B-9551-300C-F2CFEF656163}

TERM.....20

DATA VALUE: 20.5

ABBREVIATION.....20.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....20.5

HELP_TEXT.....No Help Text

ID.....{DB1F50D2-AF99-7BB3-88F5-B58C0BDE7987}

TERM.....20.5

DATA VALUE: 21

ABBREVIATION.....21

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....21

HELP_TEXT.....No Help Text

ID.....{C6188159-9EF1-DA5C-C015-2142A1205C4C}

TERM.....21

DATA VALUE: 21.5

ABBREVIATION.....21.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....21.5

HELP_TEXT.....No Help Text

ID.....{A259E466-773F-519C-7B5B-1570D1B03B70}

TERM.....21.5

DATA VALUE: 22

ABBREVIATION.....22

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....22

HELP_TEXT.....No Help Text

ID.....{DA839156-C7A9-76D7-58CD-7EC2B016EF40}

TERM.....22

DATA VALUE: 22.5

ABBREVIATION.....22.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....22.5

HELP_TEXT.....No Help Text

ID.....{D402D24F-1EF2-1AA0-DD1C-FA8320AA929A}

TERM.....22.5

DATA VALUE: 23

ABBREVIATION.....23
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....23
HELP_TEXT.....No Help Text
ID.....{8FB6A8B1-B692-BDC7-43B9-0332F33D826A}
TERM.....23

DATA VALUE: 23.5

ABBREVIATION.....23.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....23.5
HELP_TEXT.....No Help Text
ID.....{DDB76295-7E4A-FEAC-324D-37878F62771A}
TERM.....23.5

DATA VALUE: 24

ABBREVIATION.....24
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....24

HELP_TEXT.....No Help Text

ID.....{2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}

TERM.....24

DATA VALUE: 24.5

ABBREVIATION.....24.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....24.5

HELP_TEXT.....No Help Text

ID.....{D815830B-5D94-0975-D007-E4FDD966155B}

TERM.....24.5

DATA VALUE: 25

ABBREVIATION.....25

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....25

HELP_TEXT.....No Help Text

ID.....{42DD0655-142D-6901-D3FE-66D295BBFCD1}

TERM.....25

DATA VALUE: 25.5

ABBREVIATION.....25.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....25.5

HELP_TEXT.....No Help Text

ID.....{9D704E9E-FB1D-FB83-2142-EDBF3805E8F7}

TERM.....25.5

DATA VALUE: 26

ABBREVIATION.....26

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....26

HELP_TEXT.....No Help Text

ID.....{181395F6-29FD-5A41-5AD7-BFC9CF564F3B}

TERM.....26

DATA VALUE: 26.5

ABBREVIATION.....26.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....26.6

HELP_TEXT.....No Help Text
ID.....{1D464967-6CFA-E29E-548D-EF68AFCDEC61}
TERM.....26.5

DATA VALUE: 27

ABBREVIATION.....27
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....27
HELP_TEXT.....No Help Text
ID.....{64D25A86-6516-0910-B4B5-644B85378876}
TERM.....27

DATA VALUE: 27.5

ABBREVIATION.....27.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....27.5
HELP_TEXT.....No Help Text
ID.....{8C7BE365-AFD0-3FFD-B8EC-6EC914763CFC}
TERM.....27.5

DATA VALUE: 28

ABBREVIATION.....28

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....28

HELP_TEXT.....No Help Text

ID.....{66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}

TERM.....28

DATA VALUE: 28.5

ABBREVIATION.....28.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....28.5

HELP_TEXT.....No Help Text

ID.....{C99C9298-D4D2-BC02-36D3-F612B6080A87}

TERM.....28.5

DATA VALUE: 29

ABBREVIATION.....29

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....29

HELP_TEXT.....29

ID.....{93F62F6F-5EFE-C451-5908-47C895B7177C}

TERM.....29

DATA VALUE: 30

ABBREVIATION.....30

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....30

HELP_TEXT.....30

ID.....{1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}

TERM.....30

DATA VALUE: 31

ABBREVIATION.....31

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....31

HELP_TEXT.....31

ID.....{5EEDDCF5-7D59-1526-2522-FA59099C8C21}

TERM.....31

DATA VALUE: 99

ABBREVIATION.....99

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....99

HELP_TEXT.....No Help Text

ID.....{B013C05B-1AF0-1547-4F03-378883F887C5}

TERM.....99

DATA VALUE: +1 = SLIGHT

ABBREVIATION.....+1 SLIGHT

ACTIVE.....Yes

DESCRIPTION.....+1 = Slight

DISPLAY_NAME.....+1 = Slight

HELP_TEXT.....No Help Text

ID.....{7C0245BA-B261-4B68-A84C-D737CA634230}

TERM.....+1 = SLIGHT

DATA VALUE: +2 = MODERATE

ABBREVIATION.....+2 = MODER

ACTIVE.....Yes

DESCRIPTION.....+2 = Moderate

DISPLAY_NAME.....+2 = Moderate

HELP_TEXT.....No Help Text

ID.....{CCF23A60-068C-443F-AFD0-2D56EEE0446C}

TERM.....+2 = MODERATE

DATA VALUE: +3 = MARKED

ABBREVIATION.....+3 = MARKE

ACTIVE.....Yes

DESCRIPTION.....+3 = Marked

DISPLAY_NAME.....+3 = Marked

HELP_TEXT.....No Help Text

ID.....{41ACC586-0C68-4780-8B2D-F36B21FCEDB2}

TERM.....+3 = MARKED

DATA VALUE: +4 = VERY MARKED

ABBREVIATION.....+4 = VY MA

ACTIVE.....Yes

DESCRIPTION.....+4 = Very Marked

DISPLAY_NAME.....+4 = Very Marked

HELP_TEXT.....No Help Text

ID.....{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

TERM.....+4 = VERY MARKED

DATA VALUE: 0 - ABSENT

ABBREVIATION.....0-a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - Absent

HELP_TEXT.....No Help Text

ID.....{75F14311-F113-963C-4F05-B8AE17F044A9}

TERM.....0 - ABSENT

DATA VALUE: 0 - ALERT

ABBREVIATION.....Alert

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 - Alert

HELP_TEXT.....

ID.....{A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}

TERM.....0 - ALERT

DATA VALUE: 0 - HR 51-100

ABBREVIATION.....HR 51-100

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 - HR 51-100

HELP_TEXT.....

ID.....{6A262124-7FE8-4520-9762-87D0A3DB8AE9}

TERM.....0 - HR 51-100

DATA VALUE: 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT

ABBREVIATION.....0 Ind

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 - Independent - No Help or Staff

Oversight

HELP_TEXT.....

ID.....{4A125BF9-A2C1-4503-9182-BF3E2A708547}

TERM.....0 - INDEPENDENT - NO HELP OR STAFF

OVERSIGHT

DATA VALUE: 0 - INDEPENDENT - NO HELP PROVIDED

ABBREVIATION.....0 ind

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 - Independent - No Help Provided

HELP_TEXT.....

ID.....{07AB4004-1793-410A-9872-00BB0B322DFE}

TERM.....0 - INDEPENDENT - NO HELP PROVIDED

DATA VALUE: 0 - NO ANXIETY AT EASE

ABBREVIATION.....CIWA AX 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - No Anxiety, At Ease

HELP_TEXT.....No Help Text

ID.....{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}

TERM.....0 - NO ANXIETY AT EASE

DATA VALUE: 0 - NO NAUSEA/VOMITING

ABBREVIATION.....CIWA NV 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - No Nausea / Vomiting

HELP_TEXT.....No Help Text

ID.....{0569555E-E7B3-49E3-9A18-68D23CFB2B8D}

TERM.....0 - NO NAUSEA/VOMITING

DATA VALUE: 0 - NO SETUP OR PHYSICAL HELP FROM STAFF

ABBREVIATION.....0 No Setup

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 - No Setup or Physical Help from

Staff

HELP_TEXT.....

ID.....{730049CC-4CD5-449E-A0E8-389AB61A02BD}

TERM.....0 - NO SETUP OR PHYSICAL HELP FROM

STAFF

DATA VALUE: 0 - NO SWEAT VISIBLE

ABBREVIATION.....CIWA PS 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - No Sweat Visible

HELP_TEXT.....No Help Text

ID.....{7C83E616-4414-4766-AAF5-5F5442FFBF09}

TERM.....0 - NO SWEAT VISIBLE

DATA VALUE: 0 - NO TREMOR

ABBREVIATION.....CIWA TR 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - No Tremor

HELP_TEXT.....No Help Text

ID.....{2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}

TERM.....0 - NO TREMOR

DATA VALUE: 0 - NONE

ABBREVIATION.....CIWA TC 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - None

HELP_TEXT.....No Help Text

ID.....{5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}

TERM.....0 - NONE

DATA VALUE: 0 - NORMAL ACTIVITY

ABBREVIATION.....CIWA AG 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - Normal Activity

HELP_TEXT.....No Help Text

ID.....{9FF32084-A432-467C-B0A2-C8BC9F3D6D13}

TERM.....0 - NORMAL ACTIVITY

DATA VALUE: 0 - ORIENTED AND CAN DO SERIAL ADDITIONS

ABBREVIATION.....CIWA OR 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - Oriented And Can Do Serial

Additions

HELP_TEXT.....No Help Text

ID.....{D8015F54-6E9E-457A-955C-38565BDDDBB6}

TERM.....0 - ORIENTED AND CAN DO SERIAL

ADDITIONS

DATA VALUE: 0 - RR 9-14

ABBREVIATION.....RR 9-14

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 - RR 9-14

HELP_TEXT.....

ID.....{F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}

TERM.....0 - RR 9-14

DATA VALUE: 0 - SBP 101-199

ABBREVIATION.....SBP101-199

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 - SBP 101-199

HELP_TEXT.....

ID.....{ED9B73BA-8B9E-49C0-83A2-5B2397028564}

TERM.....0 - SBP 101-199

DATA VALUE: 0 - TEMP 36.1-38 C

ABBREVIATION.....36.1-38 C

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 - Temp 36.1-38 C

HELP_TEXT.....

ID.....{87CCCC92-0761-47FC-BD44-C37590832EA7}

TERM.....0 - TEMP 36.1-38 C

DATA VALUE: 0 = 0 EXTREMITIES

ABBREVIATION.....ALD ACT 0

ACTIVE.....Yes

DESCRIPTION.....0 = 0 Extremities

DISPLAY_NAME.....0 = Moves 0 Extremities

HELP_TEXT.....0 = 0 Extremities

ID.....{6E248A9A-B509-4BD0-A01D-9ED5CE5B8FC9}

TERM.....0 = 0 EXTREMITIES

DATA VALUE: 0 = <90%

ABBREVIATION.....ALD O2 0

ACTIVE.....Yes

DESCRIPTION.....0 = <90% with O2

DISPLAY_NAME.....0 = <90% with O2

HELP_TEXT.....0 = <90% with O2

ID.....{30042730-F600-44FD-A3D0-53172B70082B}

TERM.....0 = <90%

DATA VALUE: 0 = ABSENT

ABBREVIATION.....Absent

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 = Absent

HELP_TEXT.....

ID.....{16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}

TERM.....0 = ABSENT

DATA VALUE: 0 = ABSENT PULSE

ABBREVIATION.....0p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 = Absent Pulse

HELP_TEXT.....No Help Text

ID.....{4253CB74-51AE-BBFA-214F-937762F7638C}

TERM.....0 = ABSENT PULSE

DATA VALUE: 0 = ALERT

ABBREVIATION.....0 = Alert

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 = Alert

HELP_TEXT.....

ID.....{9F918315-BDE7-43D8-BD69-442D74F41C79}

TERM.....0 = ALERT

DATA VALUE: 0 = ANSWERS BOTH QUESTIONS CORRECTLY

ABBREVIATION.....Both

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 = Answers Both Questions Correctly

HELP_TEXT.....

ID.....{A4380E5F-206A-40CF-B508-6CA61DE87ED2}

TERM.....0 = ANSWERS BOTH QUESTIONS CORRECTLY

DATA VALUE: 0 = APNEIC

ABBREVIATION.....ALD RESP 0

ACTIVE.....Yes

DESCRIPTION.....0 = Apneic

DISPLAY_NAME.....0 = Apneic

HELP_TEXT.....0 = Apneic

ID.....{649C42B0-6E0A-4E86-AAC5-70A8C20EC511}

TERM.....0 = APNEIC

DATA VALUE: 0 = BP +/- 50% PREOP

ABBREVIATION.....ALD CIR 0

ACTIVE.....Yes

DESCRIPTION.....0 = BP +/- 50% Preop

DISPLAY_NAME.....0 = BP +/- 50% Preop

HELP_TEXT.....0 = BP +/- 50% Preop

ID.....{675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}

TERM.....0 = BP +/- 50% PREOP

DATA VALUE: 0 = NO ABNORMALITY

ABBREVIATION.....0 = No abn

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 = No Abnormality

HELP_TEXT.....

ID.....{DE0BF57B-1322-4581-BB38-2A61562DC87F}

TERM.....0 = NO ABNORMALITY

DATA VALUE: 0 = NO APHASIA

ABBREVIATION.....No Aphasia

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 = No Aphasia

HELP_TEXT.....

ID.....{AD629099-6ED1-4DFE-9D02-075FFD67B083}

TERM.....0 = NO APHASIA

DATA VALUE: 0 = NO DRIFT

ABBREVIATION.....No Drift

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 = No Drift

HELP_TEXT.....

ID.....{6DD3E839-D919-4C90-94F9-216B3268944D}

TERM.....0 = NO DRIFT

DATA VALUE: 0 = NO VISUAL LOSS

ABBREVIATION.....None

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 = No Visual Loss

HELP_TEXT.....

ID.....{20347E7B-4A96-4000-B326-0B4B1797738A}

TERM.....0 = NO VISUAL LOSS

DATA VALUE: 0 = NORMAL

ABBREVIATION.....Normal

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 = Normal

HELP_TEXT.....

ID.....{7739B63B-8623-4ADB-8059-1A26B5A7BEBB}

TERM.....0 = NORMAL

DATA VALUE: 0 = NORMAL SYMMETRICAL MOVEMENT

ABBREVIATION.....0 = Normal

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....0 = Normal Symmetrical Movement

HELP_TEXT.....

ID.....{23267CFE-B306-477A-A8B2-60828C1234FA}

TERM.....0 = NORMAL SYMMETRICAL MOVEMENT

DATA VALUE: 0 = NOT RESPONDING

ABBREVIATION.....ALD CON 0
ACTIVE.....Yes
DESCRIPTION.....0 = Not Responding
DISPLAY_NAME.....0 = Not Responding
HELP_TEXT.....0 = Not Responding
ID.....{E8765215-B0B0-430C-8C89-AB969A6AD12E}
TERM.....0 = NOT RESPONDING

DATA VALUE: 0 = PEFORMS BOTH TASKS CORRECTLY

ABBREVIATION.....Both Tasks
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....0 = Performs Both Tasks Correctly
HELP_TEXT.....
ID.....{08B7AA60-AFEE-41F6-AA1E-0855D1A2946C}
TERM.....0 = PEFORMS BOTH TASKS CORRECTLY

DATA VALUE: 1 - HR 101-110

ABBREVIATION.....HR 101-110
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....1 - HR 101-110

HELP_TEXT.....

ID.....{FCB6C37E-1BB4-418F-8203-0916B4056DEB}

TERM.....1 - HR 101-110

DATA VALUE: 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST

ABBREVIATION.....CIWA PS 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Barely Perceptible Sweating /

Palms Moist

HELP_TEXT.....No Help Text

ID.....{93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}

TERM.....1 - BARELY PERCEPTIBLE SWEATING /

PALMS MOIST

DATA VALUE: 1 - CANNOT DO SERIAL ADDITIONS

ABBREVIATION.....CIWA OR 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Cannot Do Serial Additions Or Is

Uncertain About Date

HELP_TEXT.....No Help Text

ID.....{F4446E01-E326-420E-8EA8-04451AA9D963}

TERM.....1 - CANNOT DO SERIAL ADDITIONS

DATA VALUE: 1 - HR 40-50

ABBREVIATION.....HR 40-50

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - HR 40-50

HELP_TEXT.....

ID.....{EC915B1F-BED1-497D-AD10-4FD0C2AEDCE}

TERM.....1 - HR 40-50

DATA VALUE: 1 - LESS THAN 45MLS/HR

ABBREVIATION.....< 45mls/hr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - Less than 45mls/hr

HELP_TEXT.....

ID.....{3AED380E-00F9-4C29-B303-52E08F8911B3}

TERM.....1 - LESS THAN 45MLS/HR

DATA VALUE: 1 - MILD NAUSEA / NO VOMITING

ABBREVIATION.....CIWA NV 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Mild Nausea / No Vomiting

HELP_TEXT.....No Help Text
ID.....{582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}
TERM.....1 - MILD NAUSEA / NO VOMITING

DATA VALUE: 1 - MILDLY ANXIOUS

ABBREVIATION.....CIWA AX 1
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....1 - Mildy Anxious
HELP_TEXT.....No Help Text
ID.....{401113EE-5CE7-4AE9-80C1-1C3252E706D0}
TERM.....1 - MILDLY ANXIOUS

DATA VALUE: 1 - NEW AGITATION CONFUSION

ABBREVIATION.....New Agitat
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....1 - New Agitation Confusion
HELP_TEXT.....
ID.....{F458199B-A547-419B-A691-F15E7CD61F8C}
TERM.....1 - NEW AGITATION CONFUSION

DATA VALUE: 1 - NO RESPONSE

ABBREVIATION.....1-nr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - No Response

HELP_TEXT.....No Help Text

ID.....{26D3168D-40EA-C918-D321-54BED4837311}

TERM.....1 - NO RESPONSE

DATA VALUE: 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP

ABBREVIATION.....CIWA TR 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Not Visible But Can Be Felt

Fingertip To Fingertip

HELP_TEXT.....No Help Text

ID.....{31833D55-9018-47EE-8341-A0863744CEF8}

TERM.....1 - NOT VISIBLE BUT CAN BE FELT

FINGERTIP

DATA VALUE: 1 - RESPONDS TO VOICE

ABBREVIATION.....Voice

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - Responds to Voice

HELP_TEXT.....

ID.....{69C7DA2C-893A-40AB-969C-E003B5D2F05D}

TERM.....1 - RESPONDS TO VOICE

DATA VALUE: 1 - RR 15-20

ABBREVIATION.....RR 15-20

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - RR 15-20

HELP_TEXT.....

ID.....{1CF2487B-30C6-46AB-A051-B4499F825DC2}

TERM.....1 - RR 15-20

DATA VALUE: 1 - SBP 81-100

ABBREVIATION.....SBP 81-100

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - SBP 81-100

HELP_TEXT.....

ID.....{93D627C1-2FF3-4FCC-B0AF-83A54183AE3D}

TERM.....1 - SBP 81-100

DATA VALUE: 1 - SETUP HELP ONLY

ABBREVIATION.....1 Setup

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - Setup Help Only

HELP_TEXT.....

ID.....{5494773C-99FE-4A96-B12E-D734188517CE}

TERM.....1 - SETUP HELP ONLY

DATA VALUE: 1 - SUPERVISION - OVERSIGHT

ABBREVIATION.....1 Superv

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - Supervision - Oversight

HELP_TEXT.....

ID.....{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

TERM.....1 - SUPERVISION - OVERSIGHT

DATA VALUE: 1 - SUPERVISION - OVERSIGHT HELP ONLY

ABBREVIATION.....1 Supervi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - Supervision - Oversight Help Only

HELP_TEXT.....

ID.....{F7DFB6E8-F550-4072-B693-93BF96A23834}

TERM.....1 - SUPERVISION - OVERSIGHT HELP ONLY

DATA VALUE: 1 - TEMP 35.1-36 C

ABBREVIATION.....35.1-36 C

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - Temp 35.1-36 C

HELP_TEXT.....

ID.....{AF9BC2E6-9C52-4030-8422-28DCBDD43DD9}

TERM.....1 - TEMP 35.1-36 C

DATA VALUE: 1 - TEMP 38.1-38.5 C

ABBREVIATION.....38.1-38.5C

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 - Temp 38.1-38.5 C

HELP_TEXT.....

ID.....{21326CB3-A848-4984-BB34-5594AD7E5D32}

TERM.....1 - TEMP 38.1-38.5 C

DATA VALUE: 1 - VERY MILD

ABBREVIATION.....CIWA HA 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Very Mild

HELP_TEXT.....No Help Text

ID.....{F789C1EA-CC7A-4368-87BA-08AFFE492EE6}

TERM.....1 - VERY MILD

DATA VALUE: 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN

ABBREVIATION.....CIWA AU 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Very Mild Harshness Or Ability To
Frighten

HELP_TEXT.....No Help Text

ID.....{E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}

TERM.....1 - VERY MILD HARSHNESS OR ABILITY TO
FRIGHTEN

DATA VALUE: 1 - VERY MILD ITCHING PINS/NEEDLES BURNING

ABBREVIATION.....CIWA TC 1

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....1 - Very Mild Itching, Pins/Needles,
Burning, Numbness
HELP_TEXT.....No Help Text
ID.....{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}
TERM.....1 - VERY MILD ITCHING PINS/NEEDLES
BURNING

DATA VALUE: 1 - VERY MILD SENSITIVITY

ABBREVIATION.....CIWA VS 1
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....1 - Very Mild Sensitivity
HELP_TEXT.....No Help Text
ID.....{8BF96CF1-3EA7-468C-838A-284430EA850D}
TERM.....1 - VERY MILD SENSITIVITY

DATA VALUE: 1 - WEAK

ABBREVIATION.....1 - WEAK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....1 - Weak
HELP_TEXT.....No Help Text
ID.....{A41570DC-2F35-DDF6-977B-7C262150DFA2}
TERM.....1 - WEAK

DATA VALUE: 1 = 2 EXTREMITIES

ABBREVIATION.....ALD ACT 1

ACTIVE.....Yes

DESCRIPTION.....1 = 2 Extremities

DISPLAY_NAME.....1 = Moves 2 Extremities

HELP_TEXT.....1 = 2 Extremities

ID.....{6DCB4762-72CE-48C2-9AFE-B19969ED1DE0}

TERM.....1 = 2 EXTREMITIES

DATA VALUE: 1 = ANSWERS ONE QUESTION CORRECTLY

ABBREVIATION.....One Ques

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Answers One Question Correctly

HELP_TEXT.....

ID.....{9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}

TERM.....1 = ANSWERS ONE QUESTION CORRECTLY

DATA VALUE: 1 = AROUSABLE

ABBREVIATION.....ALD CON 1

ACTIVE.....Yes

DESCRIPTION.....1 = Arousable with minimal stimulation

DISPLAY_NAME.....1 = Arousable with minimal stimulation

HELP_TEXT.....1 = Arousable with minimal stimulation

ID.....{B2A07804-9829-42D0-9C49-A61FD51EEAA0}

TERM.....1 = AROUSABLE

DATA VALUE: 1 = AWAKE AND ALERT

ABBREVIATION.....POSS Awake

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Awake and Alert

HELP_TEXT.....

ID.....{6D0015F9-BDD1-422C-AD60-1DBE0247D46E}

TERM.....1 = AWAKE AND ALERT

DATA VALUE: 1 = BP +/- 20-49% PREOP

ABBREVIATION.....ALD CIR 1

ACTIVE.....Yes

DESCRIPTION.....1 = BP +/- 20-49% Preop

DISPLAY_NAME.....1 = BP +/- 20-49% Preop

HELP_TEXT.....1 = BP +/- 20-49% Preop

ID.....{D4A6100D-1228-4860-9BD6-B43F30D4FF94}

TERM.....1 = BP +/- 20-49% PREOP

DATA VALUE: 1 = DRIFT

ABBREVIATION.....Drift

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Drift

HELP_TEXT.....

ID.....{7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}

TERM.....1 = DRIFT

DATA VALUE: 1 = DYSPNEA

ABBREVIATION.....ALD RESP 1

ACTIVE.....Yes

DESCRIPTION.....1 = Dyspnea, shallow or limited

DISPLAY_NAME.....1 = Dyspnea, shallow or limited

HELP_TEXT.....1 = Dyspnea, shallow or limited

ID.....{3DAE60A2-57DA-4121-A507-BC43497C7B67}

TERM.....1 = DYSPNEA

DATA VALUE: 1 = MILD TO MODERATE APHASIA

ABBREVIATION.....Mod Aphasi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Mild to Moderate Aphasia

HELP_TEXT.....

ID.....{FFA529FF-EDC0-4768-B308-93656C75E382}

TERM.....1 = MILD TO MODERATE APHASIA

DATA VALUE: 1 = MILD TO MODERATE DYSARTHRIA

ABBREVIATION.....1 = Mild

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Mild to Moderate Dysarthria

HELP_TEXT.....

ID.....{0EFCBA9C-36E4-4046-9A55-DAD58F08C516}

TERM.....1 = MILD TO MODERATE DYSARTHRIA

DATA VALUE: 1 = MILD TO MODERATE SENSORY LOSS

ABBREVIATION.....Moderate

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Mild to Moderate Sensory Loss

HELP_TEXT.....

ID.....{1BF6BC0E-9A83-4589-B849-853585CF4E96}

TERM.....1 = MILD TO MODERATE SENSORY LOSS

DATA VALUE: 1 = MINOR PARALYSIS

ABBREVIATION.....1 = Minor

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Minor Paralysis

HELP_TEXT.....

ID.....{55A125E8-E83A-4163-AB50-0D3569B502D3}

TERM.....1 = MINOR PARALYSIS

DATA VALUE: 1 = NEEDS O2

ABBREVIATION.....ALD O2 1

ACTIVE.....Yes

DESCRIPTION.....1 = Needs O2 to maintain >90%

DISPLAY_NAME.....1 = Needs O2 to maintain >90%

HELP_TEXT.....1 = Needs O2 to maintain >90%

ID.....{5D97F6BB-7B02-4644-8CE5-014C89826731}

TERM.....1 = NEEDS O2

DATA VALUE: 1 = NOT ALERT, MINOR STIMULATION RESPONSE

ABBREVIATION.....1 = Minor

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Not Alert, Minor Stimulation

Response

HELP_TEXT.....

ID.....{29268B78-0FF2-48EE-8EA1-4BDE6C39739E}

TERM.....1 = NOT ALERT, MINOR STIMULATION

RESPONSE

DATA VALUE: 1 = PARTIAL GAZE PALSY

ABBREVIATION.....1 = Part

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Partial Gaze Palsy

HELP_TEXT.....

ID.....{7644667F-2919-4A57-A3A6-EE709CA55960}

TERM.....1 = PARTIAL GAZE PALSY

DATA VALUE: 1 = PARTIAL HEMIANOPIA

ABBREVIATION.....Partial

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Partial Hemianopia

HELP_TEXT.....

ID.....{0FDFE052-C438-48AD-A3F8-C3C53E963365}

TERM.....1 = PARTIAL HEMIANOPIA

DATA VALUE: 1 = PERFORMS ONE TASK CORRECTLY

ABBREVIATION.....One Task

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Performs One Task Correctly

HELP_TEXT.....

ID.....{7DBE49B4-067F-4BA7-807F-A4A5FAC1BCFB}

TERM.....1 = PERFORMS ONE TASK CORRECTLY

DATA VALUE: 1 = PRESENT IN ONE LIMB

ABBREVIATION.....One Limb

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1= Present in One Limb

HELP_TEXT.....

ID.....{D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}

TERM.....1 = PRESENT IN ONE LIMB

DATA VALUE: 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTI

ON

ABBREVIATION.....1 = Inatt

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1 = Visual, Tactile, Auditory,
Spatial, or 2 Personal Inattention

HELP_TEXT.....

ID.....{BEBED217-91CA-47F8-A15D-A548648D09BF}

TERM.....1 = VISUAL, TACTILE, AUDITORY,
SPATIAL, OR 2 PERSONAL INATTENTION

DATA VALUE: 1 HOUR

ABBREVIATION.....1 HOUR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 Hour

HELP_TEXT.....No Help Text

ID.....{319BA174-1624-483C-B666-4998127B0800}

TERM.....1 HOUR

DATA VALUE: 1+=PALPABLE, THREADY, EASILY OBLITERATED

ABBREVIATION.....1teo

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1+=Palpable, Thready, Easily

Obliterated

HELP_TEXT.....No Help Text

ID.....{3AE92556-1337-BFE2-C3EE-9676327935C3}

TERM.....1+=PALPABLE, THREADY, EASILY

OBLITERATED

DATA VALUE: 1- MILD ANXIOUS

ABBREVIATION.....CIWA AX 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Mild Anxious

HELP_TEXT.....No Help Text

ID.....{CAB6FB3A-4088-4D2C-AE1E-623352511D73}

TERM.....1- MILD ANXIOUS

DATA VALUE: 1- SOMEWHAT MORE THAN NORMAL ACTIVITY

ABBREVIATION.....CIWA AG 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Somewhat More Than Normal Activity

HELP_TEXT.....No Help Text

ID.....{497F7A3D-72C8-4986-A1E6-74EA0E5704F9}

TERM.....1- SOMEWHAT MORE THAN NORMAL ACTIVITY

DATA VALUE: 1. DRY

ABBREVIATION.....1. Dry

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....1. Dry

HELP_TEXT.....

ID.....{E6C8E56E-DFC8-42FE-9D49-BED30EC37491}

TERM.....1. DRY

DATA VALUE: 1800 CALORIE CONTROLLED

ABBREVIATION.....1800 CAL C

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1800 Calorie Controlled Diet

HELP_TEXT.....No Help Text

ID.....{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}

TERM.....1800 CALORIE CONTROLLED

DATA VALUE: 1800 DIABETIC

ABBREVIATION.....1800 DIAB

ACTIVE.....Yes

DESCRIPTION.....1800 Calorie Diabetic Diet

DISPLAY_NAME.....1800 Diabetic

HELP_TEXT.....No Help Text

ID.....{FC71C7D7-F24E-4316-A455-8674804BE092}

TERM.....1800 DIABETIC

DATA VALUE: 1:1

ABBREVIATION.....1:1

ACTIVE.....Yes

DESCRIPTION.....1 to 1 ratio

DISPLAY_NAME.....1:1

HELP_TEXT.....No Help Text

ID.....{5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}

TERM.....1:1

DATA VALUE: 1:1 OBSERVATION

ABBREVIATION.....1o

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1:1 Observation

HELP_TEXT.....No Help Text

ID.....{B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}

TERM.....1:1 OBSERVATION

DATA VALUE: 1:2

ABBREVIATION.....1:2

ACTIVE.....Yes

DESCRIPTION.....1 to 2 ratio

DISPLAY_NAME.....1:2

HELP_TEXT.....No Help Text

ID.....{287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}

TERM.....1:2

DATA VALUE: 1:3

ABBREVIATION.....1:3

ACTIVE.....Yes

DESCRIPTION.....1 to 3 ratio

DISPLAY_NAME.....1:3

HELP_TEXT.....No Help Text

ID.....{062B4F93-8F48-7373-F679-11F57CE98BB3}

TERM.....1:3

DATA VALUE: 1:4

ABBREVIATION.....1:4

ACTIVE.....Yes

DESCRIPTION.....1 to 4 ratio

DISPLAY_NAME.....1:4

HELP_TEXT.....No Help Text

ID.....{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}

TERM.....1:4

DATA VALUE: 1:8

ABBREVIATION.....1:8

ACTIVE.....Yes

DESCRIPTION.....1 to 8 ratio

DISPLAY_NAME.....1:8

HELP_TEXT.....No Help Text

ID.....{94790C4C-3AF2-6F4C-58B8-87021CA97A53}

TERM.....1:8

DATA VALUE: 1A + 2V

ABBREVIATION.....1+2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1A + 2V

HELP_TEXT.....No Help Text

ID.....{FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}

TERM.....1A + 2V

DATA VALUE: 1A + 3V

ABBREVIATION.....1+3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1A + 3V

HELP_TEXT.....No Help Text

ID.....{CEDF220D-E593-B8F9-DB08-D32800AF3F5E}

TERM.....1A + 3V

DATA VALUE: 1A +1V

ABBREVIATION.....1+

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1A +1V

HELP_TEXT.....No Help Text

ID.....{31711946-9F1B-0AD9-BDBE-846EDBC86AE2}

TERM.....1A +1V

DATA VALUE: 2 - ABNORMAL EXTENSION FROM PAIN

ABBREVIATION.....2-aeFP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Abnormal Extension From Pain

HELP_TEXT.....No Help Text

ID.....{9B4951D8-B271-DFC3-0A00-1DC9984039E3}

TERM.....2 - ABNORMAL EXTENSION FROM PAIN

DATA VALUE: 2 - ANSWERS NEITHER QUESTION CORRECTLY

ABBREVIATION.....Neither

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Answers Neither Question Correctly

HELP_TEXT.....

ID.....{181D8ACA-49D0-496E-B22A-2839D0718836}

TERM.....2 - ANSWERS NEITHER QUESTION CORRECTLY

DATA VALUE: 2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

ABBREVIATION.....CIWA PS 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Beads Of Sweat Obvious On Forehead

HELP_TEXT.....No Help Text

ID.....{38EA4194-F5F4-42CB-8DE2-715167888F86}

TERM.....2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS

ABBREVIATION.....CIWA OR 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Disoriented For Date By No More

Than 2 Calendar Days

HELP_TEXT.....No Help Text

ID.....{01B894B0-3E70-47FA-820A-83CA48B93EF9}

TERM.....2 - DISORIENTED FOR DATE < 2 CALENDAR
DAYS

DATA VALUE: 2 - HR 0-39

ABBREVIATION.....HR 0-39

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - HR 0-39

HELP_TEXT.....

ID.....{1243C1C9-C72F-4765-8D19-D689E1FC44F5}

TERM.....2 - HR 0-39

DATA VALUE: 2 - HR 111-129

ABBREVIATION.....HR 111-129

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - HR 111-129

HELP_TEXT.....

ID.....{6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}

TERM.....2 - HR 111-129

DATA VALUE: 2 - INCOMPREHENSIBLE SOUNDS

ABBREVIATION.....2-is

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Incomprehensible Sounds

HELP_TEXT.....No Help Text

ID.....{F2261C3D-79A3-055B-702D-446B7A6A3113}

TERM.....2 - INCOMPREHENSIBLE SOUNDS

DATA VALUE: 2 - INTERMITTENT NAUSEA WITH DRY HEAVES

ABBREVIATION.....CIWA NV 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Intermittent Nausea With Dry Heaves

HELP_TEXT.....No Help Text

ID.....{E92221EE-1298-4D9D-9EFD-35F615118C96}

TERM.....2 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 2 - LESS THAN 30MLS/HR

ABBREVIATION.....< 30mls/hr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - Less than 30mls/hr

HELP_TEXT.....

ID.....{A85A05F7-3443-4E62-ACF4-3334E3EF5675}

TERM.....2 - LESS THAN 30MLS/HR

DATA VALUE: 2 - LIMITED ASSISTANCE

ABBREVIATION.....2 Limited

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - Limited Assistance

HELP_TEXT.....

ID.....{35934E53-08EB-46E0-8136-96FD6174ACF1}

TERM.....2 - LIMITED ASSISTANCE

DATA VALUE: 2 - MILD

ABBREVIATION.....CIWA HA 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Mild

HELP_TEXT.....No Help Text

ID.....{6B752397-0A4F-4176-90E7-E220DB2BF1C4}

TERM.....2 - MILD

DATA VALUE: 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN

ABBREVIATION.....CIWA AU 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Mild Harshness Or Ability To
Frighten

HELP_TEXT.....No Help-Text

ID.....{71204969-E614-46A4-ADA5-39FAF81A79B5}

TERM.....2 - MILD HARSHNESS OR ABILITY TO
FRIGHTEN

DATA VALUE: 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS

ABBREVIATION.....CIWA TC 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Mild Itching, Pins/Needles,
Burning, Numbness

HELP_TEXT.....No Help Text

ID.....{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}

TERM.....2 - MILD ITCHING PINS/NEEDLES BURNING
NUMBNESS

DATA VALUE: 2 - MILD SENSITIVITY

ABBREVIATION.....CIWA VS 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Mild Sensitivity

HELP_TEXT.....No Help Text

ID.....{ED600249-E5E8-4020-955E-A5CDA18B5DE9}

TERM.....2 - MILD SENSITIVITY

DATA VALUE: 2 - MODERATE WITH PATIENTS ARMS EXTENDED

ABBREVIATION.....CIWA TR 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Moderate With Patient's Arms

Extended

HELP_TEXT.....No Help Text

ID.....{B4E7B7FB-B88E-435A-904E-C613AC937323}

TERM.....2 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 2 - NORMAL

ABBREVIATION.....2-n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Normal

HELP_TEXT.....No Help Text

ID.....{25FAADFC-D280-78AC-4F01-CFCF34ECD3FF}

TERM.....2 - NORMAL

DATA VALUE: 2 - ONE PERSON PHYSICAL ASSIST

ABBREVIATION.....2 one asst

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - One Person Physical Assist

HELP_TEXT.....

ID.....{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

TERM.....2 - ONE PERSON PHYSICAL ASSIST

DATA VALUE: 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY

ABBREVIATION.....2 Phys Tra

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - Physical Help Limited to Transfer

Only

HELP_TEXT.....

ID.....{0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}

TERM.....2 - PHYSICAL HELP LIMITED TO TRANSFER

ONLY

DATA VALUE: 2 - RESPONDS TO PAIN

ABBREVIATION.....Pain

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - Responds to Pain

HELP_TEXT.....

ID.....{AE6B5DEC-6510-4FEE-8461-D2E930534ACE}

TERM.....2 - RESPONDS TO PAIN

DATA VALUE: 2 - RR 0-8

ABBREVIATION.....RR 0-8

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - RR 0-8

HELP_TEXT.....

ID.....{73DC19E6-865C-4161-9CBE-3A8D44BC4D84}

TERM.....2 - RR 0-8

DATA VALUE: 2 - RR 21-29

ABBREVIATION.....RR 21-29

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - RR 21-29

HELP_TEXT.....

ID.....{72DF48C2-B8F3-4ED4-91D1-87157707C3EC}

TERM.....2 - RR 21-29

DATA VALUE: 2 - SBP 200 OR MORE

ABBREVIATION.....SBP 200+
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....2 - SBP 200 or more
HELP_TEXT.....
ID.....{C3B80866-749C-402A-B7CA-A1B797D36885}
TERM.....2 - SBP 200 OR MORE

DATA VALUE: 2 - SBP 71-80

ABBREVIATION.....SBP 71-80
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....2 - SBP 71-80
HELP_TEXT.....
ID.....{063CE20D-435C-4176-9A8B-3FC3DB16FF11}
TERM.....2 - SBP 71-80

DATA VALUE: 2 - TEMP 35.0 C OR LESS

ABBREVIATION.....35.0 C or<
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....2 - Temp 35.0 C or less

HELP_TEXT.....

ID.....{D7987CD3-1866-4AE9-A2EA-C96F2CFE2850}

TERM.....2 - TEMP 35.0 C OR LESS

DATA VALUE: 2 - TEMP MORE THAN 38.6 C

ABBREVIATION.....> 38.6 C

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 - Temp more than 38.6 C

HELP_TEXT.....

ID.....{B45FAD7F-9438-488D-BDE1-8A64A84E51F6}

TERM.....2 - TEMP MORE THAN 38.6 C

DATA VALUE: 2 - TO PAIN

ABBREVIATION.....2-tp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - To Pain

HELP_TEXT.....No Help Text

ID.....{49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}

TERM.....2 - TO PAIN

DATA VALUE: 2 = 4 EXTREMITIES

ABBREVIATION.....ALD ACT 2

ACTIVE.....Yes

DESCRIPTION.....2 = 4 Extremities

DISPLAY_NAME.....2 = Moves 4 Extremities

HELP_TEXT.....2 = 4 Extremities

ID.....{3434DF4B-5CB6-417F-B5BE-CEF2D63FE8E0}

TERM.....2 = 4 EXTREMITIES

DATA VALUE: 2 = BP +/- 20% PREOP

ABBREVIATION.....ALD CIR 2

ACTIVE.....Yes

DESCRIPTION.....2 = BP +/- 20% Preop

DISPLAY_NAME.....2 = BP +/- 20% Preop

HELP_TEXT.....2 = BP +/- 20% Preop

ID.....{04B67413-7A88-409B-8005-471A7C84B879}

TERM.....2 = BP +/- 20% PREOP

DATA VALUE: 2 = BREATHES FREELY

ABBREVIATION.....ALD RESP 2

ACTIVE.....Yes

DESCRIPTION.....2 = Breathes freely, coughs freely

DISPLAY_NAME.....2 = Breathes freely, coughs freely

HELP_TEXT.....2 = Breathes freely, coughs freely
ID.....{278CD44C-538E-4015-9D98-D9312A7039BA}
TERM.....2 = BREATHE FREELY

DATA VALUE: 2 = COMPLETE HEMIANOPIA

ABBREVIATION.....Complete

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Complete Hemianopia

HELP_TEXT.....

ID.....{F995161E-39A0-4010-855D-EE86B1F707BB}

TERM.....2 = COMPLETE HEMIANOPIA

DATA VALUE: 2 = FORCED DEVIATION

ABBREVIATION.....2 = Forced

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Forced Deviation

HELP_TEXT.....

ID.....{FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}

TERM.....2 = FORCED DEVIATION

DATA VALUE: 2 = FULLY AWAKE

ABBREVIATION.....ALD CON 2

ACTIVE.....Yes

DESCRIPTION.....2 = Fully awake

DISPLAY_NAME.....2 = Fully awake

HELP_TEXT.....2 = Fully awake

ID.....{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}

TERM.....2 = FULLY AWAKE

DATA VALUE: 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE

ABBREVIATION.....2 = Strong

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Not Alert, repeat/strong

stimulation response

HELP_TEXT.....

ID.....{0F5E13CC-211C-40D0-96CB-8F8D87564612}

TERM.....2 = NOT ALERT, REPEAT/STRONG

STIMULATION RESPONSE

DATA VALUE: 2 = ON ROOM AIR

ABBREVIATION.....ALD O2 2

ACTIVE.....Yes

DESCRIPTION.....2 = On room air

DISPLAY_NAME.....2 = >92% on room air

HELP_TEXT.....2 = On room air

ID.....{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}

TERM.....2 = ON ROOM AIR

DATA VALUE: 2 = PARTIAL PARALYSIS

ABBREVIATION.....2 = Part

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Partial Paralysis

HELP_TEXT.....

ID.....{BC48CC51-609A-4E85-9029-8B4790E9E669}

TERM.....2 = PARTIAL PARALYSIS

DATA VALUE: 2 = PERFORMS NEITHER TASK CORRECTLY

ABBREVIATION.....Neither

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Performs Neither Task Correctly

HELP_TEXT.....

ID.....{8CE75E64-5A4A-45EA-9987-4112AAD54A55}

TERM.....2 = PERFORMS NEITHER TASK CORRECTLY

DATA VALUE: 2 = PRESENT IN TWO LIMBS

ABBREVIATION.....Two Limbs

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Present in Two Limbs

HELP_TEXT.....

ID.....{ADA3074C-1E75-42BC-B7E6-425C2281FB05}

TERM.....2 = PRESENT IN TWO LIMBS

DATA VALUE: 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY

ABBREVIATION.....2 = Profnd

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Profound Hemi-Inattention or
Extinction to More than One Modality

HELP_TEXT.....

ID.....{1D3AA69E-2154-4F33-BFFF-42F06365079A}

TERM.....2 = PROFOUND HEMI-INATTENTION OR
EXTINCTION TO MORE THAN ONE MODALITY

DATA VALUE: 2 = SEVERE APHASIA

ABBREVIATION.....Sev Aphasi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Severe Aphasia

HELP_TEXT.....

ID.....{82445D2A-6E9F-4574-B2D1-476E720B9113}

TERM.....2 = SEVERE APHASIA

DATA VALUE: 2 = SEVERE DYSARTHRIA

ABBREVIATION.....2 = Severe

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Severe Dysarthria

HELP_TEXT.....

ID.....{D9864E04-1962-47AD-B3C5-58CD49CF30FD}

TERM.....2 = SEVERE DYSARTHRIA

DATA VALUE: 2 = SEVERE TO TOTAL SENSORY LOSS

ABBREVIATION.....Severe

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Severe to Total Sensory Loss

HELP_TEXT.....

ID.....{C3959DA5-9108-4E35-B81A-6F4FB135B3BD}

TERM.....2 = SEVERE TO TOTAL SENSORY LOSS

DATA VALUE: 2 = SLIGHTLY DROWSY, EASILY AROUSED

ABBREVIATION.....POSS 2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Slightly Drowsy, Easily Aroused

HELP_TEXT.....

ID.....{3027CED1-70F2-4F2B-9DCC-C6CFCAFD1832}

TERM.....2 = SLIGHTLY DROWSY, EASILY AROUSED

DATA VALUE: 2 = SOME EFFORT AGAINST GRAVITY

ABBREVIATION.....Some Effor

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....2 = Some Effort Against Gravity

HELP_TEXT.....

ID.....{63885565-9ADC-4560-BC73-DEA084FB651A}

TERM.....2 = SOME EFFORT AGAINST GRAVITY

DATA VALUE: 2+=NORMAL, NOT EASILY OBLITERATED

ABBREVIATION.....2neo

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2+=Normal, Not Easily Obliterated

HELP_TEXT.....No Help Text
ID.....{50484DA4-EC15-47E5-3923-268C4B5D6428}
TERM.....2+=NORMAL, NOT EASILY OBLITERATED

DATA VALUE: 2- MILD HARSHNESS OR ABILITY TO FRIGHTEN

ABBREVIATION.....CIWA AU 2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....2 - Mild Harshness Or Ability To
 Frighten

HELP_TEXT.....No Help Text
ID.....{42DAFBBB-E9AF-4558-95D4-2FFF7BE779F1}
TERM.....2- MILD HARSHNESS OR ABILITY TO
 FRIGHTEN

DATA VALUE: 2. INTACT

ABBREVIATION.....2. Intact
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....2. Intact
HELP_TEXT.....
ID.....{6F977B33-94E0-4F40-A5B2-9D1EBFBE8433}
TERM.....2. INTACT

DATA VALUE: 2.0 CAL FORMULA

ABBREVIATION.....2.0 C FORM

ACTIVE.....Yes

DESCRIPTION.....2.0 Cal Enteral Nutrition Formula

DISPLAY_NAME.....2.0 Cal Formula

HELP_TEXT.....No Help Text

ID.....{4A595230-45D1-40F0-AEF3-11E75DF418CB}

TERM.....2.0 CAL FORMULA

DATA VALUE: 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE

ABBREVIATION.....20 Min Nar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20 Minutes Since Last IV

Narcotic/Sedative

HELP_TEXT.....

ID.....{FBDB50B7-19B5-472C-80E5-F4758E141BB1}

TERM.....20 MINUTES SINCE LAST IV

NARCOTIC/SEDATIVE

DATA VALUE: 20/100

ABBREVIATION.....20/100

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/100

HELP_TEXT.....

ID.....{ECB85701-8B21-407A-9E0B-C015834E984B}

TERM.....20/100

DATA VALUE: 20/15

ABBREVIATION.....20/15

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/15

HELP_TEXT.....

ID.....{0DB4E45B-A96C-4D11-B59E-A89C9F531146}

TERM.....20/15

DATA VALUE: 20/20

ABBREVIATION.....20/20

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/20

HELP_TEXT.....

ID.....{FE086353-09B2-4314-84E9-FA909253AAED}

TERM.....20/20

DATA VALUE: 20/200

ABBREVIATION.....20/200

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/200

HELP_TEXT.....

ID.....{C3CAF0D6-22A6-4FD5-B8BB-55771F416D4E}

TERM.....20/200

DATA VALUE: 20/25

ABBREVIATION.....20/25

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/25

HELP_TEXT.....

ID.....{4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB}

TERM.....20/25

DATA VALUE: 20/30

ABBREVIATION.....20/30

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/30

HELP_TEXT.....

ID.....{667B5FCD-A85D-4054-BFA9-3DA9DDD21306}

TERM.....20/30

DATA VALUE: 20/300

ABBREVIATION.....20/300

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/300

HELP_TEXT.....

ID.....{E6976753-667B-418B-A6E3-0A7CD010CAC0}

TERM.....20/300

DATA VALUE: 20/40

ABBREVIATION.....20/40

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/40

HELP_TEXT.....

ID.....{048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF}

TERM.....20/40

DATA VALUE: 20/400

ABBREVIATION.....20/400

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/400

HELP_TEXT.....

ID.....{AE8E4C3E-D031-4047-B44E-06F4EB29C73B}

TERM.....20/400

DATA VALUE: 20/50

ABBREVIATION.....20/50

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/50

HELP_TEXT.....

ID.....{C679C160-D93A-431C-8F28-800D64A019D5}

TERM.....20/50

DATA VALUE: 20/60

ABBREVIATION.....20/60

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/60

HELP_TEXT.....

ID.....{AEAA52C2-1450-45B4-A512-73E339718B02}

TERM.....20/60

DATA VALUE: 20/70

ABBREVIATION.....20/70

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/70

HELP_TEXT.....

ID.....{B0279832-605C-4441-B568-C131636EB634}

TERM.....20/70

DATA VALUE: 20/80

ABBREVIATION.....20/80

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/80

HELP_TEXT.....

ID.....{60F51F22-C739-4BD1-A77E-D224517F861F}

TERM.....20/80

DATA VALUE: 20/800

ABBREVIATION.....20/800

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20/800

HELP_TEXT.....

ID.....{1303A571-B57C-4757-AC5B-286E6B09343A}

TERM.....20/800

DATA VALUE: 2000 CALORIE CONTROLLED

ABBREVIATION.....2000 CAL C

ACTIVE.....Yes

DESCRIPTION.....2000 Calorie Controlled Diet

DISPLAY_NAME.....2000 Calorie Controlled Diet

HELP_TEXT.....No Help Text

ID.....{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}

TERM.....2000 CALORIE CONTROLLED

DATA VALUE: 2000 DIABETIC

ABBREVIATION.....2000 DIAB

ACTIVE.....Yes

DESCRIPTION.....2000 Diabetic Diet

DISPLAY_NAME.....2000 Diabetic Diet

HELP_TEXT.....No Help Text

ID.....{DF3056C9-3AEA-4F4E-B758-E35590080AFB}

TERM.....2000 DIABETIC

DATA VALUE: 2200 CALORIE CONTROLLED

ABBREVIATION.....2200 CAL C

ACTIVE.....Yes

DESCRIPTION.....2200 Calorie Controlled Diet

DISPLAY_NAME.....2200 Calorie Controlled Diet

HELP_TEXT.....No Help Text

ID.....{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}

TERM.....2200 CALORIE CONTROLLED

DATA VALUE: 2200 DIABETIC

ABBREVIATION.....2200 DIAB

ACTIVE.....Yes

DESCRIPTION.....2200 Diabetic Diet

DISPLAY_NAME.....2200 Diabetic Diet

HELP_TEXT.....No Help Text

ID.....{1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}

TERM.....2200 DIABETIC

DATA VALUE: 2400 CALORIE CONTROLLED

ABBREVIATION.....2400 CAL C
ACTIVE.....Yes
DESCRIPTION.....2400 Calorie Controlled Diet
DISPLAY_NAME.....2400 Calorie Controlled Diet
HELP_TEXT.....No Help Text
ID.....{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}
TERM.....2400 CALORIE CONTROLLED

DATA VALUE: 2400 DIABETIC

ABBREVIATION.....2400 DIAB
ACTIVE.....Yes
DESCRIPTION.....2400 Diabetic Diet
DISPLAY_NAME.....2400 Diabetic Diet
HELP_TEXT.....No Help Text
ID.....{2018FB65-3D4E-47E0-90E9-205A45EDF130}
TERM.....2400 DIABETIC

DATA VALUE: 25 PERCENT ALBUMIN

ABBREVIATION.....25 PERC AL
ACTIVE.....Yes
DESCRIPTION.....25 Percent Albumin
DISPLAY_NAME.....25 Percent Albumin

HELP_TEXT.....No Help Text

ID.....{2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}

TERM.....25 PERCENT ALBUMIN

DATA VALUE: 2:4

ABBREVIATION.....2:4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2:4

HELP_TEXT.....No Help Text

ID.....{7D423C9A-42B3-4FDD-999B-889193492F5C}

TERM.....2:4

DATA VALUE: 2A

ABBREVIATION.....2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2A

HELP_TEXT.....No Help Text

ID.....{C75BDC9F-C756-9051-CAA3-A27DDD94B35E}

TERM.....2A

DATA VALUE: 2A + 1V

ABBREVIATION.....2+1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2A + 1V

HELP_TEXT.....No Help Text

ID.....{1849AA0D-1572-55E0-A780-ACE602E2C72D}

TERM.....2A + 1V

DATA VALUE: 2A + 2V

ABBREVIATION.....2+2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2A + 2V

HELP_TEXT.....No Help Text

ID.....{17203251-68E8-A00A-CF54-E2CC55B8EEDD}

TERM.....2A + 2V

DATA VALUE: 2V

ABBREVIATION.....2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2V

HELP_TEXT.....No Help Text

ID.....{D24B5FA4-1DA6-36DE-49DB-627A9B82E968}

TERM.....2V

DATA VALUE: 3 - HR 130 OR MORE

ABBREVIATION.....HR 130 +

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 - HR 130 or More

HELP_TEXT.....

ID.....{CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}

TERM.....3 - HR 130 OR MORE

DATA VALUE: 3 - ABNORMAL FLEXION FROM PAIN

ABBREVIATION.....3-affp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Abnormal Flexion From Pain

HELP_TEXT.....No Help Text

ID.....{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}

TERM.....3 - ABNORMAL FLEXION FROM PAIN

DATA VALUE: 3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

ABBREVIATION.....CIWA PS 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Beads Of Sweat Obvious On Forehead

HELP_TEXT.....No Help Text

ID.....{663591B6-3FB4-4060-8A49-18747F857B16}

TERM.....3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS

ABBREVIATION.....CIWA OR 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Disoriented For Date By More Than
2 Calendar Days

HELP_TEXT.....No Help Text

ID.....{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}

TERM.....3 - DISORIENTED FOR DATE > 2 CALENDAR
DAYS

DATA VALUE: 3 - EXTENSIVE ASSISTANCE

ABBREVIATION.....3 Extensiv

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 - Extensive Assistance

HELP_TEXT.....

ID.....{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

TERM.....3 - EXTENSIVE ASSISTANCE

DATA VALUE: 3 - INAPPROPRIATE WORDS

ABBREVIATION.....3-iw

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Inappropriate Words

HELP_TEXT.....No Help Text

ID.....{FE000191-243E-4D32-1E1E-546EE2CF88A5}

TERM.....3 - INAPPROPRIATE WORDS

DATA VALUE: 3 - INTERMITTENT NAUSEA WITH DRY HEAVES

ABBREVIATION.....CIWA NV 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Intermittent Nausea With Dry Heaves

HELP_TEXT.....No Help Text

ID.....{D299B4E1-0FF4-474D-BECD-5537391EEE7A}

TERM.....3 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 3 - LESS THAN 10MLS/HR

ABBREVIATION.....< 10mls/hr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 - Less than 10mls/hr

HELP_TEXT.....

ID.....{E013F8AC-7DBE-4F13-BF48-0317A46332CC}

TERM.....3 - LESS THAN 10MLS/HR

DATA VALUE: 3 - MODERATE

ABBREVIATION.....CIWA HA 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Moderate

HELP_TEXT.....No Help Text

ID.....{F26EB828-6864-4384-9EBB-35A6CDCACC59}

TERM.....3 - MODERATE

DATA VALUE: 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN

ABBREVIATION.....CIWA AU 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Moderate Harshness Or Ability To

Frighten

HELP_TEXT.....No Help Text

ID.....{77F59277-6CE4-4323-8531-3CA26E13C9C4}

TERM.....3 - MODERATE HARSHNESS OR ABILITY TO
FRIGHTEN

DATA VALUE: 3 - MODERATE ITCHING PINS/NEEDLES BURNING

ABBREVIATION.....CIWA TC 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Moderate Itching, Pins/Needles,
Burning, Numbness

HELP_TEXT.....No Help Text

ID.....{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}

TERM.....3 - MODERATE ITCHING PINS/NEEDLES
BURNING

DATA VALUE: 3 - MODERATE SENSITIVITY

ABBREVIATION.....CIWA VS 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Moderate Sensitivity

HELP_TEXT.....No Help Text

ID.....{D673A630-1F1E-4734-AADE-17586C48E8B9}

TERM.....3 - MODERATE SENSITIVITY

DATA VALUE: 3 - MODERATE WITH PATIENTS ARMS EXTENDED

ABBREVIATION.....CIWA TR 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Moderate With Patient's Arms

Extended

HELP_TEXT.....No Help Text

ID.....{36FF0AB3-F5ED-4CBA-A6F3-110DFCB65244}

TERM.....3 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY

ABBREVIATION.....3 Phys Bat

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 - Physical Help in Part of Bathing

Activity

HELP_TEXT.....

ID.....{1F24B08B-A5C1-4430-AC56-B40C347E1DDE}

TERM.....3 - PHYSICAL HELP IN PART OF BATHING

ACTIVITY

DATA VALUE: 3 - RR 30 OR MORE

ABBREVIATION.....RR 30 or +
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....3 - RR 30 or More
HELP_TEXT.....
ID.....{6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}
TERM.....3 - RR 30 OR MORE

DATA VALUE: 3 - SBP 70 OR LESS

ABBREVIATION.....SBP 70 or<
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....3 - SBP 70 or less
HELP_TEXT.....
ID.....{84DE09CE-FCB0-4E07-A72F-C1064CECF094}
TERM.....3 - SBP 70 OR LESS

DATA VALUE: 3 - STRONG

ABBREVIATION.....3-s
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....3 - Strong
HELP_TEXT.....No Help Text
ID.....{C55EAB72-7816-5440-84E9-6E7E190ED197}
TERM.....3 - STRONG

DATA VALUE: 3 - TO VERBAL COMMAND

ABBREVIATION.....3-tvc
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....3 - To Verbal Command
HELP_TEXT.....No Help Text
ID.....{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}
TERM.....3 - TO VERBAL COMMAND

DATA VALUE: 3 - TWO + PERSONS PHYSICAL ASSIST

ABBREVIATION.....3 + asst
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....3 - Two + Persons Physical Assist
HELP_TEXT.....
ID.....{AE401096-DF23-4A6E-8842-E1F58829902A}
TERM.....3 - TWO + PERSONS PHYSICAL ASSIST

DATA VALUE: 3 - UNRESPONSIVE

ABBREVIATION.....Unresponsi
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....3 - Unresponsive

HELP_TEXT.....

ID.....{F40F8A1E-ED15-424A-9481-3527B0E69DF1}

TERM.....3 - UNRESPONSIVE

DATA VALUE: 3 = BILATERAL HEMIANOPIA

ABBREVIATION.....Bilateral

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 = Bilateral Hemianopia

HELP_TEXT.....

ID.....{89969DC1-30BA-494A-A8C8-4344C2C75D0E}

TERM.....3 = BILATERAL HEMIANOPIA

DATA VALUE: 3 = COMPLETE PARALYSIS

ABBREVIATION.....3 = comple

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 = Complete Paralysis

HELP_TEXT.....

ID.....{F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}

TERM.....3 = COMPLETE PARALYSIS

DATA VALUE: 3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION

ABBREVIATION.....POSS 3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 = Frequently Drowsy, Arousable,

Drifts Off to Sleep During

Conversation

HELP_TEXT.....

ID.....{95111092-85B2-463A-8F97-F6E56AEC1730}

TERM.....3 = FREQUENTLY DROWSY, AROUSABLE,

DRIFTS OFF TO SLEEP DURING

CONVERSATION

DATA VALUE: 3 = MUTE, GLOBAL APHASIA

ABBREVIATION.....Mute

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 = Mute, Global Aphasia

HELP_TEXT.....

ID.....{E357021D-2B57-4AC2-BDA5-73B61726D183}

TERM.....3 = MUTE, GLOBAL APHASIA

DATA VALUE: 3 = NO EFFORT AGAINST GRAVITY

ABBREVIATION.....No Effort

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 = No Effort Against Gravity

HELP_TEXT.....

ID.....{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}

TERM.....3 = NO EFFORT AGAINST GRAVITY

DATA VALUE: 3 = UNRESPONSIVE

ABBREVIATION.....3 = Unresp

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3 = Unresponsive

HELP_TEXT.....

ID.....{A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}

TERM.....3 = UNRESPONSIVE

DATA VALUE: 3 WAY FOLEY

ABBREVIATION.....3WAY FOLEY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 Way Foley

HELP_TEXT.....No Help Text

ID.....{32408760-F517-4530-AEC0-54FE0A6A062B}

TERM.....3 WAY FOLEY

DATA VALUE: 3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED

ABBREVIATION.....3epcbo

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3+=Bounding, Easily Palpable, Cannot
Be Obliterated

HELP_TEXT.....No Help Text

ID.....{7A7A07ED-26B6-A3BF-C564-94BD4F6D4E1C}

TERM.....3+=BOUNDING, EASILY PALPABLE, CANNOT
BE OBLITERATED

DATA VALUE: 3. CHANGED

ABBREVIATION.....3. Changed

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....3. Changed

HELP_TEXT.....

ID.....{1F23AD0D-376F-4F2D-ADF4-ADF5CD475633}

TERM.....3. CHANGED

DATA VALUE: 34 ml

ABBREVIATION.....34 ml

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....34 ml

HELP_TEXT.....No Help Text

ID.....{25952BB5-50B1-4CC0-9483-8AF891767045}

TERM.....34 ml

DATA VALUE: 3:4

ABBREVIATION.....3:4

ACTIVE.....Yes

DESCRIPTION.....3:4

DISPLAY_NAME.....3:4

HELP_TEXT.....No Help Text

ID.....{E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2}

TERM.....3:4

DATA VALUE: 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

ABBREVIATION.....CIWA PS 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Beads Of Sweat Obvious On Forehead

HELP_TEXT.....No Help Text

ID.....{8388B1A0-46EA-4003-A32B-A2C708A6F056}

TERM.....4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 4 - DISORIENTED AND CONVERSES

ABBREVIATION.....4-dac
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....4 - Disoriented And Converses
HELP_TEXT.....No Help Text
ID.....{D43F646D-A130-5D06-6DC6-DDB971027231}
TERM.....4 - DISORIENTED AND CONVERSES

DATA VALUE: 4 - DISORIENTED FOR PLACE OR PERSON

ABBREVIATION.....CIWA OR 4
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....4 - Disoriented For Place/Or Person
HELP_TEXT.....No Help Text
ID.....{03BBFFA2-233A-41A1-8212-F988889C5E72}
TERM.....4 - DISORIENTED FOR PLACE OR PERSON

DATA VALUE: 4 - INTERMITTENT NAUSEA WITH DRY HEAVES

ABBREVIATION.....CIWA NV 4
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....4 - Intermittent Nausea With Dry Heaves

HELP_TEXT.....No Help Text

ID.....{7FBE10F0-472F-4F21-BE55-0892259141B5}

TERM.....4 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 4 - MODERATE WITH PATIENTS ARMS EXTENDED

ABBREVIATION.....CIWA TR 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderate With Patient's Arms

Extended

HELP_TEXT.....No Help Text

ID.....{79CE1486-151C-4492-AFD2-7845DD69DA9E}

TERM.....4 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 4 - MODERATELY ANXIOUS

ABBREVIATION.....CIWA AX 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderately Anxious, Or Guarded,

Anxiety Is Inferred

HELP_TEXT.....No Help Text

ID.....{9A01FEFD-844C-4FAB-BEC3-96333495FA62}

TERM.....4 - MODERATELY ANXIOUS

DATA VALUE: 4 - MODERATELY FIDGETY AND RESTLESS

ABBREVIATION.....CIWA AG 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderately Fidgety And Restless

HELP_TEXT.....No Help Text

ID.....{B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}

TERM.....4 - MODERATELY FIDGETY AND RESTLESS

DATA VALUE: 4 - MODERATELY SEVERE

ABBREVIATION.....CIWA HA 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderately Severe

HELP_TEXT.....No Help Text

ID.....{83B3DE0F-3BA4-4B0A-A222-F372BD403094}

TERM.....4 - MODERATELY SEVERE

DATA VALUE: 4 - MODERATELY SEVERE HALLUCINATIONS

ABBREVIATION.....CIWA 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderately Severe Hallucinations

HELP_TEXT.....No Help Text

ID.....{13FCDA97-A967-4993-AED5-13EBA61F3102}

TERM.....4 - MODERATELY SEVERE HALLUCINATIONS

DATA VALUE: 4 - SPONTANEOUSLY

ABBREVIATION.....4-s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Spontaneously

HELP_TEXT.....No Help Text

ID.....{4612FC84-FCA8-8C85-50DC-A9A42C195F51}

TERM.....4 - SPONTANEOUSLY

DATA VALUE: 4 - TOTAL DEPENDENCE

ABBREVIATION.....4 Tot Dep

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....4 - Total Dependence

HELP_TEXT.....

ID.....{062C8F50-294A-48CF-8E81-0C6D7787A4B1}

TERM.....4 - TOTAL DEPENDENCE

DATA VALUE: 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE

ABBREVIATION.....4 Full Stf

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....4 - Total Dependence - Full Staff

Performance

HELP_TEXT.....

ID.....{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

TERM.....4 - TOTAL DEPENDENCE - FULL STAFF

PERFORMANCE

DATA VALUE: 4 - WITHDRAWS FROM PAIN

ABBREVIATION.....4-wfp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Withdraws From Pain

HELP_TEXT.....No Help Text

ID.....{D808ACF1-30CB-29AB-4957-E91D63C4DF18}

TERM.....4 - WITHDRAWS FROM PAIN

DATA VALUE: 4 = NO MOVEMENT

ABBREVIATION.....No Movem

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....4 = No Movement

HELP_TEXT.....

ID.....{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}

TERM.....4 = NO MOVEMENT

DATA VALUE: 4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STI

MULATION

ABBREVIATION.....POSS 4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....4 = Somnolent, Minimal or No Response

to Verbal or Physical Stimulation

HELP_TEXT.....

ID.....{7CC72ED2-FB08-4CE3-BD56-674D0DD6D3C2}

TERM.....4 = SOMNOLENT, MINIMAL OR NO RESPONSE

TO VERBAL OR PHYSICAL STIMULATION

DATA VALUE: 4 HOUR

ABBREVIATION.....4 HOUR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 Hour

HELP_TEXT.....No Help Text

ID.....{91B2A49D-0308-47C9-B220-63A0E318A201}

TERM.....4 HOUR

DATA VALUE: 4. REINFORCED

ABBREVIATION.....4. Reinfor

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....4. Reinforced

HELP_TEXT.....

ID.....{5D06DC53-DB40-47B2-9257-8FD206463014}

TERM.....4. REINFORCED

DATA VALUE: 40 ml

ABBREVIATION.....40 ml

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....40 ml

HELP_TEXT.....No Help Text

ID.....{37A2998F-AB1C-4493-9C7A-FFCB05ED2302}

TERM.....40 ml

DATA VALUE: 4:4

ABBREVIATION.....4:4

ACTIVE.....Yes

DESCRIPTION.....4:4

DISPLAY_NAME.....4:4

HELP_TEXT.....No Help Text

ID.....{E9FCD5A0-995A-401D-8E85-6F0C753609B6}

TERM.....4:4

DATA VALUE: 5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

ABBREVIATION.....CIWA NV 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5 - Constant Nausea W Frequent Heaves

and Vomiting

HELP_TEXT.....No Help Text

ID.....{3A90064F-0B58-48AB-ABEE-188F215F4E33}

TERM.....5 - CONSTANT NAUSEA W FREQUENT HEAVES

AND VOMITING

DATA VALUE: 5 - DRENCHING SWEAT

ABBREVIATION.....CIWA PS 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5 - Drenching Sweat

HELP_TEXT.....No Help Text

ID.....{4CAA2CFF-6DA5-4238-A25B-4D3A960808A9}

TERM.....5 - DRENCHING SWEAT

DATA VALUE: 5 - LOCALIZES PAIN

ABBREVIATION.....5-lp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....5 - Localizes Pain
HELP_TEXT.....No Help Text
ID.....{CF13650F-899B-6AE1-5913-DC1F4776E5E4}
TERM.....5 - LOCALIZES PAIN

DATA VALUE: 5 - ORIENTED AND CONVERSES

ABBREVIATION.....5-oac
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....5 - Oriented And Converses
HELP_TEXT.....No Help Text
ID.....{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}
TERM.....5 - ORIENTED AND CONVERSES

DATA VALUE: 5 - SEVERE

ABBREVIATION.....CIWA HA 5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....5 - Severe

HELP_TEXT.....No Help Text

ID.....{7BD7B91F-DF6F-47B9-BAA6-3EF249340578}

TERM.....5 - SEVERE

DATA VALUE: 5 - SEVERE EVEN WITH ARMS NOT EXTENDED

ABBREVIATION.....CIWA TR 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5 - Severe Even With Arms Not Extended

HELP_TEXT.....No Help Text

ID.....{611A344A-C540-4861-81D7-681DAF1AA473}

TERM.....5 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 5 - SEVERE HALLUCINATIONS

ABBREVIATION.....CIWA 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5 - Severe Hallucinations

HELP_TEXT.....No Help Text

ID.....{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

TERM.....5 - SEVERE HALLUCINATIONS

DATA VALUE: 5 PERCENT ALBUMIN

ABBREVIATION.....5 PERC ALB
ACTIVE.....Yes
DESCRIPTION.....5 Percent Albumin
DISPLAY_NAME.....5 Percent Albumin
HELP_TEXT.....No Help Text
ID.....{38CE47CB-736B-475E-8E89-C4C13F2DF184}
TERM.....5 PERCENT ALBUMIN

DATA VALUE: 6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

ABBREVIATION.....CIWA NV 6
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....6 - Constant Nausea W Frequent Heaves
and Vomiting
HELP_TEXT.....No Help Text
ID.....{446FE39A-EB53-4D6B-B5B8-1370A5D55EEB}
TERM.....6 - CONSTANT NAUSEA W FREQUENT HEAVES
AND VOMITING

DATA VALUE: 6 - DRENCHING SWEAT

ABBREVIATION.....CIWA PS 6
ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....6 - Drenching Sweat
HELP_TEXT.....No Help Text
ID.....{7294B311-9032-4FE1-9779-363D19FD1FD3}
TERM.....6 - DRENCHING SWEAT

DATA VALUE: 6 - EXTREMELY SEVERE HALLUCINATIONS

ABBREVIATION.....CIWA 6
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....6 - Extremely Severe Hallucinations
HELP_TEXT.....No Help Text
ID.....{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}
TERM.....6 - EXTREMELY SEVERE HALLUCINATIONS

DATA VALUE: 6 - OBEYS COMMANDS

ABBREVIATION.....6-oc
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....6 - Obeys Commands
HELP_TEXT.....No Help Text
ID.....{0D4956F4-7E79-8D17-EDF3-274B96BBC89A}
TERM.....6 - OBEYS COMMANDS

DATA VALUE: 6 - SEVERE EVEN WITH ARMS NOT EXTENDED

ABBREVIATION.....CIWA TR 6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6 - Severe Even With Arms Not Extended

HELP_TEXT.....No Help Text

ID.....{9BCF893C-76D0-4A3E-80D0-281A917F1A08}

TERM.....6 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 6 - VERY SEVERE

ABBREVIATION.....CIWA HA 6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6 - Very Severe

HELP_TEXT.....No Help Text

ID.....{241C1EF4-2E2A-4D65-9991-607BB6B29E01}

TERM.....6 - VERY SEVERE

DATA VALUE: 6 HOUR

ABBREVIATION.....6 HOUR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6 Hour

HELP_TEXT.....No Help Text
ID.....{0D1F000A-01F0-422C-9CB8-2A04CD479444}
TERM.....6 HOUR

DATA VALUE: 6 PERCENT HETASTARCH

ABBREVIATION.....6 PERC HET
ACTIVE.....Yes
DESCRIPTION.....6 Percent Hetastarch
DISPLAY_NAME.....6 Percent Hetastarch
HELP_TEXT.....No Help Text
ID.....{D94072C9-87E8-46CA-929F-4904F3BD964C}
TERM.....6 PERCENT HETASTARCH

DATA VALUE: 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT

ABBREVIATION.....60 Min Rev
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....60 Minutes Since Administration of
 Reversal Agent
HELP_TEXT.....
ID.....{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}
TERM.....60 MINUTES SINCE ADMINISTRATION OF
 REVERSAL AGENT

DATA VALUE: 7 - ACUTE PANIC

ABBREVIATION.....CIWA AX 7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7 - Equivalent To Acute Panic States

HELP_TEXT.....No Help Text

ID.....{3F5E6786-FD67-405F-A535-EC1609910F14}

TERM.....7 - ACUTE PANIC

DATA VALUE: 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

ABBREVIATION.....CIWA NV 7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7 - Constant Nausea W Frequent Heaves
and Vomiting

HELP_TEXT.....No Help Text

ID.....{7F1076C4-C655-4BF2-8BB1-036F5169B619}

TERM.....7 - CONSTANT NAUSEA W FREQUENT HEAVES
AND VOMITING

DATA VALUE: 7 - CONTINUOUS HALLUCINATIONS

ABBREVIATION.....CIWA 7

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....7 - Continuous Hallucinations
HELP_TEXT.....No Help Text
ID.....{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}
TERM.....7 - CONTINUOUS HALLUCINATIONS

DATA VALUE: 7 - DRENCHING SWEAT

ABBREVIATION.....CIWA PS 7
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....7 - Drenching Sweat
HELP_TEXT.....No Help Text
ID.....{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}
TERM.....7 - DRENCHING SWEAT

DATA VALUE: 7 - EXTREMELY SEVERE

ABBREVIATION.....CIWA HA 7
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....7 - Extremely Severe
HELP_TEXT.....No Help Text
ID.....{F8DCC910-D36D-480E-867E-B45221170C49}
TERM.....7 - EXTREMELY SEVERE

DATA VALUE: 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW

ABBREVIATION.....CIWA AG 7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7 - Pacing Back And Forth The
Interview/Thrashing

HELP_TEXT.....No Help Text

ID.....{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

TERM.....7 - PACING BACK AND FORTH MOST OF THE
INTERVIEW

DATA VALUE: 7 - SEVERE EVEN WITH ARMS NOT EXTENDED

ABBREVIATION.....CIWA TR 7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7 - Severe Even With Arms Not Extended

HELP_TEXT.....No Help Text

ID.....{FE0BE72E-913A-48CD-BABF-C5B742AFED93}

TERM.....7 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 8 - ACTIVITY DID NOT OCCUR

ABBREVIATION.....8 d/n occ

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....8 - Activity Did Not Occur

HELP_TEXT.....

ID.....{8B586CC9-2360-4060-B660-021C25E28F0F}

TERM.....8 - ACTIVITY DID NOT OCCUR

DATA VALUE: 8 HOUR

ABBREVIATION.....8 HOUR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....8 Hour

HELP_TEXT.....No Help Text

ID.....{05E46D8F-C165-4552-8063-B735DECD4AF3}

TERM.....8 HOUR

DATA VALUE: AAI

ABBREVIATION.....AAI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AAI

HELP_TEXT.....No Help Text

ID.....{2DD18ACA-B98E-24D3-E760-6D082A76074B}

TERM.....AAI

DATA VALUE: AAIR

ABBREVIATION.....AAIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AAIR

HELP_TEXT.....No Help Text

ID.....{3B4B6F37-B631-BE32-F1C1-65B99D0C5018}

TERM.....AAIR

DATA VALUE: AAO

ABBREVIATION.....AAO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AAO

HELP_TEXT.....No Help Text

ID.....{E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}

TERM.....AAO

DATA VALUE: ABDOMINAL

ABBREVIATION.....ABDOMINAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Abdominal

HELP_TEXT.....No Help Text

ID.....{29E279F4-5D2E-4644-A2FA-CF85BEDFD480}

TERM.....ABDOMINAL

DATA VALUE: ABLE TO AMBULATE

ABBREVIATION.....AMBULAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Able to Ambulate

HELP_TEXT.....No Help Text

ID.....{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}

TERM.....ABLE TO AMBULATE

DATA VALUE: ABRASION

ABBREVIATION.....ABRASION

ACTIVE.....Yes

DESCRIPTION.....Abrasion

DISPLAY_NAME.....Abrasion

HELP_TEXT.....No Help Text

ID.....{7E962B43-24B1-46D2-A79A-5481117271A}

TERM.....ABRASION

DATA VALUE: ABSENT

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Absent

HELP_TEXT.....No Help Text

ID.....{6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

TERM.....ABSENT

DATA VALUE: ABSENT TO MINIMAL BLEEDING

ABBREVIATION.....ABS BLEE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Absent to Minimal Bleeding

HELP_TEXT.....No Help Text

ID.....{123460FB-1A8D-45AB-B0A2-489EAB482F67}

TERM.....ABSENT TO MINIMAL BLEEDING

DATA VALUE: ACCELERATING

ABBREVIATION.....ACCELERATI

ACTIVE.....Yes

DESCRIPTION.....Accelerating

DISPLAY_NAME.....Accelerating

HELP_TEXT.....Accelerating
ID.....{514FE300-87EE-4C2C-AC70-5E57DBECAFF7}
TERM.....ACCELERATING

DATA VALUE: ACHING

ABBREVIATION.....ACHING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Aching
HELP_TEXT.....No Help Text
ID.....{736BC1A4-2DA7-4A56-ACC0-28086EA103E0}
TERM.....ACHING

DATA VALUE: ACTIVE RANGE OF MOTION

ABBREVIATION.....ACTIVE ROM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Active Range Of Motion
HELP_TEXT.....No Help Text
ID.....{F55E68F3-6788-47AE-B962-119413B4A089}
TERM.....ACTIVE RANGE OF MOTION

DATA VALUE: ACTIVITIES OF DAILY LIVING

ABBREVIATION.....ADL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Activities of Daily Living

HELP_TEXT.....No Help Text

ID.....{12F2CA66-3DCE-443D-883C-119CE4838B4A}

TERM.....ACTIVITIES OF DAILY LIVING

DATA VALUE: ADMISSION

ABBREVIATION.....ADMISSION

ACTIVE.....Yes

DESCRIPTION.....Admission

DISPLAY_NAME.....Admission

HELP_TEXT.....No Help Text

ID.....{483C2830-813A-46C3-A012-CCD70044B2A2}

TERM.....ADMISSION

DATA VALUE: ADMISSION DIAGNOSIS

ABBREVIATION.....ADM DIAG

ACTIVE.....Yes

DESCRIPTION.....Admission Diagnosis

DISPLAY_NAME.....Admission Diagnosis

HELP_TEXT.....Admission Diagnosis
ID.....{2EEC3F2F-9802-46C5-AB47-008AFA093A7F}
TERM.....ADMISSION DIAGNOSIS

DATA VALUE: ADULT

ABBREVIATION.....ADULT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Adult
HELP_TEXT.....No Help Text
ID.....{37B557BE-B932-4757-8E08-5EA315E8AD1F}
TERM.....ADULT

DATA VALUE: ADULT LARGE

ABBREVIATION.....AD LARGE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Adult Large
HELP_TEXT.....No Help Text
ID.....{38E64D72-2806-47FA-B82F-51844574F850}
TERM.....ADULT LARGE

DATA VALUE: ADULT SMALL

ABBREVIATION.....AD SMALL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Adult Small
HELP_TEXT.....No Help Text
ID.....{0161A4E5-713A-406B-B3FD-9ED13BEB5366}
TERM.....ADULT SMALL

DATA VALUE: ADVANCED CARE PLANNING

ABBREVIATION.....ADV CAR PL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Advanced Care Planning
HELP_TEXT.....No Help Text
ID.....{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}
TERM.....ADVANCED CARE PLANNING

DATA VALUE: AGENT CASHIER

ABBREVIATION.....Cashier
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Agent Cashier

HELP_TEXT.....

ID.....{3849A887-F353-4215-88FD-DDD0188BE1BB}

TERM.....AGENT CASHIER

DATA VALUE: AGITATED

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Agitated

HELP_TEXT.....No Help Text

ID.....{BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

TERM.....AGITATED

DATA VALUE: AGONAL

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Agonal

HELP_TEXT.....No Help Text

ID.....{1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}

TERM.....AGONAL

DATA VALUE: AGONIZING

ABBREVIATION.....AGONIZING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Agonizing
HELP_TEXT.....No Help Text
ID.....{F43DF9E7-555B-49FF-987C-35F083D547AA}
TERM.....AGONIZING

DATA VALUE: AICD

ABBREVIATION.....AICD
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....AICD
HELP_TEXT.....
ID.....{EDB0E730-A1DC-4639-888B-30E956CCA958}
TERM.....AICD

DATA VALUE: AIR FLOW DEVICE

ABBREVIATION.....AIR FLOW D
ACTIVE.....Yes
DESCRIPTION.....Air Flow Device
DISPLAY_NAME.....Air Flow Device

HELP_TEXT.....Air Flow Device
ID.....{60AF6215-CE2A-4EEE-9596-909E3E50BE71}
TERM.....AIR FLOW DEVICE

DATA VALUE: AIR LEAK

ABBREVIATION.....AIR LEAK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Air Leak
HELP_TEXT.....No Help Text
ID.....{52E40E25-6D28-53EC-BC05-D1FEAA4616EF}
TERM.....AIR LEAK

DATA VALUE: AIRBORNE

ABBREVIATION.....AIRBORNE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Airborne
HELP_TEXT.....No Help Text
ID.....{D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}
TERM.....AIRBORNE

DATA VALUE: AIRWAY REFLEXES INTACT / SECRETIONS

ABBREVIATION.....AIR REFL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Airway Reflexes Intact Manages

Secretions

HELP_TEXT.....No Help Text

ID.....{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}

TERM.....AIRWAY REFLEXES INTACT / SECRETIONS

DATA VALUE: ALARMS ON

ABBREVIATION.....Alarms On

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Alarms On

HELP_TEXT.....

ID.....{A07F739F-3E78-405D-9012-E43CD84B2CBC}

TERM.....ALARMS ON

DATA VALUE: ALBUMIN

ABBREVIATION.....ALBUMIN

ACTIVE.....Yes

DESCRIPTION.....Albumin

DISPLAY_NAME.....Albumin
HELP_TEXT.....No Help Text
ID.....{4CC265EE-F506-4752-8309-E569A25B40E5}
TERM.....ALBUMIN

DATA VALUE: ALCOHOL PORT PROTECTOR

ABBREVIATION.....AI Port Pr
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Alcohol Port Protector
HELP_TEXT.....
ID.....{785F47CF-A279-46F9-9073-B6A6A70E8888}
TERM.....ALCOHOL PORT PROTECTOR

DATA VALUE: ALDRETE SCORE 8 OR GREATER

ABBREVIATION.....ALD 8+
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Aldrete Score 8 or Greater
HELP_TEXT.....No Help Text
ID.....{1FACE6D7-BC92-4579-8665-C5E1D3475461}
TERM.....ALDRETE SCORE 8 OR GREATER

DATA VALUE: ALDRETE SCORE AT BASELINE

ABBREVIATION.....ALD BASE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Aldrete Score at Baseline

HELP_TEXT.....No Help Text

ID.....{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}

TERM.....ALDRETE SCORE AT BASELINE

DATA VALUE: ALERT

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Alert

HELP_TEXT.....No Help Text

ID.....{BC7E2630-179A-5C80-E6C7-598D42F0BFD6}

TERM.....ALERT

DATA VALUE: ALERT AND ORIENTED

ABBREVIATION.....AL AN OR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Alert and Oriented

HELP_TEXT.....No Help Text
ID.....{C031F776-36DF-4570-AFAF-A30B8BFA635B}
TERM.....ALERT AND ORIENTED

DATA VALUE: ALL DOWN

ABBREVIATION.....ALL DOWN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....All Down
HELP_TEXT.....No Help Text
ID.....{76C14E79-95E2-49B7-B847-3B114653E98C}
TERM.....ALL DOWN

DATA VALUE: ALL UP

ABBREVIATION.....ALL UP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....All Up
HELP_TEXT.....No Help Text
ID.....{48199083-ACC2-408C-9242-7A6313CD7A7F}
TERM.....ALL UP

DATA VALUE: ALLERGY

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Allergy

HELP_TEXT.....No Help Text

ID.....{EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}

TERM.....ALLERGY

DATA VALUE: ALLERGY WRISTBAND

ABBREVIATION.....Wristband

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Allergy Wristband

HELP_TEXT.....

ID.....{BB7F6746-102D-4CBA-8E53-EA465176812B}

TERM.....ALLERGY WRISTBAND

DATA VALUE: ALOPECIA PARTIAL

ABBREVIATION.....ALOPE PART

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Alopecia Partial

HELP_TEXT.....No Help Text
ID.....{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}
TERM.....ALOPECIA PARTIAL

DATA VALUE: ALOPECIA TOTAL

ABBREVIATION.....ALOPE TOTA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Alopecia Total
HELP_TEXT.....No Help Text
ID.....{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}
TERM.....ALOPECIA TOTAL

DATA VALUE: AMBER

ABBREVIATION.....AMBER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Amber
HELP_TEXT.....No Help Text
ID.....{90A13048-4C35-E01D-3482-64D782001D4A}
TERM.....AMBER

DATA VALUE: AMBULATE AND ASSIST

ABBREVIATION.....AMB ASSIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ambulate and Assist
HELP_TEXT.....No Help Text
ID.....{EB53ADD9-B5B0-4174-95C7-C4B33E80DBDC}
TERM.....AMBULATE AND ASSIST

DATA VALUE: AMBULATED

ABBREVIATION.....AMBULATED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ambulated
HELP_TEXT.....No Help Text
ID.....{017D99FE-91D5-49F1-AC15-50620879C466}
TERM.....AMBULATED

DATA VALUE: AMBULATORY CARE UNIT

ABBREVIATION.....ACU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ambulatory Care Unit

HELP_TEXT.....No Help Text
ID.....{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}
TERM.....AMBULATORY CARE UNIT

DATA VALUE: AMPUTEE

ABBREVIATION.....AMPUTEE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Amputee
HELP_TEXT.....No Help-Text
ID.....{5804286F-2B23-91BD-FCB5-6AD18C918203}
TERM.....AMPUTEE

DATA VALUE: ANALGESIA

ABBREVIATION.....ANALGESIA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Analgesia
HELP_TEXT.....No Help Text
ID.....{5452ED11-25E1-437B-8048-3BB3E03BE3B9}
TERM.....ANALGESIA

DATA VALUE: ANESTHESIOLOGIST

ABBREVIATION.....Anesthesio

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Anesthesiologist

HELP_TEXT.....

ID.....{44BAD970-DD8F-4015-9C41-AC7868CEBE79}

TERM.....ANESTHESIOLOGIST

DATA VALUE: ANGINAL

ABBREVIATION.....ANGINAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ANGINAL

HELP_TEXT.....No Help Text

ID.....{ECF02415-4124-46D3-AA01-F21AC40FEFF7}

TERM.....ANGINAL

DATA VALUE: ANNOYING

ABBREVIATION.....ANNOYING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Annoying

HELP_TEXT.....No Help Text

ID.....{53437530-57C9-4EA8-AC0D-36B5F2BD051D}

TERM.....ANNOYING

DATA VALUE: ANTI-EMBOLUS STOCKINGS KNEE HIGH

ABBREVIATION.....ANT EMB KN

ACTIVE.....Yes

DESCRIPTION.....ANTI-EMBOLUS STOCKINGS KNEE HIGH

DISPLAY_NAME.....Anti-Embolus Stockings Knee High

HELP_TEXT.....ANTI-EMBOLUS STOCKINGS KNEE HIGH

ID.....{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}

TERM.....ANTI-EMBOLUS STOCKINGS KNEE HIGH

DATA VALUE: ANTI-EMBOLUS STOCKINGS THIGH HIGH

ABBREVIATION.....ANT EMB ST

ACTIVE.....Yes

DESCRIPTION.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

DISPLAY_NAME.....Anti-Embolus Stockings Thigh High

HELP_TEXT.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

ID.....{9B32D3F3-47F1-886F-A59A-D8AB38A34754}

TERM.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

DATA VALUE: ANTI-MICROBIAL DRESSING

ABBREVIATION.....AB DRESSIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Anti-Microbial Dressing
HELP_TEXT.....No Help Text
ID.....{9734C5E9-D099-47EB-93B1-D82201F64331}
TERM.....ANTI-MICROBIAL DRESSING

DATA VALUE: ANTIBIOTIC OINTMENT

ABBREVIATION.....AB OINTMEN
ACTIVE.....Yes
DESCRIPTION.....Antibiotic Ointment
DISPLAY_NAME.....Antibiotic Ointment
HELP_TEXT.....No Help Text
ID.....{352D9690-77BB-44DC-919E-5357876DEAC4}
TERM.....ANTIBIOTIC OINTMENT

DATA VALUE: ANTIMICROBIAL DISK

ABBREVIATION.....WOU DR ADI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Antimicrobial Disk

HELP_TEXT.....No Help-Text
ID.....{1F1745EA-D763-4AFD-9CED-82E974E57692}
TERM.....ANTIMICROBIAL DISK

DATA VALUE: ANURIC

ABBREVIATION.....ANURIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Anuric
HELP_TEXT.....No Help Text
ID.....{0CCA4B44-7A59-4042-BAB9-EB2395A63C51}
TERM.....ANURIC

DATA VALUE: ANXIOUS

ABBREVIATION.....a
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Anxious
HELP_TEXT.....No Help Text
ID.....{381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
TERM.....ANXIOUS

DATA VALUE: AOO

ABBREVIATION.....AOO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AOO

HELP_TEXT.....No Help Text

ID.....{86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}

TERM.....AOO

DATA VALUE: APNEA

ABBREVIATION.....Apnea

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Apnea

HELP_TEXT.....

ID.....{BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}

TERM.....APNEA

DATA VALUE: APPEARS ASLEEP

ABBREVIATION.....App Asleep

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Appears Asleep

HELP_TEXT.....

ID.....{8D1436B8-ADB0-4092-A0CE-383D74131AA8}

TERM.....APPEARS ASLEEP

DATA VALUE: APPLIANCE CHANGED

ABBREVIATION.....app change

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Appliance Changed

HELP_TEXT.....

ID.....{CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}

TERM.....APPLIANCE CHANGED

DATA VALUE: APPROPRIATE

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Appropriate

HELP_TEXT.....No Help Text

ID.....{1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}

TERM.....APPROPRIATE

DATA VALUE: ARRHYTHMIA

ABBREVIATION.....Arrhythmi
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Arrhythmia
HELP_TEXT.....
ID.....{F12E4852-27E7-4C2C-989F-E973EBDF2C62}
TERM.....ARRHYTHMIA

DATA VALUE: ARTERIAL LINE CARE

ABBREVIATION.....ART LINE C
ACTIVE.....Yes
DESCRIPTION.....Arterial Line Care
DISPLAY_NAME.....Arterial Line Care
HELP_TEXT.....No Help Text
ID.....{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}
TERM.....ARTERIAL LINE CARE

DATA VALUE: ARTIFICIAL AIRWAY

ABBREVIATION.....ART AIRWAY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Artificial Airway

HELP_TEXT.....No Help Text

ID.....{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}

TERM.....ARTIFICIAL AIRWAY

DATA VALUE: ARTIFICIAL VALVES

ABBREVIATION.....Art Valves

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Artificial Valves

HELP_TEXT.....

ID.....{088BB4A5-A93E-47E2-B21F-BC2957D52693}

TERM.....ARTIFICIAL VALVES

DATA VALUE: ASA PS 1

ABBREVIATION.....ASA PS 1

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....ASA PS 1

HELP_TEXT.....

ID.....{BAF1730E-C358-17F1-8DB8-4B6097AFF066}

TERM.....ASA PS 1

DATA VALUE: ASA PS 2

ABBREVIATION.....ASA PS 2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....ASA PS 2

HELP_TEXT.....

ID.....{070C0F56-3D9C-5430-EF9E-BF3B96DFB595}

TERM.....ASA PS 2

DATA VALUE: ASA PS 3

ABBREVIATION.....ASA PS 3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....ASA PS 3

HELP_TEXT.....

ID.....{B041CE25-82D0-EDAD-C673-A64BCD6647F4}

TERM.....ASA PS 3

DATA VALUE: ASA PS 4

ABBREVIATION.....ASA PS 4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....ASA PS 4

HELP_TEXT.....

ID.....{040841C3-D933-E687-C7E0-29F439C08778}

TERM.....ASA PS 4

DATA VALUE: ASA PS 5

ABBREVIATION.....ASA PS 5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....ASA PS 5

HELP_TEXT.....

ID.....{1F7B73A6-3F8E-E230-1C23-C7DF92032E58}

TERM.....ASA PS 5

DATA VALUE: ASEPTIC TECHNIQUE FOLLOWED

ABBREVIATION.....Aseptic

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Aseptic Technique Followed

HELP_TEXT.....

ID.....{2DE69DDB-F455-4570-A821-C81F39FD2574}

TERM.....ASEPTIC TECHNIQUE FOLLOWED

DATA VALUE: ASHEN

ABBREVIATION.....ASHEN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ashen
HELP_TEXT.....No Help-Text
ID.....{7431E4EC-DCF1-4966-85CB-29BF65311855}
TERM.....ASHEN

DATA VALUE: ASLEEP AT ROUNDS

ABBREVIATION.....SLEEP ROUN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Appeared Asleep At All Rounds
HELP_TEXT.....No Help Text
ID.....{24E1D9F0-D8F1-4DC8-911F-6170F343C087}
TERM.....ASLEEP AT ROUNDS

DATA VALUE: ASPIRATION

ABBREVIATION.....ASPIRATION
ACTIVE.....Yes
DESCRIPTION.....Aspiration
DISPLAY_NAME.....Aspiration

HELP_TEXT.....No Help Text

ID.....{68B91085-8E3C-4B94-9F97-6305F5DFD900}

TERM.....ASPIRATION

DATA VALUE: ASSAULTIVE

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Assaultive

HELP_TEXT.....No Help Text

ID.....{99ECD8C7-191A-3B9C-2A7A-803A921065FA}

TERM.....ASSAULTIVE

DATA VALUE: ASSIGNED ONE TO ONE SITTER

ABBREVIATION.....One to One

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Assigned One to One Sitter

HELP_TEXT.....

ID.....{07D48368-101F-4974-9EC5-7CB182A39281}

TERM.....ASSIGNED ONE TO ONE SITTER

DATA VALUE: ASSIST CONTROL

ABBREVIATION.....AC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Assist Control
HELP_TEXT.....No Help Text
ID.....{862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}
TERM.....ASSIST CONTROL

DATA VALUE: ASSISTED

ABBREVIATION.....ASSISTED
ACTIVE.....Yes
DESCRIPTION.....Assisted
DISPLAY_NAME.....Assisted
HELP_TEXT.....No Help Text
ID.....{65069804-39BF-41ED-9EA3-BF2C41389F10}
TERM.....ASSISTED

DATA VALUE: ASYSTOLE

ABBREVIATION.....a
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Asystole

HELP_TEXT.....No Help Text

ID.....{6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}

TERM.....ASYSTOLE

DATA VALUE: ATRIAL

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....ATRIAL

DISPLAY_NAME.....Atrial

HELP_TEXT.....No Help Text

ID.....{266D2FDA-5D6A-203D-6FF0-8282D49BFD67}

TERM.....ATRIAL

DATA VALUE: ATRIAL FIB/FLUTTER

ABBREVIATION.....af

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Atrial Fib/Flutter

HELP_TEXT.....No Help Text

ID.....{9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}

TERM.....ATRIAL FIB/FLUTTER

DATA VALUE: ATRIAL FIBRILLATION

ABBREVIATION.....a fib
ACTIVE.....Yes
DESCRIPTION.....Atrial Fibrillation
DISPLAY_NAME.....Atrial Fibrillation
HELP_TEXT.....Atrial Fibrillation
ID.....{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}
TERM.....ATRIAL FIBRILLATION

DATA VALUE: ATRIAL FLUTTER

ABBREVIATION.....af
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Atrial Flutter
HELP_TEXT.....No Help Text
ID.....{9CB8D413-6762-D78E-F40E-25DB66CD23B3}
TERM.....ATRIAL FLUTTER

DATA VALUE: AUSCULTATION

ABBREVIATION.....AUSCULTATI
ACTIVE.....Yes
DESCRIPTION.....Auscultation
DISPLAY_NAME.....Auscultation

HELP_TEXT.....Auscultation
ID.....{B9D756DF-74F5-4604-B781-D7BC512FC453}
TERM.....AUSCULTATION

DATA VALUE: AUTOLOGOUS

ABBREVIATION.....Autologous
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Autologous
HELP_TEXT.....
ID.....{666DDEC1-5D32-47F6-813C-09F50B4040D2}
TERM.....AUTOLOGOUS

DATA VALUE: AVF

ABBREVIATION.....AVF
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....AVF
HELP_TEXT.....No Help Text
ID.....{C8E97206-58AA-47C0-BD2E-7A30E56DB46A}
TERM.....AVF

DATA VALUE: AVI

ABBREVIATION.....AVI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AVI

HELP_TEXT.....No Help Text

ID.....{8BB49456-FB80-4916-6EBE-06837BF12B0C}

TERM.....AVI

DATA VALUE: AVL

ABBREVIATION.....AVL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AVL

HELP_TEXT.....No Help Text

ID.....{9124A193-5F50-448D-9E60-C5869EC4029C}

TERM.....AVL

DATA VALUE: AVO

ABBREVIATION.....AVO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AVO

HELP_TEXT.....No Help Text

ID.....{02EA752A-D156-96E6-3D28-3D389FFC7B58}

TERM.....AVO

DATA VALUE: AVOIDED LIGHT AND NOISE OVERSTIMULATION

ABBREVIATION.....Avoid Lght

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Avoided Light and Noise Overstimulation

HELP_TEXT.....

ID.....{135BE5DC-B93B-4A72-97AC-B423A6E81538}

TERM.....AVOIDED LIGHT AND NOISE OVERSTIMULATION

DATA VALUE: AVR

ABBREVIATION.....AVR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AVR

HELP_TEXT.....No Help Text

ID.....{04AF2551-1185-4BA9-AEED-977D562D188A}

TERM.....AVR

DATA VALUE: AWAKE

ABBREVIATION.....Awake

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Awake

HELP_TEXT.....

ID.....{D71412D4-5782-46BA-AE6C-24EDC586AE55}

TERM.....AWAKE

DATA VALUE: BACTERICIDAL

ABBREVIATION.....BACTERIOCI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bactericidal

HELP_TEXT.....No Help-Text

ID.....{680E4A3C-A40A-461E-818D-003AE8A1EFC8}

TERM.....BACTERICIDAL

DATA VALUE: BACTERIOSTATIC

ABBREVIATION.....BACTERIOST

ACTIVE.....Yes

DESCRIPTION.....Bacteriostatic

DISPLAY_NAME.....Bacteriostatic

HELP_TEXT.....No Help Text

ID.....{AB74D109-8ED7-4A6C-B028-7A041781DF67}

TERM.....BACTERIOSTATIC

DATA VALUE: BAG - CONTINUOUS

ABBREVIATION.....Bag - cont

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Bag - Continuous

HELP_TEXT.....

ID.....{F072EF8A-B38B-4D75-82BF-D5EF851784B0}

TERM.....BAG - CONTINUOUS

DATA VALUE: BAG - INTERMITTENT

ABBREVIATION.....Bag - inte

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Bag - Intermittent

HELP_TEXT.....

ID.....{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}

TERM.....BAG - INTERMITTENT

DATA VALUE: BAG CHANGE

ABBREVIATION.....Bag Chg
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bag Change
HELP_TEXT.....
ID.....{BC58D518-A742-410B-BE33-732C04D303BD}
TERM.....BAG CHANGE

DATA VALUE: BAG CHANGED

ABBREVIATION.....BAG CHANGE
ACTIVE.....Yes
DESCRIPTION.....Changed Bag
DISPLAY_NAME.....Bag Changed
HELP_TEXT.....No Help Text
ID.....{818990DE-4F95-4F8E-92D8-B4D3B975CB36}
TERM.....BAG CHANGED

DATA VALUE: BAG/MASK & O2 SET UP

ABBREVIATION.....Bag/Mask
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bag/Mask & O2 Set Up

HELP_TEXT.....

ID.....{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}

TERM.....BAG/MASK & O2 SET UP

DATA VALUE: BALSAM OF PERU

ABBREVIATION.....WOU DR PER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Balsam Of Peru

HELP_TEXT.....No Help-Text

ID.....{DD412BB1-B1C1-4A48-A38F-832629448E06}

TERM.....BALSAM OF PERU

DATA VALUE: BARIATRIC FRAME

ABBREVIATION.....BARI FRAME

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bariatric Frame

HELP_TEXT.....No Help Text

ID.....{CF95B426-F280-451B-86F2-CEF7A1A2B967}

TERM.....BARIATRIC FRAME

DATA VALUE: BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT

ABBREVIATION.....BAR L AIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bariatric Low Airloss Mattress
Replacement

HELP_TEXT.....No Help Text

ID.....{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}

TERM.....BARIATRIC LOW AIRLOSS MATTRESS
REPLACEMENT

DATA VALUE: BARIATRIC PATIENT

ABBREVIATION.....BARIAC PAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bariatric Patient

HELP_TEXT.....No Help Text

ID.....{6F614334-685E-4533-A475-BDF5440855EA}

TERM.....BARIATRIC PATIENT

DATA VALUE: BASAL RATE ONLY

ABBREVIATION.....BASAL ONL

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Basal Rate Only
HELP_TEXT.....No Help Text
ID.....{4BFFF2BC-837C-4D62-B811-0E547247D4D0}
TERM.....BASAL RATE ONLY

DATA VALUE: BATHROOM

ABBREVIATION.....b
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bathroom
HELP_TEXT.....No Help Text
ID.....{D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
TERM.....BATHROOM

DATA VALUE: BATHROOM PRIVILEGES

ABBREVIATION.....BATHR PRIV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bathroom Privileges
HELP_TEXT.....No Help Text
ID.....{29C1B6DD-3308-4DED-9970-1322A97C633B}
TERM.....BATHROOM PRIVILEGES

DATA VALUE: BED

ABBREVIATION.....BED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bed
HELP_TEXT.....No Help Text
ID.....{7E447C9C-41A0-43C9-AF63-38D6EA68279C}
TERM.....BED

DATA VALUE: BED EXIT ALARM

ABBREVIATION.....BED EXIT A
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bed Exit Alarm
HELP_TEXT.....No Help Text
ID.....{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}
TERM.....BED EXIT ALARM

DATA VALUE: BEDREST

ABBREVIATION.....BEDREST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bedrest

HELP_TEXT.....No Help Text

ID.....{8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}

TERM.....BEDREST

DATA VALUE: BEDSIDE

ABBREVIATION.....Bedside

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Bedside

HELP_TEXT.....

ID.....{481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}

TERM.....BEDSIDE

DATA VALUE: BEDSIDE COMMODORE

ABBREVIATION.....Bedside Cm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Bedside Commode

HELP_TEXT.....

ID.....{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}

TERM.....BEDSIDE COMMODORE

DATA VALUE: BIER BLOCK

ABBREVIATION.....Bier Blk
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bier Block
HELP_TEXT.....
ID.....{241C28E7-6040-4ABC-B76C-4255452C66FD}
TERM.....BIER BLOCK

DATA VALUE: BIGEMINY

ABBREVIATION.....Bigeminy
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bigeminy
HELP_TEXT.....
ID.....{729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}
TERM.....BIGEMINY

DATA VALUE: BILATERAL

ABBREVIATION.....Bilateral
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral

HELP_TEXT.....No Help Text
ID.....{FCD5361B-C674-473C-8F29-7B08650BA338}
TERM.....BILATERAL

DATA VALUE: BIPAP - RESPIRONICS

ABBREVIATION.....BIPAP RESP
ACTIVE.....Yes
DESCRIPTION.....BiPap machine by Respironics
DISPLAY_NAME.....Bipap - Respironics
HELP_TEXT.....No Help Text
ID.....{AA94A723-4C68-489F-88AC-2C6F276EAB76}
TERM.....BIPAP - RESPIRONICS

DATA VALUE: BIPAP - VISION

ABBREVIATION.....BIPAP VISI
ACTIVE.....Yes
DESCRIPTION.....BiPap ventilator made by Vision
DISPLAY_NAME.....Bipap - Vision
HELP_TEXT.....No Help Text
ID.....{AA39C765-BA1F-4289-B459-200A57C07FFF}
TERM.....BIPAP - VISION

DATA VALUE: BIPAP/CPAP

ABBREVIATION.....BIPAP/CPAP
ACTIVE.....Yes
DESCRIPTION.....BiPap / CPAP machine
DISPLAY_NAME.....BiPap / CPAP machine
HELP_TEXT.....No Help Text
ID.....{8D767C67-3712-410F-A96B-69C731E03C5D}
TERM.....BIPAP/CPAP

DATA VALUE: BIPHASIC POSITIVE AIRWAY PRESSURE

ABBREVIATION.....BiPAP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....BiPap
HELP_TEXT.....No Help Text
ID.....{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}
TERM.....BIPHASIC POSITIVE AIRWAY PRESSURE

DATA VALUE: BISMUTH GAUZE

ABBREVIATION.....WOU DR BIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bismuth Gauze

HELP_TEXT.....No Help-Text
ID.....{010DED59-C808-4D92-A7F8-87AEB86B4439}
TERM.....BISMUTH GAUZE

DATA VALUE: BITE

ABBREVIATION.....Bite
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bite
HELP_TEXT.....No Help Text
ID.....{FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}
TERM.....BITE

DATA VALUE: BITE BLOCK

ABBREVIATION.....BITE BLOCK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bite Block
HELP_TEXT.....No Help Text
ID.....{E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}
TERM.....BITE BLOCK

DATA VALUE: BLACK

ABBREVIATION.....BLACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Black

HELP_TEXT.....No Help Text

ID.....{7A55AFB9-6861-4918-0746-3D67D47FE5C3}

TERM.....BLACK

DATA VALUE: BLACK/NECROTIC

ABBREVIATION.....BLACK/NECR

ACTIVE.....Yes

DESCRIPTION.....Black / Necrotic

DISPLAY_NAME.....Black / Necrotic

HELP_TEXT.....No Help Text

ID.....{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}

TERM.....BLACK/NECROTIC

DATA VALUE: BLADDER SCAN

ABBREVIATION.....Blad Scan

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Bladder Scan

HELP_TEXT.....

ID.....{6C66BC97-1042-4E53-A49F-69AB7ABEE551}

TERM.....BLADDER SCAN

DATA VALUE: BLANCHED

ABBREVIATION.....Blanched

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Blanched

HELP_TEXT.....

ID.....{EBB2EA8D-04BC-49E7-812A-62B46F0F4678}

TERM.....BLANCHED

DATA VALUE: BLAND

ABBREVIATION.....BLAND

ACTIVE.....Yes

DESCRIPTION.....BLAND DIET

DISPLAY_NAME.....BLAND

HELP_TEXT.....No Help Text

ID.....{38930AFE-ECF7-4548-857C-854E1B5BE148}

TERM.....BLAND

DATA VALUE: BLISTERING

ABBREVIATION.....BLISTERING
ACTIVE.....Yes
DESCRIPTION.....Blistering
DISPLAY_NAME.....Blistering
HELP_TEXT.....No Help Text
ID.....{3A4212D5-F2A8-4636-BB7F-F36FA8CED192}
TERM.....BLISTERING

DATA VALUE: BLOOD GLUCOSE MONITORING

ABBREVIATION.....Bl Glu Mon
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Blood Glucose Monitoring
HELP_TEXT.....
ID.....{525C8F3C-F8F5-4158-9CDE-3A7B306BAD5}
TERM.....BLOOD GLUCOSE MONITORING

DATA VALUE: BLOOD PRESSURE

ABBREVIATION.....Blood Pres
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Blood Pressure

HELP_TEXT.....

ID.....{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}

TERM.....BLOOD PRESSURE

DATA VALUE: BLOOD STREAKED

ABBREVIATION.....BLOOD STRE

ACTIVE.....Yes

DESCRIPTION.....Blood Streaked

DISPLAY_NAME.....Blood Streaked

HELP_TEXT.....Blood Streaked

ID.....{AEC5607D-806F-49AE-8436-DC47F49F39BC}

TERM.....BLOOD STREAKED

DATA VALUE: BLOOD TRANSFUSION IV

ABBREVIATION.....BI TRAN IV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Blood Transfusion IV

HELP_TEXT.....No Help Text

ID.....{27A0BE4C-433C-F920-BAC2-066F304BDF59}

TERM.....BLOOD TRANSFUSION IV

DATA VALUE: BLOODY

ABBREVIATION.....BLOODY
ACTIVE.....Yes
DESCRIPTION.....Containing blood
DISPLAY_NAME.....Bloody
HELP_TEXT.....No Help Text
ID.....{D7904E84-8331-D6DD-F2C0-7F3039C5746A}
TERM.....BLOODY

DATA VALUE: BLUE

ABBREVIATION.....BLUE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Blue
HELP_TEXT.....No Help Text
ID.....{8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}
TERM.....BLUE

DATA VALUE: BLUNTED

ABBREVIATION.....Blunted
ACTIVE.....Yes
DESCRIPTION.....Blunted
DISPLAY_NAME.....Blunted

HELP_TEXT.....No Help Text

ID.....{F119F2DA-9182-2480-BA75-02D39F4FF69B}

TERM.....BLUNTED

DATA VALUE: BLURRED VISION

ABBREVIATION.....Blurred Vi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Blurred Vision

HELP_TEXT.....

ID.....{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}

TERM.....BLURRED VISION

DATA VALUE: BMI>35KG/M2

ABBREVIATION.....BMI>35KG/M

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....BMI > 35kg/m2

HELP_TEXT.....

ID.....{FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}

TERM.....BMI>35KG/M2

DATA VALUE: BONE

ABBREVIATION.....BONE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bone

HELP_TEXT.....No Help Text

ID.....{3729DEB9-0967-4B32-86B7-409CF27C8625}

TERM.....BONE

DATA VALUE: BOOST

ABBREVIATION.....Boost

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Boost

HELP_TEXT.....

ID.....{2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}

TERM.....BOOST

DATA VALUE: BOOST PLUS

ABBREVIATION.....Boost Plus

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Boost Plus

HELP_TEXT.....

ID.....{432C8151-10CE-4804-939D-6B6B609BE54A}

TERM.....BOOST PLUS

DATA VALUE: BORDERLINE REDUCED

ABBREVIATION.....BORD REDUC

ACTIVE.....Yes

DESCRIPTION.....Borderline Reduced

DISPLAY_NAME.....Borderline Reduced

HELP_TEXT.....No Help Text

ID.....{63703AB1-6249-403B-BDE8-FECA9FA36CF5}

TERM.....BORDERLINE REDUCED

DATA VALUE: BRADEN FRICTION AND SHEAR 1 PROBLEM

ABBREVIATION.....BS F/S 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Friction and Shear 1

Problem

DISPLAY_NAME.....1 - Problem

HELP_TEXT.....Requires moderate to maximum

assistance in moving. Complete

lifting without sliding against

sheets is impossible. Frequently

slides down in bed or chair,

requiring frequent repositioning with

maximum assistance.

ID.....{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}

TERM.....BRADEN FRICTION AND SHEAR 1 PROBLEM

DATA VALUE: BRADEN SCALE ACTIVITY 1 BEDFAST

ABBREVIATION.....BS ACT 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 1 Bedfast

DISPLAY_NAME.....1 - Bedfast

HELP_TEXT.....Confined to bed

ID.....{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}

TERM.....BRADEN SCALE ACTIVITY 1 BEDFAST

DATA VALUE: BRADEN SCALE ACTIVITY 2 CHAIRFAST

ABBREVIATION.....BS ACT 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 2 Chairfast

DISPLAY_NAME.....2 - Chairfast

HELP_TEXT.....Ability to walk severely limited or

non-existent. Cannot bear own weight

and/or must be assisted into chair or

wheelchair.

ID.....{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}

TERM.....BRADEN SCALE ACTIVITY 2 CHAIRFAST

DATA VALUE: BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY

ABBREVIATION.....BS ACT 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 3 Walks

Occasionally

DISPLAY_NAME.....3 - Walks Occasionally

HELP_TEXT.....Walks occasionally during day, but

for very short distances, with or
without assistance. Spends majority
of each shift in bed or chair.

ID.....{E47B47BC-6097-4602-9184-BF5A4F6D686A}

TERM.....BRADEN SCALE ACTIVITY 3 WALKS

OCCASIONALLY

DATA VALUE: BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY

ABBREVIATION.....BS ACT 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 4 Walks

Frequently

DISPLAY_NAME.....4 - Walks Frequently

HELP_TEXT.....Walks outside room at least twice a

day and inside room at least once
every two hours during waking hours.

ID.....{C5A8C2EA-E042-4804-9812-77603C47FC6A}

TERM.....BRADEN SCALE ACTIVITY 4 WALKS

FREQUENTLY

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM

ABBREVIATION.....BS F/S 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Friction and Shear 2

Potential Problem

DISPLAY_NAME.....2 - Potential Problem

HELP_TEXT.....Moves feebly or requires minimum

assistance. During a move skin

probably slides to some extent

against sheets, chair, restraints or

other devices. Maintains relatively

good position in chair or bed most of

the time but occasionally slides down

ID.....{B56338A9-8956-4D27-8BA0-DA50E07359E0}

TERM.....BRADEN SCALE FRICTION AND SHEAR 2

POTENTIAL PROBLEM

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM

ABBREVIATION.....BS F/S 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Friction and Shear 3 No

Apparent Problem

DISPLAY_NAME.....3 - No Apparent Problem

HELP_TEXT.....No Apparent Problem

ID.....{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

TERM.....BRADEN SCALE FRICTION AND SHEAR 3 NO

APPARENT PROBLEM

DATA VALUE: BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE

ABBREVIATION.....BS MOB 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 1 Completely

Immobile

DISPLAY_NAME.....1 - Completely Immobile

HELP_TEXT.....Does not make even slight changes in

body or extremity position without

assistance

ID.....{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}

TERM.....BRADEN SCALE MOBILITY 1 COMPLETELY

IMMOBILE

DATA VALUE: BRADEN SCALE MOBILITY 2 VERY LIMITED

ABBREVIATION.....BS MOB 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 2 Very Limited

DISPLAY_NAME.....2 - Very Limited

HELP_TEXT.....Makes occasional slight changes in

body or extremity position but unable

to make frequent or significant

changes independently

ID.....{868EFA33-877E-4B91-B4FD-9655F66A7160}

TERM.....BRADEN SCALE MOBILITY 2 VERY LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED

ABBREVIATION.....BS MOB 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 3 Slightly

Limited

DISPLAY_NAME.....3 - Slightly Limited

HELP_TEXT.....Makes frequent though slight changes

in body or extremity position

independently

ID.....{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}

TERM.....BRADEN SCALE MOBILITY 3 SLIGHTLY

LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 4 NO LIMITATION

ABBREVIATION.....BS MOB 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 4 No Limitation

DISPLAY_NAME.....4 - No Limitation

HELP_TEXT.....Makes major and frequent changes in
position without assistance

ID.....{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

TERM.....BRADEN SCALE MOBILITY 4 NO LIMITATION

DATA VALUE: BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST

ABBREVIATION.....BS MOI 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 1 Constantly
Moist

DISPLAY_NAME.....1 - Constantly Moist

HELP_TEXT.....Skin is kept moist almost constantly
by perspiration, urine, etc. Dampness
is detected every time patient is
moved or turned

ID.....{3E2569BA-ECF0-4622-8F4A-26378A2CB466}

TERM.....BRADEN SCALE MOISTURE 1 CONSTANTLY
MOIST

DATA VALUE: BRADEN SCALE MOISTURE 2 VERY MOIST

ABBREVIATION.....BS MOI 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 2 Very Moist

DISPLAY_NAME.....2 - Very Moist

HELP_TEXT.....Skin is often, but not always moist.
Linen must be changed at least once a
shift

ID.....{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}

TERM.....BRADEN SCALE MOISTURE 2 VERY MOIST

DATA VALUE: BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST

ABBREVIATION.....BS MOI 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 3 Occasionally
Moist

DISPLAY_NAME.....3 - Occasionally Moist

HELP_TEXT.....Skin is occasionally moist, requiring
an extra linen change approximately
once a day

ID.....{D7F2714B-B0C7-4000-8588-8582C1B32ECE}

TERM.....BRADEN SCALE MOISTURE 3 OCCASIONALLY
MOIST

DATA VALUE: BRADEN SCALE MOISTURE 4 RARELY MOIST

ABBREVIATION.....BS MOI 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 4 Rarely Moist

DISPLAY_NAME.....4 - Rarely Moist

HELP_TEXT.....Skin is usually dry, linen only
requires changing at routine
intervals

ID.....{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}

TERM.....BRADEN SCALE MOISTURE 4 RARELY MOIST

DATA VALUE: BRADEN SCALE NUTRITION 1 VERY POOR

ABBREVIATION.....BS NUT 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 1 Very Poor

DISPLAY_NAME.....1 - Very Poor

HELP_TEXT.....Never eats a complete meal. Rarely

eats more than 1/2 of any food

offered. Eats 2 servings or less of

protein per day. Takes fluids poorly,

does not take a liquid supplement. OR

is NPO maintained on clear liquids or

IV's for more than 5 days

ID.....{28A86074-A6B2-455E-ABA4-19195C2E3679}

TERM.....BRADEN SCALE NUTRITION 1 VERY POOR

DATA VALUE: BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE

ABBREVIATION.....BS NUT 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 2 Probably
Inadequate

DISPLAY_NAME.....2 - Probably Inadequate

HELP_TEXT.....Rarely eats a complete meal and
generally eats only about 2 of any
food offered. Protein intake includes
only 3 servings of meat or dairy
products per day. Occasionally will
take a dietary supplement. OR
receives less than optimum amount of
liquid.

ID.....{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}

TERM.....BRADEN SCALE NUTRITION 2 PROBABLY
INADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 3 ADEQUATE

ABBREVIATION.....BS NUT 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 3 Adequate

DISPLAY_NAME.....3 - Adequate

HELP_TEXT.....Eats over half of most meals. Eats a

total of 4 servings of protein (meat,
dairy products) per day. Occasionally
will refuse a meal, but will usually
take a supplement when offered. OR is
on a tube feeding or TPN regimen.

ID.....{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}

TERM.....BRADEN SCALE NUTRITION 3 ADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 4 EXCELLENT

ABBREVIATION.....BS NUT 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 4 Excellent

DISPLAY_NAME.....4 - Excellent

HELP_TEXT.....Eats most of every meal. Never

refuses a meal. Usually eats a total
of 4 or more servings of meat and
dairy products. Occasionally eats
between meals. Does NOT require
supplements

ID.....{F09E4D35-1AA8-49A5-9B38-FBFFAFCFC181}

TERM.....BRADEN SCALE NUTRITION 4 EXCELLENT

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED

ABBREVIATION.....BS SENC 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 1

Completely Limited

DISPLAY_NAME.....1 - Completely Limited

HELP_TEXT.....Unresponsive (does not moan, flinch
or grasp) to painful stimuli, due to
diminished level of consciousness or
sedation. OR limited ability to feel
pain over most of body

ID.....{60F646B3-790F-4C5A-B2A0-845915E120E6}

TERM.....BRADEN SCALE SENSORY PERCEPTION 1
COMPLETELY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED

ABBREVIATION.....BS SENC 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 2
Very Limited

DISPLAY_NAME.....2 - Very Limited

HELP_TEXT.....Responds only to painful stimuli.
Cannot Communicate discomfort except
by moaning or restlessness. OR has a
sensory impairment which limits the
ability to feel pain or discomfort
over 1/2 of the body

ID.....{98362E63-7245-4E7F-8C30-896A9B923199}

TERM.....BRADEN SCALE SENSORY PERCEPTION 2
VERY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED

ABBREVIATION.....BS SENC 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 3

Slightly Limited

DISPLAY_NAME.....3 - Slightly Limited

HELP_TEXT.....Responds to verbal commands, but

cannot always communicate discomfort

or the need to be turned. OR has some

sensory impairment which limits

ability to feel pain or discomfort in

one or two extremities.

ID.....{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}

TERM.....BRADEN SCALE SENSORY PERCEPTION 3

SLIGHTLY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT

ABBREVIATION.....BS SENC 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 4 No

Impairment

DISPLAY_NAME.....4 - No Impairment

HELP_TEXT.....Responds to verbal commands. Has no

sensory deficit which would limit

ability to feel or voice pain or
discomfort.

ID.....{10304656-E5E8-4F32-8358-A9F80511EFDA}

TERM.....BRADEN SCALE SENSORY PERCEPTION 4 NO
IMPAIRMENT

DATA VALUE: BREAKDOWN

ABBREVIATION.....BREAKDOWN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Breakdown

HELP_TEXT.....Use comment to describe breakdown

ID.....{9CFD21C0-A805-47C4-E559-8033C754DE80}

TERM.....BREAKDOWN

DATA VALUE: BREAKFAST

ABBREVIATION.....Breakfast

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Breakfast

HELP_TEXT.....

ID.....{59166132-625E-4E1E-9D97-13BF678EA726}

TERM.....BREAKFAST

DATA VALUE: BRIDGE PRESENT

ABBREVIATION.....bridge pre

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Bridge Present

HELP_TEXT.....

ID.....{5C474C17-33C9-492D-833E-64F5EF049BF4}

TERM.....BRIDGE PRESENT

DATA VALUE: BRIGHT

ABBREVIATION.....Bright
ACTIVE.....Yes
DESCRIPTION.....Bright
DISPLAY_NAME.....Bright
HELP_TEXT.....No Help Text
ID.....{D16542CE-0403-2C68-A361-125CB3C75ABA}
TERM.....BRIGHT

DATA VALUE: BRISK

ABBREVIATION.....brisk
ACTIVE.....Yes
DESCRIPTION.....Brisk
DISPLAY_NAME.....Brisk
HELP_TEXT.....No Help Text
ID.....{980AE687-0A78-458B-BA7B-5D646C38A5F5}
TERM.....BRISK

DATA VALUE: BROWN

ABBREVIATION.....BROWN
ACTIVE.....Yes
DESCRIPTION.....The color brown
DISPLAY_NAME.....Brown

HELP_TEXT.....The color brown

ID.....{A1C32FBC-7B4D-707C-CA58-92A2E201368E}

TERM.....BROWN

DATA VALUE: BRUISED

ABBREVIATION.....BRUISED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bruised

HELP_TEXT.....No Help Text

ID.....{FA5B38A7-7744-186F-055A-8458D696AF33}

TERM.....BRUISED

DATA VALUE: BRUIT

ABBREVIATION.....BRUIT

ACTIVE.....Yes

DESCRIPTION.....Bruit

DISPLAY_NAME.....Bruit

HELP_TEXT.....No Help Text

ID.....{2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}

TERM.....BRUIT

DATA VALUE: BUCKS TRACTION

ABBREVIATION.....BUCK TRACT
ACTIVE.....Yes
DESCRIPTION.....Buck's Traction
DISPLAY_NAME.....Buck's Traction
HELP_TEXT.....Buck's Traction
ID.....{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}
TERM.....BUCKS TRACTION

DATA VALUE: BULB

ABBREVIATION.....Bulb
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bulb
HELP_TEXT.....
ID.....{2390453E-3353-40EB-B2D7-EF770B67F037}
TERM.....BULB

DATA VALUE: BULB SUCTION

ABBREVIATION.....Bulb Sucti
ACTIVE.....Yes
DESCRIPTION.....Bulb Suction Drain
DISPLAY_NAME.....Bulb Suction Drain

HELP_TEXT.....No Help Text
ID.....{B0839A82-BB79-BB9F-5E4E-0ED67F716A50}
TERM.....BULB SUCTION

DATA VALUE: BULLET

ABBREVIATION.....BULLET
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bullet
HELP_TEXT.....No Help Text
ID.....{1570D8E2-D936-494D-AF6E-13838EA34EFD}
TERM.....BULLET

DATA VALUE: BUPIVICAINE

ABBREVIATION.....Bupivicaïn
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bupivicaïne
HELP_TEXT.....
ID.....{03B908B3-365A-47F6-8D71-8F8FE1D2C16B}
TERM.....BUPIVICAINE

DATA VALUE: BURN

ABBREVIATION.....BURN

ACTIVE.....Yes

DESCRIPTION.....Burn

DISPLAY_NAME.....Burn

HELP_TEXT.....No Help Text

ID.....{97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}

TERM.....BURN

DATA VALUE: BURNING

ABBREVIATION.....BURNING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Burning

HELP_TEXT.....No Help Text

ID.....{D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}

TERM.....BURNING

DATA VALUE: BY PROVIDER ORDER

ABBREVIATION.....BY ORDER

ACTIVE.....Yes

DESCRIPTION.....By Provider Order

DISPLAY_NAME.....By Provider Order

HELP_TEXT.....No Help Text
ID.....{C038BC16-44CF-4933-BECC-B0F1A1B12603}
TERM.....BY PROVIDER ORDER

DATA VALUE: C1

ABBREVIATION.....C1
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....C1
HELP_TEXT.....
ID.....{F942693D-F272-4A70-81FF-E750BAF082B9}
TERM.....C1

DATA VALUE: C2

ABBREVIATION.....C2
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....C2
HELP_TEXT.....
ID.....{EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
TERM.....C2

DATA VALUE: C3

ABBREVIATION.....C3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....C3

HELP_TEXT.....

ID.....{B53D0E0E-7BF0-4D26-B4DD-D072035E307E}

TERM.....C3

DATA VALUE: C4

ABBREVIATION.....C4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....C4

HELP_TEXT.....

ID.....{A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}

TERM.....C4

DATA VALUE: C5

ABBREVIATION.....C5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....C5

HELP_TEXT.....

ID.....{30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}

TERM.....C5

DATA VALUE: CADEXOMER IODINE

ABBREVIATION.....CADEXO IOD

ACTIVE.....Yes

DESCRIPTION.....Cadexomer Iodine

DISPLAY_NAME.....Cadexomer Iodine

HELP_TEXT.....No Help Text

ID.....{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}

TERM.....CADEXOMER IODINE

DATA VALUE: CALCIUM ALGINATE

ABBREVIATION.....CA ALGINAT

ACTIVE.....Yes

DESCRIPTION.....Calcium Alginate

DISPLAY_NAME.....Calcium Alginate

HELP_TEXT.....No Help Text

ID.....{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

TERM.....CALCIUM ALGINATE

DATA VALUE: CALM

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Calm

HELP_TEXT.....No Help Text

ID.....{E206C3F5-6977-302C-51FB-AF2155B5FFD9}

TERM.....CALM

DATA VALUE: CANE

ABBREVIATION.....CANE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cane

HELP_TEXT.....No Help Text

ID.....{562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}

TERM.....CANE

DATA VALUE: CANES

ABBREVIATION.....CANES

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Canes

HELP_TEXT.....No Help Text

ID.....{DF37C541-1C7D-4527-A4D2-31867B5ED438}

TERM.....CANES

DATA VALUE: CARDIAC

ABBREVIATION.....Cardiac

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Cardiac

HELP_TEXT.....

ID.....{2A4308E5-C843-4844-B908-32DA0A0B50E3}

TERM.....CARDIAC

DATA VALUE: CARDIAC CHAIR

ABBREVIATION.....cc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cardiac Chair

HELP_TEXT.....No Help Text

ID.....{D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}

TERM.....CARDIAC CHAIR

DATA VALUE: CARDIAC DIET

ABBREVIATION.....CARD DIET
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....CARDIAC DIET
HELP_TEXT.....No Help Text
ID.....{218A883D-32A0-438D-B453-7CBCE02693A3}
TERM.....CARDIAC DIET

DATA VALUE: CARDIAC OUTPUT INJECTATE

ABBREVIATION.....CARD OUT I
ACTIVE.....Yes
DESCRIPTION.....Cardiac Output Injectate
DISPLAY_NAME.....Cardiac Output Injectate
HELP_TEXT.....No Help Text
ID.....{19605CAB-8D54-4704-819B-20ABDAB6C604}
TERM.....CARDIAC OUTPUT INJECTATE

DATA VALUE: CARDIAC REPOSITION

ABBREVIATION.....CARD REPOS
ACTIVE.....Yes
DESCRIPTION.....Cardiac Reposition
DISPLAY_NAME.....Cardiac Reposition

HELP_TEXT.....No Help Text

ID.....{E133FE5A-20E1-418F-BD90-D2DFE14908C0}

TERM.....CARDIAC REPOSITION

DATA VALUE: CARDIO-RESP MONITOR

ABBREVIATION.....Cardio-Re

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Cardio-Resp Monitor

HELP_TEXT.....

ID.....{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}

TERM.....CARDIO-RESP MONITOR

DATA VALUE: CARDIOLOGY PROCEDURE ROOM

ABBREVIATION.....Cardio Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Cardiology Procedure Room

HELP_TEXT.....

ID.....{744142F5-D301-4509-A96D-06AB8C1D2C81}

TERM.....CARDIOLOGY PROCEDURE ROOM

DATA VALUE: CAREGIVER

ABBREVIATION.....CAREGIVER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Caregiver
HELP_TEXT.....No Help Text
ID.....{F9B8BABE-2F05-437D-85C8-585FC1FFC07F}
TERM.....CAREGIVER

DATA VALUE: CAREGIVER STRESS

ABBREVIATION.....Care Stres
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Caregiver Stress
HELP_TEXT.....
ID.....{A6A201E7-259C-485E-A35E-9F2F3489B24F}
TERM.....CAREGIVER STRESS

DATA VALUE: CASS ENDOTRACHEAL TUBE

ABBREVIATION.....CASS
ACTIVE.....Yes
DESCRIPTION.....CASS Endotracheal Tube
DISPLAY_NAME.....CASS Endotracheal Tube

HELP_TEXT.....Mucous Slurping Endotracheal Tube
ID.....{02BF805C-DF35-4DAB-A99F-2ED673174E49}
TERM.....CASS ENDOTRACHEAL TUBE

DATA VALUE: CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL

ABBREVIATION.....Cath Secur

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Cath Secured with Drain Bag Below

Pt`s Bladder Level

HELP_TEXT.....

ID.....{A2D2ABF1-88D4-46A2-B935-33211292FF25}

TERM.....CATH SECURED WITH DRAIN BAG BELOW

PT'S BLADDER LEVEL

DATA VALUE: CATH SIZE DOCUMENTED

ABBREVIATION.....Cath Size

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Cath Size Documented

HELP_TEXT.....

ID.....{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}

TERM.....CATH SIZE DOCUMENTED

DATA VALUE: CATHETER

ABBREVIATION.....CATHETER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Catheter

HELP_TEXT.....No Help Text

ID.....{B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}

TERM.....CATHETER

DATA VALUE: CATHETERIZATION TIME DOCUMENTED

ABBREVIATION.....Cath Time

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME..... Catheterization Time Documented

HELP_TEXT.....

ID.....{4EF58FCA-A5E1-454C-B435-5BFB487618F4}

TERM.....CATHETERIZATION TIME DOCUMENTED

DATA VALUE: CELLULITIS

ABBREVIATION.....CELLULITIS

ACTIVE.....Yes

DESCRIPTION.....Cellulitis

DISPLAY_NAME.....Cellulitis

HELP_TEXT.....No Help Text

ID.....{709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}

TERM.....CELLULITIS

DATA VALUE: CENTRAL ECG

ABBREVIATION.....cecg

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Central ECG

HELP_TEXT.....No Help Text

ID.....{26D36175-E4E3-C364-3018-1B0DB4DC4793}

TERM.....CENTRAL ECG

DATA VALUE: CENTRAL VENOUS CATHETER

ABBREVIATION.....CENT VEN C

ACTIVE.....Yes

DESCRIPTION.....Central Venous Catheter

DISPLAY_NAME.....Central Venous Catheter

HELP_TEXT.....No Help Text

ID.....{EE91E841-C09B-4432-A121-8EBAB92E9CD2}

TERM.....CENTRAL VENOUS CATHETER

DATA VALUE: CERVICAL SPINAL PRECAUTIONS

ABBREVIATION.....CERV S P
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cervical Spinal Precautions
HELP_TEXT.....No Help Text
ID.....{A15F7127-2367-464A-AB7D-1E6A7C09AA21}
TERM.....CERVICAL SPINAL PRECAUTIONS

DATA VALUE: CF: COUNTING FINGERS

ABBREVIATION.....CF
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....CF: Counting Fingers
HELP_TEXT.....
ID.....{3AFD9EDB-98A2-498A-AD95-F5285130CC03}
TERM.....CF: COUNTING FINGERS

DATA VALUE: CHAIR

ABBREVIATION.....CHAIR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Chair

HELP_TEXT.....No Help Text

ID.....{5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}

TERM.....CHAIR

DATA VALUE: CHANGED

ABBREVIATION.....CHANGED

ACTIVE.....Yes

DESCRIPTION.....Changed

DISPLAY_NAME.....Changed

HELP_TEXT.....No Help Text

ID.....{74B14023-D74D-41F6-AA48-B0E5137623CD}

TERM.....CHANGED

DATA VALUE: CHART VERIFIED CORRECT

ABBREVIATION.....Chart Ver

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Chart Verified Correct

HELP_TEXT.....

ID.....{319E702F-C7A9-409D-881F-3F4D1D9AF393}

TERM.....CHART VERIFIED CORRECT

DATA VALUE: CHEYNE-STOKES

ABBREVIATION.....CHEYNE-STO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cheyne-Stokes
HELP_TEXT.....No Help Text
ID.....{58DD2B80-B522-499C-2C60-C48A654BAD84}
TERM.....CHEYNE-STOKES

DATA VALUE: CIRCULATION CHECK

ABBREVIATION.....ccq
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Circulation Check
HELP_TEXT.....No Help Text
ID.....{BA32C2A8-F15C-84EF-4859-6277EFA6463A}
TERM.....CIRCULATION CHECK

DATA VALUE: CLAMPED

ABBREVIATION.....CLAMPED
ACTIVE.....Yes
DESCRIPTION.....Clamped
DISPLAY_NAME.....Clamped

HELP_TEXT.....No Help Text

ID.....{B86865B8-078A-4996-B5EC-46A4A99D5A7D}

TERM.....CLAMPED

DATA VALUE: CLASS I

ABBREVIATION.....Class I

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Class I

HELP_TEXT.....

ID.....{4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}

TERM.....CLASS I

DATA VALUE: CLASS II

ABBREVIATION.....Class II

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Class II

HELP_TEXT.....

ID.....{2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}

TERM.....CLASS II

DATA VALUE: CLASS III

ABBREVIATION.....Class III
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Class III
HELP_TEXT.....
ID.....{C0FFDE12-241C-4087-9404-DB128F6B793A}
TERM.....CLASS III

DATA VALUE: CLASS IV

ABBREVIATION.....Class IV
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Class IV
HELP_TEXT.....
ID.....{176030D0-2576-4D2D-A5AB-E5DA38DADEB5}
TERM.....CLASS IV

DATA VALUE: CLAY

ABBREVIATION.....CLAY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Clay

HELP_TEXT.....No Help Text

ID.....{A4E4D16C-B45C-0934-ED22-8BF640080108}

TERM.....CLAY

DATA VALUE: CLEAN

ABBREVIATION.....Clean

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Clean

HELP_TEXT.....

ID.....{1F187B99-9963-4AD5-98F6-D8D24D2DDD30}

TERM.....CLEAN

DATA VALUE: CLEAR

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Clear

HELP_TEXT.....No Help Text

ID.....{8981C365-2B46-704F-C9F4-975DF1C23C2D}

TERM.....CLEAR

DATA VALUE: CLEAR LIQUID DIET

ABBREVIATION.....CL LI DIET

ACTIVE.....Yes

DESCRIPTION.....Clear Liquid Diet

DISPLAY_NAME.....Clear Liquid Diet

HELP_TEXT.....No Help Text

ID.....{D540348D-3E1D-4E42-9EDC-43C56CF56206}

TERM.....CLEAR LIQUID DIET

DATA VALUE: CLICK

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Click

HELP_TEXT.....No Help Text

ID.....{F1F3A1A8-35E1-61B4-C783-3314C8247380}

TERM.....CLICK

DATA VALUE: CLINICAL ASSESSMENT

ABBREVIATION.....CLIN ASSME

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Clinical Assessment

HELP_TEXT.....No Help Text

ID.....{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}

TERM.....CLINICAL ASSESSMENT

DATA VALUE: CLOSE OBSERVATION

ABBREVIATION.....co

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Close Observation

HELP_TEXT.....No Help Text

ID.....{2679BCAC-8753-FE73-56F8-3AB632161AF4}

TERM.....CLOSE OBSERVATION

DATA VALUE: CLOSED

ABBREVIATION.....CLOSED

ACTIVE.....Yes

DESCRIPTION.....CLOSED

DISPLAY_NAME.....CLOSED

HELP_TEXT.....No Help Text

ID.....{9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}

TERM.....CLOSED

DATA VALUE: CLOSED SYSTEM

ABBREVIATION.....Closed sys

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Closed System

HELP_TEXT.....

ID.....{D076BAB6-C4D1-42F1-9036-80BF4B72E695}

TERM.....CLOSED SYSTEM

DATA VALUE: CLOTHED SELF

ABBREVIATION.....CLOTH S

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Clothed Self

HELP_TEXT.....No Help Text

ID.....{33802A30-FAA7-426B-ADAC-5297818DA7DE}

TERM.....CLOTHED SELF

DATA VALUE: CLOTHING ROOM

ABBREVIATION.....Cloth Room

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Clothing Room

HELP_TEXT.....

ID.....{8F116C60-10B1-4033-93F2-9121629CD608}

TERM.....CLOTHING ROOM

DATA VALUE: CLOTS

ABBREVIATION.....CLOTS

ACTIVE.....Yes

DESCRIPTION.....Clots Present

DISPLAY_NAME.....Clots

HELP_TEXT.....No Help Text

ID.....{B52B88E0-6D23-4657-97CD-81E3EF64991B}

TERM.....CLOTS

DATA VALUE: CLOUDY

ABBREVIATION.....CLOUDY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cloudy

HELP_TEXT.....No Help Text

ID.....{3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

TERM.....CLOUDY

DATA VALUE: CLUBBING

ABBREVIATION.....CLUBBING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Clubbing
HELP_TEXT.....No Help Text
ID.....{AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}
TERM.....CLUBBING

DATA VALUE: CMS INTACT DISTAL TO SURGICAL SITE

ABBREVIATION.....CMS INTA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....CMS Intact Distal to Surgical Site
HELP_TEXT.....No Help Text
ID.....{CE2D2CDE-71C5-4993-8E46-C4799301A851}
TERM.....CMS INTACT DISTAL TO SURGICAL SITE

DATA VALUE: CNS

ABBREVIATION.....CNS
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....CNS

HELP_TEXT.....

ID.....{487A4DE0-A822-437D-87A2-75FA86D7BBDE}

TERM.....CNS

DATA VALUE: CNS DEPRESSION

ABBREVIATION.....CNS Depres

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....CNS Depression

HELP_TEXT.....

ID.....{EE349460-8B60-427B-AE98-72007DFD2F6A}

TERM.....CNS DEPRESSION

DATA VALUE: CODE CART IS ASSESSIBLE

ABBREVIATION.....Code Cart

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Code Cart is Accessible

HELP_TEXT.....

ID.....{DB670E39-CF90-4068-8E38-44DCA5F365B5}

TERM.....CODE CART IS ASSESSIBLE

DATA VALUE: COFFEE GROUND

ABBREVIATION.....COFFEE GRO
ACTIVE.....Yes
DESCRIPTION.....Coffee Ground
DISPLAY_NAME.....Coffee Ground
HELP_TEXT.....Coffee Ground
ID.....{A5B3119A-C739-4B8D-87C2-7D858B94F380}
TERM.....COFFEE GROUND

DATA VALUE: COGNITIVE IMPAIRMENT

ABBREVIATION.....Cog Impair
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Cognitive Impairment
HELP_TEXT.....
ID.....{6D051F44-2124-4914-A415-B98B2AC516E9}
TERM.....COGNITIVE IMPAIRMENT

DATA VALUE: COLD

ABBREVIATION.....COLD
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cold

HELP_TEXT.....No Help Text
ID.....{B7B422BA-22EC-117D-0A0C-8419E9447D46}
TERM.....COLD

DATA VALUE: COLLAGEN

ABBREVIATION.....COLLAGEN
ACTIVE.....Yes
DESCRIPTION.....Collagen
DISPLAY_NAME.....Collagen
HELP_TEXT.....No Help Text
ID.....{8D734495-2FAF-41C0-9146-55B22583A830}
TERM.....COLLAGEN

DATA VALUE: COLOR APPROPRIATE FOR ETHNICITY

ABBREVIATION.....Color Appr
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Color Appropriate for Ethnicity
HELP_TEXT.....
ID.....{C4128AA9-AC26-45CA-8D42-0764AB327C7F}
TERM.....COLOR APPROPRIATE FOR ETHNICITY

DATA VALUE: COLORLESS

ABBREVIATION.....COLORLESS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Colorless
HELP_TEXT.....No Help Text
ID.....{D093D8C5-E284-47D4-8FA6-DCD5B030B10E}
TERM.....COLORLESS

DATA VALUE: COLOSTOMY

ABBREVIATION.....COLOSTOMY
ACTIVE.....Yes
DESCRIPTION.....Colostomy
DISPLAY_NAME.....Colostomy
HELP_TEXT.....No Help Text
ID.....{53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}
TERM.....COLOSTOMY

DATA VALUE: COMBATIVE

ABBREVIATION.....c
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Combative

HELP_TEXT.....No Help Text

ID.....{DF65D42D-6CAA-657E-AEE1-C070C1FDF177}

TERM.....COMBATIVE

DATA VALUE: COMFORT CARE

ABBREVIATION.....Comfort Ca

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Comfort Care

HELP_TEXT.....

ID.....{51669E41-DF78-4E49-BA5F-DE6F1B5F1148}

TERM.....COMFORT CARE

DATA VALUE: COMFORT MEASURES

ABBREVIATION.....Com Measu

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Comfort Measures

HELP_TEXT.....

ID.....{A5F09A1F-921E-4469-9652-0A136BCD9C07}

TERM.....COMFORT MEASURES

DATA VALUE: COMMODE

ABBREVIATION.....COMMODE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Commode
HELP_TEXT.....No Help-Text
ID.....{75C896CA-F105-4EF0-B641-3F2B1F984F1B}
TERM.....COMMODE

DATA VALUE: COMMUNCATION BARRIER

ABBREVIATION.....COMM BARRI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Communication Barrier
HELP_TEXT.....No Help Text
ID.....{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}
TERM.....COMMUNCATION BARRIER

DATA VALUE: COMMUNITY RESOURCES

ABBREVIATION.....Comm Res
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Community Resources

HELP_TEXT.....

ID.....{0088604F-6A99-4D99-B451-5262734E0D17}

TERM.....COMMUNITY RESOURCES

DATA VALUE: COMPLETE BATH

ABBREVIATION.....COMP BATH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Complete Bath

HELP_TEXT.....No Help Text

ID.....{A7CB1F56-F88E-403B-AABC-105BE129FBB0}

TERM.....COMPLETE BATH

DATA VALUE: COMPLIANCE

ABBREVIATION.....COMPLIANC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Compliance

HELP_TEXT.....No Help Text

ID.....{EF43367E-9898-44C3-8AC8-F5BD28051F1D}

TERM.....COMPLIANCE

DATA VALUE: CONFUSED

ABBREVIATION.....CONFUSED

ACTIVE.....Yes

DESCRIPTION.....Confused

DISPLAY_NAME.....Confused

HELP_TEXT.....No Help Text

ID.....{31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

TERM.....CONFUSED

DATA VALUE: CONFUSION

ABBREVIATION.....Confusion

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Confusion

HELP_TEXT.....

ID.....{4C1B8247-75C4-4C60-970B-3D7F07BD1164}

TERM.....CONFUSION

DATA VALUE: CONNECTED TO DRAINAGE BAG

ABBREVIATION.....drain bag

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Connected to Drainage Bag

HELP_TEXT.....

ID.....{1901C4A7-671C-43BD-BEDD-1D48BCB43465}

TERM.....CONNECTED TO DRAINAGE BAG

DATA VALUE: CONSISTENT WITH BODY TEMPERATURE

ABBREVIATION.....CON W TEMP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Consistent With Body Temperature

HELP_TEXT.....No Help Text

ID.....{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}

TERM.....CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: CONSTANT

ABBREVIATION.....CONSTANT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Constant

HELP_TEXT.....No Help Text

ID.....{0FB8E43C-2106-4C37-9430-38675953A85B}

TERM.....CONSTANT

DATA VALUE: CONSTIPATION

ABBREVIATION.....CONSTIPAT.

ACTIVE.....Yes

DESCRIPTION.....Constipation

DISPLAY_NAME.....Constipation

HELP_TEXT.....No Help Text

ID.....{4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

TERM.....CONSTIPATION

DATA VALUE: CONSTRICTED

ABBREVIATION.....Constricte

ACTIVE.....Yes

DESCRIPTION.....Constricted

DISPLAY_NAME.....Constricted

HELP_TEXT.....No Help Text

ID.....{A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}

TERM.....CONSTRICTED

DATA VALUE: CONTACT

ABBREVIATION.....CONTACT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Contact

HELP_TEXT.....No Help Text

ID.....{958F2B5E-F980-47B6-A7F7-EE7D5520B61F}

TERM.....CONTACT

DATA VALUE: CONTACTS

ABBREVIATION.....Contacts

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Contacts

HELP_TEXT.....

ID.....{6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}

TERM.....CONTACTS

DATA VALUE: CONTEMPLATIVE

ABBREVIATION.....CONTEMPLAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Contemplative

HELP_TEXT.....No Help Text

ID.....{5194DB04-7A68-491E-B117-BD089C912DFB}

TERM.....CONTEMPLATIVE

DATA VALUE: CONTINENT

ABBREVIATION.....CONTINENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Continent
HELP_TEXT.....No Help Text
ID.....{3B658506-F42E-BAF5-04C4-5AD49699E0D2}
TERM.....CONTINENT

DATA VALUE: CONTINUOUS

ABBREVIATION.....CONTINUOUS
ACTIVE.....Yes
DESCRIPTION.....Continuous
DISPLAY_NAME.....Continuous
HELP_TEXT.....No Help Text
ID.....{676CD2DA-F882-4BE5-99BB-510EA7669749}
TERM.....CONTINUOUS

DATA VALUE: CONTINUOUS POSITIVE AIR PRESSURE

ABBREVIATION.....CPAP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....CPAP

HELP_TEXT.....No Help Text
ID.....{387B42F0-F587-AAFC-ECA0-66067F18BEC6}
TERM.....CONTINUOUS POSITIVE AIR PRESSURE

DATA VALUE: CONTINUOUS SUCTION

ABBREVIATION.....CONT SUCTI
ACTIVE.....Yes
DESCRIPTION.....Continuous Suction
DISPLAY_NAME.....Continuous Suction
HELP_TEXT.....No Help Text
ID.....{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}
TERM.....CONTINUOUS SUCTION

DATA VALUE: CONTRACT CARE FACILITY

ABBREVIATION.....Contr Care
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Contract Care Facility
HELP_TEXT.....
ID.....{74CA0AAE-119B-4D54-B7A1-3DA5B8CA6AF6}
TERM.....CONTRACT CARE FACILITY

DATA VALUE: CONTROL MODE VENTILATION

ABBREVIATION.....CMV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Control Mode Ventilation
HELP_TEXT.....No Help Text
ID.....{2E79351C-BA31-FC04-B636-F39728B23EA6}
TERM.....CONTROL MODE VENTILATION

DATA VALUE: CONTUSION

ABBREVIATION.....Contusion
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Contusion
HELP_TEXT.....No Help Text
ID.....{5285197A-CC0A-4D12-A1F8-966765C687F1}
TERM.....CONTUSION

DATA VALUE: COOL

ABBREVIATION.....COOL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cool

HELP_TEXT.....No Help Text
ID.....{48A1FEA8-FD75-DAF8-174A-9C6AB2044439}
TERM.....COOL

DATA VALUE: COOL CHEM PACK

ABBREVIATION.....CO CHEM PA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cool Chem Pack
HELP_TEXT.....No Help Text

ID.....{6DE5E644-28C2-4190-A2EF-1A766E014A65}
TERM.....COOL CHEM PACK

DATA VALUE: COOLER THAN GENERAL BODY TEMPERATURE

ABBREVIATION.....CoolGenT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cooler Than General Body Temperature
HELP_TEXT.....No Help Text

ID.....{03D7D4CF-9B3C-49CA-9650-213E9BABE064}
TERM.....COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: COOLER THAN OPPOSITE BODY PART

ABBREVIATION.....COOL OPP P
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cooler Than Opposite Body Part
HELP_TEXT.....No Help Text
ID.....{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}
TERM.....COOLER THAN OPPOSITE BODY PART

DATA VALUE: COOLING BLANKET

ABBREVIATION.....COOL BLANK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cooling Blanket
HELP_TEXT.....No Help Text
ID.....{13A42B12-4959-4674-AF97-2D1242CFD934}
TERM.....COOLING BLANKET

DATA VALUE: COOLING OFF

ABBREVIATION.....COOLING OF
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cooling Off

HELP_TEXT.....No Help Text

ID.....{14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}

TERM.....COOLING OFF

DATA VALUE: COOLING ON

ABBREVIATION.....COOLING ON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cooling On

HELP_TEXT.....No Help Text

ID.....{911CA17D-614E-445A-969E-4F5220E469EB}

TERM.....COOLING ON

DATA VALUE: COOPERATIVE

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cooperative

HELP_TEXT.....No Help Text

ID.....{C176406E-EBDE-4ADE-53DE-CF191D8AFC85}

TERM.....COOPERATIVE

DATA VALUE: COPIUS

ABBREVIATION.....COPIUS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Copius
HELP_TEXT.....No Help Text
ID.....{C74A6979-0E35-AA12-F992-69ACA3B0FA23}
TERM.....COPIUS

DATA VALUE: CRACKLES

ABBREVIATION.....c
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Crackles
HELP_TEXT.....No Help Text
ID.....{6B64C108-4424-00D9-525F-D89D549476D6}
TERM.....CRACKLES

DATA VALUE: CRAMPING

ABBREVIATION.....CRAMPING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cramping

HELP_TEXT.....No Help Text

ID.....{3EC3E352-5469-4A85-80E4-3AFEB61224C4}

TERM.....CRAMPING

DATA VALUE: CREPITUS

ABBREVIATION.....CREPITUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Crepitus

HELP_TEXT.....No Help Text

ID.....{56A97506-05F0-4F37-8FD9-3AA82191408A}

TERM.....CREPITUS

DATA VALUE: CRNA

ABBREVIATION.....CRNA

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....CRNA

HELP_TEXT.....

ID.....{41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}

TERM.....CRNA

DATA VALUE: CRUSHING

ABBREVIATION.....CRUSHING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Crushing
HELP_TEXT.....No Help Text
ID.....{92D4BAF1-63E3-4FC0-B096-B5CBC4736245}
TERM.....CRUSHING

DATA VALUE: CRUTCH

ABBREVIATION.....CRUTCH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Crutch
HELP_TEXT.....No Help Text
ID.....{2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}
TERM.....CRUTCH

DATA VALUE: CRUTCHES

ABBREVIATION.....CRUTCHES
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Crutches

HELP_TEXT.....No Help Text

ID.....{DDA81269-B25C-4F7D-A059-BB1602B2B179}

TERM.....CRUTCHES

DATA VALUE: CRYING

ABBREVIATION.....CRYING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Crying

HELP_TEXT.....No Help Text

ID.....{D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}

TERM.....CRYING

DATA VALUE: CRYSTALLOID

ABBREVIATION.....CRYSTALLOI

ACTIVE.....Yes

DESCRIPTION.....Crystalloid

DISPLAY_NAME.....Crystalloid

HELP_TEXT.....No Help Text

ID.....{4EC07E19-88B2-4C13-99B6-8233DF612997}

TERM.....CRYSTALLOID

DATA VALUE: CSM: CENTRAL STEADY MAINTAINED

ABBREVIATION.....CSM
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....CSM: Central Steady Maintained
HELP_TEXT.....
ID.....{43085BCB-4264-4E4A-BC17-A9C252A89BA8}
TERM.....CSM: CENTRAL STEADY MAINTAINED

DATA VALUE: CULTURAL

ABBREVIATION.....CULTURAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cultural
HELP_TEXT.....No Help Text
ID.....{530D166D-D7C1-4204-94DC-83F4E140F11C}
TERM.....CULTURAL

DATA VALUE: CYANOTIC

ABBREVIATION.....c
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cyanotic

HELP_TEXT.....No Help Text

ID.....{06BD77DB-1849-D731-0F27-F8CE48755EA9}

TERM.....CYANOTIC

DATA VALUE: D - DOPPLER

ABBREVIATION.....d-d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....D - Doppler

HELP_TEXT.....No Help Text

ID.....{2B77F099-0520-474D-A4BC-22BF824C8364}

TERM.....D - DOPPLER

DATA VALUE: D10W ENTERAL NUTRITION

ABBREVIATION.....D10W ENT N

ACTIVE.....Yes

DESCRIPTION.....D10W Enteral Nutrition Type

DISPLAY_NAME.....D10W Enteral Nutrition

HELP_TEXT.....No Help Text

ID.....{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}

TERM.....D10W ENTERAL NUTRITION

DATA VALUE: D50W ENTERAL NUTRITION

ABBREVIATION.....D50W ENT N
ACTIVE.....Yes
DESCRIPTION.....D50W Enteral Nutrition Type
DISPLAY_NAME.....D50W Enteral Nutrition
HELP_TEXT.....No Help Text
ID.....{528A4339-0261-4EC5-821C-7CE5592666DC}
TERM.....D50W ENTERAL NUTRITION

DATA VALUE: D5W ENTERAL NUTRITION

ABBREVIATION.....D5W
ACTIVE.....Yes
DESCRIPTION.....D5W Enteral Nutrition Type
DISPLAY_NAME.....D5W Enteral Nutrition
HELP_TEXT.....No Help Text
ID.....{D6664641-BF43-4157-9A30-8AD8CFE96518}
TERM.....D5W ENTERAL NUTRITION

DATA VALUE: D=DOPPLER

ABBREVIATION.....d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....D=Doppler

HELP_TEXT.....No Help Text

ID.....{BCF37855-1E6E-9544-B316-D80A651697E4}

TERM.....D=DOPPLER

DATA VALUE: DAILY PLAN

ABBREVIATION.....DAILY PLAN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Daily Plan

HELP_TEXT.....No Help Text

ID.....{B29357A5-4294-4EA0-A0D3-59182F3C94FB}

TERM.....DAILY PLAN

DATA VALUE: DAMPENED

ABBREVIATION.....DAMPENED

ACTIVE.....Yes

DESCRIPTION.....Dampened

DISPLAY_NAME.....Dampened

HELP_TEXT.....No Help Text

ID.....{77C777B3-7E56-41E3-8E70-DE144E6A3424}

TERM.....DAMPENED

DATA VALUE: DANGLED

ABBREVIATION.....DANGLED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dangled

HELP_TEXT.....No Help Text

ID.....{40665750-112F-401D-AEFA-8E19F45EC0C9}

TERM.....DANGLED

DATA VALUE: DATE OF BIRTH

ABBREVIATION.....DOB

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Date of Birth

HELP_TEXT.....

ID.....{F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

TERM.....DATE OF BIRTH

DATA VALUE: DAY ROOM

ABBREVIATION.....dr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Day Room

HELP_TEXT.....No Help Text

ID.....{269125EF-FA82-B17A-6B56-0CEAB4788899}

TERM.....DAY ROOM

DATA VALUE: DDD

ABBREVIATION.....DDD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DDD

HELP_TEXT.....No Help Text

ID.....{7AA7152E-48F0-8550-AD0D-9F298E90B765}

TERM.....DDD

DATA VALUE: DDDR

ABBREVIATION.....DDDR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DDDR

HELP_TEXT.....No Help Text

ID.....{A3CC0D9D-D329-1A52-2DD1-911A1E04B871}

TERM.....DDDR

DATA VALUE: DDI

ABBREVIATION.....DDI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DDI

HELP_TEXT.....No Help Text

ID.....{0C1E359F-B1F4-7994-D337-37622CB14BC8}

TERM.....DDI

DATA VALUE: DECELERATING

ABBREVIATION.....DECELERATI

ACTIVE.....Yes

DESCRIPTION.....Decelerating

DISPLAY_NAME.....Decelerating

HELP_TEXT.....Decelerating

ID.....{B259D4D4-82B8-454A-B53D-F12F4952BB61}

TERM.....DECELERATING

DATA VALUE: DECLINES BLOOD PRODUCT(S) - SEE COMMENTS

ABBREVIATION.....Declines

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Declines Blood Product(s) - See

Comments

HELP_TEXT.....

ID.....{6956B7C1-5996-4ED0-91B7-040992E11DED}

TERM.....DECLINES BLOOD PRODUCT(S) - SEE

COMMENTS

DATA VALUE: DECREASED

ABBREVIATION.....DECREASED

ACTIVE.....Yes

DESCRIPTION.....Decreased

DISPLAY_NAME.....Decreased

HELP_TEXT.....No Help Text

ID.....{D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}

TERM.....DECREASED

DATA VALUE: DECREASED ROM

ABBREVIATION.....Decr ROM

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Decreased ROM

HELP_TEXT.....

ID.....{F3C533EE-4528-4164-9F66-F2D4D3F681D5}

TERM.....DECREASED ROM

DATA VALUE: DEEP

ABBREVIATION.....DEEP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Deep

HELP_TEXT.....No Help Text

ID.....{78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}

TERM.....DEEP

DATA VALUE: DELIRIOUS

ABBREVIATION.....Delirious

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Delirious

HELP_TEXT.....

ID.....{6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}

TERM.....DELIRIOUS

DATA VALUE: DENIES HAVING SLEPT

ABBREVIATION.....DENIES SL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Denies Having Slept

HELP_TEXT.....No Help Text

ID.....{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}

TERM.....DENIES HAVING SLEPT

DATA VALUE: DENIES NEED

ABBREVIATION.....DENIES NE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Denies Need

HELP_TEXT.....No Help Text

ID.....{28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}

TERM.....DENIES NEED

DATA VALUE: DENTAL

ABBREVIATION.....Dental

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Dental

HELP_TEXT.....

ID.....{0A60F06A-ED63-4B06-8FF9-EEFB12567D65}

TERM.....DENTAL

DATA VALUE: DENTAL IMPLANTS

ABBREVIATION.....Implants
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Dental Implants
HELP_TEXT.....
ID.....{D3AF96DE-6920-4C93-8105-99EE574FC092}
TERM.....DENTAL IMPLANTS

DATA VALUE: DENTIST

ABBREVIATION.....Dentist
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Dentist
HELP_TEXT.....
ID.....{DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}
TERM.....DENTIST

DATA VALUE: DENTURES

ABBREVIATION.....Dentures
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Dentures

HELP_TEXT.....

ID.....{ECABE4D0-97BE-418D-AC7D-29E40D166581}

TERM.....DENTURES

DATA VALUE: DESCRIP

ABBREVIATION.....N

ACTIVE.....Yes

DESCRIPTION.....1.5 Cal Enteral Nutrition Formula

DISPLAY_NAME.....N

HELP_TEXT.....No Help Text

ID.....{47FD2D75-2C45-476F-82AF-7B40108E9C07}

TERM.....DESCRIP

DATA VALUE: DEVIATION LEFT

ABBREVIATION.....DeviationL

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Deviation Left

HELP_TEXT.....

ID.....{B8F53B29-9BE7-4681-8AFF-DE5D3F962755}

TERM.....DEVIATION LEFT

DATA VALUE: DEVIATION RIGHT

ABBREVIATION.....DeviationR

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Deviation Right

HELP_TEXT.....

ID.....{D716E41B-4042-4C35-8FE3-6B7BDC3DB1A9}

TERM.....DEVIATION RIGHT

DATA VALUE: DEVICE RELATED PRESSURE

ABBREVIATION.....DEV REL PR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Device Related Pressure

HELP_TEXT.....No Help Text

ID.....{3AED6107-A173-4B53-8EB5-2FB2B3336FC5}

TERM.....DEVICE RELATED PRESSURE

DATA VALUE: DEVICE RELEASE

ABBREVIATION.....drq

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Device Release

HELP_TEXT.....No Help Text
ID.....{9F97947F-CFFE-3285-F4C3-A8DF294DA46C}
TERM.....DEVICE RELEASE

DATA VALUE: DIABETES

ABBREVIATION.....Diabetes
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Diabetes
HELP_TEXT.....
ID.....{E295E970-759D-44CD-AD43-6047382A790D}
TERM.....DIABETES

DATA VALUE: DIABETIC/VASCULAR ULCER

ABBREVIATION.....DIA/VAS UL
ACTIVE.....Yes
DESCRIPTION.....Type of wound
DISPLAY_NAME.....Diabetic / Vascular Ulcer
HELP_TEXT.....No Help Text
ID.....{E209E53E-EFF1-48F5-9581-75236C89D9B9}
TERM.....DIABETIC/VASCULAR ULCER

DATA VALUE: DIAGNOSIS/HEALTH STATUS

ABBREVIATION.....Diag/Healt
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Diagnosis/Health Status
HELP_TEXT.....
ID.....{42F128CE-63B7-4AA9-A121-B08C507F9941}
TERM.....DIAGNOSIS/HEALTH STATUS

DATA VALUE: DIALYSIS

ABBREVIATION.....DIALYSIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dialysis Line
HELP_TEXT.....No Help Text
ID.....{D218E23C-5A34-09B0-DE43-DC792DCD0F1C}
TERM.....DIALYSIS

DATA VALUE: DIAPHORETIC

ABBREVIATION.....d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Diaphoretic

HELP_TEXT.....No Help Text
ID.....{F5F1E644-A1BD-0137-54B5-1C02678C1D5A}
TERM.....DIAPHORETIC

DATA VALUE: DIARRHEA

ABBREVIATION.....DIARRHEA
ACTIVE.....Yes
DESCRIPTION.....Diarrhea
DISPLAY_NAME.....Diarrhea
HELP_TEXT.....No Help Text
ID.....{353472EF-3499-46B1-AD7C-554FE01D8CE2}
TERM.....DIARRHEA

DATA VALUE: DIASTOLIC

ABBREVIATION.....DIASTOLIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Diastolic
HELP_TEXT.....No Help Text
ID.....{3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}
TERM.....DIASTOLIC

DATA VALUE: DIFFICULT TO AROUSE

ABBREVIATION.....Diff to Ar
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Difficult to Arouse
HELP_TEXT.....
ID.....{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}
TERM.....DIFFICULT TO AROUSE

DATA VALUE: DILATED

ABBREVIATION.....Dilated
ACTIVE.....Yes
DESCRIPTION.....Dilated
DISPLAY_NAME.....Dilated
HELP_TEXT.....No Help Text
ID.....{BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}
TERM.....DILATED

DATA VALUE: DILUTE DAKINS SOLUTION

ABBREVIATION.....DL DAKINS
ACTIVE.....Yes
DESCRIPTION.....Dilute Dakins Solution
DISPLAY_NAME.....Dilute Dakins Solution

HELP_TEXT.....No Help Text

ID.....{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}

TERM.....DILUTE DAKINS SOLUTION

DATA VALUE: DILUTE SODIUM HYPOCHLORITE SOLUTION

ABBREVIATION.....D NA HYPO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dilute Sodium Hypochlorite Solution

HELP_TEXT.....No Help Text

ID.....{14D2B1FB-1A5D-42AA-ACCF-A5033741DB61}

TERM.....DILUTE SODIUM HYPOCHLORITE SOLUTION

DATA VALUE: DIMINISHED

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Diminished

HELP_TEXT.....No Help Text

ID.....{49DE419E-DC3C-F7CD-771D-742031E0DEBC}

TERM.....DIMINISHED

DATA VALUE: DISCHARGE

ABBREVIATION.....DISCHARGE
ACTIVE.....Yes
DESCRIPTION.....Discharge
DISPLAY_NAME.....Discharge
HELP_TEXT.....No Help Text
ID.....{ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
TERM.....DISCHARGE

DATA VALUE: DISCHARGE MEDS PLANNED

ABBREVIATION.....DI ME PL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Discharge Meds Planned
HELP_TEXT.....No Help Text
ID.....{04E9DF8B-8807-47A5-AE88-180F431F3BDE}
TERM.....DISCHARGE MEDS PLANNED

DATA VALUE: DISCHARGE ORDER ON CHART

ABBREVIATION.....DI OR CH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Discharge Order On Chart

HELP_TEXT.....No Help Text
ID.....{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}
TERM.....DISCHARGE ORDER ON CHART

DATA VALUE: DISCOLORATION

ABBREVIATION.....DISCOLORAT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Discoloration
HELP_TEXT.....No Help Text
ID.....{BBE3E910-CC49-430C-BD90-FB0A97F1B183}
TERM.....DISCOLORATION

DATA VALUE: DISCOMFORT

ABBREVIATION.....DISCOMFORT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Discomfort
HELP_TEXT.....No Help Text
ID.....{77D058C9-1EB4-96C0-C9E3-666C840B884C}
TERM.....DISCOMFORT

DATA VALUE: DISCONTINUED

ABBREVIATION.....DISCONTINU
ACTIVE.....Yes
DESCRIPTION.....Discontinued
DISPLAY_NAME.....Discontinued
HELP_TEXT.....No Help Text
ID.....{15E289FB-09DF-4731-9CF3-48A4E0031C31}
TERM.....DISCONTINUED

DATA VALUE: DISEASE PROCESS

ABBREVIATION.....DISEA PROC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disease Process
HELP_TEXT.....No Help Text
ID.....{E80807AE-6208-421D-BE4C-445C470D32FA}
TERM.....DISEASE PROCESS

DATA VALUE: DISHEVELED

ABBREVIATION.....DISHEVEL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disheveled

HELP_TEXT.....No Help Text
ID.....{0455549E-5CCB-470D-9D7F-F3959E6D55FE}
TERM.....DISHEVELED

DATA VALUE: DISORIENTED

ABBREVIATION.....DISORIENTE
ACTIVE.....Yes
DESCRIPTION.....Disoriented
DISPLAY_NAME.....Disoriented
HELP_TEXT.....No Help Text
ID.....{A7D1F2EA-CD7C-4100-8552-44834684C6DE}
TERM.....DISORIENTED

DATA VALUE: DISORIENTED TO PERSON

ABBREVIATION.....DISOR TO P
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disoriented To Person
HELP_TEXT.....No Help Text
ID.....{E5D83C03-7EF5-770B-930F-7B3B3345048C}
TERM.....DISORIENTED TO PERSON

DATA VALUE: DISORIENTED TO PLACE

ABBREVIATION.....dtp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disoriented To Place
HELP_TEXT.....No Help Text
ID.....{00C98809-C0D0-C7B4-0615-8F7D31017FE8}
TERM.....DISORIENTED TO PLACE

DATA VALUE: DISORIENTED TO SITUATION

ABBREVIATION.....dts
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disoriented To Situation
HELP_TEXT.....No Help Text
ID.....{7143B3D7-5569-4378-D3AA-10C4675F0BA5}
TERM.....DISORIENTED TO SITUATION

DATA VALUE: DISORIENTED TO TIME

ABBREVIATION.....dtt
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disoriented To Time

HELP_TEXT.....No Help Text
ID.....{2AD1A28A-4121-4B82-CFB8-E5A8D3095704}
TERM.....DISORIENTED TO TIME

DATA VALUE: DISTAL PORT

ABBREVIATION.....DIST PORT
ACTIVE.....Yes
DESCRIPTION.....Distal Port
DISPLAY_NAME.....Distal Port
HELP_TEXT.....No Help Text
ID.....{E493DF34-AD0E-4951-9715-5AD4EFA14036}
TERM.....DISTAL PORT

DATA VALUE: DISTENDED

ABBREVIATION.....DISTENDED
ACTIVE.....Yes
DESCRIPTION.....Distended
DISPLAY_NAME.....Distended
HELP_TEXT.....No Help Text
ID.....{B5C529CA-2BE0-4698-A153-718F4D58E643}
TERM.....DISTENDED

DATA VALUE: DIVERSION

ABBREVIATION.....DIVERSION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Diversion

HELP_TEXT.....No Help Text

ID.....{087AAE9F-7FE1-5717-6423-07574C637875}

TERM.....DIVERSION

DATA VALUE: DO

ABBREVIATION.....DO

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....DO

HELP_TEXT.....

ID.....{F70738A6-7BFA-4D76-881C-6A4B4F4E41E4}

TERM.....DO

DATA VALUE: DO NOT INTUBATE

ABBREVIATION.....Do Not Int

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Do Not Intubate

HELP_TEXT.....

ID.....{88F9A76A-43BC-4BD9-A567-C8FE5A868544}

TERM.....DO NOT INTUBATE

DATA VALUE: DO NOT RESUSCITATE

ABBREVIATION.....dnr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Do Not Resuscitate

HELP_TEXT.....No Help Text

ID.....{0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}

TERM.....DO NOT RESUSCITATE

DATA VALUE: DONE

ABBREVIATION.....DONE

ACTIVE.....Yes

DESCRIPTION.....Done

DISPLAY_NAME.....Done

HELP_TEXT.....No Help Text

ID.....{60412C8D-132F-46EA-8DDF-FCC282C4CC8B}

TERM.....DONE

DATA VALUE: DOO

ABBREVIATION.....DOO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DOO

HELP_TEXT.....No Help Text

ID.....{749BCE3D-FF09-B796-FF2A-ECD2D116C96F}

TERM.....DOO

DATA VALUE: DOUBLE

ABBREVIATION.....DOUBLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Double

HELP_TEXT.....No Help Text

ID.....{A486852F-150B-24E3-8EB3-8CAABB3D0520}

TERM.....DOUBLE

DATA VALUE: DOWN

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Down

HELP_TEXT.....No Help Text

ID.....{36ECC86E-2D73-D4A9-5E13-9972E2ECF2E2}

TERM.....DOWN

DATA VALUE: DRAINAGE FLOW IS UNOBSTRUCTED

ABBREVIATION.....Unobstruct

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Drainage Flow is Unobstructed

HELP_TEXT.....

ID.....{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}

TERM.....DRAINAGE FLOW IS UNOBSTRUCTED

DATA VALUE: DRESSING

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dressing

HELP_TEXT.....No Help Text

ID.....{FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

TERM.....DRESSING

DATA VALUE: DRESSING CHANGED

ABBREVIATION.....DRESS CHAN
ACTIVE.....Yes
DESCRIPTION.....Changed Dressing
DISPLAY_NAME.....Dressing Changed
HELP_TEXT.....No Help Text
ID.....{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
TERM.....DRESSING CHANGED

DATA VALUE: DRESSING WITH PRESCRIPTION RX

ABBREVIATION.....DR W RX
ACTIVE.....Yes
DESCRIPTION.....Dressing With Prescription Rx
DISPLAY_NAME.....Dressing With Prescription Rx
HELP_TEXT.....No Help Text
ID.....{AD5F9FDC-F280-4F1C-99E9-2BE0F9FFB15C}
TERM.....DRESSING WITH PRESCRIPTION RX

DATA VALUE: DRESSINGS CHECKED

ABBREVIATION.....DRESS CH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dressings Checked

HELP_TEXT.....No Help Text
ID.....{21014F53-29CE-4914-8760-6976D8DBA742}
TERM.....DRESSINGS CHECKED

DATA VALUE: DROPLET

ABBREVIATION.....DROPLET
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Droplet
HELP_TEXT.....No Help Text
ID.....{CE1DD314-8A30-4785-BD56-1540CDA85146}
TERM.....DROPLET

DATA VALUE: DROWSY

ABBREVIATION.....d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Drowsy
HELP_TEXT.....No Help Text
ID.....{6B350814-A88A-0F05-C382-9F27830FBC09}
TERM.....DROWSY

DATA VALUE: DRY

ABBREVIATION.....d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dry
HELP_TEXT.....No Help Text
ID.....{D8F4F0FD-1B19-2515-3815-EC88D175B305}
TERM.....DRY

DATA VALUE: DRY AND INTACT

ABBREVIATION.....DRY INTACT
ACTIVE.....Yes
DESCRIPTION.....Dry and Intact
DISPLAY_NAME.....Dry and Intact
HELP_TEXT.....No Help Text
ID.....{77B62A18-F098-4764-86FA-66373E08E8C3}
TERM.....DRY AND INTACT

DATA VALUE: DRY SHAMPOO

ABBREVIATION.....DRY SHAMP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dry Shampoo

HELP_TEXT.....No Help Text

ID.....{8910A186-2590-4352-A884-7D692A9D2B3C}

TERM.....DRY SHAMPOO

DATA VALUE: DRY STERILE DRESSING

ABBREVIATION.....DRY ST DRE

ACTIVE.....Yes

DESCRIPTION.....Dry Sterile Dressing

DISPLAY_NAME.....Dry Sterile Dressing

HELP_TEXT.....No Help Text

ID.....{3069DFCE-1B59-467C-97CE-9DBAF9AF42CC}

TERM.....DRY STERILE DRESSING

DATA VALUE: DULL

ABBREVIATION.....DULL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dull

HELP_TEXT.....No Help Text

ID.....{F0F80976-F6A0-4363-9C75-AAAE9937DB49}

TERM.....DULL

DATA VALUE: DUMPING SYNDROME

ABBREVIATION.....DUMP SYND
ACTIVE.....Yes
DESCRIPTION.....Dumping Syndrome Diet
DISPLAY_NAME.....Dumping Syndrome Diet
HELP_TEXT.....No Help Text
ID.....{0173C971-63CB-45A5-9E93-D966EB3B957D}
TERM.....DUMPING SYNDROME

DATA VALUE: DUODENOSTOMY

ABBREVIATION.....DUODENOSTO
ACTIVE.....Yes
DESCRIPTION.....Duodenostomy
DISPLAY_NAME.....Duodenostomy
HELP_TEXT.....No Help Text
ID.....{FA44135D-6806-42E7-B371-8C3912B3582E}
TERM.....DUODENOSTOMY

DATA VALUE: DUSKY

ABBREVIATION.....d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dusky

HELP_TEXT.....No Help Text

ID.....{2ABF845E-4E2F-883F-3FCC-F72B8507FF85}

TERM.....DUSKY

DATA VALUE: DVI

ABBREVIATION.....DVI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DVI

HELP_TEXT.....No Help Text

ID.....{4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}

TERM.....DVI

DATA VALUE: DYE PRESENT

ABBREVIATION.....DYE PRESEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dye Present

HELP_TEXT.....No Help Text

ID.....{E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}

TERM.....DYE PRESENT

DATA VALUE: DYSPHAGIA

ABBREVIATION.....Dysphagia
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Dysphagia
HELP_TEXT.....
ID.....{CC69271C-B4DF-42D1-BA91-0832DBC45E31}
TERM.....DYSPHAGIA

DATA VALUE: DYSPHAGIA PHASE I

ABBREVIATION.....DYSP PH I
ACTIVE.....Yes
DESCRIPTION.....Dysphagia Stage I Diet
DISPLAY_NAME.....Dysphagia Stage I Diet
HELP_TEXT.....No Help Text
ID.....{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}
TERM.....DYSPHAGIA PHASE I

DATA VALUE: DYSPHAGIA STAGE II

ABBREVIATION.....DYSP ST II
ACTIVE.....Yes
DESCRIPTION.....Dysphagia Stage II Diet
DISPLAY_NAME.....Dysphagia Stage II Diet

HELP_TEXT.....No Help Text

ID.....{294BF58A-47FD-43A1-8A1E-9E348987B004}

TERM.....DYSPHAGIA STAGE II

DATA VALUE: DYSPHAGIA STAGE III

ABBREVIATION.....DYS ST III

ACTIVE.....Yes

DESCRIPTION.....Dysphagia Stage III Diet

DISPLAY_NAME.....Dysphagia Stage III Diet

HELP_TEXT.....No Help Text

ID.....{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}

TERM.....DYSPHAGIA STAGE III

DATA VALUE: DYSPHAGIA STAGE IV

ABBREVIATION.....DYSP ST IV

ACTIVE.....Yes

DESCRIPTION.....Dysphagia Stage IV Diet

DISPLAY_NAME.....Dysphagia Stage IV Diet

HELP_TEXT.....No Help Text

ID.....{E738569A-5104-4C93-8EFC-47D80765F739}

TERM.....DYSPHAGIA STAGE IV

DATA VALUE: DYSPHAGIA STAGE V

ABBREVIATION.....DYSPH ST V
ACTIVE.....Yes
DESCRIPTION.....Dysphagia Stage V Diet
DISPLAY_NAME.....Dysphagia Stage V Diet
HELP_TEXT.....No Help Text
ID.....{ABE7D85D-1821-4592-B4E8-84670EE484E4}
TERM.....DYSPHAGIA STAGE V

DATA VALUE: DYSPNEIC

ABBREVIATION.....DYSPENIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dyspenic
HELP_TEXT.....No Help Text
ID.....{4C6B42D9-694F-5EB2-6396-7ED85D5B154E}
TERM.....DYSPNEIC

DATA VALUE: DYSURIA

ABBREVIATION.....DYSURIA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dysuria

HELP_TEXT.....No Help Text

ID.....{75AC5ECD-8975-406A-30C7-E2EB23F10F84}

TERM.....DYSURIA

DATA VALUE: EAGER TO LEARN

ABBREVIATION.....EAGER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Eager To Learn

HELP_TEXT.....No Help Text

ID.....{A20AF51B-C89C-4308-AE17-C66144FE68BE}

TERM.....EAGER TO LEARN

DATA VALUE: EASY TO AROUSE

ABBREVIATION.....Easy to Ar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Easy to Arouse

HELP_TEXT.....

ID.....{19BB5A04-F979-449C-AA93-D5A21BD368F6}

TERM.....EASY TO AROUSE

DATA VALUE: ECCHYMOSIS

ABBREVIATION.....ECCHYMOSIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ecchymosis
HELP_TEXT.....No Help Text
ID.....{DF076906-CC17-6AD1-76E7-B07678A126DE}
TERM.....ECCHYMOSIS

DATA VALUE: ELASTIC WRAP

ABBREVIATION.....ELAST WRAP
ACTIVE.....Yes
DESCRIPTION.....ELASTIC WRAP
DISPLAY_NAME.....Elastic Wrap
HELP_TEXT.....ELASTIC WRAP
ID.....{9EB52FA5-32D8-823F-2E3C-83375DA62342}
TERM.....ELASTIC WRAP

DATA VALUE: ELBOW PAD

ABBREVIATION.....ELBOW PAD
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Elbow Pad

HELP_TEXT.....No Help Text

ID.....{26942F81-1E33-4962-B772-A96FFBCED814}

TERM.....ELBOW PAD

DATA VALUE: ELECTRIC

ABBREVIATION.....ELECTRIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ELECTRIC

HELP_TEXT.....No Help Text

ID.....{0C221385-61AF-4660-A129-35E610EA71AB}

TERM.....ELECTRIC

DATA VALUE: ELEMENTAL FORMULA

ABBREVIATION.....ELE FORM

ACTIVE.....Yes

DESCRIPTION.....Elemental Enteral Nutrition Formula

DISPLAY_NAME.....Elemental Enteral Nutrition Formula

HELP_TEXT.....No Help Text

ID.....{DCE1E81C-1AC7-48F4-97AA-F1FC4D0601D8}

TERM.....ELEMENTAL FORMULA

DATA VALUE: ELIMINATED ENVIRONMENTAL HAZARDS

ABBREVIATION.....Eli Env Hz
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Eliminated Environmental Hazards
HELP_TEXT.....
ID.....{78E77129-F53F-491D-8C86-36AE948FCCC6}
TERM.....ELIMINATED ENVIRONMENTAL HAZARDS

DATA VALUE: ELOPEMENT

ABBREVIATION.....e
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Elopement
HELP_TEXT.....No Help Text
ID.....{EB030907-FB90-CA9D-CF50-E26C5D9FE671}
TERM.....ELOPEMENT

DATA VALUE: EMERGENCY

ABBREVIATION.....Emergency
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Emergency

HELP_TEXT.....

ID.....{3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}

TERM.....EMERGENCY

DATA VALUE: EMERGENCY DEPARTMENT

ABBREVIATION.....ER DEPT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Emergency Department

HELP_TEXT.....No Help Text

ID.....{D2E511F7-8B80-4928-A64B-3F1EE17395F7}

TERM.....EMERGENCY DEPARTMENT

DATA VALUE: EMERGENCY DEPT

ABBREVIATION.....Emer Dept

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Emergency Dept

HELP_TEXT.....

ID.....{E8490DF5-278C-4102-9675-C9B40D596A10}

TERM.....EMERGENCY DEPT

DATA VALUE: EMOTIONAL

ABBREVIATION.....EMOTIONAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Emotional
HELP_TEXT.....No Help Text
ID.....{626C22E6-EF2A-489F-AA79-D27541A0BC45}
TERM.....EMOTIONAL

DATA VALUE: END OF LIFE CARE

ABBREVIATION.....END LIFE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....End Of Life Care
HELP_TEXT.....No Help Text
ID.....{047D8977-0567-4B90-AD6A-3AAF8DB35238}
TERM.....END OF LIFE CARE

DATA VALUE: END-TIDAL CO2 MONITOR

ABBREVIATION.....End-Tidal
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....End-Tidal CO2 Monitor

HELP_TEXT.....

ID.....{609E3607-E441-465D-B1FC-C6986C58C11C}

TERM.....END-TIDAL CO2 MONITOR

DATA VALUE: ENSURE PLUS

ABBREVIATION.....Ensure Plu

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Ensure Plus

HELP_TEXT.....

ID.....{519D1249-B6C0-49ED-BA86-1B27C0F964C9}

TERM.....ENSURE PLUS

DATA VALUE: ENTERAL FEEDING FORMULA/WATER ADMINISTRATION

ABBREVIATION.....Feed Form

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Enteral Feeding Formula/Water

Administration

HELP_TEXT.....

ID.....{D2EA8840-1123-4660-AD25-587458BF1E89}

TERM.....ENTERAL FEEDING FORMULA/WATER

ADMINISTRATION

DATA VALUE: ENTERAL FEEDING PUMP

ABBREVIATION.....Feed Pump

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Enteral Feeding Pump

HELP_TEXT.....

ID.....{31FF069C-0060-45C3-898F-20F1A9D1552B}

TERM.....ENTERAL FEEDING PUMP

DATA VALUE: ENTERAL TUBE MEDICATION ADMINISTRATION

ABBREVIATION.....Med Admin

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Enteral Tube Medication Administration

HELP_TEXT.....

ID.....{68D124A7-69CF-414B-8A47-BC666A373E24}

TERM.....ENTERAL TUBE MEDICATION ADMINISTRATION

DATA VALUE: ENTERAL TUBE/STOMA CARE

ABBREVIATION.....Tube/Stoma

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Enteral Tube/Stoma Care

HELP_TEXT.....

ID.....{B91B94EF-CFE6-4628-BEF2-D06E5870D574}

TERM.....ENTERAL TUBE/STOMA CARE

DATA VALUE: ENVIRONMENT

ABBREVIATION.....ENVIRO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Environment

HELP_TEXT.....No Help Text

ID.....{C61AA262-F6AF-46AC-A215-0D56FD01B234}

TERM.....ENVIRONMENT

DATA VALUE: ENZYMATIC OINTMENT

ABBREVIATION.....ENZY OINTM

ACTIVE.....Yes

DESCRIPTION.....Enzymatic Ointment

DISPLAY_NAME.....Enzymatic Ointment

HELP_TEXT.....No Help Text

ID.....{E781DA75-8777-4884-A093-FB623774DB8F}

TERM.....ENZYMATIC OINTMENT

DATA VALUE: EPICARDIAL LEADS

ABBREVIATION.....el
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Epicardial Leads
HELP_TEXT.....No Help Text
ID.....{2B551575-3D50-96BD-7BAA-50CC9796361E}
TERM.....EPICARDIAL LEADS

DATA VALUE: EPIDURAL

ABBREVIATION.....Epidural
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Epidural
HELP_TEXT.....
ID.....{63317A63-16FF-4D55-A034-420C65B17AEB}
TERM.....EPIDURAL

DATA VALUE: EPIDURAL PUMP

ABBREVIATION.....Epid Pump
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Epidural Pump

HELP_TEXT.....

ID.....{26C83111-5FA8-4398-8D3E-787B31A2A9E9}

TERM.....EPIDURAL PUMP

DATA VALUE: EPITHELIALIZATION

ABBREVIATION.....EPITHELIAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Epithelialization

HELP_TEXT.....No Help Text

ID.....{5FC43A6D-921D-4736-A234-9993DB6499B7}

TERM.....EPITHELIALIZATION

DATA VALUE: EQUAL

ABBREVIATION.....Equal

ACTIVE.....Yes

DESCRIPTION.....Equal

DISPLAY_NAME.....Equal

HELP_TEXT.....No Help Text

ID.....{AC079584-158D-EBF2-E13A-C2E919375E4D}

TERM.....EQUAL

DATA VALUE: EQUIPMENT

ABBREVIATION.....EQUIPMENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Equipment
HELP_TEXT.....No Help Text
ID.....{04C0F805-C7B3-4A9A-91D8-0F32F3265874}
TERM.....EQUIPMENT

DATA VALUE: ERYTHEMA

ABBREVIATION.....ERYTHEMA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Erythema
HELP_TEXT.....No Help Text
ID.....{0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}
TERM.....ERYTHEMA

DATA VALUE: ESCAPE

ABBREVIATION.....e
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Escape

HELP_TEXT.....No Help Text

ID.....{965F3201-9D63-66AB-FA25-99479AE7145A}

TERM.....ESCAPE

DATA VALUE: ESCHAR

ABBREVIATION.....ESCHAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Eschar

HELP_TEXT.....No Help Text

ID.....{555E03C5-FBFE-4EB9-816F-25CE34476B3C}

TERM.....ESCHAR

DATA VALUE: ESTABLISHED ROUTINE TOILETING SCHEDULE

ABBREVIATION.....Toil Sched

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Established Routine Toileting Schedule

HELP_TEXT.....

ID.....{A66F5259-5C01-4597-B881-9267DEBC017C}

TERM.....ESTABLISHED ROUTINE TOILETING SCHEDULE

DATA VALUE: ETT REPOSITIONED

ABBREVIATION.....ETT REPOSI

ACTIVE.....Yes

DESCRIPTION.....ETT Repositioned

DISPLAY_NAME.....ETT Repositioned

HELP_TEXT.....No Help Text

ID.....{95B35EDB-76B6-433E-B526-01C543A7CCEA}

TERM.....ETT REPOSITIONED

DATA VALUE: ETT RETAPED/SECURED

ABBREVIATION.....ETT RETAPE

ACTIVE.....Yes

DESCRIPTION.....ETT Retaped / Secured

DISPLAY_NAME.....ETT Retaped / Secured

HELP_TEXT.....No Help Text

ID.....{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}

TERM.....ETT RETAPED/SECURED

DATA VALUE: EWALD TUBE

ABBREVIATION.....EWALD TUBE

ACTIVE.....Yes

DESCRIPTION.....Ewald Tube

DISPLAY_NAME.....Ewald Tube

HELP_TEXT.....No Help Text

ID.....{B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}

TERM.....EWALD TUBE

DATA VALUE: EXPIRATORY WHEEZES

ABBREVIATION.....EXP WHEEZE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Expiratory Wheezes

HELP_TEXT.....No Help Text

ID.....{CFC103A8-8B02-4942-BBDD-8D24C930883E}

TERM.....EXPIRATORY WHEEZES

DATA VALUE: EXTENDED PERIOD OF IMMOBILITY

ABBREVIATION.....Ex Pd Immo

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Extended Period of Immobility

HELP_TEXT.....

ID.....{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}

TERM.....EXTENDED PERIOD OF IMMOBILITY

DATA VALUE: EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM

ABBREVIATION.....ER EXI <1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Less Than 1 cm

HELP_TEXT.....No Help-Text

ID.....{095709D0-6190-49A3-AB08-BF4575DC8396}

TERM.....EXTENDS AROUND INCISION EXTENDS INTO
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION MORE THAN 1 CM

ABBREVIATION.....ER EXI >1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Extends Into Periwound More Than 1 cm

HELP_TEXT.....No Help-Text

ID.....{11F13A1F-7AC2-4629-A960-CD92655EE101}

TERM.....EXTENDS AROUND INCISION MORE THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION NONE

ABBREVIATION.....ER EXI NON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....None

HELP_TEXT.....No Help-Text

ID.....{91F1A7C5-885C-4B13-9F7F-189C93E505CC}

TERM.....EXTENDS AROUND INCISION NONE

DATA VALUE: EXTENDS INTO PERIWOUND <1CM

ABBREVIATION.....EX IN PER<

ACTIVE.....Yes

DESCRIPTION.....Extends Into Periwound <1cm

DISPLAY_NAME.....Extends Into Periwound <1cm

HELP_TEXT.....No Help Text

ID.....{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}

TERM.....EXTENDS INTO PERIWOUND <1CM

DATA VALUE: EXTENDS INTO PERIWOUND>1CM

ABBREVIATION.....EX IN PER>

ACTIVE.....Yes

DESCRIPTION.....Extends Into Periwound > 1cm

DISPLAY_NAME.....Extends Into Periwound > 1cm

HELP_TEXT.....No Help Text

ID.....{1F31FE8B-DA19-434C-8C58-67CDC5385231}

TERM.....EXTENDS INTO PERIWOUND>1CM

DATA VALUE: EXTENDS TO PAIN

ABBREVIATION.....EXT TO PAI

ACTIVE.....Yes

DESCRIPTION.....Extends To Pain

DISPLAY_NAME.....Extends To Pain

HELP_TEXT.....No Help Text

ID.....{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}

TERM.....EXTENDS TO PAIN

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM

ABBREVIATION.....ERY EX <1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Extends Into Periwound Less Than 1 cm

HELP_TEXT.....No Help-Text

ID.....{48C7FA69-D31A-4AAA-84F3-79AC863B71FD}

TERM.....EXTENSION AROUND WOUND EXTENDS INTO
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM

ABBREVIATION.....ERY EX >1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Extends Into Periwound Greater Than 1
cm

HELP_TEXT.....No Help-Text

ID.....{175B2505-C596-4036-8FC3-DFEA8EFB76F9}

TERM.....EXTENSION AROUND WOUND EXTENDS INTO
PERIWOUND MORE THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND LIMITED TO WOUND

ABBREVIATION.....ERY EX LIM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Limited To Wound

HELP_TEXT.....No Help-Text

ID.....{2DC83B85-B3B6-4679-9F48-7DD26EFFF4D4}

TERM.....EXTENSION AROUND WOUND LIMITED TO WOUND

DATA VALUE: EXTENSION AROUND WOUND NONE

ABBREVIATION.....ERY EX NON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....None

HELP_TEXT.....No Help-Text

ID.....{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}

TERM.....EXTENSION AROUND WOUND NONE

DATA VALUE: EXTENSIVE ASSISTANCE

ABBREVIATION.....EXT ASSIST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Extensive Assistance
HELP_TEXT.....No Help Text
ID.....{C402B659-E880-4070-8345-13E5508B4D29}
TERM.....EXTENSIVE ASSISTANCE

DATA VALUE: EXTERNAL CATHETER

ABBREVIATION.....EXT. CATHE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....External Catheter
HELP_TEXT.....No Help Text
ID.....{C8AEE936-DD91-FE91-4DD6-6F210FB59726}
TERM.....EXTERNAL CATHETER

DATA VALUE: EXTERNAL CONDOM CATH

ABBREVIATION.....Ex Con Cat
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....External Condom Cath

HELP_TEXT.....

ID.....{747E493A-C535-44EA-AD6D-27CE3E8E8CAC}

TERM.....EXTERNAL CONDOM CATH

DATA VALUE: EXTREMELY DRY

ABBREVIATION.....EXTR DRY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Extremely Dry

HELP_TEXT.....No Help Text

ID.....{51677B19-80B9-4787-B6E2-E0BCF6601AA1}

TERM.....EXTREMELY DRY

DATA VALUE: EYE CLOSED

ABBREVIATION.....ec

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Eye Closed

HELP_TEXT.....No Help Text

ID.....{140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}

TERM.....EYE CLOSED

DATA VALUE: EYEGLASSES

ABBREVIATION.....Eyeglasses

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Eyeglasses

HELP_TEXT.....

ID.....{E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}

TERM.....EYEGLASSES

DATA VALUE: FACE WASH

ABBREVIATION.....FACE WASH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Face Wash

HELP_TEXT.....No Help Text

ID.....{E1162A8B-D26D-4EB3-988F-50583B1849EA}

TERM.....FACE WASH

DATA VALUE: FALL RISK ID

ABBREVIATION.....Fall Risk

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Fall Risk ID

HELP_TEXT.....

ID.....{EF1BE81B-656B-474C-B19E-CCDAD8BB4100}

TERM.....FALL RISK ID

DATA VALUE: FALL RISK SIGN

ABBREVIATION.....Fall Sign

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Fall Risk Sign

HELP_TEXT.....

ID.....{E9670720-957E-487E-B0F0-7F7A8AEF69DE}

TERM.....FALL RISK SIGN

DATA VALUE: FAMILY

ABBREVIATION.....FAMILY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Family

HELP_TEXT.....No Help Text

ID.....{1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

TERM.....FAMILY

DATA VALUE: FAMILY INFORMED

ABBREVIATION.....FAM INFORM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Family Informed
HELP_TEXT.....No Help Text
ID.....{77135D32-9CDD-4D3F-9B62-6E8189B77844}
TERM.....FAMILY INFORMED

DATA VALUE: FAMILY INSTRUCTED

ABBREVIATION.....fam instru
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Family Instructed
HELP_TEXT.....
ID.....{0FD5988C-2C4D-4786-99B3-3287A355E813}
TERM.....FAMILY INSTRUCTED

DATA VALUE: FAMILY NEEDS

ABBREVIATION.....Fam Needs
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Family Needs

HELP_TEXT.....

ID.....{CEB07929-0A6E-47E9-99CD-BD9333304C9C}

TERM.....FAMILY NEEDS

DATA VALUE: FAMILY STATED

ABBREVIATION.....Fam Stated

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Family Stated

HELP_TEXT.....

ID.....{07A4B749-65F2-48E8-AD93-D142B04055B4}

TERM.....FAMILY STATED

DATA VALUE: FAMILY/FRIEND

ABBREVIATION.....FAM/FRIE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Family/Friend

HELP_TEXT.....No Help Text

ID.....{FA8FE272-E659-41EF-A394-F907A5F55ED8}

TERM.....FAMILY/FRIEND

DATA VALUE: FASCIA

ABBREVIATION.....FASCIA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Fascia

HELP_TEXT.....No Help Text

ID.....{EEE8535C-B887-4A34-A93F-C1C4AFC1296F}

TERM.....FASCIA

DATA VALUE: FAT RESTRICTED 50 GM DIET

ABBREVIATION.....F RES 50gm

ACTIVE.....Yes

DESCRIPTION.....Fat Restricted 50 gm Diet

DISPLAY_NAME.....Fat Restricted 50 gm Diet

HELP_TEXT.....No Help Text

ID.....{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}

TERM.....FAT RESTRICTED 50 GM DIET

DATA VALUE: FECAL FAT TEST DIET

ABBREVIATION.....FEC F TEST

ACTIVE.....Yes

DESCRIPTION.....Fecal Fat Test Diet

DISPLAY_NAME.....Fecal Fat Test Diet

HELP_TEXT.....No Help Text

ID.....{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}

TERM.....FECAL FAT TEST DIET

DATA VALUE: FENTANYL

ABBREVIATION.....Fentanyl

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Fentanyl

HELP_TEXT.....

ID.....{C0740659-05FB-4513-BD0F-4F4111B32215}

TERM.....FENTANYL

DATA VALUE: FHWN1

ABBREVIATION.....FHWN1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....FHWN1

HELP_TEXT.....No Help Text

ID.....{93B28875-51BF-4294-B2F9-58BE9365DC81}

TERM.....FHWN1

DATA VALUE: FIBER FORMULA

ABBREVIATION.....FIBER FORM
ACTIVE.....Yes
DESCRIPTION.....Fiber Enteral Nutrition Formula
DISPLAY_NAME.....Fiber Enteral Nutrition Formula
HELP_TEXT.....No Help Text
ID.....{1AF14DA4-8D59-420B-9895-4256E7A818BE}
TERM.....FIBER FORMULA

DATA VALUE: FIBER STAT

ABBREVIATION.....Fiber Stat
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Fiber Stat
HELP_TEXT.....
ID.....{201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}
TERM.....FIBER STAT

DATA VALUE: FIBRINOUS

ABBREVIATION.....FIBRINOUS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Fibrinous

HELP_TEXT.....No Help Text

ID.....{D286EAE2-6902-4B7E-845D-BBB316941B2C}

TERM.....FIBRINOUS

DATA VALUE: FINANCIAL CONCERNS

ABBREVIATION.....Fin Concer

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Financial Concerns

HELP_TEXT.....

ID.....{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}

TERM.....FINANCIAL CONCERNS

DATA VALUE: FIRM

ABBREVIATION.....FIRM

ACTIVE.....Yes

DESCRIPTION.....Firm

DISPLAY_NAME.....Firm

HELP_TEXT.....No Help Text

ID.....{11E23F20-39A0-4A6D-B198-04BB36B0C909}

TERM.....FIRM

DATA VALUE: FIRST DEGREE AV BLOCK

ABBREVIATION.....fdab
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....First Degree Av Block
HELP_TEXT.....No Help Text
ID.....{4FF046C9-B638-F86C-5D51-006B3D5225E3}
TERM.....FIRST DEGREE AV BLOCK

DATA VALUE: FIXED

ABBREVIATION.....f
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Fixed
HELP_TEXT.....No Help Text
ID.....{697D8C5A-976F-F423-30EC-A04102CF85F0}
TERM.....FIXED

DATA VALUE: FLAT

ABBREVIATION.....Flat
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Flat

HELP_TEXT.....No Help Text

ID.....{EA4F1980-EDF3-82BC-B677-D747F48F1163}

TERM.....FLAT

DATA VALUE: FLATULENCE

ABBREVIATION.....FLATULENCE

ACTIVE.....Yes

DESCRIPTION.....Flatulence

DISPLAY_NAME.....Flatulence

HELP_TEXT.....No Help Text

ID.....{F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}

TERM.....FLATULENCE

DATA VALUE: FLEXION TO PAIN

ABBREVIATION.....FLEX TO PA

ACTIVE.....Yes

DESCRIPTION.....Flexion To Pain

DISPLAY_NAME.....Flexion To Pain

HELP_TEXT.....No Help Text

ID.....{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}

TERM.....FLEXION TO PAIN

DATA VALUE: FLICKER OF CONTRACTION

ABBREVIATION.....foc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Flicker Of Contraction

HELP_TEXT.....No Help Text

ID.....{218B322B-84AA-F6F6-5207-D86F9A4311F0}

TERM.....FLICKER OF CONTRACTION

DATA VALUE: FLOTATION BED

ABBREVIATION.....FLOT BED

ACTIVE.....Yes

DESCRIPTION.....Flotation Bed

DISPLAY_NAME.....Flotation Bed

HELP_TEXT.....No Help Text

ID.....{FA6329AB-85A6-4301-BC14-D0D089249356}

TERM.....FLOTATION BED

DATA VALUE: FLUCTUANCE

ABBREVIATION.....FLUCTUANCE

ACTIVE.....Yes

DESCRIPTION.....Fluctuance

DISPLAY_NAME.....Fluctuance

HELP_TEXT.....No Help Text

ID.....{A6AD2660-621D-4F39-8485-A013D7491566}

TERM.....FLUCTUANCE

DATA VALUE: FLUCTUATES

ABBREVIATION.....Fluctuates

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Fluctuates

HELP_TEXT.....No Help Text

ID.....{C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}

TERM.....FLUCTUATES

DATA VALUE: FLUSHED

ABBREVIATION.....nt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Flushed

HELP_TEXT.....No Help Text

ID.....{C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}

TERM.....FLUSHED

DATA VALUE: FOAM AIR HEEL ELEVATOR

ABBREVIATION.....FO AI HEEL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foam Air Heel Elevator
HELP_TEXT.....No Help Text
ID.....{4EC26AA3-4577-4808-8728-F360C5C5A0D4}
TERM.....FOAM AIR HEEL ELEVATOR

DATA VALUE: FOAM DRESSING

ABBREVIATION.....WOU DR FOA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foam Dressing
HELP_TEXT.....No Help-Text
ID.....{D18A5EDD-0EF6-470E-8370-4EDB6D322477}
TERM.....FOAM DRESSING

DATA VALUE: FOLEY

ABBREVIATION.....FOLEY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foley

HELP_TEXT.....No Help Text
ID.....{9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}
TERM.....FOLEY

DATA VALUE: FOLLOWS COMMANDS

ABBREVIATION.....Follow Cmd
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Follows Commands
HELP_TEXT.....
ID.....{D5722341-ACC1-4F69-B537-1D3126ADA249}
TERM.....FOLLOWS COMMANDS

DATA VALUE: FOOT CARE

ABBREVIATION.....FOOT CARE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foot Care
HELP_TEXT.....No Help Text
ID.....{332E8338-6DAE-4BC9-B195-63DAD57937D0}
TERM.....FOOT CARE

DATA VALUE: FOOT DOWN

ABBREVIATION.....fd
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foot Down
HELP_TEXT.....No Help Text
ID.....{13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}
TERM.....FOOT DOWN

DATA VALUE: FOOT UP

ABBREVIATION.....fu
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foot Up
HELP_TEXT.....No Help Text
ID.....{49CCC59E-002E-8387-E8D6-D57AAC089EF3}
TERM.....FOOT UP

DATA VALUE: FOUL SMELLING

ABBREVIATION.....FOUL SMELL
ACTIVE.....Yes
DESCRIPTION.....Foul Smelling
DISPLAY_NAME.....Foul Smelling

HELP_TEXT.....No Help Text

ID.....{761346A9-329D-4F42-8D80-0E9D8D40653C}

TERM.....FOUL SMELLING

DATA VALUE: FOWLER'S

ABBREVIATION.....FOWLER'S

ACTIVE.....Yes

DESCRIPTION.....Fowler's

DISPLAY_NAME.....Fowler's

HELP_TEXT.....No Help Text

ID.....{8E691813-A9AC-48BE-9401-528A7D762A32}

TERM.....FOWLER'S

DATA VALUE: FRANK BLOOD

ABBREVIATION.....FRANK BLD

ACTIVE.....Yes

DESCRIPTION.....Frank Blood

DISPLAY_NAME.....Frank Blood

HELP_TEXT.....No Help Text

ID.....{CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}

TERM.....FRANK BLOOD

DATA VALUE: FREQUENT VERBAL REMINDERS

ABBREVIATION.....FR VER RE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Frequent Verbal Reminders
HELP_TEXT.....No Help Text
ID.....{F30D791D-BB80-4AB3-B37F-22B6B547EA65}
TERM.....FREQUENT VERBAL REMINDERS

DATA VALUE: FRIEND

ABBREVIATION.....FRIEND
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Friend
HELP_TEXT.....No Help Text
ID.....{03902E48-AF86-432A-8372-37796A55F625}
TERM.....FRIEND

DATA VALUE: FROM A NON-VA OUTSIDE FACILITY

ABBREVIATION.....Fr Non-VA
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....From a Non-VA Outside Facility

HELP_TEXT.....

ID.....{8090F49E-5056-4F7C-932C-538581996F8F}

TERM.....FROM A NON-VA OUTSIDE FACILITY

DATA VALUE: FROM ANOTHER UNIT

ABBREVIATION.....Fr An Unit

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....From Another Unit

HELP_TEXT.....

ID.....{D94B5252-7E8A-48EB-A481-0B18C68CAEF7}

TERM.....FROM ANOTHER UNIT

DATA VALUE: FROM ANOTHER VA FACILITY

ABBREVIATION.....Fr Oth VA

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....From Another VA Facility

HELP_TEXT.....

ID.....{66AF9A88-6404-4E05-9640-4FB0C6513BAF}

TERM.....FROM ANOTHER VA FACILITY

DATA VALUE: FROM CLC

ABBREVIATION.....From CLC

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....From CLC

HELP_TEXT.....

ID.....{8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}

TERM.....FROM CLC

DATA VALUE: FROM EMERGENCY DEPARTMENT

ABBREVIATION.....Fr Emergen

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....From Emergency Department

HELP_TEXT.....

ID.....{9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}

TERM.....FROM EMERGENCY DEPARTMENT

DATA VALUE: FROM HOME

ABBREVIATION.....From Home

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....From Home

HELP_TEXT.....

ID.....{2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}

TERM.....FROM HOME

DATA VALUE: FROM INTERVENTIONAL RADIOLOGY

ABBREVIATION.....Fr Int Rad

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....From Interventional Radiology

HELP_TEXT.....

ID.....{617DA086-B121-4E2F-8B02-41133EEDD50D}

TERM.....FROM INTERVENTIONAL RADIOLOGY

DATA VALUE: FROM MICU

ABBREVIATION.....From MICU

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....From MICU

HELP_TEXT.....

ID.....{971D83AE-B75C-420B-B23D-844397CEE968}

TERM.....FROM MICU

DATA VALUE: FROM OPERATING ROOM

ABBREVIATION.....From Op Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....From Operating Room

HELP_TEXT.....

ID.....{2B26BD84-3D4D-4931-99C7-8204E9D49827}

TERM.....FROM OPERATING ROOM

DATA VALUE: FROM SICU

ABBREVIATION.....From SICU

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....From SICU

HELP_TEXT.....

ID.....{892002CC-E07A-49A5-B909-1F88665B3D65}

TERM.....FROM SICU

DATA VALUE: FULL CODE

ABBREVIATION.....fc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Full Code

HELP_TEXT.....No Help Text

ID.....{1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}

TERM.....FULL CODE

DATA VALUE: FULL LIQUID DIABETIC

ABBREVIATION.....FULL L DIA

ACTIVE.....Yes

DESCRIPTION.....Full Liquid Diabetic

DISPLAY_NAME.....Full Liquid Diabetic

HELP_TEXT.....No Help Text

ID.....{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}

TERM.....FULL LIQUID DIABETIC

DATA VALUE: FULL LIQUID DIET

ABBREVIATION.....FULL LIQ D

ACTIVE.....Yes

DESCRIPTION.....Full Liquid Diet

DISPLAY_NAME.....Full Liquid Diet

HELP_TEXT.....No Help Text

ID.....{CAC22234-7B69-44C3-8A0E-9A84A684E429}

TERM.....FULL LIQUID DIET

DATA VALUE: FULL LOWER

ABBREVIATION.....Full Low

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Full Lower

HELP_TEXT.....

ID.....{D38022EF-F4F0-44A7-82FE-B277A2A0A165}

TERM.....FULL LOWER

DATA VALUE: FULL NAME

ABBREVIATION.....Full Name

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Full Name

HELP_TEXT.....

ID.....{A915EA98-D18D-4887-8C50-4B6C0DF44D1D}

TERM.....FULL NAME

DATA VALUE: FULL SPINAL PRECAUTIONS

ABBREVIATION.....FULL S P

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Full Spinal Precautions

HELP_TEXT.....No Help Text

ID.....{42ADB74D-12CC-4111-B181-626C0F01BC7C}

TERM.....FULL SPINAL PRECAUTIONS

DATA VALUE: FULL SSN

ABBREVIATION.....Full SSN

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Full SSN

HELP_TEXT.....

ID.....{3E2887AF-2DC5-40FA-9052-7B04347CC802}

TERM.....FULL SSN

DATA VALUE: FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO

ABBREVIATION.....F SK L MBS

ACTIVE.....Yes

DESCRIPTION.....Full Thickness Skin Loss Involving
Muscle, Bone, or Supporting Tissue

DISPLAY_NAME.....Full Thickness Skin Loss Involving
Muscle, Bone, or Supporting Tissue

HELP_TEXT.....No Help Text

ID.....{E027FBEF-1C83-41B7-B848-26D9D62F4266}

TERM.....FULL THICK SKIN LOSS INVOLVING
MUSCLE, BONE, SUPPO

DATA VALUE: FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE

ABBREVIATION.....FULL SKINL

ACTIVE.....Yes

DESCRIPTION.....Full Thickness Skin Loss Involving
Subcutaneous Tissue

DISPLAY_NAME.....Full Thickness Skin Loss Involving
Subcutaneous Tissue

HELP_TEXT.....No Help Text

ID.....{14C31B14-1D35-4CCB-81A3-C6E30801950D}

TERM.....FULL THICK SKIN LOSS INVOLVING
SUBCUTANEOUS TISSUE

DATA VALUE: FULL UPPER

ABBREVIATION.....Full Up

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Full Upper

HELP_TEXT.....

ID.....{1808E638-62BB-4978-8706-34BD74B427DE}

TERM.....FULL UPPER

DATA VALUE: FUNCTIONAL SECTION SET UP

ABBREVIATION.....Func Sect

ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Functional Suction Set Up
HELP_TEXT.....
ID.....{E156C048-11D5-4F62-8B1A-0CEA931E03EF}
TERM.....FUNCTIONAL SECTION SET UP

DATA VALUE: GAIT BELT

ABBREVIATION.....GAIT BELT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Gait Belt
HELP_TEXT.....No Help Text
ID.....{AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}
TERM.....GAIT BELT

DATA VALUE: GASTRIC BYPASS CLEAR LIQUID

ABBREVIATION.....GAS BYP LI
ACTIVE.....Yes
DESCRIPTION.....Gastric Bypass Clear Liquid
DISPLAY_NAME.....Gastric Bypass Clear Liquid
HELP_TEXT.....No Help Text
ID.....{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}
TERM.....GASTRIC BYPASS CLEAR LIQUID

DATA VALUE: GASTRIC BYPASS PUREED

ABBREVIATION.....GAS BY PUR
ACTIVE.....Yes
DESCRIPTION.....Gastric Bypass Pureed
DISPLAY_NAME.....Gastric Bypass Pureed
HELP_TEXT.....No Help Text
ID.....{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}
TERM.....GASTRIC BYPASS PUREED

DATA VALUE: GASTRIC BYPASS REGULAR

ABBREVIATION.....GAS BY REG
ACTIVE.....Yes
DESCRIPTION.....Gastric Bypass Regular
DISPLAY_NAME.....Gastric Bypass Regular
HELP_TEXT.....No Help Text
ID.....{EE831906-EA51-4EE4-AAF2-583DF366A942}
TERM.....GASTRIC BYPASS REGULAR

DATA VALUE: GASTRIC TUBE

ABBREVIATION.....G TUBE
ACTIVE.....Yes
DESCRIPTION.....Gastric Feeding Tube
DISPLAY_NAME.....G Tube

HELP_TEXT.....No Help Text
ID.....{65F774BA-F977-46D3-AE41-7F7C74CFF47E}
TERM.....GASTRIC TUBE

DATA VALUE: GASTROSTOMY FEEDING BUTTON

ABBREVIATION.....GAST F BUT
ACTIVE.....Yes
DESCRIPTION.....Gastrostomy Feeding Button
DISPLAY_NAME.....Gastrostomy Feeding Button
HELP_TEXT.....No Help Text
ID.....{1627B53B-374B-42B4-BBFE-463EE37B6110}
TERM.....GASTROSTOMY FEEDING BUTTON

DATA VALUE: GASTROSTOMY TUBE

ABBREVIATION.....GAST TUBE
ACTIVE.....Yes
DESCRIPTION.....Gastrostomy Tube
DISPLAY_NAME.....Gastrostomy Tube
HELP_TEXT.....No Help Text
ID.....{EF017A39-745E-4C29-821A-5B25F103DF99}
TERM.....GASTROSTOMY TUBE

DATA VALUE: GAUZE

ABBREVIATION.....GAUZE

ACTIVE.....Yes

DESCRIPTION.....Gauze

DISPLAY_NAME.....Gauze

HELP_TEXT.....No Help Text

ID.....{CF10C658-4334-4F3B-A38E-E98894458333}

TERM.....GAUZE

DATA VALUE: GAUZE AND TAPE

ABBREVIATION.....GAU & TAPE

ACTIVE.....Yes

DESCRIPTION.....Gauze And Tape Dressing

DISPLAY_NAME.....Gauze and Tape

HELP_TEXT.....No Help Text

ID.....{5BC40405-B5C4-47CF-81C3-520732E100AC}

TERM.....GAUZE AND TAPE

DATA VALUE: GAUZE PACKING

ABBREVIATION.....GAUZE PACK

ACTIVE.....Yes

DESCRIPTION.....Gauze Packing

DISPLAY_NAME.....Gauze Packing

HELP_TEXT.....No Help Text
ID.....{6C093717-82CB-4966-929E-C909310649C1}
TERM.....GAUZE PACKING

DATA VALUE: GAUZE WRAP

ABBREVIATION.....GAUZE WRAP
ACTIVE.....Yes
DESCRIPTION.....Gauze Wrap
DISPLAY_NAME.....Gauze Wrap
HELP_TEXT.....No Help Text
ID.....{040A9648-E6E1-4AC5-93C7-53A49537B15C}
TERM.....GAUZE WRAP

DATA VALUE: GENERAL

ABBREVIATION.....General
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....General
HELP_TEXT.....
ID.....{6ED377F7-55E4-4743-B781-124267567200}
TERM.....GENERAL

DATA VALUE: GENERAL HEALTH

ABBREVIATION.....Gen Healt

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....General Health

HELP_TEXT.....

ID.....{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}

TERM.....GENERAL HEALTH

DATA VALUE: GERI-CHAIR

ABBREVIATION.....g

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Geri-Chair

HELP_TEXT.....No Help Text

ID.....{167F9786-8F24-054F-020A-658A6EE5B0B4}

TERM.....GERI-CHAIR

DATA VALUE: GI PROCEDURE ROOM

ABBREVIATION.....GI Proc Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....GI Procedure Room

HELP_TEXT.....

ID.....{924532F4-B52F-4EA9-8C7D-59168B340118}

TERM.....GI PROCEDURE ROOM

DATA VALUE: GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING

ABBREVIATION.....DI IN UN

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Given Discharge Instructions and
Verbalizes Understanding

HELP_TEXT.....No Help Text

ID.....{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}

TERM.....GIVEN DISCHARGE INSTRUCTION AND
VERBALIZES UNDERSTANDING

DATA VALUE: GLUCERNA 1.0

ABBREVIATION.....Glu 1.0

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Glucerna 1.0

HELP_TEXT.....

ID.....{1C465710-80F2-4C13-B8D5-B1D084151104}

TERM.....GLUCERNA 1.0

DATA VALUE: GLUCERNA 1.2

ABBREVIATION.....Glu 1.2
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Glucerna 1.2
HELP_TEXT.....
ID.....{F58F1014-D1C4-44EB-9B01-FB88F2B3D751}
TERM.....GLUCERNA 1.2

DATA VALUE: GLUTEN RESTRICTED

ABBREVIATION.....GLUT RESTR
ACTIVE.....Yes
DESCRIPTION.....Gluten Restricted
DISPLAY_NAME.....Gluten Restricted
HELP_TEXT.....No Help Text
ID.....{0805A164-D387-4E67-9D42-BAF1F2543337}
TERM.....GLUTEN RESTRICTED

DATA VALUE: GNAWING

ABBREVIATION.....GNAWING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Gnawing

HELP_TEXT.....No Help Text

ID.....{8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}

TERM.....GNAWING

DATA VALUE: GOLD

ABBREVIATION.....Gold

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Gold

HELP_TEXT.....

ID.....{1D1A2586-C13C-41FA-A3AD-39294BEB83E}

TERM.....GOLD

DATA VALUE: GOOD

ABBREVIATION.....GOOD

ACTIVE.....Yes

DESCRIPTION.....Good

DISPLAY_NAME.....Good

HELP_TEXT.....No Help Text

ID.....{39ECA304-49F9-44B7-9735-B33CEC9D8119}

TERM.....GOOD

DATA VALUE: GRAFTS

ABBREVIATION.....Grafts
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Grafts
HELP_TEXT.....
ID.....{E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}
TERM.....GRAFTS

DATA VALUE: GRANULATING

ABBREVIATION.....GRANULATI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Granulating
HELP_TEXT.....No Help Text
ID.....{F8930276-3954-4BFE-82B0-6C44A8E9CAE0}
TERM.....GRANULATING

DATA VALUE: GRAVITY

ABBREVIATION.....GRAVITY
ACTIVE.....Yes
DESCRIPTION.....Gravity
DISPLAY_NAME.....Gravity

HELP_TEXT.....No Help Text

ID.....{C0233F70-376D-41CE-9F14-714C7B35244F}

TERM.....GRAVITY

DATA VALUE: GRAY

ABBREVIATION.....GRAY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Gray

HELP_TEXT.....No Help Text

ID.....{D38ABEE0-52D7-4316-A713-40ACF4250599}

TERM.....GRAY

DATA VALUE: GREEN

ABBREVIATION.....GREEN

ACTIVE.....Yes

DESCRIPTION.....The color green

DISPLAY_NAME.....Green

HELP_TEXT.....The color green

ID.....{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

TERM.....GREEN

DATA VALUE: GRIMACING

ABBREVIATION.....GRIMACING

ACTIVE.....Yes

DESCRIPTION.....Grimacing

DISPLAY_NAME.....Grimacing

HELP_TEXT.....No Help Text

ID.....{69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}

TERM.....GRIMACING

DATA VALUE: GROUP ROOM

ABBREVIATION.....gr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Group Room

HELP_TEXT.....No Help Text

ID.....{D41C3D9F-8F10-1A0F-D571-20DE0EA36328}

TERM.....GROUP ROOM

DATA VALUE: GU PROCEDURE ROOM

ABBREVIATION.....GU Proc Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....GU Procedure Room

HELP_TEXT.....

ID.....{D4B6678F-C1DD-4A23-9045-574251F6CD74}

TERM.....GU PROCEDURE ROOM

DATA VALUE: GUARDING

ABBREVIATION.....GUARDING

ACTIVE.....Yes

DESCRIPTION.....Guarding

DISPLAY_NAME.....Guarding

HELP_TEXT.....No Help Text

ID.....{9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}

TERM.....GUARDING

DATA VALUE: GURNEY CHAIR

ABBREVIATION.....GURN CHAIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Gurney Chair

HELP_TEXT.....No Help Text

ID.....{B6EA0944-8414-42FD-88C0-50155DE82896}

TERM.....GURNEY CHAIR

DATA VALUE: HALL

ABBREVIATION.....h
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hall
HELP_TEXT.....No Help Text
ID.....{BFCEA10F-2663-199E-88D8-E263122D7D26}
TERM.....HALL

DATA VALUE: HAND HYGIENE BEFORE AND AFTER

ABBREVIATION.....Hand Hyg
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Hand Hygiene Before and After
HELP_TEXT.....
ID.....{6005023D-3C02-4C93-99E8-2A8167574E93}
TERM.....HAND HYGIENE BEFORE AND AFTER

DATA VALUE: HARD

ABBREVIATION.....HARD
ACTIVE.....Yes
DESCRIPTION.....Hard
DISPLAY_NAME.....Hard

HELP_TEXT.....No Help Text

ID.....{7934B543-7028-4CBC-9308-99F5A952A1DE}

TERM.....HARD

DATA VALUE: HAS NOT SLEPT

ABBREVIATION.....NO SLEEP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Has Not Slept

HELP_TEXT.....No Help Text

ID.....{3BF9DB54-5D1E-422D-90AF-918F81C9EA85}

TERM.....HAS NOT SLEPT

DATA VALUE: HEAD DOWN

ABBREVIATION.....hd

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Head Down

HELP_TEXT.....No Help Text

ID.....{80BF3425-D252-F917-052E-DC54D39E464E}

TERM.....HEAD DOWN

DATA VALUE: HEAD UP

ABBREVIATION.....hu
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Head Up
HELP_TEXT.....No Help Text
ID.....{BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}
TERM.....HEAD UP

DATA VALUE: HEADACHE

ABBREVIATION.....Headache
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Headache
HELP_TEXT.....
ID.....{9338E67C-201C-4066-A734-8BD4B47462BD}
TERM.....HEADACHE

DATA VALUE: HEALTH TECH

ABBREVIATION.....Health Tec
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Health Tech

HELP_TEXT.....

ID.....{7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}

TERM.....HEALTH TECH

DATA VALUE: HEARING

ABBREVIATION.....HEARING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Hearing

HELP_TEXT.....No Help Text

ID.....{D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}

TERM.....HEARING

DATA VALUE: HEARING AIDS

ABBREVIATION.....Hear Aids

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Hearing Aids

HELP_TEXT.....

ID.....{504FF149-8889-444E-925B-C952314FDF98}

TERM.....HEARING AIDS

DATA VALUE: HEARTBURN

ABBREVIATION.....HEARTBURN
ACTIVE.....Yes
DESCRIPTION.....Heartburn
DISPLAY_NAME.....Heartburn
HELP_TEXT.....Heartburn
ID.....{5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}
TERM.....HEARTBURN

DATA VALUE: HEAT

ABBREVIATION.....HEAT
ACTIVE.....Yes
DESCRIPTION.....Heat
DISPLAY_NAME.....Heat
HELP_TEXT.....No Help Text
ID.....{E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}
TERM.....HEAT

DATA VALUE: HEAT CHEM PACK

ABBREVIATION.....HT CHEM PA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Heat Chemi Pack

HELP_TEXT.....No Help Text
ID.....{D759F891-2535-40C2-A68C-678170E56F7A}
TERM.....HEAT CHEM PACK

DATA VALUE: HEAT LAMP

ABBREVIATION.....HEAT LAMP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Heat Lamp
HELP_TEXT.....Heat Lamp
ID.....{4E9DE229-F810-4AB0-9FD7-4596759CEA11}
TERM.....HEAT LAMP

DATA VALUE: HEAVY

ABBREVIATION.....HEAVY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Heavy
HELP_TEXT.....No Help Text
ID.....{1F10CD98-03FA-4705-BF7D-941E881C4E3D}
TERM.....HEAVY

DATA VALUE: HEEL LIFT

ABBREVIATION.....HEEL LIFT

ACTIVE.....Yes

DESCRIPTION.....Heel Lift

DISPLAY_NAME.....Heel Lift

HELP_TEXT.....No Help Text

ID.....{974F90E6-382D-421A-A4CE-94A74CBEFC32}

TERM.....HEEL LIFT

DATA VALUE: HEEL PILLOW

ABBREVIATION.....HEEL PILLO

ACTIVE.....Yes

DESCRIPTION.....Heel Pillow

DISPLAY_NAME.....Heel Pillow

HELP_TEXT.....No Help Text

ID.....{F0F1D997-C780-40BF-AA88-78262E81BFAA}

TERM.....HEEL PILLOW

DATA VALUE: HELMET

ABBREVIATION.....Helmet

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Helmet

HELP_TEXT.....

ID.....{E65974F8-BCE7-4361-868D-C0B4D780EA21}

TERM.....HELMET

DATA VALUE: HEMATOMA

ABBREVIATION.....HEMATOMA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Hematoma

HELP_TEXT.....No Help Text

ID.....{6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}

TERM.....HEMATOMA

DATA VALUE: HEMATURIA

ABBREVIATION.....HEMATURIA

ACTIVE.....Yes

DESCRIPTION.....Blood present in urine

DISPLAY_NAME.....Hematuria

HELP_TEXT.....Blood present in urine

ID.....{ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}

TERM.....HEMATURIA

DATA VALUE: HEMORRHAGE

ABBREVIATION.....HEMORRHAGE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hemorrhage
HELP_TEXT.....No Help Text
ID.....{E00AC828-83F3-4F69-B97B-D6AD1D87A440}
TERM.....HEMORRHAGE

DATA VALUE: HEMOVAC

ABBREVIATION.....HEMOVAC
ACTIVE.....Yes
DESCRIPTION.....Hemovac
DISPLAY_NAME.....Hemovac
HELP_TEXT.....No Help Text
ID.....{82DA2DA7-E20B-E571-659C-457DF42472C2}
TERM.....HEMOVAC

DATA VALUE: HEPATIC FORMULA

ABBREVIATION.....HEPAT FORM
ACTIVE.....Yes
DESCRIPTION.....Hepatic Enteral Nutrition Formula
DISPLAY_NAME.....Hepatic Enteral Nutrition Formula

HELP_TEXT.....No Help Text
ID.....{1BC0A09A-CCD7-457F-BC08-9B6FC5144BF3}
TERM.....HEPATIC FORMULA

DATA VALUE: HEPLOCK

ABBREVIATION.....HEPLOCK
ACTIVE.....Yes
DESCRIPTION.....Heplock
DISPLAY_NAME.....Heplock
HELP_TEXT.....No Help Text
ID.....{C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
TERM.....HEPLOCK

DATA VALUE: HIGH

ABBREVIATION.....h
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....High
HELP_TEXT.....No Help Text
ID.....{D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
TERM.....HIGH

DATA VALUE: HIGH CALORIE

ABBREVIATION.....HIGH CALOR

ACTIVE.....Yes

DESCRIPTION.....High Calorie

DISPLAY_NAME.....High Calorie

HELP_TEXT.....No Help Text

ID.....{FC453BF0-1E7E-4733-9605-AC3425F16205}

TERM.....HIGH CALORIE

DATA VALUE: HIGH FALL RISK

ABBREVIATION.....hfr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....High Fall Risk

HELP_TEXT.....No Help Text

ID.....{276C15F3-5BED-0FE0-5649-337A23AB1386}

TERM.....HIGH FALL RISK

DATA VALUE: HIGH FIBER

ABBREVIATION.....HIGH FIBER

ACTIVE.....Yes

DESCRIPTION.....High Fiber

DISPLAY_NAME.....High Fiber

HELP_TEXT.....No Help Text

ID.....{3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}

TERM.....HIGH FIBER

DATA VALUE: HIGH FOWLER'S

ABBREVIATION.....HIGH FOWLE

ACTIVE.....Yes

DESCRIPTION.....High Fowler's

DISPLAY_NAME.....High Fowler's

HELP_TEXT.....No Help Text

ID.....{EA23C94D-EE91-4552-9F74-E051FAF3E194}

TERM.....HIGH FOWLER'S

DATA VALUE: HIGH PROTEIN

ABBREVIATION.....HIGH PROTE

ACTIVE.....Yes

DESCRIPTION.....High Protein

DISPLAY_NAME.....High Protein

HELP_TEXT.....No Help Text

ID.....{1595A29D-CA91-45AE-893B-856EB909E4DD}

TERM.....HIGH PROTEIN

DATA VALUE: HIP-PROTECTORS

ABBREVIATION.....Hip-Prot

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Hip-Protectors

HELP_TEXT.....

ID.....{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}

TERM.....HIP-PROTECTORS

DATA VALUE: HIRSUTISM

ABBREVIATION.....HIRSUTISM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Hirsutism

HELP_TEXT.....No Help Text

ID.....{A909A4FC-080A-4E9A-867A-0B30D4633602}

TERM.....HIRSUTISM

DATA VALUE: HM: HAND MOTIONS

ABBREVIATION.....HM

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....HM: Hand Motions

HELP_TEXT.....

ID.....{5180AD3D-4377-435B-9F47-FE59F3E3501B}

TERM.....HM: HAND MOTIONS

DATA VALUE: HOME

ABBREVIATION.....HOME

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Home

HELP_TEXT.....No Help Text

ID.....{C8E5E320-361B-421C-A6A9-13DC16125440}

TERM.....HOME

DATA VALUE: HOME HEALTH

ABBREVIATION.....HOME HEALT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Home Health

HELP_TEXT.....No Help Text

ID.....{F94FB70A-AFFD-4A5E-A829-0AF933B044BB}

TERM.....HOME HEALTH

DATA VALUE: HOSTILE

ABBREVIATION.....h
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hostile
HELP_TEXT.....No Help Text
ID.....{29EF2C04-7DB0-4491-2B5E-D92A6A558721}
TERM.....HOSTILE

DATA VALUE: HOT

ABBREVIATION.....HOT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hot
HELP_TEXT.....No Help Text
ID.....{401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}
TERM.....HOT

DATA VALUE: HUMIDIFIER

ABBREVIATION.....HUMIDIFIER
ACTIVE.....Yes
DESCRIPTION.....Humidifier
DISPLAY_NAME.....Humidifier

HELP_TEXT.....Humidifier
ID.....{A4CE67D1-F885-423B-B914-392D8CAC697E}
TERM.....HUMIDIFIER

DATA VALUE: HYDROCOLLOIDAL DRESSING

ABBREVIATION.....HCOLL DRES
ACTIVE.....Yes
DESCRIPTION.....Hydrocolloidal Dressing
DISPLAY_NAME.....Hydrocolloidal Dressing
HELP_TEXT.....No Help Text
ID.....{D85741EF-0DB3-48CF-BC9A-88C834A72F36}
TERM.....HYDROCOLLOIDAL DRESSING

DATA VALUE: HYDROFIBER

ABBREVIATION.....H-FIBER
ACTIVE.....Yes
DESCRIPTION.....Hydrofiber
DISPLAY_NAME.....Hydrofiber
HELP_TEXT.....No Help Text
ID.....{42740A7F-A831-4FBD-9E59-88F315176674}
TERM.....HYDROFIBER

DATA VALUE: HYDROFIBER WITH SILVER

ABBREVIATION.....HYFIB W SI
ACTIVE.....Yes
DESCRIPTION.....Hydrofiber With Silver
DISPLAY_NAME.....Hydrofiber With Silver
HELP_TEXT.....No Help Text
ID.....{04BD9512-DE5D-421A-9818-8A33D1F0693D}
TERM.....HYDROFIBER WITH SILVER

DATA VALUE: HYDROGEL DRESSING

ABBREVIATION.....H-GEL DRES
ACTIVE.....Yes
DESCRIPTION.....Hydrogel Dressing
DISPLAY_NAME.....Hydrogel Dressing
HELP_TEXT.....No Help Text
ID.....{F6192D10-D6EA-42C2-AB15-270659D9925C}
TERM.....HYDROGEL DRESSING

DATA VALUE: HYDROMORPHONE

ABBREVIATION.....Hydromorph
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Hydromorphone

HELP_TEXT.....

ID.....{8E6E9DB1-C969-4274-9761-C9830A9FCF67}

TERM.....HYDROMORPHONE

DATA VALUE: HYPERACTIVE

ABBREVIATION.....HYPERACTIV

ACTIVE.....Yes

DESCRIPTION.....Hyperactive

DISPLAY_NAME.....Hyperactive

HELP_TEXT.....No Help Text

ID.....{1A548FFE-8645-4C0D-899D-5D91430CC1B1}

TERM.....HYPERACTIVE

DATA VALUE: HYPERDYNAMIC

ABBREVIATION.....HYPERDYNAM

ACTIVE.....Yes

DESCRIPTION.....Hyperdynamic

DISPLAY_NAME.....Hyperdynamic

HELP_TEXT.....No Help Text

ID.....{818A8A99-04D9-4989-A9BA-ECFACED74605}

TERM.....HYPERDYNAMIC

DATA VALUE: HYPERGRANULIZATION

ABBREVIATION.....HYPERGRANU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hypergranulization
HELP_TEXT.....No Help Text
ID.....{C14B9FB0-6F33-4ACB-88B3-4B799594F845}
TERM.....HYPERGRANULIZATION

DATA VALUE: HYPERTONIC HYDROGEL

ABBREVIATION.....WOU DR HYP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hypertonic Hydrogel
HELP_TEXT.....No Help-Text
ID.....{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}
TERM.....HYPERTONIC HYDROGEL

DATA VALUE: HYPOACTIVE

ABBREVIATION.....HYPOACTIVE
ACTIVE.....Yes
DESCRIPTION.....Hypoactive
DISPLAY_NAME.....Hypoactive

HELP_TEXT.....No Help Text

ID.....{2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}

TERM.....HYPOACTIVE

DATA VALUE: HYPOALBUMINEMIA

ABBREVIATION.....HYPOALBUM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Hypoalbuminemia

HELP_TEXT.....No Help Text

ID.....{A3397F38-2491-48E7-8366-A6FA2D91E866}

TERM.....HYPOALBUMINEMIA

DATA VALUE: HYPOTENSION

ABBREVIATION.....Hypotensio

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Hypotension

HELP_TEXT.....

ID.....{1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}

TERM.....HYPOTENSION

DATA VALUE: HYPOXIA

ABBREVIATION.....Hypoxia

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Hypoxia

HELP_TEXT.....

ID.....{7599629D-1206-4A1A-9D02-EEE384E5FE51}

TERM.....HYPOXIA

DATA VALUE: I

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....I

HELP_TEXT.....No Help Text

ID.....{BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}

TERM.....I

DATA VALUE: IABP

ABBREVIATION.....IABP

ACTIVE.....Yes

DESCRIPTION.....Intra-Aortic Balloon Pump

DISPLAY_NAME.....IABP

HELP_TEXT.....No Help Text

ID.....{763FE975-F5E5-80A6-AB16-E903A829E665}

TERM.....IABP

DATA VALUE: ICE PACK

ABBREVIATION.....ICE PACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ice Pack

HELP_TEXT.....No Help Text

ID.....{E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}

TERM.....ICE PACK

DATA VALUE: ICTERIC

ABBREVIATION.....ICTERIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Icteric

HELP_TEXT.....Relating to or affected with jaundice

ID.....{274ED5BB-5A34-20EE-A9B0-81AB7803780E}

TERM.....ICTERIC

DATA VALUE: ICU

ABBREVIATION.....ICU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ICU

HELP_TEXT.....No Help Text

ID.....{E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

TERM.....ICU

DATA VALUE: ID BAND

ABBREVIATION.....ID Band

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....ID Band

HELP_TEXT.....

ID.....{5526C5AB-64C8-4AB1-B77F-DAF45D26B439}

TERM.....ID BAND

DATA VALUE: ID CARD

ABBREVIATION.....ID Card

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....ID Card

HELP_TEXT.....

ID.....{CFD540F0-3D73-498F-B590-CCEF11499078}

TERM.....ID CARD

DATA VALUE: IDENTIFICATION

ABBREVIATION.....i

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Identification

HELP_TEXT.....No Help Text

ID.....{39274F69-556C-7F05-6D17-CE8A03D1867D}

TERM.....IDENTIFICATION

DATA VALUE: IDIOVENTRICULAR

ABBREVIATION.....i

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Idioventricular

HELP_TEXT.....No Help Text

ID.....{8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}

TERM.....IDIOVENTRICULAR

DATA VALUE: II

ABBREVIATION.....II

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....II

HELP_TEXT.....No Help Text

ID.....{F165C13B-397E-4182-8D72-BD1D74CFBA00}

TERM.....II

DATA VALUE: III

ABBREVIATION.....III

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....III

HELP_TEXT.....No Help Text

ID.....{D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}

TERM.....III

DATA VALUE: ILEAL CONDUIT

ABBREVIATION.....ILEAL COND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ileal Conduit

HELP_TEXT.....No Help Text
ID.....{032CB6FE-77D2-702E-A0AE-46176F5CAA57}
TERM.....ILEAL CONDUIT

DATA VALUE: ILEAL-CONDUIT

ABBREVIATION.....Ileal-Con
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Ileal-Conduit
HELP_TEXT.....
ID.....{C91C4E4A-2D0D-438A-8EF5-8717D703A777}
TERM.....ILEAL-CONDUIT

DATA VALUE: ILEOSTOMY

ABBREVIATION.....ILEOSTOMY
ACTIVE.....Yes
DESCRIPTION.....Ileostomy
DISPLAY_NAME.....Ileostomy
HELP_TEXT.....No Help Text
ID.....{D5DF49C8-C6BA-44C1-9840-7765907730A3}
TERM.....ILEOSTOMY

DATA VALUE: IMAGING

ABBREVIATION.....IMAGING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Imaging
HELP_TEXT.....No Help Text
ID.....{791A322E-F45E-40EB-B95D-E5B62E1D0A75}
TERM.....IMAGING

DATA VALUE: IMPAIRED LISTENING SKILLS

ABBREVIATION.....IMP LIS SK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Impaired Listening Skills
HELP_TEXT.....No Help Text
ID.....{9CE0E7E7-79E5-4910-918C-2022C9830171}
TERM.....IMPAIRED LISTENING SKILLS

DATA VALUE: IMPLANTS

ABBREVIATION.....Implants
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Implants

HELP_TEXT.....

ID.....{14998852-14FD-4C6A-BB8A-5073D6094B11}

TERM.....IMPLANTS

DATA VALUE: INAPPROPRIATE

ABBREVIATION.....Inappropri

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Inappropriate

HELP_TEXT.....No Help Text

ID.....{7E3B54C2-8A49-28EC-055E-FEA87599421C}

TERM.....INAPPROPRIATE

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS BLOODY

ABBREVIATION.....INC DI BLO

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Bloody

DISPLAY_NAME.....Bloody

HELP_TEXT.....Incision Discharge Characteristics

Bloody

ID.....{D185E55B-EC21-49B6-A040-5422382C3B90}

TERM.....INCISION DISCHARGE CHARACTERISTICS

BLOODY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS CLOUDY

ABBREVIATION.....INC DI CLO

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Cloudy

DISPLAY_NAME.....Cloudy

HELP_TEXT.....Incision Discharge Characteristics

Cloudy

ID.....{3EBBB25E-1B90-415B-BCB5-3C3DAC33C118}

TERM.....INCISION DISCHARGE CHARACTERISTICS

CLOUDY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS NONE

ABBREVIATION.....INC DI NON

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics None

DISPLAY_NAME.....None

HELP_TEXT.....Incision Discharge Characteristics None

ID.....{4F118F41-8C09-400E-A303-0955DFDF54E2}

TERM.....INCISION DISCHARGE CHARACTERISTICS NONE

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS PURULENT

ABBREVIATION.....INC DI PUR

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Purulent

DISPLAY_NAME.....Purulent

HELP_TEXT.....Incision Discharge Characteristics

Purulent

ID.....{B2D71BDF-41AB-4F10-ABE3-A9D9F338F6F1}

TERM.....INCISION DISCHARGE CHARACTERISTICS

PURULENT

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS

ABBREVIATION.....INC DI SSA

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Serosanguinous

DISPLAY_NAME.....Serosanguinous

HELP_TEXT.....Incision Discharge Characteristics

Serosanguinous

ID.....{102F19A9-CC28-4156-88DE-1B4C8A682AC2}

TERM.....INCISION DISCHARGE CHARACTERISTICS

SEROSANGUINOUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROUS

ABBREVIATION.....INC DI SER

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Serous

DISPLAY_NAME.....Serous

HELP_TEXT.....Incision Discharge Characteristics

Serous

ID.....{CC4F3BA1-AD0D-42BA-9D76-1FE66F864FC8}

TERM.....INCISION DISCHARGE CHARACTERISTICS

SEROUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS VISCOUS

ABBREVIATION.....INC DI VIS
ACTIVE.....Yes
DESCRIPTION.....Incision Discharge Characteristics
 Viscous
DISPLAY_NAME.....Viscous
HELP_TEXT.....Incision Discharge Characteristics
 Viscous
ID.....{A38C2D8C-25B1-41E5-A69F-7A5C439C6EB9}
TERM.....INCISION DISCHARGE CHARACTERISTICS
 VISCOUS

DATA VALUE: INCISION DRAINAGE AMOUNT HEAVY

ABBREVIATION.....I DR A HEA
ACTIVE.....Yes
DESCRIPTION.....Incision Drainage Amount Heavy
DISPLAY_NAME.....Heavy
HELP_TEXT.....Incision Drainage Amount Heavy
ID.....{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}
TERM.....INCISION DRAINAGE AMOUNT HEAVY

DATA VALUE: INCISION DRAINAGE AMOUNT MODERATE

ABBREVIATION.....I DR A MOD

ACTIVE.....Yes
DESCRIPTION.....Incision Drainage Amount Moderate
DISPLAY_NAME.....Moderate
HELP_TEXT.....Incision Drainage Amount Moderate
ID.....{9B0487A9-DCB4-42D3-92E6-805C412B5D34}
TERM.....INCISION DRAINAGE AMOUNT MODERATE

DATA VALUE: INCISION DRAINAGE AMOUNT NONE

ABBREVIATION.....I DR A NON
ACTIVE.....Yes
DESCRIPTION.....Incision Drainage Amount None
DISPLAY_NAME.....None
HELP_TEXT.....Incision Drainage Amount None
ID.....{5D0D9027-4B20-43A4-B437-EA7B77CB2105}
TERM.....INCISION DRAINAGE AMOUNT NONE

DATA VALUE: INCISION DRAINAGE AMOUNT SCANT

ABBREVIATION.....I DR A SCA
ACTIVE.....Yes
DESCRIPTION.....Incision Drainage Amount Scant
DISPLAY_NAME.....Scant
HELP_TEXT.....Incision Drainage Amount Scant
ID.....{A476E395-46AA-44E7-8A00-CE22C7066BB1}
TERM.....INCISION DRAINAGE AMOUNT SCANT

DATA VALUE: INCISION DRAINAGE AMOUNT SMALL

ABBREVIATION.....I DR A SMA

ACTIVE.....Yes

DESCRIPTION.....Incision Drainage Amount Small

DISPLAY_NAME.....Small

HELP_TEXT.....Incision Drainage Amount Small

ID.....{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}

TERM.....INCISION DRAINAGE AMOUNT SMALL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL

ABBREVIATION.....INC DR ANT

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Antimicrobial

DISPLAY_NAME.....Antimicrobial

HELP_TEXT.....Incision Dressing Type Antimicrobial

ID.....{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}

TERM.....INCISION DRESSING TYPE ANTIMICROBIAL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL DISK

ABBREVIATION.....INC DR ADI

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Antimicrobial

Disk

DISPLAY_NAME.....Antimicrobial Disk

HELP_TEXT.....Incision Dressing Type Antimicrobial

Disk

ID.....{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}

TERM.....INCISION DRESSING TYPE ANTIMICROBIAL

DISK

DATA VALUE: INCISION DRESSING TYPE BALSAM OF PERU

ABBREVIATION.....INC DR BAL

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Balsam of Peru

DISPLAY_NAME.....Balsam Of Peru

HELP_TEXT.....Incision Dressing Type Balsam of Peru

ID.....{A1FB45C6-6315-4282-8D89-DCB0C018E357}

TERM.....INCISION DRESSING TYPE BALSAM OF PERU

DATA VALUE: INCISION DRESSING TYPE BISMUTH GAUZE

ABBREVIATION.....INC DR BIS

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Bismuth Gauze

DISPLAY_NAME.....Bismuth Gauze

HELP_TEXT.....Incision Dressing Type Bismuth Gauze

ID.....{CA88C5DC-3890-49A2-800A-0528CE194BA8}

TERM.....INCISION DRESSING TYPE BISMUTH GAUZE

DATA VALUE: INCISION DRESSING TYPE CALCIUM ALGINATE

ABBREVIATION.....INC DR CAL

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Calcium Alginate

DISPLAY_NAME.....Calcium Alginate

HELP_TEXT.....Incision Dressing Type Calcium Alginate

ID.....{B20558BA-FB9E-499E-82DF-49616ACE9375}

TERM.....INCISION DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: INCISION DRESSING TYPE FOAM DRESSING

ABBREVIATION.....INC DR FOA

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Foam dressing

DISPLAY_NAME.....Foam Dressing

HELP_TEXT.....Incision Dressing Type Foam dressing

ID.....{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}

TERM.....INCISION DRESSING TYPE FOAM DRESSING

DATA VALUE: INCISION DRESSING TYPE GAUZE

ABBREVIATION.....INC DR GAU

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Gauze

DISPLAY_NAME.....Gauze

HELP_TEXT.....Incision Dressing Type Gauze
ID.....{E4AC9307-0512-4F9D-A254-FE19E654461F}
TERM.....INCISION DRESSING TYPE GAUZE

DATA VALUE: INCISION DRESSING TYPE GAUZE PACKING

ABBREVIATION.....INC DR GPA
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Gauze Packing
DISPLAY_NAME.....Gauze Packing
HELP_TEXT.....Incision Dressing Type Gauze Packing
ID.....{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}
TERM.....INCISION DRESSING TYPE GAUZE PACKING

DATA VALUE: INCISION DRESSING TYPE GAUZE WRAP

ABBREVIATION.....INC DR GWR
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Gauze Wrap
DISPLAY_NAME.....Gauze Wrap
HELP_TEXT.....Incision Dressing Type Gauze Wrap
ID.....{E1DBEC29-1430-4DA0-99DC-49B9389D2440}
TERM.....INCISION DRESSING TYPE GAUZE WRAP

DATA VALUE: INCISION DRESSING TYPE HYDROCOLLOIDAL

ABBREVIATION.....INC DR HYD

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Hydrocolloidal

DISPLAY_NAME.....Hydrocolloidal

HELP_TEXT.....Incision Dressing Type Hydrocolloidal

ID.....{424CCDCA-5196-4BBD-AE8B-0F68DDCC3FCF}

TERM.....INCISION DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: INCISION DRESSING TYPE HYDROGEL

ABBREVIATION.....INC DR HYD

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Hydrogel

DISPLAY_NAME.....Hydrogel

HELP_TEXT.....Incision Dressing Type Hydrogel

ID.....{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}

TERM.....INCISION DRESSING TYPE HYDROGEL

DATA VALUE: INCISION DRESSING TYPE HYPERTONIC HYDROGEL

ABBREVIATION.....INC DR HYP

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Hypertonic

Hydrogel

DISPLAY_NAME.....Hypertonic Hydrogel
HELP_TEXT.....Incision Dressing Type Hypertonic
Hydrogel
ID.....{25820A63-AD76-4198-BEB1-EF95DDEC5B35}
TERM.....INCISION DRESSING TYPE HYPERTONIC
HYDROGEL

DATA VALUE: INCISION DRESSING TYPE NONE

ABBREVIATION.....INC DR NON
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type None
DISPLAY_NAME.....None
HELP_TEXT.....Incision Dressing Type None
ID.....{81F07C8D-A463-48A0-A64A-A143CECB5DD6}
TERM.....INCISION DRESSING TYPE NONE

DATA VALUE: INCISION DRESSING TYPE PRESSURE

ABBREVIATION.....INC DR PRE
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Pressure
DISPLAY_NAME.....Pressure
HELP_TEXT.....Incision Dressing Type Pressure
ID.....{B5823373-E5D8-40A5-954C-6A193D7E7511}
TERM.....INCISION DRESSING TYPE PRESSURE

DATA VALUE: INCISION DRESSING TYPE TRANSPARENT

ABBREVIATION.....INC DR TRA

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Gauze

DISPLAY_NAME.....Transparent

HELP_TEXT.....Incision Dressing Type Gauze

ID.....{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}

TERM.....INCISION DRESSING TYPE TRANSPARENT

DATA VALUE: INCISION EDGE INDISTINCT/ATTACHED

ABBREVIATION.....INC ED ATT

ACTIVE.....Yes

DESCRIPTION.....Incision Edge Indistinct, Attached

DISPLAY_NAME.....Indistinct, Attached

HELP_TEXT.....Incision Edge Indistinct, Attached

ID.....{AF7E7150-525E-49A4-AC23-042B788E8805}

TERM.....INCISION EDGE INDISTINCT/ATTACHED

DATA VALUE: INCISION EDGE NON-ATTACHED

ABBREVIATION.....INC ED NON

ACTIVE.....Yes

DESCRIPTION.....Incision Edge Non Attached

DISPLAY_NAME.....Non-Attached

HELP_TEXT.....Incision Edge Non Attached
ID.....{F457F951-F1DC-47AC-9336-AC093E149862}
TERM.....INCISION EDGE NON-ATTACHED

DATA VALUE: INCISION EDGE ROLLED

ABBREVIATION.....INC ED ROL
ACTIVE.....Yes
DESCRIPTION.....Incision Edge Rolled
DISPLAY_NAME.....Rolled
HELP_TEXT.....Incision Edge Rolled
ID.....{FFA33CAE-5D8B-4501-8120-A536BE53296F}
TERM.....INCISION EDGE ROLLED

DATA VALUE: INCISION EDGE TUNNELING

ABBREVIATION.....INC ED TUN
ACTIVE.....Yes
DESCRIPTION.....Incision Edge Tunneling
DISPLAY_NAME.....Tunneling
HELP_TEXT.....Incision Edge Tunneling
ID.....{492CD783-3C32-40F0-AE35-5A89E90409A7}
TERM.....INCISION EDGE TUNNELING

DATA VALUE: INCISION EDGE UNDERMINING

ABBREVIATION.....INC ED UND
ACTIVE.....Yes
DESCRIPTION.....Incision Edge Undermining
DISPLAY_NAME.....Undermining
HELP_TEXT.....Incision Edge Undermining
ID.....{0F3E968A-B867-4123-8C05-ED6B12D364CD}
TERM.....INCISION EDGE UNDERMINING

DATA VALUE: INCISION ODOR FOUL

ABBREVIATION.....INC OD FOU
ACTIVE.....Yes
DESCRIPTION.....Incision Odor Foul
DISPLAY_NAME.....Foul
HELP_TEXT.....Incision Odor Foul
ID.....{ECDC0988-BE82-41E3-8104-A66A5F8A1093}
TERM.....INCISION ODOR FOUL

DATA VALUE: INCISION ODOR NONE

ABBREVIATION.....INC OD NON
ACTIVE.....Yes
DESCRIPTION.....Incision Odor None
DISPLAY_NAME.....None

HELP_TEXT.....Incision Odor None

ID.....{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}

TERM.....INCISION ODOR NONE

DATA VALUE: INCISION WOUND CLOSURE APPROXIMATED

ABBREVIATION.....INC CL APP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Approximated

HELP_TEXT.....No Help-Text

ID.....{2DD5713E-D81C-484B-A0DF-6A5730B396DF}

TERM.....INCISION WOUND CLOSURE APPROXIMATED

DATA VALUE: INCISION WOUND CLOSURE DEHISCENCE

ABBREVIATION.....INC CL DEH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dehiscence

HELP_TEXT.....No Help-Text

ID.....{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

TERM.....INCISION WOUND CLOSURE DEHISCENCE

DATA VALUE: INCISION WOUND CLOSURE GLUE

ABBREVIATION.....IN CL GLU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Glue
HELP_TEXT.....No Help-Text
ID.....{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}
TERM.....INCISION WOUND CLOSURE GLUE

DATA VALUE: INCISION WOUND CLOSURE NOT CLOSED

ABBREVIATION.....INC CL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Not Closed
HELP_TEXT.....No Help-Text
ID.....{D63A05BF-1205-45F6-A78D-15D198BCB1C6}
TERM.....INCISION WOUND CLOSURE NOT CLOSED

DATA VALUE: INCISIONAL SITE

ABBREVIATION.....INCIS SITE
ACTIVE.....Yes
DESCRIPTION.....INCISIONAL SITE
DISPLAY_NAME.....Incisional Site

HELP_TEXT.....INCISIONAL SITE

ID.....{19E69DE2-097B-0FA5-449D-B2E9161A3E05}

TERM.....INCISIONAL SITE

DATA VALUE: INCOMPREHENSIBLE

ABBREVIATION.....INCOMPREHE

ACTIVE.....Yes

DESCRIPTION.....Incomprehensible

DISPLAY_NAME.....Incomprehensible

HELP_TEXT.....No Help Text

ID.....{916CD781-563D-4F54-8752-800D37BFAA3B}

TERM.....INCOMPREHENSIBLE

DATA VALUE: INCONTENENCE DERMATITIS

ABBREVIATION.....INCON DERM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Incontinence Dermatitis

HELP_TEXT.....No Help Text

ID.....{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}

TERM.....INCONTENENCE DERMATITIS

DATA VALUE: INCONTINENT

ABBREVIATION.....INCONTINEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Incontinent

HELP_TEXT.....No Help Text

ID.....{BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}

TERM.....INCONTINENT

DATA VALUE: INCREASE ROUNDS

ABBREVIATION.....Inc Rds

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Increase Rounds

HELP_TEXT.....

ID.....{873180AF-9BB9-44F4-B9E4-80F8BBDF9769}

TERM.....INCREASE ROUNDS

DATA VALUE: INDEPENDENT

ABBREVIATION.....INDEPENDEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Independent

HELP_TEXT.....No Help-Text

ID.....{11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}

TERM.....INDEPENDENT

DATA VALUE: INDICATES UNDERSTANDING

ABBREVIATION.....UNDERSTAND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Indicates Understanding

HELP_TEXT.....No Help Text

ID.....{C4AEFE5F-C388-4E00-9663-6B308934284B}

TERM.....INDICATES UNDERSTANDING

DATA VALUE: INDIFFERENT

ABBREVIATION.....INDIFF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Indifferent

HELP_TEXT.....No Help Text

ID.....{7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}

TERM.....INDIFFERENT

DATA VALUE: INDURATION

ABBREVIATION.....INDURAITON
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Induration (Hardness)
HELP_TEXT.....No Help Text
ID.....{A1669576-45D9-435C-87B9-488E9CF6BBA4}
TERM.....INDURATION

DATA VALUE: INDWELLING CATHETER

ABBREVIATION.....INDW CATH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Indwelling Catheter
HELP_TEXT.....No Help Text
ID.....{EC16724C-D1EA-5650-58D4-38A89D4456F9}
TERM.....INDWELLING CATHETER

DATA VALUE: INEFFECTIVE COPING

ABBREVIATION.....ic
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ineffective Coping

HELP_TEXT.....No Help Text
ID.....{704B1A55-B639-60F4-E3A5-16F942ABC259}
TERM.....INEFFECTIVE COPING

DATA VALUE: INFECTION

ABBREVIATION.....INFECTION
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Infection
HELP_TEXT.....No Help Text
ID.....{DA00DB58-640D-4294-9468-EEF070DBAE8E}
TERM.....INFECTION

DATA VALUE: INFECTION PREVENTION AND SCREENING

ABBREVIATION.....INF PRE SC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Infection Prevention and Screening
HELP_TEXT.....No Help Text
ID.....{BA58329F-59EC-49F0-BACE-75AA5EC57F52}
TERM.....INFECTION PREVENTION AND SCREENING

DATA VALUE: INFLATABLE HEEL LIFT

ABBREVIATION.....INF HEEL L
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Inflatable Heel Lift
HELP_TEXT.....No Help Text
ID.....{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}
TERM.....INFLATABLE HEEL LIFT

DATA VALUE: INITIATED

ABBREVIATION.....INITIATED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Initiated
HELP_TEXT.....No Help Text
ID.....{562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}
TERM.....INITIATED

DATA VALUE: INSERTED THROUGH EXISTING INTRODUCER

ABBREVIATION.....INS EXS IN
ACTIVE.....Yes
DESCRIPTION.....Inserted Through Existing Introducer
DISPLAY_NAME.....Inserted Through Existing Introducer

HELP_TEXT.....No Help Text
ID.....{20BC183A-197F-4464-A27C-47F63C5B842A}
TERM.....INSERTED THROUGH EXISTING INTRODUCER

DATA VALUE: INSERTED THROUGH NEW INTRODUCER

ABBREVIATION.....INS NEW IN
ACTIVE.....Yes
DESCRIPTION.....Inserted Through New Introducer
DISPLAY_NAME.....Inserted Through New Introducer
HELP_TEXT.....No Help Text
ID.....{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}
TERM.....INSERTED THROUGH NEW INTRODUCER

DATA VALUE: INSPIRATORY WHEEZES

ABBREVIATION.....INSP WHEEZ
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Inspiratory Wheezes
HELP_TEXT.....No Help Text
ID.....{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}
TERM.....INSPIRATORY WHEEZES

DATA VALUE: INTACT

ABBREVIATION.....i
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Intact
HELP_TEXT.....No apparent breakdown
ID.....{935C9CAF-6C88-6610-C6E9-4C1B822923AF}
TERM.....INTACT

DATA VALUE: INTENTIONAL

ABBREVIATION.....i
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Intentional
HELP_TEXT.....No Help Text
ID.....{D5BBBFFC-F739-1E69-FED4-288D8E803D04}
TERM.....INTENTIONAL

DATA VALUE: INTERMITTENT

ABBREVIATION.....INTERMITTE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Intermittent

HELP_TEXT.....No Help Text
ID.....{DD09ED7C-B977-412F-A678-5130F77D239E}
TERM.....INTERMITTENT

DATA VALUE: INTERMITTENT SLEEP

ABBREVIATION.....INT SLEEP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....States Has Slept Intermittently
HELP_TEXT.....No Help Text
ID.....{5005C433-5892-4F4D-A64D-4C94AD1853E2}
TERM.....INTERMITTENT SLEEP

DATA VALUE: INTERRUPTED

ABBREVIATION.....INTERRUPTED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Interrupted
HELP_TEXT.....No Help Text
ID.....{AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}
TERM.....INTERRUPTED

DATA VALUE: INTERVENTIONAL RADIOLOGY

ABBREVIATION.....Interv Rad

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Interventional Radiology

HELP_TEXT.....

ID.....{322B66E6-814F-43AF-B669-E503519DB72F}

TERM.....INTERVENTIONAL RADIOLOGY

DATA VALUE: INTRODUCER

ABBREVIATION.....INTRODUCER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Introducer

HELP_TEXT.....No Help Text

ID.....{B46F7CA4-C94E-68FD-2892-52866763B5A0}

TERM.....INTRODUCER

DATA VALUE: IRREGULAR

ABBREVIATION.....IRREGULAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Irregular

HELP_TEXT.....No Help Text

ID.....{6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}

TERM.....IRREGULAR

DATA VALUE: IRRITABLE

ABBREVIATION.....Irritable

ACTIVE.....Yes

DESCRIPTION.....Irritable

DISPLAY_NAME.....Irritable

HELP_TEXT.....No Help Text

ID.....{10651C11-2736-4056-BA84-E544358BA877}

TERM.....IRRITABLE

DATA VALUE: ISOLATION

ABBREVIATION.....Isolation

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Isolation

HELP_TEXT.....

ID.....{BD993BAD-087B-4C88-9EEC-DC1B84F9A642}

TERM.....ISOLATION

DATA VALUE: ISOSOURCE VHN

ABBREVIATION.....Iso VHN

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Isosource VHN

HELP_TEXT.....

ID.....{D68525BF-F922-464E-97DE-1AB767974483}

TERM.....ISOSOURCE VHN

DATA VALUE: ITCHING

ABBREVIATION.....Itching

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Itching

HELP_TEXT.....

ID.....{3A1FB47B-F274-458D-BDF6-E6882D6CB600}

TERM.....ITCHING

DATA VALUE: IV DISCONTINUED

ABBREVIATION.....IV DISC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....IV Discontinued

HELP_TEXT.....No Help Text

ID.....{FDF951E7-5B72-4166-969B-073D5EC74800}

TERM.....IV DISCONTINUED

DATA VALUE: IV PUMP

ABBREVIATION.....IV PUMP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....IV Pump

HELP_TEXT.....No Help Text

ID.....{EFB92C16-CFA3-18BB-9D54-590089DA3962}

TERM.....IV PUMP

DATA VALUE: IV SEDATION

ABBREVIATION.....IV Sed

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....IV Sedation

HELP_TEXT.....

ID.....{789B61EB-5E83-4024-850D-D92370C4EC9A}

TERM.....IV SEDATION

DATA VALUE: IVPB

ABBREVIATION.....IVPB
ACTIVE.....Yes
DESCRIPTION.....IV Piggy Back
DISPLAY_NAME.....IV Piggy Back
HELP_TEXT.....No Help Text
ID.....{50EE76CF-5A9C-4EEB-9201-37CD90509355}
TERM.....IVPB

DATA VALUE: JAUNDICE

ABBREVIATION.....j
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Jaundice
HELP_TEXT.....No Help Text
ID.....{B17F4603-7C68-660D-96A7-119140A998D3}
TERM.....JAUNDICE

DATA VALUE: JEJUNOSTOMY

ABBREVIATION.....JEJUNOSTOM
ACTIVE.....Yes
DESCRIPTION.....Jejunostomy EF Tube
DISPLAY_NAME.....Jejunostomy

HELP_TEXT.....No Help Text

ID.....{1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}

TERM.....JEJUNOSTOMY

DATA VALUE: JEVITY 1.0

ABBREVIATION.....Jevity 1.0

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Jevity 1.0

HELP_TEXT.....

ID.....{637F4523-0417-4EA4-9991-379C8362EC00}

TERM.....JEVITY 1.0

DATA VALUE: JEVITY 1.2

ABBREVIATION.....Jevity 1.2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Jevity 1.2

HELP_TEXT.....

ID.....{0B3ADECE-FC19-4D90-912B-6EDC3D35C845}

TERM.....JEVITY 1.2

DATA VALUE: JEVITY 1.5

ABBREVIATION.....Jevity 1.5
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Jevity 1.5
HELP_TEXT.....
ID.....{ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}
TERM.....JEVITY 1.5

DATA VALUE: JOINT CAPSULE

ABBREVIATION.....JOINT CAPS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Joint Capsule
HELP_TEXT.....No Help Text
ID.....{F10E4DA8-DF84-4625-A317-724E7C9E028C}
TERM.....JOINT CAPSULE

DATA VALUE: JP DRAIN

ABBREVIATION.....JP Drain
ACTIVE.....Yes
DESCRIPTION.....Jackson Pratt Drain
DISPLAY_NAME.....JP Drain

HELP_TEXT.....No Help Text

ID.....{20F3B3D5-D3A4-96FD-5446-253FD031DF2B}

TERM.....JP DRAIN

DATA VALUE: JUNCTIONAL

ABBREVIATION.....j

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Junctional

HELP_TEXT.....No Help Text

ID.....{4A339D84-7051-1258-877D-85AFC1CA20FE}

TERM.....JUNCTIONAL

DATA VALUE: JUNCTIONAL ESCAPE BEAT

ABBREVIATION.....Junctional

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Junctional Escape Beat

HELP_TEXT.....

ID.....{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}

TERM.....JUNCTIONAL ESCAPE BEAT

DATA VALUE: JUNCTIONAL TACHYCARDIA

ABBREVIATION.....jt
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Junctional Tachycardia
HELP_TEXT.....
ID.....{D6EF01C1-A8F9-40FD-AE24-785041526041}
TERM.....JUNCTIONAL TACHYCARDIA

DATA VALUE: JUVEN

ABBREVIATION.....Juven
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Juven
HELP_TEXT.....
ID.....{2112F76A-D581-4C55-94CA-4B4CC68813AD}
TERM.....JUVEN

DATA VALUE: K-PAD

ABBREVIATION.....K-PAD
ACTIVE.....Yes
DESCRIPTION.....K-pad
DISPLAY_NAME.....K-pad

HELP_TEXT.....K-pad

ID.....{10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}

TERM.....K-PAD

DATA VALUE: KNIFE-LIKE

ABBREVIATION.....KNIFE-LIKE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Knife-Like

HELP_TEXT.....No Help Text

ID.....{FBA0EE3F-134B-431B-879A-9B17D65CD464}

TERM.....KNIFE-LIKE

DATA VALUE: KNOWN DONOR

ABBREVIATION.....Known

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Known Donor

HELP_TEXT.....

ID.....{74BEA6F1-8FA5-49C7-9198-957838B1C971}

TERM.....KNOWN DONOR

DATA VALUE: KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

ABBREVIATION.....Known/Susp
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Known/Suspected Obstructive Sleep Apnea
HELP_TEXT.....
ID.....{BD47DD8C-7057-403B-B393-EBCBF9907B68}
TERM.....KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

DATA VALUE: KUSSMAUL

ABBREVIATION.....KUSSMAUL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Kussmaul
HELP_TEXT.....No Help Text
ID.....{0C5ED066-F445-ABFE-F7B1-D158EC7C2976}
TERM.....KUSSMAUL

DATA VALUE: L BUNDLE BRANCH BLOCK

ABBREVIATION.....lbbb
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Bundle Branch Block

HELP_TEXT.....No Help Text
ID.....{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}
TERM.....L BUNDLE BRANCH BLOCK

DATA VALUE: L FOOT DOWN

ABBREVIATION.....L FOOT DOW
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Foot Down
HELP_TEXT.....No Help Text
ID.....{5B18895B-DAD5-4874-87DB-DACFFF88B170}
TERM.....L FOOT DOWN

DATA VALUE: L FOOT UP

ABBREVIATION.....L FOOT UP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Foot Up
HELP_TEXT.....No Help Text
ID.....{A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}
TERM.....L FOOT UP

DATA VALUE: L HEAD DOWN

ABBREVIATION.....L HEAD DOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Head Down

HELP_TEXT.....No Help Text

ID.....{3C919CB8-1C0A-498D-95A6-C46D25744CEC}

TERM.....L HEAD DOWN

DATA VALUE: L HEAD UP

ABBREVIATION.....L HEAD UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Head Up

HELP_TEXT.....No Help Text

ID.....{BB39792D-B572-4A10-BA81-8685809E7437}

TERM.....L HEAD UP

DATA VALUE: L NECK

ABBREVIATION.....LEFT NECK

ACTIVE.....Yes

DESCRIPTION.....Left Neck

DISPLAY_NAME.....L Neck

HELP_TEXT.....Left Neck

ID.....{6A53228A-5BD1-6AAF-029F-701C7EFE7C48}

TERM.....L NECK

DATA VALUE: L NEPHROSTOMY

ABBREVIATION.....L NEPHROST

ACTIVE.....Yes

DESCRIPTION.....Left Nephrostomy

DISPLAY_NAME.....L Nephrostomy

HELP_TEXT.....Left Nephrostomy

ID.....{D8FC4C18-081E-A7B9-E394-25F194BE9757}

TERM.....L NEPHROSTOMY

DATA VALUE: L STENT

ABBREVIATION.....LEFT STENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Stent

HELP_TEXT.....No Help Text

ID.....{FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}

TERM.....L STENT

DATA VALUE: L1

ABBREVIATION.....L1

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L1

HELP_TEXT.....

ID.....{E6FA1F4F-B32B-4523-966C-9AFAD9C44316}

TERM.....L1

DATA VALUE: L2

ABBREVIATION.....L2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L2

HELP_TEXT.....

ID.....{0E5E7F8E-BA82-499B-A57A-8D32C2113006}

TERM.....L2

DATA VALUE: L3

ABBREVIATION.....L3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L3

HELP_TEXT.....

ID.....{0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}

TERM.....L3

DATA VALUE: L4

ABBREVIATION.....L4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L4

HELP_TEXT.....

ID.....{94632F85-0152-47C2-9D82-B49C36ABF495}

TERM.....L4

DATA VALUE: L5

ABBREVIATION.....L5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L5

HELP_TEXT.....

ID.....{87E93C0D-B607-4DD2-83EC-71131C072019}

TERM.....L5

DATA VALUE: LACERATION

ABBREVIATION.....LACERATION
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Laceration
HELP_TEXT.....No Help Text
ID.....{F4548BB2-39AF-4E0D-B52F-472EA080D6FF}
TERM.....LACERATION

DATA VALUE: LACKS INTEREST

ABBREVIATION.....LACKS INT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lacks Interest
HELP_TEXT.....No Help Text
ID.....{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}
TERM.....LACKS INTEREST

DATA VALUE: LACTOSE RESTRICTED

ABBREVIATION.....LACT RESTR
ACTIVE.....Yes
DESCRIPTION.....Lactose Restricted
DISPLAY_NAME.....Lactose Restricted

HELP_TEXT.....No Help Text

ID.....{78A9066A-48E2-4285-88E3-A180CE771B5A}

TERM.....LACTOSE RESTRICTED

DATA VALUE: LANGUAGE

ABBREVIATION.....LANGUAGE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Language

HELP_TEXT.....No Help-Text

ID.....{0666538E-4F44-4D34-A5EA-69CF2F1F86FA}

TERM.....LANGUAGE

DATA VALUE: LARGE

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Large

HELP_TEXT.....No Help Text

ID.....{E60D5CF9-920D-44E2-8A83-136DAB1FE251}

TERM.....LARGE

DATA VALUE: LARYNGECTOMY

ABBREVIATION.....LARYNGECTO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Laryngectomy
HELP_TEXT.....No Help Text
ID.....{225CB76A-BAF5-827E-729B-C3D60AD5B50A}
TERM.....LARYNGECTOMY

DATA VALUE: LATEX ALLERGY

ABBREVIATION.....Latex Alle
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Latex Allergy
HELP_TEXT.....
ID.....{3E7326AA-8CA4-448C-802A-111C232B2F1C}
TERM.....LATEX ALLERGY

DATA VALUE: LEFT

ABBREVIATION.....LEFT
ACTIVE.....Yes
DESCRIPTION.....Left
DISPLAY_NAME.....Left

HELP_TEXT.....No Help Text

ID.....{81063CEE-2E83-4C95-AAEE-76B7DCB828D4}

TERM.....LEFT

DATA VALUE: LESION PRESENT

ABBREVIATION.....Lesion

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Lesion Present

HELP_TEXT.....

ID.....{6AA9A82F-917E-45BB-9601-9E53A559006D}

TERM.....LESION PRESENT

DATA VALUE: LESS THAN 30

ABBREVIATION.....<30

ACTIVE.....Yes

DESCRIPTION.....Less Than 30

DISPLAY_NAME.....<30

HELP_TEXT.....No Help Text

ID.....{5AA98A0D-9B05-425D-97CA-B8B12425AACA}

TERM.....LESS THAN 30

DATA VALUE: LETHARGIC

ABBREVIATION.....I
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lethargic
HELP_TEXT.....No Help Text
ID.....{4ECA2E44-093A-9354-848E-CDC72B165072}
TERM.....LETHARGIC

DATA VALUE: LEVELED

ABBREVIATION.....LEVELED
ACTIVE.....Yes
DESCRIPTION.....Leveled
DISPLAY_NAME.....Leveled
HELP_TEXT.....No Help Text
ID.....{D72523B2-E0CD-40E1-AC14-2FA43636A456}
TERM.....LEVELED

DATA VALUE: LIBERAL DIABETIC

ABBREVIATION.....LIBRL DIAB
ACTIVE.....Yes
DESCRIPTION.....Liberal Diabetic
DISPLAY_NAME.....Liberal Diabetic

HELP_TEXT.....No Help Text
ID.....{9B66B47B-E77E-4F69-BDFA-5323B28A283D}
TERM.....LIBERAL DIABETIC

DATA VALUE: LIMITED ASSISTANCE

ABBREVIATION.....LIM ASSIST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Limited Assistance
HELP_TEXT.....No Help Text
ID.....{9A8C1310-C840-431E-BA21-065B7EA7B768}
TERM.....LIMITED ASSISTANCE

DATA VALUE: LIMITED ATTENION SPAN

ABBREVIATION.....LIM ATT S
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Limited Attention Span
HELP_TEXT.....No Help Text
ID.....{51553020-0CB9-483E-AC1C-15CA6D9380A3}
TERM.....LIMITED ATTENION SPAN

DATA VALUE: LIMITED TO INCISION

ABBREVIATION.....ER EXI LIM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Limited to Incision
HELP_TEXT.....No Help-Text
ID.....{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}
TERM.....LIMITED TO INCISION

DATA VALUE: LINE FLUSH

ABBREVIATION.....LINE FLUSH
ACTIVE.....Yes
DESCRIPTION.....Fluid flushed from line
DISPLAY_NAME.....Line Flush
HELP_TEXT.....No Help Text
ID.....{8DDD63BE-CF28-4C83-93FF-C81609FFDE51}
TERM.....LINE FLUSH

DATA VALUE: LINEN CHANGE

ABBREVIATION.....Lin Change
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Linen Change

HELP_TEXT.....

ID.....{AE30A510-112B-4F43-830E-E27FD994550A}

TERM.....LINEN CHANGE

DATA VALUE: LIP SALVE

ABBREVIATION.....LIP SALVE

ACTIVE.....Yes

DESCRIPTION.....Lip Salve

DISPLAY_NAME.....Lip Salve

HELP_TEXT.....No Help Text

ID.....{612F78AB-7386-4176-9896-02DE5A8E836D}

TERM.....LIP SALVE

DATA VALUE: LISTED DIET

ABBREVIATION.....LIST DIET

ACTIVE.....Yes

DESCRIPTION.....Listed Diet

DISPLAY_NAME.....Listed Diet

HELP_TEXT.....No Help Text

ID.....{24FBBFD9-B426-4DD9-9843-3428A1C91676}

TERM.....LISTED DIET

DATA VALUE: LOCAL

ABBREVIATION.....Local
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Local
HELP_TEXT.....
ID.....{64A0FD20-4584-446C-8A2A-57F2FEF3DD10}
TERM.....LOCAL

DATA VALUE: LOCALIZES TO PAIN

ABBREVIATION.....LOC TO PAI
ACTIVE.....Yes
DESCRIPTION.....Localizes To Pain
DISPLAY_NAME.....Localizes To Pain
HELP_TEXT.....No Help Text
ID.....{4072DFF9-2D90-423F-B6F0-0F2B924025D9}
TERM.....LOCALIZES TO PAIN

DATA VALUE: LOCK BOX

ABBREVIATION.....Lock Box
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Lock Box

HELP_TEXT.....

ID.....{974A2F44-C918-4E85-ABAF-03A21498F98B}

TERM.....LOCK BOX

DATA VALUE: LOCKER

ABBREVIATION.....Locker

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Locker

HELP_TEXT.....

ID.....{36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

TERM.....LOCKER

DATA VALUE: LOOSE

ABBREVIATION.....LOOSE

ACTIVE.....Yes

DESCRIPTION.....Loose

DISPLAY_NAME.....Loose

HELP_TEXT.....No Help Text

ID.....{1346A74E-3AA1-4D81-876B-91201F9717A5}

TERM.....LOOSE

DATA VALUE: LOW

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Low

HELP_TEXT.....No Help Text

ID.....{B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}

TERM.....LOW

DATA VALUE: LOW AIRLOSS OVERLAY

ABBREVIATION.....L AIR OVRL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Low Airloss Overlay

HELP_TEXT.....No Help Text

ID.....{282C439C-A697-43E6-85C1-786352EB56BC}

TERM.....LOW AIRLOSS OVERLAY

DATA VALUE: LOW AIRLOSS/ALTERNATING PRESSURE COMBO

ABBREVIATION.....L AIRL ALT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Low Airloss/Alternating Pressure Combo

HELP_TEXT.....No Help Text
ID.....{ADDD1260-C95B-4D7B-AB89-3749D76A3700}
TERM.....LOW AIRLOSS/ALTERNATING PRESSURE COMBO

DATA VALUE: LOW CHOLESTEROL

ABBREVIATION.....LOW CHOLES
ACTIVE.....Yes
DESCRIPTION.....Low Cholesterol
DISPLAY_NAME.....Low Cholesterol
HELP_TEXT.....No Help Text
ID.....{88F0170A-2560-48C6-9604-982453BCFC3B}
TERM.....LOW CHOLESTEROL

DATA VALUE: LOW FIBER

ABBREVIATION.....LOW FIBER
ACTIVE.....Yes
DESCRIPTION.....Low Fiber
DISPLAY_NAME.....Low Fiber
HELP_TEXT.....No Help Text
ID.....{2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}
TERM.....LOW FIBER

DATA VALUE: LOW PROTEIN 60 GM

ABBREVIATION.....L PROT 60g

ACTIVE.....Yes

DESCRIPTION.....Low Protein 60 GM

DISPLAY_NAME.....Low Protein 60 GM

HELP_TEXT.....No Help Text

ID.....{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}

TERM.....LOW PROTEIN 60 GM

DATA VALUE: LOW TYRAMINE

ABBREVIATION.....LOW TYRAMI

ACTIVE.....Yes

DESCRIPTION.....Low Tyramine

DISPLAY_NAME.....Low Tyramine

HELP_TEXT.....No Help Text

ID.....{DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}

TERM.....LOW TYRAMINE

DATA VALUE: LP: LIGHT PERCEPTION

ABBREVIATION.....LP

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....LP: Light Perception

HELP_TEXT.....

ID.....{3B5C4FA1-6770-4347-B5FB-2B0554D71339}

TERM.....LP: LIGHT PERCEPTION

DATA VALUE: LPP: LIGHT PERCEPTION WITH PROJECTION

ABBREVIATION.....LPP

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....LPP: Light Perception with Projection

HELP_TEXT.....

ID.....{29ED35AA-49C5-4835-AF43-17173333A2BB}

TERM.....LPP: LIGHT PERCEPTION WITH PROJECTION

DATA VALUE: LUMBAR

ABBREVIATION.....Lumbar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Lumbar

HELP_TEXT.....

ID.....{29729E2C-3650-4E81-B7EB-72052EBA3D48}

TERM.....LUMBAR

DATA VALUE: LUMBAR DRAIN

ABBREVIATION.....LUM DRAIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lumbar Drain
HELP_TEXT.....No Help Text
ID.....{FF36A046-1799-0734-286B-2272C34E3056}
TERM.....LUMBAR DRAIN

DATA VALUE: LUMBAR SPINAL PRECAUTIONS

ABBREVIATION.....LUMB S P
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lumbar Spinal Precautions
HELP_TEXT.....No Help Text
ID.....{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}
TERM.....LUMBAR SPINAL PRECAUTIONS

DATA VALUE: LUNCH

ABBREVIATION.....Lunch
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Lunch

HELP_TEXT.....

ID.....{9CF74807-8CA5-491F-98C4-97A5476FCE30}

TERM.....LUNCH

DATA VALUE: LVN

ABBREVIATION.....LVN

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....LVN

HELP_TEXT.....

ID.....{8F8300FD-5A33-4B01-9F0B-901E2A3D96AB}

TERM.....LVN

DATA VALUE: LVN/LPN

ABBREVIATION.....LVN/LPN

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....LVN/LPN

HELP_TEXT.....

ID.....{DC89CD99-80C5-4455-A280-3A19E74DCE7D}

TERM.....LVN/LPN

DATA VALUE: LYING OR SITTING

ABBREVIATION.....los
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lying Or Sitting
HELP_TEXT.....No Help Text
ID.....{52A940B1-55AF-AB4E-9E59-F93515A1296C}
TERM.....LYING OR SITTING

DATA VALUE: MACERATION

ABBREVIATION.....MACERATION
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....MACERATION
HELP_TEXT.....No Help Text
ID.....{B7C63E05-E193-40AA-A572-F1ACA0162B8B}
TERM.....MACERATION

DATA VALUE: MAGNACAL

ABBREVIATION.....MAGNACAL
ACTIVE.....Yes
DESCRIPTION.....Enteral Nutrition Type
DISPLAY_NAME.....Magnacal

HELP_TEXT.....No Help Text
ID.....{C810A618-FB1A-45BB-A540-EADF1414E343}
TERM.....MAGNACAL

DATA VALUE: MAINTAINING EFFECTIVE VENTILATION

ABBREVIATION.....EFF VENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Maintaining Effective Ventilation
HELP_TEXT.....No Help Text
ID.....{18774550-ECBD-412D-AD95-131FAA4CC549}
TERM.....MAINTAINING EFFECTIVE VENTILATION

DATA VALUE: MAROON

ABBREVIATION.....MAROON
ACTIVE.....Yes
DESCRIPTION.....Maroon in appearance
DISPLAY_NAME.....Maroon
HELP_TEXT.....No Help Text
ID.....{1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
TERM.....MAROON

DATA VALUE: MD

ABBREVIATION.....MD

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....MD

HELP_TEXT.....

ID.....{9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8}

TERM.....MD

DATA VALUE: MEAL

ABBREVIATION.....MEAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Meal

HELP_TEXT.....No Help Text

ID.....{85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}

TERM.....MEAL

DATA VALUE: MECHANICAL

ABBREVIATION.....MECHANICAL

ACTIVE.....Yes

DESCRIPTION.....Mechanical

DISPLAY_NAME.....Mechanical

HELP_TEXT.....No Help Text

ID.....{01EA793C-B524-4685-A3EC-60A317CBACC5}

TERM.....MECHANICAL

DATA VALUE: MED RECONCILLIATION DOCUMENTED

ABBREVIATION.....ME RE DO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Med Reconcillation Documented

HELP_TEXT.....No Help Text

ID.....{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}

TERM.....MED RECONCILLIATION DOCUMENTED

DATA VALUE: MEDIAL PORT

ABBREVIATION.....MEDI PORT

ACTIVE.....Yes

DESCRIPTION.....Medial Port

DISPLAY_NAME.....Medial Port

HELP_TEXT.....No Help Text

ID.....{D1734D73-2E1A-4538-8884-05D8A78CF556}

TERM.....MEDIAL PORT

DATA VALUE: MEDICAL DEVICE SAFETY

ABBREVIATION.....mds
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Medical Device Safety
HELP_TEXT.....No Help Text
ID.....{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}
TERM.....MEDICAL DEVICE SAFETY

DATA VALUE: MEDICAL NECESSITY CONFIRMED

ABBREVIATION.....med nec
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Medical Necessity Confirmed
HELP_TEXT.....
ID.....{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}
TERM.....MEDICAL NECESSITY CONFIRMED

DATA VALUE: MEDICATION

ABBREVIATION.....MEDICATION
ACTIVE.....Yes
DESCRIPTION.....Medication
DISPLAY_NAME.....Medication

HELP_TEXT.....No Help Text
ID.....{22E6DEBB-9662-466B-990C-8DA500C0A183}
TERM.....MEDICATION

DATA VALUE: MEDICATION PROPHYLAXIS

ABBREVIATION.....Med Prophy
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Medication Prophylaxis
HELP_TEXT.....
ID.....{40D79227-A4DB-4E1E-81C6-6F4E4F243964}
TERM.....MEDICATION PROPHYLAXIS

DATA VALUE: MEDICATION ROOM

ABBREVIATION.....mr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Medication Room
HELP_TEXT.....No Help Text
ID.....{9571AA9F-F538-55EC-37F6-99FE5677B970}
TERM.....MEDICATION ROOM

DATA VALUE: MEDIUM

ABBREVIATION.....MEDIUM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Medium
HELP_TEXT.....No Help Text
ID.....{62C94066-A7B6-CAA8-064B-2AF7C0DA6323}
TERM.....MEDIUM

DATA VALUE: MEMORY

ABBREVIATION.....MEMORY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Memory
HELP_TEXT.....No Help Text
ID.....{E30C1930-B98B-4382-B892-34E9C6008D1F}
TERM.....MEMORY

DATA VALUE: MENTAL HEALTH

ABBREVIATION.....MEN HEAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Mental Health

HELP_TEXT.....No Help Text

ID.....{ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}

TERM.....MENTAL HEALTH

DATA VALUE: MENTAL HEALTH HOLD

ABBREVIATION.....MEN HEA HO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mental Health Hold

HELP_TEXT.....No Help Text

ID.....{31560285-7BD5-4E53-BB77-93B244367F42}

TERM.....MENTAL HEALTH HOLD

DATA VALUE: MENTAL STATUS - AWAKE ORIENTED

ABBREVIATION.....M/S Awake

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Mental Status - Awake Oriented

HELP_TEXT.....

ID.....{37818468-4798-4CBE-82ED-A793BDD10874}

TERM.....MENTAL STATUS - AWAKE ORIENTED

DATA VALUE: MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA

ABBREVIATION.....M/S Demen

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Mental Status - Baseline for Dementia

HELP_TEXT.....

ID.....{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}

TERM.....MENTAL STATUS - BASELINE FOR KNOWN
DEMENTIA

DATA VALUE: METAL IMPLANTS

ABBREVIATION.....Metal Impl

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Metal Implants

HELP_TEXT.....

ID.....{E7424C97-0A81-4C4E-916E-0AE812FFDB96}

TERM.....METAL IMPLANTS

DATA VALUE: MICU

ABBREVIATION.....MICU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....MICU

HELP_TEXT.....No Help Text

ID.....{28244B62-644C-4DA0-A350-EAFE0D2FA7C0}

TERM.....MICU

DATA VALUE: MIDLINE

ABBREVIATION.....Midline

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Midline

HELP_TEXT.....

ID.....{3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}

TERM.....MIDLINE

DATA VALUE: MILD-MODERATELY REDUCED

ABBREVIATION.....MI-MOD-RED

ACTIVE.....Yes

DESCRIPTION.....Mild-Moderately Reduced

DISPLAY_NAME.....Mild-Moderately Reduced

HELP_TEXT.....No Help Text

ID.....{41DA2518-0E49-4E92-A733-3ACF3D2E8199}

TERM.....MILD-MODERATELY REDUCED

DATA VALUE: MILLIGRAMS PER KILOGRAM PER HOUR

ABBREVIATION.....mg/kg/hr
ACTIVE.....Yes
DESCRIPTION.....Milligrams per Kilogram per Hour
DISPLAY_NAME.....mg/kg/hr
HELP_TEXT.....Milligrams per Kilogram per Hour
ID.....{731B270D-C8C5-4910-B4B0-AC101555108A}
TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

DATA VALUE: MISSING

ABBREVIATION.....MISSING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Missing
HELP_TEXT.....No Help Text
ID.....{80019911-11DA-6569-751E-ECAE0D1BC7DF}
TERM.....MISSING

DATA VALUE: MOANING

ABBREVIATION.....MOANING
ACTIVE.....Yes
DESCRIPTION.....Moaning
DISPLAY_NAME.....Moaning

HELP_TEXT.....No Help Text

ID.....{A71E3515-AA20-4B0E-9CB8-1612F76BA406}

TERM.....MOANING

DATA VALUE: MODERATE

ABBREVIATION.....MODERATE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Moderate

HELP_TEXT.....No Help Text

ID.....{C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}

TERM.....MODERATE

DATA VALUE: MODERATE SEDATION

ABBREVIATION.....Mod Sed

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Moderate Sedation

HELP_TEXT.....

ID.....{C874EDC7-24BF-4F39-8FDA-E8D1193A8428}

TERM.....MODERATE SEDATION

DATA VALUE: MODERATE-SEVERELY REDUCED

ABBREVIATION.....MO-SEV RED
ACTIVE.....Yes
DESCRIPTION.....Moderate-Severely Reduced
DISPLAY_NAME.....Moderate-Severely Reduced
HELP_TEXT.....No Help Text
ID.....{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}
TERM.....MODERATE-SEVERELY REDUCED

DATA VALUE: MODERATELY REDUCED

ABBREVIATION.....MOD REDUCE
ACTIVE.....Yes
DESCRIPTION.....Moderately Reduced
DISPLAY_NAME.....Moderately Reduced
HELP_TEXT.....No Help Text
ID.....{91F73300-7EE0-428C-A838-5B3BE062D8BC}
TERM.....MODERATELY REDUCED

DATA VALUE: MOIST

ABBREVIATION.....m
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Moist

HELP_TEXT.....No Help Text

ID.....{AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}

TERM.....MOIST

DATA VALUE: MOTORIZED WHEELCHAIR

ABBREVIATION.....MO WH CH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Motorized Wheelchair

HELP_TEXT.....No Help Text

ID.....{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}

TERM.....MOTORIZED WHEELCHAIR

DATA VALUE: MOTTLED

ABBREVIATION.....m

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mottled

HELP_TEXT.....No Help Text

ID.....{4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}

TERM.....MOTTLED

DATA VALUE: MOUTHWASH USED

ABBREVIATION.....MOUTHWASH
ACTIVE.....Yes
DESCRIPTION.....Mouthwash Used
DISPLAY_NAME.....Mouthwash Used
HELP_TEXT.....No Help Text
ID.....{9F7EF355-12A4-4EBA-92ED-0F38273E411B}
TERM.....MOUTHWASH USED

DATA VALUE: MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXA
MINER

ABBREVIATION.....magareobte
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Movement Against Gravity And
Resistance, Easily Overcome By The
Examiner
HELP_TEXT.....No Help Text
ID.....{2ECCC197-4A81-025F-3EF3-6214004887A9}
TERM.....MOVE AGAINST GRAVITY AND RESISTANCE,
EASILY OVERCOME BY THE EXAMINER

DATA VALUE: MOVE AGAINST GRAVITY BUT NO RESISTANCE

ABBREVIATION.....magbnr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Movement Against Gravity But No
Resistance

HELP_TEXT.....No Help Text

ID.....{F995A165-8536-C493-2269-286E8EFF5E43}

TERM.....MOVE AGAINST GRAVITY BUT NO RESISTANCE

DATA VALUE: MOVEMENT WITH GRAVITY ELIMINATED

ABBREVIATION.....mwge

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Movement With Gravity Eliminated

HELP_TEXT.....No Help Text

ID.....{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}

TERM.....MOVEMENT WITH GRAVITY ELIMINATED

DATA VALUE: MUCOID

ABBREVIATION.....MUCOID

ACTIVE.....Yes

DESCRIPTION.....Mucoid in appearance

DISPLAY_NAME.....Mucoid

HELP_TEXT.....No Help Text

ID.....{073E5514-DACE-4F43-ADE5-91A1A87D6601}

TERM.....MUCOID

DATA VALUE: MULTIFOCAL PVC

ABBREVIATION.....Mult PVC

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Multifocal PVC

HELP_TEXT.....

ID.....{34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}

TERM.....MULTIFOCAL PVC

DATA VALUE: MULTIPODOUS

ABBREVIATION.....MULTIPODOU

ACTIVE.....Yes

DESCRIPTION.....Multipodous

DISPLAY_NAME.....Multipodous

HELP_TEXT.....No Help Text

ID.....{ED098F9D-B204-4310-813A-98D91FF9DD25}

TERM.....MULTIPODOUS

DATA VALUE: MURMUR

ABBREVIATION.....MURMUR

ACTIVE.....Yes

DESCRIPTION.....MURMUR

DISPLAY_NAME.....Murmur

HELP_TEXT.....MURMUR

ID.....{591058E0-4B71-E432-B7D7-EBD42A8C4225}

TERM.....MURMUR

DATA VALUE: MUSHROOM CATHETER

ABBREVIATION.....MUSH CATHE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mushroom Catheter

HELP_TEXT.....No Help Text

ID.....{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}

TERM.....MUSHROOM CATHETER

DATA VALUE: MUTIFOCAL ATRIAL TACHYCARDIA

ABBREVIATION.....mat

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Multifocal Atrial Tachycardia

HELP_TEXT.....

ID.....{562C6BBB-C210-4467-93B3-8E50640E7CCE}

TERM.....MUTIFOCAL ATRIAL TACHYCARDIA

DATA VALUE: N/A

ABBREVIATION.....n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....N/A

HELP_TEXT.....No Help Text

ID.....{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

TERM.....N/A

DATA VALUE: NA

ABBREVIATION.....NA

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....NA

HELP_TEXT.....

ID.....{1993F8D9-D536-4ECA-AFAD-366F79BA0CBD}

TERM.....NA

DATA VALUE: NAIL CARE

ABBREVIATION.....NAIL CARE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nail Care

HELP_TEXT.....No Help Text

ID.....{B783A171-1F0A-4135-8535-85776B81AB68}

TERM.....NAIL CARE

DATA VALUE: NAPS ONLY

ABBREVIATION.....NAPS ONLY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Naps Only

HELP_TEXT.....No Help Text

ID.....{CF749F5C-2E4B-419A-B020-C81B30A7E482}

TERM.....NAPS ONLY

DATA VALUE: NASAL

ABBREVIATION.....NASAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nasal

HELP_TEXT.....No Help Text

ID.....{0F73F0CB-E25E-4611-9625-62E6F1596A9B}

TERM.....NASAL

DATA VALUE: NASAL ENDOTRACHEAL

ABBREVIATION.....Nasal Endo
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Nasal Endotracheal
HELP_TEXT.....No Help Text
ID.....{C631352E-CAB5-0409-6133-E5D11ECC3293}
TERM.....NASAL ENDOTRACHEAL

DATA VALUE: NASAL INTESTINAL SMALL BORE

ABBREVIATION.....N INT SM B
ACTIVE.....Yes
DESCRIPTION.....Nasal Intestinal Small Bore EF Tube
DISPLAY_NAME.....Nasal Intestinal Small Bore
HELP_TEXT.....No Help Text
ID.....{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}
TERM.....NASAL INTESTINAL SMALL BORE

DATA VALUE: NASAL SMALL BOWEL FEEDING TUBE

ABBREVIATION.....NAS SM BOW
ACTIVE.....Yes
DESCRIPTION.....Nasal Small Bowel Feeding Tube
DISPLAY_NAME.....Nasal Small Bowel Feeding Tube

HELP_TEXT.....No Help Text

ID.....{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}

TERM.....NASAL SMALL BOWEL FEEDING TUBE

DATA VALUE: NASAL TRUMPET

ABBREVIATION.....NASAL TRUM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nasal Trumpet

HELP_TEXT.....No Help Text

ID.....{2FFB8510-793C-D6A4-838E-20FF7CD26533}

TERM.....NASAL TRUMPET

DATA VALUE: NASOGASTRIC LARGE BORE TUBE

ABBREVIATION.....NG LG BORE

ACTIVE.....Yes

DESCRIPTION.....Nasogastric Large Bore EF Tube

DISPLAY_NAME.....Nasogastric Large Bore

HELP_TEXT.....No Help Text

ID.....{C3FEE16A-9998-455B-BEB8-CC55AF890202}

TERM.....NASOGASTRIC LARGE BORE TUBE

DATA VALUE: NASOGASTRIC TUBE

ABBREVIATION.....NG TUBE
ACTIVE.....Yes
DESCRIPTION.....Nasogastric Tube
DISPLAY_NAME.....Nasogastric Tube
HELP_TEXT.....No Help Text
ID.....{6475E343-A310-48A5-B543-D29573E7684D}
TERM.....NASOGASTRIC TUBE

DATA VALUE: NASOGASTRIC TUBE SMALL BORE

ABBREVIATION.....NGT SMALL
ACTIVE.....Yes
DESCRIPTION.....NGT Small Bore Tube
DISPLAY_NAME.....Nasal Gastric Tube Small Bore
HELP_TEXT.....No Help Text
ID.....{D9FDAD80-9BE2-4B96-87C6-1D25D26D2959}
TERM.....NASOGASTRIC TUBE SMALL BORE

DATA VALUE: NAUSEA

ABBREVIATION.....NAUSEA
ACTIVE.....Yes
DESCRIPTION.....Nausea
DISPLAY_NAME.....Nausea

HELP_TEXT.....Nausea

ID.....{6BF33DC3-0300-4643-BB14-27C35692B806}

TERM.....NAUSEA

DATA VALUE: NEAT

ABBREVIATION.....NEAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Neat

HELP_TEXT.....No Help Text

ID.....{8B01F7B8-B626-4143-A092-1E732EEB4A05}

TERM.....NEAT

DATA VALUE: NECROTIC

ABBREVIATION.....NECROTIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Necrotic

HELP_TEXT.....No Help Text

ID.....{86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}

TERM.....NECROTIC

DATA VALUE: NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY

ABBREVIATION.....Needleless

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Needleless Hub Disinfected and
Accessed per Policy

HELP_TEXT.....

ID.....{5D9D8D90-9B39-4DF3-8095-755235687F45}

TERM.....NEEDLELESS HUB DISINFECTED AND
ACCESSED PER POLICY

DATA VALUE: NEEDS REINFORCEMENT

ABBREVIATION.....NEED REINF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Needs Reinforcement

HELP_TEXT.....No Help Text

ID.....{B6171F65-4530-418D-A63B-65DFFF522786}

TERM.....NEEDS REINFORCEMENT

DATA VALUE: NEGATIVE PRESSURE

ABBREVIATION.....NEG PRESSU

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Negative Pressure
HELP_TEXT.....No Help Text
ID.....{6D6CB4BB-96B0-4978-97CC-116A03479DAD}
TERM.....NEGATIVE PRESSURE

DATA VALUE: NEGATIVE PRESSURE THERAPY DEVICE

ABBREVIATION.....NEG PRE TH
ACTIVE.....Yes
DESCRIPTION.....Negative Pressure Therapy Device
DISPLAY_NAME.....Negative Pressure Therapy Device
HELP_TEXT.....No Help Text
ID.....{8AF0A069-66AD-4114-99D8-238AD987F0FF}
TERM.....NEGATIVE PRESSURE THERAPY DEVICE

DATA VALUE: NEPRO

ABBREVIATION.....Nepro
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Nepro
HELP_TEXT.....
ID.....{00FFC7A1-5CDA-45AF-BD50-D77666A23851}
TERM.....NEPRO

DATA VALUE: NEPRO CARB STEADY

ABBREVIATION.....Nepro Car

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Nepro Carb Steady

HELP_TEXT.....

ID.....{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}

TERM.....NEPRO CARB STEADY

DATA VALUE: NEPRO RENAL FORMULA

ABBREVIATION.....NEP RENAL

ACTIVE.....Yes

DESCRIPTION.....Nepro Renal Enteral Nutrition Formula

DISPLAY_NAME.....Nepro Renal Enteral Nutrition Formula

HELP_TEXT.....No Help Text

ID.....{B8F28816-BC81-443F-AEC5-DBAE4D435998}

TERM.....NEPRO RENAL FORMULA

DATA VALUE: NEUROGENIC BLADDER

ABBREVIATION.....Neuro Blad

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Neurogenic Bladder

HELP_TEXT.....

ID.....{D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}

TERM.....NEUROGENIC BLADDER

DATA VALUE: NEUTRAL PRESSURE CONNECTOR

ABBREVIATION.....N Pres Con

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Neutral Pressure Connector

HELP_TEXT.....

ID.....{263F1A2C-4384-4B6A-B930-B9AF85B7F965}

TERM.....NEUTRAL PRESSURE CONNECTOR

DATA VALUE: NEUTROPENIC

ABBREVIATION.....NEUTROPENI

ACTIVE.....Yes

DESCRIPTION.....Neutropenic Diet

DISPLAY_NAME.....Neutropenic

HELP_TEXT.....No Help Text

ID.....{5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}

TERM.....NEUTROPENIC

DATA VALUE: NEW ADMISSION EDUCATION

ABBREVIATION.....N ADM EDU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....New Admission Education

HELP_TEXT.....No Help Text

ID.....{1890BC97-FEEB-4BED-A054-3C754C01817B}

TERM.....NEW ADMISSION EDUCATION

DATA VALUE: NEW SITE

ABBREVIATION.....NEW SITE

ACTIVE.....Yes

DESCRIPTION.....New Site

DISPLAY_NAME.....New Site

HELP_TEXT.....No Help Text

ID.....{10B1FF61-E58E-4608-9CCB-9232BC964418}

TERM.....NEW SITE

DATA VALUE: NIGHT LIGHT PROVIDED

ABBREVIATION.....Night Lite

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Night Light Provided

HELP_TEXT.....

ID.....{A6F3E41A-92A1-4AAE-9EFC-84D21E8A32BD}

TERM.....NIGHT LIGHT PROVIDED

DATA VALUE: NLP: NO LIGHT PERCEPTION

ABBREVIATION.....NLP

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....NLP: No Light Perception

HELP_TEXT.....

ID.....{F710E3C5-9B5A-4826-876D-B5675F9AA67E}

TERM.....NLP: NO LIGHT PERCEPTION

DATA VALUE: NO

ABBREVIATION.....n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....No

HELP_TEXT.....No Help Text

ID.....{FC275445-1225-9912-18A3-DF36245893D3}

TERM.....NO

DATA VALUE: NO BREAK IN EPIDERMIS

ABBREVIATION.....NO BREAK E
ACTIVE.....Yes
DESCRIPTION.....No Break In Epidermis
DISPLAY_NAME.....No Break In Epidermis
HELP_TEXT.....No Help Text
ID.....{615D96CD-6096-446B-BDDF-3F7242936AF9}
TERM.....NO BREAK IN EPIDERMIS

DATA VALUE: NO MOVEMENT

ABBREVIATION.....nm
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....No Movement
HELP_TEXT.....No Help Text
ID.....{2618E301-379B-BAB9-9EDE-98FD4B60D311}
TERM.....NO MOVEMENT

DATA VALUE: NO PREFERENCE

ABBREVIATION.....No Pref
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....No Preference

HELP_TEXT.....

ID.....{CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}

TERM.....NO PREFERENCE

DATA VALUE: NO SIGNS AND SYMPTOMS

ABBREVIATION.....NO SIG&SYM

ACTIVE.....Yes

DESCRIPTION.....No Signs And Symptoms

DISPLAY_NAME.....No Signs And Symptoms

HELP_TEXT.....No Help Text

ID.....{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}

TERM.....NO SIGNS AND SYMPTOMS

DATA VALUE: NO WANDERING PREVENTION MEASURES APPLIED

ABBREVIATION.....No Wan App

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....No Wandering Prevention Measures

Applied

HELP_TEXT.....

ID.....{6967F640-223E-46CE-82F9-0E4D87745D94}

TERM.....NO WANDERING PREVENTION MEASURES

APPLIED

DATA VALUE: NO WANDERING PREVENTION MEASURES NEEDED

ABBREVIATION.....No Wan Nee

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....No Wandering Prevention Measures Needed

HELP_TEXT.....

ID.....{8D39BA2B-24C6-4355-9AC2-4AAAD2E66D9B}

TERM.....NO WANDERING PREVENTION MEASURES NEEDED

DATA VALUE: NON-ADHERENT GAUZE

ABBREVIATION.....NON-AD GAU

ACTIVE.....Yes

DESCRIPTION.....Non-Adherent Gauze

DISPLAY_NAME.....Non-Adherent gauze

HELP_TEXT.....No Help Text

ID.....{1DBF7C56-F5C2-42B5-AB59-B39A5069A414}

TERM.....NON-ADHERENT GAUZE

DATA VALUE: NON-PITTING

ABBREVIATION.....NON-PITTIN

ACTIVE.....Yes

DESCRIPTION.....NON-PITTING

DISPLAY_NAME.....Non-Pitting

HELP_TEXT.....NON-PITTING

ID.....{786DEC76-36DE-FDC7-885C-F84210F7C7D2}

TERM.....NON-PITTING

DATA VALUE: NON-PRODUCTIVE

ABBREVIATION.....np

ACTIVE.....Yes

DESCRIPTION.....Does not produce desired result

DISPLAY_NAME.....Non-Productive

HELP_TEXT.....Does not produce desired result

ID.....{9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}

TERM.....NON-PRODUCTIVE

DATA VALUE: NON-SKID SLIPPERS

ABBREVIATION.....Non-Skid

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Non-Skid Slippers

HELP_TEXT.....

ID.....{D7641B31-2CB9-4284-B505-74B131BF4789}

TERM.....NON-SKID SLIPPERS

DATA VALUE: NON-TENDER

ABBREVIATION.....NON-TENDER

ACTIVE.....Yes

DESCRIPTION.....Not Tender

DISPLAY_NAME.....Non-Tender

HELP_TEXT.....No Help Text

ID.....{5A3D41C0-A83D-4382-A573-D6884BB1670B}

TERM.....NON-TENDER

DATA VALUE: NONBLANCHABLE ERYTHEMA

ABBREVIATION.....N BLAN ERY

ACTIVE.....Yes

DESCRIPTION.....Nonblanchable Erythema

DISPLAY_NAME.....Nonblanchable Erythema

HELP_TEXT.....No Help Text

ID.....{30273ACE-03F3-4818-995B-26586AAB5499}

TERM.....NONBLANCHABLE ERYTHEMA

DATA VALUE: NONE

ABBREVIATION.....NONE

ACTIVE.....Yes

DESCRIPTION.....None

DISPLAY_NAME.....None

HELP_TEXT.....No Help Text

ID.....{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

TERM.....NONE

DATA VALUE: NONE IDENTIFIED AT THIS VISIT

ABBREVIATION.....None

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....None identified at this Visit

HELP_TEXT.....

ID.....{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}

TERM.....NONE IDENTIFIED AT THIS VISIT

DATA VALUE: NONREACTIVE

ABBREVIATION.....nonreact

ACTIVE.....Yes

DESCRIPTION.....Nonreactive

DISPLAY_NAME.....Nonreactive

HELP_TEXT.....No Help Text

ID.....{AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}

TERM.....NONREACTIVE

DATA VALUE: NORMAL

ABBREVIATION.....n
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Normal
HELP_TEXT.....No Help Text
ID.....{553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
TERM.....NORMAL

DATA VALUE: NORMAL FOR ETHNIC GROUP

ABBREVIATION.....ETH. NORM.
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Normal for ethnic group
HELP_TEXT.....Skin color is normal for ethnic group
ID.....{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}
TERM.....NORMAL FOR ETHNIC GROUP

DATA VALUE: NORMAL POWER

ABBREVIATION.....np
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Normal Power

HELP_TEXT.....No Help Text

ID.....{0E45C061-0744-8A21-7256-003702A5005B}

TERM.....NORMAL POWER

DATA VALUE: NORMAL SINUS

ABBREVIATION.....ns

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Normal Sinus

HELP_TEXT.....No Help Text

ID.....{735DC86D-08CD-1533-5A36-4775A882C507}

TERM.....NORMAL SINUS

DATA VALUE: NORMAL STOOL

ABBREVIATION.....NORM STOOL

ACTIVE.....Yes

DESCRIPTION.....Normal Stool

DISPLAY_NAME.....Normal Stool

HELP_TEXT.....No Help Text

ID.....{486B0693-CAC5-48EE-B2E6-1F73C651418A}

TERM.....NORMAL STOOL

DATA VALUE: NOT DONE

ABBREVIATION.....NOT DONE

ACTIVE.....Yes

DESCRIPTION.....Not Done

DISPLAY_NAME.....Not Done

HELP_TEXT.....No Help Text

ID.....{C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

TERM.....NOT DONE

DATA VALUE: NOT MONITORED

ABBREVIATION.....NOT MONITO

ACTIVE.....Yes

DESCRIPTION.....Not Monitored

DISPLAY_NAME.....Not Monitored

HELP_TEXT.....No Help Text

ID.....{0E6A8A07-48E0-428F-8D86-22572CABCF48}

TERM.....NOT MONITORED

DATA VALUE: NOVASOURCE 2.0

ABBREVIATION.....NOVAS 2.0

ACTIVE.....Yes

DESCRIPTION.....Novasource 2.0 Enteral Nutrition

Formula

DISPLAY_NAME.....Novasource 2.0 Enteral Nutrition

Formula

HELP_TEXT.....No Help Text

ID.....{ACE82591-502A-4FBA-9697-B1B330DED78A}

TERM.....NOVASOURCE 2.0

DATA VALUE: NP

ABBREVIATION.....NP

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....NP

HELP_TEXT.....

ID.....{E7EA4017-4374-41A1-9D3D-54051CEDF63C}

TERM.....NP

DATA VALUE: NPO DIET

ABBREVIATION.....NPO DIET

ACTIVE.....Yes

DESCRIPTION.....Nothing By Mouth Diet

DISPLAY_NAME.....NPO Diet

HELP_TEXT.....Nothing By Mouth Diet

ID.....{BEC8F771-B082-40A2-9EE8-553222A25FBB}

TERM.....NPO DIET

DATA VALUE: NSG ASSIST

ABBREVIATION.....Nsg Assist

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Nsg Assist

HELP_TEXT.....

ID.....{14FA9638-3786-4FEA-BE8F-2345C1F455C3}

TERM.....NSG ASSIST

DATA VALUE: NUMB

ABBREVIATION.....NUMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....NUMB

HELP_TEXT.....No Help Text

ID.....{652634C0-5334-4D56-BE57-5F58F952FF0D}

TERM.....NUMB

DATA VALUE: NUMBER: SPECIFY

ABBREVIATION.....Specify

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Number: Specify

HELP_TEXT.....When "Number" is selected, enter
numeric value as a "Comment"

ID.....{397D773F-78F9-4E69-9A84-B518109A95AB}

TERM.....NUMBER: SPECIFY

DATA VALUE: NUMBNESS

ABBREVIATION.....n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Numbness

HELP_TEXT.....No Help Text

ID.....{037F2F79-36D9-A0B3-C23E-8EE525932AF3}

TERM.....NUMBNESS

DATA VALUE: NURSING STATION

ABBREVIATION.....ns

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nursing Station

HELP_TEXT.....No Help Text

ID.....{B6E48F92-B9BA-488F-3A2E-D74568A6B855}

TERM.....NURSING STATION

DATA VALUE: NUTRIHEP

ABBREVIATION.....Nutrihep

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Nutrihep

HELP_TEXT.....

ID.....{ABD98675-EB60-40C7-BCE6-73FD787F6D17}

TERM.....NUTRIHEP

DATA VALUE: NUTRITION

ABBREVIATION.....NUTRITION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nutrition

HELP_TEXT.....No Help Text

ID.....{429A28EF-8A1F-4247-85E8-68D4EFCD189C}

TERM.....NUTRITION

DATA VALUE: NUTRITIONAL SUPPLEMENT

ABBREVIATION.....NUTR SUPPL

ACTIVE.....Yes

DESCRIPTION.....Nutritional Supplement

DISPLAY_NAME.....Nutritional Supplement

HELP_TEXT.....No Help Text
ID.....{4573BD4E-7220-4B88-A2EE-959F8A0E1199}
TERM.....NUTRITIONAL SUPPLEMENT

DATA VALUE: OBEYS COMMANDS

ABBREVIATION.....OBEYS COMM
ACTIVE.....Yes
DESCRIPTION.....Obeys Commands
DISPLAY_NAME.....Obeys Commands
HELP_TEXT.....No Help Text
ID.....{EE88EE08-4C71-4C70-B93E-65F9091544C1}
TERM.....OBEYS COMMANDS

DATA VALUE: OBSTRUCTIVE SLEEP APNEA

ABBREVIATION.....Ob Sleep A
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Obstructive Sleep Apnea
HELP_TEXT.....
ID.....{217F9D63-4624-4201-9F98-C0D992B663DE}
TERM.....OBSTRUCTIVE SLEEP APNEA

DATA VALUE: OBTUNDED

ABBREVIATION.....OBTUNDED

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....OBTUNDED

HELP_TEXT.....

ID.....{356C0511-C91C-4B79-AF10-072F94D4AE09}

TERM.....OBTUNDED

DATA VALUE: OCCLUDED

ABBREVIATION.....Occluded

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Occluded

HELP_TEXT.....

ID.....{25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

TERM.....OCCLUDED

DATA VALUE: OFF DURING BATHING

ABBREVIATION.....OFF BATHIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Off During Bathing

HELP_TEXT.....No Help Text
ID.....{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}
TERM.....OFF DURING BATHING

DATA VALUE: OFF WHILE AMBULATORY

ABBREVIATION.....OFF AMBULA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Off While Ambulatory
HELP_TEXT.....No Help Text
ID.....{FF4610BF-8C92-408F-882A-1D6B2C2F146F}
TERM.....OFF WHILE AMBULATORY

DATA VALUE: OFFER PRN MEDS

ABBREVIATION.....OFFER PRN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Offer PRN Meds
HELP_TEXT.....No Help Text
ID.....{B7AF4903-913C-4848-A255-0B4767B81AE2}
TERM.....OFFER PRN MEDS

DATA VALUE: OFFERED

ABBREVIATION.....OFFERED

ACTIVE.....Yes

DESCRIPTION.....Offered

DISPLAY_NAME.....Offered

HELP_TEXT.....No Help Text

ID.....{715091C2-9668-4678-900E-6D55D3335A30}

TERM.....OFFERED

DATA VALUE: ON WHILE SITTING IN CHAIR

ABBREVIATION.....ON IN CHAI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....On While Sitting In Chair

HELP_TEXT.....No Help Text

ID.....{4139F4C3-BB68-4477-BF63-9BE7813AADA7}

TERM.....ON WHILE SITTING IN CHAIR

DATA VALUE: ONE PERSON ASSIST

ABBREVIATION.....1 PERS AS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....One Person Assist

HELP_TEXT.....No Help Text

ID.....{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

TERM.....ONE PERSON ASSIST

DATA VALUE: ONE TO ONE SUPERVISION

ABBREVIATION.....1 SUPERV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....One To One Supervision

HELP_TEXT.....No Help Text

ID.....{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}

TERM.....ONE TO ONE SUPERVISION

DATA VALUE: OOZING

ABBREVIATION.....Oozing

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Oozing

HELP_TEXT.....

ID.....{C23549D7-3238-4523-BA31-AB71609F01C2}

TERM.....OOZING

DATA VALUE: OPEN SPONTANEOUSLY

ABBREVIATION.....OPEN SPONT

ACTIVE.....Yes

DESCRIPTION.....Open Spontaneously

DISPLAY_NAME.....Open Spontaneously

HELP_TEXT.....No Help Text

ID.....{013F1473-BDC9-4E7C-9709-C577357709F6}

TERM.....OPEN SPONTANEOUSLY

DATA VALUE: OPEN SYSTEM

ABBREVIATION.....Open syste

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Open System

HELP_TEXT.....

ID.....{2047EDE8-5D72-4541-A23A-81F097A6CA2A}

TERM.....OPEN SYSTEM

DATA VALUE: OPEN TO AIR

ABBREVIATION.....OPE TO AIR

ACTIVE.....Yes

DESCRIPTION.....Open To Air

DISPLAY_NAME.....Open To Air

HELP_TEXT.....No Help Text

ID.....{EFB715D0-5666-4281-9034-A0326A14B2BB}

TERM.....OPEN TO AIR

DATA VALUE: OPERATING ROOM

ABBREVIATION.....OR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Operating Room

HELP_TEXT.....No Help Text

ID.....{37DACE14-2A28-45F4-9DEA-35A1A433F4E6}

TERM.....OPERATING ROOM

DATA VALUE: ORAL

ABBREVIATION.....ORAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Oral

HELP_TEXT.....No Help Text

ID.....{BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}

TERM.....ORAL

DATA VALUE: ORAL AIRWAY

ABBREVIATION.....ORAL AIRWA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Oral Airway
HELP_TEXT.....No Help Text
ID.....{B0CF4270-A68D-1322-0621-1DFF8D677B40}
TERM.....ORAL AIRWAY

DATA VALUE: ORAL ENDOTRACHEAL

ABBREVIATION.....ORAL ENDO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Oral Endotracheal
HELP_TEXT.....No Help Text
ID.....{466CAD16-D7F3-9D73-6500-959C4DA50D9A}
TERM.....ORAL ENDOTRACHEAL

DATA VALUE: ORAL GASTRIC TUBE

ABBREVIATION.....OG TUBE
ACTIVE.....Yes
DESCRIPTION.....Oral Gastric Enteral Feeding Tube
DISPLAY_NAME.....Oral Gastric Tube

HELP_TEXT.....No Help Text
ID.....{C6995D6A-939C-4C31-A3C2-4504CB5597CD}
TERM.....ORAL GASTRIC TUBE

DATA VALUE: ORANGE

ABBREVIATION.....ORANGE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Orange
HELP_TEXT.....No Help Text
ID.....{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
TERM.....ORANGE

DATA VALUE: ORIENTATION

ABBREVIATION.....ORIENTA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Orientation
HELP_TEXT.....No Help Text
ID.....{10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}
TERM.....ORIENTATION

DATA VALUE: ORIENTED

ABBREVIATION.....ORIENTED

ACTIVE.....Yes

DESCRIPTION.....Oriented

DISPLAY_NAME.....Oriented

HELP_TEXT.....No Help Text

ID.....{B8DC9245-6D81-40E4-8B47-B6413E49F152}

TERM.....ORIENTED

DATA VALUE: ORIENTED TO CALL FOR ASSISTANCE

ABBREVIATION.....Call/Asst

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Oriented to Call for Assistance

HELP_TEXT.....

ID.....{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}

TERM.....ORIENTED TO CALL FOR ASSISTANCE

DATA VALUE: ORIENTED TO PERSON

ABBREVIATION.....otp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Oriented To Person

HELP_TEXT.....No Help Text
ID.....{9912CFB9-AC55-6445-3EC1-0F1DF98C0561}
TERM.....ORIENTED TO PERSON

DATA VALUE: ORIENTED TO PLACE

ABBREVIATION.....otp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Oriented To Place
HELP_TEXT.....No Help Text
ID.....{8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}
TERM.....ORIENTED TO PLACE

DATA VALUE: ORIENTED TO SITUATION

ABBREVIATION.....ots
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Oriented To Situation
HELP_TEXT.....No Help Text
ID.....{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}
TERM.....ORIENTED TO SITUATION

DATA VALUE: ORIENTED TO SURROUNDINGS/ROUTINE

ABBREVIATION.....Oriented
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Oriented to Surroundings/Routine
HELP_TEXT.....
ID.....{A8F3F756-E5B5-4B8D-AF21-E45746A64E46}
TERM.....ORIENTED TO SURROUNDINGS/ROUTINE

DATA VALUE: ORIENTED TO TIME

ABBREVIATION.....ott
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Oriented To Time
HELP_TEXT.....No Help Text
ID.....{C79EBE25-C51B-478C-CB39-25943792F191}
TERM.....ORIENTED TO TIME

DATA VALUE: ORTHOPNEIC

ABBREVIATION.....ORTHOPNIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Orthopneic

HELP_TEXT.....No Help Text

ID.....{FF373BD7-FD84-DF43-7A44-1B8E62917116}

TERM.....ORTHOPNEIC

DATA VALUE: ORTHOTIC BOOTS

ABBREVIATION.....ORTHO BOOT

ACTIVE.....Yes

DESCRIPTION.....ORTHOTIC BOOTS

DISPLAY_NAME.....Orthotic Boots

HELP_TEXT.....ORTHOTIC BOOTS

ID.....{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}

TERM.....ORTHOTIC BOOTS

DATA VALUE: ORTHOTIC COLLAR

ABBREVIATION.....ORTHO COLL

ACTIVE.....Yes

DESCRIPTION.....ORTHOTIC COLLAR

DISPLAY_NAME.....Orthotic Collar

HELP_TEXT.....ORTHOTIC COLLAR

ID.....{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}

TERM.....ORTHOTIC COLLAR

DATA VALUE: ORTHOTIC KNEE IMMOBILIZER

ABBREVIATION.....KNEE IMMOB
ACTIVE.....Yes
DESCRIPTION.....ORTHOTIC KNEE IMMOBILIZER
DISPLAY_NAME.....Orthotic Knee Immobilizer
HELP_TEXT.....ORTHOTIC KNEE IMMOBILIZER
ID.....{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}
TERM.....ORTHOTIC KNEE IMMOBILIZER

DATA VALUE: ORTHOTIC SPINE BRACE

ABBREVIATION.....ORTH SPINE
ACTIVE.....Yes
DESCRIPTION.....ORTHOTIC SPINE BRACE
DISPLAY_NAME.....Orthotic Spine Brace
HELP_TEXT.....ORTHOTIC SPINE BRACE
ID.....{B47A3536-FEBC-802E-01A1-E909147D18C2}
TERM.....ORTHOTIC SPINE BRACE

DATA VALUE: ORTHOTIC TED HOSE

ABBREVIATION.....TED HOSE
ACTIVE.....Yes
DESCRIPTION.....TED HOSE
DISPLAY_NAME.....Orthotic TED Hose

HELP_TEXT.....TED HOSE

ID.....{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}

TERM.....ORTHOTIC TED HOSE

DATA VALUE: ORTHOTIC WEDGE PILLOW

ABBREVIATION.....WEDG PILLO

ACTIVE.....Yes

DESCRIPTION.....WEDGE PILLOW

DISPLAY_NAME.....Orthotic Wedge Pillow

HELP_TEXT.....WEDGE PILLOW

ID.....{20E58D21-399B-85E4-BDAB-93B371395BCF}

TERM.....ORTHOTIC WEDGE PILLOW

DATA VALUE: OSMOLITE

ABBREVIATION.....OSMOLITE

ACTIVE.....Yes

DESCRIPTION.....Enteral Nutrition Type

DISPLAY_NAME.....Osmolite

HELP_TEXT.....No Help Text

ID.....{8E41BB55-063E-43C0-BAFE-65150EDD99F8}

TERM.....OSMOLITE

DATA VALUE: OSMOLITE 1.0

ABBREVIATION.....Osmo 1.0

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Osmolite 1.0

HELP_TEXT.....

ID.....{D5EE7DA5-707B-4000-A133-0C571824A376}

TERM.....OSMOLITE 1.0

DATA VALUE: OSMOLITE 1.2

ABBREVIATION.....Osmo 1.2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Osmolite 1.2

HELP_TEXT.....

ID.....{CEF57C44-82E5-43F5-8646-F8FBCD4609A0}

TERM.....OSMOLITE 1.2

DATA VALUE: OSMOLITE 1.5

ABBREVIATION.....Osmo 1.5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Osmolite 1.5

HELP_TEXT.....

ID.....{8AF4CD1A-631A-4E95-A631-ACFF775284BA}

TERM.....OSMOLITE 1.5

DATA VALUE: OSMOLITE HN

ABBREVIATION.....OSMOLIT HN

ACTIVE.....Yes

DESCRIPTION.....Enteral Nutrition Type

DISPLAY_NAME.....Osmolite HN

HELP_TEXT.....No Help Text

ID.....{E4186CA6-302F-4513-B125-30B094151423}

TERM.....OSMOLITE HN

DATA VALUE: OSTOMY CARE

ABBREVIATION.....Ostomy Car

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Ostomy Care

HELP_TEXT.....

ID.....{BC834BC9-5861-4B94-BA34-FDF5C9FDF979}

TERM.....OSTOMY CARE

DATA VALUE: OTHER

ABBREVIATION.....Other

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Other

HELP_TEXT.....

ID.....{4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

TERM.....OTHER

DATA VALUE: OTHER (ADD COMMENTS)

ABBREVIATION.....Other

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Other (Add Comments)

HELP_TEXT.....

ID.....{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}

TERM.....OTHER (ADD COMMENTS)

DATA VALUE: OTHER (COMMENT REQUIRED)

ABBREVIATION.....Other Req

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Other (Comment Required)

HELP_TEXT.....

ID.....{334806FC-36EA-4BCB-B3E4-1EC61A5C8DB9}

TERM.....OTHER (COMMENT REQUIRED)

DATA VALUE: OTHER (SEE COMMENTS)

ABBREVIATION.....Other

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Other (see comments)

HELP_TEXT.....

ID.....{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

TERM.....OTHER (SEE COMMENTS)

DATA VALUE: OUTPATIENT

ABBREVIATION.....Outpatient

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Outpatient

HELP_TEXT.....

ID.....{CFDEB843-1AB5-4B6B-870C-1729EA4E05A9}

TERM.....OUTPATIENT

DATA VALUE: OVER WIRE

ABBREVIATION.....OVER WIRE

ACTIVE.....Yes

DESCRIPTION.....Over Wire

DISPLAY_NAME.....Over Wire

HELP_TEXT.....No Help Text

ID.....{157CD456-1020-43AE-9AAA-1686F1574B6F}

TERM.....OVER WIRE

DATA VALUE: OXEPA

ABBREVIATION.....Oxepa

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Oxepa

HELP_TEXT.....

ID.....{1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}

TERM.....OXEPA

DATA VALUE: OXIMETRIC

ABBREVIATION.....OXIMETRIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Oximetric Catheter

HELP_TEXT.....No Help Text

ID.....{DA1F5AAA-A349-C17B-74CD-1794492E0A13}

TERM.....OXIMETRIC

DATA VALUE: PA

ABBREVIATION.....PA

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....PA

HELP_TEXT.....

ID.....{C057C47D-780A-4230-B577-2C528AD09DEB}

TERM.....PA

DATA VALUE: PAC

ABBREVIATION.....p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....PAC

HELP_TEXT.....No Help Text

ID.....{848AB18A-598D-8E4E-8B1B-ED7478CE340B}

TERM.....PAC

DATA VALUE: PACED: ATRIAL

ABBREVIATION.....pa
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Paced: Atrial
HELP_TEXT.....No Help Text
ID.....{88837DD4-098D-B77F-A754-89D5C4F5870F}
TERM.....PACED: ATRIAL

DATA VALUE: PACED: AV SEQUENTIAL

ABBREVIATION.....pas
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Paced: Av Sequential
HELP_TEXT.....No Help Text
ID.....{3C485674-224C-47DA-510D-92F1A0CA54A1}
TERM.....PACED: AV SEQUENTIAL

DATA VALUE: PACED: VENTRICULAR

ABBREVIATION.....pv
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Paced: Ventricular

HELP_TEXT.....No Help Text

ID.....{A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}

TERM.....PACED: VENTRICULAR

DATA VALUE: PACER

ABBREVIATION.....Pacer

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pacer

HELP_TEXT.....

ID.....{F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}

TERM.....PACER

DATA VALUE: PAIN

ABBREVIATION.....PAIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Pain

HELP_TEXT.....No Help Text

ID.....{F2F23EE7-0A06-46B8-A496-B7A4651A551F}

TERM.....PAIN

DATA VALUE: PAIN CONTROLLED PER PT

ABBREVIATION.....PAIN CON
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pain Controlled Per Patient
HELP_TEXT.....No Help Text
ID.....{7EC1AF38-39B1-475E-B58C-E33404A47E96}
TERM.....PAIN CONTROLLED PER PT

DATA VALUE: PAINAD BL 0

ABBREVIATION.....PAINAD BL0
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....0 = Relaxed
HELP_TEXT.....No Help Text
ID.....{C77929DB-A59A-4A24-B57B-BF111770C2AB}
TERM.....PAINAD BL 0

DATA VALUE: PAINAD BL 1

ABBREVIATION.....PAINAD BL1
ACTIVE.....Yes
DESCRIPTION.....1 = Tense, Distressed Pacing, Fidgeting
DISPLAY_NAME.....1 = Tense, Distressed Pacing, Fidgeting

HELP_TEXT.....1 = Tense, Distressed Pacing, Fidgeting
ID.....{CC1E1516-086D-4B79-8264-0C3BD67D8552}
TERM.....PAINAD BL 1

DATA VALUE: PAINAD BL 2

ABBREVIATION.....PAINAD BL2
ACTIVE.....Yes
DESCRIPTION.....2 = Rigid, Fists Clenched, Knees
Pulled Up, Pulling or Pushing Away,
Striking Out

DISPLAY_NAME.....2 = Rigid, Fists Clenched, Knees
Pulled Up, Pulling or Pushing

HELP_TEXT.....2 = Rigid, Fists Clenched, Knees
Pulled Up, Pulling or Pushing Away,
Striking Out

ID.....{34C3E304-DF66-40A7-906F-22AEA3F76FAD}
TERM.....PAINAD BL 2

DATA VALUE: PAINAD BR 0

ABBREVIATION.....PAINAD B0
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....0 = Normal
HELP_TEXT.....No Help Text
ID.....{58E71B2E-F5C3-419F-8B71-A9FD701E0202}

TERM.....PAINAD BR 0

DATA VALUE: PAINAD BR 1

ABBREVIATION.....PAINAD BR1

ACTIVE.....Yes

DESCRIPTION.....1 = Occasional Labored Breathing.

Short Period of Hyperventilation

DISPLAY_NAME.....1 = Occasional Labored Breathing.

Short Period of Hyperventilation

HELP_TEXT.....1 = Occasional Labored Breathing.

Short Period of Hyperventilation

ID.....{727D1B04-A702-4806-857B-78BCBACB0FE1}

TERM.....PAINAD BR 1

DATA VALUE: PAINAD BR 2

ABBREVIATION.....PAINAD BR2

ACTIVE.....Yes

DESCRIPTION.....2 = Noisy Labored Breathing.

Cheyne-Stokes Respirations

DISPLAY_NAME.....2 = Noisy Labored Breathing.

Cheyne-Stokes Respirations

HELP_TEXT.....2 = Noisy Labored Breathing.

Cheyne-Stokes Respirations

ID.....{37978012-ADAC-416C-8920-48CDAAA5D59D}

TERM.....PAINAD BR 2

DATA VALUE: PAINAD CO 0

ABBREVIATION.....PAINAD CO0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 = No Need To Console

HELP_TEXT.....No Help Text

ID.....{06A89B55-5822-42F7-A689-DBD91B62979F}

TERM.....PAINAD CO 0

DATA VALUE: PAINAD CO 1

ABBREVIATION.....PAINAD CO1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 = Distracted or Reassured By Voice
or Touch

HELP_TEXT.....No Help Text

ID.....{8E5DDB47-1955-40AD-A008-A9CE4646A707}

TERM.....PAINAD CO 1

DATA VALUE: PAINAD CO 2

ABBREVIATION.....PAINAD CO2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 = Unable To Console, Distract or
Reassure

HELP_TEXT.....No Help Text

ID.....{1DFFB735-6272-4B60-8F42-CCCAA701C7A7}

TERM.....PAINAD CO 2

DATA VALUE: PAINAD FE 0

ABBREVIATION.....PAINAD FE0
ACTIVE.....Yes
DESCRIPTION.....0 = Smiling or Inexpressive
DISPLAY_NAME.....0 = Smiling or Inexpressive
HELP_TEXT.....0 = Smiling or Inexpressive
ID.....{B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}
TERM.....PAINAD FE 0

DATA VALUE: PAINAD FE 1

ABBREVIATION.....PAINAD FE1
ACTIVE.....Yes
DESCRIPTION.....1 = Sad, Frightened, Frown
DISPLAY_NAME.....1 = Sad, Frightened, Frown
HELP_TEXT.....1 = Sad, Frightened, Frown
ID.....{66C01EE9-8F36-40B5-AED2-DBC2E94F860D}
TERM.....PAINAD FE 1

DATA VALUE: PAINAD FE 2

ABBREVIATION.....PAINAD FE2
ACTIVE.....Yes
DESCRIPTION.....2 = Facial Grimacing
DISPLAY_NAME.....2 = Facial Grimacing

HELP_TEXT.....2 = Facial Grimacing

ID.....{35688D06-94F2-4B36-8940-529803D4BC43}

TERM.....PAINAD FE 2

DATA VALUE: PAINAD NV 0

ABBREVIATION.....PAINAD NV0

ACTIVE.....Yes

DESCRIPTION.....0 = None

DISPLAY_NAME.....0 = None

HELP_TEXT.....0 = None

ID.....{63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}

TERM.....PAINAD NV 0

DATA VALUE: PAINAD NV 1

ABBREVIATION.....PAINAD NV1

ACTIVE.....Yes

DESCRIPTION.....1 = Occasional Moan or Groan. Low

Level Speech With A Negative or

Disapproving Quality

DISPLAY_NAME.....1 = Occasional Moan or Groan

HELP_TEXT.....1 = Occasional Moan or Groan. Low

Level Speech With A Negative or

Disapproving Quality

ID.....{D517E6C9-9D98-4D0F-A8F4-261BED4812D1}

TERM.....PAINAD NV 1

DATA VALUE: PAINAD NV 2

ABBREVIATION.....PAINAD NV2

ACTIVE.....Yes

DESCRIPTION.....2 = Repeated, Troubled, Calling Out,
Loud Moaning, Crying

DISPLAY_NAME.....2 = Repeated, Troubled, Calling Out,
Loud Moaning.

HELP_TEXT.....2 = Repeated, Troubled, Calling Out,
Loud Moaning, Crying

ID.....{3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}

TERM.....PAINAD NV 2

DATA VALUE: PAINFUL EXPRESSION

ABBREVIATION.....PAINFUL EX

ACTIVE.....Yes

DESCRIPTION.....Painful Expression

DISPLAY_NAME.....Painful Expression

HELP_TEXT.....No Help Text

ID.....{608554F9-29F9-4B27-BE63-486AF81810BD}

TERM.....PAINFUL EXPRESSION

DATA VALUE: PAIRS

ABBREVIATION.....Pairs

ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pairs
HELP_TEXT.....
ID.....{668B0D85-E507-4E12-B07A-A90CB98730DC}
TERM.....PAIRS

DATA VALUE: PALE

ABBREVIATION.....p
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pale
HELP_TEXT.....No Help Text
ID.....{0EB39D28-7ABE-A4AB-D334-3F795E65618D}
TERM.....PALE

DATA VALUE: PAROXYSMAL ATRIAL TACHYCARDIA

ABBREVIATION.....pat
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Paroxysmal Atrial Tachycardia
HELP_TEXT.....No Help Text
ID.....{27BC1FAF-A403-6EA8-044C-F1271F12A62A}
TERM.....PAROXYSMAL ATRIAL TACHYCARDIA

DATA VALUE: PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

ABBREVIATION.....PST

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Paroxysmal Supraventricular Tachycardia

HELP_TEXT.....

ID.....{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}

TERM.....PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS

ABBREVIATION.....PART EPIDE

ACTIVE.....Yes

DESCRIPTION.....Partial Thickness Skin Loss Involving

Epidermis/Dermis

DISPLAY_NAME.....Partial Thickness Skin Loss Involving

Epidermis/Dermis

HELP_TEXT.....No Help Text

ID.....{EAD3A260-CC46-4B47-AA49-91CFE13EEE4B}

TERM.....PART THICKNESS SKIN LOSS INVOLVE

EPIDERMIS/DERMIS

DATA VALUE: PARTIAL BATH

ABBREVIATION.....PART. BATH

ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Partial Bath
HELP_TEXT.....No Help Text
ID.....{60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}
TERM.....PARTIAL BATH

DATA VALUE: PARTIAL IMPAIRED

ABBREVIATION.....PART IMPAI
ACTIVE.....Yes
DESCRIPTION.....Partial Impaired
DISPLAY_NAME.....Partial Impaired
HELP_TEXT.....Partial Impaired
ID.....{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}
TERM.....PARTIAL IMPAIRED

DATA VALUE: PARTIAL LOWER

ABBREVIATION.....Part Low
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Partial Lower
HELP_TEXT.....
ID.....{2556CE7E-F211-4992-BCAF-09677C20BEFE}
TERM.....PARTIAL LOWER

DATA VALUE: PARTIAL SIMPLE

ABBREVIATION.....PART SIMP

ACTIVE.....Yes

DESCRIPTION.....Partial Simple

DISPLAY_NAME.....Partial Simple

HELP_TEXT.....Partial Simple

ID.....{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

TERM.....PARTIAL SIMPLE

DATA VALUE: PARTIAL UPPER

ABBREVIATION.....Part Up

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Partial Upper

HELP_TEXT.....

ID.....{D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}

TERM.....PARTIAL UPPER

DATA VALUE: PASSIVE RANGE OF MOTION

ABBREVIATION.....PASS ROM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Passive Range Of Motion

HELP_TEXT.....No Help Text

ID.....{DD43B9EF-E18F-4203-8564-89EBBAD963A4}

TERM.....PASSIVE RANGE OF MOTION

DATA VALUE: PATENT

ABBREVIATION.....Patent

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Patent

HELP_TEXT.....

ID.....{F0C38BCB-1D11-436C-8B8C-4297C27DDE04}

TERM.....PATENT

DATA VALUE: PATENT CLEAN

ABBREVIATION.....PAT CLEAN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Patent Clean

HELP_TEXT.....No Help Text

ID.....{68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}

TERM.....PATENT CLEAN

DATA VALUE: PATIENT

ABBREVIATION.....PATIENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Patient
HELP_TEXT.....No Help Text
ID.....{7881F205-BCD1-4948-AE66-AD572F5A02F2}
TERM.....PATIENT

DATA VALUE: PATIENT INFORMED

ABBREVIATION.....PAT INFORM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Patient Informed
HELP_TEXT.....No Help Text
ID.....{074A1D19-3920-49F1-8958-2EB6F9CF05BA}
TERM.....PATIENT INFORMED

DATA VALUE: PATIENT INSTRUCTED

ABBREVIATION.....pat instru
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Patient Instructed

HELP_TEXT.....

ID.....{D89A50A6-352D-4EB8-ABD7-5D732A060D9A}

TERM.....PATIENT INSTRUCTED

DATA VALUE: PATIENT LOCATOR DEVICE IN PLACE

ABBREVIATION.....Loc Device

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Patient Locator Device in Place

HELP_TEXT.....

ID.....{CAF7B45E-0143-472D-BABF-9A92857419E9}

TERM.....PATIENT LOCATOR DEVICE IN PLACE

DATA VALUE: PATIENT REFUSES MARKING

ABBREVIATION.....Pat Refuse

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Patient Refuses Marking

HELP_TEXT.....

ID.....{93CE893B-AFE1-4047-9EE9-2AD6388C0086}

TERM.....PATIENT REFUSES MARKING

DATA VALUE: PATIENT REPORTS NOT PRESENT

ABBREVIATION.....PT RP N PR
ACTIVE.....Yes
DESCRIPTION.....Patient Reports Not Present
DISPLAY_NAME.....Patient Reports Not Present
HELP_TEXT.....Patient Reports Not Present
ID.....{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}
TERM.....PATIENT REPORTS NOT PRESENT

DATA VALUE: PATIENT REPORTS PRESENT

ABBREVIATION.....PT REP PRE
ACTIVE.....Yes
DESCRIPTION.....Patient Reports Present
DISPLAY_NAME.....Patient Reports Present
HELP_TEXT.....Patient Reports Present
ID.....{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}
TERM.....PATIENT REPORTS PRESENT

DATA VALUE: PATIENT RIGHTS AND RESPONSIBILITIES

ABBREVIATION.....Pat Rights
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Patient Rights and Responsibilities

HELP_TEXT.....

ID.....{DA69AAEE-DBDC-4CAA-849A-7242F0854385}

TERM.....PATIENT RIGHTS AND RESPONSIBILITIES

DATA VALUE: PATIENT SIGNS SAFETY CONTRACT

ABBREVIATION.....PT CONTRAC

ACTIVE.....Yes

DESCRIPTION.....Patient Signs Safety Contract

DISPLAY_NAME.....Patient Signs Safety Contract

HELP_TEXT.....No Help Text

ID.....{C65734EC-2CAF-4547-8FD8-CBCD9C706003}

TERM.....PATIENT SIGNS SAFETY CONTRACT

DATA VALUE: PATIENT STATED

ABBREVIATION.....Pat Stated

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Patient Stated

HELP_TEXT.....

ID.....{843654E1-4BC9-4277-9EFC-0B388A70A907}

TERM.....PATIENT STATED

DATA VALUE: PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION

ABBREVIATION.....pswlosons

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Patient Stays Within Line Of Site Of
Nursing Station

HELP_TEXT.....No Help Text

ID.....{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}

TERM.....PATIENT STAYS WITHIN LINE OF SITE OF
NURSING STATION

DATA VALUE: PATIENT'S ROOM

ABBREVIATION.....pr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Patient's Room

HELP_TEXT.....No Help Text

ID.....{0F13E11D-9F78-14A3-0568-AF26393F39F1}

TERM.....PATIENT'S ROOM

DATA VALUE: PCA

ABBREVIATION.....PCA

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Patient Controlled Analgesia
HELP_TEXT.....No Help-Text
ID.....{A1EE27C6-F22A-4109-A8E6-28DCCE599E64}
TERM.....PCA

DATA VALUE: PCA AND BASAL RATE

ABBREVIATION.....PCA/BASAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PCA and Basal Rate
HELP_TEXT.....No Help Text
ID.....{D711BB51-0662-4DD0-8654-C737F6A6686A}
TERM.....PCA AND BASAL RATE

DATA VALUE: PCA ONLY

ABBREVIATION.....PCA ONLY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PCA Only
HELP_TEXT.....No Help Text
ID.....{30E0441A-1098-4FE9-B277-BF2BBD6B1667}
TERM.....PCA ONLY

DATA VALUE: PCA PUMP

ABBREVIATION.....PCA Pump
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....PCA Pump
HELP_TEXT.....
ID.....{C6F139AF-C42B-4577-83E1-A12675C31A21}
TERM.....PCA PUMP

DATA VALUE: PEDIATRIC

ABBREVIATION.....PEDIATRIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pediatric
HELP_TEXT.....No Help Text
ID.....{06865E22-3ED9-4EDD-9749-6F8641BF29DE}
TERM.....PEDIATRIC

DATA VALUE: PEG TUBE

ABBREVIATION.....PEG TUBE
ACTIVE.....Yes
DESCRIPTION.....PEG Tube EF Tube
DISPLAY_NAME.....PEG Tube

HELP_TEXT.....No Help Text

ID.....{970C3755-2B3F-462F-AA87-EA33F846843F}

TERM.....PEG TUBE

DATA VALUE: PENETRATING

ABBREVIATION.....PENETRATING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Penetrating

HELP_TEXT.....No Help Text

ID.....{00A2D4C8-EDDE-4593-A1F8-A87A836B3379}

TERM.....PENETRATING

DATA VALUE: PENROSE DRAIN

ABBREVIATION.....Penrose D

ACTIVE.....Yes

DESCRIPTION.....Penrose Drain

DISPLAY_NAME.....Penrose Drain

HELP_TEXT.....No Help Text

ID.....{DE508E95-D044-ACCA-EE69-33B9A8454E6C}

TERM.....PENROSE DRAIN

DATA VALUE: PERATIVE

ABBREVIATION.....Perative
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Perative
HELP_TEXT.....
ID.....{9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}
TERM.....PERATIVE

DATA VALUE: PERCUSSION BED

ABBREVIATION.....PERC BED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Percussion Bed
HELP_TEXT.....No Help Text
ID.....{BE0B086B-A2F3-446A-ADE0-9589E92689FE}
TERM.....PERCUSSION BED

DATA VALUE: PERINEAL CARE

ABBREVIATION.....PERIN CARE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Perineal Care

HELP_TEXT.....No Help Text

ID.....{D88736E4-E0EB-4FF7-9199-288A4D051A20}

TERM.....PERINEAL CARE

DATA VALUE: PERMANENT

ABBREVIATION.....p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Permanent

HELP_TEXT.....No Help Text

ID.....{A31FF319-F8C3-7AAC-D7FC-765C89732D09}

TERM.....PERMANENT

DATA VALUE: PERSONAL ARTICLES AT REACH

ABBREVIATION.....At Reach

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Personal Articles at Reach

HELP_TEXT.....

ID.....{166DE5BA-67F1-4BDB-9378-062862519BE4}

TERM.....PERSONAL ARTICLES AT REACH

DATA VALUE: PERSONAL HYGIENE AND/OR GROOMING

ABBREVIATION.....Per Hyg
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Personal Hygiene and/or Grooming
HELP_TEXT.....
ID.....{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}
TERM.....PERSONAL HYGIENE AND/OR GROOMING

DATA VALUE: PERSONAL MEDICAL ALERT BRACELET

ABBREVIATION.....pmab
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Personal Medical Alert Bracelet
HELP_TEXT.....No Help Text
ID.....{E63D5FDE-4509-5751-A11C-C023E296858A}
TERM.....PERSONAL MEDICAL ALERT BRACELET

DATA VALUE: PETROLATUM

ABBREVIATION.....PETROLATUM
ACTIVE.....Yes
DESCRIPTION.....Petrolatum
DISPLAY_NAME.....Petrolatum

HELP_TEXT.....No Help Text

ID.....{DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}

TERM.....PETROLATUM

DATA VALUE: PHYSICAL IMPAIRMENT

ABBREVIATION.....Phys Impai

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Physical Impairment

HELP_TEXT.....

ID.....{4D744081-134E-420D-9712-AF114977E490}

TERM.....PHYSICAL IMPAIRMENT

DATA VALUE: PHYSICIAN

ABBREVIATION.....PHYSICIA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Physician

HELP_TEXT.....No Help Text

ID.....{DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}

TERM.....PHYSICIAN

DATA VALUE: PHYSICIAN NOTIFIED

ABBREVIATION.....PHYS NOTIF
ACTIVE.....Yes
DESCRIPTION.....Physician Notified
DISPLAY_NAME.....Physician Notified
HELP_TEXT.....No Help Text
ID.....{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}
TERM.....PHYSICIAN NOTIFIED

DATA VALUE: PHYSICIAN ORDER

ABBREVIATION.....PHY ORDER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Physician Order
HELP_TEXT.....No Help Text
ID.....{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}
TERM.....PHYSICIAN ORDER

DATA VALUE: PICC

ABBREVIATION.....PICC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PICC

HELP_TEXT.....Peripherally inserted central catheter

ID.....{3CFE33D0-5A35-88CC-152C-D7501D1858D9}

TERM.....PICC

DATA VALUE: PIN

ABBREVIATION.....PIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Pin

HELP_TEXT.....No Help Text

ID.....{10D48A4E-46F3-4242-BA56-B9D4B37A4C93}

TERM.....PIN

DATA VALUE: PIN TRACTION

ABBREVIATION.....PIN TRACT

ACTIVE.....Yes

DESCRIPTION.....Pin Traction

DISPLAY_NAME.....Pin Traction

HELP_TEXT.....Pin Traction

ID.....{C75104A5-3B6B-4CFE-8E2E-05877522C811}

TERM.....PIN TRACTION

DATA VALUE: PINK

ABBREVIATION.....PINK

ACTIVE.....Yes

DESCRIPTION.....The color pink

DISPLAY_NAME.....Pink

HELP_TEXT.....The color pink

ID.....{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

TERM.....PINK

DATA VALUE: PINK / GRANULATING

ABBREVIATION.....Pink/Gran

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pink / Granulating

HELP_TEXT.....

ID.....{05245B27-3292-48B2-9F37-6AB9BB92395B}

TERM.....PINK / GRANULATING

DATA VALUE: PINPOINT

ABBREVIATION.....pinpoint

ACTIVE.....Yes

DESCRIPTION.....Pinpoint

DISPLAY_NAME.....Pinpoint

HELP_TEXT.....No Help Text

ID.....{4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}

TERM.....PINPOINT

DATA VALUE: PITTED

ABBREVIATION.....PITTED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Pitted

HELP_TEXT.....No Help Text

ID.....{BEA42FD8-91C7-4BF6-936E-726D78064F11}

TERM.....PITTED

DATA VALUE: PITTING

ABBREVIATION.....PITTING

ACTIVE.....Yes

DESCRIPTION.....PITTING

DISPLAY_NAME.....Pitting

HELP_TEXT.....PITTING

ID.....{A9F6ACFF-E427-145A-A168-345ACB87C1DE}

TERM.....PITTING

DATA VALUE: PIVOT

ABBREVIATION.....Pivot
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pivot
HELP_TEXT.....
ID.....{2E68ED54-57F5-490D-A982-668121F0CF5A}
TERM.....PIVOT

DATA VALUE: PIVOT 1.5

ABBREVIATION.....Pivot 1.5
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pivot 1.5
HELP_TEXT.....
ID.....{9126F0C6-9716-4C33-8B7C-178D46899D44}
TERM.....PIVOT 1.5

DATA VALUE: PJC

ABBREVIATION.....p
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PJC

HELP_TEXT.....No Help Text

ID.....{1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}

TERM.....PJC

DATA VALUE: PLACED NEAR TO NURSE STATION

ABBREVIATION.....Near N/Sta

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Placed Near to Nurse Station

HELP_TEXT.....

ID.....{7790D901-36F0-4DFD-9BF5-8C3A913F30E1}

TERM.....PLACED NEAR TO NURSE STATION

DATA VALUE: PLAIN

ABBREVIATION.....PLAIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Plain Catheter

HELP_TEXT.....No Help Text

ID.....{483EE48F-F72B-A917-DCD0-E8B69A3FA36F}

TERM.....PLAIN

DATA VALUE: POOR

ABBREVIATION.....POOR

ACTIVE.....Yes

DESCRIPTION.....Poor

DISPLAY_NAME.....Poor

HELP_TEXT.....No Help Text

ID.....{A3D75A12-A791-446D-AF63-9435054DFC4C}

TERM.....POOR

DATA VALUE: POOR BAL

ABBREVIATION.....Poor Balan

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Poor Balance

HELP_TEXT.....

ID.....{959AFDB4-6984-452D-9235-B154409DC0ED}

TERM.....POOR BAL

DATA VALUE: PORCINE SUBMUCOSA

ABBREVIATION.....PORC SUBMU

ACTIVE.....Yes

DESCRIPTION.....Oasis (porcine submucosa)

DISPLAY_NAME.....Oasis (porcine submucosa)

HELP_TEXT.....No Help Text
ID.....{6F3917DA-74BD-4790-9D4D-B284E27B7623}
TERM.....PORCINE SUBMUCOSA

DATA VALUE: POSITIONAL

ABBREVIATION.....POSITIONAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Positional
HELP_TEXT.....No Help Text
ID.....{9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
TERM.....POSITIONAL

DATA VALUE: POSITIVE PRESSURE CONNECTOR

ABBREVIATION.....P Pres Con
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Positive Pressure Connector
HELP_TEXT.....
ID.....{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}
TERM.....POSITIVE PRESSURE CONNECTOR

DATA VALUE: POST CATH DIET

ABBREVIATION.....POST CA DT
ACTIVE.....Yes
DESCRIPTION.....Post Cath Diet
DISPLAY_NAME.....Post Cath Diet
HELP_TEXT.....No Help Text
ID.....{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}
TERM.....POST CATH DIET

DATA VALUE: POST OPERATION DIAGNOSIS

ABBREVIATION.....PO OP DIAG
ACTIVE.....Yes
DESCRIPTION.....Post Operation Diagnosis
DISPLAY_NAME.....Post Operation Diagnosis
HELP_TEXT.....Post Operation Diagnosis
ID.....{A69379C9-C54A-4C55-85B3-C3D92D1705A0}
TERM.....POST OPERATION DIAGNOSIS

DATA VALUE: POST PROCEDURE DIAGNOSIS

ABBREVIATION.....PO PRO DIA
ACTIVE.....Yes
DESCRIPTION.....Post Procedure Diagnosis
DISPLAY_NAME.....Post Procedure Diagnosis

HELP_TEXT.....Post Procedure Diagnosis

ID.....{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}

TERM.....POST PROCEDURE DIAGNOSIS

DATA VALUE: POST-FALL

ABBREVIATION.....POST-FALL

ACTIVE.....Yes

DESCRIPTION.....Post-Fall

DISPLAY_NAME.....Post-Fall

HELP_TEXT.....No Help Text

ID.....{9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}

TERM.....POST-FALL

DATA VALUE: POST-OPERATIVE

ABBREVIATION.....POST-OP

ACTIVE.....Yes

DESCRIPTION.....Post-Operative

DISPLAY_NAME.....Post-Operative

HELP_TEXT.....No Help Text

ID.....{9FA19656-849F-4A65-92FC-755A4C9E8056}

TERM.....POST-OPERATIVE

DATA VALUE: POST-PROCEDURE

ABBREVIATION.....POST-PROC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Post-Procedure
HELP_TEXT.....No Help Text
ID.....{0F943BD7-BD13-412E-B4EA-9B5526587340}
TERM.....POST-PROCEDURE

DATA VALUE: POST-SEDATION

ABBREVIATION.....POST SED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Post-Sedation
HELP_TEXT.....No Help Text
ID.....{B829A249-CB14-4919-86F8-4A8C8D6B7753}
TERM.....POST-SEDATION

DATA VALUE: POTASSIUM MODIFIED 60 MEQ

ABBREVIATION.....K MOD 60M
ACTIVE.....Yes
DESCRIPTION.....Potassium Modified 60 MEQ
DISPLAY_NAME.....Potassium Modified 60 MEQ

HELP_TEXT.....No Help Text
ID.....{6EC2F10D-CC44-4872-8473-2445A835ABB0}
TERM.....POTASSIUM MODIFIED 60 MEQ

DATA VALUE: PRBC

ABBREVIATION.....PRBC
ACTIVE.....Yes
DESCRIPTION.....Packed Red Blood Cells
DISPLAY_NAME.....PRBC
HELP_TEXT.....No Help Text
ID.....{F6D9B889-1BCB-4724-B75A-E98743585D55}
TERM.....PRBC

DATA VALUE: PRE-MEDICATED FOR ACTIVITY

ABBREVIATION.....PRE-MED AC
ACTIVE.....Yes
DESCRIPTION.....Pre-Medicated For Activity
DISPLAY_NAME.....Pre-Medicated For Activity
HELP_TEXT.....No Help Text
ID.....{D6DA772A-FA22-4170-B928-855A2F68711F}
TERM.....PRE-MEDICATED FOR ACTIVITY

DATA VALUE: PRE-OPERATIVE

ABBREVIATION.....PRE-OP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pre-Operative
HELP_TEXT.....No Help Text
ID.....{80C418D5-54B1-4CC3-9B19-5653B8D73C45}
TERM.....PRE-OPERATIVE

DATA VALUE: PRE-PROCEDURE

ABBREVIATION.....PRE-PROC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pre-Procedure
HELP_TEXT.....No Help Text
ID.....{D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}
TERM.....PRE-PROCEDURE

DATA VALUE: PRE-SEDATION

ABBREVIATION.....PRE SEDA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pre-Sedation

HELP_TEXT.....No Help Text
ID.....{684C764E-2BE9-4C99-A2B2-C92D75C73751}
TERM.....PRE-SEDATION

DATA VALUE: PRE-SURGERY

ABBREVIATION.....PRE-SURG
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pre-Surgery
HELP_TEXT.....No Help Text
ID.....{0C71761F-3024-4638-A95C-FDF12DC03CF5}
TERM.....PRE-SURGERY

DATA VALUE: PREGNANT, NO

ABBREVIATION.....Preg, No
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pregnant, No
HELP_TEXT.....
ID.....{D08F5D48-965E-4537-83BC-14722E28B0AE}
TERM.....PREGNANT, NO

DATA VALUE: PREGNANT, YES

ABBREVIATION.....Preg, Yes

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pregnant, Yes

HELP_TEXT.....

ID.....{CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}

TERM.....PREGNANT, YES

DATA VALUE: PREMATURE ATRIAL

ABBREVIATION.....pa

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Premature Atrial

HELP_TEXT.....No Help Text

ID.....{070FDCB1-2EC4-B4EF-4DFD-81F6CCFFBDED}

TERM.....PREMATURE ATRIAL

DATA VALUE: PRESENT

ABBREVIATION.....p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Present

HELP_TEXT.....No Help Text
ID.....{384DC20F-1625-CE1E-1C85-A3B3924BB2A0}
TERM.....PRESENT

DATA VALUE: PRESSURE

ABBREVIATION.....PRESSURE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pressure
HELP_TEXT.....No Help Text
ID.....{387AFB7F-3973-4D77-B2E6-0724F344D8F6}
TERM.....PRESSURE

DATA VALUE: PRESSURE CALIBRATION

ABBREVIATION.....PRESS CALI
ACTIVE.....Yes
DESCRIPTION.....Pressure Calibration
DISPLAY_NAME.....Pressure Calibration
HELP_TEXT.....No Help Text
ID.....{38C12E69-2CD2-4F61-98D9-06AB857DA51A}
TERM.....PRESSURE CALIBRATION

DATA VALUE: PRESSURE CONTROL

ABBREVIATION.....PRESS CONT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pressure Control
HELP_TEXT.....No Help Text
ID.....{C3CDF756-484F-1483-9883-9B63DEF3B012}
TERM.....PRESSURE CONTROL

DATA VALUE: PRESSURE DRESSING

ABBREVIATION.....PRESS DRES
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pressure Dressing
HELP_TEXT.....No Help Text
ID.....{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}
TERM.....PRESSURE DRESSING

DATA VALUE: PRESSURE ULCER

ABBREVIATION.....PRE ULCER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pressure Ulcer

HELP_TEXT.....No Help Text
ID.....{7279639E-498D-4EA3-A3FA-4A6D611E6F48}
TERM.....PRESSURE ULCER

DATA VALUE: PRESYSTOLIC

ABBREVIATION.....PRESYSTOLI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Presystolic
HELP_TEXT.....No Help Text
ID.....{BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}
TERM.....PRESYSTOLIC

DATA VALUE: PREVENT ACCESS TO DEVICE

ABBREVIATION.....PREV ACCE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Prevent Access To Medical Devices
HELP_TEXT.....No Help Text
ID.....{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}
TERM.....PREVENT ACCESS TO DEVICE

DATA VALUE: PREVENTIVE HEALTH REHAB TECHNIQUES

ABBREVIATION.....Rehab Tech

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Preventive Health Rehab Techniques

HELP_TEXT.....

ID.....{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}

TERM.....PREVENTIVE HEALTH REHAB TECHNIQUES

DATA VALUE: PREVIOUS PERCUTANEOUS SITE

ABBREVIATION.....PRE PER SI

ACTIVE.....Yes

DESCRIPTION.....Previous Percutaneous Site

DISPLAY_NAME.....Previous Percutaneous Site

HELP_TEXT.....No Help Text

ID.....{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}

TERM.....PREVIOUS PERCUTANEOUS SITE

DATA VALUE: PRN

ABBREVIATION.....PRN

ACTIVE.....Yes

DESCRIPTION.....As Needed

DISPLAY_NAME.....PRN

HELP_TEXT.....As Needed

ID.....{36493D81-954B-4C56-B0A2-9988EA785EBD}

TERM.....PRN

DATA VALUE: PRO STAT SUGAR FREE 64

ABBREVIATION.....ProSta 64

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pro Stat Sugar Free 64

HELP_TEXT.....

ID.....{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}

TERM.....PRO STAT SUGAR FREE 64

DATA VALUE: PRO-STAT

ABBREVIATION.....Pro-Stat

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pro-Stat

HELP_TEXT.....

ID.....{E39E36C7-0A47-459D-BA75-CF6186247B40}

TERM.....PRO-STAT

DATA VALUE: PROCEDURE ROOM

ABBREVIATION.....PROC ROO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Procedure Room
HELP_TEXT.....No Help Text
ID.....{CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}
TERM.....PROCEDURE ROOM

DATA VALUE: PRODUCTIVE

ABBREVIATION.....p
ACTIVE.....Yes
DESCRIPTION.....Produces desired result
DISPLAY_NAME.....Productive
HELP_TEXT.....No Help Text
ID.....{22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}
TERM.....PRODUCTIVE

DATA VALUE: PROJECTILE VOMITING

ABBREVIATION.....PROJ VOMIT
ACTIVE.....Yes
DESCRIPTION.....Projectile Vomiting
DISPLAY_NAME.....Projectile Vomiting

HELP_TEXT.....Projectile Vomiting
ID.....{0D2CB23B-B266-40E1-A6FF-20B733655B69}
TERM.....PROJECTILE VOMITING

DATA VALUE: PROMOTE

ABBREVIATION.....Promote
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Promote
HELP_TEXT.....
ID.....{6377C8D3-F6DD-4BD2-877F-DB52525DD65D}
TERM.....PROMOTE

DATA VALUE: PROMOTE WITH FIBER

ABBREVIATION.....Pro W/Fib
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Promote With Fiber
HELP_TEXT.....
ID.....{33E04B6F-2976-402C-B3B7-B75705430340}
TERM.....PROMOTE WITH FIBER

DATA VALUE: PRONE

ABBREVIATION.....PRONE

ACTIVE.....Yes

DESCRIPTION.....Prone

DISPLAY_NAME.....Prone

HELP_TEXT.....No Help Text

ID.....{41180E09-D9D6-4903-BAE9-28CD5AAC4991}

TERM.....PRONE

DATA VALUE: PROPASS PROTEIN POWDER

ABBREVIATION.....Pro Prot

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Propass Protein Powder

HELP_TEXT.....

ID.....{2307C41A-92D2-4DD4-BC1F-2E78F7477D98}

TERM.....PROPASS PROTEIN POWDER

DATA VALUE: PROSTHESIS

ABBREVIATION.....PROSTHESIS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Prosthesis

HELP_TEXT.....No Help Text

ID.....{CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

TERM.....PROSTHESIS

DATA VALUE: PROTENEX WOUND CARE

ABBREVIATION.....Protenex

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Protenex Wound Care

HELP_TEXT.....

ID.....{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}

TERM.....PROTENEX WOUND CARE

DATA VALUE: PROVIDED PATIENT EDUCATION

ABBREVIATION.....Pat Ed

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Provided Patient Education

HELP_TEXT.....

ID.....{25D0998B-3600-40C9-8608-9A0D91CCBEE0}

TERM.....PROVIDED PATIENT EDUCATION

DATA VALUE: PROXIMAL PORT

ABBREVIATION.....PROX PORT
ACTIVE.....Yes
DESCRIPTION.....Proximal Port
DISPLAY_NAME.....Proximal Port
HELP_TEXT.....No Help Text
ID.....{3244EF4F-F18A-4250-96F5-ABCEA7BFA578}
TERM.....PROXIMAL PORT

DATA VALUE: PT DENIES NAUSEA / NO VOMITING

ABBREVIATION.....DEN NAUS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pt. Denies Nausea / No Vomiting
HELP_TEXT.....No Help Text
ID.....{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}
TERM.....PT DENIES NAUSEA / NO VOMITING

DATA VALUE: PT PAIN AT ACCEPTABLE LEVEL

ABBREVIATION.....PT PA OK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Patient's Pain at Acceptable Level

HELP_TEXT.....No Help Text

ID.....{78489498-4A5B-41C5-98C5-95D56C4A0933}

TERM.....PT PAIN AT ACCEPTABLE LEVEL

DATA VALUE: PULMOCARE

ABBREVIATION.....Pulmocare

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pulmocare

HELP_TEXT.....

ID.....{8D683106-B5EE-46E1-B1C6-0C7843EDD15C}

TERM.....PULMOCARE

DATA VALUE: PULMONARY PROCEDURE ROOM

ABBREVIATION.....Pul Prc Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pulmonary Procedure Room

HELP_TEXT.....

ID.....{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}

TERM.....PULMONARY PROCEDURE ROOM

DATA VALUE: PULSE OXIMETER

ABBREVIATION.....Pulse Ox
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pulse Oximeter
HELP_TEXT.....
ID.....{773A956B-0B08-4D72-AAD4-630DF8268694}
TERM.....PULSE OXIMETER

DATA VALUE: PULSELESS ELECTRICAL ACTIVITY

ABBREVIATION.....Pulseless
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pulseless Electrical Activity
HELP_TEXT.....
ID.....{8E21E500-78D4-462D-9483-DD81D3887EE5}
TERM.....PULSELESS ELECTRICAL ACTIVITY

DATA VALUE: PUMP - CONTINUOUS

ABBREVIATION.....Pump- cont
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pump- Continuous

HELP_TEXT.....

ID.....{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}

TERM.....PUMP - CONTINUOUS

DATA VALUE: PUMP - INTERMITTENT

ABBREVIATION.....Pump - int

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pump - Intermittent

HELP_TEXT.....

ID.....{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}

TERM.....PUMP - INTERMITTENT

DATA VALUE: PUNCTURE

ABBREVIATION.....PUNCTURE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Puncture

HELP_TEXT.....No Help Text

ID.....{28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}

TERM.....PUNCTURE

DATA VALUE: PUREED

ABBREVIATION.....PUREED
ACTIVE.....Yes
DESCRIPTION.....Pureed
DISPLAY_NAME.....Pureed
HELP_TEXT.....No Help Text
ID.....{99F8AE5F-E390-4583-8A92-CAC13E21BCF4}
TERM.....PUREED

DATA VALUE: PURULENT

ABBREVIATION.....PURULENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Purulent
HELP_TEXT.....No Help Text
ID.....{86C01494-743A-C6A2-8883-01CA5200C79B}
TERM.....PURULENT

DATA VALUE: PVC

ABBREVIATION.....p
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PVC

HELP_TEXT.....No Help Text
ID.....{33FF92F1-84CC-7CFA-41CF-B271A26C59B8}
TERM.....PVC

DATA VALUE: QUADRAGEMINY

ABBREVIATION.....Quadragemi
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Quadrageminy
HELP_TEXT.....
ID.....{899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}
TERM.....QUADRAGEMINY

DATA VALUE: QUIET OR RESTING

ABBREVIATION.....qor
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Quiet Or Resting
HELP_TEXT.....No Help Text
ID.....{76E4908F-014C-2088-FF7F-33EBF223DE40}
TERM.....QUIET OR RESTING

DATA VALUE: QUIET ROOM

ABBREVIATION.....qr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Quiet Room
HELP_TEXT.....No Help Text
ID.....{CCD96D41-C273-F6F3-DA18-8818B1CC9980}
TERM.....QUIET ROOM

DATA VALUE: R BUNDLE BRANCH BLOCK

ABBREVIATION.....rbbb
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Bundle Branch Block
HELP_TEXT.....No Help Text
ID.....{FDE0D174-5220-F069-D284-20399D9489B0}
TERM.....R BUNDLE BRANCH BLOCK

DATA VALUE: R FOOT DOWN

ABBREVIATION.....R FOOT DOW
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Foot Down

HELP_TEXT.....No Help Text

ID.....{DBCC0BA2-3097-42C7-AE9E-DF71FA779162}

TERM.....R FOOT DOWN

DATA VALUE: R FOOT UP

ABBREVIATION.....R FOOT UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Foot Up

HELP_TEXT.....No Help Text

ID.....{5928B710-6EB1-4183-93CB-6C72B37A97C3}

TERM.....R FOOT UP

DATA VALUE: R HEAD DOWN

ABBREVIATION.....R HEAD DOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Head Down

HELP_TEXT.....No Help Text

ID.....{FD0638-444C-4023-B586-985E84EEA1FA}

TERM.....R HEAD DOWN

DATA VALUE: R HEAD UP

ABBREVIATION.....R HEAD UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Head Up

HELP_TEXT.....No Help Text

ID.....{D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}

TERM.....R HEAD UP

DATA VALUE: R NECK

ABBREVIATION.....RIGHT NECK

ACTIVE.....Yes

DESCRIPTION.....RIGHT NECK

DISPLAY_NAME.....R Neck

HELP_TEXT.....RIGHT NECK

ID.....{907E90CD-87BF-073D-AF76-EA11ABE7FC3C}

TERM.....R NECK

DATA VALUE: R NEPHROSTOMY

ABBREVIATION.....R NEPHROST

ACTIVE.....Yes

DESCRIPTION.....Right Nephrostomy

DISPLAY_NAME.....R Nephrostomy

HELP_TEXT.....Right Nephrostomy
ID.....{33661137-688D-5611-4368-B1DFD8DB1469}
TERM.....R NEPHROSTOMY

DATA VALUE: R STENT

ABBREVIATION.....RT. STENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Stent
HELP_TEXT.....No Help Text
ID.....{6D0EED3B-1F08-11D2-165D-97A9F58327D5}
TERM.....R STENT

DATA VALUE: RAD TECH

ABBREVIATION.....Rad Tech
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Rad Tech
HELP_TEXT.....
ID.....{EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}
TERM.....RAD TECH

DATA VALUE: RADIATING

ABBREVIATION.....RADIATING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....RADIATING

HELP_TEXT.....No Help Text

ID.....{B6807939-F809-45C1-912A-ADEF2E0DB0DC}

TERM.....RADIATING

DATA VALUE: RADIOLOGY

ABBREVIATION.....Radiology

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Radiology

HELP_TEXT.....

ID.....{AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}

TERM.....RADIOLOGY

DATA VALUE: RAMSAY ANXIOUS

ABBREVIATION.....RAM ANXIOU

ACTIVE.....Yes

DESCRIPTION.....Anxious, agitated, or restless

DISPLAY_NAME.....1 - Anxious

HELP_TEXT.....Anxious, agitated, or restless
ID.....{88205A0C-7065-4616-8FCF-75059462DD15}
TERM.....RAMSAY ANXIOUS

DATA VALUE: RAMSAY ASLEEP BRISK RESPONSE

ABBREVIATION.....RAM ASL BR
ACTIVE.....Yes
DESCRIPTION.....Asleep; brisk response to light
glabellar tap or loud auditory
stimulus

DISPLAY_NAME.....4 - Asleep; Brisk Response
HELP_TEXT.....Asleep; brisk response to light
glabellar tap or loud auditory
stimulus

ID.....{00F4A117-F9E7-4B60-A521-F2E8725AECD3}
TERM.....RAMSAY ASLEEP BRISK RESPONSE

DATA VALUE: RAMSAY ASLEEP NO RESPONSE

ABBREVIATION.....RAM ASL NO
ACTIVE.....Yes
DESCRIPTION.....Asleep; no response to painful stimuli
DISPLAY_NAME.....6 - Asleep No Response
HELP_TEXT.....Asleep; no response to painful stimuli
ID.....{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}
TERM.....RAMSAY ASLEEP NO RESPONSE

DATA VALUE: RAMSAY ASLEEP SLUGGISH

ABBREVIATION.....RAM ASL SL

ACTIVE.....Yes

DESCRIPTION.....Asleep; sluggish response to light

glabellar tap or loud auditory

stimulus

DISPLAY_NAME.....5 - Asleep Sluggish Response

HELP_TEXT.....Asleep; sluggish response to light

glabellar tap or loud auditory

stimulus

ID.....{AA61604F-00F9-4103-B27F-E817FBC9577B}

TERM.....RAMSAY ASLEEP SLUGGISH

DATA VALUE: RAMSAY COOPERATIVE

ABBREVIATION.....RAM COOPER

ACTIVE.....Yes

DESCRIPTION.....Cooperative, oriented, and tranquil

DISPLAY_NAME.....2 - Cooperative

HELP_TEXT.....Cooperative, oriented, and tranquil

ID.....{56846ADA-0F0E-44AA-9779-A567B9D24C4F}

TERM.....RAMSAY COOPERATIVE

DATA VALUE: RAMSAY SEDATED

ABBREVIATION.....RAM SEDATE
ACTIVE.....Yes
DESCRIPTION.....Sedated but responds to commands
DISPLAY_NAME.....3 - Sedated But Responds
HELP_TEXT.....Sedated but responds to commands
ID.....{CC12405F-60DB-485F-94E5-78C1EB32AB74}
TERM.....RAMSAY SEDATED

DATA VALUE: RASH/EXFOLIATION

ABBREVIATION.....RASH/EXFOL
ACTIVE.....Yes
DESCRIPTION.....Rash / Exfoliation
DISPLAY_NAME.....Rash / Exfoliation
HELP_TEXT.....No Help Text
ID.....{AB83ABA9-28A7-6484-67E7-4E66B5526942}
TERM.....RASH/EXFOLIATION

DATA VALUE: RASS AGITATED

ABBREVIATION.....RASS AGITA
ACTIVE.....Yes
DESCRIPTION.....Frequent non-purposeful movement,
 fights ventilator
DISPLAY_NAME.....+2: Agitated
HELP_TEXT.....Frequent non-purposeful movement,
 fights ventilator
ID.....{D81A5D5D-E7FC-445A-A814-495731ABA0F8}

TERM.....RASS AGITATED

DATA VALUE: RASS ALERT AND CALM

ABBREVIATION.....RASS AL CA
ACTIVE.....Yes
DESCRIPTION.....Alert and Calm
DISPLAY_NAME.....0: Alert and Calm
HELP_TEXT.....Alert and Calm
ID.....{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}
TERM.....RASS ALERT AND CALM

DATA VALUE: RASS COMBATIVE

ABBREVIATION.....RASS COMBA
ACTIVE.....Yes
DESCRIPTION.....Overtly combative, violent, immediate
 danger to staff
DISPLAY_NAME.....+4: Combative
HELP_TEXT.....Overtly combative, violent, immediate
 danger to staff
ID.....{A97E064A-7709-42F9-9A88-4AAFF1020883}
TERM.....RASS COMBATIVE

DATA VALUE: RASS DEEP SEDATION

ABBREVIATION.....RASS DP SE
ACTIVE.....Yes

DESCRIPTION.....No response to voice, but movement or
eye opening to physical stimulation

DISPLAY_NAME.....-4: Deep Sedation

HELP_TEXT.....No response to voice, but movement or
eye opening to physical stimulation

ID.....{83CB4E64-3581-452F-987A-D31CB3AB38D2}

TERM.....RASS DEEP SEDATION

DATA VALUE: RASS DROWSY

ABBREVIATION.....RASS DROWS

ACTIVE.....Yes

DESCRIPTION.....Not fully alert, but has sustained
awakening (eye-opening/eye contact)
to voice (>10 seconds)

DISPLAY_NAME.....-1: Drowsy

HELP_TEXT.....Not fully alert, but has sustained
awakening (eye-opening/eye contact)
to voice (>10 seconds)

ID.....{5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}

TERM.....RASS DROWSY

DATA VALUE: RASS LIGHT SEDATION

ABBREVIATION.....RASS LT SE

ACTIVE.....Yes

DESCRIPTION.....Briefly awakens with eye contact to
voice (<10 seconds)

DISPLAY_NAME.....-2: Light Sedation

HELP_TEXT.....Briefly awakens with eye contact to
voice (<10 seconds)

ID.....{FDEEC084-3922-4065-A863-4893E42F8F93}

TERM.....RASS LIGHT SEDATION

DATA VALUE: RASS MODERATE SEDATION

ABBREVIATION.....RASS MD SE

ACTIVE.....Yes

DESCRIPTION.....Movement or eye opening to voice (but
no eye contact)

DISPLAY_NAME.....-3: Moderate Sedation

HELP_TEXT.....Movement or eye opening to voice (but
no eye contact)

ID.....{D12B0A3E-B80E-494F-B89F-A79E8B81B080}

TERM.....RASS MODERATE SEDATION

DATA VALUE: RASS RESTLESS

ABBREVIATION.....RASS RESTL

ACTIVE.....Yes

DESCRIPTION.....Anxious but movements not aggressive
vigorous

DISPLAY_NAME.....+1: Restless

HELP_TEXT.....Anxious but movements not aggressive
vigorous

ID.....{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}

TERM.....RASS RESTLESS

DATA VALUE: RASS UNAROUSABLE

ABBREVIATION.....RASS UNARO

ACTIVE.....Yes

DESCRIPTION.....No response to voice or physical
stimulation

DISPLAY_NAME.....-5: Unarousable

HELP_TEXT.....No response to voice or physical
stimulation

ID.....{1578E147-7D2C-4469-828E-FCA97109B27C}

TERM.....RASS UNAROUSABLE

DATA VALUE: RASS VERY AGITATED

ABBREVIATION.....RASS V AGI

ACTIVE.....Yes

DESCRIPTION.....Pulls or removes tube(s) or
catheter(s); aggressive

DISPLAY_NAME.....+3: Very Agitated

HELP_TEXT.....Pulls or removes tube(s) or
catheter(s); aggressive

ID.....{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}

TERM.....RASS VERY AGITATED

DATA VALUE: REACTIVE

ABBREVIATION.....Reactive

ACTIVE.....Yes

DESCRIPTION.....Reactive

DISPLAY_NAME.....Reactive

HELP_TEXT.....No Help Text

ID.....{31B44ADB-0000-A5B0-5F56-59D4A08C05D2}

TERM.....REACTIVE

DATA VALUE: RECTAL TUBE

ABBREVIATION.....RECT TUBE
ACTIVE.....Yes
DESCRIPTION.....Rectal Tube
DISPLAY_NAME.....Rectal Tube
HELP_TEXT.....No Help Text
ID.....{7E492AE5-D3B8-44EC-8841-97770FAD3AFE}
TERM.....RECTAL TUBE

DATA VALUE: RED

ABBREVIATION.....RED
ACTIVE.....Yes
DESCRIPTION.....The color red
DISPLAY_NAME.....Red
HELP_TEXT.....The color red
ID.....{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
TERM.....RED

DATA VALUE: RED/GRANULATING

ABBREVIATION.....RED/GRANUL
ACTIVE.....Yes
DESCRIPTION.....Red / Granulating
DISPLAY_NAME.....Red / Granulating

HELP_TEXT.....No Help Text
ID.....{BB69D2A2-7807-490A-B21D-77B6677796F6}
TERM.....RED/GRANULATING

DATA VALUE: REDDENING OF THE SKIN

ABBREVIATION.....RED O SKIN
ACTIVE.....Yes
DESCRIPTION.....Reddening Of The Skin
DISPLAY_NAME.....Reddening Of The Skin
HELP_TEXT.....No Help Text
ID.....{716AEC57-0835-4D07-A78C-D8453599A3D2}
TERM.....REDDENING OF THE SKIN

DATA VALUE: REDIRECT PATIENT ACTIVITY

ABBREVIATION.....REDIR ACT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Redirect Patient Activity
HELP_TEXT.....No Help Text
ID.....{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}
TERM.....REDIRECT PATIENT ACTIVITY

DATA VALUE: REFLEX

ABBREVIATION.....r
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Reflex
HELP_TEXT.....No Help Text
ID.....{F21585F9-5206-A6B3-2BF6-F416E5842366}
TERM.....REFLEX

DATA VALUE: REFUSE MEDICATION

ABBREVIATION.....REFUSE MED
ACTIVE.....Yes
DESCRIPTION.....Refuse Medication
DISPLAY_NAME.....Refuse Medication
HELP_TEXT.....No Help Text
ID.....{17D6956B-4CF6-492C-B113-B5A93D9E215E}
TERM.....REFUSE MEDICATION

DATA VALUE: REFUSE TO MOVE

ABBREVIATION.....REF TO MOV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Refuse To Move

HELP_TEXT.....No Help Text
ID.....{E14588CE-2498-4FE8-AB0B-E954DC1696AC}
TERM.....REFUSE TO MOVE

DATA VALUE: REFUSED

ABBREVIATION.....REFUSED
ACTIVE.....Yes
DESCRIPTION.....Refused
DISPLAY_NAME.....Refused
HELP_TEXT.....No Help Text
ID.....{D5B3E135-4D68-4528-BBC9-6E8A7A997104}
TERM.....REFUSED

DATA VALUE: REGIONAL BLOCK

ABBREVIATION.....Region Blk
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Regional Block
HELP_TEXT.....
ID.....{3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}
TERM.....REGIONAL BLOCK

DATA VALUE: REGISTERED NURSE

ABBREVIATION.....RN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....RN

HELP_TEXT.....No Help Text

ID.....{524F344F-FDCD-423F-AD34-291D5DB4271B}

TERM.....REGISTERED NURSE

DATA VALUE: REGULAR

ABBREVIATION.....REGULAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Regular

HELP_TEXT.....No Help Text

ID.....{3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}

TERM.....REGULAR

DATA VALUE: REINFORCED

ABBREVIATION.....REINFORCED

ACTIVE.....Yes

DESCRIPTION.....Dressing has been reinforced

DISPLAY_NAME.....Reinforced

HELP_TEXT.....No Help Text

ID.....{EC524C50-0CDE-4AA1-8059-E4323850575E}

TERM.....REINFORCED

DATA VALUE: RELATIVE

ABBREVIATION.....Relative

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Relative

HELP_TEXT.....

ID.....{F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}

TERM.....RELATIVE

DATA VALUE: RELIGIOUS

ABBREVIATION.....RELIGIOUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Religious

HELP_TEXT.....No Help Text

ID.....{936C9949-8A30-4BBF-934C-1F194551B8E2}

TERM.....RELIGIOUS

DATA VALUE: REMNANT P-WAVE

ABBREVIATION.....Remnant P
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Remnant P-Wave
HELP_TEXT.....
ID.....{3BBAA695-337E-41C4-BB83-8452917C07DF}
TERM.....REMNANT P-WAVE

DATA VALUE: REMOVE FROM STIM. SETTING

ABBREVIATION.....REM SET
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Remove From Stimulating Setting
HELP_TEXT.....No Help Text
ID.....{2010BA89-B399-4A30-9ACF-C65AB57B6351}
TERM.....REMOVE FROM STIM. SETTING

DATA VALUE: REMOVE RECTAL TUBE

ABBREVIATION.....Rectal Tub
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Remove Rectal Tube

HELP_TEXT.....

ID.....{3D3D75CD-994E-49EE-B51A-8621FF5CA4D8}

TERM.....REMOVE RECTAL TUBE

DATA VALUE: RENAL DIET

ABBREVIATION.....REN DIET

ACTIVE.....Yes

DESCRIPTION.....Renal Diet

DISPLAY_NAME.....Renal Diet

HELP_TEXT.....No Help Text

ID.....{089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}

TERM.....RENAL DIET

DATA VALUE: REORIENTED TO ENVIRONMENT

ABBREVIATION.....REORIENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Reoriented To Environment

HELP_TEXT.....No Help Text

ID.....{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}

TERM.....REORIENTED TO ENVIRONMENT

DATA VALUE: REPIRATORY DEPRESSION

ABBREVIATION.....Resp Depr
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Respiratory Depression
HELP_TEXT.....
ID.....{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}
TERM.....REPIRATORY DEPRESSION

DATA VALUE: REPORTED

ABBREVIATION.....REPORTED
ACTIVE.....Yes
DESCRIPTION.....Reported as having happened
DISPLAY_NAME.....Reported
HELP_TEXT.....No Help Text
ID.....{1D13BAC5-D8F9-455C-B815-8E256943492E}
TERM.....REPORTED

DATA VALUE: REPOSITION

ABBREVIATION.....REPOSITION
ACTIVE.....Yes
DESCRIPTION.....Reposition
DISPLAY_NAME.....Reposition

HELP_TEXT.....No Help Text
ID.....{DF3039CA-5977-4454-81D4-DB0AF966F85D}
TERM.....REPOSITION

DATA VALUE: REQUEST FOR MORE MEDICATION

ABBREVIATION.....REQ MOR ME
ACTIVE.....Yes
DESCRIPTION.....Request For More Medication
DISPLAY_NAME.....Request For More Medication
HELP_TEXT.....No Help Text
ID.....{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}
TERM.....REQUEST FOR MORE MEDICATION

DATA VALUE: RES CRIT: AGGRESSIVE

ABBREVIATION.....R.C. AGGR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Aggressive
HELP_TEXT.....No Help Text
ID.....{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}
TERM.....RES CRIT: AGGRESSIVE

DATA VALUE: RES CRIT: AMBULATE

ABBREVIATION.....R.C. AMBU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Attempting To Ambulate When
 Unable/High Injury Risk

HELP_TEXT.....No Help Text

ID.....{54B72608-2C13-46CD-8034-00179669762C}

TERM.....RES CRIT: AMBULATE

DATA VALUE: RES CRIT: COMBATIVE

ABBREVIATION.....R.C. COMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Combative

HELP_TEXT.....No Help Text

ID.....{38DBF61A-D364-4215-B4AA-36B660F96462}

TERM.....RES CRIT: COMBATIVE

DATA VALUE: RES CRIT: EQUIPMENT

ABBREVIATION.....R.C. EQUI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Attempting To Remove

Equipment/Dressings

HELP_TEXT.....No Help Text

ID.....{38C2C56C-6D57-4750-8E68-F1193B16190A}

TERM.....RES CRIT: EQUIPMENT

DATA VALUE: RES CRIT: HARM TO SELF

ABBREVIATION.....R.C. HARM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Risk of Physical Harm To Self

HELP_TEXT.....No Help Text

ID.....{4DC33341-8F53-4D30-BC28-1E32DB54F30D}

TERM.....RES CRIT: HARM TO SELF

DATA VALUE: RES CRIT: LINES

ABBREVIATION.....R.C. LINE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Attempting To Pull Lines

HELP_TEXT.....No Help Text

ID.....{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}

TERM.....RES CRIT: LINES

DATA VALUE: RES CRIT: UNABLE TO FOLLOW DIRECTIONS

ABBREVIATION.....R.C. DIRE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unable To Follow Directions While
Injury Risk

HELP_TEXT.....No Help Text

ID.....{41358EAE-9912-48F8-8931-D3C635406D21}

TERM.....RES CRIT: UNABLE TO FOLLOW DIRECTIONS

DATA VALUE: RES EVAL: AMBULATION/EXERCISE

ABBREVIATION.....R.E. EXER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ambulation / Exercise

HELP_TEXT.....No Help Text

ID.....{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}

TERM.....RES EVAL: AMBULATION/EXERCISE

DATA VALUE: RES EVAL: DECREASE STIMULATION

ABBREVIATION.....R.E. DECR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Decrease Stimulation
HELP_TEXT.....No Description
ID.....{0841626E-994E-4346-B701-1662A00209EB}
TERM.....RES EVAL: DECREASE STIMULATION

DATA VALUE: RES EVAL: DIVERSIONAL ACTIVITIES

ABBREVIATION.....R.E. DIVER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Diversonal Activities
HELP_TEXT.....No Help Text
ID.....{569F6D49-C564-4910-835A-B05179086E1F}
TERM.....RES EVAL: DIVERSIONAL ACTIVITIES

DATA VALUE: RES EVAL: EDUCATION

ABBREVIATION.....R.E. EDUC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Education
HELP_TEXT.....No Help Text
ID.....{76341E6E-7F0A-429C-B768-9CA83C452FD7}
TERM.....RES EVAL: EDUCATION

DATA VALUE: RES EVAL: INVOLVEMENT WITH FAMILY

ABBREVIATION.....R.E. INVO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Involvement With Family And Others
HELP_TEXT.....No Help Text
ID.....{0EF31047-70A5-4072-953A-B62E1ACDF84B}
TERM.....RES EVAL: INVOLVEMENT WITH FAMILY

DATA VALUE: RES EVAL: MEDICATION REVIEW

ABBREVIATION.....R.E. REVI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Medication Review
HELP_TEXT.....No Help Text
ID.....{914A0F82-5863-4C84-B3AB-D5A22BD340D8}
TERM.....RES EVAL: MEDICATION REVIEW

DATA VALUE: RES EVAL: REALITY ORIENTATION

ABBREVIATION.....R.E. REALI
ACTIVE.....Yes
DESCRIPTION.....None
DISPLAY_NAME.....Reality Orientation

HELP_TEXT.....None

ID.....{221C363C-2261-40FC-8400-8B1D2E693F69}

TERM.....RES EVAL: REALITY ORIENTATION

DATA VALUE: RES EVAL: RELOCATE

ABBREVIATION.....R.E. RELO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Relocate Patient

HELP_TEXT.....No Help Text

ID.....{D8165678-ECEF-4F4D-A1C4-C616349E1873}

TERM.....RES EVAL: RELOCATE

DATA VALUE: RES EVAL: UNABLE TO ATTEMPT

ABBREVIATION.....R.E. UNAB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unable To Attempt Due To Patient

Safety Concern

HELP_TEXT.....No Help Text

ID.....{979B0477-5789-4319-9562-6752048C4005}

TERM.....RES EVAL: UNABLE TO ATTEMPT

DATA VALUE: RES LRM: DEVICE ACCESS

ABBREVIATION.....RLRM ACCE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Prevent Access To Medical Devices
HELP_TEXT.....No Help Text
ID.....{1662F5E1-30E7-4E8A-BCC5-1738868435B8}
TERM.....RES LRM: DEVICE ACCESS

DATA VALUE: RES LRM: LIMIT SETTING

ABBREVIATION.....RLRM SETT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Limit Setting
HELP_TEXT.....No Help Text
ID.....{96417DDF-8562-4EFF-B4F6-0933FD91CD36}
TERM.....RES LRM: LIMIT SETTING

DATA VALUE: RES LRM: PRN MEDS

ABBREVIATION.....RLRM: MEDS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Offer PRN Meds

HELP_TEXT.....No Help Text
ID.....{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}
TERM.....RES LRM: PRN MEDS

DATA VALUE: RES LRM: REDIRECT

ABBREVIATION.....RLRM REDI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Redirect Patient Activity
HELP_TEXT.....No Help Text
ID.....{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}
TERM.....RES LRM: REDIRECT

DATA VALUE: RES LRM: REMOVE FROM SETTING

ABBREVIATION.....RLRM REMO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Remove From Stimulating Setting
HELP_TEXT.....No Help Text
ID.....{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}
TERM.....RES LRM: REMOVE FROM SETTING

DATA VALUE: RES LRM: REORIENT

ABBREVIATION.....RLRM REOR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Reoriented To Environment

HELP_TEXT.....No Help Text

ID.....{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}

TERM.....RES LRM: REORIENT

DATA VALUE: RES LRM: SUPERVISION

ABBREVIATION.....RLRM SUPR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....One To One Supervision

HELP_TEXT.....No Help Text

ID.....{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}

TERM.....RES LRM: SUPERVISION

DATA VALUE: RES LRM: VERBAL DE-ESCALATION

ABBREVIATION.....RLRM VERB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Verbal De-escalation

HELP_TEXT.....No Help Text
ID.....{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}
TERM.....RES LRM: VERBAL DE-ESCALATION

DATA VALUE: RES LRM: VERBAL REMINDERS

ABBREVIATION.....RLRM REMI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Frequent Verbal Reminders
HELP_TEXT.....No Help Text
ID.....{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}
TERM.....RES LRM: VERBAL REMINDERS

DATA VALUE: RESOURCE BREEZE

ABBREVIATION.....Re Breeze
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Resource Breeze
HELP_TEXT.....
ID.....{D3A38687-AD62-4E1D-A945-1201168E1CF6}
TERM.....RESOURCE BREEZE

DATA VALUE: RESOURCE DM

ABBREVIATION.....Re Dm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Resource Dm

HELP_TEXT.....

ID.....{C9D4A461-81F9-4392-98DA-129B00E5807F}

TERM.....RESOURCE DM

DATA VALUE: RESP TECH

ABBREVIATION.....Resp Tech

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Resp Tech

HELP_TEXT.....

ID.....{8A7BA130-3EDC-4D07-A852-846B37399FC9}

TERM.....RESP TECH

DATA VALUE: RESPIRATION

ABBREVIATION.....Respiratio

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Respiration

HELP_TEXT.....

ID.....{5D6198F0-FE26-4F94-9118-D49A7EC44017}

TERM.....RESPIRATION

DATA VALUE: RESPIRATORY DEPRESSION

ABBREVIATION.....Resp Depr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Respiratory Depression

HELP_TEXT.....

ID.....{A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}

TERM.....RESPIRATORY DEPRESSION

DATA VALUE: RESTING

ABBREVIATION.....Resting

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Resting

HELP_TEXT.....

ID.....{D750373F-12E2-4D95-AF0D-F7731905F723}

TERM.....RESTING

DATA VALUE: RESTING RESPIRATORY RATE BASELINE OR ABOVE

ABBREVIATION.....Rest Base

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Resting Respiratory Rate Baseline or
Above

HELP_TEXT.....

ID.....{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}

TERM.....RESTING RESPIRATORY RATE BASELINE OR
ABOVE

DATA VALUE: RESTLESS

ABBREVIATION.....r

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Restless

HELP_TEXT.....No Help Text

ID.....{8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}

TERM.....RESTLESS

DATA VALUE: RESTRAINT

ABBREVIATION.....RESTRAINT

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Restraint
HELP_TEXT.....No Help Text
ID.....{0429322D-A987-4913-B64D-A6414645B214}
TERM.....RESTRAINT

DATA VALUE: RESTRAINT BILATERAL ANKLE

ABBREVIATION.....RES BI ANK
ACTIVE.....Yes
DESCRIPTION.....Bilateral Ankle Restraint
DISPLAY_NAME.....Bilateral Ankle
HELP_TEXT.....No Help Text
ID.....{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}
TERM.....RESTRAINT BILATERAL ANKLE

DATA VALUE: RESTRAINT BILATERAL HAND MITT

ABBREVIATION.....RES BI H M
ACTIVE.....Yes
DESCRIPTION.....Bilateral Hand Mitt Restraint
DISPLAY_NAME.....Bilateral Hand Mitt
HELP_TEXT.....No Help Text
ID.....{5E293110-1235-4307-80C2-0FFFA007E1DA}
TERM.....RESTRAINT BILATERAL HAND MITT

DATA VALUE: RESTRAINT GERI CHAIR

ABBREVIATION.....RES GERI C
ACTIVE.....Yes
DESCRIPTION.....Geri Chair Restraint
DISPLAY_NAME.....Geri Chair
HELP_TEXT.....No Help Text
ID.....{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}
TERM.....RESTRAINT GERI CHAIR

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER

ABBREVIATION.....RES H PL/L
ACTIVE.....Yes
DESCRIPTION.....Hard Plastic/Leather Restraint
DISPLAY_NAME.....Hard Plastic/Leather
HELP_TEXT.....No Help Text
ID.....{9BB528F4-7016-4030-B73F-4037ADF2621D}
TERM.....RESTRAINT HARD PLASTIC/LEATHER

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 2 POINT

ABBREVIATION.....RES P/L 2P
ACTIVE.....Yes
DESCRIPTION.....Hard Plastic/Leather 2 Point Restraint
DISPLAY_NAME.....Hard Plastic/Leather 2 Point

HELP_TEXT.....No Help Text
ID.....{17CB8739-612A-4319-946A-2062C5245C90}
TERM.....RESTRAINT HARD PLASTIC/LEATHER 2 POINT

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 4 POINT

ABBREVIATION.....RES P/L 4P
ACTIVE.....Yes
DESCRIPTION.....Hard Plastic/Leather 4 Point Restraint
DISPLAY_NAME.....Hard Plastic/Leather 4 Point
HELP_TEXT.....No Help Text
ID.....{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}
TERM.....RESTRAINT HARD PLASTIC/LEATHER 4 POINT

DATA VALUE: RESTRAINT ONE ARM

ABBREVIATION.....RES ONE AR
ACTIVE.....Yes
DESCRIPTION.....One Arm Restraint
DISPLAY_NAME.....One Arm
HELP_TEXT.....No Help Text
ID.....{839914DA-6D63-43EB-961E-70DA56737A92}
TERM.....RESTRAINT ONE ARM

DATA VALUE: RESTRAINT ONE LEG

ABBREVIATION.....RES ONE LE
ACTIVE.....Yes
DESCRIPTION.....One Leg Restraint
DISPLAY_NAME.....One Leg
HELP_TEXT.....No Help Text
ID.....{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}
TERM.....RESTRAINT ONE LEG

DATA VALUE: RESTRAINT SINGLE HAND MITT

ABBREVIATION.....RES S HA M
ACTIVE.....Yes
DESCRIPTION.....Single Hand Mitt Restraint
DISPLAY_NAME.....Single Hand Mitt
HELP_TEXT.....No Help Text
ID.....{A5F1D037-FB5E-402B-9F25-22DE48404D57}
TERM.....RESTRAINT SINGLE HAND MITT

DATA VALUE: RESTRAINT SOFT

ABBREVIATION.....RESTR SOFT
ACTIVE.....Yes
DESCRIPTION.....Soft Restraint
DISPLAY_NAME.....Soft Restraint

HELP_TEXT.....No Help Text

ID.....{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

TERM.....RESTRAINT SOFT

DATA VALUE: RESTRAINT SOFT 2 POINT

ABBREVIATION.....RES S2POIN

ACTIVE.....Yes

DESCRIPTION.....Soft 2 Point Restraint

DISPLAY_NAME.....Soft Restraint 2 Point

HELP_TEXT.....No Help Text

ID.....{66B71CFE-2603-40C9-9625-24448012BAB5}

TERM.....RESTRAINT SOFT 2 POINT

DATA VALUE: RESTRAINT SOFT 4 POINT

ABBREVIATION.....RES S4POIN

ACTIVE.....Yes

DESCRIPTION.....Soft 4 Point Restraint

DISPLAY_NAME.....Soft Restraint 4 Point

HELP_TEXT.....No Help Text

ID.....{6820E997-60A0-4802-BE26-CA29B4F48F32}

TERM.....RESTRAINT SOFT 4 POINT

DATA VALUE: RESTRAINT SOFT ARMS + LOCKED WAIST

ABBREVIATION.....RES S A+LW

ACTIVE.....Yes

DESCRIPTION.....Soft Arms + Locked Waist Restraint

DISPLAY_NAME.....Soft Arms + Locked Waist

HELP_TEXT.....No Help Text

ID.....{C480D67C-958C-42F9-9203-98E2F2BDBEC8}

TERM.....RESTRAINT SOFT ARMS + LOCKED WAIST

DATA VALUE: RESTRAINT SOFT ARMS + WAIST

ABBREVIATION.....RES S A+W

ACTIVE.....Yes

DESCRIPTION.....Soft Arms + Waist Restraints

DISPLAY_NAME.....Soft Arms + Waist

HELP_TEXT.....No Help Text

ID.....{4A322BB6-0F63-4BB7-9290-C0655BD7D772}

TERM.....RESTRAINT SOFT ARMS + WAIST

DATA VALUE: RESTRAINT STRAP

ABBREVIATION.....RES STRAP

ACTIVE.....Yes

DESCRIPTION.....Restraint Strap

DISPLAY_NAME.....Restraint Strap

HELP_TEXT.....No Help Text
ID.....{642FDACE-B320-42BC-9514-F5FCD6583B19}
TERM.....RESTRAINT STRAP

DATA VALUE: RESTRAINT VEST

ABBREVIATION.....RES VEST
ACTIVE.....Yes
DESCRIPTION.....Restraint Vest
DISPLAY_NAME.....Restraint Vest
HELP_TEXT.....No Help Text
ID.....{643378B2-86D7-4DB7-93ED-9DCE16D85E27}
TERM.....RESTRAINT VEST

DATA VALUE: RESTRAINT WAIST

ABBREVIATION.....RES WAIST
ACTIVE.....Yes
DESCRIPTION.....Waist
DISPLAY_NAME.....Waist
HELP_TEXT.....No Help Text
ID.....{253E2757-5A57-4410-9C0E-F4A907A1EC16}
TERM.....RESTRAINT WAIST

DATA VALUE: RESTRAINT WAIST LOCKED

ABBREVIATION.....RES WAI LO
ACTIVE.....Yes
DESCRIPTION.....Waist Locked Restraint
DISPLAY_NAME.....Waist Locked
HELP_TEXT.....No Help Text
ID.....{1EE7AB42-CE17-4D49-849B-CA550966E58C}
TERM.....RESTRAINT WAIST LOCKED

DATA VALUE: RESTRAINT WRIST

ABBREVIATION.....RES WRIST
ACTIVE.....Yes
DESCRIPTION.....Wrist Restraint
DISPLAY_NAME.....Restraint Wrist
HELP_TEXT.....No Help Text
ID.....{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}
TERM.....RESTRAINT WRIST

DATA VALUE: RESTRAINTS BROCHURE

ABBREVIATION.....RES BRO P
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Education Brochure Provided

HELP_TEXT.....No Help Text
ID.....{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}
TERM.....RESTRAINTS BROCHURE

DATA VALUE: RESTRAINTS ED REMOVAL

ABBREVIATION.....RES ED REM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Education On Condition Required For
Removal

HELP_TEXT.....No Help Text
ID.....{B19316C8-687B-48FB-9EBC-9857662B9F85}
TERM.....RESTRAINTS ED REMOVAL

DATA VALUE: RESTRAINTS ED TYPE

ABBREVIATION.....RES ED TY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Education Rational For Type Of
Restraint

HELP_TEXT.....No Help Text
ID.....{5560A332-C365-4DAF-BA33-610C4AE301F5}
TERM.....RESTRAINTS ED TYPE

DATA VALUE: RESTRAINTS EXPLAINED

ABBREVIATION.....RES EXPL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Explain Why Restraints Applied
HELP_TEXT.....No Help Text
ID.....{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}
TERM.....RESTRAINTS EXPLAINED

DATA VALUE: RESTRAINTS LIMIT SETTING

ABBREVIATION.....RES LIM SE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Limit Setting
HELP_TEXT.....No Help Text
ID.....{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}
TERM.....RESTRAINTS LIMIT SETTING

DATA VALUE: RESTRAINTS TIME LIMIT

ABBREVIATION.....RES TIME L
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Time Limit On Restraints

HELP_TEXT.....No Help Text

ID.....{513B483E-AD7B-4B1A-BD01-91133C605C3C}

TERM.....RESTRAINTS TIME LIMIT

DATA VALUE: RESTRICTED EXTREMITY

ABBREVIATION.....Res Extrem

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Restricted Extremity

HELP_TEXT.....

ID.....{7BC82415-996E-46F2-B2BC-DF0705AD2AA3}

TERM.....RESTRICTED EXTREMITY

DATA VALUE: RHONCHI

ABBREVIATION.....RHONCHI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Rhonchi

HELP_TEXT.....No Help Text

ID.....{850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}

TERM.....RHONCHI

DATA VALUE: RIGHT

ABBREVIATION.....RIGHT
ACTIVE.....Yes
DESCRIPTION.....Right
DISPLAY_NAME.....Right
HELP_TEXT.....No Help Text
ID.....{AB74C579-DF14-4D7B-A9EF-5F119089F976}
TERM.....RIGHT

DATA VALUE: RIGID HEEL SPLINT

ABBREVIATION.....RIG HEEL S
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Rigid Heel Splint
HELP_TEXT.....No Help Text
ID.....{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}
TERM.....RIGID HEEL SPLINT

DATA VALUE: RN

ABBREVIATION.....RN
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....RN

HELP_TEXT.....

ID.....{A103E506-EAA5-4777-8126-268CD723AD87}

TERM.....RN

DATA VALUE: ROPIVICAINE

ABBREVIATION.....Ropivicaïn

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Ropivicaïne

HELP_TEXT.....

ID.....{911BE8BC-6737-4DBF-96AF-A501D3D54493}

TERM.....ROPIVICAINE

DATA VALUE: ROTATIONAL THERAPY

ABBREVIATION.....ROT THERAP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Rotational Therapy

HELP_TEXT.....No Help Text

ID.....{BB795594-720C-40D7-9B7C-6792BC849DA0}

TERM.....ROTATIONAL THERAPY

DATA VALUE: ROUND

ABBREVIATION.....ROUND

ACTIVE.....Yes

DESCRIPTION.....Round

DISPLAY_NAME.....Round

HELP_TEXT.....No Help Text

ID.....{E8E741F1-F0C5-4B77-B014-63B545BED755}

TERM.....ROUND

DATA VALUE: RT

ABBREVIATION.....RT

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....RT

HELP_TEXT.....

ID.....{6E374EFA-B7CE-44C2-ADCE-DF9C132E951E}

TERM.....RT

DATA VALUE: RUB

ABBREVIATION.....r

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Rub

HELP_TEXT.....No Help Text

ID.....{0040835D-1CF0-7D55-EEBB-A94A1E0D1206}

TERM.....RUB

DATA VALUE: RUNS OF VT

ABBREVIATION.....Runs of VT

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Runs of VT

HELP_TEXT.....

ID.....{3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}

TERM.....RUNS OF VT

DATA VALUE: S = SLEEP, EASY TO AROUSE

ABBREVIATION.....POSS Sleep

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....S = Sleep, Easy to Arouse

HELP_TEXT.....

ID.....{9AB0CB97-1451-401E-9245-445132934C3B}

TERM.....S = SLEEP, EASY TO AROUSE

DATA VALUE: S1

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....S1

HELP_TEXT.....No Help Text

ID.....{1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}

TERM.....S1

DATA VALUE: S2

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....S2

HELP_TEXT.....No Help Text

ID.....{57C043D3-B227-3E7A-C1E6-5129A2800718}

TERM.....S2

DATA VALUE: S3

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....S3

HELP_TEXT.....No Help Text

ID.....{9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}

TERM.....S3

DATA VALUE: S4

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....S4

HELP_TEXT.....No Help Text

ID.....{9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}

TERM.....S4

DATA VALUE: SAFETY

ABBREVIATION.....SAFETY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Safety

HELP_TEXT.....No Help Text

ID.....{AD905A8F-33BD-4EFE-929E-A2B575797402}

TERM.....SAFETY

DATA VALUE: SALINE LOCK

ABBREVIATION.....SALIN LOCK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Saline Lock
HELP_TEXT.....No Help Text
ID.....{A94D7639-2A45-4319-A6C7-5A892AA6B1F4}
TERM.....SALINE LOCK

DATA VALUE: SALINE MOIST DRESSING

ABBREVIATION.....SAL MOI DR
ACTIVE.....Yes
DESCRIPTION.....Saline Moist Dressing
DISPLAY_NAME.....Saline Moist Dressing
HELP_TEXT.....No Help Text
ID.....{19F98514-8ABF-461C-9969-C31177FE7DE7}
TERM.....SALINE MOIST DRESSING

DATA VALUE: SANDOSOURCE PEPTIDE

ABBREVIATION.....SAND PEPTI
ACTIVE.....Yes
DESCRIPTION.....Sandosource Peptide Enteral Nutrition
Formula

DISPLAY_NAME.....Sandosource Peptide Enteral Nutrition

Formula

HELP_TEXT.....No Help Text

ID.....{0EF43998-4ED4-47F5-ACC6-5A977B6F9997}

TERM.....SANDOSOURCE PEPTIDE

DATA VALUE: SAS AGITATED

ABBREVIATION.....SAS AGITAT

ACTIVE.....Yes

DESCRIPTION.....Anxious or physically agitated, calms
to verbal instructions

DISPLAY_NAME.....5 - Agitated

HELP_TEXT.....Anxious or physically agitated, calms
to verbal instructions

ID.....{107143D4-9527-4A26-8CB7-EEBB656B68B3}

TERM.....SAS AGITATED

DATA VALUE: SAS CALM AND COOPERATIVE

ABBREVIATION.....SAS C COOP

ACTIVE.....Yes

DESCRIPTION.....Calm, easily arousable, follows
commands

DISPLAY_NAME.....4 - Calm and Cooperative

HELP_TEXT.....Calm, easily arousable, follows
commands

ID.....{F0633778-280C-43C3-9E6E-9C35C18179F6}

TERM.....SAS CALM AND COOPERATIVE

DATA VALUE: SAS DANGEROUS AGITATION

ABBREVIATION.....SAS DA AGI

ACTIVE.....Yes

DESCRIPTION.....Pulling at ET tube, trying to remove
catheters, climbing over bedrail,
striking at staff, thrashing
side-to-side

DISPLAY_NAME.....7 - Dangerous Agitation

HELP_TEXT.....Pulling at ET tube, trying to remove
catheters, climbing over bedrail,
striking at staff, thrashing
side-to-side

ID.....{0701FB25-1DF0-4771-8C81-AC19A985A3B6}

TERM.....SAS DANGEROUS AGITATION

DATA VALUE: SAS SEDATED

ABBREVIATION.....SAS SEDATE

ACTIVE.....Yes

DESCRIPTION.....Difficult to arouse but awakens to
verbal stimuli or gentle shaking,
follows simple commands but drifts
off again

DISPLAY_NAME.....3 - Sedated

HELP_TEXT.....Difficult to arouse but awakens to

verbal stimuli or gentle shaking,
follows simple commands but drifts
off again

ID.....{AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}

TERM.....SAS SEDATED

DATA VALUE: SAS UNAROUSABLE

ABBREVIATION.....SAS UNAROU

ACTIVE.....Yes

DESCRIPTION.....Minimal or no response to noxious
stimuli, does not communicate or
follow commands

DISPLAY_NAME.....1 - Unarousable

HELP_TEXT.....Minimal or no response to noxious
stimuli, does not communicate or
follow commands

ID.....{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

TERM.....SAS UNAROUSABLE

DATA VALUE: SAS VERY AGITATED

ABBREVIATION.....SAS VY AGI

ACTIVE.....Yes

DESCRIPTION.....Requiring restraint and frequent
verbal reminding of limits, biting
ETT

DISPLAY_NAME.....6 - Very Agitated

HELP_TEXT.....Requiring restraint and frequent

verbal reminding of limits, biting

ETT

ID.....{B501606A-EEA7-470E-81BE-F51D422272F1}

TERM.....SAS VERY AGITATED

DATA VALUE: SAS VERY SEDATED

ABBREVIATION.....SAS VY SED

ACTIVE.....Yes

DESCRIPTION.....Arouses to physical stimuli but does

not communicate or follow commands,

may move spontaneously

DISPLAY_NAME.....2 - Very Sedated

HELP_TEXT.....Arouses to physical stimuli but does

not communicate or follow commands,

may move spontaneously

ID.....{4B13529B-61C5-4B68-857A-3A5351DC4BE2}

TERM.....SAS VERY SEDATED

DATA VALUE: SCANT

ABBREVIATION.....SCANT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Scant

HELP_TEXT.....No Help Text

ID.....{8EF6C62D-0D94-37BB-60AD-86E306E8120D}

TERM.....SCANT

DATA VALUE: SCAPHOID

ABBREVIATION.....SCAPHOID

ACTIVE.....Yes

DESCRIPTION.....Scaphoid

DISPLAY_NAME.....Scaphoid

HELP_TEXT.....No Help Text

ID.....{1BE93489-42FC-44EB-8D07-87F4224979F3}

TERM.....SCAPHOID

DATA VALUE: SCOOTER

ABBREVIATION.....Scooter

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Scooter

HELP_TEXT.....

ID.....{663BC475-C20E-4B8B-B8B5-B16CC79A93C6}

TERM.....SCOOTER

DATA VALUE: SECLUSION

ABBREVIATION.....SECLUSION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Seclusion

HELP_TEXT.....No Help Text

ID.....{65B57F6C-C849-4BF7-8705-175361BC900F}

TERM.....SECLUSION

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 1

ABBREVIATION.....sdabt1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Second Degree Av Block: Type 1

HELP_TEXT.....No Help Text

ID.....{508BF663-96FB-EEBE-4F06-D2F1A02BD099}

TERM.....SECOND DEGREE AV BLOCK: TYPE 1

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 2

ABBREVIATION.....sdabt2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Second Degree Av Block: Type 2
HELP_TEXT.....No Help Text
ID.....{3367754A-08D1-31A9-E850-1B36358E358A}
TERM.....SECOND DEGREE AV BLOCK: TYPE 2

DATA VALUE: SECURE TRACK IN PLACE

ABBREVIATION.....Secure Trk
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Secure Track in Place
HELP_TEXT.....
ID.....{33F72416-BAD4-44AD-825E-93BCBFFB9670}
TERM.....SECURE TRACK IN PLACE

DATA VALUE: SEDATED

ABBREVIATION.....s
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sedated

HELP_TEXT.....No Help Text

ID.....{29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

TERM.....SEDATED

DATA VALUE: SEDIMENT

ABBREVIATION.....SEDIMENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sediment

HELP_TEXT.....No Help Text

ID.....{4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}

TERM.....SEDIMENT

DATA VALUE: SEIZURES

ABBREVIATION.....Seizures

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Seizures

HELP_TEXT.....

ID.....{DE974E49-2AB6-4781-9930-468F2B781BA9}

TERM.....SEIZURES

DATA VALUE: SELECTED SURGERY

ABBREVIATION.....Sel Surg
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Selected Surgery
HELP_TEXT.....
ID.....{6DBC6356-0F00-4001-AF94-20A479995A6C}
TERM.....SELECTED SURGERY

DATA VALUE: SELF AM CARE BY PATIENT

ABBREVIATION.....SELF AM CR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Self AM Care By Patient
HELP_TEXT.....No Help Text
ID.....{C48A46C1-0E68-479C-B803-08C80617ADFF}
TERM.....SELF AM CARE BY PATIENT

DATA VALUE: SELF CARE

ABBREVIATION.....SELF CARE
ACTIVE.....Yes
DESCRIPTION.....Self Care
DISPLAY_NAME.....Self Care

HELP_TEXT.....No Help Text

ID.....{0E068188-75B8-46C5-8947-A6CC5C7849B5}

TERM.....SELF CARE

DATA VALUE: SELF CARE OF BEDSIDE ENVIRONMENT

ABBREVIATION.....S CARE BED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Self Care of Bedside Environment

HELP_TEXT.....No Help Text

ID.....{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}

TERM.....SELF CARE OF BEDSIDE ENVIRONMENT

DATA VALUE: SELF FACE WASH

ABBREVIATION.....S FACE WAS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Self Face Wash

HELP_TEXT.....No Help Text

ID.....{77457D46-5676-46E6-B38F-FE3AF70B5CBC}

TERM.....SELF FACE WASH

DATA VALUE: SELF FOOT CARE

ABBREVIATION.....SELF FOOT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Self Foot Care
HELP_TEXT.....No Help Text
ID.....{F2DCAF0E-389D-4987-8C73-66E35266CC78}
TERM.....SELF FOOT CARE

DATA VALUE: SELF SHAVE

ABBREVIATION.....SELF SHAVE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Self Shave
HELP_TEXT.....No Help Text
ID.....{90F1760C-4C12-4976-ADCB-DBF456A34023}
TERM.....SELF SHAVE

DATA VALUE: SELF SHOWER

ABBREVIATION.....SELF SHOWE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Self Shower

HELP_TEXT.....No Help Text
ID.....{C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}
TERM.....SELF SHOWER

DATA VALUE: SELF TRACH CARE

ABBREVIATION.....S TRACH CA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Self Trach Care
HELP_TEXT.....No Help Text
ID.....{70BE79EC-107F-4CD3-B964-7919B3DDE222}
TERM.....SELF TRACH CARE

DATA VALUE: SELF-CARE SKILLS

ABBREVIATION.....Self Skill
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Self-Care Skills
HELP_TEXT.....
ID.....{39145E84-85F2-486C-9FF8-27787EC8026A}
TERM.....SELF-CARE SKILLS

DATA VALUE: SEMIFOWLERS HIGH

ABBREVIATION.....sh
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Semifowlers High
HELP_TEXT.....No Help Text
ID.....{1BBE7175-2BD2-BFB5-1E1B-E02443433072}
TERM.....SEMIFOWLERS HIGH

DATA VALUE: SEMIFOWLERS LOW

ABBREVIATION.....sl
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Semifowlers Low
HELP_TEXT.....No Help Text
ID.....{A265AF02-53FC-B182-8AE3-A06E95718D7E}
TERM.....SEMIFOWLERS LOW

DATA VALUE: SEQUENTIAL COMPRESSION DEVICE

ABBREVIATION.....SCD
ACTIVE.....Yes
DESCRIPTION.....SEQUENTIAL COMPRESSION DEVICE
DISPLAY_NAME.....Sequential Compression Device

HELP_TEXT.....SEQUENTIAL COMPRESSION DEVICE
ID.....{29D657DB-6679-8A55-0E33-235B5DD349F2}
TERM.....SEQUENTIAL COMPRESSION DEVICE

DATA VALUE: SEROSANGUINOUS

ABBREVIATION.....SEROSANGUI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Serosanguinous
HELP_TEXT.....No Help Text
ID.....{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
TERM.....SEROSANGUINOUS

DATA VALUE: SEROUS

ABBREVIATION.....SEROUS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Serous
HELP_TEXT.....No Help Text
ID.....{9BDA347E-29E9-80C7-91FA-016192D4257E}
TERM.....SEROUS

DATA VALUE: SET UP HELP ONLY

ABBREVIATION.....SETUP ONLY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Set Up Help only

HELP_TEXT.....No Help Text

ID.....{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}

TERM.....SET UP HELP ONLY

DATA VALUE: SEVERELY REDUCED

ABBREVIATION.....SEV REDUCE

ACTIVE.....Yes

DESCRIPTION.....Severely Reduced

DISPLAY_NAME.....Severely Reduced

HELP_TEXT.....No Help Text

ID.....{A895BACE-85AC-45B2-A190-4A6816DEDC1D}

TERM.....SEVERELY REDUCED

DATA VALUE: SHALLOW

ABBREVIATION.....SHALLOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Shallow

HELP_TEXT.....No Help Text

ID.....{CD205617-BF98-4177-971A-056AFECC823A}

TERM.....SHALLOW

DATA VALUE: SHAMPOO

ABBREVIATION.....SHAMPOO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Shampoo

HELP_TEXT.....No Help Text

ID.....{95CCB23C-E614-40CD-84F0-EE4EFBC95271}

TERM.....SHAMPOO

DATA VALUE: SHARP

ABBREVIATION.....SHARP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sharp

HELP_TEXT.....No Help Text

ID.....{20608864-E5CF-4FE3-8B6D-AE2FEE086503}

TERM.....SHARP

DATA VALUE: SHAVE

ABBREVIATION.....SHAVE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Shave

HELP_TEXT.....No Help Text

ID.....{A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}

TERM.....SHAVE

DATA VALUE: SHOOTING

ABBREVIATION.....SHOOTING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Shooting

HELP_TEXT.....No Help Text

ID.....{73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}

TERM.....SHOOTING

DATA VALUE: SHORT NECK

ABBREVIATION.....Short Neck

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Short Neck

HELP_TEXT.....

ID.....{FCBEFC55-197E-4FA1-B2EB-2DE065DCA463}

TERM.....SHORT NECK

DATA VALUE: SHOWER

ABBREVIATION.....SHOWER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Shower

HELP_TEXT.....No Help Text

ID.....{C259929A-44DB-48FD-A2EC-BC6ECF9D0476}

TERM.....SHOWER

DATA VALUE: SHUFFLING

ABBREVIATION.....Shuffling

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Shuffling

HELP_TEXT.....

ID.....{7EA3A898-1D90-472C-BE90-2110330A1ADA}

TERM.....SHUFFLING

DATA VALUE: SHUNTS

ABBREVIATION.....Shunts
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Shunts
HELP_TEXT.....
ID.....{8D9CB03B-6D63-4205-86C3-869421BEBD04}
TERM.....SHUNTS

DATA VALUE: SICU

ABBREVIATION.....SICU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....SICU
HELP_TEXT.....No Help Text
ID.....{EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}
TERM.....SICU

DATA VALUE: SIGMOIDOSTOMY

ABBREVIATION.....SIGMOIDOST
ACTIVE.....Yes
DESCRIPTION.....Sigmoidostomy
DISPLAY_NAME.....Sigmoidostomy

HELP_TEXT.....No Help Text

ID.....{0C84B317-59B3-433B-A9AD-6588C1361E0C}

TERM.....SIGMOIDOSTOMY

DATA VALUE: SIGNIFICANT OTHER

ABBREVIATION.....SO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Significant Other

HELP_TEXT.....No Help Text

ID.....{082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}

TERM.....SIGNIFICANT OTHER

DATA VALUE: SILVADENE

ABBREVIATION.....SILVADENE

ACTIVE.....Yes

DESCRIPTION.....Silvadene

DISPLAY_NAME.....Silvadene

HELP_TEXT.....No Help Text

ID.....{0889134F-C419-4366-B12E-EAB775719410}

TERM.....SILVADENE

DATA VALUE: SILVER

ABBREVIATION.....SILVER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Silver

HELP_TEXT.....No Help Text

ID.....{AF233570-2BB4-4AE6-8751-056B9717C475}

TERM.....SILVER

DATA VALUE: SILVER SULFADIAZINE

ABBREVIATION.....SILVER SUL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Silver Sulfadiazine

HELP_TEXT.....No Help Text

ID.....{E7A99A4E-C9B5-40D6-9820-05F87004F48B}

TERM.....SILVER SULFADIAZINE

DATA VALUE: SINGLE

ABBREVIATION.....SINGLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Single

HELP_TEXT.....No Help Text

ID.....{8D305E0F-9035-E396-E768-40D7E6455BE4}

TERM.....SINGLE

DATA VALUE: SINGLE USE LUBRICANT PACKET

ABBREVIATION.....Single Use

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Single Use Lubricant Packet

HELP_TEXT.....

ID.....{7F748EDB-77D4-42D2-BE75-54F73598D4B0}

TERM.....SINGLE USE LUBRICANT PACKET

DATA VALUE: SINUS ARREST

ABBREVIATION.....sa

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sinus Arrest

HELP_TEXT.....No Help Text

ID.....{3CD8F7AC-3FE0-F342-089C-787232D2A5C2}

TERM.....SINUS ARREST

DATA VALUE: SINUS ARRHYTHMIA

ABBREVIATION.....sa
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sinus Arrhythmia
HELP_TEXT.....No Help Text
ID.....{07A24AC9-B486-A4B8-BADB-04D2729542CE}
TERM.....SINUS ARRHYTHMIA

DATA VALUE: SINUS BLOCK

ABBREVIATION.....sb
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sinus Block
HELP_TEXT.....No Help Text
ID.....{94D6EFED-3D08-E724-BC40-9C398919A142}
TERM.....SINUS BLOCK

DATA VALUE: SINUS BRADYCARDIA

ABBREVIATION.....sb
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sinus Bradycardia

HELP_TEXT.....No Help Text
ID.....{D6EF4940-63AE-22AF-1A80-D8E6F0F07839}
TERM.....SINUS BRADYCARDIA

DATA VALUE: SINUS PAUSE

ABBREVIATION.....sp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sinus Pause
HELP_TEXT.....No Help Text
ID.....{7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}
TERM.....SINUS PAUSE

DATA VALUE: SINUS RHYTHM

ABBREVIATION.....sr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sinus Rhythm
HELP_TEXT.....No Help Text
ID.....{A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}
TERM.....SINUS RHYTHM

DATA VALUE: SINUS TACHYCARDIA

ABBREVIATION.....SINUS T
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sinus Tachycardia
HELP_TEXT.....No Help Text
ID.....{0AC41AF3-7656-A35D-E397-21D35405812A}
TERM.....SINUS TACHYCARDIA

DATA VALUE: SITE UNABLE TO BE MARKED

ABBREVIATION.....Unable/Mar
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Site Unable to be Marked
HELP_TEXT.....
ID.....{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}
TERM.....SITE UNABLE TO BE MARKED

DATA VALUE: SKIN INCISION WOUND CLOSURE OPEN WOUND

ABBREVIATION.....INC CL OPE
ACTIVE.....Yes
DESCRIPTION.....Skin Incision Closure Open Wound
DISPLAY_NAME.....Open Wound

HELP_TEXT.....Skin Incision Closure Open Wound
ID.....{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}
TERM.....SKIN INCISION WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN INCISION WOUND CLOSURE STAPLES

ABBREVIATION.....INC CL STA
ACTIVE.....Yes
DESCRIPTION.....Skin Incision Closure Staples
DISPLAY_NAME.....Staples
HELP_TEXT.....Skin Incision Closure Staples
ID.....{4F48D42D-C206-423C-970B-02C03B2EE0B6}
TERM.....SKIN INCISION WOUND CLOSURE STAPLES

DATA VALUE: SKIN INCISION WOUND CLOSURE STERI-STRIPS

ABBREVIATION.....INC CL STE
ACTIVE.....Yes
DESCRIPTION.....Skin Incision Closure Steri-Strips
DISPLAY_NAME.....Steri-Strips
HELP_TEXT.....Skin Incision Closure Steri-Strips
ID.....{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}
TERM.....SKIN INCISION WOUND CLOSURE

STERI-STRIPS

DATA VALUE: SKIN INCISION WOUND CLOSURE SUTURES

ABBREVIATION.....INC CL SUT

ACTIVE.....Yes

DESCRIPTION.....Skin Incision Closure Sutures

DISPLAY_NAME.....Sutures

HELP_TEXT.....Skin Incision Closure Sutures

ID.....{DED8DEDA-82C9-4D3A-A81E-641583314919}

TERM.....SKIN INCISION WOUND CLOSURE SUTURES

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm

ABBREVIATION.....INC IN <1

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision Extends into Periwound Less

Than1 cm

DISPLAY_NAME.....Extends Into Periwound Less Than 1 cm

HELP_TEXT.....Skin Induration Extension Around

Incision Extends into Periwound Less

Than1 cm

ID.....{2A5097BF-955C-4F79-B483-7EE14AF05786}

TERM.....SKIN INDURATION AROUND INCISION
EXTENDS INTO PERIWOUND LESS THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THA

N 1 cm

ABBREVIATION.....INC IN >1

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision Extends into Periwound

Greater Than 1 cm

DISPLAY_NAME.....Extends into Periwound Greater Than 1

cm

HELP_TEXT.....Skin Induration Extension Around

Incision Extends into Periwound

Greater Than 1 cm

ID.....{D8EE448D-00EB-412D-95AC-2E2E92C53EEB}

TERM.....SKIN INDURATION AROUND INCISION

EXTENDS INTO PERIWOUND MORE THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION LIMITED TO INCISION

ABBREVIATION.....INC IN LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision Limited to Incision

DISPLAY_NAME.....Limited to Incision

HELP_TEXT.....Skin Induration Extension Around

Incision Limited to Incision

ID.....{88BCE7F9-F21F-427A-A50B-C1BA831639AB}

TERM.....SKIN INDURATION AROUND INCISION

LIMITED TO INCISION

DATA VALUE: SKIN INDURATION AROUND INCISION NONE

ABBREVIATION.....INC IN NON

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incison None

DISPLAY_NAME.....None

HELP_TEXT.....Skin Induration Extension Around

Incison None

ID.....{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}

TERM.....SKIN INDURATION AROUND INCISION NONE

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND

<

1 cm

ABBREVIATION.....WOU IN <1

ACTIVE.....Yes

DESCRIPTION.....No DescriptionSkin Induration

Extension Around Wound Extends into

Periwound Less Than 1 cm

DISPLAY_NAME.....Extends into Periwound Less Than 1 cm

HELP_TEXT.....No DescriptionSkin Induration

Extension Around Wound Extends into

Periwound Less Than 1 cm

ID.....{3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND

>

1 cm

ABBREVIATION.....WOU IN >1

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Wound Extends into Periwound More

Than 1 cm

DISPLAY_NAME.....Extends into Periwound More Than 1 cm

HELP_TEXT.....Skin Induration Extension Around

Wound Extends into Periwound More

Than 1 cm

ID.....{7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND

ABBREVIATION.....WOU IN LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Wound Limited to Wound

DISPLAY_NAME.....Limted to Wound

HELP_TEXT.....Skin Induration Extension Around

Wound Limited to Wound

ID.....{1828A9EA-FF9D-4A49-9543-15B85FBF211E}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND LIMITED TO WOUND

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND NONE

ABBREVIATION.....WOU IN NON

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Wound None

DISPLAY_NAME.....None

HELP_TEXT.....Skin Induration Extension Around

Wound None

ID.....{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND NONE

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND

< 1 cm

ABBREVIATION.....INC SW <1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around

Incision Extends into Periwound Less

Than 1 cm

DISPLAY_NAME.....Extends into Periwound < 1 cm

HELP_TEXT.....Skin Swelling Extension Around

Incision Extends into Periwound Less

Than 1 cm

ID.....{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}

TERM.....SKIN SWELLING EXTENSION AROUND

INCISION EXTENDS INTO PERIWOUND < 1

cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND

> 1 cm

ABBREVIATION.....INC SW >1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around

Incision Extends into Periwound

Greater Than 1 cm

DISPLAY_NAME.....Extends into Periwound More Than 1 cm

HELP_TEXT.....Skin Swelling Extension Around

Incision Extends into Periwound

Greater Than 1 cm

ID.....{106A2AD3-F482-4DEE-967E-6F06C6026944}

TERM.....SKIN SWELLING EXTENSION AROUND

INCISION EXTENDS INTO PERIWOUND > 1

cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT

ABBREVIATION.....INC SW FLU

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around

Incision Fluctuant

DISPLAY_NAME.....Fluctuant

HELP_TEXT.....Skin Swelling Extension Around

Incision Fluctuant

ID.....{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

TERM.....SKIN SWELLING EXTENSION AROUND
INCISION FLUCTUANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND

ABBREVIATION.....INC SW LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around

Incision Limited to Wound

DISPLAY_NAME.....Limited to Wound

HELP_TEXT.....Skin Swelling Extension Around

Incision Limited to Wound

ID.....{B8503D54-6925-430E-8AB6-692412347D5D}

TERM.....SKIN SWELLING EXTENSION AROUND
INCISION LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION NONE

ABBREVIATION.....INC SW NON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....None

HELP_TEXT.....No Help Text

ID.....{54C9FC46-899C-460B-9524-D6F196B9FF31}

TERM.....SKIN SWELLING EXTENSION AROUND
INCISION NONE

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1

cm

ABBREVIATION.....WOU SW <1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Extends into Periwound Less Than 1 cm

DISPLAY_NAME.....Extends into Periwound Less Than 1 cm

HELP_TEXT.....Skin Swelling Extension Around Wound

Extends into Periwound Less Than 1 cm

ID.....{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1

cm

ABBREVIATION.....WOU SW >1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Extends into Periwound Greater Than 1

cm

DISPLAY_NAME.....Extends Into Periwound More Than 1 cm

HELP_TEXT.....Skin Swelling Extension Around Wound

Extends into Periwound Greater Than 1

cm

ID.....{EA6AC933-0737-4C28-9F31-D36F3452DA96}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT

ABBREVIATION.....WOU SW FLU

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Fluctuant

DISPLAY_NAME.....Fluctant

HELP_TEXT.....Skin Swelling Extension Around Wound

Fluctuant

ID.....{DB5077E7-D339-4C87-B8CA-D16269DB2935}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND
FLUCTANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND

ABBREVIATION.....WOU SW LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Limited to Wound

DISPLAY_NAME.....Limted to Wound

HELP_TEXT.....Skin Swelling Extension Around Wound

Limited to Wound

ID.....{413CD1EC-309C-45D0-A1E0-E829EA615E2A}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND NONE

ABBREVIATION.....WOU SW NON

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

None

DISPLAY_NAME.....None

HELP_TEXT.....Skin Swelling Extension Around Wound

None

ID.....{550E3B92-2C69-403B-A997-2DBE61374ABF}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

NONE

DATA VALUE: SKIN TEAR

ABBREVIATION.....SKIN TEAR

ACTIVE.....Yes

DESCRIPTION.....Skin Tear

DISPLAY_NAME.....Skin Tear

HELP_TEXT.....No Help Text

ID.....{2E230C6E-119F-4F9F-8797-2FFA9D76F337}

TERM.....SKIN TEAR

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE

ABBREVIATION.....INC TP CON

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site
Consistent with Body Temperature

DISPLAY_NAME.....Skin Temperature at Incision Site
Consistent with Body Temperature

HELP_TEXT.....Skin Temperature at Incision Site
Consistent with Body Temperature

ID.....{D349175A-4B20-4243-BE40-E01E50C5583F}

TERM.....SKIN TEMPERATURE AT INCISION SITE
CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE

ABBREVIATION.....INC TP CBT

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site
Cooler than General Body Temperature

DISPLAY_NAME.....Cooler Than General Body Temperature

HELP_TEXT.....Skin Temperature at Incision Site
Cooler than General Body Temperature

ID.....{D357C975-857D-4293-B3EF-EFA7A4586357}

TERM.....SKIN TEMPERATURE AT INCISION SITE
COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PAR

T

ABBREVIATION.....INC TP COP

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site

Cooler than Opposite Body Part

DISPLAY_NAME.....Cooler Than Opposite Body Part

HELP_TEXT.....Skin Temperature at Incision Site

Cooler than Opposite Body Part

ID.....{85307AD8-F730-43F0-BCB3-882594D9DDF8}

TERM.....SKIN TEMPERATURE AT INCISION SITE

COOLER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMP

ERATURE

ABBREVIATION.....WARM BD OP

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site

Warmer than General Body Temperture

DISPLAY_NAME.....Warmer Than General Body Temp

HELP_TEXT.....Skin Temperature at Incision Site

Warmer than General Body Temperture

ID.....{5F888E9D-8F65-49ED-BC5D-F6F287A9D478}

TERM.....SKIN TEMPERATURE AT INCISION SITE

WARMER THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PAR

T

ABBREVIATION.....WARMER OP

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site

Warmer than Opposite Body Part

DISPLAY_NAME.....Warmer Than Opposite Body Part

HELP_TEXT.....Skin Temperature at Incision Site

Warmer than Opposite Body Part

ID.....{F518787A-325A-45F3-82B4-73C856802073}

TERM.....SKIN TEMPERATURE AT INCISION SITE

WARMER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE

ABBREVIATION.....WOU TP CBT

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site
Consistent with Body Temperature

DISPLAY_NAME.....Consistent With Body Temperature

HELP_TEXT.....Skin Temperature at Wound Site
Consistent with Body Temperature

ID.....{672D56C1-D1A3-4DDF-8815-F05DEE197061}

TERM.....SKIN TEMPERATURE AT WOUND SITE
CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERA

TURE

ABBREVIATION.....WOU TP CGB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Cooler
than General Body Temp

DISPLAY_NAME.....Cooler Than General Body Temperature

HELP_TEXT.....Skin Temperature at Wound Site Cooler
than General Body Temp

ID.....{7203993E-3334-44EC-9FD9-14224253283D}

TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER

THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART

ABBREVIATION.....WOU TP COB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Cooler
than Opposite Body Part

DISPLAY_NAME.....Cooler Than Opposite Body Part

HELP_TEXT.....Skin Temperature at Wound Site Cooler
than Opposite Body Part

ID.....{A904C666-2810-4211-B53A-2961DCE6894E}

TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER
THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY
TEMPERA

TURE

ABBREVIATION.....WOU TP WGB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Warmer
than General Body Temperature

DISPLAY_NAME.....Warmer Than General Body Temperature

HELP_TEXT.....Skin Temperature at Wound Site Warmer
than General Body Temperature

ID.....{03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}

TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER

THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART

ABBREVIATION.....WOU TP WOB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Warmer
than Opposite Body Part

DISPLAY_NAME.....Warmer Than Opposite Body Part

HELP_TEXT.....Skin Temperature at Wound Site Warmer
than Opposite Body Part

ID.....{6290BD23-24BF-4A3A-8555-DCE52D2274B3}

TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER
THAN OPPOSITE BODY PART

DATA VALUE: SKIN TRAUMA

ABBREVIATION.....SKIN TRAUM

ACTIVE.....Yes

DESCRIPTION.....Skin Trauma

DISPLAY_NAME.....Skin Trauma

HELP_TEXT.....No Help Text

ID.....{91C8EE13-2C4A-468C-94EB-C53E0D153EBA}

TERM.....SKIN TRAUMA

DATA VALUE: SKIN WARM AND DRY COLOR APPROPRIATE

ABBREVIATION.....S W A DR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Skin Warm and Dry, Color Appropriate
to Baseline

HELP_TEXT.....No Help Text

ID.....{9637D510-C199-4969-8F2D-0A499151E22B}

TERM.....SKIN WARM AND DRY COLOR APPROPRIATE

DATA VALUE: SKIN WOUND CLOSURE APPROXIMATED

ABBREVIATION.....WOU CL APP

ACTIVE.....Yes

DESCRIPTION.....Skin Wound Closure Approximated

DISPLAY_NAME.....Approximated
HELP_TEXT.....Skin Wound Closure Approximated
ID.....{83D48E0F-8643-436B-9ECC-80795857C322}
TERM.....SKIN WOUND CLOSURE APPROXIMATED

DATA VALUE: SKIN WOUND CLOSURE DEHISCENCE

ABBREVIATION.....WOU CL DEH
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Dehiscence
DISPLAY_NAME.....Dehiscence
HELP_TEXT.....Skin Wound Closure Dehiscence
ID.....{425A460F-19C0-4A4A-8E4E-712C66968C38}
TERM.....SKIN WOUND CLOSURE DEHISCENCE

DATA VALUE: SKIN WOUND CLOSURE GLUE

ABBREVIATION.....WOU CL GLU
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Glue
DISPLAY_NAME.....Glue
HELP_TEXT.....Skin Wound Closure Glue
ID.....{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}
TERM.....SKIN WOUND CLOSURE GLUE

DATA VALUE: SKIN WOUND CLOSURE NOT CLOSED

ABBREVIATION.....WOU CL NOT
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Not Closed
DISPLAY_NAME.....Not Closed
HELP_TEXT.....Skin Wound Closure Not Closed
ID.....{0E69F1FA-35F6-4F34-8547-CC3602670A7B}
TERM.....SKIN WOUND CLOSURE NOT CLOSED

DATA VALUE: SKIN WOUND CLOSURE OPEN WOUND

ABBREVIATION.....WOU CL OPE
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Open Wound
DISPLAY_NAME.....Open Wound
HELP_TEXT.....Skin Wound Closure Open Wound
ID.....{C6F2AD2C-932F-434A-8A7A-513029092FFD}
TERM.....SKIN WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN WOUND CLOSURE STAPLES

ABBREVIATION.....WOU CL STA
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Staples
DISPLAY_NAME.....Staples

HELP_TEXT.....Skin Wound Closure Staples
ID.....{FE04BFE3-DF81-48E7-9FA1-1CFCF4ECAD71}
TERM.....SKIN WOUND CLOSURE STAPLES

DATA VALUE: SKIN WOUND CLOSURE STERI-STRIPS

ABBREVIATION.....WOU CL STE
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Steri - Strips
DISPLAY_NAME.....Steri-Strips
HELP_TEXT.....Skin Wound Closure Steri-Strips
ID.....{AD451791-6B49-4A51-ABC3-796D08BEF910}
TERM.....SKIN WOUND CLOSURE STERI-STRIPS

DATA VALUE: SKIN WOUND CLOSURE SUTURES

ABBREVIATION.....WOU CL SUT
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Sutures
DISPLAY_NAME.....Sutures
HELP_TEXT.....Skin Wound Closure Sutures
ID.....{F2840AE4-216B-477C-9FE6-DC91E8CE5364}
TERM.....SKIN WOUND CLOSURE SUTURES

DATA VALUE: SLEEPING

ABBREVIATION.....s
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sleeping
HELP_TEXT.....No Help Text
ID.....{87338420-F351-F98C-7A80-4990B87ACE2B}
TERM.....SLEEPING

DATA VALUE: SLEEPS POORLY

ABBREVIATION.....sp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sleeps Poorly
HELP_TEXT.....No Help Text
ID.....{AB9424B4-D0B1-148B-C800-FF535F3FAC84}
TERM.....SLEEPS POORLY

DATA VALUE: SLEPT WELL

ABBREVIATION.....SLEPT WELL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....States Has Slept Well

HELP_TEXT.....No Help Text

ID.....{18573E82-568F-4D2E-B9E1-6E4589EBEE2D}

TERM.....SLEPT WELL

DATA VALUE: SLIGHT

ABBREVIATION.....SLIGHT

ACTIVE.....Yes

DESCRIPTION.....Slight

DISPLAY_NAME.....Slight

HELP_TEXT.....Slight

ID.....{805549C1-5DC5-4A2D-BC1F-046E44928843}

TERM.....SLIGHT

DATA VALUE: SLING TRACTION

ABBREVIATION.....SLING TRAC

ACTIVE.....Yes

DESCRIPTION.....Sling Traction

DISPLAY_NAME.....Sling Traction

HELP_TEXT.....Sling Traction

ID.....{304E924C-C95A-4DBE-B30B-191BC4D26EF7}

TERM.....SLING TRACTION

DATA VALUE: SLOUGH

ABBREVIATION.....SLOUGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Slough

HELP_TEXT.....No Help Text

ID.....{548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}

TERM.....SLOUGH

DATA VALUE: SLUGGISH

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sluggish

HELP_TEXT.....No Help Text

ID.....{3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}

TERM.....SLUGGISH

DATA VALUE: SLURRED SPEECH

ABBREVIATION.....Slurred Sp

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Slurred Speech

HELP_TEXT.....

ID.....{6C3D295A-71C9-4DA8-A172-995F431D94C9}

TERM.....SLURRED SPEECH

DATA VALUE: SMALL

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Small

HELP_TEXT.....No Help Text

ID.....{5991F892-B28C-3998-E733-D8FFA26D7E21}

TERM.....SMALL

DATA VALUE: SMALL BORE FEEDING TUBE

ABBREVIATION.....SM BO TUBE

ACTIVE.....Yes

DESCRIPTION.....Small Bore Feeding Tube

DISPLAY_NAME.....Small Bore Feeding Tube

HELP_TEXT.....No Help Text

ID.....{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}

TERM.....SMALL BORE FEEDING TUBE

DATA VALUE: SMEAR

ABBREVIATION.....SMEAR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Smear
HELP_TEXT.....No Help Text
ID.....{4B99BBD3-443E-4954-8ADE-5FB3EE50540A}
TERM.....SMEAR

DATA VALUE: SMOKING AREA

ABBREVIATION.....sa
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Smoking Area
HELP_TEXT.....No Help Text
ID.....{8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}
TERM.....SMOKING AREA

DATA VALUE: SMOKING PORCH

ABBREVIATION.....sp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Smoking Porch

HELP_TEXT.....No Help Text

ID.....{5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}

TERM.....SMOKING PORCH

DATA VALUE: SMOOTH

ABBREVIATION.....SMOOTH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Smooth

HELP_TEXT.....No Help Text

ID.....{5D71A0D5-52ED-4B8D-B359-AC7D500660D8}

TERM.....SMOOTH

DATA VALUE: SNACK

ABBREVIATION.....SNACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Snack

HELP_TEXT.....No Help Text

ID.....{60B77974-4102-4511-A105-E24850B924D8}

TERM.....SNACK

DATA VALUE: SNACK - AM

ABBREVIATION.....Snack - AM
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Snack - AM
HELP_TEXT.....
ID.....{CBF0AFB1-AF1D-4C04-931F-3508D0472E70}
TERM.....SNACK - AM

DATA VALUE: SNACK - HS

ABBREVIATION.....Snack - HS
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Snack - HS
HELP_TEXT.....
ID.....{861B5B9A-D59F-46D2-BA96-4BEAA50654CE}
TERM.....SNACK - HS

DATA VALUE: SNACK - OTHER

ABBREVIATION.....Snack - Ot
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Snack - Other

HELP_TEXT.....

ID.....{CDEE1A83-4546-4A81-AA12-5D27DF743E68}

TERM.....SNACK - OTHER

DATA VALUE: SNACK - PM

ABBREVIATION.....Snack - PM

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Snack - PM

HELP_TEXT.....

ID.....{883C1241-38DA-4C6C-BF3C-CCF3B2378560}

TERM.....SNACK - PM

DATA VALUE: SNORES

ABBREVIATION.....Snores

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Snores

HELP_TEXT.....

ID.....{69FE4ECF-E1FE-4235-AD44-5AF9E634E000}

TERM.....SNORES

DATA VALUE: SODIUM CONTROLLED 2 GM

ABBREVIATION.....SOD CONT 2
ACTIVE.....Yes
DESCRIPTION.....Sodium Controlled 2 GM
DISPLAY_NAME.....Sodium Controlled 2 GM
HELP_TEXT.....No Help Text
ID.....{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}
TERM.....SODIUM CONTROLLED 2 GM

DATA VALUE: SODIUM CONTROLLED 4 GM

ABBREVIATION.....SOD CON 4G
ACTIVE.....Yes
DESCRIPTION.....Sodium Controlled 4 GM Diet
DISPLAY_NAME.....Sodium Controlled 4 GM
HELP_TEXT.....No Help Text
ID.....{26538A2F-5502-4D94-A2A7-D9E0BF825C47}
TERM.....SODIUM CONTROLLED 4 GM

DATA VALUE: SOFT

ABBREVIATION.....SOFT
ACTIVE.....Yes
DESCRIPTION.....Soft
DISPLAY_NAME.....Soft

HELP_TEXT.....No Help Text

ID.....{E68B4D4B-B86B-4004-A861-986645267F6E}

TERM.....SOFT

DATA VALUE: SOMNOLENT

ABBREVIATION.....Somnolent

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Somnolent

HELP_TEXT.....

ID.....{008A3F20-DD3D-4775-AA18-CCA7B817A77D}

TERM.....SOMNOLENT

DATA VALUE: SPECIAL PROCEDURE ROOM

ABBREVIATION.....Special Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Special Procedure Room

HELP_TEXT.....

ID.....{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}

TERM.....SPECIAL PROCEDURE ROOM

DATA VALUE: SPECIALTY MATTRESS/BED

ABBREVIATION.....Specialty
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Specialty Mattress/Bed
HELP_TEXT.....
ID.....{6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}
TERM.....SPECIALTY MATTRESS/BED

DATA VALUE: SPINAL

ABBREVIATION.....Spinal
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Spinal
HELP_TEXT.....
ID.....{AC02181C-0A2C-4F7A-B983-B32EF1BCD150}
TERM.....SPINAL

DATA VALUE: SPIRITUAL

ABBREVIATION.....SPIRITUAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Spiritual

HELP_TEXT.....No Help Text

ID.....{9670E2B9-6938-4487-A857-25546775B7A2}

TERM.....SPIRITUAL

DATA VALUE: SPLINTING

ABBREVIATION.....SPLINTING

ACTIVE.....Yes

DESCRIPTION.....Splinting

DISPLAY_NAME.....Splinting

HELP_TEXT.....No Help Text

ID.....{D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}

TERM.....SPLINTING

DATA VALUE: SPONTANEOUS

ABBREVIATION.....SPONTANEOU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Spontaneous

HELP_TEXT.....No Help Text

ID.....{C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

TERM.....SPONTANEOUS

DATA VALUE: SPOONING

ABBREVIATION.....SPOONING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Spoonng
HELP_TEXT.....No Help Text
ID.....{CA384C9F-D87D-4E2D-B4C0-89BD85692B16}
TERM.....SPOONING

DATA VALUE: SPOUSE

ABBREVIATION.....Spouse
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Spouse
HELP_TEXT.....
ID.....{2C601365-23F9-4939-9B63-F73720A17199}
TERM.....SPOUSE

DATA VALUE: SQ EMPHYSEMA

ABBREVIATION.....SQ EMPHYS.
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Subcutaneous Emphysema

HELP_TEXT.....No Help Text

ID.....{B8D03538-0168-4CDC-FF41-BA1185EBCC87}

TERM.....SQ EMPHYSEMA

DATA VALUE: SQUARE

ABBREVIATION.....SQUARE

ACTIVE.....Yes

DESCRIPTION.....Square

DISPLAY_NAME.....Square

HELP_TEXT.....Square

ID.....{63F70678-2CAF-48E8-964D-2805D8B9A43B}

TERM.....SQUARE

DATA VALUE: SQUEEZING

ABBREVIATION.....SQUEEZING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....SQUEEZING

HELP_TEXT.....No Help Text

ID.....{A148587A-1B99-4D0D-B11E-87ADC3D2A811}

TERM.....SQUEEZING

DATA VALUE: STABBING

ABBREVIATION.....STABBING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Stabbing
HELP_TEXT.....No Help Text
ID.....{684640D5-B3AB-47DA-98D8-5434ABF22B7E}
TERM.....STABBING

DATA VALUE: STABLE

ABBREVIATION.....STABLE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Stable
HELP_TEXT.....No Help Text
ID.....{A474E7BC-47EF-4472-A19A-172C441099EC}
TERM.....STABLE

DATA VALUE: STABLE BP AND PULSE

ABBREVIATION.....Stable BP
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Stable BP and Pulse

HELP_TEXT.....

ID.....{F07C2F54-1182-4377-A33A-F529884013E8}

TERM.....STABLE BP AND PULSE

DATA VALUE: STAFF

ABBREVIATION.....STAFF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Staff

HELP_TEXT.....No Help Text

ID.....{BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}

TERM.....STAFF

DATA VALUE: STAGE 3 OR 4 PRESSURE ULCER

ABBREVIATION.....Press Ulce

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Stage 3 or 4 Pressure Ulcer

HELP_TEXT.....

ID.....{883029EF-BB3A-4146-95DD-3C6F1C0D097D}

TERM.....STAGE 3 OR 4 PRESSURE ULCER

DATA VALUE: STAGE I

ABBREVIATION.....STAGE I
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Stage I
HELP_TEXT.....No Help Text
ID.....{B376AAAF-7143-4422-BCA2-CACF1201817C}
TERM.....STAGE I

DATA VALUE: STAGE II

ABBREVIATION.....STAGE II
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Stage II
HELP_TEXT.....No Help Text
ID.....{B520BEA3-841E-490A-A3CD-63D1027B561F}
TERM.....STAGE II

DATA VALUE: STAGE III

ABBREVIATION.....STAGE III
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Stage III

HELP_TEXT.....No Help Text

ID.....{A2F0866C-ECEE-4FCD-A34B-498232662D7E}

TERM.....STAGE III

DATA VALUE: STAGE IV

ABBREVIATION.....STAGE IV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stage IV

HELP_TEXT.....No Help Text

ID.....{284334AA-E488-4D45-93EF-9B93B2086A63}

TERM.....STAGE IV

DATA VALUE: STANDARD

ABBREVIATION.....STANDARD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....STANDARD

HELP_TEXT.....No Help Text

ID.....{C4B8C06D-BFFE-4438-A43D-926F039E5EE1}

TERM.....STANDARD

DATA VALUE: STANDARD PRESSURE REDUCTION

ABBREVIATION.....STAN P RED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Standard Pressure Reduction
HELP_TEXT.....No Help Text
ID.....{556537CD-A84D-4493-81F6-51CBD844B5B7}
TERM.....STANDARD PRESSURE REDUCTION

DATA VALUE: STAPLES

ABBREVIATION.....STAPLES
ACTIVE.....Yes
DESCRIPTION.....Staples to close a wound
DISPLAY_NAME.....Staples
HELP_TEXT.....No Help Text
ID.....{344DBBE0-5A94-4E18-BC97-BD7767A83E36}
TERM.....STAPLES

DATA VALUE: START TIME:

ABBREVIATION.....Start Time
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Start Time:

HELP_TEXT.....When entering data, make sure the
save date/time reflects the start
time.

ID.....{4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}

TERM.....START TIME:

DATA VALUE: STARTED

ABBREVIATION.....STARTED

ACTIVE.....Yes

DESCRIPTION.....Started

DISPLAY_NAME.....Started

HELP_TEXT.....No Help Text

ID.....{D6E105C4-5EAD-424E-8E4C-195EB7783A3D}

TERM.....STARTED

DATA VALUE: STARTED ON LEFT

ABBREVIATION.....sol

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Started On Left

HELP_TEXT.....No Help Text

ID.....{AA6767EE-57F6-F565-76E9-EB219644492F}

TERM.....STARTED ON LEFT

DATA VALUE: STARTED ON RIGHT

ABBREVIATION.....sor
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Started On Right
HELP_TEXT.....No Help Text
ID.....{0C690E36-E710-244D-44FC-5DB5BCC0FF7E}
TERM.....STARTED ON RIGHT

DATA VALUE: STEADY

ABBREVIATION.....Steady
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Steady
HELP_TEXT.....
ID.....{42CF2FDA-E774-4784-99D3-24545E30C46F}
TERM.....STEADY

DATA VALUE: STEADY GAIT OR BASELINE

ABBREVIATION.....ST GA BA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Steady Gait or Baseline

HELP_TEXT.....No Help Text
ID.....{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}
TERM.....STEADY GAIT OR BASELINE

DATA VALUE: STEP DOWN

ABBREVIATION.....STEP DOW
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Step Down
HELP_TEXT.....No Help Text
ID.....{F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}
TERM.....STEP DOWN

DATA VALUE: STERILE GLOVES-DRAPES USED

ABBREVIATION.....Ster Glove
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Sterile Gloves-Drapes Used
HELP_TEXT.....
ID.....{F26BBB1B-1483-40CD-AC47-828F71B9187C}
TERM.....STERILE GLOVES-DRAPES USED

DATA VALUE: STINGING

ABBREVIATION.....STINGING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Stinging
HELP_TEXT.....No Help Text
ID.....{DF235170-F501-4E8D-89DD-5A3C76F4B13B}
TERM.....STINGING

DATA VALUE: STOP TIME:

ABBREVIATION.....Stop Time:
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Stop Time:
HELP_TEXT.....When entering data, make sure the
 save date/time reflects the stop
 time.
ID.....{784CA4D8-988F-4A59-8AB5-48AFC9CA210B}
TERM.....STOP TIME:

DATA VALUE: STOPCOCK CHANGE

ABBREVIATION.....Stop Chg
ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Stopcock Change

HELP_TEXT.....

ID.....{C4A6E58E-DA4B-478F-823B-D2CFC9860072}

TERM.....STOPCOCK CHANGE

DATA VALUE: STRAIGHT CATHETER

ABBREVIATION.....STR. CATH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Straight Catheter

HELP_TEXT.....No Help Text

ID.....{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

TERM.....STRAIGHT CATHETER

DATA VALUE: STRETCHER

ABBREVIATION.....STRETCHER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stretcher

HELP_TEXT.....No Help Text

ID.....{93CB521A-3A67-41FB-A59C-3DD54D810B11}

TERM.....STRETCHER

DATA VALUE: STRICT

ABBREVIATION.....STRICT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Strict

HELP_TEXT.....No Help Text

ID.....{5717A3EA-9A1F-44AB-BB0B-E86BBDED3ECF}

TERM.....STRICT

DATA VALUE: STROKE

ABBREVIATION.....Stroke

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Stroke

HELP_TEXT.....

ID.....{F0EE98A8-040F-4923-8A21-059DA7B17995}

TERM.....STROKE

DATA VALUE: STRONG

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Strong

HELP_TEXT.....No Help Text

ID.....{A12154E1-544E-F372-3839-0D44E5BC476B}

TERM.....STRONG

DATA VALUE: STRYKER FRAME

ABBREVIATION.....STRYKER FR

ACTIVE.....Yes

DESCRIPTION.....Stryker Fram

DISPLAY_NAME.....Stryker Frame

HELP_TEXT.....No Help Text

ID.....{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}

TERM.....STRYKER FRAME

DATA VALUE: STUDENT

ABBREVIATION.....STUDENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Student

HELP_TEXT.....No Help Text

ID.....{613AFF67-9121-4F6C-A44F-1ACFEF10E612}

TERM.....STUDENT

DATA VALUE: STUPOROUS

ABBREVIATION.....Stuporous
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Stuporous
HELP_TEXT.....
ID.....{4C25FF58-3346-4B06-ACE5-6ADB942877A8}
TERM.....STUPOROUS

DATA VALUE: SUBCUTANEOUS TISSUE

ABBREVIATION.....SUBCUTAN T
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Subcutaneous Tissue
HELP_TEXT.....No Help Text
ID.....{D1345ED8-2CDB-4FD7-84B8-92C9E0872543}
TERM.....SUBCUTANEOUS TISSUE

DATA VALUE: SUCTIONED ONLY

ABBREVIATION.....SUCT ONLY
ACTIVE.....Yes
DESCRIPTION.....Suctioned Only
DISPLAY_NAME.....Suctioned Only

HELP_TEXT.....No Help Text
ID.....{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}
TERM.....SUCTIONED ONLY

DATA VALUE: SUICIDAL

ABBREVIATION.....s
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Suicidal
HELP_TEXT.....No Help Text
ID.....{B104E9C7-A78E-82DC-49A4-19B94A639AFE}
TERM.....SUICIDAL

DATA VALUE: SUMP

ABBREVIATION.....Sump
ACTIVE.....Yes
DESCRIPTION.....Sump Drain
DISPLAY_NAME.....Sump Drain
HELP_TEXT.....No Help Text
ID.....{DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}
TERM.....SUMP

DATA VALUE: SUPERVISION/SET-UP HELP

ABBREVIATION.....SUPERVISED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Supervision/Set-Up Help
HELP_TEXT.....No Help Text
ID.....{596D028B-B60D-4244-A1B0-882177C8D25F}
TERM.....SUPERVISION/SET-UP HELP

DATA VALUE: SUPINE

ABBREVIATION.....SUPINE
ACTIVE.....Yes
DESCRIPTION.....Supine
DISPLAY_NAME.....Supine
HELP_TEXT.....No Help Text
ID.....{A18F9534-17AF-47D7-8D14-2AA457A889BD}
TERM.....SUPINE

DATA VALUE: SUPLENA

ABBREVIATION.....Suplena
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Suplena

HELP_TEXT.....

ID.....{F606979A-083E-40C1-9EBB-EA56053EF5FD}

TERM.....SUPLENA

DATA VALUE: SUPPER

ABBREVIATION.....Supper

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Supper

HELP_TEXT.....

ID.....{9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}

TERM.....SUPPER

DATA VALUE: SUPPORT GROUPS

ABBREVIATION.....Supp Group

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Support Groups

HELP_TEXT.....

ID.....{7D67F542-4210-42FE-B083-7DA9D29055BD}

TERM.....SUPPORT GROUPS

DATA VALUE: SUPRAPUBIC

ABBREVIATION.....SUPRAPUBIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Suprapubic

HELP_TEXT.....No Help Text

ID.....{69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}

TERM.....SUPRAPUBIC

DATA VALUE: SUPRAVENTRICULAR TACHYCARDIA

ABBREVIATION.....st

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Supraventricular Tachycardia

HELP_TEXT.....No Help Text

ID.....{F712412F-D39A-58F7-E4F1-6AC8B77445D7}

TERM.....SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: SURGICAL

ABBREVIATION.....SURGICAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Surgical

HELP_TEXT.....No Help-Text
ID.....{2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}
TERM.....SURGICAL

DATA VALUE: SURGICAL DONOR

ABBREVIATION.....SURG DONOR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Surgical Donor
HELP_TEXT.....No Help Text
ID.....{F3EE10EA-5776-479B-A58C-F59D6526F90B}
TERM.....SURGICAL DONOR

DATA VALUE: SURGICAL GRAFT

ABBREVIATION.....SURG GRAFT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Surgical Graft
HELP_TEXT.....No Help Text
ID.....{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}
TERM.....SURGICAL GRAFT

DATA VALUE: SUSPECTED DEEP TISSUE INJURY

ABBREVIATION.....SUS DEEP T
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Suspected Deep Tissue Injury
HELP_TEXT.....No Help Text
ID.....{E82B4082-646F-4B5A-B68E-BB0872A4F6D2}
TERM.....SUSPECTED DEEP TISSUE INJURY

DATA VALUE: SUTURES

ABBREVIATION.....SUTURES
ACTIVE.....Yes
DESCRIPTION.....Sutures to close wound
DISPLAY_NAME.....Sutures
HELP_TEXT.....No Help Text
ID.....{F6E3535E-2368-4014-8F4E-670EC0CB69A5}
TERM.....SUTURES

DATA VALUE: SWOLLEN

ABBREVIATION.....SWOLLEN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Swollen

HELP_TEXT.....No Help Text

ID.....{DCE86B10-C393-8DA9-6518-F2943F0E1A4E}

TERM.....SWOLLEN

DATA VALUE: SYMPTOMS OF MEDICATION ALLERGY

ABBREVIATION.....Sym Med AI

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Symptoms of Medication Allergy

HELP_TEXT.....

ID.....{8E73F22D-7583-4F24-B946-091CF8508CED}

TERM.....SYMPTOMS OF MEDICATION ALLERGY

DATA VALUE: SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION

ABBREVIATION.....SIMV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Synchronous Intermittent Mandatory

Ventilation

HELP_TEXT.....No Help Text

ID.....{A606BB2B-5C00-FEA1-127F-1D3455AE5996}

TERM.....SYNCHRONOUS INTERMITTENT MANDATORY

VENTILATION

DATA VALUE: SYRINGE

ABBREVIATION.....Syringe
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Syringe
HELP_TEXT.....
ID.....{8ED1EF3E-79AC-4507-A35B-473F31510FB7}
TERM.....SYRINGE

DATA VALUE: SYRINGE CHANGE

ABBREVIATION.....Syr Chg
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Syringe Change
HELP_TEXT.....
ID.....{1F052EF1-F62C-4442-8B2B-D15280226C69}
TERM.....SYRINGE CHANGE

DATA VALUE: SYRINGE CHANGED

ABBREVIATION.....SYR CHANGE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Syringe Changed

HELP_TEXT.....No Help Text
ID.....{BE84F060-7E03-49DD-A6BC-787375C8E1F1}
TERM.....SYRINGE CHANGED

DATA VALUE: SYSTOLIC

ABBREVIATION.....SYSTOLIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Systolic
HELP_TEXT.....No Help Text
ID.....{859B5700-0990-42FF-8129-8DB24EFDA8D1}
TERM.....SYSTOLIC

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL BY ORDERS

ABBREVIATION.....SaO2 by Or
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....SaO2% at Acceptable Level by Orders
HELP_TEXT.....
ID.....{408B35FD-0300-4E7E-922A-A3F8CAD3DA9}
TERM.....SaO2% AT ACCEPTABLE LEVEL BY ORDERS

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL

ABBREVIATION.....SaO2 w/Pre

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....SaO2% at Acceptable Level with
Prescribed O2 Level

HELP_TEXT.....

ID.....{8DE3440F-8049-4846-89D6-2E2DDEEA362C}

TERM.....SaO2% AT ACCEPTABLE LEVEL WITH
PRESCRIBED O2 LEVEL

DATA VALUE: T1

ABBREVIATION.....T1

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T1

HELP_TEXT.....

ID.....{78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}

TERM.....T1

DATA VALUE: T10

ABBREVIATION.....T10

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T10

HELP_TEXT.....

ID.....{EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}

TERM.....T10

DATA VALUE: T11

ABBREVIATION.....T11

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T11

HELP_TEXT.....

ID.....{3C40B21A-965B-48C4-A65D-9A01CF2327F1}

TERM.....T11

DATA VALUE: T12

ABBREVIATION.....T12

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T12

HELP_TEXT.....

ID.....{36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}

TERM.....T12

DATA VALUE: T2

ABBREVIATION.....T2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T2

HELP_TEXT.....

ID.....{7536B154-F3CA-4B21-8CEC-301F204B19A9}

TERM.....T2

DATA VALUE: T3

ABBREVIATION.....T3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T3

HELP_TEXT.....

ID.....{F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}

TERM.....T3

DATA VALUE: T4

ABBREVIATION.....T4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T4

HELP_TEXT.....

ID.....{E95970BB-3FDA-4027-AAF0-EE5670642321}

TERM.....T4

DATA VALUE: T5

ABBREVIATION.....T5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T5

HELP_TEXT.....

ID.....{01B568D4-F9F4-44A7-94A4-EFF830691940}

TERM.....T5

DATA VALUE: T6

ABBREVIATION.....T6

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T6

HELP_TEXT.....

ID.....{0C2C1A00-7CCB-4608-AECB-30BFB52A5342}

TERM.....T6

DATA VALUE: T7

ABBREVIATION.....T7

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T7

HELP_TEXT.....

ID.....{385B254A-F256-4626-9C12-7D8984F4B605}

TERM.....T7

DATA VALUE: T8

ABBREVIATION.....T8

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T8

HELP_TEXT.....

ID.....{68337EB5-902D-4DCB-AFDD-8AC59849F58B}

TERM.....T8

DATA VALUE: T9

ABBREVIATION.....T9

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T9

HELP_TEXT.....

ID.....{06F10D8D-2E9D-454D-AD6B-B750300523DD}

TERM.....T9

DATA VALUE: TAN

ABBREVIATION.....TAN

ACTIVE.....Yes

DESCRIPTION.....The color tan

DISPLAY_NAME.....Tan

HELP_TEXT.....The color tan

ID.....{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

TERM.....TAN

DATA VALUE: TAPE BURN

ABBREVIATION.....TAPE BURN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tape Burn

HELP_TEXT.....No Help Text

ID.....{DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}

TERM.....TAPE BURN

DATA VALUE: TARRY

ABBREVIATION.....TARRY

ACTIVE.....Yes

DESCRIPTION.....Tarry in appearance

DISPLAY_NAME.....Tarry

HELP_TEXT.....No Help Text

ID.....{09364271-6307-471F-A334-A8F7E051EF46}

TERM.....TARRY

DATA VALUE: TEA

ABBREVIATION.....TEA

ACTIVE.....Yes

DESCRIPTION.....Tea

DISPLAY_NAME.....Tea

HELP_TEXT.....Tea

ID.....{E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

TERM.....TEA

DATA VALUE: TECH

ABBREVIATION.....Tech

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Tech

HELP_TEXT.....

ID.....{13AAF5D5-FEBC-4E09-B972-5D86BA02F307}

TERM.....TECH

DATA VALUE: TEETH BRUSHED

ABBREVIATION.....TEETH BRUS

ACTIVE.....Yes

DESCRIPTION.....Teeth Brushed

DISPLAY_NAME.....Teeth Brushed

HELP_TEXT.....No Help Text

ID.....{20841794-6E6D-4262-B1FE-9E3F20F8CC49}

TERM.....TEETH BRUSHED

DATA VALUE: TEMPORARY (TRANSVENOUS)

ABBREVIATION.....tt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Temporary (Transvenous)

HELP_TEXT.....No Help Text

ID.....{F6A74188-3D79-D749-540F-4EA32201B0E6}

TERM.....TEMPORARY (TRANSVENOUS)

DATA VALUE: TENACIOUS

ABBREVIATION.....TENACIOUS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tenacious
HELP_TEXT.....No Help Text
ID.....{EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}
TERM.....TENACIOUS

DATA VALUE: TENDER

ABBREVIATION.....TENDER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tender
HELP_TEXT.....No Help Text
ID.....{30486CC7-3097-4F95-9238-FD6C2126CD10}
TERM.....TENDER

DATA VALUE: TENDON

ABBREVIATION.....TENDON
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tendon

HELP_TEXT.....No Help Text

ID.....{40628D33-E217-4D39-9A82-4C8D7702576F}

TERM.....TENDON

DATA VALUE: THICK

ABBREVIATION.....THICK

ACTIVE.....Yes

DESCRIPTION.....Thick

DISPLAY_NAME.....Thick

HELP_TEXT.....No Help Text

ID.....{1554A49E-1468-46B2-F851-531DDB1D1A98}

TERM.....THICK

DATA VALUE: THIGH

ABBREVIATION.....THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Thigh

HELP_TEXT.....No Help Text

ID.....{65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}

TERM.....THIGH

DATA VALUE: THIN

ABBREVIATION.....THIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Thin

HELP_TEXT.....No Help Text

ID.....{CB8D8B5C-E824-D030-1241-D8EB814671E9}

TERM.....THIN

DATA VALUE: THIRD DEGREE AV BLOCK

ABBREVIATION.....tdab

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Third Degree Av Block

HELP_TEXT.....No Help Text

ID.....{1AC7E31B-830E-2309-3AF7-8FB03003DD86}

TERM.....THIRD DEGREE AV BLOCK

DATA VALUE: THORACIC

ABBREVIATION.....Thoracic

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Thoracic

HELP_TEXT.....

ID.....{CAC9637E-6CBC-4F12-BF5B-72EDD2148579}

TERM.....THORACIC

DATA VALUE: THORACIC SPINAL PRECAUTIONS

ABBREVIATION.....THOR S P

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Thoriacic Spinal Precautions

HELP_TEXT.....No Help Text

ID.....{D55AEF23-7F5E-45DD-A178-F217E6AF3873}

TERM.....THORACIC SPINAL PRECAUTIONS

DATA VALUE: THREADS

ABBREVIATION.....Threads

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Threads

HELP_TEXT.....

ID.....{029BB303-B428-41D0-978B-6A8176108D7D}

TERM.....THREADS

DATA VALUE: THROBBING

ABBREVIATION.....THROBBING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Throbbing

HELP_TEXT.....No Help Text

ID.....{3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}

TERM.....THROBBING

DATA VALUE: THYROMENTAL DISTANCE LESS THAN 3 PB

ABBREVIATION.....T/D <3 PB

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Thyromental Distance Less than 3 PB

HELP_TEXT.....

ID.....{D98AED3F-9583-4A86-9D32-13B0AD0A4614}

TERM.....THYROMENTAL DISTANCE LESS THAN 3 PB

DATA VALUE: TINGLING

ABBREVIATION.....t

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tingling

HELP_TEXT.....No Help Text

ID.....{AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

TERM.....TINGLING

DATA VALUE: TINGLING MOUTH/LIPS

ABBREVIATION.....Ting Mou/L

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Tingling Mouth/Lips

HELP_TEXT.....

ID.....{E603F979-310D-438B-80A2-1F52E4DE71C6}

TERM.....TINGLING MOUTH/LIPS

DATA VALUE: TINNITUS

ABBREVIATION.....Tinnitus

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Tinnitus

HELP_TEXT.....

ID.....{846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}

TERM.....TINNITUS

DATA VALUE: TO PAIN

ABBREVIATION.....TO PAIN

ACTIVE.....Yes

DESCRIPTION.....To Pain

DISPLAY_NAME.....To Pain

HELP_TEXT.....No Help Text

ID.....{AA1F818D-DCFC-4FBC-97D3-BE86D309119E}

TERM.....TO PAIN

DATA VALUE: TO SPEECH

ABBREVIATION.....TO SPEECH

ACTIVE.....Yes

DESCRIPTION.....To Speech

DISPLAY_NAME.....To Speech

HELP_TEXT.....No Help Text

ID.....{2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}

TERM.....TO SPEECH

DATA VALUE: TOENAIL CARE

ABBREVIATION.....TOEN CARE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Toenail Care

HELP_TEXT.....No Help Text

ID.....{6CF3ABCE-FF74-43E2-81E5-D23339017CA9}

TERM.....TOENAIL CARE

DATA VALUE: TOILETING BY SCHEDULE

ABBREVIATION.....Toilet Sch

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Toileting by Schedule

HELP_TEXT.....

ID.....{D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}

TERM.....TOILETING BY SCHEDULE

DATA VALUE: TOLERATING FLUIDS/NOURISHMENT

ABBREVIATION.....TO OR FL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tolerating Fluids/Nourishment

HELP_TEXT.....No Help Text

ID.....{E107F272-CD27-46B8-8C50-F9FF776DDCD9}

TERM.....TOLERATING FLUIDS/NOURISHMENT

DATA VALUE: TONIC/CLONIC

ABBREVIATION.....TON/CLON
ACTIVE.....Yes
DESCRIPTION.....Tonic/Clonic
DISPLAY_NAME.....Tonic/Clonic
HELP_TEXT.....Tonic/Clonic
ID.....{81932BAA-6C79-47A3-85B3-592824B6C09C}
TERM.....TONIC/CLONIC

DATA VALUE: TOPICAL TREATMENT

ABBREVIATION.....TOPICAL T
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Topical Treatment
HELP_TEXT.....No Help Text
ID.....{4E995342-8A6F-4B21-8013-F8C6A9FC7658}
TERM.....TOPICAL TREATMENT

DATA VALUE: TORSADES DE POINTES

ABBREVIATION.....Tor de Poi
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Torsades de Pointes

HELP_TEXT.....

ID.....{E936B787-7912-4CAE-A465-AD1A1FEA68CA}

TERM.....TORSADES DE POINTES

DATA VALUE: TOTAL DEPENDENCE

ABBREVIATION.....TOT DEPEND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Total Dependence

HELP_TEXT.....No Help Text

ID.....{38702CDD-E440-4EFA-9583-36EEE719F7C3}

TERM.....TOTAL DEPENDENCE

DATA VALUE: TRACHEOSTOMY

ABBREVIATION.....TRACHEOSTO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tracheostomy

HELP_TEXT.....No Help Text

ID.....{2B0B7599-847E-852F-D16F-091CAA4B205}

TERM.....TRACHEOSTOMY

DATA VALUE: TRANSCUTANEOUS

ABBREVIATION.....t
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Transcutaneous
HELP_TEXT.....No Help Text
ID.....{F4315F92-8804-1CB4-4D03-CCFDC95C6E71}
TERM.....TRANSCUTANEOUS

DATA VALUE: TRANSFER

ABBREVIATION.....TRANSFER
ACTIVE.....Yes
DESCRIPTION.....Transfer
DISPLAY_NAME.....Transfer
HELP_TEXT.....No Help Text
ID.....{DFDB4783-25BE-485B-A9BA-621F1004AAF2}
TERM.....TRANSFER

DATA VALUE: TRANSFER WITH ASSIST

ABBREVIATION.....TRANS ASST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Transfer With Assist

HELP_TEXT.....No Help Text
ID.....{62A5BFF5-9C7C-4412-83A8-F872095DE005}
TERM.....TRANSFER WITH ASSIST

DATA VALUE: TRANSPARENT

ABBREVIATION.....TRANSPAREN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Transparent
HELP_TEXT.....No Help Text
ID.....{0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
TERM.....TRANSPARENT

DATA VALUE: TRANSPARENT DRESSING

ABBREVIATION.....TRANSP DRE
ACTIVE.....Yes
DESCRIPTION.....Transparent Dressing
DISPLAY_NAME.....Transparent Dressing
HELP_TEXT.....No Help Text
ID.....{777C7722-AEA8-4A0B-9ADD-1157D37AE539}
TERM.....TRANSPARENT DRESSING

DATA VALUE: TRANSPORT FACILITATOR PRESENT

ABBREVIATION.....TR FA PR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Transport Facilitator Present
HELP_TEXT.....No Help Text
ID.....{645BF269-6B23-4377-95ED-71291F075B25}
TERM.....TRANSPORT FACILITATOR PRESENT

DATA VALUE: TRANSPYLORIC

ABBREVIATION.....TRANSPYOLO
ACTIVE.....Yes
DESCRIPTION.....Transpyloric
DISPLAY_NAME.....Transpyloric
HELP_TEXT.....No Help Text
ID.....{78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}
TERM.....TRANSPYLORIC

DATA VALUE: TREATMENTS

ABBREVIATION.....TREATMENTS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Treatments

HELP_TEXT.....No Help Text

ID.....{7A6879B5-F781-498E-9D71-3FA0243C3F21}

TERM.....TREATMENTS

DATA VALUE: TRIGEMINY

ABBREVIATION.....Trigeminy

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Trigeminy

HELP_TEXT.....

ID.....{13D65F9F-B51C-4CEC-8002-037C8323626C}

TERM.....TRIGEMINY

DATA VALUE: TRIPLE

ABBREVIATION.....TRIPLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Triple

HELP_TEXT.....No Help Text

ID.....{077BE8CF-F2AB-56E1-1F25-51DF80F8054D}

TERM.....TRIPLE

DATA VALUE: TUBED/DYSPHAGIC

ABBREVIATION.....TUBE/DYSPH
ACTIVE.....Yes
DESCRIPTION.....Tubed/Dysphagic
DISPLAY_NAME.....Tubed/Dysphagic
HELP_TEXT.....No Help Text
ID.....{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}
TERM.....TUBED/DYSPHAGIC

DATA VALUE: TUBING CHANGE

ABBREVIATION.....Tube Chg
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Tubing Change
HELP_TEXT.....
ID.....{6418C2A2-D244-4C5B-A398-904B99AACEA4}
TERM.....TUBING CHANGE

DATA VALUE: TUBING CHANGED/LABELED

ABBREVIATION.....TUBE CHANG
ACTIVE.....Yes
DESCRIPTION.....Changed or labeled tubing
DISPLAY_NAME.....Tubing Changed / Labeled

HELP_TEXT.....No Help Text

ID.....{19BA337C-6E28-411E-9702-48B262C593FA}

TERM.....TUBING CHANGED/LABELED

DATA VALUE: TURN AND POSITION

ABBREVIATION.....TURN POSIT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Turn and Position

HELP_TEXT.....No Help Text

ID.....{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}

TERM.....TURN AND POSITION

DATA VALUE: TURNING SELF INDEPENDENTLY

ABBREVIATION.....TURN SELF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Turning Self Independently

HELP_TEXT.....No Help Text

ID.....{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}

TERM.....TURNING SELF INDEPENDENTLY

DATA VALUE: TWILL TAPE

ABBREVIATION.....Twill Tape
ACTIVE.....Yes
DESCRIPTION.....Twill Tape
DISPLAY_NAME.....Twill Tape
HELP_TEXT.....No Help Text
ID.....{C52BE250-732D-03BB-B8F9-72BE4D546807}
TERM.....TWILL TAPE

DATA VALUE: TWO CAL HN

ABBREVIATION.....Two Cal HN
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Two Cal HN
HELP_TEXT.....
ID.....{3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}
TERM.....TWO CAL HN

DATA VALUE: TWO PERSON ASSIST

ABBREVIATION.....2 PERS AST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Two Person Assist

HELP_TEXT.....No Help Text

ID.....{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

TERM.....TWO PERSON ASSIST

DATA VALUE: ULTRACAL

ABBREVIATION.....ULTRACAL

ACTIVE.....Yes

DESCRIPTION.....Enteral Nutrition Type

DISPLAY_NAME.....Ultracal

HELP_TEXT.....No Help Text

ID.....{179AE9A5-154D-4CD2-B70B-66E84F5D0932}

TERM.....ULTRACAL

DATA VALUE: UN = UNEXAMINABLE

ABBREVIATION.....UN = Unex

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....UN = Unexaminable

HELP_TEXT.....

ID.....{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

TERM.....UN = UNEXAMINABLE

DATA VALUE: UNABLE TO AROUSE

ABBREVIATION.....Un to Ar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Unable to Arouse

HELP_TEXT.....

ID.....{05B32DD9-E634-4B60-A58B-2E915EA2834D}

TERM.....UNABLE TO AROUSE

DATA VALUE: UNABLE TO ASSESS

ABBREVIATION.....UNA TO AS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unable To Assess

HELP_TEXT.....No Help Text

ID.....{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

TERM.....UNABLE TO ASSESS

DATA VALUE: UNABLE TO INFORM

ABBREVIATION.....UNABLE INF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unable to Inform

HELP_TEXT.....No Help Text
ID.....{77428C87-B3F9-4BBD-B781-F7D89BCF9492}
TERM.....UNABLE TO INFORM

DATA VALUE: UNABLE TO READ

ABBREVIATION.....ILLITERATE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Unable to Read
HELP_TEXT.....No Help Text
ID.....{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}
TERM.....UNABLE TO READ

DATA VALUE: UNABLE TO RESPOND

ABBREVIATION.....UNA TO RES
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Unable To Respond
HELP_TEXT.....No Help Text
ID.....{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}
TERM.....UNABLE TO RESPOND

DATA VALUE: UNABLE TO VOID

ABBREVIATION.....Un to Void

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Unable to Void

HELP_TEXT.....

ID.....{1F2A844D-4E14-4759-B8F7-82B58E157720}

TERM.....UNABLE TO VOID

DATA VALUE: UNABLE TO WEDGE

ABBREVIATION.....UNABLE WED

ACTIVE.....Yes

DESCRIPTION.....Unable to Wedge

DISPLAY_NAME.....Unable to Wedge

HELP_TEXT.....No Help Text

ID.....{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}

TERM.....UNABLE TO WEDGE

DATA VALUE: UNBEARABLE

ABBREVIATION.....UNBEARABLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unbearable

HELP_TEXT.....No Help Text

ID.....{96611993-45F3-4D1D-BF7F-5E5C46E5569E}

TERM.....UNBEARABLE

DATA VALUE: UNCOOPERATIVE

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Uncooperative

HELP_TEXT.....No Help Text

ID.....{2D737EFB-F4CA-7AEA-9EB2-6FF133742815}

TERM.....UNCOOPERATIVE

DATA VALUE: UNDER STRETCHER/BED

ABBREVIATION.....Stretcher

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Under Stretcher/Bed

HELP_TEXT.....

ID.....{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}

TERM.....UNDER STRETCHER/BED

DATA VALUE: UNEQUAL

ABBREVIATION.....Unequal
ACTIVE.....Yes
DESCRIPTION.....Not the same
DISPLAY_NAME.....Unequal
HELP_TEXT.....Not the same
ID.....{73319200-164F-B39F-649C-B7FB1AFBDBB8}
TERM.....UNEQUAL

DATA VALUE: UNEXPECTED NUMBNESS

ABBREVIATION.....Unexp Numb
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Unexpected Numbness
HELP_TEXT.....
ID.....{6418B135-56AF-4A76-A207-55D7AE0C5364}
TERM.....UNEXPECTED NUMBNESS

DATA VALUE: UNIFOCAL PVC

ABBREVIATION.....Uni PVC
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Unifocal PVC

HELP_TEXT.....

ID.....{5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}

TERM.....UNIFOVAL PVC

DATA VALUE: UNKNOWN

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unknown

HELP_TEXT.....No Help Text

ID.....{1F872397-8635-18A3-E252-AE9B20B88C7D}

TERM.....UNKNOWN

DATA VALUE: UNRESPONSIVE

ABBREVIATION.....Unresponsi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Unresponsive

HELP_TEXT.....

ID.....{F6A71E77-B51F-4812-AE04-E24FA82D2AF1}

TERM.....UNRESPONSIVE

DATA VALUE: UNSTABLE

ABBREVIATION.....UNSTABLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unstable

HELP_TEXT.....No Help Text

ID.....{5841C521-8070-4034-A69D-27DAB2990EB3}

TERM.....UNSTABLE

DATA VALUE: UNSTAGEABLE

ABBREVIATION.....UNSTAGEABL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unstageable

HELP_TEXT.....No Help Text

ID.....{5C507F64-2EC0-4FD8-A786-94D76D90C0D1}

TERM.....UNSTAGEABLE

DATA VALUE: UNSTEADY

ABBREVIATION.....Unsteady

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Unsteady

HELP_TEXT.....

ID.....{7AC26DBA-B7F1-401C-9D4C-5C0F06C87152}

TERM.....UNSTEADY

DATA VALUE: UNSUCCESSFUL

ABBREVIATION.....UNSUCCESSF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unsuccessful

HELP_TEXT.....No Help Text

ID.....{54DC58A1-7585-4A32-B810-90B586ED9332}

TERM.....UNSUCCESSFUL

DATA VALUE: UP

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Up

HELP_TEXT.....No Help Text

ID.....{7BCC74F9-FE2F-FE60-57BA-321BFA316BEC}

TERM.....UP

DATA VALUE: UP TO CHAIR

ABBREVIATION.....UP TO CHAI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Up To Chair
HELP_TEXT.....No Help Text
ID.....{42E598E5-82EC-428B-B5FA-1129E3095C78}
TERM.....UP TO CHAIR

DATA VALUE: URINARY RETENTION

ABBREVIATION.....Urinary Re
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Urinary Retention
HELP_TEXT.....
ID.....{959EBBDC-7F67-42EC-8CF0-295F709BB433}
TERM.....URINARY RETENTION

DATA VALUE: UROMETER

ABBREVIATION.....u
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Urometer

HELP_TEXT.....No Help Text

ID.....{13074A3A-19D7-300C-7BFF-8DC18DDE2951}

TERM.....UROMETER

DATA VALUE: UROSTOMY

ABBREVIATION.....UROSTOMY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Urostomy

HELP_TEXT.....No Help Text

ID.....{1F9E528D-6D78-54EE-94E6-649C6F2056A3}

TERM.....UROSTOMY

DATA VALUE: V1

ABBREVIATION.....V1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V1

HELP_TEXT.....No Help Text

ID.....{4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}

TERM.....V1

DATA VALUE: V2

ABBREVIATION.....V2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V2

HELP_TEXT.....No Help Text

ID.....{05A3232E-A30D-4771-A1B5-E7705B717646}

TERM.....V2

DATA VALUE: V3

ABBREVIATION.....V3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V3

HELP_TEXT.....No Help Text

ID.....{E150126E-4AA7-4F96-961E-FD1169C77158}

TERM.....V3

DATA VALUE: V4

ABBREVIATION.....V4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V4

HELP_TEXT.....No Help Text

ID.....{255260F9-5CC7-41B1-831C-F9319FA27506}

TERM.....V4

DATA VALUE: V5

ABBREVIATION.....V5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V5

HELP_TEXT.....No Help Text

ID.....{D5C10744-0EB5-46FA-AE6C-CCF571318F8A}

TERM.....V5

DATA VALUE: V6

ABBREVIATION.....V6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V6

HELP_TEXT.....No Help Text

ID.....{B86F72D7-7884-4470-92A8-EF9277C5B584}

TERM.....V6

DATA VALUE: VACUUM ASSISTED CLOSURE

ABBREVIATION.....VAC ASS CL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Vacuum Assisted Closure
HELP_TEXT.....No Help Text
ID.....{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}
TERM.....VACUUM ASSISTED CLOSURE

DATA VALUE: VASCULAR

ABBREVIATION.....VASCULAR
ACTIVE.....Yes
DESCRIPTION.....Vascular
DISPLAY_NAME.....Vascular
HELP_TEXT.....No Help Text
ID.....{60523BF8-6372-4760-881C-A62F85D2A0F6}
TERM.....VASCULAR

DATA VALUE: VASCULAR LESION ARTERIAL

ABBREVIATION.....VASLES ART
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Vascular Leasion Arterial

HELP_TEXT.....No Help Text
ID.....{EA565D3F-D984-4553-B597-DFE844554CE9}
TERM.....VASCULAR LESION ARTERIAL

DATA VALUE: VASCULAR LESION MIXED

ABBREVIATION.....VASLES MIX
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Vascular Leasion Mixed
HELP_TEXT.....No Help Text
ID.....{8684AB2D-9162-4DC2-A5FA-A14558678689}
TERM.....VASCULAR LESION MIXED

DATA VALUE: VASCULAR LESION VENOUS

ABBREVIATION.....VASLES VEN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Vascular Lesion Venous
HELP_TEXT.....No Help Text
ID.....{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}
TERM.....VASCULAR LESION VENOUS

DATA VALUE: VASCULAR/NEUROPATHIC

ABBREVIATION.....VASC/NEURO
ACTIVE.....Yes
DESCRIPTION.....Vascular / Neuropathic
DISPLAY_NAME.....Vascular / Neuropathic
HELP_TEXT.....No Help Text
ID.....{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}
TERM.....VASCULAR/NEUROPATHIC

DATA VALUE: VASOPRESSOR

ABBREVIATION.....VASOPRESS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Vasopressor
HELP_TEXT.....No Help Text
ID.....{591FCB09-1287-48C6-8007-4CE961296BA9}
TERM.....VASOPRESSOR

DATA VALUE: VDD

ABBREVIATION.....VDD
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....VDD

HELP_TEXT.....No Help Text

ID.....{E733E525-EF36-2F93-AECC-BAD1C3E2C633}

TERM.....VDD

DATA VALUE: VEGETARIAN DIET

ABBREVIATION.....VEG DIET

ACTIVE.....Yes

DESCRIPTION.....Vegetarian Diet

DISPLAY_NAME.....Vegetarian Diet

HELP_TEXT.....No Help Text

ID.....{6B8143BE-843F-4944-9ABB-7175AFE2DF17}

TERM.....VEGETARIAN DIET

DATA VALUE: VENDOR REP

ABBREVIATION.....Vendor Rep

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Vendor Rep

HELP_TEXT.....

ID.....{4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}

TERM.....VENDOR REP

DATA VALUE: VENTICULAR FIBRILLATION

ABBREVIATION.....vf
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ventricular Fibrillation
HELP_TEXT.....No Help Text
ID.....{400B70C2-6E15-458F-70C6-FA2597DE2556}
TERM.....VENTICULAR FIBRILLATION

DATA VALUE: VENTILATOR

ABBREVIATION.....v
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ventilator
HELP_TEXT.....No Help Text
ID.....{A5A647ED-A56D-5012-AD5B-788B3DCB3498}
TERM.....VENTILATOR

DATA VALUE: VENTILATOR ACHIEVA P5O2

ABBREVIATION.....ACHIEVA P5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Achieva P5O2

HELP_TEXT.....No Help Text
ID.....{1690EEA5-3C3B-4D30-AC5C-214C94626699}
TERM.....VENTILATOR ACHIEVA P5O2

DATA VALUE: VENTILATOR ADULT STAR

ABBREVIATION.....ADULT STAR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Adult Star Ventilator
HELP_TEXT.....No Help Text
ID.....{879B13DA-4874-42D4-99EC-8E4ADB31B14E}
TERM.....VENTILATOR ADULT STAR

DATA VALUE: VENTILATOR BEAR 1000

ABBREVIATION.....BEAR 1000
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bear 1000
HELP_TEXT.....No Help Text
ID.....{03C30F99-A27C-427C-B0ED-872F0DE646BD}
TERM.....VENTILATOR BEAR 1000

DATA VALUE: VENTILATOR DRAEGER

ABBREVIATION.....DRAEGER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Draeger
HELP_TEXT.....No Help Text
ID.....{DD18C42F-EF13-460B-8676-9ED1E429B54B}
TERM.....VENTILATOR DRAEGER

DATA VALUE: VENTILATOR OTHER

ABBREVIATION.....VENT OTHER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Other Ventilator; Use Comments
HELP_TEXT.....No Help Text
ID.....{138B7B3D-9F8B-447A-9785-12AB396AE6DE}
TERM.....VENTILATOR OTHER

DATA VALUE: VENTILATOR PB 7200ae

ABBREVIATION.....PB7200ae
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PB 7200ae

HELP_TEXT.....No Help Text
ID.....{86AE485F-ECD1-4B8E-820F-71CF159F318B}
TERM.....VENTILATOR PB 7200ae

DATA VALUE: VENTILATOR PB 840

ABBREVIATION.....PB 840
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PB 840
HELP_TEXT.....No Help Text
ID.....{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}
TERM.....VENTILATOR PB 840

DATA VALUE: VENTILATOR SERVO

ABBREVIATION.....SERVO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Servo
HELP_TEXT.....No Help Text
ID.....{D6F06715-1ADD-4941-B026-B9A5E463943E}
TERM.....VENTILATOR SERVO

DATA VALUE: VENTRICULAR

ABBREVIATION.....v

ACTIVE.....Yes

DESCRIPTION.....VENTRICULAR

DISPLAY_NAME.....Ventricular

HELP_TEXT.....No Help Text

ID.....{307A4572-3CF0-7875-7313-7FD4AB23F8E7}

TERM.....VENTRICULAR

DATA VALUE: VENTRICULAR TACHYCARDIA

ABBREVIATION.....vt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ventricular Tachycardia

HELP_TEXT.....No Help Text

ID.....{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}

TERM.....VENTRICULAR TACHYCARDIA

DATA VALUE: VENTRICULAR WHIP PRESENT

ABBREVIATION.....VENT WHIP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ventricular Whip Present

HELP_TEXT.....No Help Text
ID.....{15CB9645-690D-446B-A380-F14CEEC9C6AA}
TERM.....VENTRICULAR WHIP PRESENT

DATA VALUE: VENTRICULOSTOMY

ABBREVIATION.....Ventriculo
ACTIVE.....Yes
DESCRIPTION.....Ventriculostomy
DISPLAY_NAME.....Ventriculostomy
HELP_TEXT.....No Help Text
ID.....{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}
TERM.....VENTRICULOSTOMY

DATA VALUE: VERBAL DE-ESCALATION

ABBREVIATION.....VERB DE-ES
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Verbal De-escalation
HELP_TEXT.....No Help Text
ID.....{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}
TERM.....VERBAL DE-ESCALATION

DATA VALUE: VERBALIZED BY PATIENT

ABBREVIATION.....Verbal
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Verbalized by Patient
HELP_TEXT.....
ID.....{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}
TERM.....VERBALIZED BY PATIENT

DATA VALUE: VERY LOW BMI

ABBREVIATION.....LOW BMI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Very Low BMI
HELP_TEXT.....No Help Text
ID.....{78B3A37B-938B-42E5-A403-75E206722BC3}
TERM.....VERY LOW BMI

DATA VALUE: VIOLET

ABBREVIATION.....VIOLET
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Violet

HELP_TEXT.....No Help Text

ID.....{1249AE97-CF1F-4604-A17A-5FC85F6D0185}

TERM.....VIOLET

DATA VALUE: VIP PORT

ABBREVIATION.....VIP PORT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....VIP Port Catheter

HELP_TEXT.....No Help Text

ID.....{3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

TERM.....VIP PORT

DATA VALUE: VISCOUS

ABBREVIATION.....VISCOUS

ACTIVE.....Yes

DESCRIPTION.....Viscous

DISPLAY_NAME.....Viscous

HELP_TEXT.....No Help Text

ID.....{0E8019D5-F2DB-46B8-B750-41568DD0179C}

TERM.....VISCOUS

DATA VALUE: VISUAL IMPAIRMENT

ABBREVIATION.....VIS IMPAIR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Visual Impairment
HELP_TEXT.....No Help Text
ID.....{7B2107CE-002D-43BE-9102-FCD5B9FAD617}
TERM.....VISUAL IMPAIRMENT

DATA VALUE: VITAL 1.0

ABBREVIATION.....Vital 1.0
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Vital 1.0
HELP_TEXT.....
ID.....{D3CA653C-419D-4186-8704-E171650062DF}
TERM.....VITAL 1.0

DATA VALUE: VITAL 1.5

ABBREVIATION.....Vital 1.5
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Vital 1.5

HELP_TEXT.....

ID.....{3665F539-7BBD-4AD9-A4D0-0A33506036D7}

TERM.....VITAL 1.5

DATA VALUE: VITAL AF

ABBREVIATION.....Vital AF

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Vital AF

HELP_TEXT.....

ID.....{D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}

TERM.....VITAL AF

DATA VALUE: VITAL ENTERAL NUTRITION TYPE

ABBREVIATION.....VITAL ENT

ACTIVE.....Yes

DESCRIPTION.....Vital Enteral Nutrition Type

DISPLAY_NAME.....Vital

HELP_TEXT.....No Help Text

ID.....{2DA036DA-BF27-4E52-86A2-20A312823480}

TERM.....VITAL ENTERAL NUTRITION TYPE

DATA VALUE: VITAL HN ENTERAL NUTRITION

ABBREVIATION.....VITAL HN
ACTIVE.....Yes
DESCRIPTION.....Vital HN Enteral Nutrition Type
DISPLAY_NAME.....Vital HN
HELP_TEXT.....No Help Text
ID.....{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}
TERM.....VITAL HN ENTERAL NUTRITION

DATA VALUE: VITAL SIGNS STABLE

ABBREVIATION.....VI SI ST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Vital Signs Stable
HELP_TEXT.....No Help Text
ID.....{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}
TERM.....VITAL SIGNS STABLE

DATA VALUE: VIVONEX RTF

ABBREVIATION.....Viv RTF
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Vivonex RTF

HELP_TEXT.....

ID.....{461E7430-CC94-47D1-A90D-9694314C7729}

TERM.....VIVONEX RTF

DATA VALUE: VOIDED

ABBREVIATION.....VOIDED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Voided

HELP_TEXT.....No Help Text

ID.....{7F23E601-A1E5-4016-8A12-06B1099041CF}

TERM.....VOIDED

DATA VALUE: VOLUNTEER

ABBREVIATION.....VOLUNTEE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Volunteer

HELP_TEXT.....No Help Text

ID.....{F5406412-DE48-4F84-8A31-0B1D79DB576D}

TERM.....VOLUNTEER

DATA VALUE: VOMITING

ABBREVIATION.....VOMITING

ACTIVE.....Yes

DESCRIPTION.....Vomiting

DISPLAY_NAME.....Vomiting

HELP_TEXT.....Vomiting

ID.....{921F463C-1639-4D13-8E4E-6D3A1B6927F9}

TERM.....VOMITING

DATA VALUE: VVI

ABBREVIATION.....VVI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....VVI

HELP_TEXT.....No Help Text

ID.....{2C87F8F3-2B99-80E7-04EB-E6FE88168627}

TERM.....VVI

DATA VALUE: WAFFLE

ABBREVIATION.....WAFFLE

ACTIVE.....Yes

DESCRIPTION.....Waffle

DISPLAY_NAME.....Waffle

HELP_TEXT.....No Help Text
ID.....{29A0FA73-CAA7-4660-9861-79A09F6DD98C}
TERM.....WAFFLE

DATA VALUE: WAITING ROOM

ABBREVIATION.....WAIT ROOM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Waiting Room
HELP_TEXT.....No Help Text
ID.....{13476486-F895-4FFC-AB42-B274827B47DA}
TERM.....WAITING ROOM

DATA VALUE: WALKER

ABBREVIATION.....WALKER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Walker
HELP_TEXT.....No Help Text
ID.....{91247001-5E89-46A0-A841-B4FAE9226E63}
TERM.....WALKER

DATA VALUE: WALKING OR PACING

ABBREVIATION.....wop
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Walking Or Pacing
HELP_TEXT.....No Help Text
ID.....{CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}
TERM.....WALKING OR PACING

DATA VALUE: WANDER GUARD IN PLACE

ABBREVIATION.....Wander Grd
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Wander Guard in Place
HELP_TEXT.....
ID.....{B49D735F-A6ED-4E8F-9BD0-F8514245B262}
TERM.....WANDER GUARD IN PLACE

DATA VALUE: WANDERER

ABBREVIATION.....w
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Wanderer

HELP_TEXT.....No Help Text

ID.....{C5BD737B-F9A6-5800-B45C-2585507C3EDC}

TERM.....WANDERER

DATA VALUE: WARD

ABBREVIATION.....WARD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ward

HELP_TEXT.....No Help Text

ID.....{A16CB5CB-3401-4F6C-8467-7F78FC929872}

TERM.....WARD

DATA VALUE: WARM

ABBREVIATION.....WARM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warm

HELP_TEXT.....No Help Text

ID.....{E03BBEB4-5643-968F-190F-309A1293FCF9}

TERM.....WARM

DATA VALUE: WARM HUMIDITY WITH O2

ABBREVIATION.....WM HUM O2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warm Humidity with Oxygen

HELP_TEXT.....No Help Text

ID.....{E62E07C3-4CA2-426B-8EBA-48C406837D9C}

TERM.....WARM HUMIDITY WITH O2

DATA VALUE: WARMER THAN GENERAL BODY TEMP

ABBREVIATION.....WARM B TEM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warmer Than General Body Temperature

HELP_TEXT.....No Help Text

ID.....{AE43F2B4-B585-43F4-9E97-D61E225A803B}

TERM.....WARMER THAN GENERAL BODY TEMP

DATA VALUE: WARMER THAN OPPOSITE BODY PART

ABBREVIATION.....WARM OPP P

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warmer Than Opposite Body Part

HELP_TEXT.....No Help Text

ID.....{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}

TERM.....WARMER THAN OPPOSITE BODY PART

DATA VALUE: WARMING BLANKET

ABBREVIATION.....WARM BLANK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warming Blanket

HELP_TEXT.....Warming Blanket

ID.....{23D20AE5-DE25-4456-8F77-BF0411FB19A6}

TERM.....WARMING BLANKET

DATA VALUE: WARMING BOTTLE

ABBREVIATION.....WARM BOTTL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warming Bottle

HELP_TEXT.....No Help Text

ID.....{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}

TERM.....WARMING BOTTLE

DATA VALUE: WARMING OFF

ABBREVIATION.....WARMING OF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warming Off

HELP_TEXT.....No Help Text

ID.....{98FAC977-8E2E-406A-9217-A77E1DDCDF50}

TERM.....WARMING OFF

DATA VALUE: WARMING ON

ABBREVIATION.....WARMING ON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warming On

HELP_TEXT.....No Help Text

ID.....{6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}

TERM.....WARMING ON

DATA VALUE: WATERSEAL

ABBREVIATION.....WATERSEAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Waterseal

HELP_TEXT.....No Help Text

ID.....{6D91B99D-F199-09ED-78BE-B54F2CAC4E06}

TERM.....WATERSEAL

DATA VALUE: WAVEFORM REFLECTS ATRIAL PLACEMENT

ABBREVIATION.....WAVE ATRIA

ACTIVE.....Yes

DESCRIPTION.....Waveform Reflects Atrial Placement

DISPLAY_NAME.....Waveform Reflects Atrial Placement

HELP_TEXT.....No Help Text

ID.....{A1249745-41C2-4A4F-A86D-7E5E17477B06}

TERM.....WAVEFORM REFLECTS ATRIAL PLACEMENT

DATA VALUE: WEAK

ABBREVIATION.....w

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Weak

HELP_TEXT.....No Help Text

ID.....{BE2D9305-E2DA-F492-66CF-164EE58B8179}

TERM.....WEAK

DATA VALUE: WEAKNESS

ABBREVIATION.....Weakness

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Weakness

HELP_TEXT.....

ID.....{E4C6D569-7961-4CB4-8E90-A02A31F98094}

TERM.....WEAKNESS

DATA VALUE: WEDGED

ABBREVIATION.....WEDGED

ACTIVE.....Yes

DESCRIPTION.....Wedged

DISPLAY_NAME.....Wedged

HELP_TEXT.....No Help Text

ID.....{03D7F6FD-399D-4A6B-9900-59655D76EE95}

TERM.....WEDGED

DATA VALUE: WHEELCHAIR

ABBREVIATION.....WH CHAIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Wheelchair

HELP_TEXT.....No Help Text

ID.....{EC1B82CE-4037-466F-90AC-52CD5C3B26BE}

TERM.....WHEELCHAIR

DATA VALUE: WHEELCHAIR EXIT ALARM

ABBREVIATION.....WHEEL EXIT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Wheelchair Exit Alarm

HELP_TEXT.....No Help Text

ID.....{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

TERM.....WHEELCHAIR EXIT ALARM

DATA VALUE: WHEEZES

ABBREVIATION.....w

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Wheezes

HELP_TEXT.....No Help Text

ID.....{1B8A9729-554D-59F6-E9E8-40BDFF9C678E}

TERM.....WHEEZES

DATA VALUE: WHITE

ABBREVIATION.....WHITE

ACTIVE.....Yes

DESCRIPTION.....The color white

DISPLAY_NAME.....White

HELP_TEXT.....The color white

ID.....{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}

TERM.....WHITE

DATA VALUE: WITH PHYSICIAN

ABBREVIATION.....wp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....With Physician

HELP_TEXT.....No Help Text

ID.....{1673C53F-DA8C-2CEC-679B-B01D914FE533}

TERM.....WITH PHYSICIAN

DATA VALUE: WITH THERAPIST

ABBREVIATION.....wt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....With Therapist

HELP_TEXT.....No Help Text
ID.....{795A1300-1D60-9D67-692D-A2AB2B190596}
TERM.....WITH THERAPIST

DATA VALUE: WITHDRAWN

ABBREVIATION.....w
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Withdrawn
HELP_TEXT.....No Help Text
ID.....{E74B0F04-0E3F-632F-9409-C4953D95B1BA}
TERM.....WITHDRAWN

DATA VALUE: WITHDRAWS TO PAIN

ABBREVIATION.....WITHD TO P
ACTIVE.....Yes
DESCRIPTION.....Withdraws To Pain
DISPLAY_NAME.....Withdraws To Pain
HELP_TEXT.....No Help Text
ID.....{013527C8-FF6B-49CD-BF45-9338F7413E81}
TERM.....WITHDRAWS TO PAIN

DATA VALUE: WITHOUT ASSISTANCE

ABBREVIATION.....WO ASSIS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Without Assistance

HELP_TEXT.....No Help Text

ID.....{41CE081D-CB0E-49AF-936A-4FD78E61681B}

TERM.....WITHOUT ASSISTANCE

DATA VALUE: WOUND

ABBREVIATION.....WOUND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Wound

HELP_TEXT.....No Help Text

ID.....{1EC40149-051E-4750-8651-2B2D0DD2DEAC}

TERM.....WOUND

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS BLOODY

ABBREVIATION.....WOU DI BLO

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Bloody

DISPLAY_NAME.....Bloody

HELP_TEXT.....Wound Discharge Characteristics Bloody
ID.....{628DBFBC-9B77-48EA-99FE-0DF000376506}
TERM.....WOUND DISCHARGE CHARACTERISTICS BLOODY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS CLOUDY

ABBREVIATION.....WOU DI CLO
ACTIVE.....Yes
DESCRIPTION.....Wound Discharge Characteristics Cloudy
DISPLAY_NAME.....Cloudy
HELP_TEXT.....Wound Discharge Characteristics Cloudy
ID.....{159C9993-A2E1-4133-9D5F-315EF9985EC4}
TERM.....WOUND DISCHARGE CHARACTERISTICS CLOUDY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS NONE

ABBREVIATION.....WOU DI NON
ACTIVE.....Yes
DESCRIPTION.....Wound Discharge Characteristics None
DISPLAY_NAME.....None
HELP_TEXT.....Wound Discharge Characteristics None
ID.....{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}
TERM.....WOUND DISCHARGE CHARACTERISTICS NONE

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS PURULENT

ABBREVIATION.....WOU DI PUR

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics

Purulent

DISPLAY_NAME.....Purulent

HELP_TEXT.....Wound Discharge Characteristics

Purulent

ID.....{C1E10410-B6D8-4429-BD94-0B179992EAAB}

TERM.....WOUND DISCHARGE CHARACTERISTICS

PURULENT

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS

ABBREVIATION.....WOU DI SSA

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics

Serosanguinous

DISPLAY_NAME.....Serosanguinous

HELP_TEXT.....Wound Discharge Characteristics

Serosanguinous

ID.....{B431D8EF-5B53-4DCF-A390-431EB5ED3704}

TERM.....WOUND DISCHARGE CHARACTERISTICS

SEROSANGUINOUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROUS

ABBREVIATION.....WOU DI SER

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Serous

DISPLAY_NAME.....Serous

HELP_TEXT.....Wound Discharge Characteristics Serous

ID.....{2124005E-5C36-48AC-AA6B-03E06510D70A}

TERM.....WOUND DISCHARGE CHARACTERISTICS SEROUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS VISCOUS

ABBREVIATION.....WOU DI VIS

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Viscous

DISPLAY_NAME.....Viscous

HELP_TEXT.....Wound Discharge Characteristics Viscous

ID.....{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}

TERM.....WOUND DISCHARGE CHARACTERISTICS VISCOUS

DATA VALUE: WOUND DRAINAGE AMOUNT HEAVY

ABBREVIATION.....W DR A HEA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Heavy

HELP_TEXT.....No Help-Text

ID.....{BF959172-6672-4FEB-8FB7-0568405F3C83}

TERM.....WOUND DRAINAGE AMOUNT HEAVY

DATA VALUE: WOUND DRAINAGE AMOUNT MODERATE

ABBREVIATION.....W DR A MOD
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Moderate
HELP_TEXT.....No Help-Text
ID.....{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}
TERM.....WOUND DRAINAGE AMOUNT MODERATE

DATA VALUE: WOUND DRAINAGE AMOUNT NONE

ABBREVIATION.....WOU DR A N
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....None
HELP_TEXT.....No Help-Text
ID.....{92910398-311F-D4D7-8BD5-AB66C3DC5E72}
TERM.....WOUND DRAINAGE AMOUNT NONE

DATA VALUE: WOUND DRAINAGE AMOUNT SCANT

ABBREVIATION.....W DR SCANT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Scant

HELP_TEXT.....No Help-Text

ID.....{9C3CD0BD-F960-4098-B14C-17B20703B242}

TERM.....WOUND DRAINAGE AMOUNT SCANT

DATA VALUE: WOUND DRAINAGE AMOUNT SMALL

ABBREVIATION.....W DR A SMA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Small

HELP_TEXT.....No Help-Text

ID.....{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}

TERM.....WOUND DRAINAGE AMOUNT SMALL

DATA VALUE: WOUND DRESSING TYPE ANTIMICROBIAL

ABBREVIATION.....WOU DR ANT

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Antimicrobial

HELP_TEXT.....No Help Text

ID.....{9DAE650A-3D5C-498B-BC74-F3CE77CD2BA9}

TERM.....WOUND DRESSING TYPE ANTIMICROBIAL

DATA VALUE: WOUND DRESSING TYPE CALCIUM ALGINATE

ABBREVIATION.....WOU DR CAL

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Calcium Alginate

HELP_TEXT.....No Help Text

ID.....{AA084ED8-07D0-4D8A-84D1-51F025246F40}

TERM.....WOUND DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: WOUND DRESSING TYPE GAUZE

ABBREVIATION.....WOU DR GAU

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Gauze

HELP_TEXT.....No Help Text

ID.....{A2EE67E2-B006-413F-8F8A-E02C21A39FC1}

TERM.....WOUND DRESSING TYPE GAUZE

DATA VALUE: WOUND DRESSING TYPE GAUZE PACKING

ABBREVIATION.....WOU DR GPA

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Gauze Packing

HELP_TEXT.....No Help Text

ID.....{ED06B435-B205-4BD2-B3D1-795C40EE016F}

TERM.....WOUND DRESSING TYPE GAUZE PACKING

DATA VALUE: WOUND DRESSING TYPE GAUZE WRAP

ABBREVIATION.....WOU DR GWR

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Gauze Wrap

HELP_TEXT.....No Help Text

ID.....{4257C446-7627-4632-8507-B5880AD934D5}

TERM.....WOUND DRESSING TYPE GAUZE WRAP

DATA VALUE: WOUND DRESSING TYPE HYDROCOLLOIDAL

ABBREVIATION.....WOU DR HYD

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Hydrocolloidal

HELP_TEXT.....No Help Text

ID.....{8C20226C-FC6A-49A0-9A72-06876DB1F203}

TERM.....WOUND DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: WOUND DRESSING TYPE HYDROGEL

ABBREVIATION.....WOU DR HYD
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Hydrogel
HELP_TEXT.....No Help Text
ID.....{60DDE603-9FF1-44FA-BC4D-45AA8753E254}
TERM.....WOUND DRESSING TYPE HYDROGEL

DATA VALUE: WOUND DRESSING TYPE NONE

ABBREVIATION.....WOU DR NON
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....None
HELP_TEXT.....No Help Text
ID.....{8A58A493-A02C-4570-9786-9F5AF8D02360}
TERM.....WOUND DRESSING TYPE NONE

DATA VALUE: WOUND DRESSING TYPE PRESSURE

ABBREVIATION.....WOU DR PRE
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Pressure

HELP_TEXT.....No Help Text
ID.....{520952E4-FB31-4C1C-9FE2-A10E0F1CEE00}
TERM.....WOUND DRESSING TYPE PRESSURE

DATA VALUE: WOUND DRESSING TYPE TRANSPARENT

ABBREVIATION.....WOU DR TRA

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Transparent

HELP_TEXT.....No Help Text

ID.....{EA57D935-33D8-4F30-8511-706870A27122}

TERM.....WOUND DRESSING TYPE TRANSPARENT

DATA VALUE: WOUND EDGE INDISTINCT/ATTACHED

ABBREVIATION.....WOU ED IND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Indistinct, Attached

HELP_TEXT.....No Help-Text

ID.....{C899235C-4A07-4420-92BC-8F818B8E0A7F}

TERM.....WOUND EDGE INDISTINCT/ATTACHED

DATA VALUE: WOUND EDGE NON-ATTACHED

ABBREVIATION.....WOU ED NON
ACTIVE.....Yes
DESCRIPTION.....Wound Edge Non Attached
DISPLAY_NAME.....Non-Attached
HELP_TEXT.....Wound Edge Non Attached
ID.....{1D5C1317-B4FF-421C-96A0-C20C1089E672}
TERM.....WOUND EDGE NON-ATTACHED

DATA VALUE: WOUND EDGE ROLLED

ABBREVIATION.....WOU ED ROL
ACTIVE.....Yes
DESCRIPTION.....Wound Edge Rolled
DISPLAY_NAME.....Rolled
HELP_TEXT.....Wound Edge Rolled
ID.....{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}
TERM.....WOUND EDGE ROLLED

DATA VALUE: WOUND EDGE TUNNELING

ABBREVIATION.....WOU ED TUN
ACTIVE.....Yes
DESCRIPTION.....Wound Edge Tunneling
DISPLAY_NAME.....Tunneling

HELP_TEXT.....Wound Edge Tunneling
ID.....{97425206-5261-46C1-905F-E03E2F071381}
TERM.....WOUND EDGE TUNNELING

DATA VALUE: WOUND EDGE UNDERMINING

ABBREVIATION.....WOU ED UND
ACTIVE.....Yes
DESCRIPTION.....Wound Edge Undermining
DISPLAY_NAME.....Undermining
HELP_TEXT.....Wound Edge Undermining
ID.....{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}
TERM.....WOUND EDGE UNDERMINING

DATA VALUE: WOUND ODOR FOUL

ABBREVIATION.....WOU OD FOU
ACTIVE.....Yes
DESCRIPTION.....Wound Odor Foul
DISPLAY_NAME.....Foul
HELP_TEXT.....Wound Odor Foul
ID.....{99A74112-EA71-4896-A4DD-911379E5B453}
TERM.....WOUND ODOR FOUL

DATA VALUE: WOUND ODOR NONE

ABBREVIATION.....WOU OD NON

ACTIVE.....Yes

DESCRIPTION.....Wound Odor None

DISPLAY_NAME.....None

HELP_TEXT.....Wound Odor None

ID.....{D2E388F7-B531-4D60-A2BE-830F11B9AA75}

TERM.....WOUND ODOR NONE

DATA VALUE: WOUND VAC DEVICE

ABBREVIATION.....WOUND VAC

ACTIVE.....Yes

DESCRIPTION.....Wound Vac Device

DISPLAY_NAME.....Wound Vac Device

HELP_TEXT.....No Help Text

ID.....{A03F4978-969D-DCB8-DCE2-26EB33F097B3}

TERM.....WOUND VAC DEVICE

DATA VALUE: X-RAY

ABBREVIATION.....X-RAY

ACTIVE.....Yes

DESCRIPTION.....X-Ray

DISPLAY_NAME.....X-Ray

HELP_TEXT.....X-Ray

ID.....{C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}

TERM.....X-RAY

DATA VALUE: XENADERM

ABBREVIATION.....XENADERM

ACTIVE.....Yes

DESCRIPTION.....Xenaderm

DISPLAY_NAME.....Xenaderm

HELP_TEXT.....No Help Text

ID.....{F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}

TERM.....XENADERM

DATA VALUE: XEROFORM

ABBREVIATION.....XEROFORM

ACTIVE.....Yes

DESCRIPTION.....Xeroform

DISPLAY_NAME.....Xeroform

HELP_TEXT.....No Help Text

ID.....{7D7C3CDC-253E-4262-B8D4-3B70DE9AE4}

TERM.....XEROFORM

DATA VALUE: YELLOW

ABBREVIATION.....YELLOW
ACTIVE.....Yes
DESCRIPTION.....The color yellow
DISPLAY_NAME.....Yellow
HELP_TEXT.....No Help Text
ID.....{90DC31AD-6211-9F25-4237-79F7122A2763}
TERM.....YELLOW

DATA VALUE: YELLOW/FIBRINOUS

ABBREVIATION.....YELLOW/FIB
ACTIVE.....Yes
DESCRIPTION.....Yellow / Fibrinous
DISPLAY_NAME.....Yellow / Fibrinous
HELP_TEXT.....No Help Text
ID.....{47CF52FE-0374-4690-ADA1-643E0954E035}
TERM.....YELLOW/FIBRINOUS

DATA VALUE: YELLOW/GREEN

ABBREVIATION.....YELLOW/GRN
ACTIVE.....Yes
DESCRIPTION.....Yellow/Green in appearance
DISPLAY_NAME.....Yellow / Green

HELP_TEXT.....No Help Text

ID.....{1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}

TERM.....YELLOW/GREEN

DATA VALUE: YES

ABBREVIATION.....y

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Yes

HELP_TEXT.....No Help Text

ID.....{483DE806-2EDB-34B0-FE11-C29EEEE649CD}

TERM.....YES

DATA VALUE: pH

ABBREVIATION.....pH

ACTIVE.....Yes

DESCRIPTION.....pH

DISPLAY_NAME.....pH

HELP_TEXT.....pH

ID.....{104FE39C-B0A2-40B5-A523-B11E5F2BA272}

TERM.....pH

DATA VALUE: {8BC7F294-7126-4843-91A0-14F805EC4578}

ABBREVIATION.....Morphine

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Morphine

HELP_TEXT.....

ID.....{8BC7F294-7126-4843-91A0-14F805EC4578}

TERM.....{8BC7F294-7126-4843-91A0-14F805EC4578}

LOCATION: ABDOMEN

ABBREVIATION.....ABDOMEN

ACTIVE.....Yes

DESCRIPTION.....ABDOMEN

DISPLAY_NAME.....Abdomen

HELP_TEXT.....No Help Text

ID.....{109FE041-2521-6EF2-7F95-1FD1587796AB}

TERM.....ABDOMEN

LOCATION: ABDOMEN LLQ

ABBREVIATION.....ABD LLQ

ACTIVE.....Yes

DESCRIPTION.....Abdomen Left Lower Quarter

DISPLAY_NAME.....Abdomen Left Lower Quarter

HELP_TEXT.....No Help Text

ID.....{39831F59-D7B0-4156-AC57-4C622A93CA58}

TERM.....ABDOMEN LLQ

LOCATION: ABDOMEN LUQ

ABBREVIATION.....ABD LUQ

ACTIVE.....Yes

DESCRIPTION.....Abdomen Left Upper Quarter
DISPLAY_NAME.....Abdomen Left Upper Quarter
HELP_TEXT.....No Help Text
ID.....{3B31E1EC-CE74-4C76-BB61-10C678431FCA}
TERM.....ABDOMEN LUQ

LOCATION: ABDOMEN RLQ

ABBREVIATION.....ABD RLQ
ACTIVE.....Yes
DESCRIPTION.....Abdomen Right Lower Quarter
DISPLAY_NAME.....Abdomen Right Lower Quarter
HELP_TEXT.....No Help Text
ID.....{2C48394F-6877-4738-856C-E933644D8067}
TERM.....ABDOMEN RLQ

LOCATION: ABDOMEN RUQ

ABBREVIATION.....ABD RUQ
ACTIVE.....Yes
DESCRIPTION.....Abdomen Right Upper Quarter
DISPLAY_NAME.....Abdomen Right Upper Quarter
HELP_TEXT.....No Help Text
ID.....{F29C9FA1-717A-49B7-8000-95070E9AACA0}
TERM.....ABDOMEN RUQ

LOCATION: ABDOMINAL

ABBREVIATION.....Abd

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Abdominal

HELP_TEXT.....No Help Text

ID.....{AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}

TERM.....ABDOMINAL

LOCATION: ABDOMINAL AORTA

ABBREVIATION.....ABD AORTA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Abdominal Aorta

HELP_TEXT.....No Help Text

ID.....{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

TERM.....ABDOMINAL AORTA

LOCATION: ANKLE

ABBREVIATION.....Ank

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ankle

HELP_TEXT.....No Help Text

ID.....{F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

TERM.....ANKLE

LOCATION: APICAL

ABBREVIATION.....Ap

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Apical

HELP_TEXT.....No Help Text

ID.....{C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}

TERM.....APICAL

LOCATION: AV FISTULA

ABBREVIATION.....AVF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AV Fistula

HELP_TEXT.....No Help Text

ID.....{F977EEF6-EA6A-D56D-D1F7-29B91510A02F}

TERM.....AV FISTULA

LOCATION: AXILLARY

ABBREVIATION.....Ax

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Axillary

HELP_TEXT.....No Help Text

ID.....{135AA5F4-A1C7-978D-E9AB-6873841AEB57}

TERM.....AXILLARY

LOCATION: BACK

ABBREVIATION.....BACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Back

HELP_TEXT.....No Help Text

ID.....{22C26239-C692-4E93-B522-E5E8392BA3B1}

TERM.....BACK

LOCATION: BILATERAL ANKLES

ABBREVIATION.....BILA ANKLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bilateral Ankles

HELP_TEXT.....No Help-Text
ID.....{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}
TERM.....BILATERAL ANKLES

LOCATION: BILATERAL FOOT

ABBREVIATION.....BILAT FOOT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral
HELP_TEXT.....No Help Text
ID.....{C758847D-468F-479A-B12D-F4E46F0E5E3A}
TERM.....BILATERAL FOOT

LOCATION: BILATERAL HAND

ABBREVIATION.....BILAT HAND
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral
HELP_TEXT.....No Help Text
ID.....{C782FE56-6117-493F-847F-83173407F0B5}
TERM.....BILATERAL HAND

LOCATION: BILATERAL LEG

ABBREVIATION.....BILAT LEG

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bilateral

HELP_TEXT.....No Help Text

ID.....{0713761D-E0FC-DA03-02A1-F20EFEB99F45}

TERM.....BILATERAL LEG

LOCATION: BILATERAL NECK

ABBREVIATION.....BILAT NECK

ACTIVE.....Yes

DESCRIPTION.....Bilateral Neck

DISPLAY_NAME.....Bilateral Neck

HELP_TEXT.....No Help Text

ID.....{744BF4A2-C55E-4D55-8711-58700DD1C446}

TERM.....BILATERAL NECK

LOCATION: BILATERAL PERIPHERALS

ABBREVIATION.....BILAT PERI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bilateral Peripherals

HELP_TEXT.....No Help Text
ID.....{7F134529-36C5-E9D4-ABD5-64B404F9E706}
TERM.....BILATERAL PERIPHERALS

LOCATION: BILATERAL WRIST

ABBREVIATION.....BILAT WRIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral
HELP_TEXT.....No Help Text
ID.....{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}
TERM.....BILATERAL WRIST

LOCATION: BLADDER

ABBREVIATION.....BLADDER
ACTIVE.....Yes
DESCRIPTION.....Bladder
DISPLAY_NAME.....Bladder
HELP_TEXT.....Bladder
ID.....{18E083F2-C4BB-407E-B0A3-20C4942FC97F}
TERM.....BLADDER

LOCATION: BOTH ARMS

ABBREVIATION.....BOTH ARMS

ACTIVE.....Yes

DESCRIPTION.....Both Arms

DISPLAY_NAME.....Both Arms

HELP_TEXT.....No Help Text

ID.....{A493AB32-9DE9-40AC-8C46-7EFF395B63B5}

TERM.....BOTH ARMS

LOCATION: BOTH EYES

ABBREVIATION.....Both Eyes

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Both Eyes

HELP_TEXT.....

ID.....{FF0ED136-502C-4CC9-94D0-991A50D738A0}

TERM.....BOTH EYES

LOCATION: BOTH HANDS

ABBREVIATION.....BOTH HANDS

ACTIVE.....Yes

DESCRIPTION.....Both Hands

DISPLAY_NAME.....Both Hands

HELP_TEXT.....No Help Text
ID.....{63AA2685-CB1D-4680-B2F4-2199A22D1EC6}
TERM.....BOTH HANDS

LOCATION: BOTH LEGS

ABBREVIATION.....BOTH LEGS
ACTIVE.....Yes
DESCRIPTION.....Both Legs
DISPLAY_NAME.....Both Legs
HELP_TEXT.....No Help Text
ID.....{5A15A231-4695-4CF3-AD0F-2E7950208967}
TERM.....BOTH LEGS

LOCATION: BRACHIAL

ABBREVIATION.....Bra
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Brachial
HELP_TEXT.....No Help Text
ID.....{67426127-09E1-E566-F31E-15714A5B2B7C}
TERM.....BRACHIAL

LOCATION: CALF

ABBREVIATION.....Clf

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Calf

HELP_TEXT.....No Help Text

ID.....{7923E496-90D6-B6D5-726A-A5B8DF3436CF}

TERM.....CALF

LOCATION: CAROTID

ABBREVIATION.....Car

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Carotid

HELP_TEXT.....No Help Text

ID.....{9536F203-1797-9336-6F69-604249E1B3A0}

TERM.....CAROTID

LOCATION: CHEST

ABBREVIATION.....CHEST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Chest

HELP_TEXT.....No Help Text

ID.....{8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

TERM.....CHEST

LOCATION: COCCYX

ABBREVIATION.....COCCYX

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Coccyx

HELP_TEXT.....No Help Text

ID.....{49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

TERM.....COCCYX

LOCATION: CORE

ABBREVIATION.....C

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Core

HELP_TEXT.....No Help Text

ID.....{5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}

TERM.....CORE

LOCATION: DONOR SITE

ABBREVIATION.....DONOR SITE
ACTIVE.....Yes
DESCRIPTION.....Donor Site
DISPLAY_NAME.....Donor Site
HELP_TEXT.....No Help Text
ID.....{F0A65974-7650-4A4B-AC88-0945E37A0AD2}
TERM.....DONOR SITE

LOCATION: DORSALIS PEDIS

ABBREVIATION.....DP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dorsalis Pedis
HELP_TEXT.....No Help Text
ID.....{9657D743-1632-2044-B4C5-9EF291A2F6D0}
TERM.....DORSALIS PEDIS

LOCATION: FACE

ABBREVIATION.....FACE
ACTIVE.....Yes
DESCRIPTION.....PATIENT'S FACE
DISPLAY_NAME.....Face

HELP_TEXT.....No Help Text

ID.....{C638EA14-7903-6A94-496A-C6560D51BEE3}

TERM.....FACE

LOCATION: FEET

ABBREVIATION.....FEET

ACTIVE.....Yes

DESCRIPTION.....BOTH OF PATIENT'S FEET

DISPLAY_NAME.....Feet

HELP_TEXT.....No Help Text

ID.....{944CAA0E-5165-A6AF-BE3D-85455440BF40}

TERM.....FEET

LOCATION: FEMORAL

ABBREVIATION.....Fem

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Femoral

HELP_TEXT.....No Help Text

ID.....{E3442C9E-8677-7296-D314-7365319C3716}

TERM.....FEMORAL

LOCATION: FOREHEAD

ABBREVIATION.....FOREHEAD
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Forehead
HELP_TEXT.....No Help Text
ID.....{5F892722-956E-474C-BA08-4074142D49F6}
TERM.....FOREHEAD

LOCATION: FRONTAL

ABBREVIATION.....FRONTAL
ACTIVE.....Yes
DESCRIPTION.....Frontal
DISPLAY_NAME.....Frontal
HELP_TEXT.....No Help Text
ID.....{CF8F7565-13BF-4180-A222-44FFFA06992A}
TERM.....FRONTAL

LOCATION: GASTROINTESTINAL

ABBREVIATION.....GI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....GI

HELP_TEXT.....No Help Text
ID.....{C27C66DB-3A6A-487E-9981-FA7FD323C0C3}
TERM.....GASTROINTESTINAL

LOCATION: GENERAL UMBILICUS

ABBREVIATION.....GEN UMBILI
ACTIVE.....Yes
DESCRIPTION.....General Umbilicus
DISPLAY_NAME.....General Umbilicus
HELP_TEXT.....General Umbilicus
ID.....{34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}
TERM.....GENERAL UMBILICUS

LOCATION: GENERALIZED

ABBREVIATION.....GENERIZED
ACTIVE.....Yes
DESCRIPTION.....TERM DESCRIBES GENERAL OBSERVATIONS
OF PATIENT'S ENTIRE BODY
DISPLAY_NAME.....Generalized
HELP_TEXT.....No Help Text
ID.....{17073C6C-8691-CADC-2238-CBAAB0A5C648}
TERM.....GENERALIZED

LOCATION: GENITALS

ABBREVIATION.....GENITALS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Genitals
HELP_TEXT.....No Help Text
ID.....{83437106-3336-4925-92C8-F959561687FC}
TERM.....GENITALS

LOCATION: HEAD

ABBREVIATION.....Hd
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Head
HELP_TEXT.....No Help Text
ID.....{C3209F44-90C6-FF1B-3169-265B294F276A}
TERM.....HEAD

LOCATION: HEAD OCCIPITAL

ABBREVIATION.....HEAD OCCIP
ACTIVE.....Yes
DESCRIPTION.....Head Occipital
DISPLAY_NAME.....Head Occipital

HELP_TEXT.....No Help Text

ID.....{2066CA47-5A16-447F-9919-24ED435B627F}

TERM.....HEAD OCCIPITAL

LOCATION: HEART

ABBREVIATION.....HEART

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Heart

HELP_TEXT.....No Help Text

ID.....{F7D48A36-B512-42DD-B92F-07ACF2B95E08}

TERM.....HEART

LOCATION: HIP

ABBREVIATION.....Hip

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Hip

HELP_TEXT.....No Help Text

ID.....{D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}

TERM.....HIP

LOCATION: INCISIONAL SITE

ABBREVIATION.....INCISON SI

ACTIVE.....Yes

DESCRIPTION.....Incisional Site

DISPLAY_NAME.....Incisional Site

HELP_TEXT.....No Help Text

ID.....{EB36A66D-751D-4031-9F68-0BB03E267321}

TERM.....INCISIONAL SITE

LOCATION: KNEE

ABBREVIATION.....Kn

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Knee

HELP_TEXT.....No Help Text

ID.....{B577308A-4C37-47BD-AD84-38E6342B6DF7}

TERM.....KNEE

LOCATION: KNEES

ABBREVIATION.....KNEES

ACTIVE.....Yes

DESCRIPTION.....BOTH OF PATIENT'S KNEES

DISPLAY_NAME.....Knees

HELP_TEXT.....No Help Text

ID.....{247D6621-3A85-F1F7-59BF-1FB0361B3C21}

TERM.....KNEES

LOCATION: L ABDOMEN

ABBREVIATION.....L ABDOMEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Abdomen

HELP_TEXT.....No Help Text

ID.....{46B37481-4105-492D-96F0-E2D3895379C1}

TERM.....L ABDOMEN

LOCATION: L ANKLE

ABBREVIATION.....L ANKLE

ACTIVE.....Yes

DESCRIPTION.....Left Ankle

DISPLAY_NAME.....L Ankle

HELP_TEXT.....No Help Text

ID.....{D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

TERM.....L ANKLE

LOCATION: L ANTECUBITAL

ABBREVIATION.....L ANTECUBI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Antecubital
HELP_TEXT.....No Help Text
ID.....{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
TERM.....L ANTECUBITAL

LOCATION: L ARM

ABBREVIATION.....LA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Arm
HELP_TEXT.....No Help Text
ID.....{567F552F-54B5-A8BB-596F-291001746E31}
TERM.....L ARM

LOCATION: L AXILLARY

ABBREVIATION.....L AXILLARY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Axillary

HELP_TEXT.....No Help Text

ID.....{21AF62CA-BEED-2A96-2CD6-F2350A01995E}

TERM.....L AXILLARY

LOCATION: L BRACHIAL

ABBREVIATION.....L BRACH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Brachial

HELP_TEXT.....No Help Text

ID.....{75F6CE33-1AB3-A1DA-70B8-04825290B577}

TERM.....L BRACHIAL

LOCATION: L CALF

ABBREVIATION.....L CALF

ACTIVE.....Yes

DESCRIPTION.....Left Calf

DISPLAY_NAME.....L Calf

HELP_TEXT.....No Help Text

ID.....{3DAA7817-936B-444F-8A2D-D3AB09144C10}

TERM.....L CALF

LOCATION: L CAROTID

ABBREVIATION.....L CAROTID

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Carotid

HELP_TEXT.....No Help Text

ID.....{FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}

TERM.....L CAROTID

LOCATION: L CHEST

ABBREVIATION.....L CHEST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Left Chest

HELP_TEXT.....No Help Text

ID.....{E332E497-FE0C-47CB-A0A7-217FBF52DC97}

TERM.....L CHEST

LOCATION: L DORSALIS PEDIS

ABBREVIATION.....L DOR PED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Dorsalis Pedis

HELP_TEXT.....No Help Text

ID.....{389397B5-2863-B8F2-A779-C38433894A19}

TERM.....L DORSALIS PEDIS

LOCATION: L EAR

ABBREVIATION.....L EAR

ACTIVE.....Yes

DESCRIPTION.....Left Ear

DISPLAY_NAME.....L Ear

HELP_TEXT.....No Help Text

ID.....{DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

TERM.....L EAR

LOCATION: L ELBOW

ABBREVIATION.....L ELBOW

ACTIVE.....Yes

DESCRIPTION.....Left Elbow

DISPLAY_NAME.....L Elbow

HELP_TEXT.....No Help Text

ID.....{BF4317E7-2024-47EF-9E5F-3D21D0547885}

TERM.....L ELBOW

LOCATION: L EXTERNAL JUGULAR

ABBREVIATION.....L EXT JUGU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L External Jugular

HELP_TEXT.....No Help Text

ID.....{6F7B331B-4F83-0B79-1755-F6F673D647D6}

TERM.....L EXTERNAL JUGULAR

LOCATION: L EYE

ABBREVIATION.....L EYE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Eye

HELP_TEXT.....No Help Text

ID.....{D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

TERM.....L EYE

LOCATION: L FACE

ABBREVIATION.....L FACE

ACTIVE.....Yes

DESCRIPTION.....LEFT SIDE OF PATIENT'S FACE

DISPLAY_NAME.....L Face

HELP_TEXT.....No Help Text

ID.....{06F00A70-F475-CD40-665D-AF0569A1E75F}

TERM.....L FACE

LOCATION: L FEMORAL

ABBREVIATION.....L FEM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Femoral

HELP_TEXT.....No Help Text

ID.....{50AF6A08-CE37-6859-F4E6-762660A982F7}

TERM.....L FEMORAL

LOCATION: L FINGER

ABBREVIATION.....L FINGER

ACTIVE.....Yes

DESCRIPTION.....Left Finger

DISPLAY_NAME.....L Finger

HELP_TEXT.....No Help Text

ID.....{BB825645-1630-498C-A31B-6728D422EEFC}

TERM.....L FINGER

LOCATION: L FLANK

ABBREVIATION.....L FLANK

ACTIVE.....Yes

DESCRIPTION.....Left Flank

DISPLAY_NAME.....L Flank

HELP_TEXT.....No Help Text

ID.....{6E453E8D-B456-4BFD-A015-F9C013830F30}

TERM.....L FLANK

LOCATION: L FOOT

ABBREVIATION.....L FOOT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Foot

HELP_TEXT.....No Help Text

ID.....{2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

TERM.....L FOOT

LOCATION: L GLUTEUS

ABBREVIATION.....L GLUTEUS

ACTIVE.....Yes

DESCRIPTION.....Left Gluteus

DISPLAY_NAME.....L Gluteus

HELP_TEXT.....No Help Text

ID.....{88C4E547-04CD-4D52-9416-CAEB6D898D21}

TERM.....L GLUTEUS

LOCATION: L GROIN

ABBREVIATION.....L GROIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Groin

HELP_TEXT.....No Help Text

ID.....{5488E4EE-C1A2-4B02-8763-A53C412117A7}

TERM.....L GROIN

LOCATION: L HAND

ABBREVIATION.....L HAND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Hand

HELP_TEXT.....No Help Text

ID.....{639DF25A-19E3-B504-D323-4B3F6ED39A24}

TERM.....L HAND

LOCATION: L HEAD

ABBREVIATION.....L HEAD

ACTIVE.....Yes

DESCRIPTION.....Left Head

DISPLAY_NAME.....L Head

HELP_TEXT.....No Help Text

ID.....{3737DC2D-DC9E-4FC8-839D-0355987B62D1}

TERM.....L HEAD

LOCATION: L HEEL

ABBREVIATION.....L HEEL

ACTIVE.....Yes

DESCRIPTION.....Left Heel

DISPLAY_NAME.....L Heel

HELP_TEXT.....No Help Text

ID.....{C9154881-17C7-4921-A0EE-BFB962C59CEF}

TERM.....L HEEL

LOCATION: L HIP

ABBREVIATION.....L HIP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Hip

HELP_TEXT.....No Help Text
ID.....{786CD881-27AD-4136-B9CC-8423CB38A431}
TERM.....L HIP

LOCATION: L INGUINAL

ABBREVIATION.....L INGUINAL
ACTIVE.....Yes
DESCRIPTION.....Left Inguinal
DISPLAY_NAME.....L Inguinal
HELP_TEXT.....No Help Text
ID.....{627D172E-8F33-48C9-BE89-D036E07D46BF}
TERM.....L INGUINAL

LOCATION: L INNER KNEE

ABBREVIATION.....L INN KNEE
ACTIVE.....Yes
DESCRIPTION.....Left Inner Knee
DISPLAY_NAME.....L Inner Knee
HELP_TEXT.....No Help Text
ID.....{79853581-CCF0-49E9-9D91-D16DE02A836D}
TERM.....L INNER KNEE

LOCATION: L INTERNAL JUGULAR

ABBREVIATION.....L INT JUG

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Internal Jugular

HELP_TEXT.....No Help Text

ID.....{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

TERM.....L INTERNAL JUGULAR

LOCATION: L ISCHIAL

ABBREVIATION.....L ISCHIAL

ACTIVE.....Yes

DESCRIPTION.....Left Ischial

DISPLAY_NAME.....L Ischial

HELP_TEXT.....No Help Text

ID.....{DCDAD741-9599-4479-9D55-3279F800DBE6}

TERM.....L ISCHIAL

LOCATION: L JAW

ABBREVIATION.....L JAW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Jaw

HELP_TEXT.....No Help Text

ID.....{65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}

TERM.....L JAW

LOCATION: L KNEE

ABBREVIATION.....L KNEE

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S LEFT KNEE

DISPLAY_NAME.....L Knee

HELP_TEXT.....No Help Text

ID.....{3A9E30B4-09A9-967A-58EF-69A01EC4F859}

TERM.....L KNEE

LOCATION: L LATERAL HEEL

ABBREVIATION.....L LAT HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Lateral Heel

HELP_TEXT.....No Help Text

ID.....{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}

TERM.....L LATERAL HEEL

LOCATION: L LATERAL MALLEOLUS

ABBREVIATION.....L LAT MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Lateral Malleolus

HELP_TEXT.....No Help Text

ID.....{9A523B7C-64DD-4E47-9543-165788108D4C}

TERM.....L LATERAL MALLEOLUS

LOCATION: L LEG

ABBREVIATION.....LL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Leg

HELP_TEXT.....No Help Text

ID.....{B088C809-E528-B785-21C2-14E45E1FD8AF}

TERM.....L LEG

LOCATION: L LOWER ANTERIOR CHEST

ABBREVIATION.....L L A CHES

ACTIVE.....Yes

DESCRIPTION.....Left Lower Anterior Chest

DISPLAY_NAME.....L Low. Ant. Chest

HELP_TEXT.....No Help Text

ID.....{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}

TERM.....L LOWER ANTERIOR CHEST

LOCATION: L LOWER ARM

ABBREVIATION.....L LOW ARM

ACTIVE.....Yes

DESCRIPTION.....Left Lower Arm

DISPLAY_NAME.....L Lower Arm

HELP_TEXT.....No Help Text

ID.....{63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

TERM.....L LOWER ARM

LOCATION: L LOWER EXTREMITY

ABBREVIATION.....LLEX

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Lower Extremity

HELP_TEXT.....No Help Text

ID.....{FC6F5056-779A-BF76-86D0-A237936C1ECC}

TERM.....L LOWER EXTREMITY

LOCATION: L LOWER LEG

ABBREVIATION.....L LOW LEG

ACTIVE.....Yes

DESCRIPTION.....Left Lower Leg

DISPLAY_NAME.....L Lower Leg

HELP_TEXT.....No Help Text

ID.....{7B8E92FA-E065-4D06-9FB6-4234656CFD61}

TERM.....L LOWER LEG

LOCATION: L LOWER LIMB

ABBREVIATION.....LLLI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Lower Limb

HELP_TEXT.....No Help Text

ID.....{4838CB05-A1DD-F4FB-587C-2D0C17A2484E}

TERM.....L LOWER LIMB

LOCATION: L LOWER POSTERIOR CHEST

ABBREVIATION.....L L P CHES

ACTIVE.....Yes

DESCRIPTION.....Left Lower Posterior Chest

DISPLAY_NAME.....L Low. Pos. Chest

HELP_TEXT.....No Help Text
ID.....{2C19F10B-7546-4A1F-A5DC-3867359ED971}
TERM.....L LOWER POSTERIOR CHEST

LOCATION: L MANDIBULAR

ABBREVIATION.....L MANDIBUL
ACTIVE.....Yes
DESCRIPTION.....Left Mandibular
DISPLAY_NAME.....L Mandibular
HELP_TEXT.....No Help Text
ID.....{CB9DB373-5F0A-446B-909F-F76392CB3A04}
TERM.....L MANDIBULAR

LOCATION: L MEDIAL HEEL

ABBREVIATION.....L MED HEEL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Medial Heel
HELP_TEXT.....No Help Text
ID.....{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}
TERM.....L MEDIAL HEEL

LOCATION: L MEDIAL MALLEOLUS

ABBREVIATION.....L MED MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Medial Malleolus

HELP_TEXT.....No Help Text

ID.....{330E7682-407F-43CD-84FC-1CDA41F08C68}

TERM.....L MEDIAL MALLEOLUS

LOCATION: L MIDDLE ANTERIOR CHEST

ABBREVIATION.....L M A CHES

ACTIVE.....Yes

DESCRIPTION.....Left Middle Anterior Chest

DISPLAY_NAME.....L Mid. Ant. Chest

HELP_TEXT.....No Help Text

ID.....{36A83F77-117E-474B-AE34-0B2C02E131AE}

TERM.....L MIDDLE ANTERIOR CHEST

LOCATION: L MIDDLE POSTERIOR CHEST

ABBREVIATION.....L M P CHES

ACTIVE.....Yes

DESCRIPTION.....Left Middle Posterior Chest

DISPLAY_NAME.....L Mid. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}

TERM.....L MIDDLE POSTERIOR CHEST

LOCATION: L NECK

ABBREVIATION.....L NECK

ACTIVE.....Yes

DESCRIPTION.....Left Neck

DISPLAY_NAME.....L Neck

HELP_TEXT.....No Help Text

ID.....{C4EA6279-05E2-4195-A638-3794DCBA7B78}

TERM.....L NECK

LOCATION: L NOSE

ABBREVIATION.....L NOSE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Nose

HELP_TEXT.....No Help Text

ID.....{C7707847-5135-4749-B196-002E3E59BB54}

TERM.....L NOSE

LOCATION: L OCCIPITAL

ABBREVIATION.....L OCCIPTAL

ACTIVE.....Yes

DESCRIPTION.....Left Occipital

DISPLAY_NAME.....L Occipital

HELP_TEXT.....No Help Text

ID.....{A4234F41-CD6F-4CE1-9210-316DB847BDE2}

TERM.....L OCCIPITAL

LOCATION: L ORAL

ABBREVIATION.....L ORAL

ACTIVE.....Yes

DESCRIPTION.....Left Oral

DISPLAY_NAME.....L Oral

HELP_TEXT.....No Help Text

ID.....{057B787A-8750-4563-80DB-25110CCC1146}

TERM.....L ORAL

LOCATION: L ORBIT

ABBREVIATION.....L ORBIT

ACTIVE.....Yes

DESCRIPTION.....Left Orbit

DISPLAY_NAME.....L Orbit

HELP_TEXT.....No Help Text

ID.....{1D798E35-5095-4BA0-8F9F-FA96668A5239}

TERM.....L ORBIT

LOCATION: L OUTER KNEE

ABBREVIATION.....L OUT KNEE

ACTIVE.....Yes

DESCRIPTION.....Left Outer Knee

DISPLAY_NAME.....L Outer Knee

HELP_TEXT.....No Help Text

ID.....{B143C935-2687-49C3-9F65-8D69C1775ABC}

TERM.....L OUTER KNEE

LOCATION: L PARIETAL

ABBREVIATION.....L PARIETAL

ACTIVE.....Yes

DESCRIPTION.....Left Parietal

DISPLAY_NAME.....L Parietal

HELP_TEXT.....No Help Text

ID.....{2687ED24-F35E-456C-99C9-F6A8EC4364E0}

TERM.....L PARIETAL

LOCATION: L PEDAL

ABBREVIATION.....LEFT PEDAL

ACTIVE.....Yes

DESCRIPTION.....L Pedal

DISPLAY_NAME.....L Pedal

HELP_TEXT.....L Pedal

ID.....{D84E9953-8C17-3130-8F21-A30D2A99FDE4}

TERM.....L PEDAL

LOCATION: L POST TIBIAL

ABBREVIATION.....L PO TIB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Post Tibial

HELP_TEXT.....No Help Text

ID.....{BED130EE-31CC-C7E9-6597-78685BCE91AC}

TERM.....L POST TIBIAL

LOCATION: L RADIAL

ABBREVIATION.....L RAD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Radial

HELP_TEXT.....No Help Text

ID.....{302F78AD-4067-8B6B-BD15-993EC8561AE6}

TERM.....L RADIAL

LOCATION: L RIBS

ABBREVIATION.....L RIBS

ACTIVE.....Yes

DESCRIPTION.....Left Ribs

DISPLAY_NAME.....L Ribs

HELP_TEXT.....No Help Text

ID.....{BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}

TERM.....L RIBS

LOCATION: L SCAPULA

ABBREVIATION.....L SCAPULA

ACTIVE.....Yes

DESCRIPTION.....Left Scapula

DISPLAY_NAME.....L Scapula

HELP_TEXT.....No Help Text

ID.....{3381EC50-771B-41C8-85C8-6EB0D208D54E}

TERM.....L SCAPULA

LOCATION: L SHOULDER

ABBREVIATION.....L SHOULDER

ACTIVE.....Yes

DESCRIPTION.....Left Shoulder

DISPLAY_NAME.....L Shoulder

HELP_TEXT.....No Help Text

ID.....{91CBD2FA-2743-42EB-946B-6933980D9337}

TERM.....L SHOULDER

LOCATION: L SUBCLAVIAN

ABBREVIATION.....L SUBCLAV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Subclavian

HELP_TEXT.....No Help Text

ID.....{71B93594-15F9-AA4A-AEF2-E222EC28C00D}

TERM.....L SUBCLAVIAN

LOCATION: L TEMPORAL

ABBREVIATION.....L TEMPO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Temporal

HELP_TEXT.....No Help Text

ID.....{375E65CF-A59E-A1E9-EB6D-D53CD818939E}

TERM.....L TEMPORAL

LOCATION: L TESTICLE

ABBREVIATION.....L TESTICLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Left Testicle

HELP_TEXT.....No Help Text

ID.....{1E376539-E89F-4472-8274-CFD11275E11F}

TERM.....L TESTICLE

LOCATION: L THIGH

ABBREVIATION.....L THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Thigh

HELP_TEXT.....No Help Text

ID.....{16C2312F-1E0E-45E0-B675-160F40C23F57}

TERM.....L THIGH

LOCATION: L THORACIC ANTERIOR

ABBREVIATION.....L THOR ANT

ACTIVE.....Yes

DESCRIPTION.....Left Thoracic Anterior

DISPLAY_NAME.....L Thoracic Anterior

HELP_TEXT.....No Help Text

ID.....{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}

TERM.....L THORACIC ANTERIOR

LOCATION: L THORACIC LATERAL

ABBREVIATION.....L THOR LAT

ACTIVE.....Yes

DESCRIPTION.....Left Thoracic Lateral

DISPLAY_NAME.....L Thoracic Lateral

HELP_TEXT.....No Help Text

ID.....{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}

TERM.....L THORACIC LATERAL

LOCATION: L THORACIC POSTERIOR

ABBREVIATION.....L THOR POS

ACTIVE.....Yes

DESCRIPTION.....Left Thoracic Posterior

DISPLAY_NAME.....L Thoracic Posterior

HELP_TEXT.....No Help Text
ID.....{68E3381F-7605-4786-85A8-523D215A2B97}
TERM.....L THORACIC POSTERIOR

LOCATION: L THORACOTOMY

ABBREVIATION.....L THORACOT
ACTIVE.....Yes
DESCRIPTION.....Left Thoracotomy
DISPLAY_NAME.....L Thoracotomy
HELP_TEXT.....No Help Text
ID.....{313C11A1-559A-4F68-8718-4012416EC189}
TERM.....L THORACOTOMY

LOCATION: L THUMB

ABBREVIATION.....L THUMB
ACTIVE.....Yes
DESCRIPTION.....Left Thumb
DISPLAY_NAME.....L Thumb
HELP_TEXT.....No Help Text
ID.....{F82F4731-2CC5-4705-91BE-05E40C25B419}
TERM.....L THUMB

LOCATION: L TOE

ABBREVIATION.....L TOE

ACTIVE.....Yes

DESCRIPTION.....Left Toe

DISPLAY_NAME.....L Toe

HELP_TEXT.....No Help Text

ID.....{C666DE86-E7AE-4AB3-8AE1-91496219E63D}

TERM.....L TOE

LOCATION: L TRAPEZIUS

ABBREVIATION.....L TRAPEZIU

ACTIVE.....Yes

DESCRIPTION.....Left Trapezius

DISPLAY_NAME.....L Trapezius

HELP_TEXT.....No Help Text

ID.....{B74CF943-C10F-4A1B-A19A-4975E674A97A}

TERM.....L TRAPEZIUS

LOCATION: L TROCHANTER

ABBREVIATION.....L TROCHANT

ACTIVE.....Yes

DESCRIPTION.....Left Trochanter

DISPLAY_NAME.....L Trochanter

HELP_TEXT.....No Help Text
ID.....{C91647A4-255D-40E4-A24D-01274E5D799F}
TERM.....L TROCHANTER

LOCATION: L UPPER ANTERIOR CHEST

ABBREVIATION.....L U A CHES
ACTIVE.....Yes
DESCRIPTION.....Left Upper Anterior Chest
DISPLAY_NAME.....L. Up. Ant. Chest
HELP_TEXT.....No Help Text
ID.....{FE63B58A-DE39-4C03-AE61-E34A5487C767}
TERM.....L UPPER ANTERIOR CHEST

LOCATION: L UPPER ARM

ABBREVIATION.....L UPP ARM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Upper Arm
HELP_TEXT.....No Help Text
ID.....{5F915696-1B08-32E9-6B95-49246117D660}
TERM.....L UPPER ARM

LOCATION: L UPPER EXTREMITY

ABBREVIATION.....LUEX

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Upper Extremity

HELP_TEXT.....No Help Text

ID.....{48806E79-B1DA-129B-EB52-453292A3DDC6}

TERM.....L UPPER EXTREMITY

LOCATION: L UPPER LEG

ABBREVIATION.....L UPPER LE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Left Upper Leg

HELP_TEXT.....No Help Text

ID.....{1DB35895-F74C-4B88-A3EE-3E556CB6559A}

TERM.....L UPPER LEG

LOCATION: L UPPER LIMB

ABBREVIATION.....L Upp Limb

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Upper Limb

HELP_TEXT.....No Help Text

ID.....{E6453716-62D3-DFCB-F84D-F6F2FD20B7}

TERM.....L UPPER LIMB

LOCATION: L UPPER POSTERIOR CHEST

ABBREVIATION.....L U P CHES

ACTIVE.....Yes

DESCRIPTION.....Left Upper Posterior Chest

DISPLAY_NAME.....L Up. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}

TERM.....L UPPER POSTERIOR CHEST

LOCATION: L WRIST

ABBREVIATION.....L WRIST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Wrist

HELP_TEXT.....No Help Text

ID.....{7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

TERM.....L WRIST

LOCATION: LEFT

ABBREVIATION.....Lt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Left

HELP_TEXT.....No Help Text

ID.....{C9C09768-9EEA-8F2B-86D4-B53458472E4E}

TERM.....LEFT

LOCATION: LEFT EYE

ABBREVIATION.....Left Eye

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Left Eye

HELP_TEXT.....

ID.....{D1B20983-6076-47E6-9578-2EFB3CB6A47B}

TERM.....LEFT EYE

LOCATION: LEFT LOWER LOBE

ABBREVIATION.....LLL

ACTIVE.....Yes

DESCRIPTION.....LEFT LUNG'S LOWER LOBE

DISPLAY_NAME.....L Lower Lobe

HELP_TEXT.....No Help Text

ID.....{14155C13-874D-6E26-01D8-2C03B349F913}

TERM.....LEFT LOWER LOBE

LOCATION: LEFT NECK

ABBREVIATION.....L NECK

ACTIVE.....Yes

DESCRIPTION.....LEFT SIDE OF PATIENT'S NECK

DISPLAY_NAME.....L Neck

HELP_TEXT.....No Help Text

ID.....{40522B5F-F23E-EADB-AE64-8EDE3B9E1155}

TERM.....LEFT NECK

LOCATION: LEFT UPPER LOBE

ABBREVIATION.....LUL

ACTIVE.....Yes

DESCRIPTION.....LEFT LUNG'S UPPER LOBE

DISPLAY_NAME.....L Upper Lobe

HELP_TEXT.....No Help Text

ID.....{21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}

TERM.....LEFT UPPER LOBE

LOCATION: LIP

ABBREVIATION.....Lip
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Lip
HELP_TEXT.....
ID.....{43A64C98-CAE1-4069-B66E-91A512D7A703}
TERM.....LIP

LOCATION: LOWER ABDOMEN

ABBREVIATION.....LO ABDOM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lower Abdomen
HELP_TEXT.....No Help Text
ID.....{077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}
TERM.....LOWER ABDOMEN

LOCATION: LOWER ARM

ABBREVIATION.....LrA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lower Arm

HELP_TEXT.....No Help Text
ID.....{D7627720-D6B0-AC00-8FA3-F7B569ED06FC}
TERM.....LOWER ARM

LOCATION: LOWER BACK

ABBREVIATION.....LOWER BACK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lower Back
HELP_TEXT.....No Help Text
ID.....{7E761680-61BC-450F-9905-C45CE760EC45}
TERM.....LOWER BACK

LOCATION: MEDIASTINAL

ABBREVIATION.....MEDIASTINA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Mediastinal
HELP_TEXT.....No Help Text
ID.....{D99997D2-61EF-CAC2-A854-D906E3A97447}
TERM.....MEDIASTINAL

LOCATION: MID BACK

ABBREVIATION.....MID BACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mid Back

HELP_TEXT.....No Help Text

ID.....{F8C515E0-F437-4596-B030-DA1811038CDF}

TERM.....MID BACK

LOCATION: MID-STERNAL

ABBREVIATION.....MID-STERN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mid-Sternal

HELP_TEXT.....No Help Text

ID.....{3F5168F1-9082-4FB2-A364-3CDE33B1214B}

TERM.....MID-STERNAL

LOCATION: MIDDLE

ABBREVIATION.....MIDDLE

ACTIVE.....Yes

DESCRIPTION.....MIDDLE

DISPLAY_NAME.....Middle

HELP_TEXT.....No Help Text
ID.....{654E4D50-B74E-D58B-B3E3-AA3F218A285E}
TERM.....MIDDLE

LOCATION: MIDLINE ABDOMINAL

ABBREVIATION.....MID ABDOMI
ACTIVE.....Yes
DESCRIPTION.....Midline Abdominal
DISPLAY_NAME.....Midline Abdominal
HELP_TEXT.....No Help Text
ID.....{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}
TERM.....MIDLINE ABDOMINAL

LOCATION: MIDLINE NECK

ABBREVIATION.....MID NECK
ACTIVE.....Yes
DESCRIPTION.....Midline Neck
DISPLAY_NAME.....Midline Neck
HELP_TEXT.....No Help Text
ID.....{FF666713-278D-46D6-8D25-E5D57E78EA08}
TERM.....MIDLINE NECK

LOCATION: NECK

ABBREVIATION.....Ne

ACTIVE.....Yes

DESCRIPTION.....PATIENTS NECK

DISPLAY_NAME.....Neck

HELP_TEXT.....No Help Text

ID.....{D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

TERM.....NECK

LOCATION: NOSE

ABBREVIATION.....NOSE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nose

HELP_TEXT.....No Help Text

ID.....{85F7003E-6D4E-4A79-A534-8A57FBC2D106}

TERM.....NOSE

LOCATION: OCCIPITAL

ABBREVIATION.....OCCIPITAL

ACTIVE.....Yes

DESCRIPTION.....Occipital

DISPLAY_NAME.....Occipital

HELP_TEXT.....No Help Text

ID.....{5A3E384B-1C87-4A19-A449-DB91AB443FFC}

TERM.....OCCIPITAL

LOCATION: ORAL

ABBREVIATION.....O

ACTIVE.....Yes

DESCRIPTION.....Oral Description

DISPLAY_NAME.....Oral

HELP_TEXT.....Oral Help

ID.....{7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}

TERM.....ORAL

LOCATION: PENIS

ABBREVIATION.....PENIS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Penis

HELP_TEXT.....No Help Text

ID.....{2D82CE55-83B6-4160-A754-07C71FD388E8}

TERM.....PENIS

LOCATION: PERINEAL

ABBREVIATION.....PERINEAL
ACTIVE.....Yes
DESCRIPTION.....Perineal
DISPLAY_NAME.....Perineal
HELP_TEXT.....No Help Text
ID.....{1801441C-D5EF-4775-9E58-E4985496F7E0}
TERM.....PERINEAL

LOCATION: PERIORBITAL

ABBREVIATION.....PERIORBITA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Periorbital
HELP_TEXT.....No Help Text
ID.....{DBAC362B-6278-EDB4-7E28-3180321A38B2}
TERM.....PERIORBITAL

LOCATION: PERIPHERAL

ABBREVIATION.....Per
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Peripheral

HELP_TEXT.....No Help Text
ID.....{36B31698-E84A-5792-8EAE-F374DFD1B55A}
TERM.....PERIPHERAL

LOCATION: PERIRECTAL

ABBREVIATION.....PERIRECTAL
ACTIVE.....Yes
DESCRIPTION.....Perirectal
DISPLAY_NAME.....Perirectal
HELP_TEXT.....No Help Text
ID.....{560E1473-7B8F-4A75-8807-29315C908553}
TERM.....PERIRECTAL

LOCATION: POPLITEAL

ABBREVIATION.....Pop
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Popliteal
HELP_TEXT.....No Help Text
ID.....{77030DF2-CE06-D9E2-0684-EE70209CBE73}
TERM.....POPLITEAL

LOCATION: POSTERIOR TIBIAL

ABBREVIATION.....PT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Posterior Tibial
HELP_TEXT.....No Help Text
ID.....{010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}
TERM.....POSTERIOR TIBIAL

LOCATION: R ABDOMEN

ABBREVIATION.....R ABDOMEN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Abdomen
HELP_TEXT.....No Help Text
ID.....{5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}
TERM.....R ABDOMEN

LOCATION: R ANKLE

ABBREVIATION.....R ANKLE
ACTIVE.....Yes
DESCRIPTION.....Right Ankle
DISPLAY_NAME.....R Ankle

HELP_TEXT.....No Help Text

ID.....{4E6DF352-F399-4CE9-908C-48132C3D856B}

TERM.....R ANKLE

LOCATION: R ANTECUBITAL

ABBREVIATION.....R ANTECUBI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Antecubital

HELP_TEXT.....No Help Text

ID.....{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

TERM.....R ANTECUBITAL

LOCATION: R ARM

ABBREVIATION.....RA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Arm

HELP_TEXT.....No Help Text

ID.....{1C09017A-F10A-543D-A7EA-F13790D78692}

TERM.....R ARM

LOCATION: R ARTERY

ABBREVIATION.....R ARTERY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Artery
HELP_TEXT.....No Help Text
ID.....{A2D76F33-A049-B3A0-2CBF-9F83FF52D894}
TERM.....R ARTERY

LOCATION: R AXILLARY

ABBREVIATION.....R AXILLARY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Axillary
HELP_TEXT.....No Help Text
ID.....{3044F28B-FED2-4069-7E3B-2A691C5771F9}
TERM.....R AXILLARY

LOCATION: R BRACHIAL

ABBREVIATION.....R BRACH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Brachial

HELP_TEXT.....No Help Text

ID.....{A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

TERM.....R BRACHIAL

LOCATION: R CALF

ABBREVIATION.....R CALF

ACTIVE.....Yes

DESCRIPTION.....Right Calf

DISPLAY_NAME.....R Calf

HELP_TEXT.....No Help Text

ID.....{0298A452-4901-44BF-A7A8-F42DD3BA8B63}

TERM.....R CALF

LOCATION: R CAROTID

ABBREVIATION.....R CAROTID

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Carotid

HELP_TEXT.....No Help Text

ID.....{8280ACD2-72D6-202A-89AF-86BCA7736427}

TERM.....R CAROTID

LOCATION: R CHEST

ABBREVIATION.....R CHEST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Right Chest

HELP_TEXT.....No Help Text

ID.....{7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

TERM.....R CHEST

LOCATION: R DORSALIS PEDIS

ABBREVIATION.....R DOR PED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Dorsalis Pedis

HELP_TEXT.....No Help Text

ID.....{47D4C64A-FD93-2999-7B46-F25307EA6511}

TERM.....R DORSALIS PEDIS

LOCATION: R EAR

ABBREVIATION.....R EAR

ACTIVE.....Yes

DESCRIPTION.....Right Ear

DISPLAY_NAME.....R Ear

HELP_TEXT.....No Help Text

ID.....{AE31327D-A03C-488C-8A8E-084E7E6E7FDE}

TERM.....R EAR

LOCATION: R ELBOW

ABBREVIATION.....R ELBOW

ACTIVE.....Yes

DESCRIPTION.....Right Elbow

DISPLAY_NAME.....R Elbow

HELP_TEXT.....No Help Text

ID.....{5BAFF87B-6993-4E76-862F-9F386D9B71C5}

TERM.....R ELBOW

LOCATION: R EXTERNAL JUGULAR

ABBREVIATION.....R EXT JUGU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R External Jugular

HELP_TEXT.....No Help Text

ID.....{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

TERM.....R EXTERNAL JUGULAR

LOCATION: R EYE

ABBREVIATION.....R EYE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Eye

HELP_TEXT.....No Help Text

ID.....{258F0C1D-67BD-ECF8-3152-EB289DEF4681}

TERM.....R EYE

LOCATION: R FACE

ABBREVIATION.....R FACE

ACTIVE.....Yes

DESCRIPTION.....RIGHT SIDE OF PATIENT'S FACE

DISPLAY_NAME.....R Face

HELP_TEXT.....No Help Text

ID.....{D1B15677-EF6F-0125-3601-68C1FE6386CE}

TERM.....R FACE

LOCATION: R FEMORAL

ABBREVIATION.....R FEM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Femoral

HELP_TEXT.....No Help Text
ID.....{B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
TERM.....R FEMORAL

LOCATION: R FINGER

ABBREVIATION.....R FINGER
ACTIVE.....Yes
DESCRIPTION.....Right Finger
DISPLAY_NAME.....R Finger
HELP_TEXT.....No Help Text
ID.....{E12CA0EF-3267-4B93-8643-230E2226C3D6}
TERM.....R FINGER

LOCATION: R FLANK

ABBREVIATION.....R FLANK
ACTIVE.....Yes
DESCRIPTION.....Right Flank
DISPLAY_NAME.....R Flank
HELP_TEXT.....No Help Text
ID.....{F5700ED2-646F-4B75-A55B-111C27FB939C}
TERM.....R FLANK

LOCATION: R FOOT

ABBREVIATION.....R FOOT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Foot

HELP_TEXT.....No Help Text

ID.....{7D9F5FF6-232C-2488-4504-A721FF06928F}

TERM.....R FOOT

LOCATION: R GLUTEUS

ABBREVIATION.....R GLUTEUS

ACTIVE.....Yes

DESCRIPTION.....Right Gluteus

DISPLAY_NAME.....R Gluteus

HELP_TEXT.....No Help Text

ID.....{B4D32045-68D1-4457-9106-7937887FA6F6}

TERM.....R GLUTEUS

LOCATION: R GROIN

ABBREVIATION.....R GROIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Groin

HELP_TEXT.....No Help Text

ID.....{BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}

TERM.....R GROIN

LOCATION: R HAND

ABBREVIATION.....R HAND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Hand

HELP_TEXT.....No Help Text

ID.....{A54D3A80-8537-D079-9CCE-7DC56346D132}

TERM.....R HAND

LOCATION: R HEAD

ABBREVIATION.....R HEAD

ACTIVE.....Yes

DESCRIPTION.....Right Head

DISPLAY_NAME.....R Head

HELP_TEXT.....No Help Text

ID.....{42A95AAE-3DA9-4C96-A4E7-A15C9840217A}

TERM.....R HEAD

LOCATION: R HEEL

ABBREVIATION.....R HEEL

ACTIVE.....Yes

DESCRIPTION.....Right Heel

DISPLAY_NAME.....R Heel

HELP_TEXT.....No Help Text

ID.....{0020DD20-2EA4-4362-ADF0-07BFA220C60E}

TERM.....R HEEL

LOCATION: R HIP

ABBREVIATION.....R HIP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Hip

HELP_TEXT.....No Help Text

ID.....{A48CBCAE-5404-4934-9321-ECEF660A5350}

TERM.....R HIP

LOCATION: R INGUINAL

ABBREVIATION.....R INGUINAL

ACTIVE.....Yes

DESCRIPTION.....Right Inguinal

DISPLAY_NAME.....R Inguinal

HELP_TEXT.....No Help Text

ID.....{395233DF-3B89-49E0-946B-EB5C02E51178}

TERM.....R INGUINAL

LOCATION: R INNER KNEE

ABBREVIATION.....R INN KNEE

ACTIVE.....Yes

DESCRIPTION.....Right Inner Knee

DISPLAY_NAME.....R Inner Knee

HELP_TEXT.....No Help Text

ID.....{2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}

TERM.....R INNER KNEE

LOCATION: R INTERNAL JUGULAR

ABBREVIATION.....R INT JUG

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Internal Jugular

HELP_TEXT.....No Help Text

ID.....{7ABF6916-D379-198D-6454-F0518A74844A}

TERM.....R INTERNAL JUGULAR

LOCATION: R ISCHIAL

ABBREVIATION.....R ISCHIAL

ACTIVE.....Yes

DESCRIPTION.....Right Ischial

DISPLAY_NAME.....R Ischial

HELP_TEXT.....No Help Text

ID.....{97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}

TERM.....R ISCHIAL

LOCATION: R JAW

ABBREVIATION.....R JAW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Jaw

HELP_TEXT.....No Help Text

ID.....{7846AEE2-B6F4-4B5A-909F-56E386FD82A8}

TERM.....R JAW

LOCATION: R KNEE

ABBREVIATION.....R KNEE

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S RIGHT KNEE

DISPLAY_NAME.....R Knee

HELP_TEXT.....No Help Text

ID.....{BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

TERM.....R KNEE

LOCATION: R LATERAL HEEL

ABBREVIATION.....R LAT HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Lateral Heel

HELP_TEXT.....No Help Text

ID.....{A1896CF9-0246-4323-8DED-E4B5FB12CACE}

TERM.....R LATERAL HEEL

LOCATION: R LATERAL MALLEOLUS

ABBREVIATION.....R LAT MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Lateral Malleolus

HELP_TEXT.....No Help Text

ID.....{950FC45B-93E8-424F-A5D4-DE646166D7B0}

TERM.....R LATERAL MALLEOLUS

LOCATION: R LEG

ABBREVIATION.....RL

ACTIVE.....Yes

DESCRIPTION.....Right Leg

DISPLAY_NAME.....R Leg

HELP_TEXT.....RIGHT LEG

ID.....{C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

TERM.....R LEG

LOCATION: R LOWER ANTERIOR CHEST

ABBREVIATION.....R L A CHES

ACTIVE.....Yes

DESCRIPTION.....Right Lower Anterior Chest

DISPLAY_NAME.....R Low. Ant. Chest

HELP_TEXT.....No Help Text

ID.....{96BCF731-B661-4455-B5E7-C4AE2509505F}

TERM.....R LOWER ANTERIOR CHEST

LOCATION: R LOWER ARM

ABBREVIATION.....R LOW ARM

ACTIVE.....Yes

DESCRIPTION.....Right Lower Arm

DISPLAY_NAME.....R Lower Arm

HELP_TEXT.....No Help Text

ID.....{8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

TERM.....R LOWER ARM

LOCATION: R LOWER EXTREMITY

ABBREVIATION.....R LOW EXTR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Lower Extremity

HELP_TEXT.....No Help Text

ID.....{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

TERM.....R LOWER EXTREMITY

LOCATION: R LOWER LEG

ABBREVIATION.....R LOW LEG

ACTIVE.....Yes

DESCRIPTION.....Right Lower Leg

DISPLAY_NAME.....R Lower Leg

HELP_TEXT.....No Help Text

ID.....{C8EA4D71-D97E-46BD-AE9D-C10954C525CD}

TERM.....R LOWER LEG

LOCATION: R LOWER LIMB

ABBREVIATION.....R LOW LIMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Lower Limb

HELP_TEXT.....No Help Text

ID.....{A8E26A05-311A-F196-40B5-B5202D9F8058}

TERM.....R LOWER LIMB

LOCATION: R LOWER LOBE

ABBREVIATION.....RLL

ACTIVE.....Yes

DESCRIPTION.....RIGHT LUNG'S LOWER LOBE

DISPLAY_NAME.....R Lower Lobe

HELP_TEXT.....No Help Text

ID.....{418D350A-3602-1918-22C8-53D093AF49B0}

TERM.....R LOWER LOBE

LOCATION: R LOWER POSTERIOR CHEST

ABBREVIATION.....R L P CHES

ACTIVE.....Yes

DESCRIPTION.....Right Lower Posterior Chest

DISPLAY_NAME.....R Low. Pos. Chest

HELP_TEXT.....No Help Text
ID.....{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}
TERM.....R LOWER POSTERIOR CHEST

LOCATION: R MANDIBULAR

ABBREVIATION.....R MANDIBUL
ACTIVE.....Yes
DESCRIPTION.....Right Mandibular
DISPLAY_NAME.....R Mandibular
HELP_TEXT.....No Help Text
ID.....{303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}
TERM.....R MANDIBULAR

LOCATION: R MEDIAL HEEL

ABBREVIATION.....R MED HEEL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Medial Heel
HELP_TEXT.....No Help Text
ID.....{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}
TERM.....R MEDIAL HEEL

LOCATION: R MEDIAL MALLEOLUS

ABBREVIATION.....R MED MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Medial Malleolus

HELP_TEXT.....No Help Text

ID.....{C70FB4FA-6516-4567-8E26-46BA439F1DF4}

TERM.....R MEDIAL MALLEOLUS

LOCATION: R MIDDLE ANTERIOR CHEST

ABBREVIATION.....R M A CHES

ACTIVE.....Yes

DESCRIPTION.....Right Middle Anterior Chest

DISPLAY_NAME.....R Mid. Ant. Chest

HELP_TEXT.....No Help Text

ID.....{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}

TERM.....R MIDDLE ANTERIOR CHEST

LOCATION: R MIDDLE LOBE

ABBREVIATION.....RML

ACTIVE.....Yes

DESCRIPTION.....RIGHT LUNG'S MIDDLE LOBE

DISPLAY_NAME.....R Middle Lobe

HELP_TEXT.....No Help Text

ID.....{57879159-350C-2055-34D3-C6EFA39CA98F}

TERM.....R MIDDLE LOBE

LOCATION: R MIDDLE POSTERIOR CHEST

ABBREVIATION.....R M P CHES

ACTIVE.....Yes

DESCRIPTION.....Right Middle Posterior Chest

DISPLAY_NAME.....R Mid. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}

TERM.....R MIDDLE POSTERIOR CHEST

LOCATION: R NECK

ABBREVIATION.....R NECK

ACTIVE.....Yes

DESCRIPTION.....RIGHT SIDE OF PATIENT'S NECK

DISPLAY_NAME.....R Neck

HELP_TEXT.....No Help Text

ID.....{7E4D84D3-535B-6164-C6C1-837C6F997A0D}

TERM.....R NECK

LOCATION: R NOSE

ABBREVIATION.....R NOSE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Nose

HELP_TEXT.....No Help Text

ID.....{D80BCB19-E71F-43EA-8990-6C121EE7F7A1}

TERM.....R NOSE

LOCATION: R OCCIPITAL

ABBREVIATION.....R OCCIPITA

ACTIVE.....Yes

DESCRIPTION.....Right Occipital

DISPLAY_NAME.....R Occipital

HELP_TEXT.....No Help Text

ID.....{5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}

TERM.....R OCCIPITAL

LOCATION: R ORAL

ABBREVIATION.....R ORAL

ACTIVE.....Yes

DESCRIPTION.....Right Oral

DISPLAY_NAME.....R Oral

HELP_TEXT.....No Help Text

ID.....{9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}

TERM.....R ORAL

LOCATION: R ORBIT

ABBREVIATION.....R ORBIT

ACTIVE.....Yes

DESCRIPTION.....Right Orbit

DISPLAY_NAME.....R Orbit

HELP_TEXT.....No Help Text

ID.....{DFFD974A-1684-49AE-8230-8E12411EA62E}

TERM.....R ORBIT

LOCATION: R OUTER KNEE

ABBREVIATION.....R OUT KNEE

ACTIVE.....Yes

DESCRIPTION.....Right Outer Knee

DISPLAY_NAME.....R Outer Knee

HELP_TEXT.....No Help Text

ID.....{330F1DF1-8C99-4984-9965-7404ABC9562D}

TERM.....R OUTER KNEE

LOCATION: R PARIETAL

ABBREVIATION.....R PARIETAL

ACTIVE.....Yes

DESCRIPTION.....Right Parietal

DISPLAY_NAME.....R Parietal

HELP_TEXT.....No Help Text

ID.....{28C927CD-1342-483B-B366-0B7EA8ACABAD}

TERM.....R PARIETAL

LOCATION: R PEDAL

ABBREVIATION.....R PEDAL

ACTIVE.....Yes

DESCRIPTION.....R Pedal

DISPLAY_NAME.....R Pedal

HELP_TEXT.....R Pedal

ID.....{9532B614-F4E1-316C-1322-905EB58E58C4}

TERM.....R PEDAL

LOCATION: R POST TIBIAL

ABBREVIATION.....R PO TIB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Post Tibial

HELP_TEXT.....No Help Text

ID.....{88CDA53A-5153-4950-701A-3F4F2007CC6B}

TERM.....R POST TIBIAL

LOCATION: R RADIAL

ABBREVIATION.....R RADIAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Radial

HELP_TEXT.....No Help Text

ID.....{BA10E6E5-DDF4-345E-68AF-21D32E9D972D}

TERM.....R RADIAL

LOCATION: R RIBS

ABBREVIATION.....R RIBS

ACTIVE.....Yes

DESCRIPTION.....Right Ribs

DISPLAY_NAME.....R Ribs

HELP_TEXT.....No Help Text

ID.....{260FD564-5E58-419B-9F73-62B6037D1572}

TERM.....R RIBS

LOCATION: R SCAPULA

ABBREVIATION.....R SCAPULA

ACTIVE.....Yes

DESCRIPTION.....Right Scapula

DISPLAY_NAME.....R Scapula

HELP_TEXT.....No Help Text

ID.....{EA657261-4D72-40C2-B70D-2A2E27556A01}

TERM.....R SCAPULA

LOCATION: R SHOULDER

ABBREVIATION.....R SHOULDER

ACTIVE.....Yes

DESCRIPTION.....Right Shoulder

DISPLAY_NAME.....R Shoulder

HELP_TEXT.....No Help Text

ID.....{D27AE130-442E-4DD6-B391-8D7E8AD494A2}

TERM.....R SHOULDER

LOCATION: R SUBCLAVIAN

ABBREVIATION.....R SUBCLAV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Subclavian

HELP_TEXT.....No Help Text

ID.....{53DEAE83-93AE-123B-14E5-4DE38CD4F752}

TERM.....R SUBCLAVIAN

LOCATION: R TEMPORAL

ABBREVIATION.....R TEMPOR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Temporal

HELP_TEXT.....No Help Text

ID.....{1F50461D-5ECF-25B2-A29A-E02803CB7814}

TERM.....R TEMPORAL

LOCATION: R TESTICLE

ABBREVIATION.....R TESTICLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Right Testicle

HELP_TEXT.....No Help Text

ID.....{0947D277-50AD-47F8-A76D-0EC34EB3B168}

TERM.....R TESTICLE

LOCATION: R THIGH

ABBREVIATION.....R THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Thigh

HELP_TEXT.....No Help Text

ID.....{B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

TERM.....R THIGH

LOCATION: R THORACIC ANTERIOR

ABBREVIATION.....R THOR ANT

ACTIVE.....Yes

DESCRIPTION.....Right Thoracic Anterior

DISPLAY_NAME.....R Thoracic Anterior

HELP_TEXT.....No Help Text

ID.....{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}

TERM.....R THORACIC ANTERIOR

LOCATION: R THORACIC LATERAL

ABBREVIATION.....R THOR LAT

ACTIVE.....Yes

DESCRIPTION.....Right Thoracic Lateral

DISPLAY_NAME.....R Thoracic Lateral

HELP_TEXT.....No Help Text

ID.....{55C48294-D3F3-4013-B552-BA3344D9513B}

TERM.....R THORACIC LATERAL

LOCATION: R THORACIC POSTERIOR

ABBREVIATION.....R THOR POS

ACTIVE.....Yes

DESCRIPTION.....Right Thoracic Posterior

DISPLAY_NAME.....R Thoracic Posterior

HELP_TEXT.....No Help Text

ID.....{E91085D2-E665-4EB6-A086-8CF573DECD8F}

TERM.....R THORACIC POSTERIOR

LOCATION: R THORACOTOMY

ABBREVIATION.....R THORACOT

ACTIVE.....Yes

DESCRIPTION.....Right Thoracotomy

DISPLAY_NAME.....R Thoracotomy

HELP_TEXT.....No Help Text

ID.....{A18E4BB3-0718-48D6-BD49-720A70C0EF60}

TERM.....R THORACOTOMY

LOCATION: R THUMB

ABBREVIATION.....R THUMB

ACTIVE.....Yes

DESCRIPTION.....Right Thumb

DISPLAY_NAME.....R Thumb

HELP_TEXT.....No Help Text

ID.....{B414BD68-4155-45B3-985D-B2F8252A20FE}

TERM.....R THUMB

LOCATION: R TOE

ABBREVIATION.....R TOE

ACTIVE.....Yes

DESCRIPTION.....Right Toe

DISPLAY_NAME.....R Toe

HELP_TEXT.....No Help Text

ID.....{B65727AB-3205-4DCE-833F-6DA8554636F9}

TERM.....R TOE

LOCATION: R TRAPEZIUS

ABBREVIATION.....R TRAPEZIU

ACTIVE.....Yes

DESCRIPTION.....Right Trapezius

DISPLAY_NAME.....R Trapezius

HELP_TEXT.....No Help Text

ID.....{69753B67-AFA1-4C93-BA78-E266F9894E46}

TERM.....R TRAPEZIUS

LOCATION: R TROCHANTER

ABBREVIATION.....R TROCHANT

ACTIVE.....Yes

DESCRIPTION.....Right Trochanter

DISPLAY_NAME.....R Trochanter

HELP_TEXT.....No Help Text

ID.....{1A3E21B2-C391-40D2-8059-12290E667D9E}

TERM.....R TROCHANTER

LOCATION: R UPPER ANTERIOR CHEST

ABBREVIATION.....R U A CHES

ACTIVE.....Yes

DESCRIPTION.....Right Upper Anterior Chest

DISPLAY_NAME.....R Up. Ant. Chest

HELP_TEXT.....No Help Text

ID.....{67890049-A4A8-4241-BDF3-573729BD6EB5}

TERM.....R UPPER ANTERIOR CHEST

LOCATION: R UPPER ARM

ABBREVIATION.....R UPP ARM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Upper Arm

HELP_TEXT.....No Help Text

ID.....{3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

TERM.....R UPPER ARM

LOCATION: R UPPER EXTREMITY

ABBREVIATION.....R UPP EXTR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Upper Extremity

HELP_TEXT.....No Help Text

ID.....{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

TERM.....R UPPER EXTREMITY

LOCATION: R UPPER LEG

ABBREVIATION.....R UPPER LE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Right Upper Leg

HELP_TEXT.....No Help Text

ID.....{113BD5ED-5A0A-47CA-B100-91B244BFD04A}

TERM.....R UPPER LEG

LOCATION: R UPPER LIMB

ABBREVIATION.....R UPP LIMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Upper Limb

HELP_TEXT.....No Help Text

ID.....{5E028BFF-ED9B-014F-74F0-C4137DB074FB}

TERM.....R UPPER LIMB

LOCATION: R UPPER LOBE

ABBREVIATION.....RUL

ACTIVE.....Yes

DESCRIPTION.....RIGHT LUNG'S UPPER LOBE

DISPLAY_NAME.....R Upper Lobe

HELP_TEXT.....Enter the Right Upper Lobe of the lung

ID.....{098C11B4-B556-FBBE-7E21-AEC9D7E4408A}

TERM.....R UPPER LOBE

LOCATION: R UPPER POSTERIOR CHEST

ABBREVIATION.....R U P CHES
ACTIVE.....Yes
DESCRIPTION.....Right Upper Posterior Chest
DISPLAY_NAME.....R Up. Pos. Chest
HELP_TEXT.....No Help Text
ID.....{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}
TERM.....R UPPER POSTERIOR CHEST

LOCATION: R WRIST

ABBREVIATION.....R WRIST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Wrist
HELP_TEXT.....No Help Text
ID.....{FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
TERM.....R WRIST

LOCATION: RADIAL

ABBREVIATION.....RADIAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Radial

HELP_TEXT.....No Help-Text

ID.....{D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

TERM.....RADIAL

LOCATION: RECTAL

ABBREVIATION.....RECTAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Rectal

HELP_TEXT.....No Help-Text

ID.....{0E7069F4-D3E6-67A1-E821-EF1879C3C267}

TERM.....RECTAL

LOCATION: RIGHT

ABBREVIATION.....R

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Right

HELP_TEXT.....No Help-Text

ID.....{38528AAC-C0A8-ABB7-A659-7EB54D81EA9F}

TERM.....RIGHT

LOCATION: RIGHT EYE

ABBREVIATION.....Right Eye

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Right Eye

HELP_TEXT.....

ID.....{56F81421-F1C7-4FD4-9757-E0EDEF26626E}

TERM.....RIGHT EYE

LOCATION: SACRAL

ABBREVIATION.....SACRAL

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S SACRAL AREA

DISPLAY_NAME.....Sacral

HELP_TEXT.....No Help Text

ID.....{0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

TERM.....SACRAL

LOCATION: SCROTUM

ABBREVIATION.....SCROTUM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Scrotum

HELP_TEXT.....No Help Text
ID.....{BDC109F5-0D30-4914-A62C-CEFEB448B547}
TERM.....SCROTUM

LOCATION: SKIN

ABBREVIATION.....SKIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Skin
HELP_TEXT.....No Help-Text
ID.....{0803BC59-1582-AEC8-3DA2-A81363038210}
TERM.....SKIN

LOCATION: SPINE CERVICAL

ABBREVIATION.....SPINE CERV
ACTIVE.....Yes
DESCRIPTION.....Spine Cervical
DISPLAY_NAME.....Spine Cervical
HELP_TEXT.....No Help Text
ID.....{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}
TERM.....SPINE CERVICAL

LOCATION: SPINE LUMBAR

ABBREVIATION.....SPINE LUMB
ACTIVE.....Yes
DESCRIPTION.....Spine Lumbar
DISPLAY_NAME.....Spine Lumbar
HELP_TEXT.....No Help Text
ID.....{E7E411AB-5C29-4906-B0A9-E8658AAFFF91}
TERM.....SPINE LUMBAR

LOCATION: SPINE THORACIC

ABBREVIATION.....SPINE THOR
ACTIVE.....Yes
DESCRIPTION.....Spine Thoracic
DISPLAY_NAME.....Spine Thoracic
HELP_TEXT.....No Help Text
ID.....{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}
TERM.....SPINE THORACIC

LOCATION: STERNOTOMY

ABBREVIATION.....STERNOTOMY
ACTIVE.....Yes
DESCRIPTION.....Sternotomy
DISPLAY_NAME.....Sternotomy

HELP_TEXT.....No Help Text

ID.....{DB97F6A0-9295-42B7-BC29-6A534CE259DD}

TERM.....STERNOTOMY

LOCATION: STOMACH

ABBREVIATION.....STOMACH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stomach

HELP_TEXT.....No Help Text

ID.....{613C20B9-CC9C-4F5D-B5B1-69B66A663540}

TERM.....STOMACH

LOCATION: SUBSTERNAL

ABBREVIATION.....SUBSTERN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Substernal

HELP_TEXT.....No Help Text

ID.....{3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}

TERM.....SUBSTERNAL

LOCATION: TEETH

ABBREVIATION.....TEETH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Teeth
HELP_TEXT.....No Help Text
ID.....{38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}
TERM.....TEETH

LOCATION: TEMPORAL

ABBREVIATION.....TEMPORAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Temporal
HELP_TEXT.....No Help-Text
ID.....{E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}
TERM.....TEMPORAL

LOCATION: THIGH

ABBREVIATION.....THIGH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Thigh

HELP_TEXT.....No Help-Text

ID.....{2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}

TERM.....THIGH

LOCATION: THYROID

ABBREVIATION.....THYROID

ACTIVE.....Yes

DESCRIPTION.....Thyroid

DISPLAY_NAME.....Thyroid

HELP_TEXT.....No Help Text

ID.....{6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}

TERM.....THYROID

LOCATION: TOOTH

ABBREVIATION.....TOOTH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tooth

HELP_TEXT.....No Help Text

ID.....{8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}

TERM.....TOOTH

LOCATION: TORSO

ABBREVIATION.....TORSO

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S TORSO

DISPLAY_NAME.....Torso

HELP_TEXT.....No Help Text

ID.....{EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}

TERM.....TORSO

LOCATION: TRACHEOSTOMY

ABBREVIATION.....TRACHEOSTO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tracheostomy

HELP_TEXT.....No Help Text

ID.....{4D12329A-56C8-4175-986F-2F0B68EB7E6D}

TERM.....TRACHEOSTOMY

LOCATION: TRANSVERSE ABDOMINAL

ABBREVIATION.....TRANS ABDO

ACTIVE.....Yes

DESCRIPTION.....Transverse Abdominal

DISPLAY_NAME.....Transverse Abdominal

HELP_TEXT.....No Help Text
ID.....{1C10FF98-7B20-45D0-B420-714981832B3D}
TERM.....TRANSVERSE ABDOMINAL

LOCATION: TYMPANIC

ABBREVIATION.....Tym
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tympanic
HELP_TEXT.....No Help Text
ID.....{0A58C14C-E447-E034-AA93-D41E6E0D2F69}
TERM.....TYMPANIC

LOCATION: ULNAR

ABBREVIATION.....Uln
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ulnar
HELP_TEXT.....No Help Text
ID.....{81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}
TERM.....ULNAR

LOCATION: UMBILICAL

ABBREVIATION.....UMBILICAL

ACTIVE.....Yes

DESCRIPTION.....UMBILICAL

DISPLAY_NAME.....UMBILICAL

HELP_TEXT.....No Help Text

ID.....{8874B300-0751-49AF-8211-CF4C009C68B5}

TERM.....UMBILICAL

LOCATION: UPPER ABDOMEN

ABBREVIATION.....UP ABDOM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Upper Abdomen

HELP_TEXT.....No Help Text

ID.....{234C677B-1CE6-498B-9375-BB5DC3958842}

TERM.....UPPER ABDOMEN

LOCATION: UPPER ARM

ABBREVIATION.....UpA

ACTIVE.....Yes

DESCRIPTION.....Area of arm between elbow and shoulder

DISPLAY_NAME.....Upper Arm

HELP_TEXT.....UPPER ARM

ID.....{B43A2B31-1F35-3F4D-5D23-882541ABE477}

TERM.....UPPER ARM

LOCATION: UPPER BACK

ABBREVIATION.....UPPER BACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Upper Back

HELP_TEXT.....No Help Text

ID.....{C1DA4294-E0DC-438B-810D-7F91E170244A}

TERM.....UPPER BACK

LOCATION: WAIST

ABBREVIATION.....WAIST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Waist

HELP_TEXT.....No Help Text

ID.....{784DD311-8B48-4FE3-96B6-471CCE453CD5}

TERM.....WAIST

LOCATION: WRIST

ABBREVIATION.....Wri

ACTIVE.....Yes

DESCRIPTION.....Joint between hand and forearm

DISPLAY_NAME.....Wrist

HELP_TEXT.....WRIST

ID.....{C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

TERM.....WRIST

METHOD: ADULT

ABBREVIATION.....Ad

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Adult

HELP_TEXT.....No Help Text

ID.....{C2D49445-6556-8E6E-A8E9-CB3FA76BC22E}

TERM.....ADULT

METHOD: ADULT CUFF

ABBREVIATION.....AC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Adult Cuff

HELP_TEXT.....No Help Text

ID.....{1222302E-6982-C627-8A0B-A651C98138E3}

TERM.....ADULT CUFF

METHOD: AEROSOL/HUMIDIFIED MASK

ABBREVIATION.....AM

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Aerosol/Humidified Mask
HELP_TEXT.....No Help Text
ID.....{CAF54B28-D5D2-8481-FAE3-9C74C2D51551}
TERM.....AEROSOL/HUMIDIFIED MASK

METHOD: AFTER EXERCISE

ABBREVIATION.....AE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....After Exercise
HELP_TEXT.....No Help Text
ID.....{D129EF4B-3A99-9966-54F1-2C01A36814EE}
TERM.....AFTER EXERCISE

METHOD: AMBU BAG

ABBREVIATION.....AB
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ambu Bag
HELP_TEXT.....No Help Text
ID.....{E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}
TERM.....AMBU BAG

METHOD: ARTERIAL LINE

ABBREVIATION.....AL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Arterial Line
HELP_TEXT.....No Help Text
ID.....{D4B3F4ED-8B33-431E-4164-BD165E823776}
TERM.....ARTERIAL LINE

METHOD: ASSISTED VENTILATOR

ABBREVIATION.....AV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Assisted Ventilator
HELP_TEXT.....No Help Text
ID.....{A540F333-5A09-5F21-7B51-2B5DF05E32C0}
TERM.....ASSISTED VENTILATOR

METHOD: AT REST

ABBREVIATION.....AR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....At Rest

HELP_TEXT.....No Help Text

ID.....{E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}

TERM.....AT REST

METHOD: AUSCULTATE

ABBREVIATION.....Aus

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Auscultate

HELP_TEXT.....No Help Text

ID.....{0C629C1F-92D3-C641-B02C-9EA43B401DC9}

TERM.....AUSCULTATE

METHOD: BED

ABBREVIATION.....B

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bed

HELP_TEXT.....No Help Text

ID.....{20188D9F-3815-1F7F-34EC-BA77F75B310E}

TERM.....BED

METHOD: BIPAP

ABBREVIATION.....BIP
ACTIVE.....Yes
DESCRIPTION.....Biphasic Positive Airway Pressure
DISPLAY_NAME.....BiPAP
HELP_TEXT.....No Help Text
ID.....{3CFD1D11-EF8D-58BA-6381-B24956344D2E}
TERM.....BIPAP

METHOD: BIPAP-CPAP

ABBREVIATION.....PAP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....BiPAP-CPAP
HELP_TEXT.....No Help Text
ID.....{2BCBE562-8F44-662F-469B-13AC0E863A3D}
TERM.....BIPAP-CPAP

METHOD: BLADDER

ABBREVIATION.....BLAD
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bladder

HELP_TEXT.....No Help Text

ID.....{E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}

TERM.....BLADDER

METHOD: CARDIAC MONITOR

ABBREVIATION.....CARDIAC MO

ACTIVE.....Yes

DESCRIPTION.....Cardiac Monitor

DISPLAY_NAME.....Cardiac Monitor

HELP_TEXT.....Cardiac Monitor

ID.....{E8B6B5A3-D143-3967-A362-019BD5EB6984}

TERM.....CARDIAC MONITOR

METHOD: CARDIAC OUTPUT MONITOR

ABBREVIATION.....COM

ACTIVE.....Yes

DESCRIPTION.....A CO Monitor

DISPLAY_NAME.....Cardiac Output Monitor

HELP_TEXT.....Data from a Cardiac Output Monitor

ID.....{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

TERM.....CARDIAC OUTPUT MONITOR

METHOD: CATHETER

ABBREVIATION.....CATHETER

ACTIVE.....Yes

DESCRIPTION.....Catheter used to capture Intake and
Output

DISPLAY_NAME.....Catheter - Method

HELP_TEXT.....No Help Text

ID.....{1AA95835-FB32-4D1A-9C53-271EE38B2F63}

TERM.....CATHETER

METHOD: CHAIR

ABBREVIATION.....Ch

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Chair

HELP_TEXT.....No Help Text

ID.....{BBF5C05C-220D-D052-C7E8-236E791A4FC9}

TERM.....CHAIR

METHOD: CHEST TUBE

ABBREVIATION.....CH TUBE M

ACTIVE.....Yes

DESCRIPTION.....Chest Tube

DISPLAY_NAME.....Chest Tube
HELP_TEXT.....Chest Tube
ID.....{F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}
TERM.....CHEST TUBE

METHOD: COLLOID

ABBREVIATION.....COLLOID M
ACTIVE.....Yes
DESCRIPTION.....Colloid as method for Intake and Output
DISPLAY_NAME.....Colloid - Method
HELP_TEXT.....No Help Text
ID.....{2AE33508-5EA2-44DF-A401-74DD7B93AB6E}
TERM.....COLLOID

METHOD: COMPUTED TOMOGRAPHY

ABBREVIATION.....COM TOMOGR
ACTIVE.....Yes
DESCRIPTION.....Computed Tomography
DISPLAY_NAME.....Computed Tomography
HELP_TEXT.....No Help Text
ID.....{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}
TERM.....COMPUTED TOMOGRAPHY

METHOD: CONTRAST LEFT VENTRICULOGRAPHY

ABBREVIATION.....CON L VENT
ACTIVE.....Yes
DESCRIPTION.....Contrast Left Ventriculography
DISPLAY_NAME.....Contrast Left Ventriculography
HELP_TEXT.....No Help Text
ID.....{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}
TERM.....CONTRAST LEFT VENTRICULOGRAPHY

METHOD: CONTROLLED VENTILATOR

ABBREVIATION.....CV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Controlled Ventilator
HELP_TEXT.....No Help Text
ID.....{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}
TERM.....CONTROLLED VENTILATOR

METHOD: CPAP

ABBREVIATION.....CP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cpap

HELP_TEXT.....No Help Text

ID.....{A041FB71-08EF-F3FE-82FA-051FF74C824F}

TERM.....CPAP

METHOD: CRRT

ABBREVIATION.....CRRT

ACTIVE.....Yes

DESCRIPTION.....Continuous Renal Replacement Therapy

DISPLAY_NAME.....CRRT

HELP_TEXT.....No Help Text

ID.....{AB37FC1D-DD7A-4103-A777-7B8D0F876889}

TERM.....CRRT

METHOD: CUFF

ABBREVIATION.....Cu

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cuff

HELP_TEXT.....No Help Text

ID.....{E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}

TERM.....CUFF

METHOD: CUFF-AUTOMATED

ABBREVIATION.....CA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cuff-Automated
HELP_TEXT.....No Help Text
ID.....{088AAD2B-2E7B-F835-376F-3D4340790976}
TERM.....CUFF-AUTOMATED

METHOD: CUFF-MANUAL

ABBREVIATION.....CM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cuff-Manual
HELP_TEXT.....No Help Text
ID.....{5F56C163-2B04-112F-55DE-E31374E0FB58}
TERM.....CUFF-MANUAL

METHOD: CVVHD

ABBREVIATION.....CVVHD
ACTIVE.....Yes
DESCRIPTION.....Central Venous - Venous Hemodialysis
DISPLAY_NAME.....CVVHD

HELP_TEXT.....No Help Text

ID.....{4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}

TERM.....CVVHD

METHOD: DIALYSIS

ABBREVIATION.....DIALYSIS M

ACTIVE.....Yes

DESCRIPTION.....Dialysis used to describe Intake and
Output

DISPLAY_NAME.....Dialysis - Method

HELP_TEXT.....No Help Text

ID.....{1EAE28D4-3AC0-4DA1-9D09-3A65C38267F6}

TERM.....DIALYSIS

METHOD: DIALYSIS CATHETER

ABBREVIATION.....DIALYSIS C

ACTIVE.....Yes

DESCRIPTION.....Dialysis Catheter

DISPLAY_NAME.....Dialysis Catheter

HELP_TEXT.....No Help Text

ID.....{D9FF5CA8-09AF-4318-B784-DEB3A8F819D8}

TERM.....DIALYSIS CATHETER

METHOD: DOPPLER

ABBREVIATION.....Dop
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Doppler
HELP_TEXT.....No Help Text
ID.....{52683C19-F9DC-876B-CA3F-53E7C864CF04}
TERM.....DOPPLER

METHOD: DOUBLE LUMEN CATHETER

ABBREVIATION.....DOUBLE LUM
ACTIVE.....Yes
DESCRIPTION.....Double Lumen Catheter
DISPLAY_NAME.....Double Lumen Catheter
HELP_TEXT.....No Help Text
ID.....{ED646D10-3DBE-4049-ADC6-5E3DD2C351DD}
TERM.....DOUBLE LUMEN CATHETER

METHOD: ECHOCARDIOGRAPHY

ABBREVIATION.....ECG
ACTIVE.....Yes
DESCRIPTION.....Echocardiography
DISPLAY_NAME.....Echocardiography

HELP_TEXT.....No Help Text
ID.....{CA44697E-3BBA-4767-A30D-6548A72F9639}
TERM.....ECHOCARDIOGRAPHY

METHOD: ELECTROCARDIOGRAM

ABBREVIATION.....ECG
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Electrocardiogram
HELP_TEXT.....No Help Text
ID.....{CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}
TERM.....ELECTROCARDIOGRAM

METHOD: ELECTROCARDIOGRAM TRACE 1

ABBREVIATION.....ECG TR 1
ACTIVE.....Yes
DESCRIPTION.....Trace 1 from ECG
DISPLAY_NAME.....ECG Trace 1
HELP_TEXT.....No Help Text
ID.....{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}
TERM.....ELECTROCARDIOGRAM TRACE 1

METHOD: ELECTROCARDIOGRAM TRACE 2

ABBREVIATION.....ECG TR 2
ACTIVE.....Yes
DESCRIPTION.....Trace 2 from ECG
DISPLAY_NAME.....ECG Trace 2
HELP_TEXT.....No Help Text
ID.....{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}
TERM.....ELECTROCARDIOGRAM TRACE 2

METHOD: ENTERAL FEEDING / SUPPLEMENT

ABBREVIATION.....EF/SUPPLEM
ACTIVE.....Yes
DESCRIPTION.....Enteral Feeding / Supplement - Method
DISPLAY_NAME.....Enteral Feeding / Supplement - Method
HELP_TEXT.....No Help Text
ID.....{8389A9F5-0D48-496D-A605-1560B055DCC0}
TERM.....ENTERAL FEEDING / SUPPLEMENT

METHOD: ENTERAL FEEDING TUBE

ABBREVIATION.....ENT FEED T
ACTIVE.....Yes
DESCRIPTION.....EFT for describing Intakes and Outputs
DISPLAY_NAME.....Enteral Feeding Tube - Method

HELP_TEXT.....No Help Text

ID.....{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}

TERM.....ENTERAL FEEDING TUBE

METHOD: EXTERNAL CATHETER

ABBREVIATION.....Ext. Cathe

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....External Catheter

HELP_TEXT.....

ID.....{69A5CBA6-5142-47BC-8C7D-CDAACE6E8E78}

TERM.....EXTERNAL CATHETER

METHOD: FACE TENT

ABBREVIATION.....FT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Face Tent

HELP_TEXT.....No Help Text

ID.....{1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}

TERM.....FACE TENT

METHOD: GI TUBE

ABBREVIATION.....GI TUBE
ACTIVE.....Yes
DESCRIPTION.....Used to describe Intakes and Outputs
DISPLAY_NAME.....GI Tube - Method
HELP_TEXT.....No Help Text
ID.....{AF64F7BE-E72E-4391-BC1F-48163F2F3751}
TERM.....GI TUBE

METHOD: HEMODIALYSIS

ABBREVIATION.....HEMODIALYS
ACTIVE.....Yes
DESCRIPTION.....Hemodialysis
DISPLAY_NAME.....Hemodialysis
HELP_TEXT.....No Help Text
ID.....{DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}
TERM.....HEMODIALYSIS

METHOD: HEMOVAC

ABBREVIATION.....HEMOVAC
ACTIVE.....Yes
DESCRIPTION.....Hemovac Drain
DISPLAY_NAME.....Hemovac Drain

HELP_TEXT.....No Help Text
ID.....{79DA0646-B811-4954-8BE1-C133398CD574}
TERM.....HEMOVAC

METHOD: IABP

ABBREVIATION.....IABP
ACTIVE.....Yes
DESCRIPTION.....Intra-aortic Balloon Pump
DISPLAY_NAME.....IABP
HELP_TEXT.....Intra-aortic Balloon Pump
ID.....{4352A41F-AAF3-4544-9590-BAFD7977DF49}
TERM.....IABP

METHOD: ILEAL CONDUIT

ABBREVIATION.....Ileal Cond
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Ileal Conduit
HELP_TEXT.....
ID.....{B1703A2F-51B8-4B1A-89AE-B1319FD653F7}
TERM.....ILEAL CONDUIT

METHOD: INDWELLING CATHETER

ABBREVIATION.....Indw Cath
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Indwelling Catheter
HELP_TEXT.....
ID.....{37577D2A-FAA2-4875-BFF8-09C2F53A2311}
TERM.....INDWELLING CATHETER

METHOD: INTRODUCER CATHETER

ABBREVIATION.....INTRODUCER
ACTIVE.....Yes
DESCRIPTION.....Introducer Catheter
DISPLAY_NAME.....Introducer Catheter
HELP_TEXT.....No Help Text
ID.....{60EED7D3-6CB2-4FCE-BFC0-DE0BA8AB0814}
TERM.....INTRODUCER CATHETER

METHOD: INVASIVE

ABBREVIATION.....I
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Invasive

HELP_TEXT.....No Help Text

ID.....{5DB8746E-5446-F47A-883C-A44B91275A6E}

TERM.....INVASIVE

METHOD: IRRIGATION

ABBREVIATION.....IRRIGATION

ACTIVE.....Yes

DESCRIPTION.....Irrigation

DISPLAY_NAME.....Irrigation

HELP_TEXT.....No Help Text

ID.....{6C968D0A-400F-448A-93EF-02CB891BA981}

TERM.....IRRIGATION

METHOD: IV

ABBREVIATION.....IV

ACTIVE.....Yes

DESCRIPTION.....Method to capture Intakes and Outputs

DISPLAY_NAME.....IV

HELP_TEXT.....No Help Text

ID.....{52141E2F-7942-4C60-9B08-62F3B4640020}

TERM.....IV

METHOD: JP DRAIN

ABBREVIATION.....JP DRAIN
ACTIVE.....Yes
DESCRIPTION.....JP Drain
DISPLAY_NAME.....JP Drain
HELP_TEXT.....No Help Text
ID.....{94A32247-6190-4047-B581-A212FE4C9453}
TERM.....JP DRAIN

METHOD: LARYNGEAL MASK

ABBREVIATION.....LARYNGMASK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Laryngeal Mask
HELP_TEXT.....No Help Text
ID.....{DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}
TERM.....LARYNGEAL MASK

METHOD: LEAD

ABBREVIATION.....L
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lead

HELP_TEXT.....No Help Text

ID.....{B628FDCE-05E0-DACF-E66E-0F8380AB465A}

TERM.....LEAD

METHOD: LG ADULT

ABBREVIATION.....LgA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lg Adult

HELP_TEXT.....No Help Text

ID.....{0C7B9E22-A426-80D1-80E8-2082F15784BA}

TERM.....LG ADULT

METHOD: LG ADULT CUFF

ABBREVIATION.....LAC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lg Adult Cuff

HELP_TEXT.....No Help Text

ID.....{4FA9374C-AE66-DF6E-E0E8-673D7B9B2E19}

TERM.....LG ADULT CUFF

METHOD: LIFT SCALE

ABBREVIATION.....LS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lift Scale
HELP_TEXT.....No Help Text
ID.....{8D741461-25C5-3955-BE2C-CBD27317CBA1}
TERM.....LIFT SCALE

METHOD: MAGNETIC RESONANCE IMAGING

ABBREVIATION.....MRI
ACTIVE.....Yes
DESCRIPTION.....Magnetic Resonance Imaging
DISPLAY_NAME.....MRI
HELP_TEXT.....No Help Text
ID.....{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}
TERM.....MAGNETIC RESONANCE IMAGING

METHOD: MASK

ABBREVIATION.....M
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Mask

HELP_TEXT.....No Help Text

ID.....{4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}

TERM.....MASK

METHOD: MONITOR

ABBREVIATION.....Mo

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Monitor

HELP_TEXT.....No Help Text

ID.....{63FC24EA-50B8-B302-D948-ABE3517CF6FC}

TERM.....MONITOR

METHOD: MULTIGATED NUCLEAR VENTRICULOGRAPHY

ABBREVIATION.....MUGA

ACTIVE.....Yes

DESCRIPTION.....Multigated Nuclear Ventriculography

DISPLAY_NAME.....MUGA

HELP_TEXT.....No Help Text

ID.....{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}

TERM.....MULTIGATED NUCLEAR VENTRICULOGRAPHY

METHOD: MUSTACHE CANNULA

ABBREVIATION.....MC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Mustache Cannula
HELP_TEXT.....No Help Text
ID.....{DAB3F52F-A8E1-2D9E-C8E5-1D005EC679FC}
TERM.....MUSTACHE CANNULA

METHOD: NASAL CANNULA

ABBREVIATION.....NC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Nasal Cannula
HELP_TEXT.....No Help Text
ID.....{EFFD38AE-6AF5-77FD-72E1-E0F7E3DEBA29}
TERM.....NASAL CANNULA

METHOD: NEBULIZER

ABBREVIATION.....NEBULIZER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Nebulizer

HELP_TEXT.....No Help Text

ID.....{3CF184A3-2688-4988-B956-D5B0F303E8E8}

TERM.....NEBULIZER

METHOD: NEPHROSTOMY - LEFT

ABBREVIATION.....Neph Left

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Nephrostomy - Left

HELP_TEXT.....

ID.....{E655E1BA-4803-4E19-B387-65B5F4809970}

TERM.....NEPHROSTOMY - LEFT

METHOD: NEPHROSTOMY - RIGHT

ABBREVIATION.....Neph Right

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Nephrostomy - Right

HELP_TEXT.....

ID.....{ACE81374-DC90-42C2-9E7C-EF8E5D751EDF}

TERM.....NEPHROSTOMY - RIGHT

METHOD: NON RE-BREATHER

ABBREVIATION.....NRB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Non Re-Breather

HELP_TEXT.....No Help Text

ID.....{1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}

TERM.....NON RE-BREATHER

METHOD: NON-INVASIVE

ABBREVIATION.....N-I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Non-Invasive

HELP_TEXT.....No Help Text

ID.....{F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

TERM.....NON-INVASIVE

METHOD: NONINVASIVE

ABBREVIATION.....N

ACTIVE.....No

DESCRIPTION.....Noninvasive

DISPLAY_NAME.....Noninvasive

HELP_TEXT.....No Help Text

ID.....{398E91DF-F425-5083-AA35-C5263792845E}

TERM.....NONINVASIVE

METHOD: NUCLEAR PERFUSION IMAGING

ABBREVIATION.....NPI

ACTIVE.....Yes

DESCRIPTION.....Nuclear Perfusion Imaging

DISPLAY_NAME.....Nuclear Perfusion Imaging

HELP_TEXT.....No Help Text

ID.....{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

TERM.....NUCLEAR PERFUSION IMAGING

METHOD: O2 SATS

ABBREVIATION.....O2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....O2 Sats

HELP_TEXT.....No Help Text

ID.....{66C2100C-8A52-F36A-F7F1-A55D4E4D7CE6}

TERM.....O2 SATS

METHOD: OTHER

ABBREVIATION.....OTHER

ACTIVE.....Yes

DESCRIPTION.....Other: Comments Required

DISPLAY_NAME.....OTHER: OBSERVATION COMMENTS REQUIRED

HELP_TEXT.....No Help Text

ID.....{AED275BD-8A42-46BE-BCDF-472EF4C31D65}

TERM.....OTHER

METHOD: P.O.

ABBREVIATION.....PO

ACTIVE.....Yes

DESCRIPTION.....By Mouth, Oral, "Per Os"

DISPLAY_NAME.....P.O. - Method

HELP_TEXT.....No Help Text

ID.....{7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}

TERM.....P.O.

METHOD: PA CATHETER

ABBREVIATION.....PA CATHETE

ACTIVE.....Yes

DESCRIPTION.....Pulmonary Catheter

DISPLAY_NAME.....PA Catheter

HELP_TEXT.....No Help Text

ID.....{5A518696-41B7-4AB8-8FC7-5CF454CE0299}

TERM.....PA CATHETER

METHOD: PA LINE

ABBREVIATION.....PALI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....PA Line

HELP_TEXT.....No Help Text

ID.....{1AEA41D7-901B-96FF-BF9B-420C24FF00E4}

TERM.....PA LINE

METHOD: PALPATED

ABBREVIATION.....Pal

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Palpated

HELP_TEXT.....No Help Text

ID.....{295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}

TERM.....PALPATED

METHOD: PARTIAL RE-BREATHER

ABBREVIATION.....PRB
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Partial Re-Breather
HELP_TEXT.....No Help Text
ID.....{6F1DF170-5128-2E3F-1831-12FB0BB5E95C}
TERM.....PARTIAL RE-BREATHER

METHOD: PEDIATRIC CUFF

ABBREVIATION.....PdC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pediatric Cuff
HELP_TEXT.....No Help Text
ID.....{CA9EA220-EF92-EE77-FBEA-4E49C4730A3E}
TERM.....PEDIATRIC CUFF

METHOD: PENDANT CANNULA

ABBREVIATION.....PC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pendant Cannula

HELP_TEXT.....No Help Text

ID.....{A1451228-4ABB-DBCB-31AD-578BCD93012F}

TERM.....PENDANT CANNULA

METHOD: PENROSE

ABBREVIATION.....PENROSE

ACTIVE.....Yes

DESCRIPTION.....Penrose Drain

DISPLAY_NAME.....Penrose Drain

HELP_TEXT.....No Help Text

ID.....{CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}

TERM.....PENROSE

METHOD: PERITONEAL DIALYSIS

ABBREVIATION.....PERI DIALY

ACTIVE.....Yes

DESCRIPTION.....Peritoneal Dialysis

DISPLAY_NAME.....Peritoneal Dialysis

HELP_TEXT.....No Help Text

ID.....{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}

TERM.....PERITONEAL DIALYSIS

METHOD: PICC LINE

ABBREVIATION.....PICC LINE

ACTIVE.....Yes

DESCRIPTION.....Peripherally Inserted Central
Catheter Line

DISPLAY_NAME.....PICC Line

HELP_TEXT.....No Help Text

ID.....{BDB5075B-DECC-443A-B774-CFA062DF34F4}

TERM.....PICC LINE

METHOD: PULSE OX MONITOR

ABBREVIATION.....POM

ACTIVE.....Yes

DESCRIPTION.....A Pulse Ox Monitor

DISPLAY_NAME.....Pulse Ox Monitor

HELP_TEXT.....Readings that have come from a Pulse
Ox Monitor

ID.....{A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

TERM.....PULSE OX MONITOR

METHOD: PVR (POST VOID RESIDUAL) - CATHED

ABBREVIATION.....PVR-Cathed

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....PVR (Post Void Residual) - Cathed

HELP_TEXT.....

ID.....{19DC72C9-FDAD-4F51-A0F7-63510A96829F}

TERM.....PVR (POST VOID RESIDUAL) - CATHED

METHOD: RECTAL TEMP PROBE

ABBREVIATION.....RTP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Rectal Temp Probe

HELP_TEXT.....No Help Text

ID.....{0100F644-EF8E-5FE3-0022-804408DCE2DD}

TERM.....RECTAL TEMP PROBE

METHOD: RESERVOIR CANNULA

ABBREVIATION.....RC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Reservoir Cannula

HELP_TEXT.....No Help Text

ID.....{B332C44D-29BE-765C-932C-63EBFC9631FC}

TERM.....RESERVOIR CANNULA

METHOD: RHYTHM

ABBREVIATION.....RHY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Rhythm
HELP_TEXT.....No Help Text
ID.....{8A4AC126-12DA-0904-C364-B5D818621E32}
TERM.....RHYTHM

METHOD: ROOM AIR

ABBREVIATION.....ROOM AIR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Room Air
HELP_TEXT.....No Help Text
ID.....{B4103F11-4BCE-49ED-AF3E-ACCB526D938C}
TERM.....ROOM AIR

METHOD: ROOM AIR15

ABBREVIATION.....RA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Room Air15

HELP_TEXT.....No Help Text

ID.....{55AC16E4-4BAD-EDE4-41E9-853C78D8474B}

TERM.....ROOM AIR15

METHOD: ROOM AIR20

ABBREVIATION.....xx

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Room Air20

HELP_TEXT.....No Help Text

ID.....{FBBD3CC2-53AF-FBCC-EF16-A6300F7F8330}

TERM.....ROOM AIR20

METHOD: SINGLE LUMEN CATHETER

ABBREVIATION.....SING LUM C

ACTIVE.....Yes

DESCRIPTION.....Single Lumen Catheter

DISPLAY_NAME.....Single Lumen Catheter

HELP_TEXT.....No Help Text

ID.....{E5B432BD-C698-4415-98E1-F5F229F54F8A}

TERM.....SINGLE LUMEN CATHETER

METHOD: SKIN (ADHESIVE INDICATOR)

ABBREVIATION.....SKIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Skin (Adhesive Indicator)
HELP_TEXT.....No Help Text
ID.....{C7CE7D84-6FC7-406A-7E56-B080637509DF}
TERM.....SKIN (ADHESIVE INDICATOR)

METHOD: SM ADULT

ABBREVIATION.....SmA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sm Adult
HELP_TEXT.....No Help Text
ID.....{CCB94C2F-CE55-A046-3A21-3ADDB1D23D3C}
TERM.....SM ADULT

METHOD: SM ADULT CUFF

ABBREVIATION.....SAC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sm Adult Cuff

HELP_TEXT.....No Help Text

ID.....{0346341B-6D38-6599-ED9F-24C81A8698A8}

TERM.....SM ADULT CUFF

METHOD: SPONTANEOUS

ABBREVIATION.....S

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Spontaneous

HELP_TEXT.....No Help Text

ID.....{5E9463BC-C871-54FD-F800-DCFDEDB8A93B}

TERM.....SPONTANEOUS

METHOD: STANDING WEIGHT

ABBREVIATION.....SW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Standing Weight

HELP_TEXT.....No Help Text

ID.....{BE16FA09-16DA-510B-D235-B7F0F93AB105}

TERM.....STANDING WEIGHT

METHOD: STRAIGHT CATHETER

ABBREVIATION.....Str. Cath
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Straight Catheter
HELP_TEXT.....
ID.....{9076BBC9-3C76-4445-9F41-E4E59E84BED7}
TERM.....STRAIGHT CATHETER

METHOD: SUPRAPUBIC

ABBREVIATION.....Suprapubic
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Suprapubic
HELP_TEXT.....
ID.....{4BF7948A-0532-41A3-9C1E-171F11DA1056}
TERM.....SUPRAPUBIC

METHOD: T-PIECE

ABBREVIATION.....TP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....T-Piece

HELP_TEXT.....No Help Text

ID.....{27FC4BC6-2F25-2154-553C-2B452E28A91C}

TERM.....T-PIECE

METHOD: THIGH CUFF

ABBREVIATION.....ThC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Thigh Cuff

HELP_TEXT.....No Help Text

ID.....{C581DFAC-691C-B64A-F058-AF2AA5050147}

TERM.....THIGH CUFF

METHOD: TPN

ABBREVIATION.....TPN

ACTIVE.....Yes

DESCRIPTION.....Total Parenteral Nutrition Method

DISPLAY_NAME.....TPN - Method

HELP_TEXT.....No Help Text

ID.....{B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}

TERM.....TPN

METHOD: TRACHEOSTOMY COLLAR

ABBREVIATION.....TC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tracheostomy Collar
HELP_TEXT.....No Help Text
ID.....{CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}
TERM.....TRACHEOSTOMY COLLAR

METHOD: TRANSFUSION

ABBREVIATION.....TRANSFUSIO
ACTIVE.....Yes
DESCRIPTION.....Transfusion - Method
DISPLAY_NAME.....Transfusion - Method
HELP_TEXT.....No Help Text
ID.....{9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}
TERM.....TRANSFUSION

METHOD: TRANSTRACHEAL

ABBREVIATION.....Tt
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Transtracheal

HELP_TEXT.....No Help Text

ID.....{48951129-CEEC-10D9-F746-99B4713B9C64}

TERM.....TRANSTRACHEAL

METHOD: TRIPLE LUMEN CATHETER

ABBREVIATION.....TRIPLE LUM

ACTIVE.....Yes

DESCRIPTION.....Triple Lumen Catheter

DISPLAY_NAME.....Triple Lumen Catheter

HELP_TEXT.....No Help Text

ID.....{704E2B3E-5E5D-43FB-B956-CFF90AF7D774}

TERM.....TRIPLE LUMEN CATHETER

METHOD: UROSTOMY

ABBREVIATION.....Urostomy

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Urostomy

HELP_TEXT.....

ID.....{746BDA57-3D09-4DF7-BED0-5AA1F66DD0C9}

TERM.....UROSTOMY

METHOD: VENTILATOR

ABBREVIATION.....Ven
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ventilator
HELP_TEXT.....No Help Text
ID.....{416FCBD3-5370-15B9-C480-48855ED486D9}
TERM.....VENTILATOR

METHOD: VENTRICULAR DRAIN

ABBREVIATION.....VENT DRAIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ventricular Drain
HELP_TEXT.....No Help Text
ID.....{5FF035D1-9C97-415D-BBEB-943506395A0C}
TERM.....VENTRICULAR DRAIN

METHOD: VENTURI MASK

ABBREVIATION.....VM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Venturi Mask

HELP_TEXT.....No Help Text
ID.....{E0401675-9C4E-2AFA-2B93-F352B781E963}
TERM.....VENTURI MASK

METHOD: VOIDED

ABBREVIATION.....Voided
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Voided
HELP_TEXT.....
ID.....{432E7674-7F59-45AC-8BF6-D60B45F7250B}
TERM.....VOIDED

METHOD: WHEELCHAIR SCALE

ABBREVIATION.....WcS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Wheelchair Scale
HELP_TEXT.....No Help Text
ID.....{8C496753-9F42-2A36-E5CA-750188306ED4}
TERM.....WHEELCHAIR SCALE

METHOD: WITH ACTIVITY

ABBREVIATION.....Act
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Activity
HELP_TEXT.....No Help Text
ID.....{544A262B-EA34-F82A-46A9-F80740515D65}
TERM.....WITH ACTIVITY

METHOD: WITH AMBULATION

ABBREVIATION.....WA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Ambulation
HELP_TEXT.....No Help Text
ID.....{4E91DE6A-359E-5AF4-AB49-AFAF735E1B94}
TERM.....WITH AMBULATION

METHOD: WITH CAST OR BRACE

ABBREVIATION.....WCB
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Cast or Brace

HELP_TEXT.....No Help Text
ID.....{47709C05-DF21-FB7D-DE7F-0699D1B7E457}
TERM.....WITH CAST OR BRACE

METHOD: WITH PROSTHESIS

ABBREVIATION.....WP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Prosthesis
HELP_TEXT.....No Help Text
ID.....{73C93D2D-934B-CA55-3557-E756A89710F5}
TERM.....WITH PROSTHESIS

METHOD: WITHOUT PROSTHESIS

ABBREVIATION.....WOP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Without Prosthesis
HELP_TEXT.....No Help Text
ID.....{9AACA852-E70D-1048-FCE7-112D46C12619}
TERM.....WITHOUT PROSTHESIS

NULL FLAVOR: PATIENT ON PASS

ABBREVIATION.....op

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....On Pass

HELP_TEXT.....No Help Text

ID.....{3D2D2E52-D3F2-E02D-B9C7-CEB7C46C807D}

TERM.....PATIENT ON PASS

NULL FLAVOR: PATIENT REFUSED

ABBREVIATION.....pr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Refused

HELP_TEXT.....No Help Text

ID.....{E9676179-B942-3851-37AF-75DAEE9E1F8E}

TERM.....PATIENT REFUSED

POSITION: L MIDDLE POSTERIOR CHEST

ABBREVIATION.....L M P CHES

ACTIVE.....No

DESCRIPTION.....Left Middle Posterior Chest

DISPLAY_NAME.....L Mid. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{D6D6483C-90A9-4A32-A101-9DAA13BFD7ED}

TERM.....L MIDDLE POSTERIOR CHEST

POSITION: LEFT

ABBREVIATION.....Left

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Left

HELP_TEXT.....

ID.....{5E827317-6BDE-409A-B29D-D8FE2AF118A4}

TERM.....LEFT

POSITION: LYING

ABBREVIATION.....Ly

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Lying
HELP_TEXT.....No Help Text
ID.....{DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
TERM.....LYING

POSITION: MIDLINE

ABBREVIATION.....Midline
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Midline
HELP_TEXT.....
ID.....{1C6F049F-532E-406B-9C54-2AA24CAC085E}
TERM.....MIDLINE

POSITION: RES EVAL: BED/WHEELCHAIR ALARM

ABBREVIATION.....R.E. ALAR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bed / Wheelchair Alarm
HELP_TEXT.....No Help Text
ID.....{BDF926A9-2BEF-4E7C-A099-D02BD98CA2F2}
TERM.....RES EVAL: BED/WHEELCHAIR ALARM

POSITION: RES EVAL: REALITY ORIENTATION

ABBREVIATION.....R.E. REALI
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Reality Orientation
HELP_TEXT.....No Help Text
ID.....{04D911E1-AADC-4125-9F93-B298266BA61A}
TERM.....RES EVAL: REALITY ORIENTATION

POSITION: RIGHT

ABBREVIATION.....Right
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Right
HELP_TEXT.....
ID.....{B66EABF4-A800-40DD-869F-7423173989FB}
TERM.....RIGHT

POSITION: SEMIFOWLERS

ABBREVIATION.....Sfl
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Semifowlers

HELP_TEXT.....No Help Text

ID.....{C2F6A945-3829-AABA-3D67-54D1829D3EB9}

TERM.....SEMIFOWLERS

POSITION: SITTING

ABBREVIATION.....Sit

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sitting

HELP_TEXT.....No Help Text

ID.....{DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

TERM.....SITTING

POSITION: STANDING

ABBREVIATION.....St

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Standing

HELP_TEXT.....No Help Text

ID.....{0776AE42-C370-B7B3-9B4D-9C914BA8F231}

TERM.....STANDING

POSITION: SUPINE

ABBREVIATION.....SUPINE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Supine
HELP_TEXT.....No Help Text
ID.....{DEA8A744-B445-4A9E-875D-485E060F2ACC}
TERM.....SUPINE

POSITION: TRENDELENBURG

ABBREVIATION.....Tr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Trendelenburg
HELP_TEXT.....No Help Text
ID.....{42F3353B-7041-EEE1-A87E-941D3BE1CBCD}
TERM.....TRENDELENBURG

POSITION: WHEELCHAIR EXIT

ABBREVIATION.....WHEEL EXIT
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Wheelchair Exit

HELP_TEXT.....No Help Text

ID.....{DE13F84A-168F-490D-9AC7-840DAB2D8E22}

TERM.....WHEELCHAIR EXIT

PRODUCT: 25 PERCENT ALBUMIN

ABBREVIATION.....25 PERC AL

ACTIVE.....Yes

DESCRIPTION.....25 Percent Albumin

DISPLAY_NAME.....25 Percent Albumin

HELP_TEXT.....No Help Text

ID.....{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

TERM.....25 PERCENT ALBUMIN

PRODUCT: 5 PERCENT ALBUMIN

ABBREVIATION.....5 PERC ALB

ACTIVE.....Yes

DESCRIPTION.....5 Percent Albumin

DISPLAY_NAME.....5 Percent Albumin

HELP_TEXT.....No Help Text

ID.....{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

TERM.....5 PERCENT ALBUMIN

PRODUCT: 6 PERCENT HETASTARCH

ABBREVIATION.....6 PERC HET

ACTIVE.....Yes

DESCRIPTION.....6 Percent Hetastarch
DISPLAY_NAME.....6 Percent Hetastarch
HELP_TEXT.....No Help Text
ID.....{8A82F108-D2FE-4C21-93BB-344502235AE8}
TERM.....6 PERCENT HETASTARCH

PRODUCT: ALBUMIN

ABBREVIATION.....ALBUMIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Albumin
HELP_TEXT.....No Help Text
ID.....{EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}
TERM.....ALBUMIN

PRODUCT: AMPHOTERICIN B

ABBREVIATION.....AMPHOTER B
ACTIVE.....Yes
DESCRIPTION.....Amphotericin B
DISPLAY_NAME.....Amphotericin B
HELP_TEXT.....Amphotericin B
ID.....{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}
TERM.....AMPHOTERICIN B

PRODUCT: ANTIBIOTIC

ABBREVIATION.....AB
ACTIVE.....Yes
DESCRIPTION.....Antibiotic
DISPLAY_NAME.....Antibiotic
HELP_TEXT.....No Help Text
ID.....{BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}
TERM.....ANTIBIOTIC

PRODUCT: BACTERIOSTATIC WATER

ABBREVIATION.....BACTER H2O
ACTIVE.....Yes
DESCRIPTION.....Bacteriostatic Water
DISPLAY_NAME.....Bacteriostatic Water
HELP_TEXT.....Bacteriostatic Water
ID.....{EF13BCA6-3AF2-47E9-87A0-82642B529368}
TERM.....BACTERIOSTATIC WATER

PRODUCT: BLADDER IRRIGATION

ABBREVIATION.....BLAD IRRIG
ACTIVE.....Yes
DESCRIPTION.....Bladder Irrigation Output Product
DISPLAY_NAME.....Bladder Irrigation

HELP_TEXT.....No Help Text

ID.....{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}

TERM.....BLADDER IRRIGATION

PRODUCT: BLOOD PRODUCT

ABBREVIATION.....bp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Blood Product

HELP_TEXT.....No Help Text

ID.....{A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}

TERM.....BLOOD PRODUCT

PRODUCT: CARDIAC OUTPUT INJECTATE

ABBREVIATION.....CARD OUT I

ACTIVE.....Yes

DESCRIPTION.....Cardiac Output Injectate

DISPLAY_NAME.....Cardiac Output Injectate

HELP_TEXT.....No Help Text

ID.....{2128B705-DDF4-4776-87C3-AA82F854E313}

TERM.....CARDIAC OUTPUT INJECTATE

PRODUCT: CHEST TUBE

ABBREVIATION.....CHEST TUBE
ACTIVE.....Yes
DESCRIPTION.....Chest Tube Output
DISPLAY_NAME.....Chest Tube
HELP_TEXT.....No Help Text
ID.....{74C0C672-02AD-45A8-99DB-F5256BA14C72}
TERM.....CHEST TUBE

PRODUCT: CHEST TUBE DRAINAGE

ABBREVIATION.....CHEST T DR
ACTIVE.....Yes
DESCRIPTION.....Chest Tube Drainage
DISPLAY_NAME.....Chest Tube Drainage
HELP_TEXT.....No Help Text
ID.....{591D62C9-D173-45AD-8E05-A500F1C4AAA7}
TERM.....CHEST TUBE DRAINAGE

PRODUCT: CLEAR LIQUIDS

ABBREVIATION.....Clear Liq
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Clear Liquids

HELP_TEXT.....

ID.....{BBE3A652-ACDC-4797-B140-D4DB4F474B13}

TERM.....CLEAR LIQUIDS

PRODUCT: COFFEE

ABBREVIATION.....Coffee

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Coffee

HELP_TEXT.....

ID.....{BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}

TERM.....COFFEE

PRODUCT: COLLOID

ABBREVIATION.....COLLOID

ACTIVE.....Yes

DESCRIPTION.....Colloid

DISPLAY_NAME.....Colloid

HELP_TEXT.....No Help Text

ID.....{5B912A05-9ECA-43C1-A117-BE0843313CDD}

TERM.....COLLOID

PRODUCT: CRYOPRECIPITATE

ABBREVIATION.....CRYOPRECIP
ACTIVE.....Yes
DESCRIPTION.....Cryoprecipitate Blood Product
DISPLAY_NAME.....Cryoprecipitate
HELP_TEXT.....No Help Text
ID.....{5329E737-E059-480D-83F8-1146B091C14E}
TERM.....CRYOPRECIPITATE

PRODUCT: CRYSTALLOID

ABBREVIATION.....CRYSTALLOI
ACTIVE.....Yes
DESCRIPTION.....Crystalloid
DISPLAY_NAME.....Crystalloid
HELP_TEXT.....No Help Text
ID.....{F8B0C9B5-F386-4C88-896A-092C4A95A031}
TERM.....CRYSTALLOID

PRODUCT: DAKINS SOLUTION

ABBREVIATION.....DAKINS SOL
ACTIVE.....Yes
DESCRIPTION.....Dakins Solution
DISPLAY_NAME.....Dakins Solution

HELP_TEXT.....Dakins Solution
ID.....{51651D24-B909-427B-9FF0-3C2859A63D73}
TERM.....DAKINS SOLUTION

PRODUCT: EF RESIDUAL

ABBREVIATION.....EF RESID
ACTIVE.....Yes
DESCRIPTION.....Enteral Feeding Residual
DISPLAY_NAME.....EF Residual
HELP_TEXT.....No Help Text
ID.....{35E269DF-F246-4DF6-9D68-7FD61F8FE088}
TERM.....EF RESIDUAL

PRODUCT: ELEMENTAL FORMULA

ABBREVIATION.....ELE FORM
ACTIVE.....Yes
DESCRIPTION.....Elemental Enteral Nutrition Formula
DISPLAY_NAME.....Elemental Formula
HELP_TEXT.....No Help Text
ID.....{E85DFA33-7F32-4348-9E0E-249AC301EC03}
TERM.....ELEMENTAL FORMULA

PRODUCT: EMESIS

ABBREVIATION.....EMESIS

ACTIVE.....Yes

DESCRIPTION.....Emesis output

DISPLAY_NAME.....Emesis

HELP_TEXT.....No Help Text

ID.....{A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}

TERM.....EMESIS

PRODUCT: FECES

ABBREVIATION.....f

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Feces

HELP_TEXT.....No Help Text

ID.....{C1CED7CD-EF5D-37D8-4EE0-CC9FD6F20DB0}

TERM.....FECES

PRODUCT: FFP

ABBREVIATION.....FFP

ACTIVE.....Yes

DESCRIPTION.....Fresh Frozen Plasma

DISPLAY_NAME.....FFP

HELP_TEXT.....No Help Text
ID.....{9DD0ECF5-634F-49CF-A529-A2657240A80C}
TERM.....FFP

PRODUCT: FFP - THAWED

ABBREVIATION.....FFP-THAWED
ACTIVE.....Yes
DESCRIPTION.....Fresh Frozen Plasma, Thawed
DISPLAY_NAME.....FFP - THAWED
HELP_TEXT.....No Help Text
ID.....{AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}
TERM.....FFP - THAWED

PRODUCT: FORMULA - HIGH FIBER

ABBREVIATION.....FORM H FIB
ACTIVE.....Yes
DESCRIPTION.....High Fiber Formula
DISPLAY_NAME.....High Fiber Formula
HELP_TEXT.....No Help Text
ID.....{249D8C78-B600-4443-A2E2-39F1B67698DD}
TERM.....FORMULA - HIGH FIBER

PRODUCT: FORMULA - PROBALANCE

ABBREVIATION.....PROBALANCE

ACTIVE.....Yes

DESCRIPTION.....Probalance Formula

DISPLAY_NAME.....Probalance Formula

HELP_TEXT.....No Help Text

ID.....{4EA729FE-08EA-490B-822D-696061E5B55F}

TERM.....FORMULA - PROBALANCE

PRODUCT: FORMULA 1.5 CAL

ABBREVIATION.....1.5 C FORM

ACTIVE.....Yes

DESCRIPTION.....1.5 Cal Enteral Nutrition Formula

DISPLAY_NAME.....1.5 Cal Formula

HELP_TEXT.....No Help Text

ID.....{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}

TERM.....FORMULA 1.5 CAL

PRODUCT: FORMULA 2.0 CAL

ABBREVIATION.....2.0 C FORM

ACTIVE.....No

DESCRIPTION.....2.0 Cal Enteral Nutrition Formula

DISPLAY_NAME.....2.0 Cal Formula

HELP_TEXT.....No Help Text
ID.....{E5FB9590-25AA-435A-B9B4-4812EA15C217}
TERM.....FORMULA 2.0 CAL

PRODUCT: FORMULA D10W ENTERAL NUTRITION

ABBREVIATION.....D10W ENT N
ACTIVE.....Yes
DESCRIPTION.....D10W Enteral Nutrition
DISPLAY_NAME.....D10W Enteral Nutrition
HELP_TEXT.....10% Dextrose and Water solution
ID.....{F8FB55C4-6229-427F-987D-3D469E307D0D}
TERM.....FORMULA D10W ENTERAL NUTRITION

PRODUCT: FORMULA D50W ENTERAL NUTRITION

ABBREVIATION.....D50W ENT N
ACTIVE.....Yes
DESCRIPTION.....D50W Enteral Nutrition
DISPLAY_NAME.....D50W Enteral Nutrition
HELP_TEXT.....50% Dextrose and Water Solution
ID.....{19ED9C83-42C1-42AF-AB4D-1A34B621EFB9}
TERM.....FORMULA D50W ENTERAL NUTRITION

PRODUCT: FORMULA D5W ENTERAL NUTRITION

ABBREVIATION.....D5W ENT NU
ACTIVE.....Yes
DESCRIPTION.....D5W Enteral Nutrition
DISPLAY_NAME.....D5W Enteral Nutrition
HELP_TEXT.....5% Dextrose and Water Solution
ID.....{9EA15A1B-DA1C-49EC-B463-82DD5F125F82}
TERM.....FORMULA D5W ENTERAL NUTRITION

PRODUCT: FORMULA FIBER

ABBREVIATION.....FIBER FORM
ACTIVE.....Yes
DESCRIPTION.....Fiber Enteral Nutrition Formula
DISPLAY_NAME.....Fiber Enteral Nutrition Formula
HELP_TEXT.....No Help Text
ID.....{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}
TERM.....FORMULA FIBER

PRODUCT: FULL LIQUID

ABBREVIATION.....FL LIQUID
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Full Liquid

HELP_TEXT.....No Help Text
ID.....{C8405270-CCA3-4BFF-B9D0-398590FBB1D9}
TERM.....FULL LIQUID

PRODUCT: GASTRIC DRAINAGE

ABBREVIATION.....GAST DRAIN
ACTIVE.....Yes
DESCRIPTION.....Gastric Drainage
DISPLAY_NAME.....Gastric Drainage
HELP_TEXT.....No Help Text
ID.....{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}
TERM.....GASTRIC DRAINAGE

PRODUCT: GLUCERNA DIABETIC

ABBREVIATION.....GLUCERNA D
ACTIVE.....Yes
DESCRIPTION.....Glucerna Diabetic
DISPLAY_NAME.....Glucerna Diabetic
HELP_TEXT.....No Help Text
ID.....{C2F2CCFE-6D77-49B4-BF5E-F1A285326440}
TERM.....GLUCERNA DIABETIC

PRODUCT: GRANULOCYTES PHERESIS

ABBREVIATION.....GRAN PHERE
ACTIVE.....Yes
DESCRIPTION.....Granulocytes Pheresis Blood Product
DISPLAY_NAME.....Granulocytes Pheresis
HELP_TEXT.....No Help Text
ID.....{2B90878D-9C29-4731-9525-D7DD7FCB513B}
TERM.....GRANULOCYTES PHERESIS

PRODUCT: HEME

ABBREVIATION.....HEME
ACTIVE.....Yes
DESCRIPTION.....Heme output
DISPLAY_NAME.....Heme
HELP_TEXT.....No Help Text
ID.....{A0ADA229-E779-4562-84B5-67121B88C443}
TERM.....HEME

PRODUCT: HEMODIALYSIS

ABBREVIATION.....HEMODIALYS
ACTIVE.....Yes
DESCRIPTION.....Hemodialysis Intake and Output Product
DISPLAY_NAME.....Hemodialysis

HELP_TEXT.....No Help Text

ID.....{8409B357-C41E-4F4A-BB52-F09AD9704C30}

TERM.....HEMODIALYSIS

PRODUCT: HEPATIC FORMULA

ABBREVIATION.....HEPAT FORM

ACTIVE.....Yes

DESCRIPTION.....Hepatic Enteral Nutrition Formula

DISPLAY_NAME.....Hepatic Enteral Nutrition Formula

HELP_TEXT.....No Help Text

ID.....{41DEECAB-168F-4522-852C-C1ED751BFEDC}

TERM.....HEPATIC FORMULA

PRODUCT: HIGH PROTEIN FORMULA

ABBREVIATION.....HIGH PROTE

ACTIVE.....Yes

DESCRIPTION.....High Protein

DISPLAY_NAME.....High Protein Formula

HELP_TEXT.....No Help Text

ID.....{3618C874-3EAE-41CF-BE2B-3DFB960E034F}

TERM.....HIGH PROTEIN FORMULA

PRODUCT: JP DRAIN

ABBREVIATION.....JP DRAIN
ACTIVE.....Yes
DESCRIPTION.....Jackson-Pratt Drain
DISPLAY_NAME.....JP DRAIN
HELP_TEXT.....No Help Text
ID.....{0889246D-AD40-4CFC-A721-BBCB8C34BE19}
TERM.....JP DRAIN

PRODUCT: JUICE

ABBREVIATION.....JUICE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Juice
HELP_TEXT.....No Help-Text
ID.....{91FFF519-1677-BB1D-D959-65B1BFA10285}
TERM.....JUICE

PRODUCT: LINE FLUSH

ABBREVIATION.....LINE FLUSH
ACTIVE.....Yes
DESCRIPTION.....Fluid flushed from line
DISPLAY_NAME.....LINE FLUSH

HELP_TEXT.....No Help Text

ID.....{D3EA8BCD-0EC4-4B39-BA92-BC3FF505C9A4}

TERM.....LINE FLUSH

PRODUCT: LINE FLUSH HEPARIN

ABBREVIATION.....LN FL HEPA

ACTIVE.....Yes

DESCRIPTION.....Heparin used to flush dialysis lines

DISPLAY_NAME.....Line Flush Heparin

HELP_TEXT.....No Help Text

ID.....{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}

TERM.....LINE FLUSH HEPARIN

PRODUCT: LIPIDS

ABBREVIATION.....LIPIDS

ACTIVE.....Yes

DESCRIPTION.....Lipids

DISPLAY_NAME.....Lipids

HELP_TEXT.....No Help Text

ID.....{80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

TERM.....LIPIDS

PRODUCT: MAGNACAL

ABBREVIATION.....MAGNACAL
ACTIVE.....Yes
DESCRIPTION.....Magnacal Enteral Nutrition Type
DISPLAY_NAME.....Magancal
HELP_TEXT.....No Help Text
ID.....{86688633-DFCA-4FBE-99F5-8E0B3FAFE695}
TERM.....MAGNACAL

PRODUCT: MEDIASTINAL

ABBREVIATION.....MEDIASTINA
ACTIVE.....Yes
DESCRIPTION.....Mediastinal Output Product
DISPLAY_NAME.....Mediastinal
HELP_TEXT.....No Help Text
ID.....{A0550B31-B937-4FC7-8F7E-071F75215311}
TERM.....MEDIASTINAL

PRODUCT: MEDICATION

ABBREVIATION.....MEDICATION
ACTIVE.....Yes
DESCRIPTION.....Medication
DISPLAY_NAME.....Medication

HELP_TEXT.....Medication

ID.....{CDD5944E-A0EC-45CE-8EB0-7F9EDF7197E5}

TERM.....MEDICATION

PRODUCT: MILK

ABBREVIATION.....Milk

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Milk

HELP_TEXT.....

ID.....{6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}

TERM.....MILK

PRODUCT: MODULAR CUSTOMIZED FORMULA

ABBREVIATION.....CUST FORMU

ACTIVE.....Yes

DESCRIPTION.....Modular Customized Formula

DISPLAY_NAME.....Modular Customized Formula

HELP_TEXT.....No Help Text

ID.....{249D095E-9676-4CC5-8A39-097F96A4C032}

TERM.....MODULAR CUSTOMIZED FORMULA

PRODUCT: NEPRO RENAL FORMULA

ABBREVIATION.....NEPR RENAL
ACTIVE.....Yes
DESCRIPTION.....Nepro Renal Enteral Nutrition Formula
DISPLAY_NAME.....Nepro Renal Enteral Nutrition Formula
HELP_TEXT.....No Help Text
ID.....{59C9B396-A705-445B-B566-F030DA4B2B79}
TERM.....NEPRO RENAL FORMULA

PRODUCT: NG RESIDUAL

ABBREVIATION.....NG RESID
ACTIVE.....Yes
DESCRIPTION.....Naso-Gastric Residual Output
DISPLAY_NAME.....NG Residual
HELP_TEXT.....No Help Text
ID.....{B03C9557-84B5-4B05-B784-C87FA90D27A7}
TERM.....NG RESIDUAL

PRODUCT: NOVASOURCE 2.0

ABBREVIATION.....NOVAS 2.0
ACTIVE.....Yes
DESCRIPTION.....Novasource 2.0 Enteral Nutrition
Formula

DISPLAY_NAME.....Novasource 2.0 Enteral Nutrition

Formula

HELP_TEXT.....No Help Text

ID.....{67D16273-6271-43E1-80D6-D12C4D55E024}

TERM.....NOVASOURCE 2.0

PRODUCT: NUTREN 1.5

ABBREVIATION.....NUTREN 1.5

ACTIVE.....Yes

DESCRIPTION.....Nutren 1.5

DISPLAY_NAME.....Nutren 1.5

HELP_TEXT.....No Help Text

ID.....{B93EF897-B9A1-45C6-AC9A-B386554A3186}

TERM.....NUTREN 1.5

PRODUCT: NUTRITIONAL SUPPLEMENT

ABBREVIATION.....NUTR SUPPL

ACTIVE.....Yes

DESCRIPTION.....Nutritional Supplement

DISPLAY_NAME.....Nutritional Supplement

HELP_TEXT.....No Help Text

ID.....{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}

TERM.....NUTRITIONAL SUPPLEMENT

PRODUCT: OSMOLITE

ABBREVIATION.....OSMOLITE

ACTIVE.....Yes

DESCRIPTION.....Osmolite Enteral Nutrition

DISPLAY_NAME.....Osmolite

HELP_TEXT.....No Help Text

ID.....{18C5843F-BC33-4609-9D58-49F07F12A059}

TERM.....OSMOLITE

PRODUCT: OSMOLITE HN

ABBREVIATION.....OSMOLIT HN

ACTIVE.....Yes

DESCRIPTION.....Osmolite HN Enteral Nutrition

DISPLAY_NAME.....Osmolite HN

HELP_TEXT.....No Help Text

ID.....{3622D5C6-1D7B-4377-94B7-5E33C642C4C5}

TERM.....OSMOLITE HN

PRODUCT: OTHER PO FLUID

ABBREVIATION.....PO OTHER

ACTIVE.....Yes

DESCRIPTION.....PO Fluid other than those listed.

DISPLAY_NAME.....Other - Please Specify

HELP_TEXT.....No Help Text

ID.....{1EA44424-4DE2-42B8-A50F-60DC56204502}

TERM.....OTHER PO FLUID

PRODUCT: PCA

ABBREVIATION.....PCA

ACTIVE.....Yes

DESCRIPTION.....Patient Controlled Analgesia

DISPLAY_NAME.....Patient Controlled Analgesia

HELP_TEXT.....No Help Text

ID.....{D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}

TERM.....PCA

PRODUCT: PLASMAPHERESIS

ABBREVIATION.....PLASMAPHER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Plasmapheresis

HELP_TEXT.....No Help Text

ID.....{E1214367-8BB0-4FAA-A916-EC707569A9C4}

TERM.....PLASMAPHERESIS

PRODUCT: PLATELETS

ABBREVIATION.....PLATELETS

ACTIVE.....Yes

DESCRIPTION.....Platelets

DISPLAY_NAME.....Platelets

HELP_TEXT.....No Help Text

ID.....{3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

TERM.....PLATELETS

PRODUCT: PLATELETS PHERESIS

ABBREVIATION.....PLATELET P

ACTIVE.....Yes

DESCRIPTION.....Platelets Pheresis (Apheresis
Platelets)

DISPLAY_NAME.....Platelets Pheresis

HELP_TEXT.....No Help Text

ID.....{65CBDCBD-99DB-44FE-9230-D62886208EBF}

TERM.....PLATELETS PHERESIS

PRODUCT: PLATELETS PHERESIS IRRADIATED

ABBREVIATION.....PLATEL P I

ACTIVE.....Yes

DESCRIPTION.....Platelets Pheresis (Apheresis

platelets) Irradiated

DISPLAY_NAME.....Platelets Pheresis Irradiated

HELP_TEXT.....No Help Text

ID.....{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}

TERM.....PLATELETS PHERESIS IRRADIATED

PRODUCT: PPN

ABBREVIATION.....PPN

ACTIVE.....Yes

DESCRIPTION.....Peripheral Parenteral Nutrition

DISPLAY_NAME.....PPN

HELP_TEXT.....No Help Text

ID.....{BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}

TERM.....PPN

PRODUCT: PRBC

ABBREVIATION.....PRBC

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells

DISPLAY_NAME.....PRBC

HELP_TEXT.....No Help Text

ID.....{BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}

TERM.....PRBC

PRODUCT: PRBC - AUTOLOGOUS

ABBREVIATION.....PRBC-A
ACTIVE.....Yes
DESCRIPTION.....Packed Red Blood Cells, Autologous
DISPLAY_NAME.....PRBC - AUTOLOGOUS
HELP_TEXT.....No Help Text
ID.....{1580990C-0B35-4DDD-84AA-682B341C9B76}
TERM.....PRBC - AUTOLOGOUS

PRODUCT: PRBC - LEUKOREDUCED

ABBREVIATION.....PRBC-L
ACTIVE.....Yes
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced
DISPLAY_NAME.....PRBC - Leukoreduced
HELP_TEXT.....No Help Text
ID.....{13DB3170-6C26-4178-B429-C02AFC541AC7}
TERM.....PRBC - LEUKOREDUCED

PRODUCT: PRBC - LEUKOREDUCED - DIRECTED

ABBREVIATION.....PRBC-L-D
ACTIVE.....Yes
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,
Directed

DISPLAY_NAME.....PRBC - LEUKOREDUCED - DIRECTED

HELP_TEXT.....No Help Text

ID.....{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}

TERM.....PRBC - LEUKOREDUCED - DIRECTED

PRODUCT: PRBC - LEUKOREDUCED - IRRADIATED

ABBREVIATION.....PRBC-L-I

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,
Irradiated

DISPLAY_NAME.....PRBC - LEUKOREDUCED - IRRADIATED

HELP_TEXT.....No Help Text

ID.....{B4431519-0102-49ED-94D6-1738E375C5A4}

TERM.....PRBC - LEUKOREDUCED - IRRADIATED

PRODUCT: PRBC - LEUKOREDUCED - WASHED

ABBREVIATION.....PRBC-L-W

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,
Washed

DISPLAY_NAME.....PRBC - LEUKOREDUCED - WASHED

HELP_TEXT.....No Help Text

ID.....{BB58F35A-1086-4061-B485-FA35DFB79A0D}

TERM.....PRBC - LEUKOREDUCED - WASHED

PRODUCT: Rh IMMUNE GLOBULIN

ABBREVIATION.....Rh IM GLOB
ACTIVE.....Yes
DESCRIPTION.....Rh Immune Globulin
DISPLAY_NAME.....Rh Immune Globulin
HELP_TEXT.....No Help Text
ID.....{1FE7BD0C-7252-427A-8216-36FCA4637089}
TERM.....Rh IMMUNE GLOBULIN

PRODUCT: SALINE

ABBREVIATION.....SALINE
ACTIVE.....Yes
DESCRIPTION.....Saline
DISPLAY_NAME.....Saline
HELP_TEXT.....No Help Text
ID.....{19D84001-70DB-47AA-9149-A37B7E0BAEF1}
TERM.....SALINE

PRODUCT: SANDOSOURCE PEPTIDE

ABBREVIATION.....SAND PEPTI
ACTIVE.....Yes
DESCRIPTION.....Sandosource Peptide Enteral Nutrition
Formula

DISPLAY_NAME.....Sandosource Peptide Enteral Nutrition

Formula

HELP_TEXT.....No Help Text

ID.....{B543461C-7316-4750-9918-B30E96AB3C95}

TERM.....SANDOSOURCE PEPTIDE

PRODUCT: SODA: DIET

ABBREVIATION.....Soda: Diet

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Soda: Diet

HELP_TEXT.....

ID.....{0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}

TERM.....SODA: DIET

PRODUCT: SODA: NON-DIET

ABBREVIATION.....Soda: Non

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Soda: Non-Diet

HELP_TEXT.....

ID.....{B15D88DC-07B6-4980-98B2-A59B5662797A}

TERM.....SODA: NON-DIET

PRODUCT: SOFT DRINK

ABBREVIATION.....SOFT DRIN

ACTIVE.....Yes

DESCRIPTION.....Soft Drink

DISPLAY_NAME.....Soft Drink

HELP_TEXT.....No Help Text

ID.....{9216F0F9-4D5F-4AF7-8D84-04A2CE11BCBE}

TERM.....SOFT DRINK

PRODUCT: TAP WATER

ABBREVIATION.....Tap Water

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Tap Water

HELP_TEXT.....

ID.....{EAAF11A5-6DC5-481F-81D3-A3035812D5C9}

TERM.....TAP WATER

PRODUCT: TPN

ABBREVIATION.....TPN

ACTIVE.....Yes

DESCRIPTION.....Total Parenteral Nutrition

DISPLAY_NAME.....TPN

HELP_TEXT.....No Help Text

ID.....{55341B62-E356-4C38-A52D-4F196751E9EB}

TERM.....TPN

PRODUCT: ULTRACAL

ABBREVIATION.....ULTRACAL

ACTIVE.....Yes

DESCRIPTION.....Ultracal Enteral Nutrition

DISPLAY_NAME.....Ultracal Enteral Nutrition

HELP_TEXT.....No Help Text

ID.....{B18E6151-9DC6-4380-899A-E84715BFC61B}

TERM.....ULTRACAL

PRODUCT: URINE

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Urine

HELP_TEXT.....No Help Text

ID.....{1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

TERM.....URINE

PRODUCT: VITAL ENTERAL NUTRITION TYPE

ABBREVIATION.....VIT ENT NU
ACTIVE.....Yes
DESCRIPTION.....Vital Enteral Nutrition
DISPLAY_NAME.....Vital Enteral Nutrition
HELP_TEXT.....No Help Text
ID.....{D77B607C-85C4-428E-AAE6-B319F33F4E9F}
TERM.....VITAL ENTERAL NUTRITION TYPE

PRODUCT: VITAL HN ENTERAL NUTRITION

ABBREVIATION.....VIT NUT HN
ACTIVE.....Yes
DESCRIPTION.....Vital HN Enteral Nutrition
DISPLAY_NAME.....Vital HN Enteral Nutrition
HELP_TEXT.....No Help Text
ID.....{3973F52F-D53F-4D80-928A-BD6154D5C434}
TERM.....VITAL HN ENTERAL NUTRITION

PRODUCT: WATER

ABBREVIATION.....WATER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Water

HELP_TEXT.....No Help-Text

ID.....{ACCC998E-0F64-510D-B843-3D30B2AD67CF}

TERM.....WATER

PRODUCT: WBC - WASHED

ABBREVIATION.....WBC WASHED

ACTIVE.....Yes

DESCRIPTION.....White Blood Cells, Washed

DISPLAY_NAME.....WBC - Washed

HELP_TEXT.....No Help Text

ID.....{F1460F94-203C-473D-AC7C-92E8ADFFC0F5}

TERM.....WBC - WASHED

PRODUCT: WHOLE BLOOD

ABBREVIATION.....WHOL BLOOD

ACTIVE.....Yes

DESCRIPTION.....Whole Blood

DISPLAY_NAME.....Whole Blood

HELP_TEXT.....No Help Text

ID.....{144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

TERM.....WHOLE BLOOD

PRODUCT: WOUND DRAINAGE

ABBREVIATION.....WOUN DRAIN
ACTIVE.....Yes
DESCRIPTION.....Wound Drainage
DISPLAY_NAME.....Wound Drainage
HELP_TEXT.....Drainage From Wound
ID.....{73038CBA-1F31-47E2-A78E-50ED1067CBEA}
TERM.....WOUND DRAINAGE

PRODUCT: WOUND IRRIGATION

ABBREVIATION.....WOUND IRRI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Wound Irrigation
HELP_TEXT.....No Help Text
ID.....{192EC6B7-8E2E-418C-9345-BC8A7986CA59}
TERM.....WOUND IRRIGATION

PRODUCT: WOUND VACUUM

ABBREVIATION.....WOUND VAC
ACTIVE.....Yes
DESCRIPTION.....Wound Vacuum Output Product
DISPLAY_NAME.....Wound Vacuum

HELP_TEXT.....No Help Text

ID.....{9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}

TERM.....WOUND VACUUM

QUALITY: ACTUAL

ABBREVIATION.....A

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Actual

HELP_TEXT.....No Help Text

ID.....{5842A4D9-56A1-7A5A-13C9-F481699C3A09}

TERM.....ACTUAL

QUALITY: ANTECUBITAL

ABBREVIATION.....ANTECUB

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Antecubital

HELP_TEXT.....No Help Text

ID.....{0D56DDB8-EDCD-BF9F-5F77-567BC59F3580}

TERM.....ANTECUBITAL

QUALITY: BRACHIAL

ABBREVIATION.....BRACHIAL

ACTIVE.....No

DESCRIPTION.....No Description
DISPLAY_NAME.....Brachial
HELP_TEXT.....No Help Text
ID.....{CFE7E2E3-20BC-7ACE-262B-8BAE4FB36B59}
TERM.....BRACHIAL

QUALITY: DRY

ABBREVIATION.....D
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dry
HELP_TEXT.....No Help Text
ID.....{B319EFF4-BA4A-85B1-2617-E00E46A54ABE}
TERM.....DRY

QUALITY: ESTIMATED

ABBREVIATION.....E
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Estimated
HELP_TEXT.....No Help Text
ID.....{9EAF26B-7D87-DA66-F991-022D095FB5A0}
TERM.....ESTIMATED

QUALITY: ESTIMATED BY ARM SPAN

ABBREVIATION.....EAS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Estimated by Arm Span
HELP_TEXT.....No Help Text
ID.....{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}
TERM.....ESTIMATED BY ARM SPAN

QUALITY: OTHER

ABBREVIATION.....Oth
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Other
HELP_TEXT.....No Help Text
ID.....{7C0850DD-931C-65C8-1003-E31FBBADF6E9}
TERM.....OTHER

QUALITY: PEDIATRIC

ABBREVIATION.....Ped
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pediatric

HELP_TEXT.....No Help Text

ID.....{83C8FF79-1919-B001-9F8B-68F014216F0B}

TERM.....PEDIATRIC

QUALITY: RADIAL

ABBREVIATION.....RADIAL

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Radial

HELP_TEXT.....No Help Text

ID.....{8F407DAB-8C6D-A5B3-524E-444B22613F4D}

TERM.....RADIAL

QUALITY: STATED

ABBREVIATION.....Sta

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stated

HELP_TEXT.....No Help Text

ID.....{6362C194-B7F2-D38C-5B72-3BE5DE09438E}

TERM.....STATED

SCHEDULE: CATHETER

ABBREVIATION.....CATHETER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Catheter

HELP_TEXT.....No Help Text

ID.....{8C788C2B-3C73-7D8D-9032-A1E2188413B8}

TERM.....CATHETER

SCHEDULE: PRN

ABBREVIATION.....PRN

ACTIVE.....Yes

DESCRIPTION.....AS NEEDED

DISPLAY_NAME.....PRN

HELP_TEXT.....No Help Text

ID.....{B9423F6A-166B-CF51-6375-E3928FE0BAD6}

TERM.....PRN

SCHEDULE: Q2H

ABBREVIATION.....q2h

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Every 2 hours
HELP_TEXT.....No Help Text
ID.....{8EF08D16-5529-5FF0-5B84-36703D82E01C}
TERM.....Q2H

SCHEDULE: Q4H

ABBREVIATION.....q4
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Every 4 Hours
HELP_TEXT.....No Help Text
ID.....{E5638DC5-2772-FD4A-2D81-04B2DA5C8DDC}
TERM.....Q4H

SCHEDULE: Q7D

ABBREVIATION.....q7d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Every 7 Days
HELP_TEXT.....No Help Text
ID.....{E3E171BF-17B3-1C59-112B-042380890C62}
TERM.....Q7D

SCHEDULE: QD

ABBREVIATION.....qd
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Everyday
HELP_TEXT.....No Help Text
ID.....{741F0241-5BC5-5AE2-8D8E-543155C46711}
TERM.....QD

SCHEDULE: RESTRAINT STRAP

ABBREVIATION.....RES STRAP
ACTIVE.....No
DESCRIPTION.....Restraint Strap
DISPLAY_NAME.....Restaint Strap
HELP_TEXT.....No Help Text
ID.....{D9162D47-0F50-49F4-837F-70AD65C169BB}
TERM.....RESTRAINT STRAP

TASK: ACTIVITY - ABD PILLOW

ABBREVIATION.....ACT ABD PI

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - ABD PILLOW

DISPLAY_NAME.....ACTIVITY - ABD PILLOW

HELP_TEXT.....ACTIVITY - ABD PILLOW

ID.....{381AA3BB-8858-4B2B-B607-8FC6C6FF707F}

TERM.....ACTIVITY - ABD PILLOW

TASK: ACTIVITY - AMBULATE

ABBREVIATION.....ACT AMBULA

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - AMBULATE

DISPLAY_NAME.....ACTIVITY - AMBULATE

HELP_TEXT.....ACTIVITY - AMBULATE

ID.....{E7232201-7FC2-4900-82D0-EF3A10FCB760}

TERM.....ACTIVITY - AMBULATE

TASK: ACTIVITY - CONT. PASSIVE MOTION DEV.

ABBREVIATION.....ACT CPM DE

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - CONTINUOUS PASSIVE MOTION

DEVICE

DISPLAY_NAME.....ACTIVITY - CONT. PASS. MOT. DEV.

HELP_TEXT.....ACTIVITY - CONTINUOUS PASSIVE MOTION

DEVICE

ID.....{7587CDE1-CD6F-4A9C-8E4E-9919485E321E}

TERM.....ACTIVITY - CONT. PASSIVE MOTION DEV.

TASK: ACTIVITY - ELEVATE HEAD OF BED

ABBREVIATION.....ACT EL HOB

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - ELEVATE HEAD OF BED

DISPLAY_NAME.....ACTIVITY - ELEVATE HEAD OF BED

HELP_TEXT.....ACTIVITY - ELEVATE HEAD OF BED

ID.....{66CDCA34-6B02-4D8B-AD39-FD56BD51EC7E}

TERM.....ACTIVITY - ELEVATE HEAD OF BED

TASK: ACTIVITY - KNEE IMMOBILIZER

ABBREVIATION.....ACT KNEE I

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - KNEE IMMOBILIZER

DISPLAY_NAME.....ACTIVITY - KNEE IMMOBILIZER

HELP_TEXT.....ACTIVITY - KNEE IMMOBILIZER

ID.....{182692D9-7ECC-45B9-82F6-163DFF937438}

TERM.....ACTIVITY - KNEE IMMOBILIZER

TASK: ACTIVITY - ORIENT TO WARD

ABBREVIATION.....ACT ORIENT
ACTIVE.....Yes
DESCRIPTION.....Orient patient and family to ward
 policies and procedures
DISPLAY_NAME.....ACTIVITY - ORIENT TO WARD
HELP_TEXT.....ACTIVITY - ORIENT TO WARD
ID.....{35B092D6-86E0-655B-9B0E-8E819FE6967D}
TERM.....ACTIVITY - ORIENT TO WARD

TASK: ACTIVITY - RANGE OF MOTION EXERCISES

ABBREVIATION.....ACT ROM EX
ACTIVE.....Yes
DESCRIPTION.....ACTIVITY - RANGE OF MOTION EXERCISES
DISPLAY_NAME.....ACTIVITY - RANGE OF MOTION EXERCISES
HELP_TEXT.....ACTIVITY - RANGE OF MOTION EXERCISES
ID.....{D028A8B1-2548-485F-9D87-D9154858E076}
TERM.....ACTIVITY - RANGE OF MOTION EXERCISES

TASK: ACTIVITY - SIT IN CHAIR

ABBREVIATION.....ACT SIT CH
ACTIVE.....Yes
DESCRIPTION.....ACTIVITY - SIT IN CHAIR

DISPLAY_NAME.....ACTIVITY - SIT IN CHAIR
HELP_TEXT.....ACTIVITY - SIT IN CHAIR
ID.....{62765F1D-A170-450C-89C3-5F9EEFAFF71B}
TERM.....ACTIVITY - SIT IN CHAIR

TASK: ACTIVITY - TURN PATIENT

ABBREVIATION.....ACT TURN
ACTIVE.....Yes
DESCRIPTION.....ACTIVITY - TURN PATIENT
DISPLAY_NAME.....ACTIVITY - TURN PATIENT
HELP_TEXT.....ACTIVITY - TURN PATIENT
ID.....{7A545892-7660-4ADE-8017-12DD76762EE8}
TERM.....ACTIVITY - TURN PATIENT

TASK: ADL - BATH ASSIST

ABBREVIATION.....ADLBATHASS
ACTIVE.....Yes
DESCRIPTION.....ADL - BATH ASSIST
DISPLAY_NAME.....ADL - BATH ASSIST
HELP_TEXT.....ADL - BATH ASSIST
ID.....{0DF710C3-7EB8-44EA-8425-C4F5707D1744}
TERM.....ADL - BATH ASSIST

TASK: ADL - BATH COMPLETE

ABBREVIATION.....ADLBATHCOM
ACTIVE.....Yes
DESCRIPTION.....ADL - BATH COMPLETE
DISPLAY_NAME.....ADL - BATH COMPLETE
HELP_TEXT.....No Help Text
ID.....{E48D2F58-C42D-4D61-9E34-19DB98966970}
TERM.....ADL - BATH COMPLETE

TASK: ADL - BATH PARTIAL

ABBREVIATION.....ADLBATHPAR
ACTIVE.....Yes
DESCRIPTION.....ADL - BATH PARTIAL
DISPLAY_NAME.....ADL - BATH PARTIAL
HELP_TEXT.....ADL - BATH PARTIAL
ID.....{6997EBBC-1D7C-46CC-AFC0-0035A777DFBD}
TERM.....ADL - BATH PARTIAL

TASK: ADL - BATH SELF

ABBREVIATION.....ADLBATHSEL
ACTIVE.....Yes
DESCRIPTION.....ADL - BATH SELF
DISPLAY_NAME.....ADL - BATH SELF

HELP_TEXT.....ADL - BATH SELF

ID.....{F79F34A1-F147-4A68-8039-2F80E3BF7CBE}

TERM.....ADL - BATH SELF

TASK: ADL - CATHETER CARE

ABBREVIATION.....ADLCATHCAR

ACTIVE.....Yes

DESCRIPTION.....ADL - CATHETER CARE

DISPLAY_NAME.....ADL - CATHETER CARE

HELP_TEXT.....ADL - CATHETER CARE

ID.....{8AAD5864-D7A5-4886-AD58-BDDDC00D80DC}

TERM.....ADL - CATHETER CARE

TASK: ADL - FEED PATIENT

ABBREVIATION.....ADL FEED P

ACTIVE.....Yes

DESCRIPTION.....ADL - FEED PATIENT

DISPLAY_NAME.....ADL - FEED PATIENT

HELP_TEXT.....ADL - FEED PATIENT

ID.....{D525A017-C515-4FBE-9CC2-FDB5FA6CF010}

TERM.....ADL - FEED PATIENT

TASK: ADL - ORAL HYGIENE

ABBREVIATION.....ADLORALHYG
ACTIVE.....Yes
DESCRIPTION.....ADL - ORAL HYGIENE
DISPLAY_NAME.....ADL - ORAL HYGIENE
HELP_TEXT.....ADL - ORAL HYGIENE
ID.....{27044060-F4C7-4616-9CE4-D2BFE1001EEE}
TERM.....ADL - ORAL HYGIENE

TASK: ADL - SHAVE

ABBREVIATION.....ADLSHAVE
ACTIVE.....Yes
DESCRIPTION.....ADL - SHAVE
DISPLAY_NAME.....ADL - SHAVE
HELP_TEXT.....ADL - SHAVE
ID.....{B5763C28-DEF7-4A6B-86C2-1C1237B6F568}
TERM.....ADL - SHAVE

TASK: ADL - SKIN CARE

ABBREVIATION.....ADLSKINCAR
ACTIVE.....Yes
DESCRIPTION.....ADL - SKIN CARE
DISPLAY_NAME.....ADL - SKIN CARE

HELP_TEXT.....ADL - SKIN CARE

ID.....{7B41CD6E-8F0C-44B5-9415-288ABAF8271A}

TERM.....ADL - SKIN CARE

TASK: ADL - TURN

ABBREVIATION.....ADLTURN

ACTIVE.....Yes

DESCRIPTION.....ADL - TURN

DISPLAY_NAME.....ADL - TURN

HELP_TEXT.....ADL - TURN

ID.....{CCF74486-3ADE-4A67-A6A0-121F195E6FCB}

TERM.....ADL - TURN

TASK: ASSESSMENT - CO

ABBREVIATION.....A CO

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - CO

DISPLAY_NAME.....ASSESSMENT - CO

HELP_TEXT.....ASSESSMENT - CO

ID.....{D94C0EFD-CFB8-4249-89D0-1A4BF6C777FC}

TERM.....ASSESSMENT - CO

TASK: ASSESSMENT - COLLECT VITALS

ABBREVIATION.....A CO VITAL
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - COLLECT VITALS
DISPLAY_NAME.....ASSESSMENT - COLLECT VITALS
HELP_TEXT.....ASSESSMENT - COLLECT VITALS
ID.....{9A21F145-1DBA-0BA5-4C9D-E9E31B3F3E45}
TERM.....ASSESSMENT - COLLECT VITALS

TASK: ASSESSMENT - DOPPLERS

ABBREVIATION.....A DOPPLERS
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - DOPPLERS
DISPLAY_NAME.....ASSESSMENT - DOPPLERS
HELP_TEXT.....ASSESSMENT - DOPPLERS
ID.....{8B1F6E7E-95D5-47A0-A23D-2A8A088930B8}
TERM.....ASSESSMENT - DOPPLERS

TASK: ASSESSMENT - FINGERSTICK BLOOD SUGAR

ABBREVIATION.....A BLD SUGR
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - FINGERSTICK BLOOD SUGAR
DISPLAY_NAME.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

HELP_TEXT.....ASSESSMENT - FINGERSTICK BLOOD SUGAR
(FSBS)

ID.....{50A07B57-D9E6-4F67-B6BC-E21D4A60A56C}

TERM.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

TASK: ASSESSMENT - HEMODYNAMIC READINGS

ABBREVIATION.....A HEMO REA

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - HEMODYNAMIC READINGS

DISPLAY_NAME.....ASSESSMENT - HEMODYNAMIC READINGS

HELP_TEXT.....ASSESSMENT - HEMODYNAMIC READINGS

ID.....{98328403-2F7B-7404-34EA-5411633EA55C}

TERM.....ASSESSMENT - HEMODYNAMIC READINGS

TASK: ASSESSMENT - I&O

ABBREVIATION.....A I&O

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - I&O

DISPLAY_NAME.....ASSESSMENT - I&O

HELP_TEXT.....ASSESSMENT - I&O

ID.....{53CA663E-40AC-4089-A250-10635CC64F06}

TERM.....ASSESSMENT - I&O

TASK: ASSESSMENT - NEURO CHECKS

ABBREVIATION.....A NRO CHKS
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - NEURO CHECKS
DISPLAY_NAME.....ASSESSMENT - NEURO CHECKS
HELP_TEXT.....ASSESSMENT - NEURO CHECKS
ID.....{8E1E8DE5-EFE6-41B9-86CD-484BC9EF4F66}
TERM.....ASSESSMENT - NEURO CHECKS

TASK: ASSESSMENT - NEUROVASCULAR CHECKS

ABBREVIATION.....A NROVASCU
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - NEUROVASCULAR CHECKS
DISPLAY_NAME.....ASSESSMENT - NEUROVASCULAR CHECKS
HELP_TEXT.....ASSESSMENT - NEUROVASCULAR CHECKS
ID.....{4C7FBC3F-F88B-426B-9DCB-74EE2FBC40EA}
TERM.....ASSESSMENT - NEUROVASCULAR CHECKS

TASK: ASSESSMENT - PCA

ABBREVIATION.....A PCA
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - PCA
DISPLAY_NAME.....ASSESSMENT - PCA

HELP_TEXT.....ASSESSMENT - PCA

ID.....{88464AA6-3DCF-4388-B0EC-6B3D6B098FEC}

TERM.....ASSESSMENT - PCA

TASK: ASSESSMENT - PULSE OX

ABBREVIATION.....A PULSE OX

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - PULSE OX

DISPLAY_NAME.....ASSESSMENT - PULSE OX

HELP_TEXT.....ASSESSMENT - PULSE OX

ID.....{FC2A17F3-DC69-427D-946B-C3403B92528B}

TERM.....ASSESSMENT - PULSE OX

TASK: ASSESSMENT - RESTRAINTS

ABBREVIATION.....A RESTRAIN

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - RESTRAINTS

DISPLAY_NAME.....ASSESSMENT - RESTRAINTS

HELP_TEXT.....ASSESSMENT - RESTRAINTS

ID.....{3D02BA0C-BFDD-4D82-8B44-40C861E7FD24}

TERM.....ASSESSMENT - RESTRAINTS

TASK: ASSESSMENT - TELEMETRY

ABBREVIATION.....A TELEMETR
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - TELEMETRY
DISPLAY_NAME.....ASSESSMENT - TELEMETRY
HELP_TEXT.....ASSESSMENT - TELEMETRY
ID.....{48C7FB6E-74C2-4EA4-984F-19C11C9072D7}
TERM.....ASSESSMENT - TELEMETRY

TASK: ASSESSMENT - WEIGHT

ABBREVIATION.....A WEIGHT
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - GET PATIENTS WEIGHT
DISPLAY_NAME.....ASSESSMENT - WEIGHT
HELP_TEXT.....ASSESSMENT - GET PATIENTS WEIGHT
ID.....{CCB2F8DF-9319-4767-AE7D-90A7705C03FD}
TERM.....ASSESSMENT - WEIGHT

TASK: CALL HOUSE OFFICER - BP DIASTOLIC

ABBREVIATION.....CHO DBP
ACTIVE.....Yes
DESCRIPTION.....CALL HOUSE OFFICER - BP DIASTOLIC
DISPLAY_NAME.....CALL HOUSE OFFICER - BP DIASTOLIC

HELP_TEXT.....CALL HOUSE OFFICER - BP DIASTOLIC
ID.....{19A8A7AD-6BAC-4326-806C-BC80E5636FFC}
TERM.....CALL HOUSE OFFICER - BP DIASTOLIC

TASK: CALL HOUSE OFFICER - BP SYSTOLIC

ABBREVIATION.....CHO SBP
ACTIVE.....Yes
DESCRIPTION.....CALL HOUSE OFFICER - BP SYSTOLIC
DISPLAY_NAME.....CALL HOUSE OFFICER - BP SYSTOLIC
HELP_TEXT.....CALL HOUSE OFFICER - BP SYSTOLIC
ID.....{971F71F9-AAD6-46BF-A729-45F0B98FD6D3}
TERM.....CALL HOUSE OFFICER - BP SYSTOLIC

TASK: CALL HOUSE OFFICER - PULSE

ABBREVIATION.....CHO PULSE
ACTIVE.....Yes
DESCRIPTION.....CALL HOUSE OFFICER - PULSE
DISPLAY_NAME.....CALL HOUSE OFFICER - PULSE
HELP_TEXT.....CALL HOUSE OFFICER - PULSE
ID.....{81EED77A-5116-4B2D-B52B-42BAFACC69C9}
TERM.....CALL HOUSE OFFICER - PULSE

TASK: CALL HOUSE OFFICER - RESPIRATORY RATE

ABBREVIATION.....CHO RR

ACTIVE.....Yes

DESCRIPTION.....CALL HOUSE OFFICER - RESPIRATORY RATE

DISPLAY_NAME.....CALL HOUSE OFFICER - RESPIRATORY RATE

HELP_TEXT.....CALL HOUSE OFFICER - RESPIRATORY RATE

ID.....{D2DFE1EC-017F-49B8-B59C-C724F71F2E63}

TERM.....CALL HOUSE OFFICER - RESPIRATORY RATE

TASK: CALL HOUSE OFFICER - TEMP

ABBREVIATION.....CHO TEMP

ACTIVE.....Yes

DESCRIPTION.....CALL HOUSE OFFICER - TEMP

DISPLAY_NAME.....CALL HOUSE OFFICER - TEMP

HELP_TEXT.....CALL HOUSE OFFICER - TEMP

ID.....{E59A3DC0-73CB-4B0F-B031-E3CFF280EA5F}

TERM.....CALL HOUSE OFFICER - TEMP

TASK: HYDRATION - DIET

ABBREVIATION.....HY DIET

ACTIVE.....Yes

DESCRIPTION.....HYDRATION - DIET

DISPLAY_NAME.....HYDRATION - DIET

HELP_TEXT.....HYDRATION - DIET

ID.....{C0F14019-FF1A-4D42-A857-4B1E86E793FA}

TERM.....HYDRATION - DIET

TASK: HYDRATION - HEPARIN DRIP

ABBREVIATION.....HY HEPARIN

ACTIVE.....Yes

DESCRIPTION.....HYDRATION - HEPARIN DRIP

DISPLAY_NAME.....HYDRATION - HEPARIN DRIP

HELP_TEXT.....HYDRATION - HEPARIN DRIP

ID.....{EC49EE9D-C2EB-4F7D-A9D4-9746DDEF84A6}

TERM.....HYDRATION - HEPARIN DRIP

TASK: HYDRATION - HYPERAL

ABBREVIATION.....HY HYPERAL

ACTIVE.....Yes

DESCRIPTION.....HYDRATION - HYPERAL

DISPLAY_NAME.....HYDRATION - HYPERAL

HELP_TEXT.....HYDRATION - HYPERAL

ID.....{5F91CA9E-82F1-4490-8648-896864F1F68C}

TERM.....HYDRATION - HYPERAL

TASK: HYDRATION - IV FLUIDS

ABBREVIATION.....HY IV FLU
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - IV FLUIDS
DISPLAY_NAME.....HYDRATION - IV FLUIDS
HELP_TEXT.....HYDRATION - IV FLUIDS
ID.....{75D6B913-147F-4318-B6A5-985438E8CF66}
TERM.....HYDRATION - IV FLUIDS

TASK: HYDRATION - NPO

ABBREVIATION.....HY NPO
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - NPO
DISPLAY_NAME.....HYDRATION - NPO
HELP_TEXT.....HYDRATION - NPO
ID.....{44028E10-FB0D-4AFD-9B8D-90F157D6329D}
TERM.....HYDRATION - NPO

TASK: HYDRATION - PERIPHERAL IV

ABBREVIATION.....HY PIV
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - PERIPHERAL IV
DISPLAY_NAME.....HYDRATION - PERIPHERAL IV

HELP_TEXT.....HYDRATION - PERIPHERAL IV
ID.....{1ACA57CF-4226-4EF1-AABD-142EE1DE369F}
TERM.....HYDRATION - PERIPHERAL IV

TASK: HYDRATION - PICC/CENTRAL LINE

ABBREVIATION.....HY PICC
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - PICC/CENTRAL LINE
DISPLAY_NAME.....HYDRATION - PICC/CENTRAL LINE
HELP_TEXT.....HYDRATION - PICC/CENTRAL LINE
ID.....{E1D6E811-CE80-4F8A-AB00-570D1C8079CA}
TERM.....HYDRATION - PICC/CENTRAL LINE

TASK: HYDRATION - SUPPLEMENT SNACK

ABBREVIATION.....HY SNACK S
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - SUPPLEMENT SNACK
DISPLAY_NAME.....HYDRATION - SUPPLEMENT SNACK
HELP_TEXT.....HYDRATION - SUPPLEMENT SNACK
ID.....{0916F365-7FBC-4FD3-A55B-CAD4E41A00B1}
TERM.....HYDRATION - SUPPLEMENT SNACK

TASK: HYDRATION - TUBE FEEDING

ABBREVIATION.....HY TU FEED
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - TUBE FEEDING
DISPLAY_NAME.....HYDRATION - TUBE FEEDING
HELP_TEXT.....HYDRATION - TUBE FEEDING
ID.....{6EDD774C-DD5A-4BF6-B06D-725FD7A0B26C}
TERM.....HYDRATION - TUBE FEEDING

TASK: NURSING INTERVENTIONS - STRAIGHT CATH

ABBREVIATION.....NI ST CATH
ACTIVE.....Yes
DESCRIPTION.....NURSING INTERVENTIONS - STRAIGHT CATH
DISPLAY_NAME.....NURSING INTERVENTIONS - STRAIGHT CATH
HELP_TEXT.....NURSING INTERVENTIONS - STRAIGHT CATH
ID.....{A1F54C3F-CFD1-4767-BED8-55BF2BE872DD}
TERM.....NURSING INTERVENTIONS - STRAIGHT CATH

TASK: NURSING INTERVENTIONS - WOUND CARE

ABBREVIATION.....NI WOU CAR
ACTIVE.....Yes
DESCRIPTION.....NURSING INTERVENTIONS - WOUND CARE
DISPLAY_NAME.....NURSING INTERVENTIONS - WOUND CARE

HELP_TEXT.....NURSING INTERVENTIONS - WOUND CARE
ID.....{BFBE2EFF-3644-439F-951C-804B43BFFF30}
TERM.....NURSING INTERVENTIONS - WOUND CARE

TASK: PRECAUTIONS - 24 HOUR CHART CHECK

ABBREVIATION.....PREC 24 CH
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - 24 HOUR CHART CHECK
DISPLAY_NAME.....PRECAUTIONS - 24 HOUR CHART CHECK
HELP_TEXT.....PRECAUTIONS - 24 HOUR CHART CHECK
ID.....{96C39F92-CE4C-4D6B-9837-9C9FECDEC199}
TERM.....PRECAUTIONS - 24 HOUR CHART CHECK

TASK: PRECAUTIONS - ASPIRATION

ABBREVIATION.....PREC ASPIR
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - ASPIRATION
DISPLAY_NAME.....PRECAUTIONS - ASPIRATION
HELP_TEXT.....PRECAUTIONS - ASPIRATION
ID.....{D8D28810-655E-4707-BF6D-B853F18A1E08}
TERM.....PRECAUTIONS - ASPIRATION

TASK: PRECAUTIONS - ETOH W/D

ABBREVIATION.....PREC ETOH
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - ETOH W/D
DISPLAY_NAME.....PRECAUTIONS - ETOH W/D
HELP_TEXT.....PRECAUTIONS - ETOH W/D
ID.....{7800B16E-ECCD-4086-985C-0D12D4671123}
TERM.....PRECAUTIONS - ETOH W/D

TASK: PRECAUTIONS - FALL

ABBREVIATION.....PREC FALL
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - FALL
DISPLAY_NAME.....PRECAUTIONS - FALL
HELP_TEXT.....PRECAUTIONS - FALL
ID.....{CAB2E3CC-18AD-40AB-946B-DB0292E7FA09}
TERM.....PRECAUTIONS - FALL

TASK: PRECAUTIONS - PATIENT TEACHING

ABBREVIATION.....PREC TEACH
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - PATIENT TEACHING
DISPLAY_NAME.....PRECAUTIONS - PATIENT TEACHING

HELP_TEXT.....PRECAUTIONS - PATIENT TEACHING
ID.....{C58B33AB-6442-46A5-B24A-E2B856C72B98}
TERM.....PRECAUTIONS - PATIENT TEACHING

TASK: PRECAUTIONS - VALIDATE ALARMS

ABBREVIATION.....PREC ALARM
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - VALIDATE ALARMS
DISPLAY_NAME.....PRECAUTIONS - VALIDATE ALARMS
HELP_TEXT.....PRECAUTIONS - VALIDATE ALARMS
ID.....{CF386EC1-F5B6-4D15-8E48-8453FE6FC1CC}
TERM.....PRECAUTIONS - VALIDATE ALARMS

TASK: PULMONARY - CHEST PHYSIO-THERAPY

ABBREVIATION.....PULMCHPPTH
ACTIVE.....Yes
DESCRIPTION.....PULMONARY - CHEST PHYSIO-THERAPY
DISPLAY_NAME.....PULMONARY - CHEST PHYSIO-THERAPY
HELP_TEXT.....PULMONARY - CHEST PHYSIO-THERAPY
ID.....{F028FA64-3957-4A15-B30A-277AF594A69D}
TERM.....PULMONARY - CHEST PHYSIO-THERAPY

TASK: PULMONARY - COUGH AND DEEP BREATH

ABBREVIATION.....PULMCOUGH

ACTIVE.....Yes

DESCRIPTION.....PULMONARY - COUGH AND DEEP BREATH

DISPLAY_NAME.....PULMONARY - COUGH AND DEEP BREATH

HELP_TEXT.....PULMONARY - COUGH AND DEEP BREATH

ID.....{17A5D60E-ED50-4FBA-879D-4618563D2B98}

TERM.....PULMONARY - COUGH AND DEEP BREATH

TASK: PULMONARY - ET TUBE CARE

ABBREVIATION.....PULM ET TU

ACTIVE.....Yes

DESCRIPTION.....PULMONARY - ET TUBE CARE

DISPLAY_NAME.....PULMONARY - ET TUBE CARE

HELP_TEXT.....PULMONARY - ET TUBE CARE

ID.....{B2F57E59-33C5-49FB-BEE9-176647329910}

TERM.....PULMONARY - ET TUBE CARE

TASK: PULMONARY - INCENTIVE SPIROMETER

ABBREVIATION.....PULMINCSPI

ACTIVE.....Yes

DESCRIPTION.....PULMONARY - INCENTIVE SPIROMETER

DISPLAY_NAME.....PULMONARY - INCENTIVE SPIROMETER

HELP_TEXT.....PULMONARY - INCENTIVE SPIROMETER
ID.....{F856E287-BAAC-4D8C-AFAD-34912621F3B4}
TERM.....PULMONARY - INCENTIVE SPIROMETER

TASK: PULMONARY - OXYGEN

ABBREVIATION.....PULM OXYGE
ACTIVE.....Yes
DESCRIPTION.....PULMONARY - OXYGEN
DISPLAY_NAME.....PULMONARY - OXYGEN
HELP_TEXT.....PULMONARY - OXYGEN
ID.....{14A986A8-54F1-4D9A-A2EB-43F306704C42}
TERM.....PULMONARY - OXYGEN

TASK: PULMONARY - SUCTION PATIENT

ABBREVIATION.....PULM-SUCTI
ACTIVE.....Yes
DESCRIPTION.....PULMONARY - SUCTION PATIENT
DISPLAY_NAME.....PULMONARY - SUCTION PATIENT
HELP_TEXT.....PULMONARY - SUCTION PATIENT
ID.....{8B74C2F6-8CFB-4A60-9158-5333B980D047}
TERM.....PULMONARY - SUCTION PATIENT

TASK: PULMONARY - TRACH CARE

ABBREVIATION.....PULMTRACHC
ACTIVE.....Yes
DESCRIPTION.....PULMONARY - TRACH CARE
DISPLAY_NAME.....PULMONARY - TRACH CARE
HELP_TEXT.....PULMONARY - TRACH CARE
ID.....{EAAFB44D-359B-4FB0-9683-BC44F7D59C23}
TERM.....PULMONARY - TRACH CARE

TASK: RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET

ABBREVIATION.....RES TOILET
ACTIVE.....Yes
DESCRIPTION.....Restraint - Assess Need for
 Fluids/Toileting
DISPLAY_NAME.....Restraint - Assess Need for
 Fluids/Toileting
HELP_TEXT.....Restraint - Assess Need for
 Fluids/Toileting
ID.....{58A09EA6-3336-4985-83A9-B765E3CB9C9E}
TERM.....RESTRAINT - ASSESS NEED FOR
 FLUIDS/TOILET

TASK: RESTRAINT - CIRCULATION CHECK

ABBREVIATION.....RES CIR CH
ACTIVE.....Yes
DESCRIPTION.....Restraint - Circulation Check
DISPLAY_NAME.....Restraint - Circulation Check
HELP_TEXT.....Restraint - Circulation Check
ID.....{0A1DA91C-BC0E-4B07-967D-2BAB7E64B028}
TERM.....RESTRAINT - CIRCULATION CHECK

TASK: RESTRAINT - DEVICE RELEASE

ABBREVIATION.....RES DEV RE
ACTIVE.....Yes
DESCRIPTION.....Restraint - Device Release
DISPLAY_NAME.....Restraint - Device Release
HELP_TEXT.....Restraint - Device Release
ID.....{7B0C29DA-6593-472C-9716-24F7E2B7ABD7}
TERM.....RESTRAINT - DEVICE RELEASE

TASK: RESTRAINT - FALL PRECAUTIONS

ABBREVIATION.....RES FALL P
ACTIVE.....Yes
DESCRIPTION.....Restraint - Fall Precautions
DISPLAY_NAME.....Restraint - Fall Precautions
HELP_TEXT.....Restraint - Fall Precautions
ID.....{D812036A-7B6B-4C9C-9EE2-616C5EFC4789}
TERM.....RESTRAINT - FALL PRECAUTIONS

TASK: RESTRAINT - SEIZURE PRECAUTIONS

ABBREVIATION.....RES SEI PR
ACTIVE.....Yes
DESCRIPTION.....Restraint - Seizure Precautions
DISPLAY_NAME.....Restraint - Seizure Precautions
HELP_TEXT.....Restraint - Seizure Precautions
ID.....{71606A0A-05E6-4DFD-9E00-677A07167199}
TERM.....RESTRAINT - SEIZURE PRECAUTIONS

TASK: TESTS/PROC. - ACCUCHECKS

ABBREVIATION.....TP ACCUCHE
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - ACCUCHECKS
DISPLAY_NAME.....TESTS/PROC. - ACCUCHECKS
HELP_TEXT.....TESTS/PROC. - ACCUCHECKS
ID.....{0A5E0495-B990-449B-B5F6-10497842534E}
TERM.....TESTS/PROC. - ACCUCHECKS

TASK: TESTS/PROC. - BLOOD CULTURES

ABBREVIATION.....T/P BLOOD
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - BLOOD CULTURES
DISPLAY_NAME.....TESTS/PROC. - BLOOD CULTURES

HELP_TEXT.....TESTS/PROC. - BLOOD CULTURES
ID.....{BC2F7EFE-3990-47D2-863A-6FB2227746F3}
TERM.....TESTS/PROC. - BLOOD CULTURES

TASK: TESTS/PROC. - DAILY LABS

ABBREVIATION.....T/P D LABS
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - DAILY LABS
DISPLAY_NAME.....TESTS/PROC. - DAILY LABS
HELP_TEXT.....TESTS/PROC. - DAILY LABS
ID.....{03B3A828-D4B0-40CF-B12C-1DD936DE98AC}
TERM.....TESTS/PROC. - DAILY LABS

TASK: TESTS/PROC. - MORNING LABS

ABBREVIATION.....T/P M LABS
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - MORNING LABS
DISPLAY_NAME.....TESTS/PROC. - MORNING LABS
HELP_TEXT.....TESTS/PROC. - MORNING LABS
ID.....{6F81B3D1-CCBC-4BC9-AFF0-64000DF212EB}
TERM.....TESTS/PROC. - MORNING LABS

TASK: TESTS/PROC. - ZERO BALANCE HEMO. LINES

ABBREVIATION.....T/P 0 HEMO
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - ZERO BALANCE HEMO. LINES
DISPLAY_NAME.....TESTS/PROC. - ZERO BALANCE HEMO. LINES
HELP_TEXT.....TESTS/PROC. - ZERO BALANCE HEMO. LINES
ID.....{9CEDB731-A785-48B7-AC92-84B10FCCCE86}
TERM.....TESTS/PROC. - ZERO BALANCE HEMO. LINES

TASK: TUBES & DRAINS - CONDOM CATH

ABBREVIATION.....T&D C CATH
ACTIVE.....Yes
DESCRIPTION.....TUBES & DRAINS - CONDOM CATH
DISPLAY_NAME.....TUBES & DRAINS - CONDOM CATH
HELP_TEXT.....TUBES & DRAINS - CONDOM CATH
ID.....{385EFB2B-55BB-486E-B168-D1FFF71E086C}
TERM.....TUBES & DRAINS - CONDOM CATH

TASK: TUBES & DRAINS - FOLEY

ABBREVIATION.....T&D FOLEY
ACTIVE.....Yes
DESCRIPTION.....TUBES & DRAINS - FOLEY
DISPLAY_NAME.....TUBES & DRAINS - FOLEY

HELP_TEXT.....TUBES & DRAINS - FOLEY

ID.....{14CECC17-A780-41DD-98A4-6E226630BC65}

TERM.....TUBES & DRAINS - FOLEY

TASK: TUBES & DRAINS - I/O CATH

ABBREVIATION.....T&D I/O CA

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - I/O CATH

DISPLAY_NAME.....TUBES & DRAINS - I/O CATH

HELP_TEXT.....TUBES & DRAINS - I/O CATH

ID.....{5BA34E92-5248-4954-A677-443C4B2183E8}

TERM.....TUBES & DRAINS - I/O CATH

TASK: TUBES & DRAINS - NG TUBE

ABBREVIATION.....T&D NG TU

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - NG TUBE

DISPLAY_NAME.....TUBES & DRAINS - NG TUBE

HELP_TEXT.....TUBES & DRAINS - NG TUBE

ID.....{BBFCE51A-9CCF-44AC-8C37-4A779232A4B7}

TERM.....TUBES & DRAINS - NG TUBE

TASK: TUBES & DRAINS - SUPRAPUBIC DRAIN

ABBREVIATION.....T&D SUP DR

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - SUPRAPUBIC DRAIN

DISPLAY_NAME.....TUBES & DRAINS - SUPRAPUBIC DRAIN

HELP_TEXT.....TUBES & DRAINS - SUPRAPUBIC DRAIN

ID.....{6A4A5F28-35D3-494E-BA97-2E0DE4A7B8CC}

TERM.....TUBES & DRAINS - SUPRAPUBIC DRAIN

UNIT: BEATS PER MINUTE

ABBREVIATION.....bpm

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Beats Per Minute

HELP_TEXT.....No Help Text

ID.....{8319B3B0-0F31-1393-154D-59A86692D637}

TERM.....BEATS PER MINUTE

UNIT: BRADEN SCALE

ABBREVIATION.....BRADEN SCA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Braden Scale

HELP_TEXT.....No Help Text

ID.....{B5EE25BB-DA66-4AC9-9A3B-C05497B2647C}

TERM.....BRADEN SCALE

UNIT: BREATHS PER MINUTE

ABBREVIATION.....rpm

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Resp/Min
HELP_TEXT.....No Help Text
ID.....{DCF89527-FFAE-F68E-0871-602F3C32DDB1}
TERM.....BREATHS PER MINUTE

UNIT: CALORIE

ABBREVIATION.....CALORIE
ACTIVE.....Yes
DESCRIPTION.....A unit of food energy
DISPLAY_NAME.....Calorie
HELP_TEXT.....The amount of energy required to
 raise the temperature of a liter of
 water one degree centigrade at sea
 level

ID.....{9F7DE371-AB4B-45EE-A8E3-825822419CCA}
TERM.....CALORIE

UNIT: CENTIMETER

ABBREVIATION.....cm
ACTIVE.....Yes
DESCRIPTION.....Measurment of length
DISPLAY_NAME.....Centimeter
HELP_TEXT.....Metric
ID.....{EF700458-8C2D-16E8-02DC-9E1711584C53}

TERM.....CENTIMETER

UNIT: CENTIMETERS H2O

ABBREVIATION.....CM H2O

ACTIVE.....Yes

DESCRIPTION.....CENTIMETERS OF WATER

DISPLAY_NAME.....CM H2O

HELP_TEXT.....No Help Text

ID.....{F7030BB1-AD2C-15F6-FF41-6DA893C851C1}

TERM.....CENTIMETERS H2O

UNIT: CIWA SCALE

ABBREVIATION.....CIWA SCALE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....CIWA SCALE

HELP_TEXT.....Scale For Addition Of All CIWA Scores

ID.....{0ED378B9-C1A4-4ABA-82B7-F62BC0D62886}

TERM.....CIWA SCALE

UNIT: CUBIC CENTIMETER

ABBREVIATION.....Cubic Cent

ACTIVE.....Yes

DESCRIPTION.....Cubic Centimeter

DISPLAY_NAME.....Cubic Centimeter

HELP_TEXT.....No Help Text
ID.....{4698E6A0-DA6C-4A0A-800A-395BBCD2871E}
TERM.....CUBIC CENTIMETER

UNIT: DAY

ABBREVIATION.....Day
ACTIVE.....Yes
DESCRIPTION.....Measurement of passage of time (24
hours)

DISPLAY_NAME.....Day
HELP_TEXT.....No Help Text
ID.....{742619B2-A8C7-1A53-45CD-C3E25A05D58C}
TERM.....DAY

UNIT: DEGREES (ANGLE)

ABBREVIATION.....DEG
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Degrees (Angle)
HELP_TEXT.....No Help Text
ID.....{5F407D72-3009-2553-7DDC-82BAF2043FCA}
TERM.....DEGREES (ANGLE)

UNIT: DEGREES C

ABBREVIATION.....C

ACTIVE.....Yes

DESCRIPTION.....Metric Temperature

DISPLAY_NAME.....Celsius

HELP_TEXT.....No Help Text

ID.....{1964CB4C-0584-DA80-C7A9-E7400DCD817D}

TERM.....DEGREES C

UNIT: DEGREES F

ABBREVIATION.....F

ACTIVE.....Yes

DESCRIPTION.....US measurement of temperature

DISPLAY_NAME.....Fahrenheit

HELP_TEXT.....No Help Text

ID.....{59FC6CA4-9389-B770-5A9C-8C5A38C572D8}

TERM.....DEGREES F

UNIT: DYNE * SECONDS / CM(-5) * M2

ABBREVIATION.....D*S/CM*M2

ACTIVE.....Yes

DESCRIPTION.....dyne * seconds / cm(-5) * m2

DISPLAY_NAME.....dyne * seconds / cm(-5) * m2

HELP_TEXT.....dyne * seconds / cm(-5) * m2
ID.....{1241878F-AECA-B1A8-BF12-D5FA583FC1B2}
TERM.....DYNE * SECONDS / CM(-5) * M2

UNIT: DYNE * SECONDS / CM(-5) / M2

ABBREVIATION.....D*S/CM/M2
ACTIVE.....Yes
DESCRIPTION.....dyne * seconds/cm(-5) / m2
DISPLAY_NAME.....dyne * seconds/cm(-5) / m2
HELP_TEXT.....dyne * seconds/cm(-5) / m2
ID.....{A642531F-A72E-CF60-D31A-F38AD12A8B30}
TERM.....DYNE * SECONDS / CM(-5) / M2

UNIT: DYNE-SEC/CM5

ABBREVIATION.....dyne-sec/c
ACTIVE.....Yes
DESCRIPTION.....dyne-sec/cm5
DISPLAY_NAME.....dyne-sec/cm5
HELP_TEXT.....dyne-sec/cm5
ID.....{01A538D8-41AF-4D0B-B827-D557060A618A}
TERM.....DYNE-SEC/CM5

UNIT: EVENT(S)

ABBREVIATION.....EVENT(S)

ACTIVE.....Yes

DESCRIPTION.....Event(s)

DISPLAY_NAME.....Event(s)

HELP_TEXT.....No Help Text

ID.....{723F907D-8B71-4183-AE54-66D0C3C72DCA}

TERM.....EVENT(S)

UNIT: EVENTS PER HOUR

ABBREVIATION.....EVENT/H

ACTIVE.....Yes

DESCRIPTION.....NUMBER OF TIMES PER HOUR THAT AN
OBSERVABLE EVENT OCCURS

DISPLAY_NAME.....Events Per Hour

HELP_TEXT.....No Help Text

ID.....{3D648D4F-02A9-474A-65BF-70608E75BC29}

TERM.....EVENTS PER HOUR

UNIT: FOOT

ABBREVIATION.....FT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Foot/Feet
HELP_TEXT.....No Help Text
ID.....{66D6F7EC-3884-4790-AC35-10B2AE84257F}
TERM.....FOOT

UNIT: FRENCH

ABBREVIATION.....FRENCH
ACTIVE.....Yes
DESCRIPTION.....UNIT OF MEASURE FOR ARTIFICIAL AIRWAYS
DISPLAY_NAME.....French
HELP_TEXT.....No Help Text
ID.....{3734E0E0-087B-098A-984A-E42264CF6567}
TERM.....FRENCH

UNIT: GAUGE

ABBREVIATION.....GAUGE
ACTIVE.....Yes
DESCRIPTION.....Gauge For Needles
DISPLAY_NAME.....Gauge
HELP_TEXT.....No Help Text
ID.....{5670BBC1-4962-4FA1-A4D0-1E399F2D06B1}
TERM.....GAUGE

UNIT: GLASGOW COMA SCALE

ABBREVIATION.....GCS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Glasgow Coma Scale
HELP_TEXT.....No Help Text
ID.....{CA674718-C98D-669F-8954-F9EC91C2F6F3}
TERM.....GLASGOW COMA SCALE

UNIT: GM-M/M2/BEAT

ABBREVIATION.....gm-m/m2/be
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....gm-m/m2/beat
HELP_TEXT.....No Help Text
ID.....{DB5404C8-1880-4B54-B053-DF0875E72C3B}
TERM.....GM-M/M2/BEAT

UNIT: GRAMS PER HOUR

ABBREVIATION.....gm/hr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....gm/hr

HELP_TEXT.....No Help Text

ID.....{A50449B1-DF42-4D18-8F02-59937EA6CDE4}

TERM.....GRAMS PER HOUR

UNIT: GRAMS PER MINUTE

ABBREVIATION.....gm/min

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Grams Per Minute

HELP_TEXT.....No Help Text

ID.....{07D005E8-B078-A48F-96B5-8CCAA92EC97F}

TERM.....GRAMS PER MINUTE

UNIT: HOUR

ABBREVIATION.....hr

ACTIVE.....Yes

DESCRIPTION.....Measurement of time

DISPLAY_NAME.....Hour

HELP_TEXT.....No Help Text

ID.....{60034E2A-D088-E9B6-9B98-D0F4357A059F}

TERM.....HOUR

UNIT: INCH

ABBREVIATION.....in
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Inch
HELP_TEXT.....No Help Text
ID.....{9CB32FC9-4130-11F8-E750-AF1415556705}
TERM.....INCH

UNIT: KG/M2

ABBREVIATION.....KG/M2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....KG/M2
HELP_TEXT.....No Help Text
ID.....{E3204003-83B3-4D12-872D-C32A50F177D0}
TERM.....KG/M2

UNIT: KGS/HOUR

ABBREVIATION.....KGS/HOUR
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....kgs/hour

HELP_TEXT.....

ID.....{704F239F-CAAF-4F32-B705-62906403B874}

TERM.....KGS/HOUR

UNIT: KILOGRAM

ABBREVIATION.....kg

ACTIVE.....Yes

DESCRIPTION.....Metric measurement of weight

DISPLAY_NAME.....Kilogram

HELP_TEXT.....No Help Text

ID.....{0AC4E9AC-41CB-32EA-9674-74FDFAA6B4F4}

TERM.....KILOGRAM

UNIT: LITER

ABBREVIATION.....L

ACTIVE.....Yes

DESCRIPTION.....Volume, 1000 ml

DISPLAY_NAME.....Liter

HELP_TEXT.....No Help Text

ID.....{AFADB383-5867-4D7C-8ADB-E76782E5943D}

TERM.....LITER

UNIT: LITERS PER MINUTE

ABBREVIATION.....L/min
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L/min
HELP_TEXT.....No Help Text
ID.....{CFCD64D2-8555-8513-5DB0-F0522C19DCCF}
TERM.....LITERS PER MINUTE

UNIT: LITERS PER MINUTE PER METER2 (BSA)

ABBREVIATION.....L/min/m2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L/min/m2 (BSA)
HELP_TEXT.....No Help Text
ID.....{F033FDA0-C6D6-0D93-F836-C4A42708FDF2}
TERM.....LITERS PER MINUTE PER METER2 (BSA)

UNIT: MEWS: SCORE UNIT

ABBREVIATION.....MEWS-Score
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....MEWS: Score Unit

HELP_TEXT.....

ID.....{C640633E-785A-4ED3-8CD0-356A139ACF36}

TERM.....MEWS: SCORE UNIT

UNIT: MICROGRAMS

ABBREVIATION.....mcg

ACTIVE.....Yes

DESCRIPTION.....Micrograms

DISPLAY_NAME.....mcg

HELP_TEXT.....Micrograms

ID.....{5D2A9B6F-4DD1-48C6-B223-09CAF66A5A50}

TERM.....MICROGRAMS

UNIT: MICROGRAMS PER HOUR

ABBREVIATION.....mcg/hr

ACTIVE.....Yes

DESCRIPTION.....Micrograms per Hour

DISPLAY_NAME.....mcg/hr

HELP_TEXT.....Micrograms per Hour

ID.....{971A5FA5-2FD7-4ABD-9035-229B00DC484E}

TERM.....MICROGRAMS PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER HOUR

ABBREVIATION.....mcg/kg/hr

ACTIVE.....Yes

DESCRIPTION.....Micrograms per Kilogram per Hour

DISPLAY_NAME.....mcg/kg/hr

HELP_TEXT.....Micrograms per Kilogram per Hour

ID.....{E5C07334-6932-4329-88A9-2F56780C5DA9}

TERM.....MICROGRAMS PER KILOGRAM PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER MINUTE

ABBREVIATION.....mcg/kg/min

ACTIVE.....Yes

DESCRIPTION.....Micrograms per Kilogram per Minute

DISPLAY_NAME.....mcg/kg/min

HELP_TEXT.....Micrograms per Kilogram per Minute

ID.....{37423DE7-B103-456A-9B36-6C2FBBC55CBE}

TERM.....MICROGRAMS PER KILOGRAM PER MINUTE

UNIT: MICROGRAMS PER MINUTE

ABBREVIATION.....mcg/min

ACTIVE.....Yes

DESCRIPTION.....Micrograms per Minute

DISPLAY_NAME.....mcg/min

HELP_TEXT.....Micrograms per Minute

ID.....{BC684DBB-7DCC-4209-A773-D1243616BD69}

TERM.....MICROGRAMS PER MINUTE

UNIT: MICROGRAMS PER SHIFT

ABBREVIATION.....mcg/shift

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Micrograms per Shift

HELP_TEXT.....

ID.....{8FF15E2C-54DF-43C3-B5F1-C4AD323CE043}

TERM.....MICROGRAMS PER SHIFT

UNIT: MILLIAMPS

ABBREVIATION.....mA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mA

HELP_TEXT.....No Help Text

ID.....{5146A84A-C500-CB21-4718-0E5755691FD5}

TERM.....MILLIAMPS

UNIT: MILLIBAR

ABBREVIATION.....mBar
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Millibar
HELP_TEXT.....No Help Text
ID.....{DB8DBC26-6A46-4F2B-AD14-B6A8212F4FCA}
TERM.....MILLIBAR

UNIT: MILLIGRAMS

ABBREVIATION.....mg
ACTIVE.....Yes
DESCRIPTION.....Milligrams
DISPLAY_NAME.....mg
HELP_TEXT.....Milligrams
ID.....{E8CF6B0F-FA19-4F22-BA9D-6EBAA93D7D0D}
TERM.....MILLIGRAMS

UNIT: MILLIGRAMS PER HOUR

ABBREVIATION.....mg/hr
ACTIVE.....Yes
DESCRIPTION.....Milligrams per Hour
DISPLAY_NAME.....mg/hr

HELP_TEXT.....Milligrams per Hour

ID.....{1DCC6F14-E4FF-4BDC-ADBA-99192FB44BE7}

TERM.....MILLIGRAMS PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER HOUR

ABBREVIATION.....mg/kg/hr

ACTIVE.....Yes

DESCRIPTION.....Milligrams per Kilogram per Hour

DISPLAY_NAME.....mg/kg/hr

HELP_TEXT.....Milligrams per Kilogram per Hour

ID.....{6900F44E-3581-4558-83E2-76FB376D6711}

TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER MINUTE

ABBREVIATION.....mg/kg/min

ACTIVE.....Yes

DESCRIPTION.....Milligrams per Kilogram per Minute

DISPLAY_NAME.....mg/kg/min

HELP_TEXT.....Milligrams per Kilogram per Minute

ID.....{7C1C10C2-8B88-4F45-B667-0F988090CD47}

TERM.....MILLIGRAMS PER KILOGRAM PER MINUTE

UNIT: MILLIGRAMS PER MINUTE

ABBREVIATION.....mg/min
ACTIVE.....Yes
DESCRIPTION.....Milligrams per Minute
DISPLAY_NAME.....mg/min
HELP_TEXT.....Milligrams per Minute
ID.....{C5E49AC7-5671-4E84-8047-C7B78607CDA2}
TERM.....MILLIGRAMS PER MINUTE

UNIT: MILLIGRAMS PER SHIFT

ABBREVIATION.....mg/shift
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Milligrams Per Shift
HELP_TEXT.....
ID.....{518BC06B-84C0-48E3-8241-E123B7B4C642}
TERM.....MILLIGRAMS PER SHIFT

UNIT: MILLILITER

ABBREVIATION.....ml
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....ml

HELP_TEXT.....No Help Text

ID.....{EAF55107-F8D5-4F0A-6211-B4AB57A874B4}

TERM.....MILLILITER

UNIT: MILLILITERS PER BEAT

ABBREVIATION.....ml/beat

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ml/beat

HELP_TEXT.....No Help Text

ID.....{548699B0-98CF-2F0F-F289-415228AFAC42}

TERM.....MILLILITERS PER BEAT

UNIT: MILLILITERS PER BEAT PER METER SQUARE (BSA)

ABBREVIATION.....ml/beat/m2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ml/beat/m2(BSA)

HELP_TEXT.....No Help Text

ID.....{574CDB00-A831-EF35-4F2C-A98C0F58923F}

TERM.....MILLILITERS PER BEAT PER METER SQUARE

(BSA)

UNIT: MILLILITERS PER HOUR

ABBREVIATION.....ml/hr

ACTIVE.....Yes

DESCRIPTION.....ml/hr

DISPLAY_NAME.....ml/hr

HELP_TEXT.....No Help Text

ID.....{345899A8-9DED-418F-A53F-F8084A5601A1}

TERM.....MILLILITERS PER HOUR

UNIT: MILLILITERS PER KILOGRAM PER HOUR

ABBREVIATION.....ml kg hr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ml/kg/hour

HELP_TEXT.....No Help Text

ID.....{2F63C17C-8246-4466-9DC2-C5E5BE1777C2}

TERM.....MILLILITERS PER KILOGRAM PER HOUR

UNIT: MILLILITERS PER KILOGRAM PER MINUTE

ABBREVIATION.....ml kg mi

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ml/kg/min

HELP_TEXT.....No Help Text
ID.....{E564F111-8B23-404A-B610-7707A5B1195D}
TERM.....MILLILITERS PER KILOGRAM PER MINUTE

UNIT: MILLILITERS PER METER SQUARE (BSA)

ABBREVIATION.....mL/M2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mL/M2

HELP_TEXT.....No Help Text

ID.....{42C265B4-76B3-44FC-985F-EA1EFCEDA244}

TERM.....MILLILITERS PER METER SQUARE (BSA)

UNIT: MILLILITERS PER MINUTE

ABBREVIATION.....ml/min

ACTIVE.....Yes

DESCRIPTION.....Milliliters per Minute

DISPLAY_NAME.....ml/min

HELP_TEXT.....Milliliters per Minute

ID.....{25F4A228-D614-457A-9885-8F74D4596897}

TERM.....MILLILITERS PER MINUTE

UNIT: MILLILITERS PER MINUTE PER METER SQUARE

ABBREVIATION.....ml/min/m2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ml/min/m2(BSA)

HELP_TEXT.....No Help Text

ID.....{6404DFC7-F8B4-3C97-80EF-96627E9C0270}

TERM.....MILLILITERS PER MINUTE PER METER SQUARE

UNIT: MILLIMETERS

ABBREVIATION.....mm

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mm

HELP_TEXT.....No Help Text

ID.....{23F389B2-8308-91DC-2620-EDFFF07B14A5}

TERM.....MILLIMETERS

UNIT: MILLIMETERS OF MERCURY

ABBREVIATION.....mm/Hg

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mm Hg

HELP_TEXT.....No Help Text

ID.....{57CF7550-FD97-351E-DF60-56F8F68BE7C6}

TERM.....MILLIMETERS OF MERCURY

UNIT: MILLIVOLTS

ABBREVIATION.....mV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mV

HELP_TEXT.....No Help Text

ID.....{40B59357-C9F2-0E5C-DCD7-6C815811F90D}

TERM.....MILLIVOLTS

UNIT: MINUTE

ABBREVIATION.....Min

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Minute

HELP_TEXT.....No Help Text

ID.....{0AF0056E-0EB1-3712-6974-A0F5DC60010B}

TERM.....MINUTE

UNIT: MODIFIED ALDRETE SCORE

ABBREVIATION.....MOD ALD SC
ACTIVE.....Yes
DESCRIPTION.....Modified Aldrete Scoring System Unit
DISPLAY_NAME.....Modified Aldrete Score
HELP_TEXT.....Unit of measure for Aldrete Scoring
 System
ID.....{8D9A43E8-D4E6-4BBE-A8E6-72677342BC82}
TERM.....MODIFIED ALDRETE SCORE

UNIT: MONTH

ABBREVIATION.....Mo
ACTIVE.....Yes
DESCRIPTION.....Month of the year
DISPLAY_NAME.....Month
HELP_TEXT.....1 - 12
ID.....{8933A469-2D06-D3DA-C2C4-A8FB3DD894D6}
TERM.....MONTH

UNIT: MORSE SCORE

ABBREVIATION.....MORSE SCOR
ACTIVE.....Yes
DESCRIPTION.....Morse Score

DISPLAY_NAME.....Morse Score
HELP_TEXT.....Scale for recording Morse Score Values
ID.....{301282A4-2BC8-430A-853B-C817F9A61878}
TERM.....MORSE SCORE

UNIT: MULTIVOLTS

ABBREVIATION.....Multivolts
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Multivolts
HELP_TEXT.....No Help Text
ID.....{2882958B-C91D-4B8C-BEE7-382F3D7CCC49}
TERM.....MULTIVOLTS

UNIT: OUNCE

ABBREVIATION.....oz
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ounce
HELP_TEXT.....No Help Text
ID.....{642336FB-7BC9-A1D5-99E5-05447DAD3B75}
TERM.....OUNCE

UNIT: PAINAD SCALE

ABBREVIATION.....PAINAD SC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PAINAD Scale
HELP_TEXT.....No Help Text
ID.....{D6CE83BB-3DBE-4E94-9E91-E21C07A12CAD}
TERM.....PAINAD SCALE

UNIT: PERCENTAGE

ABBREVIATION.....%
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Percentage
HELP_TEXT.....No Help Text
ID.....{0B3163CE-2C5C-B196-DBBE-A1BC6A970B2A}
TERM.....PERCENTAGE

UNIT: POINTS

ABBREVIATION.....POINTS
ACTIVE.....Yes
DESCRIPTION.....Points
DISPLAY_NAME.....Points

HELP_TEXT.....No Help Text

ID.....{A41F9244-F8A9-4CBD-AD62-32165D77414B}

TERM.....POINTS

UNIT: POUND

ABBREVIATION.....lb

ACTIVE.....Yes

DESCRIPTION.....US measurement of Weight

DISPLAY_NAME.....Pound

HELP_TEXT.....No Help Text

ID.....{F9CBB050-E809-52FF-6C2D-51B7E9557F98}

TERM.....POUND

UNIT: QUAD LUMEN CATHETER

ABBREVIATION.....QUAD LUMEN

ACTIVE.....Yes

DESCRIPTION.....Quad Lumen Catheter

DISPLAY_NAME.....Quad Lumen Catheter

HELP_TEXT.....No Help Text

ID.....{C894DDF4-5976-4435-B0E4-70EC7A909565}

TERM.....QUAD LUMEN CATHETER

UNIT: RANGE

ABBREVIATION.....range

ACTIVE.....Yes

DESCRIPTION.....Defines the minimum and maximum
values in a range

DISPLAY_NAME.....Range

HELP_TEXT.....No Help Text

ID.....{DD90689F-3B19-BC1D-1875-E9EAB08C9C9E}

TERM.....RANGE

UNIT: SCALE

ABBREVIATION.....SCALE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Scale

HELP_TEXT.....No Help Text

ID.....{57E423C4-98D9-0891-0982-0B84EFD2D132}

TERM.....SCALE

UNIT: SECOND

ABBREVIATION.....sec

ACTIVE.....Yes

DESCRIPTION.....Measurement of passage of time (1/60

of a minute)

DISPLAY_NAME.....Second

HELP_TEXT.....No Help Text

ID.....{82E7C9B1-38E7-D568-F42D-23F18AA08819}

TERM.....SECOND

UNIT: SEWS SCALE

ABBREVIATION.....SEWS SCALE

ACTIVE.....Yes

DESCRIPTION.....Severity Of Ethanol Withdrawl Scale

DISPLAY_NAME.....SEWS SCALE

HELP_TEXT.....Severity Of Ethanol Withdrawl Scale

ID.....{4C8DFD61-E4FB-4918-93B0-33DAAF4EF1D1}

TERM.....SEWS SCALE

UNIT: SI UNIT

ABBREVIATION.....SI UNITS

ACTIVE.....Yes

DESCRIPTION.....Unit of measure for Specific Gravity

DISPLAY_NAME.....SI Unit

HELP_TEXT.....No Help Text

ID.....{42C760F2-BBFC-4523-82C1-953CB41B4016}

TERM.....SI UNIT

UNIT: SQUARE METERS

ABBREVIATION.....M2
ACTIVE.....Yes
DESCRIPTION.....Surface area measured in square meters
DISPLAY_NAME.....Square Meters
HELP_TEXT.....Surface area measured in square meters
ID.....{5E49A34D-CC24-ABDA-7320-14071BA88781}
TERM.....SQUARE METERS

UNIT: STROKE WORK PER BEAT

ABBREVIATION.....gm-M/beat
ACTIVE.....Yes
DESCRIPTION.....Stroke Work Per Beat
DISPLAY_NAME.....gm-M / beat
HELP_TEXT.....Stroke Work Per Beat
ID.....{61721D2C-02BF-14AA-EB7F-602194924117}
TERM.....STROKE WORK PER BEAT

UNIT: STROKE WORK PER BEAT PER M2

ABBREVIATION.....gm-M/B/M2
ACTIVE.....Yes
DESCRIPTION.....STROKE WORK PER BEAT PER M2
DISPLAY_NAME.....gm-M / Beat / M2

HELP_TEXT.....Systemic Vascular Resistance Index
ID.....{900EBF1F-B706-0419-1697-58FE11257EF3}
TERM.....STROKE WORK PER BEAT PER M2

UNIT: UNITS

ABBREVIATION.....UNITS
ACTIVE.....Yes
DESCRIPTION.....Units
DISPLAY_NAME.....Units
HELP_TEXT.....Units
ID.....{7E9E6B8E-8B47-4B06-81FF-227E46707401}
TERM.....UNITS

UNIT: UNITS PER HOUR

ABBREVIATION.....units/hr
ACTIVE.....Yes
DESCRIPTION.....Units per Hour
DISPLAY_NAME.....units/hr
HELP_TEXT.....Units per Hour
ID.....{7AE61C6C-F8D9-4D6B-8A7C-AE07F93EB3D9}
TERM.....UNITS PER HOUR

UNIT: UNITS PER MINUTE

ABBREVIATION.....units/min
ACTIVE.....Yes
DESCRIPTION.....Units per Minute
DISPLAY_NAME.....Units/min
HELP_TEXT.....Units per Minute
ID.....{3C31F294-AD93-4509-908A-72F3995B01B9}
TERM.....UNITS PER MINUTE

UNIT: UNITS/kg/HOUR

ABBREVIATION.....UNkgHR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Units/kg/Hour
HELP_TEXT.....No Help Text
ID.....{89A25E97-A6B8-49B2-934F-797C80C80711}
TERM.....UNITS/kg/HOUR

UNIT: YEAR

ABBREVIATION.....yr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Year

HELP_TEXT.....No Help Text

ID.....{F800BBF4-BC4F-6F5D-BB28-BD3EB5ADC34D}

TERM.....YEAR

UNIT: mg/dl

ABBREVIATION.....mg/dl

ACTIVE.....Yes

DESCRIPTION.....Milligrams per deciliter

DISPLAY_NAME.....mg/dl

HELP_TEXT.....No Help Text

ID.....{796F843B-3EF5-4E9B-AAD6-254088D77FFB}

TERM.....mg/dl

UNIT: pH

ABBREVIATION.....pH

ACTIVE.....Yes

DESCRIPTION.....pH

DISPLAY_NAME.....pH

HELP_TEXT.....No Help Text

ID.....{EF524413-89B4-4ABA-BD68-1FC6713C623D}

TERM.....pH

0 (data).....	805
0 (q-pair).....	109, 410, 411, 412, 413, 414, 416, 494, 495, 657, 658, 659, 660, 661, 662, 663, 664, 666, 667
0 - ABSENT (data).....	817
0 - ABSENT (q-pair).....	120, 121, 128, 137, 163, 164, 209, 601
0 - ALERT (data).....	817
0 - ALERT (q-pair).....	394
0 - HR 51-100 (data).....	817
0 - HR 51-100 (q-pair).....	395
0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (data)....	817
0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (q-pair)..	362, 364, 366, 368, 370, 372, 374, 376, 378, 380
0 - INDEPENDENT - NO HELP PROVIDED (data).....	817
0 - INDEPENDENT - NO HELP PROVIDED (q-pair).....	360
0 - NO ANXIETY AT EASE (data).....	818
0 - NO ANXIETY AT EASE (q-pair).....	119
0 - NO NAUSEA/VOMITING (data).....	818
0 - NO NAUSEA/VOMITING (q-pair).....	122
0 - NO SETUP OR PHYSICAL HELP FROM STAFF (data).....	818
0 - NO SETUP OR PHYSICAL HELP FROM STAFF (q-pair).....	361, 363, 365, 367,

369, 371, 373, 375,

377, 379, 381

0 - NO SWEAT VISIBLE (data).....	818
0 - NO SWEAT VISIBLE (q-pair).....	124
0 - NO TREMOR (data).....	818
0 - NO TREMOR (q-pair).....	127
0 - NONE (data).....	819
0 - NONE (q-pair).....	125
0 - NORMAL ACTIVITY (data).....	819
0 - NORMAL ACTIVITY (q-pair).....	118
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (data).....	819
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (q-pair).....	123
0 - RR 9-14 (data).....	819
0 - RR 9-14 (q-pair).....	397
0 - SBP 101-199 (data).....	819
0 - SBP 101-199 (q-pair).....	399
0 - TEMP 36.1-38 C (data).....	820
0 - TEMP 36.1-38 C (q-pair).....	400
0 = 0 EXTREMITIES (data).....	820
0 = 0 EXTREMITIES (q-pair).....	25
0 = <90% (data).....	820
0 = <90% (q-pair).....	28
0 = ABSENT (data).....	820
0 = ABSENT (q-pair).....	432
0 = ABSENT PULSE (data).....	820
0 = ALERT (data).....	821
0 = ALERT (q-pair).....	431
0 = ANSWERS BOTH QUESTIONS CORRECTLY (data).....	821

0 = ANSWERS BOTH QUESTIONS CORRECTLY (q-pair).....	434
0 = APNEIC (data).....	821
0 = APNEIC (q-pair).....	29
0 = BP +/- 50% PREOP (data).....	821
0 = BP +/- 50% PREOP (q-pair).....	26
0 = NO ABNORMALITY (data).....	821
0 = NO ABNORMALITY (q-pair).....	429
0 = NO APHASIA (data).....	822
0 = NO APHASIA (q-pair).....	427
0 = NO DRIFT (data).....	822
0 = NO DRIFT (q-pair).....	435, 436
0 = NO VISUAL LOSS (data).....	822
0 = NO VISUAL LOSS (q-pair).....	439
0 = NORMAL (data).....	822
0 = NORMAL (q-pair).....	426, 428, 437
0 = NORMAL SYMMETRICAL MOVEMENT (data).....	822
0 = NORMAL SYMMETRICAL MOVEMENT (q-pair).....	430
0 = NOT RESPONDING (data).....	823
0 = NOT RESPONDING (q-pair).....	27
0 = PEFORMS BOTH TASKS CORRECTLY (data).....	823
0 = PEFORMS BOTH TASKS CORRECTLY (q-pair).....	433

- 1 -

1 (data).....	805
1 (q-pair).....	109, 190, 349, 494, 495, 659, 661, 716, 750

1 - HR 101-110 (data).....	823
1 - HR 101-110 (q-pair).....	395
1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (data)...	823
1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (q-pair).	124
1 - CANNOT DO SERIAL ADDITIONS (data).....	823
1 - CANNOT DO SERIAL ADDITIONS (q-pair).....	123
1 - HR 40-50 (data).....	824
1 - HR 40-50 (q-pair).....	395
1 - LESS THAN 45MLS/HR (data).....	824
1 - LESS THAN 45MLS/HR (q-pair).....	396
1 - MILD NAUSEA / NO VOMITING (data).....	824
1 - MILD NAUSEA / NO VOMITING (q-pair).....	122
1 - MILDLY ANXIOUS (data).....	824
1 - MILDLY ANXIOUS (q-pair).....	119
1 - NEW AGITATION CONFUSION (data).....	824
1 - NEW AGITATION CONFUSION (q-pair).....	394
1 - NO RESPONSE (data).....	825
1 - NO RESPONSE (q-pair).....	209, 210, 212
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (data).....	825
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (q-pair).....	127
1 - RESPONDS TO VOICE (data).....	825
1 - RESPONDS TO VOICE (q-pair).....	394
1 - RR 15-20 (data).....	825
1 - RR 15-20 (q-pair).....	397
1 - SBP 81-100 (data).....	825
1 - SBP 81-100 (q-pair).....	399
1 - SETUP HELP ONLY (data).....	826
1 - SETUP HELP ONLY (q-pair).....	361, 363, 365, 367,

	369, 371, 373, 375,
	377, 379, 381
1 - SUPERVISION - OVERSIGHT (data).....	826
1 - SUPERVISION - OVERSIGHT (q-pair).....	362, 364, 366, 368,
	370, 372, 374, 376,
	378, 380
1 - SUPERVISION - OVERSIGHT HELP ONLY (data).....	826
1 - SUPERVISION - OVERSIGHT HELP ONLY (q-pair).....	360
1 - TEMP 35.1-36 C (data).....	826
1 - TEMP 35.1-36 C (q-pair).....	400
1 - TEMP 38.1-38.5 C (data).....	826
1 - TEMP 38.1-38.5 C (q-pair).....	400
1 - VERY MILD (data).....	827
1 - VERY MILD (q-pair).....	121
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (data)..	827
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair)	120
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (data).....	827
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (q-pair)....	125
1 - VERY MILD SENSITIVITY (data).....	827
1 - VERY MILD SENSITIVITY (q-pair).....	128
1 - WEAK (data).....	827
1 - WEAK (q-pair).....	601
1 = 2 EXTREMITIES (data).....	828
1 = 2 EXTREMITIES (q-pair).....	25
1 = ANSWERS ONE QUESTION CORRECTLY (data).....	828
1 = ANSWERS ONE QUESTION CORRECTLY (q-pair).....	434
1 = AROUSABLE (data).....	828
1 = AROUSABLE (q-pair).....	27

1 = AWAKE AND ALERT (data).....	828
1 = AWAKE AND ALERT (q-pair).....	504
1 = BP +/- 20-49% PREOP (data).....	828
1 = BP +/- 20-49% PREOP (q-pair).....	26
1 = DRIFT (data).....	829
1 = DRIFT (q-pair).....	435, 436
1 = DYSPNEA (data).....	829
1 = DYSPNEA (q-pair).....	29
1 = MILD TO MODERATE APHASIA (data).....	829
1 = MILD TO MODERATE APHASIA (q-pair).....	427
1 = MILD TO MODERATE DYSARTHRIA (data).....	829
1 = MILD TO MODERATE DYSARTHRIA (q-pair).....	428
1 = MILD TO MODERATE SENSORY LOSS (data).....	829
1 = MILD TO MODERATE SENSORY LOSS (q-pair).....	437
1 = MINOR PARALYSIS (data).....	830
1 = MINOR PARALYSIS (q-pair).....	430
1 = NEEDS O2 (data).....	830
1 = NEEDS O2 (q-pair).....	28
1 = NOT ALERT, MINOR STIMULATION RESPONSE (data).....	830
1 = NOT ALERT, MINOR STIMULATION RESPONSE (q-pair).....	431
1 = PARTIAL GAZE PALSY (data).....	830
1 = PARTIAL GAZE PALSY (q-pair).....	426
1 = PARTIAL HEMIANOPIA (data).....	830
1 = PARTIAL HEMIANOPIA (q-pair).....	439
1 = PERFORMS ONE TASK CORRECTLY (data).....	831
1 = PERFORMS ONE TASK CORRECTLY (q-pair).....	433
1 = PRESENT IN ONE LIMB (data).....	831
1 = PRESENT IN ONE LIMB (q-pair).....	432

1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (data)	831
1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (q-pair)	429
1 HOUR (data)	831
1 HOUR (q-pair)	515
1+=PALPABLE, THREADY, EASILY OBLITERATED (data)	831
1- MILD ANXIOUS (data)	832
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (data)	832
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (q-pair)	118
1. DRY (data)	832
1. DRY (q-pair)	161
10 (data)	808
10 (q-pair)	21, 109, 349, 411, 494, 495, 716, 750
11 (data)	808
11 (q-pair)	349
12 (data)	808
12 (q-pair)	349
12.5 (data)	808
13 (data)	809
13.5 (data)	809
14 (data)	809
14.5 (data)	809
15 (data)	809
15 (q-pair)	410, 414, 416
15.5 (data)	810
16 (data)	810

16.5 (data).....	810
17 (data).....	810
17.5 (data).....	810
18 (data).....	811
18.5 (data).....	811
1800 CALORIE CONTROLLED (data).....	832
1800 CALORIE CONTROLLED (q-pair).....	151
1800 DIABETIC (data).....	832
1800 DIABETIC (q-pair).....	151
19 (data).....	811
19.5 (data).....	811
1:1 (data).....	833
1:1 (q-pair).....	146, 242, 245
1:1 OBSERVATION (data).....	833
1:1 OBSERVATION (q-pair).....	57
1:2 (data).....	833
1:2 (q-pair).....	146, 242, 245
1:3 (data).....	833
1:3 (q-pair).....	146, 242, 245
1:4 (data).....	833
1:4 (q-pair).....	146, 242, 245, 739
1:8 (data).....	834
1:8 (q-pair).....	146, 242, 245
1A + 2V (data).....	834
1A + 2V (q-pair).....	486
1A + 3V (data).....	834
1A + 3V (q-pair).....	486
1A +1V (data).....	834

1A +1V (q-pair).....486

- 2 -

2 (data).....805

2 (q-pair).....109, 118, 119, 122,
124, 127, 190, 349,
494, 495, 716, 750

2 - ABNORMAL EXTENSION FROM PAIN (data).....834

2 - ABNORMAL EXTENSION FROM PAIN (q-pair).....210

2 - ANSWERS NEITHER QUESTION CORRECTLY (data).....835

2 - ANSWERS NEITHER QUESTION CORRECTLY (q-pair).....434

2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....835

2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (data).....835

2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (q-pair)....123

2 - HR 0-39 (data).....835

2 - HR 0-39 (q-pair).....395

2 - HR 111-129 (data).....835

2 - HR 111-129 (q-pair).....395

2 - INCOMPREHENSIBLE SOUNDS (data).....836

2 - INCOMPREHENSIBLE SOUNDS (q-pair).....212

2 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....836

2 - LESS THAN 30MLS/HR (data).....836

2 - LESS THAN 30MLS/HR (q-pair).....396

2 - LIMITED ASSISTANCE (data).....836

2 - LIMITED ASSISTANCE (q-pair).....362, 364, 366, 368,
370, 372, 374, 376,
378, 380

2 - MILD (data).....	836
2 - MILD (q-pair).....	121
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	837
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair).....	120
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (data)..	837
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (q-pair)	125
2 - MILD SENSITIVITY (data).....	837
2 - MILD SENSITIVITY (q-pair).....	128
2 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	837
2 - NORMAL (data).....	837
2 - NORMAL (q-pair).....	601
2 - ONE PERSON PHYSICAL ASSIST (data).....	838
2 - ONE PERSON PHYSICAL ASSIST (q-pair).....	361, 363, 365, 367, 369, 371, 373, 375, 377, 379, 381
2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (data).....	838
2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (q-pair).....	360
2 - RESPONDS TO PAIN (data).....	838
2 - RESPONDS TO PAIN (q-pair).....	394
2 - RR 0-8 (data).....	838
2 - RR 0-8 (q-pair).....	397
2 - RR 21-29 (data).....	838
2 - RR 21-29 (q-pair).....	397
2 - SBP 200 OR MORE (data).....	839
2 - SBP 200 OR MORE (q-pair).....	399
2 - SBP 71-80 (data).....	839
2 - SBP 71-80 (q-pair).....	399
2 - TEMP 35.0 C OR LESS (data).....	839

2 - TEMP 35.0 C OR LESS (q-pair).....	400
2 - TEMP MORE THAN 38.6 C (data).....	839
2 - TEMP MORE THAN 38.6 C (q-pair).....	400
2 - TO PAIN (data).....	839
2 - TO PAIN (q-pair).....	209
2 = 4 EXTREMITIES (data).....	840
2 = 4 EXTREMITIES (q-pair).....	25
2 = BP +/- 20% PREOP (data).....	840
2 = BP +/- 20% PREOP (q-pair).....	26
2 = BREATHE FREELY (data).....	840
2 = BREATHE FREELY (q-pair).....	29
2 = COMPLETE HEMIANOPIA (data).....	840
2 = COMPLETE HEMIANOPIA (q-pair).....	439
2 = FORCED DEVIATION (data).....	840
2 = FORCED DEVIATION (q-pair).....	426
2 = FULLY AWAKE (data).....	841
2 = FULLY AWAKE (q-pair).....	27
2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (data)	841
2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (q-pair)	431
2 = ON ROOM AIR (data).....	841
2 = ON ROOM AIR (q-pair).....	28
2 = PARTIAL PARALYSIS (data).....	841
2 = PARTIAL PARALYSIS (q-pair).....	430
2 = PERFORMS NEITHER TASK CORRECTLY (data).....	841
2 = PERFORMS NEITHER TASK CORRECTLY (q-pair).....	433
2 = PRESENT IN TWO LIMBS (data).....	842

2 = PRESENT IN TWO LIMBS (q-pair).....	432
2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (data).....	842
2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (q-pair).....	429
2 = SEVERE APHASIA (data).....	842
2 = SEVERE APHASIA (q-pair).....	427
2 = SEVERE DYSARTHRIA (data).....	842
2 = SEVERE DYSARTHRIA (q-pair).....	428
2 = SEVERE TO TOTAL SENSORY LOSS (data).....	842
2 = SEVERE TO TOTAL SENSORY LOSS (q-pair).....	437
2 = SLIGHTLY DROWSY, EASILY AROUSED (data).....	843
2 = SLIGHTLY DROWSY, EASILY AROUSED (q-pair).....	504
2 = SOME EFFORT AGAINST GRAVITY (data).....	843
2 = SOME EFFORT AGAINST GRAVITY (q-pair).....	435, 436
2+=NORMAL, NOT EASILY OBLITERATED (data).....	843
2- MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	843
2. INTACT (data).....	843
2. INTACT (q-pair).....	161
2.0 CAL FORMULA (data).....	844
20 (data).....	811
20 (q-pair).....	193, 411, 413
20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (data).....	844
20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (q-pair)....	487
20.5 (data).....	812
20/100 (data).....	844
20/100 (q-pair).....	153
20/15 (data).....	844

20/15 (q-pair).....	153
20/20 (data).....	844
20/20 (q-pair).....	153
20/200 (data).....	845
20/200 (q-pair).....	153
20/25 (data).....	845
20/25 (q-pair).....	153
20/30 (data).....	845
20/30 (q-pair).....	153
20/300 (data).....	845
20/300 (q-pair).....	153
20/40 (data).....	845
20/40 (q-pair).....	153
20/400 (data).....	846
20/400 (q-pair).....	153
20/50 (data).....	846
20/50 (q-pair).....	153
20/60 (data).....	846
20/60 (q-pair).....	153
20/70 (data).....	846
20/70 (q-pair).....	153
20/80 (data).....	846
20/80 (q-pair).....	153
20/800 (data).....	847
20/800 (q-pair).....	153
2000 CALORIE CONTROLLED (data).....	847
2000 CALORIE CONTROLLED (q-pair).....	151
2000 DIABETIC (data).....	847

2000 DIABETIC (q-pair).....	151
21 (data).....	812
21 (q-pair).....	193
21.5 (data).....	812
22 (data).....	812
22 (q-pair).....	193
22.5 (data).....	812
2200 CALORIE CONTROLLED (data).....	847
2200 CALORIE CONTROLLED (q-pair).....	151
2200 DIABETIC (data).....	847
2200 DIABETIC (q-pair).....	151
23 (data).....	813
23 (q-pair).....	193
23.5 (data).....	813
24 (data).....	813
24 (q-pair).....	193
24.5 (data).....	813
2400 CALORIE CONTROLLED (data).....	848
2400 CALORIE CONTROLLED (q-pair).....	151
2400 DIABETIC (data).....	848
2400 DIABETIC (q-pair).....	151
25 (data).....	813
25 (q-pair).....	193, 412
25 PERCENT ALBUMIN (data).....	848
25 PERCENT ALBUMIN (prod).....	1260
25 PERCENT ALBUMIN (q-pair).....	133, 314, 322, 325
25.5 (data).....	814
26 (data).....	814

26 (q-pair).....	193
26.5 (data).....	814
27 (data).....	814
27 (q-pair).....	193
27.5 (data).....	814
28 (data).....	815
28 (q-pair).....	193
28.5 (data).....	815
29 (data).....	815
2:4 (data).....	848
2:4 (q-pair).....	739
2A (data).....	848
2A (q-pair).....	486
2A + 1V (data).....	849
2A + 1V (q-pair).....	486
2A + 2V (data).....	849
2A + 2V (q-pair).....	486
2V (data).....	849
2V (q-pair).....	486

- 3 -

3 - HR 130 OR MORE (data).....	849
3 - HR 130 OR MORE (q-pair).....	395
3 (data).....	805
3 (q-pair).....	109, 118, 119, 122, 124, 127, 190, 349, 494, 495, 657, 658,

660, 662, 663, 664,

666, 667, 716, 750

3 - ABNORMAL FLEXION FROM PAIN (data).....	849
3 - ABNORMAL FLEXION FROM PAIN (q-pair).....	210
3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	850
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (data).....	850
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (q-pair)....	123
3 - EXTENSIVE ASSISTANCE (data).....	850
3 - EXTENSIVE ASSISTANCE (q-pair).....	362, 364, 366, 368,
	370, 372, 374, 376,
	378, 380
3 - INAPPROPRIATE WORDS (data).....	850
3 - INAPPROPRIATE WORDS (q-pair).....	212
3 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	850
3 - LESS THAN 10MLS/HR (data).....	851
3 - LESS THAN 10MLS/HR (q-pair).....	396
3 - MODERATE (data).....	851
3 - MODERATE (q-pair).....	121
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (data)...	851
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (q-pair).	120
3 - MODERATE ITCHING PINS/NEEDLES BURNING (data).....	851
3 - MODERATE ITCHING PINS/NEEDLES BURNING (q-pair).....	125
3 - MODERATE SENSITIVITY (data).....	851
3 - MODERATE SENSITIVITY (q-pair).....	128
3 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	852
3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (data)...	852
3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (q-pair).	360
3 - RR 30 OR MORE (data).....	852

3 - RR 30 OR MORE (q-pair).....	397
3 - SBP 70 OR LESS (data).....	852
3 - SBP 70 OR LESS (q-pair).....	399
3 - STRONG (data).....	852
3 - STRONG (q-pair).....	601
3 - TO VERBAL COMMAND (data).....	853
3 - TO VERBAL COMMAND (q-pair).....	209
3 - TWO + PERSONS PHYSICAL ASSIST (data).....	853
3 - TWO + PERSONS PHYSICAL ASSIST (q-pair).....	361, 363, 365, 367, 369, 371, 373, 375, 377, 379, 381
3 - UNRESPONSIVE (data).....	853
3 - UNRESPONSIVE (q-pair).....	394
3 = BILATERAL HEMIANOPIA (data).....	853
3 = BILATERAL HEMIANOPIA (q-pair).....	439
3 = COMPLETE PARALYSIS (data).....	853
3 = COMPLETE PARALYSIS (q-pair).....	430
3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION (data).....	854
3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION (q-pair).....	504
3 = MUTE, GLOBAL APHASIA (data).....	854
3 = MUTE, GLOBAL APHASIA (q-pair).....	427
3 = NO EFFORT AGAINST GRAVITY (data).....	854
3 = NO EFFORT AGAINST GRAVITY (q-pair).....	435, 436
3 = UNRESPONSIVE (data).....	854
3 = UNRESPONSIVE (q-pair).....	431
3 WAY FOLEY (data).....	854

3 WAY FOLEY (q-pair).....	224
3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED (data)	855
3. CHANGED (data).....	855
3. CHANGED (q-pair).....	161
30 (data).....	815
30 (q-pair).....	410
31 (data).....	815
34 ml (data).....	855
34 ml (q-pair).....	237
3:4 (data).....	855
3:4 (q-pair).....	739

- 4 -

4 (data).....	805
4 (q-pair).....	21, 109, 190, 349, 494, 495, 716, 750
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	855
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (q-pair).....	124
4 - DISORIENTED AND CONVERSES (data).....	856
4 - DISORIENTED AND CONVERSES (q-pair).....	212
4 - DISORIENTED FOR PLACE OR PERSON (data).....	856
4 - DISORIENTED FOR PLACE OR PERSON (q-pair).....	123
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	856
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (q-pair).....	122
4 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	856
4 - MODERATE WITH PATIENTS ARMS EXTENDED (q-pair).....	127

4 - MODERATELY ANXIOUS (data).....	856
4 - MODERATELY ANXIOUS (q-pair).....	119
4 - MODERATELY FIDGETY AND RESTLESS (data).....	857
4 - MODERATELY FIDGETY AND RESTLESS (q-pair).....	118
4 - MODERATELY SEVERE (data).....	857
4 - MODERATELY SEVERE (q-pair).....	121
4 - MODERATELY SEVERE HALLUCINATIONS (data).....	857
4 - MODERATELY SEVERE HALLUCINATIONS (q-pair).....	120, 125, 128
4 - SPONTANEOUSLY (data).....	857
4 - SPONTANEOUSLY (q-pair).....	209
4 - TOTAL DEPENDENCE (data).....	857
4 - TOTAL DEPENDENCE (q-pair).....	360
4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (data)...	858
4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (q-pair).	362, 364, 366, 368, 370, 372, 374, 376, 378, 380
4 - WITHDRAWS FROM PAIN (data).....	858
4 - WITHDRAWS FROM PAIN (q-pair).....	210
4 = NO MOVEMENT (data).....	858
4 = NO MOVEMENT (q-pair).....	435, 436
4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION (data).....	858
4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION (q-pair).....	504
4 HOUR (data).....	858
4 HOUR (q-pair).....	515
4. REINFORCED (data).....	859
4. REINFORCED (q-pair).....	161

4.5 (data).....	806
4.5 (q-pair).....	21
40 ml (data).....	859
40 ml (q-pair).....	237
4:4 (data).....	859
4:4 (q-pair).....	739

- 5 -

5 (data).....	806
5 (q-pair).....	21, 109, 118, 119, 122, 124, 127, 190, 349, 494, 495, 716, 750
5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data)	859
5 - DRENCHING SWEAT (data).....	859
5 - LOCALIZES PAIN (data).....	860
5 - LOCALIZES PAIN (q-pair).....	210
5 - ORIENTED AND CONVERSES (data).....	860
5 - ORIENTED AND CONVERSES (q-pair).....	212
5 - SEVERE (data).....	860
5 - SEVERE (q-pair).....	121
5 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	860
5 - SEVERE HALLUCINATIONS (data).....	860
5 - SEVERE HALLUCINATIONS (q-pair).....	120, 125, 128
5 PERCENT ALBUMIN (data).....	861
5 PERCENT ALBUMIN (prod).....	1260

5 PERCENT ALBUMIN (q-pair).....	133, 314, 322, 325
5.5 (data).....	806
5.5 (q-pair).....	21

- 6 -

6 (data).....	806
6 (q-pair).....	21, 109, 118, 119, 122, 124, 127, 349, 494, 495, 716, 750
6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data)	861
6 - DRENCHING SWEAT (data).....	861
6 - EXTREMELY SEVERE HALLUCINATIONS (data).....	861
6 - EXTREMELY SEVERE HALLUCINATIONS (q-pair).....	120, 125, 128
6 - OBEYS COMMANDS (data).....	861
6 - OBEYS COMMANDS (q-pair).....	210
6 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	862
6 - VERY SEVERE (data).....	862
6 - VERY SEVERE (q-pair).....	121
6 HOUR (data).....	862
6 HOUR (q-pair).....	515
6 PERCENT HETASTARCH (data).....	862
6 PERCENT HETASTARCH (prod).....	1260
6 PERCENT HETASTARCH (q-pair).....	133, 314, 325
6.5 (data).....	806
6.5 (q-pair).....	21
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (data)	

.....	862
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (q-pair)	
.....	487

- 7 -

7 (data).....	807
7 (q-pair).....	21, 109, 349, 494,
	495, 716, 750
7 - ACUTE PANIC (data).....	863
7 - ACUTE PANIC (q-pair).....	119
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data)	
.....	863
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (q-pair)	
.....	122
7 - CONTINUOUS HALLUCINATIONS (data).....	863
7 - CONTINUOUS HALLUCINATIONS (q-pair).....	120, 125, 128
7 - DRENCHING SWEAT (data).....	863
7 - DRENCHING SWEAT (q-pair).....	124
7 - EXTREMELY SEVERE (data).....	863
7 - EXTREMELY SEVERE (q-pair).....	121
7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (data).	864
7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (q-pair)	
.....	118
7 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	864
7 - SEVERE EVEN WITH ARMS NOT EXTENDED (q-pair).....	127
7.5 (data).....	807
7.5 (q-pair).....	21, 244

8 (data).....	807
8 (q-pair).....	21, 109, 244, 349, 494, 495, 716, 750
8 - ACTIVITY DID NOT OCCUR (data).....	864
8 - ACTIVITY DID NOT OCCUR (q-pair).....	360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381
8 HOUR (data).....	864
8 HOUR (q-pair).....	515
8.5 (data).....	807
8.5 (q-pair).....	21, 244

9 (data).....	807
9 (q-pair).....	21, 109, 244, 349, 494, 495, 716, 750
9.5 (data).....	808
9.5 (q-pair).....	21, 244
99 (data).....	816
99 (q-pair).....	495

- + -

+1 = SLIGHT (data).....	816
+1 = SLIGHT (q-pair).....	163, 164
+2 = MODERATE (data).....	816
+2 = MODERATE (q-pair).....	163, 164
+3 = MARKED (data).....	816
+3 = MARKED (q-pair).....	163, 164
+4 = VERY MARKED (data).....	816
+4 = VERY MARKED (q-pair).....	163, 164

- A -

AAI (data).....	864
AAI (q-pair).....	477
AAIR (data).....	865
AAIR (q-pair).....	477
AAO (data).....	865
AAO (q-pair).....	477
ABDOMEN (loca).....	1179
ABDOMEN (q-pair).....	164, 495, 692
ABDOMEN BOWEL SOUNDS.....	1
ABDOMEN LLQ (loca).....	1179
ABDOMEN LLQ (q-pair).....	1, 495, 692
ABDOMEN LUQ (loca).....	1179
ABDOMEN LUQ (q-pair).....	1, 495, 692
ABDOMEN RLQ (loca).....	1179
ABDOMEN RLQ (q-pair).....	1, 495, 692

ABDOMEN RUQ (loca).....	1179
ABDOMEN RUQ (q-pair).....	1, 495, 692
ABDOMINAL (data).....	865
ABDOMINAL (loca).....	1180
ABDOMINAL (q-pair).....	117, 608
ABDOMINAL AORTA (loca).....	1180
ABDOMINAL AORTA (q-pair).....	79, 86
ABDOMINAL CONDITION.....	2
ABDOMINAL GIRTH.....	3
ABLE TO AMBULATE (data).....	865
ABLE TO AMBULATE (q-pair).....	487, 742
ABRASION (data).....	865
ABRASION (q-pair).....	801
ABSENT (data).....	866
ABSENT (q-pair).....	1, 74, 79, 86, 138, 155, 201, 203, 227, 355, 357, 652, 653, 654, 655, 743, 746, 747
ABSENT TO MINIMAL BLEEDING (data).....	866
ABSENT TO MINIMAL BLEEDING (q-pair).....	487
ACCELERATING (data).....	866
ACCELERATING (q-pair).....	775
ACHING (data).....	866
ACHING (q-pair).....	492
ACTIVE RANGE OF MOTION (data).....	866
ACTIVE RANGE OF MOTION (q-pair).....	12
ACTIVITIES OF DAILY LIVING (data).....	867

ACTIVITIES OF DAILY LIVING (q-pair).....	168
ACTIVITIES OF DAILY LIVING: WANDERING PREVENTION MEASURES	4
ACTIVITY - ABD PILLOW (task).....	1283
ACTIVITY - AMBULATE (task).....	1283
ACTIVITY - CONT. PASSIVE MOTION DEV. (task).....	1283
ACTIVITY - ELEVATE HEAD OF BED (task).....	1283
ACTIVITY - KNEE IMMOBILIZER (task).....	1283
ACTIVITY - ORIENT TO WARD (task).....	1284
ACTIVITY - RANGE OF MOTION EXERCISES (task).....	1284
ACTIVITY - SIT IN CHAIR (task).....	1284
ACTIVITY - TURN PATIENT (task).....	1284
ACTUAL (q-pair).....	169, 232, 600, 728, 751, 781, 783
ACTUAL (qual).....	1278
ADL - ACTIVITIES OF DAILY LIVING.....	5
ADL - AMBULATION ASSISTANCE.....	6
ADL - AMBULATION DISTANCE.....	7
ADL - BATH ASSIST (task).....	1284
ADL - BATH COMPLETE (task).....	1285
ADL - BATH PARTIAL (task).....	1285
ADL - BATH SELF (task).....	1285
ADL - BED MOBILITY.....	8
ADL - CATHETER CARE (task).....	1285
ADL - DRESSING.....	9
ADL - EATING.....	10
ADL - EMOTIONAL SUPPORT.....	11
ADL - FEED PATIENT (task).....	1285

ADL - ORAL HYGIENE (task).....	1286
ADL - OTHER ACTIVITY.....	12
ADL - REPOSITION.....	13
ADL - SHAVE (task).....	1286
ADL - SKIN CARE (task).....	1286
ADL - SPIRITUAL CARE.....	14
ADL - TURN (task).....	1286
ADL - VISITORS.....	15
ADL- ORAL CARE.....	16
ADMISSION (data).....	867
ADMISSION (q-pair).....	143, 796
ADMISSION DIAGNOSIS (data).....	867
ADULT (data).....	867
ADULT (meth).....	1232
ADULT (q-pair).....	64
ADULT CUFF (meth).....	1232
ADULT LARGE (data).....	867
ADULT LARGE (q-pair).....	64
ADULT SMALL (data).....	868
ADULT SMALL (q-pair).....	64
ADVANCED CARE PLANNING (data).....	868
ADVANCED CARE PLANNING (q-pair).....	168
AEROSOL/HUMIDIFIED MASK (meth).....	1232
AEROSOL/HUMIDIFIED MASK (q-pair).....	720
AFFECT.....	17
AFTER EXERCISE (meth).....	1232
AFTER EXERCISE (q-pair).....	63, 600, 609
AGENT CASHIER (data).....	868

AGENT CASHIER (q-pair).....	541
AGITATED (data).....	868
AGITATED (q-pair).....	56, 356
AGONAL (data).....	868
AGONAL (q-pair).....	84, 608
AGONIZING (data).....	869
AGONIZING (q-pair).....	492
AICD (data).....	869
AICD (q-pair).....	402
AIR FLOW DEVICE (data).....	869
AIR FLOW DEVICE (q-pair).....	779
AIR LEAK (data).....	869
AIR LEAK (q-pair).....	114
AIRBORNE (data).....	869
AIRBORNE (q-pair).....	338
AIRWAY ARTIFICIAL CUFF STATUS.....	18
AIRWAY ARTIFICIAL POSITION AT LIP/NOSE.....	19
AIRWAY ARTIFICIAL SIZE - FRENCH.....	20
AIRWAY ARTIFICIAL SIZE - MILLIMETERS.....	21
AIRWAY ARTIFICIAL TYPE.....	22
AIRWAY REFLEXES INTACT / SECRETIONS (data).....	870
AIRWAY REFLEXES INTACT / SECRETIONS (q-pair).....	487
ALARM PARAMETERS VERIFIED.....	23
ALARMS.....	24
ALARMS ON (data).....	870
ALARMS ON (q-pair).....	195
ALBUMIN (data).....	870
ALBUMIN (prod).....	1260

ALBUMIN (q-pair).....	325
ALCOHOL PORT PROTECTOR (data).....	870
ALCOHOL PORT PROTECTOR (q-pair).....	348
ALDRETE - ACTIVITY.....	25
ALDRETE - CIRCULATION.....	26
ALDRETE - CONSCIOUSNESS.....	27
ALDRETE - O2 SATURATION.....	28
ALDRETE - RESPIRATION.....	29
ALDRETE - TOTAL.....	30
ALDRETE SCORE 8 OR GREATER (data).....	870
ALDRETE SCORE 8 OR GREATER (q-pair).....	487
ALDRETE SCORE AT BASELINE (data).....	871
ALDRETE SCORE AT BASELINE (q-pair).....	487
ALERT (data).....	871
ALERT (q-pair).....	56, 356, 513
ALERT AND ORIENTED (data).....	871
ALERT AND ORIENTED (q-pair).....	152, 487
ALL DOWN (data).....	871
ALL DOWN (q-pair).....	668
ALL UP (data).....	871
ALL UP (q-pair).....	668
ALLERGY (data).....	872
ALLERGY (q-pair).....	40
ALLERGY WRISTBAND (data).....	872
ALLERGY WRISTBAND (q-pair).....	533
ALOPECIA PARTIAL (data).....	872
ALOPECIA PARTIAL (q-pair).....	226
ALOPECIA TOTAL (data).....	872

ALOPECIA TOTAL (q-pair).....	226
AMBER (data).....	872
AMBER (q-pair).....	159, 177, 216, 749,
	788
AMBU BAG (meth).....	1232
AMBU BAG (q-pair).....	721
AMBULATE AND ASSIST (data).....	873
AMBULATED (data).....	873
AMBULATED (q-pair).....	5
AMBULATORY CARE UNIT (data).....	873
AMBULATORY CARE UNIT (q-pair).....	489
AMPHOTERICIN B (prod).....	1260
AMPHOTERICIN B (q-pair).....	321
AMPUTEE (data).....	873
AMPUTEE (q-pair).....	601
ANALGESIA (data).....	873
ANALGESIA (q-pair).....	168
ANESTHESIA PLANNED.....	31
ANESTHESIOLOGIST (data).....	874
ANESTHESIOLOGIST (q-pair).....	584
ANGINAL (data).....	874
ANGINAL (q-pair).....	492
ANKLE (loca).....	1180
ANKLE (q-pair).....	117
ANNOYING (data).....	874
ANNOYING (q-pair).....	492
ANTECUBITAL (qual).....	1278
ANTI-EMBOLUS STOCKINGS KNEE HIGH (data).....	874

ANTI-EMBOLUS STOCKINGS KNEE HIGH (q-pair).....	162
ANTI-EMBOLUS STOCKINGS THIGH HIGH (data).....	874
ANTI-EMBOLUS STOCKINGS THIGH HIGH (q-pair).....	162
ANTI-MICROBIAL DRESSING (data).....	875
ANTI-MICROBIAL DRESSING (q-pair).....	97, 793
ANTIBIOTIC (prod).....	1261
ANTIBIOTIC (q-pair).....	321
ANTIBIOTIC OINTMENT (data).....	875
ANTIBIOTIC OINTMENT (q-pair).....	578
ANTIMICROBIAL DISK (data).....	875
ANTIMICROBIAL DISK (q-pair).....	793
ANURIC (data).....	875
ANURIC (q-pair).....	748
ANXIOUS (data).....	875
ANXIOUS (q-pair).....	56, 165
AOO (data).....	876
AOO (q-pair).....	477
APICAL (loca).....	1180
APICAL (q-pair).....	600
APNEA (data).....	876
APNEA (q-pair).....	404
APPEARANCE.....	32
APPEARS ASLEEP (data).....	876
APPEARS ASLEEP (q-pair).....	54, 513
APPLIANCE CHANGED (data).....	876
APPLIANCE CHANGED (q-pair).....	444
APPROPRIATE (data).....	876
APPROPRIATE (q-pair).....	32, 54

ARM BAND - ALLERGIES.....	33
ARM BAND - BLOOD TRANSFUSION IV.....	34
ARM BAND - DNR.....	35
ARM BAND - ELOPMENT.....	36
ARM BAND - HIGH FALL RISK.....	37
ARM BAND - PERSONAL MEDICAL ALERT.....	38
ARM BAND - WANDERER.....	39
ARM BANDS PRESENT.....	40
ARRHYTHMIA (data).....	877
ARRHYTHMIA (q-pair).....	404
ARTERIAL LINE (meth).....	1233
ARTERIAL LINE (q-pair).....	63, 150, 383, 384,

724

ARTERIAL LINE ALARMS ON.....	41
ARTERIAL LINE CARE (data).....	877
ARTERIAL LINE CARE (q-pair).....	348
ARTERIAL LINE CIRCULATION ASSESSED.....	42
ARTERIAL LINE DRESSING CHANGE.....	43
ARTERIAL LINE DRESSING TYPE.....	44
ARTERIAL LINE SITE CARE.....	45
ARTERIAL LINE SITE CONDITION.....	46
ARTERIAL LINE SIZE.....	47
ARTERIAL LINE WAVEFORM.....	48
ARTERIAL LINE ZEROED.....	49
ARTIFICIAL AIRWAY (data).....	877
ARTIFICIAL AIRWAY (q-pair).....	597
ARTIFICIAL VALVES (data).....	877
ARTIFICIAL VALVES (q-pair).....	402

ASA PHYSICAL STATUS.....	50
ASA PS 1 (data).....	877
ASA PS 1 (q-pair).....	50
ASA PS 2 (data).....	878
ASA PS 2 (q-pair).....	50
ASA PS 3 (data).....	878
ASA PS 3 (q-pair).....	50
ASA PS 4 (data).....	878
ASA PS 4 (q-pair).....	50
ASA PS 5 (data).....	878
ASA PS 5 (q-pair).....	50
ASEPTIC TECHNIQUE FOLLOWED (data).....	878
ASEPTIC TECHNIQUE FOLLOWED (q-pair).....	92
ASHEN (data).....	879
ASHEN (q-pair).....	679
ASLEEP AT ROUNDS (data).....	879
ASLEEP AT ROUNDS (q-pair).....	698
ASPIRATION (data).....	879
ASPIRATION (q-pair).....	217
ASSAULTIVE (data).....	879
ASSAULTIVE (q-pair).....	58, 131
ASSESSMENT - CO (task).....	1286
ASSESSMENT - COLLECT VITALS (task).....	1287
ASSESSMENT - DOPPLERS (task).....	1287
ASSESSMENT - FINGERSTICK BLOOD SUGAR (task).....	1287
ASSESSMENT - HEMODYNAMIC READINGS (task).....	1287
ASSESSMENT - I&O (task).....	1287
ASSESSMENT - NEURO CHECKS (task).....	1288

ASSESSMENT - NEUROVASCULAR CHECKS (task).....	1288
ASSESSMENT - PCA (task).....	1288
ASSESSMENT - PULSE OX (task).....	1288
ASSESSMENT - RESTRAINTS (task).....	1288
ASSESSMENT - TELEMETRY (task).....	1289
ASSESSMENT - WEIGHT (task).....	1289
ASSIGNED ONE TO ONE SITTER (data).....	879
ASSIGNED ONE TO ONE SITTER (q-pair).....	4
ASSIST CONTROL (data).....	880
ASSIST CONTROL (q-pair).....	760
ASSISTED (data).....	880
ASSISTED (q-pair).....	13, 16
ASSISTED VENTILATOR (meth).....	1233
ASSISTED VENTILATOR (q-pair).....	609, 720
ASYSTOLE (data).....	880
ASYSTOLE (q-pair).....	84
AT REST (meth).....	1233
AT REST (q-pair).....	63, 600, 609
ATRIAL (data).....	880
ATRIAL (q-pair).....	483
ATRIAL FIB/FLUTTER (data).....	880
ATRIAL FIB/FLUTTER (q-pair).....	84
ATRIAL FIBRILLATION (data).....	881
ATRIAL FIBRILLATION (q-pair).....	84
ATRIAL FLUTTER (data).....	881
ATRIAL FLUTTER (q-pair).....	84
AUSCULTATE (meth).....	1233
AUSCULTATE (q-pair).....	600

AUSCULTATION (data).....	881
AUSCULTATION (q-pair).....	217
AUTOLOGOUS (data).....	881
AUTOLOGOUS (q-pair).....	537
AV FISTULA (loca).....	1180
AV FISTULA (q-pair).....	600
AVF (data).....	881
AVF (q-pair).....	85
AVI (data).....	882
AVI (q-pair).....	477
AVL (data).....	882
AVL (q-pair).....	85
AVO (data).....	882
AVO (q-pair).....	477
AVOIDED LIGHT AND NOISE OVERSTIMULATION (data).....	882
AVOIDED LIGHT AND NOISE OVERSTIMULATION (q-pair).....	195
AVR (data).....	882
AVR (q-pair).....	85
AWAKE (data).....	883
AWAKE (q-pair).....	513
AXILLARY (loca).....	1181
AXILLARY (q-pair).....	728

- B -

BABINSKI.....	51
BACK (loca).....	1181
BACK (q-pair).....	495, 692

BACTERICIDAL (data).....	883
BACTERICIDAL (q-pair).....	578
BACTERIOSTATIC (data).....	883
BACTERIOSTATIC (q-pair).....	578
BACTERIOSTATIC WATER (prod).....	1261
BACTERIOSTATIC WATER (q-pair).....	321
BAG - CONTINUOUS (data).....	883
BAG - CONTINUOUS (q-pair).....	171
BAG - INTERMITTENT (data).....	883
BAG - INTERMITTENT (q-pair).....	171
BAG CHANGE (data).....	884
BAG CHANGE (q-pair).....	174
BAG CHANGED (data).....	884
BAG CHANGED (q-pair).....	348, 516
BAG/MASK & O2 SET UP (data).....	884
BAG/MASK & O2 SET UP (q-pair).....	406
BALSAM OF PERU (data).....	884
BALSAM OF PERU (q-pair).....	793
BARIATRIC FRAME (data).....	884
BARIATRIC FRAME (q-pair).....	699
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (data).....	885
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (q-pair)....	699
BARIATRIC PATIENT (data).....	885
BARIATRIC PATIENT (q-pair).....	575
BARRIERS TO LEARNING.....	52
BASAL RATE ONLY (data).....	885
BASAL RATE ONLY (q-pair).....	518
BATHROOM (data).....	885

BATHROOM (q-pair).....	55, 130
BATHROOM PRIVILEGES (data).....	885
BATHROOM PRIVILEGES (q-pair).....	12
BEATS PER MINUTE (unit).....	1299
BED (data).....	886
BED (meth).....	1233
BED (q-pair).....	781
BED EXIT ALARM (data).....	886
BED EXIT ALARM (q-pair).....	24, 615
BED POSITION.....	53
BEDREST (data).....	886
BEDREST (q-pair).....	12
BEDSIDE (data).....	886
BEDSIDE (q-pair).....	583
BEDSIDE COMMODE (data).....	886
BEDSIDE COMMODE (q-pair).....	89
BEHAVIOR.....	54
BEHAVIOR CURRENT LOCATION.....	55
BEHAVIOR OBSERVED.....	56
BEHAVIOR PRECAUTION LEVEL.....	57
BEHAVIOR PRECAUTION REASON.....	58
BIER BLOCK (data).....	887
BIER BLOCK (q-pair).....	31
BIGEMINY (data).....	887
BIGEMINY (q-pair).....	80
BILATERAL (data).....	887
BILATERAL ANKLES (loca).....	1181
BILATERAL ANKLES (q-pair).....	631, 633

BILATERAL FOOT (loca).....	1181
BILATERAL FOOT (q-pair).....	201
BILATERAL HAND (loca).....	1181
BILATERAL HAND (q-pair).....	227
BILATERAL LEG (loca).....	1182
BILATERAL LEG (q-pair).....	357, 631
BILATERAL NECK (loca).....	1182
BILATERAL NECK (q-pair).....	164
BILATERAL PERIPHERALS (loca).....	1182
BILATERAL PERIPHERALS (q-pair).....	600
BILATERAL WRIST (loca).....	1182
BILATERAL WRIST (q-pair).....	631, 632, 747
BIPAP (meth).....	1234
BIPAP (q-pair).....	721
BIPAP - RESPIRONICS (data).....	887
BIPAP - RESPIRONICS (q-pair).....	774
BIPAP - VISION (data).....	887
BIPAP - VISION (q-pair).....	774
BIPAP-CPAP (meth).....	1234
BIPAP-CPAP (q-pair).....	721
BIPAP-EXPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS.....	59
BIPAP-INSPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS....	60
BIPAP/CPAP (data).....	888
BIPAP/CPAP (q-pair).....	774
BIPHASIC POSITIVE AIRWAY PRESSURE (data).....	888
BIPHASIC POSITIVE AIRWAY PRESSURE (q-pair).....	760, 774
BISMUTH GAUZE (data).....	888
BISMUTH GAUZE (q-pair).....	793

BITE (data).....	888
BITE (q-pair).....	801
BITE BLOCK (data).....	888
BITE BLOCK (q-pair).....	22
BLACK (data).....	889
BLACK (q-pair).....	159, 177, 216, 715, 749, 784, 788
BLACK/NECROTIC (data).....	889
BLACK/NECROTIC (q-pair).....	567
BLADDER (loca).....	1182
BLADDER (meth).....	1234
BLADDER (q-pair).....	321, 495
BLADDER ASSESSMENT.....	61
BLADDER IRRIGATION (prod).....	1261
BLADDER IRRIGATION (q-pair).....	451
BLADDER SCAN (data).....	889
BLADDER SCAN (q-pair).....	89
BLADDER SCAN - DO NOT CHECK TOTAL OR SUBTOTALS.....	62
BLANCHED (data).....	889
BLANCHED (q-pair).....	46
BLAND (data).....	889
BLAND (q-pair).....	151
BLISTERING (data).....	890
BLISTERING (q-pair).....	801
BLOOD GLUCOSE MONITORING (data).....	890
BLOOD GLUCOSE MONITORING (q-pair).....	168
BLOOD PRESSURE.....	63
BLOOD PRESSURE (data).....	890

BLOOD PRESSURE (q-pair).....	408
BLOOD PRESSURE CUFF SIZE.....	64
BLOOD PRODUCT (prod).....	1261
BLOOD PRODUCT (q-pair).....	314
BLOOD STREAKED (data).....	890
BLOOD TRANSFUSION IV (data).....	890
BLOOD TRANSFUSION IV (q-pair).....	40
BLOODY (data).....	891
BLOODY (q-pair).....	110, 301, 569, 714
BLUE (data).....	891
BLUE (q-pair).....	788
BLUNTED (data).....	891
BLUNTED (q-pair).....	17
BLURRED VISION (data).....	891
BLURRED VISION (q-pair).....	188
BMI>35KG/M2 (data).....	891
BMI>35KG/M2 (q-pair).....	402
BODY SURFACE AREA.....	65
BONE (data).....	892
BOOST (data).....	892
BOOST (q-pair).....	176
BOOST PLUS (data).....	892
BOOST PLUS (q-pair).....	176
BORDERLINE REDUCED (data).....	892
BORDERLINE REDUCED (q-pair).....	353
BOTH ARMS (loca).....	1183
BOTH ARMS (q-pair).....	632
BOTH EYES (loca).....	1183

BOTH EYES (q-pair).....	602, 603
BOTH HANDS (loca).....	1183
BOTH HANDS (q-pair).....	164
BOTH LEGS (loca).....	1183
BOTH LEGS (q-pair).....	137, 164, 633
BOWEL MOVEMENT EVENT(S).....	66
BRACHIAL (loca).....	1183
BRACHIAL (q-pair).....	63, 600
BRACHIAL (qual).....	1278
BRADEN FRICTION AND SHEAR 1 PROBLEM (data).....	892
BRADEN FRICTION AND SHEAR 1 PROBLEM (q-pair).....	68
BRADEN SCALE (unit).....	1299
BRADEN SCALE ACTIVITY.....	67
BRADEN SCALE ACTIVITY 1 BEDFAST (data).....	893
BRADEN SCALE ACTIVITY 1 BEDFAST (q-pair).....	67
BRADEN SCALE ACTIVITY 2 CHAIRFAST (data).....	893
BRADEN SCALE ACTIVITY 2 CHAIRFAST (q-pair).....	67
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (data).....	893
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (q-pair)....	67
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (data).....	893
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (q-pair).....	67
BRADEN SCALE FRICTION AND SHEAR.....	68
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (data)	
.....	893
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (q-pair)	
.....	68
BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (data)	
.....	894

BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (q-pair)	
.....	68
BRADEN SCALE MOBILITY.....	69
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (data).....	894
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (q-pair)...	69
BRADEN SCALE MOBILITY 2 VERY LIMITED (data).....	894
BRADEN SCALE MOBILITY 2 VERY LIMITED (q-pair).....	69
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (data).....	894
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (q-pair).....	69
BRADEN SCALE MOBILITY 4 NO LIMITATION (data).....	894
BRADEN SCALE MOBILITY 4 NO LIMITATION (q-pair).....	69
BRADEN SCALE MOISTURE.....	70
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (data).....	895
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (q-pair).....	70
BRADEN SCALE MOISTURE 2 VERY MOIST (data).....	895
BRADEN SCALE MOISTURE 2 VERY MOIST (q-pair).....	70
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (data).....	895
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (q-pair)....	70
BRADEN SCALE MOISTURE 4 RARELY MOIST (data).....	895
BRADEN SCALE MOISTURE 4 RARELY MOIST (q-pair).....	70
BRADEN SCALE NUTRITION.....	71
BRADEN SCALE NUTRITION 1 VERY POOR (data).....	895
BRADEN SCALE NUTRITION 1 VERY POOR (q-pair).....	71
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (data)....	896
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (q-pair)..	71
BRADEN SCALE NUTRITION 3 ADEQUATE (data).....	896
BRADEN SCALE NUTRITION 3 ADEQUATE (q-pair).....	71
BRADEN SCALE NUTRITION 4 EXCELLENT (data).....	896

BRADEN SCALE NUTRITION 4 EXCELLENT (q-pair).....	71
BRADEN SCALE SENSORY PERCEPTION.....	72
BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (data)	
.....	896
BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (q-pair)	
.....	72
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (data)..	896
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (q-pair)	72
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (data)	
.....	897
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (q-pair)	
.....	72
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (data).	897
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (q-pair)	
.....	72
BRADEN SCALE TOTAL.....	73
BREAKDOWN (data).....	897
BREAKDOWN (q-pair).....	680
BREAKFAST (data).....	897
BREAKFAST (q-pair).....	382
BREATH SOUNDS.....	74
BREATHS PER MINUTE (unit).....	1299
BRIDGE PRESENT (data).....	897
BRIDGE PRESENT (q-pair).....	444
BRIGHT (data).....	898
BRIGHT (q-pair).....	17
BRISK (data).....	898
BRISK (q-pair).....	602

BROWN (data).....	898
BROWN (q-pair).....	159, 177, 216, 593,
	715, 749, 788
BRUISED (data).....	898
BRUISED (q-pair).....	679, 801
BRUIT (data).....	898
BRUIT (q-pair).....	1
BUCKS TRACTION (data).....	899
BUCKS TRACTION (q-pair).....	737
BULB (data).....	899
BULB (q-pair).....	158
BULB SUCTION (data).....	899
BULB SUCTION (q-pair).....	790
BULLET (data).....	899
BULLET (q-pair).....	801
BUPIVICAINE (data).....	899
BUPIVICAINE (q-pair).....	186
BURN (data).....	900
BURN (q-pair).....	801
BURNING (data).....	900
BURNING (q-pair).....	492
BY PROVIDER ORDER (data).....	900
BY PROVIDER ORDER (q-pair).....	467

- C -

C1 (data).....	900
C1 (q-pair).....	184, 185

C2 (data).....	900
C2 (q-pair).....	184, 185
C3 (data).....	901
C3 (q-pair).....	184, 185
C4 (data).....	901
C4 (q-pair).....	184, 185
C5 (data).....	901
C5 (q-pair).....	184, 185
CADEXOMER IODINE (data).....	901
CADEXOMER IODINE (q-pair).....	578
CALCIUM ALGINATE (data).....	901
CALCIUM ALGINATE (q-pair).....	578, 793
CALF (loca).....	1184
CALF (q-pair).....	117
CALL HOUSE OFFICER - BP DIASTOLIC (task).....	1289
CALL HOUSE OFFICER - BP SYSTOLIC (task).....	1289
CALL HOUSE OFFICER - PULSE (task).....	1289
CALL HOUSE OFFICER - RESPIRATORY RATE (task).....	1290
CALL HOUSE OFFICER - TEMP (task).....	1290
CALL LIGHT WITHIN REACH.....	75
CALM (data).....	902
CALM (q-pair).....	56
CALORIE (unit).....	1299
CANE (data).....	902
CANE (q-pair).....	6, 742
CANES (data).....	902
CANES (q-pair).....	742
CAPILLARY REFILL.....	76

CARDIAC (data).....	902
CARDIAC (q-pair).....	408
CARDIAC ABNORMAL BPM.....	77
CARDIAC ALARM PARAMETERS VERIFIED.....	78
CARDIAC BRUIT.....	79
CARDIAC CHAIR (data).....	902
CARDIAC CHAIR (q-pair).....	53
CARDIAC DIET (data).....	903
CARDIAC DIET (q-pair).....	151
CARDIAC ECTOPY.....	80
CARDIAC HEART SOUNDS.....	81
CARDIAC INDEX.....	82
CARDIAC MONITOR (meth).....	1234
CARDIAC OUTPUT.....	83
CARDIAC OUTPUT INJECTATE (data).....	903
CARDIAC OUTPUT INJECTATE (prod).....	1261
CARDIAC OUTPUT INJECTATE (q-pair).....	451
CARDIAC OUTPUT MONITOR (meth).....	1234
CARDIAC OUTPUT MONITOR (q-pair).....	106, 354, 358, 383, 588, 590, 599, 638, 639, 718, 719, 723
CARDIAC REPOSITION (data).....	903
CARDIAC REPOSITION (q-pair).....	13
CARDIAC RHYTHM.....	84
CARDIAC RHYTHM LEAD.....	85
CARDIAC THRILL.....	86
CARDIAC THRILL TIMING.....	87
CARDIO-RESP MONITOR (data).....	903

CARDIO-RESP MONITOR (q-pair).....	406
CARDIOLOGY PROCEDURE ROOM (data).....	903
CARDIOLOGY PROCEDURE ROOM (q-pair).....	583
CAREGIVER (data).....	904
CAREGIVER (q-pair).....	11
CAREGIVER STRESS (data).....	904
CAREGIVER STRESS (q-pair).....	168
CAROTID (loca).....	1184
CAROTID (q-pair).....	600
CASS ENDOTRACHEAL TUBE (data).....	904
CASS ENDOTRACHEAL TUBE (q-pair).....	22
CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (data)	
.....	904
CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (q-pair)	
.....	92
CATH SIZE DOCUMENTED (data).....	904
CATH SIZE DOCUMENTED (q-pair).....	92
CATHETER (data).....	905
CATHETER (meth).....	1235
CATHETER (q-pair).....	225
CATHETER (sche).....	1281
CATHETERIZATION TIME DOCUMENTED (data).....	905
CATHETERIZATION TIME DOCUMENTED (q-pair).....	92
CAUTI PREVENTION: GU CATHETER DISCONTINUED.....	88
CAUTI: ALTERNATIVES ATTEMPTED PRIOR TO CATH.....	89
CAUTI: CATHETER IN PLACE.....	90
CAUTI: INDICATIONS.....	91
CAUTI: INSERTION REQUIREMENTS.....	92

CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY.

.....	93
CELLULITIS (data).....	905
CELLULITIS (q-pair).....	801
CENTIMETER (unit).....	1299
CENTIMETERS H2O (unit).....	1300
CENTRAL ECG (data).....	905
CENTRAL ECG (q-pair).....	24
CENTRAL LINE ALARMS ON.....	94
CENTRAL LINE CHANGED.....	95
CENTRAL LINE DRESSING CHANGE.....	96
CENTRAL LINE DRESSING TYPE.....	97
CENTRAL LINE INSERTION MARK.....	98
CENTRAL LINE SITE CARE.....	99
CENTRAL LINE SITE CONDITION.....	100
CENTRAL LINE SIZE FRENCH.....	101
CENTRAL LINE SIZE GAUGE.....	102
CENTRAL LINE TYPE.....	103
CENTRAL LINE WAVEFORM.....	104
CENTRAL LINE ZEROED.....	105
CENTRAL VENOUS CATHETER (data).....	905
CENTRAL VENOUS CATHETER (q-pair).....	348, 516
CENTRAL VENOUS PRESSURE.....	106
CEREBRAL PERFUSION PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS	107
CERVICAL SPINAL PRECAUTIONS (data).....	906
CERVICAL SPINAL PRECAUTIONS (q-pair).....	12
CF: COUNTING FINGERS (data).....	906

CF: COUNTING FINGERS (q-pair).....	153
CHAIR (data).....	906
CHAIR (meth).....	1235
CHAIR (q-pair).....	12, 742, 781
CHANGED (data).....	906
CHANGED (q-pair).....	43, 96, 348
CHART VERIFIED CORRECT (data).....	906
CHART VERIFIED CORRECT (q-pair).....	533
CHEST (loca).....	1184
CHEST (q-pair).....	169, 495, 631, 634,
	692
CHEST EXPANSION.....	108
CHEST PAIN.....	109
CHEST TUBE (meth).....	1235
CHEST TUBE (prod).....	1262
CHEST TUBE (q-pair).....	452
CHEST TUBE DRAINAGE (prod).....	1262
CHEST TUBE DRAINAGE CHARACTERISTICS.....	110
CHEST TUBE DRAINAGE SUCTION TYPE.....	111
CHEST TUBE DRAINAGE SYSTEM REPLACED.....	112
CHEST TUBE DRESSING CHANGE.....	113
CHEST TUBE SITE ASSESSMENT.....	114
CHEST TUBE SUCTION (CM H2O).....	115
CHEYNE-STOKES (data).....	907
CHEYNE-STOKES (q-pair).....	608
CHIEF CONCERN/COMPLAINT.....	116
CIRCULATION CHECK (data).....	907
CIRCULATION CHECK (q-pair).....	630

CIRCUMFERENCE/GIRTH.....	117
CIWA SCALE (unit).....	1300
CIWA: AGITATION.....	118
CIWA: ANXIETY.....	119
CIWA: AUDITORY DISTURBANCES.....	120
CIWA: HEADACHE FULLNESS IN HEAD.....	121
CIWA: NAUSEA/VOMITING.....	122
CIWA: ORIENTATION AND CLOUDING OF SENSORIUM.....	123
CIWA: PAROXYSMAL SWEATS.....	124
CIWA: TACTILE DISTURBANCES.....	125
CIWA: TOTAL.....	126
CIWA: TREMOR.....	127
CIWA: VISUAL DISTURBANCES.....	128
CLAMPED (data).....	907
CLAMPED (q-pair).....	219
CLASS I (data).....	907
CLASS I (q-pair).....	359
CLASS II (data).....	907
CLASS II (q-pair).....	359
CLASS III (data).....	908
CLASS III (q-pair).....	359
CLASS IV (data).....	908
CLASS IV (q-pair).....	359
CLAY (data).....	908
CLAY (q-pair).....	159, 177, 216, 749,
	788
CLEAN (data).....	908
CLEAN (q-pair).....	46, 100, 144, 243,

	350, 469
CLEAR (data).....	908
CLEAR (q-pair).....	74, 159, 177, 216,
	301, 569, 593, 670,
	715, 748, 749
CLEAR LIQUID DIET (data).....	909
CLEAR LIQUID DIET (q-pair).....	151
CLEAR LIQUIDS (prod).....	1262
CLEAR LIQUIDS (q-pair).....	334
CLICK (data).....	909
CLICK (q-pair).....	81
CLINICAL ASSESSMENT (data).....	909
CLINICAL ASSESSMENT (q-pair).....	168
CLOSE OBSERVATION (data).....	909
CLOSE OBSERVATION (q-pair).....	57
CLOSE OBSERVATION BEHAVIOR.....	129
CLOSE OBSERVATION CURRENT LOCATION.....	130
CLOSE OBSERVATION REASON FOR PRECAUTION.....	131
CLOSED (data).....	909
CLOSED (q-pair).....	134
CLOSED SYSTEM (data).....	910
CLOSED SYSTEM (q-pair).....	171
CLOTHED SELF (data).....	910
CLOTHED SELF (q-pair).....	5
CLOTHING ROOM (data).....	910
CLOTHING ROOM (q-pair).....	540, 541
CLOTS (data).....	910
CLOTS (q-pair).....	714, 748

CLOUDY (data).....	910
CLOUDY (q-pair).....	301, 569, 670, 748
CLUBBING (data).....	911
CLUBBING (q-pair).....	421
CMS INTACT DISTAL TO SURGICAL SITE (data).....	911
CMS INTACT DISTAL TO SURGICAL SITE (q-pair).....	487
CNS (data).....	911
CNS (q-pair).....	584
CNS DEPRESSION (data).....	911
CNS DEPRESSION (q-pair).....	188
COCCYX (loca).....	1184
COCCYX (q-pair).....	495, 577, 692, 796
CODE CART IS ASSESSIBLE (data).....	911
CODE CART IS ASSESSIBLE (q-pair).....	406
CODE STATUS.....	132
COFFEE (prod).....	1262
COFFEE (q-pair).....	334
COFFEE GROUND (data).....	912
COGNITIVE IMPAIRMENT (data).....	912
COGNITIVE IMPAIRMENT (q-pair).....	52
COLD (data).....	912
COLD (q-pair).....	497, 692
COLLAGEN (data).....	912
COLLAGEN (q-pair).....	578
COLLOID (meth).....	1235
COLLOID (prod).....	1262
COLLOID (q-pair).....	314, 329
COLLOID TYPE.....	133

COLOR APPROPRIATE FOR ETHNICITY (data).....	912
COLOR APPROPRIATE FOR ETHNICITY (q-pair).....	419
COLORLESS (data).....	913
COLORLESS (q-pair).....	788
COLOSTOMY (data).....	913
COLOSTOMY (q-pair).....	445
COMA SCORE EYE.....	134
COMA SCORE MOTOR.....	135
COMA SCORE VERBAL.....	136
COMBATIVE (data).....	913
COMBATIVE (q-pair).....	56
COMFORT CARE (data).....	913
COMFORT CARE (q-pair).....	91
COMFORT MEASURES (data).....	913
COMFORT MEASURES (q-pair).....	195
COMMUNE (data).....	914
COMMUNE (q-pair).....	12
COMMUNICATION BARRIER (data).....	914
COMMUNICATION BARRIER (q-pair).....	165
COMMUNITY RESOURCES (data).....	914
COMMUNITY RESOURCES (q-pair).....	168
COMPLETE BATH (data).....	914
COMPLETE BATH (q-pair).....	5
COMPLIANCE (data).....	914
COMPLIANCE (q-pair).....	168
COMPR. HOSE SEQ. COMP. DEVICE.....	137
COMPUTED TOMOGRAPHY (meth).....	1235
COMPUTED TOMOGRAPHY (q-pair).....	352, 353

CONFUSED (data).....	915
CONFUSED (q-pair).....	136, 165, 356
CONFUSION (data).....	915
CONFUSION (q-pair).....	188, 521
CONNECTED TO DRAINAGE BAG (data).....	915
CONNECTED TO DRAINAGE BAG (q-pair).....	444
CONSISTENT WITH BODY TEMPERATURE (data).....	915
CONSISTENT WITH BODY TEMPERATURE (q-pair).....	692
CONSTANT (data).....	915
CONSTANT (q-pair).....	492, 493, 802
CONSTIPATION (data).....	916
CONSTIPATION (q-pair).....	188, 214, 714
CONSTRICTED (data).....	916
CONSTRICTED (q-pair).....	17
CONTACT (data).....	916
CONTACT (q-pair).....	338
CONTACTS (data).....	916
CONTACTS (q-pair).....	401
CONTEMPLATIVE (data).....	916
CONTEMPLATIVE (q-pair).....	167
CONTINENT (data).....	917
CONTINENT (q-pair).....	225, 751
CONTINUOUS (data).....	917
CONTINUOUS (q-pair).....	87, 158, 219, 221,

CONTINUOUS POSITIVE AIR PRESSURE (data).....	917
CONTINUOUS POSITIVE AIR PRESSURE (q-pair).....	760, 774
CONTINUOUS SUCTION (data).....	917

CONTINUOUS SUCTION (q-pair).....	111
CONTRACT CARE FACILITY (data).....	917
CONTRACT CARE FACILITY (q-pair).....	554
CONTRAST LEFT VENTRICULOGRAPHY (meth).....	1236
CONTRAST LEFT VENTRICULOGRAPHY (q-pair).....	352, 353
CONTROL MODE VENTILATION (data).....	918
CONTROL MODE VENTILATION (q-pair).....	760
CONTROLLED VENTILATOR (meth).....	1236
CONTROLLED VENTILATOR (q-pair).....	609
CONTUSION (data).....	918
CONTUSION (q-pair).....	801
COOL (data).....	918
COOL (q-pair).....	692
COOL CHEM PACK (data).....	918
COOL CHEM PACK (q-pair).....	779
COOLER THAN GENERAL BODY TEMPERATURE (data).....	918
COOLER THAN GENERAL BODY TEMPERATURE (q-pair).....	692
COOLER THAN OPPOSITE BODY PART (data).....	919
COOLER THAN OPPOSITE BODY PART (q-pair).....	692
COOLING BLANKET (data).....	919
COOLING BLANKET (q-pair).....	779
COOLING OFF (data).....	919
COOLING OFF (q-pair).....	780
COOLING ON (data).....	919
COOLING ON (q-pair).....	780
COOPERATIVE (data).....	919
COOPERATIVE (q-pair).....	56
COPIUS (data).....	920

COPIUS (q-pair).....	457, 592
CORE (loca).....	1184
CORE (q-pair).....	728
COUGH.....	138
CPAP.....	139
CPAP (meth).....	1236
CPAP (q-pair).....	721
CRACKLES (data).....	920
CRACKLES (q-pair).....	74
CRAMPING (data).....	920
CRAMPING (q-pair).....	214, 492
CREPITUS (data).....	920
CREPITUS (q-pair).....	114
CRNA (data).....	920
CRNA (q-pair).....	584
CRRT (meth).....	1236
CRRT (q-pair).....	316, 450
CRUSHING (data).....	921
CRUSHING (q-pair).....	492, 801
CRUTCH (data).....	921
CRUTCH (q-pair).....	742
CRUTCHES (data).....	921
CRUTCHES (q-pair).....	6, 742
CRYING (data).....	921
CRYING (q-pair).....	496
CRYOPRECIPITATE (prod).....	1263
CRYOPRECIPITATE (q-pair).....	314, 322
CRYSTALLOID (data).....	921

CRYSTALLOID (prod).....	1263
CRYSTALLOID (q-pair).....	314, 329
CSM: CENTRAL STEADY MAINTAINED (data).....	922
CSM: CENTRAL STEADY MAINTAINED (q-pair).....	153
CUBIC CENTIMETER (unit).....	1300
CUFF (meth).....	1236
CUFF (q-pair).....	150, 383, 384, 724
CUFF INFLATION CHECKED.....	140
CUFF-AUTOMATED (meth).....	1237
CUFF-AUTOMATED (q-pair).....	63
CUFF-MANUAL (meth).....	1237
CUFF-MANUAL (q-pair).....	63
CULTURAL (data).....	922
CULTURAL (q-pair).....	166
CVVHD (meth).....	1237
CVVHD (q-pair).....	316, 450
CYANOTIC (data).....	922
CYANOTIC (q-pair).....	419, 420, 679

- D -

D - DOPPLER (data).....	922
D - DOPPLER (q-pair).....	601
D10W ENTERAL NUTRITION (data).....	922
D10W ENTERAL NUTRITION (q-pair).....	176
D50W ENTERAL NUTRITION (data).....	923
D50W ENTERAL NUTRITION (q-pair).....	176
D5W ENTERAL NUTRITION (data).....	923

D5W ENTERAL NUTRITION (q-pair).....	176
D=DOPPLER (data).....	923
DAILY PLAN (data).....	923
DAILY PLAN (q-pair).....	168
DAKINS SOLUTION (prod).....	1263
DAKINS SOLUTION (q-pair).....	321
DAMPENED (data).....	923
DAMPENED (q-pair).....	48, 104, 464, 467,
	472
DANGLED (data).....	924
DANGLED (q-pair).....	12
DATE OF BIRTH (data).....	924
DATE OF BIRTH (q-pair).....	407
DAY (unit).....	1300
DAY ROOM (data).....	924
DAY ROOM (q-pair).....	55, 130
DDD (data).....	924
DDD (q-pair).....	477
DDDR (data).....	924
DDDR (q-pair).....	477
DDI (data).....	925
DDI (q-pair).....	477
DECELERATING (data).....	925
DECELERATING (q-pair).....	775
DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (data).....	925
DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (q-pair).....	537
DECREASED (data).....	925
DECREASED (q-pair).....	695

DECREASED ROM (data).....	925
DECREASED ROM (q-pair).....	423
DEEP (data).....	926
DEEP (q-pair).....	492, 608
DEGREES (ANGLE) (unit).....	1300
DEGREES C (unit).....	1301
DEGREES F (unit).....	1301
DELIRIOUS (data).....	926
DELIRIOUS (q-pair).....	356
DENIES HAVING SLEPT (data).....	926
DENIES HAVING SLEPT (q-pair).....	698
DENIES NEED (data).....	926
DENIES NEED (q-pair).....	167
DENTAL (data).....	926
DENTAL (q-pair).....	583
DENTAL IMPLANTS (data).....	927
DENTAL IMPLANTS (q-pair).....	141
DENTIST (data).....	927
DENTIST (q-pair).....	584
DENTURES.....	141
DENTURES (data).....	927
DENTURES (q-pair).....	401
DESCRIP (data).....	927
DEVIATION LEFT (data).....	927
DEVIATION LEFT (q-pair).....	732
DEVIATION RIGHT (data).....	928
DEVIATION RIGHT (q-pair).....	732
DEVICE RELATED PRESSURE (data).....	928

DEVICE RELATED PRESSURE (q-pair).....	575
DEVICE RELEASE (data).....	928
DEVICE RELEASE (q-pair).....	630
DIABETES (data).....	928
DIABETES (q-pair).....	402
DIABETIC/VASCULAR ULCER (data).....	928
DIABETIC/VASCULAR ULCER (q-pair).....	801
DIAGNOSIS.....	142
DIAGNOSIS TYPE.....	143
DIAGNOSIS/HEALTH STATUS (data).....	929
DIAGNOSIS/HEALTH STATUS (q-pair).....	168
DIALYSIS (data).....	929
DIALYSIS (meth).....	1237
DIALYSIS (q-pair).....	103
DIALYSIS CATHETER (meth).....	1237
DIALYSIS CATHETER SITE CONDITION.....	144
DIALYSIS DRESSING TYPE.....	145
DIALYSIS RATIO.....	146
DIALYSIS: ARTERIAL PRESSURE.....	147
DIALYSIS: UFR (ULTRAFILTRATION RATE).....	148
DIALYSIS: VENOUS PRESSURE.....	149
DIAPHORETIC (data).....	929
DIAPHORETIC (q-pair).....	687
DIARRHEA (data).....	929
DIARRHEA (q-pair).....	214, 714
DIASTOLIC (data).....	929
DIASTOLIC (q-pair).....	87
DIASTOLIC PRESSURE.....	150

DIET.....	151
DIFFICULT TO AROUSE (data).....	930
DIFFICULT TO AROUSE (q-pair).....	513
DILATED (data).....	930
DILATED (q-pair).....	602
DILUTE DAKINS SOLUTION (data).....	930
DILUTE DAKINS SOLUTION (q-pair).....	578
DILUTE SODIUM HYPOCHLORITE SOLUTION (data).....	930
DIMINISHED (data).....	930
DIMINISHED (q-pair).....	74
DISCHARGE (data).....	931
DISCHARGE (q-pair).....	143, 168, 796
DISCHARGE ACTIVITIES.....	152
DISCHARGE MEDS PLANNED (data).....	931
DISCHARGE MEDS PLANNED (q-pair).....	152
DISCHARGE ORDER ON CHART (data).....	931
DISCHARGE ORDER ON CHART (q-pair).....	152
DISCOLORATION (data).....	931
DISCOLORATION (q-pair).....	420, 674
DISCOMFORT (data).....	931
DISCOMFORT (q-pair).....	46, 100, 144, 243, 350, 469
DISCONTINUED (data).....	932
DISCONTINUED (q-pair).....	348, 516, 656
DISEASE PROCESS (data).....	932
DISEASE PROCESS (q-pair).....	168
DISHEVELED (data).....	932
DISHEVELED (q-pair).....	32

DISORIENTED (data).....	932
DISORIENTED (q-pair).....	627
DISORIENTED TO PERSON (data).....	932
DISORIENTED TO PERSON (q-pair).....	442
DISORIENTED TO PLACE (data).....	933
DISORIENTED TO PLACE (q-pair).....	442
DISORIENTED TO SITUATION (data).....	933
DISORIENTED TO SITUATION (q-pair).....	442
DISORIENTED TO TIME (data).....	933
DISORIENTED TO TIME (q-pair).....	442
DISTAL PORT (data).....	933
DISTAL PORT (q-pair).....	349
DISTANCE VISION.....	153
DISTENDED (data).....	933
DISTENDED (q-pair).....	2, 424
DIVERSION (data).....	934
DIVERSION (q-pair).....	751
DO (data).....	934
DO (q-pair).....	642
DO NOT INTUBATE (data).....	934
DO NOT INTUBATE (q-pair).....	40
DO NOT PROCESS.....	154
DO NOT RESUSCITATE (data).....	934
DO NOT RESUSCITATE (q-pair).....	40, 132
DONE (data).....	934
DONE (q-pair).....	16
DONOR SITE (loca).....	1185
DONOR SITE (q-pair).....	308

DOO (data).....	935
DOO (q-pair).....	477
DOPPLER (meth).....	1238
DOPPLER (q-pair).....	63, 150, 600, 724
DORSALIS PEDIS (loca).....	1185
DORSALIS PEDIS (q-pair).....	600
DORSI FLEXION.....	155
DOUBLE (data).....	935
DOUBLE (q-pair).....	103
DOUBLE LUMEN CATHETER (meth).....	1238
DOWN (data).....	935
DRAIN DRESSING CHANGE.....	156
DRAIN SUCTION CM H2O.....	157
DRAIN SUCTION TYPE.....	158
DRAINAGE CHARACTERISTICS.....	159
DRAINAGE FLOW IS UNOBSTRUCTED (data).....	935
DRAINAGE FLOW IS UNOBSTRUCTED (q-pair).....	92
DRAINAGE SYSTEM REPLACED.....	160
DRESSING (data).....	935
DRESSING (q-pair).....	602, 785
DRESSING CHANGE.....	161
DRESSING CHANGED (data).....	936
DRESSING CHANGED (q-pair).....	348, 516
DRESSING WITH PRESCRIPTION RX (data).....	936
DRESSINGS CHECKED (data).....	936
DRESSINGS CHECKED (q-pair).....	152
DROPLET (data).....	936
DROPLET (q-pair).....	338

DROWSY (data).....	936
DROWSY (q-pair).....	56, 356, 513
DRY (data).....	937
DRY (q-pair).....	43, 96, 419, 672, 687, 781
DRY (qual).....	1278
DRY AND INTACT (data).....	937
DRY SHAMPOO (data).....	937
DRY SHAMPOO (q-pair).....	5
DRY STERILE DRESSING (data).....	937
DULL (data).....	937
DULL (q-pair).....	492
DUMPING SYNDROME (data).....	938
DUMPING SYNDROME (q-pair).....	151
DUODENOSTOMY (data).....	938
DUODENOSTOMY (q-pair).....	170
DUSKY (data).....	938
DUSKY (q-pair).....	679
DVI (data).....	938
DVI (q-pair).....	477
DVT PROPHYLAXIS.....	162
DYE PRESENT (data).....	938
DYE PRESENT (q-pair).....	749
DYNE * SECONDS / CM(-5) * M2 (unit).....	1301
DYNE * SECONDS / CM(-5) / M2 (unit).....	1301
DYNE-SEC/CM5 (unit).....	1301
DYSPHAGIA (data).....	939
DYSPHAGIA (q-pair).....	40

DYSPHAGIA PHASE I (data).....	939
DYSPHAGIA PHASE I (q-pair).....	151
DYSPHAGIA STAGE II (data).....	939
DYSPHAGIA STAGE II (q-pair).....	151
DYSPHAGIA STAGE III (data).....	939
DYSPHAGIA STAGE III (q-pair).....	151
DYSPHAGIA STAGE IV (data).....	939
DYSPHAGIA STAGE IV (q-pair).....	151
DYSPHAGIA STAGE V (data).....	940
DYSPHAGIA STAGE V (q-pair).....	151
DYSPNEIC (data).....	940
DYSPNEIC (q-pair).....	608
DYSURIA (data).....	940
DYSURIA (q-pair).....	751

- E -

EAGER TO LEARN (data).....	940
EAGER TO LEARN (q-pair).....	167
EASY TO AROUSE (data).....	940
EASY TO AROUSE (q-pair).....	513
ECCHYMOSIS (data).....	941
ECCHYMOSIS (q-pair).....	679
ECHOCARDIOGRAPHY (meth).....	1238
ECHOCARDIOGRAPHY (q-pair).....	352, 353
EDEMA AMOUNT.....	163
EDEMA SEVERITY.....	164
EDUCATION - BARRIERS.....	165

EDUCATION - BELIEFS.....	166
EDUCATION - READINESS TO LEARN.....	167
EDUCATION - TOPIC.....	168
EF RESIDUAL (prod).....	1263
EF RESIDUAL (q-pair).....	451
EKG LEAD.....	169
ELASTIC WRAP (data).....	941
ELASTIC WRAP (q-pair).....	162
ELBOW PAD (data).....	941
ELBOW PAD (q-pair).....	574
ELECTRIC (data).....	941
ELECTRIC (q-pair).....	492
ELECTROCARDIOGRAM (meth).....	1238
ELECTROCARDIOGRAM (q-pair).....	600, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 734, 735
ELECTROCARDIOGRAM TRACE 1 (meth).....	1238
ELECTROCARDIOGRAM TRACE 1 (q-pair).....	600
ELECTROCARDIOGRAM TRACE 2 (meth).....	1239
ELECTROCARDIOGRAM TRACE 2 (q-pair).....	600
ELEMENTAL FORMULA (data).....	941
ELEMENTAL FORMULA (prod).....	1263
ELEMENTAL FORMULA (q-pair).....	314
ELIMINATED ENVIRONMENTAL HAZARDS (data).....	942
ELIMINATED ENVIRONMENTAL HAZARDS (q-pair).....	195
ELOPEMENT (data).....	942
ELOPEMENT (q-pair).....	40, 58, 131

EMERGENCY (data).....	942
EMERGENCY (q-pair).....	50
EMERGENCY DEPARTMENT (data).....	942
EMERGENCY DEPARTMENT (q-pair).....	192, 489
EMERGENCY DEPT (data).....	942
EMERGENCY DEPT (q-pair).....	583
EMESIS (prod).....	1264
EMESIS (q-pair).....	453
EMOTIONAL (data).....	943
EMOTIONAL (q-pair).....	165
END OF LIFE CARE (data).....	943
END OF LIFE CARE (q-pair).....	575
END-TIDAL CO2 MONITOR (data).....	943
END-TIDAL CO2 MONITOR (q-pair).....	406
ENSURE PLUS (data).....	943
ENSURE PLUS (q-pair).....	176
ENTERAL FEEDING / SUPPLEMENT (meth).....	1239
ENTERAL FEEDING / SUPPLEMENT (q-pair).....	314
ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (data)....	943
ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (q-pair)..	168
ENTERAL FEEDING PUMP (data).....	944
ENTERAL FEEDING PUMP (q-pair).....	168
ENTERAL FEEDING TUBE (meth).....	1239
ENTERAL FEEDING TUBE (q-pair).....	314
ENTERAL FEEDING TUBE TYPE.....	170
ENTERAL NUTRITION DELIVERY METHOD.....	171
ENTERAL NUTRITION LINE TRACED.....	172
ENTERAL NUTRITION RATE.....	173

ENTERAL NUTRITION SYSTEM MAINTENANCE.....	174
ENTERAL NUTRITION TUBE PLACEMENT VERIFIED.....	175
ENTERAL NUTRITION TYPE.....	176
ENTERAL TUBE ASPIRATE COLOR.....	177
ENTERAL TUBE ASPIRATE PH.....	178
ENTERAL TUBE MEDICATION ADMINISTRATION (data).....	944
ENTERAL TUBE MEDICATION ADMINISTRATION (q-pair).....	168
ENTERAL TUBE RESIDUAL VOLUME.....	179
ENTERAL TUBE SITE CONDITION CHECKED.....	180
ENTERAL TUBE/STOMA CARE (data).....	944
ENTERAL TUBE/STOMA CARE (q-pair).....	168
ENVIRONMENT (data).....	944
ENVIRONMENT (q-pair).....	168
ENZYMATIC OINTMENT (data).....	944
ENZYMATIC OINTMENT (q-pair).....	578
EPICARDIAL LEADS (data).....	945
EPICARDIAL LEADS (q-pair).....	483
EPIDURAL (data).....	945
EPIDURAL (q-pair).....	31
EPIDURAL PUMP (data).....	945
EPIDURAL PUMP (q-pair).....	168
EPIDURAL: BOLUS (ML).....	181
EPIDURAL: CATHETER SITE.....	182
EPIDURAL: CONTINUOUS RATE (ML/HR).....	183
EPIDURAL: DERMATOME SENSORY LEVEL - LEFT.....	184
EPIDURAL: DERMATOME SENSORY LEVEL - RIGHT.....	185
EPIDURAL: MEDICATION.....	186
EPIDURAL: RESERVOIR VOLUME REMAINING.....	187

EPIDURAL: SIDE EFFECTS.....	188
EPIDURAL: TOTAL VOLUME GIVEN.....	189
EPITHELIALIZATION (data).....	945
EPITHELIALIZATION (q-pair).....	795
EQUAL (data).....	945
EQUAL (q-pair).....	357, 747
EQUIPMENT (data).....	946
EQUIPMENT (q-pair).....	168
ER EMERGENCY SEVERITY INDEX.....	190
ER TRIAGE CONDITION.....	191
ER TRIAGE DISPOSITION.....	192
ERYTHEMA (data).....	946
ERYTHEMA (q-pair).....	674
ESCAPE (data).....	946
ESCAPE (q-pair).....	58, 131
ESCHAR (data).....	946
ESCHAR (q-pair).....	795
ESTABLISHED ROUTINE TOILETING SCHEDULE (data).....	946
ESTABLISHED ROUTINE TOILETING SCHEDULE (q-pair).....	195
ESTIMATED (q-pair).....	232, 302, 457, 600, 728, 781, 783
ESTIMATED (qual).....	1278
ESTIMATED BY ARM SPAN (q-pair).....	232
ESTIMATED BY ARM SPAN (qual).....	1279
ET LOCATION.....	193
ETT REPOSITIONED (data).....	947
ETT REPOSITIONED (q-pair).....	16
ETT RETAPED/SECURED (data).....	947

ETT RETAPED/SECURED (q-pair).....	16
EVENT(S) (unit).....	1302
EVENTS PER HOUR (unit).....	1302
EWALD TUBE (data).....	947
EWALD TUBE (q-pair).....	220
EXPIRATORY WHEEZES (data).....	947
EXPIRATORY WHEEZES (q-pair).....	74
EXTENDED PERIOD OF IMMOBILITY (data).....	947
EXTENDED PERIOD OF IMMOBILITY (q-pair).....	188
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (data)	948
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair)	682
EXTENDS AROUND INCISION MORE THAN 1 CM (data).....	948
EXTENDS AROUND INCISION MORE THAN 1 CM (q-pair).....	682
EXTENDS AROUND INCISION NONE (data).....	948
EXTENDS AROUND INCISION NONE (q-pair).....	682
EXTENDS INTO PERIWOUND <1CM (data).....	948
EXTENDS INTO PERIWOUND <1CM (q-pair).....	306
EXTENDS INTO PERIWOUND>1CM (data).....	948
EXTENDS INTO PERIWOUND>1CM (q-pair).....	306
EXTENDS TO PAIN (data).....	949
EXTENDS TO PAIN (q-pair).....	135
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (data)	949
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair)	683
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (data)	

.....	949
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (q-pair)	
.....	683
EXTENSION AROUND WOUND LIMITED TO WOUND (data).....	949
EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair).....	683
EXTENSION AROUND WOUND NONE (data).....	949
EXTENSION AROUND WOUND NONE (q-pair).....	683
EXTENSIVE ASSISTANCE (data).....	950
EXTENSIVE ASSISTANCE (q-pair).....	8, 9, 10
EXTERNAL CATHETER (data).....	950
EXTERNAL CATHETER (meth).....	1239
EXTERNAL CATHETER (q-pair).....	224, 458, 751
EXTERNAL CONDOM CATH (data).....	950
EXTERNAL CONDOM CATH (q-pair).....	89
EXTREMELY DRY (data).....	950
EYE CLOSED (data).....	950
EYE CLOSED (q-pair).....	602
EYEGLASSES (data).....	951
EYEGLASSES (q-pair).....	401

- F -

FACE (loca).....	1185
FACE (q-pair).....	164, 495, 692
FACE TENT (meth).....	1239
FACE TENT (q-pair).....	720
FACE WASH (data).....	951
FACE WASH (q-pair).....	5

FALL PRECAUTIONS.....	194
FALL PREVENTION.....	195
FALL RISK ID (data).....	951
FALL RISK ID (q-pair).....	195
FALL RISK SIGN (data).....	951
FALL RISK SIGN (q-pair).....	195
FAMILY (data).....	951
FAMILY (q-pair).....	11, 540, 541
FAMILY INFORMED (data).....	952
FAMILY INFORMED (q-pair).....	409, 613
FAMILY INSTRUCTED (data).....	952
FAMILY INSTRUCTED (q-pair).....	444
FAMILY NEEDS (data).....	952
FAMILY NEEDS (q-pair).....	168
FAMILY ORIENTED TO UNIT.....	196
FAMILY STATED (data).....	952
FAMILY STATED (q-pair).....	533
FAMILY/FRIEND (data).....	952
FAMILY/FRIEND (q-pair).....	741
FASCIA (data).....	953
FAT RESTRICTED 50 GM DIET (data).....	953
FAT RESTRICTED 50 GM DIET (q-pair).....	151
FECAL FAT TEST DIET (data).....	953
FECAL FAT TEST DIET (q-pair).....	151
FECES (prod).....	1264
FEET (loca).....	1185
FEET (q-pair).....	164
FEMORAL (loca).....	1185

FEMORAL (q-pair).....	63, 600
FENTANYL (data).....	953
FENTANYL (q-pair).....	186
FETAL HEART TONES.....	197
FFP (prod).....	1264
FFP (q-pair).....	314, 322
FFP - THAWED (prod).....	1264
FFP - THAWED (q-pair).....	314, 322
FHWN1 (data).....	953
FIBER FORMULA (data).....	954
FIBER STAT (data).....	954
FIBER STAT (q-pair).....	176
FIBRINOUS (data).....	954
FIBRINOUS (q-pair).....	795
FINANCIAL CONCERNS (data).....	954
FINANCIAL CONCERNS (q-pair).....	168
FINGERSTICK GLUCOSE.....	198
FIRM (data).....	954
FIRM (q-pair).....	2
FIRST DEGREE AV BLOCK (data).....	955
FIRST DEGREE AV BLOCK (q-pair).....	84
FIXED (data).....	955
FIXED (q-pair).....	602
FLAT (data).....	955
FLAT (q-pair).....	2, 17, 424
FLATULENCE (data).....	955
FLATULENCE (q-pair).....	1
FLATUS.....	199

FLEXION TO PAIN (data).....	955
FLEXION TO PAIN (q-pair).....	135
FLICKER OF CONTRACTION (data).....	956
FLICKER OF CONTRACTION (q-pair).....	417
FLOTATION BED (data).....	956
FLOTATION BED (q-pair).....	699
FLOWSHEET ADDENDUM.....	200
FLUCTUANCE (data).....	956
FLUCTUATES (data).....	956
FLUCTUATES (q-pair).....	114
FLUSHED (data).....	956
FLUSHED (q-pair).....	348, 679
FOAM AIR HEEL ELEVATOR (data).....	957
FOAM AIR HEEL ELEVATOR (q-pair).....	574
FOAM DRESSING (data).....	957
FOAM DRESSING (q-pair).....	793
FOLEY (data).....	957
FOLEY (q-pair).....	224
FOLLOWS COMMANDS (data).....	957
FOLLOWS COMMANDS (q-pair).....	356
FOOT (unit).....	1302
FOOT CARE (data).....	957
FOOT CARE (q-pair).....	5
FOOT DOWN (data).....	958
FOOT DOWN (q-pair).....	668
FOOT STRENGTH.....	201
FOOT UP (data).....	958
FOOT UP (q-pair).....	668

FOREHEAD (loca).....	1186
FOREHEAD (q-pair).....	577
FORMULA - HIGH FIBER (prod).....	1264
FORMULA - PROBALANCE (prod).....	1265
FORMULA 1.5 CAL (prod).....	1265
FORMULA 1.5 CAL (q-pair).....	314
FORMULA 2.0 CAL (prod).....	1265
FORMULA 2.0 CAL (q-pair).....	314
FORMULA D10W ENTERAL NUTRITION (prod).....	1265
FORMULA D50W ENTERAL NUTRITION (prod).....	1265
FORMULA D5W ENTERAL NUTRITION (prod).....	1266
FORMULA FIBER (prod).....	1266
FORMULA FIBER (q-pair).....	314
FOUL SMELLING (data).....	958
FOUL SMELLING (q-pair).....	572, 789
FOWLER'S (data).....	958
FOWLER'S (q-pair).....	13
FRANK BLOOD (data).....	958
FRANK BLOOD (q-pair).....	714
FRENCH (unit).....	1302
FREQUENT VERBAL REMINDERS (data).....	959
FREQUENT VERBAL REMINDERS (q-pair).....	619
FRIEND (data).....	959
FRIEND (q-pair).....	11, 540, 541, 543
FROM A NON-VA OUTSIDE FACILITY (data).....	959
FROM A NON-VA OUTSIDE FACILITY (q-pair).....	90
FROM ANOTHER UNIT (data).....	959
FROM ANOTHER UNIT (q-pair).....	90

FROM ANOTHER VA FACILITY (data).....	959
FROM ANOTHER VA FACILITY (q-pair).....	90
FROM CLC (data).....	960
FROM CLC (q-pair).....	90
FROM EMERGENCY DEPARTMENT (data).....	960
FROM EMERGENCY DEPARTMENT (q-pair).....	90
FROM HOME (data).....	960
FROM HOME (q-pair).....	90
FROM INTERVENTIONAL RADIOLOGY (data).....	960
FROM INTERVENTIONAL RADIOLOGY (q-pair).....	90
FROM MICU (data).....	960
FROM MICU (q-pair).....	90
FROM OPERATING ROOM (data).....	961
FROM OPERATING ROOM (q-pair).....	90
FROM SICU (data).....	961
FROM SICU (q-pair).....	90
FRONTAL (loca).....	1186
FULL CODE (data).....	961
FULL CODE (q-pair).....	132
FULL LIQUID (prod).....	1266
FULL LIQUID (q-pair).....	334
FULL LIQUID DIABETIC (data).....	961
FULL LIQUID DIABETIC (q-pair).....	151
FULL LIQUID DIET (data).....	961
FULL LIQUID DIET (q-pair).....	151
FULL LOWER (data).....	962
FULL LOWER (q-pair).....	141
FULL NAME (data).....	962

FULL NAME (q-pair).....	407
FULL SPINAL PRECAUTIONS (data).....	962
FULL SPINAL PRECAUTIONS (q-pair).....	12
FULL SSN (data).....	962
FULL SSN (q-pair).....	407
FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO (data)	962
FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE (data)	963
FULL UPPER (data).....	963
FULL UPPER (q-pair).....	141
FUNCTIONAL SECTION SET UP (data).....	963
FUNCTIONAL SECTION SET UP (q-pair).....	406
FUNDAL HEIGHT.....	202

- G -

GAG REFLEX.....	203
GAIT.....	204
GAIT BELT (data).....	963
GAIT BELT (q-pair).....	6
GASTRIC BYPASS CLEAR LIQUID (data).....	963
GASTRIC BYPASS CLEAR LIQUID (q-pair).....	151
GASTRIC BYPASS PUREED (data).....	964
GASTRIC BYPASS PUREED (q-pair).....	151
GASTRIC BYPASS REGULAR (data).....	964
GASTRIC BYPASS REGULAR (q-pair).....	151
GASTRIC DRAINAGE (prod).....	1266

GASTRIC DRAINAGE (q-pair).....	451
GASTRIC RESIDUAL AMOUNT DISCARDED.....	205
GASTRIC RESIDUAL CHECKED.....	206
GASTRIC RESIDUAL NOT DISCARDED.....	207
GASTRIC TUBE (data).....	964
GASTRIC TUBE (q-pair).....	170, 220
GASTRIC pH.....	208
GASTROINTESTINAL (loca).....	1186
GASTROINTESTINAL (q-pair).....	495
GASTROSTOMY FEEDING BUTTON (data).....	964
GASTROSTOMY FEEDING BUTTON (q-pair).....	220
GASTROSTOMY TUBE (data).....	964
GASTROSTOMY TUBE (q-pair).....	220
GAUGE (unit).....	1302
GAUZE (data).....	965
GAUZE (q-pair).....	97, 578, 793
GAUZE AND TAPE (data).....	965
GAUZE AND TAPE (q-pair).....	44, 240
GAUZE PACKING (data).....	965
GAUZE PACKING (q-pair).....	578, 793
GAUZE WRAP (data).....	965
GAUZE WRAP (q-pair).....	578, 793
GCS - EYE OPENING.....	209
GCS - MOTOR RESPONSE.....	210
GCS - TOTAL.....	211
GCS - VERBAL RESPONSE.....	212
GENERAL (data).....	965
GENERAL (q-pair).....	31

GENERAL HEALTH (data).....	966
GENERAL HEALTH (q-pair).....	168
GENERAL UMBILICUS (loca).....	1186
GENERAL UMBILICUS (q-pair).....	1
GENERALIZED (loca).....	1186
GENERALIZED (q-pair).....	164, 796
GENITAL ASSESSMENT.....	213
GENITALS (loca).....	1187
GENITALS (q-pair).....	796
GERI-CHAIR (data).....	966
GERI-CHAIR (q-pair).....	12, 129, 634
GI PROCEDURE ROOM (data).....	966
GI PROCEDURE ROOM (q-pair).....	583
GI SYMPTOMS.....	214
GI TUBE (meth).....	1240
GI TUBE DRAINAGE CHARACTERISTICS.....	215
GI TUBE DRAINAGE COLOR.....	216
GI TUBE PLACEMENT CONFIRMATION.....	217
GI TUBE SIZE.....	218
GI TUBE SUCTION TYPE.....	219
GI TUBE TYPE.....	220
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (data)	966
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (q-pair)	152
GLASGOW COMA SCALE (unit).....	1303
GLUCERNA 1.0 (data).....	966
GLUCERNA 1.0 (q-pair).....	176

GLUCERNA 1.2 (data).....	967
GLUCERNA 1.2 (q-pair).....	176
GLUCERNA DIABETIC (prod).....	1266
GLUTEN RESTRICTED (data).....	967
GLUTEN RESTRICTED (q-pair).....	151
GM-M/M2/BEAT (unit).....	1303
GNAWING (data).....	967
GNAWING (q-pair).....	492
GOLD (data).....	967
GOLD (q-pair).....	177
GOOD (data).....	967
GOOD (q-pair).....	695
GRAFTS (data).....	968
GRAFTS (q-pair).....	402
GRAMS PER HOUR (unit).....	1303
GRAMS PER MINUTE (unit).....	1303
GRANULATING (data).....	968
GRANULATING (q-pair).....	795
GRANULOCYTES PHERESIS (prod).....	1267
GRANULOCYTES PHERESIS (q-pair).....	314, 322
GRAVITY (data).....	968
GRAVITY (q-pair).....	111, 219
GRAY (data).....	968
GRAY (q-pair).....	784
GREEN (data).....	968
GREEN (q-pair).....	159, 177, 216, 593, 715, 749, 784, 788
GRIMACING (data).....	969

GRIMACING (q-pair).....	496
GROUP ROOM (data).....	969
GROUP ROOM (q-pair).....	55, 130
GU BLADDER IRRIGATION FREQUENCY.....	221
GU CATHETER CARE PERFORMED.....	222
GU CATHETER SIZE.....	223
GU CATHETER TYPE.....	224
GU PROCEDURE ROOM (data).....	969
GU PROCEDURE ROOM (q-pair).....	583
GU VOIDING.....	225
GUARDING (data).....	969
GUARDING (q-pair).....	2, 496
GURNEY CHAIR (data).....	969
GURNEY CHAIR (q-pair).....	12

- H -

HAIR CONDITION.....	226
HALL (data).....	970
HALL (q-pair).....	55, 130
HAND GRIP.....	227
HAND HYGIENE BEFORE AND AFTER (data).....	970
HAND HYGIENE BEFORE AND AFTER (q-pair).....	92
HANDOFF REPORT.....	228
HARD (data).....	970
HARD (q-pair).....	2, 672
HAS NOT SLEPT (data).....	970
HAS NOT SLEPT (q-pair).....	698

HEAD (loca).....	1187
HEAD (q-pair).....	117, 495, 692
HEAD CIRCUMFERENCE.....	229
HEAD DOWN (data).....	970
HEAD DOWN (q-pair).....	668
HEAD OCCIPITAL (loca).....	1187
HEAD OCCIPITAL (q-pair).....	577, 796
HEAD OF BED ELEVATION.....	230
HEAD UP (data).....	971
HEAD UP (q-pair).....	668
HEADACHE (data).....	971
HEADACHE (q-pair).....	188
HEALTH TECH (data).....	971
HEALTH TECH (q-pair).....	584
HEARING (data).....	971
HEARING (q-pair).....	165
HEARING AIDS (data).....	971
HEARING AIDS (q-pair).....	401
HEART (loca).....	1187
HEART (q-pair).....	86
HEARTBURN (data).....	972
HEARTBURN (q-pair).....	214
HEAT (data).....	972
HEAT (q-pair).....	497
HEAT CHEM PACK (data).....	972
HEAT CHEM PACK (q-pair).....	779
HEAT LAMP (data).....	972
HEAT LAMP (q-pair).....	779

HEAT/MOISTURE EXCHANGER PRESENT.....	231
HEAVY (data).....	972
HEAVY (q-pair).....	492, 681
HEEL LIFT (data).....	973
HEEL LIFT (q-pair).....	574
HEEL PILLOW (data).....	973
HEIGHT.....	232
HELMET (data).....	973
HELMET (q-pair).....	195
HEMATOMA (data).....	973
HEMATOMA (q-pair).....	679, 801
HEMATURIA (data).....	973
HEMATURIA (q-pair).....	748
HEME (prod).....	1267
HEME (q-pair).....	451
HEMODIALYSIS (meth).....	1240
HEMODIALYSIS (prod).....	1267
HEMODIALYSIS (q-pair).....	316, 450, 451
HEMORRHAGE (data).....	974
HEMORRHAGE (q-pair).....	420
HEMOVAC (data).....	974
HEMOVAC (meth).....	1240
HEMOVAC (q-pair).....	452, 790
HEPATIC FORMULA (data).....	974
HEPATIC FORMULA (prod).....	1267
HEPATIC FORMULA (q-pair).....	314
HEPLOCK (data).....	974
HEPLOCK (q-pair).....	348, 516

HIGH (data).....	974
HIGH (q-pair).....	53, 158, 219
HIGH CALORIE (data).....	975
HIGH CALORIE (q-pair).....	151
HIGH FALL RISK (data).....	975
HIGH FALL RISK (q-pair).....	40
HIGH FIBER (data).....	975
HIGH FIBER (q-pair).....	151
HIGH FOWLER'S (data).....	975
HIGH FOWLER'S (q-pair).....	13
HIGH PROTEIN (data).....	975
HIGH PROTEIN (q-pair).....	151
HIGH PROTEIN FORMULA (prod).....	1267
HIP (loca).....	1187
HIP (q-pair).....	117
HIP-PROTECTORS (data).....	976
HIP-PROTECTORS (q-pair).....	195
HIRSUTISM (data).....	976
HIRSUTISM (q-pair).....	226
HM: HAND MOTIONS (data).....	976
HM: HAND MOTIONS (q-pair).....	153
HOMANS SIGN.....	233
HOME (data).....	976
HOME (q-pair).....	489
HOME HEALTH (data).....	976
HOME HEALTH (q-pair).....	168
HOSTILE (data).....	977
HOSTILE (q-pair).....	56

HOT (data).....	977
HOT (q-pair).....	692
HOUR (unit).....	1303
HUMIDIFIER (data).....	977
HUMIDIFIER (q-pair).....	779
HYDRATION - DIET (task).....	1290
HYDRATION - HEPARIN DRIP (task).....	1290
HYDRATION - HYPERAL (task).....	1290
HYDRATION - IV FLUIDS (task).....	1291
HYDRATION - NPO (task).....	1291
HYDRATION - PERIPHERAL IV (task).....	1291
HYDRATION - PICC/CENTRAL LINE (task).....	1291
HYDRATION - SUPPLEMENT SNACK (task).....	1291
HYDRATION - TUBE FEEDING (task).....	1292
HYDROCOLLOIDAL DRESSING (data).....	977
HYDROCOLLOIDAL DRESSING (q-pair).....	578, 793, 800
HYDROFIBER (data).....	977
HYDROFIBER (q-pair).....	578
HYDROFIBER WITH SILVER (data).....	978
HYDROFIBER WITH SILVER (q-pair).....	578
HYDROGEL DRESSING (data).....	978
HYDROGEL DRESSING (q-pair).....	578, 793
HYDROMORPHONE (data).....	978
HYDROMORPHONE (q-pair).....	186
HYPERACTIVE (data).....	978
HYPERACTIVE (q-pair).....	1
HYPERDYNAMIC (data).....	978
HYPERDYNAMIC (q-pair).....	48, 104, 353, 464,

HYPERGRANULIZATION (data).....	979
HYPERGRANULIZATION (q-pair).....	795
HYPERTONIC HYDROGEL (data).....	979
HYPERTONIC HYDROGEL (q-pair).....	793
HYPOACTIVE (data).....	979
HYPOACTIVE (q-pair).....	1
HYPOALBUMINEMIA (data).....	979
HYPOALBUMINEMIA (q-pair).....	575
HYPOTENSION (data).....	979
HYPOTENSION (q-pair).....	188, 404, 521
HYPOXIA (data).....	980
HYPOXIA (q-pair).....	404

- I -

I (data).....	980
I (q-pair).....	85
I:E RATIO.....	234
IABP (data).....	980
IABP (meth).....	1240
IABP (q-pair).....	24, 384
IABP ASSISTED SYSTOLIC PRESSURE.....	235
IABP BAEDP.....	236
IABP BALLOON SIZE.....	237
IABP CATHETER FLUSH.....	238
IABP CIRCULATION ASSESSED.....	239
IABP DRESSING TYPE.....	240

IABP PEAK DIASTOLIC AUGMENTED PRESSURE.....	241
IABP RATIO.....	242
IABP SITE CONDITION.....	243
IABP SIZE.....	244
IABP TIMING.....	245
IABP TIMING CHECK.....	246
IABP UAEDP.....	247
IABP UNASSISTED SYSTOLIC PRESSURE.....	248
ICE PACK (data).....	980
ICE PACK (q-pair).....	779
ICTERIC (data).....	980
ICTERIC (q-pair).....	679
ICU (data).....	981
ICU (q-pair).....	489, 554, 583
ID BAND (data).....	981
ID BAND (q-pair).....	729
ID CARD (data).....	981
ID CARD (q-pair).....	729
IDENTIFICATION (data).....	981
IDENTIFICATION (q-pair).....	40
IDIOVENTRICULAR (data).....	981
IDIOVENTRICULAR (q-pair).....	84
II (data).....	982
II (q-pair).....	85
III (data).....	982
III (q-pair).....	85
ILEAL CONDUIT (data).....	982
ILEAL CONDUIT (meth).....	1240

ILEAL CONDUIT (q-pair).....	224, 458, 751
ILEAL-CONDUIT (data).....	982
ILEAL-CONDUIT (q-pair).....	445
ILEOSTOMY (data).....	982
ILEOSTOMY (q-pair).....	445
IMAGING (data).....	983
IMAGING (q-pair).....	489
IMPAIRED LISTENING SKILLS (data).....	983
IMPAIRED LISTENING SKILLS (q-pair).....	165
IMPLANTS (data).....	983
IMPLANTS (q-pair).....	402
INACTIVE - ARTERIAL LINE SITE.....	249
INACTIVE - ARTERIAL LINE TYPE.....	250
INACTIVE - AUDIOMETRY.....	251
INACTIVE - BISPECTRAL INDEX.....	252
INACTIVE - BODY MASS INDEX.....	253
INACTIVE - CARDIAC AV FISTULA BRUIT.....	254
INACTIVE - CATHETER TYPE.....	255
INACTIVE - CENTRAL LINE SITE.....	256
INACTIVE - CHEST TUBE DRESSING INTACT.....	257
INACTIVE - CHEST TUBE SITE.....	258
INACTIVE - COUGH AND DEEP BREATH EVENTS.....	259
INACTIVE - DATE.....	260
INACTIVE - DATE DAY.....	261
INACTIVE - DATE MONTH.....	262
INACTIVE - DATE YEAR.....	263
INACTIVE - DIALYSIS CATHETER SITE.....	264
INACTIVE - EDEMA LOCATION.....	265

INACTIVE - ENTERAL NUTRITION FORMULA.....	266
INACTIVE - GI EMESIS APPEARANCE.....	267
INACTIVE - HEARING.....	268
INACTIVE - IABP INSERTION SITE.....	269
INACTIVE - IABP SITE.....	270
INACTIVE - INCISION LOCATION.....	271
INACTIVE - INCISION SITE.....	272
INACTIVE - IV DOSE RATE.....	273
INACTIVE - IV FLUID.....	274
INACTIVE - IV INSERTION DATE.....	275
INACTIVE - IV SITE.....	276
INACTIVE - OR OUTPUT - CHEST TUBE.....	277
INACTIVE - OR OUTPUT - DRAIN.....	278
INACTIVE - OR OUTPUT - PUMP LOSS.....	279
INACTIVE - OR OUTPUT - URINE.....	280
INACTIVE - OSTOMY TYPE.....	281
INACTIVE - OXYGEN DELIVERED.....	282
INACTIVE - OXYGEN DELIVERY METHOD.....	283
INACTIVE - OXYGEN EXTRACTION RATIO.....	284
INACTIVE - PA CATHETER INSERTION DATE.....	285
INACTIVE - PA CATHETER SITE.....	286
INACTIVE - PACEMAKER DATE INSERTED.....	287
INACTIVE - PACEMAKER SITES.....	288
INACTIVE - PAIN LOCATION.....	289
INACTIVE - POST OPERATION DAY NUMBER.....	290
INACTIVE - PRESSURE ULCER SITE.....	291
INACTIVE - PRESSURE ULCER VISIBLE STRUCTURE.....	292
INACTIVE - PULSE OXIMETRY.....	293

INACTIVE - SKIN DISCHARGE COLOR.....	294
INACTIVE - SKIN DISCHARGE ODOR.....	295
INACTIVE - SKIN DRAINAGE CHARACTERISTICS.....	296
INACTIVE - VENTILATOR IN-LINE NEBULIZER.....	297
INACTIVE - WOUND SITE.....	298
INACTIVE - WOUND TOPICAL TREATMENT TYPE.....	299
INAPPROPRIATE (data).....	983
INAPPROPRIATE (q-pair).....	32, 54, 136
INCENTIVE SPIROMETRY.....	300
INCH (unit).....	1304
INCISION DISCHARGE CHARACTERISTICS.....	301
INCISION DISCHARGE CHARACTERISTICS BLOODY (data).....	983
INCISION DISCHARGE CHARACTERISTICS CLOUDY (data).....	984
INCISION DISCHARGE CHARACTERISTICS NONE (data).....	984
INCISION DISCHARGE CHARACTERISTICS PURULENT (data).....	984
INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data)	984
INCISION DISCHARGE CHARACTERISTICS SEROUS (data).....	984
INCISION DISCHARGE CHARACTERISTICS VISCOUS (data).....	985
INCISION DRAINAGE AMOUNT.....	302
INCISION DRAINAGE AMOUNT HEAVY (data).....	985
INCISION DRAINAGE AMOUNT HEAVY (q-pair).....	302
INCISION DRAINAGE AMOUNT MODERATE (data).....	985
INCISION DRAINAGE AMOUNT MODERATE (q-pair).....	302
INCISION DRAINAGE AMOUNT NONE (data).....	985
INCISION DRAINAGE AMOUNT NONE (q-pair).....	302
INCISION DRAINAGE AMOUNT SCANT (data).....	985
INCISION DRAINAGE AMOUNT SCANT (q-pair).....	302

INCISION DRAINAGE AMOUNT SMALL (data).....	986
INCISION DRAINAGE AMOUNT SMALL (q-pair).....	302
INCISION DRESSING PREVENTS ASSESSMENT.....	303
INCISION DRESSING TYPE.....	304
INCISION DRESSING TYPE ANTIMICROBIAL (data).....	986
INCISION DRESSING TYPE ANTIMICROBIAL (q-pair).....	304
INCISION DRESSING TYPE ANTIMICROBIAL DISK (data).....	986
INCISION DRESSING TYPE ANTIMICROBIAL DISK (q-pair).....	304
INCISION DRESSING TYPE BALSAM OF PERU (data).....	986
INCISION DRESSING TYPE BALSAM OF PERU (q-pair).....	304
INCISION DRESSING TYPE BISMUTH GAUZE (data).....	986
INCISION DRESSING TYPE BISMUTH GAUZE (q-pair).....	304
INCISION DRESSING TYPE CALCIUM ALGINATE (data).....	987
INCISION DRESSING TYPE CALCIUM ALGINATE (q-pair).....	304
INCISION DRESSING TYPE FOAM DRESSING (data).....	987
INCISION DRESSING TYPE FOAM DRESSING (q-pair).....	304
INCISION DRESSING TYPE GAUZE (data).....	987
INCISION DRESSING TYPE GAUZE (q-pair).....	304
INCISION DRESSING TYPE GAUZE PACKING (data).....	987
INCISION DRESSING TYPE GAUZE PACKING (q-pair).....	304
INCISION DRESSING TYPE GAUZE WRAP (data).....	987
INCISION DRESSING TYPE GAUZE WRAP (q-pair).....	304
INCISION DRESSING TYPE HYDROCOLLOIDAL (data).....	988
INCISION DRESSING TYPE HYDROCOLLOIDAL (q-pair).....	304
INCISION DRESSING TYPE HYDROGEL (data).....	988
INCISION DRESSING TYPE HYDROGEL (q-pair).....	304
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (data).....	988
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (q-pair).....	304

INCISION DRESSING TYPE NONE (data).....	988
INCISION DRESSING TYPE NONE (q-pair).....	304
INCISION DRESSING TYPE PRESSURE (data).....	988
INCISION DRESSING TYPE PRESSURE (q-pair).....	304
INCISION DRESSING TYPE TRANSPARENT (data).....	989
INCISION DRESSING TYPE TRANSPARENT (q-pair).....	304
INCISION EDGE.....	305
INCISION EDGE INDISTINCT/ATTACHED (data).....	989
INCISION EDGE INDISTINCT/ATTACHED (q-pair).....	305
INCISION EDGE NON-ATTACHED (data).....	989
INCISION EDGE NON-ATTACHED (q-pair).....	305
INCISION EDGE ROLLED (data).....	989
INCISION EDGE ROLLED (q-pair).....	305
INCISION EDGE TUNNELING (data).....	989
INCISION EDGE TUNNELING (q-pair).....	305
INCISION EDGE UNDERMINING (data).....	990
INCISION EDGE UNDERMINING (q-pair).....	305
INCISION ERYTHEMA.....	306
INCISION ODOR.....	307
INCISION ODOR FOUL (data).....	990
INCISION ODOR FOUL (q-pair).....	307
INCISION ODOR NONE (data).....	990
INCISION ODOR NONE (q-pair).....	307
INCISION PRESENT.....	308
INCISION STAPLES INTACT.....	309
INCISION SUTURES INTACT.....	310
INCISION TENDER TO PALPATION.....	311
INCISION WOUND CLOSURE APPROXIMATED (data).....	990

INCISION WOUND CLOSURE APPROXIMATED (q-pair).....	684
INCISION WOUND CLOSURE DEHISCENCE (data).....	990
INCISION WOUND CLOSURE DEHISCENCE (q-pair).....	684
INCISION WOUND CLOSURE GLUE (data).....	991
INCISION WOUND CLOSURE GLUE (q-pair).....	684
INCISION WOUND CLOSURE NOT CLOSED (data).....	991
INCISION WOUND CLOSURE NOT CLOSED (q-pair).....	684
INCISIONAL SITE (data).....	991
INCISIONAL SITE (loca).....	1188
INCISIONAL SITE (q-pair).....	164, 495
INCOMPREHENSIBLE (data).....	991
INCOMPREHENSIBLE (q-pair).....	136
INCONTENENCE DERMATITIS (data).....	991
INCONTENENCE DERMATITIS (q-pair).....	801
INCONTINENT (data).....	992
INCONTINENT (q-pair).....	225, 751
INCREASE ROUNDS (data).....	992
INCREASE ROUNDS (q-pair).....	195
INDEPENDENT (data).....	992
INDEPENDENT (q-pair).....	6, 8, 9, 10
INDICATES UNDERSTANDING (data).....	992
INDICATES UNDERSTANDING (q-pair).....	624, 629
INDIFFERENT (data).....	992
INDIFFERENT (q-pair).....	167
INDURATION (data).....	993
INDURATION (q-pair).....	674
INDWELLING CATHETER (data).....	993
INDWELLING CATHETER (meth).....	1241

INDWELLING CATHETER (q-pair).....	224, 458, 751
INEFFECTIVE COPING (data).....	993
INEFFECTIVE COPING (q-pair).....	56
INFECTION (data).....	993
INFECTION (q-pair).....	168
INFECTION PREVENTION AND SCREENING (data).....	993
INFECTION PREVENTION AND SCREENING (q-pair).....	168
INFLATABLE HEEL LIFT (data).....	994
INFLATABLE HEEL LIFT (q-pair).....	574
INFUSION SET CHANGED.....	312
INITIATED (data).....	994
INITIATED (q-pair).....	656
INSERTED THROUGH EXISTING INTRODUCER (data).....	994
INSERTED THROUGH EXISTING INTRODUCER (q-pair).....	95, 466
INSERTED THROUGH NEW INTRODUCER (data).....	994
INSERTED THROUGH NEW INTRODUCER (q-pair).....	95, 466
INSPIRATORY WHEEZES (data).....	994
INSPIRATORY WHEEZES (q-pair).....	74
INSULIN PUMP SQ INFUSION ON?.....	313
INTACT (data).....	995
INTACT (q-pair).....	43, 96, 652, 653, 654, 655, 680
INTAKE.....	314
INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER)..	315
INTAKE - DIALYSIS.....	316
INTAKE - EF/SUPPLEMENT CALORIES.....	317
INTAKE - ENTERAL FEEDING TUBE.....	318
INTAKE - ENTERAL TUBE FLUSH.....	319

INTAKE - GI TUBE.....	320
INTAKE - IRRIGATION.....	321
INTAKE - IV BLOOD PRODUCTS.....	322
INTAKE - IV CALORIES.....	323
INTAKE - IV CARDIAC OUTPUT INJECTATE.....	324
INTAKE - IV COLLOID.....	325
INTAKE - IV CRYSTALLOIDS.....	326
INTAKE - IV FLUID.....	327
INTAKE - IV MEDS.....	328
INTAKE - IV NUTRITION.....	329
INTAKE - LINE FLUSH.....	330
INTAKE - PCA VOLUME.....	331
INTAKE - PERCENT MEAL CONSUMED.....	332
INTAKE - PO CALORIES.....	333
INTAKE - PO FLUIDS.....	334
INTAKE - TPN CALORIES.....	335
INTAKE - TRANSFUSION	336
INTENTIONAL (data).....	995
INTENTIONAL (q-pair).....	418
INTERMITTENT (data).....	995
INTERMITTENT (q-pair).....	158, 219, 221, 492, 493, 802
INTERMITTENT SLEEP (data).....	995
INTERMITTENT SLEEP (q-pair).....	698
INTERRUPTED (data).....	995
INTERRUPTED (q-pair).....	656
INTERVENTIONAL RADIOLOGY (data).....	996
INTERVENTIONAL RADIOLOGY (q-pair).....	583

INTRACRANIAL PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS337

INTRODUCER (data).....996
INTRODUCER (q-pair).....103
INTRODUCER CATHETER (meth).....1241
INVASIVE (meth).....1241
INVASIVE (q-pair).....63, 147, 148, 149,
150, 383, 384, 600,
724

IRREGULAR (data).....996
IRREGULAR (q-pair).....608
IRRIGATION (meth).....1241
IRRITABLE (data).....996
IRRITABLE (q-pair).....496
ISOLATION (data).....996
ISOLATION (q-pair).....168
ISOLATION PRECAUTIONS.....338
ISOSOURCE VHN (data).....997
ISOSOURCE VHN (q-pair).....176
ITCHING (data).....997
ITCHING (q-pair).....188, 521
IV (meth).....1241
IV (q-pair).....314
IV DISCONTINUED (data).....997
IV DISCONTINUED (q-pair).....152
IV DOSE RATE - UNITS/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS
.....339
IV DOSE RATE - UNITS/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS
.....340

IV DOSE RATE - g/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	341
IV DOSE RATE - mcg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	342
IV DOSE RATE - mcg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	343
IV DOSE RATE - mg/TIME- DO NOT CHECK TOTAL OR SUBTOTALS	344
IV DOSE RATE - mg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	345
IV FLOW RATE - ml/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	346
IV FLOW RATE - ml/kg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	347
IV LINE CARE.....	348
IV PORT / NUMBER.....	349
IV PUMP (data).....	997
IV PUMP (q-pair).....	24
IV SEDATION (data).....	997
IV SEDATION (q-pair).....	31
IV SITE CONDITION.....	350
IVPB (data).....	998

- J -

JAUNDICE (data).....	998
JAUNDICE (q-pair).....	679
JEJUNOSTOMY (data).....	998
JEJUNOSTOMY (q-pair).....	170, 220, 445
JEVITY 1.0 (data).....	998

JEVITY 1.0 (q-pair).....	176
JEVITY 1.2 (data).....	998
JEVITY 1.2 (q-pair).....	176
JEVITY 1.5 (data).....	999
JEVITY 1.5 (q-pair).....	176
JOINT CAPSULE (data).....	999
JP DRAIN (data).....	999
JP DRAIN (meth).....	1242
JP DRAIN (prod).....	1268
JP DRAIN (q-pair).....	452, 790
JUICE (prod).....	1268
JUICE (q-pair).....	314, 334
JUNCTIONAL (data).....	999
JUNCTIONAL (q-pair).....	84
JUNCTIONAL ESCAPE BEAT (data).....	999
JUNCTIONAL ESCAPE BEAT (q-pair).....	80
JUNCTIONAL TACHYCARDIA (data).....	1000
JUNCTIONAL TACHYCARDIA (q-pair).....	84
JUVEN (data).....	1000
JUVEN (q-pair).....	176

- K -

K-PAD (data).....	1000
K-PAD (q-pair).....	779
KG/M2 (unit).....	1304
KGS/HOUR (unit).....	1304
KILOGRAM (unit).....	1304

KNEE (loca).....	1188
KNEE (q-pair).....	117
KNEES (loca).....	1188
KNEES (q-pair).....	164
KNIFE-LIKE (data).....	1000
KNIFE-LIKE (q-pair).....	492
KNOWN DONOR (data).....	1000
KNOWN DONOR (q-pair).....	537
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (data).....	1001
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (q-pair).....	402
KUSSMAUL (data).....	1001
KUSSMAUL (q-pair).....	608

- L -

L ABDOMEN (loca).....	1188
L ABDOMEN (q-pair).....	796
L ANKLE (loca).....	1188
L ANKLE (q-pair).....	308, 495, 577, 633, 692, 796
L ANTECUBITAL (loca).....	1189
L ANTECUBITAL (q-pair).....	103, 144, 224, 349, 350, 577, 796
L ARM (loca).....	1189
L ARM (q-pair).....	63, 103, 144, 150, 164, 169, 224, 349, 350, 435, 495, 631, 632, 692, 724

L AXILLARY (loca).....1189
L AXILLARY (q-pair).....46, 47, 240, 244
L BRACHIAL (loca).....1189
L BRACHIAL (q-pair).....46, 47, 106, 478,

483

L BUNDLE BRANCH BLOCK (data).....1001
L BUNDLE BRANCH BLOCK (q-pair).....84
L CALF (loca).....1189
L CALF (q-pair).....308
L CAROTID (loca).....1190
L CAROTID (q-pair).....79, 86
L CHEST (loca).....1190
L CHEST (q-pair).....109, 495, 692, 796
L DORSALIS PEDIS (loca).....1190
L EAR (loca).....1190
L EAR (q-pair).....308, 495, 577, 692,

796

L ELBOW (loca).....1190
L ELBOW (q-pair).....495, 577, 692, 796
L EXTERNAL JUGULAR (loca).....1191
L EXTERNAL JUGULAR (q-pair).....103, 144, 224, 349,

350, 471

L EYE (loca).....1191
L EYE (q-pair).....134, 164, 602, 603,

776, 796

L FACE (loca).....1191
L FACE (q-pair).....164, 308, 796
L FEMORAL (loca).....1191

L FEMORAL (q-pair).....	46, 47, 79, 86, 103, 106, 144, 224, 240, 244, 308, 349, 350, 471, 478, 483, 577, 601, 796
L FINGER (loca).....	1191
L FINGER (q-pair).....	308
L FLANK (loca).....	1192
L FLANK (q-pair).....	308
L FOOT (loca).....	1192
L FOOT (q-pair).....	164, 201, 308, 349, 350, 495, 577, 652, 692, 796
L FOOT DOWN (data).....	1001
L FOOT DOWN (q-pair).....	668
L FOOT UP (data).....	1001
L FOOT UP (q-pair).....	668
L GLUTEUS (loca).....	1192
L GLUTEUS (q-pair).....	308, 577, 796
L GROIN (loca).....	1192
L GROIN (q-pair).....	495, 692
L HAND (loca).....	1192
L HAND (q-pair).....	164, 227, 495, 653, 692, 796
L HEAD (loca).....	1193
L HEAD (q-pair).....	577, 796
L HEAD DOWN (data).....	1002
L HEAD DOWN (q-pair).....	668

L HEAD UP (data).....	1002
L HEAD UP (q-pair).....	668
L HEEL (loca).....	1193
L HEEL (q-pair).....	577, 796
L HIP (loca).....	1193
L HIP (q-pair).....	308, 495, 692, 796
L INGUINAL (loca).....	1193
L INGUINAL (q-pair).....	308
L INNER KNEE (loca).....	1193
L INNER KNEE (q-pair).....	577, 796
L INTERNAL JUGULAR (loca).....	1194
L INTERNAL JUGULAR (q-pair).....	103, 106, 144, 224, 349, 350, 471, 478, 483
L ISCHIAL (loca).....	1194
L ISCHIAL (q-pair).....	577, 796
L JAW (loca).....	1194
L JAW (q-pair).....	495, 692
L KNEE (loca).....	1194
L KNEE (q-pair).....	164, 308, 495, 692
L LATERAL HEEL (loca).....	1194
L LATERAL HEEL (q-pair).....	577
L LATERAL MALLEOLUS (loca).....	1195
L LATERAL MALLEOLUS (q-pair).....	577
L LEG (loca).....	1195
L LEG (q-pair).....	63, 137, 150, 164, 169, 349, 350, 436, 495, 631, 633, 692,

724

L LOWER ANTERIOR CHEST (loca).....	1195
L LOWER ANTERIOR CHEST (q-pair).....	111, 308
L LOWER ARM (loca).....	1195
L LOWER ARM (q-pair).....	308, 495, 577, 692,

796

L LOWER EXTREMITY (loca).....	1195
L LOWER EXTREMITY (q-pair).....	417, 654
L LOWER LEG (loca).....	1196
L LOWER LEG (q-pair).....	308, 796
L LOWER LIMB (loca).....	1196
L LOWER LIMB (q-pair).....	357
L LOWER POSTERIOR CHEST (loca).....	1196
L LOWER POSTERIOR CHEST (q-pair).....	111, 308
L MANDIBULAR (loca).....	1196
L MANDIBULAR (q-pair).....	308
L MEDIAL HEEL (loca).....	1196
L MEDIAL HEEL (q-pair).....	577
L MEDIAL MALLEOLUS (loca).....	1197
L MEDIAL MALLEOLUS (q-pair).....	577
L MIDDLE ANTERIOR CHEST (loca).....	1197
L MIDDLE ANTERIOR CHEST (q-pair).....	111, 308
L MIDDLE POSTERIOR CHEST (loca).....	1197
L MIDDLE POSTERIOR CHEST (posi).....	1257
L MIDDLE POSTERIOR CHEST (q-pair).....	111, 308
L NECK (data).....	1002
L NECK (loca).....	1197
L NECK (q-pair).....	308

L NEPHROSTOMY (data).....	1002
L NEPHROSTOMY (q-pair).....	224, 751
L NOSE (loca).....	1197
L NOSE (q-pair).....	495, 692
L OCCIPITAL (loca).....	1198
L OCCIPITAL (q-pair).....	308
L ORAL (loca).....	1198
L ORAL (q-pair).....	308
L ORBIT (loca).....	1198
L ORBIT (q-pair).....	308
L OUTER KNEE (loca).....	1198
L OUTER KNEE (q-pair).....	577, 796
L PARIETAL (loca).....	1198
L PARIETAL (q-pair).....	308
L PEDAL (loca).....	1199
L PEDAL (q-pair).....	601
L POST TIBIAL (loca).....	1199
L POST TIBIAL (q-pair).....	601
L RADIAL (loca).....	1199
L RADIAL (q-pair).....	46, 47, 601
L RIBS (loca).....	1199
L RIBS (q-pair).....	577, 796
L SCAPULA (loca).....	1199
L SCAPULA (q-pair).....	495, 577, 692, 796
L SHOULDER (loca).....	1200
L SHOULDER (q-pair).....	495, 577, 692, 796
L STENT (data).....	1002
L STENT (q-pair).....	224

L SUBCLAVIAN (loca).....	1200
L SUBCLAVIAN (q-pair).....	103, 106, 144, 224, 308, 349, 350, 471, 478, 483
L TEMPORAL (loca).....	1200
L TEMPORAL (q-pair).....	79, 86
L TESTICLE (loca).....	1200
L TESTICLE (q-pair).....	796
L THIGH (loca).....	1200
L THIGH (q-pair).....	308, 495, 692
L THORACIC ANTERIOR (loca).....	1201
L THORACIC ANTERIOR (q-pair).....	308
L THORACIC LATERAL (loca).....	1201
L THORACIC LATERAL (q-pair).....	308
L THORACIC POSTERIOR (loca).....	1201
L THORACIC POSTERIOR (q-pair).....	308
L THORACOTOMY (loca).....	1201
L THORACOTOMY (q-pair).....	308
L THUMB (loca).....	1201
L THUMB (q-pair).....	308
L TOE (loca).....	1202
L TOE (q-pair).....	308
L TRAPEZIUS (loca).....	1202
L TRAPEZIUS (q-pair).....	308
L TROCHANTER (loca).....	1202
L TROCHANTER (q-pair).....	577, 796
L UPPER ANTERIOR CHEST (loca).....	1202
L UPPER ANTERIOR CHEST (q-pair).....	111, 308

L UPPER ARM (loca).....	1202
L UPPER ARM (q-pair).....	103, 144, 224, 308, 349, 350, 495, 577, 692, 796
L UPPER EXTREMITY (loca).....	1203
L UPPER EXTREMITY (q-pair).....	417, 655
L UPPER LEG (loca).....	1203
L UPPER LEG (q-pair).....	796
L UPPER LIMB (loca).....	1203
L UPPER LIMB (q-pair).....	747
L UPPER POSTERIOR CHEST (loca).....	1203
L UPPER POSTERIOR CHEST (q-pair).....	111, 308
L WRIST (loca).....	1203
L WRIST (q-pair).....	103, 144, 224, 349, 350, 631, 632, 796
L1 (data).....	1003
L1 (q-pair).....	184, 185
L2 (data).....	1003
L2 (q-pair).....	184, 185
L3 (data).....	1003
L3 (q-pair).....	184, 185
L4 (data).....	1003
L4 (q-pair).....	184, 185
L5 (data).....	1003
L5 (q-pair).....	184, 185
LABS PER ORDERS.....	351
LACERATION (data).....	1004
LACERATION (q-pair).....	801

LACKS INTEREST (data).....	1004
LACKS INTEREST (q-pair).....	167
LACTOSE RESTRICTED (data).....	1004
LACTOSE RESTRICTED (q-pair).....	151
LANGUAGE (data).....	1004
LANGUAGE (q-pair).....	165
LARGE (data).....	1004
LARGE (q-pair).....	449, 457, 459, 592
LARYNGEAL MASK (meth).....	1242
LARYNGEAL MASK (q-pair).....	720
LARYNGECTOMY (data).....	1005
LARYNGECTOMY (q-pair).....	22
LATEX ALLERGY (data).....	1005
LATEX ALLERGY (q-pair).....	40
LEAD (meth).....	1242
LEAD (q-pair).....	600
LEFT (data).....	1005
LEFT (loca).....	1204
LEFT (posi).....	1257
LEFT (q-pair).....	13, 193
LEFT EYE (loca).....	1204
LEFT EYE (q-pair).....	153
LEFT LOWER LOBE (loca).....	1204
LEFT LOWER LOBE (q-pair).....	74
LEFT NECK (loca).....	1204
LEFT NECK (q-pair).....	164
LEFT UPPER LOBE (loca).....	1204
LEFT UPPER LOBE (q-pair).....	74

LEFT VENTRICULAR EJECTION FRACTION - CATEGORICAL.....	353
LEFT VENTRICULAR EJECTION FRACTION - CONTINUOUS.....	352
LEFT VENTRICULAR STROKE WORK.....	354
LEG MOVEMENTS.....	355
LESION PRESENT (data).....	1005
LESION PRESENT (q-pair).....	419
LESS THAN 30 (data).....	1005
LESS THAN 30 (q-pair).....	353
LETHARGIC (data).....	1006
LETHARGIC (q-pair).....	56, 356
LEVEL OF CONSCIOUSNESS.....	356
LEVELED (data).....	1006
LEVELED (q-pair).....	348
LG ADULT (meth).....	1242
LG ADULT CUFF (meth).....	1242
LIBERAL DIABETIC (data).....	1006
LIBERAL DIABETIC (q-pair).....	151
LIFT SCALE (meth).....	1243
LIFT SCALE (q-pair).....	781
LIMITED ASSISTANCE (data).....	1006
LIMITED ASSISTANCE (q-pair).....	8, 9, 10
LIMITED ATTENTION SPAN (data).....	1006
LIMITED ATTENTION SPAN (q-pair).....	165
LIMITED TO INCISION (data).....	1007
LIMITED TO INCISION (q-pair).....	306, 682
LINE FLUSH (data).....	1007
LINE FLUSH (prod).....	1268
LINE FLUSH HEPARIN (prod).....	1268

LINE FLUSH HEPARIN (q-pair).....	330
LINEN CHANGE (data).....	1007
LINEN CHANGE (q-pair).....	5
LIP (loca).....	1205
LIP (q-pair).....	193
LIP SALVE (data).....	1007
LIP SALVE (q-pair).....	16
LIPIDS (prod).....	1268
LIPIDS (q-pair).....	329
LISTED DIET (data).....	1007
LISTED DIET (q-pair).....	151
LITER (unit).....	1304
LITERS PER MINUTE (unit).....	1305
LITERS PER MINUTE PER METER2 (BSA) (unit).....	1305
LOCAL (data).....	1008
LOCAL (q-pair).....	31
LOCALIZES TO PAIN (data).....	1008
LOCALIZES TO PAIN (q-pair).....	135
LOCK BOX (data).....	1008
LOCK BOX (q-pair).....	541
LOCKER (data).....	1008
LOCKER (q-pair).....	540, 541
LOOSE (data).....	1008
LOOSE (q-pair).....	714
LOW (data).....	1009
LOW (q-pair).....	53, 158, 219
LOW AIRLOSS OVERLAY (data).....	1009
LOW AIRLOSS OVERLAY (q-pair).....	699

LOW AIRLOSS/ALTERNATING PRESSURE COMBO (data).....	1009
LOW AIRLOSS/ALTERNATING PRESSURE COMBO (q-pair).....	699
LOW CHOLESTEROL (data).....	1009
LOW CHOLESTEROL (q-pair).....	151
LOW FIBER (data).....	1009
LOW FIBER (q-pair).....	151
LOW PROTEIN 60 GM (data).....	1010
LOW PROTEIN 60 GM (q-pair).....	151
LOW TYRAMINE (data).....	1010
LOW TYRAMINE (q-pair).....	151
LOWER ABDOMEN (loca).....	1205
LOWER ABDOMEN (q-pair).....	796
LOWER ARM (loca).....	1205
LOWER ARM (q-pair).....	117
LOWER BACK (loca).....	1205
LOWER BACK (q-pair).....	796
LOWER LIMB EXTREMITIES STRENGTH.....	357
LP: LIGHT PERCEPTION (data).....	1010
LP: LIGHT PERCEPTION (q-pair).....	153
LPP: LIGHT PERCEPTION WITH PROJECTION (data).....	1010
LPP: LIGHT PERCEPTION WITH PROJECTION (q-pair).....	153
LUMBAR (data).....	1010
LUMBAR (q-pair).....	182
LUMBAR DRAIN (data).....	1011
LUMBAR DRAIN (q-pair).....	790
LUMBAR SPINAL PRECAUTIONS (data).....	1011
LUMBAR SPINAL PRECAUTIONS (q-pair).....	12
LUNCH (data).....	1011

LUNCH (q-pair).....	382
LVN (data).....	1011
LVN (q-pair).....	642
LVN/LPN (data).....	1011
LVN/LPN (q-pair).....	584
LVSWI.....	358
LYING (posi).....	1257
LYING (q-pair).....	63, 150, 600, 609, 724, 781
LYING OR SITTING (data).....	1012
LYING OR SITTING (q-pair).....	129

- M -

MACERATION (data).....	1012
MACERATION (q-pair).....	674
MAGNACAL (data).....	1012
MAGNACAL (prod).....	1269
MAGNACAL (q-pair).....	176
MAGNETIC RESONANCE IMAGING (meth).....	1243
MAGNETIC RESONANCE IMAGING (q-pair).....	352, 353
MAINTAINING EFFECTIVE VENTILATION (data).....	1012
MAINTAINING EFFECTIVE VENTILATION (q-pair).....	487
MALLAMPATI SCORE.....	359
MAROON (data).....	1012
MAROON (q-pair).....	715, 788
MASK (meth).....	1243
MASK (q-pair).....	720, 721

MD (data).....	1013
MD (q-pair).....	642
MDS: BATHING-SELF PERFORMANCE.....	360
MDS: BATHING-SUPPORT.....	361
MDS: BED MOBILITY-SELF PERFORMANCE.....	362
MDS: BED MOBILITY-SUPPORT.....	363
MDS: DRESSING-SELF PERFORMANCE.....	364
MDS: DRESSING-SUPPORT.....	365
MDS: EATING-SELF PERFORMANCE.....	366
MDS: EATING-SUPPORT.....	367
MDS: LOCOMOTION OFF UNIT-SELF PERFORMANCE.....	368
MDS: LOCOMOTION OFF UNIT-SUPPORT.....	369
MDS: LOCOMOTION ON UNIT-SELF PERFORMANCE.....	370
MDS: LOCOMOTION ON UNIT-SUPPORT.....	371
MDS: PERSONAL HYGIENE-SELF PERFORMANCE.....	372
MDS: PERSONAL HYGIENE-SUPPORT.....	373
MDS: TOILET USE-SELF PERFORMANCE.....	374
MDS: TOILET USE-SUPPORT.....	375
MDS: TRANSFER-SELF PERFORMANCE.....	376
MDS: TRANSFER-SUPPORT.....	377
MDS: WALK IN CORRIDOR-SELF PERFORMANCE.....	378
MDS: WALK IN CORRIDOR-SUPPORT.....	379
MDS: WALK IN ROOM-SELF PERFORMANCE.....	380
MDS: WALK IN ROOM-SUPPORT.....	381
MEAL (data).....	1013
MEAL (q-pair).....	5
MEAL TYPE.....	382
MEAN ARTERIAL PRESSURE.....	383

MEAN BLOOD PRESSURE.....	384
MEAN BLOOD PRESSURE ARTERIAL LINE.....	385
MEAN BLOOD PRESSURE NON-INVASIVE.....	386
MEAN BP CUFF.....	387
MECHANICAL (data).....	1013
MECHANICAL (q-pair).....	151
MED LAST DOSE: ANTIBIOTIC.....	388
MED LAST DOSE: ANTICOAGULANT.....	389
MED LAST DOSE: ASPIRIN.....	390
MED LAST DOSE: ESA ERYTHROPOETIN.....	391
MED LAST DOSE: HYPOGLYCEMIC AGENT.....	392
MED LAST DOSE: NON-STEROIDAL ANTI-INFLAMMATORY DRUG....	393
MED RECONCILIATION DOCUMENTED (data).....	1013
MED RECONCILIATION DOCUMENTED (q-pair).....	152
MEDIAL PORT (data).....	1013
MEDIAL PORT (q-pair).....	349
MEDIASTINAL (loca).....	1205
MEDIASTINAL (prod).....	1269
MEDIASTINAL (q-pair).....	240, 244, 451
MEDICAL DEVICE SAFETY (data).....	1014
MEDICAL DEVICE SAFETY (q-pair).....	58, 131
MEDICAL NECESSITY CONFIRMED (data).....	1014
MEDICAL NECESSITY CONFIRMED (q-pair).....	348
MEDICATION (data).....	1014
MEDICATION (prod).....	1269
MEDICATION (q-pair).....	168, 497
MEDICATION PROPHYLAXIS (data).....	1014
MEDICATION PROPHYLAXIS (q-pair).....	162

MEDICATION ROOM (data).....	1014
MEDICATION ROOM (q-pair).....	55, 130
MEDIUM (data).....	1015
MEDIUM (q-pair).....	158
MEMORY (data).....	1015
MEMORY (q-pair).....	165
MENTAL HEALTH (data).....	1015
MENTAL HEALTH (q-pair).....	168
MENTAL HEALTH HOLD (data).....	1015
MENTAL HEALTH HOLD (q-pair).....	168
MENTAL STATUS - AWAKE ORIENTED (data).....	1015
MENTAL STATUS - AWAKE ORIENTED (q-pair).....	487
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (data).....	1016
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (q-pair)...	487
METAL IMPLANTS (data).....	1016
METAL IMPLANTS (q-pair).....	402
MEWS: CONSCIOUS LEVEL.....	394
MEWS: HEART RATE.....	395
MEWS: HOURLY URINE.....	396
MEWS: RESPIRATORY.....	397
MEWS: SCORE.....	398
MEWS: SCORE UNIT (unit).....	1305
MEWS: SYSTOLIC BLOOD PRESSURE.....	399
MEWS: TEMPERATURE.....	400
MICROGRAMS (unit).....	1305
MICROGRAMS PER HOUR (unit).....	1305
MICROGRAMS PER KILOGRAM PER HOUR (unit).....	1306
MICROGRAMS PER KILOGRAM PER MINUTE (unit).....	1306

MICROGRAMS PER MINUTE (unit).....	1306
MICROGRAMS PER SHIFT (unit).....	1306
MICU (data).....	1016
MICU (q-pair).....	489
MID BACK (loca).....	1206
MID BACK (q-pair).....	796
MID-STERNAL (loca).....	1206
MID-STERNAL (q-pair).....	109
MIDDLE (loca).....	1206
MIDLINE (data).....	1016
MIDLINE (posi).....	1257
MIDLINE (q-pair).....	193, 732
MIDLINE ABDOMINAL (loca).....	1206
MIDLINE ABDOMINAL (q-pair).....	308
MIDLINE NECK (loca).....	1206
MIDLINE NECK (q-pair).....	308
MILD-MODERATELY REDUCED (data).....	1016
MILD-MODERATELY REDUCED (q-pair).....	353
MILK (prod).....	1269
MILK (q-pair).....	334
MILLIAMPS (unit).....	1306
MILLIBAR (unit).....	1307
MILLIGRAMS (unit).....	1307
MILLIGRAMS PER HOUR (unit).....	1307
MILLIGRAMS PER KILOGRAM PER HOUR (data).....	1017
MILLIGRAMS PER KILOGRAM PER HOUR (unit).....	1307
MILLIGRAMS PER KILOGRAM PER MINUTE (unit).....	1307
MILLIGRAMS PER MINUTE (unit).....	1308

MILLIGRAMS PER SHIFT (unit).....	1308
MILLILITER (unit).....	1308
MILLILITERS PER BEAT (unit).....	1308
MILLILITERS PER BEAT PER METER SQUARE (BSA) (unit).....	1308
MILLILITERS PER HOUR (unit).....	1309
MILLILITERS PER KILOGRAM PER HOUR (unit).....	1309
MILLILITERS PER KILOGRAM PER MINUTE (unit).....	1309
MILLILITERS PER METER SQUARE (BSA) (unit).....	1309
MILLILITERS PER MINUTE (unit).....	1309
MILLILITERS PER MINUTE PER METER SQUARE (unit).....	1310
MILLIMETERS (unit).....	1310
MILLIMETERS OF MERCURY (unit).....	1310
MILLIVOLTS (unit).....	1310
MINUTE (unit).....	1310
MISSING (data).....	1017
MOANING (data).....	1017
MOANING (q-pair).....	496
MODERATE (data).....	1017
MODERATE (q-pair).....	449, 457, 459, 592,

681

MODERATE SEDATION (data).....	1017
MODERATE SEDATION (q-pair).....	31
MODERATE SEDATION: PRE-ASSESSMENT APPLIANCES REMOVED...	401
MODERATE SEDATION: PRE-ASSESSMENT CPRS HEALTH HX REVIEWED	402
MODERATE SEDATION: PRE-ASSESSMENT TIME OUT.....	403
MODERATE SEDATION: PREASSESS: PREVIOUS MOD SED. COMPLICATIONS	404

MODERATE SEDATION: PREASSESS: SUBSTANCE ABUSE.....	405
MODERATE SEDATION: PREPARATION.....	406
MODERATE SEDATION: TIME OUT: PATIENT IDENTIFIERS.....	407
MODERATE-SEVERELY REDUCED (data).....	1018
MODERATE-SEVERELY REDUCED (q-pair).....	353
MODERATELY REDUCED (data).....	1018
MODERATELY REDUCED (q-pair).....	353
MODIFIED ALDRETE SCORE (unit).....	1311
MODULAR CUSTOMIZED FORMULA (prod).....	1269
MOIST (data).....	1018
MOIST (q-pair).....	419, 687
MONITOR (meth).....	1243
MONITOR (q-pair).....	63, 82, 83, 106, 600, 609, 726
MONITOR PLACED.....	408
MONITORING CAMERA.....	409
MONTH (unit).....	1311
MORSE SCORE (unit).....	1311
MORSE: AMBULATORY AID DURING WALKING.....	410
MORSE: GAIT.....	411
MORSE: HISTORY OF FALLING WITHIN LAST THREE MONTHS.....	412
MORSE: IV THERAPY SALINE LOCK.....	413
MORSE: MENTAL STATUS OF PT OWN ABILITY.....	414
MORSE: SCORE TOTAL.....	415
MORSE: SECONDARY DIAGNOSIS LISTED ON CHART.....	416
MOTOR ACTIVITY.....	417
MOTOR CHECK.....	418
MOTORIZED WHEELCHAIR (data).....	1018

MOTORIZED WHEELCHAIR (q-pair).....	742
MOTTLED (data).....	1018
MOTTLED (q-pair).....	679
MOUTHWASH USED (data).....	1019
MOUTHWASH USED (q-pair).....	16
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (data)	1019
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (q-pai r).....	417
MOVE AGAINST GRAVITY BUT NO RESISTANCE (data).....	1019
MOVE AGAINST GRAVITY BUT NO RESISTANCE (q-pair).....	417
MOVEMENT WITH GRAVITY ELIMINATED (data).....	1019
MOVEMENT WITH GRAVITY ELIMINATED (q-pair).....	417
MUCOID (data).....	1019
MUCOID (q-pair).....	714
MUCOUS MEMBRANE CONDITION.....	419
MULTIFOCAL PVC (data).....	1020
MULTIFOCAL PVC (q-pair).....	80
MULTIGATED NUCLEAR VENTRICULOGRAPHY (meth).....	1243
MULTIGATED NUCLEAR VENTRICULOGRAPHY (q-pair).....	352, 353
MULTIPODOUS (data).....	1020
MULTIPODOUS (q-pair).....	574
MULTIVOLTS (unit).....	1311
MURMUR (data).....	1020
MURMUR (q-pair).....	81
MUSHROOM CATHETER (data).....	1020
MUSHROOM CATHETER (q-pair).....	224
MUSTACHE CANNULA (meth).....	1244

MUTIFOCAL ATRIAL TACHYCARDIA (data).....	1020
MUTIFOCAL ATRIAL TACHYCARDIA (q-pair).....	84
mg/dl (unit).....	1315

- N -

N/A (data).....	1021
N/A (q-pair).....	40, 156, 201, 227, 300, 540, 541, 716, 750
NA (data).....	1021
NA (q-pair).....	642
NAIL CARE (data).....	1021
NAIL CARE (q-pair).....	5
NAIL COLOR.....	420
NAIL SHAPE.....	421
NAIL TEXTURE.....	422
NAPS ONLY (data).....	1021
NAPS ONLY (q-pair).....	698
NASAL (data).....	1021
NASAL (q-pair).....	597
NASAL CANNULA (meth).....	1244
NASAL CANNULA (q-pair).....	721
NASAL ENDOTRACHEAL (data).....	1022
NASAL ENDOTRACHEAL (q-pair).....	22
NASAL INTESTINAL SMALL BORE (data).....	1022
NASAL INTESTINAL SMALL BORE (q-pair).....	170
NASAL SMALL BOWEL FEEDING TUBE (data).....	1022

NASAL SMALL BOWEL FEEDING TUBE (q-pair).....	220
NASAL TRUMPET (data).....	1022
NASAL TRUMPET (q-pair).....	22
NASOGASTRIC LARGE BORE TUBE (data).....	1022
NASOGASTRIC LARGE BORE TUBE (q-pair).....	170
NASOGASTRIC TUBE (data).....	1023
NASOGASTRIC TUBE (q-pair).....	220
NASOGASTRIC TUBE SMALL BORE (data).....	1023
NAUSEA (data).....	1023
NAUSEA (q-pair).....	188, 214, 521
NEAT (data).....	1023
NEAT (q-pair).....	32
NEBULIZER (meth).....	1244
NEBULIZER (q-pair).....	721
NECK (loca).....	1207
NECK (q-pair).....	117, 495, 692, 796
NECK EVALUATION.....	423
NECK VEIN CONDITION.....	424
NECROTIC (data).....	1023
NECROTIC (q-pair).....	795
NEED FOR FLUIDS/TOILETING ASSESSED.....	425
NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (data)	1024
NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (q-pair)	348
NEEDS REINFORCEMENT (data).....	1024
NEEDS REINFORCEMENT (q-pair).....	624, 629
NEGATIVE PRESSURE (data).....	1024

NEGATIVE PRESSURE (q-pair).....	338
NEGATIVE PRESSURE THERAPY DEVICE (data).....	1024
NEGATIVE PRESSURE THERAPY DEVICE (q-pair).....	578
NEPHROSTOMY - LEFT (meth).....	1244
NEPHROSTOMY - LEFT (q-pair).....	458
NEPHROSTOMY - RIGHT (meth).....	1244
NEPHROSTOMY - RIGHT (q-pair).....	458
NEPRO (data).....	1024
NEPRO (q-pair).....	176
NEPRO CARB STEADY (data).....	1025
NEPRO CARB STEADY (q-pair).....	176
NEPRO RENAL FORMULA (data).....	1025
NEPRO RENAL FORMULA (prod).....	1270
NEPRO RENAL FORMULA (q-pair).....	314
NEUROGENIC BLADDER (data).....	1025
NEUROGENIC BLADDER (q-pair).....	91
NEUTRAL PRESSURE CONNECTOR (data).....	1025
NEUTRAL PRESSURE CONNECTOR (q-pair).....	348
NEUTROPENIC (data).....	1025
NEUTROPENIC (q-pair).....	151, 338
NEW ADMISSION EDUCATION (data).....	1026
NEW ADMISSION EDUCATION (q-pair).....	168
NEW SITE (data).....	1026
NEW SITE (q-pair).....	95, 466
NG RESIDUAL (prod).....	1270
NG RESIDUAL (q-pair).....	451
NIGHT LIGHT PROVIDED (data).....	1026
NIGHT LIGHT PROVIDED (q-pair).....	195

NIHSS - BEST GAZE.....	426
NIHSS - BEST LANGUAGE.....	427
NIHSS - DYSARTHRIA.....	428
NIHSS - EXTINCTION AND INATTENTION.....	429
NIHSS - FACIAL PALSY.....	430
NIHSS - LEVEL OF CONSCIOUSNESS.....	431
NIHSS - LIMB ATAXIA.....	432
NIHSS - LOC COMMANDS.....	433
NIHSS - LOC QUESTIONS.....	434
NIHSS - MOTOR ARM.....	435
NIHSS - MOTOR LEG.....	436
NIHSS - SENSORY.....	437
NIHSS - TOTAL SCORE.....	438
NIHSS - VISUAL FIELD.....	439
NLP: NO LIGHT PERCEPTION (data).....	1026
NLP: NO LIGHT PERCEPTION (q-pair).....	153
NO (data).....	1026
NO (q-pair).....	14, 15, 18, 23, 33, 34, 35, 36, 37, 38, 39, 41, 42, 45, 49, 51, 61, 75, 76, 78, 94, 99, 105, 108, 112, 113, 140, 156, 194, 196, 206, 213, 222, 231, 233, 238, 239, 246, 300, 303, 308, 309, 310, 311, 312, 425, 462, 468,

473, 476, 478, 480,
488, 490, 505, 519,
529, 530, 558, 570,
573, 576, 579, 581,
591, 606, 616, 617,
618, 620, 621, 622,
623, 640, 650, 651,
671, 673, 675, 676,
677, 688, 689, 736,
744, 745, 753, 792,
799

NO BREAK IN EPIDERMIS (data).....1027
NO MOVEMENT (data).....1027
NO MOVEMENT (q-pair).....417
NO PREFERENCE (data).....1027
NO PREFERENCE (q-pair).....537
NO SIGNS AND SYMPTOMS (data).....1027
NO SIGNS AND SYMPTOMS (q-pair).....496
NO WANDERING PREVENTION MEASURES APPLIED (data).....1027
NO WANDERING PREVENTION MEASURES APPLIED (q-pair).....4
NO WANDERING PREVENTION MEASURES NEEDED (data).....1028
NO WANDERING PREVENTION MEASURES NEEDED (q-pair).....4
NON RE-BREATHING (meth).....1245
NON RE-BREATHING (q-pair).....721
NON-ADHERENT GAUZE (data).....1028
NON-INVASIVE (meth).....1245
NON-INVASIVE (q-pair).....63, 150, 383, 384,

NON-PITTING (data).....	1028
NON-PRODUCTIVE (data).....	1028
NON-PRODUCTIVE (q-pair).....	138
NON-SKID SLIPPERS (data).....	1028
NON-SKID SLIPPERS (q-pair).....	195
NON-TENDER (data).....	1029
NON-TENDER (q-pair).....	2
NONBLANCHABLE ERYTHEMA (data).....	1029
NONE (data).....	1029
NONE (q-pair).....	31, 80, 134, 135, 136, 141, 158, 165, 188, 301, 306, 404, 449, 515, 569, 572, 575, 678, 681, 789, 793
NONE IDENTIFIED AT THIS VISIT (data).....	1029
NONE IDENTIFIED AT THIS VISIT (q-pair).....	168
NONINVASIVE (meth).....	1245
NONREACTIVE (data).....	1029
NONREACTIVE (q-pair).....	602
NORMAL (data).....	1030
NORMAL (q-pair).....	1, 48, 104, 114, 226, 353, 421, 422, 423, 424, 464, 472, 687
NORMAL FOR ETHNIC GROUP (data).....	1030
NORMAL FOR ETHNIC GROUP (q-pair).....	420, 679
NORMAL POWER (data).....	1030

NORMAL POWER (q-pair).....	417
NORMAL SINUS (data).....	1030
NORMAL STOOL (data).....	1030
NORMAL STOOL (q-pair).....	714
NOSE (loca).....	1207
NOSE (q-pair).....	193, 495, 692
NOSE SIZE.....	440
NOT DONE (data).....	1031
NOT DONE (q-pair).....	8, 9, 10, 16
NOT MONITORED (data).....	1031
NOT MONITORED (q-pair).....	48, 104, 472
NOVASOURCE 2.0 (data).....	1031
NOVASOURCE 2.0 (prod).....	1270
NOVASOURCE 2.0 (q-pair).....	314
NP (data).....	1031
NP (q-pair).....	584, 642
NPO DIET (data).....	1031
NPO DIET (q-pair).....	151
NSG ASSIST (data).....	1032
NSG ASSIST (q-pair).....	584
NUCLEAR PERFUSION IMAGING (meth).....	1245
NUCLEAR PERFUSION IMAGING (q-pair).....	352, 353
NUMB (data).....	1032
NUMB (q-pair).....	492
NUMBER OF DAYS.....	441
NUMBER: SPECIFY (data).....	1032
NUMBER: SPECIFY (q-pair).....	158
NUMBNESS (data).....	1032

NUMBNESS (q-pair).....	652, 653, 654, 655
NURSING INTERVENTIONS - STRAIGHT CATH (task).....	1292
NURSING INTERVENTIONS - WOUND CARE (task).....	1292
NURSING STATION (data).....	1032
NURSING STATION (q-pair).....	55, 130
NUTREN 1.5 (prod).....	1270
NUTRIHEP (data).....	1033
NUTRIHEP (q-pair).....	176
NUTRITION (data).....	1033
NUTRITION (q-pair).....	168
NUTRITIONAL SUPPLEMENT (data).....	1033
NUTRITIONAL SUPPLEMENT (prod).....	1270
NUTRITIONAL SUPPLEMENT (q-pair).....	334

- O -

O2 SATS (meth).....	1245
OBEYS COMMANDS (data).....	1033
OBEYS COMMANDS (q-pair).....	135
OBSTRUCTIVE SLEEP APNEA (data).....	1033
OBTUNDED (data).....	1034
OBTUNDED (q-pair).....	356
OCCIPITAL (loca).....	1207
OCCIPITAL (q-pair).....	308
OCCLUDED (data).....	1034
OCCLUDED (q-pair).....	46, 100, 144, 243, 350, 469
OFF DURING BATHING (data).....	1034

OFF DURING BATHING (q-pair).....	656
OFF WHILE AMBULATORY (data).....	1034
OFF WHILE AMBULATORY (q-pair).....	656
OFFER PRN MEDS (data).....	1034
OFFER PRN MEDS (q-pair).....	619
OFFERED (data).....	1035
OFFERED (q-pair).....	16
ON WHILE SITTING IN CHAIR (data).....	1035
ON WHILE SITTING IN CHAIR (q-pair).....	656
ONE PERSON ASSIST (data).....	1035
ONE PERSON ASSIST (q-pair).....	6, 8, 9, 10
ONE TO ONE SUPERVISION (data).....	1035
ONE TO ONE SUPERVISION (q-pair).....	619
OOZING (data).....	1035
OOZING (q-pair).....	46, 100, 144, 243, 350, 469
OPEN SPONTANEOUSLY (data).....	1036
OPEN SPONTANEOUSLY (q-pair).....	134
OPEN SYSTEM (data).....	1036
OPEN SYSTEM (q-pair).....	171
OPEN TO AIR (data).....	1036
OPEN TO AIR (q-pair).....	578, 800
OPERATING ROOM (data).....	1036
OPERATING ROOM (q-pair).....	489
ORAL (data).....	1036
ORAL (loca).....	1207
ORAL (q-pair).....	597, 728, 796
ORAL AIRWAY (data).....	1037

ORAL AIRWAY (q-pair).....	22
ORAL ENDOTRACHEAL (data).....	1037
ORAL ENDOTRACHEAL (q-pair).....	22
ORAL GASTRIC TUBE (data).....	1037
ORAL GASTRIC TUBE (q-pair).....	170, 220
ORANGE (data).....	1037
ORANGE (q-pair).....	159, 177, 216, 749,

788

ORIENTATION.....	442
ORIENTATION (data).....	1037
ORIENTATION (q-pair).....	168
ORIENTED (data).....	1038
ORIENTED (q-pair).....	136, 627
ORIENTED TO CALL FOR ASSISTANCE (data).....	1038
ORIENTED TO CALL FOR ASSISTANCE (q-pair).....	195
ORIENTED TO PERSON (data).....	1038
ORIENTED TO PERSON (q-pair).....	442
ORIENTED TO PLACE (data).....	1038
ORIENTED TO PLACE (q-pair).....	442
ORIENTED TO SITUATION (data).....	1038
ORIENTED TO SITUATION (q-pair).....	442
ORIENTED TO SURROUNDINGS/ROUTINE (data).....	1039
ORIENTED TO SURROUNDINGS/ROUTINE (q-pair).....	195
ORIENTED TO TIME (data).....	1039
ORIENTED TO TIME (q-pair).....	442
ORTHOPNEIC (data).....	1039
ORTHOPNEIC (q-pair).....	608
ORTHOTIC BOOTS (data).....	1039

ORTHOTIC BOOTS (q-pair).....	443
ORTHOTIC COLLAR (data).....	1039
ORTHOTIC COLLAR (q-pair).....	443
ORTHOTIC KNEE IMMOBILIZER (data).....	1040
ORTHOTIC KNEE IMMOBILIZER (q-pair).....	443
ORTHOTIC SPINE BRACE (data).....	1040
ORTHOTIC SPINE BRACE (q-pair).....	443
ORTHOTIC TED HOSE (data).....	1040
ORTHOTIC TED HOSE (q-pair).....	443
ORTHOTIC WEDGE PILLOW (data).....	1040
ORTHOTIC WEDGE PILLOW (q-pair).....	443
ORTHOTICS.....	443
OSMOLITE (data).....	1040
OSMOLITE (prod).....	1271
OSMOLITE 1.0 (data).....	1041
OSMOLITE 1.0 (q-pair).....	176
OSMOLITE 1.2 (data).....	1041
OSMOLITE 1.2 (q-pair).....	176
OSMOLITE 1.5 (data).....	1041
OSMOLITE 1.5 (q-pair).....	176
OSMOLITE HN (data).....	1041
OSMOLITE HN (prod).....	1271
OSMOLITE HN (q-pair).....	176
OSTOMY CARE.....	444
OSTOMY CARE (data).....	1041
OSTOMY CARE (q-pair).....	168
OSTOMY TYPE.....	445
OTHER (ADD COMMENTS) (data).....	1042

OTHER (ADD COMMENTS) (q-pair).....	574
OTHER (COMMENT REQUIRED) (data).....	1042
OTHER (COMMENT REQUIRED) (q-pair).....	193
OTHER (SEE COMMENTS) (data).....	1042
OTHER (SEE COMMENTS) (q-pair).....	401, 404, 584
OTHER (data).....	1042
OTHER (meth).....	1246
OTHER (q-pair).....	52, 91, 168, 188,
	191, 192, 195, 321,
	352, 353, 452, 554,
	567, 569, 578, 583
OTHER (qual).....	1279
OTHER PO FLUID (prod).....	1271
OTHER PO FLUID (q-pair).....	334
OUNCE (unit).....	1311
OUTPATIENT (data).....	1042
OUTPATIENT (q-pair).....	554
OUTPUT - BLOOD.....	446
OUTPUT - CBI DRAINAGE.....	447
OUTPUT - CHEST TUBE.....	448
OUTPUT - CHEST TUBE ESTIMATED.....	449
OUTPUT - DIALYSIS.....	450
OUTPUT - DO NOT CHECK TOTAL OR SUBTOTALS.....	451
OUTPUT - DRAIN.....	452
OUTPUT - EMESIS.....	453
OUTPUT - GI TUBE.....	454
OUTPUT - NASOGASTRIC TUBE.....	455
OUTPUT - STOOL.....	456

OUTPUT - STOOL ESTIMATED.....	457
OUTPUT - URINE.....	458
OUTPUT - URINE ESTIMATED.....	459
OVER WIRE (data).....	1043
OVER WIRE (q-pair).....	95, 466
OXEPA (data).....	1043
OXEPA (q-pair).....	176
OXIMETRIC (data).....	1043
OXIMETRIC (q-pair).....	471
OXYGEN CONSUMPTION.....	460
OXYGEN SATURATION.....	461

- P -

P.O. (meth).....	1246
P.O. (q-pair).....	314
PA (data).....	1043
PA (q-pair).....	584, 642
PA CATHETER (meth).....	1246
PA CATHETER ALARMS ON.....	462
PA CATHETER DRESSING TYPE.....	463
PA CATHETER DYNAMIC RESPONSE TEST.....	464
PA CATHETER INSERTION MARK.....	465
PA CATHETER INSERTION TECHNIQUE.....	466
PA CATHETER REPOSITIONED/DISCONTINUED REASON.....	467
PA CATHETER SITE CARE.....	468
PA CATHETER SITE CONDITION.....	469
PA CATHETER SIZE.....	470

PA CATHETER TYPE.....	471
PA CATHETER WAVEFORM.....	472
PA CATHETER ZEROED.....	473
PA LINE (meth).....	1246
PAC (data).....	1043
PAC (q-pair).....	80
PACED: ATRIAL (data).....	1044
PACED: ATRIAL (q-pair).....	84
PACED: AV SEQUENTIAL (data).....	1044
PACED: AV SEQUENTIAL (q-pair).....	84
PACED: VENTRICULAR (data).....	1044
PACED: VENTRICULAR (q-pair).....	84
PACEMAKER ATRIAL mA.....	474
PACEMAKER AV INTERVAL.....	475
PACEMAKER CAPTURE.....	476
PACEMAKER MODE.....	477
PACEMAKER ON.....	478
PACEMAKER RATE - DO NOT CHECK TOTAL OR SUBTOTALS.....	479
PACEMAKER SENSE.....	480
PACEMAKER SENSITIVITY ATRIAL.....	481
PACEMAKER SENSITIVITY VENTRICULAR.....	482
PACEMAKER TYPE.....	483
PACEMAKER UNIT ID.....	484
PACEMAKER VENTRICULAR mA.....	485
PACEMAKER WIRES.....	486
PACER (data).....	1044
PACER (q-pair).....	402, 471
PACU - DISCHARGE CRITERIA.....	487

PACU - DISCHARGE CRITERIA MET.....	488
PACU - DISPOSITION.....	489
PACU - PT RECEIVED REVERSAL AGENT.....	490
PACU - TIME OF REVERSAL AGENT.....	491
PAIN (data).....	1044
PAIN (q-pair).....	165, 168
PAIN CHARACTER.....	492
PAIN CONTROLLED PER PT (data).....	1045
PAIN CONTROLLED PER PT (q-pair).....	487
PAIN DURATION.....	493
PAIN GOAL.....	494
PAIN LEVEL.....	495
PAIN NON-VERBAL CUES.....	496
PAIN RELIEVING FACTOR INTERVENTION.....	497
PAINAD BL 0 (data).....	1045
PAINAD BL 0 (q-pair).....	498
PAINAD BL 1 (data).....	1045
PAINAD BL 1 (q-pair).....	498
PAINAD BL 2 (data).....	1045
PAINAD BL 2 (q-pair).....	498
PAINAD BODY LANGUAGE.....	498
PAINAD BR 0 (data).....	1045
PAINAD BR 0 (q-pair).....	499
PAINAD BR 1 (data).....	1046
PAINAD BR 1 (q-pair).....	499
PAINAD BR 2 (data).....	1046
PAINAD BR 2 (q-pair).....	499
PAINAD BREATHING.....	499

PAINAD CO 0 (data).....	1046
PAINAD CO 0 (q-pair).....	500
PAINAD CO 1 (data).....	1046
PAINAD CO 1 (q-pair).....	500
PAINAD CO 2 (data).....	1046
PAINAD CO 2 (q-pair).....	500
PAINAD CONSOLABILITY.....	500
PAINAD FACIAL EXPRESSION.....	501
PAINAD FE 0 (data).....	1047
PAINAD FE 0 (q-pair).....	501
PAINAD FE 1 (data).....	1047
PAINAD FE 1 (q-pair).....	501
PAINAD FE 2 (data).....	1047
PAINAD FE 2 (q-pair).....	501
PAINAD NEGATIVE VOCALIZATION.....	502
PAINAD NV 0 (data).....	1047
PAINAD NV 0 (q-pair).....	502
PAINAD NV 1 (data).....	1047
PAINAD NV 1 (q-pair).....	502
PAINAD NV 2 (data).....	1048
PAINAD NV 2 (q-pair).....	502
PAINAD SCALE (unit).....	1312
PAINAD TOTAL.....	503
PAINFUL EXPRESSION (data).....	1048
PAINFUL EXPRESSION (q-pair).....	496
PAIRS (data).....	1048
PAIRS (q-pair).....	80
PALE (data).....	1048

PALE (q-pair).....	419, 420, 679
PALPATED (meth).....	1246
PALPATED (q-pair).....	63, 600
PAROXYSMAL ATRIAL TACHYCARDIA (data).....	1048
PAROXYSMAL ATRIAL TACHYCARDIA (q-pair).....	84
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (data).....	1049
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	84
PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS (data)	1049
PARTIAL BATH (data).....	1049
PARTIAL BATH (q-pair).....	5
PARTIAL IMPAIRED (data).....	1049
PARTIAL IMPAIRED (q-pair).....	647
PARTIAL LOWER (data).....	1049
PARTIAL LOWER (q-pair).....	141
PARTIAL RE-BREATHING (meth).....	1247
PARTIAL RE-BREATHING (q-pair).....	721
PARTIAL SIMPLE (data).....	1050
PARTIAL SIMPLE (q-pair).....	647
PARTIAL UPPER (data).....	1050
PARTIAL UPPER (q-pair).....	141
PASERO OPIOID-INDUCED SEDATION SCALE (POSS).....	504
PASSIVE RANGE OF MOTION (data).....	1050
PASSIVE RANGE OF MOTION (q-pair).....	12
PATENT (data).....	1050
PATENT (q-pair).....	46, 100, 144, 243, 350, 469
PATENT CLEAN (data).....	1050

PATENT CLEAN (q-pair).....	348, 516
PATIENT (data).....	1051
PATIENT (q-pair).....	11
PATIENT ABLE TO RESPOND.....	505
PATIENT EDUCATION PROVIDED PRIOR TO SEDATION.....	506
PATIENT INFORMED (data).....	1051
PATIENT INFORMED (q-pair).....	409, 613
PATIENT INSTRUCTED (data).....	1051
PATIENT INSTRUCTED (q-pair).....	444
PATIENT LOCATOR DEVICE IN PLACE (data).....	1051
PATIENT LOCATOR DEVICE IN PLACE (q-pair).....	4
PATIENT ON PASS (null).....	1256
PATIENT REFUSED (null).....	1256
PATIENT REFUSES MARKING (data).....	1051
PATIENT REFUSES MARKING (q-pair).....	558
PATIENT REPORTS NOT PRESENT (data).....	1052
PATIENT REPORTS NOT PRESENT (q-pair).....	199
PATIENT REPORTS PRESENT (data).....	1052
PATIENT REPORTS PRESENT (q-pair).....	199
PATIENT RIGHTS AND RESPONSIBILITIES (data).....	1052
PATIENT RIGHTS AND RESPONSIBILITIES (q-pair).....	168
PATIENT SIGNS SAFETY CONTRACT (data).....	1052
PATIENT SIGNS SAFETY CONTRACT (q-pair).....	57
PATIENT STATED (data).....	1052
PATIENT STATED (q-pair).....	533
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (data)	
.....	1053
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (q-pair)	

.....	57
PATIENT'S ROOM (data).....	1053
PATIENT'S ROOM (q-pair).....	55, 130
PCA (data).....	1053
PCA (prod).....	1271
PCA (q-pair).....	314
PCA - CLINICAL BOLUS DOSE.....	507
PCA - CONTINUOUS MCG/HR (BASAL).....	508
PCA - CONTINUOUS MG/HR (BASAL).....	509
PCA - DEMAND DOSE - DO NOT CHECK TOTAL OR SUBTOTALS....	510
PCA - DOSAGE DELIVERED.....	511
PCA - DOSES DELIVERED.....	512
PCA - LEVEL OF CONSCIOUSNESS.....	513
PCA - LIMIT DOSE - DO NOT CHECK TOTAL OR SUBTOTALS....	514
PCA - LIMIT TIME.....	515
PCA - LINE CARE.....	516
PCA - LOCK OUT- DO NOT CHECK TOTAL OR SUBTOTALS.....	517
PCA - MODE.....	518
PCA - PUMP CLEARED.....	519
PCA - REQUESTS.....	520
PCA - SIDE EFFECTS.....	521
PCA - TOTAL DOSE 24 HR.....	522
PCA - TOTAL DOSE WASTED.....	523
PCA - TOTAL MCG PER SHIFT.....	524
PCA - TOTAL MG PER SHIFT.....	525
PCA - VOLUME REMAINING - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	526
PCA - VOLUME START - DO NOT CHECK TOTAL OR SUBTOTALS...	527

PCA AND BASAL RATE (data).....	1053
PCA AND BASAL RATE (q-pair).....	518
PCA ONLY (data).....	1053
PCA ONLY (q-pair).....	518
PCA PUMP (data).....	1054
PCA PUMP (q-pair).....	168
PEAK INSPIRATORY PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	528
PEDIATRIC (data).....	1054
PEDIATRIC (q-pair).....	64
PEDIATRIC (qual).....	1279
PEDIATRIC CUFF (meth).....	1247
PEG TUBE (data).....	1054
PEG TUBE (q-pair).....	170, 220
PENDANT CANNULA (meth).....	1247
PENDANT CANNULA (q-pair).....	721
PENETRATING (data).....	1054
PENETRATING (q-pair).....	801
PENIS (loca).....	1207
PENIS (q-pair).....	495, 692
PENROSE (meth).....	1247
PENROSE (q-pair).....	452
PENROSE DRAIN (data).....	1054
PENROSE DRAIN (q-pair).....	790
PERATIVE (data).....	1055
PERATIVE (q-pair).....	176
PERCENTAGE (unit).....	1312
PERCUSSION BED (data).....	1055

PERCUSSION BED (q-pair).....	699
PERINEAL (loca).....	1208
PERINEAL (q-pair).....	308, 495, 577, 796
PERINEAL CARE (data).....	1055
PERINEAL CARE (q-pair).....	5
PERIORBITAL (loca).....	1208
PERIORBITAL (q-pair).....	164
PERIPHERAL (loca).....	1208
PERIPHERAL (q-pair).....	600
PERIRECTAL (loca).....	1208
PERITONEAL DIALYSIS (meth).....	1247
PERITONEAL DIALYSIS (q-pair).....	316, 450
PERMANENT (data).....	1055
PERMANENT (q-pair).....	483
PERSONAL ARTICLES AT REACH (data).....	1055
PERSONAL ARTICLES AT REACH (q-pair).....	195
PERSONAL HYGIENE AND/OR GROOMING (data).....	1056
PERSONAL HYGIENE AND/OR GROOMING (q-pair).....	168
PERSONAL MEDICAL ALERT BRACELET (data).....	1056
PERSONAL MEDICAL ALERT BRACELET (q-pair).....	40
PETROLATUM (data).....	1056
PETROLATUM (q-pair).....	578
PHYSICAL IMPAIRMENT (data).....	1056
PHYSICAL IMPAIRMENT (q-pair).....	52
PHYSICIAN (data).....	1056
PHYSICIAN (q-pair).....	584, 741
PHYSICIAN NOTIFIED (data).....	1057
PHYSICIAN NOTIFIED (q-pair).....	497

PHYSICIAN ORDER (data).....	1057
PHYSICIAN ORDER (q-pair).....	625
PICC (data).....	1057
PICC (q-pair).....	103, 348
PICC LINE (meth).....	1248
PIN (data).....	1057
PIN TRACTION (data).....	1057
PIN TRACTION (q-pair).....	737
PINK (data).....	1058
PINK (q-pair).....	159, 177, 216, 419, 593, 679, 749, 784, 788
PINK / GRANULATING (data).....	1058
PINK / GRANULATING (q-pair).....	567
PINPOINT (data).....	1058
PINPOINT (q-pair).....	602
PITTED (data).....	1058
PITTED (q-pair).....	422
PITTING (data).....	1058
PIVOT (data).....	1059
PIVOT (q-pair).....	176
PIVOT 1.5 (data).....	1059
PIVOT 1.5 (q-pair).....	176
PJC (data).....	1059
PJC (q-pair).....	80
PLACED NEAR TO NURSE STATION (data).....	1059
PLACED NEAR TO NURSE STATION (q-pair).....	195
PLAIN (data).....	1059

PLAIN (q-pair).....	471
PLAN OF CARE - REVISION INDICATED.....	529
PLANTAR FLEXION.....	530
PLASMAPHERESIS (prod).....	1271
PLASMAPHERESIS (q-pair).....	322
PLATELETS (prod).....	1272
PLATELETS (q-pair).....	314, 322
PLATELETS PHERESIS (prod).....	1272
PLATELETS PHERESIS (q-pair).....	314, 322
PLATELETS PHERESIS IRRADIATED (prod).....	1272
PLATELETS PHERESIS IRRADIATED (q-pair).....	314, 322
POINTS (unit).....	1312
POOR (data).....	1060
POOR (q-pair).....	695
POOR BAL (data).....	1060
POOR BAL (q-pair).....	188
POPLITEAL (loca).....	1208
POPLITEAL (q-pair).....	600
PORCINE SUBMUCOSA (data).....	1060
PORCINE SUBMUCOSA (q-pair).....	578
POSITIONAL (data).....	1060
POSITIONAL (q-pair).....	48, 104, 472, 492
POSITIVE PRESSURE CONNECTOR (data).....	1060
POSITIVE PRESSURE CONNECTOR (q-pair).....	348
POST CATH DIET (data).....	1061
POST CATH DIET (q-pair).....	151
POST OPERATION DIAGNOSIS (data).....	1061
POST PROCEDURE DIAGNOSIS (data).....	1061

POST PROCEDURE DIAGNOSIS (q-pair).....	143
POST-FALL (data).....	1061
POST-FALL (q-pair).....	796
POST-OPERATIVE (data).....	1061
POST-OPERATIVE (q-pair).....	143, 168, 796
POST-PROCEDURE (data).....	1062
POST-PROCEDURE (q-pair).....	168
POST-SEDATION (data).....	1062
POST-SEDATION (q-pair).....	168
POSTERIOR TIBIAL (loca).....	1209
POSTERIOR TIBIAL (q-pair).....	600
POTASSIUM MODIFIED 60 MEQ (data).....	1062
POTASSIUM MODIFIED 60 MEQ (q-pair).....	151
POUND (unit).....	1312
PPN (prod).....	1272
PPN (q-pair).....	314
PR INTERVAL.....	531
PRBC (data).....	1062
PRBC (prod).....	1272
PRBC (q-pair).....	314, 322
PRBC - AUTOLOGOUS (prod).....	1273
PRBC - AUTOLOGOUS (q-pair).....	314, 322
PRBC - LEUKOREduced (prod).....	1273
PRBC - LEUKOREduced (q-pair).....	314, 322
PRBC - LEUKOREduced - DIRECTED (prod).....	1273
PRBC - LEUKOREduced - DIRECTED (q-pair).....	314, 322
PRBC - LEUKOREduced - IRRADIATED (prod).....	1273
PRBC - LEUKOREduced - IRRADIATED (q-pair).....	314, 322

PRBC - LEUKOREduced - WASHED (prod).....	1273
PRBC - LEUKOREduced - WASHED (q-pair).....	314, 322
PRE-MEDICATED FOR ACTIVITY (data).....	1062
PRE-MEDICATED FOR ACTIVITY (q-pair).....	497
PRE-OPERATIVE (data).....	1063
PRE-OPERATIVE (q-pair).....	168
PRE-PROCEDURE (data).....	1063
PRE-PROCEDURE (q-pair).....	168
PRE-SEDATION (data).....	1063
PRE-SEDATION (q-pair).....	168
PRE-SURGERY (data).....	1063
PRECAUTIONS - 24 HOUR CHART CHECK (task).....	1292
PRECAUTIONS - ASPIRATION (task).....	1292
PRECAUTIONS - ETOH W/D (task).....	1293
PRECAUTIONS - FALL (task).....	1293
PRECAUTIONS - PATIENT TEACHING (task).....	1293
PRECAUTIONS - VALIDATE ALARMS (task).....	1293
PREGNANT, NO (data).....	1063
PREGNANT, NO (q-pair).....	402
PREGNANT, YES (data).....	1064
PREGNANT, YES (q-pair).....	402
PREMATURE ATRIAL (data).....	1064
PREPROCEDURE: 12 LEAD EKG DONE?.....	532
PREPROCEDURE: ALLERGIES REASSESSED AND DOCUMENTED.....	533
PREPROCEDURE: ANTIBIOTIC GIVEN?.....	534
PREPROCEDURE: ANTIBIOTIC ORDERED?.....	535
PREPROCEDURE: BLOOD TRANSFUSION CONSENT CURRENT?.....	536
PREPROCEDURE: BLOOD TRANSFUSION PREFERENCE?.....	537

PREPROCEDURE: CHEST XRAY DONE?.....	538
PREPROCEDURE: DENTURES REMOVED?.....	539
PREPROCEDURE: DISPOSITION OF CLOTHING.....	540
PREPROCEDURE: DISPOSITION OF VALUABLES.....	541
PREPROCEDURE: DRAINAGE BAG EMPTIED?.....	542
PREPROCEDURE: DRIVER/ESCORT TO HOME CONFIRMED.....	543
PREPROCEDURE: FINGERSTICK GLUCOSE DONE?.....	544
PREPROCEDURE: GLASSES / CONTACTS REMOVED?.....	545
PREPROCEDURE: H AND P CURRENT?.....	546
PREPROCEDURE: HEARING AIDS IN PLACE?.....	547
PREPROCEDURE: HOME MEDICATIONS TAKEN/TIME.....	548
PREPROCEDURE: HOSPITAL GOWN ON?.....	549
PREPROCEDURE: INFORMED CONSENT CURRENT	550
PREPROCEDURE: JEWELRY REMOVED?.....	551
PREPROCEDURE: LABS DONE?.....	552
PREPROCEDURE: NPO SINCE (DATE/TIME).....	553
PREPROCEDURE: PLANNED DISPOSITION POST PROCEDURE.....	554
PREPROCEDURE: PLANNED PROCEDURE.....	555
PREPROCEDURE: PREMEDICATION ADMINISTERED?.....	556
PREPROCEDURE: PREMEDICATION ORDERED?.....	557
PREPROCEDURE: PROCEDURE SITE MARKED CORRECTLY.....	558
PREPROCEDURE: PROSTHETICS/IMPLANTS?.....	559
PREPROCEDURE: PULMONARY FUNCTION TEST DONE?.....	560
PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP NIGHT BEFORE?	561
PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP THIS AM?.....	562
PREPROCEDURE: TYPE AND CROSS MATCH DONE?.....	563
PREPROCEDURE: TYPE AND SCREEN DONE?.....	564

PREPROCEDURE: VITALS SIGNS DONE?.....	565
PREPROCEDURE: VOIDED?.....	566
PRESENT (data).....	1064
PRESENT (q-pair).....	79, 86, 137, 155, 199, 203, 355, 743, 746
PRESSURE (data).....	1064
PRESSURE (q-pair).....	240, 492, 793
PRESSURE CALIBRATION (data).....	1064
PRESSURE CALIBRATION (q-pair).....	348
PRESSURE CONTROL (data).....	1065
PRESSURE CONTROL (q-pair).....	760
PRESSURE DRESSING (data).....	1065
PRESSURE DRESSING (q-pair).....	44, 97, 145, 463
PRESSURE ULCER (data).....	1065
PRESSURE ULCER (q-pair).....	801
PRESSURE ULCER COLOR.....	567
PRESSURE ULCER DEPTH.....	568
PRESSURE ULCER DRAINAGE CHARACTER.....	569
PRESSURE ULCER DRESSING PREVENTS ASSESSMENT.....	570
PRESSURE ULCER LENGTH.....	571
PRESSURE ULCER ODOR.....	572
PRESSURE ULCER PHOTOGRAPHED.....	573
PRESSURE ULCER PREVENTION DEVICE TYPE.....	574
PRESSURE ULCER RISK FACTORS.....	575
PRESSURE ULCER SINUS/UNDERMINING.....	576
PRESSURE ULCER STAGE/SITE.....	577
PRESSURE ULCER TREATMENT.....	578

PRESSURE ULCER TUNNEL.....	579
PRESSURE ULCER TUNNEL LENGTH.....	580
PRESSURE ULCER UNDERMINING.....	581
PRESSURE ULCER WIDTH.....	582
PRESYSTOLIC (data).....	1065
PRESYSTOLIC (q-pair).....	87
PREVENT ACCESS TO DEVICE (data).....	1065
PREVENT ACCESS TO DEVICE (q-pair).....	619
PREVENTIVE HEALTH REHAB TECHNIQUES (data).....	1066
PREVENTIVE HEALTH REHAB TECHNIQUES (q-pair).....	168
PREVIOUS PERCUTANEOUS SITE (data).....	1066
PREVIOUS PERCUTANEOUS SITE (q-pair).....	801
PRN (data).....	1066
PRN (q-pair).....	221
PRN (sche).....	1281
PRO STAT SUGAR FREE 64 (data).....	1066
PRO STAT SUGAR FREE 64 (q-pair).....	176
PRO-STAT (data).....	1066
PRO-STAT (q-pair).....	176
PROCEDURE LOCATION.....	583
PROCEDURE PERSONNEL.....	584
PROCEDURE ROOM (data).....	1067
PROCEDURE ROOM (q-pair).....	489
PROCEDURE TIME.....	585
PROCEDURE, PLANNED.....	586
PRODUCTIVE (data).....	1067
PRODUCTIVE (q-pair).....	138
PROJECTILE VOMITING (data).....	1067

PROJECTILE VOMITING (q-pair).....	214
PROMOTE (data).....	1067
PROMOTE (q-pair).....	176
PROMOTE WITH FIBER (data).....	1067
PROMOTE WITH FIBER (q-pair).....	176
PRONE (data).....	1068
PRONE (q-pair).....	13
PROPASS PROTEIN POWDER (data).....	1068
PROPASS PROTEIN POWDER (q-pair).....	176
PROSTHESIS (data).....	1068
PROSTHESIS (q-pair).....	153, 401
PROTENEX WOUND CARE (data).....	1068
PROTENEX WOUND CARE (q-pair).....	176
PROVIDED PATIENT EDUCATION (data).....	1068
PROVIDED PATIENT EDUCATION (q-pair).....	92
PROXIMAL PORT (data).....	1069
PROXIMAL PORT (q-pair).....	349
PT DENIES NAUSEA / NO VOMITING (data).....	1069
PT DENIES NAUSEA / NO VOMITING (q-pair).....	487
PT PAIN AT ACCEPTABLE LEVEL (data).....	1069
PT PAIN AT ACCEPTABLE LEVEL (q-pair).....	487
PULMOCARE (data).....	1069
PULMOCARE (q-pair).....	176
PULMONARY - CHEST PHYSIO-THERAPY (task).....	1293
PULMONARY - COUGH AND DEEP BREATH (task).....	1294
PULMONARY - ET TUBE CARE (task).....	1294
PULMONARY - INCENTIVE SPIROMETER (task).....	1294
PULMONARY - OXYGEN (task).....	1294

PULMONARY - SUCTION PATIENT (task).....	1294
PULMONARY - TRACH CARE (task).....	1295
PULMONARY ARTERY DIASTOLIC.....	587
PULMONARY ARTERY MEAN PRESSURE.....	588
PULMONARY ARTERY SYSTOLIC.....	589
PULMONARY CAPILLARY WEDGE PRESSURE.....	590
PULMONARY CARE.....	591
PULMONARY PROCEDURE ROOM (data).....	1069
PULMONARY PROCEDURE ROOM (q-pair).....	583
PULMONARY SECRETION AMOUNT.....	592
PULMONARY SECRETION COLOR.....	593
PULMONARY SECRETION CONSISTENCY.....	594
PULMONARY SUCTIONING EVENT.....	595
PULMONARY SUCTIONING FREQUENCY.....	596
PULMONARY SUCTIONING SITE.....	597
PULMONARY VASCULAR RESISTANCE.....	598
PULMONARY VASCULAR RESISTANCE INDEX.....	599
PULSE - DO NOT CHECK TOTAL OR SUBTOTALS.....	600
PULSE OX MONITOR (meth).....	1248
PULSE OX MONITOR (q-pair).....	726
PULSE OXIMETER (data).....	1070
PULSE OXIMETER (q-pair).....	406, 408
PULSE STRENGTH.....	601
PULSELESS ELECTRICAL ACTIVITY (data).....	1070
PULSELESS ELECTRICAL ACTIVITY (q-pair).....	84
PUMP - CONTINUOUS (data).....	1070
PUMP - CONTINUOUS (q-pair).....	171
PUMP - INTERMITTENT (data).....	1070

PUMP - INTERMITTENT (q-pair).....	171
PUNCTURE (data).....	1070
PUNCTURE (q-pair).....	801
PUPIL REACTION.....	602
PUPIL SIZE.....	603
PUREED (data).....	1071
PUREED (q-pair).....	151
PURULENT (data).....	1071
PURULENT (q-pair).....	110, 159, 177, 216, 301, 569, 748
PVC (data).....	1071
PVC (q-pair).....	80
PVR (POST VOID RESIDUAL) - CATHED (meth).....	1248
PVR (POST VOID RESIDUAL) - CATHED (q-pair).....	458
pH (data).....	1177
pH (q-pair).....	217
pH (unit).....	1315

- Q -

Q2H (sche).....	1281
Q4H (sche).....	1281
Q7D (sche).....	1281
QD (sche).....	1282
QRS.....	604
QT.....	605
QUAD LUMEN CATHETER (unit).....	1312
QUADRAGEMINY (data).....	1071

QUADRAGEMINY (q-pair).....	80
QUIET OR RESTING (data).....	1071
QUIET OR RESTING (q-pair).....	129
QUIET ROOM (data).....	1072
QUIET ROOM (q-pair).....	55, 130, 497

- R -

R ABDOMEN (loca).....	1209
R ABDOMEN (q-pair).....	796
R ANKLE (loca).....	1209
R ANKLE (q-pair).....	308, 495, 577, 633, 692, 796
R ANTECUBITAL (loca).....	1209
R ANTECUBITAL (q-pair).....	103, 144, 224, 349, 350, 577, 796
R ARM (loca).....	1209
R ARM (q-pair).....	63, 103, 144, 150, 164, 169, 224, 349, 350, 435, 495, 631, 632, 692, 724
R ARTERY (loca).....	1210
R AXILLARY (loca).....	1210
R AXILLARY (q-pair).....	46, 47, 240, 244
R BRACHIAL (loca).....	1210
R BRACHIAL (q-pair).....	46, 47, 106, 478, 483
R BUNDLE BRANCH BLOCK (data).....	1072

R BUNDLE BRANCH BLOCK (q-pair).....	84
R CALF (loca).....	1210
R CALF (q-pair).....	308
R CAROTID (loca).....	1210
R CAROTID (q-pair).....	79, 86
R CHEST (loca).....	1211
R CHEST (q-pair).....	109, 495, 692, 796
R DORSALIS PEDIS (loca).....	1211
R EAR (loca).....	1211
R EAR (q-pair).....	308, 495, 577, 796
R ELBOW (loca).....	1211
R ELBOW (q-pair).....	495, 577, 692, 796
R EXTERNAL JUGULAR (loca).....	1211
R EXTERNAL JUGULAR (q-pair).....	103, 144, 224, 349, 350, 471
R EYE (loca).....	1212
R EYE (q-pair).....	134, 164, 602, 603, 776, 796
R FACE (loca).....	1212
R FACE (q-pair).....	164, 308, 796
R FEMORAL (loca).....	1212
R FEMORAL (q-pair).....	46, 47, 79, 86, 103, 106, 144, 224, 240, 244, 308, 349, 350, 471, 478, 483, 577, 601, 796
R FINGER (loca).....	1212
R FINGER (q-pair).....	308

R FLANK (loca).....	1212
R FLANK (q-pair).....	308
R FOOT (loca).....	1213
R FOOT (q-pair).....	164, 201, 308, 349, 350, 495, 577, 652, 692, 796
R FOOT DOWN (data).....	1072
R FOOT DOWN (q-pair).....	668
R FOOT UP (data).....	1072
R FOOT UP (q-pair).....	668
R GLUTEUS (loca).....	1213
R GLUTEUS (q-pair).....	308, 577, 796
R GROIN (loca).....	1213
R GROIN (q-pair).....	495, 692
R HAND (loca).....	1213
R HAND (q-pair).....	164, 227, 495, 653, 692, 796
R HEAD (loca).....	1213
R HEAD (q-pair).....	577, 796
R HEAD DOWN (data).....	1072
R HEAD DOWN (q-pair).....	668
R HEAD UP (data).....	1073
R HEAD UP (q-pair).....	668
R HEEL (loca).....	1214
R HEEL (q-pair).....	577, 796
R HIP (loca).....	1214
R HIP (q-pair).....	308, 495, 692, 796
R INGUINAL (loca).....	1214

R INGUINAL (q-pair).....	308
R INNER KNEE (loca).....	1214
R INNER KNEE (q-pair).....	577, 796
R INTERNAL JUGULAR (loca).....	1214
R INTERNAL JUGULAR (q-pair).....	103, 106, 144, 224, 349, 350, 471, 478, 483
R ISCHIAL (loca).....	1215
R ISCHIAL (q-pair).....	577, 796
R JAW (loca).....	1215
R JAW (q-pair).....	495, 692
R KNEE (loca).....	1215
R KNEE (q-pair).....	164, 308, 495, 692
R LATERAL HEEL (loca).....	1215
R LATERAL HEEL (q-pair).....	577
R LATERAL MALLEOLUS (loca).....	1215
R LATERAL MALLEOLUS (q-pair).....	577
R LEG (loca).....	1216
R LEG (q-pair).....	63, 137, 150, 164, 169, 349, 350, 436, 495, 631, 633, 692, 724
R LOWER ANTERIOR CHEST (loca).....	1216
R LOWER ANTERIOR CHEST (q-pair).....	111, 308
R LOWER ARM (loca).....	1216
R LOWER ARM (q-pair).....	308, 495, 577, 692, 796
R LOWER EXTREMITY (loca).....	1216

R LOWER EXTREMITY (q-pair).....	417, 654
R LOWER LEG (loca).....	1216
R LOWER LEG (q-pair).....	308, 796
R LOWER LIMB (loca).....	1217
R LOWER LIMB (q-pair).....	357
R LOWER LOBE (loca).....	1217
R LOWER LOBE (q-pair).....	74
R LOWER POSTERIOR CHEST (loca).....	1217
R LOWER POSTERIOR CHEST (q-pair).....	111, 308
R MANDIBULAR (loca).....	1217
R MANDIBULAR (q-pair).....	308
R MEDIAL HEEL (loca).....	1217
R MEDIAL HEEL (q-pair).....	577
R MEDIAL MALLEOLUS (loca).....	1218
R MEDIAL MALLEOLUS (q-pair).....	577
R MIDDLE ANTERIOR CHEST (loca).....	1218
R MIDDLE ANTERIOR CHEST (q-pair).....	111, 308
R MIDDLE LOBE (loca).....	1218
R MIDDLE LOBE (q-pair).....	74
R MIDDLE POSTERIOR CHEST (loca).....	1218
R MIDDLE POSTERIOR CHEST (q-pair).....	111, 308
R NECK (data).....	1073
R NECK (loca).....	1218
R NECK (q-pair).....	164, 308
R NEPHROSTOMY (data).....	1073
R NEPHROSTOMY (q-pair).....	224, 751
R NOSE (loca).....	1219
R NOSE (q-pair).....	495, 692

R OCCIPITAL (loca).....	1219
R OCCIPITAL (q-pair).....	308
R ORAL (loca).....	1219
R ORAL (q-pair).....	308
R ORBIT (loca).....	1219
R ORBIT (q-pair).....	308
R OUTER KNEE (loca).....	1219
R OUTER KNEE (q-pair).....	577, 796
R PARIETAL (loca).....	1220
R PARIETAL (q-pair).....	308
R PEDAL (loca).....	1220
R PEDAL (q-pair).....	601
R POST TIBIAL (loca).....	1220
R POST TIBIAL (q-pair).....	601
R RADIAL (loca).....	1220
R RADIAL (q-pair).....	46, 47, 601
R RIBS (loca).....	1220
R RIBS (q-pair).....	577, 796
R SCAPULA (loca).....	1221
R SCAPULA (q-pair).....	495, 577, 692, 796
R SHOULDER (loca).....	1221
R SHOULDER (q-pair).....	495, 577, 692, 796
R STENT (data).....	1073
R STENT (q-pair).....	224
R SUBCLAVIAN (loca).....	1221
R SUBCLAVIAN (q-pair).....	103, 106, 144, 224, 308, 349, 350, 471, 478, 483

R TEMPORAL (loca).....	1221
R TEMPORAL (q-pair).....	79, 86
R TESTICLE (loca).....	1221
R TESTICLE (q-pair).....	796
R THIGH (loca).....	1222
R THIGH (q-pair).....	308, 495, 692
R THORACIC ANTERIOR (loca).....	1222
R THORACIC ANTERIOR (q-pair).....	308
R THORACIC LATERAL (loca).....	1222
R THORACIC LATERAL (q-pair).....	308
R THORACIC POSTERIOR (loca).....	1222
R THORACIC POSTERIOR (q-pair).....	308
R THORACOTOMY (loca).....	1222
R THORACOTOMY (q-pair).....	308
R THUMB (loca).....	1223
R THUMB (q-pair).....	308
R TOE (loca).....	1223
R TOE (q-pair).....	308
R TRAPEZIUS (loca).....	1223
R TRAPEZIUS (q-pair).....	308
R TROCHANTER (loca).....	1223
R TROCHANTER (q-pair).....	577, 796
R UPPER ANTERIOR CHEST (loca).....	1223
R UPPER ANTERIOR CHEST (q-pair).....	111, 308
R UPPER ARM (loca).....	1224
R UPPER ARM (q-pair).....	103, 144, 224, 308,
	349, 350, 495, 577,
	692, 796

R UPPER EXTREMITY (loca).....	1224
R UPPER EXTREMITY (q-pair).....	417, 655
R UPPER LEG (loca).....	1224
R UPPER LEG (q-pair).....	796
R UPPER LIMB (loca).....	1224
R UPPER LIMB (q-pair).....	747
R UPPER LOBE (loca).....	1224
R UPPER LOBE (q-pair).....	74
R UPPER POSTERIOR CHEST (loca).....	1225
R UPPER POSTERIOR CHEST (q-pair).....	111, 308
R WRIST (loca).....	1225
R WRIST (q-pair).....	103, 144, 224, 349, 350, 631, 632, 796
RAD TECH (data).....	1073
RAD TECH (q-pair).....	584
RADIAL (loca).....	1225
RADIAL (q-pair).....	63, 600
RADIAL (qual).....	1279
RADIATING (data).....	1074
RADIATING (q-pair).....	492
RADIOLOGY (data).....	1074
RADIOLOGY (q-pair).....	583
RAMSAY ANXIOUS (data).....	1074
RAMSAY ANXIOUS (q-pair).....	643
RAMSAY ASLEEP BRISK RESPONSE (data).....	1074
RAMSAY ASLEEP BRISK RESPONSE (q-pair).....	643
RAMSAY ASLEEP NO RESPONSE (data).....	1074
RAMSAY ASLEEP NO RESPONSE (q-pair).....	643

RAMSAY ASLEEP SLUGGISH (data).....	1075
RAMSAY ASLEEP SLUGGISH (q-pair).....	643
RAMSAY COOPERATIVE (data).....	1075
RAMSAY COOPERATIVE (q-pair).....	643
RAMSAY SEDATED (data).....	1075
RAMSAY SEDATED (q-pair).....	643
RANGE (unit).....	1313
RASH/EXFOLIATION (data).....	1075
RASH/EXFOLIATION (q-pair).....	801
RASS AGITATED (data).....	1075
RASS AGITATED (q-pair).....	644
RASS ALERT AND CALM (data).....	1076
RASS ALERT AND CALM (q-pair).....	644
RASS COMBATIVE (data).....	1076
RASS COMBATIVE (q-pair).....	644
RASS DEEP SEDATION (data).....	1076
RASS DEEP SEDATION (q-pair).....	644
RASS DROWSY (data).....	1076
RASS DROWSY (q-pair).....	644
RASS LIGHT SEDATION (data).....	1076
RASS LIGHT SEDATION (q-pair).....	644
RASS MODERATE SEDATION (data).....	1077
RASS MODERATE SEDATION (q-pair).....	644
RASS RESTLESS (data).....	1077
RASS RESTLESS (q-pair).....	644
RASS UNAROUSABLE (data).....	1077
RASS UNAROUSABLE (q-pair).....	644
RASS VERY AGITATED (data).....	1077

RASS VERY AGITATED (q-pair).....	644
REACTIVE (data).....	1077
REACTIVE (q-pair).....	602
RECTAL (loca).....	1225
RECTAL (q-pair).....	728, 796
RECTAL TEMP PROBE (meth).....	1248
RECTAL TUBE (data).....	1078
RECTAL TUBE PRESENT.....	606
RED (data).....	1078
RED (q-pair).....	46, 100, 144, 159, 177, 216, 243, 350, 469, 567, 593, 715, 749, 784, 788
RED/GRANULATING (data).....	1078
REDDENING OF THE SKIN (data).....	1078
REDIRECT PATIENT ACTIVITY (data).....	1078
REDIRECT PATIENT ACTIVITY (q-pair).....	619
REFLEX (data).....	1079
REFLEX (q-pair).....	201, 227, 357, 418, 747
REFUSE MEDICATION (data).....	1079
REFUSE MEDICATION (q-pair).....	497
REFUSE TO MOVE (data).....	1079
REFUSE TO MOVE (q-pair).....	575
REFUSED (data).....	1079
REFUSED (q-pair).....	16
REGIONAL BLOCK (data).....	1079
REGIONAL BLOCK (q-pair).....	31

REGISTERED NURSE (data).....	1080
REGISTERED NURSE (q-pair).....	625
REGULAR (data).....	1080
REGULAR (q-pair).....	151, 608
REINFORCED (data).....	1080
REINFORCED (q-pair).....	43, 96
RELATIVE (data).....	1080
RELATIVE (q-pair).....	543
RELIGIOUS (data).....	1080
RELIGIOUS (q-pair).....	166
REMNANT P-WAVE (data).....	1081
REMNANT P-WAVE (q-pair).....	80
REMOVE FROM STIM. SETTING (data).....	1081
REMOVE FROM STIM. SETTING (q-pair).....	619
REMOVE RECTAL TUBE (data).....	1081
RENAL DIET (data).....	1081
RENAL DIET (q-pair).....	151
REORIENTED TO ENVIRONMENT (data).....	1081
REORIENTED TO ENVIRONMENT (q-pair).....	619
REPIRATORY DEPRESSION (data).....	1082
REPIRATORY DEPRESSION (q-pair).....	188
REPORTED (data).....	1082
REPORTED (q-pair).....	751
REPOSITION (data).....	1082
REPOSITION (q-pair).....	497, 619, 626, 656
REQUEST FOR MORE MEDICATION (data).....	1082
REQUEST FOR MORE MEDICATION (q-pair).....	497
RES CRIT: AGGRESSIVE (data).....	1082

RES CRIT: AGGRESSIVE (q-pair).....	611
RES CRIT: AMBULATE (data).....	1083
RES CRIT: AMBULATE (q-pair).....	611
RES CRIT: COMBATIVE (data).....	1083
RES CRIT: COMBATIVE (q-pair).....	611
RES CRIT: EQUIPMENT (data).....	1083
RES CRIT: EQUIPMENT (q-pair).....	611
RES CRIT: HARM TO SELF (data).....	1083
RES CRIT: HARM TO SELF (q-pair).....	611
RES CRIT: LINES (data).....	1083
RES CRIT: LINES (q-pair).....	611
RES CRIT: UNABLE TO FOLLOW DIRECTIONS (data).....	1084
RES CRIT: UNABLE TO FOLLOW DIRECTIONS (q-pair).....	611
RES EVAL: AMBULATION/EXERCISE (data).....	1084
RES EVAL: AMBULATION/EXERCISE (q-pair).....	615
RES EVAL: BED/WHEELCHAIR ALARM (posi).....	1257
RES EVAL: DECREASE STIMULATION (data).....	1084
RES EVAL: DECREASE STIMULATION (q-pair).....	615
RES EVAL: DIVERSIONAL ACTIVITIES (data).....	1084
RES EVAL: DIVERSIONAL ACTIVITIES (q-pair).....	615
RES EVAL: EDUCATION (data).....	1084
RES EVAL: EDUCATION (q-pair).....	615
RES EVAL: INVOLVEMENT WITH FAMILY (data).....	1085
RES EVAL: INVOLVEMENT WITH FAMILY (q-pair).....	615
RES EVAL: MEDICATION REVIEW (data).....	1085
RES EVAL: MEDICATION REVIEW (q-pair).....	615
RES EVAL: REALITY ORIENTATION (data).....	1085
RES EVAL: REALITY ORIENTATION (posi).....	1258

RES EVAL: REALITY ORIENTATION (q-pair).....	615
RES EVAL: RELOCATE (data).....	1085
RES EVAL: RELOCATE (q-pair).....	615
RES EVAL: UNABLE TO ATTEMPT (data).....	1085
RES EVAL: UNABLE TO ATTEMPT (q-pair).....	615
RES LRM: DEVICE ACCESS (data).....	1086
RES LRM: DEVICE ACCESS (q-pair).....	626
RES LRM: LIMIT SETTING (data).....	1086
RES LRM: LIMIT SETTING (q-pair).....	626
RES LRM: PRN MEDS (data).....	1086
RES LRM: PRN MEDS (q-pair).....	626
RES LRM: REDIRECT (data).....	1086
RES LRM: REDIRECT (q-pair).....	626
RES LRM: REMOVE FROM SETTING (data).....	1086
RES LRM: REMOVE FROM SETTING (q-pair).....	626
RES LRM: REORIENT (data).....	1087
RES LRM: REORIENT (q-pair).....	626
RES LRM: SUPERVISION (data).....	1087
RES LRM: SUPERVISION (q-pair).....	626
RES LRM: VERBAL DE-ESCALATION (data).....	1087
RES LRM: VERBAL DE-ESCALATION (q-pair).....	626
RES LRM: VERBAL REMINDERS (data).....	1087
RES LRM: VERBAL REMINDERS (q-pair).....	626
RESERVOIR CANNULA (meth).....	1248
RESERVOIR CANNULA (q-pair).....	721
RESOURCE BREEZE (data).....	1087
RESOURCE BREEZE (q-pair).....	176
RESOURCE DM (data).....	1088

RESOURCE DM (q-pair).....	176
RESP TECH (data).....	1088
RESP TECH (q-pair).....	584
RESPIRATION (data).....	1088
RESPIRATION (q-pair).....	408
RESPIRATION: END-TIDAL CO2.....	607
RESPIRATORY DEPRESSION (data).....	1088
RESPIRATORY DEPRESSION (q-pair).....	521
RESPIRATORY PATTERN.....	608
RESPIRATORY RATE - DO NOT CHECK TOTAL OR SUBTOTALS.....	609
RESTING (data).....	1088
RESTING (q-pair).....	54
RESTING RESPIRATORY RATE BASELINE OR ABOVE (data).....	1089
RESTING RESPIRATORY RATE BASELINE OR ABOVE (q-pair)....	487
RESTLESS (data).....	1089
RESTLESS (q-pair).....	56, 356, 496, 627
RESTRAINT (data).....	1089
RESTRAINT (q-pair).....	628
RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET (task).....	1295
RESTRAINT - CIRCULATION CHECK (task).....	1295
RESTRAINT - DEVICE RELEASE (task).....	1295
RESTRAINT - FALL PRECAUTIONS (task).....	1295
RESTRAINT - SEIZURE PRECAUTIONS (task).....	1296
RESTRAINT BILATERAL ANKLE (data).....	1089
RESTRAINT BILATERAL ANKLE (q-pair).....	631
RESTRAINT BILATERAL HAND MITT (data).....	1089
RESTRAINT BILATERAL HAND MITT (q-pair).....	631
RESTRAINT CIRCULATION CHECK.....	610

RESTRAINT CRITERIA.....	611
RESTRAINT DEVICE TRIAL RELEASE.....	612
RESTRAINT EDUCATION.....	613
RESTRAINT EDUCATION TYPE.....	614
RESTRAINT EVAL - ALT. MEASURES ATTEMPTED.....	615
RESTRAINT EVAL - ELIMINATION MONITORED.....	616
RESTRAINT EVAL - FLUID/NUTRITION INTAKE.....	617
RESTRAINT EVAL - HYGIENE/COMFORT.....	618
RESTRAINT EVAL - LEAST RESTRICTIVE MEASURES.....	619
RESTRAINT EVAL - MENTAL.....	620
RESTRAINT EVAL - PRIVACY/DIGNITY.....	621
RESTRAINT EVAL - REPOSITION/RANGE OF MOTION.....	622
RESTRAINT EVAL - SKIN INTEGRETU.....	623
RESTRAINT FAMILY ED. UNDERSTANDING.....	624
RESTRAINT GERI CHAIR (data).....	1090
RESTRAINT GERI CHAIR (q-pair).....	631
RESTRAINT HARD PLASTIC/LEATHER (data).....	1090
RESTRAINT HARD PLASTIC/LEATHER (q-pair).....	631, 632, 633
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (data).....	1090
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (q-pair).....	631
RESTRAINT HARD PLASTIC/LEATHER 4 POINT (data).....	1090
RESTRAINT HARD PLASTIC/LEATHER 4 POINT (q-pair).....	631
RESTRAINT INITIATED BY.....	625
RESTRAINT LEAST RESTRICTIVE MEASURES.....	626
RESTRAINT MENTAL ASSESSMENT.....	627
RESTRAINT ONE ARM (data).....	1090
RESTRAINT ONE ARM (q-pair).....	631
RESTRAINT ONE LEG (data).....	1091

RESTRAINT ONE LEG (q-pair).....	631
RESTRAINT ORDER TYPE.....	628
RESTRAINT PATIENT ED. UNDERSTANDING.....	629
RESTRAINT SAFETY CARE.....	630
RESTRAINT SINGLE HAND MITT (data).....	1091
RESTRAINT SINGLE HAND MITT (q-pair).....	631, 632
RESTRAINT SOFT (data).....	1091
RESTRAINT SOFT (q-pair).....	631, 632, 633
RESTRAINT SOFT 2 POINT (data).....	1091
RESTRAINT SOFT 2 POINT (q-pair).....	631
RESTRAINT SOFT 4 POINT (data).....	1091
RESTRAINT SOFT 4 POINT (q-pair).....	631
RESTRAINT SOFT ARMS + LOCKED WAIST (data).....	1092
RESTRAINT SOFT ARMS + LOCKED WAIST (q-pair).....	631
RESTRAINT SOFT ARMS + WAIST (data).....	1092
RESTRAINT SOFT ARMS + WAIST (q-pair).....	631
RESTRAINT STRAP (data).....	1092
RESTRAINT STRAP (q-pair).....	631, 633
RESTRAINT STRAP (sche).....	1282
RESTRAINT TYPE ALL.....	631
RESTRAINT TYPE ARMS.....	632
RESTRAINT TYPE LEGS.....	633
RESTRAINT TYPE OTHER.....	634
RESTRAINT VEST (data).....	1092
RESTRAINT VEST (q-pair).....	631, 634
RESTRAINT WAIST (data).....	1092
RESTRAINT WAIST (q-pair).....	631, 634
RESTRAINT WAIST LOCKED (data).....	1093

RESTRAINT WAIST LOCKED (q-pair).....	631
RESTRAINT WRIST (data).....	1093
RESTRAINT WRIST (q-pair).....	631
RESTRAINT- ACTIVE ORDER.....	635
RESTRAINT/SECLUSION DISCONTINUED.....	636
RESTRAINTS BROCHURE (data).....	1093
RESTRAINTS BROCHURE (q-pair).....	614
RESTRAINTS ED REMOVAL (data).....	1093
RESTRAINTS ED REMOVAL (q-pair).....	614
RESTRAINTS ED TYPE (data).....	1093
RESTRAINTS ED TYPE (q-pair).....	614
RESTRAINTS EXPLAINED (data).....	1094
RESTRAINTS EXPLAINED (q-pair).....	614
RESTRAINTS LIMIT SETTING (data).....	1094
RESTRAINTS LIMIT SETTING (q-pair).....	619
RESTRAINTS TIME LIMIT (data).....	1094
RESTRAINTS TIME LIMIT (q-pair).....	614
RESTRAINTS: BEHAVIOR CRITERIA FOR DISCONTINUE.....	637
RESTRICTED EXTREMITY (data).....	1094
RESTRICTED EXTREMITY (q-pair).....	40
RHONCHI (data).....	1094
RHONCHI (q-pair).....	74
RHYTHM (meth).....	1249
RIGHT (data).....	1095
RIGHT (loca).....	1225
RIGHT (posi).....	1258
RIGHT (q-pair).....	13, 193
RIGHT EYE (loca).....	1226

RIGHT EYE (q-pair).....	153
RIGHT VENTRICULAR STROKE WORK.....	638
RIGHT VENTRICULAR STROKE WORK INDEX.....	639
RIGID HEEL SPLINT (data).....	1095
RIGID HEEL SPLINT (q-pair).....	574
RN (data).....	1095
RN (q-pair).....	584, 642
ROOM AIR (meth).....	1249
ROOM AIR15 (meth).....	1249
ROOM AIR20 (meth).....	1249
ROPIVICAINE (data).....	1095
ROPIVICAINE (q-pair).....	186
ROTATIONAL THERAPY (data).....	1095
ROTATIONAL THERAPY (q-pair).....	699
ROUND (data).....	1096
ROUND (q-pair).....	2
RT (data).....	1096
RT (q-pair).....	642
RUB (data).....	1096
RUB (q-pair).....	81
RUNS OF VT (data).....	1096
RUNS OF VT (q-pair).....	80
Rh IMMUNE GLOBULIN (prod).....	1274
Rh IMMUNE GLOBULIN (q-pair).....	322

- S -

S = SLEEP, EASY TO AROUSE (data).....1096

S = SLEEP, EASY TO AROUSE (q-pair).....	504
S1 (data).....	1097
S1 (q-pair).....	81
S2 (data).....	1097
S2 (q-pair).....	81
S3 (data).....	1097
S3 (q-pair).....	81
S4 (data).....	1097
S4 (q-pair).....	81
SACRAL (loca).....	1226
SACRAL (q-pair).....	164, 577, 796
SAFETY (data).....	1097
SAFETY (q-pair).....	168
SAFETY DEVICE WAIST BELT APPLIED.....	640
SALINE (prod).....	1274
SALINE (q-pair).....	321, 330
SALINE LOCK (data).....	1098
SALINE LOCK (q-pair).....	348, 516
SALINE MOIST DRESSING (data).....	1098
SALINE MOIST DRESSING (q-pair).....	578, 800
SANDOSOURCE PEPTIDE (data).....	1098
SANDOSOURCE PEPTIDE (prod).....	1274
SANDOSOURCE PEPTIDE (q-pair).....	314
SAS AGITATED (data).....	1098
SAS AGITATED (q-pair).....	645
SAS CALM AND COOPERATIVE (data).....	1098
SAS CALM AND COOPERATIVE (q-pair).....	645
SAS DANGEROUS AGITATION (data).....	1099

SAS DANGEROUS AGITATION (q-pair).....	645
SAS SEDATED (data).....	1099
SAS SEDATED (q-pair).....	645
SAS UNAROUSABLE (data).....	1099
SAS UNAROUSABLE (q-pair).....	645
SAS VERY AGITATED (data).....	1099
SAS VERY AGITATED (q-pair).....	645
SAS VERY SEDATED (data).....	1099
SAS VERY SEDATED (q-pair).....	645
SCALE (unit).....	1313
SCANT (data).....	1100
SCANT (q-pair).....	449, 592, 681
SCAPHOID (data).....	1100
SCAPHOID (q-pair).....	2
SCOOTER (data).....	1100
SCOOTER (q-pair).....	204
SCROTUM (loca).....	1226
SCROTUM (q-pair).....	495, 577, 692
SECLUSION (data).....	1100
SECLUSION (q-pair).....	628
SECLUSION: BEHAVIOR CRITERIA FOR DISCONTINUATION.....	641
SECOND (unit).....	1313
SECOND DEGREE AV BLOCK: TYPE 1 (data).....	1100
SECOND DEGREE AV BLOCK: TYPE 1 (q-pair).....	84
SECOND DEGREE AV BLOCK: TYPE 2 (data).....	1101
SECOND DEGREE AV BLOCK: TYPE 2 (q-pair).....	84
SECOND VERIFIER.....	642
SECURE TRACK IN PLACE (data).....	1101

SECURE TRACK IN PLACE (q-pair).....	4
SEDATED (data).....	1101
SEDATED (q-pair).....	56, 165, 513, 627
SEDATION SCALE - RAMSAY.....	643
SEDATION SCALE - RASS.....	644
SEDATION SCALE - SAS.....	645
SEDIMENT (data).....	1101
SEDIMENT (q-pair).....	748
SEE CPRS PROGRESS NOTE FOR ADDITIONAL DATA AND ASSESSMENTS	
.....	646
SEIZURE CHARACTER.....	647
SEIZURE DURATION.....	648
SEIZURE FOCI.....	649
SEIZURE PRECAUTIONS.....	650
SEIZURES.....	651
SEIZURES (data).....	1101
SEIZURES (q-pair).....	402
SELECTED SURGERY (data).....	1102
SELECTED SURGERY (q-pair).....	91
SELF AM CARE BY PATIENT (data).....	1102
SELF AM CARE BY PATIENT (q-pair).....	5
SELF CARE (data).....	1102
SELF CARE (q-pair).....	13, 16
SELF CARE OF BEDSIDE ENVIRONMENT (data).....	1102
SELF CARE OF BEDSIDE ENVIRONMENT (q-pair).....	5
SELF FACE WASH (data).....	1102
SELF FACE WASH (q-pair).....	5
SELF FOOT CARE (data).....	1103

SELF FOOT CARE (q-pair).....	5
SELF SHAVE (data).....	1103
SELF SHAVE (q-pair).....	5
SELF SHOWER (data).....	1103
SELF SHOWER (q-pair).....	5
SELF TRACH CARE (data).....	1103
SELF TRACH CARE (q-pair).....	5
SELF-CARE SKILLS (data).....	1103
SELF-CARE SKILLS (q-pair).....	168
SEMIFOWLERS (posi).....	1258
SEMIFOWLERS (q-pair).....	63, 600, 609
SEMIFOWLERS HIGH (data).....	1104
SEMIFOWLERS HIGH (q-pair).....	53
SEMIFOWLERS LOW (data).....	1104
SEMIFOWLERS LOW (q-pair).....	53
SENSATION FOOT.....	652
SENSATION HAND.....	653
SENSATION LOWER EXTREMITY.....	654
SENSATION UPPER EXTREMITY.....	655
SEQUENTIAL COMPRESSION DEVICE (data).....	1104
SEQUENTIAL COMPRESSION DEVICE (q-pair).....	162
SEQUENTIAL COMPRESSION DEVICE APPLICATION.....	656
SEROSANGUINOUS (data).....	1104
SEROSANGUINOUS (q-pair).....	110, 301, 569, 670
SEROUS (data).....	1104
SEROUS (q-pair).....	110, 301, 569, 670
SET UP HELP ONLY (data).....	1105
SET UP HELP ONLY (q-pair).....	10

SEVERELY REDUCED (data).....	1105
SEVERELY REDUCED (q-pair).....	353
SEWS - AGITATION.....	657
SEWS - ANXIETY.....	658
SEWS - DISORIENTATION NAME PLACE.....	659
SEWS - HALLUCINATION ANY.....	660
SEWS - HALLUCINATION AUDITORY ONLY.....	661
SEWS - NAME ONLY.....	662
SEWS - NAUSEA.....	663
SEWS - SWEATING.....	664
SEWS - TOTAL.....	665
SEWS - TREMOR.....	666
SEWS - VITAL SIGNS.....	667
SEWS SCALE (unit).....	1313
SHALLOW (data).....	1105
SHALLOW (q-pair).....	608
SHAMPOO (data).....	1105
SHAMPOO (q-pair).....	5
SHARP (data).....	1105
SHARP (q-pair).....	492
SHAVE (data).....	1106
SHAVE (q-pair).....	5
SHOOTING (data).....	1106
SHOOTING (q-pair).....	492
SHORT NECK (data).....	1106
SHORT NECK (q-pair).....	423
SHOWER (data).....	1106
SHOWER (q-pair).....	5

SHUFFLING (data).....	1106
SHUFFLING (q-pair).....	204
SHUNTS (data).....	1107
SHUNTS (q-pair).....	402
SI UNIT (unit).....	1313
SICU (data).....	1107
SICU (q-pair).....	489
SIDE RAILS.....	668
SIGMOIDOSTOMY (data).....	1107
SIGMOIDOSTOMY (q-pair).....	445
SIGNIFICANT EVENT.....	669
SIGNIFICANT OTHER (data).....	1107
SIGNIFICANT OTHER (q-pair).....	11
SILVADENE (data).....	1107
SILVADENE (q-pair).....	578
SILVER (data).....	1108
SILVER SULFADIAZINE (data).....	1108
SINGLE (data).....	1108
SINGLE (q-pair).....	103
SINGLE LUMEN CATHETER (meth).....	1249
SINGLE USE LUBRICANT PACKET (data).....	1108
SINGLE USE LUBRICANT PACKET (q-pair).....	92
SINUS ARREST (data).....	1108
SINUS ARREST (q-pair).....	84
SINUS ARRHYTHMIA (data).....	1109
SINUS ARRHYTHMIA (q-pair).....	84
SINUS BLOCK (data).....	1109
SINUS BLOCK (q-pair).....	84

SINUS BRADYCARDIA (data).....	1109
SINUS BRADYCARDIA (q-pair).....	84
SINUS DRAINAGE CHARACTER.....	670
SINUS DRAINAGE PRESENT.....	671
SINUS NECROTIC TISSUE APPEARANCE.....	672
SINUS NECROTIC TISSUE PRESENT.....	673
SINUS PAUSE (data).....	1109
SINUS PAUSE (q-pair).....	84
SINUS RHYTHM (data).....	1109
SINUS RHYTHM (q-pair).....	84
SINUS TACHYCARDIA (data).....	1110
SINUS TACHYCARDIA (q-pair).....	84
SINUS TRACT SURROUNDING TISSUE CHARACTER.....	674
SINUS TRACT ULCER.....	675
SINUS TRACT ULCER EPITHELIALIZATION.....	676
SINUS TRACT ULCER GRANULIZATION.....	677
SITE UNABLE TO BE MARKED (data).....	1110
SITE UNABLE TO BE MARKED (q-pair).....	558
SITTING (posi).....	1258
SITTING (q-pair).....	63, 150, 600, 609, 724, 781
SKIN (ADHESIVE INDICATOR) (meth).....	1250
SKIN (ADHESIVE INDICATOR) (q-pair).....	169
SKIN (loca).....	1226
SKIN (q-pair).....	728
SKIN ALTERATION.....	678
SKIN COLOR.....	679
SKIN CONDITION.....	680

SKIN DRAINAGE AMOUNT.....	681
SKIN ERYTHEMA EXTENDS AROUND INCISION.....	682
SKIN ERYTHEMA EXTENSION AROUND WOUND.....	683
SKIN INCISION CLOSURE.....	684
SKIN INCISION WOUND CLOSURE OPEN WOUND (data).....	1110
SKIN INCISION WOUND CLOSURE OPEN WOUND (q-pair).....	684
SKIN INCISION WOUND CLOSURE STAPLES (data).....	1110
SKIN INCISION WOUND CLOSURE STAPLES (q-pair).....	684
SKIN INCISION WOUND CLOSURE STERI-STRIPS (data).....	1110
SKIN INCISION WOUND CLOSURE STERI-STRIPS (q-pair).....	684
SKIN INCISION WOUND CLOSURE SUTURES (data).....	1111
SKIN INCISION WOUND CLOSURE SUTURES (q-pair).....	684
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (data).....	1111
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (q-pair).....	685
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (data).....	1111
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (q-pair).....	685
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (data).....	1111
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (q-pair).....	685
SKIN INDURATION AROUND INCISION NONE (data).....	1111
SKIN INDURATION AROUND INCISION NONE (q-pair).....	685
SKIN INDURATION EXTENSION AROUND INCISION.....	685
SKIN INDURATION EXTENSION AROUND WOUND.....	686

SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data)	1112
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pair)	686
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data)	1112
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pair)	686
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (data)	1112
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair)	686
SKIN INDURATION EXTENSION AROUND WOUND NONE (data)	1112
SKIN INDURATION EXTENSION AROUND WOUND NONE (q-pair)	686
SKIN MOISTURE	687
SKIN PATCHES PRESENT	688
SKIN RISK FACTORS PRESENT	689
SKIN SWELLING EXTENSION AROUND INCISION	690
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (data)	1112
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (q-pair)	690
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (data)	1113
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (q-pair)	690
SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (data)	1113

SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (q-pair)	
.....	690
SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (data)	
.....	1113
SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (q-pair)	
.....	690
SKIN SWELLING EXTENSION AROUND INCISION NONE (data)....	1113
SKIN SWELLING EXTENSION AROUND INCISION NONE (q-pair)..	690
SKIN SWELLING EXTENSION AROUND WOUND.....	691
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data)	
.....	1113
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pair)	
.....	691
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data)	
.....	1114
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pair)	
.....	691
SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (data)...	1114
SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (q-pair).	691
SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (data)	
.....	1114
SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair)	
.....	691
SKIN SWELLING EXTENSION AROUND WOUND NONE (data).....	1114
SKIN SWELLING EXTENSION AROUND WOUND NONE (q-pair).....	691
SKIN TEAR (data).....	1114
SKIN TEAR (q-pair).....	801
SKIN TEMP.....	692

SKIN TEMPERATURE AT INCISION SITE.....	693
SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (data)	1115
SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (q-pair)	693
SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (data) a).....	1115
SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (q-pair) air).....	693
SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (data)	1115
SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (q-pair)	693
SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (data) a).....	1115
SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (q-pair) air).....	693
SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (data)	1115
SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (q-pair)	693
SKIN TEMPERATURE AT WOUND SITE.....	694
SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (data)	1116
SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (q-pair)	694
SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (data)	1116

SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (q-pair)	694
SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (data)	1116
SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (q-pair)	694
SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (data)	1116
SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (q-pair)	694
SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (data)	1116
SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (q-pair)	694
SKIN TRAUMA (data)	1117
SKIN TRAUMA (q-pair)	801
SKIN TURGOR	695
SKIN WARM AND DRY COLOR APPROPRIATE (data)	1117
SKIN WARM AND DRY COLOR APPROPRIATE (q-pair)	487
SKIN WOUND CLOSURE	696
SKIN WOUND CLOSURE APPROXIMATED (data)	1117
SKIN WOUND CLOSURE APPROXIMATED (q-pair)	696
SKIN WOUND CLOSURE DEHISCENCE (data)	1117
SKIN WOUND CLOSURE DEHISCENCE (q-pair)	696
SKIN WOUND CLOSURE GLUE (data)	1117
SKIN WOUND CLOSURE GLUE (q-pair)	696
SKIN WOUND CLOSURE NOT CLOSED (data)	1118
SKIN WOUND CLOSURE NOT CLOSED (q-pair)	696

SKIN WOUND CLOSURE OPEN WOUND (data).....	1118
SKIN WOUND CLOSURE OPEN WOUND (q-pair).....	696
SKIN WOUND CLOSURE STAPLES (data).....	1118
SKIN WOUND CLOSURE STAPLES (q-pair).....	696
SKIN WOUND CLOSURE STERI-STRIPS (data).....	1118
SKIN WOUND CLOSURE STERI-STRIPS (q-pair).....	696
SKIN WOUND CLOSURE SUTURES (data).....	1118
SKIN WOUND CLOSURE SUTURES (q-pair).....	696
SLEEP AMOUNT.....	697
SLEEP QUALIFIERS.....	698
SLEEPING (data).....	1119
SLEEPING (q-pair).....	129, 496, 627
SLEEPS POORLY (data).....	1119
SLEEPS POORLY (q-pair).....	56
SLEPT WELL (data).....	1119
SLEPT WELL (q-pair).....	698
SLIGHT (data).....	1119
SLIGHT (q-pair).....	459
SLING TRACTION (data).....	1119
SLING TRACTION (q-pair).....	737
SLOUGH (data).....	1120
SLOUGH (q-pair).....	567, 795
SLUGGISH (data).....	1120
SLUGGISH (q-pair).....	602
SLURRED SPEECH (data).....	1120
SLURRED SPEECH (q-pair).....	188
SM ADULT (meth).....	1250
SM ADULT CUFF (meth).....	1250

SMALL (data).....	1120
SMALL (q-pair).....	449, 457, 459, 592,
	681
SMALL BORE FEEDING TUBE (data).....	1120
SMALL BORE FEEDING TUBE (q-pair).....	220
SMEAR (data).....	1121
SMEAR (q-pair).....	457
SMOKING AREA (data).....	1121
SMOKING AREA (q-pair).....	55, 130
SMOKING PORCH (data).....	1121
SMOKING PORCH (q-pair).....	55, 130
SMOOTH (data).....	1121
SMOOTH (q-pair).....	795
SNACK (data).....	1121
SNACK (q-pair).....	5
SNACK - AM (data).....	1122
SNACK - AM (q-pair).....	382
SNACK - HS (data).....	1122
SNACK - HS (q-pair).....	382
SNACK - OTHER (data).....	1122
SNACK - OTHER (q-pair).....	382
SNACK - PM (data).....	1122
SNACK - PM (q-pair).....	382
SNORES (data).....	1122
SNORES (q-pair).....	402
SODA: DIET (prod).....	1274
SODA: DIET (q-pair).....	334
SODA: NON-DIET (prod).....	1274

SODA: NON-DIET (q-pair).....	334
SODIUM CONTROLLED 2 GM (data).....	1123
SODIUM CONTROLLED 2 GM (q-pair).....	151
SODIUM CONTROLLED 4 GM (data).....	1123
SODIUM CONTROLLED 4 GM (q-pair).....	151
SOFT (data).....	1123
SOFT (q-pair).....	2, 672, 714
SOFT DRINK (prod).....	1275
SOMNOLENT (data).....	1123
SOMNOLENT (q-pair).....	521
SPECIAL PROCEDURE ROOM (data).....	1123
SPECIAL PROCEDURE ROOM (q-pair).....	583
SPECIALTY BED/MATTRESS.....	699
SPECIALTY MATTRESS/BED (data).....	1124
SPECIALTY MATTRESS/BED (q-pair).....	574
SPECIFIC GRAVITY.....	700
SPINAL (data).....	1124
SPINAL (q-pair).....	31
SPINE CERVICAL (loca).....	1226
SPINE CERVICAL (q-pair).....	308
SPINE LUMBAR (loca).....	1227
SPINE LUMBAR (q-pair).....	308
SPINE THORACIC (loca).....	1227
SPINE THORACIC (q-pair).....	308
SPIRITUAL (data).....	1124
SPIRITUAL (q-pair).....	166, 168
SPLINTING (data).....	1124
SPLINTING (q-pair).....	496

SPONTANEOUS (data).....	1124
SPONTANEOUS (meth).....	1250
SPONTANEOUS (q-pair).....	609, 760
SPOONING (data).....	1125
SPOONING (q-pair).....	421
SPOUSE (data).....	1125
SPOUSE (q-pair).....	540, 541, 543
SQ EMPHYSEMA (data).....	1125
SQ EMPHYSEMA (q-pair).....	114
SQUARE (data).....	1125
SQUARE (q-pair).....	775
SQUARE METERS (unit).....	1314
SQUEEZING (data).....	1125
SQUEEZING (q-pair).....	492
ST SEGMENT AVF.....	701
ST SEGMENT AVL.....	702
ST SEGMENT AVR.....	703
ST SEGMENT I.....	704
ST SEGMENT II.....	705
ST SEGMENT III.....	706
ST SEGMENT V1.....	707
ST SEGMENT V2.....	708
ST SEGMENT V3.....	709
ST SEGMENT V4.....	710
ST SEGMENT V5.....	711
ST SEGMENT V6.....	712
ST/T WAVE MEASUREMENT.....	713
STABBING (data).....	1126

STABBING (q-pair).....	492
STABLE (data).....	1126
STABLE (q-pair).....	191
STABLE BP AND PULSE (data).....	1126
STABLE BP AND PULSE (q-pair).....	487
STAFF (data).....	1126
STAFF (q-pair).....	741
STAGE 3 OR 4 PRESSURE ULCER (data).....	1126
STAGE 3 OR 4 PRESSURE ULCER (q-pair).....	91
STAGE I (data).....	1127
STAGE I (q-pair).....	577
STAGE II (data).....	1127
STAGE II (q-pair).....	577
STAGE III (data).....	1127
STAGE III (q-pair).....	577
STAGE IV (data).....	1127
STAGE IV (q-pair).....	577
STANDARD (data).....	1127
STANDARD (q-pair).....	338
STANDARD PRESSURE REDUCTION (data).....	1128
STANDARD PRESSURE REDUCTION (q-pair).....	699
STANDING (posi).....	1258
STANDING (q-pair).....	63, 150, 600, 609, 724, 781
STANDING WEIGHT (meth).....	1250
STANDING WEIGHT (q-pair).....	781
STAPLES (data).....	1128
START TIME: (data).....	1128

START TIME: (q-pair).....	585
STARTED (data).....	1128
STARTED (q-pair).....	348, 516
STARTED ON LEFT (data).....	1128
STARTED ON LEFT (q-pair).....	649
STARTED ON RIGHT (data).....	1129
STARTED ON RIGHT (q-pair).....	649
STATED (q-pair).....	232, 751, 781, 783
STATED (qual).....	1279
STEADY (data).....	1129
STEADY (q-pair).....	204
STEADY GAIT OR BASELINE (data).....	1129
STEADY GAIT OR BASELINE (q-pair).....	152
STEP DOWN (data).....	1129
STEP DOWN (q-pair).....	489
STERILE GLOVES-DRAPES USED (data).....	1129
STERILE GLOVES-DRAPES USED (q-pair).....	92
STERNOTOMY (loca).....	1227
STINGING (data).....	1130
STINGING (q-pair).....	492
STOMACH (loca).....	1227
STOMACH (q-pair).....	495
STOOL CHARACTERISTICS.....	714
STOOL COLOR.....	715
STOOL NUMBER STOOLS.....	716
STOP TIME: (data).....	1130
STOP TIME: (q-pair).....	585
STOPCOCK CHANGE (data).....	1130

STOPCOCK CHANGE (q-pair).....	174
STRAIGHT CATHETER (data).....	1130
STRAIGHT CATHETER (meth).....	1251
STRAIGHT CATHETER (q-pair).....	224, 458, 751
STRETCHER (data).....	1130
STRETCHER (q-pair).....	742
STRICT (data).....	1131
STRICT (q-pair).....	338
STROKE (data).....	1131
STROKE (q-pair).....	402
STROKE INDEX.....	717
STROKE VOLUME.....	718
STROKE VOLUME INDEX.....	719
STROKE WORK PER BEAT (unit).....	1314
STROKE WORK PER BEAT PER M2 (unit).....	1314
STRONG (data).....	1131
STRONG (q-pair).....	201, 227, 357, 747
STRYKER FRAME (data).....	1131
STRYKER FRAME (q-pair).....	699
STUDENT (data).....	1131
STUDENT (q-pair).....	584, 741
STUPOROUS (data).....	1132
STUPOROUS (q-pair).....	356, 513
SUBCUTANEOUS TISSUE (data).....	1132
SUBSTERNAL (loca).....	1227
SUBSTERNAL (q-pair).....	495
SUCTIONED ONLY (data).....	1132
SUCTIONED ONLY (q-pair).....	16

SUICIDAL (data).....	1132
SUICIDAL (q-pair).....	58, 131
SUMP (data).....	1132
SUMP (q-pair).....	790
SUPERVISION/SET-UP HELP (data).....	1133
SUPERVISION/SET-UP HELP (q-pair).....	8, 9, 10
SUPINE (data).....	1133
SUPINE (posi).....	1259
SUPINE (q-pair).....	13, 63, 609
SUPLENA (data).....	1133
SUPLENA (q-pair).....	176
SUPPER (data).....	1133
SUPPER (q-pair).....	382
SUPPLEMENTAL OXYGEN CONCENTRATION.....	720
SUPPLEMENTAL OXYGEN FLOW RATE.....	721
SUPPORT GROUPS (data).....	1133
SUPPORT GROUPS (q-pair).....	168
SUPRAPUBIC (data).....	1134
SUPRAPUBIC (meth).....	1251
SUPRAPUBIC (q-pair).....	224, 458, 751
SUPRAVENTRICULAR TACHYCARDIA (data).....	1134
SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	84
SURGICAL (data).....	1134
SURGICAL (q-pair).....	801
SURGICAL DONOR (data).....	1134
SURGICAL DONOR (q-pair).....	801
SURGICAL GRAFT (data).....	1134
SURGICAL GRAFT (q-pair).....	801

SUSPECTED DEEP TISSUE INJURY (data).....	1135
SUSPECTED DEEP TISSUE INJURY (q-pair).....	577
SUTURES (data).....	1135
SWOLLEN (data).....	1135
SWOLLEN (q-pair).....	46, 100, 144, 243, 350, 469
SYMPTOMS OF MEDICATION ALLERGY (data).....	1135
SYMPTOMS OF MEDICATION ALLERGY (q-pair).....	188
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (data)..	1135
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (q-pair)	760
SYRINGE (data).....	1136
SYRINGE (q-pair).....	171
SYRINGE CHANGE (data).....	1136
SYRINGE CHANGE (q-pair).....	174
SYRINGE CHANGED (data).....	1136
SYRINGE CHANGED (q-pair).....	516
SYSTEMIC VASCULAR RESISTANCE.....	722
SYSTEMIC VASCULAR RESISTANCE INDEX.....	723
SYSTOLIC (data).....	1136
SYSTOLIC (q-pair).....	87
SYSTOLIC PRESSURE.....	724
SaO2%.....	725
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (data).....	1136
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (q-pair).....	487
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (data)	1137
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (q-pair)	487

SpO2%.....	726
SvO2%.....	727

- T -

T-PIECE (meth).....	1251
T-PIECE (q-pair).....	720
T1 (data).....	1137
T1 (q-pair).....	184, 185
T10 (data).....	1137
T10 (q-pair).....	184, 185
T11 (data).....	1137
T11 (q-pair).....	184, 185
T12 (data).....	1137
T12 (q-pair).....	184, 185
T2 (data).....	1138
T2 (q-pair).....	184, 185
T3 (data).....	1138
T3 (q-pair).....	184, 185
T4 (data).....	1138
T4 (q-pair).....	184, 185
T5 (data).....	1138
T5 (q-pair).....	184, 185
T6 (data).....	1138
T6 (q-pair).....	184, 185
T7 (data).....	1139
T7 (q-pair).....	184, 185
T8 (data).....	1139

T8 (q-pair).....	184, 185
T9 (data).....	1139
T9 (q-pair).....	184, 185
TAN (data).....	1139
TAN (q-pair).....	159, 177, 216, 593, 749, 784, 788
TAP WATER (prod).....	1275
TAP WATER (q-pair).....	321
TAPE BURN (data).....	1139
TAPE BURN (q-pair).....	801
TARRY (data).....	1140
TARRY (q-pair).....	714
TEA (data).....	1140
TEA (q-pair).....	749
TECH (data).....	1140
TECH (q-pair).....	584
TEETH (loca).....	1228
TEETH (q-pair).....	193, 495
TEETH BRUSHED (data).....	1140
TEETH BRUSHED (q-pair).....	16
TEMPERATURE.....	728
TEMPORAL (loca).....	1228
TEMPORAL (q-pair).....	728
TEMPORARY (TRANSVENOUS) (data).....	1140
TEMPORARY (TRANSVENOUS) (q-pair).....	483
TENACIOUS (data).....	1141
TENACIOUS (q-pair).....	594
TENDER (data).....	1141

TENDER (q-pair).....	2, 492
TENDON (data).....	1141
TESTS/PROC. - ACCUCHECKS (task).....	1296
TESTS/PROC. - BLOOD CULTURES (task).....	1296
TESTS/PROC. - DAILY LABS (task).....	1296
TESTS/PROC. - MORNING LABS (task).....	1296
TESTS/PROC. - ZERO BALANCE HEMO. LINES (task).....	1297
THICK (data).....	1141
THICK (q-pair).....	159, 215, 422, 594
THIGH (data).....	1141
THIGH (loca).....	1228
THIGH (q-pair).....	64, 117
THIGH CUFF (meth).....	1251
THIN (data).....	1142
THIN (q-pair).....	159, 215, 594
THIRD DEGREE AV BLOCK (data).....	1142
THIRD DEGREE AV BLOCK (q-pair).....	84
THORACIC (data).....	1142
THORACIC (q-pair).....	182
THORACIC SPINAL PRECAUTIONS (data).....	1142
THORACIC SPINAL PRECAUTIONS (q-pair).....	12
THREADS (data).....	1142
THREADS (q-pair).....	748
THROBBING (data).....	1143
THROBBING (q-pair).....	492
THYROID (loca).....	1228
THYROID (q-pair).....	308
THYROMENTAL DISTANCE LESS THAN 3 PB (data).....	1143

THYROMENTAL DISTANCE LESS THAN 3 PB (q-pair).....	423
TIME OUT: PATIENT IDENTIFICATION METHOD.....	729
TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY	731
TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED	730
TINGLING (data).....	1143
TINGLING (q-pair).....	492, 652, 653, 654, 655
TINGLING MOUTH/LIPS (data).....	1143
TINGLING MOUTH/LIPS (q-pair).....	188
TINNITUS (data).....	1143
TINNITUS (q-pair).....	521
TO PAIN (data).....	1144
TO PAIN (q-pair).....	134
TO SPEECH (data).....	1144
TO SPEECH (q-pair).....	134
TOENAIL CARE (data).....	1144
TOENAIL CARE (q-pair).....	5
TOILETING BY SCHEDULE (data).....	1144
TOILETING BY SCHEDULE (q-pair).....	89
TOLERATING FLUIDS/NOURISHMENT (data).....	1144
TOLERATING FLUIDS/NOURISHMENT (q-pair).....	152, 487
TONGUE POSITION.....	732
TONIC/CLONIC (data).....	1145
TONIC/CLONIC (q-pair).....	647
TONOMETRY.....	733
TOOTH (loca).....	1228

TOOTH (q-pair).....	495
TOPICAL TREATMENT (data).....	1145
TOPICAL TREATMENT (q-pair).....	785
TORSADES DE POINTES (data).....	1145
TORSADES DE POINTES (q-pair).....	84
TORSO (loca).....	1229
TORSO (q-pair).....	164, 634
TOTAL DEPENDENCE (data).....	1145
TOTAL DEPENDENCE (q-pair).....	8, 9, 10
TPN (meth).....	1251
TPN (prod).....	1275
TPN (q-pair).....	314
TRACE ST SEGMENT.....	734
TRACE ST SEGMENT 2.....	735
TRACHEA MIDLINE DEVIATED.....	736
TRACHEOSTOMY (data).....	1145
TRACHEOSTOMY (loca).....	1229
TRACHEOSTOMY (q-pair).....	22, 577, 597
TRACHEOSTOMY COLLAR (meth).....	1252
TRACHEOSTOMY COLLAR (q-pair).....	720
TRACTION TYPE.....	737
TRACTION WEIGHT - DO NOT CHECK TOTAL OR SUBTOTALS.....	738
TRAIN OF FOUR RESPONSE.....	739
TRAIN OF FOUR SMS.....	740
TRANSCUTANEOUS (data).....	1146
TRANSCUTANEOUS (q-pair).....	483
TRANSFER (data).....	1146
TRANSFER (q-pair).....	143, 796

TRANSFER WITH ASSIST (data).....	1146
TRANSFER WITH ASSIST (q-pair).....	12
TRANSFUSION (meth).....	1252
TRANSFUSION (q-pair).....	314
TRANSPARENT (data).....	1146
TRANSPARENT (q-pair).....	44, 97, 145, 240, 463, 793
TRANSPARENT DRESSING (data).....	1146
TRANSPARENT DRESSING (q-pair).....	578, 800
TRANSPORT FACILITATOR.....	741
TRANSPORT FACILITATOR PRESENT (data).....	1147
TRANSPORT FACILITATOR PRESENT (q-pair).....	152
TRANSPORTATION MODE/DEVICE.....	742
TRANSPYLORIC (data).....	1147
TRANSPYLORIC (q-pair).....	170
TRANSTRACHEAL (meth).....	1252
TRANSVERSE ABDOMINAL (loca).....	1229
TRANSVERSE ABDOMINAL (q-pair).....	308
TREATMENTS (data).....	1147
TREATMENTS (q-pair).....	168
TREMULOUS.....	743
TRENDELENBURG (posi).....	1259
TRENDELENBURG (q-pair).....	63, 609
TRIGEMINY (data).....	1147
TRIGEMINY (q-pair).....	80
TRIPLE (data).....	1147
TRIPLE (q-pair).....	103
TRIPLE LUMEN CATHETER (meth).....	1252

TUBE POSITION VERIFIED.....	744
TUBED/DYSPHAGIC (data).....	1148
TUBED/DYSPHAGIC (q-pair).....	136
TUBES & DRAINS - CONDOM CATH (task).....	1297
TUBES & DRAINS - FOLEY (task).....	1297
TUBES & DRAINS - I/O CATH (task).....	1297
TUBES & DRAINS - NG TUBE (task).....	1297
TUBES & DRAINS - SUPRAPUBIC DRAIN (task).....	1298
TUBING CHANGE (data).....	1148
TUBING CHANGE (q-pair).....	174
TUBING CHANGED/LABELED (data).....	1148
TUBING CHANGED/LABELED (q-pair).....	348, 516
TURN AND POSITION (data).....	1148
TURN AND POSITION (q-pair).....	5
TURN AND SKIN CARE.....	745
TURNING SELF INDEPENDENTLY (data).....	1148
TURNING SELF INDEPENDENTLY (q-pair).....	5
TWILL TAPE (data).....	1149
TWILL TAPE (q-pair).....	8, 790
TWO CAL HN (data).....	1149
TWO CAL HN (q-pair).....	176
TWO PERSON ASSIST (data).....	1149
TWO PERSON ASSIST (q-pair).....	6, 8, 9, 10
TYMPANIC (loca).....	1229
TYMPANIC (q-pair).....	728

ULNAR (loca).....	1229
ULNAR (q-pair).....	600
ULNAR DRIFT.....	746
ULTRACAL (data).....	1149
ULTRACAL (prod).....	1275
ULTRACAL (q-pair).....	176
UMBILICAL (loca).....	1230
UMBILICAL (q-pair).....	308
UN = UNEXAMINABLE (data).....	1149
UN = UNEXAMINABLE (q-pair).....	426, 427, 428, 429, 430, 431, 432, 435, 436, 437, 439
UNABLE TO AROUSE (data).....	1150
UNABLE TO AROUSE (q-pair).....	513
UNABLE TO ASSESS (data).....	1150
UNABLE TO ASSESS (q-pair).....	165, 167
UNABLE TO INFORM (data).....	1150
UNABLE TO INFORM (q-pair).....	409
UNABLE TO READ (data).....	1150
UNABLE TO READ (q-pair).....	165
UNABLE TO RESPOND (data).....	1150
UNABLE TO RESPOND (q-pair).....	167
UNABLE TO VOID (data).....	1151
UNABLE TO VOID (q-pair).....	91
UNABLE TO WEDGE (data).....	1151
UNABLE TO WEDGE (q-pair).....	467
UNBEARABLE (data).....	1151
UNBEARABLE (q-pair).....	492

UNCOOPERATIVE (data).....	1151
UNCOOPERATIVE (q-pair).....	56
UNDER STRETCHER/BED (data).....	1151
UNDER STRETCHER/BED (q-pair).....	540
UNEQUAL (data).....	1152
UNEQUAL (q-pair).....	357, 747
UNEXPECTED NUMBNESS (data).....	1152
UNEXPECTED NUMBNESS (q-pair).....	188
UNIFOCAL PVC (data).....	1152
UNIFOCAL PVC (q-pair).....	80
UNITS (unit).....	1314
UNITS PER HOUR (unit).....	1314
UNITS PER MINUTE (unit).....	1315
UNITS/kg/HOUR (unit).....	1315
UNKNOWN (data).....	1152
UNKNOWN (q-pair).....	199, 649
UNRESPONSIVE (data).....	1152
UNRESPONSIVE (q-pair).....	356
UNSTABLE (data).....	1153
UNSTABLE (q-pair).....	191, 575
UNSTAGEABLE (data).....	1153
UNSTAGEABLE (q-pair).....	577
UNSTEADY (data).....	1153
UNSTEADY (q-pair).....	204
UNSUCCESSFUL (data).....	1153
UNSUCCESSFUL (q-pair).....	624, 629
UP (data).....	1153
UP TO CHAIR (data).....	1154

UP TO CHAIR (q-pair).....	5
UPPER ABDOMEN (loca).....	1230
UPPER ABDOMEN (q-pair).....	796
UPPER ARM (loca).....	1230
UPPER ARM (q-pair).....	117
UPPER BACK (loca).....	1230
UPPER BACK (q-pair).....	796
UPPER LIMB EXTREMITIES STRENGTH.....	747
URINARY RETENTION (data).....	1154
URINARY RETENTION (q-pair).....	188, 521
URINE (prod).....	1275
URINE (q-pair).....	700
URINE CHARACTERISTICS.....	748
URINE COLOR.....	749
URINE NUMBER VOIDS.....	750
URINE VOIDING METHOD.....	751
UROMETER (data).....	1154
UROMETER (q-pair).....	24
UROSTOMY (data).....	1154
UROSTOMY (meth).....	1252
UROSTOMY (q-pair).....	224, 458

- V -

V1 (data).....	1154
V1 (q-pair).....	85
V2 (data).....	1155
V2 (q-pair).....	85

V3 (data).....	1155
V3 (q-pair).....	85
V4 (data).....	1155
V4 (q-pair).....	85
V5 (data).....	1155
V5 (q-pair).....	85
V6 (data).....	1155
V6 (q-pair).....	85
VACUUM ASSISTED CLOSURE (data).....	1156
VACUUM ASSISTED CLOSURE (q-pair).....	790
VASCULAR (data).....	1156
VASCULAR (q-pair).....	801
VASCULAR LESION ARTERIAL (data).....	1156
VASCULAR LESION ARTERIAL (q-pair).....	801
VASCULAR LESION MIXED (data).....	1156
VASCULAR LESION MIXED (q-pair).....	801
VASCULAR LESION VENOUS (data).....	1156
VASCULAR LESION VENOUS (q-pair).....	801
VASCULAR/NEUROPATHIC (data).....	1157
VASCULAR/NEUROPATHIC (q-pair).....	801
VASOPRESSOR (data).....	1157
VASOPRESSOR (q-pair).....	575
VDD (data).....	1157
VDD (q-pair).....	477
VEGETARIAN DIET (data).....	1157
VEGETARIAN DIET (q-pair).....	151
VENDOR REP (data).....	1157
VENDOR REP (q-pair).....	584

VENTICULAR FIBRILLATION (data).....	1158
VENTICULAR FIBRILLATION (q-pair).....	84
VENTILATOR (data).....	1158
VENTILATOR (meth).....	1253
VENTILATOR (q-pair).....	24, 528, 608, 609,
	720, 752, 753, 754,
	755, 756, 757, 758,
	759, 760, 761, 762,
	763, 764, 765, 766,
	767, 768, 769, 770,
	771, 772, 773, 774,
	775
VENTILATOR ACHIEVA P5O2 (data).....	1158
VENTILATOR ACHIEVA P5O2 (q-pair).....	774
VENTILATOR ADULT STAR (data).....	1158
VENTILATOR ADULT STAR (q-pair).....	774
VENTILATOR AUTO PEEP - DO NOT CHECK TOTAL OR SUBTOTALS.	752
VENTILATOR BEAR 1000 (data).....	1158
VENTILATOR BEAR 1000 (q-pair).....	774
VENTILATOR CIRCUIT CHANGE.....	753
VENTILATOR DRAEGER (data).....	1159
VENTILATOR DRAEGER (q-pair).....	774
VENTILATOR EXHALED VOLUME.....	754
VENTILATOR EXPIRATORY TIME.....	755
VENTILATOR FLOW RATE.....	756
VENTILATOR INSPIRATORY TIME.....	757
VENTILATOR MEAN AIR PRESSURE.....	758
VENTILATOR MINUTE VOLUME.....	759

VENTILATOR MODE.....	760
VENTILATOR OTHER (data).....	1159
VENTILATOR OTHER (q-pair).....	774
VENTILATOR PATIENT EXHALE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS	761
VENTILATOR PATIENT MINUTE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS	762
VENTILATOR PATIENT RATE - DO NOT CHECK TOTAL OR SUBTOTALS	763
VENTILATOR PATIENT RATE TOTAL - DO NOT CHECK TOTAL OR SUBTOTALS	764
VENTILATOR PB 7200ae (data).....	1159
VENTILATOR PB 7200ae (q-pair).....	774
VENTILATOR PB 840 (data).....	1159
VENTILATOR PB 840 (q-pair).....	774
VENTILATOR PCV SET PRESSURE.....	765
VENTILATOR PEAK PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS	766
VENTILATOR PEEP.....	767
VENTILATOR PRESSURE SUPPORT.....	768
VENTILATOR PSV SET PRESSURE.....	769
VENTILATOR RATE.....	770
VENTILATOR SENSITIVITY.....	771
VENTILATOR SERVO (data).....	1159
VENTILATOR SERVO (q-pair).....	774
VENTILATOR TIDAL VOLUME ACTUAL - DO NOT CHECK TOTAL OR SUBTOTALS	772
VENTILATOR TIDAL VOLUME SET.....	773

VENTILATOR TYPE.....	774
VENTILATOR WAVE FORM.....	775
VENTRICULAR (data).....	1160
VENTRICULAR (q-pair).....	483
VENTRICULAR DRAIN (meth).....	1253
VENTRICULAR DRAIN (q-pair).....	337
VENTRICULAR TACHYCARDIA (data).....	1160
VENTRICULAR TACHYCARDIA (q-pair).....	84
VENTRICULAR WHIP PRESENT (data).....	1160
VENTRICULAR WHIP PRESENT (q-pair).....	467
VENTRICULOSTOMY (data).....	1160
VENTRICULOSTOMY (q-pair).....	790
VENTURI MASK (meth).....	1253
VENTURI MASK (q-pair).....	721
VERBAL DE-ESCALATION (data).....	1160
VERBAL DE-ESCALATION (q-pair).....	619
VERBALIZED BY PATIENT (data).....	1161
VERBALIZED BY PATIENT (q-pair).....	729
VERY LOW BMI (data).....	1161
VERY LOW BMI (q-pair).....	575
VIOLET (data).....	1161
VIOLET (q-pair).....	788
VIP PORT (data).....	1161
VIP PORT (q-pair).....	471
VISCOUS (data).....	1161
VISCOUS (q-pair).....	301, 569
VISION CORRECTED.....	776
VISION UNCORRECTED.....	777

VISUAL IMPAIRMENT (data).....	1162
VISUAL IMPAIRMENT (q-pair).....	165
VITAL 1.0 (data).....	1162
VITAL 1.0 (q-pair).....	176
VITAL 1.5 (data).....	1162
VITAL 1.5 (q-pair).....	176
VITAL AF (data).....	1162
VITAL AF (q-pair).....	176
VITAL ENTERAL NUTRITION TYPE (data).....	1162
VITAL ENTERAL NUTRITION TYPE (prod).....	1276
VITAL HN ENTERAL NUTRITION (data).....	1163
VITAL HN ENTERAL NUTRITION (prod).....	1276
VITAL HN ENTERAL NUTRITION (q-pair).....	176
VITAL SIGNS STABLE (data).....	1163
VITAL SIGNS STABLE (q-pair).....	152
VIVONEX RTF (data).....	1163
VIVONEX RTF (q-pair).....	176
VOIDED (data).....	1163
VOIDED (meth).....	1253
VOIDED (q-pair).....	152, 458, 487
VOLUNTEER (data).....	1163
VOLUNTEER (q-pair).....	543, 741
VOMITING (data).....	1164
VOMITING (q-pair).....	188, 214, 521
VT/VC - DO NOT CHECK TOTAL OR SUBTOTALS.....	778
VVI (data).....	1164
VVI (q-pair).....	477

- W -

WAFFLE (data).....	1164
WAFFLE (q-pair).....	574
WAIST (loca).....	1230
WAIST (q-pair).....	631, 634
WAITING ROOM (data).....	1164
WAITING ROOM (q-pair).....	192, 489
WALKER (data).....	1164
WALKER (q-pair).....	6, 742
WALKING OR PACING (data).....	1165
WALKING OR PACING (q-pair).....	129
WANDER GUARD IN PLACE (data).....	1165
WANDER GUARD IN PLACE (q-pair).....	4
WANDERER (data).....	1165
WANDERER (q-pair).....	40
WARD (data).....	1165
WARD (q-pair).....	489, 554
WARM (data).....	1165
WARM (q-pair).....	692
WARM HUMIDITY WITH O2 (data).....	1166
WARM HUMIDITY WITH O2 (q-pair).....	779
WARMER THAN GENERAL BODY TEMP (data).....	1166
WARMER THAN GENERAL BODY TEMP (q-pair).....	692
WARMER THAN OPPOSITE BODY PART (data).....	1166
WARMER THAN OPPOSITE BODY PART (q-pair).....	692
WARMING BLANKET (data).....	1166
WARMING BLANKET (q-pair).....	779

WARMING BOTTLE (data).....	1166
WARMING BOTTLE (q-pair).....	779
WARMING COOLING DEVICE.....	779
WARMING COOLING DEVICE APPLICATION.....	780
WARMING OFF (data).....	1167
WARMING OFF (q-pair).....	780
WARMING ON (data).....	1167
WARMING ON (q-pair).....	780
WATER (prod).....	1276
WATER (q-pair).....	314, 334
WATERSEAL (data).....	1167
WATERSEAL (q-pair).....	111
WAVEFORM REFLECTS ATRIAL PLACEMENT (data).....	1167
WAVEFORM REFLECTS ATRIAL PLACEMENT (q-pair).....	467
WBC - WASHED (prod).....	1276
WBC - WASHED (q-pair).....	314, 322
WEAK (data).....	1167
WEAK (q-pair).....	201, 227, 357, 747
WEAKNESS (data).....	1168
WEAKNESS (q-pair).....	521
WEDGED (data).....	1168
WEDGED (q-pair).....	467
WEIGHT.....	781
WEIGHT AT ADMISSION.....	782
WEIGHT DRY.....	783
WHEELCHAIR (data).....	1168
WHEELCHAIR (q-pair).....	742
WHEELCHAIR EXIT (posi).....	1259

WHEELCHAIR EXIT ALARM (data).....	1168
WHEELCHAIR EXIT ALARM (q-pair).....	24, 615
WHEELCHAIR SCALE (meth).....	1253
WHEELCHAIR SCALE (q-pair).....	781
WHEEZES (data).....	1168
WHITE (data).....	1169
WHITE (q-pair).....	159, 177, 216, 593, 749, 784, 788
WHOLE BLOOD (prod).....	1276
WHOLE BLOOD (q-pair).....	314
WITH ACTIVITY (meth).....	1254
WITH ACTIVITY (q-pair).....	63, 600, 609
WITH AMBULATION (meth).....	1254
WITH CAST OR BRACE (meth).....	1254
WITH CAST OR BRACE (q-pair).....	781
WITH PHYSICIAN (data).....	1169
WITH PHYSICIAN (q-pair).....	129
WITH PROSTHESIS (meth).....	1254
WITH PROSTHESIS (q-pair).....	781
WITH THERAPIST (data).....	1169
WITH THERAPIST (q-pair).....	129
WITHDRAWN (data).....	1169
WITHDRAWN (q-pair).....	56
WITHDRAWS TO PAIN (data).....	1169
WITHDRAWS TO PAIN (q-pair).....	135
WITHOUT ASSISTANCE (data).....	1170
WITHOUT ASSISTANCE (q-pair).....	6
WITHOUT PROSTHESIS (meth).....	1254

WITHOUT PROSTHESIS (q-pair).....	781
WOUND (data).....	1170
WOUND (q-pair).....	678
WOUND BED COLOR.....	784
WOUND CARE TYPE.....	785
WOUND DEPTH.....	786
WOUND DISCHARGE CHARACTERISTICS.....	787
WOUND DISCHARGE CHARACTERISTICS BLOODY (data).....	1170
WOUND DISCHARGE CHARACTERISTICS BLOODY (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS CLOUDY (data).....	1170
WOUND DISCHARGE CHARACTERISTICS CLOUDY (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS NONE (data).....	1170
WOUND DISCHARGE CHARACTERISTICS NONE (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS PURULENT (data).....	1171
WOUND DISCHARGE CHARACTERISTICS PURULENT (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data)..	1171
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (q-pair)	787
WOUND DISCHARGE CHARACTERISTICS SEROUS (data).....	1171
WOUND DISCHARGE CHARACTERISTICS SEROUS (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS VISCOUS (data).....	1171
WOUND DISCHARGE CHARACTERISTICS VISCOUS (q-pair).....	787
WOUND DISCHARGE COLOR.....	788
WOUND DISCHARGE ODOR.....	789
WOUND DRAIN TYPE.....	790
WOUND DRAINAGE (prod).....	1277
WOUND DRAINAGE (q-pair).....	451
WOUND DRAINAGE AMOUNT.....	791
WOUND DRAINAGE AMOUNT HEAVY (data).....	1171

WOUND DRAINAGE AMOUNT HEAVY (q-pair).....	791
WOUND DRAINAGE AMOUNT MODERATE (data).....	1172
WOUND DRAINAGE AMOUNT MODERATE (q-pair).....	791
WOUND DRAINAGE AMOUNT NONE (data).....	1172
WOUND DRAINAGE AMOUNT NONE (q-pair).....	791
WOUND DRAINAGE AMOUNT SCANT (data).....	1172
WOUND DRAINAGE AMOUNT SCANT (q-pair).....	791
WOUND DRAINAGE AMOUNT SMALL (data).....	1172
WOUND DRAINAGE AMOUNT SMALL (q-pair).....	791
WOUND DRESSING CHANGE.....	792
WOUND DRESSING TYPE.....	793
WOUND DRESSING TYPE ANTIMICROBIAL (data).....	1172
WOUND DRESSING TYPE CALCIUM ALGINATE (data).....	1173
WOUND DRESSING TYPE GAUZE (data).....	1173
WOUND DRESSING TYPE GAUZE PACKING (data).....	1173
WOUND DRESSING TYPE GAUZE WRAP (data).....	1173
WOUND DRESSING TYPE HYDROCOLLOIDAL (data).....	1173
WOUND DRESSING TYPE HYDROGEL (data).....	1174
WOUND DRESSING TYPE NONE (data).....	1174
WOUND DRESSING TYPE PRESSURE (data).....	1174
WOUND DRESSING TYPE TRANSPARENT (data).....	1174
WOUND EDGE.....	794
WOUND EDGE INDISTINCT/ATTACHED (data).....	1174
WOUND EDGE INDISTINCT/ATTACHED (q-pair).....	794
WOUND EDGE NON-ATTACHED (data).....	1175
WOUND EDGE NON-ATTACHED (q-pair).....	794
WOUND EDGE ROLLED (data).....	1175
WOUND EDGE ROLLED (q-pair).....	794

WOUND EDGE TUNNELING (data).....	1175
WOUND EDGE TUNNELING (q-pair).....	794
WOUND EDGE UNDERMINING (data).....	1175
WOUND EDGE UNDERMINING (q-pair).....	794
WOUND HEALING STATUS.....	795
WOUND IDENTIFIED/SITE.....	796
WOUND IRRIGATION (prod).....	1277
WOUND LENGTH.....	797
WOUND ODOR.....	798
WOUND ODOR FOUL (data).....	1175
WOUND ODOR FOUL (q-pair).....	798
WOUND ODOR NONE (data).....	1176
WOUND ODOR NONE (q-pair).....	798
WOUND PHOTOGRAPHED.....	799
WOUND TREATMENT.....	800
WOUND TYPE.....	801
WOUND VAC DEVICE (data).....	1176
WOUND VAC DEVICE (q-pair).....	790
WOUND VACUUM (prod).....	1277
WOUND VACUUM (q-pair).....	451
WOUND VACUUM ASSISTED CLOSURE.....	802
WOUND WIDTH.....	803
WRIST (loca).....	1231
WRIST (q-pair).....	117

- X -

X-RAY (data).....	1176
-------------------	------

X-RAY (q-pair).....	217
XENADERM (data).....	1176
XENADERM (q-pair).....	578
XEROFORM (data).....	1176
XEROFORM (q-pair).....	578, 800

- Y -

YEAR (unit).....	1315
YELLOW (data).....	1177
YELLOW (q-pair).....	159, 177, 216, 593, 672, 715, 749, 784, 788
YELLOW/FIBRINOUS (data).....	1177
YELLOW/FIBRINOUS (q-pair).....	567
YELLOW/GREEN (data).....	1177
YELLOW/GREEN (q-pair).....	715
YES (data).....	1177
YES (q-pair).....	14, 15, 18, 23, 33, 34, 35, 36, 37, 38, 39, 41, 42, 45, 49, 51, 61, 75, 76, 78, 94, 99, 105, 108, 112, 113, 140, 156, 194, 196, 206, 213, 222, 231, 233, 238, 239, 246, 300, 303, 308, 309, 310, 311,

312, 425, 462, 468,
473, 476, 478, 480,
488, 490, 505, 519,
529, 530, 558, 570,
573, 576, 579, 581,
591, 606, 616, 617,
618, 620, 621, 622,
623, 640, 650, 651,
671, 673, 675, 676,
677, 688, 689, 736,
744, 745, 753, 792,
799

- { -

{8BC7F294-7126-4843-91A0-14F805EC4578} (data).....1178

{8BC7F294-7126-4843-91A0-14F805EC4578} (q-pair).....186