INTEGRATED BILLING

TECHNICAL MANUAL/SECURITY GUIDE



Version 2.0

March 1994

Revised June 2012

Veterans Affairs Product Development (PD)

Revision History

Initiated on 12/29/04

Date	Description (Patch # if applicable)	Project Manager	Technical Writer
June 2012	Updated to include eII Electronic Insurance Identity (IB*2*457) Pgs. 16, 32, 56, 62, 90, 108, 123, 133, 143, 176 (Changes highlighted in Turquoise for review)	Melanie Windsor	Berry Anderson
March 2012	Updated to include ePharmacy Phase 6 (IB*2*452)	Sookie Spence	Eric Gustafson/Berry Anderson
March 2012	Updated up to and including eClaims 5010 changes added (IB*2.0*447)	Sookie Spence	Ben Irwin
Dec 2011	ePayments 5010 module changes added (IB*2*431 and IB*2*451)	Sookie Spence	Peter Hartley/ Berry Anderson
Nov 2011	Updated for Patch IB*2*432	Sookie Spence	Berry Anderson
8/19.2011	Updated for patch IB*2*449, replaced Menu Diagram with statement. Technical writer review— formatting and convert to Section 508 compliant PDF.	Chris Minardi	Ed Zeigler (Oakland); Susan Strack (Oakland), technical writer review
June 2009	Updated for patch IB*2.0*399	Ashwani Suri/Timothy Holmes	Mary Ellen Gray
June 2008	Updated for patch IB*2.0*389	Ashwani Suri/Timothy Holmes	Mary Ellen Gray
12/29/04	Updated to comply with SOP 192- 352 Displaying Sensitive Data.		Mary Ellen Gray
12/29/04	Pdf file checked for accessibility to readers with disabilities.		Mary Ellen Gray

Preface

This is the technical manual for the Integrated Billing (IB) software package. It is designed to assist IRM personnel in operation and maintenance of the package.

For information regarding use of this software, please refer to the Integrated Billing User Manual. For further information on installation and maintenance of this package, Release Notes and an Installation Guide are provided. A Package Security Guide is also provided which addresses security requirements for the package.

Table of Contents

Introduction	1
Orientation	3
General Information	5
Namespace Conventions	5
Integrity Checker	5
SACC Exemptions/Non-Standard Code	5
Resource Requirements	5
Implementation and Maintenance	7
Implementing Claims Tracking	7
Implementing Encounter Forms	7
Implementing Insurance Data Capture	8
Implementing Patient Billing	9
Implementing Third Party Billing	9
Routines	13
Routines to Map	13
Obsolete Routines	13
Callable Routine	14
Routine List with Descriptions	19
DGCR* to IB* Namespace Map	
Files	
Globals to Journal	55
File List with Descriptions	55
Templates	
Input Templates	
Sort Templates	
Print Templates	
File Flow Chart	
Exported Options	
Menu Diagram	
Options without Parents	
Exported Options	
Archiving and Purging	. 159
External Relations	
Internal Relations	
Package-wide Variables	
How to Generate On-Line Documentation	
Security	
File Protection	
Security Keys	
Options Locked by Security Keys	
Glossary	
-	

Introduction

This release of Integrated Billing version 2.0 will introduce fundamental changes to the way MCCR-related tasks are performed. This software introduces three new modules.

- Claims Tracking
- Encounter Form Utilities
- Insurance Data Capture

There are also significant enhancements to the two previous modules, Patient Billing and Third Party Billing. IB has moved from a package with the sole purpose of identifying billable episodes of care and creating bills to a package which is responsible for the whole billing process through the passing of charges to Accounts Receivable (AR). IB v2.0 has added functionality to assist in

- Capturing patient data
- Tracking potentially billable episodes of care
- Completing utilization review (UR) tasks
- Capturing more complete insurance information

IB v2.0 has been targeted for a much wider audience than previous versions.

- The Encounter Form Utilities module is used by MAS ADPACs or clinic supervisors to create and print clinic-specific forms. Physicians use the forms and consequently provide input into their creation.
- The Claims Tracking module will be used by UR personnel within MCCR and Quality Management (QM) to track episodes of care, do pre-certifications, do continued stay reviews, and complete other UR tasks.
- Insurance verifiers use the Insurance Data Capture module to collect and store patient and insurance carrier-specific data.
- The billing clerks see substantial changes to their jobs with the enhancements provided in the Patient Billing and Third Party Billing modules.

IB version 2.0 is highly integrated with other DHCP packages.

- PIMS is a feeder of patient demographic and eligibility data to IB. PIMS also provides information to Claims Tracking, Third Party Billing and Patient Billing on each billable episode of care, both inpatient and outpatient.
- IB passes bills and/or charges to Accounts Receivable for the purpose of follow-up and collection.
- Prescription information is passed from Outpatient Pharmacy to Patient Billing for the purpose of billing Pharmacy co-payments.
- Prescription refills are passed through Claims Tracking to Third Party Billing to be billed using the Automated Biller.

- The Encounter Form Utilities print data on the forms from the Allergy, PIMS, and Problem List packages. The Print Manager, included with the Encounter Form Utilities, will also print out Health Summaries as well as documents from the Outpatient Pharmacy and PIMS packages.
- Means Test billing data may be transmitted between facilities using the PDX v1.5 package. This may assist sites with the preparation of bills for inpatients who transfer between facilities.
- Prosthetics information is passed to Claims Tracking and Third Party Billing.

The new functionality seen in this software is the direct result of input and feedback received from field users. Task groups made up of representatives from the field were created under the auspices of the MCCR Systems Committee and MCCR EP. These groups had meetings and/or conference calls with the developers and VACO Program Office (MCCR, MAS, and MIRMO) officials on a regular basis to develop the initial specifications and answer questions that arose during the development cycle. The field representatives in these groups included physicians, UR nurses, MAS ADPACs, MCCR coordinators, and billing clerks. An additional group of users was assembled prior to alpha testing to conduct full usability and functional testing of the software. The input from each of the individuals on these groups was invaluable to the software developers.

IB version 2.0 includes electronic exchange (EDI) of claim information with third party payers and Medicare via Financial Services Center (FSC)

- Claims are transmitted electronically from VistA to insurance providers
- Remittance advice information for claims transmitted is received as mail messages

Orientation

The Integrated Billing Technical Manual is divided into major sections for general clarity and simplification of the material being presented. This manual is intended for use as a reference document by technical computer personnel.

The Implementation and Maintenance Section provides information on any aspect of the package that is site configurable. The file flow chart found in the Files Section shows the relationships between the IB files and files external to the IB package. This section also contains a listing of each IB input, print, and sort template with descriptions. There are also sections on archiving and purging, how to generate on-line documentation, and package-wide variables.

Information concerning package security may be found in the Integrated Billing v2.0 Package Security Guide.

Note to Users With Qume Terminals

It is very important that you set up your Qume terminal properly for this release of Integrated Billing. After entering your access and verify codes, you will see

Select TERMINAL TYPE NAME: {type}//

Please make sure that <C-QUME> is entered here. This entry will become the default. You can then press <RET> at this prompt for all subsequent log-ins. If any other terminal type configuration is set, options using the List Manager utility (such as the Insurance Company Entry/Edit option under the Patient Insurance Menu or the Clinic Setup/Edit Forms option under the Edit Encounter Forms Menu) will neither display nor function properly on your terminal.

Symbols

The following are explanations of the symbols used throughout this manual.

<RET> Press the RETURN or ENTER key.

<sp></sp>	Press the SPACEBAR.
<^>	Up-arrow, which you enter by pressing the SHIFT key and the numeric 6 key simultaneously.
?	Enter single, double, or triple question marks to activate on-line help,
??	depending on the level of help you need.

General Information

Namespace Conventions

The namespaces and file ranges assigned to the Integrated Billing package are DIC, File #36; IB, Files # 350 - 389; DGCR, Files # 399 - 399.5. Files #409.95 and 409.96, under namespace SD, are exported with version 2.0 of IB.

Integrity Checker

The IBNTEG routine checks integrity for other IB and DGCR routines. This was built using the KERNEL utility routine, XTSUMBLD.

SACC Exemptions/Non-Standard Code

One SACC exemption was granted for one time killing of the following DD nodes for IB v2.0.

^DD(399,.01,21) ^DD(399,2,21) ^DD(399,205,21) ^DD(399,213,23) ^DD(399,303,21)

Resource Requirements

Resource requirements for Integrated Billing version 1.0 were measured in great detail, and VA Medical Centers were distributed equipment for this package. The resource consumption of existing modules of Integrated Billing version 2.0 has not changed significantly. The three new modules in Integrated Billing have some additional resource requirements.

The installation of IB version 2.0 may require approximately 5-15 megabytes of additional disk capacity. This includes up to 2.5 megabytes in the global DPT, up to 2.5 megabytes in the global DGCR, up to 5 megabytes in the global IBA, and up to 5 megabytes in the new global IBT.

The Encounter Form Utilities require a small amount of additional capacity to edit and store the format of the encounter forms. Please note that the standard partition size has been increased to 40K. You will need to increase your partition size to the new standard in order to run the utilities. The printing of encounter forms will require at least one dedicated printer that most sites have already received. The printing will require additional CPU capacity; however, this job may be scheduled during non-peak workload hours.

The Insurance Data Capture module has been highly used during testing. This module will increase the disk utilization in the DPT global by approximately 1k per every 10 insurance policies and in the IBA global by 1k per every 3 insurance policies.

Based on the experience of our test sites, the Claims Tracking module will use approximately 5k of disk space for every pre-admission entry (one for every insurance case plus 5 per week for UR). In addition, approximately 1k of disk space for every 3 outpatient visits or prescription refills will be used.

Implementation and Maintenance

The Integrated Billing package may be tailored specifically to meet the needs of the various sites. Instructions may be found in the Integrated Billing User Manual under the MCCR System Definition Menu, which includes the MCCR Site Parameter Enter/Edit option and others that may be used by each site to define their own configuration. The Ambulatory Surgery Maintenance Menu contains all of the options necessary to transfer BASC procedures into the BILLABLE AMBULATORY SURGICAL CODE file (#350.4) annually, when new BASC procedures are provided. It also contains options to build and manage the use of CPT Check-off Sheets and an option to enter or edit locality modifiers. This functionality is currently obsolete but has been left in IB 2.0 pending possible future requirements. There are other options in the MCCR System Definition Menu to enter or edit billing rates, update rate types, activate revenue codes, enter/edit automated billing parameters, and edit insurance company information. The Enter/Edit IB Site Parameters option in the System Manager's Integrated Billing Menu is used to modify the parameters controlling the Integrated Billing background filer. All configurations may be modified at any time as the site's needs change.

Implementing Claims Tracking

Prior to installing IB v2.0, sites should review the Claims Tracking site parameters and determine how they plan to use this module. The recommended settings are shown in the User Manual. The Claims Tracking module has the ability to use a great deal of disk space and capacity if turned on to track all episodes.

Because this part of the package contains the data entry portion of the QM national roll up of data, and will determine the random sample cases for review, most sites will be compelled to run this part of the inpatient tracking. If you plan to use the Automated Biller to do bill preparation for outpatient and prescription refill billing, you will also want to turn on tracking of these portions of the Claims Tracking module. There are ways to automatically back load cases into Claims Tracking, so that if you don't currently have the capacity, or want to delay implementation, you can still take advantage of this module at a later date.

The option Claims Tracking Parameter Edit has a number of features that affect the operation of the software. There are parameters that may greatly affect the kind and frequency of records that are added to Claims Tracking and the amount of disk space utilized. Claims Tracking also contains a random sample generator for UR to randomly select which admissions are to be reviewed. Setting the parameters concerning the number of weekly admissions by service affects which cases, if any, are selected as the random case. If the numbers in these fields are set lower than the number of admissions per week, the random sample case will be selected early in the week. If the numbers in these fields are set higher than the number of admissions per week, depending on the random number selected for that week, there is a risk that no random sample will be selected.

Implementing Encounter Forms

There are steps that the local site should take before encounter forms can be used.

First, forms must be designed and assigned to the clinics. Forms can be shared between clinics, but it is important to control who has responsibility for editing the shared forms. One important aspect of designing encounter forms is determining what codes should go on the form. Many encounter forms will have lists of CPT codes, diagnosis codes, or problems. Because space on an encounter form is at a premium, careful analysis is required to determine the codes most commonly used by the clinic before entering codes on the form. For CPT codes, the option Most Commonly Used Outpatient CPT Codes can be used to determine a clinic's most commonly used codes.

Procedures for printing the encounter forms must be determined. The following are some of the questions that must be answered.

- What printers to use?
- Can the printers be loaded with enough paper?
- How many days in advance should the forms be printed?
- What time of day to run the print job?
- Should the printers be watched?
- What to do if there are printer problems?

It is expected that most printing of forms will be done in batch at night for entire divisions, and that forms will be printed several days in advance with only the additions printed the night before.

Then there are questions concerning what to do with the encounter forms.

- How will the completed encounter forms be routed?
- Who will input the data?

It is expected that much of the collected data will be input through checkout which is part of PIMS 5.3.

The Print Manager that comes with the Encounter Form Utilities is expected to be very useful to the local sites. Sites must decide which reports should be printed. The Print Manager allows these reports to be specified along with the encounter forms. The fastest way to define the reports is at the division level, rather than at the clinic level. Individual clinics can override reports defined to print at the division level.

Implementing Insurance Data Capture

There are a number of tools in the Insurance module to identify duplicate INSURANCE COMPANY file (#36) entries and to resolve these problems. It may also be helpful to review the process of how insurance information is collected at your facility. This module was designed so that as little information as possible would be collected during registration and that more complete information would be collected by a separate employee who would contact the insurance company.

Prior to installation

You may want to review how the GROUP NUMBER and GROUP NAME fields in the INSURANCE TYPE multiple of the PATIENT file (#2) are entered. These will be used to create the new GROUP INSURANCE PLAN file (#355.3). A new group plan will be created for every unique group plan entry for each insurance company. If possible, you may want to consolidate similar but unique names.

You may want to print a list of all active and inactive insurance companies along with their addresses. There are a number of new insurance company address fields. Determine which insurance company entries can be inactivated and merged into another (active) insurance company entry. (**Note:** Do not delete the old entries. They must be inactivated at this time.)

Determine which users should have access to the new Insurance options. There are options that allow for view-only access to both the insurance company information and patient insurance information as well as options for data entry. Limiting the ability of certain individuals to add/edit/delete information may improve the quality of your insurance information. Having accurate and detailed insurance information can improve your collections by focusing your efforts on cases that are potentially reimbursable.

Many sites enter Medicare and Medicaid policy information as an insurance policy. If the entry in the INSURANCE COMPANY file (#36) for Medicare and Medicaid exist, we recommend that the field WILL REIMBURSE? be answered "NO". This will prevent the software from treating this as a billable insurance company entry. If this is answered other than "NO", this could have a significant impact on the Claims Tracking module.

After Installation

First, run the option List Inactive Ins. Co. Covering Patients. This option will list companies that are currently covering patients who are non-billable due to the insurance company being inactive. In the Insurance Company Entry/Edit option, there is an action to activate and inactivate an insurance company. Use this action for the inactive insurance companies and it will allow you to print a list of the patients covered under these companies. If you wish to merge the patients to another company, you may do so at this or a later time.

If you found in your list of insurance companies that you have many similar entries to handle different inpatient, outpatient, or prescription address information, you may want to combine these entries into one. Choose the entry you wish to update and enter the complete information. Then go back and inactivate the companies you no longer wish to use and use the feature that lets you merge (re-point) the patients to the updated company entry. If you found many similar entries with the same name but entered slightly differently, you may want to consider entering those names as synonyms for the updated company.

The option List New not Verified Policies can be run periodically to list new policies that have been added since a specific date and have not been verified by your insurance staff. Updating this information can help you maintain the patient insurance information and allow your MCCR staff to concentrate on billing for covered care. This may foster good communication with your insurance carriers and ultimately improve your rates of collection.

Implementing Patient Billing

There is no preparation required by the facility to use the Patient Billing module of Integrated Billing version 2.0. However, the following guidelines are suggested.

Make a list of all stop codes, dispositions, and clinics where the billing of the Means Test outpatient copayment is not desired. These values may easily be entered into the system (utilizing the option Flag Stop Codes/Dispositions/Clinics) from the list.

Decide whether you would like to suppress the generation of mail messages for insured patients who have been billed Means Test co-payments. If you wish to suppress these mail messages, update the parameter Suppress MT Ins Bulletin using the MCCR Site Parameter Enter/Edit option.

Implementing Third Party Billing

If your site wishes to use the Automated Biller, enter the values appropriate to your site to control the execution of the Automated Biller. Use the Enter/Edit Automated Billing Parameters [IB AUTO BILLER PARAMS] option.

AUTO BILLER FREQUENCY	Enter the number of days between each execution of the Automated Biller. (For example, enter "7" if you want bills created only once a week.)
INPATIENT	Enter the status in which the PTF record should be before

STATUS (AB) the Auto Biller can create a bill. No auto bill will be created unless the PTF status is at least CLOSED, regardless of how this parameter is set.

The following parameters may be entered for inpatient admissions, outpatient visits, and prescription refills.

AUTOMATE BILLING	Enter "YES" if bills should be automatically created for possible billable events with no user interaction. Leave this blank if your site prefers each event to be manually checked before a bill is created by the Auto Biller.
BILLING CYCLE	For each type of event, enter the maximum date range of a bill. If this is left blank, the date range will default to the event date through the end of the month in which the event took place. For inpatient interim bills, this will be the next month after the last interim bill.
DAYS DELAY	Enter the number of days after the end of the BILLING CYCLE that the bill should be created.

The following parameters may be used by sites to control prescription refill billing data and charge calculation. If your site plans to implement prescription refill billing, enter the appropriate values using the MCCR Site Parameter Enter/Edit option [IB MCCR PARAMETER EDIT].

DEFAULT RXEnter the revenue code that should be used forREFILL REV CODEmost prescription refill bills. If this revenue code is defined, charges forevery prescription refill will automatically be added to the bill with this Revenue Code. This siteparameter may be overridden by the INSURANCE COMPANY file (#36) parameterPRESCRIPTION REFILL REV. CODE if left blank.

DEFAULT RX	If applicable, enter a diagnosis code that should be
REFILL DX	added to every prescription refill bill.
DEFAULT RX	If applicable, enter a CPT code that should be added
REFILL CPT	to every prescription refill bill.

The following are other new site parameters that may need to be set using the MCCR Site Parameter Enter/Edit option [IB MCCR PARAMETER EDIT].

HCFA-1500 ADDRESS COLUMN	For the HCFA-1500, enter the column number in which the mailing address should begin printing for it to show in the envelope window (if it does not already print in the appropriate place).
UB-92 ADDRESS COLUMN	For the UB-92, enter the column number in which the mailing address should begin printing for it to show in the envelope window (if it does not already print in the appropriate place).

If the Bill Addendum Sheet should automatically print for every HCFA-1500 with prescription refills or prosthetic items, set the DEFAULT PRINTER (BILLING) field for the BILL ADDENDUM form type to the appropriate device. (Use the Select Default Device for Forms option [IB SITE DEVICE SETUP].)

If certain insurance companies require a specific Revenue Code to be used for Rx refills that is different than the DEFAULT RX REFILL REV CODE field, use the option Insurance Company Entry/Edit [IBCN INSURANCE CO EDIT] to enter the required Revenue Code in the PRESCRIPTION REFILL REV. CODE field.

Routines

Per VHA Directive 10-93-142 regarding security of software that affects financial systems, most of the IB routines may not be modified. The third line of routines that may not be modified will be so noted. The following routines are exempt from this requirement.

IBD* - Encounter Form Utilities IBO*, IBCO*, IBTO* - Non-critical Reports

Routines to Map

It is recommended that the following routines be mapped: IBA*, IBCNS, IBCNS1, IBCNSC*, IBCNSM*, IBCNSP*, IBCNSU*, IBEF*, IBR*, IBTRKR*, IBUTL*, and IBX*.

Obsolete Routines

The following routines are obsolete for IB in version 2.0 and may be deleted.

IBACKIN	IBEHCF1
IBOHCP	IBEHCFA
IBOHCTP	IBEP

Please note that the only routines in the DGCR namespace that are exported with IB 2.0 are DGCRAMS, DGCRNS, and DGCRP3. All other routines in the DGCR namespace may be deleted.

Callable Routine

Callable Routines	
Tag [^] Routine	Description
\$\$INSURED^IBCNS1(DFN, DATE)	This extrinsic function will return a "1" if the patient is insured for the specified date or a "0" if the patient is not insured. Input of the date is optional. The default is "today". No other data is returned. For billing purposes, a patient is only considered insured if he has an entry in the INSURANCE TYPE sub-file that meets the following four conditions.
	 The insurance company is active. The insurance company will reimburse the government. (If your site tracks Medicare coverage of patients, the entry in the INSURANCE COMPANY file (#36) should be set to not reimburse.) The effective date is before the date of care. The expiration date is after the date of care. (Treat no entry in the EFFECTIVE DATE and EXPIRATION DATE fields as from the beginning of time to the end of time.)
	You might find a reference something like the following. I \$\$INSURED^IBCNS1(DFN,+\$G(^DGPM(+DGPMCA,0))) D BILL

Callable Routines		
Tag^Routine	Description	
ALL^IBCNS1(dfn, variable, active, date)	This function will return all insurance data in the array of your choice. Input the patient internal entry number and the variable in which you want the data returned. Optionally, you can ask for active insurance information by putting a "1" or "2" in the third parameter and a date for the insurance to be active on in the fourth parameter (the default is "today"). If the value of the third parameter is "2", then insurance companies that do not reimburse VA will be included. This is primarily to retrieve Medicare policies when it is desirable to include them in active policies, e.g., when printing insurance information on encounter forms.	
	It will return the 0, 1, and 2 nodes for each entry in the INSURANCE TYPE sub-file and the 0 node from the GROUP INSURANCE PLAN file (#355.3) in a 2 dimensional array, Array(x, node). The array element Array(0) will be defined to the count of entries. In Array (x, node) x will be the internal entry in the INSURANCE TYPE sub-file and node will be 0, 1, 2 or 355.3. The GROUP NAME and NUMBER fields have been moved to the GROUP INSURANCE PLAN file (#355.3), but since many programmers are used to looking for this data on the 0th node from the INSURANCE TYPE sub-file, the current value from 355.3 is put back into the respective pieces of the 0th node. The code for this call looks something like the following.	
	K IBINS D ALL^IBCNS1(DFN,"IBINS",1,IBDT) I \$G(IBINS(0)) D LIST	
DGCRAMS	Supported call for AR to determine AMIS segments for insurance bills.	
DGCRNS	IB v1.5 insurance retrieval call, to be replaced by ALL^IBCNS1.	
DGCRP3	This call, available to Accounts Receivable, will print second and third notice UB-82s, UB-92s, and HCFA-1500s.	
DISP^IBAPDX1(in, sptr, out, off)	This extrinsic function is also used by the PDX package. This call will transform the data in the array generated by the EXTR^IBAPDX call into an array which is in a display-ready format.	
DISP^IBCNS	This tag can be called to do the standard insurance display. This display is used extensively in registration and billing. The variable DFN must be defined to the current patient. Using this tag will keep your displays current when the package developers update them or make other data dictionary changes.	

Callable Routines		
Tag [^] Routine	Description	
DISP^IBARXEU(dfn, date, number of lines, unknown action)	This is a supported call for all developers. It will print the standard display of exemption status for the patient's current exemption on or before the specified date. If no date is specified, "today" is the default. It will print a maximum of three lines of text; the current exemption status, the exemption reason, and the date of the last exemption. All parameters are optional except for DFN. The display can be limited to a specified number of lines. In addition, if a medication co-payment exemption status has never been determined for a patient, the display can be set to not display or display the unknown information.	
EXTR^IBAPDX(tran, dfn, arr)	This extrinsic function is used by the Patient Data Exchange (PDX) version 1.5 package to transport Means Test billing data between facilities. For a given patient, this routine will build a global array containing Continuous Patient, Active Billing Clock, and Means Test Charge information from the transmitting facility.	
IB^IBRUTL	This call, available to Accounts Receivable, will determine if there are Means Test charges on hold associated with a given bill number. An optional parameter will return the held charges in an array.	
IBAMTC	Means Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients. A line is added to this routine to call SENDEII^IBCNFSND to send the Extract files to AITC DMI Queues. This routine is currently run every night	
IBAMTD	This routine is invoked by the MAS Movement Event Driver. It processes final Means Test charges for Category C veterans who are discharged.	
IBAMTED	This routine is invoked by the MAS Means Test Event Driver. It sends a mail message to the IB CAT C mail group if a patient's Means Test "billable" status changes (i.e., from Category C to Category A or vice versa).	
IBAMTS	This routine is invoked by the Scheduling Check-In Event Driver. It bills the Means Test outpatient co-payment charge to Category C veterans who are checked in for a clinic visit.	
IBARX	This routine has 4 calls supported for Outpatient Pharmacy only: XTYPE^IBARX (eligibility determination), NEW^IBARX (file new RX co-payments), CANCEL^IBARX (cancel), and UPDATE^IBARX (update).	
IBOLK	This routine has two supported entry points for the Accounts Receivable package to print a profile of an AR Transaction. The entry point ENF is used to print a full profile. The entry point ENB is used to print a brief profile.	
IBRFN	This routine has supported calls to return the text of an error message.	

Callable Routines		
Tag^Routine	Description	
IBRREL	This routine has one supported call, AR^IBRREL, for the	
	Accounts Receivable package. If there are Means Test charges on	
	hold that are associated with the input bill number, these charges	
	will be displayed and available for selection to be "released" to	
	AR.	
IBCAPP	CLAIMS AUTO PROCESSING MAIN PROCESSER. This	
	routine is called by IBCNSBL2 (IB*2.0*432)	
IBCAPP1	CLAIMS AUTO PROCESSING UTILITIES. This routine is	
	called by IBCAPP (IB*2.0*432)	
IBCAPP2	CLAIMS AUTO PROCESSING. This routine is called by	
	IBCECOB1 (IB*2.0*432)	
IBCAPR	PRINT EOB/MRA. This routine is called by IBCAPR1 and	
	IBCAPR2 (IB*2.0*432)	
IBCAPR1	CAPR PRINT FUNCTIONS. This routine is called by IBCAPP	
	(IB*2.0*432)	
IBCAPR2	PRINT EOB/MRA (IB*2.0*432)	
IBCAPU	CLAIMS AUTO PROCESSING UTILITIES (IB*2.0*432)	
IBCBB12	PROCEDURE AND LINE LEVEL PROVIDER EDITS. This	
	routine is called by IBCBB1 (IB*2.0*432)	
IBCEF80	PROVIDER ID FUNCTIONS. This routine is called by IBCEF7	
	and IBCEFPL (IB*2.0*432)	
IBCEF81	PROVIDER ADJUSTMENTS. This routine is called by	
	IBCEF80, IBCEFP, and IBCEFPL (IB*2.0*432)	
IBCEF82	PROVIDER ADJUSTMENTS. This routine is called by IBCEF81	
	(IB*2.0*432)	
IBCEF83	GET PROVIDER FUNCTIONS. CALLED BY OUTPUT	
	FORMATTER (IB*2.0*432)	
IBCEF84	GET PROVIDER FUNCTIONS. CALLED FROM DICT 399,	
	FIELDS .21 & 101 TRIGGERS FOR FIELD 27. (IB*2.0*432)	
IBCEFP	PROVIDER ID FUNCTIONS. This routine is called by IBCEF11,	
	IBCEF74, IBCEF76, IBCEF79, and IBCEF83 IB*2.0*432)	
IBCEFP1	OUTPUT FORMATTER PROVIDER UTILITIES. This routine	
	is called by IBCEF76 and IBCEFP (IB*2.0*432)	
IBCEU7	EDI UTILITIES. This routine is called by IBXS3, IBXS6, IBXS7,	
	IBXSC3, IBXSC6, IBXSC7, and IBXX17 (IB*2.0*432)	
IBCSC10	MCCR SCREEN 10 (UB-82 BILL SPECIFIC INFO). This	
	routine is called by BILLING SCREEN 10 (IB*2.0*432)	
IBCSC102	MCCR SCREEN 10 (UB-04 BILL SPECIFIC INFO). This	
	routine is called by BILLING SCREEN 10 (IB*2.0*432)	
IBCSC10A	ADD/ENTER CHIROPRACTIC DATA. This routine is called by	
	BILLING SCREEN 10 (IB*2.0*432)	
IBCSC10B	ADD/ENTER PATIENT REASON FOR VISIT DATA. This	
	routine is called by BILLING SCREEN 10 (IB*2.0*432)	
IBCSC10H	MCCR SCREEN 10 (BILL SPECIFIC INFO) CMS-1500. This	
	routine is called by BILLING SCREEN 10 IB*2.0*432)	
IBCU7B	LINE LEVEL PROVIDER USER INPUT. This routine is called	
	by IBCCPT (IB*2.0*432)	

Callable Routines	
Tag [^] Routine	Description
IBY432PO	POST-INSTALLATION FOR IB PATCH 432. This routine is
	called by INSTALL PROCESS IB*2.0*432)
IBY432PR	PRE-INSTALLATION FOR IB PATCH 432. This routine is
	called by INSTALL PROCESS (IB*2.0*432)
MENU^IBECK	This routine may be used on menu entry actions to display
	warnings.
RXST^IBARXEU(dfn, date)	This is a supported extrinsic variable for all developers that returns the current exemption on or before the specified date. If no date is specified, "today" is the default. This variable returns the following data in the respective piece position: exemption status, exemption status text, the exemption reason code, the exemption reason text, and the date of prior test.
STMT^IBRFN1(tran)	This routine call is used by the Accounts Receivable package
	during the printing of the patient statements. The input to this routine is the AR transaction number. The output is a global array which contains the pharmacy, inpatient, or outpatient clinical data which is incorporated into the patient statement.
THRES^IBARXEU1(date, type,	This supported call will return the threshold amount that a patient's
dependents)	income must not exceed to be exempt from the medication co-
	payment requirement. Inputs are date of test, type of threshold
	(currently on type=2 is supported), and the number of dependents.
	The data is retrieved from the BILLING THRESHOLDS file
	(#354.3).
ADD3611^IBCEOB	Create EOB stub. Used by Accounts Receivable package, EDI Lockbox module – Integration Agreement 4042.
DUP^IBCEOB	Check for duplicate EOB. Used by Accounts Receivable package, EDI Lockbox module – Integration Agreement 4042.
ERRUPD^IBCEOB	Update EOB for error. Used by Accounts Receivable package,
UPD3611^IBCEOB	EDI Lockbox module – Integration Agreement 4042.
UPD3011ABCEOB	Update EOB detail. Used by Accounts Receivable package, EDI
SPL1^IBCEOBAR	Lockbox module – Integration Agreement 4042. Allows AR AMOUNTS multiple on an EOB to be changed. Used by Accounts Receivable package, EDI Lockbox module when am ERA line is split. Integration Agreement 4050
COPY^IBCEOB4	Allows an EOB to be copied. Used by Accounts Receivable package, EDI Lockbox module – Integration Agreement 5671.
UNLOCK^IBCEOB4	Allows an EOB to be LOCKED. User by Accounts Receivable
	package, EDI Lockbox module – Integration Agreement 5671.
MOVE^IBCEOB4	Allows claim number on an EOB to be changed. Used by
	Accounts Receivable package, EDI Lockbox module – Integration
	Agreement 5671.
UNLOCK^IBCEOB4	Allows an EOB to be UNLOCKED. Used by Accounts
	Receivable package, EDI Lockbox module – Integration
	Agreement 5671.
IBDSP^IBJTU6	Build IB List Manager display array scratch globals. Used by
	Accounts Receivable and by ECME – Integration Agreement 5713.
RX^IBNCPDP	IB Billing Determination. Used by ECME to determine billing
	information for ePharmacy. Integration Agreement 4299.

Callable Routines	
Tag [^] Routine	Description
STORESP^IBNCPDP	Create ePharmacy bills. Used by ECME to send the results of the ePharmacy response from the payers into billing to create bills. Integration Agreement 4299.
PRINT^IBNCPEV	Print the IB NCPDP Billing Events Report. Used by ECME. IA 5712.
RT^IBNCPDPU	Used internally by the billing system to determine the proper rate type for ePharmacy billing situations.
RXINS^IBNCPDPU	Return an array of pharmacy insurance policies in Coordination of Benefits order. Used by ECME. IA 5714.

Routine List with Descriptions

Routine List	
Routine	Description
DGCRAMS	Bridge routine to IBCAMS routine which determines Accounts
	Receivable AMIS category for insurance bills.
DGCRNS	Utility routine to determine if patient has active insurance and to
	do standard displays.
DGCRP3	Bridge routine to IBCF13 routine which is the call for Accounts
	Receivable to print bills.
IB20428P, IB20P*, IB20R244,	IB Individual Patch POST-INIT Routines
IB2P167C	
IB20E253, IB20E295, IB20E362,	IB Individual Patch Environment Check Routines
IB20E379, IB20E410, IB20E425,	
IB20E441	
IB20IN	IB version 2.0 initialization routine.
IB20PRE	IB version 2.0 pre-initialization routine.
IB20PT*	IB version 2.0 post initialization routines.
IB3PSOU	Outpatient Pharmacy Administrative Fee Change Update
IBACSV	CODE SET VERSIONING IB UTILITIES
IBACUS	TRICARE BILLING UTILITIES
IBACUS1	TRICARE PATIENT RX CO-PAY CHARGES
IBACUS2	TRICARE FISCAL INTERMEDIARY RX CLAIMS
IBACV	COMBAT VET UTILITIES
IBACVA, IBACVA1, IBACVA2	Routines for the mail message generation and automatic charge
	creation for the CHAMPVA subsistence charge.
IBAECB	LTC BILLING CLOCK INQUIRY
IBAECB1	LTC BILLING CLOCK INQUIRY
IBAECC	LONG TERM CARE CLOCK MAINTANCE
IBAECI	LONG TERM CARE INPATIENT TRACKER
IBAECM1	LTC PHASE 2 MONTHLY JOB
IBAECM2	LTC PHASE 2 MONTHLY JOB

RoutineDescriptionIBAECM3LTC PHASE 2 MONTHLY JOB PART 3IBAECO1LTC PHASE 2 NIGHTLY JOBIBAECOLONG TERM CARE OUTPATIENT TRACKERIBAECPLTC SINGLE PATIENT PROFILEIBAECP1LTC SINGLE PATIENT PROFILEIBAECU1LONG TERM IDENTIFICATION UTILITIESIBAECU2LTC PHASE 2 UTILITIESIBAECU3LTC PHASE 2 UTILITIESIBAECU4LTC PHASE 2 UTILITIESIBAECU5LTC PHASE 2 UTILITIESIBAECU5LTC PHASE 2 UTILITIESIBAECU5LTC PHASE 2 UTILITIESIBAERRConverts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job.IBAERR1Creates mail messages when errors occur during the compilation of Means Test charges.IBAERR2Processes error messages and sends mail messages for the Medication Co-payment Exemption process.IBAERR3Sends and process if the site chooses to use alerts rather than mail messages for electronic notification.IBAGMMGMT MONTHLY TOTALS REPORTIBAGMMGMT SINGLE PATIENT REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMR1GEOGRAPHIC MEANS TEST UTILITIESIBAGMR1GEOGRAPHIC MEANS TEST UTILITI	Routine List	
IBAECNI LTC PHASE 2 NIGHTLY JOB IBAECO LONG TERM CARE OUTPATIENT TRACKER IBAECP LTC SINGLE PATIENT PROFILE IBAECU LTC SINGLE PATIENT PROFILE IBAECU LTC UTILITIES DETERMINE LTC ELIG IBAECU LTC PHASE 2 UTILITIES IBAECU3 LTC PHASE 2 UTILITIES IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if orro occurs in a tasked job. IBAERR1 Creates mail messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR2 Processes if ros its charges. IBAERR3 Sends and process if the site chooses to use alerts rather than mail messages for electronic notification. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT		
IBAECO LONG TERM CARE OUTPATIENT TRACKER IBAECP LTC SINGLE PATIENT PROFILE IBAECPI LTC SINGLE PATIENT PROFILE IBAECU LTC UTILITIES DETERMINE LTC ELIG IBAECU1 LONG TERM IDENTIFICATION UTILITIES IBAECU2 LTC PHASE 2 UTILITIES IBAECU3 LTC PHASE 2 UTILITIES IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAERR3 Sends and processes direcurs for the Medication Co-payment Exemption process if the site chooses to use alerts rather than anail messages for electronic notification. IBAGMM	IBAECM3	LTC PHASE 2 MONTHLY JOB PART 3
IBAECP LTC SINGLE PATIENT PROFILE IBAECPI LTC SINGLE PATIENT PROFILE IBAECU LTC UTLITIES DETERMINE LTC ELIG IBAECU1 LONG TERM IDENTIFICATION UTILITIES IBAECU2 LTC PHASE 2 UTILITIES IBAECU3 LTC PHASE 2 UTILITIES IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message for error occurs in a tasked job. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT GEORAPHIC MEANS TEST UTILITIES	IBAECN1	LTC PHASE 2 NIGHTLY JOB
IBAECPI LTC SINGLE PATIENT PROFILE IBAECU LTC UTILITIES DETERMINE LTC ELIG IBAECU1 LONG TERM IDENTIFICATION UTILITIES IBAECU3 LTC PHASE 2 UTILITIES IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message when errors occur during the compilation of Means Test charges. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processee error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM1 GMT MONTHLY TOTALS REPORT IBAGMR GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAKAT CANCEL CO-PAY CHARGES FOR KATRINA VETS IBAMTE0 Creates a mail message when charges are created in error for pati	IBAECO	LONG TERM CARE OUTPATIENT TRACKER
IBAECU LTC UTILITIES DETERMINE LTC ELIG IBAECU1 LONG TERM IDENTIFICATION UTILITIES IBAECU2 LTC PHASE 2 UTILITIES IBAECU3 LTC PHASE 2 UTILITIES IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMM1 GMT SINGLE PATIENT REPORT IBAGMR1 GEOGRAPHIC MEANS TEST UTILITIES IBAGMT1 GEOGRAPHIC MEANS TEST UTILITIES IBAGMT1 GEOGRAPHIC MEANS TEST UTILITIES IBAGMT1 GEOGRAPHIC MEANS TEST UTILITIES IBAGMT2 CANCEL CO-PAY CHARGES FOR KATRINA VETS IBAMTBU	IBAECP	LTC SINGLE PATIENT PROFILE
IBAECU1 LONG TERM IDENTIFICATION UTILITIES IBAECU2 LTC PHASE 2 UTILITIES IBAECU3 LTC PHASE 2 UTILITIES IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR Converts pharmacy co-pay error soccur during the compilation of Means Test charges. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAAGMT CANCEL CO-PAY CHARGES FOR KATRINA VETS IBAMTBU Creates mail message when charges are created in error for patients admitted for observation and examination. IBAMTBU1 Creates a mail message if a change in the M	IBAECP1	LTC SINGLE PATIENT PROFILE
IBAECU2 LTC PHASE 2 UTILITIES IBAECU3 LTC PHASE 2 UTILITIES IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GEOGRAPHIC MEANS TEST UTILITIES IBAGMT1 CANCEL CO-PAY CHARGES FOR KATRINA VETS IBAMTBU Creates mail message when charges are discharged. IBAMTBU Creates a mail message if a change in the Means Test affects the patient's Means Test charges. IBAMTBU1 Creates a mail message when charges and category C charges and updates billing Nightly Compilation Job. Creates charges and updates billing Nightly Compilation.	IBAECU	LTC UTILITIES DETERMINE LTC ELIG
IBAECU3 LTC PHASE 2 UTILITIES IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process of rest echooses to use alerts rather than mail messages for electronic notification. IBAFIL Post stasks to the background filer. Starts filer if it is not running. IBAGMM1 GMT MONTHLY TOTALS REPORT IBAGMR GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMT GEOGRAPHIC MEANS TEST UTILITIES IBAHVE3 CV EXPIRATION REPORT IBAGMT Creates mail message when charges are created in error for patients admitted for observation and examination. IBAMTBU1 Creates a mail message if a change in the Means Test affects the patient's Means Test Charges. IBAMTBU2 Generates a mail message when the Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients. <td>IBAECU1</td> <td>LONG TERM IDENTIFICATION UTILITIES</td>	IBAECU1	LONG TERM IDENTIFICATION UTILITIES
IBAECU4 LTC PHASE 2 UTILITIES IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMT GEOGRAPHIC MEANS TEST UTILITIES IBAHVE3 CV EXPIRATION REPORT IBAMTBU Creates mail message when charges are created in error for patients admitted for observation and examination. IBAMTBU1 Creates a mail message if a change in the Means Test affects the patient's Means Test Billing Nightly Compilation Job. Creates charges. IBAMTC1 Means Test Billing Nightly Compilation Job Alas completed. IBAMTC2 Bene	IBAECU2	LTC PHASE 2 UTILITIES
IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process of the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMT CV EXPIRATION REPORT IBAAT CANCEL CO-PAY CHARGES FOR KATRINA VETS IBAMTBU Creates mail message when charges are created in error for patients admitted for observation and examination. IBAMTBU1 Creates a mail message if a change in the Means Test affects the patient's Means Test charges. IBAMTC Means Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients. IBAMTC1 Sends mail message when the Nightly Compilation Job has completed. IBAMTC2 <td>IBAECU3</td> <td>LTC PHASE 2 UTILITIES</td>	IBAECU3	LTC PHASE 2 UTILITIES
IBAECU5 LTC PHASE 2 UTILITIES IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process of the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMT CV EXPIRATION REPORT IBAAT CANCEL CO-PAY CHARGES FOR KATRINA VETS IBAMTBU Creates mail message when charges are created in error for patients admitted for observation and examination. IBAMTBU1 Creates a mail message if a change in the Means Test affects the patient's Means Test charges. IBAMTC Means Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients. IBAMTC1 Sends mail message when the Nightly Compilation Job has completed. IBAMTC2 <td>IBAECU4</td> <td></td>	IBAECU4	
IBAERR Converts pharmacy co-pay error codes to text and sends a mail message if error occurs in a tasked job. IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GEOGRAPHIC MEANS TEST UTILITIES IBAGMT CV EXPIRATION REPORT IBAAT CANCEL CO-PAY CHARGES FOR KATRINA VETS IBAMTBU Creates mail message when Category C patient movements change, and when continuous patients are discharged. IBAMTBU1 Creates a mail message if a change in the Means Test affects the patient's Means Test charges. IBAMTC Means Test Billing Nightly Compilation Job. Creates charges and updates billing Locks for all Category C inpatients. IBAMTC1 Sends mail message when the Nightly Compilation Job has completed. IBAM		
message if error occurs in a tasked job.IBAERR1Creates mail messages when errors occur during the compilation of Means Test charges.IBAERR2Processes error messages and sends mail messages for the Medication Co-payment Exemption process.IBAERR3Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification.IBAFILPosts tasks to the background filer. Starts filer if it is not running.IBAGMMGMT MONTHLY TOTALS REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMR1GEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAGMTCreates mail message when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTCMeans Test charges.IBAMTC1Sends mail message if a change in the Means Test affects the patients Means Test charges.IBAMTC1Kens Test Billing Nightly Compilation Job. Creates charges and updates billing Clocks for all Category C patient.IBAMTC1Kens Test Billing Discharge Compilation Job has completed.IBAMTDMeans Test charges.IBAMTDKens Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged.		
IBAERR1 Creates mail messages when errors occur during the compilation of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMT GEOGRAPHIC MEANS TEST UTILITIES IBAHVE3 CV EXPIRATION REPORT IBAMTBU Creates mail message when Category C patient movements change, and when continuous patients are discharged. IBAMTBU1 Creates a mail message if a change in the Means Test affects the patient's Means Test charges. IBAMTC Means Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients. IBAMTC1 Sends mail message when the Nightly Compilation Job has completed. IBAMTC2 Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished. IBAMTD Means Test Billing Discharge Compilation Job. Calculates final Means Test charges.		
of Means Test charges. IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR1 GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMT GEOGRAPHIC MEANS TEST UTILITIES IBAHVE3 CV EXPIRATION REPORT IBAMTBU Creates mail messages when Category C patient movements change, and when continuous patients are discharged. IBAMTBU1 Creates a mail message when charges are created in error for patients admitted for observation and examination. IBAMTC Means Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients. IBAMTC1 Sends mail message when the Nightly Compilation Job has completed. IBAMTC2 Bensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if on a acompliabed. IBAMTC1 Sends mail message when a Category C patients. IBAMTC2 Sends mail mes	IBAERR1	
IBAERR2 Processes error messages and sends mail messages for the Medication Co-payment Exemption process. IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMR GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMT GEOGRAPHIC MEANS TEST UTILITIES IBAHVE3 CV EXPIRATION REPORT IBAMTBU Creates mail messages when Category C patient movements change, and when continuous patients are discharged. IBAMTBU1 Creates a mail message when charges are created in error for patients admitted for observation and examination. IBAMTC Means Test charges. IBAMTC1 Sends mail message when the Nightly Compilation Job has completed. IBAMTC1 Sends mail message when a Category C inpatients. IBAMTC2, IBAMTC3 Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished. IBAMTD Means Test Charges Compilation Job. Calculates final Means Test Billing Discharge Compilation Job. Calculates final Means Test Billing Discharge Compilation Job has completed.		
Medication Co-payment Exemption process.IBAERR3Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification.IBAFILPosts tasks to the background filer. Starts filer if it is not running.IBAGMMGMT MONTHLY TOTALS REPORTIBAGMR1GMT MONTHLY TOTALS REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMTGEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAKATCANCEL CO-PAY CHARGES FOR KATRINA VETSIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTDMeans Test Billing Nightly Compilation Job charges and updates billing clocks for all Category C inpatients.IBAMTDMeans Test Billing Nightly Compilation Job charges and updates billing clocks for all Category C inpatients.	IBAERR2	
IBAERR3 Sends and processes alerts for the Medication Co-payment Exemption process if the site chooses to use alerts rather than mail messages for electronic notification. IBAFIL Posts tasks to the background filer. Starts filer if it is not running. IBAGMM GMT MONTHLY TOTALS REPORT IBAGMM1 GMT MONTHLY TOTALS REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMR1 GMT SINGLE PATIENT REPORT IBAGMT GEOGRAPHIC MEANS TEST UTILITIES IBAHVE3 CV EXPIRATION REPORT IBAKAT CANCEL CO-PAY CHARGES FOR KATRINA VETS IBAMTBU Creates mail message when Category C patient movements change, and when continuous patients are discharged. IBAMTBU1 Creates a mail message when charges are created in error for patients admitted for observation and examination. IBAMTC Means Test Ibiling Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients. IBAMTC1 Sends mail message when the Nightly Compilation Job has completed. IBAMTC2 Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished. IBAMTD Means Test Billing Discharge Compilation Job. Calculates final Means Test Billing Discharge Compilation Job. Calculates final Means Test Billing Discharge Compilation Job. Calculates final		
Exemption process if the site chooses to use alerts rather than mail messages for electronic notification.IBAFILPosts tasks to the background filer. Starts filer if it is not running.IBAGMMGMT MONTHLY TOTALS REPORTIBAGMM1GMT MONTHLY TOTALS REPORTIBAGMRGMT SINGLE PATIENT REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMTGEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTC1Sends mail message when the Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged.	IBAERR3	
messages for electronic notification.IBAFILPosts tasks to the background filer. Starts filer if it is not running.IBAGMMGMT MONTHLY TOTALS REPORTIBAGMM1GMT MONTHLY TOTALS REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMTGEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAKATCANCEL CO-PAY CHARGES FOR KATRINA VETSIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTD2Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test charges when a Category C patient is discharged.		
IBAFILPosts tasks to the background filer. Starts filer if it is not running.IBAGMMGMT MONTHLY TOTALS REPORTIBAGMM1GMT MONTHLY TOTALS REPORTIBAGMRGMT SINGLE PATIENT REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMTGEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAKATCANCEL CO-PAY CHARGES FOR KATRINA VETSIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTC1Sends mail message when the Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged.		
IBAGMMGMT MONTHLY TOTALS REPORTIBAGMM1GMT MONTHLY TOTALS REPORTIBAGMRGMT SINGLE PATIENT REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMTGEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAKATCANCEL CO-PAY CHARGES FOR KATRINA VETSIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged.	IBAFIL	
IBAGMM1GMT MONTHLY TOTALS REPORTIBAGMRGMT SINGLE PATIENT REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMTGEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAKATCANCEL CO-PAY CHARGES FOR KATRINA VETSIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged.		
IBAGMRGMT SINGLE PATIENT REPORTIBAGMR1GMT SINGLE PATIENT REPORTIBAGMTGEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAKATCANCEL CO-PAY CHARGES FOR KATRINA VETSIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged.		
IBAGMR1GMT SINGLE PATIENT REPORTIBAGMTGEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAKATCANCEL CO-PAY CHARGES FOR KATRINA VETSIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
IBAGMTGEOGRAPHIC MEANS TEST UTILITIESIBAHVE3CV EXPIRATION REPORTIBAKATCANCEL CO-PAY CHARGES FOR KATRINA VETSIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTD2Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
IBAHVE3 CV EXPIRATION REPORT IBAKAT CANCEL CO-PAY CHARGES FOR KATRINA VETS IBAMTBU Creates mail messages when Category C patient movements change, and when continuous patients are discharged. IBAMTBU1 Creates a mail message when charges are created in error for patients admitted for observation and examination. IBAMTBU2 Generates a mail message if a change in the Means Test affects the patient's Means Test charges. IBAMTC Means Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients. IBAMTC1 Sends mail message when the Nightly Compilation Job has completed. IBAMTC2, IBAMTC3 Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished. IBAMTD Means Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
IBAKATCANCEL CO-PAY CHARGES FOR KATRINA VETSIBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
IBAMTBUCreates mail messages when Category C patient movements change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
change, and when continuous patients are discharged.IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
IBAMTBU1Creates a mail message when charges are created in error for patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
patients admitted for observation and examination.IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and	IBAMTBU1	
IBAMTBU2Generates a mail message if a change in the Means Test affects the patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
patient's Means Test charges.IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and	IBAMTBU2	1
IBAMTCMeans Test Billing Nightly Compilation Job. Creates charges and updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		e
updates billing clocks for all Category C inpatients.IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and	IBAMTC	
IBAMTC1Sends mail message when the Nightly Compilation Job has completed.IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
completed. IBAMTC2, IBAMTC3 Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished. IBAMTD Means Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and	IBAMTC1	
IBAMTC2, IBAMTC3Ensures inpatient events are closed on discharge and Category C charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and		
charges are passed. Sends mail message if not accomplished.IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and	IBAMTC2, IBAMTC3	Å
IBAMTDMeans Test Billing Discharge Compilation Job. Calculates final Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and	,	
Means Test charges when a Category C patient is discharged. Invoked by the MAS Movement Event Driver. The bundling and	IBAMTD	
Invoked by the MAS Movement Event Driver. The bundling and		
unbundling of Means Test billing data which is transmitted.		unbundling of Means Test billing data which is transmitted,
received, and displayed by the PDX package.		
IBAMTD1 Computes Means Test charges for single day admissions.	IBAMTD1	

Routine List	
Routine	Description
IBAMTD2	Determines whether a change in patient movements will affect a
	patient's Means Test charges.
IBAMTED	Invoked by the MAS Means Test Event Driver. Determines
	whether a change in the Means Test should result in the generation
	of a mail message.
IBAMTED1	Creates new or updated exemptions whenever a change occurs in a
	patient's demographic data, eligibility, Means Test, or Co-pay Test
IBAMTED2	that would affect his/her exemption status.RX CO-PAY TEST EVENT DRIVER, Z06 EXEMPTION
IDAMI I ED2	PROCESSING
IBAMTEDU	Determines whether a change in the Means Test will affect
	patient's Means Test charges. Creates a list of charges or patient
	care episodes which would be included in the mail message.
IBAMTEL	Contains the various locations where an error may occur in the
	processing of Means Test charges for inpatients.
IBAMTI, IBAMTI1, IBAMTI2	These routines handle all mail message generation, processing, and
	outputs for special inpatient billing cases.
IBAMTS, IBAMTS1, IBAMTS2	Bills/Credits Category C outpatient co-payments via Scheduling
	Event Driver.
IBAMTV	BACK-BILLING SUPPORT FOR IVM
IBAMTV1	BUILD ARRAY OF BILLABLE EPISODES
IBAMTV2	CREATE CHARGES FOR BILLABLE EPISODES
IBAMTV3	RELEASE CHARGES PENDING REVIEW
IBAMTV31	LIST CHARGES PENDING REVIEW
IBAMTV32	RELEASE PENDING CHARGES ACTIONS
IBAMTV4	FIND CHARGES FOR IVM PATIENTS
IBAPDX, IBAPDX0, IBAPDX1	These routines are invoked by the PDX package and handle the
	bundling and unbundling of Means Test billing data which is
	transmitted, received, and displayed by the PDX package.
IBAREP	Routine to repost IB Actions to Accounts Receivable.
IBARX, IBARX1	Routine has supported calls for Pharmacy Co-pay for eligibility,
	new charges, cancelled charges, and updated charges.
IBARXDOC	Documentation of variable passing for IBARX.
IBARXEB	Sends electronic notification of changes in the patient's exemption
	status that require notification. Specifically, each time a patient
	either receives or loses a hardship exemption, a mail message or
	alert is generated.
IBARXEC, IBARXECO,	These routines are the main components of the Medication Co-
IBARXEC2, IBARXEC3	payment Exemption Conversion routines.
IBARXEC1, IBARXEC4,	Print the report from the Medication Co-payment Exemption
IBARXEC5	Conversion and the related option.
IBARXECA	Contains the logic to cancel charges during the Medication Co-
	payment Exemption process.
IBARXEI	Produces the full and brief inquiry options for the Medication Co-
	payment Exemption process.
IBARXEL	RX CO-PAY EXEMPTION INCOME TEST REMINDERS
IBARXEL1	RX CO-PAY EXEMPTION REMINDER REPRINT

Routine List	
Routine	Description
IBARXEP	Produces reports from the BILLING PATIENT file (#354) on the
	number and kinds of exemptions currently held by patients.
IBARXEPE	Edit pharmacy co-pay exemption letter.
IBARXEPL	Print pharmacy co-pay exemption letters.
IBARXEPS	ALB/RM/PHH,EG - RX CO-PAY EXEMPTION UPDATE
	STATUS
IBARXEPV	Has the ability to test the accuracy of patient exemptions for a date
	range and to update the exemptions of incorrect entries.
IBARXET	Allows adding and editing of Billing Thresholds.
IBARXEU	Contains two supported calls to retrieve a patient's Medication Co-
	payment Exemption status.
IBARXEU0	Routine used to retrieve and/or update a patient's Medication Co-
	payment Exemption status. This routine should not be used by
	applications outside of IB.
IBARXEU1	Contains the logic to actually calculate a patient's Medication Co-
	payment Exemption status.
IBARXEU3, IBARXEU4	Contain the logic to cancel past Medication Co-payment charges in
	both IB and AR.
IBARXEU5	Contains the logic for dealing with net worth as part of income.
IBARXEVT	Medication Co-payment Exemption event driver. Invoked each
	time a Medication Co-payment Exemption is created.
IBARXEX, IBARXEX1	Contain the logic for adding hardship exemptions for patients.
IBARXMA	PHARMCAY CO-PAY BACKGROUND PROCESSES
IBARXMB	PHARMCAY CO-PAY CAP BILLING FUNCTIONS
IBARXMC	PHARMACY CO-PAY CAP FUNCTIONS
IBARXMI	HL7 RECEIVER FOR PFSS WORKING ROUTINE
IBARXMN	PHARMCAY CO-PAY CAP RX PROCESSING
IBARXMO	PHARMACY CO-PAY CAP REPORTS
IBARXMO1	PHARMACY CO-PAY CAP
IBARXMP	PHARMCAY CO-PAY CAP PUSH TRANSACTION
IBARXMQ	RX CO-PAY RPC QUERY ROUTINE (MILL BILL)
IBARXMR	PHARMCAY CO-PAY CAP RPC STUFF
IBARXMU	PHARMACY CO-PAY CAP UTILITIES
IBARXPFS	PFSS ROUTINE FOR INTER-FACILITY RX CO-PAY
IBATCM	TRANSFER PRICING TRANSACTION CHARGES
IBATEI	TRANSFER PRICING INPATIENT TRACKER
IBATEI1	TRANSFER PRICING BACKGROUND JOB
IBATEO	TRANSFER PRICING OUTPATIENT TRACKER
IBATEP	TRANSFER PRICING RX TRACKER
IBATER	Background job routine that searches for Transfer Pricing
	transactions in the Prosthetics file (#660).
IBATFILE	Utility calls for filing Transfer Pricing transactions.
IBATLM0	TRANSFER PRICING PT LIST LIST MANAGER
IBATLMOA	TRANSFER PRICING PT LIST LIST MANAGER
IBATLMI, IBATLMIA,	Routines used to create a listing of Transfer Pricing transactions.
IBATLM1, IBATLM1A, IBATLM1B	Routines used to create a nating of fransier friend transactions.

Routine List	
Routine	Description
IBATLM2, IBATLM2A, IBATLM2B	Routines used to display Transfer Pricing patient transactions.
IBATLM3	TRANSFER PRICING PATIENT INFO SCREEN
IBATLM3A	TRANSFER PRICING PT INFO SCREEN BUILD
IBATO, IBATO1	Routines used to produce various Transfer Pricing reports.
IBATOP	TRANSFER PRICING PATIENT LISTING
IBATRX	TRANSFER PRICING RX ROUTINE
IBATUTL	Utility calls for various Transfer Pricing functions.
IBAUTL	Utility calls for IB application interface routines.
IBAUTL1	Utility routine to determine BASC billing rates.
IBAUTL2	Means Test billing utilities - retrieve billing rates; add/edit charges for a patient.
IBAUTL3	Means Test billing utilities - retrieve/update billing event and billing clock data.
IBAUTL4	Means Test billing utilities - calculate inpatient charges.
IBAUTL5	Means Test billing utilities - pass charges to Accounts Receivable; miscellaneous functions.
IBAUTL6, IBAUTL7	Contain the logic used to add entries to the BILLING PATIENT file (#354) and the BILLING EXEMPTIONS file (#354.1).
IBAXDR	ROUTINE TO MERGE ENTRIES IN IB FILE FOR PATIENT MERGE
IBBAACCT	PFSS ACCOUNT API
IBBAADD	PFSS FILE INDEXING
IBBAADTI	PFSS INBOUND FILER
IBBACDM	PFSS SERVICE MASTER API
IBBACHRG	PFSS CHARGE API
IBBADFTO	PFSS DFT BATCH MESSAGING
IBBAPI	APIS FOR OTHER PACKAGES FOR PFSS
IBBASCI	CIDC SWITCH UTILITIES
IBBASWCH	PFSS MASTER SWITCH FUNCTIONS
IBBDOC	APIS FOR OTHER PACKAGES FOR PFSS - DOCUMENT
IBBFAPI	FOR OTHER PACKAGES TO QUERY INSURANCE INFO
IBBSHDWN	IB Sunset for PFSS
IBCA, IBCA0, IBCA1, IBCA2	MCCR add new billing record. (Routines formerly named DGCRA, DGCRA0, DGCRA1, DGCRA2.)
IBCA3	Displays all bills for episode of care. (Formerly named DGCRA3.)
IBCAMS	Determines Accounts Receivable AMIS category for insurance bills. (Routine formerly named DGCRAMS.)
IBCAPP	CLAIMS AUTO PROCESSING MAIN PROCESSER
IBCAPP1	CLAIMS AUTO PROCESSING UTILITIES
IBCAPP2	CLAIMS AUTO PROCESSING
IBCAPR	PRINT EOB/MRA
IBCAPR1	CAPR PRINT FUNCTIONS
IBCAPR2	PRINT EOB/MRA
IBCAPU	CLAIMS AUTO PROCESSING UTILITIES

Routine List	
Routine	Description
IBCB, IBCB1, IBCB2	MCCR bill processing. (Routines formerly named DGCRB,
	DGCRB1, and DGCRB2.)
IBCB11	Process bill after enter/edited
IBCBB, IBCBB1, IBCBB2	Checks bills for completeness. (Routines formerly named
	DGCRBB, DGCRBB1, and DGCRBB2.)
IBCBB0	IB edit check routine continuation
IBCBB11	CONTINUATION OF EDIT CHECK ROUTINE
IBCBB12	PROCEDURE AND LINE LEVEL PROVIDER EDITS
IBCBB13	PROCEDURE AND LINE LEVEL PROVIDER EDITS
IBCBB21	CONTINUATION OF EDIT CHECK ROUTINE FOR UB
IBCBB3	CONTINUATION OF EDIT CHECKS ROUTINE (MEDICARE)
IBCBB4	CONT OF MEDICARE EDIT CHECKS
IBCBB5	CONT OF MEDICARE EDIT CHECKS
IBCBB6	CONT. OF MEDICARE EDIT CHECKS
IBCBB7	CONT. OF MEDICARE EDIT CHECKS
IBCBB7A	CON'T MEDICARE EDIT CHECKS
IBCBB8	CON'T MEDICARE EDIT CHECKS
IBCBB9	MEDICARE PART B EDIT CHECKS
IBCBR	Enter/Edit Billing Rates. (Routine formerly named DGCRBR.)
IBCBULL	MCCR mail messages. (Routine formerly named DGCRBULL.)
IBCC, IBCC1	Cancel a Third Party Bill. (Routine formerly named DGCRC.)
IBCCC, IBCCC1, IBCCC2	Cancel and copy bill. (Routines formerly named DGCRCC,
	DGCRCC1, and DGCRCC2.)
IBCCC3	Continuation of Copy and Cancel.
IBCCCB	COPY BILL FOR COB
IBCCCB0	COPY BILL FOR COB (OVERFLOW)
IBCCPT	Display CPT codes from Ambulatory Surgeries screen. (Routine
	formerly named DGCRCPT)
IBCCPT1	MCCR OUTPATIENT VISITS LISTING CONT.(2)
IBCCR	CLAIM CANCEL AND RESUBMIT INFORMATION
IBCD, IBCD1, IBCD2, IBCD3,	Automated Biller background job.
IBCD4, IBCD5	
IBCDC	Automated Biller utility routine.
IBCDE	Automated Biller comments file management.
IBCDP	AUTOMATED BILLER PRINT
IBCE	837 EDI TRANSMISSION UTILITIES/NIGHTLY JOB
IBCE277	277 EDI CLAIM STATUS MESSAGE PROCESSING
IBCE835	835 EDI EXPLANATION OF BENEFITS MSG PROCESSING
IBCE835A	835 EDI EOB PROCESSING CONTINUED
IBCE837	OUTPUT FOR 837 TRANSMISSION
IBCE837A	OUTPUT FOR 837 TRANSMISSION - CONTINUED
IBCE837B	OUTPUT FOR 837 TRANSMISSION (cont)
IBCEBUL	837 EDI SPECIAL BULLETINS PROCESSING
IBCECOB	IB COB MANAGEMENT SCREEN
IBCECOB1	IB COB MANAGEMENT SCREEN/REPORT
IBCECOB2	IB COB MANAGEMENT SCREEN
IBCECOB3	COB MANAGEMENT REPORT

Routine List	
Routine	Description
IBCECOB4	IB EM MANAGEMENT - REVIEW STATUS SCREEN
IBCECOB5	IB COB MANAGEMENT SCREEN
IBCECOB6	IB COB MANAGEMENT SCREEN
IBCECSA	IB CLAIMS STATUS AWAITING RESOLUTION SCREEN
IBCECSA1	IB STATUS AWAITING RESOLUTION SCREEN
IBCECSA2	IB CLAIMS STATUS AWAITING RESOLUTION SCREEN
IBCECSA3	CLAIMS STATUS AWAITING RESOLUTION REPORT
IBCECSA4	IB CLAIMS STATUS AWAITING RESOLUTION SCREEN
IBCECSA5	VIEW EOB SCREEN
IBCECSA6	VIEW EOB SCREEN
IBCECSA6	VIEW EOB SCREEN
IBCECSA7	VIEW EOB SCREEN CONTINUED
IBCEDC	EDI CLAIM STATUS REPORT COMPILE
IBCEDP	EDI CLAIM STATUS REPORT PRINT
IBCEDS	EDI CLAIM STATUS REPORT - SELECTION
IBCEDS1	EDI CLAIM STATUS REPORT - SELECTION CONT
IBCEF, IBCEF1, IBCEF11,	Routines used for formatting UB-92/HCFA 1500 forms.
IBCEF2, IBCEF21, IBCEF22,	
IBCEF3, IBCEF31	
IBCEF4	MRA/EDI ACTIVATED UTILITIES
IBCEF5	MRA/EDI ACTIVATED UTILITIES
IBCEF51	MRA/EDI ACTIVATED UTILITIES CONTINUED
IBCEF6	EDI TRANSMISSION RULES DISPLAY
IBCEF61	EDI TRANSMISSION RULES DEFINITION
IBCEF62	EDI TRANSMISSION RULES BT RESTRICTIONS DISPLAY
IBCEF7	FORMATTER AND EXTRACTOR SPECIFIC BILL
	FUNCTIONS
IBCEF71	FORMATTER AND EXTRACTOR SPECIFIC BILL
	FUNCTIONS
IBCEF72	FORMATTER AND EXTRACTOR SPECIFIC BILL
	FUNCTIONS
IBCEF73	FORMATTER AND EXTRACTOR SPECIFIC BILL
	FUNCTIONS
IBCEF73A	FORMATTER AND EXTRACTOR SPECIFIC (NPI) BILL
	FUNCTIONS
IBCEF74	FORMATTER/EXTRACT BILL FUNCTIONS
IBCEF74A	PROVIDER ID MAINT ?ID CONTINUATION
IBCEF75	PROVIDER ID FUNCTIONS
IBCEF76	PROVIDER ID FUNCTIONS
IBCEF77	FORMATTER/EXTRACT BILL FUNCTIONS
IBCEF78	Provider ID functions
IBCEF79	BILLING PROVIDER FUNCTIONS
IBCEF80	PROVIDER ID FUNCTIONS
IBCEF81	PROVIDER ADJUSTMENTS
IBCEF82	PROVIDER ADJUSTMENTS
IBCEF83	GET PROVIDER FUNCTIONS
IBCEF84	GET PROVIDER FUNCTIONS

Routine List	
Routine	Description
IBCEFG	OUTPUT FORMATTER EXTRACT
IBCEFG0	FORMS GENERATOR EXTRACT (CONT)
IBCEFG1	OUTPUT FORMATTER DATA DEFINITION UTILITIES
IBCEFG3	OUTPUT FORMATTER MAINT - SCREEN BLD UTILITIES
IBCEFG4	OUTPUT FORMATTER MAINTENANCE - FORM ACTION
	PROCESSING
IBCEFG41	OUTPUT FORMATTER MAINT - ACT PROC (CONT)
IBCEFG5	OUTPUT FORMATTER MAINT -FLD SCREEN BLD
	UTILITIES
IBCEFG6	OUTPUT FORMATTER MAINT-FORM FLD ACTION
	PROCESSING
IBCEFG60	OUTPUT FORMATTER-FORM FLD ACTION PROCESSING
	(CONT)
IBCEFG61	OUTPUT FORMATTER MAINT-FORM FLD ACTION
	PROCESSING (CONT)
IBCEFG7	OUTPUT FORMATTER GENERIC FORM PROCESSING
IBCEFG70	OUTPUT FORMATTER GENERIC SCREEN PROCESSING
IBCEFG8	OUTPUT FORMATTER GENERIC FORM TEST
	PROCESSING
IBCEFP	PROVIDER ID FUNCTIONS
IBCEFP1	OUTPUT FORMATTER PROVIDER UTILITIES
IBCEM	837 EDI RETURN MESSAGE PROCESSING
IBCEM01	BATCH BILLS LIST TEMPLATE
IBCEM02	837 EDI RESUBMIT BATCH PROCESSING
IBCEM03	837 EDI RESUBMIT INDIVIDUAL BILL PROCESSING
IBCEM1	837 EDI RETURN MESSAGE MAIN LIST TEMPLATE
IBCEM2	837 EDI RETURN MSG EXTRACT MAIN LIST TEMPLATE
IBCEM3	IB ELECTRONIC MESSAGE MGMNT ACTIONS
IBCEM4	IB ELECTRONIC MESSAGE SCREEN TEXT MAINT
IBCEMCA	Multiple CSA Message Management
IBCEMCA1	Multiple CSA Message Management - Actions
IBCEMCA2	Multiple CSA Message Management - Actions
IBCEMCA3	Multiple CSA Message Management - Actions
IBCEMCL	Multiple CSA Message Management
IBCEMMR	IB MRA Report of Patients w/o Medicare WNR
IBCEMPRG	Purge Status Messages
IBCEMQA	MRA QUIET BILL AUTHORIZATION
IBCEMQC	MRA EOB CRITERIA FOR AUTO-AUTHORIZE
IBCEMRA	837 MEDICARE MRA UTILITIES
IBCEMRAA	MEDICARE REMITTANCE ADVICE DETAIL-PART A
IBCEMRAB	MEDICARE REMITTANCE ADVICE DETAIL-PART B
IBCEMRAX	MEDICARE REMITTANCE ADVICE DETAIL-PART A
	Cont'd
IBCEMSG	EDI PURGE STATUS MESSAGES
IBCEMSG1	EDI PURGE STATUS MESSAGES CONT.
IBCEMSG2	EDI PURGE STATUS MESSAGES CONT.
IBCEMSR	MRA STATISTICS REPORT

Routine List	
Routine	Description
IBCEMSR1	MRA STATISTICS REPORT CONT.
IBCEMSR2	non-MRA PRODUCTIVITY REPORT
IBCEMSR3	non-MRA PRODUCTIVITY REPORT
IBCEMSR4	non-MRA PRODUCTIVITY REPORT
IBCEMU1	IB MRA UTILITY
IBCEMU2	IB MRA Utility
IBCEMU3	MRA UTILITY - INS CO CHECKER
IBCEMU4	MRA UTILITIES
IBCEMVU	STAND-ALONE VIEW MRA EOB
IBCEOB	835 EDI EOB MESSAGE PROCESSING (record types 5,6,10,
	12, 13 and 17)
IBCEOB	835 EDI EOB MESSAGE PROCESSING
IBCEOB0	835 EDI EOB MESSAGE PROCESSING (record types 30, 40,
	41, 42, 45 and 46)
IBCEOB00	835 EDI EOB MESSAGE PROCESSING (record types 15, 20,
	35, 37)
IBCEOB01	835 EDI EOB MESSAGE PROCESSING (patient and insurance
	information)
IBCEOB1	835 EDI EOB MESSAGE PROCESSING (record type HDR)
IBCEOB2	EOB LIST FOR MANUAL MAINTENANCE
IBCEOB21	EOB MAINTENANCE ACTIONS
IBCEOB3	835 EDI EOB BULLETINS
IBCEOB4	EPAYMENTS MOVE/COPY EEOB TO NEW CLAIM
IBCEOBAR	EOB FUNCTIONS FOR A/R
IBCEP	Functions for PROVIDER ID MAINT - INS CO PARAMS
IBCEP0	Functions for PROVIDER ID MAINTENANCE
IBCEP0A	EDI UTILITIES for insurance assigned provider ID
IBCEP0B	Functions for PROVIDER ID MAINTENANCE
IBCEP1	EDI UTILITIES for provider ID
IBCEP2	EDI UTILITIES FOR PROVIDER ID
IBCEP2A	EDI UTILITIES for provider ID
IBCEP2B	EDI UTILITIES FOR PROVIDER ID
IBCEP3	EDI UTILITIES for provider ID
IBCEP4	EDI UTILITIES for provider ID
IBCEP4A	EDI UTILITIES for provider ID
IBCEP5	EDI UTILITIES for provider ID
IBCEP5A	EDI UTILITIES for provider ID
IBCEP5B	EDI UTILITIES for provider ID
IBCEP5C	EDI UTILITIES for provider ID
IBCEP5D	EDI UTILITIES - for State License
IBCEP6	PROVIDER ID MAINT menu and INS CO EDIT hook
IBCEP7	Functions for facility level PROVIDER ID MAINT
IBCEP7 IBCEP7A	Functions for facility level PROVIDER ID MAINT
IBCEP7B	Functions for PROVIDER ID
IBCEP7D IBCEP7C	Functions for facility level PROVIDER ID MAINT
	FUNCTIONS FOR NON-VA PROVIDER
IBCEP8	
IBCEP81	NPI and Taxonomy Functions

Routine List	
Routine	Description
IBCEP82	Special cross references and data entry for fields in file 355.93
IBCEP8A	Functions for provider ID maintenance
IBCEP8B	FUNCTIONS FOR NON-VA PROVIDER cont'd
IBCEP9	MASS UPDATE OF PROVIDER ID FROM FILE OR MANUAL
IBCEP9A	PROVIDER EXTRACT
IBCEP9B	UPDATE OF PROVIDER ID FROM FILE UTILITIES
IBCEPA	Provider ID functions - Care Units
IBCEPB	Insurance company ID parameters
IBCEPC	Insurance company plan type list
IBCEPCID	Provider ID functions
IBCEPTC	EDI PREVIOUSLY TRANSMITTED CLAIMS
IBCEPTC0	EDI PREVIOUSLY TRANSMITTED CLAIMS CONT
IBCEPTC1	EDI PREV TRANSMITTED CLAIMS REPORT OUTPUT
IBCEPTC2	EDI PREVIOUSLY TRANSMITTED CLAIMS LIST MGR
IBCEPTC3	EDI PREVIOUSLY TRANSMITTED CLAIMS ACTIONS
IBCEPTM	FILE EDI CLAIMS TEST MESSAGES
IBCEPTR	Test Claim Messages Report
IBCEPTU	TEST TRANSMIT CLAIMS UTILITIES
IBCEPU	Functions for PROVIDER ID MAINTENANCE
IBCEQ1	BSL,PROVIDER ID QUERY
IBCEQ1A	PROVIDER ID QUERY REPORT
IBCEQ2	PROVIDER/BILLING ID WORKSHEET
IBCEQ2A	PROVIDER/BILLING ID WORKSHEET SOLUTIONS
IBCEQBS	837 EDI QUERY BATCH STATUS REPORTS
IBCERP1	BILL AWAITING RESUBMISSION REPORT
IBCERP2	ELECTRONIC ERROR REPORT
IBCERP3	EDI BATCHES WAITING MORE THAN 1 DAY REPORT
IBCERP4	EDI BATCHES WAITING MORE THAN I DAT REFORT
IDCENT 4	PENDING/UPDATNG
IBCERP5	BATCH LIST
IBCERP6	MRA/EDI CLAIMS READY FOR EXTRACT
IBCERP6A	READY FOR EXTRACT LIST MANAGER REPORT
IBCERPT	277 EDI ENVOY REPORT MESSAGE PROCESSING
IBCERPT1	ELECTRONIC REPORT DISPOSITION
IBCESRV	Server interface to IB from Austin
IBCESRV1	Server interface to IB from Austin
IBCESRV1 IBCESRV2	Server based Auto-update utilities - IB EDI
IBCESRV2 IBCESRV3	Server based Auto-update utilities - IB EDI
IBCESRV5	837 EDI STATUS MESSAGE PROCESSING
IBCEST IBCEST1	IB 837 EDI Status Message Processing Cont
IBCEU	EDI UTILITIES
IBCEU0	
	EDI UTILITIES
IBCEU1	EDI UTILITIES FOR EOB PROCESSING
IBCEU2	EDI UTILITIES FOR AUTO ADD OF CODES ON BILL
IBCEU3	EDI UTILITIES FOR 1500 CLAIM FORM
IBCEU4	EDI UTILITIES
IBCEU5	EDI UTILITIES (CONTINUED) FOR CMS-1500

Routine List	
Routine	Description
IBCEU6	EDI UTILITIES FOR EOB PROCESSING
IBCEU7	EDI UTILITIES
IBCEXTR	CLAIMS READY FOR EXTRACT MANAGEMENT SCREEN
IBCEXTR1	IB READY FOR EXTRACT STATUS SCREEN
IBCEXTR2	IB EXTRACT STATUS MANAGEMENT
IBCEXTRP	VIEW/PRINT EDI EXTRACT DATA
IBCF	Dispatch to print claim forms.
IBCF1, IBCF10, IBCF11, IBCF12,	Print UB-82. (Routines formerly named DGCRP, DGCRP0,
IBCF14	DGCRP1, DGCRP2, and DGCRP4.)
IBCF13	Call for Accounts Receivable to print bills. (Routine formerly
	named DGCRP3.)
IBCF1TP	UB-82 Test Pattern Print. (Routine formerly named DGCRTP.)
IBCF2, IBCF21, IBCF22, IBCF23,	Print HCFA 1500.
IBCF2P	
IBCF23A	HCFA 1500 19-90 DATA - SPLIT FROM IBCF23
IBCF2TP	Print HCFA 1500 Test Pattern Print.
IBCF3, IBCF31, IBCF32, IBCF33,	Print UB-92.
IBCF331, IBCF34, IBCF3P	
IBCF3TP	UB-92 Test Pattern Print.
IBCF4	Print Bill Addendum.
IBCFP	Print all authorized bills in order.
IBCFP1	PRINT AUTHORIZED BILLS IN ORDER
IBCIADD1	ADD ENTRY TO FILE 351.9
IBCIASN	STANDALONE OPTION TO RE-ASSIGN CLAIMS
IBCIBW	IBCI CLAIMS MANAGER MGR WORKSHEET
IBCICL	IBCI CLAIMS MANAGER CLERK WORKSHEET
IBCICME	IBCI CLAIMSMANAGER ERROR REPORT
IBCICME1	IBCI CLAIMSMANAGER ERROR REPORT
IBCICMEP	ClaimsManager ERROR REPORT
IBCICMS	IBCI CLAIMSMANAGER STATUS REPORT
IBCICMSP	ClaimsManager STATUS REPORT
IBCICMW	CLAIMSMANAGER WORKSHEET REPORT
IBCIL0	CLAIMSMANAGER SKIP LIST
IBCIMG	IBCI CLAIMS MANAGER MGR WORKSHEET
IBCIMSG	BUILD MESSAGE FOR CLAIMSMANAGER
IBCIMSG1	BUILD MESSAGE FOR CLAIMSMANAGER CONT'D
IBCINPT	Extract data and create NPT file
IBCIPAY	Extract data and create Ingenix Payer File
IBCIPOST	CLAIMSMANAGER POST INSTALL
IBCISC	IB EDIT SCREENS ?CLA FUNCTIONALITY
IBCIST	ENTRY POINTS FOR CLAIMSMANAGER INTERFACE
IBCIUDF	CLAIMSMANAGER USER DEFINED FIELDS
IBCIUT1	MISC UTILITIES FOR CLAIMSMANAGER INTERFACE
IBCIUT2	CLAIMSMANAGER MESSAGE UTILITIES
IBCIUT3	TCP/IP UTILITIES FOR CLAIMSMANAGER INTERFACE
IBCIUT4	MISC UTILITIES
IBCIUT5	UTILITIES FOR CLAIMSMANAGER INTERFACE
	UTILITILS FOR CLAIIVISIVIAIVAUEN INTERFACE

Routine List	
Routine	Description
IBCIUT6	MAILMAN UTILITIES
IBCIUT7	COMMENTS FIELD UTILITIES
IBCIWK	WORKSHEET UTILITY
IBCMENU	Main menu driver. (Routine formerly named DGCRMENU.)
IBCNADD	Address Retrieval Engine for BILL/CLAIMS file (#399).
IBCNBAA	Ins Buffer: process Accept set-up
IBCNBAC	Ins Buffer: Individually Accept Insurance Buffer Fields
IBCNBAR	Ins Buffer: process Accept and Reject
IBCNBCD	Ins Buffer: display/compare buffer and existing ins
IBCNBED	Ins Buffer: delete existing entries in buffer
IBCNBEE	Ins Buffer: add/edit existing entries in buffer
IBCNBES	Ins Buffer: stuff new entries/data into buffer
IBCNBES1	Ins Buffer: stuff new entries/data into buffer
IBCNBLA	Ins Buffer: LM action calls
IBCNBLA1	Ins Buffer: LM action calls (cont)
IBCNBLA2	Ins Buffer, Multiple Selection
IBCNBLB	Ins Buffer: Eligibility/Benefit screen
IBCNBLE	Ins Buffer: LM buffer entry screen
IBCNBLE1	Ins Buffer, Expand Entry, continued
IBCNBLL	Ins Buffer: LM main screen, list buffer entries
IBCNBLP	Ins Buffer: LM buffer process screen
IBCNBLP1	Ins Buffer: LM buffer process build
IBCNBME	Ins Buffer: external entry points, add/edit buffer
IBCNBMI	Ins Buffer: move buffer data to insurance files
IBCNBMN	Ins Buffer: add new insurance file entries
IBCNBOA	Ins Buffer: Activity Report
IBCNBOE	Ins Buffer: Employee Report
IBCNBOF	Ins Buffer: Employee Report (Entered)
IBCNBPG	Ins Buffer: Option Purge stub entries
IBCNBU1	Ins Buffer: Utilities
IBCNBUH	Ins Buffer: Help Text
IBCNEAMC	IIV AUTO MATCH BUFFER LISTING
IBCNEAME	IIV AUTO MATCH ENTRY/EDIT
IBCNEAMI	IIV AUTO MATCH INPUT TRANSFORM
IBCNEBF	Create an Entry in the Buffer File
IBCNEDE	eIV DATA EXTRACTS
IBCNEDE1	eIV INSURANCE BUFFER EXTRACT
IBCNEDE2	eIV PRE REG EXTRACT (APPTS)
IBCNEDE3	DAOU/DJW - NONVERINS DATA EXTRACT
IBCNEDE4	NO INSURANCE DATA EXTRACT
IBCNEDE5	eIV DATA EXTRACTS
IBCNEDE6	eIV DATA EXTRACTS
IBCNEDE7	eIV DATA EXTRACTS
IBCNEDEP	Process Transaction Records
IBCNEDEQ	Process eIV Transactions continued
IBCNEHL1	HL7 Process Incoming RPI Messages
IBCNEHL2	HL7 Process Incoming RPI Messages (cont.)

Routine List	
Routine	Description
IBCNEHL3	HL7 Process Incoming RPI Continued
IBCNEHL4	HL7 Process Incoming RPI Messages (cont.)
IBCNEHLD	IIV Deactivate MFN Message
IBCNEHLI	Incoming HL7 messages
IBCNEHLK	HL7 Acknowledgement Messages
IBCNEHLM	HL7 Registration MFN Message
IBCNEHLO	Outgoing HL7 messages
IBCNEHLQ	HL7 RQI Message
IBCNEHLT	HL7 Process Incoming MFN Messages
IBCNEHLU	HL7 Utilities
IBCNEKI2	PURGE eIV DATA FILES CONT'D
IBCNEKIT	PURGE eIV DATA FILES
IBCNEPM	PAYER MAINTENANCE PAYER LIST SCREEN
IBCNEPM1	PAYER MAINT/INS COMPANY LIST FOR PAYER
IBCNEPM2	PAYER MAINTENANCE ENTRY POINT
IBCNEPY	eIV PAYER EDIT OPTION
IBCNEQU	eIV REQUEST ELECTRONIC INSURANCE INQUIRY
IBCNERP0	IBCNE eIV STATISTICAL REPORT (cont'd)
IBCNERP1	IBCNE USER IF eIV RESPONSE REPORT
IBCNERP2	IBCNE eIV RESPONSE REPORT COMPILE
IBCNERP3	IBCNE eIV RESPONSE REPORT PRINT
IBCNERP4	IBCNE USER INTERFACE eIV PAYER REPORT
IBCNERP5	IBCNE eIV PAYER REPORT COMPILE
IBCNERP6	eIV PAYER REPORT PRINT
IBCNERP7	eIV STATISTICAL REPORT
IBCNERP8	IBCNE eIV STATISTICAL REPORT COMPILE
IBCNERP9	eIV STATISTICAL REPORT PRINT
IBCNERPA	IBCNE eIV RESPONSE REPORT (cont'd)
IBCNERPB	eIV PAYER LINK REPORT
IBCNERPC	eIV PAYER LINK REPORT COMPILE
IBCNERPD	eIV PAYER LINK REPORT PRINT
IBCNERPE	IBCNE eIV RESPONSE REPORT (cont'd)
IBCNERPF	IBCNE USER INTERFACE EIV INSURANCE UPDATE
	REPORT
IBCNERPG	IBCNE EIV INSURANCE UPDATE REPORT COMPILE
IBCNERPH	IBCNE EIV INSURANCE UPDATE REPORT PRINT
IBCNES	eIV eligibility/Benefit screen
IBCNES1	eIV eligibility/benefit utilities
IBCNES2	eIV eligibility/Benefit action protocols
IBCNEUT1	IIV MISC. UTILITIES
IBCNEUT2	eIV MISC. UTILITIES
IBCNEUT3	eIV MISC. UTILITIES
IBCNEUT4	eIV MISC. UTILITIES
IBCNEUT5	eIV MISC. UTILITIES
IBCNEUT6	IIV MISC. UTILITIES
IBCNEUT7	IIV MISC. UTILITIES
IBCNEUT8	eIV MISC. UTILITIES

Routine List	
Routine	Description
IBCNICB	Update utilities for the ICB interface
IBCNFCON	This routine is called for eII Configuration Edit option to change
	eII configuration parameters.
IBCNFRD	Gets the Result file massages and Extract file's confirmation messages from AITC DMI Queue. Then it creates the Result file.
IBCNFRD2	Builds the XML file from Result file messages.
IBCNFSND	Sends Extract files as email messages to AITC DMI Queue. Notifies IRM EII IRM mail group if confirmation messages are not received from AITC DMI queue for given Extract file messages within given time frame and re-sends those messages to AITC DMI Queue. Checks to make sure the Extract files and Result files are created on time; if not, sends warning message to IBCNF EII IRM mail group. Also, purges the Activity logs of HMS EXTRACT FILE STATUS and HMS RESULT FILE STATUS that are older than 180 days.
IBCNQ	Patient Billing Inquiry. (Routine formerly named DGCRNQ.)
IBCNQ1	Outpatient Visit Date Inquiry. (Routine formerly named DGCRNQ1.)
IBCNRDV	INSURANCE INFORMATION EXCHANGE VIA RDV
IBCNRE1	Edit PAYER APPLICATION Sub-file
IBCNRE2	Edit NCPDP PROCESSOR APPLICATION Sub-file
IBCNRE3	Edit PHARMACY BENEFITS MANAGER (PBM) APPLICATION Sub-file
IBCNRE4	Edit PLAN APPLICATION Sub-file
IBCNRE5	Edit HIPAA NCPDP ACTIVE FLAG
IBCNRFM1	Perform FileMan API Calls
IBCNRHLT	Receive HL7 e-Pharmacy MFN Message
IBCNRHLU	e-Pharmacy HL7 Utilities
IBCNRMFE	Receive HL7 e-Pharmacy MFE Segment
IBCNRMFK	Send HL7 e-Pharmacy MFK Message
IBCNRP	Plan Match ListMan
IBCNRP5	Group Plan Status Report
IBCNRP5P	Group Plan Status Report
IBCNRPM1	Match Multiple Group Plans to a Pharmacy Plan
IBCNRPM2	Match Multiple Group Plans to a Pharmacy Plan
IBCNRPMT	Match Group Plan to Pharmacy Plan
IBCNRPS	Match Test Payer Sheet to a Pharmacy Plan
IBCNRPS2	Plan Match ListMan
IBCNRPSI	Group Plan Status Inquiry
IBCNRPSM	Match Test Payer Sheet to a Pharmacy Plan
IBCNRRP1	Group Plan Worksheet Report
IBCNRRP2	IBCNR GROUP PLAN WORKSHEET COMPILE
IBCNRRP3	GROUP PLAN WORKSHEET REPORT PRINT
IBCNRRP4	Pharmacy Plan Report

Routine List	
Routine	Description
IBCNRSM	Shared Plan Matches Report
IBCNRU1	IB Utilities
IBCNRXI1	Post-Installation procedure
IBCNRXI2	BHAM ISC/DMB - Post-Installation procedure
IBCNRZCM	Receive HL7 e-Pharmacy ZCM Segment
IBCNRZP0	Receive HL7 e-Pharmacy ZP0 Segment
IBCNRZPB	Receive HL7 e-Pharmacy ZPB Segment
IBCNRZPL	Receive HL7 e-Pharmacy ZPL Segment
IBCNRZPT	Receive HL7 e-Pharmacy ZPT Segment
IBCNRZRX	Receive HL7 e-Pharmacy ZRX Segment
IBCNS, IBCNS1	These routines contain the supported calls to determine if a patient has any insurance or active insurance, to retrieve the data, and to do standard displays.
IBCNS2	This routine contains a number of utilities called by data dictionary for the BILL/CLAIMS file (#399).
IBCNS3	DISPLAY EXTENDED INSURANCE
IBCNSA, IBCNSA0, IBCNSA1,	These routines allow for the display and editing of the Annual
IBCNSA2	Benefits available for an insurance plan.
IBCNSBL, IBCNSBL1	This routine creates the new insurance policy mail message. It is called by the event driver whenever a new insurance policy is added.
IBCNSBL2	'BILL NEXT PAYOR' BULLETIN
IBCNSC, IBCNSC0, IBCNSC01,	These routines allow for the display and editing of insurance
IBCNSC1	company data.
IBCNSC02	Insurance Company parent/child management
IBCNSC2	INACTIVATE AND REPOINT INS STUFF
IBCNSC3	INACTIVATE AND REPOINT INS STUFF1
IBCNSC4	INSURANCE PLAN DETAIL SCREEN UTILITIES
IBCNSC41	INSURANCE PLAN SCREEN UTILITIES (CONT)
IBCNSCD	DELETE INSURANCE COMPANY
IBCNSCD1	DELETE INSURANCE COMPANY (CON'T)
IBCNSCD2	DELETE INSURANCE COMPANY (CON'T)
IBCNSCD3	DELETE INSURANCE COMPANY (CON'T)
IBCNSD, IBCNSD1	These routines allow for the display and editing of the benefits a
	patient has used for a year for a specific plan.
IBCNSEH	This routine prints the extended help for insurance policy and plan information.
IBCNSEVT	This routine invokes the New Insurance Policy Added Event Driver every time a new insurance policy is added.
IBCNSGE	Insurance Company EDI Parameter Report
IBCNSGM	Insurance Company Billing Provider Flag Report/Message
IBCNSJ	INSURANCE PLAN UTILITIES
IBCNSJ1	INACTIVATE AN INSURANCE PLAN
IBCNSJ11	INACTIVATE AN INSURANCE PLAN (CON'T)
IBCNSJ12	
IDCIN5J12	I INACTIVATE AN INSUKANCE PLAN (CON 1)
IBCNSJ12 IBCNSJ13	INACTIVATE AN INSURANCE PLAN (CON'T) INACTIVATE AN INSURANCE PLAN (CON'T)

Routine List	
Routine	Description
IBCNSJ2	CHANGE POLICY PLAN
IBCNSJ21	CHANGE POLICY PLAN (CON'T)
IBCNSJ3	ADD NEW INSURANCE PLAN
IBCNSJ4	INACTIVATE MULTIPLE INSURANCE PLANS
IBCNSJ5	INSURANCE PLAN MAINTENANCE ACTION PROCESSING
IBCNSJ51	INSURANCE PLAN MAINTENANCE ACTION PROCESSING
	(continued)
IBCNSJ52	INSURANCE PLAN MAINTENANCE ACTION PROCESSING
	(continued)
IBCNSM, IBCNSM1, IBCNSM2,	These routines display in list format one patient's policies, and
IBCNSM31, IBCNSM32,	allow for editing of these policies.
IBCNSM4	
IBCNSM, IBCNSM1, IBCNSM2,	These routines display in list format one patient's policies, and
IBCNSM31, IBCNSM32,	allow for editing of these policies.
IBCNSM4	
IBCNSM3	INSURANCE MANAGEMENT - OUTPUTS
IBCNSM5, IBCNSM6, IBCNSM7,	These routines print the insurance plan worksheets and policy
IBCNSM8, IBCNSM9	coverage reports.
IBCNSMM	MEDICARE INSURANCE INTAKE
IBCNSMM1	MEDICARE INSURANCE INTAKE (CONT)
IBCNSMM2	MEDICARE INSURANCE INTAKE (CONT)
IBCNSMR	MEDICARE BILLS
IBCNSMR0	MEDICARE BILLS
IBCNSMR1	MEDICARE BILLS
IBCNSMR6	MRA EXTRACT
IBCNSMR7	MRA EXTRACT
IBCNSMR8	MRA EXTRACT
IBCNSMRA	MEDICARE BILLS
IBCNSMRE	MRA EXTRACT
IBCNSOK, IBCNSOK1	These routines check, fix, and print reports on integrity of group
	plans in the PATIENT file [#2].
IBCNSP, IBCNSP0, IBCNSP01,	These routines display policy data for a patient in expanded format
IBCNSP11, IBCNSP3, IBCNSV	and allow for editing of the data.
IBCNSP02	INSURANCE MANAGEMENT - EXPANDED POLICY
IBCNSP1	INSURANCE MANAGEMENT - policy actions
IBCNSP2	This routine is the supported call to allow for editing of a patient's
	insurance policy and plan information from registration and
	billing.
IBCNSU, IBCNSU1	Insurance utility routines to add entries to the GROUP
	INSURANCE PLAN (#355.3), ANNUAL BENEFITS (#355.4),
	and INSURANCE CLAIMS YEAR TO DATE (#355.5) files.
IBCNSU2	This routine contains the new Plan Look-up Utility which is
	invoked from many points within the Insurance Data Capture
	module.
IBCNSU3	Functions for billing decisions to determine plan coverage
	limitations.

Routine List	
Routine	Description
IBCNSU31	Functions for billing decisions to determine Insurance Filing Timeframe.
IBCNSU4	SPONSOR UTILITIES
IBCNSU41	SPONSOR UTILITIES (CON'T)
IBCNSUR	MOVE SUBSCRIBERS TO DIFFERENT PLAN
IBCNSUR1	MOVE SUBSCRIBERS TO DIFFERENT PLAN (CON'T)
IBCNSUR2	MOVE SUBSCRIBERS TO DIFFERENT PLAN (CON'T)
IBCNSUR3	MOVE SUBSCRIBERS (BULLETIN)
IBCNSUX	SPLIT MEDICARE COMBINATION PLANS
IBCNSUX1	SPLIT COMBINATION PLANS CONT.
IBCOC	Prints a list of inactive insurance companies still listed as insuring patients.
IBCOC1	Prints a list of new but not verified insurance.
IBCOIVM	IVM BILLING ACTIVITY
IBCOIVM1	IB BILLING ACTIVITY (COMPILE/PRINT)
IBCOIVM2	IB BILLING ACTIVITY (BULLETIN)
IBCOMA	IDENTIFY ACTIVE POLICIES W/NO EFFECTIVE DATE
IBCOMA1	IDENTIFY ACTIVE POLICIES W/NO EFFECTIVE DATE
	(CON'T)
IBCOMC	IDENTIFY PT BY AGE WITH OR WITHOUT INSURANCE
IBCOMC1	ALB/CMS-IDENTIFY PT BY AGE WITH OR WITHOUT
	INSURANCE (CON'T)
IBCOMC2	IDENTIFY PT BY AGE WITH OR WITHOUT INSURANCE (CON'T)
IBCOMD	GENERATE INSURANCE COMPANY LISTINGS
IBCOMD1	GENERATE INSURANCE COMPANY LISTINGS
IBCOMN	PATIENTS NO COVERAGE VERIFIED REPORT
IBCOMN1	PATIENTS NO COVERAGE VERIFIED REPORT (CON'T)
IBCONS1, IBCONS2, IBCONSC	Veterans with insurance outputs. (Routines formerly named DGCRONS1, DGCRONS2, DGCRONSC.)
IBCONS3	Veterans with insurance outputs interface with Claims Tracking.
IBCONS4	NSC W/INSURANCE OUTPUT (SETUP)
IBCOPP	LIST INS. PLANS BY CO. (DRIVER)
IBCOPP1	LIST INS. PLANS BY CO. (DRIVER 1)
IBCOPP2	LIST INS. PLANS BY CO. (COMPILE)
IBCOPP3	LIST INS. PLANS BY CO. (PRINT)
IBCOPR	print dollar amts for pre-registration
IBCOPR1	print dollar amts for pre-registration
IBCOPV, IBCOPV1, IBCOPV2	Display outpatient visits screen. (Routines formerly named DGCROPV, DGCROPV1, DGCROPV2.)
IBCORC, IBCORC1, IBCORC2	Rank Insurance Carriers.
IBCORC3	RANK INSURANCE CARRIERS (NEW BULLETIN)
IBCRBC	RATES: BILL CALCULATION OF CHARGES
IBCRBC1	RATES: BILL CALCULATION BILLABLE EVENTS
IBCRBC11	RATES: BILL CALCULATION BILLABLE EVENTS
IBCRBC2	RATES: BILL CALCULATION OF ITEM CHARGE

Routine List	
Routine	Description
IBCRBC3	RATES: BILL CALCULATION SORT/STORE
IBCRBE	RATES: BILL ENTER/EDIT (RS/CS) SCREEN
IBCRBEI	RATES: BILL ENTER/EDIT (RS/CS) SCREEN - BI
IBCRBF	RATES: BILL FILE CHARGES
IBCRBG, IBCRBG1, IBCRBG2	Contains utility calls for various inpatient/PTF/outpatient/CPT
	functions.
IBCRBH1	RATES: BILL HELP DISPLAYS - CHARGES
IBCRBH2	RATES: BILL HELP DISPLAYS - CPT CHARGES
IBCRCC	RATES: CALCULATION OF ITEM CHARGE
IBCRCI	RATES: CALCULATION ITEM/EVENT COST FNCTNS
IBCRCU1	RATES: CALCULATION UTILITIES
IBCREC	RATES: CM INACTIVATE CPT CHARGE OPTION
IBCRED	RATES: CM DELETE CHARGE ITEMS OPTION
IBCREE	RATES: CM ENTER/EDIT
IBCREE1	RATES: CM ENTER/EDIT (CI)
IBCREE2	RATES: CM ENTER/EDIT (SG,RL,PD,DV)
IBCREF	RATES: CM FILE ENTRIES (CI,BI)
IBCREQ	RATES: CM FAST ENTER/EDIT OPTION
IBCRER	RATES: CM RC NATIONAL ENTER/EDIT OPTION
IBCRER1	RATES: CM RC NATIONAL ENTER/EDIT OPTION (CONT)
IBCRETP	RATES: TRANSFER PRICING CM FAST ENTER/EDIT
IBCREU1	RATES: CM ENTER/EDIT UTILITIES
IBCRHBA	RATES: UPLOAD HOST FILES (AWP)
IBCRHBC	RATES: UPLOAD HOST FILES (CMAC DRIVER)
IBCRHBC1	RATES: UPLOAD HOST FILES (CMAC <2000)
IBCRHBC2	RATES: UPLOAD HOST FILES (CMAC 2000+)
IBCRHBC3	RATES: UPLOAD HOST FILES (CMAC 2005+)
IBCRHBR	RATES: UPLOAD HOST FILES (RC) DRIVER
IBCRHBR1	RATES: UPLOAD HOST FILES (RC) SETUP
IBCRHBR2	RATES: UPLOAD HOST FILES (RC) READ
IBCRHBR3	RATES: UPLOAD HOST FILES (RC) PARSE
IBCRHBR4	RATES: UPLOAD (RC) SELECT SITES
IBCRHBR5	RATES: UPLOAD (RC) CALCULATIONS SETUP
IBCRHBR6	RATES: UPLOAD (RC) SITE CALCULATIONS
IBCRHBRA	RATES: UPLOAD RC V1 CPT 2000 CHARGES
IBCRHBRB	RATES: UPLOAD RC V1.4 MOVE LAB CODES
IBCRHBRV	RATES: UPLOAD (RC) VERSION FUNCTIONS
IBCRHBS	RATES: UPLOAD HOST FILES (RC 2+) DRIVER
IBCRHBS1	RATES: UPLOAD HOST FILES (RC 2+) SETUP
IBCRHBS2	RATES: UPLOAD HOST FILES (RC 2+) READ
IBCRHBS3	RATES: UPLOAD HOST FILES (RC 2+) PARSE
IBCRHBS4	RATES: UPLOAD (RC 2+) SELECT SITES
IBCRHBS5	RATES: UPLOAD (RC 2+) CALCULATIONS DRIVER
IBCRHBS6	RATES: UPLOAD (RC 2+) CALCULATIONS SETUP
IBCRHBS7	RATES: UPLOAD (RC 2+) CALCULATIONS SITE
IBCRHBS8	RATES: UPLOAD (RC 2+) CALCULATIONS CHARGE
IBCRHBSZ	RATES: UPLOAD (RC 2+) DIVISION FUNCTIONS

Routine List	
Routine	Description
IBCRHBT	RATES: UPLOAD HOST FILES (TP)
IBCRHD	RATES: UPLOAD ASSIGN & DELETE
IBCRHL	RATES: UPLOAD CHECK & ADD TO CM SEARCH
IBCRHO	RATES: UPLOAD CHECK & ADD TO CM REPORT
IBCRHU1	RATES: UPLOAD UTILITIES
IBCRHU2	RATES: UPLOAD UTILITIES (ADD CM ELEMENTS)
IBCRLA1	RATES: DISPLAY ACTION PROTOCOLS
IBCRLC	RATES: DISPLAY CHARGE SETS
IBCRLD	RATES: DISPLAY INTRO
IBCRLG	RATES: DISPLAY BILLING REGIONS
IBCRLI	RATES: DISPLAY CHARGE ITEMS
IBCRLL	RATES: DISPLAY SPECIAL GROUPS
IBCRLM	RATES: DISPLAY REVENUE CODE LINKS
IBCRLN	RATES: DISPLAY PROVIDER DISCOUNT
IBCRLR	RATES: DISPLAY BILLING RATES
IBCRLS	RATES: DISPLAY SCHEDULES
IBCRLT	RATES: DISPLAY RATE TYPES
IBCROE	CHARGE MASTER TO EXCEL OUTPUT
IBCROI	RATES: REPORTS CHARGE ITEM
IBCROI1	RATES: REPORTS CHARGE ITEM (SRCH)
IBCROIP	RATES: REPORTS CHARGE ITEM: PROCEDURES
IBCRON	RATES: REPORTS PROVIDER DISCOUNT
IBCROR	RATES: REPORTS
IBCRTN	Edit bills returned from Accounts Receivable. (Routine formerly
	named DGCRTN.)
IBCRU1	RATES: UTILITIES
IBCRU2	RATES: UTILITIES (CI DEFINITIONS)
IBCRU3	RATES: UTILITIES (CS/BR)
IBCRU4	RATES: UTILITIES (RG/BILL/CI)
IBCRU5	RATES: UTILITIES (DISPLAYS)
IBCRU6	RATES: UTILITIES (SPECIAL GROUPS)
IBCRU7	TRANSFER PRICING CHARGE MASTER UTILITIES
IBCRU8	RATES: UTILITIES (RC)
IBCSC1	Enter/Edit a Bill Screen 1 (Demographics). (Routine formerly
	named DGCRSC1.)
IBCSC10	MCCR SCREEN 10 (UB-82 BILL SPECIFIC INFO)
IBCSC102	MCCR SCREEN 10 (UB-04 BILL SPECIFIC INFO)
IBCSC10A	ADD/ENTER CHIROPRACTIC DATA
IBCSC10B	ADD/ENTER PATIENT REASON FOR VISIT DATA
IBCSC10H	MCCR SCREEN 10 (BILL SPECIFIC INFO) CMS-1500
IBCSC11	MCCR SCREEN 11 (LOCAL SCREEN 11 SPECIFIC INFO)
IBCSC2	Enter/Edit a Bill Screen 2 (Employment). (Routine formerly
	named DGCRSC2.)
IBCSC3	Enter/Edit a Bill Screen 3 (Payer/Mailing Address). (Routine
	formerly named DGCRSC3.)
IBCSC4	Enter/Edit a Bill Screen 4 (Inpatient EOC). (Routine formerly
	named DGCRSC4.)

Routine List	
Routine	Description
IBCSC4A, IBCSC4B, IBCSC4C	Enter/Edit a Bill PTF Screens. (Routines formerly named
	DGCRSC4A, DGCRSC4B, and DGCRSC4C.)
IBCSC4D, IBCSC4E	Enter/Edit a bill's diagnoses.
IBCSC4F	GET PTF DIAGNOSIS
IBCSC5	Enter/Edit a Bill Screen 5 (Opt. EOC). (Routine formerly named
	DGCRSC5.)
IBCSC5A, IBCSC5C	Enter/Edit a bill's prescription refills.
IBCSC5B	Enter/Edit a bill's prosthetic items.
IBCSC6	Enter/Edit a Bill Screen 6 (Inpatient Billing Info). (Routine formerly named DGCRSC6.)
IBCSC61	Enter/Edit a Bill screen utility. (Routine formerly named DGCRSC61.)
IBCSC7	Enter/Edit a Bill Screen 7 (Opt. Billing Info). (Routine formerly named DGCRSC7.)
IBCSC8	Enter/Edit a Bill Screen 8 (Bill Specific Info). (Routine formerly named DGCRSC8.)
IBCSC82	Enter/Edit a Bill Screen 8 for UB-92.
IBCSC8H	Enter/Edit a Bill Screen 8, if HCFA-1500. (Routine formerly
	named DGCRSC8H.)
IBCSC9	MCCR SCREEN 9 (AMBULANCE INFO)
IBCSCE, IBCSCE1	Enter/Edit a Bill screen edits. (Routines formerly named
	DGCRSCE, DGCRSCE1.)
IBCSCH, IBCSCH1	Enter/Edit a Bill help screens. (Routines formerly named DGCRSCH, DGCRSCH1.)
IBCSCH2	ALB/DLS - Continuation of routine IBCSCH
IBCSCP	Enter/Edit a Bill screen processor. (Routine formerly named
	DGCRSCP.)
IBCSCU	Enter/Edit a Bill screen utility. (Routine formerly named DGCRSCU.)
IBCU, IBCU1, IBCU2, IBCU3,	Enter/Edit a Bill billing utility. (Routines formerly named
IBCU4, IBCU5	DGCRU, DGCRU1, DGCRU2, DGCRU3, DGCRU4, DGCRU5.)
IBCU41, IBCU64	Third Party billing utilities.
IBCU6, IBCU61, IBCU62, IBCU63	Automatic calculation of charges utility routines. (Routines
	formerly named DGCRU6, DGCRU61, DGCRU62, and
	DGCRU63.)
IBCU65	BILL CHARGE UTILITY: COMBINE E&M
IBCU7, IBCU7	Procedures enter/edit utility routines. (Routines formerly named DGCRU7, DGCRU71.)
IBCU71	INTERCEPT SCREEN INPUT OF PROCEDURE CODES
IBCU72	ADD/EDIT/DELETE PROCEDURE DIAGNOSES
IBCU73	ADD/DELETE MODIFIER 26 TO SPECIFIED CPTS
IBCU74	INTERCEPT SCREEN INPUT OF PROCEDURE CODES (CONT)
IBCU7A	BILL PROCEDURE MANIPULATIONS
IBCU7A1	BILL PROCEDURE MANIPULATIONS BILL PROCEDURE MANIPULATIONS (BUNDLED)
IBCU7AI IBCU7B	LINE LEVEL PROVIDER USER INPUT
IBCU7B IBCU7U	BILL PROCEDURE UTILITIES
	DILL I NOCEDUKE UTILITIEØ

Routine List	
Routine	Description
IBCU8, IBCU81, IBCU82	Third Party Billing Utilities.
IBCU83	THIRD PARTY BILLING UTILITES (BILL-CT)
IBCU9	BILLING UTILITY ROUTINE (CONTINUED)
IBCVA, IBCVA0, IBCVA1	Third Party Billing set variables. (Routines formerly named
	DGCRVA, DGCRVA0, and DGCRVA1.)
IBCVC	VALUE CODE FUNCTIONALITY
IBD21P4	POST INIT - 6/11/96
IBD3KENV	AICS 3.0 Environment Checker
IBD3KPT	Post Init routine for AICS v 3.0 - 11 NOV 96
IBDE, IBDE1, IBDE1A, IBDE1B,	The import/export utility for the encounter form.
IBDE2, IBDE3, IBDEHELP	
IBDE4	PUT FORMS AND BLOCKS INTO IMPORT/EXPORT
	UTILTIY
IBDECLN	Clean up Data Qualifiers and Package interfaces
IBDECLN1	Clean up Data Qualifiers and Package interfaces
IBDECLN2	Clean up Data Qualifiers and Package interfaces
IBDEI*	IB ENCOUNTER FORM IMP/EXP Routines
IBDEPRE	PREINIT FOR USE BY IMP/EXP UTILITY
IBDEPT	ENCOUNTER FORM - installation routine for AICS 2.1
IBDF10, IBDF10A, IBDF10B	Shifting blocks and the contents of blocks.
IBDF10C	ENCOUNTER FORM - (shift block contents - continued)
IBDF11, IBDF11A	Print Manager setup for the encounter form.
IBDF12	Editing Tool Kit forms.
IBDF13	Editing Tool Kit blocks.
IBDF14	Clinic Setups Report.
IBDF14A	AICS LIST CLINIC SETUP
IBDF15	List Clinics Using Forms Report.
IBDF15A	AICS FORM USE BY DIVISION/CLINIC
IBDF16	Edit package interfaces, marking areas.
IBDF17	Copy Check-off Sheets to encounter forms.
IBDF18	Utility for providing the Problem List package with a list of clinic
	common problems from an encounter form.
IBDF18A	ENCOUNTER FORM - utilities for PCE
IBDF18A1	ENCOUNTER FORM - utilities for PCE
IBDF18A2	WISC/TN - ENCOUNTER FORM - utilities for PCE
IBDF18B	ENCOUNTER FORM - utilities for PCE
IBDF18C	ENCOUNTER FORM - form ID utilities
IBDF18D	ENCOUNTER FORM - form type utilities
IBDF18E	ENCOUNTER FORM - PCE DEVICE INTERFACE utilities
IBDF18E0	ENCOUNTER FORM - PCE DEVICE INTERFACE utilities
IBDF18E1	ENCOUNTER FORM - PCE DEVICE INTERFACE utilities
IBDF18E2	AICS Error Logging Routine
IBDF18E2	ENCOUNTER FORM - PCE DEVICE INTERFACE utilities
IBDF18E4	ENCOUNTER FORM - MISC INTERFACES utilities
IBDF19	Routine for deleting garbage, compiling forms.
IBDF19 IBDF1A	Printing a single encounter form, along with other reports defined
	via the Print Manager.

Routine List	
Routine	Description
IBDF1B, IBDF1B1, IBDF1B1A,	Printing batches of encounter forms for appointments, along with
IBDF1B1B, IBDF1B2, IBDF1B3,	other reports defined via the Print Manager.
IBDF1B5, IBDF1BA	
IBDF1C	Print a blank encounter form within the List Manager.
IBDF2A	Prints a form - device must be open, variables defined.
IBDF2A1	ENCOUNTER FORM (IBDF2A continued)
IBDF2A2	ENCOUNTER FORM (IBDF2A continued)
IBDF2B, IBDF2B1	Writes a data field to the form.
IBDF2D, IBDF2D1	Writes a selection list to the form.
IBDF2D2	ENCOUNTER FORM - PRINT SELECTION LIST (cont'd)
IBDF2D3	ENCOUNTER FORM - WRITE SELECTION LIST (cont'd)
IBDF2E	Writes lines and text areas to the form.
IBDF2F	Prints the form - the form image must be in an array.
IBDF2F1	ENCOUNTER FORM - PRINT FORM(sends to printer)
IBDF2F2	PRINT VA LOGO AS ANCHORS ON ENCOUNTER FORMS
IBDF2G	ENCOUNTER FORM - (prints input field)
IBDF2H	ENCOUNTER FORM - (prints hand print field)
IBDF3	Edit selection groups.
IBDF4, IBDF4A	Edit selections.
IBDF4C	CPT MODIFIER SELECTION
IBDF5, IBDF5A,	Creating an array that contains the form for display via the List
IBDF5B, IBDF5C	Manager; editing the form; creating new blocks on the form;
	moving and re-sizing blocks.
IBDF5D	ENCOUNTER FORM - (copy page)
IBDF6, IBDF6A, IBDFC	Adding and deleting forms to a clinic setup; creating and deleting
	forms.
IBDF7	Creating a list of Tool Kit blocks for the List Manager; creating a
	new Tool Kit block.
IBDF8	Displaying a Tool Kit block.
IBDF9, IBDF9A, IBDF9A1,	Displaying a block, resizing it, editing its attributes and contents.
IBDF9B, IBDF9B1, IBDF9C,	
IBDF9D, IBDF9E	
IBDF9A3	ENCOUNTER FORM - (create, edit, delete selection list -
	continued)
IBDF9B2	ENCOUNTER FORM - (edit, delete, add multiple choice fields)
IBDF9B3	ENCOUNTER FORM - (edit, delete, add data fields)
IBDF9B4	ENCOUNTER FORM - (edit, delete, add Hand Print fields)
IBDFBK1	AICS broker Utilities
IBDFBK2	AICS broker Utilities
IBDFBK3	AICS broker Utilities
IBDFBKR	EF utility, receive and format data for PCE
IBDFBKS	Create form spec file for scanning
IBDFBKS1	ENCOUNTER FORM - create form spec for scanning (Broker
	Version CONTINUATION)
IBDFBKS2	Create form spec for scanning
IBDFBKS3	ENCOUNTER FORM - create form spec for scanning (Broker
	Version)
נאום וססו	

Routine List	
Routine	Description
IBDFBKS4	Create form spec file for scanning
IBDFC	ENCOUNTER FORM - CONVERSION UTILTY
IBDFC1	ENCOUNTER FORM - CONVERTED FORMS LIST
IBDFC2	ENCOUNTER FORM - converts a form for scanning
IBDFC2A	ENCOUNTER FORM - converts a form for scanning (cont'd)
IBDFC2B	ENCOUNTER FORM - converts a form for scanning
IBDFC3	ENCOUNTER FORM - replace original form with converted form
IBDFC4	ENCOUNTER FORM - print scanning form definition
IBDFCG	CLINIC GROUP FORMS SCREEN
IBDFCG1	CONT. of Clinic Group Enter Edit Screen - 1 1 95
IBDFCMP	AICS list of components on a form
IBDFCMP1	AICS list of components on a form (cont.)
IBDFCNOF	AICS clinics with no forms
IBDFDBS	Database Server Utilities
IBDFDE	AICS Data Entry, Entry point by form
IBDFDE0	AICS Data Entry, Check out interview
IBDFDE1	AICS Data Entry, Final check
IBDFDE10	AICS Data entry utility
IBDFDE2	AICS Data Entry, process selection lists
IBDFDE21	AICS Data Entry, process selection lists
IBDFDE22	AICS Data Entry, check selection rules
IBDFDE23	Select CPT Modifiers during Manual Data Entry
IBDFDE3	AICS Manual Data Entry, process handprint fields
IBDFDE4	AICS Manual Data Entry, process multiple choice fields
IBDFDE41	AICS Data Entry, process selection lists
IBDFDE42	AICS Data Entry, check selection rules
IBDFDE5	AICS Manual Data Entry, Loader routine for 357.6
IBDFDE6	AICS Manual Data Entry, Entry point by clinic
IBDFDE61	AICS Manual Data Entry, process selection lists
IBDFDE7	AICS Manual Data Entry, Entry point for Group Clinics
IBDFDE8	AICS Manual Data Entry, Entry for no form no appt
IBDFDE9	AICS Manual Data Entry, Report of inputs by form
IBDFDEA	AICS Data Entry API
IBDFDVE	AICS edit printers file
IBDFESP	AICS EDIT SITE PARAMS
IBDFFRFT	AICS Free Forms Tracking Entry
IBDFFSMP	Print a sample of all encounter forms Dec 12 1995@800
IBDFFT	FORMS TRACKING
IBDFFT1	FORMS TRACKING CONTINUED - JUL 6 1995
IBDFFT2	FORMS TRACKING
IBDFFT3	ROUTINE TO QUEUE FORMS TRACKING REPORT - 13
	NOV 96
IBDFFT4	FORMS TRACKING
IBDFFV	AICS FORM VALIDATION
IBDFFV1	AICS FORM VALIDATION
IBDFFV2	AICS FORM VALIDATION
IBDFFV3	AICS FORM VALIDATION

Routine List	
Routine	Description
IBDFGRP	GROUP COPY - 7/25/95
IBDFHLP	HELP CODE FOR SPECIAL INSTRUCTIONS
IBDFLST	Maintenance Utility Invalid Codes List - MAY 17 1995
IBDFLST1	Maintenance Utility Invalid Codes List - MAY 17 1995
IBDFM1	Compiling bubbles and hand print fields
IBDFN, IBDFN1, IBDFN2,	Entry points used by the PACKAGE INTERFACE file #357.6) for
IBDFN3, IBDFN4, IBDFN5,	interfacing with other packages.
IBDFN6	
IBDFN10	ENCOUNTER FORM - (selection routines - mostly for PCE files)
IBDFN11	ENCOUNTER FORM - (entry points for reprint of dynamic data)
IBDFN12	ENCOUNTER FORM - SELECTORS
IBDFN13	ENCOUNTER FORM - (input transforms for AICS Data Types)
IBDFN14	ENCOUNTER FORM - OUTPUTS
IBDFN15	ENCOUNTER FORM - OUTPUTS
IBDFN16	ENCOUNTER FORM - (entry points for gaf project)
IBDFN7	ENCOUNTER FORM - validate logic for data
IBDFN8	ENCOUNTER FORM - PCE GDI INPUT TRANSFORMS
IBDFN9	ENCOUNTER FORM - output transforms for data
IBDFOSG	SCANNED EF FOR OUTPATIENTS WITH BILLS
	GENERATED REPORT
IBDFOSG1	SCANNED ENCOUNTERS WITH BILLING DATA CONT.
IBDFOSG2	ENCOUNTERS WITH BILLING DATA CONT SEP 11, 1995
IBDFPCE	AICS UPDATE FROM PCE
IBDFPE	ENCOUNTER FORMS QUEUEING PARAMETERS DISPLAY
	1 31 94
IBDFPE1	ENCOUNTER FORMS QUEUEING PARAMETERS DISPLAY
	CONT.
IBDFPRG	AICS PURGE UTILITY
IBDFPRG1	AICS PURGE UTILITY
IBDFQB	MAIN QUEUE JOB FOR ENCOUNTER FORM PRINTING -
	FEB 2 1995
IBDFQEA	ENCOUNTER FORM - BUILD FORM(editing action for group's
	selections list)
IBDFQEA1	ENCOUNTER FORM - BUILD FORM(editing action for group's
	selections list) cont.
IBDFQS	REQUEUE OF PRINT JOB FOR A SINGLE PARAMETER
	GROUP - FEB 9 1995
IBDFQSL	ENCOUNTER FORM - Quick selection edit
IBDFQSL1	ENCOUNTER FORM - Quick selection edit (cont.)
IBDFQSL2	ENCOUNTER FORM - Quick selection edit (cont.)
IBDFREG	ENCOUNTER FORM (prints for a single patient)
IBDFRPC	AICS Return list of interfaces
IBDFRPC1	Return list of selections
IBDFRPC2	Return list of selections, broker call
IBDFRPC3	AICS Identify patient form id
IBDFRPC4	AICS Pass data to PCE, Broker Call
IBDFRPC5	AICS Pass data to PCE, Broker Call

Routine List	
Routine	Description
IBDFRPC6	AICS Pass data to PCE, Broker Call
IBDFSS	STATUS SELECT ROUTINE (FORMS TRACKING)
IBDFSS1	FORMS TRACKING SELECTED STATUS - JUL 6 1995
IBDFST	FORMS TRACKING STATISTICS - JUL 6 1995
IBDFST1	FORMS TRACKING STATISTICS - JUL 6 1995
IBDFU, IBDFU1, IBDFU10,	Utilities used for encounter forms.
IBDFU1A, IBDFU1B, IBDFU2,	
IBDFU2A, IBDFU2B, IBDFU2C,	
IBDFU3, IBDFU4, IBDFU5,	
IBDFU5A, IBDFU6, IBDFU7,	
IBDFU8, IBDFU9, IBDFUA	
IBDFU1C	ENCOUNTER FORM (sets various parameters)
IBDFU91	ENCOUNTER FORM - transforms needed to validate, display and
	pass data
IBDFUTI	Installation utilities Re-Compile Templates/x-refs
IBDFUTL	Maintenance Utility Routine - APR 20 1995
IBDFUTL1	Maintenance Utility cont 4 20 95
IBDFUTL2	MAINTENANCE UTILITY CONT 4/24/95
IBDFUTL3	MAINTENANCE UTILITY CONT 4/24/95
IBDNTEG	ISC/XTSUMBLD KERNEL - Package checksum checker
IBDNTEG0	ISC/XTSUMBLD KERNEL - Package checksum checker
IBDX*	Generated or Compiled Routines for XREFS, PRINT
IBDY*	TEMPLATES, INPUT TEMPLATES Mixed Post-Init, Pre-Init, and Environment Routines for released
	patches.
IBEBR	Enter/Edit Billing Rates.
IBEBRH	Help routine for Enter/Edit Billing Rates.
IBECEA, IBECEA0	Cancel/Edit/Add Charges - build charges array for list processor.
IBECEA1	Cancel/Edit/Add Charges - logic for the Pass a Charge action.
IBECEA2, IBECEA21, IBECEA22	Cancel/Edit/Add Charges - logic for the Edit a Charge action.
IBECEA3, IBECEA31, IBECEA32,	Cancel/Edit/Add Charges - logic for the Add a Charge action.
IBECEA33	
IBECEA34	Cancel/Edit/Add Fee Support
IBECEA35	Cancel/Edit/Add TRICARE Support
IBECEA4	Cancel/Edit/Add Charges - logic for the Cancel a Charge action.
IBECEA5, IBECEA51	Cancel/Edit/Add Charges - logic for the Update Events action, and
	subsequent actions on the Update Events list.
IBECEAU, IBECEAU1,	Cancel/Edit/Add Charges - utilities used by all actions.
IBECEAU2, IBECEAU3,	
IBECEAU4	
IBECEAU5	Cancel/Edit/Add CALC Observation CO-PAY
IBECK	Checks status of filer.
IBECPF	Continuous Patient flag/un-flag.
IBECPTE	Enter and/or edit BASC table reference data.

Routine List	
Routine	Description
IBECPTT	Transfers BASC rate group and status updates from the UPDATE BILLABLE AMBULATORY SURGICAL CODE file (#350.41)
	to the BILLABLE AMBULATORY SURGICAL CODE file
	(#350.4).
IBECPTT	TRANSFERS CPT RATE UPDATES TO 350.4
IBECPTZ	BASC transfer utility.
IBECUS	TRICARE PHARMACY ENGINE OPTIONS
IBECUS1	TRICARE PHARMACY BILLING ENGINES
IBECUS2	TRICARE PHARMACY BILL TRANSACTION
IBECUS21	FILE TRICARE PHARMACY TRANSACTIONS
IBECUS22	TRICARE PHARMACY BILLING UTILITIES
IBECUS3	CANCEL TRICARE PHARMACY TRANSACTION
IBECUSM	TRICARE PHARMACY BILLING OPTIONS
IBECUSMU	PHARMACY BILLING OPTION UTILITIES
IBECUSO	TRICARE PHARMACY BILLING OUTPUTS
IBEF	The Integrated Billing background filer.
IBEFCOP	Background filer, Rx co-payment processor.
IBEFUNC	Set of extrinsic functions.
IBEFUNC1, IBEFUNC2	Set of extrinsic functions used in BASC billing.
IBEFUNC3	EXTRINSIC FUNCTIONS
IBEFUR	UTILITY: FIND RELATED FIRST AND THIRD PARTY BILLS
IBEFURF	UTILITY: FIND RELATED FIRST PARTY BILLS
IBEFURT	UTILITY: FIND RELATED THIRD PARTY BILLS
IBEFUTL	Utility program for filer options.
IBEFUTL1	Recompiles and cross references all IB templates.
IBEMTBC	Category C billing clock maintenance.
IBEMTF, IBEMTF1	Flag Stop Codes/Dispositions/Clinics.
IBEMTF2	List Non-Billable Stop Codes/Dispositions/Clinics.
IBEMTO	Bills all Means Test Outpatient co-payment charges which are on
	hold awaiting the new co-pay rate.
IBEMTO1	Lists all Means Test Outpatient co-payment charges which are on
	hold awaiting the new co-pay rate.
IBEMTSCR	print billable types for visit co-pay
IBEMTSCU	print billable types for visit co-pay
IBEPAR, IBEPAR1	IB Site Parameter entry and edit. (Routines formerly named
	DGCRPAR, DGCRPAR1.)
IBEPTC	TP FLAG STOP CODES AND CLINICS
IBEPTC1	TP FLAG STOP CODES AND CLINICS (CON'T.)
IBEPTC2	TP LIST NON-BILLABLE STOP CODES AND CLINICS
IBEPTC3	TP FLAG ALL CLINICS
IBERS	User interface for the Appointment Check-off Sheet.
IBERS1	Search, sort, and print Appointment Check-off Sheets chosen by the user.
IBERS2	Gather and store individual patient data for a Check-off Sheet.
IBERS3	Gather and store individual patient PTF and billing diagnoses for a Check-off Sheet.
IBERSE	Build and edit the CPT lists for the Check-off Sheets.

Routine List	
Routine	Description
IBERSI	List and/or delete procedures on Check-off Sheets that are AMA
	inactive and/or nationally, locally, and billing inactive.
IBERSP	Prints the formatted CPT list for the Check-off Sheets.
IBERSP1	Creates the formatted CPT list for the Check-off Sheets.
IBESTAT	Status display of IB site parameters and filer status.
IBETIME	Capacity management utility.
IBJD	DIAGNOSTIC MEASURES UTILITIES
IBJD1	DIAGNOSTIC MEASURES UTILITIES
IBJDB1	BILLING LAG TIME REPORT
IBJDB11	BILLING LAG TIME REPORT (COMPILE)
IBJDB12	BILLING LAG TIME REPORT (OPT PRINT/SUMMARIES)
IBJDB13	BILLING LAG TIME REPORT (INPT PRINT)
IBJDB2	REASONS NOT BILLABLE REPORT (INPUT)
IBJDB21	REASONS NOT BILLABLE REPORT (COMPILE)
IBJDB22	REASONS NOT BILLABLE REPORT (PRINT)
IBJDE	DM DATA EXTRACTION (MAIN ROUTINE)
IBJDE1	DM DATA EXTRACTION (MENU OPTIONS/TRANSMIT E-
	MAIL)
IBJDF1	THIRD PARTY FOLLOW-UP REPORT
IBJDF11	
IBJDF12	THIRD PARTY FOLLOW-UP REPORT (PRINT)
IBJDF1H	THIRD PARTY FOLLOW-UP REPORT (HELP)
IBJDF2	THIRD PARTY FOLLOW-UP SUMMARY REPORT
IBJDF4	FIRST PARTY FOLLOW-UP REPORT
IBJDF41	
IBJDF42	FIRST PARTY FOLLOW-UP REPORT (PRINT)
IBJDF43	FIRST PARTY FOLLOW-UP REPORT (COMPILE/PRINT
	SUMMARY)
IBJDF4H	FIRST PARTY FOLLOW-UP REPORT (HELP)
IBJDF5	CHAMPVA/TRICARE FOLLOW-UP REPORT
IBJDF51	CHAMPVA/TRICARE FOLLOW-UP REPORT (COMPILE)
IBJDF52	CHAMPVA/TRICARE FOLLOW-UP REPORT (PRINT)
IBJDF53	CHAMPVA/TRICARE FOLLOW-UP REPORT (SUMMARY)
IBJDF5H	CHAMPVA/TRICARE FOLLOW-UP REPORT (HELP)
IBJDF6	MISCELLANEOUS BILLS FOLLOW-UP REPORT
IBJDF61	MISC. BILLS FOLLOW-UP REPORT (COMPILE)
IBJDF62	MISC. BILLS FOLLOW-UP REPORT (PRINT)
IBJDF63	MISC. BILLS FOLLOW-UP REPORT (COMPILE/PRINT
	SUMMARY)
IBJDF6H	MISCELLANEOUS BILLS FOLLOW-UP REPORT (HELP)
IBJDF7	REPAYMENT PLAN REPORT
IBJDF71	REPAYMENT PLAN REPORT (COMPILE)
IBJDF72	REPAYMENT PLAN REPORT (PRINT)
IBJDF7H	REPAYMENT PLAN REPORT (HELP)
IBJDF8	AR PRODUCTIVITY REPORT
IBJDF81	AR PRODUCTIVITY REPORT (COMPILE)
IBJDF811	AR PRODUCTIVITY REPORT (COMPILE)
10101 011	AKTKODUCTIVITI KEFÜKI (COMFILE-COUL)

Routine List	
Routine	Description
IBJDF82	AR PRODUCTIVITY REPORT (PRINT)
IBJDF8H	AR PRODUCTIVITY REPORT (HELP)
IBJDF8I	ADD/EDIT IB DM WORKLOAD PARAMETERS
IBJDF8I1	ADD/EDIT IB DM WORKLOAD PARAMETERS-(CONT.)
IBJDF8R	AR WORKLOAD ASSIGNMENTS (PRINT)
IBJDI1	PERCENTAGE OF COMPLETED REGISTRATIONS
IBJDI11	PERCENTAGE OF COMPLETED REGISTRATIONS (CONT'D)
IBJDI2	VETERANS WITH UNVERIFIED ELIGIBILITY
IBJDI21	VETERANS WITH UNVERIFIED ELIGIBILITY (CONT'D)
IBJDI3	NO EMPLOYER LISTING
IBJDI4	PATIENTS WITH UNIDENTIFIED INSURANCE
IBJDI41	PATIENTS WITH UNIDENTIFIED INSURANCE (CONT'D)
IBJDI5	INSURANCE POLICIES NOT VERIFIED
IBJDI6	SC VETS W/ NSC EPISODES OF INPT CARE
IBJDI7	OUTPATIENT WORKLOAD REPORT
IBJDIPR	PERCENTAGE OF PATIENTS PREREGISTERED REPORT
IBJDNTEG	ISC/XTSUMBLD KERNEL - Package checksum checker
IBJDU1	UTILIZATION WORKLOAD REPORT
IBJPB	IBSP AUTOMATED BILLING SCREEN
IBJPC	IBSP CLAIMS TRACKING PARAMETER SCREEN
IBJPI	IBJP eIV SITE PARAMETERS SCREEN
IBJPI2	eIV SITE PARAMETERS SCREEN ACTIONS
IBJPI3	IBJP IIV MOST POPULAR PAYER LIST SCREEN
IBJPI4	IBJP IIV MOST POPULAR PAYER LIST SCREEN
IBJPM	IBSP MCCR PARAMETERS SCREEN
IBJPS	IBSP IB SITE PARAMETER SCREEN
IBJPS1	IBSP IB SITE PARAMETER BUILD
IBJPS2	IBSP IB SITE PARAMETER BUILD (CONT.)
IBJPS3	IB SITE PARAMETERS, PAY-TO PROVIDER
IBJPS4	IB Site Parameters, Pay-To Provider Associations
IBJTA1	TPI ACTIONS
IBJTBA, IBJTBA1	Used to display TPJI bill charge information.
IBJTBB	TPI BILL DIAGNOSIS SCREEN
IBJTBC	TPI BILL PROCEDURES SCREEN
IBJTCA	TPI CLAIMS INFO BUILD
IBJTCA1	TPI CLAIMS INFO BUILD
IBJTCA2	TPI CLAIMS INFO BUILD (CONT)
IBJTEA	TPI PATIENT ELIGIBLITY SCREEN
IBJTED	TPJI EDI STATUS SCREEN
IBJTLA	TPI ACTIVE BILLS LIST SCREEN
IBJTLA1	TPI ACTIVE BILLS LIST BUILD
IBJTLB	TPI INACTIVE LIST SCREEN
IBJTLB1	TPI INACTIVE LIST BUILD
IBJTNA	TPI INSURANCE SCREENS/ACTIONS
IBJTNB	TPI INSURANCE POLICY/AB SCREENS/ACTIONS
IBJTNC	TPI INSURANCE PATIENT POLICIES
IBJTRA, IBJTRA1	Used to display Claims Tracking insurance communications.
	osed to display claring fracking insurance communications.

Routine List	
Routine	Description
IBJTRX	TPJI screen for ECME response information.
IBJTTA	TPI AR ACCOUNT/CLAIM PROFILE
IBJTTA1	TPI AR ACCOUNT/CLAIM PROFILE BUILD
IBJTTB	TPI AR TRANSACTION PROFILE
IBJTTB1	TPI AR TRANSACTION PROFILE BUILD
IBJTTB2	TPI AR TRANSACTION PROFILE (CONT)
IBJTTC	TPI AR COMMENT HISTORY
IBJTU1	TPI UTILITIES
IBJTU2	TPI UTILITIES
IBJTU3	TPI UTILITIES - INS ADDRESS
IBJTU31	TPI UTILITIES - INS
IBJTU4	TPI UTILITIES - AR CALLS
IBJTU5	TPI UTILITIES - BILLS/CLAIMS TRACKING
IBJTU6	IB List Manager API. See Integration Agreement 5713.
IBJU1	JBI UTILITIES
IBJVDEQ	CBO Data Extract Queue Trigger
IBJYL	List Template Exporter
IBJYL1	List Template Exporter
IBJYL2	List Template Exporter
IBJYL3	List Template Exporter
IBJYL4	List Template Exporter
IBJYPT	IBJ V2.0 POST-INITIALIZATION ROUTINE
IBNCDNC	DRUGS NON COVERED
IBNCDNC1	DRUGS NON COVERED
IBNCP*	IB routines related to ePharmacy/ECME processing and billing of
	electronic real-time prescriptions.
IBNCPBB	ECME BACKBILLING
IBNCPBB1	CONTINUATION OF ECME BACKBILLING
IBNCPDP	APIS FOR NCPCP/ECME
IBNCPDP1	PROCESSING FOR NEW RX REQUESTS
IBNCPDP2	PROCESSING FOR ECME RESP
IBNCPDP3	STORES NDC/AWP UPDATES
IBNCPDP4	HANDLE ECME EVENTS
IBNCPDP5	PROCESSING FOR ECME RESP FOR SECONDARY
IBNCPDP6	TRICARE NCPDP TOOLS
IBNCPDPC	CLAIMS TRACKING EDITOR for ECME
IBNCPDPE	NCPDP BILLING EVENTS REPORT
IBNCPDPH	ECME REPORT OF ON HOLD CHARGES FOR A PATIENT
IBNCPDPI	ECME REPORT OF ON HOLD CHARGES FOR A PATIENT ECME SCREEN INSURANCE VIEW AND UTILITIES
IBNCPDPL	for ECME RESEARCH SCREEN ELIGIBILITY VIEW
IBNCPDPL	ECME RELEASE CHARGES ON HOLD
IBNCPDPU IBNCPDPV	UTILITIES FOR NCPCP
IBNCPDPV	for ECME SCREEN VIEW PATIENT INSURANCE
IBNCPDR	ROI MANAGEMENT, LIST MANAGER
IBNCPDR1	ROI MANAGEMENT
IBNCPDR2	ROI MANAGEMENT, ADD ROI
IBNCPDR4	ROI MANAGEMENT, ROI CHECK

Routine List	
Routine	Description
IBNCPDR5	ROI MANAGEMENT, EXPAND ROI
IBNCPDS1	DISPLAY RX COB DETERMINATION
IBNCPEB	BULLETINS FOR NCPDP
IBNCPEV	NCPDP BILLING EVENTS REPORT
IBNCPEV1	NCPDP BILLING EVENTS REPORT
IBNCPLOG	IB ECME EVNT REPORT
IBNCPNB	UTILITIES FOR NCPCP
IBNCPRR	Prescription Report for 3rd Party Billing cross check
IBNCPRR1	Prescription Report for 3rd Party Billing (Extrinsic Functions)
IBNCPUT1	IB NCPDP UTILITIES
IBNCPUT2	IB NCPDP UTILITIES
IBNCPUT3	ePharmacy secondary billing
IBNTEG*	IB integrity routines.
IBOA31	List All Bills For a Patient Report. (Routine formerly named
-	DGCRA31.)
IBOA32	Continuation of List All Bills For a Patient Report. Retrieves and
	displays Integrated Billing Actions. (Routine formerly named
	DGCRA32.)
IBOAMS	Revenue Code Totals by Rate Type Report. (Routine formerly
	named DGCRAMS1.)
IBOBCC, IBOBCC1	Search, sort, and print the Unbilled BASC for Insured Patient
,	Appointment Report.
IBOBCR6	Continuous Pt. Report - displays a listing of patients who have
	been continuously hospitalized since July 1, 1986.
IBOBCRT	Billing Cycle Inquiry - displays 90 day billing clocks, primary
	eligibility code, status, etc.
IBOBL	List bills for an episode of care. (Routine formerly named
	DGCROBL.)
IBOCDRPT	Lists charges that may need to be cancelled because the patient is
	identified as Catastrophically Disabled.
IBOCHK	Verifies links from IB to Pharmacy.
IBOCNC	Determine Clinic CPT Usage Report search parameters from user
	input.
IBOCNC1	Search and sort the Clinic CPT Usage Report.
IBOCNC2	Print the Clinic CPT Usage Report.
IBOCOSI	Search, sort, and print the inactive CPT codes on Check-off Sheets
	Report.
IBOCPD	Option for printing the full or summary Clerk Productivity Report.
IBOCPDS	Search, sort, and print the Clerk Productivity Summary Report.
IBODISP	Brief and full inquiry to Integrated Billing Actions.
IBODIV	Select division or clinic.
IBOEMP, IBOEMP1, IBOEMP2	List of employed patients with no insurance coverage.
IBOHCK	CHECK FOR IB CHARGES ON HOLD
IBOHCR	RELEASE/UPDATE A PATIENTS CHARGES ON HOLD
ІВОНСТ	CHECK FOR IB CHARGES ON HOLD
IBOHDT*	REPORT OF CHARGES ON HOLD > 60 DAYS
IBOHDT1	REPORT OF CHARGES ON HOLD > 60 DAYS-CONT
	$\mathbf{ML}_{\mathbf{M}} = \mathbf{M}_{\mathbf{M}} =$

Routine List	
Routine	Description
IBOHFIX	CLEAN UP ROUTINE FOR PATCH IB*2*95
IBOHIST	HISTORY OF CHARGES ON HOLD REPORT
IBOHLD1, IBOHLD2	Report of Category C Charges On Hold.
IBOHPT*	Report of Charges On Hold for a Patient.
IBOHPT1	REPORT OF ON HOLD CHARGES FOR A PATIENT
IBOHPT2	ON HOLD CHARGE INFO/PT CONT.
IBOHRAR	RELEASED CHARGES REPORT
IBOHRL	AUTO-RELEASE CHARGES ON HOLD > 90 DAYS
IBOHTOT	COUNT/AMT OF CHARGES ON HOLD REPORT
IBOLK	Patient Billing Inquiry - user interface, prints IB Actions.
IBOLK1	Address Inquiry.
IBOMBL	MCCR MAS Billing Log. (Routine formerly named
	DGCROMBL.)
IBOMTC	Category C Activity Listing - user interface.
IBOMTC1	Category C Activity Listing - compilation and output.
IBOMTE	Estimate Category C Charges - user interface.
IBOMTE1	Estimate Category C Charges - output.
IBOMTE2	Estimate Category C Charges - compile charges.
IBOMTLTC	MT/LTC CO-PAY REMOTE QUERY
IBOMTP	Single Patient Cat C Profile - user interface.
IBOMTP1	Single Patient Cat C Profile - compilation and output.
IBORAT	Top level routine for Billing Rates Listing.
IBORAT1A	Builds a temp file of data from the IB ACTION CHARGE file (#350.2).
IBORAT1B	Parses the temp file built by IBORAT1A and calculates effective dates for IB ACTION CHARGES.
IBORAT1C	Writes the IB ACTION CHARGES to the selected device.
IBORAT2A	Filters the BILLING RATES file (#399.5) to build a temp file of
	billing rates.
IBORAT2B	Parses the temp file built by IBORAT2A and calculates effective
	dates for BILLING RATES.
IBORAT2C	Writes the BILLING RATES to the selected device.
IBORT, IBORT1	MCCR MAS Billing Totals Report. (Routines formerly named
IDOGODO	DGCRORT, DGCRORT1.)
IBOSCDC	SERVICE CONNECTED DETERMINATION CHANGE REPORT
IBOSCDC1	SERVICE CONNECTED DETERMINATION CHANGE
IDOCDY	REPORT UTILITIES
IBOSRX	POTENTIAL SECONDARY RX CLAIMS REPORT
IBOST	Statistics report routine.
IBOSTUS, IBOSTUS1	Bill Status Report. (Routines formerly named DGCROST, DGCROST1.)
IBOTR, IBOTR1, IBOTR11	Insurance Payment Trend Report user interface. (Routines IBOTR
	and IBOTR1 were formerly named DGCROTR, DGCROTR1.)
IBOTR2	Insurance Payment Trend Report data compilation. (Routine
	formerly named DGCROTR2.)

Routine List	
Routine	Description
IBOTR3, IBOTR4	Insurance Payment Trend Report output. (Routines formerly
	named DGCROTR3, DGCROTR4.)
IBOUNP1, IBOUNP2, IBOUNP3	Inpatients w/Unknown or Expired Insurance Report.
IBOUNP4, IBOUNP5, IBOUNP6	Outpatients' w/Unknown or Expired Insurance Report.
IBOUTL	Utility program for output reports.
IBOVOP, IBOVOP1, IBOVOP2	Category C Outpatient/Events Report.
IBP	Archive/Purge - option driver.
IBP431	POST INSTALL FOR IB*2.0*431
	Reformats data in ^IBM(361.1 for HIPA 5010 changes.
IBPA	Archive/Purge - Archive billing data.
IBPEX	Contains the logic to purge entries from the BILLING
	EXEMPTIONS file (#354.1). This routine will not purge entries
	for approximately two years from its release date.
IBPF, IBPF1	Archive/Purge - Find Billing Data to Archive.
IBPFU	Archive/Purge - Find Billing Data to Archive utilities.
IBPO	Archive/Purge - Outputs - List Archive/Purge Log Entries;
	Archive/Purge Log Inquiry; List Search Template Entries.
IBPP	Archive/Purge - purge billing data.
IBPU, IBPU1, IBPU2	Archive/Purge - general utilities.
IBPUBUL	Archive/Purge - generate mail message after archive/purge
	operation.
IBPUDEL	Archive/Purge - delete entries from a search template.
IBQL356	UM ROLLUP - IBT DATA EXTRACTS
IBQL356A	UM ROLLUP - IBT DATA EXTRACTS CONT.
IBQL538	IBQ EXTRACT DATA
IBQLCHK	UM ROLLUP - CHECK INFO. IN IB(array)
IBQLD1	ACUTE/NON-ACUTE DOWNLOAD
IBQLD1A	ACUTE/NON-ACUTE DOWNLOAD
IBQLD2	PATIENT DOWNLOAD TO SPREADSHEET
IBQLD2A	PATIENT DOWNLOAD TO SPREADSHEET
IBQLD3	PATIENT/PROVIDER REVIEW DOWNLOAD
IBQLD3A	PROVIDER/PATIENT DOWNLOAD
IBQLD4	ACUTE/NON-ACUTE REPORT
IBQLD4A	ACUTE/NON-ACUTE DOWNLOAD
IBQLLD	LOAD UMR FILE
IBQLLD1	LOAD UMR FILE
IBQLLD2	LOAD UMR FILE/EDIT CHECK ORDER
IBQLPL	PATIENTS QUALIFY/MISSING INFO LIST
IBQLPL1	PATIENTS QUALIFY/MISSING INFO LIST
IBQLPL2	PRINT PATIENTS QUALIFY/MISSING LIST
IBQLPL3	PATIENTS QUALIFY/MISSING LIST
IBQLPOST	CREATE IBQ ROLLUP MAILGROUP POST INT
IBQLPRE	PRE INSTALL INIT
IBQLPRG	PURGE UMR FILE AFTER ROLLUP
IBQLR1	ACUTE/NON-ACUTE REPORT
IBQLR1A	ACUTE/NON-ACUTE REPORT
IBQLR1B	ACUTE/NON-ACUTE REPORT
IDVENTD	

Routine List	
Routine	Description
IBQLR2	PATIENT REPORT
IBQLR2A	PATIENT REPORT
IBQLR3	PATIENT/PROVIDER REVIEW REPORT
IBQLR3A	PROVIDER/PATIENT REPORT
IBQLR4	ACUTE/NON-ACUTE REPORT
IBQLR4A	ACUTE/NON-ACUTE REPORT
IBQLSCR	SCREEN DUMP OF RAW DATA FOR DOWNLOAD
	SPREADSHEET
IBQLT	TRANSMIT DATA
IBQLT5	TRANSMIT PREVIOUS ROLLUPS
IBQLT5A	TRANSMIT PREVIOUS ROLLUPS
IBQYIN	INITIALIZATION ROUTINE FOR PATCH IBQ*1*1
IBQYPT	POST-INITIALIZATION FOR PATCH IBQ*1*1
IBR	Totals charges, passes to Accounts Receivable, and subsequently
	updates IB actions.
IBRBUL	Sends a mail message to the IB Category C mail group informing
	it that Category C charges have been determined for a veteran with
	insurance.
IBRCON1	Allows the user to do a lookup on a cross-reference of patients
	with converted charges and then select one for processing.
IBRCON2	Passes all outpatient converted charges prior to a user- selected
	date to Accounts Receivable by calling routine ^IBR.
IBRCON3	Top level routine for the IBRCON1 and IBRCON2.
IBRFN, IBRFN1, IBRFN2	Routine contains supported calls for Accounts Receivable.
IBRFN3	Passes bill/claims info to Accounts Receivable.
IBRFN4	Contains utility calls for IB/AR Extract.
IBRREL	Release Means Test charges placed on hold.
IBRSUTL	ASCD INTERFACE UTILITIES
IBRUTL	Utilities for the IB/Accounts Receivable interface.
IBRXUTL	PHARMACY API CALLS
IBRXUTL1	BP/BDM - PHARMACY API CALLS
IBSDU	ACRP API UTILITIES
IBTOAT, IBTOAT1, IBTOAT2	These routines print the Admission Sheet.
IBTOBI, IBTOBI1, IBTOBI2,	These routines print the Claims Tracking summary for billing.
IBTOBI3, IBTOBI4	These routines print the claims Tracking summary for oming.
IBTODD, IBTODD1	These routines print the Days Denied Report for Claims Tracking.
IBTODD, IBTODD1 IBTODD2	CLAIMS TRACKING DENIED DAYS REPORT
IBTOECT	ENHANCED CLAIMS TRACKING REPORTS
IBTOLR	This routine prints the list of cases in Claims Tracking requiring
IDTOLK	Random Sample.
IBTONB	This routine prints unbilled care that is billable in Claims
	Tracking.
IBTOPW	This routine prints the Pending Reviews Report.
IBTOSA	This routine prints the Fending Reviews Report. This routine prints the Scheduled Admissions with Insurance
	Report.
IBTOSUM, IBTOSUM1,	These routines print the MCCR/UR Summary Report.
IBTOSUM2	These routines print the MCCR OR Summary Report.

Routine List	
Routine	Description
IBTOTR	This routine prints the Claims Tracking Inquiry.
IBTOUA	This routine prints the Unscheduled Admissions with Insurance
	Report.
IBTOUR, IBTOUR1, IBTOUR2,	These routines print the Claims Tracking UR Activity Report.
IBTOUR3, IBTOUR4, IBTOUR5	
IBTOVS	This routine prints a list of billable visits from Claims Tracking by
	visit type.
IBTRC, IBTRC1, IBTRC2,	These routines display the list of Insurance Reviews for a visit and
IBTRC3, IBTRC4	allow for editing of the data on one or more reviews, as well as
	adding or deleting reviews.
IBTRCD, IBTRCD0, IBTRCD1	These routines create the expanded display of a single Insurance
	Review and allow for editing of the review.
IBTRD, IBTRD1	These routines display the list of denials and appeals and allow for
	adding, editing, and deleting of the data on one or more of the
	listed items.
IBTRDD, IBTRDD1	These routines create the expanded display of a single denial or
	appeal and for editing of the entry.
IBTRE, IBTRE0, IBTRE1,	These routines display the list of Claims Tracking entries
IBTRE2, IBTRE20, IBTRE3	(inpatient visits, outpatient visits, prescription refills) for a patient,
	and allow for adding, editing, and deleting of visits on the list.
IBTRE4	This routine allows for editing of inpatient procedures in Claims
	Tracking.
IBTRE5	This routine allows for the editing of inpatient providers in Claims
	Tracking.
IBTRE6	This routine allows for the editing of inpatient procedures in
	Claims Tracking.
IBTRED, IBTRED0, IBTRED01,	These routines create the expanded display of a single entry in
BTRED1, IBTRED2 IBTRKR	Claims Tracking and editing on the displayed data.
IBIKKK	Invoked by the inpatient event driver and automatically creates an inpatient Claims Tracking entry for specific admissions.
ΙΡΤΡΚΡΟ	CLAIMS TRACKING - RANDOM SELECTION BULLETIN
IBTRKR0 IBTRKR1	
IDIKKKI	The random sample generator for determining which admissions will be part of the OM mandated random sample
IBTRKR2	will be part of the QM mandated random sample.This routine is invoked by the nightly background job and adds
IDTKKK2	scheduled admissions to Claims Tracking.
IBTRKR3, IBTRKR31	Adds prescription refill information to Claims Tracking.
IBTRKR4, IBTRKR41	Add outpatient encounters to Claims Tracking.
IBTRKR4, IBTRKR41 IBTRKR5	This routine adds prosthetics to Claims Tracking.
IBTRKRBA	claims tracking - random selection bulletin
IBTRKRBD	claims tracking - deleted admission bulletin
IBTRKRBR	claims tracking - relinker bulletin
IBTRKRU	claims tracking - remixer bulletin
IBTRP	Displays and allows editing of Claims Tracking parameters.
IBTRPR, IBTRPR0, IBTRPR01,	These routines display pending hospital insurance reviews and
IBTRPR1, IBTRPR2	perform necessary actions on these reviews.
IBTRV, IBTRV1, IBTRV2,	These routines display the list of hospital reviews for a visit and
IBTRV3, IBTRV31	allow for adding, editing, and deleting of the entries listed.
	and it for adding, cutting, and detering of the entries instea.

Routine List		
Routine	Description	
IBTRVD, IBTRVD0, IBTRVD1	These routines create the expanded display of a single hospital	
	review and allow editing of the displayed data.	
IBTUB	UNBILLED AMOUNTS MENU	
IBTUBAV	UNBILLED AMOUNTS - AVERAGE BILL AMOUNT LOGIC	
IBTUBAV1	UNBILLED AMOUNTS - AVERAGE BILL AMOUNT LOGIC	
IBTUBO	UNBILLED AMOUNTS - GENERATE UNBILLED REPORTS	
IBTUBO1	UNBILLED AMOUNTS - GENERATE UNBILLED REPORTS	
IBTUBO2	UNBILLED AMOUNTS - GENERATE UNBILLED REPORTS	
IBTUBO3	UNBILLED AMOUNTS - GENERATE UNBILLED REPORTS	
IBTUBOA	UNBILLED AMOUNTS - GENERATE UNBILLED REPORTS	
IBTUBOU	UNBILLED AMOUNTS (UTILITIES)	
IBTUBUL	UNBILLED AMOUNTS	
IBTUBV	UNBILLED AMOUNTS - VIEW UNBILLED DATA	
IBTUTL, IBTUTL1, IBTUTL2,	These utility routines perform the creation of new entries in	
IBTUTL3, IBTUTL4, IBTUTL5	Claims Tracking, insurance reviews, and hospital reviews.	
IBX*	Generated or Compiled Routines for XREFS, PRINT	
	TEMPLATES, INPUT TEMPLATES	
IBY***EN	ENVIRONMENT CHECKS FOR IB PATCH	
IBY***PO	POST-INSTALLATION FOR IB PATCH	
IBY***PR	PRE- INSTALLATION FOR IB PATCH	

DGCR* to IB* Namespace Map

DGCR Name	IB Name	DGCR Name	IB Name
DGCRA	IBCA	DGCRP0	IBCF10
DGCRA0	IBCA0	DGCRP1	IBCF11
DGCRA1	IBCA1	DGCRP2	IBCF12
DGCRA2	IBCA2	DGCRP4	IBCF14
DGCRA3	IBCA3	DGCRPAR	IBEPAR
DGCRA31	IBOA31	DGCRPAR1	IBEPAR1
DGCRA32	IBOA32	DGCRSC1	IBCSC1
DGCRAMS1	IBOAMS	DGCRSC2	IBCSC2
DGCRAMS2	OBSOLETE	DGCRSC3	IBCSC3
DGCRB	IBCB	DGCRSC4	IBCSC4
DGCRB1	IBCB1	DGCRSC4A	IBCSC4A
DGCRB2	IBCB2	DGCRSC4B	IBCSC4B
DGCRBB	IBCBB	DGCRSC4C	IBCSC4C
DGCRBB1	IBCBB1	DGCRSC5	IBCSC5
DGCRBB2	IBCBB2	DGCRSC6	IBCSC6
DGCRBR	IBCBR	DGCRSC61	IBCSC61
DGCRBULL	IBCBULL	DGCRSC7	IBCSC7
DGCRC	IBCC	DGCRSC8	IBCSC8
DGCRCC	IBCCC	DGCRSC8H	IBCSC8H
DGCRCC1	IBCCC1	DGCRSCE	IBCSCE
DGCRCC2	IBCCC2	DGCRSCE1	IBCSCE1
DGCRCPT	IBCCPT	DGCRSCH	IBCSCH
DGCRMENU	IBCMENU	DGCRSCH1	IBCSCH1
DGCRNQ	IBCNQ	DGCRSCP	IBCSCP
DGCRNQ1	IBCNQ1	DGCRSCU	IBCSCU
DGCROBL	IBOBL	DGCRTN	IBCRTN
DGCROMBL	IBOMBL	DGCRTP	IBCF1TP
DGCRONS1	IBCONS1	DGCRU	IBCU
DGCRONS2	IBCONS2	DGCRU1	IBCU1
DGCRONSC	IBCONSC	DGCRU2	IBCU2
DGCROPV	IBCOPV	DGCRU3	IBCU3
DGCROPV1	IBCOPV1	DGCRU4	IBCU4
DGCROPV2	IBCOPV2	DGCRU5	IBCU5
DGCRORT	IBORT	DGCRU6	IBCU6
DGCRORT1	IBORT1	DGCRU61	IBCU61
DGCROST	IBOSTUS	DGCRU62	IBCU62
DGCROST1	IBOSTUS1	DGCRU63	IBCU63
DGCROTR	IBOTR	DGCRU7	IBCU7
DGCROTR1	IBOTR1	DGCRU71	IBCU71
DGCROTR2	IBOTR2	DGCRVA	IBCVA
DGCROTR3	IBOTR3	DGCRVA0	IBCVA0
DGCROTR4	IBOTR4	DGCRVA1	IBCVA1
DGCRP	IBCF1		

The following is a list of DGCR routines that changed to the IB namespace in this version.

Files

Per VHA Directive 10-93-142 regarding security of software that affects financial systems, most of the IB Data Dictionaries may not be modified. The file descriptions of these files will be so noted. The files which **may** be modified are Encounter Form files #357 through #358.91.

Globals to Journal

The IB, IBA, IBAM, IBE, and IBT globals must be journaled. In a future release, we intend to move all dynamic files from IBE to IBA so that it will not be necessary to journal IBE. Journaling of the IBAT global is optional.

File #	Global
File Name	File Description
36	^DIC(36,
INSURANCE COMPANY	This file contains the names and addresses of insurance
	companies as needed by the local facility. The data in
	this file is not editable using VA File Manager.
350	^IB(350,
INTEGRATED BILLING ACTION	Entries in this file are created by other applications
	calling approved interface routines.
350.1**	^IBE(350.1,
IB ACTION TYPE	This file contains the types of actions that a service can
	use with Integrated Billing and the related logic to tell
	IB how this entry is to be processed.
350.2**	^IBE(350.2,
IB ACTION CHARGE	This file contains the charge information for an IB
	ACTION TYPE by effective date of the charge.
350.21	^IBE(350.21,
IB ACTION STATUS	The file holds new statuses which are introduced in v2.0,
	display and abbreviated names for the statuses, and
	classification-type fields for each status which are used
	for processing in the Integrated Billing module.
350.3**	^IBE(350.3,
IB CHARGE REMOVAL REASONS	Data in this file comes pre-loaded with reasons why a
	charge may be cancelled or removed. Sites are asked
250.4	not to edit or add entries to this file.
350.4	^IBE(350.4,
BILLABLE AMBULATORY SURGICAL	This file contains the CPT procedure and the associated
CODES	HCFA rate groups for ambulatory surgeries that may be
250.41	billed.
350.41	^IBE(350.41,
UPDATE BILLABLE AMBULATORY	This file contains updates to the ambulatory surgery
SURGICAL CODE	procedures which can be billed.

File List with Descriptions

e for an
ite.
ging
ated
GRATED
С
IMS file
k-off
he CPT
geries
res
or the CPT
process,
orted from
ita to run
l the IB
y is
ntaining
his file.
clocks in
co-
nursing
initially on and
d Billing.
dited
ulteu
g home
care from
y C
,
Category
nt Orange,
ninants.

File #	Global
File Name	File Description
351.5	^IBA(351.5,
TRICARE PHARMACY TRANSACTIONS	This file is used to store data related to each Pharmacy
	billing transaction with the Tricare fiscal intermediary.
	Each transaction is submitted to the RNA/Triad
	Pharmacy ClaimGuard System, which is a commercial
	point of sale pharmacy billing software package, where
	it is forwarded to the intermediary through an electronic
	switch company. All of the information which is
	returned from the intermediary is stored in this file.
351.51	^IBE(351.51,
TRICARE PHARMACY ERRORS	This table file is used to store the various errors which
	may occur when TRICARE prescriptions are billed
	using the commercial point-of-sale pharmacy billing
	software package.
351.52	^IBA(351.52,
TRICARE PHARMACY REJECTS	This file is used to store all of the reasons that were used
	by the Tricare fiscal intermediary to reject a pharmacy
	billing transaction. Entries in this file are automatically
	deleted if a prescription is re-submitted a subsequently
	accepted. The option Delete Reject Entry [IB
	TRICARE DEL REJECT] may be used to delete entries
	from this file.
351.53	^IBA(351.53,
PRODUCT SELECTION REASON	
351.6	^IBAT(351.6,
TRANSFER PRICING PATIENT	This file is used to store Transfer Pricing patient specific
	information.
351.61	^IBAT(351.61,
TRANSFER PRICING TRANSACTIONS	This file holds all transfer pricing transactions.
351.62	^IBAT(351.62,
TRANSFER PRICING FIELD DEFINITION	This file comes populated with national entries. These
	entries should never be deleted or edited. It is not
	recommended that facilities add entries to this file. The
	entries are used to extract and format data for all the
	transfer pricing reports. DO NOT delete entries in this
	file. DO NOT edit data in this file with VA File
	Manager.
351.67	^IBAT(351.67,
TRANSFER PRICING INPT PROSTHETIC	This file stores the prosthetic devices that should be
ITEMS	automatically billed for inpatient devices issued. Unless
	a device is in this file, it will only be billed for outpatient
	services (automatically).
351.7	^IBE(351.7,
IB DM EXTRACT REPORTS	This file contains the necessary DM reports which will
	have their summary data collected via the Diagnostic
	Measures Extraction process.

File #	Global
File Name	File Description
351.701	^IBE(351.701,
IB DM EXTRACT DATA ELEMENTS	This file contains various report data elements/line
	items. One or more of these file entries is related to a
	corresponding entry in the IB DM EXTRACT
	REPORTS file (#351.7).
351.71	^IBE(351.71,
IB DM EXTRACT DATA	This file contains data collected via the Diagnostic
	Measures Extraction process. Within each entry is a
	series of DM reports from which summary data has been
	collected on a monthly basis.
351.73	^IBE(351.73,
IB DM WORKLOAD PARAMETERS	This file contains Input parameters used to produce AR
	Workload To-Do Lists. It also contains the flag that
	determines if a clerk is to ONLY be included on
	productivity reports. The Workload To-Do lists are
	mailman messages sent to the supervisors and clerks.
	The Productivity reports are sent to a printer.
351.81	^IBA(351.81,
LTC CO-PAY CLOCK	DO NOT delete entries in this file. DO NOT edit data in
	this file with VA File Manager.
	Entries in this file will be added and updated my menu
	options, event triggers, and a nightly background job.
	Entries in this file will not be deleted.
	This file stores Long Term Care billing information that
	is used to make a billing determination for LTC rates.
351.9	^IBA(351.9,
CLAIMSMANAGER BILLS	This file contains information on bills that have been
	sent to the Ingenix ClaimsManager.
	The entries in this file have matching entries in the
	BILL/CLAIMS file (399). The internal number in file
	399 is the same as the internal number in the
251.01	CLAIMSMANAGER BILLS file.
351.91 CLAIMSMANIACED STATUS	^IBA(351.91, This file contains the status entries that are utilized by
CLAIMSMANAGER STATUS	This file contains the status entries that are utilized by
2 50 1 **	the ClaimsManager interface.
352.1** DILLADLE ADDOINTMENT TYDE	^IBE(352.1, This is a time-sensitive file that maintains records for
BILLABLE APPOINTMENT TYPE	
	each appointment type with indicators for IGNORE
	MEANS TEST, PRINT ON INSURANCE REPORT,
352.2	and DISPLAY ON INPUT SCREEN.
	^IBE(352.2, This file is used to flag dispositions in the
NON-BILLABLE DISPOSITIONS	This file is used to flag dispositions in the DISPOSITION file (#27) as either billeble or non
	DISPOSITION file (#37) as either billable or non- billable for Magna Tagt billing
	billable for Means Test billing.

File #	Global
File Name	File Description
352.3	^IBE(352.3,
NON-BILLABLE CLINIC STOP CODES	This file is used to flag clinic stop codes in the CLINIC
	STOP file (#40.7) as either billable or non-billable for
	Means Test billing.
352.4	^IBE(352.4,
NON-BILLABLE CLINICS	This file is used to flag clinics in the HOSPITAL
	LOCATION file (#44) as either billable or non-billable
	for Means Test billing.
352.5	^IBE(352.5,
IB CLINIC STOP CODE BILLABLE TYPES	This file is used to store the outpatient clinic stop code
	and billable type based on an effective date. An internal
	lookup on the AEFFDT cross reference for a clinic stop
	code and visit date will provide the billable type. The
	billable type determines the billable rate for each
	outpatient visit.
353**	^IBE(353,
BILL FORM TYPE	This is a reference file containing the types of health
DILL I OKWI I II L	insurance claim forms used in billing. Sites may add
	local forms to this file; however, the internal entry
	number for locally added forms should be in the
	stations number range of station number times 1000.
353.1*	^IBE(353.1,
PLACE OF SERVICE	
FLACE OF SERVICE	This file contains the Place of Service codes that may be
	associated with a procedure on the HCFA-1500. These codes were developed specifically for the HCFA-1500
353.2*	and should not be changed by the site. ^IBE(353.2,
TYPE OF SERVICE	
I I FE OF SERVICE	This file contains the Type of Service codes that may be associated with a procedure on the HCFA-1500. These
	L L
	codes were developed specifically for the HCFA-1500
353.3	and should not be changed by the site.
	^IBE(353.3, This file contains entries that describe the type of
IB ATTACHMENT REPORT TYPE	This file contains entries that describe the type of
	supplemental information available to support a claim
	for reimbursement for health care services. Attachment
	Report Type Code is at both the claim level and line
252.4	level.
353.4	^IBE(353.4, This file contains Ambulance Transport Dessen Codes
TRANSPORT REASON CODE	This file contains Ambulance Transport Reason Codes
	and Ambulance Transport Reasons used to identify why
	ambulance transportation was required. This file comes
252.5	pre-populated and should not be edited.
353.5	^IBE(353.5,
AMBULANCE CONDITION INDICATORS	This file contains patient conditions in relation (pickup,
	during, and drop-off) to ambulance transportation. This
	file comes pre-populated and should not be edited.

File #	Global
File Name	File Description
354	^IBA(354,
354 BILLING PATIENT	Do not edit this file. Under normal operation, it is not necessary to edit the fields in this file directly. The option Manual Change Co-pay Exemption (Hardships) can be used to update and correct this entry by creating a new exemption. If many patient records have problems, the option Print/Verify Patient Exemption Status can be used to correct the entries. The data in this file is updated each time a new (current) exemption is created for a patient. Exemptions are automatically created when changes in patient information change the exemption status or when an expired (older than one year) exemption is encountered when determining the exemption status for Pharmacy. This file will contain specific information related to billing about individual patients. Current status of the Medication Co-payment Exemption will be kept in this file. Conceptually, this is different than the BILLING EXEMPTIONS file (#354.1), which maintains the audit log and historical data related to billing exemptions.
354.1 BILLING EXEMPTIONS	data related to billing exemptions. ^IBA(354.1, Do not edit this file. Under normal operation, it is not necessary to edit the fields in this file directly. The option Manual Change Co-pay Exemption (Hardships) can be used to update and correct entries by creating a new exemption. If many patient records have problems, the option Print/Verify Patient Exemption Status can be used to correct the entries.
354.2**	^IBE(354.2,
EXEMPTION REASON	This file contains the set of reasons that exemptions can be given and their associated status and description.
354.3** BILLING THRESHOLDS	^IBE(354.3, This file contains the income threshold amounts used by the Medication Co-payment Exemption process.
354.4 BILLING ALERTS	[^] IBA(354.4, This file will only be populated if a site chooses to use the "Alert" functionality available in Kernel v7 instead of receiving mail messages. This is determined by the field USE ALERTS (#.14) in the IB SITE PARAMETERS file (#350.9).
354.5** BILLING ALERT DEFINITION	^IBE(354.5, This file contains the necessary information to process electronic notifications sent by the Medication Co- payment Exemption process.

File #	Global
File Name	File Description
354.6**	^IBE(354.6,
IB FORM LETTER	This file contains the header and main body of letters
	that are generated by the IB package. Each site should
	edit the header of the letter to reflect its own address.
	Sites may edit the main body of the letter to change the
	signer of the letter or add contact persons and phone
	numbers. The text of the letters has been approved by
	MCCR VACO.
354.7	^IBAM(354.7,
IB PATIENT CO-PAY ACCOUNT	This file stores summary information about a patient's
	co-pay account. The information will be used to
	determine if a patient has reached his co-pay cap for the
	month or year.
354.71	^IBAM(354.71,
IB CO-PAY TRANSACTIONS	This file stores individual transactions for outpatient
	medication co-payments. The transactions in this file
	will be used to store detailed information about a
	patient's prescription co-payments, including amounts
	billed and not billed. There should be transactions
	stored in this file for both this facility and other treating
	facilities throughout the VA system.
354.75	^IBAM(354.75,
IB CO-PAY CAPS	This file comes populated with data. The data in this file
	should not be edited, added, or deleted locally. The
	information stored here is the cap amounts for outpatient
	medication co-payment. Once a patient has reached his
	cap, billing will stop for the remainder of the period
	indicated.
355.1*	^IBE(355.1,
TYPE OF PLAN	This file contains the standard types of plans that an
	insurance company may provide. The type of plan may
	be dependent on the type of coverage provided by the
	insurance company and may affect the type of benefits
255.10	that are available for the plan.
355.12	^IBE(355.12,
SOURCE OF INFORMATION	This file contains a list of valid Source of Information
	codes. These codes can be used to track where the
255.12	insurance information originated from.
355.13	^IBE(355.13,
INSURANCE FILING TIME FRAME	This file contains the list of valid Standard Insurance
	Filing Time Frames that may be automatically applied.
	This file comes populated with the standard entries and
	should not be modified locally.

File #	Global
File Name	File Description
355.2*	^IBE(355.2,
TYPE OF INSURANCE COVERAGE	This file contains the types of coverage with which an insurance company is generally associated. If an insurer is identified with more than one type of coverage, it should be identified as HEALTH INSURANCE as this encompasses all.
355.3	^IBA(355.3,
GROUP INSURANCE PLAN	This file contains the relevant data for group insurance plans. The data in this file is specific to the plan itself. This is in contrast to the PATIENT file (#2) which contains data about patients' policies and where the policy may be for a group or health insurance plan.
355.31	^IBE(355.31,
PLAN LIMITATION CATEGORY	This table file contains elements that can be checked for an insurance company policy to determine if third party billing is valid. For example, the general categories of coverage the policy may exclude.
355.32	^IBA(355.32,
PLAN COVERAGE LIMITATIONS	This file contains the detail by plan and effective date of the categories that may be restricted for insurance coverage.
355.33 INSURANCE BUFFER	^IBA(355.33, This file contains insurance information accumulated by various sources. The data is held in this file until an authorized person processes the information by either rejecting it or moving it to the Insurance files.
	Once an entry is processed most of the data is deleted leaving a stub entry in this file which can be used for reporting and tracking purposes.
355.34 INSURANCE REMOTE QUERY RESULTS	[^] IBA(355.34, This is a log file for the insurance queries that were done during a given month/year. There will be one entry for each month/year with summary results only stored in the file.
355.35	This file keeps track of the Extract files messages sent to
HMS EXTRACT FILE STATUS FILE	AITC DMI Queue and the confirmation messages that are received from AITC.
355.351	This file keeps track of the Result file messages received
HMS RESULT FILE STATUS FILE	from AITC
355.4	^IBA(355.4,
ANNUAL BENEFITS	This file contains the fields to maintain the annual benefits by year for an insurance policy.

File #	Global
File Name	File Description
355.5	^IBA(355.5,
INSURANCE CLAIMS YEAR TO DATE	This file contains the CLAIM TO DATE information
INSURANCE CLAIMS TEAK TO DATE	
	about a patient's health insurance claims to a specific
	carrier for a specific year. This will allow estimate
	receivables based on whether claims exceed deductibles
	or other maximum benefits.
355.6**	^IBE(355.6,
INSURANCE RIDERS	This file contains a listing of insurance riders that can be
	purchased as add-on coverage to a group plan. The
	software does nothing special with these riders. The
	listing may be added to locally and be assigned to
	patients as policy riders. This information is strictly for
	display and tracking purposes only.
355.7	^IBA(355.7,
PERSONAL POLICY	This file contains the insurance riders that have been
	purchased as add-on coverage to a group plan. This
	information is used internally for display purposes only.
355.8	^IBA(355.8,
SPONSOR	The SPONSOR file contains a list of people who are the
SI ONBOIL	sponsors for patients who have Tricare insurance
	coverage. These people, who are typically active duty
	personnel or military retirees, are stored as either
	patients (in file #2) or non-patients in the SPONSOR
	PERSON (#355.82) file. A variable pointer is used to
	point to the person in either of those two files.
	This file is used as a list of sponsors who may be the
	sponsor of more than one patient. The SPONSOR
	RELATIONSHIP (#355.81) file relates a sponsor to a
	specific patient.
355.81	^IBA(355.81,
SPONSOR RELATIONSHIP	The Sponsor Relationship file is used to associate a
SPONSOR RELATIONSTIF	sponsor in file #355.8 with a patient. The attributes
	associated with that sponsor/patient relationship are
255.92	stored in this file.
355.82	^IBA(355.82,
SPONSOR PERSON	This file is pointed to by the SPONSOR (#355.8) and
	contains all sponsors who are not patients. This file
	contains the non-patient sponsor's name, date of birth,
	and social security number, all of which are retrieved
	from the PATIENT (#2) file for sponsors who are
	patients. Other pertinent sponsor information is stored
	in the SPONSOR (#355.8) file.

File #	Global
File Name	File Description
355.9	^IBA(355.9,
IB BILLING PRACTITIONER ID	This file contains one record for each unique billing
	provider id number that an individual provider
	(practitioner) is assigned by an insurance company or by
	a licensing or government entity. Entries without an
	insurance company indicate the number is assigned to
	the practitioner by a licensing or government entity and
	will apply to all insurance companies.
355.91	^IBA(355.91,
IB INSURANCE CO LEVEL BILLING	This file contains one record for each provider id that an
PROV ID	insurance company assigns to a facility for ALL billing
I KOV ID	providers at the facility. Each record can be for an
	insurance company and any combination of the patient
	status, form type and care unit. There must be only one
	record for each combination.
355.92	^IBA(355.92,
FACILITY BILLING ID	This file contains one record for each facility id that an
PACIENT I DILLING ID	insurance company assigns to a facility. Each record
	can be for an insurance company and any combination
	of the patient status and form type. There must be only
	one record for each combination.
355.93	^IBA(355.93,
IB NON/OTHER VA BILLING PROVIDER	This file contains data for non-VA facilities that provide
ID NOW OTHER VA BILLING FROVIDER	services for VA patients who have reimbursable
	insurance for these services.
355.95	^IBA(355.95,
IB PROVIDER ID CARE UNIT	This file contains the data values (referred to as care
	units) to be used to match a provider on a claim to the
	correct provider id #. The entries in this file are specific
	to an insurance company.
355.96	^IBA(355.96,
IB INS CO PROVIDER ID CARE UNIT	This file defines the 'list' of care units that an insurance
	company uses to assign provider id's. Each record must
	have an insurance company, a provider type and a care
	unit entry. The sum total of all the records in this file for
	a given insurance company comprises the complete list
	of care units the insurance company requires the V.A. to
	use when determining provider id's for any claims sent
	to them.
355.97	^IBE(355.97,
IB PROVIDER ID # TYPE	There can be many different kinds of provider id
	numbers that may need to be reported when billing for
	hospital and professional services. This file contains
	entries that will be used to classify or identify the valid
	kinds of provider ids that the V.A. will use. This is
	needed specifically for the transmission of bills so the
	proper interpretation of the ID's can be made
	electronically.
	ciccu onicuny.

File #	Global
File Name	File Description
356 CLAIMS TRACKING	[^] IBT(356, This file may contain entries of all types of billable events that need to be tracked by MCCR. The information in this file is used for MCCR and/or UR purposes. It is information about the event itself not otherwise stored or pertinent for MCCR purposes.
356.1 HOSPITAL REVIEW	[^] IBT(356.1, This file contains Utilization Review information about appropriateness of admission and continued stay in an acute medical setting. It uses the Integral criteria for appropriateness. An entry for each day of care for cases being tracked is required by the QM office in VACO. The information in this file will be rolled up into a national database. Only reviews that have a status of COMPLETE should be rolled up. The information in this file is clinical in nature and should be treated with the same confidentiality as required of all clinical data.
356.11** CLAIMS TRACKING REVIEW TYPE	[^] IBE(356.11, This is the type of review that is being performed by MCCR or UR. This file may contain the logic to determine which questions and/or screens can be presented to the user in the future. Do not add, edit, or delete entries in this file without instructions from your ISC.
356.19 CLAIMS TRACKING UNBILLED AMOUNTS DATA	^IBE(356.19, This file contains the data used in the compilation of the average inpatient bill totals and the monthly unbilled amounts bulletin and report.
356.2 INSURANCE REVIEW	[^] IBT(356.2, This file contains information about the MCCR/UR portion of Utilization Review and the associated contacts with insurance carriers. Appropriateness of care is inferred from the approval and denial of billing days by the insurance carriers UR section. While this information appears to be primarily administrative in nature, it may contain sensitive clinical information and should be treated with the same confidentiality as required of all clinical data.
356.21** CLAIMS TRACKING DENIAL REASONS	[^] IBE(356.21, This file is a list of the standard reasons for denial of a claim. Editing this file may have significant impact on the results of the MCCR NDB roll up of Claims Tracking information. Do not add, edit, or delete entries in this file without instructions from your ISC.

File #	Global
File Name	File Description
356.25	^IBT(356.25,
CLAIMS TRACKING ROI	This file stores Release of Information (ROI) data
	collected that relates to a specific patient/drug/insurance
	combination for the effective dates. A claim that
	includes a sensitive drug is checked against this file for a
	billing determination. Claims that do not pass the check
	are determined to be not ECME billable. Bills that do
	not pass the check cannot be authorized.
	not pass the check cannot be authorized.
	Per VHA Directive 2004-038, this file should not be
	modified or edited with VA Fileman.
356.3**	^IBE(356.3,
CLAIMS TRACKING SI/IS CATEGORIES	This file contains the major categories that are used to
	address the severity of illness and intensity of service.
	Specific criteria for each category must be met to
	address appropriateness of admission to continued stay
	in and discharge from specialized units and general
	units. Editing this file may have significant impact on
	the QM national roll up of Utilization Review
	information. The contents of this file are the general
	categories for Intensity of Service and Severity of Illness
	from Interqual. Do not add, edit, or delete entries in
	this file without instructions from your ISC.
356.399	^IBT(356.399,
CLAIMS TRACKING/BILL	This file serves as a bridge between Claims Tracking
	and the BILL/CLAIMS file (#399). An entry is created
	automatically by the billing module to link the events
	being billed to the Claims Tracking entry. It serves as a
	cross-reference in a many to many relationship for the
	entries in these two files. It should be maintained by the
	Billing module.
356.4**	^IBE(356.4,
CLAIMS TRACKING NON-ACUTE	This file contains the list of approved non-acute
CLASSIFICATIONS	classifications provided by the UM office in VACO.
	The codes are used in roll up of national data Do not
	add, edit, or delete entries in this file without
	instructions from your ISC.
356.5**	^IBE(356.5,
CLAIMS TRACKING ALOS	This file contains the DRGs and average length of stays
	(ALOS) year that is the most common ALOS approved
	by insurance companies. This generally is much shorter
	than the ALOS for VA.
356.6**	^IBE(356.6,
CLAIMS TRACKING TYPE	This file contains the types of events that can be stored
	in Claims Tracking. It also contains data on how the
	Automated Biller is to handle each type of event. Do
	not add, edit, or delete entries in this file without
	instructions from your ISC.

File #	Global
File Name	File Description
356.7**	^IBE(356.7,
CLAIMS TRACKING ACTION	This file contains a list of the types of actions that may
	be taken on a review or a contact by an insurance
	company. Do not add, edit, or delete entries in this
	file without instructions from your ISC.
356.8**	^IBE(356.8,
CLAIMS TRACKING NON-BILLABLE	This is a file of reasons that may be entered into the
REASONS	Claims Tracking module to specify why a potential
	claim is not billable. Do not add, edit, or delete
	entries in this file without instructions from your
	ISC.
356.85	^IBT(356.85,
CLAIMS TRACKING BILLABLE	This file stores the Billable Findings codes for the
FINDINGS	Claims Tracking module of IB. Entries in this file are
	nationally distributed and should not be changed locally.
356.9	^IBT(356.9,
INPATIENT DIAGNOSIS	This file is designed to hold all inpatient diagnoses.
356.91	^IBT(356.91,
INPATIENT PROCEDURE	This file is designed to hold all inpatient procedures.
356.93	^IBT(356.93,
INPATIENT INTERIM DRG	This file holds interim DRGs computed by the Claims
	Tracking module for display in Claims Tracking and on
	reports. The computed ALOS is based upon 1992
	HCFA average lengths of stay (ALOS), not VA
	averages. The purpose is to help utilization review
	personnel determine if the ALOS approved by an
	insurance company is within industry standards.
356.94	^IBT(356.94,
INPATIENT PROVIDERS	This file allows the Claims Tracking module to store the
	admitting physician. In addition, the attending and
	resident providers can be identified in this file. If
	attending and resident providers are entered, they are
	assumed to be entered completely for an episode of care
	being tracked. If no provider other than admitting
	physician is entered, the providers and attending from
	MAS will be considered to be the correct providers.
	Because QM data may be extracting this data on the
	national roll up, it is necessary to correctly identify the
	attending physician.
357	^IBE(357,
ENCOUNTER FORM	This file contains encounter form descriptions used by
	the Encounter Form utilities to print encounter forms.
357.08	^IBD(357.08,
AICS PURGE LOG	This file will contain one entry for each time the AICS
	purge options are run. Both the automatic and manual
	options cause entries. The purpose of this file is to
	provide a historical log of the number of entries that are
	purged at each site.
	par bra at each site.

File #	Global
File Name	File Description
357.09	^IBD(357.09,
ENCOUNTER FORM PARAMETERS	This file contains the AICS parameters that control the
	operation of the package. Included are parameters to
	manage the automatic purge and those necessary to
	create print manager jobs that automatically queue
	encounter forms to print.
357.1	^IBE(357.1,
ENCOUNTER FORM BLOCK	This file contains descriptions of blocks, which are
	rectangular areas on an encounter form.
357.2	^IBE(357.2,
SELECTION LIST	A selection list is composed of one or more rectangular
	area(s) in a block, called columns, which contain a list.
	The column(s) will have one or more sub columns, each
	sub column containing either text or an input symbol.
	The input symbols are for the user to mark to indicate a
	choice from the list.
357.3	^IBE(357.3,
SELECTION	This file contains the items appearing on the
	SELECTION LISTS. A selection can be composed of
	several fields; therefore, they can occupy several sub
	columns. Only the text is stored here, not the
	MARKING SYMBOLS.
357.4	^IBE(357.4,
SELECTION GROUP	A Selection Group is a set of items on a list and the
	header under which those items should appear.
357.5	^IBE(357.5,
DATA FIELD	A data field can be composed of a label (determined at
	the time the form description is created) and data,
	coming from the DHCP database (determined at the time
	the form prints). The label and data are printed to the
	encounter form. A data field can be composed of
	subfields, each subfield containing possibly its own
	label and data.
357.6*	^IBE(357.6,
PACKAGE INTERFACE	This file is used in the form design process and to print
	data to the form. It contains a description of all of the
	interfaces with other packages.
357.69	^IBE(357.69,
TYPE OF VISIT	This file contains the Evaluation and Management
	codes. They consist of a subset of CPT codes used to
	describe the level of care for an outpatient visit.
357.7	^IBE(357.7,
FORM LINE	This file contains either a horizontal or vertical line
	appearing on the form.
357.8	^IBE(357.8,
TEXT AREA	A TEXT AREA is a rectangular area on the form that
	displays a word processing field. The text is
	automatically formatted to fit within this area.

File #	Global
File Name	File Description
357.91**	^IBE(357.91,
MARKING AREA TYPE	This file contains the different types of marking areas in
	which the user can write that can be printed to a form.
	The following are examples: (),, These are for the
	person completing the form to enter a mark to indicate a
	choice.
357.92**	^IBE(357.92,
PRINT CONDITIONS	This file contains a table containing a list of conditions
	recognized by the Print Manager. They are used to
	specify the conditions under which reports should be
	printed. The Print Manager is a program that scans the
	appointments for selected clinics for a selected date and
	prints specified reports under specified conditions.
357.93	^IBE(357.93,
MULTIPLE CHOICE FIELD	This file allows multiple choice fields to be defined for
MOLTH LE CHOICE FIELD	forms.
357.94	^IBE(357.94,
ENCOUNTER FORM PRINTERS	This file contains a list of terminal types that can support
ENCOUNTER FORM FRINTERS	either duplex printing or the printer control language
	PCL5. Entering the correct information in this file will
	allow encounter forms printed to these terminal types to utilize these features.
257.05	
357.95	^IBD(357.95,
FORM DEFINITION	Contains information about the form needed to process
257.04	the input.
357.96	^IBD(357.96,
ENCOUNTER FORM TRACKING	This file is used to track the data capture efforts
255.05	associated with each appointment.
357.97	^IBD(357.97,
ENCOUNTER FORM COUNTERS	This file contains the counters needed by the encounter
275 00	form utilities.
357.98	^IBD(357.98,
AICS DATA QUALIFIERS	A table of qualifiers used by the PCE Generic Device
	Interface.
357.99	^IBD(357.99,
PRINT MANAGER CLINIC GROUPS	This file is used to create groups of clinics for use by the
	Print Manager.
358	^IBE(358,
IMP/EXP ENCOUNTER FORM	This file is nearly identical to File #357. It is used by
	the Import/Export Utility as a workspace for importing
	or exporting forms.
358.1	^IBE(358.1,
IMP/EXP ENCOUNTER FORM BLOCK	This file is nearly identical to File #357.1. It is used by
	the Import/Export Utility as a workspace for importing

File #	Global
File Name	File Description
358.2 IMP/EXP SELECTION LIST	^IBE(358.2, This file is nearly identical to File #357.2. It is used by the Import/Export Utility as a workspace for importing
358.3 IMP/EXP SELECTION	or exporting forms. ^IBE(358.3, This file is nearly identical to File #357.3. It is used by the Import/Export Utility as a workspace for importing
358.4 IMP/EXP SELECTION GROUP	or exporting forms. ^IBE(358.4, Nearly identical to File #357.4. It is used by the Import/ Export Utility as a workspace to import/export forms.
358.5 IMP/EXP DATA FIELD	^IBE(358.5, This file is nearly identical to File #357.5. It is used by the Import/Export Utility as a workspace for importing or exporting forms.
358.6 IMP/EXP PACKAGE INTERFACE	^IBE(358.6, This file is nearly identical to File #357.6. It is used by the Import/Export Utility as a workspace for importing or exporting forms.
358.7 IMP/EXP FORM LINE	^IBE(358.7, This file is nearly identical to File #357.7. It is used by the Import/Export Utility as a workspace for importing or exporting forms.
358.8 IMP/EXP TEXT AREA	^IBE(358.8, This file is nearly identical to File #357.8. It is used by the Import/Export Utility as a workspace for importing or exporting forms.
358.91 IMP/EXP MARKING AREA	^IBE(358.91, This file is nearly identical to File #357.91. It is used by the Import/Export Utility as a workspace for importing or exporting forms.
358.93 IMP/EXP MULTIPLE CHOICE FIELD	^IBE(358.93, This file is used as a work space for the import/export utility of the encounter form utilities.
358.94 IMP/EXP HAND PRINT FIELD	^IBE(358.94, Used by the Import/Export utility as a workspace.
358.98 IMP/EXP AICS DATA QUALIFIERS	^IBD(358.98, Used by the import/export utility of the encounter forms as a workspace.
358.99 IMP/EXP AICS DATA ELEMENTS	^IBE(358.99, Used as a workspace for the import/export utility.
359 CONVERTED FORMS	[^] IBD(359, This file contains a list of forms created with the IB 2.0 version of the encounter form utilities that have been converted under AICS for scanning.

File #	Global
File Name	File Description
359.1	^IBE(359.1,
AICS DATA ELEMENTS	Used to describe a simple data element, one that would
AICS DATA ELEMENTS	appear as a single field on a form. The description
	includes instructions on how to print the field and how
359.2	the scanning software should recognize it.
	^IBD(359.2,
FORM SPECS	This file contains the description of the form used by the
	scanning software. The description, for example, must
250.2	contain the locations of all the fields to be read.
359.3	^IBD(359.3,
AICS ERROR AND WARNING LOG	This file is used to log errors that occur in the DHCP Server side of AICS.
	Currently this occurs while rolling up the data from the scanner in a format that is then passed to the PCE
	Device Interface. Under normal circumstances very few errors should occur, however, if they do occur, the
	workstation software (client side) will be notified and the error can be found in this file and if possible
	resolved. Normally each error represents one piece of
	data that was ignored by the server software and can
	easily be entered into PCE using one of the data entry
	methodologies.
	Entries in this file may be deleted after any corrective
	action that needs to be taken is complete.
359.94	^IBE(359.94,
HAND PRINT FIELD	This file allows fields to be defined to print on forms for
	hand print.
361	^IBM(361,
BILL STATUS MESSAGE	This file contains the data from the return status
	messages for IB bills returned via EDI from Austin FSC
	and AAC.
361.1	^IBM(361.1
EXPLANATION OF BENEFITS	This file contains the explanation of benefits results
	(EOB) for bills as well as MEDICARE remittance
	advice data. The data in this file may be appended to
	any subsequent claims in the COB process.
	This file is also used by the Accounts Receivable
	package EDI LOCKBOX module to store 3rd Party
	remittance advice information.
	Write access by EDI LOCKBOX is allowed only
	through API – see Integration Agreement - 4042
	Read access by EDI LOCKBOX is allowed – see
	Integration Agreement - 4051

File #	Global
File Name	File Description
361.2	^IBE(361.2,
IB ELECTRONIC REPORT DISPOSITION	This file contains a record for each electronic report that
	can be returned to the site by the V.A's clearinghouse.
	The purpose of the file is to allow the sites to determine
	which of these reports should be forwarded to the
	appropriate mail group and which ones should be
	·· · · ·
261.2	ignored.
361.3	^IBE(361.3,
IB MESSAGE SCREEN TEXT	This file contains a list of words or phrases that, if found
	in the text of an electronic returned message for billing,
	will cause the message to be handled in one of two
	ways, based on a flag on each entry:
	If the text is present, always file the message without
	requiring a review or if the text is found in the message,
	regardless of any text found in the rest of the message,
	always force it to be reviewed.
361.4	^IBM(361.4,
EDI TEST CLAIM STATUS MESSAGE	This file contains the transmission history and return
	messages that were received via the test queue for
	claims that were sent initially as EDI claims and have
	been retransmitted as test claims.
362.1	^IBA(362.1,
IB AUTOMATED BILLING COMMENTS	This file contains entries created by the Third Party
	Automated Biller. As the Auto Biller attempts to create
	bills based on events in Claims Tracking, it sets entries
	in this file indicating the action taken by the Auto Biller
	for the event. The only way entries are added to this file
	is by the Auto Biller. There is no user entry.
362.3	^IBA(362.3,
IB BILL/CLAIMS DIAGNOSIS	This file contains all diagnoses for bills in the
ID BILL/CLAINIS DIAONOSIS	BILL/CLAIMS file (#399).
362.4	
IB BILL/CLAIMS PRESCRIPTION REFILL	^IBA(362.4, This file contains all prescription refills for bills in the
ID DILL/CLAINIS PRESCRIPTION REFILL	1 1
2/2.5	BILL/CLAIMS file (#399).
362.5	^IBA(362.5,
IB BILL/CLAIMS PROSTHETICS	This file contains all prosthetic items associated with
	bills in the BILL/CLAIMS file (#399).
363	^IBE(363,
RATE SCHEDULE	A Rate Schedule defines a specific type of service that
	may be billed to a specific payer. This links all elements
	necessary to define exactly what events are billed
	(Charge Set) to which payers (Rate Type).
	There should be a unique Rate Schedule for each type of
	service billable to a payer.
	r /

File #	Global
File Name	File Description
363.1 CHARGE SET	^IBE(363.1, This file contains the definitions of all Charge Sets. A Charge Set defines a charge rate for a single type of billable event.
	DO NOT edit data in this file with VA File Manager.
363.2 CHARGE ITEM	^IBA(363.2, Individual billable items and their charges. Each item that may be billed should have an entry. For the item to be automatically charged it must be an item defined on a bill.
	The items are grouped into Charge Sets which correspond to rates.
363.21 BILLING ITEMS	^IBA(363.21, This file is part of the Rates process and contains billable items that may be found on a bill but do not have a source file of their own.
	Entries should only be added or deleted through the option provided.
363.3 BILLING RATE	^IBE(363.3, This file defines the types of rates available to bill third parties for reimbursement.
	Nationally distributed Billing Rates should not be modified. DO NOT edit data in this file with VA File Manager.
363.31 BILLING REGION	[^] IBE(363.31, A Billing Region is an area defined by a Billing Rate as having a unique set of charges. This may correspond to one or more divisions.
	Each Billing Rate may have multiple regions and each region may cover one or more divisions.
363.32 BILLING SPECIAL GROUPS	[^] IBE(363.32, This file contains the names of special cases that should be applied to certain bill types. This includes the Revenue Code Link group names and the Provider Discount group names.
363.33 BILLING REVENUE CODE LINKS	^IBE(363.33, Certain types of bills require specific revenue codes to be used to bill certain types of care. This file allows linking of revenue codes and the care they should be used for.

File #	Global
File Name	File Description
363.34	^IBE(363.34,
BILLING PROVIDER DISCOUNT	This file contains a discount associated with a provider
	person class. This discount is generally used to adjust
	physician based provider charges for a non-physician
	provider. The discount will be applied to care billed to a
	Billing Rate for providers of the listed person class's.
364	^IBA(364,
EDI TRANSMIT BILL	This file contains a record for each bill for each time it is
	included in a batch for EDI transmissions. This file
	allows a bill to be tracked throughout its transmission
264.1	life and gives the bill's current EDI status.
364.1 EDI TRANSMISSION BATCH	^IBA(364.1, This file contains a record for each 'batch' created for
EDI TRANSMISSION BATCH	EDI transmission. It
	is used to track batch activity and to record statistics on
	number of bills in
	a batch that were rejected and accepted and to record the
	message number in
	Mailman that the batch is stored in for inquiry access.
364.2	^IBA(364.2,
EDI MESSAGES	This file contains the messages that are sent
	electronically back to the site relating to EDI processing.
	These include, but are not limited to, status messages,
	error and warning messages found in the EDI
	transmission cycle, insurance company updates, batch
	summaries and statistics. These messages are stored by
	message type and options exist that scan this file and
	display the messages to the appropriate users and allow each one to be dealt with and resolved if necessary.
364.3	^IBE(364.3,
IB MESSAGE ROUTER	This file contains a listing of the transactions that can be
	handled by the IB message server. This file also
	contains the mail group that will receive any transaction
	processing error message and the entry point
	(TAG^ROUTINE) for each different transaction
	processing.
364.4	^IBE(364.4,
IB EDI TRANSMISSION RULE	This file contains the rules to be applied to a bill to
	determine if it is eligible for transmission via national
264.5	EDI.
364.5	^IBA(364.5, This file contains the definition of all data elements that
IB DATA ELEMENT DEFINITION	This file contains the definition of all data elements that
	are needed for various forms throughout the MCCR
	DHCP system. It contains the 'blueprint' for how to extract the data for each data element entry.
	extract the data for each data cicilicit citil y.

File #	Global
File Name	File Description
364.6	^IBA(364.6,
IB FORM SKELETON DEFINITION	This file contains records that define the skeleton
	makeup of forms for the IB system. This definition
	includes the absolute position of every field that can be
	output on the form, the length each field must be limited
	to, and some descriptive information. This includes
	printed forms, transmittable output files, and special
	local billing screens.
364.7	^IBA(364.7,
IB FORM FIELD CONTENT	This is the file that contains the specific fields to be used
	to produce the associated form or screen. If there is no
	insurance company or bill type specified for an entry,
	this is assumed to be the default definition of the field.
365	^IBCN(365,
IIV RESPONSE	This file holds all responses to HL7 messages generated
	from the IIV Transmission Queue File for Insurance
	Identification and Verification.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.011	^IBE(365.011,
X12 271 ELIGIBILITY/BENEFIT	This file contains all the corresponding X.12 271 EB01
	codes (Eligibility/Benefits).
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.012	^IBE(365.012,
X12 271 COVERAGE LEVEL	This file contains all the corresponding X.12 271 EB02
	codes (Coverage Level).
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.013	^IBE(365.013,
X12 271 SERVICE TYPE	This file contains all the corresponding X.12 271 EB03
	codes (Service Type).
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.014	^IBE(365.014,
X12 271 INSURANCE TYPE	This file contains all the corresponding X.12 271 EB04
	codes (Insurance Type).
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.015	^IBE(365.015,
X12 271 TIME PERIOD QUALIFIER	This file contains all the corresponding X.12 271 EB06
	codes (Time Period Qualifier).
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
	should hot be mounicu.

File #	Global
File Name	File Description
365.016	^IBE(365.016,
X12 271 QUANTITY QUALIFIER	This file contains all the corresponding X.12 271 EB09
	codes (Quantity Qualifier).
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.017	^IBE(365.017,
X12 271 ERROR CONDITION	This file contains all the corresponding X.12 271
A12 2/1 ERROR COINDITION	AAA03 codes (Error Conditions). These values are
	returned because of an error in processing.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.018	^IBE(365.018,
X12 271 ERROR ACTION	This file contains all the corresponding X.12 271
	AAA04 codes (Error Actions). Certain retry actions are
	programmed based upon the current values in this table.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.021	^IBE(365.021,
X12 271 CONTACT QUALIFIER	This file contains all the corresponding X.12 codes
	which identify a method for contact.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.022	^IBE(365.022,
X12 271 ENTITY IDENTIFIER CODE	This file contains all the corresponding X.12 codes
X12 271 ENTITY IDENTIFIER CODE	which identify an eligibility/benefit entity.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.023	
	^IBE(365.023,
X12 271 IDENTIFICATION QUALIFIER	This file contains all the corresponding X.12 codes for
	identification qualifiers.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.024	^IBE(365.024,
X12 271 PROVIDER CODE	This file contains all the corresponding X.12 codes
	which identify a provider.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.025	^IBE(365.025,
X12 271 DELIVERY FREQUENCY CODE	This file contains all the corresponding X.12 codes for
-	delivery frequency.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.026	^IBE(365.026,
X12 271 DATE QUALIFIER	This file contains all the corresponding X.12 codes for
	date/time qualifiers.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.

File #	Global
File Name	File Description
365.028	^IBE(365.028,
X12 271 REFERENCE IDENTIFICATION	This file contains all the corresponding X.12 codes for
	reference identification codes.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.1	^IBCN(365.1,
IIV TRANSMISSION QUEUE	This file contains records which have been selected
	based on specific criteria to generate an HL7 message.
	These messages will be sent to the Eligibility
	Communicator for processing.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
365.11	^IBCN(365.11,
IIV AUTO MATCH	The Auto Match file is a VistA facility to help IIV
	match user-entered insurance company names to the
	correct insurance company names in the insurance
	company file. This file links together an Auto Match
	Value with a valid insurance company name. The Auto
	Match Value may contain common spelling mistakes
	and wildcard characters to aid in the selection of a valid
	insurance company name.
	Per VHA Directive 10-93-142, this file definition
265.10	should not be modified.
365.12	^IBE(365.12,
PAYER	This is a standard file exported by the IB package. It
	contains all payers which can be communicated with
	electronically for insurance identification and
	verification. Do not add, edit or delete these entries
	except through the provided edit options.
	At this time, WebMD is the enderson law WICTA is
	At this time, WebMD is the only vendor VISTA is
	communicating with electronically and so this file will
	contain those payers with whom WebMD currently
	electronically communicates.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
265-12	
365.13 DAVER APPLICATION	^IBE(365.13,
PAYER APPLICATION	This file contains all the different applications that a
	payer could be contacted electronically for.
	Initially there will only be electronic incurance
	Initially there will only be electronic insurance
	identification and verification as an application.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
	suvulu not de mounieu.

File #	Global
File Name	File Description
365.14 IIV TRANSMISSION STATUS	^IBE(365.14, This file contains all of the statuses that an electronic insurance identification or verification transmission or receiving record can have.
	Per VHA Directive 10-93-142, this file definition should not be modified.
365.15 IIV STATUS TABLE	^IBE(365.15, This file contains the various IIV statuses for entries in the Insurance Buffer. Also included are the symbols that should appear in the IIV status column in the Insurance Buffer list, and a more detailed description of the status that is used in the Expand Entry option in the Insurance Buffer.
	Per VHA Directive 10-93-142, this file definition should not be modified.
366.01 NCPDP PROCESSOR	^A IBCNR(366.01, This Integrated Billing (IB) file was created for the e- Pharmacy Project. It is maintained centrally, via real time HL7 Table Update Messages, using the WebMD database. Never maintain locally, except via a designated and secured option that edits selected APPLICATION Sub-file fields, such as LOCAL ACTIVE. A NCPDP Processor receives NCPDP transmissions and adjudicates NCPDP claims. A NCPDP Processor is uniquely identified by its' name. Per VHA Directive 10-93-142, this file definition
366.02 PHARMACY BENEFITS MANAGER (PBM)	 should not be modified. ^IBCNR(366.02, This Integrated Billing (IB) file was created for the e-Pharmacy Project. It is maintained centrally, via real time HL7 Table Update Messages, using the WebMD database. Never maintain locally, except via a designated and secured option that edits selected APPLICATION Sub-file fields, such as LOCAL ACTIVE. A Pharmacy Benefits Manager (PBM) administers a plan on behalf of the insurance company payer. A PBM is typically a separate, contracted entity, but it may be the insurance company payer. A PBM is uniquely identified by its' name. Per VHA Directive 10-93-142, this file definition should not be modified.

File #	Global
File Name	File Description
366.03	^IBCNR(366.03,
PLAN	This Integrated Billing (IB) file was created for the e-
	Pharmacy Project. It is maintained centrally, via real
	time HL7 Table Update Messages, using the WebMD
	database. Never maintain locally, except via a
	designated and secured option that edits selected
	APPLICATION Sub-file fields, such as LOCAL
	ACTIVE. A Plan is a Payer's medical health care
	insurance product that defines benefits and their delivery
	to organizations and individuals that enroll in the Plan.
	A Plan is uniquely identified by its' identifier (VA
	National Plan ID).
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
366.11	
	^IBCNR(366.11, This Integrated Billing (IB) file was arouted for the s
NCPDP PROCESSOR APPLICATION	This Integrated Billing (IB) file was created for the e-
	Pharmacy Project. It is maintained centrally. Never
	maintain locally. A NCPDP Processor Application
	identifies an electronic interface application associated
	with the NCPDP PROCESSOR File (366.01). A
	NCPDP Processor Application is uniquely identified by
	its' name.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
366.12	^IBCNR(366.12,
PHARMACY BENEFITS MANAGER	This Integrated Billing (IB) file was created for the e-
(PBM) APPLICATION	Pharmacy Project. It is maintained centrally. Never
	maintain locally. A Pharmacy Benefits Manager (PBM)
	Application identifies an electronic interface application
	associated with the PHARMACY BENEFITS
	MANAGER (PBM) File (366.02). A PBM Application
	is uniquely identified by its' name.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
366.13	^IBCNR(366.13,
PLAN APPLICATION	This Integrated Billing (IB) file was created for the e-
	Pharmacy Project. It is maintained centrally. Never
	maintain locally.
	A Plan Application identifies an electronic interface
	application associated with the PLAN File (366.03). A
	Plan Application is uniquely identified by its' name.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
	snouid not be mounted.

File #	Global
File Name	File Description
366.14	^IBCNR(366.14,
IB NCPDP EVENT LOG	This file contains data which are passed into IB NCPDP
	APIs by outside applications - E CLAIMS MGMT
	ENGINE and OUTPATIENT PHARMACY (see IA #
	4299). Data stored in this file are used for IB ECME
	EVENT report to provide details about E-Pharmacy
	claims processing and about communication details
	between IB and the applications listed above. The data
	in this file is populated internally by the IB application
	(data not directly entered by the user).
	Per VHA Directive 10-93-142, this file definition
	should not be modified.
366.15	^IBCNR(366.15,
IB NCPDP PRESCRIPTION	DO NOT delete entries in this file. DO NOT edit
	data in this file with VA File Manager.
	This file is used to support NCPDP billing for multiple
	Rate Types. Entries are created in this file based on the
	prescription and fill/refill number. The Rate Type
	determined at time of Billing Determination is stored in
	this file so it can be utilized when bill creation occurs.
	This file is also used to store the associated co-payment
	reference number if a non-veteran co-payment charge is
	created to allow easy lookup if the co-payment charge
	needs to be cancelled.
	Per VHA Directive 2004-038, this file definition
	should not be modified.
366.16	^IBCNR(366.16,
IB NDC NON COVERED BY PLAN	This file is used to store drug's NDC rejected by payers
	as non-covered by pharmacy plan. The drug's NDC,
	Group Insurance Plan and the last date the drug was
	rejected are used by Integrated Billing and ECME
	packages to prevent sending e-claims for non-covered
	drugs.
	Per VHA Directive 2004-038, this file should not be
	modified or edited with VA Fileman.
372	^IBBAS(372,
PFSS SITE PARAMETERS	The PFSS SITE PARAMETERS file holds data required
	for proper function of the IBB software, which provides
	common utilities and procedures for PFSS.
	Per VHA Directive 10-93-142, this file definition
	should not be modified.

File #	Global
File Name	File Description
373 PFSS CHARGE CACHE	 ^IBBAD(373, This file is used to store charge data from various VistA applications so that a background process can create an HL7 P03 message from each record. The messages are batched and sent to the external medical billing system. Under no circumstances may records be created or modified directly via FileMan or other methods. Record creation and data update is allowed only through CHARGE^IBBAPI.
	Per VHA Directive 10-93-142, this file definition should not be modified.
375 PFSS ACCOUNT	 ^IBBAA(375, This file is used to store visit/encounter data from various VistA applications, so that a background process can create HL7 ADT messages that are sent to the external medical billing system. Under no circumstances may records be created or
	modified directly via FileMan or other methods. Record creation and data update is allowed only through GETACCT^IBBAPI. Per VHA Directive 10-93-142, this file definition should not be modified.
389.9	^VA(389.9,
STATION NUMBER (TIME SENSITIVE)	The purpose of this file is to allow DHCP software flexibility and reliability when the station number of a medical center changes or when one or more stations have merged into one station.
	Adding or modifying entries in this file may affect many DHCP applications. Control of entry into this file should be carefully controlled by the IRM Service Chief.
390 ENROLLMENT RATED DISABILITY UPLOAD AUDIT	 ^DGRDUA(390, This file tracks new/modified Rated Disability changes received from the Health Eligibility Center via ORU/ORF Z11 messages. The purpose of this file is for History only and cannot be considered current. Data will be purged from this file after it is over 365 days old.

File #	Global
File Name	File Description
391	^DG(391,
TYPE OF PATIENT	This file contains the various types of patient which
	might be seen at a VA facility. The file is pointed to by
	the TYPE field of the PATIENT file and every patient
	added to the system must have a TYPE specified. Using
	the 'Patient Type Update' option of ADT the user should
	specify the parameters concerning which screens should
	be displayed during the registration process for these
	patient types and what data elements on those screens
	are editable.
391.1	^DG(391.1,
AMIS SEGMENT	This file contains the various AMIS segments. The .001
AMIS SECIVILIAI	(Number) field should be defined as the segment
	number.
391.23	^DGRO(391.23,
DG REGISTER ONCE FIELD DEFINITION	This file is used to define the fields that are collected at a
DO REOISTER ONCE HELD DEFINITION	Last Site Treated and loaded into a Querying Site via
	Register Once Messaging.
391.31	^DGHT(391.31,
HOME TELEHEALTH PATIENT	DOII1(391.31,
391.71	^VAT(391.71,
ADT/HL7 PIVOT	This file serves as a funnel for all of the ADT events that
	need to be broadcast to any system. The VISIT file may
	replace this file in the future. The entries in this file will
	contain information on how to get back to its parent
	event in PIMS. There is no parent child relationships
	stored here.
391.72	^VAT(391.72,
ADT/HL7 EVENT REASON	This file contains the event reason codes for admission,
	discharge and transfer (ADT) Health Level Seven (HL7)
	events.
391.91	^DGCN(391.91,
TREATING FACILITY LIST	This file holds the Treating Facility List, a list of
	institutions where the patient has had treatment.
391.92	^DGCN(391.92,
VAFC ASSIGNING AUTHORITY	The VAFC ASSIGNING AUTHORITY (#391.92) file
	expands the capability of VA Identity Management
	Service (IdM) to support future initiatives, (e.g.,
	National Health Information Network (NHIN) and non-
	Patient Identity Management, etc.). This file stores a
	portion of the data used to assemble fully qualified
	identifiers used for either the Health Level Seven v2.4 or
	v3.0 standard.
391.98	^DGCN(391.98,
PATIENT DATA EXCEPTION	This file is currently used to log exceptions encountered
	and their status. This file should not be limited to
	demographic exceptions as it is a place holder. It is tied
	to a patient.
	to a patient.

File Description ^DGCN(391.984,
^DGCN(391.984.
This file contains the status name and code
(abbreviation) associated with the exceptions processed
by the Patient Data Review [VAFC EXCEPTION
HANDLER] option.
^DGCN(391.99,
This file is used to store each individual data element
and its location for the exception that is logged.
^DGBT(392,
This file contains the completed travel claim entries for
patients showing departure/destination data, as well as
specific claim data.
^DGBT(392.1,
This file contains the mileage data between departure
cities and medical center divisions. Each departure city
can have multiple divisions entered, each with its own
associated mileage, most economical cost, and remarks
field.
^DGBT(392.2,
This file contains the income certification data for
patients for Beneficiary Travel claims, including amount
certified, eligibility for Benefit Travel, and means test
status.
^DGBT(392.3,
Although this file has been decentralized, changes and
additions should be made with extreme care.
^DGBT(392.31,
This file contains vendors of the Core Financial
Logistics System (coreFLS) used by your local system.
Entries should only be added and updated through the
applications interfaced with coreFLS. Entries SHOULD
NOT be added, edited, or deleted through File Manager.
^DGBT(392.4,
This file contains the data on the different modes of
transportation available in Benefit Travel claims.
^VAS(393,
This file is the main file for the Incomplete Records
Tracking package IRT This is where all of the data is
stored that will be displayed for each deficiency on the
enter/edit screens and on all of the reports.
^DG(393.1,
This file stores all the possible services for both words
This file stores all the possible services for both wards
and clinics.
and clinics.
-

File #	Global
File Name	File Description
393.3	^VAS(393.3,
IRT TYPE OF DEFICIENCY	This file contains the names of the types of deficiencies
	that are tracked in the IRT package.
393.41	^VAS(393.41,
TYPE OF CATEGORY	This is the file that stores the name of the category and
	all data elements related to the category, that a
	deficiency falls under. There are thirteen categories.
394	^VAT(394,
*PDX TRANSACTION	This file has been replaced with the VAQ -
	TRANSACTION file (#394.61).
	Version 1.0 of PDX used this file to store administrative
	information concerning all PDX transmissions. Version
	1.5 of PDX has marked it for deletion and version 2.0
	will delete it.
394.1	^VAT(394.1,
*PDX DATA	This file has been replaced with the VAQ - DATA file
	(#394.62).
	Version 1.0 of PDX used this file to store patient
	information that was transmitted using PDX. Version
	1.5 of PDX has marked it for deletion and version 2.0
	will delete it.
394.2	^VAT(394.2,
*PDX PARAMETER	This file has been replaced with the VAQ -
	PARAMETER file (#394.81).
	Version 1.0 of PDX used this file to store site specific
	information concerning the use of PDX. Version 1.5 of
	PDX has marked it for deletion and version 2.0 will
	delete it.
394.3	^VAT(394.3,
*PDX STATUS	This file has been replaced with the VAQ - STATUS file
	(#394.85).
	Version 1.0 of PDX used this file to store all possible
	phases of a PDX transmission. Version 1.5 of PDX has
	marked it for deletion and version 2.0 will delete it.
394.4	^VAT(394.4,
*PDX STATISTICS	This file has been replaced with the VAQ -
	WORKLOAD file (#394.87).
	Version 1.0 of PDX used this file to store workload
	statistics concerning use of PDX. Version 1.5 of PDX
	has marked it for deletion and version 2.0 will delete it.

File #	Global
File Name	File Description
394.61	^VAT(394.61,
VAQ - TRANSACTION	This file holds information describing each PDX
	transaction. A PDX transaction is created when one of
	the following events occur.
394.62	^VAT(394.62,
VAQ - DATA	This file holds any patient information that was
	transmitted using PDX.
394.71	^VAT(394.71,
	This file defines each data segment currently supported
VAQ - DATA SEGMENT	e i i i
204.70	by PDX.
394.72	^VAT(394.72,
VAQ - ENCRYPTION METHOD	This file defines each encryption method currently
204.52	supported by PDX.
394.73	^VAT(394.73,
VAQ - ENCRYPTED FIELDS	This file contains all fields that should be encrypted in
	PDX Requests and Unsolicited PDXs transmitted by the
	facility. This file is only relevant when encryption has
	been turned on.
394.81	^VAT(394.81,
VAQ - PARAMETER	This file contains site specific information concerning
	the use of PDX. Only one entry may be made in this
	file.
394.82	^VAT(394.82,
VAQ - RELEASE GROUP	This file contains the facilities that have been granted
	'Automatic
	Processing'. In order for a request to be automatically
	processed, the requesting facility must have an entry in
	this file.
394.83	^VAT(394.83,
VAQ - OUTGOING GROUP	This file contains groups of facilities commonly
	accessed using PDX.
394.84	^VAT(394.84,
VAQ - SEGMENT GROUP	This file contains groups of data segments commonly
VAQ - SECIMENT GROOT	referenced by the facility. Groups marked as 'Public'
	may be referenced by all users of PDX. Groups marked
	as 'Private' may only be referenced by the individual that
	• • •
204.95	created the group.
394.85	^VAT(394.85, This file defines all peopilies statuces of a DDV
VAQ - STATUS	This file defines all possible statuses of a PDX
	transaction.
	Codes must be in the fame VVVV VVVVV1
	Codes must be in the form XXXX-YYYYY where
	XXXX is the namespace of the package (1-4 upper case
	characters) and YYYYY is 1-5 characters (upper or
	lower case) of the package's choosing. [Must pattern
	match 1.4U1"-"1.5A]

File #	Global
File Name	File Description
394.86	^VAT(394.86,
VAQ - AUTO-NUMBERING	This file is used to implement auto-numbering in the
	PDX files. Fields with auto-numbering capability will
	have an entry in this file
394.87	^VAT(394.87,
VAQ - WORKLOAD	This file contains statistics concerning the workload
	done using PDX. PDX workload is considered to be
	requesting patient information from another facility,
	manually processing requests from another facility, and
	uploading PDX data to the Patient File. Work done by
	the PDX Server is also stored in this file.
394.88	^VAT(394.88,
VAQ - WORK	This file contains the type of work being tracked by the
	VAQ - WORKLOAD file (#394.87).
395	^DVB(395,
DVB PARAMETERS	
395.1	^DVB(395.1,
ENTITLEMENT CODES	
395.2	^DVB(395.2,
ANATOMICAL-LOSS CODES	
395.3	^DVB(395.3,
MONTHLY COMPENSATION	
395.4	^DVB(395.4,
DIARY DEFINITIONS	
395.5	^DVB(395.5,
HINQ SUSPENSE	
395.7	^DVB(395.7,
HINQ AUDIT	

File #	Global
File Name	File Description
396 FORM 7131	[^] DVB(396, Holds all requests for 7131 information. This is the information which was requested on the old paper 7131 forms.
	Node 6 was added with Version 2.7 of AMIE. This node contains the divisions a selected report on a 7131 has been transferred to. Node 7 was added with Version 2.7 of AMIE. This node contains the dates a report on a 7131 was transferred to another division. These nodes are used only by Multidivisional facilities that transfer reports on a 7131. The decimal portion of the field numbers for the fields on nodes 6 and 7 indicates the node the field exists on. The piece position for each field on nodes 6 and 7 corresponds to the piece position of its respective report status field on that report's node.
	NOTE: The 'AE' and 'AF' cross-references are specialized MUMPS cross- references used to implement the Divisional Transfer of reports on a 7131 request. Please follow the technical descriptions of the above cross-references when re-indexing.
396.1	^DVB(396.1,
AMIE SITE PARAMETER	Holds the package specific parameters for the AMIE site.
396.15	^DVB(396.15,
CAPRI DIVISION EXAM LIST	This file is used by the CAPRI GUI to maintain a list of AMIE C&P examinations that are assigned to a specific medical center division. It is also possible to set a flag in this file to disable the division from appearing in the listing of selectable divisions in the GUI.
396.17 CAPRI TEMPLATES	[^] DVB(396.17, This file holds the definitions generated by users of the CAPRI C&P Worksheet Module (CPWM) that are used to re-generate GUI screens. CPWM allows point-n-click entry of C&P examinations and will store ASCII reports in AMIE and TIU when the user has finished the documentation process. This file serves to track documents in progress as well as documents that have been already completed and sent to TIU and AMIE.

File #	Global
File Name	File Description
396.18	^DVB(396.18,
CAPRI TEMPLATE DEFINITIONS	This file maintains a list of definitions used to generate examination templates in the CAPRI GUI interface. These definitions will be used by providers to document C&P examinations in point-n-click format. The definitions will not be used in the roll-n-scroll AMIE-II application and are specific to the GUI environment. Old definitions, as they are retired, will be retained in the file for historical purposes. This file should remain standardized between all sites and entries not be modified, removed, or added except through patch
206.0	installation.
396.2 AMIE REPORT	^DVB(396.2, File to hold various parameters for specialized reporting in the A.M.I.E. package. Information is deleted as soon as possible.
	(This file is used specifically when generating and printing Notices of Discharge.)
396.3 2507 REQUEST	[^] DVB(396.3, Holds all 2507 requests generated from Regional Office users.
396.4 2507 EXAM	[^] DVB(396.4, This file contains all the exams that are associated with the various 2507 requests.
396.5 2507 CANCELLATION REASON	^DVB(396.5, This file has all current reasons that a 2507 exam may be cancelled.
396.6 AMIE EXAM	[^] DVB(396.6, Current listing of all valid 2507 exams that may be requested. The exams may be inactivated by the setting of the active/inactive flag. Only the Regional Office may determine if an exam is active or inactive.
396.7 2507 BODY SYSTEM	^DVB(396.7, Contains all body system names to which the 2507 exams are related.
396.94 2507 INSUFFICIENT REASONS	 And Area Period And Area Per
	The reasons contained in this file were developed and agreed upon by the AMIE Sub-group of the PII-EP. This information should not be modified by the site.

File #	Global
File Name	File Description
396.95	^DVB(396.95,
AMIE C&P EXAM TRACKING	This file has been added for use by the 2507 REQUEST
	File (396.3). It contains information about C&P
	appointments linked to 2507 Requests.
	appointments mixed to 2507 Requests.
	This file should not be edited via FileMan. The
	information in this file is crucial to proper calculation of
	the Average Processing Time on the AMIE AMIS 290.
399	^DGCR(399,
BILLS/CLAIMS	This file contains all the information necessary to
	complete a Third Party billing claim form.
399.1**	^DGCR(399.1,
MCCR UTILITY	This file contains all of the Occurrence Codes,
	Discharge Statuses, Discharge Bed sections, and Value
	Codes which may be used on a Third Party Claim form.
399.2**	^DGCR(399.2,
REVENUE CODE	This file contains all of the Revenue Codes which may
KEVENUE CODE	be used on the Third Party Claim forms.
399.3**	^DGCR(399.3,
RATE TYPE	
KAIEIIFE	This file contains all of the Rate Types which may be
399.4**	used on the Third Party Claim forms. ^DGCR(399.4,
MCCR INCONSISTENT DATA	Contains a list of all possible reasons a bill may be
ELEMENTS	disapproved during the authorization phase of the billing
ELEIVIENIS	
399.5**	process.
399.5** BILLING RATES	^DGCR(399.5,
DILLING KATES	Contains the historical billing rates associated with
	revenue codes and specialties for which the DVA has
	legislative authority to bill third parties for
	reimbursement. It is used to automatically associate
400.05	revenue codes, bed sections, and amounts on bills.
409.95 PRINT MANACER CLINIC SETUR	^SD(409.95, This file defines which encounter forms to use for a
PRINT MANAGER CLINIC SETUP	This file defines which encounter forms to use for a
	particular clinic. It can also be used to define other
	forms or reports to print, along with the new encounter
	forms. For each appointment, a packet of forms can be printed, saving the effort of collating the forms
	· · · ·
409.96	manually. ^SD(409.96,
409.96 PRINT MANAGER DIVISION SETUP	
EKINT WANAGEN DIVISION SETUP	This file allows the user to specify reports or forms that should print in addition to the encounter forms for the
	should print in addition to the encounter forms for the
	entire division. Only reports contained in the
	PACKAGE INTERFACE file (#357.6) can be specified.
	The user can ALOS specify the conditions under which the report should print. The intent is to print poslets of
	the report should print. The intent is to print packets of forms so that they do not have to be menually collected
*File contains data which will overwrite exis	forms so that they do not have to be manually collated.

*File contains data which will overwrite existing data. **File contains data which will merge with existing data.

Templates

Input Templates

FILE#	TEMPLATE	DESCRIPTION
2	IBCN PATIENT INSURANCE	New input template to handle the input/edit of
		fields in the patient insurance multiple (2.312)
		in the patient file.
36	IBEDIT INS CO1	Edits INSURANCE COMPANY file from
		Insurance Company Edit option.
350.9	IB EDIT CLEAR	Clear Integrated Billing Filer Parameters.
350.9	IB EDIT MCCR PARM	Enter/edit MCCR Site Parameters.
350.9	IB EDIT SITE PARAM	Enter/edit Integrated Billing Site Parameters.
350.9	IBCNE GENERAL PARAMETER EDIT	FRESHNESS DAYS
		DAILY MAILMAN MSG
		DAILY MSG TIME
		MESSAGES MAILGROUP
		HL7 RESPONSE PROCESSING
		HL7 START TIME
		HL7 STOP TIME
		CONTACT PERSON
		CONTACT PERSON:
		OFFICE PHONE;REQ
		EMAIL ADDRESS;REQ
		FAILURE MAILMAN MSG
350.9	IBCNF EDIT CONFIGURATION	New input template used to edit the eII
		configuration parameters fields in IB SITE
		PARAMETERS (#350.9); it is called from
		IBCNFCON routine.
351	IB BILLING CYCLE ADD	Patient Billing Clock Maintenance, new entry.
351	IB BILLING CYCLE ADJUST	Patient Billing Clock Maintenance, edit
		existing entry.
351.61	IBAT OUT PRICING EDIT	PROCEDURES
001101		PROCEDURES
		D CPTDSP^IBATLM2B(X)
		QUANTITY
		PROCEDURE COST
353	IB DEVICE	Bill Form Print Device Setup
353	IBCE ADD/EDIT LOCAL FORM	NAME
555		FORM LENGTH
		ENTRY PRE-PROCESSOR
		ENTRY POST-PROCESSOR
		EXTRACT CODE
		OUTPUT CODE
		FORM PRE-PROCESSOR
		FORM POST-PROCESSOR
		FIELD DELIMITER
		SHORT DESCRIPTION

FILE#	TEMPLATE	DESCRIPTION
354	IB CURRENT STATUS	Updates the current status in the BILLING PATIENT file whenever a new exemption is created.
354.1	IB INACTIVATE EXEMPTION	Inactivates actives exemptions. Only one exemption for a date may be active.
354.1	IB NEW EXEMPTION	Updates new exemptions in the BILLING EXEMPTIONS file.
354.3	IB ENTER THRESHOLD	Enter new income thresholds.
355.4	IBCN AB ADD COM	Allows editing of ANNUAL BENEFITS comments.
355.4	IBCN AB EDIT ALL	Allows editing of all ANNUAL BENEFITS fields.
355.4	IBCN AB HOME HEA	Allows editing of the Home Health section of ANNUAL BENEFITS.
355.4	IBCN AB HOSPC	Allows editing of the Hospice section of ANNUAL BENEFITS.
355.4	IBCN AB INPT	Allows editing of the Inpatient section of ANNUAL BENEFITS.
355.4	IBCN AB IV MGMT	Allows editing of the IV Mgmt section of ANNUAL BENEFITS.
355.4	IBCN AB MEN H	Allows editing of the Mental Health section of ANNUAL BENEFITS.
355.4	IBCN AB OPT	Allows editing of the Outpatient section of ANNUAL BENEFITS.
355.4	IBCN AB POL INF	Allows editing of the Policy Information section of ANNUAL BENEFITS.
355.4	IBCN AB REHAB	Allows editing of the Rehab section of ANNUAL BENEFITS.
355.5	IBCN BU ADD COM	Allows editing of the Comments in BENEFITS USED.
355.5	IBCN BU ED AL	Allows editing of all BENEFITS USED fields.
355.5	IBCN BU INPT	Allows editing of the Inpatient section of BENEFITS USED.
355.5	IBCN BU OPT	Allows editing of the Outpatient section of BENEFITS USED.
355.5	IBCN BU POL	Allows editing of the Policy section of BENEFITS USED.
356	IBT ASSIGN CASE	Allows assigning a case to a reviewer.
356	IBT BILLLING INFO	Allows editing of billing information in Claim Tracking.
356	IBT PRECERT INFO	Allows editing of pre-certification information in Claims Tracking.
356	IBT QUICK EDIT	Allows editing of necessary fields for a visit in Claims Tracking.

		DEGODIDUON
FILE#	TEMPLATE	DESCRIPTION
356	IBT STATUS CHANGE	Allows changing status of a visit in Claims
256		Tracking.
356	IBT UR INFO	Edit field used to determine which cases
2561		require which types of reviews.
356.1	IBT ADD COMMENTS	Edits COMMENTS field of HOSPITAL
2541		REVIEW file (#356.1).
356.1	IBT REMOVE NEXT REVIEW	Deletes next review date.
356.1	IBT REVIEW INFO	Edits REVIEW INFORMATION field.
356.1	IBT SPECIAL UNIT	Edits SPECIAL UNITS SI/IS fields.
356.1	IBT STATUS CHANGE	Edits STATUS field.
356.19	IBT AVERAGE BILL AMOUNTS	NO. INPT INST. CLAIMS (12M)
	(12M)	AMT INPT INST. CLAIMS (12M)
		NO. INPT EPISODES/INST. (12M)
		NO. INPT PROF. CLAIMS (12M)
		AMT INPT PROF. CLAIMS (12M)
		NO. INPT EPISODES/PROF. (12M)
		DATE UPDATED (12M)
356.19	IBT AVERAGE BILL AMOUNTS	NO. INPT INST. CLAIMS (MON)
	(MON)	AMT INPT INST. CLAIMS (MON)
		NO. INPT EPISODES/INST. (MON)
		NO. INPT PROF. CLAIMS (MON)
		AMT INPT PROF. CLAIMS (MON)
		NO. INPT EPISODES/PROF. (MON)
		DATE UPDATED (MON)
356.19	IBT UNBILLED AMOUNTS	EPISODES MISSING INST CLAIMS
		EPISODES MISSING PROF CLAIMS
		ENCOUNTERS MISSING CLAIMS
		CPT CODES MISSING INST CLAIMS
		CPT CODES MISSING PROF CLAIMS
		NUMBER OF UNBILLED RX'S
		UNBILLED INPATIENT AMOUNT
		UNBILLED OUTPATIENT AMOUNT
		UNBILLED RX AMOUNT
		TOTAL UNBILLED AMOUNT
		NO. MRA INPT INST CLAIMS
		NO. MRA INPT PROF CLAIMS
		MRA CPT CODES ON INST CLAIMS
		MRA CPT CODES ON PROF CLAIMS
	NUMBER OF MRA UNBILLED RX'S	
		MRA UNBILLED INPATIENT AMOUNT
		MRA UNBILLED NUTHIENT AMOUN'
		MRA UNBILLED OUT ATTENT AMOUN
		TOTAL MRA UNBILLED AMOUNT
		2.11
356.2	IBT ACTION INFO	Allows editing of specific field relative to an
550.2	IDT ACTION INFU	Anows coming of specific field relative to an

Input Templates

три 1	emptates	
FILE#	TEMPLATE	DESCRIPTION
356.2	IBT ADD APPEAL	Edits Appeal information.
356.2	IBT APPEAL INFO	Allows editing of Appeal Address in File #36.
356.2	IBT COMMENT INFO	Edits COMMENTS fields.
356.2	IBT CONTACT INFO	Edits Contact information.
356.2	IBT FINAL OUTCOME	Allows specifying final outcome of an appeal.
356.2	IBT INS VERIFICATION	Allows insurance verifiers to edit specific
		contact information from Insurance Mgmt.
356.2	IBT INSURANCE INFO	Edits the Appeals Address in the INSURANCE
256.0		COMPANY file (#36).
356.2	IBT QUICK EDIT	Used to add/edit a new review.
356.2	IBT REMOVE NEXT REVIEW	Deletes next review data.
356.2	IBT STATUS CHANGE	Edits INSURANCE REVIEW STATUS field.
357	IBDF EDIT NEW FORM	Used to edit a new form.
357	IBDF EDIT OLD OR COPIED FORM	Used to edit an existing form.
357.1	IBDF EDIT HEADER & OUTLINE	Used to edit a block's header and outline.
357.1	IBDF EDIT HEADER BLOCK	Used to edit the header block of a form.
357.1	IBDF NEW EMPTY BLOCK	Used to edit the header, position, outline, and
		other characteristics of a new block.
357.1	IBDF POSITION COPIED BLOCK	Used to position a copied block onto a form.
357.2	IBDF EDIT SELECTION LIST	Used to edit a selection list, except for the
		position and size of the columns.
357.2	IBDF POSITION/SIZE COLUMNS	Used to edit the size and position of a selection
		list's columns.
357.3	IBDF CPT MODIFIER	CPT MODIFIER
		ALL
357.3	IBDF EDIT PLACE HOLDER	PRINT ORDER WITHIN GROUP
		PLACE HOLDER TEXT
		USE AS SUBHEADER?
357.3	IBDF EDIT SELECTION	Used to edit a selection.
357.5	IBDF EDIT DATA FIELD	Used to edit a data field.
357.5	IBDF EDIT FORM HEADER	Used to edit the form header data field.
357.5	IBDF EDIT LABEL FIELD	NAME
		BLOCK
		TYPE OF DATA
		SUBFIELD
		SUBFIELD LABEL
		STARTING ROW FOR LABEL
		STARTING COLUMN FOR LABEL
357.6	IBDF EDIT AVAILABLE HLTH SMRY	Used to define a package interface that prints a Health Summary.
357.6	IBDF EDIT AVAILABLE REPORT	Used to define a package interface that prints a
		report other than a Health Summary.
357.6	IBDF EDIT OUTPUT/SELECTION RTN	Used to define a package interface of the type
357.69	IB EDIT E&M QUANTITY	output routine or selection routine. ALLOW QUANTITY GREATER THAN 1
557.09		

Input T	Templates	
FILE#	TEMPLATE	DESCRIPTION
357.7	IBDF FORM LINE	Used to edit a line.
357.8	IBDF EDIT TEXT AREA	Used to edit a text area.
357.91	IBDF EDIT MARKING AREA	Used to edit a marking area.
357.93	IBDF EDIT MULT CHOICE FIELD	NAME
		BLOCK
		SELECTION RULE
		CHOICE
		ID
		DATA QUALIFIER
		CHOICE LABEL
		STARTING COLUMN FOR LABEL
		STARTING ROW FOR LABEL
		BUBBLE COLUMN
255 04		BUBBLE ROW
357.94	IBDF EDIT PRINTER	TERMINAL TYPE
		PRINTER LANGUAGE TYPE
		SIMPLEX
		DUPLEX, LONG-EDGE BINDING DUPLEX, SHORT-EDGE BINDING
		TCP PRINTER
357.96	IBD CREATE FORM TRACKING	PATIENT
337.90	IDD CREATE FORM TRACKING	APPOINTMENT
		FORM TYPE
		DATE/TIME PRINTED
		SOURCE OF FORM ID
		FORM TYPE ID (EXTERNAL SOURCE)
		EXTERNAL PRINTED FORM ID
		CLINIC
		PROCESSING STATUS
		NO APPOINTMENT ENTRY
357.96	IBD EDIT FORM TRACKING STATUS	DATE/TIME RECEIVED IN DHCP
		PROCESSING STATUS
		ERROR
359.94	IBDF EDIT HAND PRINT FIELD	NAME
		BLOCK
		DHCP DATA ELEMENT
		LABEL
		LABEL APPEARANCE

Input T	Templates	
FILE#	TEMPLATE	DESCRIPTION
364.5	IBCE DEFINE LOCAL ELEMENT	NAME
		SECURITY LEVEL
		BASE FILE
		TYPE OF ELEMENT
		ELEMENT CATEGORY
		ELEMENT CATEGORY
		FILEMAN FIELD REFERENCE
		FILEMAN RETURN FORMAT
		CONSTANT VALUE
		EXTRACT CODE
		ARRAY ROOT
		DESCRIPTION
364.6	IBCE ADD/EDIT LOCAL FORM FIELD	CALCULATE ONLY OR OUTPUT
		PAGE OR SEQUENCE
		FIRST LINE NUMBER
		STARTING COLUMN OR PIECE
		MAX NUMBER LINES
		LENGTH
		LOCAL OVERRIDE ALLOWED
		SHORT DESCRIPTION
		CALCULATE ONLY OR OUTPUT
364.7	IBCE EDIT FIELD CONTENT	SECURITY LEVEL
		DATA ELEMENT
		EDIT STATUS
		EDIT GROUP NUMBER
		SCREEN PROMPT
		FORMAT CODE
		INSURANCE COMPANY
		BILL TYPE
		PAD CHARACTER
200		FORMAT CODE DESCRIPTION
399	IB MAIL	Enter/edit a bill's mailing address.
399	IB REVCODE EDIT	Enter/Edit a bill's revenue code information.
399	IB SCREEN1	Enter/Edit billing screen 1, demographic
200		information.
399	IB SCREEN10	Enter/edit billing screen 10
399	IB SCREEN102	Enter/edit billing screen 10
399	IB SCREEN10H	Enter/edit billing screen 10
399	IB SCREEN2	Enter/edit billing screen 2, employment
200		information.
399	IB SCREEN3	Enter/edit billing screen 3, payer information.
399	IB SCREEN4	Enter/edit billing screen 4, inpatient event
• • •		information.
399	IB SCREEN5	Enter/edit billing screen 5, outpatient event
		information.

Input Templates		
FILE#	TEMPLATE	DESCRIPTION
399	IB SCREEN6	Enter/Edit billing screen 6, inpatient general billing information.
399	IB SCREEN7	Enter/edit billing screen 7, outpatient general billing information.
399	IB SCREEN8	Enter/Edit UB-82 billing screen 8, billing specific information.
399	IB SCREEN82	Enter/edit UB-92 billing screen 8, bill specific information.
399	IB SCREEN8H	Enter/Edit HCFA 1500 billing screen 8, billing specific information.
399	IB SCREEN9	Ambulance Information.
399	IB STATUS	Edit a bill's status.
399.2	IB ACTIVATE	Activate/inactivate revenue codes.
399.3	IB RATE EDIT	Update RATE TYPE file (#399.3).
409.95	IBDF PRINT MANAGER	Defines reports and encounter forms to clinic.
409.96	IBDF PRINT MANAGER	Defines reports and encounter forms to division.

FILE#	TEMPLATE	DESCRIPTION
2	IBNOTVER, IBNOTVER1	Lists new, not verified insurance entries.
36	IB INACTIVE INS CO	List of inactive insurance companies covering
		patients.
350	IB INCOMPLETE	Integrated Billing Action List of entries with a
		status of INCOMPLETE.
351.71	IBJD DM REPT SORT	SORT BY: MONTH
		From: OCT 2003
		To: OCT 2003
		ASK range of values
		WITHIN MONTH, SORT BY: REPORT
		REPORT SUB-FIELD: STATUS
		From: 1
		To: 2
254		ASK range of values
354	IB BILLING PAT W/INCOME	List of patients with a "No Income Data"
254		exemption.
354	IB BILLING PATIENT BY REASON	List of currently exempt patients by reason.
354	IB BILLING PATIENT BY STATUS	List of currently exempt patients by status.
354	IB EXEMPT PATIENTS	List of exempt patients.
354	IB EXEMPTION LETTER	Stores results of search when printing
254.2		exemption letters.
354.3	IB PRINT THRESHOLD	List of thresholds.
356	IBT LIST VISITS	Lists visits in Claims Tracking by date and
257 (type. Primarily list random sample cases.
357.6	IBD PRIM CARE SEARCH	List of new primary care interfaces for patch.
357.96	IBD NO APPOINTMENT LIST	This template with list patients for a date range
		that have had encounter forms printed that are
359.3	IBD LIST ERRORS	not related to appointments. SORT BY: '@ERROR DATE/TIME
559.5	IDD LIST ERRORS	From:
		То:
		WITHIN ERROR DATE/TIME, SORT BY:
		#USER
		From:
		To:
		WITHIN USER, SORT BY: PATIENT
		From: @
		To:
		Do NOT ask range of values
		WITHIN PATIENT, SORT BY:
		ENCOUNTER DATE/TIME;S1
		From: @
		To:
		Do NOT ask range of values
362.1	IB AB COMMENTS	Automated Biller Error/Comments Report.

Sort Tei	mplates	
FILE#	TEMPLATE	DESCRIPTION
364.6	IBCE LOCAL DATA ELEMENTS	This sort template will allow for the printing of
		local form override data.
399	IB CLK PROD	Clerk Productivity Report.
399.5	IB BILLING RATES	Billing Rates List.
8994	IBD RPC LIST	AICS Remote Procedure List.

Print T	Templates	
FILE#	TEMPLATE	DESCRIPTION
2	IB NOTVER	Lists new, not verified insurance entries.
36	IB INACTIVE INS CO	List of inactive insurance companies shown in the system as still providing patient coverage.
40.8	IB DIVISION DISPLAY	Displays wage rates and locality modifier data for a division.
350	IB INCOMPLETE	Integrated Billing Action List of entries with status of INCOMPLETE.
350	IB LIST	Integrated Billing Action List.
350.41	IB CPT UPDATE ERROR	Update Billable Ambulance Surgery Transfer Error List Report.
350.6	IB PURGE LIST LOG ENTRIES	Displays log entries from the IB Archive Purge Log.
350.7	IB CPT PG DISPLAY	Displays a Check-off Sheet's line format and associated sub headers.
350.71	IB CPT CP DISPLAY	Displays procedures associated with a particular Check-off Sheet sub header.
351	IB BILLING CLOCK HEADER	Displays the header for the Patient Billing Clock Inquiry.
351	IB BILLING CLOCK INQ	Displays the Patient Billing Clock Inquiry data.
351.71	IBJD DM REPT PRINT	
351.71	IBJD DM V/P EXTRACTS	
352.1	IB APPOINTMENT TYPE	Billable Appointment Type List.
354	IB BILLING PAT W/INCOME	Used when producing a list of non exempt patients with no income data.
354	IB BILLING PATIENT	Prints the exemption reason reports with the detailed patient listing.
354	IB BILLING PATIENT SUMMARY	Prints the exemption reason reports that do not include the detailed patient listing.
354	IB DO NOT USE	Creates results of IB EXEMPTION LETTER sort template.
354	IB PATIENT ADDRESSES	For local use, contains patient names and addresses.
354.3	IB PRINT THRESHOLD	Prints a list of entries from the BILLING THRESHOLDS file (#354.3).
356	IB LIST VISITS	Lists visits in Claims Tracking. Primarily to list random sample cases.

Г

FILE#	TEMPLATE	DESCRIPTION
356	IBT LIST VISITS	PATIENT;L20
		PATIENT:
		PRIMARY LONG ID;"PT. ID";L13
		WARD LOCATION;L10;"WARD"
		EVENT TYPE:
		ABBREVIATION;"VISIT TYPE"
		DATE(EPISODE DATE);"DATE";L11
		TRACKED AS INSURANCE CLAIM?;"INS.
		CASE";L4
		TRACKED AS RANDOM
		SAMPLE?;"RANDOM CASE"
		TRACKED AS SPECIAL
		CONDITION;"SPECIAL COND."
		TRACKED AS A LOCAL
		ADDITION?;"LOCAL CASE"
		HOSPITAL REVIEWS ASSIGNED
		TO;L12;"HOSP REVIEWER"
		INS. REVIEWS ASSIGNED TO;L12;"INS
		REVIEWER"
356	IBT QUICK REV CODING STAT	PATIENT
		PATIENT:SSN;"SSN"
		OUTPATIENT
		ENCOUNTER:LOCATION;"LOCATION";C1
		;L15
		OUTPATIENT
		ENCOUNTER;"DATE/TIME";C18;L20
		REASON NOT BILLABLE;C1
		BILLABLE FINDINGS TYPE
		BILLABLE FINDINGS TYPE
357.96 IBD NO APPOINTMEN	IBD NO APPOINTMENT LIST	PATIENT;L25!
		PATIENT:
		PRIMARY LONG ID;"SSN";L12
		CLINIC;L25
		DATE/TIME PRINTED;L20
		PROCESSING STATUS;L18

emplates	
TEMPLATE	DESCRIPTION
IBD LIST ERRORS	PATIENT;L20 PATIENT: PRIMARY LONG ID;"ID";L12
	ENCOUNTER DATE/TIME;"APPOINTMENT DATE";L16 FORM TRACKING NUMBER;"FORM TRACKING ID";R9 ERROR SOURCE USER;L20 ERROR MESSAGE;W35
IB AB COMMENTS	Automated Biller Error/Comments Report.
IBCEM MESSAGE LIST	 "MESTAGE #: "_#.01;X;C1 "MESSAGE TYPE: "_MESSAGE TYPE;C40;X "DATE RECORDED: "_NUMDATE(DATE RECORDED)_"@"_TIME(DATE RECORDED);C3;X "BATCH NUMBER: "_BATCH NUMBER;C40;X "BILL #: "_TRANSMIT BILL;C3;X "STATUS: "_STATUS;C40;X "MESSAGE DATE: "_NUMDATE(MESSAGE DATE)_"@"_TIME(MESSAGE DATE);C3;X "UPDATE TASK: "_UPDATE TASK;C40;X "STATUS CHANGED DATE: "_NUMDATE(STATUS CHANGED DATE)_"@"_TIME(STATUS CHANGED DATE)_"@"_TIME(STATUS CHANGED DATE)_"@"_TIME(STATUS CHANGED DATE)_"@"_TIME(STATUS CHANGED DATE)_"@"_TIME(STATUS CHANGED DATE "SOURCE LEVEL: "_SOURCE LEVEL;C3;X "SOURCE : _SOURCE;C40;X "MESSAGE:";C1;X MESSAGE:";C1;X MESSAGE:";C29;"" "TRANSMISSION STATUS:";C29;"" ";C7;"" ";C7
	TEMPLATE IBD LIST ERRORS

FILE#	TEMPLATE	DESCRIPTION
364.2	IBCEM MESSAGE LIST HDR	"EDI RETURN MESSAGE DETAIL";C0;""
		DATE(TODAY);C45;L18;"";d
		TIME(NOW);C59;""
		"PAGE: "_PAGE;C69;""
		DUP("-",80);C0;L80;S;""
364.4	IBCE RULE DISPLAY	TOO MUCH INFORMATION TO DISPLAY
364.4	IBCE RULE DISPLAY HEADER	"TRANSMISSION RULE DETAIL";C1
		NOW;C36;X;L18
		"PAGE: "_PAGE;C70;X
		DUP("=",80);C1;X
		" ";C1;X
364.6	IBCE LOCAL DATA ELEMENTS	ASSOCIATED FORM DEFINITION:
		"LINE: "_LINE_"/COL: "_COL_" ";X;L18
		SHORT
		DESCRIPTION_\$J("",20);C19;"DESCRIPTIO
		N";L20
		IB FORM FIELD CONTENT:
		DATA ELEMENT;L28
		"CODE: ";C10;X
		FORMAT CODE;C16;W50;"FORMAT
		CODE"
		"DESC: ";C10;X
		FORMAT CODE
		DESCRIPTION;C16;W50;m;w
		"INSURANCE COMPANY:
		"_\$S(INSURANCE
		COMPANY="":"ALL",1:INSURANCE
		COMPANY);C10;
		"BILL TYPE: "_\$S(BILL
		TYPE="":"ALL",1:BILL TYPE);"";C10
		" ";C1;""
399	IB CLK PROD	Clerk Productivity Report.
399	IB CLK PROD HDR	Clerk Productivity Report.
399.5	IB BILLING RATES	List billing rates.
409.71	IB CPT RG DISPLAY	Displays billing Medicare rate group data for a
		procedure.

FILE# AND NAME	POINTS	бто	POINTED TO BY		
36	5	STATE	2	PATIENT	
INSURANCE COMPANY	36	INSURANCE COMPANY	36	INSURANCE COMPANY	
	355.13	INSURANCE FILING	340	AR DEBTOR	
		TIME FRAME	344.4	ELECTRONIC	
	355.2	TYPE OF INSURANCE	- 250.0	REMITTANCE ADVICE	
	355.97	COVERAGE IB PROVIDER ID # TYPE	350.9	IB SITE PARAMETERS GROUP INSURANCE	
	365.12	PAYER	355.3	PLAN	
	399.2	REVENUE CODE	355.9	IB BILLING	
	577.2	KEVENCE CODE	555.7	PRACTITIONER ID	
			355.91	IB INSURANCE CO	
				LEVEL BILLING PROV	
				ID	
			355.92	FACILITY BILLING ID	
			355.95	IB PROVIDER ID CARE	
			- 255.0.6	UNIT	
			355.96	IB INS CO PROVIDER ID	
			356.2	CARE UNIT INSURANCE REVIEW	
			356.25	CLAIMS TRACKING RO	
			361.1	EXPLANATION OF	
			501.1	BENEFITS	
			364.1	EDI TRANSMISSION	
				BATCH	
			364.4	IB EDI TRANSMISSION	
				RULE	
			364.7	IB FORM FIELD	
			- 200	CONTENT	
			399	BILL/CLAIMS	
			412 430	AR DEBTOR ACCOUNTS	
			430	RECEIVABLE	
			453	APPLICANT	
			19625	DSIV ICB AUDIT	
			594004	INSURANCE PATIENT	
				BILL	
			9002313	BPS LOG OF	
			.57	TRANSACTIONS	
			9002313	BPS TRANSACTION	
			.59		
			9002313 .78	BPS INSURER DATA	

FILE#	POINTS	ТО	POINTE	CD TO BY
AND NAME 350	2	PATIENT	52	PRESCRIPTION
INTEGRATED BILLING ACTION	4	INSTITUTION	350	INTEGRATED BILLING
FILE	200	NEW PERSON		ACTION
	350	INTEGRATED BILLING	351.2	SPECIAL INPATIENT
	350	ACTION	551.2	BILLING CASES
	350.1	IB ACTION TYPE	351.5	TRICARE PHARMACY
	350.21	IB ACTION STATUS	-	TRANSACTIONS
	350.3	IB CHARGE REMOVE	354.71	IB CO-PAY
		REASONS		TRANSACTIONS
	352.5	IB CLINIC STOP CODE	366.15	IB NCPDP
		BILLABLE TYPES	_	PRESCRIPTION
	354.71	IB CO-PAY		
		TRANSACTIONS	_	
	375	PFSS ACCOUNT		
350.1	49	SERVICE/SECTION	52	PRESCRIPTION
IB ACTION TYPE FILE	350.1	IB ACTION TYPE	350	INTEGRATED BILLING
	430.2	ACCOUNTS	- 250.1	ACTION
		RECEIVABLE	350.1	IB ACTION TYPE
		CATEGORY	350.2	IB ACTION CHARGE
			350.4	BILLABLE AMBULATORY
				SURGICAL CODE
			350.41	UPDATE BILLABLE
			550.41	AMBULATORY
				SURGICAL CODE
			354.71	IB CO-PAY
				TRANSACTIONS
			399.1	MCCR UTILITY
350.2	350.1	IB ACTION TYPE		
IB ACTION CHARGE FILE				
350.21			350	INTEGRATED BILLING
IB ACTION STATUS FILE				ACTION
350.3			350	INTEGRATED BILLING
IB CHARGE REMOVE REASONS FILE			354.71	ACTION IB CO-PAY
TILL			554.71	TRANSACTIONS
350.4	81	СРТ		110101011010
BILLABLE AMBULATORY	350.1	IB ACTION TYPE	-	
SURGICAL CODE FILE	22.5.1			
350.41	81	СРТ		
UPDATE BILLABLE	350.1	IB ACTION TYPE	-	
AMBULATORY SURGICAL CODE				
FILE				
350.5	40.8	MEDICAL CENTER		
BASC LOCALITY MODIFIER FILE		DIVISION		
350.6	1	FILE	-	
B ARCHIVE/PURGE LOG FILE	200	NEW PERSON		
350.7			44	HOSPITAL LOCATION
			050 51	AN ODITI ATTORNE OTTOR
AMBULATORY CHECK-OFF SHEET FILE			350.71	AMBULATORY SURG. CHECK-OFF SHEET

FILE#	POINTS	ТО	POINTE	ED TO BY
AND NAME 350.71	350.7	AMBULATORY CHECK-	350.71	AMBULATORY SURG
AMBULATORY SURG. CHECK- OFF SHEET PRINT FIELDS FILE	350.71	OFF SHEET AMBULATORY SURG.		CHECK-OFF SHEET PRINT FIELDS
STILLITKINT TILLDS TILL	550.71	CHECK-OFF SHEET		I KINI PILLDS
		PRINT FIELDS		
	81	СРТ	•	
350.8	354.5	BILLING ALERT	399	BILL/CLAIMS
IB ERROR	0000010	DEFINITION		
350.9 IB SITE PARAMETERS	9002313 .93	BPS NCPDP REJECT CODES		
ID SITE PARAMETERS	363.1	CODES CHARGE SET		
	81	CPT	•	
	3.5	DEVICE	•	
	4.1	FACILITY TYPE		
	142	HEALTH SUMMARY		
		TYPE		
	80	ICD DIAGNOSIS		
	4	INSTITUTION		
	<u>36</u> <u>3.8</u>	INSURANCE COMPANY MAIL GROUP		
	40.8	MAIL OROOT MEDICAL CENTER		
	40.0	DIVISION		
	200	NEW PERSON	•	
	2	PATIENT		
	365.12	PAYER		
	399.2	REVENUE CODE		
	49	SERVICE/SECTION		
	5	STATE		
	351.6	TRANSFER PRICING PATIENT		
351	200	NEW PERSON		
MEANS TEST BILLING CLOCK	200	PATIENT	•	
FILE				
351.1	200	NEW PERSON		
IB CONTINUOUS PATIENT FILE	2	PATIENT		
351.2 SPECIAL INPATIENT BILLING	350	INTEGRATED BILLING ACTION		
CASES FILE	200	NEW PERSON		
	2	PATIENT		
	405	PATIENT MOVEMENT	•	
351.5	399	BILL/CLAIMS	351.52	TRICARE PHARMACY
TRICARE PHARMACY	350	INTEGRATED BILLING		REJECTS
TRANSACTIONS FILE		ACTION	.	
	200	NEW PERSON	.	
	2	PATIENT PRODUCT SELECTION		
	351.53	PRODUCT SELECTION REASON	1	
351.52	351.5	TRICARE PHARMACY		
TRICARE PHARMACY REJECTS		TRANSACTIONS	1	
FILE				
351.53			351.5	TRICARE PHARMACY
PRODUCT SELECTION REASON				TRANSACTIONS

FILE#	POINTS	POINTS TO		D TO BY
AND NAME	4		250.0	
351.6 TRANSFER PRICING PATIENT	$\frac{4}{2}$	INSTITUTION PATIENT	350.9	IB SITE PARAMETERS TRANSFER PRICING
FILE	2	PATIENI	551.01	TRANSFER PRICING
351.61	81	СРТ	351.61	TRANSFER PRICING
TRANSFER PRICING	80.2	DRG	-	TRANSACTIONS
TRANSACTIONS FILE	50	DRUG	-	
	80	ICD DIAGNOSIS	-	
	4	INSTITUTION	_	
	405	PATIENT MOVEMENT	_	
	45	PTF	_	
	351.6	TRANSFER PRICING		
	251.61	PATIENT TRANSFER PRICINC	-	
	351.61	TRANSFER PRICING TRANSACTIONS		
351.67	661.1	PROSTHETIC HCPCS		
TRANSFER PRICING INPT	001.1	TROSTILITE HEFES		
PROSTHETIC ITEMS FILE				
351.7 IB DM EXTRACT REPORTS			351.701	IB DM EXTRACT DATA
FILE				ELEMENTS
351.701 IB DM EXTRACT DATA	351.7	IB DM EXTRACT	351.71	IB DM EXTRACT DATA
ELEMENTS FILE		REPORTS	_	
351.71 IB DM EXTRACT DATA	351.701	IB DM EXTRACT DATA		
FILE	2517	ELEMENTS	-	
	351.7	IB DM EXTRACT REPORTS		
351.73 IB DM WORKLOAD	430.2	ACCOUNTS		
PARAMETERS FILE	450.2	RECEIVABLE		
		CATEGORY		
	200	NEW PERSON	-	
351.81 LTC CO-PAY CLOCK FILE	200	NEW PERSON		
	2	PATIENT		
351.9 CLAIMSMANAGER BILLS	399	BILL/CLAIMS	_	
FILE	351.91	CLAIMSMANAGER		
	-200	STATUS	-	
351.91 CLAIMSMANAGER	200	NEW PERSON	351.9	CLAIMSMANAGER
STATUS FILE			551.9	BILLS
352.1	409.1	APPOINTMENT TYPE		
BILLABLE APPOINTMENT TYPE				
FILE				
352.2	37	DISPOSITION		
NON-BILLABLE DISPOSITIONS				
FILE	40.7			
352.3 NON-BILLABLE CLINIC STOP	40.7	CLINIC STOP		
CODES FILE				
352.4	44	HOSPITAL LOCATION		
NON-BILLABLE CLINICS FILE				
NON-DILLADLE CLINICS FILE			350	INTEGRATED BILLING
	1			ACTION
352.5				merrori
352.5 IB CLINIC STOP CODE BILLABLE TYPES FILE				
352.5 IB CLINIC STOP CODE BILLABLE TYPES FILE 353	353	BILL FORM TYPE	353	BILL FORM TYPE
352.5 IB CLINIC STOP CODE BILLABLE TYPES FILE 353 BILL FORM TYPE FILE	<u>353</u> 1	BILL FORM TYPE FILE	<u> </u>	

FILE#	POINTS	S ТО	POINTED TO BY		
AND NAME	IONIC		10111		
353.1			399	BILL/CLAIMS	
PLACE OF SERVICE FILE					
353.2			399	BILL/CLAIMS	
TYPE OF SERVICE FILE			162	FEE BASIS PAYMENT	
354	354.2	EXEMPTION REASON	354.1	BILLING EXEMPTIONS	
BILLING PATIENT FILE	2	PATIENT			
354.1	354.4	BILLING ALERTS	_		
BILLING EXEMPTIONS FILE	354	BILLING PATIENT	_		
	354.2	EXEMPTION REASON	-		
254.0	200	NEW PERSON	254	DILLING DATIENT	
354.2 EXEMPTION REASON FILE			354	BILLING PATIENT	
354.4	354.5	BILLING ALERT	354.1	BILLING EXEMPTIONS BILLING EXEMPTIONS	
554.4 BILLING ALERTS FILE	354.5	DEFINITION	354.1	BILLING EXEMPTIONS	
DILLING ALEKTS FILE	200	NEW PERSON	-		
354.5	3.8	MAIL GROUP	350.8	IB ERROR	
BILLING ALERT DEFINITION	200	NEW PERSON	354.4	BILLING ALERTS	
FILE					
354.7	2	PATIENT	354.71	IB CO-PAY	
IB PATIENT CO-PAY ACCOUNT FILE				TRANSACTIONS	
354.71	350.1	IB ACTION TYPE	52	PRESCRIPTION	
IB CO-PAY TRANSACTIONS FILE	350.3	IB CHARGE REMOVE	350	INTEGRATED BILLING	
		REASONS	_	ACTION	
	354.71	IB CO-PAY	354.71	IB CO-PAY	
		TRANSACTIONS	_	TRANSACTIONS	
	354.7	IB PATIENT CO-PAY			
		ACCOUNT	-		
	4 350	INSTITUTION INTEGRATED BILLING	-		
	350	ACTION			
	200	NEW PERSON	-		
355.1	200		355.3	GROUP INSURANCE	
TYPE OF PLAN FILE				PLAN	
			355.33	INSURANCE BUFFER	
355.12 SOURCE OF INFORMATION FILE			355.33	INSURANCE BUFFER	
355.13			36	INSURANCE COMPANY	
INSURANCE FILING TIME FRAME FILE			355.3	GROUP INSURANCE PLAN	
355.2 TYPE OF INSURANCE COVERAGE FILE			36	INSURANCE COMPANY	

FILE# AND NAME	POINTS TO	POINTE	D TO BY
355.3	36 INSURANCE COMPANY	355.32	PLAN COVERAGE
GROUP INSURANCE PLAN FILE	355.13 INSURANCE FILING		LIMITATIONS
	TIME FRAME	355.4	ANNUAL BENEFITS
	200 NEW PERSON	355.5	INSURANCE CLAIMS
	2 PATIENT	266.16	YEAR TO DATE
	366.03 PLAN	366.16	IB NDC NON COVERED BY PLAN
	355.1 TYPE OF PLAN	19625	DSIV ICB AUDIT
		9002313	BPS CLAIMS
		.02	DI 6 CLAMO
		9002313	BPS ASLEEP PAYERS
		.15	
		9002313	BPS INSURER DATA
		.78	
	355.6 INSURANCE RIDERS	355.32	PLAN COVERAGE
PLAN LIMITATION CATEGORY			LIMITATIONS
FILE 355.32	355.3 GROUP INSURANCE	+	
PLAN COVERAGE LIMITATIONS	PLAN		
FILE	200 NEW PERSON		
	355.31 PLAN LIMITATION		
	CATEGORY		
355.33	365.15 IIV STATUS TABLE	365	IIV RESPONSE
INSURANCE BUFFER FILE	4 INSTITUTION	365.1	IIV TRANSMISSION
	200 NEW PERSON		QUEUE
	2 PATIENT		
	355.12 SOURCE OF		
	INFORMATION		
	5 STATE 355.1 TYPE OF PLAN		
355.35	355.1 TYPE OF PLAN (#.03) MESSAGES subfile		
HMS EXTRACT FILE STATUS	(#.05) MESSAGES Subme		
FILE	MESSAGE ID(#.01) points to		
	MESSAGE(#3.9) file NUMBER(#.001)		
	field		
355.351	(#.03) MESSAGES subfile		
HMS RESULT FILE STATUS			
FILE	MESSAGE ID(#.01) points to		
	MESSAGE(#3.9) file NUMBER(#.001)		
355.4	field 355.3 GROUP INSURANCE		
ANNUAL BENEFITS FILE	PLAN		
	200 NEW PERSON		
355.5	355.3 GROUP INSURANCE		
NSURANCE CLAIMS YEAR TO	PLAN		
DATE FILE	200 NEW PERSON		
	2 PATIENT	<u> </u>	
355.6		355.31	PLAN LIMITATION
INSURANCE RIDERS FILE			CATEGORY
		355.7	PERSONAL POLICY
355.7 DEDSONAL DOLICY EILE	355.6 INSURANCE RIDERS		
PERSONAL POLICY FILE	2 PATIENT	255.01	SDONGOD
355.8 SPONSOR FILE	23BRANCE OF SERVICE2PATIENT	355.81	SPONSOR RELATIONSHIP
	2 FATIENT		

FILE#	POINTS TO		POINTED TO BY		
AND NAME					
355.81	2	PATIENT			
SPONSOR RELATIONSHIP FILE	355.8	SPONSOR			
355.82			355.8	SPONSOR	
SPONSOR PERSON FILE					
355.9	355.96	IB INS CO PROVIDER ID			
IB BILLING PRACTITIONER ID	- 255.02	CARE UNIT			
FILE	355.93	IB NON/OTHER VA BILLING PROVIDER			
	355.97	IB PROVIDER ID			
	36	INSURANCE COMPANY			
	200	NEW PERSON			
355.91	355.96	IB INS CO PROVIDER ID			
IB INSURANCE CO LEVEL		CARE UNIT			
BILLING PROV ID FILE	355.97	IB PROVIDER ID # TYPE			
	36	INSURANCE COMPANY			
355.92	355.97	IB PROVIDER ID # TYPE			
FACILITY BILLING ID FILE	355.95	IB PROVIDER ID CARE			
	36	UNIT INSURANCE COMPANY			
	40.8	MEDICAL CENTER			
	40.0	DIVISION			
355.93	355.97	IB PROVIDER ID # TYPE	355.9	IB BILLING	
IB NON/OTHER VA BILLING	200	NEW PERSON		PRACTITIONER ID	
PROVIDER FILE	8932.1	PERSON CLASS	399	BILL/CLAIMS	
	5	STATE			
355.95	36	INSURANCE COMPANY	355.92	FACILITY BILLING ID	
IB PROVIDER ID CARE UNIT FILE	40.8	MEDICAL CENTER DIVISION	355.96	IB INS CO PROVIDER ID CARE UNIT	
355.96	355.97	IB PROVIDER ID # TYPE	355.9	IB BILLING	
IB INS CO PROVIDER ID CARE	355.95	IB PROVIDER ID # TITE IB PROVIDER ID CARE	555.7	PRACTITIONER ID	
UNIT FILE	555.75	UNIT	355.91	IB INSURANCE CO	
	36	INSURANCE COMPANY		LEVEL BILLING PROV	
				ID	
355.97			36	INSURANCE COMPANY	
IB PROVIDER ID # TYPE FILE			355.9	IB BILLING	
			255.01	PRACTITIONER ID IB INSURANCE CO	
			355.91	LEVEL BILLING PROV	
				ID	
			355.92	FACILITY BILLING ID	
			355.93	IB NON/OTHER VA	
				BILLING PROVIDER	
			355.96	IB INS CO PROVIDER ID	
				CARE UNIT	
			399	BILL/CLAIMS	

FILE# AND NAME	POINTS	POINTS TO		POINTED TO BY		
356	399	BILL/CLAIMS	356.1	HOSPITAL REVIEW		
CLAIMS TRACKING FILE	356.85	CLAIMS TRACKING	356.2	INSURANCE REVIEW		
	- 256.0	BILLABLE FINDINGS	356.399	CLAIMS		
	356.8	CLAIMS TRACKING NON-BILLABLE	362.1	TRACKING/BILL IB AUTOMATED		
		REASONS	302.1	BILLING COMMENTS		
	356.6	CLAIMS TRACKING		DILLING COMMENT		
		TYPE				
	356.9	INPATIENT DIAGNOSIS				
	200	NEW PERSON				
	409.68	OUTPATIENT ENCOUNTER				
	2	PATIENT				
	405	PATIENT MOVEMENT				
	52	PRESCRIPTION				
	660	RECORD OF PROS				
		APPLIANCE/REPAIR				
	41.1	SCHEDULED				
	9000010	ADMISSION VISIT				
356.1	356	CLAIMS TRACKING	356.1	HOSPITAL REVIEW		
HOSPITAL REVIEW FILE	356.4	CLAIMS TRACKING	356.2	INSURANCE REVIEW		
		NON-ACUTE				
		CLASSIFICATIONS				
	356.11	CLAIMS TRACKING				
	356.3	REVIEW TYPE CLAIMS TRACKING SI/IS				
	550.5	CATEGORIES				
	45.7	FACILITY TREATING				
		SPECIALTY				
	356.1	HOSPITAL REVIEW				
256.11	200	NEW PERSON	256.1			
356.11 CLAIMS TRACKING REVIEW			356.1	HOSPITAL REVIEW INSURANCE REVIEW		
TYPE FILE			550.2	INSUKAINCE KEVIEW		
356.2	356	CLAIMS TRACKING	356.2	INSURANCE REVIEW		
INSURANCE REVIEW FILE	356.7	CLAIMS TRACKING				
		ACTION				
	356.21	CLAIMS TRACKING				
	356.11	DENIAL REASONS CLAIMS TRACKING				
	550.11	REVIEW TYPE				
	356.1	HOSPITAL REVIEW				
	80	ICD DIAGNOSIS				
	36	INSURANCE COMPANY				
	356.2	INSURANCE REVIEW				
	$\frac{200}{2}$	NEW PERSON PATIENT				
356.21	_	ISURANCE REVIEW				
CLAIMS TRACKING	550.2 II					
DENIAL REASONS						
DENIAL REASONS						

FILE#	POINTS	бто	POINTE	D TO BY
AND NAME				0
356.25	50	DRUG		
CLAIMS TRACKING ROI FILE	36	INSURANCE COMPANY		
	200	NEW PERSON		
	2	PATIENT		
356.3			356.1	HOSPITAL REVIEW
CLAIMS TRACKING SI/IS				
CATEGORIES FILE	200		_	
356.399	399	BILL/CLAIMS		
CLAIMS TRACKING/BILL FILE 356.5	356	CLAIMS TRACKING DRG		
CLAIMS TRACKING ALOS FILE	80.2	DKG		
356.6			356	CLAIMS TRACKING
CLAIMS TRACKING TYPE FILE			550	
356.7			356.2	INSURANCE REVIEW
CLAIMS TRACKING ACTION				
FILE				
356.8			356	CLAIMS TRACKING
CLAIMS TRACKING NON-			9002313	BPS CLAIMS
BILLABLE REASONS FILE			.02	
			9002313	BPS REQUESTS
254.0			.77	
356.9 INPATIENT DIAGNOSIS FILE	80 405	ICD DIAGNOSIS	356	CLAIMS TRACKING
	80.1	PATIENT MOVEMENT		
356.91 INPATIENT PROCEDURE FILE	80.1	ICD OPERATION / PROCEDURE		
IN ATENT I ROCEDURE TILL	405	PATIENT MOVEMENT		
356.93	80.2	DRG		
INPATIENT INTERIM DRG FILE	405	PATIENT MOVEMENT		
356.94	200	NEW PERSON		
INPATIENT PROVIDERS FILE	405	PATIENT MOVEMENT	•	
357			357.09	ENCOUNTER FORM
ENCOUNTER FORM FILE				PARAMETERS
			357.1	ENCOUNTER FORM
				BLOCK
			357.95	FORM DEFINITION
			359	CONVERTED FORMS
			359.3	AICS ERROR AND WARNING LOG
			409.95	PRINT MANAGER
			407.75	CLINIC SETUP
357.08 AICS PURGE LOG FILE				
357.09	357	ENCOUNTER FORM		
ENCOUNTER FORM	3.8	MAIL GROUP		
PARAMETERS FILE	357.99	PRINT MANAGER		
		CLINIC GROUPS		

FILE#	POINTS	ТО	POINTE	ED TO BY
AND NAME 357.1	359.1	AICS DATA ELEMENTS	357.2	SELECTION LIST
ENCOUNTER FORM BLOCK FILE	357.98	AICS DATA QUALIFIERS	357.5	DATA FIELD
	357	ENCOUNTER FORM	357.7	FORM LINE
	357.6	PACKAGE INTERFACE	357.8	TEXT AREA
			357.93	MULTIPLE CHOICE
				FIELD
			358.94	IMP/EXP HAND PRINT
			-250.04	FIELD
			359.94	HAND PRINT FIELD
357.2	357.98	AICS DATA QUALIFIERS	357.3	SELECTION
SELECTION LIST FILE	357.1	ENCOUNTER FORM	357.4	SELECTION GROUP
		BLOCK		
	357.91	MARKING AREA TYPE		
	357.6	PACKAGE INTERFACE		
357.3 SELECTION ELLE	757.01	EXPRESSIONS		
SELECTION FILE	357.4	SELECTION GROUP		
357.4	357.2 357.2	SELECTION LIST SELECTION LIST	357.3	SELECTION
SS7.4 SELECTION GROUP FILE	557.2	SELECTION LIST	357.5	SELECTION
357.5	357.1	ENCOUNTER FROM		
DATA FIELD FILE	00711	BLOCK		
	357.6	PACKAGE INTERFACE		
357.6	359.1	AICS DATA ELEMENTS	357.2	SELECTION LIST
PACKAGE INTERFACE FILE	142	HEALTH SUMMARY	357.5	DATA FIELD
		TYPE	357.6	PACKAGE INTERFACE
	357.6	PACKAGE INTERFACE	357.93	MULTIPLE CHOICE
			259.04	FIELD
			358.94	IMP/EXP HAND PRINT FIELD
			359.3	AICS ERROR AND
			557.5	WARNING LOG
			359.94	HAND PRINT FIELD
357.69	81	СРТ		
TYPE OF VISIT FILE				
357.7	357.1	ENCOUNTER FORM		
FORM LINE FILE	0.57.1	BLOCK		
357.8 TEXT AREA FILE	357.1	ENCOUNTER FORM BLOCK		
357.93	357.98	AICS DATA QUALIFIERS		
MULTIPLE CHOICE FIELD FILE	357.1	ENCOUNTER FORM		
	557.1	BLOCK		
	357.6	PACKAGE INTERFACE		
357.94	3.2	TERMINAL TYPE		
ENCOUNTER FORM PRINTERS				
FILE	050.1		255.0.5	
357.95	359.1	AICS DATA ELEMENTS	357.96	ENCOUNTER FORM
FORM DEFINITION FILE	357.98	AICS DATA QUALIFIERS		TRACKING
	357	ENCOUNTER FORM		
	<u>757.01</u> 44	EXPRESSIONS HOSPITAL LOCATION		
	357.6	PACKAGE INTERFACE		
	357.3	SELECTION	1	

FILE#	POINTS	то	POINTE	ED TO BY
AND NAME				
357.96	357.98	AICS DATA QUALIFIERS		
ENCOUNTER FORM TRACKING	357.95	FORM DEFINITION		
FILE	44	HOSPITAL LOCATION		
	200	NEW PERSON		
	357.6	PACKAGE INTERFACE		
357.98	2	PATIENT	357.6	PACKAGE INTERFACE
AICS DATA QUALIFIERS FILE			337.0	FACKAGE INTERFACE
357.99	44	HOSPITAL LOCATION		
PRINT MANAGER CLINIC	40.8	MEDICAL CENTER		
GROUPS FILE		DIVISION		
358			358.1	IMP/EXP ENCOUNTER
IMP/EXP ENCOUNTER FORM				FORM BLOCK
FILE	250		250.2	B (D/EVD (D) DOTICI
358.1	358	IMP/EXP ENCOUNTER	358.2	IMP/EXP SELECTION
IMP/EXP ENCOUNTER FORM BLOCK FILE		FORM	358.5	LIST IMP/EXP DATA FIELD
BLOCK FILE			358.5	IMP/EXP DATA FIELD IMP/EXP FORM LINE
			358.8	IMP/EXP FORM LINE IMP/EXP TEXT AREA
			358.93	IMP/EXP MULTIPLE
			550.75	CHOICE FIELD
358.2	358.98	IMP/EXP AICS DATA	358.3	IMP/EXP SELECTION
IMP/EXP SELECTION LIST FILE		QUALIFIERS	358.4	IMP/EXP SELECTION
	358.1	IMP/EXP ENCOUNTER		GROUP
		FORM BLOCK		
	358.91	IMP/EXP MARKING		
		AREA		
	358.6	IMP/EXP PACKAGE INTERFACE		
358.3	757.01	EXPRESSIONS		
IMP/EXP SELECTION FILE	358.4	IMP/EXP SELECTION		
	558.4	GROUP		
	358.2	IMP/EXP SELECTION		
		LIST		
358.4	358.2	IMP/EXP SELECTION	358.3	IMP/EXP SELECTION
IMP/EXP SELECTION GROUP		LIST		
FILE			-	
358.5	358.1	IMP/EXP ENCOUNTER		
IMP/EXP DATA FIELD FILE	250 6	FORM BLOCK IMP/EXP PACKAGE		
	358.6	IMP/EXP PACKAGE INTERFACE		
358.6	142	HEALTH SUMMARY	358.2	IMP/EXP SELECTION
IMP/EXP PACKAGE INTERFACE	172	TYPE	550.2	LIST
FILE	358.99	IMP/EXP AICS DATA	358.5	IMP/EXP DATA FIELD
		ELEMENTS	358.6	IMP/EXP PACKAGE
	358.6	IMP/EXP PACKAGE		INTERFACE
		INTERFACE	358.93	IMP/EXP MULTIPLE
				CHOICE FIELD
358.7	358.1	IMP/EXP ENCOUNTER		
IMP/EXP FORM LINE FILE	250.1	FORM BLOCK	+	
358.8	358.1	IMP/EXP ENCOUNTER FORM BLOCK		

File Flow Chart				
FILE# AND NAME	POINTS	то	POINTE	D TO BY
358.93	358.98	IMP/EXP AICS DATA		
IMP/EXP MULTIPLE CHOICE		QUALIFIERS	_	
FIELD FILE	358.1	IMP/EXP ENCOUNTER		
		FORM BLOCK	-	
	358.6	IMP/EXP PACKAGE		
358.94	359.1	INTERFACE AICS DATA ELEMENTS		
IMP/EXP HAND PRINT FIELD	359.1	ENOCUNTER FORM	-	
FILE	337.1	BLOCK		
	357.6	PACKAGE INTERFACE	-	
358.98			357.6	PACKAGE
IMP/EXP AICS DATA				INTERFACE
QUALIFIERS FILE			358.6	IMP/EXP PACKAGE
				INTERFACE
359 CONVERTED FORMS FILE	357	ENCOUNTER FORM		
359.1 AICS DATA ELEMENTS FILE			357.6	PACKAGE INTERFACE
			358.94	IMP/EXP HAND PRINT FIELD
			359.94	HAND PRINT FIELD
359.3	357	ENCOUNTER FORM		
AICS ERROR AND WARNING	200	NEW PERSON	.	
LOG FILE	357.6	PACKAGE INTERFACE	-	
359.94	2	PATIENT		
HAND PRINT FIELD FILE	<u>359.1</u> 357.1	AICS DATA ELEMENTS ENCOUNTER FORM	-	
HAND I KINI TIEED TIEE	337.1	BLOCK		
	357.6	PACKAGE INTERFACE	-	
361	399	BILL/CLAIMS		
BILL STATUS MESSAGE FILE	364.1	EDI TRANSMISSION	-	
		BATCH		
	364	EDI TRANSMIT BILL		
	200	NEW PERSON		
361.1	399	BILL/CLAIMS	-	
EXPLANATION OF BENEFITS	364.1	EDI TRANSMISSION		
FILE	364	BATCH EDI TRANSMIT BILL	-	
	364	INSURANCE COMPANY	-	
	200	NEW PERSON	-	
	399.2	REVENUE CODE	-	
361.3	200	NEW PERSON		
IB MESSAGE SCREEN TEXT FILE				
361.4	399	BILL/CLAIMS	.	
EDI TEST CLAIM STATUS	361.4	EDI TEST CLAIM	1	
MESSAGE FILE		STATUS MESSAGE	-	
	364.1	EDI TRANSMISSION	1	
	- 200	BATCH	-	
262.1	200	NEW PERSON		
362.1 IB AUTOMATED BILLING	<u>399</u> 356	BILL/CLAIMS CLAIMS TRACKING	-	
COMMENTS FILE	550	CLAINIS INACKING		
362.3	399	BILL/CLAIMS		
IB BILL/CLAIMS DIAGNOSIS	80	ICD DIAGNOSIS	-	
FILE			1	

FILE#	POINTS	бто	POINTE	D TO BY
AND NAME 362.4	399	BILL/CLAIMS		
IB BILL/CLAIMS PRESCRIPTION	50	DRUG	-	
REFILL FILE	52	PRESCRIPTION	-	
362.5	399	BILL/CLAIMS		
IB BILL/CLAIMS PROSTHETICS	660	RECORD OF PROS	-	
FILE		APPLIANCE / REPAIR		
363	363.1	CHARGE SET		
RATE SCHEDULE FILE	399.1	MCCR UTILITY	_	
	399.3	RATE TYPE		
363.1	363.3	BILLING RATE	350.9	IB SITE PARAMETER
CHARGE SET FILE	363.31	BILLING REGION	363.2	CHARGE ITEM
	399.1	MCCR UTILITY	-	
262.0	399.2	REVENUE CODE	_	
363.2 CHARGE ITEM FILE	<u>363.21</u> 363.1	BILLING ITEMS CHARGE SET	-	
CHARGE ITEM FILE	81	CHARGE SET CPT	-	
	81.3	CPT MODIFIER	-	
	80.2	DRG	-	
	399.1	MCCR UTILITY	-	
	399.2	REVENUE CODE	-	
363.21 BILLING ITEMS FILE			363.2	CHARGE ITEM
363.3 BILLING RATE FILE			363.1	CHARGE SET
363.31	4	INSTITUTION	363.1	CHARGE SET
BILLING REGION FILE	40.8	MEDICAL CENTER DIVISION		
363.32	363.3	BILLING RATE	363.33	BILLING REVENUE
BILLING SPECIAL GROUPS FILE	363.1	CHARGE SET	- 	CODE LINKS
			363.34	BILLING PROVIDER DISCOUNT
363.33	363.32	BILLING SPECIAL		
BILLING REVENUE CODE LINKS		GROUPS	_	
FILE	81	CPT	_	
	399.2	REVENUE CODE		
363.34 BILLING PROVIDER DISCOUNT	363.32	BILLING SPECIAL GROUPS		
FILE	8932.1	PERSON CLASS	-	
364	399	BILL/CLAIMS	361	BILL STATUS
EDI TRANSMIT BILL FILE	364.1	EDI TRANSMISSION	- 	MESSAGE
		BATCH	361.1	EXPLANATION OF BENEFITS
			364.2	EDI MESSAGES
364.1	364.2	EDI MESSAGES	361	BILL STATUS
EDI TRANSMISSION BATCH FILE	364.1	EDI TRANSMISSION		MESSAGE
		BATCH	361.1	EXPLANATION OF
	36	INSURANCE COMPANY	-	BENEFITS
	200	NEW PERSON	364	EDI TRANSMIT BILL
			364.1	EDI TRANSMISSION BATCH
			364.2	EDI MESSAGES

File Flow Chart				
FILE#	POINTS	POINTS TO		ED TO BY
AND NAME				
364.2 EDI MESSAGES FILE	364.1	EDI TRANSMISSION BATCH	364.1	EDI TRANSMISSION BATCH
	364	EDI TRANSMIT BILL	-	Diffeii
	364.3	IB MESSAGE ROUTER	-	
	200	NEW PERSON		
	2	PATIENT	_	
364.3 IB MESSAGE ROUTER FILE	3.8	MAIL GROUP	364.2	EDI MESSAGES
364.4	36	INSURANCE COMPANY		
IB EDI TRANSMISSION RULE FILE	200	NEW PERSON	-	
364.5 IB DATA ELEMENT DEFINITION FILE	1	FILE	364.7	IB FORM FIELD CONTENT
364.6	353	BILL FORM TYPE	364.6	IB FORM SKELETON
IB FORM SKELETON	364.6	IB FORM SKELETON	-	DEFINITION
DEFINITION FILE		DEFINITION	364.7	IB FORM FIELD CONTENT
364.7 IB FORM FIELD CONTENT FILE	364.5	IB DATA ELEMENT DEFINITION		
	364.6	IB FORM SKELETON DEFINITION		
	36	INSURANCE COMPANY		

FILE#	POINTS	ТО	POINTI	ED TO BY
AND NAME 365	80	ICD DIAGNOSIS	365.1	IIV TRANSMISSION
IIV RESPONSE FILE	365.1	IV TRANSMISSION	303.1	QUEUE
	505.1	QUEUE		QUEUE
	365.14	IIV TRANSMISSION		
		STATUS		
	355.33	INSURANCE BUFFER		
	2	PATIENT		
	365.12	PAYER		
	353.1	PLACE OF SERVICE		
	5	STATE		
	365.021	X12 271 CONTACT		
	-265.010	QUALIFIER		
	365.012	X12 271 COVERAGE		
	365.026	LEVEL X12 271 DATE		
	505.020	QUALIFIER		
	365.025	X12 271 DELIVERY		
	303.025	FREQUENCY CODE		
	365.011	X12 271 ELIGIBILITY /		
		BENEFIT		
	365.022	X12 271 ENTITY		
		IDENTIFIER CODE		
	365.018			
	365.017	X12 271 ERROR		
		CONDITION		
	365.023	X12 271		
		IDENTIFICATION		
	365.014	QUALIFIER X12 271 INSURANCE		
	505.014	TYPE		
	365.024	X12 271 PROVIDER		
	303.024	CODE		
	365.016	X12 271 QUANTITY		
		QUALIFIER		
	365.028	X12 271 REFERENCE		
		IDENTIFICATION		
	365.013	X12 271 SERVICE TYPE		
	365.015	X12 271 TIME PERIOD		
265 011		QUALIFIER	0.05	INDEGRONGE
365.011 X12 271 ELIGIBILITY/BENEFIT			365	IIV RESPONSE
FILE			2	PATIENT
365.012			365	IIV RESPONSE
X12 271 COVERAGE LEVEL FILE			$\frac{300}{2}$	PATIENT
365.013			365	IIV RESPONSE
K12 271 SERVICE TYPE FILE			2	PATIENT
365.014			365	IIV RESPONSE
K12 271 INSURANCE TYPE FILE			2	PATIENT
365.015			365	IIV RESPONSE
K12 271 TIME PERIOD			2	PATIENT
QUALIFIER FILE				
365.016			365	IIV RESPONSE
X12 271 QUANTITY QUALIFIER			2	PATIENT

	-			
FILE# AND NAME	POINTS	то	POINTE	CD TO BY
365.017 X12 271 ERROR CONDITION FILE			365	IIV RESPONSE
365.018 X12 271 ERROR ACTION FILE			365	IIV RESPONSE
365.021			365	IIV RESPONSE
X12 271 CONTACT QUALIFIER FILE			2	PATIENT
365.022			365	IIV RESPONSE
X12 271 ENTITY IDENTIFIER CODE FILE			2	PATIENT
365.023			365	IIV RESPONSE
X12 271 IDENTIFICATION QUALIFIER FILE			2	PATIENT
365.024 X12 271 PROVIDER CODE FILE			365	IIV RESPONSE
	<u> </u>		2	PATIENT
365.025 X12 271 DELIVERY FREQUENCY CODE FILE			$\frac{365}{2}$	IIV RESPONSE PATIENT
365.026			365	IIV RESPONSE
X12 271 DATE QUALIFIER FILE			2	PATIENT
365.028			365	IIV RESPONSE
X12 271 REFERENCE IDENTIFICATION FILE			2	PATIENT
365.1	365	IIV RESPONSE	365	IIV RESPONSE
IV TRANSMISSION QUEUE FILE	365.14	IIV TRANSMISSION		
	- 255.22	STATUS	_	
	355.33	INSURANCE BUFFER	-	
	2 365.12	PATIENT PAYER	-	
365.11	200	NEW PERSON		
IIV AUTO MATCH FILE	200			
365.12 PAYER FILE	200 365.13	NEW PERSON PAYER APPLICATION	36	INSURANCE COMPANY
			350.9	IB SITE PARAMETERS
			365	IIV RESPONSE
			365.1	IIV TRANSMISSION
				QUEUE
265.10			366.03	PLAN
365.13 PAYER APPLICATION FILE			365.12	PAYER
365.14			365	IIV RESPONSE
IIV TRANSMISSION STATUS FILE			365.1	IIV TRANSMISSION QUEUE
365.15 IIV STATUS TABLE FILE			355.33	INSURANCE BUFFER
366.01 NCPDP PROCESSOR FILE	366.11	NCPDP PROCESSOR APPLICATION	366.03	PLAN
2	200	NEW PERSON		
366.02	200	NEW PERSON		PLAN
PHARMACY BENEFITS MANAGER (PBM) FILE	366.12	PHARMACY BENEFITS		
WANAUER (FDWI) FILE	1	MANAGER (PBM) APPLICATION		

FILE#	POINTS	ТО	POINTE	CD TO BY
AND NAME 366.03	9002313	BPS NCPDP FORMATS	355.3	GROUP INSURANCE
PLAN FILE	.92			PLAN
	366.01	MCPDP PROCESSOR	-	1
	200	NEW PERSON	_	
	365.12	PAYER	_	
	366.02	PHARMACY BENEFITS		
		MANAGER (PBM)	-	
266.11	366.13	PLAN APPLICATION	000.01	NODDD DDOGEGGOD
366.11 NCPDP PROCESSOR APPLICATION FILE			366.01	NCPDP PROCESSOR
366.12			366.02	PHARMACY
PHARMACY BENEFITS				BENEFITS MANAGER
MANAGER (PBM) APPLICATION				(PBM)
FILE				
366.13 PLAN APPLICATION FILE			366.03	PLAN
366.14	399	BILL/CLAIMS		
IB NCPDP EVENT LOG FILE	9002313	BPS PHARMACIES	-	
	.56			
	356.8	CLAIMS TRACKING	-	
		NON-BILLABLE		
		REASONS	_	
	355.3	GROUP INSURANCE PLAN		
	40.8	MEDICAL CENTER DIVISION		
	200	NEW PERSON	_	
	2	PATIENT	_	
	52	PRESCRIPTION	_	
	399.3	RATE TYPE STATE	-	
366.15	5 350	INTEGRATED BILLING		
IB NCPDP PRESCRIPTION FILE	550	ACTION		
ID IVEI DI TRESCIAI HOIVTIEE	399.3	RATE TYPE	-	
366.16	9002313	BPS NCPDP REJECT		
IB NDC NON COVERED BY PLAN	.93	CODES		
FILE	355.3	GROUP INSURANCE	-	
		PLAN		
372	4	INSTITUTION	_	
PFSS SITE PARAMETERS FILE	3.8	MAIL GROUP	-	
272	200	NEW PERSON		
373 PFSS CHARGE CACHE FILE	<u>81</u> 44	CPT HOSPITAL LOCATION	-	
TISS CHARGE CACHETHE	80	ICD DIAGNOSIS	-	
	200	NEW PERSON	-	
	100	ORDER	-	
	2	PATIENT	-	
	375	PFSS ACCOUNT	-	
	440	VENDOR	-	

File Flow Chart				
FILE#	POINTS TO		POINTED TO BY	
AND NAME				
375	409.1	APPOINTMENT TYPE	52	PRESCRIPTION
PFSS ACCOUNT FILE	40.7	CLINIC STOP	75.1	RAD/NUC MED
	81	CPT		ORDERS
	772	HL7 MESSAGE TEXT	100	ORDER
	44	HOSPITAL LOCATION	130	SURGERY
	80	ICD DIAGNOSIS	350	INTEGRATED
	8.1	MAS ELIGIBILITY CODE		BILLING ACTION
	40.8	MEDICAL CENTER	373	PFSS CHARGE CACHE
		DIVISION	409.55	APPOINTMENT PFSS
	200	NEW PERSON		ACCOUNT
	2	PATIENT		REFERENCE
	75.1	RAD/NUC MED ORDERS	660	RECORD OF PROS
	130	SURGERY		APPLIANCE/REPAIR
	45.3	SURGICAL SPECIALTY	900001 0	VISIT
390	31	DISABILITY CONDITION		
ENROLLMENT RATED	2	PATIENT		
DISABILITY UPLOAD AUDIT FILE				
391	8.2	IDENTIFICATION	2	PATIENT
TYPE OF PATIENT FILE		FORMAT		
391.1	40.8	MEDICAL CENTER	2	PATIENT
AMIS SEGMENT FILE		DIVISION		
	200	NEW PERSON		
391.31	4	INSTITUTION		
HOME TELEHEALTH PATIENT	200	NEW PERSON		
FILE	2	PATIENT		
	123	REQUEST /		
		CONSULTATION		

FILE#	POINTS	POINTS TO		D TO BY
AND NAME 399 BILL/CLAIMS FILE	353.5	AMBULANCE CONDITION	351.5	TRICARE PHARMACY TRANSACTIONS
	353	INDICATORS BILL FORM TYPE	351.9	CLAIMSMANAGER BILLS
	399	BILL/CLAIMS	250	
	81	CPT	$\frac{356}{356.399}$	CLAIMS TRACKING CLAIMS
	81.3	CPT MODIFIER	396.399	TRACKING/BILL
	80.2	DRG	361	BILL STATUS
	44	HOSPITAL LOCATION	501	MESSAGE
	353.3	IB ATTACHMENT REPORT TYPE	361.1	EXPLANATION OF
	362.3	IB BILL/CLAIMS DIAGNOSIS	361.4	BENEFITS EDI TEST CLAIM
	350.8	IB ERROR		STATUS MESSAGE
	355.96	IB INS CO PROVIDER ID	362.1	IB AUTOMATED BILLING COMMENTS
	355.93	CARE UNIT IB NON/OTHER VA	362.3	IB BILL/CLAIMS DIAGNOSIS
	355.97	BILLING PROVIDER IB PROVIDER ID # TYPE	362.4	IB BILL/CLAIMS
	80	ICD DIAGNOSIS		PRESCRIPTION
	80.1	ICD OPERATION /	362.5	REFILL IB BILL/CLAIMS
		PROCEDURE	362.9	PROSTHETICS
	4	INSTITUTION	364	EDI TRANSMIT BILL
	36	INSURANCE COMPANY MCCR INCONSISTEND	399	BILL/CLAIMS
	399.4	DATA ELEMENT	900231	BPS REQUESTS
	399.1	MCCR UTILITY	3.77	DIGHLQCLOID
	40.8	MEDICAL CENTER	0.11	
		DIVISION		
	200	NEW PERSON		
	409.68	OUTPATIENT ENCOUNTER		
	2	PATIENT		
	8932.1	PERSON CLASS		
	353.1	PLACE OF SERVICE		
	45	PTF		
	399.3	RATE TYPE		
	399.2	REVENUE CODE		
	5	STATE		
	353.4	TRANSPORT REASON CODE		
200.1	353.2	TYPE OF SERVICE	10.1	CDD CLAIRY
399.1 ACCD LITH ITY EU E	350.1	IB ACTION TYPE	42.4	SPECIALTY DATE COLLEDIUS
ACCR UTILITY FILE	399.1	MCCR UTILITY	363	RATE SCHEDULE
			363.1	CHARGE SET
			363.2	CHARGE ITEM
			399	BILL/CLAIMS MCCR UTILITY
			399.1	
			$\frac{399.5}{487.81}$	BILLING RATES ODS DOD RATES
			$\frac{487.81}{11500.6}$	ODS DOD RATES ODS BILLING
			11900.0	SPECIALTY

File Flow Chart						
FILE# AND NAME	POINTS TO	POINTED TO BY				
399.2 REVENUE CODE FILE		36 INSURANCE COMPANY				
		350.9 IB SITE PARAMETERS				
		363.1 CHARGE SET				
		363.2 CHARGE ITEM				
		363.33 BILLING REVENUE CODE LINKS				
		399.5 BILLING RATES				
399.3	430.2 ACCOUNTS	363 RATE SCHEDULE				
RATE TYPE FILE	RECEIVABLE	366.15 IB NCPDP				
	CATEGORY	PRESCRIPTION				
	430.6 AR DEBT LIST	399 BILL/CLAIMS				
		900231 BPS REQUESTS 3.77				
399.5	399.1 MCCR UTILITY					
BILLING RATES FILE	399.2 REVENUE CODE	—				

Exported Options

Menu Diagram

The Diagram Menu Options feature of the Kernel package may be used to generate printouts of full menus provided by IB.

Options without Parents	
OPTIONS	DESCRIPTION
IBCNF EII GET SERVER	This is a new server type option (not used by any user) that runs the GAITCMSG^IBCNFRD routine. It is a member of IBN, IBX, IBK and IBH mail groups that receive the AITC DMI Queue confirmation messages for the four types of the Extract files. IBN mail group in addition will receive the Result file messages as well.
Background Vet. Patients with Discharges and Ins [IB BACKGRND VET DISCHS W/INS] Background Vet. Patients with Admissions and Ins [IB BACKGRND VETS INPT W/INS] Background Vet. Patients with Opt. Visits and Ins [IB BACKGRND VETS OPT W/INS]	These report options may be queued to run regularly at the discretion of the facility.
Clear Integrated Billing Filer Parameters [IB FILER CLEAR PARAMETERS]	This option clears the IB site parameters which control the IB Background Filer. It is set up as a Start Up job which is executed when the CPU is rebooted.
Queue Means Test/Category C Compilation of Charges [IB MT NIGHT COMP]	This option executes jobs for Claims Tracking, the Auto Biller, and Means Test billing. It should be queued to run each evening after the G&L
Output IB Menu [IB OUTPUT MENU]	recalculation has been completed. This menu option is designed to be assigned to users outside of IB.
Return Messages Server [IBCE MESSAGES SERVER]	This option controls the reading and storing of return messages generated as a result of the processing of Integrated Billing electronic transmissions with the Austin translator.
View Insurance Management Menu [IBCN VIEW INSURANCE DATA]	This menu contains view options to patient insurance and insurance company information. It was designed to be assigned to users outside of IB.
Auto-Build Average Bill Amounts [IBT MONTHLY AUTO GEN AVE BILL]	This option should be scheduled to run automatically once a month. No device is necessary. It will build and store the number of inpatient and outpatient bills authorized and the total dollar amounts of the bills. A mail message is generated when the job has successfully completed.

Options without Parents	
OPTIONS	DESCRIPTION
Auto-Generate Unbilled Amounts Report	This option should be scheduled to run
[IBT MONTHLY AUTO GEN UNBILLED]	automatically once a month on or about the first of
	the month. No device is necessary. It will build
	and store the unbilled amounts data and send a mail
	message with the necessary results. The new site
	parameter, AUTO PRINT UNBILLED LIST, will
	allow for sites to pre-determine if a detailed listing
	should be printed each month.

Exported Options	
Option	Description
IB ACTIVATE REVENUE CODES	This option allows the user to activate the revenue codes which that site has chosen to use for its third party billing.
IB AUTHORIZE BILL GENERATION	This option allows the user to perform final review of information contained in a billing record. The user is then able to authorize the generation of the bill and the release of the information to Fiscal.
IB AUTO BILLER PARAMS	Enter and edit the parameters controlling Automated Billing.
IB BACKGRND VET DISCHS W/INS	This option may be set to be queued once per week to run and generate a list of Veterans with Insurance and Discharges.
IB BACKGRND VETS INPT W/INS	This option may be set to be queued once per week to run and generate a list of Veterans with Insurance and Admissions.
IB BACKGRND VETS OPT W/INS	This option may be set to be queued once per week to run and generate a list of Veterans with Insurance and Outpatient Visits.
IB BATCH PRINT BILLS	Queues all authorized bills that have not been flagged for transmission to print in user specified order.
IB BILL STATUS REPORT	This option generates a summary (count and amount) of bill rate types and statuses.
IB BILLING CLERK MENU	This menu contains the basic Medical Care Cost Recovery Billing Module options. Through this option, a user may inquire to billing records, generate a limited number of reports, and with the proper security keys, may also establish and review billing records.
IB BILLING RATES FILE	This option allows enter/edit of Billing Rates that will be used in the automatic calculation of costs when preparing a third party bill.
IB BILLING SUPERVISOR MENU	This menu contains all of the Medical Care Cost Recovery Billing Module options. Through this option, a user may accomplish every phase of the billing process and access all billing reports.
IB BILLING TOTALS REPORT	This report is sorted by rate type and prints all billing totals for each rate type.

Exported Options	
Option	Description
IB CANCEL BILL	This option allows the user to cancel a bill. A mandatory comment field exists to document the reason for cancellation, and a log is maintained to audit responsible user and date/time bill is cancelled. A bulletin is sent to the billing supervisor each time a bill is cancelled.
IB CANCEL/EDIT/ADD CHARGES	This option will allow the user to directly cancel, edit, or add to patient charges.
IB CIDC INSURANCE SWITCH	This option allows editing of the CIDC Insurance Switch. This switch should be changed with great caution as it can effect multiple packages and users.
IB CLEAN AUTO BILLER LIST	Deletes all entries from the auto biller results list before a certain date.
IB COPY AND CANCEL	This option will allow cancelling a bill and then will create an exact duplicate bill except its status will be ENTERED/NOT REVIEWED.
IB COPY SECOND/THIRD	This option is used to create Secondary and Tertiary bills. The Primary bill is copied to create the bill to the Secondary payer. The Secondary bill is copied to create the bill to the Tertiary payer. The bill being copied is not cancelled.
IB CORRECT REJECTED/DENIED	This option will allow correcting a rejected or denied bill which has not had any payments posted to it.
IB DRUGS NON COVERED REPORT	This option will print non covered drugs, plans and dates.
IB ECME BILLING EVENTS	This option prints the ECME Billing Events Report.
IB EDIT BILLING INFO	This option allows the user to enter the information required to generate a third party bill and to edit existing billing information.
IB EDIT E&M CODE QUANTITY FLAG	Runs the input template IB EDIT E&M QUANTITY to set the value for the E&M CODE QUANTITY FLAG. (Field .06 of file 357.69)
IB EDIT RETURNED BILL	This option will allow users to edit a bill that has been returned from AR to MCCR and return it back to A/R
IB EDIT SITE PARAMETERS	This option allows entering and editing of Integrated Billing Site Parameter file. Modifying the site parameters can affect the performance of Integrated Billing's background filer.
IB FILER CLEAR PARAMETERS	This option will clear the IB site parameters to allow the IB filer to start on its own whenever it needs to. It will not edit the field, FILE IN BACKGROUND. It will only let the filer start when called if this field is set to yes. This option will be called as a start up job when the CPU is rebooted. It will clear the two IB parameters that prevent the IB filer from restarting if the CPU crashed while the filer was running.
IB FILER START	This option will task the IB background filer to run whether or not a filer is currently running. This option can be used when a filer job has terminated unexpectedly and won't restart itself. This will force a filer to start running.
IB FILER STOP	This option will cause the IB background filer to cease when it has finished processing all its known transactions. Processing with Accounts Receivable will then be accomplished in the foreground.

Exported Options	
Option	Description
IB FLAG CONTINUOUS PATIENTS	This option can be used to add or edit entries in the file of patient continuously hospitalized since 1986. These patients are exempt from the co-payment portion of the means test but may still be charged the per diem. The automated category C billing software will exempt these patients from the co-payments. In order to be considered continuously hospitalized the patient must not have changed levels of care, i.e., gone from a NHCU to the hospital.
IB GENERATE ECME RX BILLS	This option is for Back-Billing purposes. It allows to resend a single or multiple prescriptions through ECME for electronic billing.
IB GMT MONTHLY TOTALS	
IB GMT SINGLE PATIENT REPORT	The option calls the GMT Single Patient Report.
IB INPATIENT VET REPORT	This option prints a list of all patients with non-service connected disabilities who have insurance and who had inpatient admissions during a user-specified date range. Eligibility status is provided for each patient on list.
IB LIST ALL BILLS FOR PAT.	This option will print a list of all bills for one patient.
IB LIST BILLS FOR EPISODE	This option will list all bills related to an episode of care
IB LIST OF BILLING RATES	This option will print a list of Billing Rates by Effective date.
IB MANAGER MENU	This is the master IB menu that will contain all the IB options.
IB MEANS TEST MENU	This menu contains the options to manage the automated charges that are generated for Category C veterans.
IB MRA BACKBILLING REPORT	This option is to be used to produce a report and/or send data on the potential recoveries of old claims to carriers that have consistently refused to reimburse the VA for Medicare supplemental policies.
IB MRA EDIT INS CO LIST	Use this option to create a list of Insurance Companies that are primarily Medicare supplemental carriers and they have consistently denied payments to the VA due to the VA's inability to produce an EOB from Medicare showing the Medicare allowable charges and the patients responsibility for the claim, for example, USAA.
IB MRA EXTRACT	This option is used to queue the MRA extract.
IB MT BILLABLE STOPS	This option will print the billable types (stop codes) for co-pay visits. You have the option to deliver the report to yourself in mailman or print the report to a printer or on your screen.
IB MT BILLING REPORT	This report is used to list all Means Test and LTC charges within a user-specified date range.
IB MT CLOCK INQUIRY	Allows inquiry to the Means Test co-pay patient's number of inpatient days and amounts billed.
IB MT CLOCK MAINTENANCE	This option will allow adding or editing of Patient Billing Clocks.

Exported Options	
Option	Description
IB MT DISP SPECIAL CASES	This option is used to enter the reason for not billing special inpatient billing cases.
IB MT ESTIMATOR	This report is used to estimate the Means Test charges for an episode of Hospital or Nursing Home Care, given a proposed length of stay. The report may also be used to determine the remaining charges that will be billed to a current inpatient.
IB MT FLAG OPT PARAMS	This option is used to flag stop codes, dispositions, and clinics which the site has determined to be exempt from the Means Test outpatient co-payment charge. These parameters are all flagged by date and may be inactivated and re-activated.
IB MT LIST FLAGGED PARAMS	This output is used to generate a list of all stop codes, dispositions, and clinics which are inactive as of a user-specified date.
IB MT LIST HELD (RATE) CHARGES	This option is used to generate a list of all Means Test outpatient co-payment charges which have been placed on hold in Integrated Billing because the outpatient co-pay rate is over one year old.
IB MT LIST SPECIAL CASES	This option is used to list all special inpatient billing cases. After a case has been disposed, the output will include either the reason for non-billing, or all of the charges which have been billed for the admission.
IB MT LTC REMOTE QUERY	This option will allow you to perform a remote query on a patient for both MT and LTC billing information.
IB MT NIGHT COMP	This job creates Means Test bills for all current inpatients through the previous day. The job should be queued to run each evening after the G&L Recalculation has been completed.
IB MT ON HOLD FIX	This option should be assigned to the person responsible for insuring IB Actions are processed correctly. This option should be deleted once the clean-up process is complete. Select this option to perform one of three actions:
	1. List all INTEGRATED BILLING ACTIONS with a status of INCOMPLETE.
	2. List all INTEGRATED BILLING ACTIONS with a status of COMPLETE/ PENDING AR.
	3. Repost INTEGRATED BILLING ACTIONS with a status of COMPLETE/ PENDING AR and pass these charges to AR. Please note that when selecting item #3, the software will attempt to process the IB actions with a status of COMPLETE. Some of these IB Actions will be placed ON HOLD with the ON HOLD DATE set to TODAY, while other IB Actions will be passed to AR and patients will be billed IMMEDIATELY.
IB MT ON HOLD MENU	This menu is used to group all options which are used to manage Integrated Billing actions which are placed on hold because the patient has insurance coverage or because the outpatient co-pay rate is over one year old.
IB MT PASS CONV CHARGES	This option sends converted charges to accounts receivable. User can use Patient name or a Cutoff date as selection criteria.
IB MT PROFILE	The Means Test Billing Profile may be used to list, for a single patient, all Means Test charges which fall within a user-specified date range.

Exported Options	
Option	Description
IB MT REL HELD (RATE) CHARGES	This option is used to release charges which have been placed on hold in Integrated Billing because the outpatient co-pay rate is over one year old. If the new (less than one year old) rate has been entered into the Billing table, the option will prompt the user to task off a job which will automatically update the dollar amount and bill all such charges. The user will receive a bulletin when the tasked job has completed.
IB MT RELEASE CHARGES	This option is used to release Means Test charges which are 'on hold' awaiting claim disposition from the patient's insurance company. Any held up charges for a patient (which is specified by the user) may be selected and passed to Accounts Receivable. This option will also be accessed from the 'Enter a Payment' option in the Accounts Receivable package. If the user posts a payment from an insurance company for a bill which has any 'held' charges associated with it, the user may opt to select any of the charges to pass to Accounts Receivable in order to post a portion of the insurance company's payment to the patient's bill.
IB MT REV PEND CHARGES	This new option is introduced with IVM v2.0 to support the IVM process. When an IVM-verified Means Test is transmitted from the IVM Center to the field facility, Means Tests charges will be created, if necessary, for patients whose MT status has changed from NO to YES. These charges are not passed to Accounts Receivable, but held in Billing in a new 'hold' (HOLD - REVIEW) status to await a manual review. This option is used to review all charges which are pending a review before being billed to the patient. Once reviewed, the charge may either be cancelled or passed to AR. If the charge is passed, billing information is passed to the IVM package to initiate the transmission of billing information back to the IVM Center.
IB OUTPATIENT VET REPORT	This option prints a list of all patients with non-service connected disabilities who have insurance and who had outpatient visits during a user-specified date range. Eligibility status is provided for each patient on list.
IB OUTPT VISIT DATE INQUIRY	This option displays a billing record which covers a specified outpatient visit. The user may select any patient with billed outpatient visits, and then the visit date in question. The option displays the same information as found in the Patient Billing Inquiry.
IB OUTPUT AUTO BILLER	Prints the list of bills and comments resulting from the Automated Biller.
IB OUTPUT CLK PROD	Lists number and type of bills entered by selected clerks, over a date range.
IB OUTPUT CNT/AMT RPT	This option produces the Count and Dollar Amount of Charges On Hold Report. The report provides a subtotal and sub-count, by action type, of each patient charge with the status of ON HOLD. These charges have not been passed to Accounts Receivable. Accounting is responsible for supplying these figures to FMS on a monthly basis.
IB OUTPUT CONTINUOUS PATIENTS	This option is a list of current inpatients continuously hospitalized at the same level of care since 1986.
IB OUTPUT DAYS ON HOLD	This option produces the Days On Hold Report. The report lists all Integrated Billing charges that have been in the ON HOLD status for an extended period of time. Use the default to list charges that have been on hold for longer than 60 days.
IB OUTPUT EMPLOYER REPORT	For patients without active insurance, this report will list the patients and/or the spouse's employer.

Option	Description
IB OUTPUT EVENTS REPORT	Report of clinic check-ins, stop codes, registrations, and charges for Category C patients.
IB OUTPUT FULL INQ BY BILL NO	This option will display information about a bill. The bill may either be a third party bill, a pharmacy co-pay bill, or a means test charge. If a full inquiry is selected for non-third party bills, then additional information about the care or services is displayed when available.
IB OUTPUT HELD CHARGES	This option produces the Held Charges Report. The report lists all charges having the status of ON HOLD. With each charge is listed bills that are for the same outpatient visit or the same inpatient admission with an overlap in the period covered. Users have the option of printing the report with or without Insurance information.
IB OUTPUT HELD CHARGES/PT	This option lists all IB Actions for a patient that is currently on hold or was on hold for a user specified date range. The report lists IB Action ID, Rate Type, Bill #, AR status, IB Status and information related to corresponding Third Party Claims. Note: Only those charges placed on hold since the installation of patch IB*2*70 will appear on this report.
IB OUTPUT HISTORY OF HELD CHGS	This option provides a count and dollar total of charges that have been on hold for a date range. The report sorts charges by their current status. Sites will be able to keep track of how many charges were cancelled, released (billed), or remain on hold. This report only counts charges with an ON HOLD DATE defined.
IB OUTPUT IB INQ	This option will display a captioned inquiry of one IB Action.
IB OUTPUT INPTS WITHOUT INS	This option will produce a list of either current inpatients or admissions for a date range where the patient has either unknown insurance or the insurance is expired.
IB OUTPUT INQ BY PATIENT	This inquiry will provide a brief display of IB actions for select patients for a selected date range.
IB OUTPUT IVM BILLING ACTIVITY	This option is used to generate a list of bills which have been generated against insurance policies which were identified by the IVM Center. The user has the option of electronically transmitting the report to the IVM Center when the option is executed in the Production account.
IB OUTPUT LIST ACTIONS	This option will print the IB actions by a user selected date range. The user may also select an additional field to sort by, such as status.
IB OUTPUT MANAGEMENT REPORTS	This menu contains reports that provide statistics or lists of bills that can be used in managing the Billing program.
IB OUTPUT MENU	This menu contains Inquiry and report options for Integrated Billing
IB OUTPUT MOST COMMON OPT CPT	This option will list the most common Ambulatory Procedures and Ambulatory Surgeries performed in a date range for a given set of clinics. This can be used to help build the CPT Check-off Sheets.
IB OUTPUT OPTS WITHOUT INS	This report will produce a list of patients for clinic appointments that have unknown or expired insurance.

Exported Options	
Option	Description
IB OUTPUT PATIENT REPORT MENU	This menu contains the Billing reports that deal with one or a group of patients. This includes all billing lists of patients and billing inquiries.
IB OUTPUT PRE-REG SOURCE REPT	This report will show patients which had insurance entered within a selected date range with a source of information equal to the user selected criteria. The report will show a list of patients, total bills created during date range, and total payments received during date range. This option was formerly known as the Pre-Registration Source Report.
IB OUTPUT RANK CARRIERS	This option is used to generate a listing of insurance carriers ranked by the total amount billed. The user may specify a date range from which bills should be selected, as well as the number of carriers to be ranked. This output must be transmitted to the MCCR Program Office after the beginning of the fiscal year. The selected date range should be the entire fiscal year (i.e., 10/1/92 through 9/30/93) and 30 carriers should be ranked. You should first run the report without transmitting in order to first review the results. When the report is being run in the Production account, the user will always have the opportunity to transmit the report centrally. The central mail group is G.MCCR DATA@FORUM.VA.GOV, which is stored as a parameter in field #4.05 in the IB SITE PARAMETERS (#350.9) file.
IB OUTPUT RELEASED CHARGES RPT	This report lists all charges identified as once being ON HOLD or on HOLD- REVIEW status that currently have a status of BILLED and the DATE LAST UPDATED falls within the date range the user specifies.
IB OUTPUT STATISTICAL REPORT	This report lists the total number of Integrated Billing actions by Action type along with the total charge by type for a date range. The net totals are also printed. The net totals are derived by looking at the last update for a parent even though the update may not be within the date range. The net total within a date range can be derived by the formula "new-update-cancel" for any associated action types.
IB OUTPUT TREND REPORT	This option allows the user to analyze payment trends among insurance companies. In addition, it may be used to track receivables which are due the Medical Center. Many different criteria may be specified to limit the selection of bills, such as Rate Type, Impatient/Outpatient, Treatment Dates, Bill Printed Dates, and Insurance Company. Any additional field may also be selected and analyzed depending upon its content.
IB OUTPUT VERIFY RX LINKS	This option will compare the soft-link stored in Integrated Billing with the pointer in the prescription file pointing back to Integrated Billing. A report will print out of all IB Actions that do not verify.
IB OUTPUT VETS BY DISCH	List of Veteran discharges by division that is billable.
IB PATIENT BILLING INQUIRY	This option displays all the actions which have been performed on a specified billing record. The user may select by patient name or bill number a particular record, and is shown bill status, total charges, statement covers period, and all previous actions of that billing record.
IB PRINT BILL	This option allows the user to print a third party bill after all required information has been input, and after the billing information has been reviewed and authorized. A reimbursable insurance bill that has been flagged for transmission cannot be printed before it has been transmitted at least once.

Exported Options	
Option	Description
IB PRINT BILL ADDENDUM	Prints the Addendum sheets that may accompany CMS-1500 Rx Refill or Prosthetics bills. The addendum contains information that could not fit on the bill form.
IB PURGE BILLING DATA	This option may be used to purge data from the following files: #350 INTEGRATED BILLING ACTION #351 CATEGORY C BILLING CLOCK #399 BILL/CLAIMS Entries from these files must be archived before they may be purged.
IB PURGE DELETE TEMPLATE ENTRY	This option may be used to prevent a record from being purged from the database. The user will be prompted for an established Search Template based on one of the following three files: 350 INTEGRATED BILLING ACTION 351 CATEGORY C BILLING CLOCK 399 BILL/CLAIMS The records stored in this template will be listed, and the user may select a record to be deleted from the template.
IB PURGE LIST LOG ENTRIES	This option may be used to list all of the log entries in the IB ARCHIVE/PURGE LOG file, #350.6. All entries in the file are listed, in the order that they were added to the file.
IB PURGE LIST TEMPLATE ENTRIES	This option may be used to list all entries in a Search Template which are scheduled to be archived and purged.
IB PURGE LOG INQUIRY	This option may be used to provide a full inquiry of any entry in the IB ARCHIVE/PURGE LOG, file #350.6.
IB PURGE MENU	This menu contains all the Integrated billing purge options
IB PURGE/ARCHIVE BILLING DATA	This option may be used to archive data from the following files: #350 INTEGRATED BILLING ACTION #351 CATEGORY C BILLING CLOCK #399 BILL/CLAIMS Entries from these files must be found, and placed in the appropriate Search (Sort) template, before they may be archived.
IB PURGE/BASC TRANSFER CLEANUP	Delete all CPT entries in the temporary file that have been transferred to the permanent billing file.
IB PURGE/FIND BILLING DATA	This option may be used to identify records to be archived and purged from the following files: #350 INTEGRATED BILLING ACTION #351 CATEGORY C BILLING CLOCK #399 BILL/CLAIMS Entries which are selected to be archived and then purged are placed into a Search (Sort) template.
IB REPOST	Option allows passing of IB action entries that did not successfully pass to AR to be reposted to the IB filer.
IB RETURN BILL	This option will allow users to return a bill from MCCR to AR if it had previously been returned to MCCR from AR.
IB RETURN BILL LIST	This option will generate a list of bills returned by Accounts Receivable to MCCR. The output should be directed to a printer as this report may take a few minutes to print.
IB RETURN BILL MENU	Menu to access options related to editing bills returned by A/R to MCCR and returning them to A/R.

Option	Description
IB REV CODE TOTALS	Print totals of Revenue Code amounts by Rate Type. To collect data for AMIS Segments 295 and 296
IB RX ADD THRESHOLDS	This option is used to add the Income Thresholds used in the Medication Co- payment Income Exemption.
IB RX EDIT LETTER	This option will allow editing of the header, or station name and address, and the main body of a letter. The letter IB NOW EXEMPT is the letter that was written to be sent to patients who become exempt during the conversion to inform them that they no longer need to send in a co-payment with their Rx refill requests. The first six lines of the header field will be centered at the top of each letter. Do not center these lines. The patient address will print beginning on line 17. The main body will print after the patient address section. Do not include functions in either word processing field as VA FileMan utilities are not used at this time to output the letters.
IB RX EXEMPTION MENU	This is the primary menu in IB for the options to manage and print reports on the Medication Co-payment Income Exclusion functionality.
IB RX HARDSHIP	This option can be used to give a hardship waiver from the Medication Co- payment. If a hardship is granted it will be good for one year from the date of the hardship. This option can also be used to update a single patient's exemption to the correct status as computed from his patient record, if the current exemption does not match what is computed.
IB RX INQUIRE	This option will allow a brief inquiry to active exemptions or a full inquiry to the history of all exemptions for a patient.
IB RX PRINT EX LETERS	This option will print the form letter IB NOW EXEMPT for all currently exempt patients. The following patients will not be included: Deceased Patients Non- Veterans Patients who are rated SC greater than 50% The user will be allowed to sort by Exemption Status Date, and by Patient name. Optionally, the user can store the results of the search in a template named IB EXEMPTION LIST for local printing purposes.
IB RX PRINT PAT. EXEMP.	This option can print a list of patients by exemption status or exemption reason. This will enable a facility to print a list of patients who are either exempt or non- exempt. Optionally the report can print only sub totals without printing the detailed patient listing.
IB RX PRINT RETRO CHARGES	This report will print a list of patients and Medication Co-payment charges that have been canceled due to the income exclusion. Initially this report will print a lis of charges canceled during the installation/ conversion process. The software may cancel other charges after installation and this report can be used to list those charges.
IB RX PRINT THRESHOLDS	This option will print a listing of the Income Thresholds used in the Medication Co-payment Income Exemption process. The output is sorted by type of Threshold and Effective Date.

Option	Description
IB RX PRINT VERIFY EXEMP	This option can be used to search through the BILLING EXEMPTIONS file and compare the currently stored active exemption for each patient against what it calculates to be the correct exemption status for the patient based on current data in the MAS files. This report can be run to just print a list of discrepancies or it can be run to automatically update each incorrect exemption status. Initially the report should be run without updating the exemptions. The option Manually Change Copay Exemptions (Hardship) can be used to update exemptions to the correct status one patient at a time if desired.
IB RX REPRINT REMINDER	This option is used to generate an Income Test reminder letter for a veteran who effective co-pay exemption is based upon income. When the letter is generated, the field REMINDER LETTER DATE (#.16) in the BILLING EXEMPTIONS (#354.1) file will be updated, for the exemption record which is the basis for sending the reminder letter, with the current date.
IB SC DETERMINATION CHANGE RPT	This option creates a report to display patients that have a Service Connected determination change for co-pays being reset.
IB SITE DEVICE SETUP	This option allows associating devices as the default answer when printing forms. This is used to enter the default device for AR for follow-up activity.
IB SITE MGR MENU	 This menu contains the options for the System Manager to check on the status of Integrated Billing, edit site parameters, and manage the background filer. (System Manager's Integrated Billing Menu) - (Modified) - This option is modified to include the IBCNF EDIT CONFIGURATION option.
IB SITE STATUS DISPLAY	This option displays information from the IB site parameter file and pertinent information about the status of the IB background filer.
IB SYSTEM DEFINITION MENU	This option allows the user to set up the MCCR parameters necessary for third party billing.
IB THIRD PARTY BILLING MENU	This menu contains the options necessary to create, edit, review, authorize, print, and cancel third party bills.
IB THIRD PARTY OUTPUT MENU	This option allows the user to generate any of the Third Party Outputs.
IB TP FLAG OPT PARAMS	This option is used to flag stop codes and clinics as either non-billable for Third Party billing or to be ignored by the Third Party auto biller. These parameters are all flagged by date and may be inactivated and re-activated.
IB TP LIST FLAGGED PARAMS	This output is used to generate a list of all stop codes and clinics that are flagged as non-billable for Third Party billing or that should not be auto billed by the Third Party auto biller on a user-specified date.
IB TRICARE DEL REJECT	This option is used to delete entries from the TRICARE PHARMACY REJECTS (#351.52) file. Entries to be deleted are usually transmitted in error originally and are not going to be re-submitted.

Exported Options	
Option	Description
IB TRICARE ENGINE START	This option is used to start the TRICARE Pharmacy billing engine. The option will cause four queued tasks to be run - two primary This option is used to start the TRICARE Pharmacy billing engine tasks (one used to submit claims for prescriptions to the TRICARE fiscal intermediary, and one to accept AWP updates) and two secondary tasks as backups to the primary tasks. If either primary task fails, the secondary task will become the primary task and spawn another secondary task.
IB TRICARE ENGINE STOP	This option is used to gracefully terminate the TRICARE Pharmacy billing engines. Use of this option will cause all four queued tasks to shutdown.
IB TRICARE MENU	This menu contains options and reports related to the billing of prescriptions and medical care provided to TRICARE patients.
IB TRICARE REJECT	This output provides a list of all billing transmissions which were rejected by the TRICARE fiscal intermediary.
IB TRICARE RESUBMIT	This option is used to submit a claim for a TRICARE prescription which was not previously billed.
IB TRICARE REVERSE	This option is used to cancel a claim and co-payment for a TRICARE prescription which was billed in error.
IB TRICARE TRANSMISSION	This output provides a list, by prescription fill date, of all billing transmissions sent to the TRICARE fiscal intermediary.
IBAEC LTC BILLING MENU	This menu holds all the LTC menu options.
IBAEC LTC BILLING PROFILE	Prints "LTC Single Patient Billing Profile" report.
IBAEC LTC CLOCK EDIT	This option allows users to edit the LTC co-pay billing clock. You can change the start date of the clock and edit the free days.
IBAEC LTC CLOCK INQUIRY	This option prints "LTC Billing Clock Inquiry" report, containing detailed information about selected LTC Billing Clock.
IBARXM CAP TRANS PUSH	This option will allow the user to try to "push" outpatient medication co-payment cap transactions to the other treating facilities for the patient. This is used to try to resolve problems with transmissions. The problems are usually identified by mail messages sent to the IB RX CO-PAY CAP ERROR mail group. To resolve these error messages first IRM should verify that the HL7 logical links are working correctly. Then with this option the user can select individual transactions to attempt to send or All un-transmitted transactions.
IBARXM CO-PAY QUERY	This option will produce a report that will show what medication co-payments a patient has been billed for and not billed for. This option will allow you to query remote facilities to get all the information and verify its accuracy. If there is a discrepancy, the amounts will be updated as well.
IBARXM FACILITY CAP SUMM RPT	This option will generate the Facility Pharmacy Co-Pay Cap Summary Report. The purpose of this report is to delineate six data elements required by the VHA Chief Business Office on a yearly basis.

Exported Options	
Option	Description
IBARXM NONBILLABLE CO-PAY	This report will show what medication co-payments were not billable as a result of the medication co-payment cap for the specified month/year.
IBARXM PATIENT CAP REPORT	This option will produce a list of patients that have either met or are above their cap for the date specified. You may specify either a month/year or just a year.
IBAT EXCEL REPORT	This report will allow the user to select which fields they want printed in an excel format. It uses a pike () as the excel delimiter.
IBAT INPT PROSTHETIC ITEMS	This option will allow entering/editing/deleting of items that should be billed for inpatient prosthetics. Items in here will be automatically billed by the nightly background job for inpatients. No other inpatient issued items will be automatically billed.
IBAT PATIENT LIST	This report will generate lists of transfer pricing patients by facility or VISN.
	1. The data available on the report will include patient name, date of birth, primary eligibility, SSN, and VISN.
	2. The report will be able to be sorted by patient, treating facility, or by VISN.
IBAT PATIENT REPORT	This report will create a detailed listing of a transfer pricing statement by patient. This report will also aid in determining whether or not a billable third party is involved.
	1. You will be able to select a VISN (home or preferred VISN) for detailed data to accumulate from.
	2. You will be able to select a date range with summary data inclusive.
	3. Detail data will be available per patient on the report along with a subtotal per patient and a Grand Total.
IBAT SUMMARY REPORT	This report will create a transfer pricing statement summary. This bottom line to this overall summary yields the total number of episodes and total amounts of those episodes per VISN/facility or groups of VISN/facilities.
	1. You can select one or more VISN/facilities (home or preferred VISN/facility) for summary data to accumulate from.
	2. You can select a date range for which those services were provided with summary data inclusive.
	3. There is summary data on the report for Inpatient, Outpatient, Pharmacy, and a Grand Total of the three.
IBAT TP MANAGEMENT	This is the main entry option for viewing and editing patients and transactions.
IBAT TRANSFER PRICING MENU	This menu will hold all the Transfer Pricing menu options.

Exported Options	
Option	Description
IBAT WORKLOAD REPORT	This report shall enable the user to create a transfer pricing statement workload detail. The emphasis of this report is on work detail via Units.
	1. The user shall be able to select one or more VISN/facilities (home or preferred VISN/facility) for workload data to accumulate from.
	2. The user shall be able to select a date range with summary data inclusive.
	3. Workload detail data shall be available on the report along with the Grand Total.
IBBA BATCH DFT	The menu option is used to schedule via TaskManager the PFSS Charge Batch Processor. Normally, this option should be scheduled to run once daily at a time of low system activity. When the batch processor starts, it will set data into two fields in the PFSS SITE PARAMETERS file (#372):
	(1) The CHARGE PROCESSOR RUNNING field (#.1) will be set to "YES".
	(2) The CHARGE PROCESS START TIME field (#.11) will be set to the current system date/time.
	When charge batch processing is complete, then:
	(1) The CHARGE PROCESSOR RUNNING field (#.1) will be set to "NO".
	(2) The CHARGE PROCESS START TIME field (#.11) will be deleted.
	When a charge batch processor job is started, it always checks the status of the CHARGE PROCESSOR RUNNING field. If this field is set to "YES", then the job quits immediately. This insures that only one batch processor is running at any given time.
IBCE 837 EDI MENU	This menu contains the options needed to process and maintain EDI 837 bill submission functions.
IBCE 837 EDI REPORTS	This menu contains the options needed to define the types of electronic reports from the clearinghouse that the site needs to see and defines the text that should/should not allow automatic review and file for informational status messages. It also contains an option to purge old status messages, reports for maintaining the integrity of the return message subsystem and the option for reviewing electronically returned messages.
IBCE 837 MANUAL TRANSMIT	This job batches and transmits bills that are in authorized or Request MRA status for insurance companies flagged to transmit electronically via EDI. This job can be executed at any time to transmit bills awaiting extract.
IBCE BATCH STATUS DETAIL	
IBCE BATCHES PENDING TOO LONG	This report lists all batches by batch type that have been in a PENDING status and have not yet received confirmation of receipt from Austin for more than 1 day. Report includes pending since date and mail message # the batch is contained in.

Exported Options	
Option	Description
IBCE CLAIMS STATUS AWAITING	Used by bill staff to review the most current status messages received for a bill(s) and do follow-up on the bills. Users will be able to select a bill from the list to view the details and the entire message text as well as to mark the message as reviewed or under review and document user comments.
IBCE COB MANAGEMENT	This will be a list manager screen with the option available to print an associated report. Using the screen, billing staff will be able to follow up on bills for secondary and tertiary billing for non-MRA bills.
IBCE EDI BATCHES INCOMPLETE	This report lists all batches that have been resubmitted, but not all bills were included. These are batches that have at least one bill still not resubmitted or canceled.
IBCE EDI VIEW/PRINT EXTRACT	This option will display the EDI extract data for a bill.
IBCE ELEC REPORT DISPOSITION	This option allows the site to determine which clearinghouse generated electronic canned reports are to be sent to the EDI mail group and which should be totally ignored when received at the site.
IBCE ELECTRONIC ERROR REPORT	This report provides a tool for billing personnel to identify the who, what, and where of errors in electronic billing process.
IBCE EXTRACT STATUS	This is a list manager screen that will display bills that are trapped in a ready for extract status due to the EDI/MRA parameter being turned off. From here, the valid actions are cancel a bill, cancel/clone/authorize a bill without user interaction, or print the report.
IBCE LIST LOCAL	This report lists, by local print form, all the override fields for all local print forms for the site.
IBCE MESSAGE SCREEN TEXT	This option allows for the display of a list of words or phrases that if found in the text of an informational status message, will either always require the message to be reviewed or will auto-file the message and flag it as not needing a review.
IBCE MESSAGES SERVER	This option controls the reading and storing of return messages generated as a result of the processing of Integrated Billing electronic transmissions with the Austin translator.
IBCE MRA MANAGEMENT	This will be a list manager screen with the option available to print an associated report. Using the screen, billing staff will be able to follow up on bills for secondary and tertiary billing for MRA bills.
IBCE MSGS PENDING TOO LONG	This report lists EDI messages still waiting to be filed after a user specified number of days.
IBCE OUTPUT FORMATTER	This option allows the user to access the utilities needed to set up and maintain local forms using the forms output utility.
IBCE PREV TRANSMITTED CLAIMS	This option allows a user to view or produce a report of claims that were previously transmitted as live claims or that were transmitted as test claims prior to turning EDI on for an insurance company.
IBCE PRINT EOB	Print EOB.

Option	Description
IBCE PROVIDER ID QUERY	This option allows the site to run or re-run the provider id query report to report some of the invalid provider id set ups for insurance companies.
	CONDITIONS TO IDENTIFY:
	1-BLUE CROSS LINKED TO CMS-1500 ONLY (1) THE ONLY HARD ERROR
	2-BLUE SHIELD LINKED TO UB92 ONLY (2) WARNING
	3-BLUE CROSS ID APPLIED TO BOTH FORMS (0) WARNING
	4-BLUE CROSS OR BLUE SHIELD IDs EXIST FOR AN INS CO, BUT ONE OR MORE OF THE INSURANCE COMPANY'S PLANS DOES NOT HAVE AN ELECTRONIC PLAN TYPE OF 'BL'
	5-NON BLUE CROSS/SHIELD ID FOR AN INS COMPANY WITH BLUE PLAN(S)
	6-VAD000 as an ID but not flagged as a UPIN
IBCE PROVIDER ID WORKSHEET	Allows the user to print off provider id worksheets on which to record special requirements for provider ids for insurance companies. Users may choose blank sheets or sheets populated with all BLUE CROSS, BLUE SHIELD and TRICARE insurance company names.
IBCE PROVIDER MAINT	This is the screen from which all provider id maintenance can be performed.
IBCE PRVNVA FAC EDIT	This option allows for entering and editing of NON-VA facility information for billing.
IBCE QUERY PENDING BATCH	This report shows the current transmission status of a batch's mail message. It also includes the mail message number it was sent in along with the first and last date/times it was sent.
IBCE READY FOR EXTRACT REP	This report provides a list of claims held in a Ready for Extract status due to the EDI/MRA IB site parameter field being turned off.
IBCE RETURN MSG PROCESSING	This option allows for the display of a list of return messages that have been received at the site, but have been left in the temporary STATUS MESSAGE file. This may have been because of a system error or the message may not have been received in a readable format. This option provides the means to delete the message or to attempt to reapply it against the VistA data base.
IBCE RULE MAINTENANCE	This option will allow for the adding of new electronic transmission rules and to modify existing ones.
IBCE TRANSMIT SELECTED BILLS	This option allows a user to transmit one or more transmittable claims that are waiting to be transmitted and are in a WAITING FOR EXTRACT status.
IBCE TXMT MGMNT REPORTS	This menu contains the options needed to produce reports for the 837 EDI module that deal with the status of the transmission of electronic billing data.

Option	Description
IBCE VIEW PENDING BILL	This option allows for the user to enter the ENTER/EDIT billing information screens in a view-only mode for a selected authorized bill whose transmission status is either WAITING AUSTIN CONFIRM or READY FOR EXTRACT.
IBCE VIEW PREV TRANS MESSAGE	This report will display test claim EDI transmission data and EDI status message data from file 361.4.
IBCED EDI CLAIM STATUS REPORT	This report shows information about transmitted electronic claims. Selection criteria include division, payer, date last transmitted, and current EDI status. This report has 3 sort levels and 8 sorting criteria.
IBCEM MESSAGES WITHOUT REVIEW	This option allows for the display of all EDI return messages that were filed without needing a review based on the text entries in the message screen text file (#361.3). The report can be run for a user-selected date range on date the message was received at the site and may be sorted by message text that caused the message to not need a review or by bill #.
IBCEM MRA MANAGEMENT MENU	This menu option holds all EDI Medicare Remittance Advice (MRA) related options.
IBCEM MRA REPORT PRINT	This menu option prints the MRA Reports given a Bill Number. Based on the Bill Type, this report will print either an Institutional Format (Part A) or a Professional Format (Part B). In addition, if more than one MRA are associated with the Bill, all MRA's will print.
IBCEM MRA STATISTICS REPORT	The MRA Statistics Report displays statistics on Primary and Secondary MRA requests.
IBCEM NON-MRA REPORT	The Non-MRA Productivity Report displays information on Primary, Secondary and Tertiary non-MRA claims.
IBCEM PATIENTS W/O MEDICARE	This report will show living patients that have active insurance, but no MEDICARE (WNR) insurance on file. The other active insurance must be Medigap, or Medicare Secondary type insurance. In these cases, MEDICARE (WNR) should be the primary insurance. This is for the MRA project.
IBCEM STATUS MESSAGE	This option contains the functionality to print/purge electronically returned status messages that have been in a final review status for a user selected number of days.
IBCEM VIEW MRA EOB	This option will allow the user to choose a bill that has at least one Medicare Remittance Advice (MRA) Explanation of Benefits (EOB) on file. The user can then view the MRA EOB through the ListManager utility.
IBCEMC MULT CSA MSG MANAGEMENT	This option allows users to see rejected claims status messages which are not reviewed. The users are able to take the same action on multiple messages at the same time.
IBCI ASSIGN CLAIMSMANAGER BILL	This option will allow users to assign bills to other users.
IBCI CLAIMSMANAGER ERROR RPT	This report prints bill information for those bills that have ClaimsManager errors.

Exported Options Option Description IBCI CLAIMSMANAGER FILE MENU This is a menu option containing the options that extract VistA data and create export files for the ClaimsManager application. IBCI CLAIMSMANAGER NPT FILE Create ClaimsManager NPT file. IBCI CLAIMSMANAGER PAYOR FILE Extract data from Insurance company file (#36) and build the ClaimsManager Payer file. IBCI CLAIMSMANAGER RPT MENU This is a menu that contains the ClaimsManager report options. IBCI CLAIMSMANAGER STATUS RPT This report prints bill information for those bills that have gone through the ClaimsManager interface process. This report prints the ClaimsManager error messages for a single bill. IBCI CLAIMSMANAGER WORKSHEET IBCI CLEAR CLAIMSMANAGER This option exists primarily for programmers to be able to clear the QUEUE ClaimsManager results queue so the ClaimsManager interface gets back in sync. This method is not always successful. If it does not work, then Ingenix must be called at 1-800-765-6818. IBCI MULTIPLE CLAIM SEND This option will allow users to access the IBCI SKIP LIST list template. This is where users can send claims that were in error due to communication errors. IBCN ID DUP INSURANCE ENTRIES This option allows users to search the Insurance Company (36#) File to identify duplicate entries. The file may be searched by Insurance Company name, address, city, or state. A listing of Insurance Company names, address and phone number that meet the search criteria will display. IBCN INS BILL PROV FLAG RPT This option is designed to be run automatically at least once per month to scan all insurance companies on file looking for those in IB patch 400 switchback mode. This means those insurance companies in which one of the "Use VAMC as Billing Provider" flags are set. There is no user input. This option is designed to be scheduled via TaskManager as needed and scheduled to be run automatically once per month. The output is an email message sent to a pre-defined email address for the Chief Business Office. IBCN INSURANCE BUFFER PROCESS Display screens and processing actions for the Insurance Buffer. IBCN INSURANCE BUFFER PURGE This option may be used to purge the Insurance Buffer of entries that were processed (accepted or rejected) at least one year ago. IBCN INSURANCE CO EDIT This option allows edit insurance company information IBCN INSURANCE EDI REPORT This report will display EDI related information from the Insurance Company file (#36).IBCN INSURANCE MGMT MENU This is the main menu to edit, view, and print insurance information. IBCN LIST INACTIVE INS W/PAT This option will list inactive insurance companies that have patients listed as having this company as an insurer. Run this report and then use the Insurance Company Edit option and choose the (In)Activate Company action to re-point those patients to a valid insurance company.

Exported Options	
Option	Description
IBCN LIST NEW NOT VER	This option will list by patient new insurance entries that have never been verified. Run this report and then use the Patient Insurance Info View/Edit option and choose the Verify Coverage action to verify coverage for individual patients.
IBCN LIST PLANS BY INS CO	This option lists insurance companies and the plans under each company. The user may select one, many or all in both cases. The report can be run with or without a listing of the patients under each policy.
IBCN MEDICARE INSURANCE INTAKE	This option provides users with a condensed input template to enter Medicare Insurance information from Medicare cards. The Name of the Beneficiary should be entered in the following format: Last Name, First Name, Middle Initial. The Medicare claim number should be entered exactly as it appears on the card. Both, the Part A and Part B effective dates from the card should also be entered. Two separate policies will be created for both Part A and Part B coverage, as long as an effective date was entered for each type of coverage. Users holding the IB Insurance Supervisor Security key will be able to verify the information after entry. The policy will be placed in the Insurance Buffer File for non-key holders.
IBCN MOVE SUBSCRIB TO PLAN	This option allows users to move subscribers to a different plan. The plan may be with the same or different Insurance Company. Annual Benefits, plan attributes and coverage limitations may be moved as well.
IBCN NO COVERAGE VERIFIED	This option will list all Patients within the specified sort criteria that have a No Coverage Verification Date entered. Verification of no insurance coverage may need to be reviewed yearly.
IBCN OUTPUT INS BUFF ACTIVITY	This report provides a summary of the activity within the Insurance Buffer for a specified date range. Counts, percentages, and average processing times are included for both processed and unprocessed entries. The report can be printed with totals only or with subtotals by month within the date range selected.
IBCN OUTPUT INS BUFF EMPLOYEE	This report provides a summary of entries in the Insurance Buffer by employee and a specified date range. There are two variations of this report; one is for those employees that create/enter new Buffer entries. The other variation is for those employees that verify or process (accept/reject) Buffer entries. The report may be printed for one selected employee or all employees using the Buffer. Counts and percentages are included and can be printed with totals only or by month.
IBCN PATIENT INSURANCE	This option allows viewing and editing of patient insurance information.
IBCN POL W/NO EFF DATE REPORT	This option displays all Active Policies that have no effective date for the search criteria entered. The report separates Verified and Non-Verified policies and lists Patient information, Insurance information and patient policy information. This report should be queued.
IBCN PT W/WO INSURANCE REPORT	This option provides a list of patients with or without insurance coverage. The report lists patients who received medical treatment within a user specified date range, and may further be refined to only list patients whose names or 'terminal digit' falls within a specified range. When printing the report of patients who have insurance coverage, the report may be restricted to those patients who have coverage with specific companies (up to six) or a range of companies. Additionally, the report may also be restricted to only include patients whose age falls within a user specified date range. This report should be queued.

Exported Options Option Description This option will perform a query on the selected patient for insurance information IBCN REMOTE INSURANCE QUERY at remote VA sites. IBCN RESYNCH INS COMP On the rare occasion that the associated insurance company provider IDs get out of synch, this option is to be used by EVS or the IRM to get the parent and child insurance companies to be the same. This option should not be linked to any menu. This runs for all insurance companies and locks the insurance company file before starting so no one can be editing an insurance company while it is running. IBCN VIEW INSURANCE CO This option allows viewing of insurance company information. IBCN VIEW INSURANCE DATA This menu contains the view option to Patient Insurance and Insurance Company information. IBCN VIEW PATIENT INSURANCE This option allows viewing of patient insurance information. IBCNE AUTO MATCH BUFFER This option allows the user to see insurance company names in the Insurance Buffer file that do not exist in the Insurance Company file (File# 36) and that do not exist or pattern match with anything in the Auto Match file (File# 365.11). **IBCNE AUTO MATCH ENTER/EDIT** This option allows the user to manage the entries in the Auto Match file. IBCNE EIV UPDATE REPORT Generate eIV Patient Insurance Update Report based on eIV Inquiries and Responses for a given date range and current Patient Insurance data. IBCNE IIV AMBIGUOUS POLICY RPT This report will allow a user to display any Ambiguous Payer Responses for insurance policies that the eIV software discovered while questioning Payers. These policies are not necessarily on the patient's insurance file. Ambiguous payer responses are those responses that do not have enough information to safely determine if the policy is active or not. **IBCNE IIV BATCH PROCESS** This option is not to be placed on any menu or run by any user. This option is specifically designed to be scheduled in TaskMan to be executed once a day during off-peak hours. Running this more than once a day may cause unexpected results. This option is the eIV nightly task that extracts the patient/insurance data from VISTA and transmits it to AAC while following the eIV Site Parameters within file #350.9. IBCNE IIV INACTIVE POLICY RPT This report will allow a user to display any Inactive Insurance Policies that the eIV software discovered while questioning Payers. These policies are not necessarily on the patient's insurance file. IBCNE IIV MENU This menu contains options related to eIV (Electronic Insurance Verification). IBCNE IIV PAYER LINK REPORT This report shows the relationship between the insurance companies in file 36 and the payers in file 365.12. IBCNE IIV PAYER REPORT Generate the eIV Payer Report based on eIV Responses received for a given date range by Payer. **IBCNE IIV RESPONSE REPORT** Generate eIV Payer Report based on the eIV Responses for a given date range, Payer name range and Patient name range. All the response information is displayed for the selected responses.

Option	Description
IBCNE IIV STATISTICAL REPORT	Generate eIV Statistical Report based on eIV Inquiries and Responses for a given date range and current Insurance Buffer data.
IBCNE PAYER EDIT	Option to allow users to update the Local Active flag for Payers and Payer applications.
IBCNE PAYER LINK	This option allows the user to see payers added during a date range entered by the user. They will then be able to link these payers to selected insurance companies.
IBCNE PAYER MAINTENANCE MENU	This menu contains options related to maintaining the Payer file (#365.12).
IBCNE POTENTIAL NEW INS FOUND	While eIV was trying to identify/find (guess) insurance policies, using the Most Popular Payer list and/or old expired insurance policies, potential insurance policies were discovered.
IBCNE PURGE IIV DATA	This option is responsible for purging data from file 365 (eIV Response) and from file 365.1 (eIV Transmission Queue). Only data that is older than 6 months can be purged.
IBCNE REQUEST INQUIRY	Option to allow users to force electronic inquiry of patient insurance information through the eIV application.
IBCNF EDIT CONFIGURATION	(eII Edit Configuration) - Runs the IBCNFCON routine to edit the eII configuration parameters.
IBCNF EII GET SERVER	This is a new server type option (not used by any user) that runs the GAITCMSG^IBCNFRD routine. It is a member of IBN, IBX, IBK and IBH mail groups that receive the AITC DMI Queue confirmation messages for the four types of the Extract files. IBN mail group in addition will receive the Result file messages as well.
IBCNR E-PHARMACY MENU	Contains options for the e-Pharmacy Project.
IBCNR EDIT HIPAA NCPDP FLAG	This option allows the user to edit the HIPAA NCPDP ACTIVE FLAG (#350.9, 11.01) (master switch to control e-Pharmacy NCPDP transactions).
IBCNR EDIT NCPDP PROCESSOR	This option allows the user to edit the NCPDP PROCESSOR APPLICATION sub- file (#366.013). Specific to e-Pharmacy.
IBCNR EDIT PAYER	This option allows the user to edit the PAYER APPLICATION sub-file (#365.121). Specific to e-Pharmacy.
IBCNR EDIT PBM	This option allows the user to edit the PHARMACY BENEFITS MANAGER (PBM) APPLICATION sub-file (#366.023). Specific to e-Pharmacy.
IBCNR EDIT PLAN	This option allows the user to edit the PLAN APPLICATION sub-file (#366.033). Specific to e-Pharmacy.
IBCNR GROUP PLAN MATCH	This option allows a user to match multiple GROUP INSURANCE PLAN file (#355.3) records to a PHARMACY PLAN file (#366.03) record.
IBCNR GROUP PLAN WORKSHEET	The Group Plan Worksheet allows a user to, for a given date range, view all authorized Bill/Claim activity for a Group Plan that has active Pharmacy coverage.

Exported Options	
Option	Description
IBCNR PHARMACY PLAN REPORT	The Pharmacy Plan Report lists the Plan Name, Plan ID, Banking Identification Number (BIN), and Processor Control Number (PCN) for all entries. It can be sorted by Plan Name or BIN and PCN.
IBCNR PLAN MATCH	This option allows a user to match a GROUP INSURANCE PLAN file (#355.3) record to a PHARMACY PLAN file (#366.03) record.
IBCNR PLAN STATUS INQUIRY	Group Plan Status Inquiry screen
IBCNR PLAN STATUS REPORT	IBCNR Group Plan Status Report
IBCNR RELEASE OF INFORMATION	This option allows the tracking of Release of Information for sensitive diagnosis medications
IBCNR SHARED MATCHES RPT TASK	EPHARMACY SHARED MATCHES REPORT TASKMAN - Initiates e- pharmacy Shared Plan Matches Report which generates and sends the report - For use with TASKMAN scheduling.
IBCNR TEST PAYER SHEET MATCH	This option allows the user to override a payer sheet associated with a Pharmacy Plan with a test payer sheet. This option should only be used for testing purposes only.
IBCNSRVBP	This server option will facilitate on-demand review of insurance companies in IB patch 400 switchback mode.
IBCR ADJUSTMENT ENTER/EDIT	Charge Master option for IRM. Allow enter/edit of Rate Schedule Adjustment field. This field is M code and therefore requires programmer access.
IBCR CHARGE MASTER IRM MENU	This menu contains all IRM options for the Integrated Billing Charge Master.
IBCR CHARGE MASTER MENU	This menu contains options to define and support Third Party billing rates and charges.
IBCR DELETE CHARGE ITEMS	Reports and deletes Charge Items in a Charge Set based on date. All charges that become inactive before a user specified date may be deleted allowing old, no longer used charges to be removed from the system.
IBCR DISPLAY CHARGE MASTER	Display screens and enter/edit options for Charge Master.
IBCR ENTER RC NATIONAL CHARGES	This option is used to enter the National Interim Reasonable Charges. These non- site specific charges are provided when new CPT/HCPCS codes are released as interim charges until the next full release of Reasonable Charges.
IBCR ENTER TP NEG RATES	This option is used to enter/edit Transfer Pricing Negotiated rates. Rates can be negotiated between another VA Facility or an entire network (VISN). This option can only be used to edit rates in charge sets that were previously set up using this option. The rates entered here are stored in Charge Master for use.
IBCR FAST ENTER BILLING RATES	This option is designed to speed the entry into the Charge Master of the Interagency and Tortuously Liable Billing Rates when they are released once a year.

Option	Description
IBCR HOST FILE LOAD	This option includes functions necessary to load charges from a Host file into the Charge Master.
IBCR INACTIVE CODES	Reports and inactivates the charges in the Charge Master for all currently inactive CPT codes.
IBCR RC EXTRACT	This option is used to extract Reasonable Charges rates from Charge Master in a format that can be imported to Excel. The extract will allow you to create a text file that is delimitated by the circumflex/caret (^) character. When importing to Excel specify that delimiter. This can be used for any version of RC from 2.0 or above. The output device selected should be a Host File Server (HFS) or the Current Terminal (for screen capture).
IBCR REPORTS FOR CHARGE MASTER	Option to print Charge Master reports.
IBD EDS TRAINING	
IBD MANUAL DATA DISPLAY	This option will display the components of a form that are available for data entry the selection rules, and any associated data qualifiers. Use this to determine if the form has been set up correctly.
IBD MANUAL DATA ENTRY BY CLIN	This option allows manual data entry of encounter data for the Ambulatory Data Capture project. The user selects a clinic, an appointment date, a patient and can then do data entry for the encounter. All forms for the encounter will be asked. If no forms were printed for the encounter the user can select the form to for data entry without having to print the form.
IBD MANUAL DATA ENTRY BY FORM	This option allows manual data entry of encounter data for the Ambulatory Data Capture project. This option allows a user to do data entry on a single form at a time. Input is based on the form design.
IBD MANUAL DATA ENTRY GROUP	This option allows manual data entry of encounter data for the Ambulatory Data Capture project. The user selects a clinic and appointment date/time, and may de- select specific patient, otherwise after completing data entry for a single patient, the data will then be entered for all patients with the same appointment date/time. All forms for the encounter will be asked. If no forms were printed for the encounter the user can select the form to for data entry without having to print the form.
IBD MANUAL DATA ENTRY MENU	This menu contains the AICS Manual Data Entry options to enter encounter data based on encounter form design.
IBD MANUAL DATA ENTRY PRE	This option will allow data entry of forms that are pre-printed without patient data for unscheduled visits such as occur in emergency rooms.
IBD SCANNING WORKSTATION	

Option	Description
IBDF AUTO PURGE FORM TRACKING	This option should be queued to run at the sites convenience. It will purge old data from several AICS files including: ENCOUNTER FORM DEFINITION file (357.95) ENCOUNTER FORM TRACKING file (357.96) FORM SPECIFICATION file (359.2) AICS ERROR AND WARNING LOG file (359.3) Two parameters in the ENCOUNTER FORM PARAMETERS file (357.09) control how this option works. The option needs no device and has no output. It is recommended that this be tasked to run at least once weekly during a weekend or other slow time.
IBDF BACKGRD EF PRINT QUEUE	This option prints encounter forms in the background. Jobs are run based on the queuing parameters set up using the option IBDF SETUP AUTO CLINIC PRINT.
IBDF CLINIC SETUP/EDIT FORMS	The form generator for creating encounter forms.
IBDF COPY CPTS TO FORM	Allows the user to select a CPT Check-off Sheet and Encounter Form. The Check-off Sheet's CPT codes are then copied to the Encounter Form.
IBDF DEFINE AVAILABLE REPORT	Allows reports, other than Health Summaries, to be made available for use by the print manager.
IBDF DEFINE AVLABLE HLTH SMRY	Allows a Health Summary to be made available for use by the print manager.
IBDF EDIT CLINIC REPORTS	Used to select reports that should print for the clinic.
IBDF EDIT ENCOUNTER FORMS	Contains the options that involve editing encounter forms.
IBDF EDIT MARKING AREA	Allows the local sites to create their own Marking Area to supplement those that come with the tool kit. Marking Areas are the areas on a selection list that are used for writing in to indicate choices.
IBDF EDIT PACKAGE INTERFACE	This option only allows selection routines and output routines. It allows Package Interfaces to be created, edited, and deleted. However, Package Interfaces that are in use in any form should not be deleted. By creating their own Package Interfaces the local sites can display data to their forms that is not provided for in the tool kit.
IBDF EDIT PRINTERS	This option allows editing of the Encounter Form Printers file. You can specify whether or not a terminal type is PCL5 compatible and the proper escape sequences for simplex and duplex. Only PCL5 compatible printers can print scannable encounter forms, and must be so indicated. Generally HP laser printers are PCL5 compatible.
IBDF EDIT SITE PARAM	This option will allow editing of AICS site parameters that affect the printing of forms, manual data entry, the purge utility and scanning.
IBDF EDIT TOOL KIT	Menu containing the options that allow the user to edit forms and blocks contained in the tool kit.
IBDF EDIT TOOL KIT BLOCKS	Allows tool kit blocks to be edited, created, and deleted.
IBDF EDIT TOOL KIT FORMS	Allows tool kit forms to be edited, created, and deleted.

Exported Options	
Option	Description
IBDF EF FORM COMPONENTS	This new display lists the contents of a form (without displaying them). It lists the contents of each block, the name of the block, starting row and column, width and height of the block. Two actions are included on this screen, EX Expand Item and BC Block Components. Expand Item allows the user to do an inquiry of the block and its components listed in the Block file #357.1. The Block Components action gives the user a more exact makeup of the block and the data it displays. It lists the component, type it is (selection list, hand print field or data field) row, column and block separators. For selection lists it also lists the sub-column information. The Type (text or marking), Data (code, short description), Width of the sub-column, Qualifier, Selection Rule and if it is editable.
IBDF ENCOUNTER FORM	Contains all of the encounter form options.
IBDF FORMS TRACKING	This option connects the user to the forms tracking display. This allows the user to see what encounter forms have been printed, scanned and those that have not. It also allows the user to get statistics on this data as well as display forms with a specific status.
IBDF FREE PENDING PAGES	This option will allow a user to send Forms Tracking entries that are in a pending pages status to PCE.
IBDF IMPORT/EXPORT UTILITY	Allows forms and blocks to be transferred between sites.
IBDF IRM OPTIONS	The basic intent of this menu is to contain the options that should only be available to those technical users that can program in MUMPS, which is a requirement, for example, when, adding a new PACKAGE INTERFACE.
IBDF LIST CLINICS USING FORMS	For each encounter form this option lists the clinics using it.
IBDF LIST CLINICS WITH NO FORM	This option gives a report that lists the clinics that do not have encounter forms.
IBDF MANUAL PURGE FORM TRACK	This option cleans up old data in AICS files that has a very limited or no use. Sites are allowed to choose the type of data that is to be deleted and the number of days of data that should be retained. In addition, sites are allowed to choose whether or not to retain data on items where the AICS processing is incomplete. Sites that do not scan and do not use AICS Manual Data Entry should purge all files completely and retain the minimum amount of data. Sites that are actively scanning may choose to keep data for a longer period and purge only Completed records depending upon the speed of completing outpatient records. The option needs no device and has no output. It is recommended that this be tasked to run at least once weekly during a weekend or other slow time. It will purge old data from the several AICS files including: ENCOUNTER FORM DEFINITION file (357.95) ENCOUNTER FORM TRACKING file (357.96) FORM SPECIFICATION file (359.2) AICS ERROR AND WARNING LOG file (359.3) Use the option IBDF AUTO PURGE FORM TRACKING to automatically queue this option to run on a recurring basis.
IBDF MISCELLANEOUS CLEANUP	This option is intended to delete various data structures that are no longer in use. The Encounter Form Utilities were designed to automatically delete all data structures when no longer needed, so this option is a backup that should rarely be needed. Currently, the option deletes the compiled version of forms where the form itself no longer exists. It also deletes blocks that do not belong to any form.

Exported Options	
Option	Description
IBDF PRINT BLNK ENCOUNTER FORM	This option allows the user to select a clinic, and if an encounter form is defined for use with an embossed patient card the form will be printed.
IBDF PRINT ENCOUNTER FORMS	For printing an encounter form for appointments, either by division, clinic, or patient.
IBDF PRINT ERROR LIST	During scanning errors reported by AICS or PCE are stored in the AICS Error Log file. This report will allow printing a list of the errors so that the encounter forms can be retrieved and the data validated.
IBDF PRINT MANAGER	Contains all the options pertaining to the print manager, except for the IBDF DEFINE AVLABLE HLTH SMRY option - that option allows the user to enter mumps code, so it must be limited to IRM use.
IBDF PRINT OPTIONS	Contains the options for printing encounter forms.
IBDF PRINT SAMPLE ALL CLINICS	This option will print out one copy of each form currently assigned to a clinic and that is in use. Use this to prepare a package of materials for review or sharing with other facilities.
IBDF PRNT FORM W/DATA NO APPT.	Allows an encounter form to be printed with patient data, but does not ask that an appt. be selected. Uses current time as the appointment time.
IBDF RECOMPILE ALL FORMS	Used to recompile all forms. The compiled version of every form and block is deleted. Each form is compiled the first time it is printed.
IBDF REPORT CLINIC SETUPS	Reports on each clinic setup, listing the encounter forms and other reports defined for use by the clinic.
IBDF REPORTS MENU	This menu option will contain the reports and utilities for AICS.
IBDF SCANNED W/BILL GEN	This option prints a report for those encounter forms that have been scanned that also have bills generated. The report displays this data for all clinics using encounter forms for one/many/all divisions for a specific date range. The data that is displayed is the number scanned, number insured, number of bills entered, number of bills printed, and average days from date of encounter to date of bill generation (printed).
IBDF SETUP AUTO CLINIC PRINT	This option allows users to enter Print Manager Queuing Parameters and to specify automatic queuing parameters.
IBDF UTIL MAINTENANCE UTILITY	This is a maintenance utility for the AICS package. It allows the user to display and print a listing of the invalid ICD9, CPT and VISIT codes that are on encounter forms. It also allows the user to delete the invalid codes from the forms. Another action of this option is displaying a complete listing of all invalid ICD9, CPT, and VISIT codes.
IBDF VALIDATE FORMS	Report used to validate the data that will be passed to PCE when an Encounter Form is scanned. The report may be sorted by Division, Clinic Group, Clinic or Form.
IBDFC CONVERSION UTILITY	Used to convert a form that was designed for just printing to a form that can be scanned.

Exported Options	
Option	Description
IBJ DIAGNOSTIC MEASURES MENU	The Diagnostic Measures Menu allows a facility to quantitatively measure various elements which are critical to the MCCR program.
IBJ MCCR COORDINATOR	This menu contains the Joint Inquiry and the Diagnostic Measures reports.
IBJ MCCR SITE PARAMETERS	This option allows the user to view and edit MCCR site parameters.
IBJ THIRD PARTY JOINT INQUIRY	Set of actions and screens for Third Party AR/IB Joint Inquiry. Provides detailed information on any Third Party Claim.
IBJD BILLING LAG TIME	The Billing Lag Time Report provides a measure of the amount of time between significant milestones which occur during the claim submission and receivables management processes.
IBJD BILLING REPORTS	The Billing Reports allow measurement of the claims submission process.
IBJD DM DISABLE/ENABLE	This option allows a user to disable or re-enable the Diagnostic Measures Extraction background job or certain DM reports that go through the monthly DM Extraction background job. Once a report is disabled, it won't be queued to run via the DM extract process.
IBJD DM EXTRACT MENU	This menu contains options related to the Diagnostic Measures Extraction Module.
IBJD DM MANUAL START	This option allows a user to restart the Diagnostic Measures Extraction background job if the DM report data has not been successfully extracted for the previous month.
IBJD DM MANUAL TRANSMIT	This option allows a user to retransmit a Diagnostic Measures Extract file to FORUM for a particular month if that month's DM report data did not successfully transmit the first time.
IBJD DM VIEW/PRINT EXTRACTS	This option allows a user to see the results of previous Diagnostic Measures extractions. It shows whether or not certain reports made it through the extraction process.
IBJD FOLLOW-UP AR PROD REPORT	This report shows clerk activity based on transaction types and timeframes.
IBJD FOLLOW-UP ASSIGN PRINT	This option allows the printing of selected or all Workload Assignments stored in file #351.73.
IBJD FOLLOW-UP	This option provides information for sites to use to conduct follow-up activities for
CHAMPVA/TRICARE	CHAMPVA and TRICARE receivables.
IBJD FOLLOW-UP FIRST PARTY	This option provides information for sites to use to conduct follow-up activities for First Party receivables.
IBJD FOLLOW-UP MISC BILLS	This option provides information for sites to use to conduct follow-up activities for miscellaneous receivables.
IBJD FOLLOW-UP REPAYMENT PLAN	This option provides information for sites to use to conduct follow-up on the Repayment Plans.

Option	Description
IBJD FOLLOW-UP REPORTS	The Follow-Up Reports allow measurement of the receivables management function.
IBJD FOLLOW-UP SUMMARY REPORT	The Third Party Follow-Up Summary Report provides a summary of the balances of all outstanding Third Party receivables.
IBJD FOLLOW-UP THIRD PARTY	The Third Party Follow-Up Report provides information for sites to use to conduct follow-up activities for Third Party receivables.
IBJD FOLLOW-UP WORKLOAD	This option allows the entering/editing of Workload Assignments by clerk to be stored in file #351.73.
IBJD INTAKE COMP REG	The Percentage of Completed Registrations report allows the facility to examine the percentage of registrations completed without an inconsistency.
IBJD INTAKE INS	The report of Patients with Unidentified Insurance provides a list of patients that have been treated, but not identified as having or not having insurance.
IBJD INTAKE NO EMPL	The No Employer Listing provides a list of veterans who were treated within a specified timeframe and whose employer is not specified.
IBJD INTAKE OPT WORKLOAD	The Outpatient Workload Report provides a measure of the number and types of Outpatient Services provided in the facility.
IBJD INTAKE POL NOT VER	The report of Insurance Policies Not Verified provides a list of policies entered into the system (within a specified timeframe) but were never verified.
IBJD INTAKE REPORTS	The intake reports allow measurement of registration processes and workload reporting.
IBJD INTAKE SC VETS	The report of SC Vets w/ NSC Episodes of Care Not Billed (Inpatient) provides a measure of how well sites are billing their SC veterans for non-service connected treatment.
IBJD INTAKE UNV ELIG	This report lists patients who have been treated at a facility, but whose eligibility has not been verified. This report will also list patients with verified eligibility for at least 2 years, if any.
IBJD PERCENT PREREGISTERED	This report provides number of patients treated, the number of patients pre- registered, % of patients pre-registered, number of patients pre-registered past the pre-registration time frame, number of patients never pre-registered, the clinic exclusions, and the eligibility exclusions.
IBJD REASONS NOT BILLABLE	This option prints a list of Claims Tracking entries that cannot be billed to an insurance company for various reasons.
IBJD UTILIZATION REPORTS	The Utilization Reports allow measurement of the Utilization Management process.
IBJD UTILIZATION WORKLOAD	The Utilization Workload Report provides a measure of the number of Insurance Reviews which are conducted at the facility.

Exported Options	
Option	Description
IBQL ACUTE DOWNLOAD	This option, prompted for date range asks for a report by Services, Treating Specialties, or Admitting Diagnosis will tally by month a downloaded list for Excel of Acute and Non-Acute entries and Non- Acute Reasons for Admission and Stay reviews.
IBQL ACUTE LIST	This option, prompted for date range asks for a report by Services, Treating Specialties, or Admitting Diagnosis will tally by month a list of Acute and Non-Acute entries and Non-Acute Reasons for Admission and Stay reviews.
IBQL DOWNLOADS	This option controls the Download menu options for IBQ.
IBQL MAIN MENU	This option is the main menu for Utilization Management Rollup at the local site.
IBQL MISSING DATA LIST	This option, prompted for date range, lists patients discharged from Claims Tracking with missing data for Random, Disease, and Local cases who would qualify for the national and local rollup.
IBQL NATIONAL ROLLUP	This option will load the UTILIZATION MANAGEMENT ROLLUP file with Random and Disease specific data for the national rollup. This option is queued to run at a site selected date between May 15 and June 15 and re-queued every six months. This data is pulled from the Hospital Review file (#356.1) based on discharged dates in the Claims Tracking file (#356).
IBQL OUTPUTS	The Outputs menu option controls all the list menus for IBQ.
IBQL PATIENT LIST	This option, prompted for date range, lists all patients discharged from the Claims Tracking file (#356) for Random, Disease, and Local cases who will qualify for the national and local rollups.
IBQL PATIENT REVIEW DOWNLOAD	This option, prompted for date range asks for a report by Services or Treating Specialties, will download patients and their Admission and Stay review information.
IBQL PATIENT REVIEW LIST	This option, prompted for date range asks for a report by Services, Treating Specialties, or Providers will list patients and their Admission and Stay review information.
IBQL PURGE ROLLUP DATA	This option, prompted for Local or All Cases, will purge selected cases from the Utilization Management Rollup File.
IBQL ROLLUP	This option, prompted for date range, will load the Utilization Rollup file (#538) with qualifying patients discharged from Claims Tracking that have no missing data. This process will build a rollup file to be used by the UR for reports and downloading to spreadsheet.
IBT CODING VALIDATION MENU	This menu is for reports that relate to indicating which claims have been validated by coding staff.
IBT EDIT APPEALS/DENIALS	This option allows for enter/editing appeals and denials and associated communications.
IBT EDIT BI TRACKING ENTRY	This option allows entry and display of claims tracking information that is needed to perform billing functions.

Exported Options	
Option	Description
IBT EDIT COMMUNICATIONS	This option allows enter/editing of MCCR/UR related communications that may or may not be associated with a claims tracking entry.
IBT EDIT HR REVIEWS TO DO	This option will create a list of pending work for Hospital UR personnel who do QM reviews. From this option most all screens and options needed to do the daily input are available.
IBT EDIT HR TRACKING ENTRY	This option allows enter/editing of Claims Tracking Entries. Data associated with a CT entry may affect if or how it is billed and the types of reviews that may be or must be entered.
IBT EDIT IR REVIEWS TO DO	This option will create a list of pending reviews that Insurance Review personnel need to complete. Most of the input screens and options needed to do the daily work are available from this option.
IBT EDIT IR TRACKING ENTRY	This option allows enter/editing of Claims Tracking Entries. Data associated with a CT entry may affect if or how it is billed and the types of reviews that may be or must be entered.
IBT EDIT REASON NOT BILLABLE	This option allows entry of a reason not billable. Entry of a reason will automatically be printed on the Patients with Insurance Reports and will cause the annotated care not to be automatically billed.
IBT EDIT REVIEWS	This option allows viewing and editing of UR reviews of claims tracking entries. This includes pre-admission/pre-certification reviews, continuing stay reviews, and discharge reviews.
IBT EDIT REVIEWS TO DO	This option will list all reviews that have a next review date in the past seven days. All screens and actions necessary to complete the pending reviews are available from within this option. You may also select a different date range of pending reviews if desired. Both Hospital and Insurance reviews can be accessed with this option. Many pending reviews may have automatically been created by the computer when a patient is admitted.
IBT EDIT TRACKING ENTRY	This option allows enter/editing of Claims Tracking Entries. Data associated with a CT entry may affect if or how it is billed and the types of reviews that may be or must be entered.
IBT EDIT TRACKING PARAMETERS	This option allows editing MCCR site parameters that affect the Claims Tracking Module.
IBT ENTERED NOT REVIEWED	This new report will allow the MCCF staff to identify encounters that have been: 1. Reviewed by the coders and are ready to bill (indicated by a non-blank findings type) and 2. Not reviewed by code (indicated by a blank findings type) The report prints all outpatient reimbursable insurance claims in file #399 with a status of Entered/Not Reviewed. The user input criteria for the report is the Event Date range. The user is prompted for the EVENT START DATE and EVENT END DATE.
IBT MANAGER MENU	This is the main claims tracking menu. It contains the various user menus that can be assigned directly to UR or MCCR/UR personnel.

Exported Options	
Option	Description
IBT MONTHLY AUTO GEN AVE BILL	This option will calculate the number of bills and the average bill amounts for a month and store the data in the CLAIMS TRACKING UNBILLED AMOUNTS file (356.19). This data will then be used by the scheduled option Auto-Build Unbilled Amounts Report (IBT MONTHLY AUTO GEN UNBILLED) to generate the unbilled amounts data that needs to be reported by the 3rd work day of the month. Queue this option to run once monthly. Sites may choose the date it should run but it is suggested that it run after the 15th of the month when user activity is low (i.e. November 19, 1994 @ 2:00am). No device is necessary, the results are stored and a completion mail message is sent to the mail group specified in the IB SITE PARAMETERS file.
IBT MONTHLY AUTO GEN UNBILLED	This option will automatically generate the unbilled amounts report that contains the data that needs to be input to our general ledger accounts by the 3rd work day of the month. Schedule this option to run once monthly on the 1st or 2nd day of the month. No device is needed, the results are sent in a mail message to the mail group specified in the IB SITE PARAMETERS file.
IBT OUTPUT BILLING SHEET	This option allows printing of information from Claims Tracking about a specific visit. Included on the report is Visit Information, Insurance Information, Billing information (from Claims Tracking), Hospital Review information and Insurance Review information. Also included is provider, diagnosis, and procedure information. This report is the most complete summary of information about a single visit available in Claims Tracking.
IBT OUTPUT CLAIM INQUIRY	This option allows viewing or printing a detailed inquiry to any claims tracking entry. This includes showing all associated reviews and communications.
IBT OUTPUT DENIED DAYS REPORT	This option prints a summary of days denied by insurance company for a user specified date range. A summary report by service is also generated.
IBT OUTPUT LIST VISITS	This option will print a list of visits that require either an insurance review, hospital review or both. In addition only visits that are admissions may be printed. The user may select the date range of visits to print. This option can be used to list the Random Sample cases being tracked for Hospital Reviews by answering the prompts that only hospital reviews for admissions are wanted.
IBT OUTPUT MCCR/UR SUMMARY	This report can be run for either admissions or discharges for a date range. It will summarize totals by admission or discharge, cases with insurance, billable inpatient cases, cases requiring reviews, days approved, amount collectible approved for billing, number of days denied, amount denied, and penalty dollars.
IBT OUTPUT MENU	This is the main reports menu for the Claims tracking module.
IBT OUTPUT ONE ADMISSION SHEET	This option will print an admission sheet for one patient one admission at a time. It can be used to reprint an admission sheet if needed.
IBT OUTPUT PENDING ITEMS	This option will print a sorted list of Pending Reviews. It is different from printing from the Pending Reviews option in that it will limit the entries to just those you care to see.
IBT OUTPUT REVIEW WORKSHEET	This option will print an Insurance Review worksheet for the selected patient. If the patient is currently an inpatient, it will contain the current inpatient information.

Option	Description
IBT OUTPUT SCHED ADM W/INS	This option will print a list of Admission that are scheduled but not admitted and/or scheduled admissions that have been admitted. All admissions must be for patients who were insured on their admission date.
IBT OUTPUT UNSCHE ADM W/INS	This option will print a list of patients who were insured on their admission date but were not scheduled admissions.
IBT OUTPUT UR ACTIVITY REPORT	This option prints by clinical service, information about the MCCR/UR activity.
IBT QUICK REV CODING STAT	This report allows the MCCF staff to select a specific patient to see the status of the claim so they know at a glance whether or not it is ready for billing. The report input variable is: Patient Name Report is sorted by ENCOUNTER DATE/TIME The following fields are to be printed on this report: 1. Patient Social Security Number 2. Outpatient Encounter Location 3. Encounter Date and Time 4. Reason Not Billable 5. Billable Findings Type
IBT RE-GEN AVE BILL AMOUNT	This option can be used to re-generate the monthly and yearly counts and amounts of inpatient and outpatient bills for a single month. If the month selected for input requires the calculation of previous month's data in order to obtain its yearly values, this will be done when the option is executed. If the month selected has 12 prior months worth of data, the month selected will be recalculated. The months subsequent to the month select (up to 12) will have their yearly data recalculated. This information is used to compute the average bill amount for the Unbilled Amounts Report. The unbilled amount report is automatically generated for only the month selected after the average bill amounts are calculated.
IBT RE-GEN UNBILLED REPORT	This option can be used to re-generate the Unbilled amounts report for a single month. This will re-compute the unbilled care for the month and update the unbilled amounts. To simply view previously computed data use the View option.
IBT SEND TEST UNBILLED MESS	This option allows for sending of a test mail message to the mail group to receive the Unbilled Amounts messages. Using this prior to reporting problems can assist sites in determining whether the mail groups are set up correctly. The mail group to get the message should be specified in field UNBILLED MAIL GROUP (6.25) in the IB SITE PARAMETERS file (350.9).
IBT SUP MANUALLY QUE ENCTRS	This option allows the user to select a date range of outpatient encounters and tries to add them to the Claims tracking module. The option will automatically queue off a task to add encounters and when complete send the requesting user a mail message.
IBT SUP MANUALLY QUE RX FILLS	This option can be used to manually add RX refills to Claims tracking. The option will automatically queue off a task to add refills and when complete send the requesting user a mail message.
IBT SUPERVISORS MENU	This option contains the supervisory options for the Claims tracking module. Site parameters may be edited. Table files may be maintained. Background jobs may be repeated or re-queued.
IBT UNBILLED MENU	This menu contains the 4 user options available to regenerate and view the Unbilled Amounts report.

Exported Options		
Option	Description	
IBT UNREVIEWED CODING REPORT	This report is designed to be run by staff to determine which Claims Tracking events still require review. The user is prompted for the OUTPATIENT ENCOUNTER START DATE and OUTPATIENT ENCOUNTER END DATE.	
IBT USER COMBINED MCCR/UR MENU	This is the main menu for MCCR/UR persons who do both Hospital UR and MCCR UR (Insurance UR). It contains all the options necessary to do both hospital and Insurance Reviews. From this menu the claims tracking module can be edited, UR Reviews can be entered, Insurance Reviews can be entered and reports printed. Supervisory functions will be available to those who hold the supervisory keys.	
IBT USER MENU (BI)	This menu contains the options in Claims tracking designed specifically for billing clerks and billing supervisors who do not need to have any Utilization Review Input. Options include the ability to flag care as not billable, UR reports on billing case, and a claims tracking update option.	
IBT USER MENU (HR)	This is the main menu for UR personnel to enter Hospital Reviews into the Claims Tracking Module. From the menu the claims tracking module can be edited, UR Reviews can be entered and reports printed. Supervisory functions will be available to those who hold the supervisory keys.	
IBT USER MENU (IR)	This is the main menu for MCCR/UR persons who do MCCR/UR Reviews (Insurance Reviews). From the menu the claims tracking module can be edited, Insurance Reviews can be entered and reports printed. Supervisory functions will be available to those who hold the supervisory keys.	
IBT VIEW UNBILLED AMOUNTS	This option can be used to view previously computed unbilled amounts without having to re-compile the data.	
IBT MONTHLY AUTO GEN AVE BILL	This option will calculate the number of bills and the average bill amounts for a month and store the data in the CLAIMS TRACKING UNBILLED AMOUNTS file (356.19). This data will then be used by the scheduled option Auto-Build Unbilled Amounts Report (IBT MONTHLY AUTO GEN UNBILLED) to generate the unbilled amounts data that needs to be reported by the 3rd work day of the month. Queue this option to run once monthly. Sites may choose the date it should run but it is suggested that it run after the 15th of the month when user activity is low (i.e. November 19, 1994 @ 2:00am). No device is necessary, the results are stored and a completion mail message is sent to the mail group specified in the IB SITE PARAMETERS file.	
IBT MONTHLY AUTO GEN UNBILLED	This option will automatically generate the unbilled amounts report that contains the data that needs to be input to our general ledger accounts by the 3rd work day of the month. Schedule this option to run once monthly on the 1st or 2nd day of the month. No device is needed, the results are sent in a mail message to the mail group specified in the IB SITE PARAMETERS file.	

Exported Options		
Option	Description	
IBT RE-GEN AVE BILL AMOUNT	This option can be used to re-generate the monthly and yearly counts and amounts of inpatient and outpatient bills for a single month. If the month selected for input requires the calculation of previous month's data in order to obtain its yearly values, this will be done when the option is executed. If the month selected has 12 prior months worth of data, the month selected will be recalculated. The months subsequent to the month select (up to 12) will have their yearly data recalculated. This information is used to compute the average bill amount for the Unbilled Amounts Report. The unbilled amount report is automatically generated for only the month selected after the average bill amounts are calculated.	
IBT RE-GEN UNBILLED REPORT	This option can be used to re-generate the Unbilled amounts report for a single month. This will re-compute the unbilled care for the month and update the unbilled amounts. To simply view previously computed data use the View option.	
IBT UNBILLED MENU	This menu contains the 4 user options available to regenerate and view the Unbilled Amounts report.	
IBT VIEW UNBILLED AMOUNTS	This option can be used to view previously computed unbilled amounts without having to re-compile the data.	
IBT MONTHLY AUTO GEN AVE BILL	This option will calculate the number of bills and the average bill amounts for a month and store the data in the CLAIMS TRACKING UNBILLED AMOUNTS file (356.19). This data will then be used by the scheduled option Auto-Build Unbilled Amounts Report (IBT MONTHLY AUTO GEN UNBILLED) to generate the unbilled amounts data that needs to be reported by the 3rd work day of the month. Queue this option to run once monthly. Sites may choose the date it should run but it is suggested that it run after the 15th of the month when user activity is low (i.e. November 19, 1994 @ 2:00am). No device is necessary, the results are stored and a completion mail message is sent to the mail group specified in the IB SITE PARAMETERS file.	
IBT MONTHLY AUTO GEN UNBILLED	This option will automatically generate the unbilled amounts report that contains the data that needs to be input to our general ledger accounts by the 3rd work day of the month. Schedule this option to run once monthly on the 1st or 2nd day of the month. No device is needed, the results are sent in a mail message to the mail group specified in the IB SITE PARAMETERS file.	
IBT RE-GEN AVE BILL AMOUNT	This option can be used to re-generate the monthly and yearly counts and amounts of inpatient and outpatient bills for a single month. If the month selected for input requires the calculation of previous month's data in order to obtain its yearly values, this will be done when the option is executed. If the month selected has 12 prior months worth of data, the month selected will be recalculated. The months subsequent to the month select (up to 12) will have their yearly data recalculated. This information is used to compute the average bill amount for the Unbilled Amounts Report. The unbilled amount report is automatically generated for only the month selected after the average bill amounts are calculated.	
IBT RE-GEN UNBILLED REPORT	This option can be used to re-generate the Unbilled amounts report for a single month. This will re-compute the unbilled care for the month and update the unbilled amounts. To simply view previously computed data use the View option.	

Exported Options		
Option	Description	
IBT SEND TEST UNBILLED MESS	This option allows for sending of a test mail message to the mail group to receive the Unbilled Amounts messages. Using this prior to reporting problems can assist sites in determining whether the mail groups are set up correctly. The mail group to get the message should be specified in field UNBILLED MAIL GROUP (6.25) in the IB SITE PARAMETERS file (350.9).	
IBT UNBILLED MENU	This menu contains the 4 user options available to regenerate and view the Unbilled Amounts report.	
IBT VIEW UNBILLED AMOUNTS	This option can be used to view previously computed unbilled amounts without having to re-compile the data.	
IBCN LIST PLANS BY INS CO	This option lists insurance companies and the plans under each company. The user may select one, many or all in both cases. The report can be run with or without a listing of the patients under each policy.	
IB RX REPRINT REMINDER	This option is used to generate an Income Test reminder letter for a veteran who effective co-pay exemption is based upon income. When the letter is generated, the field REMINDER LETTER DATE (#.16) in the BILLING EXEMPTIONS (#354.1) file will be updated, for the exemption record which is the basis for sending the reminder letter, with the current date.	
IB TP FLAG OPT PARAMS	This option is used to flag stop codes and clinics as either non-billable for Third Party billing or to be ignored by the Third Party auto biller. These parameters are all flagged by date and may be inactivated and re-activated.	
IB TP LIST FLAGGED PARAMS	This output is used to generate a list of all stop codes and clinics that are flagged as non-billable for Third Party billing or that should not be auto billed by the Third Party auto biller on a user-specified date.	
IBZ-MRA-SERVER		

(This page included for two-sided copying.)

Archiving and Purging

The Purge Menu (under the System Manager's Integrated Billing Menu) provides archiving and purging capabilities for certain Integrated Billing files.

The Purge Update File option is used to delete all CPT entries from the temporary file, UPDATE BILLABLE AMBULATORY SURGICAL CODE (#350.41), after they have been transferred to the permanent file, BILLABLE AMBULATORY SURGICAL CODES (#350.4). At this time, these files are obsolete as the regulation implementing billing of ambulatory surgery CPT codes uses HCFA rates was never passed.

The remainder of the options in the Purge Menu are used to archive and purge billing data. The files which may be archived and subsequently purged are the INTEGRATED BILLING ACTION file (#350) (pharmacy co-payment transactions only), the CATEGORY C BILLING CLOCK file (#351), and the BILL/CLAIMS file (#399).

At a minimum, billing data from the current and one previous fiscal year must be maintained on-line. With this version of Integrated Billing, data may be purged up through any date prior to the beginning of the previous fiscal year.

A separate routine is provided to purge entries from the BILLING EXEMPTIONS file (#354.1) with the Medication Co-payment Exemption patch. There is no output from this routine. It is provided for maintenance of this file until a more robust archiving and purging option can be written.

The following criteria must be met to purge billing data.

INTEGRATED BILLING ACTION file (#350) (pharmacy co-payment actions)	The prescription which caused the action to be created must have been purged from the pharmacy database before the action may be archived. In addition, the bill must be closed in Accounts Receivable. The date the bill was closed is the date used to determine whether it will be included.
CATEGORY C BILLING CLOCK file (#351)	Only clocks with a status of CLOSED or CANCELLED and a clock end date prior to the selected time frame are included.
BILL/CLAIMS file (#399)	The bill must be closed in Accounts Receivable. The date the bill was closed is the date used to determine whether it will be included.
BILLING EXEMPTIONS file (#354.1)	Billing Exemptions may be purged using the new routine, IBPEX, if they are at least 1 year old, not the patient's current exemption, do not contain dates of canceled charges in AR, and if active, must be one year older than the purge date for inactive exemptions.

There are three steps involved in the archiving and purging of these files.

1. A search is conducted to find all entries which may be archived through the Find Billing Data to Archive option. You choose which of the three files you wish to include in the search. The entries found are temporarily stored in a sort (search) template in the SORT TEMPLATE file (#.401). An

entry is also made to the IB ARCHIVE/ PURGE LOG file (#350.6). This log may be viewed through the Archive/Purge Log Inquiry and List Archive/Purge Log Entries options.

The List Search Template Entries option allows you to view the contents of a search template. You may delete entries from the search template using the Delete Entry from Search Template option.

- 2. The entries are archived using the Archive Billing Data option. It is highly recommended that you archive the entries to paper (print to a non-slave printer), as there is currently no functionality to retrieve or restore data that has been archived.
- 3. The data is purged from the database using the Purge Billing Data option. The search template containing the purged entries is also deleted. An electronic signature code and the XUMGR security key are required to archive and purge data.

Expected Disk Space Recovery from Purging

Because of data retention requirements, it has not been possible to measure actual space recovered in a production environment with the use of the purge options. The following list shows the average record size of entries as measured at a test site (at approximately 70% efficiency).

Record type	File	1k blocks per record
Pharmacy Co-pay	350	.38
Billing Clocks	351	.14
Third Party Bills	399	.75

From testing of the software, we have determined that purging small numbers of entries (less than 200) will not yield measurable disk space. However, when large numbers of entries (over 1000) are purged, nearly 97% of the space is recovered. The actual percentage of the space recovered is relative to the number of consecutive entries purged. The number of consecutive records purged is relative to whether the site has closed the bills either by collecting the amount due or cancelling the bills.

External Relations

1. The following packages need to be installed on your system prior to installing Integrated Billing V. 2.0.

Accounts Receivable V. 3.7 Kernel V. 7.1 Outpatient Pharmacy V. 5.6 VA FileMan V. 20.0 IFCAP V. 4.0 OE/RR V. 1.96 PIMS V. 5.3

2. IB V. 2.0 has custodial integration agreements with the following packages.

SUBSCRIBING PACKAGE	DBIA #	NAME
ACCOUNTS RECEIVABLE	126	DBIA126
ACCOUNTS RECEIVABLE	300	DBIA300
ACCOUNTS RECEIVABLE	301	DBIA301
ACCOUNTS RECEIVABLE	307	DBIA307
ACCOUNTS RECEIVABLE	309	DBIA309
ACCOUNTS RECEIVABLE	1278	DBIA1278
ACCOUNTS RECEIVABLE	1457	DBIA1457
ACCOUNTS RECEIVABLE	2031	DBIA2031
ACCOUNTS RECEIVABLE	2035	DBIA2035
ACCOUNTS RECEIVABLE	2327	DBIA2327
ACCOUNTS RECEIVABLE	2328	DBIA2328
ACCOUNTS RECEIVABLE	3124	DBIA3124
ACCOUNTS RECEIVABLE	3130	DBIA3130
ACCOUNTS RECEIVABLE	3343	DBIA3343
ACCOUNTS RECEIVABLE	3345	DBIA3345
ACCOUNTS RECEIVABLE	3350	DBIA3350
ACCOUNTS RECEIVABLE	3733	GMT Related IB utilities
		(IA#3733)
ACCOUNTS RECEIVABLE	3804	DBIA3804
ACCOUNTS RECEIVABLE	3807	DBIA3807
ACCOUNTS RECEIVABLE	3808	DBIA3808
ACCOUNTS RECEIVABLE	3809	DBIA3809
ACCOUNTS RECEIVABLE	3810	DBIA3810
ACCOUNTS RECEIVABLE	3811	DBIA3811
ACCOUNTS RECEIVABLE	3820	DBIA3820-A
ACCOUNTS RECEIVABLE	3821	DBIA3820-B
ACCOUNTS RECEIVABLE	3822	DBIA3820-C
ACCOUNTS RECEIVABLE	3828	DBIA3820-I
ACCOUNTS RECEIVABLE	4042	DBIA4042
ACCOUNTS RECEIVABLE	4044	DBIA4044
ACCOUNTS RECEIVABLE	4045	DBIA4045
ACCOUNTS RECEIVABLE	4047	DBIA4047
ACCOUNTS RECEIVABLE	4048	DBIA4048
ACCOUNTS RECEIVABLE	4050	DBIA4050
ACCOUNTS RECEIVABLE	4051	DBIA4051

SUBSCRIBING PACKAGE	DBIA #	NAME
ACCOUNTS RECEIVABLE	4118	ALLOW A/R TO UPDATE
		RATE TYPE FILE
ACCOUNTS RECEIVABLE	4121	A/R access to TPJI for patient
		name OR bill number
ACCOUNTS RECEIVABLE	4385	MRA related function Calls from
		AR into IB
ACCOUNTS RECEIVABLE	4391	INSURANCE COMPANY FILE
		ACCESS
ACCOUNTS RECEIVABLE	4434	DBIA4434
ACCOUNTS RECEIVABLE	4435	DBIA4435
ACCOUNTS RECEIVABLE	4538	AR ACCESS TO FILE 350.1
ACCOUNTS RECEIVABLE	4541	AR access to INTEGRATED
		BILLING ACTION file 350
ACCOUNTS RECEIVABLE	4552	DBIA4552
ACCOUNTS RECEIVABLE	4602	GET CURRENT INSURANCE
ACCOUNTS RECEIVABLE	4603	FILE 361
ACCOUNTS RECEIVABLE	4604	FILE 365.12
ACCOUNTS RECEIVABLE	4635	ROUTINE IBRFN4
ACCOUNTS RECEIVABLE	4777	AR access to IB Patient Co-pay
		account data
ACCOUNTS RECEIVABLE	4957	DBIA4957
ACCOUNTS RECEIVABLE	4996	EEOB Worklist NPI inclusion
ACCOUNTS RECEIVABLE	5286	PAY-TO PROVIDER PHONE
		NUMBER API
ACCOUNTS RECEIVABLE	5671	COPY FUNCTIONS FOR IB
		EOB FILE #361.1
ACCOUNTS RECEIVABLE	5710	POTENTIAL CO-PAYMENT
		CHARGE AMOUNT
AR (ACCOUNTS RECEIVABLE)	304	DBIA304
AR (ACCOUNTS RECEIVABLE)	306	DBIA306
AR (ACCOUNTS RECEIVABLE)	308	DBIA308
AR (ACCOUNTS RECEIVABLE)	310	DBIA310
AUTOMATED INFO COLLECTION SYS	645	DBIA186-E
AUTOMATED INFO COLLECTION SYS	1992	DBIA1992
AUTOMATED INFO COLLECTION SYS	2351	OUTPATIENT ENCOUNTER
		SEARCH
AUTOMATED MED INFO EXCHANGE	4594	DBIA4589-F
DSS EXTRACTS	2786	DBIA2786
E CLAIMS MGMT ENGINE	4299	DBIA4299
E CLAIMS MGMT ENGINE	4692	DBIA4692
E CLAIMS MGMT ENGINE	4415	DBIA4415
E CLAIMS MGMT ENGINE	4693	DBIA4693
E CLAIMS MGMT ENGINE	4694	DBIA4694
E CLAIMS MGMT ENGINE	4695	DBIA4695
E CLAIMS MGMT ENGINE	4696	DBIA4696
E CLAIMS MGMT ENGINE	4697	DBIA4697
E CLAIMS MGMT ENGINE		
E CLAIMS MGMT ENGINE	4697 4698 4710	DBIA4697 DBIA4698 DBIA4710

SUBSCRIBING PACKAGE	DBIA #	NAME
E CLAIMS MGMT ENGINE	4729	API FOR RX BILLING INFO
E CLAIMS MGMT ENGINE	5185	Update IB NDC NON
		COVERED BY PLAN FILE
		#366.16
E CLAIMS MGMT ENGINE	5210	IB DRUGS NON COVERED
		REPORT
E CLAIMS MGMT ENGINE	5355	BILL INFORMATION
E CLAIMS MGMT ENGINE	5361	IBOSRX
E CLAIMS MGMT ENGINE	5572	IBNCPDPU
E CLAIMS MGMT ENGINE	5576	DBIA5576
E CLAIMS MGMT ENGINE	5711	IB NCPDP EVENT LOG FILE
E CLAIMS MGMT ENGINE	5712	PRINT IB ECME BILLING
		EVENTS REPORT
E CLAIMS MGMT ENGINE	5713	IB LIST MANAGER DISPLAY
		DATA
E CLAIMS MGMT ENGINE	5714	IB PHARMACY INSURANCE
ENROLLMENT APPLICATION SYSTEM	3302	DBIA3302
ENROLLMENT APPLICATION SYSTEM	3717	DBIA3717
ENROLLMENT APPLICATION SYSTEM	3777	DBIA3777
ENROLLMENT APPLICATION SYSTEM	4862	DBIA4862
FEE BASIS	228	DBIA228-A
FEE BASIS	396	DBIA396
FEE BASIS	705	DBIA228-B
FEE BASIS	4128	REVENUE CODE
FEE BASIS CLAIMS SYSTEM	5281	FBCS File #353.1 Read only
FEE BASIS CLAIMS SYSTEM	5282	FBCS File #353.2 Read only
INCOME VERIFICATION MATCH	257	DBIA257
INCOME VERIFICATION MATCH	324	DBIA324
INCOME VERIFICATION MATCH	944	DBIA944
INCOME VERIFICATION MATCH	945	DBIA945
INCOME VERIFICATION MATCH	946	DBIA946
INCOME VERIFICATION MATCH	947	DBIA947
INCOME VERIFICATION MATCH	948	DBIA948
INCOME VERIFICATION MATCH	949	DBIA949
INCOME VERIFICATION MATCH	950	DBIA950
INCOME VERIFICATION MATCH	951	DBIA951
INCOME VERIFICATION MATCH	952	DBIA952
INCOME VERIFICATION MATCH	2537	DBIA932 DBIA2537
INCOME VERIFICATION MATCH	1045	DBIA2337 DBIA1045
INCOME VERIFICATION NAT'L DB	1043	DBIA1045 DBIA1046
INSURANCE CAPTURE BUFFER	5292	INSURANCE CO FILE
INSURAINCE CAFTURE DUFFER	3292	ACCESS
INSURANCE CAPTURE BUFFER	5293	GROUP INSURANCE PLAN
INJUKANCE CAPIUKE BUFFEK	3293	ACCESS
INSUDANCE CADTUDE DUEEED	5204	
INSURANCE CAPTURE BUFFER	5294	INSURANCE BUFFER FILE
INSURANCE CAPTURE BUFFER	5206	ACCESS BILLING PATIENT ACCESS
INSURANCE CAPTURE BUFFER	5296	IIV RESPONSE ACCESS
INSURAINCE CAPI UKE BUFFEK	5297	IIV KESPUNSE AULESS

SUBSCRIBING PACKAGE	DBIA #	NAME
INSURANCE CAPTURE BUFFER	5298	CLAIMS TRK REVIEW TYPE
		ACCESS
INSURANCE CAPTURE BUFFER	5299	CLAIMS TRACKING ACTION
		ACCESS
INSURANCE CAPTURE BUFFER	5304	PATIENT INSURANCE
		ACCESS
INSURANCE CAPTURE BUFFER	5305	SOURCE OF INFORMATION
	0000	ACCESS
INSURANCE CAPTURE BUFFER	5307	DSIV CALLS TO IBCNBLL
INSURANCE CAPTURE BUFFER	5309	DSIV CALL TO IBCNERP2
INSURANCE CAPTURE BUFFER	5312	PLAN LIMITATION
INSURAIVEL CAI TURE DUITER	5512	CATEGORY ACCESS
INSURANCE CAPTURE BUFFER	5313	CLAIMS TRACKING ACCESS
INSURANCE CAPTURE BUFFER	5313	HOSPITAL TRACKING ACCESS
INSUKAINCE CAFTUKE BUFFER	5514	ACCESS
	5220	ACCESS ANNUAL BENEFITS ACCESS
INSURANCE CAPTURE BUFFER	5339	
INSURANCE CAPTURE BUFFER	5340	INSURANCE REVIEW
	50.41	ACCESS
INSURANCE CAPTURE BUFFER	5341	PLAN COVERAGE
		LIMITATION
INSURANCE CAPTURE BUFFER	5353	Accept/Reject Insurance Buffer
		data APIs
INSURANCE CAPTURE BUFFER	5424	INSURANCE FILING TIME
		FRAME
KERNEL	4960	INSURANCE CO AND
		PROVIDER ID
KERNEL	4961	GET PROVIDER ID FROM
		INSURANCE DATA
KERNEL	4962	GET PROVIDER ID FROM
		FACILITY BILLING ID
KERNEL	4964	GET FACILITY NAME & FED
		TAX NUMBER FROM IB SITE
		PARAMS
KERNEL	4965	GET ZERO NODE INFO FROM
		IB NON/OTHER VA BILLING
		PROVIDER
KERNEL	4971	DBIA4971
KERNEL	4972	DBIA4972
M DATA EXTRACTOR	3642	DBIA3642
MENTAL HEALTH	794	DBIA277-H
MENTAL HEALTH	2782	DBIA2782
OUTPATIENT PHARMACY	125	DBIA125-A
OUTPATIENT PHARMACY	592	DBIA125-B
OUTPATIENT PHARMACY	2030	DBIA2030
OUTPATIENT PHARMACY	2030	DBIA2030 DBIA2215
OUTPATIENT PHARMACY	2213	DBIA2215 DBIA2216
OUTPATIENT PHARMACT	2245	DBIA2210 DBIA2245
OUTPATIENT PHARMACY	3877	DBIA2245 DBIA 3877
OUTFATIENT FRAKMACT	30//	DDIA 30//

SUBSCRIBING PACKAGE	DBIA #	NAME
OUTPATIENT PHARMACY	4115	DBIA4115
OUTPATIENT PHARMACY	4664	PFSS ACCOUNT
OUTPATIENT PHARMACY	4665	PFSS CHARGE
OUTPATIENT PHARMACY	4741	PFSS ACCOUNT REFERENCE
PATIENT DATA EXCHANGE	271	DBIA271-A
PATIENT DATA EXCHANGE	766	DBIA268-B
PATIENT DATA EXCHANGE	773	DBIA271-B
PATIENT DATA EXCHANGE	774	DBIA271-C
PATIENT DATA EXCHANGE	2780	DBIA2780
PROSTHETICS	612	DBIA142-B
REGISTRATION	1936	DBIA1936
REGISTRATION	2037	DBIA2037
REGISTRATION	2538	DBIA2538
REGISTRATION	4288	RETRIEVE INSURANCE
		DATA
REGISTRATION	4524	DBIA4524
REGISTRATION	4709	PFSS PROCESS INSURANCE
		FROM DG REGISTRATION
REGISTRATION	4785	INSURANCE BUFFER FILE
		ACCESS
REGISTRATION	4786	PATIENT FSC FILE ACCESS
REGISTRATION	4787	VISTA FSC FILE ACCESS
REGISTRATION	4788	COMMERCIAL INSURANCE
		FILE ACCESS
REGISTRATION	4789	PFSS PLAN FILE ACCESS
REGISTRATION	4790	PFSS INSURANCE STATUS
		UPDATE
SCHEDULING	2781	DBIA2781
SCHEDULING	4987	IB BILLING DATA API
SCHEDULING	5029	VERIFY SC APPOINTMENT
		TYPE
SOCIAL WORK	61	DBIA61
Unknown	2034	DBIA2034
Unknown	4419	DBIA4419
Unknown	4663	PFSS ON/OFF SWITCH
Unknown	10147	IBARXEU
UTILIZATION MANAGEMENT ROLLUP	1137	DBIA1137
UTILIZATION MANAGEMENT ROLLUP	1327	DBIA1327
UTILIZATION MANAGEMENT ROLLUP	1329	DBIA1329
UTILIZATION MANAGEMENT ROLLUP	1351	DBIA1351
UTILIZATION MANAGEMENT ROLLUP	1354	DBIA1354

3. IB V. 2.0 has requested integration agreements with the following packages, and they have been approved.

A. Accounts Receivable (DBIA#s 127, 380-389,1452,5549) AR provides IB with the following:

- a routine used for setting up a new charge for a debtor
- allows the IB ACTION TYPE file (#350.1) to point to the ACCOUNTS RECEIVABLE CATEGORY file (#430.2)
- look-up to the ACCOUNTS RECEIVABLE file (#430)
- set the STATEMENT DAY field
- reference to determine the internal number of decrease and increase adjustment types
- RCJIBFN2 APIs for ACCOUTNS RECEIVABLE file(#430)
- RCDPAYER API reads payer contact information from ELECTRONIC REMITTANCE ADVICE file #344.4
- B. DRG Grouper (DBIA#s 368, 369, 370, 371)

DRG Grouper provides IB with the following:

- direct reference to specific fields within the ICD DIAGNOSIS file (#80)
- direct reference to specific fields within the ICD OPERATION/PROCEDURE file (#80.1)
- store pointers to the DRG file (#80.2) to retrieve data at the time claims are generated
- a call to calculate interim DRGs to determine the expected length of stay for a visit
- C. Health Summary (DBIA# 253) Health Summary allows IB to do look-ups to the HEALTH SUMMARY TYPE file (#142) and to print health summaries.
- D. HINQ (DBIA# 379)
 HINQ provides IB a call to allow billing clerks to replace requests for HINQ inquires for potentially billable patients with unverified eligibility.
- E. IFCAP (DBIA# 353)
 IFCAP provides IB with the short description describing the name of a prosthetic device which is being billed on a claim to a third party carrier.
- F. Kernel (DBIA# 372) Kernel gives permission to IB to add entries to the INSTITUTION file (#4) when creating bills.
- G. List Manager (DBIA# 367) List Manager provides IB with calls used to refresh the screen and reset the scrolling area while program control remains with an action.
- H. Outpatient Pharmacy (DBIA#s 124, 237) Outpatient Pharmacy provides IB with the following:
 - a call to display information from the PRESCRIPTION file (#52)
 - reference to determine prescription number and drug name
 - printing of the Action Profile and Information Profile
 - stores pointers to the PRESCRIPTION (#52) and DRUG (#50) files to retrieve data at the time claims are generated
 - directly reference selected fields in the PRESCRIPTION (#52) and DRUG (#50) files
 - directly reference the OUTPATIENT VERSION field (#49.99) of the PHARMACY SYSTEM file (#59.7)
- I. Patient Data Exchange (DBIA# 272) PDX allows IB to directly reference fields in the VAQ-TRANSACTION (#394.61) and VAQ-DATA SEGMENT (#394.71) files.

J. Patient File (DBIA# 187)

The PATIENT file (#2) provides direct references to IB for the purpose of sorting and printing on a patient's Ambulatory Surgery Check-off Sheet.

- K. Problem List (DBIA# 354)
 Problem List provides IB with a call to obtain a list of a patient's active problems. It also provides a call for IB to access the EXPRESSIONS file (#757.01) to create lists of common problems by clinic.
- L. Prosthetics (DBIA#s 373, 374)
 - Prosthetics provides IB with the following:
 - stores pointers to the RECORD OF PROS APPLIANCE/REPAIR (#660) and PROS ITEM MASTER (#661) files to retrieve data at the time claims are generated
 - print item name on screens and bills
 - call to find potentially billable prosthetic items
 - call to find prosthetic items which may have been delivered to a patient within a specific date range
 - direct reference to specific fields in the RECORD OF PROS APPLIANCE/REPAIR file (#660)
- M. Registration (DBIA# 186, 414-434)

Registration provides IB with the following:

- multiple calls to obtain Means Test data
- medical center division by which to sort and print various reports
- patient eligibility data to print on various documents
- N. Scheduling (DBIA# 188, 397-411)

Scheduling provides IB with the following:

- multiple calls to get patient appointment data for check-off sheets and encounter forms
- calls to get clinic and division information for various reports
- O. Accounts Receivable (IA#380)
 - The following function calls are made to the routine PRCAFN.
 - Active IB*2.0*432
- P. KERNEL (IA#2171)
 - Function API's to access parts of the Institution file.
 - Active IB*2.0*432
- Q. KERNEL (IA#4129)
 - The IB package has MRA (Medicare Remittance Advice) functionality using a specific, non-human user in file 200.
 - Active IB*2.0*432
- R. KERNEL (IA#4677)
 - To support the J2EE middle tier the concept of an APPLICATION PROXY user was created. This is a user name that an application sets that has a user class of Application Proxy.
 - Active IB*2.0*432

(This page included for two-sided copying.)

Internal Relations

All of the IB V. 2.0 package options have been designed to stand alone.

(This page included for two-sided copying.)

Package-wide Variables

Though there are no variables that can always be assumed to be present in Integrated Billing, the following is a list of common variables and their meanings.

Package-wide Variables		
Variable	Description	
IBAFY	The current fiscal year.	
IBARTYP	The Accounts Receivable Category pointer value stored in the IB ACTION TYPE file (#350.1) for the current entry.	
IBATYP	The pointer value to the IB ACTION TYPE file (#350.1) for the current entry.	
IBCHCDA	Pointer to IB Action - Inpatient IB Action Charge for co-payments.	
IBCHPDA	Pointer to IB Action - Inpatient IB Action Charge for per diems.	
IBCLDA	Pointer to Cat C Billing Clock record (File #351).	
IBCLDAY	Cat C Billing Clock Inpatient Days within one clock.	
IBCLDOL	Cat C Billing Clock Inpatient dollars for current 90 days of care.	
IBCLDT	Cat C Billing Clock Start Date.	
IBDESC	The brief description to/from the INTEGRATED BILLING ACTION file (#350).	
IBDUZ	The user DUZ as passed from an application. In the background filer, the user who caused the filer to be queued will be reflected in the DUZ variable; however, IBDUZ should equal the user causing the current transaction.	
IBEVCAL	IB Action Event last calculated date.	
IBEVDA	Pointer to IB Action - Inpatient IB Action Event.	
IBEVDT	IB Action Event date.	
IBFAC	Institution from File #350.9 (points to File #4).	
IBHANG	The number of seconds the background filer should hang after finishing posting all transactions and waiting to look for more transactions to post.	
IBIL	The AR bill number or Charge ID.	
IBJOB	Identifies IB job (1-Inpt BGJ, 2-Inpt Discharge job, etc.).	

Package-wide Variables		
Variable	Description	
IBLAST	The most recent transaction for a given new transaction. If there have been no subsequent transactions to a new transaction, it will equal the new transaction. However, if a transaction has been cancelled or updated, this will be the pointer to the most recent (last) cancellation or update.	
IBLINE	Used to draw lines (79 or 80 dashes).	
IBN	The pointer to the INTEGRATED BILLING ACTION file (#350) for the current action.	
IBND	The zero node from the INTEGRATED BILLING ACTION file (#350) (e.g., IBND=^IB(IBN,O)).	
IBNOS	The list of pointer values to the INTEGRATED BILLING ACTION file (#350) that are to be combined and passed to AR as one transaction.	
IBNOW	Contains the current date/time.	
IBOP	Identifies IB Archive/Purge operation (1-Search, 2-Archive, 3-Purge).	
IBPARNT	The original NEW Integrated Billing Action for any action. This will be the pointer value. For NEW Actions, this will point to itself.	
IBSEQNO	IB Action sequence number (1-New, 2-Cancel, 3-Update).	
IBSERV	Service associated with billing application (points to File #49).	
IBSITE	Institution site number.	
IBSL	IB Action softlink.	
IBTOTL	Dollar amount passed to Accounts Receivable must be greater than zero to pass charges.	
IBTRAN	The AR Transaction number for a NEW IB Action, the value returned after passing a transaction to AR. More than one IB Action may have the same AR Transaction.	
IBWHER	Codes to denote processing point in case of error.	
IBY	Error processing (equals 1 or -1^error code).	

How to Generate On-Line Documentation

This section describes some of the various methods by which users may secure Integrated Billing technical documentation. On-line technical documentation pertaining to the Integrated Billing software, in addition to that which is located in the help prompts and on the help screens which are found throughout the Integrated Billing package, may be generated through utilization of several Kernel options. These include but are not limited to %INDEX; Menu Management, Inquire (Option File) and Print Option File; VA FileMan Data Dictionary Utilities, List File Attributes.

Entering question marks at the "Select ... Option:" prompt may also provide users with valuable technical information. For example, a single question mark (?) lists all options which can be accessed from the current option. Entering two question marks (??) lists all options accessible from the current one, showing the formal name and lock for each. Three question marks (???) displays a brief description for each option in a menu while an option name preceded by a question mark (?OPTION) shows extended help, if available, for that option.

For a more exhaustive option listing and further information about other utilities which supply on-line technical information, please consult the DHCP Kernel Reference Manual.

%Index

This option analyzes the structure of a routine(s) to determine in part if the routine(s) adhere(s) to DHCP Programming Standards. The %INDEX output may include the following components: compiled list of Errors and Warnings, Routine Listing, Local Variables, Global Variables, Naked Globals, Label References, and External References. By running %INDEX for a specified set of routines, the user is afforded the opportunity to discover any deviations from DHCP Programming Standards which exist in the selected routine(s) and to see how routines interact with one another, that is, which routines call or are called by other routines.

To run %INDEX for the Integrated Billing package, specify the following namespace(s) at the "routine(s) ?>" prompt: IB.

Integrated Billing initialization routines which reside in the UCI in which %INDEX is being run, as well as local routines found within the Integrated Billing namespace, should be omitted at the "routine(s) ?>" prompt. To omit routines from selection, preface the namespace with a minus sign (-).

Inquire (Option File)

This Menu Management option provides the following information about a specified option(s): option name, menu text, option description, type of option and lock, if any. In addition, all items on the menu are listed for each menu option.

To secure information about Integrated Billing options, the user must specify the name or namespace of the option(s) desired. The namespace associated with the Integrated Billing package is IB.

Print Option File

This utility generates a listing of options from the OPTION file. The user may choose to print all of the entries in this file or may elect to specify a single option or range of options. To obtain a list of Integrated Billing options, the following option namespace should be specified: IB.

List File Attributes

This VA FileMan option allows the user to generate documentation pertaining to files and file structure. Utilization of this option via the "Standard" format will yield the following data dictionary information for a specified file(s).

- File name and description
- Identifiers
- Cross-references
- Files pointed to by the file specified
- Files which point to the file specified
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file: field name, number, title, global location, description, help prompt, cross-reference(s), input transform, date last edited, and notes.

Using the "Global Map" format of this option generates an output which lists all cross-references for the file selected, global location of each field in the file, input templates, print templates, and sort templates. For a comprehensive listing of Integrated Billing files, please refer to the Files Section of this manual.

Security File Protection

The Electronic Data Interface contains files that are standardized. They carry a higher level of file protection with regard to Delete, Read, Write, and LAYGO access, and should not be edited locally unless otherwise directed. The data dictionaries for all files should NOT be altered.

The following is a list of recommended VA FileMan access codes associated with each file contained in the KIDS build for the EDI interface.

File #	File Name	DD	RD	WR	DEL	LAYGO	AUDIT
36	INSURANCE COMPANY	#		D	d	d	
350.8	IB ERROR	@	@	@	@	@	@
350.9	IB SITE PARAMETERS	@	@	@	@	@	@
353.3	IB ATTACHMENT REPORT TYPE	@	@	@	@	@	@
355.3	GROUP INSURANCE PLAN	@		@	@	@	@
355.33	INSURANCE BUFFER	@	@	@	@	@	@
355.93	IB NON/OTHER VA BILLING PROVIDER	@					@
361.1	EXPLANATION OF BENEFITS	@	@	@	@	@	@
362.4	IB BILL/CLAIMS PRESCRIPTION REFILL	@		@	@	@	@
364.5	IB DATA ELEMENT DEFINITION						
364.6	IB FORM SKELETON DEFINITION						
364.7	IB FORM FIELD CONTENT						
366.03	PLAN	@					
366.14	IB NCPDP EVENT LOG						
399	BILL/CLAIMS	@	@	@	@	@	

Security Keys

Security Key Name	Description	Patch
IBCNF EDIT	This security key is assigned to eII Edit	IB*2*457
	Configuration option. Only users with	
	this security key can access the option	

Options Locked by Security Keys

Options/Programs locked by a Security Key	Security Key	Patch
eII Edit Configuration option	IBCNF EDIT	IB*2*457

Glossary

Glossary	
Action Type	The type of event that an application passes to Integrated Billing.
Admission Sheet	(a.k.a. Attestation Sheet)
	This is a worksheet commonly used in the front of inpatient charts with a workspace available for concurrent reviews.
ADPAC	Automated Data Processing Applications Coordinator.
ALOS	Average Length of Stay.
AMIS	Automated Management Information System
Annual Benefits	The amount or percentages of coverage for specific types of care under an insurance plan.
AR	Accounts Receivable
	This is a system of bookkeeping necessary to track VAMC debt collection.
Automated Biller	This is a new utility introduced in IB v2.0 for the purpose of establishing third party bills with no user intervention.
Background Filer	A background job that accumulates charges and causes adjustment transactions to a bill.
BASC	Billable Ambulatory Surgical Code
Benefits Used	The amounts or portions of a patient's insurance policy that have been used (i.e., deductibles, annual or lifetime maximums).
Billing Clock	A 365 day period, usually beginning when a patient is Means Tested and is placed in Category C, through which a patient's Means Test charges are tracked. An inpatient's Medicare deductible co-payment entitles the patient to 90 days of hospital/nursing home care. These 90 days must fall within the 365 day billing clock.
Block	A rectangular region on an encounter form. Attributes include position, size, outline type, and header. All other form components are contained within a particular block, and their position is relative to the block's position.
Category C	Category C patients are responsible for making co-payments as a result of Means Test legislation.

Glossary	
Check-off Sheet	A site configurable printed form containing CPT codes, descriptions, and dollar amounts (optional). Each check-off sheet may be assigned to an individual clinic or multiple clinics.
Claims Tracking	This is a new module in Integrated Billing that allows for the tracking of an episode of care from scheduling through final disposition of a bill.
Collateral Visit	A visit by a non-veteran patient whose appointment is related to or associated with a service-connected patient's treatment.
Column	A selection list contains one or more columns, a column being a rectangular area that contains a portion of the entries on a selection list. Attributes include position and height.
Concurrent Reviews	Review of patients by the hospital Utilization Review performed during the patient's hospital stay.
Consistency Checker	Review of patients by the hospital Utilization Review performed during the patient's hospital stay.
Continuous Patient	Patients continuously hospitalized at the same level of care since July 1, 1986.
Converted Charges	During the conversion, the BILLS/CLAIMS file (#399) is checked to insure that each outpatient visit has been billed. For each visit without an established bill, one is established and given a status of CONVERTED.
Co-payment	The charges required by legislation, that a patient is billed for services or supplies.
СРТ	Current Procedural Terminology. A coding method developed by the American Hospital Association to assign code numbers to procedures which are used for research, statistical, and reimbursement purposes.
Data Field	A block component that is the means by which data from DHCP is printed to the form. The data is obtained at the time the form is printed (i.e., it is not stored with the form) and can be particular to the patient. A data field can have subfields, which are conceptually a collection of related data fields. Attributes include label, label type (underlined, bold, invisible), position, data area, data length and position (area on the form allocated to the data), item number, and package interface (the routine used to get the data).
DHCP	Decentralized Hospital Computer Program
Diagnosis Code	A numeric or alpha-numeric classification of the terms describing medical conditions, causes, or diseases.

Glossary	
Discharge Summary	An admission summary usually completed by the clinician upon the patient's discharge from the hospital.
Encounter Form	A paper form used to display data pertaining to an outpatient visit and to collect additional data pertaining to that visit.
Entry Action	An attribute of a package interface. It is MUMPS code that is executed before the interface's entry point is executed.
EP	Expert Panel
Exit Action	An attribute of a package interface. It is MUMPS code that is executed after the interface's entry point is executed.
Form Line	A block component. A straight line that will be printed to the form. Attributes include orientation (horizontal, vertical), position, and length.
Form Locator	A block on the UB or HCFA bill form.
Group Plan	A specific health insurance plan that an insurance company offers.
HCFA	Health Care Finance Administration
HCFA-1500	AMA approved health insurance claim form used for outpatient third party billings.
HINQ	Hospital Inquiry
Hospital Review	The application of Utilization Review criteria to determine if admissions or continued stay in the hospital meets certain guidelines. Refers to QM mandated reviews.
IB	Integrated Billing
ICD-9	International Classification of Diseases, the Ninth Modification
	A coding system designed by the World Health Organization to assign code numbers to diagnoses and procedures for statistical, research, and reimbursement purposes.
Insurance Data Capture	This is a new module in Integrated Billing that is used to capture and store insurance company and patient insurance information.
Insurance Review	The input of UR information about insurance company contact and insurance company action.

Glossary	
Integrated Billing Action	The billing record created when an application passes an event to Integrated Billing that may cause a charge adjustment (increase or decrease) in the amount a debtor may owe; or a supporting event to document an event that causes a charge adjustment to a debtor.
Interqual Criteria	A method of evaluating appropriateness of care.
Item Number	An attribute that must be specified when defining a data field if the data field's package interface returns a list. The item number is used to specify which item on the list should be printed to the data field. For example, there is a package interface for returning service-connected conditions. The first data field created for a form for displaying a service-connected condition would specify item number one.
Locality Rate Modifier	The Geographic Wage Index that is used to account for wage differences in different localities when calculating the ambulatory surgery charge. It is multiplied by the wage component to get the final geographic wage component of the charge.
MAS	Medical Administration Service
MCCR	Medical Care Cost Recovery The collection of monies by the Department of Veterans Affairs (VA).
Marking Area	The areas on a selection list that the user marks to indicate selections from the list (e.g., (), [], { }).
Means Test	A financial report used to determine if a patient may be required to make co-payments for care.
MIRMO	Medical Information Resources Management Office
Options	The different functions within menus.
Package Interface	A table that is the method by which the Encounter Form Utilities interface with other packages. Presently there are three types of package interfaces: for printing reports via the Print Manager, printing data to data fields, and for entering data to selection lists. Attributes include entry point, routine, entry action, exit action, protected variables, required variables, data type, data description, and custodial package.
PDX	Patient Data Exchange
Per Diem	The daily co-pay charge for hospital or nursing home care.
PIMS	Patient Information Management System

Glossary	
Policy	The specific patient information about a health insurance policy. A policy may reference a group plan.
Principal Diagnosis	Condition established after study to be chiefly responsible for the patient's admission.
Print Manager	A utility used to define the reports and encounter forms that should be printed for clinics. It will then print the reports and forms in packets for each appointment specified.
Problem List	This is a clinical software package used to track a patient's problems across clinical specialties.
Provider	A person, facility, organization, or supplier which furnishes health care services.
Protected Variable	An attribute of a package interface. It is a variable that should be "new'ed" before calling the interface's entry point.
Reimbursable Insurance	Health insurance that will reimburse VA for the cost of medical care provided to its subscribers.
Required Variable	An attribute of a package interface. It is a variable that must exist in order for the interface's entry point to be called.
Revenue Code	A code identifying the type of care provided on a third party bill.
Security Code	A code assigned to each user identifying him/her specifically to the system and allowing him/her access to the functions/options assigned to him/her.
Security Key	Used in conjunction with locked options or functions. Only holders of this key may perform these options/functions. Used for options which perform a sensitive task.
Selection	A component of a selection list. It is a single entry on the list. It is stored with the form and is usually data taken from a file in DHCP such as a CPT code with its description.
Selection Group	A component of a selection list. It is a named group of selections on the list. Attributes include a header and the print order.
Selection List	A block component whose purpose is to contain a list (e.g., a list of CPT codes). The list contains sub columns for marking areas, which are areas meant to be marked to indicate selections being made from the list. Attributes include headers, sub columns, sub column width, sub column type, package interface (the routine used to fill the list), and many attributes for the appearance of the list.

Glossary	
Stop Code	A three-digit number corresponding to an additional stop/service a patient received in conjunction with a clinic visit. Stop code entries are used so that medical facilities may receive credit for the services rendered during a patient visit.
Sub-column	A component of a selection list. It can contain either text such as a CPT code, or a marking area.
Subfield	A component of a data field. It can display a single value, whereas a data field can be used to display a collection of related values. Attributes include those for the label and the area on the form to print the data. Also, for package interfaces that return records that have multiple values, the particular data must be specified.
Text Area	A rectangular area in a block that is used to display a word-processing field. The text is automatically formatted to fit within the block. Attributes include the word-processing field, the position, and size of the text area. The text is stored with the form.
Third Party Billings	Billings where a party other than the patient is billed.
Tool Kit	A set of pre-configured encounter forms and blocks to facilitate sites' use of the Encounter Forms package.
UB-82	AMA approved health insurance claim form used for Third Party billings.
UB-92	AMA approved health insurance claim form used for Third Party billings.
UR	Utilization Review
	A review carried out by allied health personnel at pre-determined times during the hospital stay to assess the appropriateness of care.
Wage Percentage	The percentage of the rate group unit charge that is the wage component to be used in calculating the HCFA charge for ambulatory surgical procedures.