

Pharmacy Enterprise Customization System (PECS) User Guide



Version 3.0

July 2014

**Department of Veterans Affairs
Office of Information and Technology (OIT)
Product Development**

Revision History

Each time this manual is updated, the Title Page lists the new revised date and this page describes the changes. No Change Pages document is created for this manual. Replace any previous copy with this updated version.

Date	Revised Pages	Patch Number	Description of Change
07/18/2014	All	PREC*3.0*1	Changed date to real release date (month) Marella Colyvas
05/30/2014	All	PREC*3.0*1	Reviewed and fixed typos from search and replace Marella Colyvas
05/27/2014	i-vi; all	PREC*3.0*1	Changed format of Revision History pages; changed FDB-DIF to FDB MedKnowledge Framework Marella Colyvas
05/08/2014	All	PREC*3.0*1	Made additional changes per CPS Marella Colyvas
05/07/2014	All	PREC*3.0*1	Made changes per CPS: graphics caption formatting, added links, created new heading for cross-reference purposes (Drug Pair Customization; changed "Records You Can Modify" to Modifying Records.) Marella Colyvas
03/13/2014	All	PREC*3.0*1	Added changes from CPS Marella Colyvas
02/13/2014	All	PREC*3.0*1	Added Alt Text for Section 508 Compliance Marella Colyvas
02/12/2013	55-58	PREC*3.0*1	Added FDB Drug Pair Content Marella Colyvas
02/11/2013	All	PREC*3.0*1	Updated for PECS 3.0 B Holihan
02/08/2013	All	PREC*3.0*1	Some formatting changes & edits; changed two screen shots in prep for PECS 3.0 Marella Colyvas

Date	Revised Pages	Patch Number	Description of Change
02/07/2013	53, vii	PREC*2.2*1	Updated graphic on Page 53 to ensure caption remained with image; Updated TOC B Holihan
02/07/2013	All	PREC*2.2*1	Updated Title Page to reflect Release month Updated Revision History order Updated Footer to include version number, release date. B Holihan
06/26/2012	Title Page	PREC*2.2*1	Updated title page to reflect the update month Marella Colyvas
06/13/2012	All	PREC*2.2*1	Updated to address Sonia T, Joanne C comments. B Holihan
06/12/2012	All	PREC*2.2*1	Updated to address Radu C comments of 06/11/12 B Holihan
05/31/2012	101-108	PREC*2.2*1	Entered nearly all of Joanne's comments re: FDB Comparison Reports. Marella Colyvas
05/23/2012	All	PREC*2.2*1	Updated TOC; changed some heading levels; replaced screen shots for Requestor & Approver home pages; adjusted pagination and section breaks Marella Colyvas
05/09/2012	61-62	PREC*2.2*1	Updated Quick Drug Pair selection. B Holihan
05/08/2012	84-85	PREC*2.2*1	Added screen capture to Null Drug Pair section; Reduced size of Custom Update samples Marella Colyvas
5/07/2012	84	PREC*2.2*1	Added sentence at the end of the Null Drug Pair write-up to contain info about the date from the FDB update. Marella Colyvas

Date	Revised Pages	Patch Number	Description of Change
05/04/2012	84-85	PREC*2.2*1	Added more information to Release Manager. Still needs better explanations of screen captures; added Null Drug Pairs write-up to Administrator Role (Julie's); added write-up on Quick Drug Pair Selection; added information about CCR5122 in User Guide in the Notification of Drug Pairs Needing Action for an Approved Drug-Drug Interaction section. Marella Colyvas
5/04/2012	39	PREC*2.2*1	Clarified the "Also note: If you wish to put a Drug-Drug Interaction (DDI) . . ." statement at the end of the Notification of Drug Pairs Needing Action for the Approved Drug-Drug Interaction section. Joanne Callahan
05/03/2012	2, 62	PREC*2.2*1	Added explanation of Custom Update File in Release Manager section; updated definition of Administrator on pages 2 and 62 (added fact they can initiate null drug pair removal). Updated write-up on Quick Drug Pair Selection Marella Colyvas
4/27/2012	61-62; 75	PREC*2.2*1	Added PBM feedback to Release Manager write-up; added short write-up on Quick Drug Pair Selection Marella Colyvas
4/12/2012	39; 75	PREC*2.2*1	More changes to Drug Pair Notification; added Release Manager write-up Marella Colyvas
4/11/2012	39	PREC*2.2*1	More changes to Drug Pair Notification Marella Colyvas

Date	Revised Pages	Patch Number	Description of Change
4/9/2012	39	PREC*2.2*1	Renamed the Title of the Drug Pair Notification Section (was "Working with Drug Pairs") Marella Colyvas
4/6/2012	50-51; 75-76	PREC*2.2*1	Edited and obtained new screen shots for Multiple DDI records to one FDB; attempted to write up Release Manager but need more information. Marella Colyvas
3/23/2012	39	PREC*2.2*1	Drafted Drug Pair Notification Marella Colyvas
3/15/2012	50-53	PREC*2.2*1	Cleaned up Record Locking; made edits from Sonia on Creating Multiple Custom DDIs to One FDB Record and Prevention of Duplicate DP on Single Record Marella Colyvas
3/13/2012	51	PREC*2.2*1	Added information on Creating Multiple Custom DDIs to One FDB Record and Prevention of Duplicate DP on Single Record Marella Colyvas
03/12/2012	63; All	PREC*2.2*1	Added data on Forward/Reverse Monographs and Multiple DDIs to one FDB; included Lynn Teague's changes Marella Colyvas
02/17/2012	44	PREC*2.2*1	Completed Record Locking Marella Colyvas
02/16/2012	44	PREC*2.2*1	Made a few additions to Record Locking Marella Colyvas
02/10/2012	All	PREC*2.2*1	Made a few changes to the text on Edit panels Marella Colyvas

Date	Revised Pages	Patch Number	Description of Change
1/26/2012	All	PREC*2.2*1	Created text for Not Editing Single Drug Pair window; added some screen shots; still have to add Sonia's changes. Marella Colyvas
1/23/2012	All	PREC*2.2*1	Beginning of changes for PECS 2.2. Added new Read-Only screens for each concept; eliminated edit mode screen shots for now; Marella Colyvas
11/05/11	All	PREC*2.2*1	Edited information from customer on Action Statuses, and added information on Saved Queries Marella Colyvas
10/13/11	All	PREC*2.2*1	Added information on potential Easy Search/PECS Record discrepancy; changed a screen shot Marella Colyvas, Wendy Cobb
10/7/11	All	PREC*2.2*1	Reviewed and provided feedback / comments Hussain Kedwail
10/6/2011	All	PREC*2.2*1	Added changes for 2.1 Marella Colyvas, Kristen Kriwox, Wendy Cobb
04/12/2011	All	PREC*2.2*1	Added edits from CPS. Marella Colyvas
12/08/2010 CR 3520	All	N/A (First Release)	Began changes for PECS v2.0, sprint 1, Professional Monograph and Historical Records Marella Colyvas
11/18/2010 CR 3391	All	N/A (First Release)	Edited changes requested by customer analyst prior to second (final) review by EIE Marella Colyvas

Date	Revised Pages	Patch Number	Description of Change
10/12/2010 CR 3391	All	N/A (First Release)	Updated elements found in Enterprise Infrastructure Engineering (EIE) review for Operational Readiness Testing (ORT) Marella Colyvas
4/14/2010	All	N/A (First Release)	Baseline Russell Chachula and Marella Colyvas

Table of Contents

Pharmacy Enterprise Customization System (PECS)

Overview	1
Purpose	1
PECS Advantage.....	1
Security Roles.....	1
Identity Management.....	2
Process Flow	3
Transaction Flow.....	5
Customization Information	7
Drug-Drug Interaction and Professional Monograph.....	7
Duplicate Therapy	8
Dose Range	8
PECS Button List	8
Application Screens.....	11
Login.....	11
Instructions.....	11
Authentication Explanation.....	11
Home Page	13
My Request History.....	14
My Assigned Requests for Review.....	14
My Assigned Requests for Approval	15
My Assigned Requests for Deletion	15
Unassigned Requests	15
All Requests	15
Drug Pair Lookup Page	17
Advanced Query/Customization Page	21
Accessing the Advanced Query/Customization Page.....	21
The Query Builder Panel	23
How to Build a Query	23
And/Or Usage Example	25

Query Specifics	25
Save a Query	26
Run a Saved Query.....	26
Delete a Saved Query	27
Rename a Saved Query.....	27
Sort Query Results.....	28
Export Query Results	29
Query Errors	29
Add Default DRC Query.....	30
History of Changes.....	32
Modifying Records	35
Dose Range.....	35
Professional Monograph.....	36
Duplicate Therapy.....	37
Drug-Drug Interaction	37
Single Drug Pair Page Modification Not Allowed.....	38
Notification of Drug Pairs Needing Action for an Approved Drug-Drug Interaction	39
Drug Pair Customization.....	40
Record Locking Feature.....	44
Creating Multiple VA Custom Drug-Drug Interactions to One FDB Record	50
Create Multiple DDIs per One FDB Record	51
Prevention of Two Users Adding Identical Drug Pairs to the Same DDI	53
Drug Pair Detail Page	55
VA Customized Drug Pair Detail Page.....	58
Quick Selection of Drug Pairs from the Selection List.....	61
Forward and Reverse Professional Monograph	63
Easy Search Query Page.....	65
Interactions for a Single Drug.....	68
Potential Discrepancy Between Easy Search Results and PECS Records	70
Easy Search Dose Range	73
User Roles	75

Requestor	75
Approver	75
Release Manager	75
Update Files Explained	76
Administrator	79
Customize Settings	79
Approver User Settings	82
Null Drug Pair Removal Process	84
Sample Modification Scenarios	87
Duplicate Therapy Modification	87
Process Steps	87
Duplicate Therapy Approval	89
Process Steps	89
Drug Interaction Research	89
Process Steps for Severity Check, Case 1	89
Drug Interaction Severity Change	89
Process Steps for Editing Case 1	90
Drug Interaction Severity Change	93
Process Steps for Editing Case 2	93
Remove Drug Pair from Interaction	95
Process Steps	95
Create Professional Monograph	96
Process Steps	96
Reports	99
Customization Reports	99
FDB Custom Dose Range Report	99
FDB Custom Drug-Drug Interaction Report	99
FDB Custom Duplicate Therapy Report	99
FDB Custom Professional Monograph Report	100
Deleted Monograph Customization Report	100
Null Drug Pairs Customization Report	100
FDB Comparison Reports	101
Structure of the FDB Comparison Report	101

Drug-Drug Interaction/Drug Pair Report.....	103
Duplicate Therapy Report	107
Dose Range Report	108

List of Figures

Figure 1: PECS Customization Life Cycle	3
Figure 2: Action Statuses	5
Figure 3: Drug-Drug Interaction Relationship.....	7
Figure 4: KAAJEE Login Screen	11
Figure 5: Home Page for Approver (Partial View)	13
Figure 6: Home Page for Requestor.....	14
Figure 7: Drug-Drug Pair Query Window	17
Figure 8: Sample Query.....	18
Figure 9: Drug Pair Query Result.....	18
Figure 10: Default Position of "Request Assigned To"	19
Figure 11: Re-positioned "Request Assigned To" Column.....	19
Figure 12: Accessing the Advanced Query / Customization Page	21
Figure 13: Access Advanced Query/Customization from the Home Tab	21
Figure 14: Sorting Query Results	28
Figure 15: Query Error Message	29
Figure 16: Default Dose Range Query Window	30
Figure 17: Results from Building a Dose Range Query with Default DRC Query.....	31
Figure 18: History of Changes On-Screen Table	32
Figure 19: Changes Shown in FDB Comparison Report	33
Figure 20: Dose Range Record - Read-Only	35
Figure 21: Professional Monograph Record- Read Only	36
Figure 22: Duplicate Therapy Record - Read-Only.....	37
Figure 23: Drug-Drug Interaction Panel - Read Only	37
Figure 24: Home Page with Approved DDIs with Pending Drug Pairs.....	39
Figure 25: My Assigned DDIs with Pending Drug Pairs List	40
Figure 26: Drug-Drug Interaction Window	40
Figure 27: List of Drug Pairs You Can Act On	41
Figure 28: Assigned To Drop-Down When Adding a Drug Pair.....	42
Figure 29: Assigned To Drop Down When Editing Drug Pairs	43
Figure 30: DDI FDB with Custom Records.....	50
Figure 31: Drug Pair Detail Page (Read Only)	55
Figure 32: Example of FDB Drug Pair Customized for One DDI, Deleted from Another, and Customized for a Third.....	56
Figure 33: Example of Drug Pair Customized for One DDI, Rejected from the Same DDI, and Customized Again for Another DDI.....	57
Figure 34: VA Customized Drug Pair	58
Figure 35: Select Single Drug Pairs.....	61
Figure 36: Range of Drug Pairs Selected with Shift Key.....	61
Figure 37: Forward/Reverse DDIs with Professional Monographs, Custom Update File Created by Release Manager.....	63
Figure 38: Initial Easy Search Window.....	65
Figure 39: Select Drug-Drug Interaction with Professional Monograph and Duplicate Therapy.....	65
Figure 40: Severity Levels 1 and 2 Selected, and Drug Name to Search	66

Figure 41: Partial Easy Search Results - Drug-Drug Interaction.....	67
Figure 42: Partial Easy Search Results: Professional Monograph.....	67
Figure 43: Partial Easy Search Results - Duplicate Therapy.....	68
Figure 44: Easy Search DDI Record	71
Figure 45: Referenced PECS Record with Name Discrepancy	72
Figure 46: Custom Update Zip File.....	77
Figure 47: Custom Update Text File.....	77
Figure 48: Full Update File	78
Figure 49: Custom Drug-Drug Interaction Full Update File	78
Figure 50: Null Drug Pair Removal Process Complete	85
Figure 51: Sample FDB Comparison Report - Duplicate Therapy	101
Figure 52: FDB Incremental Update Section Items.....	102
Figure 53: Example of a "No Data Found" Message in an FDB Comparison Report	103
Figure 54: DDI-DP Report.....	103
Figure 55: First Half of FDB Comparison Report for DDI	105
Figure 56: Second Half of FDB Comparison Report for DDI.....	105
Figure 57: Contents of the FDB Interaction ID tab, i.e., Drug Pairs Updated by FDB:.....	106
Figure 58: Display of All Customizations Done for an FDB Record.....	106
Figure 59: FDB Comparison Report - Duplicate Therapy.....	107

Pharmacy Enterprise Customization System (PECS) Overview

Purpose

The Pharmacy Enterprise Customization System (PECS) is a Graphical User Interface (GUI) application that currently allows users to customize the contents of the following five business concepts:

- Drug-Drug Interaction
- Drug Pair
- Duplicate Therapy
- Dose Range
- Professional Monograph

The purpose of this user guide is to provide a general overview of the PECS application, as well as more detailed working information. It also provides reference material and task-based instructions for entering and approving Drug-Drug Interaction, Drug Pair, Duplicate Therapy, Dose Range, or Professional Monograph Customization Requests.

PECS Advantage

- All customizations will be performed at the national level to provide consistent order checks between facilities
- Use of First DataBank for drug interaction, duplicate therapy, and dosing data.
- More specificity in drug interaction order checks with the ability to include or exclude dose routes.
- More specificity in duplicate therapy order checks with FDB data.
- Weekly FDB updates with monthly customization updates.
- More frequent customization updates when needed.

Security Roles

The PECS application is accessible only by users signed directly into the VA network, or by users signed into the VA network via the RESCUE client. User authentication into the VA network is a precondition of PECS application access. Application authentication and authorization will be controlled by the VA Kernel Authentication and Authorization for J2EE (KAAJEE) security Application Programming Interface (API).

In order to log in to the application, each user must have a valid VistA account at a local or national facility, since KAAJEE delegates user authentication to VistA. At the application's login screen, users are prompted for their access and verify codes and will be allowed to select the VistA institution which issued their credentials*

Identity Management

Authorization is handled through the use of specific VistA security keys. PECS doesn't assign individual permissions to users. Instead, it defines a number of roles for its users (requestor, approver, release manager and administrator) and associates a set of permissions with each of them. These roles are mapped to security keys as follows.

PECS Role	VistA Security Key
Requestor	PSS_CUSTOM_TABLES_REQUESTOR
Approver	PSS_CUSTOM_TABLES_APPROVER
Release Manager	PSS_CUSTOM_TABLES_REL_MAN
Administrator	PSS_CUSTOM_TABLES_ADMIN

Depending on the permissions needed by a user, the appropriate role is determined and the corresponding key assigned to their account. The user provisioning process is part of the VistA system and is thus not documented here. Password changes, account activation/inactivation, etc., must be performed through VistA. Refer to the appropriate documentation for details on user account management

Following is a list of roles available within the application, and a description of what each role can do:

Requestor: Create a customization request, modify their own requests, and run, save, and export queries.

Approver: Create, review, approve, modify, delete or reject customization requests; run, save, and export queries, and run reports. An approver can review but cannot approve their own requests.

Release Manager: Can run queries and view detail records. A Release Manager can generate an incremental or full Custom Update file, or download an existing Custom Update.

Administrator: Can run queries and view detail records. In addition, Administrators can modify field settings for each concept type, add or delete users to/from the approver role, and initiate the process to remove drug pairs that contain a null routed generic drug.

Process Flow

Here is a process diagram depicting the process life cycle. It depicts the high-level business process from the point at which a new interaction is created to when a file is available to be loaded to production.




Figure 1: PECS Customization Life Cycle

Figure 1 shows the life cycle of a customization change from the Requestor entry to the point the record is ready to be sent to the production FDB MedKnowledge Framework custom table. The updates and changes are made and maintained in a Staging Table. Records are not extracted until the Release Manager submits approved changes. Records are then formatted and placed in a directory where they will be updated to production. The process that updates these records uses software named DATUP.

Transaction Flow

The diagram below depicts the Action Statuses of a record's transition from creation to approval.




Figure 2: Action Statuses

Action Statuses

This list displays the different Action Statuses a VA customized record may go through as it steps through the approval workflow within PECS. Note that only seven of the following eleven states are displayed in the user interface - in other words, some of this information is “behind-the-scenes.” It is included here as information only.

New - A new customization request has been created. If a user has the appropriate authority, they may modify the request (Modified) to be completed at a later point. Then, if they have the proper authority, they may submit the request as reviewed (Reviewed).

Modified - A user can make changes to their own New requests. The record will remain Modified until a user with the proper authority (Approver role) reviews the request and submits the request as Reviewed.

Modified After Approve - (displays as Modified) A user with the proper authority has requested a change in the Approved customization that requires another approval process.

Modified After Delete - (displays as Modified) A user with the proper authority has requested the deleted record be considered again for Approval with or without modifications. This requires another approval process.

Reviewed - This is the first stage of approval. A user with the proper authority (Approver role) reviews the new or modified customization request and submits it as Reviewed. The approver may also reject or modify the request. Note that an approver can review their own requests but not approve them.

Reviewed After Approve - (displays as Reviewed) Modifications were made to an approved record. A user with the proper authority (Approver role) reviews the request and submits it as Reviewed. The Approver may also reject the request, in which case the record returns to the Approved state, or they may modify it.

Reviewed After Delete (displays as Reviewed)- Modifications were made to a deleted record. A user with the proper authority (Approver role) reviews the request and submits it as Reviewed. The Approver may also reject the request, in which case the record returns to Deleted state, or they may modify it.

Rejected - The customization request is in a Rejected state. At this point the user may make changes, resubmit, or keep the transaction in the rejected state. All records that are rejected or not approved will remain in that state and will be available to the user for any future changes.

Approved – This is the second stage of approval. A user with the proper authority (Approver role) who did *not* submit the request as Reviewed will review the record and may approve, reject, or modify the request.

Delete Reviewed- The record remains active but a user with the proper authority (Approver role) has requested deletion of an existing approved customization.

Deleted – A user in the Approver role who did *not* submit the request for Deletion may delete the customization. If an Approver confirms the deletion, the record will remain active for potential future modifications.


Customization Information

Here is information on the basic types of customization that can be done with PECS.

Drug-Drug Interaction and Professional Monograph

This diagram displays how a drug interaction is tied to drug pairs and professional monographs:

Drug-Drug Interaction Relationship



Drug interaction now between routed generics within an interaction description that is also associated with a monograph.

Figure 3: Drug-Drug Interaction Relationship

FDB Drug-Drug interaction severity levels:

- 1 = Contraindicated
- 2 = Severe
- 3 = Moderate
- 9 = Undetermined severity – Alternate therapy

Within the VA system, an FDB or VA Custom drug-drug interaction of severity level 1 will return a Critical order check and severity level 2 will return a Significant order check. Severity levels 3 and 9 will not return an order check.

Types of drug-drug interaction customizations include:

- Change in severity level
- Add or remove drug pairs
- Create drug interactions not found in FDB

Note: Due to the millions of possible drug pair combinations, you must be very specific on which two products are involved when reporting problems with the system.

Duplicate Therapy

The Duplicate Therapy concept allows you to specify the maximum number (0, 1, or 2) of duplicate therapy matches that can occur within a therapeutic class without creating an order check. A '0' duplicate allowance means only 1 medication from that therapeutic class can be on the patient profile without getting an order check (zero duplication). If a second drug from that class is added the provider gets the order check. If the allowance is '1', two drugs can be on the patient profile at once, the 3rd drug added would get the check (one duplication), etc.

The only type of Duplicate Therapy customization allowed is to increase or lower the duplicate therapy allowance for a therapeutic category.

Dose Range

Here is information about the Dose Range function:

- Dosing is based on the GCN Sequence Number (GCNSEQNO), a random number specific to all drug products with the same generic ingredient(s), route of administration, drug strength(s) and dosage form.
- Dosing is age-specific for most products. FDB has dosing for neonatal, infant, adolescent, adult, and geriatric. All ages are by days, for example, 18 years x 365= 6570 days.
- FDB also has indication-specific dosing, and dosing type. Examples of dosing type are loading, maintenance, single, initial.
- A typical product may have 30 or more dosing records when all variables are taken into consideration.
- The initial implementation of dosing order checks within VistA looks at the maximum single dose and daily dose range order checks using a common indicator.

PECS Button List

Here is a list of the buttons in PECS and their meanings. This list is alphabetical, not by window or function, as the buttons can display on many different windows and it depends upon user authority whether a button is visible.

- **Active** -- Displayed on the Query Result page. Opens an existing in-process request.
- **Add Default DRC Query** – Found on the Dose Range Advanced Query page. When selected, Concept Type Equal to 6 AND Age High in Days Greater than or Equal to 6570 is added to the query builder.
- **And** – Adds query criteria to a query that is being created for execution. This creates an “AND” clause with any other existing criteria.
- **Approve** – Moves the request from the Reviewed status into the Approved status.
- **Cancel** – Returns the user to the Home index page without saving any changes to the database for the request.
- **Clear Query** – Clears the Query Builder form of any previously entered data.
- **Customize** – Displayed on some pages to create a VA customization from an FDB record.

- **Edit** - Displays on the detail pages of all concepts where the record is in Read-only mode. This button allows users to edit a particular detail page if it is not already in use by another user.
- **Delete** – Moves the request from the Delete Reviewed status into the Deleted status.
- **Drug Pairs** – Retrieves a list of possible drug pairs from the FDB MedKnowledge Framework database that are eligible to be added to the VA Custom Drug Interaction, and lists any existing custom drug pairs that the Drug Interaction may have.
- **Export**– Creates a file of the results of an executed query that can be downloaded and opened in the Microsoft Excel program.
- **Historical** – Displayed on the query result page. Opens a historic record as read-only.
- **Modify** – Moves a request from New, Modified, Rejected, Approved or Deleted into the Modified status. Writes any changes made to the request to the database, and leaves the status in the Modified status.
- **Open** – Displayed on the query result page. Opens an FDB record.
- **Open Blank Form**- Found under the FDB results when querying Both VA and FDB records in Drug-Drug Interaction, Professional Monograph or Dose Range. Navigates the user to a blank form.
- **Or** - Adds query criteria to a query that is being created for execution. This will create an “OR” clause with any other existing criteria.
- **Print Page** – Calls the browser’s print page functionality.
- **Query** – Allows the user to submit a query to the system. If there are records that match the query parameters, they will be displayed in the results table.
- **Reject** – Moves the request from the New, Modified, or Reviewed status into the Rejected status. When records that are modified after approval or deletion are rejected, the record returns to the approved or deleted state.
- **Save Query** – Allows the user to save the executed query with a user-friendly name, available to be executed in the future.
- **Submit As Reviewed** – Moves the request from the New, Modified or Rejected status into the Reviewed status.
- **Submit For Delete** – Moves the request from the Approved status into the Delete Reviewed status.

(This page included for two-sided copying.)

Application Screens

Login

Instructions

The purpose of this screen is to provide an authorized user access to the system. Each user needs to select their site, then enter their current VistA access and verify codes, which are their assigned/designated "User IDs" and passwords.

Note that authorization is handled through the use of specific VistA security keys. PECS doesn't assign individual permissions to users. Instead, it defines a number of roles for its users (Requestor, Approver, Release Manager and Administrator) and associates a set of permissions with each of them. To see the list, refer to [Identity Management](#) on page 2.

Authentication Explanation

Application authentication and authorization is controlled by KAAJEE. Refer to VistA documentation for details on the user account maintenance.

If the response from the authentication request is successful via the KAAJEE API, KAAJEE returns a user profile object, which is used by the application to determine the user's role and permissions. On successful login, the system transfers the user to the Home page of the application.

Here is the login window:

System Announcements:

U.S. Government Computer System


U. S. government systems are intended to be used by authorized government network users for viewing and retrieving information only, except as otherwise explicitly authorized for official business and limited personal use in accordance with policy. Information from these systems resides on and transmits through computer systems and networks funded by the government. All access or use constitutes understanding and acceptance that there is no reasonable expectation of privacy in the use of Government networks or systems.

The data and documents on this system include Federal records that contain sensitive information protected by various Federal statutes, including the Privacy Act, 5 U.S.C. Section 552a, and veterans' records confidentiality statutes such as 38 U.S.C. Sections 5701 and 7332. Access to the data and records is on a need-to-know basis only.

All access or use of this system constitutes user understanding and acceptance of these terms and constitutes unconditional consent to review and action including (but not limited to) monitoring, recording, copying, auditing, inspecting, investigating, restricting access, blocking, tracking, disclosing to authorized personnel, or any other authorized actions by all authorized government and law enforcement personnel.

Unauthorized user attempts or acts to (1) access, upload, change, or delete information on this system, (2) modify this system, (3) deny access to this system, (4) accrue resources for unauthorized use or (5) otherwise misuse this system are strictly prohibited. Such attempts or acts are subject to action that may result in criminal, civil, or administrative penalties.

Login: PECS

 Access Code:
Verify Code:

Sort by Station Number * Sort by Station Name *

Institution: *

* Persistent Cookie Used ([more information](#)).

Figure 4: KAAJEE Login Screen

(This page included for two-sided copying.)

Home Page

The Home page is the first page that the user is directed to after logging into the application. This page provides information about when the last update to the First DataBank DIF database tables occurred and also when the last customization update file was created. The purpose of the Home page is to provide the user with summary counts of the number of active customization records that the user can access.

The Home page is organized into panels containing specific information. Only panels that are appropriate to the role of the current user are displayed. Users in the "Requestor" role are shown only the "My Request History" panel. Users in the "Approver" role are shown nearly all available panels. The counts are organized by the action (Review/Approve/Delete) the user can perform on the customization records for each concept type (Professional Monograph, Dose Range, Drug-Drug Interaction and Duplicate Therapy). Additionally, the Home page provides details on the status of any active customization records that the user may have entered into the system (My Request History). This allows the user to track their own requests as they move through the approval process.

Clicking on the link to the number of records under each panel (if more than '0') will redirect the user to the Advanced Query/Customization tab with the "Build a Query" panel displaying the fields, filters and values that were queried against, in order to obtain the results showing in the "VA Table Results" panel. The "VA Table Results" panel contains the active records that match the items for the count displayed on the Home page.

The bottom of the home page (and every page) contains navigation links providing access to various areas of the system. These links are identical to the navigation tabs at the top of every page.

The following window displays an example of what a user with the "Approver" role may see on the home page:

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
 Welcome, TWO_APPROVER | Logout

Home | **Advanced Query/Customization** | Easy Search | Drug Pair Lookup | Reports | Help

Welcome, TWO_APPROVER Page Help

Last update to First DataBank DIF database occurred on: 11-23-2012 version: 3.3
 Last customization update file creation occurred on: 01-31-2013

My Request History

Concept	New	Modified	Reviewed	Approved	Rejected	Deleted	All
Drug-Drug Interaction	45	9	1	1	3	2	61
Professional Monograph	2	0	1	1	2	2	8
Duplicate Therapy	3	2	5	1	0	2	13
Dose Range	8	4	3	2	1	0	18

My Assigned Requests for Review

Concept	Awaiting Review
Drug-Drug Interaction	7
Professional Monograph	4
Duplicate Therapy	3
Dose Range	1
Approved Drug Drug Interactions With Pending Drug Pairs	1

My Assigned Requests for Approval

Figure 5: Home Page for Approver (Partial View)

This window displays an example of what a user with the “Requestor” role may see on the home page:

Concept	New	Modified	Reviewed	Approved	Rejected	Deleted	All
Drug-Drug Interaction	3	3	1	1	0	1	9
Professional Monograph	2	3	0	0	0	0	5
Duplicate Therapy	0	2	0	0	1	0	3
Dose Range	2	1	0	1	0	2	6

Figure 6: Home Page for Requestor

My Request History

Active customization records created by the logged in user (Requestor and Approver roles only). The results will be broken down into numbers of active records, created by the logged in user by the following Action Statuses: New, Modified, Reviewed, Approved, Rejected, Deleted and All.

New	The count is the number of active records in the "New" status created by the logged in user.
Modified	The count is the number of active records in the "Modified" status created by the logged in user.
Reviewed	The count is the number of active records in the "Reviewed" and "Delete Reviewed" status created by the logged in user.
Approved	The count is the number of active records in the "Approved" status created by the logged in user.
Rejected	The count is the number of active records in the "Rejected" status created by the logged in user.
Deleted	The count is the number of active records in the "Deleted" status created by the logged in user.
All	The count is the number of all active records in any status, created by the logged in user.

My Assigned Requests for Review

Active customization records assigned to the logged in user to be reviewed. The Awaiting review count is the number of records that are in the "New" or "Modified" status, that have been assigned to the logged in user. This section will only be displayed for users in the Approver role.

My Assigned Requests for Approval

Active customization records assigned to the logged in user to be approved. These records have been "reviewed" by another "Approver" in the system. This section will only be displayed for users in the Approver role.

My Assigned Requests for Deletion

Active customization records assigned to the logged in user to be deleted. The records have been "delete reviewed" by another "Approver" in the system. This section will only be displayed for users in the Approver role.

Unassigned Requests

Active customization records in the approval process that have not yet been assigned to any user. These records may be in the Action Status of New, Modified, or Reviewed. This section will only be displayed for users in the Approver role.

All Requests

All active customization records currently in the system by status. The result detail will display the active records associated with the selected custom table summary. The categories are:

New	The count is the number of active records in the "New" status.
Modified	The count is the number of active records in the "Modified" status.
Reviewed	The count is the number of active records in the "Reviewed" and "Delete Reviewed" status.
Approved	The count is the number of active records in the "Approved" status.
Rejected	The count is the number of active records in the "Rejected" status.
Deleted	The count is the number of active records in the "Deleted" status.
All	The count is the number of all active records, by status. This is NOT a link, just informational

(This page included for two-sided copying.)

Drug Pair Lookup Page

If you have the proper authority, you can access the Drug Pair page by clicking the Drug Pair Lookup tab. It allows you to perform a quick query search on the most common elements.

On this page, you can perform a simplified query where a record search is performed from the FDB MedKnowledge Framework and VA Custom tables. Simply enter filter data in any or all of the four entry fields (Drug A, Drug B, Interaction, or Severity Level Code). The resulting data is displayed under the VA Table Results and FDB Table Results panels. These consist of active customized Drug Pair records from the VA custom database (DB), which are available for modification, as well as their related Drug Pair records from the FDB DB from which they were customized.

Field names are as follows:

- Drug A - The name (or partial name) of one generic drug associated with an interaction.
- Drug B - The name (or partial name) of a second generic drug associated with an interaction.
- Interaction - An assigned drug interaction ID number or Description associated with the drug pair of Drug A and Drug B.
- Severity Level Code - Drop down list of available severity codes.

The screenshot shows the PECS (Pharmacy Enterprise Customization System) interface. At the top, there is a header with the United States Department of Veterans Affairs logo and the text 'PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM'. A navigation bar contains links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup (which is highlighted), Reports, and Help. Below the navigation bar, the page title is 'Drug Pair Lookup' with a 'Page Help' link. The main content area contains a search form with the following fields: 'Drug A (Generic):', 'Drug B (Generic):', 'Interaction:', and 'Severity Level Code:'. Each of the first three fields has a text input box, and the last one has a dropdown menu. A 'Query' button is located below the form. Below the form, there is a secondary navigation bar with the same links as the top one. The page also includes a welcome message: 'Welcome, FOUR_APPROVER | Logout'.

Figure 7: Drug-Drug Pair Query Window

Drug Pair Lookup

The Drug Pair Lookup page allows users to search for VA custom drug pairs and FDB drug Interaction and/or select a value for Severity Level Code, an exact match is performed. If you enter a value anywhere in the specified field will be returned.

To begin your search for drug pairs, complete any of the fields below. Note that at least one field must be completed.

Drug A (Generic):

Drug B (Generic):

Interaction:

Severity Level Code:

[Home](#) [Advanced Query/Customization](#)

Figure 8: Sample Query

VA Tables Results					
Select	Interaction Description	Routed Generic #1 Description	Routed Generic #2 Description	Action Status	Severity Level Code
Active	METRAPONE/CYPROHEPTADINE	METRAPONE ORAL	CYPROHEPTADINE HCL/LYSINE/VITAMIN B COMPLEX/ZINC ORAL	New	3
Active	METRAPONE/CYPROHEPTADINE	METRAPONE ORAL	CYPROHEPTADINE HCL/LYSINE/VITAMIN B COMPLEX/ZINC ORAL	New	1
Active	METRAPONE/CYPROHEPTADINE	METRAPONE ORAL	CYPROHEPTADINE HCL MISCELLANEOUS	Reviewed	2
Active	METRAPONE/CYPROHEPTADINE	METRAPONE ORAL	CYPROHEPTADINE HCL/VITAMIN B COMPLEX ORAL	New	2
Active	METRAPONE/CYPROHEPTADINE	METRAPONE ORAL	CYPROHEPTADINE HCL ORAL	New	2

FDB Tables Results					
Select	Interaction Description	Routed Generic #1 Description	Routed Generic #2 Description	Severity Level Code	Interaction ID
Open	METRAPONE/CYPROHEPTADINE	METRAPONE ORAL	CYPROHEPTADINE HCL/VITAMIN B COMPLEX ORAL	2	234
Open	METRAPONE/CYPROHEPTADINE	METRAPONE ORAL	CYPROHEPTADINE HCL ORAL	2	234
Open	METRAPONE/CYPROHEPTADINE	METRAPONE ORAL	CYPROHEPTADINE HCL/LYSINE/VITAMIN B COMPLEX/ZINC ORAL	2	234
Open	METRAPONE/CYPROHEPTADINE	METRAPONE ORAL	CYPROHEPTADINE HCL MISCELLANEOUS	2	234

Figure 9: Drug Pair Query Result

You can move the columns in these tables and compare different fields side-by-side. Click the heading and drag and drop it:

Action Status	Request Submitted By	Action Date	Action Performed By	Request Assigned To	Interaction ID
Modified	FIVE_APPROVER	2011-09-27 07:20	ONE_APPROVER	FIVE_APPROVER	2020476
Modified	FIVE_APPROVER	2011-09-27 07:20	ONE_APPROVER	FIVE_APPROVER	2020476
Modified	FIVE_APPROVER	2011-09-27 07:20	ONE_APPROVER	FIVE_APPROVER	2020476
Modified	FIVE_APPROVER	2011-09-27 07:20	ONE_APPROVER	FIVE_APPROVER	2020476

Figure 10: Default Position of "Request Assigned To"

Action Status	Request Assigned To	Request Submitted By	Action Date	Action Performed By	Interaction ID
Modified	FIVE_APPROVER	FIVE_APPROVER	2011-09-27 07:20	ONE_APPROVER	2020476
Modified	FIVE_APPROVER	FIVE_APPROVER	2011-09-27 07:20	ONE_APPROVER	2020476
Modified	FIVE_APPROVER	FIVE_APPROVER	2011-09-27 07:20	ONE_APPROVER	2020476
Modified	FIVE_APPROVER	FIVE_APPROVER	2011-09-27 07:20	ONE_APPROVER	2020476

Figure 11: Re-positioned "Request Assigned To" Column

(This page included for two-sided copying.)

Advanced Query/Customization Page

The Advanced Query / Customization page is used to access customization records from either the FDB Standard table, the VA Custom tables, or both at the same time. This allows you to research existing records, make customizations, or export data.

Accessing the Advanced Query/Customization Page

The Advanced Query/Customization page allows you to retrieve records from either the FDB standard tables, custom tables, or both to research, make customization changes, or export data. The Advanced Query / Customization page can be accessed in one of two ways.

- Click the Advanced Query/Customization tab on the navigation bar near the top of the page. This will open a blank query.




Figure 12: Accessing the Advanced Query / Customization Page

- Click a link from one of the summary tables displayed within the panels on the Home tab. This will generate a query appropriate to the context of the link that was clicked. In the example below, a query displaying criteria to display the New Drug-Drug Interaction records will be displayed.




Figure 13: Access Advanced Query/Customization from the Home Tab

(This page included for two-sided copying.)

The Query Builder Panel


The Query Builder Panel on the Advanced Query/Customization page allows you to retrieve a specified set of records the VA Custom Tables, the FDB standard tables or Both in order to perform research, make customization changes, or export data. You can use it to create a new query, load a query you have previously saved, or load a query saved by another user.

How to Build a Query


This is the Query Builder page, described above. From this page you can build your own query, run it, save it, run a saved query, or run another user's saved query.

To create a query


1. On the Advanced Query/Customization tab, select a Concept.




2. Select what data you want to view-- VA, FDB, or Both.



- In the "Enter a value to build a query" area, select the Field you want to use as a query criteria. The available field options will be determined by the Concept you selected earlier.




- Select the Filter you want to impose on the Field.



- Enter a Value to use as your query criteria. The Value must be appropriate for the Field and Filter or an error will be generated. See Query Specifics for additional information.



- To add additional criteria to the query, make a selection from the And/Or list.



- AND indicates the results must match the new criteria and all the AND-connected criteria above it
 - OR indicates that the results must match either the new criteria or the AND-connected criteria above it. See And/Or Usage Examples for additional information.
- To include Historical Records in the query, select the Include Historical Records check box.

8. When all criteria have been added, click the Query button. The results will display below the query panel.
9. To see details of the record, click the link in the Select column.

Export			
Select	Concept Type	Concept ID Number	Concept ID D
Active	6	15532	BCG LIVE IN' (SDV,MDV OF
Active	6	22222222	
Historical	6	476	NITROGLYC TABLET,SUB
Historical	6	1234	POTASSIUM BICARBONA CITRATE/CIT

And/Or Usage Example

To see approved records with an interaction description equal to "anti" or "Lido", build the query as follows:

Field	Filter	Value	And/Or
Interaction description	Equals	anti	And
Status	Equals	approved	Or
Interaction description	Equals	Lido	And
Status	Equals	approved	

If you build the query below, you will get approved records with an interaction description = "Anti", but you will get all records with an interaction description of "Lido", regardless of status.

Field	Filter	Value	And/Or
Interaction description	Equals	anti	And
Status	Equals	approved	Or
Interaction description	Equals	Lido	

Query Specifics

- Use the YYYY-MM-DD date format for searching date fields within a query
- Date values can only use the following filters::
 - Equal to
 - Less than or Equal to
 - Greater than or Equal to
 - Greater than
 - Less than

Save a Query

PECS allows you to save a complete query so that you and other PECS users can run a specific query without having to re-build it every time. This feature is not available to users with the Requestor role. Note: the state of the Historical Records check box will not be saved with the query; if desired, it must be re-selected after the query is loaded at run-time.

To save a query

1. Create a query in the Build A Query panel. See Build A Query for additional information.
2. Enter a name for the query in the Query Name field. The name must contain at least five characters and cannot be longer than 64 characters.
3. Click Save Query.

Query Name:

4. The saved query will appear in the My Queries list.

Run a Saved Query

My Queries	Other Users' Queries
<input checked="" type="radio"/> Concept 6 - Rejected	
<input type="radio"/> Dose Route Not ORAL	
<input type="radio"/> Dose Route Not ORAL, Rejected, Deleted	
<input type="radio"/> Concept6, Powder, Elixir	
<input type="radio"/> Approver 2 Requests Not Assigned	
<input type="radio"/> Aspirin DRC	


Run a Saved Query

PECS allows you to run a previously saved query with the same Concept and content (VA, FDB, or Both). You can run queries that you have saved or those that other users have saved.

To run a saved query

1. On the Advanced Query/Customization tab, select a Concept.
2. Select what data you want to view-- VA, FDB, or Both.
3. In the Run a Saved Query sub-panel, select either My Queries or Other Users's Queries, then select the query you want to run.

4. Click the Load button. This will add the components of the saved query to the Build a Query panel.



5. Click the Query button to run the query. You may also select additional criteria to alter or enhance the saved query.

Delete a Saved Query

You can delete queries you have created and saved. Note that the delete operation is immediate; you will not be warned that the query is about to be deleted and there is no undo option.

To delete a Saved Query

1. On the Advanced Query/Customization tab, select a Concept.
2. Select what data you want to view-- VA, FDB, or Both.
3. In the Run a Saved Query sub-panel, select My Queries; you cannot delete a query that was created by another user, then select the query you want to delete.
4. Click the Delete button. The query is deleted.

Rename a Saved Query

A saved query can be renamed by loading it then adding a different name in the Query Name field.

To rename a saved query

1. On the Advanced Query/Customization tab, select a Concept.
2. Select what data you want to view-- VA, FDB, or Both.
3. In the Run a Saved Query sub-panel, select My Queries; you cannot rename a saved query created by another user.
4. Enter a new the Query Name field.
5. Click Save Query. The new query name will appear in the My Queries list in place of the original query.

Sort Query Results

You can change the sort order of results of your query by clicking on the column headings in the display grid. Clicking once will display the records in ascending order (A to Z, 1-2-3 etc.) based on the contents of the column of the header you clicked; clicking a second time display the records in descending order (Z to A, 3-2-1, etc.). A small arrow indicates the direction of the current sort.



The screenshot shows a table with three columns: 'Action Performed By', 'Action Date', and 'Reference Text'. The 'Action Date' column is highlighted with a dashed blue box, and a mouse cursor is pointing at it. A callout box with a red border and the text 'Sort Direction Indicator' points to a small downward-pointing arrow in the 'Reference Text' header. The table contains the following data:

Action Performed By	Action Date	Reference Text
SIX_APPROVER	2012-05-10 13:39:25	
SIX_APPROVER	2012-05-10 13:30:32	
TWO_APPROVER	2012-05-10 13:12:57	
TWO_APPROVER	2012-05-10 13:09:47	
SIX_APPROVER	2012-05-10 10:38:44	
SIX_APPROVER	2012-05-10 10:35:22	
FOUR_APPROVER	2012-05-09 17:35:26	
TWO_APPROVER	2012-05-03 16:00:44	

Figure 14: Sorting Query Results

For VA records, the default sort order is by the 'Action Date' value, from newest to oldest. This puts the VA Customizations that have been updated most recently at the top of the returned list. By default, FDB records are displayed in the order they appeared in the update file sent by FDB. However, they can be re-sorted by clicking a column header.


Note: Due to technical database restrictions, not all fields can be used to determine the sort order. For example, Concept ID Description on a Dose Range query cannot be used to sort the query results. Clicking these columns will have no result and the current sort order will be retained.

Export Query Results

Query results for both VA and FDB records can be exported to an Excel spreadsheet file.

To export the query results

1. On the appropriate query results panel, click the Export button.



2. Select one of the following options from the dialog box:
 - Click Open to open the exported query in Excel.
 - Click Save to save the exported query to a location on your hard drive.
 - Click Cancel to abandon the export operation.

Query Errors

Running a query will sometimes return an error message.




Figure 15: Query Error Message

In many cases, the error is caused by the query returning too many results which causes the database to time-out. Try re-writing the query with more specific criteria. For example, enter "Aspirin" as the Concept ID Description in a Dose Range query instead of "a" as the Concept ID Description. This will reduce the number of results and potentially prevent database time-outs. Rule of thumb: always be as specific as possible when creating a query.

An error may also appear if the selected Filter is not appropriate for the data type.

Add Default DRC Query

If you are performing a Dose Range Query, there is a special button that displays only on the Dose Range Query window for VA, FDB, or Both. It is a pre-defined search that enters a default Dose Range query. If you do not want to run the default, you can enter specific values yourself, then run your query.

Here are the predefined fields for this Dose Range Query:

- Concept type = 6 and
- AGEHIGHINDAYS >= (greater than or equal to) 6570

To run this query, simply press the Add Default DRC Query, then press Query. The results are shown below:

Figure 16: Default Dose Range Query Window

Load Delete

VA Tables Results

Export

Select	Concept Type	Concept ID Number	Concept ID Description	Action Status	Age Low In Days
Active	6	63438	CALCIUM CARBONATE/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3) ORAL TABLET 400 MG-167 MG-133 UNIT	Delete Reviewed	30
Historical	6	63438	CALCIUM CARBONATE/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3) ORAL TABLET 400 MG-167 MG-133 UNIT	Approved	30
Historical	6	63438	CALCIUM CARBONATE/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3) ORAL TABLET 400 MG-167 MG-133 UNIT	Reviewed	30
Historical	6	63438	CALCIUM CARBONATE/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3) ORAL TABLET 400 MG-167 MG-	New	30

FDB Tables Results

Export

Select	Concept Type	Concept ID Number	Concept ID Description	Age Low In Days	HITTYPE
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	6570	3
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	23726	3
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	4745	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	4745	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	0	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	0	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	180	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	180	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	365	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	365	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	1460	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	1460	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	3285	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	3285	1

Figure 17: Results from Building a Dose Range Query with Default DRC Query

(This page included for two-sided copying.)

History of Changes

Whenever changes occur to any of the Customization requests (Duplicate Therapy, Professional Monograph, Dose Range, or Drug-Drug Interaction), it can be important to know what those changes are at a glance. You can see these changes in the detail page of each of the concepts. The Drug-Drug Interaction detail page is shown below, but the view is virtually identical in all the concepts with, of course, the relevant fields for that particular concept identified. See the list of relevant fields in the Customization concepts Drug-Drug Interaction Detail, Professional Monograph, Duplicate Therapy Detail, and Dose Range.

The screenshot shows a form with the following fields and values:

- Monograph ID: Topiramate/Carbonic Anhydrase Inhibitors - 1147
- Action Status: Reviewed
- Interaction ID: (empty)
- Severity Level Code (Required): 2 - Severe Interaction
- Action Date: 10-30 02:56:33
- Action Performed By: FOUR_APPROVER

An on-screen table is displayed over the Severity Level Code field, showing the change from '1 - Contraindicated Drug Combination' to '2 - Severe Interaction'. The table has two columns: 'Old Value' and 'New Value'.

Old Value	New Value
1 - Contraindicated Drug Combination	2 - Severe Interaction

Figure 18: History of Changes On-Screen Table

The History of Changes is displayed in two ways: on-screen, via an on-screen table that is displayed interactively above an icon that displays over the name of the required field that has been changed (see screen shot above), and via the History of Changes Report. On the on-screen table, for all concepts, only required fields are reported upon.

The on-screen table that displays the History of Changes shows a quick snapshot of the record's history. It shows the changes that occurred during a record's life between important baselines - FDB/New, Approved, and Deleted. However, the on-screen view displays only the changes that occurred during a milestone, e.g., from New to Approved, or from Approved to Deleted. To view ALL the historical changes a record has incurred on the reportable fields, the user needs to access the History of Changes Report.

In the History of Changes Report, all editable fields, with a couple of exceptions, are reported upon. Note that Current Action Reason, though a required field, is never reported upon in the report nor on the on-screen table.

The image below is a partial image of the FDB Comparison Report for Drug-Drug Interaction. All changes are shown in red.

FDB Update Received:	20120525						Note: * indicates changed FDB data	Monograph ID
Action Status	Action Date	DATUP will delete	VA Interaction ID	FDB Interaction ID	Interaction Description			
FDB Before Update				237	ERGOT ALKALOIDS/NITRATES		Ergot Alkaloids/Nitrates - 237	
VA Custom	Deleted	2010-05-05		2012742	1274	STEROIDAL CONTRACEPTIVES/APREPITANT	Steroidal Contraceptives/Aprepitant - 1274	
FDB After Update			Yes		1274			
FDB Before Update					1274	STEROIDAL CONTRACEPTIVES/APREPITANT	Steroidal Contraceptives/Aprepitant - 1274	
VA Custom	Not customized				451			
FDB After Update			Yes		451	THEOPHYLLINES/TACRINE	Theophyllines/Tacrine - 451	
FDB Before Update					452			
VA Custom	Not customized				452	CYCLOSPORINE/BARBITURATES	Cyclosporine/Barbiturates - 452	
FDB After Update			Yes		31860			
FDB Before Update					31860	QUININE/ANTICOAGULANTS	Anticoagulants/Quinine - 140	
VA Custom	Not customized				31585			
FDB After Update			Yes		31585	SELECTED MACROLIDE ANTIBIOTICS/PIMOZIDE	Pimozide/Selected Macrolide Antibiotics - 415	
FDB Before Update					1623	POSACONAZOLE/CIMETIDINE-HI *	Theophyllines/Quinolones - 191 *	
VA Custom	Rejected	2010-05-17		2015651	1565	RANOLAZINE/QT PROLONGING AGENTS	Ranolazine/QT Prolonging Agents - 1565	
FDB After Update					1565	RANOLAZINE/QT PROLONGING AGENTS	Ranolazine/QT Prolonging Agents - 1565	
FDB Before Update					1565	RANOLAZINE/QT PROLONGING AGENTS-Today *	Ranolazine/QT Prolonging Agents - 1565	
VA Custom	Rejected	2010-05-04		2019797	1156	INTERLEUKIN-1 BLOCKER/TUMOR NECROSIS FACTOR (TNF) INHIBITORS	Interleukin-1 Blocker/Tumor Necrosis Factor (TNF) Inhib	
FDB After Update	Approved	2010-05-04		2011561	1156	INTERLEUKIN-1 BLOCKER/TUMOR NECROSIS FACTOR (TNF) INHIBITORS	Interleukin-1 Blocker/Tumor Necrosis Factor (TNF) Inhib	
FDB Before Update					1156	INTERLEUKIN-1 BLOCKER/TUMOR NECROSIS FACTOR (TNF) INHIBITORS	Interleukin-1 Blocker/Tumor Necrosis Factor (TNF) Inhib	
VA Custom	Modified	2012-03-09		2020866	1581	DROSPIRENONE/ACE INHIBITORS; ARBS	Drosiprenone/Ace Inhibitors; ARBs - 1581	
FDB After Update					1581	DROSPIRENONE/ACE INHIBITORS; ARBS	Cyclosporine/Calcium Channel Blockers - 258 *	
FDB Before Update					1581	DROSPIRENONE/ACE INHIBITORS; ARBS	Drosiprenone/Ace Inhibitors; ARBs - 1581 *	
VA Custom	New	2012-03-09		2020864	30786	SELECTED MACROLIDE ANTIBIOTICS/EPLERENONE (MONO DELETED)	Eplerenone/Selected Macrolide Antibiotics (mono dele	
FDB After Update				2020865	30786	SELECTED MACROLIDE ANTIBIOTICS	Eplerenone/Selected Macrolide Antibiotics (mono dele	

Figure 19: Changes Shown in FDB Comparison Report

Note: In the Dose Range concept, FDB records cannot be obtained after Customizations are made. Therefore, any History of Changes will not display the original FDB value.

(This page included for two-sided copying.)

Modifying Records

Following are example Dose Range, Professional Monographs, Duplicate Therapy, and Drug-Drug Interaction records, shown in Read-Only mode, which is the default view. You can modify these records only if:

1. You have the correct security permissions.
2. You have clicked the Edit button to bring up the record in Edit mode.
3. No other user is modifying the record at the same time (you will be notified if that is the case).

Note that shaded fields on any the detail pages in Edit mode cannot be modified.

Dose Range

Click the Edit Button to open the fields to edit the record. The view below is Read-Only.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
Welcome, TWO_APPROVER | Logout

Home | Advanced Query/Customization | Easy Search | Drug Pair Lookup | Reports | Help

Dose Range Page Help

• To update this record click on the edit button below.

[Edit](#) [History](#) [Print Page](#)

Concept Type	6
Concept ID Number (Required)	59940
Concept ID Description	MORPHINE SULFATE/DEXTRROSE 5%-WATER/PF INTRAVENOUS PLASTIC BAG, INJECTION 100 MG/100 ML (1 NG/ML)
Action Status	New
Age Low In Days (Required)	23725
Age High In Days (Required)	40150
Dose Route (Required)	079 - SUBCUTANEOUS
Dose Type (Required)	02 - MAINTENANCE
FDBDX	999
DXID	4882

Figure 20: Dose Range Record - Read-Only

Professional Monograph

During customization, you can edit the professional monograph that is displayed. Below is an example in read-only mode. Click the Edit button to modify.

The screenshot shows the PECS (Pharmacy Enterprise Customization System) interface. At the top, there is a header for the United States Department of Veterans Affairs with the PECS logo and a navigation menu including Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. A user login bar shows 'Welcome, TWO_APPROVER | Logout'. Below the header, the page title is 'Professional Monograph' with a 'Page Help' link. A message states 'To update this record click on the edit button below.' There are three buttons: 'Edit', 'History', and 'Print Page'. The main content area displays a list of fields and their values:

Monograph Title (Required)	Digitalis Glycosides/Kaluretics
Monograph ID	151280
Action Status	Rejected
Action Date	2012-05-03 15:07:11
Action Performed By	TWO_APPROVER
Action Effective Date	
Corresponding FDB Monograph ID	75
Request Assigned To	UNASSIGNED
Request Submitted By	TWO_APPROVER
Severity Level (Required)	3-Moderate Interaction
Mechanism Of Action	Potassium-losing diuretics may result in potassium depletion which can predispose patients to digitalis toxicity.
Clinical Effects (Required)	May obscure increased arrhythmias, resulting from an increase in the cardiac response to digitalis. Symptoms of nausea, vomiting, headache, fatigue, malaise, drowsiness, generalized disturbances, and arrhythmias.

Figure 21: Professional Monograph Record- Read Only

Duplicate Therapy

Click the Edit button to modify the record.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
 Welcome, TWO_APPROVER | [Logout](#)

Home | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Help](#)

Duplicate Therapy [Page Help](#)

- To update this record click on the edit button below.

[Edit](#) [History](#) [Print Page](#)

DTCID 299
Custom Dup Allowance (Required) 0
Description (Required) Osmotic Diuretics
 Action Status Reviewed
 Action Date 2011-11-08 13:18:52
 Action Effective Date 2011-11-08 13:18:52
 Action Performed By THREE_APPROVER
 Request Assigned To TWO_APPROVER
 Request Submitted By TWO_APPROVER
 Action Reason History
 2011/11/08 13:15:51 THREE_APPROVER: submit as reviewed
 2011/11/08 13:13:01 TWO_APPROVER: customize

Figure 22: Duplicate Therapy Record - Read-Only

Drug-Drug Interaction

The Drug-Drug Interaction Panel can be edited only if you have the proper authority and after you click the Edit button.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
 Welcome, TWO_APPROVER | [Logout](#)

Home | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Help](#)

Drug-Drug Interaction [Page Help](#)

- To update this record click on the edit button below.

[Edit](#) [Drug Pairs](#) [History](#) [Print Page](#)

Informational Messages:

- Following additional VA custom record(s) exist for the corresponding FDB Drug-Drug Interaction.

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
FDB Interaction	212	DIGOXIN/VERAPAMIL; MIBEFRADIL	2	N/A
VA Interaction	2020777	DIGOXIN/VERAPAMIL; MIBEFRADIL	1	New

[Corresponding FDB Interaction ID](#) 212
Interaction Description (Required) DIGOXIN/VERAPAMIL; MIBEFRADIL
[Monograph ID](#) Digoxin/Verapamil; Mibefradil - 212
 Action Status Modified
 Interaction ID 2021519
Severity Level Code (Required) 2 - Severe Interaction
 Action Date 2012-11-19 16:57:39
 Action Performed By SIX_APPROVER
 Request Assigned To

Figure 23: Drug-Drug Interaction Panel - Read Only

Single Drug Pair Page Modification Not Allowed

You cannot modify or customize a drug pair if you display a single drug pair from a query on the Drug Pair concept, as shown below:

1. Pick the Drug Pair concept, as shown below, and select one of the drug pairs displayed.
2. The page that displays is the single drug pair, and an information message is displayed: “Further customization or deletion of this drug pair can be done only through the VA custom Drug-Drug Interaction detail page.”

Drug Pairs (Active read-only)

Informational Messages:

- Further customization or deletion of this drug pair can only be done through the VA custom Drug-Drug Interaction detail page.

Action Status

Approved

3. The easiest way to get to the custom Drug-Drug Interaction detail page is to use the Easy Search tab. See the section “[Easy Search Query Page](#).”

Notification of Drug Pairs Needing Action for an Approved Drug-Drug Interaction

The drug pairs that are associated with a Drug-Drug Interaction (DDI) need to go through the approval/state change process themselves (be approved, rejected, modified, or deleted), separately from the DDI. If the drug pairs are acted upon at the same time as the DDI is acted upon, there is no problem in an approver knowing that the drug pair needs to be acted upon. However, drug pairs may be added or have their status changed even after a DDI has been acted upon. The way an approver will know if they need to act on a drug pair associated with an already-approved DDI is by the row on each of the home page tables that displays “Approved Drug-Drug Interaction with Pending Drug Pairs.”



Figure 24: Home Page with Approved DDIs with Pending Drug Pairs

On the screen above in the application, if you select the link “My Assigned Drug Pairs Associated with Approved Drug-Drug Interactions” for one of the states listed that has actual counts (not zero), you are taken to the Advanced Query/Customization page, shown below, that displays the results for all approved Drug-Drug Interactions with associated Drug Pairs assigned to you in that state.

VA Tables Results			
Export			
Select	Corresponding FDB Interaction ID	Interaction Description	Monograph ID
Active	2177	CITALOPRAM/CYP2C19 INHIBITORS	2177

Figure 25: My Assigned DDIs with Pending Drug Pairs List

Drug Pair Customization

The Drug Pair Customization page allows users to create or delete drug pairs associated with the VA Customized Drug-Drug interaction as well as perform mass VA Workflow updates to all associated Drug Pairs. To reach this page, the user must click the 'Drug Pairs' button on a VA customized Drug-Drug interaction detail page:

The screenshot shows the PECS interface for a Drug-Drug Interaction. At the top, there is a navigation bar with the following items: Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The main content area is titled "Drug-Drug Interaction" and includes a "Page Help" link. Below the title, there is a message: "To update this record click on the edit button below." and two buttons: "Edit" and "Drug Pairs". A "Print Page" button is also visible. The "Informational Messages" section contains two bullet points: "The associated drug pairs are not all reviewed yet. To submit this interaction as reviewed, you must review all associated drug pairs. First click on the Drug Pairs button and then, take appropriate action." and "Following additional VA custom record(s) exist for the corresponding FDB Drug-Drug Interaction." Below this is a table of interactions:

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
FDB Interaction	45	AMINOGLYCOSIDES/PENICILLINS	3	N/A
VA Interaction	2020737	AMINOGLYCOSIDES/PENICILLINS	1	Approved
VA Interaction	2020785	AMINOGLYCOSIDES/PENICILLINS	3	New
VA Interaction	2020739	AMINOGLYCOSIDES/PENICILLINS	2	Approved
VA Interaction	2020880	AMINOGLYCOSIDES/PENICILLINS	9	New
VA Interaction	2020740	AMINOGLYCOSIDES/PENICILLINS - Test 1	1	Approved

Below the table, the "Interaction Description" is "VA Custom AMINOGLYCOSIDES/PENICILLINS". The "Monograph ID" is "Aminoglycosides/Penicillins - 45". The "Action Status" is "Approved". The "Corresponding FDB Interaction ID" is "45". The "Interaction ID" is "2020738". The "Severity Level Code" is "2 - Severe Interaction". The "Action Date" is "2012-02-23 12:52:05". The "Action Performed By" is "ONE_APPROVER". The "Request Submitted By" is "FIVE_APPROVER". The "Action Effective Date" is "2012-02-23 12:52:05". The "Request Assigned To" is "UNASSIGNED". The "Clinical Effect Code 1" is "Decreased effect of the former drug". The "Clinical Effect Code 2" is blank.

A red callout box points to the "Drug Pairs" button and the "Interaction ID" field in the detailed view. The text in the callout box reads: "Here is one of the Drug-Drug Interactions that was selected from the list of Approved DDIs with Pending Drug Pairs. To review or otherwise act on the drug pairs, click the Drug Pairs button."

Figure 26: Drug-Drug Interaction Window

After you click the Drug Pairs button, you see a window similar to the one below. After you click the Edit button, you can act on the drug pairs.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
 Welcome, SIX_APPROVER | [Logout](#)

[Home](#) [Advanced Query/Customization](#) [Easy Search](#) [Drug Pair Lookup](#) [Reports](#) [Help](#)

Drug Pair Customization [Page Help](#)

Cancel Edit

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020738	VA Custom AMINOGLYCOSIDES/PENICILLINS	2	Approved
FDB Interaction	45	AMINOGLYCOSIDES/PENICILLINS	3	N/A

Other Existing VA Custom Record(s)

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020737	AMINOGLYCOSIDES/PENICILLINS	1	Approved
VA Interaction	2020785	AMINOGLYCOSIDES/PENICILLINS	3	New
VA Interaction	2020739	AMINOGLYCOSIDES/PENICILLINS	2	Approved
VA Interaction	2020880	AMINOGLYCOSIDES/PENICILLINS	9	New
VA Interaction	2020740	AMINOGLYCOSIDES/PENICILLINS - Test 1	1	Approved

Select Drug Pairs to add to the above VA Custom Interaction

Drug Pairs

NEW MODIFIED REVIEWED APPROVED DELETE REVIEWED

Select	Action Status	Routed Generic #1 Description	Routed Generic #2 Description	Interaction Description	Severity Level Code	Severity Level Description	Interaction ID	Corresponding FDB Interaction ID	Request Submitted By	Request Assigned To	Action Performed By
<input checked="" type="checkbox"/>	New	ACACIA ORAL	ABOBOTULINUMTOXINA INTRAMUSCULAR	VA Custom AMINOGLYCOSIDES/PENICILLINS	2	Severe Interaction	2020738	45	FIVE_APPROVER	FIVE_APPROVER	FIVE_APPROVER
<input type="checkbox"/>	Approved	STREPTOMYCIN SULFATE INTRAMUSCULAR	NAFCILLIN SODIUM INTRAVENOUS	VA Custom AMINOGLYCOSIDES/PENICILLINS	2	Severe Interaction	2020738	45	FIVE_APPROVER		ONE_APPROVER
<input type="checkbox"/>	New	1,2-PENTANEDIOL MISCELLANEOUS	1,3-BUTANEDIOL MISCELLANEOUS	VA Custom AMINOGLYCOSIDES/PENICILLINS	2	Severe Interaction	2020738	45	FIVE_APPROVER	FIVE_APPROVER	FIVE_APPROVER
<input type="checkbox"/>	Approved	STREPTOMYCIN SULFATE INTRAMUSCULAR	NAFCILLIN SODIUM/DEXTRROSE 5%-WATER INTRAVENOUS	VA Custom AMINOGLYCOSIDES/PENICILLINS	2	Severe Interaction	2020738	45	FIVE_APPROVER		ONE_APPROVER
<input type="checkbox"/>	New	STREPTOMYCIN SULFATE MISCELLANEOUS	NAFCILLIN SODIUM/DEXTRROSE 5%-WATER INTRAVENOUS	VA Custom AMINOGLYCOSIDES/PENICILLINS	2	Severe Interaction	2020738	45	FIVE_APPROVER	FIVE_APPROVER	FIVE_APPROVER
<input type="checkbox"/>	New	PAROMOMYCIN	PIPRACILIN	VA Custom	2	Severe	2020738	45	SIX_APPROVER	SIX_APPROVER	SIX_APPROVER

Select/Deselect All Drug Pairs Displayed from VA Custom Interaction 100 Max 200 Max All

Assigned To(Required)
 UNASSIGNED

[Home](#) [Advanced Query/Customization](#) [Easy Search](#) [Drug Pair Lookup](#) [Reports](#) [Help](#)

Figure 27: List of Drug Pairs You Can Act On

When you add new drug pairs, they are by default assigned to the same User ID as the associated DDI, but an Approver can reassign the drug pairs.

The screenshot displays the PECS (Pharmacy Enterprise Customization System) interface. At the top, it shows the United States Department of Veterans Affairs logo and the system name. The main content area is titled 'Drug Pair Customization' and includes a 'Cancel Edit' button. Below this is a table listing interactions:

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020521	PIMOZIDE/TRICYCLIC COMPOUNDS	1	Approved
FDB Interaction	358	PIMOZIDE/TRICYCLIC COMPOUNDS	1	N/A

Below the table, there is a section for selecting drug pairs to add to the interaction. It includes a 'Select Drug Pair(s) Source' section with radio buttons for 'Drug pairs from corresponding FDB Interaction' (selected) and 'Drug pair from Routed Generic Drug lists'. A message states: 'Existing customized Drug Pairs for this FDB Drug-Drug Interaction are not displayed.' Below this is a section for selecting from a list of generic drug pairs, with two dropdown menus for 'Routed Generic #1 Description' and 'Routed Generic #2 Description', both set to '0.225 % SODIUM CHLORIDE INJECTION'. A 'Customize' button is present.

The 'Assigned To' dropdown menu is highlighted with a red circle and a callout bubble. The callout bubble contains the text: 'You can change the assignee for the new drug pair when assigning a new drug pair to an approved DDI, as the default is the same user who is assigned the DDI.' The dropdown menu currently shows 'FIVE_APPROVER'.

Figure 28: Assigned To Drop-Down When Adding a Drug Pair

When you are working with the Drug Pair customization window and handling the pending drug pairs, you can use the drop-down to assign the Drug Pairs to a different user. The default is the Approver who is assigned to the DDI, but you can change that.

The screenshot displays the PECS Pharmacy Enterprise Customization System interface. At the top, the header includes the United States Department of Veterans Affairs logo and the text 'PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM'. A navigation bar contains links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The main content area is titled 'Drug Pair Customization' and includes a 'Cancel Edit' button. Below this, there are two tables showing interaction records. The first table lists 'VA Interaction' and 'FDB Interaction' with details on ID, description, severity, and action status. The second table, 'Other Existing VA Custom Record(s)', shows similar data for existing records. A section titled 'Select Drug Pairs to add to the above VA Custom Interaction' features a 'Drug Pairs' dropdown menu. The central part of the interface is a large table with columns for 'Select', 'Action Status', 'Routed Generic #1 Description', 'Routed Generic #2 Description', 'Interaction Description', 'Severity Level Code', 'Severity Level Description', 'Interaction ID', 'Corresponding FDB Interaction ID', 'Request Submitted By', 'Request Assigned To', and 'Action Perform By'. At the bottom of this table, there is an 'Assigned To (Required)' dropdown menu currently set to 'UNASSIGNED', which is circled in red. A callout box points to this dropdown with the text 'Drop-down list to assign user to Drug Pairs'. Below the table are buttons for 'Submit As Reviewed', 'Approve', 'Reject', 'Submit For Delete', and 'Delete'. The footer contains the same navigation links as the top bar.

Figure 29: Assigned To Drop Down When Editing Drug Pairs


Note: If you change the state of the drug pairs to Submit as Reviewed or Submit for Delete, the drug pairs are automatically reassigned to the “Unassigned” category.

Also note: If you wish to put a Drug-Drug Interaction (DDI) into the Delete_Reviewed state, the Drug Pairs associated with the DDI must be in either a “Delete Reviewed,” “Rejected” or “Deleted” state.

Record Locking Feature

All five concepts available in PECS, Drug-Drug Interaction, Drug Pairs, Professional Monograph, Dose Range, and Duplicate Therapy all have a record locking feature, which means that only a single user can edit a PECS record. Multiple users can no longer simultaneously edit a record. This feature eliminates the possibility that users can overwrite each other's changes and/or omit changes made by another.

For instance, if a user is editing a Drug-Drug Interaction and another user tries to edit the same record, here is the message that is displayed:



Here is the scenario:

1. User 1 logs in (e.g., Approver 1).
2. User 1 opens an active (not historical) record (in this sample, a Drug-Drug Interaction, but could be any concept) from either their own list or from building a query:

The screenshot displays the PECS interface for a Drug-Drug Interaction record. At the top, the header includes the United States Department of Veterans Affairs logo and the text 'PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM'. A navigation bar contains links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The user is logged in as 'ONE_APPROVER'.

The main content area is titled 'Drug-Drug Interaction' and includes a 'Page Help' link. Below this, there is a message: 'To update this record click on the edit button below.' There are two buttons: 'Edit' and 'Drug Pairs', and a 'Print Page' button on the right.

Informational Messages:

- The associated drug pairs are not all approved as yet. To approve the interaction, you must approve all the associated drug pairs first. Click on the Drug Pairs button to view and approve the associated drug pairs.

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
FDB Interaction	112	ANTIDIABETICS, ORALS/SALICYLATES	3	N/A

Interaction Description (Required) ANTIDIABETICS, ORALS/SALICYLATES

Monograph ID Antidiabetics, Oral/Salicylates - 112

Action Status New

Corresponding FDB Interaction ID 112

Interaction ID 2020881

Severity Level Code (Required) 3 - Moderate Interaction

Action Date 2012-03-14 06:42:08

Action Performed By FOUR_APPROVER

Request Submitted By FOUR_APPROVER

Action Effective Date

Request Assigned To UNASSIGNED

Clinical Effect Code 1 (Required) Increased effect of the former drug

Clinical Effect Code 2

EDI Number

EDI Text

DI Facts Number

DI Facts Onset

DI Facts Severity

DI Facts Documentation

DI Facts Text

Micromedex Severity

Micromedex Onset

Micromedex Substantiation

Micromedex Text

Medline Hits

Medline Text

Package Insert

Package Insert Text

PBM Criteria

PBM Criteria Text

AIDS Guidelines

AIDS Guidelines Text

Interaction Source

Interaction Type

Highest Level of Evidence

Group Discussion

Action Reason History

```
2012/03/14 18:42:08 ONE_APPROVER: test MMC
2012/03/14 16:27:06 THREE_APPROVER: Test again mac
2012/03/14 14:01:22 FOUR_APPROVER: testing
2012/03/14 14:00:34 FOUR_APPROVER: creating new
```

Current Action Reason (Required)

At the bottom, there are 'Edit' and 'Drug Pairs' buttons, and a 'Print Page' button on the right. A navigation bar at the very bottom contains links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help.

- User 1 determines they need to make a change to this record. They click the Edit button and the following window displays:

The screenshot shows the 'Drug-Drug Interaction' edit form in the PECS system. The form is titled 'Drug-Drug Interaction' and includes a 'Cancel Edit' button at the top left. The main content area is a form with various fields and dropdown menus. At the bottom, there is a table for 'Action Reason History' and a set of buttons: 'Cancel Edit', 'Submit As Reviewed', 'Reject', and 'Modify'.

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
FDB Interaction	112	ANTI-DIABETICS, ORAL/SALICYLATES	3	N/A

Interaction Description (Required): ANTI-DIABETICS, ORAL/SALICYLATES

Monograph ID: Antidiabetics, Oral/Salicylates - 112

Action Status: New

Corresponding FDB Interaction ID: 112

Interaction ID: 2020881

Severity Level Code (Required): 3 - Moderate Interaction

Action Date: 2012-03-14 06:42:08

Action Performed By: FOUR_APPROVER

Request Submitted By: FOUR_APPROVER

Action Effective Date:

Request Assigned To: UNASSIGNED

Clinical Effect Code 1 (Required): Increased effect of the former drug

Clinical Effect Code 2:

EDI Number:

EDI Text:

DI Facts Number:

DI Facts Onset:

DI Facts Severity:

DI Facts Documentation:

DI Facts Text:

Micromedex Severity:

Micromedex Onset:

Micromedex Substantiation:

Micromedex Text:

Medline Hits:

Medline Text:

Package Insert:

Package Insert Text:

PBM Criteria:

PBM Criteria Text:

AIDS Outlines:

AIDS Outlines Text:

Interaction Source:

Interaction Type:

Highest Level of Evidence:

Group Discussion:

Action Reason History:

2012/03/14 10:42:08	ONE_APPROVER: test mmc
2012/03/14 16:27:06	THREE_APPROVER: Test again mmc
2012/03/14 14:03:28	FOUR_APPROVER: testing
2012/03/14 14:00:34	FOUR_APPROVER: creating new

Current Action Reason (Required):

Buttons: **Cancel Edit**, **Submit As Reviewed**, **Reject**, **Modify**

Footer: [Home](#) [Advanced Query/Customization](#) [Easy Search](#) [Drug Pair Lookup](#) [Reports](#) [Help](#)

4. At the same time User 2 (e.g., Approver 3) signs into the same record:

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
 Welcome, THREE_APPROVER | [Logout](#)

[Home](#) [Advanced Query/Customization](#) [Easy Search](#) [Drug Pair Lookup](#) [Reports](#) [Help](#)

Drug-Drug Interaction [Page Help](#)

To update this record click on the edit button below.

[Edit](#) [Drug Pairs](#) [Print Page](#)

Informational Messages:

- The associated drug pairs are not all approved as yet. To approve the interaction, you must approve all the associated drug pairs first. Click on the Drug Pairs button to view and approve the associated drug pairs.

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
FDB Interaction	112	ANTIDIABETICS, ORAL/SALICYLATES	3	N/A

Interaction Description (Required) ANTIDIABETICS, ORAL/SALICYLATES

[Monograph ID](#) Antidiabetics, Oral/Salicylates - 112

Action Status New

[Corresponding FDB Interaction ID](#) 112

Interaction ID 2020881

Severity Level Code (Required) 3 - Moderate Interaction

Action Date 2012-03-14 06:49:24

Action Performed By FOUR_APPROVER

Request Submitted By FOUR_APPROVER

Action Effective Date

Request Assigned To UNASSIGNED

Clinical Effect Code 1 (Required) Increased effect of the former drug

Clinical Effect Code 2

EDI Number

EDI Text

DI Facts Number

DI Facts Onset

DI Facts Severity

DI Facts Documentation

DI Facts Text

Micromedex Severity

Micromedex Onset

Micromedex Substantiation

Micromedex Text

Medline Hits

Medline Text

Package Insert

Package Insert Text

PBM Criteria

PBM Criteria Text

AIDS Guidelines

AIDS Guidelines Text

Interaction Source

Interaction Type

Highest Level of Evidence

Group Discussion

Action Reason History


2012/03/14 18:49:24	ONE_APPROVER: Test four MMC
2012/03/14 18:42:08	ONE_APPROVER: test MMC
2012/03/14 16:27:06	THREE_APPROVER: Test again mmc
2012/03/14 14:01:22	FOUR_APPROVER: testing
2012/03/14 14:00:34	FOUR_APPROVER: creating new

Current Action Reason (Required)

[Edit](#) [Drug Pairs](#) [Print Page](#)

[Home](#) [Advanced Query/Customization](#) [Easy Search](#) [Drug Pair Lookup](#) [Reports](#) [Help](#)

5. User 2 clicks Edit, and the following message displays:



6. User 1 makes changes and clicks the Modify button. The record is returned in read-only mode with the changes:
7. User 2 waits a few minutes and clicks the Edit button again. They receive this message:




User 2 and all users will now be able to access the latest changes that have been made to a customization.

The Record Locking feature has safeguards that prevent a user from keeping a record locked too long; also, if the user leaves the record for any reason without completing the modification, the user is warned that they will lose their changes if they continue to navigate away from the record.

If the user does choose to leave the record without completing and saving their changes, the record is unlocked so others may work on it. If the user does not respond to the warning message, the


Here is another scenario:

1. You sign on and run a query for the concept for a customized record you want to modify.
2. You find the record and click the Modify button. The record opens in Edit mode and is locked for other users.
3. You begin to edit the record and for whatever reason, decide to do any one of the following: click any link on the page (except the help link), click any of the top navigation buttons, or close the browser. You see this message:



What this message means is that if you click OK, you will be taken to whatever link you clicked, your changes will be lost, and the record will be unlocked so others may edit it. If you click Cancel, you remain on the record you were editing, in Edit mode and the record remains locked for other users.

4. You continue to edit the record, but end up having to answer several instant messages for 19 minutes. You hear a beep and go back to the PECS window, and see this message:



5. You click OK and continue to edit the record, but are called away. You are called away for 30 minutes. When you return, you see the same message as in Step 4, but this time if you click OK, you are returned to the read-only record, and any changes you made will have been lost.

Note: The same is true if you do not respond to the message that is displayed in Step 3 within 19 minutes. The editing expiration message shown in Step 4 displays, and if you do not click OK within one minute, the record is unlocked. When you return, you must click OK and you are returned to the read-only record.

Creating Multiple VA Custom Drug-Drug Interactions to One FDB Record

You can create multiple VA Custom Drug-Drug Interactions (DDIs) from one corresponding FDB Record. If you open an FDB DDI record on the Advanced Query/Customization page, the DDI Detail page will open. If there are any VA custom records for this FDB DDI, you'll see a message stating that "The following VA custom record(s) already exist for this FDB Drug-Drug Interaction," and a table and a link to any interactions displays. See below:

The screenshot shows the PECS (Pharmacy Enterprise Customization System) interface. At the top, it displays the Department of Veterans Affairs logo and the system name. A navigation bar includes links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The main content area is titled "Drug-Drug Interaction" and includes an "Edit" button and a "Print Page" button. An informational message states: "Following VA custom record(s) already exist for this FDB Drug-Drug Interaction." Below this is a table with the following data:

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020334	RASAGILINE/CYP1A2 INHIBITORS	1	Approved
VA Interaction	2020957	RASAGILINE/CYP1A2 INHIBITORS	9	New
VA Interaction	2020960	RASAGILINE/CYP1A2 INHIBITORS	2	Delete Reviewed

Below the table, the "Interaction Description" is "RASAGILINE/CYP1A2 INHIBITORS". Other fields include "Monograph ID" (Rasagiline/CYP1A2 Inhibitors - 2105), "Corresponding FDB Interaction ID" (2105), "Severity Level Code" (3 - Moderate Interaction), and "Clinical Effect Code 1" (Increased effect of the former drug). The page also features an "Edit" button and a "Print Page" button at the bottom.

Figure 30: DDI FDB with Custom Records

From here, you can create another custom record if you wish. Checks exist in the system so that the same user cannot make duplicate DDIs *or* another user cannot come in and make the same DDI that another user just made.

Create Multiple DDIs per One FDB Record

1. Log on and go to the Advanced Query/Customization tab.
2. Choose Drug-Drug Interaction for the Concept.
3. Select FDB Records.
4. Build the query as follows: Fields=Interaction ID; Filter=Contains; Value= for user guide purposes, let's say 2105.
5. Click Query.
6. Open Interaction ID 2105 from the list that displays.
7. Click Edit.
8. Create the custom record by changing something.

9. Your new record is created. The record ID is displayed on the Interaction ID field. If you have any duplicates or other discrepancies, you will see a warning message (such as an identical interaction severity, as shown below):

UNITED STATES
DEPARTMENT OF VETERANS AFFAIRS

PECS

PHARMACY ENTERPRISE
CUSTOMIZATION SYSTEM

Welcome, SID_APPROVER | Logout

[Home](#)
[Advanced Query/Customization](#)
[Easy Search](#)
[Drug Pair Lookup](#)
[Reports](#)
[Help](#)

Drug-Drug Interaction
Page Help

• To update this record click on the edit button below.

Edit
Drug Pairs

Print Page

Warning Messages:

- A VA Custom interaction already exists for 'RASAGILINE/CYP1A2 INHIBITORS' with severity '3'. See below for the duplicate VA custom record details.

Informational Messages:

- The associated drug pairs are not all reviewed yet. To submit this interaction as reviewed, you must review all associated drug pairs. First click on the Drug Pairs button then take appropriate action.
- Following additional VA custom record(s) exist for the corresponding FDB Drug-Drug Interaction.

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020334	RASAGILINE/CYP1A2 INHIBITORS	1	Approved
VA Interaction	2020927	RASAGILINE/CYP1A2 INHIBITORS	9	New
FDB Interaction	2105	RASAGILINE/CYP1A2 INHIBITORS	3	N/A
VA Interaction	2020980	RASAGILINE/CYP1A2 INHIBITORS	2	Delete Reviewed

Corresponding FDB Interaction ID: 2105

Interaction Description (Required): RASAGILINE/CYP1A2 INHIBITORS

Monograph ID: Rasagiline/CYP1A2 Inhibitors - 2105

Action Status: New

Interaction ID: 2020958

Severity Level Code (Required): 3 - Moderate Interaction

Action Date: 2012-04-06 04:26:47

Action Performed By: SID_APPROVER

Request Submitted By: SID_APPROVER

Action Effective Date:

Request Assigned To: UNASSIGNED

Clinical Effect Code 1 (Required): Increased effect of the former drug

Clinical Effect Code 2:

EDI Number:

EDI Text:

DI Facts Number:

DI Facts Onset:

DI Facts Severity:

DI Facts Documentation:

DI Facts Text:

Micromedex Severity:

Micromedex Onset:

Micromedex Substantiation:

Micromedex Text:

Medline Hits:

Medline Text:

Package Insert:

Package Insert Text:

PBM Criteria:

PBM Criteria Text:

AIDS Guidelines:

AIDS Guidelines Text:

Interaction Source:

Interaction Type:

Highest Level of Evidence:

Group Discussion:

Action Reason History: 2012/04/06 16:26:47 SID_APPROVER: Testing MMC

Current Action Reason (Required):

Edit
Drug Pairs

Print Page

[Home](#)
[Advanced Query/Customization](#)
[Easy Search](#)
[Drug Pair Lookup](#)
[Reports](#)
[Help](#)

PECS Software Version: 2.2.08.267

Prevention of Two Users Adding Identical Drug Pairs to the Same DDI

1. After you have created a new DDI or added new drug pairs to an existing DDI, a second user can come in and attempt to add the same drug pairs. If so, they see a message similar to the one circled below:

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
Welcome, FIVE_APPROVER | [Logout](#)

[Home](#) [Advanced Query/Customization](#) [Easy Search](#) [Drug Pair Lookup](#) [Reports](#) [Help](#)

Drug Pair Customization [Page Help](#)

[Cancel Edit](#)

Error Messages:

- Unable to perform the save operation on the customization. (Attempt to create duplicate drug pair: RASAGILINE MESYLATE ORAL/MEXILETINE HCL MISCELLANEOUS)

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020958	RASAGILINE/CYP1A2 INHIBITORS	3	New
FDB Interaction	2105	RASAGILINE/CYP1A2 INHIBITORS	3	N/A

Other Existing VA Custom Record(s)

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020334	RASAGILINE/CYP1A2 INHIBITORS	1	Approved
VA Interaction	2020957	RASAGILINE/CYP1A2 INHIBITORS	9	New
VA Interaction	2020660	RASAGILINE/CYP1A2 INHIBITORS	2	Delete Reviewed

Select Drug Pairs to add to the above VA Custom Interaction

Drug Pairs

[Home](#) [Advanced Query/Customization](#) [Easy Search](#) [Drug Pair Lookup](#) [Reports](#) [Help](#)

- The second user will also receive an error if they attempt to customize drugs that exist for an interaction in reverse order. Note the error messages.

The screenshot displays the PECS Pharmacy Enterprise Customization System interface. At the top, the header includes the United States Department of Veterans Affairs logo and the text 'PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM'. A navigation bar contains links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The main content area is titled 'Drug Pair Customization' and includes a 'Cancel Edit' button. Two red callout boxes highlight error messages: 'Attempt to add same drugs in reverse order message' and 'Attempt to create duplicate drug pair message. Does not save Drug Pair Customization.' Below these are two tables: 'Error Messages' and 'Other Existing VA Custom Record(s)'. The 'Error Messages' table lists two entries with their respective Interaction IDs and descriptions. The 'Other Existing VA Custom Record(s)' table lists three entries with their Interaction IDs and descriptions. At the bottom, there are two buttons: 'Select Drug Pairs to add to the above VA Custom Interaction' and 'Drug Pairs'. A footer navigation bar is also present at the bottom of the page.

Error Messages:

- Another Drug Pair exists with the drugs in reverse order.
- Unable to perform the save operation on the customization. (Attempt to create duplicate drug pair: MEXILETINE HCL MISCELLANEOUS/RASAGILINE MESYLATE ORAL)

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020958	RASAGILINE/CYP1A2 INHIBITORS	3	New
FDB Interaction	2105	RASAGILINE/CYP1A2 INHIBITORS	3	N/A

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020334	RASAGILINE/CYP1A2 INHIBITORS	1	Approved
VA Interaction	2020957	RASAGILINE/CYP1A2 INHIBITORS	9	New
VA Interaction	2020660	RASAGILINE/CYP1A2 INHIBITORS	2	Delete Reviewed

Drug Pair Detail Page

The Drug Pair detail page allows you to view the details of an FDB Drug Pair or a VA Customized Drug Pair. In either case, this page is read only and the Drug Pair cannot be customized or modified from this page. Customization or modification of Drug Pairs is done through the VA Custom Drug-Drug Interaction detail page. See [Drug Pair Customization](#) for information on customizing drug pairs.

If you open an FDB Drug Pair that has been customized once, you will be presented with the customized Drug Pair and a link to the associated VA Drug-Drug Interaction ID.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM

Welcome, ONE_APPROVER | [Logout](#)

[Home](#) | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Help](#)

Drug Pairs (read-only) [Page Help](#)

[Print Page](#)

Informational Messages:

- The selected drug pair is associated with the VA custom interaction '2019814 - DOFETILIDE/HYDROCHLOROTHIAZIDE' with severity '1'. See below for the duplicate VA custom record details.
- Further customization or deletion of this drug pair can only be done through the VA custom Drug-Drug Interaction detail page.

Action Status	Approved
Interaction ID (Required)	2019814 - DOFETILIDE/HYDROCHLOROTHIAZIDE
Severity Level Description	Contraindicated Drug Combination
Corresponding FDB Interaction ID	1151
Request Submitted By	DOFETILIDE
Request Assigned To	DOFETILIDE
Action Effective Date	2010-05-05 12:54:27
Action Performed By	DOFETILIDE
Action Date	2010-05-05 12:54:27
Routed Generic #2 (Required)	HYDRALAZINE HCL/RESERPINE/HYDROCHLOROTHIAZIDE ORAL
Routed Generic #1 (Required)	DOFETILIDE ORAL
Reference Text	
Action Reason History	
Current Action Reason (Required)	

[Print Page](#)

[Home](#) | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Help](#)

PECS Software Version 1.0.0.0

Figure 31: Drug Pair Detail Page (Read Only)

It is possible that an FDB Drug Pair can be customized more than once. For example; a Drug Pair can be customized for a VA Drug-Drug Interaction and then subsequently rejected or deleted from that VA Drug-Drug Interaction and customized a second time for a different VA Drug-Drug Interaction. In this case, when you open the FDB Drug Pair record, you will be presented with the latest customized Drug Pair, a link to the associated VA Drug-Drug Interaction, and an informational messages indicating that the Drug Pair was customized more than once. Two examples follow:

The following example shows what will display if you open an FDB Drug Pair that was customized for VA Drug-Drug interaction 2019814, deleted from VA Drug-Drug interaction 2019814, and then customized a second time for VA Drug-Drug interaction 2021653. Note the informational messages.

The screenshot displays the PECS interface for a drug pair. At the top, there is a navigation bar with links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The page title is "Drug Pairs (read-only)".

Informational Messages:

The selected drug pair is also associated with VA Custom Interaction 2019814 - DOFETILIDE/HYDROCHLOROTHIAZIDE with severity level 1 and in the Deleted action status.
 The selected drug pair is associated with the VA custom interaction '2021653 - DOFETILIDE/HYDROCHLOROTHIAZIDE' with severity '2'. See below for the duplicate VA custom record details.
 Further customization or deletion of this drug pair can only be done through the VA custom Drug-Drug Interaction detail page.

Action Status	New
Interaction ID (Required)	2021653 - DOFETILIDE/HYDROCHLOROTHIAZIDE
Severity Level Description	Severe Interaction
Corresponding FDB Interaction ID	1151
Request Submitted By	TWO_APPROVER
Request Assigned To	UNASSIGNED
Action Effective Date	
Action Performed By	TWO_APPROVER
Action Date	2013-01-17 14:53:14
Routed Generic #2 (Required)	CAPTOPRIL/HYDROCHLOROTHIAZIDE ORAL
Routed Generic #1 (Required)	DOFETILIDE ORAL
Reference Text	
Action Reason History	
Current Action Reason (Required)	

At the bottom of the page, there is a footer with the text "PECS Software Version: 3.0.06.333" and a set of navigation links: Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help.

Figure 32: Example of FDB Drug Pair Customized for One DDI, Deleted from Another, and Customized for a Third

The following example shows what will display if the user opens an FDB Drug Pair that was customized for VA Drug-Drug Interaction 2019814, rejected from VA Drug-Drug Interaction 2019814, and then customized a second time for VA Drug-Drug Interaction 2021653. Note the informational messages.

The screenshot displays the PECS interface. At the top, the header includes the United States Department of Veterans Affairs logo and the text 'PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM'. A navigation bar contains links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The page title is 'Drug Pairs (read-only)' and there is a 'Page Help' link. A 'Print Page' button is visible on the right.

Informational Messages:

The selected drug pair is also associated with VA Custom Interaction 2019814 - DOFETILIDE/HYDROCHLOROTHIAZIDE with severity level 1 and in the Rejected action status.
 The selected drug pair is associated with the VA custom interaction '2021653 - DOFETILIDE/HYDROCHLOROTHIAZIDE' with severity '2'. See below for the duplicate VA custom record details.
 Further customization or deletion of this drug pair can only be done through the VA custom Drug-Drug Interaction detail page.

Action Status	New
Interaction ID (Required)	2021653 - DOFETILIDE/HYDROCHLOROTHIAZIDE
Severity Level Description	Severe Interaction
Corresponding FDB Interaction ID	1151
Request Submitted By	TWO_APPROVER
Request Assigned To	UNASSIGNED
Action Effective Date	
Action Performed By	TWO_APPROVER
Action Date	2013-01-17 15:13:39
Routed Generic #2 (Required)	METOPROLOL SUCCINATE/HYDROCHLOROTHIAZIDE ORAL
Routed Generic #1 (Required)	DOFETILIDE ORAL
Reference Text	
Action Reason History	
Current Action Reason (Required)	

At the bottom of the page, there is another 'Print Page' button and a navigation bar with links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The footer text reads 'PECS Software Version: 3.0.06.333'.

Figure 33: Example of Drug Pair Customized for One DDI, Rejected from the Same DDI, and Customized Again for Another DDI.

VA Customized Drug Pair Detail Page

When you opens a VA Customized drug pair, you will be presented with the customized Drug Pair as follows:

Figure 34: VA Customized Drug Pair

Field Descriptions for FDB and VA Custom Drug Pair Detail Page

Action Status	Applicable to VA record only. The point this customization is at, within the VA Approval Workflow.
Corresponding FDB Interaction ID	The Interaction ID of the FDB record from which the VA Drug interaction customization was created.
Request Submitted by	Applicable to VA record only. The name of the user that submitted this VA request.
Action Effective Date	Applicable to VA record only. The date of the last action taken on the record.
Action Date	Applicable to VA record only. The date of the last action taken on the record.
Action Performed By	Applicable to VA record only. The name of the user that performed the action.

Request Assigned To	Applicable to VA record only. A drop down list to select an assigned user.
Interaction ID (required)	The VA Custom Interaction ID that the drug pair is associated with.
Severity Level Descripton	The level of severity for this Drug-Drug Interaction.
Routed Generic #1 (required)	The first drug in this Drug Pair.
Routed Generic #2 (required)	The second drug in this Drug Pair.
Reference Text	Field for the user to enter any reference text needed to support customization of the drug pair.
Action Reason History	Applicable to VA record only. All historical 'current action reason' comments for this record, in one viewable field.
Current Action Reason	Applicable to VA record only. Free form text that can be used to specify the reason for taking the specific action of creating new, modifying, assigning, rejecting, reviewing, approving, or deleting the customization.

Buttons

Print Page	Allows the user to print the page being viewed.
------------	---

(This page included for two-sided copying.)

Quick Selection of Drug Pairs from the Selection List

When adding FDB Drug Pairs to an interaction on the Batch Customization page, you may select single drug pairs, groups of consecutive drug pairs, or a combination of both.

To select single drug pairs, simply click on the corresponding checkboxes of the drug pairs you want to select.

Select Drug Pairs to add to the above VA Custom Interaction

Select Drug Pair(s) Source
 Drug pairs from corresponding FDB Interaction Existing customized Drug Pairs for this FDB Drug-Drug Interaction are not displayed.
 Drug pair from Routed Generic Drug lists

Select from list of FDB drug pairs - note that at least one drug pair must be chosen before clicking the Customize button.

Routed Generic #1 Description	Routed Generic #2 Description
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	TRANDOLAPRIL/VERAPAMIL HCL ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	ENALAPRIL MALEATE/FELODIPINE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	PERINDOPRIL ERBUMINE ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	MOEXIPRIL HCL/HYDROCHLOROTHIAZIDE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	TELMISARTAN ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	IRBESARTAN/HYDROCHLOROTHIAZIDE ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	QUINAPRIL HCL/HYDROCHLOROTHIAZIDE/MAGNESIUM CARBONATE ORAL

Figure 35: Select Single Drug Pairs

To select groups of consecutive drug pairs, click on the first checkbox in the group and then shift/click on the last checkbox in the group. All drug pairs between the first and last checkboxes will be selected. If you wish to add another group to your selection, simply click on the first checkbox in the second group and shift/click on the last checkbox in the group. You will now have two groups of drug pairs selected. To add other non-consecutive drug pairs, click on the corresponding checkbox.

Select Drug Pairs to add to the above VA Custom Interaction

Select Drug Pair(s) Source
 Drug pairs from corresponding FDB Interaction Existing customized Drug Pairs for this FDB Drug-Drug Interaction are not displayed.
 Drug pair from Routed Generic Drug lists

Select from list of FDB drug pairs - note that at least one drug pair must be chosen before clicking the Customize button.

Routed Generic #1 Description	Routed Generic #2 Description
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	TRANDOLAPRIL/VERAPAMIL HCL ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	ENALAPRIL MALEATE/FELODIPINE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	PERINDOPRIL ERBUMINE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	MOEXIPRIL HCL/HYDROCHLOROTHIAZIDE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	TELMISARTAN ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	IRBESARTAN/HYDROCHLOROTHIAZIDE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	QUINAPRIL HCL/HYDROCHLOROTHIAZIDE/MAGNESIUM CARBONATE ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	OLMESARTAN MEDOXOMIL ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	EPROSARTAN MESYLATE/HYDROCHLOROTHIAZIDE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	AMLODIPINE BESYLATE/VALSARTAN ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	AMLODIPINE BESYLATE/VALSARTAN/HYDROCHLOROTHIAZIDE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	QUINAPRIL HCL ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	QUINAPRIL HCL/HYDROCHLOROTHIAZIDE ORAL

Select/Deselect All Drug Pairs from Corresponding FDB Interaction 100 Max 200 Max 1000 Max All

Figure 36: Range of Drug Pairs Selected with Shift Key

(This page included for two-sided copying.)

Forward and Reverse Professional Monograph

A single VA Custom Drug-Drug Interaction could be associated with a separate custom Professional Monograph for the forward and reverse interactions. An interaction described as Drug A and Drug B would have a different Custom Monograph from an interaction described as Drug B and Drug A. These different monographs may be necessary because there could be a different Clinical Effect Code between forward and reverse interactions (DrugA+DrugB: Clinical Effect Code = Adverse effects of the former drug; DrugB+DrugA: Clinical Effect Code = Adverse effects of the latter drug).

The following VA Custom Professional Monograph pairs will be associated with each other. This means that when a Monograph is assigned to a VA Custom Drug-Drug Interaction, the corresponding Monograph will be automatically assigned to the reverse Drug-Drug Interaction (DDI1 = DrugA + DrugB; DDI2 = DrugB+DrugA).

Monograph ID and Title	Paired Monograph ID and Title
150022 VA Customized: Adverse Effects of Former Drug (Critical) (ARF1)	150024 VA Customized: Adverse Effects of Latter Drug (Critical) (ARL1)
150023 VA Customized: Adverse Effects of the Former Drug (Significant) (ARF2)	150025 VA Customized: Adverse Effects of the Latter Drug (Significant) (ARL2)
150030 VA Customized: Decreased Effects (Critical) (DEF1)	150032 VA Customized: Decreased Effects (Critical) (DEL1)
150031 VA Customized: Decreased Effects (Significant) (DEF2)	150033 VA Customized: Decreased Effects (Significant) (DEL2)
150034 VA Customized: Increased Effects (Critical) (INF1)	150036 VA Customized: Increased Effects (Critical) (INL1)
150035 VA Customized: Increased Effects (Significant) (INF2)	150037 VA Customized: Increased Effects (Significant) (INL2)
150040 VA Customized: Mixed Effects of Former Drug (Critical) (MXF1)	150103 VA Customized: Mixed Effects of Latter Drug (Critical) (MXL1)
150041 VA Customized: Mixed Effects of the Former Drug (Significant) (MXF2)	150104 VA Customized: Mixed Effects of the LatterDrug (Significant) (MXL2)

When viewing a Drug-Drug Interaction, the PECS user interface will display only the Professional Monograph associated with the Forward interaction. The associated Reverse Professional Monograph will be visible only in the custom updates file created by the Release Manager.




Figure 37: Forward/Reverse DDIs with Professional Monographs, Custom Update File Created by Release Manager

(This page included for two-sided copying.)

Easy Search Query Page

This page allows you to easily query for any Drug-Drug Interactions (and associated Professional Monographs) that may exist within PECS for at least two and up to 10 drugs. This page also allows you to search for Duplicate Therapy information for any drug you select. The example shown is for Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy.




Figure 38: Initial Easy Search Window

To begin an Easy Search:

1. From the “Select Search Type” drop-down list, select Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy.’ After you select these values, you see the “Select Information Type”, “Search and Select Drugs”, “Search Results” and “Drugs to Check” panels:





Figure 39: Select Drug-Drug Interaction with Professional Monograph and Duplicate Therapy

2. Select either the ‘Drug-Drug Interaction with Professional Monograph’ checkbox, or the ‘Duplicate Therapy’ checkbox, or both.
 - If you have selected the ‘Drug-Drug Interaction with Professional Monograph’ checkbox, you must select one of the options provided, Display Severity Levels 1 (contraindicated) and 2 (severe) or ‘Display All Severity Levels’.



3. Enter a partial string or whole drug name into the “Search and Select Drugs” field. Note that you can enter multiple partial strings, and the system returns drugs that match on both strings -- the order of the strings and case are ignored.
4. Click the “Search” button. The system returns all drugs that contain the partial string/whole drug name entered.




Figure 40: Severity Levels 1 and 2 Selected, and Drug Name to Search

5. Within the Search Results box, you can select up to ten drugs to run the Easy Search query for. You can click one drug at a time to select it for inclusion (highlighted). Alternately, you can click one drug, hold down the ‘shift’ key, and click as many drugs above or below you want to select, or you can click one drug, hold down the ‘Ctrl’ key to select additional drugs.
6. After you have selected all desired drugs, click the “Add to Drugs to Check” button. The selected drugs are moved down to the “Drugs to Check” panel.

- You may perform additional searches to select more drugs, but only ten drugs can be submitted for a query. If you select more than ten, only the first ten drugs are added to the “Drugs to Check” panel and you receive an error message. Note that you can remove a drug from the “Drugs to Check” listing by highlighting it and clicking the ‘Remove from Drugs to Check’ button. To remove all drugs at once from the “Drugs to Check” listing, click the ‘Remove All Drugs to Check’.
- When the drugs in the “Drugs to Check” are finalized, click the “Submit” button to run the query.

Here is a sample return:

The screenshot shows the PECS interface with the following content:

- Header:** UNITED STATES DEPARTMENT OF VETERANS AFFAIRS, PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM, Welcome, FIVE_APPROVER | Logout
- Navigation:** Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports
- Section: Easy Search Results** (Return to Search)
- Drugs Checked:**
 - aspirin 300 mg Rectal Suppository (GCN: 4371)
 - Therapeutic Class: Non-Steroidal Anti-Inflammatory (NSAID) & Salicylates
 - Therapeutic Class: Antiplatelet Drug-excluding antiplatelet ASA 325 mg & below
 - Therapeutic Class: Antiplatelet and Antithrombotic Drugs
 - aspirin 500 mg Tab, Delayed Release (GCN: 4383)
 - Therapeutic Class: Non-Steroidal Anti-Inflammatory (NSAID) & Salicylates
 - Therapeutic Class: Antiplatelet Drug-excluding antiplatelet ASA 325 mg & below
 - Therapeutic Class: Antiplatelet and Antithrombotic Drugs
 - aspirin, buffered 81 mg Tab, Delayed Release (GCN: 39787)
 - Therapeutic Class: Low dose Aspirin (81 mg or less)
 - ibuprofen 200 mg Cap (GCN: 13556)
 - Therapeutic Class: Non-Steroidal Anti-Inflammatory (NSAID) & Salicylates
 - ibuprofen-oxycodone 400 mg-5 mg Tab (GCN: 58402)
 - Therapeutic Class: Non-Steroidal Anti-Inflammatory (NSAID) & Salicylates
 - Therapeutic Class: Narcotic Analgesics- IR (with non-analgesic opiates)
- Section: Drug - Drug Interaction**
- Drug - Drug Interaction - VA**
 - aspirin 300 mg Rectal Suppository (GCN: 4371)
 - ibuprofen-oxycodone 400 mg-5 mg Tab (GCN: 58402)
 - Interaction Description: ASPIRIN/IBUPROFEN
 - Severity: 2 - Severe Interaction
 - Clinical Effects: The antiplatelet and cardioprotective effect of aspirin may be decreased if ibuprofen is administered before aspirin.
- Professional Monograph** (button)
- [Link to record in PECS](#)

Figure 41: Partial Easy Search Results - Drug-Drug Interaction

The screenshot shows the Professional Monograph for Aspirin/Ibuprofen with the following content:

- Monograph Title:** Aspirin/Ibuprofen
- Clinical Effects:** The antiplatelet and cardioprotective effect of aspirin may be decreased if ibuprofen is administered before aspirin.
- Severity Level:** 3-Moderate Interaction. Assess the risk to the patient and take action as needed.
- Mechanism Of Action:** Ibuprofen is a reversible inhibitor of cyclooxygenase and aspirin is an irreversible inhibitor. If ibuprofen is given before aspirin, the aspirin will not be able to bind to the cyclooxygenase site, which will result in a lack of effect.
- Predisposing Factors:** None determined.
- Patient Management:** Single doses of ibuprofen should be given at least 8 hours before or at least 30 minutes after immediate release aspirin.
- Discussion:** The cardioprotective effect from aspirin is based on the antiplatelet effects. The irreversible inhibition of cyclooxygenase mediates the antiplatelet effects. Administration of ibuprofen, a reversible inhibitor of cyclooxygenase, blocks the irreversible effect of aspirin on the platelets.
- References:**
 1. US Food and Drug Administration Center for Drug Evaluations and Research - FDA Science Paper. Concomitant Use of Ibuprofen and Aspirin Potential for Attenuation of the Anti-Platelet Effect of Aspirin. available at: http://www.fda.gov/cder/drug/infopage/ibuprofen/science_paper.htm September 8, 2006.
 2. Cheema AA. Should people on aspirin avoid ibuprofen? A review of the literature. *Cardiol Rev* 2004 May-Jun;12(3):174-6.
 3. Catella-Lawson F, Reilly MP, Kapoor SC, Cucchiara AJ, DeMarco S, Tournier B, Vyas SN, FitzGerald GA. Cyclooxygenase inhibitors and the antiplatelet effects of aspirin. *N Engl J Med* 2001 Dec 20;345(25):1809-17.
 4. Cryer B, Berlin RG, Cooper SA, Hsu C, Wason S. Double-blind, randomized, parallel, placebo-controlled study of ibuprofen effects on thromboxane B2 concentrations in aspirin-treated healthy adult volunteers. *Clin Ther* 2005 Feb;27(2):185-91.
 5. Curtis JP, Wang Y, Porthay EL, Masoudi FA, Havranek EP, Krumholz HM. Aspirin, ibuprofen, and mortality after myocardial infarction: retrospective cohort study. *BMJ* 2003 Dec 6;327(7427):1322-3.
 6. Patel TN, Goldberg KC. Use of aspirin and ibuprofen compared with aspirin alone and the risk of myocardial infarction. *Arch Intern Med* 2004 Apr 26; 164(8):852-6.
 7. MacDonald TM, Wei L. Effect of ibuprofen on cardioprotective effect of aspirin. *Lancet* 2003 Feb 15;361(9357):573-4.
 8. Kurth T, Glynn RJ, Walker AM, Chan KA, Buring JE, Hennekens CH, Gaziano JM. Inhibition of clinical benefits of aspirin on first myocardial infarction by nonsteroidal antiinflammatory drugs. *Circulation* 2003 Sep 9; 108(10):1191-5.

Figure 42: Partial Easy Search Results: Professional Monograph

Professional Monograph initially displays as collapsed; you can expand it by clicking the plus sign. Note that some drugs do NOT have a professional monograph to display (this is rare).




Figure 43: Partial Easy Search Results - Duplicate Therapy


9. Duplicate Therapy results only display those results that fall outside the value established by the duplicate allowance indicator. In Figure 27, the duplicate allowance indicator for each therapeutic class is 0, indicating that no duplicate drugs in each therapeutic class are allowed. Note that if the duplicate allowance indicator for a therapeutic class had been set to 1, the Duplicate Therapy results for that therapeutic class would no longer display, since they would be within the acceptable duplicate allowance.

Interactions for a Single Drug

Interactions for a Single Drug allows you to generate a report for all the drug pairs that would be returned in VistA for the selected drug. The report displays FDB and Approved VA custom drug pairs with the specified severity level. FDB drug pairs will display only if there is not an corresponding Approved VA customized drug pair.

To perform a Drug Interactions Report Query:

1. Select "Interactions for a Single Drug " from the Select Search Type drop-down list.



- From the Select Information Type panel, choose the desired Severity Level with the appropriate radio button - Severity Level 1 (contraindicated), Severity Level 2 (severe), or Severity Levels 1 (contraindicated) and 2 (severe).

Select Information Type

- Severity Level 1 (contraindicated)
- Severity Level 2 (severe)
- Severity Level 1 (contraindicated) & 2 (severe)

- Enter a partial string or whole drug name into the Drug field and click Search. Items that match the search string are displayed in the Search Results box. The drug list displays the drug name, dose, route of delivery, and the drug's GCN sequence number. Note that if both a dispensable generic drug and dispensable drug are found that have the same GCN sequence number, only the dispensable drug are displayed on the list. Select an entry from the list.

Search and Select Drugs

Drug

Search Results

RIFAMPIN MISCELLANEOUS POWDER (GCN: 23701)
RIFAMPIN INTRAVENOUS VIAL (SDV,MDV OR ADDITIVE) 600 MG (GCN: 13645)
RIFAMPIN/ISONIAZID/PYRAZINAMIDE ORAL TABLET 120 MG-50 MG-300 MG (GCN: 48591)
RIFAMPIN/ISONIAZID ORAL CAPSULE 300 MG-150 MG (GCN: 9320)
RIFAMPIN/ISONIAZID/PYRAZINAMIDE ORAL TABLET (GCN: 16502)
RIFAMPIN/ISONIAZID ORAL COMBINATION PACKAGE 300 MG (GCN: 9321)
RIFAMPIN ORAL CAPSULE 150 MG (GCN: 9322)
RIFAMPIN ORAL CAPSULE 300 MG (GCN: 9323)
RIFAMPIN MISCELLANEOUS CRYSTALS (GCN: 14444)

- Click the Generate Report button. The report generates in Excel. It contains the FDB and VA custom drug pairs whose severity level matches the selected severity level and contain a routed generic drug that corresponds to the selected generic dispensable drug or dispensable drug.

	A	B	C	D	E	F	G
9	VA	CYCLOSPORINE ORAL	RIFAMPIN MISCELLANEOUS	1-Contraindicated Drug Combination	CYCLOSPORINE/RIFAMYCINS	2000561	
10	VA	CYCLOSPORINE, MODIFIED ORAL	RIFAMPIN MISCELLANEOUS	1-Contraindicated Drug Combination	CYCLOSPORINE/RIFAMYCINS	2000561	
11	VA	DABIGATRAN ETEXILATE MESYLATE ORAL	RIFAMPIN MISCELLANEOUS	1-Contraindicated Drug Combination	DABIGATRAN/RIFAMPIN	2020305	
12	FDB	DARUNAVIR ETHANOLATE ORAL	RIFAMPIN MISCELLANEOUS	1-Contraindicated Drug Combination	SELECTED 3A4 SUBSTRATES/RIFAMPIN	434	
13	FDB	DELAVIRDINE MESYLATE ORAL	RIFAMPIN MISCELLANEOUS	1-Contraindicated Drug Combination	DELAVIRDINE/RIFAMPIN; RIFABUTIN	1038	
14	FDB	ELVITEGRAVIR/COBICISTAT/EMTRICITABINE/TENOFOVIR ORAL	RIFAMPIN MISCELLANEOUS	1-Contraindicated Drug Combination	SELECTED 3A4 SUBSTRATES/RIFAMPIN	434	
15	FDB	EMTRICITABINE/RILPIVIRINE HCL/TENOFOVIR DISOPROXIL FUMARATE ORAL	RIFAMPIN MISCELLANEOUS	1-Contraindicated Drug Combination	RILPIVIRINE/CYP 3A4 INDUCERS	2145	
16	VA	ERLOTINIB HCL ORAL	RIFAMPIN MISCELLANEOUS	1-Contraindicated Drug Combination	SLT ANTINEOPLASTIC SYSTEMIC ENZYME INHIBITORS/RIFAMYCINS	2020394	
17	FDB	ETRAVIRINE ORAL	RIFAMPIN MISCELLANEOUS	1-Contraindicated Drug Combination	ETRAVIRINE; NEVIRAPINE/RIFAMPIN; RIFAPENTINE	1428	
		FLUCONAZOLE IN DEXTROSE,		1-Contraindicated Drug	AZOLE ANTIFUNGAL		

Potential Discrepancy Between Easy Search Results and PECS Records

The custom detail pages in PECS (e.g., [Figure 20: Dose Range](#), [Figure 21: Professional Monograph](#), and [Figure 22: Duplicate Therapy](#)) show the custom record as it exists in PECS. These detail pages are accessed through either the Advanced Query/Customization tab, or by clicking the “Link to record in PECS” link found on the Easy Search Results screens.

When you use Easy Search to look up Drug-Drug Interactions or Duplicate Therapy, in the background you are searching a different database table than the one used to store the actual PECS record. The Easy Search results page shows only data from custom records in an Approved state that have been exported in a custom update and processed by an external process named DATUP. If a custom record hasn’t gone through these steps, you will see the FDB record and there will be a discrepancy.

Also, if a previously approved/exported custom record is updated, Easy Search will not show the updated data in the results page until the record is approved, exported, and processed by DATUP. Instead, Easy Search will show the custom record results that were last uploaded to DATUP.

Here is an example. Do the following:

1. Click the Easy Search tab from the home page.
2. Select Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy from the drop-down.
3. Select the Drug-Drug Interaction with Professional Monograph check box.
4. Select the Display All Severity Levels radio button.
5. Enter “fluti” in the search box,
6. From the list of drugs, select fluticasone furoate 27.5 mcg/Actuation Nasal Spray, Susp (GCN: 62658) to be included in the search.
7. Enter “lopinavir” in the search box.
8. From the list of drugs, select lopinavir-ritonavir 133.3 mg-33.3 mg Cap (GCN: 46600) to be included in the search.
9. Click Submit.

Here is a sample of the Easy Search screen you see:

The screenshot displays the PECS (Pharmacy Enterprise Customization System) interface. At the top, it shows the Department of Veterans Affairs logo and the user's name, FIVE_APPROVER. The main navigation bar includes Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The 'Easy Search Results' section is active, showing a list of 'Drugs Checked' with their respective therapeutic classes. Below this, the 'Drug - Drug Interaction' section is displayed, showing two interaction records. The first record is for fluticasone furoate and lopinavir-ritonavir, with an interaction description of 'SELECTED INHALED CORTICOSTEROIDS/PROTEASE INHIBITORS' and a severity of '3 - Moderate Interaction'. The second record is for the same drugs, with an interaction description of 'FLUTICASONE/RITONAVIR' and a severity of '1 - Contraindicated Drug Combination'. A red circle highlights the 'FLUTICASONE/RITONAVIR' text, and a red callout box points to it with the text 'Note Interaction Description Name'. A 'Link to record in PECS' is provided for each record. At the bottom of the interaction record, there is a 'Professional Monograph' link.

Figure 44: Easy Search DDI Record

Note the second Interaction Description Name, as is shown above (FLUTICASONE/RITONAVIR) Now, click the “Link to record in PECS” link as is shown above. The next picture displays the name discrepancy.

UNITED STATES
DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE
CUSTOMIZATION SYSTEM

Welcome, FIVE_APPROVER | [Logout](#)

[Home](#) | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Help](#)

Drug-Drug Interaction

[Drug Pairs](#) [Print Page](#) [Page Help](#)

Interaction Description (Required) SELECTED CORTICOSTEROIDS/RITONAVIR

Monograph ID Selected Corticosteroids/Ritonavir - 1333

Action Status Approved

Corresponding FDB Interaction ID 1333

Interaction ID (Required) 2013331

Severity Level Code (Required) 1 - Contraindicated Drug Combination

Interaction Description Names are not the same

Figure 45: Referenced PECS Record with Name Discrepancy

This potential discrepancy applies to Drug-Drug Interaction, Professional Monograph, Duplicate Therapy, and Dose Range concepts.

Easy Search Dose Range

This page allows you to easily query the appropriate dosage information based on the patient and dose particulars entered for a selected drug. The results of this query allows you to ensure the amount being prescribed is an acceptable amount.

To begin a Dose Range Easy Search:

1. From the “Select Search Type” drop-down list, select ‘Dose Range.’
2. Enter a partial string or whole drug name into the “Drug” field. Note that you can enter multiple partial strings, and the system returns drugs that match on both strings -- the order of the strings and case are ignored.
3. Click the “Search” button. The system returns all drugs that contain the partial string/whole drug name entered.
4. Within the Search Results box, you can select a single drug to run the Easy Search query for by clicking the drug to select it for inclusion (highlighted). Note that if the drug does not have a defined dose route and/or a defined dose unit, the query will not be able to be performed. (Query on aspartame and select aspartame Powder (GCN: 48696) for an example)
5. After you have selected the desired drug, the Selected Drug box is populated with drug information for the selected drug and Dose Type and Dose Route drop downs are populated.
6. Patient demographic information defaults, and if the Add Default BSA checkbox remains checked, the body surface area value displays. Note that as the fields are updated to match the patient specifics, the body surface area is automatically recalculated.
7. The Single Dose and Frequency fields in the Dosing Information default to 1. The Dose Unit dropdown only contains values associated with the selected drug. Note that a blank option exists in the Does Rate Unit dropdown because this field is not required for oral doses.
8. When the fields in the Demographic Information and Dosing Information, are finalized, click the “Submit” button to run the query.

(This page included for two-sided copying.)

User Roles

Requestor

The Requestor's role is to create customization requests, modify their own requests, and run, save, and export queries.

Approver

The Approver's role is to create, review, approve, modify, delete or reject customization requests. They also run, save, and export queries, and run reports. An approver can review but cannot approve their own requests.


Release Manager

The Release Manager's role is to handle custom updates. Custom updates can be run at any time, but not more than once per day. The custom update will contain any custom records that have been APPROVED or DELETED since the previous custom update and can be for any of the five main PECS concepts (Dose Range, Drug Pairs, Drug-Drug Interaction, Duplicate Therapy, and Professional Monograph).


Release Managers can search for and view records but they are not allowed to create or approve customizations. They run custom updates at the instruction of the PECS Administrator and/or the National Drug File (NDF) Support Group. They will send an Outlook email to the PECS Administrators after the update has been created.

Here are the steps a Release Manager takes to run a custom update:

1. Log in to PECS.
2. Click the Custom Update tab:



3. Click Create New Update button:



4. Verify today's date in Created Date column.
5. If an error message is received, report it to PECS Administrator.

Update Files Explained

The custom update files that are run include both a full update and an incremental update. It is rare that a Release Manager will ever have to view these files, but if they do, here is an explanation.

A Custom Update file will always follow the same file naming standard. This standard is:

CstmUpdFile_{*FDB Version*}.{*PECS Generated Version Number*}_{*Date/Time Stamp*}.zip

So a file with the name CstmUpdFile_3.2.751_20120503154622.zip has an FDB Version number of "3.2," a PECS Generated Version Number of "751," and was created on May 3, 2012 at 15:46:22 (military time). The contents of the zip file will determine if this is an Incremental or a Full update.

The custom zip file contains a proddefinition.xml, FDBPRODCONTROL.DAT and several data files that have an extension of UPD. Here is a picture:

Name	Type	Package...	Has ...	Size	R...	Date
FDBCUSTOMDDIM.UPD	UPD File	1 KB	No	1 KB	39%	4/13/2012 10:34 AM
FDBCUSTOMDDIMINTERACTION.UPD	UPD File	1 KB	No	1 KB	4%	4/13/2012 10:34 AM
FDBCUSTOMDDIMSTRINGS.UPD	UPD File	1 KB	No	1 KB	4%	4/13/2012 10:34 AM
FDBCUSTOMDOSE RANGE.UPD	UPD File	1 KB	No	1 KB	5%	4/13/2012 10:34 AM
FDBCUSTOMDUPLICATETHERAPY.UPD	UPD File	1 KB	No	1 KB	5%	4/13/2012 10:34 AM
FDBCUSTOMMONOGRAPH.UPD	UPD File	1 KB	No	1 KB	5%	4/13/2012 10:34 AM
FDBUPDCONTROL.DAT	DAT File	1 KB	No	1 KB	46%	4/13/2012 10:34 AM
proddefinition.xml	XML Document	2 KB	No	13 KB	90%	4/13/2012 10:34 AM

Figure 46: Custom Update Zip File

The proddefinition.xml file is a file from FDB that defines the table structures for the FDB tables in an XML format. The FDBUPDCONTROL.DAT file contains control information used by the FDB Data Updater software when determining if this Incremental update should be applied to a database. The UPD files contain data updates for a particular FDB table in the database.

Here is a sample: Note that the “D”, “C”, and “A” in the left column mean Delete, Change, and Add, respectively.

```
H|fdb_custom_ddim|26|4|40|3.2|W|20120416|USA
F|10|1|rtgenid1|2|rtgenid2|3|interactionid|4|seqno|5|uicategory1|6|uicategory2|7|uicategory3|8|uicateg
ory4|9|uicategory5|10|uicategory6
P|4|1|2|3|4
D|1052533|1050026|2020134|1
D|1050026|1052533|2020134|2
D|10489717|1050028|2020134|1
D|1050028|10489717|2020134|2
D|1052533|1050027|2020134|1
D|1050027|1052533|2020134|2
```

Figure 47: Custom Update Text File

The full update contains text files.

Name	Type	Packe...	Has ...	Size	R...	Date
CTVERSION.TXT	Text Document	1 KB	No	1 KB	0%	5/3/2012 3:46 PM
FDBCUSTOMDDIM.TXT	Text Document	523 KB	No	4,25...	88%	5/3/2012 3:46 PM
FDBCUSTOMDDIMINTERACTION.TXT	Text Document	20 KB	No	95 KB	80%	5/3/2012 3:46 PM
FDBCUSTOMDDIMSTRINGS.TXT	Text Document	4 KB	No	18 KB	78%	5/3/2012 3:46 PM
FDBCUSTOMDOSE RANGE.TXT	Text Document	2 KB	No	10 KB	85%	5/3/2012 3:46 PM
FDBCUSTOMDUPLICATETHERAPY.TXT	Text Document	1 KB	No	1 KB	42%	5/3/2012 3:46 PM
FDBCUSTOMMONOGRAPH.TXT	Text Document	24 KB	No	115 KB	80%	5/3/2012 3:46 PM
FILECOUNTS.DAT	DAT File	1 KB	No	1 KB	55%	5/3/2012 3:46 PM
proddefinition.xml	XML Document	2 KB	No	13 KB	90%	5/3/2012 3:46 PM

Figure 48: Full Update File

Here is a sample of the full update of Drug-Drug Interactions:

1048627 1050000 2004892 1 VA				
1050000 1048627 2004892 2 VA				
1048627 1050001 2004892 1 VA				
1050001 1048627 2004892 2 VA				
1048627 1050014 2004892 1 VA				
1050014 1048627 2004892 2 VA				
1048627 1050015 2004892 1 VA				
1050015 1048627 2004892 2 VA				
1048627 1052651 2004892 1 VA				
1052651 1048627 2004892 2 VA				
1048627 23070090 2004892 1 VA				
23070090 1048627 2004892 2 VA				

Figure 49: Custom Drug-Drug Interaction Full Update File

Administrator


A PECS Administrator specific maintenance tasks grouped on the Administration tab that are not available to the other User Roles in the application.

The Administrator can work with:

- [Advanced Query/Customization Page](#)
- [Customize Settings](#)
- [Reports](#)
- [Null Drug Pair Removal Process](#)

Customize Settings

Use Customize Setting to change the way data appears in various ways related to a specific concept.



Customize Settings allows you to change the label name for the Field (Display Name), whether the field should appear in Queries, Detail Pages, and Reports. It also allows you to change the order the individual fields are displayed on their respective pages.

Warning: Changes made on the Settings page will affect all PECS users. Please proceed cautiously.

Customize Drug Pair Settings						Page Help
Name	Display Name	Display In Query	Display In Details	Include In Reports	Display Order	
RTGENID1_DESC	Routed Generic #1 Det	True <input checked="" type="radio"/> False <input type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	1 <input type="text"/>	
RTGENID2_DESC	Routed Generic #2 Det	True <input checked="" type="radio"/> False <input type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	2 <input type="text"/>	
INTERACTIONID_DESC	Interaction Description	True <input checked="" type="radio"/> False <input type="radio"/>	True <input checked="" type="radio"/> False <input type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	3 <input type="text"/>	
SEVERITYLEVELCODE	Severity Level Code	True <input checked="" type="radio"/> False <input type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	5 <input type="text"/>	
ACTION_STATUS	Action Status	True <input checked="" type="radio"/> False <input type="radio"/>	True <input checked="" type="radio"/> False <input type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	6 <input type="text"/>	

Change Field Display Name

To change how the name of a field is displayed on the page, modify the contents of the Display Name field.


1. In the Customize <Concept> List, find the name of the database field you want to change.
2. Modify the contents of the field in the Display Name column.
3. Repeat the process as necessary.

- Click Save to save your changes; click Cancel to abandon the changes and return to the Settings page. NOTE: Cancel is immediate; you will not be warned that you are about to lose your changes.

Add/Remove Field from Query Options

To add (or remove) a field from Query options

- In the Customize <Concept> List, find the name of the database field you want to change.
- In the Display in Query column, select True to display the field in Query options, select False to prevent the field from displaying in Query options. NOTE: Display in Query options are not available for all fields; some fields are explicitly required to be displayed in the Query options while others are forbidden from being displayed. In these cases, the required display option (True or False) will be the only options displayed and cannot be changed.



- Repeat the process as necessary.
- Click Save to save your changes; click Cancel to abandon the changes and return to the Settings page. NOTE: Cancel is immediate; you will not be warned that you are about to lose your changes.

Add/Remove Field from Detail Pages

To add (or remove) a field from Detail pages

- In the Customize <Concept> List, find the name of the database field you want to change.

- In the Display in Detail column, select True to display the field on the concept Detail page, select False to prevent the field from displaying on the concept Detail page.

Display In Details	
True	<input checked="" type="radio"/>
False	<input type="radio"/>
True	<input type="radio"/>
False	<input checked="" type="radio"/>
True	<input checked="" type="radio"/>
False	<input type="radio"/>

- Repeat the process as necessary.
- Click Save to save your changes; click Cancel to abandon the changes and return to the Settings page. NOTE: Cancel is immediate; you will not be warned that you are about to lose your changes.

Add/Remove Field from Reports

To add (or remove) a field from Reports

- In the Customize <Concept> List, find the name of the database field you want to change.
- In the Include in Reports column, select True to display the field on concept-related reports, select False to prevent the field from displaying on the concept-related reports.

Include In Reports	
True	<input checked="" type="radio"/>
False	<input type="radio"/>
True	<input type="radio"/>
False	<input checked="" type="radio"/>
True	<input checked="" type="radio"/>
False	<input type="radio"/>

- Repeat the process as necessary.
- Click Save to save your changes; click Cancel to abandon the changes and return to the Settings page. NOTE: Cancel is immediate; you will not be warned that you are about to lose your changes.

Change Field Display Order

To change the order that the fields appear in Detail pages and drop-down lists, change the adjacent number in the Display Order field. Note that changing the Display Order is an entirely manual process; each field must be changed individually and the order is not validated in any way. Multiple fields can have the same display order.

When all changes are complete, click Save; click Cancel to abandon the changes and return to the Settings page.

Display Order
1
2
3
4
5
6
7


Approver User Settings

The Approver User Settings allow you to add or delete a user with the Approver role.


Delete an Approver

To Delete an Approver User

1. From the Settings tab, click Update User Settings.



2. Select one or more users from the Approver User Name list.



The image shows a navigation bar with tabs: Home, Advanced Query/Customization, Administration, and Reports. Below the navigation bar is a dark blue header bar with the text "Approver User Settings". Below the header bar is a table with two columns: "Approver User Name" and "Delete".


Approver User Name	Delete
APPROVER_ONE	<input checked="" type="checkbox"/>
APPROVER_TWO	<input type="checkbox"/>
APPROVER_THREE	<input checked="" type="checkbox"/>

*Add an Approver User:

Save Cancel

3. Click Save.


4. Click OK to delete the user(s); click Cancel to abandon the delete user operation and return to the Settings page.



Add an Approver

To add a user with the Approver role


1. From the Settings tab, click Update User Settings.
2. In the Add an Approver User field, type in the name of the person you want to add.
3. The name must be in ALL CAPS and include both the first and last name (in that order) separated by an underscore . Examples: FIRSTNAME_LASTNAME, ERIC_SHINSEKI, JOHN_DOE.
4. Click Save.
5. Click OK to add the approver user; click Cancel to abandon the add user operation.



Null Drug Pair Removal Process

The purpose of the Null Drug Pair Removal process is to change the status of any VA Drug Pair that contains a null Routed Generic to “Deleted”, and to remove the null drug pairs from their associated VA Drug-Drug Interactions. VA Drug Pairs end up with null Routed Generics because one or both of the Routed Generics that make up the Drug Pair has been deleted by FDB. PECS applies the FDB Routed Generic deletes as part of the weekly FDB MedKnowledge Framework update, so it is recommended that the Null Drug Pair Removal process be run weekly, after the FDB MedKnowledge Framework update completes.

The Administrator may initiate this process at any time by clicking the “Null Drug Pair Removal” button on the following window:



The screenshot displays the PECS (Pharmacy Enterprise Customization System) Administration interface. At the top, the header includes the United States Department of Veterans Affairs logo and the text "PECS | PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM". Below the header is a navigation menu with buttons for "Home", "Advanced Query/Customization", "Administration", "Reports", and "Help". The "Administration" section is active, showing a list of options: "Customize Settings", "Drug Pair", "Drug-Drug Interaction", "Dose Range", "Duplicate Therapy", and "Professional Monograph". Below these options are two main sections: "Approver User Settings" and "Remove Null Drug Pairs". The "Remove Null Drug Pairs" section contains a light blue button labeled "Null Drug Pair Removal" with a mouse cursor pointing to it. Below the button, there is a text instruction: "Click the button below to initiate the Null Drug Pair Removal process."

When the process is complete, a message will appear at the top of the page to indicate that the process has completed.




Figure 50: Null Drug Pair Removal Process Complete

Note: The Null Drug Pairs Customization Report can be used to identify *approved* VA Drug-Drug Interactions that contain null Drug Pairs. However, the Null Drug Pair Removal Process removes null drug pairs from *any* VA Drug-Drug Interaction, regardless of status. All VA Custom drug pairs that contain a null routed generic drug are updated as follows: the action status of the drug pair is changed to “Deleted” and the current action reason is “FDB Deleted,” with the value of the FDB issue date when the custom drug pair was deleted. The FDB issue date is the date associated with the FDB update file that includes the deletion.

(This page included for two-sided copying.)

Sample Modification Scenarios

The following scenarios are examples of the types of modifications a typical user may perform. It is not a step-by-step guide in instructing users how to perform actual modifications. Sample steps are given, but these could differ based on the customizations being modified.

Duplicate Therapy Modification

Process Steps

Edit duplicate therapy allowance:

1. From the Home Page, click the Advanced Query/Customization tab.
2. Select “Duplicate Therapy” from the *Select a Concept* drop-down and select ‘FDB’ from the *Select VA, FDB, or Both* drop-down.
3. Build the query as follows: Fields=Description; Constraints=contains; Value=Tar.
4. Click the Query button.
5. Look at the query results at the bottom of the page.
6. Click the Open link for the desired class of drug.

7. You see the following:

The screenshot displays the PECS (Pharmacy Enterprise Customization System) interface. At the top, there is a header with the United States Department of Veterans Affairs logo and the text 'PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM'. A navigation bar below the header contains links for 'Home', 'Advanced Query/Customization', 'Easy Search', 'Drug Pair Lookup', 'Reports', and 'Help'. The user is logged in as 'FIVE_APPROVER' and has a 'Logout' link. The main content area is titled 'Duplicate Therapy' and includes a 'Page Help' link and a 'Print Page' button. The form contains several fields: 'Dtcid' with the value '1026', 'Custom Dup Allowance (Required)' with a dropdown menu showing '0', 'Description (Required)' with the text 'Coal Tar Products', 'Request Assigned To' with a dropdown menu, 'Reference Text' with a text area, and 'Current Action Reason (Required)' with a text area. At the bottom of the form, there are 'Customize' and 'Print Page' buttons. A second navigation bar at the very bottom of the page repeats the links: 'Home', 'Advanced Query/Customization', 'Easy Search', 'Drug Pair Lookup', 'Reports', and 'Help'.

8. Click the drop down arrow on Custom Dup Allowance (required).

9. Enter a Description (required).

10. Enter the Current Action Reason (required).

11. Add any reference text you think is needed (optional).

12. Click the Customize button.

Duplicate Therapy Approval

Sample Case: After the duplication allowance has been edited for the above situation, you need to submit the request for approval. Assign this request to FOUR_APPROVER.

Process Steps

1. From the Home page, look at My Request History.
2. Click the link to the NEW Duplicate Therapy requests.
3. Look at the query results at the bottom of the page.
4. Click the link for the desired class of drug (Topical Pine Tar).
5. Review the information.
6. Select the next business reviewer's name in Request Assigned To (optional) field.
7. Indicate the action reason in Current Action Reason (optional) field.
8. Click the Submit As Reviewed button.

Drug Interaction Research

Sample Case: The chief of urology has been told by the Pfizer sales rep that the VA has no drug-drug interaction between sildenafil and tamsulosin. The chief insists that a significant (severity level 2) interaction be added to the system.

Process Steps for Severity Check, Case 1

1. Check severity of an existing drug-drug interaction.
2. From the Home page, click the Drug Pair Lookup tab.
3. Fill in known information (Drug A: Sildenafil; Drug B: Tamsulosin).
4. Click the Query button.
5. Review the VA custom records and FDB record.
6. Note existing VA custom interaction between sildenafil and tamsulosin with severity level 2 and FDB interaction with severity level 3.
7. No action needed.

Drug Interaction Severity Change

Sample Case: The FDA recently issued a black box warning stating that cyclosporine and tolterodine should never be used together due to risk of renal toxicity. This interaction is considered severity level 3 (moderate) by First Data Bank. Based on the issuance of this black box warning, the NDF support group is recommending the severity level be changed to 1 (critical). Create custom drug-drug pairs for this new VA custom drug-drug interaction.

Process Steps for Editing Case 1

Edit the severity of an existing FDB drug interaction

1. From Home page, choose the Advanced Query/Customization tab.
2. Select “Drug-Drug Interaction” from the *Select a Concept* drop-down and select ‘FDB’ from the *Select VA, FDB, or Both* drop-down.
3. Build the Query: Column=Interaction Description; Constraints=contains; Value=cyclosporine.
4. Click the And button.
5. Build Query: Column=Interaction Description; Constraints=contains; Value=tolterodine.
6. Click the And button.
7. Click the Query button.
8. Look at the query results at the bottom of the page.
9. Click the Open link for desired Interaction Description.
10. Click the drop down arrow on Severity Level Code (required).
11. Select the new desired severity level code (1).
12. Indicate the action reason in the free text Current Action Reason (optional) field.
13. Click the Customize button.
14. Click Drug Pairs button.
15. Click plus sign on Select Drug Pairs to add to the above VA Custom interaction bar.
16. Click the radio button for “Drug Pairs from Corresponding FDB Interaction.”
17. Select desired drug pairs to add to the custom interaction
18. Indicate the action reason in the free text Current Action Reason (optional) field.
19. Click the Customize button.

To Submit as Reviewed:

1. From the home page, look at My Assigned Requests for Review.
2. Click Drug-Drug Interaction.
3. Look at the query results at the bottom of the page.
4. Click the link for the desired interaction description (tolterodine/cyclosporine).
5. Click the Modify button.
6. Review the information.
7. Indicate the Action Reason in the free text Current Action Reason (optional) field.
8. Click the Submit For Review button.
9. Choose the Customization tab.
10. Click ‘VA’ under ‘Drug-Drug Interaction.’
11. Build the Query: Column=Interaction Description; Constraints=contains; Value=tolterodine.

12. Click the And button.
13. Build the Query: Column=Interaction Description; Constraints=contains; Value=cyclosporine.
14. Click the And button.
15. Click the Query button.
16. Look at the query results at the bottom of the page.
17. Select the link for the desired Interaction Description.
18. Click the Modify button.
19. Indicate the Action Reason in the free text Current Action Reason (optional) field.
20. Click the Drug Pairs button at the bottom of the page.
21. Click the plus sign before 'Select Drug Pairs to add to the above VA Custom Interaction.'
22. Click the radio button for 'Select/Deselect all drug pairs from corresponding FDB interaction.'
23. Indicate the Action Reason in the free text Current Action Reason (optional) field.
24. Click the Submit for review button.

(This page included for two-sided copying.)

Drug Interaction Severity Change

Sample Case: Over the past six months, several local VA facilities have reported adverse reactions (ADRs) involving the use of digoxin and metoclopramide resulting in digoxin toxicity requiring hospital admissions for management. This interaction is classified as severity level 3 (moderate) by FDB and therefore does not create an alert in the physician order entry process. The NDF support group has approved the change of the severity level from 3 to 2 (severe) to provide for order alerts and has assigned you to perform this task. Create custom drug-drug pairs for this new VA custom drug-drug interaction. Then submit the new interaction and drug pairs as reviewed.

Process Steps for Editing Case 2

Edit the severity of an existing FDB drug interaction

1. From the Home page, choose the Advanced Query/Customization tab.
2. Select “Drug-Drug Interaction” from the *Select a Concept* drop-down and select ‘FDB’ from the *Select VA, FDB, or Both* drop-down.
3. Build the Query: Column=Interaction Description; Constraints=contains; Value=digoxin.
4. Click the And button.
5. Build the Query: Column=Interaction Description; Constraints=contains; Value=metoclopramide.
6. Click the And button.
7. Click the Query button.
8. Look at the query results at the bottom of the page.
9. Click the Active link for the desired Interaction Description.
10. Click the drop down arrow on Severity Level Code (required).
11. Select the desired new severity level code (2).
12. Indicate the action reason in the free text Current Action Reason (optional) field.
13. Click the Customize button.
14. Click Drug Pairs button.
15. Click the plus sign on Select Drug Pairs to add to the above VA Custom interaction bar.
16. Click the radio button for ‘drug pairs from corresponding FDB interaction.’
17. Click the checkbox for ‘Select/Deselect all drug Pairs from corresponding FDB interaction.’
18. Indicate the action reason in the free text Current Action Reason (optional) box
19. Click the Customize button.
20. From the Home page, look at My Request History.
21. Click the NEW Drug-Drug Interactions link.
22. Look at the query results at the bottom of the page.
23. Click on the Active link for the desired interaction description (digoxin/metoclopramide).
24. Click Drug Pairs button (Drug pairs should be submitted as reviewed prior to submitting the interaction for review)

25. Click the plus sign on Drug Pairs Bar
26. Click the checkbox for 'Select/Deselect All Drug Pairs Displayed from VA Custom Interaction'
27. Click the Submit as Reviewed button.
28. Click on the VA Interaction ID at top of page to navigate to Drug Interaction Detail page
29. Click the Submit as Reviewed button.

Remove Drug Pair from Interaction

Sample Case: You have been asked to remove the drug pair SUMATRIPTAN NASAL/TRANYLCYPROMINE SULFATE ORAL from the existing VA custom drug-drug interaction SELECTED 5HT-1D AGONISTS/MAO INHIBITORS.

Process Steps

Remove or add a drug pair from an existing VA custom drug-drug interaction.

1. Choose the Advanced Query/Customization tab.
2. Select “Drug-Drug Interaction” from the *Select a Concept* drop-down and select ‘VA’ from the *Select VA, FDB, or Both* drop-down.
3. Build the Query: Column=Interaction Description; Constraints=contains; Value=SELECTED 5HT.
4. Click the And button.
5. Click the Query button.
6. Look at the query results at the bottom of the page.
7. Select the Active link for the desired Interaction Description.
8. Click the Drug Pairs button at the bottom of page.
9. Click the plus sign on ‘Drug Pairs’ bar.
10. Click on the checkbox associated with Sumatriptan Nasal and Tranylcypromine Sulfate Oral.
11. Click the Submit for Delete button.
12. Alert another Approver that the drug pair needs to be deleted.

Create Professional Monograph

Sample Case: Create a new VA custom monograph using the current FDB interaction monograph created for cyclosporine and tolterodine as the guide. Modify the FDB monograph severity level from level 3 to level 1 – contraindication.

Process Steps

1. Choose the Advanced Query/Customization tab.
2. Select “Professional Monograph” from the *Select a Concept* drop-down and select ‘FDB’ from the *Select VA, FDB, or Both* drop-down.
3. Build the Query: Column=Monograph Title; Constraints=contains; Value=cyclosporine.
4. Select “And” from the drop-down.
5. Build the Query: Column=Monograph Title; Constraints=contains; Value=tolterodine.
6. Click the Query button.
7. Look at the results at the bottom of the page.

- Click the link for the desired monograph title in the FDB table results. The Monograph is displayed, as shown.

The screenshot displays the 'Professional Monograph' page in the PECS system. The header includes the United States Department of Veterans Affairs logo and the text 'PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM'. A navigation bar contains links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The page title is 'Professional Monograph'. On the right side, there are 'Print Page' and 'Page Help' buttons. The main content area consists of several labeled fields, each with a dropdown arrow on the right:

- Monograph Title (Required):** Tolterodine/Cyclosporine
- Request Assigned To:** (empty dropdown)
- Severity Level (Required):** 3-Moderate Interaction: Assess the risk to the patient and take action as needed.
- Mechanism Of Action:** Cyclosporine may inhibit the metabolism of tolterodine by CYP P-450-3A4. (1,2)
- Clinical Effects (Required):** The concurrent administration of tolterodine with cyclosporine may result in elevated levels of tolterodine and signs of toxicity. (1,2)
- Predisposing Factors:** None determined.
- Patient Management:** The manufacturer of tolterodine recommends that a maximum tolterodine dosage of 1 mg twice daily of the non extended release dosage form(1) or 2 mg once daily of the extended release dosage form(2) be used in patients receiving concurrent therapy with cyclosporine.
- Discussion:** In a study in eight subjects who were deficient in CYP P-450-2D6, the concurrent administration of tolterodine (2 mg) with ketoconazole (200 mg once daily for four days), another inhibitor of CYP P-450-3A4, resulted in a 60% decrease in tolterodine clearance. (3) Tolterodine AUC and Cmax increased 2.5-fold and 2-fold, respectively. (2)
- Reference:** 1.Detrol (tolterodine tartrate) US prescribing information. Pharmacia & Upjohn Company April, 2009. 2.Detrol LA (tolterodine tartrate) US prescribing information. Pharmacia & Upjohn Company September, 2008. 3.Bryne N, Forslund C, Hallen B, Gustafsson LL, Bertilsson L. Ketoconazole inhibits the metabolism of tolterodine in subjects with deficient CYP2D6 activity. Br J Clin Pharmacol 1999 Oct;48(4):564-72.
- Reference Text:** (empty text area)
- Current Action Reason (Required):** (empty text area)

At the bottom left, there is a 'Customize' button. At the bottom right, there is another 'Print Page' button. A footer navigation bar at the very bottom contains the same links as the top navigation bar: Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help.

- Change the Severity level to 1 – Critical.
- Indicate the action reason in the free text Current Action Reason (optional) field.
- Click the Customize button.

(This page included for two-sided copying.)

Reports

The Reports page displays a list of available reports in PECS. PECS Reports are essentially exported Excel spreadsheets that can be manipulated and formatted as the user sees fit.

Note, the Reports page is not visible to Requestor role users.

To run a report, click the link associated with it. You will be provided the option of opening the file directly or saving it to copy of the file to a location on your workstation (or accessible network location).

Customization Reports

The following sections describe the customization reports.

FDB Custom Dose Range Report

The FDB Custom Dose Range Report contains active VA custom Dose Range records in an Approved status along with their corresponding FDB record data. The default file name is Dosing_Total_Customization_Report.xlsx.

FDB Custom Drug-Drug Interaction Report

The FDB Custom Drug-Drug Interaction Report contains active VA custom Drug-Drug interaction records in an Approved status along with their corresponding FDB record data.

To Run the FDB Custom Drug-Drug Interaction Report

1. Click the Reports tab on the PECS Application Window.
2. Select the FDB Custom Drug-Drug Interaction Report radio button and click the Export button.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on your workstation (or accessible network location). The file name is Ddiminteraction_Total_Customization_Report.xlsx.
4. If you selected Open, the report will automatically appear in the Excel application.

FDB Custom Duplicate Therapy Report

The FDB Custom Duplicate Therapy Report contains active VA custom Duplicate Therapy records in an Approved status along with their corresponding FDB record data.

To Run the FDB Custom Duplicate Therapy Report

1. Click the Reports tab on the PECS Application Window.
2. Select the FDB Custom Duplicate Therapy Report radio button and click the Export button.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on your workstation (or accessible network location). By default, the file name is Dtcatsat_Total_Customization_Report.xlsx.
4. If you selected Open, the report will automatically appear in the Excel application.

FDB Custom Professional Monograph Report

The FDB Custom Professional Monograph Report contains active VA custom Professional Monograph records in an Approved status along with their corresponding FDB record data.

To run the FDB Custom Professional Monograph Report

1. Click the Reports tab on the PECS Application Window.
2. Select the FDB Custom Professional Monograph Report radio button and click the Export button.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on your workstation (or accessible network location). By default, the file name is Monograph_Total_Customization_Report.xlsx.
4. If you selected Open, the report will automatically appear in the Excel application.

Deleted Monograph Customization Report

The Deleted Monograph Customization Report contains active VA custom Drug-Drug interaction records in an Approved status that are associated with a deleted FDB Professional Monograph.

To Run the Deleted Monograph Customization Report

1. Click the Reports tab on the PECS Application Window.
2. Click the Deleted Monograph Customization Report link.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on your workstation (or accessible network location). By default, the file name is Deleted_Monograph_Report.xlsx.
4. If you selected Open, the report will automatically appear in the Excel application.

Null Drug Pairs Customization Report

The Null Drug Pairs Customization Report contains approved VA custom Drug-Drug Interactions that contain Drug Pairs with null Routed Generic #1 or Routed Generic #2 fields. If this report contains any entries, it is recommended that a user in the Administrator role initiate the Null Drug pair Removal Process.

To Run the Null Drug Pairs Customization Report

1. Click the Reports tab on the PECS Application Window.
2. Click the Null Drug Pairs Customization Report link.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on your workstation (or accessible network location). By default, the file name is Deleted_Monograph_Report.xlsx.
4. If you selected Open, the report will automatically appear in the Excel application.

FDB Comparison Reports

The FDB Comparison Reports display the changes to existing data included in the Incremental FDB updates. They inform an approver or administrator of the latest FDB changes for the Duplicate Therapy, Drug-Drug Interaction, and Drug Pair concepts and provide data that helps them decide whether to change a custom record. The FDB Comparison Reports help an approver or administrator keep PECS customizations in sync with FDB changes.

FDB Comparison Reports display:

- Customized records in all action statuses that have differences between the PECS FDB data and the data in the Incremental FDB Update file.
- Un-customized records that have differences between the PECS FDB data and the data in the Incremental FDB Update file.
- Indications that an FDB record is scheduled to be deleted by DATUP.
- Lists of the drug pairs that will be added or deleted by DATUP.
- A "no data found" message if the Incremental FDB Update file has no changes to the FDB data.

Structure of the FDB Comparison Report

	A	B	C	D	E	F	G	H	I
1	FDB Update Received:	20111202					Note: * indicates changed FDB data		
2		Action Status	Action Date	DATUP will delete	DTCID	Dup Allowance	Description		
23	VA Custom	Reviewed	2012-02-17		1210	0	Fat Absorption Decreasing Agents		
24	FDB After Update				1210	2 *	Fat Absorption Decreasing Agents		
25	FDB Before Update				1210	0 *	Fat Absorption Decreasing Agents		
27	VA Custom	Modified	2012-02-17		1211	1	Procarbazine		
28	FDB After Update				1211	0	Procarbazine test *		
29	FDB Before Update				1211	0	Procarbazine *		
31	VA Custom	New	2012-02-17		1206	0	Manganese		
32	FDB After Update				1206	2 *	Manganese *		
33	FDB Before Update				1206	0 *	Manganese *		
35	VA Custom	Delete	2012-02-17		1204	0	Agents to Treat Resistant Gram Positive Organisms		
36	FDB After Update	Reviewed	2012-02-17		1204	1 *	Agents to Treat Resistant Gram Positive Organisms		
37	FDB Before Update				1204	0 *	Agents to Treat Resistant Gram Positive Organisms		
39	VA Custom	Deleted	2012-02-17		1202	0	Antiparkinsonian Ropinirole Formulations		
40	FDB After Update				1202	0	Antiparkinsonian Ropinirole Formulations test22 *		
41	FDB Before Update				1202	0	Antiparkinsonian Ropinirole Formulations *		
43									

Figure 51: Sample FDB Comparison Report - Duplicate Therapy

Each FDB Comparison Report lists the "FDB Update Received" date, which is the date listed in the Incremental FDB Update file.

Each report lists comparison sets of VA and FDB data. Each comparison set consists of at least three rows separated by a blue line. The three rows are:

- VA Custom** Data in the Custom VA record. If the corresponding FDB record has not been customized, a "Not customized" message will be in the Action Status column and the rest of the row will be blank.
- FDB After Update** Data in the Incremental FDB Update File. This data will be in the PECS database shortly after the incremental FDB update is done via DATUP.
- FDB Before Update** Data in the PECS FDB record. This data will be replaced by the 'FDB After Update' data. If the **FDB After Update** and **FDB Before Update** data of the same type are different, they are marked with an asterisk (*) and colored red. Records that do not have any differences between the **FDB Before Update** and **FDB After Update** data of the same type are not listed in the report.

Each FDB Comparison Report has the following columns:

- Action Status** The state of the associated VA record based on the most recent action performed. PECS compares FDB data with VA customizations in any Action Status, including Rejected or Deleted.
- Action Date** The date the current action (Action Status) was taken.
- DATUP will delete** YES in this column Indicates the associated FDB record will be deleted by DATUP. If the column is blank, the associated FDB record will not be deleted by DATUP.

If the FDB record will be deleted by DATUP, only the FDB Interaction ID and DATUP will delete columns will be filled out in the FDB After Update row. All the other columns will be blank.

The reports are organized by type and the date of the FDB Incremental Update. Links to the reports are kept for eight weeks on the Reports page.

To run an FDB Comparison report, click the appropriate FDB Incremental Update date under the appropriate Report Heading.




Figure 52: FDB Incremental Update Section Items

If there are no differences between the FDB After Update and FDB Before Update data of the same type in any of the records, a "No Data Found" message is printed on the FDB Comparison Report.

	A	B	C	D	E	F	G	H	I	J	K
1	Latest FDB Update:	20111202					Note: * indicates updated information				
2		Action Status	Action Date	DATUP will delete	DTCID	Dup Allowance	Description				
3		NO DATA FOUND									
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											

Figure 53: Example of a "No Data Found" Message in an FDB Comparison Report

Drug-Drug Interaction/Drug Pair Report

	A	B	C	D	E	F	G
1	FDB Update Received:	20111202					Note: * indicates changed FDB data
2		Action Status	Action Date	DATUP will delete	VA Interaction ID	FDB Interaction ID	Interaction Description
28	VA Custom	Rejected	2010-05-11		2002371	237	ERGOT ALKALOIDS/NITRATES
29	FDB After Update			Yes		237	
30	FDB Before Update					237	ERGOT ALKALOIDS/NITRATES
32	VA Custom	Deleted	2010-05-05		2012742	1274	STEROIDAL CONTRACEPTIVES/APREPITANT
33	FDB After Update			Yes		1274	
34	FDB Before Update					1274	STEROIDAL CONTRACEPTIVES/APREPITANT
36	VA Custom	Not customized					
37	FDB After Update			Yes		451	
38	FDB Before Update					451	THEOPHYLLINES/TACRINE
40	VA Custom	Not customized					
41	FDB After Update			Yes		452	
42	FDB Before Update					452	CYCLOSPORINE/BARBITURATES
44	VA Custom	Not customized					
45	FDB After Update					1623	POSACONAZOLE/CIMETIDINE-HI *
46	FDB Before Update					1623	POSACONAZOLE/CIMETIDINE *
48	VA Custom	Rejected	2010-05-17		2015651	1565	RANOLAZINE/QT PROLONGING AGENTS
49	VA Custom	Rejected	2010-05-17		2015652	1565	RANOLAZINE/QT PROLONGING AGENTS

Figure 54: DDI-DP Report

The FDB Comparison Drug-Drug Interaction/Drug Pairs Report displays the changes to existing Drug-Drug Interactions included in the Incremental FDB updates. All Action Statuses are compared and are included in the report. The following data points are compared between the FDB update and the VA Drug-Drug Interaction records:

- Corresponding FDB Interaction ID
- Interaction Description
- Monograph ID

- Severity Level Code
- Clinical Effect 1
- Clinical Effect 2
- Deleted Drug Pairs
- Added Drug Pairs

The DDI-DP FDB Comparison Report contains two types of spreadsheets:

- The DDI-DP FDB Comparison Report – gives information about the FDB comparisons and the associated VA custom records.
- FDB Interaction ID-DP – gives information about the added or deleted drug pairs for a specific FDB record. Each FDB update record that has added or deleted drug pairs has its own FDB Interaction ID-DP spreadsheet.

The following DDI-specific fields are included in the DDI-FDB Comparison Report spreadsheet:

VA Interaction ID	A VA-assigned numerical identifier for the interaction.
FDB Interaction ID	An FDB-assigned numerical identifier for the interaction.
Interaction Description	A text description of the interaction.
Monograph ID	A numerical identifier for the Professional Monograph associated with the interaction.
Severity Level	A coded severity indicator. See Severity Level Codes for additional information.
Clinical Effect 1	A three letter code describing the clinical effect. See Clinical Effect Codes for additional information.
Clinical Effect 2	A three letter code describing the clinical effect. See Clinical Effect Codes.
Drug Pairs	If a DDI has drug pairs scheduled to be added or deleted by DATUP, there will be a message, "See FDB Interaction ID <FDB Interaction ID number>-DP." If a DDI record in the incremental FDB update file does not have added or drug pairs, this column will remain blank.

Here are screen shots of a DDI Comparison Report with the “See FDB Interaction ID \leftrightarrow DP” message and the tab that relates to it. Notice the highlighted row:

A	B	C	D	E	F	G
FDB Update Received:	20111202					Note: * Indicates changed FDB data
	Action Status	Action Date	DATUP will delete	VA Interaction ID	FDB Interaction ID	Interaction Description
VA Custom	Modified	2012-03-09		2020866	1581	DROSPIRENONE/ACE INHIBITORS; ARBS
FDB After Update						1581 DROSPIRENONE/ACE INHIBITORS; ARBS
FDB Before Update						1581 DROSPIRENONE/ACE INHIBITORS; ARBS
VA Custom	New	2012-03-09		2020864	30786	SELECTED MACROLIDE ANTIBIOTICS/EPLERENONE (MONO DELETED)
VA Custom	New	2012-03-09		2020865	30786	SELECTED MACROLIDE ANTIBIOTICS/EPLERENONE (MONO DELETED)
FDB After Update						30786 SELECTED MACROLIDE ANTIBIOTICS/EPLERENONE (MONO DELETED)
FDB Before Update						30786 SELECTED MACROLIDE ANTIBIOTICS/EPLERENONE (MONO DELETED)
VA Custom	New	2012-03-14		2020881	112	ANTIDIABETICS, ORAL/SALICYLATES
VA Custom	Modified	2012-03-15		2020882	112	ANTIDIABETICS, ORAL/SALICYLATES
FDB After Update						112 ANTIDIABETICS, ORAL/SALICYLATES-Test *
FDB Before Update						112 ANTIDIABETICS, ORAL/SALICYLATES *
VA Custom	Reviewed	2012-03-01		2020857	31809	QUINOLONES/THEOPHYLLINES
FDB After Update						31809 QUINOLONES/THEOPHYLLINES
FDB Before Update						31809 QUINOLONES/THEOPHYLLINES
VA Custom	Deleted	2012-01-23		2020502	258	CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS
VA Custom	Rejected	2010-05-06		2002582	258	CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS
VA Custom	Approved	2010-05-06		2002581	258	CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS
FDB After Update						258 CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS
FDB Before Update						258 CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS
VA Custom	Delete					
FDB After Update	Reviewed	2012-02-24		2020828	30120	CIPROFLOXACIN/AGOMELATINE
FDB Before Update						30120 CIPROFLOXACIN/AGOMELATINE-FUN *
						30120 CIPROFLOXACIN/AGOMELATINE *

Figure 55: First Half of FDB Comparison Report for DDI

Monograph ID	Severity Level	Clinical Effect 1	Clinical Effect 2	Drug Pairs
Drospirenone/Ace Inhibitors; ARBS - 1581		3 Decreased effect of the former drug		
Cyclosporine/Calcium Channel Blockers - 258 *		3 Additive side effects from both drugs		
Drospirenone/Ace Inhibitors; ARBS - 1581 *		3 Additive side effects from both drugs		
Eplerenone/Selected Macrolide Antibiotics (mono deleted)03/01/2012) - 1214		3 Increased effect of the latter drug		
Eplerenone/Selected Macrolide Antibiotics (mono deleted)03/01/2012) - 1214		2 Increased effect of the latter drug		
Eplerenone/Selected Macrolide Antibiotics (mono deleted)03/01/2012) - 1214		3 Adverse reaction of the former drug *		
Eplerenone/Selected Macrolide Antibiotics (mono deleted)03/01/2012) - 1214		3 Increased effect of the latter drug *		
Antidiabetics, Oral/Salicylates - 112		3 Increased effect of the former drug		
Antidiabetics, Oral/Salicylates - 112		2 Increased effect of the former drug		
Antidiabetics, Oral/Salicylates - 112	1 *	Increased effect of the former drug		
Antidiabetics, Oral/Salicylates - 112	3 *	Increased effect of the former drug		See FDB Interaction ID 112-DP
Theophyllines/Quinolones - 191		1 Increased effect of the latter drug	Adverse reaction of the former drug	
Theophyllines/Quinolones - 191		2 Increased effect of the latter drug	Adverse reaction of the former drug *	
Theophyllines/Quinolones - 191		2 Increased effect of the latter drug	*	
Cyclosporine/Calcium Channel Blockers - 258		3 Labeling conflicts between countries or products		
Cyclosporine/Calcium Channel Blockers - 258		2 Increased effect of the former drug		
Cyclosporine/Calcium Channel Blockers - 258		1 Increased effect of the former drug		
Cyclosporine/Calcium Channel Blockers - 258	1 *	Adverse reaction of the former drug *	Additive side effects from both drugs *	
Cyclosporine/Calcium Channel Blockers - 258	3 *	Increased effect of the former drug *	*	
VA Customized: Decreased Effects (Significant) (DEL2) - 150033 (custom)		1 Increased effect of the latter drug		
Ranolazine/QT Prolonging Agents - 1505 *	2 *	Increased effect of the latter drug	Additive side effects from both drugs *	
Agomelatine/Ciprofloxacin - 1880 *	1 *	Increased effect of the latter drug	*	

Figure 56: Second Half of FDB Comparison Report for DDI

If the latest FDB update contains added or deleted drug pairs, these will be displayed on separate tabs titled "FDB Interaction ID <FDB Interaction ID number>-DP". Here are the contents of the FDB Interaction ID tab, i.e., the drug pairs that have been updated by FDB:

1	Note: * Indicates new Routed Generic 1 or 2 Description		
2	Routed Generic 1 Description	Routed Generic 2 Description	DATUP action
3	GLIPIZIDE ORAL	ASPIRIN/DIPHENHYDRAMINE/SODIUM BICARBONATE/CITRIC ACID ORAL	Delete
4	FUROSEMIDE IN 0.9 % SODIUM CHLORIDE INTRAVENOUS	CAPTOPRIL/HYDROCHLOROTHIAZIDE ORAL	Add
5	FUROSEMIDE IN 0.9 % SODIUM CHLORIDE INTRAVENOUS	CAPTOPRIL ORAL	Add
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			

Figure 57: Contents of the FDB Interaction ID tab, i.e., Drug Pairs Updated by FDB:

If an FDB record has been customized multiple times, all of the customizations will be listed in the report, as shown below:

1	FDB Update Received:	20111202	Note: * Indicates changed FDB data				Monograph ID
2	Action Status	Action Date	VA Interaction ID	FDB Interaction ID	Interaction Description	Monograph ID	
54	VA Custom	Approved	2010-05-04	2011561	1156 INTERLEUKIN-1 BLOCKER/TUMOR NECROSIS FACTOR (TNF) INHIBITORS	Interleukin-1 Blocker/Tumor Necrosis Factor (TNF)Inhibitors - 1156	
55	FDB After Update				1156 INTERLEUKIN-1 BLOCKER/TUMOR NECROSIS FACTOR (TNF) INHIBITORS	Interleukin-1 Blocker/Tumor Necrosis Factor (TNF)Inhibitors - 1156	
56	FDB Before Update				1156 INTERLEUKIN-1 BLOCKER/TUMOR NECROSIS FACTOR (TNF) INHIBITORS	Interleukin-1 Blocker/Tumor Necrosis Factor (TNF)Inhibitors - 1156	
58	VA Custom	Modified	2012-03-09	2020886	1581 DROSPIRENONE/ACE INHIBITORS; ARBS	Drosiprenone/Ace Inhibitors; ARBs - 1581	
59	FDB After Update				1581 DROSPIRENONE/ACE INHIBITORS; ARBS	Cyclosporine/Calcium Channel Blockers - 258 *	
60	FDB Before Update				1581 DROSPIRENONE/ACE INHIBITORS; ARBS	Drosiprenone/Ace Inhibitors; ARBs - 1581 *	
62	VA Custom	New	2012-03-09	2020864	30786 SELECTED MACROLIDE ANTIBIOTICS/EPLERENONE (MONO DELETED)	Eplerenone/Selected Macrolide Antibiotics (mono deleted:03/01/2012)	
63	VA Custom	New	2012-03-09	2020865	30786 SELECTED MACROLIDE ANTIBIOTICS/EPLERENONE (MONO DELETED)	Eplerenone/Selected Macrolide Antibiotics (mono deleted:03/01/2012)	
64	FDB After Update				30786 SELECTED MACROLIDE ANTIBIOTICS/EPLERENONE (MONO DELETED)	Eplerenone/Selected Macrolide Antibiotics (mono deleted:03/01/2012)	
65	FDB Before Update				30786 SELECTED MACROLIDE ANTIBIOTICS/EPLERENONE (MONO DELETED)	Eplerenone/Selected Macrolide Antibiotics (mono deleted:03/01/2012)	
67	VA Custom	New	2012-03-14	2020881	112 ANTI-DIABETICS, ORAL/SALICYLATES	Antidiabetics, Oral/Salicylates - 112	
68	VA Custom	Modified	2013-03-15	2020882	112 ANTI-DIABETICS, ORAL/SALICYLATES	Antidiabetics, Oral/Salicylates - 112	
69	FDB After Update				112 ANTI-DIABETICS, ORAL/SALICYLATES-Test *	Antidiabetics, Oral/Salicylates - 112	
70	FDB Before Update				112 ANTI-DIABETICS, ORAL/SALICYLATES *	Antidiabetics, Oral/Salicylates - 112	
72	VA Custom	Reviewed	2012-03-01	2020857	31809 QUINOLONES/THEOPHYLLINES	Theophyllines/Quinolones - 191	
73	FDB After Update				31809 QUINOLONES/THEOPHYLLINES	Theophyllines/Quinolones - 191	
74	FDB Before Update				31809 QUINOLONES/THEOPHYLLINES	Theophyllines/Quinolones - 191	
76	VA Custom	Deleted	2012-01-23	2002502	258 CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS	Cyclosporine/Calcium Channel Blockers - 258	
77	VA Custom	Rejected	2010-05-06	2002582	258 CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS	Cyclosporine/Calcium Channel Blockers - 258	
78	VA Custom	Approved	2010-03-06	2002581	258 CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS	Cyclosporine/Calcium Channel Blockers - 258	
79	FDB After Update				258 CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS	Cyclosporine/Calcium Channel Blockers - 258	
80	FDB Before Update				258 CYCLOSPORINE/CALCIUM CHANNEL BLOCKERS	Cyclosporine/Calcium Channel Blockers - 258	

Figure 58: Display of All Customizations Done for an FDB Record

The following fields are included in the FDB Interaction ID-DP spreadsheet:

Routed Generic 1 The Routed Generic Description of Drug 1 in the Drug Pair Description

Routed Generic 2 The Routed Generic Description of Drug 2 in the Drug Pair Description

DATUP action The action that DATUP will perform. DATUP will either add the drug pair to the PECS database or delete it from PECS.

Note: A DDI record that is not listed on the DDI-DT FDB Comparison Report spreadsheet can still have added or deleted drug pairs listed in the latest incremental FDB update file. In that case, the drug pair information is just listed on an FDB Interaction ID-DP spreadsheet.

Duplicate Therapy Report

	A	B	C	D	E	F	G
1	FDB Update Received:	20120525					Note: * Indicates changed FDB data
2		Action Status	Action Date	DATUP will delete	DTCID	Dup Allowance	Description
3	VA Custom	Approved	2012-05-07		1338		1 Antidiarrheal Formulations with Gut Flora Microorganisms
4	FDB After Update			Yes	1338		
5	FDB Before Update				1338		0 Antidiarrheal Formulations with Gut Flora Microorganisms
7	VA Custom	Approved	2012-04-16		376		1 Stimulant Laxatives
8	FDB After Update			Yes	376		
9	FDB Before Update				376		0 Stimulant Laxatives
11	VA Custom	Reviewed	2012-02-23		375		0 Steroids - Mouth
12	FDB After Update			Yes	375		
13	FDB Before Update				375		0 Steroids - Mouth
15	VA Custom	Modified	2012-02-23		378		1 Sulfonamides
16	FDB After Update			Yes	378		
17	FDB Before Update				378		0 Sulfonamides
19	VA Custom	Reviewed	2012-04-13		1132		0 Thrombin Inhibitors (Non-Heparinoid)
20	FDB After Update			Yes	1132		
21	FDB Before Update				1132		0 Thrombin Inhibitors (Non-Heparinoid)
23	VA Custom	Modified	2012-02-23		1213		1 Dantrolene
24	FDB After Update			Yes	1213		
25	FDB Before Update				1213		0 Dantrolene
27	VA Custom	Modified	2012-04-09		1456		1 Orotic Acid
28	FDB After Update			Yes	1456		
29	FDB Before Update				1456		0 Orotic Acid
31	VA Custom	Reviewed	2012-02-23		1310		1 Lymphocyte Immune Globulin
32	FDB After Update			Yes	1310		
33	FDB Before Update				1310		0 Lymphocyte Immune Globulin
35	VA Custom	Modified	2012-02-23		1319		2 Typhoid Vaccine
36	FDB After Update			Yes	1319		
37	FDB Before Update				1319		0 Typhoid Vaccine
39	VA Custom	Not customized					
40	FDB After Update			Yes	1564		
41	FDB Before Update				1564		0 Malic Acid
43	VA Custom	New	2012-02-21		1131		0 Nasal Antihistamines
44	FDB After Update			Yes	1131		
45	FDB Before Update				1131		0 Nasal Antihistamines

Figure 59: FDB Comparison Report - Duplicate Therapy

The Duplicate Therapy FDB Comparison Report displays the differences between the PECS FDB data and the data in the Incremental FDB Update file for the Duplicate Therapy (DT) concept. This report displays the following DT-specific data:

DTCID	Duplicate Therapy Control ID. A numerical identifier for the DT FDB and VA records.
Dup Allowance	Duplicate Allowance. The number of drugs performing the same function before a warning is issued.
Description	A description (name) of the drug that is the basis of the DT record.

Dose Range Report

Not implemented in this release.