

ClIO Terminology Dictionary

and

Clinical Data Model

Date/Time Generated: JAN 15,2014@07:56

M Environment: DEV,DEV

ID: {A7E05486-2BF9-D304-4925-9A32165B19F0}

=====

Abbreviation..... AB BOW S
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Abdominal Bowel Sounds
Display Name..... Abdomen Bowel Sounds
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. HYPOACTIVE (HYPOACTIVE) {2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}
 3. HYPERACTIVE (HYPERACTIV) {1A548FFE-8645-4C0D-899D-5D91430CC1B1}
 4. FLATULENCE (FLATULENCE) {F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}
 5. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 6. BRUIT (BRUIT) {2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}

LOCATION: 5 entries

-
1. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}

2. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACA0}

3. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}

4. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}

5. GENERAL UMBILICUS (GEN UMBILI)

{34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}

UNITS:

ID: {761ED47D-0598-4B17-EA65-3436FDDB8597}

=====

Abbreviation..... ABDOM COND

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... CURRENT OBSERVATION OF ABDOMINAL
CONDITION

Display Name..... Abdominal Condition

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 10 entries

1. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
2. FIRM (FIRM) {11E23F20-39A0-4A6D-B198-04BB36B0C909}
3. HARD (HARD) {7934B543-7028-4CBC-9308-99F5A952A1DE}
4. DISTENDED (DISTENDED) {B5C529CA-2BE0-4698-A153-718F4D58E643}
5. TENDER (TENDER) {30486CC7-3097-4F95-9238-FD6C2126CD10}
6. NON-TENDER (NON-TENDER) {5A3D41C0-A83D-4382-A573-D6884BB1670B}
7. GUARDING (GUARDING) {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}
8. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
9. ROUND (ROUND) {E8E741F1-F0C5-4B77-B014-63B545BED755}

10. SCAPHOID (SCAPHOID) {1BE93489-42FC-44EB-8D07-87F4224979F3}

UNITS:

=====

TERM: ABDOMINAL GIRTH

Page: 3

ID: {F70E6642-2719-22BE-BE87-DEF0A884F177}

=====

Abbreviation..... AG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Girth of patient abdomen

Display Name..... Abdominal Girth

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4536404

UNITS:

CENTIMETER

0 > 76 * 152 < 300

Dec Prec: 0

ID: {B5D8ADB2-0D19-4C07-8A09-6053A4D27003}

=====

Abbreviation..... ADL ADL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Activities of daily living assessment
Display Name..... Activities of Daily Living
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 25 entries

1. COMPLETE BATH (COMP BATH) {A7CB1F56-F88E-403B-AABC-105BE129FBB0}
2. PARTIAL BATH (PART. BATH) {60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}
3. SELF AM CARE BY PATIENT (SELF AM CR)
{C48A46C1-0E68-479C-B803-08C80617ADFF}
4. TURN AND POSITION (TURN POSIT)
{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}
5. UP TO CHAIR (UP TO CHAI) {42E598E5-82EC-428B-B5FA-1129E3095C78}
6. MEAL (MEAL) {85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}
7. AMBULATED (AMBULATED) {017D99FE-91D5-49F1-AC15-50620879C466}
8. SNACK (SNACK) {60B77974-4102-4511-A105-E24850B924D8}

9. SELF CARE OF BEDSIDE ENVIRONMENT (S CARE BED)

{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}

10. SHOWER (SHOWER) {C259929A-44DB-48FD-A2EC-BC6ECF9D0476}

11. SELF SHOWER (SELF SHOWER) {C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}

12. SHAMPOO (SHAMPOO) {95CCB23C-E614-40CD-84F0-EE4EFBC95271}

13. DRY SHAMPOO (DRY SHAMP) {8910A186-2590-4352-A884-7D692A9D2B3C}

14. NAIL CARE (NAIL CARE) {B783A171-1F0A-4135-8535-85776B81AB68}

15. TOENAIL CARE (TOEN CARE) {6CF3ABCE-FF74-43E2-81E5-D23339017CA9}

16. FOOT CARE (FOOT CARE) {332E8338-6DAE-4BC9-B195-63DAD57937D0}

17. SELF FOOT CARE (SELF FOOT)

{F2DCAF0E-389D-4987-8C73-66E35266CC78}

18. TURNING SELF INDEPENDENTLY (TURN SELF)

{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}

19. SHAVE (SHAVE) {A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}

20. SELF SHAVE (SELF SHAVE) {90F1760C-4C12-4976-ADCB-DBF456A34023}

21. FACE WASH (FACE WASH) {E1162A8B-D26D-4EB3-988F-50583B1849EA}

22. SELF FACE WASH (S FACE WAS)

{77457D46-5676-46E6-B38F-FE3AF70B5CBC}

23. PERINEAL CARE (PERIN CARE)

{D88736E4-E0EB-4FF7-9199-288A4D051A20}

24. SELF TRACH CARE (S TRACH CA)

{70BE79EC-107F-4CD3-B964-7919B3DDE222}

25. CLOTHED SELF (CLOTH S) {33802A30-FAA7-426B-ADAC-5297818DA7DE}

UNITS:

ID: {BF48D1FD-555C-4714-A624-2A350F74D8A9}

=====

Abbreviation..... ADL AMB AS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Ambulation Assistance
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

-
1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
 2. WITHOUT ASSISTANCE (WO ASSIS)
{41CE081D-CB0E-49AF-936A-4FD78E61681B}
 3. ONE PERSON ASSIST (1 PERS AS)
{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
 4. TWO PERSON ASSIST (2 PERS AST)
{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
 5. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}
 6. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
 7. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}

8. GAIT BELT (GAIT BELT) {AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}

UNITS:

=====

TERM: ADL - AMBULATION DISTANCE

Page: 6

ID: {49097AB5-ACC4-4FC5-91FB-B62DFF5EBA51}

=====

Abbreviation..... ADL AM D

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ambulation Distance

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FOOT -1 > 0 * 500 < 600 Dec Prec: 0

{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

7. TWILL TAPE (Twill Tape) {C52BE250-732D-03BB-B8F9-72BE4D546807}

8. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

7. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

8. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

ID: {6293D18C-0742-4D1B-B410-E8641798DD2B}

=====

Abbreviation..... ADL EATING
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Eating
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
 2. SUPERVISION/SET-UP HELP (SUPERVISED)
{596D028B-B60D-4244-A1B0-882177C8D25F}
 3. SET UP HELP ONLY (SETUP ONLY)
{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}
 4. LIMITED ASSISTANCE (LIM ASSIST)
{9A8C1310-C840-431E-BA21-065B7EA7B768}
 5. EXTENSIVE ASSISTANCE (EXT ASSIST)
{C402B659-E880-4070-8345-13E5508B4D29}
 6. TOTAL DEPENDENCE (TOT DEPEND)

{38702CDD-E440-4EFA-9583-36EEE719F7C3}

7. ONE PERSON ASSIST (1 PERS AS)

{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

8. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

ID: {8E6573BB-DED8-47D3-AA52-C56404C5D1D9}

=====

Abbreviation..... EMO SUPPT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Emotional Support
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. PATIENT (PATIENT) {7881F205-BCD1-4948-AE66-AD572F5A02F2}
 2. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}
 3. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
 4. SIGNIFICANT OTHER (SO) {082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}
 5. CAREGIVER (CAREGIVER) {F9B8BABE-2F05-437D-85C8-585FC1FFC07F}

UNITS:

ID: {C0EC0C79-A4AB-4CB6-B026-E193E033A3DE}

=====

Abbreviation..... ADL OTHER
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Other Activity
Help Text..... Other ADL Activities
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 14 entries

-
1. BEDREST (BEDREST) {8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}
 2. DANGLED (DANGLED) {40665750-112F-401D-AEFA-8E19F45EC0C9}
 3. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}
 4. COMMODORE (COMMODORE) {75C896CA-F105-4EF0-B641-3F2B1F984F1B}
 5. PASSIVE RANGE OF MOTION (PASS ROM)
{DD43B9EF-E18F-4203-8564-89EBBAD963A4}
 6. ACTIVE RANGE OF MOTION (ACTIVE ROM)
{F55E68F3-6788-47AE-B962-119413B4A089}
 7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}
 8. GURNEY CHAIR (GURN CHAIR) {B6EA0944-8414-42FD-88C0-50155DE82896}

9. BATHROOM PRIVILEGES (BATHR PRIV)

{29C1B6DD-3308-4DED-9970-1322A97C633B}

10. TRANSFER WITH ASSIST (TRANS ASST)

{62A5BFF5-9C7C-4412-83A8-F872095DE005}

11. FULL SPINAL PRECAUTIONS (FULL S P)

{42ADB74D-12CC-4111-B181-626C0F01BC7C}

12. THORACIC SPINAL PRECAUTIONS (THOR S P)

{D55AEF23-7F5E-45DD-A178-F217E6AF3873}

13. CERVICAL SPINAL PRECAUTIONS (CERV S P)

{A15F7127-2367-464A-AB7D-1E6A7C09AA21}

14. LUMBAR SPINAL PRECAUTIONS (LUMB S P)

{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}

UNITS:

ID: {AC46FCA8-4D8B-45B9-9938-9CE75B759E76}

=====

Abbreviation..... ADL REPOSI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Reposition
Display Name..... Reposition
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. LEFT (LEFT) {81063CEE-2E83-4C95-AAEE-76B7DCB828D4}
 2. RIGHT (RIGHT) {AB74C579-DF14-4D7B-A9EF-5F119089F976}
 3. SUPINE (SUPINE) {A18F9534-17AF-47D7-8D14-2AA457A889BD}
 4. PRONE (PRONE) {41180E09-D9D6-4903-BAE9-28CD5AAC4991}
 5. SELF CARE (SELF CARE) {0E068188-75B8-46C5-8947-A6CC5C7849B5}
 6. ASSISTED (ASSISTED) {65069804-39BF-41ED-9EA3-BF2C41389F10}
 7. CARDIAC REPOSITION (CARD REPOS)
{E133FE5A-20E1-418F-BD90-D2DFE14908C0}
 8. FOWLER'S (FOWLER'S) {8E691813-A9AC-48BE-9401-528A7D762A32}
 9. HIGH FOWLER'S (HIGH FOWLE)

{EA23C94D-EE91-4552-9F74-E051FAF3E194}

UNITS:

ID: {C0C8630F-6535-4C89-9556-D97CBCB41952}

=====

Abbreviation..... ADL VISITO
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Visitors
Display Name..... Visitors
Help Text..... Has the patient had any visitors today.
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {0F21C7E0-AD33-46CC-B5BD-40F7A46946D4}

=====

Abbreviation..... ADL ORAL C
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Oral Care
Display Name..... Oral Care
Help Text..... Oral Care
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 12 entries

-
1. DONE (DONE) {60412C8D-132F-46EA-8DDF-FCC282C4CC8B}
 2. ASSISTED (ASSISTED) {65069804-39BF-41ED-9EA3-BF2C41389F10}
 3. SELF CARE (SELF CARE) {0E068188-75B8-46C5-8947-A6CC5C7849B5}
 4. OFFERED (OFFERED) {715091C2-9668-4678-900E-6D55D3335A30}
 5. REFUSED (REFUSED) {D5B3E135-4D68-4528-BBC9-6E8A7A997104}
 6. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}
 7. SUCTIONED ONLY (SUCT ONLY)
{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}
 8. LIP SALVE (LIP SALVE) {612F78AB-7386-4176-9896-02DE5A8E836D}
 9. TEETH BRUSHED (TEETH BRUS)

{20841794-6E6D-4262-B1FE-9E3F20F8CC49}

10. MOUTHWASH USED (MOUTHWASH)

{9F7EF355-12A4-4EBA-92ED-0F38273E411B}

11. ETT REPOSITIONED (ETT REPOS)

{95B35EDB-76B6-433E-B526-01C543A7CCEA}

12. ETT RETAPED/SECURED (ETT RETAPE)

{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}

UNITS:

ID: {42608477-6B3D-4036-BE05-F0DA3ED218B9}

=====

Abbreviation..... SPIRIT CA
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Spiritual care
Help Text..... Has Patient Had Spiritual Care
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {CAE19296-4C9E-0049-DD90-4939FFFAA7F4}

=====

Abbreviation..... AFFECT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... an expressed or observed emotional
response

Display Name..... Affect

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
2. BLUNTED (Blunted) {F119F2DA-9182-2480-BA75-02D39F4FF69B}
3. BRIGHT (Bright) {D16542CE-0403-2C68-A361-125CB3C75ABA}
4. CONSTRICTED (Constrict) {A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}

UNITS:

ID: {18958F14-76F1-B4F3-DB01-F5FB4C8A70BC}

=====

Abbreviation..... ART AIR C

Active..... Yes

Boolean Value False..... Deflated

Boolean Value True..... Inflated

Data Type..... Boolean

Description..... AIRWAY CUFF INFLATED OR DEFLATED

Display Name..... Artificial Airway Cuff Status

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: AIRWAY ARTIFICIAL POSITION AT LIP/NOSE

Page: 18

ID: {A9032CCC-5479-87C2-27F8-46D8B4F68272}

=====

Abbreviation..... ART AIR PO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Artificial Airway Position at Lip/Nose

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

11.9 > 12.0 * 28.5 < 28.6 Dec Prec: 1

=====

TERM: AIRWAY ARTIFICIAL SIZE - FRENCH

Page: 19

ID: {48027138-FA36-067B-AC88-61C42902C7CC}

=====

Abbreviation..... ART AIR F

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Artifical Airway Size -French

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FRENCH

3.9 > 4.0 * 14.0 < 14.1 Dec Prec: 1

ID: {C6712EFD-7351-46E2-B31F-3F788CDECA28}

=====

Abbreviation..... ART AIR mm
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Artificial Airway Size - mm
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

-
- | | |
|---------------|--|
| 1. 4 (4) | {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A} |
| 2. 4.5 (4.5) | {EC6C0C72-8C49-4535-92B2-7E543007EE32} |
| 3. 5 (5) | {188EDCE7-0726-4234-D8D2-92C8052CD221} |
| 4. 5.5 (5.5) | {4878F059-EC9D-44FC-9A61-734C291530E7} |
| 5. 6 (6) | {640CF2F9-3BBF-AB13-185B-CD02A609FB5A} |
| 6. 6.5 (6.5) | {CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3} |
| 7. 7 (7) | {7A010324-D2C2-5D4B-848A-7B8878666D20} |
| 8. 7.5 (7.5) | {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E} |
| 9. 8 (8) | {518E7CFC-102E-351E-C7AF-FB575E3C8F4D} |
| 10. 8.5 (8.5) | {96723567-151D-4B5C-9C65-B3EB6D584272} |

- 11. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
- 12. 9.5 (9.5) {252555A1-ADB2-4948-8764-C952F2587DC5}
- 13. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

ID: {2FC0523A-8EBD-7E24-E453-C2DEF54DAE44}

=====

Abbreviation..... ART AIRW T
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... TYPE OF ARTIFICIAL AIRWAY
Display Name..... Artificial Airway Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

1. NASAL ENDOTRACHEAL (Nasal Endo)
{C631352E-CAB5-0409-6133-E5D11ECC3293}
2. ORAL ENDOTRACHEAL (ORAL ENDO)
{466CAD16-D7F3-9D73-6500-959C4DA50D9A}
3. TRACHEOSTOMY (TRACHEOSTO) {2B0B7599-847E-852F-D16F-091CAAA4B205}
4. LARYNGECTOMY (LARYNGECTO) {225CB76A-BAF5-827E-729B-C3D60AD5B50A}
5. NASAL TRUMPET (NASAL TRUM)
{2FFB8510-793C-D6A4-838E-20FF7CD26533}
6. BITE BLOCK (BITE BLOCK) {E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}
7. ORAL AIRWAY (ORAL AIRWA) {B0CF4270-A68D-1322-0621-1DFF8D677B40}

8. CASS ENDOTRACHEAL TUBE (CASS)

{02BF805C-DF35-4DAB-A99F-2ED673174E49}

UNITS:

ID: {415CE93B-0510-423D-9CAC-838F59882D94}

=====

Abbreviation..... ALARM PARA
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Alarm Parameters Verified
Display Name..... Alarm Parameters Verified
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {97BADE57-C863-F3B4-4507-74BF03D4B0B9}

=====

Abbreviation..... ALARMS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Alarms
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

1. CENTRAL ECG (cecg) {26D36175-E4E3-C364-3018-1B0DB4DC4793}
2. BED EXIT ALARM (BED EXIT A)
{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}
3. WHEELCHAIR EXIT ALARM (WHEEL EXIT)
{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}
4. IV PUMP (IV PUMP) {EFB92C16-CFA3-18BB-9D54-590089DA3962}
5. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}
6. UROMETER (u) {13074A3A-19D7-300C-7BFF-8DC18DDE2951}
7. IABP (IABP) {763FE975-F5E5-80A6-AB16-E903A829E665}

UNITS:

ID: {42D5FBEB-5FBA-4E89-A1CD-D7882740C7B4}

=====

Abbreviation..... ALD CIRCUL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Modified Aldrete Scoring System

Display Name..... Aldrete Score - Circulation

Help Text..... BP +/- 50% Preop=0, 20-49% Preop= 1,
20% Preop = 2

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. 0 = BP +/- 50% PREOP (ALD CIR 0)

{675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}

2. 1 = BP +/- 20-49% PREOP (ALD CIR 1)

{D4A6100D-1228-4860-9BD6-B43F30D4FF94}

3. 2 = BP +/- 20% PREOP (ALD CIR 2)

{04B67413-7A88-409B-8005-471A7C84B879}

UNITS:

ID: {5530278D-7914-4D0B-B3AF-852FFC708808}

=====

Abbreviation..... ALD O2 SAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Modified Aldrete Scoring System

Display Name..... Aldrete - O2 Saturation

Help Text..... <90% even with O2=0, Needs O2 to
maintain >90%=1, >92% on room air=2

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-
- 1. 0 = <90% (ALD O2 0) {30042730-F600-44FD-A3D0-53172B70082B}
 - 2. 1 = NEEDS O2 (ALD O2 1) {5D97F6BB-7B02-4644-8CE5-014C89826731}
 - 3. 2 = ON ROOM AIR (ALD O2 2)
{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}

UNITS:

=====

TERM: ALDRETE - TOTAL

Page: 29

ID: {A947CF6C-094E-49B9-A856-E4103162D875}

=====

Abbreviation..... ALD TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Modified Aldrete Scoring System Total

Display Name..... Aldrete - Total Score

Help Text..... Total value of Aldrete scores

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MODIFIED ALDRETE SCORE -1 > 0 * 10 < 11 Dec Prec: 0

ID: {5E763979-792D-43A8-A065-661D4ED179E5}

=====

Abbreviation..... Anes Plan
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Anesthesia Planned
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. LOCAL (Local) {64A0FD20-4584-446C-8A2A-57F2FEF3DD10}
 2. REGIONAL BLOCK (Region Blk)
{3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}
 3. BIER BLOCK (Bier Blk) {241C28E7-6040-4ABC-B76C-4255452C66FD}
 4. GENERAL (General) {6ED377F7-55E4-4743-B781-124267567200}
 5. IV SEDATION (IV Sed) {789B61EB-5E83-4024-850D-D92370C4EC9A}
 6. SPINAL (Spinal) {AC02181C-0A2C-4F7A-B983-B32EF1BCD150}
 7. EPIDURAL (Epidural) {63317A63-16FF-4D55-A034-420C65B17AEB}
 8. MODERATE SEDATION (Mod Sed)
{C874EDC7-24BF-4F39-8FDA-E8D1193A8428}

9. NONE (NONE)

{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

UNITS:

ID: {5B202547-7AD3-4E86-9FBE-82AEC450510B}

=====

Abbreviation..... APPEARAN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Appearance
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. NEAT (NEAT) {8B01F7B8-B626-4143-A092-1E732EEB4A05}
 2. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
 3. INAPPROPRIATE (Inappropri)
{7E3B54C2-8A49-28EC-055E-FEA87599421C}
 4. DISHEVELED (DISHEVEL) {0455549E-5CCB-470D-9D7F-F3959E6D55FE}

UNITS:

ID: {D72DC694-6192-8D57-FD8B-02E49EF45DE5}

=====

Abbreviation..... AB ALLERGY
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Is the arm band for allergies present
Display Name..... Arm Band - Allergies
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

ID: {66410CB8-1475-12D5-1199-76217CC9B174}

=====

Abbreviation..... AB BL TR
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Arm Band - Blood Transfusion IV
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {B7AF531A-26FA-B821-F3B6-F75911A8BBC2}

=====

Abbreviation..... AB DNR
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Is patient armband for DNR present
Display Name..... Arm Band - DNR
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {950320E8-0C68-29C0-E39A-355CEB0119C6}

=====

Abbreviation..... AB ELOPE
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Arm Band - Elopment
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {48BCE5FD-3703-4F3B-619B-8E5FD2E25D2E}

=====

Abbreviation..... AB FALL RI
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Arm Band - High Fall Risk
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: ARM BAND - PERSONAL MEDICAL ALERT

Page: 37

ID: {4EF7E9C0-4B52-0EA5-B5ED-D29E655089FE}

=====

Abbreviation..... AB PM ALER

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Arm Band - Personal Medical Alert

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

ID: {F0D2FBB6-0843-239A-356E-D903542E9117}

=====

Abbreviation..... AB WANDER
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Arm Band - Wanderer
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {FD6E4F7D-AF64-4208-B6BD-DD965FB234C3}

=====

Abbreviation..... AB PRESENT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Arm Bands Present
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}
 2. IDENTIFICATION (i) {39274F69-556C-7F05-6D17-CE8A03D1867D}
 3. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}
 4. ALLERGY (a) {EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}
 5. HIGH FALL RISK (hfr) {276C15F3-5BED-0FE0-5649-337A23AB1386}
 6. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
 7. PERSONAL MEDICAL ALERT BRACELET (pmab)
{E63D5FDE-4509-5751-A11C-C023E296858A}
 8. BLOOD TRANSFUSION IV (BI TRAN IV)
{27A0BE4C-433C-F920-BAC2-066F304BDF59}

9. WANDERER (w)

{C5BD737B-F9A6-5800-B45C-2585507C3EDC}

UNITS:

ID: {9267950F-51B3-4C38-B280-C62D7B076F6B}

=====

Abbreviation..... ALINE ALAR
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Arterial Lines Alarms On
Display Name..... Arterial Line Alarms On
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {A87DEFA0-FD22-8AAB-AEEE-61E91FEE2154}

=====

Abbreviation..... ART LI CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Arterial Line Condition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

-
1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}

LOCATION: 8 entries

-
1. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
 2. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
 3. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

4. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}

6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}

7. L BRACHIAL (LBRA) {75F6CE33-1AB3-A1DA-70B8-04825290B577}

8. R BRACHIAL (RBRA) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

ID: {1D4E53DD-2D96-4B9F-9912-920B96FFF942}

=====

Abbreviation..... ART LIN DC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Arterial Line Dressing Change
Display Name..... Arterial Line Dressing Change
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
 - 2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
 - 3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
 - 4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS:

ID: {2CCDDAA0-9563-8B09-11C1-51E1E2823A48}

=====

Abbreviation..... A LINE CAR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Has Arterial Line Site Care Been Done?

Display Name..... Arterial Line Site Care

Help Text..... Date arterial line inserted

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

ID: {9D96EBB7-19E0-4832-B61F-D2A42CE15737}

=====

Abbreviation..... ART LIN SI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Arterial Line in size Gauge
Display Name..... Arterial Line Size
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

LOCATION: 8 entries

1. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
2. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
3. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
4. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
7. L BRACHIAL (LBRA) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
8. R BRACHIAL (RBRA) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

GAUGE

14 > 18 * 26 < 30

Dec Prec: 0

ID: {1B11B2EF-C905-40F6-9F6F-195FEC0CD8E6}

=====

Abbreviation..... ALINE WAVE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Arterial Line Waveform
Display Name..... Arterial Line Waveform
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
 3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
 4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
 5. NOT MONITORED (NOT MONITO)
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

ID: {A500DBBF-6E69-4CB3-926F-6B9988BB8B68}

=====

Abbreviation..... ALINE ZERO

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Arterial Line Zeroed

Display Name..... Arterial Line Zeroed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {E189D73A-B578-AAD3-97F5-56580209D089}

=====

Abbreviation..... ASA Phys
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... ASA Physical Status
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

-
- 1. ASA PS 1 (ASA PS 1) {BAF1730E-C358-17F1-8DB8-4B6097AFF066}
 - 2. ASA PS 2 (ASA PS 2) {070C0F56-3D9C-5430-EF9E-BF3B96DFB595}
 - 3. ASA PS 3 (ASA PS 3) {B041CE25-82D0-EDAD-C673-A64BCD6647F4}
 - 4. ASA PS 4 (ASA PS 4) {040841C3-D933-E687-C7E0-29F439C08778}
 - 5. ASA PS 5 (ASA PS 5) {1F7B73A6-3F8E-E230-1C23-C7DF92032E58}
 - 6. EMERGENCY (Emergency) {3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}

UNITS:

=====

TERM: BABINSKI

Page: 50

ID: {D7BB9690-82D8-F50B-93AA-1937D051AA53}

=====

Abbreviation..... BABINSKI
Active..... Yes
Boolean Value False..... Negative
Boolean Value True..... Positive
Data Type..... Boolean
Description..... Babinski Reflex Test
Display Name..... Babinski
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: BED POSITION

Page: 52

ID: {D65573FE-6CAB-3A81-4572-ACC9488D8BAF}

=====

Abbreviation..... BEDPOS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Bed Position
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
1. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
 2. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
 3. SEMIFOWLERS HIGH (sh) {1BBE7175-2BD2-BFB5-1E1B-E02443433072}
 4. SEMIFOWLERS LOW (sl) {A265AF02-53FC-B182-8AE3-A06E95718D7E}
 5. CARDIAC CHAIR (cc) {D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}

UNITS:

=====

TERM: BEHAVIOR

Page: 53

ID: {BBF17C69-B1B4-37D9-0469-D124F4ADA673}

=====

Abbreviation..... BEHAVIOR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Is Patients Behavior Appropriate?
Display Name..... Behavior
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
 2. INAPPROPRIATE (Inappropri)
{7E3B54C2-8A49-28EC-055E-FEA87599421C}
 3. RESTING (Resting) {D750373F-12E2-4D95-AF0D-F7731905F723}
 4. APPEARS ASLEEP (App Asleep)
{8D1436B8-ADB0-4092-A0CE-383D74131AA8}

UNITS:

ID: {A3BE725A-A4D7-6C75-D5CD-453755C5EF21}

=====

Abbreviation..... CUR LOC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Behavior Current Location
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

-
1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
 2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
 3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
 4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
 5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
 6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
 7. SMOKING PORCH (sp) {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
 8. SMOKING AREA (sa) {8AFDBCB0-9FC8-523F-5D07-4D8CCBA7036F}
 9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
 10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

ID: {E5D2F4A5-5484-2B9C-EBD0-C0EB0FBC6E8C}

=====

Abbreviation..... BEH OBS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Behavior
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

-
1. COOPERATIVE (c) {C176406E-EBDE-4ADE-53DE-CF191D8AFC85}
 2. CALM (c) {E206C3F5-6977-302C-51FB-AF2155B5FFD9}
 3. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
 4. HOSTILE (h) {29EF2C04-7DB0-4491-2B5E-D92A6A558721}
 5. COMBATIVE (c) {DF65D42D-6CAA-657E-AEE1-C070C1FDF177}
 6. INEFFECTIVE COPING (ic) {704B1A55-B639-60F4-E3A5-16F942ABC259}
 7. WITHDRAWN (w) {E74B0F04-0E3F-632F-9409-C4953D95B1BA}
 8. UNCOOPERATIVE (u) {2D737EFB-F4CA-7AEA-9EB2-6FF133742815}
 9. SLEEPS POORLY (sp) {AB9424B4-D0B1-148B-C800-FF535F3FAC84}
 10. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

- 11. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
- 12. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
- 13. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
- 14. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
- 15. LETHARGIC (l) {4ECA2E44-093A-9354-848E-CDC72B165072}

UNITS:

ID: {1F322720-9BDF-A3A4-47A6-7DA602FFBBF4}

=====

Abbreviation..... PRE LVL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Behavior Precaution Level
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. CLOSE OBSERVATION (co) {2679BCAC-8753-FE73-56F8-3AB632161AF4}
 2. 1:1 OBSERVATION (1o) {B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}
 3. PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (pswlosons)
{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}
 4. PATIENT SIGNS SAFETY CONTRACT (PT CONTRAC)
{C65734EC-2CAF-4547-8FD8-CBCD9C706003}

UNITS:

ID: {C2808159-80A1-AF7F-7C7F-C3A96096187E}

=====

Abbreviation..... PRE REA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Behavior Precaution Level
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
1. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
 2. ESCAPE (e) {965F3201-9D63-66AB-FA25-99479AE7145A}
 3. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
 4. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
 5. MEDICAL DEVICE SAFETY (mds)
{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

UNITS:

ID: {B52B46E7-A947-447E-A277-71B286B6313A}

=====

Abbreviation..... BIPAP EXP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bipap machine setting for expiratory
pressure

Display Name..... Bipap Expiratory Pressure

Help Text..... Bipap machine setting for expiratory
pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

CENTIMETERS H2O

-1 > 0 * 15 < 16

Dec Prec: 0

ID: {25B30C16-509B-4537-9C06-05B1C5013C81}

=====

Abbreviation..... BIPAP IN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bipap machine setting for inspiratory
pressure

Display Name..... Bipap Inspiratory Pressure

Help Text..... Bipap machine setting for inspiratory
pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

CENTIMETERS H2O

-1 > 0 * 15 < 16

Dec Prec: 0

ID: {BEDA282C-C39A-4134-DA6D-7BFCC567A058}

=====

Abbreviation..... BLAD ASSMT
Active..... Yes
Boolean Value False..... Nondistended
Boolean Value True..... Distended
Data Type..... Boolean
Description..... Assessment of bladder
Display Name..... Bladder Assessment
Help Text..... Is bladder nondistended or distended?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {B15F2DF6-CE99-B847-FE6B-3D5F174A2BCD}

=====

Abbreviation..... BP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Complex observation of Systolic and
Diastolic pressures.

Display Name..... Blood Pressure

Help Text..... Enter in the blood pressure values as
###/###.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500634

LOCATION: 7 entries

1. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}
2. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}
3. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
4. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
5. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
6. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
7. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

METHOD:

11 entries

1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
3. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
4. CUFF-AUTOMATED (CA) {088AAD2B-2E7B-F835-376F-3D4340790976}
5. CUFF-MANUAL (CM) {5F56C163-2B04-112F-55DE-E31374E0FB58}
6. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
7. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
8. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
9. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
10. PALPATED (Pal) {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}
11. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION:

6 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
3. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
4. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
5. TRENDELENBURG (Tr) {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}
6. SUPINE (SUPINE) {DEA8A744-B445-4A9E-875D-485E060F2ACC}

UNITS:

=====

TERM: BLOOD PRESSURE CUFF SIZE

Page: 62

ID: {46DCF900-6F2C-46D0-ADB8-2EC17E7659FF}

=====

Abbreviation..... BP CUFF SI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Blood Pressure Cuff Size
Help Text..... Blood Pressure Cuff Size
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. ADULT (ADULT) {37B557BE-B932-4757-8E08-5EA315E8AD1F}
 2. ADULT LARGE (AD LARGE) {38E64D72-2806-47FA-B82F-51844574F850}
 3. ADULT SMALL (AD SMALL) {0161A4E5-713A-406B-B3FD-9ED13BEB5366}
 4. THIGH (THIGH) {65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}
 5. PEDIATRIC (PEDIATRIC) {06865E22-3ED9-4EDD-9749-6F8641BF29DE}

UNITS:

=====

TERM: BODY SURFACE AREA

Page: 63

ID: {5C9A522B-C5ED-4D59-7BF8-3D88ADEBAB07}

=====

Abbreviation..... M2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Body Surface Area

Display Name..... BSA

Help Text..... Body Surface Area

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

SQUARE METERS

0.50 > 1.00 * 1.75 < 4.00 Dec Prec: 2

=====

TERM: BOWEL MOVEMENT EVENT(S)

Page: 64

ID: {2EB1DAFB-1E56-40A8-B371-D46EF7AF2435}

=====

Abbreviation..... BM EVENT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Number of bowel movements observed

Display Name..... Bowel Movement Event

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

EVENT(S)

-1 > 0 * 8 < 30

Dec Prec: 0

ID: {9EBBF98C-9551-3AC6-F955-6242D8416444}

=====

Abbreviation..... BR SC ACTI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Activity - degree of
physical activity

Display Name..... Braden Scale Activity

Help Text..... 1. Bedfast: Confined to bed 2.

Chairfast: Ability to walk severely
limited or non-existent. 3. Walks

Occasionally: Walks occasionally
during day, but for very short

distances, with or without

assistance. 4. Walks Frequently:

Walks outside room.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

1. BRADEN SCALE ACTIVITY 1 BEDFAST (BS ACT 1)

{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}

2. BRADEN SCALE ACTIVITY 2 CHAIRFAST (BS ACT 2)

{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}

3. BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (BS ACT 3)

{E47B47BC-6097-4602-9184-BF5A4F6D686A}

4. BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (BS ACT 4)

{C5A8C2EA-E042-4804-9812-77603C47FC6A}

UNITS:

ID: {03ECD9F4-3C12-A62B-FAAC-0F8A824763AA}

=====

Abbreviation..... BR SC FRIC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Friction and Shear

Display Name..... Braden Scale Friction and Shear

Help Text..... 1. Problem: Requires moderate to
maximum assistance in moving. 2
Potential Problem: Moves feebly or
requires minimum assistance.3 No
Apparent Problem: Moves in bed and
in chair independently and has
sufficient muscle strength to lift up
completely

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. BRADEN FRICTION AND SHEAR 1 PROBLEM (BS F/S 1)

{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}

2. BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (BS F/S 2)

{B56338A9-8956-4D27-8BA0-DA50E07359E0}

3. BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (BS F/S 3)

{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

UNITS:

ID: {85F9FB55-26A3-6203-C1AE-6EFED5952B3D}

=====

Abbreviation..... BR SC MOBI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Braden Scale Mobility - ability to
change and control body position
Display Name..... Braden Scale Mobility
Help Text..... 1=Completely Immobile, 2=Very
Limited, 3=Slightly Limited, 4=No
Impairment
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

1. BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (BS MOB 1)
{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}
2. BRADEN SCALE MOBILITY 2 VERY LIMITED (BS MOB 2)
{868EFA33-877E-4B91-B4FD-9655F66A7160}
3. BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (BS MOB 3)
{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}
4. BRADEN SCALE MOBILITY 4 NO LIMITATION (BS MOB 4)

{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

UNITS:

UNITS:

ID: {C8167958-3381-1ACE-82C3-856BC2CB9FD2}

=====

Abbreviation..... BR SC NUTR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Nutrition - usual food
intake pattern

Display Name..... Braden Scale Nutrition

Help Text..... 1=Very Poor, 2=Probably Inadequate,
3=Adequate, 4=Excellent

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

1. BRADEN SCALE NUTRITION 1 VERY POOR (BS NUT 1)
{28A86074-A6B2-455E-ABA4-19195C2E3679}
2. BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (BS NUT 2)
{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}
3. BRADEN SCALE NUTRITION 3 ADEQUATE (BS NUT 3)
{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}
4. BRADEN SCALE NUTRITION 4 EXCELLENT (BS NUT 4)
{F09E4D35-1AA8-49A5-9B38-FBFFAFD8181}

UNITS:

ID: {BC5D5F00-85EE-7FB2-3175-8EDB95485D5E}

=====

Abbreviation..... BR SC SENS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Sensory Perception - ability to
respond meaningfully

Display Name..... Braden Score - Sensory Perception

Help Text..... 1=Completely Limited, 2=Very Limited,
3=Slightly Limited, 4=No Impairment

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (BS SENC 1)

{60F646B3-790F-4C5A-B2A0-845915E120E6}

2. BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (BS SENC 2)

{98362E63-7245-4E7F-8C30-896A9B923199}

3. BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (BS SENC 3)

{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}

4. BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (BS SENC 4)

{10304656-E5E8-4F32-8358-A9F80511EFDA}

UNITS:

=====

TERM: BRADEN SCALE TOTAL

Page: 71

ID: {42F65882-FAE1-45E1-84E9-A2A71052BD0C}

=====

Abbreviation..... BRADEN TOT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Braden Scale Total
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

BRADEN SCALE 5 > 6 * 23 < 24 Dec Prec: 0

ID: {DD4858CD-DC35-9453-3144-FAE30BCE6B58}

=====

Abbreviation..... BREATH SOU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... SOUND OBSERVATIONS FROM PATIENT'S LUNGS

Display Name..... Breath Sounds

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

7 entries

-
1. RHONCHI (RHONCHI) {850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}
 2. CRACKLES (c) {6B64C108-4424-00D9-525F-D89D549476D6}
 3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 5. DIMINISHED (d) {49DE419E-DC3C-F7CD-771D-742031E0DEBC}
 6. INSPIRATORY WHEEZES (INSP WHEEZ)
{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}
 7. EXPIRATORY WHEEZES (EXP WHEEZE)
{CFC103A8-8B02-4942-BBDD-8D24C930883E}

LOCATION:

5 entries

1. LEFT LOWER LOBE (LLL) {14155C13-874D-6E26-01D8-2C03B349F913}
2. LEFT UPPER LOBE (LUL) {21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}
3. R LOWER LOBE (RLL) {418D350A-3602-1918-22C8-53D093AF49B0}
4. R MIDDLE LOBE (RML) {57879159-350C-2055-34D3-C6EFA39CA98F}
5. R UPPER LOBE (RUL) {098C11B4-B556-FBBE-7E21-AEC9D7E4408A}

UNITS:

=====

TERM: CALL LIGHT WITHIN REACH

Page: 73

ID: {ABAC4D24-C449-117E-BE4C-BFBC1F599A57}

=====

Abbreviation..... CALL LT

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Call Light Within Reach

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

ID: {951BBDAA-883A-E4F7-AD05-B086A71A2FEC}

=====

Abbreviation..... CAP REFILL
Active..... Yes
Boolean Value False..... Greater than 3 seconds
Boolean Value True..... Less than 3 seconds
Data Type..... Boolean
Description..... RATE OF CAPILLARY REFILL
Display Name..... Capillary Refill
Help Text..... RATE OF CAPILLARY REFILL
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: CARDIAC ABNORMAL BPM

Page: 75

ID: {1B168030-C39C-8120-915A-36073D044B17}

=====

Abbreviation..... ABN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Cardiac Abnormal BPM

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

BEATS PER MINUTE

0 > 1 * 200 < 201

Dec Prec: 0

=====

TERM: CARDIAC ALARM PARAMETERS VERIFIED

Page: 76

ID: {564B52F5-824E-3DBF-5EDB-493DDFFC30A3}

=====

Abbreviation..... CARD ALARM

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Cardiac Alarm Parameters Verified

Help Text..... Cardiac Alarm Parameters Verified

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: CARDIAC BRUIT

Page: 77

ID: {23CEA88E-9A5A-4AE2-92C7-F5204B166211}

=====

Abbreviation..... BRUIT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Bruit
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}
2. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 7 entries

1. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L CAROTID (L CAROTID) {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}
4. R CAROTID (R CAROTID) {8280ACD2-72D6-202A-89AF-86BCA7736427}
5. R TEMPORAL (R TEMPOR) {1F50461D-5ECF-25B2-A29A-E02803CB7814}

6. L TEMPORAL (L TEMPO) {375E65CF-A59E-A1E9-EB6D-D53CD818939E}

7. ABDOMINAL AORTA (ABD AORTA)

{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

UNITS:

ID: {74EC179C-8598-13F7-3D58-442305A3AFDB}

=====

Abbreviation..... CARD E
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Cardiac Ectopy
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

-
- 1. PJC (p) {1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}
 - 2. PAC (p) {848AB18A-598D-8E4E-8B1B-ED7478CE340B}
 - 3. PVC (p) {33FF92F1-84CC-7CFA-41CF-B271A26C59B8}
 - 4. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 - 6. MULTIFOCAL PVC (Mult PVC) {34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}
 - 7. UNIFOCAL PVC (Uni PVC) {5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}
 - 8. PAIRS (Pairs) {668B0D85-E507-4E12-B07A-A90CB98730DC}
 - 9. RUNS OF VT (Runs of VT) {3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}
 - 10. BIGEMINY (Bigeminy) {729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}
 - 11. TRIGEMINY (Trigeminy) {13D65F9F-B51C-4CEC-8002-037C8323626C}

12. QUADRAGEMINY (Quadrage mi) {899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}

13. JUNCTIONAL ESCAPE BEAT (Junctional)

{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}

14. REMNANT P-WAVE (Remnant P)

{3BBAA695-337E-41C4-BB83-8452917C07DF}

UNITS:

ID: {476105AC-C83C-ECEC-6C72-7C7C8EE87853}

=====

Abbreviation..... CARD HS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Cardiac Heart Sounds
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

-
- 1. S1 (s) {1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}
 - 2. S2 (s) {57C043D3-B227-3E7A-C1E6-5129A2800718}
 - 3. S3 (s) {9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}
 - 4. S4 (s) {9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}
 - 5. RUB (r) {0040835D-1CF0-7D55-EEBB-A94A1E0D1206}
 - 6. CLICK (c) {F1F3A1A8-35E1-61B4-C783-3314C8247380}
 - 7. MURMUR (MURMUR) {591058E0-4B71-E432-B7D7-EBD42A8C4225}

UNITS:

=====

TERM: CARDIAC INDEX

Page: 80

ID: {BFC29A9A-C666-68B5-C5CF-36B809CF66C2}

=====

Abbreviation..... CI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Cardiac Index
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

LITERS PER MINUTE PER METER2 (BSA)

-0.1 > 0.0 * 8.0 < 8.1 Dec Prec: 1

=====

TERM: CARDIAC OUTPUT

Page: 81

ID: {0B7C4991-12E5-10DE-F25D-CB81BFA1ADAD}

=====

Abbreviation..... CO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Cardiac Output
Display Name..... Cardiac Output
Help Text..... Cardiac Output
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

LITERS PER MINUTE 0.00 > 4.00 * 8.00 < 16.00

Dec Prec: 2

ID: {D5CF1A63-551A-59D4-E6BB-C851D81BDB58}

=====

Abbreviation..... CARDR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... HEART RHYTHM
Display Name..... Cardiac Rhythm
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 32 entries

1. SINUS RHYTHM (sr) {A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}
2. SINUS BRADYCARDIA (sb) {D6EF4940-63AE-22AF-1A80-D8E6F0F07839}
3. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}
4. ASYSTOLE (a) {6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}
5. ATRIAL FIB/FLUTTER (af) {9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}
6. ATRIAL FIBRILLATION (a fib)
{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}
7. ATRIAL FLUTTER (af) {9CB8D413-6762-D78E-F40E-25DB66CD23B3}
8. L BUNDLE BRANCH BLOCK (lbbb)
{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}

9. R BUNDLE BRANCH BLOCK (rbbb)
{FDE0D174-5220-F069-D284-20399D9489B0}
10. IDIOVENTRICULAR (i) {8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}
11. JUNCTIONAL (j) {4A339D84-7051-1258-877D-85AFC1CA20FE}
12. PACED: AV SEQUENTIAL (pas)
{3C485674-224C-47DA-510D-92F1A0CA54A1}
13. PACED: ATRIAL (pa) {88837DD4-098D-B77F-A754-89D5C4F5870F}
14. PACED: VENTRICULAR (pv) {A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}
15. PAROXYSMAL ATRIAL TACHYCARDIA (pat)
{27BC1FAF-A403-6EA8-044C-F1271F12A62A}
16. SINUS ARREST (sa) {3CD8F7AC-3FE0-F342-089C-787232D2A5C2}
17. SINUS ARRHYTHMIA (sa) {07A24AC9-B486-A4B8-BADB-04D2729542CE}
18. SUPRAVENTRICULAR TACHYCARDIA (st)
{F712412F-D39A-58F7-E4F1-6AC8B77445D7}
19. VENTRICULAR FIBRILLATION (vf)
{400B70C2-6E15-458F-70C6-FA2597DE2556}
20. VENTRICULAR TACHYCARDIA (vt)
{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}
21. FIRST DEGREE AV BLOCK (fdab)
{4FF046C9-B638-F86C-5D51-006B3D5225E3}
22. SECOND DEGREE AV BLOCK: TYPE 1 (sdabt1)
{508BF663-96FB-EEBE-4F06-D2F1A02BD099}
23. SECOND DEGREE AV BLOCK: TYPE 2 (sdabt2)
{3367754A-08D1-31A9-E850-1B36358E358A}
24. THIRD DEGREE AV BLOCK (tdab)
{1AC7E31B-830E-2309-3AF7-8FB03003DD86}
25. SINUS PAUSE (sp) {7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}
26. SINUS BLOCK (sb) {94D6EFED-3D08-E724-BC40-9C398919A142}

27. SINUS TACHYCARDIA (SINUS T)

{0AC41AF3-7656-A35D-E397-21D35405812A}

28. PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (PST)

{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}

29. MUTIFOCAL ATRIAL TACHYCARDIA (mat)

{562C6BBB-C210-4467-93B3-8E50640E7CCE}

30. JUNCTIONAL TACHYCARDIA (jt)

{D6EF01C1-A8F9-40FD-AE24-785041526041}

31. TORSADES DE POINTES (Tor de Poi)

{E936B787-7912-4CAE-A465-AD1A1FEA68CA}

32. PULSELESS ELECTRICAL ACTIVITY (Pulseless)

{8E21E500-78D4-462D-9483-DD81D3887EE5}

UNITS:

ID: {3F4A283A-6A9F-345A-1BE0-86980228FA6D}

=====

Abbreviation..... CAR RH LD
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Cardiac Rhythm Lead
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 12 entries

-
- 1. I (I) {BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}
 - 2. II (II) {F165C13B-397E-4182-8D72-BD1D74CFBA00}
 - 3. III (III) {D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}
 - 4. AVR (AVR) {04AF2551-1185-4BA9-AEED-977D562D188A}
 - 5. AVL (AVL) {9124A193-5F50-448D-9E60-C5869EC4029C}
 - 6. AVF (AVF) {C8E97206-58AA-47C0-BD2E-7A30E56DB46A}
 - 7. V1 (V1) {4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}
 - 8. V2 (V2) {05A3232E-A30D-4771-A1B5-E7705B717646}
 - 9. V3 (V3) {E150126E-4AA7-4F96-961E-FD1169C77158}
 - 10. V4 (V4) {255260F9-5CC7-41B1-831C-F9319FA27506}

11. V5 (V5) {D5C10744-0EB5-46FA-AE6C-CCF571318F8A}

12. V6 (V6) {B86F72D7-7884-4470-92A8-EF9277C5B584}

UNITS:

=====

TERM: CARDIAC THRILL

Page: 84

ID: {03A59127-CB5C-4DA6-91C4-5AA02DDE2C66}

=====

Abbreviation..... THRILL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Thrill
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}
2. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 8 entries

1. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
2. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
3. R CAROTID (R CAROTID) {8280ACD2-72D6-202A-89AF-86BCA7736427}
4. L CAROTID (L CAROTID) {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}
5. R TEMPORAL (R TEMPOR) {1F50461D-5ECF-25B2-A29A-E02803CB7814}

6. L TEMPORAL (L TEMPO) {375E65CF-A59E-A1E9-EB6D-D53CD818939E}

7. ABDOMINAL AORTA (ABD AORTA)

{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

8. HEART (HEART) {F7D48A36-B512-42DD-B92F-07ACF2B95E08}

UNITS:

ID: {D52A1728-1692-4742-886A-B119BB7EE598}

=====

Abbreviation..... THRILL TIM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Thrill Timing
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
 2. SYSTOLIC (SYSTOLIC) {859B5700-0990-42FF-8129-8DB24EFDA8D1}
 3. DIASTOLIC (DIASTOLIC) {3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}
 4. PRESYSTOLIC (PRESYSTOLI) {BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}

UNITS:

=====

TERM: CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY

Page: 86

ID: {130B6426-2DE1-4FBE-ADDD-AA8C66F24A37}

=====

Abbreviation..... Caution

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Caution-Vitals may not display in
correct sequence. Review times
carefully

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: CENTRAL LINE ALARMS ON

Page: 87

ID: {152A037A-A6CC-4F12-8B85-25CEE78772C4}

=====

Abbreviation..... C-LINE ALA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Central Line Alarms On

Display Name..... Central Line Alarms On

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {8FA1B26D-CADB-4769-3574-18A6BD86C400}

=====

Abbreviation..... C LINE CHA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Changed
Help Text..... Central Line changed to
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

-
1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}
 2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}
 3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)
{20BC183A-197F-4464-A27C-47F63C5B842A}
 4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:

ID: {7996453B-0F7C-B4E8-2007-6C26AE26C479}

=====

Abbreviation..... C LINE CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Condition
Help Text..... Condition of central line
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}

UNITS:

ID: {DDEA3089-9246-40F3-9A67-56A05B393309}

=====

Abbreviation..... C LI DR CH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Central Line Dressing Change
Display Name..... Central Line Dressing Change
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
 - 2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
 - 3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
 - 4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS:

=====

TERM: CENTRAL LINE INSERTION MARK

Page: 92

ID: {FAF85282-EB13-405A-B78E-36767EE4C33B}

=====

Abbreviation..... C LINE INS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Central Line Insertion Mark
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

CENTIMETER -1.00 > 5.00 * 60.00 < 250.00

Dec Prec: 2

ID: {4620B5B3-22F7-45DA-A52E-6D3EAE1C4202}

=====

Abbreviation..... C-LINE CAR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Central Line Site Care

Display Name..... Central Line Site Care

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
- 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: CENTRAL LINE SIZE FRENCH

Page: 94

ID: {234D330A-C51B-4D56-8631-9418BB081E96}

=====

Abbreviation..... CLINE FREN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Central Line Size (French)

Display Name..... Central Line Size (French)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FRENCH

0.0 > 6.0 * 10.0 < 50.0 Dec Prec: 1

=====

TERM: CENTRAL LINE SIZE GAUGE

Page: 95

ID: {870FAA87-69C9-4E00-97A8-CD5CC79B41D6}

=====

Abbreviation..... C-LINE GAU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Central Line Size (Gauge)

Display Name..... Central Line Size (Gauge)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

GAUGE

0 > 12 * 21 < 40

Dec Prec: 0

ID: {E038D201-2840-B759-4D91-44A093768F8B}

=====

Abbreviation..... C LINE TYP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Type
Help Text..... Type of central line
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

-
- 1. SINGLE (SINGLE) {8D305E0F-9035-E396-E768-40D7E6455BE4}
 - 2. DOUBLE (DOUBLE) {A486852F-150B-24E3-8EB3-8CAABB3D0520}
 - 3. TRIPLE (TRIPLE) {077BE8CF-F2AB-56E1-1F25-51DF80F8054D}
 - 4. INTRODUCER (INTRODUCER) {B46F7CA4-C94E-68FD-2892-52866763B5A0}
 - 5. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}
 - 6. DIALYSIS (DIALYSIS) {D218E23C-5A34-09B0-DE43-DC792DCD0F1C}

LOCATION: 16 entries

-
- 1. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

2. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (LIJ) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUGU)
{7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU)
{6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU)
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
11. L ANTECUBITAL (L ANTECUBI)
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
12. R ANTECUBITAL (R ANTECUBI)
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

ID: {4F847833-9A36-4EAE-BC73-B7AB069D39E4}

=====

Abbreviation..... C-LINE WAV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Central Line Waveform
Display Name..... Central Line Waveform
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
 3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
 4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
 5. NOT MONITORED (NOT MONITO)
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

ID: {7868021A-72D4-451F-A2E3-E3106DEC52B4}

=====

Abbreviation..... C-LINE ZER

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Central Line Zeroed

Display Name..... Central Line Zeroed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {D30F98A7-4C5D-12E8-AB4D-9C85A4332EC3}

=====

Abbreviation..... CVP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Central Venous Pressure
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4688719

LOCATION: 8 entries

1. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
2. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
3. L INTERNAL JUGULAR (LIJ) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUGU)
{7ABF6916-D379-198D-6454-F0518A74844A}
5. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
6. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
7. L BRACHIAL (LBRA) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
8. R BRACHIAL (RBRA) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

METHOD: 2 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

2. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

MILLIMETERS OF MERCURY 0 > 2 * 6 < 19 Dec Prec: 0

=====

TERM: CEREBRAL PERFUSION PRESSURE

Page: 100

ID: {166BD1C4-D983-464A-9A6E-B3A7AC7885EB}

=====

Abbreviation..... CPP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Cerebral Perfusion Pressure

Display Name..... CPP

Help Text..... Cerebral Perfusion Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 0 > 50 * 150 < 300 Dec Prec: 0

ID: {BAF272C6-1F0A-40E1-918B-3BABC5F22407}

=====

Abbreviation..... CHEST EXPA
Active..... Yes
Boolean Value False..... Asymmetrical
Boolean Value True..... Symmetrical
Data Type..... Boolean
Description..... No Description
Display Name..... Chest Expansion
Help Text..... Symetrical or Asymetrical Chest
Expansion
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {57AE16AF-8EC2-5800-131F-0AF254C3FA76}

=====

Abbreviation..... CHEST PN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... EVALUATION OF PATIENTS CHEST DISCOMFORT

Display Name..... Chest Pain

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

11 entries

-
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
 - 2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
 - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 5. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
 - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
 - 8. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
 - 9. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
 - 10. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

11. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

LOCATION: 3 entries

1. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217F52DC97}
2. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
3. MID-STERNAL (MID-STERN) {3F5168F1-9082-4FB2-A364-3CDE33B1214B}

UNITS:

ID: {03144029-2E4A-0794-86A5-DD105F707664}

=====

Abbreviation..... DRAIN CHAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... DESCRIPTION OF PATIENT'S DRAINAGE

Display Name..... Chest Tube Characteristics

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}

2. SEROSANGUINOUS (SEROSANGUI)
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}

3. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}

4. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}

UNITS:

=====

TERM: CHEST TUBE DRAINAGE SUCTION TYPE

Page: 104

ID: {9F88C02A-4CC7-4A51-927C-4931FAEFE7DC}

=====

Abbreviation..... CH TU SU T

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Chest Tube Drainage Suction Type

Display Name..... Chest Tube Drainage Suction Type

Help Text..... Type of Chest Tube Suction

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 3 entries

-
1. WATERSEAL (WATERSEAL) {6D91B99D-F199-09ED-78BE-B54F2CAC4E06}
 2. GRAVITY (GRAVITY) {C0233F70-376D-41CE-9F14-714C7B35244F}
 3. CONTINUOUS SUCTION (CONT SUCTI)
{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}

LOCATION: 12 entries

-
1. L UPPER ANTERIOR CHEST (L U A CHES)
{FE63B58A-DE39-4C03-AE61-E34A5487C767}
 2. R UPPER ANTERIOR CHEST (R U A CHES)

{67890049-A4A8-4241-BDF3-573729BD6EB5}

3. L MIDDLE ANTERIOR CHEST (L M A CHES)

{36A83F77-117E-474B-AE34-0B2C02E131AE}

4. R MIDDLE ANTERIOR CHEST (R M A CHES)

{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}

5. L LOWER ANTERIOR CHEST (L L A CHES)

{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}

6. R LOWER ANTERIOR CHEST (R L A CHES)

{96BCF731-B661-4455-B5E7-C4AE2509505F}

7. L UPPER POSTERIOR CHEST (L U P CHES)

{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}

8. R UPPER POSTERIOR CHEST (R U P CHES)

{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}

9. L MIDDLE POSTERIOR CHEST (L M P CHES)

{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}

10. R MIDDLE POSTERIOR CHEST (R M P CHES)

{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}

11. L LOWER POSTERIOR CHEST (L L P CHES)

{2C19F10B-7546-4A1F-A5DC-3867359ED971}

12. R LOWER POSTERIOR CHEST (R L P CHES)

{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

UNITS:

=====

TERM: CHEST TUBE DRAINAGE SYSTEM REPLACED

Page: 105

ID: {5A32F0FC-D81E-435D-A2C9-26EDEF2DF7BB}

=====

Abbreviation..... CH TU S RE

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Chest Tube Drainage System Replaced

Help Text..... Chest Tube Drainage System Changed

Replaced

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: CHEST TUBE DRESSING CHANGE

Page: 106

ID: {8DE63ADE-D3AC-49EE-BB24-ED44AB9971F5}

=====

Abbreviation..... CH T DR CH

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Chest Tube Dressing Change

Display Name..... Chest Tube Dressing Change

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {BA53D6FB-9BE9-18F4-ED0A-28AB94CEB115}

=====

Abbreviation..... CH TU ASSE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Chest Tube Site Assessment
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
- 1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 - 2. AIR LEAK (AIR LEAK) {52E40E25-6D28-53EC-BC05-D1FEAA4616EF}
 - 3. FLUCTUATES (Fluctuates) {C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}
 - 4. CREPITUS (CREPITUS) {56A97506-05F0-4F37-8FD9-3AA82191408A}
 - 5. SQ EMPHYSEMA (SQ EMPHYS.) {B8D03538-0168-4CDC-FF41-BA1185EBCC87}

UNITS:

=====

TERM: CHEST TUBE SUCTION (CM H20)

Page: 108

ID: {BD9724EC-B5BB-4F95-8C24-B0A1451C33A6}

=====

Abbreviation..... CHST TU SU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Chest Tube Suction (cm H20)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETERS H2O

0 > 10 * 20 < 30

Dec Prec: 0

=====

TERM: CHIEF CONCERN/COMPLAINT

Page: 109

ID: {2A6683ED-9258-4CE9-8793-2FD0B2A56E6F}

=====

Abbreviation..... Chief Com

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Chief Concern/Complaint

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {92A124D4-B75F-9FD9-1A51-605887BCEA79}

=====

Abbreviation..... CG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... circumference
Display Name..... Circumference/Girth
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4688720

LOCATION: 11 entries

1. ABDOMINAL (Abd) {AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}
2. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}
3. CALF (Clf) {7923E496-90D6-B6D5-726A-A5B8DF3436CF}
4. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
5. HIP (Hip) {D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}
6. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}
7. LOWER ARM (LrA) {D7627720-D6B0-AC00-8FA3-F7B569ED06FC}
8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
9. THIGH (THIGH) {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}
10. UPPER ARM (UpA) {B43A2B31-1F35-3F4D-5D23-882541ABE477}

11. WRIST (Wri) {C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

UNITS:

INCH 29 > 30 * 60 < 61 Dec Prec: 0

CENTIMETER 75 > 76 * 156 < 157 Dec Prec: 0

ID: {D80F9E66-A047-400F-A7B1-D701BF019D2A}

=====

Abbreviation..... CIWA AG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Agitation
Help Text..... CIWA Agitation Observation
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

- 1. 0 - NORMAL ACTIVITY (CIWA AG 0)
{9FF32084-A432-467C-B0A2-C8BC9F3D6D13}
- 2. 1- SOMEWHAT MORE THAN NORMAL ACTIVITY (CIWA AG 1)
{497F7A3D-72C8-4986-A1E6-74EA0E5704F9}
- 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
- 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
- 5. 4 - MODERATELY FIDGETY AND RESTLESS (CIWA AG 4)
{B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}
- 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
- 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (CIWA AG 7)

{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

UNITS:

ID: {9552124C-8650-406F-86FA-AB31D04AC8EF}

Abbreviation..... CIWA AX
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Anxiety
Help Text..... Ask "Do You Feel Nervous?"
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

-
- 1. 0 - NO ANXIETY AT EASE (CIWA AX 0)
{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}
 - 2. 1 - MILDLY ANXIOUS (CIWA AX 1)
{401113EE-5CE7-4AE9-80C1-1C3252E706D0}
 - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 5. 4 - MODERATELY ANXIOUS (CIWA AX 4)
{9A01FEFD-844C-4FAB-BEC3-96333495FA62}
 - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - ACUTE PANIC (CIWA AX 7)

{3F5E6786-FD67-405F-A535-EC1609910F14}

UNITS:

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

ID: {BAA1C221-5540-4A46-96AA-32C7BA53317B}

=====

Abbreviation..... CIWA HA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Headache, Fullness In Head

Help Text..... Ask "Does your head feel different?

Does it feel like there is a band
around your head? Do not rate for
dizziness or lightheadedness."
Otherwise, rate severity.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

- 1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
- 2. 1 - VERY MILD (CIWA HA 1) {F789C1EA-CC7A-4368-87BA-08AFFE492EE6}
- 3. 2 - MILD (CIWA HA 2) {6B752397-0A4F-4176-90E7-E220DB2BF1C4}
- 4. 3 - MODERATE (CIWA HA 3) {F26EB828-6864-4384-9EBB-35A6CDCACC59}
- 5. 4 - MODERATELY SEVERE (CIWA HA 4)
{83B3DE0F-3BA4-4B0A-A222-F372BD403094}

6. 5 - SEVERE (CIWA HA 5) {7BD7B91F-DF6F-47B9-BAA6-3EF249340578}

7. 6 - VERY SEVERE (CIWA HA 6)

{241C1EF4-2E2A-4D65-9991-607BB6B29E01}

8. 7 - EXTREMELY SEVERE (CIWA HA 7)

{F8DCC910-D36D-480E-867E-B45221170C49}

UNITS:

7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (CIWA NV 7)

{7F1076C4-C655-4BF2-8BB1-036F5169B619}

UNITS:

ID: {DF31A60A-D845-486A-B27C-756AB25D541B}

=====

Abbreviation..... CIWA OR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Orientation And Clouding Of Sensorium

Help Text..... Ask "What day is this? Where are you?

Who am I?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

1. 0 - ORIENTED AND CAN DO SERIAL ADDITIONS (CIWA OR 0)

{D8015F54-6E9E-457A-955C-38565BDDDBB6}

2. 1 - CANNOT DO SERIAL ADDITIONS (CIWA OR 1)

{F4446E01-E326-420E-8EA8-04451AA9D963}

3. 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (CIWA OR 2)

{01B894B0-3E70-47FA-820A-83CA48B93EF9}

4. 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (CIWA OR 3)

{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}

5. 4 - DISORIENTED FOR PLACE OR PERSON (CIWA OR 4)

{03BBFFA2-233A-41A1-8212-F988889C5E72}

UNITS:

ID: {5BA369FD-68F0-4FD6-A564-1C50063E69AC}

=====

Abbreviation..... CIWA PS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Paroxysmal Sweats
Help Text..... Paroxysmal Sweats
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

-
- 1. 0 - NO SWEAT VISIBLE (CIWA PS 0)
{7C83E616-4414-4766-AAF5-5F5442FFBF09}
 - 2. 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (CIWA PS 1)
{93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}
 - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 5. 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (CIWA PS 4)
{8388B1A0-46EA-4003-A32B-A2C708A6F056}
 - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - DRENCHING SWEAT (CIWA PS 7)

{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}

UNITS:

ID: {306FFC89-BE89-4E74-90BC-AD8EF2273A51}

=====

Abbreviation..... CIWA TC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Tactile Disturbances

Help Text..... Ask "Have You Any Itching, Pins and
Needles Sensations, Any Burning, Any
Numbness Or Do You Feel Bugs Crawling
On Or Under Your Skin?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. 0 - NONE (CIWA TC 0) {5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}

2. 1 - VERY MILD ITCHING PINS/NEEDLES BURNING (CIWA TC 1)
{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}

3. 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (CIWA TC 2)
{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}

4. 3 - MODERATE ITCHING PINS/NEEDLES BURNING (CIWA TC 3)
{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

=====

TERM: CIWA: TOTAL

Page: 119

ID: {BD47158C-B56B-4B92-AD2E-33B7149EF6C0}

=====

Abbreviation..... CIWA TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Total CIWA Score

Help Text..... Add All CIWA Scores Together

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CIWA SCALE

-1 > 0 * 9 < 68

Dec Prec: 0

ID: {E87CAD13-134C-4556-8D55-49450A0D544C}

=====

Abbreviation..... CIWA TR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Tremor

Help Text..... Arms extended and fingers spread apart.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

8 entries

1. 0 - NO TREMOR (CIWA TR 0) {2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}

2. 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (CIWA TR 1)

{31833D55-9018-47EE-8341-A0863744CEF8}

3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}

4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

5. 4 - MODERATE WITH PATIENTS ARMS EXTENDED (CIWA TR 4)

{79CE1486-151C-4492-AFD2-7845DD69DA9E}

6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}

7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - SEVERE EVEN WITH ARMS NOT EXTENDED (CIWA TR 7)

{FE0BE72E-913A-48CD-BABF-C5B742AFED93}

UNITS:

4. 3 - MODERATE SENSITIVITY (CIWA VS 3)

{D673A630-1F1E-4734-AADE-17586C48E8B9}

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

ID: {42CA9766-A28E-5379-67D7-2BB3BA4C2AE6}

=====

Abbreviation..... CO BEH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Close Observation Behavior
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

1. WALKING OR PACING (wop) {CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}
2. LYING OR SITTING (los) {52A940B1-55AF-AB4E-9E59-F93515A1296C}
3. QUIET OR RESTING (qor) {76E4908F-014C-2088-FF7F-33EBF223DE40}
4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
5. WITH PHYSICIAN (wp) {1673C53F-DA8C-2CEC-679B-B01D914FE533}
6. WITH THERAPIST (wt) {795A1300-1D60-9D67-692D-A2AB2B190596}
7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}

UNITS:

ID: {9FFE899C-A69C-4654-9AD7-B0E6F7FF888B}

=====

Abbreviation..... CO CUR LOC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Close Observation Current Location
Display Name..... Close Observation Current Location
Help Text..... Close Observation Current Location
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

-
1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
 2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
 3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
 4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
 5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
 6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
 7. SMOKING AREA (sa) {8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}
 8. SMOKING PORCH (sp) {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
 9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
 10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

ID: {1B131F5A-CD32-38CA-19A5-1038A07C9867}

=====

Abbreviation..... CO RFP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Close Observation Reason for Precaution

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

5 entries

-
1. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
 2. ESCAPE (e) {965F3201-9D63-66AB-FA25-99479AE7145A}
 3. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
 4. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
 5. MEDICAL DEVICE SAFETY (mds)
 {1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

UNITS:

=====

TERM: CODE STATUS

Page: 125

ID: {95248A8C-E05A-94F3-CA15-6F113997A621}

=====

Abbreviation..... CS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Code Status
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. FULL CODE (fc) {1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}
 2. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}

UNITS:

=====

TERM: COLLOID TYPE

Page: 126

ID: {C22CB099-BC3F-42AE-9A11-67B99093D959}

=====

Abbreviation..... COLLOID TY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Type of Colloid

Display Name..... Colloid Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

1. 5 PERCENT ALBUMIN (5 PERC ALB)

{38CE47CB-736B-475E-8E89-C4C13F2DF184}

2. 25 PERCENT ALBUMIN (25 PERC AL)

{2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}

3. 6 PERCENT HETASTARCH (6 PERC HET)

{D94072C9-87E8-46CA-929F-4904F3BD964C}

UNITS:

ID: {EAAF4E71-3BE6-5058-07FF-1A3D977BC569}

=====

Abbreviation..... CSE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO
SPEECH, 4: OPEN SPONTANEOUSLY

Display Name..... Coma Score

Help Text..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO
SPEECH, 4: OPEN SPONTANEOUSLY

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-
- 1. CLOSED (CLOSED) {9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}
 - 2. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 - 3. TO PAIN (TO PAIN) {AA1F818D-DCFC-4FBC-97D3-BE86D309119E}
 - 4. TO SPEECH (TO SPEECH) {2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}
 - 5. OPEN SPONTANEOUSLY (OPEN SPONT)
{013F1473-BDC9-4E7C-9709-C577357709F6}

LOCATION: 2 entries

-
1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
 2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

ID: {73CA2132-12AC-BD84-3847-2E2EA3689D94}

=====

Abbreviation..... CSM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Coma Score Motor

Help Text..... 1: None, 2: Extends to pain, 3:

Flexion to pain, 4: Withdraws to

pain, 5: Localizes to pain, 6: Obeys

Commands

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

6 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. EXTENDS TO PAIN (EXT TO PAI)

{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}

3. FLEXION TO PAIN (FLEX TO PA)

{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}

4. WITHDRAWS TO PAIN (WITHD TO P)

{013527C8-FF6B-49CD-BF45-9338F7413E81}

5. LOCALIZES TO PAIN (LOC TO PAI)

{4072DFF9-2D90-423F-B6F0-0F2B924025D9}

6. OBEYS COMMANDS (OBEYS COMM)

{EE88EE08-4C71-4C70-B93E-65F9091544C1}

UNITS:

ID: {3EC4838E-8301-F5C4-D4F0-08D1259203B1}

=====

Abbreviation..... CSV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... 0: Tubed/Dysphagic, 1: None, 2:
Incomprehensible, 3: Inappropriate,
4: Confused, 5: Oriented

Display Name..... Coma Score Verbal

Help Text..... 0: Tubed/Dysphagic, 1: None, 2:
Incomprehensible, 3: Inappropriate,
4: Confused, 5: Oriented

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

1. TUBED/DYSPHAGIC (TUBE/DYSPH)

{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}

2. NONE (NONE)

{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

3. INCOMPREHENSIBLE (INCOMPREHE)

{916CD781-563D-4F54-8752-800D37BFAA3B}

4. INAPPROPRIATE (Inappropri)

{7E3B54C2-8A49-28EC-055E-FEA87599421C}

5. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

6. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}

UNITS:

3. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

=====

TERM: COUGH

Page: 131

ID: {23E2BBF0-3449-1760-C72D-09867FFD133B}

=====

Abbreviation..... COUGH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Patients cough character

Display Name..... Cough

Help Text..... Patients cough character

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

-
1. PRODUCTIVE (p) {22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}
 2. NON-PRODUCTIVE (np) {9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}
 3. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

UNITS:

=====

TERM: CPAP

Page: 132

ID: {11AD0BDB-8E33-C04E-29B2-CCB22FDF9EEC}

=====

Abbreviation..... CPAP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Continuous Positive Airway Pressure

Display Name..... CPAP

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688690

UNITS:

CENTIMETERS H2O

-1 > 0 * 15 < 100

Dec Prec: 0

ID: {77D485C1-8A5F-225A-CEA3-1219601C23E9}

=====

Abbreviation..... CUFF INFL
Active..... Yes
Boolean Value False..... Not Checked
Boolean Value True..... Checked
Data Type..... Boolean
Description..... VERIFICATION THAT PATIENT'S CUFF
INFLATION HAS BEEN CHECKED
Display Name..... Cuff Inflation Checked
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: DENTURES

Page: 134

ID: {96B79B0B-3D26-42E9-A082-A601E5832633}

=====

Abbreviation..... Dentures
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Dentures
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. FULL UPPER (Full Up) {1808E638-62BB-4978-8706-34BD74B427DE}
3. FULL LOWER (Full Low) {D38022EF-F4F0-44A7-82FE-B277A2A0A165}
4. PARTIAL UPPER (Part Up) {D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}
5. PARTIAL LOWER (Part Low) {2556CE7E-F211-4992-BCAF-09677C20BEFE}
6. DENTAL IMPLANTS (Implants)
{D3AF96DE-6920-4C93-8105-99EE574FC092}

UNITS:

ID: {3289986D-87C6-4796-AA19-76010682BBAE}

=====

Abbreviation..... DIAG TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Diagnosis
Display Name..... Diagnosis Type
Help Text..... Type of Diagnosis
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
1. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
 2. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
 3. POST PROCEDURE DIAGNOSIS (PO PRO DIA)
{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}
 4. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
 5. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}

UNITS:

ID: {E9D96923-CBA0-67B4-1D5B-3D6134AD8584}

=====

Abbreviation..... D CATH CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dialysis Catheter Condition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}

LOCATION: 16 entries

-
1. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
 2. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
 3. L INTERNAL JUGULAR (LIJ) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. R INTERNAL JUGULAR (R INT JUGU)

{7ABF6916-D379-198D-6454-F0518A74844A}

5. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

6. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

7. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}

10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}

11. L ANTECUBITAL (L ANTECUBI)

{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

12. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}

14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

ID: {A07D4532-93DF-178D-EB55-070FCF1C570F}

=====

Abbreviation..... DIAL DRESS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dialysis Dressing Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
 2. PRESSURE DRESSING (PRESS DRES)
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS:

ID: {F0CDCBBA-E65B-FE01-2E15-640FADF9DF20}

=====

Abbreviation..... DIAL RATIO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dialysis Ratio
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- | | |
|--------------|--|
| 1. 1:1 (1:1) | {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B} |
| 2. 1:2 (1:2) | {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE} |
| 3. 1:3 (1:3) | {062B4F93-8F48-7373-F679-11F57CE98BB3} |
| 4. 1:4 (1:4) | {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD} |
| 5. 1:8 (1:8) | {94790C4C-3AF2-6F4C-58B8-87021CA97A53} |

UNITS:

ID: {14B24DAF-A0C0-060C-B1C0-ECEC1DF36E8E}

=====

Abbreviation..... DIASTOL PR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Diastolic Pressure
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

LOCATION: 4 entries

- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
- 2. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
- 3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
- 4. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

- 1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
- 2. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
- 3. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}

4. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

POSITION: 3 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

MILLIMETERS OF MERCURY 0 > 40 * 90 < 300 Dec Prec: 0

=====

TERM: DIET

Page: 140

ID: {9BB08EC4-73C7-49BC-8C60-728C54999C33}

=====

Abbreviation..... DIET

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Type of diet ordered

Display Name..... DIET

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

46 entries

-
1. 1800 CALORIE CONTROLLED (1800 CAL C)
{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}
 2. 1800 DIABETIC (1800 DIAB) {FC71C7D7-F24E-4316-A455-8674804BE092}
 3. 2000 CALORIE CONTROLLED (2000 CAL C)
{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}
 4. 2000 DIABETIC (2000 DIAB) {DF3056C9-3AEA-4F4E-B758-E35590080AFB}
 5. 2200 CALORIE CONTROLLED (2200 CAL C)
{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}
 6. 2200 DIABETIC (2200 DIAB) {1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}
 7. 2400 CALORIE CONTROLLED (2400 CAL C)

{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}

8. 2400 DIABETIC (2400 DIAB) {2018FB65-3D4E-47E0-90E9-205A45EDF130}

9. BLAND (BLAND) {38930AFE-ECF7-4548-857C-854E1B5BE148}

10. CARDIAC DIET (CARD DIET) {218A883D-32A0-438D-B453-7CBCE02693A3}

11. CLEAR LIQUID DIET (CL LI DIET)

{D540348D-3E1D-4E42-9EDC-43C56CF56206}

12. DUMPING SYNDROME (DUMP SYND)

{0173C971-63CB-45A5-9E93-D966EB3B957D}

13. DYSPHAGIA PHASE I (DYSP PH I)

{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}

14. DYSPHAGIA STAGE II (DYSP ST II)

{294BF58A-47FD-43A1-8A1E-9E348987B004}

15. DYSPHAGIA STAGE III (DYS ST III)

{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}

16. DYSPHAGIA STAGE IV (DYSP ST IV)

{E738569A-5104-4C93-8EFC-47D80765F739}

17. DYSPHAGIA STAGE V (DYSPH ST V)

{ABE7D85D-1821-4592-B4E8-84670EE484E4}

18. FAT RESTRICTED 50 GM DIET (F RES 50gm)

{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}

19. FECAL FAT TEST DIET (FEC F TEST)

{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}

20. FULL LIQUID DIET (FULL LIQ D)

{CAC22234-7B69-44C3-8A0E-9A84A684E429}

21. FULL LIQUID DIABETIC (FULL L DIA)

{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}

22. GASTRIC BYPASS CLEAR LIQUID (GAS BYP LI)

{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}

23. GASTRIC BYPASS PUREED (GAS BY PUR)
{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}
24. GASTRIC BYPASS REGULAR (GAS BY REG)
{EE831906-EA51-4EE4-AAF2-583DF366A942}
25. GLUTEN RESTRICTED (GLUT RESTR)
{0805A164-D387-4E67-9D42-BAF1F2543337}
26. HIGH FIBER (HIGH FIBER) {3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}
27. HIGH PROTEIN (HIGH PROTE) {1595A29D-CA91-45AE-893B-856EB909E4DD}
28. HIGH CALORIE (HIGH CALOR) {FC453BF0-1E7E-4733-9605-AC3425F16205}
29. LACTOSE RESTRICTED (LACT RESTR)
{78A9066A-48E2-4285-88E3-A180CE771B5A}
30. LIBERAL DIABETIC (LIBRL DIAB)
{9B66B47B-E77E-4F69-BDFA-5323B28A283D}
31. LISTED DIET (LIST DIET) {24FBBFD9-B426-4DD9-9843-3428A1C91676}
32. LOW CHOLESTEROL (LOW CHOLE)
{88F0170A-2560-48C6-9604-982453BCFC3B}
33. LOW FIBER (LOW FIBER) {2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}
34. LOW PROTEIN 60 GM (L PROT 60g)
{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}
35. LOW TYRAMINE (LOW TYRAMI) {DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}
36. MECHANICAL (MECHANICAL) {01EA793C-B524-4685-A3EC-60A317CBACC5}
37. NEUTROPENIC (NEUTROPENI) {5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}
38. NPO DIET (NPO DIET) {BEC8F771-B082-40A2-9EE8-553222A25FBF}
39. POST CATH DIET (POST CA DT)
{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}
40. POTASSIUM MODIFIED 60 MEQ (K MOD 60M)
{6EC2F10D-CC44-4872-8473-2445A835ABB0}
41. PUREED (PUREED) {99F8AE5F-E390-4583-8A92-CAC13E21BCF4}

42. REGULAR (REGULAR) {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}

43. RENAL DIET (REN DIET) {089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}

44. SODIUM CONTROLLED 2 GM (SOD CONT 2)

{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}

45. SODIUM CONTROLLED 4 GM (SOD CON 4G)

{26538A2F-5502-4D94-A2A7-D9E0BF825C47}

46. VEGETARIAN DIET (VEG DIET)

{6B8143BE-843F-4944-9ABB-7175AFE2DF17}

UNITS:

ID: {22423A29-A1C5-497E-BBB6-109FFBC69D2B}

=====

Abbreviation..... DIS ACTI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Discharge Activities
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 12 entries

1. ALERT AND ORIENTED (AL AN OR)
{C031F776-36DF-4570-AFAF-A30B8BFA635B}
2. VITAL SIGNS STABLE (VI SI ST)
{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}
3. STEADY GATE OR BASELINE (ST GA BA)
{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}
4. TRANSPORT FACILITATOR PRESENT (TR FA PR)
{645BF269-6B23-4377-95ED-71291F075B25}
5. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)
{E107F272-CD27-46B8-8C50-F9FF776DDCD9}

6. IV DISCONTINUED (IV DISC) {FDF951E7-5B72-4166-969B-073D5EC74800}

7. VOIDED (VOIDED) {7F23E601-A1E5-4016-8A12-06B1099041CF}

8. DISCHARGE MEDS PLANNED (DI ME PL)

{04E9DF8B-8807-47A5-AE88-180F431F3BDE}

9. MED RECONCILLIATION DOCUMENTED (ME RE DO)

{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}

10. DISCHARGE ORDER ON CHART (DI OR CH)

{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}

11. GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (DI IN UN)

{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}

12. DRESSINGS CHECKED (DRESS CH)

{21014F53-29CE-4914-8760-6976D8DBA742}

UNITS:

=====

TERM: DO NOT PROCESS

Page: 142

ID: {4615254C-EC67-46D0-BF70-9A54BEB4B32D}

=====

Abbreviation..... DNP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... Do not process

Display Name..... Do Not Process

Help Text..... Do Not Process

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: DORSI FLEXION

Page: 143

ID: {A1E251EA-9302-8851-A67F-00229BCA7163}

=====

Abbreviation..... DORFL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dorsi Flexion
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 - 2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

=====

TERM: DRAIN SUCTION CM H20

Page: 144

ID: {CB2C5928-71E5-429F-9A0E-3FFBF21F62FF}

=====

Abbreviation..... Drain Suct

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Drain Suction cm H20

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETERS H2O

0 > 10 * 20 < 30

Dec Prec: 0

ID: {550360E9-AFFD-43DE-9142-F3AF7B95185D}

=====

Abbreviation..... Drain Type

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Drain Suction Type

Help Text..... When "Number" is selected, enter
numeric value as a "Comment"

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
3. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
4. BULB (Bulb) {2390453E-3353-40EB-B2D7-EF770B67F037}
5. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
6. MEDIUM (MEDIUM) {62C94066-A7B6-CAA8-064B-2AF7C0DA6323}
7. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
8. NUMBER: SPECIFY (Specify) {397D773F-78F9-4E69-9A84-B518109A95AB}

UNITS:

ID: {4D556AD1-1850-AB94-0776-B58B1D1713B3}

=====

Abbreviation..... DRAIN CHAR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Drainage Characteristics
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

-
- | | |
|--------------------|--|
| 1. THIN (THIN) | {CB8D8B5C-E824-D030-1241-D8EB814671E9} |
| 2. THICK (THICK) | {1554A49E-1468-46B2-F851-531DDB1D1A98} |
| 3. YELLOW (YELLOW) | {90DC31AD-6211-9F25-4237-79F7122A2763} |
| 4. AMBER (AMBER) | {90A13048-4C35-E01D-3482-64D782001D4A} |
| 5. WHITE (WHITE) | {AB04EF54-5246-EF3A-E1D9-02E9E24369DD} |
| 6. BROWN (BROWN) | {A1C32FBC-7B4D-707C-CA58-92A2E201368E} |
| 7. GREEN (GREEN) | {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF} |
| 8. RED (RED) | {515D7CFB-3527-30E7-EC4B-B607C272DFA0} |
| 9. BLACK (BLACK) | {7A55AFB9-6861-4918-0746-3D67D47FE5C3} |
| 10. CLAY (CLAY) | {A4E4D16C-B45C-0934-ED22-8BF640080108} |

- 11. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
- 12. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
- 13. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
- 14. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
- 15. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

ID: {C2EE711E-C076-491F-8063-8DA80BBCA529}

=====

Abbreviation..... DVT PROPHY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... DVT Prophylaxis devices
Display Name..... DVT Prophylaxis
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

1. ANTI-EMBOLUS STOCKINGS KNEE HIGH (ANT EMB KN)
{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}
2. ANTI-EMBOLUS STOCKINGS THIGH HIGH (ANT EMB ST)
{9B32D3F3-47F1-886F-A59A-D8AB38A34754}
3. SEQUENTIAL COMPRESSION DEVICE (SCD)
{29D657DB-6679-8A55-0E33-235B5DD349F2}
4. ELASTIC WRAP (ELAST WRAP) {9EB52FA5-32D8-823F-2E3C-83375DA62342}

UNITS:

ID: {64C54E39-9541-4FD2-8F3F-A32053F6889F}

=====

Abbreviation..... EDEMA AMOU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Edema Amount

Display Name..... Edema Amount

Help Text..... 0=Absent, +1=Slight (0-2 mm),
+2=Moderate (3-5 mm), +3=Marked (6-8
mm), +4=Very Marked (more than 8 mm)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}
3. +2 = MODERATE (+2 = MODER)
{CCF23A60-068C-443F-AFD0-2D56EEE0446C}
4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}
5. +4 = VERY MARKED (+4 = VY MA)
{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

UNITS:

ID: {E60900D9-BDF3-954C-E752-F3D1CAAC8EC1}

=====

Abbreviation..... EDEMA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Observation Of Patients Edema

Display Name..... Edema Severity

Help Text..... 0=Absent, +1=Slight (0-2 mm),
+2=Moderate (3-5 mm), +3=Marked (6-8
mm), +4=Very Marked (more than 8 mm)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}
3. +2 = MODERATE (+2 = MODER)
{CCF23A60-068C-443F-AFD0-2D56EEE0446C}
4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}
5. +4 = VERY MARKED (+4 = VY MA)
{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

LOCATION:

28 entries

-
1. GENERALIZED (GENERIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}
 2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
 3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
 4. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
 5. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
 6. BOTH HANDS (BOTH HANDS) {63AA2685-CB1D-4680-B2F4-2199A22D1EC6}
 7. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
 8. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
 9. LEFT NECK (L NECK) {40522B5F-F23E-EADB-AE64-8EDE3B9E1155}
 10. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}
 11. BILATERAL NECK (BILAT NECK)
{744BF4A2-C55E-4D55-8711-58700DD1C446}
 12. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
 13. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
 14. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
 15. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
 16. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
 17. FEET (FEET) {944CAA0E-5165-A6AF-BE3D-85455440BF40}
 18. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
 19. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
 20. KNEES (KNEES) {247D6621-3A85-F1F7-59BF-1FB0361B3C21}
 21. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}
 22. PERIORBITAL (PERIORBITA) {DBAC362B-6278-EDB4-7E28-3180321A38B2}
 23. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
 24. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
 25. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}

26. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

27. INCISIONAL SITE (INCISON SI)

{EB36A66D-751D-4031-9F68-0BB03E267321}

28. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

ID: {6B9914EF-CEA5-4B2A-A9CC-5ED6FBA420F7}

=====

Abbreviation..... EDU BARR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Barriers
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 15 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. HEARING (HEARING) {D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}
 3. LANGUAGE (LANGUAGE) {0666538E-4F44-4D34-A5EA-69CF2F1F86FA}
 4. LIMITED ATTENION SPAN (LIM ATT S)
{51553020-0CB9-483E-AC1C-15CA6D9380A3}
 5. MEMORY (MEMORY) {E30C1930-B98B-4382-B892-34E9C6008D1F}
 6. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}
 7. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
 8. VISUAL IMPAIRMENT (VIS IMPAIR)
{7B2107CE-002D-43BE-9102-FCD5B9FAD617}

- 9. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
- 10. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
- 11. COMMUNICATION BARRIER (COMM BARRI)
{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}
- 12. IMPAIRED LISTENING SKILLS (IMP LIS SK)
{9CE0E7E7-79E5-4910-918C-2022C9830171}
- 13. EMOTIONAL (EMOTIONAL) {626C22E6-EF2A-489F-AA79-D27541A0BC45}
- 14. UNABLE TO ASSESS (UNA TO AS)
{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}
- 15. UNABLE TO READ (ILLITERATE)
{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}

UNITS:

ID: {50E493C5-BBBB-4D4F-B301-13CDD9B76FA9}

=====

Abbreviation..... EDU READY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Readiness To Learn

Help Text..... Evaluate patient`s desire and
motivation to learn

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 7 entries

1. EAGER TO LEARN (EAGER) {A20AF51B-C89C-4308-AE17-C66144FE68BE}
2. LACKS INTEREST (LACKS INT)
{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}
3. DENIES NEED (DENIES NE) {28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}
4. INDIFFERENT (INDIFF) {7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}
5. UNABLE TO RESPOND (UNA TO RES)
{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}
6. CONTEMPLATIVE (CONTEMPLAT)
{5194DB04-7A68-491E-B117-BD089C912DFB}

7. UNABLE TO ASSESS (UNA TO AS)

{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

UNITS:

ID: {0F8D9E47-CDD7-4652-9E30-0E4355CC2EFA}

=====

Abbreviation..... EDU TOPIC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Topic
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 35 entries

1. ACTIVITIES OF DAILY LIVING (ADL)
{12F2CA66-3DCE-443D-883C-119CE4838B4A}
2. ADVANCED CARE PLANNING (ADV CAR PL)
{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}
3. ANALGESIA (ANALGESIA) {5452ED11-25E1-437B-8048-3BB3E03BE3B9}
4. CLINICAL ASSESSMENT (CLIN ASSME)
{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}
5. COMPLIANCE (COMPLIANC) {EF43367E-9898-44C3-8AC8-F5BD28051F1D}
6. DAILY PLAN (DAILY PLAN) {B29357A5-4294-4EA0-A0D3-59182F3C94FB}
7. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}

8. DISEASE PROCESS (DISEA PROC)

{E80807AE-6208-421D-BE4C-445C470D32FA}

9. EQUIPMENT (EQUIPMENT) {04C0F805-C7B3-4A9A-91D8-0F32F3265874}

10. HOME HEALTH (HOME HEALT) {F94FB70A-AFFD-4A5E-A829-0AF933B044BB}

11. INFECTION (INFECTION) {DA00DB58-640D-4294-9468-EEF070DBAE8E}

12. INFECTION PREVENTION AND SCREENING (INF PRE SC)

{BA58329F-59EC-49F0-BACE-75AA5EC57F52}

13. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}

14. MENTAL HEALTH (MEN HEAL) {ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}

15. MENTAL HEALTH HOLD (MEN HEA HO)

{31560285-7BD5-4E53-BB77-93B244367F42}

16. NEW ADMISSION EDUCATION (N ADM EDU)

{1890BC97-FEEB-4BED-A054-3C754C01817B}

17. NUTRITION (NUTRITION) {429A28EF-8A1F-4247-85E8-68D4EFCD189C}

18. ORIENTATION (ORIENTA) {10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}

19. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}

20. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}

21. POST-PROCEDURE (POST-PROC)

{0F943BD7-BD13-412E-B4EA-9B5526587340}

22. PRE-OPERATIVE (PRE-OP) {80C418D5-54B1-4CC3-9B19-5653B8D73C45}

23. PRE-PROCEDURE (PRE-PROC) {D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}

24. SAFETY (SAFETY) {AD905A8F-33BD-4EFE-929E-A2B575797402}

25. SPIRITUAL (SPIRITUAL) {9670E2B9-6938-4487-A857-25546775B7A2}

26. TREATMENTS (TREATMENTS) {7A6879B5-F781-498E-9D71-3FA0243C3F21}

27. PRE-SEDATION (PRE SEDA) {684C764E-2BE9-4C99-A2B2-C92D75C73751}

28. POST-SEDATION (POST SED) {B829A249-CB14-4919-86F8-4A8C8D6B7753}

29. ENVIRONMENT (ENVIRO) {C61AA262-F6AF-46AC-A215-0D56FD01B234}

30. ENTERAL TUBE/STOMA CARE (Tube/Stoma)

{B91B94EF-CFE6-4628-BEF2-D06E5870D574}

31. ENTERAL TUBE MEDICATION ADMINISTRATION (Med Admin)

{68D124A7-69CF-414B-8A47-BC666A373E24}

32. ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (Feed Form)

{D2EA8840-1123-4660-AD25-587458BF1E89}

33. ENTERAL FEEDING PUMP (Feed Pump)

{31FF069C-0060-45C3-898F-20F1A9D1552B}

34. PCA PUMP (PCA Pump) {C6F139AF-C42B-4577-83E1-A12675C31A21}

35. EPIDURAL PUMP (Epid Pump) {26C83111-5FA8-4398-8D3E-787B31A2A9E9}

UNITS:

=====

TERM: EKG LEAD

Page: 154

ID: {D7BAE1AC-E3DA-4C9B-1216-7A07AA310A52}

=====

Abbreviation..... EKG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... EKG Lead
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

LOCATION: 5 entries

1. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
3. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
4. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
5. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 1 entries

1. SKIN (ADHESIVE INDICATOR) (SKIN)
{C7CE7D84-6FC7-406A-7E56-B080637509DF}

QUALITY: 1 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

UNITS:

MILLIMETERS -21.00 > -20.00 * 20.00 < 21.00

Dec Prec: 2

ID: {C0633B19-939C-4213-B7C7-C04DC2ADEF0C}

=====

Abbreviation..... EF TUBE TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Enteral Feeding Tube used
Display Name..... E.F. Tube Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. NASOGASTRIC LARGE BORE TUBE (NG LG BORE)
{C3FEE16A-9998-455B-BEB8-CC55AF890202}
2. NASAL INTESTINAL SMALL BORE (N INT SM B)
{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}
3. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}
4. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
5. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}
6. ORAL GASTRIC TUBE (OG TUBE)
{C6995D6A-939C-4C31-A3C2-4504CB5597CD}
7. DUODENOSTOMY (DUODENOSTO) {FA44135D-6806-42E7-B371-8C3912B3582E}

8. TRANSPYLORIC (TRANSPYOLO) {78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}

UNITS:

ID: {EB68B555-6DE2-4BCE-942D-3B7F1E202B24}

=====

Abbreviation..... En Deliver
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Enteral Nutrition Delivery Method
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

1. PUMP - CONTINUOUS (Pump- cont)
{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}
2. PUMP - INTERMITTENT (Pump - int)
{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}
3. BAG - CONTINUOUS (Bag - cont)
{F072EF8A-B38B-4D75-82BF-D5EF851784B0}
4. BAG - INTERMITTENT (Bag - inte)
{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}
5. SYRINGE (Syringe) {8ED1EF3E-79AC-4507-A35B-473F31510FB7}
6. OPEN SYSTEM (Open syste) {2047EDE8-5D72-4541-A23A-81F097A6CA2A}

7. CLOSED SYSTEM (Closed sys)

{D076BAB6-C4D1-42F1-9036-80BF4B72E695}

UNITS:

=====

TERM: ENTERAL NUTRITION RATE

Page: 158

ID: {75A4F240-8D8E-4F7D-84D3-3DBCE1C20F00}

=====

Abbreviation..... ENT NUT RA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Rate of Enteral Nutrition

Display Name..... Enteral Nutrition Rate

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITERS PER HOUR -1 > 0 * 500 < 1000 Dec Prec: 0

ID: {9B0AB028-886A-49A5-83BF-A9E4BC787EBF}

=====

Abbreviation..... En Sys Mnt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Enteral Nutrition System Maintenance

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-
1. BAG CHANGE (Bag Chg) {BC58D518-A742-410B-BE33-732C04D303BD}
 2. SYRINGE CHANGE (Syr Chg) {1F052EF1-F62C-4442-8B2B-D15280226C69}
 3. TUBING CHANGE (Tube Chg) {6418C2A2-D244-4C5B-A398-904B99AAACEA4}
 4. STOPCOCK CHANGE (Stop Chg)
{C4A6E58E-DA4B-478F-823B-D2CFC9860072}

UNITS:

=====

TERM: ENTERAL NUTRITION TUBE PLACEMENT VERIFIED

Page: 160

ID: {45513946-76B4-4941-87A4-2737720A16E4}

=====

Abbreviation..... Tube Place

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Enteral Nutrition Tube Placement
Verified

Help Text..... Can specify method of verification in
comments

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {F083AE22-811C-432F-951A-3FF9DA485785}

=====

Abbreviation..... ENT NUT TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Enteral Nutrition Used
Display Name..... Enteral Nutrition Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 43 entries

-
1. MAGNACAL (MAGNACAL) {C810A618-FB1A-45BB-A540-EADF1414E343}
 3. OSMOLITE HN (OSMOLIT HN) {E4186CA6-302F-4513-B125-30B094151423}
 4. ULTRACAL (ULTRACAL) {179AE9A5-154D-4CD2-B70B-66E84F5D0932}
 6. VITAL HN ENTERAL NUTRITION (VITAL HN)
{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}
 7. D5W ENTERAL NUTRITION (D5W)
{D6664641-BF43-4157-9A30-8AD8CFE96518}
 8. D10W ENTERAL NUTRITION (D10W ENT N)
{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}
 9. D50W ENTERAL NUTRITION (D50W ENT N)

{528A4339-0261-4EC5-821C-7CE5592666DC}

- 17. BOOST (Boost) {2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}
- 18. BOOST PLUS (Boost Plus) {432C8151-10CE-4804-939D-6B6B609BE54A}
- 19. ENSURE PLUS (Ensure Plu) {519D1249-B6C0-49ED-BA86-1B27C0F964C9}
- 20. FIBER STAT (Fiber Stat) {201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}
- 21. GLUCERNA 1.0 (Glu 1.0) {1C465710-80F2-4C13-B8D5-B1D084151104}
- 22. GLUCERNA 1.2 (Glu 1.2) {F58F1014-D1C4-44EB-9B01-FB88F2B3D751}
- 23. ISOSOURCE VHN (Iso VHN) {D68525BF-F922-464E-97DE-1AB767974483}
- 24. JEVITY 1.0 (Jevity 1.0) {637F4523-0417-4EA4-9991-379C8362EC00}
- 25. JEVITY 1.2 (Jevity 1.2) {0B3ADECE-FC19-4D90-912B-6EDC3D35C845}
- 26. JEVITY 1.5 (Jevity 1.5) {ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}
- 27. JUVEN (Juven) {2112F76A-D581-4C55-94CA-4B4CC68813AD}
- 28. NEPRO (Nepro) {00FFC7A1-5CDA-45AF-BD50-D77666A23851}
- 29. NEPRO CARB STEADY (Nepro Car)

{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}

- 30. NUTRIHEP (Nutrihep) {ABD98675-EB60-40C7-BCE6-73FD787F6D17}
- 31. OSMOLITE 1.0 (Osmo 1.0) {D5EE7DA5-707B-4000-A133-0C571824A376}
- 32. OSMOLITE 1.2 (Osmo 1.2) {CEF57C44-82E5-43F5-8646-F8FBCD4609A0}
- 33. OSMOLITE 1.5 (Osmo 1.5) {8AF4CD1A-631A-4E95-A631-ACFF775284BA}
- 34. OXEPA (Oxepa) {1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}
- 35. PERATIVE (Perative) {9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}
- 36. PIVOT (Pivot) {2E68ED54-57F5-490D-A982-668121F0CF5A}
- 37. PIVOT 1.5 (Pivot 1.5) {9126F0C6-9716-4C33-8B7C-178D46899D44}
- 38. PRO STAT SUGAR FREE 64 (ProSta 64)

{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}

- 39. PROMOTE (Promote) {6377C8D3-F6DD-4BD2-877F-DB52525DD65D}
- 40. PROMOTE WITH FIBER (Pro W/Fib)

{33E04B6F-2976-402C-B3B7-B75705430340}

- 41. PROPASS PROTEIN POWDER (Pro Prot)
{2307C41A-92D2-4DD4-BC1F-2E78F7477D98}
- 42. PRO-STAT (Pro-Stat) {E39E36C7-0A47-459D-BA75-CF6186247B40}
- 43. PROTENEX WOUND CARE (Protenex)
{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}
- 44. PULMOCARE (Pulmocare) {8D683106-B5EE-46E1-B1C6-0C7843EDD15C}
- 45. RESOURCE BREEZE (Re Breeze)
{D3A38687-AD62-4E1D-A945-1201168E1CF6}
- 46. RESOURCE DM (Re Dm) {C9D4A461-81F9-4392-98DA-129B00E5807F}
- 47. SUPLENA (Suplena) {F606979A-083E-40C1-9EBB-EA56053EF5FD}
- 48. TWO CAL HN (Two Cal HN) {3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}
- 49. VITAL 1.0 (Vital 1.0) {D3CA653C-419D-4186-8704-E171650062DF}
- 50. VITAL 1.5 (Vital 1.5) {3665F539-7BBD-4AD9-A4D0-0A33506036D7}
- 51. VITAL AF (Vital AF) {D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}
- 52. VIVONEX RTF (Viv RTF) {461E7430-CC94-47D1-A90D-9694314C7729}

PRODUCT: 15 entries

-
- 1. FORMULA 2.0 CAL (2.0 C FORM)
{E5FB9590-25AA-435A-B9B4-4812EA15C217}
 - 2. FORMULA D5W ENTERAL NUTRITION (D5W ENT NU)
{9EA15A1B-DA1C-49EC-B463-82DD5F125F82}
 - 3. FORMULA D10W ENTERAL NUTRITION (D10W ENT N)
{F8FB55C4-6229-427F-987D-3D469E307D0D}
 - 4. FORMULA D50W ENTERAL NUTRITION (D50W ENT N)
{19ED9C83-42C1-42AF-AB4D-1A34B621EFB9}
 - 5. FORMULA - PROBALANCE (PROBALANCE)
{4EA729FE-08EA-490B-822D-696061E5B55F}

6. GLUCERNA DIABETIC (GLUCERNA D)

{C2F2CCFE-6D77-49B4-BF5E-F1A285326440}

7. HIGH PROTEIN FORMULA (HIGH PROTE)

{3618C874-3EAE-41CF-BE2B-3DFB960E034F}

8. MAGNACAL (MAGNACAL) {86688633-DFCA-4FBE-99F5-8E0B3FAFE695}

9. MODULAR CUSTOMIZED FORMULA (CUST FORMU)

{249D095E-9676-4CC5-8A39-097F96A4C032}

10. NEPRO RENAL FORMULA (NEPR RENAL)

{59C9B396-A705-445B-B566-F030DA4B2B79}

11. NUTREN 1.5 (NUTREN 1.5) {B93EF897-B9A1-45C6-AC9A-B386554A3186}

13. OSMOLITE HN (OSMOLIT HN) {3622D5C6-1D7B-4377-94B7-5E33C642C4C5}

14. ULTRACAL (ULTRACAL) {B18E6151-9DC6-4380-899A-E84715BFC61B}

15. VITAL ENTERAL NUTRITION TYPE (VIT ENT NU)

{D77B607C-85C4-428E-AAE6-B319F33F4E9F}

16. VITAL HN ENTERAL NUTRITION (VIT NUT HN)

{3973F52F-D53F-4D80-928A-BD6154D5C434}

UNITS:

ID: {65B585A6-C193-4121-ACCA-0152433BC4A9}

=====

Abbreviation..... Asp Color
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Enteral Tube Aspirate Color
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 13 entries

-
- 1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
 - 2. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
 - 3. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
 - 4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
 - 5. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
 - 6. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 7. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
 - 8. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
 - 9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
 - 10. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

11. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}

12. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

13. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

=====

TERM: ENTERAL TUBE SITE CONDITION CHECKED

Page: 163

ID: {07A53E80-0F27-46DC-A260-B03CFE25803E}

=====

Abbreviation..... En Tube Ck

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Enteral Tube Site Condition Checked

Help Text..... Indicate any abnormal findings in
comments

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: EPIDURAL: BOLUS (ML)

Page: 164

ID: {ECED5FF9-C840-4D0A-8CD9-6A2EB772FEB0}

=====

Abbreviation..... Epi Bol ml

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Bolus (ml)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER 0.01 > 0.01 * 999.99 < 999.99

Dec Prec: 2

=====

TERM: EPIDURAL: CONTINUOUS RATE (ML/HR)

Page: 165

ID: {45F9DF95-EF21-4BE4-8F43-B680A3CDDC47}

=====

Abbreviation..... C Rate Hr

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Continuous Rate (ml/hr)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITERS PER HOUR 0.01 > 0.01 * 999.99 < 999.99

Dec Prec: 2

ID: {297730B0-12B4-4296-B9E5-9A112E5D4E91}

=====

Abbreviation..... Derm Left

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Epidural: Dermatome Sensory Level -
Left

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 22 entries

- 1. C1 (C1) {F942693D-F272-4A70-81FF-E750BAF082B9}
- 2. C2 (C2) {EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
- 3. C3 (C3) {B53D0E0E-7BF0-4D26-B4DD-D072035E307E}
- 4. C4 (C4) {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}
- 5. C5 (C5) {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}
- 6. T1 (T1) {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}
- 7. T2 (T2) {7536B154-F3CA-4B21-8CEC-301F204B19A9}
- 8. T3 (T3) {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}
- 9. T4 (T4) {E95970BB-3FDA-4027-AAF0-EE5670642321}

- 10. T5 (T5) {01B568D4-F9F4-44A7-94A4-EFF830691940}
- 11. T6 (T6) {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
- 12. T7 (T7) {385B254A-F256-4626-9C12-7D8984F4B605}
- 13. T8 (T8) {68337EB5-902D-4DCB-AFDD-8AC59849F58B}
- 14. T9 (T9) {06F10D8D-2E9D-454D-AD6B-B750300523DD}
- 15. T10 (T10) {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
- 16. T11 (T11) {3C40B21A-965B-48C4-A65D-9A01CF2327F1}
- 17. T12 (T12) {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
- 18. L1 (L1) {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
- 19. L2 (L2) {0E5E7F8E-BA82-499B-A57A-8D32C2113006}
- 20. L3 (L3) {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}
- 21. L4 (L4) {94632F85-0152-47C2-9D82-B49C36ABF495}
- 22. L5 (L5) {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

ID: {B7ACEED3-8360-4BC2-8608-1597C4776379}

=====

Abbreviation..... Derm Right

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Epidural: Dermatome Sensory Level -
Right

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 22 entries

- 1. C1 (C1) {F942693D-F272-4A70-81FF-E750BAF082B9}
- 2. C2 (C2) {EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
- 3. C3 (C3) {B53D0E0E-7BF0-4D26-B4DD-D072035E307E}
- 4. C4 (C4) {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}
- 5. C5 (C5) {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}
- 6. T1 (T1) {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}
- 7. T2 (T2) {7536B154-F3CA-4B21-8CEC-301F204B19A9}
- 8. T3 (T3) {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}
- 9. T4 (T4) {E95970BB-3FDA-4027-AAF0-EE5670642321}

- 10. T5 (T5) {01B568D4-F9F4-44A7-94A4-EFF830691940}
- 11. T6 (T6) {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
- 12. T7 (T7) {385B254A-F256-4626-9C12-7D8984F4B605}
- 13. T8 (T8) {68337EB5-902D-4DCB-AFDD-8AC59849F58B}
- 14. T9 (T9) {06F10D8D-2E9D-454D-AD6B-B750300523DD}
- 15. T10 (T10) {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
- 16. T11 (T11) {3C40B21A-965B-48C4-A65D-9A01CF2327F1}
- 17. T12 (T12) {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
- 18. L1 (L1) {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
- 19. L2 (L2) {0E5E7F8E-BA82-499B-A57A-8D32C2113006}
- 20. L3 (L3) {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}
- 21. L4 (L4) {94632F85-0152-47C2-9D82-B49C36ABF495}
- 22. L5 (L5) {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

ID: {31D66C3C-3A8C-4F97-B9E5-7ECA49A01574}

=====

Abbreviation..... Side Eff
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Epidural: Side Effects
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 19 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
3. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
4. ITCHING (Itching) {33304859-7DF4-4D89-86E8-9AA3395CC80A}
5. URINARY RETENTION (Urin Reten)
{BDD3A568-00E4-4148-8A5D-00319728022A}
6. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
7. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
8. HEADACHE (Headache) {9338E67C-201C-4066-A734-8BD4B47462BD}
9. BLURRED VISION (Blurred Vi)

{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}

10. SLURRED SPEECH (Slurred Sp)

{6C3D295A-71C9-4DA8-A172-995F431D94C9}

11. CONFUSION (Confusion) {C577D53B-2924-41C6-AAF0-426F5259B36F}

12. POOR BAL (Poor Balan) {959AFDB4-6984-452D-9235-B154409DC0ED}

13. TINGLING MOUTH/LIPS (Ting Mou/L)

{E603F979-310D-438B-80A2-1F52E4DE71C6}

14. UNEXPECTED NUMBNESS (Unexp Numb)

{6418B135-56AF-4A76-A207-55D7AE0C5364}

15. EXTENDED PERIOD OF IMMOBILITY (Ex Pd Immo)

{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}

16. SYMPTOMS OF MEDICATION ALLERGY (Sym Med Al)

{8E73F22D-7583-4F24-B946-091CF8508CED}

17. REPIRATORY DEPRESSION (Resp Depr)

{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}

18. CNS DEPRESSION (CNS Depres)

{EE349460-8B60-427B-AE98-72007DFD2F6A}

19. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

ID: {62C9FF10-1B3F-48D1-8FE7-ACF8284FD04A}

=====

Abbreviation..... ESI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... EMERGENCY SEVERITY INDEX
Display Name..... ESI
Help Text..... EMERGENCY SEVERITY INDEX
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
 - 2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 3. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 4. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
 - 5. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}

UNITS:

ID: {E4848AF5-F7CA-4B23-B436-B902B0F5555A}

=====

Abbreviation..... TRIAGE CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Triage Condition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
1. STABLE (STABLE) {A474E7BC-47EF-4472-A19A-172C441099EC}
 2. UNSTABLE (UNSTABLE) {5841C521-8070-4034-A69D-27DAB2990EB3}
 3. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

ID: {7DA32BAB-D3E3-55F0-CBAC-812B366B15A5}

=====

Abbreviation..... ET LOC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... LOCATION OF ENDOTRACHEAL TUBE

Display Name..... Endotracheal Tube Location

Help Text..... Measured in centimeters from lip or
nose

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 31 entries

- 1. 13 (13) {030242DB-3F82-7517-3DEE-4D50E3E8AE23}
- 2. 13.5 (13.5) {34D24648-B2D9-9C6C-6D71-F80E977CE185}
- 3. 14 (14) {EDF1C2B1-123B-011F-9B02-7D71088971C1}
- 4. 14.5 (14.5) {373C8F8C-5D36-4AD6-6A76-513064669CB5}
- 5. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}
- 6. 15.5 (15.5) {1BBF5122-2FFA-6B27-445B-3291C3F83A36}
- 7. 16 (16) {9E4B84FF-430A-39FB-E6AA-E1031814796D}
- 8. 16.5 (16.5) {7D4EA1D4-5233-760F-FD2B-A70FB0969815}
- 9. 17 (17) {2E89B9C8-5E80-F3C9-FE66-4396CB63201A}

10. 17.5 (17.5) {FDE6FFD9-00D0-9C55-1A7F-4AA70CE313BA}
11. 18 (18) {F2815231-0FCE-4988-95E9-D9AF46C57086}
12. 18.5 (18.5) {75ABCB85-4D6E-0BBC-157F-CA69B7737402}
13. 19 (19) {478FFB89-4941-1474-04E1-C838B2467439}
14. 19.5 (19.5) {58F0F98D-299A-8C4E-F50F-AE21B6E696D6}
15. 20.5 (20.5) {DB1F50D2-AF99-7BB3-88F5-B58C0BDE7987}
16. 21 (21) {C6188159-9EF1-DA5C-C015-2142A1205C4C}
17. 21.5 (21.5) {A259E466-773F-519C-7B5B-1570D1B03B70}
18. 22 (22) {DA839156-C7A9-76D7-58CD-7EC2B016EF40}
19. 22.5 (22.5) {D402D24F-1EF2-1AA0-DD1C-FA8320AA929A}
20. 23 (23) {8FB6A8B1-B692-BDC7-43B9-0332F33D826A}
21. 23.5 (23.5) {DDB76295-7E4A-FEAC-324D-37878F62771A}
22. 24 (24) {2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}
23. 24.5 (24.5) {D815830B-5D94-0975-D007-E4FDD966155B}
24. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCD1}
25. 25.5 (25.5) {9D704E9E-FB1D-FB83-2142-EDBF3805E8F7}
26. 26 (26) {181395F6-29FD-5A41-5AD7-BFC9CF564F3B}
27. 26.5 (26.5) {1D464967-6CFA-E29E-548D-EF68AFCDEC61}
28. 27 (27) {64D25A86-6516-0910-B4B5-644B85378876}
29. 27.5 (27.5) {8C7BE365-AFD0-3FFD-B8EC-6EC914763CFC}
30. 28 (28) {66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}
31. 28.5 (28.5) {C99C9298-D4D2-BC02-36D3-F612B6080A87}

UNITS:

ID: {7912B52F-20BC-9128-883B-08AF0EC48045}

=====

Abbreviation..... FALL PRE
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Fall Precautions
Help Text..... Fall Precautions Taken
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

=====

TERM: FAMILY ORIENTED TO UNIT

Page: 174

ID: {E1CB7972-95FE-FE7B-9E6E-ECF1FF4699EB}

=====

Abbreviation..... FOTU

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Family Oriented to Unit

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: FETAL HEART TONES

Page: 175

ID: {A2E22A44-E924-ADDE-2B8E-0251666B4DE6}

=====

Abbreviation..... FT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... From Vitals
Display Name..... Fetal Heart Tones
Help Text..... From Vitals
Multi Select Picklist.....
Term Type..... OBSERVATION
Void..... 4688721

UNITS:

BEATS PER MINUTE 50 > 120 * 160 < 225 Dec Prec: 0

=====

TERM: FINGERSTICK GLUCOSE

Page: 176

ID: {805F184D-EF11-446F-A272-B08249A477E9}

=====

Abbreviation..... FINGER GLU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Fingerstick Glucose Test Result

Display Name..... Fingerstick Glucose

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

mg/dl

29 > 65 * 110 < 601

Dec Prec: 0

=====

TERM: FLATUS

Page: 177

ID: {9999776E-D262-4F64-BDEC-16A7E5885185}

=====

Abbreviation..... FLATUS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Flatus

Display Name..... Flatus

Help Text..... Flatus / Flatulence

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

4 entries

1. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}

2. PATIENT REPORTS NOT PRESENT (PT RP N PR)

{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}

3. PATIENT REPORTS PRESENT (PT REP PRE)

{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}

4. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

ID: {72F2398C-E7DB-418F-89A4-79E07895295F}

=====

Abbreviation..... FLOW ADDEN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... Flowsheet Addendum

Display Name..... Flowsheet Addendum

Help Text..... 250 Characters ONLY: Place to enter

status updates, notes, significant

events, etc. That are relevant to the

patient and entire flowsheet.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {5B1A78F0-5C93-F5BA-29D5-D9AFC205B3C7}

=====

Abbreviation..... FOOTS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Foot Strength
Help Text..... Evaluation of foot strength
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
- 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
- 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
- 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
- 6. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

- 1. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
- 2. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

3. BILATERAL FOOT (BILAT FOOT)

{C758847D-468F-479A-B12D-F4E46F0E5E3A}

UNITS:

=====

TERM: FUNDAL HEIGHT

Page: 180

ID: {EEAB8762-624F-7BA3-4001-114FD229BA69}

=====

Abbreviation..... FH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... From Vitals

Display Name..... Fundal Height

Help Text..... Starting at 24 weeks

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688722

UNITS:

CENTIMETER

15 > 21 * 43 < 60

Dec Prec: 0

=====

TERM: GAG REFLEX

Page: 181

ID: {21F9FD70-0E30-2772-2E3C-D36C9D3ABA9D}

=====

Abbreviation..... GAG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Gag Reflex

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

=====

TERM: GASTRIC RESIDUAL AMOUNT DISCARDED

Page: 182

ID: {E74268D1-6DB1-40BB-810B-4A33D65F73A4}

=====

Abbreviation..... GAS DISCAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Gastric Residual Amount Discarded

Display Name..... Gastric Residual Amount Discarded

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 750 < 10000 Dec Prec: 0

=====

TERM: GASTRIC RESIDUAL CHECKED

Page: 183

ID: {7CFB9F8C-FDDB-4CB2-B977-E6570D84BAFE}

=====

Abbreviation..... GAS RES CH

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the Gastric Residual Checked?

Display Name..... Gastric Residual Checked

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: GASTRIC RESIDUAL NOT DISCARDED

Page: 184

ID: {D93EDA7E-706C-4914-A774-5BE46D4A3085}

=====

Abbreviation..... GAS NOT DI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Gastric Residual Amount Not Discarded

Display Name..... Gastric Residual Amount Not Discarded

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER

-1 > 0 * 500 < 10000

Dec Prec: 0

=====

TERM: GASTRIC pH

Page: 185

ID: {5ECE05DB-47C5-43C9-A3CD-0CD31E285BA8}

=====

Abbreviation..... GASTRIC pH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Gastric pH

Display Name..... Gastric pH

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

pH

-1 > 0 * 7 < 15

Dec Prec: 0

ID: {11D9DC0B-FE5C-9374-0904-96896A69E41B}

=====

Abbreviation..... GCS EYE OP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Eye Opening
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. 4 - SPONTANEOUSLY (4-s) {4612FC84-FCA8-8C85-50DC-A9A42C195F51}
 - 2. 3 - TO VERBAL COMMAND (3-tvc)
{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}
 - 3. 2 - TO PAIN (2-tp) {49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}
 - 4. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}
 - 5. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

UNITS:

ID: {F708D210-5A49-4731-443A-DB3992450B45}

=====

Abbreviation..... GCS MOTOR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Motor Response
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
1. 6 - OBEYS COMMANDS (6-oc) {0D4956F4-7E79-8D17-EDF3-274B96BBC89A}
 2. 5 - LOCALIZES PAIN (5-lp) {CF13650F-899B-6AE1-5913-DC1F4776E5E4}
 3. 4 - WITHDRAWS FROM PAIN (4-wfp)
{D808ACF1-30CB-29AB-4957-E91D63C4DF18}
 4. 3 - ABNORMAL FLEXION FROM PAIN (3-affp)
{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}
 5. 2 - ABNORMAL EXTENSION FROM PAIN (2-aeFP)
{9B4951D8-B271-DFC3-0A00-1DC9984039E3}
 6. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:

=====

TERM: GCS - TOTAL

Page: 188

ID: {09118FCE-11BC-2679-68FC-67913B3EAAD0}

=====

Abbreviation..... GCS TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Total GCS

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

GLASGOW COMA SCALE

2 > 3 * 15 < 16

Dec Prec: 0

ID: {B4BA8135-48CB-2930-B5F2-5B93688C07FE}

=====

Abbreviation..... GCS VERBAL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Verbal Response
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

- 1. 5 - ORIENTED AND CONVERSES (5-oac)
{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}
- 2. 4 - DISORIENTED AND CONVERSES (4-dac)
{D43F646D-A130-5D06-6DC6-DDB971027231}
- 3. 3 - INAPPROPRIATE WORDS (3-iw)
{FE000191-243E-4D32-1E1E-546EE2CF88A5}
- 4. 2 - INCOMPREHENSIBLE SOUNDS (2-is)
{F2261C3D-79A3-055B-702D-446B7A6A3113}
- 5. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:

ID: {139D5B8A-4DF7-4764-A1C9-835C73A13E41}

=====

Abbreviation..... GEN. ASSMT
Active..... Yes
Boolean Value False..... Normal
Boolean Value True..... Abnormal
Data Type..... Boolean
Description..... General condition of genitals
Display Name..... Genital Assessment
Help Text..... Are genitals normal or abnormal?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {2566D442-22EA-4523-8D77-007B858C1EA0}

=====

Abbreviation..... GI SYMPTOM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... GI Symptoms
Display Name..... GI Symptoms
Help Text..... GI Symptoms
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
3. PROJECTILE VOMITING (PROJ VOMIT)
{0D2CB23B-B266-40E1-A6FF-20B733655B69}
4. CRAMPING (CRAMPING) {3EC3E352-5469-4A85-80E4-3AFEB61224C4}
5. HEARTBURN (HEARTBURN) {5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}
6. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
7. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

UNITS:

=====

TERM: GI TUBE DRAINAGE CHARACTERISTICS

Page: 192

ID: {D72728F5-FE40-1697-E896-BFAA1895A4A8}

=====

Abbreviation..... GI DRAIN C

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... GI Tube Drainage Characteristics

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}

2. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:

ID: {4D0CB409-25EA-40CB-ABE5-1BB2E0FDE1C3}

=====

Abbreviation..... GI DRA COL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... GI Tube Drainage Color

Display Name..... GI Tube Drainage Color

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

13 entries

-
1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
 2. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
 3. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
 4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
 5. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
 6. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 7. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
 8. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
 9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
 10. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

11. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}

12. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

13. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

ID: {BFA579B5-CEA7-43EF-84C0-C4893EFD0F3A}

=====

Abbreviation..... GI T PLACE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... GI Tube Placement Confirmation
Display Name..... GI Tube Placement Confirmation
Help Text..... GI Tube Placement Confirmation
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. X-RAY (X-RAY) {C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}
 2. ASPIRATION (ASPIRATION) {68B91085-8E3C-4B94-9F97-6305F5DFD900}
 3. AUSCULTATION (AUSCULTATI) {B9D756DF-74F5-4604-B781-D7BC512FC453}
 4. pH (pH) {104FE39C-B0A2-40B5-A523-B11E5F2BA272}

UNITS:

=====

TERM: GI TUBE SIZE

Page: 195

ID: {9F0E347C-C292-41A6-B213-340B2ECD716E}

=====

Abbreviation..... GI TU SIZE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... GI Tube Size
Display Name..... GI Tube Size
Help Text..... GI Tube Size
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

FRENCH

7 > 8 * 18 < 25

Dec Prec: 0

ID: {884A773C-187A-B910-AEC0-59815DEE579E}

=====

Abbreviation..... TUBE SUC T
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... TYPE OF SUCTION APPLIED TO GI TUBE
Display Name..... GI Tube Suction Type
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

-
- 1. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
 - 2. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
 - 3. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
 - 4. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
 - 5. CLAMPED (CLAMPED) {B86865B8-078A-4996-B5EC-46A4A99D5A7D}
 - 6. GRAVITY (GRAVITY) {C0233F70-376D-41CE-9F14-714C7B35244F}

UNITS:

ID: {DD63CB7E-0759-F5F2-EFF6-AB6874590B43}

=====

Abbreviation..... GI TUBE TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... TYPE OF GI TUBE
Display Name..... GI Tube Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. NASOGASTRIC TUBE (NG TUBE)
{6475E343-A310-48A5-B543-D29573E7684D}
2. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}
3. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
4. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}
5. NASAL SMALL BOWEL FEEDING TUBE (NAS SM BOW)
{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}
6. ORAL GASTRIC TUBE (OG TUBE)
{C6995D6A-939C-4C31-A3C2-4504CB5597CD}
7. SMALL BORE FEEDING TUBE (SM BO TUBE)

{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}

8. GASTROSTOMY TUBE (GAST TUBE)

{EF017A39-745E-4C29-821A-5B25F103DF99}

9. GASTROSTOMY FEEDING BUTTON (GAST F BUT)

{1627B53B-374B-42B4-BBFE-463EE37B6110}

10. EWALD TUBE (EWALD TUBE) {B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}

UNITS:

=====

TERM: GU BLADDER IRRIGATION FREQUENCY

Page: 198

ID: {D16099EA-DF97-4481-8B8F-7A25E88D15B1}

=====

Abbreviation..... GU BL IR F
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Bladder Irrigation Frequency
Display Name..... Bladder Irrigation Frequency
Help Text..... Bladder Irrigation Frequency
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
 2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
 3. PRN (PRN) {36493D81-954B-4C56-B0A2-9988EA785EBD}

UNITS:

=====

TERM: GU CATHETER CARE PERFORMED

Page: 199

ID: {F99A31A1-6D6D-4532-81F4-35EA957233D7}

=====

Abbreviation..... GU CA CARE

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Catheter Care Performed

Display Name..... Catheter Care Performed

Help Text..... Catheter Care Performed

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: GU CATHETER SIZE

Page: 200

ID: {222FF9DB-7D48-4004-B9B9-49B41D8E510B}

=====

Abbreviation..... GU CA SIZE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Catheter Size

Display Name..... Catheter Size

Help Text..... Catheter Size

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FRENCH

11 > 12 * 30 < 31

Dec Prec: 0

ID: {A73423E8-EA6C-007E-1F20-6185BD488AEA}

=====

Abbreviation..... GU CATH TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of catheter used
Display Name..... Catheter Type
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

1. INDWELLING CATHETER (INDW CATH)
{EC16724C-D1EA-5650-58D4-38A89D4456F9}
2. EXTERNAL CATHETER (EXT. CATHE)
{C8AEE936-DD91-FE91-4DD6-6F210FB59726}
3. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}
4. L NEPHROSTOMY (L NEPHROST)
{D8FC4C18-081E-A7B9-E394-25F194BE9757}
5. R NEPHROSTOMY (R NEPHROST)
{33661137-688D-5611-4368-B1DFD8DB1469}
6. UROSTOMY (UROSTOMY) {1F9E528D-6D78-54EE-94E6-649C6F2056A3}

7. STRAIGHT CATHETER (STR. CATH)

{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

8. ILEAL CONDUIT (ILEAL COND)

{032CB6FE-77D2-702E-A0AE-46176F5CAA57}

9. L STENT (LEFT STENT) {FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}

10. R STENT (RT. STENT) {6D0EED3B-1F08-11D2-165D-97A9F58327D5}

11. FOLEY (FOLEY) {9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}

12. 3 WAY FOLEY (3WAY FOLEY) {32408760-F517-4530-AEC0-54FE0A6A062B}

13. MUSHROOM CATHETER (MUSH CATHE)

{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}

LOCATION: 16 entries

1. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

2. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

3. L INTERNAL JUGULAR (LIJ) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. R INTERNAL JUGULAR (R INT JUGU)

{7ABF6916-D379-198D-6454-F0518A74844A}

5. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

6. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

7. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}

10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}

11. L ANTECUBITAL (L ANTECUBI)

{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

12. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}

14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

=====

TERM: GU VOIDING

Page: 202

ID: {BE9D4DD5-CF6E-C973-C1F1-D70D9F554E38}

=====

Abbreviation..... GU VOIDING

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Method of urine elimination

Display Name..... Voiding

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

-
1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}
 2. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
 3. CATHETER (CATHETER) {B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}

UNITS:

ID: {7FA596FC-81CF-4906-BBA9-96ED54FAC55D}

=====

Abbreviation..... HAIR CONDI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Hair Condition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. ALOPECIA PARTIAL (ALOPE PART)
{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}
 3. ALOPECIA TOTAL (ALOPE TOTA)
{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}
 4. HIRSUTISM (HIRSUTISM) {A909A4FC-080A-4E9A-867A-0B30D4633602}

UNITS:

ID: {67289BB5-D6B1-53C5-53E2-6D209C1B0826}

=====

Abbreviation..... HAND GRIP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Hand Grip
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
 - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
 - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
 - 7. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

-
- 1. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
 - 2. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}

3. BILATERAL HAND (BILAT HAND)

{C782FE56-6117-493F-847F-83173407F0B5}

UNITS:

=====

TERM: HANDOFF REPORT

Page: 205

ID: {EF8C4872-1F90-4A5A-93CA-9B3DD4350A55}

=====

Abbreviation..... Handoff Rp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... String
Description.....
Display Name..... Handoff Report
Help Text.....
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: HEAD CIRCUMFERENCE

Page: 206

ID: {33827E3C-5DBB-083C-D8BE-4DFD7D42071F}

=====

Abbreviation..... HC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... From Vitals

Display Name..... Head Circumference

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4536405

UNITS:

CENTIMETER

0 > 1 * 100 < 101

Dec Prec: 0

=====

TERM: HEAD OF BED ELEVATION

Page: 207

ID: {97D6AA11-1F1A-1853-23E5-25F2F41E07CF}

=====

Abbreviation..... HOB E

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Head of Bed Elevation

Help Text..... Value in degrees

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

DEGREES (ANGLE)

-1 > 0 * 90 < 99

Dec Prec: 0

=====

TERM: HEAT/MOISTURE EXCHANGER PRESENT

Page: 208

ID: {1AAC7785-C695-44AB-9E0E-96257D66F432}

=====

Abbreviation..... HME PRESEN

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Heat & Moisture Exchanger Present

Display Name..... Heat & Moisture Exchanger Present

Help Text..... Heat & Moisture Exchanger Present

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: HEIGHT

Page: 209

ID: {B440216B-0FB3-1950-7859-7C1BE398FE4A}

=====

Abbreviation..... HT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Height of Patient
Display Name..... Height
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4688724

QUALITY: 4 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}
3. ESTIMATED BY ARM SPAN (EAS)
{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}
4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

INCH 0.00 > 1.00 * 96.00 < 100.00

Dec Prec: 2

CENTIMETER

0.0 > 1.0 * 2999.0 < 3000.0

Dec Prec: 1

=====

TERM: HOMANS SIGN

Page: 210

ID: {996F1DCC-A6EE-4D52-B889-6E0E6185C74C}

=====

Abbreviation..... HOMAN SIGN

Active..... Yes

Boolean Value False..... Negative

Boolean Value True..... Positive

Data Type..... Boolean

Description..... No Description

Display Name..... Homan's Sign

Help Text..... Positive is calf pain with

Dorsiflexion and Plantar Flexion

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: I:E RATIO

Page: 211

ID: {7A108E36-2701-4095-B1CE-FC51773D8D10}

=====

Abbreviation..... I:E RATIO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Inspiratory Time to Expiratory Time

Ratio

Display Name..... I:E Ratio

Help Text..... Inspiratory Time to Expiratory Time

Ratio

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: IABP ASSISTED SYSTOLIC PRESSURE

Page: 212

ID: {21DA5247-9369-4E7E-8089-29087553F2AD}

=====

Abbreviation..... IABP A S P

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Assisted Systolic Pressure

Display Name..... IABP Assisted Systolic Pressure

Help Text..... IABP Assisted Systolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY

0 > 80 * 150 < 250

Dec Prec: 0

=====

TERM: IABP BAEDP

Page: 213

ID: {422441B9-61AD-4EC1-B3DE-78A593C410C7}

=====

Abbreviation..... IABP BAEDP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Balloon Assisted Aortic End

Diastolic Pressure

Display Name..... IABP BAEDP

Help Text..... IABP Balloon Assisted Aortic End

Diastolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLIMETERS OF MERCURY

0 > 40 * 80 < 200

Dec Prec: 0

=====

TERM: IABP BALLOON SIZE

Page: 214

ID: {FBA3FB62-E2E2-4246-8D39-D58E5811B1E2}

=====

Abbreviation..... IABP B SIZ
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Size of the IABP
Display Name..... Balloon Size
Help Text..... Size of the IABP
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. 34 ml (34 ml) {25952BB5-50B1-4CC0-9483-8AF891767045}
 2. 40 ml (40 ml) {37A2998F-AB1C-4493-9C7A-FFCB05ED2302}

UNITS:

ID: {D034E8DA-1C70-44D2-B556-F21860827AF9}

=====

Abbreviation..... IABP CAT F

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the Intra-aortic Balloon Pump
Flushed

Display Name..... IABP Catheter Flush

Help Text..... Was the Intra-aortic Balloon Pump
Flushed

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {59A9ADB9-6630-41B3-AE5E-495AB232E287}

=====

Abbreviation..... IABP CIR A
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... IABP Circulation Assessed
Display Name..... IABP Circulation Assessed
Help Text..... IABP Circulation Assessed
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {AA81E246-45C3-258F-4FC8-49CDD592B2D4}

=====

Abbreviation..... IABP CONDI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... IABP Condition
Help Text..... Condition of IABP Site
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}

UNITS:

3. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
4. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

=====

TERM: IABP PEAK DIASTOLIC AUGMENTED PRESSURE

Page: 219

ID: {24E18FB7-94D9-4F2D-9D6D-3CAF3C1F9951}

=====

Abbreviation..... IABP PDAP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... BP Peak Diastolic Augmented Pressure

Display Name..... IABP Peak Diastolic Augmented Pressure

Help Text..... BP Peak Diastolic Augmented Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 0 > 80 * 120 < 200 Dec Prec: 0

=====

TERM: IABP RATIO

Page: 220

ID: {19DC7448-F44F-4E90-9FC0-233738821325}

=====

Abbreviation..... IABP RATIO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... IABP Ratio
Display Name..... IABP Ratio
Help Text..... IABP Ratio
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- | | |
|--------------|--|
| 1. 1:1 (1:1) | {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B} |
| 2. 1:2 (1:2) | {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE} |
| 3. 1:3 (1:3) | {062B4F93-8F48-7373-F679-11F57CE98BB3} |
| 4. 1:4 (1:4) | {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD} |
| 5. 1:8 (1:8) | {94790C4C-3AF2-6F4C-58B8-87021CA97A53} |

UNITS:

ID: {3C313604-F012-416F-A000-CCB92D04C30C}

=====

Abbreviation..... IABP SIZE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Intra-aortic Balloon Pump Size
Display Name..... IABP Size
Help Text..... Intra-aortic Balloon Pump Size
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
- 1. 7.5 (7.5) {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}
 - 2. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
 - 3. 8.5 (8.5) {96723567-151D-4B5C-9C65-B3EB6D584272}
 - 4. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
 - 5. 9.5 (9.5) {252555A1-ADB2-4948-8764-C952F2587DC5}

LOCATION: 5 entries

-
- 1. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
 - 2. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

3. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
4. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

ID: {443F4932-9C42-EADA-4A9A-8F8956DF2CE2}

=====

Abbreviation..... IABP TIMIN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... IABP Timing
Display Name..... IABP Timing
Help Text..... IABP Timing
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. 1:1 (1:1) {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}
 - 2. 1:2 (1:2) {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}
 - 3. 1:3 (1:3) {062B4F93-8F48-7373-F679-11F57CE98BB3}
 - 4. 1:4 (1:4) {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
 - 5. 1:8 (1:8) {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

ID: {B2BA8A27-B578-40B6-83A0-77D95C49B59B}

=====

Abbreviation..... IABP TI CH
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Was The IABP Timing Checked?
Display Name..... IABP Timing Check
Help Text..... Was The IABP Timing Checked?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: IABP UAEDP

Page: 224

ID: {6CB7493C-6175-4FFA-AEA9-C60CF2EE0EE4}

=====

Abbreviation..... IABP UAEDP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Unassisted Aortic End Diastolic
Pressure

Display Name..... IABP UAEDP

Help Text..... IABP Unassisted Aortic End Diastolic
Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLIMETERS OF MERCURY

0 > 40 * 90 < 200

Dec Prec: 0

=====

TERM: IABP UNASSISTED SYSTOLIC PRESSURE

Page: 225

ID: {BA1A966E-51BE-42D7-84F6-2C119AD043F8}

=====

Abbreviation..... IABP U S P

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Unassisted Systolic Pressure

Display Name..... IABP Unassisted Systolic Pressure

Help Text..... IABP Unassisted Systolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 0 > 80 * 150 < 250 Dec Prec: 0

=====

TERM: INACTIVE - ARTERIAL LINE SITE

Page: 226

ID: {F7924F9E-16C8-0C2C-9461-FBC45435191A}

=====

Abbreviation..... A LINE SIT
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Arterial Line Site
Help Text..... Site of arterial line
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - ARTERIAL LINE TYPE

Page: 227

ID: {708908E0-9BCD-4DCA-A33D-CB5C6A729526}

=====

Abbreviation..... ALINE TYPE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Arterial Line Type

Display Name..... Arterial Line Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - AUDIOMETRY

Page: 228

ID: {FFD29134-8BB2-248E-0412-93C2C08B076F}

=====

Abbreviation..... AUD

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Audiometry

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4688718

UNITS:

ID: {4819B466-D0D0-4851-A434-E1691ECA1E65}

=====

Abbreviation..... BIS

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bispectral Index

Display Name..... Bispectral Index

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - BODY MASS INDEX

Page: 230

ID: {54398789-EC32-4F1D-8E02-913FC96FD198}

=====

Abbreviation..... BMI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... BMI

Help Text..... Body Mass Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - CARDIAC AV FISTULA BRUIT

Page: 231

ID: {A0E99499-8021-47FF-AEA2-EB33B9648B0E}

=====

Abbreviation..... AV FIST BR

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... AV Fistula Bruit

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - CATHETER TYPE

Page: 232

ID: {01941D20-3FD7-A4BF-6108-712C7EBC33A1}

=====

Abbreviation..... CATHETER T

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Catheter Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - CENTRAL LINE SITE

Page: 233

ID: {D6FC875B-CC24-2981-B85E-07FF9CD798AB}

=====

Abbreviation..... C LINE SIT
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Site
Help Text..... Site of Central Line
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - CHEST TUBE DRESSING INTACT

Page: 234

ID: {525B2489-75C2-4AB3-9441-A457BCD7B257}

=====

Abbreviation..... CH TU DR I

Active..... No

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Chest Tube Dressing Intact

Display Name..... Chest Tube Dressing Intact

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - CHEST TUBE SITE

Page: 235

ID: {C5224B54-65A5-2010-F9E3-1C4570500A11}

=====

Abbreviation..... CHEST TU S
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... SITE OF CHEST TUBE
Display Name..... Chest Tube Site
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - COUGH AND DEEP BREATH EVENTS

Page: 236

ID: {5F7D2087-018E-4DA4-8B36-02743F65A769}

=====

Abbreviation..... C&DB EVENT

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Cough and Deep Breath Events

Display Name..... Cough and Deep Breath Events

Help Text..... Cough and Deep Breath Events

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - DATE

Page: 237

ID: {5BB40FB6-173F-9656-8D5B-7A2F5A5F3B82}

=====

Abbreviation..... DATE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Todays Date

Display Name..... Date

Help Text..... Date: Year, Date: Month, Date: Day

are all available

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - DATE DAY

Page: 238

ID: {CD91474C-1EB3-304B-4E3A-B85F6976C1E7}

=====

Abbreviation..... DATE DAY
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... The day of the month
Display Name..... Date: Day
Help Text..... The day of the month
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - DATE MONTH

Page: 239

ID: {D4E1590F-7B12-FD7C-B545-9CF83BA68BAC}

=====

Abbreviation..... DATE MONTH

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Month of the year

Display Name..... Date: Month

Help Text..... Month of the year

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - DATE YEAR

Page: 240

ID: {57029BBB-5904-DE1D-F58D-AF13A890C6ED}

=====

Abbreviation..... DATE YEAR

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The Year

Display Name..... Date: Year

Help Text..... The Year

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - DIALYSIS CATHETER SITE

Page: 241

ID: {FC099337-E02E-84E6-7338-E423ECD3DDCB}

=====

Abbreviation..... DIAL CTH S

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Dialysis Catheter Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - EDEMA LOCATION

Page: 242

ID: {8C4F762B-FD4A-CB97-326F-74C4A2ED5548}

=====

Abbreviation..... EDEMA LOCA

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Location of identified edema

Display Name..... Edema Location

Help Text..... Location of identified edema

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - ENTERAL NUTRITION FORMULA

Page: 243

ID: {1C7EF762-4D93-438B-8CBD-2CB98E6C8686}

=====

Abbreviation..... ENT NUT FO

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Enteral Nutrition Formula Used

Display Name..... Enteral Nutrition Formula

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - GI EMESIS APPEARANCE

Page: 244

ID: {1B314FCB-6B36-46E0-8306-60C361377BAB}

=====

Abbreviation..... GI EME APP
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Emesis Appearance
Display Name..... Emesis Appearance
Help Text..... Emesis Appearance
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - HEARING

Page: 245

ID: {813CCC94-3D64-5093-BC6C-053EFD9948F9}

=====

Abbreviation..... HEARING
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Hearing
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void..... 4688723

UNITS:

=====

TERM: INACTIVE - IABP INSERTION SITE

Page: 246

ID: {657C16D3-529D-3720-0602-7AA26EBD0D08}

=====

Abbreviation..... IABP SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... IABP Insertion Site

Help Text..... Site of Invasive Arterial Blood

 Pressure line insertion

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - IABP SITE

Page: 247

ID: {EA276ABE-52D0-6D4D-1B0A-7E6443BB264F}

=====

Abbreviation..... IABP SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... IABP Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - INCISION LOCATION

Page: 248

ID: {8A9D3611-6984-4FA1-9C16-4DC215F9B4D6}

=====

Abbreviation..... IN LOCATIO

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Incision Location

Display Name..... Incision Location

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - INCISION SITE

Page: 249

ID: {9DBE601B-4D61-D280-1F13-0FDE3533B0A4}

=====

Abbreviation..... WOUND INCS

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... SITE OF WOUND INCISION

Display Name..... Incision Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - IV DOSE RATE

Page: 250

ID: {992F3BFD-44C8-4366-A9F0-3BDCEB9A7EEC}

=====

Abbreviation..... IV DOSE RA

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IV Dose Rate

Display Name..... IV Dose Rate

Help Text..... Enter in the IV medication dose rate
administered over time

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - IV FLUID

Page: 251

ID: {60B33951-8ABD-41B1-A9FA-5EE1F85CAB97}

=====

Abbreviation..... IV FLUID

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... IV FLUID

Display Name..... IV FLUID

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - IV INSERTION DATE

Page: 252

ID: {D01454A0-E430-8B54-C7A6-11B04EBAA417}

=====

Abbreviation..... IV DATE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV Insertion Date

Help Text..... Date IV Inserted

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - IV SITE

Page: 253

ID: {7F252F53-B53D-D8BD-097B-78197EE99FBA}

=====

Abbreviation..... IV SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Site of IV

Display Name..... IV Site

Help Text..... Site of IV

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OR OUTPUT - CHEST TUBE

Page: 254

ID: {F6ECA901-354B-4C5B-B03F-C17F7F6448B6}

=====

Abbreviation..... OR OUT CHE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Output - Chest Tube

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OR OUTPUT - DRAIN

Page: 255

ID: {1A99C3C7-9FE1-46D3-9A32-57A2C735DFC6}

=====

Abbreviation..... OR OUT DRA

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Output - Drain

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OR OUTPUT - PUMP LOSS

Page: 256

ID: {6A424E02-67FF-49F6-9B33-853BE8545B9B}

=====

Abbreviation..... OR OUT PUM

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Output - Pump Loss

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OR OUTPUT - URINE

Page: 257

ID: {3ECAAD17-1BA5-4D0A-BEDC-EC512D32EFF9}

=====

Abbreviation..... OR OUT URI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Ouput - Urine

Help Text..... contributes to output total value

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OSTOMY TYPE

Page: 258

ID: {975E1FD8-521C-4818-9975-98A30B12C1EF}

=====

Abbreviation..... OSTOMY TYP
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Ostomy Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - OXYGEN DELIVERED

Page: 259

ID: {CFD876D1-AC28-F63F-3B6C-680F5B66A1BD}

=====

Abbreviation..... D02

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Oxygen Delivered

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - OXYGEN DELIVERY METHOD

Page: 260

ID: {F320E0CF-6BAC-3B6D-F5D7-21253FB88A4F}

=====

Abbreviation..... O2 DEL MET

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Type of equipment used to deliver
oxygen to patient

Display Name..... Oxygen Delivery Method

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - OXYGEN EXTRACTION RATIO

Page: 261

ID: {D6C6849F-6134-417F-AD8B-7853F5AE3451}

=====

Abbreviation..... O2ER

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Ratio of Oxygen Consumed (VO2) to
Oxygen delivered (DO2)

Display Name..... O2ER

Help Text..... Ratio of Oxygen Consumed (VO2) to
Oxygen delivered (DO2)

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - PA CATHETER INSERTION DATE

Page: 262

ID: {64ADD596-950E-EDB5-D7DE-38F5F8601D9E}

=====

Abbreviation..... PA INS DAT

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PA Catheter Insertion Date

Help Text..... Date PA Catheter Inserted

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PA CATHETER SITE

Page: 263

ID: {1E2B676E-24D4-28D6-9EC4-2200F3DA31B6}

=====

Abbreviation..... PA SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PA Catheter Site

Help Text..... Site of PA Catheter

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PACEMAKER DATE INSERTED

Page: 264

ID: {B395D1F6-2788-CA17-618C-62719C1CAF4A}

=====

Abbreviation..... PDI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Date Inserted

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PACEMAKER SITES

Page: 265

ID: {668C0AE7-061F-C573-A119-8ED8D006F018}

=====

Abbreviation..... PMSI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Pacemaker Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PAIN LOCATION

Page: 266

ID: {20836431-E2C3-41CA-BE14-A8FB1F6A8637}

=====

Abbreviation..... PAIN LOC
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Location of patients Pain
Display Name..... Pain Location
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - POST OPERATION DAY NUMBER

Page: 267

ID: {82FF0CE1-48CD-4AA8-6292-CB6879B8CD75}

=====

Abbreviation..... POD#

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... NUMBER OF DAYS SINCE OPERATION

Display Name..... Post Op Day #

Help Text..... Number of days since operation.

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PRESSURE ULCER SITE

Page: 268

ID: {580747C6-F7B1-4CCA-AE24-E82C436746B6}

=====

Abbreviation..... PR UL SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Site

Display Name..... Pressure Ulcer Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - PRESSURE ULCER VISIBLE STRUCTURE

Page: 269

ID: {C911EB61-F151-42C2-A6EC-1EA357EA6F1D}

=====

Abbreviation..... PR UL VISI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Pressure Ulcer Visible Anatomical
Structure

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: INACTIVE - PULSE OXIMETRY

Page: 270

ID: {9B830A66-0278-20E1-DB38-089A952DF381}

=====

Abbreviation..... PO2

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... O2 saturation

Display Name..... Pulse Oximetry

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4500637

UNITS:

=====

TERM: INACTIVE - SKIN DISCHARGE COLOR

Page: 271

ID: {C4633087-CBC5-4924-ADF6-846D13624D3E}

=====

Abbreviation..... SKI DIS CO

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Discharge Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - SKIN DISCHARGE ODOR

Page: 272

ID: {4E9309BD-6F1E-4D2C-B500-CE724A92A0F6}

=====

Abbreviation..... SKI DIS OD

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Discharge Odor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - SKIN DRAINAGE CHARACTERISTICS

Page: 273

ID: {9F12C134-BA23-40C9-8CC9-0AC08D8891CA}

=====

Abbreviation..... SKI DRA CH

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Drainage Characteristics

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - VENTILATOR IN-LINE NEBULIZER

Page: 274

ID: {12804E1D-9B65-4027-BCD4-1A28C9C57730}

=====

Abbreviation..... VENT I-L N

Active..... No

Boolean Value False..... Off

Boolean Value True..... On

Data Type..... Boolean

Description..... Ventilator In-Line Nebulizer

Display Name..... Ventilator In-Line Nebulizer

Help Text..... Ventilator In-Line Nebulizer

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INACTIVE - WOUND SITE

Page: 275

ID: {7BFBDAAF-779E-4C7A-82F3-DA9E0E7DD597}

=====

Abbreviation..... WOU SITE
Active..... No
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Wound Site
Display Name..... Wound Site
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: INACTIVE - WOUND TOPICAL TREATMENT TYPE

Page: 276

ID: {29E59078-A908-496E-ABC7-B2C48A4E6400}

=====

Abbreviation..... WOU TOP TR

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Topical Treatment

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {C1E6301C-CB9C-4909-9500-9AA01C42583D}

=====

Abbreviation..... INC SPIROM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Incentive Spirometry
Display Name..... Incentive Spirometry
Help Text..... Incentive Spirometry
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}
 - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 3. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

ID: {14342EB1-1961-C52E-D00A-DA5E7509C4FD}

=====

Abbreviation..... INC DIS CH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Incision Discharge Characteristics
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
 3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
 4. SEROSANGUINOUS (SEROSANGUI)
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
 5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
 6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
 8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}

UNITS:

ID: {77AAAB12-979C-2624-5CFE-7FD5F2310AD5}

=====

Abbreviation..... I DR AMOUN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Amount of incision drainage
Display Name..... Incision Drainage Amount
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

1. INCISION DRAINAGE AMOUNT NONE (I DR A NON)
{5D0D9027-4B20-43A4-B437-EA7B77CB2105}
2. INCISION DRAINAGE AMOUNT SCANT (I DR A SCA)
{A476E395-46AA-44E7-8A00-CE22C7066BB1}
3. INCISION DRAINAGE AMOUNT SMALL (I DR A SMA)
{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}
4. INCISION DRAINAGE AMOUNT MODERATE (I DR A MOD)
{9B0487A9-DCB4-42D3-92E6-805C412B5D34}
5. INCISION DRAINAGE AMOUNT HEAVY (I DR A HEA)
{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}

QUALITY:

1 entries

1. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

ID: {4BE5369B-FBED-40B9-8950-AF370A31A189}

=====

Abbreviation..... IN DR PREV

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Incision Dressing Prevents Full
Assessment

Display Name..... Incision Dressing Prevents Full
Assessment

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

ID: {AA1F8811-85BF-187A-7A1D-D55A2B523190}

=====

Abbreviation..... INC DRE TY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... OBSERVATION OF INCISION WOUND DRESSING

Display Name..... Incision Dressing Type

Help Text..... Incision Dressing Type

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 15 entries

1. INCISION DRESSING TYPE NONE (INC DR NON)

{81F07C8D-A463-48A0-A64A-A143CECB5DD6}

2. INCISION DRESSING TYPE PRESSURE (INC DR PRE)

{B5823373-E5D8-40A5-954C-6A193D7E7511}

3. INCISION DRESSING TYPE ANTIMICROBIAL (INC DR ANT)

{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}

4. INCISION DRESSING TYPE GAUZE (INC DR GAU)

{E4AC9307-0512-4F9D-A254-FE19E654461F}

5. INCISION DRESSING TYPE TRANSPARENT (INC DR TRA)

{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}

6. INCISION DRESSING TYPE ANTIMICROBIAL DISK (INC DR ADI)
{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}
7. INCISION DRESSING TYPE GAUZE WRAP (INC DR GWR)
{E1DBEC29-1430-4DA0-99DC-49B9389D2440}
8. INCISION DRESSING TYPE FOAM DRESSING (INC DR FOA)
{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}
9. INCISION DRESSING TYPE GAUZE PACKING (INC DR GPA)
{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}
10. INCISION DRESSING TYPE HYDROCOLLOIDAL (INC DR HYD)
{424CCDCA-5196-4BBB-AE8B-0F68DDCC3FCF}
11. INCISION DRESSING TYPE CALCIUM ALGINATE (INC DR CAL)
{B20558BA-FB9E-499E-82DF-49616ACE9375}
12. INCISION DRESSING TYPE HYPERTONIC HYDROGEL (INC DR HYP)
{25820A63-AD76-4198-BEB1-EF95DDEC5B35}
13. INCISION DRESSING TYPE HYDROGEL (INC DR HYD)
{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}
14. INCISION DRESSING TYPE BALSAM OF PERU (INC DR BAL)
{A1FB45C6-6315-4282-8D89-DCB0C018E357}
15. INCISION DRESSING TYPE BISMUTH GAUZE (INC DR BIS)
{CA88C5DC-3890-49A2-800A-0528CE194BA8}

UNITS:

=====

TERM: INCISION EDGE

Page: 282

ID: {3FEA28A9-1C53-47D7-95F9-BFFFFB25576C6}

=====

Abbreviation..... INC ED
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Incision Edge
Display Name..... Incision Edge
Help Text..... Incision Edge
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

1. INCISION EDGE INDISTINCT/ATTACHED (INC ED ATT)
{AF7E7150-525E-49A4-AC23-042B788E8805}
2. INCISION EDGE NON-ATTACHED (INC ED NON)
{F457F951-F1DC-47AC-9336-AC093E149862}
3. INCISION EDGE TUNNELING (INC ED TUN)
{492CD783-3C32-40F0-AE35-5A89E90409A7}
4. INCISION EDGE UNDERMINING (INC ED UND)
{0F3E968A-B867-4123-8C05-ED6B12D364CD}
5. INCISION EDGE ROLLED (INC ED ROL)
{FFA33CAE-5D8B-4501-8120-A536BE53296F}

UNITS:

=====

TERM: INCISION ERYTHEMA

Page: 283

ID: {D87F3C97-622C-43D3-9C7F-55C2C848941B}

=====

Abbreviation..... INC ERYTHE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Incision Erythema

Display Name..... Incision Erythema

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

4 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. LIMITED TO INCISION (LIM TO INC)

{81A61254-55B6-47E1-8BE2-F4A47F624BC6}

3. EXTENDS INTO PERIWOUND <1CM (EX IN PER<)

{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}

4. EXTENDS INTO PERIWOUND>1CM (EX IN PER>)

{1F31FEBB-DA19-434C-8C58-67CDC5385231}

UNITS:

=====

TERM: INCISION ODOR

Page: 284

ID: {2584F1F9-CD15-450C-BDDB-D0B2B1924303}

=====

Abbreviation..... INC OD
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Incision Odor
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. INCISION ODOR NONE (INC OD NON)
{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}
 2. INCISION ODOR FOUL (INC OD FOU)
{ECDC0988-BE82-41E3-8104-A66A5F8A1093}

UNITS:

=====

TERM: INCISION PRESENT

Page: 285

ID: {CC0DD035-AAD2-4C9F-B971-E13B2FF0DB9C}

=====

Abbreviation..... INCIS PRES

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Incision Present

Display Name..... Incision Present

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

LOCATION: 85 entries

1. L THORACOTOMY (L THORACOT)
{313C11A1-559A-4F68-8718-4012416EC189}
2. R THORACOTOMY (R THORACOT)
{A18E4BB3-0718-48D6-BD49-720A70C0EF60}
3. L TRAPEZIUS (L TRAPEZIU) {B74CF943-C10F-4A1B-A19A-4975E674A97A}

4. R TRAPEZIUS (R TRAPEZIU) {69753B67-AFA1-4C93-BA78-E266F9894E46}
5. DONOR SITE (DONOR SITE) {F0A65974-7650-4A4B-AC88-0945E37A0AD2}
6. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
7. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
8. L LOWER ANTERIOR CHEST (L L A CHES)
{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}
9. R LOWER ANTERIOR CHEST (R L A CHES)
{96BCF731-B661-4455-B5E7-C4AE2509505F}
10. L MIDDLE ANTERIOR CHEST (L M A CHES)
{36A83F77-117E-474B-AE34-0B2C02E131AE}
11. R MIDDLE ANTERIOR CHEST (R M A CHES)
{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}
12. L UPPER ANTERIOR CHEST (L U A CHES)
{FE63B58A-DE39-4C03-AE61-E34A5487C767}
13. R UPPER ANTERIOR CHEST (R U A CHES)
{67890049-A4A8-4241-BDF3-573729BD6EB5}
14. L LOWER POSTERIOR CHEST (L L P CHES)
{2C19F10B-7546-4A1F-A5DC-3867359ED971}
15. R LOWER POSTERIOR CHEST (R L P CHES)
{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}
16. L MIDDLE POSTERIOR CHEST (L M P CHES)
{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}
17. R MIDDLE POSTERIOR CHEST (R M P CHES)
{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}
18. L UPPER POSTERIOR CHEST (L U P CHES)
{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}
19. R UPPER POSTERIOR CHEST (R U P CHES)
{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}

20. MIDLINE ABDOMINAL (MID ABDOMI)

{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}

21. UMBILICAL (UMBILICAL) {8874B300-0751-49AF-8211-CF4C009C68B5}

22. TRANSVERSE ABDOMINAL (TRANS ABDO)

{1C10FF98-7B20-45D0-B420-714981832B3D}

23. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

24. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}

25. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

26. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

27. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}

28. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

29. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

30. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

31. L INGUINAL (L INGUINAL) {627D172E-8F33-48C9-BE89-D036E07D46BF}

32. R INGUINAL (R INGUINAL) {395233DF-3B89-49E0-946B-EB5C02E51178}

33. L FLANK (L FLANK) {6E453E8D-B456-4BFD-A015-F9C013830F30}

34. R FLANK (R FLANK) {F5700ED2-646F-4B75-A55B-111C27FB939C}

35. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

36. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

37. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}

38. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}

39. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}

40. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

41. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}

42. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

43. L CALF (L CALF) {3DAA7817-936B-444F-8A2D-D3AB09144C10}

44. R CALF (R CALF) {0298A452-4901-44BF-A7A8-F42DD3BA8B63}

45. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}

46. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}
47. MIDLINE NECK (MID NECK) {FF666713-278D-46D6-8D25-E5D57E78EA08}
48. L NECK (L NECK) {C4EA6279-05E2-4195-A638-3794DCBA7B78}
49. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}
50. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
51. SPINE CERVICAL (SPINE CERV)
{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}
52. SPINE THORACIC (SPINE THOR)
{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}
53. SPINE LUMBAR (SPINE LUMB) {E7E411AB-5C29-4906-B0A9-E8658AAFFF91}
54. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
55. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
56. L THORACIC ANTERIOR (L THOR ANT)
{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}
57. R THORACIC ANTERIOR (R THOR ANT)
{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}
58. L THORACIC POSTERIOR (L THOR POS)
{68E3381F-7605-4786-85A8-523D215A2B97}
59. R THORACIC POSTERIOR (R THOR POS)
{E91085D2-E665-4EB6-A086-8CF573DECD8F}
60. L THORACIC LATERAL (L THOR LAT)
{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}
61. R THORACIC LATERAL (R THOR LAT)
{55C48294-D3F3-4013-B552-BA3344D9513B}
62. L THORACOTOMY (L THORACOT)
{313C11A1-559A-4F68-8718-4012416EC189}
63. R THORACOTOMY (R THORACOT)
{A18E4BB3-0718-48D6-BD49-720A70C0EF60}

64. THYROID (THYROID) {6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}
65. L PARIETAL (L PARIETAL) {2687ED24-F35E-456C-99C9-F6A8EC4364E0}
66. R PARIETAL (R PARIETAL) {28C927CD-1342-483B-B366-0B7EA8ACABAD}
67. L ORBIT (L ORBIT) {1D798E35-5095-4BA0-8F9F-FA96668A5239}
68. R ORBIT (R ORBIT) {DFFD974A-1684-49AE-8230-8E12411EA62E}
69. L MANDIBULAR (L MANDIBUL) {CB9DB373-5F0A-446B-909F-F76392CB3A04}
70. R MANDIBULAR (R MANDIBUL) {303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}
71. L ORAL (L ORAL) {057B787A-8750-4563-80DB-25110CCC1146}
72. R ORAL (R ORAL) {9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}
73. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
74. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
75. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
76. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
77. L THUMB (L THUMB) {F82F4731-2CC5-4705-91BE-05E40C25B419}
78. R THUMB (R THUMB) {B414BD68-4155-45B3-985D-B2F8252A20FE}
79. L FINGER (L FINGER) {BB825645-1630-498C-A31B-6728D422EEFC}
80. R FINGER (R FINGER) {E12CA0EF-3267-4B93-8643-230E2226C3D6}
81. L TOE (L TOE) {C666DE86-E7AE-4AB3-8AE1-91496219E63D}
82. R TOE (R TOE) {B65727AB-3205-4DCE-833F-6DA8554636F9}
83. L OCCIPITAL (L OCCIPTAL) {A4234F41-CD6F-4CE1-9210-316DB847BDE2}
84. R OCCIPITAL (R OCCIPITA) {5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}
85. OCCIPITAL (OCCIPITAL) {5A3E384B-1C87-4A19-A449-DB91AB443FFC}

UNITS:

=====

TERM: INCISION STAPLES INTACT

Page: 286

ID: {FA75C02B-3698-4D85-A293-0ACC8C1D3252}

=====

Abbreviation..... IN STA INT
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Incision Stapes Intact
Display Name..... Incision Staples Intact
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: INCISION SUTURES INTACT

Page: 287

ID: {A5C84A03-633B-4A9B-891B-292449B8C409}

=====

Abbreviation..... IN SUT INT

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Incision Sutures Intact

Display Name..... Incision Sutures Intact

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: INCISION TENDER TO PALPATION

Page: 288

ID: {C6ACAC1F-0AEF-4F1B-A487-35A92207AE22}

=====

Abbreviation..... IN TENDER

Active..... Yes

Boolean Value False..... Patient Denies

Boolean Value True..... Appropriate

Data Type..... Boolean

Description..... Incision Tender To Palpation

Display Name..... Incision Tender To Palpation

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {BA138A48-8B25-40CF-8345-2AD9E12CC840}

=====

Abbreviation..... INF SET CH
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Was the infusion set changed?
Display Name..... Infusion Set Changed
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: INSULIN PUMP SQ INFUSION ON?

Page: 290

ID: {0B8DD5F9-E685-4D44-81D1-04D17DE1E5DA}

=====

Abbreviation..... In Pump on

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Insulin Pump SQ Infusion On?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: INTAKE

Page: 291

ID: {062BB93E-EECB-A074-63D7-EB95E176D6A3}

=====

Abbreviation..... Intake

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Intake

Help Text..... For Volume (ml) inputs use a value
between 0 and 9999, For Volume (.oz)
use value between 0 and 64

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 7 entries

1. IV (IV) {52141E2F-7942-4C60-9B08-62F3B4640020}
2. TPN (TPN) {B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}
3. ENTERAL FEEDING / SUPPLEMENT (EF/SUPPLEM)
{8389A9F5-0D48-496D-A605-1560B055DCC0}
4. ENTERAL FEEDING TUBE (ENT FEED T)
{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}
5. P.O. (PO) {7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}
6. TRANSFUSION (TRANSFUSIO) {9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}

7. COLLOID (COLLOID M) {2AE33508-5EA2-44DF-A401-74DD7B93AB6E}

PRODUCT: 33 entries

1. FORMULA 1.5 CAL (1.5 C FORM)

{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}

2. FORMULA 2.0 CAL (2.0 C FORM)

{E5FB9590-25AA-435A-B9B4-4812EA15C217}

3. 25 PERCENT ALBUMIN (25 PERC AL)

{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

4. 5 PERCENT ALBUMIN (5 PERC ALB)

{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

5. 6 PERCENT HETASTARCH (6 PERC HET)

{8A82F108-D2FE-4C21-93BB-344502235AE8}

6. BLOOD PRODUCT (bp) {A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}

7. CRYOPRECIPITATE (CRYOPRECIP)

{5329E737-E059-480D-83F8-1146B091C14E}

8. ELEMENTAL FORMULA (ELE FORM)

{E85DFA33-7F32-4348-9E0E-249AC301EC03}

9. FFP (FFP) {9DD0ECF5-634F-49CF-A529-A2657240A80C}

10. FFP - THAWED (FFP-THAWED) {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}

11. FORMULA FIBER (FIBER FORM)

{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}

12. GRANULOCYTES PHERESIS (GRAN PHERE)

{2B90878D-9C29-4731-9525-D7DD7FCB513B}

13. HEPATIC FORMULA (HEPAT FORM)

{41DEECAB-168F-4522-852C-C1ED751BFEDC}

14. JUICE (JUICE) {91FFF519-1677-BB1D-D959-65B1BFA10285}

15. NEPRO RENAL FORMULA (NEPR RENAL)
{59C9B396-A705-445B-B566-F030DA4B2B79}
16. NOVASOURCE 2.0 (NOVAS 2.0)
{67D16273-6271-43E1-80D6-D12C4D55E024}
17. PCA (PCA) {D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}
18. PLATELETS PHERESIS (PLATELET P)
{65CBDCBD-99DB-44FE-9230-D62886208EBF}
19. PLATELETS PHERESIS IRRADIATED (PLATEL P I)
{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}
20. PPN (PPN) {BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}
21. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}
22. PRBC - AUTOLOGOUS (PRBC-A)
{1580990C-0B35-4DDD-84AA-682B341C9B76}
23. PRBC - LEUKOREduced (PRBC-L)
{13DB3170-6C26-4178-B429-C02AFC541AC7}
24. PRBC - LEUKOREduced - DIRECTED (PRBC-L-D)
{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}
25. PRBC - LEUKOREduced - IRRADIATED (PRBC-L-I)
{B4431519-0102-49ED-94D6-1738E375C5A4}
26. PRBC - LEUKOREduced - WASHED (PRBC-L-W)
{BB58F35A-1086-4061-B485-FA35DFB79A0D}
27. SANDOSOURCE PEPTIDE (SAND PEPTI)
{B543461C-7316-4750-9918-B30E96AB3C95}
28. TPN (TPN) {55341B62-E356-4C38-A52D-4F196751E9EB}
29. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
30. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}
31. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
32. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

33. WHOLE BLOOD (WHOL BLOOD) {144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

OUNCE -1 > 0 * 64 < 350 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER)

Page: 292

ID: {182D805C-CF2D-4829-8925-6916D027020D}

=====

Abbreviation..... CBI Irriga

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Intake - CBI Irrigation to Subtract

(negative number)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER

-99999 > -99999 * 0 < 0 Dec Prec: 0

=====

TERM: INTAKE - DIALYSIS

Page: 293

ID: {CE3D8DBD-278C-4D3D-AA4F-2E5800C17DBF}

=====

Abbreviation..... INT DIALYS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Dialysis Intake

Display Name..... Dialysis Intake

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 4 entries

1. HEMODIALYSIS (HEMODIALYS) {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}

2. PERITONEAL DIALYSIS (PERI DIALY)

{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}

3. CVVHD (CVVHD) {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}

4. CRRT (CRRT) {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER

-1 > 0 * 9999 < 10000

Dec Prec: 0

=====

TERM: INTAKE - EF/SUPPLEMENT CALORIES

Page: 294

ID: {58506F9F-9D10-47F6-A195-5CE7D749FFBC}

=====

Abbreviation..... INT EF CAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Enteral Feeding and Supplement Calories

Display Name..... Intake - EF/Supplement Calories

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CALORIE

-1 > 0 * 500 < 2001

Dec Prec: 0

=====

TERM: INTAKE - ENTERAL FEEDING TUBE

Page: 295

ID: {769017E8-B98E-45DC-9706-FE6475B7FF8D}

=====

Abbreviation..... INT EF TU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Intake - EF Tube

Display Name..... Intake - EF Tube

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - ENTERAL TUBE FLUSH

Page: 296

ID: {9A509673-FD4C-4F7B-BDF4-FD3E6ECD4A64}

=====

Abbreviation..... En Tube FI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Intake - Enteral Tube Flush

Help Text..... Specify water flush for enteral
feeding tube

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER

0 > 0 * 9999 < 9999

Dec Prec: 0

=====

TERM: INTAKE - GI TUBE

Page: 297

ID: {38602EA8-600E-4427-A695-029DFE06883F}

=====

Abbreviation..... INT GI TU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... GI Tube Intake
Display Name..... GI Tube Intake
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

ID: {385178C8-3E17-4CEC-8C4B-3DA83E4ACA8D}

=====

Abbreviation..... INT IRRIGA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Irrigation Intakes
Display Name..... Intake - Irrigation
Help Text..... Fluid intake from irrigations
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 2 entries

- 1. BLADDER (BLAD) {E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}
- 2. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

PRODUCT: 5 entries

- 1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}
- 2. BACTERIOSTATIC WATER (BACTER H2O)
{EF13BCA6-3AF2-47E9-87A0-82642B529368}
- 3. DAKINS SOLUTION (DAKINS SOL)
{51651D24-B909-427B-9FF0-3C2859A63D73}

4. AMPHOTERICIN B (AMPHOTER B)

{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}

5. ANTIBIOTIC (AB) {BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {80BF8A4E-7536-4325-A803-F66E83C11E3B}

=====

Abbreviation..... INT BLOOD
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Blood Products given to patient
Display Name..... Intake - IV Blood Products
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

PRODUCT: 18 entries

1. CRYOPRECIPITATE (CRYOPRECIP)
{5329E737-E059-480D-83F8-1146B091C14E}
2. FFP (FFP) {9DD0ECF5-634F-49CF-A529-A2657240A80C}
3. FFP - THAWED (FFP-THAWED) {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}
4. GRANULOCYTES PHERESIS (GRAN PHERE)
{2B90878D-9C29-4731-9525-D7DD7FCB513B}
5. PLATELETS PHERESIS (PLATELET P)
{65CBDCBD-99DB-44FE-9230-D62886208EBF}
6. PLATELETS PHERESIS IRRADIATED (PLATEL P I)
{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}

7. PRBC - AUTOLOGOUS (PRBC-A)

{1580990C-0B35-4DDD-84AA-682B341C9B76}

8. PRBC - LEUKOREduced (PRBC-L)

{13DB3170-6C26-4178-B429-C02AFC541AC7}

9. PRBC - LEUKOREduced - DIRECTED (PRBC-L-D)

{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}

10. PRBC - LEUKOREduced - IRRADIATED (PRBC-L-I)

{B4431519-0102-49ED-94D6-1738E375C5A4}

11. PRBC - LEUKOREduced - WASHED (PRBC-L-W)

{BB58F35A-1086-4061-B485-FA35DFB79A0D}

12. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}

13. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}

14. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

15. PLASMAPHERESIS (PLASMAPHER)

{E1214367-8BB0-4FAA-A916-EC707569A9C4}

16. 25 PERCENT ALBUMIN (25 PERC AL)

{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

17. 5 PERCENT ALBUMIN (5 PERC ALB)

{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

18. Rh IMMUNE GLOBULIN (Rh IM GLOB)

{1FE7BD0C-7252-427A-8216-36FCA4637089}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV CALORIES

Page: 300

ID: {868852E2-3D29-4007-BB36-62F6D90B1685}

=====

Abbreviation..... INT IV CAL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Calories taken in by IV
Display Name..... Itake - IV Calories
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

CALORIE -1 > 0 * 9999 < 20000 Dec Prec: 0

=====

TERM: INTAKE - IV CARDIAC OUTPUT INJECTATE

Page: 301

ID: {FE023C43-32D0-4937-A100-0F14CDCACEF2}

=====

Abbreviation..... INT CO INJ

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Cardiac Output Injectate

Display Name..... Cardiac Output Injectate

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV COLLOID

Page: 302

ID: {7CD55D76-7D00-414E-BF24-315A5A92A998}

=====

Abbreviation..... INT IV COL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Intake of IV Colloids
Display Name..... Intake IV Colloids
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 4 entries

-
1. ALBUMIN (ALBUMIN) {EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}
 2. 5 PERCENT ALBUMIN (5 PERC ALB)
{A2D0F9A0-A9EC-4540-9663-B8B19A189198}
 3. 25 PERCENT ALBUMIN (25 PERC AL)
{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}
 4. 6 PERCENT HETASTARCH (6 PERC HET)
{8A82F108-D2FE-4C21-93BB-344502235AE8}

UNITS:

MILLILITER -1 > 0 * 9999 < 20000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV CRYSTALLOIDS

Page: 303

ID: {DD597777-861C-44FD-82E6-1FFF925D0095}

=====

Abbreviation..... INT IV CRY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Intake of IV Crystalloids

Display Name..... Intake - IV Crystalloids

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {5902ECD7-7C26-481F-AE76-999211321FFD}

=====

Abbreviation..... INT IV FL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Intake - IV Fluids

Display Name..... Intake - IV Fluids

Help Text..... Enter Fluid type as 'Comments',
Continuous or IVPB

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER -1 > 0 * 9999 < 20000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV MEDS

Page: 305

ID: {79429ADC-7CFD-48E5-B44C-5159595C10AD}

=====

Abbreviation..... INT IV MED

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IV Intake of Medicines

Display Name..... Intake - IV Meds

Help Text..... Please note the type of med being
given in the 'comment'

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {DDD9CA13-29FA-4BDB-9558-B0DFEF76FA15}

=====

Abbreviation..... IN IV NUTR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... IV Nutrition
Display Name..... IV Nutrition
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 3 entries

-
1. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
 2. COLLOID (COLLOID) {5B912A05-9ECA-43C1-A117-BE0843313CDD}
 3. LIPIDS (LIPIDS) {80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0
CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - LINE FLUSH

Page: 307

ID: {0DAF17DD-4039-406C-9F53-5AB46E172648}

=====

Abbreviation..... IN LINE FL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Intake from line flush
Display Name..... Intake - Line Flush
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 2 entries

-
1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}
 2. LINE FLUSH HEPARIN (LN FL HEPA)
{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {86B055A5-04E4-4C85-B20B-9EA8F02E45AB}

=====

Abbreviation..... INT PCA VO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Intake PCA Volume

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1.00 > 0.00 * 5000.00 < 5001.00

Dec Prec: 2

=====

TERM: INTAKE - PERCENT MEAL CONSUMED

Page: 309

ID: {A3C27D46-477C-476E-8D56-A652B8BC3933}

=====

Abbreviation..... INT % MEAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Percentage of meal consumed by patient

Display Name..... Percent Meal Consumed

Help Text..... Percentage of meal consumed by patient

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

PERCENTAGE

-1 > 0 * 100 < 101

Dec Prec: 0

=====

TERM: INTAKE - PO CALORIES

Page: 310

ID: {DDCB1A84-6EA1-4ECC-AF57-EEA6754E8540}

=====

Abbreviation..... INT PO CAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pharyngeal Oral caloric intake

Display Name..... Intake - PO Calories

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CALORIE

-1 > 0 * 9999 < 10000

Dec Prec: 0

ID: {D6F28CE6-0E98-436E-AAC8-6749BC71F468}

=====

Abbreviation..... INT PO FLU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Oral intake of fluids
Display Name..... Intake PO Fluids
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 6 entries

-
1. NUTRITIONAL SUPPLEMENT (NUTR SUPPL)
{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}
 2. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
 3. JUICE (JUICE) {91FFF519-1677-BB1D-D959-65B1BFA10285}
 4. FULL LIQUID (FL LIQUID) {C8405270-CCA3-4BFF-B9D0-398590FBB1D9}
 5. SOFT DRINK (SOFT DRIN) {9216F0F9-4D5F-4AF7-8D84-04A2CE11BCBE}
 6. OTHER PO FLUID (PO OTHER) {1EA44424-4DE2-42B8-A50F-60DC56204502}

UNITS:

MILLILITER $0 > 1 * 10000 < 10001$ Dec Prec: 0

OUNCE $0 > 1 * 338 < 339$ Dec Prec: 0

CUBIC CENTIMETER $0 > 1 * 10000 < 10001$ Dec Prec: 0

=====

TERM: INTAKE - TPN CALORIES

Page: 312

ID: {6AAC56B6-D4B8-4F1C-A4D0-86FDD3B6C72E}

=====

Abbreviation..... INT TPN CA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Total parenteral nutrition calories

Display Name..... Intake - TPN Calories

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CALORIE

-1 > 0 * 2000 < 2001

Dec Prec: 0

=====

TERM: INTAKE - TRANSFUSION

Page: 313

ID: {DCD2263B-0390-4754-950A-6A410C0C59EB}

=====

Abbreviation..... INT TRANSF

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Transfusion Type

Display Name..... Transfusion

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: INTRACRANIAL PRESSURE

Page: 314

ID: {E11DD9AE-8220-432E-A855-4697F82AC17A}

=====

Abbreviation..... ICP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Intracranial Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTRICULAR DRAIN (VENT DRAIN)

{5FF035D1-9C97-415D-BBEB-943506395A0C}

UNITS:

MILLIMETERS OF MERCURY 0 > 8 * 20 < 30 Dec Prec: 0

UNITS:

ID: {48FBFFFC-1B66-4439-8B74-ECCDDDE37804}

=====

Abbreviation..... DR UN HR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Only to be used with products with
dosage measured in "Units"

Display Name..... IV DOSE RATE - UNITS/HOUR

Help Text..... Only to be used with products with
dosage measured in "Units"

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

UNITS PER HOUR

0 > 1 * 1200 < 2001

Dec Prec: 0

=====

TERM: IV DOSE RATE - UNITS/kg/HOUR

Page: 317

ID: {D1749D90-3EEE-41BE-BBF5-B3B00C18E8D2}

=====

Abbreviation..... IVDR UKH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Only to be used with products with
dosage measured in "Units"

Display Name..... IV DOSE RATE - UNITS/kg/HOUR

Help Text..... Only to be used with products with
dosage measured in "Units"

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

UNITS/kg/HOUR

0 > 10 * 51 < 101

Dec Prec: 0

=====

TERM: IV DOSE RATE - g/TIME

Page: 318

ID: {5D83FE3F-45BC-4D82-A7A7-832DA99A751F}

=====

Abbreviation..... IVDR g/t

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - g/TIME

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

GRAMS PER HOUR 0 > 20 * 80 < 100 Dec Prec: 0

GRAMS PER MINUTE 0 > 20 * 540 < 600 Dec Prec: 0

=====

TERM: IV DOSE RATE - mcg/TIME

Page: 319

ID: {24F22E1F-C661-4EAB-8CAE-C8D7E6A0DBFD}

=====

Abbreviation..... IV DR mc

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mcg/TIME

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MICROGRAMS PER HOUR -1.00 > 0.00 * 9999.00 < 10000.00

Dec Prec: 2

MICROGRAMS PER MINUTE -1.00 > 0.00 * 9999.00 < 10000.00

Dec Prec: 2

=====

TERM: IV DOSE RATE - mcg/kg/HOUR

Page: 320

ID: {7B983266-54DD-4F13-879B-44719FB91076}

=====

Abbreviation..... DR mckgH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mcg/kg/HOUR

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MICROGRAMS PER KILOGRAM PER HOUR

0.000 > 1.000 * 2000.000 < 9999.000

Dec Prec: 3

=====

TERM: IV DOSE RATE - mg/TIME

Page: 321

ID: {E4E00CBB-AE1C-48BE-A172-CDEFF039A311}

=====

Abbreviation..... nt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mg/TIME

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIGRAMS PER HOUR -1.00 > 0.00 * 9999.00 < 10000.00

Dec Prec: 2

MILLIGRAMS PER MINUTE -1.00 > 0.00 * 9999.00 < 10000.00

Dec Prec: 2

=====

TERM: IV DOSE RATE - mg/kg/HOUR

Page: 322

ID: {FE8EB504-6F94-4863-B673-489582F1233C}

=====

Abbreviation..... IV DR MG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mg/kg/HOUR

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIGRAMS PER KILOGRAM PER HOUR

0 > 1 * 2000 < 9999 Dec Prec: 0

ID: {0ED682FE-21ED-4D08-9250-46CB6FB85146}

=====

Abbreviation..... IV FLOW R
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... IV Flow Rate in ml / min or hour
Display Name..... IV Flow Rate
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MILLILITERS PER HOUR	-1.00 > 0.00 * 9999.00 < 10000.00
	Dec Prec: 2
MILLILITERS PER MINUTE	-1.00 > 0.00 * 9999.00 < 10000.00
	Dec Prec: 2

=====

TERM: IV FLOW RATE - ml/kg/TIME

Page: 324

ID: {5BDF4F11-9713-4B20-8DF1-49BB33DEAB67}

=====

Abbreviation..... IV FL kg

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV FLOW RATE - ml/kg/Time

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITERS PER KILOGRAM PER HOUR

0.00 > 1.00 * 40.00 < 100.00

Dec Prec: 2

MILLILITERS PER KILOGRAM PER MINUTE

0.00 > 0.33 * 1.33 < 1.70 Dec Prec: 2

=====

TERM: IV LINE CARE

Page: 325

ID: {3EC86714-EDBD-4D51-B4B7-465CB386DC72}

=====

Abbreviation..... IV LI CARE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Care of IV Lines
Display Name..... IV Line Care
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
2. DRESSING CHANGED (DRESS CHAN)
{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
3. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}
4. TUBING CHANGED/LABELED (TUBE CHANG)
{19BA337C-6E28-411E-9702-48B262C593FA}
5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
6. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}
7. LEVELED (LEVELED) {D72523B2-E0CD-40E1-AC14-2FA43636A456}
8. PRESSURE CALIBRATION (PRESS CALI)

{38C12E69-2CD2-4F61-98D9-06AB857DA51A}

9. ARTERIAL LINE CARE (ART LINE C)

{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}

10. CENTRAL VENOUS CATHETER (CENT VEN C)

{EE91E841-C09B-4432-A121-8EBAB92E9CD2}

11. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}

12. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}

13. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}

14. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}

15. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}

UNITS:

ID: {84D9EDBF-F38B-496F-90F7-CF99E8D11321}

=====

Abbreviation..... IV PORT #
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... IV Port descriptor or number
Display Name..... IV Port / Number
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

1. PROXIMAL PORT (PROX PORT) {3244EF4F-F18A-4250-96F5-ABCEA7BFA578}
2. MEDIAL PORT (MEDI PORT) {D1734D73-2E1A-4538-8884-05D8A78CF556}
3. DISTAL PORT (DIST PORT) {E493DF34-AD0E-4951-9715-5AD4EFA14036}
4. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
5. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
6. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
7. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
8. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
9. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
10. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}

- 11. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
- 12. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
- 13. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
- 14. 11 (11) {BD51A7B3-FACF-890C-472E-E3B28519CC16}
- 15. 12 (12) {ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

LOCATION: 20 entries

-
- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
 - 2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
 - 3. L ANTECUBITAL (L ANTECUBI)
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
 - 4. R ANTECUBITAL (R ANTECUBI)
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
 - 5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
 - 6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
 - 7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
 - 8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
 - 9. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
 - 10. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
 - 11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
 - 12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
 - 13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
 - 14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
 - 15. L INTERNAL JUGULAR (LIJ) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
 - 16. R INTERNAL JUGULAR (R INT JUGU)
{7ABF6916-D379-198D-6454-F0518A74844A}
 - 17. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

18. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

19. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

20. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

ID: {84C7D095-10E1-AFD2-405D-C44C8278241F}

=====

Abbreviation..... IV ST COND
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... IV Site Condition
Help Text..... Condition of IV Site
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}

LOCATION: 20 entries

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L ANTECUBITAL (L ANTECUBI)

{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

4. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}

6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

9. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

10. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}

12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

15. L INTERNAL JUGULAR (LIJ) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

16. R INTERNAL JUGULAR (R INT JUGU)

{7ABF6916-D379-198D-6454-F0518A74844A}

17. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

18. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

19. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

20. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: LABS PER ORDERS

Page: 328

ID: {6D66F3BC-9A35-4CE2-8677-00938428CD19}

=====

Abbreviation..... Labs p/Ord
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description.....
Display Name..... Labs per Orders
Help Text.....
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

ID: {1D980210-D857-457D-A335-DC248B264B10}

=====

Abbreviation..... LVEF - CON

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Continuous Left Ventricular Ejection
Fraction

Display Name..... LVEF - Continuous

Help Text..... If a range is provided use the midpoint

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 7 entries

1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}
2. NUCLEAR PERFUSION IMAGING (NPI)
{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}
3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)
{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}
4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)
{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}
5. MAGNETIC RESONANCE IMAGING (MRI)
{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}

6. COMPUTED TOMOGRAPHY (COM TOMOGR)

{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}

7. OTHER (OTHER)

{AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

PERCENTAGE

0 > 1 * 99 < 100

Dec Prec: 0

ID: {8B4D6E3B-1138-4BC0-A303-44B09F05A058}

=====

Abbreviation..... LVEF - CAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Categorical Left Ventricular Ejection
Fraction

Display Name..... LVEF - Categorical

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
2. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
3. BORDERLINE REDUCED (BORD REDUC)
{63703AB1-6249-403B-BDE8-FECA9FA36CF5}
4. MILD-MODERATELY REDUCED (MI-MOD-RED)
{41DA2518-0E49-4E92-A733-3ACF3D2E8199}
5. MODERATELY REDUCED (MOD REDUCE)
{91F73300-7EE0-428C-A838-5B3BE062D8BC}
6. MODERATE-SEVERELY REDUCED (MO-SEV RED)

{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}

7. SEVERELY REDUCED (SEV REDUCE)

{A895BACE-85AC-45B2-A190-4A6816DEDC1D}

8. LESS THAN 30 (<30) {5AA98A0D-9B05-425D-97CA-B8B12425AACA}

METHOD: 7 entries

1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}

2. NUCLEAR PERFUSION IMAGING (NPI)

{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)

{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}

4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)

{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}

5. MAGNETIC RESONANCE IMAGING (MRI)

{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}

6. COMPUTED TOMOGRAPHY (COM TOMOGR)

{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}

7. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

=====

TERM: LEFT VENTRICULAR STROKE WORK

Page: 331

ID: {E9D668F0-920C-7E29-A6A1-618FC8ECD19B}

=====

Abbreviation..... LVSW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Left Ventricular Stroke Work

Display Name..... Left Ventricular Stroke Work

Help Text..... Left Ventricular Stroke Work

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT 29.9 > 30.0 * 150.0 < 150.1

Dec Prec: 1

ID: {49E9E897-E19A-8FE9-416C-F98CA66EFBC9}

=====

Abbreviation..... LEGMOV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Leg Movements
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 - 2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

ID: {48EF6B0D-C435-12D4-EA93-F8F5D344E4C5}

=====

Abbreviation..... LOC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Level of Consciousness

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

-
- | | |
|------------------|--|
| 1. ALERT (a) | {BC7E2630-179A-5C80-E6C7-598D42F0BFD6} |
| 2. DROWSY (d) | {6B350814-A88A-0F05-C382-9F27830FBC09} |
| 3. RESTLESS (r) | {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8} |
| 4. AGITATED (a) | {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC} |
| 5. LETHARGIC (l) | {4ECA2E44-093A-9354-848E-CDC72B165072} |

UNITS:

ID: {9215BD72-FA1A-9146-EA8D-B4A33B455724}

=====

Abbreviation..... LLES
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Lower Limb Extremities Strength
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

-
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
 - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
 - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
 - 5. EQUAL (Equal) {AC079584-158D-EBF2-E13A-C2E919375E4D}
 - 6. UNEQUAL (Unequal) {73319200-164F-B39F-649C-B7FB1AFBDBB8}

LOCATION: 3 entries

-
- 1. L LOWER LIMB (LLLI) {4838CB05-A1DD-F4FB-587C-2D0C17A2484E}

2. R LOWER LIMB (R LOW LIMB) {A8E26A05-311A-F196-40B5-B5202D9F8058}

3. BILATERAL LEG (BILAT LEG) {0713761D-E0FC-DA03-02A1-F20EFEB99F45}

UNITS:

=====

TERM: LVSWI

Page: 335

ID: {7945FB00-2FA8-6D4C-BC85-0110EA75AC5C}

=====

Abbreviation..... LVSWI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Left Ventricular Stroke Work Index

Display Name..... LVSWI

Help Text..... Left Ventricular Stroke Work Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD:

1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT PER M2 19 > 20 * 150 < 151 Dec Prec: 0

GM-M/M2/BEAT 19 > 20 * 150 < 151 Dec Prec: 0

ID: {33452BD5-3E25-4B92-8849-F31EE04879AD}

=====

Abbreviation..... Mallampati
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Mallampati Score
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 1. CLASS I (Class I) {4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}
 - 2. CLASS II (Class II) {2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}
 - 3. CLASS III (Class III) {C0FFDE12-241C-4087-9404-DB128F6B793A}
 - 4. CLASS IV (Class IV) {176030D0-2576-4D2D-A5AB-E5DA38DADEB5}

UNITS:

ID: {9D9D9FD8-C352-6434-E796-C583407EBD45}

=====

Abbreviation..... MAP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Mean Arterial Pressure
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 5 entries

-
1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
 2. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
 3. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
 4. CARDIAC OUTPUT MONITOR (COM)
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}
 5. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

UNITS:

MILLIMETERS OF MERCURY

25 > 50 * 100 < 300

Dec Prec: 0

ID: {9038EF74-932A-42EE-992F-A20BD8784BB7}

=====

Abbreviation..... BP MEAN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Mean Blood Pressure
Display Name..... Mean Blood Pressure
Help Text..... Mean Blood Pressure
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 5 entries

-
- 1. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
 - 2. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
 - 3. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
 - 4. IABP (IABP) {4352A41F-AAF3-4544-9590-BAFD7977DF49}
 - 5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

MILLIMETERS OF MERCURY 20 > 50 * 100 < 200 Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE ARTERIAL LINE

Page: 339

ID: {4493FB14-8C5E-9995-C08F-D0BC9A3B5D0B}

=====

Abbreviation..... MBPAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Mean Blood Pressure Arterial Line

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 24 > 25 * 200 < 201 Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE NON-INVASIVE

Page: 340

ID: {A89EC390-60BB-FE79-6F40-F9E2BAFE5BB5}

=====

Abbreviation..... MBPNI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Mean Blood Pressure Non-Invasive

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 24 > 25 * 200 < 201 Dec Prec: 0

=====

TERM: MEAN BP CUFF

Page: 341

ID: {1F7DAE88-DE53-4807-F51F-47AB8A672EA1}

=====

Abbreviation..... MBPC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Mean BP Cuff

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY 24 > 25 * 200 < 201 Dec Prec: 0

=====

TERM: MED LAST DOSE: ANTIBIOTIC

Page: 342

ID: {F521A3A6-27C9-48F7-8203-6E5634783198}

=====

Abbreviation..... MLD AnBio

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Antibiotic

Help Text..... Date and time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: MED LAST DOSE: ANTICOAGULANT

Page: 343

ID: {4404F3B5-B163-4F86-B2B1-E1E9E0687937}

=====

Abbreviation..... MLD AnCoag

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Anticoagulant

Help Text..... Date and Time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: MED LAST DOSE: ASPIRIN

Page: 344

ID: {40F5DD1D-4534-463F-B4C8-5FF0D589C878}

=====

Abbreviation..... MLD Aspi

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Aspirin

Help Text..... Date and Time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {69BB442B-01B6-485F-A78D-423A74C18D06}

=====

Abbreviation..... MLD Non-St

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Non-steroidal

Anti-inflammatory Drug

Help Text..... Date and Time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {84C38C5F-75E6-4CC4-ABD4-3E4DD128082A}

=====

Abbreviation..... Health HX

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Moderate Sedation: Pre-assessment
CPRS Health HX Reviewed

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 15 entries

1. AICD (AICD) {EDB0E730-A1DC-4639-888B-30E956CCA958}
2. ARTIFICIAL VALVES (Art Valves)
{088BB4A5-A93E-47E2-B21F-BC2957D52693}
3. BMI>35KG/M2 (BMI>35KG/M) {FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}
4. DIABETES (Diabetes) {E295E970-759D-44CD-AD43-6047382A790D}
5. GRAFTS (Grafts) {E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}
6. IMPLANTS (Implants) {14998852-14FD-4C6A-BB8A-5073D6094B11}
7. PACER (Pacer) {F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}
8. KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (Known/Susp)

{BD47DD8C-7057-403B-B393-EBCBF9907B68}

10. METAL IMPLANTS (Metal Impl)

{E7424C97-0A81-4C4E-916E-0AE812FFDB96}

11. PREGNANT, NO (Preg, No) {D08F5D48-965E-4537-83BC-14722E28B0AE}

12. PREGNANT, YES (Preg, Yes) {CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}

13. SEIZURES (Seizures) {DE974E49-2AB6-4781-9930-468F2B781BA9}

14. SHUNTS (Shunts) {8D9CB03B-6D63-4205-86C3-869421BEBD04}

15. SNORES (Snores) {69FE4ECF-E1FE-4235-AD44-5AF9E634E000}

16. STROKE (Stroke) {F0EE98A8-040F-4923-8A21-059DA7B17995}

UNITS:

=====

TERM: MODERATE SEDATION: PRE-ASSESSMENT TIME OUT

Page: 348

ID: {04BC70CE-732A-404B-94AA-ED9273CFB408}

=====

Abbreviation..... Pre-Time O

Active..... Yes

Boolean Value False..... Not Done

Boolean Value True..... Done

Data Type..... Boolean

Description.....

Display Name..... Moderate Sedation: Pre-assessment
Time out

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {4D7D1A38-3055-4B94-82C0-49803A34C834}

=====

Abbreviation..... Sub Abuse

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Moderate Sedation: PreAssess:

Substance Abuse

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {8D5EB5DD-4552-421D-BC76-9600C4597B8F}

=====

Abbreviation..... Mod Sed Pr
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Moderate Sedation: Preparation
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

1. CODE CART IS ASSESSIBLE (Code Cart)
{DB670E39-CF90-4068-8E38-44DCA5F365B5}
2. BAG/MASK & O2 SET UP (Bag/Mask)
{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}
3. FUNCTIONAL SECTION SET UP (Func Sect)
{E156C048-11D5-4F62-8B1A-0CEA931E03EF}
4. CARDIO-RESP MONITOR (Cardio-Re)
{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}
5. PULSE OXIMETER (Pulse Ox) {773A956B-0B08-4D72-AAD4-630DF8268694}
6. END-TIDAL CO2 MONITOR (End-Tidal)

{609E3607-E441-465D-B1FC-C6986C58C11C}

UNITS:

ID: {49C83164-4646-45D7-8873-315654599E2F}

=====

Abbreviation..... Pat Identifi

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Moderate sedation: Time Out: Patient
Identifiers

Help Text..... Patient Identifiers

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-
1. FULL NAME (Full Name) {A915EA98-D18D-4887-8C50-4B6C0DF44D1D}
 2. FULL SSN (Full SSN) {3E2887AF-2DC5-40FA-9052-7B04347CC802}
 3. DATE OF BIRTH (DOB) {F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

UNITS:

=====

TERM: MONITOR PLACED

Page: 353

ID: {FA699021-BD76-4DCA-B680-6E0F523B67FF}

=====

Abbreviation..... Monitor
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Monitor Placed
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

-
1. CARDIAC (Cardiac) {2A4308E5-C843-4844-B908-32DA0A0B50E3}
 2. RESPIRATION (Respiratio) {5D6198F0-FE26-4F94-9118-D49A7EC44017}
 3. BLOOD PRESSURE (Blood Pres)
{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}
 4. PULSE OXIMETER (Pulse Ox) {D681E1E3-E914-421C-A19E-37C72F5E869F}

UNITS:

ID: {472ED5D6-2DFB-4EAF-9CCB-78D77C2D685B}

=====

Abbreviation..... MORSE AID

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Morse: Ambulatory Aid During Walking

Display Name..... Morse: Ambulatory Aid During Walking

Help Text..... 0: None/bedrest/Nurse Assis./

Wheelchair, 15: Crutches/Cane/Walker,

30: Furniture

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

3. 30 (30) {1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}

UNITS:

ID: {7CCE584F-DDAB-090B-9E73-41D5A8696F98}

=====

Abbreviation..... MORSE GAIT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: Gait

Help Text..... 0: Normal/Bedrest/Wheelchair, 10:
Weak, 20: Impaired

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
 - 2. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
 - 3. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

ID: {9E44E0AE-F9AD-25A8-7771-589BF2DBD6B7}

=====

Abbreviation..... MORSE HIST

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: History of Falling Within Last
Three Months

Help Text..... 0 if NO, 25 if YES

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCD1}

UNITS:

=====

TERM: MORSE: IV THERAPY SALINE LOCK

Page: 358

ID: {5FB26C06-AF8D-ECBE-FC10-442510EC52F1}

=====

Abbreviation..... MORSE IV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Morse: IV Therapy Saline Lock
Help Text..... 0 if NO, 25 if YES
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
 - 2. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

ID: {E15F905B-5D1C-47CA-A23A-5EC47302D9A3}

=====

Abbreviation..... MORSE PT S

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Morse: Mental Status of Patients Own

Ability

Display Name..... Morse: Mental Status of Patients Own

Ability

Help Text..... 0: Oriented to own ability, 15

Overestimates, forgets limitations

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:

=====

TERM: MORSE: SCORE TOTAL

Page: 360

ID: {80F2ACB5-5E42-48B8-8EB8-CADAD149E7BB}

=====

Abbreviation..... MORSE TOTA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Morse Score Total

Display Name..... Morse: Score Total

Help Text..... Morse Score Total

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MORSE SCORE

-1 > 0 * 135 < 136

Dec Prec: 0

ID: {305B5629-D6B2-440A-B46F-E0535AE843F9}

=====

Abbreviation..... MORSE 2NDA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: Secondary Diagnosis Listed On C

Help Text..... 0 = No, 25 = Yes

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:

ID: {C6063BDB-3A3D-A167-3D99-3A49F17FCD0C}

=====

Abbreviation..... MOTOR ACTI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Motor Activity
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
1. NORMAL POWER (np) {0E45C061-0744-8A21-7256-003702A5005B}
 2. NO MOVEMENT (nm) {2618E301-379B-BAB9-9EDE-98FD4B60D311}
 3. FLICKER OF CONTRACTION (foc)
{218B322B-84AA-F6F6-5207-D86F9A4311F0}
 4. MOVEMENT WITH GRAVITY ELIMINATED (mwge)
{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}
 5. MOVE AGAINST GRAVITY BUT NO RESISTANCE (magbnr)
{F995A165-8536-C493-2269-286E8EFF5E43}
 6. MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (magareobte)
{2ECCC197-4A81-025F-3EF3-6214004887A9}

LOCATION:

4 entries

1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}

2. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}

3. R LOWER EXTREMITY (R LOW EXTR)

{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

4. R UPPER EXTREMITY (R UPP EXTR)

{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

=====

TERM: MOTOR CHECK

Page: 363

ID: {521171CF-BD9D-2F28-4042-EA885C40E556}

=====

Abbreviation..... MOCH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Motor Check
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. INTENTIONAL (i) {D5BBBFFC-F739-1E69-FED4-288D8E803D04}
 2. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}

UNITS:

=====

TERM: MUCOUS MEMBRANE CONDITION

Page: 364

ID: {4D9B0E42-4A15-4699-A80E-31588D8C13FD}

=====

Abbreviation..... MUC MEMBRA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Mucous Membrane Condition

Display Name..... Mucous Membrane Condition

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-
1. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
 2. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}
 3. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}

UNITS:

=====

TERM: NAIL COLOR

Page: 365

ID: {63FF0B1B-B57D-43A9-A05F-3F2CF6FE8926}

=====

Abbreviation..... NAIL COLOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Nail Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

5 entries

1. NORMAL FOR ETHNIC GROUP (ETH. NORM.)

{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}

2. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}

3. DISCOLORATION (DISCOLORAT)

{BBE3E910-CC49-430C-BD90-FB0A97F1B183}

4. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}

5. HEMORRHAGE (HEMORRHAGE) {E00AC828-83F3-4F69-B97B-D6AD1D87A440}

UNITS:

=====

TERM: NAIL SHAPE

Page: 366

ID: {6351A78B-67BC-46A4-B7E4-72D63C8C2917}

=====

Abbreviation..... NAIL SHAPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Nail Shape
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. CLUBBING (CLUBBING) {AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}
 3. SPOONING (SPOONING) {CA384C9F-D87D-4E2D-B4C0-89BD85692B16}

UNITS:

=====

TERM: NAIL TEXTURE

Page: 367

ID: {AD3F008F-6AA8-483F-AAA6-5F797109F4A6}

=====

Abbreviation..... NAIL TEXTU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Nail Texture
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
- | | |
|--------------------|--|
| 1. NORMAL (n) | {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B} |
| 2. THICK (THICK) | {1554A49E-1468-46B2-F851-531DDB1D1A98} |
| 3. PITTED (PITTED) | {BEA42FD8-91C7-4BF6-936E-726D78064F11} |

UNITS:

ID: {D76459ED-8572-409E-85A4-F64228AE9A36}

=====

Abbreviation..... NECK VEIN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Neck Vein Condition
Display Name..... Neck Vein Condition
Help Text..... Condition of Neck Veins
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
- 1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 - 2. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
 - 3. DISTENDED (DISTENDED) {B5C529CA-2BE0-4698-A153-718F4D58E643}

UNITS:

=====

TERM: NEED FOR FLUIDS/TOILETING ASSESSED

Page: 369

ID: {816D5DB3-7AEA-E73F-08D8-68C58D4FB4FE}

=====

Abbreviation..... NFFTA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Need for Fluids/Toileting Assessed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: NOSE SIZE

Page: 370

ID: {0A7CD784-279C-9F56-67CC-1C0624B26F4A}

=====

Abbreviation..... ns

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Describe the size of the honker

Display Name..... Nose Size

Help Text..... Honker etiquette

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: ORIENTATION

Page: 371

ID: {656AA278-6C1E-C1B8-6876-A85780A1608A}

=====

Abbreviation..... ORIENT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Orientation
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. ORIENTED TO TIME (ott) {C79EBE25-C51B-478C-CB39-25943792F191}
2. ORIENTED TO PLACE (otp) {8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}
3. ORIENTED TO PERSON (otp) {9912CFB9-AC55-6445-3EC1-0F1DF98C0561}
4. ORIENTED TO SITUATION (ots)
{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}
5. DISORIENTED TO TIME (dtt) {2AD1A28A-4121-4B82-CFB8-E5A8D3095704}
6. DISORIENTED TO PLACE (dtp)
{00C98809-C0D0-C7B4-0615-8F7D31017FE8}
7. DISORIENTED TO PERSON (DISOR TO P)
{E5D83C03-7EF5-770B-930F-7B3B3345048C}

8. DISORIENTED TO SITUATION (dts)

{7143B3D7-5569-4378-D3AA-10C4675F0BA5}

UNITS:

=====

TERM: ORTHOTICS

Page: 372

ID: {EBD57A7A-3D0F-FB10-EA1A-E505DE2FB84C}

=====

Abbreviation..... ORTHOTICS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Devices which support or correct
human function

Display Name..... Orthotics

Help Text..... Devices which support or correct
human function

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

1. ORTHOTIC BOOTS (ORTHO BOOT)

{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}

2. ORTHOTIC COLLAR (ORTHO COLL)

{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}

3. ORTHOTIC SPINE BRACE (ORTH SPINE)

{B47A3536-FEBC-802E-01A1-E909147D18C2}

4. ORTHOTIC KNEE IMMOBILIZER (KNEE IMMOB)

{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}

5. ORTHOTIC WEDGE PILLOW (WEDG PILLO)

{20E58D21-399B-85E4-BDAB-93B371395BCF}

6. ORTHOTIC TED HOSE (TED HOSE)

{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}

UNITS:

ID: {CA5CC473-EE95-4E81-8E24-DC23B47A7F42}

=====

Abbreviation..... OSTOMY TYP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Ostomy
Display Name..... OSTOMY TYPE
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. COLOSTOMY (COLOSTOMY) {53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}
 2. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
 3. SIGMOIDOSTOMY (SIGMOIDOST)
{0C84B317-59B3-433B-A9AD-6588C1361E0C}
 4. ILEOSTOMY (ILEOSTOMY) {D5DF49C8-C6BA-44C1-9840-7765907730A3}
 5. RECTAL TUBE (RECT TUBE) {7E492AE5-D3B8-44EC-8841-97770FAD3AFE}

UNITS:

=====

TERM: OUTPUT

Page: 374

ID: {733293B4-0FEC-9D4B-191C-85D490209348}

=====

Abbreviation..... OUTPUT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Output
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 10 entries

-
1. CARDIAC OUTPUT INJECTATE (CARD OUT I)
{2128B705-DDF4-4776-87C3-AA82F854E313}
 2. EF RESIDUAL (EF RESID) {35E269DF-F246-4DF6-9D68-7FD61F8FE088}
 3. NG RESIDUAL (NG RESID) {B03C9557-84B5-4B05-B784-C87FA90D27A7}
 4. HEME (HEME) {A0ADA229-E779-4562-84B5-67121B88C443}
 5. HEMODIALYSIS (HEMODIALYS) {8409B357-C41E-4F4A-BB52-F09AD9704C30}
 6. MEDIASTINAL (MEDIASTINA) {A0550B31-B937-4FC7-8F7E-071F75215311}
 7. BLADDER IRRIGATION (BLAD IRRIG)
{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}
 8. WOUND VACUUM (WOUND VAC) {9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}

9. GASTRIC DRAINAGE (GAST DRAIN)

{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}

10. WOUND DRAINAGE (WOUN DRAIN)

{73038CBA-1F31-47E2-A78E-50ED1067CBEA}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

OUNCE -1 > 0 * 338 < 339 Dec Prec: 0

=====

TERM: OUTPUT - BLADDER SCAN

Page: 375

ID: {403C285B-40ED-4ECA-BFD0-4404BE4FB59E}

=====

Abbreviation..... BLAD SCAN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bladder Scan

Display Name..... Bladder Scan

Help Text..... Bladder Scan Urine Volume Results

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER

-1 > 0 * 100 < 1000

Dec Prec: 0

=====

TERM: OUTPUT - BLOOD

Page: 376

ID: {F90805CD-A0E1-4943-B871-D93B445EA639}

=====

Abbreviation..... OUT BLOOD
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Output of blood lost
Display Name..... Output - Blood
Help Text..... Output of blood lost
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: OUTPUT - CBI DRAINAGE

Page: 377

ID: {08B2CC2A-AE5A-47C3-9FFE-CD0619F8B3BE}

=====

Abbreviation..... CBI Drain

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Output - CBI Drainage

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER

0 > 0 * 99999 < 99999

Dec Prec: 0

ID: {478FE098-139E-B9EB-9F87-C03A847B6789}

=====

Abbreviation..... OUT CHE TU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... VOLUME OF CHEST TUBE DRAINAGE

Display Name..... Chest Tube Drainage Volume (ml)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1.0 > 0.0 * 9999.0 < 10000.0

Dec Prec: 1

CUBIC CENTIMETER -1.0 > 0.0 * 9999.0 < 10000.0

Dec Prec: 1

ID: {5623F6F3-3A00-E63F-706E-C9561D206920}

=====

Abbreviation..... OUT CHTU E
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... AMOUNT OF CHEST TUBE DRAINAGE
Display Name..... Chest Tube Drainage Amount Estimated
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 - 2. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
 - 3. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 - 4. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 - 5. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:

ID: {C7954A6C-4214-4CB2-B80E-8F4128D05847}

=====

Abbreviation..... OUT DIALYS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Dialysis Output
Display Name..... Dialysis Output
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 4 entries

1. HEMODIALYSIS (HEMODIALYS) {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}
2. PERITONEAL DIALYSIS (PERI DIALY)
{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}
3. CVVHD (CVVHD) {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}
4. CRRT (CRRT) {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER

-1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {B8FD2F72-FCDD-484A-98E1-14B3637B797A}

=====

Abbreviation..... OUT DRAIN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Drain Output
Display Name..... Drain Output
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 5 entries

-
- 1. JP DRAIN (JP DRAIN) {94A32247-6190-4047-B581-A212FE4C9453}
 - 2. HEMOVAC (HEMOVAC) {79DA0646-B811-4954-8BE1-C133398CD574}
 - 3. PENROSE (PENROSE) {CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}
 - 4. CHEST TUBE (CH TUBE M) {F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}
 - 5. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER

-1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {56BD11AB-FE61-4785-B3CA-C528A5F4EBD6}

=====

Abbreviation..... OUT EMESIS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Emesis Output
Display Name..... Emesis Output
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

PRODUCT: 1 entries

1. EMESIS (EMESIS) {A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

=====

TERM: OUTPUT - GI TUBE

Page: 383

ID: {CB54872E-CF17-4BA5-BF3B-80B0E6C745F8}

=====

Abbreviation..... OUT GI TU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... GI Tube Output
Display Name..... GI Tube Output
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: OUTPUT - STOOL

Page: 384

ID: {8B7CD3AF-5441-40A7-BBAA-11B822B529FD}

=====

Abbreviation..... OUT STOOL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Measured amount of stool

Display Name..... Stool Output

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 1000 < 2000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 1000 < 2000 Dec Prec: 0

ID: {5BCC5773-0627-CEC5-12D1-4D4BF55ECFB5}

=====

Abbreviation..... OUT ST EST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Stool Amount Estimated
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
- 1. SMEAR (SMEAR) {4B99BBD3-443E-4954-8ADE-5FB3EE50540A}
 - 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 - 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 - 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
 - 5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

QUALITY: 1 entries

-
- 1. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

=====

TERM: OUTPUT - URINE

Page: 386

ID: {F4998CFC-19CA-402A-AB0F-C32FA194DAA5}

=====

Abbreviation..... OUT URINE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Urine Output

Display Name..... Urine Output

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1 > 0 * 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 * 9999 < 10000 Dec Prec: 0

ID: {C5116BFA-332E-4C05-8FF7-4C828D8999BF}

=====

Abbreviation..... OUT UR EST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Output - Urine Estimated
Display Name..... Output - Urine Estimated
Help Text..... Output - Urine Estimated
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- 1. SLIGHT (SLIGHT) {805549C1-5DC5-4A2D-BC1F-046E44928843}
 - 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 - 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 - 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:

=====

TERM: OXYGEN CONSUMPTION

Page: 388

ID: {5EC773D2-D17D-EE6B-5079-BED57318658D}

=====

Abbreviation..... V02

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Oxygen Consumption

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLILITERS PER MINUTE PER METER SQUARE

0 > 1 * 300 < 301 Dec Prec: 0

=====

TERM: OXYGEN SATURATION

Page: 389

ID: {8013084D-A35E-264A-23EE-8D3D5C5C8382}

=====

Abbreviation..... O2 SAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Oxygen Saturation percentage

Display Name..... Oxygen Saturation

Help Text..... Enter in the percentage of O2
saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500637

UNITS:

PERCENTAGE

0 > 92 * 100 < 101

Dec Prec: 0

ID: {8129EB35-E85A-4C3B-86AF-34FB2ABE168C}

=====

Abbreviation..... PA ALARM O

Active..... Yes

Boolean Value False..... Off

Boolean Value True..... On

Data Type..... Boolean

Description..... PA Catheter Alarms On

Display Name..... PA Catheter Alarms On

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

ID: {00A7358A-DBE8-CB1D-FFC0-046F3C5E266F}

=====

Abbreviation..... PA CONDITI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PA Catheter Condition
Help Text..... Condition of PA catheter
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}

UNITS:

ID: {16F7EF6A-E0B6-9931-1F74-039E9D18AC57}

=====

Abbreviation..... PA DRESSIN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PA Catheter Dressing Type

Help Text..... Type of dressing on PA Catheter site

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

2. PRESSURE DRESSING (PRESS DRES)

{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS:

=====

TERM: PA CATHETER DYNAMIC RESPONSE TEST

Page: 393

ID: {7ED7B728-5683-4660-B301-79E72C3FD1C9}

=====

Abbreviation..... PA CATH DR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... PA Catheter Dynamic Response Test

Display Name..... PA Catheter Dynamic Response Test

Help Text..... PA Catheter Dynamic Response Test

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
 3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}

UNITS:

=====

TERM: PA CATHETER INSERTION MARK

Page: 394

ID: {7E62F0A7-9233-4BD3-870B-189BC86A179E}

=====

Abbreviation..... PA INS MAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... PA Catheter Insertion Mark

Display Name..... PA Catheter Insertion Mark (cm)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER -1.0 > 0.0 * 10.0 < 20.0 Dec Prec: 1

ID: {30F7B681-FCDB-4349-9082-92BDF3618CA3}

=====

Abbreviation..... PACATH INS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... PA Catheter Insertion Technique
Display Name..... PA Catheter Insertion Technique
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

-
1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}
 2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}
 3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)
{20BC183A-197F-4464-A27C-47F63C5B842A}
 4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:

ID: {959199C6-C6DE-4F32-9303-F06CD0C80A28}

=====

Abbreviation..... PA CATH RE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... PA Catheter Repositioned/Discontinued
Reason

Display Name..... PA Catheter Repositioned/Discontinued
Reason

Help Text..... PA Catheter Repositioned/Discontinued
Reason

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

1. VENTRICULAR WHIP PRESENT (VENT WHIP)

{15CB9645-690D-446B-A380-F14CEEC9C6AA}

2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}

3. WEDGED (WEDGED) {03D7F6FD-399D-4A6B-9900-59655D76EE95}

4. UNABLE TO WEDGE (UNABLE WED)

{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}

5. WAVEFORM REFLECTS ATRIAL PLACEMENT (WAVE ATRIA)

{A1249745-41C2-4A4F-A86D-7E5E17477B06}

6. BY PROVIDER ORDER (BY ORDER)

{C038BC16-44CF-4933-BECC-B0F1A1B12603}

UNITS:

ID: {F5F81475-6135-4B0C-A144-658AB8C075C7}

=====

Abbreviation..... PA SITE CA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... PA Catheter Site Care

Display Name..... PA Catheter Site Care

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PA CATHETER SIZE

Page: 398

ID: {706045DE-B1D4-46DB-B6CE-A171BAFB0CB9}

=====

Abbreviation..... PA CATH SI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... PA Catheter Size

Display Name..... PA Catheter Size

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

FRENCH

-1.0 > 5.0 * 10.0 < 20.0 Dec Prec: 1

ID: {A1F96B2C-AA70-0D43-8F1E-8DD2BDDFA8F3}

=====

Abbreviation..... PA TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PA Catheter Type
Help Text..... Type of PA catheter
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

1. PLAIN (PLAIN) {483EE48F-F72B-A917-DCD0-E8B69A3FA36F}
2. OXIMETRIC (OXIMETRIC) {DA1F5AAA-A349-C17B-74CD-1794492E0A13}
3. PACER (PACER) {79499460-ACAB-33B3-52CF-D2D2E5BCD0EE}
4. VIP PORT (VIP PORT) {3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

LOCATION: 8 entries

1. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (LIJ) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. R INTERNAL JUGULAR (R INT JUGU)

{7ABF6916-D379-198D-6454-F0518A74844A}

5. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

6. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

7. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

ID: {9EF25DC1-2B10-4248-807E-DDEDDB1B76ABC}

=====

Abbreviation..... PA WAVEFOR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... PA Catheter Waveform
Display Name..... PA Catheter Waveform
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
 2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
 3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
 4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
 5. NOT MONITORED (NOT MONITO)
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

=====

TERM: PA CATHETER ZEROED

Page: 401

ID: {E8B0247F-BD12-4902-87F7-012AA4C1D73D}

=====

Abbreviation..... PA ZEROED

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... PA Catheter Zeroed

Display Name..... PA Catheter Zeroed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PACEMAKER ATRIAL mA

Page: 402

ID: {2551E3D7-CD46-909E-1D79-082B92AEDF7A}

=====

Abbreviation..... PAmA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Atrial mA

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIAMPS -0.01 > 0.00 * 24.00 < 48.00

Dec Prec: 2

=====

TERM: PACEMAKER AV INTERVAL

Page: 403

ID: {118070EB-2F23-9C3D-68D1-B57D423449E1}

=====

Abbreviation..... PAVI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker AV Interval

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

SECOND

0.01 > 0.12 * 0.20 < 0.50 Dec Prec: 2

ID: {4D93B7C5-5302-085D-DFC5-EBEED03A6B31}

=====

Abbreviation..... PMC
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Pacemaker Capture
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {AC25DEC8-680C-EDD4-1141-43F841651D2A}

Abbreviation..... PMM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pacemaker Mode
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

- 1. AOO (AOO) {86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}
- 2. AAO (AAO) {E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}
- 3. AAI (AAI) {2DD18ACA-B98E-24D3-E760-6D082A76074B}
- 4. AAIR (AAIR) {3B4B6F37-B631-BE32-F1C1-65B99D0C5018}
- 5. AVO (AVO) {02EA752A-D156-96E6-3D28-3D389FFC7B58}
- 6. AVI (AVI) {8BB49456-FB80-4916-6EBE-06837BF12B0C}
- 7. VVI (VVI) {2C87F8F3-2B99-80E7-04EB-E6FE88168627}
- 8. VDD (VDD) {E733E525-EF36-2F93-AECC-BAD1C3E2C633}
- 9. DVI (DVI) {4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}
- 10. DOO (DOO) {749BCE3D-FF09-B796-FF2A-ECD2D116C96F}

- 11. DDI (DDI) {0C1E359F-B1F4-7994-D337-37622CB14BC8}
- 12. DDD (DDD) {7AA7152E-48F0-8550-AD0D-9F298E90B765}
- 13. DDDR (DDDR) {A3CC0D9D-D329-1A52-2DD1-911A1E04B871}

UNITS:

ID: {A7D28B32-845F-0E16-FDAF-F654FA6EE8A4}

=====

Abbreviation..... PMO
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Pacemaker On
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

LOCATION: 8 entries

-
- 1. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
 - 2. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
 - 3. L BRACHIAL (LBRA) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
 - 4. R BRACHIAL (RBRA) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}
 - 5. L INTERNAL JUGULAR (LIJ) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

6. R INTERNAL JUGULAR (R INT JUGU)

{7ABF6916-D379-198D-6454-F0518A74844A}

7. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: PACEMAKER RATE

Page: 407

ID: {FCA825C5-12A2-132D-8842-23D56ED6660B}

=====

Abbreviation..... PMR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Rate

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

BEATS PER MINUTE

0 > 45 * 100 < 200

Dec Prec: 0

ID: {7F716D0A-ACA4-7E33-62D7-988BA22F0D7F}

=====

Abbreviation..... PMS
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Pacemaker Sense
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

=====

TERM: PACEMAKER SENSITIVITY ATRIAL

Page: 409

ID: {6CBB234D-694E-CB88-3844-6B9E9E262320}

=====

Abbreviation..... PSA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Sensitivity Atrial

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIVOLTS 0.01 > 0.05 * 2.00 < 6.00 Dec Prec: 2

=====

TERM: PACEMAKER SENSITIVITY VENTRICULAR

Page: 410

ID: {305A8823-01D3-F3FE-D66E-3CACE736CD30}

=====

Abbreviation..... PSV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Sensitivity Ventricular

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIVOLTS 0.01 > 0.05 * 2.00 < 6.00 Dec Prec: 2

ID: {3B5B64D7-9091-8511-64CE-848456CAD2CD}

=====

Abbreviation..... PACEM TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pacemaker Type
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

-
1. TRANSCUTANEOUS (t) {F4315F92-8804-1CB4-4D03-CCFDC95C6E71}
 2. PERMANENT (p) {A31FF319-F8C3-7AAC-D7FC-765C89732D09}
 3. TEMPORARY (TRANSVENOUS) (tt)
{F6A74188-3D79-D749-540F-4EA32201B0E6}
 4. EPICARDIAL LEADS (el) {2B551575-3D50-96BD-7BAA-50CC9796361E}
 5. ATRIAL (a) {266D2FDA-5D6A-203D-6FF0-8282D49BFD67}
 6. VENTRICULAR (v) {307A4572-3CF0-7875-7313-7FD4AB23F8E7}

LOCATION: 8 entries

1. L BRACHIAL (LBRA) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
2. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
3. L INTERNAL JUGULAR (LIJ) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. L SUBCLAVIAN (LSCL) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
5. R BRACHIAL (RBRA) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}
6. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
7. R INTERNAL JUGULAR (R INT JUGU)
{7ABF6916-D379-198D-6454-F0518A74844A}
8. R SUBCLAVIAN (R SUBCLAVI) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: PACEMAKER UNIT ID

Page: 412

ID: {CDA2992F-349C-9904-45E3-20D01DC87917}

=====

Abbreviation..... PUID

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... No Description

Display Name..... Pacemaker Unit ID

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PACEMAKER VENTRICULAR mA

Page: 413

ID: {D64D8FED-93B8-FABD-5361-96CD28F99472}

=====

Abbreviation..... PVmA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Ventricular mA

Help Text..... Pacemaker Ventricular mA

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

MILLIAMPS -0.01 > 0.00 * 24.00 < 48.00

Dec Prec: 2

ID: {AE7D2B1A-D1BA-E1E1-4E21-B1608F627411}

Abbreviation..... PMWI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pacemaker Wires
Help Text..... Pacemaker Wires
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

- 1. 1A +1V (1+) {31711946-9F1B-0AD9-BDBE-846EDBC86AE2}
- 2. 1A + 2V (1+2) {FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}
- 3. 2A (2) {C75BDC9F-C756-9051-CAA3-A27DDD94B35E}
- 4. 2V (2) {D24B5FA4-1DA6-36DE-49DB-627A9B82E968}
- 5. 2A + 1V (2+1) {1849AA0D-1572-55E0-A780-ACE602E2C72D}
- 6. 2A + 2V (2+2) {17203251-68E8-A00A-CF54-E2CC55B8EEDD}
- 7. 1A + 3V (1+3) {CEDF220D-E593-B8F9-DB08-D32800AF3F5E}

UNITS:

ID: {D9E69897-BE8C-4A18-A490-A6FD2F2DE2E8}

=====

Abbreviation..... P DIS C
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PACU - Discharge Criteria
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 22 entries

1. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)
{E107F272-CD27-46B8-8C50-F9FF776DDCD9}
2. ABLE TO AMBULATE (AMBULAT)
{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
3. ALERT AND ORIENTED (AL AN OR)
{C031F776-36DF-4570-AFAF-A30B8BFA635B}
4. PT DENIES NAUSEA / NO VOMITING (DEN NAUS)
{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}
5. ALDRETE SCORE 8 OR GREATER (ALD 8+)
{1FACE6D7-BC92-4579-8665-C5E1D3475461}

6. AIRWAY REFLEXES INTACT / SECRETIONS (AIR REFL)
{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}
7. PAIN CONTROLLED PER PT (PAIN CON)
{7EC1AF38-39B1-475E-B58C-E33404A47E96}
8. PT PAIN AT ACCEPTABLE LEVEL (PT PA OK)
{78489498-4A5B-41C5-98C5-95D56C4A0933}
9. VOIDED (VOIDED) {7F23E601-A1E5-4016-8A12-06B1099041CF}
10. ABSENT TO MINIMAL BLEEDING (ABS BLEE)
{123460FB-1A8D-45AB-B0A2-489EAB482F67}
11. CMS INTACT DISTAL TO SURGICAL SITE (CMS INTA)
{CE2D2CDE-71C5-4993-8E46-C4799301A851}
12. SKIN WARM AND DRY COLOR APPROPRIATE (S W A DR)
{9637D510-C199-4969-8F2D-0A499151E22B}
13. MAINTAINING EFFECTIVE VENTILATION (EFF VENT)
{18774550-ECBD-412D-AD95-131FAA4CC549}
14. ALDRETE SCORE AT BASELINE (ALD BASE)
{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}
15. STABLE BP AND PULSE (Stable BP)
{F07C2F54-1182-4377-A33A-F529884013E8}
16. SaO2% AT ACCEPTABLE LEVEL BY ORDERS (SaO2 by Or)
{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}
17. SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (SaO2 w/Pre)
{8DE3440F-8049-4846-89D6-2E2DDEEA362C}
18. 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (20 Min Nar)
{FBDB50B7-19B5-472C-80E5-F4758E141BB1}
19. RESTING RESPIRATORY RATE BASELINE OR ABOVE (Rest Base)
{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}
20. MENTAL STATUS - AWAKE ORIENTED (M/S Awake)

{37818468-4798-4CBE-82ED-A793BDD10874}

21. MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (M/S Demen)

{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}

22. 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (60 Min Rev)

{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}

UNITS:

ID: {3B2F659B-ABA4-41E4-9861-B4B0FE3C873D}

=====

Abbreviation..... P DIS ME
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Discharge Criteria Met
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
 - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

ID: {9EADBFE2-2072-4B3F-A077-354B76E5F190}

=====

Abbreviation..... PAC DISP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PACU - Disposition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 12 entries

-
1. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}
 2. MICU (MICU) {28244B62-644C-4DA0-A350-EAFE0D2FA7C0}
 3. SICU (SICU) {EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}
 4. STEP DOWN (STEP DOW) {F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}
 5. WARD (WARD) {A16CB5CB-3401-4F6C-8467-7F78FC929872}
 6. AMBULATORY CARE UNIT (ACU)
{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}
 7. PROCEDURE ROOM (PROC ROO) {CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}
 8. IMAGING (IMAGING) {791A322E-F45E-40EB-B95D-E5B62E1D0A75}
 9. OPERATING ROOM (OR) {37DACE14-2A28-45F4-9DEA-35A1A433F4E6}

10. EMERGENCY DEPARTMENT (ER DEPT)

{D2E511F7-8B80-4928-A64B-3F1EE17395F7}

11. WAITING ROOM (WAIT ROOM) {13476486-F895-4FFC-AB42-B274827B47DA}

12. HOME (HOME) {C8E5E320-361B-421C-A6A9-13DC16125440}

UNITS:

=====

TERM: PACU - PT RECEIVED REVERSAL AGENT

Page: 418

ID: {08A85E74-4365-41AA-8C26-4D712C9364DE}

=====

Abbreviation..... REV AGEN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Patient Received Reversal Agent
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
 - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

=====

TERM: PACU - TIME OF REVERSAL AGENT

Page: 419

ID: {43AD957E-55D2-44BA-B591-C4B31EB64E55}

=====

Abbreviation..... Time of Rv

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... PACU - Time of Reversal Agent

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

10. DULL (DULL) {F0F80976-F6A0-4363-9C75-AAAE9937DB49}
11. ELECTRIC (ELECTRIC) {0C221385-61AF-4660-A129-35E610EA71AB}
12. GNAWING (GNAWING) {8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}
13. HEAVY (HEAVY) {1F10CD98-03FA-4705-BF7D-941E881C4E3D}
14. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
15. KNIFE-LIKE (KNIFE-LIKE) {FBA0EE3F-134B-431B-879A-9B17D65CD464}
16. NUMB (NUMB) {652634C0-5334-4D56-BE57-5F58F952FF0D}
17. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
18. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}
19. RADIATING (RADIATING) {B6807939-F809-45C1-912A-ADEF2E0DB0DC}
20. SHARP (SHARP) {20608864-E5CF-4FE3-8B6D-AE2FEE086503}
21. SHOOTING (SHOOTING) {73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}
22. SQUEEZING (SQUEEZING) {A148587A-1B99-4D0D-B11E-87ADC3D2A811}
23. STABBING (STABBING) {684640D5-B3AB-47DA-98D8-5434ABF22B7E}
24. STINGING (STINGING) {DF235170-F501-4E8D-89DD-5A3C76F4B13B}
25. TENDER (TENDER) {30486CC7-3097-4F95-9238-FD6C2126CD10}
26. THROBBING (THROBBING) {3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}
27. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
28. UNBEARABLE (UNBEARABLE) {96611993-45F3-4D1D-BF7F-5E5C46E5569E}

UNITS:

=====

TERM: PAIN DURATION

Page: 421

ID: {DF714694-E547-4D39-9355-ADF3B419F9CD}

=====

Abbreviation..... PAIN DURAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pain Duration

Display Name..... Pain Duration

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
1. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}
 2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}

UNITS:

ID: {709DFACE-B211-4160-B291-359777ED8D0F}

=====

Abbreviation..... PAIN GOAL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pain Goal
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 11 entries

-
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
 - 2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
 - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 5. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
 - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
 - 8. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
 - 9. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
 - 10. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

11. 10 (10)

{0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

=====

TERM: PAIN LEVEL

Page: 423

ID: {47A83DEA-BA95-38AD-DF2E-1F209122E684}

=====

Abbreviation..... PAIN LEVEL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Standard pain scale

Display Name..... Pain Level

Help Text..... Enter 0-10, 99 or Unable to respond

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid..... 4500635

DATA VALUE:

12 entries

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 1 (1)	{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
3. 2 (2)	{38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 (4)	{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
6. 5 (5)	{188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6)	{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 (7)	{7A010324-D2C2-5D4B-848A-7B8878666D20}
9. 8 (8)	{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
10. 9 (9)	{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

- 11. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
- 12. 99 (9) {B013C05B-1AF0-1547-4F03-378883F887C5}

LOCATION: 58 entries

-
- 1. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
 - 2. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
 - 3. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
 - 4. STOMACH (STOMACH) {613C20B9-CC9C-4F5D-B5B1-69B66A663540}
 - 5. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
 - 6. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}
 - 7. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
 - 8. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
 - 9. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
 - 10. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
 - 11. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
 - 12. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
 - 13. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}
 - 14. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
 - 15. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}
 - 16. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
 - 17. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
 - 18. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
 - 19. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
 - 20. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
 - 21. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
 - 22. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
 - 23. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

24. GASTROINTESTINAL (GI) {C27C66DB-3A6A-487E-9981-FA7FD323C0C3}
25. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
26. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
27. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
28. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
29. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
30. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
31. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
32. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
33. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
34. BLADDER (BLADDER) {18E083F2-C4BB-407E-B0A3-20C4942FC97F}
35. L JAW (L JAW) {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}
36. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}
37. TOOTH (TOOTH) {8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}
38. TEETH (TEETH) {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}
39. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}
40. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}
41. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
42. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}
43. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACAO}
44. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
45. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
46. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
47. INCISIONAL SITE (INCISION SI)
{EB36A66D-751D-4031-9F68-0BB03E267321}
48. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
49. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
50. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

- 51. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
- 52. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 53. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
- 54. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
- 55. SUBSTERNAL (SUBSTERN) {3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}
- 56. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
- 57. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
- 58. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

ID: {F875330C-D06C-41A7-877F-FBF07596EFF6}

=====

Abbreviation..... PAI NONVER
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pain Non-Verbal Cues
Display Name..... Pain Non-Verbal Cues
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 10 entries

-
1. CRYING (CRYING) {D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}
 2. GRIMACING (GRIMACING) {69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}
 3. MOANING (MOANING) {A71E3515-AA20-4B0E-9CB8-1612F76BA406}
 4. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
 5. SPLINTING (SPLINTING) {D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}
 6. GUARDING (GUARDING) {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}
 7. PAINFUL EXPRESSION (PAINFUL EX)
{608554F9-29F9-4B27-BE63-486AF81810BD}
 8. IRRITABLE (Irritable) {10651C11-2736-4056-BA84-E544358BA877}
 9. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}

10. NO SIGNS AND SYMPTOMS (NO SIG&SYM)

{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}

UNITS:

ID: {325DB732-E996-4DF5-9F5F-EF3B55D80935}

=====

Abbreviation..... PN FACT IN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pain Relieving Factor Intervention
Display Name..... Pain Relieving Factor Intervention
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 9 entries

-
1. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
 2. HEAT (HEAT) {E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}
 3. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
 4. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
 5. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}
 6. REFUSE MEDICATION (REFUSE MED)
{17D6956B-4CF6-492C-B113-B5A93D9E215E}
 7. REQUEST FOR MORE MEDICATION (REQ MOR ME)
{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}
 8. PRE-MEDICATED FOR ACTIVITY (PRE-MED AC)

{D6DA772A-FA22-4170-B928-855A2F68711F}

9. PHYSICIAN NOTIFIED (PHYS NOTIF)

{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}

UNITS:

=====

TERM: PAINAD TOTAL

Page: 431

ID: {4E35BBC8-DD3C-4EEA-A0BD-DADBD1252F28}

=====

Abbreviation..... PAINAD TO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PAINAD Total Score

Help Text..... Pain Assessment in Advanced Dementia

(PAINAD)

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

PAINAD SCALE

0 > 1 * 10 < 11

Dec Prec: 0

=====

TERM: PATIENT ABLE TO RESPOND

Page: 432

ID: {08A622B7-3939-427E-A532-7F12F8790EF7}

=====

Abbreviation..... PAT RESPON

Active..... Yes

Boolean Value False..... Unable to respond

Boolean Value True..... Able to repond

Data Type..... Boolean

Description..... No Description

Display Name..... Patient Able To Respond

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PATIENT EDUCATION PROVIDED PRIOR TO SEDATION

Page: 433

ID: {59683A04-FA78-40FA-8DDF-A728BA34C72D}

=====

Abbreviation..... Pat Ed Pro

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Patient Education Provided Prior to
Sedation

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

ID: {3705805D-6ABB-412B-8DF2-648E634237F9}

=====

Abbreviation..... PCA BOL DO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Clinical Bolus Dose

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MICROGRAMS -1.00 > 0.00 * 1000000.00 < 1001000.00

Dec Prec: 2

MILLIGRAMS -1.00 > 0.00 * 1000.00 < 1001.00

Dec Prec: 2

=====

TERM: PCA - CONTINUOUS MCG/HR (BASAL)

Page: 435

ID: {3E22F87D-E696-4401-90D0-2BE623E75DE9}

=====

Abbreviation..... PCA - MCG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Continuous mcg/hr (Basal)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MICROGRAMS PER HOUR 0.0 > 6.2 * 100.0 < 300.0 Dec Prec: 1

=====

TERM: PCA - CONTINUOUS MG/HR (BASAL)

Page: 436

ID: {39A3FFFD-8AB1-4691-A5CE-7FD268F6F5CB}

=====

Abbreviation..... PCA - MG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Continuous mg/hr (Basal)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIGRAMS PER HOUR 0.0 > 0.1 * 8.0 < 20.0 Dec Prec: 1

ID: {48E49A30-E83F-4A5B-A1EA-C58D92D08288}

=====

Abbreviation..... PCA DEM DO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA Demand Dose

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MICROGRAMS -1.00 > 0.00 * 1000000.00 < 1001000.00

Dec Prec: 2

MILLIGRAMS -1.00 > 0.00 * 1000.00 < 1001.00

Dec Prec: 2

ID: {BBD517C0-EDFE-452C-9B2C-5B21400E173A}

=====

Abbreviation..... PCA DAG DE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... PCA - Dosage Delivered
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MICROGRAMS -0.01 > 0.00 * 8000000.00 < 8001000.00

Dec Prec: 2

MILLIGRAMS -1.00 > 0.00 * 8000.00 < 8001.00

Dec Prec: 2

ID: {2F9D23F2-B385-4028-A2F5-F33B83A2D137}

=====

Abbreviation..... PCA DO DEL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Doses Delivered

Help Text..... Number of times patient received
analgesia

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

EVENT(S) -1 > 0 * 1000 < 1001 Dec Prec: 0

ID: {7071DC06-8738-481F-A471-EE7112BB8F10}

=====

Abbreviation..... Lev of Con
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... PCA - Level of Consciousness
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
 2. AWAKE (Awake) {D71412D4-5782-46BA-AE6C-24EDC586AE55}
 3. APPEARS ASLEEP (Asleep) {245A1E78-B5E0-4440-963C-A6ABB416D9B9}
 4. EASY TO AROUSE (Easy to Ar)
{19BB5A04-F979-449C-AA93-D5A21BD368F6}
 5. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
 6. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
 7. STUPOROUS (Stuporous) {4C25FF58-3346-4B06-ACE5-6ADB942877A8}
 8. DIFFICULT TO AROUSE (Diff to Ar)
{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}

9. UNABLE TO AROUSE (Un to Ar)

{05B32DD9-E634-4B60-A58B-2E915EA2834D}

UNITS:

ID: {854503A0-5C4C-4DBE-B137-A9BE68871874}

=====

Abbreviation..... PCA LIM DO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... PCA - Limit Dose
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MICROGRAMS -1.00 > 0.00 * 8000000.00 < 8001000.00

Dec Prec: 2

MILLIGRAMS -1.00 > 0.00 * 8000.00 < 8001.00

Dec Prec: 2

ID: {B84F9A0A-4353-4480-9DCB-F44437E41F49}

=====

Abbreviation..... PCA LINE C
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PCA Line Care
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}
2. CENTRAL VENOUS CATHETER (CENT VEN C)
{EE91E841-C09B-4432-A121-8EBAB92E9CD2}
3. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
4. DRESSING CHANGED (DRESS CHAN)
{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
6. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
7. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}
8. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}

9. SYRINGE CHANGED (SYR CHANGE)

{BE84F060-7E03-49DD-A6BC-787375C8E1F1}

10. TUBING CHANGED/LABELED (TUBE CHANG)

{19BA337C-6E28-411E-9702-48B262C593FA}

UNITS:

=====

TERM: PCA - PUMP CLEARED

Page: 446

ID: {9CD3B8C5-40C0-4EA4-8325-0B4399A91F53}

=====

Abbreviation..... PCA PUMP C

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PCA - Pump Cleared

Help Text..... PCA Pump Usage History Cleared

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

ID: {851F9560-C9AB-4F6C-AB24-283F64B5943A}

=====

Abbreviation..... PCA REQUES

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Requests

Help Text..... Number of times patient requested
analgesia

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

EVENT(S) -1 > 0 * 1000 < 1001 Dec Prec: 0

ID: {86D637CB-00FC-4F7D-B504-0124FCB7C1A8}

=====

Abbreviation..... PCA: Side
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... PCA - Side Effects
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
3. URINARY RETENTION (Urinary Re)
{959EBBDC-7F67-42EC-8CF0-295F709BB433}
4. WEAKNESS (Weakness) {E4C6D569-7961-4CB4-8E90-A02A31F98094}
5. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
6. ITCHING (Itching) {3A1FB47B-F274-458D-BDF6-E6882D6CB600}
7. TINNITUS (Tinnitus) {846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}
8. CONFUSION (Confusion) {4C1B8247-75C4-4C60-970B-3D7F07BD1164}
9. SOMNOLENT (Somnolent) {008A3F20-DD3D-4775-AA18-CCA7B817A77D}

10. RESPIRATORY DEPRESSION (Resp Depr)

{A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}

UNITS:

=====

TERM: PCA - TOTAL MCG PER SHIFT

Page: 449

ID: {5EEA95D7-D6D8-4FA4-AD1F-C40303A145A5}

=====

Abbreviation..... PCA mcg sh
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Micrograms per Shift
Display Name..... PCA - Total mcg Per Shift
Help Text..... Micrograms per Shift
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MICROGRAMS PER SHIFT 0.0 > 0.0 * 800.0 < 5000.0
Dec Prec: 1

=====

TERM: PCA - TOTAL MG PER SHIFT

Page: 450

ID: {58CCC88B-404B-4D47-A131-472950622B2B}

=====

Abbreviation..... PCA mg shf
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Milligrams per Shift
Display Name..... PCA - Total mg Per Shift
Help Text..... Milligrams per Shift
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

MILLIGRAMS PER SHIFT 0.0 > 0.0 * 64.0 < 300.0 Dec Prec: 1

=====

TERM: PCA - VOLUME REMAINING

Page: 451

ID: {7A6CB341-8E80-4F5C-B399-857409777BB1}

=====

Abbreviation..... PCA VOL RE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Volume Remaining

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1.00 > 0.00 * 8000.00 < 8001.00

Dec Prec: 2

=====

TERM: PCA - VOLUME START

Page: 452

ID: {B5644934-F363-4BE1-BC2D-473BDECBA9AC}

=====

Abbreviation..... PCA VOL ST

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Volume Start

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITER -1.00 > 0.00 * 8000.00 < 8001.00

Dec Prec: 2

=====

TERM: PEAK INSPIRATORY PRESSURE

Page: 453

ID: {05BD86DC-10C3-C4EB-1359-C2406381F357}

=====

Abbreviation..... PK INSP PR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Peak Inspiratory Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 5 * 100 < 200 Dec Prec: 0

ID: {DE8BBB70-21B4-4955-BEC4-C1E71BBA3E31}

=====

Abbreviation..... POC REV I
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Plan Of Care Revision Indicated
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PLANTAR FLEXION

Page: 455

ID: {4BBDBB76-053B-CA20-908E-017F5956DF5E}

=====

Abbreviation..... PLANFL
Active..... Yes
Boolean Value False..... Absent
Boolean Value True..... Present
Data Type..... Boolean
Description..... No Description
Display Name..... Plantar Flexion
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {3657545A-7138-94C0-03A5-3136C51B0369}

=====

Abbreviation..... PR INTERVA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The PR interval is measured from the
beginning of the P wave to the
beginning of the QRS complex

Display Name..... PRI

Help Text..... The PR interval is measured from the
beginning of the P wave to the
beginning of the QRS complex

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

SECOND 0.00 > 0.12 * 0.20 < 1.00 Dec Prec: 2

=====

TERM: PREPROCEDURE: 12 LEAD EKG DONE?

Page: 457

ID: {98DB7D48-ED01-4F73-BD71-82C62F0EBBD2}

=====

Abbreviation..... Pre-Prc 12

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: 12 lead EKG done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {DD181761-D7C1-42B3-A954-801FA62163CA}

=====

Abbreviation..... Pre-Allerg

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Allergies Reassessed
and Documented

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. PATIENT STATED (Pat Stated)

{843654E1-4BC9-4277-9EFC-0B388A70A907}

2. FAMILY STATED (Fam Stated)

{07A4B749-65F2-48E8-AD93-D142B04055B4}

3. CHART VERIFIED CORRECT (Chart Ver)

{319E702F-C7A9-409D-881F-3F4D1D9AF393}

4. ALLERGY WRISTBAND (Wristband)

{BB7F6746-102D-4CBA-8E53-EA465176812B}

UNITS:

=====

TERM: PREPROCEDURE: ANTIBIOTIC GIVEN?

Page: 459

ID: {07D521A2-01EA-404F-96C9-40EBE772E514}

=====

Abbreviation..... Pre-Prc Gv

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Antibiotic given?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: ANTIBIOTIC ORDERED?

Page: 460

ID: {5FBF230D-E096-4980-B96D-B7BB264AE733}

=====

Abbreviation..... Pre-Prc An

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Antibiotic ordered?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {9A3B98C0-9478-4BFA-9274-450D8DF363DC}

=====

Abbreviation..... Pre-Prc BI

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Blood Transfusion
consent current?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: CHEST XRAY DONE?

Page: 462

ID: {37CC251D-A494-4E4C-AECA-D90C4AEAEF4F}

=====

Abbreviation..... Pre-Prc Xr

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Chest Xray done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: DENTURES REMOVED?

Page: 463

ID: {BA505699-D88A-41FB-AAC7-DCBE13D35D0C}

=====

Abbreviation..... Pre-Dentur

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Dentures removed?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {607C2938-639D-417D-9CFE-6FC1A6CEDB7F}

=====

Abbreviation..... Clothing

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Disposition of Clothing

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 7 entries

1. CLOTHING ROOM (Cloth Room)

{8F116C60-10B1-4033-93F2-9121629CD608}

2. LOCKER (Locker) {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

3. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}

4. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

5. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}

6. UNDER STRETCHER/BED (Stretcher)

{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}

7. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

ID: {7AD9207F-B87B-445D-A567-D229DBF475E0}

=====

Abbreviation..... Pre-Val

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Disposition of Valuables

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

8 entries

1. CLOTHING ROOM (Cloth Room)

{8F116C60-10B1-4033-93F2-9121629CD608}

2. AGENT CASHIER (Cashier) {3849A887-F353-4215-88FD-DDD0188BE1BB}

3. LOCKER (Locker) {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

4. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}

5. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

6. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}

7. LOCK BOX (Lock Box) {974A2F44-C918-4E85-ABAF-03A21498F98B}

8. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

ID: {C68E61EA-C493-41D2-A558-95ED48B2C353}

=====

Abbreviation..... Pre-driver

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Driver/Escort to Home
Confirmed

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-
- 1. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}
 - 2. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
 - 3. RELATIVE (Relative) {F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}
 - 4. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}

UNITS:

=====

TERM: PREPROCEDURE: FINGERSTICK GLUCOSE DONE?

Page: 467

ID: {98B3541C-372E-4876-ABD2-74E04AF23DF0}

=====

Abbreviation..... Pre-Finger

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Fingerstick Glucose done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: GLASSES / CONTACTS REMOVED?

Page: 468

ID: {FBE31829-FEFC-4C11-8D62-EDCF94EA28EF}

=====

Abbreviation..... Pre-Glass

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Glasses / Contacts
removed?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: H AND P CURRENT?

Page: 469

ID: {CF191D5F-A3FF-4169-8A47-1C799BA22C48}

=====

Abbreviation..... Pre-Prc HP

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: H and P current?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: HEARING AIDS IN PLACE?

Page: 470

ID: {173DAC5E-4332-4D0B-A232-98DA65305234}

=====

Abbreviation..... Pre-Hear

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Hearing Aids in place?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {9700CD4B-2EB1-4205-B88E-405A1F77A025}

=====

Abbreviation..... Home Meds

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Preprocedure: Home Medications
taken/time

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: HOSPITAL GOWN ON?

Page: 472

ID: {62B89BA3-009B-4A2A-A6E4-E82B527FBC40}

=====

Abbreviation..... Pre-Gown

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Hospital Gown on?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: INFORMED CONSENT CURRENT

Page: 473

ID: {068445ED-622A-4549-842D-0D88922EF8CE}

=====

Abbreviation..... Pre-Prc In

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Informed Consent current?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: JEWELRY REMOVED?

Page: 474

ID: {8220E017-8816-452A-B2E1-07209A167781}

=====

Abbreviation..... Pre-Jewel

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Jewelry Removed?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: LABS DONE?

Page: 475

ID: {88D2EB1F-C5E5-4190-A697-17C1E078A12B}

=====

Abbreviation..... Pre-Prc La

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Labs Done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: NPO SINCE (DATE/TIME)

Page: 476

ID: {64F57F8D-DDB7-4CB7-9C71-F9C6C334F717}

=====

Abbreviation..... Pre-NPO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Preprocedure: NPO Since (Date/Time)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: PLANNED PROCEDURE

Page: 477

ID: {696F0ABC-ADA5-4BDF-8EE6-CF9FCA84581C}

=====

Abbreviation..... Pre-Prc PI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Preprocedure: Planned Procedure

Help Text..... Enter name of procedure to be performed

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: PREMEDICATION ADMINISTERED?

Page: 478

ID: {05DCC583-7E1E-4D21-AED5-726A507C2A07}

=====

Abbreviation..... Pre-Admin

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Premedication

Administered?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: PREMEDICATION ORDERED?

Page: 479

ID: {13AD97AD-C093-4341-BC4E-834A5B016727}

=====

Abbreviation..... Pre-Meds

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Premedication ordered?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {A9CAE001-E29B-42AB-B353-63E255803169}

=====

Abbreviation..... Site Marke

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Procedure Site Marked
Correctly

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

3. SITE UNABLE TO BE MARKED (Unable/Mar)
{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}

4. PATIENT REFUSES MARKING (Pat Refuse)
{93CE893B-AFE1-4047-9EE9-2AD6388C0086}

UNITS:

=====

TERM: PREPROCEDURE: PROSTHETICS/IMPLANTS?

Page: 481

ID: {3D026E62-A5F3-4F9E-93D9-401B23EF32FB}

=====

Abbreviation..... Pre-Pros

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Prosthetics/Implants?

Help Text..... This can be used for identifying
implants the patient possess and the
information captured from patient,
family or other source

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: TYPE AND CROSS MATCH DONE?

Page: 482

ID: {6CC89C30-4F13-4ECA-9D80-2A80BEB13120}

=====

Abbreviation..... Pre-Prc Cr

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Type and Cross Match
done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: PREPROCEDURE: TYPE AND SCREEN DONE?

Page: 483

ID: {801BD31C-760C-41DD-BE7B-F55B5C7018AD}

=====

Abbreviation..... Pre-Prc TS

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Type and Screen done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: VITALS SIGNS DONE?

Page: 484

ID: {749E6863-8E6B-43F2-A521-84959FF0260B}

=====

Abbreviation..... Pre-Vitals

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Vitals Signs done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PREPROCEDURE: VOIDED?

Page: 485

ID: {F35A4852-958D-4F51-A36F-1730EC7629E3}

=====

Abbreviation..... Pre-Voided
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description.....
Display Name..... Preprocedure: Voided?
Help Text.....
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

UNITS:

=====

TERM: PRESSURE ULCER COLOR

Page: 486

ID: {CC98B260-63A7-43DF-956C-AFE2EE8974D4}

=====

Abbreviation..... PR UL COLO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Color

Display Name..... Pressure Ulcer Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

1. RED/GRANULATING (RED/GRANUL)

{BB69D2A2-7807-490A-B21D-77B6677796F6}

2. BLACK/NECROTIC (BLACK/NECR)

{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}

3. YELLOW/FIBRINOUS (YELLOW/FIB)

{47CF52FE-0374-4690-ADA1-643E0954E035}

UNITS:

=====

TERM: PRESSURE ULCER DEPTH

Page: 487

ID: {A829C7B5-B0E5-4B7B-882A-BA63337C65F8}

=====

Abbreviation..... PR UL DEPT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Ulcer Depth

Display Name..... Pressure Ulcer Depth

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

-1.00 > 0.00 * 20.00 < 40.00

Dec Prec: 2

ID: {A1A771D4-AF2C-4023-9265-461975D995CF}

=====

Abbreviation..... PR UL DRAI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pressure Ulcer Drainage Character
Display Name..... Pressure Ulcer Drainage
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
 3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
 4. SEROSANGUINOUS (SEROSANGUI)
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
 5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
 6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
 8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}

UNITS:

ID: {856A2512-422F-479E-A0D3-A9CF12923016}

=====

Abbreviation..... PR UL D P

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Pressure Ulcer Dressing Prevents
Assessment

Display Name..... Pressure Ulcer Dressing Prevents
Assessment

Help Text..... Does the pressure ulcer dressing
prevent a full assessment?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PRESSURE ULCER LENGTH

Page: 490

ID: {B31F418F-99E1-4273-BB5B-3C56745B38C5}

=====

Abbreviation..... PR UL LENG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Ulcer Length

Display Name..... Pressure Ulcer Length

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER -1.00 > 0.00 * 50.00 < 100.00

Dec Prec: 2

=====

TERM: PRESSURE ULCER ODOR

Page: 491

ID: {48FE49CA-D1FE-4812-ACB2-D4540B0EC2B9}

=====

Abbreviation..... PR UL ODOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Odor

Display Name..... Pressure Ulcer Odor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. FOUL SMELLING (FOUL SMELL)

{761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:

=====

TERM: PRESSURE ULCER PHOTOGRAPHED

Page: 492

ID: {453C53C4-516D-4FE6-9032-496517880D3F}

=====

Abbreviation..... PR UL PHOT

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the pressure ulcer photographed?

Display Name..... Pressure Ulcer Photographed

Help Text..... Was the pressure ulcer photographed?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4C16776B-B53E-441C-AA73-BA1083D9F626}

=====

Abbreviation..... PR ULC BOO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Prevention Boots

Display Name..... Pressure Ulcer Prevention Devices

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

-
1. ELBOW PAD (ELBOW PAD) {26942F81-1E33-4962-B772-A96FFBCED814}
 2. FOAM AIR HEEL ELEVATOR (FO AI HEEL)
{4EC26AA3-4577-4808-8728-F360C5C5A0D4}
 3. HEEL LIFT (HEEL LIFT) {974F90E6-382D-421A-A4CE-94A74CBEFC32}
 4. HEEL PILLOW (HEEL PILLO) {F0F1D997-C780-40BF-AA88-78262E81BFAA}
 5. INFLATABLE HEEL LIFT (INF HEEL L)
{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}
 6. RIGID HEEL SPLINT (RIG HEEL S)
{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}
 7. MULTIPODUS (MULTIPODUS) {ED098F9D-B204-4310-813A-98D91FF9DD25}

8. WAFFLE (WAFFLE)

{29A0FA73-CAA7-4660-9861-79A09F6DD98C}

UNITS:

ID: {A6658726-4361-4B3C-932D-AF2C0F9D6E54}

=====

Abbreviation..... PRE ULC RF
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pressure Ulcer Risk Factors
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. BARIATRIC PATIENT (BARIAC PAT)
{6F614334-685E-4533-A475-BDF5440855EA}
 3. DEVICE RELATED PRESSURE (DEV REL PR)
{3AED6107-A173-4B53-8EB5-2FB2B3336FC5}
 4. END OF LIFE CARE (END LIFE)
{047D8977-0567-4B90-AD6A-3AAF8DB35238}
 5. HYPOALBUMINEMIA (HYPOALBUM)
{A3397F38-2491-48E7-8366-A6FA2D91E866}
 6. VASOPRESSOR (VASOPRESS) {591FCB09-1287-48C6-8007-4CE961296BA9}

7. REFUSE TO MOVE (REF TO MOV)

{E14588CE-2498-4FE8-AB0B-E954DC1696AC}

8. UNSTABLE (UNSTABLE) {5841C521-8070-4034-A69D-27DAB2990EB3}

9. VERY LOW BMI (LOW BMI) {78B3A37B-938B-42E5-A403-75E206722BC3}

UNITS:

=====

TERM: PRESSURE ULCER SINUS/UNDERMINING

Page: 495

ID: {CAE9260D-3B9E-433E-8FCD-F5D98A0EB02D}

=====

Abbreviation..... PR UL SINU

Active..... Yes

Boolean Value False..... Not Present

Boolean Value True..... Present

Data Type..... Boolean

Description..... Pressure Ulcer Sinus/Undermining

Display Name..... Pressure Ulcer Sinus/Undermining

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4DA7EC17-AF79-4FCC-A75F-F1CEB4FE1172}

=====

Abbreviation..... PR UL STAG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Stage

Display Name..... Pressure Ulcer Stage

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 12 entries

1. NONBLANCHABLE ERYTHEMA (N BLAN ERY)

{30273ACE-03F3-4818-995B-26586AAB5499}

2. REDDENING OF THE SKIN (RED O SKIN)

{716AEC57-0835-4D07-A78C-D8453599A3D2}

3. NO BREAK IN EPIDERMIS (NO BREAK E)

{615D96CD-6096-446B-BDDF-3F7242936AF9}

4. PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS (PART EPIDE)

{EAD3A260-CC46-4B47-AA49-91CFE13EEE4B}

5. FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE (FULL SKINL)

{14C31B14-1D35-4CCB-81A3-C6E30801950D}

6. FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO (F SK L MBS)

{E027FBEF-1C83-41B7-B848-26D9D62F4266}

7. SUSPECTED DEEP TISSUE INJURY (SUS DEEP T)

{E82B4082-646F-4B5A-B68E-BB0872A4F6D2}

8. STAGE I (STAGE I) {B376AAAF-7143-4422-BCA2-CACF1201817C}

9. STAGE II (STAGE II) {B520BEA3-841E-490A-A3CD-63D1027B561F}

10. STAGE III (STAGE III) {A2F0866C-ECEE-4FCD-A34B-498232662D7E}

11. STAGE IV (STAGE IV) {284334AA-E488-4D45-93EF-9B93B2086A63}

12. UNSTAGEABLE (UNSTAGEABL) {5C507F64-2EC0-4FD8-A786-94D76D90C0D1}

LOCATION: 51 entries

1. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

2. HEAD OCCIPITAL (HEAD OCCIP)

{2066CA47-5A16-447F-9919-24ED435B627F}

3. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

4. L ANTECUBITAL (L ANTECUBI)

{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

5. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

6. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}

7. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

8. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

9. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}

10. L HEAD (L HEAD) {3737DC2D-DC9E-4FC8-839D-0355987B62D1}

11. L HEEL (L HEEL) {C9154881-17C7-4921-A0EE-BFB962C59CEF}

12. L INNER KNEE (L INN KNEE) {79853581-CCF0-49E9-9D91-D16DE02A836D}

13. L ISCHIAL (L ISCHIAL) {DCDAD741-9599-4479-9D55-3279F800DBE6}

14. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

15. L OUTER KNEE (L OUT KNEE) {B143C935-2687-49C3-9F65-8D69C1775ABC}
16. L RIBS (L RIBS) {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}
17. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
18. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
19. L TROCHANTER (L TROCHANT) {C91647A4-255D-40E4-A24D-01274E5D799F}
20. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
21. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
22. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
23. R ANTECUBITAL (R ANTECUBI)
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
24. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
25. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
26. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
27. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
28. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
29. R HEAD (R HEAD) {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}
30. R HEEL (R HEEL) {0020DD20-2EA4-4362-ADF0-07BFA220C60E}
31. R INNER KNEE (R INN KNEE) {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}
32. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}
33. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
34. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}
35. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}
36. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
37. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
38. R TROCHANTER (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}
39. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
40. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}
41. FOREHEAD (FOREHEAD) {5F892722-956E-474C-BA08-4074142D49F6}

42. L LATERAL HEEL (L LAT HEEL)

{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}

43. R LATERAL HEEL (R LAT HEEL)

{A1896CF9-0246-4323-8DED-E4B5FB12CACE}

44. L MEDIAL HEEL (L MED HEEL)

{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}

45. R MEDIAL HEEL (R MED HEEL)

{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}

46. L LATERAL MALLEOLUS (L LAT MALL)

{9A523B7C-64DD-4E47-9543-165788108D4C}

47. R LATERAL MALLEOLUS (R LAT MALL)

{950FC45B-93E8-424F-A5D4-DE646166D7B0}

48. L MEDIAL MALLEOLUS (L MED MALL)

{330E7682-407F-43CD-84FC-1CDA41F08C68}

49. R MEDIAL MALLEOLUS (R MED MALL)

{C70FB4FA-6516-4567-8E26-46BA439F1DF4}

50. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

51. TRACHEOSTOMY (TRACHEOSTO) {4D12329A-56C8-4175-986F-2F0B68EB7E6D}

UNITS:

ID: {669EE6DD-D4AA-417C-BB27-81F648BE25F3}

=====

Abbreviation..... PR UL TREA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Methods used for treatment of
Pressure Ulcer

Display Name..... Pressure Ulcer Treatment

Help Text..... Methods used for treatment of
Pressure Ulcer

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 24 entries

1. ANTIBIOTIC OINTMENT (AB OINTMEN)

{352D9690-77BB-44DC-919E-5357876DEAC4}

2. BACTERICIDAL (BACTERIOCI) {680E4A3C-A40A-461E-818D-003AE8A1EFC8}

3. BACTERIOSTATIC (BACTERIOST)

{AB74D109-8ED7-4A6C-B028-7A041781DF67}

4. CADEXOMER IODINE (CADEXO IOD)

{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}

5. CALCIUM ALGINATE (CA ALGINAT)

{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

6. COLLAGEN (COLLAGEN) {8D734495-2FAF-41C0-9146-55B22583A830}

7. DILUTE DAKINS SOLUTION (DL DAKINS)

{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}

8. ENZYMATIC OINTMENT (ENZY OINTM)

{E781DA75-8777-4884-A093-FB623774DB8F}

9. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}

10. GAUZE PACKING (GAUZE PACK)

{6C093717-82CB-4966-929E-C909310649C1}

11. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}

12. HYDROCOLLOIDAL DRESSING (HCOLL DRES)

{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

13. HYDROFIBER (H-FIBER) {42740A7F-A831-4FBD-9E59-88F315176674}

14. HYDROFIBER WITH SILVER (HYFIB W SI)

{04BD9512-DE5D-421A-9818-8A33D1F0693D}

15. HYDROGEL DRESSING (H-GEL DRES)

{F6192D10-D6EA-42C2-AB15-270659D9925C}

16. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}

17. NEGATIVE PRESSURE THERAPY DEVICE (NEG PRE TH)

{8AF0A069-66AD-4114-99D8-238AD987F0FF}

18. SALINE MOIST DRESSING (SAL MOI DR)

{19F98514-8ABF-461C-9969-C31177FE7DE7}

19. TRANSPARENT DRESSING (TRANSP DRE)

{777C7722-AEA8-4A0B-9ADD-1157D37AE539}

20. PETROLATUM (PETROLATUM) {DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}

21. PORCINE SUBMUCOSA (PORC SUBMU)

{6F3917DA-74BD-4790-9D4D-B284E27B7623}

22. SILVADENE (SILVADENE) {0889134F-C419-4366-B12E-EAB775719410}

- 23. XENADERM (XENADERM) {F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}
- 24. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}

UNITS:

ID: {584775CB-EB35-47BB-A7D4-62966A23D0DF}

=====

Abbreviation..... PRE ULC TU

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Pressure Ulcer Tunnelling

Help Text..... Is the Pressure Ulcer Tunnelling?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PRESSURE ULCER TUNNEL LENGTH

Page: 499

ID: {D7FC23D9-8C2B-42F0-A545-5102AFC22335}

=====

Abbreviation..... PR UL TU L

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pressure Ulcer Tunnel Length

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER -1.0 > 0.0 * 15.9 < 16.0 Dec Prec: 1

=====

TERM: PRESSURE ULCER UNDERMINING

Page: 500

ID: {CF9D2160-4E70-452C-B0D1-D14A4E5662CE}

=====

Abbreviation..... PRE ULC UM

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Pressure Ulcer Undermining

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PRESSURE ULCER WIDTH

Page: 501

ID: {2C1FCC95-E9D1-40A6-ACD7-58E0D4324E4E}

=====

Abbreviation..... PR UL WIDT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Ulcer Width

Display Name..... Pressure Ulcer Width

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER -1.00 > 0.00 * 50.00 < 100.00

Dec Prec: 2

{924532F4-B52F-4EA9-8C7D-59168B340118}

6. GU PROCEDURE ROOM (GU Proc Rm)

{D4B6678F-C1DD-4A23-9045-574251F6CD74}

7. DENTAL (Dental) {0A60F06A-ED63-4B06-8FF9-EEFB12567D65}

8. RADIOLOGY (Radiology) {AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}

9. INTERVENTIONAL RADIOLOGY (Interv Rad)

{322B66E6-814F-43AF-B669-E503519DB72F}

10. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

11. BEDSIDE (Bedside) {481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}

12. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

ID: {709E6959-A58C-454C-A2A4-2AF69483F21B}

=====

Abbreviation..... Proc Time

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Procedure Time

Help Text..... When entering data, make sure the
save date/time reflects the start or
stop time.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. START TIME: (Start Time) {4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}
2. STOP TIME: (Stop Time:) {784CA4D8-988F-4A59-8AB5-48AFC9CA210B}

UNITS:

=====

TERM: PROCEDURE, PLANNED

Page: 504

ID: {87C9E441-B4EA-4F72-9CDF-B9DCC072F86A}

=====

Abbreviation..... Proc, Plan

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Procedure, Planned

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

=====

TERM: PULMONARY ARTERY DIASTOLIC

Page: 505

ID: {A7126912-49DD-A952-8731-D06A323D2C3E}

=====

Abbreviation..... PAD

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pulmonary Artery Diastolic Pressure

Display Name..... Pulmonary Artery Diastolic Pressure

Help Text..... Pulmonary Artery Diastolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY

0 > 8 * 15 < 30

Dec Prec: 0

=====

TERM: PULMONARY ARTERY MEAN PRESSURE

Page: 506

ID: {BE486939-CA23-58EF-ADE2-A34D19C4F41F}

=====

Abbreviation..... PAM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pulmonary Artery Mean Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLIMETERS OF MERCURY 0 > 9 * 19 < 50 Dec Prec: 0

=====

TERM: PULMONARY ARTERY SYSTOLIC

Page: 507

ID: {4DFDF10B-3501-87E1-0EB8-AD3772E60012}

=====

Abbreviation..... PAS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pulmonary Artery Systolic

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIMETERS OF MERCURY

0 > 15 * 25 < 50

Dec Prec: 0

=====

TERM: PULMONARY CAPILLARY WEDGE PRESSURE

Page: 508

ID: {9D3EB2BE-9492-CDE3-03EC-07FE580E22E0}

=====

Abbreviation..... PCWP WEDGE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pulmonary Capillary Wedge Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLIMETERS OF MERCURY 0 > 8 * 12 < 30 Dec Prec: 0

ID: {A7906E15-CBF1-A881-F3C7-4DF41A6A85B6}

=====

Abbreviation..... PUL CARE
Active..... Yes
Boolean Value False..... False
Boolean Value True..... True
Data Type..... Boolean
Description..... No Description
Display Name..... Pulmonary Care
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PULMONARY SECRETION AMOUNT

Page: 510

ID: {FEED2CE3-F697-D1AB-AB1B-72A7968F0EB0}

=====

Abbreviation..... PUL SEC AM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... AMOUNT OF SPUTUM FROM PATIENT

Display Name..... Pulmonary Secretion Amount

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

-
1. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
 5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

UNITS:

ID: {52529F3D-B461-1C5E-892A-1E46DFB8C003}

=====

Abbreviation..... SPUTUM COL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Color of sputum
Display Name..... Pulmonary Secretion Color
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

-
- 1. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 - 2. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
 - 3. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
 - 4. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
 - 5. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
 - 6. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
 - 7. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
 - 8. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

UNITS:

=====

TERM: PULMONARY SECRETION CONSISTENCY

Page: 512

ID: {633A949F-FED1-7A86-5DEA-C62DAC802B7B}

=====

Abbreviation..... P SECR CON

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Sputum Consistency

Display Name..... Pulmonary Secretion Consistency

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-
1. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
 2. TENACIOUS (TENACIOUS) {EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}
 3. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:

=====

TERM: PULMONARY SUCTIONING EVENT

Page: 513

ID: {6A5A8DA3-859F-4BE3-9673-EA26D463D5F7}

=====

Abbreviation..... PUL SUC EV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Patient needed and got Pulmonary

Suctioning

Display Name..... Pulmonary Suctioning Event

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

EVENT(S)

-1 > 0 * 30 < 100

Dec Prec: 0

=====

TERM: PULMONARY SUCTIONING FREQUENCY

Page: 514

ID: {2B44A4A5-9DEA-0B46-777F-CE2C3822A514}

=====

Abbreviation..... PUL SUC FR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... FREQUENCY OF PATIENT'S PULMONARY
SUCTIONING

Display Name..... Pulmonary Suctioning Frequency

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

EVENTS PER HOUR -1 > 0 * 100 < 101 Dec Prec: 0

ID: {D011DC21-02E6-463B-DF02-6E4ADD94D703}

=====

Abbreviation..... PUL SUC SI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... SITE OF PATIENTS PULMONARY SUCTIONING
Display Name..... Pulmonary Suctioning Site
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
- 1. ORAL (ORAL) {BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}
 - 2. NASAL (NASAL) {0F73F0CB-E25E-4611-9625-62E6F1596A9B}
 - 3. ARTIFICIAL AIRWAY (ART AIRWAY)
{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}

UNITS:

=====

TERM: PULMONARY VASCULAR RESISTANCE

Page: 516

ID: {56E4D7F3-EC49-B76A-B223-3C9E62E8B0ED}

=====

Abbreviation..... PVR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pulmonary Vascular Resistance

Display Name..... Pulmonary Vascular Resistance

Help Text..... Pulmonary Vascular Resistance

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

DYNE * SECONDS / CM(-5) * M2 50 > 150 * 250 < 500 Dec Prec: 0

=====

TERM: PULMONARY VASCULAR RESISTANCE INDEX

Page: 517

ID: {F98F291B-14F4-AA32-F218-E146364D9754}

=====

Abbreviation..... PVRI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pulmonary Vascular Resistance Index

Display Name..... Pulmonary Vascular Resistance Index

Help Text..... Pulmonary Vascular Resistance Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

DYNE * SECONDS / CM(-5) / M2 20 > 80 * 240 < 350 Dec Prec: 0

=====

TERM: PULSE

Page: 518

ID: {FCA63B76-EF4C-EBE5-33C1-F1EEBD7A7BC4}

=====

Abbreviation..... P
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Beats per minute
Display Name..... Pulse
Help Text..... Heart beats per minute,
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4500636

LOCATION: 12 entries

1. APICAL (Ap) {C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}
2. AV FISTULA (AVF) {F977EEF6-EA6A-D56D-D1F7-29B91510A02F}
3. BILATERAL PERIPHERALS (BILAT PERI)
{7F134529-36C5-E9D4-ABD5-64B404F9E706}
4. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}
5. CAROTID (Car) {9536F203-1797-9336-6F69-604249E1B3A0}
6. DORSALIS PEDIS (DP) {9657D743-1632-2044-B4C5-9EF291A2F6D0}
7. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}
8. PERIPHERAL (Per) {36B31698-E84A-5792-8EAE-F374DFD1B55A}
9. POPLITEAL (Pop) {77030DF2-CE06-D9E2-0684-EE70209CBE73}

- 10. POSTERIOR TIBIAL (PT) {010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}
- 11. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}
- 12. ULNAR (Uln) {81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}

METHOD: 13 entries

-
- 1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
 - 2. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
 - 3. AUSCULTATE (Aus) {0C629C1F-92D3-C641-B02C-9EA43B401DC9}
 - 4. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
 - 5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
 - 6. LEAD (L) {B628FDCE-05E0-DACF-E66E-0F8380AB465A}
 - 7. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
 - 8. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
 - 9. PALPATED (Pal) {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}
 - 10. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}
 - 11. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}
 - 12. ELECTROCARDIOGRAM TRACE 1 (ECG TR 1)
{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}
 - 13. ELECTROCARDIOGRAM TRACE 2 (ECG TR 2)
{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}

POSITION: 4 entries

-
- 1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
 - 2. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
 - 3. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
 - 4. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

QUALITY:

2 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

BEATS PER MINUTE 0 > 60 * 100 < 300 Dec Prec: 0

1. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
2. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
3. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
4. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
5. R POST TIBIAL (R PO TIB) {88CDA53A-5153-4950-701A-3F4F2007CC6B}
6. L POST TIBIAL (L PO TIB) {BED130EE-31CC-C7E9-6597-78685BCE91AC}
7. R PEDAL (R PEDAL) {9532B614-F4E1-316C-1322-905EB58E58C4}
8. L PEDAL (LEFT PEDAL) {D84E9953-8C17-3130-8F21-A30D2A99FDE4}

UNITS:

ID: {9FCBF7CF-39B8-9710-6F41-9B7DDDC3BDD2}

=====

Abbreviation..... PREA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pupil Reaction
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

1. FIXED (f) {697D8C5A-976F-F423-30EC-A04102CF85F0}
2. SLUGGISH (s) {3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}
3. EYE CLOSED (ec) {140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}
4. DRESSING (d) {FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}
5. REACTIVE (Reactive) {31B44ADB-0000-A5B0-5F56-59D4A08C05D2}
6. NONREACTIVE (nonreact) {AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}
7. BRISK (brisk) {980AE687-0A78-458B-BA7B-5D646C38A5F5}
8. PINPOINT (pinpoint) {4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}
9. DILATED (Dilated) {BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}

LOCATION:

2 entries

1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

=====

TERM: PUPIL SIZE

Page: 521

ID: {80D7541F-0EE5-D362-E781-F825A9848E8C}

=====

Abbreviation..... PS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pupil Size

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

LOCATION:

2 entries

1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

MILLIMETERS

0 > 1 * 9 < 11

Dec Prec: 0

=====

TERM: QRS

Page: 522

ID: {7E76309C-0486-40CC-B14F-0D9B042C1D83}

=====

Abbreviation..... QRS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The QRS complex is a structure on the
ECG that corresponds to the
depolarization of the ventricles.

Display Name..... QRS Complex

Help Text..... The QRS complex is a structure on the
ECG that corresponds to the
depolarization of the ventricles.

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

SECOND 0.02 > 0.04 * 0.12 < 0.24 Dec Prec: 2

=====

TERM: QT

Page: 523

ID: {5226FEC7-8AD3-AE64-4122-6F9D2925448A}

=====

Abbreviation..... QT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The QT interval is measured from the
beginning of the QRS complex to the
end of the T wave.

Display Name..... QT Interval

Help Text..... The QT interval is measured from the
beginning of the QRS complex to the
end of the T wave.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

SECOND

0.10 > 0.30 * 0.46 < 1.00 Dec Prec: 2

=====

TERM: RECTAL TUBE PRESENT

Page: 524

ID: {D05DB527-8EDD-4324-B7B5-989AC004486E}

=====

Abbreviation..... REC TU PRE

Active..... Yes

Boolean Value False..... Not Present

Boolean Value True..... Present

Data Type..... Boolean

Description..... Rectal Tube Present

Display Name..... Rectal Tube Present

Help Text..... Rectal Tube Present

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {5E7469A0-F426-2342-DA03-7054F44D7614}

=====

Abbreviation..... RESP PATT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Respiratory Pattern
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

-
1. REGULAR (REGULAR) {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}
 2. IRREGULAR (IRREGULAR) {6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}
 3. DEEP (DEEP) {78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}
 4. SHALLOW (SHALLOW) {CD205617-BF98-4177-971A-056AFECC823A}
 5. DYSPNEIC (DYSPENIC) {4C6B42D9-694F-5EB2-6396-7ED85D5B154E}
 6. ORTHOPNEIC (ORTHOPNIC) {FF373BD7-FD84-DF43-7A44-1B8E62917116}
 7. ABDOMINAL (ABDOMINAL) {29E279F4-5D2E-4644-A2FA-CF85BEDFD480}
 8. CHEYNE-STOKES (CHEYNE-STO)
{58DD2B80-B522-499C-2C60-C48A654BAD84}
 9. KUSSMAUL (KUSSMAUL) {0C5ED066-F445-ABFE-F7B1-D158EC7C2976}

10. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}

11. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}

UNITS:

ID: {973ED2C0-0625-7DF9-17DC-8FFF7E376F23}

=====

Abbreviation..... RR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... RESPIRATIONS PER MINUTE
Display Name..... Respiratory Rate
Help Text..... Breaths per minute
Multi Select Picklist.....
Term Type..... OBSERVATION
Void..... 4688725

METHOD: 8 entries

1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}
3. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
4. CONTROLLED VENTILATOR (CV)
{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}
5. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
6. SPONTANEOUS (S) {5E9463BC-C871-54FD-F800-DCFDEDB8A93B}
7. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}
8. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION:

6 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
4. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
5. SUPINE (SUPINE) {DEA8A744-B445-4A9E-875D-485E060F2ACC}
6. TRENDELENBURG (Tr) {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}

UNITS:

BREATHS PER MINUTE -1 > 12 * 20 < 201 Dec Prec: 0

ID: {4B4C42F3-0F9E-40BE-90AB-C744E91228B0}

=====

Abbreviation..... RES CRITER
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Criteria
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

1. RES CRIT: LINES (R.C. LINE)
{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}
2. RES CRIT: EQUIPMENT (R.C. EQUI)
{38C2C56C-6D57-4750-8E68-F1193B16190A}
3. RES CRIT: AMBULATE (R.C. AMBU)
{54B72608-2C13-46CD-8034-00179669762C}
4. RES CRIT: UNABLE TO FOLLOW DIRECTIONS (R.C. DIRE)
{41358EAE-9912-48F8-8931-D3C635406D21}
5. RES CRIT: COMBATIVE (R.C. COMB)
{38DBF61A-D364-4215-B4AA-36B660F96462}

6. RES CRIT: AGGRESSIVE (R.C. AGGR)

{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}

7. RES CRIT: HARM TO SELF (R.C. HARM)

{4DC33341-8F53-4D30-BC28-1E32DB54F30D}

UNITS:

ID: {08B0A919-200B-4874-993B-E9924E9A439F}

=====

Abbreviation..... RES EDUCAT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Education
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. FAMILY INFORMED (FAM INFORM)
 {77135D32-9CDD-4D3F-9B62-6E8189B77844}
 - 2. PATIENT INFORMED (PAT INFORM)
 {074A1D19-3920-49F1-8958-2EB6F9CF05BA}

UNITS:

ID: {05693D33-977E-4089-988F-4FE029D64BE4}

=====

Abbreviation..... RES EDU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Education Type
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

1. RESTRAINTS EXPLAINED (RES EXPL)
{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}
2. RESTRAINTS ED TYPE (RES ED TY)
{5560A332-C365-4DAF-BA33-610C4AE301F5}
3. RESTRAINTS ED REMOVAL (RES ED REM)
{B19316C8-687B-48FB-9EBC-9857662B9F85}
4. RESTRAINTS BROCHURE (RES BRO P)
{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}
5. RESTRAINTS TIME LIMIT (RES TIME L)
{513B483E-AD7B-4B1A-BD01-91133C605C3C}

UNITS:

ID: {B3B065C3-2612-45C0-9127-3CB42BDA99B6}

=====

Abbreviation..... R.E. ALT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Alternative Measures Attempted
Help Text..... Restraint Evaluation: Alternative
Measures Attempted
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

1. RES EVAL: DECREASE STIMULATION (R.E. DECR)
{0841626E-994E-4346-B701-1662A00209EB}
2. RES EVAL: REALITY ORIENTATION (R.E. REALI)
{221C363C-2261-40FC-8400-8B1D2E693F69}
3. RES EVAL: RELOCATE (R.E. RELO)
{D8165678-ECEF-4F4D-A1C4-C616349E1873}
4. RES EVAL: INVOLVEMENT WITH FAMILY (R.E. INVO)
{0EF31047-70A5-4072-953A-B62E1ACDF84B}
5. RES EVAL: AMBULATION/EXERCISE (R.E. EXER)

{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}

6. RES EVAL: EDUCATION (R.E. EDUC)

{76341E6E-7F0A-429C-B768-9CA83C452FD7}

7. RES EVAL: DIVERSIONAL ACTIVITIES (R.E. DIVER)

{569F6D49-C564-4910-835A-B05179086E1F}

8. RES EVAL: MEDICATION REVIEW (R.E. REVI)

{914A0F82-5863-4C84-B3AB-D5A22BD340D8}

9. RES EVAL: UNABLE TO ATTEMPT (R.E. UNAB)

{979B0477-5789-4319-9562-6752048C4005}

10. BED EXIT ALARM (BED EXIT A)

{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}

11. WHEELCHAIR EXIT ALARM (WHEEL EXIT)

{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

UNITS:

ID: {6553B5FA-F6D5-4FE4-B2B6-E55723D11907}

=====

Abbreviation..... R.E. ELIM

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Elimination Monitored

Help Text..... Restraint Evaluation: Elimination
Monitored

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {0695905D-42DC-4903-98E1-1C89CFAB2A08}

=====

Abbreviation..... R.E. INTA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Fluid / Nutrition Intake Evaluated

Help Text..... Restraint Evaluation: Fluid /

Nutrition Intake Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {EE9BB547-79C9-4C0D-9D46-5F24835F37F9}

=====

Abbreviation..... R.E. HYGI

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Hygiene / Comfort Evaluated

Help Text..... Restraint Evaluation: Hygiene /
Comfort Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {D5F408ED-1743-4CD3-BC34-41F58530DE9B}

=====

Abbreviation..... RES EV LRM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Least Restrictive Measures Evaluated

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 10 entries

1. RESTRAINTS LIMIT SETTING (RES LIM SE)

{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}

2. REDIRECT PATIENT ACTIVITY (REDIR ACT)

{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}

3. REMOVE FROM STIM. SETTING (REM SET)

{2010BA89-B399-4A30-9ACF-C65AB57B6351}

4. OFFER PRN MEDS (OFFER PRN)

{B7AF4903-913C-4848-A255-0B4767B81AE2}

5. VERBAL DE-ESCALATION (VERB DE-ES)

{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}

6. ONE TO ONE SUPERVISION (1 SUPERV)

{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}

7. FREQUENT VERBAL REMINDERS (FR VER RE)

{F30D791D-BB80-4AB3-B37F-22B6B547EA65}

8. PREVENT ACCESS TO DEVICE (PREV ACCE)

{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}

9. REORIENTED TO ENVIRONMENT (REORIENT)

{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}

10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

ID: {58C842E4-8A48-4DDD-8DEF-2C97F3314E40}

=====

Abbreviation..... R.E. DIGN

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Maintain Privacy and Dignity Evaluated

Help Text..... Restraint Evaluation: Maintain

Privacy and Dignity Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {54C82D71-B32F-48A2-87A9-683D6023D905}

=====

Abbreviation..... R.E. REPOS

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Reposition / Range of Motion Evaluated

Help Text..... Restraint Evaluation: Reposition /

Range of Motion Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {1EE22D46-855D-4705-858B-D7623CC79F83}

=====

Abbreviation..... R.E. SKIN
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Skin Integrity Evaluated
Help Text..... Restraint Evaluation: Assess Skin
Integrity Evaluated
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: RESTRAINT INITIATED BY

Page: 540

ID: {6939E11B-F414-435F-93B2-D69334A50FA1}

=====

Abbreviation..... RES INIT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Seclusion/Restraint Initiated By

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. REGISTERED NURSE (RN) {524F344F-FDCD-423F-AD34-291D5DB4271B}

2. PHYSICIAN ORDER (PHY ORDER)

{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}

UNITS:

ID: {1132E26A-19E0-40D0-9602-68AB41F415FA}

=====

Abbreviation..... RES LRME

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Least Restrictive Measures Evaluated

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 10 entries

1. RES LRM: LIMIT SETTING (RLRM SETT)

{96417DDF-8562-4EFF-B4F6-0933FD91CD36}

2. RES LRM: REDIRECT (RLRM REDI)

{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}

3. RES LRM: REMOVE FROM SETTING (RLRM REMO)

{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}

4. RES LRM: PRN MEDS (RLRM: MEDS)

{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}

5. RES LRM: VERBAL DE-ESCALATION (RLRM VERB)

{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}

6. RES LRM: SUPERVISION (RLRM SUPR)

{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}

7. RES LRM: VERBAL REMINDERS (RLRM REMI)

{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}

8. RES LRM: DEVICE ACCESS (RLRM ACCE)

{1662F5E1-30E7-4E8A-BCC5-1738868435B8}

9. RES LRM: REORIENT (RLRM REOR)

{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}

10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

ID: {78C70CF3-3253-46B1-AD61-4A6E7C72442E}

=====

Abbreviation..... RES MENT A

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Mental Assessment Patient Evaluation

Display Name..... Mental Assessment

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

-
1. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}
 2. DISORIENTED (DISORIENTE) {A7D1F2EA-CD7C-4100-8552-44834684C6DE}
 3. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
 4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
 5. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

UNITS:

ID: {843976A3-7C4A-4E09-A273-4589923DDDC2}

=====

Abbreviation..... RES ORD TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Order Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. SECLUSION (SECLUSION) {65B57F6C-C849-4BF7-8705-175361BC900F}
 - 2. RESTRAINT (RESTRAINT) {0429322D-A987-4913-B64D-A6414645B214}

UNITS:

ID: {5002371C-E683-459E-A4B0-3CC914081E78}

=====

Abbreviation..... RES PT U

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Patient Understanding Of Restraints
Education

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

1. INDICATES UNDERSTANDING (UNDERSTAND)

{C4AEFE5F-C388-4E00-9663-6B308934284B}

2. NEEDS REINFORCEMENT (NEED REINF)

{B6171F65-4530-418D-A63B-65DFFF522786}

3. UNSUCCESSFUL (UNSUCCESSF) {54DC58A1-7585-4A32-B810-90B586ED9332}

UNITS:

=====

TERM: RESTRAINT SAFETY CARE

Page: 545

ID: {1450E52B-CBF3-BA02-F4E0-4AE793AE9614}

=====

Abbreviation..... RESSC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Safety Care
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. CIRCULATION CHECK (ccq) {BA32C2A8-F15C-84EF-4859-6277EFA6463A}
 2. DEVICE RELEASE (drq) {9F97947F-CFFE-3285-F4C3-A8DF294DA46C}

UNITS:

ID: {696245B7-717E-4CF4-3C92-7E0F4DFEDEDDE}

=====

Abbreviation..... RES TYPE A
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Type
Help Text..... Location and type of restraint used
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 19 entries

1. RESTRAINT SOFT (RESTR SOFT)
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}
2. RESTRAINT SOFT 2 POINT (RES S2POIN)
{66B71CFE-2603-40C9-9625-24448012BAB5}
3. RESTRAINT SOFT 4 POINT (RES S4POIN)
{6820E997-60A0-4802-BE26-CA29B4F48F32}
4. RESTRAINT SOFT ARMS + WAIST (RES S A+W)
{4A322BB6-0F63-4BB7-9290-C0655BD7D772}
5. RESTRAINT SOFT ARMS + LOCKED WAIST (RES S A+LW)
{C480D67C-958C-42F9-9203-98E2F2BDBEC8}

6. RESTRAINT SINGLE HAND MITT (RES S HA M)
{A5F1D037-FB5E-402B-9F25-22DE48404D57}
7. RESTRAINT BILATERAL HAND MITT (RES BI H M)
{5E293110-1235-4307-80C2-0FFFA007E1DA}
8. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
9. RESTRAINT BILATERAL ANKLE (RES BI ANK)
{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}
10. RESTRAINT WRIST (RES WRIST)
{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}
11. RESTRAINT GERI CHAIR (RES GERI C)
{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}
12. RESTRAINT HARD PLASTIC/LEATHER 2 POINT (RES P/L 2P)
{17CB8739-612A-4319-946A-2062C5245C90}
13. RESTRAINT HARD PLASTIC/LEATHER 4 POINT (RES P/L 4P)
{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}
14. RESTRAINT ONE ARM (RES ONE AR)
{839914DA-6D63-43EB-961E-70DA56737A92}
15. RESTRAINT ONE LEG (RES ONE LE)
{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}
16. RESTRAINT WAIST LOCKED (RES WAI LO)
{1EE7AB42-CE17-4D49-849B-CA550966E58C}
17. RESTRAINT WAIST (RES WAIST)
{253E2757-5A57-4410-9C0E-F4A907A1EC16}
18. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)
{9BB528F4-7016-4030-B73F-4037ADF2621D}
19. RESTRAINT STRAP (RES STRAP)
{642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION:

11 entries

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
4. BILATERAL WRIST (BILAT WRIS)
{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}
5. BILATERAL LEG (BILAT LEG) {0713761D-E0FC-DA03-02A1-F20EFEB99F45}
6. BILATERAL ANKLES (BILA ANKLE)
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}
7. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
8. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
9. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
10. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
11. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

ID: {0A2CB443-AA1A-4526-9BF0-9C63B49D7603}

=====

Abbreviation..... RES TY ARM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Arm Restraints
Display Name..... Arm Restraints
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

-
1. RESTRAINT SINGLE HAND MITT (RES S HA M)
{A5F1D037-FB5E-402B-9F25-22DE48404D57}
 2. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)
{9BB528F4-7016-4030-B73F-4037ADF2621D}
 3. RESTRAINT SOFT (RESTR SOFT)
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

LOCATION: 6 entries

-
1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}

- 2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
- 3. BOTH ARMS (BOTH ARMS) {A493AB32-9DE9-40AC-8C46-7EFF395B63B5}
- 4. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
- 5. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
- 6. BILATERAL WRIST (BILAT WRIS)
{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

- 2. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
- 3. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}
- 4. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
- 5. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
- 6. BILATERAL ANKLES (BILA ANKLE)
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}

UNITS:

ID: {40448F75-66C2-4FA1-AA02-6B827C9A06F8}

=====

Abbreviation..... RES TYP OT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Restraint Type Other
Display Name..... Restraint Type Other
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

-
1. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}
 2. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
 3. RESTRAINT WAIST (RES WAIST)
{253E2757-5A57-4410-9C0E-F4A907A1EC16}

LOCATION: 3 entries

-
1. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
 2. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
 3. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

=====

TERM: RIGHT VENTRICULAR STROKE WORK

Page: 550

ID: {3A72DA75-5112-7980-4F4F-E1E34FFCD1A6}

=====

Abbreviation..... RVSW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Right Ventricular Stroke Work

Display Name..... Right Ventricular Stroke Work

Help Text..... Right Ventricular Stroke Work

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT 0.0 > 5.0 * 30.0 < 50.0 Dec Prec: 1

=====

TERM: RIGHT VENTRICULAR STROKE WORK INDEX

Page: 551

ID: {EE450A40-E87C-1F5C-FDEF-BAAD030B8149}

=====

Abbreviation..... RVSWI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Right Ventricular Stroke Work Index

Display Name..... Right Ventricular Stroke Work Index

Help Text..... Right Ventricular Stroke Work Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT PER M2 1.9 > 2.0 * 18.0 < 18.1 Dec Prec: 1

GM-M/M2/BEAT 3.9 > 4.0 * 18.0 < 18.1 Dec Prec: 1

=====

TERM: SAFETY DEVICE WAIST BELT APPLIED

Page: 552

ID: {27E75399-989F-4598-A972-646FBFF51A20}

=====

Abbreviation..... WAIST BE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Safety Device Waist Belt Applied

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

ID: {CF2E7E29-8C96-461B-9074-CA94455F62D6}

=====

Abbreviation..... SED RAMSEY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Ramsey Sedation Scale
Display Name..... RAMSEY
Help Text..... Ramsey Sedation Scale
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

1. RAMSEY ANXIOUS (RAM ANXIOU)
{88205A0C-7065-4616-8FCF-75059462DD15}
2. RAMSEY COOPERATIVE (RAM COOPER)
{56846ADA-0F0E-44AA-9779-A567B9D24C4F}
3. RAMSEY SEDATED (RAM SEDATE)
{CC12405F-60DB-485F-94E5-78C1EB32AB74}
4. RAMSEY ASLEEP BRISK RESPONSE (RAM ASL BR)
{00F4A117-F9E7-4B60-A521-F2E8725AECD3}
5. RAMSEY ASLEEP SLUGGISH (RAM ASL SL)
{AA61604F-00F9-4103-B27F-E817FBC9577B}

6. RAMSEY ASLEEP NO RESPONSE (RAM ASL NO)

{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}

UNITS:

ID: {F4900650-2584-4A5B-9F97-171A9552C7BA}

=====

Abbreviation..... RASS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Richmond Agitation Sedation Scale
Display Name..... RASS
Help Text..... Richmond Agitation Sedation Scale
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. RASS COMBATIVE (RASS COMBA)
{A97E064A-7709-42F9-9A88-4AAFF1020883}
2. RASS VERY AGITATED (RASS V AGI)
{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}
3. RASS AGITATED (RASS AGITA)
{D81A5D5D-E7FC-445A-A814-495731ABA0F8}
4. RASS RESTLESS (RASS RESTL)
{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}
5. RASS ALERT AND CALM (RASS AL CA)
{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}

6. RASS DROWSY (RASS DROWS) {5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}

7. RASS LIGHT SEDATION (RASS LT SE)

{FDEEC084-3922-4065-A863-4893E42F8F93}

8. RASS MODERATE SEDATION (RASS MD SE)

{D12B0A3E-B80E-494F-B89F-A79E8B81B080}

9. RASS DEEP SEDATION (RASS DP SE)

{83CB4E64-3581-452F-987A-D31CB3AB38D2}

10. RASS UNAROUSABLE (RASS UNARO)

{1578E147-7D2C-4469-828E-FCA97109B27C}

UNITS:

ID: {8281E806-CEC9-4236-B984-495B8A3973E5}

=====

Abbreviation..... SED SC SAS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Riker Sedation-Agitation Scale
Display Name..... SAS
Help Text..... Riker Sedation-Agitation Scale
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

-
1. SAS DANGEROUS AGITATION (SAS DA AGI)
{0701FB25-1DF0-4771-8C81-AC19A985A3B6}
 2. SAS VERY AGITATED (SAS VY AGI)
{B501606A-EEA7-470E-81BE-F51D422272F1}
 3. SAS AGITATED (SAS AGITAT) {107143D4-9527-4A26-8CB7-EEBB656B68B3}
 4. SAS CALM AND COOPERATIVE (SAS C COOP)
{F0633778-280C-43C3-9E6E-9C35C18179F6}
 5. SAS SEDATED (SAS SEDATE) {AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}
 6. SAS VERY SEDATED (SAS VY SED)
{4B13529B-61C5-4B68-857A-3A5351DC4BE2}

7. SAS UNAROUSABLE (SAS UNAROU)

{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

UNITS:

=====

TERM: SEIZURE CHARACTER

Page: 556

ID: {15B23878-6E4C-4FCE-9F49-1C728A4A65D2}

=====

Abbreviation..... SEIZU CHAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Seizure Character

Display Name..... Seizure Character

Help Text..... Character of Seizure

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

1. TONIC/CLONIC (TON/CLON) {81932BAA-6C79-47A3-85B3-592824B6C09C}

2. PARTIAL IMPAIRED (PART IMPAI)

{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}

3. PARTIAL SIMPLE (PART SIMP)

{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

UNITS:

=====

TERM: SEIZURE DURATION

Page: 557

ID: {DAABDF54-F64C-6306-87EA-B8F5DE034DA0}

=====

Abbreviation..... SEID

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Seizure Duration

Help Text..... Value in minutes

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MINUTE

0 > 1 * 15 < 30

Dec Prec: 0

=====

TERM: SEIZURE FOCI

Page: 558

ID: {719641C6-BA10-0BA3-65F1-17DC4B1B92E0}

=====

Abbreviation..... SEIF
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Seizure FOCI
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 3 entries

-
1. STARTED ON LEFT (sol) {AA6767EE-57F6-F565-76E9-EB219644492F}
 2. STARTED ON RIGHT (sor) {0C690E36-E710-244D-44FC-5DB5BCC0FF7E}
 3. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}

UNITS:

ID: {9BD54461-23E5-F317-E5AC-5FAF87EECA0C}

=====

Abbreviation..... SEI PREC
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Seizure Precautions
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SEIZURES

Page: 560

ID: {BB006255-D69A-E29C-1286-D71E6FF15830}

=====

Abbreviation..... SEI
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Seizures
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SENSATION FOOT

Page: 561

ID: {CCF961DC-8590-2498-3836-0F010461F69A}

=====

Abbreviation..... SENSF
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sensation Foot
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

-
1. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
 2. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

UNITS:

ID: {7B880F9C-83F8-3395-9983-F10A1EF2F97A}

=====

Abbreviation..... SENSH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sensation Hand
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
- 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
- 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
- 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

- 1. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
- 2. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}

UNITS:

=====

TERM: SENSATION LOWER EXTREMITY

Page: 563

ID: {EB69E23D-9C3B-F2AB-B7F6-CAE402C87DE9}

=====

Abbreviation..... SLEX
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sensation Lower Extremity
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}
2. R LOWER EXTREMITY (R LOW EXTR)
{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

UNITS:

ID: {25313956-8B3E-FA21-0AA7-8E9DD4ABFF8D}

=====

Abbreviation..... SUEX
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sensation Upper Extremity
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
- 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
- 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
- 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

- 1. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}
- 2. R UPPER EXTREMITY (R UPP EXTR)
{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

ID: {1D7F207B-7808-4280-8CA6-8A59478DAB7B}

=====

Abbreviation..... SEQ DEV AP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sequential Compression Device
Application

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. INITIATED (INITIATED) {562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}
2. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
3. INTERRUPTED (INTERRUPTED) {AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}
4. DISCONTINUED (DISCONTINUED) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
5. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
6. OFF WHILE AMBULATORY (OFF AMBULATORY)
{FF4610BF-8C92-408F-882A-1D6B2C2F146F}
7. ON WHILE SITTING IN CHAIR (ON IN CHAIR)
{4139F4C3-BB68-4477-BF63-9BE7813AADA7}

8. OFF DURING BATHING (OFF BATHIN)

{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}

UNITS:

=====

TERM: SEWS - AGITATION

Page: 566

ID: {012BB6B1-0CF8-4F51-832C-D85EF58C0831}

=====

Abbreviation..... SEWS AGITA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Agitation

Help Text..... Agitation: fidgety, restless, pacing?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

ID: {1F7184F3-45F0-4D93-808C-FB797589814F}

=====

Abbreviation..... SEWS ANXIE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity of Ethanol Withdrawl Scale

Display Name..... Anxiety

Help Text..... Do you feel that something bad is
about to happen to you right now?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

=====

TERM: SEWS - DISORIENTATION NAME PLACE

Page: 568

ID: {A6E459CA-ADEF-4EA5-8B24-11300836DE9A}

=====

Abbreviation..... SEWS N PL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Disorientation: Knows Name and Place

Help Text..... Disorientation: Knows name and place

but not date

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

ID: {4CDA775D-987A-442E-A260-82DE115FC127}

=====

Abbreviation..... SEWS H ANY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Hallucinations Visual, Tactile,
Olfactory, Gustatory (any)

Help Text..... Hallucinations: Visual, Tactile,
Olfactory, Gustatory (any)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

=====

TERM: SEWS - HALLUCINATION AUDITORY ONLY

Page: 570

ID: {6C720EBC-4E08-44B5-BAFC-7473E0E7E6DD}

=====

Abbreviation..... SEWS HAL A

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Hallucination: Auditory Only

Help Text..... Auditory Only (Check for major
psychotic disorder)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

=====

TERM: SEWS - NAME ONLY

Page: 571

ID: {7F010DD2-E6C5-45EF-800D-37C238ED69A1}

=====

Abbreviation..... SEWS N ONL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Disorientation: Knows Name Only

Help Text..... Disorientation: Knows Name Only

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

=====

TERM: SEWS - NAUSEA

Page: 572

ID: {168E97DD-48FA-45BF-A3C0-8FCB5B316B6D}

=====

Abbreviation..... SEWS NAUSE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Nausea and Dry Heaves or Vomitting?

Help Text..... Nausea and Dry Heaves or Vomitting?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

ID: {4B7D9035-79F8-4736-9A20-87671D76E12B}

=====

Abbreviation..... SEWS SWEAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Sweating

Help Text..... Sweating: Includes moist palms,
sweating now?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

=====

TERM: SEWS - TOTAL

Page: 574

ID: {6220504D-6961-4138-B1EC-1257142F5E49}

=====

Abbreviation..... SEWS TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Severity Of Ethanol Withdrawl Scale

Total

Display Name..... SEWS TOTAL

Help Text..... 5 Or Less = Lower Risk For Withdrawl.

6 Or More = Higher Risk For Withdrawl

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

SEWS SCALE

-1 > 0 * 5 < 24

Dec Prec: 0

ID: {8BC41692-A9A8-4900-BB2D-5E60E5625798}

=====

Abbreviation..... SEWS TREMO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Tremor

Help Text..... Tremor: with arms extended, eyes
closed?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

ID: {657A9E0B-12CC-4D33-B4A8-99827CAE5CFF}

=====

Abbreviation..... SEWS VITAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Vitals: Pulse > 110, Diastolic BP >
90, Temp > 99.6

Help Text..... Vitals: Pulse > 110, Diastolic BP >
90, Temp > 99.6

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

ID: {1BE3FF8D-BC95-CE9E-ABFB-9C94CF591F24}

=====

Abbreviation..... SD RAIL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Side Rails
Help Text..... Side Rail Positions
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 14 entries

-
1. ALL UP (ALL UP) {48199083-ACC2-408C-9242-7A6313CD7A7F}
 2. ALL DOWN (ALL DOWN) {76C14E79-95E2-49B7-B847-3B114653E98C}
 3. HEAD UP (hu) {BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}
 4. R HEAD UP (R HEAD UP) {D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}
 5. L HEAD UP (L HEAD UP) {BB39792D-B572-4A10-BA81-8685809E7437}
 6. HEAD DOWN (hd) {80BF3425-D252-F917-052E-DC54D39E464E}
 7. R HEAD DOWN (R HEAD DOW) {FDfE0638-444C-4023-B586-985E84EEA1FA}
 8. L HEAD DOWN (L HEAD DOW) {3C919CB8-1C0A-498D-95A6-C46D25744CEC}
 9. FOOT UP (fu) {49CCC59E-002E-8387-E8D6-D57AAC089EF3}
 10. R FOOT UP (R FOOT UP) {5928B710-6EB1-4183-93CB-6C72B37A97C3}

11. L FOOT UP (L FOOT UP) {A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}
12. FOOT DOWN (fd) {13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}
13. R FOOT DOWN (R FOOT DOW) {DBCC0BA2-3097-42C7-AE9E-DF71FA779162}
14. L FOOT DOWN (L FOOT DOW) {5B18895B-DAD5-4874-87DB-DACFFF88B170}

UNITS:

=====

TERM: SIGNIFICANT EVENT

Page: 578

ID: {0DBEF78C-8CFC-0173-2A39-02C24EB10A5F}

=====

Abbreviation..... se

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... No Description

Display Name..... Significant Event

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

ID: {05B77F59-77DE-424F-ACD1-413E70D52429}

=====

Abbreviation..... SIN DRA CH
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sinus Drainage Character
Help Text..... Describe The Sinus Drainage
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

-
1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
 2. SEROSANGUINOUS (SEROSANGUI)
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
 3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 4. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

UNITS:

=====

TERM: SINUS DRAINAGE PRESENT

Page: 580

ID: {0F9CDF0D-A7A8-408D-BBFD-A6F74E5B8D6F}

=====

Abbreviation..... SIN DRAI P
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Sinus Drainage Present
Help Text..... Is Sinus Drainage Present?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SINUS NECROTIC TISSUE APPEARANCE

Page: 581

ID: {0578E21E-CFBE-440A-A532-8135AD414085}

=====

Abbreviation..... SNEC TI AP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sinus Necrotic Tissue Appearance

Help Text..... Sinus Necrotic Tissue Appearance

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-
1. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
 2. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
 3. HARD (HARD) {7934B543-7028-4CBC-9308-99F5A952A1DE}
 4. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}

UNITS:

=====

TERM: SINUS NECROTIC TISSUE PRESENT

Page: 582

ID: {299921C9-5A13-4D9E-BC0D-8F777ED490D4}

=====

Abbreviation..... SIN NEC TI
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... No Description
Display Name..... Sinus Necrotic Tissue Present
Help Text..... Is Sinus Necrotic Tissue Present?
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {59D298AC-1BE0-4C13-B75B-1CE331454151}

=====

Abbreviation..... SIN TI CHA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sinus Tract Surrounding Tissue
Character

Help Text..... Sinus Tract Surrounding Tissue
Character

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

1. ERYTHEMA (ERYTHEMA) {0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}
2. DISCOLORATION (DISCOLORAT)
{BBE3E910-CC49-430C-BD90-FB0A97F1B183}
3. INDURATION (INDURAITON) {A1669576-45D9-435C-87B9-488E9CF6BBA4}
4. MACERATION (MACERATION) {B7C63E05-E193-40AA-A572-F1ACA0162B8B}

UNITS:

ID: {D89C6750-E1F0-4817-9EDD-205EE310A09A}

=====

Abbreviation..... SIN TRA UL

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Sinus Tract Ulcer

Help Text..... Is a Sinus Tract Ulcer Present?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {63375C18-43BF-4969-989F-8239440E4040}

=====

Abbreviation..... SIN ULC EP

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Sinus Tract Ulcer Epithelialization

Help Text..... Is Sinus Tract Ulcer

Epithelialization Present?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SINUS TRACT ULCER GRANULIZATION

Page: 586

ID: {64BE9437-2EAB-40F2-93BC-2D0C9DBDC1EB}

=====

Abbreviation..... SIN ULC GR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Sinus Tract Ulcer Granulization

Help Text..... Is Sinus Tract Ulcer Granulization
Present?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SKIN ALTERATION

Page: 587

ID: {6B4325F4-F776-48C1-902D-2CFFC73A22BB}

=====

Abbreviation..... SKIN ALTER
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Alteration
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. WOUND (WOUND) {1EC40149-051E-4750-8651-2B2D0DD2DEAC}

UNITS:

=====

TERM: SKIN COLOR

Page: 588

ID: {8D3A8036-39B5-AA2B-BF62-CC1EB134BB19}

=====

Abbreviation..... SKIN COLOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Observation of Patients Skin Color

Display Name..... Skin Color

Help Text..... Observation of Patients Skin Color

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

13 entries

-
1. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}
 2. MOTTLED (m) {4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}
 3. ICTERIC (ICTERIC) {274ED5BB-5A34-20EE-A9B0-81AB7803780E}
 4. JAUNDICE (j) {B17F4603-7C68-660D-96A7-119140A998D3}
 5. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}
 6. DUSKY (d) {2ABF845E-4E2F-883F-3FCC-F72B8507FF85}
 7. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}
 8. ASHEN (ASHEN) {7431E4EC-DCF1-4966-85CB-29BF65311855}
 9. NORMAL FOR ETHNIC GROUP (ETH. NORM.)
{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}

- 10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
- 11. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}
- 12. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
- 13. ECCHYMOSIS (ECCHYMOSIS) {DF076906-CC17-6AD1-76E7-B07678A126DE}

UNITS:

=====

TERM: SKIN CONDITION

Page: 589

ID: {831BEB82-92CE-07A0-F36B-09C94030D088}

=====

Abbreviation..... SKIN COND.
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Condition
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
 2. BREAKDOWN (BREAKDOWN) {9CFD21C0-A805-47C4-E559-8033C754DE80}

UNITS:

ID: {B973CF56-27AD-447B-9B12-A4326997E027}

=====

Abbreviation..... SKI DRA AM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Device Drainage Amount
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 - 2. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
 - 3. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
 - 4. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
 - 5. HEAVY (HEAVY) {1F10CD98-03FA-4705-BF7D-941E881C4E3D}

UNITS:

=====

TERM: SKIN ERYTHEMA EXTENDS AROUND INCISION

Page: 591

ID: {A88D0DBE-7CC6-4983-B9AC-AF9CCF9653AB}

=====

Abbreviation..... ER EXI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Erythema Extension Around Incision

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-
1. EXTENDS AROUND INCISION NONE (ER EXI NON)
{91F1A7C5-885C-4B13-9F7F-189C93E505CC}
 2. EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (ER EXI <
1) {095709D0-6190-49A3-AB08-BF4575DC8396}
 3. EXTENDS AROUND INCISION MORE THAN 1 CM (ER EXI >1)
{11F13A1F-7AC2-4629-A960-CD92655EE101}
 4. LIMITED TO INCISION (ER EXI LIM)
{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}

UNITS:

ID: {6BABC7F1-2C62-41A7-83E2-F5F4B5ACE087}

=====

Abbreviation..... ERY EX

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Skin Erythema Extension Around Wound

Display Name..... Erythema Extension Around Wound

Help Text..... Skin Erythema Extension Around Wound

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

1. EXTENSION AROUND WOUND NONE (ERY EX NON)
{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}
2. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (ERY EX >1
) {175B2505-C596-4036-8FC3-DFEA8EFB76F9}
3. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (ERY EX <1
) {48C7FA69-D31A-4AAA-84F3-79AC863B71FD}
4. EXTENSION AROUND WOUND LIMITED TO WOUND (ERY EX LIM)
{2DC83B85-B3B6-4679-9F48-7DD26EFFC4D4}

UNITS:

ID: {210023AD-813A-05F9-29E5-9F4339FD8BFE}

=====

Abbreviation..... INCI CLOSU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Incision Closure
Help Text..... Type of material used to close incision
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. SKIN INCISION WOUND CLOSURE SUTURES (INC CL SUT)
{DED8DEDA-82C9-4D3A-A81E-641583314919}
2. INCISION WOUND CLOSURE GLUE (IN CL GLU)
{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}
3. SKIN INCISION WOUND CLOSURE STAPLES (INC CL STA)
{4F48D42D-C206-423C-970B-02C03B2EE0B6}
4. SKIN INCISION WOUND CLOSURE STERI-STRIPS (INC CL STE)
{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}
5. INCISION WOUND CLOSURE NOT CLOSED (INC CL)
{D63A05BF-1205-45F6-A78D-15D198BCB1C6}

6. SKIN INCISION WOUND CLOSURE OPEN WOUND (INC CL OPE)

{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}

7. INCISION WOUND CLOSURE APPROXIMATED (INC CL APP)

{2DD5713E-D81C-484B-A0DF-6A5730B396DF}

8. INCISION WOUND CLOSURE DEHISCENCE (INC CL DEH)

{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

UNITS:

ID: {36580CA5-4FB0-4562-9652-0B3BD7D04307}

=====

Abbreviation..... INC IN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Induration Extension Around Incision

Display Name..... Induration Extension Around Incision

Help Text..... Induration Extension Around Incision

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

1. SKIN INDURATION AROUND INCISION NONE (INC IN NON)
{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}
2. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (INC IN <1)
{2A5097BF-955C-4F79-B483-7EE14AF05786}
3. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (INC IN >1)
{D8EE448D-00EB-412D-95AC-2E2E92C53EEB}
4. SKIN INDURATION AROUND INCISION LIMITED TO INCISION (INC IN LIM)
{88BCE7F9-F21F-427A-A50B-C1BA831639AB}

UNITS:

ID: {20391515-609B-4D18-AE79-533E47AFCAA8}

=====

Abbreviation..... WOU IN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Induration Extension Around Wound

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

1. SKIN INDURATION EXTENSION AROUND WOUND NONE (WOU IN NON)

{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}

2. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (W
OU IN <1) {3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}

3. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (W
OU IN >1) {7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}

4. SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (WOU IN LIM)

{1828A9EA-FF9D-4A49-9543-15B85FBF211E}

UNITS:

=====

TERM: SKIN MOISTURE

Page: 596

ID: {BE934424-A7CF-EEF0-8098-26B3AFC4B2FE}

=====

Abbreviation..... SKIN MOIST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Skin Moisture
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 4 entries

-
- | | |
|--------------------|--|
| 1. DRY (d) | {D8F4F0FD-1B19-2515-3815-EC88D175B305} |
| 2. MOIST (m) | {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0} |
| 3. DIAPHORETIC (d) | {F5F1E644-A1BD-0137-54B5-1C02678C1D5A} |
| 4. NORMAL (n) | {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B} |

UNITS:

=====

TERM: SKIN PATCHES PRESENT

Page: 597

ID: {D48AF8EF-A439-4D1B-9987-A04D9E030B45}

=====

Abbreviation..... SKIN PAT P
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Are Skin Patches Present
Display Name..... Skin Patches Present
Help Text..... Are Skin Patches Present? (EKG,
Medication...)
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {8258C84C-8C09-417D-8FB2-FC1999456654}

=====

Abbreviation..... SK RISK PR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Are Skin Risk Factors Present?

Display Name..... Skin Risk Factors Present

Help Text..... Does The Patient Have Spinal Cord
Injury, Paralysis, Or Neurological
Disease?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: SKIN SWELLING EXTENSION AROUND INCISION

Page: 599

ID: {AB9716EF-235C-4434-A96D-5BC289C9458A}

=====

Abbreviation..... INC SW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Skin Swelling Extension Around Incision

Display Name..... Skin Swelling Extension Around Incision

Help Text..... Skin Swelling Extension Around Incision

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

-
1. SKIN SWELLING EXTENSION AROUND INCISION NONE (INC SW NON)
{54C9FC46-899C-460B-9524-D6F196B9FF31}
 2. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (INC SW <1)
{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}
 3. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (INC SW >1)
{106A2AD3-F482-4DEE-967E-6F06C6026944}
 4. SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (INC SW LIM)
{B8503D54-6925-430E-8AB6-692412347D5D}
 5. SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (INC SW FLU)
{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

UNITS:

=====

TERM: SKIN SWELLING EXTENSION AROUND WOUND

Page: 600

ID: {FE9F8966-B828-473C-9285-E189A448E304}

=====

Abbreviation..... WOU SW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Swelling Extension Around Wound

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

-
1. SKIN SWELLING EXTENSION AROUND WOUND NONE (WOU SW NON)
{550E3B92-2C69-403B-A997-2DBE61374ABF}
 2. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (WOU SW <1)
{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}
 3. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (WOU SW >1)
{EA6AC933-0737-4C28-9F31-D36F3452DA96}
 4. SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (WOU SW LIM)
{413CD1EC-309C-45D0-A1E0-E829EA615E2A}
 5. SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (WOU SW FLU)
{DB5077E7-D339-4C87-B8CA-D16269DB2935}

UNITS:

ID: {7E791776-2C73-E8F3-64A6-D965319D79BA}

=====

Abbreviation..... SKIN TEMP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Skin Temperature
Display Name..... Skin Temperature
Help Text..... Skin Temperature
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

-
1. COOL (COOL) {48A1FEA8-FD75-DAF8-174A-9C6AB2044439}
 2. WARM (WARM) {E03BBEB4-5643-968F-190F-309A1293FCF9}
 3. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
 4. HOT (HOT) {401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}
 5. CONSISTENT WITH BODY TEMPERATURE (CON W TEMP)
{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}
 6. WARMER THAN GENERAL BODY TEMP (WARM B TEM)
{AE43F2B4-B585-43F4-9E97-D61E225A803B}
 7. WARMER THAN OPPOSITE BODY PART (WARM OPP P)
{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}

8. COOLER THAN OPPOSITE BODY PART (COOL OPP P)

{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}

9. COOLER THAN GENERAL BODY TEMPERATURE (CoolGenT)

{03D7D4CF-9B3C-49CA-9650-213E9BABE064}

LOCATION: 49 entries

-
1. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
 2. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
 3. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
 4. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
 5. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}
 6. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
 7. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
 8. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
 9. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
 10. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
 11. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
 12. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}
 13. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
 14. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}
 15. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
 16. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
 17. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
 18. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
 19. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
 20. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
 21. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

22. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
23. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
24. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
25. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
26. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
27. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
28. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
29. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
30. L JAW (L JAW) {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}
31. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}
32. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}
33. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}
34. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
35. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}
36. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
37. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACA0}
38. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
39. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
40. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
41. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
42. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
43. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
44. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
45. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
46. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
47. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
48. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
49. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

ID: {832CCFB8-A5D4-49C0-A97D-2079E698D0EA}

=====

Abbreviation..... INC TP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Skin Temperature at Incision Site
Display Name..... Skin Temperature at Incision Site
Help Text..... Skin Temperature at Incision Site
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

1. SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (INC TP CON) {D349175A-4B20-4243-BE40-E01E50C5583F}
2. SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (WARM BD OP) {5F888E9D-8F65-49ED-BC5D-F6F287A9D478}
3. SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (WARME R OP) {F518787A-325A-45F3-82B4-73C856802073}
4. SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (INC TP CBT) {D357C975-857D-4293-B3EF-EFA7A4586357}
5. SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (INC T P COP) {85307AD8-F730-43F0-BCB3-882594D9DDF8}

UNITS:

ID: {52AE1F41-553B-4D21-8A65-33B4CEDFA783}

=====

Abbreviation..... WOU TP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Skin Temperature at Wound Site
Display Name..... Skin Temperature at Wound Site
Help Text..... Skin Temperature at Wound Site
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

1. SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (WOU TP CBT) {672D56C1-D1A3-4DDF-8815-F05DEE197061}
2. SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (WOU TP WGB) {03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}
3. SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (WOU TP WOB) {6290BD23-24BF-4A3A-8555-DCE52D2274B3}
4. SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (WOU TP COB) {A904C666-2810-4211-B53A-2961DCE6894E}
5. SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (WOU TP CGB)

U TP CGB)

{7203993E-3334-44EC-9FD9-14224253283D}

UNITS:

=====

TERM: SKIN TURGOR

Page: 604

ID: {4D90E9F2-5E61-67AA-1ACA-874AED4E6C79}

=====

Abbreviation..... SKIN TURG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Turgor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

1. GOOD (GOOD) {39ECA304-49F9-44B7-9735-B33CEC9D8119}

2. DECREASED (DECREASED) {D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}

3. POOR (POOR) {A3D75A12-A791-446D-AF63-9435054DFC4C}

UNITS:

ID: {975D025B-F852-4212-A182-1D9469BCA5B1}

=====

Abbreviation..... WOU CLOSUR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Closure
Help Text..... Type of material used to close wound
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

1. SKIN WOUND CLOSURE APPROXIMATED (WOU CL APP)
{83D48E0F-8643-436B-9ECC-80795857C322}
2. SKIN WOUND CLOSURE DEHISCENCE (WOU CL DEH)
{425A460F-19C0-4A4A-8E4E-712C66968C38}
3. SKIN WOUND CLOSURE GLUE (WOU CL GLU)
{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}
4. SKIN WOUND CLOSURE NOT CLOSED (WOU CL NOT)
{0E69F1FA-35F6-4F34-8547-CC3602670A7B}
5. SKIN WOUND CLOSURE OPEN WOUND (WOU CL OPE)
{C6F2AD2C-932F-434A-8A7A-513029092FFD}

6. SKIN WOUND CLOSURE STAPLES (WOU CL STA)

{FE04BFE3-DF81-48E7-9FA1-1CF4ECAD71}

7. SKIN WOUND CLOSURE STERI-STRIPS (WOU CL STE)

{AD451791-6B49-4A51-ABC3-796D08BEF910}

8. SKIN WOUND CLOSURE SUTURES (WOU CL SUT)

{F2840AE4-216B-477C-9FE6-DC91E8CE5364}

UNITS:

=====

TERM: SLEEP AMOUNT

Page: 606

ID: {E68F85F4-35A1-4FAC-BA86-90BF1FD5D63F}

=====

Abbreviation..... SLEEP AMOU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Sleep Amount

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

HOUR -0.1 > 0.0 * 24.0 < 24.1 Dec Prec: 1

ID: {7727D9C8-C3F2-4676-A2B8-23F4DAC72B90}

=====

Abbreviation..... SLEEP QUAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sleep Qualifiers

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

6 entries

-
1. NAPS ONLY (NAPS ONLY) {CF749F5C-2E4B-419A-B020-C81B30A7E482}
 2. HAS NOT SLEPT (NO SLEEP) {3BF9DB54-5D1E-422D-90AF-918F81C9EA85}
 3. ASLEEP AT ROUNDS (SLEEP ROUN)
{24E1D9F0-D8F1-4DC8-911F-6170F343C087}
 4. DENIES HAVING SLEPT (DENIES SL)
{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}
 5. SLEPT WELL (SLEPT WELL) {18573E82-568F-4D2E-B9E1-6E4589EBEE2D}
 6. INTERMITTENT SLEEP (INT SLEEP)
{5005C433-5892-4F4D-A64D-4C94AD1853E2}

UNITS:

{BB795594-720C-40D7-9B7C-6792BC849DA0}

7. STANDARD PRESSURE REDUCTION (STAN P RED)

{556537CD-A84D-4493-81F6-51CBD844B5B7}

8. STRYKER FRAME (STRYKER FR)

{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}

9. FLOTATION BED (FLOT BED) {FA6329AB-85A6-4301-BC14-D0D089249356}

UNITS:

=====

TERM: SPECIFIC GRAVITY

Page: 609

ID: {CFB61154-54BD-4DE2-B83B-BC497AEC0F33}

=====

Abbreviation..... SPEC GRAVI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Specific Gravity

Display Name..... Specific Gravity

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

PRODUCT:

1 entries

1. URINE (u) {1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

UNITS:

SI UNIT 0.500 > 1.000 * 1.030 < 2.000

Dec Prec: 3

ID: {F5ECC376-8003-62AF-64E7-08D52B244095}

=====

Abbreviation..... STAVF

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment Average Vector Foot

Display Name..... ST Segment AVF

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {BB728DEB-4928-4714-9D0D-051EBC0187D2}

=====

Abbreviation..... STAVL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment Average Vector Left

Display Name..... ST Segment AVL

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

Dec Prec: 2

ID: {6D678028-BDCB-65D9-6F76-455102C8B05A}

=====

Abbreviation..... ST1

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment 1

Display Name..... ST Segment 1

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {6F42CE65-5097-918C-93B6-7D3000CA402E}

=====

Abbreviation..... ST2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment 2

Display Name..... ST Segment 2

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {C2D177EB-A435-9EAA-E518-2039E8592E69}

=====

Abbreviation..... ST 3

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment 3

Display Name..... ST Segment 3

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {6D9794A3-5374-CE1D-6AD4-D4601683F6F0}

=====

Abbreviation..... STV1

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead V1

Display Name..... ST Segment V1

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V1

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {BA2FE2E9-D587-5F6C-66D4-B046A3746ADE}

=====

Abbreviation..... STV2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead V2

Display Name..... ST Segment V2

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V2

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {ACEEBB4D-FDFD-31BA-7151-446EAB274549}

=====

Abbreviation..... STV3

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead v3

Display Name..... ST Segment V3

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V3

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {A48D67C4-49D9-4EFD-DF99-7088D8E2DFBA}

=====

Abbreviation..... STV4

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead 4

Display Name..... ST Segment V4

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V4

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {0B6F3CF6-9DDB-17EC-EFC0-37610387E274}

=====

Abbreviation..... STV5

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead 5

Display Name..... ST Segment V5

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V5

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {4D796057-5561-652D-D6A0-387DB5D16973}

=====

Abbreviation..... STV6

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead 6

Display Name..... ST Segment V6

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V6

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {811C87C7-BC37-72E2-98B5-AF4E61976DBB}

=====

Abbreviation..... STOOL CHAR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Stool Characteristics
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. NORMAL STOOL (NORM STOOL) {486B0693-CAC5-48EE-B2E6-1F73C651418A}
2. LOOSE (LOOSE) {1346A74E-3AA1-4D81-876B-91201F9717A5}
3. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
4. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
5. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
6. TARRY (TARRY) {09364271-6307-471F-A334-A8F7E051EF46}
7. MUCOID (MUCOID) {073E5514-DACE-4F43-ADE5-91A1A87D6601}
8. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
9. FRANK BLOOD (FRANK BLD) {CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}
10. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}

UNITS:

=====

TERM: STOOL COLOR

Page: 623

ID: {85012C5D-09F3-4078-9A4D-82564BF57235}

=====

Abbreviation..... STOOL COLO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Stool Color
Display Name..... Stool Color
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

1. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
2. YELLOW/GREEN (YELLOW/GRN) {1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}
3. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
4. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
5. MAROON (MAROON) {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
8. RASH/EXFOLIATION (RASH/EXFOL)
{AB83ABA9-28A7-6484-67E7-4E66B5526942}
9. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

ID: {85348D14-F821-4043-A1C6-07D5BA407198}

=====

Abbreviation..... NUM STOOLS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Number of stools

Display Name..... Number of stools

Help Text..... Number of stools

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

11 entries

-
- | | |
|-------------|--|
| 1. 1 (1) | {8F5D10A8-FE17-47BC-DACA-6972D12CC00A} |
| 2. 2 (2) | {38E22B79-A2B6-3401-B195-C955F24E1278} |
| 3. 3 (3) | {E714454D-6A67-91F6-2FB7-D8F24F184328} |
| 4. 4 (4) | {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A} |
| 5. 5 (5) | {188EDCE7-0726-4234-D8D2-92C8052CD221} |
| 6. 6 (6) | {640CF2F9-3BBF-AB13-185B-CD02A609FB5A} |
| 7. 7 (7) | {7A010324-D2C2-5D4B-848A-7B8878666D20} |
| 8. 8 (8) | {518E7CFC-102E-351E-C7AF-FB575E3C8F4D} |
| 9. 9 (9) | {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC} |
| 10. 10 (10) | {0C827160-18DB-816F-7FAA-A3C175C6D33B} |

11. N/A (n)

{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

=====

TERM: STROKE INDEX

Page: 625

ID: {14D70939-EDAB-9318-200B-D71EF2F38570}

=====

Abbreviation..... SI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Stroke Index

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLILITERS PER BEAT

10 > 25 * 45 < 100

Dec Prec: 0

=====

TERM: STROKE VOLUME

Page: 626

ID: {97938D03-0837-552B-5BC2-3F8D1A38E386}

=====

Abbreviation..... SV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Stroke Volume
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLILITERS PER BEAT 30 > 60 * 130 < 200 Dec Prec: 0

=====

TERM: STROKE VOLUME INDEX

Page: 627

ID: {0FFED66D-43F3-E4CA-18B7-DBFCAA2F5EC5}

=====

Abbreviation..... SVI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Stroke Volume Index

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLILITERS PER BEAT PER METER SQUARE (BSA)

20 > 41 * 51 < 100 Dec Prec: 0

ID: {56F82CAC-3564-46CE-A520-1025020DADE9}

=====

Abbreviation..... FIO2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... This is the level of O2 that is set
on the machine to be delivered to the
patient

Display Name..... FiO2

Help Text..... Fraction of Inspired Oxygen

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 8 entries

1. AEROSOL/HUMIDIFIED MASK (AM)

{CAF54B28-D5D2-8481-FAE3-9C74C2D51551}

2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}

3. FACE TENT (FT) {1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}

4. LARYNGEAL MASK (LARYNGMASK)

{DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}

5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}

6. T-PIECE (TP) {27FC4BC6-2F25-2154-553C-2B452E28A91C}

7. TRACHEOSTOMY COLLAR (TC) {CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}

8. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

PERCENTAGE

0 > 21 * 100 < 101

Dec Prec: 0

ID: {3BB314E8-9BBB-480E-B34E-B56EDE43BAC4}

=====

Abbreviation..... O2FLOWRATE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Supplemental Oxygen Flow Rate
Display Name..... Supplemental Oxygen Flow Rate
Help Text..... Supplemental Oxygen Flow Rate
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 12 entries

1. AMBU BAG (AB) {E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}
2. BIPAP (BIP) {3CFD1D11-EF8D-58BA-6381-B24956344D2E}
3. BIPAP-CPAP (PAP) {2BCBE562-8F44-662F-469B-13AC0E863A3D}
4. CPAP (CP) {A041FB71-08EF-F3FE-82FA-051FF74C824F}
5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}
6. NASAL CANNULA (NC) {EFFD38AE-6AF5-77FD-72E1-E0F7E3DEBA29}
7. NEBULIZER (NEBULIZER) {3CF184A3-2688-4988-B956-D5B0F303E8E8}
8. NON RE-BREATHING (NRB) {1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}
9. PARTIAL RE-BREATHING (PRB) {6F1DF170-5128-2E3F-1831-12FB0BB5E95C}
10. PENDANT CANNULA (PC) {A1451228-4ABB-DBCB-31AD-578BCD93012F}

11. RESERVOIR CANNULA (RC) {B332C44D-29BE-765C-932C-63EBFC9631FC}

12. VENTURI MASK (VM) {E0401675-9C4E-2AFA-2B93-F352B781E963}

UNITS:

LITERS PER MINUTE

-1 > 0 * 20 < 21

Dec Prec: 0

=====

TERM: SYSTEMIC VASCULAR RESISTANCE

Page: 630

ID: {BD2C3F43-186B-A312-2514-186EFE223B65}

=====

Abbreviation..... SVR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Systemic Vascular Resistance

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

DYNE * SECONDS / CM(-5) * M2 400 > 800 * 1200 < 3000 Dec Prec: 0

=====

TERM: SYSTEMIC VASCULAR RESISTANCE INDEX

Page: 631

ID: {62C5A9F1-C0D2-DD0C-5A01-459C833375EE}

=====

Abbreviation..... SVRI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Systemic Vascular Resistance Index

Display Name..... Systemic Vascular Resistance Index

Help Text..... Systemic Vascular Resistance Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

DYNE * SECONDS / CM(-5) / M2 1500 > 1760 * 2600 < 4000 Dec Prec: 0

ID: {D66590AE-5D02-A206-A7CD-7EFB22AE591D}

=====

Abbreviation..... SYSTOL PRE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Systolic Pressure
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

LOCATION: 4 entries

- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
- 2. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
- 3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
- 4. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

- 1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
- 2. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
- 3. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}

4. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

5. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

POSITION: 3 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

MILLIMETERS OF MERCURY 0 > 80 * 150 < 300 Dec Prec: 0

=====

TERM: SaO2%

Page: 633

ID: {D2D98D5C-552B-9913-31FB-E4FE5BB32912}

=====

Abbreviation..... SaO2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Arterial Oxygen Saturation

Display Name..... SaO2%

Help Text..... Arterial Oxygen Saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

PERCENTAGE

50 > 92 * 100 < 101

Dec Prec: 0

=====

TERM: SpO2%

Page: 634

ID: {5F84DD55-3CCF-094C-2536-B51EB7FAD999}

=====

Abbreviation..... SpO2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Spot Oxygen Saturation

Display Name..... SpO2%

Help Text..... Oxygen Saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500637

METHOD:

2 entries

13. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

19. PULSE OX MONITOR (POM) {A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

UNITS:

PERCENTAGE

50 > 92 * 100 < 101

Dec Prec: 0

=====

TERM: SvO2%

Page: 635

ID: {A7862F66-E515-838A-6F71-2099DCC02C9E}

=====

Abbreviation..... SvO2%

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Venous Oxygen Saturation

Display Name..... SvO2%

Help Text..... Venous Oxygen Saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

PERCENTAGE

30 > 60 * 75 < 100

Dec Prec: 0

ID: {0F33223E-DF2C-6B8B-5201-5E091C5F9065}

=====

Abbreviation..... T

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Internal body temperature of a patient.

Display Name..... Temperature

Help Text..... Enter in the numeric value of the
patients temperature with up to one
decimal.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500638

LOCATION: 7 entries

1. AXILLARY (Ax) {135AA5F4-A1C7-978D-E9AB-6873841AEB57}
2. CORE (C) {5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}
3. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
4. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
5. SKIN (SKIN) {0803BC59-1582-AEC8-3DA2-A81363038210}
6. TEMPORAL (TEMPORAL) {E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}
7. TYMPANIC (Tym) {0A58C14C-E447-E034-AA93-D41E6E0D2F69}

QUALITY: 2 entries

- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
- 2. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

DEGREES F 70.0 > 95.0 * 100.9 < 108.0

Dec Prec: 1

DEGREES C 21.1 > 35.0 * 38.3 < 42.2 Dec Prec: 1

ID: {339EAE62-5A1A-4F43-8D83-F9152EE5AB94}

=====

Abbreviation..... ID Method

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Time Out: Patient Identification Method

Help Text..... Method of Patient Identification

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 3 entries

1. VERBALIZED BY PATIENT (Verbal)

{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}

2. ID BAND (ID Band) {5526C5AB-64C8-4AB1-B77F-DAF45D26B439}

3. ID CARD (ID Card) {CFD540F0-3D73-498F-B590-CCEF11499078}

UNITS:

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED

Page: 638

ID: {AD9203C2-342A-4397-B71D-1AE9F36D4582}

=====

Abbreviation..... T/O Confir

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Time Out: Verbal confirmation by team
of procedure to be performed

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY

Page: 639

ID: {C90F1CBF-5CC7-49DB-8643-D220B20D954C}

=====

Abbreviation..... T/O Lat

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Time Out: Verbal confirmation by team
of procedure and laterality

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

=====

TERM: TONOMETRY

Page: 640

ID: {C06989EF-4B0F-4941-B1A7-FA9D81A480FF}

=====

Abbreviation..... TON

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Tonometry

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688726

UNITS:

MILLIMETERS OF MERCURY

5 > 10 * 21 < 35

Dec Prec: 0

ID: {8A29B49B-7338-7943-B6C0-9027BE094607}

=====

Abbreviation..... TSS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Electrocardiogram Reading

Display Name..... Trace ST Segment

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

ID: {ED106F43-5AB7-8B5C-D282-8458B35169C2}

=====

Abbreviation..... TSS2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ECG Reading

Display Name..... Trace ST Segment 2

Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

=====

TERM: TRACHEA MIDLINE DEVIATED

Page: 643

ID: {E952DF23-0FC7-5809-2135-C8AA60FE159B}

=====

Abbreviation..... TRACH MIDL

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Trachea Midline Deviated

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {5A9CB3E0-7141-45E9-BE82-AA026A7889AB}

=====

Abbreviation..... TRACT TYPE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Traction Type

Display Name..... Traction Type

Help Text..... Type of traction used

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

1. BUCKS TRACTION (BUCK TRACT)

{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}

2. SLING TRACTION (SLING TRAC)

{304E924C-C95A-4DBE-B30B-191BC4D26EF7}

3. PIN TRACTION (PIN TRACT) {C75104A5-3B6B-4CFE-8E2E-05877522C811}

UNITS:

=====

TERM: TRACTION WEIGHT

Page: 645

ID: {0C913807-C678-4E94-BD20-B8B2EBE697BE}

=====

Abbreviation..... TRACT WEIG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Weight used in traction

Display Name..... Traction Weight

Help Text..... Weight used in traction

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

POUND

-1 > 0 * 30 < 31

Dec Prec: 0

=====

TERM: TRAIN OF FOUR RESPONSE

Page: 646

ID: {86E4352A-A72E-4287-8C17-ABCF97DCAF94}

=====

Abbreviation..... TOF RESP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Train of Four response

Display Name..... Train of Four Response

Help Text..... Record the number of responses

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

4 entries

-
- | | |
|--------------|--|
| 1. 1:4 (1:4) | {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD} |
| 2. 2:4 (2:4) | {7D423C9A-42B3-4FDD-999B-889193492F5C} |
| 3. 3:4 (3:4) | {E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2} |
| 4. 4:4 (4:4) | {E9FCD5A0-995A-401D-8E85-6F0C753609B6} |

UNITS:

=====

TERM: TRAIN OF FOUR SMS

Page: 647

ID: {63E1D230-3238-4D03-95C5-24BF51FD0CEF}

=====

Abbreviation..... TOF SMS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Train of Four sms

Display Name..... Train of Four SMS

Help Text..... Record current setting in milliamps

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

MILLIAMPS -1.0 > 10.0 * 100.0 < 1000.0

Dec Prec: 1

=====

TERM: TRANSPORT FACILITATOR

Page: 648

ID: {9F4001FD-C520-4360-87CC-1420803FF72A}

=====

Abbreviation..... TRANS FA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Transport Facilitator
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}
 2. STAFF (STAFF) {BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}
 3. PHYSICIAN (PHYSICIA) {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}
 4. STUDENT (STUDENT) {613AFF67-9121-4F6C-A44F-1ACFEF10E612}
 5. FAMILY/FRIEND (FAM/FRIE) {FA8FE272-E659-41EF-A394-F907A5F55ED8}

UNITS:

ID: {976E8051-8473-4FBE-B4EA-CF96762CACC5}

=====

Abbreviation..... TRANS MO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Transportation Mode/Device
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 10 entries

1. ABLE TO AMBULATE (AMBULAT)
{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
2. CRUTCH (CRUTCH) {2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}
3. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}
4. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
5. CANES (CANES) {DF37C541-1C7D-4527-A4D2-31867B5ED438}
6. MOTORIZED WHEELCHAIR (MO WH CH)
{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}
7. WHEELCHAIR (WH CHAIR) {EC1B82CE-4037-466F-90AC-52CD5C3B26BE}
8. STRETCHER (STRETCHER) {93CB521A-3A67-41FB-A59C-3DD54D810B11}

9. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}

10. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}

UNITS:

=====

TERM: TUBE POSITION VERIFIED

Page: 651

ID: {1B065DF3-2D96-4F90-8CA2-7F377A0C2D28}

=====

Abbreviation..... TUBE POS V
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Was the tube position verified
Display Name..... Tube Position Verified
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

=====

TERM: TURN AND SKIN CARE

Page: 652

ID: {42B46B96-C43B-4F36-B7F9-A3413F02EEA7}

=====

Abbreviation..... TURN SKIN

Active..... Yes

Boolean Value False..... Not Done

Boolean Value True..... Done

Data Type..... Boolean

Description..... Turn and Skin Care

Display Name..... Turn and Skin Care

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: ULNAR DRIFT

Page: 653

ID: {70284DFB-2F51-403D-54BE-DA51C83F2DDD}

=====

Abbreviation..... ULDT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Ulnar Drift

Help Text..... position of the metacarpophalangeal
joints

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

ID: {C713F418-605C-1E77-7834-610B6394D5F2}

=====

Abbreviation..... UP. LIM. S
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Upper Limb Extremities Strength
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

-
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
 - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
 - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
 - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
 - 5. EQUAL (Equal) {AC079584-158D-EBF2-E13A-C2E919375E4D}
 - 6. UNEQUAL (Unequal) {73319200-164F-B39F-649C-B7FB1AFBDBB8}

LOCATION: 3 entries

-
- 1. L UPPER LIMB (L Upp Limb) {E6453716-62D3-DFCB-F84D-F6F2FDFC20B7}

2. R UPPER LIMB (R UPP LIMB) {5E028BFF-ED9B-014F-74F0-C4137DB074FB}

3. BILATERAL WRIST (BILAT WRIS)

{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

ID: {3112FF47-AF91-5D4B-AD9B-1A2D95AA9CA7}

=====

Abbreviation..... URINE CHAR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Urine Characteristics
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 8 entries

-
1. ANURIC (ANURIC) {0CCA4B44-7A59-4042-BAB9-EB2395A63C51}
 2. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
 3. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
 4. HEMATURIA (HEMATURIA) {ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}
 5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
 6. SEDIMENT (SEDIMENT) {4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}
 7. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}
 8. THREADS (Threads) {029BB303-B428-41D0-978B-6A8176108D7D}

UNITS:

ID: {80D67904-3FE2-98BA-6810-F15D88A637B3}

=====

Abbreviation..... URINE COLO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Color of urine
Display Name..... Urine Color
Help Text..... Color of urine
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 14 entries

1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
2. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
3. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
4. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
5. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
6. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
7. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
8. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
9. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
10. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

- 11. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
- 12. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
- 13. DYE PRESENT (DYE PRESEN) {E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}
- 14. TEA (TEA) {E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

UNITS:

ID: {298781A7-DC46-4065-AA8E-1567F72FBCB8}

=====

Abbreviation..... URINE VOID
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Urine Voids
Help Text..... Number of urine voids since last entry
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 11 entries

-
- 1. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
 - 2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
 - 3. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
 - 4. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
 - 5. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
 - 6. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
 - 7. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
 - 8. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
 - 9. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
 - 10. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

11. N/A (n)

{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

ID: {CF4BE586-DB30-CD14-BEE1-704461E412C5}

=====

Abbreviation..... VOIDING
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Urine Voiding Method
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 12 entries

1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}
2. DYSURIA (DYSURIA) {75AC5ECD-8975-406A-30C7-E2EB23F10F84}
3. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
4. DIVERSION (DIVERSION) {087AAE9F-7FE1-5717-6423-07574C637875}
5. INDWELLING CATHETER (INDW CATH)
{EC16724C-D1EA-5650-58D4-38A89D4456F9}
6. EXTERNAL CATHETER (EXT. CATHE)
{C8AEE936-DD91-FE91-4DD6-6F210FB59726}
7. STRAIGHT CATHETER (STR. CATH)
{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

8. ILEAL CONDUIT (ILEAL COND)

{032CB6FE-77D2-702E-A0AE-46176F5CAA57}

9. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}

10. L NEPHROSTOMY (L NEPHROST)

{D8FC4C18-081E-A7B9-E394-25F194BE9757}

11. R NEPHROSTOMY (R NEPHROST)

{33661137-688D-5611-4368-B1DFD8DB1469}

12. REPORTED (REPORTED) {1D13BAC5-D8F9-455C-B815-8E256943492E}

QUALITY: 2 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

=====

TERM: VENTILATOR AUTO PEEP

Page: 659

ID: {EA42E7E0-23CA-43D3-984E-CC421E0A90DF}

=====

Abbreviation..... VENT AU PE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Auto Peep

Display Name..... Ventilator Auto Peep

Help Text..... Ventilator Auto Peep

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -1.00 > 0.00 * 10.00 < 100.00

Dec Prec: 2

ID: {C0494BB3-5896-41BD-89B4-86C684078604}

=====

Abbreviation..... VENT CIR C
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Ventilator Circuit Change
Display Name..... Ventilator Circuit Change
Help Text..... Ventilator Circuit Change
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

METHOD: 1 entries

-
- 1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

=====

TERM: VENTILATOR EXHALED VOLUME

Page: 661

ID: {404A3850-382D-4E86-B7F3-29DDAF1616BC}

=====

Abbreviation..... VENT EXHAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Exhaled Volume

Display Name..... Ventilator Exhaled Volume

Help Text..... Ventilator Exhaled Volume

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITER 0.0 > 1.0 * 99.0 < 100.0 Dec Prec: 1

=====

TERM: VENTILATOR EXPIRATORY TIME

Page: 662

ID: {004C6736-FFB2-4002-B92C-E2F17D03AF4E}

=====

Abbreviation..... VENT EXP T
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Ventilator Expiratory Time
Display Name..... Ventilator Expiratory Time
Help Text..... Ventilator Expiratory Time
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

SECOND 0.00 > 0.01 * 9.99 < 10.00

Dec Prec: 2

=====

TERM: VENTILATOR FLOW RATE

Page: 663

ID: {548E1F72-B501-49DD-B22B-1366CE06C2BE}

=====

Abbreviation..... VENT FL RA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Ventilator Flow Rate
Display Name..... Ventilator Flow Rate
Help Text..... Ventilator Flow Rate
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITERS PER MINUTE -1 > 0 * 150 < 151 Dec Prec: 0

=====

TERM: VENTILATOR INSPIRATORY TIME

Page: 664

ID: {35948B65-6D8F-4BD4-8F4E-CE785D8D829D}

=====

Abbreviation..... VENT INS T
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Ventilator Inspiratory Time
Display Name..... Ventilator Inspiratory Time
Help Text..... Ventilator Inspiratory Time
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

SECOND 0.00 > 0.01 * 9.99 < 10.00

Dec Prec: 2

=====

TERM: VENTILATOR MEAN AIR PRESSURE

Page: 665

ID: {BD28B791-7E79-4116-8DF1-6296B60FCC57}

=====

Abbreviation..... VENT MAP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Mean Air Pressure

Display Name..... Ventilator Mean Air Pressure

Help Text..... Ventilator Mean Air Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 * 99 < 100 Dec Prec: 0

MILLIBAR 0 > 20 * 80 < 100 Dec Prec: 0

=====

TERM: VENTILATOR MINUTE VOLUME

Page: 666

ID: {1C718F1D-EE59-4743-888D-7767864C4EB0}

=====

Abbreviation..... VENT MIN V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Minute Volume

Display Name..... Ventilator Minute Volume

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITERS PER MINUTE -0.1 > 0.0 * 4.9 < 5.0 Dec Prec: 1

ID: {21CF6705-7597-53D0-F5EA-CBB704128A4B}

=====

Abbreviation..... VENT MODE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Ventilator Mode
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 7 entries

1. CONTROL MODE VENTILATION (CMV)
{2E79351C-BA31-FC04-B636-F39728B23EA6}
2. ASSIST CONTROL (AC) {862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}
3. SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (SIMV)
{A606BB2B-5C00-FEA1-127F-1D3455AE5996}
4. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)
{387B42F0-F587-AAFC-ECA0-66067F18BEC6}
5. PRESSURE CONTROL (PRESS CONT)
{C3CDF756-484F-1483-9883-9B63DEF3B012}
6. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)

{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

7. SPONTANEOUS (SPONTANEOU) {C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

=====

TERM: VENTILATOR PATIENT EXHALE VOLUME

Page: 668

ID: {A125A0E0-8385-43F0-9A55-56D18B33CA24}

=====

Abbreviation..... VT PT EX V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Exhale Volume that the patient
actually achieved

Display Name..... Ventilator Patient Exhale Volume

Help Text..... Exhale Volume that the patient
actually achieved

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CUBIC CENTIMETER 0 > 1 * 499 < 500 Dec Prec: 0

=====

TERM: VENTILATOR PATIENT MINUTE VOLUME

Page: 669

ID: {0E7E1130-0CC0-4D61-9BA4-7E88B18A7A77}

=====

Abbreviation..... VT PT MN V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Minute Volume that the patient
actually achieved

Display Name..... Ventilator Patient Minute Volume

Help Text..... Minute Volume that the patient
actually achieved

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITERS PER MINUTE -0.1 > 0.0 * 4.9 < 5.0 Dec Prec: 1

=====

TERM: VENTILATOR PATIENT RATE

Page: 670

ID: {4266EFCB-CF00-4363-8E5A-244653F6F17A}

=====

Abbreviation..... VT PT RATE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Rate that the patient actually achieved

Display Name..... Ventilator Patient Rate

Help Text..... Value that is determined by taking

the number of breaths total per

minute minus the breaths set to be

delivered by the machine

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE 0 > 1 * 119 < 120 Dec Prec: 0

ID: {B2681753-B7DE-4E0B-8901-B7CDF22D0E45}

=====

Abbreviation..... VT PT R TO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Total rate that the patient actually
achieved

Display Name..... Ventilator Patient Rate Total

Help Text..... Value of breaths delivered by the
machine plus any additional breaths
that the patient takes on their own

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE 0 > 1 * 119 < 120 Dec Prec: 0

=====

TERM: VENTILATOR PCV SET PRESSURE

Page: 672

ID: {BC521E68-B7AA-4B6E-AAC1-0594EE27D94E}

=====

Abbreviation..... VENT PCV S

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Control Ventilator Pressure

Display Name..... Ventilator PCV Set Pressure

Help Text..... Pressure Control Ventilator Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 * 99 < 100 Dec Prec: 0

=====

TERM: VENTILATOR PEAK PRESSURE

Page: 673

ID: {F955312E-79E0-A72D-1F93-533B1B6EAD04}

=====

Abbreviation..... PEAK PRESS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ventilator Peak Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 * 99 < 100 Dec Prec: 0

=====

TERM: VENTILATOR PEEP

Page: 674

ID: {4847847A-7EB7-9A8F-D565-1DF26438A616}

=====

Abbreviation..... VENT PEEP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... PEEP: Positive End Expiratory Pressure

Display Name..... Ventilator PEEP

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD:

1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -1 > 0 * 20 < 21 Dec Prec: 0

=====

TERM: VENTILATOR PRESSURE SUPPORT

Page: 675

ID: {B6ABD066-7B39-126F-C4C2-A4243C2F93E9}

=====

Abbreviation..... V PRES SUP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ventilator Pressure Support

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -1 > 0 * 20 < 40 Dec Prec: 0

=====

TERM: VENTILATOR PSV SET PRESSURE

Page: 676

ID: {B2494FE0-0B78-4BD9-97B6-DE604B711801}

=====

Abbreviation..... VENT PSV S

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Support Ventilator Pressure

Display Name..... Ventilator PSV Set Pressure

Help Text..... Pressure Support Ventilator Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 * 99 < 100 Dec Prec: 0

=====

TERM: VENTILATOR RATE

Page: 677

ID: {001D591B-6CE7-F51F-098C-79AC6B3E0E09}

=====

Abbreviation..... VENT RATE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ventilator Rate Set

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE 0 > 8 * 40 < 120 Dec Prec: 0

ID: {52F9AF8D-CF31-430B-8A11-A8115BFF4B2E}

=====

Abbreviation..... VENT SENSI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Ventilator Sensitivity
Display Name..... Ventilator Sensitivity
Help Text..... Ventilator Sensitivity
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -10.0 > -9.9 * -0.1 < 0.0 Dec Prec: 1

=====

TERM: VENTILATOR TIDAL VOLUME ACTUAL

Page: 679

ID: {0592309F-98B7-DBF1-F9F7-94051584BF9F}

=====

Abbreviation..... TIDL VOL A
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Tidal Volume Actual
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

MILLILITER 0 > 400 * 1200 < 5000 Dec Prec: 0

LITER 0.000 > 0.400 * 1.200 < 5.000

Dec Prec: 3

=====

TERM: VENTILATOR TIDAL VOLUME SET

Page: 680

ID: {90D4A5CA-E21B-06F6-7AAC-FC6D4B11E7AC}

=====

Abbreviation..... TIDL VOL S
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Tidal Volume Set
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

MILLILITER 0 > 800 * 1200 < 5000 Dec Prec: 0

LITER 0.000 > 0.800 * 1.200 < 5.000

Dec Prec: 3

ID: {58151FCB-646B-4CC5-A89F-6D34DFB7E622}

=====

Abbreviation..... VENT TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Ventilator
Display Name..... Ventilator Type
Help Text..... Type of Ventilator
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 13 entries

1. VENTILATOR PB 840 (PB 840)
{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}
2. VENTILATOR ACHIEVA P5O2 (ACHIEVA P5)
{1690EEA5-3C3B-4D30-AC5C-214C94626699}
3. VENTILATOR ADULT STAR (ADULT STAR)
{879B13DA-4874-42D4-99EC-8E4ADB31B14E}
4. VENTILATOR BEAR 1000 (BEAR 1000)
{03C30F99-A27C-427C-B0ED-872F0DE646BD}
5. VENTILATOR DRAEGER (DRAEGER)
{DD18C42F-EF13-460B-8676-9ED1E429B54B}

6. VENTILATOR PB 7200ae (PB7200ae)

{86AE485F-ECD1-4B8E-820F-71CF159F318B}

7. VENTILATOR SERVO (SERVO) {D6F06715-1ADD-4941-B026-B9A5E463943E}

8. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)

{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

9. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)

{387B42F0-F587-AAFC-ECA0-66067F18BEC6}

10. VENTILATOR OTHER (VENT OTHER)

{138B7B3D-9F8B-447A-9785-12AB396AE6DE}

11. BIPAP - RESPIRONICS (BIPAP RESP)

{AA94A723-4C68-489F-88AC-2C6F276EAB76}

12. BIPAP - VISION (BIPAP VISI)

{AA39C765-BA1F-4289-B459-200A57C07FFF}

13. BIPAP/CPAP (BIPAP/CPAP) {8D767C67-3712-410F-A96B-69C731E03C5D}

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

ID: {17F52B3E-B4C9-483A-B02F-0F4DD809E673}

=====

Abbreviation..... VENT WA FO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Ventilator Wave Form Setting
Display Name..... Ventilator Wave Form
Help Text..... Ventilator Wave Form Setting
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 3 entries

-
1. SQUARE (SQUARE) {63F70678-2CAF-48E8-964D-2805D8B9A43B}
 2. ACCELERATING (ACCELERATI) {514FE300-87EE-4C2C-AC70-5E57DBECAFF7}
 3. DECELERATING (DECELERATI) {B259D4D4-82B8-454A-B53D-F12F4952BB61}

METHOD: 1 entries

-
1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

=====

TERM: VISION CORRECTED

Page: 683

ID: {ED022AC1-EBE4-E708-684D-63D00628A94C}

=====

Abbreviation..... VC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Vision Corrected

Help Text..... Enter Acuity value XX/20

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688727

LOCATION: 2 entries

1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

FOOT -1 > 0 * 200 < 201 Dec Prec: 0

=====

TERM: VISION UNCORRECTED

Page: 684

ID: {BEA5E565-D728-F5B3-0A3A-0528C42A45C4}

=====

Abbreviation..... VU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Vision Uncorrected

Help Text..... Enter Acuity value XX/20

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688728

UNITS:

FOOT

-1 > 0 * 200 < 201

Dec Prec: 0

=====

TERM: VT/VC

Page: 685

ID: {FF8D8ABA-E89E-429A-AE65-7C25E22EF199}

=====

Abbreviation..... VT/VC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Tidal Volume / Vital Capacity

Display Name..... Vt/VC

Help Text..... Tidal Volume / Vital Capacity

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

LITER 0.00 > 1.00 * 99.00 < 100.00

Dec Prec: 2

ID: {34F4BAF5-8388-4431-8AE1-F04670A25FE4}

=====

Abbreviation..... WM CL DEV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Warming, Cooling Device
Help Text..... Warming or Cooling Device
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

1. AIR FLOW DEVICE (AIR FLOW D)
{60AF6215-CE2A-4EEE-9596-909E3E50BE71}
2. K-PAD (K-PAD) {10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}
3. WARMING BLANKET (WARM BLANK)
{23D20AE5-DE25-4456-8F77-BF0411FB19A6}
4. HUMIDIFIER (HUMIDIFIER) {A4CE67D1-F885-423B-B914-392D8CAC697E}
5. HEAT LAMP (HEAT LAMP) {4E9DE229-F810-4AB0-9FD7-4596759CEA11}
6. HEAT CHEM PACK (HT CHEM PA)
{D759F891-2535-40C2-A68C-678170E56F7A}
7. COOL CHEM PACK (CO CHEM PA)

{6DE5E644-28C2-4190-A2EF-1A766E014A65}

8. ICE PACK (ICE PACK) {E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}

9. WARMING BOTTLE (WARM BOTTL)

{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}

10. WARM HUMIDITY WITH O2 (WM HUM O2)

{E62E07C3-4CA2-426B-8EBA-48C406837D9C}

11. COOLING BLANKET (COOL BLANK)

{13A42B12-4959-4674-AF97-2D1242CFD934}

UNITS:

ID: {17908A29-AF84-4217-A035-1CE6CA0F7316}

=====

Abbreviation..... WM CL APPL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Warming/Cooling Device Application

Help Text..... Current State of Warming/Cooling Device

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-
1. WARMING ON (WARMING ON) {6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}
 2. WARMING OFF (WARMING OF) {98FAC977-8E2E-406A-9217-A77E1DDCDF50}
 3. COOLING ON (COOLING ON) {911CA17D-614E-445A-969E-4F5220E469EB}
 4. COOLING OFF (COOLING OF) {14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}

UNITS:

=====

TERM: WEIGHT

Page: 688

ID: {CD2D8263-6B71-0E1C-0AFE-87B4B2C12632}

=====

Abbreviation..... WT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Weight of patient

Display Name..... Weight

Help Text..... Patients weight in lb or kg.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500639

METHOD:

8 entries

-
1. BED (B) {20188D9F-3815-1F7F-34EC-BA77F75B310E}
 2. CHAIR (Ch) {BBF5C05C-220D-D052-C7E8-236E791A4FC9}
 3. LIFT SCALE (LS) {8D741461-25C5-3955-BE2C-CBD27317CBA1}
 4. STANDING WEIGHT (SW) {BE16FA09-16DA-510B-D235-B7F0F93AB105}
 5. WHEELCHAIR SCALE (WcS) {8C496753-9F42-2A36-E5CA-750188306ED4}
 6. WITH CAST OR BRACE (WCB) {47709C05-DF21-FB7D-DE7F-0699D1B7E457}
 7. WITH PROSTHESIS (WP) {73C93D2D-934B-CA55-3557-E756A89710F5}
 8. WITHOUT PROSTHESIS (WOP) {9AACA852-E70D-1048-FCE7-112D46C12619}

POSITION:

3 entries

-
1. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
 2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
 3. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

QUALITY: 4 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. DRY (D) {B319EFF4-BA4A-85B1-2617-E00E46A54ABE}
3. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}
4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

POUND 0.0 > 1.0 * 1499.0 < 1500.0

Dec Prec: 1

KILOGRAM 0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

=====

TERM: WEIGHT AT ADMISSION

Page: 689

ID: {F9C859E2-ACD7-44F5-8E0D-3166C3D0A61F}

=====

Abbreviation..... WT AT ADM I

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Weight at Admission

Help Text..... Weight of patient at admission time

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

POUND 0.0 > 1.0 * 1499.0 < 1500.0

Dec Prec: 1

KILOGRAM 0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

=====

TERM: WEIGHT DRY

Page: 690

ID: {8594A12F-97BD-41A5-802A-76E5317448C6}

=====

Abbreviation..... WEIGHT DRY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Dry Weight

Help Text..... Patient Dry Weight

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

QUALITY: 3 entries

-
1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
 2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}
 3. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

POUND 0.0 > 1.0 * 1499.0 < 1500.0

Dec Prec: 1

KILOGRAM 0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

=====

TERM: WOUND BED COLOR

Page: 691

ID: {2B890957-8886-4BC8-84AC-D46DDAE733A0}

=====

Abbreviation..... WOU BED CO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Bed Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

8 entries

-
- | | |
|--------------------|--|
| 1. BLACK (BLACK) | {7A55AFB9-6861-4918-0746-3D67D47FE5C3} |
| 2. GRAY (GRAY) | {D38ABEE0-52D7-4316-A713-40ACF4250599} |
| 3. GREEN (GREEN) | {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF} |
| 4. PINK (PINK) | {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D} |
| 5. RED (RED) | {515D7CFB-3527-30E7-EC4B-B607C272DFA0} |
| 6. TAN (TAN) | {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1} |
| 7. WHITE (WHITE) | {AB04EF54-5246-EF3A-E1D9-02E9E24369DD} |
| 8. YELLOW (YELLOW) | {90DC31AD-6211-9F25-4237-79F7122A2763} |

UNITS:

=====

TERM: WOUND CARE TYPE

Page: 692

ID: {09114B46-DF13-431B-B9F3-C15667811A2C}

=====

Abbreviation..... WOU CARE T

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Care Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. TOPICAL TREATMENT (TOPICAL T)

{4E995342-8A6F-4B21-8013-F8C6A9FC7658}

2. DRESSING (d)

{FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

UNITS:

=====

TERM: WOUND DEPTH

Page: 693

ID: {B8FDF2BE-E6ED-49E3-8F42-4CEF94E29C47}

=====

Abbreviation..... WOU DEPTH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Wound Depth

Display Name..... Wound Depth

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

-1.00 > 0.00 * 200.00 < 400.00

Dec Prec: 2

ID: {02DD62D6-E771-43DB-8CDF-F45A27263CFC}

=====

Abbreviation..... WOU DR CHA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Wound Drainage
Display Name..... Wound Discharge Characteristics
Help Text..... Wound Discharge Characteristics Pick
One
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

1. WOUND DISCHARGE CHARACTERISTICS NONE (WOU DI NON)
{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}
2. WOUND DISCHARGE CHARACTERISTICS BLOODY (WOU DI BLO)
{628DBFBC-9B77-48EA-99FE-0DF000376506}
3. WOUND DISCHARGE CHARACTERISTICS CLOUDY (WOU DI CLO)
{159C9993-A2E1-4133-9D5F-315EF9985EC4}
4. WOUND DISCHARGE CHARACTERISTICS PURULENT (WOU DI PUR)
{C1E10410-B6D8-4429-BD94-0B179992EAAB}
5. WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (WOU DI SSA)

{B431D8EF-5B53-4DCF-A390-431EB5ED3704}

6. WOUND DISCHARGE CHARACTERISTICS SEROUS (WOU DI SER)

{2124005E-5C36-48AC-AA6B-03E06510D70A}

7. WOUND DISCHARGE CHARACTERISTICS VISCOUS (WOU DI VIS)

{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}

UNITS:

ID: {6BF2AAEF-0D62-4D2D-9E41-F2EDCA714150}

=====

Abbreviation..... WOU DIS CO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Discharge Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 15 entries

1. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
2. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
3. BLUE (BLUE) {8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}
4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
5. COLORLESS (COLORLESS) {D093D8C5-E284-47D4-8FA6-DCD5B030B10E}
6. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
8. MAROON (MAROON) {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

- 11. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
- 12. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
- 13. VIOLET (VIOLET) {1249AE97-CF1F-4604-A17A-5FC85F6D0185}
- 14. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
- 15. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

=====

TERM: WOUND DISCHARGE ODOR

Page: 696

ID: {67D752F7-CC83-4D76-96EB-ECE6DBA40210}

=====

Abbreviation..... WOU DIS OD

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Discharge Odor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. FOUL SMELLING (FOUL SMELL)

 {761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:

ID: {8EC56666-A337-AA7F-5109-A10155D4FD58}

=====

Abbreviation..... WOU DR TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of drain used
Display Name..... Wound Drain Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

1. BULB SUCTION (Bulb Sucti) {B0839A82-BB79-BB9F-5E4E-0ED67F716A50}
2. HEMOVAC (HEMOVAC) {82DA2DA7-E20B-E571-659C-457DF42472C2}
3. JP DRAIN (JP Drain) {20F3B3D5-D3A4-96FD-5446-253FD031DF2B}
4. LUMBAR DRAIN (LUM DRAIN) {FF36A046-1799-0734-286B-2272C34E3056}
5. PENROSE DRAIN (Penrose D) {DE508E95-D044-ACCA-EE69-33B9A8454E6C}
6. SUMP (Sump) {DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}
7. TWILL TAPE (Twill Tape) {C52BE250-732D-03BB-B8F9-72BE4D546807}
8. VENTRICULOSTOMY (Ventriculo)
{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}
9. WOUND VAC DEVICE (WOUND VAC)

{A03F4978-969D-DCB8-DCE2-26EB33F097B3}

10. VACUUM ASSISTED CLOSURE (VAC ASS CL)

{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}

UNITS:

ID: {3BABF5D4-BD30-4814-A397-EEEEAE0EE1D13}

=====

Abbreviation..... WOU DRA AM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Amount of drainage from wound
Display Name..... Wound Drainage Amount
Help Text..... Amount of drainage from wound
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

-
1. WOUND DRAINAGE AMOUNT NONE (WOU DR A N)
{92910398-311F-D4D7-8BD5-AB66C3DC5E72}
 2. WOUND DRAINAGE AMOUNT SCANT (W DR SCANT)
{9C3CD0BD-F960-4098-B14C-17B20703B242}
 3. WOUND DRAINAGE AMOUNT SMALL (W DR A SMA)
{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}
 4. WOUND DRAINAGE AMOUNT MODERATE (W DR A MOD)
{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}
 5. WOUND DRAINAGE AMOUNT HEAVY (W DR A HEA)
{BF959172-6672-4FEB-8FB7-0568405F3C83}

UNITS:

ID: {01A45F49-9EBB-44E7-8B9A-6920886F51BB}

=====

Abbreviation..... WOU DR CHA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Has Wound Dressing Been Changed?

Display Name..... Wound Dressing Changed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4C47F5C1-BA38-4FDC-A334-32EA297D8A16}

=====

Abbreviation..... WOU DR TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Dressing Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 15 entries

-
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
 2. ANTI-MICROBIAL DRESSING (AB DRESSIN)
{9734C5E9-D099-47EB-93B1-D82201F64331}
 3. ANTIMICROBIAL DISK (WOU DR ADI)
{1F1745EA-D763-4AFD-9CED-82E974E57692}
 4. BALSAM OF PERU (WOU DR PER)
{DD412BB1-B1C1-4A48-A38F-832629448E06}
 5. BISMUTH GAUZE (WOU DR BIS)
{010DED59-C808-4D92-A7F8-87AEB86B4439}
 6. CALCIUM ALGINATE (CA ALGINAT)

{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

7. FOAM DRESSING (WOU DR FOA)

{D18A5EDD-0EF6-470E-8370-4EDB6D322477}

8. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}

9. GAUZE PACKING (GAUZE PACK)

{6C093717-82CB-4966-929E-C909310649C1}

10. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}

11. HYDROCOLLOIDAL DRESSING (HCOLL DRES)

{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

12. HYDROGEL DRESSING (H-GEL DRES)

{F6192D10-D6EA-42C2-AB15-270659D9925C}

13. HYPERTONIC HYDROGEL (WOU DR HYP)

{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}

14. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}

15. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

UNITS:

=====

TERM: WOUND EDGE

Page: 701

ID: {BC1B996C-35E6-4A05-BDF6-00DF84EA90EF}

=====

Abbreviation..... WOU ED
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Edge
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

1. WOUND EDGE INDISTINCT/ATTACHED (WOU ED IND)
{C899235C-4A07-4420-92BC-8F818B8E0A7F}
2. WOUND EDGE NON-ATTACHED (WOU ED NON)
{1D5C1317-B4FF-421C-96A0-C20C1089E672}
3. WOUND EDGE TUNNELING (WOU ED TUN)
{97425206-5261-46C1-905F-E03E2F071381}
4. WOUND EDGE UNDERMINING (WOU ED UND)
{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}
5. WOUND EDGE ROLLED (WOU ED ROL)
{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}

UNITS:

ID: {687C2787-FDDF-4796-8195-23152E8A9FD9}

=====

Abbreviation..... WOU HEA ST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Healing Status
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

1. EPITHELIALIZATION (EPITHELIAL)
{5FC43A6D-921D-4736-A234-9993DB6499B7}
2. ESCHAR (ESCHAR) {555E03C5-FBFE-4EB9-816F-25CE34476B3C}
3. FIBRINOUS (FIBRINOUS) {D286EAE2-6902-4B7E-845D-BBB316941B2C}
4. GRANULATING (GRANULATI) {F8930276-3954-4BFE-82B0-6C44A8E9CAE0}
5. HYPERGRANULIZATION (HYPERGRANU)
{C14B9FB0-6F33-4ACB-88B3-4B799594F845}
6. NECROTIC (NECROTIC) {86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}
7. SLOUGH (SLOUGH) {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}
8. SMOOTH (SMOOTH) {5D71A0D5-52ED-4B8D-B359-AC7D500660D8}

UNITS:

ID: {7DDD37DD-4323-4704-BC23-7722732D9B32}

=====

Abbreviation..... WOU IDENTI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Wound Identified
Display Name..... Wound Identified
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

1. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
2. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
3. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}
4. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
5. POST-FALL (POST-FALL) {9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}

LOCATION: 70 entries

1. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
2. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

3. R TESTICLE (R TESTICLE) {0947D277-50AD-47F8-A76D-0EC34EB3B168}
4. L TESTICLE (L TESTICLE) {1E376539-E89F-4472-8274-CFD11275E11F}
5. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
6. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
7. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
9. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
10. R UPPER LEG (R UPPER LE) {113BD5ED-5A0A-47CA-B100-91B244BFD04A}
11. L UPPER LEG (L UPPER LE) {1DB35895-F74C-4B88-A3EE-3E556CB6559A}
12. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}
13. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}
14. R INNER KNEE (R INN KNEE) {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}
15. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}
16. L INNER KNEE (L INN KNEE) {79853581-CCF0-49E9-9D91-D16DE02A836D}
17. L OUTER KNEE (L OUT KNEE) {B143C935-2687-49C3-9F65-8D69C1775ABC}
18. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
19. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
20. L HEAD (L HEAD) {3737DC2D-DC9E-4FC8-839D-0355987B62D1}
21. R HEAD (R HEAD) {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}
22. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
23. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
24. GENITALS (GENITALS) {83437106-3336-4925-92C8-F959561687FC}
25. GENERALIZED (GENERIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}
26. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
27. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
28. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
29. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
30. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

31. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
32. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
33. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
34. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
35. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
36. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
37. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
38. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
39. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
40. UPPER BACK (UPPER BACK) {C1DA4294-E0DC-438B-810D-7F91E170244A}
41. MID BACK (MID BACK) {F8C515E0-F437-4596-B030-DA1811038CDF}
42. LOWER BACK (LOWER BACK) {7E761680-61BC-450F-9905-C45CE760EC45}
43. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
44. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
45. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
46. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
47. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
48. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
49. UPPER ABDOMEN (UP ABDOM) {234C677B-1CE6-498B-9375-BB5DC3958842}
50. R ABDOMEN (R ABDOMEN) {5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}
51. LOWER ABDOMEN (LO ABDOM) {077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}
52. L ABDOMEN (L ABDOMEN) {46B37481-4105-492D-96F0-E2D3895379C1}
53. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
54. HEAD OCCIPITAL (HEAD OCCIP)
{2066CA47-5A16-447F-9919-24ED435B627F}
55. L ANTECUBITAL (L ANTECUBI)
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
56. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

- 57. L FEMORAL (LFEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 58. R FEMORAL (R FEMORAL) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
- 59. L HEEL (L HEEL) {C9154881-17C7-4921-A0EE-BFB962C59CEF}
- 60. R HEEL (R HEEL) {0020DD20-2EA4-4362-ADF0-07BFA220C60E}
- 61. L ISCHIAL (L ISCHIAL) {DCDAD741-9599-4479-9D55-3279F800DBE6}
- 62. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}
- 63. L RIBS (L RIBS) {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}
- 64. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}
- 65. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
- 66. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 67. L TROCHANTER (L TROCHANT) {C91647A4-255D-40E4-A24D-01274E5D799F}
- 68. R TROCHANTER (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}
- 69. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
- 70. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

UNITS:

=====

TERM: WOUND LENGTH

Page: 704

ID: {B43EAD3E-A282-4351-B83A-1A4F9ADD0B46}

=====

Abbreviation..... WOU LEN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Wound Length

Display Name..... Wound Length

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

-1.00 > 0.00 * 200.00 < 400.00

Dec Prec: 2

=====

TERM: WOUND ODOR

Page: 705

ID: {F71814E1-2D36-4074-B8F4-253AC6BDA1AA}

=====

Abbreviation..... WOU ODOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Wound Odor

Display Name..... Wound Odor

Help Text..... Wound Odor

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

1. WOUND ODOR NONE (WOU OD NON)

{D2E388F7-B531-4D60-A2BE-830F11B9AA75}

2. WOUND ODOR FOUL (WOU OD FOU)

{99A74112-EA71-4896-A4DD-911379E5B453}

UNITS:

=====

TERM: WOUND PHOTOGRAPHED

Page: 706

ID: {398E171E-93A6-4DB3-82E7-5C0D118A80EE}

=====

Abbreviation..... WOU PHOTOG
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Has Wound Been Photographed
Display Name..... Wound Photographed
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

DATA VALUE: 2 entries

-
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

ID: {4883E272-E8D4-48D4-A7C5-B00F5315B6DC}

=====

Abbreviation..... WOU TREATM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Wound Treatment
Display Name..... Wound Treatment
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

-
1. HYDROCOLLOIDAL DRESSING (HCOLL DRES)
{D85741EF-0DB3-48CF-BC9A-88C834A72F36}
 2. TRANSPARENT DRESSING (TRANSP DRE)
{777C7722-AEA8-4A0B-9ADD-1157D37AE539}
 3. SALINE MOIST DRESSING (SAL MOI DR)
{19F98514-8ABF-461C-9969-C31177FE7DE7}
 4. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}
 5. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AE4}

UNITS:

ID: {1DCC28AC-700F-4E61-85BC-71D00758F9EB}

=====

Abbreviation..... WOU TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of wound
Display Name..... Wound Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 29 entries

1. ABRASION (ABRASION) {7E962B43-24B1-46D2-A79A-54811117271A}
2. BLISTERING (BLISTERING) {3A4212D5-F2A8-4636-BB7F-F36FA8CED192}
3. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}
4. BURN (BURN) {97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}
5. CELLULITIS (CELLULITIS) {709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}
6. CRUSHING (CRUSHING) {92D4BAF1-63E3-4FC0-B096-B5CBC4736245}
7. DIABETIC/VASCULAR ULCER (DIA/VAS UL)
{E209E53E-EFF1-48F5-9581-75236C89D9B9}
8. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
9. PREVIOUS PERCUTANEOUS SITE (PRE PER SI)

{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}

10. RASH/EXFOLIATION (RASH/EXFOL)

{AB83ABA9-28A7-6484-67E7-4E66B5526942}

11. SKIN TEAR (SKIN TEAR) {2E230C6E-119F-4F9F-8797-2FFA9D76F337}

12. SKIN TRAUMA (SKIN TRAUM) {91C8EE13-2C4A-468C-94EB-C53E0D153EBA}

13. SURGICAL DONOR (SURG DONOR)

{F3EE10EA-5776-479B-A58C-F59D6526F90B}

14. SURGICAL GRAFT (SURG GRAFT)

{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}

15. SURGICAL (SURGICAL) {2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}

16. VASCULAR (VASCULAR) {60523BF8-6372-4760-881C-A62F85D2A0F6}

17. VASCULAR/NEUROPATHIC (VASC/NEURO)

{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}

18. BITE (Bite) {FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}

19. BULLET (BULLET) {1570D8E2-D936-494D-AF6E-13838EA34EFD}

20. CONTUSION (Contusion) {5285197A-CC0A-4D12-A1F8-966765C687F1}

21. INCONTENENCE DERMATITIS (INCON DERM)

{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}

22. LACERATION (LACERATION) {F4548BB2-39AF-4E0D-B52F-472EA080D6FF}

23. PENETRATING (PENETRATIN) {00A2D4C8-EDDE-4593-A1F8-A87A836B3379}

24. PRESSURE ULCER (PRE ULCER)

{7279639E-498D-4EA3-A3FA-4A6D611E6F48}

25. PUNCTURE (PUNCTURE) {28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}

26. TAPE BURN (TAPE BURN) {DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}

27. VASCULAR LESION ARTERIAL (VASLES ART)

{EA565D3F-D984-4553-B597-DFE844554CE9}

28. VASCULAR LESION MIXED (VASLES MIX)

{8684AB2D-9162-4DC2-A5FA-A14558678689}

29. VASCULAR LESION VENOUS (VASLES VEN)

{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}

UNITS:

=====

TERM: WOUND VACUUM ASSISTED CLOSURE

Page: 709

ID: {04748983-B61B-4121-AF49-FA1FDA1D9646}

=====

Abbreviation..... WOU VAC AS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Vacuum Assisted Closure Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

1. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}

2. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}

UNITS:

=====

TERM: WOUND WIDTH

Page: 710

ID: {7EED882C-3CAE-4A54-88FA-D0B380D81658}

=====

Abbreviation..... WOU WIDTH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Wound Width

Display Name..... Wound Width

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

CENTIMETER

-1.00 > 0.00 * 200.00 < 400.00

Dec Prec: 2

DATA VALUE: 0

ABBREVIATION.....0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0

HELP_TEXT.....No Help Text

ID.....{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

TERM.....0

DATA VALUE: 1

ABBREVIATION.....1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1

HELP_TEXT.....No Help Text

ID.....{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

TERM.....1

DATA VALUE: 2

ABBREVIATION.....2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2

HELP_TEXT.....No Help Text

ID.....{38E22B79-A2B6-3401-B195-C955F24E1278}

TERM.....2

DATA VALUE: 3

ABBREVIATION.....3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3

HELP_TEXT.....No Help Text

ID.....{E714454D-6A67-91F6-2FB7-D8F24F184328}

TERM.....3

DATA VALUE: 4

ABBREVIATION.....4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4

HELP_TEXT.....No Help Text

ID.....{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

TERM.....4

DATA VALUE: 4.5

ABBREVIATION.....4.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....4.5
HELP_TEXT.....No Help Text
ID.....{EC6C0C72-8C49-4535-92B2-7E543007EE32}
TERM.....4.5

DATA VALUE: 5

ABBREVIATION.....5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....5
HELP_TEXT.....No Help Text
ID.....{188EDCE7-0726-4234-D8D2-92C8052CD221}
TERM.....5

DATA VALUE: 5.5

ABBREVIATION.....5.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....5.5

HELP_TEXT.....No Help Text

ID.....{4878F059-EC9D-44FC-9A61-734C291530E7}

TERM.....5.5

DATA VALUE: 6

ABBREVIATION.....6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6

HELP_TEXT.....No Help Text

ID.....{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

TERM.....6

DATA VALUE: 6.5

ABBREVIATION.....6.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6.5

HELP_TEXT.....No Help Text

ID.....{CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3}

TERM.....6.5

DATA VALUE: 7

ABBREVIATION.....7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7

HELP_TEXT.....No Help Text

ID.....{7A010324-D2C2-5D4B-848A-7B8878666D20}

TERM.....7

DATA VALUE: 7.5

ABBREVIATION.....7.5

ACTIVE.....Yes

DESCRIPTION.....7.5

DISPLAY_NAME.....7.5

HELP_TEXT.....No Help Text

ID.....{7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}

TERM.....7.5

DATA VALUE: 8

ABBREVIATION.....8

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....8

HELP_TEXT.....No Help Text

ID.....{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

TERM.....8

DATA VALUE: 8.5

ABBREVIATION.....8.5

ACTIVE.....Yes

DESCRIPTION.....8.5

DISPLAY_NAME.....8.5

HELP_TEXT.....8.5

ID.....{96723567-151D-4B5C-9C65-B3EB6D584272}

TERM.....8.5

DATA VALUE: 9

ABBREVIATION.....9

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....9

HELP_TEXT.....No Help Text

ID.....{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

TERM.....9

DATA VALUE: 9.5

ABBREVIATION.....9.5

ACTIVE.....Yes

DESCRIPTION.....9.5

DISPLAY_NAME.....9.5

HELP_TEXT.....9.5

ID.....{252555A1-ADB2-4948-8764-C952F2587DC5}

TERM.....9.5

DATA VALUE: 10

ABBREVIATION.....10

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....10

HELP_TEXT.....No Help-Text

ID.....{0C827160-18DB-816F-7FAA-A3C175C6D33B}

TERM.....10

DATA VALUE: 11

ABBREVIATION.....11

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....11

HELP_TEXT.....11

ID.....{BD51A7B3-FACF-890C-472E-E3B28519CC16}

TERM.....11

DATA VALUE: 12

ABBREVIATION.....12

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....12

HELP_TEXT.....No Help Text

ID.....{ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

TERM.....12

DATA VALUE: 12.5

ABBREVIATION.....12.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....12.5

HELP_TEXT.....No Help Text

ID.....{97A947AE-2BCC-F75D-1794-6AF9BAC1497B}

TERM.....12.5

DATA VALUE: 13

ABBREVIATION.....13
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....13
HELP_TEXT.....No Help Text
ID.....{030242DB-3F82-7517-3DEE-4D50E3E8AE23}
TERM.....13

DATA VALUE: 13.5

ABBREVIATION.....13.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....13.5
HELP_TEXT.....No Help Text
ID.....{34D24648-B2D9-9C6C-6D71-F80E977CE185}
TERM.....13.5

DATA VALUE: 14

ABBREVIATION.....14
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....14

HELP_TEXT.....No Help Text
ID.....{EDF1C2B1-123B-011F-9B02-7D71088971C1}
TERM.....14

DATA VALUE: 14.5

ABBREVIATION.....14.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....14.5
HELP_TEXT.....No Help Text
ID.....{373C8F8C-5D36-4AD6-6A76-513064669CB5}
TERM.....14.5

DATA VALUE: 15

ABBREVIATION.....15
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....15
HELP_TEXT.....No Help Text
ID.....{FE8C049F-B64C-4991-2F50-3C561BA4825C}
TERM.....15

DATA VALUE: 15.5

ABBREVIATION.....15.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....15.5

HELP_TEXT.....No Help Text

ID.....{1BBF5122-2FFA-6B27-445B-3291C3F83A36}

TERM.....15.5

DATA VALUE: 16

ABBREVIATION.....16

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....16

HELP_TEXT.....No Help Text

ID.....{9E4B84FF-430A-39FB-E6AA-E1031814796D}

TERM.....16

DATA VALUE: 16.5

ABBREVIATION.....16.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....16.5

HELP_TEXT.....No Help Text
ID.....{7D4EA1D4-5233-760F-FD2B-A70FB0969815}
TERM.....16.5

DATA VALUE: 17

ABBREVIATION.....17
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....17
HELP_TEXT.....No Help Text
ID.....{2E89B9C8-5E80-F3C9-FE66-4396CB63201A}
TERM.....17

DATA VALUE: 17.5

ABBREVIATION.....17.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....17.5
HELP_TEXT.....No Help Text
ID.....{FDE6FFD9-00D0-9C55-1A7F-4AA70CE313BA}
TERM.....17.5

DATA VALUE: 18

ABBREVIATION.....18

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....18

HELP_TEXT.....No Help Text

ID.....{F2815231-0FCE-4988-95E9-D9AF46C57086}

TERM.....18

DATA VALUE: 18.5

ABBREVIATION.....18.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....18.5

HELP_TEXT.....No Help Text

ID.....{75ABCB85-4D6E-0BBC-157F-CA69B7737402}

TERM.....18.5

DATA VALUE: 19

ABBREVIATION.....19

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....19

HELP_TEXT.....No Help Text

ID.....{478FFB89-4941-1474-04E1-C838B2467439}

TERM.....19

DATA VALUE: 19.5

ABBREVIATION.....19.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....19.5

HELP_TEXT.....No Help Text

ID.....{58F0F98D-299A-8C4E-F50F-AE21B6E696D6}

TERM.....19.5

DATA VALUE: 20

ABBREVIATION.....20

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....20

HELP_TEXT.....No Help Text

ID.....{532FBDF8-7F7B-9551-300C-F2CFEF656163}

TERM.....20

DATA VALUE: 20.5

ABBREVIATION.....20.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....20.5

HELP_TEXT.....No Help Text

ID.....{DB1F50D2-AF99-7BB3-88F5-B58C0BDE7987}

TERM.....20.5

DATA VALUE: 21

ABBREVIATION.....21

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....21

HELP_TEXT.....No Help Text

ID.....{C6188159-9EF1-DA5C-C015-2142A1205C4C}

TERM.....21

DATA VALUE: 21.5

ABBREVIATION.....21.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....21.5

HELP_TEXT.....No Help Text

ID.....{A259E466-773F-519C-7B5B-1570D1B03B70}

TERM.....21.5

DATA VALUE: 22

ABBREVIATION.....22

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....22

HELP_TEXT.....No Help Text

ID.....{DA839156-C7A9-76D7-58CD-7EC2B016EF40}

TERM.....22

DATA VALUE: 22.5

ABBREVIATION.....22.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....22.5

HELP_TEXT.....No Help Text

ID.....{D402D24F-1EF2-1AA0-DD1C-FA8320AA929A}

TERM.....22.5

DATA VALUE: 23

ABBREVIATION.....23
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....23
HELP_TEXT.....No Help Text
ID.....{8FB6A8B1-B692-BDC7-43B9-0332F33D826A}
TERM.....23

DATA VALUE: 23.5

ABBREVIATION.....23.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....23.5
HELP_TEXT.....No Help Text
ID.....{DDB76295-7E4A-FEAC-324D-37878F62771A}
TERM.....23.5

DATA VALUE: 24

ABBREVIATION.....24
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....24

HELP_TEXT.....No Help Text

ID.....{2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}

TERM.....24

DATA VALUE: 24.5

ABBREVIATION.....24.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....24.5

HELP_TEXT.....No Help Text

ID.....{D815830B-5D94-0975-D007-E4FDD966155B}

TERM.....24.5

DATA VALUE: 25

ABBREVIATION.....25

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....25

HELP_TEXT.....No Help Text

ID.....{42DD0655-142D-6901-D3FE-66D295BBFCD1}

TERM.....25

DATA VALUE: 25.5

ABBREVIATION.....25.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....25.5

HELP_TEXT.....No Help Text

ID.....{9D704E9E-FB1D-FB83-2142-EDBF3805E8F7}

TERM.....25.5

DATA VALUE: 26

ABBREVIATION.....26

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....26

HELP_TEXT.....No Help Text

ID.....{181395F6-29FD-5A41-5AD7-BFC9CF564F3B}

TERM.....26

DATA VALUE: 26.5

ABBREVIATION.....26.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....26.6

HELP_TEXT.....No Help Text
ID.....{1D464967-6CFA-E29E-548D-EF68AFCDEC61}
TERM.....26.5

DATA VALUE: 27

ABBREVIATION.....27
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....27
HELP_TEXT.....No Help Text
ID.....{64D25A86-6516-0910-B4B5-644B85378876}
TERM.....27

DATA VALUE: 27.5

ABBREVIATION.....27.5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....27.5
HELP_TEXT.....No Help Text
ID.....{8C7BE365-AFD0-3FFD-B8EC-6EC914763CFC}
TERM.....27.5

DATA VALUE: 28

ABBREVIATION.....28

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....28

HELP_TEXT.....No Help Text

ID.....{66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}

TERM.....28

DATA VALUE: 28.5

ABBREVIATION.....28.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....28.5

HELP_TEXT.....No Help Text

ID.....{C99C9298-D4D2-BC02-36D3-F612B6080A87}

TERM.....28.5

DATA VALUE: 29

ABBREVIATION.....29

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....29

HELP_TEXT.....29

ID.....{93F62F6F-5EFE-C451-5908-47C895B7177C}

TERM.....29

DATA VALUE: 30

ABBREVIATION.....30

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....30

HELP_TEXT.....30

ID.....{1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}

TERM.....30

DATA VALUE: 31

ABBREVIATION.....31

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....31

HELP_TEXT.....31

ID.....{5EEDDCF5-7D59-1526-2522-FA59099C8C21}

TERM.....31

DATA VALUE: 99

ABBREVIATION.....9

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....99

HELP_TEXT.....No Help Text

ID.....{B013C05B-1AF0-1547-4F03-378883F887C5}

TERM.....99

DATA VALUE: +1 = SLIGHT

ABBREVIATION.....+1 SLIGHT

ACTIVE.....Yes

DESCRIPTION.....+1 = Slight

DISPLAY_NAME.....+1 = Slight

HELP_TEXT.....No Help Text

ID.....{7C0245BA-B261-4B68-A84C-D737CA634230}

TERM.....+1 = SLIGHT

DATA VALUE: +2 = MODERATE

ABBREVIATION.....+2 = MODER

ACTIVE.....Yes

DESCRIPTION.....+2 = Moderate

DISPLAY_NAME.....+2 = Moderate

HELP_TEXT.....No Help Text

ID.....{CCF23A60-068C-443F-AFD0-2D56EEE0446C}

TERM.....+2 = MODERATE

DATA VALUE: +3 = MARKED

ABBREVIATION.....+3 = MARKE

ACTIVE.....Yes

DESCRIPTION.....+3 = Marked

DISPLAY_NAME.....+3 = Marked

HELP_TEXT.....No Help Text

ID.....{41ACC586-0C68-4780-8B2D-F36B21FCEDB2}

TERM.....+3 = MARKED

DATA VALUE: +4 = VERY MARKED

ABBREVIATION.....+4 = VY MA

ACTIVE.....Yes

DESCRIPTION.....+4 = Very Marked

DISPLAY_NAME.....+4 = Very Marked

HELP_TEXT.....No Help Text

ID.....{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

TERM.....+4 = VERY MARKED

DATA VALUE: 0 - ABSENT

ABBREVIATION.....0-a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - Absent

HELP_TEXT.....No Help Text

ID.....{75F14311-F113-963C-4F05-B8AE17F044A9}

TERM.....0 - ABSENT

DATA VALUE: 0 - NO ANXIETY AT EASE

ABBREVIATION.....CIWA AX 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - No Anxiety, At Ease

HELP_TEXT.....No Help Text

ID.....{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}

TERM.....0 - NO ANXIETY AT EASE

DATA VALUE: 0 - NO NAUSEA/VOMITING

ABBREVIATION.....CIWA NV 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - No Nausea / Vomiting

HELP_TEXT.....No Help Text
ID.....{0569555E-E7B3-49E3-9A18-68D23CFB2B8D}
TERM.....0 - NO NAUSEA/VOMITING

DATA VALUE: 0 - NO SWEAT VISIBLE

ABBREVIATION.....CIWA PS 0
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....0 - No Sweat Visible
HELP_TEXT.....No Help Text
ID.....{7C83E616-4414-4766-AAF5-5F5442FFBF09}
TERM.....0 - NO SWEAT VISIBLE

DATA VALUE: 0 - NO TREMOR

ABBREVIATION.....CIWA TR 0
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....0 - No Tremor
HELP_TEXT.....No Help Text
ID.....{2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}
TERM.....0 - NO TREMOR

DATA VALUE: 0 - NONE

ABBREVIATION.....CIWA TC 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - None

HELP_TEXT.....No Help Text

ID.....{5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}

TERM.....0 - NONE

DATA VALUE: 0 - NORMAL ACTIVITY

ABBREVIATION.....CIWA AG 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - Normal Activity

HELP_TEXT.....No Help Text

ID.....{9FF32084-A432-467C-B0A2-C8BC9F3D6D13}

TERM.....0 - NORMAL ACTIVITY

DATA VALUE: 0 - ORIENTED AND CAN DO SERIAL ADDITIONS

ABBREVIATION.....CIWA OR 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 - Oriented And Can Do Serial

Additions

HELP_TEXT.....No Help Text

ID.....{D8015F54-6E9E-457A-955C-38565BDDDBB6}

TERM.....0 - ORIENTED AND CAN DO SERIAL

ADDITIONS

DATA VALUE: 0 = 0 EXTREMITIES

ABBREVIATION.....ALD ACT 0

ACTIVE.....Yes

DESCRIPTION.....0 = 0 Extremities

DISPLAY_NAME.....0 = Moves 0 Extremities

HELP_TEXT.....0 = 0 Extremities

ID.....{6E248A9A-B509-4BD0-A01D-9ED5CE5B8FC9}

TERM.....0 = 0 EXTREMITIES

DATA VALUE: 0 = <90%

ABBREVIATION.....ALD O2 0

ACTIVE.....Yes

DESCRIPTION.....0 = <90% with O2

DISPLAY_NAME.....0 = <90% with O2

HELP_TEXT.....0 = <90% with O2

ID.....{30042730-F600-44FD-A3D0-53172B70082B}

TERM.....0 = <90%

DATA VALUE: 0 = ABSENT PULSE

ABBREVIATION.....0p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 = Absent Pulse

HELP_TEXT.....No Help Text

ID.....{4253CB74-51AE-BBFA-214F-937762F7638C}

TERM.....0 = ABSENT PULSE

DATA VALUE: 0 = APNEIC

ABBREVIATION.....ALD RESP 0

ACTIVE.....Yes

DESCRIPTION.....0 = Apneic

DISPLAY_NAME.....0 = Apneic

HELP_TEXT.....0 = Apneic

ID.....{649C42B0-6E0A-4E86-AAC5-70A8C20EC511}

TERM.....0 = APNEIC

DATA VALUE: 0 = BP +/- 50% PREOP

ABBREVIATION.....ALD CIR 0

ACTIVE.....Yes

DESCRIPTION.....0 = BP +/- 50% Preop

DISPLAY_NAME.....0 = BP +/- 50% Preop

HELP_TEXT.....0 = BP +/- 50% Preop

ID.....{675F2CD1-DD7B-473B-B8EC-C2BF4AC3B2}

TERM.....0 = BP +/- 50% PREOP

DATA VALUE: 0 = NOT RESPONDING

ABBREVIATION.....ALD CON 0

ACTIVE.....Yes

DESCRIPTION.....0 = Not Responding

DISPLAY_NAME.....0 = Not Responding

HELP_TEXT.....0 = Not Responding

ID.....{E8765215-B0B0-430C-8C89-AB969A6AD12E}

TERM.....0 = NOT RESPONDING

DATA VALUE: 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST

ABBREVIATION.....CIWA PS 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Barely Perceptible Sweating /

Palms Moist

HELP_TEXT.....No Help Text

ID.....{93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}

TERM.....1 - BARELY PERCEPTIBLE SWEATING /

PALMS MOIST

DATA VALUE: 1 - CANNOT DO SERIAL ADDITIONS

ABBREVIATION.....CIWA OR 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Cannot Do Serial Additions Or Is
Uncertain About Date

HELP_TEXT.....No Help Text

ID.....{F4446E01-E326-420E-8EA8-04451AA9D963}

TERM.....1 - CANNOT DO SERIAL ADDITIONS

DATA VALUE: 1 - MILD NAUSEA / NO VOMITING

ABBREVIATION.....CIWA NV 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Mild Nausea / No Vomiting

HELP_TEXT.....No Help Text

ID.....{582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}

TERM.....1 - MILD NAUSEA / NO VOMITING

DATA VALUE: 1 - MILDLY ANXIOUS

ABBREVIATION.....CIWA AX 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Mildy Anxious
HELP_TEXT.....No Help Text
ID.....{401113EE-5CE7-4AE9-80C1-1C3252E706D0}
TERM.....1 - MILDLY ANXIOUS

DATA VALUE: 1 - NO RESPONSE

ABBREVIATION.....1-nr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....1 - No Response
HELP_TEXT.....No Help Text
ID.....{26D3168D-40EA-C918-D321-54BED4837311}
TERM.....1 - NO RESPONSE

DATA VALUE: 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP

ABBREVIATION.....CIWA TR 1
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....1 - Not Visible But Can Be Felt
Fingertip To Fingertip
HELP_TEXT.....No Help Text
ID.....{31833D55-9018-47EE-8341-A0863744CEF8}
TERM.....1 - NOT VISIBLE BUT CAN BE FELT
FINGERTIP

DATA VALUE: 1 - VERY MILD

ABBREVIATION.....CIWA HA 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Very Mild

HELP_TEXT.....No Help Text

ID.....{F789C1EA-CC7A-4368-87BA-08AFFE492EE6}

TERM.....1 - VERY MILD

DATA VALUE: 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN

ABBREVIATION.....CIWA AU 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Very Mild Harshness Or Ability To
Frighten

HELP_TEXT.....No Help Text

ID.....{E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}

TERM.....1 - VERY MILD HARSHNESS OR ABILITY TO
FRIGHTEN

DATA VALUE: 1 - VERY MILD ITCHING PINS/NEEDLES BURNING

ABBREVIATION.....CIWA TC 1

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....1 - Very Mild Itching, Pins/Needles,
Burning, Numbness
HELP_TEXT.....No Help Text
ID.....{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}
TERM.....1 - VERY MILD ITCHING PINS/NEEDLES
BURNING

DATA VALUE: 1 - VERY MILD SENSITIVITY

ABBREVIATION.....CIWA VS 1
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....1 - Very Mild Sensitivity
HELP_TEXT.....No Help Text
ID.....{8BF96CF1-3EA7-468C-838A-284430EA850D}
TERM.....1 - VERY MILD SENSITIVITY

DATA VALUE: 1 - WEAK

ABBREVIATION.....1 - WEAK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....1 - Weak
HELP_TEXT.....No Help Text
ID.....{A41570DC-2F35-DDF6-977B-7C262150DFA2}
TERM.....1 - WEAK

DATA VALUE: 1 = 2 EXTREMITIES

ABBREVIATION.....ALD ACT 1

ACTIVE.....Yes

DESCRIPTION.....1 = 2 Extremities

DISPLAY_NAME.....1 = Moves 2 Extremities

HELP_TEXT.....1 = 2 Extremities

ID.....{6DCB4762-72CE-48C2-9AFE-B19969ED1DE0}

TERM.....1 = 2 EXTREMITIES

DATA VALUE: 1 = AROUSABLE

ABBREVIATION.....ALD CON 1

ACTIVE.....Yes

DESCRIPTION.....1 = Arousable with minimal stimulation

DISPLAY_NAME.....1 = Arousable with minimal stimulation

HELP_TEXT.....1 = Arousable with minimal stimulation

ID.....{B2A07804-9829-42D0-9C49-A61FD51EEAA0}

TERM.....1 = AROUSABLE

DATA VALUE: 1 = BP +/- 20-49% PREOP

ABBREVIATION.....ALD CIR 1

ACTIVE.....Yes

DESCRIPTION.....1 = BP +/- 20-49% Preop

DISPLAY_NAME.....1 = BP +/- 20-49% Preop

HELP_TEXT.....1 = BP +/- 20-49% Preop

ID.....{D4A6100D-1228-4860-9BD6-B43F30D4FF94}

TERM.....1 = BP +/- 20-49% PREOP

DATA VALUE: 1 = DYSPNEA

ABBREVIATION.....ALD RESP 1

ACTIVE.....Yes

DESCRIPTION.....1 = Dyspnea, shallow or limited

DISPLAY_NAME.....1 = Dyspnea, shallow or limited

HELP_TEXT.....1 = Dyspnea, shallow or limited

ID.....{3DAE60A2-57DA-4121-A507-BC43497C7B67}

TERM.....1 = DYSPNEA

DATA VALUE: 1 = NEEDS O2

ABBREVIATION.....ALD O2 1

ACTIVE.....Yes

DESCRIPTION.....1 = Needs O2 to maintain >90%

DISPLAY_NAME.....1 = Needs O2 to maintain >90%

HELP_TEXT.....1 = Needs O2 to maintain >90%

ID.....{5D97F6BB-7B02-4644-8CE5-014C89826731}

TERM.....1 = NEEDS O2

DATA VALUE: 1 HOUR

ABBREVIATION.....1 HOUR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 Hour

HELP_TEXT.....No Help Text

ID.....{319BA174-1624-483C-B666-4998127B0800}

TERM.....1 HOUR

DATA VALUE: 1+=PALPABLE, THREADY, EASILY OBLITERATED

ABBREVIATION.....1teo

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1+=Palpable, Thready, Easily

Obliterated

HELP_TEXT.....No Help Text

ID.....{3AE92556-1337-BFE2-C3EE-9676327935C3}

TERM.....1+=PALPABLE, THREADY, EASILY

OBLITERATED

DATA VALUE: 1- MILD ANXIOUS

ABBREVIATION.....CIWA AX 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Mild Anxious

HELP_TEXT.....No Help Text

ID.....{CAB6FB3A-4088-4D2C-AE1E-623352511D73}

TERM.....1- MILD ANXIOUS

DATA VALUE: 1- SOMEWHAT MORE THAN NORMAL ACTIVITY

ABBREVIATION.....CIWA AG 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 - Somewhat More Than Normal Activity

HELP_TEXT.....No Help Text

ID.....{497F7A3D-72C8-4986-A1E6-74EA0E5704F9}

TERM.....1- SOMEWHAT MORE THAN NORMAL ACTIVITY

DATA VALUE: 1800 CALORIE CONTROLLED

ABBREVIATION.....1800 CAL C

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1800 Calorie Controlled Diet

HELP_TEXT.....No Help Text

ID.....{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}

TERM.....1800 CALORIE CONTROLLED

DATA VALUE: 1800 DIABETIC

ABBREVIATION.....1800 DIAB

ACTIVE.....Yes

DESCRIPTION.....1800 Calorie Diabetic Diet

DISPLAY_NAME.....1800 Diabetic

HELP_TEXT.....No Help Text

ID.....{FC71C7D7-F24E-4316-A455-8674804BE092}

TERM.....1800 DIABETIC

DATA VALUE: 1:1

ABBREVIATION.....1:1

ACTIVE.....Yes

DESCRIPTION.....1 to 1 ratio

DISPLAY_NAME.....1:1

HELP_TEXT.....No Help Text

ID.....{5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}

TERM.....1:1

DATA VALUE: 1:1 OBSERVATION

ABBREVIATION.....1o

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1:1 Observation

HELP_TEXT.....No Help Text

ID.....{B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}

TERM.....1:1 OBSERVATION

DATA VALUE: 1:2

ABBREVIATION.....1:2

ACTIVE.....Yes

DESCRIPTION.....1 to 2 ratio

DISPLAY_NAME.....1:2

HELP_TEXT.....No Help Text

ID.....{287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}

TERM.....1:2

DATA VALUE: 1:3

ABBREVIATION.....1:3

ACTIVE.....Yes

DESCRIPTION.....1 to 3 ratio

DISPLAY_NAME.....1:3

HELP_TEXT.....No Help Text

ID.....{062B4F93-8F48-7373-F679-11F57CE98BB3}

TERM.....1:3

DATA VALUE: 1:4

ABBREVIATION.....1:4

ACTIVE.....Yes

DESCRIPTION.....1 to 4 ratio

DISPLAY_NAME.....1:4

HELP_TEXT.....No Help Text

ID.....{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}

TERM.....1:4

DATA VALUE: 1:8

ABBREVIATION.....1:8

ACTIVE.....Yes

DESCRIPTION.....1 to 8 ratio

DISPLAY_NAME.....1:8

HELP_TEXT.....No Help Text

ID.....{94790C4C-3AF2-6F4C-58B8-87021CA97A53}

TERM.....1:8

DATA VALUE: 1A + 2V

ABBREVIATION.....1+2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1A + 2V

HELP_TEXT.....No Help Text

ID.....{FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}

TERM.....1A + 2V

DATA VALUE: 1A + 3V

ABBREVIATION.....1+3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1A + 3V

HELP_TEXT.....No Help Text

ID.....{CEDF220D-E593-B8F9-DB08-D32800AF3F5E}

TERM.....1A + 3V

DATA VALUE: 1A +1V

ABBREVIATION.....1+

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1A +1V

HELP_TEXT.....No Help Text

ID.....{31711946-9F1B-0AD9-BDBE-846EDBC86AE2}

TERM.....1A +1V

DATA VALUE: 2 - ABNORMAL EXTENSION FROM PAIN

ABBREVIATION.....2-aefp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....2 - Abnormal Extension From Pain
HELP_TEXT.....No Help Text
ID.....{9B4951D8-B271-DFC3-0A00-1DC9984039E3}
TERM.....2 - ABNORMAL EXTENSION FROM PAIN

DATA VALUE: 2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

ABBREVIATION.....CIWA PS 2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....2 - Beads Of Sweat Obvious On Forehead
HELP_TEXT.....No Help Text
ID.....{38EA4194-F5F4-42CB-8DE2-715167888F86}
TERM.....2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS

ABBREVIATION.....CIWA OR 2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....2 - Disoriented For Date By No More

Than 2 Calendar Days

HELP_TEXT.....No Help Text

ID.....{01B894B0-3E70-47FA-820A-83CA48B93EF9}

TERM.....2 - DISORIENTED FOR DATE < 2 CALENDAR
DAYS

DATA VALUE: 2 - INCOMPREHENSIBLE SOUNDS

ABBREVIATION.....2-is

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Incomprehensible Sounds

HELP_TEXT.....No Help Text

ID.....{F2261C3D-79A3-055B-702D-446B7A6A3113}

TERM.....2 - INCOMPREHENSIBLE SOUNDS

DATA VALUE: 2 - INTERMITTENT NAUSEA WITH DRY HEAVES

ABBREVIATION.....CIWA NV 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Intermittent Nausea With Dry Heaves

HELP_TEXT.....No Help Text

ID.....{E92221EE-1298-4D9D-9EFD-35F615118C96}

TERM.....2 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 2 - MILD

ABBREVIATION.....CIWA HA 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Mild

HELP_TEXT.....No Help Text

ID.....{6B752397-0A4F-4176-90E7-E220DB2BF1C4}

TERM.....2 - MILD

DATA VALUE: 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN

ABBREVIATION.....CIWA AU 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Mild Harshness Or Ability To

Frighten

HELP_TEXT.....No Help-Text

ID.....{71204969-E614-46A4-ADA5-39FAF81A79B5}

TERM.....2 - MILD HARSHNESS OR ABILITY TO

FRIGHTEN

DATA VALUE: 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS

ABBREVIATION.....CIWA TC 2

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....2 - Mild Itching, Pins/Needles,
Burning, Numbness
HELP_TEXT.....No Help Text
ID.....{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}
TERM.....2 - MILD ITCHING PINS/NEEDLES BURNING
NUMBNESS

DATA VALUE: 2 - MILD SENSITIVITY

ABBREVIATION.....CIWA VS 2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....2 - Mild Sensitivity
HELP_TEXT.....No Help Text
ID.....{ED600249-E5E8-4020-955E-A5CDA18B5DE9}
TERM.....2 - MILD SENSITIVITY

DATA VALUE: 2 - MODERATE WITH PATIENTS ARMS EXTENDED

ABBREVIATION.....CIWA TR 2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....2 - Moderate With Patient's Arms
Extended
HELP_TEXT.....No Help Text
ID.....{B4E7B7FB-B88E-435A-904E-C613AC937323}
TERM.....2 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 2 - NORMAL

ABBREVIATION.....2-n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - Normal

HELP_TEXT.....No Help Text

ID.....{25FAADFC-D280-78AC-4F01-CFCF34ECD3FF}

TERM.....2 - NORMAL

DATA VALUE: 2 - TO PAIN

ABBREVIATION.....2-tp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 - To Pain

HELP_TEXT.....No Help Text

ID.....{49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}

TERM.....2 - TO PAIN

DATA VALUE: 2 = 4 EXTREMITIES

ABBREVIATION.....ALD ACT 2

ACTIVE.....Yes

DESCRIPTION.....2 = 4 Extremities

DISPLAY_NAME.....2 = Moves 4 Extremities

HELP_TEXT.....2 = 4 Extremities

ID.....{3434DF4B-5CB6-417F-B5BE-CEF2D63FE8E0}

TERM.....2 = 4 EXTREMITIES

DATA VALUE: 2 = BP +/- 20% PREOP

ABBREVIATION.....ALD CIR 2

ACTIVE.....Yes

DESCRIPTION.....2 = BP +/- 20% Preop

DISPLAY_NAME.....2 = BP +/- 20% Preop

HELP_TEXT.....2 = BP +/- 20% Preop

ID.....{04B67413-7A88-409B-8005-471A7C84B879}

TERM.....2 = BP +/- 20% PREOP

DATA VALUE: 2 = BREATHES FREELY

ABBREVIATION.....ALD RESP 2

ACTIVE.....Yes

DESCRIPTION.....2 = Breathes freely, coughs freely

DISPLAY_NAME.....2 = Breathes freely, coughs freely

HELP_TEXT.....2 = Breathes freely, coughs freely

ID.....{278CD44C-538E-4015-9D98-D9312A7039BA}

TERM.....2 = BREATHES FREELY

DATA VALUE: 2 = FULLY AWAKE

ABBREVIATION.....ALD CON 2

ACTIVE.....Yes

DESCRIPTION.....2 = Fully awake

DISPLAY_NAME.....2 = Fully awake

HELP_TEXT.....2 = Fully awake

ID.....{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}

TERM.....2 = FULLY AWAKE

DATA VALUE: 2 = ON ROOM AIR

ABBREVIATION.....ALD O2 2

ACTIVE.....Yes

DESCRIPTION.....2 = On room air

DISPLAY_NAME.....2 = >92% on room air

HELP_TEXT.....2 = On room air

ID.....{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}

TERM.....2 = ON ROOM AIR

DATA VALUE: 2+=NORMAL, NOT EASILY OBLITERATED

ABBREVIATION.....2neo

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2+=Normal, Not Easily Obliterated

HELP_TEXT.....No Help Text
ID.....{50484DA4-EC15-47E5-3923-268C4B5D6428}
TERM.....2+=NORMAL, NOT EASILY OBLITERATED

DATA VALUE: 2- MILD HARSHNESS OR ABILITY TO FRIGHTEN

ABBREVIATION.....CIWA AU 2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....2 - Mild Harshness Or Ability To
 Frighten

HELP_TEXT.....No Help Text
ID.....{42DAFB BB-E9AF-4558-95D4-2FFF7BE779F1}
TERM.....2- MILD HARSHNESS OR ABILITY TO
 FRIGHTEN

DATA VALUE: 2.0 CAL FORMULA

ABBREVIATION.....2.0 C FORM
ACTIVE.....Yes
DESCRIPTION.....2.0 Cal Enteral Nutrition Formula
DISPLAY_NAME.....2.0 Cal Formula
HELP_TEXT.....No Help Text
ID.....{4A595230-45D1-40F0-AEF3-11E75DF418CB}
TERM.....2.0 CAL FORMULA

DATA VALUE: 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE

ABBREVIATION.....20 Min Nar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....20 Minutes Since Last IV

Narcotic/Sedative

HELP_TEXT.....

ID.....{FBDB50B7-19B5-472C-80E5-F4758E141BB1}

TERM.....20 MINUTES SINCE LAST IV

NARCOTIC/SEDATIVE

DATA VALUE: 2000 CALORIE CONTROLLED

ABBREVIATION.....2000 CAL C

ACTIVE.....Yes

DESCRIPTION.....2000 Calorie Controlled Diet

DISPLAY_NAME.....2000 Calorie Controlled Diet

HELP_TEXT.....No Help Text

ID.....{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}

TERM.....2000 CALORIE CONTROLLED

DATA VALUE: 2000 DIABETIC

ABBREVIATION.....2000 DIAB

ACTIVE.....Yes

DESCRIPTION.....2000 Diabetic Diet
DISPLAY_NAME.....2000 Diabetic Diet
HELP_TEXT.....No Help Text
ID.....{DF3056C9-3AEA-4F4E-B758-E35590080AFB}
TERM.....2000 DIABETIC

DATA VALUE: 2200 CALORIE CONTROLLED

ABBREVIATION.....2200 CAL C
ACTIVE.....Yes
DESCRIPTION.....2200 Calorie Controlled Diet
DISPLAY_NAME.....2200 Calorie Controlled Diet
HELP_TEXT.....No Help Text
ID.....{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}
TERM.....2200 CALORIE CONTROLLED

DATA VALUE: 2200 DIABETIC

ABBREVIATION.....2200 DIAB
ACTIVE.....Yes
DESCRIPTION.....2200 Diabetic Diet
DISPLAY_NAME.....2200 Diabetic Diet
HELP_TEXT.....No Help Text
ID.....{1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}
TERM.....2200 DIABETIC

DATA VALUE: 2400 CALORIE CONTROLLED

ABBREVIATION.....2400 CAL C
ACTIVE.....Yes
DESCRIPTION.....2400 Calorie Controlled Diet
DISPLAY_NAME.....2400 Calorie Controlled Diet
HELP_TEXT.....No Help Text
ID.....{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}
TERM.....2400 CALORIE CONTROLLED

DATA VALUE: 2400 DIABETIC

ABBREVIATION.....2400 DIAB
ACTIVE.....Yes
DESCRIPTION.....2400 Diabetic Diet
DISPLAY_NAME.....2400 Diabetic Diet
HELP_TEXT.....No Help Text
ID.....{2018FB65-3D4E-47E0-90E9-205A45EDF130}
TERM.....2400 DIABETIC

DATA VALUE: 25 PERCENT ALBUMIN

ABBREVIATION.....25 PERC AL
ACTIVE.....Yes
DESCRIPTION.....25 Percent Albumin
DISPLAY_NAME.....25 Percent Albumin

HELP_TEXT.....No Help Text

ID.....{2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}

TERM.....25 PERCENT ALBUMIN

DATA VALUE: 2:4

ABBREVIATION.....2:4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2:4

HELP_TEXT.....No Help Text

ID.....{7D423C9A-42B3-4FDD-999B-889193492F5C}

TERM.....2:4

DATA VALUE: 2A

ABBREVIATION.....2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2A

HELP_TEXT.....No Help Text

ID.....{C75BDC9F-C756-9051-CAA3-A27DDD94B35E}

TERM.....2A

DATA VALUE: 2A + 1V

ABBREVIATION.....2+1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2A + 1V

HELP_TEXT.....No Help Text

ID.....{1849AA0D-1572-55E0-A780-ACE602E2C72D}

TERM.....2A + 1V

DATA VALUE: 2A + 2V

ABBREVIATION.....2+2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2A + 2V

HELP_TEXT.....No Help Text

ID.....{17203251-68E8-A00A-CF54-E2CC55B8EEDD}

TERM.....2A + 2V

DATA VALUE: 2V

ABBREVIATION.....2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2V

HELP_TEXT.....No Help Text

ID.....{D24B5FA4-1DA6-36DE-49DB-627A9B82E968}

TERM.....2V

DATA VALUE: 3 - ABNORMAL FLEXION FROM PAIN

ABBREVIATION.....3-affp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Abnormal Flexion From Pain

HELP_TEXT.....No Help Text

ID.....{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}

TERM.....3 - ABNORMAL FLEXION FROM PAIN

DATA VALUE: 3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

ABBREVIATION.....CIWA PS 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Beads Of Sweat Obvious On Forehead

HELP_TEXT.....No Help Text

ID.....{663591B6-3FB4-4060-8A49-18747F857B16}

TERM.....3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS

ABBREVIATION.....CIWA OR 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Disoriented For Date By More Than
2 Calendar Days

HELP_TEXT.....No Help Text

ID.....{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}

TERM.....3 - DISORIENTED FOR DATE > 2 CALENDAR
DAYS

DATA VALUE: 3 - INAPPROPRIATE WORDS

ABBREVIATION.....3-iw

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Inappropriate Words

HELP_TEXT.....No Help Text

ID.....{FE000191-243E-4D32-1E1E-546EE2CF88A5}

TERM.....3 - INAPPROPRIATE WORDS

DATA VALUE: 3 - INTERMITTENT NAUSEA WITH DRY HEAVES

ABBREVIATION.....CIWA NV 3

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....3 - Intermittent Nausea With Dry Heaves
HELP_TEXT.....No Help Text
ID.....{D299B4E1-0FF4-474D-BECD-5537391EEE7A}
TERM.....3 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 3 - MODERATE

ABBREVIATION.....CIWA HA 3
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....3 - Moderate
HELP_TEXT.....No Help Text
ID.....{F26EB828-6864-4384-9EBB-35A6CDCACC59}
TERM.....3 - MODERATE

DATA VALUE: 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN

ABBREVIATION.....CIWA AU 3
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....3 - Moderate Harshness Or Ability To
Frighten
HELP_TEXT.....No Help Text
ID.....{77F59277-6CE4-4323-8531-3CA26E13C9C4}
TERM.....3 - MODERATE HARSHNESS OR ABILITY TO
FRIGHTEN

DATA VALUE: 3 - MODERATE ITCHING PINS/NEEDLES BURNING

ABBREVIATION.....CIWA TC 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Moderate Itching, Pins/Needles,
Burning, Numbness

HELP_TEXT.....No Help Text

ID.....{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}

TERM.....3 - MODERATE ITCHING PINS/NEEDLES
BURNING

DATA VALUE: 3 - MODERATE SENSITIVITY

ABBREVIATION.....CIWA VS 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Moderate Sensitivity

HELP_TEXT.....No Help Text

ID.....{D673A630-1F1E-4734-AADE-17586C48E8B9}

TERM.....3 - MODERATE SENSITIVITY

DATA VALUE: 3 - MODERATE WITH PATIENTS ARMS EXTENDED

ABBREVIATION.....CIWA TR 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Moderate With Patient's Arms

Extended

HELP_TEXT.....No Help Text

ID.....{36FF0AB3-F5ED-4CBA-A6F3-110DFCB65244}

TERM.....3 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 3 - STRONG

ABBREVIATION.....3-s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - Strong

HELP_TEXT.....No Help Text

ID.....{C55EAB72-7816-5440-84E9-6E7E190ED197}

TERM.....3 - STRONG

DATA VALUE: 3 - TO VERBAL COMMAND

ABBREVIATION.....3-tvc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 - To Verbal Command

HELP_TEXT.....No Help Text

ID.....{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}

TERM.....3 - TO VERBAL COMMAND

DATA VALUE: 3 WAY FOLEY

ABBREVIATION.....3WAY FOLEY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3 Way Foley

HELP_TEXT.....No Help Text

ID.....{32408760-F517-4530-AEC0-54FE0A6A062B}

TERM.....3 WAY FOLEY

DATA VALUE: 3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED

ABBREVIATION.....3epcbo

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....3+=Bounding, Easily Palpable, Cannot
Be Obliterated

HELP_TEXT.....No Help Text

ID.....{7A7A07ED-26B6-A3BF-C564-94BD4F6D4E1C}

TERM.....3+=BOUNDING, EASILY PALPABLE, CANNOT
BE OBLITERATED

DATA VALUE: 34 ml

ABBREVIATION.....34 ml

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....34 ml
HELP_TEXT.....No Help Text
ID.....{25952BB5-50B1-4CC0-9483-8AF891767045}
TERM.....34 ml

DATA VALUE: 3:4

ABBREVIATION.....3:4
ACTIVE.....Yes
DESCRIPTION.....3:4
DISPLAY_NAME.....3:4
HELP_TEXT.....No Help Text
ID.....{E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2}
TERM.....3:4

DATA VALUE: 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

ABBREVIATION.....CIWA PS 4
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....4 - Beads Of Sweat Obvious On Forehead
HELP_TEXT.....No Help Text
ID.....{8388B1A0-46EA-4003-A32B-A2C708A6F056}
TERM.....4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 4 - DISORIENTED AND CONVERSES

ABBREVIATION.....4-dac
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....4 - Disoriented And Converse
HELP_TEXT.....No Help Text
ID.....{D43F646D-A130-5D06-6DC6-DDB971027231}
TERM.....4 - DISORIENTED AND CONVERSES

DATA VALUE: 4 - DISORIENTED FOR PLACE OR PERSON

ABBREVIATION.....CIWA OR 4
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....4 - Disoriented For Place/Or Person
HELP_TEXT.....No Help Text
ID.....{03BBFFA2-233A-41A1-8212-F988889C5E72}
TERM.....4 - DISORIENTED FOR PLACE OR PERSON

DATA VALUE: 4 - INTERMITTENT NAUSEA WITH DRY HEAVES

ABBREVIATION.....CIWA NV 4
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....4 - Intermittent Nausea With Dry Heaves

HELP_TEXT.....No Help Text

ID.....{7FBE10F0-472F-4F21-BE55-0892259141B5}

TERM.....4 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 4 - MODERATE WITH PATIENTS ARMS EXTENDED

ABBREVIATION.....CIWA TR 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderate With Patient's Arms

Extended

HELP_TEXT.....No Help Text

ID.....{79CE1486-151C-4492-AFD2-7845DD69DA9E}

TERM.....4 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 4 - MODERATELY ANXIOUS

ABBREVIATION.....CIWA AX 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderately Anxious, Or Guarded,

Anxiety Is Inferred

HELP_TEXT.....No Help Text

ID.....{9A01FEFD-844C-4FAB-BEC3-96333495FA62}

TERM.....4 - MODERATELY ANXIOUS

DATA VALUE: 4 - MODERATELY FIDGETY AND RESTLESS

ABBREVIATION.....CIWA AG 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderately Fidgety And Restless

HELP_TEXT.....No Help Text

ID.....{B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}

TERM.....4 - MODERATELY FIDGETY AND RESTLESS

DATA VALUE: 4 - MODERATELY SEVERE

ABBREVIATION.....CIWA HA 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderately Severe

HELP_TEXT.....No Help Text

ID.....{83B3DE0F-3BA4-4B0A-A222-F372BD403094}

TERM.....4 - MODERATELY SEVERE

DATA VALUE: 4 - MODERATELY SEVERE HALLUCINATIONS

ABBREVIATION.....CIWA 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Moderately Severe Hallucinations

HELP_TEXT.....No Help Text

ID.....{13FCDA97-A967-4993-AED5-13EBA61F3102}

TERM.....4 - MODERATELY SEVERE HALLUCINATIONS

DATA VALUE: 4 - SPONTANEOUSLY

ABBREVIATION.....4-s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Spontaneously

HELP_TEXT.....No Help Text

ID.....{4612FC84-FCA8-8C85-50DC-A9A42C195F51}

TERM.....4 - SPONTANEOUSLY

DATA VALUE: 4 - WITHDRAWS FROM PAIN

ABBREVIATION.....4-wfp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 - Withdraws From Pain

HELP_TEXT.....No Help Text

ID.....{D808ACF1-30CB-29AB-4957-E91D63C4DF18}

TERM.....4 - WITHDRAWS FROM PAIN

DATA VALUE: 4 HOUR

ABBREVIATION.....4 HOUR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....4 Hour

HELP_TEXT.....No Help Text

ID.....{91B2A49D-0308-47C9-B220-63A0E318A201}

TERM.....4 HOUR

DATA VALUE: 40 ml

ABBREVIATION.....40 ml

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....40 ml

HELP_TEXT.....No Help Text

ID.....{37A2998F-AB1C-4493-9C7A-FFCB05ED2302}

TERM.....40 ml

DATA VALUE: 4:4

ABBREVIATION.....4:4

ACTIVE.....Yes

DESCRIPTION.....4:4

DISPLAY_NAME.....4:4

HELP_TEXT.....No Help Text

ID.....{E9FCD5A0-995A-401D-8E85-6F0C753609B6}

TERM.....4:4

DATA VALUE: 5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

ABBREVIATION.....CIWA NV 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5 - Constant Nausea W Frequent Heaves

and Vomiting

HELP_TEXT.....No Help Text

ID.....{3A90064F-0B58-48AB-ABEE-188F215F4E33}

TERM.....5 - CONSTANT NAUSEA W FREQUENT HEAVES

AND VOMITING

DATA VALUE: 5 - DRENCHING SWEAT

ABBREVIATION.....CIWA PS 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5 - Drenching Sweat

HELP_TEXT.....No Help Text

ID.....{4CAA2CFF-6DA5-4238-A25B-4D3A960808A9}

TERM.....5 - DRENCHING SWEAT

DATA VALUE: 5 - LOCALIZES PAIN

ABBREVIATION.....5-lp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....5 - Localizes Pain
HELP_TEXT.....No Help Text
ID.....{CF13650F-899B-6AE1-5913-DC1F4776E5E4}
TERM.....5 - LOCALIZES PAIN

DATA VALUE: 5 - ORIENTED AND CONVERSES

ABBREVIATION.....5-oac
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....5 - Oriented And Converses
HELP_TEXT.....No Help Text
ID.....{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}
TERM.....5 - ORIENTED AND CONVERSES

DATA VALUE: 5 - SEVERE

ABBREVIATION.....CIWA HA 5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....5 - Severe

HELP_TEXT.....No Help Text

ID.....{7BD7B91F-DF6F-47B9-BAA6-3EF249340578}

TERM.....5 - SEVERE

DATA VALUE: 5 - SEVERE EVEN WITH ARMS NOT EXTENDED

ABBREVIATION.....CIWA TR 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5 - Severe Even With Arms Not Extended

HELP_TEXT.....No Help Text

ID.....{611A344A-C540-4861-81D7-681DAF1AA473}

TERM.....5 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 5 - SEVERE HALLUCINATIONS

ABBREVIATION.....CIWA 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....5 - Severe Hallucinations

HELP_TEXT.....No Help Text

ID.....{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

TERM.....5 - SEVERE HALLUCINATIONS

DATA VALUE: 5 PERCENT ALBUMIN

ABBREVIATION.....5 PERC ALB
ACTIVE.....Yes
DESCRIPTION.....5 Percent Albumin
DISPLAY_NAME.....5 Percent Albumin
HELP_TEXT.....No Help Text
ID.....{38CE47CB-736B-475E-8E89-C4C13F2DF184}
TERM.....5 PERCENT ALBUMIN

DATA VALUE: 6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

ABBREVIATION.....CIWA NV 6
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....6 - Constant Nausea W Frequent Heaves
and Vomiting
HELP_TEXT.....No Help Text
ID.....{446FE39A-EB53-4D6B-B5B8-1370A5D55EEB}
TERM.....6 - CONSTANT NAUSEA W FREQUENT HEAVES
AND VOMITING

DATA VALUE: 6 - DRENCHING SWEAT

ABBREVIATION.....CIWA PS 6
ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....6 - Drenching Sweat
HELP_TEXT.....No Help Text
ID.....{7294B311-9032-4FE1-9779-363D19FD1FD3}
TERM.....6 - DRENCHING SWEAT

DATA VALUE: 6 - EXTREMELY SEVERE HALLUCINATIONS

ABBREVIATION.....CIWA 6
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....6 - Extremely Severe Hallucinations
HELP_TEXT.....No Help Text
ID.....{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}
TERM.....6 - EXTREMELY SEVERE HALLUCINATIONS

DATA VALUE: 6 - OBEYS COMMANDS

ABBREVIATION.....6-oc
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....6 - Obeys Commands
HELP_TEXT.....No Help Text
ID.....{0D4956F4-7E79-8D17-EDF3-274B96BBC89A}
TERM.....6 - OBEYS COMMANDS

DATA VALUE: 6 - SEVERE EVEN WITH ARMS NOT EXTENDED

ABBREVIATION.....CIWA TR 6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6 - Severe Even With Arms Not Extended

HELP_TEXT.....No Help Text

ID.....{9BCF893C-76D0-4A3E-80D0-281A917F1A08}

TERM.....6 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 6 - VERY SEVERE

ABBREVIATION.....CIWA HA 6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6 - Very Severe

HELP_TEXT.....No Help Text

ID.....{241C1EF4-2E2A-4D65-9991-607BB6B29E01}

TERM.....6 - VERY SEVERE

DATA VALUE: 6 HOUR

ABBREVIATION.....6 HOUR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....6 Hour

HELP_TEXT.....No Help Text
ID.....{0D1F000A-01F0-422C-9CB8-2A04CD479444}
TERM.....6 HOUR

DATA VALUE: 6 PERCENT HETASTARCH

ABBREVIATION.....6 PERC HET
ACTIVE.....Yes
DESCRIPTION.....6 Percent Hetastarch
DISPLAY_NAME.....6 Percent Hetastarch
HELP_TEXT.....No Help Text
ID.....{D94072C9-87E8-46CA-929F-4904F3BD964C}
TERM.....6 PERCENT HETASTARCH

DATA VALUE: 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT

ABBREVIATION.....60 Min Rev
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....60 Minutes Since Administration of
Reversal Agent
HELP_TEXT.....
ID.....{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}
TERM.....60 MINUTES SINCE ADMINISTRATION OF
REVERSAL AGENT

DATA VALUE: 7 - ACUTE PANIC

ABBREVIATION.....CIWA AX 7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7 - Equivalent To Acute Panic States

HELP_TEXT.....No Help Text

ID.....{3F5E6786-FD67-405F-A535-EC1609910F14}

TERM.....7 - ACUTE PANIC

DATA VALUE: 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

ABBREVIATION.....CIWA NV 7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7 - Constant Nausea W Frequent Heaves
and Vomiting

HELP_TEXT.....No Help Text

ID.....{7F1076C4-C655-4BF2-8BB1-036F5169B619}

TERM.....7 - CONSTANT NAUSEA W FREQUENT HEAVES
AND VOMITING

DATA VALUE: 7 - CONTINUOUS HALLUCINATIONS

ABBREVIATION.....CIWA 7

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....7 - Continuous Hallucinations
HELP_TEXT.....No Help Text
ID.....{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}
TERM.....7 - CONTINUOUS HALLUCINATIONS

DATA VALUE: 7 - DRENCHING SWEAT

ABBREVIATION.....CIWA PS 7
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....7 - Drenching Sweat
HELP_TEXT.....No Help Text
ID.....{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}
TERM.....7 - DRENCHING SWEAT

DATA VALUE: 7 - EXTREMELY SEVERE

ABBREVIATION.....CIWA HA 7
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....7 - Extremely Severe
HELP_TEXT.....No Help Text
ID.....{F8DCC910-D36D-480E-867E-B45221170C49}
TERM.....7 - EXTREMELY SEVERE

DATA VALUE: 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW

ABBREVIATION.....CIWA AG 7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7 - Pacing Back And Forth The
Interview/Thrashing

HELP_TEXT.....No Help Text

ID.....{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

TERM.....7 - PACING BACK AND FORTH MOST OF THE
INTERVIEW

DATA VALUE: 7 - SEVERE EVEN WITH ARMS NOT EXTENDED

ABBREVIATION.....CIWA TR 7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....7 - Severe Even With Arms Not Extended

HELP_TEXT.....No Help Text

ID.....{FE0BE72E-913A-48CD-BABF-C5B742AFED93}

TERM.....7 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 8 HOUR

ABBREVIATION.....8 HOUR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....8 Hour

HELP_TEXT.....No Help Text

ID.....{05E46D8F-C165-4552-8063-B735DECD4AF3}

TERM.....8 HOUR

DATA VALUE: AAI

ABBREVIATION.....AAI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AAI

HELP_TEXT.....No Help Text

ID.....{2DD18ACA-B98E-24D3-E760-6D082A76074B}

TERM.....AAI

DATA VALUE: AAIR

ABBREVIATION.....AAIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AAIR

HELP_TEXT.....No Help Text

ID.....{3B4B6F37-B631-BE32-F1C1-65B99D0C5018}

TERM.....AAIR

DATA VALUE: AAO

ABBREVIATION.....AAO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AAO

HELP_TEXT.....No Help Text

ID.....{E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}

TERM.....AAO

DATA VALUE: ABDOMINAL

ABBREVIATION.....ABDOMINAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Abdominal

HELP_TEXT.....No Help Text

ID.....{29E279F4-5D2E-4644-A2FA-CF85BEDFD480}

TERM.....ABDOMINAL

DATA VALUE: ABLE TO AMBULATE

ABBREVIATION.....AMBULAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Able to Ambulate

HELP_TEXT.....No Help Text
ID.....{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
TERM.....ABLE TO AMBULATE

DATA VALUE: ABRASION

ABBREVIATION.....ABRASION
ACTIVE.....Yes
DESCRIPTION.....Abrasion
DISPLAY_NAME.....Abrasion
HELP_TEXT.....No Help Text
ID.....{7E962B43-24B1-46D2-A79A-54811117271A}
TERM.....ABRASION

DATA VALUE: ABSENT

ABBREVIATION.....a
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Absent
HELP_TEXT.....No Help Text
ID.....{6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
TERM.....ABSENT

DATA VALUE: ABSENT TO MINIMAL BLEEDING

ABBREVIATION.....ABS BLEE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Absent to Minimal Bleeding
HELP_TEXT.....No Help Text
ID.....{123460FB-1A8D-45AB-B0A2-489EAB482F67}
TERM.....ABSENT TO MINIMAL BLEEDING

DATA VALUE: ACCELERATING

ABBREVIATION.....ACCELERATI
ACTIVE.....Yes
DESCRIPTION.....Accelerating
DISPLAY_NAME.....Accelerating
HELP_TEXT.....Accelerating
ID.....{514FE300-87EE-4C2C-AC70-5E57DBECAFF7}
TERM.....ACCELERATING

DATA VALUE: ACHING

ABBREVIATION.....ACHING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Aching

HELP_TEXT.....No Help Text
ID.....{736BC1A4-2DA7-4A56-ACC0-28086EA103E0}
TERM.....ACHING

DATA VALUE: ACTIVE RANGE OF MOTION

ABBREVIATION.....ACTIVE ROM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Active Range Of Motion
HELP_TEXT.....No Help Text
ID.....{F55E68F3-6788-47AE-B962-119413B4A089}
TERM.....ACTIVE RANGE OF MOTION

DATA VALUE: ACTIVITIES OF DAILY LIVING

ABBREVIATION.....ADL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Activities of Daily Living
HELP_TEXT.....No Help Text
ID.....{12F2CA66-3DCE-443D-883C-119CE4838B4A}
TERM.....ACTIVITIES OF DAILY LIVING

DATA VALUE: ADMISSION

ABBREVIATION.....ADMISSION
ACTIVE.....Yes
DESCRIPTION.....Admission
DISPLAY_NAME.....Admission
HELP_TEXT.....No Help Text
ID.....{483C2830-813A-46C3-A012-CCD70044B2A2}
TERM.....ADMISSION

DATA VALUE: ADMISSION DIAGNOSIS

ABBREVIATION.....ADM DIAG
ACTIVE.....Yes
DESCRIPTION.....Admission Diagnosis
DISPLAY_NAME.....Admission Diagnosis
HELP_TEXT.....Admission Diagnosis
ID.....{2EEC3F2F-9802-46C5-AB47-008AFA093A7F}
TERM.....ADMISSION DIAGNOSIS

DATA VALUE: ADULT

ABBREVIATION.....ADULT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Adult

HELP_TEXT.....No Help Text

ID.....{37B557BE-B932-4757-8E08-5EA315E8AD1F}

TERM.....ADULT

DATA VALUE: ADULT LARGE

ABBREVIATION.....AD LARGE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Adult Large

HELP_TEXT.....No Help Text

ID.....{38E64D72-2806-47FA-B82F-51844574F850}

TERM.....ADULT LARGE

DATA VALUE: ADULT SMALL

ABBREVIATION.....AD SMALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Adult Small

HELP_TEXT.....No Help Text

ID.....{0161A4E5-713A-406B-B3FD-9ED13BEB5366}

TERM.....ADULT SMALL

DATA VALUE: ADVANCED CARE PLANNING

ABBREVIATION.....ADV CAR PL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Advanced Care Planning
HELP_TEXT.....No Help Text
ID.....{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}
TERM.....ADVANCED CARE PLANNING

DATA VALUE: AGENT CASHIER

ABBREVIATION.....Cashier
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Agent Cashier
HELP_TEXT.....
ID.....{3849A887-F353-4215-88FD-DDD0188BE1BB}
TERM.....AGENT CASHIER

DATA VALUE: AGITATED

ABBREVIATION.....a
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Agitated

HELP_TEXT.....No Help Text

ID.....{BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

TERM.....AGITATED

DATA VALUE: AGONAL

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Agonal

HELP_TEXT.....No Help Text

ID.....{1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}

TERM.....AGONAL

DATA VALUE: AGONIZING

ABBREVIATION.....AGONIZING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Agonizing

HELP_TEXT.....No Help Text

ID.....{F43DF9E7-555B-49FF-987C-35F083D547AA}

TERM.....AGONIZING

DATA VALUE: AICD

ABBREVIATION.....AICD

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....AICD

HELP_TEXT.....

ID.....{EDB0E730-A1DC-4639-888B-30E956CCA958}

TERM.....AICD

DATA VALUE: AIR FLOW DEVICE

ABBREVIATION.....AIR FLOW D

ACTIVE.....Yes

DESCRIPTION.....Air Flow Device

DISPLAY_NAME.....Air Flow Device

HELP_TEXT.....Air Flow Device

ID.....{60AF6215-CE2A-4EEE-9596-909E3E50BE71}

TERM.....AIR FLOW DEVICE

DATA VALUE: AIR LEAK

ABBREVIATION.....AIR LEAK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Air Leak

HELP_TEXT.....No Help Text

ID.....{52E40E25-6D28-53EC-BC05-D1FEAA4616EF}

TERM.....AIR LEAK

DATA VALUE: AIRBORNE

ABBREVIATION.....AIRBORNE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Airborne

HELP_TEXT.....No Help Text

ID.....{D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}

TERM.....AIRBORNE

DATA VALUE: AIRWAY REFLEXES INTACT / SECRETIONS

ABBREVIATION.....AIR REFL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Airway Reflexes Intact Manages

Secretions

HELP_TEXT.....No Help Text

ID.....{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}

TERM.....AIRWAY REFLEXES INTACT / SECRETIONS

DATA VALUE: ALBUMIN

ABBREVIATION.....ALBUMIN

ACTIVE.....Yes

DESCRIPTION.....Albumin

DISPLAY_NAME.....Albumin

HELP_TEXT.....No Help Text

ID.....{4CC265EE-F506-4752-8309-E569A25B40E5}

TERM.....ALBUMIN

DATA VALUE: ALDRETE SCORE 8 OR GREATER

ABBREVIATION.....ALD 8+

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Aldrete Score 8 or Greater

HELP_TEXT.....No Help Text

ID.....{1FACE6D7-BC92-4579-8665-C5E1D3475461}

TERM.....ALDRETE SCORE 8 OR GREATER

DATA VALUE: ALDRETE SCORE AT BASELINE

ABBREVIATION.....ALD BASE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Aldrete Score at Baseline

HELP_TEXT.....No Help Text

ID.....{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}

TERM.....ALDRETE SCORE AT BASELINE

DATA VALUE: ALERT

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Alert

HELP_TEXT.....No Help Text

ID.....{BC7E2630-179A-5C80-E6C7-598D42F0BFD6}

TERM.....ALERT

DATA VALUE: ALERT AND ORIENTED

ABBREVIATION.....AL AN OR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Alert and Oriented

HELP_TEXT.....No Help Text

ID.....{C031F776-36DF-4570-AFAF-A30B8BFA635B}

TERM.....ALERT AND ORIENTED

DATA VALUE: ALL DOWN

ABBREVIATION.....ALL DOWN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....All Down

HELP_TEXT.....No Help Text

ID.....{76C14E79-95E2-49B7-B847-3B114653E98C}

TERM.....ALL DOWN

DATA VALUE: ALL UP

ABBREVIATION.....ALL UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....All Up

HELP_TEXT.....No Help Text

ID.....{48199083-ACC2-408C-9242-7A6313CD7A7F}

TERM.....ALL UP

DATA VALUE: ALLERGY

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Allergy

HELP_TEXT.....No Help Text

ID.....{EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}

TERM.....ALLERGY

DATA VALUE: ALLERGY WRISTBAND

ABBREVIATION.....Wristband

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Allergy Wristband

HELP_TEXT.....

ID.....{BB7F6746-102D-4CBA-8E53-EA465176812B}

TERM.....ALLERGY WRISTBAND

DATA VALUE: ALOPECIA PARTIAL

ABBREVIATION.....ALOPE PART

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Alopecia Partial

HELP_TEXT.....No Help Text

ID.....{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}

TERM.....ALOPECIA PARTIAL

DATA VALUE: ALOPECIA TOTAL

ABBREVIATION.....ALOPE TOTA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Alopecia Total
HELP_TEXT.....No Help Text
ID.....{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}
TERM.....ALOPECIA TOTAL

DATA VALUE: AMBER

ABBREVIATION.....AMBER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Amber
HELP_TEXT.....No Help Text
ID.....{90A13048-4C35-E01D-3482-64D782001D4A}
TERM.....AMBER

DATA VALUE: AMBULATE AND ASSIST

ABBREVIATION.....AMB ASSIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ambulate and Assist

HELP_TEXT.....No Help Text

ID.....{EB53ADD9-B5B0-4174-95C7-C4B33E80DBDC}

TERM.....AMBULATE AND ASSIST

DATA VALUE: AMBULATED

ABBREVIATION.....AMBULATED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ambulated

HELP_TEXT.....No Help Text

ID.....{017D99FE-91D5-49F1-AC15-50620879C466}

TERM.....AMBULATED

DATA VALUE: AMBULATORY CARE UNIT

ABBREVIATION.....ACU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ambulatory Care Unit

HELP_TEXT.....No Help Text

ID.....{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}

TERM.....AMBULATORY CARE UNIT

DATA VALUE: AMPUTEE

ABBREVIATION.....AMPUTEE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Amputee
HELP_TEXT.....No Help-Text
ID.....{5804286F-2B23-91BD-FCB5-6AD18C918203}
TERM.....AMPUTEE

DATA VALUE: ANALGESIA

ABBREVIATION.....ANALGESIA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Analgesia
HELP_TEXT.....No Help Text
ID.....{5452ED11-25E1-437B-8048-3BB3E03BE3B9}
TERM.....ANALGESIA

DATA VALUE: ANGINAL

ABBREVIATION.....ANGINAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....ANGINAL

HELP_TEXT.....No Help Text
ID.....{ECF02415-4124-46D3-AA01-F21AC40FEFF7}
TERM.....ANGINAL

DATA VALUE: ANNOYING

ABBREVIATION.....ANNOYING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Annoying
HELP_TEXT.....No Help Text
ID.....{53437530-57C9-4EA8-AC0D-36B5F2BD051D}
TERM.....ANNOYING

DATA VALUE: ANTI-EMBOLUS STOCKINGS KNEE HIGH

ABBREVIATION.....ANT EMB KN
ACTIVE.....Yes
DESCRIPTION.....ANTI-EMBOLUS STOCKINGS KNEE HIGH
DISPLAY_NAME.....Anti-Embolus Stockings Knee High
HELP_TEXT.....ANTI-EMBOLUS STOCKINGS KNEE HIGH
ID.....{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}
TERM.....ANTI-EMBOLUS STOCKINGS KNEE HIGH

DATA VALUE: ANTI-EMBOLUS STOCKINGS THIGH HIGH

ABBREVIATION.....ANT EMB ST

ACTIVE.....Yes

DESCRIPTION.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

DISPLAY_NAME.....Anti-Embolus Stockings Thigh High

HELP_TEXT.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

ID.....{9B32D3F3-47F1-886F-A59A-D8AB38A34754}

TERM.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

DATA VALUE: ANTI-MICROBIAL DRESSING

ABBREVIATION.....AB DRESSIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Anti-Microbial Dressing

HELP_TEXT.....No Help Text

ID.....{9734C5E9-D099-47EB-93B1-D82201F64331}

TERM.....ANTI-MICROBIAL DRESSING

DATA VALUE: ANTIBIOTIC OINTMENT

ABBREVIATION.....AB OINTMEN

ACTIVE.....Yes

DESCRIPTION.....Antibiotic Ointment

DISPLAY_NAME.....Antibiotic Ointment

HELP_TEXT.....No Help Text
ID.....{352D9690-77BB-44DC-919E-5357876DEAC4}
TERM.....ANTIBIOTIC OINTMENT

DATA VALUE: ANTIMICROBIAL DISK

ABBREVIATION.....WOU DR ADI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Antimicrobial Disk
HELP_TEXT.....No Help-Text
ID.....{1F1745EA-D763-4AFD-9CED-82E974E57692}
TERM.....ANTIMICROBIAL DISK

DATA VALUE: ANURIC

ABBREVIATION.....ANURIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Anuric
HELP_TEXT.....No Help Text
ID.....{0CCA4B44-7A59-4042-BAB9-EB2395A63C51}
TERM.....ANURIC

DATA VALUE: ANXIOUS

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Anxious

HELP_TEXT.....No Help Text

ID.....{381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}

TERM.....ANXIOUS

DATA VALUE: AOO

ABBREVIATION.....AOO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AOO

HELP_TEXT.....No Help Text

ID.....{86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}

TERM.....AOO

DATA VALUE: APNEA

ABBREVIATION.....Apnea

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Apnea

HELP_TEXT.....

ID.....{BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}

TERM.....APNEA

DATA VALUE: APPEARS ASLEEP

ABBREVIATION.....App Asleep

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Appears Asleep

HELP_TEXT.....

ID.....{8D1436B8-ADB0-4092-A0CE-383D74131AA8}

TERM.....APPEARS ASLEEP

DATA VALUE: APPROPRIATE

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Appropriate

HELP_TEXT.....No Help Text

ID.....{1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}

TERM.....APPROPRIATE

DATA VALUE: ARRHYTHMIA

ABBREVIATION.....Arrhythmi
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Arrhythmia
HELP_TEXT.....
ID.....{F12E4852-27E7-4C2C-989F-E973EBDF2C62}
TERM.....ARRHYTHMIA

DATA VALUE: ARTERIAL LINE CARE

ABBREVIATION.....ART LINE C
ACTIVE.....Yes
DESCRIPTION.....Arterial Line Care
DISPLAY_NAME.....Arterial Line Care
HELP_TEXT.....No Help Text
ID.....{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}
TERM.....ARTERIAL LINE CARE

DATA VALUE: ARTIFICIAL AIRWAY

ABBREVIATION.....ART AIRWAY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Artificial Airway

HELP_TEXT.....No Help Text

ID.....{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}

TERM.....ARTIFICIAL AIRWAY

DATA VALUE: ARTIFICIAL VALVES

ABBREVIATION.....Art Valves

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Artificial Valves

HELP_TEXT.....

ID.....{088BB4A5-A93E-47E2-B21F-BC2957D52693}

TERM.....ARTIFICIAL VALVES

DATA VALUE: ASA PS 1

ABBREVIATION.....ASA PS 1

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....ASA PS 1

HELP_TEXT.....

ID.....{BAF1730E-C358-17F1-8DB8-4B6097AFF066}

TERM.....ASA PS 1

DATA VALUE: ASA PS 2

ABBREVIATION.....ASA PS 2
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....ASA PS 2
HELP_TEXT.....
ID.....{070C0F56-3D9C-5430-EF9E-BF3B96DFB595}
TERM.....ASA PS 2

DATA VALUE: ASA PS 3

ABBREVIATION.....ASA PS 3
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....ASA PS 3
HELP_TEXT.....
ID.....{B041CE25-82D0-EDAD-C673-A64BCD6647F4}
TERM.....ASA PS 3

DATA VALUE: ASA PS 4

ABBREVIATION.....ASA PS 4
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....ASA PS 4

HELP_TEXT.....

ID.....{040841C3-D933-E687-C7E0-29F439C08778}

TERM.....ASA PS 4

DATA VALUE: ASA PS 5

ABBREVIATION.....ASA PS 5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....ASA PS 5

HELP_TEXT.....

ID.....{1F7B73A6-3F8E-E230-1C23-C7DF92032E58}

TERM.....ASA PS 5

DATA VALUE: ASHEN

ABBREVIATION.....ASHEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ashen

HELP_TEXT.....No Help-Text

ID.....{7431E4EC-DCF1-4966-85CB-29BF65311855}

TERM.....ASHEN

DATA VALUE: ASLEEP AT ROUNDS

ABBREVIATION.....SLEEP ROUN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Appeared Asleep At All Rounds
HELP_TEXT.....No Help Text
ID.....{24E1D9F0-D8F1-4DC8-911F-6170F343C087}
TERM.....ASLEEP AT ROUNDS

DATA VALUE: ASPIRATION

ABBREVIATION.....ASPIRATION
ACTIVE.....Yes
DESCRIPTION.....Aspiration
DISPLAY_NAME.....Aspiration
HELP_TEXT.....No Help Text
ID.....{68B91085-8E3C-4B94-9F97-6305F5DFD900}
TERM.....ASPIRATION

DATA VALUE: ASSAULTIVE

ABBREVIATION.....a
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Assaultive

HELP_TEXT.....No Help Text

ID.....{99ECD8C7-191A-3B9C-2A7A-803A921065FA}

TERM.....ASSAULTIVE

DATA VALUE: ASSIST CONTROL

ABBREVIATION.....AC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Assist Control

HELP_TEXT.....No Help Text

ID.....{862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}

TERM.....ASSIST CONTROL

DATA VALUE: ASSISTED

ABBREVIATION.....ASSISTED

ACTIVE.....Yes

DESCRIPTION.....Assisted

DISPLAY_NAME.....Assisted

HELP_TEXT.....No Help Text

ID.....{65069804-39BF-41ED-9EA3-BF2C41389F10}

TERM.....ASSISTED

DATA VALUE: ASYSTOLE

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Asystole

HELP_TEXT.....No Help Text

ID.....{6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}

TERM.....ASYSTOLE

DATA VALUE: ATRIAL

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....ATRIAL

DISPLAY_NAME.....Atrial

HELP_TEXT.....No Help Text

ID.....{266D2FDA-5D6A-203D-6FF0-8282D49BFD67}

TERM.....ATRIAL

DATA VALUE: ATRIAL FIB/FLUTTER

ABBREVIATION.....af

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Atrial Fib/Flutter

HELP_TEXT.....No Help Text
ID.....{9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}
TERM.....ATRIAL FIB/FLUTTER

DATA VALUE: ATRIAL FIBRILLATION

ABBREVIATION.....a fib
ACTIVE.....Yes
DESCRIPTION.....Atrial Fibrillation
DISPLAY_NAME.....Atrial Fibrillation
HELP_TEXT.....Atrial Fibrillation
ID.....{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}
TERM.....ATRIAL FIBRILLATION

DATA VALUE: ATRIAL FLUTTER

ABBREVIATION.....af
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Atrial Flutter
HELP_TEXT.....No Help Text
ID.....{9CB8D413-6762-D78E-F40E-25DB66CD23B3}
TERM.....ATRIAL FLUTTER

DATA VALUE: AUSCULTATION

ABBREVIATION.....AUSCULTATI
ACTIVE.....Yes
DESCRIPTION.....Auscultation
DISPLAY_NAME.....Auscultation
HELP_TEXT.....Auscultation
ID.....{B9D756DF-74F5-4604-B781-D7BC512FC453}
TERM.....AUSCULTATION

DATA VALUE: AVF

ABBREVIATION.....AVF
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....AVF
HELP_TEXT.....No Help Text
ID.....{C8E97206-58AA-47C0-BD2E-7A30E56DB46A}
TERM.....AVF

DATA VALUE: AVI

ABBREVIATION.....AVI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....AVI

HELP_TEXT.....No Help Text

ID.....{8BB49456-FB80-4916-6EBE-06837BF12B0C}

TERM.....AVI

DATA VALUE: AVL

ABBREVIATION.....AVL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AVL

HELP_TEXT.....No Help Text

ID.....{9124A193-5F50-448D-9E60-C5869EC4029C}

TERM.....AVL

DATA VALUE: AVO

ABBREVIATION.....AVO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AVO

HELP_TEXT.....No Help Text

ID.....{02EA752A-D156-96E6-3D28-3D389FFC7B58}

TERM.....AVO

DATA VALUE: AVR

ABBREVIATION.....AVR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AVR

HELP_TEXT.....No Help Text

ID.....{04AF2551-1185-4BA9-AEED-977D562D188A}

TERM.....AVR

DATA VALUE: AWAKE

ABBREVIATION.....Awake

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Awake

HELP_TEXT.....

ID.....{D71412D4-5782-46BA-AE6C-24EDC586AE55}

TERM.....AWAKE

DATA VALUE: BACTERICIDAL

ABBREVIATION.....BACTERIOCI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bactericidal

HELP_TEXT.....No Help-Text
ID.....{680E4A3C-A40A-461E-818D-003AE8A1EFC8}
TERM.....BACTERICIDAL

DATA VALUE: BACTERIOSTATIC

ABBREVIATION.....BACTERIOST
ACTIVE.....Yes
DESCRIPTION.....Bacteriostatic
DISPLAY_NAME.....Bacteriostatic
HELP_TEXT.....No Help Text
ID.....{AB74D109-8ED7-4A6C-B028-7A041781DF67}
TERM.....BACTERIOSTATIC

DATA VALUE: BAG - CONTINUOUS

ABBREVIATION.....Bag - cont
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bag - Continuous
HELP_TEXT.....
ID.....{F072EF8A-B38B-4D75-82BF-D5EF851784B0}
TERM.....BAG - CONTINUOUS

DATA VALUE: BAG - INTERMITTENT

ABBREVIATION.....Bag - inte

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Bag - Intermittent

HELP_TEXT.....

ID.....{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}

TERM.....BAG - INTERMITTENT

DATA VALUE: BAG CHANGE

ABBREVIATION.....Bag Chg

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Bag Change

HELP_TEXT.....

ID.....{BC58D518-A742-410B-BE33-732C04D303BD}

TERM.....BAG CHANGE

DATA VALUE: BAG CHANGED

ABBREVIATION.....BAG CHANGE

ACTIVE.....Yes

DESCRIPTION.....Changed Bag

DISPLAY_NAME.....Bag Changed

HELP_TEXT.....No Help Text
ID.....{818990DE-4F95-4F8E-92D8-B4D3B975CB36}
TERM.....BAG CHANGED

DATA VALUE: BAG/MASK & O2 SET UP

ABBREVIATION.....Bag/Mask
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bag/Mask & O2 Set Up
HELP_TEXT.....
ID.....{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}
TERM.....BAG/MASK & O2 SET UP

DATA VALUE: BALSAM OF PERU

ABBREVIATION.....WOU DR PER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Balsam Of Peru
HELP_TEXT.....No Help-Text
ID.....{DD412BB1-B1C1-4A48-A38F-832629448E06}
TERM.....BALSAM OF PERU

DATA VALUE: BARIATRIC FRAME

ABBREVIATION.....BARI FRAME
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bariatric Frame
HELP_TEXT.....No Help Text
ID.....{CF95B426-F280-451B-86F2-CEF7A1A2B967}
TERM.....BARIATRIC FRAME

DATA VALUE: BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT

ABBREVIATION.....BAR L AIR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bariatric Low Airloss Mattress
Replacement
HELP_TEXT.....No Help Text
ID.....{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}
TERM.....BARIATRIC LOW AIRLOSS MATTRESS
REPLACEMENT

DATA VALUE: BARIATRIC PATIENT

ABBREVIATION.....BARIAC PAT
ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Bariatric Patient
HELP_TEXT.....No Help Text
ID.....{6F614334-685E-4533-A475-BDF5440855EA}
TERM.....BARIATRIC PATIENT

DATA VALUE: BASAL RATE ONLY

ABBREVIATION.....BASAL ONL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Basal Rate Only
HELP_TEXT.....No Help Text
ID.....{4BFFF2BC-837C-4D62-B811-0E547247D4D0}
TERM.....BASAL RATE ONLY

DATA VALUE: BATHROOM

ABBREVIATION.....b
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bathroom
HELP_TEXT.....No Help Text
ID.....{D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
TERM.....BATHROOM

DATA VALUE: BATHROOM PRIVILEGES

ABBREVIATION.....BATHR PRIV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bathroom Privileges
HELP_TEXT.....No Help Text
ID.....{29C1B6DD-3308-4DED-9970-1322A97C633B}
TERM.....BATHROOM PRIVILEGES

DATA VALUE: BED

ABBREVIATION.....BED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bed
HELP_TEXT.....No Help Text
ID.....{7E447C9C-41A0-43C9-AF63-38D6EA68279C}
TERM.....BED

DATA VALUE: BED EXIT ALARM

ABBREVIATION.....BED EXIT A
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bed Exit Alarm

HELP_TEXT.....No Help Text

ID.....{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}

TERM.....BED EXIT ALARM

DATA VALUE: BEDREST

ABBREVIATION.....BEDREST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bedrest

HELP_TEXT.....No Help Text

ID.....{8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}

TERM.....BEDREST

DATA VALUE: BEDSIDE

ABBREVIATION.....Bedside

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Bedside

HELP_TEXT.....

ID.....{481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}

TERM.....BEDSIDE

DATA VALUE: BIER BLOCK

ABBREVIATION.....Bier Blk
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bier Block
HELP_TEXT.....
ID.....{241C28E7-6040-4ABC-B76C-4255452C66FD}
TERM.....BIER BLOCK

DATA VALUE: BIGEMINY

ABBREVIATION.....Bigeminy
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bigeminy
HELP_TEXT.....
ID.....{729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}
TERM.....BIGEMINY

DATA VALUE: BILATERAL

ABBREVIATION.....Bilateral
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral

HELP_TEXT.....No Help Text
ID.....{FCD5361B-C674-473C-8F29-7B08650BA338}
TERM.....BILATERAL

DATA VALUE: BIPAP - RESPIRONICS

ABBREVIATION.....BIPAP RESP
ACTIVE.....Yes
DESCRIPTION.....BiPap machine by Respironics
DISPLAY_NAME.....Bipap - Respironics
HELP_TEXT.....No Help Text
ID.....{AA94A723-4C68-489F-88AC-2C6F276EAB76}
TERM.....BIPAP - RESPIRONICS

DATA VALUE: BIPAP - VISION

ABBREVIATION.....BIPAP VISI
ACTIVE.....Yes
DESCRIPTION.....BiPap ventilator made by Vision
DISPLAY_NAME.....Bipap - Vision
HELP_TEXT.....No Help Text
ID.....{AA39C765-BA1F-4289-B459-200A57C07FFF}
TERM.....BIPAP - VISION

DATA VALUE: BIPAP/CPAP

ABBREVIATION.....BIPAP/CPAP
ACTIVE.....Yes
DESCRIPTION.....BiPap / CPAP machine
DISPLAY_NAME.....BiPap / CPAP machine
HELP_TEXT.....No Help Text
ID.....{8D767C67-3712-410F-A96B-69C731E03C5D}
TERM.....BIPAP/CPAP

DATA VALUE: BIPHASIC POSITIVE AIRWAY PRESSURE

ABBREVIATION.....BiPAP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....BiPap
HELP_TEXT.....No Help Text
ID.....{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}
TERM.....BIPHASIC POSITIVE AIRWAY PRESSURE

DATA VALUE: BISMUTH GAUZE

ABBREVIATION.....WOU DR BIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bismuth Gauze

HELP_TEXT.....No Help-Text
ID.....{010DED59-C808-4D92-A7F8-87AEB86B4439}
TERM.....BISMUTH GAUZE

DATA VALUE: BITE

ABBREVIATION.....Bite
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bite
HELP_TEXT.....No Help Text
ID.....{FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}
TERM.....BITE

DATA VALUE: BITE BLOCK

ABBREVIATION.....BITE BLOCK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bite Block
HELP_TEXT.....No Help Text
ID.....{E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}
TERM.....BITE BLOCK

DATA VALUE: BLACK

ABBREVIATION.....BLACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Black

HELP_TEXT.....No Help Text

ID.....{7A55AFB9-6861-4918-0746-3D67D47FE5C3}

TERM.....BLACK

DATA VALUE: BLACK/NECROTIC

ABBREVIATION.....BLACK/NECR

ACTIVE.....Yes

DESCRIPTION.....Black / Necrotic

DISPLAY_NAME.....Black / Necrotic

HELP_TEXT.....No Help Text

ID.....{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}

TERM.....BLACK/NECROTIC

DATA VALUE: BLAND

ABBREVIATION.....BLAND

ACTIVE.....Yes

DESCRIPTION.....BLAND DIET

DISPLAY_NAME.....BLAND

HELP_TEXT.....No Help Text

ID.....{38930AFE-ECF7-4548-857C-854E1B5BE148}

TERM.....BLAND

DATA VALUE: BLISTERING

ABBREVIATION.....BLISTERING

ACTIVE.....Yes

DESCRIPTION.....Blistering

DISPLAY_NAME.....Blistering

HELP_TEXT.....No Help Text

ID.....{3A4212D5-F2A8-4636-BB7F-F36FA8CED192}

TERM.....BLISTERING

DATA VALUE: BLOOD PRESSURE

ABBREVIATION.....Blood Pres

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Blood Pressure

HELP_TEXT.....

ID.....{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}

TERM.....BLOOD PRESSURE

DATA VALUE: BLOOD STREAKED

ABBREVIATION.....BLOOD STRE
ACTIVE.....Yes
DESCRIPTION.....Blood Streaked
DISPLAY_NAME.....Blood Streaked
HELP_TEXT.....Blood Streaked
ID.....{AEC5607D-806F-49AE-8436-DC47F49F39BC}
TERM.....BLOOD STREAKED

DATA VALUE: BLOOD TRANSFUSION IV

ABBREVIATION.....BI TRAN IV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Blood Transfusion IV
HELP_TEXT.....No Help Text
ID.....{27A0BE4C-433C-F920-BAC2-066F304BDF59}
TERM.....BLOOD TRANSFUSION IV

DATA VALUE: BLOODY

ABBREVIATION.....BLOODY
ACTIVE.....Yes
DESCRIPTION.....Containing blood
DISPLAY_NAME.....Bloody

HELP_TEXT.....No Help Text
ID.....{D7904E84-8331-D6DD-F2C0-7F3039C5746A}
TERM.....BLOODY

DATA VALUE: BLUE

ABBREVIATION.....BLUE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Blue
HELP_TEXT.....No Help Text
ID.....{8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}
TERM.....BLUE

DATA VALUE: BLUNTED

ABBREVIATION.....Blunted
ACTIVE.....Yes
DESCRIPTION.....Blunted
DISPLAY_NAME.....Blunted
HELP_TEXT.....No Help Text
ID.....{F119F2DA-9182-2480-BA75-02D39F4FF69B}
TERM.....BLUNTED

DATA VALUE: BLURRED VISION

ABBREVIATION.....Blurred Vi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Blurred Vision

HELP_TEXT.....

ID.....{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}

TERM.....BLURRED VISION

DATA VALUE: BMI>35KG/M2

ABBREVIATION.....BMI>35KG/M

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....BMI > 35kg/m2

HELP_TEXT.....

ID.....{FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}

TERM.....BMI>35KG/M2

DATA VALUE: BONE

ABBREVIATION.....BONE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bone

HELP_TEXT.....No Help Text

ID.....{3729DEB9-0967-4B32-86B7-409CF27C8625}

TERM.....BONE

DATA VALUE: BOOST

ABBREVIATION.....Boost

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Boost

HELP_TEXT.....

ID.....{2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}

TERM.....BOOST

DATA VALUE: BOOST PLUS

ABBREVIATION.....Boost Plus

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Boost Plus

HELP_TEXT.....

ID.....{432C8151-10CE-4804-939D-6B6B609BE54A}

TERM.....BOOST PLUS

DATA VALUE: BORDERLINE REDUCED

ABBREVIATION.....BORD REDUC

ACTIVE.....Yes

DESCRIPTION.....Borderline Reduced

DISPLAY_NAME.....Borderline Reduced

HELP_TEXT.....No Help Text

ID.....{63703AB1-6249-403B-BDE8-FECA9FA36CF5}

TERM.....BORDERLINE REDUCED

DATA VALUE: BRADEN FRICTION AND SHEAR 1 PROBLEM

ABBREVIATION.....BS F/S 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Friction and Shear 1

Problem

DISPLAY_NAME.....1 - Problem

HELP_TEXT.....Requires moderate to maximum

assistance in moving. Complete

lifting without sliding against

sheets is impossible. Frequently

slides down in bed or chair,

requiring frequent repositioning with

maximum assistance.

ID.....{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}

TERM.....BRADEN FRICTION AND SHEAR 1 PROBLEM

DATA VALUE: BRADEN SCALE ACTIVITY 1 BEDFAST

ABBREVIATION.....BS ACT 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 1 Bedfast

DISPLAY_NAME.....1 - Bedfast

HELP_TEXT.....Confined to bed

ID.....{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}

TERM.....BRADEN SCALE ACTIVITY 1 BEDFAST

DATA VALUE: BRADEN SCALE ACTIVITY 2 CHAIRFAST

ABBREVIATION.....BS ACT 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 2 Chairfast

DISPLAY_NAME.....2 - Chairfast

HELP_TEXT.....Ability to walk severely limited or

non-existent. Cannot bear own weight

and/or must be assisted into chair or

wheelchair.

ID.....{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}

TERM.....BRADEN SCALE ACTIVITY 2 CHAIRFAST

DATA VALUE: BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY

ABBREVIATION.....BS ACT 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 3 Walks

Occasionally

DISPLAY_NAME.....3 - Walks Occasionally

HELP_TEXT.....Walks occasionally during day, but

for very short distances, with or

without assistance. Spends majority

of each shift in bed or chair.

ID.....{E47B47BC-6097-4602-9184-BF5A4F6D686A}

TERM.....BRADEN SCALE ACTIVITY 3 WALKS

OCCASIONALLY

DATA VALUE: BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY

ABBREVIATION.....BS ACT 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 4 Walks

Frequently

DISPLAY_NAME.....4 - Walks Frequently

HELP_TEXT.....Walks outside room at least twice a

day and inside room at least once

every two hours during waking hours.

ID.....{C5A8C2EA-E042-4804-9812-77603C47FC6A}

TERM.....BRADEN SCALE ACTIVITY 4 WALKS

FREQUENTLY

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM

ABBREVIATION.....BS F/S 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Friction and Shear 2

Potential Problem

DISPLAY_NAME.....2 - Potential Problem

HELP_TEXT.....Moves feebly or requires minimum

assistance. During a move skin

probably slides to some extent

against sheets, chair, restraints or

other devices. Maintains relatively

good position in chair or bed most of
the time but occasionally slides down

ID.....{B56338A9-8956-4D27-8BA0-DA50E07359E0}

TERM.....BRADEN SCALE FRICTION AND SHEAR 2

POTENTIAL PROBLEM

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM

ABBREVIATION.....BS F/S 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Friction and Shear 3 No
Apparent Problem

DISPLAY_NAME.....3 - No Apparent Problem

HELP_TEXT.....No Apparent Problem

ID.....{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

TERM.....BRADEN SCALE FRICTION AND SHEAR 3 NO

APPARENT PROBLEM

DATA VALUE: BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE

ABBREVIATION.....BS MOB 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 1 Completely
Immobile

DISPLAY_NAME.....1 - Completely Immobile

HELP_TEXT.....Does not make even slight changes in
body or extremity position without
assistance

ID.....{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}

TERM.....BRADEN SCALE MOBILITY 1 COMPLETELY
IMMOBILE

DATA VALUE: BRADEN SCALE MOBILITY 2 VERY LIMITED

ABBREVIATION.....BS MOB 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 2 Very Limited

DISPLAY_NAME.....2 - Very Limited

HELP_TEXT.....Makes occasional slight changes in
body or extremity position but unable
to make frequent or significant
changes independently

ID.....{868EFA33-877E-4B91-B4FD-9655F66A7160}

TERM.....BRADEN SCALE MOBILITY 2 VERY LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED

ABBREVIATION.....BS MOB 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 3 Slightly
Limited

DISPLAY_NAME.....3 - Slightly Limited

HELP_TEXT.....Makes frequent though slight changes
in body or extremity position
independently

ID.....{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}

TERM.....BRADEN SCALE MOBILITY 3 SLIGHTLY
LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 4 NO LIMITATION

ABBREVIATION.....BS MOB 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 4 No Limitation

DISPLAY_NAME.....4 - No Limitation

HELP_TEXT.....Makes major and frequent changes in
position without assistance

ID.....{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

TERM.....BRADEN SCALE MOBILITY 4 NO LIMITATION

DATA VALUE: BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST

ABBREVIATION.....BS MOI 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 1 Constantly
Moist

DISPLAY_NAME.....1 - Constantly Moist

HELP_TEXT.....Skin is kept moist almost constantly
by perspiration, urine, etc. Dampness
is detected every time patient is
moved or turned

ID.....{3E2569BA-ECF0-4622-8F4A-26378A2CB466}

TERM.....BRADEN SCALE MOISTURE 1 CONSTANTLY
MOIST

DATA VALUE: BRADEN SCALE MOISTURE 2 VERY MOIST

ABBREVIATION.....BS MOI 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 2 Very Moist

DISPLAY_NAME.....2 - Very Moist

HELP_TEXT.....Skin is often, but not always moist.
Linen must be changed at least once a
shift

ID.....{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}

TERM.....BRADEN SCALE MOISTURE 2 VERY MOIST

DATA VALUE: BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST

ABBREVIATION.....BS MOI 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 3 Occasionally

Moist

DISPLAY_NAME.....3 - Occasionally Moist

HELP_TEXT.....Skin is occasionally moist, requiring

an extra linen change approximately

once a day

ID.....{D7F2714B-B0C7-4000-8588-8582C1B32ECE}

TERM.....BRADEN SCALE MOISTURE 3 OCCASIONALLY

MOIST

DATA VALUE: BRADEN SCALE MOISTURE 4 RARELY MOIST

ABBREVIATION.....BS MOI 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 4 Rarely Moist

DISPLAY_NAME.....4 - Rarely Moist

HELP_TEXT.....Skin is usually dry, linen only

requires changing at routine

intervals

ID.....{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}

TERM.....BRADEN SCALE MOISTURE 4 RARELY MOIST

DATA VALUE: BRADEN SCALE NUTRITION 1 VERY POOR

ABBREVIATION.....BS NUT 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 1 Very Poor

DISPLAY_NAME.....1 - Very Poor

HELP_TEXT.....Never eats a complete meal. Rarely

eats more than 1/2 of any food

offered. Eats 2 servings or less of

protein per day. Takes fluids poorly,

does not take a liquid supplement. OR

is NPO maintained on clear liquids or

IV's for more than 5 days

ID.....{28A86074-A6B2-455E-ABA4-19195C2E3679}

TERM.....BRADEN SCALE NUTRITION 1 VERY POOR

DATA VALUE: BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE

ABBREVIATION.....BS NUT 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 2 Probably
Inadequate

DISPLAY_NAME.....2 - Probably Inadequate

HELP_TEXT.....Rarely eats a complete meal and
generally eats only about 2 of any
food offered. Protein intake includes
only 3 servings of meat or dairy
products per day. Occasionally will
take a dietary supplement. OR
receives less than optimum amount of
liquid.

ID.....{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}

TERM.....BRADEN SCALE NUTRITION 2 PROBABLY
INADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 3 ADEQUATE

ABBREVIATION.....BS NUT 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 3 Adequate

DISPLAY_NAME.....3 - Adequate

HELP_TEXT.....Eats over half of most meals. Eats a

total of 4 servings of protein (meat,
dairy products) per day. Occasionally
will refuse a meal, but will usually
take a supplement when offered. OR is
on a tube feeding or TPN regimen.

ID.....{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}

TERM.....BRADEN SCALE NUTRITION 3 ADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 4 EXCELLENT

ABBREVIATION.....BS NUT 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 4 Excellent

DISPLAY_NAME.....4 - Excellent

HELP_TEXT.....Eats most of every meal. Never

refuses a meal. Usually eats a total
of 4 or more servings of meat and
dairy products. Occasionally eats
between meals. Does NOT require
supplements

ID.....{F09E4D35-1AA8-49A5-9B38-FBFFAFCFC181}

TERM.....BRADEN SCALE NUTRITION 4 EXCELLENT

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED

ABBREVIATION.....BS SENC 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 1

Completely Limited

DISPLAY_NAME.....1 - Completely Limited

HELP_TEXT.....Unresponsive (does not moan, flinch

or grasp) to painful stimuli, due to

diminished level of consciousness or

sedation. OR limited ability to feel

pain over most of body

ID.....{60F646B3-790F-4C5A-B2A0-845915E120E6}

TERM.....BRADEN SCALE SENSORY PERCEPTION 1

COMPLETELY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED

ABBREVIATION.....BS SENC 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 2

Very Limited

DISPLAY_NAME.....2 - Very Limited

HELP_TEXT.....Responds only to painful stimuli.

Cannot Communicate discomfort except

by moaning or restlessness. OR has a

sensory impairment which limits the
ability to feel pain or discomfort
over 1/2 of the body

ID.....{98362E63-7245-4E7F-8C30-896A9B923199}

TERM.....BRADEN SCALE SENSORY PERCEPTION 2
VERY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED

ABBREVIATION.....BS SENC 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 3
Slightly Limited

DISPLAY_NAME.....3 - Slightly Limited

HELP_TEXT.....Responds to verbal commands, but
cannot always communicate discomfort
or the need to be turned. OR has some
sensory impairment which limits
ability to feel pain or discomfort in
one or two extremities.

ID.....{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}

TERM.....BRADEN SCALE SENSORY PERCEPTION 3
SLIGHTLY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT

ABBREVIATION.....BS SENC 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 4 No
Impairment

DISPLAY_NAME.....4 - No Impairment

HELP_TEXT.....Responds to verbal commands. Has no
sensory deficit which would limit
ability to feel or voice pain or
discomfort.

ID.....{10304656-E5E8-4F32-8358-A9F80511EFDA}

TERM.....BRADEN SCALE SENSORY PERCEPTION 4 NO
IMPAIRMENT

DATA VALUE: BREAKDOWN

ABBREVIATION.....BREAKDOWN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Breakdown

HELP_TEXT.....Use comment to describe breakdown

ID.....{9CFD21C0-A805-47C4-E559-8033C754DE80}

TERM.....BREAKDOWN

DATA VALUE: BRIGHT

ABBREVIATION.....Bright
ACTIVE.....Yes
DESCRIPTION.....Bright
DISPLAY_NAME.....Bright
HELP_TEXT.....No Help Text
ID.....{D16542CE-0403-2C68-A361-125CB3C75ABA}
TERM.....BRIGHT

DATA VALUE: BRISK

ABBREVIATION.....brisk
ACTIVE.....Yes
DESCRIPTION.....Brisk
DISPLAY_NAME.....Brisk
HELP_TEXT.....No Help Text
ID.....{980AE687-0A78-458B-BA7B-5D646C38A5F5}
TERM.....BRISK

DATA VALUE: BROWN

ABBREVIATION.....BROWN
ACTIVE.....Yes
DESCRIPTION.....The color brown
DISPLAY_NAME.....Brown

HELP_TEXT.....The color brown
ID.....{A1C32FBC-7B4D-707C-CA58-92A2E201368E}
TERM.....BROWN

DATA VALUE: BRUISED

ABBREVIATION.....BRUISED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bruised
HELP_TEXT.....No Help Text
ID.....{FA5B38A7-7744-186F-055A-8458D696AF33}
TERM.....BRUISED

DATA VALUE: BRUIT

ABBREVIATION.....BRUIT
ACTIVE.....Yes
DESCRIPTION.....Bruit
DISPLAY_NAME.....Bruit
HELP_TEXT.....No Help Text
ID.....{2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}
TERM.....BRUIT

DATA VALUE: BUCKS TRACTION

ABBREVIATION.....BUCK TRACT
ACTIVE.....Yes
DESCRIPTION.....Buck's Traction
DISPLAY_NAME.....Buck's Traction
HELP_TEXT.....Buck's Traction
ID.....{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}
TERM.....BUCKS TRACTION

DATA VALUE: BULB

ABBREVIATION.....Bulb
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Bulb
HELP_TEXT.....
ID.....{2390453E-3353-40EB-B2D7-EF770B67F037}
TERM.....BULB

DATA VALUE: BULB SUCTION

ABBREVIATION.....Bulb Sucti
ACTIVE.....Yes
DESCRIPTION.....Bulb Suction Drain
DISPLAY_NAME.....Bulb Suction Drain

HELP_TEXT.....No Help Text

ID.....{B0839A82-BB79-BB9F-5E4E-0ED67F716A50}

TERM.....BULB SUCTION

DATA VALUE: BULLET

ABBREVIATION.....BULLET

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bullet

HELP_TEXT.....No Help Text

ID.....{1570D8E2-D936-494D-AF6E-13838EA34EFD}

TERM.....BULLET

DATA VALUE: BURN

ABBREVIATION.....BURN

ACTIVE.....Yes

DESCRIPTION.....Burn

DISPLAY_NAME.....Burn

HELP_TEXT.....No Help Text

ID.....{97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}

TERM.....BURN

DATA VALUE: BURNING

ABBREVIATION.....BURNING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Burning
HELP_TEXT.....No Help Text
ID.....{D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}
TERM.....BURNING

DATA VALUE: BY PROVIDER ORDER

ABBREVIATION.....BY ORDER
ACTIVE.....Yes
DESCRIPTION.....By Provider Order
DISPLAY_NAME.....By Provider Order
HELP_TEXT.....No Help Text
ID.....{C038BC16-44CF-4933-BECC-B0F1A1B12603}
TERM.....BY PROVIDER ORDER

DATA VALUE: C1

ABBREVIATION.....C1
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....C1

HELP_TEXT.....

ID.....{F942693D-F272-4A70-81FF-E750BAF082B9}

TERM.....C1

DATA VALUE: C2

ABBREVIATION.....C2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....C2

HELP_TEXT.....

ID.....{EE1C5D26-12DE-42ED-A46C-63D66BC145C5}

TERM.....C2

DATA VALUE: C3

ABBREVIATION.....C3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....C3

HELP_TEXT.....

ID.....{B53D0E0E-7BF0-4D26-B4DD-D072035E307E}

TERM.....C3

DATA VALUE: C4

ABBREVIATION.....C4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....C4

HELP_TEXT.....

ID.....{A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}

TERM.....C4

DATA VALUE: C5

ABBREVIATION.....C5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....C5

HELP_TEXT.....

ID.....{30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}

TERM.....C5

DATA VALUE: CADEXOMER IODINE

ABBREVIATION.....CADEXO IOD

ACTIVE.....Yes

DESCRIPTION.....Cadexomer Iodine

DISPLAY_NAME.....Cadexomer Iodine

HELP_TEXT.....No Help Text

ID.....{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}

TERM.....CADEXOMER IODINE

DATA VALUE: CALCIUM ALGINATE

ABBREVIATION.....CA ALGINAT

ACTIVE.....Yes

DESCRIPTION.....Calcium Alginate

DISPLAY_NAME.....Calcium Alginate

HELP_TEXT.....No Help Text

ID.....{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

TERM.....CALCIUM ALGINATE

DATA VALUE: CALM

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Calm

HELP_TEXT.....No Help Text

ID.....{E206C3F5-6977-302C-51FB-AF2155B5FFD9}

TERM.....CALM

DATA VALUE: CANE

ABBREVIATION.....CANE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cane
HELP_TEXT.....No Help Text
ID.....{562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
TERM.....CANE

DATA VALUE: CANES

ABBREVIATION.....CANES
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Canes
HELP_TEXT.....No Help Text
ID.....{DF37C541-1C7D-4527-A4D2-31867B5ED438}
TERM.....CANES

DATA VALUE: CARDIAC

ABBREVIATION.....Cardiac
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Cardiac

HELP_TEXT.....

ID.....{2A4308E5-C843-4844-B908-32DA0A0B50E3}

TERM.....CARDIAC

DATA VALUE: CARDIAC CHAIR

ABBREVIATION.....cc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cardiac Chair

HELP_TEXT.....No Help Text

ID.....{D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}

TERM.....CARDIAC CHAIR

DATA VALUE: CARDIAC DIET

ABBREVIATION.....CARD DIET

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....CARDIAC DIET

HELP_TEXT.....No Help Text

ID.....{218A883D-32A0-438D-B453-7CBCE02693A3}

TERM.....CARDIAC DIET

DATA VALUE: CARDIAC OUTPUT INJECTATE

ABBREVIATION.....CARD OUT I
ACTIVE.....Yes
DESCRIPTION.....Cardiac Output Injectate
DISPLAY_NAME.....Cardiac Output Injectate
HELP_TEXT.....No Help Text
ID.....{19605CAB-8D54-4704-819B-20ABDAB6C604}
TERM.....CARDIAC OUTPUT INJECTATE

DATA VALUE: CARDIAC REPOSITION

ABBREVIATION.....CARD REPOS
ACTIVE.....Yes
DESCRIPTION.....Cardiac Reposition
DISPLAY_NAME.....Cardiac Reposition
HELP_TEXT.....No Help Text
ID.....{E133FE5A-20E1-418F-BD90-D2DFE14908C0}
TERM.....CARDIAC REPOSITION

DATA VALUE: CARDIO-RESP MONITOR

ABBREVIATION.....Cardio-Re
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Cardio-Resp Monitor

HELP_TEXT.....

ID.....{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}

TERM.....CARDIO-RESP MONITOR

DATA VALUE: CARDIOLOGY PROCEDURE ROOM

ABBREVIATION.....Cardio Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Cardiology Procedure Room

HELP_TEXT.....

ID.....{744142F5-D301-4509-A96D-06AB8C1D2C81}

TERM.....CARDIOLOGY PROCEDURE ROOM

DATA VALUE: CAREGIVER

ABBREVIATION.....CAREGIVER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Caregiver

HELP_TEXT.....No Help Text

ID.....{F9B8BABE-2F05-437D-85C8-585FC1FFC07F}

TERM.....CAREGIVER

DATA VALUE: CASS ENDOTRACHEAL TUBE

ABBREVIATION.....CASS
ACTIVE.....Yes
DESCRIPTION.....CASS Endotracheal Tube
DISPLAY_NAME.....CASS Endotracheal Tube
HELP_TEXT.....Mucous Slurping Endotracheal Tube
ID.....{02BF805C-DF35-4DAB-A99F-2ED673174E49}
TERM.....CASS ENDOTRACHEAL TUBE

DATA VALUE: CATHETER

ABBREVIATION.....CATHETER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Catheter
HELP_TEXT.....No Help Text
ID.....{B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}
TERM.....CATHETER

DATA VALUE: CELLULITIS

ABBREVIATION.....CELLULITIS
ACTIVE.....Yes
DESCRIPTION.....Cellulitis
DISPLAY_NAME.....Cellulitis

HELP_TEXT.....No Help Text

ID.....{709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}

TERM.....CELLULITIS

DATA VALUE: CENTRAL ECG

ABBREVIATION.....cecg

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Central ECG

HELP_TEXT.....No Help Text

ID.....{26D36175-E4E3-C364-3018-1B0DB4DC4793}

TERM.....CENTRAL ECG

DATA VALUE: CENTRAL VENOUS CATHETER

ABBREVIATION.....CENT VEN C

ACTIVE.....Yes

DESCRIPTION.....Central Venous Catheter

DISPLAY_NAME.....Central Venous Catheter

HELP_TEXT.....No Help Text

ID.....{EE91E841-C09B-4432-A121-8EBAB92E9CD2}

TERM.....CENTRAL VENOUS CATHETER

DATA VALUE: CERVICAL SPINAL PRECAUTIONS

ABBREVIATION.....CERV S P
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cervical Spinal Precautions
HELP_TEXT.....No Help Text
ID.....{A15F7127-2367-464A-AB7D-1E6A7C09AA21}
TERM.....CERVICAL SPINAL PRECAUTIONS

DATA VALUE: CHAIR

ABBREVIATION.....CHAIR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Chair
HELP_TEXT.....No Help Text
ID.....{5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}
TERM.....CHAIR

DATA VALUE: CHANGED

ABBREVIATION.....CHANGED
ACTIVE.....Yes
DESCRIPTION.....Changed
DISPLAY_NAME.....Changed

HELP_TEXT.....No Help Text

ID.....{74B14023-D74D-41F6-AA48-B0E5137623CD}

TERM.....CHANGED

DATA VALUE: CHART VERIFIED CORRECT

ABBREVIATION.....Chart Ver

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Chart Verified Correct

HELP_TEXT.....

ID.....{319E702F-C7A9-409D-881F-3F4D1D9AF393}

TERM.....CHART VERIFIED CORRECT

DATA VALUE: CHEYNE-STOKES

ABBREVIATION.....CHEYNE-STO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cheyne-Stokes

HELP_TEXT.....No Help Text

ID.....{58DD2B80-B522-499C-2C60-C48A654BAD84}

TERM.....CHEYNE-STOKES

DATA VALUE: CIRCULATION CHECK

ABBREVIATION.....ccq
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Circulation Check
HELP_TEXT.....No Help Text
ID.....{BA32C2A8-F15C-84EF-4859-6277EFA6463A}
TERM.....CIRCULATION CHECK

DATA VALUE: CLAMPED

ABBREVIATION.....CLAMPED
ACTIVE.....Yes
DESCRIPTION.....Clamped
DISPLAY_NAME.....Clamped
HELP_TEXT.....No Help Text
ID.....{B86865B8-078A-4996-B5EC-46A4A99D5A7D}
TERM.....CLAMPED

DATA VALUE: CLASS I

ABBREVIATION.....Class I
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Class I

HELP_TEXT.....

ID.....{4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}

TERM.....CLASS I

DATA VALUE: CLASS II

ABBREVIATION.....Class II

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Class II

HELP_TEXT.....

ID.....{2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}

TERM.....CLASS II

DATA VALUE: CLASS III

ABBREVIATION.....Class III

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Class III

HELP_TEXT.....

ID.....{C0FFDE12-241C-4087-9404-DB128F6B793A}

TERM.....CLASS III

DATA VALUE: CLASS IV

ABBREVIATION.....Class IV
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Class IV
HELP_TEXT.....
ID.....{176030D0-2576-4D2D-A5AB-E5DA38DADEB5}
TERM.....CLASS IV

DATA VALUE: CLAY

ABBREVIATION.....CLAY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Clay
HELP_TEXT.....No Help Text
ID.....{A4E4D16C-B45C-0934-ED22-8BF640080108}
TERM.....CLAY

DATA VALUE: CLEAR

ABBREVIATION.....c
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Clear

HELP_TEXT.....No Help Text

ID.....{8981C365-2B46-704F-C9F4-975DF1C23C2D}

TERM.....CLEAR

DATA VALUE: CLEAR LIQUID DIET

ABBREVIATION.....CL LI DIET

ACTIVE.....Yes

DESCRIPTION.....Clear Liquid Diet

DISPLAY_NAME.....Clear Liquid Diet

HELP_TEXT.....No Help Text

ID.....{D540348D-3E1D-4E42-9EDC-43C56CF56206}

TERM.....CLEAR LIQUID DIET

DATA VALUE: CLICK

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Click

HELP_TEXT.....No Help Text

ID.....{F1F3A1A8-35E1-61B4-C783-3314C8247380}

TERM.....CLICK

DATA VALUE: CLINICAL ASSESSMENT

ABBREVIATION.....CLIN ASSME
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Clinical Assessment
HELP_TEXT.....No Help Text
ID.....{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}
TERM.....CLINICAL ASSESSMENT

DATA VALUE: CLOSE OBSERVATION

ABBREVIATION.....co
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Close Observation
HELP_TEXT.....No Help Text
ID.....{2679BCAC-8753-FE73-56F8-3AB632161AF4}
TERM.....CLOSE OBSERVATION

DATA VALUE: CLOSED

ABBREVIATION.....CLOSED
ACTIVE.....Yes
DESCRIPTION.....CLOSED
DISPLAY_NAME.....CLOSED

HELP_TEXT.....No Help Text
ID.....{9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}
TERM.....CLOSED

DATA VALUE: CLOSED SYSTEM

ABBREVIATION.....Closed sys
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Closed System
HELP_TEXT.....
ID.....{D076BAB6-C4D1-42F1-9036-80BF4B72E695}
TERM.....CLOSED SYSTEM

DATA VALUE: CLOTHED SELF

ABBREVIATION.....CLOTH S
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Clothed Self
HELP_TEXT.....No Help Text
ID.....{33802A30-FAA7-426B-ADAC-5297818DA7DE}
TERM.....CLOTHED SELF

DATA VALUE: CLOTHING ROOM

ABBREVIATION.....Cloth Room

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Clothing Room

HELP_TEXT.....

ID.....{8F116C60-10B1-4033-93F2-9121629CD608}

TERM.....CLOTHING ROOM

DATA VALUE: CLOTS

ABBREVIATION.....CLOTS

ACTIVE.....Yes

DESCRIPTION.....Clots Present

DISPLAY_NAME.....Clots

HELP_TEXT.....No Help Text

ID.....{B52B88E0-6D23-4657-97CD-81E3EF64991B}

TERM.....CLOTS

DATA VALUE: CLOUDY

ABBREVIATION.....CLOUDY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cloudy

HELP_TEXT.....No Help Text

ID.....{3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

TERM.....CLOUDY

DATA VALUE: CLUBBING

ABBREVIATION.....CLUBBING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Clubbing

HELP_TEXT.....No Help Text

ID.....{AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}

TERM.....CLUBBING

DATA VALUE: CMS INTACT DISTAL TO SURGICAL SITE

ABBREVIATION.....CMS INTA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....CMS Intact Distal to Surgical Site

HELP_TEXT.....No Help Text

ID.....{CE2D2CDE-71C5-4993-8E46-C4799301A851}

TERM.....CMS INTACT DISTAL TO SURGICAL SITE

DATA VALUE: CNS DEPRESSION

ABBREVIATION.....CNS Depres
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....CNS Depression
HELP_TEXT.....
ID.....{EE349460-8B60-427B-AE98-72007DFD2F6A}
TERM.....CNS DEPRESSION

DATA VALUE: CODE CART IS ASSESSIBLE

ABBREVIATION.....Code Cart
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Code Cart is Accessible
HELP_TEXT.....
ID.....{DB670E39-CF90-4068-8E38-44DCA5F365B5}
TERM.....CODE CART IS ASSESSIBLE

DATA VALUE: COFFEE GROUND

ABBREVIATION.....COFFEE GRO
ACTIVE.....Yes
DESCRIPTION.....Coffee Ground
DISPLAY_NAME.....Coffee Ground

HELP_TEXT.....Coffee Ground
ID.....{A5B3119A-C739-4B8D-87C2-7D858B94F380}
TERM.....COFFEE GROUND

DATA VALUE: COGNITIVE IMPAIRMENT

ABBREVIATION.....Cog Impair
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Cognitive Impairment
HELP_TEXT.....
ID.....{6D051F44-2124-4914-A415-B98B2AC516E9}
TERM.....COGNITIVE IMPAIRMENT

DATA VALUE: COLD

ABBREVIATION.....COLD
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cold
HELP_TEXT.....No Help Text
ID.....{B7B422BA-22EC-117D-0A0C-8419E9447D46}
TERM.....COLD

DATA VALUE: COLLAGEN

ABBREVIATION.....COLLAGEN
ACTIVE.....Yes
DESCRIPTION.....Collagen
DISPLAY_NAME.....Collagen
HELP_TEXT.....No Help Text
ID.....{8D734495-2FAF-41C0-9146-55B22583A830}
TERM.....COLLAGEN

DATA VALUE: COLORLESS

ABBREVIATION.....COLORLESS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Colorless
HELP_TEXT.....No Help Text
ID.....{D093D8C5-E284-47D4-8FA6-DCD5B030B10E}
TERM.....COLORLESS

DATA VALUE: COLOSTOMY

ABBREVIATION.....COLOSTOMY
ACTIVE.....Yes
DESCRIPTION.....Colostomy
DISPLAY_NAME.....Colostomy

HELP_TEXT.....No Help Text

ID.....{53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}

TERM.....COLOSTOMY

DATA VALUE: COMBATIVE

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Combative

HELP_TEXT.....No Help Text

ID.....{DF65D42D-6CAA-657E-AEE1-C070C1FDF177}

TERM.....COMBATIVE

DATA VALUE: COMMUNE

ABBREVIATION.....COMMUNE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Commune

HELP_TEXT.....No Help-Text

ID.....{75C896CA-F105-4EF0-B641-3F2B1F984F1B}

TERM.....COMMUNE

DATA VALUE: COMMUNCATION BARRIER

ABBREVIATION.....COMM BARRI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Communication Barrier
HELP_TEXT.....No Help Text
ID.....{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}
TERM.....COMMUNCATION BARRIER

DATA VALUE: COMPLETE BATH

ABBREVIATION.....COMP BATH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Complete Bath
HELP_TEXT.....No Help Text
ID.....{A7CB1F56-F88E-403B-AABC-105BE129FBB0}
TERM.....COMPLETE BATH

DATA VALUE: COMPLIANCE

ABBREVIATION.....COMPLIANC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Compliance

HELP_TEXT.....No Help Text

ID.....{EF43367E-9898-44C3-8AC8-F5BD28051F1D}

TERM.....COMPLIANCE

DATA VALUE: CONFUSED

ABBREVIATION.....CONFUSED

ACTIVE.....Yes

DESCRIPTION.....Confused

DISPLAY_NAME.....Confused

HELP_TEXT.....No Help Text

ID.....{31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

TERM.....CONFUSED

DATA VALUE: CONFUSION

ABBREVIATION.....Confusion

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Confusion

HELP_TEXT.....

ID.....{4C1B8247-75C4-4C60-970B-3D7F07BD1164}

TERM.....CONFUSION

DATA VALUE: CONSISTENT WITH BODY TEMPERATURE

ABBREVIATION.....CON W TEMP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Consistent With Body Temperature
HELP_TEXT.....No Help Text
ID.....{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}
TERM.....CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: CONSTANT

ABBREVIATION.....CONSTANT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Constant
HELP_TEXT.....No Help Text
ID.....{0FB8E43C-2106-4C37-9430-38675953A85B}
TERM.....CONSTANT

DATA VALUE: CONSTIPATION

ABBREVIATION.....CONSTIPAT.
ACTIVE.....Yes
DESCRIPTION.....Constipation
DISPLAY_NAME.....Constipation

HELP_TEXT.....No Help Text

ID.....{4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

TERM.....CONSTIPATION

DATA VALUE: CONSTRICTED

ABBREVIATION.....Constrict

ACTIVE.....Yes

DESCRIPTION.....Constricted

DISPLAY_NAME.....Constricted

HELP_TEXT.....No Help Text

ID.....{A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}

TERM.....CONSTRICTED

DATA VALUE: CONTACT

ABBREVIATION.....CONTACT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Contact

HELP_TEXT.....No Help Text

ID.....{958F2B5E-F980-47B6-A7F7-EE7D5520B61F}

TERM.....CONTACT

DATA VALUE: CONTACTS

ABBREVIATION.....Contacts

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Contacts

HELP_TEXT.....

ID.....{6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}

TERM.....CONTACTS

DATA VALUE: CONTEMPLATIVE

ABBREVIATION.....CONTEMPLAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Contemplative

HELP_TEXT.....No Help Text

ID.....{5194DB04-7A68-491E-B117-BD089C912DFB}

TERM.....CONTEMPLATIVE

DATA VALUE: CONTINENT

ABBREVIATION.....CONTINENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Continent

HELP_TEXT.....No Help Text

ID.....{3B658506-F42E-BAF5-04C4-5AD49699E0D2}

TERM.....CONTINENT

DATA VALUE: CONTINUOUS

ABBREVIATION.....CONTINUOUS

ACTIVE.....Yes

DESCRIPTION.....Continuous

DISPLAY_NAME.....Continuous

HELP_TEXT.....No Help Text

ID.....{676CD2DA-F882-4BE5-99BB-510EA7669749}

TERM.....CONTINUOUS

DATA VALUE: CONTINUOUS POSITIVE AIR PRESSURE

ABBREVIATION.....CPAP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....CPAP

HELP_TEXT.....No Help Text

ID.....{387B42F0-F587-AAFC-ECA0-66067F18BEC6}

TERM.....CONTINUOUS POSITIVE AIR PRESSURE

DATA VALUE: CONTINUOUS SUCTION

ABBREVIATION.....CONT SUCTI
ACTIVE.....Yes
DESCRIPTION.....Continuous Suction
DISPLAY_NAME.....Continuous Suction
HELP_TEXT.....No Help Text
ID.....{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}
TERM.....CONTINUOUS SUCTION

DATA VALUE: CONTROL MODE VENTILATION

ABBREVIATION.....CMV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Control Mode Ventilation
HELP_TEXT.....No Help Text
ID.....{2E79351C-BA31-FC04-B636-F39728B23EA6}
TERM.....CONTROL MODE VENTILATION

DATA VALUE: CONTUSION

ABBREVIATION.....Contusion
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Contusion

HELP_TEXT.....No Help Text

ID.....{5285197A-CC0A-4D12-A1F8-966765C687F1}

TERM.....CONTUSION

DATA VALUE: COOL

ABBREVIATION.....COOL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cool

HELP_TEXT.....No Help Text

ID.....{48A1FEA8-FD75-DAF8-174A-9C6AB2044439}

TERM.....COOL

DATA VALUE: COOL CHEM PACK

ABBREVIATION.....CO CHEM PA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cool Chem Pack

HELP_TEXT.....No Help Text

ID.....{6DE5E644-28C2-4190-A2EF-1A766E014A65}

TERM.....COOL CHEM PACK

DATA VALUE: COOLER THAN GENERAL BODY TEMPERATURE

ABBREVIATION.....CoolGenT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cooler Than General Body Temperature

HELP_TEXT.....No Help Text

ID.....{03D7D4CF-9B3C-49CA-9650-213E9BABE064}

TERM.....COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: COOLER THAN OPPOSITE BODY PART

ABBREVIATION.....COOL OPP P

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cooler Than Opposite Body Part

HELP_TEXT.....No Help Text

ID.....{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}

TERM.....COOLER THAN OPPOSITE BODY PART

DATA VALUE: COOLING BLANKET

ABBREVIATION.....COOL BLANK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cooling Blanket

HELP_TEXT.....No Help Text
ID.....{13A42B12-4959-4674-AF97-2D1242CFD934}
TERM.....COOLING BLANKET

DATA VALUE: COOLING OFF

ABBREVIATION.....COOLING OF
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cooling Off
HELP_TEXT.....No Help Text
ID.....{14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}
TERM.....COOLING OFF

DATA VALUE: COOLING ON

ABBREVIATION.....COOLING ON
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cooling On
HELP_TEXT.....No Help Text
ID.....{911CA17D-614E-445A-969E-4F5220E469EB}
TERM.....COOLING ON

DATA VALUE: COOPERATIVE

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cooperative

HELP_TEXT.....No Help Text

ID.....{C176406E-EBDE-4ADE-53DE-CF191D8AFC85}

TERM.....COOPERATIVE

DATA VALUE: COPIUS

ABBREVIATION.....COPIUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Copius

HELP_TEXT.....No Help Text

ID.....{C74A6979-0E35-AA12-F992-69ACA3B0FA23}

TERM.....COPIUS

DATA VALUE: CRACKLES

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Crackles

HELP_TEXT.....No Help Text

ID.....{6B64C108-4424-00D9-525F-D89D549476D6}

TERM.....CRACKLES

DATA VALUE: CRAMPING

ABBREVIATION.....CRAMPING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cramping

HELP_TEXT.....No Help Text

ID.....{3EC3E352-5469-4A85-80E4-3AFEB61224C4}

TERM.....CRAMPING

DATA VALUE: CREPITUS

ABBREVIATION.....CREPITUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Crepitus

HELP_TEXT.....No Help Text

ID.....{56A97506-05F0-4F37-8FD9-3AA82191408A}

TERM.....CREPITUS

DATA VALUE: CRUSHING

ABBREVIATION.....CRUSHING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Crushing
HELP_TEXT.....No Help Text
ID.....{92D4BAF1-63E3-4FC0-B096-B5CBC4736245}
TERM.....CRUSHING

DATA VALUE: CRUTCH

ABBREVIATION.....CRUTCH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Crutch
HELP_TEXT.....No Help Text
ID.....{2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}
TERM.....CRUTCH

DATA VALUE: CRUTCHES

ABBREVIATION.....CRUTCHES
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Crutches

HELP_TEXT.....No Help Text

ID.....{DDA81269-B25C-4F7D-A059-BB1602B2B179}

TERM.....CRUTCHES

DATA VALUE: CRYING

ABBREVIATION.....CRYING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Crying

HELP_TEXT.....No Help Text

ID.....{D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}

TERM.....CRYING

DATA VALUE: CRYSTALLOID

ABBREVIATION.....CRYSTALLOI

ACTIVE.....Yes

DESCRIPTION.....Crystalloid

DISPLAY_NAME.....Crystalloid

HELP_TEXT.....No Help Text

ID.....{4EC07E19-88B2-4C13-99B6-8233DF612997}

TERM.....CRYSTALLOID

DATA VALUE: CULTURAL

ABBREVIATION.....CULTURAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cultural
HELP_TEXT.....No Help Text
ID.....{530D166D-D7C1-4204-94DC-83F4E140F11C}
TERM.....CULTURAL

DATA VALUE: CYANOTIC

ABBREVIATION.....c
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cyanotic
HELP_TEXT.....No Help Text
ID.....{06BD77DB-1849-D731-0F27-F8CE48755EA9}
TERM.....CYANOTIC

DATA VALUE: D - DOPPLER

ABBREVIATION.....d-d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....D - Doppler

HELP_TEXT.....No Help Text

ID.....{2B77F099-0520-474D-A4BC-22BF824C8364}

TERM.....D - DOPPLER

DATA VALUE: D10W ENTERAL NUTRITION

ABBREVIATION.....D10W ENT N

ACTIVE.....Yes

DESCRIPTION.....D10W Enteral Nutrition Type

DISPLAY_NAME.....D10W Enteral Nutrition

HELP_TEXT.....No Help Text

ID.....{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}

TERM.....D10W ENTERAL NUTRITION

DATA VALUE: D50W ENTERAL NUTRITION

ABBREVIATION.....D50W ENT N

ACTIVE.....Yes

DESCRIPTION.....D50W Enteral Nutrition Type

DISPLAY_NAME.....D50W Enteral Nutrition

HELP_TEXT.....No Help Text

ID.....{528A4339-0261-4EC5-821C-7CE5592666DC}

TERM.....D50W ENTERAL NUTRITION

DATA VALUE: D5W ENTERAL NUTRITION

ABBREVIATION.....D5W

ACTIVE.....Yes

DESCRIPTION.....D5W Enteral Nutrition Type

DISPLAY_NAME.....D5W Enteral Nutrition

HELP_TEXT.....No Help Text

ID.....{D6664641-BF43-4157-9A30-8AD8CFE96518}

TERM.....D5W ENTERAL NUTRITION

DATA VALUE: D=DOPPLER

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....D=Doppler

HELP_TEXT.....No Help Text

ID.....{BCF37855-1E6E-9544-B316-D80A651697E4}

TERM.....D=DOPPLER

DATA VALUE: DAILY PLAN

ABBREVIATION.....DAILY PLAN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Daily Plan

HELP_TEXT.....No Help Text
ID.....{B29357A5-4294-4EA0-A0D3-59182F3C94FB}
TERM.....DAILY PLAN

DATA VALUE: DAMPENED

ABBREVIATION.....DAMPENED
ACTIVE.....Yes
DESCRIPTION.....Dampened
DISPLAY_NAME.....Dampened
HELP_TEXT.....No Help Text
ID.....{77C777B3-7E56-41E3-8E70-DE144E6A3424}
TERM.....DAMPENED

DATA VALUE: DANGLED

ABBREVIATION.....DANGLED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dangled
HELP_TEXT.....No Help Text
ID.....{40665750-112F-401D-AEFA-8E19F45EC0C9}
TERM.....DANGLED

DATA VALUE: DATE OF BIRTH

ABBREVIATION.....DOB

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Date of Birth

HELP_TEXT.....

ID.....{F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

TERM.....DATE OF BIRTH

DATA VALUE: DAY ROOM

ABBREVIATION.....dr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Day Room

HELP_TEXT.....No Help Text

ID.....{269125EF-FA82-B17A-6B56-0CEAB4788899}

TERM.....DAY ROOM

DATA VALUE: DDD

ABBREVIATION.....DDD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DDD

HELP_TEXT.....No Help Text

ID.....{7AA7152E-48F0-8550-AD0D-9F298E90B765}

TERM.....DDD

DATA VALUE: DDDR

ABBREVIATION.....DDDR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DDDR

HELP_TEXT.....No Help Text

ID.....{A3CC0D9D-D329-1A52-2DD1-911A1E04B871}

TERM.....DDDR

DATA VALUE: DDI

ABBREVIATION.....DDI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DDI

HELP_TEXT.....No Help Text

ID.....{0C1E359F-B1F4-7994-D337-37622CB14BC8}

TERM.....DDI

DATA VALUE: DECELERATING

ABBREVIATION.....DECELERATI
ACTIVE.....Yes
DESCRIPTION.....Decelerating
DISPLAY_NAME.....Decelerating
HELP_TEXT.....Decelerating
ID.....{B259D4D4-82B8-454A-B53D-F12F4952BB61}
TERM.....DECELERATING

DATA VALUE: DECREASED

ABBREVIATION.....DECREASED
ACTIVE.....Yes
DESCRIPTION.....Decreased
DISPLAY_NAME.....Decreased
HELP_TEXT.....No Help Text
ID.....{D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}
TERM.....DECREASED

DATA VALUE: DEEP

ABBREVIATION.....DEEP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Deep

HELP_TEXT.....No Help Text

ID.....{78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}

TERM.....DEEP

DATA VALUE: DENIES HAVING SLEPT

ABBREVIATION.....DENIES SL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Denies Having Slept

HELP_TEXT.....No Help Text

ID.....{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}

TERM.....DENIES HAVING SLEPT

DATA VALUE: DENIES NEED

ABBREVIATION.....DENIES NE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Denies Need

HELP_TEXT.....No Help Text

ID.....{28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}

TERM.....DENIES NEED

DATA VALUE: DENTAL

ABBREVIATION.....Dental
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Dental
HELP_TEXT.....
ID.....{0A60F06A-ED63-4B06-8FF9-EEFB12567D65}
TERM.....DENTAL

DATA VALUE: DENTAL IMPLANTS

ABBREVIATION.....Implants
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Dental Implants
HELP_TEXT.....
ID.....{D3AF96DE-6920-4C93-8105-99EE574FC092}
TERM.....DENTAL IMPLANTS

DATA VALUE: DENTURES

ABBREVIATION.....Dentures
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Dentures

HELP_TEXT.....

ID.....{ECABE4D0-97BE-418D-AC7D-29E40D166581}

TERM.....DENTURES

DATA VALUE: DESCRIP

ABBREVIATION.....N

ACTIVE.....Yes

DESCRIPTION.....1.5 Cal Enteral Nutrition Formula

DISPLAY_NAME.....N

HELP_TEXT.....No Help Text

ID.....{47FD2D75-2C45-476F-82AF-7B40108E9C07}

TERM.....DESCRIP

DATA VALUE: DEVICE RELATED PRESSURE

ABBREVIATION.....DEV REL PR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Device Related Pressure

HELP_TEXT.....No Help Text

ID.....{3AED6107-A173-4B53-8EB5-2FB2B3336FC5}

TERM.....DEVICE RELATED PRESSURE

DATA VALUE: DEVICE RELEASE

ABBREVIATION.....drq
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Device Release
HELP_TEXT.....No Help Text
ID.....{9F97947F-CFFE-3285-F4C3-A8DF294DA46C}
TERM.....DEVICE RELEASE

DATA VALUE: DIABETES

ABBREVIATION.....Diabetes
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Diabetes
HELP_TEXT.....
ID.....{E295E970-759D-44CD-AD43-6047382A790D}
TERM.....DIABETES

DATA VALUE: DIABETIC/VASCULAR ULCER

ABBREVIATION.....DIA/VAS UL
ACTIVE.....Yes
DESCRIPTION.....Type of wound
DISPLAY_NAME.....Diabetic / Vascular Ulcer

HELP_TEXT.....No Help Text
ID.....{E209E53E-EFF1-48F5-9581-75236C89D9B9}
TERM.....DIABETIC/VASCULAR ULCER

DATA VALUE: DIALYSIS

ABBREVIATION.....DIALYSIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dialysis Line
HELP_TEXT.....No Help Text
ID.....{D218E23C-5A34-09B0-DE43-DC792DCD0F1C}
TERM.....DIALYSIS

DATA VALUE: DIAPHORETIC

ABBREVIATION.....d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Diaphoretic
HELP_TEXT.....No Help Text
ID.....{F5F1E644-A1BD-0137-54B5-1C02678C1D5A}
TERM.....DIAPHORETIC

DATA VALUE: DIARRHEA

ABBREVIATION.....DIARRHEA
ACTIVE.....Yes
DESCRIPTION.....Diarrhea
DISPLAY_NAME.....Diarrhea
HELP_TEXT.....No Help Text
ID.....{353472EF-3499-46B1-AD7C-554FE01D8CE2}
TERM.....DIARRHEA

DATA VALUE: DIASTOLIC

ABBREVIATION.....DIASTOLIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Diastolic
HELP_TEXT.....No Help Text
ID.....{3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}
TERM.....DIASTOLIC

DATA VALUE: DIFFICULT TO AROUSE

ABBREVIATION.....Diff to Ar
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Difficult to Arouse

HELP_TEXT.....

ID.....{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}

TERM.....DIFFICULT TO AROUSE

DATA VALUE: DILATED

ABBREVIATION.....Dilated

ACTIVE.....Yes

DESCRIPTION.....Dilated

DISPLAY_NAME.....Dilated

HELP_TEXT.....No Help Text

ID.....{BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}

TERM.....DILATED

DATA VALUE: DILUTE DAKINS SOLUTION

ABBREVIATION.....DL DAKINS

ACTIVE.....Yes

DESCRIPTION.....Dilute Dakins Solution

DISPLAY_NAME.....Dilute Dakins Solution

HELP_TEXT.....No Help Text

ID.....{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}

TERM.....DILUTE DAKINS SOLUTION

DATA VALUE: DILUTE SODIUM HYPOCHLORITE SOLUTION

ABBREVIATION.....D NA HYPO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dilute Sodium Hypochlorite Solution

HELP_TEXT.....No Help Text

ID.....{14D2B1FB-1A5D-42AA-ACCF-A5033741DB61}

TERM.....DILUTE SODIUM HYPOCHLORITE SOLUTION

DATA VALUE: DIMINISHED

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Diminished

HELP_TEXT.....No Help Text

ID.....{49DE419E-DC3C-F7CD-771D-742031E0DEBC}

TERM.....DIMINISHED

DATA VALUE: DISCHARGE

ABBREVIATION.....DISCHARGE

ACTIVE.....Yes

DESCRIPTION.....Discharge

DISPLAY_NAME.....Discharge

HELP_TEXT.....No Help Text

ID.....{ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}

TERM.....DISCHARGE

DATA VALUE: DISCHARGE MEDS PLANNED

ABBREVIATION.....DI ME PL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Discharge Meds Planned

HELP_TEXT.....No Help Text

ID.....{04E9DF8B-8807-47A5-AE88-180F431F3BDE}

TERM.....DISCHARGE MEDS PLANNED

DATA VALUE: DISCHARGE ORDER ON CHART

ABBREVIATION.....DI OR CH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Discharge Order On Chart

HELP_TEXT.....No Help Text

ID.....{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}

TERM.....DISCHARGE ORDER ON CHART

DATA VALUE: DISCOLORATION

ABBREVIATION.....DISCOLORAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Discoloration

HELP_TEXT.....No Help Text

ID.....{BBE3E910-CC49-430C-BD90-FB0A97F1B183}

TERM.....DISCOLORATION

DATA VALUE: DISCOMFORT

ABBREVIATION.....DISCOMFORT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Discomfort

HELP_TEXT.....No Help Text

ID.....{77D058C9-1EB4-96C0-C9E3-666C840B884C}

TERM.....DISCOMFORT

DATA VALUE: DISCONTINUED

ABBREVIATION.....DISCONTINU

ACTIVE.....Yes

DESCRIPTION.....Discontinued

DISPLAY_NAME.....Discontinued

HELP_TEXT.....No Help Text
ID.....{15E289FB-09DF-4731-9CF3-48A4E0031C31}
TERM.....DISCONTINUED

DATA VALUE: DISEASE PROCESS

ABBREVIATION.....DISEA PROC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disease Process
HELP_TEXT.....No Help Text
ID.....{E80807AE-6208-421D-BE4C-445C470D32FA}
TERM.....DISEASE PROCESS

DATA VALUE: DISHEVELED

ABBREVIATION.....DISHEVEL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disheveled
HELP_TEXT.....No Help Text
ID.....{0455549E-5CCB-470D-9D7F-F3959E6D55FE}
TERM.....DISHEVELED

DATA VALUE: DISORIENTED

ABBREVIATION.....DISORIENTE
ACTIVE.....Yes
DESCRIPTION.....Disoriented
DISPLAY_NAME.....Disoriented
HELP_TEXT.....No Help Text
ID.....{A7D1F2EA-CD7C-4100-8552-44834684C6DE}
TERM.....DISORIENTED

DATA VALUE: DISORIENTED TO PERSON

ABBREVIATION.....DISOR TO P
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disoriented To Person
HELP_TEXT.....No Help Text
ID.....{E5D83C03-7EF5-770B-930F-7B3B3345048C}
TERM.....DISORIENTED TO PERSON

DATA VALUE: DISORIENTED TO PLACE

ABBREVIATION.....dtp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disoriented To Place

HELP_TEXT.....No Help Text
ID.....{00C98809-C0D0-C7B4-0615-8F7D31017FE8}
TERM.....DISORIENTED TO PLACE

DATA VALUE: DISORIENTED TO SITUATION

ABBREVIATION.....dts
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disoriented To Situation
HELP_TEXT.....No Help Text
ID.....{7143B3D7-5569-4378-D3AA-10C4675F0BA5}
TERM.....DISORIENTED TO SITUATION

DATA VALUE: DISORIENTED TO TIME

ABBREVIATION.....dtt
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Disoriented To Time
HELP_TEXT.....No Help Text
ID.....{2AD1A28A-4121-4B82-CFB8-E5A8D3095704}
TERM.....DISORIENTED TO TIME

DATA VALUE: DISTAL PORT

ABBREVIATION.....DIST PORT
ACTIVE.....Yes
DESCRIPTION.....Distal Port
DISPLAY_NAME.....Distal Port
HELP_TEXT.....No Help Text
ID.....{E493DF34-AD0E-4951-9715-5AD4EFA14036}
TERM.....DISTAL PORT

DATA VALUE: DISTENDED

ABBREVIATION.....DISTENDED
ACTIVE.....Yes
DESCRIPTION.....Distended
DISPLAY_NAME.....Distended
HELP_TEXT.....No Help Text
ID.....{B5C529CA-2BE0-4698-A153-718F4D58E643}
TERM.....DISTENDED

DATA VALUE: DIVERSION

ABBREVIATION.....DIVERSION
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Diversion

HELP_TEXT.....No Help Text

ID.....{087AAE9F-7FE1-5717-6423-07574C637875}

TERM.....DIVERSION

DATA VALUE: DO NOT RESUSCITATE

ABBREVIATION.....dnr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Do Not Resuscitate

HELP_TEXT.....No Help Text

ID.....{0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}

TERM.....DO NOT RESUSCITATE

DATA VALUE: DONE

ABBREVIATION.....DONE

ACTIVE.....Yes

DESCRIPTION.....Done

DISPLAY_NAME.....Done

HELP_TEXT.....No Help Text

ID.....{60412C8D-132F-46EA-8DDF-FCC282C4CC8B}

TERM.....DONE

DATA VALUE: DOO

ABBREVIATION.....DOO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DOO

HELP_TEXT.....No Help Text

ID.....{749BCE3D-FF09-B796-FF2A-ECD2D116C96F}

TERM.....DOO

DATA VALUE: DOUBLE

ABBREVIATION.....DOUBLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Double

HELP_TEXT.....No Help Text

ID.....{A486852F-150B-24E3-8EB3-8CAABB3D0520}

TERM.....DOUBLE

DATA VALUE: DOWN

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Down

HELP_TEXT.....No Help Text

ID.....{36ECC86E-2D73-D4A9-5E13-9972E2ECF2E2}

TERM.....DOWN

DATA VALUE: DRESSING

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dressing

HELP_TEXT.....No Help Text

ID.....{FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

TERM.....DRESSING

DATA VALUE: DRESSING CHANGED

ABBREVIATION.....DRESS CHAN

ACTIVE.....Yes

DESCRIPTION.....Changed Dressing

DISPLAY_NAME.....Dressing Changed

HELP_TEXT.....No Help Text

ID.....{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}

TERM.....DRESSING CHANGED

DATA VALUE: DRESSING WITH PRESCRIPTION RX

ABBREVIATION.....DR W RX
ACTIVE.....Yes
DESCRIPTION.....Dressing With Prescription Rx
DISPLAY_NAME.....Dressing With Prescription Rx
HELP_TEXT.....No Help Text
ID.....{AD5F9FDC-F280-4F1C-99E9-2BE0F9FFB15C}
TERM.....DRESSING WITH PRESCRIPTION RX

DATA VALUE: DRESSINGS CHECKED

ABBREVIATION.....DRESS CH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dressings Checked
HELP_TEXT.....No Help Text
ID.....{21014F53-29CE-4914-8760-6976D8DBA742}
TERM.....DRESSINGS CHECKED

DATA VALUE: DROPLET

ABBREVIATION.....DROPLET
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Droplet

HELP_TEXT.....No Help Text
ID.....{CE1DD314-8A30-4785-BD56-1540CDA85146}
TERM.....DROPLET

DATA VALUE: DROWSY

ABBREVIATION.....d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Drowsy
HELP_TEXT.....No Help Text
ID.....{6B350814-A88A-0F05-C382-9F27830FBC09}
TERM.....DROWSY

DATA VALUE: DRY

ABBREVIATION.....d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dry
HELP_TEXT.....No Help Text
ID.....{D8F4F0FD-1B19-2515-3815-EC88D175B305}
TERM.....DRY

DATA VALUE: DRY AND INTACT

ABBREVIATION.....DRY INTACT
ACTIVE.....Yes
DESCRIPTION.....Dry and Intact
DISPLAY_NAME.....Dry and Intact
HELP_TEXT.....No Help Text
ID.....{77B62A18-F098-4764-86FA-66373E08E8C3}
TERM.....DRY AND INTACT

DATA VALUE: DRY SHAMPOO

ABBREVIATION.....DRY SHAMP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dry Shampoo
HELP_TEXT.....No Help Text
ID.....{8910A186-2590-4352-A884-7D692A9D2B3C}
TERM.....DRY SHAMPOO

DATA VALUE: DRY STERILE DRESSING

ABBREVIATION.....DRY ST DRE
ACTIVE.....Yes
DESCRIPTION.....Dry Sterile Dressing
DISPLAY_NAME.....Dry Sterile Dressing

HELP_TEXT.....No Help Text

ID.....{3069DFCE-1B59-467C-97CE-9DBAF9AF42CC}

TERM.....DRY STERILE DRESSING

DATA VALUE: DULL

ABBREVIATION.....DULL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dull

HELP_TEXT.....No Help Text

ID.....{F0F80976-F6A0-4363-9C75-AAAE9937DB49}

TERM.....DULL

DATA VALUE: DUMPING SYNDROME

ABBREVIATION.....DUMP SYND

ACTIVE.....Yes

DESCRIPTION.....Dumping Syndrome Diet

DISPLAY_NAME.....Dumping Syndrome Diet

HELP_TEXT.....No Help Text

ID.....{0173C971-63CB-45A5-9E93-D966EB3B957D}

TERM.....DUMPING SYNDROME

DATA VALUE: DUODENOSTOMY

ABBREVIATION.....DUODENOSTO

ACTIVE.....Yes

DESCRIPTION.....Duodenostomy

DISPLAY_NAME.....Duodenostomy

HELP_TEXT.....No Help Text

ID.....{FA44135D-6806-42E7-B371-8C3912B3582E}

TERM.....DUODENOSTOMY

DATA VALUE: DUSKY

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dusky

HELP_TEXT.....No Help Text

ID.....{2ABF845E-4E2F-883F-3FCC-F72B8507FF85}

TERM.....DUSKY

DATA VALUE: DVI

ABBREVIATION.....DVI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....DVI

HELP_TEXT.....No Help Text

ID.....{4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}

TERM.....DVI

DATA VALUE: DYE PRESENT

ABBREVIATION.....DYE PRESEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dye Present

HELP_TEXT.....No Help Text

ID.....{E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}

TERM.....DYE PRESENT

DATA VALUE: DYSPHAGIA PHASE I

ABBREVIATION.....DYSP PH I

ACTIVE.....Yes

DESCRIPTION.....Dysphagia Stage I Diet

DISPLAY_NAME.....Dysphagia Stage I Diet

HELP_TEXT.....No Help Text

ID.....{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}

TERM.....DYSPHAGIA PHASE I

DATA VALUE: DYSPHAGIA STAGE II

ABBREVIATION.....DYSP ST II

ACTIVE.....Yes

DESCRIPTION.....Dysphagia Stage II Diet

DISPLAY_NAME.....Dysphagia Stage II Diet

HELP_TEXT.....No Help Text

ID.....{294BF58A-47FD-43A1-8A1E-9E348987B004}

TERM.....DYSPHAGIA STAGE II

DATA VALUE: DYSPHAGIA STAGE III

ABBREVIATION.....DYS ST III

ACTIVE.....Yes

DESCRIPTION.....Dysphagia Stage III Diet

DISPLAY_NAME.....Dysphagia Stage III Diet

HELP_TEXT.....No Help Text

ID.....{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}

TERM.....DYSPHAGIA STAGE III

DATA VALUE: DYSPHAGIA STAGE IV

ABBREVIATION.....DYSP ST IV

ACTIVE.....Yes

DESCRIPTION.....Dysphagia Stage IV Diet

DISPLAY_NAME.....Dysphagia Stage IV Diet

HELP_TEXT.....No Help Text
ID.....{E738569A-5104-4C93-8EFC-47D80765F739}
TERM.....DYSPHAGIA STAGE IV

DATA VALUE: DYSPHAGIA STAGE V

ABBREVIATION.....DYSPH ST V
ACTIVE.....Yes
DESCRIPTION.....Dysphagia Stage V Diet
DISPLAY_NAME.....Dysphagia Stage V Diet
HELP_TEXT.....No Help Text
ID.....{ABE7D85D-1821-4592-B4E8-84670EE484E4}
TERM.....DYSPHAGIA STAGE V

DATA VALUE: DYSPNEIC

ABBREVIATION.....DYSPENIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dyspenic
HELP_TEXT.....No Help Text
ID.....{4C6B42D9-694F-5EB2-6396-7ED85D5B154E}
TERM.....DYSPNEIC

DATA VALUE: DYSURIA

ABBREVIATION.....DYSURIA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dysuria
HELP_TEXT.....No Help Text
ID.....{75AC5ECD-8975-406A-30C7-E2EB23F10F84}
TERM.....DYSURIA

DATA VALUE: EAGER TO LEARN

ABBREVIATION.....EAGER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Eager To Learn
HELP_TEXT.....No Help Text
ID.....{A20AF51B-C89C-4308-AE17-C66144FE68BE}
TERM.....EAGER TO LEARN

DATA VALUE: EASY TO AROUSE

ABBREVIATION.....Easy to Ar
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Easy to Arouse

HELP_TEXT.....

ID.....{19BB5A04-F979-449C-AA93-D5A21BD368F6}

TERM.....EASY TO AROUSE

DATA VALUE: ECCHYMOSIS

ABBREVIATION.....ECCHYMOSIS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ecchymosis

HELP_TEXT.....No Help Text

ID.....{DF076906-CC17-6AD1-76E7-B07678A126DE}

TERM.....ECCHYMOSIS

DATA VALUE: ELASTIC WRAP

ABBREVIATION.....ELAST WRAP

ACTIVE.....Yes

DESCRIPTION.....ELASTIC WRAP

DISPLAY_NAME.....Elastic Wrap

HELP_TEXT.....ELASTIC WRAP

ID.....{9EB52FA5-32D8-823F-2E3C-83375DA62342}

TERM.....ELASTIC WRAP

DATA VALUE: ELBOW PAD

ABBREVIATION.....ELBOW PAD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Elbow Pad

HELP_TEXT.....No Help Text

ID.....{26942F81-1E33-4962-B772-A96FFBCED814}

TERM.....ELBOW PAD

DATA VALUE: ELECTRIC

ABBREVIATION.....ELECTRIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ELECTRIC

HELP_TEXT.....No Help Text

ID.....{0C221385-61AF-4660-A129-35E610EA71AB}

TERM.....ELECTRIC

DATA VALUE: ELEMENTAL FORMULA

ABBREVIATION.....ELE FORM

ACTIVE.....Yes

DESCRIPTION.....Elemental Enteral Nutrition Formula

DISPLAY_NAME.....Elemental Enteral Nutrition Formula

HELP_TEXT.....No Help Text

ID.....{DCE1E81C-1AC7-48F4-97AA-F1FC4D0601D8}

TERM.....ELEMENTAL FORMULA

DATA VALUE: ELOPEMENT

ABBREVIATION.....e

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Elopement

HELP_TEXT.....No Help Text

ID.....{EB030907-FB90-CA9D-CF50-E26C5D9FE671}

TERM.....ELOPEMENT

DATA VALUE: EMERGENCY

ABBREVIATION.....Emergency

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Emergency

HELP_TEXT.....

ID.....{3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}

TERM.....EMERGENCY

DATA VALUE: EMERGENCY DEPARTMENT

ABBREVIATION.....ER DEPT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Emergency Department

HELP_TEXT.....No Help Text

ID.....{D2E511F7-8B80-4928-A64B-3F1EE17395F7}

TERM.....EMERGENCY DEPARTMENT

DATA VALUE: EMERGENCY DEPT

ABBREVIATION.....Emer Dept

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Emergency Dept

HELP_TEXT.....

ID.....{E8490DF5-278C-4102-9675-C9B40D596A10}

TERM.....EMERGENCY DEPT

DATA VALUE: EMOTIONAL

ABBREVIATION.....EMOTIONAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Emotional

HELP_TEXT.....No Help Text

ID.....{626C22E6-EF2A-489F-AA79-D27541A0BC45}

TERM.....EMOTIONAL

DATA VALUE: END OF LIFE CARE

ABBREVIATION.....END LIFE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....End Of Life Care

HELP_TEXT.....No Help Text

ID.....{047D8977-0567-4B90-AD6A-3AAF8DB35238}

TERM.....END OF LIFE CARE

DATA VALUE: END-TIDAL CO2 MONITOR

ABBREVIATION.....End-Tidal

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....End-Tidal CO2 Monitor

HELP_TEXT.....

ID.....{609E3607-E441-465D-B1FC-C6986C58C11C}

TERM.....END-TIDAL CO2 MONITOR

DATA VALUE: ENSURE PLUS

ABBREVIATION.....Ensure Plu

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Ensure Plus

HELP_TEXT.....

ID.....{519D1249-B6C0-49ED-BA86-1B27C0F964C9}

TERM.....ENSURE PLUS

DATA VALUE: ENTERAL FEEDING FORMULA/WATER ADMINISTRATION

ABBREVIATION.....Feed Form

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Enteral Feeding Formula/Water

Administration

HELP_TEXT.....

ID.....{D2EA8840-1123-4660-AD25-587458BF1E89}

TERM.....ENTERAL FEEDING FORMULA/WATER

ADMINISTRATION

DATA VALUE: ENTERAL FEEDING PUMP

ABBREVIATION.....Feed Pump

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Enteral Feeding Pump

HELP_TEXT.....

ID.....{31FF069C-0060-45C3-898F-20F1A9D1552B}

TERM.....ENTERAL FEEDING PUMP

DATA VALUE: ENTERAL TUBE MEDICATION ADMINISTRATION

ABBREVIATION.....Med Admin

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Enteral Tube Medication Administration

HELP_TEXT.....

ID.....{68D124A7-69CF-414B-8A47-BC666A373E24}

TERM.....ENTERAL TUBE MEDICATION ADMINISTRATION

DATA VALUE: ENTERAL TUBE/STOMA CARE

ABBREVIATION.....Tube/Stoma

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Enteral Tube/Stoma Care

HELP_TEXT.....

ID.....{B91B94EF-CFE6-4628-BEF2-D06E5870D574}

TERM.....ENTERAL TUBE/STOMA CARE

DATA VALUE: ENVIRONMENT

ABBREVIATION.....ENVIRO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Environment
HELP_TEXT.....No Help Text
ID.....{C61AA262-F6AF-46AC-A215-0D56FD01B234}
TERM.....ENVIRONMENT

DATA VALUE: ENZYMATIC OINTMENT

ABBREVIATION.....ENZY OINTM
ACTIVE.....Yes
DESCRIPTION.....Enzymatic Ointment
DISPLAY_NAME.....Enzymatic Ointment
HELP_TEXT.....No Help Text
ID.....{E781DA75-8777-4884-A093-FB623774DB8F}
TERM.....ENZYMATIC OINTMENT

DATA VALUE: EPICARDIAL LEADS

ABBREVIATION.....el
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Epicardial Leads

HELP_TEXT.....No Help Text

ID.....{2B551575-3D50-96BD-7BAA-50CC9796361E}

TERM.....EPICARDIAL LEADS

DATA VALUE: EPIDURAL

ABBREVIATION.....Epidural

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Epidural

HELP_TEXT.....

ID.....{63317A63-16FF-4D55-A034-420C65B17AEB}

TERM.....EPIDURAL

DATA VALUE: EPIDURAL PUMP

ABBREVIATION.....Epid Pump

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Epidural Pump

HELP_TEXT.....

ID.....{26C83111-5FA8-4398-8D3E-787B31A2A9E9}

TERM.....EPIDURAL PUMP

DATA VALUE: EPITHELIALIZATION

ABBREVIATION.....EPITHELIAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Epithelialization
HELP_TEXT.....No Help Text
ID.....{5FC43A6D-921D-4736-A234-9993DB6499B7}
TERM.....EPITHELIALIZATION

DATA VALUE: EQUAL

ABBREVIATION.....Equal
ACTIVE.....Yes
DESCRIPTION.....Equal
DISPLAY_NAME.....Equal
HELP_TEXT.....No Help Text
ID.....{AC079584-158D-EBF2-E13A-C2E919375E4D}
TERM.....EQUAL

DATA VALUE: EQUIPMENT

ABBREVIATION.....EQUIPMENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Equipment

HELP_TEXT.....No Help Text

ID.....{04C0F805-C7B3-4A9A-91D8-0F32F3265874}

TERM.....EQUIPMENT

DATA VALUE: ERYTHEMA

ABBREVIATION.....ERYTHEMA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Erythema

HELP_TEXT.....No Help Text

ID.....{0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}

TERM.....ERYTHEMA

DATA VALUE: ESCAPE

ABBREVIATION.....e

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Escape

HELP_TEXT.....No Help Text

ID.....{965F3201-9D63-66AB-FA25-99479AE7145A}

TERM.....ESCAPE

DATA VALUE: ESCHAR

ABBREVIATION.....ESCHAR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Eschar
HELP_TEXT.....No Help Text
ID.....{555E03C5-FBFE-4EB9-816F-25CE34476B3C}
TERM.....ESCHAR

DATA VALUE: ETT REPOSITIONED

ABBREVIATION.....ETT REPOSI
ACTIVE.....Yes
DESCRIPTION.....ETT Repositioned
DISPLAY_NAME.....ETT Repositioned
HELP_TEXT.....No Help Text
ID.....{95B35EDB-76B6-433E-B526-01C543A7CCEA}
TERM.....ETT REPOSITIONED

DATA VALUE: ETT RETAPED/SECURED

ABBREVIATION.....ETT RETAPE
ACTIVE.....Yes
DESCRIPTION.....ETT Retaped / Secured
DISPLAY_NAME.....ETT Retaped / Secured

HELP_TEXT.....No Help Text

ID.....{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}

TERM.....ETT RETAPED/SECURED

DATA VALUE: EWALD TUBE

ABBREVIATION.....EWALD TUBE

ACTIVE.....Yes

DESCRIPTION.....Ewald Tube

DISPLAY_NAME.....Ewald Tube

HELP_TEXT.....No Help Text

ID.....{B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}

TERM.....EWALD TUBE

DATA VALUE: EXPIRATORY WHEEZES

ABBREVIATION.....EXP WHEEZE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Expiratory Wheezes

HELP_TEXT.....No Help Text

ID.....{CFC103A8-8B02-4942-BBDD-8D24C930883E}

TERM.....EXPIRATORY WHEEZES

DATA VALUE: EXTENDED PERIOD OF IMMOBILITY

ABBREVIATION.....Ex Pd Immo

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Extended Period of Immobility

HELP_TEXT.....

ID.....{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}

TERM.....EXTENDED PERIOD OF IMMOBILITY

DATA VALUE: EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM

ABBREVIATION.....ER EXI <1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Less Than 1 cm

HELP_TEXT.....No Help-Text

ID.....{095709D0-6190-49A3-AB08-BF4575DC8396}

TERM.....EXTENDS AROUND INCISION EXTENDS INTO
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION MORE THAN 1 CM

ABBREVIATION.....ER EXI >1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Extends Into Periwound More Than 1 cm
HELP_TEXT.....No Help-Text
ID.....{11F13A1F-7AC2-4629-A960-CD92655EE101}
TERM.....EXTENDS AROUND INCISION MORE THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION NONE

ABBREVIATION.....ER EXI NON
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....None
HELP_TEXT.....No Help-Text
ID.....{91F1A7C5-885C-4B13-9F7F-189C93E505CC}
TERM.....EXTENDS AROUND INCISION NONE

DATA VALUE: EXTENDS INTO PERIWOUND <1CM

ABBREVIATION.....EX IN PER<
ACTIVE.....Yes
DESCRIPTION.....Extends Into Periwound <1cm
DISPLAY_NAME.....Extends Into Periwound <1cm
HELP_TEXT.....No Help Text
ID.....{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}
TERM.....EXTENDS INTO PERIWOUND <1CM

DATA VALUE: EXTENDS INTO PERIWOUND>1CM

ABBREVIATION.....EX IN PER>

ACTIVE.....Yes

DESCRIPTION.....Extends Into Periwound > 1cm

DISPLAY_NAME.....Extends Into Periwound > 1cm

HELP_TEXT.....No Help Text

ID.....{1F31FE9B-DA19-434C-8C58-67CDC5385231}

TERM.....EXTENDS INTO PERIWOUND>1CM

DATA VALUE: EXTENDS TO PAIN

ABBREVIATION.....EXT TO PAI

ACTIVE.....Yes

DESCRIPTION.....Extends To Pain

DISPLAY_NAME.....Extends To Pain

HELP_TEXT.....No Help Text

ID.....{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}

TERM.....EXTENDS TO PAIN

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM

ABBREVIATION.....ERY EX <1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Extends Into Periwound Less Than 1 cm

HELP_TEXT.....No Help-Text

ID.....{48C7FA69-D31A-4AAA-84F3-79AC863B71FD}

TERM.....EXTENSION AROUND WOUND EXTENDS INTO
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM

ABBREVIATION.....ERY EX >1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Extends Into Periwound Greater Than 1
cm

HELP_TEXT.....No Help-Text

ID.....{175B2505-C596-4036-8FC3-DFEA8EFB76F9}

TERM.....EXTENSION AROUND WOUND EXTENDS INTO
PERIWOUND MORE THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND LIMITED TO WOUND

ABBREVIATION.....ERY EX LIM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Limited To Wound

HELP_TEXT.....No Help-Text

ID.....{2DC83B85-B3B6-4679-9F48-7DD26EFFC4D4}

TERM.....EXTENSION AROUND WOUND LIMITED TO WOUND

DATA VALUE: EXTENSION AROUND WOUND NONE

ABBREVIATION.....ERY EX NON
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....None
HELP_TEXT.....No Help-Text
ID.....{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}
TERM.....EXTENSION AROUND WOUND NONE

DATA VALUE: EXTENSIVE ASSISTANCE

ABBREVIATION.....EXT ASSIST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Extensive Assistance
HELP_TEXT.....No Help Text
ID.....{C402B659-E880-4070-8345-13E5508B4D29}
TERM.....EXTENSIVE ASSISTANCE

DATA VALUE: EXTERNAL CATHETER

ABBREVIATION.....EXT. CATHE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....External Catheter

HELP_TEXT.....No Help Text
ID.....{C8AEE936-DD91-FE91-4DD6-6F210FB59726}
TERM.....EXTERNAL CATHETER

DATA VALUE: EXTREMELY DRY

ABBREVIATION.....EXTR DRY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Extremely Dry
HELP_TEXT.....No Help Text
ID.....{51677B19-80B9-4787-B6E2-E0BCF6601AA1}
TERM.....EXTREMELY DRY

DATA VALUE: EYE CLOSED

ABBREVIATION.....ec
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Eye Closed
HELP_TEXT.....No Help Text
ID.....{140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}
TERM.....EYE CLOSED

DATA VALUE: EYEGLASSES

ABBREVIATION.....Eyeglasses

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Eyeglasses

HELP_TEXT.....

ID.....{E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}

TERM.....EYEGLASSES

DATA VALUE: FACE WASH

ABBREVIATION.....FACE WASH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Face Wash

HELP_TEXT.....No Help Text

ID.....{E1162A8B-D26D-4EB3-988F-50583B1849EA}

TERM.....FACE WASH

DATA VALUE: FAMILY

ABBREVIATION.....FAMILY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Family

HELP_TEXT.....No Help Text
ID.....{1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}
TERM.....FAMILY

DATA VALUE: FAMILY INFORMED

ABBREVIATION.....FAM INFORM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Family Informed
HELP_TEXT.....No Help Text
ID.....{77135D32-9CDD-4D3F-9B62-6E8189B77844}
TERM.....FAMILY INFORMED

DATA VALUE: FAMILY STATED

ABBREVIATION.....Fam Stated
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Family Stated
HELP_TEXT.....
ID.....{07A4B749-65F2-48E8-AD93-D142B04055B4}
TERM.....FAMILY STATED

DATA VALUE: FAMILY/FRIEND

ABBREVIATION.....FAM/FRIE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Family/Friend
HELP_TEXT.....No Help Text
ID.....{FA8FE272-E659-41EF-A394-F907A5F55ED8}
TERM.....FAMILY/FRIEND

DATA VALUE: FASCIA

ABBREVIATION.....FASCIA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Fascia
HELP_TEXT.....No Help Text
ID.....{EEE8535C-B887-4A34-A93F-C1C4AFC1296F}
TERM.....FASCIA

DATA VALUE: FAT RESTRICTED 50 GM DIET

ABBREVIATION.....F RES 50gm
ACTIVE.....Yes
DESCRIPTION.....Fat Restricted 50 gm Diet
DISPLAY_NAME.....Fat Restricted 50 gm Diet

HELP_TEXT.....No Help Text

ID.....{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}

TERM.....FAT RESTRICTED 50 GM DIET

DATA VALUE: FECAL FAT TEST DIET

ABBREVIATION.....FEC F TEST

ACTIVE.....Yes

DESCRIPTION.....Fecal Fat Test Diet

DISPLAY_NAME.....Fecal Fat Test Diet

HELP_TEXT.....No Help Text

ID.....{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}

TERM.....FECAL FAT TEST DIET

DATA VALUE: FHWN1

ABBREVIATION.....FHWN1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....FHWN1

HELP_TEXT.....No Help Text

ID.....{93B28875-51BF-4294-B2F9-58BE9365DC81}

TERM.....FHWN1

DATA VALUE: FIBER FORMULA

ABBREVIATION.....FIBER FORM
ACTIVE.....Yes
DESCRIPTION.....Fiber Enteral Nutrition Formula
DISPLAY_NAME.....Fiber Enteral Nutrition Formula
HELP_TEXT.....No Help Text
ID.....{1AF14DA4-8D59-420B-9895-4256E7A818BE}
TERM.....FIBER FORMULA

DATA VALUE: FIBER STAT

ABBREVIATION.....Fiber Stat
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Fiber Stat
HELP_TEXT.....
ID.....{201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}
TERM.....FIBER STAT

DATA VALUE: FIBRINOUS

ABBREVIATION.....FIBRINOUS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Fibrinous

HELP_TEXT.....No Help Text
ID.....{D286EAE2-6902-4B7E-845D-BBB316941B2C}
TERM.....FIBRINOUS

DATA VALUE: FIRM

ABBREVIATION.....FIRM
ACTIVE.....Yes
DESCRIPTION.....Firm
DISPLAY_NAME.....Firm
HELP_TEXT.....No Help Text
ID.....{11E23F20-39A0-4A6D-B198-04BB36B0C909}
TERM.....FIRM

DATA VALUE: FIRST DEGREE AV BLOCK

ABBREVIATION.....fdab
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....First Degree Av Block
HELP_TEXT.....No Help Text
ID.....{4FF046C9-B638-F86C-5D51-006B3D5225E3}
TERM.....FIRST DEGREE AV BLOCK

DATA VALUE: FIXED

ABBREVIATION.....f
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Fixed
HELP_TEXT.....No Help Text
ID.....{697D8C5A-976F-F423-30EC-A04102CF85F0}
TERM.....FIXED

DATA VALUE: FLAT

ABBREVIATION.....Flat
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Flat
HELP_TEXT.....No Help Text
ID.....{EA4F1980-EDF3-82BC-B677-D747F48F1163}
TERM.....FLAT

DATA VALUE: FLATULENCE

ABBREVIATION.....FLATULENCE
ACTIVE.....Yes
DESCRIPTION.....Flatulence
DISPLAY_NAME.....Flatulence

HELP_TEXT.....No Help Text

ID.....{F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}

TERM.....FLATULENCE

DATA VALUE: FLEXION TO PAIN

ABBREVIATION.....FLEX TO PA

ACTIVE.....Yes

DESCRIPTION.....Flexion To Pain

DISPLAY_NAME.....Flexion To Pain

HELP_TEXT.....No Help Text

ID.....{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}

TERM.....FLEXION TO PAIN

DATA VALUE: FLICKER OF CONTRACTION

ABBREVIATION.....foc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Flicker Of Contraction

HELP_TEXT.....No Help Text

ID.....{218B322B-84AA-F6F6-5207-D86F9A4311F0}

TERM.....FLICKER OF CONTRACTION

DATA VALUE: FLOTATION BED

ABBREVIATION.....FLOT BED

ACTIVE.....Yes

DESCRIPTION.....Flotation Bed

DISPLAY_NAME.....Flotation Bed

HELP_TEXT.....No Help Text

ID.....{FA6329AB-85A6-4301-BC14-D0D089249356}

TERM.....FLOTATION BED

DATA VALUE: FLUCTUANCE

ABBREVIATION.....FLUCTUANCE

ACTIVE.....Yes

DESCRIPTION.....Fluctuance

DISPLAY_NAME.....Fluctuance

HELP_TEXT.....No Help Text

ID.....{A6AD2660-621D-4F39-8485-A013D7491566}

TERM.....FLUCTUANCE

DATA VALUE: FLUCTUATES

ABBREVIATION.....Fluctuates

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Fluctuates

HELP_TEXT.....No Help Text

ID.....{C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}

TERM.....FLUCTUATES

DATA VALUE: FLUSHED

ABBREVIATION.....nt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Flushed

HELP_TEXT.....No Help Text

ID.....{C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}

TERM.....FLUSHED

DATA VALUE: FOAM AIR HEEL ELEVATOR

ABBREVIATION.....FO AI HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Foam Air Heel Elevator

HELP_TEXT.....No Help Text

ID.....{4EC26AA3-4577-4808-8728-F360C5C5A0D4}

TERM.....FOAM AIR HEEL ELEVATOR

DATA VALUE: FOAM DRESSING

ABBREVIATION.....WOU DR FOA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foam Dressing
HELP_TEXT.....No Help-Text
ID.....{D18A5EDD-0EF6-470E-8370-4EDB6D322477}
TERM.....FOAM DRESSING

DATA VALUE: FOLEY

ABBREVIATION.....FOLEY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foley
HELP_TEXT.....No Help Text
ID.....{9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}
TERM.....FOLEY

DATA VALUE: FOOT CARE

ABBREVIATION.....FOOT CARE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foot Care

HELP_TEXT.....No Help Text
ID.....{332E8338-6DAE-4BC9-B195-63DAD57937D0}
TERM.....FOOT CARE

DATA VALUE: FOOT DOWN

ABBREVIATION.....fd
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foot Down
HELP_TEXT.....No Help Text
ID.....{13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}
TERM.....FOOT DOWN

DATA VALUE: FOOT UP

ABBREVIATION.....fu
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Foot Up
HELP_TEXT.....No Help Text
ID.....{49CCC59E-002E-8387-E8D6-D57AAC089EF3}
TERM.....FOOT UP

DATA VALUE: FOUL SMELLING

ABBREVIATION.....FOUL SMELL
ACTIVE.....Yes
DESCRIPTION.....Foul Smelling
DISPLAY_NAME.....Foul Smelling
HELP_TEXT.....No Help Text
ID.....{761346A9-329D-4F42-8D80-0E9D8D40653C}
TERM.....FOUL SMELLING

DATA VALUE: FOWLER'S

ABBREVIATION.....FOWLER'S
ACTIVE.....Yes
DESCRIPTION.....Fowler's
DISPLAY_NAME.....Fowler's
HELP_TEXT.....No Help Text
ID.....{8E691813-A9AC-48BE-9401-528A7D762A32}
TERM.....FOWLER'S

DATA VALUE: FRANK BLOOD

ABBREVIATION.....FRANK BLD
ACTIVE.....Yes
DESCRIPTION.....Frank Blood
DISPLAY_NAME.....Frank Blood

HELP_TEXT.....No Help Text

ID.....{CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}

TERM.....FRANK BLOOD

DATA VALUE: FREQUENT VERBAL REMINDERS

ABBREVIATION.....FR VER RE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Frequent Verbal Reminders

HELP_TEXT.....No Help Text

ID.....{F30D791D-BB80-4AB3-B37F-22B6B547EA65}

TERM.....FREQUENT VERBAL REMINDERS

DATA VALUE: FRIEND

ABBREVIATION.....FRIEND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Friend

HELP_TEXT.....No Help Text

ID.....{03902E48-AF86-432A-8372-37796A55F625}

TERM.....FRIEND

DATA VALUE: FULL CODE

ABBREVIATION.....fc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Full Code

HELP_TEXT.....No Help Text

ID.....{1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}

TERM.....FULL CODE

DATA VALUE: FULL LIQUID DIABETIC

ABBREVIATION.....FULL L DIA

ACTIVE.....Yes

DESCRIPTION.....Full Liquid Diabetic

DISPLAY_NAME.....Full Liquid Diabetic

HELP_TEXT.....No Help Text

ID.....{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}

TERM.....FULL LIQUID DIABETIC

DATA VALUE: FULL LIQUID DIET

ABBREVIATION.....FULL LIQ D

ACTIVE.....Yes

DESCRIPTION.....Full Liquid Diet

DISPLAY_NAME.....Full Liquid Diet

HELP_TEXT.....No Help Text

ID.....{CAC22234-7B69-44C3-8A0E-9A84A684E429}

TERM.....FULL LIQUID DIET

DATA VALUE: FULL LOWER

ABBREVIATION.....Full Low

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Full Lower

HELP_TEXT.....

ID.....{D38022EF-F4F0-44A7-82FE-B277A2A0A165}

TERM.....FULL LOWER

DATA VALUE: FULL NAME

ABBREVIATION.....Full Name

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Full Name

HELP_TEXT.....

ID.....{A915EA98-D18D-4887-8C50-4B6C0DF44D1D}

TERM.....FULL NAME

DATA VALUE: FULL SPINAL PRECAUTIONS

ABBREVIATION.....FULL S P

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Full Spinal Precautions

HELP_TEXT.....No Help Text

ID.....{42ADB74D-12CC-4111-B181-626C0F01BC7C}

TERM.....FULL SPINAL PRECAUTIONS

DATA VALUE: FULL SSN

ABBREVIATION.....Full SSN

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Full SSN

HELP_TEXT.....

ID.....{3E2887AF-2DC5-40FA-9052-7B04347CC802}

TERM.....FULL SSN

DATA VALUE: FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO

ABBREVIATION.....F SK L MBS

ACTIVE.....Yes

DESCRIPTION.....Full Thickness Skin Loss Involving

Muscle, Bone, or Supporting Tissue

DISPLAY_NAME.....Full Thickness Skin Loss Involving
Muscle, Bone, or Supporting Tissue

HELP_TEXT.....No Help Text

ID.....{E027FBEF-1C83-41B7-B848-26D9D62F4266}

TERM.....FULL THICK SKIN LOSS INVOLVING
MUSCLE, BONE, SUPPO

DATA VALUE: FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE

ABBREVIATION.....FULL SKINL

ACTIVE.....Yes

DESCRIPTION.....Full Thickness Skin Loss Involving
Subcutaneous Tissue

DISPLAY_NAME.....Full Thickness Skin Loss Involving
Subcutaneous Tissue

HELP_TEXT.....No Help Text

ID.....{14C31B14-1D35-4CCB-81A3-C6E30801950D}

TERM.....FULL THICK SKIN LOSS INVOLVING
SUBCUTANEOUS TISSUE

DATA VALUE: FULL UPPER

ABBREVIATION.....Full Up

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Full Upper

HELP_TEXT.....

ID.....{1808E638-62BB-4978-8706-34BD74B427DE}

TERM.....FULL UPPER

DATA VALUE: FUNCTIONAL SECTION SET UP

ABBREVIATION.....Func Sect
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Functional Suction Set Up
HELP_TEXT.....
ID.....{E156C048-11D5-4F62-8B1A-0CEA931E03EF}
TERM.....FUNCTIONAL SECTION SET UP

DATA VALUE: GAIT BELT

ABBREVIATION.....GAIT BELT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Gait Belt
HELP_TEXT.....No Help Text
ID.....{AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}
TERM.....GAIT BELT

DATA VALUE: GASTRIC BYPASS CLEAR LIQUID

ABBREVIATION.....GAS BYP LI
ACTIVE.....Yes
DESCRIPTION.....Gastric Bypass Clear Liquid
DISPLAY_NAME.....Gastric Bypass Clear Liquid

HELP_TEXT.....No Help Text
ID.....{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}
TERM.....GASTRIC BYPASS CLEAR LIQUID

DATA VALUE: GASTRIC BYPASS PUREED

ABBREVIATION.....GAS BY PUR
ACTIVE.....Yes
DESCRIPTION.....Gastric Bypass Pureed
DISPLAY_NAME.....Gastric Bypass Pureed
HELP_TEXT.....No Help Text
ID.....{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}
TERM.....GASTRIC BYPASS PUREED

DATA VALUE: GASTRIC BYPASS REGULAR

ABBREVIATION.....GAS BY REG
ACTIVE.....Yes
DESCRIPTION.....Gastric Bypass Regular
DISPLAY_NAME.....Gastric Bypass Regular
HELP_TEXT.....No Help Text
ID.....{EE831906-EA51-4EE4-AAF2-583DF366A942}
TERM.....GASTRIC BYPASS REGULAR

DATA VALUE: GASTRIC TUBE

ABBREVIATION.....G TUBE
ACTIVE.....Yes
DESCRIPTION.....Gastric Feeding Tube
DISPLAY_NAME.....G Tube
HELP_TEXT.....No Help Text
ID.....{65F774BA-F977-46D3-AE41-7F7C74CFF47E}
TERM.....GASTRIC TUBE

DATA VALUE: GASTROSTOMY FEEDING BUTTON

ABBREVIATION.....GAST F BUT
ACTIVE.....Yes
DESCRIPTION.....Gastrostomy Feeding Button
DISPLAY_NAME.....Gastrostomy Feeding Button
HELP_TEXT.....No Help Text
ID.....{1627B53B-374B-42B4-BBFE-463EE37B6110}
TERM.....GASTROSTOMY FEEDING BUTTON

DATA VALUE: GASTROSTOMY TUBE

ABBREVIATION.....GAST TUBE
ACTIVE.....Yes
DESCRIPTION.....Gastrostomy Tube
DISPLAY_NAME.....Gastrostomy Tube

HELP_TEXT.....No Help Text
ID.....{EF017A39-745E-4C29-821A-5B25F103DF99}
TERM.....GASTROSTOMY TUBE

DATA VALUE: GAUZE

ABBREVIATION.....GAUZE
ACTIVE.....Yes
DESCRIPTION.....Gauze
DISPLAY_NAME.....Gauze
HELP_TEXT.....No Help Text
ID.....{CF10C658-4334-4F3B-A38E-E98894458333}
TERM.....GAUZE

DATA VALUE: GAUZE AND TAPE

ABBREVIATION.....GAU & TAPE
ACTIVE.....Yes
DESCRIPTION.....Gauze And Tape Dressing
DISPLAY_NAME.....Gauze and Tape
HELP_TEXT.....No Help Text
ID.....{5BC40405-B5C4-47CF-81C3-520732E100AC}
TERM.....GAUZE AND TAPE

DATA VALUE: GAUZE PACKING

ABBREVIATION.....GAUZE PACK

ACTIVE.....Yes

DESCRIPTION.....Gauze Packing

DISPLAY_NAME.....Gauze Packing

HELP_TEXT.....No Help Text

ID.....{6C093717-82CB-4966-929E-C909310649C1}

TERM.....GAUZE PACKING

DATA VALUE: GAUZE WRAP

ABBREVIATION.....GAUZE WRAP

ACTIVE.....Yes

DESCRIPTION.....Gauze Wrap

DISPLAY_NAME.....Gauze Wrap

HELP_TEXT.....No Help Text

ID.....{040A9648-E6E1-4AC5-93C7-53A49537B15C}

TERM.....GAUZE WRAP

DATA VALUE: GENERAL

ABBREVIATION.....General

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....General

HELP_TEXT.....

ID.....{6ED377F7-55E4-4743-B781-124267567200}

TERM.....GENERAL

DATA VALUE: GERI-CHAIR

ABBREVIATION.....g

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Geri-Chair

HELP_TEXT.....No Help Text

ID.....{167F9786-8F24-054F-020A-658A6EE5B0B4}

TERM.....GERI-CHAIR

DATA VALUE: GI PROCEDURE ROOM

ABBREVIATION.....GI Proc Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....GI Procedure Room

HELP_TEXT.....

ID.....{924532F4-B52F-4EA9-8C7D-59168B340118}

TERM.....GI PROCEDURE ROOM

DATA VALUE: GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING

ABBREVIATION.....DI IN UN

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Given Discharge Instructions and
Verbalizes Understanding

HELP_TEXT.....No Help Text

ID.....{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}

TERM.....GIVEN DISCHARGE INSTRUCTION AND
VERBALIZES UNDERSTANDING

DATA VALUE: GLUCERNA 1.0

ABBREVIATION.....Glu 1.0

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Glucerna 1.0

HELP_TEXT.....

ID.....{1C465710-80F2-4C13-B8D5-B1D084151104}

TERM.....GLUCERNA 1.0

DATA VALUE: GLUCERNA 1.2

ABBREVIATION.....Glu 1.2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Glucerna 1.2

HELP_TEXT.....

ID.....{F58F1014-D1C4-44EB-9B01-FB88F2B3D751}

TERM.....GLUCERNA 1.2

DATA VALUE: GLUTEN RESTRICTED

ABBREVIATION.....GLUT RESTR

ACTIVE.....Yes

DESCRIPTION.....Gluten Restricted

DISPLAY_NAME.....Gluten Restricted

HELP_TEXT.....No Help Text

ID.....{0805A164-D387-4E67-9D42-BAF1F2543337}

TERM.....GLUTEN RESTRICTED

DATA VALUE: GNAWING

ABBREVIATION.....GNAWING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Gnawing

HELP_TEXT.....No Help Text

ID.....{8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}

TERM.....GNAWING

DATA VALUE: GOOD

ABBREVIATION.....GOOD

ACTIVE.....Yes

DESCRIPTION.....Good

DISPLAY_NAME.....Good

HELP_TEXT.....No Help Text

ID.....{39ECA304-49F9-44B7-9735-B33CEC9D8119}

TERM.....GOOD

DATA VALUE: GRAFTS

ABBREVIATION.....Grafts

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Grafts

HELP_TEXT.....

ID.....{E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}

TERM.....GRAFTS

DATA VALUE: GRANULATING

ABBREVIATION.....GRANULATI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Granulating

HELP_TEXT.....No Help Text

ID.....{F8930276-3954-4BFE-82B0-6C44A8E9CAE0}

TERM.....GRANULATING

DATA VALUE: GRAVITY

ABBREVIATION.....GRAVITY

ACTIVE.....Yes

DESCRIPTION.....Gravity

DISPLAY_NAME.....Gravity

HELP_TEXT.....No Help Text

ID.....{C0233F70-376D-41CE-9F14-714C7B35244F}

TERM.....GRAVITY

DATA VALUE: GRAY

ABBREVIATION.....GRAY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Gray

HELP_TEXT.....No Help Text

ID.....{D38ABEE0-52D7-4316-A713-40ACF4250599}

TERM.....GRAY

DATA VALUE: GREEN

ABBREVIATION.....GREEN
ACTIVE.....Yes
DESCRIPTION.....The color green
DISPLAY_NAME.....Green
HELP_TEXT.....The color green
ID.....{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
TERM.....GREEN

DATA VALUE: GRIMACING

ABBREVIATION.....GRIMACING
ACTIVE.....Yes
DESCRIPTION.....Grimacing
DISPLAY_NAME.....Grimacing
HELP_TEXT.....No Help Text
ID.....{69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}
TERM.....GRIMACING

DATA VALUE: GROUP ROOM

ABBREVIATION.....gr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Group Room

HELP_TEXT.....No Help Text

ID.....{D41C3D9F-8F10-1A0F-D571-20DE0EA36328}

TERM.....GROUP ROOM

DATA VALUE: GU PROCEDURE ROOM

ABBREVIATION.....GU Proc Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....GU Procedure Room

HELP_TEXT.....

ID.....{D4B6678F-C1DD-4A23-9045-574251F6CD74}

TERM.....GU PROCEDURE ROOM

DATA VALUE: GUARDING

ABBREVIATION.....GUARDING

ACTIVE.....Yes

DESCRIPTION.....Guarding

DISPLAY_NAME.....Guarding

HELP_TEXT.....No Help Text

ID.....{9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}

TERM.....GUARDING

DATA VALUE: GURNEY CHAIR

ABBREVIATION.....GURN CHAIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Gurney Chair

HELP_TEXT.....No Help Text

ID.....{B6EA0944-8414-42FD-88C0-50155DE82896}

TERM.....GURNEY CHAIR

DATA VALUE: HALL

ABBREVIATION.....h

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Hall

HELP_TEXT.....No Help Text

ID.....{BFCEA10F-2663-199E-88D8-E263122D7D26}

TERM.....HALL

DATA VALUE: HARD

ABBREVIATION.....HARD

ACTIVE.....Yes

DESCRIPTION.....Hard

DISPLAY_NAME.....Hard

HELP_TEXT.....No Help Text

ID.....{7934B543-7028-4CBC-9308-99F5A952A1DE}

TERM.....HARD

DATA VALUE: HAS NOT SLEPT

ABBREVIATION.....NO SLEEP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Has Not Slept

HELP_TEXT.....No Help Text

ID.....{3BF9DB54-5D1E-422D-90AF-918F81C9EA85}

TERM.....HAS NOT SLEPT

DATA VALUE: HEAD DOWN

ABBREVIATION.....hd

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Head Down

HELP_TEXT.....No Help Text

ID.....{80BF3425-D252-F917-052E-DC54D39E464E}

TERM.....HEAD DOWN

DATA VALUE: HEAD UP

ABBREVIATION.....hu
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Head Up
HELP_TEXT.....No Help Text
ID.....{BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}
TERM.....HEAD UP

DATA VALUE: HEADACHE

ABBREVIATION.....Headache
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Headache
HELP_TEXT.....
ID.....{9338E67C-201C-4066-A734-8BD4B47462BD}
TERM.....HEADACHE

DATA VALUE: HEARING

ABBREVIATION.....HEARING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hearing

HELP_TEXT.....No Help Text

ID.....{D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}

TERM.....HEARING

DATA VALUE: HEARING AIDS

ABBREVIATION.....Hear Aids

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Hearing Aids

HELP_TEXT.....

ID.....{504FF149-8889-444E-925B-C952314FDF98}

TERM.....HEARING AIDS

DATA VALUE: HEARTBURN

ABBREVIATION.....HEARTBURN

ACTIVE.....Yes

DESCRIPTION.....Heartburn

DISPLAY_NAME.....Heartburn

HELP_TEXT.....Heartburn

ID.....{5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}

TERM.....HEARTBURN

DATA VALUE: HEAT

ABBREVIATION.....HEAT

ACTIVE.....Yes

DESCRIPTION.....Heat

DISPLAY_NAME.....Heat

HELP_TEXT.....No Help Text

ID.....{E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}

TERM.....HEAT

DATA VALUE: HEAT CHEM PACK

ABBREVIATION.....HT CHEM PA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Heat Chemi Pack

HELP_TEXT.....No Help Text

ID.....{D759F891-2535-40C2-A68C-678170E56F7A}

TERM.....HEAT CHEM PACK

DATA VALUE: HEAT LAMP

ABBREVIATION.....HEAT LAMP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Heat Lamp

HELP_TEXT.....Heat Lamp
ID.....{4E9DE229-F810-4AB0-9FD7-4596759CEA11}
TERM.....HEAT LAMP

DATA VALUE: HEAVY

ABBREVIATION.....HEAVY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Heavy
HELP_TEXT.....No Help Text
ID.....{1F10CD98-03FA-4705-BF7D-941E881C4E3D}
TERM.....HEAVY

DATA VALUE: HEEL LIFT

ABBREVIATION.....HEEL LIFT
ACTIVE.....Yes
DESCRIPTION.....Heel Lift
DISPLAY_NAME.....Heel Lift
HELP_TEXT.....No Help Text
ID.....{974F90E6-382D-421A-A4CE-94A74CBEFC32}
TERM.....HEEL LIFT

DATA VALUE: HEEL PILLOW

ABBREVIATION.....HEEL PILLO
ACTIVE.....Yes
DESCRIPTION.....Heel Pillow
DISPLAY_NAME.....Heel Pillow
HELP_TEXT.....No Help Text
ID.....{F0F1D997-C780-40BF-AA88-78262E81BFAA}
TERM.....HEEL PILLOW

DATA VALUE: HEMATOMA

ABBREVIATION.....HEMATOMA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hematoma
HELP_TEXT.....No Help Text
ID.....{6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
TERM.....HEMATOMA

DATA VALUE: HEMATURIA

ABBREVIATION.....HEMATURIA
ACTIVE.....Yes
DESCRIPTION.....Blood present in urine
DISPLAY_NAME.....Hematuria

HELP_TEXT.....Blood present in urine

ID.....{ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}

TERM.....HEMATURIA

DATA VALUE: HEMORRHAGE

ABBREVIATION.....HEMORRHAGE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Hemorrhage

HELP_TEXT.....No Help Text

ID.....{E00AC828-83F3-4F69-B97B-D6AD1D87A440}

TERM.....HEMORRHAGE

DATA VALUE: HEMOVAC

ABBREVIATION.....HEMOVAC

ACTIVE.....Yes

DESCRIPTION.....Hemovac

DISPLAY_NAME.....Hemovac

HELP_TEXT.....No Help Text

ID.....{82DA2DA7-E20B-E571-659C-457DF42472C2}

TERM.....HEMOVAC

DATA VALUE: HEPATIC FORMULA

ABBREVIATION.....HEPAT FORM
ACTIVE.....Yes
DESCRIPTION.....Hepatic Enteral Nutrition Formula
DISPLAY_NAME.....Hepatic Enteral Nutrition Formula
HELP_TEXT.....No Help Text
ID.....{1BC0A09A-CCD7-457F-BC08-9B6FC5144BF3}
TERM.....HEPATIC FORMULA

DATA VALUE: HEPLOCK

ABBREVIATION.....HEPLOCK
ACTIVE.....Yes
DESCRIPTION.....Heplock
DISPLAY_NAME.....Heplock
HELP_TEXT.....No Help Text
ID.....{C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
TERM.....HEPLOCK

DATA VALUE: HIGH

ABBREVIATION.....h
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....High

HELP_TEXT.....No Help Text

ID.....{D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}

TERM.....HIGH

DATA VALUE: HIGH CALORIE

ABBREVIATION.....HIGH CALOR

ACTIVE.....Yes

DESCRIPTION.....High Calorie

DISPLAY_NAME.....High Calorie

HELP_TEXT.....No Help Text

ID.....{FC453BF0-1E7E-4733-9605-AC3425F16205}

TERM.....HIGH CALORIE

DATA VALUE: HIGH FALL RISK

ABBREVIATION.....hfr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....High Fall Risk

HELP_TEXT.....No Help Text

ID.....{276C15F3-5BED-0FE0-5649-337A23AB1386}

TERM.....HIGH FALL RISK

DATA VALUE: HIGH FIBER

ABBREVIATION.....HIGH FIBER

ACTIVE.....Yes

DESCRIPTION.....High Fiber

DISPLAY_NAME.....High Fiber

HELP_TEXT.....No Help Text

ID.....{3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}

TERM.....HIGH FIBER

DATA VALUE: HIGH FOWLER'S

ABBREVIATION.....HIGH FOWLE

ACTIVE.....Yes

DESCRIPTION.....High Fowler's

DISPLAY_NAME.....High Fowler's

HELP_TEXT.....No Help Text

ID.....{EA23C94D-EE91-4552-9F74-E051FAF3E194}

TERM.....HIGH FOWLER'S

DATA VALUE: HIGH PROTEIN

ABBREVIATION.....HIGH PROTE

ACTIVE.....Yes

DESCRIPTION.....High Protein

DISPLAY_NAME.....High Protein

HELP_TEXT.....No Help Text
ID.....{1595A29D-CA91-45AE-893B-856EB909E4DD}
TERM.....HIGH PROTEIN

DATA VALUE: HIRSUTISM

ABBREVIATION.....HIRSUTISM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hirsutism
HELP_TEXT.....No Help Text
ID.....{A909A4FC-080A-4E9A-867A-0B30D4633602}
TERM.....HIRSUTISM

DATA VALUE: HOME

ABBREVIATION.....HOME
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Home
HELP_TEXT.....No Help Text
ID.....{C8E5E320-361B-421C-A6A9-13DC16125440}
TERM.....HOME

DATA VALUE: HOME HEALTH

ABBREVIATION.....HOME HEALT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Home Health
HELP_TEXT.....No Help Text
ID.....{F94FB70A-AFFD-4A5E-A829-0AF933B044BB}
TERM.....HOME HEALTH

DATA VALUE: HOSTILE

ABBREVIATION.....h
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hostile
HELP_TEXT.....No Help Text
ID.....{29EF2C04-7DB0-4491-2B5E-D92A6A558721}
TERM.....HOSTILE

DATA VALUE: HOT

ABBREVIATION.....HOT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hot

HELP_TEXT.....No Help Text

ID.....{401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}

TERM.....HOT

DATA VALUE: HUMIDIFIER

ABBREVIATION.....HUMIDIFIER

ACTIVE.....Yes

DESCRIPTION.....Humidifier

DISPLAY_NAME.....Humidifier

HELP_TEXT.....Humidifier

ID.....{A4CE67D1-F885-423B-B914-392D8CAC697E}

TERM.....HUMIDIFIER

DATA VALUE: HYDROCOLLOIDAL DRESSING

ABBREVIATION.....HCOLL DRES

ACTIVE.....Yes

DESCRIPTION.....Hydrocolloidal Dressing

DISPLAY_NAME.....Hydrocolloidal Dressing

HELP_TEXT.....No Help Text

ID.....{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

TERM.....HYDROCOLLOIDAL DRESSING

DATA VALUE: HYDROFIBER

ABBREVIATION.....H-FIBER
ACTIVE.....Yes
DESCRIPTION.....Hydrofiber
DISPLAY_NAME.....Hydrofiber
HELP_TEXT.....No Help Text
ID.....{42740A7F-A831-4FBD-9E59-88F315176674}
TERM.....HYDROFIBER

DATA VALUE: HYDROFIBER WITH SILVER

ABBREVIATION.....HYFIB W SI
ACTIVE.....Yes
DESCRIPTION.....Hydrofiber With Silver
DISPLAY_NAME.....Hydrofiber With Silver
HELP_TEXT.....No Help Text
ID.....{04BD9512-DE5D-421A-9818-8A33D1F0693D}
TERM.....HYDROFIBER WITH SILVER

DATA VALUE: HYDROGEL DRESSING

ABBREVIATION.....H-GEL DRES
ACTIVE.....Yes
DESCRIPTION.....Hydrogel Dressing
DISPLAY_NAME.....Hydrogel Dressing

HELP_TEXT.....No Help Text
ID.....{F6192D10-D6EA-42C2-AB15-270659D9925C}
TERM.....HYDROGEL DRESSING

DATA VALUE: HYPERACTIVE

ABBREVIATION.....HYPERACTIV
ACTIVE.....Yes
DESCRIPTION.....Hyperactive
DISPLAY_NAME.....Hyperactive
HELP_TEXT.....No Help Text
ID.....{1A548FFE-8645-4C0D-899D-5D91430CC1B1}
TERM.....HYPERACTIVE

DATA VALUE: HYPERDYNAMIC

ABBREVIATION.....HYPERDYNAM
ACTIVE.....Yes
DESCRIPTION.....Hyperdynamic
DISPLAY_NAME.....Hyperdynamic
HELP_TEXT.....No Help Text
ID.....{818A8A99-04D9-4989-A9BA-ECFACED74605}
TERM.....HYPERDYNAMIC

DATA VALUE: HYPERGRANULIZATION

ABBREVIATION.....HYPERGRANU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hypergranulization
HELP_TEXT.....No Help Text
ID.....{C14B9FB0-6F33-4ACB-88B3-4B799594F845}
TERM.....HYPERGRANULIZATION

DATA VALUE: HYPERTONIC HYDROGEL

ABBREVIATION.....WOU DR HYP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hypertonic Hydrogel
HELP_TEXT.....No Help-Text
ID.....{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}
TERM.....HYPERTONIC HYDROGEL

DATA VALUE: HYPOACTIVE

ABBREVIATION.....HYPOACTIVE
ACTIVE.....Yes
DESCRIPTION.....Hypoactive
DISPLAY_NAME.....Hypoactive

HELP_TEXT.....No Help Text

ID.....{2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}

TERM.....HYPOACTIVE

DATA VALUE: HYPOALBUMINEMIA

ABBREVIATION.....HYPOALBUM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Hypoalbuminemia

HELP_TEXT.....No Help Text

ID.....{A3397F38-2491-48E7-8366-A6FA2D91E866}

TERM.....HYPOALBUMINEMIA

DATA VALUE: HYPOTENSION

ABBREVIATION.....Hypotensio

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Hypotension

HELP_TEXT.....

ID.....{1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}

TERM.....HYPOTENSION

DATA VALUE: HYPOXIA

ABBREVIATION.....Hypoxia
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Hypoxia
HELP_TEXT.....
ID.....{7599629D-1206-4A1A-9D02-EEE384E5FE51}
TERM.....HYPOXIA

DATA VALUE: I

ABBREVIATION.....I
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....I
HELP_TEXT.....No Help Text
ID.....{BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}
TERM.....I

DATA VALUE: IABP

ABBREVIATION.....IABP
ACTIVE.....Yes
DESCRIPTION.....Intra-Aortic Balloon Pump
DISPLAY_NAME.....IABP

HELP_TEXT.....No Help Text

ID.....{763FE975-F5E5-80A6-AB16-E903A829E665}

TERM.....IABP

DATA VALUE: ICE PACK

ABBREVIATION.....ICE PACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ice Pack

HELP_TEXT.....No Help Text

ID.....{E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}

TERM.....ICE PACK

DATA VALUE: ICTERIC

ABBREVIATION.....ICTERIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Icteric

HELP_TEXT.....Relating to or affected with jaundice

ID.....{274ED5BB-5A34-20EE-A9B0-81AB7803780E}

TERM.....ICTERIC

DATA VALUE: ICU

ABBREVIATION.....ICU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....ICU
HELP_TEXT.....No Help Text
ID.....{E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}
TERM.....ICU

DATA VALUE: ID BAND

ABBREVIATION.....ID Band
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....ID Band
HELP_TEXT.....
ID.....{5526C5AB-64C8-4AB1-B77F-DAF45D26B439}
TERM.....ID BAND

DATA VALUE: ID CARD

ABBREVIATION.....ID Card
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....ID Card

HELP_TEXT.....

ID.....{CFD540F0-3D73-498F-B590-CCEF11499078}

TERM.....ID CARD

DATA VALUE: IDENTIFICATION

ABBREVIATION.....i

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Identification

HELP_TEXT.....No Help Text

ID.....{39274F69-556C-7F05-6D17-CE8A03D1867D}

TERM.....IDENTIFICATION

DATA VALUE: IDIOVENTRICULAR

ABBREVIATION.....i

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Idioventricular

HELP_TEXT.....No Help Text

ID.....{8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}

TERM.....IDIOVENTRICULAR

DATA VALUE: II

ABBREVIATION.....II

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....II

HELP_TEXT.....No Help Text

ID.....{F165C13B-397E-4182-8D72-BD1D74CFBA00}

TERM.....II

DATA VALUE: III

ABBREVIATION.....III

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....III

HELP_TEXT.....No Help Text

ID.....{D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}

TERM.....III

DATA VALUE: ILEAL CONDUIT

ABBREVIATION.....ILEAL COND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ileal Conduit

HELP_TEXT.....No Help Text
ID.....{032CB6FE-77D2-702E-A0AE-46176F5CAA57}
TERM.....ILEAL CONDUIT

DATA VALUE: ILEOSTOMY

ABBREVIATION.....ILEOSTOMY
ACTIVE.....Yes
DESCRIPTION.....Ileostomy
DISPLAY_NAME.....Ileostomy
HELP_TEXT.....No Help Text
ID.....{D5DF49C8-C6BA-44C1-9840-7765907730A3}
TERM.....ILEOSTOMY

DATA VALUE: IMAGING

ABBREVIATION.....IMAGING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Imaging
HELP_TEXT.....No Help Text
ID.....{791A322E-F45E-40EB-B95D-E5B62E1D0A75}
TERM.....IMAGING

DATA VALUE: IMPAIRED LISTENING SKILLS

ABBREVIATION.....IMP LIS SK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Impaired Listening Skills

HELP_TEXT.....No Help Text

ID.....{9CE0E7E7-79E5-4910-918C-2022C9830171}

TERM.....IMPAIRED LISTENING SKILLS

DATA VALUE: IMPLANTS

ABBREVIATION.....Implants

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Implants

HELP_TEXT.....

ID.....{14998852-14FD-4C6A-BB8A-5073D6094B11}

TERM.....IMPLANTS

DATA VALUE: INAPPROPRIATE

ABBREVIATION.....Inappropri

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Inappropriate

HELP_TEXT.....No Help Text

ID.....{7E3B54C2-8A49-28EC-055E-FEA87599421C}

TERM.....INAPPROPRIATE

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS BLOODY

ABBREVIATION.....INC DI BLO

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Bloody

DISPLAY_NAME.....Bloody

HELP_TEXT.....Incision Discharge Characteristics

Bloody

ID.....{D185E55B-EC21-49B6-A040-5422382C3B90}

TERM.....INCISION DISCHARGE CHARACTERISTICS

BLOODY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS CLOUDY

ABBREVIATION.....INC DI CLO

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Cloudy

DISPLAY_NAME.....Cloudy

HELP_TEXT.....Incision Discharge Characteristics

Cloudy

ID.....{3EBBB25E-1B90-415B-BCB5-3C3DAC33C118}

TERM.....INCISION DISCHARGE CHARACTERISTICS

CLOUDY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS NONE

ABBREVIATION.....INC DI NON

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics None

DISPLAY_NAME.....None

HELP_TEXT.....Incision Discharge Characteristics None

ID.....{4F118F41-8C09-400E-A303-0955DFDF54E2}

TERM.....INCISION DISCHARGE CHARACTERISTICS NONE

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS PURULENT

ABBREVIATION.....INC DI PUR

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Purulent

DISPLAY_NAME.....Purulent

HELP_TEXT.....Incision Discharge Characteristics

Purulent

ID.....{B2D71BDF-41AB-4F10-ABE3-A9D9F338F6F1}

TERM.....INCISION DISCHARGE CHARACTERISTICS

PURULENT

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS

ABBREVIATION.....INC DI SSA

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Serosanguinous

DISPLAY_NAME.....Serosanguinous

HELP_TEXT.....Incision Discharge Characteristics

Serosanguinous

ID.....{102F19A9-CC28-4156-88DE-1B4C8A682AC2}

TERM.....INCISION DISCHARGE CHARACTERISTICS

SEROSANGUINOUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROUS

ABBREVIATION.....INC DI SER

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Serous

DISPLAY_NAME.....Serous

HELP_TEXT.....Incision Discharge Characteristics

Serous

ID.....{CC4F3BA1-AD0D-42BA-9D76-1FE66F864FC8}

TERM.....INCISION DISCHARGE CHARACTERISTICS

SEROUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS VISCOUS

ABBREVIATION.....INC DI VIS

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Viscous

DISPLAY_NAME.....Viscous

HELP_TEXT.....Incision Discharge Characteristics

Viscous

ID.....{A38C2D8C-25B1-41E5-A69F-7A5C439C6EB9}

TERM.....INCISION DISCHARGE CHARACTERISTICS

VISCOUS

DATA VALUE: INCISION DRAINAGE AMOUNT HEAVY

ABBREVIATION.....I DR A HEA

ACTIVE.....Yes

DESCRIPTION.....Incision Drainage Amount Heavy

DISPLAY_NAME.....Heavy

HELP_TEXT.....Incision Drainage Amount Heavy

ID.....{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}

TERM.....INCISION DRAINAGE AMOUNT HEAVY

DATA VALUE: INCISION DRAINAGE AMOUNT MODERATE

ABBREVIATION.....I DR A MOD

ACTIVE.....Yes

DESCRIPTION.....Incision Drainage Amount Moderate

DISPLAY_NAME.....Moderate

HELP_TEXT.....Incision Drainage Amount Moderate

ID.....{9B0487A9-DCB4-42D3-92E6-805C412B5D34}

TERM.....INCISION DRAINAGE AMOUNT MODERATE

DATA VALUE: INCISION DRAINAGE AMOUNT NONE

ABBREVIATION.....I DR A NON

ACTIVE.....Yes

DESCRIPTION.....Incision Drainage Amount None

DISPLAY_NAME.....None

HELP_TEXT.....Incision Drainage Amount None
ID.....{5D0D9027-4B20-43A4-B437-EA7B77CB2105}
TERM.....INCISION DRAINAGE AMOUNT NONE

DATA VALUE: INCISION DRAINAGE AMOUNT SCANT

ABBREVIATION.....I DR A SCA
ACTIVE.....Yes
DESCRIPTION.....Incision Drainage Amount Scant
DISPLAY_NAME.....Scant
HELP_TEXT.....Incision Drainage Amount Scant
ID.....{A476E395-46AA-44E7-8A00-CE22C7066BB1}
TERM.....INCISION DRAINAGE AMOUNT SCANT

DATA VALUE: INCISION DRAINAGE AMOUNT SMALL

ABBREVIATION.....I DR A SMA
ACTIVE.....Yes
DESCRIPTION.....Incision Drainage Amount Small
DISPLAY_NAME.....Small
HELP_TEXT.....Incision Drainage Amount Small
ID.....{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}
TERM.....INCISION DRAINAGE AMOUNT SMALL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL

ABBREVIATION.....INC DR ANT

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Antimicrobial

DISPLAY_NAME.....Antimicrobial

HELP_TEXT.....Incision Dressing Type Antimicrobial

ID.....{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}

TERM.....INCISION DRESSING TYPE ANTIMICROBIAL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL DISK

ABBREVIATION.....INC DR ADI

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Antimicrobial

Disk

DISPLAY_NAME.....Antimicrobial Disk

HELP_TEXT.....Incision Dressing Type Antimicrobial

Disk

ID.....{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}

TERM.....INCISION DRESSING TYPE ANTIMICROBIAL

DISK

DATA VALUE: INCISION DRESSING TYPE BALSAM OF PERU

ABBREVIATION.....INC DR BAL

ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Balsam of Peru
DISPLAY_NAME.....Balsam Of Peru
HELP_TEXT.....Incision Dressing Type Balsam of Peru
ID.....{A1FB45C6-6315-4282-8D89-DCB0C018E357}
TERM.....INCISION DRESSING TYPE BALSAM OF PERU

DATA VALUE: INCISION DRESSING TYPE BISMUTH GAUZE

ABBREVIATION.....INC DR BIS
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Bismuth Gauze
DISPLAY_NAME.....Bismuth Gauze
HELP_TEXT.....Incision Dressing Type Bismuth Gauze
ID.....{CA88C5DC-3890-49A2-800A-0528CE194BA8}
TERM.....INCISION DRESSING TYPE BISMUTH GAUZE

DATA VALUE: INCISION DRESSING TYPE CALCIUM ALGINATE

ABBREVIATION.....INC DR CAL
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Calcium Alginate
DISPLAY_NAME.....Calcium Alginate
HELP_TEXT.....Incision Dressing Type Calcium Alginate
ID.....{B20558BA-FB9E-499E-82DF-49616ACE9375}
TERM.....INCISION DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: INCISION DRESSING TYPE FOAM DRESSING

ABBREVIATION.....INC DR FOA

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Foam dressing

DISPLAY_NAME.....Foam Dressing

HELP_TEXT.....Incision Dressing Type Foam dressing

ID.....{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}

TERM.....INCISION DRESSING TYPE FOAM DRESSING

DATA VALUE: INCISION DRESSING TYPE GAUZE

ABBREVIATION.....INC DR GAU

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Gauze

DISPLAY_NAME.....Gauze

HELP_TEXT.....Incision Dressing Type Gauze

ID.....{E4AC9307-0512-4F9D-A254-FE19E654461F}

TERM.....INCISION DRESSING TYPE GAUZE

DATA VALUE: INCISION DRESSING TYPE GAUZE PACKING

ABBREVIATION.....INC DR GPA

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Gauze Packing

DISPLAY_NAME.....Gauze Packing

HELP_TEXT.....Incision Dressing Type Gauze Packing
ID.....{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}
TERM.....INCISION DRESSING TYPE GAUZE PACKING

DATA VALUE: INCISION DRESSING TYPE GAUZE WRAP

ABBREVIATION.....INC DR GWR
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Gauze Wrap
DISPLAY_NAME.....Gauze Wrap
HELP_TEXT.....Incision Dressing Type Gauze Wrap
ID.....{E1DBEC29-1430-4DA0-99DC-49B9389D2440}
TERM.....INCISION DRESSING TYPE GAUZE WRAP

DATA VALUE: INCISION DRESSING TYPE HYDROCOLLOIDAL

ABBREVIATION.....INC DR HYD
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Hydrocolloidal
DISPLAY_NAME.....Hydrocolloidal
HELP_TEXT.....Incision Dressing Type Hydrocolloidal
ID.....{424CCDCA-5196-4BBD-AE8B-0F68DDCC3FCF}
TERM.....INCISION DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: INCISION DRESSING TYPE HYDROGEL

ABBREVIATION.....INC DR HYD

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Hydrogel

DISPLAY_NAME.....Hydrogel

HELP_TEXT.....Incision Dressing Type Hydrogel

ID.....{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}

TERM.....INCISION DRESSING TYPE HYDROGEL

DATA VALUE: INCISION DRESSING TYPE HYPERTONIC HYDROGEL

ABBREVIATION.....INC DR HYP

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Hypertonic

Hydrogel

DISPLAY_NAME.....Hypertonic Hydrogel

HELP_TEXT.....Incision Dressing Type Hypertonic

Hydrogel

ID.....{25820A63-AD76-4198-BEB1-EF95DDEC5B35}

TERM.....INCISION DRESSING TYPE HYPERTONIC

HYDROGEL

DATA VALUE: INCISION DRESSING TYPE NONE

ABBREVIATION.....INC DR NON

ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type None
DISPLAY_NAME.....None
HELP_TEXT.....Incision Dressing Type None
ID.....{81F07C8D-A463-48A0-A64A-A143CECB5DD6}
TERM.....INCISION DRESSING TYPE NONE

DATA VALUE: INCISION DRESSING TYPE PRESSURE

ABBREVIATION.....INC DR PRE
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Pressure
DISPLAY_NAME.....Pressure
HELP_TEXT.....Incision Dressing Type Pressure
ID.....{B5823373-E5D8-40A5-954C-6A193D7E7511}
TERM.....INCISION DRESSING TYPE PRESSURE

DATA VALUE: INCISION DRESSING TYPE TRANSPARENT

ABBREVIATION.....INC DR TRA
ACTIVE.....Yes
DESCRIPTION.....Incision Dressing Type Gauze
DISPLAY_NAME.....Transparent
HELP_TEXT.....Incision Dressing Type Gauze
ID.....{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}
TERM.....INCISION DRESSING TYPE TRANSPARENT

DATA VALUE: INCISION EDGE INDISTINCT/ATTACHED

ABBREVIATION.....INC ED ATT
ACTIVE.....Yes
DESCRIPTION.....Incision Edge Indistinct, Attached
DISPLAY_NAME.....Indistinct, Attached
HELP_TEXT.....Incision Edge Indistinct, Attached
ID.....{AF7E7150-525E-49A4-AC23-042B788E8805}
TERM.....INCISION EDGE INDISTINCT/ATTACHED

DATA VALUE: INCISION EDGE NON-ATTACHED

ABBREVIATION.....INC ED NON
ACTIVE.....Yes
DESCRIPTION.....Incision Edge Non Attached
DISPLAY_NAME.....Non-Attached
HELP_TEXT.....Incision Edge Non Attached
ID.....{F457F951-F1DC-47AC-9336-AC093E149862}
TERM.....INCISION EDGE NON-ATTACHED

DATA VALUE: INCISION EDGE ROLLED

ABBREVIATION.....INC ED ROL
ACTIVE.....Yes
DESCRIPTION.....Incision Edge Rolled
DISPLAY_NAME.....Rolled

HELP_TEXT.....Incision Edge Rolled
ID.....{FFA33CAE-5D8B-4501-8120-A536BE53296F}
TERM.....INCISION EDGE ROLLED

DATA VALUE: INCISION EDGE TUNNELING

ABBREVIATION.....INC ED TUN
ACTIVE.....Yes
DESCRIPTION.....Incision Edge Tunneling
DISPLAY_NAME.....Tunneling
HELP_TEXT.....Incision Edge Tunneling
ID.....{492CD783-3C32-40F0-AE35-5A89E90409A7}
TERM.....INCISION EDGE TUNNELING

DATA VALUE: INCISION EDGE UNDERMINING

ABBREVIATION.....INC ED UND
ACTIVE.....Yes
DESCRIPTION.....Incision Edge Undermining
DISPLAY_NAME.....Undermining
HELP_TEXT.....Incision Edge Undermining
ID.....{0F3E968A-B867-4123-8C05-ED6B12D364CD}
TERM.....INCISION EDGE UNDERMINING

DATA VALUE: INCISION ODOR FOUL

ABBREVIATION.....INC OD FOU
ACTIVE.....Yes
DESCRIPTION.....Incision Odor Foul
DISPLAY_NAME.....Foul
HELP_TEXT.....Incision Odor Foul
ID.....{ECDC0988-BE82-41E3-8104-A66A5F8A1093}
TERM.....INCISION ODOR FOUL

DATA VALUE: INCISION ODOR NONE

ABBREVIATION.....INC OD NON
ACTIVE.....Yes
DESCRIPTION.....Incision Odor None
DISPLAY_NAME.....None
HELP_TEXT.....Incision Odor None
ID.....{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}
TERM.....INCISION ODOR NONE

DATA VALUE: INCISION WOUND CLOSURE APPROXIMATED

ABBREVIATION.....INC CL APP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Approximated

HELP_TEXT.....No Help-Text

ID.....{2DD5713E-D81C-484B-A0DF-6A5730B396DF}

TERM.....INCISION WOUND CLOSURE APPROXIMATED

DATA VALUE: INCISION WOUND CLOSURE DEHISCENCE

ABBREVIATION.....INC CL DEH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Dehiscence

HELP_TEXT.....No Help-Text

ID.....{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

TERM.....INCISION WOUND CLOSURE DEHISCENCE

DATA VALUE: INCISION WOUND CLOSURE GLUE

ABBREVIATION.....IN CL GLU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Glue

HELP_TEXT.....No Help-Text

ID.....{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}

TERM.....INCISION WOUND CLOSURE GLUE

DATA VALUE: INCISION WOUND CLOSURE NOT CLOSED

ABBREVIATION.....INC CL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Not Closed

HELP_TEXT.....No Help-Text

ID.....{D63A05BF-1205-45F6-A78D-15D198BCB1C6}

TERM.....INCISION WOUND CLOSURE NOT CLOSED

DATA VALUE: INCISIONAL SITE

ABBREVIATION.....INCIS SITE

ACTIVE.....Yes

DESCRIPTION.....INCISIONAL SITE

DISPLAY_NAME.....Incisional Site

HELP_TEXT.....INCISIONAL SITE

ID.....{19E69DE2-097B-0FA5-449D-B2E9161A3E05}

TERM.....INCISIONAL SITE

DATA VALUE: INCOMPREHENSIBLE

ABBREVIATION.....INCOMPREHE

ACTIVE.....Yes

DESCRIPTION.....Incomprehensible

DISPLAY_NAME.....Incomprehensible

HELP_TEXT.....No Help Text
ID.....{916CD781-563D-4F54-8752-800D37BFAA3B}
TERM.....INCOMPREHENSIBLE

DATA VALUE: INCONTENENCE DERMATITIS

ABBREVIATION.....INCON DERM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Incontenance Dermatitiss
HELP_TEXT.....No Help Text
ID.....{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}
TERM.....INCONTENENCE DERMATITIS

DATA VALUE: INCONTINENT

ABBREVIATION.....INCONTINEN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Incontinent
HELP_TEXT.....No Help Text
ID.....{BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
TERM.....INCONTINENT

DATA VALUE: INDEPENDENT

ABBREVIATION.....INDEPENDEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Independent

HELP_TEXT.....No Help-Text

ID.....{11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}

TERM.....INDEPENDENT

DATA VALUE: INDICATES UNDERSTANDING

ABBREVIATION.....UNDERSTAND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Indicates Understanding

HELP_TEXT.....No Help Text

ID.....{C4AEFE5F-C388-4E00-9663-6B308934284B}

TERM.....INDICATES UNDERSTANDING

DATA VALUE: INDIFFERENT

ABBREVIATION.....INDIFF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Indifferent

HELP_TEXT.....No Help Text

ID.....{7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}

TERM.....INDIFFERENT

DATA VALUE: INDURATION

ABBREVIATION.....INDURAITON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Induration (Hardness)

HELP_TEXT.....No Help Text

ID.....{A1669576-45D9-435C-87B9-488E9CF6BBA4}

TERM.....INDURATION

DATA VALUE: INDWELLING CATHETER

ABBREVIATION.....INDW CATH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Indwelling Catheter

HELP_TEXT.....No Help Text

ID.....{EC16724C-D1EA-5650-58D4-38A89D4456F9}

TERM.....INDWELLING CATHETER

DATA VALUE: INEFFECTIVE COPING

ABBREVIATION.....ic

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ineffective Coping

HELP_TEXT.....No Help Text

ID.....{704B1A55-B639-60F4-E3A5-16F942ABC259}

TERM.....INEFFECTIVE COPING

DATA VALUE: INFECTION

ABBREVIATION.....INFECTION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Infection

HELP_TEXT.....No Help Text

ID.....{DA00DB58-640D-4294-9468-EEF070DBAE8E}

TERM.....INFECTION

DATA VALUE: INFECTION PREVENTION AND SCREENING

ABBREVIATION.....INF PRE SC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Infection Prevention and Screening

HELP_TEXT.....No Help Text

ID.....{BA58329F-59EC-49F0-BACE-75AA5EC57F52}

TERM.....INFECTON PREVENTION AND SCREENING

DATA VALUE: INFLATABLE HEEL LIFT

ABBREVIATION.....INF HEEL L

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Inflatable Heel Lift

HELP_TEXT.....No Help Text

ID.....{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}

TERM.....INFLATABLE HEEL LIFT

DATA VALUE: INITIATED

ABBREVIATION.....INITIATED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Initiated

HELP_TEXT.....No Help Text

ID.....{562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}

TERM.....INITIATED

DATA VALUE: INSERTED THROUGH EXISTING INTRODUCER

ABBREVIATION.....INS EXS IN

ACTIVE.....Yes

DESCRIPTION.....Inserted Through Existing Introducer

DISPLAY_NAME.....Inserted Through Existing Introducer

HELP_TEXT.....No Help Text

ID.....{20BC183A-197F-4464-A27C-47F63C5B842A}

TERM.....INSERTED THROUGH EXISTING INTRODUCER

DATA VALUE: INSERTED THROUGH NEW INTRODUCER

ABBREVIATION.....INS NEW IN

ACTIVE.....Yes

DESCRIPTION.....Inserted Through New Introducer

DISPLAY_NAME.....Inserted Through New Introducer

HELP_TEXT.....No Help Text

ID.....{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

TERM.....INSERTED THROUGH NEW INTRODUCER

DATA VALUE: INSPIRATORY WHEEZES

ABBREVIATION.....INSP WHEEZ

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Inspiratory Wheezes

HELP_TEXT.....No Help Text

ID.....{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}

TERM.....INSPIRATORY WHEEZES

DATA VALUE: INTACT

ABBREVIATION.....i

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Intact

HELP_TEXT.....No apparent breakdown

ID.....{935C9CAF-6C88-6610-C6E9-4C1B822923AF}

TERM.....INTACT

DATA VALUE: INTENTIONAL

ABBREVIATION.....i

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Intentional

HELP_TEXT.....No Help Text

ID.....{D5BBBFFC-F739-1E69-FED4-288D8E803D04}

TERM.....INTENTIONAL

DATA VALUE: INTERMITTENT

ABBREVIATION.....INTERMITTE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Intermittent
HELP_TEXT.....No Help Text
ID.....{DD09ED7C-B977-412F-A678-5130F77D239E}
TERM.....INTERMITTENT

DATA VALUE: INTERMITTENT SLEEP

ABBREVIATION.....INT SLEEP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....States Has Slept Intermittently
HELP_TEXT.....No Help Text
ID.....{5005C433-5892-4F4D-A64D-4C94AD1853E2}
TERM.....INTERMITTENT SLEEP

DATA VALUE: INTERRUPTED

ABBREVIATION.....INTERRUPTED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Interrupted

HELP_TEXT.....No Help Text

ID.....{AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}

TERM.....INTERRUPTED

DATA VALUE: INTERVENTIONAL RADIOLOGY

ABBREVIATION.....Interv Rad

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Interventional Radiology

HELP_TEXT.....

ID.....{322B66E6-814F-43AF-B669-E503519DB72F}

TERM.....INTERVENTIONAL RADIOLOGY

DATA VALUE: INTRODUCER

ABBREVIATION.....INTRODUCER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Introducer

HELP_TEXT.....No Help Text

ID.....{B46F7CA4-C94E-68FD-2892-52866763B5A0}

TERM.....INTRODUCER

DATA VALUE: IRREGULAR

ABBREVIATION.....IRREGULAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Irregular

HELP_TEXT.....No Help Text

ID.....{6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}

TERM.....IRREGULAR

DATA VALUE: IRRITABLE

ABBREVIATION.....Irritable

ACTIVE.....Yes

DESCRIPTION.....Irritable

DISPLAY_NAME.....Irritable

HELP_TEXT.....No Help Text

ID.....{10651C11-2736-4056-BA84-E544358BA877}

TERM.....IRRITABLE

DATA VALUE: ISOSOURCE VHN

ABBREVIATION.....Iso VHN

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Isosource VHN

HELP_TEXT.....

ID.....{D68525BF-F922-464E-97DE-1AB767974483}

TERM.....ISOSOURCE VHN

DATA VALUE: ITCHING

ABBREVIATION.....Itching

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Itching

HELP_TEXT.....

ID.....{3A1FB47B-F274-458D-BDF6-E6882D6CB600}

TERM.....ITCHING

DATA VALUE: IV DISCONTINUED

ABBREVIATION.....IV DISC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....IV Discontinued

HELP_TEXT.....No Help Text

ID.....{FDF951E7-5B72-4166-969B-073D5EC74800}

TERM.....IV DISCONTINUED

DATA VALUE: IV PUMP

ABBREVIATION.....IV PUMP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....IV Pump
HELP_TEXT.....No Help Text
ID.....{EFB92C16-CFA3-18BB-9D54-590089DA3962}
TERM.....IV PUMP

DATA VALUE: IV SEDATION

ABBREVIATION.....IV Sed
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....IV Sedation
HELP_TEXT.....
ID.....{789B61EB-5E83-4024-850D-D92370C4EC9A}
TERM.....IV SEDATION

DATA VALUE: IVPB

ABBREVIATION.....IVPB
ACTIVE.....Yes
DESCRIPTION.....IV Piggy Back
DISPLAY_NAME.....IV Piggy Back

HELP_TEXT.....No Help Text

ID.....{50EE76CF-5A9C-4EEB-9201-37CD90509355}

TERM.....IVPB

DATA VALUE: JAUNDICE

ABBREVIATION.....j

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Jaundice

HELP_TEXT.....No Help Text

ID.....{B17F4603-7C68-660D-96A7-119140A998D3}

TERM.....JAUNDICE

DATA VALUE: JEJUNOSTOMY

ABBREVIATION.....JEJUNOSTOM

ACTIVE.....Yes

DESCRIPTION.....Jejunostomy EF Tube

DISPLAY_NAME.....Jejunostomy

HELP_TEXT.....No Help Text

ID.....{1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}

TERM.....JEJUNOSTOMY

DATA VALUE: JEVITY 1.0

ABBREVIATION.....Jevity 1.0
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Jevity 1.0
HELP_TEXT.....
ID.....{637F4523-0417-4EA4-9991-379C8362EC00}
TERM.....JEVITY 1.0

DATA VALUE: JEVITY 1.2

ABBREVIATION.....Jevity 1.2
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Jevity 1.2
HELP_TEXT.....
ID.....{0B3ADECE-FC19-4D90-912B-6EDC3D35C845}
TERM.....JEVITY 1.2

DATA VALUE: JEVITY 1.5

ABBREVIATION.....Jevity 1.5
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Jevity 1.5

HELP_TEXT.....

ID.....{ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}

TERM.....JEVITY 1.5

DATA VALUE: JOINT CAPSULE

ABBREVIATION.....JOINT CAPS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Joint Capsule

HELP_TEXT.....No Help Text

ID.....{F10E4DA8-DF84-4625-A317-724E7C9E028C}

TERM.....JOINT CAPSULE

DATA VALUE: JP DRAIN

ABBREVIATION.....JP Drain

ACTIVE.....Yes

DESCRIPTION.....Jackson Pratt Drain

DISPLAY_NAME.....JP Drain

HELP_TEXT.....No Help Text

ID.....{20F3B3D5-D3A4-96FD-5446-253FD031DF2B}

TERM.....JP DRAIN

DATA VALUE: JUNCTIONAL

ABBREVIATION.....j
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Junctional
HELP_TEXT.....No Help Text
ID.....{4A339D84-7051-1258-877D-85AFC1CA20FE}
TERM.....JUNCTIONAL

DATA VALUE: JUNCTIONAL ESCAPE BEAT

ABBREVIATION.....Junctional
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Junctional Escape Beat
HELP_TEXT.....
ID.....{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}
TERM.....JUNCTIONAL ESCAPE BEAT

DATA VALUE: JUNCTIONAL TACHYCARDIA

ABBREVIATION.....jt
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Junctional Tachycardia

HELP_TEXT.....

ID.....{D6EF01C1-A8F9-40FD-AE24-785041526041}

TERM.....JUNCTIONAL TACHYCARDIA

DATA VALUE: JUVEN

ABBREVIATION.....Juven

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Juven

HELP_TEXT.....

ID.....{2112F76A-D581-4C55-94CA-4B4CC68813AD}

TERM.....JUVEN

DATA VALUE: K-PAD

ABBREVIATION.....K-PAD

ACTIVE.....Yes

DESCRIPTION.....K-pad

DISPLAY_NAME.....K-pad

HELP_TEXT.....K-pad

ID.....{10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}

TERM.....K-PAD

DATA VALUE: KNIFE-LIKE

ABBREVIATION.....KNIFE-LIKE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Knife-Like

HELP_TEXT.....No Help Text

ID.....{FBA0EE3F-134B-431B-879A-9B17D65CD464}

TERM.....KNIFE-LIKE

DATA VALUE: KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

ABBREVIATION.....Known/Susp

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Known/Suspected Obstructive Sleep Apnea

HELP_TEXT.....

ID.....{BD47DD8C-7057-403B-B393-EBCBF9907B68}

TERM.....KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

DATA VALUE: KUSSMAUL

ABBREVIATION.....KUSSMAUL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Kussmaul

HELP_TEXT.....No Help Text

ID.....{0C5ED066-F445-ABFE-F7B1-D158EC7C2976}

TERM.....KUSSMAUL

DATA VALUE: L BUNDLE BRANCH BLOCK

ABBREVIATION.....lbbb

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Bundle Branch Block

HELP_TEXT.....No Help Text

ID.....{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}

TERM.....L BUNDLE BRANCH BLOCK

DATA VALUE: L FOOT DOWN

ABBREVIATION.....L FOOT DOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Foot Down

HELP_TEXT.....No Help Text

ID.....{5B18895B-DAD5-4874-87DB-DACFFF88B170}

TERM.....L FOOT DOWN

DATA VALUE: L FOOT UP

ABBREVIATION.....L FOOT UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Foot Up

HELP_TEXT.....No Help Text

ID.....{A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}

TERM.....L FOOT UP

DATA VALUE: L HEAD DOWN

ABBREVIATION.....L HEAD DOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Head Down

HELP_TEXT.....No Help Text

ID.....{3C919CB8-1C0A-498D-95A6-C46D25744CEC}

TERM.....L HEAD DOWN

DATA VALUE: L HEAD UP

ABBREVIATION.....L HEAD UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Head Up

HELP_TEXT.....No Help Text

ID.....{BB39792D-B572-4A10-BA81-8685809E7437}

TERM.....L HEAD UP

DATA VALUE: L NECK

ABBREVIATION.....LEFT NECK

ACTIVE.....Yes

DESCRIPTION.....Left Neck

DISPLAY_NAME.....L Neck

HELP_TEXT.....Left Neck

ID.....{6A53228A-5BD1-6AAF-029F-701C7EFE7C48}

TERM.....L NECK

DATA VALUE: L NEPHROSTOMY

ABBREVIATION.....L NEPHROST

ACTIVE.....Yes

DESCRIPTION.....Left Nephrostomy

DISPLAY_NAME.....L Nephrostomy

HELP_TEXT.....Left Nephrostomy

ID.....{D8FC4C18-081E-A7B9-E394-25F194BE9757}

TERM.....L NEPHROSTOMY

DATA VALUE: L STENT

ABBREVIATION.....LEFT STENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Stent

HELP_TEXT.....No Help Text

ID.....{FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}

TERM.....L STENT

DATA VALUE: L1

ABBREVIATION.....L1

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L1

HELP_TEXT.....

ID.....{E6FA1F4F-B32B-4523-966C-9AFAD9C44316}

TERM.....L1

DATA VALUE: L2

ABBREVIATION.....L2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L2

HELP_TEXT.....

ID.....{0E5E7F8E-BA82-499B-A57A-8D32C2113006}

TERM.....L2

DATA VALUE: L3

ABBREVIATION.....L3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L3

HELP_TEXT.....

ID.....{0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}

TERM.....L3

DATA VALUE: L4

ABBREVIATION.....L4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L4

HELP_TEXT.....

ID.....{94632F85-0152-47C2-9D82-B49C36ABF495}

TERM.....L4

DATA VALUE: L5

ABBREVIATION.....L5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....L5

HELP_TEXT.....

ID.....{87E93C0D-B607-4DD2-83EC-71131C072019}

TERM.....L5

DATA VALUE: LACERATION

ABBREVIATION.....LACERATION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Laceration

HELP_TEXT.....No Help Text

ID.....{F4548BB2-39AF-4E0D-B52F-472EA080D6FF}

TERM.....LACERATION

DATA VALUE: LACKS INTEREST

ABBREVIATION.....LACKS INT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lacks Interest

HELP_TEXT.....No Help Text
ID.....{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}
TERM.....LACKS INTEREST

DATA VALUE: LACTOSE RESTRICTED

ABBREVIATION.....LACT RESTR
ACTIVE.....Yes
DESCRIPTION.....Lactose Restricted
DISPLAY_NAME.....Lactose Restricted
HELP_TEXT.....No Help Text
ID.....{78A9066A-48E2-4285-88E3-A180CE771B5A}
TERM.....LACTOSE RESTRICTED

DATA VALUE: LANGUAGE

ABBREVIATION.....LANGUAGE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Language
HELP_TEXT.....No Help-Text
ID.....{0666538E-4F44-4D34-A5EA-69CF2F1F86FA}
TERM.....LANGUAGE

DATA VALUE: LARGE

ABBREVIATION.....I
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Large
HELP_TEXT.....No Help Text
ID.....{E60D5CF9-920D-44E2-8A83-136DAB1FE251}
TERM.....LARGE

DATA VALUE: LARYNGECTOMY

ABBREVIATION.....LARYNGECTO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Laryngectomy
HELP_TEXT.....No Help Text
ID.....{225CB76A-BAF5-827E-729B-C3D60AD5B50A}
TERM.....LARYNGECTOMY

DATA VALUE: LEFT

ABBREVIATION.....LEFT
ACTIVE.....Yes
DESCRIPTION.....Left
DISPLAY_NAME.....Left

HELP_TEXT.....No Help Text

ID.....{81063CEE-2E83-4C95-AAEE-76B7DCB828D4}

TERM.....LEFT

DATA VALUE: LESS THAN 30

ABBREVIATION.....<30

ACTIVE.....Yes

DESCRIPTION.....Less Than 30

DISPLAY_NAME.....<30

HELP_TEXT.....No Help Text

ID.....{5AA98A0D-9B05-425D-97CA-B8B12425AACA}

TERM.....LESS THAN 30

DATA VALUE: LETHARGIC

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lethargic

HELP_TEXT.....No Help Text

ID.....{4ECA2E44-093A-9354-848E-CDC72B165072}

TERM.....LETHARGIC

DATA VALUE: LEVELED

ABBREVIATION.....LEVELED

ACTIVE.....Yes

DESCRIPTION.....Leveled

DISPLAY_NAME.....Leveled

HELP_TEXT.....No Help Text

ID.....{D72523B2-E0CD-40E1-AC14-2FA43636A456}

TERM.....LEVELED

DATA VALUE: LIBERAL DIABETIC

ABBREVIATION.....LIBRL DIAB

ACTIVE.....Yes

DESCRIPTION.....Liberal Diabetic

DISPLAY_NAME.....Liberal Diabetic

HELP_TEXT.....No Help Text

ID.....{9B66B47B-E77E-4F69-BDFA-5323B28A283D}

TERM.....LIBERAL DIABETIC

DATA VALUE: LIMITED ASSISTANCE

ABBREVIATION.....LIM ASSIST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Limited Assistance

HELP_TEXT.....No Help Text
ID.....{9A8C1310-C840-431E-BA21-065B7EA7B768}
TERM.....LIMITED ASSISTANCE

DATA VALUE: LIMITED ATTENION SPAN

ABBREVIATION.....LIM ATT S
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Limited Attention Span
HELP_TEXT.....No Help Text
ID.....{51553020-0CB9-483E-AC1C-15CA6D9380A3}
TERM.....LIMITED ATTENION SPAN

DATA VALUE: LIMITED TO INCISION

ABBREVIATION.....ER EXI LIM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Limited to Incision
HELP_TEXT.....No Help-Text
ID.....{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}
TERM.....LIMITED TO INCISION

DATA VALUE: LINE FLUSH

ABBREVIATION.....LINE FLUSH

ACTIVE.....Yes

DESCRIPTION.....Fluid flushed from line

DISPLAY_NAME.....Line Flush

HELP_TEXT.....No Help Text

ID.....{8DDD63BE-CF28-4C83-93FF-C81609FFDE51}

TERM.....LINE FLUSH

DATA VALUE: LIP SALVE

ABBREVIATION.....LIP SALVE

ACTIVE.....Yes

DESCRIPTION.....Lip Salve

DISPLAY_NAME.....Lip Salve

HELP_TEXT.....No Help Text

ID.....{612F78AB-7386-4176-9896-02DE5A8E836D}

TERM.....LIP SALVE

DATA VALUE: LISTED DIET

ABBREVIATION.....LIST DIET

ACTIVE.....Yes

DESCRIPTION.....Listed Diet

DISPLAY_NAME.....Listed Diet

HELP_TEXT.....No Help Text

ID.....{24FBBFD9-B426-4DD9-9843-3428A1C91676}

TERM.....LISTED DIET

DATA VALUE: LOCAL

ABBREVIATION.....Local

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Local

HELP_TEXT.....

ID.....{64A0FD20-4584-446C-8A2A-57F2FEF3DD10}

TERM.....LOCAL

DATA VALUE: LOCALIZES TO PAIN

ABBREVIATION.....LOC TO PAI

ACTIVE.....Yes

DESCRIPTION.....Localizes To Pain

DISPLAY_NAME.....Localizes To Pain

HELP_TEXT.....No Help Text

ID.....{4072DFF9-2D90-423F-B6F0-0F2B924025D9}

TERM.....LOCALIZES TO PAIN

DATA VALUE: LOCK BOX

ABBREVIATION.....Lock Box

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Lock Box

HELP_TEXT.....

ID.....{974A2F44-C918-4E85-ABAF-03A21498F98B}

TERM.....LOCK BOX

DATA VALUE: LOCKER

ABBREVIATION.....Locker

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Locker

HELP_TEXT.....

ID.....{36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

TERM.....LOCKER

DATA VALUE: LOOSE

ABBREVIATION.....LOOSE

ACTIVE.....Yes

DESCRIPTION.....Loose

DISPLAY_NAME.....Loose

HELP_TEXT.....No Help Text

ID.....{1346A74E-3AA1-4D81-876B-91201F9717A5}

TERM.....LOOSE

DATA VALUE: LOW

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Low

HELP_TEXT.....No Help Text

ID.....{B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}

TERM.....LOW

DATA VALUE: LOW AIRLOSS OVERLAY

ABBREVIATION.....L AIR OVRL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Low Airloss Overlay

HELP_TEXT.....No Help Text

ID.....{282C439C-A697-43E6-85C1-786352EB56BC}

TERM.....LOW AIRLOSS OVERLAY

DATA VALUE: LOW AIRLOSS/ALTERNATING PRESSURE COMBO

ABBREVIATION.....L AIRL ALT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Low Airloss/Alternating Pressure Combo

HELP_TEXT.....No Help Text

ID.....{ADDD1260-C95B-4D7B-AB89-3749D76A3700}

TERM.....LOW AIRLOSS/ALTERNATING PRESSURE COMBO

DATA VALUE: LOW CHOLESTEROL

ABBREVIATION.....LOW CHOLES

ACTIVE.....Yes

DESCRIPTION.....Low Cholesterol

DISPLAY_NAME.....Low Cholesterol

HELP_TEXT.....No Help Text

ID.....{88F0170A-2560-48C6-9604-982453BCFC3B}

TERM.....LOW CHOLESTEROL

DATA VALUE: LOW FIBER

ABBREVIATION.....LOW FIBER

ACTIVE.....Yes

DESCRIPTION.....Low Fiber

DISPLAY_NAME.....Low Fiber

HELP_TEXT.....No Help Text

ID.....{2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}

TERM.....LOW FIBER

DATA VALUE: LOW PROTEIN 60 GM

ABBREVIATION.....L PROT 60g

ACTIVE.....Yes

DESCRIPTION.....Low Protein 60 GM

DISPLAY_NAME.....Low Protein 60 GM

HELP_TEXT.....No Help Text

ID.....{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}

TERM.....LOW PROTEIN 60 GM

DATA VALUE: LOW TYRAMINE

ABBREVIATION.....LOW TYRAMI

ACTIVE.....Yes

DESCRIPTION.....Low Tyramine

DISPLAY_NAME.....Low Tyramine

HELP_TEXT.....No Help Text

ID.....{DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}

TERM.....LOW TYRAMINE

DATA VALUE: LUMBAR DRAIN

ABBREVIATION.....LUM DRAIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lumbar Drain
HELP_TEXT.....No Help Text
ID.....{FF36A046-1799-0734-286B-2272C34E3056}
TERM.....LUMBAR DRAIN

DATA VALUE: LUMBAR SPINAL PRECAUTIONS

ABBREVIATION.....LUMB S P
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lumbar Spinal Precautions
HELP_TEXT.....No Help Text
ID.....{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}
TERM.....LUMBAR SPINAL PRECAUTIONS

DATA VALUE: LYING OR SITTING

ABBREVIATION.....los
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lying Or Sitting

HELP_TEXT.....No Help Text
ID.....{52A940B1-55AF-AB4E-9E59-F93515A1296C}
TERM.....LYING OR SITTING

DATA VALUE: MACERATION

ABBREVIATION.....MACERATION
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....MACERATION
HELP_TEXT.....No Help Text
ID.....{B7C63E05-E193-40AA-A572-F1ACA0162B8B}
TERM.....MACERATION

DATA VALUE: MAGNACAL

ABBREVIATION.....MAGNACAL
ACTIVE.....Yes
DESCRIPTION.....Enteral Nutrition Type
DISPLAY_NAME.....Magnacal
HELP_TEXT.....No Help Text
ID.....{C810A618-FB1A-45BB-A540-EADF1414E343}
TERM.....MAGNACAL

DATA VALUE: MAINTAINING EFFECTIVE VENTILATION

ABBREVIATION.....EFF VENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Maintaining Effective Ventilation

HELP_TEXT.....No Help Text

ID.....{18774550-ECBD-412D-AD95-131FAA4CC549}

TERM.....MAINTAINING EFFECTIVE VENTILATION

DATA VALUE: MAROON

ABBREVIATION.....MAROON

ACTIVE.....Yes

DESCRIPTION.....Maroon in appearance

DISPLAY_NAME.....Maroon

HELP_TEXT.....No Help Text

ID.....{1F518B23-C79F-4F06-9DF3-ADC5C96D3029}

TERM.....MAROON

DATA VALUE: MEAL

ABBREVIATION.....MEAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Meal

HELP_TEXT.....No Help Text

ID.....{85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}

TERM.....MEAL

DATA VALUE: MECHANICAL

ABBREVIATION.....MECHANICAL

ACTIVE.....Yes

DESCRIPTION.....Mechanical

DISPLAY_NAME.....Mechanical

HELP_TEXT.....No Help Text

ID.....{01EA793C-B524-4685-A3EC-60A317CBACC5}

TERM.....MECHANICAL

DATA VALUE: MED RECONCILLIATION DOCUMENTED

ABBREVIATION.....ME RE DO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Med Reconciliation Documented

HELP_TEXT.....No Help Text

ID.....{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}

TERM.....MED RECONCILLIATION DOCUMENTED

DATA VALUE: MEDIAL PORT

ABBREVIATION.....MEDI PORT

ACTIVE.....Yes

DESCRIPTION.....Medial Port

DISPLAY_NAME.....Medial Port

HELP_TEXT.....No Help Text

ID.....{D1734D73-2E1A-4538-8884-05D8A78CF556}

TERM.....MEDIAL PORT

DATA VALUE: MEDICAL DEVICE SAFETY

ABBREVIATION.....mds

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Medical Device Safety

HELP_TEXT.....No Help Text

ID.....{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

TERM.....MEDICAL DEVICE SAFETY

DATA VALUE: MEDICATION

ABBREVIATION.....MEDICATION

ACTIVE.....Yes

DESCRIPTION.....Medication

DISPLAY_NAME.....Medication

HELP_TEXT.....No Help Text

ID.....{22E6DEBB-9662-466B-990C-8DA500C0A183}

TERM.....MEDICATION

DATA VALUE: MEDICATION ROOM

ABBREVIATION.....mr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Medication Room

HELP_TEXT.....No Help Text

ID.....{9571AA9F-F538-55EC-37F6-99FE5677B970}

TERM.....MEDICATION ROOM

DATA VALUE: MEDIUM

ABBREVIATION.....MEDIUM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Medium

HELP_TEXT.....No Help Text

ID.....{62C94066-A7B6-CAA8-064B-2AF7C0DA6323}

TERM.....MEDIUM

DATA VALUE: MEMORY

ABBREVIATION.....MEMORY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Memory

HELP_TEXT.....No Help Text

ID.....{E30C1930-B98B-4382-B892-34E9C6008D1F}

TERM.....MEMORY

DATA VALUE: MENTAL HEALTH

ABBREVIATION.....MEN HEAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mental Health

HELP_TEXT.....No Help Text

ID.....{ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}

TERM.....MENTAL HEALTH

DATA VALUE: MENTAL HEALTH HOLD

ABBREVIATION.....MEN HEA HO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mental Health Hold

HELP_TEXT.....No Help Text

ID.....{31560285-7BD5-4E53-BB77-93B244367F42}

TERM.....MENTAL HEALTH HOLD

DATA VALUE: MENTAL STATUS - AWAKE ORIENTED

ABBREVIATION.....M/S Awake

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Mental Status - Awake Oriented

HELP_TEXT.....

ID.....{37818468-4798-4CBE-82ED-A793BDD10874}

TERM.....MENTAL STATUS - AWAKE ORIENTED

DATA VALUE: MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA

ABBREVIATION.....M/S Demen

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Mental Status - Baseline for Dementia

HELP_TEXT.....

ID.....{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}

TERM.....MENTAL STATUS - BASELINE FOR KNOWN

DEMENTIA

DATA VALUE: METAL IMPLANTS

ABBREVIATION.....Metal Impl
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Metal Implants
HELP_TEXT.....
ID.....{E7424C97-0A81-4C4E-916E-0AE812FFDB96}
TERM.....METAL IMPLANTS

DATA VALUE: MICU

ABBREVIATION.....MICU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....MICU
HELP_TEXT.....No Help Text
ID.....{28244B62-644C-4DA0-A350-EAFE0D2FA7C0}
TERM.....MICU

DATA VALUE: MILD-MODERATELY REDUCED

ABBREVIATION.....MI-MOD-RED
ACTIVE.....Yes
DESCRIPTION.....Mild-Moderately Reduced
DISPLAY_NAME.....Mild-Moderately Reduced

HELP_TEXT.....No Help Text
ID.....{41DA2518-0E49-4E92-A733-3ACF3D2E8199}
TERM.....MILD-MODERATELY REDUCED

DATA VALUE: MILLIGRAMS PER KILOGRAM PER HOUR

ABBREVIATION.....mg/kg/hr
ACTIVE.....Yes
DESCRIPTION.....Milligrams per Kilogram per Hour
DISPLAY_NAME.....mg/kg/hr
HELP_TEXT.....Milligrams per Kilogram per Hour
ID.....{731B270D-C8C5-4910-B4B0-AC101555108A}
TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

DATA VALUE: MISSING

ABBREVIATION.....MISSING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Missing
HELP_TEXT.....No Help Text
ID.....{80019911-11DA-6569-751E-ECAE0D1BC7DF}
TERM.....MISSING

DATA VALUE: MOANING

ABBREVIATION.....MOANING
ACTIVE.....Yes
DESCRIPTION.....Moaning
DISPLAY_NAME.....Moaning
HELP_TEXT.....No Help Text
ID.....{A71E3515-AA20-4B0E-9CB8-1612F76BA406}
TERM.....MOANING

DATA VALUE: MODERATE

ABBREVIATION.....MODERATE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Moderate
HELP_TEXT.....No Help Text
ID.....{C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
TERM.....MODERATE

DATA VALUE: MODERATE SEDATION

ABBREVIATION.....Mod Sed
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Moderate Sedation

HELP_TEXT.....

ID.....{C874EDC7-24BF-4F39-8FDA-E8D1193A8428}

TERM.....MODERATE SEDATION

DATA VALUE: MODERATE-SEVERELY REDUCED

ABBREVIATION.....MO-SEV RED

ACTIVE.....Yes

DESCRIPTION.....Moderate-Severely Reduced

DISPLAY_NAME.....Moderate-Severely Reduced

HELP_TEXT.....No Help Text

ID.....{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}

TERM.....MODERATE-SEVERELY REDUCED

DATA VALUE: MODERATELY REDUCED

ABBREVIATION.....MOD REDUCE

ACTIVE.....Yes

DESCRIPTION.....Moderately Reduced

DISPLAY_NAME.....Moderately Reduced

HELP_TEXT.....No Help Text

ID.....{91F73300-7EE0-428C-A838-5B3BE062D8BC}

TERM.....MODERATELY REDUCED

DATA VALUE: MOIST

ABBREVIATION.....m

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Moist

HELP_TEXT.....No Help Text

ID.....{AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}

TERM.....MOIST

DATA VALUE: MOTORIZED WHEELCHAIR

ABBREVIATION.....MO WH CH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Motorized Wheelchair

HELP_TEXT.....No Help Text

ID.....{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}

TERM.....MOTORIZED WHEELCHAIR

DATA VALUE: MOTTLED

ABBREVIATION.....m

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mottled

HELP_TEXT.....No Help Text
ID.....{4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}
TERM.....MOTTLED

DATA VALUE: MOUTHWASH USED

ABBREVIATION.....MOUTHWASH
ACTIVE.....Yes
DESCRIPTION.....Mouthwash Used
DISPLAY_NAME.....Mouthwash Used
HELP_TEXT.....No Help Text
ID.....{9F7EF355-12A4-4EBA-92ED-0F38273E411B}
TERM.....MOUTHWASH USED

DATA VALUE: MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXA
MINER

ABBREVIATION.....magareobte
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Movement Against Gravity And
Resistance, Easily Overcome By The
Examiner
HELP_TEXT.....No Help Text
ID.....{2ECCC197-4A81-025F-3EF3-6214004887A9}
TERM.....MOVE AGAINST GRAVITY AND RESISTANCE,
EASILY OVERCOME BY THE EXAMINER

DATA VALUE: MOVE AGAINST GRAVITY BUT NO RESISTANCE

ABBREVIATION.....magbnr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Movement Against Gravity But No
Resistance

HELP_TEXT.....No Help Text

ID.....{F995A165-8536-C493-2269-286E8EFF5E43}

TERM.....MOVE AGAINST GRAVITY BUT NO RESISTANCE

DATA VALUE: MOVEMENT WITH GRAVITY ELIMINATED

ABBREVIATION.....mwge

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Movement With Gravity Eliminated

HELP_TEXT.....No Help Text

ID.....{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}

TERM.....MOVEMENT WITH GRAVITY ELIMINATED

DATA VALUE: MUCOID

ABBREVIATION.....MUCOID

ACTIVE.....Yes

DESCRIPTION.....Mucoid in appearance

DISPLAY_NAME.....Muroid
HELP_TEXT.....No Help Text
ID.....{073E5514-DACE-4F43-ADE5-91A1A87D6601}
TERM.....MUCOID

DATA VALUE: MULTIFOCAL PVC

ABBREVIATION.....Mult PVC
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Multifocal PVC
HELP_TEXT.....
ID.....{34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}
TERM.....MULTIFOCAL PVC

DATA VALUE: MULTIPODUS

ABBREVIATION.....MULTIPODUS
ACTIVE.....Yes
DESCRIPTION.....Multipodus
DISPLAY_NAME.....Multipodus
HELP_TEXT.....No Help Text
ID.....{ED098F9D-B204-4310-813A-98D91FF9DD25}
TERM.....MULTIPODUS

DATA VALUE: MURMUR

ABBREVIATION.....MURMUR
ACTIVE.....Yes
DESCRIPTION.....MURMUR
DISPLAY_NAME.....Murmur
HELP_TEXT.....MURMUR
ID.....{591058E0-4B71-E432-B7D7-EBD42A8C4225}
TERM.....MURMUR

DATA VALUE: MUSHROOM CATHETER

ABBREVIATION.....MUSH CATHE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Mushroom Catheter
HELP_TEXT.....No Help Text
ID.....{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}
TERM.....MUSHROOM CATHETER

DATA VALUE: MUTIFOCAL ATRIAL TACHYCARDIA

ABBREVIATION.....mat
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Multifocal Atrial Tachycardia

HELP_TEXT.....

ID.....{562C6BBD-C210-4467-93B3-8E50640E7CCE}

TERM.....MUTIFOCAL ATRIAL TACHYCARDIA

DATA VALUE: N/A

ABBREVIATION.....n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....N/A

HELP_TEXT.....No Help Text

ID.....{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

TERM.....N/A

DATA VALUE: NAIL CARE

ABBREVIATION.....NAIL CARE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nail Care

HELP_TEXT.....No Help Text

ID.....{B783A171-1F0A-4135-8535-85776B81AB68}

TERM.....NAIL CARE

DATA VALUE: NAPS ONLY

ABBREVIATION.....NAPS ONLY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Naps Only
HELP_TEXT.....No Help Text
ID.....{CF749F5C-2E4B-419A-B020-C81B30A7E482}
TERM.....NAPS ONLY

DATA VALUE: NASAL

ABBREVIATION.....NASAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Nasal
HELP_TEXT.....No Help Text
ID.....{0F73F0CB-E25E-4611-9625-62E6F1596A9B}
TERM.....NASAL

DATA VALUE: NASAL ENDOTRACHEAL

ABBREVIATION.....Nasal Endo
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Nasal Endotracheal

HELP_TEXT.....No Help Text
ID.....{C631352E-CAB5-0409-6133-E5D11ECC3293}
TERM.....NASAL ENDOTRACHEAL

DATA VALUE: NASAL INTESTINAL SMALL BORE

ABBREVIATION.....N INT SM B
ACTIVE.....Yes
DESCRIPTION.....Nasal Intestinal Small Bore EF Tube
DISPLAY_NAME.....Nasal Intestinal Small Bore
HELP_TEXT.....No Help Text
ID.....{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}
TERM.....NASAL INTESTINAL SMALL BORE

DATA VALUE: NASAL SMALL BOWEL FEEDING TUBE

ABBREVIATION.....NAS SM BOW
ACTIVE.....Yes
DESCRIPTION.....Nasal Small Bowel Feeding Tube
DISPLAY_NAME.....Nasal Small Bowel Feeding Tube
HELP_TEXT.....No Help Text
ID.....{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}
TERM.....NASAL SMALL BOWEL FEEDING TUBE

DATA VALUE: NASAL TRUMPET

ABBREVIATION.....NASAL TRUM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Nasal Trumpet
HELP_TEXT.....No Help Text
ID.....{2FFB8510-793C-D6A4-838E-20FF7CD26533}
TERM.....NASAL TRUMPET

DATA VALUE: NASOGASTRIC LARGE BORE TUBE

ABBREVIATION.....NG LG BORE
ACTIVE.....Yes
DESCRIPTION.....Nasogastric Large Bore EF Tube
DISPLAY_NAME.....Nasogastric Large Bore
HELP_TEXT.....No Help Text
ID.....{C3FEE16A-9998-455B-BEB8-CC55AF890202}
TERM.....NASOGASTRIC LARGE BORE TUBE

DATA VALUE: NASOGASTRIC TUBE

ABBREVIATION.....NG TUBE
ACTIVE.....Yes
DESCRIPTION.....Nasogastric Tube
DISPLAY_NAME.....Nasogastric Tube

HELP_TEXT.....No Help Text
ID.....{6475E343-A310-48A5-B543-D29573E7684D}
TERM.....NASOGASTRIC TUBE

DATA VALUE: NASOGASTRIC TUBE SMALL BORE

ABBREVIATION.....NGT SMALL
ACTIVE.....Yes
DESCRIPTION.....NGT Small Bore Tube
DISPLAY_NAME.....Nasal Gastric Tube Small Bore
HELP_TEXT.....No Help Text
ID.....{D9FDAD80-9BE2-4B96-87C6-1D25D26D2959}
TERM.....NASOGASTRIC TUBE SMALL BORE

DATA VALUE: NAUSEA

ABBREVIATION.....NAUSEA
ACTIVE.....Yes
DESCRIPTION.....Nausea
DISPLAY_NAME.....Nausea
HELP_TEXT.....Nausea
ID.....{6BF33DC3-0300-4643-BB14-27C35692B806}
TERM.....NAUSEA

DATA VALUE: NEAT

ABBREVIATION.....NEAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Neat

HELP_TEXT.....No Help Text

ID.....{8B01F7B8-B626-4143-A092-1E732EEB4A05}

TERM.....NEAT

DATA VALUE: NECROTIC

ABBREVIATION.....NECROTIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Necrotic

HELP_TEXT.....No Help Text

ID.....{86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}

TERM.....NECROTIC

DATA VALUE: NEEDS REINFORCEMENT

ABBREVIATION.....NEED REINF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Needs Reinforcement

HELP_TEXT.....No Help Text
ID.....{B6171F65-4530-418D-A63B-65DFFF522786}
TERM.....NEEDS REINFORCEMENT

DATA VALUE: NEGATIVE PRESSURE

ABBREVIATION.....NEG PRESSU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Negative Pressure
HELP_TEXT.....No Help Text
ID.....{6D6CB4BB-96B0-4978-97CC-116A03479DAD}
TERM.....NEGATIVE PRESSURE

DATA VALUE: NEGATIVE PRESSURE THERAPY DEVICE

ABBREVIATION.....NEG PRE TH
ACTIVE.....Yes
DESCRIPTION.....Negative Pressure Therapy Device
DISPLAY_NAME.....Negative Pressure Therapy Device
HELP_TEXT.....No Help Text
ID.....{8AF0A069-66AD-4114-99D8-238AD987F0FF}
TERM.....NEGATIVE PRESSURE THERAPY DEVICE

DATA VALUE: NEPRO

ABBREVIATION.....Nepro

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Nepro

HELP_TEXT.....

ID.....{00FFC7A1-5CDA-45AF-BD50-D77666A23851}

TERM.....NEPRO

DATA VALUE: NEPRO CARB STEADY

ABBREVIATION.....Nepro Car

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Nepro Carb Steady

HELP_TEXT.....

ID.....{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}

TERM.....NEPRO CARB STEADY

DATA VALUE: NEPRO RENAL FORMULA

ABBREVIATION.....NEP RENAL

ACTIVE.....Yes

DESCRIPTION.....Nepro Renal Enteral Nutrition Formula

DISPLAY_NAME.....Nepro Renal Enteral Nutrition Formula

HELP_TEXT.....No Help Text
ID.....{B8F28816-BC81-443F-AEC5-DBAE4D435998}
TERM.....NEPRO RENAL FORMULA

DATA VALUE: NEUTROPENIC

ABBREVIATION.....NEUTROPENI
ACTIVE.....Yes
DESCRIPTION.....Neutropenic Diet
DISPLAY_NAME.....Neutropenic
HELP_TEXT.....No Help Text
ID.....{5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}
TERM.....NEUTROPENIC

DATA VALUE: NEW ADMISSION EDUCATION

ABBREVIATION.....N ADM EDU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....New Admission Education
HELP_TEXT.....No Help Text
ID.....{1890BC97-FEEB-4BED-A054-3C754C01817B}
TERM.....NEW ADMISSION EDUCATION

DATA VALUE: NEW SITE

ABBREVIATION.....NEW SITE
ACTIVE.....Yes
DESCRIPTION.....New Site
DISPLAY_NAME.....New Site
HELP_TEXT.....No Help Text
ID.....{10B1FF61-E58E-4608-9CCB-9232BC964418}
TERM.....NEW SITE

DATA VALUE: NO

ABBREVIATION.....n
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....No
HELP_TEXT.....No Help Text
ID.....{FC275445-1225-9912-18A3-DF36245893D3}
TERM.....NO

DATA VALUE: NO BREAK IN EPIDERMIS

ABBREVIATION.....NO BREAK E
ACTIVE.....Yes
DESCRIPTION.....No Break In Epidermis
DISPLAY_NAME.....No Break In Epidermis

HELP_TEXT.....No Help Text
ID.....{615D96CD-6096-446B-BDDF-3F7242936AF9}
TERM.....NO BREAK IN EPIDERMIS

DATA VALUE: NO MOVEMENT

ABBREVIATION.....nm
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....No Movement
HELP_TEXT.....No Help Text
ID.....{2618E301-379B-BAB9-9EDE-98FD4B60D311}
TERM.....NO MOVEMENT

DATA VALUE: NO SIGNS AND SYMPTOMS

ABBREVIATION.....NO SIG&SYM
ACTIVE.....Yes
DESCRIPTION.....No Signs And Symptoms
DISPLAY_NAME.....No Signs And Symptoms
HELP_TEXT.....No Help Text
ID.....{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}
TERM.....NO SIGNS AND SYMPTOMS

DATA VALUE: NON-ADHERENT GAUZE

ABBREVIATION.....NON-AD GAU
ACTIVE.....Yes
DESCRIPTION.....Non-Adherent Gauze
DISPLAY_NAME.....Non-Adherent gauze
HELP_TEXT.....No Help Text
ID.....{1DBF7C56-F5C2-42B5-AB59-B39A5069A414}
TERM.....NON-ADHERENT GAUZE

DATA VALUE: NON-PITTING

ABBREVIATION.....NON-PITTIN
ACTIVE.....Yes
DESCRIPTION.....NON-PITTING
DISPLAY_NAME.....Non-Pitting
HELP_TEXT.....NON-PITTING
ID.....{786DEC76-36DE-FDC7-885C-F84210F7C7D2}
TERM.....NON-PITTING

DATA VALUE: NON-PRODUCTIVE

ABBREVIATION.....np
ACTIVE.....Yes
DESCRIPTION.....Does not produce desired result
DISPLAY_NAME.....Non-Productive

HELP_TEXT.....Does not produce desired result

ID.....{9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}

TERM.....NON-PRODUCTIVE

DATA VALUE: NON-TENDER

ABBREVIATION.....NON-TENDER

ACTIVE.....Yes

DESCRIPTION.....Not Tender

DISPLAY_NAME.....Non-Tender

HELP_TEXT.....No Help Text

ID.....{5A3D41C0-A83D-4382-A573-D6884BB1670B}

TERM.....NON-TENDER

DATA VALUE: NONBLANCHABLE ERYTHEMA

ABBREVIATION.....N BLAN ERY

ACTIVE.....Yes

DESCRIPTION.....Nonblanchable Erythema

DISPLAY_NAME.....Nonblanchable Erythema

HELP_TEXT.....No Help Text

ID.....{30273ACE-03F3-4818-995B-26586AAB5499}

TERM.....NONBLANCHABLE ERYTHEMA

DATA VALUE: NONE

ABBREVIATION.....NONE

ACTIVE.....Yes

DESCRIPTION.....None

DISPLAY_NAME.....None

HELP_TEXT.....No Help Text

ID.....{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

TERM.....NONE

DATA VALUE: NONREACTIVE

ABBREVIATION.....nonreact

ACTIVE.....Yes

DESCRIPTION.....Nonreactive

DISPLAY_NAME.....Nonreactive

HELP_TEXT.....No Help Text

ID.....{AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}

TERM.....NONREACTIVE

DATA VALUE: NORMAL

ABBREVIATION.....n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Normal

HELP_TEXT.....No Help Text
ID.....{553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
TERM.....NORMAL

DATA VALUE: NORMAL FOR ETHNIC GROUP

ABBREVIATION.....ETH. NORM.
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Normal for ethnic group
HELP_TEXT.....Skin color is normal for ethnic group
ID.....{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}
TERM.....NORMAL FOR ETHNIC GROUP

DATA VALUE: NORMAL POWER

ABBREVIATION.....np
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Normal Power
HELP_TEXT.....No Help Text
ID.....{0E45C061-0744-8A21-7256-003702A5005B}
TERM.....NORMAL POWER

DATA VALUE: NORMAL SINUS

ABBREVIATION.....ns
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Normal Sinus
HELP_TEXT.....No Help Text
ID.....{735DC86D-08CD-1533-5A36-4775A882C507}
TERM.....NORMAL SINUS

DATA VALUE: NORMAL STOOL

ABBREVIATION.....NORM STOOL
ACTIVE.....Yes
DESCRIPTION.....Normal Stool
DISPLAY_NAME.....Normal Stool
HELP_TEXT.....No Help Text
ID.....{486B0693-CAC5-48EE-B2E6-1F73C651418A}
TERM.....NORMAL STOOL

DATA VALUE: NOT DONE

ABBREVIATION.....NOT DONE
ACTIVE.....Yes
DESCRIPTION.....Not Done
DISPLAY_NAME.....Not Done

HELP_TEXT.....No Help Text

ID.....{C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

TERM.....NOT DONE

DATA VALUE: NOT MONITORED

ABBREVIATION.....NOT MONITO

ACTIVE.....Yes

DESCRIPTION.....Not Monitored

DISPLAY_NAME.....Not Monitored

HELP_TEXT.....No Help Text

ID.....{0E6A8A07-48E0-428F-8D86-22572CABCF48}

TERM.....NOT MONITORED

DATA VALUE: NOVASOURCE 2.0

ABBREVIATION.....NOVAS 2.0

ACTIVE.....Yes

DESCRIPTION.....Novasource 2.0 Enteral Nutrition

Formula

DISPLAY_NAME.....Novasource 2.0 Enteral Nutrition

Formula

HELP_TEXT.....No Help Text

ID.....{ACE82591-502A-4FBA-9697-B1B330DED78A}

TERM.....NOVASOURCE 2.0

DATA VALUE: NPO DIET

ABBREVIATION.....NPO DIET

ACTIVE.....Yes

DESCRIPTION.....Nothing By Mouth Diet

DISPLAY_NAME.....NPO Diet

HELP_TEXT.....Nothing By Mouth Diet

ID.....{BEC8F771-B082-40A2-9EE8-553222A25FBF}

TERM.....NPO DIET

DATA VALUE: NUMB

ABBREVIATION.....NUMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....NUMB

HELP_TEXT.....No Help Text

ID.....{652634C0-5334-4D56-BE57-5F58F952FF0D}

TERM.....NUMB

DATA VALUE: NUMBER: SPECIFY

ABBREVIATION.....Specify

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Number: Specify

HELP_TEXT.....When "Number" is selected, enter
numeric value as a "Comment"

ID.....{397D773F-78F9-4E69-9A84-B518109A95AB}

TERM.....NUMBER: SPECIFY

DATA VALUE: NUMBNESS

ABBREVIATION.....n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Numbness

HELP_TEXT.....No Help Text

ID.....{037F2F79-36D9-A0B3-C23E-8EE525932AF3}

TERM.....NUMBNESS

DATA VALUE: NURSING STATION

ABBREVIATION.....ns

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nursing Station

HELP_TEXT.....No Help Text

ID.....{B6E48F92-B9BA-488F-3A2E-D74568A6B855}

TERM.....NURSING STATION

DATA VALUE: NUTRIHEP

ABBREVIATION.....Nutrihep

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Nutrihep

HELP_TEXT.....

ID.....{ABD98675-EB60-40C7-BCE6-73FD787F6D17}

TERM.....NUTRIHEP

DATA VALUE: NUTRITION

ABBREVIATION.....NUTRITION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nutrition

HELP_TEXT.....No Help Text

ID.....{429A28EF-8A1F-4247-85E8-68D4EFCD189C}

TERM.....NUTRITION

DATA VALUE: NUTRITIONAL SUPPLEMENT

ABBREVIATION.....NUTR SUPPL

ACTIVE.....Yes

DESCRIPTION.....Nutritional Supplement

DISPLAY_NAME.....Nutritional Supplement

HELP_TEXT.....No Help Text
ID.....{4573BD4E-7220-4B88-A2EE-959F8A0E1199}
TERM.....NUTRITIONAL SUPPLEMENT

DATA VALUE: OBEYS COMMANDS

ABBREVIATION.....OBEYS COMM
ACTIVE.....Yes
DESCRIPTION.....Obeys Commands
DISPLAY_NAME.....Obeys Commands
HELP_TEXT.....No Help Text
ID.....{EE88EE08-4C71-4C70-B93E-65F9091544C1}
TERM.....OBEYS COMMANDS

DATA VALUE: OBSTRUCTIVE SLEEP APNEA

ABBREVIATION.....Ob Sleep A
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Obstructive Sleep Apnea
HELP_TEXT.....
ID.....{217F9D63-4624-4201-9F98-C0D992B663DE}
TERM.....OBSTRUCTIVE SLEEP APNEA

DATA VALUE: OFF DURING BATHING

ABBREVIATION.....OFF BATHIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Off During Bathing

HELP_TEXT.....No Help Text

ID.....{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}

TERM.....OFF DURING BATHING

DATA VALUE: OFF WHILE AMBULATORY

ABBREVIATION.....OFF AMBULA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Off While Ambulatory

HELP_TEXT.....No Help Text

ID.....{FF4610BF-8C92-408F-882A-1D6B2C2F146F}

TERM.....OFF WHILE AMBULATORY

DATA VALUE: OFFER PRN MEDS

ABBREVIATION.....OFFER PRN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Offer PRN Meds

HELP_TEXT.....No Help Text
ID.....{B7AF4903-913C-4848-A255-0B4767B81AE2}
TERM.....OFFER PRN MEDS

DATA VALUE: OFFERED

ABBREVIATION.....OFFERED
ACTIVE.....Yes
DESCRIPTION.....Offered
DISPLAY_NAME.....Offered
HELP_TEXT.....No Help Text
ID.....{715091C2-9668-4678-900E-6D55D3335A30}
TERM.....OFFERED

DATA VALUE: ON WHILE SITTING IN CHAIR

ABBREVIATION.....ON IN CHAI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....On While Sitting In Chair
HELP_TEXT.....No Help Text
ID.....{4139F4C3-BB68-4477-BF63-9BE7813AADA7}
TERM.....ON WHILE SITTING IN CHAIR

DATA VALUE: ONE PERSON ASSIST

ABBREVIATION.....1 PERS AS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....One Person Assist
HELP_TEXT.....No Help Text
ID.....{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
TERM.....ONE PERSON ASSIST

DATA VALUE: ONE TO ONE SUPERVISION

ABBREVIATION.....1 SUPERV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....One To One Supervision
HELP_TEXT.....No Help Text
ID.....{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}
TERM.....ONE TO ONE SUPERVISION

DATA VALUE: OPEN SPONTANEOUSLY

ABBREVIATION.....OPEN SPONT
ACTIVE.....Yes
DESCRIPTION.....Open Spontaneously
DISPLAY_NAME.....Open Spontaneously

HELP_TEXT.....No Help Text

ID.....{013F1473-BDC9-4E7C-9709-C577357709F6}

TERM.....OPEN SPONTANEOUSLY

DATA VALUE: OPEN SYSTEM

ABBREVIATION.....Open syste

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Open System

HELP_TEXT.....

ID.....{2047EDE8-5D72-4541-A23A-81F097A6CA2A}

TERM.....OPEN SYSTEM

DATA VALUE: OPEN TO AIR

ABBREVIATION.....OPE TO AIR

ACTIVE.....Yes

DESCRIPTION.....Open To Air

DISPLAY_NAME.....Open To Air

HELP_TEXT.....No Help Text

ID.....{EFB715D0-5666-4281-9034-A0326A14B2BB}

TERM.....OPEN TO AIR

DATA VALUE: OPERATING ROOM

ABBREVIATION.....OR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Operating Room

HELP_TEXT.....No Help Text

ID.....{37DACE14-2A28-45F4-9DEA-35A1A433F4E6}

TERM.....OPERATING ROOM

DATA VALUE: ORAL

ABBREVIATION.....ORAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Oral

HELP_TEXT.....No Help Text

ID.....{BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}

TERM.....ORAL

DATA VALUE: ORAL AIRWAY

ABBREVIATION.....ORAL AIRWA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Oral Airway

HELP_TEXT.....No Help Text
ID.....{B0CF4270-A68D-1322-0621-1DFF8D677B40}
TERM.....ORAL AIRWAY

DATA VALUE: ORAL ENDOTRACHEAL

ABBREVIATION.....ORAL ENDO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Oral Endotracheal
HELP_TEXT.....No Help Text
ID.....{466CAD16-D7F3-9D73-6500-959C4DA50D9A}
TERM.....ORAL ENDOTRACHEAL

DATA VALUE: ORAL GASTRIC TUBE

ABBREVIATION.....OG TUBE
ACTIVE.....Yes
DESCRIPTION.....Oral Gastric Enteral Feeding Tube
DISPLAY_NAME.....Oral Gastric Tube
HELP_TEXT.....No Help Text
ID.....{C6995D6A-939C-4C31-A3C2-4504CB5597CD}
TERM.....ORAL GASTRIC TUBE

DATA VALUE: ORANGE

ABBREVIATION.....ORANGE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Orange
HELP_TEXT.....No Help Text
ID.....{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
TERM.....ORANGE

DATA VALUE: ORIENTATION

ABBREVIATION.....ORIENTA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Orientation
HELP_TEXT.....No Help Text
ID.....{10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}
TERM.....ORIENTATION

DATA VALUE: ORIENTED

ABBREVIATION.....ORIENTED
ACTIVE.....Yes
DESCRIPTION.....Oriented
DISPLAY_NAME.....Oriented

HELP_TEXT.....No Help Text

ID.....{B8DC9245-6D81-40E4-8B47-B6413E49F152}

TERM.....ORIENTED

DATA VALUE: ORIENTED TO PERSON

ABBREVIATION.....otp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Oriented To Person

HELP_TEXT.....No Help Text

ID.....{9912CFB9-AC55-6445-3EC1-0F1DF98C0561}

TERM.....ORIENTED TO PERSON

DATA VALUE: ORIENTED TO PLACE

ABBREVIATION.....otp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Oriented To Place

HELP_TEXT.....No Help Text

ID.....{8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}

TERM.....ORIENTED TO PLACE

DATA VALUE: ORIENTED TO SITUATION

ABBREVIATION.....ots
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Oriented To Situation
HELP_TEXT.....No Help Text
ID.....{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}
TERM.....ORIENTED TO SITUATION

DATA VALUE: ORIENTED TO TIME

ABBREVIATION.....ott
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Oriented To Time
HELP_TEXT.....No Help Text
ID.....{C79EBE25-C51B-478C-CB39-25943792F191}
TERM.....ORIENTED TO TIME

DATA VALUE: ORTHOPNEIC

ABBREVIATION.....ORTHOPNIC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Orthopneic

HELP_TEXT.....No Help Text

ID.....{FF373BD7-FD84-DF43-7A44-1B8E62917116}

TERM.....ORTHOPNEIC

DATA VALUE: ORTHOTIC BOOTS

ABBREVIATION.....ORTHO BOOT

ACTIVE.....Yes

DESCRIPTION.....ORTHOTIC BOOTS

DISPLAY_NAME.....Orthotic Boots

HELP_TEXT.....ORTHOTIC BOOTS

ID.....{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}

TERM.....ORTHOTIC BOOTS

DATA VALUE: ORTHOTIC COLLAR

ABBREVIATION.....ORTHO COLL

ACTIVE.....Yes

DESCRIPTION.....ORTHOTIC COLLAR

DISPLAY_NAME.....Orthotic Collar

HELP_TEXT.....ORTHOTIC COLLAR

ID.....{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}

TERM.....ORTHOTIC COLLAR

DATA VALUE: ORTHOTIC KNEE IMMOBILIZER

ABBREVIATION.....KNEE IMMOB
ACTIVE.....Yes
DESCRIPTION.....ORTHOTIC KNEE IMMOBILIZER
DISPLAY_NAME.....Orthotic Knee Immobilizer
HELP_TEXT.....ORTHOTIC KNEE IMMOBILIZER
ID.....{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}
TERM.....ORTHOTIC KNEE IMMOBILIZER

DATA VALUE: ORTHOTIC SPINE BRACE

ABBREVIATION.....ORTH SPINE
ACTIVE.....Yes
DESCRIPTION.....ORTHOTIC SPINE BRACE
DISPLAY_NAME.....Orthotic Spine Brace
HELP_TEXT.....ORTHOTIC SPINE BRACE
ID.....{B47A3536-FEBC-802E-01A1-E909147D18C2}
TERM.....ORTHOTIC SPINE BRACE

DATA VALUE: ORTHOTIC TED HOSE

ABBREVIATION.....TED HOSE
ACTIVE.....Yes
DESCRIPTION.....TED HOSE
DISPLAY_NAME.....Orthotic TED Hose

HELP_TEXT.....TED HOSE

ID.....{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}

TERM.....ORTHOTIC TED HOSE

DATA VALUE: ORTHOTIC WEDGE PILLOW

ABBREVIATION.....WEDG PILLO

ACTIVE.....Yes

DESCRIPTION.....WEDGE PILLOW

DISPLAY_NAME.....Orthotic Wedge Pillow

HELP_TEXT.....WEDGE PILLOW

ID.....{20E58D21-399B-85E4-BDAB-93B371395BCF}

TERM.....ORTHOTIC WEDGE PILLOW

DATA VALUE: OSMOLITE

ABBREVIATION.....OSMOLITE

ACTIVE.....Yes

DESCRIPTION.....Enteral Nutrition Type

DISPLAY_NAME.....Osmolite

HELP_TEXT.....No Help Text

ID.....{8E41BB55-063E-43C0-BAFE-65150EDD99F8}

TERM.....OSMOLITE

DATA VALUE: OSMOLITE 1.0

ABBREVIATION.....Osmo 1.0

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Osmolite 1.0

HELP_TEXT.....

ID.....{D5EE7DA5-707B-4000-A133-0C571824A376}

TERM.....OSMOLITE 1.0

DATA VALUE: OSMOLITE 1.2

ABBREVIATION.....Osmo 1.2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Osmolite 1.2

HELP_TEXT.....

ID.....{CEF57C44-82E5-43F5-8646-F8FBCD4609A0}

TERM.....OSMOLITE 1.2

DATA VALUE: OSMOLITE 1.5

ABBREVIATION.....Osmo 1.5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Osmolite 1.5

HELP_TEXT.....

ID.....{8AF4CD1A-631A-4E95-A631-ACFF775284BA}

TERM.....OSMOLITE 1.5

DATA VALUE: OSMOLITE HN

ABBREVIATION.....OSMOLIT HN

ACTIVE.....Yes

DESCRIPTION.....Enteral Nutrition Type

DISPLAY_NAME.....Osmolite HN

HELP_TEXT.....No Help Text

ID.....{E4186CA6-302F-4513-B125-30B094151423}

TERM.....OSMOLITE HN

DATA VALUE: OTHER

ABBREVIATION.....Other

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Other

HELP_TEXT.....

ID.....{4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

TERM.....OTHER

DATA VALUE: OTHER (SEE COMMENTS)

ABBREVIATION.....Other

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Other (see comments)

HELP_TEXT.....

ID.....{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

TERM.....OTHER (SEE COMMENTS)

DATA VALUE: OVER WIRE

ABBREVIATION.....OVER WIRE

ACTIVE.....Yes

DESCRIPTION.....Over Wire

DISPLAY_NAME.....Over Wire

HELP_TEXT.....No Help Text

ID.....{157CD456-1020-43AE-9AAA-1686F1574B6F}

TERM.....OVER WIRE

DATA VALUE: OXEPA

ABBREVIATION.....Oxepa

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Oxepa

HELP_TEXT.....

ID.....{1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}

TERM.....OXEPA

DATA VALUE: OXIMETRIC

ABBREVIATION.....OXIMETRIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Oximetric Catheter

HELP_TEXT.....No Help Text

ID.....{DA1F5AAA-A349-C17B-74CD-1794492E0A13}

TERM.....OXIMETRIC

DATA VALUE: PAC

ABBREVIATION.....p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....PAC

HELP_TEXT.....No Help Text

ID.....{848AB18A-598D-8E4E-8B1B-ED7478CE340B}

TERM.....PAC

DATA VALUE: PACED: ATRIAL

ABBREVIATION.....pa
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Paced: Atrial
HELP_TEXT.....No Help Text
ID.....{88837DD4-098D-B77F-A754-89D5C4F5870F}
TERM.....PACED: ATRIAL

DATA VALUE: PACED: AV SEQUENTIAL

ABBREVIATION.....pas
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Paced: Av Sequential
HELP_TEXT.....No Help Text
ID.....{3C485674-224C-47DA-510D-92F1A0CA54A1}
TERM.....PACED: AV SEQUENTIAL

DATA VALUE: PACED: VENTRICULAR

ABBREVIATION.....pv
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Paced: Ventricular

HELP_TEXT.....No Help Text

ID.....{A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}

TERM.....PACED: VENTRICULAR

DATA VALUE: PACER

ABBREVIATION.....Pacer

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pacer

HELP_TEXT.....

ID.....{F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}

TERM.....PACER

DATA VALUE: PAIN

ABBREVIATION.....PAIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Pain

HELP_TEXT.....No Help Text

ID.....{F2F23EE7-0A06-46B8-A496-B7A4651A551F}

TERM.....PAIN

DATA VALUE: PAIN CONTROLLED PER PT

ABBREVIATION.....PAIN CON
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pain Controlled Per Patient
HELP_TEXT.....No Help Text
ID.....{7EC1AF38-39B1-475E-B58C-E33404A47E96}
TERM.....PAIN CONTROLLED PER PT

DATA VALUE: PAINAD BL 0

ABBREVIATION.....PAINAD BL0
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....0 = Relaxed
HELP_TEXT.....No Help Text
ID.....{C77929DB-A59A-4A24-B57B-BF111770C2AB}
TERM.....PAINAD BL 0

DATA VALUE: PAINAD BL 1

ABBREVIATION.....PAINAD BL1
ACTIVE.....Yes
DESCRIPTION.....1 = Tense, Distressed Pacing, Fidgeting
DISPLAY_NAME.....1 = Tense, Distressed Pacing, Fidgeting

HELP_TEXT.....1 = Tense, Distressed Pacing, Fidgeting
ID.....{CC1E1516-086D-4B79-8264-0C3BD67D8552}
TERM.....PAINAD BL 1

DATA VALUE: PAINAD BL 2

ABBREVIATION.....PAINAD BL2
ACTIVE.....Yes
DESCRIPTION.....2 = Rigid, Fists Clenched, Knees
Pulled Up, Pulling or Pushing Away,
Striking Out

DISPLAY_NAME.....2 = Rigid, Fists Clenched, Knees
Pulled Up, Pulling or Pushing

HELP_TEXT.....2 = Rigid, Fists Clenched, Knees
Pulled Up, Pulling or Pushing Away,
Striking Out

ID.....{34C3E304-DF66-40A7-906F-22AEA3F76FAD}
TERM.....PAINAD BL 2

DATA VALUE: PAINAD BR 0

ABBREVIATION.....PAINAD B0
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....0 = Normal
HELP_TEXT.....No Help Text
ID.....{58E71B2E-F5C3-419F-8B71-A9FD701E0202}

TERM.....PAINAD BR 0

DATA VALUE: PAINAD BR 1

ABBREVIATION.....PAINAD BR1

ACTIVE.....Yes

DESCRIPTION.....1 = Occasional Labored Breathing.

Short Period of Hyperventilation

DISPLAY_NAME.....1 = Occasional Labored Breathing.

Short Period of Hyperventilation

HELP_TEXT.....1 = Occasional Labored Breathing.

Short Period of Hyperventilation

ID.....{727D1B04-A702-4806-857B-78BCBACB0FE1}

TERM.....PAINAD BR 1

DATA VALUE: PAINAD BR 2

ABBREVIATION.....PAINAD BR2

ACTIVE.....Yes

DESCRIPTION.....2 = Noisy Labored Breathing.

Cheyne-Stokes Respirations

DISPLAY_NAME.....2 = Noisy Labored Breathing.

Cheyne-Stokes Respirations

HELP_TEXT.....2 = Noisy Labored Breathing.

Cheyne-Stokes Respirations

ID.....{37978012-ADAC-416C-8920-48CDAAA5D59D}

TERM.....PAINAD BR 2

DATA VALUE: PAINAD CO 0

ABBREVIATION.....PAINAD CO0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....0 = No Need To Console

HELP_TEXT.....No Help Text

ID.....{06A89B55-5822-42F7-A689-DBD91B62979F}

TERM.....PAINAD CO 0

DATA VALUE: PAINAD CO 1

ABBREVIATION.....PAINAD CO1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....1 = Distracted or Reassured By Voice
or Touch

HELP_TEXT.....No Help Text

ID.....{8E5DDB47-1955-40AD-A008-A9CE4646A707}

TERM.....PAINAD CO 1

DATA VALUE: PAINAD CO 2

ABBREVIATION.....PAINAD CO2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....2 = Unable To Console, Distract or
Reassure

HELP_TEXT.....No Help Text

ID.....{1DFFB735-6272-4B60-8F42-CCCAA701C7A7}

TERM.....PAINAD CO 2

DATA VALUE: PAINAD FE 0

ABBREVIATION.....PAINAD FE0
ACTIVE.....Yes
DESCRIPTION.....0 = Smiling or Inexpressive
DISPLAY_NAME.....0 = Smiling or Inexpressive
HELP_TEXT.....0 = Smiling or Inexpressive
ID.....{B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}
TERM.....PAINAD FE 0

DATA VALUE: PAINAD FE 1

ABBREVIATION.....PAINAD FE1
ACTIVE.....Yes
DESCRIPTION.....1 = Sad, Frightened, Frown
DISPLAY_NAME.....1 = Sad, Frightened, Frown
HELP_TEXT.....1 = Sad, Frightened, Frown
ID.....{66C01EE9-8F36-40B5-AED2-DBC2E94F860D}
TERM.....PAINAD FE 1

DATA VALUE: PAINAD FE 2

ABBREVIATION.....PAINAD FE2
ACTIVE.....Yes
DESCRIPTION.....2 = Facial Grimacing
DISPLAY_NAME.....2 = Facial Grimacing

HELP_TEXT.....2 = Facial Grimacing

ID.....{35688D06-94F2-4B36-8940-529803D4BC43}

TERM.....PAINAD FE 2

DATA VALUE: PAINAD NV 0

ABBREVIATION.....PAINAD NV0

ACTIVE.....Yes

DESCRIPTION.....0 = None

DISPLAY_NAME.....0 = None

HELP_TEXT.....0 = None

ID.....{63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}

TERM.....PAINAD NV 0

DATA VALUE: PAINAD NV 1

ABBREVIATION.....PAINAD NV1

ACTIVE.....Yes

DESCRIPTION.....1 = Occasional Moan or Groan. Low

Level Speech With A Negative or

Disapproving Quality

DISPLAY_NAME.....1 = Occasional Moan or Groan

HELP_TEXT.....1 = Occasional Moan or Groan. Low

Level Speech With A Negative or

Disapproving Quality

ID.....{D517E6C9-9D98-4D0F-A8F4-261BED4812D1}

TERM.....PAINAD NV 1

DATA VALUE: PAINAD NV 2

ABBREVIATION.....PAINAD NV2

ACTIVE.....Yes

DESCRIPTION.....2 = Repeated, Troubled, Calling Out,
Loud Moaning, Crying

DISPLAY_NAME.....2 = Repeated, Troubled, Calling Out,
Loud Moaning.

HELP_TEXT.....2 = Repeated, Troubled, Calling Out,
Loud Moaning, Crying

ID.....{3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}

TERM.....PAINAD NV 2

DATA VALUE: PAINFUL EXPRESSION

ABBREVIATION.....PAINFUL EX

ACTIVE.....Yes

DESCRIPTION.....Painful Expression

DISPLAY_NAME.....Painful Expression

HELP_TEXT.....No Help Text

ID.....{608554F9-29F9-4B27-BE63-486AF81810BD}

TERM.....PAINFUL EXPRESSION

DATA VALUE: PAIRS

ABBREVIATION.....Pairs

ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pairs
HELP_TEXT.....
ID.....{668B0D85-E507-4E12-B07A-A90CB98730DC}
TERM.....PAIRS

DATA VALUE: PALE

ABBREVIATION.....p
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pale
HELP_TEXT.....No Help Text
ID.....{0EB39D28-7ABE-A4AB-D334-3F795E65618D}
TERM.....PALE

DATA VALUE: PAROXYSMAL ATRIAL TACHYCARDIA

ABBREVIATION.....pat
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Paroxysmal Atrial Tachycardia
HELP_TEXT.....No Help Text
ID.....{27BC1FAF-A403-6EA8-044C-F1271F12A62A}
TERM.....PAROXYSMAL ATRIAL TACHYCARDIA

DATA VALUE: PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

ABBREVIATION.....PST

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Paroxysmal Supraventricular Tachycardia

HELP_TEXT.....

ID.....{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}

TERM.....PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS

ABBREVIATION.....PART EPIDE

ACTIVE.....Yes

DESCRIPTION.....Partial Thickness Skin Loss Involving

Epidermis/Dermis

DISPLAY_NAME.....Partial Thickness Skin Loss Involving

Epidermis/Dermis

HELP_TEXT.....No Help Text

ID.....{EAD3A260-CC46-4B47-AA49-91CFE13EEE4B}

TERM.....PART THICKNESS SKIN LOSS INVOLVE

EPIDERMIS/DERMIS

DATA VALUE: PARTIAL BATH

ABBREVIATION.....PART. BATH

ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Partial Bath
HELP_TEXT.....No Help Text
ID.....{60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}
TERM.....PARTIAL BATH

DATA VALUE: PARTIAL IMPAIRED

ABBREVIATION.....PART IMPAI
ACTIVE.....Yes
DESCRIPTION.....Partial Impaired
DISPLAY_NAME.....Partial Impaired
HELP_TEXT.....Partial Impaired
ID.....{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}
TERM.....PARTIAL IMPAIRED

DATA VALUE: PARTIAL LOWER

ABBREVIATION.....Part Low
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Partial Lower
HELP_TEXT.....
ID.....{2556CE7E-F211-4992-BCAF-09677C20BEFE}
TERM.....PARTIAL LOWER

DATA VALUE: PARTIAL SIMPLE

ABBREVIATION.....PART SIMP

ACTIVE.....Yes

DESCRIPTION.....Partial Simple

DISPLAY_NAME.....Partial Simple

HELP_TEXT.....Partial Simple

ID.....{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

TERM.....PARTIAL SIMPLE

DATA VALUE: PARTIAL UPPER

ABBREVIATION.....Part Up

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Partial Upper

HELP_TEXT.....

ID.....{D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}

TERM.....PARTIAL UPPER

DATA VALUE: PASSIVE RANGE OF MOTION

ABBREVIATION.....PASS ROM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Passive Range Of Motion

HELP_TEXT.....No Help Text
ID.....{DD43B9EF-E18F-4203-8564-89EBBAD963A4}
TERM.....PASSIVE RANGE OF MOTION

DATA VALUE: PATENT CLEAN

ABBREVIATION.....PAT CLEAN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Patent Clean
HELP_TEXT.....No Help Text
ID.....{68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
TERM.....PATENT CLEAN

DATA VALUE: PATIENT

ABBREVIATION.....PATIENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Patient
HELP_TEXT.....No Help Text
ID.....{7881F205-BCD1-4948-AE66-AD572F5A02F2}
TERM.....PATIENT

DATA VALUE: PATIENT INFORMED

ABBREVIATION.....PAT INFORM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Patient Informed
HELP_TEXT.....No Help Text
ID.....{074A1D19-3920-49F1-8958-2EB6F9CF05BA}
TERM.....PATIENT INFORMED

DATA VALUE: PATIENT REFUSES MARKING

ABBREVIATION.....Pat Refuse
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Patient Refuses Marking
HELP_TEXT.....
ID.....{93CE893B-AFE1-4047-9EE9-2AD6388C0086}
TERM.....PATIENT REFUSES MARKING

DATA VALUE: PATIENT REPORTS NOT PRESENT

ABBREVIATION.....PT RP N PR
ACTIVE.....Yes
DESCRIPTION.....Patient Reports Not Present
DISPLAY_NAME.....Patient Reports Not Present

HELP_TEXT.....Patient Reports Not Present
ID.....{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}
TERM.....PATIENT REPORTS NOT PRESENT

DATA VALUE: PATIENT REPORTS PRESENT

ABBREVIATION.....PT REP PRE
ACTIVE.....Yes
DESCRIPTION.....Patient Reports Present
DISPLAY_NAME.....Patient Reports Present
HELP_TEXT.....Patient Reports Present
ID.....{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}
TERM.....PATIENT REPORTS PRESENT

DATA VALUE: PATIENT SIGNS SAFETY CONTRACT

ABBREVIATION.....PT CONTRAC
ACTIVE.....Yes
DESCRIPTION.....Patient Signs Safety Contract
DISPLAY_NAME.....Patient Signs Safety Contract
HELP_TEXT.....No Help Text
ID.....{C65734EC-2CAF-4547-8FD8-CBCD9C706003}
TERM.....PATIENT SIGNS SAFETY CONTRACT

DATA VALUE: PATIENT STATED

ABBREVIATION.....Pat Stated

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Patient Stated

HELP_TEXT.....

ID.....{843654E1-4BC9-4277-9EFC-0B388A70A907}

TERM.....PATIENT STATED

DATA VALUE: PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION

ABBREVIATION.....pswlosons

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Patient Stays Within Line Of Site Of
Nursing Station

HELP_TEXT.....No Help Text

ID.....{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}

TERM.....PATIENT STAYS WITHIN LINE OF SITE OF
NURSING STATION

DATA VALUE: PATIENT'S ROOM

ABBREVIATION.....pr

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Patient's Room
HELP_TEXT.....No Help Text
ID.....{0F13E11D-9F78-14A3-0568-AF26393F39F1}
TERM.....PATIENT'S ROOM

DATA VALUE: PCA

ABBREVIATION.....PCA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Patient Controlled Analgesia
HELP_TEXT.....No Help-Text
ID.....{A1EE27C6-F22A-4109-A8E6-28DCCE599E64}
TERM.....PCA

DATA VALUE: PCA AND BASAL RATE

ABBREVIATION.....PCA/BASAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PCA and Basal Rate
HELP_TEXT.....No Help Text
ID.....{D711BB51-0662-4DD0-8654-C737F6A6686A}
TERM.....PCA AND BASAL RATE

DATA VALUE: PCA ONLY

ABBREVIATION.....PCA ONLY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....PCA Only

HELP_TEXT.....No Help Text

ID.....{30E0441A-1098-4FE9-B277-BF2BBD6B1667}

TERM.....PCA ONLY

DATA VALUE: PCA PUMP

ABBREVIATION.....PCA Pump

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....PCA Pump

HELP_TEXT.....

ID.....{C6F139AF-C42B-4577-83E1-A12675C31A21}

TERM.....PCA PUMP

DATA VALUE: PEDIATRIC

ABBREVIATION.....PEDIATRIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Pediatric

HELP_TEXT.....No Help Text

ID.....{06865E22-3ED9-4EDD-9749-6F8641BF29DE}

TERM.....PEDIATRIC

DATA VALUE: PEG TUBE

ABBREVIATION.....PEG TUBE

ACTIVE.....Yes

DESCRIPTION.....PEG Tube EF Tube

DISPLAY_NAME.....PEG Tube

HELP_TEXT.....No Help Text

ID.....{970C3755-2B3F-462F-AA87-EA33F846843F}

TERM.....PEG TUBE

DATA VALUE: PENETRATING

ABBREVIATION.....PENETRATING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Penetrating

HELP_TEXT.....No Help Text

ID.....{00A2D4C8-EDDE-4593-A1F8-A87A836B3379}

TERM.....PENETRATING

DATA VALUE: PENROSE DRAIN

ABBREVIATION.....Penrose D
ACTIVE.....Yes
DESCRIPTION.....Penrose Drain
DISPLAY_NAME.....Penrose Drain
HELP_TEXT.....No Help Text
ID.....{DE508E95-D044-ACCA-EE69-33B9A8454E6C}
TERM.....PENROSE DRAIN

DATA VALUE: PERATIVE

ABBREVIATION.....Perative
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Perative
HELP_TEXT.....
ID.....{9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}
TERM.....PERATIVE

DATA VALUE: PERCUSSION BED

ABBREVIATION.....PERC BED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Percussion Bed

HELP_TEXT.....No Help Text
ID.....{BE0B086B-A2F3-446A-ADE0-9589E92689FE}
TERM.....PERCUSSION BED

DATA VALUE: PERINEAL CARE

ABBREVIATION.....PERIN CARE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Perineal Care
HELP_TEXT.....No Help Text
ID.....{D88736E4-E0EB-4FF7-9199-288A4D051A20}
TERM.....PERINEAL CARE

DATA VALUE: PERMANENT

ABBREVIATION.....p
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Permanent
HELP_TEXT.....No Help Text
ID.....{A31FF319-F8C3-7AAC-D7FC-765C89732D09}
TERM.....PERMANENT

DATA VALUE: PERSONAL MEDICAL ALERT BRACELET

ABBREVIATION.....pmab
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Personal Medical Alert Bracelet
HELP_TEXT.....No Help Text
ID.....{E63D5FDE-4509-5751-A11C-C023E296858A}
TERM.....PERSONAL MEDICAL ALERT BRACELET

DATA VALUE: PETROLATUM

ABBREVIATION.....PETROLATUM
ACTIVE.....Yes
DESCRIPTION.....Petrolatum
DISPLAY_NAME.....Petrolatum
HELP_TEXT.....No Help Text
ID.....{DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}
TERM.....PETROLATUM

DATA VALUE: PHYSICAL IMPAIRMENT

ABBREVIATION.....Phys Impai
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Physical Impairment

HELP_TEXT.....

ID.....{4D744081-134E-420D-9712-AF114977E490}

TERM.....PHYSICAL IMPAIRMENT

DATA VALUE: PHYSICIAN

ABBREVIATION.....PHYSICIA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Physician

HELP_TEXT.....No Help Text

ID.....{DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}

TERM.....PHYSICIAN

DATA VALUE: PHYSICIAN NOTIFIED

ABBREVIATION.....PHYS NOTIF

ACTIVE.....Yes

DESCRIPTION.....Physician Notified

DISPLAY_NAME.....Physician Notified

HELP_TEXT.....No Help Text

ID.....{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}

TERM.....PHYSICIAN NOTIFIED

DATA VALUE: PHYSICIAN ORDER

ABBREVIATION.....PHY ORDER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Physician Order
HELP_TEXT.....No Help Text
ID.....{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}
TERM.....PHYSICIAN ORDER

DATA VALUE: PICC

ABBREVIATION.....PICC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PICC
HELP_TEXT.....Peripherally inserted central catheter
ID.....{3CFE33D0-5A35-88CC-152C-D7501D1858D9}
TERM.....PICC

DATA VALUE: PIN

ABBREVIATION.....PIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pin

HELP_TEXT.....No Help Text

ID.....{10D48A4E-46F3-4242-BA56-B9D4B37A4C93}

TERM.....PIN

DATA VALUE: PIN TRACTION

ABBREVIATION.....PIN TRACT

ACTIVE.....Yes

DESCRIPTION.....Pin Traction

DISPLAY_NAME.....Pin Traction

HELP_TEXT.....Pin Traction

ID.....{C75104A5-3B6B-4CFE-8E2E-05877522C811}

TERM.....PIN TRACTION

DATA VALUE: PINK

ABBREVIATION.....PINK

ACTIVE.....Yes

DESCRIPTION.....The color pink

DISPLAY_NAME.....Pink

HELP_TEXT.....The color pink

ID.....{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

TERM.....PINK

DATA VALUE: PINPOINT

ABBREVIATION.....pinpoint
ACTIVE.....Yes
DESCRIPTION.....Pinpoint
DISPLAY_NAME.....Pinpoint
HELP_TEXT.....No Help Text
ID.....{4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}
TERM.....PINPOINT

DATA VALUE: PITTED

ABBREVIATION.....PITTED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pitted
HELP_TEXT.....No Help Text
ID.....{BEA42FD8-91C7-4BF6-936E-726D78064F11}
TERM.....PITTED

DATA VALUE: PITTING

ABBREVIATION.....PITTING
ACTIVE.....Yes
DESCRIPTION.....PITTING
DISPLAY_NAME.....Pitting

HELP_TEXT.....PITTING

ID.....{A9F6ACFF-E427-145A-A168-345ACB87C1DE}

TERM.....PITTING

DATA VALUE: PIVOT

ABBREVIATION.....Pivot

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pivot

HELP_TEXT.....

ID.....{2E68ED54-57F5-490D-A982-668121F0CF5A}

TERM.....PIVOT

DATA VALUE: PIVOT 1.5

ABBREVIATION.....Pivot 1.5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pivot 1.5

HELP_TEXT.....

ID.....{9126F0C6-9716-4C33-8B7C-178D46899D44}

TERM.....PIVOT 1.5

DATA VALUE: PJC

ABBREVIATION.....p
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PJC
HELP_TEXT.....No Help Text
ID.....{1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}
TERM.....PJC

DATA VALUE: PLAIN

ABBREVIATION.....PLAIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Plain Catheter
HELP_TEXT.....No Help Text
ID.....{483EE48F-F72B-A917-DCD0-E8B69A3FA36F}
TERM.....PLAIN

DATA VALUE: POOR

ABBREVIATION.....POOR
ACTIVE.....Yes
DESCRIPTION.....Poor
DISPLAY_NAME.....Poor

HELP_TEXT.....No Help Text

ID.....{A3D75A12-A791-446D-AF63-9435054DFC4C}

TERM.....POOR

DATA VALUE: POOR BAL

ABBREVIATION.....Poor Balan

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Poor Balance

HELP_TEXT.....

ID.....{959AFDB4-6984-452D-9235-B154409DC0ED}

TERM.....POOR BAL

DATA VALUE: PORCINE SUBMUCOSA

ABBREVIATION.....PORC SUBMU

ACTIVE.....Yes

DESCRIPTION.....Oasis (porcine submucosa)

DISPLAY_NAME.....Oasis (porcine submucosa)

HELP_TEXT.....No Help Text

ID.....{6F3917DA-74BD-4790-9D4D-B284E27B7623}

TERM.....PORCINE SUBMUCOSA

DATA VALUE: POSITIONAL

ABBREVIATION.....POSITIONAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Positional
HELP_TEXT.....No Help Text
ID.....{9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
TERM.....POSITIONAL

DATA VALUE: POST CATH DIET

ABBREVIATION.....POST CA DT
ACTIVE.....Yes
DESCRIPTION.....Post Cath Diet
DISPLAY_NAME.....Post Cath Diet
HELP_TEXT.....No Help Text
ID.....{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}
TERM.....POST CATH DIET

DATA VALUE: POST OPERATION DIAGNOSIS

ABBREVIATION.....PO OP DIAG
ACTIVE.....Yes
DESCRIPTION.....Post Operation Diagnosis
DISPLAY_NAME.....Post Operation Diagnosis

HELP_TEXT.....Post Operation Diagnosis
ID.....{A69379C9-C54A-4C55-85B3-C3D92D1705A0}
TERM.....POST OPERATION DIAGNOSIS

DATA VALUE: POST PROCEDURE DIAGNOSIS

ABBREVIATION.....PO PRO DIA
ACTIVE.....Yes
DESCRIPTION.....Post Procedure Diagnosis
DISPLAY_NAME.....Post Procedure Diagnosis
HELP_TEXT.....Post Procedure Diagnosis
ID.....{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}
TERM.....POST PROCEDURE DIAGNOSIS

DATA VALUE: POST-FALL

ABBREVIATION.....POST-FALL
ACTIVE.....Yes
DESCRIPTION.....Post-Fall
DISPLAY_NAME.....Post-Fall
HELP_TEXT.....No Help Text
ID.....{9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}
TERM.....POST-FALL

DATA VALUE: POST-OPERATIVE

ABBREVIATION.....POST-OP

ACTIVE.....Yes

DESCRIPTION.....Post-Operative

DISPLAY_NAME.....Post-Operative

HELP_TEXT.....No Help Text

ID.....{9FA19656-849F-4A65-92FC-755A4C9E8056}

TERM.....POST-OPERATIVE

DATA VALUE: POST-PROCEDURE

ABBREVIATION.....POST-PROC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Post-Procedure

HELP_TEXT.....No Help Text

ID.....{0F943BD7-BD13-412E-B4EA-9B5526587340}

TERM.....POST-PROCEDURE

DATA VALUE: POST-SEDATION

ABBREVIATION.....POST SED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Post-Sedation

HELP_TEXT.....No Help Text

ID.....{B829A249-CB14-4919-86F8-4A8C8D6B7753}

TERM.....POST-SEDATION

DATA VALUE: POTASSIUM MODIFIED 60 MEQ

ABBREVIATION.....K MOD 60M

ACTIVE.....Yes

DESCRIPTION.....Potassium Modified 60 MEQ

DISPLAY_NAME.....Potassium Modified 60 MEQ

HELP_TEXT.....No Help Text

ID.....{6EC2F10D-CC44-4872-8473-2445A835ABB0}

TERM.....POTASSIUM MODIFIED 60 MEQ

DATA VALUE: PRBC

ABBREVIATION.....PRBC

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells

DISPLAY_NAME.....PRBC

HELP_TEXT.....No Help Text

ID.....{F6D9B889-1BCB-4724-B75A-E98743585D55}

TERM.....PRBC

DATA VALUE: PRE-MEDICATED FOR ACTIVITY

ABBREVIATION.....PRE-MED AC
ACTIVE.....Yes
DESCRIPTION.....Pre-Medicated For Activity
DISPLAY_NAME.....Pre-Medicated For Activity
HELP_TEXT.....No Help Text
ID.....{D6DA772A-FA22-4170-B928-855A2F68711F}
TERM.....PRE-MEDICATED FOR ACTIVITY

DATA VALUE: PRE-OPERATIVE

ABBREVIATION.....PRE-OP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pre-Operative
HELP_TEXT.....No Help Text
ID.....{80C418D5-54B1-4CC3-9B19-5653B8D73C45}
TERM.....PRE-OPERATIVE

DATA VALUE: PRE-PROCEDURE

ABBREVIATION.....PRE-PROC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pre-Procedure

HELP_TEXT.....No Help Text
ID.....{D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}
TERM.....PRE-PROCEDURE

DATA VALUE: PRE-SEDATION

ABBREVIATION.....PRE SEDA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pre-Sedation
HELP_TEXT.....No Help Text
ID.....{684C764E-2BE9-4C99-A2B2-C92D75C73751}
TERM.....PRE-SEDATION

DATA VALUE: PRE-SURGERY

ABBREVIATION.....PRE-SURG
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pre-Surgery
HELP_TEXT.....No Help Text
ID.....{0C71761F-3024-4638-A95C-FDF12DC03CF5}
TERM.....PRE-SURGERY

DATA VALUE: PREGNANT, NO

ABBREVIATION.....Preg, No
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pregnant, No
HELP_TEXT.....
ID.....{D08F5D48-965E-4537-83BC-14722E28B0AE}
TERM.....PREGNANT, NO

DATA VALUE: PREGNANT, YES

ABBREVIATION.....Preg, Yes
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pregnant, Yes
HELP_TEXT.....
ID.....{CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}
TERM.....PREGNANT, YES

DATA VALUE: PREMATURE ATRIAL

ABBREVIATION.....pa
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Premature Atrial

HELP_TEXT.....No Help Text

ID.....{070FDCB1-2EC4-B4EF-4DFD-81F6CCFFBDED}

TERM.....PREMATURE ATRIAL

DATA VALUE: PRESENT

ABBREVIATION.....p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Present

HELP_TEXT.....No Help Text

ID.....{384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

TERM.....PRESENT

DATA VALUE: PRESSURE

ABBREVIATION.....PRESSURE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Pressure

HELP_TEXT.....No Help Text

ID.....{387AFB7F-3973-4D77-B2E6-0724F344D8F6}

TERM.....PRESSURE

DATA VALUE: PRESSURE CALIBRATION

ABBREVIATION.....PRESS CALI
ACTIVE.....Yes
DESCRIPTION.....Pressure Calibration
DISPLAY_NAME.....Pressure Calibration
HELP_TEXT.....No Help Text
ID.....{38C12E69-2CD2-4F61-98D9-06AB857DA51A}
TERM.....PRESSURE CALIBRATION

DATA VALUE: PRESSURE CONTROL

ABBREVIATION.....PRESS CONT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pressure Control
HELP_TEXT.....No Help Text
ID.....{C3CDF756-484F-1483-9883-9B63DEF3B012}
TERM.....PRESSURE CONTROL

DATA VALUE: PRESSURE DRESSING

ABBREVIATION.....PRESS DRES
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pressure Dressing

HELP_TEXT.....No Help Text
ID.....{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}
TERM.....PRESSURE DRESSING

DATA VALUE: PRESSURE ULCER

ABBREVIATION.....PRE ULCER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pressure Ulcer
HELP_TEXT.....No Help Text
ID.....{7279639E-498D-4EA3-A3FA-4A6D611E6F48}
TERM.....PRESSURE ULCER

DATA VALUE: PRESYSTOLIC

ABBREVIATION.....PRESYSTOLI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Presystolic
HELP_TEXT.....No Help Text
ID.....{BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}
TERM.....PRESYSTOLIC

DATA VALUE: PREVENT ACCESS TO DEVICE

ABBREVIATION.....PREV ACCE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Prevent Access To Medical Devices
HELP_TEXT.....No Help Text
ID.....{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}
TERM.....PREVENT ACCESS TO DEVICE

DATA VALUE: PREVIOUS PERCUTANEOUS SITE

ABBREVIATION.....PRE PER SI
ACTIVE.....Yes
DESCRIPTION.....Previous Percutaneous Site
DISPLAY_NAME.....Previous Percutaneous Site
HELP_TEXT.....No Help Text
ID.....{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}
TERM.....PREVIOUS PERCUTANEOUS SITE

DATA VALUE: PRN

ABBREVIATION.....PRN
ACTIVE.....Yes
DESCRIPTION.....As Needed
DISPLAY_NAME.....PRN

HELP_TEXT.....As Needed

ID.....{36493D81-954B-4C56-B0A2-9988EA785EBD}

TERM.....PRN

DATA VALUE: PRO STAT SUGAR FREE 64

ABBREVIATION.....ProSta 64

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pro Stat Sugar Free 64

HELP_TEXT.....

ID.....{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}

TERM.....PRO STAT SUGAR FREE 64

DATA VALUE: PRO-STAT

ABBREVIATION.....Pro-Stat

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pro-Stat

HELP_TEXT.....

ID.....{E39E36C7-0A47-459D-BA75-CF6186247B40}

TERM.....PRO-STAT

DATA VALUE: PROCEDURE ROOM

ABBREVIATION.....PROC ROO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Procedure Room
HELP_TEXT.....No Help Text
ID.....{CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}
TERM.....PROCEDURE ROOM

DATA VALUE: PRODUCTIVE

ABBREVIATION.....p
ACTIVE.....Yes
DESCRIPTION.....Produces desired result
DISPLAY_NAME.....Productive
HELP_TEXT.....No Help Text
ID.....{22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}
TERM.....PRODUCTIVE

DATA VALUE: PROJECTILE VOMITING

ABBREVIATION.....PROJ VOMIT
ACTIVE.....Yes
DESCRIPTION.....Projectile Vomiting
DISPLAY_NAME.....Projectile Vomiting

HELP_TEXT.....Projectile Vomiting
ID.....{0D2CB23B-B266-40E1-A6FF-20B733655B69}
TERM.....PROJECTILE VOMITING

DATA VALUE: PROMOTE

ABBREVIATION.....Promote
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Promote
HELP_TEXT.....
ID.....{6377C8D3-F6DD-4BD2-877F-DB52525DD65D}
TERM.....PROMOTE

DATA VALUE: PROMOTE WITH FIBER

ABBREVIATION.....Pro W/Fib
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Promote With Fiber
HELP_TEXT.....
ID.....{33E04B6F-2976-402C-B3B7-B75705430340}
TERM.....PROMOTE WITH FIBER

DATA VALUE: PRONE

ABBREVIATION.....PRONE
ACTIVE.....Yes
DESCRIPTION.....Prone
DISPLAY_NAME.....Prone
HELP_TEXT.....No Help Text
ID.....{41180E09-D9D6-4903-BAE9-28CD5AAC4991}
TERM.....PRONE

DATA VALUE: PROPASS PROTEIN POWDER

ABBREVIATION.....Pro Prot
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Propass Protein Powder
HELP_TEXT.....
ID.....{2307C41A-92D2-4DD4-BC1F-2E78F7477D98}
TERM.....PROPASS PROTEIN POWDER

DATA VALUE: PROSTHESIS

ABBREVIATION.....PROSTHESIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Prosthesis

HELP_TEXT.....No Help Text

ID.....{CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

TERM.....PROSTHESIS

DATA VALUE: PROTENEX WOUND CARE

ABBREVIATION.....Protenex

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Protenex Wound Care

HELP_TEXT.....

ID.....{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}

TERM.....PROTENEX WOUND CARE

DATA VALUE: PROXIMAL PORT

ABBREVIATION.....PROX PORT

ACTIVE.....Yes

DESCRIPTION.....Proximal Port

DISPLAY_NAME.....Proximal Port

HELP_TEXT.....No Help Text

ID.....{3244EF4F-F18A-4250-96F5-ABCEA7BFA578}

TERM.....PROXIMAL PORT

DATA VALUE: PT DENIES NAUSEA / NO VOMITING

ABBREVIATION.....DEN NAUS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pt. Denies Nausea / No Vomiting
HELP_TEXT.....No Help Text
ID.....{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}
TERM.....PT DENIES NAUSEA / NO VOMITING

DATA VALUE: PT PAIN AT ACCEPTABLE LEVEL

ABBREVIATION.....PT PA OK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Patient's Pain at Acceptable Level
HELP_TEXT.....No Help Text
ID.....{78489498-4A5B-41C5-98C5-95D56C4A0933}
TERM.....PT PAIN AT ACCEPTABLE LEVEL

DATA VALUE: PULMOCARE

ABBREVIATION.....Pulmocare
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pulmocare

HELP_TEXT.....

ID.....{8D683106-B5EE-46E1-B1C6-0C7843EDD15C}

TERM.....PULMOCARE

DATA VALUE: PULMONARY PROCEDURE ROOM

ABBREVIATION.....Pul Prc Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pulmonary Procedure Room

HELP_TEXT.....

ID.....{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}

TERM.....PULMONARY PROCEDURE ROOM

DATA VALUE: PULSE OXIMETER

ABBREVIATION.....Pulse Ox

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Pulse Oximeter

HELP_TEXT.....

ID.....{773A956B-0B08-4D72-AAD4-630DF8268694}

TERM.....PULSE OXIMETER

DATA VALUE: PULSELESS ELECTRICAL ACTIVITY

ABBREVIATION.....Pulseless
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pulseless Electrical Activity
HELP_TEXT.....
ID.....{8E21E500-78D4-462D-9483-DD81D3887EE5}
TERM.....PULSELESS ELECTRICAL ACTIVITY

DATA VALUE: PUMP - CONTINUOUS

ABBREVIATION.....Pump- cont
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pump- Continuous
HELP_TEXT.....
ID.....{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}
TERM.....PUMP - CONTINUOUS

DATA VALUE: PUMP - INTERMITTENT

ABBREVIATION.....Pump - int
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Pump - Intermittent

HELP_TEXT.....

ID.....{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}

TERM.....PUMP - INTERMITTENT

DATA VALUE: PUNCTURE

ABBREVIATION.....PUNCTURE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Puncture

HELP_TEXT.....No Help Text

ID.....{28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}

TERM.....PUNCTURE

DATA VALUE: PUREED

ABBREVIATION.....PUREED

ACTIVE.....Yes

DESCRIPTION.....Pureed

DISPLAY_NAME.....Pureed

HELP_TEXT.....No Help Text

ID.....{99F8AE5F-E390-4583-8A92-CAC13E21BCF4}

TERM.....PUREED

DATA VALUE: PURULENT

ABBREVIATION.....PURULENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Purulent

HELP_TEXT.....No Help Text

ID.....{86C01494-743A-C6A2-8883-01CA5200C79B}

TERM.....PURULENT

DATA VALUE: PVC

ABBREVIATION.....p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....PVC

HELP_TEXT.....No Help Text

ID.....{33FF92F1-84CC-7CFA-41CF-B271A26C59B8}

TERM.....PVC

DATA VALUE: QUADRAGEMINY

ABBREVIATION.....Quadragemi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Quadrageminy

HELP_TEXT.....

ID.....{899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}

TERM.....QUADRAGEMINY

DATA VALUE: QUIET OR RESTING

ABBREVIATION.....qor

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Quiet Or Resting

HELP_TEXT.....No Help Text

ID.....{76E4908F-014C-2088-FF7F-33EBF223DE40}

TERM.....QUIET OR RESTING

DATA VALUE: QUIET ROOM

ABBREVIATION.....qr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Quiet Room

HELP_TEXT.....No Help Text

ID.....{CCD96D41-C273-F6F3-DA18-8818B1CC9980}

TERM.....QUIET ROOM

DATA VALUE: R BUNDLE BRANCH BLOCK

ABBREVIATION.....rbbb
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Bundle Branch Block
HELP_TEXT.....No Help Text
ID.....{FDE0D174-5220-F069-D284-20399D9489B0}
TERM.....R BUNDLE BRANCH BLOCK

DATA VALUE: R FOOT DOWN

ABBREVIATION.....R FOOT DOW
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Foot Down
HELP_TEXT.....No Help Text
ID.....{DBCC0BA2-3097-42C7-AE9E-DF71FA779162}
TERM.....R FOOT DOWN

DATA VALUE: R FOOT UP

ABBREVIATION.....R FOOT UP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Foot Up

HELP_TEXT.....No Help Text

ID.....{5928B710-6EB1-4183-93CB-6C72B37A97C3}

TERM.....R FOOT UP

DATA VALUE: R HEAD DOWN

ABBREVIATION.....R HEAD DOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Head Down

HELP_TEXT.....No Help Text

ID.....{DFFE0638-444C-4023-B586-985E84EEA1FA}

TERM.....R HEAD DOWN

DATA VALUE: R HEAD UP

ABBREVIATION.....R HEAD UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Head Up

HELP_TEXT.....No Help Text

ID.....{D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}

TERM.....R HEAD UP

DATA VALUE: R NECK

ABBREVIATION.....RIGHT NECK
ACTIVE.....Yes
DESCRIPTION.....RIGHT NECK
DISPLAY_NAME.....R Neck
HELP_TEXT.....RIGHT NECK
ID.....{907E90CD-87BF-073D-AF76-EA11ABE7FC3C}
TERM.....R NECK

DATA VALUE: R NEPHROSTOMY

ABBREVIATION.....R NEPHROST
ACTIVE.....Yes
DESCRIPTION.....Right Nephrostomy
DISPLAY_NAME.....R Nephrostomy
HELP_TEXT.....Right Nephrostomy
ID.....{33661137-688D-5611-4368-B1DFD8DB1469}
TERM.....R NEPHROSTOMY

DATA VALUE: R STENT

ABBREVIATION.....RT. STENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Stent

HELP_TEXT.....No Help Text

ID.....{6D0EED3B-1F08-11D2-165D-97A9F58327D5}

TERM.....R STENT

DATA VALUE: RADIATING

ABBREVIATION.....RADIATING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....RADIATING

HELP_TEXT.....No Help Text

ID.....{B6807939-F809-45C1-912A-ADEF2E0DB0DC}

TERM.....RADIATING

DATA VALUE: RADIOLOGY

ABBREVIATION.....Radiology

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Radiology

HELP_TEXT.....

ID.....{AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}

TERM.....RADIOLOGY

DATA VALUE: RAMSEY ANXIOUS

ABBREVIATION.....RAM ANXIOUS
ACTIVE.....Yes
DESCRIPTION.....Anxious, agitated, or restless
DISPLAY_NAME.....1 - Anxious
HELP_TEXT.....Anxious, agitated, or restless
ID.....{88205A0C-7065-4616-8FCF-75059462DD15}
TERM.....RAMSEY ANXIOUS

DATA VALUE: RAMSEY ASLEEP BRISK RESPONSE

ABBREVIATION.....RAM ASL BR
ACTIVE.....Yes
DESCRIPTION.....Asleep; brisk response to light
 glabellar tap or loud auditory
 stimulus
DISPLAY_NAME.....4 - Asleep; Brisk Response
HELP_TEXT.....Asleep; brisk response to light
 glabellar tap or loud auditory
 stimulus
ID.....{00F4A117-F9E7-4B60-A521-F2E8725AECD3}
TERM.....RAMSEY ASLEEP BRISK RESPONSE

DATA VALUE: RAMSEY ASLEEP NO RESPONSE

ABBREVIATION.....RAM ASL NO
ACTIVE.....Yes
DESCRIPTION.....Asleep; no response to painful stimuli
DISPLAY_NAME.....6 - Asleep No Response
HELP_TEXT.....Asleep; no response to painful stimuli
ID.....{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}
TERM.....RAMSEY ASLEEP NO RESPONSE

DATA VALUE: RAMSEY ASLEEP SLUGGISH

ABBREVIATION.....RAM ASL SL
ACTIVE.....Yes
DESCRIPTION.....Asleep; sluggish response to light
 glabellar tap or loud auditory
 stimulus
DISPLAY_NAME.....5 - Asleep Sluggish Response
HELP_TEXT.....Asleep; sluggish response to light
 glabellar tap or loud auditory
 stimulus
ID.....{AA61604F-00F9-4103-B27F-E817FBC9577B}
TERM.....RAMSEY ASLEEP SLUGGISH

DATA VALUE: RAMSEY COOPERATIVE

ABBREVIATION.....RAM COOPER
ACTIVE.....Yes
DESCRIPTION.....Cooperative, oriented, and tranquil
DISPLAY_NAME.....2 - Cooperative

HELP_TEXT.....Cooperative, oriented, and tranquil

ID.....{56846ADA-0F0E-44AA-9779-A567B9D24C4F}

TERM.....RAMSEY COOPERATIVE

DATA VALUE: RAMSEY SEDATED

ABBREVIATION.....RAM SEDATE
ACTIVE.....Yes
DESCRIPTION.....Sedated but responds to commands
DISPLAY_NAME.....3 - Sedated But Responds
HELP_TEXT.....Sedated but responds to commands
ID.....{CC12405F-60DB-485F-94E5-78C1EB32AB74}
TERM.....RAMSEY SEDATED

DATA VALUE: RASH/EXFOLIATION

ABBREVIATION.....RASH/EXFOL
ACTIVE.....Yes
DESCRIPTION.....Rash / Exfoliation
DISPLAY_NAME.....Rash / Exfoliation
HELP_TEXT.....No Help Text
ID.....{AB83ABA9-28A7-6484-67E7-4E66B5526942}
TERM.....RASH/EXFOLIATION

DATA VALUE: RASS AGITATED

ABBREVIATION.....RASS AGITA
ACTIVE.....Yes
DESCRIPTION.....Frequent non-purposeful movement,
 fights ventilator

DISPLAY_NAME.....+2: Agitated

HELP_TEXT.....Frequent non-purposeful movement,
 fights ventilator

ID.....{D81A5D5D-E7FC-445A-A814-495731ABA0F8}

TERM.....RASS AGITATED

DATA VALUE: RASS ALERT AND CALM

ABBREVIATION.....RASS AL CA

ACTIVE.....Yes

DESCRIPTION.....Alert and Calm

DISPLAY_NAME.....0: Alert and Calm

HELP_TEXT.....Alert and Calm

ID.....{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}

TERM.....RASS ALERT AND CALM

DATA VALUE: RASS COMBATIVE

ABBREVIATION.....RASS COMBA

ACTIVE.....Yes

DESCRIPTION.....Overtly combative, violent, immediate
 danger to staff

DISPLAY_NAME.....+4: Combative

HELP_TEXT.....Overtly combative, violent, immediate
 danger to staff

ID.....{A97E064A-7709-42F9-9A88-4AAFF1020883}

TERM.....RASS COMBATIVE

DATA VALUE: RASS DEEP SEDATION

ABBREVIATION.....RASS DP SE

ACTIVE.....Yes

DESCRIPTION.....No response to voice, but movement or
eye opening to physical stimulation

DISPLAY_NAME.....-4: Deep Sedation

HELP_TEXT.....No response to voice, but movement or
eye opening to physical stimulation

ID.....{83CB4E64-3581-452F-987A-D31CB3AB38D2}

TERM.....RASS DEEP SEDATION

DATA VALUE: RASS DROWSY

ABBREVIATION.....RASS DROWS

ACTIVE.....Yes

DESCRIPTION.....Not fully alert, but has sustained
awakening (eye-opening/eye contact)
to voice (>10 seconds)

DISPLAY_NAME.....-1: Drowsy

HELP_TEXT.....Not fully alert, but has sustained
awakening (eye-opening/eye contact)
to voice (>10 seconds)

ID.....{5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}

TERM.....RASS DROWSY

DATA VALUE: RASS LIGHT SEDATION

ABBREVIATION.....RASS LT SE

ACTIVE.....Yes

DESCRIPTION.....Briefly awakens with eye contact to
voice (<10 seconds)

DISPLAY_NAME.....-2: Light Sedation

HELP_TEXT.....Briefly awakens with eye contact to
voice (<10 seconds)

ID.....{FDEEC084-3922-4065-A863-4893E42F8F93}

TERM.....RASS LIGHT SEDATION

DATA VALUE: RASS MODERATE SEDATION

ABBREVIATION.....RASS MD SE

ACTIVE.....Yes

DESCRIPTION.....Movement or eye opening to voice (but
no eye contact)

DISPLAY_NAME.....-3: Moderate Sedation

HELP_TEXT.....Movement or eye opening to voice (but
no eye contact)

ID.....{D12B0A3E-B80E-494F-B89F-A79E8B81B080}

TERM.....RASS MODERATE SEDATION

DATA VALUE: RASS RESTLESS

ABBREVIATION.....RASS RESTL

ACTIVE.....Yes

DESCRIPTION.....Anxious but movements not aggressive

vigorous

DISPLAY_NAME.....+1: Restless

HELP_TEXT.....Anxious but movements not aggressive

vigorous

ID.....{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}

TERM.....RASS RESTLESS

DATA VALUE: RASS UNAROUSABLE

ABBREVIATION.....RASS UNARO

ACTIVE.....Yes

DESCRIPTION.....No response to voice or physical
stimulation

DISPLAY_NAME.....-5: Unarousable

HELP_TEXT.....No response to voice or physical
stimulation

ID.....{1578E147-7D2C-4469-828E-FCA97109B27C}

TERM.....RASS UNAROUSABLE

DATA VALUE: RASS VERY AGITATED

ABBREVIATION.....RASS V AGI

ACTIVE.....Yes

DESCRIPTION.....Pulls or removes tube(s) or
catheter(s); aggressive

DISPLAY_NAME.....+3: Very Agitated

HELP_TEXT.....Pulls or removes tube(s) or
catheter(s); aggressive

ID.....{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}

TERM.....RASS VERY AGITATED

DATA VALUE: REACTIVE

ABBREVIATION.....Reactive
ACTIVE.....Yes
DESCRIPTION.....Reactive
DISPLAY_NAME.....Reactive
HELP_TEXT.....No Help Text
ID.....{31B44ADB-0000-A5B0-5F56-59D4A08C05D2}
TERM.....REACTIVE

DATA VALUE: RECTAL TUBE

ABBREVIATION.....RECT TUBE
ACTIVE.....Yes
DESCRIPTION.....Rectal Tube
DISPLAY_NAME.....Rectal Tube
HELP_TEXT.....No Help Text
ID.....{7E492AE5-D3B8-44EC-8841-97770FAD3AFE}
TERM.....RECTAL TUBE

DATA VALUE: RED

ABBREVIATION.....RED
ACTIVE.....Yes
DESCRIPTION.....The color red
DISPLAY_NAME.....Red
HELP_TEXT.....The color red
ID.....{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
TERM.....RED

DATA VALUE: RED/GRANULATING

ABBREVIATION.....RED/GRANUL
ACTIVE.....Yes
DESCRIPTION.....Red / Granulating
DISPLAY_NAME.....Red / Granulating
HELP_TEXT.....No Help Text
ID.....{BB69D2A2-7807-490A-B21D-77B6677796F6}
TERM.....RED/GRANULATING

DATA VALUE: REDDENING OF THE SKIN

ABBREVIATION.....RED O SKIN
ACTIVE.....Yes
DESCRIPTION.....Reddening Of The Skin
DISPLAY_NAME.....Reddening Of The Skin
HELP_TEXT.....No Help Text
ID.....{716AEC57-0835-4D07-A78C-D8453599A3D2}
TERM.....REDDENING OF THE SKIN

DATA VALUE: REDIRECT PATIENT ACTIVITY

ABBREVIATION.....REDIR ACT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Redirect Patient Activity

HELP_TEXT.....No Help Text
ID.....{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}
TERM.....REDIRECT PATIENT ACTIVITY

DATA VALUE: REFLEX

ABBREVIATION.....r
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Reflex
HELP_TEXT.....No Help Text
ID.....{F21585F9-5206-A6B3-2BF6-F416E5842366}
TERM.....REFLEX

DATA VALUE: REFUSE MEDICATION

ABBREVIATION.....REFUSE MED
ACTIVE.....Yes
DESCRIPTION.....Refuse Medication
DISPLAY_NAME.....Refuse Medication
HELP_TEXT.....No Help Text
ID.....{17D6956B-4CF6-492C-B113-B5A93D9E215E}
TERM.....REFUSE MEDICATION

DATA VALUE: REFUSE TO MOVE

ABBREVIATION.....REF TO MOV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Refuse To Move
HELP_TEXT.....No Help Text
ID.....{E14588CE-2498-4FE8-AB0B-E954DC1696AC}
TERM.....REFUSE TO MOVE

DATA VALUE: REFUSED

ABBREVIATION.....REFUSED
ACTIVE.....Yes
DESCRIPTION.....Refused
DISPLAY_NAME.....Refused
HELP_TEXT.....No Help Text
ID.....{D5B3E135-4D68-4528-BBC9-6E8A7A997104}
TERM.....REFUSED

DATA VALUE: REGIONAL BLOCK

ABBREVIATION.....Region Blk
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Regional Block

HELP_TEXT.....

ID.....{3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}

TERM.....REGIONAL BLOCK

DATA VALUE: REGISTERED NURSE

ABBREVIATION.....RN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....RN

HELP_TEXT.....No Help Text

ID.....{524F344F-FDCD-423F-AD34-291D5DB4271B}

TERM.....REGISTERED NURSE

DATA VALUE: REGULAR

ABBREVIATION.....REGULAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Regular

HELP_TEXT.....No Help Text

ID.....{3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}

TERM.....REGULAR

DATA VALUE: REINFORCED

ABBREVIATION.....REINFORCED

ACTIVE.....Yes

DESCRIPTION.....Dressing has been reinforced

DISPLAY_NAME.....Reinforced

HELP_TEXT.....No Help Text

ID.....{EC524C50-0CDE-4AA1-8059-E4323850575E}

TERM.....REINFORCED

DATA VALUE: RELATIVE

ABBREVIATION.....Relative

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Relative

HELP_TEXT.....

ID.....{F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}

TERM.....RELATIVE

DATA VALUE: RELIGIOUS

ABBREVIATION.....RELIGIOUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Religious

HELP_TEXT.....No Help Text

ID.....{936C9949-8A30-4BBF-934C-1F194551B8E2}

TERM.....RELIGIOUS

DATA VALUE: REMNANT P-WAVE

ABBREVIATION.....Remnant P

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Remnant P-Wave

HELP_TEXT.....

ID.....{3BBAA695-337E-41C4-BB83-8452917C07DF}

TERM.....REMNANT P-WAVE

DATA VALUE: REMOVE FROM STIM. SETTING

ABBREVIATION.....REM SET

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Remove From Stimulating Setting

HELP_TEXT.....No Help Text

ID.....{2010BA89-B399-4A30-9ACF-C65AB57B6351}

TERM.....REMOVE FROM STIM. SETTING

DATA VALUE: RENAL DIET

ABBREVIATION.....REN DIET
ACTIVE.....Yes
DESCRIPTION.....Renal Diet
DISPLAY_NAME.....Renal Diet
HELP_TEXT.....No Help Text
ID.....{089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}
TERM.....RENAL DIET

DATA VALUE: REORIENTED TO ENVIRONMENT

ABBREVIATION.....REORIENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Reoriented To Environment
HELP_TEXT.....No Help Text
ID.....{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}
TERM.....REORIENTED TO ENVIRONMENT

DATA VALUE: REPIRATORY DEPRESSION

ABBREVIATION.....Resp Depr
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Respiratory Depression

HELP_TEXT.....

ID.....{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}

TERM.....REPIRATORY DEPRESSION

DATA VALUE: REPORTED

ABBREVIATION.....REPORTED

ACTIVE.....Yes

DESCRIPTION.....Reported as having happened

DISPLAY_NAME.....Reported

HELP_TEXT.....No Help Text

ID.....{1D13BAC5-D8F9-455C-B815-8E256943492E}

TERM.....REPORTED

DATA VALUE: REPOSITION

ABBREVIATION.....REPOSITION

ACTIVE.....Yes

DESCRIPTION.....Reposition

DISPLAY_NAME.....Reposition

HELP_TEXT.....No Help Text

ID.....{DF3039CA-5977-4454-81D4-DB0AF966F85D}

TERM.....REPOSITION

DATA VALUE: REQUEST FOR MORE MEDICATION

ABBREVIATION.....REQ MOR ME
ACTIVE.....Yes
DESCRIPTION.....Request For More Medication
DISPLAY_NAME.....Request For More Medication
HELP_TEXT.....No Help Text
ID.....{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}
TERM.....REQUEST FOR MORE MEDICATION

DATA VALUE: RES CRIT: AGGRESSIVE

ABBREVIATION.....R.C. AGGR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Aggressive
HELP_TEXT.....No Help Text
ID.....{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}
TERM.....RES CRIT: AGGRESSIVE

DATA VALUE: RES CRIT: AMBULATE

ABBREVIATION.....R.C. AMBU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Attempting To Ambulate When

Unable/High Injury Risk

HELP_TEXT.....No Help Text

ID.....{54B72608-2C13-46CD-8034-00179669762C}

TERM.....RES CRIT: AMBULATE

DATA VALUE: RES CRIT: COMBATIVE

ABBREVIATION.....R.C. COMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Combative

HELP_TEXT.....No Help Text

ID.....{38DBF61A-D364-4215-B4AA-36B660F96462}

TERM.....RES CRIT: COMBATIVE

DATA VALUE: RES CRIT: EQUIPMENT

ABBREVIATION.....R.C. EQUI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Attempting To Remove

Equipment/Dressings

HELP_TEXT.....No Help Text

ID.....{38C2C56C-6D57-4750-8E68-F1193B16190A}

TERM.....RES CRIT: EQUIPMENT

DATA VALUE: RES CRIT: HARM TO SELF

ABBREVIATION.....R.C. HARM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Risk of Physical Harm To Self
HELP_TEXT.....No Help Text
ID.....{4DC33341-8F53-4D30-BC28-1E32DB54F30D}
TERM.....RES CRIT: HARM TO SELF

DATA VALUE: RES CRIT: LINES

ABBREVIATION.....R.C. LINE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Attempting To Pull Lines
HELP_TEXT.....No Help Text
ID.....{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}
TERM.....RES CRIT: LINES

DATA VALUE: RES CRIT: UNABLE TO FOLLOW DIRECTIONS

ABBREVIATION.....R.C. DIRE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Unable To Follow Directions While

Injury Risk

HELP_TEXT.....No Help Text

ID.....{41358EAE-9912-48F8-8931-D3C635406D21}

TERM.....RES CRIT: UNABLE TO FOLLOW DIRECTIONS

DATA VALUE: RES EVAL: AMBULATION/EXERCISE

ABBREVIATION.....R.E. EXER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ambulation / Exercise

HELP_TEXT.....No Help Text

ID.....{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}

TERM.....RES EVAL: AMBULATION/EXERCISE

DATA VALUE: RES EVAL: DECREASE STIMULATION

ABBREVIATION.....R.E. DECR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Decrease Stimulation

HELP_TEXT.....No Description

ID.....{0841626E-994E-4346-B701-1662A00209EB}

TERM.....RES EVAL: DECREASE STIMULATION

DATA VALUE: RES EVAL: DIVERSIONAL ACTIVITIES

ABBREVIATION.....R.E. DIVER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Diversonal Activities
HELP_TEXT.....No Help Text
ID.....{569F6D49-C564-4910-835A-B05179086E1F}
TERM.....RES EVAL: DIVERSIONAL ACTIVITIES

DATA VALUE: RES EVAL: EDUCATION

ABBREVIATION.....R.E. EDUC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Education
HELP_TEXT.....No Help Text
ID.....{76341E6E-7F0A-429C-B768-9CA83C452FD7}
TERM.....RES EVAL: EDUCATION

DATA VALUE: RES EVAL: INVOLVEMENT WITH FAMILY

ABBREVIATION.....R.E. INVO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Involvement With Family And Others

HELP_TEXT.....No Help Text
ID.....{0EF31047-70A5-4072-953A-B62E1ACDF84B}
TERM.....RES EVAL: INVOLVEMENT WITH FAMILY

DATA VALUE: RES EVAL: MEDICATION REVIEW

ABBREVIATION.....R.E. REVI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Medication Review
HELP_TEXT.....No Help Text
ID.....{914A0F82-5863-4C84-B3AB-D5A22BD340D8}
TERM.....RES EVAL: MEDICATION REVIEW

DATA VALUE: RES EVAL: REALITY ORIENTATION

ABBREVIATION.....R.E. REALI
ACTIVE.....Yes
DESCRIPTION.....None
DISPLAY_NAME.....Reality Orientation
HELP_TEXT.....None
ID.....{221C363C-2261-40FC-8400-8B1D2E693F69}
TERM.....RES EVAL: REALITY ORIENTATION

DATA VALUE: RES EVAL: RELOCATE

ABBREVIATION.....R.E. RELO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Relocate Patient
HELP_TEXT.....No Help Text
ID.....{D8165678-ECEF-4F4D-A1C4-C616349E1873}
TERM.....RES EVAL: RELOCATE

DATA VALUE: RES EVAL: UNABLE TO ATTEMPT

ABBREVIATION.....R.E. UNAB
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Unable To Attempt Due To Patient
Safety Concern
HELP_TEXT.....No Help Text
ID.....{979B0477-5789-4319-9562-6752048C4005}
TERM.....RES EVAL: UNABLE TO ATTEMPT

DATA VALUE: RES LRM: DEVICE ACCESS

ABBREVIATION.....RLRM ACCE
ACTIVE.....Yes
DESCRIPTION.....No Description

DISPLAY_NAME.....Prevent Access To Medical Devices

HELP_TEXT.....No Help Text

ID.....{1662F5E1-30E7-4E8A-BCC5-1738868435B8}

TERM.....RES LRM: DEVICE ACCESS

DATA VALUE: RES LRM: LIMIT SETTING

ABBREVIATION.....RLRM SETT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Limit Setting

HELP_TEXT.....No Help Text

ID.....{96417DDF-8562-4EFF-B4F6-0933FD91CD36}

TERM.....RES LRM: LIMIT SETTING

DATA VALUE: RES LRM: PRN MEDS

ABBREVIATION.....RLRM: MEDS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Offer PRN Meds

HELP_TEXT.....No Help Text

ID.....{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}

TERM.....RES LRM: PRN MEDS

DATA VALUE: RES LRM: REDIRECT

ABBREVIATION.....RLRM REDI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Redirect Patient Activity
HELP_TEXT.....No Help Text
ID.....{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}
TERM.....RES LRM: REDIRECT

DATA VALUE: RES LRM: REMOVE FROM SETTING

ABBREVIATION.....RLRM REMO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Remove From Stimulating Setting
HELP_TEXT.....No Help Text
ID.....{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}
TERM.....RES LRM: REMOVE FROM SETTING

DATA VALUE: RES LRM: REORIENT

ABBREVIATION.....RLRM REOR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Reoriented To Environment

HELP_TEXT.....No Help Text

ID.....{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}

TERM.....RES LRM: REORIENT

DATA VALUE: RES LRM: SUPERVISION

ABBREVIATION.....RLRM SUPR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....One To One Supervision

HELP_TEXT.....No Help Text

ID.....{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}

TERM.....RES LRM: SUPERVISION

DATA VALUE: RES LRM: VERBAL DE-ESCALATION

ABBREVIATION.....RLRM VERB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Verbal De-escalation

HELP_TEXT.....No Help Text

ID.....{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}

TERM.....RES LRM: VERBAL DE-ESCALATION

DATA VALUE: RES LRM: VERBAL REMINDERS

ABBREVIATION.....RLRM REMI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Frequent Verbal Reminders
HELP_TEXT.....No Help Text
ID.....{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}
TERM.....RES LRM: VERBAL REMINDERS

DATA VALUE: RESOURCE BREEZE

ABBREVIATION.....Re Breeze
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Resource Breeze
HELP_TEXT.....
ID.....{D3A38687-AD62-4E1D-A945-1201168E1CF6}
TERM.....RESOURCE BREEZE

DATA VALUE: RESOURCE DM

ABBREVIATION.....Re Dm
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Resource Dm

HELP_TEXT.....

ID.....{C9D4A461-81F9-4392-98DA-129B00E5807F}

TERM.....RESOURCE DM

DATA VALUE: RESPIRATION

ABBREVIATION.....Respiratio

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Respiration

HELP_TEXT.....

ID.....{5D6198F0-FE26-4F94-9118-D49A7EC44017}

TERM.....RESPIRATION

DATA VALUE: RESPIRATORY DEPRESSION

ABBREVIATION.....Resp Depr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Respiratory Depression

HELP_TEXT.....

ID.....{A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}

TERM.....RESPIRATORY DEPRESSION

DATA VALUE: RESTING

ABBREVIATION.....Resting

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Resting

HELP_TEXT.....

ID.....{D750373F-12E2-4D95-AF0D-F7731905F723}

TERM.....RESTING

DATA VALUE: RESTING RESPIRATORY RATE BASELINE OR ABOVE

ABBREVIATION.....Rest Base

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Resting Respiratory Rate Baseline or
Above

HELP_TEXT.....

ID.....{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}

TERM.....RESTING RESPIRATORY RATE BASELINE OR
ABOVE

DATA VALUE: RESTLESS

ABBREVIATION.....r

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Restless
HELP_TEXT.....No Help Text
ID.....{8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
TERM.....RESTLESS

DATA VALUE: RESTRAINT

ABBREVIATION.....RESTRAINT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Restraint
HELP_TEXT.....No Help Text
ID.....{0429322D-A987-4913-B64D-A6414645B214}
TERM.....RESTRAINT

DATA VALUE: RESTRAINT BILATERAL ANKLE

ABBREVIATION.....RES BI ANK
ACTIVE.....Yes
DESCRIPTION.....Bilateral Ankle Restraint
DISPLAY_NAME.....Bilateral Ankle
HELP_TEXT.....No Help Text
ID.....{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}
TERM.....RESTRAINT BILATERAL ANKLE

DATA VALUE: RESTRAINT BILATERAL HAND MITT

ABBREVIATION.....RES BI H M
ACTIVE.....Yes
DESCRIPTION.....Bilateral Hand Mitt Restraint
DISPLAY_NAME.....Bilateral Hand Mitt
HELP_TEXT.....No Help Text
ID.....{5E293110-1235-4307-80C2-0FFFA007E1DA}
TERM.....RESTRAINT BILATERAL HAND MITT

DATA VALUE: RESTRAINT GERI CHAIR

ABBREVIATION.....RES GERI C
ACTIVE.....Yes
DESCRIPTION.....Geri Chair Restraint
DISPLAY_NAME.....Geri Chair
HELP_TEXT.....No Help Text
ID.....{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}
TERM.....RESTRAINT GERI CHAIR

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER

ABBREVIATION.....RES H PL/L
ACTIVE.....Yes
DESCRIPTION.....Hard Plastic/Leather Restraint
DISPLAY_NAME.....Hard Plastic/Leather

HELP_TEXT.....No Help Text

ID.....{9BB528F4-7016-4030-B73F-4037ADF2621D}

TERM.....RESTRAINT HARD PLASTIC/LEATHER

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 2 POINT

ABBREVIATION.....RES P/L 2P

ACTIVE.....Yes

DESCRIPTION.....Hard Plastic/Leather 2 Point Restraint

DISPLAY_NAME.....Hard Plastic/Leather 2 Point

HELP_TEXT.....No Help Text

ID.....{17CB8739-612A-4319-946A-2062C5245C90}

TERM.....RESTRAINT HARD PLASTIC/LEATHER 2 POINT

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 4 POINT

ABBREVIATION.....RES P/L 4P

ACTIVE.....Yes

DESCRIPTION.....Hard Plastic/Leather 4 Point Restraint

DISPLAY_NAME.....Hard Plastic/Leather 4 Point

HELP_TEXT.....No Help Text

ID.....{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}

TERM.....RESTRAINT HARD PLASTIC/LEATHER 4 POINT

DATA VALUE: RESTRAINT ONE ARM

ABBREVIATION.....RES ONE AR
ACTIVE.....Yes
DESCRIPTION.....One Arm Restraint
DISPLAY_NAME.....One Arm
HELP_TEXT.....No Help Text
ID.....{839914DA-6D63-43EB-961E-70DA56737A92}
TERM.....RESTRAINT ONE ARM

DATA VALUE: RESTRAINT ONE LEG

ABBREVIATION.....RES ONE LE
ACTIVE.....Yes
DESCRIPTION.....One Leg Restraint
DISPLAY_NAME.....One Leg
HELP_TEXT.....No Help Text
ID.....{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}
TERM.....RESTRAINT ONE LEG

DATA VALUE: RESTRAINT SINGLE HAND MITT

ABBREVIATION.....RES S HA M
ACTIVE.....Yes
DESCRIPTION.....Single Hand Mitt Restraint
DISPLAY_NAME.....Single Hand Mitt

HELP_TEXT.....No Help Text
ID.....{A5F1D037-FB5E-402B-9F25-22DE48404D57}
TERM.....RESTRAINT SINGLE HAND MITT

DATA VALUE: RESTRAINT SOFT

ABBREVIATION.....RESTR SOFT
ACTIVE.....Yes
DESCRIPTION.....Soft Restraint
DISPLAY_NAME.....Soft Restraint
HELP_TEXT.....No Help Text
ID.....{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}
TERM.....RESTRAINT SOFT

DATA VALUE: RESTRAINT SOFT 2 POINT

ABBREVIATION.....RES S2POIN
ACTIVE.....Yes
DESCRIPTION.....Soft 2 Point Restraint
DISPLAY_NAME.....Soft Restraint 2 Point
HELP_TEXT.....No Help Text
ID.....{66B71CFE-2603-40C9-9625-24448012BAB5}
TERM.....RESTRAINT SOFT 2 POINT

DATA VALUE: RESTRAINT SOFT 4 POINT

ABBREVIATION.....RES S4POIN

ACTIVE.....Yes

DESCRIPTION.....Soft 4 Point Restraint

DISPLAY_NAME.....Soft Restraint 4 Point

HELP_TEXT.....No Help Text

ID.....{6820E997-60A0-4802-BE26-CA29B4F48F32}

TERM.....RESTRAINT SOFT 4 POINT

DATA VALUE: RESTRAINT SOFT ARMS + LOCKED WAIST

ABBREVIATION.....RES S A+LW

ACTIVE.....Yes

DESCRIPTION.....Soft Arms + Locked Waist Restraint

DISPLAY_NAME.....Soft Arms + Locked Waist

HELP_TEXT.....No Help Text

ID.....{C480D67C-958C-42F9-9203-98E2F2BDBEC8}

TERM.....RESTRAINT SOFT ARMS + LOCKED WAIST

DATA VALUE: RESTRAINT SOFT ARMS + WAIST

ABBREVIATION.....RES S A+W

ACTIVE.....Yes

DESCRIPTION.....Soft Arms + Waist Restraints

DISPLAY_NAME.....Soft Arms + Waist

HELP_TEXT.....No Help Text
ID.....{4A322BB6-0F63-4BB7-9290-C0655BD7D772}
TERM.....RESTRAINT SOFT ARMS + WAIST

DATA VALUE: RESTRAINT STRAP

ABBREVIATION.....RES STRAP
ACTIVE.....Yes
DESCRIPTION.....Restraint Strap
DISPLAY_NAME.....Restraint Strap
HELP_TEXT.....No Help Text
ID.....{642FDACE-B320-42BC-9514-F5FCD6583B19}
TERM.....RESTRAINT STRAP

DATA VALUE: RESTRAINT VEST

ABBREVIATION.....RES VEST
ACTIVE.....Yes
DESCRIPTION.....Restraint Vest
DISPLAY_NAME.....Restraint Vest
HELP_TEXT.....No Help Text
ID.....{643378B2-86D7-4DB7-93ED-9DCE16D85E27}
TERM.....RESTRAINT VEST

DATA VALUE: RESTRAINT WAIST

ABBREVIATION.....RES WAIST

ACTIVE.....Yes

DESCRIPTION.....Waist

DISPLAY_NAME.....Waist

HELP_TEXT.....No Help Text

ID.....{253E2757-5A57-4410-9C0E-F4A907A1EC16}

TERM.....RESTRAINT WAIST

DATA VALUE: RESTRAINT WAIST LOCKED

ABBREVIATION.....RES WAI LO

ACTIVE.....Yes

DESCRIPTION.....Waist Locked Restraint

DISPLAY_NAME.....Waist Locked

HELP_TEXT.....No Help Text

ID.....{1EE7AB42-CE17-4D49-849B-CA550966E58C}

TERM.....RESTRAINT WAIST LOCKED

DATA VALUE: RESTRAINT WRIST

ABBREVIATION.....RES WRIST

ACTIVE.....Yes

DESCRIPTION.....Wrist Restraint

DISPLAY_NAME.....Restraint Wrist

HELP_TEXT.....No Help Text
ID.....{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}
TERM.....RESTRAINT WRIST

DATA VALUE: RESTRAINTS BROCHURE

ABBREVIATION.....RES BRO P
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Education Brochure Provided
HELP_TEXT.....No Help Text
ID.....{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}
TERM.....RESTRAINTS BROCHURE

DATA VALUE: RESTRAINTS ED REMOVAL

ABBREVIATION.....RES ED REM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Education On Condition Required For
Removal
HELP_TEXT.....No Help Text
ID.....{B19316C8-687B-48FB-9EBC-9857662B9F85}
TERM.....RESTRAINTS ED REMOVAL

DATA VALUE: RESTRAINTS ED TYPE

ABBREVIATION.....RES ED TY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Education Rational For Type Of
 Restraint
HELP_TEXT.....No Help Text
ID.....{5560A332-C365-4DAF-BA33-610C4AE301F5}
TERM.....RESTRAINTS ED TYPE

DATA VALUE: RESTRAINTS EXPLAINED

ABBREVIATION.....RES EXPL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Explain Why Restraints Applied
HELP_TEXT.....No Help Text
ID.....{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}
TERM.....RESTRAINTS EXPLAINED

DATA VALUE: RESTRAINTS LIMIT SETTING

ABBREVIATION.....RES LIM SE
ACTIVE.....Yes
DESCRIPTION.....No Description

DISPLAY_NAME.....Limit Setting
HELP_TEXT.....No Help Text
ID.....{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}
TERM.....RESTRAINTS LIMIT SETTING

DATA VALUE: RESTRAINTS TIME LIMIT

ABBREVIATION.....RES TIME L
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Time Limit On Restraints
HELP_TEXT.....No Help Text
ID.....{513B483E-AD7B-4B1A-BD01-91133C605C3C}
TERM.....RESTRAINTS TIME LIMIT

DATA VALUE: RHONCHI

ABBREVIATION.....RHONCHI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Rhonchi
HELP_TEXT.....No Help Text
ID.....{850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}
TERM.....RHONCHI

DATA VALUE: RIGHT

ABBREVIATION.....RIGHT

ACTIVE.....Yes

DESCRIPTION.....Right

DISPLAY_NAME.....Right

HELP_TEXT.....No Help Text

ID.....{AB74C579-DF14-4D7B-A9EF-5F119089F976}

TERM.....RIGHT

DATA VALUE: RIGID HEEL SPLINT

ABBREVIATION.....RIG HEEL S

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Rigid Heel Splint

HELP_TEXT.....No Help Text

ID.....{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}

TERM.....RIGID HEEL SPLINT

DATA VALUE: ROTATIONAL THERAPY

ABBREVIATION.....ROT THERAP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Rotational Therapy

HELP_TEXT.....No Help Text
ID.....{BB795594-720C-40D7-9B7C-6792BC849DA0}
TERM.....ROTATIONAL THERAPY

DATA VALUE: ROUND

ABBREVIATION.....ROUND
ACTIVE.....Yes
DESCRIPTION.....Round
DISPLAY_NAME.....Round
HELP_TEXT.....No Help Text
ID.....{E8E741F1-F0C5-4B77-B014-63B545BED755}
TERM.....ROUND

DATA VALUE: RUB

ABBREVIATION.....r
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Rub
HELP_TEXT.....No Help Text
ID.....{0040835D-1CF0-7D55-EEBB-A94A1E0D1206}
TERM.....RUB

DATA VALUE: RUNS OF VT

ABBREVIATION.....Runs of VT

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Runs of VT

HELP_TEXT.....

ID.....{3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}

TERM.....RUNS OF VT

DATA VALUE: S1

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....S1

HELP_TEXT.....No Help Text

ID.....{1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}

TERM.....S1

DATA VALUE: S2

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....S2

HELP_TEXT.....No Help Text

ID.....{57C043D3-B227-3E7A-C1E6-5129A2800718}

TERM.....S2

DATA VALUE: S3

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....S3

HELP_TEXT.....No Help Text

ID.....{9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}

TERM.....S3

DATA VALUE: S4

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....S4

HELP_TEXT.....No Help Text

ID.....{9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}

TERM.....S4

DATA VALUE: SAFETY

ABBREVIATION.....SAFETY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Safety
HELP_TEXT.....No Help Text
ID.....{AD905A8F-33BD-4EFE-929E-A2B575797402}
TERM.....SAFETY

DATA VALUE: SALINE LOCK

ABBREVIATION.....SALIN LOCK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Saline Lock
HELP_TEXT.....No Help Text
ID.....{A94D7639-2A45-4319-A6C7-5A892AA6B1F4}
TERM.....SALINE LOCK

DATA VALUE: SALINE MOIST DRESSING

ABBREVIATION.....SAL MOI DR
ACTIVE.....Yes
DESCRIPTION.....Saline Moist Dressing
DISPLAY_NAME.....Saline Moist Dressing

HELP_TEXT.....No Help Text
ID.....{19F98514-8ABF-461C-9969-C31177FE7DE7}
TERM.....SALINE MOIST DRESSING

DATA VALUE: SANDOSOURCE PEPTIDE

ABBREVIATION.....SAND PEPTI
ACTIVE.....Yes
DESCRIPTION.....Sandosource Peptide Enteral Nutrition
Formula
DISPLAY_NAME.....Sandosource Peptide Enteral Nutrition
Formula

HELP_TEXT.....No Help Text
ID.....{0EF43998-4ED4-47F5-ACC6-5A977B6F9997}
TERM.....SANDOSOURCE PEPTIDE

DATA VALUE: SAS AGITATED

ABBREVIATION.....SAS AGITAT
ACTIVE.....Yes
DESCRIPTION.....Anxious or physically agitated, calms
to verbal instructions
DISPLAY_NAME.....5 - Agitated
HELP_TEXT.....Anxious or physically agitated, calms
to verbal instructions
ID.....{107143D4-9527-4A26-8CB7-EEBB656B68B3}
TERM.....SAS AGITATED

DATA VALUE: SAS CALM AND COOPERATIVE

ABBREVIATION.....SAS C COOP

ACTIVE.....Yes

DESCRIPTION.....Calm, easily arousable, follows
commands

DISPLAY_NAME.....4 - Calm and Cooperative

HELP_TEXT.....Calm, easily arousable, follows
commands

ID.....{F0633778-280C-43C3-9E6E-9C35C18179F6}

TERM.....SAS CALM AND COOPERATIVE

DATA VALUE: SAS DANGEROUS AGITATION

ABBREVIATION.....SAS DA AGI

ACTIVE.....Yes

DESCRIPTION.....Pulling at ET tube, trying to remove
catheters, climbing over bedrail,
striking at staff, thrashing
side-to-side

DISPLAY_NAME.....7 - Dangerous Agitation

HELP_TEXT.....Pulling at ET tube, trying to remove
catheters, climbing over bedrail,
striking at staff, thrashing
side-to-side

ID.....{0701FB25-1DF0-4771-8C81-AC19A985A3B6}

TERM.....SAS DANGEROUS AGITATION

DATA VALUE: SAS SEDATED

ABBREVIATION.....SAS SEDATE

ACTIVE.....Yes

DESCRIPTION.....Difficult to arouse but awakens to

verbal stimuli or gentle shaking,

follows simple commands but drifts

off again

DISPLAY_NAME.....3 - Sedated

HELP_TEXT.....Difficult to arouse but awakens to

verbal stimuli or gentle shaking,

follows simple commands but drifts

off again

ID.....{AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}

TERM.....SAS SEDATED

DATA VALUE: SAS UNAROUSABLE

ABBREVIATION.....SAS UNAROU

ACTIVE.....Yes

DESCRIPTION.....Minimal or no response to noxious

stimuli, does not communicate or

follow commands

DISPLAY_NAME.....1 - Unarousable

HELP_TEXT.....Minimal or no response to noxious

stimuli, does not communicate or

follow commands

ID.....{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

TERM.....SAS UNAROUSABLE

DATA VALUE: SAS VERY AGITATED

ABBREVIATION.....SAS VY AGI

ACTIVE.....Yes

DESCRIPTION.....Requiring restraint and frequent

verbal reminding of limits, biting

ETT

DISPLAY_NAME.....6 - Very Agitated

HELP_TEXT.....Requiring restraint and frequent

verbal reminding of limits, biting

ETT

ID.....{B501606A-EEA7-470E-81BE-F51D422272F1}

TERM.....SAS VERY AGITATED

DATA VALUE: SAS VERY SEDATED

ABBREVIATION.....SAS VY SED
ACTIVE.....Yes
DESCRIPTION.....Arouses to physical stimuli but does
not communicate or follow commands,
may move spontaneously
DISPLAY_NAME.....2 - Very Sedated
HELP_TEXT.....Arouses to physical stimuli but does
not communicate or follow commands,
may move spontaneously
ID.....{4B13529B-61C5-4B68-857A-3A5351DC4BE2}
TERM.....SAS VERY SEDATED

DATA VALUE: SCANT

ABBREVIATION.....SCANT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Scant
HELP_TEXT.....No Help Text
ID.....{8EF6C62D-0D94-37BB-60AD-86E306E8120D}
TERM.....SCANT

DATA VALUE: SCAPHOID

ABBREVIATION.....SCAPHOID
ACTIVE.....Yes
DESCRIPTION.....Scaphoid
DISPLAY_NAME.....Scaphoid
HELP_TEXT.....No Help Text
ID.....{1BE93489-42FC-44EB-8D07-87F4224979F3}
TERM.....SCAPHOID

DATA VALUE: SECLUSION

ABBREVIATION.....SECLUSION
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Seclusion
HELP_TEXT.....No Help Text
ID.....{65B57F6C-C849-4BF7-8705-175361BC900F}
TERM.....SECLUSION

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 1

ABBREVIATION.....sdabt1
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Second Degree Av Block: Type 1
HELP_TEXT.....No Help Text
ID.....{508BF663-96FB-EEBE-4F06-D2F1A02BD099}
TERM.....SECOND DEGREE AV BLOCK: TYPE 1

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 2

ABBREVIATION.....sdabt2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Second Degree Av Block: Type 2
HELP_TEXT.....No Help Text
ID.....{3367754A-08D1-31A9-E850-1B36358E358A}
TERM.....SECOND DEGREE AV BLOCK: TYPE 2

DATA VALUE: SEDATED

ABBREVIATION.....s
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sedated
HELP_TEXT.....No Help Text
ID.....{29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
TERM.....SEDATED

DATA VALUE: SEDIMENT

ABBREVIATION.....SEDIMENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sediment

HELP_TEXT.....No Help Text

ID.....{4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}

TERM.....SEDIMENT

DATA VALUE: SEIZURES

ABBREVIATION.....Seizures

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Seizures

HELP_TEXT.....

ID.....{DE974E49-2AB6-4781-9930-468F2B781BA9}

TERM.....SEIZURES

DATA VALUE: SELF AM CARE BY PATIENT

ABBREVIATION.....SELF AM CR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Self AM Care By Patient

HELP_TEXT.....No Help Text

ID.....{C48A46C1-0E68-479C-B803-08C80617ADFF}

TERM.....SELF AM CARE BY PATIENT

DATA VALUE: SELF CARE

ABBREVIATION.....SELF CARE

ACTIVE.....Yes

DESCRIPTION.....Self Care

DISPLAY_NAME.....Self Care

HELP_TEXT.....No Help Text

ID.....{0E068188-75B8-46C5-8947-A6CC5C7849B5}

TERM.....SELF CARE

DATA VALUE: SELF CARE OF BEDSIDE ENVIRONMENT

ABBREVIATION.....S CARE BED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Self Care of Bedside Environment

HELP_TEXT.....No Help Text

ID.....{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}

TERM.....SELF CARE OF BEDSIDE ENVIRONMENT

DATA VALUE: SELF FACE WASH

ABBREVIATION.....S FACE WAS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Self Face Wash

HELP_TEXT.....No Help Text
ID.....{77457D46-5676-46E6-B38F-FE3AF70B5CBC}
TERM.....SELF FACE WASH

DATA VALUE: SELF FOOT CARE

ABBREVIATION.....SELF FOOT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Self Foot Care
HELP_TEXT.....No Help Text
ID.....{F2DCAF0E-389D-4987-8C73-66E35266CC78}
TERM.....SELF FOOT CARE

DATA VALUE: SELF SHAVE

ABBREVIATION.....SELF SHAVE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Self Shave
HELP_TEXT.....No Help Text
ID.....{90F1760C-4C12-4976-ADCB-DBF456A34023}
TERM.....SELF SHAVE

DATA VALUE: SELF SHOWER

ABBREVIATION.....SELF SHOWE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Self Shower

HELP_TEXT.....No Help Text

ID.....{C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}

TERM.....SELF SHOWER

DATA VALUE: SELF TRACH CARE

ABBREVIATION.....S TRACH CA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Self Trach Care

HELP_TEXT.....No Help Text

ID.....{70BE79EC-107F-4CD3-B964-7919B3DDE222}

TERM.....SELF TRACH CARE

DATA VALUE: SEMIFOWLERS HIGH

ABBREVIATION.....sh

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Semifowlers High

HELP_TEXT.....No Help Text
ID.....{1BBE7175-2BD2-BFB5-1E1B-E02443433072}
TERM.....SEMIFOWLERS HIGH

DATA VALUE: SEMIFOWLERS LOW

ABBREVIATION.....sl
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Semifowlers Low
HELP_TEXT.....No Help Text
ID.....{A265AF02-53FC-B182-8AE3-A06E95718D7E}
TERM.....SEMIFOWLERS LOW

DATA VALUE: SEQUENTIAL COMPRESSION DEVICE

ABBREVIATION.....SCD
ACTIVE.....Yes
DESCRIPTION.....SEQUENTIAL COMPRESSION DEVICE
DISPLAY_NAME.....Sequential Compression Device
HELP_TEXT.....SEQUENTIAL COMPRESSION DEVICE
ID.....{29D657DB-6679-8A55-0E33-235B5DD349F2}
TERM.....SEQUENTIAL COMPRESSION DEVICE

DATA VALUE: SEROSANGUINOUS

ABBREVIATION.....Serosangui

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Serosanguinous

HELP_TEXT.....No Help Text

ID.....{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}

TERM.....Serosanguinous

DATA VALUE: SEROUS

ABBREVIATION.....SEROUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Serous

HELP_TEXT.....No Help Text

ID.....{9BDA347E-29E9-80C7-91FA-016192D4257E}

TERM.....SEROUS

DATA VALUE: SET UP HELP ONLY

ABBREVIATION.....SETUP ONLY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Set Up Help only

HELP_TEXT.....No Help Text

ID.....{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}

TERM.....SET UP HELP ONLY

DATA VALUE: SEVERELY REDUCED

ABBREVIATION.....SEV REDUCE

ACTIVE.....Yes

DESCRIPTION.....Severely Reduced

DISPLAY_NAME.....Severely Reduced

HELP_TEXT.....No Help Text

ID.....{A895BACE-85AC-45B2-A190-4A6816DEDC1D}

TERM.....SEVERELY REDUCED

DATA VALUE: SHALLOW

ABBREVIATION.....SHALLOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Shallow

HELP_TEXT.....No Help Text

ID.....{CD205617-BF98-4177-971A-056AFECC823A}

TERM.....SHALLOW

DATA VALUE: SHAMPOO

ABBREVIATION.....SHAMPOO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Shampoo
HELP_TEXT.....No Help Text
ID.....{95CCB23C-E614-40CD-84F0-EE4EFBC95271}
TERM.....SHAMPOO

DATA VALUE: SHARP

ABBREVIATION.....SHARP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sharp
HELP_TEXT.....No Help Text
ID.....{20608864-E5CF-4FE3-8B6D-AE2FEE086503}
TERM.....SHARP

DATA VALUE: SHAVE

ABBREVIATION.....SHAVE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Shave

HELP_TEXT.....No Help Text

ID.....{A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}

TERM.....SHAVE

DATA VALUE: SHOOTING

ABBREVIATION.....SHOOTING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Shooting

HELP_TEXT.....No Help Text

ID.....{73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}

TERM.....SHOOTING

DATA VALUE: SHOWER

ABBREVIATION.....SHOWER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Shower

HELP_TEXT.....No Help Text

ID.....{C259929A-44DB-48FD-A2EC-BC6ECF9D0476}

TERM.....SHOWER

DATA VALUE: SHUNTS

ABBREVIATION.....Shunts
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Shunts
HELP_TEXT.....
ID.....{8D9CB03B-6D63-4205-86C3-869421BEBD04}
TERM.....SHUNTS

DATA VALUE: SICU

ABBREVIATION.....SICU
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....SICU
HELP_TEXT.....No Help Text
ID.....{EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}
TERM.....SICU

DATA VALUE: SIGMOIDOSTOMY

ABBREVIATION.....SIGMOIDOST
ACTIVE.....Yes
DESCRIPTION.....Sigmoidostomy
DISPLAY_NAME.....Sigmoidostomy

HELP_TEXT.....No Help Text

ID.....{0C84B317-59B3-433B-A9AD-6588C1361E0C}

TERM.....SIGMOIDOSTOMY

DATA VALUE: SIGNIFICANT OTHER

ABBREVIATION.....SO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Significant Other

HELP_TEXT.....No Help Text

ID.....{082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}

TERM.....SIGNIFICANT OTHER

DATA VALUE: SILVADENE

ABBREVIATION.....SILVADENE

ACTIVE.....Yes

DESCRIPTION.....Silvadene

DISPLAY_NAME.....Silvadene

HELP_TEXT.....No Help Text

ID.....{0889134F-C419-4366-B12E-EAB775719410}

TERM.....SILVADENE

DATA VALUE: SILVER

ABBREVIATION.....SILVER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Silver

HELP_TEXT.....No Help Text

ID.....{AF233570-2BB4-4AE6-8751-056B9717C475}

TERM.....SILVER

DATA VALUE: SILVER SULFADIAZINE

ABBREVIATION.....SILVER SUL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Silver Sulfadiazine

HELP_TEXT.....No Help Text

ID.....{E7A99A4E-C9B5-40D6-9820-05F87004F48B}

TERM.....SILVER SULFADIAZINE

DATA VALUE: SINGLE

ABBREVIATION.....SINGLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Single

HELP_TEXT.....No Help Text

ID.....{8D305E0F-9035-E396-E768-40D7E6455BE4}

TERM.....SINGLE

DATA VALUE: SINUS ARREST

ABBREVIATION.....sa

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sinus Arrest

HELP_TEXT.....No Help Text

ID.....{3CD8F7AC-3FE0-F342-089C-787232D2A5C2}

TERM.....SINUS ARREST

DATA VALUE: SINUS ARRHYTHMIA

ABBREVIATION.....sa

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sinus Arrhythmia

HELP_TEXT.....No Help Text

ID.....{07A24AC9-B486-A4B8-BADB-04D2729542CE}

TERM.....SINUS ARRHYTHMIA

DATA VALUE: SINUS BLOCK

ABBREVIATION.....sb
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sinus Block
HELP_TEXT.....No Help Text
ID.....{94D6EFED-3D08-E724-BC40-9C398919A142}
TERM.....SINUS BLOCK

DATA VALUE: SINUS BRADYCARDIA

ABBREVIATION.....sb
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sinus Bradycardia
HELP_TEXT.....No Help Text
ID.....{D6EF4940-63AE-22AF-1A80-D8E6F0F07839}
TERM.....SINUS BRADYCARDIA

DATA VALUE: SINUS PAUSE

ABBREVIATION.....sp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sinus Pause

HELP_TEXT.....No Help Text

ID.....{7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}

TERM.....SINUS PAUSE

DATA VALUE: SINUS RHYTHM

ABBREVIATION.....sr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sinus Rhythm

HELP_TEXT.....No Help Text

ID.....{A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}

TERM.....SINUS RHYTHM

DATA VALUE: SINUS TACHYCARDIA

ABBREVIATION.....SINUS T

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sinus Tachycardia

HELP_TEXT.....No Help Text

ID.....{0AC41AF3-7656-A35D-E397-21D35405812A}

TERM.....SINUS TACHYCARDIA

DATA VALUE: SITE UNABLE TO BE MARKED

ABBREVIATION.....Unable/Mar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Site Unable to be Marked

HELP_TEXT.....

ID.....{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}

TERM.....SITE UNABLE TO BE MARKED

DATA VALUE: SKIN INCISION WOUND CLOSURE OPEN WOUND

ABBREVIATION.....INC CL OPE

ACTIVE.....Yes

DESCRIPTION.....Skin Incision Closure Open Wound

DISPLAY_NAME.....Open Wound

HELP_TEXT.....Skin Incision Closure Open Wound

ID.....{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}

TERM.....SKIN INCISION WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN INCISION WOUND CLOSURE STAPLES

ABBREVIATION.....INC CL STA

ACTIVE.....Yes

DESCRIPTION.....Skin Incision Closure Staples

DISPLAY_NAME.....Staples

HELP_TEXT.....Skin Incision Closure Staples
ID.....{4F48D42D-C206-423C-970B-02C03B2EE0B6}
TERM.....SKIN INCISION WOUND CLOSURE STAPLES

DATA VALUE: SKIN INCISION WOUND CLOSURE STERI-STRIPS

ABBREVIATION.....INC CL STE
ACTIVE.....Yes
DESCRIPTION.....Skin Incision Closure Steri-Strips
DISPLAY_NAME.....Steri-Strips
HELP_TEXT.....Skin Incision Closure Steri-Strips
ID.....{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}
TERM.....SKIN INCISION WOUND CLOSURE
STERI-STRIPS

DATA VALUE: SKIN INCISION WOUND CLOSURE SUTURES

ABBREVIATION.....INC CL SUT
ACTIVE.....Yes
DESCRIPTION.....Skin Incision Closure Sutures
DISPLAY_NAME.....Sutures
HELP_TEXT.....Skin Incision Closure Sutures
ID.....{DED8DEDA-82C9-4D3A-A81E-641583314919}
TERM.....SKIN INCISION WOUND CLOSURE SUTURES

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THA

N 1 cm

ABBREVIATION.....INC IN <1

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision Extends into Periwound Less

Than1 cm

DISPLAY_NAME.....Extends Into Periwound Less Than 1 cm

HELP_TEXT.....Skin Induration Extension Around

Incision Extends into Periwound Less

Than1 cm

ID.....{2A5097BF-955C-4F79-B483-7EE14AF05786}

TERM.....SKIN INDURATION AROUND INCISION

EXTENDS INTO PERIWOUND LESS THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THA

N 1 cm

ABBREVIATION.....INC IN >1

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision Extends into Periwound

Greater Than 1 cm

DISPLAY_NAME.....Extends into Periwound Greater Than 1

cm

HELP_TEXT.....Skin Induration Extension Around

Incision Extends into Periwound

Greater Than 1 cm

ID.....{D8EE448D-00EB-412D-95AC-2E2E92C53EEB}

TERM.....SKIN INDURATION AROUND INCISION

EXTENDS INTO PERIWOUND MORE THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION LIMITED TO INCISION

ABBREVIATION.....INC IN LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision Limited to Incision

DISPLAY_NAME.....Limited to Incision

HELP_TEXT.....Skin Induration Extension Around

Incision Limited to Incision

ID.....{88BCE7F9-F21F-427A-A50B-C1BA831639AB}

TERM.....SKIN INDURATION AROUND INCISION

LIMITED TO INCISION

DATA VALUE: SKIN INDURATION AROUND INCISION NONE

ABBREVIATION.....INC IN NON

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision None

DISPLAY_NAME.....None

HELP_TEXT.....Skin Induration Extension Around

Incision None

ID.....{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}

TERM.....SKIN INDURATION AROUND INCISION NONE

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND

<

1 cm

ABBREVIATION.....WOU IN <1

ACTIVE.....Yes

DESCRIPTION.....No DescriptionSkin Induration

Extension Around Wound Extends into

Periwound Less Than 1 cm

DISPLAY_NAME.....Extends into Periwound Less Than 1 cm

HELP_TEXT.....No DescriptionSkin Induration

Extension Around Wound Extends into

Periwound Less Than 1 cm

ID.....{3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND

>

1 cm

ABBREVIATION.....WOU IN >1

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Wound Extends into Periwound More

Than 1 cm

DISPLAY_NAME.....Extends into Periwound More Than 1 cm

HELP_TEXT.....Skin Induration Extension Around

Wound Extends into Periwound More

Than 1 cm

ID.....{7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND

ABBREVIATION.....WOU IN LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Wound Limited to Wound

DISPLAY_NAME.....Limted to Wound

HELP_TEXT.....Skin Induration Extension Around

Wound Limited to Wound

ID.....{1828A9EA-FF9D-4A49-9543-15B85FBF211E}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND LIMITED TO WOUND

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND NONE

ABBREVIATION.....WOU IN NON

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Wound None

DISPLAY_NAME.....None

HELP_TEXT.....Skin Induration Extension Around

Wound None

ID.....{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND NONE

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND

< 1 cm

ABBREVIATION.....INC SW <1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around

Incision Extends into Periwound Less

Than 1 cm

DISPLAY_NAME.....Extends into Periwound < 1 cm

HELP_TEXT.....Skin Swelling Extension Around

Incision Extends into Periwound Less

Than 1 cm

ID.....{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}

TERM.....SKIN SWELLING EXTENSION AROUND
INCISION EXTENDS INTO PERIWOUND < 1
cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND

> 1 cm

ABBREVIATION.....INC SW >1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around
Incision Extends into Periwound
Greater Than 1 cm

DISPLAY_NAME.....Extends into Periwound More Than 1 cm

HELP_TEXT.....Skin Swelling Extension Around
Incision Extends into Periwound
Greater Than 1 cm

ID.....{106A2AD3-F482-4DEE-967E-6F06C6026944}

TERM.....SKIN SWELLING EXTENSION AROUND
INCISION EXTENDS INTO PERIWOUND > 1
cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT

ABBREVIATION.....INC SW FLU

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around
Incision Fluctuant

DISPLAY_NAME.....Fluctuant

HELP_TEXT.....Skin Swelling Extension Around
Incision Fluctuant

ID.....{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

TERM.....SKIN SWELLING EXTENSION AROUND
INCISION FLUCTUANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND

ABBREVIATION.....INC SW LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around
Incision Limited to Wound

DISPLAY_NAME.....Limited to Wound

HELP_TEXT.....Skin Swelling Extension Around
Incision Limited to Wound

ID.....{B8503D54-6925-430E-8AB6-692412347D5D}

TERM.....SKIN SWELLING EXTENSION AROUND
INCISION LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION NONE

ABBREVIATION.....INC SW NON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....None

HELP_TEXT.....No Help Text

ID.....{54C9FC46-899C-460B-9524-D6F196B9FF31}

TERM.....SKIN SWELLING EXTENSION AROUND
INCISION NONE

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1

cm

ABBREVIATION.....WOU SW <1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound
Extends into Periwound Less Than 1 cm

DISPLAY_NAME.....Extends into Periwound Less Than 1 cm

HELP_TEXT.....Skin Swelling Extension Around Wound

Extends into Periwound Less Than 1 cm

ID.....{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND
EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1

cm

ABBREVIATION.....WOU SW >1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Extends into Periwound Greater Than 1

cm

DISPLAY_NAME.....Extends Into Periwound More Than 1 cm

HELP_TEXT.....Skin Swelling Extension Around Wound

Extends into Periwound Greater Than 1

cm

ID.....{EA6AC933-0737-4C28-9F31-D36F3452DA96}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT

ABBREVIATION.....WOU SW FLU

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Fluctuant

DISPLAY_NAME.....Fluctant

HELP_TEXT.....Skin Swelling Extension Around Wound

Fluctuant

ID.....{DB5077E7-D339-4C87-B8CA-D16269DB2935}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

FLUCTANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND

ABBREVIATION.....WOU SW LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Limited to Wound

DISPLAY_NAME.....Limted to Wound

HELP_TEXT.....Skin Swelling Extension Around Wound

Limited to Wound

ID.....{413CD1EC-309C-45D0-A1E0-E829EA615E2A}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND NONE

ABBREVIATION.....WOU SW NON

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound
None

DISPLAY_NAME.....None

HELP_TEXT.....Skin Swelling Extension Around Wound
None

ID.....{550E3B92-2C69-403B-A997-2DBE61374ABF}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND
NONE

DATA VALUE: SKIN TEAR

ABBREVIATION.....SKIN TEAR

ACTIVE.....Yes

DESCRIPTION.....Skin Tear

DISPLAY_NAME.....Skin Tear

HELP_TEXT.....No Help Text

ID.....{2E230C6E-119F-4F9F-8797-2FFA9D76F337}

TERM.....SKIN TEAR

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERAT
URE

ABBREVIATION.....INC TP CON

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site

Consistent with Body Temperature

DISPLAY_NAME.....Skin Temperature at Incision Site

Consistent with Body Temperature

HELP_TEXT.....Skin Temperature at Incision Site

Consistent with Body Temperature

ID.....{D349175A-4B20-4243-BE40-E01E50C5583F}

TERM.....SKIN TEMPERATURE AT INCISION SITE

CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE

ABBREVIATION.....INC TP CBT

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site
Cooler than General Body Temperature

DISPLAY_NAME.....Cooler Than General Body Temperature

HELP_TEXT.....Skin Temperature at Incision Site
Cooler than General Body Temperature

ID.....{D357C975-857D-4293-B3EF-EFA7A4586357}

TERM.....SKIN TEMPERATURE AT INCISION SITE
COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART

ABBREVIATION.....INC TP COP

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site
Cooler than Opposite Body Part

DISPLAY_NAME.....Cooler Than Opposite Body Part

HELP_TEXT.....Skin Temperature at Incision Site
Cooler than Opposite Body Part

ID.....{85307AD8-F730-43F0-BCB3-882594D9DDF8}

TERM.....SKIN TEMPERATURE AT INCISION SITE

COOLER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE

ABBREVIATION.....WARM BD OP

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site

Warmer than General Body Temperture

DISPLAY_NAME.....Warmer Than General Body Temp

HELP_TEXT.....Skin Temperature at Incision Site

Warmer than General Body Temperture

ID.....{5F888E9D-8F65-49ED-BC5D-F6F287A9D478}

TERM.....SKIN TEMPERATURE AT INCISION SITE

WARMER THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART

ABBREVIATION.....WARMER OP

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site

Warmer than Opposite Body Part

DISPLAY_NAME.....Warmer Than Opposite Body Part

HELP_TEXT.....Skin Temperature at Incision Site

Warmer than Opposite Body Part

ID.....{F518787A-325A-45F3-82B4-73C856802073}

TERM.....SKIN TEMPERATURE AT INCISION SITE

WARMER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE

ABBREVIATION.....WOU TP CBT

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site

Consistent with Body Temperature

DISPLAY_NAME.....Consistent With Body Temperature

HELP_TEXT.....Skin Temperature at Wound Site

Consistent with Body Temperature

ID.....{672D56C1-D1A3-4DDF-8815-F05DEE197061}

TERM.....SKIN TEMPERATURE AT WOUND SITE

CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY
TEMPERA

TURE

ABBREVIATION.....WOU TP CGB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Cooler
than General Body Temp

DISPLAY_NAME.....Cooler Than General Body Temperature

HELP_TEXT.....Skin Temperature at Wound Site Cooler
than General Body Temp

ID.....{7203993E-3334-44EC-9FD9-14224253283D}

TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER
THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART

ABBREVIATION.....WOU TP COB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Cooler
than Opposite Body Part

DISPLAY_NAME.....Cooler Than Opposite Body Part

HELP_TEXT.....Skin Temperature at Wound Site Cooler
than Opposite Body Part

ID.....{A904C666-2810-4211-B53A-2961DCE6894E}

TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER

THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY
TEMPERA

TURE

ABBREVIATION.....WOU TP WGB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Warmer
than General Body Temperature

DISPLAY_NAME.....Warmer Than General Body Temperature

HELP_TEXT.....Skin Temperature at Wound Site Warmer
than General Body Temperature

ID.....{03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}

TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER
THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART

ABBREVIATION.....WOU TP WOB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Warmer
than Opposite Body Part

DISPLAY_NAME.....Warmer Than Opposite Body Part

HELP_TEXT.....Skin Temperature at Wound Site Warmer
than Opposite Body Part

ID.....{6290BD23-24BF-4A3A-8555-DCE52D2274B3}

TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER

THAN OPPOSITE BODY PART

DATA VALUE: SKIN TRAUMA

ABBREVIATION.....SKIN TRAUM

ACTIVE.....Yes

DESCRIPTION.....Skin Trauma

DISPLAY_NAME.....Skin Trauma

HELP_TEXT.....No Help Text

ID.....{91C8EE13-2C4A-468C-94EB-C53E0D153EBA}

TERM.....SKIN TRAUMA

DATA VALUE: SKIN WARM AND DRY COLOR APPROPRIATE

ABBREVIATION.....S W A DR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Skin Warm and Dry, Color Appropriate
to Baseline

HELP_TEXT.....No Help Text

ID.....{9637D510-C199-4969-8F2D-0A499151E22B}

TERM.....SKIN WARM AND DRY COLOR APPROPRIATE

DATA VALUE: SKIN WOUND CLOSURE APPROXIMATED

ABBREVIATION.....WOU CL APP

ACTIVE.....Yes

DESCRIPTION.....Skin Wound Closure Approximated

DISPLAY_NAME.....Approximated

HELP_TEXT.....Skin Wound Closure Approximated

ID.....{83D48E0F-8643-436B-9ECC-80795857C322}

TERM.....SKIN WOUND CLOSURE APPROXIMATED

DATA VALUE: SKIN WOUND CLOSURE DEHISCENCE

ABBREVIATION.....WOU CL DEH

ACTIVE.....Yes

DESCRIPTION.....Skin Wound Closure Dehiscence

DISPLAY_NAME.....Dehiscence
HELP_TEXT.....Skin Wound Closure Dehiscence
ID.....{425A460F-19C0-4A4A-8E4E-712C66968C38}
TERM.....SKIN WOUND CLOSURE DEHISCENCE

DATA VALUE: SKIN WOUND CLOSURE GLUE

ABBREVIATION.....WOU CL GLU
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Glue
DISPLAY_NAME.....Glue
HELP_TEXT.....Skin Wound Closure Glue
ID.....{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}
TERM.....SKIN WOUND CLOSURE GLUE

DATA VALUE: SKIN WOUND CLOSURE NOT CLOSED

ABBREVIATION.....WOU CL NOT
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Not Closed
DISPLAY_NAME.....Not Closed
HELP_TEXT.....Skin Wound Closure Not Closed
ID.....{0E69F1FA-35F6-4F34-8547-CC3602670A7B}
TERM.....SKIN WOUND CLOSURE NOT CLOSED

DATA VALUE: SKIN WOUND CLOSURE OPEN WOUND

ABBREVIATION.....WOU CL OPE
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Open Wound
DISPLAY_NAME.....Open Wound
HELP_TEXT.....Skin Wound Closure Open Wound
ID.....{C6F2AD2C-932F-434A-8A7A-513029092FFD}
TERM.....SKIN WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN WOUND CLOSURE STAPLES

ABBREVIATION.....WOU CL STA
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Staples
DISPLAY_NAME.....Staples
HELP_TEXT.....Skin Wound Closure Staples
ID.....{FE04BFE3-DF81-48E7-9FA1-1CFCF4ECAD71}
TERM.....SKIN WOUND CLOSURE STAPLES

DATA VALUE: SKIN WOUND CLOSURE STERI-STRIPS

ABBREVIATION.....WOU CL STE
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Steri - Strips
DISPLAY_NAME.....Steri-Strips

HELP_TEXT.....Skin Wound Closure Steri-Strips
ID.....{AD451791-6B49-4A51-ABC3-796D08BEF910}
TERM.....SKIN WOUND CLOSURE STERI-STRIPS

DATA VALUE: SKIN WOUND CLOSURE SUTURES

ABBREVIATION.....WOU CL SUT
ACTIVE.....Yes
DESCRIPTION.....Skin Wound Closure Sutures
DISPLAY_NAME.....Sutures
HELP_TEXT.....Skin Wound Closure Sutures
ID.....{F2840AE4-216B-477C-9FE6-DC91E8CE5364}
TERM.....SKIN WOUND CLOSURE SUTURES

DATA VALUE: SLEEPING

ABBREVIATION.....s
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sleeping
HELP_TEXT.....No Help Text
ID.....{87338420-F351-F98C-7A80-4990B87ACE2B}
TERM.....SLEEPING

DATA VALUE: SLEEPS POORLY

ABBREVIATION.....sp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sleeps Poorly
HELP_TEXT.....No Help Text
ID.....{AB9424B4-D0B1-148B-C800-FF535F3FAC84}
TERM.....SLEEPS POORLY

DATA VALUE: SLEPT WELL

ABBREVIATION.....SLEPT WELL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....States Has Slept Well
HELP_TEXT.....No Help Text
ID.....{18573E82-568F-4D2E-B9E1-6E4589EBEE2D}
TERM.....SLEPT WELL

DATA VALUE: SLIGHT

ABBREVIATION.....SLIGHT
ACTIVE.....Yes
DESCRIPTION.....Slight
DISPLAY_NAME.....Slight

HELP_TEXT.....Slight

ID.....{805549C1-5DC5-4A2D-BC1F-046E44928843}

TERM.....SLIGHT

DATA VALUE: SLING TRACTION

ABBREVIATION.....SLING TRAC

ACTIVE.....Yes

DESCRIPTION.....Sling Traction

DISPLAY_NAME.....Sling Traction

HELP_TEXT.....Sling Traction

ID.....{304E924C-C95A-4DBE-B30B-191BC4D26EF7}

TERM.....SLING TRACTION

DATA VALUE: SLOUGH

ABBREVIATION.....SLOUGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Slough

HELP_TEXT.....No Help Text

ID.....{548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}

TERM.....SLOUGH

DATA VALUE: SLUGGISH

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sluggish

HELP_TEXT.....No Help Text

ID.....{3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}

TERM.....SLUGGISH

DATA VALUE: SLURRED SPEECH

ABBREVIATION.....Slurred Sp

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Slurred Speech

HELP_TEXT.....

ID.....{6C3D295A-71C9-4DA8-A172-995F431D94C9}

TERM.....SLURRED SPEECH

DATA VALUE: SMALL

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Small

HELP_TEXT.....No Help Text

ID.....{5991F892-B28C-3998-E733-D8FFA26D7E21}

TERM.....SMALL

DATA VALUE: SMALL BORE FEEDING TUBE

ABBREVIATION.....SM BO TUBE

ACTIVE.....Yes

DESCRIPTION.....Small Bore Feeding Tube

DISPLAY_NAME.....Small Bore Feeding Tube

HELP_TEXT.....No Help Text

ID.....{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}

TERM.....SMALL BORE FEEDING TUBE

DATA VALUE: SMEAR

ABBREVIATION.....SMEAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Smear

HELP_TEXT.....No Help Text

ID.....{4B99BBD3-443E-4954-8ADE-5FB3EE50540A}

TERM.....SMEAR

DATA VALUE: SMOKING AREA

ABBREVIATION.....sa
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Smoking Area
HELP_TEXT.....No Help Text
ID.....{8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}
TERM.....SMOKING AREA

DATA VALUE: SMOKING PORCH

ABBREVIATION.....sp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Smoking Porch
HELP_TEXT.....No Help Text
ID.....{5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
TERM.....SMOKING PORCH

DATA VALUE: SMOOTH

ABBREVIATION.....SMOOTH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Smooth

HELP_TEXT.....No Help Text

ID.....{5D71A0D5-52ED-4B8D-B359-AC7D500660D8}

TERM.....SMOOTH

DATA VALUE: SNACK

ABBREVIATION.....SNACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Snack

HELP_TEXT.....No Help Text

ID.....{60B77974-4102-4511-A105-E24850B924D8}

TERM.....SNACK

DATA VALUE: SNORES

ABBREVIATION.....Snores

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Snores

HELP_TEXT.....

ID.....{69FE4ECF-E1FE-4235-AD44-5AF9E634E000}

TERM.....SNORES

DATA VALUE: SODIUM CONTROLLED 2 GM

ABBREVIATION.....SOD CONT 2
ACTIVE.....Yes
DESCRIPTION.....Sodium Controlled 2 GM
DISPLAY_NAME.....Sodium Controlled 2 GM
HELP_TEXT.....No Help Text
ID.....{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}
TERM.....SODIUM CONTROLLED 2 GM

DATA VALUE: SODIUM CONTROLLED 4 GM

ABBREVIATION.....SOD CON 4G
ACTIVE.....Yes
DESCRIPTION.....Sodium Controlled 4 GM Diet
DISPLAY_NAME.....Sodium Controlled 4 GM
HELP_TEXT.....No Help Text
ID.....{26538A2F-5502-4D94-A2A7-D9E0BF825C47}
TERM.....SODIUM CONTROLLED 4 GM

DATA VALUE: SOFT

ABBREVIATION.....SOFT
ACTIVE.....Yes
DESCRIPTION.....Soft
DISPLAY_NAME.....Soft

HELP_TEXT.....No Help Text

ID.....{E68B4D4B-B86B-4004-A861-986645267F6E}

TERM.....SOFT

DATA VALUE: SOMNOLENT

ABBREVIATION.....Somnolent

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Somnolent

HELP_TEXT.....

ID.....{008A3F20-DD3D-4775-AA18-CCA7B817A77D}

TERM.....SOMNOLENT

DATA VALUE: SPECIAL PROCEDURE ROOM

ABBREVIATION.....Special Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Special Procedure Room

HELP_TEXT.....

ID.....{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}

TERM.....SPECIAL PROCEDURE ROOM

DATA VALUE: SPINAL

ABBREVIATION.....Spinal

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Spinal

HELP_TEXT.....

ID.....{AC02181C-0A2C-4F7A-B983-B32EF1BCD150}

TERM.....SPINAL

DATA VALUE: SPIRITUAL

ABBREVIATION.....SPIRITUAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Spiritual

HELP_TEXT.....No Help Text

ID.....{9670E2B9-6938-4487-A857-25546775B7A2}

TERM.....SPIRITUAL

DATA VALUE: SPLINTING

ABBREVIATION.....SPLINTING

ACTIVE.....Yes

DESCRIPTION.....Splinting

DISPLAY_NAME.....Splinting

HELP_TEXT.....No Help Text

ID.....{D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}

TERM.....SPLINTING

DATA VALUE: SPONTANEOUS

ABBREVIATION.....SPONTANEOU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Spontaneous

HELP_TEXT.....No Help Text

ID.....{C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

TERM.....SPONTANEOUS

DATA VALUE: SPOONING

ABBREVIATION.....SPOONING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Spoonng

HELP_TEXT.....No Help Text

ID.....{CA384C9F-D87D-4E2D-B4C0-89BD85692B16}

TERM.....SPOONING

DATA VALUE: SPOUSE

ABBREVIATION.....Spouse
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Spouse
HELP_TEXT.....
ID.....{2C601365-23F9-4939-9B63-F73720A17199}
TERM.....SPOUSE

DATA VALUE: SQ EMPHYSEMA

ABBREVIATION.....SQ EMPHYS.
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Subcutaneous Emphysema
HELP_TEXT.....No Help Text
ID.....{B8D03538-0168-4CDC-FF41-BA1185EBCC87}
TERM.....SQ EMPHYSEMA

DATA VALUE: SQUARE

ABBREVIATION.....SQUARE
ACTIVE.....Yes
DESCRIPTION.....Square
DISPLAY_NAME.....Square

HELP_TEXT.....Square

ID.....{63F70678-2CAF-48E8-964D-2805D8B9A43B}

TERM.....SQUARE

DATA VALUE: SQUEEZING

ABBREVIATION.....SQUEEZING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....SQUEEZING

HELP_TEXT.....No Help Text

ID.....{A148587A-1B99-4D0D-B11E-87ADC3D2A811}

TERM.....SQUEEZING

DATA VALUE: STABBING

ABBREVIATION.....STABBING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stabbing

HELP_TEXT.....No Help Text

ID.....{684640D5-B3AB-47DA-98D8-5434ABF22B7E}

TERM.....STABBING

DATA VALUE: STABLE

ABBREVIATION.....STABLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stable

HELP_TEXT.....No Help Text

ID.....{A474E7BC-47EF-4472-A19A-172C441099EC}

TERM.....STABLE

DATA VALUE: STABLE BP AND PULSE

ABBREVIATION.....Stable BP

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Stable BP and Pulse

HELP_TEXT.....

ID.....{F07C2F54-1182-4377-A33A-F529884013E8}

TERM.....STABLE BP AND PULSE

DATA VALUE: STAFF

ABBREVIATION.....STAFF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Staff

HELP_TEXT.....No Help Text

ID.....{BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}

TERM.....STAFF

DATA VALUE: STAGE I

ABBREVIATION.....STAGE I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stage I

HELP_TEXT.....No Help Text

ID.....{B376AAAF-7143-4422-BCA2-CACF1201817C}

TERM.....STAGE I

DATA VALUE: STAGE II

ABBREVIATION.....STAGE II

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stage II

HELP_TEXT.....No Help Text

ID.....{B520BEA3-841E-490A-A3CD-63D1027B561F}

TERM.....STAGE II

DATA VALUE: STAGE III

ABBREVIATION.....STAGE III

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stage III

HELP_TEXT.....No Help Text

ID.....{A2F0866C-ECEE-4FCD-A34B-498232662D7E}

TERM.....STAGE III

DATA VALUE: STAGE IV

ABBREVIATION.....STAGE IV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stage IV

HELP_TEXT.....No Help Text

ID.....{284334AA-E488-4D45-93EF-9B93B2086A63}

TERM.....STAGE IV

DATA VALUE: STANDARD

ABBREVIATION.....STANDARD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....STANDARD

HELP_TEXT.....No Help Text
ID.....{C4B8C06D-BFFE-4438-A43D-926F039E5EE1}
TERM.....STANDARD

DATA VALUE: STANDARD PRESSURE REDUCTION

ABBREVIATION.....STAN P RED
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Standard Pressure Reduction
HELP_TEXT.....No Help Text
ID.....{556537CD-A84D-4493-81F6-51CBD844B5B7}
TERM.....STANDARD PRESSURE REDUCTION

DATA VALUE: STAPLES

ABBREVIATION.....STAPLES
ACTIVE.....Yes
DESCRIPTION.....Staples to close a wound
DISPLAY_NAME.....Staples
HELP_TEXT.....No Help Text
ID.....{344DBBE0-5A94-4E18-BC97-BD7767A83E36}
TERM.....STAPLES

DATA VALUE: START TIME:

ABBREVIATION.....Start Time

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Start Time:

HELP_TEXT.....When entering data, make sure the
save date/time reflects the start
time.

ID.....{4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}

TERM.....START TIME:

DATA VALUE: STARTED

ABBREVIATION.....STARTED

ACTIVE.....Yes

DESCRIPTION.....Started

DISPLAY_NAME.....Started

HELP_TEXT.....No Help Text

ID.....{D6E105C4-5EAD-424E-8E4C-195EB7783A3D}

TERM.....STARTED

DATA VALUE: STARTED ON LEFT

ABBREVIATION.....sol

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Started On Left
HELP_TEXT.....No Help Text
ID.....{AA6767EE-57F6-F565-76E9-EB219644492F}
TERM.....STARTED ON LEFT

DATA VALUE: STARTED ON RIGHT

ABBREVIATION.....sor
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Started On Right
HELP_TEXT.....No Help Text
ID.....{0C690E36-E710-244D-44FC-5DB5BCC0FF7E}
TERM.....STARTED ON RIGHT

DATA VALUE: STEADY GATE OR BASELINE

ABBREVIATION.....ST GA BA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Steady Gate or Baseline
HELP_TEXT.....No Help Text
ID.....{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}
TERM.....STEADY GATE OR BASELINE

DATA VALUE: STEP DOWN

ABBREVIATION.....STEP DOW
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Step Down
HELP_TEXT.....No Help Text
ID.....{F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}
TERM.....STEP DOWN

DATA VALUE: STINGING

ABBREVIATION.....STINGING
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Stinging
HELP_TEXT.....No Help Text
ID.....{DF235170-F501-4E8D-89DD-5A3C76F4B13B}
TERM.....STINGING

DATA VALUE: STOP TIME:

ABBREVIATION.....Stop Time:
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Stop Time:

HELP_TEXT.....When entering data, make sure the
save date/time reflects the stop
time.

ID.....{784CA4D8-988F-4A59-8AB5-48AFC9CA210B}

TERM.....STOP TIME:

DATA VALUE: STOPCOCK CHANGE

ABBREVIATION.....Stop Chg

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Stopcock Change

HELP_TEXT.....

ID.....{C4A6E58E-DA4B-478F-823B-D2CFC9860072}

TERM.....STOPCOCK CHANGE

DATA VALUE: STRAIGHT CATHETER

ABBREVIATION.....STR. CATH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Straight Catheter

HELP_TEXT.....No Help Text

ID.....{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

TERM.....STRAIGHT CATHETER

DATA VALUE: STRETCHER

ABBREVIATION.....STRETCHER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stretcher

HELP_TEXT.....No Help Text

ID.....{93CB521A-3A67-41FB-A59C-3DD54D810B11}

TERM.....STRETCHER

DATA VALUE: STRICT

ABBREVIATION.....STRICT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Strict

HELP_TEXT.....No Help Text

ID.....{5717A3EA-9A1F-44AB-BB0B-E86BBDED3ECF}

TERM.....STRICT

DATA VALUE: STROKE

ABBREVIATION.....Stroke

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Stroke

HELP_TEXT.....

ID.....{F0EE98A8-040F-4923-8A21-059DA7B17995}

TERM.....STROKE

DATA VALUE: STRONG

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Strong

HELP_TEXT.....No Help Text

ID.....{A12154E1-544E-F372-3839-0D44E5BC476B}

TERM.....STRONG

DATA VALUE: STRYKER FRAME

ABBREVIATION.....STRYKER FR

ACTIVE.....Yes

DESCRIPTION.....Stryker Fram

DISPLAY_NAME.....Stryker Frame

HELP_TEXT.....No Help Text

ID.....{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}

TERM.....STRYKER FRAME

DATA VALUE: STUDENT

ABBREVIATION.....STUDENT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Student
HELP_TEXT.....No Help Text
ID.....{613AFF67-9121-4F6C-A44F-1ACFEF10E612}
TERM.....STUDENT

DATA VALUE: STUPOROUS

ABBREVIATION.....Stuporous
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Stuporous
HELP_TEXT.....
ID.....{4C25FF58-3346-4B06-ACE5-6ADB942877A8}
TERM.....STUPOROUS

DATA VALUE: SUBCUTANEOUS TISSUE

ABBREVIATION.....SUBCUTAN T
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Subcutaneous Tissue

HELP_TEXT.....No Help Text
ID.....{D1345ED8-2CDB-4FD7-84B8-92C9E0872543}
TERM.....SUBCUTANEOUS TISSUE

DATA VALUE: SUCTIONED ONLY

ABBREVIATION.....SUCTIONED ONLY
ACTIVE.....Yes
DESCRIPTION.....Suctioned Only
DISPLAY_NAME.....Suctioned Only
HELP_TEXT.....No Help Text
ID.....{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}
TERM.....SUCTIONED ONLY

DATA VALUE: SUICIDAL

ABBREVIATION.....s
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Suicidal
HELP_TEXT.....No Help Text
ID.....{B104E9C7-A78E-82DC-49A4-19B94A639AFE}
TERM.....SUICIDAL

DATA VALUE: SUMP

ABBREVIATION.....Sump

ACTIVE.....Yes

DESCRIPTION.....Sump Drain

DISPLAY_NAME.....Sump Drain

HELP_TEXT.....No Help Text

ID.....{DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}

TERM.....SUMP

DATA VALUE: SUPERVISION/SET-UP HELP

ABBREVIATION.....SUPERVISED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Supervision/Set-Up Help

HELP_TEXT.....No Help Text

ID.....{596D028B-B60D-4244-A1B0-882177C8D25F}

TERM.....SUPERVISION/SET-UP HELP

DATA VALUE: SUPINE

ABBREVIATION.....SUPINE

ACTIVE.....Yes

DESCRIPTION.....Supine

DISPLAY_NAME.....Supine

HELP_TEXT.....No Help Text

ID.....{A18F9534-17AF-47D7-8D14-2AA457A889BD}

TERM.....SUPINE

DATA VALUE: SUPLENA

ABBREVIATION.....Suplena

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Suplena

HELP_TEXT.....

ID.....{F606979A-083E-40C1-9EBB-EA56053EF5FD}

TERM.....SUPLENA

DATA VALUE: SUPRAPUBIC

ABBREVIATION.....SUPRAPUBIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Suprapubic

HELP_TEXT.....No Help Text

ID.....{69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}

TERM.....SUPRAPUBIC

DATA VALUE: SUPRAVENTRICULAR TACHYCARDIA

ABBREVIATION.....st
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Supraventricular Tachycardia
HELP_TEXT.....No Help Text
ID.....{F712412F-D39A-58F7-E4F1-6AC8B77445D7}
TERM.....SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: SURGICAL

ABBREVIATION.....SURGICAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Surgical
HELP_TEXT.....No Help-Text
ID.....{2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}
TERM.....SURGICAL

DATA VALUE: SURGICAL DONOR

ABBREVIATION.....SURG DONOR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Surgical Donor

HELP_TEXT.....No Help Text
ID.....{F3EE10EA-5776-479B-A58C-F59D6526F90B}
TERM.....SURGICAL DONOR

DATA VALUE: SURGICAL GRAFT

ABBREVIATION.....SURG GRAFT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Surgical Graft
HELP_TEXT.....No Help Text
ID.....{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}
TERM.....SURGICAL GRAFT

DATA VALUE: SUSPECTED DEEP TISSUE INJURY

ABBREVIATION.....SUS DEEP T
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Suspected Deep Tissue Injury
HELP_TEXT.....No Help Text
ID.....{E82B4082-646F-4B5A-B68E-BB0872A4F6D2}
TERM.....SUSPECTED DEEP TISSUE INJURY

DATA VALUE: SUTURES

ABBREVIATION.....SUTURES

ACTIVE.....Yes

DESCRIPTION.....Sutures to close wound

DISPLAY_NAME.....Sutures

HELP_TEXT.....No Help Text

ID.....{F6E3535E-2368-4014-8F4E-670EC0CB69A5}

TERM.....SUTURES

DATA VALUE: SWOLLEN

ABBREVIATION.....SWOLLEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Swollen

HELP_TEXT.....No Help Text

ID.....{DCE86B10-C393-8DA9-6518-F2943F0E1A4E}

TERM.....SWOLLEN

DATA VALUE: SYMPTOMS OF MEDICATION ALLERGY

ABBREVIATION.....Sym Med Al

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Symptoms of Medication Allergy

HELP_TEXT.....

ID.....{8E73F22D-7583-4F24-B946-091CF8508CED}

TERM.....SYMPTOMS OF MEDICATION ALLERGY

DATA VALUE: SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION

ABBREVIATION.....SIMV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Synchronous Intermittent Mandatory
Ventilation

HELP_TEXT.....No Help Text

ID.....{A606BB2B-5C00-FEA1-127F-1D3455AE5996}

TERM.....SYNCHRONOUS INTERMITTENT MANDATORY
VENTILATION

DATA VALUE: SYRINGE

ABBREVIATION.....Syringe

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Syringe

HELP_TEXT.....

ID.....{8ED1EF3E-79AC-4507-A35B-473F31510FB7}

TERM.....SYRINGE

DATA VALUE: SYRINGE CHANGE

ABBREVIATION.....Syr Chg

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Syringe Change

HELP_TEXT.....

ID.....{1F052EF1-F62C-4442-8B2B-D15280226C69}

TERM.....SYRINGE CHANGE

DATA VALUE: SYRINGE CHANGED

ABBREVIATION.....SYR CHANGE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Syringe Changed

HELP_TEXT.....No Help Text

ID.....{BE84F060-7E03-49DD-A6BC-787375C8E1F1}

TERM.....SYRINGE CHANGED

DATA VALUE: SYSTOLIC

ABBREVIATION.....SYSTOLIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Systolic

HELP_TEXT.....No Help Text

ID.....{859B5700-0990-42FF-8129-8DB24EFDA8D1}

TERM.....SYSTOLIC

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL BY ORDERS

ABBREVIATION.....SaO2 by Or

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....SaO2% at Acceptable Level by Orders

HELP_TEXT.....

ID.....{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}

TERM.....SaO2% AT ACCEPTABLE LEVEL BY ORDERS

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL

ABBREVIATION.....SaO2 w/Pre

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....SaO2% at Acceptable Level with

Prescribed O2 Level

HELP_TEXT.....

ID.....{8DE3440F-8049-4846-89D6-2E2DDEEA362C}

TERM.....SaO2% AT ACCEPTABLE LEVEL WITH

PRESCRIBED O2 LEVEL

DATA VALUE: T1

ABBREVIATION.....T1

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T1

HELP_TEXT.....

ID.....{78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}

TERM.....T1

DATA VALUE: T10

ABBREVIATION.....T10

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T10

HELP_TEXT.....

ID.....{EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}

TERM.....T10

DATA VALUE: T11

ABBREVIATION.....T11

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T11

HELP_TEXT.....

ID.....{3C40B21A-965B-48C4-A65D-9A01CF2327F1}

TERM.....T11

DATA VALUE: T12

ABBREVIATION.....T12

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T12

HELP_TEXT.....

ID.....{36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}

TERM.....T12

DATA VALUE: T2

ABBREVIATION.....T2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T2

HELP_TEXT.....

ID.....{7536B154-F3CA-4B21-8CEC-301F204B19A9}

TERM.....T2

DATA VALUE: T3

ABBREVIATION.....T3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T3

HELP_TEXT.....

ID.....{F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}

TERM.....T3

DATA VALUE: T4

ABBREVIATION.....T4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T4

HELP_TEXT.....

ID.....{E95970BB-3FDA-4027-AAF0-EE5670642321}

TERM.....T4

DATA VALUE: T5

ABBREVIATION.....T5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T5

HELP_TEXT.....

ID.....{01B568D4-F9F4-44A7-94A4-EFF830691940}

TERM.....T5

DATA VALUE: T6

ABBREVIATION.....T6

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T6

HELP_TEXT.....

ID.....{0C2C1A00-7CCB-4608-AECB-30BFB52A5342}

TERM.....T6

DATA VALUE: T7

ABBREVIATION.....T7

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T7

HELP_TEXT.....

ID.....{385B254A-F256-4626-9C12-7D8984F4B605}

TERM.....T7

DATA VALUE: T8

ABBREVIATION.....T8

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T8

HELP_TEXT.....

ID.....{68337EB5-902D-4DCB-AFDD-8AC59849F58B}

TERM.....T8

DATA VALUE: T9

ABBREVIATION.....T9

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....T9

HELP_TEXT.....

ID.....{06F10D8D-2E9D-454D-AD6B-B750300523DD}

TERM.....T9

DATA VALUE: TAN

ABBREVIATION.....TAN

ACTIVE.....Yes

DESCRIPTION.....The color tan

DISPLAY_NAME.....Tan

HELP_TEXT.....The color tan
ID.....{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
TERM.....TAN

DATA VALUE: TAPE BURN

ABBREVIATION.....TAPE BURN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tape Burn
HELP_TEXT.....No Help Text
ID.....{DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}
TERM.....TAPE BURN

DATA VALUE: TARRY

ABBREVIATION.....TARRY
ACTIVE.....Yes
DESCRIPTION.....Tarry in appearance
DISPLAY_NAME.....Tarry
HELP_TEXT.....No Help Text
ID.....{09364271-6307-471F-A334-A8F7E051EF46}
TERM.....TARRY

DATA VALUE: TEA

ABBREVIATION.....TEA

ACTIVE.....Yes

DESCRIPTION.....Tea

DISPLAY_NAME.....Tea

HELP_TEXT.....Tea

ID.....{E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

TERM.....TEA

DATA VALUE: TEETH BRUSHED

ABBREVIATION.....TEETH BRUS

ACTIVE.....Yes

DESCRIPTION.....Teeth Brushed

DISPLAY_NAME.....Teeth Brushed

HELP_TEXT.....No Help Text

ID.....{20841794-6E6D-4262-B1FE-9E3F20F8CC49}

TERM.....TEETH BRUSHED

DATA VALUE: TEMPORARY (TRANSVENOUS)

ABBREVIATION.....tt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Temporary (Transvenous)

HELP_TEXT.....No Help Text

ID.....{F6A74188-3D79-D749-540F-4EA32201B0E6}

TERM.....TEMPORARY (TRANSVENOUS)

DATA VALUE: TENACIOUS

ABBREVIATION.....TENACIOUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tenacious

HELP_TEXT.....No Help Text

ID.....{EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}

TERM.....TENACIOUS

DATA VALUE: TENDER

ABBREVIATION.....TENDER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tender

HELP_TEXT.....No Help Text

ID.....{30486CC7-3097-4F95-9238-FD6C2126CD10}

TERM.....TENDER

DATA VALUE: TENDON

ABBREVIATION.....TENDON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tendon

HELP_TEXT.....No Help Text

ID.....{40628D33-E217-4D39-9A82-4C8D7702576F}

TERM.....TENDON

DATA VALUE: THICK

ABBREVIATION.....THICK

ACTIVE.....Yes

DESCRIPTION.....Thick

DISPLAY_NAME.....Thick

HELP_TEXT.....No Help Text

ID.....{1554A49E-1468-46B2-F851-531DDB1D1A98}

TERM.....THICK

DATA VALUE: THIGH

ABBREVIATION.....THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Thigh

HELP_TEXT.....No Help Text

ID.....{65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}

TERM.....THIGH

DATA VALUE: THIN

ABBREVIATION.....THIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Thin

HELP_TEXT.....No Help Text

ID.....{CB8D8B5C-E824-D030-1241-D8EB814671E9}

TERM.....THIN

DATA VALUE: THIRD DEGREE AV BLOCK

ABBREVIATION.....tdab

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Third Degree Av Block

HELP_TEXT.....No Help Text

ID.....{1AC7E31B-830E-2309-3AF7-8FB03003DD86}

TERM.....THIRD DEGREE AV BLOCK

DATA VALUE: THORACIC SPINAL PRECAUTIONS

ABBREVIATION.....THOR S P

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Thoriacic Spinal Precautions

HELP_TEXT.....No Help Text

ID.....{D55AEF23-7F5E-45DD-A178-F217E6AF3873}

TERM.....THORACIC SPINAL PRECAUTIONS

DATA VALUE: THREADS

ABBREVIATION.....Threads

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Threads

HELP_TEXT.....

ID.....{029BB303-B428-41D0-978B-6A8176108D7D}

TERM.....THREADS

DATA VALUE: THROBBING

ABBREVIATION.....THROBBING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Throbbing

HELP_TEXT.....No Help Text

ID.....{3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}

TERM.....THROBBING

DATA VALUE: TINGLING

ABBREVIATION.....t

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tingling

HELP_TEXT.....No Help Text

ID.....{AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

TERM.....TINGLING

DATA VALUE: TINGLING MOUTH/LIPS

ABBREVIATION.....Ting Mou/L

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Tingling Mouth/Lips

HELP_TEXT.....

ID.....{E603F979-310D-438B-80A2-1F52E4DE71C6}

TERM.....TINGLING MOUTH/LIPS

DATA VALUE: TINNITUS

ABBREVIATION.....Tinnitus

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Tinnitus

HELP_TEXT.....

ID.....{846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}

TERM.....TINNITUS

DATA VALUE: TO PAIN

ABBREVIATION.....TO PAIN

ACTIVE.....Yes

DESCRIPTION.....To Pain

DISPLAY_NAME.....To Pain

HELP_TEXT.....No Help Text

ID.....{AA1F818D-DCFC-4FBC-97D3-BE86D309119E}

TERM.....TO PAIN

DATA VALUE: TO SPEECH

ABBREVIATION.....TO SPEECH

ACTIVE.....Yes

DESCRIPTION.....To Speech

DISPLAY_NAME.....To Speech

HELP_TEXT.....No Help Text

ID.....{2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}

TERM.....TO SPEECH

DATA VALUE: TOENAIL CARE

ABBREVIATION.....TOEN CARE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Toenail Care

HELP_TEXT.....No Help Text

ID.....{6CF3ABCE-FF74-43E2-81E5-D23339017CA9}

TERM.....TOENAIL CARE

DATA VALUE: TOLERATING FLUIDS/NOURISHMENT

ABBREVIATION.....TO OR FL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tolerating Fluids/Nourishment

HELP_TEXT.....No Help Text

ID.....{E107F272-CD27-46B8-8C50-F9FF776DDCD9}

TERM.....TOLERATING FLUIDS/NOURISHMENT

DATA VALUE: TONIC/CLONIC

ABBREVIATION.....TON/CLON
ACTIVE.....Yes
DESCRIPTION.....Tonic/Clonic
DISPLAY_NAME.....Tonic/Clonic
HELP_TEXT.....Tonic/Clonic
ID.....{81932BAA-6C79-47A3-85B3-592824B6C09C}
TERM.....TONIC/CLONIC

DATA VALUE: TOPICAL TREATMENT

ABBREVIATION.....TOPICAL T
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Topical Treatment
HELP_TEXT.....No Help Text
ID.....{4E995342-8A6F-4B21-8013-F8C6A9FC7658}
TERM.....TOPICAL TREATMENT

DATA VALUE: TORSADES DE POINTES

ABBREVIATION.....Tor de Poi
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Torsades de Pointes

HELP_TEXT.....

ID.....{E936B787-7912-4CAE-A465-AD1A1FEA68CA}

TERM.....TORSADES DE POINTES

DATA VALUE: TOTAL DEPENDENCE

ABBREVIATION.....TOT DEPEND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Total Dependence

HELP_TEXT.....No Help Text

ID.....{38702CDD-E440-4EFA-9583-36EEE719F7C3}

TERM.....TOTAL DEPENDENCE

DATA VALUE: TRACHEOSTOMY

ABBREVIATION.....TRACHEOSTO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Tracheostomy

HELP_TEXT.....No Help Text

ID.....{2B0B7599-847E-852F-D16F-091CAA4B205}

TERM.....TRACHEOSTOMY

DATA VALUE: TRANSCUTANEOUS

ABBREVIATION.....t
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Transcutaneous
HELP_TEXT.....No Help Text
ID.....{F4315F92-8804-1CB4-4D03-CCFDC95C6E71}
TERM.....TRANSCUTANEOUS

DATA VALUE: TRANSFER

ABBREVIATION.....TRANSFER
ACTIVE.....Yes
DESCRIPTION.....Transfer
DISPLAY_NAME.....Transfer
HELP_TEXT.....No Help Text
ID.....{DFDB4783-25BE-485B-A9BA-621F1004AAF2}
TERM.....TRANSFER

DATA VALUE: TRANSFER WITH ASSIST

ABBREVIATION.....TRANS ASST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Transfer With Assist

HELP_TEXT.....No Help Text
ID.....{62A5BFF5-9C7C-4412-83A8-F872095DE005}
TERM.....TRANSFER WITH ASSIST

DATA VALUE: TRANSPARENT

ABBREVIATION.....TRANSPAREN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Transparent
HELP_TEXT.....No Help Text
ID.....{0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
TERM.....TRANSPARENT

DATA VALUE: TRANSPARENT DRESSING

ABBREVIATION.....TRANSP DRE
ACTIVE.....Yes
DESCRIPTION.....Transparent Dressing
DISPLAY_NAME.....Transparent Dressing
HELP_TEXT.....No Help Text
ID.....{777C7722-AEA8-4A0B-9ADD-1157D37AE539}
TERM.....TRANSPARENT DRESSING

DATA VALUE: TRANSPORT FACILITATOR PRESENT

ABBREVIATION.....TR FA PR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Transport Facilitator Present
HELP_TEXT.....No Help Text
ID.....{645BF269-6B23-4377-95ED-71291F075B25}
TERM.....TRANSPORT FACILITATOR PRESENT

DATA VALUE: TRANSPYLORIC

ABBREVIATION.....TRANSPYOLO
ACTIVE.....Yes
DESCRIPTION.....Transpyloric
DISPLAY_NAME.....Transpyloric
HELP_TEXT.....No Help Text
ID.....{78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}
TERM.....TRANSPYLORIC

DATA VALUE: TREATMENTS

ABBREVIATION.....TREATMENTS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Treatments

HELP_TEXT.....No Help Text

ID.....{7A6879B5-F781-498E-9D71-3FA0243C3F21}

TERM.....TREATMENTS

DATA VALUE: TRIGEMINY

ABBREVIATION.....Trigeminy

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Trigeminy

HELP_TEXT.....

ID.....{13D65F9F-B51C-4CEC-8002-037C8323626C}

TERM.....TRIGEMINY

DATA VALUE: TRIPLE

ABBREVIATION.....TRIPLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Triple

HELP_TEXT.....No Help Text

ID.....{077BE8CF-F2AB-56E1-1F25-51DF80F8054D}

TERM.....TRIPLE

DATA VALUE: TUBED/DYSPHAGIC

ABBREVIATION.....TUBE/DYSPH
ACTIVE.....Yes
DESCRIPTION.....Tubed/Dysphagic
DISPLAY_NAME.....Tubed/Dysphagic
HELP_TEXT.....No Help Text
ID.....{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}
TERM.....TUBED/DYSPHAGIC

DATA VALUE: TUBING CHANGE

ABBREVIATION.....Tube Chg
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Tubing Change
HELP_TEXT.....
ID.....{6418C2A2-D244-4C5B-A398-904B99AACEA4}
TERM.....TUBING CHANGE

DATA VALUE: TUBING CHANGED/LABELED

ABBREVIATION.....TUBE CHANG
ACTIVE.....Yes
DESCRIPTION.....Changed or labeled tubing
DISPLAY_NAME.....Tubing Changed / Labeled

HELP_TEXT.....No Help Text
ID.....{19BA337C-6E28-411E-9702-48B262C593FA}
TERM.....TUBING CHANGED/LABELED

DATA VALUE: TURN AND POSITION

ABBREVIATION.....TURN POSIT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Turn and Position
HELP_TEXT.....No Help Text
ID.....{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}
TERM.....TURN AND POSITION

DATA VALUE: TURNING SELF INDEPENDENTLY

ABBREVIATION.....TURN SELF
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Turning Self Independently
HELP_TEXT.....No Help Text
ID.....{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}
TERM.....TURNING SELF INDEPENDENTLY

DATA VALUE: TWILL TAPE

ABBREVIATION.....Twill Tape
ACTIVE.....Yes
DESCRIPTION.....Twill Tape
DISPLAY_NAME.....Twill Tape
HELP_TEXT.....No Help Text
ID.....{C52BE250-732D-03BB-B8F9-72BE4D546807}
TERM.....TWILL TAPE

DATA VALUE: TWO CAL HN

ABBREVIATION.....Two Cal HN
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Two Cal HN
HELP_TEXT.....
ID.....{3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}
TERM.....TWO CAL HN

DATA VALUE: TWO PERSON ASSIST

ABBREVIATION.....2 PERS AST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Two Person Assist

HELP_TEXT.....No Help Text

ID.....{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

TERM.....TWO PERSON ASSIST

DATA VALUE: ULTRACAL

ABBREVIATION.....ULTRACAL

ACTIVE.....Yes

DESCRIPTION.....Enteral Nutrition Type

DISPLAY_NAME.....Ultracal

HELP_TEXT.....No Help Text

ID.....{179AE9A5-154D-4CD2-B70B-66E84F5D0932}

TERM.....ULTRACAL

DATA VALUE: UNABLE TO AROUSE

ABBREVIATION.....Un to Ar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Unable to Arouse

HELP_TEXT.....

ID.....{05B32DD9-E634-4B60-A58B-2E915EA2834D}

TERM.....UNABLE TO AROUSE

DATA VALUE: UNABLE TO ASSESS

ABBREVIATION.....UNA TO AS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unable To Assess

HELP_TEXT.....No Help Text

ID.....{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

TERM.....UNABLE TO ASSESS

DATA VALUE: UNABLE TO INFORM

ABBREVIATION.....UNABLE INF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unable to Inform

HELP_TEXT.....No Help Text

ID.....{77428C87-B3F9-4BBD-B781-F7D89BCF9492}

TERM.....UNABLE TO INFORM

DATA VALUE: UNABLE TO READ

ABBREVIATION.....ILLITERATE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unable to Read

HELP_TEXT.....No Help Text

ID.....{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}

TERM.....UNABLE TO READ

DATA VALUE: UNABLE TO RESPOND

ABBREVIATION.....UNA TO RES

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unable To Respond

HELP_TEXT.....No Help Text

ID.....{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}

TERM.....UNABLE TO RESPOND

DATA VALUE: UNABLE TO WEDGE

ABBREVIATION.....UNABLE WED

ACTIVE.....Yes

DESCRIPTION.....Unable to Wedge

DISPLAY_NAME.....Unable to Wedge

HELP_TEXT.....No Help Text

ID.....{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}

TERM.....UNABLE TO WEDGE

DATA VALUE: UNBEARABLE

ABBREVIATION.....UNBEARABLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unbearable

HELP_TEXT.....No Help Text

ID.....{96611993-45F3-4D1D-BF7F-5E5C46E5569E}

TERM.....UNBEARABLE

DATA VALUE: UNCOOPERATIVE

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Uncooperative

HELP_TEXT.....No Help Text

ID.....{2D737EFB-F4CA-7AEA-9EB2-6FF133742815}

TERM.....UNCOOPERATIVE

DATA VALUE: UNDER STRETCHER/BED

ABBREVIATION.....Stretcher

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Under Stretcher/Bed

HELP_TEXT.....

ID.....{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}

TERM.....UNDER STRETCHER/BED

DATA VALUE: UNEQUAL

ABBREVIATION.....Unequal

ACTIVE.....Yes

DESCRIPTION.....Not the same

DISPLAY_NAME.....Unequal

HELP_TEXT.....Not the same

ID.....{73319200-164F-B39F-649C-B7FB1AFBDBB8}

TERM.....UNEQUAL

DATA VALUE: UNEXPECTED NUMBNESS

ABBREVIATION.....Unexp Numb

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Unexpected Numbness

HELP_TEXT.....

ID.....{6418B135-56AF-4A76-A207-55D7AE0C5364}

TERM.....UNEXPECTED NUMBNESS

DATA VALUE: UNIFOCAL PVC

ABBREVIATION.....Uni PVC

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Unifocal PVC

HELP_TEXT.....

ID.....{5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}

TERM.....UNIFOCAL PVC

DATA VALUE: UNKNOWN

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unknown

HELP_TEXT.....No Help Text

ID.....{1F872397-8635-18A3-E252-AE9B20B88C7D}

TERM.....UNKNOWN

DATA VALUE: UNSTABLE

ABBREVIATION.....UNSTABLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Unstable

HELP_TEXT.....No Help Text
ID.....{5841C521-8070-4034-A69D-27DAB2990EB3}
TERM.....UNSTABLE

DATA VALUE: UNSTAGEABLE

ABBREVIATION.....UNSTAGEABL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Unstageable
HELP_TEXT.....No Help Text
ID.....{5C507F64-2EC0-4FD8-A786-94D76D90C0D1}
TERM.....UNSTAGEABLE

DATA VALUE: UNSUCCESSFUL

ABBREVIATION.....UNSUCCESSF
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Unsuccessful
HELP_TEXT.....No Help Text
ID.....{54DC58A1-7585-4A32-B810-90B586ED9332}
TERM.....UNSUCCESSFUL

DATA VALUE: UP

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Up

HELP_TEXT.....No Help Text

ID.....{7BCC74F9-FE2F-FE60-57BA-321BFA316BEC}

TERM.....UP

DATA VALUE: UP TO CHAIR

ABBREVIATION.....UP TO CHAI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Up To Chair

HELP_TEXT.....No Help Text

ID.....{42E598E5-82EC-428B-B5FA-1129E3095C78}

TERM.....UP TO CHAIR

DATA VALUE: URINARY RETENTION

ABBREVIATION.....Urinary Re

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Urinary Retention

HELP_TEXT.....

ID.....{959EBBDC-7F67-42EC-8CF0-295F709BB433}

TERM.....URINARY RETENTION

DATA VALUE: UROMETER

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Urometer

HELP_TEXT.....No Help Text

ID.....{13074A3A-19D7-300C-7BFF-8DC18DDE2951}

TERM.....UROMETER

DATA VALUE: UROSTOMY

ABBREVIATION.....UROSTOMY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Urostomy

HELP_TEXT.....No Help Text

ID.....{1F9E528D-6D78-54EE-94E6-649C6F2056A3}

TERM.....UROSTOMY

DATA VALUE: V1

ABBREVIATION.....V1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V1

HELP_TEXT.....No Help Text

ID.....{4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}

TERM.....V1

DATA VALUE: V2

ABBREVIATION.....V2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V2

HELP_TEXT.....No Help Text

ID.....{05A3232E-A30D-4771-A1B5-E7705B717646}

TERM.....V2

DATA VALUE: V3

ABBREVIATION.....V3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V3

HELP_TEXT.....No Help Text

ID.....{E150126E-4AA7-4F96-961E-FD1169C77158}

TERM.....V3

DATA VALUE: V4

ABBREVIATION.....V4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V4

HELP_TEXT.....No Help Text

ID.....{255260F9-5CC7-41B1-831C-F9319FA27506}

TERM.....V4

DATA VALUE: V5

ABBREVIATION.....V5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V5

HELP_TEXT.....No Help Text

ID.....{D5C10744-0EB5-46FA-AE6C-CCF571318F8A}

TERM.....V5

DATA VALUE: V6

ABBREVIATION.....V6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....V6

HELP_TEXT.....No Help Text

ID.....{B86F72D7-7884-4470-92A8-EF9277C5B584}

TERM.....V6

DATA VALUE: VACUUM ASSISTED CLOSURE

ABBREVIATION.....VAC ASS CL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Vacuum Assisted Closure

HELP_TEXT.....No Help Text

ID.....{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}

TERM.....VACUUM ASSISTED CLOSURE

DATA VALUE: VASCULAR

ABBREVIATION.....VASCULAR

ACTIVE.....Yes

DESCRIPTION.....Vascular

DISPLAY_NAME.....Vascular

HELP_TEXT.....No Help Text

ID.....{60523BF8-6372-4760-881C-A62F85D2A0F6}

TERM.....VASCULAR

DATA VALUE: VASCULAR LESION ARTERIAL

ABBREVIATION.....VASLES ART

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Vascular Leasion Arterial

HELP_TEXT.....No Help Text

ID.....{EA565D3F-D984-4553-B597-DFE844554CE9}

TERM.....VASCULAR LESION ARTERIAL

DATA VALUE: VASCULAR LESION MIXED

ABBREVIATION.....VASLES MIX

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Vascular Leasion Mixed

HELP_TEXT.....No Help Text

ID.....{8684AB2D-9162-4DC2-A5FA-A14558678689}

TERM.....VASCULAR LESION MIXED

DATA VALUE: VASCULAR LESION VENOUS

ABBREVIATION.....VASLES VEN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Vascular Lesion Venous
HELP_TEXT.....No Help Text
ID.....{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}
TERM.....VASCULAR LESION VENOUS

DATA VALUE: VASCULAR/NEUROPATHIC

ABBREVIATION.....VASC/NEURO
ACTIVE.....Yes
DESCRIPTION.....Vascular / Neuropathic
DISPLAY_NAME.....Vascular / Neuropathic
HELP_TEXT.....No Help Text
ID.....{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}
TERM.....VASCULAR/NEUROPATHIC

DATA VALUE: VASOPRESSOR

ABBREVIATION.....VASOPRESS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Vasopressor

HELP_TEXT.....No Help Text

ID.....{591FCB09-1287-48C6-8007-4CE961296BA9}

TERM.....VASOPRESSOR

DATA VALUE: VDD

ABBREVIATION.....VDD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....VDD

HELP_TEXT.....No Help Text

ID.....{E733E525-EF36-2F93-AECC-BAD1C3E2C633}

TERM.....VDD

DATA VALUE: VEGETARIAN DIET

ABBREVIATION.....VEG DIET

ACTIVE.....Yes

DESCRIPTION.....Vegetarian Diet

DISPLAY_NAME.....Vegetarian Diet

HELP_TEXT.....No Help Text

ID.....{6B8143BE-843F-4944-9ABB-7175AFE2DF17}

TERM.....VEGETARIAN DIET

DATA VALUE: VENTICULAR FIBRILLATION

ABBREVIATION.....vf
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ventricular Fibrillation
HELP_TEXT.....No Help Text
ID.....{400B70C2-6E15-458F-70C6-FA2597DE2556}
TERM.....VENTICULAR FIBRILLATION

DATA VALUE: VENTILATOR

ABBREVIATION.....v
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ventilator
HELP_TEXT.....No Help Text
ID.....{A5A647ED-A56D-5012-AD5B-788B3DCB3498}
TERM.....VENTILATOR

DATA VALUE: VENTILATOR ACHIEVA P5O2

ABBREVIATION.....ACHIEVA P5
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Achieva P5O2

HELP_TEXT.....No Help Text
ID.....{1690EEA5-3C3B-4D30-AC5C-214C94626699}
TERM.....VENTILATOR ACHIEVA P5O2

DATA VALUE: VENTILATOR ADULT STAR

ABBREVIATION.....ADULT STAR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Adult Star Ventilator
HELP_TEXT.....No Help Text
ID.....{879B13DA-4874-42D4-99EC-8E4ADB31B14E}
TERM.....VENTILATOR ADULT STAR

DATA VALUE: VENTILATOR BEAR 1000

ABBREVIATION.....BEAR 1000
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bear 1000
HELP_TEXT.....No Help Text
ID.....{03C30F99-A27C-427C-B0ED-872F0DE646BD}
TERM.....VENTILATOR BEAR 1000

DATA VALUE: VENTILATOR DRAEGER

ABBREVIATION.....DRAEGER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Draeger
HELP_TEXT.....No Help Text
ID.....{DD18C42F-EF13-460B-8676-9ED1E429B54B}
TERM.....VENTILATOR DRAEGER

DATA VALUE: VENTILATOR OTHER

ABBREVIATION.....VENT OTHER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Other Ventilator; Use Comments
HELP_TEXT.....No Help Text
ID.....{138B7B3D-9F8B-447A-9785-12AB396AE6DE}
TERM.....VENTILATOR OTHER

DATA VALUE: VENTILATOR PB 7200ae

ABBREVIATION.....PB7200ae
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PB 7200ae

HELP_TEXT.....No Help Text
ID.....{86AE485F-ECD1-4B8E-820F-71CF159F318B}
TERM.....VENTILATOR PB 7200ae

DATA VALUE: VENTILATOR PB 840

ABBREVIATION.....PB 840
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....PB 840
HELP_TEXT.....No Help Text
ID.....{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}
TERM.....VENTILATOR PB 840

DATA VALUE: VENTILATOR SERVO

ABBREVIATION.....SERVO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Servo
HELP_TEXT.....No Help Text
ID.....{D6F06715-1ADD-4941-B026-B9A5E463943E}
TERM.....VENTILATOR SERVO

DATA VALUE: VENTRICULAR

ABBREVIATION.....v

ACTIVE.....Yes

DESCRIPTION.....VENTRICULAR

DISPLAY_NAME.....Ventricular

HELP_TEXT.....No Help Text

ID.....{307A4572-3CF0-7875-7313-7FD4AB23F8E7}

TERM.....VENTRICULAR

DATA VALUE: VENTRICULAR TACHYCARDIA

ABBREVIATION.....vt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ventricular Tachycardia

HELP_TEXT.....No Help Text

ID.....{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}

TERM.....VENTRICULAR TACHYCARDIA

DATA VALUE: VENTRICULAR WHIP PRESENT

ABBREVIATION.....VENT WHIP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ventricular Whip Present

HELP_TEXT.....No Help Text
ID.....{15CB9645-690D-446B-A380-F14CEEC9C6AA}
TERM.....VENTRICULAR WHIP PRESENT

DATA VALUE: VENTRICULOSTOMY

ABBREVIATION.....Ventriculo
ACTIVE.....Yes
DESCRIPTION.....Ventriculostomy
DISPLAY_NAME.....Ventriculostomy
HELP_TEXT.....No Help Text
ID.....{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}
TERM.....VENTRICULOSTOMY

DATA VALUE: VERBAL DE-ESCALATION

ABBREVIATION.....VERB DE-ES
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Verbal De-escalation
HELP_TEXT.....No Help Text
ID.....{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}
TERM.....VERBAL DE-ESCALATION

DATA VALUE: VERBALIZED BY PATIENT

ABBREVIATION.....Verbal
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Verbalized by Patient
HELP_TEXT.....
ID.....{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}
TERM.....VERBALIZED BY PATIENT

DATA VALUE: VERY LOW BMI

ABBREVIATION.....LOW BMI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Very Low BMI
HELP_TEXT.....No Help Text
ID.....{78B3A37B-938B-42E5-A403-75E206722BC3}
TERM.....VERY LOW BMI

DATA VALUE: VIOLET

ABBREVIATION.....VIOLET
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Violet

HELP_TEXT.....No Help Text

ID.....{1249AE97-CF1F-4604-A17A-5FC85F6D0185}

TERM.....VIOLET

DATA VALUE: VIP PORT

ABBREVIATION.....VIP PORT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....VIP Port Catheter

HELP_TEXT.....No Help Text

ID.....{3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

TERM.....VIP PORT

DATA VALUE: VISCOUS

ABBREVIATION.....VISCOUS

ACTIVE.....Yes

DESCRIPTION.....Viscous

DISPLAY_NAME.....Viscous

HELP_TEXT.....No Help Text

ID.....{0E8019D5-F2DB-46B8-B750-41568DD0179C}

TERM.....VISCOUS

DATA VALUE: VISUAL IMPAIRMENT

ABBREVIATION.....VIS IMPAIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Visual Impairment

HELP_TEXT.....No Help Text

ID.....{7B2107CE-002D-43BE-9102-FCD5B9FAD617}

TERM.....VISUAL IMPAIRMENT

DATA VALUE: VITAL 1.0

ABBREVIATION.....Vital 1.0

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Vital 1.0

HELP_TEXT.....

ID.....{D3CA653C-419D-4186-8704-E171650062DF}

TERM.....VITAL 1.0

DATA VALUE: VITAL 1.5

ABBREVIATION.....Vital 1.5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Vital 1.5

HELP_TEXT.....

ID.....{3665F539-7BBD-4AD9-A4D0-0A33506036D7}

TERM.....VITAL 1.5

DATA VALUE: VITAL AF

ABBREVIATION.....Vital AF

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Vital AF

HELP_TEXT.....

ID.....{D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}

TERM.....VITAL AF

DATA VALUE: VITAL ENTERAL NUTRITION TYPE

ABBREVIATION.....VITAL ENT

ACTIVE.....Yes

DESCRIPTION.....Vital Enteral Nutrition Type

DISPLAY_NAME.....Vital

HELP_TEXT.....No Help Text

ID.....{2DA036DA-BF27-4E52-86A2-20A312823480}

TERM.....VITAL ENTERAL NUTRITION TYPE

DATA VALUE: VITAL HN ENTERAL NUTRITION

ABBREVIATION.....VITAL HN
ACTIVE.....Yes
DESCRIPTION.....Vital HN Enteral Nutrition Type
DISPLAY_NAME.....Vital HN
HELP_TEXT.....No Help Text
ID.....{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}
TERM.....VITAL HN ENTERAL NUTRITION

DATA VALUE: VITAL SIGNS STABLE

ABBREVIATION.....VI SI ST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Vital Signs Stable
HELP_TEXT.....No Help Text
ID.....{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}
TERM.....VITAL SIGNS STABLE

DATA VALUE: VIVONEX RTF

ABBREVIATION.....Viv RTF
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Vivonex RTF

HELP_TEXT.....

ID.....{461E7430-CC94-47D1-A90D-9694314C7729}

TERM.....VIVONEX RTF

DATA VALUE: VOIDED

ABBREVIATION.....VOIDED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Voided

HELP_TEXT.....No Help Text

ID.....{7F23E601-A1E5-4016-8A12-06B1099041CF}

TERM.....VOIDED

DATA VALUE: VOLUNTEER

ABBREVIATION.....VOLUNTEE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Volunteer

HELP_TEXT.....No Help Text

ID.....{F5406412-DE48-4F84-8A31-0B1D79DB576D}

TERM.....VOLUNTEER

DATA VALUE: VOMITING

ABBREVIATION.....VOMITING

ACTIVE.....Yes

DESCRIPTION.....Vomiting

DISPLAY_NAME.....Vomiting

HELP_TEXT.....Vomiting

ID.....{921F463C-1639-4D13-8E4E-6D3A1B6927F9}

TERM.....VOMITING

DATA VALUE: VVI

ABBREVIATION.....VVI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....VVI

HELP_TEXT.....No Help Text

ID.....{2C87F8F3-2B99-80E7-04EB-E6FE88168627}

TERM.....VVI

DATA VALUE: WAFFLE

ABBREVIATION.....WAFFLE

ACTIVE.....Yes

DESCRIPTION.....Waffle

DISPLAY_NAME.....Waffle

HELP_TEXT.....No Help Text
ID.....{29A0FA73-CAA7-4660-9861-79A09F6DD98C}
TERM.....WAFFLE

DATA VALUE: WAITING ROOM

ABBREVIATION.....WAIT ROOM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Waiting Room
HELP_TEXT.....No Help Text
ID.....{13476486-F895-4FFC-AB42-B274827B47DA}
TERM.....WAITING ROOM

DATA VALUE: WALKER

ABBREVIATION.....WALKER
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Walker
HELP_TEXT.....No Help Text
ID.....{91247001-5E89-46A0-A841-B4FAE9226E63}
TERM.....WALKER

DATA VALUE: WALKING OR PACING

ABBREVIATION.....wop

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Walking Or Pacing

HELP_TEXT.....No Help Text

ID.....{CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}

TERM.....WALKING OR PACING

DATA VALUE: WANDERER

ABBREVIATION.....w

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Wanderer

HELP_TEXT.....No Help Text

ID.....{C5BD737B-F9A6-5800-B45C-2585507C3EDC}

TERM.....WANDERER

DATA VALUE: WARD

ABBREVIATION.....WARD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ward

HELP_TEXT.....No Help Text
ID.....{A16CB5CB-3401-4F6C-8467-7F78FC929872}
TERM.....WARD

DATA VALUE: WARM

ABBREVIATION.....WARM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Warm
HELP_TEXT.....No Help Text
ID.....{E03BBEB4-5643-968F-190F-309A1293FCF9}
TERM.....WARM

DATA VALUE: WARM HUMIDITY WITH O2

ABBREVIATION.....WM HUM O2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Warm Humidity with Oxygen
HELP_TEXT.....No Help Text
ID.....{E62E07C3-4CA2-426B-8EBA-48C406837D9C}
TERM.....WARM HUMIDITY WITH O2

DATA VALUE: WARMER THAN GENERAL BODY TEMP

ABBREVIATION.....WARM B TEM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warmer Than General Body Temperature

HELP_TEXT.....No Help Text

ID.....{AE43F2B4-B585-43F4-9E97-D61E225A803B}

TERM.....WARMER THAN GENERAL BODY TEMP

DATA VALUE: WARMER THAN OPPOSITE BODY PART

ABBREVIATION.....WARM OPP P

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warmer Than Opposite Body Part

HELP_TEXT.....No Help Text

ID.....{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}

TERM.....WARMER THAN OPPOSITE BODY PART

DATA VALUE: WARMING BLANKET

ABBREVIATION.....WARM BLANK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warming Blanket

HELP_TEXT.....Warming Blanket
ID.....{23D20AE5-DE25-4456-8F77-BF0411FB19A6}
TERM.....WARMING BLANKET

DATA VALUE: WARMING BOTTLE

ABBREVIATION.....WARM BOTTL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Warming Bottle
HELP_TEXT.....No Help Text
ID.....{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}
TERM.....WARMING BOTTLE

DATA VALUE: WARMING OFF

ABBREVIATION.....WARMING OF
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Warming Off
HELP_TEXT.....No Help Text
ID.....{98FAC977-8E2E-406A-9217-A77E1DDCDF50}
TERM.....WARMING OFF

DATA VALUE: WARMING ON

ABBREVIATION.....WARMING ON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Warming On

HELP_TEXT.....No Help Text

ID.....{6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}

TERM.....WARMING ON

DATA VALUE: WATERSEAL

ABBREVIATION.....WATERSEAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Waterseal

HELP_TEXT.....No Help Text

ID.....{6D91B99D-F199-09ED-78BE-B54F2CAC4E06}

TERM.....WATERSEAL

DATA VALUE: WAVEFORM REFLECTS ATRIAL PLACEMENT

ABBREVIATION.....WAVE ATRIA

ACTIVE.....Yes

DESCRIPTION.....Waveform Reflects Atrial Placement

DISPLAY_NAME.....Waveform Reflects Atrial Placement

HELP_TEXT.....No Help Text

ID.....{A1249745-41C2-4A4F-A86D-7E5E17477B06}

TERM.....WAVEFORM REFLECTS ATRIAL PLACEMENT

DATA VALUE: WEAK

ABBREVIATION.....w

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Weak

HELP_TEXT.....No Help Text

ID.....{BE2D9305-E2DA-F492-66CF-164EE58B8179}

TERM.....WEAK

DATA VALUE: WEAKNESS

ABBREVIATION.....Weakness

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Weakness

HELP_TEXT.....

ID.....{E4C6D569-7961-4CB4-8E90-A02A31F98094}

TERM.....WEAKNESS

DATA VALUE: WEDGED

ABBREVIATION.....WEDGED

ACTIVE.....Yes

DESCRIPTION.....Wedged

DISPLAY_NAME.....Wedged

HELP_TEXT.....No Help Text

ID.....{03D7F6FD-399D-4A6B-9900-59655D76EE95}

TERM.....WEDGED

DATA VALUE: WHEELCHAIR

ABBREVIATION.....WH CHAIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Wheelchair

HELP_TEXT.....No Help Text

ID.....{EC1B82CE-4037-466F-90AC-52CD5C3B26BE}

TERM.....WHEELCHAIR

DATA VALUE: WHEELCHAIR EXIT ALARM

ABBREVIATION.....WHEEL EXIT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Wheelchair Exit Alarm

HELP_TEXT.....No Help Text
ID.....{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}
TERM.....WHEELCHAIR EXIT ALARM

DATA VALUE: WHEEZES

ABBREVIATION.....w
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Wheezes
HELP_TEXT.....No Help Text
ID.....{1B8A9729-554D-59F6-E9E8-40BDFF9C678E}
TERM.....WHEEZES

DATA VALUE: WHITE

ABBREVIATION.....WHITE
ACTIVE.....Yes
DESCRIPTION.....The color white
DISPLAY_NAME.....White
HELP_TEXT.....The color white
ID.....{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
TERM.....WHITE

DATA VALUE: WITH PHYSICIAN

ABBREVIATION.....wp
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Physician
HELP_TEXT.....No Help Text
ID.....{1673C53F-DA8C-2CEC-679B-B01D914FE533}
TERM.....WITH PHYSICIAN

DATA VALUE: WITH THERAPIST

ABBREVIATION.....wt
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Therapist
HELP_TEXT.....No Help Text
ID.....{795A1300-1D60-9D67-692D-A2AB2B190596}
TERM.....WITH THERAPIST

DATA VALUE: WITHDRAWN

ABBREVIATION.....w
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Withdrawn

HELP_TEXT.....No Help Text
ID.....{E74B0F04-0E3F-632F-9409-C4953D95B1BA}
TERM.....WITHDRAWN

DATA VALUE: WITHDRAWS TO PAIN

ABBREVIATION.....WITHD TO P
ACTIVE.....Yes
DESCRIPTION.....Withdraws To Pain
DISPLAY_NAME.....Withdraws To Pain
HELP_TEXT.....No Help Text
ID.....{013527C8-FF6B-49CD-BF45-9338F7413E81}
TERM.....WITHDRAWS TO PAIN

DATA VALUE: WITHOUT ASSISTANCE

ABBREVIATION.....WO ASSIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Without Assistance
HELP_TEXT.....No Help Text
ID.....{41CE081D-CB0E-49AF-936A-4FD78E61681B}
TERM.....WITHOUT ASSISTANCE

DATA VALUE: WOUND

ABBREVIATION.....WOUND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Wound

HELP_TEXT.....No Help Text

ID.....{1EC40149-051E-4750-8651-2B2D0DD2DEAC}

TERM.....WOUND

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS BLOODY

ABBREVIATION.....WOU DI BLO

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Bloody

DISPLAY_NAME.....Bloody

HELP_TEXT.....Wound Discharge Characteristics Bloody

ID.....{628DBFBC-9B77-48EA-99FE-0DF000376506}

TERM.....WOUND DISCHARGE CHARACTERISTICS BLOODY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS CLOUDY

ABBREVIATION.....WOU DI CLO

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Cloudy

DISPLAY_NAME.....Cloudy

HELP_TEXT.....Wound Discharge Characteristics Cloudy
ID.....{159C9993-A2E1-4133-9D5F-315EF9985EC4}
TERM.....WOUND DISCHARGE CHARACTERISTICS CLOUDY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS NONE

ABBREVIATION.....WOU DI NON
ACTIVE.....Yes
DESCRIPTION.....Wound Discharge Characteristics None
DISPLAY_NAME.....None
HELP_TEXT.....Wound Discharge Characteristics None
ID.....{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}
TERM.....WOUND DISCHARGE CHARACTERISTICS NONE

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS PURULENT

ABBREVIATION.....WOU DI PUR
ACTIVE.....Yes
DESCRIPTION.....Wound Discharge Characteristics
Purulent
DISPLAY_NAME.....Purulent
HELP_TEXT.....Wound Discharge Characteristics
Purulent
ID.....{C1E10410-B6D8-4429-BD94-0B179992EAAB}
TERM.....WOUND DISCHARGE CHARACTERISTICS
PURULENT

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS

ABBREVIATION.....WOU DI SSA

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics

Serosanguinous

DISPLAY_NAME.....Serosanguinous

HELP_TEXT.....Wound Discharge Characteristics

Serosanguinous

ID.....{B431D8EF-5B53-4DCF-A390-431EB5ED3704}

TERM.....WOUND DISCHARGE CHARACTERISTICS

SEROSANGUINOUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROUS

ABBREVIATION.....WOU DI SER

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Serous

DISPLAY_NAME.....Serous

HELP_TEXT.....Wound Discharge Characteristics Serous

ID.....{2124005E-5C36-48AC-AA6B-03E06510D70A}

TERM.....WOUND DISCHARGE CHARACTERISTICS SEROUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS VISCOUS

ABBREVIATION.....WOU DI VIS

ACTIVE.....Yes
DESCRIPTION.....Wound Discharge Characteristics Viscous
DISPLAY_NAME.....Viscous
HELP_TEXT.....Wound Discharge Characteristics Viscous
ID.....{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}
TERM.....WOUND DISCHARGE CHARACTERISTICS VISCOUS

DATA VALUE: WOUND DRAINAGE AMOUNT HEAVY

ABBREVIATION.....W DR A HEA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Heavy
HELP_TEXT.....No Help-Text
ID.....{BF959172-6672-4FEB-8FB7-0568405F3C83}
TERM.....WOUND DRAINAGE AMOUNT HEAVY

DATA VALUE: WOUND DRAINAGE AMOUNT MODERATE

ABBREVIATION.....W DR A MOD
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Moderate
HELP_TEXT.....No Help-Text
ID.....{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}
TERM.....WOUND DRAINAGE AMOUNT MODERATE

DATA VALUE: WOUND DRAINAGE AMOUNT NONE

ABBREVIATION.....WOU DR A N
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....None
HELP_TEXT.....No Help-Text
ID.....{92910398-311F-D4D7-8BD5-AB66C3DC5E72}
TERM.....WOUND DRAINAGE AMOUNT NONE

DATA VALUE: WOUND DRAINAGE AMOUNT SCANT

ABBREVIATION.....W DR SCANT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Scant
HELP_TEXT.....No Help-Text
ID.....{9C3CD0BD-F960-4098-B14C-17B20703B242}
TERM.....WOUND DRAINAGE AMOUNT SCANT

DATA VALUE: WOUND DRAINAGE AMOUNT SMALL

ABBREVIATION.....W DR A SMA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Small

HELP_TEXT.....No Help-Text
ID.....{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}
TERM.....WOUND DRAINAGE AMOUNT SMALL

DATA VALUE: WOUND DRESSING TYPE ANTIMICROBIAL

ABBREVIATION.....WOU DR ANT
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Antimicrobial
HELP_TEXT.....No Help Text
ID.....{9DAE650A-3D5C-498B-BC74-F3CE77CD2BA9}
TERM.....WOUND DRESSING TYPE ANTIMICROBIAL

DATA VALUE: WOUND DRESSING TYPE CALCIUM ALGINATE

ABBREVIATION.....WOU DR CAL
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Calcium Alginate
HELP_TEXT.....No Help Text
ID.....{AA084ED8-07D0-4D8A-84D1-51F025246F40}
TERM.....WOUND DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: WOUND DRESSING TYPE GAUZE

ABBREVIATION.....WOU DR GAU

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Gauze

HELP_TEXT.....No Help Text

ID.....{A2EE67E2-B006-413F-8F8A-E02C21A39FC1}

TERM.....WOUND DRESSING TYPE GAUZE

DATA VALUE: WOUND DRESSING TYPE GAUZE PACKING

ABBREVIATION.....WOU DR GPA

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Gauze Packing

HELP_TEXT.....No Help Text

ID.....{ED06B435-B205-4BD2-B3D1-795C40EE016F}

TERM.....WOUND DRESSING TYPE GAUZE PACKING

DATA VALUE: WOUND DRESSING TYPE GAUZE WRAP

ABBREVIATION.....WOU DR GWR

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Gauze Wrap

HELP_TEXT.....No Help Text

ID.....{4257C446-7627-4632-8507-B5880AD934D5}

TERM.....WOUND DRESSING TYPE GAUZE WRAP

DATA VALUE: WOUND DRESSING TYPE HYDROCOLLOIDAL

ABBREVIATION.....WOU DR HYD

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Hydrocolloidal

HELP_TEXT.....No Help Text

ID.....{8C20226C-FC6A-49A0-9A72-06876DB1F203}

TERM.....WOUND DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: WOUND DRESSING TYPE HYDROGEL

ABBREVIATION.....WOU DR HYD

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Hydrogel

HELP_TEXT.....No Help Text

ID.....{60DDE603-9FF1-44FA-BC4D-45AA8753E254}

TERM.....WOUND DRESSING TYPE HYDROGEL

DATA VALUE: WOUND DRESSING TYPE NONE

ABBREVIATION.....WOU DR NON

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....None

HELP_TEXT.....No Help Text

ID.....{8A58A493-A02C-4570-9786-9F5AF8D02360}

TERM.....WOUND DRESSING TYPE NONE

DATA VALUE: WOUND DRESSING TYPE PRESSURE

ABBREVIATION.....WOU DR PRE

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Pressure

HELP_TEXT.....No Help Text

ID.....{520952E4-FB31-4C1C-9FE2-A10E0F1CEE00}

TERM.....WOUND DRESSING TYPE PRESSURE

DATA VALUE: WOUND DRESSING TYPE TRANSPARENT

ABBREVIATION.....WOU DR TRA

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Transparent

HELP_TEXT.....No Help Text
ID.....{EA57D935-33D8-4F30-8511-706870A27122}
TERM.....WOUND DRESSING TYPE TRANSPARENT

DATA VALUE: WOUND EDGE INDISTINCT/ATTACHED

ABBREVIATION.....WOU ED IND
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Indistinct, Attached
HELP_TEXT.....No Help-Text
ID.....{C899235C-4A07-4420-92BC-8F818B8E0A7F}
TERM.....WOUND EDGE INDISTINCT/ATTACHED

DATA VALUE: WOUND EDGE NON-ATTACHED

ABBREVIATION.....WOU ED NON
ACTIVE.....Yes
DESCRIPTION.....Wound Edge Non Attached
DISPLAY_NAME.....Non-Attached
HELP_TEXT.....Wound Edge Non Attached
ID.....{1D5C1317-B4FF-421C-96A0-C20C1089E672}
TERM.....WOUND EDGE NON-ATTACHED

DATA VALUE: WOUND EDGE ROLLED

ABBREVIATION.....WOU ED ROL

ACTIVE.....Yes

DESCRIPTION.....Wound Edge Rolled

DISPLAY_NAME.....Rolled

HELP_TEXT.....Wound Edge Rolled

ID.....{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}

TERM.....WOUND EDGE ROLLED

DATA VALUE: WOUND EDGE TUNNELING

ABBREVIATION.....WOU ED TUN

ACTIVE.....Yes

DESCRIPTION.....Wound Edge Tunneling

DISPLAY_NAME.....Tunneling

HELP_TEXT.....Wound Edge Tunneling

ID.....{97425206-5261-46C1-905F-E03E2F071381}

TERM.....WOUND EDGE TUNNELING

DATA VALUE: WOUND EDGE UNDERMINING

ABBREVIATION.....WOU ED UND

ACTIVE.....Yes

DESCRIPTION.....Wound Edge Undermining

DISPLAY_NAME.....Undermining

HELP_TEXT.....Wound Edge Undermining
ID.....{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}
TERM.....WOUND EDGE UNDERMINING

DATA VALUE: WOUND ODOR FOUL

ABBREVIATION.....WOU OD FOU
ACTIVE.....Yes
DESCRIPTION.....Wound Odor Foul
DISPLAY_NAME.....Foul
HELP_TEXT.....Wound Odor Foul

ID.....{99A74112-EA71-4896-A4DD-911379E5B453}
TERM.....WOUND ODOR FOUL

DATA VALUE: WOUND ODOR NONE

ABBREVIATION.....WOU OD NON
ACTIVE.....Yes
DESCRIPTION.....Wound Odor None
DISPLAY_NAME.....None
HELP_TEXT.....Wound Odor None

ID.....{D2E388F7-B531-4D60-A2BE-830F11B9AA75}
TERM.....WOUND ODOR NONE

DATA VALUE: WOUND VAC DEVICE

ABBREVIATION.....WOUND VAC
ACTIVE.....Yes
DESCRIPTION.....Wound Vac Device
DISPLAY_NAME.....Wound Vac Device
HELP_TEXT.....No Help Text
ID.....{A03F4978-969D-DCB8-DCE2-26EB33F097B3}
TERM.....WOUND VAC DEVICE

DATA VALUE: X-RAY

ABBREVIATION.....X-RAY
ACTIVE.....Yes
DESCRIPTION.....X-Ray
DISPLAY_NAME.....X-Ray
HELP_TEXT.....X-Ray
ID.....{C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}
TERM.....X-RAY

DATA VALUE: XENADERM

ABBREVIATION.....XENADERM
ACTIVE.....Yes
DESCRIPTION.....Xenaderm
DISPLAY_NAME.....Xenaderm

HELP_TEXT.....No Help Text

ID.....{F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}

TERM.....XENADERM

DATA VALUE: XEROFORM

ABBREVIATION.....XEROFORM

ACTIVE.....Yes

DESCRIPTION.....Xeroform

DISPLAY_NAME.....Xeroform

HELP_TEXT.....No Help Text

ID.....{7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}

TERM.....XEROFORM

DATA VALUE: YELLOW

ABBREVIATION.....YELLOW

ACTIVE.....Yes

DESCRIPTION.....The color yellow

DISPLAY_NAME.....Yellow

HELP_TEXT.....No Help Text

ID.....{90DC31AD-6211-9F25-4237-79F7122A2763}

TERM.....YELLOW

DATA VALUE: YELLOW/FIBRINOUS

ABBREVIATION.....YELLOW/FIB
ACTIVE.....Yes
DESCRIPTION.....Yellow / Fibrinous
DISPLAY_NAME.....Yellow / Fibrinous
HELP_TEXT.....No Help Text
ID.....{47CF52FE-0374-4690-ADA1-643E0954E035}
TERM.....YELLOW/FIBRINOUS

DATA VALUE: YELLOW/GREEN

ABBREVIATION.....YELLOW/GRN
ACTIVE.....Yes
DESCRIPTION.....Yellow/Green in appearance
DISPLAY_NAME.....Yellow / Green
HELP_TEXT.....No Help Text
ID.....{1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}
TERM.....YELLOW/GREEN

DATA VALUE: YES

ABBREVIATION.....y
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Yes

HELP_TEXT.....No Help Text

ID.....{483DE806-2EDB-34B0-FE11-C29EEEA649CD}

TERM.....YES

DATA VALUE: pH

ABBREVIATION.....pH

ACTIVE.....Yes

DESCRIPTION.....pH

DISPLAY_NAME.....pH

HELP_TEXT.....pH

ID.....{104FE39C-B0A2-40B5-A523-B11E5F2BA272}

TERM.....pH

LOCATION: ABDOMEN

ABBREVIATION.....ABDOMEN

ACTIVE.....Yes

DESCRIPTION.....ABDOMEN

DISPLAY_NAME.....Abdomen

HELP_TEXT.....No Help Text

ID.....{109FE041-2521-6EF2-7F95-1FD1587796AB}

TERM.....ABDOMEN

LOCATION: ABDOMEN LLQ

ABBREVIATION.....ABD LLQ

ACTIVE.....Yes

DESCRIPTION.....Abdomen Left Lower Quarter

DISPLAY_NAME.....Abdomen Left Lower Quarter

HELP_TEXT.....No Help Text

ID.....{39831F59-D7B0-4156-AC57-4C622A93CA58}

TERM.....ABDOMEN LLQ

LOCATION: ABDOMEN LUQ

ABBREVIATION.....ABD LUQ

ACTIVE.....Yes

DESCRIPTION.....Abdomen Left Upper Quarter
DISPLAY_NAME.....Abdomen Left Upper Quarter
HELP_TEXT.....No Help Text
ID.....{3B31E1EC-CE74-4C76-BB61-10C678431FCA}
TERM.....ABDOMEN LUQ

LOCATION: ABDOMEN RLQ

ABBREVIATION.....ABD RLQ
ACTIVE.....Yes
DESCRIPTION.....Abdomen Right Lower Quarter
DISPLAY_NAME.....Abdomen Right Lower Quarter
HELP_TEXT.....No Help Text
ID.....{2C48394F-6877-4738-856C-E933644D8067}
TERM.....ABDOMEN RLQ

LOCATION: ABDOMEN RUQ

ABBREVIATION.....ABD RUQ
ACTIVE.....Yes
DESCRIPTION.....Abdomen Right Upper Quarter
DISPLAY_NAME.....Abdomen Right Upper Quarter
HELP_TEXT.....No Help Text
ID.....{F29C9FA1-717A-49B7-8000-95070E9AACA0}
TERM.....ABDOMEN RUQ

LOCATION: ABDOMINAL

ABBREVIATION.....Abd

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Abdominal

HELP_TEXT.....No Help Text

ID.....{AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}

TERM.....ABDOMINAL

LOCATION: ABDOMINAL AORTA

ABBREVIATION.....ABD AORTA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Abdominal Aorta

HELP_TEXT.....No Help Text

ID.....{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

TERM.....ABDOMINAL AORTA

LOCATION: ANKLE

ABBREVIATION.....Ank

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Ankle

HELP_TEXT.....No Help Text

ID.....{F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

TERM.....ANKLE

LOCATION: APICAL

ABBREVIATION.....Ap

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Apical

HELP_TEXT.....No Help Text

ID.....{C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}

TERM.....APICAL

LOCATION: AV FISTULA

ABBREVIATION.....AVF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....AV Fistula

HELP_TEXT.....No Help Text

ID.....{F977EEF6-EA6A-D56D-D1F7-29B91510A02F}

TERM.....AV FISTULA

LOCATION: AXILLARY

ABBREVIATION.....Ax

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Axillary

HELP_TEXT.....No Help Text

ID.....{135AA5F4-A1C7-978D-E9AB-6873841AEB57}

TERM.....AXILLARY

LOCATION: BACK

ABBREVIATION.....BACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Back

HELP_TEXT.....No Help Text

ID.....{22C26239-C692-4E93-B522-E5E8392BA3B1}

TERM.....BACK

LOCATION: BILATERAL ANKLES

ABBREVIATION.....BILA ANKLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bilateral Ankles

HELP_TEXT.....No Help-Text
ID.....{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}
TERM.....BILATERAL ANKLES

LOCATION: BILATERAL FOOT

ABBREVIATION.....BILAT FOOT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral
HELP_TEXT.....No Help Text
ID.....{C758847D-468F-479A-B12D-F4E46F0E5E3A}
TERM.....BILATERAL FOOT

LOCATION: BILATERAL HAND

ABBREVIATION.....BILAT HAND
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral
HELP_TEXT.....No Help Text
ID.....{C782FE56-6117-493F-847F-83173407F0B5}
TERM.....BILATERAL HAND

LOCATION: BILATERAL LEG

ABBREVIATION.....BILAT LEG
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral
HELP_TEXT.....No Help Text
ID.....{0713761D-E0FC-DA03-02A1-F20EFEB99F45}
TERM.....BILATERAL LEG

LOCATION: BILATERAL NECK

ABBREVIATION.....BILAT NECK
ACTIVE.....Yes
DESCRIPTION.....Bilateral Neck
DISPLAY_NAME.....Bilateral Neck
HELP_TEXT.....No Help Text
ID.....{744BF4A2-C55E-4D55-8711-58700DD1C446}
TERM.....BILATERAL NECK

LOCATION: BILATERAL PERIPHERALS

ABBREVIATION.....BILAT PERI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral Peripherals

HELP_TEXT.....No Help Text
ID.....{7F134529-36C5-E9D4-ABD5-64B404F9E706}
TERM.....BILATERAL PERIPHERALS

LOCATION: BILATERAL WRIST

ABBREVIATION.....BILAT WRIS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bilateral
HELP_TEXT.....No Help Text
ID.....{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}
TERM.....BILATERAL WRIST

LOCATION: BLADDER

ABBREVIATION.....BLADDER
ACTIVE.....Yes
DESCRIPTION.....Bladder
DISPLAY_NAME.....Bladder
HELP_TEXT.....Bladder
ID.....{18E083F2-C4BB-407E-B0A3-20C4942FC97F}
TERM.....BLADDER

LOCATION: BOTH ARMS

ABBREVIATION.....BOTH ARMS

ACTIVE.....Yes

DESCRIPTION.....Both Arms

DISPLAY_NAME.....Both Arms

HELP_TEXT.....No Help Text

ID.....{A493AB32-9DE9-40AC-8C46-7EFF395B63B5}

TERM.....BOTH ARMS

LOCATION: BOTH HANDS

ABBREVIATION.....BOTH HANDS

ACTIVE.....Yes

DESCRIPTION.....Both Hands

DISPLAY_NAME.....Both Hands

HELP_TEXT.....No Help Text

ID.....{63AA2685-CB1D-4680-B2F4-2199A22D1EC6}

TERM.....BOTH HANDS

LOCATION: BOTH LEGS

ABBREVIATION.....BOTH LEGS

ACTIVE.....Yes

DESCRIPTION.....Both Legs

DISPLAY_NAME.....Both Legs

HELP_TEXT.....No Help Text

ID.....{5A15A231-4695-4CF3-AD0F-2E7950208967}

TERM.....BOTH LEGS

LOCATION: BRACHIAL

ABBREVIATION.....Bra

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Brachial

HELP_TEXT.....No Help Text

ID.....{67426127-09E1-E566-F31E-15714A5B2B7C}

TERM.....BRACHIAL

LOCATION: CALF

ABBREVIATION.....Cif

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Calf

HELP_TEXT.....No Help Text

ID.....{7923E496-90D6-B6D5-726A-A5B8DF3436CF}

TERM.....CALF

LOCATION: CAROTID

ABBREVIATION.....Car

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Carotid

HELP_TEXT.....No Help Text

ID.....{9536F203-1797-9336-6F69-604249E1B3A0}

TERM.....CAROTID

LOCATION: CHEST

ABBREVIATION.....CHEST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Chest

HELP_TEXT.....No Help Text

ID.....{8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

TERM.....CHEST

LOCATION: COCCYX

ABBREVIATION.....COCCYX

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Coccyx

HELP_TEXT.....No Help Text
ID.....{49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
TERM.....COCCYX

LOCATION: CORE

ABBREVIATION.....C
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Core
HELP_TEXT.....No Help Text
ID.....{5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}
TERM.....CORE

LOCATION: DONOR SITE

ABBREVIATION.....DONOR SITE
ACTIVE.....Yes
DESCRIPTION.....Donor Site
DISPLAY_NAME.....Donor Site
HELP_TEXT.....No Help Text
ID.....{F0A65974-7650-4A4B-AC88-0945E37A0AD2}
TERM.....DONOR SITE

LOCATION: DORSALIS PEDIS

ABBREVIATION.....DP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dorsalis Pedis
HELP_TEXT.....No Help Text
ID.....{9657D743-1632-2044-B4C5-9EF291A2F6D0}
TERM.....DORSALIS PEDIS

LOCATION: FACE

ABBREVIATION.....FACE
ACTIVE.....Yes
DESCRIPTION.....PATIENT'S FACE
DISPLAY_NAME.....Face
HELP_TEXT.....No Help Text
ID.....{C638EA14-7903-6A94-496A-C6560D51BEE3}
TERM.....FACE

LOCATION: FEET

ABBREVIATION.....FEET
ACTIVE.....Yes
DESCRIPTION.....BOTH OF PATIENT'S FEET
DISPLAY_NAME.....Feet

HELP_TEXT.....No Help Text

ID.....{944CAA0E-5165-A6AF-BE3D-85455440BF40}

TERM.....FEET

LOCATION: FEMORAL

ABBREVIATION.....Fem

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Femoral

HELP_TEXT.....No Help Text

ID.....{E3442C9E-8677-7296-D314-7365319C3716}

TERM.....FEMORAL

LOCATION: FOREHEAD

ABBREVIATION.....FOREHEAD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Forehead

HELP_TEXT.....No Help Text

ID.....{5F892722-956E-474C-BA08-4074142D49F6}

TERM.....FOREHEAD

LOCATION: FRONTAL

ABBREVIATION.....FRONTAL

ACTIVE.....Yes

DESCRIPTION.....Frontal

DISPLAY_NAME.....Frontal

HELP_TEXT.....No Help Text

ID.....{CF8F7565-13BF-4180-A222-44FFFA06992A}

TERM.....FRONTAL

LOCATION: GASTROINTESTINAL

ABBREVIATION.....GI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....GI

HELP_TEXT.....No Help Text

ID.....{C27C66DB-3A6A-487E-9981-FA7FD323C0C3}

TERM.....GASTROINTESTINAL

LOCATION: GENERAL UMBILICUS

ABBREVIATION.....GEN UMBILI

ACTIVE.....Yes

DESCRIPTION.....General Umbilicus

DISPLAY_NAME.....General Umbilicus

HELP_TEXT.....General Umbilicus

ID.....{34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}

TERM.....GENERAL UMBILICUS

LOCATION: GENERALIZED

ABBREVIATION.....GENERIZED

ACTIVE.....Yes

DESCRIPTION.....TERM DESCRIBES GENERAL OBSERVATIONS

OF PATIENT'S ENTIRE BODY

DISPLAY_NAME.....Generalized

HELP_TEXT.....No Help Text

ID.....{17073C6C-8691-CADC-2238-CBAAB0A5C648}

TERM.....GENERALIZED

LOCATION: GENITALS

ABBREVIATION.....GENITALS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Genitals

HELP_TEXT.....No Help Text

ID.....{83437106-3336-4925-92C8-F959561687FC}

TERM.....GENITALS

LOCATION: HEAD

ABBREVIATION.....Hd
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Head
HELP_TEXT.....No Help Text
ID.....{C3209F44-90C6-FF1B-3169-265B294F276A}
TERM.....HEAD

LOCATION: HEAD OCCIPITAL

ABBREVIATION.....HEAD OCCIP
ACTIVE.....Yes
DESCRIPTION.....Head Occipital
DISPLAY_NAME.....Head Occipital
HELP_TEXT.....No Help Text
ID.....{2066CA47-5A16-447F-9919-24ED435B627F}
TERM.....HEAD OCCIPITAL

LOCATION: HEART

ABBREVIATION.....HEART
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Heart

HELP_TEXT.....No Help Text
ID.....{F7D48A36-B512-42DD-B92F-07ACF2B95E08}
TERM.....HEART

LOCATION: HIP

ABBREVIATION.....Hip
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Hip
HELP_TEXT.....No Help Text
ID.....{D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}
TERM.....HIP

LOCATION: INCISIONAL SITE

ABBREVIATION.....INCISON SI
ACTIVE.....Yes
DESCRIPTION.....Incisional Site
DISPLAY_NAME.....Incisional Site
HELP_TEXT.....No Help Text
ID.....{EB36A66D-751D-4031-9F68-0BB03E267321}
TERM.....INCISIONAL SITE

LOCATION: KNEE

ABBREVIATION.....Kn

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Knee

HELP_TEXT.....No Help Text

ID.....{B577308A-4C37-47BD-AD84-38E6342B6DF7}

TERM.....KNEE

LOCATION: KNEES

ABBREVIATION.....KNEES

ACTIVE.....Yes

DESCRIPTION.....BOTH OF PATIENT'S KNEES

DISPLAY_NAME.....Knees

HELP_TEXT.....No Help Text

ID.....{247D6621-3A85-F1F7-59BF-1FB0361B3C21}

TERM.....KNEES

LOCATION: L ABDOMEN

ABBREVIATION.....L ABDOMEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Abdomen

HELP_TEXT.....No Help Text

ID.....{46B37481-4105-492D-96F0-E2D3895379C1}

TERM.....L ABDOMEN

LOCATION: L ANKLE

ABBREVIATION.....L ANKLE

ACTIVE.....Yes

DESCRIPTION.....Left Ankle

DISPLAY_NAME.....L Ankle

HELP_TEXT.....No Help Text

ID.....{D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

TERM.....L ANKLE

LOCATION: L ANTECUBITAL

ABBREVIATION.....L ANTECUBI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Antecubital

HELP_TEXT.....No Help Text

ID.....{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

TERM.....L ANTECUBITAL

LOCATION: L ARM

ABBREVIATION.....LA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Arm

HELP_TEXT.....No Help Text

ID.....{567F552F-54B5-A8BB-596F-291001746E31}

TERM.....L ARM

LOCATION: L AXILLARY

ABBREVIATION.....L AXILLARY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Axillary

HELP_TEXT.....No Help Text

ID.....{21AF62CA-BEED-2A96-2CD6-F2350A01995E}

TERM.....L AXILLARY

LOCATION: L BRACHIAL

ABBREVIATION.....LBRA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Brachial

HELP_TEXT.....No Help Text

ID.....{75F6CE33-1AB3-A1DA-70B8-04825290B577}

TERM.....L BRACHIAL

LOCATION: L CALF

ABBREVIATION.....L CALF

ACTIVE.....Yes

DESCRIPTION.....Left Calf

DISPLAY_NAME.....L Calf

HELP_TEXT.....No Help Text

ID.....{3DAA7817-936B-444F-8A2D-D3AB09144C10}

TERM.....L CALF

LOCATION: L CAROTID

ABBREVIATION.....L CAROTID

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Carotid

HELP_TEXT.....No Help Text

ID.....{FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}

TERM.....L CAROTID

LOCATION: L CHEST

ABBREVIATION.....L CHEST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Left Chest

HELP_TEXT.....No Help Text

ID.....{E332E497-FE0C-47CB-A0A7-217FBF52DC97}

TERM.....L CHEST

LOCATION: L DORSALIS PEDIS

ABBREVIATION.....L DOR PED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Dorsalis Pedis

HELP_TEXT.....No Help Text

ID.....{389397B5-2863-B8F2-A779-C38433894A19}

TERM.....L DORSALIS PEDIS

LOCATION: L EAR

ABBREVIATION.....L EAR

ACTIVE.....Yes

DESCRIPTION.....Left Ear

DISPLAY_NAME.....L Ear

HELP_TEXT.....No Help Text

ID.....{DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

TERM.....L EAR

LOCATION: L ELBOW

ABBREVIATION.....L ELBOW

ACTIVE.....Yes

DESCRIPTION.....Left Elbow

DISPLAY_NAME.....L Elbow

HELP_TEXT.....No Help Text

ID.....{BF4317E7-2024-47EF-9E5F-3D21D0547885}

TERM.....L ELBOW

LOCATION: L EXTERNAL JUGULAR

ABBREVIATION.....L EXT JUGU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L External Jugular

HELP_TEXT.....No Help Text

ID.....{6F7B331B-4F83-0B79-1755-F6F673D647D6}

TERM.....L EXTERNAL JUGULAR

LOCATION: L EYE

ABBREVIATION.....L EYE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Eye

HELP_TEXT.....No Help Text

ID.....{D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

TERM.....L EYE

LOCATION: L FACE

ABBREVIATION.....L FACE

ACTIVE.....Yes

DESCRIPTION.....LEFT SIDE OF PATIENT'S FACE

DISPLAY_NAME.....L Face

HELP_TEXT.....No Help Text

ID.....{06F00A70-F475-CD40-665D-AF0569A1E75F}

TERM.....L FACE

LOCATION: L FEMORAL

ABBREVIATION.....LFEM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Femoral

HELP_TEXT.....No Help Text

ID.....{50AF6A08-CE37-6859-F4E6-762660A982F7}

TERM.....L FEMORAL

LOCATION: L FINGER

ABBREVIATION.....L FINGER

ACTIVE.....Yes

DESCRIPTION.....Left Finger

DISPLAY_NAME.....L Finger

HELP_TEXT.....No Help Text

ID.....{BB825645-1630-498C-A31B-6728D422EEFC}

TERM.....L FINGER

LOCATION: L FLANK

ABBREVIATION.....L FLANK

ACTIVE.....Yes

DESCRIPTION.....Left Flank

DISPLAY_NAME.....L Flank

HELP_TEXT.....No Help Text

ID.....{6E453E8D-B456-4BFD-A015-F9C013830F30}

TERM.....L FLANK

LOCATION: L FOOT

ABBREVIATION.....L FOOT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Foot
HELP_TEXT.....No Help Text
ID.....{2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
TERM.....L FOOT

LOCATION: L GLUTEUS

ABBREVIATION.....L GLUTEUS
ACTIVE.....Yes
DESCRIPTION.....Left Gluteus
DISPLAY_NAME.....L Gluteus
HELP_TEXT.....No Help Text
ID.....{88C4E547-04CD-4D52-9416-CAEB6D898D21}
TERM.....L GLUTEUS

LOCATION: L GROIN

ABBREVIATION.....L GROIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Groin

HELP_TEXT.....No Help Text

ID.....{5488E4EE-C1A2-4B02-8763-A53C412117A7}

TERM.....L GROIN

LOCATION: L HAND

ABBREVIATION.....L HAND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Hand

HELP_TEXT.....No Help Text

ID.....{639DF25A-19E3-B504-D323-4B3F6ED39A24}

TERM.....L HAND

LOCATION: L HEAD

ABBREVIATION.....L HEAD

ACTIVE.....Yes

DESCRIPTION.....Left Head

DISPLAY_NAME.....L Head

HELP_TEXT.....No Help Text

ID.....{3737DC2D-DC9E-4FC8-839D-0355987B62D1}

TERM.....L HEAD

LOCATION: L HEEL

ABBREVIATION.....L HEEL

ACTIVE.....Yes

DESCRIPTION.....Left Heel

DISPLAY_NAME.....L Heel

HELP_TEXT.....No Help Text

ID.....{C9154881-17C7-4921-A0EE-BFB962C59CEF}

TERM.....L HEEL

LOCATION: L HIP

ABBREVIATION.....L HIP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Hip

HELP_TEXT.....No Help Text

ID.....{786CD881-27AD-4136-B9CC-8423CB38A431}

TERM.....L HIP

LOCATION: L INGUINAL

ABBREVIATION.....L INGUINAL

ACTIVE.....Yes

DESCRIPTION.....Left Inguinal

DISPLAY_NAME.....L Inguinal

HELP_TEXT.....No Help Text

ID.....{627D172E-8F33-48C9-BE89-D036E07D46BF}

TERM.....L INGUINAL

LOCATION: L INNER KNEE

ABBREVIATION.....L INN KNEE

ACTIVE.....Yes

DESCRIPTION.....Left Inner Knee

DISPLAY_NAME.....L Inner Knee

HELP_TEXT.....No Help Text

ID.....{79853581-CCF0-49E9-9D91-D16DE02A836D}

TERM.....L INNER KNEE

LOCATION: L INTERNAL JUGULAR

ABBREVIATION.....LIJ

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Internal Jugular

HELP_TEXT.....No Help Text

ID.....{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

TERM.....L INTERNAL JUGULAR

LOCATION: L ISCHIAL

ABBREVIATION.....L ISCHIAL

ACTIVE.....Yes

DESCRIPTION.....Left Ischial

DISPLAY_NAME.....L Ischial

HELP_TEXT.....No Help Text

ID.....{DCDAD741-9599-4479-9D55-3279F800DBE6}

TERM.....L ISCHIAL

LOCATION: L JAW

ABBREVIATION.....L JAW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Jaw

HELP_TEXT.....No Help Text

ID.....{65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}

TERM.....L JAW

LOCATION: L KNEE

ABBREVIATION.....L KNEE

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S LEFT KNEE

DISPLAY_NAME.....L Knee

HELP_TEXT.....No Help Text

ID.....{3A9E30B4-09A9-967A-58EF-69A01EC4F859}

TERM.....L KNEE

LOCATION: L LATERAL HEEL

ABBREVIATION.....L LAT HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Lateral Heel

HELP_TEXT.....No Help Text

ID.....{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}

TERM.....L LATERAL HEEL

LOCATION: L LATERAL MALLEOLUS

ABBREVIATION.....L LAT MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Lateral Malleolus

HELP_TEXT.....No Help Text

ID.....{9A523B7C-64DD-4E47-9543-165788108D4C}

TERM.....L LATERAL MALLEOLUS

LOCATION: L LEG

ABBREVIATION.....LL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Leg
HELP_TEXT.....No Help Text
ID.....{B088C809-E528-B785-21C2-14E45E1FD8AF}
TERM.....L LEG

LOCATION: L LOWER ANTERIOR CHEST

ABBREVIATION.....L L A CHES
ACTIVE.....Yes
DESCRIPTION.....Left Lower Anterior Chest
DISPLAY_NAME.....L Low. Ant. Chest
HELP_TEXT.....No Help Text
ID.....{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}
TERM.....L LOWER ANTERIOR CHEST

LOCATION: L LOWER ARM

ABBREVIATION.....L LOW ARM
ACTIVE.....Yes
DESCRIPTION.....Left Lower Arm
DISPLAY_NAME.....L Lower Arm

HELP_TEXT.....No Help Text

ID.....{63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

TERM.....L LOWER ARM

LOCATION: L LOWER EXTREMITY

ABBREVIATION.....LLEX

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Lower Extremity

HELP_TEXT.....No Help Text

ID.....{FC6F5056-779A-BF76-86D0-A237936C1ECC}

TERM.....L LOWER EXTREMITY

LOCATION: L LOWER LEG

ABBREVIATION.....L LOW LEG

ACTIVE.....Yes

DESCRIPTION.....Left Lower Leg

DISPLAY_NAME.....L Lower Leg

HELP_TEXT.....No Help Text

ID.....{7B8E92FA-E065-4D06-9FB6-4234656CFD61}

TERM.....L LOWER LEG

LOCATION: L LOWER LIMB

ABBREVIATION.....LLLI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Lower Limb

HELP_TEXT.....No Help Text

ID.....{4838CB05-A1DD-F4FB-587C-2D0C17A2484E}

TERM.....L LOWER LIMB

LOCATION: L LOWER POSTERIOR CHEST

ABBREVIATION.....L L P CHES

ACTIVE.....Yes

DESCRIPTION.....Left Lower Posterior Chest

DISPLAY_NAME.....L Low. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{2C19F10B-7546-4A1F-A5DC-3867359ED971}

TERM.....L LOWER POSTERIOR CHEST

LOCATION: L MANDIBULAR

ABBREVIATION.....L MANDIBUL

ACTIVE.....Yes

DESCRIPTION.....Left Mandibular

DISPLAY_NAME.....L Mandibular

HELP_TEXT.....No Help Text

ID.....{CB9DB373-5F0A-446B-909F-F76392CB3A04}

TERM.....L MANDIBULAR

LOCATION: L MEDIAL HEEL

ABBREVIATION.....L MED HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Medial Heel

HELP_TEXT.....No Help Text

ID.....{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}

TERM.....L MEDIAL HEEL

LOCATION: L MEDIAL MALLEOLUS

ABBREVIATION.....L MED MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Medial Malleolus

HELP_TEXT.....No Help Text

ID.....{330E7682-407F-43CD-84FC-1CDA41F08C68}

TERM.....L MEDIAL MALLEOLUS

LOCATION: L MIDDLE ANTERIOR CHEST

ABBREVIATION.....L M A CHES

ACTIVE.....Yes

DESCRIPTION.....Left Middle Anterior Chest

DISPLAY_NAME.....L Mid. Ant. Chest

HELP_TEXT.....No Help Text

ID.....{36A83F77-117E-474B-AE34-0B2C02E131AE}

TERM.....L MIDDLE ANTERIOR CHEST

LOCATION: L MIDDLE POSTERIOR CHEST

ABBREVIATION.....L M P CHES

ACTIVE.....Yes

DESCRIPTION.....Left Middle Posterior Chest

DISPLAY_NAME.....L Mid. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}

TERM.....L MIDDLE POSTERIOR CHEST

LOCATION: L NECK

ABBREVIATION.....L NECK

ACTIVE.....Yes

DESCRIPTION.....Left Neck

DISPLAY_NAME.....L Neck

HELP_TEXT.....No Help Text

ID.....{C4EA6279-05E2-4195-A638-3794DCBA7B78}

TERM.....L NECK

LOCATION: L NOSE

ABBREVIATION.....L NOSE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Nose

HELP_TEXT.....No Help Text

ID.....{C7707847-5135-4749-B196-002E3E59BB54}

TERM.....L NOSE

LOCATION: L OCCIPITAL

ABBREVIATION.....L OCCIPTAL

ACTIVE.....Yes

DESCRIPTION.....Left Occipital

DISPLAY_NAME.....L Occipital

HELP_TEXT.....No Help Text

ID.....{A4234F41-CD6F-4CE1-9210-316DB847BDE2}

TERM.....L OCCIPITAL

LOCATION: L ORAL

ABBREVIATION.....L ORAL

ACTIVE.....Yes

DESCRIPTION.....Left Oral

DISPLAY_NAME.....L Oral

HELP_TEXT.....No Help Text

ID.....{057B787A-8750-4563-80DB-25110CCC1146}

TERM.....L ORAL

LOCATION: L ORBIT

ABBREVIATION.....L ORBIT

ACTIVE.....Yes

DESCRIPTION.....Left Orbit

DISPLAY_NAME.....L Orbit

HELP_TEXT.....No Help Text

ID.....{1D798E35-5095-4BA0-8F9F-FA96668A5239}

TERM.....L ORBIT

LOCATION: L OUTER KNEE

ABBREVIATION.....L OUT KNEE

ACTIVE.....Yes

DESCRIPTION.....Left Outer Knee

DISPLAY_NAME.....L Outer Knee

HELP_TEXT.....No Help Text

ID.....{B143C935-2687-49C3-9F65-8D69C1775ABC}

TERM.....L OUTER KNEE

LOCATION: L PARIETAL

ABBREVIATION.....L PARIETAL

ACTIVE.....Yes

DESCRIPTION.....Left Parietal

DISPLAY_NAME.....L Parietal

HELP_TEXT.....No Help Text

ID.....{2687ED24-F35E-456C-99C9-F6A8EC4364E0}

TERM.....L PARIETAL

LOCATION: L PEDAL

ABBREVIATION.....LEFT PEDAL

ACTIVE.....Yes

DESCRIPTION.....L Pedal

DISPLAY_NAME.....L Pedal

HELP_TEXT.....L Pedal

ID.....{D84E9953-8C17-3130-8F21-A30D2A99FDE4}

TERM.....L PEDAL

LOCATION: L POST TIBIAL

ABBREVIATION.....L PO TIB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Post Tibial

HELP_TEXT.....No Help Text

ID.....{BED130EE-31CC-C7E9-6597-78685BCE91AC}

TERM.....L POST TIBIAL

LOCATION: L RADIAL

ABBREVIATION.....L RAD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Radial

HELP_TEXT.....No Help Text

ID.....{302F78AD-4067-8B6B-BD15-993EC8561AE6}

TERM.....L RADIAL

LOCATION: L RIBS

ABBREVIATION.....L RIBS

ACTIVE.....Yes

DESCRIPTION.....Left Ribs

DISPLAY_NAME.....L Ribs

HELP_TEXT.....No Help Text

ID.....{BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}

TERM.....L RIBS

LOCATION: L SCAPULA

ABBREVIATION.....L SCAPULA

ACTIVE.....Yes

DESCRIPTION.....Left Scapula

DISPLAY_NAME.....L Scapula

HELP_TEXT.....No Help Text

ID.....{3381EC50-771B-41C8-85C8-6EB0D208D54E}

TERM.....L SCAPULA

LOCATION: L SHOULDER

ABBREVIATION.....L SHOULDER

ACTIVE.....Yes

DESCRIPTION.....Left Shoulder

DISPLAY_NAME.....L Shoulder

HELP_TEXT.....No Help Text

ID.....{91CBD2FA-2743-42EB-946B-6933980D9337}

TERM.....L SHOULDER

LOCATION: L SUBCLAVIAN

ABBREVIATION.....LSCL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Subclavian

HELP_TEXT.....No Help Text

ID.....{71B93594-15F9-AA4A-AEF2-E222EC28C00D}

TERM.....L SUBCLAVIAN

LOCATION: L TEMPORAL

ABBREVIATION.....L TEMPO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Temporal

HELP_TEXT.....No Help Text

ID.....{375E65CF-A59E-A1E9-EB6D-D53CD818939E}

TERM.....L TEMPORAL

LOCATION: L TESTICLE

ABBREVIATION.....L TESTICLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Left Testicle

HELP_TEXT.....No Help Text

ID.....{1E376539-E89F-4472-8274-CFD11275E11F}

TERM.....L TESTICLE

LOCATION: L THIGH

ABBREVIATION.....L THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Thigh

HELP_TEXT.....No Help Text

ID.....{16C2312F-1E0E-45E0-B675-160F40C23F57}

TERM.....L THIGH

LOCATION: L THORACIC ANTERIOR

ABBREVIATION.....L THOR ANT

ACTIVE.....Yes

DESCRIPTION.....Left Thoracic Anterior

DISPLAY_NAME.....L Thoracic Anterior

HELP_TEXT.....No Help Text

ID.....{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}

TERM.....L THORACIC ANTERIOR

LOCATION: L THORACIC LATERAL

ABBREVIATION.....L THOR LAT

ACTIVE.....Yes

DESCRIPTION.....Left Thoracic Lateral

DISPLAY_NAME.....L Thoracic Lateral

HELP_TEXT.....No Help Text

ID.....{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}

TERM.....L THORACIC LATERAL

LOCATION: L THORACIC POSTERIOR

ABBREVIATION.....L THOR POS

ACTIVE.....Yes

DESCRIPTION.....Left Thoracic Posterior

DISPLAY_NAME.....L Thoracic Posterior

HELP_TEXT.....No Help Text

ID.....{68E3381F-7605-4786-85A8-523D215A2B97}

TERM.....L THORACIC POSTERIOR

LOCATION: L THORACOTOMY

ABBREVIATION.....L THORACOT

ACTIVE.....Yes

DESCRIPTION.....Left Thoracotomy

DISPLAY_NAME.....L Thoracotomy

HELP_TEXT.....No Help Text

ID.....{313C11A1-559A-4F68-8718-4012416EC189}

TERM.....L THORACOTOMY

LOCATION: L THUMB

ABBREVIATION.....L THUMB

ACTIVE.....Yes

DESCRIPTION.....Left Thumb

DISPLAY_NAME.....L Thumb

HELP_TEXT.....No Help Text

ID.....{F82F4731-2CC5-4705-91BE-05E40C25B419}

TERM.....L THUMB

LOCATION: L TOE

ABBREVIATION.....L TOE

ACTIVE.....Yes

DESCRIPTION.....Left Toe

DISPLAY_NAME.....L Toe

HELP_TEXT.....No Help Text

ID.....{C666DE86-E7AE-4AB3-8AE1-91496219E63D}

TERM.....L TOE

LOCATION: L TRAPEZIUS

ABBREVIATION.....L TRAPEZIU

ACTIVE.....Yes

DESCRIPTION.....Left Trapezius

DISPLAY_NAME.....L Trapezius

HELP_TEXT.....No Help Text

ID.....{B74CF943-C10F-4A1B-A19A-4975E674A97A}

TERM.....L TRAPEZIUS

LOCATION: L TROCHANTER

ABBREVIATION.....L TROCHANT

ACTIVE.....Yes

DESCRIPTION.....Left Trochanter

DISPLAY_NAME.....L Trochanter

HELP_TEXT.....No Help Text

ID.....{C91647A4-255D-40E4-A24D-01274E5D799F}

TERM.....L TROCHANTER

LOCATION: L UPPER ANTERIOR CHEST

ABBREVIATION.....L U A CHES

ACTIVE.....Yes

DESCRIPTION.....Left Upper Anterior Chest

DISPLAY_NAME.....L. Up. Ant. Chest

HELP_TEXT.....No Help Text
ID.....{FE63B58A-DE39-4C03-AE61-E34A5487C767}
TERM.....L UPPER ANTERIOR CHEST

LOCATION: L UPPER ARM

ABBREVIATION.....L UPP ARM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Upper Arm
HELP_TEXT.....No Help Text
ID.....{5F915696-1B08-32E9-6B95-49246117D660}
TERM.....L UPPER ARM

LOCATION: L UPPER EXTREMITY

ABBREVIATION.....LUEX
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L Upper Extremity
HELP_TEXT.....No Help Text
ID.....{48806E79-B1DA-129B-EB52-453292A3DDC6}
TERM.....L UPPER EXTREMITY

LOCATION: L UPPER LEG

ABBREVIATION.....L UPPER LE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Left Upper Leg

HELP_TEXT.....No Help Text

ID.....{1DB35895-F74C-4B88-A3EE-3E556CB6559A}

TERM.....L UPPER LEG

LOCATION: L UPPER LIMB

ABBREVIATION.....L Upp Limb

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Upper Limb

HELP_TEXT.....No Help Text

ID.....{E6453716-62D3-DFCB-F84D-F6F2FD6C20B7}

TERM.....L UPPER LIMB

LOCATION: L UPPER POSTERIOR CHEST

ABBREVIATION.....L U P CHES

ACTIVE.....Yes

DESCRIPTION.....Left Upper Posterior Chest

DISPLAY_NAME.....L Up. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}

TERM.....L UPPER POSTERIOR CHEST

LOCATION: L WRIST

ABBREVIATION.....L WRIST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L Wrist

HELP_TEXT.....No Help Text

ID.....{7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

TERM.....L WRIST

LOCATION: LEFT

ABBREVIATION.....Lt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Left

HELP_TEXT.....No Help Text

ID.....{C9C09768-9EEA-8F2B-86D4-B53458472E4E}

TERM.....LEFT

LOCATION: LEFT LOWER LOBE

ABBREVIATION.....LLL

ACTIVE.....Yes

DESCRIPTION.....LEFT LUNG'S LOWER LOBE

DISPLAY_NAME.....L Lower Lobe

HELP_TEXT.....No Help Text

ID.....{14155C13-874D-6E26-01D8-2C03B349F913}

TERM.....LEFT LOWER LOBE

LOCATION: LEFT NECK

ABBREVIATION.....L NECK

ACTIVE.....Yes

DESCRIPTION.....LEFT SIDE OF PATIENT'S NECK

DISPLAY_NAME.....L Neck

HELP_TEXT.....No Help Text

ID.....{40522B5F-F23E-EADB-AE64-8EDE3B9E1155}

TERM.....LEFT NECK

LOCATION: LEFT UPPER LOBE

ABBREVIATION.....LUL

ACTIVE.....Yes

DESCRIPTION.....LEFT LUNG'S UPPER LOBE

DISPLAY_NAME.....L Upper Lobe

HELP_TEXT.....No Help Text
ID.....{21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}
TERM.....LEFT UPPER LOBE

LOCATION: LOWER ABDOMEN

ABBREVIATION.....LO ABDOM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lower Abdomen
HELP_TEXT.....No Help Text
ID.....{077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}
TERM.....LOWER ABDOMEN

LOCATION: LOWER ARM

ABBREVIATION.....LrA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Lower Arm
HELP_TEXT.....No Help Text
ID.....{D7627720-D6B0-AC00-8FA3-F7B569ED06FC}
TERM.....LOWER ARM

LOCATION: LOWER BACK

ABBREVIATION.....LOWER BACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lower Back

HELP_TEXT.....No Help Text

ID.....{7E761680-61BC-450F-9905-C45CE760EC45}

TERM.....LOWER BACK

LOCATION: MEDIASTINAL

ABBREVIATION.....MEDIASTINA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mediastinal

HELP_TEXT.....No Help Text

ID.....{D99997D2-61EF-CAC2-A854-D906E3A97447}

TERM.....MEDIASTINAL

LOCATION: MID BACK

ABBREVIATION.....MID BACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mid Back

HELP_TEXT.....No Help Text

ID.....{F8C515E0-F437-4596-B030-DA1811038CDF}

TERM.....MID BACK

LOCATION: MID-STERNAL

ABBREVIATION.....MID-STERN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Mid-Sternal

HELP_TEXT.....No Help Text

ID.....{3F5168F1-9082-4FB2-A364-3CDE33B1214B}

TERM.....MID-STERNAL

LOCATION: MIDDLE

ABBREVIATION.....MIDDLE

ACTIVE.....Yes

DESCRIPTION.....MIDDLE

DISPLAY_NAME.....Middle

HELP_TEXT.....No Help Text

ID.....{654E4D50-B74E-D58B-B3E3-AA3F218A285E}

TERM.....MIDDLE

LOCATION: MIDLINE ABDOMINAL

ABBREVIATION.....MID ABDOMI

ACTIVE.....Yes

DESCRIPTION.....Midline Abdominal

DISPLAY_NAME.....Midline Abdominal

HELP_TEXT.....No Help Text

ID.....{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}

TERM.....MIDLINE ABDOMINAL

LOCATION: MIDLINE NECK

ABBREVIATION.....MID NECK

ACTIVE.....Yes

DESCRIPTION.....Midline Neck

DISPLAY_NAME.....Midline Neck

HELP_TEXT.....No Help Text

ID.....{FF666713-278D-46D6-8D25-E5D57E78EA08}

TERM.....MIDLINE NECK

LOCATION: NECK

ABBREVIATION.....Ne

ACTIVE.....Yes

DESCRIPTION.....PATIENTS NECK

DISPLAY_NAME.....Neck

HELP_TEXT.....No Help Text

ID.....{D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

TERM.....NECK

LOCATION: NOSE

ABBREVIATION.....NOSE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nose

HELP_TEXT.....No Help Text

ID.....{85F7003E-6D4E-4A79-A534-8A57FBC2D106}

TERM.....NOSE

LOCATION: OCCIPITAL

ABBREVIATION.....OCCIPITAL

ACTIVE.....Yes

DESCRIPTION.....Occipital

DISPLAY_NAME.....Occipital

HELP_TEXT.....No Help Text

ID.....{5A3E384B-1C87-4A19-A449-DB91AB443FFC}

TERM.....OCCIPITAL

LOCATION: ORAL

ABBREVIATION.....O

ACTIVE.....Yes

DESCRIPTION.....Oral Description

DISPLAY_NAME.....Oral

HELP_TEXT.....Oral Help

ID.....{7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}

TERM.....ORAL

LOCATION: PENIS

ABBREVIATION.....PENIS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Penis

HELP_TEXT.....No Help Text

ID.....{2D82CE55-83B6-4160-A754-07C71FD388E8}

TERM.....PENIS

LOCATION: PERINEAL

ABBREVIATION.....PERINEAL

ACTIVE.....Yes

DESCRIPTION.....Perineal

DISPLAY_NAME.....Perineal

HELP_TEXT.....No Help Text

ID.....{1801441C-D5EF-4775-9E58-E4985496F7E0}

TERM.....PERINEAL

LOCATION: PERIORBITAL

ABBREVIATION.....PERIORBITA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Periorbital

HELP_TEXT.....No Help Text

ID.....{DBAC362B-6278-EDB4-7E28-3180321A38B2}

TERM.....PERIORBITAL

LOCATION: PERIPHERAL

ABBREVIATION.....Per

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Peripheral

HELP_TEXT.....No Help Text

ID.....{36B31698-E84A-5792-8EAE-F374DFD1B55A}

TERM.....PERIPHERAL

LOCATION: PERIRECTAL

ABBREVIATION.....PERIRECTAL
ACTIVE.....Yes
DESCRIPTION.....Perirectal
DISPLAY_NAME.....Perirectal
HELP_TEXT.....No Help Text
ID.....{560E1473-7B8F-4A75-8807-29315C908553}
TERM.....PERIRECTAL

LOCATION: POPLITEAL

ABBREVIATION.....Pop
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Popliteal
HELP_TEXT.....No Help Text
ID.....{77030DF2-CE06-D9E2-0684-EE70209CBE73}
TERM.....POPLITEAL

LOCATION: POSTERIOR TIBIAL

ABBREVIATION.....PT
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Posterior Tibial

HELP_TEXT.....No Help Text

ID.....{010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}

TERM.....POSTERIOR TIBIAL

LOCATION: R ABDOMEN

ABBREVIATION.....R ABDOMEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Abdomen

HELP_TEXT.....No Help Text

ID.....{5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}

TERM.....R ABDOMEN

LOCATION: R ANKLE

ABBREVIATION.....R ANKLE

ACTIVE.....Yes

DESCRIPTION.....Right Ankle

DISPLAY_NAME.....R Ankle

HELP_TEXT.....No Help Text

ID.....{4E6DF352-F399-4CE9-908C-48132C3D856B}

TERM.....R ANKLE

LOCATION: R ANTECUBITAL

ABBREVIATION.....R ANTECUBI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Antecubital

HELP_TEXT.....No Help Text

ID.....{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

TERM.....R ANTECUBITAL

LOCATION: R ARM

ABBREVIATION.....RA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Arm

HELP_TEXT.....No Help Text

ID.....{1C09017A-F10A-543D-A7EA-F13790D78692}

TERM.....R ARM

LOCATION: R ARTERY

ABBREVIATION.....R ARTERY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Artery

HELP_TEXT.....No Help Text

ID.....{A2D76F33-A049-B3A0-2CBF-9F83FF52D894}

TERM.....R ARTERY

LOCATION: R AXILLARY

ABBREVIATION.....R AXILLARY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Axillary

HELP_TEXT.....No Help Text

ID.....{3044F28B-FED2-4069-7E3B-2A691C5771F9}

TERM.....R AXILLARY

LOCATION: R BRACHIAL

ABBREVIATION.....RBRA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Brachial

HELP_TEXT.....No Help Text

ID.....{A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

TERM.....R BRACHIAL

LOCATION: R CALF

ABBREVIATION.....R CALF

ACTIVE.....Yes

DESCRIPTION.....Right Calf

DISPLAY_NAME.....R Calf

HELP_TEXT.....No Help Text

ID.....{0298A452-4901-44BF-A7A8-F42DD3BA8B63}

TERM.....R CALF

LOCATION: R CAROTID

ABBREVIATION.....R CAROTID

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Carotid

HELP_TEXT.....No Help Text

ID.....{8280ACD2-72D6-202A-89AF-86BCA7736427}

TERM.....R CAROTID

LOCATION: R CHEST

ABBREVIATION.....R CHEST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Right Chest

HELP_TEXT.....No Help Text

ID.....{7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

TERM.....R CHEST

LOCATION: R DORSALIS PEDIS

ABBREVIATION.....R DOR PED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Dorsalis Pedis

HELP_TEXT.....No Help Text

ID.....{47D4C64A-FD93-2999-7B46-F25307EA6511}

TERM.....R DORSALIS PEDIS

LOCATION: R EAR

ABBREVIATION.....R EAR

ACTIVE.....Yes

DESCRIPTION.....Right Ear

DISPLAY_NAME.....R Ear

HELP_TEXT.....No Help Text

ID.....{AE31327D-A03C-488C-8A8E-084E7E6E7FDE}

TERM.....R EAR

LOCATION: R ELBOW

ABBREVIATION.....R ELBOW

ACTIVE.....Yes

DESCRIPTION.....Right Elbow

DISPLAY_NAME.....R Elbow

HELP_TEXT.....No Help Text

ID.....{5BAFF87B-6993-4E76-862F-9F386D9B71C5}

TERM.....R ELBOW

LOCATION: R EXTERNAL JUGULAR

ABBREVIATION.....R EXT JUGU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R External Jugular

HELP_TEXT.....No Help Text

ID.....{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

TERM.....R EXTERNAL JUGULAR

LOCATION: R EYE

ABBREVIATION.....R EYE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Eye

HELP_TEXT.....No Help Text

ID.....{258F0C1D-67BD-ECF8-3152-EB289DEF4681}

TERM.....R EYE

LOCATION: R FACE

ABBREVIATION.....R FACE

ACTIVE.....Yes

DESCRIPTION.....RIGHT SIDE OF PATIENT'S FACE

DISPLAY_NAME.....R Face

HELP_TEXT.....No Help Text

ID.....{D1B15677-EF6F-0125-3601-68C1FE6386CE}

TERM.....R FACE

LOCATION: R FEMORAL

ABBREVIATION.....R FEMORAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Femoral

HELP_TEXT.....No Help Text

ID.....{B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

TERM.....R FEMORAL

LOCATION: R FINGER

ABBREVIATION.....R FINGER

ACTIVE.....Yes

DESCRIPTION.....Right Finger

DISPLAY_NAME.....R Finger

HELP_TEXT.....No Help Text

ID.....{E12CA0EF-3267-4B93-8643-230E2226C3D6}

TERM.....R FINGER

LOCATION: R FLANK

ABBREVIATION.....R FLANK

ACTIVE.....Yes

DESCRIPTION.....Right Flank

DISPLAY_NAME.....R Flank

HELP_TEXT.....No Help Text

ID.....{F5700ED2-646F-4B75-A55B-111C27FB939C}

TERM.....R FLANK

LOCATION: R FOOT

ABBREVIATION.....R FOOT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Foot

HELP_TEXT.....No Help Text

ID.....{7D9F5FF6-232C-2488-4504-A721FF06928F}

TERM.....R FOOT

LOCATION: R GLUTEUS

ABBREVIATION.....R GLUTEUS

ACTIVE.....Yes

DESCRIPTION.....Right Gluteus

DISPLAY_NAME.....R Gluteus

HELP_TEXT.....No Help Text

ID.....{B4D32045-68D1-4457-9106-7937887FA6F6}

TERM.....R GLUTEUS

LOCATION: R GROIN

ABBREVIATION.....R GROIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Groin

HELP_TEXT.....No Help Text

ID.....{BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}

TERM.....R GROIN

LOCATION: R HAND

ABBREVIATION.....R HAND
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Hand
HELP_TEXT.....No Help Text
ID.....{A54D3A80-8537-D079-9CCE-7DC56346D132}
TERM.....R HAND

LOCATION: R HEAD

ABBREVIATION.....R HEAD
ACTIVE.....Yes
DESCRIPTION.....Right Head
DISPLAY_NAME.....R Head
HELP_TEXT.....No Help Text
ID.....{42A95AAE-3DA9-4C96-A4E7-A15C9840217A}
TERM.....R HEAD

LOCATION: R HEEL

ABBREVIATION.....R HEEL
ACTIVE.....Yes
DESCRIPTION.....Right Heel
DISPLAY_NAME.....R Heel

HELP_TEXT.....No Help Text
ID.....{0020DD20-2EA4-4362-ADF0-07BFA220C60E}
TERM.....R HEEL

LOCATION: R HIP

ABBREVIATION.....R HIP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Hip
HELP_TEXT.....No Help Text
ID.....{A48CBCAE-5404-4934-9321-ECEF660A5350}
TERM.....R HIP

LOCATION: R INGUINAL

ABBREVIATION.....R INGUINAL
ACTIVE.....Yes
DESCRIPTION.....Right Inguinal
DISPLAY_NAME.....R Inguinal
HELP_TEXT.....No Help Text
ID.....{395233DF-3B89-49E0-946B-EB5C02E51178}
TERM.....R INGUINAL

LOCATION: R INNER KNEE

ABBREVIATION.....R INN KNEE

ACTIVE.....Yes

DESCRIPTION.....Right Inner Knee

DISPLAY_NAME.....R Inner Knee

HELP_TEXT.....No Help Text

ID.....{2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}

TERM.....R INNER KNEE

LOCATION: R INTERNAL JUGULAR

ABBREVIATION.....R INT JUGU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Internal Jugular

HELP_TEXT.....No Help Text

ID.....{7ABF6916-D379-198D-6454-F0518A74844A}

TERM.....R INTERNAL JUGULAR

LOCATION: R ISCHIAL

ABBREVIATION.....R ISCHIAL

ACTIVE.....Yes

DESCRIPTION.....Right Ischial

DISPLAY_NAME.....R Ischial

HELP_TEXT.....No Help Text

ID.....{97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}

TERM.....R ISCHIAL

LOCATION: R JAW

ABBREVIATION.....R JAW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Jaw

HELP_TEXT.....No Help Text

ID.....{7846AEE2-B6F4-4B5A-909F-56E386FD82A8}

TERM.....R JAW

LOCATION: R KNEE

ABBREVIATION.....R KNEE

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S RIGHT KNEE

DISPLAY_NAME.....R Knee

HELP_TEXT.....No Help Text

ID.....{BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

TERM.....R KNEE

LOCATION: R LATERAL HEEL

ABBREVIATION.....R LAT HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Lateral Heel

HELP_TEXT.....No Help Text

ID.....{A1896CF9-0246-4323-8DED-E4B5FB12CACE}

TERM.....R LATERAL HEEL

LOCATION: R LATERAL MALLEOLUS

ABBREVIATION.....R LAT MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Lateral Malleolus

HELP_TEXT.....No Help Text

ID.....{950FC45B-93E8-424F-A5D4-DE646166D7B0}

TERM.....R LATERAL MALLEOLUS

LOCATION: R LEG

ABBREVIATION.....RL

ACTIVE.....Yes

DESCRIPTION.....Right Leg

DISPLAY_NAME.....R Leg

HELP_TEXT.....RIGHT LEG

ID.....{C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

TERM.....R LEG

LOCATION: R LOWER ANTERIOR CHEST

ABBREVIATION.....R L A CHES

ACTIVE.....Yes

DESCRIPTION.....Right Lower Anterior Chest

DISPLAY_NAME.....R Low. Ant. Chest

HELP_TEXT.....No Help Text

ID.....{96BCF731-B661-4455-B5E7-C4AE2509505F}

TERM.....R LOWER ANTERIOR CHEST

LOCATION: R LOWER ARM

ABBREVIATION.....R LOW ARM

ACTIVE.....Yes

DESCRIPTION.....Right Lower Arm

DISPLAY_NAME.....R Lower Arm

HELP_TEXT.....No Help Text

ID.....{8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

TERM.....R LOWER ARM

LOCATION: R LOWER EXTREMITY

ABBREVIATION.....R LOW EXTR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Lower Extremity
HELP_TEXT.....No Help Text
ID.....{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}
TERM.....R LOWER EXTREMITY

LOCATION: R LOWER LEG

ABBREVIATION.....R LOW LEG
ACTIVE.....Yes
DESCRIPTION.....Right Lower Leg
DISPLAY_NAME.....R Lower Leg
HELP_TEXT.....No Help Text
ID.....{C8EA4D71-D97E-46BD-AE9D-C10954C525CD}
TERM.....R LOWER LEG

LOCATION: R LOWER LIMB

ABBREVIATION.....R LOW LIMB
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Lower Limb

HELP_TEXT.....No Help Text

ID.....{A8E26A05-311A-F196-40B5-B5202D9F8058}

TERM.....R LOWER LIMB

LOCATION: R LOWER LOBE

ABBREVIATION.....RLL

ACTIVE.....Yes

DESCRIPTION.....RIGHT LUNG'S LOWER LOBE

DISPLAY_NAME.....R Lower Lobe

HELP_TEXT.....No Help Text

ID.....{418D350A-3602-1918-22C8-53D093AF49B0}

TERM.....R LOWER LOBE

LOCATION: R LOWER POSTERIOR CHEST

ABBREVIATION.....R L P CHES

ACTIVE.....Yes

DESCRIPTION.....Right Lower Posterior Chest

DISPLAY_NAME.....R Low. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

TERM.....R LOWER POSTERIOR CHEST

LOCATION: R MANDIBULAR

ABBREVIATION.....R MANDIBUL

ACTIVE.....Yes

DESCRIPTION.....Right Mandibular

DISPLAY_NAME.....R Mandibular

HELP_TEXT.....No Help Text

ID.....{303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}

TERM.....R MANDIBULAR

LOCATION: R MEDIAL HEEL

ABBREVIATION.....R MED HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Medial Heel

HELP_TEXT.....No Help Text

ID.....{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}

TERM.....R MEDIAL HEEL

LOCATION: R MEDIAL MALLEOLUS

ABBREVIATION.....R MED MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Medial Malleolus

HELP_TEXT.....No Help Text

ID.....{C70FB4FA-6516-4567-8E26-46BA439F1DF4}

TERM.....R MEDIAL MALLEOLUS

LOCATION: R MIDDLE ANTERIOR CHEST

ABBREVIATION.....R M A CHES

ACTIVE.....Yes

DESCRIPTION.....Right Middle Anterior Chest

DISPLAY_NAME.....R Mid. Ant. Chest

HELP_TEXT.....No Help Text

ID.....{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}

TERM.....R MIDDLE ANTERIOR CHEST

LOCATION: R MIDDLE LOBE

ABBREVIATION.....RML

ACTIVE.....Yes

DESCRIPTION.....RIGHT LUNG'S MIDDLE LOBE

DISPLAY_NAME.....R Middle Lobe

HELP_TEXT.....No Help Text

ID.....{57879159-350C-2055-34D3-C6EFA39CA98F}

TERM.....R MIDDLE LOBE

LOCATION: R MIDDLE POSTERIOR CHEST

ABBREVIATION.....R M P CHES

ACTIVE.....Yes

DESCRIPTION.....Right Middle Posterior Chest

DISPLAY_NAME.....R Mid. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}

TERM.....R MIDDLE POSTERIOR CHEST

LOCATION: R NECK

ABBREVIATION.....R NECK

ACTIVE.....Yes

DESCRIPTION.....RIGHT SIDE OF PATIENT'S NECK

DISPLAY_NAME.....R Neck

HELP_TEXT.....No Help Text

ID.....{7E4D84D3-535B-6164-C6C1-837C6F997A0D}

TERM.....R NECK

LOCATION: R NOSE

ABBREVIATION.....R NOSE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Nose

HELP_TEXT.....No Help Text

ID.....{D80BCB19-E71F-43EA-8990-6C121EE7F7A1}

TERM.....R NOSE

LOCATION: R OCCIPITAL

ABBREVIATION.....R OCCIPITA

ACTIVE.....Yes

DESCRIPTION.....Right Occipital

DISPLAY_NAME.....R Occipital

HELP_TEXT.....No Help Text

ID.....{5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}

TERM.....R OCCIPITAL

LOCATION: R ORAL

ABBREVIATION.....R ORAL

ACTIVE.....Yes

DESCRIPTION.....Right Oral

DISPLAY_NAME.....R Oral

HELP_TEXT.....No Help Text

ID.....{9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}

TERM.....R ORAL

LOCATION: R ORBIT

ABBREVIATION.....R ORBIT

ACTIVE.....Yes

DESCRIPTION.....Right Orbit

DISPLAY_NAME.....R Orbit

HELP_TEXT.....No Help Text

ID.....{DFFD974A-1684-49AE-8230-8E12411EA62E}

TERM.....R ORBIT

LOCATION: R OUTER KNEE

ABBREVIATION.....R OUT KNEE

ACTIVE.....Yes

DESCRIPTION.....Right Outer Knee

DISPLAY_NAME.....R Outer Knee

HELP_TEXT.....No Help Text

ID.....{330F1DF1-8C99-4984-9965-7404ABC9562D}

TERM.....R OUTER KNEE

LOCATION: R PARIETAL

ABBREVIATION.....R PARIETAL

ACTIVE.....Yes

DESCRIPTION.....Right Parietal

DISPLAY_NAME.....R Parietal

HELP_TEXT.....No Help Text

ID.....{28C927CD-1342-483B-B366-0B7EA8ACABAD}

TERM.....R PARIETAL

LOCATION: R PEDAL

ABBREVIATION.....R PEDAL

ACTIVE.....Yes

DESCRIPTION.....R Pedal

DISPLAY_NAME.....R Pedal

HELP_TEXT.....R Pedal

ID.....{9532B614-F4E1-316C-1322-905EB58E58C4}

TERM.....R PEDAL

LOCATION: R POST TIBIAL

ABBREVIATION.....R PO TIB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Post Tibial

HELP_TEXT.....No Help Text

ID.....{88CDA53A-5153-4950-701A-3F4F2007CC6B}

TERM.....R POST TIBIAL

LOCATION: R RADIAL

ABBREVIATION.....R RADIAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Radial

HELP_TEXT.....No Help Text

ID.....{BA10E6E5-DDF4-345E-68AF-21D32E9D972D}

TERM.....R RADIAL

LOCATION: R RIBS

ABBREVIATION.....R RIBS

ACTIVE.....Yes

DESCRIPTION.....Right Ribs

DISPLAY_NAME.....R Ribs

HELP_TEXT.....No Help Text

ID.....{260FD564-5E58-419B-9F73-62B6037D1572}

TERM.....R RIBS

LOCATION: R SCAPULA

ABBREVIATION.....R SCAPULA

ACTIVE.....Yes

DESCRIPTION.....Right Scapula

DISPLAY_NAME.....R Scapula

HELP_TEXT.....No Help Text

ID.....{EA657261-4D72-40C2-B70D-2A2E27556A01}

TERM.....R SCAPULA

LOCATION: R SHOULDER

ABBREVIATION.....R SHOULDER

ACTIVE.....Yes

DESCRIPTION.....Right Shoulder

DISPLAY_NAME.....R Shoulder

HELP_TEXT.....No Help Text

ID.....{D27AE130-442E-4DD6-B391-8D7E8AD494A2}

TERM.....R SHOULDER

LOCATION: R SUBCLAVIAN

ABBREVIATION.....R SUBCLAVI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Subclavian

HELP_TEXT.....No Help Text

ID.....{53DEAE83-93AE-123B-14E5-4DE38CD4F752}

TERM.....R SUBCLAVIAN

LOCATION: R TEMPORAL

ABBREVIATION.....R TEMPOR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Temporal

HELP_TEXT.....No Help Text

ID.....{1F50461D-5ECF-25B2-A29A-E02803CB7814}

TERM.....R TEMPORAL

LOCATION: R TESTICLE

ABBREVIATION.....R TESTICLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Right Testicle

HELP_TEXT.....No Help Text

ID.....{0947D277-50AD-47F8-A76D-0EC34EB3B168}

TERM.....R TESTICLE

LOCATION: R THIGH

ABBREVIATION.....R THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Thigh

HELP_TEXT.....No Help Text

ID.....{B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

TERM.....R THIGH

LOCATION: R THORACIC ANTERIOR

ABBREVIATION.....R THOR ANT

ACTIVE.....Yes

DESCRIPTION.....Right Thoracic Anterior

DISPLAY_NAME.....R Thoracic Anterior

HELP_TEXT.....No Help Text

ID.....{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}

TERM.....R THORACIC ANTERIOR

LOCATION: R THORACIC LATERAL

ABBREVIATION.....R THOR LAT

ACTIVE.....Yes

DESCRIPTION.....Right Thoracic Lateral

DISPLAY_NAME.....R Thoracic Lateral

HELP_TEXT.....No Help Text

ID.....{55C48294-D3F3-4013-B552-BA3344D9513B}

TERM.....R THORACIC LATERAL

LOCATION: R THORACIC POSTERIOR

ABBREVIATION.....R THOR POS

ACTIVE.....Yes

DESCRIPTION.....Right Thoracic Posterior

DISPLAY_NAME.....R Thoracic Posterior

HELP_TEXT.....No Help Text

ID.....{E91085D2-E665-4EB6-A086-8CF573DECD8F}

TERM.....R THORACIC POSTERIOR

LOCATION: R THORACOTOMY

ABBREVIATION.....R THORACOT

ACTIVE.....Yes

DESCRIPTION.....Right Thoracotomy

DISPLAY_NAME.....R Thoracotomy

HELP_TEXT.....No Help Text

ID.....{A18E4BB3-0718-48D6-BD49-720A70C0EF60}

TERM.....R THORACOTOMY

LOCATION: R THUMB

ABBREVIATION.....R THUMB

ACTIVE.....Yes

DESCRIPTION.....Right Thumb

DISPLAY_NAME.....R Thumb

HELP_TEXT.....No Help Text

ID.....{B414BD68-4155-45B3-985D-B2F8252A20FE}

TERM.....R THUMB

LOCATION: R TOE

ABBREVIATION.....R TOE

ACTIVE.....Yes

DESCRIPTION.....Right Toe

DISPLAY_NAME.....R Toe

HELP_TEXT.....No Help Text

ID.....{B65727AB-3205-4DCE-833F-6DA8554636F9}

TERM.....R TOE

LOCATION: R TRAPEZIUS

ABBREVIATION.....R TRAPEZIU

ACTIVE.....Yes

DESCRIPTION.....Right Trapezius

DISPLAY_NAME.....R Trapezius

HELP_TEXT.....No Help Text

ID.....{69753B67-AFA1-4C93-BA78-E266F9894E46}

TERM.....R TRAPEZIUS

LOCATION: R TROCHANTER

ABBREVIATION.....R TROCHANT

ACTIVE.....Yes

DESCRIPTION.....Right Trochanter

DISPLAY_NAME.....R Trochanter

HELP_TEXT.....No Help Text

ID.....{1A3E21B2-C391-40D2-8059-12290E667D9E}

TERM.....R TROCHANTER

LOCATION: R UPPER ANTERIOR CHEST

ABBREVIATION.....R U A CHES

ACTIVE.....Yes

DESCRIPTION.....Right Upper Anterior Chest

DISPLAY_NAME.....R Up. Ant. Chest

HELP_TEXT.....No Help Text

ID.....{67890049-A4A8-4241-BDF3-573729BD6EB5}

TERM.....R UPPER ANTERIOR CHEST

LOCATION: R UPPER ARM

ABBREVIATION.....R UPP ARM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Upper Arm

HELP_TEXT.....No Help Text

ID.....{3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

TERM.....R UPPER ARM

LOCATION: R UPPER EXTREMITY

ABBREVIATION.....R UPP EXTR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Upper Extremity

HELP_TEXT.....No Help Text

ID.....{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

TERM.....R UPPER EXTREMITY

LOCATION: R UPPER LEG

ABBREVIATION.....R UPPER LE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Right Upper Leg

HELP_TEXT.....No Help Text

ID.....{113BD5ED-5A0A-47CA-B100-91B244BFD04A}

TERM.....R UPPER LEG

LOCATION: R UPPER LIMB

ABBREVIATION.....R UPP LIMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....R Upper Limb

HELP_TEXT.....No Help Text

ID.....{5E028BFF-ED9B-014F-74F0-C4137DB074FB}

TERM.....R UPPER LIMB

LOCATION: R UPPER LOBE

ABBREVIATION.....RUL

ACTIVE.....Yes

DESCRIPTION.....RIGHT LUNG'S UPPER LOBE

DISPLAY_NAME.....R Upper Lobe

HELP_TEXT.....Enter the Right Upper Lobe of the lung

ID.....{098C11B4-B556-FBBE-7E21-AEC9D7E4408A}

TERM.....R UPPER LOBE

LOCATION: R UPPER POSTERIOR CHEST

ABBREVIATION.....R U P CHES

ACTIVE.....Yes

DESCRIPTION.....Right Upper Posterior Chest

DISPLAY_NAME.....R Up. Pos. Chest

HELP_TEXT.....No Help Text
ID.....{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}
TERM.....R UPPER POSTERIOR CHEST

LOCATION: R WRIST

ABBREVIATION.....R WRIST
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....R Wrist
HELP_TEXT.....No Help Text
ID.....{FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
TERM.....R WRIST

LOCATION: RADIAL

ABBREVIATION.....RADIAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Radial
HELP_TEXT.....No Help-Text
ID.....{D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}
TERM.....RADIAL

LOCATION: RECTAL

ABBREVIATION.....RECTAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Rectal

HELP_TEXT.....No Help-Text

ID.....{0E7069F4-D3E6-67A1-E821-EF1879C3C267}

TERM.....RECTAL

LOCATION: RIGHT

ABBREVIATION.....R

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Right

HELP_TEXT.....No Help-Text

ID.....{38528AAC-C0A8-ABB7-A659-7EB54D81EA9F}

TERM.....RIGHT

LOCATION: SACRAL

ABBREVIATION.....SACRAL

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S SACRAL AREA

DISPLAY_NAME.....Sacral

HELP_TEXT.....No Help Text

ID.....{0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

TERM.....SACRAL

LOCATION: SCROTUM

ABBREVIATION.....SCROTUM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Scrotum

HELP_TEXT.....No Help Text

ID.....{BDC109F5-0D30-4914-A62C-CEFEB448B547}

TERM.....SCROTUM

LOCATION: SKIN

ABBREVIATION.....SKIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Skin

HELP_TEXT.....No Help-Text

ID.....{0803BC59-1582-AEC8-3DA2-A81363038210}

TERM.....SKIN

LOCATION: SPINE CERVICAL

ABBREVIATION.....SPINE CERV
ACTIVE.....Yes
DESCRIPTION.....Spine Cervical
DISPLAY_NAME.....Spine Cervical
HELP_TEXT.....No Help Text
ID.....{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}
TERM.....SPINE CERVICAL

LOCATION: SPINE LUMBAR

ABBREVIATION.....SPINE LUMB
ACTIVE.....Yes
DESCRIPTION.....Spine Lumbar
DISPLAY_NAME.....Spine Lumbar
HELP_TEXT.....No Help Text
ID.....{E7E411AB-5C29-4906-B0A9-E8658AAFFF91}
TERM.....SPINE LUMBAR

LOCATION: SPINE THORACIC

ABBREVIATION.....SPINE THOR
ACTIVE.....Yes
DESCRIPTION.....Spine Thoracic
DISPLAY_NAME.....Spine Thoracic

HELP_TEXT.....No Help Text

ID.....{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}

TERM.....SPINE THORACIC

LOCATION: STERNOTOMY

ABBREVIATION.....STERNOTOMY

ACTIVE.....Yes

DESCRIPTION.....Sternotomy

DISPLAY_NAME.....Sternotomy

HELP_TEXT.....No Help Text

ID.....{DB97F6A0-9295-42B7-BC29-6A534CE259DD}

TERM.....STERNOTOMY

LOCATION: STOMACH

ABBREVIATION.....STOMACH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stomach

HELP_TEXT.....No Help Text

ID.....{613C20B9-CC9C-4F5D-B5B1-69B66A663540}

TERM.....STOMACH

LOCATION: SUBSTERNAL

ABBREVIATION.....SUBSTERN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Substernal
HELP_TEXT.....No Help Text
ID.....{3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}
TERM.....SUBSTERNAL

LOCATION: TEETH

ABBREVIATION.....TEETH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Teeth
HELP_TEXT.....No Help Text
ID.....{38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}
TERM.....TEETH

LOCATION: TEMPORAL

ABBREVIATION.....TEMPORAL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Temporal

HELP_TEXT.....No Help-Text

ID.....{E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}

TERM.....TEMPORAL

LOCATION: THIGH

ABBREVIATION.....THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Thigh

HELP_TEXT.....No Help-Text

ID.....{2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}

TERM.....THIGH

LOCATION: THYROID

ABBREVIATION.....THYROID

ACTIVE.....Yes

DESCRIPTION.....Thyroid

DISPLAY_NAME.....Thyroid

HELP_TEXT.....No Help Text

ID.....{6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}

TERM.....THYROID

LOCATION: TOOTH

ABBREVIATION.....TOOTH
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tooth
HELP_TEXT.....No Help Text
ID.....{8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}
TERM.....TOOTH

LOCATION: TORSO

ABBREVIATION.....TORSO
ACTIVE.....Yes
DESCRIPTION.....PATIENT'S TORSO
DISPLAY_NAME.....Torso
HELP_TEXT.....No Help Text
ID.....{EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
TERM.....TORSO

LOCATION: TRACHEOSTOMY

ABBREVIATION.....TRACHEOSTO
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tracheostomy

HELP_TEXT.....No Help Text
ID.....{4D12329A-56C8-4175-986F-2F0B68EB7E6D}
TERM.....TRACHEOSTOMY

LOCATION: TRANSVERSE ABDOMINAL

ABBREVIATION.....TRANS ABDO
ACTIVE.....Yes
DESCRIPTION.....Transverse Abdominal
DISPLAY_NAME.....Transverse Abdominal
HELP_TEXT.....No Help Text
ID.....{1C10FF98-7B20-45D0-B420-714981832B3D}
TERM.....TRANSVERSE ABDOMINAL

LOCATION: TYMPANIC

ABBREVIATION.....Tym
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tympanic
HELP_TEXT.....No Help Text
ID.....{0A58C14C-E447-E034-AA93-D41E6E0D2F69}
TERM.....TYMPANIC

LOCATION: ULNAR

ABBREVIATION.....Uln
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ulnar
HELP_TEXT.....No Help Text
ID.....{81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}
TERM.....ULNAR

LOCATION: UMBILICAL

ABBREVIATION.....UMBILICAL
ACTIVE.....Yes
DESCRIPTION.....UMBILICAL
DISPLAY_NAME.....UMBILICAL
HELP_TEXT.....No Help Text
ID.....{8874B300-0751-49AF-8211-CF4C009C68B5}
TERM.....UMBILICAL

LOCATION: UPPER ABDOMEN

ABBREVIATION.....UP ABDOM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Upper Abdomen

HELP_TEXT.....No Help Text
ID.....{234C677B-1CE6-498B-9375-BB5DC3958842}
TERM.....UPPER ABDOMEN

LOCATION: UPPER ARM

ABBREVIATION.....UpA
ACTIVE.....Yes
DESCRIPTION.....Area of arm between elbow and shoulder
DISPLAY_NAME.....Upper Arm
HELP_TEXT.....UPPER ARM
ID.....{B43A2B31-1F35-3F4D-5D23-882541ABE477}
TERM.....UPPER ARM

LOCATION: UPPER BACK

ABBREVIATION.....UPPER BACK
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Upper Back
HELP_TEXT.....No Help Text
ID.....{C1DA4294-E0DC-438B-810D-7F91E170244A}
TERM.....UPPER BACK

LOCATION: WAIST

ABBREVIATION.....WAIST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Waist

HELP_TEXT.....No Help Text

ID.....{784DD311-8B48-4FE3-96B6-471CCE453CD5}

TERM.....WAIST

LOCATION: WRIST

ABBREVIATION.....Wri

ACTIVE.....Yes

DESCRIPTION.....Joint between hand and forearm

DISPLAY_NAME.....Wrist

HELP_TEXT.....WRIST

ID.....{C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

TERM.....WRIST

METHOD: ADULT

ABBREVIATION.....Ad

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Adult

HELP_TEXT.....No Help Text

ID.....{C2D49445-6556-8E6E-A8E9-CB3FA76BC22E}

TERM.....ADULT

METHOD: ADULT CUFF

ABBREVIATION.....AC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Adult Cuff

HELP_TEXT.....No Help Text

ID.....{1222302E-6982-C627-8A0B-A651C98138E3}

TERM.....ADULT CUFF

METHOD: AEROSOL/HUMIDIFIED MASK

ABBREVIATION.....AM

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Aerosol/Humidified Mask
HELP_TEXT.....No Help Text
ID.....{CAF54B28-D5D2-8481-FAE3-9C74C2D51551}
TERM.....AEROSOL/HUMIDIFIED MASK

METHOD: AFTER EXERCISE

ABBREVIATION.....AE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....After Exercise
HELP_TEXT.....No Help Text
ID.....{D129EF4B-3A99-9966-54F1-2C01A36814EE}
TERM.....AFTER EXERCISE

METHOD: AMBU BAG

ABBREVIATION.....AB
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ambu Bag
HELP_TEXT.....No Help Text
ID.....{E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}
TERM.....AMBU BAG

METHOD: ARTERIAL LINE

ABBREVIATION.....AL
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Arterial Line
HELP_TEXT.....No Help Text
ID.....{D4B3F4ED-8B33-431E-4164-BD165E823776}
TERM.....ARTERIAL LINE

METHOD: ASSISTED VENTILATOR

ABBREVIATION.....AV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Assisted Ventilator
HELP_TEXT.....No Help Text
ID.....{A540F333-5A09-5F21-7B51-2B5DF05E32C0}
TERM.....ASSISTED VENTILATOR

METHOD: AT REST

ABBREVIATION.....AR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....At Rest

HELP_TEXT.....No Help Text

ID.....{E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}

TERM.....AT REST

METHOD: AUSCULTATE

ABBREVIATION.....Aus

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Auscultate

HELP_TEXT.....No Help Text

ID.....{0C629C1F-92D3-C641-B02C-9EA43B401DC9}

TERM.....AUSCULTATE

METHOD: BED

ABBREVIATION.....B

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Bed

HELP_TEXT.....No Help Text

ID.....{20188D9F-3815-1F7F-34EC-BA77F75B310E}

TERM.....BED

METHOD: BIPAP

ABBREVIATION.....BIP
ACTIVE.....Yes
DESCRIPTION.....Biphasic Positive Airway Pressure
DISPLAY_NAME.....BiPAP
HELP_TEXT.....No Help Text
ID.....{3CFD1D11-EF8D-58BA-6381-B24956344D2E}
TERM.....BIPAP

METHOD: BIPAP-CPAP

ABBREVIATION.....PAP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....BiPAP-CPAP
HELP_TEXT.....No Help Text
ID.....{2BCBE562-8F44-662F-469B-13AC0E863A3D}
TERM.....BIPAP-CPAP

METHOD: BLADDER

ABBREVIATION.....BLAD
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Bladder

HELP_TEXT.....No Help Text

ID.....{E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}

TERM.....BLADDER

METHOD: CARDIAC MONITOR

ABBREVIATION.....CARDIAC MO

ACTIVE.....Yes

DESCRIPTION.....Cardiac Monitor

DISPLAY_NAME.....Cardiac Monitor

HELP_TEXT.....Cardiac Monitor

ID.....{E8B6B5A3-D143-3967-A362-019BD5EB6984}

TERM.....CARDIAC MONITOR

METHOD: CARDIAC OUTPUT MONITOR

ABBREVIATION.....COM

ACTIVE.....Yes

DESCRIPTION.....A CO Monitor

DISPLAY_NAME.....Cardiac Output Monitor

HELP_TEXT.....Data from a Cardiac Output Monitor

ID.....{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

TERM.....CARDIAC OUTPUT MONITOR

DISPLAY_NAME.....Chest Tube
HELP_TEXT.....Chest Tube
ID.....{F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}
TERM.....CHEST TUBE

METHOD: COLLOID

ABBREVIATION.....COLLOID M
ACTIVE.....Yes
DESCRIPTION.....Colloid as method for Intake and Output
DISPLAY_NAME.....Colloid - Method
HELP_TEXT.....No Help Text
ID.....{2AE33508-5EA2-44DF-A401-74DD7B93AB6E}
TERM.....COLLOID

METHOD: COMPUTED TOMOGRAPHY

ABBREVIATION.....COM TOMOGR
ACTIVE.....Yes
DESCRIPTION.....Computed Tomography
DISPLAY_NAME.....Computed Tomography
HELP_TEXT.....No Help Text
ID.....{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}
TERM.....COMPUTED TOMOGRAPHY

METHOD: CONTRAST LEFT VENTRICULOGRAPHY

ABBREVIATION.....CON L VENT
ACTIVE.....Yes
DESCRIPTION.....Contrast Left Ventriculography
DISPLAY_NAME.....Contrast Left Ventriculography
HELP_TEXT.....No Help Text
ID.....{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}
TERM.....CONTRAST LEFT VENTRICULOGRAPHY

METHOD: CONTROLLED VENTILATOR

ABBREVIATION.....CV
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Controlled Ventilator
HELP_TEXT.....No Help Text
ID.....{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}
TERM.....CONTROLLED VENTILATOR

METHOD: CPAP

ABBREVIATION.....CP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cpap

HELP_TEXT.....No Help Text

ID.....{A041FB71-08EF-F3FE-82FA-051FF74C824F}

TERM.....CPAP

METHOD: CRRT

ABBREVIATION.....CRRT

ACTIVE.....Yes

DESCRIPTION.....Continuous Renal Replacement Therapy

DISPLAY_NAME.....CRRT

HELP_TEXT.....No Help Text

ID.....{AB37FC1D-DD7A-4103-A777-7B8D0F876889}

TERM.....CRRT

METHOD: CUFF

ABBREVIATION.....Cu

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Cuff

HELP_TEXT.....No Help Text

ID.....{E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}

TERM.....CUFF

METHOD: CUFF-AUTOMATED

ABBREVIATION.....CA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cuff-Automated
HELP_TEXT.....No Help Text
ID.....{088AAD2B-2E7B-F835-376F-3D4340790976}
TERM.....CUFF-AUTOMATED

METHOD: CUFF-MANUAL

ABBREVIATION.....CM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Cuff-Manual
HELP_TEXT.....No Help Text
ID.....{5F56C163-2B04-112F-55DE-E31374E0FB58}
TERM.....CUFF-MANUAL

METHOD: CVVHD

ABBREVIATION.....CVVHD
ACTIVE.....Yes
DESCRIPTION.....Central Venous - Venous Hemodialysis
DISPLAY_NAME.....CVVHD

HELP_TEXT.....No Help Text

ID.....{4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}

TERM.....CVVHD

METHOD: DIALYSIS

ABBREVIATION.....DIALYSIS M

ACTIVE.....Yes

DESCRIPTION.....Dialysis used to describe Intake and
Output

DISPLAY_NAME.....Dialysis - Method

HELP_TEXT.....No Help Text

ID.....{1EAE28D4-3AC0-4DA1-9D09-3A65C38267F6}

TERM.....DIALYSIS

METHOD: DIALYSIS CATHETER

ABBREVIATION.....DIALYSIS C

ACTIVE.....Yes

DESCRIPTION.....Dialysis Catheter

DISPLAY_NAME.....Dialysis Catheter

HELP_TEXT.....No Help Text

ID.....{D9FF5CA8-09AF-4318-B784-DEB3A8F819D8}

TERM.....DIALYSIS CATHETER

METHOD: DOPPLER

ABBREVIATION.....Dop
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Doppler
HELP_TEXT.....No Help Text
ID.....{52683C19-F9DC-876B-CA3F-53E7C864CF04}
TERM.....DOPPLER

METHOD: DOUBLE LUMEN CATHETER

ABBREVIATION.....DOUBLE LUM
ACTIVE.....Yes
DESCRIPTION.....Double Lumen Catheter
DISPLAY_NAME.....Double Lumen Catheter
HELP_TEXT.....No Help Text
ID.....{ED646D10-3DBE-4049-ADC6-5E3DD2C351DD}
TERM.....DOUBLE LUMEN CATHETER

METHOD: ECHOCARDIOGRAPHY

ABBREVIATION.....ECG
ACTIVE.....Yes
DESCRIPTION.....Echocardiography
DISPLAY_NAME.....Echocardiography

HELP_TEXT.....No Help Text
ID.....{CA44697E-3BBA-4767-A30D-6548A72F9639}
TERM.....ECHOCARDIOGRAPHY

METHOD: ELECTROCARDIOGRAM

ABBREVIATION.....ECG
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Electrocardiogram
HELP_TEXT.....No Help Text
ID.....{CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}
TERM.....ELECTROCARDIOGRAM

METHOD: ELECTROCARDIOGRAM TRACE 1

ABBREVIATION.....ECG TR 1
ACTIVE.....Yes
DESCRIPTION.....Trace 1 from ECG
DISPLAY_NAME.....ECG Trace 1
HELP_TEXT.....No Help Text
ID.....{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}
TERM.....ELECTROCARDIOGRAM TRACE 1

METHOD: ELECTROCARDIOGRAM TRACE 2

ABBREVIATION.....ECG TR 2
ACTIVE.....Yes
DESCRIPTION.....Trace 2 from ECG
DISPLAY_NAME.....ECG Trace 2
HELP_TEXT.....No Help Text
ID.....{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}
TERM.....ELECTROCARDIOGRAM TRACE 2

METHOD: ENTERAL FEEDING / SUPPLEMENT

ABBREVIATION.....EF/SUPPLEM
ACTIVE.....Yes
DESCRIPTION.....Enteral Feeding / Supplement - Method
DISPLAY_NAME.....Enteral Feeding / Supplement - Method
HELP_TEXT.....No Help Text
ID.....{8389A9F5-0D48-496D-A605-1560B055DCC0}
TERM.....ENTERAL FEEDING / SUPPLEMENT

METHOD: ENTERAL FEEDING TUBE

ABBREVIATION.....ENT FEED T
ACTIVE.....Yes
DESCRIPTION.....EFT for describing Intakes and Outputs
DISPLAY_NAME.....Enteral Feeding Tube - Method

HELP_TEXT.....No Help Text

ID.....{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}

TERM.....ENTERAL FEEDING TUBE

METHOD: FACE TENT

ABBREVIATION.....FT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Face Tent

HELP_TEXT.....No Help Text

ID.....{1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}

TERM.....FACE TENT

METHOD: GI TUBE

ABBREVIATION.....GI TUBE

ACTIVE.....Yes

DESCRIPTION.....Used to describe Intakes and Outputs

DISPLAY_NAME.....GI Tube - Method

HELP_TEXT.....No Help Text

ID.....{AF64F7BE-E72E-4391-BC1F-48163F2F3751}

TERM.....GI TUBE

METHOD: HEMODIALYSIS

ABBREVIATION.....HEMODIALYS
ACTIVE.....Yes
DESCRIPTION.....Hemodialysis
DISPLAY_NAME.....Hemodialysis
HELP_TEXT.....No Help Text
ID.....{DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}
TERM.....HEMODIALYSIS

METHOD: HEMOVAC

ABBREVIATION.....HEMOVAC
ACTIVE.....Yes
DESCRIPTION.....Hemovac Drain
DISPLAY_NAME.....Hemovac Drain
HELP_TEXT.....No Help Text
ID.....{79DA0646-B811-4954-8BE1-C133398CD574}
TERM.....HEMOVAC

METHOD: IABP

ABBREVIATION.....IABP
ACTIVE.....Yes
DESCRIPTION.....Intra-aortic Balloon Pump
DISPLAY_NAME.....IABP

HELP_TEXT.....Intra-aortic Balloon Pump

ID.....{4352A41F-AAF3-4544-9590-BAFD7977DF49}

TERM.....IABP

METHOD: INTRODUCER CATHETER

ABBREVIATION.....INTRODUCER

ACTIVE.....Yes

DESCRIPTION.....Introducer Catheter

DISPLAY_NAME.....Introducer Catheter

HELP_TEXT.....No Help Text

ID.....{60EED7D3-6CB2-4FCE-BFC0-DE0BA8AB0814}

TERM.....INTRODUCER CATHETER

METHOD: INVASIVE

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Invasive

HELP_TEXT.....No Help Text

ID.....{5DB8746E-5446-F47A-883C-A44B91275A6E}

TERM.....INVASIVE

METHOD: IRRIGATION

ABBREVIATION.....IRRIGATION
ACTIVE.....Yes
DESCRIPTION.....Irrigation
DISPLAY_NAME.....Irrigation
HELP_TEXT.....No Help Text
ID.....{6C968D0A-400F-448A-93EF-02CB891BA981}
TERM.....IRRIGATION

METHOD: IV

ABBREVIATION.....IV
ACTIVE.....Yes
DESCRIPTION.....Method to capture Intakes and Outputs
DISPLAY_NAME.....IV
HELP_TEXT.....No Help Text
ID.....{52141E2F-7942-4C60-9B08-62F3B4640020}
TERM.....IV

METHOD: JP DRAIN

ABBREVIATION.....JP DRAIN
ACTIVE.....Yes
DESCRIPTION.....JP Drain
DISPLAY_NAME.....JP Drain

HELP_TEXT.....No Help Text

ID.....{94A32247-6190-4047-B581-A212FE4C9453}

TERM.....JP DRAIN

METHOD: LARYNGEAL MASK

ABBREVIATION.....LARYNGMASK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Laryngeal Mask

HELP_TEXT.....No Help Text

ID.....{DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}

TERM.....LARYNGEAL MASK

METHOD: LEAD

ABBREVIATION.....L

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lead

HELP_TEXT.....No Help Text

ID.....{B628FDCE-05E0-DACF-E66E-0F8380AB465A}

TERM.....LEAD

METHOD: LG ADULT

ABBREVIATION.....LgA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lg Adult

HELP_TEXT.....No Help Text

ID.....{0C7B9E22-A426-80D1-80E8-2082F15784BA}

TERM.....LG ADULT

METHOD: LG ADULT CUFF

ABBREVIATION.....LAC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lg Adult Cuff

HELP_TEXT.....No Help Text

ID.....{4FA9374C-AE66-DF6E-E0E8-673D7B9B2E19}

TERM.....LG ADULT CUFF

METHOD: LIFT SCALE

ABBREVIATION.....LS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lift Scale

HELP_TEXT.....No Help Text
ID.....{8D741461-25C5-3955-BE2C-CBD27317CBA1}
TERM.....LIFT SCALE

METHOD: MAGNETIC RESONANCE IMAGING

ABBREVIATION.....MRI
ACTIVE.....Yes
DESCRIPTION.....Magnetic Resonance Imaging
DISPLAY_NAME.....MRI
HELP_TEXT.....No Help Text
ID.....{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}
TERM.....MAGNETIC RESONANCE IMAGING

METHOD: MASK

ABBREVIATION.....M
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Mask
HELP_TEXT.....No Help Text
ID.....{4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}
TERM.....MASK

METHOD: MONITOR

ABBREVIATION.....Mo
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Monitor
HELP_TEXT.....No Help Text
ID.....{63FC24EA-50B8-B302-D948-ABE3517CF6FC}
TERM.....MONITOR

METHOD: MULTIGATED NUCLEAR VENTRICULOGRAPHY

ABBREVIATION.....MUGA
ACTIVE.....Yes
DESCRIPTION.....Multigated Nuclear Ventriculography
DISPLAY_NAME.....MUGA
HELP_TEXT.....No Help Text
ID.....{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}
TERM.....MULTIGATED NUCLEAR VENTRICULOGRAPHY

METHOD: MUSTACHE CANNULA

ABBREVIATION.....MC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Mustache Cannula

HELP_TEXT.....No Help Text

ID.....{DAB3F52F-A8E1-2D9E-C8E5-1D005EC679FC}

TERM.....MUSTACHE CANNULA

METHOD: NASAL CANNULA

ABBREVIATION.....NC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nasal Cannula

HELP_TEXT.....No Help Text

ID.....{EFFF38AE-6AF5-77FD-72E1-E0F7E3DEBA29}

TERM.....NASAL CANNULA

METHOD: NEBULIZER

ABBREVIATION.....NEBULIZER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Nebulizer

HELP_TEXT.....No Help Text

ID.....{3CF184A3-2688-4988-B956-D5B0F303E8E8}

TERM.....NEBULIZER

METHOD: NON RE-BREATHER

ABBREVIATION.....NRB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Non Re-Breather

HELP_TEXT.....No Help Text

ID.....{1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}

TERM.....NON RE-BREATHER

METHOD: NON-INVASIVE

ABBREVIATION.....N-I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Non-Invasive

HELP_TEXT.....No Help Text

ID.....{F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

TERM.....NON-INVASIVE

METHOD: NONINVASIVE

ABBREVIATION.....N

ACTIVE.....No

DESCRIPTION.....Noninvasive

DISPLAY_NAME.....Noninvasive

HELP_TEXT.....No Help Text

ID.....{398E91DF-F425-5083-AA35-C5263792845E}

TERM.....NONINVASIVE

METHOD: NUCLEAR PERFUSION IMAGING

ABBREVIATION.....NPI

ACTIVE.....Yes

DESCRIPTION.....Nuclear Perfusion Imaging

DISPLAY_NAME.....Nuclear Perfusion Imaging

HELP_TEXT.....No Help Text

ID.....{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

TERM.....NUCLEAR PERFUSION IMAGING

METHOD: O2 SATS

ABBREVIATION.....O2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....O2 Sats

HELP_TEXT.....No Help Text

ID.....{66C2100C-8A52-F36A-F7F1-A55D4E4D7CE6}

TERM.....O2 SATS

METHOD: OTHER

ABBREVIATION.....OTHER

ACTIVE.....Yes

DESCRIPTION.....Other: Comments Required

DISPLAY_NAME.....OTHER: OBSERVATION COMMENTS REQUIRED

HELP_TEXT.....No Help Text

ID.....{AED275BD-8A42-46BE-BCDF-472EF4C31D65}

TERM.....OTHER

METHOD: P.O.

ABBREVIATION.....PO

ACTIVE.....Yes

DESCRIPTION.....By Mouth, Oral, "Per Os"

DISPLAY_NAME.....P.O. - Method

HELP_TEXT.....No Help Text

ID.....{7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}

TERM.....P.O.

METHOD: PA CATHETER

ABBREVIATION.....PA CATHETE

ACTIVE.....Yes

DESCRIPTION.....Pulmonary Catheter

DISPLAY_NAME.....PA Catheter

HELP_TEXT.....No Help Text

ID.....{5A518696-41B7-4AB8-8FC7-5CF454CE0299}

TERM.....PA CATHETER

METHOD: PA LINE

ABBREVIATION.....PALI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....PA Line

HELP_TEXT.....No Help Text

ID.....{1AEA41D7-901B-96FF-BF9B-420C24FF00E4}

TERM.....PA LINE

METHOD: PALPATED

ABBREVIATION.....Pal

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Palpated

HELP_TEXT.....No Help Text

ID.....{295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}

TERM.....PALPATED

METHOD: PARTIAL RE-BREATHER

ABBREVIATION.....PRB
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Partial Re-Breather
HELP_TEXT.....No Help Text
ID.....{6F1DF170-5128-2E3F-1831-12FB0BB5E95C}
TERM.....PARTIAL RE-BREATHER

METHOD: PEDIATRIC CUFF

ABBREVIATION.....PdC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pediatric Cuff
HELP_TEXT.....No Help Text
ID.....{CA9EA220-EF92-EE77-FBEA-4E49C4730A3E}
TERM.....PEDIATRIC CUFF

METHOD: PENDANT CANNULA

ABBREVIATION.....PC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pendant Cannula

HELP_TEXT.....No Help Text

ID.....{A1451228-4ABB-DBCB-31AD-578BCD93012F}

TERM.....PENDANT CANNULA

METHOD: PENROSE

ABBREVIATION.....PENROSE

ACTIVE.....Yes

DESCRIPTION.....Penrose Drain

DISPLAY_NAME.....Penrose Drain

HELP_TEXT.....No Help Text

ID.....{CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}

TERM.....PENROSE

METHOD: PERITONEAL DIALYSIS

ABBREVIATION.....PERI DIALY

ACTIVE.....Yes

DESCRIPTION.....Peritoneal Dialysis

DISPLAY_NAME.....Peritoneal Dialysis

HELP_TEXT.....No Help Text

ID.....{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}

TERM.....PERITONEAL DIALYSIS

METHOD: PICC LINE

ABBREVIATION.....PICC LINE

ACTIVE.....Yes

DESCRIPTION.....Peripherally Inserted Central
Catheter Line

DISPLAY_NAME.....PICC Line

HELP_TEXT.....No Help Text

ID.....{BDB5075B-DECC-443A-B774-CFA062DF34F4}

TERM.....PICC LINE

METHOD: PULSE OX MONITOR

ABBREVIATION.....POM

ACTIVE.....Yes

DESCRIPTION.....A Pulse Ox Monitor

DISPLAY_NAME.....Pulse Ox Monitor

HELP_TEXT.....Readings that have come from a Pulse
Ox Monitor

ID.....{A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

TERM.....PULSE OX MONITOR

METHOD: RECTAL TEMP PROBE

ABBREVIATION.....RTP

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Rectal Temp Probe
HELP_TEXT.....No Help Text
ID.....{0100F644-EF8E-5FE3-0022-804408DCE2DD}
TERM.....RECTAL TEMP PROBE

METHOD: RESERVOIR CANNULA

ABBREVIATION.....RC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Reservoir Cannula
HELP_TEXT.....No Help Text
ID.....{B332C44D-29BE-765C-932C-63EBFC9631FC}
TERM.....RESERVOIR CANNULA

METHOD: RHYTHM

ABBREVIATION.....RHY
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Rhythm
HELP_TEXT.....No Help Text
ID.....{8A4AC126-12DA-0904-C364-B5D818621E32}
TERM.....RHYTHM

METHOD: ROOM AIR

ABBREVIATION.....ROOM AIR
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Room Air
HELP_TEXT.....No Help Text
ID.....{B4103F11-4BCE-49ED-AF3E-ACCB526D938C}
TERM.....ROOM AIR

METHOD: ROOM AIR15

ABBREVIATION.....RA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Room Air15
HELP_TEXT.....No Help Text
ID.....{55AC16E4-4BAD-EDE4-41E9-853C78D8474B}
TERM.....ROOM AIR15

METHOD: ROOM AIR20

ABBREVIATION.....xx
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Room Air20

HELP_TEXT.....No Help Text

ID.....{FBBD3CC2-53AF-FBCC-EF16-A6300F7F8330}

TERM.....ROOM AIR20

METHOD: SINGLE LUMEN CATHETER

ABBREVIATION.....SING LUM C

ACTIVE.....Yes

DESCRIPTION.....Single Lumen Catheter

DISPLAY_NAME.....Single Lumen Catheter

HELP_TEXT.....No Help Text

ID.....{E5B432BD-C698-4415-98E1-F5F229F54F8A}

TERM.....SINGLE LUMEN CATHETER

METHOD: SKIN (ADHESIVE INDICATOR)

ABBREVIATION.....SKIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Skin (Adhesive Indicator)

HELP_TEXT.....No Help Text

ID.....{C7CE7D84-6FC7-406A-7E56-B080637509DF}

TERM.....SKIN (ADHESIVE INDICATOR)

METHOD: SM ADULT

ABBREVIATION.....SmA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sm Adult

HELP_TEXT.....No Help Text

ID.....{CCB94C2F-CE55-A046-3A21-3ADDB1D23D3C}

TERM.....SM ADULT

METHOD: SM ADULT CUFF

ABBREVIATION.....SAC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Sm Adult Cuff

HELP_TEXT.....No Help Text

ID.....{0346341B-6D38-6599-ED9F-24C81A8698A8}

TERM.....SM ADULT CUFF

METHOD: SPONTANEOUS

ABBREVIATION.....S

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Spontaneous

HELP_TEXT.....No Help Text

ID.....{5E9463BC-C871-54FD-F800-DCFDEDB8A93B}

TERM.....SPONTANEOUS

METHOD: STANDING WEIGHT

ABBREVIATION.....SW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Standing Weight

HELP_TEXT.....No Help Text

ID.....{BE16FA09-16DA-510B-D235-B7F0F93AB105}

TERM.....STANDING WEIGHT

METHOD: T-PIECE

ABBREVIATION.....TP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....T-Piece

HELP_TEXT.....No Help Text

ID.....{27FC4BC6-2F25-2154-553C-2B452E28A91C}

TERM.....T-PIECE

METHOD: THIGH CUFF

ABBREVIATION.....ThC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Thigh Cuff
HELP_TEXT.....No Help Text
ID.....{C581DFAC-691C-B64A-F058-AF2AA5050147}
TERM.....THIGH CUFF

METHOD: TPN

ABBREVIATION.....TPN
ACTIVE.....Yes
DESCRIPTION.....Total Parenteral Nutrition Method
DISPLAY_NAME.....TPN - Method
HELP_TEXT.....No Help Text
ID.....{B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}
TERM.....TPN

METHOD: TRACHEOSTOMY COLLAR

ABBREVIATION.....TC
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Tracheostomy Collar

HELP_TEXT.....No Help Text

ID.....{CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}

TERM.....TRACHEOSTOMY COLLAR

METHOD: TRANSFUSION

ABBREVIATION.....TRANSFUSIO

ACTIVE.....Yes

DESCRIPTION.....Transfusion - Method

DISPLAY_NAME.....Transfusion - Method

HELP_TEXT.....No Help Text

ID.....{9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}

TERM.....TRANSFUSION

METHOD: TRANSTRACHEAL

ABBREVIATION.....Tt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Transtracheal

HELP_TEXT.....No Help Text

ID.....{48951129-CEEC-10D9-F746-99B4713B9C64}

TERM.....TRANSTRACHEAL

METHOD: TRIPLE LUMEN CATHETER

ABBREVIATION.....TRIPLE LUM
ACTIVE.....Yes
DESCRIPTION.....Triple Lumen Catheter
DISPLAY_NAME.....Triple Lumen Catheter
HELP_TEXT.....No Help Text
ID.....{704E2B3E-5E5D-43FB-B956-CFF90AF7D774}
TERM.....TRIPLE LUMEN CATHETER

METHOD: VENTILATOR

ABBREVIATION.....Ven
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ventilator
HELP_TEXT.....No Help Text
ID.....{416FCBD3-5370-15B9-C480-48855ED486D9}
TERM.....VENTILATOR

METHOD: VENTRICULAR DRAIN

ABBREVIATION.....VENT DRAIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ventricular Drain

HELP_TEXT.....No Help Text
ID.....{5FF035D1-9C97-415D-BBEB-943506395A0C}
TERM.....VENTRICULAR DRAIN

METHOD: VENTURI MASK

ABBREVIATION.....VM
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Venturi Mask
HELP_TEXT.....No Help Text
ID.....{E0401675-9C4E-2AFA-2B93-F352B781E963}
TERM.....VENTURI MASK

METHOD: WHEELCHAIR SCALE

ABBREVIATION.....WcS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Wheelchair Scale
HELP_TEXT.....No Help Text
ID.....{8C496753-9F42-2A36-E5CA-750188306ED4}
TERM.....WHEELCHAIR SCALE

METHOD: WITH ACTIVITY

ABBREVIATION.....Act
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Activity
HELP_TEXT.....No Help Text
ID.....{544A262B-EA34-F82A-46A9-F80740515D65}
TERM.....WITH ACTIVITY

METHOD: WITH AMBULATION

ABBREVIATION.....WA
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Ambulation
HELP_TEXT.....No Help Text
ID.....{4E91DE6A-359E-5AF4-AB49-AFAF735E1B94}
TERM.....WITH AMBULATION

METHOD: WITH CAST OR BRACE

ABBREVIATION.....WCB
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Cast or Brace

HELP_TEXT.....No Help Text
ID.....{47709C05-DF21-FB7D-DE7F-0699D1B7E457}
TERM.....WITH CAST OR BRACE

METHOD: WITH PROSTHESIS

ABBREVIATION.....WP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....With Prosthesis
HELP_TEXT.....No Help Text
ID.....{73C93D2D-934B-CA55-3557-E756A89710F5}
TERM.....WITH PROSTHESIS

METHOD: WITHOUT PROSTHESIS

ABBREVIATION.....WOP
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Without Prosthesis
HELP_TEXT.....No Help Text
ID.....{9AACA852-E70D-1048-FCE7-112D46C12619}
TERM.....WITHOUT PROSTHESIS

NULL FLAVOR: PATIENT ON PASS

ABBREVIATION.....op

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....On Pass

HELP_TEXT.....No Help Text

ID.....{3D2D2E52-D3F2-E02D-B9C7-CEB7C46C807D}

TERM.....PATIENT ON PASS

NULL FLAVOR: PATIENT REFUSED

ABBREVIATION.....pr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Refused

HELP_TEXT.....No Help Text

ID.....{E9676179-B942-3851-37AF-75DAEE9E1F8E}

TERM.....PATIENT REFUSED

POSITION: L MIDDLE POSTERIOR CHEST

ABBREVIATION.....L M P CHES

ACTIVE.....No

DESCRIPTION.....Left Middle Posterior Chest

DISPLAY_NAME.....L Mid. Pos. Chest

HELP_TEXT.....No Help Text

ID.....{D6D6483C-90A9-4A32-A101-9DAA13BFD7ED}

TERM.....L MIDDLE POSTERIOR CHEST

POSITION: LYING

ABBREVIATION.....Ly

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Lying

HELP_TEXT.....No Help Text

ID.....{DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

TERM.....LYING

POSITION: RES EVAL: BED/WHEELCHAIR ALARM

ABBREVIATION.....R.E. ALAR

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Bed / Wheelchair Alarm
HELP_TEXT.....No Help Text
ID.....{BDF926A9-2BEF-4E7C-A099-D02BD98CA2F2}
TERM.....RES EVAL: BED/WHEELCHAIR ALARM

POSITION: RES EVAL: REALITY ORIENTATION

ABBREVIATION.....R.E. REALI
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Reality Orientation
HELP_TEXT.....No Help Text
ID.....{04D911E1-AADC-4125-9F93-B298266BA61A}
TERM.....RES EVAL: REALITY ORIENTATION

POSITION: SEMIFOWLERS

ABBREVIATION.....Sfl
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Semifowlers
HELP_TEXT.....No Help Text
ID.....{C2F6A945-3829-AABA-3D67-54D1829D3EB9}
TERM.....SEMIFOWLERS

POSITION: SITTING

ABBREVIATION.....Sit
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Sitting
HELP_TEXT.....No Help Text
ID.....{DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
TERM.....SITTING

POSITION: STANDING

ABBREVIATION.....St
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Standing
HELP_TEXT.....No Help Text
ID.....{0776AE42-C370-B7B3-9B4D-9C914BA8F231}
TERM.....STANDING

POSITION: SUPINE

ABBREVIATION.....SUPINE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Supine

HELP_TEXT.....No Help Text
ID.....{DEA8A744-B445-4A9E-875D-485E060F2ACC}
TERM.....SUPINE

POSITION: TRENDELENBURG

ABBREVIATION.....Tr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Trendelenburg
HELP_TEXT.....No Help Text
ID.....{42F3353B-7041-EEE1-A87E-941D3BE1CBCD}
TERM.....TRENDELENBURG

POSITION: WHEELCHAIR EXIT

ABBREVIATION.....WHEEL EXIT
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Wheelchair Exit
HELP_TEXT.....No Help Text
ID.....{DE13F84A-168F-490D-9AC7-840DAB2D8E22}
TERM.....WHEELCHAIR EXIT

PRODUCT: 25 PERCENT ALBUMIN

ABBREVIATION.....25 PERC AL

ACTIVE.....Yes

DESCRIPTION.....25 Percent Albumin

DISPLAY_NAME.....25 Percent Albumin

HELP_TEXT.....No Help Text

ID.....{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

TERM.....25 PERCENT ALBUMIN

PRODUCT: 5 PERCENT ALBUMIN

ABBREVIATION.....5 PERC ALB

ACTIVE.....Yes

DESCRIPTION.....5 Percent Albumin

DISPLAY_NAME.....5 Percent Albumin

HELP_TEXT.....No Help Text

ID.....{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

TERM.....5 PERCENT ALBUMIN

PRODUCT: 6 PERCENT HETASTARCH

ABBREVIATION.....6 PERC HET

ACTIVE.....Yes

DESCRIPTION.....6 Percent Hetastarch
DISPLAY_NAME.....6 Percent Hetastarch
HELP_TEXT.....No Help Text
ID.....{8A82F108-D2FE-4C21-93BB-344502235AE8}
TERM.....6 PERCENT HETASTARCH

PRODUCT: ALBUMIN

ABBREVIATION.....ALBUMIN
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Albumin
HELP_TEXT.....No Help Text
ID.....{EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}
TERM.....ALBUMIN

PRODUCT: AMPHOTERICIN B

ABBREVIATION.....AMPHOTER B
ACTIVE.....Yes
DESCRIPTION.....Amphotericin B
DISPLAY_NAME.....Amphotericin B
HELP_TEXT.....Amphotericin B
ID.....{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}
TERM.....AMPHOTERICIN B

PRODUCT: ANTIBIOTIC

ABBREVIATION.....AB

ACTIVE.....Yes

DESCRIPTION.....Antibiotic

DISPLAY_NAME.....Antibiotic

HELP_TEXT.....No Help Text

ID.....{BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}

TERM.....ANTIBIOTIC

PRODUCT: BACTERIOSTATIC WATER

ABBREVIATION.....BACTER H2O

ACTIVE.....Yes

DESCRIPTION.....Bacteriostatic Water

DISPLAY_NAME.....Bacteriostatic Water

HELP_TEXT.....Bacteriostatic Water

ID.....{EF13BCA6-3AF2-47E9-87A0-82642B529368}

TERM.....BACTERIOSTATIC WATER

PRODUCT: BLADDER IRRIGATION

ABBREVIATION.....BLAD IRRIG

ACTIVE.....Yes

DESCRIPTION.....Bladder Irrigation Output Product

DISPLAY_NAME.....Bladder Irrigation

HELP_TEXT.....No Help Text

ID.....{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}

TERM.....BLADDER IRRIGATION

PRODUCT: BLOOD PRODUCT

ABBREVIATION.....bp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Blood Product

HELP_TEXT.....No Help Text

ID.....{A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}

TERM.....BLOOD PRODUCT

PRODUCT: CARDIAC OUTPUT INJECTATE

ABBREVIATION.....CARD OUT I

ACTIVE.....Yes

DESCRIPTION.....Cardiac Output Injectate

DISPLAY_NAME.....Cardiac Output Injectate

HELP_TEXT.....No Help Text

ID.....{2128B705-DDF4-4776-87C3-AA82F854E313}

TERM.....CARDIAC OUTPUT INJECTATE

PRODUCT: CHEST TUBE

ABBREVIATION.....CHEST TUBE
ACTIVE.....Yes
DESCRIPTION.....Chest Tube Output
DISPLAY_NAME.....Chest Tube
HELP_TEXT.....No Help Text
ID.....{74C0C672-02AD-45A8-99DB-F5256BA14C72}
TERM.....CHEST TUBE

PRODUCT: CHEST TUBE DRAINAGE

ABBREVIATION.....CHEST T DR
ACTIVE.....Yes
DESCRIPTION.....Chest Tube Drainage
DISPLAY_NAME.....Chest Tube Drainage
HELP_TEXT.....No Help Text
ID.....{591D62C9-D173-45AD-8E05-A500F1C4AAA7}
TERM.....CHEST TUBE DRAINAGE

PRODUCT: COLLOID

ABBREVIATION.....COLLOID
ACTIVE.....Yes
DESCRIPTION.....Colloid
DISPLAY_NAME.....Colloid

HELP_TEXT.....No Help Text
ID.....{5B912A05-9ECA-43C1-A117-BE0843313CDD}
TERM.....COLLOID

PRODUCT: CRYOPRECIPITATE

ABBREVIATION.....CRYOPRECIP
ACTIVE.....Yes
DESCRIPTION.....Cryoprecipitate Blood Product
DISPLAY_NAME.....Cryoprecipitate
HELP_TEXT.....No Help Text
ID.....{5329E737-E059-480D-83F8-1146B091C14E}
TERM.....CRYOPRECIPITATE

PRODUCT: CRYSTALLOID

ABBREVIATION.....CRYSTALLOI
ACTIVE.....Yes
DESCRIPTION.....Crystalloid
DISPLAY_NAME.....Crystalloid
HELP_TEXT.....No Help Text
ID.....{F8B0C9B5-F386-4C88-896A-092C4A95A031}
TERM.....CRYSTALLOID

PRODUCT: DAKINS SOLUTION

ABBREVIATION.....DAKINS SOL
ACTIVE.....Yes
DESCRIPTION.....Dakins Solution
DISPLAY_NAME.....Dakins Solution
HELP_TEXT.....Dakins Solution
ID.....{51651D24-B909-427B-9FF0-3C2859A63D73}
TERM.....DAKINS SOLUTION

PRODUCT: EF RESIDUAL

ABBREVIATION.....EF RESID
ACTIVE.....Yes
DESCRIPTION.....Enteral Feeding Residual
DISPLAY_NAME.....EF Residual
HELP_TEXT.....No Help Text
ID.....{35E269DF-F246-4DF6-9D68-7FD61F8FE088}
TERM.....EF RESIDUAL

PRODUCT: ELEMENTAL FORMULA

ABBREVIATION.....ELE FORM
ACTIVE.....Yes
DESCRIPTION.....Elemental Enteral Nutrition Formula
DISPLAY_NAME.....Elemental Formula

HELP_TEXT.....No Help Text
ID.....{E85DFA33-7F32-4348-9E0E-249AC301EC03}
TERM.....ELEMENTAL FORMULA

PRODUCT: EMESIS

ABBREVIATION.....EMESIS
ACTIVE.....Yes
DESCRIPTION.....Emesis output
DISPLAY_NAME.....Emesis
HELP_TEXT.....No Help Text
ID.....{A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}
TERM.....EMESIS

PRODUCT: FECES

ABBREVIATION.....f
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Feces
HELP_TEXT.....No Help Text
ID.....{C1CED7CD-EF5D-37D8-4EE0-CC9FD6F20DB0}
TERM.....FECES

PRODUCT: FFP

ABBREVIATION.....FFP

ACTIVE.....Yes

DESCRIPTION.....Fresh Frozen Plasma

DISPLAY_NAME.....FFP

HELP_TEXT.....No Help Text

ID.....{9DD0ECF5-634F-49CF-A529-A2657240A80C}

TERM.....FFP

PRODUCT: FFP - THAWED

ABBREVIATION.....FFP-THAWED

ACTIVE.....Yes

DESCRIPTION.....Fresh Frozen Plasma, Thawed

DISPLAY_NAME.....FFP - THAWED

HELP_TEXT.....No Help Text

ID.....{AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}

TERM.....FFP - THAWED

PRODUCT: FORMULA - HIGH FIBER

ABBREVIATION.....FORM H FIB

ACTIVE.....Yes

DESCRIPTION.....High Fiber Formula

DISPLAY_NAME.....High Fiber Formula

HELP_TEXT.....No Help Text
ID.....{249D8C78-B600-4443-A2E2-39F1B67698DD}
TERM.....FORMULA - HIGH FIBER

PRODUCT: FORMULA - PROBALANCE

ABBREVIATION.....PROBALANCE
ACTIVE.....Yes
DESCRIPTION.....Probalance Formula
DISPLAY_NAME.....Probalance Formula
HELP_TEXT.....No Help Text
ID.....{4EA729FE-08EA-490B-822D-696061E5B55F}
TERM.....FORMULA - PROBALANCE

PRODUCT: FORMULA 1.5 CAL

ABBREVIATION.....1.5 C FORM
ACTIVE.....Yes
DESCRIPTION.....1.5 Cal Enteral Nutrition Formula
DISPLAY_NAME.....1.5 Cal Formula
HELP_TEXT.....No Help Text
ID.....{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}
TERM.....FORMULA 1.5 CAL

PRODUCT: FORMULA 2.0 CAL

ABBREVIATION.....2.0 C FORM
ACTIVE.....Yes
DESCRIPTION.....2.0 Cal Enteral Nutrition Formula
DISPLAY_NAME.....2.0 Cal Formula
HELP_TEXT.....No Help Text
ID.....{E5FB9590-25AA-435A-B9B4-4812EA15C217}
TERM.....FORMULA 2.0 CAL

PRODUCT: FORMULA D10W ENTERAL NUTRITION

ABBREVIATION.....D10W ENT N
ACTIVE.....Yes
DESCRIPTION.....D10W Enteral Nutrition
DISPLAY_NAME.....D10W Enteral Nutrition
HELP_TEXT.....10% Dextrose and Water solution
ID.....{F8FB55C4-6229-427F-987D-3D469E307D0D}
TERM.....FORMULA D10W ENTERAL NUTRITION

PRODUCT: FORMULA D50W ENTERAL NUTRITION

ABBREVIATION.....D50W ENT N
ACTIVE.....Yes
DESCRIPTION.....D50W Enteral Nutrition
DISPLAY_NAME.....D50W Enteral Nutrition

HELP_TEXT.....50% Dextrose and Water Solution

ID.....{19ED9C83-42C1-42AF-AB4D-1A34B621EFB9}

TERM.....FORMULA D50W ENTERAL NUTRITION

PRODUCT: FORMULA D5W ENTERAL NUTRITION

ABBREVIATION.....D5W ENT NU

ACTIVE.....Yes

DESCRIPTION.....D5W Enteral Nutrition

DISPLAY_NAME.....D5W Enteral Nutrition

HELP_TEXT.....5% Dextrose and Water Solution

ID.....{9EA15A1B-DA1C-49EC-B463-82DD5F125F82}

TERM.....FORMULA D5W ENTERAL NUTRITION

PRODUCT: FORMULA FIBER

ABBREVIATION.....FIBER FORM

ACTIVE.....Yes

DESCRIPTION.....Fiber Enteral Nutrition Formula

DISPLAY_NAME.....Fiber Enteral Nutrition Formula

HELP_TEXT.....No Help Text

ID.....{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}

TERM.....FORMULA FIBER

PRODUCT: FULL LIQUID

ABBREVIATION.....FL LIQUID

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Full Liquid

HELP_TEXT.....No Help Text

ID.....{C8405270-CCA3-4BFF-B9D0-398590FBB1D9}

TERM.....FULL LIQUID

PRODUCT: GASTRIC DRAINAGE

ABBREVIATION.....GAST DRAIN

ACTIVE.....Yes

DESCRIPTION.....Gastric Drainage

DISPLAY_NAME.....Gastric Drainage

HELP_TEXT.....No Help Text

ID.....{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}

TERM.....GASTRIC DRAINAGE

PRODUCT: GLUCERNA DIABETIC

ABBREVIATION.....GLUCERNA D

ACTIVE.....Yes

DESCRIPTION.....Glucerna Diabetic

DISPLAY_NAME.....Glucerna Diabetic

HELP_TEXT.....No Help Text
ID.....{C2F2CCFE-6D77-49B4-BF5E-F1A285326440}
TERM.....GLUCERNA DIABETIC

PRODUCT: GRANULOCYTES PHERESIS

ABBREVIATION.....GRAN PHERE
ACTIVE.....Yes
DESCRIPTION.....Granulocytes Pheresis Blood Product
DISPLAY_NAME.....Granulocytes Pheresis
HELP_TEXT.....No Help Text
ID.....{2B90878D-9C29-4731-9525-D7DD7FCB513B}
TERM.....GRANULOCYTES PHERESIS

PRODUCT: HEME

ABBREVIATION.....HEME
ACTIVE.....Yes
DESCRIPTION.....Heme output
DISPLAY_NAME.....Heme
HELP_TEXT.....No Help Text
ID.....{A0ADA229-E779-4562-84B5-67121B88C443}
TERM.....HEME

PRODUCT: HEMODIALYSIS

ABBREVIATION.....HEMODIALYS
ACTIVE.....Yes
DESCRIPTION.....Hemodialysis Intake and Output Product
DISPLAY_NAME.....Hemodialysis
HELP_TEXT.....No Help Text
ID.....{8409B357-C41E-4F4A-BB52-F09AD9704C30}
TERM.....HEMODIALYSIS

PRODUCT: HEPATIC FORMULA

ABBREVIATION.....HEPAT FORM
ACTIVE.....Yes
DESCRIPTION.....Hepatic Enteral Nutrition Formula
DISPLAY_NAME.....Hepatic Enteral Nutrition Formula
HELP_TEXT.....No Help Text
ID.....{41DEECAB-168F-4522-852C-C1ED751BFEDC}
TERM.....HEPATIC FORMULA

PRODUCT: HIGH PROTEIN FORMULA

ABBREVIATION.....HIGH PROTE
ACTIVE.....Yes
DESCRIPTION.....High Protein
DISPLAY_NAME.....High Protein Formula

HELP_TEXT.....No Help Text
ID.....{3618C874-3EAE-41CF-BE2B-3DFB960E034F}
TERM.....HIGH PROTEIN FORMULA

PRODUCT: JP DRAIN

ABBREVIATION.....JP DRAIN
ACTIVE.....Yes
DESCRIPTION.....Jackson-Pratt Drain
DISPLAY_NAME.....JP DRAIN
HELP_TEXT.....No Help Text
ID.....{0889246D-AD40-4CFC-A721-BBCB8C34BE19}
TERM.....JP DRAIN

PRODUCT: JUICE

ABBREVIATION.....JUICE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Juice
HELP_TEXT.....No Help-Text
ID.....{91FFF519-1677-BB1D-D959-65B1BFA10285}
TERM.....JUICE

PRODUCT: LINE FLUSH

ABBREVIATION.....LINE FLUSH
ACTIVE.....Yes
DESCRIPTION.....Fluid flushed from line
DISPLAY_NAME.....LINE FLUSH
HELP_TEXT.....No Help Text
ID.....{D3EA8BCD-0EC4-4B39-BA92-BC3FF505C9A4}
TERM.....LINE FLUSH

PRODUCT: LINE FLUSH HEPARIN

ABBREVIATION.....LN FL HEPA
ACTIVE.....Yes
DESCRIPTION.....Heparin used to flush dialysis lines
DISPLAY_NAME.....Line Flush Heparin
HELP_TEXT.....No Help Text
ID.....{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}
TERM.....LINE FLUSH HEPARIN

PRODUCT: LIPIDS

ABBREVIATION.....LIPIDS
ACTIVE.....Yes
DESCRIPTION.....Lipids
DISPLAY_NAME.....Lipids

HELP_TEXT.....No Help Text

ID.....{80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

TERM.....LIPIDS

PRODUCT: MAGNACAL

ABBREVIATION.....MAGNACAL

ACTIVE.....Yes

DESCRIPTION.....Magnacal Enteral Nutrition Type

DISPLAY_NAME.....Magancal

HELP_TEXT.....No Help Text

ID.....{86688633-DFCA-4FBE-99F5-8E0B3FAFE695}

TERM.....MAGNACAL

PRODUCT: MEDIASTINAL

ABBREVIATION.....MEDIASTINA

ACTIVE.....Yes

DESCRIPTION.....Mediastinal Output Product

DISPLAY_NAME.....Mediastinal

HELP_TEXT.....No Help Text

ID.....{A0550B31-B937-4FC7-8F7E-071F75215311}

TERM.....MEDIASTINAL

PRODUCT: MEDICATION

ABBREVIATION.....MEDICATION
ACTIVE.....Yes
DESCRIPTION.....Medication
DISPLAY_NAME.....Medication
HELP_TEXT.....Medication
ID.....{CDD5944E-A0EC-45CE-8EB0-7F9EDF7197E5}
TERM.....MEDICATION

PRODUCT: MODULAR CUSTOMIZED FORMULA

ABBREVIATION.....CUST FORMU
ACTIVE.....Yes
DESCRIPTION.....Modular Customized Formula
DISPLAY_NAME.....Modular Customized Formula
HELP_TEXT.....No Help Text
ID.....{249D095E-9676-4CC5-8A39-097F96A4C032}
TERM.....MODULAR CUSTOMIZED FORMULA

PRODUCT: NEPRO RENAL FORMULA

ABBREVIATION.....NEPR RENAL
ACTIVE.....Yes
DESCRIPTION.....Nepro Renal Enteral Nutrition Formula
DISPLAY_NAME.....Nepro Renal Enteral Nutrition Formula

HELP_TEXT.....No Help Text
ID.....{59C9B396-A705-445B-B566-F030DA4B2B79}
TERM.....NEPRO RENAL FORMULA

PRODUCT: NG RESIDUAL

ABBREVIATION.....NG RESID
ACTIVE.....Yes
DESCRIPTION.....Naso-Gastric Residual Output
DISPLAY_NAME.....NG Residual
HELP_TEXT.....No Help Text
ID.....{B03C9557-84B5-4B05-B784-C87FA90D27A7}
TERM.....NG RESIDUAL

PRODUCT: NOVASOURCE 2.0

ABBREVIATION.....NOVAS 2.0
ACTIVE.....Yes
DESCRIPTION.....Novasource 2.0 Enteral Nutrition
Formula
DISPLAY_NAME.....Novasource 2.0 Enteral Nutrition
Formula
HELP_TEXT.....No Help Text
ID.....{67D16273-6271-43E1-80D6-D12C4D55E024}
TERM.....NOVASOURCE 2.0

PRODUCT: NUTREN 1.5

ABBREVIATION.....NUTREN 1.5
ACTIVE.....Yes
DESCRIPTION.....Nutren 1.5
DISPLAY_NAME.....Nutren 1.5
HELP_TEXT.....No Help Text
ID.....{B93EF897-B9A1-45C6-AC9A-B386554A3186}
TERM.....NUTREN 1.5

PRODUCT: NUTRITIONAL SUPPLEMENT

ABBREVIATION.....NUTR SUPPL
ACTIVE.....Yes
DESCRIPTION.....Nutritional Supplement
DISPLAY_NAME.....Nutritional Supplement
HELP_TEXT.....No Help Text
ID.....{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}
TERM.....NUTRITIONAL SUPPLEMENT

PRODUCT: OSMOLITE

ABBREVIATION.....OSMOLITE
ACTIVE.....Yes
DESCRIPTION.....Osmolite Enteral Nutrition
DISPLAY_NAME.....Osmolite

HELP_TEXT.....No Help Text
ID.....{18C5843F-BC33-4609-9D58-49F07F12A059}
TERM.....OSMOLITE

PRODUCT: OSMOLITE HN

ABBREVIATION.....OSMOLIT HN
ACTIVE.....Yes
DESCRIPTION.....Osmolite HN Enteral Nutrition
DISPLAY_NAME.....Osmolite HN
HELP_TEXT.....No Help Text
ID.....{3622D5C6-1D7B-4377-94B7-5E33C642C4C5}
TERM.....OSMOLITE HN

PRODUCT: OTHER PO FLUID

ABBREVIATION.....PO OTHER
ACTIVE.....Yes
DESCRIPTION.....PO Fluid other than those listed.
DISPLAY_NAME.....Other - Please Specify
HELP_TEXT.....No Help Text
ID.....{1EA44424-4DE2-42B8-A50F-60DC56204502}
TERM.....OTHER PO FLUID

PRODUCT: PCA

ABBREVIATION.....PCA

ACTIVE.....Yes

DESCRIPTION.....Patient Controlled Analgesia

DISPLAY_NAME.....Patient Controlled Analgesia

HELP_TEXT.....No Help Text

ID.....{D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}

TERM.....PCA

PRODUCT: PLASMAPHERESIS

ABBREVIATION.....PLASMAPHER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Plasmapheresis

HELP_TEXT.....No Help Text

ID.....{E1214367-8BB0-4FAA-A916-EC707569A9C4}

TERM.....PLASMAPHERESIS

PRODUCT: PLATELETS

ABBREVIATION.....PLATELETS

ACTIVE.....Yes

DESCRIPTION.....Platelets

DISPLAY_NAME.....Platelets

HELP_TEXT.....No Help Text
ID.....{3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}
TERM.....PLATELETS

PRODUCT: PLATELETS PHERESIS

ABBREVIATION.....PLATELET P
ACTIVE.....Yes
DESCRIPTION.....Platelets Pheresis (Apheresis
Platelets)

DISPLAY_NAME.....Platelets Pheresis
HELP_TEXT.....No Help Text
ID.....{65CBDCBD-99DB-44FE-9230-D62886208EBF}
TERM.....PLATELETS PHERESIS

PRODUCT: PLATELETS PHERESIS IRRADIATED

ABBREVIATION.....PLATEL P I
ACTIVE.....Yes
DESCRIPTION.....Platelets Pheresis (Apheresis
platelets) Irradiated

DISPLAY_NAME.....Platelets Pheresis Irradiated
HELP_TEXT.....No Help Text
ID.....{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}
TERM.....PLATELETS PHERESIS IRRADIATED

PRODUCT: PPN

ABBREVIATION.....PPN

ACTIVE.....Yes

DESCRIPTION.....Peripheral Parenteral Nutrition

DISPLAY_NAME.....PPN

HELP_TEXT.....No Help Text

ID.....{BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}

TERM.....PPN

PRODUCT: PRBC

ABBREVIATION.....PRBC

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells

DISPLAY_NAME.....PRBC

HELP_TEXT.....No Help Text

ID.....{BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}

TERM.....PRBC

PRODUCT: PRBC - AUTOLOGOUS

ABBREVIATION.....PRBC-A

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells, Autologous

DISPLAY_NAME.....PRBC - AUTOLOGOUS

HELP_TEXT.....No Help Text
ID.....{1580990C-0B35-4DDD-84AA-682B341C9B76}
TERM.....PRBC - AUTOLOGOUS

PRODUCT: PRBC - LEUKOREDUCED

ABBREVIATION.....PRBC-L
ACTIVE.....Yes
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced
DISPLAY_NAME.....PRBC - Leukoreduced
HELP_TEXT.....No Help Text
ID.....{13DB3170-6C26-4178-B429-C02AFC541AC7}
TERM.....PRBC - LEUKOREDUCED

PRODUCT: PRBC - LEUKOREDUCED - DIRECTED

ABBREVIATION.....PRBC-L-D
ACTIVE.....Yes
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,
Directed
DISPLAY_NAME.....PRBC - LEUKOREDUCED - DIRECTED
HELP_TEXT.....No Help Text
ID.....{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}
TERM.....PRBC - LEUKOREDUCED - DIRECTED

PRODUCT: PRBC - LEUKOREDUCED - IRRADIATED

ABBREVIATION.....PRBC-L-I

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,
Irradiated

DISPLAY_NAME.....PRBC - LEUKOREDUCED - IRRADIATED

HELP_TEXT.....No Help Text

ID.....{B4431519-0102-49ED-94D6-1738E375C5A4}

TERM.....PRBC - LEUKOREDUCED - IRRADIATED

PRODUCT: PRBC - LEUKOREDUCED - WASHED

ABBREVIATION.....PRBC-L-W

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,
Washed

DISPLAY_NAME.....PRBC - LEUKOREDUCED - WASHED

HELP_TEXT.....No Help Text

ID.....{BB58F35A-1086-4061-B485-FA35DFB79A0D}

TERM.....PRBC - LEUKOREDUCED - WASHED

PRODUCT: Rh IMMUNE GLOBULIN

ABBREVIATION.....Rh IM GLOB

ACTIVE.....Yes

DESCRIPTION.....Rh Immune Globulin
DISPLAY_NAME.....Rh Immune Globulin
HELP_TEXT.....No Help Text
ID.....{1FE7BD0C-7252-427A-8216-36FCA4637089}
TERM.....Rh IMMUNE GLOBULIN

PRODUCT: SALINE

ABBREVIATION.....SALINE
ACTIVE.....Yes
DESCRIPTION.....Saline
DISPLAY_NAME.....Saline
HELP_TEXT.....No Help Text
ID.....{19D84001-70DB-47AA-9149-A37B7E0BAEF1}
TERM.....SALINE

PRODUCT: SANDOSOURCE PEPTIDE

ABBREVIATION.....SAND PEPTI
ACTIVE.....Yes
DESCRIPTION.....Sandosource Peptide Enteral Nutrition
Formula
DISPLAY_NAME.....Sandosource Peptide Enteral Nutrition
Formula
HELP_TEXT.....No Help Text
ID.....{B543461C-7316-4750-9918-B30E96AB3C95}
TERM.....SANDOSOURCE PEPTIDE

PRODUCT: SOFT DRINK

ABBREVIATION.....SOFT DRIN
ACTIVE.....Yes
DESCRIPTION.....Soft Drink
DISPLAY_NAME.....Soft Drink
HELP_TEXT.....No Help Text
ID.....{9216F0F9-4D5F-4AF7-8D84-04A2CE11BCBE}
TERM.....SOFT DRINK

PRODUCT: TPN

ABBREVIATION.....TPN
ACTIVE.....Yes
DESCRIPTION.....Total Parenteral Nutrition
DISPLAY_NAME.....TPN
HELP_TEXT.....No Help Text
ID.....{55341B62-E356-4C38-A52D-4F196751E9EB}
TERM.....TPN

PRODUCT: ULTRACAL

ABBREVIATION.....ULTRACAL
ACTIVE.....Yes
DESCRIPTION.....Ultracal Enteral Nutrition
DISPLAY_NAME.....Ultracal Enteral Nutrition

HELP_TEXT.....No Help Text

ID.....{B18E6151-9DC6-4380-899A-E84715BFC61B}

TERM.....ULTRACAL

PRODUCT: URINE

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Urine

HELP_TEXT.....No Help Text

ID.....{1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

TERM.....URINE

PRODUCT: VITAL ENTERAL NUTRITION TYPE

ABBREVIATION.....VIT ENT NU

ACTIVE.....Yes

DESCRIPTION.....Vital Enteral Nutrition

DISPLAY_NAME.....Vital Enteral Nutrition

HELP_TEXT.....No Help Text

ID.....{D77B607C-85C4-428E-AAE6-B319F33F4E9F}

TERM.....VITAL ENTERAL NUTRITION TYPE

PRODUCT: VITAL HN ENTERAL NUTRITION

ABBREVIATION.....VIT NUT HN

ACTIVE.....Yes

DESCRIPTION.....Vital HN Enteral Nutrition

DISPLAY_NAME.....Vital HN Enteral Nutrition

HELP_TEXT.....No Help Text

ID.....{3973F52F-D53F-4D80-928A-BD6154D5C434}

TERM.....VITAL HN ENTERAL NUTRITION

PRODUCT: WATER

ABBREVIATION.....WATER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Water

HELP_TEXT.....No Help-Text

ID.....{ACCC998E-0F64-510D-B843-3D30B2AD67CF}

TERM.....WATER

PRODUCT: WBC - WASHED

ABBREVIATION.....WBC WASHED

ACTIVE.....Yes

DESCRIPTION.....White Blood Cells, Washed

DISPLAY_NAME.....WBC - Washed

HELP_TEXT.....No Help Text

ID.....{F1460F94-203C-473D-AC7C-92E8ADFFC0F5}

TERM.....WBC - WASHED

PRODUCT: WHOLE BLOOD

ABBREVIATION.....WHOL BLOOD

ACTIVE.....Yes

DESCRIPTION.....Whole Blood

DISPLAY_NAME.....Whole Blood

HELP_TEXT.....No Help Text

ID.....{144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

TERM.....WHOLE BLOOD

PRODUCT: WOUND DRAINAGE

ABBREVIATION.....WOUN DRAIN

ACTIVE.....Yes

DESCRIPTION.....Wound Drainage

DISPLAY_NAME.....Wound Drainage

HELP_TEXT.....Drainage From Wound

ID.....{73038CBA-1F31-47E2-A78E-50ED1067CBEA}

TERM.....WOUND DRAINAGE

PRODUCT: WOUND IRRIGATION

ABBREVIATION.....WOUND IRRI
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Wound Irrigation
HELP_TEXT.....No Help Text
ID.....{192EC6B7-8E2E-418C-9345-BC8A7986CA59}
TERM.....WOUND IRRIGATION

PRODUCT: WOUND VACUUM

ABBREVIATION.....WOUND VAC
ACTIVE.....Yes
DESCRIPTION.....Wound Vacuum Output Product
DISPLAY_NAME.....Wound Vacuum
HELP_TEXT.....No Help Text
ID.....{9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}
TERM.....WOUND VACUUM

QUALITY: ACTUAL

ABBREVIATION.....A

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Actual

HELP_TEXT.....No Help Text

ID.....{5842A4D9-56A1-7A5A-13C9-F481699C3A09}

TERM.....ACTUAL

QUALITY: ANTECUBITAL

ABBREVIATION.....ANTECUB

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Antecubital

HELP_TEXT.....No Help Text

ID.....{0D56DDB8-EDCD-BF9F-5F77-567BC59F3580}

TERM.....ANTECUBITAL

QUALITY: BRACHIAL

ABBREVIATION.....BRACHIAL

ACTIVE.....No

DESCRIPTION.....No Description
DISPLAY_NAME.....Brachial
HELP_TEXT.....No Help Text
ID.....{CFE7E2E3-20BC-7ACE-262B-8BAE4FB36B59}
TERM.....BRACHIAL

QUALITY: DRY

ABBREVIATION.....D
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Dry
HELP_TEXT.....No Help Text
ID.....{B319EFF4-BA4A-85B1-2617-E00E46A54ABE}
TERM.....DRY

QUALITY: ESTIMATED

ABBREVIATION.....E
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Estimated
HELP_TEXT.....No Help Text
ID.....{9EAF26B-7D87-DA66-F991-022D095FB5A0}
TERM.....ESTIMATED

QUALITY: ESTIMATED BY ARM SPAN

ABBREVIATION.....EAS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Estimated by Arm Span
HELP_TEXT.....No Help Text
ID.....{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}
TERM.....ESTIMATED BY ARM SPAN

QUALITY: OTHER

ABBREVIATION.....Oth
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Other
HELP_TEXT.....No Help Text
ID.....{7C0850DD-931C-65C8-1003-E31FBBADF6E9}
TERM.....OTHER

QUALITY: PEDIATRIC

ABBREVIATION.....Ped
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Pediatric

HELP_TEXT.....No Help Text

ID.....{83C8FF79-1919-B001-9F8B-68F014216F0B}

TERM.....PEDIATRIC

QUALITY: RADIAL

ABBREVIATION.....RADIAL

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY_NAME.....Radial

HELP_TEXT.....No Help Text

ID.....{8F407DAB-8C6D-A5B3-524E-444B22613F4D}

TERM.....RADIAL

QUALITY: STATED

ABBREVIATION.....Sta

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Stated

HELP_TEXT.....No Help Text

ID.....{6362C194-B7F2-D38C-5B72-3BE5DE09438E}

TERM.....STATED

SCHEDULE: CATHETER

ABBREVIATION.....CATHETER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Catheter

HELP_TEXT.....No Help Text

ID.....{8C788C2B-3C73-7D8D-9032-A1E2188413B8}

TERM.....CATHETER

SCHEDULE: PRN

ABBREVIATION.....PRN

ACTIVE.....Yes

DESCRIPTION.....AS NEEDED

DISPLAY_NAME.....PRN

HELP_TEXT.....No Help Text

ID.....{B9423F6A-166B-CF51-6375-E3928FE0BAD6}

TERM.....PRN

SCHEDULE: Q2H

ABBREVIATION.....q2h

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Every 2 hours
HELP_TEXT.....No Help Text
ID.....{8EF08D16-5529-5FF0-5B84-36703D82E01C}
TERM.....Q2H

SCHEDULE: Q4H

ABBREVIATION.....q4
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Every 4 Hours
HELP_TEXT.....No Help Text
ID.....{E5638DC5-2772-FD4A-2D81-04B2DA5C8DDC}
TERM.....Q4H

SCHEDULE: Q7D

ABBREVIATION.....q7d
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Every 7 Days
HELP_TEXT.....No Help Text
ID.....{E3E171BF-17B3-1C59-112B-042380890C62}
TERM.....Q7D

SCHEDULE: QD

ABBREVIATION.....qd
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Everyday
HELP_TEXT.....No Help Text
ID.....{741F0241-5BC5-5AE2-8D8E-543155C46711}
TERM.....QD

SCHEDULE: RESTRAINT STRAP

ABBREVIATION.....RES STRAP
ACTIVE.....No
DESCRIPTION.....Restraint Strap
DISPLAY_NAME.....Restaint Strap
HELP_TEXT.....No Help Text
ID.....{D9162D47-0F50-49F4-837F-70AD65C169BB}
TERM.....RESTRAINT STRAP

TASK: ACTIVITY - ABD PILLOW

ABBREVIATION.....ACT ABD PI

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - ABD PILLOW

DISPLAY_NAME.....ACTIVITY - ABD PILLOW

HELP_TEXT.....ACTIVITY - ABD PILLOW

ID.....{381AA3BB-8858-4B2B-B607-8FC6C6FF707F}

TERM.....ACTIVITY - ABD PILLOW

TASK: ACTIVITY - AMBULATE

ABBREVIATION.....ACT AMBULA

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - AMBULATE

DISPLAY_NAME.....ACTIVITY - AMBULATE

HELP_TEXT.....ACTIVITY - AMBULATE

ID.....{E7232201-7FC2-4900-82D0-EF3A10FCB760}

TERM.....ACTIVITY - AMBULATE

TASK: ACTIVITY - CONT. PASSIVE MOTION DEV.

ABBREVIATION.....ACT CPM DE

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - CONTINUOUS PASSIVE MOTION

DEVICE

DISPLAY_NAME.....ACTIVITY - CONT. PASS. MOT. DEV.

HELP_TEXT.....ACTIVITY - CONTINUOUS PASSIVE MOTION

DEVICE

ID.....{7587CDE1-CD6F-4A9C-8E4E-9919485E321E}

TERM.....ACTIVITY - CONT. PASSIVE MOTION DEV.

TASK: ACTIVITY - ELEVATE HEAD OF BED

ABBREVIATION.....ACT EL HOB

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - ELEVATE HEAD OF BED

DISPLAY_NAME.....ACTIVITY - ELEVATE HEAD OF BED

HELP_TEXT.....ACTIVITY - ELEVATE HEAD OF BED

ID.....{66CDCA34-6B02-4D8B-AD39-FD56BD51EC7E}

TERM.....ACTIVITY - ELEVATE HEAD OF BED

TASK: ACTIVITY - KNEE IMMOBILIZER

ABBREVIATION.....ACT KNEE I

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - KNEE IMMOBILIZER

DISPLAY_NAME.....ACTIVITY - KNEE IMMOBILIZER

HELP_TEXT.....ACTIVITY - KNEE IMMOBILIZER

ID.....{182692D9-7ECC-45B9-82F6-163DFF937438}

TERM.....ACTIVITY - KNEE IMMOBILIZER

TASK: ACTIVITY - ORIENT TO WARD

ABBREVIATION.....ACT ORIENT
ACTIVE.....Yes
DESCRIPTION.....Orient patient and family to ward
 policies and procedures
DISPLAY_NAME.....ACTIVITY - ORIENT TO WARD
HELP_TEXT.....ACTIVITY - ORIENT TO WARD
ID.....{35B092D6-86E0-655B-9B0E-8E819FE6967D}
TERM.....ACTIVITY - ORIENT TO WARD

TASK: ACTIVITY - RANGE OF MOTION EXERCISES

ABBREVIATION.....ACT ROM EX
ACTIVE.....Yes
DESCRIPTION.....ACTIVITY - RANGE OF MOTION EXERCISES
DISPLAY_NAME.....ACTIVITY - RANGE OF MOTION EXERCISES
HELP_TEXT.....ACTIVITY - RANGE OF MOTION EXERCISES
ID.....{D028A8B1-2548-485F-9D87-D9154858E076}
TERM.....ACTIVITY - RANGE OF MOTION EXERCISES

TASK: ACTIVITY - SIT IN CHAIR

ABBREVIATION.....ACT SIT CH
ACTIVE.....Yes
DESCRIPTION.....ACTIVITY - SIT IN CHAIR

DISPLAY_NAME.....ACTIVITY - SIT IN CHAIR
HELP_TEXT.....ACTIVITY - SIT IN CHAIR
ID.....{62765F1D-A170-450C-89C3-5F9EEFAFF71B}
TERM.....ACTIVITY - SIT IN CHAIR

TASK: ACTIVITY - TURN PATIENT

ABBREVIATION.....ACT TURN
ACTIVE.....Yes
DESCRIPTION.....ACTIVITY - TURN PATIENT
DISPLAY_NAME.....ACTIVITY - TURN PATIENT
HELP_TEXT.....ACTIVITY - TURN PATIENT
ID.....{7A545892-7660-4ADE-8017-12DD76762EE8}
TERM.....ACTIVITY - TURN PATIENT

TASK: ADL - BATH ASSIST

ABBREVIATION.....ADLBATHASS
ACTIVE.....Yes
DESCRIPTION.....ADL - BATH ASSIST
DISPLAY_NAME.....ADL - BATH ASSIST
HELP_TEXT.....ADL - BATH ASSIST
ID.....{0DF710C3-7EB8-44EA-8425-C4F5707D1744}
TERM.....ADL - BATH ASSIST

TASK: ADL - BATH COMPLETE

ABBREVIATION.....ADLBATHCOM
ACTIVE.....Yes
DESCRIPTION.....ADL - BATH COMPLETE
DISPLAY_NAME.....ADL - BATH COMPLETE
HELP_TEXT.....No Help Text
ID.....{E48D2F58-C42D-4D61-9E34-19DB98966970}
TERM.....ADL - BATH COMPLETE

TASK: ADL - BATH PARTIAL

ABBREVIATION.....ADLBATHPAR
ACTIVE.....Yes
DESCRIPTION.....ADL - BATH PARTIAL
DISPLAY_NAME.....ADL - BATH PARTIAL
HELP_TEXT.....ADL - BATH PARTIAL
ID.....{6997EBBC-1D7C-46CC-AFC0-0035A777DFBD}
TERM.....ADL - BATH PARTIAL

TASK: ADL - BATH SELF

ABBREVIATION.....ADLBATHSEL
ACTIVE.....Yes
DESCRIPTION.....ADL - BATH SELF
DISPLAY_NAME.....ADL - BATH SELF

HELP_TEXT.....ADL - BATH SELF

ID.....{F79F34A1-F147-4A68-8039-2F80E3BF7CBE}

TERM.....ADL - BATH SELF

TASK: ADL - CATHETER CARE

ABBREVIATION.....ADLCATHCAR

ACTIVE.....Yes

DESCRIPTION.....ADL - CATHETER CARE

DISPLAY_NAME.....ADL - CATHETER CARE

HELP_TEXT.....ADL - CATHETER CARE

ID.....{8AAD5864-D7A5-4886-AD58-BDDDC00D80DC}

TERM.....ADL - CATHETER CARE

TASK: ADL - FEED PATIENT

ABBREVIATION.....ADL FEED P

ACTIVE.....Yes

DESCRIPTION.....ADL - FEED PATIENT

DISPLAY_NAME.....ADL - FEED PATIENT

HELP_TEXT.....ADL - FEED PATIENT

ID.....{D525A017-C515-4FBE-9CC2-FDB5FA6CF010}

TERM.....ADL - FEED PATIENT

TASK: ADL - ORAL HYGIENE

ABBREVIATION.....ADLORALHYG
ACTIVE.....Yes
DESCRIPTION.....ADL - ORAL HYGIENE
DISPLAY_NAME.....ADL - ORAL HYGIENE
HELP_TEXT.....ADL - ORAL HYGIENE
ID.....{27044060-F4C7-4616-9CE4-D2BFE1001EEE}
TERM.....ADL - ORAL HYGIENE

TASK: ADL - SHAVE

ABBREVIATION.....ADLSHAVE
ACTIVE.....Yes
DESCRIPTION.....ADL - SHAVE
DISPLAY_NAME.....ADL - SHAVE
HELP_TEXT.....ADL - SHAVE
ID.....{B5763C28-DEF7-4A6B-86C2-1C1237B6F568}
TERM.....ADL - SHAVE

TASK: ADL - SKIN CARE

ABBREVIATION.....ADLSKINCAR
ACTIVE.....Yes
DESCRIPTION.....ADL - SKIN CARE
DISPLAY_NAME.....ADL - SKIN CARE

HELP_TEXT.....ADL - SKIN CARE

ID.....{7B41CD6E-8F0C-44B5-9415-288ABAF8271A}

TERM.....ADL - SKIN CARE

TASK: ADL - TURN

ABBREVIATION.....ADLTURN

ACTIVE.....Yes

DESCRIPTION.....ADL - TURN

DISPLAY_NAME.....ADL - TURN

HELP_TEXT.....ADL - TURN

ID.....{CCF74486-3ADE-4A67-A6A0-121F195E6FCB}

TERM.....ADL - TURN

TASK: ASSESSMENT - CO

ABBREVIATION.....A CO

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - CO

DISPLAY_NAME.....ASSESSMENT - CO

HELP_TEXT.....ASSESSMENT - CO

ID.....{D94C0EFD-CFB8-4249-89D0-1A4BF6C777FC}

TERM.....ASSESSMENT - CO

TASK: ASSESSMENT - COLLECT VITALS

ABBREVIATION.....A CO VITAL

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - COLLECT VITALS

DISPLAY_NAME.....ASSESSMENT - COLLECT VITALS

HELP_TEXT.....ASSESSMENT - COLLECT VITALS

ID.....{9A21F145-1DBA-0BA5-4C9D-E9E31B3F3E45}

TERM.....ASSESSMENT - COLLECT VITALS

TASK: ASSESSMENT - DOPPLERS

ABBREVIATION.....A DOPPLERS

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - DOPPLERS

DISPLAY_NAME.....ASSESSMENT - DOPPLERS

HELP_TEXT.....ASSESSMENT - DOPPLERS

ID.....{8B1F6E7E-95D5-47A0-A23D-2A8A088930B8}

TERM.....ASSESSMENT - DOPPLERS

TASK: ASSESSMENT - FINGERSTICK BLOOD SUGAR

ABBREVIATION.....A BLD SUGR

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

DISPLAY_NAME.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

HELP_TEXT.....ASSESSMENT - FINGERSTICK BLOOD SUGAR
(FSBS)

ID.....{50A07B57-D9E6-4F67-B6BC-E21D4A60A56C}

TERM.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

TASK: ASSESSMENT - HEMODYNAMIC READINGS

ABBREVIATION.....A HEMO REA

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - HEMODYNAMIC READINGS

DISPLAY_NAME.....ASSESSMENT - HEMODYNAMIC READINGS

HELP_TEXT.....ASSESSMENT - HEMODYNAMIC READINGS

ID.....{98328403-2F7B-7404-34EA-5411633EA55C}

TERM.....ASSESSMENT - HEMODYNAMIC READINGS

TASK: ASSESSMENT - I&O

ABBREVIATION.....A I&O

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - I&O

DISPLAY_NAME.....ASSESSMENT - I&O

HELP_TEXT.....ASSESSMENT - I&O

ID.....{53CA663E-40AC-4089-A250-10635CC64F06}

TERM.....ASSESSMENT - I&O

TASK: ASSESSMENT - NEURO CHECKS

ABBREVIATION.....A NRO CHKS
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - NEURO CHECKS
DISPLAY_NAME.....ASSESSMENT - NEURO CHECKS
HELP_TEXT.....ASSESSMENT - NEURO CHECKS
ID.....{8E1E8DE5-EFE6-41B9-86CD-484BC9EF4F66}
TERM.....ASSESSMENT - NEURO CHECKS

TASK: ASSESSMENT - NEUROVASCULAR CHECKS

ABBREVIATION.....A NROVASCU
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - NEUROVASCULAR CHECKS
DISPLAY_NAME.....ASSESSMENT - NEUROVASCULAR CHECKS
HELP_TEXT.....ASSESSMENT - NEUROVASCULAR CHECKS
ID.....{4C7FBC3F-F88B-426B-9DCB-74EE2FBC40EA}
TERM.....ASSESSMENT - NEUROVASCULAR CHECKS

TASK: ASSESSMENT - PCA

ABBREVIATION.....A PCA
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - PCA
DISPLAY_NAME.....ASSESSMENT - PCA

HELP_TEXT.....ASSESSMENT - PCA

ID.....{88464AA6-3DCF-4388-B0EC-6B3D6B098FEC}

TERM.....ASSESSMENT - PCA

TASK: ASSESSMENT - PULSE OX

ABBREVIATION.....A PULSE OX

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - PULSE OX

DISPLAY_NAME.....ASSESSMENT - PULSE OX

HELP_TEXT.....ASSESSMENT - PULSE OX

ID.....{FC2A17F3-DC69-427D-946B-C3403B92528B}

TERM.....ASSESSMENT - PULSE OX

TASK: ASSESSMENT - RESTRAINTS

ABBREVIATION.....A RESTRAIN

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - RESTRAINTS

DISPLAY_NAME.....ASSESSMENT - RESTRAINTS

HELP_TEXT.....ASSESSMENT - RESTRAINTS

ID.....{3D02BA0C-BFDD-4D82-8B44-40C861E7FD24}

TERM.....ASSESSMENT - RESTRAINTS

TASK: ASSESSMENT - TELEMETRY

ABBREVIATION.....A TELEMETR
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - TELEMETRY
DISPLAY_NAME.....ASSESSMENT - TELEMETRY
HELP_TEXT.....ASSESSMENT - TELEMETRY
ID.....{48C7FB6E-74C2-4EA4-984F-19C11C9072D7}
TERM.....ASSESSMENT - TELEMETRY

TASK: ASSESSMENT - WEIGHT

ABBREVIATION.....A WEIGHT
ACTIVE.....Yes
DESCRIPTION.....ASSESSMENT - GET PATIENTS WEIGHT
DISPLAY_NAME.....ASSESSMENT - WEIGHT
HELP_TEXT.....ASSESSMENT - GET PATIENTS WEIGHT
ID.....{CCB2F8DF-9319-4767-AE7D-90A7705C03FD}
TERM.....ASSESSMENT - WEIGHT

TASK: CALL HOUSE OFFICER - BP DIASTOLIC

ABBREVIATION.....CHO DBP
ACTIVE.....Yes
DESCRIPTION.....CALL HOUSE OFFICER - BP DIASTOLIC
DISPLAY_NAME.....CALL HOUSE OFFICER - BP DIASTOLIC

HELP_TEXT.....CALL HOUSE OFFICER - BP DIASTOLIC
ID.....{19A8A7AD-6BAC-4326-806C-BC80E5636FFC}
TERM.....CALL HOUSE OFFICER - BP DIASTOLIC

TASK: CALL HOUSE OFFICER - BP SYSTOLIC

ABBREVIATION.....CHO SBP
ACTIVE.....Yes
DESCRIPTION.....CALL HOUSE OFFICER - BP SYSTOLIC
DISPLAY_NAME.....CALL HOUSE OFFICER - BP SYSTOLIC
HELP_TEXT.....CALL HOUSE OFFICER - BP SYSTOLIC
ID.....{971F71F9-AAD6-46BF-A729-45F0B98FD6D3}
TERM.....CALL HOUSE OFFICER - BP SYSTOLIC

TASK: CALL HOUSE OFFICER - PULSE

ABBREVIATION.....CHO PULSE
ACTIVE.....Yes
DESCRIPTION.....CALL HOUSE OFFICER - PULSE
DISPLAY_NAME.....CALL HOUSE OFFICER - PULSE
HELP_TEXT.....CALL HOUSE OFFICER - PULSE
ID.....{81EED77A-5116-4B2D-B52B-42BAFACC69C9}
TERM.....CALL HOUSE OFFICER - PULSE

TASK: CALL HOUSE OFFICER - RESPIRATORY RATE

ABBREVIATION.....CHO RR

ACTIVE.....Yes

DESCRIPTION.....CALL HOUSE OFFICER - RESPIRATORY RATE

DISPLAY_NAME.....CALL HOUSE OFFICER - RESPIRATORY RATE

HELP_TEXT.....CALL HOUSE OFFICER - RESPIRATORY RATE

ID.....{D2DFE1EC-017F-49B8-B59C-C724F71F2E63}

TERM.....CALL HOUSE OFFICER - RESPIRATORY RATE

TASK: CALL HOUSE OFFICER - TEMP

ABBREVIATION.....CHO TEMP

ACTIVE.....Yes

DESCRIPTION.....CALL HOUSE OFFICER - TEMP

DISPLAY_NAME.....CALL HOUSE OFFICER - TEMP

HELP_TEXT.....CALL HOUSE OFFICER - TEMP

ID.....{E59A3DC0-73CB-4B0F-B031-E3CFF280EA5F}

TERM.....CALL HOUSE OFFICER - TEMP

TASK: HYDRATION - DIET

ABBREVIATION.....HY DIET

ACTIVE.....Yes

DESCRIPTION.....HYDRATION - DIET

DISPLAY_NAME.....HYDRATION - DIET

HELP_TEXT.....HYDRATION - DIET

ID.....{C0F14019-FF1A-4D42-A857-4B1E86E793FA}

TERM.....HYDRATION - DIET

TASK: HYDRATION - HEPARIN DRIP

ABBREVIATION.....HY HEPARIN

ACTIVE.....Yes

DESCRIPTION.....HYDRATION - HEPARIN DRIP

DISPLAY_NAME.....HYDRATION - HEPARIN DRIP

HELP_TEXT.....HYDRATION - HEPARIN DRIP

ID.....{EC49EE9D-C2EB-4F7D-A9D4-9746DDEF84A6}

TERM.....HYDRATION - HEPARIN DRIP

TASK: HYDRATION - HYPERAL

ABBREVIATION.....HY HYPERAL

ACTIVE.....Yes

DESCRIPTION.....HYDRATION - HYPERAL

DISPLAY_NAME.....HYDRATION - HYPERAL

HELP_TEXT.....HYDRATION - HYPERAL

ID.....{5F91CA9E-82F1-4490-8648-896864F1F68C}

TERM.....HYDRATION - HYPERAL

TASK: HYDRATION - IV FLUIDS

ABBREVIATION.....HY IV FLU
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - IV FLUIDS
DISPLAY_NAME.....HYDRATION - IV FLUIDS
HELP_TEXT.....HYDRATION - IV FLUIDS
ID.....{75D6B913-147F-4318-B6A5-985438E8CF66}
TERM.....HYDRATION - IV FLUIDS

TASK: HYDRATION - NPO

ABBREVIATION.....HY NPO
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - NPO
DISPLAY_NAME.....HYDRATION - NPO
HELP_TEXT.....HYDRATION - NPO
ID.....{44028E10-FB0D-4AFD-9B8D-90F157D6329D}
TERM.....HYDRATION - NPO

TASK: HYDRATION - PERIPHERAL IV

ABBREVIATION.....HY PIV
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - PERIPHERAL IV
DISPLAY_NAME.....HYDRATION - PERIPHERAL IV

HELP_TEXT.....HYDRATION - PERIPHERAL IV
ID.....{1ACA57CF-4226-4EF1-AABD-142EE1DE369F}
TERM.....HYDRATION - PERIPHERAL IV

TASK: HYDRATION - PICC/CENTRAL LINE

ABBREVIATION.....HY PICC
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - PICC/CENTRAL LINE
DISPLAY_NAME.....HYDRATION - PICC/CENTRAL LINE
HELP_TEXT.....HYDRATION - PICC/CENTRAL LINE
ID.....{E1D6E811-CE80-4F8A-AB00-570D1C8079CA}
TERM.....HYDRATION - PICC/CENTRAL LINE

TASK: HYDRATION - SUPPLEMENT SNACK

ABBREVIATION.....HY SNACK S
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - SUPPLEMENT SNACK
DISPLAY_NAME.....HYDRATION - SUPPLEMENT SNACK
HELP_TEXT.....HYDRATION - SUPPLEMENT SNACK
ID.....{0916F365-7FBC-4FD3-A55B-CAD4E41A00B1}
TERM.....HYDRATION - SUPPLEMENT SNACK

TASK: HYDRATION - TUBE FEEDING

ABBREVIATION.....HY TU FEED
ACTIVE.....Yes
DESCRIPTION.....HYDRATION - TUBE FEEDING
DISPLAY_NAME.....HYDRATION - TUBE FEEDING
HELP_TEXT.....HYDRATION - TUBE FEEDING
ID.....{6EDD774C-DD5A-4BF6-B06D-725FD7A0B26C}
TERM.....HYDRATION - TUBE FEEDING

TASK: NURSING INTERVENTIONS - STRAIGHT CATH

ABBREVIATION.....NI ST CATH
ACTIVE.....Yes
DESCRIPTION.....NURSING INTERVENTIONS - STRAIGHT CATH
DISPLAY_NAME.....NURSING INTERVENTIONS - STRAIGHT CATH
HELP_TEXT.....NURSING INTERVENTIONS - STRAIGHT CATH
ID.....{A1F54C3F-CFD1-4767-BED8-55BF2BE872DD}
TERM.....NURSING INTERVENTIONS - STRAIGHT CATH

TASK: NURSING INTERVENTIONS - WOUND CARE

ABBREVIATION.....NI WOU CAR
ACTIVE.....Yes
DESCRIPTION.....NURSING INTERVENTIONS - WOUND CARE
DISPLAY_NAME.....NURSING INTERVENTIONS - WOUND CARE

HELP_TEXT.....NURSING INTERVENTIONS - WOUND CARE
ID.....{BFBE2EFF-3644-439F-951C-804B43BFFF30}
TERM.....NURSING INTERVENTIONS - WOUND CARE

TASK: PRECAUTIONS - 24 HOUR CHART CHECK

ABBREVIATION.....PREC 24 CH
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - 24 HOUR CHART CHECK
DISPLAY_NAME.....PRECAUTIONS - 24 HOUR CHART CHECK
HELP_TEXT.....PRECAUTIONS - 24 HOUR CHART CHECK
ID.....{96C39F92-CE4C-4D6B-9837-9C9FECDEC199}
TERM.....PRECAUTIONS - 24 HOUR CHART CHECK

TASK: PRECAUTIONS - ASPIRATION

ABBREVIATION.....PREC ASPIR
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - ASPIRATION
DISPLAY_NAME.....PRECAUTIONS - ASPIRATION
HELP_TEXT.....PRECAUTIONS - ASPIRATION
ID.....{D8D28810-655E-4707-BF6D-B853F18A1E08}
TERM.....PRECAUTIONS - ASPIRATION

TASK: PRECAUTIONS - ETOH W/D

ABBREVIATION.....PREC ETOH
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - ETOH W/D
DISPLAY_NAME.....PRECAUTIONS - ETOH W/D
HELP_TEXT.....PRECAUTIONS - ETOH W/D
ID.....{7800B16E-ECCD-4086-985C-0D12D4671123}
TERM.....PRECAUTIONS - ETOH W/D

TASK: PRECAUTIONS - FALL

ABBREVIATION.....PREC FALL
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - FALL
DISPLAY_NAME.....PRECAUTIONS - FALL
HELP_TEXT.....PRECAUTIONS - FALL
ID.....{CAB2E3CC-18AD-40AB-946B-DB0292E7FA09}
TERM.....PRECAUTIONS - FALL

TASK: PRECAUTIONS - PATIENT TEACHING

ABBREVIATION.....PREC TEACH
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - PATIENT TEACHING
DISPLAY_NAME.....PRECAUTIONS - PATIENT TEACHING

HELP_TEXT.....PRECAUTIONS - PATIENT TEACHING
ID.....{C58B33AB-6442-46A5-B24A-E2B856C72B98}
TERM.....PRECAUTIONS - PATIENT TEACHING

TASK: PRECAUTIONS - VALIDATE ALARMS

ABBREVIATION.....PREC ALARM
ACTIVE.....Yes
DESCRIPTION.....PRECAUTIONS - VALIDATE ALARMS
DISPLAY_NAME.....PRECAUTIONS - VALIDATE ALARMS
HELP_TEXT.....PRECAUTIONS - VALIDATE ALARMS
ID.....{CF386EC1-F5B6-4D15-8E48-8453FE6FC1CC}
TERM.....PRECAUTIONS - VALIDATE ALARMS

TASK: PULMONARY - CHEST PHYSIO-THERAPY

ABBREVIATION.....PULMCHPHTH
ACTIVE.....Yes
DESCRIPTION.....PULMONARY - CHEST PHYSIO-THERAPY
DISPLAY_NAME.....PULMONARY - CHEST PHYSIO-THERAPY
HELP_TEXT.....PULMONARY - CHEST PHYSIO-THERAPY
ID.....{F028FA64-3957-4A15-B30A-277AF594A69D}
TERM.....PULMONARY - CHEST PHYSIO-THERAPY

TASK: PULMONARY - COUGH AND DEEP BREATH

ABBREVIATION.....PULMCOUGH

ACTIVE.....Yes

DESCRIPTION.....PULMONARY - COUGH AND DEEP BREATH

DISPLAY_NAME.....PULMONARY - COUGH AND DEEP BREATH

HELP_TEXT.....PULMONARY - COUGH AND DEEP BREATH

ID.....{17A5D60E-ED50-4FBA-879D-4618563D2B98}

TERM.....PULMONARY - COUGH AND DEEP BREATH

TASK: PULMONARY - ET TUBE CARE

ABBREVIATION.....PULM ET TU

ACTIVE.....Yes

DESCRIPTION.....PULMONARY - ET TUBE CARE

DISPLAY_NAME.....PULMONARY - ET TUBE CARE

HELP_TEXT.....PULMONARY - ET TUBE CARE

ID.....{B2F57E59-33C5-49FB-BEE9-176647329910}

TERM.....PULMONARY - ET TUBE CARE

TASK: PULMONARY - INCENTIVE SPIROMETER

ABBREVIATION.....PULMINCSPI

ACTIVE.....Yes

DESCRIPTION.....PULMONARY - INCENTIVE SPIROMETER

DISPLAY_NAME.....PULMONARY - INCENTIVE SPIROMETER

HELP_TEXT.....PULMONARY - INCENTIVE SPIROMETER
ID.....{F856E287-BAAC-4D8C-AFAD-34912621F3B4}
TERM.....PULMONARY - INCENTIVE SPIROMETER

TASK: PULMONARY - OXYGEN

ABBREVIATION.....PULM OXYGE
ACTIVE.....Yes
DESCRIPTION.....PULMONARY - OXYGEN
DISPLAY_NAME.....PULMONARY - OXYGEN
HELP_TEXT.....PULMONARY - OXYGEN
ID.....{14A986A8-54F1-4D9A-A2EB-43F306704C42}
TERM.....PULMONARY - OXYGEN

TASK: PULMONARY - SUCTION PATIENT

ABBREVIATION.....PULM-SUCTI
ACTIVE.....Yes
DESCRIPTION.....PULMONARY - SUCTION PATIENT
DISPLAY_NAME.....PULMONARY - SUCTION PATIENT
HELP_TEXT.....PULMONARY - SUCTION PATIENT
ID.....{8B74C2F6-8CFB-4A60-9158-5333B980D047}
TERM.....PULMONARY - SUCTION PATIENT

TASK: PULMONARY - TRACH CARE

ABBREVIATION.....PULMTRACHC

ACTIVE.....Yes

DESCRIPTION.....PULMONARY - TRACH CARE

DISPLAY_NAME.....PULMONARY - TRACH CARE

HELP_TEXT.....PULMONARY - TRACH CARE

ID.....{EAAFB44D-359B-4FB0-9683-BC44F7D59C23}

TERM.....PULMONARY - TRACH CARE

TASK: RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET

ABBREVIATION.....RES TOILET

ACTIVE.....Yes

DESCRIPTION.....Restraint - Assess Need for
Fluids/Toileting

DISPLAY_NAME.....Restraint - Assess Need for
Fluids/Toileting

HELP_TEXT.....Restraint - Assess Need for
Fluids/Toileting

ID.....{58A09EA6-3336-4985-83A9-B765E3CB9C9E}

TERM.....RESTRAINT - ASSESS NEED FOR
FLUIDS/TOILET

TASK: RESTRAINT - CIRCULATION CHECK

ABBREVIATION.....RES CIR CH
ACTIVE.....Yes
DESCRIPTION.....Restraint - Circulation Check
DISPLAY_NAME.....Restraint - Circulation Check
HELP_TEXT.....Restraint - Circulation Check
ID.....{0A1DA91C-BC0E-4B07-967D-2BAB7E64B028}
TERM.....RESTRAINT - CIRCULATION CHECK

TASK: RESTRAINT - DEVICE RELEASE

ABBREVIATION.....RES DEV RE
ACTIVE.....Yes
DESCRIPTION.....Restraint - Device Release
DISPLAY_NAME.....Restraint - Device Release
HELP_TEXT.....Restraint - Device Release
ID.....{7B0C29DA-6593-472C-9716-24F7E2B7ABD7}
TERM.....RESTRAINT - DEVICE RELEASE

TASK: RESTRAINT - FALL PRECAUTIONS

ABBREVIATION.....RES FALL P
ACTIVE.....Yes
DESCRIPTION.....Restraint - Fall Precautions
DISPLAY_NAME.....Restraint - Fall Precautions
HELP_TEXT.....Restraint - Fall Precautions
ID.....{D812036A-7B6B-4C9C-9EE2-616C5EFC4789}
TERM.....RESTRAINT - FALL PRECAUTIONS

TASK: RESTRAINT - SEIZURE PRECAUTIONS

ABBREVIATION.....RES SEI PR
ACTIVE.....Yes
DESCRIPTION.....Restraint - Seizure Precautions
DISPLAY_NAME.....Restraint - Seizure Precautions
HELP_TEXT.....Restraint - Seizure Precautions
ID.....{71606A0A-05E6-4DFD-9E00-677A07167199}
TERM.....RESTRAINT - SEIZURE PRECAUTIONS

TASK: TESTS/PROC. - ACCUCHECKS

ABBREVIATION.....TP ACCUCHE
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - ACCUCHECKS
DISPLAY_NAME.....TESTS/PROC. - ACCUCHECKS
HELP_TEXT.....TESTS/PROC. - ACCUCHECKS
ID.....{0A5E0495-B990-449B-B5F6-10497842534E}
TERM.....TESTS/PROC. - ACCUCHECKS

TASK: TESTS/PROC. - BLOOD CULTURES

ABBREVIATION.....T/P BLOOD
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - BLOOD CULTURES
DISPLAY_NAME.....TESTS/PROC. - BLOOD CULTURES

HELP_TEXT.....TESTS/PROC. - BLOOD CULTURES
ID.....{BC2F7EFE-3990-47D2-863A-6FB2227746F3}
TERM.....TESTS/PROC. - BLOOD CULTURES

TASK: TESTS/PROC. - DAILY LABS

ABBREVIATION.....T/P D LABS
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - DAILY LABS
DISPLAY_NAME.....TESTS/PROC. - DAILY LABS
HELP_TEXT.....TESTS/PROC. - DAILY LABS
ID.....{03B3A828-D4B0-40CF-B12C-1DD936DE98AC}
TERM.....TESTS/PROC. - DAILY LABS

TASK: TESTS/PROC. - MORNING LABS

ABBREVIATION.....T/P M LABS
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - MORNING LABS
DISPLAY_NAME.....TESTS/PROC. - MORNING LABS
HELP_TEXT.....TESTS/PROC. - MORNING LABS
ID.....{6F81B3D1-CCBC-4BC9-AFF0-64000DF212EB}
TERM.....TESTS/PROC. - MORNING LABS

TASK: TESTS/PROC. - ZERO BALANCE HEMO. LINES

ABBREVIATION.....T/P 0 HEMO
ACTIVE.....Yes
DESCRIPTION.....TESTS/PROC. - ZERO BALANCE HEMO. LINES
DISPLAY_NAME.....TESTS/PROC. - ZERO BALANCE HEMO. LINES
HELP_TEXT.....TESTS/PROC. - ZERO BALANCE HEMO. LINES
ID.....{9CEDB731-A785-48B7-AC92-84B10FCCCE86}
TERM.....TESTS/PROC. - ZERO BALANCE HEMO. LINES

TASK: TUBES & DRAINS - CONDOM CATH

ABBREVIATION.....T&D C CATH
ACTIVE.....Yes
DESCRIPTION.....TUBES & DRAINS - CONDOM CATH
DISPLAY_NAME.....TUBES & DRAINS - CONDOM CATH
HELP_TEXT.....TUBES & DRAINS - CONDOM CATH
ID.....{385EFB2B-55BB-486E-B168-D1FFF71E086C}
TERM.....TUBES & DRAINS - CONDOM CATH

TASK: TUBES & DRAINS - FOLEY

ABBREVIATION.....T&D FOLEY
ACTIVE.....Yes
DESCRIPTION.....TUBES & DRAINS - FOLEY
DISPLAY_NAME.....TUBES & DRAINS - FOLEY

HELP_TEXT.....TUBES & DRAINS - FOLEY

ID.....{14CECC17-A780-41DD-98A4-6E226630BC65}

TERM.....TUBES & DRAINS - FOLEY

TASK: TUBES & DRAINS - I/O CATH

ABBREVIATION.....T&D I/O CA

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - I/O CATH

DISPLAY_NAME.....TUBES & DRAINS - I/O CATH

HELP_TEXT.....TUBES & DRAINS - I/O CATH

ID.....{5BA34E92-5248-4954-A677-443C4B2183E8}

TERM.....TUBES & DRAINS - I/O CATH

TASK: TUBES & DRAINS - NG TUBE

ABBREVIATION.....T&D NG TU

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - NG TUBE

DISPLAY_NAME.....TUBES & DRAINS - NG TUBE

HELP_TEXT.....TUBES & DRAINS - NG TUBE

ID.....{BBFCE51A-9CCF-44AC-8C37-4A779232A4B7}

TERM.....TUBES & DRAINS - NG TUBE

TASK: TUBES & DRAINS - SUPRAPUBIC DRAIN

ABBREVIATION.....T&D SUP DR

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - SUPRAPUBIC DRAIN

DISPLAY_NAME.....TUBES & DRAINS - SUPRAPUBIC DRAIN

HELP_TEXT.....TUBES & DRAINS - SUPRAPUBIC DRAIN

ID.....{6A4A5F28-35D3-494E-BA97-2E0DE4A7B8CC}

TERM.....TUBES & DRAINS - SUPRAPUBIC DRAIN

UNIT: BEATS PER MINUTE

ABBREVIATION.....bpm

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Beats Per Minute

HELP_TEXT.....No Help Text

ID.....{8319B3B0-0F31-1393-154D-59A86692D637}

TERM.....BEATS PER MINUTE

UNIT: BRADEN SCALE

ABBREVIATION.....BRADEN SCA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Braden Scale

HELP_TEXT.....No Help Text

ID.....{B5EE25BB-DA66-4AC9-9A3B-C05497B2647C}

TERM.....BRADEN SCALE

UNIT: BREATHS PER MINUTE

ABBREVIATION.....rpm

ACTIVE.....Yes

DESCRIPTION.....No Description
DISPLAY_NAME.....Resp/Min
HELP_TEXT.....No Help Text
ID.....{DCF89527-FFAE-F68E-0871-602F3C32DDB1}
TERM.....BREATHS PER MINUTE

UNIT: CALORIE

ABBREVIATION.....CALORIE
ACTIVE.....Yes
DESCRIPTION.....A unit of food energy
DISPLAY_NAME.....Calorie
HELP_TEXT.....The amount of energy required to
 raise the temperature of a liter of
 water one degree centigrade at sea
 level

ID.....{9F7DE371-AB4B-45EE-A8E3-825822419CCA}
TERM.....CALORIE

UNIT: CENTIMETER

ABBREVIATION.....cm
ACTIVE.....Yes
DESCRIPTION.....Measurment of length
DISPLAY_NAME.....Centimeter
HELP_TEXT.....Metric
ID.....{EF700458-8C2D-16E8-02DC-9E1711584C53}

TERM.....CENTIMETER

UNIT: CENTIMETERS H2O

ABBREVIATION.....CM H2O
ACTIVE.....Yes
DESCRIPTION.....CENTIMETERS OF WATER
DISPLAY_NAME.....CM H2O
HELP_TEXT.....No Help Text
ID.....{F7030BB1-AD2C-15F6-FF41-6DA893C851C1}
TERM.....CENTIMETERS H2O

UNIT: CIWA SCALE

ABBREVIATION.....CIWA SCALE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....CIWA SCALE
HELP_TEXT.....Scale For Addition Of All CIWA Scores
ID.....{0ED378B9-C1A4-4ABA-82B7-F62BC0D62886}
TERM.....CIWA SCALE

UNIT: CUBIC CENTIMETER

ABBREVIATION.....Cubic Cent
ACTIVE.....Yes
DESCRIPTION.....Cubic Centimeter
DISPLAY_NAME.....Cubic Centimeter

HELP_TEXT.....No Help Text

ID.....{4698E6A0-DA6C-4A0A-800A-395BBCD2871E}

TERM.....CUBIC CENTIMETER

UNIT: DAY

ABBREVIATION.....Day

ACTIVE.....Yes

DESCRIPTION.....Measurement of passage of time (24
hours)

DISPLAY_NAME.....Day

HELP_TEXT.....No Help Text

ID.....{742619B2-A8C7-1A53-45CD-C3E25A05D58C}

TERM.....DAY

UNIT: DEGREES (ANGLE)

ABBREVIATION.....DEG

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Degrees (Angle)

HELP_TEXT.....No Help Text

ID.....{5F407D72-3009-2553-7DDC-82BAF2043FCA}

TERM.....DEGREES (ANGLE)

UNIT: DEGREES C

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....Metric Temperature

DISPLAY_NAME.....Celsius

HELP_TEXT.....No Help Text

ID.....{1964CB4C-0584-DA80-C7A9-E7400DCD817D}

TERM.....DEGREES C

UNIT: DEGREES F

ABBREVIATION.....F

ACTIVE.....Yes

DESCRIPTION.....US measurement of temperature

DISPLAY_NAME.....Fahrenheit

HELP_TEXT.....No Help Text

ID.....{59FC6CA4-9389-B770-5A9C-8C5A38C572D8}

TERM.....DEGREES F

UNIT: DYNE * SECONDS / CM(-5) * M2

ABBREVIATION.....D*S/CM*M2

ACTIVE.....Yes

DESCRIPTION.....dyne * seconds / cm(-5) * m2

DISPLAY_NAME.....dyne * seconds / cm(-5) * m2

HELP_TEXT.....dyne * seconds / cm(-5) * m2
ID.....{1241878F-AECA-B1A8-BF12-D5FA583FC1B2}
TERM.....DYNE * SECONDS / CM(-5) * M2

UNIT: DYNE * SECONDS / CM(-5) / M2

ABBREVIATION.....D*S/CM/M2
ACTIVE.....Yes
DESCRIPTION.....dyne * seconds/cm(-5) / m2
DISPLAY_NAME.....dyne * seconds/cm(-5) / m2
HELP_TEXT.....dyne * seconds/cm(-5) / m2
ID.....{A642531F-A72E-CF60-D31A-F38AD12A8B30}
TERM.....DYNE * SECONDS / CM(-5) / M2

UNIT: DYNE-SEC/CM5

ABBREVIATION.....dyne-sec/c
ACTIVE.....Yes
DESCRIPTION.....dyne-sec/cm5
DISPLAY_NAME.....dyne-sec/cm5
HELP_TEXT.....dyne-sec/cm5
ID.....{01A538D8-41AF-4D0B-B827-D557060A618A}
TERM.....DYNE-SEC/CM5

UNIT: EVENT(S)

ABBREVIATION.....EVENT(S)
ACTIVE.....Yes
DESCRIPTION.....Event(s)
DISPLAY_NAME.....Event(s)
HELP_TEXT.....No Help Text
ID.....{723F907D-8B71-4183-AE54-66D0C3C72DCA}
TERM.....EVENT(S)

UNIT: EVENTS PER HOUR

ABBREVIATION.....EVENT/H
ACTIVE.....Yes
DESCRIPTION.....NUMBER OF TIMES PER HOUR THAT AN
OBSERVABLE EVENT OCCURS
DISPLAY_NAME.....Events Per Hour
HELP_TEXT.....No Help Text
ID.....{3D648D4F-02A9-474A-65BF-70608E75BC29}
TERM.....EVENTS PER HOUR

UNIT: FOOT

ABBREVIATION.....FT
ACTIVE.....Yes
DESCRIPTION.....No Description

DISPLAY_NAME.....Foot/Feet
HELP_TEXT.....No Help Text
ID.....{66D6F7EC-3884-4790-AC35-10B2AE84257F}
TERM.....FOOT

UNIT: FRENCH

ABBREVIATION.....FRENCH
ACTIVE.....Yes
DESCRIPTION.....UNIT OF MEASURE FOR ARTIFICIAL AIRWAYS
DISPLAY_NAME.....French
HELP_TEXT.....No Help Text
ID.....{3734E0E0-087B-098A-984A-E42264CF6567}
TERM.....FRENCH

UNIT: GAUGE

ABBREVIATION.....GAUGE
ACTIVE.....Yes
DESCRIPTION.....Gauge For Needles
DISPLAY_NAME.....Gauge
HELP_TEXT.....No Help Text
ID.....{5670BBC1-4962-4FA1-A4D0-1E399F2D06B1}
TERM.....GAUGE

UNIT: GLASGOW COMA SCALE

ABBREVIATION.....GCS
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Glasgow Coma Scale
HELP_TEXT.....No Help Text
ID.....{CA674718-C98D-669F-8954-F9EC91C2F6F3}
TERM.....GLASGOW COMA SCALE

UNIT: GM-M/M2/BEAT

ABBREVIATION.....gm-m/m2/be
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....gm-m/m2/beat
HELP_TEXT.....No Help Text
ID.....{DB5404C8-1880-4B54-B053-DF0875E72C3B}
TERM.....GM-M/M2/BEAT

UNIT: GRAMS PER HOUR

ABBREVIATION.....gm/hr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....gm/hr

HELP_TEXT.....No Help Text

ID.....{A50449B1-DF42-4D18-8F02-59937EA6CDE4}

TERM.....GRAMS PER HOUR

UNIT: GRAMS PER MINUTE

ABBREVIATION.....gm/min

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Grams Per Minute

HELP_TEXT.....No Help Text

ID.....{07D005E8-B078-A48F-96B5-8CCAA92EC97F}

TERM.....GRAMS PER MINUTE

UNIT: HOUR

ABBREVIATION.....hr

ACTIVE.....Yes

DESCRIPTION.....Measurement of time

DISPLAY_NAME.....Hour

HELP_TEXT.....No Help Text

ID.....{60034E2A-D088-E9B6-9B98-D0F4357A059F}

TERM.....HOUR

UNIT: INCH

ABBREVIATION.....in
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Inch
HELP_TEXT.....No Help Text
ID.....{9CB32FC9-4130-11F8-E750-AF1415556705}
TERM.....INCH

UNIT: KG/M2

ABBREVIATION.....KG/M2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....KG/M2
HELP_TEXT.....No Help Text
ID.....{E3204003-83B3-4D12-872D-C32A50F177D0}
TERM.....KG/M2

UNIT: KILOGRAM

ABBREVIATION.....kg
ACTIVE.....Yes
DESCRIPTION.....Metric measurement of weight
DISPLAY_NAME.....Kilogram

HELP_TEXT.....No Help Text

ID.....{0AC4E9AC-41CB-32EA-9674-74FDFAA6B4F4}

TERM.....KILOGRAM

UNIT: LITER

ABBREVIATION.....L

ACTIVE.....Yes

DESCRIPTION.....Volume, 1000 ml

DISPLAY_NAME.....Liter

HELP_TEXT.....No Help Text

ID.....{AFADB383-5867-4D7C-8ADB-E76782E5943D}

TERM.....LITER

UNIT: LITERS PER MINUTE

ABBREVIATION.....L/min

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....L/min

HELP_TEXT.....No Help Text

ID.....{CFCD64D2-8555-8513-5DB0-F0522C19DCCF}

TERM.....LITERS PER MINUTE

UNIT: LITERS PER MINUTE PER METER2 (BSA)

ABBREVIATION.....L/min/m2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....L/min/m2 (BSA)
HELP_TEXT.....No Help Text
ID.....{F033FDA0-C6D6-0D93-F836-C4A42708FDF2}
TERM.....LITERS PER MINUTE PER METER2 (BSA)

UNIT: MICROGRAMS

ABBREVIATION.....mcg
ACTIVE.....Yes
DESCRIPTION.....Micrograms
DISPLAY_NAME.....mcg
HELP_TEXT.....Micrograms
ID.....{5D2A9B6F-4DD1-48C6-B223-09CAF66A5A50}
TERM.....MICROGRAMS

UNIT: MICROGRAMS PER HOUR

ABBREVIATION.....mcg/hr
ACTIVE.....Yes
DESCRIPTION.....Micrograms per Hour
DISPLAY_NAME.....mcg/hr

HELP_TEXT.....Micrograms per Hour
ID.....{971A5FA5-2FD7-4ABD-9035-229B00DC484E}
TERM.....MICROGRAMS PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER HOUR

ABBREVIATION.....mcg/kg/hr
ACTIVE.....Yes
DESCRIPTION.....Micrograms per Kilogram per Hour
DISPLAY_NAME.....mcg/kg/hr
HELP_TEXT.....Micrograms per Kilogram per Hour
ID.....{E5C07334-6932-4329-88A9-2F56780C5DA9}
TERM.....MICROGRAMS PER KILOGRAM PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER MINUTE

ABBREVIATION.....mcg/kg/min
ACTIVE.....Yes
DESCRIPTION.....Micrograms per Kilogram per Minute
DISPLAY_NAME.....mcg/kg/min
HELP_TEXT.....Micrograms per Kilogram per Minute
ID.....{37423DE7-B103-456A-9B36-6C2FBBC55CBE}
TERM.....MICROGRAMS PER KILOGRAM PER MINUTE

UNIT: MICROGRAMS PER MINUTE

ABBREVIATION.....mcg/min

ACTIVE.....Yes

DESCRIPTION.....Micrograms per Minute

DISPLAY_NAME.....mcg/min

HELP_TEXT.....Micrograms per Minute

ID.....{BC684DBB-7DCC-4209-A773-D1243616BD69}

TERM.....MICROGRAMS PER MINUTE

UNIT: MICROGRAMS PER SHIFT

ABBREVIATION.....mcg/shift

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY_NAME.....Micrograms per Shift

HELP_TEXT.....

ID.....{8FF15E2C-54DF-43C3-B5F1-C4AD323CE043}

TERM.....MICROGRAMS PER SHIFT

UNIT: MILLIAMPS

ABBREVIATION.....mA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mA

HELP_TEXT.....No Help Text

ID.....{5146A84A-C500-CB21-4718-0E5755691FD5}

TERM.....MILLIAMPS

UNIT: MILLIBAR

ABBREVIATION.....mBar

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Millibar

HELP_TEXT.....No Help Text

ID.....{DB8DBC26-6A46-4F2B-AD14-B6A8212F4FCA}

TERM.....MILLIBAR

UNIT: MILLIGRAMS

ABBREVIATION.....mg

ACTIVE.....Yes

DESCRIPTION.....Milligrams

DISPLAY_NAME.....mg

HELP_TEXT.....Milligrams

ID.....{E8CF6B0F-FA19-4F22-BA9D-6EBAA93D7D0D}

TERM.....MILLIGRAMS

UNIT: MILLIGRAMS PER HOUR

ABBREVIATION.....mg/hr
ACTIVE.....Yes
DESCRIPTION.....Milligrams per Hour
DISPLAY_NAME.....mg/hr
HELP_TEXT.....Milligrams per Hour
ID.....{1DCC6F14-E4FF-4BDC-ADBA-99192FB44BE7}
TERM.....MILLIGRAMS PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER HOUR

ABBREVIATION.....mg/kg/hr
ACTIVE.....Yes
DESCRIPTION.....Milligrams per Kilogram per Hour
DISPLAY_NAME.....mg/kg/hr
HELP_TEXT.....Milligrams per Kilogram per Hour
ID.....{6900F44E-3581-4558-83E2-76FB376D6711}
TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER MINUTE

ABBREVIATION.....mg/kg/min
ACTIVE.....Yes
DESCRIPTION.....Milligrams per Kilogram per Minute
DISPLAY_NAME.....mg/kg/min

HELP_TEXT.....Milligrams per Kilogram per Minute
ID.....{7C1C10C2-8B88-4F45-B667-0F988090CD47}
TERM.....MILLIGRAMS PER KILOGRAM PER MINUTE

UNIT: MILLIGRAMS PER MINUTE

ABBREVIATION.....mg/min
ACTIVE.....Yes
DESCRIPTION.....Milligrams per Minute
DISPLAY_NAME.....mg/min
HELP_TEXT.....Milligrams per Minute
ID.....{C5E49AC7-5671-4E84-8047-C7B78607CDA2}
TERM.....MILLIGRAMS PER MINUTE

UNIT: MILLIGRAMS PER SHIFT

ABBREVIATION.....mg/shift
ACTIVE.....Yes
DESCRIPTION.....
DISPLAY_NAME.....Milligrams Per Shift
HELP_TEXT.....
ID.....{518BC06B-84C0-48E3-8241-E123B7B4C642}
TERM.....MILLIGRAMS PER SHIFT

UNIT: MILLILITER

ABBREVIATION.....ml
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....ml
HELP_TEXT.....No Help Text
ID.....{EAF55107-F8D5-4F0A-6211-B4AB57A874B4}
TERM.....MILLILITER

UNIT: MILLILITERS PER BEAT

ABBREVIATION.....ml/beat
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....ml/beat
HELP_TEXT.....No Help Text
ID.....{548699B0-98CF-2F0F-F289-415228AFAC42}
TERM.....MILLILITERS PER BEAT

UNIT: MILLILITERS PER BEAT PER METER SQUARE (BSA)

ABBREVIATION.....ml/beat/m2
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....ml/beat/m2(BSA)

HELP_TEXT.....No Help Text

ID.....{574CDB00-A831-EF35-4F2C-A98C0F58923F}

TERM.....MILLILITERS PER BEAT PER METER SQUARE

(BSA)

UNIT: MILLILITERS PER HOUR

ABBREVIATION.....ml/hr

ACTIVE.....Yes

DESCRIPTION.....ml/hr

DISPLAY_NAME.....ml/hr

HELP_TEXT.....No Help Text

ID.....{345899A8-9DED-418F-A53F-F8084A5601A1}

TERM.....MILLILITERS PER HOUR

UNIT: MILLILITERS PER METER SQUARE (BSA)

ABBREVIATION.....mL/M2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mL/M2

HELP_TEXT.....No Help Text

ID.....{42C265B4-76B3-44FC-985F-EA1EFCEDA244}

TERM.....MILLILITERS PER METER SQUARE (BSA)

UNIT: MILLILITERS PER MINUTE

ABBREVIATION.....ml/min

ACTIVE.....Yes

DESCRIPTION.....Milliliters per Minute

DISPLAY_NAME.....ml/min

HELP_TEXT.....Milliliters per Minute

ID.....{25F4A228-D614-457A-9885-8F74D4596897}

TERM.....MILLILITERS PER MINUTE

UNIT: MILLILITERS PER MINUTE PER METER SQUARE

ABBREVIATION.....ml/min/m2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....ml/min/m2(BSA)

HELP_TEXT.....No Help Text

ID.....{6404DFC7-F8B4-3C97-80EF-96627E9C0270}

TERM.....MILLILITERS PER MINUTE PER METER SQUARE

UNIT: MILLIMETERS

ABBREVIATION.....mm

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mm

HELP_TEXT.....No Help Text

ID.....{23F389B2-8308-91DC-2620-EDFFF07B14A5}

TERM.....MILLIMETERS

UNIT: MILLIMETERS OF MERCURY

ABBREVIATION.....mm/Hg

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mm Hg

HELP_TEXT.....No Help Text

ID.....{57CF7550-FD97-351E-DF60-56F8F68BE7C6}

TERM.....MILLIMETERS OF MERCURY

UNIT: MILLIVOLTS

ABBREVIATION.....mV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....mV

HELP_TEXT.....No Help Text

ID.....{40B59357-C9F2-0E5C-DCD7-6C815811F90D}

TERM.....MILLIVOLTS

UNIT: MILLLITERS PER KILOGRAM PER HOUR

ABBREVIATION.....ml kg hr
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....ml/kg/hour
HELP_TEXT.....No Help Text
ID.....{2F63C17C-8246-4466-9DC2-C5E5BE1777C2}
TERM.....MILLLITERS PER KILOGRAM PER HOUR

UNIT: MILLLITERS PER KILOGRAM PER MINUTE

ABBREVIATION.....ml kg mi
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....ml/kg/min
HELP_TEXT.....No Help Text
ID.....{E564F111-8B23-404A-B610-7707A5B1195D}
TERM.....MILLLITERS PER KILOGRAM PER MINUTE

UNIT: MINUTE

ABBREVIATION.....Min
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Minute

HELP_TEXT.....No Help Text
ID.....{0AF0056E-0EB1-3712-6974-A0F5DC60010B}
TERM.....MINUTE

UNIT: MODIFIED ALDRETE SCORE

ABBREVIATION.....MOD ALD SC
ACTIVE.....Yes
DESCRIPTION.....Modified Aldrete Scoring System Unit
DISPLAY_NAME.....Modified Aldrete Score
HELP_TEXT.....Unit of measure for Aldrete Scoring
System

ID.....{8D9A43E8-D4E6-4BBE-A8E6-72677342BC82}
TERM.....MODIFIED ALDRETE SCORE

UNIT: MONTH

ABBREVIATION.....Mo
ACTIVE.....Yes
DESCRIPTION.....Month of the year
DISPLAY_NAME.....Month
HELP_TEXT.....1 - 12
ID.....{8933A469-2D06-D3DA-C2C4-A8FB3DD894D6}
TERM.....MONTH

UNIT: MORSE SCORE

ABBREVIATION.....MORSE SCOR
ACTIVE.....Yes
DESCRIPTION.....Morse Score
DISPLAY_NAME.....Morse Score
HELP_TEXT.....Scale for recording Morse Score Values
ID.....{301282A4-2BC8-430A-853B-C817F9A61878}
TERM.....MORSE SCORE

UNIT: MULTIVOLTS

ABBREVIATION.....Multivolts
ACTIVE.....No
DESCRIPTION.....No Description
DISPLAY_NAME.....Multivolts
HELP_TEXT.....No Help Text
ID.....{2882958B-C91D-4B8C-BEE7-382F3D7CCC49}
TERM.....MULTIVOLTS

UNIT: OUNCE

ABBREVIATION.....oz
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Ounce

HELP_TEXT.....No Help Text

ID.....{642336FB-7BC9-A1D5-99E5-05447DAD3B75}

TERM.....OUNCE

UNIT: PAINAD SCALE

ABBREVIATION.....PAINAD SC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....PAINAD Scale

HELP_TEXT.....No Help Text

ID.....{D6CE83BB-3DBE-4E94-9E91-E21C07A12CAD}

TERM.....PAINAD SCALE

UNIT: PERCENTAGE

ABBREVIATION.....%

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Percentage

HELP_TEXT.....No Help Text

ID.....{0B3163CE-2C5C-B196-DBBE-A1BC6A970B2A}

TERM.....PERCENTAGE

UNIT: POINTS

ABBREVIATION.....POINTS
ACTIVE.....Yes
DESCRIPTION.....Points
DISPLAY_NAME.....Points
HELP_TEXT.....No Help Text
ID.....{A41F9244-F8A9-4CBD-AD62-32165D77414B}
TERM.....POINTS

UNIT: POUND

ABBREVIATION.....lb
ACTIVE.....Yes
DESCRIPTION.....US measurement of Weight
DISPLAY_NAME.....Pound
HELP_TEXT.....No Help Text
ID.....{F9CBB050-E809-52FF-6C2D-51B7E9557F98}
TERM.....POUND

UNIT: QUAD LUMEN CATHETER

ABBREVIATION.....QUAD LUMEN
ACTIVE.....Yes
DESCRIPTION.....Quad Lumen Catheter
DISPLAY_NAME.....Quad Lumen Catheter

HELP_TEXT.....No Help Text
ID.....{C894DDF4-5976-4435-B0E4-70EC7A909565}
TERM.....QUAD LUMEN CATHETER

UNIT: RANGE

ABBREVIATION.....range
ACTIVE.....Yes
DESCRIPTION.....Defines the minimum and maximum
values in a range

DISPLAY_NAME.....Range
HELP_TEXT.....No Help Text
ID.....{DD90689F-3B19-BC1D-1875-E9EAB08C9C9E}
TERM.....RANGE

UNIT: SCALE

ABBREVIATION.....SCALE
ACTIVE.....Yes
DESCRIPTION.....No Description
DISPLAY_NAME.....Scale
HELP_TEXT.....No Help Text
ID.....{57E423C4-98D9-0891-0982-0B84EFD2D132}
TERM.....SCALE

UNIT: SECOND

ABBREVIATION.....sec
ACTIVE.....Yes
DESCRIPTION.....Measurement of passage of time (1/60
of a minute)
DISPLAY_NAME.....Second
HELP_TEXT.....No Help Text
ID.....{82E7C9B1-38E7-D568-F42D-23F18AA08819}
TERM.....SECOND

UNIT: SEWS SCALE

ABBREVIATION.....SEWS SCALE
ACTIVE.....Yes
DESCRIPTION.....Severity Of Ethanol Withdrawl Scale
DISPLAY_NAME.....SEWS SCALE
HELP_TEXT.....Severity Of Ethanol Withdrawl Scale
ID.....{4C8DFD61-E4FB-4918-93B0-33DAAF4EF1D1}
TERM.....SEWS SCALE

UNIT: SI UNIT

ABBREVIATION.....SI UNITS
ACTIVE.....Yes
DESCRIPTION.....Unit of measure for Specific Gravity

DISPLAY_NAME.....SI Unit

HELP_TEXT.....No Help Text

ID.....{42C760F2-BBFC-4523-82C1-953CB41B4016}

TERM.....SI UNIT

UNIT: SQUARE METERS

ABBREVIATION.....M2

ACTIVE.....Yes

DESCRIPTION.....Surface area measured in square meters

DISPLAY_NAME.....Square Meters

HELP_TEXT.....Surface area measured in square meters

ID.....{5E49A34D-CC24-ABDA-7320-14071BA88781}

TERM.....SQUARE METERS

UNIT: STROKE WORK PER BEAT

ABBREVIATION.....gm-M/beat

ACTIVE.....Yes

DESCRIPTION.....Stroke Work Per Beat

DISPLAY_NAME.....gm-M / beat

HELP_TEXT.....Stroke Work Per Beat

ID.....{61721D2C-02BF-14AA-EB7F-602194924117}

TERM.....STROKE WORK PER BEAT

UNIT: STROKE WORK PER BEAT PER M2

ABBREVIATION.....gm-M/B/M2
ACTIVE.....Yes
DESCRIPTION.....STROKE WORK PER BEAT PER M2
DISPLAY_NAME.....gm-M / Beat / M2
HELP_TEXT.....Systemic Vascular Resistance Index
ID.....{900EBF1F-B706-0419-1697-58FE11257EF3}
TERM.....STROKE WORK PER BEAT PER M2

UNIT: UNITS

ABBREVIATION.....UNITS
ACTIVE.....Yes
DESCRIPTION.....Units
DISPLAY_NAME.....Units
HELP_TEXT.....Units
ID.....{7E9E6B8E-8B47-4B06-81FF-227E46707401}
TERM.....UNITS

UNIT: UNITS PER HOUR

ABBREVIATION.....units/hr
ACTIVE.....Yes
DESCRIPTION.....Units per Hour
DISPLAY_NAME.....units/hr

HELP_TEXT.....Units per Hour

ID.....{7AE61C6C-F8D9-4D6B-8A7C-AE07F93EB3D9}

TERM.....UNITS PER HOUR

UNIT: UNITS PER MINUTE

ABBREVIATION.....units/min

ACTIVE.....Yes

DESCRIPTION.....Units per Minute

DISPLAY_NAME.....Units/min

HELP_TEXT.....Units per Minute

ID.....{3C31F294-AD93-4509-908A-72F3995B01B9}

TERM.....UNITS PER MINUTE

UNIT: UNITS/kg/HOUR

ABBREVIATION.....UNkgHR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Units/kg/Hour

HELP_TEXT.....No Help Text

ID.....{89A25E97-A6B8-49B2-934F-797C80C80711}

TERM.....UNITS/kg/HOUR

UNIT: YEAR

ABBREVIATION.....yr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY_NAME.....Year

HELP_TEXT.....No Help Text

ID.....{F800BBF4-BC4F-6F5D-BB28-BD3EB5ADC34D}

TERM.....YEAR

UNIT: mg/dl

ABBREVIATION.....mg/dl

ACTIVE.....Yes

DESCRIPTION.....Milligrams per deciliter

DISPLAY_NAME.....mg/dl

HELP_TEXT.....No Help Text

ID.....{796F843B-3EF5-4E9B-AAD6-254088D77FFB}

TERM.....mg/dl

UNIT: pH

ABBREVIATION.....pH

ACTIVE.....Yes

DESCRIPTION.....pH

DISPLAY_NAME.....pH

HELP_TEXT.....No Help Text

ID.....{EF524413-89B4-4ABA-BD68-1FC6713C623D}

TERM.....pH

0 (data).....	712
0 (q-pair).....	102, 355, 356, 357, 358, 359, 361, 422, 423, 566, 567, 568, 569, 570, 571, 572, 573, 575, 576
0 - ABSENT (data).....	724
0 - ABSENT (q-pair).....	113, 114, 121, 130, 148, 149, 186, 519
0 - NO ANXIETY AT EASE (data).....	724
0 - NO ANXIETY AT EASE (q-pair).....	112
0 - NO NAUSEA/VOMITING (data).....	724
0 - NO NAUSEA/VOMITING (q-pair).....	115
0 - NO SWEAT VISIBLE (data).....	724
0 - NO SWEAT VISIBLE (q-pair).....	117
0 - NO TREMOR (data).....	724
0 - NO TREMOR (q-pair).....	120
0 - NONE (data).....	725
0 - NONE (q-pair).....	118
0 - NORMAL ACTIVITY (data).....	725
0 - NORMAL ACTIVITY (q-pair).....	111
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (data).....	725
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (q-pair).....	116
0 = 0 EXTREMITIES (data).....	725
0 = 0 EXTREMITIES (q-pair).....	24

0 = <90% (data).....	725
0 = <90% (q-pair).....	27
0 = ABSENT PULSE (data).....	726
0 = APNEIC (data).....	726
0 = APNEIC (q-pair).....	28
0 = BP +/- 50% PREOP (data).....	726
0 = BP +/- 50% PREOP (q-pair).....	25
0 = NOT RESPONDING (data).....	726
0 = NOT RESPONDING (q-pair).....	26

- 1 -

1 (data).....	712
1 (q-pair).....	102, 169, 326, 422, 423, 568, 570, 624, 657
1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (data)...	726
1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (q-pair).	117
1 - CANNOT DO SERIAL ADDITIONS (data).....	727
1 - CANNOT DO SERIAL ADDITIONS (q-pair).....	116
1 - MILD NAUSEA / NO VOMITING (data).....	727
1 - MILD NAUSEA / NO VOMITING (q-pair).....	115
1 - MILDLY ANXIOUS (data).....	727
1 - MILDLY ANXIOUS (q-pair).....	112
1 - NO RESPONSE (data).....	727
1 - NO RESPONSE (q-pair).....	186, 187, 189
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (data).....	727
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (q-pair).....	120

1 - VERY MILD (data).....	728
1 - VERY MILD (q-pair).....	114
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (data)..	728
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair)	113
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (data).....	728
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (q-pair)....	118
1 - VERY MILD SENSITIVITY (data).....	728
1 - VERY MILD SENSITIVITY (q-pair).....	121
1 - WEAK (data).....	728
1 - WEAK (q-pair).....	519
1 = 2 EXTREMITIES (data).....	729
1 = 2 EXTREMITIES (q-pair).....	24
1 = AROUSABLE (data).....	729
1 = AROUSABLE (q-pair).....	26
1 = BP +/- 20-49% PREOP (data).....	729
1 = BP +/- 20-49% PREOP (q-pair).....	25
1 = DYSPNEA (data).....	729
1 = DYSPNEA (q-pair).....	28
1 = NEEDS O2 (data).....	729
1 = NEEDS O2 (q-pair).....	27
1 HOUR (data).....	730
1 HOUR (q-pair).....	442
1+=PALPABLE, THREADY, EASILY OBLITERATED (data).....	730
1- MILD ANXIOUS (data).....	730
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (data).....	730
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (q-pair).....	111
10 (data).....	715
10 (q-pair).....	20, 102, 326, 356,

11 (data).....	715
11 (q-pair).....	326
12 (data).....	715
12 (q-pair).....	326
12.5 (data).....	715
13 (data).....	716
13 (q-pair).....	172
13.5 (data).....	716
13.5 (q-pair).....	172
14 (data).....	716
14 (q-pair).....	172
14.5 (data).....	716
14.5 (q-pair).....	172
15 (data).....	716
15 (q-pair).....	172, 355, 359, 361
15.5 (data).....	717
15.5 (q-pair).....	172
16 (data).....	717
16 (q-pair).....	172
16.5 (data).....	717
16.5 (q-pair).....	172
17 (data).....	717
17 (q-pair).....	172
17.5 (data).....	717
17.5 (q-pair).....	172
18 (data).....	718
18 (q-pair).....	172

18.5 (data).....	718
18.5 (q-pair).....	172
1800 CALORIE CONTROLLED (data).....	730
1800 CALORIE CONTROLLED (q-pair).....	140
1800 DIABETIC (data).....	731
1800 DIABETIC (q-pair).....	140
19 (data).....	718
19 (q-pair).....	172
19.5 (data).....	718
19.5 (q-pair).....	172
1:1 (data).....	731
1:1 (q-pair).....	138, 220, 222
1:1 OBSERVATION (data).....	731
1:1 OBSERVATION (q-pair).....	56
1:2 (data).....	731
1:2 (q-pair).....	138, 220, 222
1:3 (data).....	731
1:3 (q-pair).....	138, 220, 222
1:4 (data).....	732
1:4 (q-pair).....	138, 220, 222, 646
1:8 (data).....	732
1:8 (q-pair).....	138, 220, 222
1A + 2V (data).....	732
1A + 2V (q-pair).....	414
1A + 3V (data).....	732
1A + 3V (q-pair).....	414
1A +1V (data).....	732
1A +1V (q-pair).....	414

2 (data).....	712
2 (q-pair).....	102, 111, 112, 115, 117, 120, 169, 326, 422, 423, 624, 657
2 - ABNORMAL EXTENSION FROM PAIN (data).....	733
2 - ABNORMAL EXTENSION FROM PAIN (q-pair).....	187
2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	733
2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (data).....	733
2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (q-pair)....	116
2 - INCOMPREHENSIBLE SOUNDS (data).....	733
2 - INCOMPREHENSIBLE SOUNDS (q-pair).....	189
2 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	733
2 - MILD (data).....	734
2 - MILD (q-pair).....	114
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	734
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair).....	113
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (data)..	734
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (q-pair)	118
2 - MILD SENSITIVITY (data).....	734
2 - MILD SENSITIVITY (q-pair).....	121
2 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	734
2 - NORMAL (data).....	735
2 - NORMAL (q-pair).....	519
2 - TO PAIN (data).....	735
2 - TO PAIN (q-pair).....	186

2 = 4 EXTREMITIES (data).....	735
2 = 4 EXTREMITIES (q-pair).....	24
2 = BP +/- 20% PREOP (data).....	735
2 = BP +/- 20% PREOP (q-pair).....	25
2 = BREATHE FREELY (data).....	735
2 = BREATHE FREELY (q-pair).....	28
2 = FULLY AWAKE (data).....	736
2 = FULLY AWAKE (q-pair).....	26
2 = ON ROOM AIR (data).....	736
2 = ON ROOM AIR (q-pair).....	27
2+=NORMAL, NOT EASILY OBLITERATED (data).....	736
2- MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	736
2.0 CAL FORMULA (data).....	736
20 (data).....	718
20 (q-pair).....	356, 358
20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (data).....	737
20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (q-pair)....	415
20.5 (data).....	719
20.5 (q-pair).....	172
2000 CALORIE CONTROLLED (data).....	737
2000 CALORIE CONTROLLED (q-pair).....	140
2000 DIABETIC (data).....	737
2000 DIABETIC (q-pair).....	140
21 (data).....	719
21 (q-pair).....	172
21.5 (data).....	719
21.5 (q-pair).....	172
22 (data).....	719

22 (q-pair).....	172
22.5 (data).....	719
22.5 (q-pair).....	172
2200 CALORIE CONTROLLED (data).....	737
2200 CALORIE CONTROLLED (q-pair).....	140
2200 DIABETIC (data).....	737
2200 DIABETIC (q-pair).....	140
23 (data).....	720
23 (q-pair).....	172
23.5 (data).....	720
23.5 (q-pair).....	172
24 (data).....	720
24 (q-pair).....	172
24.5 (data).....	720
24.5 (q-pair).....	172
2400 CALORIE CONTROLLED (data).....	738
2400 CALORIE CONTROLLED (q-pair).....	140
2400 DIABETIC (data).....	738
2400 DIABETIC (q-pair).....	140
25 (data).....	720
25 (q-pair).....	172, 357
25 PERCENT ALBUMIN (data).....	738
25 PERCENT ALBUMIN (prod).....	1111
25 PERCENT ALBUMIN (q-pair).....	126, 291, 299, 302
25.5 (data).....	721
25.5 (q-pair).....	172
26 (data).....	721
26 (q-pair).....	172

26.5 (data).....	721
26.5 (q-pair).....	172
27 (data).....	721
27 (q-pair).....	172
27.5 (data).....	721
27.5 (q-pair).....	172
28 (data).....	722
28 (q-pair).....	172
28.5 (data).....	722
28.5 (q-pair).....	172
29 (data).....	722
2:4 (data).....	738
2:4 (q-pair).....	646
2A (data).....	738
2A (q-pair).....	414
2A + 1V (data).....	739
2A + 1V (q-pair).....	414
2A + 2V (data).....	739
2A + 2V (q-pair).....	414
2V (data).....	739
2V (q-pair).....	414

- 3 -

3 (data).....	712
3 (q-pair).....	102, 111, 112, 115, 117, 120, 169, 326, 422, 423, 566, 567,

569, 571, 572, 573,

575, 576, 624, 657

3 - ABNORMAL FLEXION FROM PAIN (data).....	739
3 - ABNORMAL FLEXION FROM PAIN (q-pair).....	187
3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	739
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (data).....	740
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (q-pair)....	116
3 - INAPPROPRIATE WORDS (data).....	740
3 - INAPPROPRIATE WORDS (q-pair).....	189
3 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	740
3 - MODERATE (data).....	740
3 - MODERATE (q-pair).....	114
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (data)...	740
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (q-pair).	113
3 - MODERATE ITCHING PINS/NEEDLES BURNING (data).....	741
3 - MODERATE ITCHING PINS/NEEDLES BURNING (q-pair).....	118
3 - MODERATE SENSITIVITY (data).....	741
3 - MODERATE SENSITIVITY (q-pair).....	121
3 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	741
3 - STRONG (data).....	741
3 - STRONG (q-pair).....	519
3 - TO VERBAL COMMAND (data).....	741
3 - TO VERBAL COMMAND (q-pair).....	186
3 WAY FOLEY (data).....	742
3 WAY FOLEY (q-pair).....	201
3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED (data)	742
30 (data).....	722

30 (q-pair).....	355
31 (data).....	722
34 ml (data).....	742
34 ml (q-pair).....	214
3:4 (data).....	742
3:4 (q-pair).....	646

- 4 -

4 (data).....	712
4 (q-pair).....	20, 102, 169, 326, 422, 423, 624, 657
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	742
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (q-pair).....	117
4 - DISORIENTED AND CONVERSES (data).....	743
4 - DISORIENTED AND CONVERSES (q-pair).....	189
4 - DISORIENTED FOR PLACE OR PERSON (data).....	743
4 - DISORIENTED FOR PLACE OR PERSON (q-pair).....	116
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	743
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (q-pair).....	115
4 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	743
4 - MODERATE WITH PATIENTS ARMS EXTENDED (q-pair).....	120
4 - MODERATELY ANXIOUS (data).....	743
4 - MODERATELY ANXIOUS (q-pair).....	112
4 - MODERATELY FIDGETY AND RESTLESS (data).....	744
4 - MODERATELY FIDGETY AND RESTLESS (q-pair).....	111
4 - MODERATELY SEVERE (data).....	744
4 - MODERATELY SEVERE (q-pair).....	114

4 - MODERATELY SEVERE HALLUCINATIONS (data).....	744
4 - MODERATELY SEVERE HALLUCINATIONS (q-pair).....	113, 118, 121
4 - SPONTANEOUSLY (data).....	744
4 - SPONTANEOUSLY (q-pair).....	186
4 - WITHDRAWS FROM PAIN (data).....	744
4 - WITHDRAWS FROM PAIN (q-pair).....	187
4 HOUR (data).....	745
4 HOUR (q-pair).....	442
4.5 (data).....	713
4.5 (q-pair).....	20
40 ml (data).....	745
40 ml (q-pair).....	214
4:4 (data).....	745
4:4 (q-pair).....	646

- 5 -

5 (data).....	713
5 (q-pair).....	20, 102, 111, 112, 115, 117, 120, 169, 326, 422, 423, 624, 657
5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data)	745
5 - DRENCHING SWEAT (data).....	745
5 - LOCALIZES PAIN (data).....	746
5 - LOCALIZES PAIN (q-pair).....	187
5 - ORIENTED AND CONVERSES (data).....	746

5 - ORIENTED AND CONVERSES (q-pair).....	189
5 - SEVERE (data).....	746
5 - SEVERE (q-pair).....	114
5 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	746
5 - SEVERE HALLUCINATIONS (data).....	746
5 - SEVERE HALLUCINATIONS (q-pair).....	113, 118, 121
5 PERCENT ALBUMIN (data).....	747
5 PERCENT ALBUMIN (prod).....	1111
5 PERCENT ALBUMIN (q-pair).....	126, 291, 299, 302
5.5 (data).....	713
5.5 (q-pair).....	20

- 6 -

6 (data).....	713
6 (q-pair).....	20, 102, 111, 112, 115, 117, 120, 326, 422, 423, 624, 657
6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data)	747
6 - DRENCHING SWEAT (data).....	747
6 - EXTREMELY SEVERE HALLUCINATIONS (data).....	747
6 - EXTREMELY SEVERE HALLUCINATIONS (q-pair).....	113, 118, 121
6 - OBEYS COMMANDS (data).....	747
6 - OBEYS COMMANDS (q-pair).....	187
6 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	748
6 - VERY SEVERE (data).....	748
6 - VERY SEVERE (q-pair).....	114

6 HOUR (data).....	748
6 HOUR (q-pair).....	442
6 PERCENT HETASTARCH (data).....	748
6 PERCENT HETASTARCH (prod).....	1111
6 PERCENT HETASTARCH (q-pair).....	126, 291, 302
6.5 (data).....	713
6.5 (q-pair).....	20
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (data)	748
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (q-pair)	415

- 7 -

7 (data).....	714
7 (q-pair).....	20, 102, 326, 422, 423, 624, 657
7 - ACUTE PANIC (data).....	749
7 - ACUTE PANIC (q-pair).....	112
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data)	749
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (q-pair)	115
7 - CONTINUOUS HALLUCINATIONS (data).....	749
7 - CONTINUOUS HALLUCINATIONS (q-pair).....	113, 118, 121
7 - DRENCHING SWEAT (data).....	749
7 - DRENCHING SWEAT (q-pair).....	117
7 - EXTREMELY SEVERE (data).....	749

7 - EXTREMELY SEVERE (q-pair).....114

7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (data).750

7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (q-pair)
.....111

7 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....750

7 - SEVERE EVEN WITH ARMS NOT EXTENDED (q-pair).....120

7.5 (data).....714

7.5 (q-pair).....20, 221

- 8 -

8 (data).....714

8 (q-pair).....20, 102, 221, 326,
422, 423, 624, 657

8 HOUR (data).....750

8 HOUR (q-pair).....442

8.5 (data).....714

8.5 (q-pair).....20, 221

- 9 -

9 (data).....714

9 (q-pair).....20, 102, 221, 326,
422, 423, 624, 657

9.5 (data).....715

9.5 (q-pair).....20, 221

99 (data).....723

99 (q-pair).....423

- + -

+1 = SLIGHT (data).....	723
+1 = SLIGHT (q-pair).....	148, 149
+2 = MODERATE (data).....	723
+2 = MODERATE (q-pair).....	148, 149
+3 = MARKED (data).....	723
+3 = MARKED (q-pair).....	148, 149
+4 = VERY MARKED (data).....	723
+4 = VERY MARKED (q-pair).....	148, 149

- A -

AAI (data).....	750
AAI (q-pair).....	405
AAIR (data).....	750
AAIR (q-pair).....	405
AAO (data).....	751
AAO (q-pair).....	405
ABDOMEN (loca).....	1033
ABDOMEN (q-pair).....	149, 423, 601
ABDOMEN BOWEL SOUNDS.....	1
ABDOMEN LLQ (loca).....	1033
ABDOMEN LLQ (q-pair).....	1, 423, 601
ABDOMEN LUQ (loca).....	1033
ABDOMEN LUQ (q-pair).....	1, 423, 601
ABDOMEN RLQ (loca).....	1033

ABDOMEN RLQ (q-pair).....	1, 423, 601
ABDOMEN RUQ (loca).....	1033
ABDOMEN RUQ (q-pair).....	1, 423, 601
ABDOMINAL (data).....	751
ABDOMINAL (loca).....	1034
ABDOMINAL (q-pair).....	110, 525
ABDOMINAL AORTA (loca).....	1034
ABDOMINAL AORTA (q-pair).....	77, 84
ABDOMINAL CONDITION.....	2
ABDOMINAL GIRTH.....	3
ABLE TO AMBULATE (data).....	751
ABLE TO AMBULATE (q-pair).....	415, 649
ABRASION (data).....	751
ABRASION (q-pair).....	708
ABSENT (data).....	751
ABSENT (q-pair).....	1, 72, 77, 84, 131, 143, 179, 181, 204, 332, 334, 561, 562, 563, 564, 650, 653, 654
ABSENT TO MINIMAL BLEEDING (data).....	752
ABSENT TO MINIMAL BLEEDING (q-pair).....	415
ACCELERATING (data).....	752
ACCELERATING (q-pair).....	682
ACHING (data).....	752
ACHING (q-pair).....	420
ACTIVE RANGE OF MOTION (data).....	752
ACTIVE RANGE OF MOTION (q-pair).....	11

ACTIVITIES OF DAILY LIVING (data).....	752
ACTIVITIES OF DAILY LIVING (q-pair).....	153
ACTIVITY - ABD PILLOW (task).....	1133
ACTIVITY - AMBULATE (task).....	1133
ACTIVITY - CONT. PASSIVE MOTION DEV. (task).....	1133
ACTIVITY - ELEVATE HEAD OF BED (task).....	1133
ACTIVITY - KNEE IMMOBILIZER (task).....	1133
ACTIVITY - ORIENT TO WARD (task).....	1134
ACTIVITY - RANGE OF MOTION EXERCISES (task).....	1134
ACTIVITY - SIT IN CHAIR (task).....	1134
ACTIVITY - TURN PATIENT (task).....	1134
ACTUAL (q-pair).....	154, 209, 518, 636,
	658, 688, 690
ACTUAL (qual).....	1128
ADL - ACTIVITIES OF DAILY LIVING.....	4
ADL - AMBULATION ASSISTANCE.....	5
ADL - AMBULATION DISTANCE.....	6
ADL - BATH ASSIST (task).....	1134
ADL - BATH COMPLETE (task).....	1135
ADL - BATH PARTIAL (task).....	1135
ADL - BATH SELF (task).....	1135
ADL - BED MOBILITY.....	7
ADL - CATHETER CARE (task).....	1135
ADL - DRESSING.....	8
ADL - EATING.....	9
ADL - EMOTIONAL SUPPORT.....	10
ADL - FEED PATIENT (task).....	1135
ADL - ORAL HYGIENE (task).....	1136

ADL - OTHER ACTIVITY.....	11
ADL - REPOSITION.....	12
ADL - SHAVE (task).....	1136
ADL - SKIN CARE (task).....	1136
ADL - TURN (task).....	1136
ADL - VISITORS.....	13
ADL- ORAL CARE.....	14
ADMISSION (data).....	753
ADMISSION (q-pair).....	135, 703
ADMISSION DIAGNOSIS (data).....	753
ADULT (data).....	753
ADULT (meth).....	1085
ADULT (q-pair).....	62
ADULT CUFF (meth).....	1085
ADULT LARGE (data).....	753
ADULT LARGE (q-pair).....	62
ADULT SMALL (data).....	753
ADULT SMALL (q-pair).....	62
ADVANCED CARE PLANNING (data).....	754
ADVANCED CARE PLANNING (q-pair).....	153
ADI - SPIRITUAL CARE.....	15
AEROSOL/HUMIDIFIED MASK (meth).....	1085
AEROSOL/HUMIDIFIED MASK (q-pair).....	628
AFFECT.....	16
AFTER EXERCISE (meth).....	1085
AFTER EXERCISE (q-pair).....	61, 518, 526
AGENT CASHIER (data).....	754
AGENT CASHIER (q-pair).....	465

AGITATED (data).....	754
AGITATED (q-pair).....	55, 333
AGONAL (data).....	754
AGONAL (q-pair).....	82, 525
AGONIZING (data).....	754
AGONIZING (q-pair).....	420
AICD (data).....	755
AICD (q-pair).....	347
AIR FLOW DEVICE (data).....	755
AIR FLOW DEVICE (q-pair).....	686
AIR LEAK (data).....	755
AIR LEAK (q-pair).....	107
AIRBORNE (data).....	755
AIRBORNE (q-pair).....	315
AIRWAY ARTIFICIAL CUFF STATUS.....	17
AIRWAY ARTIFICIAL POSITION AT LIP/NOSE.....	18
AIRWAY ARTIFICIAL SIZE - FRENCH.....	19
AIRWAY ARTIFICIAL SIZE - MILIMETERS.....	20
AIRWAY ARTIFICIAL TYPE.....	21
AIRWAY REFLEXES INTACT / SECRETIONS (data).....	755
AIRWAY REFLEXES INTACT / SECRETIONS (q-pair).....	415
ALARM PARAMETERS VERIFIED.....	22
ALARMS.....	23
ALBUMIN (data).....	756
ALBUMIN (prod).....	1111
ALBUMIN (q-pair).....	302
ALDRETE - ACTIVITY.....	24
ALDRETE - CIRCULATION.....	25

ALDRETE - CONSCIOUSNESS.....	26
ALDRETE - O2 SATURATION.....	27
ALDRETE - RESPIRATION.....	28
ALDRETE - TOTAL.....	29
ALDRETE SCORE 8 OR GREATER (data).....	756
ALDRETE SCORE 8 OR GREATER (q-pair).....	415
ALDRETE SCORE AT BASELINE (data).....	756
ALDRETE SCORE AT BASELINE (q-pair).....	415
ALERT (data).....	756
ALERT (q-pair).....	55, 333, 440
ALERT AND ORIENTED (data).....	756
ALERT AND ORIENTED (q-pair).....	141, 415
ALL DOWN (data).....	757
ALL DOWN (q-pair).....	577
ALL UP (data).....	757
ALL UP (q-pair).....	577
ALLERGY (data).....	757
ALLERGY (q-pair).....	39
ALLERGY WRISTBAND (data).....	757
ALLERGY WRISTBAND (q-pair).....	458
ALOPECIA PARTIAL (data).....	757
ALOPECIA PARTIAL (q-pair).....	203
ALOPECIA TOTAL (data).....	758
ALOPECIA TOTAL (q-pair).....	203
AMBER (data).....	758
AMBER (q-pair).....	146, 162, 193, 656,
	695
AMBU BAG (meth).....	1085

AMBU BAG (q-pair).....	629
AMBULATE AND ASSIST (data).....	758
AMBULATED (data).....	758
AMBULATED (q-pair).....	4
AMBULATORY CARE UNIT (data).....	758
AMBULATORY CARE UNIT (q-pair).....	417
AMPHOTERICIN B (prod).....	1111
AMPHOTERICIN B (q-pair).....	298
AMPUTEE (data).....	759
AMPUTEE (q-pair).....	519
ANALGESIA (data).....	759
ANALGESIA (q-pair).....	153
ANESTHESIA PLANNED.....	30
ANGINAL (data).....	759
ANGINAL (q-pair).....	420
ANKLE (loca).....	1034
ANKLE (q-pair).....	110
ANNOYING (data).....	759
ANNOYING (q-pair).....	420
ANTECUBITAL (qual).....	1128
ANTI-EMBOLUS STOCKINGS KNEE HIGH (data).....	759
ANTI-EMBOLUS STOCKINGS KNEE HIGH (q-pair).....	147
ANTI-EMBOLUS STOCKINGS THIGH HIGH (data).....	760
ANTI-EMBOLUS STOCKINGS THIGH HIGH (q-pair).....	147
ANTI-MICROBIAL DRESSING (data).....	760
ANTI-MICROBIAL DRESSING (q-pair).....	91, 700
ANTIBIOTIC (prod).....	1112
ANTIBIOTIC (q-pair).....	298

ANTIBIOTIC OINTMENT (data).....	760
ANTIBIOTIC OINTMENT (q-pair).....	497
ANTIMICROBIAL DISK (data).....	760
ANTIMICROBIAL DISK (q-pair).....	700
ANURIC (data).....	760
ANURIC (q-pair).....	655
ANXIOUS (data).....	761
ANXIOUS (q-pair).....	55, 150
AOO (data).....	761
AOO (q-pair).....	405
APICAL (loca).....	1034
APICAL (q-pair).....	518
APNEA (data).....	761
APNEA (q-pair).....	349
APPEARANCE.....	31
APPEARS ASLEEP (data).....	761
APPEARS ASLEEP (q-pair).....	53, 440
APPROPRIATE (data).....	761
APPROPRIATE (q-pair).....	31, 53
ARM BAND - ALLERGIES.....	32
ARM BAND - BLOOD TRANSFUSION IV.....	33
ARM BAND - DNR.....	34
ARM BAND - ELOPMENT.....	35
ARM BAND - HIGH FALL RISK.....	36
ARM BAND - PERSONAL MEDICAL ALERT.....	37
ARM BAND - WANDERER.....	38
ARM BANDS PRESENT.....	39
ARRHYTHMIA (data).....	762

ARRHYTHMIA (q-pair).....	349
ARTERIAL LINE (meth).....	1086
ARTERIAL LINE (q-pair).....	61, 139, 337, 338,

632

ARTERIAL LINE ALARMS ON.....	40
ARTERIAL LINE CARE (data).....	762
ARTERIAL LINE CARE (q-pair).....	325
ARTERIAL LINE CIRCULATION ASSESSED.....	41
ARTERIAL LINE CONDITION.....	42
ARTERIAL LINE DRESSING CHANGE.....	43
ARTERIAL LINE DRESSING TYPE.....	44
ARTERIAL LINE SITE CARE.....	45
ARTERIAL LINE SIZE.....	46
ARTERIAL LINE WAVEFORM.....	47
ARTERIAL LINE ZEROED.....	48
ARTIFICIAL AIRWAY (data).....	762
ARTIFICIAL AIRWAY (q-pair).....	515
ARTIFICIAL VALVES (data).....	762
ARTIFICIAL VALVES (q-pair).....	347
ASA PHYSICAL STATUS.....	49
ASA PS 1 (data).....	762
ASA PS 1 (q-pair).....	49
ASA PS 2 (data).....	763
ASA PS 2 (q-pair).....	49
ASA PS 3 (data).....	763
ASA PS 3 (q-pair).....	49
ASA PS 4 (data).....	763
ASA PS 4 (q-pair).....	49

ASA PS 5 (data).....	763
ASA PS 5 (q-pair).....	49
ASHEN (data).....	763
ASHEN (q-pair).....	588
ASLEEP AT ROUNDS (data).....	764
ASLEEP AT ROUNDS (q-pair).....	607
ASPIRATION (data).....	764
ASPIRATION (q-pair).....	194
ASSAULTIVE (data).....	764
ASSAULTIVE (q-pair).....	57, 124
ASSESSMENT - CO (task).....	1136
ASSESSMENT - COLLECT VITALS (task).....	1137
ASSESSMENT - DOPPLERS (task).....	1137
ASSESSMENT - FINGERSTICK BLOOD SUGAR (task).....	1137
ASSESSMENT - HEMODYNAMIC READINGS (task).....	1137
ASSESSMENT - I&O (task).....	1137
ASSESSMENT - NEURO CHECKS (task).....	1138
ASSESSMENT - NEUROVASCULAR CHECKS (task).....	1138
ASSESSMENT - PCA (task).....	1138
ASSESSMENT - PULSE OX (task).....	1138
ASSESSMENT - RESTRAINTS (task).....	1138
ASSESSMENT - TELEMETRY (task).....	1139
ASSESSMENT - WEIGHT (task).....	1139
ASSIST CONTROL (data).....	764
ASSIST CONTROL (q-pair).....	667
ASSISTED (data).....	764
ASSISTED (q-pair).....	12, 14
ASSISTED VENTILATOR (meth).....	1086

ASSISTED VENTILATOR (q-pair).....	526, 628
ASYSTOLE (data).....	765
ASYSTOLE (q-pair).....	82
AT REST (meth).....	1086
AT REST (q-pair).....	61, 518, 526
ATRIAL (data).....	765
ATRIAL (q-pair).....	411
ATRIAL FIB/FLUTTER (data).....	765
ATRIAL FIB/FLUTTER (q-pair).....	82
ATRIAL FIBRILLATION (data).....	765
ATRIAL FIBRILLATION (q-pair).....	82
ATRIAL FLUTTER (data).....	765
ATRIAL FLUTTER (q-pair).....	82
AUSCULTATE (meth).....	1086
AUSCULTATE (q-pair).....	518
AUSCULTATION (data).....	766
AUSCULTATION (q-pair).....	194
AV FISTULA (loca).....	1034
AV FISTULA (q-pair).....	518
AVF (data).....	766
AVF (q-pair).....	83
AVI (data).....	766
AVI (q-pair).....	405
AVL (data).....	766
AVL (q-pair).....	83
AVO (data).....	766
AVO (q-pair).....	405
AVR (data).....	767

AVR (q-pair).....	83
AWAKE (data).....	767
AWAKE (q-pair).....	440
AXILLARY (loca).....	1035
AXILLARY (q-pair).....	636

- B -

BABINSKI.....	50
BACK (loca).....	1035
BACK (q-pair).....	423, 601
BACTERICIDAL (data).....	767
BACTERICIDAL (q-pair).....	497
BACTERIOSTATIC (data).....	767
BACTERIOSTATIC (q-pair).....	497
BACTERIOSTATIC WATER (prod).....	1112
BACTERIOSTATIC WATER (q-pair).....	298
BAG - CONTINUOUS (data).....	767
BAG - CONTINUOUS (q-pair).....	156
BAG - INTERMITTENT (data).....	768
BAG - INTERMITTENT (q-pair).....	156
BAG CHANGE (data).....	768
BAG CHANGE (q-pair).....	159
BAG CHANGED (data).....	768
BAG CHANGED (q-pair).....	325, 443
BAG/MASK & O2 SET UP (data).....	768
BAG/MASK & O2 SET UP (q-pair).....	351
BALSAM OF PERU (data).....	768

BALSAM OF PERU (q-pair).....	700
BARIATRIC FRAME (data).....	769
BARIATRIC FRAME (q-pair).....	608
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (data).....	769
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (q-pair)....	608
BARIATRIC PATIENT (data).....	769
BARIATRIC PATIENT (q-pair).....	494
BARRIERS TO LEARNING.....	51
BASAL RATE ONLY (data).....	769
BASAL RATE ONLY (q-pair).....	445
BATHROOM (data).....	769
BATHROOM (q-pair).....	54, 123
BATHROOM PRIVILEGES (data).....	770
BATHROOM PRIVILEGES (q-pair).....	11
BEATS PER MINUTE (unit).....	1149
BED (data).....	770
BED (meth).....	1086
BED (q-pair).....	688
BED EXIT ALARM (data).....	770
BED EXIT ALARM (q-pair).....	23, 530
BED POSITION.....	52
BEDREST (data).....	770
BEDREST (q-pair).....	11
BEDSIDE (data).....	770
BEDSIDE (q-pair).....	502
BEHAVIOR.....	53
BEHAVIOR CURRENT LOCATION.....	54
BEHAVIOR OBSERVED.....	55

BEHAVIOR PRECAUTION LEVEL.....	56
BEHAVIOR PRECAUTION REASON.....	57
BIER BLOCK (data).....	771
BIER BLOCK (q-pair).....	30
BIGEMINY (data).....	771
BIGEMINY (q-pair).....	78
BILATERAL (data).....	771
BILATERAL ANKLES (loca).....	1035
BILATERAL ANKLES (q-pair).....	546, 548
BILATERAL FOOT (loca).....	1035
BILATERAL FOOT (q-pair).....	179
BILATERAL HAND (loca).....	1035
BILATERAL HAND (q-pair).....	204
BILATERAL LEG (loca).....	1036
BILATERAL LEG (q-pair).....	334, 546
BILATERAL NECK (loca).....	1036
BILATERAL NECK (q-pair).....	149
BILATERAL PERIPHERALS (loca).....	1036
BILATERAL PERIPHERALS (q-pair).....	518
BILATERAL WRIST (loca).....	1036
BILATERAL WRIST (q-pair).....	546, 547, 654
BIPAP (meth).....	1087
BIPAP (q-pair).....	629
BIPAP - RESPIRONICS (data).....	771
BIPAP - RESPIRONICS (q-pair).....	681
BIPAP - VISION (data).....	771
BIPAP - VISION (q-pair).....	681
BIPAP-CPAP (meth).....	1087

BIPAP-CPAP (q-pair).....	629
BIPAP-EXPIRATORY.....	58
BIPAP-INSPIRATORY.....	59
BIPAP/CPAP (data).....	772
BIPAP/CPAP (q-pair).....	681
BIPHASIC POSITIVE AIRWAY PRESSURE (data).....	772
BIPHASIC POSITIVE AIRWAY PRESSURE (q-pair).....	667, 681
BISMUTH GAUZE (data).....	772
BISMUTH GAUZE (q-pair).....	700
BITE (data).....	772
BITE (q-pair).....	708
BITE BLOCK (data).....	772
BITE BLOCK (q-pair).....	21
BLACK (data).....	773
BLACK (q-pair).....	146, 162, 193, 623, 656, 691, 695
BLACK/NECROTIC (data).....	773
BLACK/NECROTIC (q-pair).....	486
BLADDER (loca).....	1036
BLADDER (meth).....	1087
BLADDER (q-pair).....	298, 423
BLADDER ASSESSMENT.....	60
BLADDER IRRIGATION (prod).....	1112
BLADDER IRRIGATION (q-pair).....	374
BLAND (data).....	773
BLAND (q-pair).....	140
BLISTERING (data).....	773
BLISTERING (q-pair).....	708

BLOOD PRESSURE.....	61
BLOOD PRESSURE (data).....	773
BLOOD PRESSURE (q-pair).....	353
BLOOD PRESSURE CUFF SIZE.....	62
BLOOD PRODUCT (prod).....	1112
BLOOD PRODUCT (q-pair).....	291
BLOOD STREAKED (data).....	774
BLOOD TRANSFUSION IV (data).....	774
BLOOD TRANSFUSION IV (q-pair).....	39
BLOODY (data).....	774
BLOODY (q-pair).....	103, 278, 488, 622
BLUE (data).....	774
BLUE (q-pair).....	695
BLUNTED (data).....	774
BLUNTED (q-pair).....	16
BLURRED VISION (data).....	775
BLURRED VISION (q-pair).....	168
BMI>35KG/M2 (data).....	775
BMI>35KG/M2 (q-pair).....	347
BODY SURFACE AREA.....	63
BONE (data).....	775
BOOST (data).....	775
BOOST (q-pair).....	161
BOOST PLUS (data).....	775
BOOST PLUS (q-pair).....	161
BORDERLINE REDUCED (data).....	776
BORDERLINE REDUCED (q-pair).....	330
BOTH ARMS (loca).....	1037

BOTH ARMS (q-pair).....	547
BOTH HANDS (loca).....	1037
BOTH HANDS (q-pair).....	149
BOTH LEGS (loca).....	1037
BOTH LEGS (q-pair).....	130, 149, 548
BOWEL MOVEMENT EVENT(S).....	64
BRACHIAL (loca).....	1037
BRACHIAL (q-pair).....	61, 518
BRACHIAL (qual).....	1128
BRADEN FRICTION AND SHEAR 1 PROBLEM (data).....	776
BRADEN FRICTION AND SHEAR 1 PROBLEM (q-pair).....	66
BRADEN SCALE (unit).....	1149
BRADEN SCALE ACTIVITY.....	65
BRADEN SCALE ACTIVITY 1 BEDFAST (data).....	776
BRADEN SCALE ACTIVITY 1 BEDFAST (q-pair).....	65
BRADEN SCALE ACTIVITY 2 CHAIRFAST (data).....	776
BRADEN SCALE ACTIVITY 2 CHAIRFAST (q-pair).....	65
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (data).....	776
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (q-pair)....	65
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (data).....	777
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (q-pair).....	65
BRADEN SCALE FRICTION AND SHEAR.....	66
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (data)	
.....	777
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (q-pair)	
.....	66
BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (data)	
.....	777

BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (q-pair)	
.....	66
BRADEN SCALE MOBILITY.....	67
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (data).....	777
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (q-pair)...	67
BRADEN SCALE MOBILITY 2 VERY LIMITED (data).....	777
BRADEN SCALE MOBILITY 2 VERY LIMITED (q-pair).....	67
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (data).....	778
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (q-pair).....	67
BRADEN SCALE MOBILITY 4 NO LIMITATION (data).....	778
BRADEN SCALE MOBILITY 4 NO LIMITATION (q-pair).....	67
BRADEN SCALE MOISTURE.....	68
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (data).....	778
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (q-pair).....	68
BRADEN SCALE MOISTURE 2 VERY MOIST (data).....	778
BRADEN SCALE MOISTURE 2 VERY MOIST (q-pair).....	68
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (data).....	778
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (q-pair)...	68
BRADEN SCALE MOISTURE 4 RARELY MOIST (data).....	779
BRADEN SCALE MOISTURE 4 RARELY MOIST (q-pair).....	68
BRADEN SCALE NUTRITION.....	69
BRADEN SCALE NUTRITION 1 VERY POOR (data).....	779
BRADEN SCALE NUTRITION 1 VERY POOR (q-pair).....	69
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (data)....	779
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (q-pair)..	69
BRADEN SCALE NUTRITION 3 ADEQUATE (data).....	779
BRADEN SCALE NUTRITION 3 ADEQUATE (q-pair).....	69
BRADEN SCALE NUTRITION 4 EXCELLENT (data).....	779

BRADEN SCALE NUTRITION 4 EXCELLENT (q-pair).....	69
BRADEN SCALE SENSORY PERCEPTION.....	70
BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (data)	
.....	780
BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (q-pair)	
.....	70
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (data)..	780
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (q-pair)	70
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (data)	
.....	780
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (q-pair)	
.....	70
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (data).	780
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (q-pair)	
.....	70
BRADEN SCALE TOTAL.....	71
BREAKDOWN (data).....	780
BREAKDOWN (q-pair).....	589
BREATH SOUNDS.....	72
BREATHS PER MINUTE (unit).....	1149
BRIGHT (data).....	781
BRIGHT (q-pair).....	16
BRISK (data).....	781
BRISK (q-pair).....	520
BROWN (data).....	781
BROWN (q-pair).....	146, 162, 193, 511,
	623, 656, 695
BRUISED (data).....	781

BRUISED (q-pair).....	588, 708
BRUIT (data).....	781
BRUIT (q-pair).....	1
BUCKS TRACTION (data).....	782
BUCKS TRACTION (q-pair).....	644
BULB (data).....	782
BULB (q-pair).....	145
BULB SUCTION (data).....	782
BULB SUCTION (q-pair).....	697
BULLET (data).....	782
BULLET (q-pair).....	708
BURN (data).....	782
BURN (q-pair).....	708
BURNING (data).....	783
BURNING (q-pair).....	420
BY PROVIDER ORDER (data).....	783
BY PROVIDER ORDER (q-pair).....	396

- C -

C1 (data).....	783
C1 (q-pair).....	166, 167
C2 (data).....	783
C2 (q-pair).....	166, 167
C3 (data).....	783
C3 (q-pair).....	166, 167
C4 (data).....	784
C4 (q-pair).....	166, 167

C5 (data).....	784
C5 (q-pair).....	166, 167
CADEXOMER IODINE (data).....	784
CADEXOMER IODINE (q-pair).....	497
CALCIUM ALGINATE (data).....	784
CALCIUM ALGINATE (q-pair).....	497, 700
CALF (loca).....	1037
CALF (q-pair).....	110
CALL HOUSE OFFICER - BP DIASTOLIC (task).....	1139
CALL HOUSE OFFICER - BP SYSTOLIC (task).....	1139
CALL HOUSE OFFICER - PULSE (task).....	1139
CALL HOUSE OFFICER - RESPIRATORY RATE (task).....	1140
CALL HOUSE OFFICER - TEMP (task).....	1140
CALL LIGHT WITHIN REACH.....	73
CALM (data).....	784
CALM (q-pair).....	55
CALORIE (unit).....	1149
CANE (data).....	785
CANE (q-pair).....	5, 649
CANES (data).....	785
CANES (q-pair).....	649
CAPILLARY REFILL.....	74
CARDIAC (data).....	785
CARDIAC (q-pair).....	353
CARDIAC ABNORMAL BPM.....	75
CARDIAC ALARM PARAMETERS VERIFIED.....	76
CARDIAC BRUIT.....	77
CARDIAC CHAIR (data).....	785

CARDIAC CHAIR (q-pair).....	52
CARDIAC DIET (data).....	785
CARDIAC DIET (q-pair).....	140
CARDIAC ECTOPY.....	78
CARDIAC HEART SOUNDS.....	79
CARDIAC INDEX.....	80
CARDIAC MONITOR (meth).....	1087
CARDIAC OUTPUT.....	81
CARDIAC OUTPUT INJECTATE (data).....	786
CARDIAC OUTPUT INJECTATE (prod).....	1112
CARDIAC OUTPUT INJECTATE (q-pair).....	374
CARDIAC OUTPUT MONITOR (meth).....	1087
CARDIAC OUTPUT MONITOR (q-pair).....	99, 331, 335, 337, 506, 508, 517, 550, 551, 626, 627, 631
CARDIAC REPOSITION (data).....	786
CARDIAC REPOSITION (q-pair).....	12
CARDIAC RHYTHM.....	82
CARDIAC RHYTHM LEAD.....	83
CARDIAC THRILL.....	84
CARDIAC THRILL TIMING.....	85
CARDIO-RESP MONITOR (data).....	786
CARDIO-RESP MONITOR (q-pair).....	351
CARDIOLOGY PROCEDURE ROOM (data).....	786
CARDIOLOGY PROCEDURE ROOM (q-pair).....	502
CAREGIVER (data).....	786
CAREGIVER (q-pair).....	10
CAROTID (loca).....	1038

CAROTID (q-pair).....	518
CASS ENDOTRACHEAL TUBE (data).....	787
CASS ENDOTRACHEAL TUBE (q-pair).....	21
CATHETER (data).....	787
CATHETER (meth).....	1088
CATHETER (q-pair).....	202
CATHETER (sche).....	1131
CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY.	86
CELLULITIS (data).....	787
CELLULITIS (q-pair).....	708
CENTIMETER (unit).....	1149
CENTIMETERS H2O (unit).....	1150
CENTRAL ECG (data).....	787
CENTRAL ECG (q-pair).....	23
CENTRAL LINE ALARMS ON.....	87
CENTRAL LINE CHANGED.....	88
CENTRAL LINE CONDITION.....	89
CENTRAL LINE DRESSING CHANGE.....	90
CENTRAL LINE DRESSING TYPE.....	91
CENTRAL LINE INSERTION MARK.....	92
CENTRAL LINE SITE CARE.....	93
CENTRAL LINE SIZE FRENCH.....	94
CENTRAL LINE SIZE GAUGE.....	95
CENTRAL LINE TYPE.....	96
CENTRAL LINE WAVEFORM.....	97
CENTRAL LINE ZEROED.....	98
CENTRAL VENOUS CATHETER (data).....	787

CENTRAL VENOUS CATHETER (q-pair).....	325, 443
CENTRAL VENOUS PRESSURE.....	99
CEREBRAL PERFUSION PRESSURE.....	100
CERVICAL SPINAL PRECAUTIONS (data).....	788
CERVICAL SPINAL PRECAUTIONS (q-pair).....	11
CHAIR (data).....	788
CHAIR (meth).....	1088
CHAIR (q-pair).....	11, 649, 688
CHANGED (data).....	788
CHANGED (q-pair).....	43, 90, 325
CHART VERIFIED CORRECT (data).....	788
CHART VERIFIED CORRECT (q-pair).....	458
CHEST (loca).....	1038
CHEST (q-pair).....	154, 423, 546, 549,

601

CHEST EXPANSION.....	101
CHEST PAIN.....	102
CHEST TUBE (meth).....	1088
CHEST TUBE (prod).....	1113
CHEST TUBE (q-pair).....	381
CHEST TUBE DRAINAGE (prod).....	1113
CHEST TUBE DRAINAGE CHARACTERISTICS.....	103
CHEST TUBE DRAINAGE SUCTION TYPE.....	104
CHEST TUBE DRAINAGE SYSTEM REPLACED.....	105
CHEST TUBE DRESSING CHANGE.....	106
CHEST TUBE SITE ASSESSMENT.....	107
CHEST TUBE SUCTION (CM H2O).....	108
CHEYNE-STOKES (data).....	788

CHEYNE-STOKES (q-pair).....	525
CHIEF CONCERN/COMPLAINT.....	109
CIRCULATION CHECK (data).....	789
CIRCULATION CHECK (q-pair).....	545
CIRCUMFERENCE/GIRTH.....	110
CIWA SCALE (unit).....	1150
CIWA: AGITATION.....	111
CIWA: ANXIETY.....	112
CIWA: AUDITORY DISTURBANCES.....	113
CIWA: HEADACHE FULLNESS IN HEAD.....	114
CIWA: NAUSEA/VOMITING.....	115
CIWA: ORIENTATION AND CLOUDING OF SENSORIUM.....	116
CIWA: PAROXYSMAL SWEATS.....	117
CIWA: TACTILE DISTURBANCES.....	118
CIWA: TOTAL.....	119
CIWA: TREMOR.....	120
CIWA: VISUAL DISTURBANCES.....	121
CLAMPED (data).....	789
CLAMPED (q-pair).....	196
CLASS I (data).....	789
CLASS I (q-pair).....	336
CLASS II (data).....	789
CLASS II (q-pair).....	336
CLASS III (data).....	789
CLASS III (q-pair).....	336
CLASS IV (data).....	790
CLASS IV (q-pair).....	336
CLAY (data).....	790

CLAY (q-pair).....	146, 162, 193, 656, 695
CLEAR (data).....	790
CLEAR (q-pair).....	72, 146, 162, 193, 278, 488, 511, 579, 623, 655, 656
CLEAR LIQUID DIET (data).....	790
CLEAR LIQUID DIET (q-pair).....	140
CLICK (data).....	790
CLICK (q-pair).....	79
CLINICAL ASSESSMENT (data).....	791
CLINICAL ASSESSMENT (q-pair).....	153
CLOSE OBSERVATION (data).....	791
CLOSE OBSERVATION (q-pair).....	56
CLOSE OBSERVATION BEHAVIOR.....	122
CLOSE OBSERVATION CURRENT LOCATION.....	123
CLOSE OBSERVATION REASON FOR PRECAUTION.....	124
CLOSED (data).....	791
CLOSED (q-pair).....	127
CLOSED SYSTEM (data).....	791
CLOSED SYSTEM (q-pair).....	156
CLOTHED SELF (data).....	791
CLOTHED SELF (q-pair).....	4
CLOTHING ROOM (data).....	792
CLOTHING ROOM (q-pair).....	464, 465
CLOTS (data).....	792
CLOTS (q-pair).....	622, 655
CLOUDY (data).....	792

CLOUDY (q-pair).....	278, 488, 579, 655
CLUBBING (data).....	792
CLUBBING (q-pair).....	366
CMS INTACT DISTAL TO SURGICAL SITE (data).....	792
CMS INTACT DISTAL TO SURGICAL SITE (q-pair).....	415
CNS DEPRESSION (data).....	793
CNS DEPRESSION (q-pair).....	168
COCCYX (loca).....	1038
COCCYX (q-pair).....	423, 496, 601, 703
CODE CART IS ASSESSIBLE (data).....	793
CODE CART IS ASSESSIBLE (q-pair).....	351
CODE STATUS.....	125
COFFEE GROUND (data).....	793
COGNITIVE IMPAIRMENT (data).....	793
COGNITIVE IMPAIRMENT (q-pair).....	51
COLD (data).....	793
COLD (q-pair).....	425, 601
COLLAGEN (data).....	794
COLLAGEN (q-pair).....	497
COLLOID (meth).....	1088
COLLOID (prod).....	1113
COLLOID (q-pair).....	291, 306
COLLOID TYPE.....	126
COLORLESS (data).....	794
COLORLESS (q-pair).....	695
COLOSTOMY (data).....	794
COLOSTOMY (q-pair).....	373
COMA SCORE EYE.....	127

COMA SCORE MOTOR.....	128
COMA SCORE VERBAL.....	129
COMBATIVE (data).....	794
COMBATIVE (q-pair).....	55
COMMUNE (data).....	794
COMMUNE (q-pair).....	11
COMMUNICATION BARRIER (data).....	795
COMMUNICATION BARRIER (q-pair).....	150
COMPLETE BATH (data).....	795
COMPLETE BATH (q-pair).....	4
COMPLIANCE (data).....	795
COMPLIANCE (q-pair).....	153
COMPR. HOSE SEQ. COMP. DEVICE.....	130
COMPUTED TOMOGRAPHY (meth).....	1088
COMPUTED TOMOGRAPHY (q-pair).....	329, 330
CONFUSED (data).....	795
CONFUSED (q-pair).....	129, 150
CONFUSION (data).....	795
CONFUSION (q-pair).....	168, 448
CONSISTENT WITH BODY TEMPERATURE (data).....	796
CONSISTENT WITH BODY TEMPERATURE (q-pair).....	601
CONSTANT (data).....	796
CONSTANT (q-pair).....	420, 421, 709
CONSTIPATION (data).....	796
CONSTIPATION (q-pair).....	168, 191, 622
CONSTRICTED (data).....	796
CONSTRICTED (q-pair).....	16
CONTACT (data).....	796

CONTACT (q-pair).....	315
CONTACTS (data).....	797
CONTACTS (q-pair).....	346
CONTEMPLATIVE (data).....	797
CONTEMPLATIVE (q-pair).....	152
CONTINENT (data).....	797
CONTINENT (q-pair).....	202, 658
CONTINUOUS (data).....	797
CONTINUOUS (q-pair).....	85, 145, 196, 198,
	565
CONTINUOUS POSITIVE AIR PRESSURE (data).....	797
CONTINUOUS POSITIVE AIR PRESSURE (q-pair).....	667, 681
CONTINUOUS SUCTION (data).....	798
CONTINUOUS SUCTION (q-pair).....	104
CONTRAST LEFT VENTRICULOGRAPHY (meth).....	1089
CONTRAST LEFT VENTRICULOGRAPHY (q-pair).....	329, 330
CONTROL MODE VENTILATION (data).....	798
CONTROL MODE VENTILATION (q-pair).....	667
CONTROLLED VENTILATOR (meth).....	1089
CONTROLLED VENTILATOR (q-pair).....	526
CONTUSION (data).....	798
CONTUSION (q-pair).....	708
COOL (data).....	798
COOL (q-pair).....	601
COOL CHEM PACK (data).....	798
COOL CHEM PACK (q-pair).....	686
COOLER THAN GENERAL BODY TEMPERATURE (data).....	799
COOLER THAN GENERAL BODY TEMPERATURE (q-pair).....	601

COOLER THAN OPPOSITE BODY PART (data).....	799
COOLER THAN OPPOSITE BODY PART (q-pair).....	601
COOLING BLANKET (data).....	799
COOLING BLANKET (q-pair).....	686
COOLING OFF (data).....	799
COOLING OFF (q-pair).....	687
COOLING ON (data).....	799
COOLING ON (q-pair).....	687
COOPERATIVE (data).....	800
COOPERATIVE (q-pair).....	55
COPIUS (data).....	800
COPIUS (q-pair).....	385, 510
CORE (loca).....	1038
CORE (q-pair).....	636
COUGH.....	131
CPAP.....	132
CPAP (meth).....	1089
CPAP (q-pair).....	629
CRACKLES (data).....	800
CRACKLES (q-pair).....	72
CRAMPING (data).....	800
CRAMPING (q-pair).....	191, 420
CREPITUS (data).....	800
CREPITUS (q-pair).....	107
CRRT (meth).....	1089
CRRT (q-pair).....	293, 380
CRUSHING (data).....	801
CRUSHING (q-pair).....	420, 708

CRUTCH (data).....	801
CRUTCH (q-pair).....	649
CRUTCHES (data).....	801
CRUTCHES (q-pair).....	5, 649
CRYING (data).....	801
CRYING (q-pair).....	424
CRYOPRECIPITATE (prod).....	1113
CRYOPRECIPITATE (q-pair).....	291, 299
CRYSTALLOID (data).....	801
CRYSTALLOID (prod).....	1113
CRYSTALLOID (q-pair).....	291, 306
CUBIC CENTIMETER (unit).....	1150
CUFF (meth).....	1089
CUFF (q-pair).....	139, 337, 338, 632
CUFF INFLATION CHECKED.....	133
CUFF-AUTOMATED (meth).....	1090
CUFF-AUTOMATED (q-pair).....	61
CUFF-MANUAL (meth).....	1090
CUFF-MANUAL (q-pair).....	61
CULTURAL (data).....	802
CULTURAL (q-pair).....	151
CVVHD (meth).....	1090
CVVHD (q-pair).....	293, 380
CYANOTIC (data).....	802
CYANOTIC (q-pair).....	364, 365, 588

D - DOPPLER (data).....	802
D - DOPPLER (q-pair).....	519
D10W ENTERAL NUTRITION (data).....	802
D10W ENTERAL NUTRITION (q-pair).....	161
D50W ENTERAL NUTRITION (data).....	802
D50W ENTERAL NUTRITION (q-pair).....	161
D5W ENTERAL NUTRITION (data).....	803
D5W ENTERAL NUTRITION (q-pair).....	161
D=DOPPLER (data).....	803
DAILY PLAN (data).....	803
DAILY PLAN (q-pair).....	153
DAKINS SOLUTION (prod).....	1114
DAKINS SOLUTION (q-pair).....	298
DAMPENED (data).....	803
DAMPENED (q-pair).....	47, 97, 393, 396,

400

DANGLED (data).....	803
DANGLED (q-pair).....	11
DATE OF BIRTH (data).....	804
DATE OF BIRTH (q-pair).....	352
DAY (unit).....	1150
DAY ROOM (data).....	804
DAY ROOM (q-pair).....	54, 123
DDD (data).....	804
DDD (q-pair).....	405
DDDR (data).....	804
DDDR (q-pair).....	405
DDI (data).....	804

DDI (q-pair).....	405
DECELERATING (data).....	805
DECELERATING (q-pair).....	682
DECREASED (data).....	805
DECREASED (q-pair).....	604
DEEP (data).....	805
DEEP (q-pair).....	420, 525
DEGREES (ANGLE) (unit).....	1150
DEGREES C (unit).....	1151
DEGREES F (unit).....	1151
DENIES HAVING SLEPT (data).....	805
DENIES HAVING SLEPT (q-pair).....	607
DENIES NEED (data).....	805
DENIES NEED (q-pair).....	152
DENTAL (data).....	806
DENTAL (q-pair).....	502
DENTAL IMPLANTS (data).....	806
DENTAL IMPLANTS (q-pair).....	134
DENTURES.....	134
DENTURES (data).....	806
DENTURES (q-pair).....	346
DESCRIP (data).....	806
DEVICE RELATED PRESSURE (data).....	806
DEVICE RELATED PRESSURE (q-pair).....	494
DEVICE RELEASE (data).....	807
DEVICE RELEASE (q-pair).....	545
DIABETES (data).....	807
DIABETES (q-pair).....	347

DIABETIC/VASCULAR ULCER (data).....	807
DIABETIC/VASCULAR ULCER (q-pair).....	708
DIAGNOSIS TYPE.....	135
DIALYSIS (data).....	807
DIALYSIS (meth).....	1090
DIALYSIS (q-pair).....	96
DIALYSIS CATHETER (meth).....	1090
DIALYSIS CATHETER CONDITION.....	136
DIALYSIS DRESSING TYPE.....	137
DIALYSIS RATIO.....	138
DIAPHORETIC (data).....	807
DIAPHORETIC (q-pair).....	596
DIARRHEA (data).....	808
DIARRHEA (q-pair).....	191, 622
DIASTOLIC (data).....	808
DIASTOLIC (q-pair).....	85
DIASTOLIC PRESSURE.....	139
DIET.....	140
DIFFICULT TO AROUSE (data).....	808
DIFFICULT TO AROUSE (q-pair).....	440
DILATED (data).....	808
DILATED (q-pair).....	520
DILUTE DAKINS SOLUTION (data).....	808
DILUTE DAKINS SOLUTION (q-pair).....	497
DILUTE SODIUM HYPOCHLORITE SOLUTION (data).....	809
DIMINISHED (data).....	809
DIMINISHED (q-pair).....	72
DISCHARGE (data).....	809

DISCHARGE (q-pair).....	135, 153, 703
DISCHARGE ACTIVITIES.....	141
DISCHARGE MEDS PLANNED (data).....	809
DISCHARGE MEDS PLANNED (q-pair).....	141
DISCHARGE ORDER ON CHART (data).....	809
DISCHARGE ORDER ON CHART (q-pair).....	141
DISCOLORATION (data).....	810
DISCOLORATION (q-pair).....	365, 583
DISCOMFORT (data).....	810
DISCOMFORT (q-pair).....	42, 89, 136, 217,
	327, 391
DISCONTINUED (data).....	810
DISCONTINUED (q-pair).....	325, 443, 565
DISEASE PROCESS (data).....	810
DISEASE PROCESS (q-pair).....	153
DISHEVELED (data).....	810
DISHEVELED (q-pair).....	31
DISORIENTED (data).....	811
DISORIENTED (q-pair).....	542
DISORIENTED TO PERSON (data).....	811
DISORIENTED TO PERSON (q-pair).....	371
DISORIENTED TO PLACE (data).....	811
DISORIENTED TO PLACE (q-pair).....	371
DISORIENTED TO SITUATION (data).....	811
DISORIENTED TO SITUATION (q-pair).....	371
DISORIENTED TO TIME (data).....	811
DISORIENTED TO TIME (q-pair).....	371
DISTAL PORT (data).....	812

DISTAL PORT (q-pair).....	326
DISTENDED (data).....	812
DISTENDED (q-pair).....	2, 368
DIVERSION (data).....	812
DIVERSION (q-pair).....	658
DO NOT PROCESS.....	142
DO NOT RESUSCITATE (data).....	812
DO NOT RESUSCITATE (q-pair).....	39, 125
DONE (data).....	812
DONE (q-pair).....	14
DONOR SITE (loca).....	1038
DONOR SITE (q-pair).....	285
DOO (data).....	813
DOO (q-pair).....	405
DOPPLER (meth).....	1091
DOPPLER (q-pair).....	61, 139, 518, 632
DORSALIS PEDIS (loca).....	1039
DORSALIS PEDIS (q-pair).....	518
DORSI FLEXION.....	143
DOUBLE (data).....	813
DOUBLE (q-pair).....	96
DOUBLE LUMEN CATHETER (meth).....	1091
DOWN (data).....	813
DRAIN SUCTION CM H2O.....	144
DRAIN SUCTION TYPE.....	145
DRAINAGE CHARACTERISTICS.....	146
DRESSING (data).....	813
DRESSING (q-pair).....	520, 692

DRESSING CHANGED (data).....	813
DRESSING CHANGED (q-pair).....	325, 443
DRESSING WITH PRESCRIPTION RX (data).....	814
DRESSINGS CHECKED (data).....	814
DRESSINGS CHECKED (q-pair).....	141
DROPLET (data).....	814
DROPLET (q-pair).....	315
DROWSY (data).....	814
DROWSY (q-pair).....	55, 333, 440
DRY (data).....	814
DRY (q-pair).....	43, 90, 581, 596,
	688
DRY (qual).....	1128
DRY AND INTACT (data).....	815
DRY SHAMPOO (data).....	815
DRY SHAMPOO (q-pair).....	4
DRY STERILE DRESSING (data).....	815
DULL (data).....	815
DULL (q-pair).....	420
DUMPING SYNDROME (data).....	815
DUMPING SYNDROME (q-pair).....	140
DUODENOSTOMY (data).....	816
DUODENOSTOMY (q-pair).....	155
DUSKY (data).....	816
DUSKY (q-pair).....	588
DVI (data).....	816
DVI (q-pair).....	405
DVT PROPHYLAXIS.....	147

DYE PRESENT (data).....	816
DYE PRESENT (q-pair).....	656
DYNE * SECONDS / CM(-5) * M2 (unit).....	1151
DYNE * SECONDS / CM(-5) / M2 (unit).....	1151
DYNE-SEC/CM5 (unit).....	1151
DYSPHAGIA PHASE I (data).....	816
DYSPHAGIA PHASE I (q-pair).....	140
DYSPHAGIA STAGE II (data).....	817
DYSPHAGIA STAGE II (q-pair).....	140
DYSPHAGIA STAGE III (data).....	817
DYSPHAGIA STAGE III (q-pair).....	140
DYSPHAGIA STAGE IV (data).....	817
DYSPHAGIA STAGE IV (q-pair).....	140
DYSPHAGIA STAGE V (data).....	817
DYSPHAGIA STAGE V (q-pair).....	140
DYSPNEIC (data).....	817
DYSPNEIC (q-pair).....	525
DYSURIA (data).....	818
DYSURIA (q-pair).....	658

- E -

EAGER TO LEARN (data).....	818
EAGER TO LEARN (q-pair).....	152
EASY TO AROUSE (data).....	818
EASY TO AROUSE (q-pair).....	440
ECCHYMOSIS (data).....	818
ECCHYMOSIS (q-pair).....	588

ECHOCARDIOGRAPHY (meth).....	1091
ECHOCARDIOGRAPHY (q-pair).....	329, 330
EDEMA AMOUNT.....	148
EDEMA SEVERITY.....	149
EDUCATION - BARRIERS.....	150
EDUCATION - BELIEFS.....	151
EDUCATION - READINESS TO LEARN.....	152
EDUCATION - TOPIC.....	153
EF RESIDUAL (prod).....	1114
EF RESIDUAL (q-pair).....	374
EKG LEAD.....	154
ELASTIC WRAP (data).....	818
ELASTIC WRAP (q-pair).....	147
ELBOW PAD (data).....	819
ELBOW PAD (q-pair).....	493
ELECTRIC (data).....	819
ELECTRIC (q-pair).....	420
ELECTROCARDIOGRAM (meth).....	1091
ELECTROCARDIOGRAM (q-pair).....	518, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 641, 642
ELECTROCARDIOGRAM TRACE 1 (meth).....	1091
ELECTROCARDIOGRAM TRACE 1 (q-pair).....	518
ELECTROCARDIOGRAM TRACE 2 (meth).....	1092
ELECTROCARDIOGRAM TRACE 2 (q-pair).....	518
ELEMENTAL FORMULA (data).....	819
ELEMENTAL FORMULA (prod).....	1114

ELEMENTAL FORMULA (q-pair).....	291
ELOPEMENT (data).....	819
ELOPEMENT (q-pair).....	39, 57, 124
EMERGENCY (data).....	819
EMERGENCY (q-pair).....	49
EMERGENCY DEPARTMENT (data).....	820
EMERGENCY DEPARTMENT (q-pair).....	171, 417
EMERGENCY DEPT (data).....	820
EMERGENCY DEPT (q-pair).....	502
EMESIS (prod).....	1114
EMESIS (q-pair).....	382
EMOTIONAL (data).....	820
EMOTIONAL (q-pair).....	150
END OF LIFE CARE (data).....	820
END OF LIFE CARE (q-pair).....	494
END-TIDAL CO2 MONITOR (data).....	820
END-TIDAL CO2 MONITOR (q-pair).....	351
ENSURE PLUS (data).....	821
ENSURE PLUS (q-pair).....	161
ENTERAL FEEDING / SUPPLEMENT (meth).....	1092
ENTERAL FEEDING / SUPPLEMENT (q-pair).....	291
ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (data)....	821
ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (q-pair)..	153
ENTERAL FEEDING PUMP (data).....	821
ENTERAL FEEDING PUMP (q-pair).....	153
ENTERAL FEEDING TUBE (meth).....	1092
ENTERAL FEEDING TUBE (q-pair).....	291
ENTERAL FEEDING TUBE TYPE.....	155

ENTERAL NUTRITION DELIVERY METHOD.....	156
ENTERAL NUTRITION LINE TRACED.....	157
ENTERAL NUTRITION RATE.....	158
ENTERAL NUTRITION SYSTEM MAINTENANCE.....	159
ENTERAL NUTRITION TUBE PLACEMENT VERIFIED.....	160
ENTERAL NUTRITION TYPE.....	161
ENTERAL TUBE ASPIRATE COLOR.....	162
ENTERAL TUBE MEDICATION ADMINISTRATION (data).....	821
ENTERAL TUBE MEDICATION ADMINISTRATION (q-pair).....	153
ENTERAL TUBE SITE CONDITION CHECKED.....	163
ENTERAL TUBE/STOMA CARE (data).....	821
ENTERAL TUBE/STOMA CARE (q-pair).....	153
ENVIRONMENT (data).....	822
ENVIRONMENT (q-pair).....	153
ENZYMATIC OINTMENT (data).....	822
ENZYMATIC OINTMENT (q-pair).....	497
EPICARDIAL LEADS (data).....	822
EPICARDIAL LEADS (q-pair).....	411
EPIDURAL (data).....	822
EPIDURAL (q-pair).....	30
EPIDURAL PUMP (data).....	822
EPIDURAL PUMP (q-pair).....	153
EPIDURAL: BOLUS (ML).....	164
EPIDURAL: CONTINUOUS RATE (ML/HR).....	165
EPIDURAL: DERMATOME SENSORY LEVEL - LEFT.....	166
EPIDURAL: DERMATOME SENSORY LEVEL - RIGHT.....	167
EPIDURAL: SIDE EFFECTS.....	168
EPITHELIALIZATION (data).....	823

EPITHELIALIZATION (q-pair).....	702
EQUAL (data).....	823
EQUAL (q-pair).....	334, 654
EQUIPMENT (data).....	823
EQUIPMENT (q-pair).....	153
ER EMERGENCY SEVERITY INDEX.....	169
ER TRIAGE CONDITION.....	170
ER TRIAGE DISPOSITION.....	171
ERYTHEMA (data).....	823
ERYTHEMA (q-pair).....	583
ESCAPE (data).....	823
ESCAPE (q-pair).....	57, 124
ESCHAR (data).....	824
ESCHAR (q-pair).....	702
ESTIMATED (q-pair).....	209, 279, 385, 518, 636, 688, 690
ESTIMATED (qual).....	1128
ESTIMATED BY ARM SPAN (q-pair).....	209
ESTIMATED BY ARM SPAN (qual).....	1129
ET LOCATION.....	172
ETT REPOSITIONED (data).....	824
ETT REPOSITIONED (q-pair).....	14
ETT RETAPED/SECURED (data).....	824
ETT RETAPED/SECURED (q-pair).....	14
EVENT(S) (unit).....	1152
EVENTS PER HOUR (unit).....	1152
EWALD TUBE (data).....	824
EWALD TUBE (q-pair).....	197

EXPIRATORY WHEEZES (data).....	824
EXPIRATORY WHEEZES (q-pair).....	72
EXTENDED PERIOD OF IMMOBILITY (data).....	825
EXTENDED PERIOD OF IMMOBILITY (q-pair).....	168
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (data)	825
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair)	591
EXTENDS AROUND INCISION MORE THAN 1 CM (data).....	825
EXTENDS AROUND INCISION MORE THAN 1 CM (q-pair).....	591
EXTENDS AROUND INCISION NONE (data).....	825
EXTENDS AROUND INCISION NONE (q-pair).....	591
EXTENDS INTO PERIWOUND <1CM (data).....	825
EXTENDS INTO PERIWOUND <1CM (q-pair).....	283
EXTENDS INTO PERIWOUND>1CM (data).....	826
EXTENDS INTO PERIWOUND>1CM (q-pair).....	283
EXTENDS TO PAIN (data).....	826
EXTENDS TO PAIN (q-pair).....	128
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (data)	826
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair)	592
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (data)	826
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (q-pair)	592
EXTENSION AROUND WOUND LIMITED TO WOUND (data).....	826
EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair).....	592

EXTENSION AROUND WOUND NONE (data).....	827
EXTENSION AROUND WOUND NONE (q-pair).....	592
EXTENSIVE ASSISTANCE (data).....	827
EXTENSIVE ASSISTANCE (q-pair).....	7, 8, 9
EXTERNAL CATHETER (data).....	827
EXTERNAL CATHETER (q-pair).....	201, 658
EXTREMELY DRY (data).....	827
EYE CLOSED (data).....	827
EYE CLOSED (q-pair).....	520
EYEGLASSES (data).....	828
EYEGLASSES (q-pair).....	346

- F -

FACE (loca).....	1039
FACE (q-pair).....	149, 423, 601
FACE TENT (meth).....	1092
FACE TENT (q-pair).....	628
FACE WASH (data).....	828
FACE WASH (q-pair).....	4
FALL PRECAUTIONS.....	173
FAMILY (data).....	828
FAMILY (q-pair).....	10, 464, 465
FAMILY INFORMED (data).....	828
FAMILY INFORMED (q-pair).....	354, 528
FAMILY ORIENTED TO UNIT.....	174
FAMILY STATED (data).....	828
FAMILY STATED (q-pair).....	458

FAMILY/FRIEND (data).....	829
FAMILY/FRIEND (q-pair).....	648
FASCIA (data).....	829
FAT RESTRICTED 50 GM DIET (data).....	829
FAT RESTRICTED 50 GM DIET (q-pair).....	140
FECAL FAT TEST DIET (data).....	829
FECAL FAT TEST DIET (q-pair).....	140
FECES (prod).....	1114
FEET (loca).....	1039
FEET (q-pair).....	149
FEMORAL (loca).....	1039
FEMORAL (q-pair).....	61, 518
FETAL HEART TONES.....	175
FFP (prod).....	1115
FFP (q-pair).....	291, 299
FFP - THAWED (prod).....	1115
FFP - THAWED (q-pair).....	291, 299
FHWN1 (data).....	829
FIBER FORMULA (data).....	830
FIBER STAT (data).....	830
FIBER STAT (q-pair).....	161
FIBRINOUS (data).....	830
FIBRINOUS (q-pair).....	702
FINGERSTICK GLUCOSE.....	176
FIRM (data).....	830
FIRM (q-pair).....	2
FIRST DEGREE AV BLOCK (data).....	830
FIRST DEGREE AV BLOCK (q-pair).....	82

FIXED (data).....	831
FIXED (q-pair).....	520
FLAT (data).....	831
FLAT (q-pair).....	2, 16, 368
FLATULENCE (data).....	831
FLATULENCE (q-pair).....	1
FLATUS.....	177
FLEXION TO PAIN (data).....	831
FLEXION TO PAIN (q-pair).....	128
FLICKER OF CONTRACTION (data).....	831
FLICKER OF CONTRACTION (q-pair).....	362
FLOTATION BED (data).....	832
FLOTATION BED (q-pair).....	608
FLOWSHEET ADDENDUM.....	178
FLUCTUANCE (data).....	832
FLUCTUATES (data).....	832
FLUCTUATES (q-pair).....	107
FLUSHED (data).....	832
FLUSHED (q-pair).....	325, 588
FOAM AIR HEEL ELEVATOR (data).....	832
FOAM AIR HEEL ELEVATOR (q-pair).....	493
FOAM DRESSING (data).....	833
FOAM DRESSING (q-pair).....	700
FOLEY (data).....	833
FOLEY (q-pair).....	201
FOOT (unit).....	1152
FOOT CARE (data).....	833
FOOT CARE (q-pair).....	4

FOOT DOWN (data).....	833
FOOT DOWN (q-pair).....	577
FOOT STRENGTH.....	179
FOOT UP (data).....	833
FOOT UP (q-pair).....	577
FOREHEAD (loca).....	1039
FOREHEAD (q-pair).....	496
FORMULA - HIGH FIBER (prod).....	1115
FORMULA - PROBALANCE (prod).....	1115
FORMULA - PROBALANCE (q-pair).....	161
FORMULA 1.5 CAL (prod).....	1115
FORMULA 1.5 CAL (q-pair).....	291
FORMULA 2.0 CAL (prod).....	1116
FORMULA 2.0 CAL (q-pair).....	161, 291
FORMULA D10W ENTERAL NUTRITION (prod).....	1116
FORMULA D10W ENTERAL NUTRITION (q-pair).....	161
FORMULA D50W ENTERAL NUTRITION (prod).....	1116
FORMULA D50W ENTERAL NUTRITION (q-pair).....	161
FORMULA D5W ENTERAL NUTRITION (prod).....	1116
FORMULA D5W ENTERAL NUTRITION (q-pair).....	161
FORMULA FIBER (prod).....	1116
FORMULA FIBER (q-pair).....	291
FOUL SMELLING (data).....	834
FOUL SMELLING (q-pair).....	491, 696
FOWLER'S (data).....	834
FOWLER'S (q-pair).....	12
FRANK BLOOD (data).....	834
FRANK BLOOD (q-pair).....	622

FRENCH (unit).....	1152
FREQUENT VERBAL REMINDERS (data).....	834
FREQUENT VERBAL REMINDERS (q-pair).....	534
FRIEND (data).....	834
FRIEND (q-pair).....	10, 464, 465, 466
FRONTAL (loca).....	1040
FULL CODE (data).....	835
FULL CODE (q-pair).....	125
FULL LIQUID (prod).....	1117
FULL LIQUID (q-pair).....	311
FULL LIQUID DIABETIC (data).....	835
FULL LIQUID DIABETIC (q-pair).....	140
FULL LIQUID DIET (data).....	835
FULL LIQUID DIET (q-pair).....	140
FULL LOWER (data).....	835
FULL LOWER (q-pair).....	134
FULL NAME (data).....	835
FULL NAME (q-pair).....	352
FULL SPINAL PRECAUTIONS (data).....	836
FULL SPINAL PRECAUTIONS (q-pair).....	11
FULL SSN (data).....	836
FULL SSN (q-pair).....	352
FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO (data)	836
FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO (q-pair)	496
FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE (data)	836

FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE (q-pair)	496
FULL UPPER (data)	836
FULL UPPER (q-pair)	134
FUNCTIONAL SECTION SET UP (data)	837
FUNCTIONAL SECTION SET UP (q-pair)	351
FUNDAL HEIGHT	180

- G -

GAG REFLEX	181
GAIT BELT (data)	837
GAIT BELT (q-pair)	5
GASTRIC BYPASS CLEAR LIQUID (data)	837
GASTRIC BYPASS CLEAR LIQUID (q-pair)	140
GASTRIC BYPASS PUREED (data)	837
GASTRIC BYPASS PUREED (q-pair)	140
GASTRIC BYPASS REGULAR (data)	837
GASTRIC BYPASS REGULAR (q-pair)	140
GASTRIC DRAINAGE (prod)	1117
GASTRIC DRAINAGE (q-pair)	374
GASTRIC RESIDUAL AMOUNT DISCARDED	182
GASTRIC RESIDUAL CHECKED	183
GASTRIC RESIDUAL NOT DISCARDED	184
GASTRIC TUBE (data)	838
GASTRIC TUBE (q-pair)	155, 197
GASTRIC pH	185
GASTROINTESTINAL (loca)	1040

GASTROINTESTINAL (q-pair).....	423
GASTROSTOMY FEEDING BUTTON (data).....	838
GASTROSTOMY FEEDING BUTTON (q-pair).....	197
GASTROSTOMY TUBE (data).....	838
GASTROSTOMY TUBE (q-pair).....	197
GAUGE (unit).....	1152
GAUZE (data).....	838
GAUZE (q-pair).....	497, 700
GAUZE AND TAPE (data).....	838
GAUZE AND TAPE (q-pair).....	44, 218
GAUZE PACKING (data).....	839
GAUZE PACKING (q-pair).....	497, 700
GAUZE WRAP (data).....	839
GAUZE WRAP (q-pair).....	497, 700
GCS - EYE OPENING.....	186
GCS - MOTOR RESPONSE.....	187
GCS - TOTAL.....	188
GCS - VERBAL RESPONSE.....	189
GENERAL (data).....	839
GENERAL (q-pair).....	30
GENERAL UMBILICUS (loca).....	1040
GENERAL UMBILICUS (q-pair).....	1
GENERALIZED (loca).....	1040
GENERALIZED (q-pair).....	149, 703
GENITAL ASSESSMENT.....	190
GENITALS (loca).....	1040
GENITALS (q-pair).....	703
GERI-CHAIR (data).....	839

GERI-CHAIR (q-pair).....	11, 122, 549
GI PROCEDURE ROOM (data).....	839
GI PROCEDURE ROOM (q-pair).....	502
GI SYMPTOMS.....	191
GI TUBE (meth).....	1092
GI TUBE DRAINAGE CHARACTERISTICS.....	192
GI TUBE DRAINAGE COLOR.....	193
GI TUBE PLACEMENT CONFIRMATION.....	194
GI TUBE SIZE.....	195
GI TUBE SUCTION TYPE.....	196
GI TUBE TYPE.....	197
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (data)	840
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (q-pair)	141
GLASGOW COMA SCALE (unit).....	1153
GLUCERNA 1.0 (data).....	840
GLUCERNA 1.0 (q-pair).....	161
GLUCERNA 1.2 (data).....	840
GLUCERNA 1.2 (q-pair).....	161
GLUCERNA DIABETIC (prod).....	1117
GLUCERNA DIABETIC (q-pair).....	161
GLUTEN RESTRICTED (data).....	840
GLUTEN RESTRICTED (q-pair).....	140
GM-M/M2/BEAT (unit).....	1153
GNAWING (data).....	840
GNAWING (q-pair).....	420
GOOD (data).....	841

GOOD (q-pair).....	604
GRAFTS (data).....	841
GRAFTS (q-pair).....	347
GRAMS PER HOUR (unit).....	1153
GRAMS PER MINUTE (unit).....	1153
GRANULATING (data).....	841
GRANULATING (q-pair).....	702
GRANULOCYTES PHERESIS (prod).....	1117
GRANULOCYTES PHERESIS (q-pair).....	291, 299
GRAVITY (data).....	841
GRAVITY (q-pair).....	104, 196
GRAY (data).....	841
GRAY (q-pair).....	691
GREEN (data).....	842
GREEN (q-pair).....	146, 162, 193, 511, 623, 656, 691, 695
GRIMACING (data).....	842
GRIMACING (q-pair).....	424
GROUP ROOM (data).....	842
GROUP ROOM (q-pair).....	54, 123
GU BLADDER IRRIGATION FREQUENCY.....	198
GU CATHETER CARE PERFORMED.....	199
GU CATHETER SIZE.....	200
GU CATHETER TYPE.....	201
GU PROCEDURE ROOM (data).....	842
GU PROCEDURE ROOM (q-pair).....	502
GU VOIDING.....	202
GUARDING (data).....	842

GUARDING (q-pair).....	2, 424
GURNEY CHAIR (data).....	843
GURNEY CHAIR (q-pair).....	11

- H -

HAIR CONDITION.....	203
HALL (data).....	843
HALL (q-pair).....	54, 123
HAND GRIP.....	204
HANDOFF REPORT.....	205
HARD (data).....	843
HARD (q-pair).....	2, 581
HAS NOT SLEPT (data).....	843
HAS NOT SLEPT (q-pair).....	607
HEAD (loca).....	1041
HEAD (q-pair).....	110, 423, 601
HEAD CIRCUMFERENCE.....	206
HEAD DOWN (data).....	843
HEAD DOWN (q-pair).....	577
HEAD OCCIPITAL (loca).....	1041
HEAD OCCIPITAL (q-pair).....	496, 703
HEAD OF BED ELEVATION.....	207
HEAD UP (data).....	844
HEAD UP (q-pair).....	577
HEADACHE (data).....	844
HEADACHE (q-pair).....	168
HEARING (data).....	844

HEARING (q-pair).....	150
HEARING AIDS (data).....	844
HEARING AIDS (q-pair).....	346
HEART (loca).....	1041
HEART (q-pair).....	84
HEARTBURN (data).....	844
HEARTBURN (q-pair).....	191
HEAT (data).....	845
HEAT (q-pair).....	425
HEAT CHEM PACK (data).....	845
HEAT CHEM PACK (q-pair).....	686
HEAT LAMP (data).....	845
HEAT LAMP (q-pair).....	686
HEAT/MOISTURE EXCHANGER PRESENT.....	208
HEAVY (data).....	845
HEAVY (q-pair).....	420, 590
HEEL LIFT (data).....	845
HEEL LIFT (q-pair).....	493
HEEL PILLOW (data).....	846
HEEL PILLOW (q-pair).....	493
HEIGHT.....	209
HEMATOMA (data).....	846
HEMATOMA (q-pair).....	588, 708
HEMATURIA (data).....	846
HEMATURIA (q-pair).....	655
HEME (prod).....	1117
HEME (q-pair).....	374
HEMODIALYSIS (meth).....	1093

HEMODIALYSIS (prod).....	1118
HEMODIALYSIS (q-pair).....	293, 374, 380
HEMORRHAGE (data).....	846
HEMORRHAGE (q-pair).....	365
HEMOVAC (data).....	846
HEMOVAC (meth).....	1093
HEMOVAC (q-pair).....	381, 697
HEPATIC FORMULA (data).....	847
HEPATIC FORMULA (prod).....	1118
HEPATIC FORMULA (q-pair).....	291
HEPLOCK (data).....	847
HEPLOCK (q-pair).....	325, 443
HIGH (data).....	847
HIGH (q-pair).....	52, 145, 196
HIGH CALORIE (data).....	847
HIGH CALORIE (q-pair).....	140
HIGH FALL RISK (data).....	847
HIGH FALL RISK (q-pair).....	39
HIGH FIBER (data).....	848
HIGH FIBER (q-pair).....	140
HIGH FOWLER'S (data).....	848
HIGH FOWLER'S (q-pair).....	12
HIGH PROTEIN (data).....	848
HIGH PROTEIN (q-pair).....	140
HIGH PROTEIN FORMULA (prod).....	1118
HIGH PROTEIN FORMULA (q-pair).....	161
HIP (loca).....	1041
HIP (q-pair).....	110

HIRSUTISM (data).....	848
HIRSUTISM (q-pair).....	203
HOMANS SIGN.....	210
HOME (data).....	848
HOME (q-pair).....	417
HOME HEALTH (data).....	849
HOME HEALTH (q-pair).....	153
HOSTILE (data).....	849
HOSTILE (q-pair).....	55
HOT (data).....	849
HOT (q-pair).....	601
HOUR (unit).....	1153
HUMIDIFIER (data).....	849
HUMIDIFIER (q-pair).....	686
HYDRATION - DIET (task).....	1140
HYDRATION - HEPARIN DRIP (task).....	1140
HYDRATION - HYPERAL (task).....	1140
HYDRATION - IV FLUIDS (task).....	1141
HYDRATION - NPO (task).....	1141
HYDRATION - PERIPHERAL IV (task).....	1141
HYDRATION - PICC/CENTRAL LINE (task).....	1141
HYDRATION - SUPPLEMENT SNACK (task).....	1141
HYDRATION - TUBE FEEDING (task).....	1142
HYDROCOLLOIDAL DRESSING (data).....	849
HYDROCOLLOIDAL DRESSING (q-pair).....	497, 700, 707
HYDROFIBER (data).....	850
HYDROFIBER (q-pair).....	497
HYDROFIBER WITH SILVER (data).....	850

HYDROFIBER WITH SILVER (q-pair).....	497
HYDROGEL DRESSING (data).....	850
HYDROGEL DRESSING (q-pair).....	497, 700
HYPERACTIVE (data).....	850
HYPERACTIVE (q-pair).....	1
HYPERDYNAMIC (data).....	850
HYPERDYNAMIC (q-pair).....	47, 97, 330, 393,

400

HYPERGRANULIZATION (data).....	851
HYPERGRANULIZATION (q-pair).....	702
HYPERTONIC HYDROGEL (data).....	851
HYPERTONIC HYDROGEL (q-pair).....	700
HYPOACTIVE (data).....	851
HYPOACTIVE (q-pair).....	1
HYPOALBUMINEMIA (data).....	851
HYPOALBUMINEMIA (q-pair).....	494
HYPOTENSION (data).....	851
HYPOTENSION (q-pair).....	168, 349, 448
HYPOXIA (data).....	852
HYPOXIA (q-pair).....	349

- I -

I (data).....	852
I (q-pair).....	83
I:E RATIO.....	211
IABP (data).....	852
IABP (meth).....	1093

IABP (q-pair).....	23, 338
IABP ASSISTED SYSTOLIC PRESSURE.....	212
IABP BAEDP.....	213
IABP BALLOON SIZE.....	214
IABP CATHETER FLUSH.....	215
IABP CIRCULATION ASSESSED.....	216
IABP CONDITION.....	217
IABP DRESSING TYPE.....	218
IABP PEAK DIASTOLIC AUGMENTED PRESSURE.....	219
IABP RATIO.....	220
IABP SIZE.....	221
IABP TIMING.....	222
IABP TIMING CHECK.....	223
IABP UAEDP.....	224
IABP UNASSISTED SYSTOLIC PRESSURE.....	225
ICE PACK (data).....	852
ICE PACK (q-pair).....	686
ICTERIC (data).....	852
ICTERIC (q-pair).....	588
ICU (data).....	853
ICU (q-pair).....	417, 502
ID BAND (data).....	853
ID BAND (q-pair).....	637
ID CARD (data).....	853
ID CARD (q-pair).....	637
IDENTIFICATION (data).....	853
IDENTIFICATION (q-pair).....	39
IDIOVENTRICULAR (data).....	853

IDIOVENTRICULAR (q-pair).....	82
II (data).....	854
II (q-pair).....	83
III (data).....	854
III (q-pair).....	83
ILEAL CONDUIT (data).....	854
ILEAL CONDUIT (q-pair).....	201, 658
ILEOSTOMY (data).....	854
ILEOSTOMY (q-pair).....	373
IMAGING (data).....	854
IMAGING (q-pair).....	417
IMPAIRED LISTENING SKILLS (data).....	855
IMPAIRED LISTENING SKILLS (q-pair).....	150
IMPLANTS (data).....	855
IMPLANTS (q-pair).....	347
INACTIVE - ARTERIAL LINE SITE.....	226
INACTIVE - ARTERIAL LINE TYPE.....	227
INACTIVE - AUDIOMETRY.....	228
INACTIVE - BISPECTRAL INDEX.....	229
INACTIVE - BODY MASS INDEX.....	230
INACTIVE - CARDIAC AV FISTULA BRUIT.....	231
INACTIVE - CATHETER TYPE.....	232
INACTIVE - CENTRAL LINE SITE.....	233
INACTIVE - CHEST TUBE DRESSING INTACT.....	234
INACTIVE - CHEST TUBE SITE.....	235
INACTIVE - COUGH AND DEEP BREATH EVENTS.....	236
INACTIVE - DATE.....	237
INACTIVE - DATE DAY.....	238

INACTIVE - DATE MONTH.....	239
INACTIVE - DATE YEAR.....	240
INACTIVE - DIALYSIS CATHETER SITE.....	241
INACTIVE - EDEMA LOCATION.....	242
INACTIVE - ENTERAL NUTRITION FORMULA.....	243
INACTIVE - GI EMESIS APPEARANCE.....	244
INACTIVE - HEARING.....	245
INACTIVE - IABP INSERTION SITE.....	246
INACTIVE - IABP SITE.....	247
INACTIVE - INCISION LOCATION.....	248
INACTIVE - INCISION SITE.....	249
INACTIVE - IV DOSE RATE.....	250
INACTIVE - IV FLUID.....	251
INACTIVE - IV INSERTION DATE.....	252
INACTIVE - IV SITE.....	253
INACTIVE - OR OUTPUT - CHEST TUBE.....	254
INACTIVE - OR OUTPUT - DRAIN.....	255
INACTIVE - OR OUTPUT - PUMP LOSS.....	256
INACTIVE - OR OUTPUT - URINE.....	257
INACTIVE - OSTOMY TYPE.....	258
INACTIVE - OXYGEN DELIVERED.....	259
INACTIVE - OXYGEN DELIVERY METHOD.....	260
INACTIVE - OXYGEN EXTRACTION RATIO.....	261
INACTIVE - PA CATHETER INSERTION DATE.....	262
INACTIVE - PA CATHETER SITE.....	263
INACTIVE - PACEMAKER DATE INSERTED.....	264
INACTIVE - PACEMAKER SITES.....	265
INACTIVE - PAIN LOCATION.....	266

INACTIVE - POST OPERATION DAY NUMBER.....	267
INACTIVE - PRESSURE ULCER SITE.....	268
INACTIVE - PRESSURE ULCER VISIBLE STRUCTURE.....	269
INACTIVE - PULSE OXIMETRY.....	270
INACTIVE - SKIN DISCHARGE COLOR.....	271
INACTIVE - SKIN DISCHARGE ODOR.....	272
INACTIVE - SKIN DRAINAGE CHARACTERISTICS.....	273
INACTIVE - VENTILATOR IN-LINE NEBULIZER.....	274
INACTIVE - WOUND SITE.....	275
INACTIVE - WOUND TOPICAL TREATMENT TYPE.....	276
INAPPROPRIATE (data).....	855
INAPPROPRIATE (q-pair).....	31, 53, 129
INCENTIVE SPIROMETRY.....	277
INCH (unit).....	1154
INCISION DISCHARGE CHARACTERISTICS.....	278
INCISION DISCHARGE CHARACTERISTICS BLOODY (data).....	855
INCISION DISCHARGE CHARACTERISTICS CLOUDY (data).....	855
INCISION DISCHARGE CHARACTERISTICS NONE (data).....	856
INCISION DISCHARGE CHARACTERISTICS PURULENT (data).....	856
INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data)	856
INCISION DISCHARGE CHARACTERISTICS SEROUS (data).....	856
INCISION DISCHARGE CHARACTERISTICS VISCOUS (data).....	856
INCISION DRAINAGE AMOUNT.....	279
INCISION DRAINAGE AMOUNT HEAVY (data).....	857
INCISION DRAINAGE AMOUNT HEAVY (q-pair).....	279
INCISION DRAINAGE AMOUNT MODERATE (data).....	857
INCISION DRAINAGE AMOUNT MODERATE (q-pair).....	279

INCISION DRAINAGE AMOUNT NONE (data).....	857
INCISION DRAINAGE AMOUNT NONE (q-pair).....	279
INCISION DRAINAGE AMOUNT SCANT (data).....	857
INCISION DRAINAGE AMOUNT SCANT (q-pair).....	279
INCISION DRAINAGE AMOUNT SMALL (data).....	857
INCISION DRAINAGE AMOUNT SMALL (q-pair).....	279
INCISION DRESSING PREVENTS ASSESSMENT.....	280
INCISION DRESSING TYPE.....	281
INCISION DRESSING TYPE ANTIMICROBIAL (data).....	858
INCISION DRESSING TYPE ANTIMICROBIAL (q-pair).....	281
INCISION DRESSING TYPE ANTIMICROBIAL DISK (data).....	858
INCISION DRESSING TYPE ANTIMICROBIAL DISK (q-pair).....	281
INCISION DRESSING TYPE BALSAM OF PERU (data).....	858
INCISION DRESSING TYPE BALSAM OF PERU (q-pair).....	281
INCISION DRESSING TYPE BISMUTH GAUZE (data).....	858
INCISION DRESSING TYPE BISMUTH GAUZE (q-pair).....	281
INCISION DRESSING TYPE CALCIUM ALGINATE (data).....	858
INCISION DRESSING TYPE CALCIUM ALGINATE (q-pair).....	281
INCISION DRESSING TYPE FOAM DRESSING (data).....	859
INCISION DRESSING TYPE FOAM DRESSING (q-pair).....	281
INCISION DRESSING TYPE GAUZE (data).....	859
INCISION DRESSING TYPE GAUZE (q-pair).....	281
INCISION DRESSING TYPE GAUZE PACKING (data).....	859
INCISION DRESSING TYPE GAUZE PACKING (q-pair).....	281
INCISION DRESSING TYPE GAUZE WRAP (data).....	859
INCISION DRESSING TYPE GAUZE WRAP (q-pair).....	281
INCISION DRESSING TYPE HYDROCOLLOIDAL (data).....	859
INCISION DRESSING TYPE HYDROCOLLOIDAL (q-pair).....	281

INCISION DRESSING TYPE HYDROGEL (data).....	860
INCISION DRESSING TYPE HYDROGEL (q-pair).....	281
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (data).....	860
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (q-pair)....	281
INCISION DRESSING TYPE NONE (data).....	860
INCISION DRESSING TYPE NONE (q-pair).....	281
INCISION DRESSING TYPE PRESSURE (data).....	860
INCISION DRESSING TYPE PRESSURE (q-pair).....	281
INCISION DRESSING TYPE TRANSPARENT (data).....	860
INCISION DRESSING TYPE TRANSPARENT (q-pair).....	281
INCISION EDGE.....	282
INCISION EDGE INDISTINCT/ATTACHED (data).....	861
INCISION EDGE INDISTINCT/ATTACHED (q-pair).....	282
INCISION EDGE NON-ATTACHED (data).....	861
INCISION EDGE NON-ATTACHED (q-pair).....	282
INCISION EDGE ROLLED (data).....	861
INCISION EDGE ROLLED (q-pair).....	282
INCISION EDGE TUNNELING (data).....	861
INCISION EDGE TUNNELING (q-pair).....	282
INCISION EDGE UNDERMINING (data).....	861
INCISION EDGE UNDERMINING (q-pair).....	282
INCISION ERYTHEMA.....	283
INCISION ODOR.....	284
INCISION ODOR FOUL (data).....	862
INCISION ODOR FOUL (q-pair).....	284
INCISION ODOR NONE (data).....	862
INCISION ODOR NONE (q-pair).....	284
INCISION PRESENT.....	285

INCISION STAPLES INTACT.....	286
INCISION SUTURES INTACT.....	287
INCISION TENDER TO PALPATION.....	288
INCISION WOUND CLOSURE APPROXIMATED (data).....	862
INCISION WOUND CLOSURE APPROXIMATED (q-pair).....	593
INCISION WOUND CLOSURE DEHISCENCE (data).....	862
INCISION WOUND CLOSURE DEHISCENCE (q-pair).....	593
INCISION WOUND CLOSURE GLUE (data).....	862
INCISION WOUND CLOSURE GLUE (q-pair).....	593
INCISION WOUND CLOSURE NOT CLOSED (data).....	863
INCISION WOUND CLOSURE NOT CLOSED (q-pair).....	593
INCISIONAL SITE (data).....	863
INCISIONAL SITE (loca).....	1041
INCISIONAL SITE (q-pair).....	149, 423
INCOMPREHENSIBLE (data).....	863
INCOMPREHENSIBLE (q-pair).....	129
INCONTENENCE DERMATITIS (data).....	863
INCONTENENCE DERMATITIS (q-pair).....	708
INCONTINENT (data).....	863
INCONTINENT (q-pair).....	202, 658
INDEPENDENT (data).....	864
INDEPENDENT (q-pair).....	5, 7, 8, 9
INDICATES UNDERSTANDING (data).....	864
INDICATES UNDERSTANDING (q-pair).....	539, 544
INDIFFERENT (data).....	864
INDIFFERENT (q-pair).....	152
INDURATION (data).....	864
INDURATION (q-pair).....	583

INDWELLING CATHETER (data).....	864
INDWELLING CATHETER (q-pair).....	201, 658
INEFFECTIVE COPING (data).....	865
INEFFECTIVE COPING (q-pair).....	55
INFECTION (data).....	865
INFECTION (q-pair).....	153
INFECTION PREVENTION AND SCREENING (data).....	865
INFECTION PREVENTION AND SCREENING (q-pair).....	153
INFLATABLE HEEL LIFT (data).....	865
INFLATABLE HEEL LIFT (q-pair).....	493
INFUSION SET CHANGED.....	289
INITIATED (data).....	865
INITIATED (q-pair).....	565
INSERTED THROUGH EXISTING INTRODUCER (data).....	866
INSERTED THROUGH EXISTING INTRODUCER (q-pair).....	88, 395
INSERTED THROUGH NEW INTRODUCER (data).....	866
INSERTED THROUGH NEW INTRODUCER (q-pair).....	88, 395
INSPIRATORY WHEEZES (data).....	866
INSPIRATORY WHEEZES (q-pair).....	72
INSULIN PUMP SQ INFUSION ON?.....	290
INTACT (data).....	866
INTACT (q-pair).....	43, 90, 561, 562,
	563, 564, 589
INTAKE.....	291
INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER)..	292
INTAKE - DIALYSIS.....	293
INTAKE - EF/SUPPLEMENT CALORIES.....	294
INTAKE - ENTERAL FEEDING TUBE.....	295

INTAKE - ENTERAL TUBE FLUSH.....	296
INTAKE - GI TUBE.....	297
INTAKE - IRRIGATION.....	298
INTAKE - IV BLOOD PRODUCTS.....	299
INTAKE - IV CALORIES.....	300
INTAKE - IV CARDIAC OUTPUT INJECTATE.....	301
INTAKE - IV COLLOID.....	302
INTAKE - IV CRYSTALLOIDS.....	303
INTAKE - IV FLUID.....	304
INTAKE - IV MEDS.....	305
INTAKE - IV NUTRITION.....	306
INTAKE - LINE FLUSH.....	307
INTAKE - PCA VOLUME.....	308
INTAKE - PERCENT MEAL CONSUMED.....	309
INTAKE - PO CALORIES.....	310
INTAKE - PO FLUIDS.....	311
INTAKE - TPN CALORIES.....	312
INTAKE - TRANSFUSION	313
INTENTIONAL (data).....	866
INTENTIONAL (q-pair).....	363
INTERMITTENT (data).....	867
INTERMITTENT (q-pair).....	145, 196, 198, 420, 421, 709
INTERMITTENT SLEEP (data).....	867
INTERMITTENT SLEEP (q-pair).....	607
INTERRUPTED (data).....	867
INTERRUPTED (q-pair).....	565
INTERVENTIONAL RADIOLOGY (data).....	867

INTERVENTIONAL RADIOLOGY (q-pair).....	502
INTRACRANIAL PRESSURE.....	314
INTRODUCER (data).....	867
INTRODUCER (q-pair).....	96
INTRODUCER CATHETER (meth).....	1093
INVASIVE (meth).....	1093
INVASIVE (q-pair).....	61, 139, 337, 338,
	518, 632
IRREGULAR (data).....	868
IRREGULAR (q-pair).....	525
IRRIGATION (meth).....	1094
IRRITABLE (data).....	868
IRRITABLE (q-pair).....	424
ISOLATION PRECAUTIONS.....	315
ISOSOURCE VHN (data).....	868
ISOSOURCE VHN (q-pair).....	161
ITCHING (data).....	868
ITCHING (q-pair).....	168, 448
IV (meth).....	1094
IV (q-pair).....	291
IV DISCONTINUED (data).....	868
IV DISCONTINUED (q-pair).....	141
IV DOSE RATE - UNITS/HOUR.....	316
IV DOSE RATE - UNITS/kg/HOUR.....	317
IV DOSE RATE - g/TIME.....	318
IV DOSE RATE - mcg/TIME.....	319
IV DOSE RATE - mcg/kg/HOUR.....	320
IV DOSE RATE - mg/TIME.....	321

IV DOSE RATE - mg/kg/HOUR.....	322
IV FLOW RATE - ml/TIME.....	323
IV FLOW RATE - ml/kg/TIME.....	324
IV LINE CARE.....	325
IV PORT / NUMBER.....	326
IV PUMP (data).....	869
IV PUMP (q-pair).....	23
IV SEDATION (data).....	869
IV SEDATION (q-pair).....	30
IV SITE CONDITION.....	327
IVPB (data).....	869

- J -

JAUNDICE (data).....	869
JAUNDICE (q-pair).....	588
JEJUNOSTOMY (data).....	869
JEJUNOSTOMY (q-pair).....	155, 197, 373
JEVITY 1.0 (data).....	870
JEVITY 1.0 (q-pair).....	161
JEVITY 1.2 (data).....	870
JEVITY 1.2 (q-pair).....	161
JEVITY 1.5 (data).....	870
JEVITY 1.5 (q-pair).....	161
JOINT CAPSULE (data).....	870
JP DRAIN (data).....	870
JP DRAIN (meth).....	1094
JP DRAIN (prod).....	1118

JP DRAIN (q-pair).....	381, 697
JUICE (prod).....	1118
JUICE (q-pair).....	291, 311
JUNCTIONAL (data).....	871
JUNCTIONAL (q-pair).....	82
JUNCTIONAL ESCAPE BEAT (data).....	871
JUNCTIONAL ESCAPE BEAT (q-pair).....	78
JUNCTIONAL TACHYCARDIA (data).....	871
JUNCTIONAL TACHYCARDIA (q-pair).....	82
JUVEN (data).....	871
JUVEN (q-pair).....	161

- K -

K-PAD (data).....	871
K-PAD (q-pair).....	686
KG/M2 (unit).....	1154
KILOGRAM (unit).....	1154
KNEE (loca).....	1042
KNEE (q-pair).....	110
KNEES (loca).....	1042
KNEES (q-pair).....	149
KNIFE-LIKE (data).....	872
KNIFE-LIKE (q-pair).....	420
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (data).....	872
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (q-pair).....	347
KUSSMAUL (data).....	872
KUSSMAUL (q-pair).....	525

- L -

L ABDOMEN (loca).....	1042
L ABDOMEN (q-pair).....	703
L ANKLE (loca).....	1042
L ANKLE (q-pair).....	285, 423, 496, 548,
	601, 703
L ANTECUBITAL (loca).....	1042
L ANTECUBITAL (q-pair).....	96, 136, 201, 326,
	327, 496, 703
L ARM (loca).....	1043
L ARM (q-pair).....	61, 96, 136, 139,
	149, 154, 201, 326,
	327, 423, 546, 547,
	601, 632
L AXILLARY (loca).....	1043
L AXILLARY (q-pair).....	42, 46, 218, 221
L BRACHIAL (loca).....	1043
L BRACHIAL (q-pair).....	42, 46, 99, 406,
	411
L BUNDLE BRANCH BLOCK (data).....	872
L BUNDLE BRANCH BLOCK (q-pair).....	82
L CALF (loca).....	1043
L CALF (q-pair).....	285
L CAROTID (loca).....	1043
L CAROTID (q-pair).....	77, 84
L CHEST (loca).....	1044

L CHEST (q-pair).....	102, 423, 601, 703
L DORSALIS PEDIS (loca).....	1044
L EAR (loca).....	1044
L EAR (q-pair).....	285, 423, 496, 601,
	703
L ELBOW (loca).....	1044
L ELBOW (q-pair).....	423, 496, 601, 703
L EXTERNAL JUGULAR (loca).....	1044
L EXTERNAL JUGULAR (q-pair).....	96, 136, 201, 326,
	327, 399
L EYE (loca).....	1045
L EYE (q-pair).....	127, 149, 520, 521,
	683, 703
L FACE (loca).....	1045
L FACE (q-pair).....	149, 285, 703
L FEMORAL (loca).....	1045
L FEMORAL (q-pair).....	42, 46, 77, 84, 96,
	99, 136, 201, 218,
	221, 285, 326, 327,
	399, 406, 411, 496,
	519, 703
L FINGER (loca).....	1045
L FINGER (q-pair).....	285
L FLANK (loca).....	1045
L FLANK (q-pair).....	285
L FOOT (loca).....	1046
L FOOT (q-pair).....	149, 179, 285, 326,
	327, 423, 496, 561,

601, 703

L FOOT DOWN (data).....	872
L FOOT DOWN (q-pair).....	577
L FOOT UP (data).....	873
L FOOT UP (q-pair).....	577
L GLUTEUS (loca).....	1046
L GLUTEUS (q-pair).....	285, 496, 703
L GROIN (loca).....	1046
L GROIN (q-pair).....	423, 601
L HAND (loca).....	1046
L HAND (q-pair).....	149, 204, 423, 562,

601, 703

L HEAD (loca).....	1046
L HEAD (q-pair).....	496, 703
L HEAD DOWN (data).....	873
L HEAD DOWN (q-pair).....	577
L HEAD UP (data).....	873
L HEAD UP (q-pair).....	577
L HEEL (loca).....	1047
L HEEL (q-pair).....	496, 703
L HIP (loca).....	1047
L HIP (q-pair).....	285, 423, 601, 703
L INGUINAL (loca).....	1047
L INGUINAL (q-pair).....	285
L INNER KNEE (loca).....	1047
L INNER KNEE (q-pair).....	496, 703
L INTERNAL JUGULAR (loca).....	1047
L INTERNAL JUGULAR (q-pair).....	96, 99, 136, 201,

326, 327, 399, 406,

411

L ISCHIAL (loca).....	1048
L ISCHIAL (q-pair).....	496, 703
L JAW (loca).....	1048
L JAW (q-pair).....	423, 601
L KNEE (loca).....	1048
L KNEE (q-pair).....	149, 285, 423, 601
L LATERAL HEEL (loca).....	1048
L LATERAL HEEL (q-pair).....	496
L LATERAL MALLEOLUS (loca).....	1048
L LATERAL MALLEOLUS (q-pair).....	496
L LEG (loca).....	1049
L LEG (q-pair).....	61, 130, 139, 149,
	154, 326, 327, 423,
	546, 548, 601, 632
L LOWER ANTERIOR CHEST (loca).....	1049
L LOWER ANTERIOR CHEST (q-pair).....	104, 285
L LOWER ARM (loca).....	1049
L LOWER ARM (q-pair).....	285, 423, 496, 601,

703

L LOWER EXTREMITY (loca).....	1049
L LOWER EXTREMITY (q-pair).....	362, 563
L LOWER LEG (loca).....	1049
L LOWER LEG (q-pair).....	285, 703
L LOWER LIMB (loca).....	1050
L LOWER LIMB (q-pair).....	334
L LOWER POSTERIOR CHEST (loca).....	1050

L LOWER POSTERIOR CHEST (q-pair).....	104, 285
L MANDIBULAR (loca).....	1050
L MANDIBULAR (q-pair).....	285
L MEDIAL HEEL (loca).....	1050
L MEDIAL HEEL (q-pair).....	496
L MEDIAL MALLEOLUS (loca).....	1050
L MEDIAL MALLEOLUS (q-pair).....	496
L MIDDLE ANTERIOR CHEST (loca).....	1051
L MIDDLE ANTERIOR CHEST (q-pair).....	104, 285
L MIDDLE POSTERIOR CHEST (loca).....	1051
L MIDDLE POSTERIOR CHEST (posi).....	1108
L MIDDLE POSTERIOR CHEST (q-pair).....	104, 285
L NECK (data).....	873
L NECK (loca).....	1051
L NECK (q-pair).....	285
L NEPHROSTOMY (data).....	873
L NEPHROSTOMY (q-pair).....	201, 658
L NOSE (loca).....	1051
L NOSE (q-pair).....	423, 601
L OCCIPITAL (loca).....	1051
L OCCIPITAL (q-pair).....	285
L ORAL (loca).....	1052
L ORAL (q-pair).....	285
L ORBIT (loca).....	1052
L ORBIT (q-pair).....	285
L OUTER KNEE (loca).....	1052
L OUTER KNEE (q-pair).....	496, 703
L PARIETAL (loca).....	1052

L PARIETAL (q-pair).....	285
L PEDAL (loca).....	1052
L PEDAL (q-pair).....	519
L POST TIBIAL (loca).....	1053
L POST TIBIAL (q-pair).....	519
L RADIAL (loca).....	1053
L RADIAL (q-pair).....	42, 46, 519
L RIBS (loca).....	1053
L RIBS (q-pair).....	496, 703
L SCAPULA (loca).....	1053
L SCAPULA (q-pair).....	423, 496, 601, 703
L SHOULDER (loca).....	1053
L SHOULDER (q-pair).....	423, 496, 601, 703
L STENT (data).....	874
L STENT (q-pair).....	201
L SUBCLAVIAN (loca).....	1054
L SUBCLAVIAN (q-pair).....	96, 99, 136, 201, 285, 326, 327, 399, 406, 411
L TEMPORAL (loca).....	1054
L TEMPORAL (q-pair).....	77, 84
L TESTICLE (loca).....	1054
L TESTICLE (q-pair).....	703
L THIGH (loca).....	1054
L THIGH (q-pair).....	285, 423, 601
L THORACIC ANTERIOR (loca).....	1054
L THORACIC ANTERIOR (q-pair).....	285
L THORACIC LATERAL (loca).....	1055

L THORACIC LATERAL (q-pair).....	285
L THORACIC POSTERIOR (loca).....	1055
L THORACIC POSTERIOR (q-pair).....	285
L THORACOTOMY (loca).....	1055
L THORACOTOMY (q-pair).....	285
L THUMB (loca).....	1055
L THUMB (q-pair).....	285
L TOE (loca).....	1055
L TOE (q-pair).....	285
L TRAPEZIUS (loca).....	1056
L TRAPEZIUS (q-pair).....	285
L TROCHANTER (loca).....	1056
L TROCHANTER (q-pair).....	496, 703
L UPPER ANTERIOR CHEST (loca).....	1056
L UPPER ANTERIOR CHEST (q-pair).....	104, 285
L UPPER ARM (loca).....	1056
L UPPER ARM (q-pair).....	96, 136, 201, 285, 326, 327, 423, 496, 601, 703
L UPPER EXTREMITY (loca).....	1056
L UPPER EXTREMITY (q-pair).....	362, 564
L UPPER LEG (loca).....	1057
L UPPER LEG (q-pair).....	703
L UPPER LIMB (loca).....	1057
L UPPER LIMB (q-pair).....	654
L UPPER POSTERIOR CHEST (loca).....	1057
L UPPER POSTERIOR CHEST (q-pair).....	104, 285
L WRIST (loca).....	1057

L WRIST (q-pair).....	96, 136, 201, 326, 327, 546, 547, 703
L1 (data).....	874
L1 (q-pair).....	166, 167
L2 (data).....	874
L2 (q-pair).....	166, 167
L3 (data).....	874
L3 (q-pair).....	166, 167
L4 (data).....	874
L4 (q-pair).....	166, 167
L5 (data).....	875
L5 (q-pair).....	166, 167
LABS PER ORDERS.....	328
LACERATION (data).....	875
LACERATION (q-pair).....	708
LACKS INTEREST (data).....	875
LACKS INTEREST (q-pair).....	152
LACTOSE RESTRICTED (data).....	875
LACTOSE RESTRICTED (q-pair).....	140
LANGUAGE (data).....	875
LANGUAGE (q-pair).....	150
LARGE (data).....	876
LARGE (q-pair).....	379, 385, 387, 510
LARYNGEAL MASK (meth).....	1094
LARYNGEAL MASK (q-pair).....	628
LARYNGECTOMY (data).....	876
LARYNGECTOMY (q-pair).....	21
LEAD (meth).....	1094

LEAD (q-pair).....	518
LEFT (data).....	876
LEFT (loca).....	1057
LEFT (q-pair).....	12
LEFT LOWER LOBE (loca).....	1058
LEFT LOWER LOBE (q-pair).....	72
LEFT NECK (loca).....	1058
LEFT NECK (q-pair).....	149
LEFT UPPER LOBE (loca).....	1058
LEFT UPPER LOBE (q-pair).....	72
LEFT VENTRICULAR EJECTION FRACTION - CATEGORICAL.....	330
LEFT VENTRICULAR EJECTION FRACTION - CONTINUOUS.....	329
LEFT VENTRICULAR STROKE WORK.....	331
LEG MOVEMENTS.....	332
LESS THAN 30 (data).....	876
LESS THAN 30 (q-pair).....	330
LETHARGIC (data).....	876
LETHARGIC (q-pair).....	55, 333
LEVEL OF CONSCIOUSNESS.....	333
LEVELED (data).....	877
LEVELED (q-pair).....	325
LG ADULT (meth).....	1095
LG ADULT CUFF (meth).....	1095
LIBERAL DIABETIC (data).....	877
LIBERAL DIABETIC (q-pair).....	140
LIFT SCALE (meth).....	1095
LIFT SCALE (q-pair).....	688
LIMITED ASSISTANCE (data).....	877

LIMITED ASSISTANCE (q-pair).....	7, 8, 9
LIMITED ATTENTION SPAN (data).....	877
LIMITED ATTENTION SPAN (q-pair).....	150
LIMITED TO INCISION (data).....	877
LIMITED TO INCISION (q-pair).....	283, 591
LINE FLUSH (data).....	878
LINE FLUSH (prod).....	1119
LINE FLUSH HEPARIN (prod).....	1119
LINE FLUSH HEPARIN (q-pair).....	307
LIP SALVE (data).....	878
LIP SALVE (q-pair).....	14
LIPIDS (prod).....	1119
LIPIDS (q-pair).....	306
LISTED DIET (data).....	878
LISTED DIET (q-pair).....	140
LITER (unit).....	1154
LITERS PER MINUTE (unit).....	1154
LITERS PER MINUTE PER METER ² (BSA) (unit).....	1155
LOCAL (data).....	878
LOCAL (q-pair).....	30
LOCALIZES TO PAIN (data).....	878
LOCALIZES TO PAIN (q-pair).....	128
LOCK BOX (data).....	879
LOCK BOX (q-pair).....	465
LOCKER (data).....	879
LOCKER (q-pair).....	464, 465
LOOSE (data).....	879
LOOSE (q-pair).....	622

LOW (data).....	879
LOW (q-pair).....	52, 145, 196
LOW AIRLOSS OVERLAY (data).....	879
LOW AIRLOSS OVERLAY (q-pair).....	608
LOW AIRLOSS/ALTERNATING PRESSURE COMBO (data).....	880
LOW AIRLOSS/ALTERNATING PRESSURE COMBO (q-pair).....	608
LOW CHOLESTEROL (data).....	880
LOW CHOLESTEROL (q-pair).....	140
LOW FIBER (data).....	880
LOW FIBER (q-pair).....	140
LOW PROTEIN 60 GM (data).....	880
LOW PROTEIN 60 GM (q-pair).....	140
LOW TYRAMINE (data).....	880
LOW TYRAMINE (q-pair).....	140
LOWER ABDOMEN (loca).....	1058
LOWER ABDOMEN (q-pair).....	703
LOWER ARM (loca).....	1058
LOWER ARM (q-pair).....	110
LOWER BACK (loca).....	1059
LOWER BACK (q-pair).....	703
LOWER LIMB EXTREMITIES STRENGTH.....	334
LUMBAR DRAIN (data).....	881
LUMBAR DRAIN (q-pair).....	697
LUMBAR SPINAL PRECAUTIONS (data).....	881
LUMBAR SPINAL PRECAUTIONS (q-pair).....	11
LVSWI.....	335
LYING (posi).....	1108
LYING (q-pair).....	61, 139, 518, 526,

632, 688

LYING OR SITTING (data).....881

LYING OR SITTING (q-pair).....122

- M -

MACERATION (data).....881

MACERATION (q-pair).....583

MAGNACAL (data).....881

MAGNACAL (prod).....1119

MAGNACAL (q-pair).....161

MAGNETIC RESONANCE IMAGING (meth).....1095

MAGNETIC RESONANCE IMAGING (q-pair).....329, 330

MAINTAINING EFFECTIVE VENTILATION (data).....882

MAINTAINING EFFECTIVE VENTILATION (q-pair).....415

MALLAMPATI SCORE.....336

MAROON (data).....882

MAROON (q-pair).....623, 695

MASK (meth).....1095

MASK (q-pair).....628, 629

MEAL (data).....882

MEAL (q-pair).....4

MEAN ARTERIAL PRESSURE.....337

MEAN BLOOD PRESSURE.....338

MEAN BLOOD PRESSURE ARTERIAL LINE.....339

MEAN BLOOD PRESSURE NON-INVASIVE.....340

MEAN BP CUFF.....341

MECHANICAL (data).....882

MECHANICAL (q-pair).....	140
MED LAST DOSE: ANTIBIOTIC.....	342
MED LAST DOSE: ANTICOAGULANT.....	343
MED LAST DOSE: ASPIRIN.....	344
MED LAST DOSE: NON-STEROIDAL ANTI-INFLAMMATORY DRUG....	345
MED RECONCILLIATION DOCUMENTED (data).....	882
MED RECONCILLIATION DOCUMENTED (q-pair).....	141
MEDIAL PORT (data).....	883
MEDIAL PORT (q-pair).....	326
MEDIASTINAL (loca).....	1059
MEDIASTINAL (prod).....	1119
MEDIASTINAL (q-pair).....	218, 221, 374
MEDICAL DEVICE SAFETY (data).....	883
MEDICAL DEVICE SAFETY (q-pair).....	57, 124
MEDICATION (data).....	883
MEDICATION (prod).....	1120
MEDICATION (q-pair).....	153, 425
MEDICATION ROOM (data).....	883
MEDICATION ROOM (q-pair).....	54, 123
MEDIUM (data).....	883
MEDIUM (q-pair).....	145
MEMORY (data).....	884
MEMORY (q-pair).....	150
MENTAL HEALTH (data).....	884
MENTAL HEALTH (q-pair).....	153
MENTAL HEALTH HOLD (data).....	884
MENTAL HEALTH HOLD (q-pair).....	153
MENTAL STATUS - AWAKE ORIENTED (data).....	884

MENTAL STATUS - AWAKE ORIENTED (q-pair).....	415
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (data).....	884
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (q-pair)...	415
METAL IMPLANTS (data).....	885
METAL IMPLANTS (q-pair).....	347
MICROGRAMS (unit).....	1155
MICROGRAMS PER HOUR (unit).....	1155
MICROGRAMS PER KILOGRAM PER HOUR (unit).....	1155
MICROGRAMS PER KILOGRAM PER MINUTE (unit).....	1155
MICROGRAMS PER MINUTE (unit).....	1156
MICROGRAMS PER SHIFT (unit).....	1156
MICU (data).....	885
MICU (q-pair).....	417
MID BACK (loca).....	1059
MID BACK (q-pair).....	703
MID-STERNAL (loca).....	1059
MID-STERNAL (q-pair).....	102
MIDDLE (loca).....	1059
MIDLINE ABDOMINAL (loca).....	1060
MIDLINE ABDOMINAL (q-pair).....	285
MIDLINE NECK (loca).....	1060
MIDLINE NECK (q-pair).....	285
MILD-MODERATELY REDUCED (data).....	885
MILD-MODERATELY REDUCED (q-pair).....	330
MILLIAMPS (unit).....	1156
MILLIBAR (unit).....	1156
MILLIGRAMS (unit).....	1156
MILLIGRAMS PER HOUR (unit).....	1157

MILLIGRAMS PER KILOGRAM PER HOUR (data).....	885
MILLIGRAMS PER KILOGRAM PER HOUR (unit).....	1157
MILLIGRAMS PER KILOGRAM PER MINUTE (unit).....	1157
MILLIGRAMS PER MINUTE (unit).....	1157
MILLIGRAMS PER SHIFT (unit).....	1157
MILLILITER (unit).....	1158
MILLILITERS PER BEAT (unit).....	1158
MILLILITERS PER BEAT PER METER SQUARE (BSA) (unit).....	1158
MILLILITERS PER HOUR (unit).....	1158
MILLILITERS PER METER SQUARE (BSA) (unit).....	1158
MILLILITERS PER MINUTE (unit).....	1159
MILLILITERS PER MINUTE PER METER SQUARE (unit).....	1159
MILLIMETERS (unit).....	1159
MILLIMETERS OF MERCURY (unit).....	1159
MILLIVOLTS (unit).....	1159
MILLILITERS PER KILOGRAM PER HOUR (unit).....	1160
MILLILITERS PER KILOGRAM PER MINUTE (unit).....	1160
MINUTE (unit).....	1160
MISSING (data).....	885
MOANING (data).....	886
MOANING (q-pair).....	424
MODERATE (data).....	886
MODERATE (q-pair).....	379, 385, 387, 510,

MODERATE SEDATION (data).....	886
MODERATE SEDATION (q-pair).....	30
MODERATE SEDATION: PRE-ASSESSMENT APPLIANCES REMOVED...	346
MODERATE SEDATION: PRE-ASSESSMENT CPRS HEALTH HX REVIEWED	

.....	347
MODERATE SEDATION: PRE-ASSESSMENT TIME OUT.....	348
MODERATE SEDATION: PREASSESS: PREVIOUS MOD SED. COMPLICATIONS	
.....	349
MODERATE SEDATION: PREASSESS: SUBSTANCE ABUSE.....	350
MODERATE SEDATION: PREPARATION.....	351
MODERATE SEDATION: TIME OUT: PATIENT IDENTIFIERS.....	352
MODERATE-SEVERELY REDUCED (data).....	886
MODERATE-SEVERELY REDUCED (q-pair).....	330
MODERATELY REDUCED (data).....	886
MODERATELY REDUCED (q-pair).....	330
MODIFIED ALDRETE SCORE (unit).....	1160
MODULAR CUSTOMIZED FORMULA (prod).....	1120
MODULAR CUSTOMIZED FORMULA (q-pair).....	161
MOIST (data).....	887
MOIST (q-pair).....	596
MONITOR (meth).....	1096
MONITOR (q-pair).....	61, 80, 81, 99,
	518, 526, 634
MONITOR PLACED.....	353
MONITORING CAMERA.....	354
MONTH (unit).....	1160
MORSE SCORE (unit).....	1161
MORSE: AMBULATORY AID DURING WALKING.....	355
MORSE: GAIT.....	356
MORSE: HISTORY OF FALLING WITHIN LAST THREE MONTHS.....	357
MORSE: IV THERAPY SALINE LOCK.....	358
MORSE: MENTAL STATUS OF PT OWN ABILITY.....	359

MORSE: SCORE TOTAL.....	360
MORSE: SECONDARY DIAGNOSIS LISTED ON CHART.....	361
MOTOR ACTIVITY.....	362
MOTOR CHECK.....	363
MOTORIZED WHEELCHAIR (data).....	887
MOTORIZED WHEELCHAIR (q-pair).....	649
MOTTLED (data).....	887
MOTTLED (q-pair).....	588
MOUTHWASH USED (data).....	887
MOUTHWASH USED (q-pair).....	14
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (data)	887
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (q-pai r).....	362
MOVE AGAINST GRAVITY BUT NO RESISTANCE (data).....	888
MOVE AGAINST GRAVITY BUT NO RESISTANCE (q-pair).....	362
MOVEMENT WITH GRAVITY ELIMINATED (data).....	888
MOVEMENT WITH GRAVITY ELIMINATED (q-pair).....	362
MUCOID (data).....	888
MUCOID (q-pair).....	622
MUCOUS MEMBRANE CONDITION.....	364
MULTIFOCAL PVC (data).....	888
MULTIFOCAL PVC (q-pair).....	78
MULTIGATED NUCLEAR VENTRICULOGRAPHY (meth).....	1096
MULTIGATED NUCLEAR VENTRICULOGRAPHY (q-pair).....	329, 330
MULTIPODUS (data).....	888
MULTIPODUS (q-pair).....	493
MULTIVOLTS (unit).....	1161

MURMUR (data).....	889
MURMUR (q-pair).....	79
MUSHROOM CATHETER (data).....	889
MUSHROOM CATHETER (q-pair).....	201
MUSTACHE CANNULA (meth).....	1096
MUTIFOCAL ATRIAL TACHYCARDIA (data).....	889
MUTIFOCAL ATRIAL TACHYCARDIA (q-pair).....	82
mg/dl (unit).....	1165

- N -

N/A (data).....	889
N/A (q-pair).....	39, 179, 204, 277, 464, 465, 624, 657
NAIL CARE (data).....	889
NAIL CARE (q-pair).....	4
NAIL COLOR.....	365
NAIL SHAPE.....	366
NAIL TEXTURE.....	367
NAPS ONLY (data).....	890
NAPS ONLY (q-pair).....	607
NASAL (data).....	890
NASAL (q-pair).....	515
NASAL CANNULA (meth).....	1096
NASAL CANNULA (q-pair).....	629
NASAL ENDOTRACHEAL (data).....	890
NASAL ENDOTRACHEAL (q-pair).....	21
NASAL INTESTINAL SMALL BORE (data).....	890

NASAL INTESTINAL SMALL BORE (q-pair).....	155
NASAL SMALL BOWEL FEEDING TUBE (data).....	890
NASAL SMALL BOWEL FEEDING TUBE (q-pair).....	197
NASAL TRUMPET (data).....	891
NASAL TRUMPET (q-pair).....	21
NASOGASTRIC LARGE BORE TUBE (data).....	891
NASOGASTRIC LARGE BORE TUBE (q-pair).....	155
NASOGASTRIC TUBE (data).....	891
NASOGASTRIC TUBE (q-pair).....	197
NASOGASTRIC TUBE SMALL BORE (data).....	891
NAUSEA (data).....	891
NAUSEA (q-pair).....	168, 191, 448
NEAT (data).....	892
NEAT (q-pair).....	31
NEBULIZER (meth).....	1096
NEBULIZER (q-pair).....	629
NECK (loca).....	1060
NECK (q-pair).....	110, 423, 601, 703
NECK VEIN CONDITION.....	368
NECROTIC (data).....	892
NECROTIC (q-pair).....	702
NEED FOR FLUIDS/TOILETING ASSESSED.....	369
NEEDS REINFORCEMENT (data).....	892
NEEDS REINFORCEMENT (q-pair).....	539, 544
NEGATIVE PRESSURE (data).....	892
NEGATIVE PRESSURE (q-pair).....	315
NEGATIVE PRESSURE THERAPY DEVICE (data).....	892
NEGATIVE PRESSURE THERAPY DEVICE (q-pair).....	497

NEPRO (data).....	893
NEPRO (q-pair).....	161
NEPRO CARB STEADY (data).....	893
NEPRO CARB STEADY (q-pair).....	161
NEPRO RENAL FORMULA (data).....	893
NEPRO RENAL FORMULA (prod).....	1120
NEPRO RENAL FORMULA (q-pair).....	161, 291
NEUTROPENIC (data).....	893
NEUTROPENIC (q-pair).....	140, 315
NEW ADMISSION EDUCATION (data).....	893
NEW ADMISSION EDUCATION (q-pair).....	153
NEW SITE (data).....	894
NEW SITE (q-pair).....	88, 395
NG RESIDUAL (prod).....	1120
NG RESIDUAL (q-pair).....	374
NO (data).....	894
NO (q-pair).....	13, 15, 17, 22, 32, 33, 34, 35, 36, 37, 38, 40, 41, 45, 48, 50, 60, 73, 74, 76, 87, 93, 98, 101, 105, 106, 133, 173, 174, 183, 190, 199, 208, 210, 215, 216, 223, 277, 280, 285, 286, 287, 288, 289, 369, 390, 397, 401, 404, 406, 408, 416,

418, 432, 446, 454,
455, 480, 489, 492,
495, 498, 500, 509,
524, 531, 532, 533,
535, 536, 537, 538,
552, 559, 560, 580,
582, 584, 585, 586,
597, 598, 643, 651,
652, 660, 699, 706

NO BREAK IN EPIDERMIS (data).....	894
NO BREAK IN EPIDERMIS (q-pair).....	496
NO MOVEMENT (data).....	894
NO MOVEMENT (q-pair).....	362
NO SIGNS AND SYMPTOMS (data).....	894
NO SIGNS AND SYMPTOMS (q-pair).....	424
NON RE-BREATHING (meth).....	1097
NON RE-BREATHING (q-pair).....	629
NON-ADHERENT GAUZE (data).....	895
NON-INVASIVE (meth).....	1097
NON-INVASIVE (q-pair).....	61, 139, 337, 338, 518, 632
NON-PITTING (data).....	895
NON-PRODUCTIVE (data).....	895
NON-PRODUCTIVE (q-pair).....	131
NON-TENDER (data).....	895
NON-TENDER (q-pair).....	2
NONBLANCHABLE ERYTHEMA (data).....	895
NONBLANCHABLE ERYTHEMA (q-pair).....	496

NONE (data).....	896
NONE (q-pair).....	30, 78, 127, 128,
	129, 134, 145, 150,
	168, 278, 283, 349,
	379, 442, 488, 491,
	494, 587, 590, 696,
	700
NONINVASIVE (meth).....	1097
NONREACTIVE (data).....	896
NONREACTIVE (q-pair).....	520
NORMAL (data).....	896
NORMAL (q-pair).....	1, 47, 97, 107,
	203, 330, 366, 367,
	368, 393, 400, 596
NORMAL FOR ETHNIC GROUP (data).....	896
NORMAL FOR ETHNIC GROUP (q-pair).....	365, 588
NORMAL POWER (data).....	896
NORMAL POWER (q-pair).....	362
NORMAL SINUS (data).....	897
NORMAL STOOL (data).....	897
NORMAL STOOL (q-pair).....	622
NOSE (loca).....	1060
NOSE (q-pair).....	423, 601
NOSE SIZE.....	370
NOT DONE (data).....	897
NOT DONE (q-pair).....	7, 8, 9, 14
NOT MONITORED (data).....	897
NOT MONITORED (q-pair).....	47, 97, 400

NOVASOURCE 2.0 (data).....	897
NOVASOURCE 2.0 (prod).....	1120
NOVASOURCE 2.0 (q-pair).....	291
NPO DIET (data).....	898
NPO DIET (q-pair).....	140
NUCLEAR PERFUSION IMAGING (meth).....	1097
NUCLEAR PERFUSION IMAGING (q-pair).....	329, 330
NUMB (data).....	898
NUMB (q-pair).....	420
NUMBER: SPECIFY (data).....	898
NUMBER: SPECIFY (q-pair).....	145
NUMBNESS (data).....	898
NUMBNESS (q-pair).....	561, 562, 563, 564
NURSING INTERVENTIONS - STRAIGHT CATH (task).....	1142
NURSING INTERVENTIONS - WOUND CARE (task).....	1142
NURSING STATION (data).....	898
NURSING STATION (q-pair).....	54, 123
NUTREN 1.5 (prod).....	1121
NUTREN 1.5 (q-pair).....	161
NUTRIHEP (data).....	899
NUTRIHEP (q-pair).....	161
NUTRITION (data).....	899
NUTRITION (q-pair).....	153
NUTRITIONAL SUPPLEMENT (data).....	899
NUTRITIONAL SUPPLEMENT (prod).....	1121
NUTRITIONAL SUPPLEMENT (q-pair).....	311

O2 SATS (meth).....	1097
OBEYS COMMANDS (data).....	899
OBEYS COMMANDS (q-pair).....	128
OBSTRUCTIVE SLEEP APNEA (data).....	899
OCCIPITAL (loca).....	1060
OCCIPITAL (q-pair).....	285
OFF DURING BATHING (data).....	900
OFF DURING BATHING (q-pair).....	565
OFF WHILE AMBULATORY (data).....	900
OFF WHILE AMBULATORY (q-pair).....	565
OFFER PRN MEDS (data).....	900
OFFER PRN MEDS (q-pair).....	534
OFFERED (data).....	900
OFFERED (q-pair).....	14
ON WHILE SITTING IN CHAIR (data).....	900
ON WHILE SITTING IN CHAIR (q-pair).....	565
ONE PERSON ASSIST (data).....	901
ONE PERSON ASSIST (q-pair).....	5, 7, 8, 9
ONE TO ONE SUPERVISION (data).....	901
ONE TO ONE SUPERVISION (q-pair).....	534
OPEN SPONTANEOUSLY (data).....	901
OPEN SPONTANEOUSLY (q-pair).....	127
OPEN SYSTEM (data).....	901
OPEN SYSTEM (q-pair).....	156
OPEN TO AIR (data).....	901
OPEN TO AIR (q-pair).....	497, 707
OPERATING ROOM (data).....	902

OPERATING ROOM (q-pair).....	417
ORAL (data).....	902
ORAL (loca).....	1061
ORAL (q-pair).....	515, 636, 703
ORAL AIRWAY (data).....	902
ORAL AIRWAY (q-pair).....	21
ORAL ENDOTRACHEAL (data).....	902
ORAL ENDOTRACHEAL (q-pair).....	21
ORAL GASTRIC TUBE (data).....	902
ORAL GASTRIC TUBE (q-pair).....	155, 197
ORANGE (data).....	903
ORANGE (q-pair).....	146, 162, 193, 656,

695

ORIENTATION.....	371
ORIENTATION (data).....	903
ORIENTATION (q-pair).....	153
ORIENTED (data).....	903
ORIENTED (q-pair).....	129, 542
ORIENTED TO PERSON (data).....	903
ORIENTED TO PERSON (q-pair).....	371
ORIENTED TO PLACE (data).....	903
ORIENTED TO PLACE (q-pair).....	371
ORIENTED TO SITUATION (data).....	904
ORIENTED TO SITUATION (q-pair).....	371
ORIENTED TO TIME (data).....	904
ORIENTED TO TIME (q-pair).....	371
ORTHOPNEIC (data).....	904
ORTHOPNEIC (q-pair).....	525

ORTHOTIC BOOTS (data).....	904
ORTHOTIC BOOTS (q-pair).....	372
ORTHOTIC COLLAR (data).....	904
ORTHOTIC COLLAR (q-pair).....	372
ORTHOTIC KNEE IMMOBILIZER (data).....	905
ORTHOTIC KNEE IMMOBILIZER (q-pair).....	372
ORTHOTIC SPINE BRACE (data).....	905
ORTHOTIC SPINE BRACE (q-pair).....	372
ORTHOTIC TED HOSE (data).....	905
ORTHOTIC TED HOSE (q-pair).....	372
ORTHOTIC WEDGE PILLOW (data).....	905
ORTHOTIC WEDGE PILLOW (q-pair).....	372
ORTHOTICS.....	372
OSMOLITE (data).....	905
OSMOLITE (prod).....	1121
OSMOLITE 1.0 (data).....	906
OSMOLITE 1.0 (q-pair).....	161
OSMOLITE 1.2 (data).....	906
OSMOLITE 1.2 (q-pair).....	161
OSMOLITE 1.5 (data).....	906
OSMOLITE 1.5 (q-pair).....	161
OSMOLITE HN (data).....	906
OSMOLITE HN (prod).....	1121
OSMOLITE HN (q-pair).....	161
OSTOMY TYPE.....	373
OTHER (SEE COMMENTS) (data).....	907
OTHER (SEE COMMENTS) (q-pair).....	346, 349
OTHER (data).....	906

OTHER (meth).....	1098
OTHER (q-pair).....	51, 168, 170, 171, 298, 329, 330, 381, 502
OTHER (qual).....	1129
OTHER PO FLUID (prod).....	1121
OTHER PO FLUID (q-pair).....	311
OUNCE (unit).....	1161
OUTPUT.....	374
OUTPUT - BLADDER SCAN.....	375
OUTPUT - BLOOD.....	376
OUTPUT - CBI DRAINAGE.....	377
OUTPUT - CHEST TUBE.....	378
OUTPUT - CHEST TUBE ESTIMATED.....	379
OUTPUT - DIALYSIS.....	380
OUTPUT - DRAIN.....	381
OUTPUT - EMESIS.....	382
OUTPUT - GI TUBE.....	383
OUTPUT - STOOL.....	384
OUTPUT - STOOL ESTIMATED.....	385
OUTPUT - URINE.....	386
OUTPUT - URINE ESTIMATED.....	387
OVER WIRE (data).....	907
OVER WIRE (q-pair).....	88, 395
OXEPA (data).....	907
OXEPA (q-pair).....	161
OXIMETRIC (data).....	907
OXIMETRIC (q-pair).....	399

OXYGEN CONSUMPTION.....	388
OXYGEN SATURATION.....	389

- P -

P.O. (meth).....	1098
P.O. (q-pair).....	291
PA CATHETER (meth).....	1098
PA CATHETER ALARMS ON.....	390
PA CATHETER CONDITION.....	391
PA CATHETER DRESSING TYPE.....	392
PA CATHETER DYNAMIC RESPONSE TEST.....	393
PA CATHETER INSERTION MARK.....	394
PA CATHETER INSERTION TECHNIQUE.....	395
PA CATHETER REPOSITIONED/DISCONTINUED REASON.....	396
PA CATHETER SITE CARE.....	397
PA CATHETER SIZE.....	398
PA CATHETER TYPE.....	399
PA CATHETER WAVEFORM.....	400
PA CATHETER ZEROED.....	401
PA LINE (meth).....	1098
PAC (data).....	907
PAC (q-pair).....	78
PACED: ATRIAL (data).....	908
PACED: ATRIAL (q-pair).....	82
PACED: AV SEQUENTIAL (data).....	908
PACED: AV SEQUENTIAL (q-pair).....	82
PACED: VENTRICULAR (data).....	908

PACED: VENTRICULAR (q-pair).....	82
PACEMAKER ATRIAL mA.....	402
PACEMAKER AV INTERVAL.....	403
PACEMAKER CAPTURE.....	404
PACEMAKER MODE.....	405
PACEMAKER ON.....	406
PACEMAKER RATE.....	407
PACEMAKER SENSE.....	408
PACEMAKER SENSITIVITY ATRIAL.....	409
PACEMAKER SENSITIVITY VENTRICULAR.....	410
PACEMAKER TYPE.....	411
PACEMAKER UNIT ID.....	412
PACEMAKER VENTRICULAR mA.....	413
PACEMAKER WIRES.....	414
PACER (data).....	908
PACER (q-pair).....	347, 399
PACU - DISCHARGE CRITERIA.....	415
PACU - DISCHARGE CRITERIA MET.....	416
PACU - DISPOSITION.....	417
PACU - PT RECEIVED REVERSAL AGENT.....	418
PACU - TIME OF REVERSAL AGENT.....	419
PAIN (data).....	908
PAIN (q-pair).....	150, 153
PAIN CHARACTER.....	420
PAIN CONTROLLED PER PT (data).....	909
PAIN CONTROLLED PER PT (q-pair).....	415
PAIN DURATION.....	421
PAIN GOAL.....	422

PAIN LEVEL.....	423
PAIN NON-VERBAL CUES.....	424
PAIN RELIEVING FACTOR INTERVENTION.....	425
PAINAD BL 0 (data).....	909
PAINAD BL 0 (q-pair).....	426
PAINAD BL 1 (data).....	909
PAINAD BL 1 (q-pair).....	426
PAINAD BL 2 (data).....	909
PAINAD BL 2 (q-pair).....	426
PAINAD BODY LANGUAGE.....	426
PAINAD BR 0 (data).....	909
PAINAD BR 0 (q-pair).....	427
PAINAD BR 1 (data).....	910
PAINAD BR 1 (q-pair).....	427
PAINAD BR 2 (data).....	910
PAINAD BR 2 (q-pair).....	427
PAINAD BREATHING.....	427
PAINAD CO 0 (data).....	910
PAINAD CO 0 (q-pair).....	428
PAINAD CO 1 (data).....	910
PAINAD CO 1 (q-pair).....	428
PAINAD CO 2 (data).....	910
PAINAD CO 2 (q-pair).....	428
PAINAD CONSOLABILITY.....	428
PAINAD FACIAL EXPRESSION.....	429
PAINAD FE 0 (data).....	911
PAINAD FE 0 (q-pair).....	429
PAINAD FE 1 (data).....	911

PAINAD FE 1 (q-pair).....	429
PAINAD FE 2 (data).....	911
PAINAD FE 2 (q-pair).....	429
PAINAD NEGATIVE VOCALIZATION.....	430
PAINAD NV 0 (data).....	911
PAINAD NV 0 (q-pair).....	430
PAINAD NV 1 (data).....	911
PAINAD NV 1 (q-pair).....	430
PAINAD NV 2 (data).....	912
PAINAD NV 2 (q-pair).....	430
PAINAD SCALE (unit).....	1161
PAINAD TOTAL.....	431
PAINFUL EXPRESSION (data).....	912
PAINFUL EXPRESSION (q-pair).....	424
PAIRS (data).....	912
PAIRS (q-pair).....	78
PALE (data).....	912
PALE (q-pair).....	364, 365, 588
PALPATED (meth).....	1098
PALPATED (q-pair).....	61, 518
PAROXYSMAL ATRIAL TACHYCARDIA (data).....	912
PAROXYSMAL ATRIAL TACHYCARDIA (q-pair).....	82
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (data).....	913
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	82
PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS (data)	913
PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS (q-pair)	496

PARTIAL BATH (data).....	913
PARTIAL BATH (q-pair).....	4
PARTIAL IMPAIRED (data).....	913
PARTIAL IMPAIRED (q-pair).....	556
PARTIAL LOWER (data).....	913
PARTIAL LOWER (q-pair).....	134
PARTIAL RE-BREATHHER (meth).....	1099
PARTIAL RE-BREATHHER (q-pair).....	629
PARTIAL SIMPLE (data).....	914
PARTIAL SIMPLE (q-pair).....	556
PARTIAL UPPER (data).....	914
PARTIAL UPPER (q-pair).....	134
PASSIVE RANGE OF MOTION (data).....	914
PASSIVE RANGE OF MOTION (q-pair).....	11
PATENT CLEAN (data).....	914
PATENT CLEAN (q-pair).....	42, 89, 136, 217, 325, 327, 391, 443
PATIENT (data).....	914
PATIENT (q-pair).....	10
PATIENT ABLE TO RESPOND.....	432
PATIENT EDUCATION PROVIDED PRIOR TO SEDATION.....	433
PATIENT INFORMED (data).....	915
PATIENT INFORMED (q-pair).....	354, 528
PATIENT ON PASS (null).....	1107
PATIENT REFUSED (null).....	1107
PATIENT REFUSES MARKING (data).....	915
PATIENT REFUSES MARKING (q-pair).....	480
PATIENT REPORTS NOT PRESENT (data).....	915

PATIENT REPORTS NOT PRESENT (q-pair).....	177
PATIENT REPORTS PRESENT (data).....	915
PATIENT REPORTS PRESENT (q-pair).....	177
PATIENT SIGNS SAFETY CONTRACT (data).....	915
PATIENT SIGNS SAFETY CONTRACT (q-pair).....	56
PATIENT STATED (data).....	916
PATIENT STATED (q-pair).....	458
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (data)	916
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (q-pair)	56
PATIENT'S ROOM (data).....	916
PATIENT'S ROOM (q-pair).....	54, 123
PCA (data).....	916
PCA (prod).....	1122
PCA (q-pair).....	291
PCA - CLINICAL BOLUS DOSE.....	434
PCA - CONTINUOUS MCG/HR (BASAL).....	435
PCA - CONTINUOUS MG/HR (BASAL).....	436
PCA - DEMAND DOSE.....	437
PCA - DOSAGE DELIVERED.....	438
PCA - DOSES DELIVERED.....	439
PCA - LEVEL OF CONSCIOUSNESS.....	440
PCA - LIMIT DOSE.....	441
PCA - LIMIT TIME.....	442
PCA - LINE CARE.....	443
PCA - LOCK OUT.....	444
PCA - MODE.....	445

PCA - PUMP CLEARED.....	446
PCA - REQUESTS.....	447
PCA - SIDE EFFECTS.....	448
PCA - TOTAL MCG PER SHIFT.....	449
PCA - TOTAL MG PER SHIFT.....	450
PCA - VOLUME REMAINING.....	451
PCA - VOLUME START.....	452
PCA AND BASAL RATE (data).....	916
PCA AND BASAL RATE (q-pair).....	445
PCA ONLY (data).....	917
PCA ONLY (q-pair).....	445
PCA PUMP (data).....	917
PCA PUMP (q-pair).....	153
PEAK INSPIRATORY PRESSURE.....	453
PEDIATRIC (data).....	917
PEDIATRIC (q-pair).....	62
PEDIATRIC (qual).....	1129
PEDIATRIC CUFF (meth).....	1099
PEG TUBE (data).....	917
PEG TUBE (q-pair).....	155, 197
PENDANT CANNULA (meth).....	1099
PENDANT CANNULA (q-pair).....	629
PENETRATING (data).....	917
PENETRATING (q-pair).....	708
PENIS (loca).....	1061
PENIS (q-pair).....	423, 601
PENROSE (meth).....	1099
PENROSE (q-pair).....	381

PENROSE DRAIN (data).....	918
PENROSE DRAIN (q-pair).....	697
PERATIVE (data).....	918
PERATIVE (q-pair).....	161
PERCENTAGE (unit).....	1161
PERCUSSION BED (data).....	918
PERCUSSION BED (q-pair).....	608
PERINEAL (loca).....	1061
PERINEAL (q-pair).....	285, 423, 496, 703
PERINEAL CARE (data).....	918
PERINEAL CARE (q-pair).....	4
PERIORBITAL (loca).....	1061
PERIORBITAL (q-pair).....	149
PERIPHERAL (loca).....	1061
PERIPHERAL (q-pair).....	518
PERIRECTAL (loca).....	1062
PERITONEAL DIALYSIS (meth).....	1099
PERITONEAL DIALYSIS (q-pair).....	293, 380
PERMANENT (data).....	918
PERMANENT (q-pair).....	411
PERSONAL MEDICAL ALERT BRACELET (data).....	919
PERSONAL MEDICAL ALERT BRACELET (q-pair).....	39
PETROLATUM (data).....	919
PETROLATUM (q-pair).....	497
PHYSICAL IMPAIRMENT (data).....	919
PHYSICAL IMPAIRMENT (q-pair).....	51
PHYSICIAN (data).....	919
PHYSICIAN (q-pair).....	648

PHYSICIAN NOTIFIED (data).....	919
PHYSICIAN NOTIFIED (q-pair).....	425
PHYSICIAN ORDER (data).....	920
PHYSICIAN ORDER (q-pair).....	540
PICC (data).....	920
PICC (q-pair).....	96, 325
PICC LINE (meth).....	1100
PIN (data).....	920
PIN TRACTION (data).....	920
PIN TRACTION (q-pair).....	644
PINK (data).....	920
PINK (q-pair).....	146, 162, 193, 364, 511, 588, 656, 691, 695
PINPOINT (data).....	921
PINPOINT (q-pair).....	520
PITTED (data).....	921
PITTED (q-pair).....	367
PITTING (data).....	921
PIVOT (data).....	921
PIVOT (q-pair).....	161
PIVOT 1.5 (data).....	921
PIVOT 1.5 (q-pair).....	161
PJC (data).....	922
PJC (q-pair).....	78
PLAIN (data).....	922
PLAIN (q-pair).....	399
PLAN OF CARE - REVISION INDICATED.....	454

PLANTAR FLEXION.....	455
PLASMAPHERESIS (prod).....	1122
PLASMAPHERESIS (q-pair).....	299
PLATELETS (prod).....	1122
PLATELETS (q-pair).....	291, 299
PLATELETS PHERESIS (prod).....	1122
PLATELETS PHERESIS (q-pair).....	291, 299
PLATELETS PHERESIS IRRADIATED (prod).....	1122
PLATELETS PHERESIS IRRADIATED (q-pair).....	291, 299
POINTS (unit).....	1162
POOR (data).....	922
POOR (q-pair).....	604
POOR BAL (data).....	922
POOR BAL (q-pair).....	168
POPLITEAL (loca).....	1062
POPLITEAL (q-pair).....	518
PORCINE SUBMUCOSA (data).....	922
PORCINE SUBMUCOSA (q-pair).....	497
POSITIONAL (data).....	923
POSITIONAL (q-pair).....	47, 97, 400, 420
POST CATH DIET (data).....	923
POST CATH DIET (q-pair).....	140
POST OPERATION DIAGNOSIS (data).....	923
POST PROCEDURE DIAGNOSIS (data).....	923
POST PROCEDURE DIAGNOSIS (q-pair).....	135
POST-FALL (data).....	923
POST-FALL (q-pair).....	703
POST-OPERATIVE (data).....	924

POST-OPERATIVE (q-pair).....	135, 153, 703
POST-PROCEDURE (data).....	924
POST-PROCEDURE (q-pair).....	153
POST-SEDATION (data).....	924
POST-SEDATION (q-pair).....	153
POSTERIOR TIBIAL (loca).....	1062
POSTERIOR TIBIAL (q-pair).....	518
POTASSIUM MODIFIED 60 MEQ (data).....	924
POTASSIUM MODIFIED 60 MEQ (q-pair).....	140
POUND (unit).....	1162
PPN (prod).....	1123
PPN (q-pair).....	291
PR INTERVAL.....	456
PRBC (data).....	924
PRBC (prod).....	1123
PRBC (q-pair).....	291, 299
PRBC - AUTOLOGOUS (prod).....	1123
PRBC - AUTOLOGOUS (q-pair).....	291, 299
PRBC - LEUKOREduced (prod).....	1123
PRBC - LEUKOREduced (q-pair).....	291, 299
PRBC - LEUKOREduced - DIRECTED (prod).....	1123
PRBC - LEUKOREduced - DIRECTED (q-pair).....	291, 299
PRBC - LEUKOREduced - IRRADIATED (prod).....	1124
PRBC - LEUKOREduced - IRRADIATED (q-pair).....	291, 299
PRBC - LEUKOREduced - WASHED (prod).....	1124
PRBC - LEUKOREduced - WASHED (q-pair).....	291, 299
PRE-MEDICATED FOR ACTIVITY (data).....	925
PRE-MEDICATED FOR ACTIVITY (q-pair).....	425

PRE-OPERATIVE (data).....	925
PRE-OPERATIVE (q-pair).....	153
PRE-PROCEDURE (data).....	925
PRE-PROCEDURE (q-pair).....	153
PRE-SEDATION (data).....	925
PRE-SEDATION (q-pair).....	153
PRE-SURGERY (data).....	925
PRECAUTIONS - 24 HOUR CHART CHECK (task).....	1142
PRECAUTIONS - ASPIRATION (task).....	1142
PRECAUTIONS - ETOH W/D (task).....	1143
PRECAUTIONS - FALL (task).....	1143
PRECAUTIONS - PATIENT TEACHING (task).....	1143
PRECAUTIONS - VALIDATE ALARMS (task).....	1143
PREGNANT, NO (data).....	926
PREGNANT, NO (q-pair).....	347
PREGNANT, YES (data).....	926
PREGNANT, YES (q-pair).....	347
PREMATURE ATRIAL (data).....	926
PREPROCEDURE: 12 LEAD EKG DONE?.....	457
PREPROCEDURE: ALLERGIES REASSESSED AND DOCUMENTED.....	458
PREPROCEDURE: ANTIBIOTIC GIVEN?.....	459
PREPROCEDURE: ANTIBIOTIC ORDERED?.....	460
PREPROCEDURE: BLOOD TRANSFUSION CONSENT CURRENT?.....	461
PREPROCEDURE: CHEST XRAY DONE?.....	462
PREPROCEDURE: DENTURES REMOVED?.....	463
PREPROCEDURE: DISPOSITION OF CLOTHING.....	464
PREPROCEDURE: DISPOSITION OF VALUABLES.....	465
PREPROCEDURE: DRIVER/ESCORT TO HOME CONFIRMED.....	466

PREPROCEDURE: FINGERSTICK GLUCOSE DONE?.....	467
PREPROCEDURE: GLASSES / CONTACTS REMOVED?.....	468
PREPROCEDURE: H AND P CURRENT?.....	469
PREPROCEDURE: HEARING AIDS IN PLACE?.....	470
PREPROCEDURE: HOME MEDICATIONS TAKEN/TIME.....	471
PREPROCEDURE: HOSPITAL GOWN ON?.....	472
PREPROCEDURE: INFORMED CONSENT CURRENT	473
PREPROCEDURE: JEWELRY REMOVED?.....	474
PREPROCEDURE: LABS DONE?.....	475
PREPROCEDURE: NPO SINCE (DATE/TIME).....	476
PREPROCEDURE: PLANNED PROCEDURE.....	477
PREPROCEDURE: PREMEDICATION ADMINISTERED?.....	478
PREPROCEDURE: PREMEDICATION ORDERED?.....	479
PREPROCEDURE: PROCEDURE SITE MARKED CORRECTLY.....	480
PREPROCEDURE: PROSTHETICS/IMPLANTS?.....	481
PREPROCEDURE: TYPE AND CROSS MATCH DONE?.....	482
PREPROCEDURE: TYPE AND SCREEN DONE?.....	483
PREPROCEDURE: VITALS SIGNS DONE?.....	484
PREPROCEDURE: VOIDED?.....	485
PRESENT (data).....	926
PRESENT (q-pair).....	77, 84, 130, 143, 177, 181, 332, 650, 653
PRESSURE (data).....	926
PRESSURE (q-pair).....	218, 420, 700
PRESSURE CALIBRATION (data).....	927
PRESSURE CALIBRATION (q-pair).....	325
PRESSURE CONTROL (data).....	927

PRESSURE CONTROL (q-pair).....	667
PRESSURE DRESSING (data).....	927
PRESSURE DRESSING (q-pair).....	44, 91, 137, 392
PRESSURE ULCER (data).....	927
PRESSURE ULCER (q-pair).....	708
PRESSURE ULCER COLOR.....	486
PRESSURE ULCER DEPTH.....	487
PRESSURE ULCER DRAINAGE CHARACTER.....	488
PRESSURE ULCER DRESSING PREVENTS ASSESSMENT.....	489
PRESSURE ULCER LENGTH.....	490
PRESSURE ULCER ODOR.....	491
PRESSURE ULCER PHOTOGRAPHED.....	492
PRESSURE ULCER PREVENTION DEVICE TYPE.....	493
PRESSURE ULCER RISK FACTORS.....	494
PRESSURE ULCER SINUS/UNDERMINING.....	495
PRESSURE ULCER STAGE/SITE.....	496
PRESSURE ULCER TREATMENT.....	497
PRESSURE ULCER TUNNEL.....	498
PRESSURE ULCER TUNNEL LENGTH.....	499
PRESSURE ULCER UNDERMINING.....	500
PRESSURE ULCER WIDTH.....	501
PRESYSTOLIC (data).....	927
PRESYSTOLIC (q-pair).....	85
PREVENT ACCESS TO DEVICE (data).....	928
PREVENT ACCESS TO DEVICE (q-pair).....	534
PREVIOUS PERCUTANEOUS SITE (data).....	928
PREVIOUS PERCUTANEOUS SITE (q-pair).....	708
PRN (data).....	928

PRN (q-pair).....	198
PRN (sche).....	1131
PRO STAT SUGAR FREE 64 (data).....	928
PRO STAT SUGAR FREE 64 (q-pair).....	161
PRO-STAT (data).....	928
PRO-STAT (q-pair).....	161
PROCEDURE LOCATION.....	502
PROCEDURE ROOM (data).....	929
PROCEDURE ROOM (q-pair).....	417
PROCEDURE TIME.....	503
PROCEDURE, PLANNED.....	504
PRODUCTIVE (data).....	929
PRODUCTIVE (q-pair).....	131
PROJECTILE VOMITING (data).....	929
PROJECTILE VOMITING (q-pair).....	191
PROMOTE (data).....	929
PROMOTE (q-pair).....	161
PROMOTE WITH FIBER (data).....	929
PROMOTE WITH FIBER (q-pair).....	161
PRONE (data).....	930
PRONE (q-pair).....	12
PROPASS PROTEIN POWDER (data).....	930
PROPASS PROTEIN POWDER (q-pair).....	161
PROSTHESIS (data).....	930
PROSTHESIS (q-pair).....	346
PROTENEX WOUND CARE (data).....	930
PROTENEX WOUND CARE (q-pair).....	161
PROXIMAL PORT (data).....	930

PROXIMAL PORT (q-pair).....	326
PT DENIES NAUSEA / NO VOMITING (data).....	931
PT DENIES NAUSEA / NO VOMITING (q-pair).....	415
PT PAIN AT ACCEPTABLE LEVEL (data).....	931
PT PAIN AT ACCEPTABLE LEVEL (q-pair).....	415
PULMOCARE (data).....	931
PULMOCARE (q-pair).....	161
PULMONARY - CHEST PHYSIO-THERAPY (task).....	1143
PULMONARY - COUGH AND DEEP BREATH (task).....	1144
PULMONARY - ET TUBE CARE (task).....	1144
PULMONARY - INCENTIVE SPIROMETER (task).....	1144
PULMONARY - OXYGEN (task).....	1144
PULMONARY - SUCTION PATIENT (task).....	1144
PULMONARY - TRACH CARE (task).....	1145
PULMONARY ARTERY DIASTOLIC.....	505
PULMONARY ARTERY MEAN PRESSURE.....	506
PULMONARY ARTERY SYSTOLIC.....	507
PULMONARY CAPILLARY WEDGE PRESSURE.....	508
PULMONARY CARE.....	509
PULMONARY PROCEDURE ROOM (data).....	931
PULMONARY PROCEDURE ROOM (q-pair).....	502
PULMONARY SECRETION AMOUNT.....	510
PULMONARY SECRETION COLOR.....	511
PULMONARY SECRETION CONSISTENCY.....	512
PULMONARY SUCTIONING EVENT.....	513
PULMONARY SUCTIONING FREQUENCY.....	514
PULMONARY SUCTIONING SITE.....	515
PULMONARY VASCULAR RESISTANCE.....	516

PULMONARY VASCULAR RESISTANCE INDEX.....	517
PULSE.....	518
PULSE OX MONITOR (meth).....	1100
PULSE OX MONITOR (q-pair).....	634
PULSE OXIMETER (data).....	931
PULSE OXIMETER (q-pair).....	351, 353
PULSE STRENGTH.....	519
PULSELESS ELECTRICAL ACTIVITY (data).....	932
PULSELESS ELECTRICAL ACTIVITY (q-pair).....	82
PUMP - CONTINUOUS (data).....	932
PUMP - CONTINUOUS (q-pair).....	156
PUMP - INTERMITTENT (data).....	932
PUMP - INTERMITTENT (q-pair).....	156
PUNCTURE (data).....	932
PUNCTURE (q-pair).....	708
PUPIL REACTION.....	520
PUPIL SIZE.....	521
PUREED (data).....	932
PUREED (q-pair).....	140
PURULENT (data).....	933
PURULENT (q-pair).....	103, 146, 162, 193, 278, 488, 655
PVC (data).....	933
PVC (q-pair).....	78
pH (data).....	1032
pH (q-pair).....	194
pH (unit).....	1165

- Q -

Q2H (sche).....	1131
Q4H (sche).....	1131
Q7D (sche).....	1131
QD (sche).....	1132
QRS.....	522
QT.....	523
QUAD LUMEN CATHETER (unit).....	1162
QUADRAGEMINY (data).....	933
QUADRAGEMINY (q-pair).....	78
QUIET OR RESTING (data).....	933
QUIET OR RESTING (q-pair).....	122
QUIET ROOM (data).....	933
QUIET ROOM (q-pair).....	54, 123, 425

- R -

R ABDOMEN (loca).....	1062
R ABDOMEN (q-pair).....	703
R ANKLE (loca).....	1062
R ANKLE (q-pair).....	285, 423, 496, 548, 601, 703
R ANTECUBITAL (loca).....	1063
R ANTECUBITAL (q-pair).....	96, 136, 201, 326, 327, 496, 703
R ARM (loca).....	1063
R ARM (q-pair).....	61, 96, 136, 139,

149, 154, 201, 326,
327, 423, 546, 547,
601, 632

R ARTERY (loca).....	1063
R AXILLARY (loca).....	1063
R AXILLARY (q-pair).....	42, 46, 218, 221
R BRACHIAL (loca).....	1063
R BRACHIAL (q-pair).....	42, 46, 99, 406, 411
R BUNDLE BRANCH BLOCK (data).....	934
R BUNDLE BRANCH BLOCK (q-pair).....	82
R CALF (loca).....	1064
R CALF (q-pair).....	285
R CAROTID (loca).....	1064
R CAROTID (q-pair).....	77, 84
R CHEST (loca).....	1064
R CHEST (q-pair).....	102, 423, 601, 703
R DORSALIS PEDIS (loca).....	1064
R EAR (loca).....	1064
R EAR (q-pair).....	285, 423, 496, 703
R ELBOW (loca).....	1065
R ELBOW (q-pair).....	423, 496, 601, 703
R EXTERNAL JUGULAR (loca).....	1065
R EXTERNAL JUGULAR (q-pair).....	96, 136, 201, 326, 327, 399
R EYE (loca).....	1065
R EYE (q-pair).....	127, 149, 520, 521, 683, 703

R FACE (loca).....	1065
R FACE (q-pair).....	149, 285, 703
R FEMORAL (loca).....	1065
R FEMORAL (q-pair).....	42, 46, 77, 84, 96, 99, 136, 201, 218, 221, 285, 326, 327, 399, 406, 411, 496, 519, 703
R FINGER (loca).....	1066
R FINGER (q-pair).....	285
R FLANK (loca).....	1066
R FLANK (q-pair).....	285
R FOOT (loca).....	1066
R FOOT (q-pair).....	149, 179, 285, 326, 327, 423, 496, 561, 601, 703
R FOOT DOWN (data).....	934
R FOOT DOWN (q-pair).....	577
R FOOT UP (data).....	934
R FOOT UP (q-pair).....	577
R GLUTEUS (loca).....	1066
R GLUTEUS (q-pair).....	285, 496, 703
R GROIN (loca).....	1066
R GROIN (q-pair).....	423, 601
R HAND (loca).....	1067
R HAND (q-pair).....	149, 204, 423, 562, 601, 703
R HEAD (loca).....	1067

R HEAD (q-pair).....	496, 703
R HEAD DOWN (data).....	934
R HEAD DOWN (q-pair).....	577
R HEAD UP (data).....	934
R HEAD UP (q-pair).....	577
R HEEL (loca).....	1067
R HEEL (q-pair).....	496, 703
R HIP (loca).....	1067
R HIP (q-pair).....	285, 423, 601, 703
R INGUINAL (loca).....	1067
R INGUINAL (q-pair).....	285
R INNER KNEE (loca).....	1068
R INNER KNEE (q-pair).....	496, 703
R INTERNAL JUGULAR (loca).....	1068
R INTERNAL JUGULAR (q-pair).....	96, 99, 136, 201, 326, 327, 399, 406, 411
R ISCHIAL (loca).....	1068
R ISCHIAL (q-pair).....	496, 703
R JAW (loca).....	1068
R JAW (q-pair).....	423, 601
R KNEE (loca).....	1068
R KNEE (q-pair).....	149, 285, 423, 601
R LATERAL HEEL (loca).....	1069
R LATERAL HEEL (q-pair).....	496
R LATERAL MALLEOLUS (loca).....	1069
R LATERAL MALLEOLUS (q-pair).....	496
R LEG (loca).....	1069

R LEG (q-pair).....	61, 130, 139, 149, 154, 326, 327, 423, 546, 548, 601, 632
R LOWER ANTERIOR CHEST (loca).....	1069
R LOWER ANTERIOR CHEST (q-pair).....	104, 285
R LOWER ARM (loca).....	1069
R LOWER ARM (q-pair).....	285, 423, 496, 601, 703
R LOWER EXTREMITY (loca).....	1070
R LOWER EXTREMITY (q-pair).....	362, 563
R LOWER LEG (loca).....	1070
R LOWER LEG (q-pair).....	285, 703
R LOWER LIMB (loca).....	1070
R LOWER LIMB (q-pair).....	334
R LOWER LOBE (loca).....	1070
R LOWER LOBE (q-pair).....	72
R LOWER POSTERIOR CHEST (loca).....	1070
R LOWER POSTERIOR CHEST (q-pair).....	104, 285
R MANDIBULAR (loca).....	1071
R MANDIBULAR (q-pair).....	285
R MEDIAL HEEL (loca).....	1071
R MEDIAL HEEL (q-pair).....	496
R MEDIAL MALLEOLUS (loca).....	1071
R MEDIAL MALLEOLUS (q-pair).....	496
R MIDDLE ANTERIOR CHEST (loca).....	1071
R MIDDLE ANTERIOR CHEST (q-pair).....	104, 285
R MIDDLE LOBE (loca).....	1071
R MIDDLE LOBE (q-pair).....	72

R MIDDLE POSTERIOR CHEST (loca).....	1072
R MIDDLE POSTERIOR CHEST (q-pair).....	104, 285
R NECK (data).....	935
R NECK (loca).....	1072
R NECK (q-pair).....	149, 285
R NEPHROSTOMY (data).....	935
R NEPHROSTOMY (q-pair).....	201, 658
R NOSE (loca).....	1072
R NOSE (q-pair).....	423, 601
R OCCIPITAL (loca).....	1072
R OCCIPITAL (q-pair).....	285
R ORAL (loca).....	1072
R ORAL (q-pair).....	285
R ORBIT (loca).....	1073
R ORBIT (q-pair).....	285
R OUTER KNEE (loca).....	1073
R OUTER KNEE (q-pair).....	496, 703
R PARIETAL (loca).....	1073
R PARIETAL (q-pair).....	285
R PEDAL (loca).....	1073
R PEDAL (q-pair).....	519
R POST TIBIAL (loca).....	1073
R POST TIBIAL (q-pair).....	519
R RADIAL (loca).....	1074
R RADIAL (q-pair).....	42, 46, 519
R RIBS (loca).....	1074
R RIBS (q-pair).....	496, 703
R SCAPULA (loca).....	1074

R SCAPULA (q-pair).....	423, 496, 601, 703
R SHOULDER (loca).....	1074
R SHOULDER (q-pair).....	423, 496, 601, 703
R STENT (data).....	935
R STENT (q-pair).....	201
R SUBCLAVIAN (loca).....	1074
R SUBCLAVIAN (q-pair).....	96, 99, 136, 201, 285, 326, 327, 399, 406, 411
R TEMPORAL (loca).....	1075
R TEMPORAL (q-pair).....	77, 84
R TESTICLE (loca).....	1075
R TESTICLE (q-pair).....	703
R THIGH (loca).....	1075
R THIGH (q-pair).....	285, 423, 601
R THORACIC ANTERIOR (loca).....	1075
R THORACIC ANTERIOR (q-pair).....	285
R THORACIC LATERAL (loca).....	1075
R THORACIC LATERAL (q-pair).....	285
R THORACIC POSTERIOR (loca).....	1076
R THORACIC POSTERIOR (q-pair).....	285
R THORACOTOMY (loca).....	1076
R THORACOTOMY (q-pair).....	285
R THUMB (loca).....	1076
R THUMB (q-pair).....	285
R TOE (loca).....	1076
R TOE (q-pair).....	285
R TRAPEZIUS (loca).....	1076

R TRAPEZIUS (q-pair).....	285
R TROCHANTER (loca).....	1077
R TROCHANTER (q-pair).....	496, 703
R UPPER ANTERIOR CHEST (loca).....	1077
R UPPER ANTERIOR CHEST (q-pair).....	104, 285
R UPPER ARM (loca).....	1077
R UPPER ARM (q-pair).....	96, 136, 201, 285,
	326, 327, 423, 496,
	601, 703
R UPPER EXTREMITY (loca).....	1077
R UPPER EXTREMITY (q-pair).....	362, 564
R UPPER LEG (loca).....	1077
R UPPER LEG (q-pair).....	703
R UPPER LIMB (loca).....	1078
R UPPER LIMB (q-pair).....	654
R UPPER LOBE (loca).....	1078
R UPPER LOBE (q-pair).....	72
R UPPER POSTERIOR CHEST (loca).....	1078
R UPPER POSTERIOR CHEST (q-pair).....	104, 285
R WRIST (loca).....	1078
R WRIST (q-pair).....	96, 136, 201, 326,
	327, 546, 547, 703
RADIAL (loca).....	1078
RADIAL (q-pair).....	61, 518
RADIAL (qual).....	1129
RADIATING (data).....	935
RADIATING (q-pair).....	420
RADIOLOGY (data).....	935

RADIOLOGY (q-pair).....	502
RAMSEY ANXIOUS (data).....	936
RAMSEY ANXIOUS (q-pair).....	553
RAMSEY ASLEEP BRISK RESPONSE (data).....	936
RAMSEY ASLEEP BRISK RESPONSE (q-pair).....	553
RAMSEY ASLEEP NO RESPONSE (data).....	936
RAMSEY ASLEEP NO RESPONSE (q-pair).....	553
RAMSEY ASLEEP SLUGGISH (data).....	936
RAMSEY ASLEEP SLUGGISH (q-pair).....	553
RAMSEY COOPERATIVE (data).....	936
RAMSEY COOPERATIVE (q-pair).....	553
RAMSEY SEDATED (data).....	937
RAMSEY SEDATED (q-pair).....	553
RANGE (unit).....	1162
RASH/EXFOLIATION (data).....	937
RASH/EXFOLIATION (q-pair).....	623, 708
RASS AGITATED (data).....	937
RASS AGITATED (q-pair).....	554
RASS ALERT AND CALM (data).....	937
RASS ALERT AND CALM (q-pair).....	554
RASS COMBATIVE (data).....	937
RASS COMBATIVE (q-pair).....	554
RASS DEEP SEDATION (data).....	938
RASS DEEP SEDATION (q-pair).....	554
RASS DROWSY (data).....	938
RASS DROWSY (q-pair).....	554
RASS LIGHT SEDATION (data).....	938
RASS LIGHT SEDATION (q-pair).....	554

RASS MODERATE SEDATION (data).....	938
RASS MODERATE SEDATION (q-pair).....	554
RASS RESTLESS (data).....	938
RASS RESTLESS (q-pair).....	554
RASS UNAROUSABLE (data).....	939
RASS UNAROUSABLE (q-pair).....	554
RASS VERY AGITATED (data).....	939
RASS VERY AGITATED (q-pair).....	554
REACTIVE (data).....	939
REACTIVE (q-pair).....	520
RECTAL (loca).....	1079
RECTAL (q-pair).....	636, 703
RECTAL TEMP PROBE (meth).....	1100
RECTAL TUBE (data).....	939
RECTAL TUBE (q-pair).....	373
RECTAL TUBE PRESENT.....	524
RED (data).....	939
RED (q-pair).....	42, 89, 136, 146, 162, 193, 217, 327, 391, 511, 623, 656, 691, 695
RED/GRANULATING (data).....	940
RED/GRANULATING (q-pair).....	486
REDDENING OF THE SKIN (data).....	940
REDDENING OF THE SKIN (q-pair).....	496
REDIRECT PATIENT ACTIVITY (data).....	940
REDIRECT PATIENT ACTIVITY (q-pair).....	534
REFLEX (data).....	940

REFLEX (q-pair).....179, 204, 334, 363,

654

REFUSE MEDICATION (data).....940

REFUSE MEDICATION (q-pair).....425

REFUSE TO MOVE (data).....941

REFUSE TO MOVE (q-pair).....494

REFUSED (data).....941

REFUSED (q-pair).....14

REGIONAL BLOCK (data).....941

REGIONAL BLOCK (q-pair).....30

REGISTERED NURSE (data).....941

REGISTERED NURSE (q-pair).....540

REGULAR (data).....941

REGULAR (q-pair).....140, 525

REINFORCED (data).....942

REINFORCED (q-pair).....43, 90

RELATIVE (data).....942

RELATIVE (q-pair).....466

RELIGIOUS (data).....942

RELIGIOUS (q-pair).....151

REMNANT P-WAVE (data).....942

REMNANT P-WAVE (q-pair).....78

REMOVE FROM STIM. SETTING (data).....942

REMOVE FROM STIM. SETTING (q-pair).....534

RENAL DIET (data).....943

RENAL DIET (q-pair).....140

REORIENTED TO ENVIRONMENT (data).....943

REORIENTED TO ENVIRONMENT (q-pair).....534

REPIRATORY DEPRESSION (data).....	943
REPIRATORY DEPRESSION (q-pair).....	168
REPORTED (data).....	943
REPORTED (q-pair).....	658
REPOSITION (data).....	943
REPOSITION (q-pair).....	425, 534, 541, 565
REQUEST FOR MORE MEDICATION (data).....	944
REQUEST FOR MORE MEDICATION (q-pair).....	425
RES CRIT: AGGRESSIVE (data).....	944
RES CRIT: AGGRESSIVE (q-pair).....	527
RES CRIT: AMBULATE (data).....	944
RES CRIT: AMBULATE (q-pair).....	527
RES CRIT: COMBATIVE (data).....	944
RES CRIT: COMBATIVE (q-pair).....	527
RES CRIT: EQUIPMENT (data).....	944
RES CRIT: EQUIPMENT (q-pair).....	527
RES CRIT: HARM TO SELF (data).....	945
RES CRIT: HARM TO SELF (q-pair).....	527
RES CRIT: LINES (data).....	945
RES CRIT: LINES (q-pair).....	527
RES CRIT: UNABLE TO FOLLOW DIRECTIONS (data).....	945
RES CRIT: UNABLE TO FOLLOW DIRECTIONS (q-pair).....	527
RES EVAL: AMBULATION/EXERCISE (data).....	945
RES EVAL: AMBULATION/EXERCISE (q-pair).....	530
RES EVAL: BED/WHEELCHAIR ALARM (posi).....	1108
RES EVAL: DECREASE STIMULATION (data).....	945
RES EVAL: DECREASE STIMULATION (q-pair).....	530
RES EVAL: DIVERSIONAL ACTIVITIES (data).....	946

RES EVAL: DIVERSIONAL ACTIVITIES (q-pair).....	530
RES EVAL: EDUCATION (data).....	946
RES EVAL: EDUCATION (q-pair).....	530
RES EVAL: INVOLVEMENT WITH FAMILY (data).....	946
RES EVAL: INVOLVEMENT WITH FAMILY (q-pair).....	530
RES EVAL: MEDICATION REVIEW (data).....	946
RES EVAL: MEDICATION REVIEW (q-pair).....	530
RES EVAL: REALITY ORIENTATION (data).....	946
RES EVAL: REALITY ORIENTATION (posi).....	1108
RES EVAL: REALITY ORIENTATION (q-pair).....	530
RES EVAL: RELOCATE (data).....	947
RES EVAL: RELOCATE (q-pair).....	530
RES EVAL: UNABLE TO ATTEMPT (data).....	947
RES EVAL: UNABLE TO ATTEMPT (q-pair).....	530
RES LRM: DEVICE ACCESS (data).....	947
RES LRM: DEVICE ACCESS (q-pair).....	541
RES LRM: LIMIT SETTING (data).....	947
RES LRM: LIMIT SETTING (q-pair).....	541
RES LRM: PRN MEDS (data).....	947
RES LRM: PRN MEDS (q-pair).....	541
RES LRM: REDIRECT (data).....	948
RES LRM: REDIRECT (q-pair).....	541
RES LRM: REMOVE FROM SETTING (data).....	948
RES LRM: REMOVE FROM SETTING (q-pair).....	541
RES LRM: REORIENT (data).....	948
RES LRM: REORIENT (q-pair).....	541
RES LRM: SUPERVISION (data).....	948
RES LRM: SUPERVISION (q-pair).....	541

RES LRM: VERBAL DE-ESCALATION (data).....	948
RES LRM: VERBAL DE-ESCALATION (q-pair).....	541
RES LRM: VERBAL REMINDERS (data).....	949
RES LRM: VERBAL REMINDERS (q-pair).....	541
RESERVOIR CANNULA (meth).....	1100
RESERVOIR CANNULA (q-pair).....	629
RESOURCE BREEZE (data).....	949
RESOURCE BREEZE (q-pair).....	161
RESOURCE DM (data).....	949
RESOURCE DM (q-pair).....	161
RESPIRATION (data).....	949
RESPIRATION (q-pair).....	353
RESPIRATORY DEPRESSION (data).....	949
RESPIRATORY DEPRESSION (q-pair).....	448
RESPIRATORY PATTERN.....	525
RESPIRATORY RATE.....	526
RESTING (data).....	950
RESTING (q-pair).....	53
RESTING RESPIRATORY RATE BASELINE OR ABOVE (data).....	950
RESTING RESPIRATORY RATE BASELINE OR ABOVE (q-pair)....	415
RESTLESS (data).....	950
RESTLESS (q-pair).....	55, 333, 424, 542
RESTRAINT (data).....	950
RESTRAINT (q-pair).....	543
RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET (task).....	1145
RESTRAINT - CIRCULATION CHECK (task).....	1145
RESTRAINT - DEVICE RELEASE (task).....	1145
RESTRAINT - FALL PRECAUTIONS (task).....	1145

RESTRAINT - SEIZURE PRECAUTIONS (task).....	1146
RESTRAINT BILATERAL ANKLE (data).....	950
RESTRAINT BILATERAL ANKLE (q-pair).....	546
RESTRAINT BILATERAL HAND MITT (data).....	951
RESTRAINT BILATERAL HAND MITT (q-pair).....	546
RESTRAINT CRITERIA.....	527
RESTRAINT EDUCATION.....	528
RESTRAINT EDUCATION TYPE.....	529
RESTRAINT EVAL - ALT. MEASURES ATTEMPTED.....	530
RESTRAINT EVAL - ELIMINATION MONITORED.....	531
RESTRAINT EVAL - FLUID/NUTRITION INTAKE.....	532
RESTRAINT EVAL - HYGIENE/COMFORT.....	533
RESTRAINT EVAL - LEAST RESTRICTIVE MEASURES.....	534
RESTRAINT EVAL - MENTAL.....	535
RESTRAINT EVAL - PRIVACY/DIGNITY.....	536
RESTRAINT EVAL - REPOSITION/RANGE OF MOTION.....	537
RESTRAINT EVAL - SKIN INTEGRETU.....	538
RESTRAINT FAMILY ED. UNDERSTANDING.....	539
RESTRAINT GERI CHAIR (data).....	951
RESTRAINT GERI CHAIR (q-pair).....	546
RESTRAINT HARD PLASTIC/LEATHER (data).....	951
RESTRAINT HARD PLASTIC/LEATHER (q-pair).....	546, 547, 548
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (data).....	951
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (q-pair).....	546
RESTRAINT HARD PLASTIC/LEATHER 4 POINT (data).....	951
RESTRAINT HARD PLASTIC/LEATHER 4 POINT (q-pair).....	546
RESTRAINT INITIATED BY.....	540
RESTRAINT LEAST RESTRICTIVE MEASURES.....	541

RESTRAINT MENTAL ASSESSMENT.....	542
RESTRAINT ONE ARM (data).....	952
RESTRAINT ONE ARM (q-pair).....	546
RESTRAINT ONE LEG (data).....	952
RESTRAINT ONE LEG (q-pair).....	546
RESTRAINT ORDER TYPE.....	543
RESTRAINT PATIENT ED. UNDERSTANDING.....	544
RESTRAINT SAFETY CARE.....	545
RESTRAINT SINGLE HAND MITT (data).....	952
RESTRAINT SINGLE HAND MITT (q-pair).....	546, 547
RESTRAINT SOFT (data).....	952
RESTRAINT SOFT (q-pair).....	546, 547, 548
RESTRAINT SOFT 2 POINT (data).....	952
RESTRAINT SOFT 2 POINT (q-pair).....	546
RESTRAINT SOFT 4 POINT (data).....	953
RESTRAINT SOFT 4 POINT (q-pair).....	546
RESTRAINT SOFT ARMS + LOCKED WAIST (data).....	953
RESTRAINT SOFT ARMS + LOCKED WAIST (q-pair).....	546
RESTRAINT SOFT ARMS + WAIST (data).....	953
RESTRAINT SOFT ARMS + WAIST (q-pair).....	546
RESTRAINT STRAP (data).....	953
RESTRAINT STRAP (q-pair).....	546, 548
RESTRAINT STRAP (sche).....	1132
RESTRAINT TYPE ALL.....	546
RESTRAINT TYPE ARMS.....	547
RESTRAINT TYPE LEGS.....	548
RESTRAINT TYPE OTHER.....	549
RESTRAINT VEST (data).....	953

RESTRAINT VEST (q-pair).....	546, 549
RESTRAINT WAIST (data).....	954
RESTRAINT WAIST (q-pair).....	546, 549
RESTRAINT WAIST LOCKED (data).....	954
RESTRAINT WAIST LOCKED (q-pair).....	546
RESTRAINT WRIST (data).....	954
RESTRAINT WRIST (q-pair).....	546
RESTRAINTS BROCHURE (data).....	954
RESTRAINTS BROCHURE (q-pair).....	529
RESTRAINTS ED REMOVAL (data).....	954
RESTRAINTS ED REMOVAL (q-pair).....	529
RESTRAINTS ED TYPE (data).....	955
RESTRAINTS ED TYPE (q-pair).....	529
RESTRAINTS EXPLAINED (data).....	955
RESTRAINTS EXPLAINED (q-pair).....	529
RESTRAINTS LIMIT SETTING (data).....	955
RESTRAINTS LIMIT SETTING (q-pair).....	534
RESTRAINTS TIME LIMIT (data).....	955
RESTRAINTS TIME LIMIT (q-pair).....	529
RHONCHI (data).....	955
RHONCHI (q-pair).....	72
RHYTHM (meth).....	1100
RIGHT (data).....	956
RIGHT (loca).....	1079
RIGHT (q-pair).....	12
RIGHT VENTRICULAR STROKE WORK.....	550
RIGHT VENTRICULAR STROKE WORK INDEX.....	551
RIGID HEEL SPLINT (data).....	956

RIGID HEEL SPLINT (q-pair).....	493
ROOM AIR (meth).....	1101
ROOM AIR15 (meth).....	1101
ROOM AIR20 (meth).....	1101
ROTATIONAL THERAPY (data).....	956
ROTATIONAL THERAPY (q-pair).....	608
ROUND (data).....	956
ROUND (q-pair).....	2
RUB (data).....	956
RUB (q-pair).....	79
RUNS OF VT (data).....	957
RUNS OF VT (q-pair).....	78
Rh IMMUNE GLOBULIN (prod).....	1124
Rh IMMUNE GLOBULIN (q-pair).....	299

- S -

S1 (data).....	957
S1 (q-pair).....	79
S2 (data).....	957
S2 (q-pair).....	79
S3 (data).....	957
S3 (q-pair).....	79
S4 (data).....	957
S4 (q-pair).....	79
SACRAL (loca).....	1079
SACRAL (q-pair).....	149, 496, 703
SAFETY (data).....	958

SAFETY (q-pair).....	153
SAFETY DEVICE WAIST BELT APPLIED.....	552
SALINE (prod).....	1124
SALINE (q-pair).....	298, 307
SALINE LOCK (data).....	958
SALINE LOCK (q-pair).....	325, 443
SALINE MOIST DRESSING (data).....	958
SALINE MOIST DRESSING (q-pair).....	497, 707
SANDOSOURCE PEPTIDE (data).....	958
SANDOSOURCE PEPTIDE (prod).....	1124
SANDOSOURCE PEPTIDE (q-pair).....	291
SAS AGITATED (data).....	958
SAS AGITATED (q-pair).....	555
SAS CALM AND COOPERATIVE (data).....	959
SAS CALM AND COOPERATIVE (q-pair).....	555
SAS DANGEROUS AGITATION (data).....	959
SAS DANGEROUS AGITATION (q-pair).....	555
SAS SEDATED (data).....	959
SAS SEDATED (q-pair).....	555
SAS UNAROUSABLE (data).....	959
SAS UNAROUSABLE (q-pair).....	555
SAS VERY AGITATED (data).....	959
SAS VERY AGITATED (q-pair).....	555
SAS VERY SEDATED (data).....	960
SAS VERY SEDATED (q-pair).....	555
SCALE (unit).....	1162
SCANT (data).....	960
SCANT (q-pair).....	379, 510, 590

SCAPHOID (data).....	960
SCAPHOID (q-pair).....	2
SCROTUM (loca).....	1079
SCROTUM (q-pair).....	423, 496, 601
SECLUSION (data).....	960
SECLUSION (q-pair).....	543
SECOND (unit).....	1163
SECOND DEGREE AV BLOCK: TYPE 1 (data).....	960
SECOND DEGREE AV BLOCK: TYPE 1 (q-pair).....	82
SECOND DEGREE AV BLOCK: TYPE 2 (data).....	961
SECOND DEGREE AV BLOCK: TYPE 2 (q-pair).....	82
SEDATED (data).....	961
SEDATED (q-pair).....	55, 150, 440, 542
SEDATION SCALE - RAMSEY.....	553
SEDATION SCALE - RASS.....	554
SEDATION SCALE - SAS.....	555
SEDIMENT (data).....	961
SEDIMENT (q-pair).....	655
SEIZURE CHARACTER.....	556
SEIZURE DURATION.....	557
SEIZURE FOCI.....	558
SEIZURE PRECAUTIONS.....	559
SEIZURES.....	560
SEIZURES (data).....	961
SEIZURES (q-pair).....	347
SELF AM CARE BY PATIENT (data).....	961
SELF AM CARE BY PATIENT (q-pair).....	4
SELF CARE (data).....	962

SELF CARE (q-pair).....	12, 14
SELF CARE OF BEDSIDE ENVIRONMENT (data).....	962
SELF CARE OF BEDSIDE ENVIRONMENT (q-pair).....	4
SELF FACE WASH (data).....	962
SELF FACE WASH (q-pair).....	4
SELF FOOT CARE (data).....	962
SELF FOOT CARE (q-pair).....	4
SELF SHAVE (data).....	962
SELF SHAVE (q-pair).....	4
SELF SHOWER (data).....	963
SELF SHOWER (q-pair).....	4
SELF TRACH CARE (data).....	963
SELF TRACH CARE (q-pair).....	4
SEMIFOWLERS (posi).....	1108
SEMIFOWLERS (q-pair).....	61, 518, 526
SEMIFOWLERS HIGH (data).....	963
SEMIFOWLERS HIGH (q-pair).....	52
SEMIFOWLERS LOW (data).....	963
SEMIFOWLERS LOW (q-pair).....	52
SENSATION FOOT.....	561
SENSATION HAND.....	562
SENSATION LOWER EXTREMITY.....	563
SENSATION UPPER EXTREMITY.....	564
SEQUENTIAL COMPRESSION DEVICE (data).....	963
SEQUENTIAL COMPRESSION DEVICE (q-pair).....	147
SEQUENTIAL COMPRESSION DEVICE APPLICATION.....	565
SEROSANGUINOUS (data).....	964
SEROSANGUINOUS (q-pair).....	103, 278, 488, 579

SEROUS (data).....	964
SEROUS (q-pair).....	103, 278, 488, 579
SET UP HELP ONLY (data).....	964
SET UP HELP ONLY (q-pair).....	9
SEVERELY REDUCED (data).....	964
SEVERELY REDUCED (q-pair).....	330
SEWS - AGITATION.....	566
SEWS - ANXIETY.....	567
SEWS - DISORIENTATION NAME PLACE.....	568
SEWS - HALLUCINATION ANY.....	569
SEWS - HALLUCINATION AUDITORY ONLY.....	570
SEWS - NAME ONLY.....	571
SEWS - NAUSEA.....	572
SEWS - SWEATING.....	573
SEWS - TOTAL.....	574
SEWS - TREMOR.....	575
SEWS - VITAL SIGNS.....	576
SEWS SCALE (unit).....	1163
SHALLOW (data).....	964
SHALLOW (q-pair).....	525
SHAMPOO (data).....	965
SHAMPOO (q-pair).....	4
SHARP (data).....	965
SHARP (q-pair).....	420
SHAVE (data).....	965
SHAVE (q-pair).....	4
SHOOTING (data).....	965
SHOOTING (q-pair).....	420

SHOWER (data).....	965
SHOWER (q-pair).....	4
SHUNTS (data).....	966
SHUNTS (q-pair).....	347
SI UNIT (unit).....	1163
SICU (data).....	966
SICU (q-pair).....	417
SIDE RAILS.....	577
SIGMOIDOSTOMY (data).....	966
SIGMOIDOSTOMY (q-pair).....	373
SIGNIFICANT EVENT.....	578
SIGNIFICANT OTHER (data).....	966
SIGNIFICANT OTHER (q-pair).....	10
SILVADENE (data).....	966
SILVADENE (q-pair).....	497
SILVER (data).....	967
SILVER SULFADIAZINE (data).....	967
SINGLE (data).....	967
SINGLE (q-pair).....	96
SINGLE LUMEN CATHETER (meth).....	1101
SINUS ARREST (data).....	967
SINUS ARREST (q-pair).....	82
SINUS ARRHYTHMIA (data).....	967
SINUS ARRHYTHMIA (q-pair).....	82
SINUS BLOCK (data).....	968
SINUS BLOCK (q-pair).....	82
SINUS BRADYCARDIA (data).....	968
SINUS BRADYCARDIA (q-pair).....	82

SINUS DRAINAGE CHARACTER.....	579
SINUS DRAINAGE PRESENT.....	580
SINUS NECROTIC TISSUE APPEARANCE.....	581
SINUS NECROTIC TISSUE PRESENT.....	582
SINUS PAUSE (data).....	968
SINUS PAUSE (q-pair).....	82
SINUS RHYTHM (data).....	968
SINUS RHYTHM (q-pair).....	82
SINUS TACHYCARDIA (data).....	968
SINUS TACHYCARDIA (q-pair).....	82
SINUS TRACT SURROUNDING TISSUE CHARACTER.....	583
SINUS TRACT ULCER.....	584
SINUS TRACT ULCER EPITHELIALIZATION.....	585
SINUS TRACT ULCER GRANULIZATION.....	586
SITE UNABLE TO BE MARKED (data).....	969
SITE UNABLE TO BE MARKED (q-pair).....	480
SITTING (posi).....	1109
SITTING (q-pair).....	61, 139, 518, 526, 632, 688
SKIN (ADHESIVE INDICATOR) (meth).....	1101
SKIN (ADHESIVE INDICATOR) (q-pair).....	154
SKIN (loca).....	1079
SKIN (q-pair).....	636
SKIN ALTERATION.....	587
SKIN COLOR.....	588
SKIN CONDITION.....	589
SKIN DRAINAGE AMOUNT.....	590
SKIN ERYTHEMA EXTENDS AROUND INCISION.....	591

SKIN ERYTHEMA EXTENSION AROUND WOUND.....	592
SKIN INCISION CLOSURE.....	593
SKIN INCISION WOUND CLOSURE OPEN WOUND (data).....	969
SKIN INCISION WOUND CLOSURE OPEN WOUND (q-pair).....	593
SKIN INCISION WOUND CLOSURE STAPLES (data).....	969
SKIN INCISION WOUND CLOSURE STAPLES (q-pair).....	593
SKIN INCISION WOUND CLOSURE STERI-STRIPS (data).....	969
SKIN INCISION WOUND CLOSURE STERI-STRIPS (q-pair).....	593
SKIN INCISION WOUND CLOSURE SUTURES (data).....	969
SKIN INCISION WOUND CLOSURE SUTURES (q-pair).....	593
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (data).....	970
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (q-pair).....	594
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (data).....	970
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (q-pair).....	594
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (data).....	970
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (q-pair).....	594
SKIN INDURATION AROUND INCISION NONE (data).....	970
SKIN INDURATION AROUND INCISION NONE (q-pair).....	594
SKIN INDURATION EXTENSION AROUND INCISION.....	594
SKIN INDURATION EXTENSION AROUND WOUND.....	595
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data).....	970

SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pair)	595
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data)	971
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pair)	595
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (data)	971
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair)	595
SKIN INDURATION EXTENSION AROUND WOUND NONE (data)	971
SKIN INDURATION EXTENSION AROUND WOUND NONE (q-pair)	595
SKIN MOISTURE	596
SKIN PATCHES PRESENT	597
SKIN RISK FACTORS PRESENT	598
SKIN SWELLING EXTENSION AROUND INCISION	599
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (data)	971
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (q-pair)	599
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (data)	971
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (q-pair)	599
SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (data)	972
SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (q-pair)	599

SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (data)	
.....	972
SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (q-pair)	
.....	599
SKIN SWELLING EXTENSION AROUND INCISION NONE (data)....	972
SKIN SWELLING EXTENSION AROUND INCISION NONE (q-pair)..	599
SKIN SWELLING EXTENSION AROUND WOUND.....	600
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data)	
.....	972
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pair)	
.....	600
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data)	
.....	972
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pair)	
.....	600
SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (data)...	973
SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (q-pair).	600
SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (data)	
.....	973
SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair)	
.....	600
SKIN SWELLING EXTENSION AROUND WOUND NONE (data).....	973
SKIN SWELLING EXTENSION AROUND WOUND NONE (q-pair).....	600
SKIN TEAR (data).....	973
SKIN TEAR (q-pair).....	708
SKIN TEMP.....	601
SKIN TEMPERATURE AT INCISION SITE.....	602
SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (data)	

.....	973
SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (q-pair)	
.....	602
SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (data)	
a).....	974
SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (q-pair)	
air).....	602
SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (data)	
.....	974
SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (q-pair)	
.....	602
SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (data)	
a).....	974
SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (q-pair)	
air).....	602
SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (data)	
.....	974
SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (q-pair)	
.....	602
SKIN TEMPERATURE AT WOUND SITE.....	603
SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (data)	
.....	974
SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (q-pair)	
.....	603
SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (data)	
.....	975
SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (q-pair)	
).....	603

SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (data)	975
SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (q-pair)	603
SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (data)	975
SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (q-pair)	603
SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (data)	975
SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (q-pair)	603
SKIN TRAUMA (data)	975
SKIN TRAUMA (q-pair)	708
SKIN TURGOR	604
SKIN WARM AND DRY COLOR APPROPRIATE (data)	976
SKIN WARM AND DRY COLOR APPROPRIATE (q-pair)	415
SKIN WOUND CLOSURE	605
SKIN WOUND CLOSURE APPROXIMATED (data)	976
SKIN WOUND CLOSURE APPROXIMATED (q-pair)	605
SKIN WOUND CLOSURE DEHISCENCE (data)	976
SKIN WOUND CLOSURE DEHISCENCE (q-pair)	605
SKIN WOUND CLOSURE GLUE (data)	976
SKIN WOUND CLOSURE GLUE (q-pair)	605
SKIN WOUND CLOSURE NOT CLOSED (data)	976
SKIN WOUND CLOSURE NOT CLOSED (q-pair)	605
SKIN WOUND CLOSURE OPEN WOUND (data)	977
SKIN WOUND CLOSURE OPEN WOUND (q-pair)	605

SKIN WOUND CLOSURE STAPLES (data).....	977
SKIN WOUND CLOSURE STAPLES (q-pair).....	605
SKIN WOUND CLOSURE STERI-STRIPS (data).....	977
SKIN WOUND CLOSURE STERI-STRIPS (q-pair).....	605
SKIN WOUND CLOSURE SUTURES (data).....	977
SKIN WOUND CLOSURE SUTURES (q-pair).....	605
SLEEP AMOUNT.....	606
SLEEP QUALIFIERS.....	607
SLEEPING (data).....	977
SLEEPING (q-pair).....	122, 424, 542
SLEEPS POORLY (data).....	978
SLEEPS POORLY (q-pair).....	55
SLEPT WELL (data).....	978
SLEPT WELL (q-pair).....	607
SLIGHT (data).....	978
SLIGHT (q-pair).....	387
SLING TRACTION (data).....	978
SLING TRACTION (q-pair).....	644
SLOUGH (data).....	978
SLOUGH (q-pair).....	702
SLUGGISH (data).....	979
SLUGGISH (q-pair).....	520
SLURRED SPEECH (data).....	979
SLURRED SPEECH (q-pair).....	168
SM ADULT (meth).....	1102
SM ADULT CUFF (meth).....	1102
SMALL (data).....	979
SMALL (q-pair).....	379, 385, 387, 510,

SMALL BORE FEEDING TUBE (data).....	979
SMALL BORE FEEDING TUBE (q-pair).....	197
SMEAR (data).....	979
SMEAR (q-pair).....	385
SMOKING AREA (data).....	980
SMOKING AREA (q-pair).....	54, 123
SMOKING PORCH (data).....	980
SMOKING PORCH (q-pair).....	54, 123
SMOOTH (data).....	980
SMOOTH (q-pair).....	702
SNACK (data).....	980
SNACK (q-pair).....	4
SNORES (data).....	980
SNORES (q-pair).....	347
SODIUM CONTROLLED 2 GM (data).....	981
SODIUM CONTROLLED 2 GM (q-pair).....	140
SODIUM CONTROLLED 4 GM (data).....	981
SODIUM CONTROLLED 4 GM (q-pair).....	140
SOFT (data).....	981
SOFT (q-pair).....	2, 581, 622
SOFT DRINK (prod).....	1125
SOFT DRINK (q-pair).....	311
SOMNOLENT (data).....	981
SOMNOLENT (q-pair).....	448
SPECIAL PROCEDURE ROOM (data).....	981
SPECIAL PROCEDURE ROOM (q-pair).....	502
SPECIALTY BED/MATTRESS.....	608

SPECIFIC GRAVITY.....	609
SPINAL (data).....	982
SPINAL (q-pair).....	30
SPINE CERVICAL (loca).....	1080
SPINE CERVICAL (q-pair).....	285
SPINE LUMBAR (loca).....	1080
SPINE LUMBAR (q-pair).....	285
SPINE THORACIC (loca).....	1080
SPINE THORACIC (q-pair).....	285
SPIRITUAL (data).....	982
SPIRITUAL (q-pair).....	151, 153
SPLINTING (data).....	982
SPLINTING (q-pair).....	424
SPONTANEOUS (data).....	982
SPONTANEOUS (meth).....	1102
SPONTANEOUS (q-pair).....	526, 667
SPOONING (data).....	982
SPOONING (q-pair).....	366
SPOUSE (data).....	983
SPOUSE (q-pair).....	464, 465, 466
SQ EMPHYSEMA (data).....	983
SQ EMPHYSEMA (q-pair).....	107
SQUARE (data).....	983
SQUARE (q-pair).....	682
SQUARE METERS (unit).....	1163
SQUEEZING (data).....	983
SQUEEZING (q-pair).....	420
ST SEGMENT AVF.....	610

ST SEGMENT AVL.....	611
ST SEGMENT AVR.....	612
ST SEGMENT I.....	613
ST SEGMENT II.....	614
ST SEGMENT III.....	615
ST SEGMENT V1.....	616
ST SEGMENT V2.....	617
ST SEGMENT V3.....	618
ST SEGMENT V4.....	619
ST SEGMENT V5.....	620
ST SEGMENT V6.....	621
STABBING (data).....	983
STABBING (q-pair).....	420
STABLE (data).....	984
STABLE (q-pair).....	170
STABLE BP AND PULSE (data).....	984
STABLE BP AND PULSE (q-pair).....	415
STAFF (data).....	984
STAFF (q-pair).....	648
STAGE I (data).....	984
STAGE I (q-pair).....	496
STAGE II (data).....	984
STAGE II (q-pair).....	496
STAGE III (data).....	985
STAGE III (q-pair).....	496
STAGE IV (data).....	985
STAGE IV (q-pair).....	496
STANDARD (data).....	985

STANDARD (q-pair).....	315
STANDARD PRESSURE REDUCTION (data).....	985
STANDARD PRESSURE REDUCTION (q-pair).....	608
STANDING (posi).....	1109
STANDING (q-pair).....	61, 139, 518, 526, 632, 688
STANDING WEIGHT (meth).....	1102
STANDING WEIGHT (q-pair).....	688
STAPLES (data).....	985
START TIME: (data).....	986
START TIME: (q-pair).....	503
STARTED (data).....	986
STARTED (q-pair).....	325, 443
STARTED ON LEFT (data).....	986
STARTED ON LEFT (q-pair).....	558
STARTED ON RIGHT (data).....	986
STARTED ON RIGHT (q-pair).....	558
STATED (q-pair).....	209, 658, 688, 690
STATED (qual).....	1129
STEADY GATE OR BASELINE (data).....	986
STEADY GATE OR BASELINE (q-pair).....	141
STEP DOWN (data).....	987
STEP DOWN (q-pair).....	417
STERNOTOMY (loca).....	1080
STINGING (data).....	987
STINGING (q-pair).....	420
STOMACH (loca).....	1080
STOMACH (q-pair).....	423

STOOL CHARACTERISTICS.....	622
STOOL COLOR.....	623
STOOL NUMBER STOOLS.....	624
STOP TIME: (data).....	987
STOP TIME: (q-pair).....	503
STOPCOCK CHANGE (data).....	987
STOPCOCK CHANGE (q-pair).....	159
STRAIGHT CATHETER (data).....	987
STRAIGHT CATHETER (q-pair).....	201, 658
STRETCHER (data).....	988
STRETCHER (q-pair).....	649
STRICT (data).....	988
STRICT (q-pair).....	315
STROKE (data).....	988
STROKE (q-pair).....	347
STROKE INDEX.....	625
STROKE VOLUME.....	626
STROKE VOLUME INDEX.....	627
STROKE WORK PER BEAT (unit).....	1163
STROKE WORK PER BEAT PER M2 (unit).....	1164
STRONG (data).....	988
STRONG (q-pair).....	179, 204, 334, 654
STRYKER FRAME (data).....	988
STRYKER FRAME (q-pair).....	608
STUDENT (data).....	989
STUDENT (q-pair).....	648
STUPOROUS (data).....	989
STUPOROUS (q-pair).....	440

SUBCUTANEOUS TISSUE (data).....	989
SUBSTERNAL (loca).....	1081
SUBSTERNAL (q-pair).....	423
SUCTIONED ONLY (data).....	989
SUCTIONED ONLY (q-pair).....	14
SUICIDAL (data).....	989
SUICIDAL (q-pair).....	57, 124
SUMP (data).....	990
SUMP (q-pair).....	697
SUPERVISION/SET-UP HELP (data).....	990
SUPERVISION/SET-UP HELP (q-pair).....	7, 8, 9
SUPINE (data).....	990
SUPINE (posi).....	1109
SUPINE (q-pair).....	12, 61, 526
SUPLENA (data).....	990
SUPLENA (q-pair).....	161
SUPPLEMENTAL OXYGEN CONCENTRATION.....	628
SUPPLEMENTAL OXYGEN FLOW RATE.....	629
SUPRAPUBIC (data).....	990
SUPRAPUBIC (q-pair).....	201, 658
SUPRAVENTRICULAR TACHYCARDIA (data).....	991
SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	82
SURGICAL (data).....	991
SURGICAL (q-pair).....	708
SURGICAL DONOR (data).....	991
SURGICAL DONOR (q-pair).....	708
SURGICAL GRAFT (data).....	991
SURGICAL GRAFT (q-pair).....	708

SUSPECTED DEEP TISSUE INJURY (data).....	991
SUSPECTED DEEP TISSUE INJURY (q-pair).....	496
SUTURES (data).....	992
SWOLLEN (data).....	992
SWOLLEN (q-pair).....	42, 89, 136, 217, 327, 391
SYMPTOMS OF MEDICATION ALLERGY (data).....	992
SYMPTOMS OF MEDICATION ALLERGY (q-pair).....	168
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (data)..	992
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (q-pair)	667
SYRINGE (data).....	992
SYRINGE (q-pair).....	156
SYRINGE CHANGE (data).....	993
SYRINGE CHANGE (q-pair).....	159
SYRINGE CHANGED (data).....	993
SYRINGE CHANGED (q-pair).....	443
SYSTEMIC VASCULAR RESISTANCE.....	630
SYSTEMIC VASCULAR RESISTANCE INDEX.....	631
SYSTOLIC (data).....	993
SYSTOLIC (q-pair).....	85
SYSTOLIC PRESSURE.....	632
SaO2%.....	633
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (data).....	993
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (q-pair).....	415
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (data)	993
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (q-pair)	415

SpO2%.....	634
SvO2%.....	635

- T -

T-PIECE (meth).....	1102
T-PIECE (q-pair).....	628
T1 (data).....	994
T1 (q-pair).....	166, 167
T10 (data).....	994
T10 (q-pair).....	166, 167
T11 (data).....	994
T11 (q-pair).....	166, 167
T12 (data).....	994
T12 (q-pair).....	166, 167
T2 (data).....	994
T2 (q-pair).....	166, 167
T3 (data).....	995
T3 (q-pair).....	166, 167
T4 (data).....	995
T4 (q-pair).....	166, 167
T5 (data).....	995
T5 (q-pair).....	166, 167
T6 (data).....	995
T6 (q-pair).....	166, 167
T7 (data).....	995
T7 (q-pair).....	166, 167
T8 (data).....	996

T8 (q-pair).....	166, 167
T9 (data).....	996
T9 (q-pair).....	166, 167
TAN (data).....	996
TAN (q-pair).....	146, 162, 193, 511, 656, 691, 695
TAPE BURN (data).....	996
TAPE BURN (q-pair).....	708
TARRY (data).....	996
TARRY (q-pair).....	622
TEA (data).....	997
TEA (q-pair).....	656
TEETH (loca).....	1081
TEETH (q-pair).....	423
TEETH BRUSHED (data).....	997
TEETH BRUSHED (q-pair).....	14
TEMPERATURE.....	636
TEMPORAL (loca).....	1081
TEMPORAL (q-pair).....	636
TEMPORARY (TRANSVENOUS) (data).....	997
TEMPORARY (TRANSVENOUS) (q-pair).....	411
TENACIOUS (data).....	997
TENACIOUS (q-pair).....	512
TENDER (data).....	997
TENDER (q-pair).....	2, 420
TENDON (data).....	998
TESTS/PROC. - ACCUCHECKS (task).....	1146
TESTS/PROC. - BLOOD CULTURES (task).....	1146

TESTS/PROC. - DAILY LABS (task).....	1146
TESTS/PROC. - MORNING LABS (task).....	1146
TESTS/PROC. - ZERO BALANCE HEMO. LINES (task).....	1147
THICK (data).....	998
THICK (q-pair).....	146, 192, 367, 512
THIGH (data).....	998
THIGH (loca).....	1081
THIGH (q-pair).....	62, 110
THIGH CUFF (meth).....	1103
THIN (data).....	998
THIN (q-pair).....	146, 192, 512
THIRD DEGREE AV BLOCK (data).....	998
THIRD DEGREE AV BLOCK (q-pair).....	82
THORACIC SPINAL PRECAUTIONS (data).....	999
THORACIC SPINAL PRECAUTIONS (q-pair).....	11
THREADS (data).....	999
THREADS (q-pair).....	655
THROBBING (data).....	999
THROBBING (q-pair).....	420
THYROID (loca).....	1081
THYROID (q-pair).....	285
TIME OUT: PATIENT IDENTIFICATION METHOD.....	637
TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY	639
TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED	638
TINGLING (data).....	999
TINGLING (q-pair).....	420, 561, 562, 563,

TINGLING MOUTH/LIPS (data).....	999
TINGLING MOUTH/LIPS (q-pair).....	168
TINNITUS (data).....	1000
TINNITUS (q-pair).....	448
TO PAIN (data).....	1000
TO PAIN (q-pair).....	127
TO SPEECH (data).....	1000
TO SPEECH (q-pair).....	127
TOENAIL CARE (data).....	1000
TOENAIL CARE (q-pair).....	4
TOLERATING FLUIDS/NOURISHMENT (data).....	1000
TOLERATING FLUIDS/NOURISHMENT (q-pair).....	141, 415
TONIC/CLONIC (data).....	1001
TONIC/CLONIC (q-pair).....	556
TONOMETRY.....	640
TOOTH (loca).....	1082
TOOTH (q-pair).....	423
TOPICAL TREATMENT (data).....	1001
TOPICAL TREATMENT (q-pair).....	692
TORSADES DE POINTES (data).....	1001
TORSADES DE POINTES (q-pair).....	82
TORSO (loca).....	1082
TORSO (q-pair).....	149, 549
TOTAL DEPENDENCE (data).....	1001
TOTAL DEPENDENCE (q-pair).....	7, 8, 9
TPN (meth).....	1103
TPN (prod).....	1125

TPN (q-pair).....	291
TRACE ST SEGMENT.....	641
TRACE ST SEGMENT 2.....	642
TRACHEA MIDLINE DEVIATED.....	643
TRACHEOSTOMY (data).....	1001
TRACHEOSTOMY (loca).....	1082
TRACHEOSTOMY (q-pair).....	21, 496
TRACHEOSTOMY COLLAR (meth).....	1103
TRACHEOSTOMY COLLAR (q-pair).....	628
TRACTION TYPE.....	644
TRACTION WEIGHT.....	645
TRAIN OF FOUR RESPONSE.....	646
TRAIN OF FOUR SMS.....	647
TRANSCUTANEOUS (data).....	1002
TRANSCUTANEOUS (q-pair).....	411
TRANSFER (data).....	1002
TRANSFER (q-pair).....	135, 703
TRANSFER WITH ASSIST (data).....	1002
TRANSFER WITH ASSIST (q-pair).....	11
TRANSFUSION (meth).....	1103
TRANSFUSION (q-pair).....	291
TRANSPARENT (data).....	1002
TRANSPARENT (q-pair).....	44, 91, 137, 218, 392, 700
TRANSPARENT DRESSING (data).....	1002
TRANSPARENT DRESSING (q-pair).....	497, 707
TRANSPORT FACILITATOR.....	648
TRANSPORT FACILITATOR PRESENT (data).....	1003

TRANSPORT FACILITATOR PRESENT (q-pair).....	141
TRANSPORTATION MODE/DEVICE.....	649
TRANSPYLORIC (data).....	1003
TRANSPYLORIC (q-pair).....	155
TRANSTRACHEAL (meth).....	1103
TRANSVERSE ABDOMINAL (loca).....	1082
TRANSVERSE ABDOMINAL (q-pair).....	285
TREATMENTS (data).....	1003
TREATMENTS (q-pair).....	153
TREMULOUS.....	650
TRENDELENBURG (posi).....	1109
TRENDELENBURG (q-pair).....	61, 526
TRIGEMINY (data).....	1003
TRIGEMINY (q-pair).....	78
TRIPLE (data).....	1003
TRIPLE (q-pair).....	96
TRIPLE LUMEN CATHETER (meth).....	1104
TUBE POSITION VERIFIED.....	651
TUBED/DYSPHAGIC (data).....	1004
TUBED/DYSPHAGIC (q-pair).....	129
TUBES & DRAINS - CONDOM CATH (task).....	1147
TUBES & DRAINS - FOLEY (task).....	1147
TUBES & DRAINS - I/O CATH (task).....	1147
TUBES & DRAINS - NG TUBE (task).....	1147
TUBES & DRAINS - SUPRAPUBIC DRAIN (task).....	1148
TUBING CHANGE (data).....	1004
TUBING CHANGE (q-pair).....	159
TUBING CHANGED/LABELED (data).....	1004

TUBING CHANGED/LABELED (q-pair).....	325, 443
TURN AND POSITION (data).....	1004
TURN AND POSITION (q-pair).....	4
TURN AND SKIN CARE.....	652
TURNING SELF INDEPENDENTLY (data).....	1004
TURNING SELF INDEPENDENTLY (q-pair).....	4
TWILL TAPE (data).....	1005
TWILL TAPE (q-pair).....	7, 697
TWO CAL HN (data).....	1005
TWO CAL HN (q-pair).....	161
TWO PERSON ASSIST (data).....	1005
TWO PERSON ASSIST (q-pair).....	5, 7, 8, 9
TYMPANIC (loca).....	1082
TYMPANIC (q-pair).....	636

- U -

ULNAR (loca).....	1083
ULNAR (q-pair).....	518
ULNAR DRIFT.....	653
ULTRACAL (data).....	1005
ULTRACAL (prod).....	1125
ULTRACAL (q-pair).....	161
UMBILICAL (loca).....	1083
UMBILICAL (q-pair).....	285
UNABLE TO AROUSE (data).....	1005
UNABLE TO AROUSE (q-pair).....	440
UNABLE TO ASSESS (data).....	1006

UNABLE TO ASSESS (q-pair).....	150, 152
UNABLE TO INFORM (data).....	1006
UNABLE TO INFORM (q-pair).....	354
UNABLE TO READ (data).....	1006
UNABLE TO READ (q-pair).....	150
UNABLE TO RESPOND (data).....	1006
UNABLE TO RESPOND (q-pair).....	152
UNABLE TO WEDGE (data).....	1006
UNABLE TO WEDGE (q-pair).....	396
UNBEARABLE (data).....	1007
UNBEARABLE (q-pair).....	420
UNCOOPERATIVE (data).....	1007
UNCOOPERATIVE (q-pair).....	55
UNDER STRETCHER/BED (data).....	1007
UNDER STRETCHER/BED (q-pair).....	464
UNEQUAL (data).....	1007
UNEQUAL (q-pair).....	334, 654
UNEXPECTED NUMBNESS (data).....	1007
UNEXPECTED NUMBNESS (q-pair).....	168
UNIFOCAL PVC (data).....	1008
UNIFOCAL PVC (q-pair).....	78
UNITS (unit).....	1164
UNITS PER HOUR (unit).....	1164
UNITS PER MINUTE (unit).....	1164
UNITS/kg/HOUR (unit).....	1164
UNKNOWN (data).....	1008
UNKNOWN (q-pair).....	177, 558
UNSTABLE (data).....	1008

UNSTABLE (q-pair).....	170, 494
UNSTAGEABLE (data).....	1008
UNSTAGEABLE (q-pair).....	496
UNSUCCESSFUL (data).....	1008
UNSUCCESSFUL (q-pair).....	539, 544
UP (data).....	1009
UP TO CHAIR (data).....	1009
UP TO CHAIR (q-pair).....	4
UPPER ABDOMEN (loca).....	1083
UPPER ABDOMEN (q-pair).....	703
UPPER ARM (loca).....	1083
UPPER ARM (q-pair).....	110
UPPER BACK (loca).....	1083
UPPER BACK (q-pair).....	703
UPPER LIMB EXTREMITIES STRENGTH.....	654
URINARY RETENTION (data).....	1009
URINARY RETENTION (q-pair).....	168, 448
URINE (prod).....	1125
URINE (q-pair).....	609
URINE CHARACTERISTICS.....	655
URINE COLOR.....	656
URINE NUMBER VOIDS.....	657
URINE VOIDING METHOD.....	658
UROMETER (data).....	1009
UROMETER (q-pair).....	23
UROSTOMY (data).....	1009
UROSTOMY (q-pair).....	201

V1 (data).....	1010
V1 (q-pair).....	83
V2 (data).....	1010
V2 (q-pair).....	83
V3 (data).....	1010
V3 (q-pair).....	83
V4 (data).....	1010
V4 (q-pair).....	83
V5 (data).....	1010
V5 (q-pair).....	83
V6 (data).....	1011
V6 (q-pair).....	83
VACUUM ASSISTED CLOSURE (data).....	1011
VACUUM ASSISTED CLOSURE (q-pair).....	697
VASCULAR (data).....	1011
VASCULAR (q-pair).....	708
VASCULAR LESION ARTERIAL (data).....	1011
VASCULAR LESION ARTERIAL (q-pair).....	708
VASCULAR LESION MIXED (data).....	1011
VASCULAR LESION MIXED (q-pair).....	708
VASCULAR LESION VENOUS (data).....	1012
VASCULAR LESION VENOUS (q-pair).....	708
VASCULAR/NEUROPATHIC (data).....	1012
VASCULAR/NEUROPATHIC (q-pair).....	708
VASOPRESSOR (data).....	1012
VASOPRESSOR (q-pair).....	494

VDD (data).....	1012
VDD (q-pair).....	405
VEGETARIAN DIET (data).....	1012
VEGETARIAN DIET (q-pair).....	140
VENTICULAR FIBRILLATION (data).....	1013
VENTICULAR FIBRILLATION (q-pair).....	82
VENTILATOR (data).....	1013
VENTILATOR (meth).....	1104
VENTILATOR (q-pair).....	23, 453, 525, 526,
	628, 659, 660, 661,
	662, 663, 664, 665,
	666, 667, 668, 669,
	670, 671, 672, 673,
	674, 675, 676, 677,
	678, 679, 680, 681,
	682
VENTILATOR ACHIEVA P5O2 (data).....	1013
VENTILATOR ACHIEVA P5O2 (q-pair).....	681
VENTILATOR ADULT STAR (data).....	1013
VENTILATOR ADULT STAR (q-pair).....	681
VENTILATOR AUTO PEEP.....	659
VENTILATOR BEAR 1000 (data).....	1013
VENTILATOR BEAR 1000 (q-pair).....	681
VENTILATOR CIRCUIT CHANGE.....	660
VENTILATOR DRAEGER (data).....	1014
VENTILATOR DRAEGER (q-pair).....	681
VENTILATOR EXHALED VOLUME.....	661
VENTILATOR EXPIRATORY TIME.....	662

VENTILATOR FLOW RATE.....	663
VENTILATOR INSPIRATORY TIME.....	664
VENTILATOR MEAN AIR PRESSURE.....	665
VENTILATOR MINUTE VOLUME.....	666
VENTILATOR MODE.....	667
VENTILATOR OTHER (data).....	1014
VENTILATOR OTHER (q-pair).....	681
VENTILATOR PATIENT EXHALE VOLUME.....	668
VENTILATOR PATIENT MINUTE VOLUME.....	669
VENTILATOR PATIENT RATE.....	670
VENTILATOR PATIENT RATE TOTAL.....	671
VENTILATOR PB 7200ae (data).....	1014
VENTILATOR PB 7200ae (q-pair).....	681
VENTILATOR PB 840 (data).....	1014
VENTILATOR PB 840 (q-pair).....	681
VENTILATOR PCV SET PRESSURE.....	672
VENTILATOR PEAK PRESSURE.....	673
VENTILATOR PEEP.....	674
VENTILATOR PRESSURE SUPPORT.....	675
VENTILATOR PSV SET PRESSURE.....	676
VENTILATOR RATE.....	677
VENTILATOR SENSITIVITY.....	678
VENTILATOR SERVO (data).....	1014
VENTILATOR SERVO (q-pair).....	681
VENTILATOR TIDAL VOLUME ACTUAL.....	679
VENTILATOR TIDAL VOLUME SET.....	680
VENTILATOR TYPE.....	681
VENTILATOR WAVE FORM.....	682

VENTRICULAR (data).....	1015
VENTRICULAR (q-pair).....	411
VENTRICULAR DRAIN (meth).....	1104
VENTRICULAR DRAIN (q-pair).....	314
VENTRICULAR TACHYCARDIA (data).....	1015
VENTRICULAR TACHYCARDIA (q-pair).....	82
VENTRICULAR WHIP PRESENT (data).....	1015
VENTRICULAR WHIP PRESENT (q-pair).....	396
VENTRICULOSTOMY (data).....	1015
VENTRICULOSTOMY (q-pair).....	697
VENTURI MASK (meth).....	1104
VENTURI MASK (q-pair).....	629
VERBAL DE-ESCALATION (data).....	1015
VERBAL DE-ESCALATION (q-pair).....	534
VERBALIZED BY PATIENT (data).....	1016
VERBALIZED BY PATIENT (q-pair).....	637
VERY LOW BMI (data).....	1016
VERY LOW BMI (q-pair).....	494
VIOLET (data).....	1016
VIOLET (q-pair).....	695
VIP PORT (data).....	1016
VIP PORT (q-pair).....	399
VISCOUS (data).....	1016
VISCOUS (q-pair).....	278, 488
VISION CORRECTED.....	683
VISION UNCORRECTED.....	684
VISUAL IMPAIRMENT (data).....	1017
VISUAL IMPAIRMENT (q-pair).....	150

VITAL 1.0 (data).....	1017
VITAL 1.0 (q-pair).....	161
VITAL 1.5 (data).....	1017
VITAL 1.5 (q-pair).....	161
VITAL AF (data).....	1017
VITAL AF (q-pair).....	161
VITAL ENTERAL NUTRITION TYPE (data).....	1017
VITAL ENTERAL NUTRITION TYPE (prod).....	1125
VITAL ENTERAL NUTRITION TYPE (q-pair).....	161
VITAL HN ENTERAL NUTRITION (data).....	1018
VITAL HN ENTERAL NUTRITION (prod).....	1126
VITAL HN ENTERAL NUTRITION (q-pair).....	161
VITAL SIGNS STABLE (data).....	1018
VITAL SIGNS STABLE (q-pair).....	141
VIVONEX RTF (data).....	1018
VIVONEX RTF (q-pair).....	161
VOIDED (data).....	1018
VOIDED (q-pair).....	141, 415
VOLUNTEER (data).....	1018
VOLUNTEER (q-pair).....	466, 648
VOMITING (data).....	1019
VOMITING (q-pair).....	168, 191, 448
VT/VC.....	685
VVI (data).....	1019
VVI (q-pair).....	405

WAFFLE (data).....	1019
WAFFLE (q-pair).....	493
WAIST (loca).....	1084
WAIST (q-pair).....	546, 549
WAITING ROOM (data).....	1019
WAITING ROOM (q-pair).....	171, 417
WALKER (data).....	1019
WALKER (q-pair).....	5, 649
WALKING OR PACING (data).....	1020
WALKING OR PACING (q-pair).....	122
WANDERER (data).....	1020
WANDERER (q-pair).....	39
WARD (data).....	1020
WARD (q-pair).....	417
WARM (data).....	1020
WARM (q-pair).....	601
WARM HUMIDITY WITH O2 (data).....	1020
WARM HUMIDITY WITH O2 (q-pair).....	686
WARMER THAN GENERAL BODY TEMP (data).....	1021
WARMER THAN GENERAL BODY TEMP (q-pair).....	601
WARMER THAN OPPOSITE BODY PART (data).....	1021
WARMER THAN OPPOSITE BODY PART (q-pair).....	601
WARMING BLANKET (data).....	1021
WARMING BLANKET (q-pair).....	686
WARMING BOTTLE (data).....	1021
WARMING BOTTLE (q-pair).....	686
WARMING COOLING DEVICE.....	686
WARMING COOLING DEVICE APPLICATION.....	687

WARMING OFF (data).....	1021
WARMING OFF (q-pair).....	687
WARMING ON (data).....	1022
WARMING ON (q-pair).....	687
WATER (prod).....	1126
WATER (q-pair).....	291, 311
WATERSEAL (data).....	1022
WATERSEAL (q-pair).....	104
WAVEFORM REFLECTS ATRIAL PLACEMENT (data).....	1022
WAVEFORM REFLECTS ATRIAL PLACEMENT (q-pair).....	396
WBC - WASHED (prod).....	1126
WBC - WASHED (q-pair).....	291, 299
WEAK (data).....	1022
WEAK (q-pair).....	179, 204, 334, 654
WEAKNESS (data).....	1022
WEAKNESS (q-pair).....	448
WEDGED (data).....	1023
WEDGED (q-pair).....	396
WEIGHT.....	688
WEIGHT AT ADMISSION.....	689
WEIGHT DRY.....	690
WHEELCHAIR (data).....	1023
WHEELCHAIR (q-pair).....	649
WHEELCHAIR EXIT (posi).....	1109
WHEELCHAIR EXIT ALARM (data).....	1023
WHEELCHAIR EXIT ALARM (q-pair).....	23, 530
WHEELCHAIR SCALE (meth).....	1104
WHEELCHAIR SCALE (q-pair).....	688

WHEEZES (data).....	1023
WHITE (data).....	1023
WHITE (q-pair).....	146, 162, 193, 511, 656, 691, 695
WHOLE BLOOD (prod).....	1126
WHOLE BLOOD (q-pair).....	291
WITH ACTIVITY (meth).....	1105
WITH ACTIVITY (q-pair).....	61, 518, 526
WITH AMBULATION (meth).....	1105
WITH CAST OR BRACE (meth).....	1105
WITH CAST OR BRACE (q-pair).....	688
WITH PHYSICIAN (data).....	1024
WITH PHYSICIAN (q-pair).....	122
WITH PROSTHESIS (meth).....	1105
WITH PROSTHESIS (q-pair).....	688
WITH THERAPIST (data).....	1024
WITH THERAPIST (q-pair).....	122
WITHDRAWN (data).....	1024
WITHDRAWN (q-pair).....	55
WITHDRAWS TO PAIN (data).....	1024
WITHDRAWS TO PAIN (q-pair).....	128
WITHOUT ASSISTANCE (data).....	1024
WITHOUT ASSISTANCE (q-pair).....	5
WITHOUT PROSTHESIS (meth).....	1105
WITHOUT PROSTHESIS (q-pair).....	688
WOUND (data).....	1025
WOUND (q-pair).....	587
WOUND BED COLOR.....	691

WOUND CARE TYPE.....	692
WOUND DEPTH.....	693
WOUND DISCHARGE CHARACTERISTICS.....	694
WOUND DISCHARGE CHARACTERISTICS BLOODY (data).....	1025
WOUND DISCHARGE CHARACTERISTICS BLOODY (q-pair).....	694
WOUND DISCHARGE CHARACTERISTICS CLOUDY (data).....	1025
WOUND DISCHARGE CHARACTERISTICS CLOUDY (q-pair).....	694
WOUND DISCHARGE CHARACTERISTICS NONE (data).....	1025
WOUND DISCHARGE CHARACTERISTICS NONE (q-pair).....	694
WOUND DISCHARGE CHARACTERISTICS PURULENT (data).....	1025
WOUND DISCHARGE CHARACTERISTICS PURULENT (q-pair).....	694
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data)..	1026
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (q-pair)	694
WOUND DISCHARGE CHARACTERISTICS SEROUS (data).....	1026
WOUND DISCHARGE CHARACTERISTICS SEROUS (q-pair).....	694
WOUND DISCHARGE CHARACTERISTICS VISCOUS (data).....	1026
WOUND DISCHARGE CHARACTERISTICS VISCOUS (q-pair).....	694
WOUND DISCHARGE COLOR.....	695
WOUND DISCHARGE ODOR.....	696
WOUND DRAIN TYPE.....	697
WOUND DRAINAGE (prod).....	1126
WOUND DRAINAGE (q-pair).....	374
WOUND DRAINAGE AMOUNT.....	698
WOUND DRAINAGE AMOUNT HEAVY (data).....	1026
WOUND DRAINAGE AMOUNT HEAVY (q-pair).....	698
WOUND DRAINAGE AMOUNT MODERATE (data).....	1026
WOUND DRAINAGE AMOUNT MODERATE (q-pair).....	698
WOUND DRAINAGE AMOUNT NONE (data).....	1027

WOUND DRAINAGE AMOUNT NONE (q-pair).....	698
WOUND DRAINAGE AMOUNT SCANT (data).....	1027
WOUND DRAINAGE AMOUNT SCANT (q-pair).....	698
WOUND DRAINAGE AMOUNT SMALL (data).....	1027
WOUND DRAINAGE AMOUNT SMALL (q-pair).....	698
WOUND DRESSING CHANGE.....	699
WOUND DRESSING TYPE.....	700
WOUND DRESSING TYPE ANTIMICROBIAL (data).....	1027
WOUND DRESSING TYPE CALCIUM ALGINATE (data).....	1027
WOUND DRESSING TYPE GAUZE (data).....	1028
WOUND DRESSING TYPE GAUZE PACKING (data).....	1028
WOUND DRESSING TYPE GAUZE WRAP (data).....	1028
WOUND DRESSING TYPE HYDROCOLLOIDAL (data).....	1028
WOUND DRESSING TYPE HYDROGEL (data).....	1028
WOUND DRESSING TYPE NONE (data).....	1029
WOUND DRESSING TYPE PRESSURE (data).....	1029
WOUND DRESSING TYPE TRANSPARENT (data).....	1029
WOUND EDGE.....	701
WOUND EDGE INDISTINCT/ATTACHED (data).....	1029
WOUND EDGE INDISTINCT/ATTACHED (q-pair).....	701
WOUND EDGE NON-ATTACHED (data).....	1029
WOUND EDGE NON-ATTACHED (q-pair).....	701
WOUND EDGE ROLLED (data).....	1030
WOUND EDGE ROLLED (q-pair).....	701
WOUND EDGE TUNNELING (data).....	1030
WOUND EDGE TUNNELING (q-pair).....	701
WOUND EDGE UNDERMINING (data).....	1030
WOUND EDGE UNDERMINING (q-pair).....	701

WOUND HEALING STATUS.....	702
WOUND IDENTIFIED/SITE.....	703
WOUND IRRIGATION (prod).....	1127
WOUND LENGTH.....	704
WOUND ODOR.....	705
WOUND ODOR FOUL (data).....	1030
WOUND ODOR FOUL (q-pair).....	705
WOUND ODOR NONE (data).....	1030
WOUND ODOR NONE (q-pair).....	705
WOUND PHOTOGRAPHED.....	706
WOUND TREATMENT.....	707
WOUND TYPE.....	708
WOUND VAC DEVICE (data).....	1031
WOUND VAC DEVICE (q-pair).....	697
WOUND VACUUM (prod).....	1127
WOUND VACUUM (q-pair).....	374
WOUND VACUUM ASSISTED CLOSURE.....	709
WOUND WIDTH.....	710
WRIST (loca).....	1084
WRIST (q-pair).....	110

- X -

X-RAY (data).....	1031
X-RAY (q-pair).....	194
XENADERM (data).....	1031
XENADERM (q-pair).....	497
XEROFORM (data).....	1031

XEROFORM (q-pair).....497, 707

- Y -

YEAR (unit).....1165

YELLOW (data).....1031

YELLOW (q-pair).....146, 162, 193, 511,

581, 623, 656, 691,

695

YELLOW/FIBRINOUS (data).....1032

YELLOW/FIBRINOUS (q-pair).....486

YELLOW/GREEN (data).....1032

YELLOW/GREEN (q-pair).....623

YES (data).....1032

YES (q-pair).....13, 15, 17, 22, 32,

33, 34, 35, 36, 37,

38, 40, 41, 45, 48,

50, 60, 73, 74, 76,

87, 93, 98, 101,

105, 106, 133, 173,

174, 183, 190, 199,

208, 210, 215, 216,

223, 277, 280, 285,

286, 287, 288, 289,

369, 390, 397, 401,

404, 406, 408, 416,

418, 432, 446, 454,

455, 480, 489, 492,

495, 498, 500, 509,

524, 531, 532, 533,

535, 536, 537, 538,

552, 559, 560, 580,

582, 584, 585, 586,

597, 598, 643, 651,

652, 660, 699, 706