



INPATIENT MEDICATIONS

TECHNICAL MANUAL/ SECURITY GUIDE

Version 5.0
December 1997

(Revised February 2011)

Revision History

Each time this manual is updated, the Title Page lists the new revised date and this page describes the changes. If the Revised Pages column lists “All,” replace the existing manual with the reissued manual. If the Revised Pages column lists individual entries (e.g., 25, 32), either update the existing manual with the Change Pages Document or print the entire new manual.

Date	Revised Pages	Patch Number	Description
02/11	i, 53 62 , 64 , 65	PSJ*5*226	Added to RXC section Field 5, “Additive Frequency” in HL7 Ordering Fields; updated Front Door – IV Fluids table with Field 5; updated Back Door – IV Fluids table with Field 5; updated example. (M. Vo/B. Tatum, Developers; M. Colyvas, Technical Writer)
06/10	i, 22-23	PSJ*5*113	Added routine PSGSICH1. (R. Singer, DM; B. Thomas, Tech. Writer)
02/10	i, 23	PSJ*5*214	Added PSJQUTIL to the routine list in Section 5.1 for Patients on Specific Drug(s) Multidivisional Enhancements Project. (C. Willette, DM; R. Silverman/D. Dertien, Tech Writer)
12/09	22-23	PSJ*5*222	Added routine PSGOEF2. (E. Wright, PM; S. B. Gilbert, Tech Writer)
08/08	vi, 23, 51-53, 57-58, 60-61, 63, 65, 65a-65b	PSJ*5*134	Parameters for escaping special characters added. New HL7 messages added. New routines added. HL7 order fields table contains an asterisk for each field that has special escaping characters. (S. Templeton, PM; G. O'Connor, Tech. Writer)
02/07	74-76	PSJ*5*178	MED ROUTE now appears in larger font on IV labels from the Zebra bar code printer. Med ROUTE now prints on the IV labels for bar-code enabled printers, and it prints in larger font than surrounding text. (R. Singer, PM; E. Phelps, Tech. Writer)
09/06	23, 94	PSJ*5*172	Encapsulation Cycle II project: Added PSJ53P1 to the Routine List in Section 5.1. Added DBIA 4537 to DBIA list. Changed the date on the Title Page to December 1997. (H. Whitley, PM; L. Woodson, TW)
05/06	v-viii 8a-8b 66-68b	PSJ*5*154	In Section 2.2.2 Added “PRIORITIES FOR NOTIFICATION” field. In Section 9.5, made correction to include the priority of ASAP in notifications. Added information regarding the three notifications

Date	Revised Pages	Patch Number	Description
			parameters. (C. Greening, PM; T. Dawson, Tech. Writer)
12/2005	23	PSJ*5*146	Remote Data Interoperability (RDI) Project: Added PSJLMUT2 to the Routine List in Section 5.1. (E. Williamson, PM; M. Newman, Tech. Writer)
11/2005	All	PSJ*5*163	Encapsulation Cycle II project: Added PSJ59P5 to the Routine List in Section 5.1. Added DBIA 4819 to DBIA list. Deleted DBIAs 172, 634, and 1882 from the DBIA list. Reissued entire document due to a page numbering issue. (H. Whitley, PM; L. Woodson, TW)

Preface

This technical manual is written for the Information Resources Management Service (IRMS) Chief/Site Manager and the Automated Data Processing Application Coordinator (ADPAC) for implementation and installation of the Inpatient Medications package. The main text of the manual outlines routine descriptions, file list, site configuration issues, variables, resource requirements, and package security.

(This page included for two-sided copying.)

Table of Contents

1. Introduction.....	1
2. Implementation and Maintenance	3
2.1. Installation	3
2.2. Inpatient Parameters	3
2.2.1. <i>Fields from the PHARMACY SYSTEM File (#59.7)</i>	4
2.2.2. <i>Fields from the INPATIENT WARD PARAMETERS File (#59.6)</i>	6
2.2.3. <i>Fields from the INPATIENT USER PARAMETERS File (#53.45)</i>	9
2.2.4. <i>Fields from the IV ROOM File (#59.5)</i>	10
2.2.5. <i>Fields from the CLINIC DEFINITION File (#53.46)</i>	14
3. Package Security	15
3.1. Option Security Keys.....	15
3.2. File Security	16
4. File List	17
4.1. Unit Dose File Diagram.....	18
4.2. IV File Diagram	19
5. Routines	21
5.1. Descriptions	21
5.2. Callable Routines.....	24
5.3. Routine Mapping	24
5.3.1. <i>Do Not Map</i>	24
5.3.2. <i>Mapping Highly Recommended</i>	25
5.3.3. <i>Mapping Recommended</i>	25
5.3.4. <i>Deleting Inpatient Routines</i>	26
6. Templates.....	27
6.1. Print Templates	27
6.2. Input Templates	27
6.3. List Templates.....	29
7. Exported Options.....	31
7.1. Stand-alone Options.....	31
7.2. Top-level Menus	31

7.2.1. <i>Menu Assignment</i>	31
7.2.2. <i>Menu Placement</i>	31
7.3. Options.....	32
8. Data Archiving and Purging.....	41
8.1. Archiving	41
8.2. Purging.....	41
8.2.1. <i>Unit Dose Auto Purging</i>	41
8.2.2. <i>IV Auto Purging</i>	41
8.2.3. <i>Unit Dose Manual Purging – Temporarily Unavailable</i>	42
8.2.4. <i>IV Manual Purging – Temporarily Unavailable</i>	43
9. Inpatient Medications and CPRS.....	45
9.1. Installation of the Protocols for CPRS.....	45
9.2. Converting	45
9.2.1. <i>Order Conversion</i>	45
9.2.2. <i>Pick List Conversion</i>	46
9.2.3. <i>Order Set Conversion</i>	46
9.2.4. <i>Verification Data Conversion</i>	46
9.3. Protocol Descriptions.....	47
9.4. Health Level Seven (HL7) Messaging.....	51
9.4.1. <i>HL7 Ordering Fields</i>	51
9.4.2. <i>Order Event Messages</i>	56
9.4.3. <i>Special Escaping Characters</i>	66
9.5. STAT, ASAP, and NOW Order Notification	66
9.5.1. <i>PSJ STAT NOW PENDING ORDER Mail Group</i>	67
9.5.2. <i>PSJ STAT NOW ACTIVE ORDER Mail Group</i>	68
9.5.3. <i>Adding a Remote Member as a Subscriber</i>	69
9.5.4. <i>Setting Up Ward-Specific Mail Groups</i>	69
10. Inpatient Medications and BCMA	69
10.1. API Exchange	69
10.2. Med Order Button	70
11. Interfacing with the Bar Code Label Printer.....	73
11.1. Hardware Set Up.....	73
11.2. Software Set Up	73

11.2.1. Zebra Printers.....	73
11.2.2. Dot Matrix and Laser Printers	75
11.3. Printed Bar Code IV Label Sample	76
12. Interfacing with the ATC	77
12.1. Pharmacy Set Up.....	77
12.1.1. Drug Set Up	77
12.1.2. Ward Group Set Up	77
12.2. Hardware Set Up.....	78
12.2.1. Device File Example.....	78
12.2.2. MUX Table Example.....	78
12.2.3. DECSERVER Examples.....	79
12.2.4. Wiring for CXA16 Card.....	79
12.2.5. ATC-HPS Configuration Set Up	80
12.2.6. Common Problems.....	81
13. Resource Requirements.....	83
13.1. Hardware.....	83
13.2. Disk Space	83
13.2.1. Routines.....	83
13.2.2. Data.....	83
13.3. Journaling Globals	83
13.4. Translating Globals	84
13.5. Nightly Background Jobs.....	84
13.6. Queuing and Printing across CPUs.....	84
14. External Relationships	85
14.1. Packages Needed to Run Inpatient Medications.....	85
14.2. Unit Dose Medications and Ward Stock.....	85
14.3. Unit Dose Medications and Drug Accountability.....	85
14.4. Calls Made by Inpatient Medications	86
14.5. Introduction to Integration Agreements and Entry Points	86
15. Internal Relationships	100
16. Internal Calls and Variables.....	100
16.1. Package-Wide Variables	103

16.1.1. <i>Inpatient Sign-on Variables</i>	103
16.1.2. <i>Standard Variables Used Throughout the Package</i>	105
16.1.3. <i>IV Sign-on Variables</i>	107
16.1.4. <i>Variables</i>	108
17. On-line Documentation	110
17.1. On-line Help.....	110
17.2. Printing Data Dictionaries.....	110
18. Additional Information	112
18.1. SAC Exemptions.....	112
18.2. IV Ward List	112
18.3. IV Manufacturing List	113
18.4. IV Suspense List	114
18.5. Unit Dose “Defaults”	117
18.5.1. <i>Order Start Date/Time Calculation</i>	117
18.5.2. <i>Stop Date/Time: Calculation</i>	118
18.5.3. <i>Patient’s Default Stop Date/Time</i>	119
18.5.4. <i>Pick List Wall</i>	120
19. Glossary	122
20. Appendix A: Inpatient Medication Orders for Outpatients–Phase I & II and Inpatient Medication Reqs for SFG IRA–Phase II.....	136
20.1. Introduction.....	136
20.2. Inpatient Medication Orders for Outpatients – Phase I & II.....	137
20.2.1. <i>Inpatient Medications V. 5.0</i>	137
20.2.2. <i>Order Entry Results Reporting V. 3.0 (CPRS)</i>	139
20.2.3. <i>Scheduling V. 5.3</i>	141
20.3. Inpatient Medication Requirements for SFG IRA – Phase II.....	142
20.3.1. <i>Inpatient Medications V. 5.0 and Pharmacy Data Management V. 1.0</i>	142
20.3.2. <i>Order Entry Results Reporting V. 3.0 (CPRS)</i>	143
20.4. Installation.....	144
20.4.1. <i>Overview</i>	144
20.4.2. <i>Post-Installation Setup</i>	144

SEG	SEQ	FIELD NAME	EXAMPLE	HL7 TYPE
{ RXC }	1	RX Component Type	B	table 166
	2	Component Code*	^^^4132^D5 W NS^99PSD	coded element
	3	Component Amount	1	numeric
	4	Component Units*	^^^PSIV-1^ML^99OTH	coded element
	5	Additive Frequency	1, 3	string
{ OBX }	1	Set ID	1	set ID
	2	Value Type	TX	table 125
	3	Observation ID	^^^38^Critical Drug-Drug interaction^99OCX	coded element
	5	Observation Value	Critical drug-drug interaction Aspirin- Warfarin	string
	14	Date/time of Observation	199606130813	timestamp
	16	Observer	10	composite ID
NTE	1	Set ID	1	set ID
	2	Source of Comment	P	table 105
	3	Comment	Worth the risk	formatted text
ZRX	1	Previous Order #	2355	numeric
	2	Nature of Order	W	set of codes
	3	Reason Order Created	N	set of codes
	4	Routing	W	set of codes
	5	Current User*	DUZ^NAME^99NP	composite ID
	6	IV Identifier	IV	string
ZSC	1	Service Connected	SC	coded element

*- Fields marked with an asterisk require special escaping characters in order to send and receive the correct data contained in an HL7 message. See **Special Escaping Characters** for details.

**-RXC Segment Field 5 “Additive Frequency” only applies for additives to specify IV bag information.



Note: The following are definitions of some of the data fields under the FIELD NAME column.

SENDING APPLICATION is the name of the VistA package generating the message;
RECEIVING APPLICATION is the name of the VistA package that is the intended recipient of the message. SENDING FACILITY and RECEIVING FACILITY are the station numbers.

PATIENT ID is the patient IEN in the PATIENT file (#2).

Front Door - IV Fluids

IV fluid orders use a RXC segment to contain information about solutions and additives. Therefore, a special code is sent in a RXO segment;1 to identify the order as an IV order (PS-1^IV Order^99OTH). Since RXC segments are used, the give fields in a RXO segment are unnecessary.

Action	<i>Request from OE/RR</i>	<i>Pharmacy accepts</i>	<i>Pharmacy rejects</i>
Protocol Order Control	OR EVSEND PS	PS EVSEND OR	PS EVSEND OR
HL7 Fields	NW (new order) XO (changed order) MSH: 1,2,3,4,5,6,7,9 PID: 3,5 PV1: 2,3 ORC: 1,2,7,9,10,12,15,16 RXO: 1,2 NTE: 1,2,3 RXC: 1,2,3,4, 5 OBX: 1,2,3,5,14,16 ZRX: 1,2,3	OK (accepted) XR (new order) MSH: 1,2,3,4,9 PID: 3,5 PV1: 2,3 ORC: 1,2,3,5	UA (unable to accept) UX (unable to change) MSH: 1,2,3,4,9 PID: 3,5 PV1: 2,3 ORC: 1,2,3,12,15,16
Protocol Order Control HL7 Fields	OR EVSEND PS ZV (verified) MSH: 1,2,3,4,5,6,7,9 PID: 3,5 PV1: 2,3 ORC: 1,2,3,11,15	There is no return event.	
Protocol Order Control	OR EVSEND PS CA (cancel) DC (discontinue) HD (hold) RL (release) SS (send status)	PS EVSEND OR CR (canceled) DR (discontinued) HR (held) OR (released) SC (status update)	PS EVSEND OR UC (unable to cancel) UD (unable to dc) UH (unable to hold) UR (unable to release) DE (data errors)
HL7 Fields	MSH: 1,2,3,4,5,6,7,9 PID: 3,5 PV1: 2,3 ORC: 1,2,3,10,12,15,16	MSH: 1,2,3,4,9 PID: 3,5 PV1: 2,3 ORC: 1,2,3,5	MSH: 1,2,3,4,9 PID: 3,5 PV1: 2,3 ORC: 1,2,3,16

Example: POTASSIUM CHLORIDE INJ, SOLN FOR IV ORDERS 125 MEQ in SODIUM INJ, SOLN FOR IV ORDERS 1000 ml 100 ml/hr

New Order CPRS Continuous

```
MSH|^~\&|ORDER ENTRY|13000|PHARMACY|13000|20080304170  
224-0600||ORM  
PID|||750||PSJPATIENT, TESTPAT-FIVE  
PV1|||I|5|||||||||||||||||||||||||||||||||||||  
ORC|NW|12615;1^OR|||||^R||200803041702-0600|11884  
||11884|||20080304170224-0600|I^POLICY^99ORN^^^  
RXO|^____PS-1^IV^99OTH|333 ml/hr  
RXR|^____14^INTRAVENOUS^99PSR  
RXC|B|^____196^DEXTROSE INJ, SOLN ^99PSP|50|____PSIV-1^ML  
^99OTH  
RXC|A|^____435^MORPHINE INJ ^99PSP|33|____PSIV-1^ML^99OT  
H  
ZRX||I|N|||C
```

New Order CPRS Intermittent

```
MSH|^~\&|ORDER ENTRY|13000|PHARMACY|13000|20080304170  
224-0600||ORM  
PID|||750||PSJPATIENT, TESTPAT-FIVE  
PV1|||I|5|||||||||||||||||||||||||||||  
ORC|NW|12616;1^OR|||||^BID&01-13^^^R||200803041702-0  
600|11884||11884|||20080304170224-0600|I^POLICY^99ORN^^^  
RXO|^____PS-1^IV^99OTH|  
RXR|^____15^INTRAMUSCULAR^99PSR  
RXC|B|^____196^DEXTROSE INJ, SOLN ^99PSP|500|____PSIV-1^M  
L^99OTH  
RXC|A|^____281^FUROSEMIDE INJ, SOLN ^99PSP|33|____PSIV-4^  
MG^99OTH  
ZRX||I|N|||I
```

Back Door - IV Fluids

Action	Event from Pharmacy	OE/RR accepts	OE/RR rejects
Protocol Order Control	PS EVSEND OR SN (send number) ZC (conversion)	OR EVSEND PS NA (number assigned)	OR EVSEND PS DE (data errors)
HL7 Fields	MSH: 1,2,3,4,9 PID: 3,5 PV1: 2,3 ORC: 1,3,5,9,10,12,15,16 RXE: 1,23,24 RXC: 1,2,3,4, 5 ZRX: 1,2,3,5,6	MSH: 1,2,3,4,5,6,7,9 PID: 3,5 PV1: 2,3 ORC: 1,2,3	MSH: 1,2,3,4,5, 6,7,9 PID: 3,5 ORC: 1,2,3,16
Protocol Order Control	PS EVSEND OR SC (finished) XX (order changed)		OR EVSEND PS DE (data errors)
HL7 Fields	MSH: 1,2,3,4,9 PID: 3,5 PV1: 2,3 ORC: 1,2,3,5,9,10,12,15,16 RXE: 1,23,24 NTE: 1,2,3 RXC: 1,2,3,4, 5 ZRX: 1,2,3,5,6	There is no return event. OE/RR must accept the instruction from Pharmacy.	MSH: 1,2,3,4,5, 6,7,9 PID: 3,5 ORC: 1,2,3,16
Protocol Order Control	PS EVSEND OR OC (cancel) OD (discontinue) OH (hold) OR (release) SC (status change)		OR EVSEND PS DE (data errors)
HL7 Fields	MSH: 1,2,3,4,9 PID: 3,5 PV1: 2,3 ORC: 1,2,3,5,9,10,12,15,16 RXE: 1 ZRX: 2,5	There is no return event. OE/RR must accept the instruction from Pharmacy.	MSH: 1,2,3,4,5, 6,7,9 PID: 3,5 ORC: 1,2,3,16

Example: POTASSIUM CHLORIDE INJ,SOLN FOR IV ORDERS 125 MEQ in SODIUM INJ,SOLN FOR IV ORDERS 1000 ml 100 ml/hr

New Order Continuous

```
MSH|^~\&|PHARMACY|500|||||ORM|||||||||||  
PID|||750||PSJPATIENT,TESTPAT-FIVE|||||||||||||||  
PV1||I|5^|||||||||3351|||||||||||||||||||  
|||||||  
ORC|SC|12619^OR|46V^PS||CM||^&^^^^^|||200803041719-060  
0|11884^PROVIDER, INPATIENT||11884^PROVIDER, INPATIENT|||2008  
03041900-0600|W^Written^99ORN^^^|||  
RXO|^^^435^MORPHINE INJ^99PSP|||||||||||||||  
RXE|^&^^200803041900-0600^200803100000-0600^|||||||||||  
|||11884^PROVIDER, INPATIENT^99NP||||| |^^99PSA^^^|||300|^^^  
^ml/hr^PSU|||  
RXC|A|^^^435^MORPHINE^99PSP|20|^^^PSIV-1^ML^99OTH|1,3|||  
|||||||||||||||  
RXC|B|^^^196^DEXTROSE^99PSP|1000|^^^PSIV-1^ML^99OTH|||  
|||||||||||||||  
RXR|^^^14^INTRAVENOUS^99PSR|||  
ZRX||W|N||11884^PROVIDER, INPATIENT^99NP|C
```

New Order Intermittent

```
MSH|^~\&|PHARMACY|500|||||ORM|||||||||||  
PID|||750||PSJPATIENT,TESTPAT-FIVE|||||||||||||||  
PV1||I|5^|||||||||3351|||||||||||||||||||  
|||||||  
ORC|SC|12620^OR|47V^PS||CM||^Q4H&01-05-09-13-17-21^^^  
^^||200803041721-  
0600|11884^PROVIDER, INPATIENT||11884^PROVIDER, INPATIENT|||2  
00803041700-0600|W  
^Written^99ORN^^^|||  
RXO|^^^281^FURESEMIDE INJ,SOLN^99PSP|||||||||||||||  
RXE|^Q4H&01-05-09-13-17-21^^200803041700-0600^2008030  
60000-  
0600^|||||||||11884^PROVIDER, INPATIENT^99NP|||||||^01-  
05-09-13-17-21^99PSA^^^  
||INFUSE OVER 300 MINUTES|||  
RXC|A|^^^281^FURESEMIDE^99PSP|250|^^^PSIV-4^MG^99OTH|1,3  
|||||||||||||||  
RXC|B|^^^196^DEXTROSE^99PSP|1000|^^^PSIV-1^ML^99OTH|||  
|||||||||||||||  
RXR|^^^160^IV PIGGYBACK^99PSR|||  
ZRX||W|N||11884^PROVIDER, INPATIENT^99NP|I
```