



**Update \_2\_0\_53**

**Clinical Reminders**

**MENTAL HEALTH REMINDER UPDATES**

**Install Guide**

**September 2018**

Product Development  
Office of Information Technology  
Department of Veterans Affairs

## **Table of Contents**

<b>INTRODUCTION .....</b>	<b>1</b>
<b>PRE-INSTALL .....</b>	<b>5</b>
<b>INSTALL DETAILS .....</b>	<b>6</b>
<b>INSTALL EXAMPLE .....</b>	<b>6</b>
<b>POST INSTALLATION .....</b>	<b>18</b>

# Introduction

---

Mental Health patch YS\*5.01\*134 deploys six new Mental Health instruments, three of which will be used in reminders Update 53. The three instruments used in this update are as follows:

PHQ-2+I9

PC-PTSD-5+I9

C-SSRS

Starting October 1, 2018, Depression and PTSD screening will change to use the Mental Health instruments PHQ-2+I9 and PC-PTSD-5+I9 respectively. Currently for Depression screening, the PHQ-2 is used and for PTSD screening, the PC PTSD is used. Depression and/or PTSD screenings will still be resolved by the presence of a PHQ-2 or PC PTSD in the patient's chart. After October 1, 2018, only the new instruments will resolve the screening reminders. This will not cause all patients to be DUE for screenings on October 1.

For any positive Depression or PTSD screening, providers will be required to use a standardized Mental Health instrument, C-SSRS (Columbia).

Previously in the VA-FOLLOW-UP POS PTSD/DEP COMBINATION reminder dialog, branching logic was used to show dispositions based on whether the Depression or PTSD or both were positive. This branching logic has been removed to simplify the reminder dialog. For the disposition section, the dialog will use group VA-PTSD/DEP SCREEN POS DISPOSTIONS GP. Also, all Health Factors have been removed as this information is not being tracked and is not being used to resolve the reminder definition. Sites can locally add data elements to the dialog elements that are under the DISPOSTIONS group if this information is being tracked at your facility.

Depression and PTSD screens within the VA-IRAQ & AFGHAN POST-DEPLOY SCREEN dialog have been updated to include the new screening instruments.

Reminder Terms VA-DEPRESSION SCREEN OEF/OIF and VA-PTSD SCREEN have been updated to only include PHQ-2 and PHQ-2+I9 with the PHQ-2 having an ENDING DATE/TIME of September 30,2018.

**Three reminder definitions and their associated dialog are being distributed with this update:**

VA-FOLLOW-UP POS PTSD/DEP COMBINATION

VA-DEPRESSION SCREENING

VA-PTSD SCREENING

UPDATE\_2\_0\_53 contains 1 Reminder Exchange entry:

**UPDATE\_2\_0\_53 MH UPDATES 5.0**

**The exchange file contains the following components:**

**REMINDER DEFINITION**

VA-BL PTSD SCREEN  
VA-BL DEPRESSION SCREEN  
VA-BL NURSE/LPN COG  
IMPAIRMENT  
VA-PTSD SCREENING  
VA-DEPRESSION SCREENING  
VA-FOLLOW-UP POS PTSD/DEP  
COMBINATION  
VA-BL SHOW C-SSRS

**REMINDER DIALOG**

VA-GP OIF PTSD  
VA-GP DEP PHQ-2  
VA-PTSD SCREENING  
VA-DEPRESSION SCREEN  
VA-FOLLOW-UP POS PTSD/DEP  
COMBINATION

**REMINDER TERM**

VA-REMINDER UPDATE\_2\_0\_53  
VA-PTSD ON GUARD ALL  
VA-PTSD NIGHTMARES ALL  
VA-PTSD DETACHMENT ALL  
VA-PTSD AVOIDANCE ALL  
VA-PTSD SCREEN  
VA-BL PTSD SCREEN  
VA-DEPRESSION SCREEN NEGATIVE  
VA-DEPRESSION SCREEN POSITIVE  
VA-BL DEPRESSION SCREENING  
VA-BL NURSE/LPN COG  
IMPAIRMENT  
VA-USER CLASS FOR COGNITIVE  
IMPAIRMENT  
VA-PC-PTSD NEGATIVE  
VA-VETERAN PATIENT  
VA-MH ACUTE ILLNESS  
VA-COGNITIVE IMPAIRMENT  
VA-PTSD DIAGNOSIS  
VA-LIFE EXPECTANCY < 6 MONTHS  
VA-SUICIDE SCREEN POSITIVE PTSD

VA-SUICIDE SCREEN NEGATIVE  
PTSD  
VA-PTSD/DEPRESSION ASSESSMENT  
COMPLETE  
VA-REFUSED PTSD SCREEN  
VA-PTSD SCREEN POSITIVE  
VA-PTSD SCREEN NEGATIVE  
VA-PHQ-2 NEGATIVE  
VA-SUICIDE SCREEN POSITIVE  
DEPRESSION  
VA-SUICIDE SCREEN NEGATIVE  
DEPRESSION  
VA-REFUSED DEPRESSION  
SCREENING  
VA-DEPRESSION DIAGNOSIS  
VA-BL FOLLOW-UP POS PTSD/DEP  
COMBINATION  
VA-BL C-SSRS DONE TODAY  
VA-BL SHOW C-SSRS  
VA-DEPRESSION SCREEN OEF/OIF

#### **REMINDER TAXONOMY**

VA-PTSD DX OUTPT VISIT  
VA-TERMINAL CANCER PATIENTS  
VA-DEPRESSION DX OUTPT VISIT

#### **REMINDER COMPUTED FINDINGS**

VA-REMINDER DEFINITION  
VA-FILEMAN DATE  
VA-ASU USER CLASS  
VA-VETERAN  
VA-SERVICE SEPARATION DATES

#### **REMINDER SPONSOR**

Office of Mental Health Services  
Office of Public Health and Environmental Hazards  
Mental Health Services  
Office of Quality & Performance  
Mental Health Services and Women Veterans Health  
Program  
National Clinical Practice Guideline Council  
Office of Patient Care Services  
Mental Health and Behavioral Science Strategic  
Group  
National Center for Health Promotion and Disease

Prevention (NCP)

## **HEALTH FACTORS**

VA-REMINDER UPDATES  
VA-UPDATE\_2\_0\_53  
PTSD ON GUARD  
PTSD SCREEN - ON GUARD  
PTSD SCREEN - NO ON GUARD  
PTSD NIGHTMARES  
PTSD SCREEN - NO NIGHTMARES  
PTSD SCREEN - NIGHTMARES  
PTSD DETACHMENT  
PTSD SCREEN - DETACHED  
PTSD SCREEN - NO DETACHMENT  
PTSD AVOIDANCE  
PTSD SCREEN - NO AVOIDANCE  
PTSD SCREEN - AVOIDANCE  
MENTAL HEALTH  
REFUSED PTSD SCREEN  
REFUSED DEPRESSION SCREENING  
VA-NURSE/LPN-PATIENT COG IMPAIRMENT  
SEVERE CHRONIC COGNITIVE IMPAIRMENT  
UNABLE TO SCREEN - ACUTE ILLNESS  
REMINDER FACTORS  
LIFE EXPECTANCY < 6 MONTHS  
DEP/PTSD/SI ASSESSMENT COMPLETE  
PTSD ASSESSMENT COMPLETE  
DEPRESSION ASSESS COMPLETE

## **TIU TEMPLATE FIELD**

VA-PTSD CPG  
BLANK TEXT FIELD FOR DIALOGS  
VA-PTSD PCL INFO  
BLANK SPACE1  
VA-URL PHQ9  
VA-DEP CPG

## **HEALTH SUMMARY COMPONENT**

MHA Score

## **HEALTH SUMMARY TYPE**

VA-C-SSRS  
PC-PTSD PCL+I9

PHQ2+I9

## HEALTH SUMMARY OBJECTS

VA-C-SSRS (TIU)

PC-PTSD PCL+I9 (TIU)

PHQ2+I9 (TIU)

## TIU DOCUMENT DEFINITION

VA-C-SSRS

PC-PTSD PCL+I9

PHQ2+I9

## Pre-Install

---

1. Sites may want to check for quick order(s) in the VA-FOLLOW-UP POS PTSD/DEP COMBINATION dialog and have those available when installing this dialog. Even though the name of the elements leads one to think this is only for PTSD, this should be a generic consult to MH for either a depression and/or a PTSD issue. Below are the elements you can check for Quick Orders.  
VA-PTSD SCREEN POS MH EMERGENT EVAL  
VA-PTSD SCREEN POS MH NON-EMERGENT EVAL
2. Reminder update 37 (UPDATE\_2\_0\_37) should be considered a prerequisite to Update53. If you haven't installed update 37.

**Verify that you have installed the following update PRIOR to this install.** Do this by looking for the entry in reminder exchange and check the Installation History (IH) for the entries:

UPDATE\_2\_0\_37 MH UPDATES

Here is the install guide for update 37:

[https://www.va.gov/vdl/documents/Clinical/CPRS-Clinical\\_Reminders/update\\_2\\_0\\_37\\_ig.pdf](https://www.va.gov/vdl/documents/Clinical/CPRS-Clinical_Reminders/update_2_0_37_ig.pdf)

## Install Details

---

This install is being distributed to sites via vista mail once patch YS\*5.01\*134 has been installed into production account. Once you have the reminder exchange file loaded from the mailman message, it will be ready to install. It is important that you are ready to install because this install will overwrite your Depression, PTSD screening reminders (if you are using the national versions) and will also overwrite the follow up for positive depression/PTSD reminder (again, if you are using the national version).

After the compliance date for the patch YS\*5.01\*134 has been reached, we will also have the update install available using host file and LWH functionality.

This update is being distributed as a web host file. The address for the host file is:

**[http://vista.med.va.gov/reminders/UPDATE\\_2\\_0\\_53.PRD](http://vista.med.va.gov/reminders/UPDATE_2_0_53.PRD)**

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:

=====

This update can be loaded with users on the system. Installation will take less than 1 hour.

## Install Example

---

To Load the exchange file, use LMM to load the mailman message. Navigate to the message with UPDATE\_2\_0\_53 in the subject and choose it. This will load UPDATE\_2\_0\_53 MH UPDATES 5.0 into your reminder exchange entries.

Most components will be the same and will be skipped. Here are general rules for prompts to which you will have to respond.

If a component exists, but is different, use **OVERWIRTE** action

If a component is new, use **INSTALL** action

Search and locate an entry titled UPDATE\_2\_0\_53 MH UPDATES 5.0 in reminder exchange. If you were a test site, you may have more than 1 entry with this name. Be sure and choose the entry with date of 08/29/2018@08:21:50

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry

Enter the number that corresponds with your entry titled UPDATE\_2\_0\_53 MH UPDATES 5.0 (*in this example it is entry 325, it will vary by site*) that is dated 08/29/2018@08:21:50



```

+Item  Entry                               Source                               Date Packed
 321  UPDATE_2_0_53 MH UPDATES 5.0        MONTGOMERY@SALT LAKE CI           07/24/2018@12:35
 322  UPDATE_2_0_53 MH UPDATES 5.0        MONTGOMERY@SALT LAKE CI           08/14/2018@11:31
 323  UPDATE_2_0_53 MH UPDATES 5.0        MONTGOMERY@SALT LAKE CI           08/22/2018@06:32
 324  UPDATE_2_0_53 MH UPDATES 5.0        MONTGOMERY@SALT LAKE CI           08/23/2018@08:14
 325  UPDATE_2_0_53 MH UPDATES 5.0        MONTGOMERY@SALT LAKE CI           08/29/2018@08:21
 326  UPDATE_2_0_59 VA-EMERGENCY           GRIFFITH@SALT LAKE CI             08/29/2018@05:04
      DEPARTMENT TRIAGE
 327  UPDATE_2_0_5_1 MISC UPDATE 1                GRIFFITH@SALT LAKE CI             04/07/2016@14:02
 328  UPDATE_2_0_5_2 MISC UPDATE 1                GRIFFITH@SALT LAKE CI             04/08/2016@13:21
 329  UPDATE_2_0_6 VA-TERATOGENIC          SILVERMAN@SALT LAKE CI            10/09/2015@07:09
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE  Create Exchange File Entry          LHF  Load Host File
CHF  Create Host File                    LMM  Load MailMan Message
CMM  Create MailMan Message              LR   List Reminder Definitions
DFE  Delete Exchange File Entry          LWH  Load Web Host File
IFE  Install Exchange File Entry         RI   Reminder Definition Inquiry
IH   Installation History
Select Action: Next Screen// IFE  Install Exchange File Entry
Enter a list or range of numbers (1-564): 325

```

```

Component                               Category  Exists
Source:  MONTGOMERY,ALAN at SALT LAKE CITY
Date Packed: 08/29/2018@08:21:50
Package Version: 2.0P35

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-GP OIF PTSD
  VA-GP DEP PHQ-2

REMINDER TERM
  VA-REMINDER UPDATE_2_0_53

REMINDER DEFINITION
  VA-FOLLOW-UP POS PTSD/DEP COMBINATION
  VA-DEPRESSION SCREENING
+      Enter ?? for more actions  >>>
IA  Install all Components           IS  Install Selected Component
Select Action: Next Screen// IA

```

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.

You will see several prompts, for all new entries you will choose **I to Install** :  
 For Items that exist but is different, use the **OVERWRITE** action

Dialog installation may not necessarily appear in the order listed in the install guide

**You will be prompted to install the first reminder dialog component:**

Packed reminder dialog: VA-GP OIF PTSD

Item	Seq.	Dialog Findings	Type	Exists
1		VA-GP OIF PTSD* Finding: *NONE*	group	X
2	10	VA-MH PC-PTSD+I9 SCREEN Finding: PC-PTSD-5+I9 (MH TESTS AND SURVEY)	element	X
3		PXRM PC-PTSD-5+I9 RESULT GROUP	rs.group	X
4		PXRM PC-PTSD-5+I9 RESULT ELEMENT 1	rs.element	X
5		PXRM PC-PTSD-5+I9 RESULT ELEMENT 2	rs.element	X
6		PXRM PC-PTSD-5+I9 RESULT GROUP SRE	rs.group	X
7		PXRM PC-PTSD-5+I9 RESULT ELEMENT 1 SRE	rs.element	X
8		PXRM PC-PTSD-5+I9 RESULT ELEMENT 2 SRE	rs.element	X
9	20	VA-HF REFUSED PTSD SCREEN Finding: REFUSED PTSD SCREEN (HEALTH FACTOR)	element	X
10		PXRM COMMENT	prompt	X

+      + Next Screen    - Prev Screen    ?? More Actions

DD Dialog Details      DT Dialog Text      IS Install Selected

DF Dialog Findings    DU Dialog Usage    QU Quit

DS Dialog Summary    IA Install All

Select Action: Next Screen// IA

At the **Select Action** prompt, type **IA** to install the dialog – **VA-GP OIF PTSD**

Select Action: Next Screen// **IA Install All**

All dialog components for **VA-GP OIF PTSD** Already exist.

Install reminder dialog and all components with no further changes: **Y// YES**

Packed reminder dialog: VA-GP OIF PTSD

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-GP OIF PTSD* Finding: *NONE*	group	X		
2	10	VA-MH PC-PTSD+I9 SCREEN Finding: PC-PTSD-5+I9 (MH TESTS AND SURVEY)	element	X		
3		PXRM PC-PTSD-5+I9 RESULT GROUP	rs.group	X		
4		PXRM PC-PTSD-5+I9 RESULT ELEMENT 1	rs.element	X		
5		PXRM PC-PTSD-5+I9 RESULT ELEMENT 2	rs.element	X		
6		PXRM PC-PTSD-5+I9 RESULT GROUP SRE	rs.group	X		
7		PXRM PC-PTSD-5+I9 RESULT ELEMENT 1 SRE	rs.element	X		
8		PXRM PC-PTSD-5+I9 RESULT ELEMENT 2 SRE	rs.element	X		
9	20	VA-HF REFUSED PTSD SCREEN Finding: REFUSED PTSD SCREEN (HEALTH FACTOR)	element	X		
10		PXRM COMMENT	prompt	X		
+    + Next Screen    - Prev Screen    ?? More Actions						
DD		Dialog Details	DT	Dialog Text	IS	Install Selected
DF		Dialog Findings	DU	Dialog Usage	QU	Quit
DS		Dialog Summary	IA	Install All		
Select Action: Next Screen// Q						

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

**You will be prompted to install the second reminder dialog component:**

Packed reminder dialog: VA-GP DEP PHQ-2

Item	Seq.	Dialog Findings	Type	Exists
1		VA-GP DEP PHQ-2* Finding: *NONE*	group	X
2	5	VA-MH PHQ-2+I9 Finding: PHQ-2+I9 (MH TESTS AND SURVEY)	element	X
3		PXRM PHQ-2+I9 RESULT GROUP	rs.group	X
4		PXRM PHQ-2+I9 RESULT ELEMENT 1	rs.element	X
5		PXRM PHQ-2+I9 RESULT ELEMENT 2	rs.element	X
6		PXRM PHQ-2+I9 RESULT GROUP SRE	rs.group	X
7		PXRM PHQ-2+I9 RESULT ELEMENT 1 SRE	rs.element	X
8		PXRM PHQ-2+I9 RESULT ELEMENT 2 SRE	rs.element	X
9	10	VA-DEP SCREEN POS REFUSAL Finding: REFUSED DEPRESSION SCREENING (HEALTH FACTOR)	element	X
10		PXRM COMMENT	prompt	X

+      + Next Screen    - Prev Screen    ?? More Actions

DD	Dialog Details	DT	Dialog Text	IS	Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU	Quit
DS	Dialog Summary	IA	Install All		

Select Action: Next Screen// IA

At the **Select Action** prompt, type **IA** to install the dialog – **VA-GP DEP PHQ-2**

Select Action: Next Screen// IA Install All

All dialog components for **VA-GP DEP PHQ-2** already exist.

Install reminder dialog and all components with no further changes: **Y// YES**

Packed reminder dialog: VA-GP DEP PHQ-2

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-GP DEP PHQ-2* Finding: *NONE*	group	X		
2	5	VA-MH PHQ-2+I9 Finding: PHQ-2+I9 (MH TESTS AND SURVEY)	element	X		
3		PXRM PHQ-2+I9 RESULT GROUP	rs.group	X		
4		PXRM PHQ-2+I9 RESULT ELEMENT 1	rs.element	X		
5		PXRM PHQ-2+I9 RESULT ELEMENT 2	rs.element	X		
6		PXRM PHQ-2+I9 RESULT GROUP SRE	rs.group	X		
7		PXRM PHQ-2+I9 RESULT ELEMENT 1 SRE	rs.element	X		
8		PXRM PHQ-2+I9 RESULT ELEMENT 2 SRE	rs.element	X		
9	10	VA-DEP SCREEN POS REFUSAL Finding: REFUSED DEPRESSION SCREENING (HEALTH FACTOR)	element	X		
10		PXRM COMMENT	prompt	X		
+      + Next Screen    - Prev Screen    ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU	Quit
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// Q						

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

**You will be prompted to install the third reminder dialog component:**

Packed reminder dialog: VA-PTSD SCREENING

Item	Seq. Dialog Findings	Type	Exists		
1	VA-PTSD SCREENING	dialog	X		
2	1 VA-PTSD SCREENING VERSION Finding: *NONE*	element	X		
3	10 VA-PTSD SCREEN Finding: *NONE*	group	X		
4	10.10 VA-MH PC-PTSD+I9 SCREEN Finding: PC-PTSD-5+I9 (MH TESTS AND SURVEY)	element	X		
5	PXRM PC-PTSD-5+I9 RESULT GROUP	rs.group	X		
6	PXRM PC-PTSD-5+I9 RESULT ELEMENT 1	rs.element	X		
7	PXRM PC-PTSD-5+I9 RESULT ELEMENT 2	rs.element	X		
8	PXRM PC-PTSD-5+I9 RESULT GROUP SRE	rs.group	X		
9	PXRM PC-PTSD-5+I9 RESULT ELEMENT 1 SRE	rs.element	X		
10	PXRM PC-PTSD-5+I9 RESULT ELEMENT 2 SRE	rs.element	X		
+      + Next Screen    - Prev Screen    ?? More Actions					
DD	Dialog Details	DT	Dialog Text	IS	Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU	Quit
DS	Dialog Summary	IA	Install All		
Select Action: Next Screen// IA					

At the **Select Action** prompt, type **IA** to install the dialog – **VA-PTSD SCREENING**

Select Action: Next Screen// IA **Install All**

All dialog components for **VA-PTSD SCREENING** already exist.

Install reminder dialog and all components with no further changes: **Y// YES**

Packed reminder dialog: VA-PTSD SCREENING

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-PTSD SCREENING	dialog	X		
2	1	VA-PTSD SCREENING VERSION Finding: *NONE*	element	X		
3	10	VA-PTSD SCREEN Finding: *NONE*	group	X		
4	10.10	VA-MH PC-PTSD+I9 SCREEN Finding: PC-PTSD-5+I9 (MH TESTS AND SURVEY)	element	X		
5		PXRM PC-PTSD-5+I9 RESULT GROUP	rs.group	X		
6		PXRM PC-PTSD-5+I9 RESULT ELEMENT 1	rs.element	X		
7		PXRM PC-PTSD-5+I9 RESULT ELEMENT 2	rs.element	X		
8		PXRM PC-PTSD-5+I9 RESULT GROUP SRE	rs.group	X		
9		PXRM PC-PTSD-5+I9 RESULT ELEMENT 1 SRE	rs.element	X		
10		PXRM PC-PTSD-5+I9 RESULT ELEMENT 2 SRE	rs.element	X		
+      + Next Screen    - Prev Screen    ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU	Quit
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// Q						

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

**You will be prompted to install the fourth reminder dialog component:**

```
Packed reminder dialog: VA-DEPRESSION SCREEN
```

Item	Seq. Dialog Findings	Type	Exists
1	VA-DEPRESSION SCREEN	dialog	X
2	1 VA-DEPRESSION SCREENING VERSION Finding: *NONE*	element	X
3	5 VA-DEP PHQ2 Finding: *NONE*	group	X
4	5.10 VA-MH PHQ-2+I9 Finding: PHQ-2+I9 (MH TESTS AND SURVEY)	element	X
5	PXRM PHQ-2+I9 RESULT GROUP	rs.group	X
6	PXRM PHQ-2+I9 RESULT ELEMENT 1	rs.element	X
7	PXRM PHQ-2+I9 RESULT ELEMENT 2	rs.element	X
8	PXRM PHQ-2+I9 RESULT GROUP SRE	rs.group	X
9	PXRM PHQ-2+I9 RESULT ELEMENT 1 SRE	rs.element	X
10	PXRM PHQ-2+I9 RESULT ELEMENT 2 SRE	rs.element	X

```
+      + Next Screen  - Prev Screen  ?? More Actions
DD Dialog Details      DT Dialog Text      IS Install Selected
DF Dialog Findings     DU Dialog Usage     QU Quit
DS Dialog Summary      IA Install All
Select Action: Next Screen// IA
```

At the **Select Action** prompt, type **IA** to install the dialog – **VA-DEPRESSION SCREENING**

Select Action: Next Screen// **IA Install All**

All dialog components for **VA-DEPRESSION SCREENING** already exist.

Install reminder dialog and all components with no further changes: **Y// YES**



Packed reminder dialog: VA-DEPRESSION SCREEN

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-DEPRESSION SCREEN	dialog	X		
2	1	VA-DEPRESSION SCREENING VERSION Finding: *NONE*	element	X		
3	5	VA-DEP PHQ2 Finding: *NONE*	group	X		
4	5.10	VA-MH PHQ-2+I9 Finding: PHQ-2+I9 (MH TESTS AND SURVEY)	element	X		
5		PXRM PHQ-2+I9 RESULT GROUP	rs.group	X		
6		PXRM PHQ-2+I9 RESULT ELEMENT 1	rs.element	X		
7		PXRM PHQ-2+I9 RESULT ELEMENT 2	rs.element	X		
8		PXRM PHQ-2+I9 RESULT GROUP SRE	rs.group	X		
9		PXRM PHQ-2+I9 RESULT ELEMENT 1 SRE	rs.element	X		
10		PXRM PHQ-2+I9 RESULT ELEMENT 2 SRE	rs.element	X		
+      + Next Screen    - Prev Screen    ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU	Quit
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// Q						

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

**You will be prompted to install the fifth reminder dialog component:**

```
Packed reminder dialog: VA-FOLLOW-UP POS PTSD/DEP COMBINATION
```

Item	Seq. Dialog Findings	Type	Exists		
1	VA-FOLLOW-UP POS PTSD/DEP COMBINATION	dialog	X		
2	2 VA-DEPRESSION/PTSD FOLLOW UP VERSION Finding: *NONE*	element	X		
3	5 VA-PTSD/DEPRESSION COMBINATION MASTER GP* Finding: DEP/PTSD/SI ASSESSMENT COMPLETE (HEALTH FACTOR)	group	X		
4	5.5 VA-GP POS PTSD/DEP HEADER Finding: *NONE*	group	X		
5	5.5.5 VA-GP POS PTSD/DEP OBJECTS Finding: *NONE*	group	X		
6	5.5.5.5 VA-POS PTSD/DEP OBJECTS Finding: *NONE*	element	X		
7	5.6 VA-C-SSRS DONE TODAY Finding: *NONE*	element	X		
+      + Next Screen    - Prev Screen    ?? More Actions					
DD	Dialog Details	DT	Dialog Text	IS	Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU	Quit
DS	Dialog Summary	IA	Install All		
Select Action: Next Screen// IA					

At the **Select Action** prompt, type **IA** to install the dialog – **VA-FOLLOW-UP POS PTSD/DEP COMBINATION**

Select Action: Next Screen// **IA Install All**

All dialog components for **VA-FOLLOW-UP POS PTSD/DEP COMBINATION** already exist.

Install reminder dialog and all components with no further changes: **Y// YES**

Packed reminder dialog: VA-FOLLOW-UP POS PTSD/DEP COMBINATION

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-FOLLOW-UP POS PTSD/DEP COMBINATION	dialog	X		
2	2	VA-DEPRESSION/PTSD FOLLOW UP VERSION Finding: *NONE*	element	X		
3	5	VA-PTSD/DEPRESSION COMBINATION MASTER GP* Finding: DEP/PTSD/SI ASSESSMENT COMPLETE (HEALTH FACTOR)	group	X		
4	5.5	VA-GP POS PTSD/DEP HEADER Finding: *NONE*	group	X		
5	5.5.5	VA-GP POS PTSD/DEP OBJECTS Finding: *NONE*	group	X		
6	5.5.5.5	VA-POS PTSD/DEP OBJECTS Finding: *NONE*	element	X		
7	5.6	VA-C-SSRS DONE TODAY Finding: *NONE*	element	X		
+      + Next Screen    - Prev Screen    ?? More Actions						
DD	Dialog Details		DT	Dialog Text	IS	Install Selected
DF	Dialog Findings		DU	Dialog Usage	QU	Quit
DS	Dialog Summary		IA	Install All		
Select Action: Next Screen// Q						

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

This will complete the Dialog Install section.

Installer will see a few more prompts concerning Health Summary Type, Objects and TIU Document Definition. If components exist, use the OVERWRITE action

```

Component                                     Category                                     Exists
Source:      MONTGOMERY,ALAN at SALT LAKE CITY
Date Packed: 08/29/2018@08:21:50
Package Version: 2.0P35

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-GP OIF PTSD
  VA-GP DEP PHQ-2

REMINDER TERM
  VA-REMINDER UPDATE_2_0_53

REMINDER DEFINITION
  VA-FOLLOW-UP POS PTSD/DEP COMBINATION
  VA-DEPRESSION SCREENING
+      Enter ?? for more actions                                     >>>
IA   Install all Components                                     IS   Install Selected Component
Select Action: Next Screen// 0

```

**Type Q to exit the dialog installation**

## Post Installation

1. Add any Quick Orders to your dialogs that are needed. See Pre-Install section for names of Dialog components to add Quick Orders as finding items.

Install complete.

***NOTE:** If there are any questions or problems during the installation, please notify your local IT support to log a national help desk ticket or contact the VA Service Desk at 1-888-596-4357 and have them submit a national ticket to:*

*Category: Enterprise Applications*

*Subcategory: Applications*

*Enterprise Application: VistA - Clinical Reminders*