

ClIO Terminology Dictionary

and

Clinical Data Model

Date/Time Generated: APR 21,2017@13:15

M Environment: DEV,DEV

Abbreviation..... AB BOW S
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Abdominal Bowel Sounds
Display Name..... Abdomen Bowel Sounds
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

- 1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. HYPOACTIVE (HYPOACTIVE) {2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}
3. HYPERACTIVE (HYPERACTIV) {1A548FFE-8645-4C0D-899D-5D91430CC1B1}
4. FLATULENCE (FLATULENCE) {F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}
5. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
6. BRUIT (BRUIT) {2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}

LOCATION: 5 entries

- 1. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
2. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACA0}
3. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
4. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
5. GENERAL UMBILICUS (GEN UMBILI) {34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}

UNITS:



=====

TERM: ABDOMINAL GIRTH  
ID: {F70E6642-2719-22BE-BE87-DEF0A884F177}

=====

Page: 3

Abbreviation..... AG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Girth of patient abdomen  
Display Name..... Abdominal Girth  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4536404

UNITS:

-----

CENTIMETER            0 > 76 \* 152 < 300      Dec Prec: 0

Abbreviation..... Wan Pre Me
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Activities of Daily Living: Wandering
Prevention Measures
Help Text..... For patients at risk for wandering
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

- 10. ASSIGNED ONE TO ONE SITTER (One to One)
{07D48368-101F-4974-9EC5-7CB182A39281}
20. NO WANDERING PREVENTION MEASURES APPLIED (No Wan App)
{6967F640-223E-46CE-82F9-0E4D87745D94}
30. NO WANDERING PREVENTION MEASURES NEEDED (No Wan Nee)
{8D39BA2B-24C6-4355-9AC2-4AAAD2E66D9B}
40. PATIENT LOCATOR DEVICE IN PLACE (Loc Device)
{CAF7B45E-0143-472D-BABF-9A92857419E9}
50. SECURE TRACK IN PLACE (Secure Trk)
{33F72416-BAD4-44AD-825E-93BCBFFB9670}
60. WANDER GUARD IN PLACE (Wander Grd)
{B49D735F-A6ED-4E8F-9BD0-F8514245B262}

UNITS:
-----

Abbreviation..... ADL ADL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Activities of daily living assessment
Display Name..... Activities of Daily Living
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 26 entries

- 1. COMPLETE BATH (COMP BATH) {A7CB1F56-F88E-403B-AABC-105BE129FBB0}
2. PARTIAL BATH (PART. BATH) {60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}
3. SELF AM CARE BY PATIENT (SELF AM CR)
{C48A46C1-0E68-479C-B803-08C80617ADFF}
4. TURN AND POSITION (TURN POSIT)
{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}
5. UP TO CHAIR (UP TO CHAI) {42E598E5-82EC-428B-B5FA-1129E3095C78}
6. MEAL (MEAL) {85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}
7. AMBULATED (AMBULATED) {017D99FE-91D5-49F1-AC15-50620879C466}
8. SNACK (SNACK) {60B77974-4102-4511-A105-E24850B924D8}
9. SELF CARE OF BEDSIDE ENVIRONMENT (S CARE BED)
{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}
10. SHOWER (SHOWER) {C259929A-44DB-48FD-A2EC-BC6ECF9D0476}
11. SELF SHOWER (SELF SHOVE) {C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}
12. SHAMPOO (SHAMPOO) {95CCB23C-E614-40CD-84F0-EE4EFBC95271}
13. DRY SHAMPOO (DRY SHAMP) {8910A186-2590-4352-A884-7D692A9D2B3C}
14. NAIL CARE (NAIL CARE) {B783A171-1F0A-4135-8535-85776B81AB68}
15. TOENAIL CARE (TOEN CARE) {6CF3ABCE-FF74-43E2-81E5-D23339017CA9}
16. FOOT CARE (FOOT CARE) {332E8338-6DAE-4BC9-B195-63DAD57937D0}
17. SELF FOOT CARE (SELF FOOT)
{F2DCAF0E-389D-4987-8C73-66E35266CC78}
18. TURNING SELF INDEPENDENTLY (TURN SELF)
{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}
19. SHAVE (SHAVE) {A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}
20. SELF SHAVE (SELF SHAVE) {90F1760C-4C12-4976-ADCB-DBF456A34023}
21. FACE WASH (FACE WASH) {E1162A8B-D26D-4EB3-988F-50583B1849EA}
22. SELF FACE WASH (S FACE WAS)
{77457D46-5676-46E6-B38F-FE3AF70B5CBC}
23. PERINEAL CARE (PERIN CARE)
{D88736E4-E0EB-4FF7-9199-288A4D051A20}
24. SELF TRACH CARE (S TRACH CA)
{70BE79EC-107F-4CD3-B964-7919B3DDE222}
25. CLOTHED SELF (CLOTH S) {33802A30-FAA7-426B-ADAC-5297818DA7DE}
26. LINEN CHANGE (Lin Change) {AE30A510-112B-4F43-830E-E27FD994550A}

UNITS:

Abbreviation..... ADL AMB AS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Ambulation Assistance
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

- 1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
2. WITHOUT ASSISTANCE (WO ASSIS) {41CE081D-CB0E-49AF-936A-4FD78E61681B}
3. ONE PERSON ASSIST (1 PERS AS) {A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
4. TWO PERSON ASSIST (2 PERS AST) {0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
5. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}
6. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
7. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}
8. GAIT BELT (GAIT BELT) {AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}

UNITS:

=====

TERM: ADL - AMBULATION DISTANCE  
ID: {49097AB5-ACC4-4FC5-91FB-B62DFF5EBA51}

=====

Page: 7

Abbreviation..... ADL AM D  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Ambulation Distance  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

FOOT                    0 > 0 \* 9999 < 9999      Dec Prec: 0



=====

TERM: ADL - BED MOBILITY  
ID: {ADB040D9-C136-4AF6-809D-CDD868DA3DCA}

=====

Page: 8

Abbreviation..... ADL BED MO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Bed Mobility  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
  2. SUPERVISION/SET-UP HELP (SUPERVISED)  
{596D028B-B60D-4244-A1B0-882177C8D25F}
  3. LIMITED ASSISTANCE (LIM ASSIST)  
{9A8C1310-C840-431E-BA21-065B7EA7B768}
  4. EXTENSIVE ASSISTANCE (EXT ASSIST)  
{C402B659-E880-4070-8345-13E5508B4D29}
  5. TOTAL DEPENDENCE (TOT DEPEND)  
{38702CDD-E440-4EFA-9583-36EEE719F7C3}
  6. ONE PERSON ASSIST (1 PERS AS)  
{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
  7. TWILL TAPE (Twill Tape) {C52BE250-732D-03BB-B8F9-72BE4D546807}
  8. TWO PERSON ASSIST (2 PERS AST)  
{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
  9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:  
-----

Abbreviation..... ADL DRESS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dressing  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
  2. SUPERVISION/SET-UP HELP (SUPERVISED)  
    {596D028B-B60D-4244-A1B0-882177C8D25F}
  3. LIMITED ASSISTANCE (LIM ASSIST)  
    {9A8C1310-C840-431E-BA21-065B7EA7B768}
  4. EXTENSIVE ASSISTANCE (EXT ASSIST)  
    {C402B659-E880-4070-8345-13E5508B4D29}
  5. TOTAL DEPENDENCE (TOT DEPEND)  
    {38702CDD-E440-4EFA-9583-36EEE719F7C3}
  6. ONE PERSON ASSIST (1 PERS AS)  
    {A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
  7. TWO PERSON ASSIST (2 PERS AST)  
    {0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
  8. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:  
-----

Abbreviation..... ADL EATING  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Eating  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

-----

1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
2. SUPERVISION/SET-UP HELP (SUPERVISED)  
{596D028B-B60D-4244-A1B0-882177C8D25F}
3. SET UP HELP ONLY (SETUP ONLY)  
{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}
4. LIMITED ASSISTANCE (LIM ASSIST)  
{9A8C1310-C840-431E-BA21-065B7EA7B768}
5. EXTENSIVE ASSISTANCE (EXT ASSIST)  
{C402B659-E880-4070-8345-13E5508B4D29}
6. TOTAL DEPENDENCE (TOT DEPEND)  
{38702CDD-E440-4EFA-9583-36EEE719F7C3}
7. ONE PERSON ASSIST (1 PERS AS)  
{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
8. TWO PERSON ASSIST (2 PERS AST)  
{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

-----

=====

TERM: ADL - EMOTIONAL SUPPORT  
ID: {8E6573BB-DED8-47D3-AA52-C56404C5D1D9}

=====

Page: 11

Abbreviation..... EMO SUPPT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Emotional Support  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. PATIENT (PATIENT) {7881F205-BCD1-4948-AE66-AD572F5A02F2}
  2. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}
  3. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
  4. SIGNIFICANT OTHER (SO) {082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}
  5. CAREGIVER (CAREGIVER) {F9B8BABE-2F05-437D-85C8-585FC1FFC07F}

UNITS:  
-----

Abbreviation..... ADL OTHER
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Other Activity
Help Text..... Other ADL Activities
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 14 entries

- 1. BEDREST (BEDREST) {8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}
2. DANGLED (DANGLED) {40665750-112F-401D-AEFA-8E19F45EC0C9}
3. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}
4. COMMUNE (COMMUNE) {75C896CA-F105-4EF0-B641-3F2B1F984F1B}
5. PASSIVE RANGE OF MOTION (PASS ROM) {DD43B9EF-E18F-4203-8564-89EBBAD963A4}
6. ACTIVE RANGE OF MOTION (ACTIVE ROM) {F55E68F3-6788-47AE-B962-119413B4A089}
7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}
8. GURNEY CHAIR (GURN CHAIR) {B6EA0944-8414-42FD-88C0-50155DE82896}
9. BATHROOM PRIVILEGES (BATHR PRIV) {29C1B6DD-3308-4DED-9970-1322A97C633B}
10. TRANSFER WITH ASSIST (TRANS ASST) {62A5BFF5-9C7C-4412-83A8-F872095DE005}
11. FULL SPINAL PRECAUTIONS (FULL S P) {42ADB74D-12CC-4111-B181-626C0F01BC7C}
12. THORACIC SPINAL PRECAUTIONS (THOR S P) {D55AEF23-7F5E-45DD-A178-F217E6AF3873}
13. CERVICAL SPINAL PRECAUTIONS (CERV S P) {A15F7127-2367-464A-AB7D-1E6A7C09AA21}
14. LUMBAR SPINAL PRECAUTIONS (LUMB S P) {5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}

UNITS:
-----

ID: {AC46FCA8-4D8B-45B9-9938-9CE75B759E76}

=====

Abbreviation..... ADL REPOSI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Reposition  
Display Name..... Reposition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. LEFT (LEFT) {81063CEE-2E83-4C95-AAEE-76B7DCB828D4}
  2. RIGHT (RIGHT) {AB74C579-DF14-4D7B-A9EF-5F119089F976}
  3. SUPINE (SUPINE) {A18F9534-17AF-47D7-8D14-2AA457A889BD}
  4. PRONE (PRONE) {41180E09-D9D6-4903-BAE9-28CD5AAC4991}
  5. SELF CARE (SELF CARE) {0E068188-75B8-46C5-8947-A6CC5C7849B5}
  6. ASSISTED (ASSISTED) {65069804-39BF-41ED-9EA3-BF2C41389F10}
  7. CARDIAC REPOSITION (CARD REPOS)  
{E133FE5A-20E1-418F-BD90-D2DFE14908C0}
  8. FOWLER'S (FOWLER'S) {8E691813-A9AC-48BE-9401-528A7D762A32}
  9. HIGH FOWLER'S (HIGH FOWLE)  
{EA23C94D-EE91-4552-9F74-E051FAF3E194}

UNITS:  
-----

=====

TERM: ADL - SPIRITUAL CARE  
ID: {42608477-6B3D-4036-BE05-F0DA3ED218B9}

=====

Page: 14

Abbreviation..... SPIRIT CA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Spiritual care  
Help Text..... Has Patient Had Spiritual Care  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: ADL - VISITORS

Page: 15

ID: {C0C8630F-6535-4C89-9556-D97CBCB41952}

=====

Abbreviation..... ADL VISITO  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Visitors  
Display Name..... Visitors  
Help Text..... Has the patient had any visitors today.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. NO (n)	{FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y)	{483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:  
-----



Abbreviation..... ADL ORAL C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Oral Care  
Display Name..... Oral Care  
Help Text..... Oral Care  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

- 
1. DONE (DONE) {60412C8D-132F-46EA-8DDF-FCC282C4CC8B}
  2. ASSISTED (ASSISTED) {65069804-39BF-41ED-9EA3-BF2C41389F10}
  3. SELF CARE (SELF CARE) {0E068188-75B8-46C5-8947-A6CC5C7849B5}
  4. OFFERED (OFFERED) {715091C2-9668-4678-900E-6D55D3335A30}
  5. REFUSED (REFUSED) {D5B3E135-4D68-4528-BBC9-6E8A7A997104}
  6. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}
  7. SUCTIONED ONLY (SUCTION ONLY)  
{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}
  8. LIP SALVE (LIP SALVE) {612F78AB-7386-4176-9896-02DE5A8E836D}
  9. TEETH BRUSHED (TEETH BRUS)  
{20841794-6E6D-4262-B1FE-9E3F20F8CC49}
  10. MOUTHWASH USED (MOUTHWASH)  
{9F7EF355-12A4-4EBA-92ED-0F38273E411B}
  11. ETT REPOSITIONED (ETT REPOSI)  
{95B35EDB-76B6-433E-B526-01C543A7CCEA}
  12. ETT RETAPED/SECURED (ETT RETAPE)  
{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}

UNITS:  
-----



=====

TERM: AIRWAY ARTIFICIAL CUFF STATUS  
ID: {18958F14-76F1-B4F3-DB01-F5FB4C8A70BC}

=====

Page: 18

Abbreviation..... ART AIR C  
Active..... Yes  
Boolean Value False..... Deflated  
Boolean Value True..... Inflated  
Data Type..... Boolean  
Description..... AIRWAY CUFF INFLATED OR DEFLATED  
Display Name..... Artificial Airway Cuff Status  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: AIRWAY ARTIFICIAL POSITION AT LIP/NOSE  
ID: {A9032CCC-5479-87C2-27F8-46D8B4F68272}

=====

Page: 19

Abbreviation..... ART AIR PO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Artificial Airway Position at Lip/Nose  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CENTIMETER            11.9 > 12.0 \* 28.5 < 28.6 Dec Prec: 1

Abbreviation..... ART AIR F  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Artifical Airway Size -French  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

FRENCH                    3.9 > 4.0 \* 14.0 < 14.1    Dec Prec: 1

Abbreviation..... ART AIR mm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Artificial Airway Size - mm  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

- 
- |               |  |
|---------------|--|
| 1. 4 (4)      | {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A} |
| 2. 4.5 (4.5)  | {EC6C0C72-8C49-4535-92B2-7E543007EE32} |
| 3. 5 (5)      | {188EDCE7-0726-4234-D8D2-92C8052CD221} |
| 4. 5.5 (5.5)  | {4878F059-EC9D-44FC-9A61-734C291530E7} |
| 5. 6 (6)      | {640CF2F9-3BBF-AB13-185B-CD02A609FB5A} |
| 6. 6.5 (6.5)  | {CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3} |
| 7. 7 (7)      | {7A010324-D2C2-5D4B-848A-7B8878666D20} |
| 8. 7.5 (7.5)  | {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E} |
| 9. 8 (8)      | {518E7CFC-102E-351E-C7AF-FB575E3C8F4D} |
| 10. 8.5 (8.5) | {96723567-151D-4B5C-9C65-B3EB6D584272} |
| 11. 9 (9)     | {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC} |
| 12. 9.5 (9.5) | {252555A1-ADB2-4948-8764-C952F2587DC5} |
| 13. 10 (10)   | {0C827160-18DB-816F-7FAA-A3C175C6D33B} |

UNITS:

-----

=====

TERM: AIRWAY ARTIFICIAL TYPE  
ID: {2FC0523A-8EBD-7E24-E453-C2DEF54DAE44}

=====

Page: 22

Abbreviation..... ART AIRW T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... TYPE OF ARTIFICIAL AIRWAY  
Display Name..... Artificial Airway Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. NASAL ENDOTRACHEAL (Nasal Endo)  
{C631352E-CAB5-0409-6133-E5D11ECC3293}
  2. ORAL ENDOTRACHEAL (ORAL ENDO)  
{466CAD16-D7F3-9D73-6500-959C4DA50D9A}
  3. TRACHEOSTOMY (TRACHEOSTO) {2B0B7599-847E-852F-D16F-091CAAA4B205}
  4. LARYNGECTOMY (LARYNGECTO) {225CB76A-BAF5-827E-729B-C3D60AD5B50A}
  5. NASAL TRUMPET (NASAL TRUM)  
{2FFB8510-793C-D6A4-838E-20FF7CD26533}
  6. BITE BLOCK (BITE BLOCK) {E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}
  7. ORAL AIRWAY (ORAL AIRWA) {B0CF4270-A68D-1322-0621-1DFF8D677B40}
  8. CASS ENDOTRACHEAL TUBE (CASS)  
{02BF805C-DF35-4DAB-A99F-2ED673174E49}

UNITS:  
-----

Abbreviation..... ALARM PARA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Alarm Parameters Verified  
Display Name..... Alarm Parameters Verified  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----



Abbreviation..... ALARMS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Alarms  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
1. CENTRAL ECG (cecg) {26D36175-E4E3-C364-3018-1B0DB4DC4793}
  2. BED EXIT ALARM (BED EXIT A)  
{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}
  3. WHEELCHAIR EXIT ALARM (WHEEL EXIT)  
{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}
  4. IV PUMP (IV PUMP) {EFB92C16-CFA3-18BB-9D54-590089DA3962}
  5. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}
  6. UROMETER (u) {13074A3A-19D7-300C-7BFF-8DC18DDE2951}
  7. IABP (IABP) {763FE975-F5E5-80A6-AB16-E903A829E665}

UNITS:  
-----











=====

TERM: ALDRETE - TOTAL

Page: 30

ID: {A947CF6C-094E-49B9-A856-E4103162D875}

=====

Abbreviation..... ALD TOTAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Modified Aldrete Scoring System Total  
Display Name..... Aldrete - Total Score  
Help Text..... Total value of Aldrete scores  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MODIFIED ALDRETE SCORE     -1 > 0 \* 10 < 11     Dec Prec: 0

Abbreviation..... Anes Plan
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Anesthesia Planned
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

- 1. LOCAL (Local) {64A0FD20-4584-446C-8A2A-57F2FEF3DD10}
2. REGIONAL BLOCK (Region Blk) {3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}
3. BIER BLOCK (Bier Blk) {241C28E7-6040-4ABC-B76C-4255452C66FD}
4. GENERAL (General) {6ED377F7-55E4-4743-B781-124267567200}
5. IV SEDATION (IV Sed) {789B61EB-5E83-4024-850D-D92370C4EC9A}
6. SPINAL (Spinal) {AC02181C-0A2C-4F7A-B983-B32EF1BCD150}
7. EPIDURAL (Epidural) {63317A63-16FF-4D55-A034-420C65B17AEB}
8. MODERATE SEDATION (Mod Sed) {C874EDC7-24BF-4F39-8FDA-E8D1193A8428}
9. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

UNITS:



Abbreviation..... APPEARAN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Appearance  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. NEAT (NEAT) {8B01F7B8-B626-4143-A092-1E732EEB4A05}
  2. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
  3. INAPPROPRIATE (Inappropri)  
{7E3B54C2-8A49-28EC-055E-FEA87599421C}
  4. DISHEVELED (DISHEVEL) {0455549E-5CCB-470D-9D7F-F3959E6D55FE}

UNITS:

-----

=====

TERM: ARM BAND - ALLERGIES  
ID: {D72DC694-6192-8D57-FD8B-02E49EF45DE5}

=====

Page: 33

Abbreviation..... AB ALLERGY  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Is the arm band for allergies present  
Display Name..... Arm Band - Allergies  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... AB BL TR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Blood Transfusion IV  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

ID: {B7AF531A-26FA-B821-F3B6-F75911A8BBC2}

=====

Abbreviation..... AB DNR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Is patient armband for DNR present  
Display Name..... Arm Band - DNR  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: ARM BAND - ELOPMENT  
ID: {950320E8-0C68-29C0-E39A-355CEB0119C6}

=====

Page: 36

Abbreviation..... AB ELOPE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Elopment  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: ARM BAND - HIGH FALL RISK  
ID: {48BCE5FD-3703-4F3B-619B-8E5FD2E25D2E}

=====

Page: 37

Abbreviation..... AB FALL RI  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - High Fall Risk  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: ARM BAND - PERSONAL MEDICAL ALERT  
ID: {4EF7E9C0-4B52-0EA5-B5ED-D29E655089FE}

=====

Page: 38

Abbreviation..... AB PM ALER  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Personal Medical Alert  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: ARM BAND - WANDERER  
ID: {F0D2FBB6-0843-239A-356E-D903542E9117}

=====

Page: 39

Abbreviation..... AB WANDER  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Wanderer  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----



Abbreviation..... AB PRESENT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Arm Bands Present
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

- 1. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}
2. IDENTIFICATION (i) {39274F69-556C-7F05-6D17-CE8A03D1867D}
3. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}
4. ALLERGY (a) {EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}
5. HIGH FALL RISK (hfr) {276C15F3-5BED-0FE0-5649-337A23AB1386}
6. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
7. PERSONAL MEDICAL ALERT BRACELET (pmab) {E63D5FDE-4509-5751-A11C-C023E296858A}
8. BLOOD TRANSFUSION IV (BI TRAN IV) {27A0BE4C-433C-F920-BAC2-066F304BDF59}
9. WANDERER (w) {C5BD737B-F9A6-5800-B45C-2585507C3EDC}
10. DO NOT INTUBATE (Do Not Int) {88F9A76A-43BC-4BD9-A567-C8FE5A868544}
11. LATEX ALLERGY (Latex Alle) {3E7326AA-8CA4-448C-802A-111C232B2F1C}
12. DYSPHAGIA (Dysphagia) {CC69271C-B4DF-42D1-BA91-0832DBC45E31}
13. RESTRICTED EXTREMITY (Res Extrem) {7BC82415-996E-46F2-B2BC-DF0705AD2AA3}

UNITS:

=====

TERM: ARTERIAL LINE ALARMS ON  
ID: {9267950F-51B3-4C38-B280-C62D7B076F6B}

=====

Page: 41

Abbreviation..... ALINE ALAR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Arterial Lines Alarms On  
Display Name..... Arterial Line Alarms On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----



Abbreviation..... ART LIN DC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arterial Line Dressing Change  
Display Name..... Arterial Line Dressing Change  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
  2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
  3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
  4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS:  
-----

=====

TERM: ARTERIAL LINE DRESSING TYPE  
ID: {A2F0D86E-286A-0D33-2BAA-3DDE78121050}

=====

Page: 44

Abbreviation..... A LINE DRE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arterial Line Dressing  
Help Text..... Type of dressing used on arterial line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
  2. PRESSURE DRESSING (PRESS DRES)  
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}
  3. GAUZE AND TAPE (GAU & TAPE)  
{5BC40405-B5C4-47CF-81C3-520732E100AC}

UNITS:  
-----

=====

TERM: ARTERIAL LINE SITE CARE  
ID: {2CCDDAA0-9563-8B09-11C1-51E1E2823A48}

=====

Page: 45

Abbreviation..... A LINE CAR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Has Arterial Line Site Care Been Done?  
Display Name..... Arterial Line Site Care  
Help Text..... Date arterial line inserted  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... ART LI CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Arterial Line Site Condition
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
50. PATENT (Patent) {FOC38BCB-1D11-436C-8B8C-4297C27DDE04}
60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
70. BLANCHED (Blanched) {EBB2EA8D-04BC-49E7-812A-62B46F0F4678}
80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}
90. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

LOCATION: 8 entries

- 1. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
2. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
3. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
4. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

=====

TERM: ARTERIAL LINE SIZE  
ID: {9D96EBB7-19E0-4832-B61F-D2A42CE15737}

=====

Page: 47

Abbreviation..... ART LIN SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Arterial Line in size Gauge  
Display Name..... Arterial Line Size  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

LOCATION: 8 entries

- 
1. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
  2. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
  3. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
  4. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
  6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
  7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
  8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

-----

GAUGE 14 > 18 \* 26 < 30 Dec Prec: 0



=====

TERM: ARTERIAL LINE WAVEFORM  
ID: {1B11B2EF-C905-40F6-9F6F-195FEC0CD8E6}

=====

Page: 48

Abbreviation..... ALINE WAVE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arterial Line Waveform  
Display Name..... Arterial Line Waveform  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
  3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
  4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
  5. NOT MONITORED (NOT MONITO)  
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:  
-----

=====

TERM: ARTERIAL LINE ZEROED  
ID: {A500DBBF-6E69-4CB3-926F-6B9988BB8B68}

=====

Page: 49

Abbreviation..... ALINE ZERO  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Arterial Line Zeroed  
Display Name..... Arterial Line Zeroed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... ASA Phys  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... ASA Physical Status  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- |                          |  |
|--------------------------|--|
| 1. ASA PS 1 (ASA PS 1)   | {BAF1730E-C358-17F1-8DB8-4B6097AFF066} |
| 2. ASA PS 2 (ASA PS 2)   | {070C0F56-3D9C-5430-EF9E-BF3B96DFB595} |
| 3. ASA PS 3 (ASA PS 3)   | {B041CE25-82D0-EDAD-C673-A64BCD6647F4} |
| 4. ASA PS 4 (ASA PS 4)   | {040841C3-D933-E687-C7E0-29F439C08778} |
| 5. ASA PS 5 (ASA PS 5)   | {1F7B73A6-3F8E-E230-1C23-C7DF92032E58} |
| 6. EMERGENCY (Emergency) | {3C7B5E35-63CA-32EE-3D64-AE4A052F55E1} |

UNITS:

-----

Abbreviation..... BABINSKI  
Active..... Yes  
Boolean Value False..... Negative  
Boolean Value True..... Positive  
Data Type..... Boolean  
Description..... Babinski Reflex Test  
Display Name..... Babinski  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:  
-----

=====

TERM: BARRIERS TO LEARNING  
ID: {DC4D8E16-1BA9-4A45-820E-A7AAA48449FB}

=====

Page: 52

Abbreviation..... Barriers  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Barriers to Learning  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. PHYSICAL IMPAIRMENT (Phys Impai)  
    {4D744081-134E-420D-9712-AF114977E490}
  2. COGNITIVE IMPAIRMENT (Cog Impair)  
    {6D051F44-2124-4914-A415-B98B2AC516E9}
  3. OTHER (OTHER)            {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:  
-----

=====

TERM: BED POSITION

Page: 53

ID: {D65573FE-6CAB-3A81-4572-ACC9488D8BAF}

=====

Abbreviation..... BEDPOS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Bed Position  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
  2. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
  3. SEMIFOWLERS HIGH (sh) {1BBE7175-2BD2-BFB5-1E1B-E02443433072}
  4. SEMIFOWLERS LOW (sl) {A265AF02-53FC-B182-8AE3-A06E95718D7E}
  5. CARDIAC CHAIR (cc) {D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}

UNITS:

-----

Abbreviation..... BEHAVIOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Is Patients Behavior Appropriate?  
Display Name..... Behavior  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
  2. INAPPROPRIATE (Inappropri) {7E3B54C2-8A49-28EC-055E-FEA87599421C}
  3. RESTING (Resting) {D750373F-12E2-4D95-AF0D-F7731905F723}
  4. APPEARS ASLEEP (App Asleep) {8D1436B8-ADB0-4092-A0CE-383D74131AA8}

UNITS:  
-----

Abbreviation..... CUR LOC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior Current Location  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
  2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
  3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
  4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
  5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
  6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
  7. SMOKING PORCH (sp) {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
  8. SMOKING AREA (sa) {8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}
  9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
  10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

-----



Abbreviation..... BEH OBS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

- 
1. COOPERATIVE (c) {C176406E-EBDE-4ADE-53DE-CF191D8AFC85}
  2. CALM (c) {E206C3F5-6977-302C-51FB-AF2155B5FFD9}
  3. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
  4. HOSTILE (h) {29EF2C04-7DB0-4491-2B5E-D92A6A558721}
  5. COMBATIVE (c) {DF65D42D-6CAA-657E-AEE1-C070C1FDF177}
  6. INEFFECTIVE COPING (ic) {704B1A55-B639-60F4-E3A5-16F942ABC259}
  7. WITHDRAWN (w) {E74B0F04-0E3F-632F-9409-C4953D95B1BA}
  8. UNCOOPERATIVE (u) {2D737EFB-F4CA-7AEA-9EB2-6FF133742815}
  9. SLEEPS POORLY (sp) {AB9424B4-D0B1-148B-C800-FF535F3FAC84}
  10. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}
  11. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
  12. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
  13. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
  14. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
  15. LETHARGIC (l) {4ECA2E44-093A-9354-848E-CDC72B165072}

UNITS:  
-----

=====

TERM: BEHAVIOR PRECAUTION LEVEL  
ID: {1F322720-9BDF-A3A4-47A6-7DA602FFBBF4}

=====

Page: 57

Abbreviation..... PRE LVL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior Precaution Level  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. CLOSE OBSERVATION (co) {2679BCAC-8753-FE73-56F8-3AB632161AF4}
  2. 1:1 OBSERVATION (1o) {B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}
  3. PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (pswlosons)  
{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}
  4. PATIENT SIGNS SAFETY CONTRACT (PT CONTRAC)  
{C65734EC-2CAF-4547-8FD8-CBCD9C706003}

UNITS:  
-----

Abbreviation..... PRE REA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior Precaution Level  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
  2. ESCAPE (e) {965F3201-9D63-66AB-FA25-99479AE7145A}
  3. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
  4. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
  5. MEDICAL DEVICE SAFETY (mds)  
{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

UNITS:  
-----



=====
TERM: BIPAP-INSPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS
ID: {25B30C16-509B-4537-9C06-05B1C5013C81}

Page: 60

Abbreviation..... BIPAP IN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Bipap machine setting for inspiratory
pressure
Display Name..... Bipap Inspiratory Pressure - Do Not
Check Total or Subtotals
Help Text..... Bipap machine setting for inspiratory
pressure
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
CENTIMETERS H2O -1 > 0 \* 15 < 16 Dec Prec: 0

Abbreviation..... BLAD ASSMT  
Active..... Yes  
Boolean Value False..... Nondistended  
Boolean Value True..... Distended  
Data Type..... Boolean  
Description..... Assessment of bladder  
Display Name..... Bladder Assessment  
Help Text..... Is bladder nondistended or distended?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====
TERM: BLADDER SCAN - DO NOT CHECK TOTAL OR SUBTOTALS
ID: {403C285B-40ED-4ECA-BFD0-4404BE4FB59E}

Page: 62

=====
Abbreviation..... BLAD SCAN
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Bladder Scan
Display Name..... Bladder Scan - Do Not Check Total or
Subtotals
Help Text..... Bladder Scan Urine Volume Results
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
MILLILITER 0 > 0 \* 1000 < 1000 Dec Prec: 0
CUBIC CENTIMETER 0 > 0 \* 1000 < 1000 Dec Prec: 0

Abbreviation..... BP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Complex  
Description..... Complex observation of Systolic and  
Diastolic pressures.  
Display Name..... Blood Pressure  
Help Text..... Enter in the blood pressure values as  
###/###.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500634

LOCATION: 7 entries

- 
1. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}
  2. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}
  3. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
  4. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
  5. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
  6. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
  7. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

METHOD: 11 entries

- 
1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
  2. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
  3. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
  4. CUFF-AUTOMATED (CA) {088AAD2B-2E7B-F835-376F-3D4340790976}
  5. CUFF-MANUAL (CM) {5F56C163-2B04-112F-55DE-E31374E0FB58}
  6. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
  7. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
  8. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
  9. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
  10. PALPATED (Pal) {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}
  11. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION: 6 entries

- 
1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
  2. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
  3. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
  4. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
  5. TRENDELENBURG (Tr) {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}
  6. SUPINE (SUPINE) {DEA8A744-B445-4A9E-875D-485E060F2ACC}

UNITS:

-----



=====

TERM: BLOOD PRESSURE CUFF SIZE  
ID: {46DCF900-6F2C-46D0-ADB8-2EC17E7659FF}

=====

Page: 64

Abbreviation..... BP CUFF SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Blood Pressure Cuff Size  
Help Text..... Blood Pressure Cuff Size  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. ADULT (ADULT) {37B557BE-B932-4757-8E08-5EA315E8AD1F}
  2. ADULT LARGE (AD LARGE) {38E64D72-2806-47FA-B82F-51844574F850}
  3. ADULT SMALL (AD SMALL) {0161A4E5-713A-406B-B3FD-9ED13BEB5366}
  4. THIGH (THIGH) {65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}
  5. PEDIATRIC (PEDIATRIC) {06865E22-3ED9-4EDD-9749-6F8641BF29DE}

UNITS:  
-----

=====

TERM: BODY SURFACE AREA  
ID: {5C9A522B-C5ED-4D59-7BF8-3D88ADEBAB07}

=====

Page: 65

Abbreviation..... M2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Body Surface Area  
Display Name..... BSA  
Help Text..... Body Surface Area  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

SQUARE METERS            0.50 > 1.00 \* 1.75 < 4.00 Dec Prec: 2

=====

TERM: BOWEL MOVEMENT EVENT(S)  
ID: {2EB1DAFB-1E56-40A8-B371-D46EF7AF2435}

=====

Page: 66

Abbreviation..... BM EVENT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Number of bowel movements observed  
Display Name..... Bowel Movement Event  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

EVENT(S)            -1 > 0 \* 8 < 30            Dec Prec: 0



Abbreviation..... BR SC FRIC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Braden Scale Friction and Shear  
Display Name..... Braden Scale Friction and Shear  
Help Text..... 1. Problem: Requires moderate to  
maximum assistance in moving. 2  
Potential Problem: Moves feebly or  
requires minimum assistance.3 No  
Apparent Problem: Moves in bed and  
in chair independently and has  
sufficient muscle strength to lift up  
completely  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. BRADEN FRICTION AND SHEAR 1 PROBLEM (BS F/S 1)  
{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}
  2. BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (BS F/S 2)  
{B56338A9-8956-4D27-8BA0-DA50E07359E0}
  3. BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (BS F/S 3)  
{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

UNITS:  
-----

=====

TERM: BRADEN SCALE MOBILITY  
ID: {85F9FB55-26A3-6203-C1AE-6EFED5952B3D}

=====

Page: 69

Abbreviation..... BR SC MOBI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Braden Scale Mobility - ability to  
change and control body position  
Display Name..... Braden Scale Mobility  
Help Text..... 1=Completely Immobile, 2=Very  
Limited, 3=Slightly Limited, 4=No  
Impairment  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (BS MOB 1)  
{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}
  2. BRADEN SCALE MOBILITY 2 VERY LIMITED (BS MOB 2)  
{868EFA33-877E-4B91-B4FD-9655F66A7160}
  3. BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (BS MOB 3)  
{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}
  4. BRADEN SCALE MOBILITY 4 NO LIMITATION (BS MOB 4)  
{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

UNITS:  
-----

Abbreviation..... BR SC MOIS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Braden Scale Moisture - degree to  
which skin is exposed to moisture  
Display Name..... Braden Scale - Moisture  
Help Text..... 1=Constantly Moist, 2=Very Moist,  
3=Occasionally Moist, 4=Rarely Moist  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (BS MOI 1)  
{3E2569BA-ECF0-4622-8F4A-26378A2CB466}
  2. BRADEN SCALE MOISTURE 2 VERY MOIST (BS MOI 2)  
{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}
  3. BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (BS MOI 3)  
{D7F2714B-B0C7-4000-8588-8582C1B32ECE}
  4. BRADEN SCALE MOISTURE 4 RARELY MOIST (BS MOI 4)  
{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}

UNITS:  
-----







=====

TERM: BRADEN SCALE TOTAL  
ID: {42F65882-FAE1-45E1-84E9-A2A71052BD0C}

=====

Abbreviation..... BRADEN TOT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Braden Scale Total  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

BRADEN SCALE            5 > 6 \* 23 < 24            Dec Prec: 0

Abbreviation..... BREATH SOU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... SOUND OBSERVATIONS FROM PATIENT'S LUNGS
Display Name..... Breath Sounds
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

- 1. RHONCHI (RHONCHI) {850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}
2. CRACKLES (c) {6B64C108-4424-00D9-525F-D89D549476D6}
3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
5. DIMINISHED (d) {49DE419E-DC3C-F7CD-771D-742031E0DEBC}
6. INSPIRATORY WHEEZES (INSP WHEEZ) {3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}
7. EXPIRATORY WHEEZES (EXP WHEEZE) {CFC103A8-8B02-4942-BBDD-8D24C930883E}

LOCATION: 5 entries

- 1. LEFT LOWER LOBE (LLL) {14155C13-874D-6E26-01D8-2C03B349F913}
2. LEFT UPPER LOBE (LUL) {21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}
3. R LOWER LOBE (RLL) {418D350A-3602-1918-22C8-53D093AF49B0}
4. R MIDDLE LOBE (RML) {57879159-350C-2055-34D3-C6EFA39CA98F}
5. R UPPER LOBE (RUL) {098C11B4-B556-FBBE-7E21-AEC9D7E4408A}

UNITS:

=====

TERM: CALL LIGHT WITHIN REACH  
ID: {ABAC4D24-C449-117E-BE4C-BFBC1F599A57}

=====

Page: 75

Abbreviation..... CALL LT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Call Light Within Reach  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: CAPILLARY REFILL  
ID: {951BBDAA-883A-E4F7-AD05-B086A71A2FEC}

=====

Page: 76

Abbreviation..... CAP REFILL  
Active..... Yes  
Boolean Value False..... Greater than 3 seconds  
Boolean Value True..... Less than 3 seconds  
Data Type..... Boolean  
Description..... RATE OF CAPILLARY REFILL  
Display Name..... Capillary Refill  
Help Text..... RATE OF CAPILLARY REFILL  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: CARDIAC ABNORMAL BPM  
ID: {1B168030-C39C-8120-915A-36073D044B17}

=====

Page: 77

Abbreviation..... ABN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Cardiac Abnormal BPM  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

BEATS PER MINUTE      0 > 1 \* 200 < 201      Dec Prec: 0

=====

TERM: CARDIAC ALARM PARAMETERS VERIFIED  
ID: {564B52F5-824E-3DBF-5EDB-493DDFFC30A3}

=====

Page: 78

Abbreviation..... CARD ALARM  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Cardiac Alarm Parameters Verified  
Help Text..... Cardiac Alarm Parameters Verified  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... BRUIT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Bruit  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |                |  |
|----------------|--|
| 1. PRESENT (p) | {384DC20F-1625-CE1E-1C85-A3B3924BB2A0} |
| 2. ABSENT (a)  | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |

LOCATION: 7 entries

- 
- |                                |  |
|--------------------------------|--|
| 1. L FEMORAL (L FEM)           | {50AF6A08-CE37-6859-F4E6-762660A982F7} |
| 2. R FEMORAL (R FEM)           | {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC} |
| 3. L CAROTID (L CAROTID)       | {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC} |
| 4. R CAROTID (R CAROTID)       | {8280ACD2-72D6-202A-89AF-86BCA7736427} |
| 5. R TEMPORAL (R TEMPOR)       | {1F50461D-5ECF-25B2-A29A-E02803CB7814} |
| 6. L TEMPORAL (L TEMPO)        | {375E65CF-A59E-A1E9-EB6D-D53CD818939E} |
| 7. ABDOMINAL AORTA (ABD AORTA) | {C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3} |

UNITS:

-----



Abbreviation..... CARD E
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Cardiac Ectopy
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

- 1. PJC (p) {1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}
2. PAC (p) {848AB18A-598D-8E4E-8B1B-ED7478CE340B}
3. PVC (p) {33FF92F1-84CC-7CFA-41CF-B271A26C59B8}
4. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
6. MULTIFOCAL PVC (Mult PVC) {34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}
7. UNIFOCAL PVC (Uni PVC) {5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}
8. PAIRS (Pairs) {668B0D85-E507-4E12-B07A-A90CB98730DC}
9. RUNS OF VT (Runs of VT) {3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}
10. BIGEMINY (Bigeminy) {729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}
11. TRIGEMINY (Trigeminy) {13D65F9F-B51C-4CEC-8002-037C8323626C}
12. QUADRAGEMINY (Quadrage mi) {899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}
13. JUNCTIONAL ESCAPE BEAT (Junctional) {54F8E569-801E-4512-A9BD-C04CDA5CEE7C}
14. REMNANT P-WAVE (Remnant P) {3BBAA695-337E-41C4-BB83-8452917C07DF}

UNITS:

Abbreviation..... CARD HS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Cardiac Heart Sounds
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

- 1. S1 (s) {1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}
2. S2 (s) {57C043D3-B227-3E7A-C1E6-5129A2800718}
3. S3 (s) {9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}
4. S4 (s) {9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}
5. RUB (r) {0040835D-1CF0-7D55-EEBB-A94A1E0D1206}
6. CLICK (c) {F1F3A1A8-35E1-61B4-C783-3314C8247380}
7. MURMUR (MURMUR) {591058E0-4B71-E432-B7D7-EBD42A8C4225}

UNITS:

=====

TERM: CARDIAC INDEX

Page: 82

ID: {BFC29A9A-C666-68B5-C5CF-36B809CF66C2}

=====

Abbreviation..... CI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Cardiac Index  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

-----  
LITERS PER MINUTE PER METER2 (BSA)  
-0.1 > 0.0 \* 8.0 < 8.1 Dec Prec: 1

=====

TERM: CARDIAC OUTPUT  
ID: {0B7C4991-12E5-10DE-F25D-CB81BFA1ADAD}

=====

Page: 83

Abbreviation..... CO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Cardiac Output  
Display Name..... Cardiac Output  
Help Text..... Cardiac Output  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

-----

LITERS PER MINUTE 0.00 > 4.00 \* 8.00 < 16.00  
Dec Prec: 2

Abbreviation..... CARDR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... HEART RHYTHM
Display Name..... Cardiac Rhythm
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 32 entries

- 1. SINUS RHYTHM (sr) {A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}
2. SINUS BRADYCARDIA (sb) {D6EF4940-63AE-22AF-1A80-D8E6F0F07839}
3. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}
4. ASYSTOLE (a) {6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}
5. ATRIAL FIB/FLUTTER (af) {9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}
6. ATRIAL FIBRILLATION (a fib) {7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}
7. ATRIAL FLUTTER (af) {9CB8D413-6762-D78E-F40E-25DB66CD23B3}
8. L BUNDLE BRANCH BLOCK (lbbb) {C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}
9. R BUNDLE BRANCH BLOCK (rbbb) {FDE0D174-5220-F069-D284-20399D9489B0}
10. IDIOVENTRICULAR (i) {8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}
11. JUNCTIONAL (j) {4A339D84-7051-1258-877D-85AFC1CA20FE}
12. PACED: AV SEQUENTIAL (pas) {3C485674-224C-47DA-510D-92F1A0CA54A1}
13. PACED: ATRIAL (pa) {88837DD4-098D-B77F-A754-89D5C4F5870F}
14. PACED: VENTRICULAR (pv) {A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}
15. PAROXYSMAL ATRIAL TACHYCARDIA (pat) {27BC1FAF-A403-6EA8-044C-F1271F12A62A}
16. SINUS ARREST (sa) {3CD8F7AC-3FE0-F342-089C-787232D2A5C2}
17. SINUS ARRHYTHMIA (sa) {07A24AC9-B486-A4B8-BADB-04D2729542CE}
18. SUPRAVENTRICULAR TACHYCARDIA (st) {F712412F-D39A-58F7-E4F1-6AC8B77445D7}
19. VENTRICULAR FIBRILLATION (vf) {400B70C2-6E15-458F-70C6-FA2597DE2556}
20. VENTRICULAR TACHYCARDIA (vt) {138258AD-3A2C-2A6C-9DF8-615CCC303DC2}
21. FIRST DEGREE AV BLOCK (fdab) {4FF046C9-B638-F86C-5D51-006B3D5225E3}
22. SECOND DEGREE AV BLOCK: TYPE 1 (sdabt1) {508BF663-96FB-EEBE-4F06-D2F1A02BD099}
23. SECOND DEGREE AV BLOCK: TYPE 2 (sdabt2) {3367754A-08D1-31A9-E850-1B36358E358A}
24. THIRD DEGREE AV BLOCK (tdab) {1AC7E31B-830E-2309-3AF7-8FB03003DD86}
25. SINUS PAUSE (sp) {7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}
26. SINUS BLOCK (sb) {94D6EFED-3D08-E724-BC40-9C398919A142}
27. SINUS TACHYCARDIA (SINUS T) {0AC41AF3-7656-A35D-E397-21D35405812A}
28. PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (PST) {9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}
29. MUTIFOCAL ATRIAL TACHYCARDIA (mat) {562C6BBB-C210-4467-93B3-8E50640E7CCE}

- 30. JUNCTIONAL TACHYCARDIA (jt)  
{D6EF01C1-A8F9-40FD-AE24-785041526041}
- 31. TORSADES DE POINTES (Tor de Poi)  
{E936B787-7912-4CAE-A465-AD1A1FEA68CA}
- 32. PULSELESS ELECTRICAL ACTIVITY (Pulseless)  
{8E21E500-78D4-462D-9483-DD81D3887EE5}

UNITS:

-----

Abbreviation..... CAR RH LD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Cardiac Rhythm Lead  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

- 
- 1. I (I) {BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}
  - 2. II (II) {F165C13B-397E-4182-8D72-BD1D74CFBA00}
  - 3. III (III) {D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}
  - 4. AVR (AVR) {04AF2551-1185-4BA9-AEED-977D562D188A}
  - 5. AVL (AVL) {9124A193-5F50-448D-9E60-C5869EC4029C}
  - 6. AVF (AVF) {C8E97206-58AA-47C0-BD2E-7A30E56DB46A}
  - 7. V1 (V1) {4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}
  - 8. V2 (V2) {05A3232E-A30D-4771-A1B5-E7705B717646}
  - 9. V3 (V3) {E150126E-4AA7-4F96-961E-FD1169C77158}
  - 10. V4 (V4) {255260F9-5CC7-41B1-831C-F9319FA27506}
  - 11. V5 (V5) {D5C10744-0EB5-46FA-AE6C-CCF571318F8A}
  - 12. V6 (V6) {B86F72D7-7884-4470-92A8-EF9277C5B584}

UNITS:

-----

Abbreviation..... THRILL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Thrill  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. PRESENT (p)                    {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}
  - 2. ABSENT (a)                    {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 8 entries

- 
- 1. R FEMORAL (R FEM)            {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  - 2. L FEMORAL (L FEM)            {50AF6A08-CE37-6859-F4E6-762660A982F7}
  - 3. R CAROTID (R CAROTID)        {8280ACD2-72D6-202A-89AF-86BCA7736427}
  - 4. L CAROTID (L CAROTID)        {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}
  - 5. R TEMPORAL (R TEMPOR)        {1F50461D-5ECF-25B2-A29A-E02803CB7814}
  - 6. L TEMPORAL (L TEMPO)         {375E65CF-A59E-A1E9-EB6D-D53CD818939E}
  - 7. ABDOMINAL AORTA (ABD AORTA)  
                                  {C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}
  - 8. HEART (HEART)                 {F7D48A36-B512-42DD-B92F-07ACF2B95E08}

UNITS:

-----



=====

TERM: CARDIAC THRILL TIMING  
ID: {D52A1728-1692-4742-886A-B119BB7EE598}

=====

Page: 87

Abbreviation..... THRILL TIM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Thrill Timing  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
  2. SYSTOLIC (SYSTOLIC) {859B5700-0990-42FF-8129-8DB24EFDA8D1}
  3. DIASTOLIC (DIASTOLIC) {3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}
  4. PRESYSTOLIC (PRESYSTOLI) {BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}

UNITS:

-----

=====

TERM: CAUTI PREVENTION: GU CATHETER DISCONTINUED  
ID: {E4E49EAC-51FA-4355-858E-4B638F5F5534}

=====

Page: 88

Abbreviation..... GU Cat Dis  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... CAUTI Prevention: GU Catheter  
Discontinued  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: CAUTI: ALTERNATIVES ATTEMPTED PRIOR TO CATH  
ID: {D7A1DFC3-BBD5-4439-AAB7-D3489238A360}

=====

Page: 89

Abbreviation..... CAUTI: Alt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI: alternatives attempted prior  
to cath  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----

- 10. BLADDER SCAN (Blad Scan)  
{6C66BC97-1042-4E53-A49F-69AB7ABEE551}
- 20. EXTERNAL CONDOM CATH (Ex Con Cat)  
{747E493A-C535-44EA-AD6D-27CE3E8E8CAC}
- 30. BEDSIDE COMMODORE (Bedside Cm)  
{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}
- 40. TOILETING BY SCHEDULE (Toilet Sch)  
{D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}

UNITS:

-----

=====

TERM: CAUTI: CATHETER IN PLACE  
ID: {A1A9B834-08E3-461E-8E52-03C49D1B63B0}

=====

Page: 90

Abbreviation..... CAUTI: Cat  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI: Catheter in place  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
- 10. FROM OPERATING ROOM (From Op Rm) {2B26BD84-3D4D-4931-99C7-8204E9D49827}
  - 20. FROM EMERGENCY DEPARTMENT (Fr Emergen) {9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}
  - 30. FROM INTERVENTIONAL RADIOLOGY (Fr Int Rad) {617DA086-B121-4E2F-8B02-41133EEDD50D}
  - 40. FROM ANOTHER VA FACILITY (Fr Oth VA) {66AF9A88-6404-4E05-9640-4FB0C6513BAF}
  - 50. FROM A NON-VA OUTSIDE FACILITY (Fr Non-VA) {8090F49E-5056-4F7C-932C-538581996F8F}
  - 60. FROM ANOTHER UNIT (Fr An Unit) {D94B5252-7E8A-48EB-A481-0B18C68CAEF7}
  - 70. FROM MICU (From MICU) {971D83AE-B75C-420B-B23D-844397CEE968}
  - 80. FROM SICU (From SICU) {892002CC-E07A-49A5-B909-1F88665B3D65}
  - 90. FROM CLC (From CLC) {8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}
  - 100. FROM HOME (From Home) {2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}

UNITS:

-----

Abbreviation..... CAUTI: In  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI: Indications  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 10. COMFORT CARE (Comfort Ca) {51669E41-DF78-4E49-BA5F-DE6F1B5F1148}
  - 20. NEUROGENIC BLADDER (Neuro Blad)  
{D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}
  - 30. STAGE 3 OR 4 PRESSURE ULCER (Press Ulce)  
{883029EF-BB3A-4146-95DD-3C6F1C0D097D}
  - 40. SELECTED SURGERY (Sel Surg)  
{6DBC6356-0F00-4001-AF94-20A479995A6C}
  - 50. UNABLE TO VOID (Un to Void)  
{1F2A844D-4E14-4759-B8F7-82B58E157720}
  - 60. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:  
-----

Abbreviation..... CAUTI: Req  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI: Insertion Requirements  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
- 10. HAND HYGIENE BEFORE AND AFTER (Hand Hyg)  
{6005023D-3C02-4C93-99E8-2A8167574E93}
  - 20. STERILE GLOVES-DRAPES USED (Ster Glove)  
{F26BBB1B-1483-40CD-AC47-828F71B9187C}
  - 30. ASEPTIC TECHNIQUE FOLLOWED (Aseptic)  
{2DE69DDB-F455-4570-A821-C81F39FD2574}
  - 40. SINGLE USE LUBRICANT PACKET (Single Use)  
{7F748EDB-77D4-42D2-BE75-54F73598D4B0}
  - 50. CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (Cath Secur)  
{A2D2ABF1-88D4-46A2-B935-33211292FF25}
  - 60. DRAINAGE FLOW IS UNOBSTRUCTED (Unobstruct)  
{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}
  - 70. CATH SIZE DOCUMENTED (Cath Size)  
{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}
  - 80. CATHETERIZATION TIME DOCUMENTED (Cath Time)  
{4EF58FCA-A5E1-454C-B435-5BFB487618F4}
  - 90. PROVIDED PATIENT EDUCATION (Pat Ed)  
{25D0998B-3600-40C9-8608-9A0D91CCBEE0}

UNITS:  
-----

=====

TERM: CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY

Page: 93

ID: {130B6426-2DE1-4FBE-ADDD-AA8C66F24A37}

=====

Abbreviation..... Caution  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Caution-Vitals may not display in  
correct sequence. Review times  
carefully  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: CENTRAL LINE ALARMS ON  
ID: {152A037A-A6CC-4F12-8B85-25CEE78772C4}

=====

Page: 94

Abbreviation..... C-LINE ALA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Central Line Alarms On  
Display Name..... Central Line Alarms On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----



=====

TERM: CENTRAL LINE CHANGED  
ID: {8FA1B26D-CADB-4769-3574-18A6BD86C400}

=====

Page: 95

Abbreviation..... C LINE CHA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Changed  
Help Text..... Central Line changed to  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}
  2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}
  3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)  
{20BC183A-197F-4464-A27C-47F63C5B842A}
  4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)  
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:  
-----

=====

TERM: CENTRAL LINE DRESSING CHANGE  
ID: {DDEA3089-9246-40F3-9A67-56A05B393309}

=====

Page: 96

Abbreviation..... C LI DR CH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Central Line Dressing Change  
Display Name..... Central Line Dressing Change  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
  2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
  3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
  4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS:  
-----

=====

TERM: CENTRAL LINE DRESSING TYPE  
ID: {AF276338-5F2C-1CEF-F009-AC4BAED0DDE3}

=====

Page: 97

Abbreviation..... C LINE DRE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Dressing Type  
Help Text..... Type of dressing on central line  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. ANTI-MICROBIAL DRESSING (AB DRESSIN)  
{9734C5E9-D099-47EB-93B1-D82201F64331}
  2. PRESSURE DRESSING (PRESS DRES)  
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}
  3. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
  4. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}

UNITS:  
-----



=====

TERM: CENTRAL LINE SITE CARE  
ID: {4620B5B3-22F7-45DA-A52E-6D3EAE1C4202}

=====

Page: 99

Abbreviation..... C-LINE CAR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Central Line Site Care  
Display Name..... Central Line Site Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... C LINE CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Site Condition
Help Text..... Condition of central line
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS:
-----

=====

TERM: CENTRAL LINE SIZE FRENCH  
ID: {234D330A-C51B-4D56-8631-9418BB081E96}

=====

Page: 101

Abbreviation..... CLINE FREN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Central Line Size (French)  
Display Name..... Central Line Size (French)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

FRENCH                    0.0 > 6.0 \* 10.0 < 50.0    Dec Prec: 1

=====

TERM: CENTRAL LINE SIZE GAUGE  
ID: {870FAA87-69C9-4E00-97A8-CD5CC79B41D6}

=====

Page: 102

Abbreviation..... C-LINE GAU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Central Line Size (Gauge)  
Display Name..... Central Line Size (Gauge)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

GAUGE                    0 > 12 \* 21 < 40            Dec Prec: 0



Abbreviation..... C LINE TYP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Central Line Type
Help Text..... Type of central line
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

- 1. SINGLE (SINGLE) {8D305E0F-9035-E396-E768-40D7E6455BE4}
2. DOUBLE (DOUBLE) {A486852F-150B-24E3-8EB3-8CAABB3D0520}
3. TRIPLE (TRIPLE) {077BE8CF-F2AB-56E1-1F25-51DF80F8054D}
4. INTRODUCER (INTRODUCER) {B46F7CA4-C94E-68FD-2892-52866763B5A0}
5. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}
6. DIALYSIS (DIALYSIS) {D218E23C-5A34-09B0-DE43-DC792DCD0F1C}

LOCATION: 16 entries

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG) {7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU) {6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU) {4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
11. L ANTECUBITAL (L ANTECUBI) {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
12. R ANTECUBITAL (R ANTECUBI) {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

=====

TERM: CENTRAL LINE WAVEFORM  
ID: {4F847833-9A36-4EAE-BC73-B7AB069D39E4}

=====

Page: 104

Abbreviation..... C-LINE WAV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Central Line Waveform  
Display Name..... Central Line Waveform  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
  3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
  4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
  5. NOT MONITORED (NOT MONITO)  
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:  
-----

=====

TERM: CENTRAL LINE ZEROED  
ID: {7868021A-72D4-451F-A2E3-E3106DEC52B4}

=====

Page: 105

Abbreviation..... C-LINE ZER  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Central Line Zeroed  
Display Name..... Central Line Zeroed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: CENTRAL VENOUS PRESSURE  
ID: {D30F98A7-4C5D-12E8-AB4D-9C85A4332EC3}

=====

Page: 106

Abbreviation..... CVP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Central Venous Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688719

LOCATION: 8 entries

-----

1. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
2. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
3. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG)  
{7ABF6916-D379-198D-6454-F0518A74844A}
5. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
6. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

METHOD: 2 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}
2. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

-----

MILLIMETERS OF MERCURY 0 > 2 \* 6 < 19 Dec Prec: 0

=====

TERM: CEREBRAL PERFUSION PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS Page: 107  
ID: {166BD1C4-D983-464A-9A6E-B3A7AC7885EB}

=====

Abbreviation..... CPP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Cerebral Perfusion Pressure  
Display Name..... CPP - Do Not Check Total or Subtotals  
Help Text..... Cerebral Perfusion Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY    0 > 50 \* 150 < 300    Dec Prec: 0

=====

TERM: CHEST EXPANSION  
ID: {BAF272C6-1F0A-40E1-918B-3BABC5F22407}

=====

Page: 108

Abbreviation..... CHEST EXPA  
Active..... Yes  
Boolean Value False..... Asymmetrical  
Boolean Value True..... Symmetrical  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Chest Expansion  
Help Text..... Symetrical or Asymetrical Chest  
Expansion  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:

-----

Abbreviation..... CHEST PN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... EVALUATION OF PATIENTS CHEST DISCOMFORT  
Display Name..... Chest Pain  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 11 entries

-----

- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
- 2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
- 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
- 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
- 5. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
- 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
- 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
- 8. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
- 9. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
- 10. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
- 11. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

LOCATION: 3 entries

-----

- 1. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
- 2. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
- 3. MID-STERNAL (MID-STERN) {3F5168F1-9082-4FB2-A364-3CDE33B1214B}

UNITS:

-----

Abbreviation..... DRAIN CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... DESCRIPTION OF PATIENT'S DRAINAGE  
Display Name..... Chest Tube Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
  2. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
  3. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
  4. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}

UNITS:  
-----



Abbreviation..... CH TU SU T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Chest Tube Drainage Suction Type  
Display Name..... Chest Tube Drainage Suction Type  
Help Text..... Type of Chest Tube Suction  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----

1. WATERSEAL (WATERSEAL) {6D91B99D-F199-09ED-78BE-B54F2CAC4E06}
2. GRAVITY (GRAVITY) {C0233F70-376D-41CE-9F14-714C7B35244F}
3. CONTINUOUS SUCTION (CONT SUCTI)  
{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}

LOCATION: 12 entries

-----

1. L UPPER ANTERIOR CHEST (L U A CHES)  
{FE63B58A-DE39-4C03-AE61-E34A5487C767}
2. R UPPER ANTERIOR CHEST (R U A CHES)  
{67890049-A4A8-4241-BDF3-573729BD6EB5}
3. L MIDDLE ANTERIOR CHEST (L M A CHES)  
{36A83F77-117E-474B-AE34-0B2C02E131AE}
4. R MIDDLE ANTERIOR CHEST (R M A CHES)  
{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}
5. L LOWER ANTERIOR CHEST (L L A CHES)  
{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}
6. R LOWER ANTERIOR CHEST (R L A CHES)  
{96BCF731-B661-4455-B5E7-C4AE2509505F}
7. L UPPER POSTERIOR CHEST (L U P CHES)  
{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}
8. R UPPER POSTERIOR CHEST (R U P CHES)  
{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}
9. L MIDDLE POSTERIOR CHEST (L M P CHES)  
{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}
10. R MIDDLE POSTERIOR CHEST (R M P CHES)  
{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}
11. L LOWER POSTERIOR CHEST (L L P CHES)  
{2C19F10B-7546-4A1F-A5DC-3867359ED971}
12. R LOWER POSTERIOR CHEST (R L P CHES)  
{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

UNITS:

-----



Abbreviation..... CH T DR CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Chest Tube Dressing Change  
Display Name..... Chest Tube Dressing Change  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... CH TU ASSE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Chest Tube Site Assessment
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. AIR LEAK (AIR LEAK) {52E40E25-6D28-53EC-BC05-D1FEAA4616EF}
3. FLUCTUATES (Fluctuates) {C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}
4. CREPITUS (CREPITUS) {56A97506-05F0-4F37-8FD9-3AA82191408A}
5. SQ EMPHYSEMA (SQ EMPHYS.) {B8D03538-0168-4CDC-FF41-BA1185EBCC87}

UNITS:

=====

TERM: CHEST TUBE SUCTION (CM H2O)  
ID: {BD9724EC-B5BB-4F95-8C24-B0A1451C33A6}

=====

Page: 115

Abbreviation..... CHST TU SU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Chest Tube Suction (cm H2O)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CENTIMETERS H2O            0 > 10 \* 20 < 30            Dec Prec: 0

=====

TERM: CHIEF CONCERN/COMPLAINT  
ID: {2A6683ED-9258-4CE9-8793-2FD0B2A56E6F}

=====

Page: 116

Abbreviation..... Chief Com  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Chief Concern/Complaint  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... CG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... circumference
Display Name..... Circumference/Girth
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4688720

LOCATION: 11 entries

- 1. ABDOMINAL (Abd) {AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}
2. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}
3. CALF (Cif) {7923E496-90D6-B6D5-726A-A5B8DF3436CF}
4. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
5. HIP (Hip) {D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}
6. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}
7. LOWER ARM (LrA) {D7627720-D6B0-AC00-8FA3-F7B569ED06FC}
8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
9. THIGH (THIGH) {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}
10. UPPER ARM (UpA) {B43A2B31-1F35-3F4D-5D23-882541ABE477}
11. WRIST (Wri) {C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

UNITS:

INCH 29 > 30 \* 60 < 61 Dec Prec: 0
CENTIMETER 75 > 76 \* 156 < 157 Dec Prec: 0

Abbreviation..... CIWA AG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Agitation  
Help Text..... CIWA Agitation Observation  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- 1. 0 - NORMAL ACTIVITY (CIWA AG 0)  
{9FF32084-A432-467C-B0A2-C8BC9F3D6D13}
  - 2. 1- SOMEWHAT MORE THAN NORMAL ACTIVITY (CIWA AG 1)  
{497F7A3D-72C8-4986-A1E6-74EA0E5704F9}
  - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
  - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
  - 5. 4 - MODERATELY FIDGETY AND RESTLESS (CIWA AG 4)  
{B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}
  - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
  - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
  - 8. 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (CIWA AG 7)  
{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

UNITS:  
-----



=====

TERM: CIWA: ANXIETY  
ID: {9552124C-8650-406F-86FA-AB31D04AC8EF}

=====

Page: 119

Abbreviation..... CIWA AX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Anxiety  
Help Text..... Ask "Do You Feel Nervous?"  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- 1. 0 - NO ANXIETY AT EASE (CIWA AX 0)  
{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}
  - 2. 1 - MILDLY ANXIOUS (CIWA AX 1)  
{401113EE-5CE7-4AE9-80C1-1C3252E706D0}
  - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
  - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
  - 5. 4 - MODERATELY ANXIOUS (CIWA AX 4)  
{9A01FEFD-844C-4FAB-BEC3-96333495FA62}
  - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
  - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
  - 8. 7 - ACUTE PANIC (CIWA AX 7)  
{3F5E6786-FD67-405F-A535-EC1609910F14}

UNITS:  
-----



Abbreviation..... CIWA HA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Headache, Fullness In Head  
Help Text..... Ask "Does your head feel different?  
Does it feel like there is a band  
around your head? Do not rate for  
dizziness or lightheadedness."  
Otherwise, rate severity.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 8 entries

- 
- 1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
  - 2. 1 - VERY MILD (CIWA HA 1) {F789C1EA-CC7A-4368-87BA-08AFFE492EE6}
  - 3. 2 - MILD (CIWA HA 2) {6B752397-0A4F-4176-90E7-E220DB2BF1C4}
  - 4. 3 - MODERATE (CIWA HA 3) {F26EB828-6864-4384-9EBB-35A6CDCACC59}
  - 5. 4 - MODERATELY SEVERE (CIWA HA 4)  
{83B3DE0F-3BA4-4B0A-A222-F372BD403094}
  - 6. 5 - SEVERE (CIWA HA 5) {7BD7B91F-DF6F-47B9-BAA6-3EF249340578}
  - 7. 6 - VERY SEVERE (CIWA HA 6)  
{241C1EF4-2E2A-4D65-9991-607BB6B29E01}
  - 8. 7 - EXTREMELY SEVERE (CIWA HA 7)  
{F8DCC910-D36D-480E-867E-B45221170C49}

UNITS:

-----



Abbreviation..... CIWA OR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Orientation And Clouding Of Sensorium  
Help Text..... Ask "What day is this? Where are you?  
Who am I?"  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. 0 - ORIENTED AND CAN DO SERIAL ADDITIONS (CIWA OR 0)  
{D8015F54-6E9E-457A-955C-38565BDDDBB6}
  2. 1 - CANNOT DO SERIAL ADDITIONS (CIWA OR 1)  
{F4446E01-E326-420E-8EA8-04451AA9D963}
  3. 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (CIWA OR 2)  
{01B894B0-3E70-47FA-820A-83CA48B93EF9}
  4. 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (CIWA OR 3)  
{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}
  5. 4 - DISORIENTED FOR PLACE OR PERSON (CIWA OR 4)  
{03BBFFA2-233A-41A1-8212-F988889C5E72}

UNITS:  
-----

Abbreviation..... CIWA PS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Paroxysmal Sweats  
Help Text..... Paroxysmal Sweats  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- 1. 0 - NO SWEAT VISIBLE (CIWA PS 0)  
      {7C83E616-4414-4766-AAF5-5F5442FFBF09}
  - 2. 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (CIWA PS 1)  
      {93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}
  - 3. 2 (2)                {38E22B79-A2B6-3401-B195-C955F24E1278}
  - 4. 3 (3)                {E714454D-6A67-91F6-2FB7-D8F24F184328}
  - 5. 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (CIWA PS 4)  
      {8388B1A0-46EA-4003-A32B-A2C708A6F056}
  - 6. 5 (5)                {188EDCE7-0726-4234-D8D2-92C8052CD221}
  - 7. 6 (6)                {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
  - 8. 7 - DRENCHING SWEAT (CIWA PS 7)  
      {15D2E2CC-BAED-403B-A141-B848FFE4A9D0}

UNITS:  
-----

Abbreviation..... CIWA TC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Tactile Disturbances
Help Text..... Ask "Have You Any Itching, Pins and
Needles Sensations, Any Burning, Any
Numbness Or Do You Feel Bugs Crawling
On Or Under Your Skin?"
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

- 1. 0 - NONE (CIWA TC 0) {5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}
2. 1 - VERY MILD ITCHING PINS/NEEDLES BURNING (CIWA TC 1)
{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}
3. 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (CIWA TC 2)
{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}
4. 3 - MODERATE ITCHING PINS/NEEDLES BURNING (CIWA TC 3)
{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}
5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)
{13FCDA97-A967-4993-AED5-13EBA61F3102}
6. 5 - SEVERE HALLUCINATIONS (CIWA 5)
{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}
7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)
{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}
8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)
{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

=====

TERM: CIWA: TOTAL

Page: 126

ID: {BD47158C-B56B-4B92-AD2E-33B7149EF6C0}

=====

Abbreviation..... CIWA TOTAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Total CIWA Score  
Help Text..... Add All CIWA Scores Together  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
CIWA SCALE            -1 > 0 \* 9 < 68        Dec Prec: 0



=====

TERM: CIWA: TREMOR  
ID: {E87CAD13-134C-4556-8D55-49450A0D544C}

=====

Page: 127

Abbreviation..... CIWA TR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Tremor  
Help Text..... Arms extended and fingers spread apart.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. 0 - NO TREMOR (CIWA TR 0) {2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}
  2. 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (CIWA TR 1)  
{31833D55-9018-47EE-8341-A0863744CEF8}
  3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
  4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
  5. 4 - MODERATE WITH PATIENTS ARMS EXTENDED (CIWA TR 4)  
{79CE1486-151C-4492-AFD2-7845DD69DA9E}
  6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
  7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
  8. 7 - SEVERE EVEN WITH ARMS NOT EXTENDED (CIWA TR 7)  
{FE0BE72E-913A-48CD-BABF-C5B742AFED93}

UNITS:  
-----



Abbreviation..... CO BEH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Close Observation Behavior  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
1. WALKING OR PACING (wop) {CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}
  2. LYING OR SITTING (los) {52A940B1-55AF-AB4E-9E59-F93515A1296C}
  3. QUIET OR RESTING (qor) {76E4908F-014C-2088-FF7F-33EBF223DE40}
  4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
  5. WITH PHYSICIAN (wp) {1673C53F-DA8C-2CEC-679B-B01D914FE533}
  6. WITH THERAPIST (wt) {795A1300-1D60-9D67-692D-A2AB2B190596}
  7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}

UNITS:  
-----

Abbreviation..... CO CUR LOC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Close Observation Current Location
Display Name..... Close Observation Current Location
Help Text..... Close Observation Current Location
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

- 1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
7. SMOKING AREA (sa) {8AFDBCB0-9FC8-523F-5D07-4D8CCBA7036F}
8. SMOKING PORCH (sp) {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

=====

TERM: CLOSE OBSERVATION REASON FOR PRECAUTION  
ID: {1B131F5A-CD32-38CA-19A5-1038A07C9867}

=====

Page: 131

Abbreviation..... CO RFP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Close Observation Reason for Precaution  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
  2. ESCAPE (e) {965F3201-9D63-66AB-FA25-99479AE7145A}
  3. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
  4. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
  5. MEDICAL DEVICE SAFETY (mds)  
{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

UNITS:  
-----

=====

TERM: CODE STATUS

Page: 132

ID: {95248A8C-E05A-94F3-CA15-6F113997A621}

=====

Abbreviation..... CS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Code Status  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. FULL CODE (fc) {1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}
  2. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}

UNITS:  
-----

=====

TERM: COLLOID TYPE  
ID: {C22CB099-BC3F-42AE-9A11-67B99093D959}

=====

Page: 133

Abbreviation..... COLLOID TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Colloid  
Display Name..... Colloid Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. 5 PERCENT ALBUMIN (5 PERC ALB)  
    {38CE47CB-736B-475E-8E89-C4C13F2DF184}
  2. 25 PERCENT ALBUMIN (25 PERC AL)  
    {2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}
  3. 6 PERCENT HETASTARCH (6 PERC HET)  
    {D94072C9-87E8-46CA-929F-4904F3BD964C}

UNITS:  
-----

=====

TERM: COMA SCORE EYE  
ID: {EAAF4E71-3BE6-5058-07FF-1A3D977BC569}

=====

Page: 134

Abbreviation..... CSE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO  
SPEECH, 4: OPEN SPONTANEOUSLY  
Display Name..... Coma Score  
Help Text..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO  
SPEECH, 4: OPEN SPONTANEOUSLY  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
- 1. CLOSED (CLOSED) {9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}
  - 2. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  - 3. TO PAIN (TO PAIN) {AA1F818D-DCFC-4FBC-97D3-BE86D309119E}
  - 4. TO SPEECH (TO SPEECH) {2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}
  - 5. OPEN SPONTANEOUSLY (OPEN SPONT)  
{013F1473-BDC9-4E7C-9709-C577357709F6}

LOCATION: 2 entries

- 
- 1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
  - 2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

-----



Abbreviation..... CSM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Coma Score Motor  
Help Text..... 1: None, 2: Extends to pain, 3:  
Flexion to pain, 4: Withdraws to  
pain, 5: Localizes to pain, 6: Obeys  
Commands  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. EXTENDS TO PAIN (EXT TO PAI)  
{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}
  3. FLEXION TO PAIN (FLEX TO PA)  
{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}
  4. WITHDRAWS TO PAIN (WITHD TO P)  
{013527C8-FF6B-49CD-BF45-9338F7413E81}
  5. LOCALIZES TO PAIN (LOC TO PAI)  
{4072DFF9-2D90-423F-B6F0-0F2B924025D9}
  6. OBEYS COMMANDS (OBEYS COMM)  
{EE88EE08-4C71-4C70-B93E-65F9091544C1}

UNITS:  
-----

Abbreviation..... CSV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... 0: Tubed/Dysphagic, 1: None, 2:
Incomprehensible, 3: Inappropriate,
4: Confused, 5: Oriented
Display Name..... Coma Score Verbal
Help Text..... 0: Tubed/Dysphagic, 1: None, 2:
Incomprehensible, 3: Inappropriate,
4: Confused, 5: Oriented
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

- 1. TUBED/DYSPHAGIC (TUBE/DYSPH) {82AAFAE3-50B0-4F2A-91CF-7900849A14EB}
2. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
3. INCOMPREHENSIBLE (INCOMPREHE) {916CD781-563D-4F54-8752-800D37BFAA3B}
4. INAPPROPRIATE (Inappropri) {7E3B54C2-8A49-28EC-055E-FEA87599421C}
5. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
6. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}

UNITS:



Abbreviation..... COUGH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Patients cough character  
Display Name..... Cough  
Help Text..... Patients cough character  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. PRODUCTIVE (p) {22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}
  - 2. NON-PRODUCTIVE (np) {9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}
  - 3. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

UNITS:  
-----

=====

TERM: CPAP Page: 139  
ID: {11AD0BDB-8E33-C04E-29B2-CCB22FDF9EEC}

=====

Abbreviation..... CPAP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Continuous Positive Airway Pressure  
Display Name..... CPAP  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688690

UNITS:

-----

CENTIMETERS H2O            -1 > 0 \* 15 < 100      Dec Prec: 0



=====

TERM: DENTURES

Page: 141

ID: {96B79B0B-3D26-42E9-A082-A601E5832633}

=====

Abbreviation..... Dentures  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Dentures  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. FULL UPPER (Full Up) {1808E638-62BB-4978-8706-34BD74B427DE}
  3. FULL LOWER (Full Low) {D38022EF-F4F0-44A7-82FE-B277A2A0A165}
  4. PARTIAL UPPER (Part Up) {D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}
  5. PARTIAL LOWER (Part Low) {2556CE7E-F211-4992-BCAF-09677C20BEFE}
  6. DENTAL IMPLANTS (Implants)  
{D3AF96DE-6920-4C93-8105-99EE574FC092}

UNITS:

-----

=====

TERM: DIAGNOSIS

Page: 142

ID: {025498CA-716F-440A-9638-CF34CDE29413}

=====

Abbreviation..... Diagnosis  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Diagnosis  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



ID: {3289986D-87C6-4796-AA19-76010682BBAE}

=====

Abbreviation..... DIAG TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Diagnosis  
Display Name..... Diagnosis Type  
Help Text..... Type of Diagnosis  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

1. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
2. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
3. POST PROCEDURE DIAGNOSIS (PO PRO DIA)  
{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}
4. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
5. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}

UNITS:

-----

Abbreviation..... D CATH CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Dialysis Catheter Site Condition
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
170. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
180. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
190. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
200. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

LOCATION: 16 entries

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG) {7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU) {6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU) {4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
11. L ANTECUBITAL (L ANTECUBI) {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
12. R ANTECUBITAL (R ANTECUBI) {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

=====

TERM: DIALYSIS DRESSING TYPE  
ID: {A07D4532-93DF-178D-EB55-070FCF1C570F}

=====

Page: 145

Abbreviation..... DIAL DRESS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Dressing Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
  2. PRESSURE DRESSING (PRESS DRES)  
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS:  
-----

=====

TERM: DIALYSIS RATIO

Page: 146

ID: {F0CDCBBA-E65B-FE01-2E15-640FADF9DF20}

=====

Abbreviation..... DIAL RATIO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Ratio  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

1. 1:1 (1:1)	{5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}
2. 1:2 (1:2)	{287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}
3. 1:3 (1:3)	{062B4F93-8F48-7373-F679-11F57CE98BB3}
4. 1:4 (1:4)	{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
5. 1:8 (1:8)	{94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

-----

=====
TERM: DIALYSIS: ARTERIAL PRESSURE
ID: {D015B928-D30B-49E2-A6F6-135B6131C07B}

Page: 147

=====
Abbreviation..... Art Press
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description.....
Display Name..... Dialysis: Arterial Pressure
Help Text..... Pressure measured within the blood
circuit between the patient's
arterial access and the dialyzer
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

-----
10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----
MILLIMETERS OF MERCURY -300 > -300 \* 9999 < 9999 Dec Prec: 0

=====

TERM: DIALYSIS: UFR (ULTRAFILTRATION RATE)  
ID: {32B6F85E-D3BD-4810-9A57-882AB1630348}

=====

Page: 148

Abbreviation..... UFR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Dialysis: UFR (Ultrafiltration Rate)  
Help Text..... rate at which fluid moves from the  
                                blood into the dialysate  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----

KGS/HOUR 0.00 > 0.00 \* 9999.00 < 9999.00  
Dec Prec: 2

=====

TERM: DIALYSIS: VENOUS PRESSURE  
ID: {8F84D7EC-BD89-46BC-BDB8-9B18231BD4B9}

=====

Page: 149

Abbreviation..... Ven Press  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Dialysis: Venous Pressure  
Help Text..... Pressure measured within the extra  
corporeal blood circuit after the  
dialyzer  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----  
10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----  
MILLIMETERS OF MERCURY 0 > 0 \* 9999 < 9999 Dec Prec: 0

Abbreviation..... DIASTOL PR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Diastolic Pressure
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

LOCATION: 4 entries

- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
4. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

- 1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
2. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
3. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
4. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

POSITION: 3 entries

- 1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

MILLIMETERS OF MERCURY 0 > 40 \* 90 < 300 Dec Prec: 0



Abbreviation..... DIET  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of diet ordered  
Display Name..... DIET  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 46 entries

- 
1. 1800 CALORIE CONTROLLED (1800 CAL C)  
{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}
  2. 1800 DIABETIC (1800 DIAB) {FC71C7D7-F24E-4316-A455-8674804BE092}
  3. 2000 CALORIE CONTROLLED (2000 CAL C)  
{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}
  4. 2000 DIABETIC (2000 DIAB) {DF3056C9-3AEA-4F4E-B758-E35590080AFB}
  5. 2200 CALORIE CONTROLLED (2200 CAL C)  
{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}
  6. 2200 DIABETIC (2200 DIAB) {1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}
  7. 2400 CALORIE CONTROLLED (2400 CAL C)  
{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}
  8. 2400 DIABETIC (2400 DIAB) {2018FB65-3D4E-47E0-90E9-205A45EDF130}
  9. BLAND (BLAND) {38930AFE-ECF7-4548-857C-854E1B5BE148}
  10. CARDIAC DIET (CARD DIET) {218A883D-32A0-438D-B453-7CBCE02693A3}
  11. CLEAR LIQUID DIET (CL LI DIET)  
{D540348D-3E1D-4E42-9EDC-43C56CF56206}
  12. DUMPING SYNDROME (DUMP SYND)  
{0173C971-63CB-45A5-9E93-D966EB3B957D}
  13. DYSPHAGIA PHASE I (DYSP PH I)  
{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}
  14. DYSPHAGIA STAGE II (DYSP ST II)  
{294BF58A-47FD-43A1-8A1E-9E348987B004}
  15. DYSPHAGIA STAGE III (DYS ST III)  
{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}
  16. DYSPHAGIA STAGE IV (DYSP ST IV)  
{E738569A-5104-4C93-8EFC-47D80765F739}
  17. DYSPHAGIA STAGE V (DYSPH ST V)  
{ABE7D85D-1821-4592-B4E8-84670EE484E4}
  18. FAT RESTRICTED 50 GM DIET (F RES 50gm)  
{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}
  19. FECAL FAT TEST DIET (FEC F TEST)  
{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}
  20. FULL LIQUID DIET (FULL LIQ D)  
{CAC22234-7B69-44C3-8A0E-9A84A684E429}
  21. FULL LIQUID DIABETIC (FULL L DIA)  
{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}
  22. GASTRIC BYPASS CLEAR LIQUID (GAS BYP LI)  
{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}
  23. GASTRIC BYPASS PUREED (GAS BY PUR)  
{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}
  24. GASTRIC BYPASS REGULAR (GAS BY REG)  
{EE831906-EA51-4EE4-AAF2-583DF366A942}
  25. GLUTEN RESTRICTED (GLUT RESTR)  
{0805A164-D387-4E67-9D42-BAF1F2543337}

26. HIGH FIBER (HIGH FIBER) {3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}
27. HIGH PROTEIN (HIGH PROTE) {1595A29D-CA91-45AE-893B-856EB909E4DD}
28. HIGH CALORIE (HIGH CALOR) {FC453BF0-1E7E-4733-9605-AC3425F16205}
29. LACTOSE RESTRICTED (LACT RESTR)  
{78A9066A-48E2-4285-88E3-A180CE771B5A}
30. LIBERAL DIABETIC (LIBRL DIAB)  
{9B66B47B-E77E-4F69-BDFA-5323B28A283D}
31. LISTED DIET (LIST DIET) {24FBBFD9-B426-4DD9-9843-3428A1C91676}
32. LOW CHOLESTEROL (LOW CHOLE)  
{88F0170A-2560-48C6-9604-982453BCFC3B}
33. LOW FIBER (LOW FIBER) {2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}
34. LOW PROTEIN 60 GM (L PROT 60g)  
{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}
35. LOW TYRAMINE (LOW TYRAMI) {DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}
36. MECHANICAL (MECHANICAL) {01EA793C-B524-4685-A3EC-60A317CBACC5}
37. NEUTROPENIC (NEUTROPENI) {5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}
38. NPO DIET (NPO DIET) {BEC8F771-B082-40A2-9EE8-553222A25FBF}
39. POST CATH DIET (POST CA DT)  
{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}
40. POTASSIUM MODIFIED 60 MEQ (K MOD 60M)  
{6EC2F10D-CC44-4872-8473-2445A835ABB0}
41. PUREED (PUREED) {99F8AE5F-E390-4583-8A92-CAC13E21BCF4}
42. REGULAR (REGULAR) {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}
43. RENAL DIET (REN DIET) {089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}
44. SODIUM CONTROLLED 2 GM (SOD CONT 2)  
{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}
45. SODIUM CONTROLLED 4 GM (SOD CON 4G)  
{26538A2F-5502-4D94-A2A7-D9E0BF825C47}
46. VEGETARIAN DIET (VEG DIET)  
{6B8143BE-843F-4944-9ABB-7175AFE2DF17}

UNITS:

-----

Abbreviation..... DIS ACTI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Discharge Activities
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 12 entries

- 1. ALERT AND ORIENTED (AL AN OR) {C031F776-36DF-4570-AFAF-A30B8BFA635B}
2. VITAL SIGNS STABLE (VI SI ST) {E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}
3. STEADY GAIT OR BASELINE (ST GA BA) {0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}
4. TRANSPORT FACILITATOR PRESENT (TR FA PR) {645BF269-6B23-4377-95ED-71291F075B25}
5. TOLERATING FLUIDS/NOURISHMENT (TO OR FL) {E107F272-CD27-46B8-8C50-F9FF776DDCD9}
6. IV DISCONTINUED (IV DISC) {FDF951E7-5B72-4166-969B-073D5EC74800}
7. VOIDED (VOIDED) {7F23E601-A1E5-4016-8A12-06B1099041CF}
8. DISCHARGE MEDS PLANNED (DI ME PL) {04E9DF8B-8807-47A5-AE88-180F431F3BDE}
9. MED RECONCILIATION DOCUMENTED (ME RE DO) {9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}
10. DISCHARGE ORDER ON CHART (DI OR CH) {F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}
11. GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (DI IN UN) {C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}
12. DRESSINGS CHECKED (DRESS CH) {21014F53-29CE-4914-8760-6976D8DBA742}

UNITS:

Abbreviation..... Dis Vis
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Distance Vision
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 21 entries

- 10. 20/15 (20/15) {0DB4E45B-A96C-4D11-B59E-A89C9F531146}
20. 20/20 (20/20) {FE086353-09B2-4314-84E9-FA909253AAED}
30. 20/25 (20/25) {4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB}
40. 20/30 (20/30) {667B5FCD-A85D-4054-BFA9-3DA9DDD21306}
50. 20/40 (20/40) {048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF}
60. 20/50 (20/50) {C679C160-D93A-431C-8F28-800D64A019D5}
70. 20/60 (20/60) {AEAA52C2-1450-45B4-A512-73E339718B02}
80. 20/70 (20/70) {B0279832-605C-4441-B568-C131636EB634}
90. 20/80 (20/80) {60F51F22-C739-4BD1-A77E-D224517F861F}
100. 20/100 (20/100) {ECB85701-8B21-407A-9E0B-C015834E984B}
110. 20/200 (20/200) {C3CAF0D6-22A6-4FD5-B8BB-55771F416D4E}
120. 20/300 (20/300) {E6976753-667B-418B-A6E3-0A7CD010CAC0}
130. 20/400 (20/400) {AE8E4C3E-D031-4047-B44E-06F4EB29C73B}
140. 20/800 (20/800) {1303A571-B57C-4757-AC5B-286E6B09343A}
150. CF: COUNTING FINGERS (CF) {3AFD9EDB-98A2-498A-AD95-F5285130CC03}
160. CSM: CENTRAL STEADY MAINTAINED (CSM) {43085BCB-4264-4E4A-BC17-A9C252A89BA8}
170. LP: LIGHT PERCEPTION (LP) {3B5C4FA1-6770-4347-B5FB-2B0554D71339}
180. LPP: LIGHT PERCEPTION WITH PROJECTION (LPP) {29ED35AA-49C5-4835-AF43-17173333A2BB}
190. NLP: NO LIGHT PERCEPTION (NLP) {F710E3C5-9B5A-4826-876D-B5675F9AA67E}
200. HM: HAND MOTIONS (HM) {5180AD3D-4377-435B-9F47-FE59F3E3501B}
210. PROSTHESIS (PROSTHESIS) {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

LOCATION: 2 entries

- 10. RIGHT EYE (Right Eye) {56F81421-F1C7-4FD4-9757-E0EDEF26626E}
20. LEFT EYE (Left Eye) {D1B20983-6076-47E6-9578-2EFB3CB6A47B}

UNITS:

Abbreviation..... DNP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description..... Do not process  
Display Name..... Do Not Process  
Help Text..... Do Not Process  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

ID: {A1E251EA-9302-8851-A67F-00229BCA7163}

=====

Abbreviation..... DORFL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dorsi Flexion  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |                |  |
|----------------|--|
| 1. ABSENT (a)  | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |
| 2. PRESENT (p) | {384DC20F-1625-CE1E-1C85-A3B3924BB2A0} |

UNITS:  
-----

=====

TERM: DRAIN DRESSING CHANGE  
ID: {4D01C8F5-DE00-4238-9D07-D6C103D8131A}

=====

Page: 156

Abbreviation..... Dra/Dr Chg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Drain Dressing Change  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----

10. YES (y)	{483DE806-2EDB-34B0-FE11-C29EEEA649CD}
20. NO (n)	{FC275445-1225-9912-18A3-DF36245893D3}
30. N/A (n)	{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:  
-----

=====

TERM: DRAIN SUCTION CM H20  
ID: {CB2C5928-71E5-429F-9A0E-3FFBF21F62FF}

=====

Page: 157

Abbreviation..... Drain Suct  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Drain Suction cm H20  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CENTIMETERS H2O            0 > 10 \* 20 < 30            Dec Prec: 0





Abbreviation..... DRAIN CHAR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Drainage Characteristics
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

- 1. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}
2. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
3. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
4. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
5. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
6. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
8. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
9. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
10. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
11. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
12. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
13. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
14. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
15. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

=====

TERM: DRAINAGE SYSTEM REPLACED  
ID: {2C5F8E0E-8BBB-4D45-92FE-984D51A9B080}

=====

Page: 160

Abbreviation..... Dr Sy Repl  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Drainage System Replaced  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: DRESSING CHANGE  
ID: {C101E88C-F5C8-43D7-A25C-33E61414D180}

=====

Page: 161

Abbreviation..... Dress Chg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Dressing Change  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 10. 1. DRY (1. Dry) {E6C8E56E-DFC8-42FE-9D49-BED30EC37491}
  - 20. 2. INTACT (2. Intact) {6F977B33-94E0-4F40-A5B2-9D1EBFBE8433}
  - 30. 3. CHANGED (3. Changed) {1F23AD0D-376F-4F2D-ADF4-ADF5CD475633}
  - 40. 4. REINFORCED (4. Reinfor) {5D06DC53-DB40-47B2-9257-8FD206463014}

UNITS:

-----

=====

TERM: DVT PROPHYLAXIS  
ID: {C2EE711E-C076-491F-8063-8DA80BBCA529}

=====

Page: 162

Abbreviation..... DVT PROPHY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... DVT Prophylaxis devices  
Display Name..... DVT Prophylaxis  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. ANTI-EMBOLUS STOCKINGS KNEE HIGH (ANT EMB KN)  
{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}
  2. ANTI-EMBOLUS STOCKINGS THIGH HIGH (ANT EMB ST)  
{9B32D3F3-47F1-886F-A59A-D8AB38A34754}
  3. SEQUENTIAL COMPRESSION DEVICE (SCD)  
{29D657DB-6679-8A55-0E33-235B5DD349F2}
  4. ELASTIC WRAP (ELAST WRAP) {9EB52FA5-32D8-823F-2E3C-83375DA62342}
  5. MEDICATION PROPHYLAXIS (Med Propy)  
{40D79227-A4DB-4E1E-81C6-6F4E4F243964}

UNITS:  
-----

ID: {64C54E39-9541-4FD2-8F3F-A32053F6889F}

=====

Abbreviation..... EDEMA AMOU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Edema Amount  
Display Name..... Edema Amount  
Help Text..... 0=Absent, +1=Slight (0-2 mm),  
+2=Moderate (3-5 mm), +3=Marked (6-8  
mm), +4=Very Marked (more than 8 mm)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
  2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}
  3. +2 = MODERATE (+2 = MODER)  
{CCF23A60-068C-443F-AFD0-2D56EEE0446C}
  4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}
  5. +4 = VERY MARKED (+4 = VY MA)  
{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

UNITS:

-----

Abbreviation..... EDEMA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Observation Of Patients Edema
Display Name..... Edema Severity
Help Text..... 0=Absent, +1=Slight (0-2 mm),
+2=Moderate (3-5 mm), +3=Marked (6-8
mm), +4=Very Marked (more than 8 mm)
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}
3. +2 = MODERATE (+2 = MODER) {CCF23A60-068C-443F-AFD0-2D56EEE0446C}
4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}
5. +4 = VERY MARKED (+4 = VY MA) {55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

LOCATION: 28 entries

- 1. GENERALIZED (GENERIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}
2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
4. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
5. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
6. BOTH HANDS (BOTH HANDS) {63AA2685-CB1D-4680-B2F4-2199A22D1EC6}
7. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
8. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
9. LEFT NECK (L NECK) {40522B5F-F23E-EADB-AE64-8EDE3B9E1155}
10. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}
11. BILATERAL NECK (BILAT NECK) {744BF4A2-C55E-4D55-8711-58700DD1C446}
12. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
13. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
14. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
15. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
16. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
17. FEET (FEET) {944CAA0E-5165-A6AF-BE3D-85455440BF40}
18. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
19. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
20. KNEES (KNEES) {247D6621-3A85-F1F7-59BF-1FB0361B3C21}
21. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}
22. PERIORBITAL (PERIORBITA) {DBAC362B-6278-EDB4-7E28-3180321A38B2}
23. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
24. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
25. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
26. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
27. INCISIONAL SITE (INCISON SI) {EB36A66D-751D-4031-9F68-0BB03E267321}
28. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

-----



Abbreviation..... EDU BARR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Barriers
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. HEARING (HEARING) {D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}
3. LANGUAGE (LANGUAGE) {0666538E-4F44-4D34-A5EA-69CF2F1F86FA}
4. LIMITED ATTENTION SPAN (LIM ATT S) {51553020-0CB9-483E-AC1C-15CA6D9380A3}
5. MEMORY (MEMORY) {E30C1930-B98B-4382-B892-34E9C6008D1F}
6. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}
7. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
8. VISUAL IMPAIRMENT (VIS IMPAIR) {7B2107CE-002D-43BE-9102-FCD5B9FAD617}
9. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
10. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
11. COMMUNICATION BARRIER (COMM BARRI) {1A24946D-D966-4FAB-B6EA-940FA9EF60D3}
12. IMPAIRED LISTENING SKILLS (IMP LIS SK) {9CE0E7E7-79E5-4910-918C-2022C9830171}
13. EMOTIONAL (EMOTIONAL) {626C22E6-EF2A-489F-AA79-D27541A0BC45}
14. UNABLE TO ASSESS (UNA TO AS) {4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}
15. UNABLE TO READ (ILLITERATE) {6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}

UNITS:

=====

TERM: EDUCATION - BELIEFS  
ID: {3CA218A6-33BA-43A8-A39A-F458BDAFEB82}

=====

Abbreviation..... EDU BELIEF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Beliefs  
Help Text..... Describe patient beliefs that may  
  impact education provided  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----

1. CULTURAL (CULTURAL)      {530D166D-D7C1-4204-94DC-83F4E140F11C}
2. RELIGIOUS (RELIGIOUS)    {936C9949-8A30-4BBF-934C-1F194551B8E2}
3. SPIRITUAL (SPIRITUAL)    {9670E2B9-6938-4487-A857-25546775B7A2}

UNITS:

-----

Abbreviation..... EDU READY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Readiness To Learn
Help Text..... Evaluate patient's desire and
motivation to learn
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

- 1. EAGER TO LEARN (EAGER) {A20AF51B-C89C-4308-AE17-C66144FE68BE}
2. LACKS INTEREST (LACKS INT) {585C5B7D-D229-4C7C-AE3C-5869FF845F0D}
3. DENIES NEED (DENIES NE) {28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}
4. INDIFFERENT (INDIFF) {7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}
5. UNABLE TO RESPOND (UNA TO RES) {1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}
6. CONTEMPLATIVE (CONTEMPLAT) {5194DB04-7A68-491E-B117-BD089C912DFB}
7. UNABLE TO ASSESS (UNA TO AS) {4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

UNITS:

Abbreviation..... EDU TOPIC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Topic  
Help Text..... Patient Education  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 51 entries

-----

1. ACTIVITIES OF DAILY LIVING (ADL)  
{12F2CA66-3DCE-443D-883C-119CE4838B4A}
2. ADVANCED CARE PLANNING (ADV CAR PL)  
{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}
3. ANALGESIA (ANALGESIA) {5452ED11-25E1-437B-8048-3BB3E03BE3B9}
4. CLINICAL ASSESSMENT (CLIN ASSME)  
{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}
5. COMPLIANCE (COMPLIANC) {EF43367E-9898-44C3-8AC8-F5BD28051F1D}
6. DAILY PLAN (DAILY PLAN) {B29357A5-4294-4EA0-A0D3-59182F3C94FB}
7. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
8. DISEASE PROCESS (DISEA PROC)  
{E80807AE-6208-421D-BE4C-445C470D32FA}
9. EQUIPMENT (EQUIPMENT) {04C0F805-C7B3-4A9A-91D8-0F32F3265874}
10. HOME HEALTH (HOME HEALT) {F94FB70A-AFFD-4A5E-A829-0AF933B044BB}
11. INFECTION (INFECTION) {DA00DB58-640D-4294-9468-EEF070DBAE8E}
12. INFECTION PREVENTION AND SCREENING (INF PRE SC)  
{BA58329F-59EC-49F0-BACE-75AA5EC57F52}
13. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}
14. MENTAL HEALTH (MEN HEAL) {ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}
15. MENTAL HEALTH HOLD (MEN HEA HO)  
{31560285-7BD5-4E53-BB77-93B244367F42}
16. NEW ADMISSION EDUCATION (N ADM EDU)  
{1890BC97-FEEB-4BED-A054-3C754C01817B}
17. NUTRITION (NUTRITION) {429A28EF-8A1F-4247-85E8-68D4EFC189C}
18. ORIENTATION (ORIENTA) {10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}
19. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}
20. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
21. POST-PROCEDURE (POST-PROC)  
{0F943BD7-BD13-412E-B4EA-9B5526587340}
22. PRE-OPERATIVE (PRE-OP) {80C418D5-54B1-4CC3-9B19-5653B8D73C45}
23. PRE-PROCEDURE (PRE-PROC) {D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}
24. SAFETY (SAFETY) {AD905A8F-33BD-4EFE-929E-A2B575797402}
25. SPIRITUAL (SPIRITUAL) {9670E2B9-6938-4487-A857-25546775B7A2}
26. TREATMENTS (TREATMENTS) {7A6879B5-F781-498E-9D71-3FA0243C3F21}
27. PRE-SEDATION (PRE SEDA) {684C764E-2BE9-4C99-A2B2-C92D75C73751}
28. POST-SEDATION (POST SED) {B829A249-CB14-4919-86F8-4A8C8D6B7753}
29. ENVIRONMENT (ENVIRO) {C61AA262-F6AF-46AC-A215-0D56FD01B234}
30. ENTERAL TUBE/STOMA CARE (Tube/Stoma)  
{B91B94EF-CFE6-4628-BEF2-D06E5870D574}
31. ENTERAL TUBE MEDICATION ADMINISTRATION (Med Admin)  
{68D124A7-69CF-414B-8A47-BC666A373E24}
32. ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (Feed Form)  
{D2EA8840-1123-4660-AD25-587458BF1E89}
33. ENTERAL FEEDING PUMP (Feed Pump)

- {31FF069C-0060-45C3-898F-20F1A9D1552B}
34. PCA PUMP (PCA Pump) {C6F139AF-C42B-4577-83E1-A12675C31A21}
35. EPIDURAL PUMP (Epid Pump) {26C83111-5FA8-4398-8D3E-787B31A2A9E9}
360. BLOOD GLUCOSE MONITORING (BI Glu Mon)  
{525C8F3C-F8F5-4158-9CDE-3A7B306BADC5}
370. COMMUNITY RESOURCES (Comm Res)  
{0088604F-6A99-4D99-B451-5262734E0D17}
380. DIAGNOSIS/HEALTH STATUS (Diag/Healt)  
{42F128CE-63B7-4AA9-A121-B08C507F9941}
390. FINANCIAL CONCERNS (Fin Concer)  
{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}
400. GENERAL HEALTH (Gen Healt)  
{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}
410. OSTOMY CARE (Ostomy Car) {BC834BC9-5861-4B94-BA34-FDF5C9FDF979}
420. PATIENT RIGHTS AND RESPONSIBILITIES (Pat Rights)  
{DA69AAEE-DBDC-4CAA-849A-7242F0854385}
430. PERSONAL HYGIENE AND/OR GROOMING (Per Hyg)  
{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}
440. PREVENTIVE HEALTH REHAB TECHNIQUES (Rehab Tech)  
{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}
450. SELF-CARE SKILLS (Self Skill)  
{39145E84-85F2-486C-9FF8-27787EC8026A}
460. SUPPORT GROUPS (Supp Group)  
{7D67F542-4210-42FE-B083-7DA9D29055BD}
470. CAREGIVER STRESS (Care Stres)  
{A6A201E7-259C-485E-A35E-9F2F3489B24F}
480. FAMILY NEEDS (Fam Needs) {CEB07929-0A6E-47E9-99CD-BD9333304C9C}
490. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}
500. NONE IDENTIFIED AT THIS VISIT (None)  
{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}
510. ISOLATION (Isolation) {BD993BAD-087B-4C88-9EEC-DC1B84F9A642}

UNITS:

-----

Abbreviation..... EKG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... EKG Lead
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

LOCATION: 5 entries

- 1. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
3. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
4. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
5. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 1 entries

- 1. SKIN (ADHESIVE INDICATOR) (SKIN) {C7CE7D84-6FC7-406A-7E56-B080637509DF}

QUALITY: 1 entries

- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

UNITS:

MILLIMETERS -21.00 > -20.00 \* 20.00 < 21.00
Dec Prec: 2

=====

TERM: ENTERAL FEEDING TUBE TYPE  
ID: {C0633B19-939C-4213-B7C7-C04DC2ADEF0C}

=====

Page: 170

Abbreviation..... EF TUBE TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Enteral Feeding Tube used  
Display Name..... E.F. Tube Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. NASOGASTRIC LARGE BORE TUBE (NG LG BORE)  
{C3FEE16A-9998-455B-BEB8-CC55AF890202}
  2. NASAL INTESTINAL SMALL BORE (N INT SM B)  
{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}
  3. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}
  4. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
  5. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}
  6. ORAL GASTRIC TUBE (OG TUBE)  
{C6995D6A-939C-4C31-A3C2-4504CB5597CD}
  7. DUODENOSTOMY (DUODENOSTO) {FA44135D-6806-42E7-B371-8C3912B3582E}
  8. TRANSPYLORIC (TRANSPYOLO) {78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}

UNITS:  
-----

Abbreviation..... En Deliver  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Enteral Nutrition Delivery Method  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
1. PUMP - CONTINUOUS (Pump- cont)  
{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}
  2. PUMP - INTERMITTENT (Pump - int)  
{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}
  3. BAG - CONTINUOUS (Bag - cont)  
{F072EF8A-B38B-4D75-82BF-D5EF851784B0}
  4. BAG - INTERMITTENT (Bag - inte)  
{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}
  5. SYRINGE (Syringe ) {8ED1EF3E-79AC-4507-A35B-473F31510FB7}
  6. OPEN SYSTEM (Open syste) {2047EDE8-5D72-4541-A23A-81F097A6CA2A}
  7. CLOSED SYSTEM (Closed sys)  
{D076BAB6-C4D1-42F1-9036-80BF4B72E695}

UNITS:  
-----





=====

TERM: ENTERAL NUTRITION RATE  
ID: {75A4F240-8D8E-4F7D-84D3-3DBCE1C20F00}

=====

Page: 173

Abbreviation..... ENT NUT RA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Rate of Enteral Nutrition  
Display Name..... Enteral Nutrition Rate  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITERS PER HOUR      -1 > 0 \* 500 < 1000      Dec Prec: 0

=====

TERM: ENTERAL NUTRITION SYSTEM MAINTENANCE  
ID: {9B0AB028-886A-49A5-83BF-A9E4BC787EBF}

=====

Page: 174

Abbreviation..... En Sys Mnt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Enteral Nutrition System Maintenance  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. BAG CHANGE (Bag Chg) {BC58D518-A742-410B-BE33-732C04D303BD}
  2. SYRINGE CHANGE (Syr Chg) {1F052EF1-F62C-4442-8B2B-D15280226C69}
  3. TUBING CHANGE (Tube Chg) {6418C2A2-D244-4C5B-A398-904B99AACEA4}
  4. STOPCOCK CHANGE (Stop Chg)  
{C4A6E58E-DA4B-478F-823B-D2CFC9860072}

UNITS:  
-----

=====

TERM: ENTERAL NUTRITION TUBE PLACEMENT VERIFIED  
ID: {45513946-76B4-4941-87A4-2737720A16E4}

=====

Page: 175

Abbreviation..... Tube Place  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Enteral Nutrition Tube Placement  
Verified  
Help Text..... Can specify method of verification in  
comments  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:  
-----

Abbreviation..... ENT NUT TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of Enteral Nutrition Used
Display Name..... Enteral Nutrition Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 43 entries

- 1. MAGNACAL (MAGNACAL) {C810A618-FB1A-45BB-A540-EADF1414E343}
3. OSMOLITE HN (OSMOLIT HN) {E4186CA6-302F-4513-B125-30B094151423}
4. ULTRACAL (ULTRACAL) {179AE9A5-154D-4CD2-B70B-66E84F5D0932}
6. VITAL HN ENTERAL NUTRITION (VITAL HN) {E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}
7. D5W ENTERAL NUTRITION (D5W) {D6664641-BF43-4157-9A30-8AD8CFE96518}
8. D10W ENTERAL NUTRITION (D10W ENT N) {5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}
9. D50W ENTERAL NUTRITION (D50W ENT N) {528A4339-0261-4EC5-821C-7CE5592666DC}
17. BOOST (Boost) {2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}
18. BOOST PLUS (Boost Plus) {432C8151-10CE-4804-939D-6B6B609BE54A}
19. ENSURE PLUS (Ensure Plu) {519D1249-B6C0-49ED-BA86-1B27C0F964C9}
20. FIBER STAT (Fiber Stat) {201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}
21. GLUCERNA 1.0 (Glu 1.0) {1C465710-80F2-4C13-B8D5-B1D084151104}
22. GLUCERNA 1.2 (Glu 1.2) {F58F1014-D1C4-44EB-9B01-FB88F2B3D751}
23. ISOSOURCE VHN (Iso VHN) {D68525BF-F922-464E-97DE-1AB767974483}
24. JEVITY 1.0 (Jevity 1.0) {637F4523-0417-4EA4-9991-379C8362EC00}
25. JEVITY 1.2 (Jevity 1.2) {0B3ADECE-FC19-4D90-912B-6EDC3D35C845}
26. JEVITY 1.5 (Jevity 1.5) {ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}
27. JUVEN (Juven) {2112F76A-D581-4C55-94CA-4B4CC68813AD}
28. NEPRO (Nepro) {00FFC7A1-5CDA-45AF-BD50-D77666A23851}
29. NEPRO CARB STEADY (Nepro Car) {6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}
30. NUTRIHEP (Nutrihep) {ABD98675-EB60-40C7-BCE6-73FD787F6D17}
31. OSMOLITE 1.0 (Osmo 1.0) {D5EE7DA5-707B-4000-A133-0C571824A376}
32. OSMOLITE 1.2 (Osmo 1.2) {CEF57C44-82E5-43F5-8646-F8FBCD4609A0}
33. OSMOLITE 1.5 (Osmo 1.5) {8AF4CD1A-631A-4E95-A631-ACFF775284BA}
34. OXEPA (Oxepa) {1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}
35. PERATIVE (Perative) {9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}
36. PIVOT (Pivot) {2E68ED54-57F5-490D-A982-668121F0CF5A}
37. PIVOT 1.5 (Pivot 1.5) {9126F0C6-9716-4C33-8B7C-178D46899D44}
38. PRO STAT SUGAR FREE 64 (ProSta 64) {3622E0A3-8BDF-4ADA-AC4D-20762C10C798}
39. PROMOTE (Promote) {6377C8D3-F6DD-4BD2-877F-DB52525DD65D}
40. PROMOTE WITH FIBER (Pro W/Fib) {33E04B6F-2976-402C-B3B7-B75705430340}
41. PROPASS PROTEIN POWDER (Pro Prot) {2307C41A-92D2-4DD4-BC1F-2E78F7477D98}
42. PRO-STAT (Pro-Stat) {E39E36C7-0A47-459D-BA75-CF6186247B40}
43. PROTENEX WOUND CARE (Protenex) {3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}
44. PULMOCARE (Pulmocare) {8D683106-B5EE-46E1-B1C6-0C7843EDD15C}

- 45. RESOURCE BREEZE (Re Breeze) {D3A38687-AD62-4E1D-A945-1201168E1CF6}
- 46. RESOURCE DM (Re Dm) {C9D4A461-81F9-4392-98DA-129B00E5807F}
- 47. SUPLENA (Suplena) {F606979A-083E-40C1-9EBB-EA56053EF5FD}
- 48. TWO CAL HN (Two Cal HN) {3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}
- 49. VITAL 1.0 (Vital 1.0) {D3CA653C-419D-4186-8704-E171650062DF}
- 50. VITAL 1.5 (Vital 1.5) {3665F539-7BBD-4AD9-A4D0-0A33506036D7}
- 51. VITAL AF (Vital AF) {D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}
- 52. VIVONEX RTF (Viv RTF) {461E7430-CC94-47D1-A90D-9694314C7729}

UNITS:

-----

Abbreviation..... Asp Color
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Enteral Tube Aspirate Color
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 14 entries

- 1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
2. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
3. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
5. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
6. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
7. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
8. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
10. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
11. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
12. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
13. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
140. GOLD (Gold) {1D1A2586-C13C-41FA-A3AD-39294BEBA83E}

UNITS:

=====

TERM: ENTERAL TUBE ASPIRATE PH  
ID: {C6DD77B7-2501-4B20-AAF8-FF40554257CF}

=====

Page: 178

Abbreviation..... Asp PH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Enteral Tube Aspirate pH  
Help Text..... pH of enteral tube output  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

pH                    -1.0 > 0.0 \* 14.0 < 15.0   Dec Prec: 1



=====

TERM: ENTERAL TUBE RESIDUAL VOLUME  
ID: {22EBBA65-D612-43B8-A97F-E750C2ADC9D0}

=====

Page: 179

Abbreviation..... Res Vol  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Enteral Tube Residual Volume  
Help Text..... volume of enteral tube output  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER            -1 > 0 \* 300 < 301      Dec Prec: 0



=====

TERM: EPIDURAL: BOLUS (ML)

Page: 181

ID: {ECED5FF9-C840-4D0A-8CD9-6A2EB772FEB0}

=====

Abbreviation..... Epi Bol ml  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Epidural: Bolus (ml)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	0.01 > 0.01 * 999.99 < 999.99
	Dec Prec: 2

=====

TERM: EPIDURAL: CATHETER SITE  
ID: {4BCC4DF1-B319-40E0-B740-DB96EE30A761}

=====

Page: 182

Abbreviation..... Epi Cat Si  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Epidural: Catheter Site  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

10. THORACIC (Thoracic)	{CAC9637E-6CBC-4F12-BF5B-72EDD2148579}
20. LUMBAR (Lumbar)	{29729E2C-3650-4E81-B7EB-72052EBA3D48}

UNITS:  
-----

=====

TERM: EPIDURAL: CONTINUOUS RATE (ML/HR)  
ID: {45F9DF95-EF21-4BE4-8F43-B680A3CDDC47}

=====

Page: 183

Abbreviation..... C Rate Hr  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Epidural: Continuous Rate (ml/hr)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITERS PER HOUR      0.01 > 0.01 \* 999.99 < 999.99  
Dec Prec: 2

Abbreviation..... Derm Left
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Epidural: Dermatome Sensory Level -
Left
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 22 entries

- 1. C1 (C1) {F942693D-F272-4A70-81FF-E750BAF082B9}
2. C2 (C2) {EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
3. C3 (C3) {B53D0E0E-7BF0-4D26-B4DD-D072035E307E}
4. C4 (C4) {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}
5. C5 (C5) {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}
6. T1 (T1) {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}
7. T2 (T2) {7536B154-F3CA-4B21-8CEC-301F204B19A9}
8. T3 (T3) {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}
9. T4 (T4) {E95970BB-3FDA-4027-AAF0-EE5670642321}
10. T5 (T5) {01B568D4-F9F4-44A7-94A4-EFF830691940}
11. T6 (T6) {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
12. T7 (T7) {385B254A-F256-4626-9C12-7D8984F4B605}
13. T8 (T8) {68337EB5-902D-4DCB-AFDD-8AC59849F58B}
14. T9 (T9) {06F10D8D-2E9D-454D-AD6B-B750300523DD}
15. T10 (T10) {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
16. T11 (T11) {3C40B21A-965B-48C4-A65D-9A01CF2327F1}
17. T12 (T12) {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
18. L1 (L1) {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
19. L2 (L2) {0E5E7F8E-BA82-499B-A57A-8D32C2113006}
20. L3 (L3) {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}
21. L4 (L4) {94632F85-0152-47C2-9D82-B49C36ABF495}
22. L5 (L5) {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

Abbreviation..... Derm Right
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Epidural: Dermatome Sensory Level -
Right
Help Text.....
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 22 entries

- 1. C1 (C1) {F942693D-F272-4A70-81FF-E750BAF082B9}
2. C2 (C2) {EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
3. C3 (C3) {B53D0E0E-7BF0-4D26-B4DD-D072035E307E}
4. C4 (C4) {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}
5. C5 (C5) {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}
6. T1 (T1) {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}
7. T2 (T2) {7536B154-F3CA-4B21-8CEC-301F204B19A9}
8. T3 (T3) {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}
9. T4 (T4) {E95970BB-3FDA-4027-AAF0-EE5670642321}
10. T5 (T5) {01B568D4-F9F4-44A7-94A4-EFF830691940}
11. T6 (T6) {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
12. T7 (T7) {385B254A-F256-4626-9C12-7D8984F4B605}
13. T8 (T8) {68337EB5-902D-4DCB-AFDD-8AC59849F58B}
14. T9 (T9) {06F10D8D-2E9D-454D-AD6B-B750300523DD}
15. T10 (T10) {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
16. T11 (T11) {3C40B21A-965B-48C4-A65D-9A01CF2327F1}
17. T12 (T12) {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
18. L1 (L1) {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
19. L2 (L2) {0E5E7F8E-BA82-499B-A57A-8D32C2113006}
20. L3 (L3) {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}
21. L4 (L4) {94632F85-0152-47C2-9D82-B49C36ABF495}
22. L5 (L5) {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

=====

TERM: EPIDURAL: MEDICATION  
ID: {E3AC01D5-CC7C-471E-A5B1-819416CBB405}

=====

Page: 186

Abbreviation..... Epi Meds  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Epidural: Medication  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. {8BC7F294-7126-4843-91A0-14F805EC4578} (Morphine)  
      {8BC7F294-7126-4843-91A0-14F805EC4578}
  - 20. HYDROMORPHONE (Hydromorph)  
      {8E6E9DB1-C969-4274-9761-C9830A9FCF67}
  - 30. ROPIVICAIN (Ropivicain) {911BE8BC-6737-4DBF-96AF-A501D3D54493}
  - 40. BUPIVICAIN (Bupivicain) {03B908B3-365A-47F6-8D71-8F8FE1D2C16B}
  - 50. FENTANYL (Fentanyl) {C0740659-05FB-4513-BD0F-4F4111B32215}

UNITS:  
-----





Abbreviation..... Side Eff
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Epidural: Side Effects
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 19 entries

- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
3. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
4. ITCHING (Itching) {33304859-7DF4-4D89-86E8-9AA3395CC80A}
5. URINARY RETENTION (Urin Reten) {BDD3A568-00E4-4148-8A5D-00319728022A}
6. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
7. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
8. HEADACHE (Headache) {9338E67C-201C-4066-A734-8BD4B47462BD}
9. BLURRED VISION (Blurred Vi) {1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}
10. SLURRED SPEECH (Slurred Sp) {6C3D295A-71C9-4DA8-A172-995F431D94C9}
11. CONFUSION (Confusion) {C577D53B-2924-41C6-AAF0-426F5259B36F}
12. POOR BAL (Poor Balan) {959AFDB4-6984-452D-9235-B154409DC0ED}
13. TINGLING MOUTH/LIPS (Ting Mou/L) {E603F979-310D-438B-80A2-1F52E4DE71C6}
14. UNEXPECTED NUMBNESS (Unexp Numb) {6418B135-56AF-4A76-A207-55D7AE0C5364}
15. EXTENDED PERIOD OF IMMOBILITY (Ex Pd Immo) {3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}
16. SYMPTOMS OF MEDICATION ALLERGY (Sym Med Al) {8E73F22D-7583-4F24-B946-091CF8508CED}
17. REPIRATORY DEPRESSION (Resp Depr) {7FE6D54C-1D7E-4028-B84C-E8EC416F9104}
18. CNS DEPRESSION (CNS Depres) {EE349460-8B60-427B-AE98-72007DFD2F6A}
19. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:



Abbreviation..... ESI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... EMERGENCY SEVERITY INDEX  
Display Name..... ESI  
Help Text..... EMERGENCY SEVERITY INDEX  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- |          |  |
|----------|--|
| 1. 1 (1) | {8F5D10A8-FE17-47BC-DACA-6972D12CC00A} |
| 2. 2 (2) | {38E22B79-A2B6-3401-B195-C955F24E1278} |
| 3. 3 (3) | {E714454D-6A67-91F6-2FB7-D8F24F184328} |
| 4. 4 (4) | {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A} |
| 5. 5 (5) | {188EDCE7-0726-4234-D8D2-92C8052CD221} |

UNITS:  
-----

=====

TERM: ER TRIAGE CONDITION  
ID: {E4848AF5-F7CA-4B23-B436-B902B0F5555A}

=====

Page: 191

Abbreviation..... TRIAGE CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Triage Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- |                        |  |
|------------------------|--|
| 1. STABLE (STABLE)     | {A474E7BC-47EF-4472-A19A-172C441099EC} |
| 2. UNSTABLE (UNSTABLE) | {5841C521-8070-4034-A69D-27DAB2990EB3} |
| 3. OTHER (OTHER)       | {19094E5B-AEC3-44B0-9BD5-44E79E7EB105} |

UNITS:  
-----

=====

TERM: ER TRIAGE DISPOSITION  
ID: {4D5AB8A3-0883-4D48-AAF7-73933D411038}

=====

Page: 192

Abbreviation..... TRIAGE DIS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Triage Disposition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. EMERGENCY DEPARTMENT (ER DEPT)  
    {D2E511F7-8B80-4928-A64B-3F1EE17395F7}
  2. WAITING ROOM (WAIT ROOM) {13476486-F895-4FFC-AB42-B274827B47DA}
  3. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:  
-----

Abbreviation..... ET LOC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... LOCATION OF ENDOTRACHEAL TUBE  
Display Name..... Endotracheal Tube Location  
Help Text..... Measured in centimeters from lip or  
nose  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 10 entries

- 15. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}
- 16. 21 (21) {C6188159-9EF1-DA5C-C015-2142A1205C4C}
- 18. 22 (22) {DA839156-C7A9-76D7-58CD-7EC2B016EF40}
- 20. 23 (23) {8FB6A8B1-B692-BDC7-43B9-0332F33D826A}
- 22. 24 (24) {2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}
- 24. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCD1}
- 26. 26 (26) {181395F6-29FD-5A41-5AD7-BFC9CF564F3B}
- 28. 27 (27) {64D25A86-6516-0910-B4B5-644B85378876}
- 30. 28 (28) {66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}
- 32. OTHER (COMMENT REQUIRED) (Other Req)  
{334806FC-36EA-4BCB-B3E4-1EC61A5C8DB9}

LOCATION: 3 entries

- 10. LIP (Lip) {43A64C98-CAE1-4069-B66E-91A512D7A703}
- 20. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
- 30. TEETH (TEETH) {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}

POSITION: 3 entries

- 10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}
- 20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}
- 30. MIDLINE (Midline) {1C6F049F-532E-406B-9C54-2AA24CAC085E}

UNITS:

=====

TERM: FALL PRECAUTIONS  
ID: {7912B52F-20BC-9128-883B-08AF0EC48045}

=====

Page: 194

Abbreviation..... FALL PRE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Fall Precautions  
Help Text..... Fall Precautions Taken  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----



Abbreviation..... Fall Prev  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Fall Prevention  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 17 entries

-----

- 10. ORIENTED TO SURROUNDINGS/ROUTINE (Oriented)  
{A8F3F756-E5B5-4B8D-AF21-E45746A64E46}
- 20. INCREASE ROUNDS (Inc Rds) {873180AF-9BB9-44F4-B9E4-80F8BDDF9769}
- 30. NON-SKID SLIPPERS (Non-Skid )  
{D7641B31-2CB9-4284-B505-74B131BF4789}
- 40. PLACED NEAR TO NURSE STATION (Near N/Sta)  
{7790D901-36F0-4DFD-9BF5-8C3A913F30E1}
- 50. NIGHT LIGHT PROVIDED (Night Lite)  
{A6F3E41A-92A1-4AAE-9EFC-84D21E8A32BD}
- 60. PERSONAL ARTICLES AT REACH (At Reach)  
{166DE5BA-67F1-4BDB-9378-062862519BE4}
- 70. ORIENTED TO CALL FOR ASSISTANCE (Call/Asst)  
{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}
- 80. COMFORT MEASURES (Com Measu)  
{A5F09A1F-921E-4469-9652-0A136BCD9C07}
- 90. ESTABLISHED ROUTINE TOILETING SCHEDULE (Toil Sched)  
{A66F5259-5C01-4597-B881-9267DEBC017C}
- 100. AVOIDED LIGHT AND NOISE OVERSTIMULATION (Avoid Lght)  
{135BE5DC-B93B-4A72-97AC-B423A6E81538}
- 110. ELIMINATED ENVIRONMENTAL HAZARDS (Eli Env Hz)  
{78E77129-F53F-491D-8C86-36AE948FCCC6}
- 120. ALARMS ON (Alarms On) {A07F739F-3E78-405D-9012-E43CD84B2CBC}
- 130. HELMET (Helmet) {E65974F8-BCE7-4361-868D-C0B4D780EA21}
- 140. HIP-PROTECTORS (Hip-Prot)  
{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}
- 150. FALL RISK SIGN (Fall Sign)  
{E9670720-957E-487E-B0F0-7F7A8AEF69DE}
- 160. FALL RISK ID (Fall Risk) {EF1BE81B-656B-474C-B19E-CCDAD8BB4100}
- 170. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

=====

TERM: FAMILY ORIENTED TO UNIT  
ID: {E1CB7972-95FE-FE7B-9E6E-ECF1FF4699EB}

=====

Page: 196

Abbreviation..... FOTU  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Family Oriented to Unit  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: FETAL HEART TONES

Page: 197

ID: {A2E22A44-E924-ADDE-2B8E-0251666B4DE6}

=====

Abbreviation..... FT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... From Vitals  
Display Name..... Fetal Heart Tones  
Help Text..... From Vitals  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688721

UNITS:

-----

BEATS PER MINUTE      50 > 120 \* 160 < 225      Dec Prec: 0

=====

TERM: FINGERSTICK GLUCOSE  
ID: {805F184D-EF11-446F-A272-B08249A477E9}

=====

Page: 198

Abbreviation..... FINGER GLU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Fingerstick Glucose Test Result  
Display Name..... Fingerstick Glucose  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

mg/dl                    29 > 65 \* 110 < 601      Dec Prec: 0

=====

TERM: FLATUS

Page: 199

ID: {9999776E-D262-4F64-BDEC-16A7E5885185}

=====

Abbreviation..... FLATUS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Flatus  
Display Name..... Flatus  
Help Text..... Flatus / Flatulence  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}
  2. PATIENT REPORTS NOT PRESENT (PT RP N PR)  
{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}
  3. PATIENT REPORTS PRESENT (PT REP PRE)  
{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}
  4. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

-----

=====

TERM: FLOWSHEET ADDENDUM  
ID: {72F2398C-E7DB-418F-89A4-79E07895295F}

=====

Page: 200

Abbreviation..... FLOW ADDEN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description..... Flowsheet Addendum  
Display Name..... Flowsheet Addendum  
Help Text..... 250 Characters ONLY: Place to enter  
status updates, notes, significant  
events, etc. That are relevant to the  
patient and entire flowsheet.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

Abbreviation..... FOOTS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Foot Strength  
Help Text..... Evaluation of foot strength  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
  - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
  - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
  - 6. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

- 
- 1. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
  - 2. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
  - 3. BILATERAL FOOT (BILAT FOOT)  
{C758847D-468F-479A-B12D-F4E46F0E5E3A}

UNITS:

-----

=====

TERM: FUNDAL HEIGHT

Page: 202

ID: {EEAB8762-624F-7BA3-4001-114FD229BA69}

=====

Abbreviation..... FH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... From Vitals  
Display Name..... Fundal Height  
Help Text..... Starting at 24 weeks  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688722

UNITS:

-----

CENTIMETER                    15 > 21 \* 43 < 60            Dec Prec: 0



=====

TERM: GAG REFLEX

Page: 203

ID: {21F9FD70-0E30-2772-2E3C-D36C9D3ABA9D}

=====

Abbreviation..... GAG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Gag Reflex  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |                |  |
|----------------|--|
| 1. ABSENT (a)  | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |
| 2. PRESENT (p) | {384DC20F-1625-CE1E-1C85-A3B3924BB2A0} |

UNITS:

-----

Abbreviation..... Gait  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Gait  
Help Text..... Assessment of Gait  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- |                           |  |
|---------------------------|--|
| 10. STEADY (Steady)       | {42CF2FDA-E774-4784-99D3-24545E30C46F} |
| 20. UNSTEADY (Unsteady)   | {7AC26DBA-B7F1-401C-9D4C-5C0F06C87152} |
| 30. SHUFFLING (Shuffling) | {7EA3A898-1D90-472C-BE90-2110330A1ADA} |
| 40. SCOOTER (Scooter)     | {663BC475-C20E-4B8B-B8B5-B16CC79A93C6} |

UNITS:

-----

=====

TERM: GASTRIC RESIDUAL AMOUNT DISCARDED  
ID: {E74268D1-6DB1-40BB-810B-4A33D65F73A4}

=====

Page: 205

Abbreviation..... GAS DISCAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Gastric Residual Amount Discarded  
Display Name..... Gastric Residual Amount Discarded  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITER            -1 > 0 \* 750 < 10000    Dec Prec: 0

=====

TERM: GASTRIC RESIDUAL CHECKED  
ID: {7CFB9F8C-FDDB-4CB2-B977-E6570D84BAFE}

=====

Page: 206

Abbreviation..... GAS RES CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the Gastric Residual Checked?  
Display Name..... Gastric Residual Checked  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:  
-----

=====

TERM: GASTRIC RESIDUAL NOT DISCARDED  
ID: {D93EDA7E-706C-4914-A774-5BE46D4A3085}

=====

Page: 207

Abbreviation..... GAS NOT DI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Gastric Residual Amount Not Discarded  
Display Name..... Gastric Residual Amount Not Discarded  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITER            -1 > 0 \* 500 < 10000    Dec Prec: 0

=====

TERM: GASTRIC pH Page: 208  
ID: {5ECE05DB-47C5-43C9-A3CD-0CD31E285BA8}

=====

Abbreviation..... GASTRIC pH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Gastric pH  
Display Name..... Gastric pH  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

pH                    -1 > 0 \* 7 < 15            Dec Prec: 0

=====

TERM: GCS - EYE OPENING  
ID: {11D9DC0B-FE5C-9374-0904-96896A69E41B}

=====

Page: 209

Abbreviation..... GCS EYE OP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Eye Opening  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. 4 - SPONTANEOUSLY (4-s) {4612FC84-FCA8-8C85-50DC-A9A42C195F51}
  2. 3 - TO VERBAL COMMAND (3-tvc)  
{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}
  3. 2 - TO PAIN (2-tp) {49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}
  4. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}
  5. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

UNITS:  
-----

=====

TERM: GCS - MOTOR RESPONSE  
ID: {F708D210-5A49-4731-443A-DB3992450B45}

=====

Page: 210

Abbreviation..... GCS MOTOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Motor Response  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. 6 - OBEYS COMMANDS (6-oc) {0D4956F4-7E79-8D17-EDF3-274B96BBC89A}
  2. 5 - LOCALIZES PAIN (5-lp) {CF13650F-899B-6AE1-5913-DC1F4776E5E4}
  3. 4 - WITHDRAWS FROM PAIN (4-wfp)  
{D808ACF1-30CB-29AB-4957-E91D63C4DF18}
  4. 3 - ABNORMAL FLEXION FROM PAIN (3-affp)  
{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}
  5. 2 - ABNORMAL EXTENSION FROM PAIN (2-aefp)  
{9B4951D8-B271-DFC3-0A00-1DC9984039E3}
  6. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:  
-----



=====

TERM: GCS - TOTAL

Page: 211

ID: {09118FCE-11BC-2679-68FC-67913B3EAAD0}

=====

Abbreviation..... GCS TOTAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Total GCS  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

GLASGOW COMA SCALE	2 > 3 * 15 < 16	Dec Prec: 0
--------------------	-----------------	-------------

=====

TERM: GCS - VERBAL RESPONSE  
ID: {B4BA8135-48CB-2930-B5F2-5B93688C07FE}

=====

Page: 212

Abbreviation..... GCS VERBAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Verbal Response  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. 5 - ORIENTED AND CONVERSES (5-oac)  
    {53AD29B1-BA51-4BDE-4F4C-4268619C93A4}
  2. 4 - DISORIENTED AND CONVERSES (4-dac)  
    {D43F646D-A130-5D06-6DC6-DDB971027231}
  3. 3 - INAPPROPRIATE WORDS (3-iw)  
    {FE000191-243E-4D32-1E1E-546EE2CF88A5}
  4. 2 - INCOMPREHENSIBLE SOUNDS (2-is)  
    {F2261C3D-79A3-055B-702D-446B7A6A3113}
  5. 1 - NO RESPONSE (1-nr)   {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:  
-----

=====

TERM: GENITAL ASSESSMENT  
ID: {139D5B8A-4DF7-4764-A1C9-835C73A13E41}

=====

Page: 213

Abbreviation..... GEN. ASSMT  
Active..... Yes  
Boolean Value False..... Normal  
Boolean Value True..... Abnormal  
Data Type..... Boolean  
Description..... General condition of genitals  
Display Name..... Genital Assessment  
Help Text..... Are genitals normal or abnormal?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:  
-----

=====

TERM: GI SYMPTOMS

Page: 214

ID: {2566D442-22EA-4523-8D77-007B858C1EA0}

=====

Abbreviation..... GI SYMPTOM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... GI Symptoms  
Display Name..... GI Symptoms  
Help Text..... GI Symptoms  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE:

7 entries

- 
1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
  2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
  3. PROJECTILE VOMITING (PROJ VOMIT)  
{0D2CB23B-B266-40E1-A6FF-20B733655B69}
  4. CRAMPING (CRAMPING) {3EC3E352-5469-4A85-80E4-3AFEB61224C4}
  5. HEARTBURN (HEARTBURN) {5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}
  6. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
  7. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

UNITS:

-----

Abbreviation..... GI DRAIN C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... GI Tube Drainage Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. THICK (THICK)                    {1554A49E-1468-46B2-F851-531DDB1D1A98}
  - 2. THIN (THIN)                     {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:  
-----

Abbreviation..... GI DRA COL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... GI Tube Drainage Color  
Display Name..... GI Tube Drainage Color  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

- 
- |                         |  |
|-------------------------|--|
| 1. YELLOW (YELLOW)      | {90DC31AD-6211-9F25-4237-79F7122A2763} |
| 2. AMBER (AMBER)        | {90A13048-4C35-E01D-3482-64D782001D4A} |
| 3. WHITE (WHITE)        | {AB04EF54-5246-EF3A-E1D9-02E9E24369DD} |
| 4. BROWN (BROWN)        | {A1C32FBC-7B4D-707C-CA58-92A2E201368E} |
| 5. GREEN (GREEN)        | {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF} |
| 6. RED (RED)            | {515D7CFB-3527-30E7-EC4B-B607C272DFA0} |
| 7. BLACK (BLACK)        | {7A55AFB9-6861-4918-0746-3D67D47FE5C3} |
| 8. CLAY (CLAY)          | {A4E4D16C-B45C-0934-ED22-8BF640080108} |
| 9. ORANGE (ORANGE)      | {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C} |
| 10. TAN (TAN)           | {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1} |
| 11. PURULENT (PURULENT) | {86C01494-743A-C6A2-8883-01CA5200C79B} |
| 12. PINK (PINK)         | {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D} |
| 13. CLEAR (c)           | {8981C365-2B46-704F-C9F4-975DF1C23C2D} |

UNITS:

-----

=====

TERM: GI TUBE PLACEMENT CONFIRMATION  
ID: {BFA579B5-CEA7-43EF-84C0-C4893EFD0F3A}

=====

Page: 217

Abbreviation..... GI T PLACE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... GI Tube Placement Confirmation  
Display Name..... GI Tube Placement Confirmation  
Help Text..... GI Tube Placement Confirmation  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. X-RAY (X-RAY) {C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}
  2. ASPIRATION (ASPIRATION) {68B91085-8E3C-4B94-9F97-6305F5DFD900}
  3. AUSCULTATION (AUSCULTATI) {B9D756DF-74F5-4604-B781-D7BC512FC453}
  4. pH (pH) {104FE39C-B0A2-40B5-A523-B11E5F2BA272}

UNITS:

-----

=====

TERM: GI TUBE SIZE

Page: 218

ID: {9F0E347C-C292-41A6-B213-340B2ECD716E}

=====

Abbreviation..... GI TU SIZE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... GI Tube Size  
Display Name..... GI Tube Size  
Help Text..... GI Tube Size  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

FRENCH                    7 > 8 \* 18 < 25            Dec Prec: 0



=====

TERM: GI TUBE SUCTION TYPE  
ID: {884A773C-187A-B910-AEC0-59815DEE579E}

=====

Page: 219

Abbreviation..... TUBE SUC T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... TYPE OF SUCTION APPLIED TO GI TUBE  
Display Name..... GI Tube Suction Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
  2. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
  3. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
  4. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
  5. CLAMPED (CLAMPED) {B86865B8-078A-4996-B5EC-46A4A99D5A7D}
  6. GRAVITY (GRAVITY) {C0233F70-376D-41CE-9F14-714C7B35244F}

UNITS:  
-----

Abbreviation..... GI TUBE TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... TYPE OF GI TUBE  
Display Name..... GI Tube Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----

1. NASOGASTRIC TUBE (NG TUBE)  
{6475E343-A310-48A5-B543-D29573E7684D}
2. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}
3. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
4. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}
5. NASAL SMALL BOWEL FEEDING TUBE (NAS SM BOW)  
{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}
6. ORAL GASTRIC TUBE (OG TUBE)  
{C6995D6A-939C-4C31-A3C2-4504CB5597CD}
7. SMALL BORE FEEDING TUBE (SM BO TUBE)  
{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}
8. GASTROSTOMY TUBE (GAST TUBE)  
{EF017A39-745E-4C29-821A-5B25F103DF99}
9. GASTROSTOMY FEEDING BUTTON (GAST F BUT)  
{1627B53B-374B-42B4-BBFE-463EE37B6110}
10. EWALD TUBE (EWALD TUBE) {B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}

UNITS:

-----

=====

TERM: GU BLADDER IRRIGATION FREQUENCY  
ID: {D16099EA-DF97-4481-8B8F-7A25E88D15B1}

=====

Page: 221

Abbreviation..... GU BL IR F  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Bladder Irrigation Frequency  
Display Name..... Bladder Irrigation Frequency  
Help Text..... Bladder Irrigation Frequency  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
  2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
  3. PRN (PRN) {36493D81-954B-4C56-B0A2-9988EA785EBD}

UNITS:

-----

=====

TERM: GU CATHETER CARE PERFORMED  
ID: {F99A31A1-6D6D-4532-81F4-35EA957233D7}

=====

Page: 222

Abbreviation..... GU CA CARE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Catheter Care Performed  
Display Name..... Catheter Care Performed  
Help Text..... Catheter Care Performed  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: GU CATHETER SIZE  
ID: {222FF9DB-7D48-4004-B9B9-49B41D8E510B}

=====

Page: 223

Abbreviation..... GU CA SIZE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Catheter Size  
Display Name..... Catheter Size  
Help Text..... Catheter Size  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

FRENCH	11 > 12 * 30 < 31	Dec Prec: 0
--------	-------------------	-------------

Abbreviation..... GU CATH TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Type of catheter used
Display Name..... Catheter Type
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

- 1. INDWELLING CATHETER (INDW CATH) {EC16724C-D1EA-5650-58D4-38A89D4456F9}
2. EXTERNAL CATHETER (EXT. CATHE) {C8AEE936-DD91-FE91-4DD6-6F210FB59726}
3. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}
4. L NEPHROSTOMY (L NEPHROST) {D8FC4C18-081E-A7B9-E394-25F194BE9757}
5. R NEPHROSTOMY (R NEPHROST) {33661137-688D-5611-4368-B1DFD8DB1469}
6. UROSTOMY (UROSTOMY) {1F9E528D-6D78-54EE-94E6-649C6F2056A3}
7. STRAIGHT CATHETER (STR. CATH) {5F4A8A7F-E720-9458-2360-1DC14E7D05F3}
8. ILEAL CONDUIT (ILEAL COND) {032CB6FE-77D2-702E-A0AE-46176F5CAA57}
9. L STENT (LEFT STENT) {FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}
10. R STENT (RT. STENT) {6D0EED3B-1F08-11D2-165D-97A9F58327D5}
11. FOLEY (FOLEY) {9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}
12. 3 WAY FOLEY (3WAY FOLEY) {32408760-F517-4530-AEC0-54FE0A6A062B}
13. MUSHROOM CATHETER (MUSH CATHE) {4FFC451E-14B5-46E4-99C9-99A17BF90AE4}

LOCATION: 16 entries

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG) {7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU) {6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU) {4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
11. L ANTECUBITAL (L ANTECUBI) {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
12. R ANTECUBITAL (R ANTECUBI) {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

-----

=====

TERM: GU VOIDING

Page: 225

ID: {BE9D4DD5-CF6E-C973-C1F1-D70D9F554E38}

=====

Abbreviation..... GU VOIDING  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Method of urine elimination  
Display Name..... Voiding  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}
  2. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
  3. CATHETER (CATHETER) {B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}

UNITS:

-----



ID: {7FA596FC-81CF-4906-BBA9-96ED54FAC55D}

=====

Abbreviation..... HAIR CONDI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Hair Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. ALOPECIA PARTIAL (ALOPE PART)  
{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}
  3. ALOPECIA TOTAL (ALOPE TOTA)  
{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}
  4. HIRSUTISM (HIRSUTISM) {A909A4FC-080A-4E9A-867A-0B30D4633602}

UNITS:  
-----

Abbreviation..... HAND GRIP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Hand Grip  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- |               |  |
|---------------|--|
| 1. ABSENT (a) | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |
| 2. WEAK (w)   | {BE2D9305-E2DA-F492-66CF-164EE58B8179} |
| 3. STRONG (s) | {A12154E1-544E-F372-3839-0D44E5BC476B} |
| 4. REFLEX (r) | {F21585F9-5206-A6B3-2BF6-F416E5842366} |
| 7. N/A (n)    | {B3DBE3FD-C5CB-3894-607A-BE13319594D0} |

LOCATION: 3 entries

- 
- |                                |  |
|--------------------------------|--|
| 1. L HAND (L HAND)             | {639DF25A-19E3-B504-D323-4B3F6ED39A24} |
| 2. R HAND (R HAND)             | {A54D3A80-8537-D079-9CCE-7DC56346D132} |
| 3. BILATERAL HAND (BILAT HAND) | {C782FE56-6117-493F-847F-83173407F0B5} |

UNITS:

-----

=====

TERM: HANDOFF REPORT

Page: 228

ID: {EF8C4872-1F90-4A5A-93CA-9B3DD4350A55}

=====

Abbreviation..... Handoff Rp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Handoff Report  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: HEAD CIRCUMFERENCE  
ID: {33827E3C-5DBB-083C-D8BE-4DFD7D42071F}

=====

Page: 229

Abbreviation..... HC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... From Vitals  
Display Name..... Head Circumference  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4536405

UNITS:

-----

CENTIMETER            0 > 1 \* 100 < 101      Dec Prec: 0

=====

TERM: HEAD OF BED ELEVATION  
ID: {97D6AA11-1F1A-1853-23E5-25F2F41E07CF}

=====

Page: 230

Abbreviation..... HOB E  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Head of Bed Elevation  
Help Text..... Value in degrees  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
DEGREES (ANGLE)            -1 > 0 \* 90 < 99            Dec Prec: 0

=====

TERM: HEAT/MOISTURE EXCHANGER PRESENT  
ID: {1AAC7785-C695-44AB-9E0E-96257D66F432}

=====

Page: 231

Abbreviation..... HME PRESEN  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Heat & Moisture Exchanger Present  
Display Name..... Heat & Moisture Exchanger Present  
Help Text..... Heat & Moisture Exchanger Present  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:  
-----

=====

TERM: HEIGHT

Page: 232

ID: {B440216B-0FB3-1950-7859-7C1BE398FE4A}

=====

Abbreviation..... HT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Height of Patient  
Display Name..... Height  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688724

QUALITY: 4 entries

-----

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}
3. ESTIMATED BY ARM SPAN (EAS)  
{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}
4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

-----

INCH 0.00 > 1.00 \* 96.00 < 100.00  
Dec Prec: 2

CENTIMETER 0.0 > 1.0 \* 2999.0 < 3000.0  
Dec Prec: 1

=====

TERM: HOMANS SIGN

Page: 233

ID: {996F1DCC-A6EE-4D52-B889-6E0E6185C74C}

=====

Abbreviation..... HOMAN SIGN  
Active..... Yes  
Boolean Value False..... Negative  
Boolean Value True..... Positive  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Homan's Sign  
Help Text..... Positive is calf pain with  
Dorsiflexion and Plantar Flexion  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:

-----



=====

TERM: I:E RATIO

Page: 234

ID: {7A108E36-2701-4095-B1CE-FC51773D8D10}

=====

Abbreviation..... I:E RATIO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Complex  
Description..... Inspiratory Time to Expiratory Time  
Ratio  
Display Name..... I:E Ratio  
Help Text..... Inspiratory Time to Expiratory Time  
Ratio  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

=====

TERM: IABP ASSISTED SYSTOLIC PRESSURE  
ID: {21DA5247-9369-4E7E-8089-29087553F2AD}

=====

Page: 235

Abbreviation..... IABP A S P  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IABP Assisted Systolic Pressure  
Display Name..... IABP Assisted Systolic Pressure  
Help Text..... IABP Assisted Systolic Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY    0 > 80 \* 150 < 250    Dec Prec: 0

Abbreviation..... IABP BAEDP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IABP Balloon Assisted Aortic End  
Diastolic Pressure  
Display Name..... IABP BAEDP  
Help Text..... IABP Balloon Assisted Aortic End  
Diastolic Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----  
MILLIMETERS OF MERCURY    0 > 40 \* 80 < 200    Dec Prec: 0

=====

TERM: IABP BALLOON SIZE  
ID: {FBA3FB62-E2E2-4246-8D39-D58E5811B1E2}

=====

Page: 237

Abbreviation..... IABP B SIZ  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Size of the IABP  
Display Name..... Balloon Size  
Help Text..... Size of the IABP  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |                  |  |
|------------------|--|
| 1. 34 ml (34 ml) | {25952BB5-50B1-4CC0-9483-8AF891767045} |
| 2. 40 ml (40 ml) | {37A2998F-AB1C-4493-9C7A-FFCB05ED2302} |

UNITS:  
-----

=====

TERM: IABP CATHETER FLUSH  
ID: {D034E8DA-1C70-44D2-B556-F21860827AF9}

=====

Page: 238

Abbreviation..... IABP CAT F  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the Intra-aortic Balloon Pump  
Flushed  
Display Name..... IABP Catheter Flush  
Help Text..... Was the Intra-aortic Balloon Pump  
Flushed  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

-----

1. NO (n)	{FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y)	{483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: IABP CIRCULATION ASSESSED  
ID: {59A9ADB9-6630-41B3-AE5E-495AB232E287}

=====

Page: 239

Abbreviation..... IABP CIR A  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... IABP Circulation Assessed  
Display Name..... IABP Circulation Assessed  
Help Text..... IABP Circulation Assessed  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:

---

ID: {71923854-939D-C730-3A1B-F4A9FA02A6C6}

=====

Abbreviation..... IABP DRESS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IABP Dressing Type  
Help Text..... Type of Invasive Arterial Blood  
                                Pressure dressing  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
2. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}
3. GAUZE AND TAPE (GAU & TAPE)  
                                {5BC40405-B5C4-47CF-81C3-520732E100AC}

LOCATION: 5 entries

-----

1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
4. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

-----

=====

TERM: IABP PEAK DIASTOLIC AUGMENTED PRESSURE  
ID: {24E18FB7-94D9-4F2D-9D6D-3CAF3C1F9951}

=====

Page: 241

Abbreviation..... IABP PDAP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... BP Peak Diastolic Augmented Pressure  
Display Name..... IABP Peak Diastolic Augmented Pressure  
Help Text..... BP Peak Diastolic Augmented Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY    0 > 80 \* 120 < 200    Dec Prec: 0



Abbreviation..... IABP RATIO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IABP Ratio  
Display Name..... IABP Ratio  
Help Text..... IABP Ratio  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- |              |  |
|--------------|--|
| 1. 1:1 (1:1) | {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B} |
| 2. 1:2 (1:2) | {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE} |
| 3. 1:3 (1:3) | {062B4F93-8F48-7373-F679-11F57CE98BB3} |
| 4. 1:4 (1:4) | {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD} |
| 5. 1:8 (1:8) | {94790C4C-3AF2-6F4C-58B8-87021CA97A53} |

UNITS:

-----

=====

TERM: IABP SITE CONDITION  
ID: {AA81E246-45C3-258F-4FC8-49CDD592B2D4}

=====

Page: 243

Abbreviation..... IABP CONDI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IABP Site Condition  
Help Text..... Condition of IABP Site  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----

2. RED (RED)	{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
3. SWOLLEN (SWOLLEN)	{DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
4. DISCOMFORT (DISCOMFORT)	{77D058C9-1EB4-96C0-C9E3-666C840B884C}
50. PATENT (Patent)	{F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
60. CLEAN (Clean)	{1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
70. OCCLUDED (Occluded)	{25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
80. OOZING (Oozing)	{C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS:  
-----

Abbreviation..... IABP SIZE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Intra-aortic Balloon Pump Size  
Display Name..... IABP Size  
Help Text..... Intra-aortic Balloon Pump Size  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. 7.5 (7.5) {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}
  - 2. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
  - 3. 8.5 (8.5) {96723567-151D-4B5C-9C65-B3EB6D584272}
  - 4. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
  - 5. 9.5 (9.5) {252555A1-ADB2-4948-8764-C952F2587DC5}

LOCATION: 5 entries

- 
- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
  - 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  - 3. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
  - 4. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
  - 5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

-----

Abbreviation..... IABP TIMIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IABP Timing  
Display Name..... IABP Timing  
Help Text..... IABP Timing  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- |              |  |
|--------------|--|
| 1. 1:1 (1:1) | {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B} |
| 2. 1:2 (1:2) | {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE} |
| 3. 1:3 (1:3) | {062B4F93-8F48-7373-F679-11F57CE98BB3} |
| 4. 1:4 (1:4) | {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD} |
| 5. 1:8 (1:8) | {94790C4C-3AF2-6F4C-58B8-87021CA97A53} |

UNITS:

-----

=====

TERM: IABP TIMING CHECK  
ID: {B2BA8A27-B578-40B6-83A0-77D95C49B59B}

=====

Page: 246

Abbreviation..... IABP TI CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was The IABP Timing Checked?  
Display Name..... IABP Timing Check  
Help Text..... Was The IABP Timing Checked?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----



=====

TERM: IABP UNASSISTED SYSTOLIC PRESSURE  
ID: {BA1A966E-51BE-42D7-84F6-2C119AD043F8}

=====

Page: 248

Abbreviation..... IABP U S P  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IABP Unassisted Systolic Pressure  
Display Name..... IABP Unassisted Systolic Pressure  
Help Text..... IABP Unassisted Systolic Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY    0 > 80 \* 150 < 250    Dec Prec: 0

=====

TERM: INACTIVE - ARTERIAL LINE SITE  
ID: {F7924F9E-16C8-0C2C-9461-FBC45435191A}

=====

Page: 249

Abbreviation..... A LINE SIT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arterial Line Site  
Help Text..... Site of arterial line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: INACTIVE - ARTERIAL LINE TYPE  
ID: {708908E0-9BCD-4DCA-A33D-CB5C6A729526}

=====

Page: 250

Abbreviation..... ALINE TYPE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arterial Line Type  
Display Name..... Arterial Line Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - AUDIOMETRY  
ID: {FFD29134-8BB2-248E-0412-93C2C08B076F}

=====

Page: 251

Abbreviation..... AUD  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Audiometry  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688718

UNITS:

-----

=====

TERM: INACTIVE - BISPECTRAL INDEX  
ID: {4819B466-D0D0-4851-A434-E1691ECA1E65}

=====

Page: 252

Abbreviation..... BIS  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Bispectral Index  
Display Name..... Bispectral Index  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - BODY MASS INDEX  
ID: {54398789-EC32-4F1D-8E02-913FC96FD198}

=====

Page: 253

Abbreviation..... BMI  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... BMI  
Help Text..... Body Mass Index  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - CARDIAC AV FISTULA BRUIT  
ID: {A0E99499-8021-47FF-AEA2-EB33B9648B0E}

=====

Page: 254

Abbreviation..... AV FIST BR  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... AV Fistula Bruit  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - CATHETER TYPE  
ID: {01941D20-3FD7-A4BF-6108-712C7EBC33A1}

=====

Page: 255

Abbreviation..... CATHETER T  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Catheter Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - CENTRAL LINE SITE  
ID: {D6FC875B-CC24-2981-B85E-07FF9CD798AB}

=====

Page: 256

Abbreviation..... C LINE SIT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Site  
Help Text..... Site of Central Line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - CHEST TUBE DRESSING INTACT  
ID: {525B2489-75C2-4AB3-9441-A457BCD7B257}

=====

Page: 257

Abbreviation..... CH TU DR I  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Chest Tube Dressing Intact  
Display Name..... Chest Tube Dressing Intact  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: INACTIVE - CHEST TUBE SITE  
ID: {C5224B54-65A5-2010-F9E3-1C4570500A11}

=====

Page: 258

Abbreviation..... CHEST TU S  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... SITE OF CHEST TUBE  
Display Name..... Chest Tube Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - COUGH AND DEEP BREATH EVENTS  
ID: {5F7D2087-018E-4DA4-8B36-02743F65A769}

=====

Page: 259

Abbreviation..... C&DB EVENT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Cough and Deep Breath Events  
Display Name..... Cough and Deep Breath Events  
Help Text..... Cough and Deep Breath Events  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - DATE

Page: 260

ID: {5BB40FB6-173F-9656-8D5B-7A2F5A5F3B82}

=====

Abbreviation..... DATE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Complex  
Description..... Todays Date  
Display Name..... Date  
Help Text..... Date: Year, Date: Month, Date: Day  
                  are all available  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - DATE DAY  
ID: {CD91474C-1EB3-304B-4E3A-B85F6976C1E7}

=====

Page: 261

Abbreviation..... DATE DAY  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... The day of the month  
Display Name..... Date: Day  
Help Text..... The day of the month  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - DATE MONTH  
ID: {D4E1590F-7B12-FD7C-B545-9CF83BA68BAC}

=====

Page: 262

Abbreviation..... DATE MONTH  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Month of the year  
Display Name..... Date: Month  
Help Text..... Month of the year  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - DATE YEAR  
ID: {57029BBB-5904-DE1D-F58D-AF13A890C6ED}

=====

Page: 263

Abbreviation..... DATE YEAR  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... The Year  
Display Name..... Date: Year  
Help Text..... The Year  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - DIALYSIS CATHETER SITE  
ID: {FC099337-E02E-84E6-7338-E423ECD3DDCB}

=====

Page: 264

Abbreviation..... DIAL CTH S  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Catheter Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - EDEMA LOCATION  
ID: {8C4F762B-FD4A-CB97-326F-74C4A2ED5548}

=====

Page: 265

Abbreviation..... EDEMA LOCA  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Location of identified edema  
Display Name..... Edema Location  
Help Text..... Location of identified edema  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: INACTIVE - ENTERAL NUTRITION FORMULA  
ID: {1C7EF762-4D93-438B-8CBD-2CB98E6C8686}

=====

Page: 266

Abbreviation..... ENT NUT FO  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Enteral Nutrition Formula Used  
Display Name..... Enteral Nutrition Formula  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: INACTIVE - GI EMESIS APPEARANCE  
ID: {1B314FCB-6B36-46E0-8306-60C361377BAB}

=====

Page: 267

Abbreviation..... GI EME APP  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Emesis Appearance  
Display Name..... Emesis Appearance  
Help Text..... Emesis Appearance  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - HEARING  
ID: {813CCC94-3D64-5093-BC6C-053EFD9948F9}

=====

Page: 268

Abbreviation..... HEARING  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Hearing  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688723

UNITS:

-----



=====

TERM: INACTIVE - IABP SITE  
ID: {EA276ABE-52D0-6D4D-1B0A-7E6443BB264F}

=====

Page: 270

Abbreviation..... IABP SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IABP Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - INCISION LOCATION  
ID: {8A9D3611-6984-4FA1-9C16-4DC215F9B4D6}

=====

Page: 271

Abbreviation..... IN LOCATIO  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incision Location  
Display Name..... Incision Location  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - INCISION SITE  
ID: {9DBE601B-4D61-D280-1F13-0FDE3533B0A4}

=====

Page: 272

Abbreviation..... WOUND INCS  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... SITE OF WOUND INCISION  
Display Name..... Incision Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----





=====

TERM: INACTIVE - IV FLUID

Page: 274

ID: {60B33951-8ABD-41B1-A9FA-5EE1F85CAB97}

=====

Abbreviation..... IV FLUID  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IV FLUID  
Display Name..... IV FLUID  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - IV INSERTION DATE  
ID: {D01454A0-E430-8B54-C7A6-11B04EBAA417}

=====

Page: 275

Abbreviation..... IV DATE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... IV Insertion Date  
Help Text..... Date IV Inserted  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - IV SITE

Page: 276

ID: {7F252F53-B53D-D8BD-097B-78197EE99FBA}

=====

Abbreviation..... IV SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Site of IV  
Display Name..... IV Site  
Help Text..... Site of IV  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - CHEST TUBE  
ID: {F6ECA901-354B-4C5B-B03F-C17F7F6448B6}

=====

Page: 277

Abbreviation..... OR OUT CHE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... OR Output - Chest Tube  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - DRAIN  
ID: {1A99C3C7-9FE1-46D3-9A32-57A2C735DFC6}

=====

Page: 278

Abbreviation..... OR OUT DRA  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... OR Output - Drain  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - PUMP LOSS  
ID: {6A424E02-67FF-49F6-9B33-853BE8545B9B}

=====

Page: 279

Abbreviation..... OR OUT PUM  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... OR Output - Pump Loss  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - URINE  
ID: {3ECAAD17-1BA5-4D0A-BEDC-EC512D32EFF9}

=====

Page: 280

Abbreviation..... OR OUT URI  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... OR Ouput - Urine  
Help Text..... contributes to output total value  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - OSTOMY TYPE  
ID: {975E1FD8-521C-4818-9975-98A30B12C1EF}

=====

Page: 281

Abbreviation..... OSTOMY TYP  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Ostomy Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: INACTIVE - OXYGEN DELIVERED  
ID: {CFD876D1-AC28-F63F-3B6C-680F5B66A1BD}

=====

Page: 282

Abbreviation..... D02  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Oxygen Delivered  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: INACTIVE - OXYGEN EXTRACTION RATIO  
ID: {D6C6849F-6134-417F-AD8B-7853F5AE3451}

=====

Page: 284

Abbreviation..... O2ER  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Complex  
Description..... Ratio of Oxygen Consumed (VO2) to  
Oxygen delivered (DO2)  
Display Name..... O2ER  
Help Text..... Ratio of Oxygen Consumed (VO2) to  
Oxygen delivered (DO2)  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:  
-----

=====

TERM: INACTIVE - PA CATHETER INSERTION DATE  
ID: {64ADD596-950E-EDB5-D7DE-38F5F8601D9E}

=====

Page: 285

Abbreviation..... PA INS DAT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Insertion Date  
Help Text..... Date PA Catheter Inserted  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PA CATHETER SITE  
ID: {1E2B676E-24D4-28D6-9EC4-2200F3DA31B6}

=====

Page: 286

Abbreviation..... PA SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Site  
Help Text..... Site of PA Catheter  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PACEMAKER DATE INSERTED  
ID: {B395D1F6-2788-CA17-618C-62719C1CAF4A}

=====

Page: 287

Abbreviation..... PDI  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pacemaker Date Inserted  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PACEMAKER SITES  
ID: {668C0AE7-061F-C573-A119-8ED8D006F018}

=====

Page: 288

Abbreviation..... PMSI  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pacemaker Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PAIN LOCATION  
ID: {20836431-E2C3-41CA-BE14-A8FB1F6A8637}

=====

Page: 289

Abbreviation..... PAIN LOC  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Location of patients Pain  
Display Name..... Pain Location  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: INACTIVE - POST OPERATION DAY NUMBER  
ID: {82FF0CE1-48CD-4AA8-6292-CB6879B8CD75}

=====

Page: 290

Abbreviation..... POD#  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... NUMBER OF DAYS SINCE OPERATION  
Display Name..... Post Op Day #  
Help Text..... Number of days since operation.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PRESSURE ULCER SITE  
ID: {580747C6-F7B1-4CCA-AE24-E82C436746B6}

=====

Page: 291

Abbreviation..... PR UL SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Site  
Display Name..... Pressure Ulcer Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: INACTIVE - PULSE OXIMETRY  
ID: {9B830A66-0278-20E1-DB38-089A952DF381}

=====

Page: 293

Abbreviation..... PO2  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... O2 saturation  
Display Name..... Pulse Oximetry  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500637

UNITS:

-----

=====

TERM: INACTIVE - SKIN DISCHARGE COLOR  
ID: {C4633087-CBC5-4924-ADF6-846D13624D3E}

=====

Page: 294

Abbreviation..... SKI DIS CO  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Discharge Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: INACTIVE - SKIN DISCHARGE ODOR  
ID: {4E9309BD-6F1E-4D2C-B500-CE724A92A0F6}

=====

Page: 295

Abbreviation..... SKI DIS OD  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Discharge Odor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - SKIN DRAINAGE CHARACTERISTICS  
ID: {9F12C134-BA23-40C9-8CC9-0AC08D8891CA}

=====

Page: 296

Abbreviation..... SKI DRA CH  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Drainage Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - VENTILATOR IN-LINE NEBULIZER  
ID: {12804E1D-9B65-4027-BCD4-1A28C9C57730}

=====

Page: 297

Abbreviation..... VENT I-L N  
Active..... No  
Boolean Value False..... Off  
Boolean Value True..... On  
Data Type..... Boolean  
Description..... Ventilator In-Line Nebulizer  
Display Name..... Ventilator In-Line Nebulizer  
Help Text..... Ventilator In-Line Nebulizer  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: INACTIVE - WOUND SITE  
ID: {7BFBDAAF-779E-4C7A-82F3-DA9E0E7DD597}

=====

Page: 298

Abbreviation..... WOU SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Site  
Display Name..... Wound Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - WOUND TOPICAL TREATMENT TYPE  
ID: {29E59078-A908-496E-ABC7-B2C48A4E6400}

=====

Page: 299

Abbreviation..... WOU TOP TR  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Topical Treatment  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INCENTIVE SPIROMETRY  
ID: {C1E6301C-CB9C-4909-9500-9AA01C42583D}

=====

Page: 300

Abbreviation..... INC SPIROM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incentive Spirometry  
Display Name..... Incentive Spirometry  
Help Text..... Incentive Spirometry  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- |            |  |
|------------|--|
| 1. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |
| 2. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 3. N/A (n) | {B3DBE3FD-C5CB-3894-607A-BE13319594D0} |

UNITS:  
-----

Abbreviation..... INC DIS CH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Incision Discharge Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
  3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
  4. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
  5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
  6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
  8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}

UNITS:

-----

=====

TERM: INCISION DRAINAGE AMOUNT  
ID: {77AAAB12-979C-2624-5CFE-7FD5F2310AD5}

=====

Page: 302

Abbreviation..... I DR AMOUN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Amount of incision drainage  
Display Name..... Incision Drainage Amount  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. INCISION DRAINAGE AMOUNT NONE (I DR A NON)  
{5D0D9027-4B20-43A4-B437-EA7B77CB2105}
  2. INCISION DRAINAGE AMOUNT SCANT (I DR A SCA)  
{A476E395-46AA-44E7-8A00-CE22C7066BB1}
  3. INCISION DRAINAGE AMOUNT SMALL (I DR A SMA)  
{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}
  4. INCISION DRAINAGE AMOUNT MODERATE (I DR A MOD)  
{9B0487A9-DCB4-42D3-92E6-805C412B5D34}
  5. INCISION DRAINAGE AMOUNT HEAVY (I DR A HEA)  
{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}

QUALITY: 1 entries

- 
1. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:  
-----



Abbreviation..... INC DRE TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... OBSERVATION OF INCISION WOUND DRESSING
Display Name..... Incision Dressing Type
Help Text..... Incision Dressing Type
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

- 1. INCISION DRESSING TYPE NONE (INC DR NON)
{81F07C8D-A463-48A0-A64A-A143CECB5DD6}
2. INCISION DRESSING TYPE PRESSURE (INC DR PRE)
{B5823373-E5D8-40A5-954C-6A193D7E7511}
3. INCISION DRESSING TYPE ANTIMICROBIAL (INC DR ANT)
{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}
4. INCISION DRESSING TYPE GAUZE (INC DR GAU)
{E4AC9307-0512-4F9D-A254-FE19E654461F}
5. INCISION DRESSING TYPE TRANSPARENT (INC DR TRA)
{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}
6. INCISION DRESSING TYPE ANTIMICROBIAL DISK (INC DR ADI)
{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}
7. INCISION DRESSING TYPE GAUZE WRAP (INC DR GWR)
{E1DBEC29-1430-4DA0-99DC-49B9389D2440}
8. INCISION DRESSING TYPE FOAM DRESSING (INC DR FOA)
{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}
9. INCISION DRESSING TYPE GAUZE PACKING (INC DR GPA)
{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}
10. INCISION DRESSING TYPE HYDROCOLLOIDAL (INC DR HYD)
{424CCDCA-5196-4BBD-AE8B-0F68DDCC3FCF}
11. INCISION DRESSING TYPE CALCIUM ALGINATE (INC DR CAL)
{B20558BA-FB9E-499E-82DF-49616ACE9375}
12. INCISION DRESSING TYPE HYPERTONIC HYDROGEL (INC DR HYP)
{25820A63-AD76-4198-BEB1-EF95DDEC5B35}
13. INCISION DRESSING TYPE HYDROGEL (INC DR HYD)
{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}
14. INCISION DRESSING TYPE BALSAM OF PERU (INC DR BAL)
{A1FB45C6-6315-4282-8D89-DCB0C018E357}
15. INCISION DRESSING TYPE BISMUTH GAUZE (INC DR BIS)
{CA88C5DC-3890-49A2-800A-0528CE194BA8}

UNITS:

ID: {3FEA28A9-1C53-47D7-95F9-BFFFB25576C6}

=====

Abbreviation..... INC ED  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incision Edge  
Display Name..... Incision Edge  
Help Text..... Incision Edge  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. INCISION EDGE INDISTINCT/ATTACHED (INC ED ATT)  
    {AF7E7150-525E-49A4-AC23-042B788E8805}
  2. INCISION EDGE NON-ATTACHED (INC ED NON)  
    {F457F951-F1DC-47AC-9336-AC093E149862}
  3. INCISION EDGE TUNNELING (INC ED TUN)  
    {492CD783-3C32-40F0-AE35-5A89E90409A7}
  4. INCISION EDGE UNDERMINING (INC ED UND)  
    {0F3E968A-B867-4123-8C05-ED6B12D364CD}
  5. INCISION EDGE ROLLED (INC ED ROL)  
    {FFA33CAE-5D8B-4501-8120-A536BE53296F}

UNITS:  
-----



=====

TERM: INCISION ERYTHEMA  
ID: {D87F3C97-622C-43D3-9C7F-55C2C848941B}

=====

Page: 306

Abbreviation..... INC ERYTHE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incision Erythema  
Display Name..... Incision Erythema  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. LIMITED TO INCISION (LIM TO INC)  
{81A61254-55B6-47E1-8BE2-F4A47F624BC6}
  3. EXTENDS INTO PERIWOUND <1CM (EX IN PER<)  
{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}
  4. EXTENDS INTO PERIWOUND>1CM (EX IN PER>)  
{1F31FE9B-DA19-434C-8C58-67CDC5385231}

UNITS:  
-----

=====

TERM: INCISION ODOR

Page: 307

ID: {2584F1F9-CD15-450C-BDDB-D0B2B1924303}

=====

Abbreviation..... INC OD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Incision Odor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. INCISION ODOR NONE (INC OD NON)  
    {CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}
2. INCISION ODOR FOUL (INC OD FOU)  
    {ECDC0988-BE82-41E3-8104-A66A5F8A1093}

UNITS:

-----

Abbreviation..... INCIS PRES
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description..... Incision Present
Display Name..... Incision Present
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEEA649CD}

LOCATION: 85 entries

- 1. L THORACOTOMY (L THORACOT) {313C11A1-559A-4F68-8718-4012416EC189}
2. R THORACOTOMY (R THORACOT) {A18E4BB3-0718-48D6-BD49-720A70C0EF60}
3. L TRAPEZIUS (L TRAPEZIU) {B74CF943-C10F-4A1B-A19A-4975E674A97A}
4. R TRAPEZIUS (R TRAPEZIU) {69753B67-AFA1-4C93-BA78-E266F9894E46}
5. DONOR SITE (DONOR SITE) {F0A65974-7650-4A4B-AC88-0945E37A0AD2}
6. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
7. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
8. L LOWER ANTERIOR CHEST (L L A CHES) {6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}
9. R LOWER ANTERIOR CHEST (R L A CHES) {96BCF731-B661-4455-B5E7-C4AE2509505F}
10. L MIDDLE ANTERIOR CHEST (L M A CHES) {36A83F77-117E-474B-AE34-0B2C02E131AE}
11. R MIDDLE ANTERIOR CHEST (R M A CHES) {2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}
12. L UPPER ANTERIOR CHEST (L U A CHES) {FE63B58A-DE39-4C03-AE61-E34A5487C767}
13. R UPPER ANTERIOR CHEST (R U A CHES) {67890049-A4A8-4241-BDF3-573729BD6EB5}
14. L LOWER POSTERIOR CHEST (L L P CHES) {2C19F10B-7546-4A1F-A5DC-3867359ED971}
15. R LOWER POSTERIOR CHEST (R L P CHES) {5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}
16. L MIDDLE POSTERIOR CHEST (L M P CHES) {5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}
17. R MIDDLE POSTERIOR CHEST (R M P CHES) {2BC487D6-6CE8-499E-94A0-A79EAA8E199B}
18. L UPPER POSTERIOR CHEST (L U P CHES) {6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}
19. R UPPER POSTERIOR CHEST (R U P CHES) {D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}
20. MIDLINE ABDOMINAL (MID ABDOMI) {37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}
21. UMBILICAL (UMBILICAL) {8874B300-0751-49AF-8211-CF4C009C68B5}
22. TRANSVERSE ABDOMINAL (TRANS ABDO) {1C10FF98-7B20-45D0-B420-714981832B3D}
23. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

24. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}  
 25. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}  
 26. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}  
 27. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}  
 28. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
 29. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
 30. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
 31. L INGUINAL (L INGUINAL) {627D172E-8F33-48C9-BE89-D036E07D46BF}  
 32. R INGUINAL (R INGUINAL) {395233DF-3B89-49E0-946B-EB5C02E51178}  
 33. L FLANK (L FLANK) {6E453E8D-B456-4BFD-A015-F9C013830F30}  
 34. R FLANK (R FLANK) {F5700ED2-646F-4B75-A55B-111C27FB939C}  
 35. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
 36. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}  
 37. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}  
 38. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}  
 39. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}  
 40. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}  
 41. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}  
 42. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}  
 43. L CALF (L CALF) {3DAA7817-936B-444F-8A2D-D3AB09144C10}  
 44. R CALF (R CALF) {0298A452-4901-44BF-A7A8-F42DD3BA8B63}  
 45. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}  
 46. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}  
 47. MIDLINE NECK (MID NECK) {FF666713-278D-46D6-8D25-E5D57E78EA08}  
 48. L NECK (L NECK) {C4EA6279-05E2-4195-A638-3794DCBA7B78}  
 49. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}  
 50. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}  
 51. SPINE CERVICAL (SPINE CERV)  
     {9D28E1BF-D014-4DA4-A832-1F3C25C148E9}  
 52. SPINE THORACIC (SPINE THOR)  
     {2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}  
 53. SPINE LUMBAR (SPINE LUMB) {E7E411AB-5C29-4906-B0A9-E8658AFFFF91}  
 54. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}  
 55. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}  
 56. L THORACIC ANTERIOR (L THOR ANT)  
     {C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}  
 57. R THORACIC ANTERIOR (R THOR ANT)  
     {BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}  
 58. L THORACIC POSTERIOR (L THOR POS)  
     {68E3381F-7605-4786-85A8-523D215A2B97}  
 59. R THORACIC POSTERIOR (R THOR POS)  
     {E91085D2-E665-4EB6-A086-8CF573DECD8F}  
 60. L THORACIC LATERAL (L THOR LAT)  
     {48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}  
 61. R THORACIC LATERAL (R THOR LAT)  
     {55C48294-D3F3-4013-B552-BA3344D9513B}  
 62. L THORACOTOMY (L THORACOT)  
     {313C11A1-559A-4F68-8718-4012416EC189}  
 63. R THORACOTOMY (R THORACOT)  
     {A18E4BB3-0718-48D6-BD49-720A70C0EF60}  
 64. THYROID (THYROID) {6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}  
 65. L PARIETAL (L PARIETAL) {2687ED24-F35E-456C-99C9-F6A8EC4364E0}  
 66. R PARIETAL (R PARIETAL) {28C927CD-1342-483B-B366-0B7EA8ACABAD}  
 67. L ORBIT (L ORBIT) {1D798E35-5095-4BA0-8F9F-FA96668A5239}  
 68. R ORBIT (R ORBIT) {DFFD974A-1684-49AE-8230-8E12411EA62E}  
 69. L MANDIBULAR (L MANDIBUL) {CB9DB373-5F0A-446B-909F-F76392CB3A04}  
 70. R MANDIBULAR (R MANDIBUL) {303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}  
 71. L ORAL (L ORAL) {057B787A-8750-4563-80DB-25110CCC1146}  
 72. R ORAL (R ORAL) {9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}  
 73. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}  
 74. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}  
 75. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

- 76. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
- 77. L THUMB (L THUMB) {F82F4731-2CC5-4705-91BE-05E40C25B419}
- 78. R THUMB (R THUMB) {B414BD68-4155-45B3-985D-B2F8252A20FE}
- 79. L FINGER (L FINGER) {BB825645-1630-498C-A31B-6728D422EEFC}
- 80. R FINGER (R FINGER) {E12CA0EF-3267-4B93-8643-230E2226C3D6}
- 81. L TOE (L TOE) {C666DE86-E7AE-4AB3-8AE1-91496219E63D}
- 82. R TOE (R TOE) {B65727AB-3205-4DCE-833F-6DA8554636F9}
- 83. L OCCIPITAL (L OCCIPTAL) {A4234F41-CD6F-4CE1-9210-316DB847BDE2}
- 84. R OCCIPITAL (R OCCIPITA) {5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}
- 85. OCCIPITAL (OCCIPITAL) {5A3E384B-1C87-4A19-A449-DB91AB443FFC}

UNITS:

-----

=====

TERM: INCISION STAPLES INTACT  
ID: {FA75C02B-3698-4D85-A293-0ACC8C1D3252}

=====

Page: 309

Abbreviation..... IN STA INT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Incision Staples Intact  
Display Name..... Incision Staples Intact  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: INCISION SUTURES INTACT  
ID: {A5C84A03-633B-4A9B-891B-292449B8C409}

=====

Page: 310

Abbreviation..... IN SUT INT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Incision Sutures Intact  
Display Name..... Incision Sutures Intact  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: INCISION TENDER TO PALPATION  
ID: {C6ACAC1F-0AEF-4F1B-A487-35A92207AE22}

=====

Page: 311

Abbreviation..... IN TENDER  
Active..... Yes  
Boolean Value False..... Patient Denies  
Boolean Value True..... Appropriate  
Data Type..... Boolean  
Description..... Incision Tender To Palpation  
Display Name..... Incision Tender To Palpation  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----



=====

TERM: INFUSION SET CHANGED  
ID: {BA138A48-8B25-40CF-8345-2AD9E12CC840}

=====

Page: 312

Abbreviation..... INF SET CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the infusion set changed?  
Display Name..... Infusion Set Changed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: INSULIN PUMP SQ INFUSION ON?  
ID: {0B8DD5F9-E685-4D44-81D1-04D17DE1E5DA}

=====

Page: 313

Abbreviation..... In Pump on  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Insulin Pump SQ Infusion On?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



- {65CBDCBD-99DB-44FE-9230-D62886208EBF}
19. PLATELETS PHERESIS IRRADIATED (PLATEL P I) {70C7155A-5AB6-4733-B43F-606F8BBB3B4A}
  20. PPN (PPN) {BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}
  21. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}
  22. PRBC - AUTOLOGOUS (PRBC-A) {1580990C-0B35-4DDD-84AA-682B341C9B76}
  23. PRBC - LEUKOREduced (PRBC-L) {13DB3170-6C26-4178-B429-C02AFC541AC7}
  24. PRBC - LEUKOREduced - DIRECTED (PRBC-L-D) {9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}
  25. PRBC - LEUKOREduced - IRRADIATED (PRBC-L-I) {B4431519-0102-49ED-94D6-1738E375C5A4}
  26. PRBC - LEUKOREduced - WASHED (PRBC-L-W) {BB58F35A-1086-4061-B485-FA35DFB79A0D}
  27. SANDOSOURCE PEPTIDE (SAND PEPTI) {B543461C-7316-4750-9918-B30E96AB3C95}
  28. TPN (TPN) {55341B62-E356-4C38-A52D-4F196751E9EB}
  29. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
  30. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}
  31. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
  32. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}
  33. WHOLE BLOOD (WHOL BLOOD) {144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
OUNCE	-1 > 0 * 64 < 350	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER)  
ID: {182D805C-CF2D-4829-8925-6916D027020D}

=====

Page: 315

Abbreviation..... CBI Irriga  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Intake - CBI Irrigation to Subtract  
(negative number)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITER                    -99999 > -99999 \* 0 < 0    Dec Prec: 0



=====

TERM: INTAKE - EF/SUPPLEMENT CALORIES  
ID: {58506F9F-9D10-47F6-A195-5CE7D749FFBC}

=====

Page: 317

Abbreviation..... INT EF CAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Enteral Feeding and Supplement Calories  
Display Name..... Intake - EF/Supplement Calories  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CALORIE                    -1 > 0 \* 500 < 2001      Dec Prec: 0

=====

TERM: INTAKE - ENTERAL FEEDING TUBE  
ID: {769017E8-B98E-45DC-9706-FE6475B7FF8D}

=====

Page: 318

Abbreviation..... INT EF TU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake - EF Tube  
Display Name..... Intake - EF Tube  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0



=====  
TERM: INTAKE - ENTERAL TUBE FLUSH  
ID: {9A509673-FD4C-4F7B-BDF4-FD3E6ECD4A64}  
=====

Abbreviation..... En Tube FI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Intake - Enteral Tube Flush  
Help Text..... Specify water flush for enteral  
                        feeding tube  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITER          0 > 0 \* 9999 < 9999    Dec Prec: 0

=====

TERM: INTAKE - GI TUBE  
ID: {38602EA8-600E-4427-A695-029DFE06883F}

=====

Page: 320

Abbreviation..... INT GI TU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... GI Tube Intake  
Display Name..... GI Tube Intake  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: INTAKE - IRRIGATION  
ID: {385178C8-3E17-4CEC-8C4B-3DA83E4ACA8D}

=====

Page: 321

Abbreviation..... INT IRRIGA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Irrigation Intakes  
Display Name..... Intake - Irrigation  
Help Text..... Fluid intake from irrigations  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 2 entries

- 
1. BLADDER (BLAD) {E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}
  2. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

PRODUCT: 6 entries

- 
1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}
  2. BACTERIOSTATIC WATER (BACTER H2O)  
{EF13BCA6-3AF2-47E9-87A0-82642B529368}
  3. DAKINS SOLUTION (DAKINS SOL)  
{51651D24-B909-427B-9FF0-3C2859A63D73}
  4. AMPHOTERICIN B (AMPHOTER B)  
{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}
  5. ANTIBIOTIC (AB) {BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}
  6. TAP WATER (Tap Water) {EAAF11A5-6DC5-481F-81D3-A3035812D5C9}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

Abbreviation..... INT BLOOD
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Blood Products given to patient
Display Name..... Intake - IV Blood Products
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

PRODUCT: 18 entries

- 1. CRYOPRECIPITATE (CRYOPRECIP) {5329E737-E059-480D-83F8-1146B091C14E}
2. FFP (FFP) {9DD0ECF5-634F-49CF-A529-A2657240A80C}
3. FFP - THAWED (FFP-THAWED) {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}
4. GRANULOCYTES PHERESIS (GRAN PHERE) {2B90878D-9C29-4731-9525-D7DD7FCB513B}
5. PLATELETS PHERESIS (PLATELET P) {65CBDCBD-99DB-44FE-9230-D62886208EBF}
6. PLATELETS PHERESIS IRRADIATED (PLATEL P I) {70C7155A-5AB6-4733-B43F-606F8BBB3B4A}
7. PRBC - AUTOLOGOUS (PRBC-A) {1580990C-0B35-4DDD-84AA-682B341C9B76}
8. PRBC - LEUKOREduced (PRBC-L) {13DB3170-6C26-4178-B429-C02AFC541AC7}
9. PRBC - LEUKOREduced - DIRECTED (PRBC-L-D) {9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}
10. PRBC - LEUKOREduced - IRRADIATED (PRBC-L-I) {B4431519-0102-49ED-94D6-1738E375C5A4}
11. PRBC - LEUKOREduced - WASHED (PRBC-L-W) {BB58F35A-1086-4061-B485-FA35DFB79A0D}
12. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}
13. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}
14. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}
15. PLASMAPHERESIS (PLASMAPHER) {E1214367-8BB0-4FAA-A916-EC707569A9C4}
16. 25 PERCENT ALBUMIN (25 PERC AL) {CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}
17. 5 PERCENT ALBUMIN (5 PERC ALB) {A2D0F9A0-A9EC-4540-9663-B8B19A189198}
18. Rh IMMUNE GLOBULIN (Rh IM GLOB) {1FE7BD0C-7252-427A-8216-36FCA4637089}

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV CALORIES  
ID: {868852E2-3D29-4007-BB36-62F6D90B1685}

=====

Page: 323

Abbreviation..... INT IV CAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Calories taken in by IV  
Display Name..... Itake - IV Calories  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CALORIE                    -1 > 0 \* 9999 < 20000    Dec Prec: 0

=====

TERM: INTAKE - IV CARDIAC OUTPUT INJECTATE  
ID: {FE023C43-32D0-4937-A100-0F14CDCACEF2}

=====

Page: 324

Abbreviation..... INT CO INJ  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Cardiac Output Injectate  
Display Name..... Cardiac Output Injectate  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: INTAKE - IV COLLOID  
ID: {7CD55D76-7D00-414E-BF24-315A5A92A998}

=====

Page: 325

Abbreviation..... INT IV COL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake of IV Colloids  
Display Name..... Intake IV Colloids  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 4 entries

- 
1. ALBUMIN (ALBUMIN) {EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}
  2. 5 PERCENT ALBUMIN (5 PERC ALB)  
   {A2D0F9A0-A9EC-4540-9663-B8B19A189198}
  3. 25 PERCENT ALBUMIN (25 PERC AL)  
   {CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}
  4. 6 PERCENT HETASTARCH (6 PERC HET)  
   {8A82F108-D2FE-4C21-93BB-344502235AE8}

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 20000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: INTAKE - IV CRYSTALLOIDS  
ID: {DD597777-861C-44FD-82E6-1FFF925D0095}

=====

Page: 326

Abbreviation..... INT IV CRY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake of IV Crystalloids  
Display Name..... Intake - IV Crystalloids  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0







ID: {DDD9CA13-29FA-4BDB-9558-B0DFEF76FA15}

=====

Abbreviation..... IN IV NUTR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IV Nutrition  
Display Name..... IV Nutrition  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 3 entries

-----

1. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
2. COLLOID (COLLOID) {5B912A05-9ECA-43C1-A117-BE0843313CDD}
3. LIPIDS (LIPIDS) {80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - LINE FLUSH  
ID: {0DAF17DD-4039-406C-9F53-5AB46E172648}

=====

Page: 330

Abbreviation..... IN LINE FL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake from line flush  
Display Name..... Intake - Line Flush  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 2 entries

- 
1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}
  2. LINE FLUSH HEPARIN (LN FL HEPA)  
{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0  
CUBIC CENTIMETER    -1 > 0 \* 9999 < 10000    Dec Prec: 0

ID: {86B055A5-04E4-4C85-B20B-9EA8F02E45AB}

=====

Abbreviation..... INT PCA VO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Intake PCA Volume  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	0.00 > 0.00 * 5000.00 < 5001.00
	Dec Prec: 2
CUBIC CENTIMETER	0.00 > 0.00 * 5000.00 < 5001.00
	Dec Prec: 2

=====

TERM: INTAKE - PERCENT MEAL CONSUMED  
ID: {A3C27D46-477C-476E-8D56-A652B8BC3933}

=====

Page: 332

Abbreviation..... INT % MEAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Percentage of meal consumed by patient  
Display Name..... Percent Meal Consumed  
Help Text..... Percentage of meal consumed by patient  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
PERCENTAGE                    -1 > 0 \* 100 < 101      Dec Prec: 0

=====

TERM: INTAKE - PO CALORIES  
ID: {DDCB1A84-6EA1-4ECC-AF57-EEA6754E8540}

=====

Page: 333

Abbreviation..... INT PO CAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pharyngeal Oral caloric intake  
Display Name..... Intake - PO Calories  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
CALORIE                    -1 > 0 \* 9999 < 10000    Dec Prec: 0

Abbreviation..... INT PO FLU
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Oral intake of fluids
Display Name..... Intake PO Fluids
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

PRODUCT: 10 entries

- 1. NUTRITIONAL SUPPLEMENT (NUTR SUPPL) {17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}
2. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
3. JUICE (JUICE) {91FFF519-1677-BB1D-D959-65B1BFA10285}
4. FULL LIQUID (FL LIQUID) {C8405270-CCA3-4BFF-B9D0-398590FBB1D9}
6. OTHER PO FLUID (PO OTHER) {1EA44424-4DE2-42B8-A50F-60DC56204502}
70. MILK (Milk) {6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}
80. COFFEE (Coffee) {BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}
90. SODA: DIET (Soda: Diet) {0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}
100. SODA: NON-DIET (Soda: Non) {B15D88DC-07B6-4980-98B2-A59B5662797A}
110. CLEAR LIQUIDS (Clear Liq) {BBE3A652-ACDC-4797-B140-D4DB4F474B13}

UNITS:

MILLILITER 0 > 1 \* 10000 < 10001 Dec Prec: 0
OUNCE 0 > 1 \* 338 < 339 Dec Prec: 0
CUBIC CENTIMETER 0 > 1 \* 10000 < 10001 Dec Prec: 0



=====

TERM: INTAKE - TPN CALORIES

Page: 335

ID: {6AAC56B6-D4B8-4F1C-A4D0-86FDD3B6C72E}

=====

Abbreviation..... INT TPN CA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Total parenteral nutrition calories  
Display Name..... Intake - TPN Calories  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CALORIE                    -1 > 0 \* 2000 < 2001      Dec Prec: 0

=====

TERM: INTAKE - TRANSFUSION  
ID: {DCD2263B-0390-4754-950A-6A410C0C59EB}

=====

Page: 336

Abbreviation..... INT TRANSF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Transfusion Type  
Display Name..... Transfusion  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	0 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	0 > 0 * 9999 < 10000	Dec Prec: 0

Abbreviation..... ICP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Intracranial Pressure - Do Not Check
Total or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 1 entries

- 1. VENTRICULAR DRAIN (VENT DRAIN)
{5FF035D1-9C97-415D-BBEB-943506395A0C}

UNITS:

MILLIMETERS OF MERCURY 0 > 8 \* 20 < 30 Dec Prec: 0



Abbreviation..... DR UN HR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Only to be used with products with
dosage measured in "Units"
Display Name..... IV DOSE RATE - UNITS/HOUR - Do Not
Check Total or Subtotals
Help Text..... Only to be used with products with
dosage measured in "Units"
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
UNITS PER HOUR 0 > 0 \* 99999 < 99999 Dec Prec: 0

=====

TERM: IV DOSE RATE - UNITS/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS Page: 340  
ID: {D1749D90-3EEE-41BE-BBF5-B3B00C18E8D2}

=====

Abbreviation..... IVDR UKH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Only to be used with products with  
dosage measured in "Units"  
Display Name..... IV DOSE RATE - UNITS/kg/HOUR - Do Not  
Check Total or Subtotals  
Help Text..... Only to be used with products with  
dosage measured in "Units"  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
UNITS/kg/HOUR            0 > 10 \* 51 < 101            Dec Prec: 0



Abbreviation..... IV DR mc
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... IV DOSE RATE - mcg/TIME - Do Not
Check Total or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
MICROGRAMS PER HOUR -1.00 > 0.00 \* 9999.00 < 10000.00
Dec Prec: 2
MICROGRAMS PER MINUTE -1.00 > 0.00 \* 9999.00 < 10000.00
Dec Prec: 2





Abbreviation..... nt
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... IV DOSE RATE - mg/TIME - Do Not Check
Total or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
MILLIGRAMS PER HOUR -1.00 > 0.00 \* 9999.00 < 10000.00
Dec Prec: 2
MILLIGRAMS PER MINUTE -1.00 > 0.00 \* 9999.00 < 10000.00
Dec Prec: 2

=====
TERM: IV DOSE RATE - mg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS Page: 345
ID: {FE8EB504-6F94-4863-B673-489582F1233C}
=====

Abbreviation..... IV DR MG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... IV DOSE RATE - mg/kg/HOUR - Do Not
Check Total or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
MILLIGRAMS PER KILOGRAM PER HOUR
0 > 1 \* 2000 < 9999 Dec Prec: 0

Abbreviation..... IV FLOW R
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... IV Flow Rate in ml / min or hour
Display Name..... IV Flow Rate - Do Not Check Total or
Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
MILLILITERS PER HOUR -1.00 > 0.00 \* 9999.00 < 10000.00
Dec Prec: 2
MILLILITERS PER MINUTE -1.00 > 0.00 \* 9999.00 < 10000.00
Dec Prec: 2

Abbreviation..... IV FL kg
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... IV FLOW RATE - ml/kg/Time - Do Not
Check Total or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:
-----

MILLILITERS PER KILOGRAM PER HOUR
0.00 > 1.00 \* 40.00 < 100.00
Dec Prec: 2
MILLILITERS PER KILOGRAM PER MINUTE
0.00 > 0.33 \* 1.33 < 1.70 Dec Prec: 2

Abbreviation..... IV LI CARE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Care of IV Lines  
Display Name..... IV Line Care  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 20 entries

-----

1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
2. DRESSING CHANGED (DRESS CHAN)  
{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
3. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}
4. TUBING CHANGED/LABELED (TUBE CHANG)  
{19BA337C-6E28-411E-9702-48B262C593FA}
5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
6. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}
7. LEVELED (LEVELED) {D72523B2-E0CD-40E1-AC14-2FA43636A456}
8. PRESSURE CALIBRATION (PRESS CALI)  
{38C12E69-2CD2-4F61-98D9-06AB857DA51A}
9. ARTERIAL LINE CARE (ART LINE C)  
{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}
10. CENTRAL VENOUS CATHETER (CENT VEN C)  
{EE91E841-C09B-4432-A121-8EBAB92E9CD2}
11. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}
12. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}
13. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
14. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
15. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}
16. ALCOHOL PORT PROTECTOR (Al Port Pr)  
{785F47CF-A279-46F9-9073-B6A6A70E8888}
17. NEUTRAL PRESSURE CONNECTOR (N Pres Con)  
{263F1A2C-4384-4B6A-B930-B9AF85B7F965}
18. POSITIVE PRESSURE CONNECTOR (P Pres Con)  
{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}
19. NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (Needleless)  
{5D9D8D90-9B39-4DF3-8095-755235687F45}
20. MEDICAL NECESSITY CONFIRMED (med nec)  
{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}

UNITS:

-----

Abbreviation..... IV PORT #
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... IV Port descriptor or number
Display Name..... IV Port / Number
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

- 1. PROXIMAL PORT (PROX PORT) {3244EF4F-F18A-4250-96F5-ABCEA7BFA578}
2. MEDIAL PORT (MEDI PORT) {D1734D73-2E1A-4538-8884-05D8A78CF556}
3. DISTAL PORT (DIST PORT) {E493DF34-AD0E-4951-9715-5AD4EFA14036}
4. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
5. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
6. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
7. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
8. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
9. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
10. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
11. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
12. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
13. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
14. 11 (11) {BD51A7B3-FACF-890C-472E-E3B28519CC16}
15. 12 (12) {ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

LOCATION: 20 entries

- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L ANTECUBITAL (L ANTECUBI) {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
4. R ANTECUBITAL (R ANTECUBI) {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
9. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
10. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
15. L INTERNAL JUGULAR (L INT JUG) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
16. R INTERNAL JUGULAR (R INT JUG) {7ABF6916-D379-198D-6454-F0518A74844A}
17. L EXTERNAL JUGULAR (L EXT JUGU) {6F7B331B-4F83-0B79-1755-F6F673D647D6}
18. R EXTERNAL JUGULAR (R EXT JUGU) {4D78F704-9E3B-907E-A792-4DC4F4CFF170}
19. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
20. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

-----



Abbreviation..... IV ST COND
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... IV Site Condition
Help Text..... Condition of IV Site
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
50. PATENT (Patent) {FOC38BCB-1D11-436C-8B8C-4297C27DDE04}
60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

LOCATION: 20 entries

- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L ANTECUBITAL (L ANTECUBI) {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
4. R ANTECUBITAL (R ANTECUBI) {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
9. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
10. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
15. L INTERNAL JUGULAR (L INT JUG) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
16. R INTERNAL JUGULAR (R INT JUG) {7ABF6916-D379-198D-6454-F0518A74844A}
17. L EXTERNAL JUGULAR (L EXT JUGU) {6F7B331B-4F83-0B79-1755-F6F673D647D6}
18. R EXTERNAL JUGULAR (R EXT JUGU) {4D78F704-9E3B-907E-A792-4DC4F4CFF170}
19. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
20. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: LABS PER ORDERS  
ID: {6D66F3BC-9A35-4CE2-8677-00938428CD19}

=====

Page: 351

Abbreviation..... Labs p/Ord  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Labs per Orders  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... LVEF - CON
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Continuous Left Ventricular Ejection
Fraction
Display Name..... LVEF - Continuous
Help Text..... If a range is provided use the midpoint
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 7 entries

- 1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}
2. NUCLEAR PERFUSION IMAGING (NPI) {D0F7DB21-0D66-4161-8214-DACCAF41ADAC}
3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA) {4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}
4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT) {35BEA63F-9696-4C03-AE1D-D76E4DDBB017}
5. MAGNETIC RESONANCE IMAGING (MRI) {50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}
6. COMPUTED TOMOGRAPHY (COM TOMOGR) {B4676AE0-BFAF-4649-AB08-3710E39F9B8D}
7. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

PERCENTAGE 0 > 1 \* 99 < 100 Dec Prec: 0

Abbreviation..... LVEF - CAT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Categorical Left Ventricular Ejection
Fraction
Display Name..... LVEF - Categorical
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

- 1. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
2. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
3. BORDERLINE REDUCED (BORD REDUC)
{63703AB1-6249-403B-BDE8-FECA9FA36CF5}
4. MILD-MODERATELY REDUCED (MI-MOD-RED)
{41DA2518-0E49-4E92-A733-3ACF3D2E8199}
5. MODERATELY REDUCED (MOD REDUCE)
{91F73300-7EE0-428C-A838-5B3BE062D8BC}
6. MODERATE-SEVERELY REDUCED (MO-SEV RED)
{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}
7. SEVERELY REDUCED (SEV REDUCE)
{A895BACE-85AC-45B2-A190-4A6816DEDC1D}
8. LESS THAN 30 (<30) {5AA98A0D-9B05-425D-97CA-B8B12425AACA}

METHOD: 7 entries

- 1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}
2. NUCLEAR PERFUSION IMAGING (NPI)
{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}
3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)
{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}
4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)
{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}
5. MAGNETIC RESONANCE IMAGING (MRI)
{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}
6. COMPUTED TOMOGRAPHY (COM TOMOGR)
{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}
7. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

=====

TERM: LEFT VENTRICULAR STROKE WORK  
ID: {E9D668F0-920C-7E29-A6A1-618FC8ECD19B}

=====

Page: 354

Abbreviation..... LVSW  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Left Ventricular Stroke Work  
Display Name..... Left Ventricular Stroke Work  
Help Text..... Left Ventricular Stroke Work  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

STROKE WORK PER BEAT 29.9 > 30.0 \* 150.0 < 150.1  
Dec Prec: 1

ID: {49E9E897-E19A-8FE9-416C-F98CA66EFBC9}

=====

Abbreviation..... LEGMOV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Leg Movements  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |                |  |
|----------------|--|
| 1. ABSENT (a)  | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |
| 2. PRESENT (p) | {384DC20F-1625-CE1E-1C85-A3B3924BB2A0} |

UNITS:  
-----

Abbreviation..... LOC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Level of Consciousness
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

- 1. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
2. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
3. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
4. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}
5. LETHARGIC (l) {4ECA2E44-093A-9354-848E-CDC72B165072}
60. FOLLOWS COMMANDS (Follow Cmd) {D5722341-ACC1-4F69-B537-1D3126ADA249}
70. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
80. DELIRIOUS (Delirious) {6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}
90. OBTUNDED (Obtunded) {356C0511-C91C-4B79-AF10-072F94D4AE09}
100. STUPOROUS (Stuporous) {4C25FF58-3346-4B06-ACE5-6ADB942877A8}
110. UNRESPONSIVE (Unresponsi) {F6A71E77-B51F-4812-AE04-E24FA82D2AF1}

UNITS:

Abbreviation..... L LOW LIMB  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Lower Limb Extremities Strength  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- |                      |  |
|----------------------|--|
| 1. ABSENT (a)        | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |
| 2. WEAK (w)          | {BE2D9305-E2DA-F492-66CF-164EE58B8179} |
| 3. STRONG (s)        | {A12154E1-544E-F372-3839-0D44E5BC476B} |
| 4. REFLEX (r)        | {F21585F9-5206-A6B3-2BF6-F416E5842366} |
| 5. EQUAL (Equal)     | {AC079584-158D-EBF2-E13A-C2E919375E4D} |
| 6. UNEQUAL (Unequal) | {73319200-164F-B39F-649C-B7FB1AFBDBB8} |

LOCATION: 3 entries

- 
- |                              |  |
|------------------------------|--|
| 1. L LOWER LIMB (LLLI)       | {4838CB05-A1DD-F4FB-587C-2D0C17A2484E} |
| 2. R LOWER LIMB (R LOW LIMB) | {A8E26A05-311A-F196-40B5-B5202D9F8058} |
| 3. BILATERAL LEG (BILAT LEG) | {0713761D-E0FC-DA03-02A1-F20EFEB99F45} |

UNITS:

-----



=====

TERM: LVSWI Page: 358  
ID: {7945FB00-2FA8-6D4C-BC85-0110EA75AC5C}

=====

Abbreviation..... LVSWI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Left Ventricular Stroke Work Index  
Display Name..... LVSWI  
Help Text..... Left Ventricular Stroke Work Index  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

STROKE WORK PER BEAT PER M2 19 > 20 \* 150 < 151 Dec Prec: 0  
GM-MM2/BEAT 19 > 20 \* 150 < 151 Dec Prec: 0

=====

TERM: MALLAMPATI SCORE  
ID: {33452BD5-3E25-4B92-8849-F31EE04879AD}

=====

Page: 359

Abbreviation..... Mallampati  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Mallampati Score  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- |                          |  |
|--------------------------|--|
| 1. CLASS I (Class I)     | {4A1B7DD6-3846-4455-A06D-0E3C0FB3752A} |
| 2. CLASS II (Class II)   | {2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7} |
| 3. CLASS III (Class III) | {C0FFDE12-241C-4087-9404-DB128F6B793A} |
| 4. CLASS IV (Class IV)   | {176030D0-2576-4D2D-A5AB-E5DA38DADEB5} |

UNITS:

-----

Abbreviation..... Bath Self
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Bathing-Self Performance
Help Text..... How resident takes full-body
bath/shower, sponge bath, and
transfers in/out of tub/shower
(excludes washing of back and hair)
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

- 10. 0 - INDEPENDENT - NO HELP PROVIDED (0 ind)
{07AB4004-1793-410A-9872-00BB0B322DFE}
20. 1 - SUPERVISION - OVERSIGHT HELP ONLY (1 Supervi)
{F7DFB6E8-F550-4072-B693-93BF96A23834}
30. 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (2 Phys Tra)
{0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}
40. 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (3 Phys Bat)
{1F24B08B-A5C1-4430-AC56-B40C347E1DDE}
50. 4 - TOTAL DEPENDENCE (4 Tot Dep)
{062C8F50-294A-48CF-8E81-0C6D7787A4B1}
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)
{909C971F-9C9F-4D6A-9C33-3447614E9057}

UNITS:



=====
TERM: MDS: BED MOBILITY-SELF PERFORMANCE
ID: {5857AA3B-9EDD-4005-BC42-2036C70A016D}

Abbreviation..... Bed Self
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Bed Mobility-Self Performance
Help Text..... How resident moves to and from lying
position, turns, side to side, and
positions body while in bed or
alternate sleep furniture
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

- 10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)
{4A125BF9-A2C1-4503-9182-BF3E2A708547}
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}
30. 2 - LIMITED ASSISTANCE (2 Limited)
{35934E53-08EB-46E0-8136-96FD6174ACF1}
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

Abbreviation..... Bed Supp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Bed Mobility-Support
Help Text..... How resident moves to and from lying
position, turns, side to side, and
positions body while in bed or
alternate sleep furniture
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)
20. 1 - SETUP HELP ONLY (1 Setup )
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

UNITS:
-----

Abbreviation..... Dress Self  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Dressing-Self Performance  
Help Text..... How resident puts on, fastens and  
takes off all items of clothing,  
including donning/removing a  
prosthesis or TED hose. Dressing  
includes putting on and changing  
pajamas and housedresses.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 6 entries

- 
- 10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}
  - 20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}
  - 30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}
  - 40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}
  - 50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}
  - 60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:  
-----

Abbreviation..... Dress Supp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Dressing-Support
Help Text..... How resident puts on, fastens and
takes off all items of clothing,
including donning/removing a
prosthesis or TED hose. Dressing
includes putting on and changing
pajamas and housedresses.
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 5 entries

- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)
20. 1 - SETUP HELP ONLY (1 Setup )
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

UNITS:





Abbreviation..... Eat Supp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Eating-Support
Help Text..... How resident eats and drinks,
regardless of skill. Do not include
eating/drinking during medication
pass. Includes intakes of nourishment
by other means (eg. Tube feeding,
total parenteral nutrition, IV fluids
administered for nutrition or
hydration)
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)
20. 1 - SETUP HELP ONLY (1 Setup )
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

UNITS:

Abbreviation..... Locom Self  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: MDS: Locomotion Off Unit-Self  
Performance  
Help Text..... How resident moves to and returns  
from off-unit locations (eg. areas  
set aside for dining, activities,  
treatments). If facility only has 1  
floor, how resident moves to/from  
distant areas on floor. If in  
wheelchair, self-sufficiency once in  
chair  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}
  - 20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}
  - 30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}
  - 40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}
  - 50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}
  - 60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:  
-----

Abbreviation..... Locom Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Locomotion Off Unit-Support  
Help Text..... How resident moves to and returns  
from off-unit locations (eg. areas  
set aside for dining, activities,  
treatments). If facility only has 1  
floor, how resident moves to/from  
distant areas on floor. If in  
wheelchair, self-sufficiency once in  
chair  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}
  - 20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}
  - 30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}
  - 40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}
  - 50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:  
-----

Abbreviation..... Locom Unt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Locomotion on Unit-Self  
Performance  
Help Text..... How resident moves between locations  
in his/her room and adjacent corridor  
on same floor. If in wheelchair,  
self-sufficiency once in chair  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}
  - 20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}
  - 30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}
  - 40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}
  - 50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}
  - 60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----





Abbreviation..... Hygi Supp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Personal Hygiene-Support
Help Text..... How resident maintains personal
hygiene, including combing hair,
brushing teeth, shaving, applying
makeup, washing/drying face and hands
(excludes baths and showers)
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)
20. 1 - SETUP HELP ONLY (1 Setup )
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

UNITS:
-----



Abbreviation..... Toil Self
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Toilet Use-Self Performance
Help Text..... How resident uses the toilet room,
commode, bedpan or urinal; transfers
on/off toilet; cleanses after
elimination; changes pad; manages
ostomy or catheter; adjusts clothes.
Do not include emptying bedpan,
urinal, commode, catheter or ostomy
bag.
Multi Select Picklist..... No
Term Type..... OBSERVATION
Void.....

DATA VALUE: 6 entries

- 10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)
{4A125BF9-A2C1-4503-9182-BF3E2A708547}
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}
30. 2 - LIMITED ASSISTANCE (2 Limited)
{35934E53-08EB-46E0-8136-96FD6174ACF1}
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

Abbreviation..... Toil Supp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Toilet Use-Support
Help Text..... How resident uses the toilet room,
commode, bedpan or urinal; transfers
on/off toilet; cleanses after
elimination; changes pad; manages
ostomy or catheter; adjusts clothes.
Do not include emptying bedpan,
urinal, commode, catheter or ostomy
bag.
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)
20. 1 - SETUP HELP ONLY (1 Setup )
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

UNITS:



Abbreviation..... Trans Supp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Transfer-Support
Help Text..... How resident moves between surfaces
including to or from: bed, chair,
wheelchair, standing position
(excludes to/from bath/toilet)
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)
20. 1 - SETUP HELP ONLY (1 Setup )
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

UNITS:
-----

Abbreviation..... Wlk Cor Sf  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Walk in Corridor-Self Performance  
Help Text..... How resident walks in corridor on unit  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
          {4A125BF9-A2C1-4503-9182-BF3E2A708547}
  - 20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
          {7400DA9E-E89A-44F4-8516-CB6D5931D97D}
  - 30. 2 - LIMITED ASSISTANCE (2 Limited)  
          {35934E53-08EB-46E0-8136-96FD6174ACF1}
  - 40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
          {4B1FCD6E-7211-4151-ACD8-DF2F614A4337}
  - 50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
          {E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}
  - 60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
          {8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

Abbreviation..... Wlk Cor Sp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Walk in Corridor-Support  
Help Text..... How resident walks in corridor on unit  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}
  - 20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}
  - 30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}
  - 40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}
  - 50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:  
-----

Abbreviation..... Wlk Rm Sel
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... MDS: Walk in room-Self Performance
Help Text..... How resident walks between locations
in his/her room
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

- 10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)
30. 2 - LIMITED ASSISTANCE (2 Limited)
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

UNITS:





=====

TERM: MEAL TYPE

Page: 382

ID: {B7077982-602A-426F-98A8-522722E39393}

=====

Abbreviation..... Meal Type  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Meal Type  
Help Text..... Select meal or snack type  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----

10. BREAKFAST (Breakfast)	{59166132-625E-4E1E-9D97-13BF678EA726}
20. LUNCH (Lunch)	{9CF74807-8CA5-491F-98C4-97A5476FCE30}
30. SUPPER (Supper)	{9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}
40. SNACK - AM (Snack - AM)	{CBF0AFB1-AF1D-4C04-931F-3508D0472E70}
50. SNACK - PM (Snack - PM)	{883C1241-38DA-4C6C-BF3C-CCF3B2378560}
60. SNACK - HS (Snack - HS)	{861B5B9A-D59F-46D2-BA96-4BEAA50654CE}
70. SNACK - OTHER (Snack - Ot)	{CDEE1A83-4546-4A81-AA12-5D27DF743E68}

UNITS:

-----

=====

TERM: MEAN ARTERIAL PRESSURE  
ID: {9D9D9FD8-C352-6434-E796-C583407EBD45}

=====

Page: 383

Abbreviation..... MAP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Mean Arterial Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 5 entries

- 
1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
  2. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
  3. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
  4. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}
  5. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

UNITS:

-----

MILLIMETERS OF MERCURY    25 > 50 \* 100 < 300    Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE  
ID: {9038EF74-932A-42EE-992F-A20BD8784BB7}

=====

Page: 384

Abbreviation..... BP MEAN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Mean Blood Pressure  
Display Name..... Mean Blood Pressure  
Help Text..... Mean Blood Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 5 entries

- 
1. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
  2. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
  3. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
  4. IABP (IABP) {4352A41F-AAF3-4544-9590-BAFD7977DF49}
  5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----

MILLIMETERS OF MERCURY    20 > 50 \* 100 < 200    Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE ARTERIAL LINE  
ID: {4493FB14-8C5E-9995-C08F-D0BC9A3B5D0B}

=====

Page: 385

Abbreviation..... MBPAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Mean Blood Pressure Arterial Line  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIMETERS OF MERCURY      24 > 25 \* 200 < 201      Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE NON-INVASIVE  
ID: {A89EC390-60BB-FE79-6F40-F9E2BAFE5BB5}

=====

Page: 386

Abbreviation..... MBPNI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Mean Blood Pressure Non-Invasive  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIMETERS OF MERCURY    24 > 25 \* 200 < 201    Dec Prec: 0

=====

TERM: MEAN BP CUFF  
ID: {1F7DAE88-DE53-4807-F51F-47AB8A672EA1}

=====

Page: 387

Abbreviation..... MBPC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Mean BP Cuff  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIMETERS OF MERCURY      24 > 25 \* 200 < 201      Dec Prec: 0

=====

TERM: MED LAST DOSE: ANTIBIOTIC  
ID: {F521A3A6-27C9-48F7-8203-6E5634783198}

=====

Page: 388

Abbreviation..... MLD AnBio  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Antibiotic  
Help Text..... Date and time of Last Dose  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: MED LAST DOSE: ANTICOAGULANT  
ID: {4404F3B5-B163-4F86-B2B1-E1E9E0687937}

=====

Page: 389

Abbreviation..... MLD AnCoag  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Anticoagulant  
Help Text..... Date and Time of Last Dose  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----



=====

TERM: MED LAST DOSE: ASPIRIN  
ID: {40F5DD1D-4534-463F-B4C8-5FF0D589C878}

=====

Page: 390

Abbreviation..... MLD Aspi  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Aspirin  
Help Text..... Date and Time of Last Dose  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: MED LAST DOSE: ESA ERYTHROPOETIN  
ID: {E63799D0-44A6-40A0-9968-FD0974BEDD17}

=====

Page: 391

Abbreviation..... MLD: ESA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: ESA Erythropoetin  
Help Text..... Enter last time/dose of medications  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: MED LAST DOSE: HYPOGLYCEMIC AGENT  
ID: {26E3B7EF-95A6-4ED3-A483-59DF78E4EB94}

=====

Abbreviation..... MLD: Hypog  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Hypoglycemic Agent  
Help Text..... Enter last time/dose of medications  
                    for Diabetes  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: MED LAST DOSE: NON-STEROIDAL ANTI-INFLAMMATORY DRUG  
ID: {69BB442B-01B6-485F-A78D-423A74C18D06}

=====

Page: 393

Abbreviation..... MLD Non-St  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Non-steroidal  
                                Anti-inflammatory Drug  
Help Text..... Date and Time of Last Dose  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: MEWS: CONSCIOUS LEVEL  
ID: {D13CE4D4-116E-4929-A8DC-740B579E8018}  
=====

Page: 394

Abbreviation..... MEWS: CONS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Conscious Level  
Help Text..... (Modified Early Warning System)  
                    Conscious level (AVPU)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 10. 3 - UNRESPONSIVE (Unresponsi)  
                    {F40F8A1E-ED15-424A-9481-3527B0E69DF1}  
20. 2 - RESPONDS TO PAIN (Pain)  
                    {AE6B5DEC-6510-4FEE-8461-D2E930534ACE}  
30. 1 - RESPONDS TO VOICE (Voice)  
                    {69C7DA2C-893A-40AB-969C-E003B5D2F05D}  
40. 0 - ALERT (Alert)            {A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}  
50. 1 - NEW AGITATION CONFUSION (New Agitat)  
                    {F458199B-A547-419B-A691-F15E7CD61F8C}

UNITS:  
-----

=====

TERM: MEWS: HEART RATE  
ID: {6D3266EC-E57D-4299-9AAC-80D0842C0D3F}

=====

Page: 395

Abbreviation..... MEWS: HR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Heart Rate  
Help Text..... (Modified Early Warning System) Heart  
rate per minute  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----

10. 2 - HR 0-39 (HR 0-39) {1243C1C9-C72F-4765-8D19-D689E1FC44F5}  
20. 1 - HR 40-50 (HR 40-50 ) {EC915B1F-BED1-497D-AD10-4FDOC2ADEDCE}  
30. 0 - HR 51-100 (HR 51-100) {6A262124-7FE8-4520-9762-87D0A3DB8AE9}  
40. 1 - HR 101-110 (HR 101-110)  
{FCB6C37E-1BB4-418F-8203-0916B4056DEB}  
50. 2 - HR 111-129 (HR 111-129)  
{6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}  
60. 3 - HR 130 OR MORE (HR 130 +)  
{CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}

UNITS:  
-----

=====

TERM: MEWS: HOURLY URINE  
ID: {11CAC7DF-6CF0-404C-ADB5-747B1AF6F48E}

=====

Page: 396

Abbreviation..... MEWS: Urin  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Hourly Urine  
Help Text..... (Modified Early Warning System)  
Hourly urine for 2 hours  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
- 10. 3 - LESS THAN 10MLS/HR (< 10mls/hr)  
{E013F8AC-7DBE-4F13-BF48-0317A46332CC}
  - 20. 2 - LESS THAN 30MLS/HR (< 30mls/hr)  
{A85A05F7-3443-4E62-ACF4-3334E3EF5675}
  - 30. 1 - LESS THAN 45MLS/HR (< 45mls/hr)  
{3AED380E-00F9-4C29-B303-52E08F8911B3}

UNITS:  
-----

=====

TERM: MEWS: RESPIRATORY  
ID: {BBB4C1F6-B418-4960-A3C7-87BAF9DB7595}

=====

Page: 397

Abbreviation..... MEWS: Resp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Respiratory  
Help Text..... (Modified Early Warning System)  
Respiratory rate per minute  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. 2 - RR 0-8 (RR 0-8) {73DC19E6-865C-4161-9CBE-3A8D44BC4D84}
  - 20. 0 - RR 9-14 (RR 9-14) {F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}
  - 30. 1 - RR 15-20 (RR 15-20) {1CF2487B-30C6-46AB-A051-B4499F825DC2}
  - 40. 2 - RR 21-29 (RR 21-29) {72DF48C2-B8F3-4ED4-91D1-87157707C3EC}
  - 50. 3 - RR 30 OR MORE (RR 30 or +)  
{6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}

UNITS:

-----



=====

TERM: MEWS: SCORE Page: 398  
ID: {528BE6FB-ED0A-43FA-A5A4-DF6ADD532CA1}

=====

Abbreviation..... MEWS-Score  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... (Modified Early Warning System) MEWS  
Score  
Display Name..... MEWS: Score  
Help Text..... (Modified Early Warning System) MEWS  
Score  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----  
MEWS: SCORE UNIT      0 > 0 \* 15 < 15      Dec Prec: 0





Abbreviation..... Appli Remo
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Moderate sedation: Pre-assessment
appliances removed
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

- 1. DENTURES (Dentures) {ECABE4D0-97BE-418D-AC7D-29E40D166581}
2. EYEGLASSES (Eyeglasses) {E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}
3. CONTACTS (Contacts) {6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}
4. PROSTHESIS (PROSTHESIS) {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}
5. HEARING AIDS (Hear Aids) {504FF149-8889-444E-925B-C952314FDF98}
6. OTHER (SEE COMMENTS) (Other) {7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

Abbreviation..... Health HX
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Moderate Sedation: Pre-assessment
CPRS Health HX Reviewed
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

- 1. AICD (AICD) {EDB0E730-A1DC-4639-888B-30E956CCA958}
2. ARTIFICIAL VALVES (Art Valves) {088BB4A5-A93E-47E2-B21F-BC2957D52693}
3. BMI>35KG/M2 (BMI>35KG/M) {FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}
4. DIABETES (Diabetes) {E295E970-759D-44CD-AD43-6047382A790D}
5. GRAFTS (Grafts) {E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}
6. IMPLANTS (Implants) {14998852-14FD-4C6A-BB8A-5073D6094B11}
7. PACER (Pacer) {F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}
8. KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (Known/Susp) {BD47DD8C-7057-403B-B393-EBCBF9907B68}
10. METAL IMPLANTS (Metal Impl) {E7424C97-0A81-4C4E-916E-0AE812FFDB96}
11. PREGNANT, NO (Preg, No) {D08F5D48-965E-4537-83BC-14722E28B0AE}
12. PREGNANT, YES (Preg, Yes) {CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}
13. SEIZURES (Seizures) {DE974E49-2AB6-4781-9930-468F2B781BA9}
14. SHUNTS (Shunts) {8D9CB03B-6D63-4205-86C3-869421BEBD04}
15. SNORES (Snores) {69FE4ECF-E1FE-4235-AD44-5AF9E634E000}
16. STROKE (Stroke) {F0EE98A8-040F-4923-8A21-059DA7B17995}

UNITS:
-----









Abbreviation..... Mod Sed Pr  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Moderate Sedation: Preparation  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. CODE CART IS ASSESSIBLE (Code Cart)  
{DB670E39-CF90-4068-8E38-44DCA5F365B5}
  2. BAG/MASK & O2 SET UP (Bag/Mask)  
{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}
  3. FUNCTIONAL SECTION SET UP (Func Sect)  
{E156C048-11D5-4F62-8B1A-0CEA931E03EF}
  4. CARDIO-RESP MONITOR (Cardio-Re)  
{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}
  5. PULSE OXIMETER (Pulse Ox) {773A956B-0B08-4D72-AAD4-630DF8268694}
  6. END-TIDAL CO2 MONITOR (End-Tidal)  
{609E3607-E441-465D-B1FC-C6986C58C11C}

UNITS:  
-----

=====

TERM: MODERATE SEDATION: TIME OUT: PATIENT IDENTIFIERS  
ID: {49C83164-4646-45D7-8873-315654599E2F}

=====

Page: 407

Abbreviation..... Pat Ident  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Moderate sedation: Time Out: Patient  
Identifiers  
Help Text..... Patient Identifiers  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. FULL NAME (Full Name) {A915EA98-D18D-4887-8C50-4B6C0DF44D1D}
  2. FULL SSN (Full SSN) {3E2887AF-2DC5-40FA-9052-7B04347CC802}
  3. DATE OF BIRTH (DOB) {F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

UNITS:

-----

=====

TERM: MONITOR PLACED  
ID: {FA699021-BD76-4DCA-B680-6E0F523B67FF}

=====

Page: 408

Abbreviation..... Monitor  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Monitor Placed  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. CARDIAC (Cardiac) {2A4308E5-C843-4844-B908-32DA0A0B50E3}
  2. RESPIRATION (Respiratio) {5D6198F0-FE26-4F94-9118-D49A7EC44017}
  3. BLOOD PRESSURE (Blood Pres)  
{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}
  4. PULSE OXIMETER (Pulse Ox) {D681E1E3-E914-421C-A19E-37C72F5E869F}

UNITS:  
-----

=====

TERM: MONITORING CAMERA  
ID: {3C959476-0C22-4C00-88D8-99C944D2D4A5}

=====

Page: 409

Abbreviation..... MON CAMERA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Monitoring Camera  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. PATIENT INFORMED (PAT INFORM)  
    {074A1D19-3920-49F1-8958-2EB6F9CF05BA}
  2. FAMILY INFORMED (FAM INFORM)  
    {77135D32-9CDD-4D3F-9B62-6E8189B77844}
  3. UNABLE TO INFORM (UNABLE INF)  
    {77428C87-B3F9-4BBD-B781-F7D89BCF9492}

UNITS:  
-----

=====

TERM: MORSE: AMBULATORY AID DURING WALKING  
ID: {472ED5D6-2DFB-4EAF-9CCB-78D77C2D685B}

=====

Page: 410

Abbreviation..... MORSE AID  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Morse: Ambulatory Aid During Walking  
Display Name..... Morse: Ambulatory Aid During Walking  
Help Text..... 0: None/bedrest/Nurse Assis./  
Wheelchair, 15: Crutches/Cane/Walker,  
30: Furniture  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 15 (15)	{FE8C049F-B64C-4991-2F50-3C561BA4825C}
3. 30 (30)	{1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}

UNITS:  
-----

=====

TERM: MORSE: GAIT

Page: 411

ID: {7CCE584F-DDAB-090B-9E73-41D5A8696F98}

=====

Abbreviation..... MORSE GAIT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Morse: Gait  
Help Text..... 0: Normal/Bedrest/Wheelchair, 10:  
Weak, 20: Impaired  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 10 (10)	{0C827160-18DB-816F-7FAA-A3C175C6D33B}
3. 20 (20)	{532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

-----

=====
TERM: MORSE: HISTORY OF FALLING WITHIN LAST THREE MONTHS
ID: {9E44E0AE-F9AD-25A8-7771-589BF2DBD6B7}
=====

Abbreviation..... MORSE HIST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Morse: History of Falling Within Last
Three Months
Help Text..... 0 if NO, 25 if YES
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 2 entries

- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCD1}

UNITS:
=====

=====

TERM: MORSE: IV THERAPY SALINE LOCK  
ID: {5FB26C06-AF8D-ECBE-FC10-442510EC52F1}

=====

Page: 413

Abbreviation..... MORSE IV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Morse: IV Therapy Saline Lock  
Help Text..... 0 if NO, 25 if YES  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
  - 2. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:  
-----



=====

TERM: MORSE: MENTAL STATUS OF PT OWN ABILITY  
ID: {E15F905B-5D1C-47CA-A23A-5EC47302D9A3}

=====

Page: 414

Abbreviation..... MORSE PT S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Morse: Mental Status of Patients Own  
Ability  
Display Name..... Morse: Mental Status of Patients Own  
Ability  
Help Text..... 0: Oriented to own ability, 15  
Overestimates, forgets limitations  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
  - 2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:  
-----

=====

TERM: MORSE: SCORE TOTAL  
ID: {80F2ACB5-5E42-48B8-8EB8-CADAD149E7BB}

=====

Page: 415

Abbreviation..... MORSE TOTA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Morse Score Total  
Display Name..... Morse: Score Total  
Help Text..... Morse Score Total  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MORSE SCORE            -1 > 0 \* 135 < 136      Dec Prec: 0

=====

TERM: MORSE: SECONDARY DIAGNOSIS LISTED ON CHART  
ID: {305B5629-D6B2-440A-B46F-E0535AE843F9}

=====

Page: 416

Abbreviation..... MORSE 2NDA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Morse: Secondary Diagnosis Listed On C  
Help Text..... 0 = No, 25 = Yes  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
  - 2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:  
-----

Abbreviation..... MOTOR ACTI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Motor Activity  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. NORMAL POWER (np) {0E45C061-0744-8A21-7256-003702A5005B}
  2. NO MOVEMENT (nm) {2618E301-379B-BAB9-9EDE-98FD4B60D311}
  3. FLICKER OF CONTRACTION (foc)  
{218B322B-84AA-F6F6-5207-D86F9A4311F0}
  4. MOVEMENT WITH GRAVITY ELIMINATED (mwge)  
{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}
  5. MOVE AGAINST GRAVITY BUT NO RESISTANCE (magbnr)  
{F995A165-8536-C493-2269-286E8EFF5E43}
  6. MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (magareobte)  
{2ECCC197-4A81-025F-3EF3-6214004887A9}

LOCATION: 4 entries

- 
1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}
  2. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}
  3. R LOWER EXTREMITY (R LOW EXTR)  
{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}
  4. R UPPER EXTREMITY (R UPP EXTR)  
{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

-----

=====

TERM: MOTOR CHECK

Page: 418

ID: {521171CF-BD9D-2F28-4042-EA885C40E556}

=====

Abbreviation..... MOCH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Motor Check  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. INTENTIONAL (i) {D5BBBFFC-F739-1E69-FED4-288D8E803D04}
  - 2. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}

UNITS:

-----

=====

TERM: MUCOUS MEMBRANE CONDITION  
ID: {4D9B0E42-4A15-4699-A80E-31588D8C13FD}

=====

Page: 419

Abbreviation..... MUC MEMBRA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Mucous Membrane Condition  
Display Name..... Mucous Membrane Condition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 7 entries

-----

1. PINK (PINK)	{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
2. CYANOTIC (c)	{06BD77DB-1849-D731-0F27-F8CE48755EA9}
3. PALE (p)	{0EB39D28-7ABE-A4AB-D334-3F795E65618D}
40. MOIST (m)	{AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}
50. DRY (d)	{D8F4F0FD-1B19-2515-3815-EC88D175B305}
60. LESION PRESENT (Lesion)	{6AA9A82F-917E-45BB-9601-9E53A559006D}
70. COLOR APPROPRIATE FOR ETHNICITY (Color Appr)	{C4128AA9-AC26-45CA-8D42-0764AB327C7F}

UNITS:  
-----

Abbreviation..... NAIL COLOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Nail Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. NORMAL FOR ETHNIC GROUP (ETH. NORM.)  
{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}
  2. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}
  3. DISCOLORATION (DISCOLORAT)  
{BBE3E910-CC49-430C-BD90-FB0A97F1B183}
  4. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}
  5. HEMORRHAGE (HEMORRHAGE) {E00AC828-83F3-4F69-B97B-D6AD1D87A440}

UNITS:  
-----

=====

TERM: NAIL SHAPE Page: 421  
ID: {6351A78B-67BC-46A4-B7E4-72D63C8C2917}

=====

Abbreviation..... NAIL SHAPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Nail Shape  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. CLUBBING (CLUBBING) {AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}
  3. SPOONING (SPOONING) {CA384C9F-D87D-4E2D-B4C0-89BD85692B16}

UNITS:  
-----



=====

TERM: NAIL TEXTURE

Page: 422

ID: {AD3F008F-6AA8-483F-AAA6-5F797109F4A6}

=====

Abbreviation..... NAIL TEXTU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Nail Texture  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
3. PITTED (PITTED) {BEA42FD8-91C7-4BF6-936E-726D78064F11}

UNITS:

-----

ID: {6E4F4A2B-D669-4334-BF72-709317A2310F}

=====

Abbreviation..... Neck Eval  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Neck Evaluation  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 10. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  - 20. DECREASED ROM (Decr ROM) {F3C533EE-4528-4164-9F66-F2D4D3F681D5}
  - 30. THYROMENTAL DISTANCE LESS THAN 3 PB (T/D <3 PB)  
{D98AED3F-9583-4A86-9D32-13B0AD0A4614}
  - 40. SHORT NECK (Short Neck) {FCBEFC55-197E-4FA1-B2EB-2DE065DCA463}

UNITS:  
-----

=====

TERM: NECK VEIN CONDITION  
ID: {D76459ED-8572-409E-85A4-F64228AE9A36}

=====

Page: 424

Abbreviation..... NECK VEIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Neck Vein Condition  
Display Name..... Neck Vein Condition  
Help Text..... Condition of Neck Veins  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
  3. DISTENDED (DISTENDED) {B5C529CA-2BE0-4698-A153-718F4D58E643}

UNITS:

-----

=====

TERM: NEED FOR FLUIDS/TOILETING ASSESSED  
ID: {816D5DB3-7AEA-E73F-08D8-68C58D4FB4FE}

=====

Page: 425

Abbreviation..... NFFTA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Need for Fluids/Toileting Assessed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

ID: {163D9953-B227-46AB-838D-92414FCC982E}

=====

Abbreviation..... Best Gaze  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Best Gaze  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----

- 10. 0 = NORMAL (0 = Normal) {97C72AF0-FF56-48E0-A94E-528BB36D0AB9}
- 20. 1 = PARTIAL GAZE PALSY (1 = Part)  
{7644667F-2919-4A57-A3A6-EE709CA55960}
- 30. 2 = FORCED DEVIATION (2 = Forced)  
{FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}
- 40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----

Abbreviation..... Best Lang  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Best Language  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. 0 = NO APHASIA (No Aphasia)  
{AD629099-6ED1-4DFE-9D02-075FFD67B083}
  - 20. 1 = MILD TO MODERATE APHASIA (Mod Aphasi)  
{FFA529FF-EDC0-4768-B308-93656C75E382}
  - 30. 2 = SEVERE APHASIA (Sev Aphasi)  
{82445D2A-6E9F-4574-B2D1-476E720B9113}
  - 40. 3 = MUTE, GLOBAL APHASIA (Mute)  
{E357021D-2B57-4AC2-BDA5-73B61726D183}
  - 50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:  
-----

=====

TERM: NIHSS - DYSARTHRIA  
ID: {97F76DF4-8BDE-402F-98EA-93F0D8E52AA5}

=====

Page: 428

Abbreviation..... Dysarthria  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Dysarthria  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 10. 0 = NORMAL (0 = Normal) {405C2939-8BB2-4890-9548-D9956B297C79}
  - 20. 1 = MILD TO MODERATE DYSARTHRIA (1 = Mild)  
{0EFCBA9C-36E4-4046-9A55-DAD58F08C516}
  - 30. 2 = SEVERE DYSARTHRIA (2 = Severe)  
{D9864E04-1962-47AD-B3C5-58CD49CF30FD}
  - 40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:  
-----

=====

TERM: NIHSS - EXTINCTION AND INATTENTION  
ID: {110274E4-8D1D-494A-A8B9-6FE764B67439}

=====

Page: 429

Abbreviation..... Ext/Inatt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Extinction and Inattention  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 10. 0 = NO ABNORMALITY (0 = No abn)  
{DE0BF57B-1322-4581-BB38-2A61562DC87F}
  - 20. 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (1 =  
Inatt) {BEBED217-91CA-47F8-A15D-A548648D09BF}
  - 30. 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (  
2 = Profnd) {1D3AA69E-2154-4F33-BFFF-42F06365079A}
  - 40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:  
-----



=====

TERM: NIHSS - FACIAL PALSY  
ID: {C9692FC3-9FBE-4409-8235-23F713562672}

=====

Page: 430

Abbreviation..... Facial Pal  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Facial Palsy  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. 0 = NORMAL SYMMETRICAL MOVEMENT (0 = Normal)  
{23267CFE-B306-477A-A8B2-60828C1234FA}
  - 20. 1 = MINOR PARALYSIS (1 = Minor)  
{55A125E8-E83A-4163-AB50-0D3569B502D3}
  - 30. 2 = PARTIAL PARALYSIS (2 = Part)  
{BC48CC51-609A-4E85-9029-8B4790E9E669}
  - 40. 3 = COMPLETE PARALYSIS (3 = comple)  
{F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}
  - 50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:  
-----

=====

TERM: NIHSS - LEVEL OF CONSCIOUSNESS  
ID: {F92A7FCB-5026-49C1-92E3-C6DF86041A29}

=====

Page: 431

Abbreviation..... Conscious  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Level of Consciousness  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. 0 = ALERT (0 = Alert) {9F918315-BDE7-43D8-BD69-442D74F41C79}
  - 20. 1 = NOT ALERT, MINOR STIMULATION RESPONSE (1 = Minor)  
{29268B78-0FF2-48EE-8EA1-4BDE6C39739E}
  - 30. 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (2 = Strong)  
{0F5E13CC-211C-40D0-96CB-8F8D87564612}
  - 40. 3 = UNRESPONSIVE (3 = Unresp)  
{A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}
  - 50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:  
-----

=====

TERM: NIHSS - LIMB ATAXIA  
ID: {BE5E7FDB-CFDC-4B5B-A138-A205C53F2389}

=====

Page: 432

Abbreviation..... Limb Ataxi  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Limb Ataxia  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----

10. 0 = ABSENT (Absent) {16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}  
20. 1 = PRESENT IN ONE LIMB (One Limb)  
          {D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}  
30. 2 = PRESENT IN TWO LIMBS (Two Limbs)  
          {ADA3074C-1E75-42BC-B7E6-425C2281FB05}  
40. UN = UNEXAMINABLE (UN = Unex)  
          {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:  
-----

Abbreviation..... Loc Comm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - LOC Commands  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 10. 0 = PEFORMS BOTH TASKS CORRECTLY (Both Tasks)  
      {08B7AA60-AFEE-41F6-AA1E-0855D1A2946C}
  - 20. 1 = PERFORMS ONE TASK CORRECTLY (One Task)  
      {7DBE49B4-067F-4BA7-807F-A4A5FAC1BCFB}
  - 30. 2 = PERFORMS NEITHER TASK CORRECTLY (Neither )  
      {8CE75E64-5A4A-45EA-9987-4112AAD54A55}

UNITS:  
-----

=====

TERM: NIHSS - LOC QUESTIONS  
ID: {722E75F9-9F2B-4040-A453-EF6E15738D03}

=====

Page: 434

Abbreviation..... LOC Ques  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - LOC Questions  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 10. 0 = ANSWERS BOTH QUESTIONS CORRECTLY (Both)  
{A4380E5F-206A-40CF-B508-6CA61DE87ED2}
  - 20. 1 = ANSWERS ONE QUESTION CORRECTLY (One Ques)  
{9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}
  - 30. 2 - ANSWERS NEITHER QUESTION CORRECTLY (Neither)  
{181D8ACA-49D0-496E-B22A-2839D0718836}

UNITS:  
-----

Abbreviation..... Motor Arm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Motor Arm  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 10. 0 = NO DRIFT (No Drift) {6DD3E839-D919-4C90-94F9-216B3268944D}
  - 20. 1 = DRIFT (Drift) {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}
  - 30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)  
{63885565-9ADC-4560-BC73-DEA084FB651A}
  - 40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)  
{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}
  - 50. 4 = NO MOVEMENT (No Movem)  
{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}
  - 60. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

LOCATION: 2 entries

- 
- 10. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
  - 20. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}

UNITS:

-----

Abbreviation..... Motor Leg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Motor Leg  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 10. 0 = NO DRIFT (No Drift) {6DD3E839-D919-4C90-94F9-216B3268944D}
  - 20. 1 = DRIFT (Drift) {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}
  - 30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)  
{63885565-9ADC-4560-BC73-DEA084FB651A}
  - 40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)  
{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}
  - 50. 4 = NO MOVEMENT (No Movem)  
{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}
  - 60. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

LOCATION: 2 entries

- 
- 10. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
  - 20. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

UNITS:

-----

=====

TERM: NIHSS - SENSORY

Page: 437

ID: {F2F02471-5F1D-41D3-A599-932F1B67E7B1}

=====

Abbreviation..... Sensory  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Sensory  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----

10. 0 = NORMAL (Normal) {7739B63B-8623-4ADB-8059-1A26B5A7BEBB}  
20. 1 = MILD TO MODERATE SENSORY LOSS (Moderate)  
    {1BF6BC0E-9A83-4589-B849-853585CF4E96}  
30. 2 = SEVERE TO TOTAL SENSORY LOSS (Severe)  
    {C3959DA5-9108-4E35-B81A-6F4FB135B3BD}  
40. UN = UNEXAMINABLE (UN = Unex)  
    {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:  
-----



=====

TERM: NIHSS - TOTAL SCORE

Page: 438

ID: {5B55992D-78A0-42C4-BACA-E88106607888}

=====

Abbreviation..... NIHSS Tot  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... NIHSS - Total Score  
Help Text..... For computation of NIHSS Total  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
UNITS                    0 > 0 \* 42 < 42            Dec Prec: 0

=====

TERM: NIHSS - VISUAL FIELD  
ID: {87D5D15A-F8CD-4F98-BFEC-57BA48BEE5BA}

=====

Page: 439

Abbreviation..... Visual  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Visual Field  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. 0 = NO VISUAL LOSS (None) {20347E7B-4A96-4000-B326-0B4B1797738A}
  - 20. 1 = PARTIAL HEMIANOPIA (Partial)  
{0FDfE052-C438-48AD-A3F8-C3C53E963365}
  - 30. 2 = COMPLETE HEMIANOPIA (Complete)  
{F995161E-39A0-4010-855D-EE86B1F707BB}
  - 40. 3 = BILATERAL HEMIANOPIA (Bilateral)  
{89969DC1-30BA-494A-A8C8-4344C2C75D0E}
  - 50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:  
-----

=====

TERM: NOSE SIZE

Page: 440

ID: {0A7CD784-279C-9F56-67CC-1C0624B26F4A}

=====

Abbreviation..... ns  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Describe the size of the honker  
Display Name..... Nose Size  
Help Text..... Honker etiquette  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: NUMBER OF DAYS  
ID: {C2D0AF1E-C88B-48ED-A8BE-E3C258B4317D}

=====

Page: 441

Abbreviation..... # of Days  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Number of Days  
Help Text..... Number of days since event or device  
                          days  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----  
DAY                   -1 > -1 \* 9999 < 9999   Dec Prec: 0

ID: {656AA278-6C1E-C1B8-6876-A85780A1608A}

=====

Abbreviation..... ORIENT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Orientation  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----

1. ORIENTED TO TIME (ott) {C79EBE25-C51B-478C-CB39-25943792F191}
2. ORIENTED TO PLACE (otp) {8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}
3. ORIENTED TO PERSON (otp) {9912CFB9-AC55-6445-3EC1-0F1DF98C0561}
4. ORIENTED TO SITUATION (ots)  
{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}
5. DISORIENTED TO TIME (dtt) {2AD1A28A-4121-4B82-CFB8-E5A8D3095704}
6. DISORIENTED TO PLACE (dtp)  
{00C98809-C0D0-C7B4-0615-8F7D31017FE8}
7. DISORIENTED TO PERSON (DISOR TO P)  
{E5D83C03-7EF5-770B-930F-7B3B3345048C}
8. DISORIENTED TO SITUATION (dts)  
{7143B3D7-5569-4378-D3AA-10C4675F0BA5}

UNITS:

-----



=====

TERM: OSTOMY CARE

Page: 444

ID: {BB127CE7-04B9-48BA-85CB-AD895D3DA32D}

=====

Abbreviation..... Ostomy Car  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Ostomy Care  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

- 10. APPLIANCE CHANGED (app change)  
{CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}
- 20. BRIDGE PRESENT (bridge pre)  
{5C474C17-33C9-492D-833E-64F5EF049BF4}
- 30. CONNECTED TO DRAINAGE BAG (drain bag)  
{1901C4A7-671C-43BD-BEDD-1D48BCB43465}
- 40. PATIENT INSTRUCTED (pat instru)  
{D89A50A6-352D-4EB8-ABD7-5D732A060D9A}
- 50. FAMILY INSTRUCTED (fam instru)  
{0FD5988C-2C4D-4786-99B3-3287A355E813}

UNITS:

-----

=====

TERM: OSTOMY TYPE

Page: 445

ID: {CA5CC473-EE95-4E81-8E24-DC23B47A7F42}

=====

Abbreviation..... OSTOMY TYP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Ostomy  
Display Name..... OSTOMY TYPE  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE:

5 entries

- 
1. COLOSTOMY (COLOSTOMY) {53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}
  2. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
  3. SIGMOIDOSTOMY (SIGMOIDOST)  
{0C84B317-59B3-433B-A9AD-6588C1361E0C}
  4. ILEOSTOMY (ILEOSTOMY) {D5DF49C8-C6BA-44C1-9840-7765907730A3}
  70. ILEAL-CONDUIT (Ileal-Con) {C91C4E4A-2D0D-438A-8EF5-8717D703A777}

UNITS:

-----



=====

TERM: OUTPUT - BLOOD  
ID: {F90805CD-A0E1-4943-B871-D93B445EA639}

=====

Page: 446

Abbreviation..... OUT BLOOD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Output of blood lost  
Display Name..... Output - Blood  
Help Text..... Output of blood lost  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: OUTPUT - CBI DRAINAGE  
ID: {08B2CC2A-AE5A-47C3-9FFE-CD0619F8B3BE}

=====

Page: 447

Abbreviation..... CBI Drain  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Output - CBI Drainage  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER            0 > 0 \* 99999 < 99999    Dec Prec: 0

=====

TERM: OUTPUT - CHEST TUBE  
ID: {478FE098-139E-B9EB-9F87-C03A847B6789}

=====

Page: 448

Abbreviation..... OUT CHE TU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... VOLUME OF CHEST TUBE DRAINAGE  
Display Name..... Chest Tube Drainage Volume (ml)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	-1.0 > 0.0 * 9999.0 < 10000.0
	Dec Prec: 1
CUBIC CENTIMETER	-1.0 > 0.0 * 9999.0 < 10000.0
	Dec Prec: 1

Abbreviation..... OUT CHTU E  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... AMOUNT OF CHEST TUBE DRAINAGE  
Display Name..... Chest Tube Drainage Amount Estimated  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
  3. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  4. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  5. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:  
-----

ID: {C7954A6C-4214-4CB2-B80E-8F4128D05847}

=====

Abbreviation..... OUT DIALYS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Dialysis Output  
Display Name..... Dialysis Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 4 entries

- 
1. HEMODIALYSIS (HEMODIALYS) {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}
  2. PERITONEAL DIALYSIS (PERI DIALY)  
{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}
  3. CVVHD (CVVHD) {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}
  4. CRRT (CRRT) {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

Abbreviation..... OUTPUT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Output - Do Not Check Total or
Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

PRODUCT: 10 entries

- 1. CARDIAC OUTPUT INJECTATE (CARD OUT I)
2. EF RESIDUAL (EF RESID)
3. NG RESIDUAL (NG RESID)
4. HEME (HEME)
5. HEMODIALYSIS (HEMODIALYS)
6. MEDIASTINAL (MEDIASTINA)
7. BLADDER IRRIGATION (BLAD IRRIG)
8. WOUND VACUUM (WOUND VAC)
9. GASTRIC DRAINAGE (GAST DRAIN)
10. WOUND DRAINAGE (WOUN DRAIN)

UNITS:

MILLILITER 0 > 0 \* 9999 < 10000 Dec Prec: 0
OUNCE 0 > 0 \* 338 < 339 Dec Prec: 0
CUBIC CENTIMETER 0 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: OUTPUT - DRAIN

Page: 452

ID: {B8FD2F72-FCDD-484A-98E1-14B3637B797A}

=====

Abbreviation..... OUT DRAIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Drain Output  
Display Name..... Drain Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 5 entries

- 
1. JP DRAIN (JP DRAIN) {94A32247-6190-4047-B581-A212FE4C9453}
  2. HEMOVAC (HEMOVAC) {79DA0646-B811-4954-8BE1-C133398CD574}
  3. PENROSE (PENROSE) {CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}
  4. CHEST TUBE (CH TUBE M) {F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}
  5. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0  
CUBIC CENTIMETER    -1 > 0 \* 9999 < 10000    Dec Prec: 0

=====

TERM: OUTPUT - EMESIS

Page: 453

ID: {56BD11AB-FE61-4785-B3CA-C528A5F4EBD6}

=====

Abbreviation..... OUT EMESIS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Emesis Output  
Display Name..... Emesis Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 1 entries

-----

1. EMESIS (EMESIS)            {A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0  
CUBIC CENTIMETER    -1 > 0 \* 9999 < 10000    Dec Prec: 0



=====

TERM: OUTPUT - GI TUBE

Page: 454

ID: {CB54872E-CF17-4BA5-BF3B-80B0E6C745F8}

=====

Abbreviation..... OUT GI TU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... GI Tube Output  
Display Name..... GI Tube Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: OUTPUT - NASOGASTRIC TUBE  
ID: {77D3147A-389D-4E7C-A552-215C948314BC}

=====

Page: 455

Abbreviation..... Out NG tu  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Output - Nasogastric Tube  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: OUTPUT - STOOL  
ID: {8B7CD3AF-5441-40A7-BBAA-11B822B529FD}

=====

Page: 456

Abbreviation..... OUT STOOL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Measured amount of stool  
Display Name..... Stool Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITER	-1 > 0 * 1000 < 2000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 1000 < 2000	Dec Prec: 0

Abbreviation..... OUT ST EST
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Stool Amount Estimated
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 1. SMEAR (SMEAR) {4B99BBD3-443E-4954-8ADE-5FB3EE50540A}
2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

QUALITY: 1 entries

- 1. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

ID: {F4998CFC-19CA-402A-AB0F-C32FA194DAA5}

=====

Abbreviation..... OUT URINE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Urine Output  
Display Name..... Urine Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 10 entries

-----

- 10. VOIDED (Voided) {432E7674-7F59-45AC-8BF6-D60B45F7250B}
- 20. EXTERNAL CATHETER (Ext. Cath)  
{69A5CBA6-5142-47BC-8C7D-CDAACE6E8E78}
- 30. INDWELLING CATHETER (Indw Cath)  
{37577D2A-FAA2-4875-BFF8-09C2F53A2311}
- 40. STRAIGHT CATHETER (Str. Cath)  
{9076BBC9-3C76-4445-9F41-E4E59E84BED7}
- 50. SUPRAPUBIC (Suprapubic) {4BF7948A-0532-41A3-9C1E-171F11DA1056}
- 60. UROSTOMY (Urostomy) {746BDA57-3D09-4DF7-BED0-5AA1F66DD0C9}
- 70. NEPHROSTOMY - LEFT (Neph Left)  
{E655E1BA-4803-4E19-B387-65B5F4809970}
- 80. NEPHROSTOMY - RIGHT (Neph Right)  
{ACE81374-DC90-42C2-9E7C-EF8E5D751EDF}
- 90. ILEAL CONDUIT (Ileal Cond)  
{B1703A2F-51B8-4B1A-89AE-B1319FD653F7}
- 100. PVR (POST VOID RESIDUAL) - CATHED (PVR-Cathed)  
{19DC72C9-FDAD-4F51-A0F7-63510A96829F}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: OUTPUT - URINE ESTIMATED  
ID: {C5116BFA-332E-4C05-8FF7-4C828D8999BF}

=====

Page: 459

Abbreviation..... OUT UR EST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Output - Urine Estimated  
Display Name..... Output - Urine Estimated  
Help Text..... Output - Urine Estimated  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. SLIGHT (SLIGHT) {805549C1-5DC5-4A2D-BC1F-046E44928843}
  2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:  
-----

=====

TERM: OXYGEN CONSUMPTION  
ID: {5EC773D2-D17D-EE6B-5079-BED57318658D}

=====

Page: 460

Abbreviation..... V02  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Oxygen Consumption  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITERS PER MINUTE PER METER SQUARE  
0 > 1 \* 300 < 301      Dec Prec: 0





=====

TERM: PA CATHETER ALARMS ON  
ID: {8129EB35-E85A-4C3B-86AF-34FB2ABE168C}

=====

Page: 462

Abbreviation..... PA ALARM O  
Active..... Yes  
Boolean Value False..... Off  
Boolean Value True..... On  
Data Type..... Boolean  
Description..... PA Catheter Alarms On  
Display Name..... PA Catheter Alarms On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: PA CATHETER DRESSING TYPE  
ID: {16F7EF6A-E0B6-9931-1F74-039E9D18AC57}

=====

Page: 463

Abbreviation..... PA DRESSIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Dressing Type  
Help Text..... Type of dressing on PA Catheter site  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
  2. PRESSURE DRESSING (PRESS DRES)  
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS:  
-----

=====

TERM: PA CATHETER DYNAMIC RESPONSE TEST  
ID: {7ED7B728-5683-4660-B301-79E72C3FD1C9}

=====

Page: 464

Abbreviation..... PA CATH DR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... PA Catheter Dynamic Response Test  
Display Name..... PA Catheter Dynamic Response Test  
Help Text..... PA Catheter Dynamic Response Test  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
  3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}

UNITS:  
-----

=====

TERM: PA CATHETER INSERTION MARK  
ID: {7E62F0A7-9233-4BD3-870B-189BC86A179E}

=====

Page: 465

Abbreviation..... PA INS MAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... PA Catheter Insertion Mark  
Display Name..... PA Catheter Insertion Mark (cm)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
CENTIMETER            -1.0 > 0.0 \* 10.0 < 20.0    Dec Prec: 1

=====

TERM: PA CATHETER INSERTION TECHNIQUE  
ID: {30F7B681-FCDB-4349-9082-92BDF3618CA3}

=====

Page: 466

Abbreviation..... PACATH INS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... PA Catheter Insertion Technique  
Display Name..... PA Catheter Insertion Technique  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}
  2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}
  3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)  
{20BC183A-197F-4464-A27C-47F63C5B842A}
  4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)  
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:  
-----

Abbreviation..... PA CATH RE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... PA Catheter Repositioned/Discontinued  
Reason  
Display Name..... PA Catheter Repositioned/Discontinued  
Reason  
Help Text..... PA Catheter Repositioned/Discontinued  
Reason  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. VENTRICULAR WHIP PRESENT (VENT WHIP)  
{15CB9645-690D-446B-A380-F14CEEC9C6AA}
  2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
  3. WEDGED (WEDGED) {03D7F6FD-399D-4A6B-9900-59655D76EE95}
  4. UNABLE TO WEDGE (UNABLE WED)  
{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}
  5. WAVEFORM REFLECTS ATRIAL PLACEMENT (WAVE ATRIA)  
{A1249745-41C2-4A4F-A86D-7E5E17477B06}
  6. BY PROVIDER ORDER (BY ORDER)  
{C038BC16-44CF-4933-BECC-B0F1A1B12603}

UNITS:  
-----

=====

TERM: PA CATHETER SITE CARE  
ID: {F5F81475-6135-4B0C-A144-658AB8C075C7}

=====

Page: 468

Abbreviation..... PA SITE CA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... PA Catheter Site Care  
Display Name..... PA Catheter Site Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: PA CATHETER SITE CONDITION  
ID: {00A7358A-DBE8-CB1D-FFC0-046F3C5E266F}

=====

Page: 469

Abbreviation..... PA CONDITI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Site Condition  
Help Text..... Condition of PA catheter  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----

2. RED (RED)	{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
3. SWOLLEN (SWOLLEN)	{DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
4. DISCOMFORT (DISCOMFORT)	{77D058C9-1EB4-96C0-C9E3-666C840B884C}
50. PATENT (Patent)	{F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
60. CLEAN (Clean)	{1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
70. OCCLUDED (Occluded)	{25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
80. OOZING (Oozing)	{C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS:  
-----



=====

TERM: PA CATHETER SIZE

Page: 470

ID: {706045DE-B1D4-46DB-B6CE-A171BAFB0CB9}

=====

Abbreviation..... PA CATH SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... PA Catheter Size  
Display Name..... PA Catheter Size  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
FRENCH                    -1.0 > 5.0 \* 10.0 < 20.0   Dec Prec: 1

=====
TERM: PA CATHETER TYPE
ID: {A1F96B2C-AA70-0D43-8F1E-8DD2BDDFA8F3}

Page: 471

Abbreviation..... PA TYPE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PA Catheter Type
Help Text..... Type of PA catheter
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 4 entries

- 1. PLAIN (PLAIN) {483EE48F-F72B-A917-DCD0-E8B69A3FA36F}
2. OXIMETRIC (OXIMETRIC) {DA1F5AAA-A349-C17B-74CD-1794492E0A13}
3. PACER (PACER) {79499460-ACAB-33B3-52CF-D2D2E5BCD0EE}
4. VIP PORT (VIP PORT) {3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

LOCATION: 8 entries

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG) {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG) {7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU) {6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU) {4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: PA CATHETER WAVEFORM  
ID: {9EF25DC1-2B10-4248-807E-DDED1B76ABC}

=====

Page: 472

Abbreviation..... PA WAVEFOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... PA Catheter Waveform  
Display Name..... PA Catheter Waveform  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
  3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
  4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
  5. NOT MONITORED (NOT MONITO)  
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:  
-----

=====

TERM: PA CATHETER ZEROED  
ID: {E8B0247F-BD12-4902-87F7-012AA4C1D73D}

=====

Page: 473

Abbreviation..... PA ZEROED  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... PA Catheter Zeroed  
Display Name..... PA Catheter Zeroed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: PACEMAKER ATRIAL mA  
ID: {2551E3D7-CD46-909E-1D79-082B92AEDF7A}

=====

Page: 474

Abbreviation..... PAmA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pacemaker Atrial mA  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIAMPS            -0.01 > 0.00 \* 24.00 < 48.00  
                              Dec Prec: 2

=====

TERM: PACEMAKER AV INTERVAL  
ID: {118070EB-2F23-9C3D-68D1-B57D423449E1}

=====

Page: 475

Abbreviation..... PAVI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pacemaker AV Interval  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

SECOND                    0.01 > 0.12 \* 0.20 < 0.50 Dec Prec: 2

=====

TERM: PACEMAKER CAPTURE  
ID: {4D93B7C5-5302-085D-DFC5-EBEED03A6B31}

=====

Page: 476

Abbreviation..... PMC  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pacemaker Capture  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

Abbreviation..... PMM
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pacemaker Mode
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 13 entries

- 1. AOO (AOO) {86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}
2. AAO (AAO) {E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}
3. AAI (AAI) {2DD18ACA-B98E-24D3-E760-6D082A76074B}
4. AAIR (AAIR) {3B4B6F37-B631-BE32-F1C1-65B99D0C5018}
5. AVO (AVO) {02EA752A-D156-96E6-3D28-3D389FFC7B58}
6. AVI (AVI) {8BB49456-FB80-4916-6EBE-06837BF12B0C}
7. VVI (VVI) {2C87F8F3-2B99-80E7-04EB-E6FE88168627}
8. VDD (VDD) {E733E525-EF36-2F93-AECC-BAD1C3E2C633}
9. DVI (DVI) {4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}
10. DOO (DOO) {749BCE3D-FF09-B796-FF2A-ECD2D116C96F}
11. DDI (DDI) {0C1E359F-B1F4-7994-D337-37622CB14BC8}
12. DDD (DDD) {7AA7152E-48F0-8550-AD0D-9F298E90B765}
13. DDDR (DDDR) {A3CC0D9D-D329-1A52-2DD1-911A1E04B871}

UNITS:



ID: {A7D28B32-845F-0E16-FDAF-F654FA6EE8A4}

=====

Abbreviation..... PMO  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pacemaker On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
- 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

LOCATION: 8 entries

-----

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
- 3. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
- 4. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}
- 5. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
- 6. R INTERNAL JUGULAR (R INT JUG)  
{7ABF6916-D379-198D-6454-F0518A74844A}
- 7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
- 8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

-----



=====

TERM: PACEMAKER SENSE  
ID: {7F716D0A-ACA4-7E33-62D7-988BA22F0D7F}

=====

Page: 480

Abbreviation..... PMS  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pacemaker Sense  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: PACEMAKER SENSITIVITY ATRIAL  
ID: {6CBB234D-694E-CB88-3844-6B9E9E262320}

=====

Page: 481

Abbreviation..... PSA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pacemaker Sensitivity Atrial  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIVOLTS            0.01 > 0.05 \* 2.00 < 6.00 Dec Prec: 2

=====

TERM: PACEMAKER SENSITIVITY VENTRICULAR  
ID: {305A8823-01D3-F3FE-D66E-3CACE736CD30}

=====

Page: 482

Abbreviation..... PSV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pacemaker Sensitivity Ventricular  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIVOLTS            0.01 > 0.05 \* 2.00 < 6.00 Dec Prec: 2

=====

TERM: PACEMAKER TYPE  
ID: {3B5B64D7-9091-8511-64CE-848456CAD2CD}

=====

Page: 483

Abbreviation..... PACEM TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pacemaker Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. TRANSCUTANEOUS (t) {F4315F92-8804-1CB4-4D03-CCFDC95C6E71}
  2. PERMANENT (p) {A31FF319-F8C3-7AAC-D7FC-765C89732D09}
  3. TEMPORARY (TRANSVENOUS) (tt)  
{F6A74188-3D79-D749-540F-4EA32201B0E6}
  4. EPICARDIAL LEADS (el) {2B551575-3D50-96BD-7BAA-50CC9796361E}
  5. ATRIAL (a) {266D2FDA-5D6A-203D-6FF0-8282D49BFD67}
  6. VENTRICULAR (v) {307A4572-3CF0-7875-7313-7FD4AB23F8E7}

LOCATION: 8 entries

- 
1. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
  2. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
  3. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
  4. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
  5. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}
  6. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  7. R INTERNAL JUGULAR (R INT JUG)  
{7ABF6916-D379-198D-6454-F0518A74844A}
  8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

-----

=====

TERM: PACEMAKER UNIT ID  
ID: {CDA2992F-349C-9904-45E3-20D01DC87917}

=====

Page: 484

Abbreviation..... PUID  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description..... No Description  
Display Name..... Pacemaker Unit ID  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PACEMAKER VENTRICULAR mA  
ID: {D64D8FED-93B8-FABD-5361-96CD28F99472}

=====

Page: 485

Abbreviation..... PVmA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pacemaker Ventricular mA  
Help Text..... Pacemaker Ventricular mA  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIAMPS            -0.01 > 0.00 \* 24.00 < 48.00  
                              Dec Prec: 2



Abbreviation..... PMWI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pacemaker Wires
Help Text..... Pacemaker Wires
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 7 entries

- 1. 1A +1V (1+) {31711946-9F1B-0AD9-BDBE-846EDBC86AE2}
2. 1A + 2V (1+2) {FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}
3. 2A (2) {C75BDC9F-C756-9051-CAA3-A27DDD94B35E}
4. 2V (2) {D24B5FA4-1DA6-36DE-49DB-627A9B82E968}
5. 2A + 1V (2+1) {1849AA0D-1572-55E0-A780-ACE602E2C72D}
6. 2A + 2V (2+2) {17203251-68E8-A00A-CF54-E2CC55B8EEDD}
7. 1A + 3V (1+3) {CEDF220D-E593-B8F9-DB08-D32800AF3F5E}

UNITS:
-----

Abbreviation..... P DIS C
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... PACU - Discharge Criteria
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 22 entries

- 1. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)
2. ABLE TO AMBULATE (AMBULAT)
3. ALERT AND ORIENTED (AL AN OR)
4. PT DENIES NAUSEA / NO VOMITING (DEN NAUS)
5. ALDRETE SCORE 8 OR GREATER (ALD 8+)
6. AIRWAY REFLEXES INTACT / SECRETIONS (AIR REFL)
7. PAIN CONTROLLED PER PT (PAIN CON)
8. PT PAIN AT ACCEPTABLE LEVEL (PT PA OK)
9. VOIDED (VOIDED)
10. ABSENT TO MINIMAL BLEEDING (ABS BLEE)
11. CMS INTACT DISTAL TO SURGICAL SITE (CMS INTA)
12. SKIN WARM AND DRY COLOR APPROPRIATE (S W A DR)
13. MAINTAINING EFFECTIVE VENTILATION (EFF VENT)
14. ALDRETE SCORE AT BASELINE (ALD BASE)
15. STABLE BP AND PULSE (Stable BP)
16. SaO2% AT ACCEPTABLE LEVEL BY ORDERS (SaO2 by Or)
17. SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (SaO2 w/Pre)
18. 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (20 Min Nar)
19. RESTING RESPIRATORY RATE BASELINE OR ABOVE (Rest Base)
20. MENTAL STATUS - AWAKE ORIENTED (M/S Awake)
21. MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (M/S Demen)
22. 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (60 Min Rev)

UNITS:

-----

=====

TERM: PACU - DISCHARGE CRITERIA MET  
ID: {3B2F659B-ABA4-41E4-9861-B4B0FE3C873D}

=====

Page: 488

Abbreviation..... P DIS ME  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Discharge Criteria Met  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |
| 2. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |

UNITS:  
-----

=====

TERM: PACU - DISPOSITION  
ID: {9EADBF2-2072-4B3F-A077-354B76E5F190}

=====

Page: 489

Abbreviation..... PAC DISP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PACU - Disposition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

- 
1. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}
  2. MICU (MICU) {28244B62-644C-4DA0-A350-EAFE0D2FA7C0}
  3. SICU (SICU) {EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}
  4. STEP DOWN (STEP DOW) {F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}
  5. WARD (WARD) {A16CB5CB-3401-4F6C-8467-7F78FC929872}
  6. AMBULATORY CARE UNIT (ACU)  
{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}
  7. PROCEDURE ROOM (PROC ROO) {CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}
  8. IMAGING (IMAGING) {791A322E-F45E-40EB-B95D-E5B62E1D0A75}
  9. OPERATING ROOM (OR) {37DACE14-2A28-45F4-9DEA-35A1A433F4E6}
  10. EMERGENCY DEPARTMENT (ER DEPT)  
{D2E511F7-8B80-4928-A64B-3F1EE17395F7}
  11. WAITING ROOM (WAIT ROOM) {13476486-F895-4FFC-AB42-B274827B47DA}
  12. HOME (HOME) {C8E5E320-361B-421C-A6A9-13DC16125440}

UNITS:  
-----

=====

TERM: PACU - PT RECEIVED REVERSAL AGENT  
ID: {08A85E74-4365-41AA-8C26-4D712C9364DE}

=====

Page: 490

Abbreviation..... REV AGEN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Patient Received Reversal Agent  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |
| 2. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |

UNITS:  
-----

=====

TERM: PACU - TIME OF REVERSAL AGENT  
ID: {43AD957E-55D2-44BA-B591-C4B31EB64E55}

=====

Page: 491

Abbreviation..... Time of Rv  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... PACU - Time of Reversal Agent  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

Abbreviation..... PAIN CHARA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Description of pain patient is
experiencing
Display Name..... Pain Character
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 28 entries

- 1. ACHING (ACHING) {736BC1A4-2DA7-4A56-ACC0-28086EA103E0}
2. AGONIZING (AGONIZING) {F43DF9E7-555B-49FF-987C-35F083D547AA}
3. ANGINAL (ANGINAL) {ECF02415-4124-46D3-AA01-F21AC40FEFF7}
4. ANNOYING (ANNOYING) {53437530-57C9-4EA8-AC0D-36B5F2BD051D}
5. BURNING (BURNING) {D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}
6. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}
7. CRAMPING (CRAMPING) {3EC3E352-5469-4A85-80E4-3AFEB61224C4}
8. CRUSHING (CRUSHING) {92D4BAF1-63E3-4FC0-B096-B5CBC4736245}
9. DEEP (DEEP) {78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}
10. DULL (DULL) {F0F80976-F6A0-4363-9C75-AAAE9937DB49}
11. ELECTRIC (ELECTRIC) {0C221385-61AF-4660-A129-35E610EA71AB}
12. GNAWING (GNAWING) {8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}
13. HEAVY (HEAVY) {1F10CD98-03FA-4705-BF7D-941E881C4E3D}
14. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
15. KNIFE-LIKE (KNIFE-LIKE) {FBA0EE3F-134B-431B-879A-9B17D65CD464}
16. NUMB (NUMB) {652634C0-5334-4D56-BE57-5F58F952FF0D}
17. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
18. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}
19. RADIATING (RADIATING) {B6807939-F809-45C1-912A-ADEF2E0DB0DC}
20. SHARP (SHARP) {20608864-E5CF-4FE3-8B6D-AE2FEE086503}
21. SHOOTING (SHOOTING) {73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}
22. SQUEEZING (SQUEEZING) {A148587A-1B99-4D0D-B11E-87ADC3D2A811}
23. STABBING (STABBING) {684640D5-B3AB-47DA-98D8-5434ABF22B7E}
24. STINGING (STINGING) {DF235170-F501-4E8D-89DD-5A3C76F4B13B}
25. TENDER (TENDER) {30486CC7-3097-4F95-9238-FD6C2126CD10}
26. THROBBING (THROBBING) {3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}
27. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
28. UNBEARABLE (UNBEARABLE) {96611993-45F3-4D1D-BF7F-5E5C46E5569E}

UNITS:



=====

TERM: PAIN DURATION

Page: 493

ID: {DF714694-E547-4D39-9355-ADF3B419F9CD}

=====

Abbreviation..... PAIN DURAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Duration  
Display Name..... Pain Duration  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}
  2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}

UNITS:  
-----

ID: {709DFACE-B211-4160-B291-359777ED8D0F}

=====

Abbreviation..... PAIN GOAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pain Goal  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 1 (1)	{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
3. 2 (2)	{38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 (4)	{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
6. 5 (5)	{188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6)	{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 (7)	{7A010324-D2C2-5D4B-848A-7B8878666D20}
9. 8 (8)	{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
10. 9 (9)	{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
11. 10 (10)	{0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

-----

Abbreviation..... PAIN LEVEL
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Standard pain scale
Display Name..... Pain Level
Help Text..... Enter 0-10, 99 or Unable to respond
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid..... 4500635

DATA VALUE: 12 entries

- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
9. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
10. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
11. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
12. 99 (99) {B013C05B-1AF0-1547-4F03-378883F887C5}

LOCATION: 58 entries

- 1. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
2. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
3. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
4. STOMACH (STOMACH) {613C20B9-CC9C-4F5D-B5B1-69B66A663540}
5. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
6. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}
7. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
8. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
9. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
10. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
11. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
12. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
13. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}
14. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
15. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}
16. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
17. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
18. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
19. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
20. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
21. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
22. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
23. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
24. GASTROINTESTINAL (GI) {C27C66DB-3A6A-487E-9981-FA7FD323C0C3}
25. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
26. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
27. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
28. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
29. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}

- 30. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
- 31. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
- 32. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
- 33. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
- 34. BLADDER (BLADDER) {18E083F2-C4BB-407E-B0A3-20C4942FC97F}
- 35. L JAW (L JAW) {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}
- 36. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}
- 37. TOOTH (TOOTH) {8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}
- 38. TEETH (TEETH) {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}
- 39. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}
- 40. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}
- 41. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
- 42. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}
- 43. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACA0}
- 44. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
- 45. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
- 46. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
- 47. INCISIONAL SITE (INCISON SI)  
{EB36A66D-751D-4031-9F68-0BB03E267321}
- 48. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
- 49. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
- 50. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
- 51. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
- 52. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 53. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
- 54. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
- 55. SUBSTERNAL (SUBSTERN) {3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}
- 56. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
- 57. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
- 58. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

-----

Abbreviation..... PAI NONVER
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pain Non-Verbal Cues
Display Name..... Pain Non-Verbal Cues
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

- 1. CRYING (CRYING) {D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}
2. GRIMACING (GRIMACING) {69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}
3. MOANING (MOANING) {A71E3515-AA20-4B0E-9CB8-1612F76BA406}
4. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
5. SPLINTING (SPLINTING) {D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}
6. GUARDING (GUARDING) {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}
7. PAINFUL EXPRESSION (PAINFUL EX) {608554F9-29F9-4B27-BE63-486AF81810BD}
8. IRRITABLE (Irritable) {10651C11-2736-4056-BA84-E544358BA877}
9. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
10. NO SIGNS AND SYMPTOMS (NO SIG&SYM) {91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}

UNITS:

=====

TERM: PAIN RELIEVING FACTOR INTERVENTION  
ID: {325DB732-E996-4DF5-9F5F-EF3B55D80935}

=====

Page: 497

Abbreviation..... PN FACT IN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Relieving Factor Intervention  
Display Name..... Pain Relieving Factor Intervention  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
  2. HEAT (HEAT) {E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}
  3. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
  4. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
  5. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}
  6. REFUSE MEDICATION (REFUSE MED)  
{17D6956B-4CF6-492C-B113-B5A93D9E215E}
  7. REQUEST FOR MORE MEDICATION (REQ MOR ME)  
{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}
  8. PRE-MEDICATED FOR ACTIVITY (PRE-MED AC)  
{D6DA772A-FA22-4170-B928-855A2F68711F}
  9. PHYSICIAN NOTIFIED (PHYS NOTIF)  
{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}

UNITS:  
-----

=====

TERM: PAINAD BODY LANGUAGE  
ID: {6DF1DD0D-C735-4D34-ABF6-A274621EC177}

=====

Page: 498

Abbreviation..... PAINAD BL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PAINAD Body Language  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. PAINAD BL 0 (PAINAD BL0) {C77929DB-A59A-4A24-B57B-BF111770C2AB}
  2. PAINAD BL 1 (PAINAD BL1) {CC1E1516-086D-4B79-8264-0C3BD67D8552}
  3. PAINAD BL 2 (PAINAD BL2) {34C3E304-DF66-40A7-906F-22AEA3F76FAD}

UNITS:

-----

=====

TERM: PAINAD BREATHING

Page: 499

ID: {EBF3C2FD-5906-4FC8-8E75-CF998FA797C3}

=====

Abbreviation..... PAINAD BR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PAINAD Breathing  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----

1. PAINAD BR 0 (PAINAD B0) {58E71B2E-F5C3-419F-8B71-A9FD701E0202}
2. PAINAD BR 1 (PAINAD BR1) {727D1B04-A702-4806-857B-78BCBACB0FE1}
3. PAINAD BR 2 (PAINAD BR2) {37978012-ADAC-416C-8920-48CDAAA5D59D}

UNITS:

-----



=====

TERM: PAINAD CONSOLABILITY  
ID: {869E7E2E-04C5-46A5-8811-C7F94E066A2C}

=====

Page: 500

Abbreviation..... PAINAD CO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PAINAD Consolability  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. PAINAD CO 0 (PAINAD CO0) {06A89B55-5822-42F7-A689-DBD91B62979F}
  2. PAINAD CO 1 (PAINAD CO1) {8E5DDB47-1955-40AD-A008-A9CE4646A707}
  3. PAINAD CO 2 (PAINAD CO2) {1DFFB735-6272-4B60-8F42-CCCAA701C7A7}

UNITS:

-----

=====

TERM: PAINAD FACIAL EXPRESSION  
ID: {CB17C4F3-2E4B-4355-9E63-DE165CE47A25}

=====

Page: 501

Abbreviation..... PAINAD FE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Display Name..... Painad Facial Expression  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. PAINAD FE 0 (PAINAD FE0) {B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}
  2. PAINAD FE 1 (PAINAD FE1) {66C01EE9-8F36-40B5-AED2-DBC2E94F860D}
  3. PAINAD FE 2 (PAINAD FE2) {35688D06-94F2-4B36-8940-529803D4BC43}

UNITS:  
-----

=====

TERM: PAINAD NEGATIVE VOCALIZATION  
ID: {815392EF-49E0-48D9-BCC0-39FD3333B255}

=====

Page: 502

Abbreviation..... PAINAD NV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Display Name..... PAINAD Negative Vocalization  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. PAINAD NV 0 (PAINAD NV0) {63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}
  2. PAINAD NV 1 (PAINAD NV1) {D517E6C9-9D98-4D0F-A8F4-261BED4812D1}
  3. PAINAD NV 2 (PAINAD NV2) {3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}

UNITS:

-----

=====

TERM: PAINAD TOTAL

Page: 503

ID: {4E35BBC8-DD3C-4EEA-A0BD-DADBD1252F28}

=====

Abbreviation..... PAINAD TO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PAINAD Total Score  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
PAINAD SCALE            0 > 1 \* 10 < 11            Dec Prec: 0

=====

TERM: PASERO OPIOID-INDUCED SEDATION SCALE (POSS)  
ID: {2996AB91-A21C-4A49-BEF0-833AC074347F}

=====

Page: 504

Abbreviation..... POSS Scale  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Pasero Opioid-Induced Sedation Scale  
(POSS)  
Help Text..... Please follow local policy/protocol  
for decision support interventions  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
- 10. S = SLEEP, EASY TO AROUSE (POSS Sleep)  
{9AB0CB97-1451-401E-9245-445132934C3B}
  - 20. 1 = AWAKE AND ALERT (POSS Awake)  
{6D0015F9-BDD1-422C-AD60-1DBE0247D46E}
  - 30. 2 = SLIGHTLY DROWSY, EASILY AROUSED (POSS 2)  
{3027CED1-70F2-4F2B-9DCC-C6CFCAFD1832}
  - 40. 3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION (POSS 3)  
{95111092-85B2-463A-8F97-F6E56AEC1730}
  - 50. 4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION (POSS 4)  
{7CC72ED2-FB08-4CE3-BD56-674D0DD6D3C2}

UNITS:  
-----

=====

TERM: PATIENT ABLE TO RESPOND  
ID: {08A622B7-3939-427E-A532-7F12F8790EF7}

=====

Page: 505

Abbreviation..... PAT RESPON  
Active..... Yes  
Boolean Value False..... Unable to respond  
Boolean Value True..... Able to repond  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Patient Able To Respond  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: PATIENT EDUCATION PROVIDED PRIOR TO SEDATION  
ID: {59683A04-FA78-40FA-8DDF-A728BA34C72D}

=====

Page: 506

Abbreviation..... Pat Ed Pro  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Patient Education Provided Prior to  
Sedation  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PCA - CLINICAL BOLUS DOSE  
ID: {3705805D-6ABB-412B-8DF2-648E634237F9}

=====

Page: 507

Abbreviation..... PCA BOL DO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Clinical Bolus Dose  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MICROGRAMS	-1.00 > 0.00 * 1000000.00 < 1001000.00 Dec Prec: 2
MILLIGRAMS	-1.00 > 0.00 * 1000.00 < 1001.00 Dec Prec: 2



=====

TERM: PCA - CONTINUOUS MCG/HR (BASAL)  
ID: {3E22F87D-E696-4401-90D0-2BE623E75DE9}

=====

Page: 508

Abbreviation..... PCA - MCG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA - Continuous mcg/hr (Basal)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MICROGRAMS PER HOUR      0.0 > 6.2 \* 100.0 < 300.0 Dec Prec: 1

=====

TERM: PCA - CONTINUOUS MG/HR (BASAL)  
ID: {39A3FFFD-8AB1-4691-A5CE-7FD268F6F5CB}

=====

Page: 509

Abbreviation..... PCA - MG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA - Continuous mg/hr (Basal)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIGRAMS PER HOUR      0.0 > 0.1 \* 8.0 < 20.0    Dec Prec: 1

=====
TERM: PCA - DEMAND DOSE - DO NOT CHECK TOTAL OR SUBTOTALS
ID: {48E49A30-E83F-4A5B-A1EA-C58D92D08288}

=====
Abbreviation..... PCA DEM DO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... PCA Demand Dose - Do Not Check Total
or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
MICROGRAMS -1.00 > 0.00 \* 1000000.00 < 1001000.00
Dec Prec: 2
MILLIGRAMS -1.00 > 0.00 \* 1000.00 < 1001.00
Dec Prec: 2

=====

TERM: PCA - DOSAGE DELIVERED  
ID: {BBD517C0-EDFE-452C-9B2C-5B21400E173A}

=====

Page: 511

Abbreviation..... PCA DAG DE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Dosage Delivered  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MICROGRAMS	-0.01 > 0.00 * 8000000.00 < 8001000.00 Dec Prec: 2
MILLIGRAMS	-1.00 > 0.00 * 8000.00 < 8001.00 Dec Prec: 2

=====

TERM: PCA - DOSES DELIVERED  
ID: {2F9D23F2-B385-4028-A2F5-F33B83A2D137}

=====

Page: 512

Abbreviation..... PCA DO DEL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Doses Delivered  
Help Text..... Number of times patient received  
analgesia  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
EVENT(S)                    -1 > 0 \* 1000 < 1001    Dec Prec: 0

Abbreviation..... Lev of Con  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PCA - Level of Consciousness  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
  2. AWAKE (Awake) {D71412D4-5782-46BA-AE6C-24EDC586AE55}
  3. APPEARS ASLEEP (Asleep) {245A1E78-B5E0-4440-963C-A6ABB416D9B9}
  4. EASY TO AROUSE (Easy to Ar)  
{19BB5A04-F979-449C-AA93-D5A21BD368F6}
  5. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
  6. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
  7. STUPOROUS (Stuporous) {4C25FF58-3346-4B06-ACE5-6ADB942877A8}
  8. DIFFICULT TO AROUSE (Diff to Ar)  
{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}
  9. UNABLE TO AROUSE (Un to Ar)  
{05B32DD9-E634-4B60-A58B-2E915EA2834D}

UNITS:  
-----

=====
TERM: PCA - LIMIT DOSE - DO NOT CHECK TOTAL OR SUBTOTALS
ID: {854503A0-5C4C-4DBE-B137-A9BE68871874}

=====
Abbreviation..... PCA LIM DO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... PCA - Limit Dose - Do Not Check Total
or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
MICROGRAMS -1.00 > 0.00 \* 8000000.00 < 8001000.00
Dec Prec: 2
MILLIGRAMS -1.00 > 0.00 \* 8000.00 < 8001.00
Dec Prec: 2

Abbreviation..... PCA LIM TI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA - Limit Time  
Help Text..... Once the max is reached the pt will  
                  not be able to get any futher demand  
                  doses until the appropriate time has  
                  passed  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- |                    |  |
|--------------------|--|
| 1. 1 HOUR (1 HOUR) | {319BA174-1624-483C-B666-4998127B0800} |
| 2. 4 HOUR (4 HOUR) | {91B2A49D-0308-47C9-B220-63A0E318A201} |
| 3. 6 HOUR (6 HOUR) | {0D1F000A-01F0-422C-9CB8-2A04CD479444} |
| 4. 8 HOUR (8 HOUR) | {05E46D8F-C165-4552-8063-B735DECD4AF3} |
| 5. NONE (NONE)     | {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65} |

UNITS:  
-----



Abbreviation..... PCA LINE C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA Line Care  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}
  2. CENTRAL VENOUS CATHETER (CENT VEN C)  
{EE91E841-C09B-4432-A121-8EBAB92E9CD2}
  3. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
  4. DRESSING CHANGED (DRESS CHAN)  
{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
  5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
  6. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
  7. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}
  8. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}
  9. SYRINGE CHANGED (SYR CHANGE)  
{BE84F060-7E03-49DD-A6BC-787375C8E1F1}
  10. TUBING CHANGED/LABELED (TUBE CHANG)  
{19BA337C-6E28-411E-9702-48B262C593FA}

UNITS:  
-----



=====

TERM: PCA - MODE

Page: 518

ID: {7CAE5B29-5855-4E16-85DF-4886AF9A75E6}

=====

Abbreviation..... PCA MODE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA Mode  
Help Text..... Patient Controlled Analgesia Mode  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. BASAL RATE ONLY (BASAL ONL)  
    {4BFFF2BC-837C-4D62-B811-0E547247D4D0}
  2. PCA AND BASAL RATE (PCA/BASAL)  
    {D711BB51-0662-4DD0-8654-C737F6A6686A}
  3. PCA ONLY (PCA ONLY)      {30E0441A-1098-4FE9-B277-BF2BBD6B1667}

UNITS:  
-----

=====

TERM: PCA - PUMP CLEARED

Page: 519

ID: {9CD3B8C5-40C0-4EA4-8325-0B4399A91F53}

=====

Abbreviation..... PCA PUMP C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA - Pump Cleared  
Help Text..... PCA Pump Usage History Cleared  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. YES (y)	{483DE806-2EDB-34B0-FE11-C29EEEA649CD}
2. NO (n)	{FC275445-1225-9912-18A3-DF36245893D3}

UNITS:  
-----



Abbreviation..... PCA: Side
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... PCA - Side Effects
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

- 1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
3. URINARY RETENTION (Urinary Re) {959EBBDC-7F67-42EC-8CF0-295F709BB433}
4. WEAKNESS (Weakness) {E4C6D569-7961-4CB4-8E90-A02A31F98094}
5. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
6. ITCHING (Itching) {3A1FB47B-F274-458D-BDF6-E6882D6CB600}
7. TINNITUS (Tinnitus) {846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}
8. CONFUSION (Confusion) {4C1B8247-75C4-4C60-970B-3D7F07BD1164}
9. SOMNOLENT (Somnolent) {008A3F20-DD3D-4775-AA18-CCA7B817A77D}
10. RESPIRATORY DEPRESSION (Resp Depr) {A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}

UNITS:

=====

TERM: PCA - TOTAL DOSE 24 HR  
ID: {C18B5B5C-B1D5-440C-964B-FD7651AF2F32}

=====

Page: 522

Abbreviation..... Tot 24 hr  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA - Total Dose 24 hr  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MICROGRAMS	-1.00 > -1.00 * 9999.00 < 9999.00 Dec Prec: 2
MILLIGRAMS	-1.00 > -1.00 * 9999.00 < 9999.00 Dec Prec: 2

=====

TERM: PCA - TOTAL DOSE WASTED  
ID: {1FFE57C3-3A9F-4281-B949-8AABC67CBB99}

=====

Page: 523

Abbreviation..... Wasted  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA - Total Dose Wasted  
Help Text..... Enter a PCA Total Dose Wasted  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITER            0.00 > 0.00 \* 1000.00 < 1000.00  
                              Dec Prec: 2



=====

TERM: PCA - TOTAL MCG PER SHIFT  
ID: {5EEA95D7-D6D8-4FA4-AD1F-C40303A145A5}

=====

Page: 524

Abbreviation..... PCA mcg sh  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Micrograms per Shift  
Display Name..... PCA - Total mcg Per Shift  
Help Text..... Micrograms per Shift  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MICROGRAMS PER SHIFT      0.0 > 0.0 \* 800.0 < 5000.0  
Dec Prec: 1

=====

TERM: PCA - TOTAL MG PER SHIFT  
ID: {58CCC88B-404B-4D47-A131-472950622B2B}

=====

Page: 525

Abbreviation..... PCA mg shf  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Milligrams per Shift  
Display Name..... PCA - Total mg Per Shift  
Help Text..... Milligrams per Shift  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIGRAMS PER SHIFT      0.0 > 0.0 \* 64.0 < 300.0    Dec Prec: 1

Abbreviation..... PCA VOL RE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... PCA - Volume Remaining - Do Not Check
Total or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:

-----
MILLILITER -1.00 > 0.00 \* 8000.00 < 8001.00
Dec Prec: 2





=====

TERM: PLAN OF CARE - REVISION INDICATED  
ID: {DE8BBB70-21B4-4955-BEC4-C1E71BBA3E31}

=====

Page: 529

Abbreviation..... POC REV I  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Plan Of Care Revision Indicated  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: PLANTAR FLEXION  
ID: {4BBDBB76-053B-CA20-908E-017F5956DF5E}

=====

Page: 530

Abbreviation..... PLANFL  
Active..... Yes  
Boolean Value False..... Absent  
Boolean Value True..... Present  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Plantar Flexion  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: PR INTERVAL

Page: 531

ID: {3657545A-7138-94C0-03A5-3136C51B0369}

=====

Abbreviation..... PR INTERVA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The PR interval is measured from the  
beginning of the P wave to the  
beginning of the QRS complex

Display Name..... PRI

Help Text..... The PR interval is measured from the  
beginning of the P wave to the  
beginning of the QRS complex

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----  
SECOND

0.00 > 0.12 \* 0.20 < 1.00 Dec Prec: 2



=====

TERM: PREPROCEDURE: 12 LEAD EKG DONE?  
ID: {98DB7D48-ED01-4F73-BD71-82C62F0EBBD2}

=====

Page: 532

Abbreviation..... Pre-Prc 12  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: 12 lead EKG done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... Pre-Allerg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Allergies Reassessed  
and Documented  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----

1. PATIENT STATED (Pat Stated)  
{843654E1-4BC9-4277-9EFC-0B388A70A907}
2. FAMILY STATED (Fam Stated)  
{07A4B749-65F2-48E8-AD93-D142B04055B4}
3. CHART VERIFIED CORRECT (Chart Ver)  
{319E702F-C7A9-409D-881F-3F4D1D9AF393}
4. ALLERGY WRISTBAND (Wristband)  
{BB7F6746-102D-4CBA-8E53-EA465176812B}

UNITS:

-----

=====

TERM: PREPROCEDURE: ANTIBIOTIC GIVEN?  
ID: {07D521A2-01EA-404F-96C9-40EBE772E514}

=====

Page: 534

Abbreviation..... Pre-Prc Gv  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Antibiotic given?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: ANTIBIOTIC ORDERED?  
ID: {5FBF230D-E096-4980-B96D-B7BB264AE733}

=====

Page: 535

Abbreviation..... Pre-Prc An  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Antibiotic ordered?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----



=====

TERM: PREPROCEDURE: BLOOD TRANSFUSION PREFERENCE?  
ID: {42BD0D96-88A9-44CB-94D7-BF43A7F86946}

=====

Page: 537

Abbreviation..... Tran Pref  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Blood Transfusion  
Preference?  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----

10. NO PREFERENCE (No Pref)	{CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}
20. AUTOLOGOUS (Autologous)	{666DDEC1-5D32-47F6-813C-09F50B4040D2}
30. KNOWN DONOR (Known)	{74BEA6F1-8FA5-49C7-9198-957838B1C971}
40. DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (Declines)	{6956B7C1-5996-4ED0-91B7-040992E11DED}

UNITS:  
-----

=====

TERM: PREPROCEDURE: CHEST XRAY DONE?  
ID: {37CC251D-A494-4E4C-AECA-D90C4AEAEF4F}

=====

Page: 538

Abbreviation..... Pre-Prc Xr  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Chest Xray done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: DENTURES REMOVED?  
ID: {BA505699-D88A-41FB-AAC7-DCBE13D35D0C}

=====

Page: 539

Abbreviation..... Pre-Dentur  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Dentures removed?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----



Abbreviation..... Clothing  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Disposition of Clothing  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
1. CLOTHING ROOM (Cloth Room)  
{8F116C60-10B1-4033-93F2-9121629CD608}
  2. LOCKER (Locker) {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}
  3. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}
  4. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}
  5. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
  6. UNDER STRETCHER/BED (Stretcher)  
{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}
  7. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:  
-----



=====

TERM: PREPROCEDURE: DRAINAGE BAG EMPTIED?  
ID: {5520FD8E-7B0B-45AD-A3BC-554CEBBC7109}

=====

Page: 542

Abbreviation..... Dr Bag Emp  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Drainage Bag Emptied?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: DRIVER/ESCORT TO HOME CONFIRMED  
ID: {C68E61EA-C493-41D2-A558-95ED48B2C353}

=====

Page: 543

Abbreviation..... Pre-driver  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Driver/Escort to Home  
Confirmed  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 1. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}
  - 2. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
  - 3. RELATIVE (Relative) {F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}
  - 4. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}

UNITS:  
-----

=====

TERM: PREPROCEDURE: FINGERSTICK GLUCOSE DONE?  
ID: {98B3541C-372E-4876-ABD2-74E04AF23DF0}

=====

Page: 544

Abbreviation..... Pre-Finger  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Fingerstick Glucose done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: GLASSES / CONTACTS REMOVED?  
ID: {FBE31829-FEFC-4C11-8D62-EDCF94EA28EF}

=====

Page: 545

Abbreviation..... Pre-Glass  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Glasses / Contacts  
removed?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: H AND P CURRENT?  
ID: {CF191D5F-A3FF-4169-8A47-1C799BA22C48}

=====

Page: 546

Abbreviation..... Pre-Prc HP  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: H and P current?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: HEARING AIDS IN PLACE?  
ID: {173DAC5E-4332-4D0B-A232-98DA65305234}

=====

Page: 547

Abbreviation..... Pre-Hear  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Hearing Aids in place?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----





=====

TERM: PREPROCEDURE: HOSPITAL GOWN ON?  
ID: {62B89BA3-009B-4A2A-A6E4-E82B527FBC40}

=====

Page: 549

Abbreviation..... Pre-Gown  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Hospital Gown on?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: INFORMED CONSENT CURRENT  
ID: {068445ED-622A-4549-842D-0D88922EF8CE}

=====

Page: 550

Abbreviation..... Pre-Prc In  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Informed Consent current?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: JEWELRY REMOVED?  
ID: {8220E017-8816-452A-B2E1-07209A167781}

=====

Page: 551

Abbreviation..... Pre-Jewel  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Jewelry Removed?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: LABS DONE?  
ID: {88D2EB1F-C5E5-4190-A697-17C1E078A12B}

=====

Page: 552

Abbreviation..... Pre-Prc La  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Labs Done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: NPO SINCE (DATE/TIME)  
ID: {64F57F8D-DDB7-4CB7-9C71-F9C6C334F717}

=====

Page: 553

Abbreviation..... Pre-NPO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Preprocedure: NPO Since (Date/Time)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

Abbreviation..... Plan Disp
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description.....
Display Name..... Preprocedure: Disposition Post
Procedure
Help Text.....
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 10. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}
20. WARD (WARD) {A16CB5CB-3401-4F6C-8467-7F78FC929872}
30. OUTPATIENT (Outpatient) {CFDEB843-1AB5-4B6B-870C-1729EA4E05A9}
40. CONTRACT CARE FACILITY (Contr Care) {74CA0AAE-119B-4D54-B7A1-3DA5B8CA6AF6}
50. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:
-----

=====

TERM: PREPROCEDURE: PLANNED PROCEDURE  
ID: {696F0ABC-ADA5-4BDF-8EE6-CF9FCA84581C}

=====

Page: 555

Abbreviation..... Pre-Prc PI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Preprocedure: Planned Procedure  
Help Text..... Enter name of procedure to be performed  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----





=====

TERM: PREPROCEDURE: PREMEDICATION ORDERED?  
ID: {13AD97AD-C093-4341-BC4E-834A5B016727}

=====

Page: 557

Abbreviation..... Pre-Meds  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Premedication ordered?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: PROCEDURE SITE MARKED CORRECTLY  
ID: {A9CAE001-E29B-42AB-B353-63E255803169}

=====

Abbreviation..... Site Marke  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Procedure Site Marked  
Correctly  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
  2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  3. SITE UNABLE TO BE MARKED (Unable/Mar)  
{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}
  4. PATIENT REFUSES MARKING (Pat Refuse)  
{93CE893B-AFE1-4047-9EE9-2AD6388C0086}

UNITS:  
-----

=====  
TERM: PREPROCEDURE: PROSTHETICS/IMPLANTS?  
ID: {3D026E62-A5F3-4F9E-93D9-401B23EF32FB}

Page: 559

=====  
Abbreviation..... Pre-Pros  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Prosthetics/Implants?  
Help Text..... This can be used for identifying  
implants the patient possess and the  
information captured from patient,  
family or other source  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: PULMONARY FUNCTION TEST DONE?  
ID: {F818A685-84D0-450D-B81A-72F2EE4714D7}

=====

Page: 560

Abbreviation..... P/F Test?  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Pulmonary Function Test  
Done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

Abbreviation..... Chlor PM?
Active..... Yes
Boolean Value False..... No
Boolean Value True..... Yes
Data Type..... Boolean
Description.....
Display Name..... Preprocedure: Shower/Bath W
Chlorhexidine Soap Night Before?
Help Text.....
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

UNITS:
-----

=====

TERM: PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP THIS AM?      Page: 562  
ID: {E88314D8-0870-42E5-84CE-9A9A90151142}

=====

Abbreviation..... Chlor AM?  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Shower/Bath W  
   Chlorhexidine Soap this AM?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: TYPE AND CROSS MATCH DONE?  
ID: {6CC89C30-4F13-4ECA-9D80-2A80BEB13120}

=====

Page: 563

Abbreviation..... Pre-Prc Cr  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Type and Cross Match  
done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----



=====

TERM: PREPROCEDURE: TYPE AND SCREEN DONE?  
ID: {801BD31C-760C-41DD-BE7B-F55B5C7018AD}

=====

Page: 564

Abbreviation..... Pre-Prc TS  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Type and Screen done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: VITALS SIGNS DONE?  
ID: {749E6863-8E6B-43F2-A521-84959FF0260B}

=====

Page: 565

Abbreviation..... Pre-Vitals  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Vitals Signs done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: VOIDED?  
ID: {F35A4852-958D-4F51-A36F-1730EC7629E3}

=====

Page: 566

Abbreviation..... Pre-Voided  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Voided?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====
TERM: PRESSURE ULCER COLOR
ID: {CC98B260-63A7-43DF-956C-AFE2EE8974D4}

Page: 567

Abbreviation..... PR UL COLO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pressure Ulcer Color
Display Name..... Pressure Ulcer Color
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

- 2. BLACK/NECROTIC (BLACK/NECR) {53519F9A-B844-41C7-A013-F9D2EA8E4BC0}
3. YELLOW/FIBRINOUS (YELLOW/FIB) {47CF52FE-0374-4690-ADA1-643E0954E035}
40. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
50. PINK / GRANULATING (Pink/Gran) {05245B27-3292-48B2-9F37-6AB9BB92395B}
60. SLOUGH (SLOUGH) {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}
70. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

=====

TERM: PRESSURE ULCER DEPTH  
ID: {A829C7B5-B0E5-4B7B-882A-BA63337C65F8}

=====

Page: 568

Abbreviation..... PR UL DEPT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Ulcer Depth  
Display Name..... Pressure Ulcer Depth  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CENTIMETER            -1.00 > 0.00 \* 20.00 < 40.00  
                              Dec Prec: 2

Abbreviation..... PR UL DRAI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Drainage Character  
Display Name..... Pressure Ulcer Drainage  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
  3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
  4. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
  5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
  6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
  8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}
  9. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:  
-----

Abbreviation..... PR UL D P  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Pressure Ulcer Dressing Prevents  
Assessment  
Display Name..... Pressure Ulcer Dressing Prevents  
Assessment  
Help Text..... Does the pressure ulcer dressing  
prevent a full assessment?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

---

---

TERM: PRESSURE ULCER LENGTH  
ID: {B31F418F-99E1-4273-BB5B-3C56745B38C5}

---

---

Abbreviation..... PR UL LENG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Ulcer Length  
Display Name..... Pressure Ulcer Length  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

---

CENTIMETER                 -1.00 > 0.00 \* 50.00 < 100.00  
                                       Dec Prec: 2



=====

TERM: PRESSURE ULCER ODOR  
ID: {48FE49CA-D1FE-4812-ACB2-D4540B0EC2B9}

=====

Page: 572

Abbreviation..... PR UL ODOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Odor  
Display Name..... Pressure Ulcer Odor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. FOUL SMELLING (FOUL SMELL)  
{761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:  
-----

=====

TERM: PRESSURE ULCER PHOTOGRAPHED  
ID: {453C53C4-516D-4FE6-9032-496517880D3F}

=====

Page: 573

Abbreviation..... PR UL PHOT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the pressure ulcer photographed?  
Display Name..... Pressure Ulcer Photographed  
Help Text..... Was the pressure ulcer photographed?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... PR ULC BOO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pressure Ulcer Prevention Boots
Display Name..... Pressure Ulcer Prevention Devices
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

- 1. ELBOW PAD (ELBOW PAD) {26942F81-1E33-4962-B772-A96FFBCED814}
2. FOAM AIR HEEL ELEVATOR (FO AI HEEL) {4EC26AA3-4577-4808-8728-F360C5C5A0D4}
3. HEEL LIFT (HEEL LIFT) {974F90E6-382D-421A-A4CE-94A74CBEFC32}
5. INFLATABLE HEEL LIFT (INF HEEL L) {793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}
6. RIGID HEEL SPLINT (RIG HEEL S) {5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}
7. MULTIPODOUS (MULTIPODOU) {ED098F9D-B204-4310-813A-98D91FF9DD25}
8. WAFFLE (WAFFLE) {29A0FA73-CAA7-4660-9861-79A09F6DD98C}
90. SPECIALTY MATTRESS/BED (Specialty) {6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}
100. OTHER (ADD COMMENTS) (Other) {264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}

UNITS:
-----

Abbreviation..... PRE ULC RF
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Pressure Ulcer Risk Factors
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 9 entries

- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. BARIATRIC PATIENT (BARIAC PAT) {6F614334-685E-4533-A475-BDF5440855EA}
3. DEVICE RELATED PRESSURE (DEV REL PR) {3AED6107-A173-4B53-8EB5-2FB2B3336FC5}
4. END OF LIFE CARE (END LIFE) {047D8977-0567-4B90-AD6A-3AAF8DB35238}
5. HYPOALBUMINEMIA (HYPOALBUM) {A3397F38-2491-48E7-8366-A6FA2D91E866}
6. VASOPRESSOR (VASOPRESS) {591FCB09-1287-48C6-8007-4CE961296BA9}
7. REFUSE TO MOVE (REF TO MOV) {E14588CE-2498-4FE8-AB0B-E954DC1696AC}
8. UNSTABLE (UNSTABLE) {5841C521-8070-4034-A69D-27DAB2990EB3}
9. VERY LOW BMI (LOW BMI) {78B3A37B-938B-42E5-A403-75E206722BC3}

UNITS:
-----

=====

TERM: PRESSURE ULCER SINUS/UNDERMINING  
ID: {CAE9260D-3B9E-433E-8FCD-F5D98A0EB02D}

=====

Page: 576

Abbreviation..... PR UL SINU  
Active..... Yes  
Boolean Value False..... Not Present  
Boolean Value True..... Present  
Data Type..... Boolean  
Description..... Pressure Ulcer Sinus/Undermining  
Display Name..... Pressure Ulcer Sinus/Undermining  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... PR UL STAG
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Pressure Ulcer Stage
Display Name..... Pressure Ulcer Stage
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

- 7. SUSPECTED DEEP TISSUE INJURY (SUS DEEP T)
8. STAGE I (STAGE I)
9. STAGE II (STAGE II)
10. STAGE III (STAGE III)
11. STAGE IV (STAGE IV)
12. UNSTAGEABLE (UNSTAGEABL)

LOCATION: 51 entries

- 1. COCCYX (COCCYX)
2. HEAD OCCIPITAL (HEAD OCCIP)
3. L ANKLE (L ANKLE)
4. L ANTECUBITAL (L ANTECUBI)
5. L EAR (L EAR)
6. L ELBOW (L ELBOW)
7. L FEMORAL (L FEM)
8. L FOOT (L FOOT)
9. L GLUTEUS (L GLUTEUS)
10. L HEAD (L HEAD)
11. L HEEL (L HEEL)
12. L INNER KNEE (L INN KNEE)
13. L ISCHIAL (L ISCHIAL)
14. L LOWER ARM (L LOW ARM)
15. L OUTER KNEE (L OUT KNEE)
16. L RIBS (L RIBS)
17. L SCAPULA (L SCAPULA)
18. L SHOULDER (L SHOULDER)
19. L TROCHANTER (L TROCHANT)
20. L UPPER ARM (L UPP ARM)
21. PERINEAL (PERINEAL)
22. R ANKLE (R ANKLE)
23. R ANTECUBITAL (R ANTECUBI)
24. R EAR (R EAR)
25. R ELBOW (R ELBOW)
26. R FEMORAL (R FEM)
27. R FOOT (R FOOT)
28. R GLUTEUS (R GLUTEUS)
29. R HEAD (R HEAD)
30. R HEEL (R HEEL)
31. R INNER KNEE (R INN KNEE)

- 32. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}
- 33. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
- 34. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}
- 35. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}
- 36. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 37. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
- 38. R TROCHANTER (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}
- 39. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
- 40. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}
- 41. FOREHEAD (FOREHEAD) {5F892722-956E-474C-BA08-4074142D49F6}
- 42. L LATERAL HEEL (L LAT HEEL)  
{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}
- 43. R LATERAL HEEL (R LAT HEEL)  
{A1896CF9-0246-4323-8DED-E4B5FB12CACE}
- 44. L MEDIAL HEEL (L MED HEEL)  
{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}
- 45. R MEDIAL HEEL (R MED HEEL)  
{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}
- 46. L LATERAL MALLEOLUS (L LAT MALL)  
{9A523B7C-64DD-4E47-9543-165788108D4C}
- 47. R LATERAL MALLEOLUS (R LAT MALL)  
{950FC45B-93E8-424F-A5D4-DE646166D7B0}
- 48. L MEDIAL MALLEOLUS (L MED MALL)  
{330E7682-407F-43CD-84FC-1CDA41F08C68}
- 49. R MEDIAL MALLEOLUS (R MED MALL)  
{C70FB4FA-6516-4567-8E26-46BA439F1DF4}
- 50. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}
- 51. TRACHEOSTOMY (TRACHEOSTO) {4D12329A-56C8-4175-986F-2F0B68EB7E6D}

UNITS:

-----

Abbreviation..... PR UL TREA
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Methods used for treatment of
Pressure Ulcer
Display Name..... Pressure Ulcer Treatment
Help Text..... Methods used for treatment of
Pressure Ulcer
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 25 entries

- 1. ANTIBIOTIC OINTMENT (AB OINTMEN) {352D9690-77BB-44DC-919E-5357876DEAC4}
2. BACTERICIDAL (BACTERIOCI) {680E4A3C-A40A-461E-818D-003AE8A1EFC8}
3. BACTERIOSTATIC (BACTERIOST) {AB74D109-8ED7-4A6C-B028-7A041781DF67}
4. CADEXOMER IODINE (CADEXO IOD) {C83E41AA-6A1F-43CC-AB2E-7F6555FEC9D2}
5. CALCIUM ALGINATE (CA ALGINAT) {2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}
6. COLLAGEN (COLLAGEN) {8D734495-2FAF-41C0-9146-55B22583A830}
7. DILUTE DAKINS SOLUTION (DL DAKINS) {66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}
8. ENZYMATIC OINTMENT (ENZY OINTM) {E781DA75-8777-4884-A093-FB623774DB8F}
9. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}
10. GAUZE PACKING (GAUZE PACK) {6C093717-82CB-4966-929E-C909310649C1}
11. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}
12. HYDROCOLLOIDAL DRESSING (HCOLL DRES) {D85741EF-0DB3-48CF-BC9A-88C834A72F36}
13. HYDROFIBER (H-FIBER) {42740A7F-A831-4FBD-9E59-88F315176674}
14. HYDROFIBER WITH SILVER (HYFIB W SI) {04BD9512-DE5D-421A-9818-8A33D1F0693D}
15. HYDROGEL DRESSING (H-GEL DRES) {F6192D10-D6EA-42C2-AB15-270659D9925C}
16. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}
17. NEGATIVE PRESSURE THERAPY DEVICE (NEG PRE TH) {8AF0A069-66AD-4114-99D8-238AD987F0FF}
18. SALINE MOIST DRESSING (SAL MOI DR) {19F98514-8ABF-461C-9969-C31177FE7DE7}
19. TRANSPARENT DRESSING (TRANSP DRE) {777C7722-AEA8-4A0B-9ADD-1157D37AE539}
20. PETROLATUM (PETROLATUM) {DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}
21. PORCINE SUBMUCOSA (PORC SUBMU) {6F3917DA-74BD-4790-9D4D-B284E27B7623}
22. SILVADENE (SILVADENE) {0889134F-C419-4366-B12E-EAB775719410}
23. XENADERM (XENADERM) {F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}
24. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}
30. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:



=====

TERM: PRESSURE ULCER TUNNEL  
ID: {584775CB-EB35-47BB-A7D4-62966A23D0DF}

=====

Page: 579

Abbreviation..... PRE ULC TU  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pressure Ulcer Tunnelling  
Help Text..... Is the Pressure Ulcer Tunnelling?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: PRESSURE ULCER TUNNEL LENGTH  
ID: {D7FC23D9-8C2B-42F0-A545-5102AFC22335}

=====

Page: 580

Abbreviation..... PR UL TU L  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pressure Ulcer Tunnel Length  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
CENTIMETER            -1.0 > 0.0 \* 15.9 < 16.0    Dec Prec: 1

=====

TERM: PRESSURE ULCER UNDERMINING  
ID: {CF9D2160-4E70-452C-B0D1-D14A4E5662CE}

=====

Page: 581

Abbreviation..... PRE ULC UM  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pressure Ulcer Undermining  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: PRESSURE ULCER WIDTH  
ID: {2C1FCC95-E9D1-40A6-ACD7-58E0D4324E4E}

=====

Page: 582

Abbreviation..... PR UL WIDT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Ulcer Width  
Display Name..... Pressure Ulcer Width  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CENTIMETER            -1.00 > 0.00 \* 50.00 < 100.00  
                              Dec Prec: 2

Abbreviation..... Proc Loc  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Procedure Location  
Help Text..... Document physical environment in  
which the procedure is occurring.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

- 
1. PULMONARY PROCEDURE ROOM (Pul Proc Rm)  
{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}
  2. RADIOLOGY PROCEDURE ROOM (Radio Rm)  
{744142F5-D301-4509-A96D-06AB8C1D2C81}
  3. SPECIAL PROCEDURE ROOM (Special Rm)  
{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}
  4. EMERGENCY DEPT (Emer Dept)  
{E8490DF5-278C-4102-9675-C9B40D596A10}
  5. GI PROCEDURE ROOM (GI Proc Rm)  
{924532F4-B52F-4EA9-8C7D-59168B340118}
  6. GU PROCEDURE ROOM (GU Proc Rm)  
{D4B6678F-C1DD-4A23-9045-574251F6CD74}
  7. DENTAL (Dental) {0A60F06A-ED63-4B06-8FF9-EEFB12567D65}
  8. RADIOLOGY (Radiology) {AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}
  9. INTERVENTIONAL RADIOLOGY (Interv Rad)  
{322B66E6-814F-43AF-B669-E503519DB72F}
  10. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}
  11. BEDSIDE (Bedside) {481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}
  12. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

-----

Abbreviation..... Proc Pers  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Procedure Personnel  
Help Text..... Identify personnel present  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 17 entries

- 
- 10. PHYSICIAN (PHYSICIA) {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}
  - 20. NP (NP) {E7EA4017-4374-41A1-9D3D-54051CEDF63C}
  - 30. PA (PA) {C057C47D-780A-4230-B577-2C528AD09DEB}
  - 40. DENTIST (Dentist) {DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}
  - 50. CNS (CNS) {487A4DE0-A822-437D-87A2-75FA86D7BBDE}
  - 60. ANESTHESIOLOGIST (Anesthesio)  
{44BAD970-DD8F-4015-9C41-AC7868CEBE79}
  - 70. CRNA (CRNA) {41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}
  - 80. LVN/LPN (LVN/LPN) {DC89CD99-80C5-4455-A280-3A19E74DCE7D}
  - 90. HEALTH TECH (Health Tec) {7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}
  - 100. RESP TECH (Resp Tech) {8A7BA130-3EDC-4D07-A852-846B37399FC9}
  - 110. RAD TECH (Rad Tech) {EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}
  - 120. STUDENT (STUDENT) {613AFF67-9121-4F6C-A44F-1ACFEF10E612}
  - 130. RN (RN) {A103E506-EAA5-4777-8126-268CD723AD87}
  - 140. NSG ASSIST (Nsg Assist) {14FA9638-3786-4FEA-BE8F-2345C1F455C3}
  - 150. VENDOR REP (Vendor Rep) {4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}
  - 160. TECH (Tech) {13AAF5D5-FEBC-4E09-B972-5D86BA02F307}
  - 170. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

=====

TERM: PROCEDURE TIME  
ID: {709E6959-A58C-454C-A2A4-2AF69483F21B}

=====

Page: 585

Abbreviation..... Proc Time  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Procedure Time  
Help Text..... When entering data, make sure the  
save date/time reflects the start or  
stop time.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. START TIME: (Start Time) {4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}
  2. STOP TIME: (Stop Time:) {784CA4D8-988F-4A59-8AB5-48AFC9CA210B}

UNITS:  
-----

=====

TERM: PROCEDURE, PLANNED  
ID: {87C9E441-B4EA-4F72-9CDF-B9DCC072F86A}

=====

Page: 586

Abbreviation..... Proc, Plan  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Procedure, Planned  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: PULMONARY ARTERY DIASTOLIC  
ID: {A7126912-49DD-A952-8731-D06A323D2C3E}

=====

Page: 587

Abbreviation..... PAD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pulmonary Artery Diastolic Pressure  
Display Name..... Pulmonary Artery Diastolic Pressure  
Help Text..... Pulmonary Artery Diastolic Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIMETERS OF MERCURY      0 > 8 \* 15 < 30      Dec Prec: 0

=====

TERM: PULMONARY ARTERY MEAN PRESSURE  
ID: {BE486939-CA23-58EF-ADE2-A34D19C4F41F}

=====

Page: 588

Abbreviation..... PAM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pulmonary Artery Mean Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
MILLIMETERS OF MERCURY 0 > 9 \* 19 < 50 Dec Prec: 0

=====

TERM: PULMONARY ARTERY SYSTOLIC  
ID: {4DFDF10B-3501-87E1-0EB8-AD3772E60012}

=====

Page: 589

Abbreviation..... PAS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pulmonary Artery Systolic  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIMETERS OF MERCURY      0 > 15 \* 25 < 50      Dec Prec: 0

=====

TERM: PULMONARY CAPILLARY WEDGE PRESSURE  
ID: {9D3EB2BE-9492-CDE3-03EC-07FE580E22E0}

=====

Page: 590

Abbreviation..... PCWP WEDGE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pulmonary Capillary Wedge Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
MILLIMETERS OF MERCURY 0 > 8 \* 12 < 30 Dec Prec: 0

=====

TERM: PULMONARY CARE

Page: 591

ID: {A7906E15-CBF1-A881-F3C7-4DF41A6A85B6}

=====

Abbreviation..... PUL CARE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pulmonary Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. NO (n)	{FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y)	{483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: PULMONARY SECRETION AMOUNT  
ID: {FEED2CE3-F697-D1AB-AB1B-72A7968F0EB0}

=====

Page: 592

Abbreviation..... PUL SEC AM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... AMOUNT OF SPUTUM FROM PATIENT  
Display Name..... Pulmonary Secretion Amount  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
  - 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  - 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  - 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
  - 5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

UNITS:  
-----

Abbreviation..... SPUTUM COL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Color of sputum  
Display Name..... Pulmonary Secretion Color  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- |                    |  |
|--------------------|--|
| 1. CLEAR (c)       | {8981C365-2B46-704F-C9F4-975DF1C23C2D} |
| 2. WHITE (WHITE)   | {AB04EF54-5246-EF3A-E1D9-02E9E24369DD} |
| 3. YELLOW (YELLOW) | {90DC31AD-6211-9F25-4237-79F7122A2763} |
| 4. TAN (TAN)       | {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1} |
| 5. BROWN (BROWN)   | {A1C32FBC-7B4D-707C-CA58-92A2E201368E} |
| 6. GREEN (GREEN)   | {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF} |
| 7. RED (RED)       | {515D7CFB-3527-30E7-EC4B-B607C272DFA0} |
| 8. PINK (PINK)     | {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D} |

UNITS:

-----

Abbreviation..... P SECR CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Sputum Consistency  
Display Name..... Pulmonary Secretion Consistency  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
  - 2. TENACIOUS (TENACIOUS) {EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}
  - 3. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:  
-----



=====

TERM: PULMONARY SUCTIONING EVENT  
ID: {6A5A8DA3-859F-4BE3-9673-EA26D463D5F7}

=====

Page: 595

Abbreviation..... PUL SUC EV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Patient needed and got Pulmonary  
Suctioning  
Display Name..... Pulmonary Suctioning Event  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
EVENT(S)                -1 > 0 \* 30 < 100        Dec Prec: 0



=====

TERM: PULMONARY SUCTIONING SITE  
ID: {D011DC21-02E6-463B-DF02-6E4ADD94D703}

=====

Page: 597

Abbreviation..... PUL SUC SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... SITE OF PATIENTS PULMONARY SUCTIONING  
Display Name..... Pulmonary Suctioning Site  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. ORAL (ORAL) {BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}
  2. NASAL (NASAL) {0F73F0CB-E25E-4611-9625-62E6F1596A9B}
  3. ARTIFICIAL AIRWAY (ART AIRWAY)  
{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}
  4. TRACHEOSTOMY (TRACHEOSTO) {2B0B7599-847E-852F-D16F-091CAAA4B205}

UNITS:  
-----

=====

TERM: PULMONARY VASCULAR RESISTANCE  
ID: {56E4D7F3-EC49-B76A-B223-3C9E62E8B0ED}

=====

Page: 598

Abbreviation..... PVR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pulmonary Vascular Resistance  
Display Name..... Pulmonary Vascular Resistance  
Help Text..... Pulmonary Vascular Resistance  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
DYNE \* SECONDS / CM(-5) \* M2 50 > 150 \* 250 < 500      Dec Prec: 0

=====

TERM: PULMONARY VASCULAR RESISTANCE INDEX  
ID: {F98F291B-14F4-AA32-F218-E146364D9754}

=====

Page: 599

Abbreviation..... PVRI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pulmonary Vascular Resistance Index  
Display Name..... Pulmonary Vascular Resistance Index  
Help Text..... Pulmonary Vascular Resistance Index  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
    {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
DYNE \* SECONDS / CM(-5) / M2 20 > 80 \* 240 < 350      Dec Prec: 0

Abbreviation..... P
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Beats per minute
Display Name..... Pulse - Do Not Check Total or Subtotals
Help Text..... Heart beats per minute,
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4500636

LOCATION: 12 entries

- 1. APICAL (Ap) {C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}
2. AV FISTULA (AVF) {F977EEF6-EA6A-D56D-D1F7-29B91510A02F}
3. BILATERAL PERIPHERALS (BILAT PERI) {7F134529-36C5-E9D4-ABD5-64B404F9E706}
4. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}
5. CAROTID (Car) {9536F203-1797-9336-6F69-604249E1B3A0}
6. DORSALIS PEDIS (DP) {9657D743-1632-2044-B4C5-9EF291A2F6D0}
7. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}
8. PERIPHERAL (Per) {36B31698-E84A-5792-8EAE-F374DFD1B55A}
9. POPLITEAL (Pop) {77030DF2-CE06-D9E2-0684-EE70209CBE73}
10. POSTERIOR TIBIAL (PT) {010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}
11. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}
12. ULNAR (Uln) {81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}

METHOD: 13 entries

- 1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
3. AUSCULTATE (Aus) {0C629C1F-92D3-C641-B02C-9EA43B401DC9}
4. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
6. LEAD (L) {B628FDCE-05E0-DACF-E66E-0F8380AB465A}
7. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
8. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
9. PALPATED (Pal) {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}
10. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}
11. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}
12. ELECTROCARDIOGRAM TRACE 1 (ECG TR 1) {E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}
13. ELECTROCARDIOGRAM TRACE 2 (ECG TR 2) {73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}

POSITION: 4 entries

- 1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
3. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
4. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

QUALITY: 2 entries

- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

-----  
BEATS PER MINUTE

0 > 60 \* 100 < 300

Dec Prec: 0

Abbreviation..... PULSE STR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Quality of pulse
Display Name..... Pulse Strength
Help Text..... Select one of the measurements for
pulse quality
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 6 entries

- 1. 3 - STRONG (3-s) {C55EAB72-7816-5440-84E9-6E7E190ED197}
2. 2 - NORMAL (2-n) {25FAADFC-D280-78AC-4F01-CFCF34ECD3FF}
3. 1 - WEAK (1 - WEAK) {A41570DC-2F35-DDF6-977B-7C262150DFA2}
4. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
5. D - DOPPLER (d-d) {2B77F099-0520-474D-A4BC-22BF824C8364}
6. AMPUTEE (AMPUTEE) {5804286F-2B23-91BD-FCB5-6AD18C918203}

LOCATION: 8 entries

- 1. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
2. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
3. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
4. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
5. R POST TIBIAL (R PO TIB) {88CDA53A-5153-4950-701A-3F4F2007CC6B}
6. L POST TIBIAL (L PO TIB) {BED130EE-31CC-C7E9-6597-78685BCE91AC}
7. R PEDAL (R PEDAL) {9532B614-F4E1-316C-1322-905EB58E58C4}
8. L PEDAL (LEFT PEDAL) {D84E9953-8C17-3130-8F21-A30D2A99FDE4}

UNITS:



ID: {9FCBF7CF-39B8-9710-6F41-9B7DDDC3BDD2}

=====

Abbreviation..... PREA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pupil Reaction  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

-----

1. FIXED (f) {697D8C5A-976F-F423-30EC-A04102CF85F0}
2. SLUGGISH (s) {3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}
3. EYE CLOSED (ec) {140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}
4. DRESSING (d) {FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}
5. REACTIVE (Reactive) {31B44ADB-0000-A5B0-5F56-59D4A08C05D2}
6. NONREACTIVE (nonreact) {AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}
7. BRISK (brisk) {980AE687-0A78-458B-BA7B-5D646C38A5F5}
8. PINPOINT (pinpoint) {4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}
9. DILATED (Dilated) {BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}

LOCATION: 3 entries

-----

1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
3. BOTH EYES (Both Eyes) {FF0ED136-502C-4CC9-94D0-991A50D738A0}

UNITS:

-----

Abbreviation..... PS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pupil Size  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

LOCATION: 3 entries

- 
- 1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
  - 2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
  - 3. BOTH EYES (Both Eyes) {FF0ED136-502C-4CC9-94D0-991A50D738A0}

UNITS:

-----

MILLIMETERS 0 > 1 \* 9 < 11 Dec Prec: 0

Abbreviation..... QRS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... The QRS complex is a structure on the  
ECG that corresponds to the  
depolarization of the ventricles.  
Display Name..... QRS Complex  
Help Text..... The QRS complex is a structure on the  
ECG that corresponds to the  
depolarization of the ventricles.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----  
SECOND                    0.02 > 0.04 \* 0.12 < 0.24 Dec Prec: 2

=====

TERM: QT Page: 605  
ID: {5226FEC7-8AD3-AE64-4122-6F9D2925448A}

=====

Abbreviation..... QT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... The QT interval is measured from the  
beginning of the QRS complex to the  
end of the T wave.  
Display Name..... QT Interval  
Help Text..... The QT interval is measured from the  
beginning of the QRS complex to the  
end of the T wave.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
SECOND                    0.10 > 0.30 \* 0.46 < 1.00 Dec Prec: 2

=====

TERM: RECTAL TUBE PRESENT  
ID: {D05DB527-8EDD-4324-B7B5-989AC004486E}

=====

Page: 606

Abbreviation..... REC TU PRE  
Active..... Yes  
Boolean Value False..... Not Present  
Boolean Value True..... Present  
Data Type..... Boolean  
Description..... Rectal Tube Present  
Display Name..... Rectal Tube Present  
Help Text..... Rectal Tube Present  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:  
-----

=====

TERM: RESPIRATION: END-TIDAL CO2  
ID: {08E66099-B598-4126-925C-57592446916D}

=====

Page: 607

Abbreviation..... End-Tidal  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Respiration: End-Tidal CO2  
Help Text..... The measurement of carbon dioxide  
concentration in a patient's breath,  
assumed to reflect arterial carbon  
dioxide tension.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY      0.0 > 0.0 \* 120.0 < 120.0 Dec Prec: 1

Abbreviation..... RESP PATT
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Respiratory Pattern
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

- 1. REGULAR (REGULAR) {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}
2. IRREGULAR (IRREGULAR) {6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}
3. DEEP (DEEP) {78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}
4. SHALLOW (SHALLOW) {CD205617-BF98-4177-971A-056AFECC823A}
5. DYSPNEIC (DYSPENIC) {4C6B42D9-694F-5EB2-6396-7ED85D5B154E}
6. ORTHOPNEIC (ORTHOPNIC) {FF373BD7-FD84-DF43-7A44-1B8E62917116}
7. ABDOMINAL (ABDOMINAL) {29E279F4-5D2E-4644-A2FA-CF85BEDFD480}
8. CHEYNE-STOKES (CHEYNE-STO) {58DD2B80-B522-499C-2C60-C48A654BAD84}
9. KUSSMAUL (KUSSMAUL) {0C5ED066-F445-ABFE-F7B1-D158EC7C2976}
10. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}
11. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}

UNITS:

Abbreviation..... RR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... RESPIRATIONS PER MINUTE
Display Name..... Respiratory Rate - Do Not Check Total
or Subtotals
Help Text..... Breaths per minute
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4688725

METHOD: 8 entries

- 1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}
3. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
4. CONTROLLED VENTILATOR (CV) {0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}
5. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
6. SPONTANEOUS (S) {5E9463BC-C871-54FD-F800-DCFDEDB8A93B}
7. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}
8. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION: 6 entries

- 1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
4. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
5. SUPINE (SUPINE) {DEA8A744-B445-4A9E-875D-485E060F2ACC}
6. TRENDELENBURG (Tr) {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}

UNITS:

BREATHS PER MINUTE -1 > 12 \* 20 < 201 Dec Prec: 0



=====

TERM: RESTRAINT CIRCULATION CHECK  
ID: {8EC55F7A-AEAB-4734-86CA-7573FC938138}

=====

Page: 610

Abbreviation..... Res Cir Ck  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Restraint Circulation Check  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... RES CRITER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Criteria  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
1. RES CRIT: LINES (R.C. LINE)  
{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}
  2. RES CRIT: EQUIPMENT (R.C. EQUI)  
{38C2C56C-6D57-4750-8E68-F1193B16190A}
  3. RES CRIT: AMBULATE (R.C. AMBU)  
{54B72608-2C13-46CD-8034-00179669762C}
  4. RES CRIT: UNABLE TO FOLLOW DIRECTIONS (R.C. DIRE)  
{41358EAE-9912-48F8-8931-D3C635406D21}
  5. RES CRIT: COMBATIVE (R.C. COMB)  
{38DBF61A-D364-4215-B4AA-36B660F96462}
  6. RES CRIT: AGGRESSIVE (R.C. AGGR)  
{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}
  7. RES CRIT: HARM TO SELF (R.C. HARM)  
{4DC33341-8F53-4D30-BC28-1E32DB54F30D}

UNITS:  
-----

=====

TERM: RESTRAINT DEVICE TRIAL RELEASE  
ID: {90F7D38E-9E01-4907-8729-8ED436424CCC}

=====

Page: 612

Abbreviation..... Res Tr Rel  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Restraint Device Trial Release  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: RESTRAINT EDUCATION  
ID: {08B0A919-200B-4874-993B-E9924E9A439F}

=====

Page: 613

Abbreviation..... RES EDUCAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Education  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. FAMILY INFORMED (FAM INFORM)  
    {77135D32-9CDD-4D3F-9B62-6E8189B77844}
  2. PATIENT INFORMED (PAT INFORM)  
    {074A1D19-3920-49F1-8958-2EB6F9CF05BA}

UNITS:  
-----

=====

TERM: RESTRAINT EDUCATION TYPE  
ID: {05693D33-977E-4089-988F-4FE029D64BE4}

=====

Page: 614

Abbreviation..... RES EDU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Education Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. RESTRAINTS EXPLAINED (RES EXPL)  
{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}
  2. RESTRAINTS ED TYPE (RES ED TY)  
{5560A332-C365-4DAF-BA33-610C4AE301F5}
  3. RESTRAINTS ED REMOVAL (RES ED REM)  
{B19316C8-687B-48FB-9EBC-9857662B9F85}
  4. RESTRAINTS BROCHURE (RES BRO P)  
{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}
  5. RESTRAINTS TIME LIMIT (RES TIME L)  
{513B483E-AD7B-4B1A-BD01-91133C605C3C}

UNITS:  
-----

Abbreviation..... R.E. ALT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Alternative Measures Attempted  
Help Text..... Restraint Evaluation: Alternative  
Measures Attempted  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

- 
1. RES EVAL: DECREASE STIMULATION (R.E. DECR)  
{0841626E-994E-4346-B701-1662A00209EB}
  2. RES EVAL: REALITY ORIENTATION (R.E. REALI)  
{221C363C-2261-40FC-8400-8B1D2E693F69}
  3. RES EVAL: RELOCATE (R.E. RELO)  
{D8165678-ECEF-4F4D-A1C4-C616349E1873}
  4. RES EVAL: INVOLVEMENT WITH FAMILY (R.E. INVO)  
{0EF31047-70A5-4072-953A-B62E1ACDF84B}
  5. RES EVAL: AMBULATION/EXERCISE (R.E. EXER)  
{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}
  6. RES EVAL: EDUCATION (R.E. EDUC)  
{76341E6E-7F0A-429C-B768-9CA83C452FD7}
  7. RES EVAL: DIVERSIONAL ACTIVITIES (R.E. DIVER)  
{569F6D49-C564-4910-835A-B05179086E1F}
  8. RES EVAL: MEDICATION REVIEW (R.E. REVI)  
{914A0F82-5863-4C84-B3AB-D5A22BD340D8}
  9. RES EVAL: UNABLE TO ATTEMPT (R.E. UNAB)  
{979B0477-5789-4319-9562-6752048C4005}
  10. BED EXIT ALARM (BED EXIT A)  
{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}
  11. WHEELCHAIR EXIT ALARM (WHEEL EXIT)  
{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

UNITS:  
-----

=====

TERM: RESTRAINT EVAL - ELIMINATION MONITORED  
ID: {6553B5FA-F6D5-4FE4-B2B6-E55723D11907}

=====

Page: 616

Abbreviation..... R.E. ELIM  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Elimination Monitored  
Help Text..... Restraint Evaluation: Elimination  
                                  Monitored  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... R.E. INTA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Fluid / Nutrition Intake Evaluated  
Help Text..... Restraint Evaluation: Fluid /  
  Nutrition Intake Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:

-----





Abbreviation..... RES EV LRM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Least Restrictive Measures Evaluated  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. RESTRAINTS LIMIT SETTING (RES LIM SE)  
{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}
  2. REDIRECT PATIENT ACTIVITY (REDIR ACT)  
{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}
  3. REMOVE FROM STIM. SETTING (REM SET)  
{2010BA89-B399-4A30-9ACF-C65AB57B6351}
  4. OFFER PRN MEDS (OFFER PRN)  
{B7AF4903-913C-4848-A255-0B4767B81AE2}
  5. VERBAL DE-ESCALATION (VERB DE-ES)  
{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}
  6. ONE TO ONE SUPERVISION (1 SUPERV)  
{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}
  7. FREQUENT VERBAL REMINDERS (FR VER RE)  
{F30D791D-BB80-4AB3-B37F-22B6B547EA65}
  8. PREVENT ACCESS TO DEVICE (PREV ACCE)  
{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}
  9. REORIENTED TO ENVIRONMENT (REORIENT)  
{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}
  10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:  
-----



=====

TERM: RESTRAINT EVAL - PRIVACY/DIGNITY  
ID: {58C842E4-8A48-4DDD-8DEF-2C97F3314E40}

=====

Abbreviation..... R.E. DIGN  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Maintain Privacy and Dignity Evaluated  
Help Text..... Restraint Evaluation: Maintain  
                                  Privacy and Dignity Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: RESTRAINT EVAL - REPOSITION/RANGE OF MOTION  
ID: {54C82D71-B32F-48A2-87A9-683D6023D905}

=====

Page: 622

Abbreviation..... R.E. REPOS  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Reposition / Range of Motion Evaluated  
Help Text..... Restraint Evaluation: Reposition /  
Range of Motion Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----



=====

TERM: RESTRAINT FAMILY ED. UNDERSTANDING  
ID: {5EE7B156-51FF-4819-A0F4-8796D518B092}

=====

Page: 624

Abbreviation..... RES FM U  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Family Understanding Of Restraints  
                  Education  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

-----

1. INDICATES UNDERSTANDING (UNDERSTAND)  
                                  {C4AEFE5F-C388-4E00-9663-6B308934284B}
2. NEEDS REINFORCEMENT (NEED REINF)  
                                  {B6171F65-4530-418D-A63B-65DFFF522786}
3. UNSUCCESSFUL (UNSUCCESSF) {54DC58A1-7585-4A32-B810-90B586ED9332}

UNITS:

-----

=====

TERM: RESTRAINT INITIATED BY  
ID: {6939E11B-F414-435F-93B2-D69334A50FA1}

=====

Page: 625

Abbreviation..... RES INIT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Seclusion/Restraint Initiated By  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. REGISTERED NURSE (RN) {524F344F-FDCD-423F-AD34-291D5DB4271B}
  2. PHYSICIAN ORDER (PHY ORDER)  
{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}

UNITS:  
-----



=====

TERM: RESTRAINT LEAST RESTRICTIVE MEASURES  
ID: {1132E26A-19E0-40D0-9602-68AB41F415FA}

=====

Page: 626

Abbreviation..... RES LRME  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Least Restrictive Measures Evaluated  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. RES LRM: LIMIT SETTING (RLRM SETT)  
{96417DDF-8562-4EFF-B4F6-0933FD91CD36}
  2. RES LRM: REDIRECT (RLRM REDI)  
{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}
  3. RES LRM: REMOVE FROM SETTING (RLRM REMO)  
{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}
  4. RES LRM: PRN MEDS (RLRM: MEDS)  
{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}
  5. RES LRM: VERBAL DE-ESCALATION (RLRM VERB)  
{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}
  6. RES LRM: SUPERVISION (RLRM SUPR)  
{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}
  7. RES LRM: VERBAL REMINDERS (RLRM REMI)  
{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}
  8. RES LRM: DEVICE ACCESS (RLRM ACCE)  
{1662F5E1-30E7-4E8A-BCC5-1738868435B8}
  9. RES LRM: REORIENT (RLRM REOR)  
{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}
  10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:  
-----

Abbreviation..... RES MENT A  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Mental Assessment Patient Evaluation  
Display Name..... Mental Assessment  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}
  2. DISORIENTED (DISORIENTE) {A7D1F2EA-CD7C-4100-8552-44834684C6DE}
  3. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
  4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
  5. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

UNITS:  
-----

=====

TERM: RESTRAINT ORDER TYPE  
ID: {843976A3-7C4A-4E09-A273-4589923DDDC2}

=====

Page: 628

Abbreviation..... RES ORD TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Order Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. SECLUSION (SECLUSION)      {65B57F6C-C849-4BF7-8705-175361BC900F}
  - 2. RESTRAINT (RESTRAINT)      {0429322D-A987-4913-B64D-A6414645B214}

UNITS:  
-----



=====

TERM: RESTRAINT SAFETY CARE  
ID: {1450E52B-CBF3-BA02-F4E0-4AE793AE9614}

=====

Page: 630

Abbreviation..... RESSC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Safety Care  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. CIRCULATION CHECK (ccq) {BA32C2A8-F15C-84EF-4859-6277EFA6463A}
  2. DEVICE RELEASE (drq) {9F97947F-CFFE-3285-F4C3-A8DF294DA46C}

UNITS:  
-----

Abbreviation..... RES TYPE A
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Restraint Type
Help Text..... Location and type of restraint used
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 19 entries

- 1. RESTRAINT SOFT (RESTR SOFT) {C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}
2. RESTRAINT SOFT 2 POINT (RES S2POIN) {66B71CFE-2603-40C9-9625-24448012BAB5}
3. RESTRAINT SOFT 4 POINT (RES S4POIN) {6820E997-60A0-4802-BE26-CA29B4F48F32}
4. RESTRAINT SOFT ARMS + WAIST (RES S A+W) {4A322BB6-0F63-4BB7-9290-C0655BD7D772}
5. RESTRAINT SOFT ARMS + LOCKED WAIST (RES S A+LW) {C480D67C-958C-42F9-9203-98E2F2BDBEC8}
6. RESTRAINT SINGLE HAND MITT (RES S HA M) {A5F1D037-FB5E-402B-9F25-22DE48404D57}
7. RESTRAINT BILATERAL HAND MITT (RES BI H M) {5E293110-1235-4307-80C2-0FFFA007E1DA}
8. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
9. RESTRAINT BILATERAL ANKLE (RES BI ANK) {8A0B0DE5-E652-40E7-9B67-2F4D27685A68}
10. RESTRAINT WRIST (RES WRIST) {03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}
11. RESTRAINT GERI CHAIR (RES GERI C) {6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}
12. RESTRAINT HARD PLASTIC/LEATHER 2 POINT (RES P/L 2P) {17CB8739-612A-4319-946A-2062C5245C90}
13. RESTRAINT HARD PLASTIC/LEATHER 4 POINT (RES P/L 4P) {94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}
14. RESTRAINT ONE ARM (RES ONE AR) {839914DA-6D63-43EB-961E-70DA56737A92}
15. RESTRAINT ONE LEG (RES ONE LE) {2790F0FC-B49A-4C99-9968-BCADD7CC63AC}
16. RESTRAINT WAIST LOCKED (RES WAI LO) {1EE7AB42-CE17-4D49-849B-CA550966E58C}
17. RESTRAINT WAIST (RES WAIST) {253E2757-5A57-4410-9C0E-F4A907A1EC16}
18. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L) {9BB528F4-7016-4030-B73F-4037ADF2621D}
19. RESTRAINT STRAP (RES STRAP) {642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION: 11 entries

- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
4. BILATERAL WRIST (BILAT WRIS)

- {89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}
- 5. BILATERAL LEG (BILAT LEG) {0713761D-E0FC-DA03-02A1-F20EFEB99F45}
- 6. BILATERAL ANKLES (BILA ANKLE)  
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}
- 7. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
- 8. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
- 9. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
- 10. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
- 11. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

-----

=====

TERM: RESTRAINT TYPE ARMS  
ID: {0A2CB443-AA1A-4526-9BF0-9C63B49D7603}

=====

Page: 632

Abbreviation..... RES TY ARM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arm Restraints  
Display Name..... Arm Restraints  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. RESTRAINT SINGLE HAND MITT (RES S HA M)  
{A5F1D037-FB5E-402B-9F25-22DE48404D57}
  2. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)  
{9BB528F4-7016-4030-B73F-4037ADF2621D}
  3. RESTRAINT SOFT (RESTR SOFT)  
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

LOCATION: 6 entries

- 
1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
  2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
  3. BOTH ARMS (BOTH ARMS) {A493AB32-9DE9-40AC-8C46-7EFF395B63B5}
  4. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
  5. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
  6. BILATERAL WRIST (BILAT WRIS)  
{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:  
-----



Abbreviation..... RES TY LEG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Leg Restraints  
Display Name..... Leg Restraints  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)  
{9BB528F4-7016-4030-B73F-4037ADF2621D}
  2. RESTRAINT SOFT (RESTR SOFT)  
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}
  3. RESTRAINT STRAP (RES STRAP)  
{642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION: 6 entries

- 
1. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
  2. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
  3. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}
  4. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
  5. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
  6. BILATERAL ANKLES (BILA ANKLE)  
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}

UNITS:

-----

=====

TERM: RESTRAINT TYPE OTHER  
ID: {40448F75-66C2-4FA1-AA02-6B827C9A06F8}

=====

Page: 634

Abbreviation..... RES TYP OT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Restraint Type Other  
Display Name..... Restraint Type Other  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}
  2. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
  3. RESTRAINT WAIST (RES WAIST)  
{253E2757-5A57-4410-9C0E-F4A907A1EC16}

LOCATION: 3 entries

- 
1. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
  2. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
  3. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:  
-----

=====

TERM: RESTRAINT- ACTIVE ORDER  
ID: {C950673E-C098-4C68-A62D-ACDA3DB25A8A}

=====

Page: 635

Abbreviation..... Restraint  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Restraint- Active Order  
Help Text..... Is there an Active Order for  
                  restraints?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: RESTRAINT/SECLUSION DISCONTINUED  
ID: {048B5F3A-6B94-4E15-935F-CC8EA8A6079B}

=====

Page: 636

Abbreviation..... Res Discon  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Restraint/Seclusion Discontinued  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----



=====

TERM: RIGHT VENTRICULAR STROKE WORK  
ID: {3A72DA75-5112-7980-4F4F-E1E34FFCD1A6}

=====

Page: 638

Abbreviation..... RVSW  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Right Ventricular Stroke Work  
Display Name..... Right Ventricular Stroke Work  
Help Text..... Right Ventricular Stroke Work  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

STROKE WORK PER BEAT 0.0 > 5.0 \* 30.0 < 50.0 Dec Prec: 1

=====

TERM: RIGHT VENTRICULAR STROKE WORK INDEX  
ID: {EE450A40-E87C-1F5C-FDEF-BAAD030B8149}

=====

Page: 639

Abbreviation..... RVSWI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Right Ventricular Stroke Work Index  
Display Name..... Right Ventricular Stroke Work Index  
Help Text..... Right Ventricular Stroke Work Index  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

STROKE WORK PER BEAT PER M2 1.9 > 2.0 \* 18.0 < 18.1 Dec Prec: 1  
GM-MM2/BEAT 3.9 > 4.0 \* 18.0 < 18.1 Dec Prec: 1

=====

TERM: SAFETY DEVICE WAIST BELT APPLIED  
ID: {27E75399-989F-4598-A972-646FBFF51A20}

=====

Page: 640

Abbreviation..... WAIST BE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Safety Device Waist Belt Applied  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |
| 2. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |

UNITS:  
-----





Abbreviation..... 2nd Verf  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Second Verifier  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- |               |  |
|---------------|--|
| 10. RN (RN)   | {A103E506-EAA5-4777-8126-268CD723AD87} |
| 20. LVN (LVN) | {8F8300FD-5A33-4B01-9F0B-901E2A3D96AB} |
| 30. NA (NA)   | {1993F8D9-D536-4ECA-AFAD-366F79BA0CBD} |
| 40. MD (MD)   | {9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8} |
| 50. DO (DO)   | {F70738A6-7BFA-4D76-881C-6A4B4F4E41E4} |
| 60. RT (RT)   | {6E374EFA-B7CE-44C2-ADCE-DF9C132E951E} |
| 70. NP (NP)   | {E7EA4017-4374-41A1-9D3D-54051CEDF63C} |
| 80. PA (PA)   | {C057C47D-780A-4230-B577-2C528AD09DEB} |

UNITS:

-----

=====

TERM: SEDATION SCALE - RAMSAY  
ID: {CF2E7E29-8C96-461B-9074-CA94455F62D6}

=====

Page: 643

Abbreviation..... SED RAMSAY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Ramsay Sedation Scale  
Display Name..... RAMSAY  
Help Text..... Ramsay Sedation Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. RAMSAY ANXIOUS (RAM ANXIOUS)  
{88205A0C-7065-4616-8FCF-75059462DD15}
  2. RAMSAY COOPERATIVE (RAM COOPER)  
{56846ADA-0F0E-44AA-9779-A567B9D24C4F}
  3. RAMSAY SEDATED (RAM SEDATE)  
{CC12405F-60DB-485F-94E5-78C1EB32AB74}
  4. RAMSAY ASLEEP BRISK RESPONSE (RAM ASL BR)  
{00F4A117-F9E7-4B60-A521-F2E8725AECD3}
  5. RAMSAY ASLEEP SLUGGISH (RAM ASL SL)  
{AA61604F-00F9-4103-B27F-E817FBC9577B}
  6. RAMSAY ASLEEP NO RESPONSE (RAM ASL NO)  
{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}

UNITS:  
-----

Abbreviation..... RASS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Richmond Agitation Sedation Scale  
Display Name..... RASS  
Help Text..... Richmond Agitation Sedation Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. RASS COMBATIVE (RASS COMBA)  
{A97E064A-7709-42F9-9A88-4AAFF1020883}
  2. RASS VERY AGITATED (RASS V AGI)  
{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}
  3. RASS AGITATED (RASS AGITA)  
{D81A5D5D-E7FC-445A-A814-495731ABA0F8}
  4. RASS RESTLESS (RASS RESTL)  
{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}
  5. RASS ALERT AND CALM (RASS AL CA)  
{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}
  6. RASS DROWSY (RASS DROWS) {5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}
  7. RASS LIGHT SEDATION (RASS LT SE)  
{FDEEC084-3922-4065-A863-4893E42F8F93}
  8. RASS MODERATE SEDATION (RASS MD SE)  
{D12B0A3E-B80E-494F-B89F-A79E8B81B080}
  9. RASS DEEP SEDATION (RASS DP SE)  
{83CB4E64-3581-452F-987A-D31CB3AB38D2}
  10. RASS UNAROUSABLE (RASS UNARO)  
{1578E147-7D2C-4469-828E-FCA97109B27C}

UNITS:

-----

=====

TERM: SEDATION SCALE - SAS  
ID: {8281E806-CEC9-4236-B984-495B8A3973E5}

=====

Page: 645

Abbreviation..... SED SC SAS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Riker Sedation-Agitation Scale  
Display Name..... SAS  
Help Text..... Riker Sedation-Agitation Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
1. SAS DANGEROUS AGITATION (SAS DA AGI)  
    {0701FB25-1DF0-4771-8C81-AC19A985A3B6}
  2. SAS VERY AGITATED (SAS VY AGI)  
    {B501606A-EEA7-470E-81BE-F51D422272F1}
  3. SAS AGITATED (SAS AGITAT) {107143D4-9527-4A26-8CB7-EEBB656B68B3}
  4. SAS CALM AND COOPERATIVE (SAS C COOP)  
    {F0633778-280C-43C3-9E6E-9C35C18179F6}
  5. SAS SEDATED (SAS SEDATE) {AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}
  6. SAS VERY SEDATED (SAS VY SED)  
    {4B13529B-61C5-4B68-857A-3A5351DC4BE2}
  7. SAS UNAROUSABLE (SAS UNAROU)  
    {3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

UNITS:  
-----

Abbreviation..... CPRS note  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... See CPRS Progress Note for Additional  
Data and Assessments  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: SEIZURE CHARACTER  
ID: {15B23878-6E4C-4FCE-9F49-1C728A4A65D2}

=====

Page: 647

Abbreviation..... SEIZU CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Seizure Character  
Display Name..... Seizure Character  
Help Text..... Character of Seizure  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. TONIC/CLONIC (TON/CLON) {81932BAA-6C79-47A3-85B3-592824B6C09C}
  2. PARTIAL IMPAIRED (PART IMPAI)  
    {2F1B8C52-1C94-4EA7-AB82-117694FD4D52}
  3. PARTIAL SIMPLE (PART SIMP)  
    {F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

UNITS:  
-----

=====

TERM: SEIZURE DURATION  
ID: {DAABDF54-F64C-6306-87EA-B8F5DE034DA0}

=====

Page: 648

Abbreviation..... SEID  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Seizure Duration  
Help Text..... Value in minutes  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MINUTE                    0 > 1 \* 15 < 30                    Dec Prec: 0



=====

TERM: SEIZURE FOCI

Page: 649

ID: {719641C6-BA10-0BA3-65F1-17DC4B1B92E0}

=====

Abbreviation..... SEIF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Seizure FOCI  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----

1. STARTED ON LEFT (sol) {AA6767EE-57F6-F565-76E9-EB219644492F}
2. STARTED ON RIGHT (sor) {0C690E36-E710-244D-44FC-5DB5BCC0FF7E}
3. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}

UNITS:

-----

=====

TERM: SEIZURE PRECAUTIONS  
ID: {9BD54461-23E5-F317-E5AC-5FAF87EECA0C}

=====

Page: 650

Abbreviation..... SEI PREC  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Seizure Precautions  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: SEIZURES

Page: 651

ID: {BB006255-D69A-E29C-1286-D71E6FF15830}

=====

Abbreviation..... SEI  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Seizures  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
- 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

-----

=====

TERM: SENSATION FOOT  
ID: {CCF961DC-8590-2498-3836-0F010461F69A}

=====

Page: 652

Abbreviation..... SENSF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Foot  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- |                 |  |
|-----------------|--|
| 1. INTACT (i)   | {935C9CAF-6C88-6610-C6E9-4C1B822923AF} |
| 2. NUMBNESS (n) | {037F2F79-36D9-A0B3-C23E-8EE525932AF3} |
| 3. TINGLING (t) | {AE8E3101-AC3D-DEC3-0293-58F901F82EB8} |
| 4. ABSENT (a)   | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |

LOCATION: 2 entries

- 
- |                    |  |
|--------------------|--|
| 1. L FOOT (L FOOT) | {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046} |
| 2. R FOOT (R FOOT) | {7D9F5FF6-232C-2488-4504-A721FF06928F} |

UNITS:  
-----

=====

TERM: SENSATION HAND  
ID: {7B880F9C-83F8-3395-9983-F10A1EF2F97A}

=====

Page: 653

Abbreviation..... SENSH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Hand  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- |                 |  |
|-----------------|--|
| 1. INTACT (i)   | {935C9CAF-6C88-6610-C6E9-4C1B822923AF} |
| 2. NUMBNESS (n) | {037F2F79-36D9-A0B3-C23E-8EE525932AF3} |
| 3. TINGLING (t) | {AE8E3101-AC3D-DEC3-0293-58F901F82EB8} |
| 4. ABSENT (a)   | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |

LOCATION: 2 entries

- 
- |                    |  |
|--------------------|--|
| 1. L HAND (L HAND) | {639DF25A-19E3-B504-D323-4B3F6ED39A24} |
| 2. R HAND (R HAND) | {A54D3A80-8537-D079-9CCE-7DC56346D132} |

UNITS:  
-----

=====

TERM: SENSATION LOWER EXTREMITY  
ID: {EB69E23D-9C3B-F2AB-B7F6-CAE402C87DE9}

=====

Page: 654

Abbreviation..... SLEX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Lower Extremity  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
  - 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
  - 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
  - 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

- 
- 1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}
  - 2. R LOWER EXTREMITY (R LOW EXTR)  
{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

UNITS:  
-----

Abbreviation..... SUEX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Upper Extremity  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
  - 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
  - 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
  - 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

- 
- 1. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}
  - 2. R UPPER EXTREMITY (R UPP EXTR)  
{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

-----

Abbreviation..... SEQ DEV AP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Sequential Compression Device
Application
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 8 entries

- 1. INITIATED (INITIATED) {562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}
2. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
3. INTERRUPTED (INTERRUPTED) {AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}
4. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
5. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
6. OFF WHILE AMBULATORY (OFF AMBULA)
{FF4610BF-8C92-408F-882A-1D6B2C2F146F}
7. ON WHILE SITTING IN CHAIR (ON IN CHAI)
{4139F4C3-BB68-4477-BF63-9BE7813AADA7}
8. OFF DURING BATHING (OFF BATHIN)
{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}

UNITS:
-----



Abbreviation..... SEWS AGITA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Agitation  
Help Text..... Agitation: fidgety, restless, pacing?  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:  
-----

=====

TERM: SEWS - ANXIETY

Page: 658

ID: {1F7184F3-45F0-4D93-808C-FB797589814F}

=====

Abbreviation..... SEWS ANXIE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity of Ethanol Withdrawl Scale  
Display Name..... Anxiety  
Help Text..... Do you feel that something bad is  
about to happen to you right now?  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====

TERM: SEWS - DISORIENTATION NAME PLACE  
ID: {A6E459CA-ADEF-4EA5-8B24-11300836DE9A}

=====

Page: 659

Abbreviation..... SEWS N PL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Disorientation: Knows Name and Place  
Help Text..... Disorientation: Knows name and place  
                  but not date  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 1 (1)	{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

-----

=====

TERM: SEWS - HALLUCINATION ANY  
ID: {4CDA775D-987A-442E-A260-82DE115FC127}

=====

Page: 660

Abbreviation..... SEWS H ANY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Hallucinations Visual, Tactile,  
                                  Olfactory, Gustatory (any)  
Help Text..... Hallucinations: Visual, Tactile,  
                                  Olfactory, Gustatory (any)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:  
-----



=====

TERM: SEWS - NAME ONLY  
ID: {7F010DD2-E6C5-45EF-800D-37C238ED69A1}

=====

Page: 662

Abbreviation..... SEWS N ONL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Disorientation: Knows Name Only  
Help Text..... Disorientation: Knows Name Only  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
  - 2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:  
-----

=====

TERM: SEWS - NAUSEA

Page: 663

ID: {168E97DD-48FA-45BF-A3C0-8FCB5B316B6D}

=====

Abbreviation..... SEWS NAUSE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Nausea and Dry Heaves or Vomitting?  
Help Text..... Nausea and Dry Heaves or Vomitting?  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:  
-----

=====

TERM: SEWS - SWEATING

Page: 664

ID: {4B7D9035-79F8-4736-9A20-87671D76E12B}

=====

Abbreviation..... SEWS SWEAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Sweating  
Help Text..... Sweating: Includes moist palms,  
sweating now?  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----





=====

TERM: SEWS - TREMOR

Page: 666

ID: {8BC41692-A9A8-4900-BB2D-5E60E5625798}

=====

Abbreviation..... SEWS TREMO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Tremor  
Help Text..... Tremor: with arms extended, eyes  
closed?  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

ID: {657A9E0B-12CC-4D33-B4A8-99827CAE5CFF}

=====

Abbreviation..... SEWS VITAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Vitals: Pulse > 110, Diastolic BP >  
90, Temp > 99.6  
Help Text..... Vitals: Pulse > 110, Diastolic BP >  
90, Temp > 99.6  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

Abbreviation..... SD RAIL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Side Rails  
Help Text..... Side Rail Positions  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

- 
1. ALL UP (ALL UP) {48199083-ACC2-408C-9242-7A6313CD7A7F}
  2. ALL DOWN (ALL DOWN) {76C14E79-95E2-49B7-B847-3B114653E98C}
  3. HEAD UP (hu) {BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}
  4. R HEAD UP (R HEAD UP) {D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}
  5. L HEAD UP (L HEAD UP) {BB39792D-B572-4A10-BA81-8685809E7437}
  6. HEAD DOWN (hd) {80BF3425-D252-F917-052E-DC54D39E464E}
  7. R HEAD DOWN (R HEAD DOW) {FDFE0638-444C-4023-B586-985E84EEA1FA}
  8. L HEAD DOWN (L HEAD DOW) {3C919CB8-1C0A-498D-95A6-C46D25744CEC}
  9. FOOT UP (fu) {49CCC59E-002E-8387-E8D6-D57AAC089EF3}
  10. R FOOT UP (R FOOT UP) {5928B710-6EB1-4183-93CB-6C72B37A97C3}
  11. L FOOT UP (L FOOT UP) {A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}
  12. FOOT DOWN (fd) {13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}
  13. R FOOT DOWN (R FOOT DOW) {DBCC0BA2-3097-42C7-AE9E-DF71FA779162}
  14. L FOOT DOWN (L FOOT DOW) {5B18895B-DAD5-4874-87DB-DACFFF88B170}

UNITS:

-----

=====

TERM: SIGNIFICANT EVENT  
ID: {0DBEF78C-8CFC-0173-2A39-02C24EB10A5F}

=====

Page: 669

Abbreviation..... se  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description..... No Description  
Display Name..... Significant Event  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: SINUS DRAINAGE CHARACTER  
ID: {05B77F59-77DE-424F-ACD1-413E70D52429}

=====

Page: 670

Abbreviation..... SIN DRA CH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sinus Drainage Character  
Help Text..... Describe The Sinus Drainage  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
  2. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
  3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  4. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

UNITS:  
-----

=====

TERM: SINUS DRAINAGE PRESENT  
ID: {0F9CDF0D-A7A8-408D-BBFD-A6F74E5B8D6F}

=====

Page: 671

Abbreviation..... SIN DRAI P  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Drainage Present  
Help Text..... Is Sinus Drainage Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: SINUS NECROTIC TISSUE APPEARANCE  
ID: {0578E21E-CFBE-440A-A532-8135AD414085}

=====

Page: 672

Abbreviation..... SNEC TI AP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sinus Necrotic Tissue Appearance  
Help Text..... Sinus Necrotic Tissue Appearance  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
  2. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
  3. HARD (HARD) {7934B543-7028-4CBC-9308-99F5A952A1DE}
  4. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}

UNITS:  
-----



=====

TERM: SINUS NECROTIC TISSUE PRESENT  
ID: {299921C9-5A13-4D9E-BC0D-8F777ED490D4}

=====

Page: 673

Abbreviation..... SIN NEC TI  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Necrotic Tissue Present  
Help Text..... Is Sinus Necrotic Tissue Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: SINUS TRACT SURROUNDING TISSUE CHARACTER  
ID: {59D298AC-1BE0-4C13-B75B-1CE331454151}

=====

Page: 674

Abbreviation..... SIN TI CHA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sinus Tract Surrounding Tissue  
Character  
Help Text..... Sinus Tract Surrounding Tissue  
Character  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. ERYTHEMA (ERYTHEMA) {0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}
  2. DISCOLORATION (DISCOLORAT)  
{BBE3E910-CC49-430C-BD90-FB0A97F1B183}
  3. INDURATION (INDURAITON) {A1669576-45D9-435C-87B9-488E9CF6BBA4}
  4. MACERATION (MACERATION) {B7C63E05-E193-40AA-A572-F1ACA0162B8B}

UNITS:  
-----

=====

TERM: SINUS TRACT ULCER  
ID: {D89C6750-E1F0-4817-9EDD-205EE310A09A}

=====

Page: 675

Abbreviation..... SIN TRA UL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Tract Ulcer  
Help Text..... Is a Sinus Tract Ulcer Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----



=====

TERM: SINUS TRACT ULCER GRANULIZATION  
ID: {64BE9437-2EAB-40F2-93BC-2D0C9DBDC1EB}

=====

Page: 677

Abbreviation..... SIN ULC GR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Tract Ulcer Granulization  
Help Text..... Is Sinus Tract Ulcer Granulization  
Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: SKIN ALTERATION

Page: 678

ID: {6B4325F4-F776-48C1-902D-2CFFC73A22BB}

=====

Abbreviation..... SKIN ALTER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Alteration  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. WOUND (WOUND) {1EC40149-051E-4750-8651-2B2D0DD2DEAC}

UNITS:  
-----

Abbreviation..... SKIN COLOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Observation of Patients Skin Color  
Display Name..... Skin Color  
Help Text..... Observation of Patients Skin Color  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

-----

1. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}
2. MOTTLED (m) {4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}
3. ICTERIC (ICTERIC) {274ED5BB-5A34-20EE-A9B0-81AB7803780E}
4. JAUNDICE (j) {B17F4603-7C68-660D-96A7-119140A998D3}
5. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}
6. DUSKY (d) {2ABF845E-4E2F-883F-3FCC-F72B8507FF85}
7. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}
8. ASHEN (ASHEN) {7431E4EC-DCF1-4966-85CB-29BF65311855}
9. NORMAL FOR ETHNIC GROUP (ETH. NORM.)  
{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}
10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
11. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}
12. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
13. ECCHYMOSIS (ECCHYMOSIS) {DF076906-CC17-6AD1-76E7-B07678A126DE}

UNITS:

-----

=====

TERM: SKIN CONDITION Page: 680  
ID: {831BEB82-92CE-07A0-F36B-09C94030D088}

=====

Abbreviation..... SKIN COND.  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
  2. BREAKDOWN (BREAKDOWN) {9CFD21C0-A805-47C4-E559-8033C754DE80}

UNITS:  
-----



=====

TERM: SKIN DRAINAGE AMOUNT  
ID: {B973CF56-27AD-447B-9B12-A4326997E027}

=====

Page: 681

Abbreviation..... SKI DRA AM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Device Drainage Amount  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
  3. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  4. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  5. HEAVY (HEAVY) {1F10CD98-03FA-4705-BF7D-941E881C4E3D}

UNITS:  
-----

=====

TERM: SKIN ERYTHEMA EXTENDS AROUND INCISION  
ID: {A88D0DBE-7CC6-4983-B9AC-AF9CCF9653AB}

=====

Page: 682

Abbreviation..... ER EXI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Erythema Extension Around Incision  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. EXTENDS AROUND INCISION NONE (ER EXI NON)  
{91F1A7C5-885C-4B13-9F7F-189C93E505CC}
  2. EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (ER EXI <  
1) {095709D0-6190-49A3-AB08-BF4575DC8396}
  3. EXTENDS AROUND INCISION MORE THAN 1 CM (ER EXI >1)  
{11F13A1F-7AC2-4629-A960-CD92655EE101}
  4. LIMITED TO INCISION (ER EXI LIM)  
{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}

UNITS:  
-----

=====

TERM: SKIN ERYTHEMA EXTENSION AROUND WOUND  
ID: {6BABC7F1-2C62-41A7-83E2-F5F4B5ACE087}

=====

Page: 683

Abbreviation..... ERY EX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Erythema Extension Around Wound  
Display Name..... Erythema Extension Around Wound  
Help Text..... Skin Erythema Extension Around Wound  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 1. EXTENSION AROUND WOUND NONE (ERY EX NON)  
{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}
  - ) 2. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (ERY EX >1)  
{175B2505-C596-4036-8FC3-DFEA8EFB76F9}
  - ) 3. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (ERY EX <1)  
{48C7FA69-D31A-4AAA-84F3-79AC863B71FD}
  - 4. EXTENSION AROUND WOUND LIMITED TO WOUND (ERY EX LIM)  
{2DC83B85-B3B6-4679-9F48-7DD26EFC4D4}

UNITS:  
-----

=====

TERM: SKIN INCISION CLOSURE  
ID: {210023AD-813A-05F9-29E5-9F4339FD8BFE}

=====

Page: 684

Abbreviation..... INCI CLOSU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Incision Closure  
Help Text..... Type of material used to close incision  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. SKIN INCISION WOUND CLOSURE SUTURES (INC CL SUT)  
{DED8DEDA-82C9-4D3A-A81E-641583314919}
  2. INCISION WOUND CLOSURE GLUE (IN CL GLU)  
{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}
  3. SKIN INCISION WOUND CLOSURE STAPLES (INC CL STA)  
{4F48D42D-C206-423C-970B-02C03B2EE0B6}
  4. SKIN INCISION WOUND CLOSURE STERI-STRIPS (INC CL STE)  
{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}
  5. INCISION WOUND CLOSURE NOT CLOSED (INC CL)  
{D63A05BF-1205-45F6-A78D-15D198BCB1C6}
  6. SKIN INCISION WOUND CLOSURE OPEN WOUND (INC CL OPE)  
{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}
  7. INCISION WOUND CLOSURE APPROXIMATED (INC CL APP)  
{2DD5713E-D81C-484B-A0DF-6A5730B396DF}
  8. INCISION WOUND CLOSURE DEHISCENCE (INC CL DEH)  
{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

UNITS:  
-----

=====

TERM: SKIN INDURATION EXTENSION AROUND INCISION  
ID: {36580CA5-4FB0-4562-9652-0B3BD7D04307}

=====

Page: 685

Abbreviation..... INC IN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Induration Extension Around Incision  
Display Name..... Induration Extension Around Incision  
Help Text..... Induration Extension Around Incision  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. SKIN INDURATION AROUND INCISION NONE (INC IN NON)  
{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}
  2. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (  
INC IN <1) {2A5097BF-955C-4F79-B483-7EE14AF05786}
  3. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (  
INC IN >1) {D8EE448D-00EB-412D-95AC-2E2E92C53EEB}
  4. SKIN INDURATION AROUND INCISION LIMITED TO INCISION (INC IN LIM)  
{88BCE7F9-F21F-427A-A50B-C1BA831639AB}

UNITS:  
-----

=====

TERM: SKIN INDURATION EXTENSION AROUND WOUND  
ID: {20391515-609B-4D18-AE79-533E47AFCAA8}

=====

Page: 686

Abbreviation..... WOU IN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Induration Extension Around Wound  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. SKIN INDURATION EXTENSION AROUND WOUND NONE (WOU IN NON)  
{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}
  2. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (W  
OU IN <1)  
{3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}
  3. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (W  
OU IN >1)  
{7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}
  4. SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (WOU IN LIM)  
{1828A9EA-FF9D-4A49-9543-15B85FBF211E}

UNITS:  
-----

=====

TERM: SKIN MOISTURE

Page: 687

ID: {BE934424-A7CF-EEF0-8098-26B3AFC4B2FE}

=====

Abbreviation..... SKIN MOIST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Moisture  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----

- |                    |  |
|--------------------|--|
| 1. DRY (d)         | {D8F4F0FD-1B19-2515-3815-EC88D175B305} |
| 2. MOIST (m)       | {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0} |
| 3. DIAPHORETIC (d) | {F5F1E644-A1BD-0137-54B5-1C02678C1D5A} |
| 4. NORMAL (n)      | {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B} |

UNITS:

-----

=====

TERM: SKIN PATCHES PRESENT  
ID: {D48AF8EF-A439-4D1B-9987-A04D9E030B45}

=====

Page: 688

Abbreviation..... SKIN PAT P  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Are Skin Patches Present  
Display Name..... Skin Patches Present  
Help Text..... Are Skin Patches Present? (EKG,  
Medication...)  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----



=====

TERM: SKIN RISK FACTORS PRESENT  
ID: {8258C84C-8C09-417D-8FB2-FC1999456654}

=====

Page: 689

Abbreviation..... SK RISK PR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Are Skin Risk Factors Present?  
Display Name..... Skin Risk Factors Present  
Help Text..... Does The Patient Have Spinal Cord  
Injury, Paralysis, Or Neurological  
Disease?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:  
-----

=====

TERM: SKIN SWELLING EXTENSION AROUND INCISION  
ID: {AB9716EF-235C-4434-A96D-5BC289C9458A}

=====

Page: 690

Abbreviation..... INC SW  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Swelling Extension Around Incision  
Display Name..... Skin Swelling Extension Around Incision  
Help Text..... Skin Swelling Extension Around Incision  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. SKIN SWELLING EXTENSION AROUND INCISION NONE (INC SW NON)  
{54C9FC46-899C-460B-9524-D6F196B9FF31}
  2. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (  
INC SW <1) {ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}
  3. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (  
INC SW >1) {106A2AD3-F482-4DEE-967E-6F06C6026944}
  4. SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (INC SW LIM)  
{B8503D54-6925-430E-8AB6-692412347D5D}
  5. SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (INC SW FLU)  
{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

UNITS:  
-----

=====

TERM: SKIN SWELLING EXTENSION AROUND WOUND  
ID: {FE9F8966-B828-473C-9285-E189A448E304}

=====

Page: 691

Abbreviation..... WOU SW  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Swelling Extension Around Wound  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

1. SKIN SWELLING EXTENSION AROUND WOUND NONE (WOU SW NON)  
{550E3B92-2C69-403B-A997-2DBE61374ABF}
2. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (WOU SW <1)  
{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}
3. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (WOU SW >1)  
{EA6AC933-0737-4C28-9F31-D36F3452DA96}
4. SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (WOU SW LIM)  
{413CD1EC-309C-45D0-A1E0-E829EA615E2A}
5. SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (WOU SW FLU)  
{DB5077E7-D339-4C87-B8CA-D16269DB2935}

UNITS:

-----

Abbreviation..... SKIN TEMP  
 Active..... Yes  
 Boolean Value False.....  
 Boolean Value True.....  
 Data Type..... PickList  
 Description..... Skin Temperature  
 Display Name..... Skin Temperature  
 Help Text..... Skin Temperature  
 Multi Select Picklist..... No  
 Term Type..... OBSERVATION  
 Vuid.....

DATA VALUE: 9 entries

- 1. COOL (COOL) {48A1FEA8-FD75-DAF8-174A-9C6AB2044439}
- 2. WARM (WARM) {E03BBEB4-5643-968F-190F-309A1293FCF9}
- 3. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
- 4. HOT (HOT) {401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}
- 5. CONSISTENT WITH BODY TEMPERATURE (CON W TEMP)  
 {941FC5EF-6AF8-4DA1-A43C-95575AC74B57}
- 6. WARMER THAN GENERAL BODY TEMP (WARM B TEM)  
 {AE43F2B4-B585-43F4-9E97-D61E225A803B}
- 7. WARMER THAN OPPOSITE BODY PART (WARM OPP P)  
 {5DBF8614-5067-49C5-BD02-C1B21C9DFECC}
- 8. COOLER THAN OPPOSITE BODY PART (COOL OPP P)  
 {AFA2635C-8E80-4C71-A1B4-4AB117096FD2}
- 9. COOLER THAN GENERAL BODY TEMPERATURE (CoolGenT)  
 {03D7D4CF-9B3C-49CA-9650-213E9BABE064}

LOCATION: 49 entries

- 1. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
- 2. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
- 3. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
- 4. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
- 5. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}
- 6. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
- 7. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
- 8. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
- 9. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
- 10. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
- 11. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
- 12. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}
- 13. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
- 14. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}
- 15. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
- 16. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
- 17. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
- 18. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
- 19. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
- 20. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
- 21. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
- 22. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
- 23. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
- 24. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
- 25. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
- 26. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
- 27. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

- 28. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
- 29. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
- 30. L JAW (L JAW) {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}
- 31. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}
- 32. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}
- 33. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}
- 34. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
- 35. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}
- 36. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
- 37. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACAO}
- 38. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
- 39. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
- 40. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
- 41. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
- 42. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
- 43. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
- 44. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 45. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
- 46. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
- 47. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
- 48. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
- 49. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

-----

Abbreviation..... INC TP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Temperature at Incision Site  
Display Name..... Skin Temperature at Incision Site  
Help Text..... Skin Temperature at Incision Site  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (INC TP CON) {D349175A-4B20-4243-BE40-E01E50C5583F}
  2. SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (WARM BD OP) {5F888E9D-8F65-49ED-BC5D-F6F287A9D478}
  3. SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (WARME R OP) {F518787A-325A-45F3-82B4-73C856802073}
  4. SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (INC TP CBT) {D357C975-857D-4293-B3EF-EFA7A4586357}
  5. SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (INC T P COP) {85307AD8-F730-43F0-BCB3-882594D9DDF8}

UNITS:  
-----

Abbreviation..... WOU TP
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Skin Temperature at Wound Site
Display Name..... Skin Temperature at Wound Site
Help Text..... Skin Temperature at Wound Site
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 1. SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (WOU TP CBT) {672D56C1-D1A3-4DDF-8815-F05DEE197061}
2. SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (WOU TP WGB) {03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}
3. SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (WOU TP WOB) {6290BD23-24BF-4A3A-8555-DCE52D2274B3}
4. SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (WOU TP COB) {A904C666-2810-4211-B53A-2961DCE6894E}
5. SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (WOU TP CGB) {7203993E-3334-44EC-9FD9-14224253283D}

UNITS:
-----

=====

TERM: SKIN TURGOR

Page: 695

ID: {4D90E9F2-5E61-67AA-1ACA-874AED4E6C79}

=====

Abbreviation..... SKIN TURG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Turgor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. GOOD (GOOD) {39ECA304-49F9-44B7-9735-B33CEC9D8119}
  2. DECREASED (DECREASED) {D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}
  3. POOR (POOR) {A3D75A12-A791-446D-AF63-9435054DFC4C}

UNITS:

-----



Abbreviation..... WOU CLOSUR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Closure  
Help Text..... Type of material used to close wound  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. SKIN WOUND CLOSURE APPROXIMATED (WOU CL APP)  
    {83D48E0F-8643-436B-9ECC-80795857C322}
  2. SKIN WOUND CLOSURE DEHISCENCE (WOU CL DEH)  
    {425A460F-19C0-4A4A-8E4E-712C66968C38}
  3. SKIN WOUND CLOSURE GLUE (WOU CL GLU)  
    {29FE4AF7-39EE-400A-BB3D-E07786F11BFD}
  4. SKIN WOUND CLOSURE NOT CLOSED (WOU CL NOT)  
    {0E69F1FA-35F6-4F34-8547-CC3602670A7B}
  5. SKIN WOUND CLOSURE OPEN WOUND (WOU CL OPE)  
    {C6F2AD2C-932F-434A-8A7A-513029092FFD}
  6. SKIN WOUND CLOSURE STAPLES (WOU CL STA)  
    {FE04BFE3-DF81-48E7-9FA1-1CF4ECAD71}
  7. SKIN WOUND CLOSURE STERI-STRIPS (WOU CL STE)  
    {AD451791-6B49-4A51-ABC3-796D08BEF910}
  8. SKIN WOUND CLOSURE SUTURES (WOU CL SUT)  
    {F2840AE4-216B-477C-9FE6-DC91E8CE5364}

UNITS:  
-----

=====

TERM: SLEEP AMOUNT

Page: 697

ID: {E68F85F4-35A1-4FAC-BA86-90BF1FD5D63F}

=====

Abbreviation..... SLEEP AMOU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Sleep Amount  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
HOUR                    -0.1 > 0.0 \* 24.0 < 24.1    Dec Prec: 1

ID: {7727D9C8-C3F2-4676-A2B8-23F4DAC72B90}

=====

Abbreviation..... SLEEP QUAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sleep Qualifiers  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----

1. NAPS ONLY (NAPS ONLY) {CF749F5C-2E4B-419A-B020-C81B30A7E482}
2. HAS NOT SLEPT (NO SLEEP) {3BF9DB54-5D1E-422D-90AF-918F81C9EA85}
3. ASLEEP AT ROUNDS (SLEEP ROUN)  
{24E1D9F0-D8F1-4DC8-911F-6170F343C087}
4. DENIES HAVING SLEPT (DENIES SL)  
{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}
5. SLEPT WELL (SLEPT WELL) {18573E82-568F-4D2E-B9E1-6E4589EBEE2D}
6. INTERMITTENT SLEEP (INT SLEEP)  
{5005C433-5892-4F4D-A64D-4C94AD1853E2}

UNITS:

-----

=====

TERM: SPECIALTY BED/MATTRESS  
ID: {274B7CFD-D091-47F2-9F35-602F14D75340}

=====

Page: 699

Abbreviation..... SPEC BED/M  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of specialty Bed or Mattress  
Display Name..... Specialty Bed/Mattress  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. BARIATRIC FRAME (BARI FRAME)  
{CF95B426-F280-451B-86F2-CEF7A1A2B967}
  2. BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (BAR L AIR)  
{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}
  3. LOW AIRLOSS/ALTERNATING PRESSURE COMBO (L AIRL ALT)  
{ADDD1260-C95B-4D7B-AB89-3749D76A3700}
  4. LOW AIRLOSS OVERLAY (L AIR OVRL)  
{282C439C-A697-43E6-85C1-786352EB56BC}
  5. PERCUSSION BED (PERC BED) {BE0B086B-A2F3-446A-ADE0-9589E92689FE}
  6. ROTATIONAL THERAPY (ROT THERAP)  
{BB795594-720C-40D7-9B7C-6792BC849DA0}
  7. STANDARD PRESSURE REDUCTION (STAN P RED)  
{556537CD-A84D-4493-81F6-51CBD844B5B7}
  8. STRYKER FRAME (STRYKER FR)  
{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}
  9. FLOTATION BED (FLOT BED) {FA6329AB-85A6-4301-BC14-D0D089249356}

UNITS:  
-----

=====

TERM: SPECIFIC GRAVITY  
ID: {CFB61154-54BD-4DE2-B83B-BC497AEC0F33}

=====

Page: 700

Abbreviation..... SPEC GRAVI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Specific Gravity  
Display Name..... Specific Gravity  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 1 entries

-----

1. URINE (u) {1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

UNITS:

-----

SI UNIT 0.500 > 1.000 \* 1.030 < 2.000  
Dec Prec: 3





=====

TERM: ST SEGMENT AVR  
ID: {AE4E7CCA-2453-99B2-B345-6A03580214AD}

=====

Page: 703

Abbreviation..... STAVR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment Average Vector Right  
Display Name..... ST Segment AVR  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS	-0.50 > -0.05 * 0.10 < 1.00 Dec Prec: 2
MILLIMETERS	-5.00 > -0.50 * 1.00 < 10.00 Dec Prec: 2



Abbreviation..... ST1  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment 1  
Display Name..... ST Segment 1  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS	-0.50 > -0.05 * 0.10 < 1.00 Dec Prec: 2
MILLIMETERS	-5.00 > -0.50 * 1.00 < 10.00 Dec Prec: 2

Abbreviation..... ST2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment 2  
Display Name..... ST Segment 2  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

Abbreviation..... ST 3  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment 3  
Display Name..... ST Segment 3  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS	-0.50 > -0.05 * 0.10 < 1.00 Dec Prec: 2
MILLIMETERS	-5.00 > -0.50 * 1.00 < 10.00 Dec Prec: 2





=====

TERM: ST SEGMENT V3

Page: 709

ID: {ACEEBB4D-FDFD-31BA-7151-446EAB274549}

=====

Abbreviation..... STV3  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment from Lead v3  
Display Name..... ST Segment V3  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave from Lead  
V3  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2



=====
TERM: ST SEGMENT V5
ID: {0B6F3CF6-9DDB-17EC-EFC0-37610387E274}
=====

Abbreviation..... STV5
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... ST Segment from Lead 5
Display Name..... ST Segment V5
Help Text..... The part of an electrocardiogram
immediately following the QRS complex
and merging into the T wave from Lead
V5
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 1 entries

- 1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00
Dec Prec: 2
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00
Dec Prec: 2





=====

TERM: ST/T WAVE MEASUREMENT  
ID: {F825C20C-82DE-4DD6-BC78-4E25030D0DB1}

=====

Page: 713

Abbreviation..... ST/T measu  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... ST/T Wave Measurement  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIMETERS            -9.0 > -9.0 \* 9.0 < 9.0    Dec Prec: 1

Abbreviation..... STOOL CHAR
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Stool Characteristics
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

- 1. NORMAL STOOL (NORM STOOL) {486B0693-CAC5-48EE-B2E6-1F73C651418A}
2. LOOSE (LOOSE) {1346A74E-3AA1-4D81-876B-91201F9717A5}
3. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
4. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
5. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
6. TARRY (TARRY) {09364271-6307-471F-A334-A8F7E051EF46}
7. MUCOID (MUCOID) {073E5514-DACE-4F43-ADE5-91A1A87D6601}
8. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
9. FRANK BLOOD (FRANK BLD) {CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}
10. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}

UNITS:

=====

TERM: STOOL COLOR

Page: 715

ID: {85012C5D-09F3-4078-9A4D-82564BF57235}

=====

Abbreviation..... STOOL COLO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Stool Color  
Display Name..... Stool Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE:

8 entries

- 
1. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
  2. YELLOW/GREEN (YELLOW/GRN) {1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}
  3. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
  4. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  5. MAROON (MAROON) {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
  6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
  9. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

-----

Abbreviation..... NUM STOOLS
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Number of stools
Display Name..... Number of stools
Help Text..... Number of stools
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

- 1. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
3. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
4. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
5. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
6. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
7. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
8. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
9. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
10. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
11. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

=====

TERM: STROKE INDEX

Page: 717

ID: {14D70939-EDAB-9318-200B-D71EF2F38570}

=====

Abbreviation..... SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Stroke Index  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLILITERS PER BEAT      10 > 25 \* 45 < 100      Dec Prec: 0

=====

TERM: STROKE VOLUME

Page: 718

ID: {97938D03-0837-552B-5BC2-3F8D1A38E386}

=====

Abbreviation..... SV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Stroke Volume  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

MILLILITERS PER BEAT 30 > 60 \* 130 < 200 Dec Prec: 0

=====

TERM: STROKE VOLUME INDEX  
ID: {0FFED66D-43F3-E4CA-18B7-DBFCAA2F5EC5}

=====

Page: 719

Abbreviation..... SVI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Stroke Volume Index  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

MILLILITERS PER BEAT PER METER SQUARE (BSA)  
20 > 41 \* 51 < 100 Dec Prec: 0



Abbreviation..... FIO2
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... This is the level of O2 that is set
on the machine to be delivered to the
patient
Display Name..... FiO2
Help Text..... Fraction of Inspired Oxygen
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 8 entries

- 1. AEROSOL/HUMIDIFIED MASK (AM) {CAF54B28-D5D2-8481-FAE3-9C74C2D51551}
2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}
3. FACE TENT (FT) {1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}
4. LARYNGEAL MASK (LARYNGMASK) {DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}
5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}
6. T-PIECE (TP) {27FC4BC6-2F25-2154-553C-2B452E28A91C}
7. TRACHEOSTOMY COLLAR (TC) {CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}
8. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

PERCENTAGE 0 > 21 \* 100 < 101 Dec Prec: 0

Abbreviation..... O2FLOWRATE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Supplemental Oxygen Flow Rate
Display Name..... Supplemental Oxygen Flow Rate
Help Text..... Supplemental Oxygen Flow Rate
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 12 entries

- 1. AMBU BAG (AB) {E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}
2. BIPAP (BIP) {3CFD1D11-EF8D-58BA-6381-B24956344D2E}
3. BIPAP-CPAP (PAP) {2BCBE562-8F44-662F-469B-13AC0E863A3D}
4. CPAP (CP) {A041FB71-08EF-F3FE-82FA-051FF74C824F}
5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}
6. NASAL CANNULA (NC) {EFFD38AE-6AF5-77FD-72E1-E0F7E3DEBA29}
7. NEBULIZER (NEBULIZER) {3CF184A3-2688-4988-B956-D5B0F303E8E8}
8. NON RE-BREATHING (NRB) {1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}
9. PARTIAL RE-BREATHING (PRB) {6F1DF170-5128-2E3F-1831-12FB0BB5E95C}
10. PENDANT CANNULA (PC) {A1451228-4ABB-DBCB-31AD-578BCD93012F}
11. RESERVOIR CANNULA (RC) {B332C44D-29BE-765C-932C-63EBFC9631FC}
12. VENTURI MASK (VM) {E0401675-9C4E-2AFA-2B93-F352B781E963}

UNITS:

LITERS PER MINUTE -1 > 0 \* 20 < 21 Dec Prec: 0

=====

TERM: SYSTEMIC VASCULAR RESISTANCE  
ID: {BD2C3F43-186B-A312-2514-186EFE223B65}

=====

Page: 722

Abbreviation..... SVR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Systemic Vascular Resistance  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
DYNE \* SECONDS / CM(-5) \* M2 400 > 800 \* 1200 < 3000 Dec Prec: 0

=====

TERM: SYSTEMIC VASCULAR RESISTANCE INDEX  
ID: {62C5A9F1-C0D2-DD0C-5A01-459C833375EE}

=====

Page: 723

Abbreviation..... SVRI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Systemic Vascular Resistance Index  
Display Name..... Systemic Vascular Resistance Index  
Help Text..... Systemic Vascular Resistance Index  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
    {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
DYNE \* SECONDS / CM(-5) / M2 1500 > 1760 \* 2600 < 4000 Dec Prec: 0

Abbreviation..... SYSTOL PRE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Systolic Pressure
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

LOCATION: 4 entries

- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
4. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

- 1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
2. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
3. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
4. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
5. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

POSITION: 3 entries

- 1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

MILLIMETERS OF MERCURY 0 > 80 \* 150 < 300 Dec Prec: 0

Abbreviation..... SaO2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Arterial Oxygen Saturation  
Display Name..... SaO2%  
Help Text..... Arterial Oxygen Saturation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

PERCENTAGE                    50 > 92 \* 100 < 101      Dec Prec: 0

Abbreviation..... SpO2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Spot Oxygen Saturation  
Display Name..... SpO2%  
Help Text..... Oxygen Saturation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500637

METHOD: 2 entries

- 
- 13. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
  - 19. PULSE OX MONITOR (POM) {A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

UNITS:

-----

PERCENTAGE 50 > 92 \* 100 < 101 Dec Prec: 0

Abbreviation..... SvO2%  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Venous Oxygen Saturation  
Display Name..... SvO2%  
Help Text..... Venous Oxygen Saturation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
PERCENTAGE                    30 > 60 \* 75 < 100      Dec Prec: 0



ID: {0F33223E-DF2C-6B8B-5201-5E091C5F9065}

=====

Abbreviation..... T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Internal body temperature of a patient.  
Display Name..... Temperature  
Help Text..... Enter in the numeric value of the  
patients temperature with up to one  
decimal.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void..... 4500638

LOCATION: 7 entries

-----

- 1. AXILLARY (Ax) {135AA5F4-A1C7-978D-E9AB-6873841AEB57}
- 2. CORE (C) {5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}
- 3. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
- 4. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
- 5. SKIN (SKIN) {0803BC59-1582-AEC8-3DA2-A81363038210}
- 6. TEMPORAL (TEMPORAL) {E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}
- 7. TYMPANIC (Tym) {0A58C14C-E447-E034-AA93-D41E6E0D2F69}

QUALITY: 2 entries

-----

- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
- 2. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

-----

DEGREES F 70.0 > 95.0 \* 100.9 < 108.0  
Dec Prec: 1  
DEGREES C 21.1 > 35.0 \* 38.3 < 42.2 Dec Prec: 1

=====

TERM: TIME OUT: PATIENT IDENTIFICATION METHOD  
ID: {339EAE62-5A1A-4F43-8D83-F9152EE5AB94}

=====

Page: 729

Abbreviation..... ID Method  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Time Out: Patient Identification Method  
Help Text..... Method of Patient Identification  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. VERBALIZED BY PATIENT (Verbal)  
    {6AF901B8-A19D-4C89-869F-2ECBF2D105A7}
  2. ID BAND (ID Band)        {5526C5AB-64C8-4AB1-B77F-DAF45D26B439}
  3. ID CARD (ID Card )     {CFD540F0-3D73-498F-B590-CCEF11499078}

UNITS:  
-----

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED

Page: 730

ID: {AD9203C2-342A-4397-B71D-1AE9F36D4582}

=====

Abbreviation..... T/O Confir  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Time Out: Verbal confirmation by team  
of procedure to be performed  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY

Page: 731

ID: {C90F1CBF-5CC7-49DB-8643-D220B20D954C}

=====

Abbreviation..... T/O Lat  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Time Out: Verbal confirmation by team  
of procedure and laterality  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: TONGUE POSITION  
ID: {1A1007C3-2485-483F-8CBF-D6153DE4DEAF}

=====

Page: 732

Abbreviation..... Tongue Pos  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Tongue Position  
Help Text..... Neurological Testing  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 10. MIDLINE (Midline) {3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}
  - 20. DEVIATION RIGHT (DeviationR)  
{D716E41B-4042-4C35-8FE3-6B7BDC3DB1A9}
  - 30. DEVIATION LEFT (DeviationL)  
{B8F53B29-9BE7-4681-8AFF-DE5D3F962755}

UNITS:  
-----

=====

TERM: TONOMETRY  
ID: {C06989EF-4B0F-4941-B1A7-FA9D81A480FF}

=====

Page: 733

Abbreviation..... TON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Tonometry  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688726

UNITS:

-----

MILLIMETERS OF MERCURY      0 > 0 \* 80 < 80      Dec Prec: 0







=====

TERM: TRACHEA MIDLINE DEVIATED  
ID: {E952DF23-0FC7-5809-2135-C8AA60FE159B}

=====

Page: 736

Abbreviation..... TRACH MIDL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Trachea Midline Deviated  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: TRACTION TYPE

Page: 737

ID: {5A9CB3E0-7141-45E9-BE82-AA026A7889AB}

=====

Abbreviation..... TRACT TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Traction Type  
Display Name..... Traction Type  
Help Text..... Type of traction used  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. BUCKS TRACTION (BUCK TRACT)  
{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}
  2. SLING TRACTION (SLING TRAC)  
{304E924C-C95A-4DBE-B30B-191BC4D26EF7}
  3. PIN TRACTION (PIN TRACT) {C75104A5-3B6B-4CFE-8E2E-05877522C811}

UNITS:

-----



=====

TERM: TRAIN OF FOUR RESPONSE  
ID: {86E4352A-A72E-4287-8C17-ABCF97DCAF94}

=====

Page: 739

Abbreviation..... TOF RESP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Train of Four response  
Display Name..... Train of Four Response  
Help Text..... Record the number of responses  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----

1. 1:4 (1:4)	{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
2. 2:4 (2:4)	{7D423C9A-42B3-4FDD-999B-889193492F5C}
3. 3:4 (3:4)	{E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2}
4. 4:4 (4:4)	{E9FCD5A0-995A-401D-8E85-6F0C753609B6}

UNITS:  
-----

=====

TERM: TRAIN OF FOUR SMS  
ID: {63E1D230-3238-4D03-95C5-24BF51FD0CEF}

=====

Page: 740

Abbreviation..... TOF SMS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Train of Four sms  
Display Name..... Train of Four SMS  
Help Text..... Record current setting in milliamps  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

MILLIAMPS	-1.0 > 10.0 * 100.0 < 1000.0
	Dec Prec: 1

=====

TERM: TRANSPORT FACILITATOR  
ID: {9F4001FD-C520-4360-87CC-1420803FF72A}

=====

Page: 741

Abbreviation..... TRANS FA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Transport Facilitator  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}
  2. STAFF (STAFF) {BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}
  3. PHYSICIAN (PHYSICIA) {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}
  4. STUDENT (STUDENT) {613AFF67-9121-4F6C-A44F-1ACFEF10E612}
  5. FAMILY/FRIEND (FAM/FRIE) {FA8FE272-E659-41EF-A394-F907A5F55ED8}

UNITS:  
-----

Abbreviation..... TRANS MO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Transportation Mode/Device
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 10 entries

- 1. ABLE TO AMBULATE (AMBULAT) {4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
2. CRUTCH (CRUTCH) {2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}
3. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}
4. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
5. CANES (CANES) {DF37C541-1C7D-4527-A4D2-31867B5ED438}
6. MOTORIZED WHEELCHAIR (MO WH CH) {4CA9CF41-F52C-41A8-B8A7-100A56097FDE}
7. WHEELCHAIR (WH CHAIR) {EC1B82CE-4037-466F-90AC-52CD5C3B26BE}
8. STRETCHER (STRETCHER) {93CB521A-3A67-41FB-A59C-3DD54D810B11}
9. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}
10. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}

UNITS:





=====

TERM: TUBE POSITION VERIFIED  
ID: {1B065DF3-2D96-4F90-8CA2-7F377A0C2D28}

=====

Page: 744

Abbreviation..... TUBE POS V  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the tube position verified  
Display Name..... Tube Position Verified  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

=====

TERM: TURN AND SKIN CARE  
ID: {42B46B96-C43B-4F36-B7F9-A3413F02EEA7}

=====

Page: 745

Abbreviation..... TURN SKIN  
Active..... Yes  
Boolean Value False..... Not Done  
Boolean Value True..... Done  
Data Type..... Boolean  
Description..... Turn and Skin Care  
Display Name..... Turn and Skin Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====

TERM: ULNAR DRIFT

Page: 746

ID: {70284DFB-2F51-403D-54BE-DA51C83F2DDD}

=====

Abbreviation..... ULDT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Ulnar Drift  
Help Text..... position of the metacarpophalangeal  
                                joints  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

- |                |  |
|----------------|--|
| 1. ABSENT (a)  | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |
| 2. PRESENT (p) | {384DC20F-1625-CE1E-1C85-A3B3924BB2A0} |

UNITS:

-----

Abbreviation..... UP. LIM. S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Upper Limb Extremities Strength  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- |                      |  |
|----------------------|--|
| 1. ABSENT (a)        | {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0} |
| 2. WEAK (w)          | {BE2D9305-E2DA-F492-66CF-164EE58B8179} |
| 3. STRONG (s)        | {A12154E1-544E-F372-3839-0D44E5BC476B} |
| 4. REFLEX (r)        | {F21585F9-5206-A6B3-2BF6-F416E5842366} |
| 5. EQUAL (Equal)     | {AC079584-158D-EBF2-E13A-C2E919375E4D} |
| 6. UNEQUAL (Unequal) | {73319200-164F-B39F-649C-B7FB1AFBDBB8} |

LOCATION: 3 entries

- 
1. L UPPER LIMB (L Upp Limb) {E6453716-62D3-DFCB-F84D-F6F2FDFC20B7}
  2. R UPPER LIMB (R UPP LIMB) {5E028BFF-ED9B-014F-74F0-C4137DB074FB}
  3. BILATERAL WRIST (BILAT WRIS)  
{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

-----

Abbreviation..... URINE CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Urine Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. ANURIC (ANURIC) {0CCA4B44-7A59-4042-BAB9-EB2395A63C51}
  2. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  3. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
  4. HEMATURIA (HEMATURIA) {ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}
  5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
  6. SEDIMENT (SEDIMENT) {4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}
  7. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}
  8. THREADS (Threads) {029BB303-B428-41D0-978B-6A8176108D7D}

UNITS:  
-----

Abbreviation..... URINE COLO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Color of urine  
Display Name..... Urine Color  
Help Text..... Color of urine  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

-----

1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
2. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
3. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
4. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
5. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
6. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
7. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
8. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
9. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
10. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
11. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
12. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
13. DYE PRESENT (DYE PRESEN) {E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}
14. TEA (TEA) {E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

UNITS:

-----

Abbreviation..... URINE VOID  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Urine Voids  
Help Text..... Number of urine voids since last entry  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 11 entries

-----

1. 1 (1)	{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
2. 2 (2)	{38E22B79-A2B6-3401-B195-C955F24E1278}
3. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}
4. 4 (4)	{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
5. 5 (5)	{188EDCE7-0726-4234-D8D2-92C8052CD221}
6. 6 (6)	{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
7. 7 (7)	{7A010324-D2C2-5D4B-848A-7B8878666D20}
8. 8 (8)	{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
9. 9 (9)	{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
10. 10 (10)	{0C827160-18DB-816F-7FAA-A3C175C6D33B}
11. N/A (n)	{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:  
-----

Abbreviation..... VOIDING
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Urine Voiding Method
Help Text..... No Help Text
Multi Select Picklist..... Yes
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 12 entries

- 1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}
2. DYSURIA (DYSURIA) {75AC5ECD-8975-406A-30C7-E2EB23F10F84}
3. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
4. DIVERSION (DIVERSION) {087AAE9F-7FE1-5717-6423-07574C637875}
5. INDWELLING CATHETER (INDW CATH) {EC16724C-D1EA-5650-58D4-38A89D4456F9}
6. EXTERNAL CATHETER (EXT. CATHE) {C8AEE936-DD91-FE91-4DD6-6F210FB59726}
7. STRAIGHT CATHETER (STR. CATH) {5F4A8A7F-E720-9458-2360-1DC14E7D05F3}
8. ILEAL CONDUIT (ILEAL COND) {032CB6FE-77D2-702E-A0AE-46176F5CAA57}
9. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}
10. L NEPHROSTOMY (L NEPHROST) {D8FC4C18-081E-A7B9-E394-25F194BE9757}
11. R NEPHROSTOMY (R NEPHROST) {33661137-688D-5611-4368-B1DFD8DB1469}
12. REPORTED (REPORTED) {1D13BAC5-D8F9-455C-B815-8E256943492E}

QUALITY: 2 entries

- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:



Abbreviation..... VENT AU PE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Ventilator Auto Peep
Display Name..... Ventilator Auto Peep - Do Not Check
Total or Subtotals
Help Text..... Ventilator Auto Peep
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -1.00 > 0.00 \* 10.00 < 100.00
Dec Prec: 2

=====

TERM: VENTILATOR CIRCUIT CHANGE  
ID: {C0494BB3-5896-41BD-89B4-86C684078604}

=====

Page: 753

Abbreviation..... VENT CIR C  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Ventilator Circuit Change  
Display Name..... Ventilator Circuit Change  
Help Text..... Ventilator Circuit Change  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

METHOD: 1 entries

- 
- |                     |  |
|---------------------|--|
| 1. VENTILATOR (Ven) | {416FCBD3-5370-15B9-C480-48855ED486D9} |
|---------------------|--|

UNITS:  
-----

=====

TERM: VENTILATOR EXHALED VOLUME  
ID: {404A3850-382D-4E86-B7F3-29DDAF1616BC}

=====

Page: 754

Abbreviation..... VENT EXHAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Exhaled Volume  
Display Name..... Ventilator Exhaled Volume  
Help Text..... Ventilator Exhaled Volume  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

LITER 0.0 > 1.0 \* 99.0 < 100.0 Dec Prec: 1

=====

TERM: VENTILATOR EXPIRATORY TIME  
ID: {004C6736-FFB2-4002-B92C-E2F17D03AF4E}

=====

Page: 755

Abbreviation..... VENT EXP T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Expiratory Time  
Display Name..... Ventilator Expiratory Time  
Help Text..... Ventilator Expiratory Time  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

SECOND 0.00 > 0.01 \* 9.99 < 10.00  
Dec Prec: 2

=====

TERM: VENTILATOR FLOW RATE  
ID: {548E1F72-B501-49DD-B22B-1366CE06C2BE}

=====

Page: 756

Abbreviation..... VENT FL RA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Flow Rate  
Display Name..... Ventilator Flow Rate  
Help Text..... Ventilator Flow Rate  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

LITERS PER MINUTE -1 > 0 \* 150 < 151 Dec Prec: 0

=====

TERM: VENTILATOR INSPIRATORY TIME  
ID: {35948B65-6D8F-4BD4-8F4E-CE785D8D829D}

=====

Page: 757

Abbreviation..... VENT INS T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Inspiratory Time  
Display Name..... Ventilator Inspiratory Time  
Help Text..... Ventilator Inspiratory Time  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

SECOND 0.00 > 0.01 \* 9.99 < 10.00  
Dec Prec: 2

=====

TERM: VENTILATOR MEAN AIR PRESSURE  
ID: {BD28B791-7E79-4116-8DF1-6296B60FCC57}

=====

Page: 758

Abbreviation..... VENT MAP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Mean Air Pressure  
Display Name..... Ventilator Mean Air Pressure  
Help Text..... Ventilator Mean Air Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O	0 > 1 * 99 < 100	Dec Prec: 0
MILLIBAR	0 > 20 * 80 < 100	Dec Prec: 0

=====

TERM: VENTILATOR MINUTE VOLUME  
ID: {1C718F1D-EE59-4743-888D-7767864C4EB0}

=====

Page: 759

Abbreviation..... VENT MIN V  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Minute Volume  
Display Name..... Ventilator Minute Volume  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

LITERS PER MINUTE -1 > -1 \* 30 < 30 Dec Prec: 0



=====

TERM: VENTILATOR MODE  
ID: {21CF6705-7597-53D0-F5EA-CBB704128A4B}

=====

Page: 760

Abbreviation..... VENT MODE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Ventilator Mode  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
1. CONTROL MODE VENTILATION (CMV)  
{2E79351C-BA31-FC04-B636-F39728B23EA6}
  2. ASSIST CONTROL (AC) {862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}
  3. SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (SIMV)  
{A606BB2B-5C00-FEA1-127F-1D3455AE5996}
  4. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)  
{387B42F0-F587-AAFC-ECA0-66067F18BEC6}
  5. PRESSURE CONTROL (PRESS CONT)  
{C3CDF756-484F-1483-9883-9B63DEF3B012}
  6. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)  
{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}
  7. SPONTANEOUS (SPONTANEOU) {C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

METHOD: 1 entries

- 
1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:  
-----





Abbreviation..... VT PT RATE
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... Rate that the patient actually achieved
Display Name..... Ventilator Patient Rate - Do Not
Check Total or Subtotals
Help Text..... Value that is determined by taking
the number of breaths total per
minute minus the breaths set to be
delivered by the machine
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE 0 > 1 \* 119 < 120 Dec Prec: 0



=====

TERM: VENTILATOR PCV SET PRESSURE  
ID: {BC521E68-B7AA-4B6E-AAC1-0594EE27D94E}

=====

Page: 765

Abbreviation..... VENT PCV S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Control Ventilator Pressure  
Display Name..... Ventilator PCV Set Pressure  
Help Text..... Pressure Control Ventilator Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0



=====

TERM: VENTILATOR PEEP  
ID: {4847847A-7EB7-9A8F-D565-1DF26438A616}

=====

Page: 767

Abbreviation..... VENT PEEP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... PEEP: Positive End Expiratory Pressure  
Display Name..... Ventilator PEEP  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O -1 > 0 \* 20 < 21 Dec Prec: 0



=====

TERM: VENTILATOR PRESSURE SUPPORT  
ID: {B6ABD066-7B39-126F-C4C2-A4243C2F93E9}

=====

Page: 768

Abbreviation..... V PRES SUP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Ventilator Pressure Support  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O -1 > 0 \* 20 < 40 Dec Prec: 0

=====

TERM: VENTILATOR PSV SET PRESSURE  
ID: {B2494FE0-0B78-4BD9-97B6-DE604B711801}

=====

Page: 769

Abbreviation..... VENT PSV S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Support Ventilator Pressure  
Display Name..... Ventilator PSV Set Pressure  
Help Text..... Pressure Support Ventilator Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0

=====

TERM: VENTILATOR RATE  
ID: {001D591B-6CE7-F51F-098C-79AC6B3E0E09}

=====

Page: 770

Abbreviation..... VENT RATE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Ventilator Rate Set  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven)      {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

BREATHS PER MINUTE      0 > 8 \* 40 < 120      Dec Prec: 0

=====

TERM: VENTILATOR SENSITIVITY  
ID: {52F9AF8D-CF31-430B-8A11-A8115BFF4B2E}

=====

Page: 771

Abbreviation..... VENT SENSI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Sensitivity  
Display Name..... Ventilator Sensitivity  
Help Text..... Ventilator Sensitivity  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O -10.0 > -9.9 \* -0.1 < 0.0 Dec Prec: 1

=====
TERM: VENTILATOR TIDAL VOLUME ACTUAL - DO NOT CHECK TOTAL OR SUBTOTALS Page: 772
ID: {0592309F-98B7-DBF1-F9F7-94051584BF9F}
=====

Abbreviation..... TIDL VOL A
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Tidal Volume Actual - Do Not Check
Total or Subtotals
Help Text..... No Help Text
Multi Select Picklist.....
Term Type..... OBSERVATION
Void.....

METHOD: 1 entries

-----
1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----
MILLILITER 0 > 400 \* 1200 < 5000 Dec Prec: 0
LITER 0.000 > 0.400 \* 1.200 < 5.000
Dec Prec: 3

=====

TERM: VENTILATOR TIDAL VOLUME SET  
ID: {90D4A5CA-E21B-06F6-7AAC-FC6D4B11E7AC}

=====

Page: 773

Abbreviation..... TIDL VOL S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Tidal Volume Set  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

MILLILITER 0 > 800 \* 1200 < 5000 Dec Prec: 0  
LITER 0.000 > 0.800 \* 1.200 < 5.000  
Dec Prec: 3

=====

TERM: VENTILATOR TYPE  
ID: {58151FCB-646B-4CC5-A89F-6D34DFB7E622}

=====

Page: 774

Abbreviation..... VENT TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Ventilator  
Display Name..... Ventilator Type  
Help Text..... Type of Ventilator  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

- 
1. VENTILATOR PB 840 (PB 840)  
{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}
  2. VENTILATOR ACHIEVA P5O2 (ACHIEVA P5)  
{1690EEA5-3C3B-4D30-AC5C-214C94626699}
  3. VENTILATOR ADULT STAR (ADULT STAR)  
{879B13DA-4874-42D4-99EC-8E4ADB31B14E}
  4. VENTILATOR BEAR 1000 (BEAR 1000)  
{03C30F99-A27C-427C-B0ED-872F0DE646BD}
  5. VENTILATOR DRAEGER (DRAEGER)  
{DD18C42F-EF13-460B-8676-9ED1E429B54B}
  6. VENTILATOR PB 7200ae (PB7200ae)  
{86AE485F-ECD1-4B8E-820F-71CF159F318B}
  7. VENTILATOR SERVO (SERVO) {D6F06715-1ADD-4941-B026-B9A5E463943E}
  8. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)  
{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}
  9. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)  
{387B42F0-F587-AAFC-ECA0-66067F18BEC6}
  10. VENTILATOR OTHER (VENT OTHER)  
{138B7B3D-9F8B-447A-9785-12AB396AE6DE}
  11. BIPAP - RESPIRONICS (BIPAP RESP)  
{AA94A723-4C68-489F-88AC-2C6F276EAB76}
  12. BIPAP - VISION (BIPAP VISI)  
{AA39C765-BA1F-4289-B459-200A57C07FFF}
  13. BIPAP/CPAP (BIPAP/CPAP) {8D767C67-3712-410F-A96B-69C731E03C5D}

METHOD: 1 entries

- 
1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:  
-----

=====

TERM: VENTILATOR WAVE FORM  
ID: {17F52B3E-B4C9-483A-B02F-0F4DD809E673}

=====

Page: 775

Abbreviation..... VENT WA FO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Ventilator Wave Form Setting  
Display Name..... Ventilator Wave Form  
Help Text..... Ventilator Wave Form Setting  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. SQUARE (SQUARE) {63F70678-2CAF-48E8-964D-2805D8B9A43B}
  2. ACCELERATING (ACCELERATI) {514FE300-87EE-4C2C-AC70-5E57DBECAFF7}
  3. DECELERATING (DECELERATI) {B259D4D4-82B8-454A-B53D-F12F4952BB61}

METHOD: 1 entries

- 
1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:  
-----



=====
TERM: VISION CORRECTED
ID: {ED022AC1-EBE4-E708-684D-63D00628A94C}

Page: 776

=====
Abbreviation..... VC
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... Numeric
Description..... No Description
Display Name..... Vision Corrected
Help Text..... Enter Acuity value XX/20
Multi Select Picklist.....
Term Type..... OBSERVATION
Vuid..... 4688727

LOCATION: 2 entries

- 1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

FOOT -1 > 0 \* 200 < 201 Dec Prec: 0

=====

TERM: VISION UNCORRECTED  
ID: {BEA5E565-D728-F5B3-0A3A-0528C42A45C4}

=====

Page: 777

Abbreviation..... VU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Vision Uncorrected  
Help Text..... Enter Acuity value XX/20  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688728

UNITS:

-----

FOOT                    -1 > 0 \* 200 < 201      Dec Prec: 0

=====

TERM: VT/VC - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {FF8D8ABA-E89E-429A-AE65-7C25E22EF199}

=====

Page: 778

Abbreviation..... VT/VC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Tidal Volume / Vital Capacity  
Display Name..... Vt/VC - Do Not Check Total or Subtotals  
Help Text..... Tidal Volume / Vital Capacity  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

LITER	0.00 > 1.00 * 99.00 < 100.00
	Dec Prec: 2

Abbreviation..... WM CL DEV
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Warming, Cooling Device
Help Text..... Warming or Cooling Device
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 11 entries

- 1. AIR FLOW DEVICE (AIR FLOW D) {60AF6215-CE2A-4EEE-9596-909E3E50BE71}
2. K-PAD (K-PAD) {10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}
3. WARMING BLANKET (WARM BLANK) {23D20AE5-DE25-4456-8F77-BF0411FB19A6}
4. HUMIDIFIER (HUMIDIFIER) {A4CE67D1-F885-423B-B914-392D8CAC697E}
5. HEAT LAMP (HEAT LAMP) {4E9DE229-F810-4AB0-9FD7-4596759CEA11}
6. HEAT CHEM PACK (HT CHEM PA) {D759F891-2535-40C2-A68C-678170E56F7A}
7. COOL CHEM PACK (CO CHEM PA) {6DE5E644-28C2-4190-A2EF-1A766E014A65}
8. ICE PACK (ICE PACK) {E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}
9. WARMING BOTTLE (WARM BOTTL) {AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}
10. WARM HUMIDITY WITH O2 (WM HUM O2) {E62E07C3-4CA2-426B-8EBA-48C406837D9C}
11. COOLING BLANKET (COOL BLANK) {13A42B12-4959-4674-AF97-2D1242CFD934}

UNITS:

=====

TERM: WARMING COOLING DEVICE APPLICATION  
ID: {17908A29-AF84-4217-A035-1CE6CA0F7316}

=====

Page: 780

Abbreviation..... WM CL APPL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Warming/Cooling Device Application  
Help Text..... Current State of Warming/Cooling Device  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. WARMING ON (WARMING ON) {6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}
  2. WARMING OFF (WARMING OF) {98FAC977-8E2E-406A-9217-A77E1DDCDF50}
  3. COOLING ON (COOLING ON) {911CA17D-614E-445A-969E-4F5220E469EB}
  4. COOLING OFF (COOLING OF) {14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}

UNITS:

-----

Abbreviation..... WT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Weight of patient  
Display Name..... Weight  
Help Text..... Patients weight in lb or kg.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500639

METHOD: 8 entries

- 
- 1. BED (B) {20188D9F-3815-1F7F-34EC-BA77F75B310E}
  - 2. CHAIR (Ch) {BBF5C05C-220D-D052-C7E8-236E791A4FC9}
  - 3. LIFT SCALE (LS) {8D741461-25C5-3955-BE2C-CBD27317CBA1}
  - 4. STANDING WEIGHT (SW) {BE16FA09-16DA-510B-D235-B7F0F93AB105}
  - 5. WHEELCHAIR SCALE (WcS) {8C496753-9F42-2A36-E5CA-750188306ED4}
  - 6. WITH CAST OR BRACE (WCB) {47709C05-DF21-FB7D-DE7F-0699D1B7E457}
  - 7. WITH PROSTHESIS (WP) {73C93D2D-934B-CA55-3557-E756A89710F5}
  - 8. WITHOUT PROSTHESIS (WOP) {9AACA852-E70D-1048-FCE7-112D46C12619}

POSITION: 3 entries

- 
- 1. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
  - 2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
  - 3. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

QUALITY: 4 entries

- 
- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
  - 2. DRY (D) {B319EFF4-BA4A-85B1-2617-E00E46A54ABE}
  - 3. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}
  - 4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

-----

POUND 0.0 > 1.0 \* 1499.0 < 1500.0  
Dec Prec: 1

KILOGRAM 0.0 > 0.5 \* 680.3 < 680.4 Dec Prec: 1

=====

TERM: WEIGHT AT ADMISSION  
ID: {F9C859E2-ACD7-44F5-8E0D-3166C3D0A61F}

=====

Page: 782

Abbreviation..... WT AT ADMI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Weight at Admission  
Help Text..... Weight of patient at admission time  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

POUND	0.0 > 1.0 * 1499.0 < 1500.0 Dec Prec: 1
KILOGRAM	0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

=====

TERM: WEIGHT DRY

Page: 783

ID: {8594A12F-97BD-41A5-802A-76E5317448C6}

=====

Abbreviation..... WEIGHT DRY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Dry Weight  
Help Text..... Patient Dry Weight  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

QUALITY: 3 entries

-----

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}
3. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

-----

POUND 0.0 > 1.0 \* 1499.0 < 1500.0  
Dec Prec: 1

KILOGRAM 0.0 > 0.5 \* 680.3 < 680.4 Dec Prec: 1



=====

TERM: WOUND BED COLOR  
ID: {2B890957-8886-4BC8-84AC-D46DDAE733A0}

=====

Page: 784

Abbreviation..... WOU BED CO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Bed Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- |                    |  |
|--------------------|--|
| 1. BLACK (BLACK)   | {7A55AFB9-6861-4918-0746-3D67D47FE5C3} |
| 2. GRAY (GRAY)     | {D38ABEE0-52D7-4316-A713-40ACF4250599} |
| 3. GREEN (GREEN)   | {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF} |
| 4. PINK (PINK)     | {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D} |
| 5. RED (RED)       | {515D7CFB-3527-30E7-EC4B-B607C272DFA0} |
| 6. TAN (TAN)       | {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1} |
| 7. WHITE (WHITE)   | {AB04EF54-5246-EF3A-E1D9-02E9E24369DD} |
| 8. YELLOW (YELLOW) | {90DC31AD-6211-9F25-4237-79F7122A2763} |

UNITS:  
-----



=====

TERM: WOUND DEPTH

Page: 786

ID: {B8FDF2BE-E6ED-49E3-8F42-4CEF94E29C47}

=====

Abbreviation..... WOU DEPTH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Wound Depth  
Display Name..... Wound Depth  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CENTIMETER            -1.00 > 0.00 \* 200.00 < 400.00  
                              Dec Prec: 2

Abbreviation..... WOU DR CHA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Drainage  
Display Name..... Wound Discharge Characteristics  
Help Text..... Wound Discharge Characteristics Pick  
One  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 7 entries

- 
1. WOUND DISCHARGE CHARACTERISTICS NONE (WOU DI NON)  
{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}
  2. WOUND DISCHARGE CHARACTERISTICS BLOODY (WOU DI BLO)  
{628DBFBC-9B77-48EA-99FE-0DF000376506}
  3. WOUND DISCHARGE CHARACTERISTICS CLOUDY (WOU DI CLO)  
{159C9993-A2E1-4133-9D5F-315EF9985EC4}
  4. WOUND DISCHARGE CHARACTERISTICS PURULENT (WOU DI PUR)  
{C1E10410-B6D8-4429-BD94-0B179992EAAB}
  5. WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (WOU DI SSA)  
{B431D8EF-5B53-4DCF-A390-431EB5ED3704}
  6. WOUND DISCHARGE CHARACTERISTICS SEROUS (WOU DI SER)  
{2124005E-5C36-48AC-AA6B-03E06510D70A}
  7. WOUND DISCHARGE CHARACTERISTICS VISCOUS (WOU DI VIS)  
{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}

UNITS:  
-----

Abbreviation..... WOU DIS CO
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Discharge Color
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

- 1. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
2. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
3. BLUE (BLUE) {8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}
4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
5. COLORLESS (COLORLESS) {D093D8C5-E284-47D4-8FA6-DCD5B030B10E}
6. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
8. MAROON (MAROON) {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
11. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
12. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
13. VIOLET (VIOLET) {1249AE97-CF1F-4604-A17A-5FC85F6D0185}
14. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
15. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

=====

TERM: WOUND DISCHARGE ODOR  
ID: {67D752F7-CC83-4D76-96EB-ECE6DBA40210}

=====

Page: 789

Abbreviation..... WOU DIS OD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Discharge Odor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. FOUL SMELLING (FOUL SMELL)  
{761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:  
-----

ID: {8EC56666-A337-AA7F-5109-A10155D4FD58}

=====

Abbreviation..... WOU DR TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of drain used  
Display Name..... Wound Drain Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----

1. BULB SUCTION (Bulb Sucti) {B0839A82-BB79-BB9F-5E4E-0ED67F716A50}
2. HEMOVAC (HEMOVAC) {82DA2DA7-E20B-E571-659C-457DF42472C2}
3. JP DRAIN (JP Drain) {20F3B3D5-D3A4-96FD-5446-253FD031DF2B}
4. LUMBAR DRAIN (LUM DRAIN) {FF36A046-1799-0734-286B-2272C34E3056}
5. PENROSE DRAIN (Penrose D) {DE508E95-D044-ACCA-EE69-33B9A8454E6C}
6. SUMP (Sump) {DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}
7. TWILL TAPE (Twill Tape) {C52BE250-732D-03BB-B8F9-72BE4D546807}
8. VENTRICULOSTOMY (Ventriculo)  
{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}
9. WOUND VAC DEVICE (WOUND VAC)  
{A03F4978-969D-DCB8-DCE2-26EB33F097B3}
10. VACUUM ASSISTED CLOSURE (VAC ASS CL)  
{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}

UNITS:

-----

=====

TERM: WOUND DRAINAGE AMOUNT  
ID: {3BABF5D4-BD30-4814-A397-EEEEAE0EE1D13}

=====

Page: 791

Abbreviation..... WOU DRA AM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Amount of drainage from wound  
Display Name..... Wound Drainage Amount  
Help Text..... Amount of drainage from wound  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. WOUND DRAINAGE AMOUNT NONE (WOU DR A N)  
{92910398-311F-D4D7-8BD5-AB66C3DC5E72}
  2. WOUND DRAINAGE AMOUNT SCANT (W DR SCANT)  
{9C3CD0BD-F960-4098-B14C-17B20703B242}
  3. WOUND DRAINAGE AMOUNT SMALL (W DR A SMA)  
{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}
  4. WOUND DRAINAGE AMOUNT MODERATE (W DR A MOD)  
{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}
  5. WOUND DRAINAGE AMOUNT HEAVY (W DR A HEA)  
{BF959172-6672-4FEB-8FB7-0568405F3C83}

UNITS:  
-----



=====

TERM: WOUND DRESSING CHANGE  
ID: {01A45F49-9EBB-44E7-8B9A-6920886F51BB}

=====

Page: 792

Abbreviation..... WOU DR CHA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Has Wound Dressing Been Changed?  
Display Name..... Wound Dressing Changed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEE649CD} |

UNITS:  
-----

Abbreviation..... WOU DR TY
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... No Description
Display Name..... Wound Dressing Type
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 15 entries

- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. ANTI-MICROBIAL DRESSING (AB DRESSIN) {9734C5E9-D099-47EB-93B1-D82201F64331}
3. ANTIMICROBIAL DISK (WOU DR ADI) {1F1745EA-D763-4AFD-9CED-82E974E57692}
4. BALSAM OF PERU (WOU DR PER) {DD412BB1-B1C1-4A48-A38F-832629448E06}
5. BISMUTH GAUZE (WOU DR BIS) {010DED59-C808-4D92-A7F8-87AEB86B4439}
6. CALCIUM ALGINATE (CA ALGINAT) {2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}
7. FOAM DRESSING (WOU DR FOA) {D18A5EDD-0EF6-470E-8370-4EDB6D322477}
8. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}
9. GAUZE PACKING (GAUZE PACK) {6C093717-82CB-4966-929E-C909310649C1}
10. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}
11. HYDROCOLLOIDAL DRESSING (HCOLL DRES) {D85741EF-0DB3-48CF-BC9A-88C834A72F36}
12. HYDROGEL DRESSING (H-GEL DRES) {F6192D10-D6EA-42C2-AB15-270659D9925C}
13. HYPERTONIC HYDROGEL (WOU DR HYP) {533D6FC3-5183-4417-AB89-9FAD9BAD0F44}
14. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}
15. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

UNITS:

=====

TERM: WOUND EDGE

Page: 794

ID: {BC1B996C-35E6-4A05-BDF6-00DF84EA90EF}

=====

Abbreviation..... WOU ED  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Edge  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. WOUND EDGE INDISTINCT/ATTACHED (WOU ED IND)  
{C899235C-4A07-4420-92BC-8F818B8E0A7F}
  2. WOUND EDGE NON-ATTACHED (WOU ED NON)  
{1D5C1317-B4FF-421C-96A0-C20C1089E672}
  3. WOUND EDGE TUNNELING (WOU ED TUN)  
{97425206-5261-46C1-905F-E03E2F071381}
  4. WOUND EDGE UNDERMINING (WOU ED UND)  
{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}
  5. WOUND EDGE ROLLED (WOU ED ROL)  
{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}

UNITS:  
-----

=====

TERM: WOUND HEALING STATUS  
ID: {687C2787-FDDF-4796-8195-23152E8A9FD9}

=====

Page: 795

Abbreviation..... WOU HEA ST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Healing Status  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. EPITHELIALIZATION (EPITHELIAL) {5FC43A6D-921D-4736-A234-9993DB6499B7}
  2. ESCHAR (ESCHAR) {555E03C5-FBFE-4EB9-816F-25CE34476B3C}
  3. FIBRINOUS (FIBRINOUS) {D286EAE2-6902-4B7E-845D-BBB316941B2C}
  4. GRANULATING (GRANULATI) {F8930276-3954-4BFE-82B0-6C44A8E9CAE0}
  5. HYPERGRANULIZATION (HYPERGRANU) {C14B9FB0-6F33-4ACB-88B3-4B799594F845}
  6. NECROTIC (NECROTIC) {86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}
  7. SLOUGH (SLOUGH) {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}
  8. SMOOTH (SMOOTH) {5D71A0D5-52ED-4B8D-B359-AC7D500660D8}

UNITS:  
-----

Abbreviation..... WOU IDENTI
Active..... Yes
Boolean Value False.....
Boolean Value True.....
Data Type..... PickList
Description..... Wound Identified
Display Name..... Wound Identified
Help Text..... No Help Text
Multi Select Picklist..... No
Term Type..... OBSERVATION
Vuid.....

DATA VALUE: 5 entries

- 1. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
2. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
3. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}
4. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
5. POST-FALL (POST-FALL) {9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}

LOCATION: 70 entries

- 1. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
2. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
3. R TESTICLE (R TESTICLE) {0947D277-50AD-47F8-A76D-0EC34EB3B168}
4. L TESTICLE (L TESTICLE) {1E376539-E89F-4472-8274-CFD11275E11F}
5. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
6. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
7. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
9. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
10. R UPPER LEG (R UPPER LE) {113BD5ED-5A0A-47CA-B100-91B244BFD04A}
11. L UPPER LEG (L UPPER LE) {1DB35895-F74C-4B88-A3EE-3E556CB6559A}
12. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}
13. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}
14. R INNER KNEE (R INN KNEE) {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}
15. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}
16. L INNER KNEE (L INN KNEE) {79853581-CCF0-49E9-9D91-D16DE02A836D}
17. L OUTER KNEE (L OUT KNEE) {B143C935-2687-49C3-9F65-8D69C1775ABC}
18. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
19. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
20. L HEAD (L HEAD) {3737DC2D-DC9E-4FC8-839D-0355987B62D1}
21. R HEAD (R HEAD) {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}
22. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
23. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
24. GENITALS (GENITALS) {83437106-3336-4925-92C8-F959561687FC}
25. GENERALIZED (GENERIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}
26. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
27. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
28. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
29. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
30. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
31. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
32. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
33. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
34. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
35. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
36. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

- 37. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
- 38. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
- 39. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
- 40. UPPER BACK (UPPER BACK) {C1DA4294-E0DC-438B-810D-7F91E170244A}
- 41. MID BACK (MID BACK) {F8C515E0-F437-4596-B030-DA1811038CDF}
- 42. LOWER BACK (LOWER BACK) {7E761680-61BC-450F-9905-C45CE760EC45}
- 43. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
- 44. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
- 45. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
- 46. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
- 47. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
- 48. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
- 49. UPPER ABDOMEN (UP ABDOM) {234C677B-1CE6-498B-9375-BB5DC3958842}
- 50. R ABDOMEN (R ABDOMEN) {5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}
- 51. LOWER ABDOMEN (LO ABDOM) {077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}
- 52. L ABDOMEN (L ABDOMEN) {46B37481-4105-492D-96F0-E2D3895379C1}
- 53. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
- 54. HEAD OCCIPITAL (HEAD OCCIP)  
{2066CA47-5A16-447F-9919-24ED435B627F}
- 55. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
- 56. R ANTECUBITAL (R ANTECUBI)  
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
- 57. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 58. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
- 59. L HEEL (L HEEL) {C9154881-17C7-4921-A0EE-BFB962C59CEF}
- 60. R HEEL (R HEEL) {0020DD20-2EA4-4362-ADF0-07BFA220C60E}
- 61. L ISCHIAL (L ISCHIAL) {DCDAD741-9599-4479-9D55-3279F800DBE6}
- 62. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}
- 63. L RIBS (L RIBS) {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}
- 64. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}
- 65. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
- 66. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 67. L TROCHANTER (L TROCHANT) {C91647A4-255D-40E4-A24D-01274E5D799F}
- 68. R TROCHANTER (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}
- 69. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
- 70. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

UNITS:

-----

Abbreviation..... WOU LEN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Wound Length  
Display Name..... Wound Length  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CENTIMETER            -1.00 > 0.00 \* 200.00 < 400.00  
                              Dec Prec: 2

=====

TERM: WOUND ODOR

Page: 798

ID: {F71814E1-2D36-4074-B8F4-253AC6BDA1AA}

=====

Abbreviation..... WOU ODOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Odor  
Display Name..... Wound Odor  
Help Text..... Wound Odor  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. WOUND ODOR NONE (WOU OD NON)  
    {D2E388F7-B531-4D60-A2BE-830F11B9AA75}
2. WOUND ODOR FOUL (WOU OD FOU)  
    {99A74112-EA71-4896-A4DD-911379E5B453}

UNITS:

-----



=====

TERM: WOUND PHOTOGRAPHED  
ID: {398E171E-93A6-4DB3-82E7-5C0D118A80EE}

=====

Page: 799

Abbreviation..... WOU PHOTOG  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Has Wound Been Photographed  
Display Name..... Wound Photographed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:  
-----

=====

TERM: WOUND TREATMENT  
ID: {4883E272-E8D4-48D4-A7C5-B00F5315B6DC}

=====

Page: 800

Abbreviation..... WOU TREATM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Treatment  
Display Name..... Wound Treatment  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. HYDROCOLLOIDAL DRESSING (HCOLL DRES)  
{D85741EF-0DB3-48CF-BC9A-88C834A72F36}
  2. TRANSPARENT DRESSING (TRANSP DRE)  
{777C7722-AEA8-4A0B-9ADD-1157D37AE539}
  3. SALINE MOIST DRESSING (SAL MOI DR)  
{19F98514-8ABF-461C-9969-C31177FE7DE7}
  4. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}
  5. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}

UNITS:  
-----

Abbreviation..... WOU TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of wound  
Display Name..... Wound Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 29 entries

- 
1. ABRASION (ABRASION) {7E962B43-24B1-46D2-A79A-5481117271A}
  2. BLISTERING (BLISTERING) {3A4212D5-F2A8-4636-BB7F-F36FA8CED192}
  3. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}
  4. BURN (BURN) {97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}
  5. CELLULITIS (CELLULITIS) {709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}
  6. CRUSHING (CRUSHING) {92D4BAF1-63E3-4FC0-B096-B5CBC4736245}
  7. DIABETIC/VASCULAR ULCER (DIA/VAS UL)  
{E209E53E-EFF1-48F5-9581-75236C89D9B9}
  8. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
  9. PREVIOUS PERCUTANEOUS SITE (PRE PER SI)  
{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}
  10. RASH/EXFOLIATION (RASH/EXFOL)  
{AB83ABA9-28A7-6484-67E7-4E66B5526942}
  11. SKIN TEAR (SKIN TEAR) {2E230C6E-119F-4F9F-8797-2FFA9D76F337}
  12. SKIN TRAUMA (SKIN TRAUM) {91C8EE13-2C4A-468C-94EB-C53E0D153EBA}
  13. SURGICAL DONOR (SURG DONOR)  
{F3EE10EA-5776-479B-A58C-F59D6526F90B}
  14. SURGICAL GRAFT (SURG GRAFT)  
{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}
  15. SURGICAL (SURGICAL) {2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}
  16. VASCULAR (VASCULAR) {60523BF8-6372-4760-881C-A62F85D2A0F6}
  17. VASCULAR/NEUROPATHIC (VASC/NEURO)  
{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}
  18. BITE (Bite) {FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}
  19. BULLET (BULLET) {1570D8E2-D936-494D-AF6E-13838EA34EFD}
  20. CONTUSION (Contusion) {5285197A-CC0A-4D12-A1F8-966765C687F1}
  21. INCONTENENCE DERMATITIS (INCON DERM)  
{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}
  22. LACERATION (LACERATION) {F4548BB2-39AF-4E0D-B52F-472EA080D6FF}
  23. PENETRATING (PENETRATIN) {00A2D4C8-EDDE-4593-A1F8-A87A836B3379}
  24. PRESSURE ULCER (PRE ULCER)  
{7279639E-498D-4EA3-A3FA-4A6D611E6F48}
  25. PUNCTURE (PUNCTURE) {28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}
  26. TAPE BURN (TAPE BURN) {DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}
  27. VASCULAR LESION ARTERIAL (VASLES ART)  
{EA565D3F-D984-4553-B597-DFE844554CE9}
  28. VASCULAR LESION MIXED (VASLES MIX)  
{8684AB2D-9162-4DC2-A5FA-A14558678689}
  29. VASCULAR LESION VENOUS (VASLES VEN)  
{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}

UNITS:  
-----

=====

TERM: WOUND VACUUM ASSISTED CLOSURE  
ID: {04748983-B61B-4121-AF49-FA1FDA1D9646}

=====

Page: 802

Abbreviation..... WOU VAC AS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Vacuum Assisted Closure Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
  2. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}

UNITS:  
-----

=====

TERM: WOUND WIDTH

Page: 803

ID: {7EED882C-3CAE-4A54-88FA-D0B380D81658}

=====

Abbreviation..... WOU WIDTH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Wound Width  
Display Name..... Wound Width  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

CENTIMETER            -1.00 > 0.00 \* 200.00 < 400.00  
                              Dec Prec: 2



DATA VALUE: 0

-----  
ABBREVIATION.....0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0  
HELP\_TEXT.....No Help Text  
ID.....{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
TERM.....0

DATA VALUE: 1

-----  
ABBREVIATION.....1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1  
HELP\_TEXT.....No Help Text  
ID.....{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}  
TERM.....1

DATA VALUE: 2

-----  
ABBREVIATION.....2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2  
HELP\_TEXT.....No Help Text  
ID.....{38E22B79-A2B6-3401-B195-C955F24E1278}  
TERM.....2

DATA VALUE: 3

-----  
ABBREVIATION.....3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3  
HELP\_TEXT.....No Help Text  
ID.....{E714454D-6A67-91F6-2FB7-D8F24F184328}  
TERM.....3

DATA VALUE: 4

-----  
ABBREVIATION.....4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4  
HELP\_TEXT.....No Help Text  
ID.....{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}  
TERM.....4

DATA VALUE: 4.5

-----  
ABBREVIATION.....4.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4.5  
HELP\_TEXT.....No Help Text  
ID.....{EC6C0C72-8C49-4535-92B2-7E543007EE32}  
TERM.....4.5

DATA VALUE: 5

-----  
ABBREVIATION.....5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5  
HELP\_TEXT.....No Help Text  
ID.....{188EDCE7-0726-4234-D8D2-92C8052CD221}  
TERM.....5

DATA VALUE: 5.5

-----  
ABBREVIATION.....5.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5.5  
HELP\_TEXT.....No Help Text  
ID.....{4878F059-EC9D-44FC-9A61-734C291530E7}  
TERM.....5.5

DATA VALUE: 6

-----  
ABBREVIATION.....6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6  
HELP\_TEXT.....No Help Text  
ID.....{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}  
TERM.....6

DATA VALUE: 6.5

-----  
ABBREVIATION.....6.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6.5  
HELP\_TEXT.....No Help Text  
ID.....{CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3}  
TERM.....6.5



DATA VALUE: 7

-----  
ABBREVIATION.....7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7  
HELP\_TEXT.....No Help Text  
ID.....{7A010324-D2C2-5D4B-848A-7B8878666D20}  
TERM.....7

DATA VALUE: 7.5

-----  
ABBREVIATION.....7.5  
ACTIVE.....Yes  
DESCRIPTION.....7.5  
DISPLAY\_NAME.....7.5  
HELP\_TEXT.....No Help Text  
ID.....{7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}  
TERM.....7.5

DATA VALUE: 8

-----  
ABBREVIATION.....8  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....8  
HELP\_TEXT.....No Help Text  
ID.....{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}  
TERM.....8

DATA VALUE: 8.5

-----  
ABBREVIATION.....8.5  
ACTIVE.....Yes  
DESCRIPTION.....8.5  
DISPLAY\_NAME.....8.5  
HELP\_TEXT.....8.5  
ID.....{96723567-151D-4B5C-9C65-B3EB6D584272}  
TERM.....8.5

DATA VALUE: 9

-----  
ABBREVIATION.....9  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....9  
HELP\_TEXT.....No Help Text  
ID.....{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}  
TERM.....9

DATA VALUE: 9.5

-----  
ABBREVIATION.....9.5  
ACTIVE.....Yes  
DESCRIPTION.....9.5  
DISPLAY\_NAME.....9.5  
HELP\_TEXT.....9.5  
ID.....{252555A1-ADB2-4948-8764-C952F2587DC5}  
TERM.....9.5

DATA VALUE: 10

-----  
ABBREVIATION.....10  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....10  
HELP\_TEXT.....No Help-Text  
ID.....{0C827160-18DB-816F-7FAA-A3C175C6D33B}  
TERM.....10

DATA VALUE: 11

-----  
ABBREVIATION.....11  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....11  
HELP\_TEXT.....11  
ID.....{BD51A7B3-FACF-890C-472E-E3B28519CC16}  
TERM.....11

DATA VALUE: 12

-----  
ABBREVIATION.....12  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....12  
HELP\_TEXT.....No Help Text  
ID.....{ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}  
TERM.....12

DATA VALUE: 12.5

-----  
ABBREVIATION.....12.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....12.5  
HELP\_TEXT.....No Help Text  
ID.....{97A947AE-2BCC-F75D-1794-6AF9BAC1497B}  
TERM.....12.5

DATA VALUE: 13

-----  
ABBREVIATION.....13  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....13  
HELP\_TEXT.....No Help Text  
ID.....{030242DB-3F82-7517-3DEE-4D50E3E8AE23}  
TERM.....13

DATA VALUE: 13.5

-----  
ABBREVIATION.....13.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....13.5  
HELP\_TEXT.....No Help Text  
ID.....{34D24648-B2D9-9C6C-6D71-F80E977CE185}  
TERM.....13.5

DATA VALUE: 14

-----  
ABBREVIATION.....14  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....14  
HELP\_TEXT.....No Help Text  
ID.....{EDF1C2B1-123B-011F-9B02-7D71088971C1}  
TERM.....14

DATA VALUE: 14.5

-----  
ABBREVIATION.....14.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....14.5  
HELP\_TEXT.....No Help Text  
ID.....{373C8F8C-5D36-4AD6-6A76-513064669CB5}  
TERM.....14.5

DATA VALUE: 15

-----  
ABBREVIATION.....15  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....15  
HELP\_TEXT.....No Help Text  
ID.....{FE8C049F-B64C-4991-2F50-3C561BA4825C}  
TERM.....15

DATA VALUE: 15.5

-----  
ABBREVIATION.....15.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....15.5  
HELP\_TEXT.....No Help Text  
ID.....{1BBF5122-2FFA-6B27-445B-3291C3F83A36}  
TERM.....15.5

DATA VALUE: 16

-----  
ABBREVIATION.....16  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....16  
HELP\_TEXT.....No Help Text  
ID.....{9E4B84FF-430A-39FB-E6AA-E1031814796D}  
TERM.....16

DATA VALUE: 16.5

-----  
ABBREVIATION.....16.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....16.5  
HELP\_TEXT.....No Help Text  
ID.....{7D4EA1D4-5233-760F-FD2B-A70FB0969815}  
TERM.....16.5

DATA VALUE: 17

-----  
ABBREVIATION.....17  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....17  
HELP\_TEXT.....No Help Text  
ID.....{2E89B9C8-5E80-F3C9-FE66-4396CB63201A}  
TERM.....17

DATA VALUE: 17.5

-----  
ABBREVIATION.....17.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....17.5  
HELP\_TEXT.....No Help Text  
ID.....{FDE6FFD9-00D0-9C55-1A7F-4AA70CE313BA}  
TERM.....17.5

DATA VALUE: 18

-----  
ABBREVIATION.....18  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....18  
HELP\_TEXT.....No Help Text  
ID.....{F2815231-0FCE-4988-95E9-D9AF46C57086}  
TERM.....18

DATA VALUE: 18.5

-----  
ABBREVIATION.....18.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....18.5  
HELP\_TEXT.....No Help Text  
ID.....{75ABCB85-4D6E-0BBC-157F-CA69B7737402}  
TERM.....18.5

DATA VALUE: 19

-----  
ABBREVIATION.....19  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....19  
HELP\_TEXT.....No Help Text  
ID.....{478FFB89-4941-1474-04E1-C838B2467439}  
TERM.....19

DATA VALUE: 19.5

-----  
ABBREVIATION.....19.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....19.5  
HELP\_TEXT.....No Help Text  
ID.....{58F0F98D-299A-8C4E-F50F-AE21B6E696D6}  
TERM.....19.5

DATA VALUE: 20

-----  
ABBREVIATION.....20  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....20  
HELP\_TEXT.....No Help Text  
ID.....{532FBDF8-7F7B-9551-300C-F2CFEF656163}  
TERM.....20

DATA VALUE: 20.5

-----  
ABBREVIATION.....20.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....20.5  
HELP\_TEXT.....No Help Text  
ID.....{DB1F50D2-AF99-7BB3-88F5-B58C0BDE7987}  
TERM.....20.5

DATA VALUE: 21

-----  
ABBREVIATION.....21  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....21  
HELP\_TEXT.....No Help Text  
ID.....{C6188159-9EF1-DA5C-C015-2142A1205C4C}  
TERM.....21

DATA VALUE: 21.5

-----  
ABBREVIATION.....21.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....21.5  
HELP\_TEXT.....No Help Text  
ID.....{A259E466-773F-519C-7B5B-1570D1B03B70}  
TERM.....21.5

DATA VALUE: 22

-----  
ABBREVIATION.....22  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....22  
HELP\_TEXT.....No Help Text  
ID.....{DA839156-C7A9-76D7-58CD-7EC2B016EF40}  
TERM.....22

DATA VALUE: 22.5

-----  
ABBREVIATION.....22.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....22.5  
HELP\_TEXT.....No Help Text  
ID.....{D402D24F-1EF2-1AA0-DD1C-FA8320AA929A}  
TERM.....22.5

DATA VALUE: 23

-----  
ABBREVIATION.....23  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....23  
HELP\_TEXT.....No Help Text  
ID.....{8FB6A8B1-B692-BDC7-43B9-0332F33D826A}  
TERM.....23

DATA VALUE: 23.5

-----  
ABBREVIATION.....23.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....23.5  
HELP\_TEXT.....No Help Text  
ID.....{DDB76295-7E4A-FEAC-324D-37878F62771A}  
TERM.....23.5

DATA VALUE: 24

-----  
ABBREVIATION.....24  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....24  
HELP\_TEXT.....No Help Text  
ID.....{2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}  
TERM.....24

DATA VALUE: 24.5

-----  
ABBREVIATION.....24.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....24.5  
HELP\_TEXT.....No Help Text  
ID.....{D815830B-5D94-0975-D007-E4FDD966155B}  
TERM.....24.5

DATA VALUE: 25

-----  
ABBREVIATION.....25  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....25  
HELP\_TEXT.....No Help Text  
ID.....{42DD0655-142D-6901-D3FE-66D295BBFCD1}  
TERM.....25

DATA VALUE: 25.5

-----  
ABBREVIATION.....25.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....25.5  
HELP\_TEXT.....No Help Text  
ID.....{9D704E9E-FB1D-FB83-2142-EDBF3805E8F7}  
TERM.....25.5

DATA VALUE: 26

-----  
ABBREVIATION.....26  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....26  
HELP\_TEXT.....No Help Text  
ID.....{181395F6-29FD-5A41-5AD7-BFC9CF564F3B}  
TERM.....26

DATA VALUE: 26.5

-----  
ABBREVIATION.....26.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....26.6  
HELP\_TEXT.....No Help Text  
ID.....{1D464967-6CFA-E29E-548D-EF68AFCDEC61}  
TERM.....26.5

DATA VALUE: 27

-----  
ABBREVIATION.....27  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....27  
HELP\_TEXT.....No Help Text  
ID.....{64D25A86-6516-0910-B4B5-644B85378876}  
TERM.....27

DATA VALUE: 27.5

-----  
ABBREVIATION.....27.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....27.5  
HELP\_TEXT.....No Help Text  
ID.....{8C7BE365-AFD0-3FFD-B8EC-6EC914763CFC}  
TERM.....27.5



DATA VALUE: 28

-----  
ABBREVIATION.....28  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....28  
HELP\_TEXT.....No Help Text  
ID.....{66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}  
TERM.....28

DATA VALUE: 28.5

-----  
ABBREVIATION.....28.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....28.5  
HELP\_TEXT.....No Help Text  
ID.....{C99C9298-D4D2-BC02-36D3-F612B6080A87}  
TERM.....28.5

DATA VALUE: 29

-----  
ABBREVIATION.....29  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....29  
HELP\_TEXT.....29  
ID.....{93F62F6F-5EFE-C451-5908-47C895B7177C}  
TERM.....29

DATA VALUE: 30

-----  
ABBREVIATION.....30  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....30  
HELP\_TEXT.....30  
ID.....{1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}  
TERM.....30

DATA VALUE: 31

-----  
ABBREVIATION.....31  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....31  
HELP\_TEXT.....31  
ID.....{5EEDDCF5-7D59-1526-2522-FA59099C8C21}  
TERM.....31

DATA VALUE: 99

-----  
ABBREVIATION.....99  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....99  
HELP\_TEXT.....No Help Text  
ID.....{B013C05B-1AF0-1547-4F03-378883F887C5}  
TERM.....99

DATA VALUE: +1 = SLIGHT

-----  
ABBREVIATION.....+1 SLIGHT  
ACTIVE.....Yes  
DESCRIPTION.....+1 = Slight  
DISPLAY\_NAME.....+1 = Slight  
HELP\_TEXT.....No Help Text  
ID.....{7C0245BA-B261-4B68-A84C-D737CA634230}  
TERM.....+1 = SLIGHT

DATA VALUE: +2 = MODERATE

-----  
ABBREVIATION.....+2 = MODER  
ACTIVE.....Yes  
DESCRIPTION.....+2 = Moderate  
DISPLAY\_NAME.....+2 = Moderate  
HELP\_TEXT.....No Help Text  
ID.....{CCF23A60-068C-443F-AFD0-2D56EEE0446C}  
TERM.....+2 = MODERATE

DATA VALUE: +3 = MARKED

-----  
ABBREVIATION.....+3 = MARKE  
ACTIVE.....Yes  
DESCRIPTION.....+3 = Marked  
DISPLAY\_NAME.....+3 = Marked  
HELP\_TEXT.....No Help Text  
ID.....{41ACC586-0C68-4780-8B2D-F36B21FCEDB2}  
TERM.....+3 = MARKED

DATA VALUE: +4 = VERY MARKED

-----  
ABBREVIATION.....+4 = VY MA  
ACTIVE.....Yes  
DESCRIPTION.....+4 = Very Marked  
DISPLAY\_NAME.....+4 = Very Marked  
HELP\_TEXT.....No Help Text  
ID.....{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}  
TERM.....+4 = VERY MARKED

DATA VALUE: 0 - ABSENT

-----  
ABBREVIATION.....0-a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - Absent  
HELP\_TEXT.....No Help Text  
ID.....{75F14311-F113-963C-4F05-B8AE17F044A9}  
TERM.....0 - ABSENT

DATA VALUE: 0 - ALERT

-----  
ABBREVIATION.....Alert  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Alert  
HELP\_TEXT.....  
ID.....{A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}  
TERM.....0 - ALERT

DATA VALUE: 0 - HR 51-100

-----  
ABBREVIATION.....HR 51-100  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - HR 51-100  
HELP\_TEXT.....  
ID.....{6A262124-7FE8-4520-9762-87D0A3DB8AE9}  
TERM.....0 - HR 51-100

DATA VALUE: 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT

-----  
ABBREVIATION.....0 Ind  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Independent - No Help or Staff  
Oversight  
HELP\_TEXT.....  
ID.....{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
TERM.....0 - INDEPENDENT - NO HELP OR STAFF  
OVERSIGHT

DATA VALUE: 0 - INDEPENDENT - NO HELP PROVIDED

-----  
ABBREVIATION.....0 ind  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Independent - No Help Provided  
HELP\_TEXT.....  
ID.....{07AB4004-1793-410A-9872-00BB0B322DFE}  
TERM.....0 - INDEPENDENT - NO HELP PROVIDED

DATA VALUE: 0 - NO ANXIETY AT EASE

-----  
ABBREVIATION.....CIWA AX 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - No Anxiety, At Ease  
HELP\_TEXT.....No Help Text  
ID.....{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}  
TERM.....0 - NO ANXIETY AT EASE

DATA VALUE: 0 - NO NAUSEA/VOMITING

-----  
ABBREVIATION.....CIWA NV 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - No Nausea / Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{0569555E-E7B3-49E3-9A18-68D23CFB2B8D}  
TERM.....0 - NO NAUSEA/VOMITING

DATA VALUE: 0 - NO SETUP OR PHYSICAL HELP FROM STAFF

-----  
ABBREVIATION.....0 No Setup  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - No Setup or Physical Help from  
Staff  
HELP\_TEXT.....  
ID.....{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
TERM.....0 - NO SETUP OR PHYSICAL HELP FROM  
STAFF

DATA VALUE: 0 - NO SWEAT VISIBLE

-----  
ABBREVIATION.....CIWA PS 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - No Sweat Visible  
HELP\_TEXT.....No Help Text  
ID.....{7C83E616-4414-4766-AAF5-5F5442FFBF09}  
TERM.....0 - NO SWEAT VISIBLE

DATA VALUE: 0 - NO TREMOR

-----  
ABBREVIATION.....CIWA TR 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - No Tremor  
HELP\_TEXT.....No Help Text  
ID.....{2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}  
TERM.....0 - NO TREMOR

DATA VALUE: 0 - NONE

-----  
ABBREVIATION.....CIWA TC 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - None  
HELP\_TEXT.....No Help Text  
ID.....{5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}  
TERM.....0 - NONE

DATA VALUE: 0 - NORMAL ACTIVITY

-----  
ABBREVIATION.....CIWA AG 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - Normal Activity  
HELP\_TEXT.....No Help Text  
ID.....{9FF32084-A432-467C-B0A2-C8BC9F3D6D13}  
TERM.....0 - NORMAL ACTIVITY

DATA VALUE: 0 - ORIENTED AND CAN DO SERIAL ADDITIONS

-----  
ABBREVIATION.....CIWA OR 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - Oriented And Can Do Serial  
Additions  
HELP\_TEXT.....No Help Text  
ID.....{D8015F54-6E9E-457A-955C-38565BDDDBB6}  
TERM.....0 - ORIENTED AND CAN DO SERIAL  
ADDITIONS

DATA VALUE: 0 - RR 9-14

-----  
ABBREVIATION.....RR 9-14  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - RR 9-14  
HELP\_TEXT.....  
ID.....{F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}  
TERM.....0 - RR 9-14

DATA VALUE: 0 - SBP 101-199

-----  
ABBREVIATION.....SBP101-199  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - SBP 101-199  
HELP\_TEXT.....  
ID.....{ED9B73BA-8B9E-49C0-83A2-5B2397028564}  
TERM.....0 - SBP 101-199

DATA VALUE: 0 - TEMP 36.1-38 C

-----  
ABBREVIATION.....36.1-38 C  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Temp 36.1-38 C  
HELP\_TEXT.....  
ID.....{87CCCC92-0761-47FC-BD44-C37590832EA7}  
TERM.....0 - TEMP 36.1-38 C

DATA VALUE: 0 = 0 EXTREMITIES

-----  
ABBREVIATION.....ALD ACT 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = 0 Extremities  
DISPLAY\_NAME.....0 = Moves 0 Extremities  
HELP\_TEXT.....0 = 0 Extremities  
ID.....{6E248A9A-B509-4BD0-A01D-9ED5CE5B8FC9}  
TERM.....0 = 0 EXTREMITIES

DATA VALUE: 0 = <90%

-----  
ABBREVIATION.....ALD O2 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = <90% with O2  
DISPLAY\_NAME.....0 = <90% with O2  
HELP\_TEXT.....0 = <90% with O2  
ID.....{30042730-F600-44FD-A3D0-53172B70082B}  
TERM.....0 = <90%

DATA VALUE: 0 = ABSENT

-----  
ABBREVIATION.....Absent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Absent  
HELP\_TEXT.....  
ID.....{16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}  
TERM.....0 = ABSENT

DATA VALUE: 0 = ABSENT PULSE

-----  
ABBREVIATION.....0p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = Absent Pulse  
HELP\_TEXT.....No Help Text  
ID.....{4253CB74-51AE-BBFA-214F-937762F7638C}  
TERM.....0 = ABSENT PULSE

DATA VALUE: 0 = ALERT

-----  
ABBREVIATION.....0 = Alert  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Alert  
HELP\_TEXT.....  
ID.....{9F918315-BDE7-43D8-BD69-442D74F41C79}  
TERM.....0 = ALERT

DATA VALUE: 0 = ANSWERS BOTH QUESTIONS CORRECTLY

-----  
ABBREVIATION.....Both  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Answers Both Questions Correctly  
HELP\_TEXT.....  
ID.....{A4380E5F-206A-40CF-B508-6CA61DE87ED2}  
TERM.....0 = ANSWERS BOTH QUESTIONS CORRECTLY

DATA VALUE: 0 = APNEIC

-----  
ABBREVIATION.....ALD RESP 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = Apneic  
DISPLAY\_NAME.....0 = Apneic  
HELP\_TEXT.....0 = Apneic  
ID.....{649C42B0-6E0A-4E86-AAC5-70A8C20EC511}  
TERM.....0 = APNEIC

DATA VALUE: 0 = BP +/- 50% PREOP

-----  
ABBREVIATION.....ALD CIR 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = BP +/- 50% Preop  
DISPLAY\_NAME.....0 = BP +/- 50% Preop  
HELP\_TEXT.....0 = BP +/- 50% Preop  
ID.....{675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}  
TERM.....0 = BP +/- 50% PREOP

DATA VALUE: 0 = NO ABNORMALITY

-----  
ABBREVIATION.....0 = No abn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = No Abnormality  
HELP\_TEXT.....  
ID.....{DE0BF57B-1322-4581-BB38-2A61562DC87F}  
TERM.....0 = NO ABNORMALITY

DATA VALUE: 0 = NO APHASIA

-----  
ABBREVIATION.....No Aphasia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = No Aphasia  
HELP\_TEXT.....  
ID.....{AD629099-6ED1-4DFE-9D02-075FFD67B083}  
TERM.....0 = NO APHASIA

DATA VALUE: 0 = NO DRIFT

-----  
ABBREVIATION.....No Drift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = No Drift  
HELP\_TEXT.....  
ID.....{6DD3E839-D919-4C90-94F9-216B3268944D}  
TERM.....0 = NO DRIFT

DATA VALUE: 0 = NO VISUAL LOSS

-----  
ABBREVIATION.....None  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = No Visual Loss  
HELP\_TEXT.....  
ID.....{20347E7B-4A96-4000-B326-0B4B1797738A}  
TERM.....0 = NO VISUAL LOSS

DATA VALUE: 0 = NORMAL

-----  
ABBREVIATION.....Normal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Normal  
HELP\_TEXT.....  
ID.....{7739B63B-8623-4ADB-8059-1A26B5A7BEBB}  
TERM.....0 = NORMAL

DATA VALUE: 0 = NORMAL SYMMETRICAL MOVEMENT

-----  
ABBREVIATION.....0 = Normal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Normal Symmetrical Movement  
HELP\_TEXT.....  
ID.....{23267CFE-B306-477A-A8B2-60828C1234FA}  
TERM.....0 = NORMAL SYMMETRICAL MOVEMENT



DATA VALUE: 0 = NOT RESPONDING

-----  
ABBREVIATION.....ALD CON 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = Not Responding  
DISPLAY\_NAME.....0 = Not Responding  
HELP\_TEXT.....0 = Not Responding  
ID.....{E8765215-B0B0-430C-8C89-AB969A6AD12E}  
TERM.....0 = NOT RESPONDING

DATA VALUE: 0 = PEFORMS BOTH TASKS CORRECTLY

-----  
ABBREVIATION.....Both Tasks  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Performs Both Tasks Correctly  
HELP\_TEXT.....  
ID.....{08B7AA60-AFEE-41F6-AA1E-0855D1A2946C}  
TERM.....0 = PEFORMS BOTH TASKS CORRECTLY

DATA VALUE: 1 - HR 101-110

-----  
ABBREVIATION.....HR 101-110  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - HR 101-110  
HELP\_TEXT.....  
ID.....{FCB6C37E-1BB4-418F-8203-0916B4056DEB}  
TERM.....1 - HR 101-110

DATA VALUE: 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST

-----  
ABBREVIATION.....CIWA PS 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Barely Perceptible Sweating /  
Palms Moist  
HELP\_TEXT.....No Help Text  
ID.....{93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}  
TERM.....1 - BARELY PERCEPTIBLE SWEATING /  
PALMS MOIST

DATA VALUE: 1 - CANNOT DO SERIAL ADDITIONS

-----  
ABBREVIATION.....CIWA OR 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Cannot Do Serial Additions Or Is  
Uncertain About Date  
HELP\_TEXT.....No Help Text  
ID.....{F4446E01-E326-420E-8EA8-04451AA9D963}  
TERM.....1 - CANNOT DO SERIAL ADDITIONS

DATA VALUE: 1 - HR 40-50

-----  
ABBREVIATION.....HR 40-50  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - HR 40-50  
HELP\_TEXT.....  
ID.....{EC915B1F-BED1-497D-AD10-4FD0C2ADEDCE}  
TERM.....1 - HR 40-50

DATA VALUE: 1 - LESS THAN 45MLS/HR

-----  
ABBREVIATION.....< 45mls/hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Less than 45mls/hr  
HELP\_TEXT.....  
ID.....{3AED380E-00F9-4C29-B303-52E08F8911B3}  
TERM.....1 - LESS THAN 45MLS/HR

DATA VALUE: 1 - MILD NAUSEA / NO VOMITING

-----  
ABBREVIATION.....CIWA NV 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Mild Nausea / No Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}  
TERM.....1 - MILD NAUSEA / NO VOMITING

DATA VALUE: 1 - MILDLY ANXIOUS

-----  
ABBREVIATION.....CIWA AX 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Mildly Anxious  
HELP\_TEXT.....No Help Text  
ID.....{401113EE-5CE7-4AE9-80C1-1C3252E706D0}  
TERM.....1 - MILDLY ANXIOUS

DATA VALUE: 1 - NEW AGITATION CONFUSION

-----  
ABBREVIATION.....New Agitat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - New Agitation Confusion  
HELP\_TEXT.....  
ID.....{F458199B-A547-419B-A691-F15E7CD61F8C}  
TERM.....1 - NEW AGITATION CONFUSION

DATA VALUE: 1 - NO RESPONSE

-----  
ABBREVIATION.....1-nr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - No Response  
HELP\_TEXT.....No Help Text  
ID.....{26D3168D-40EA-C918-D321-54BED4837311}  
TERM.....1 - NO RESPONSE

DATA VALUE: 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP

-----  
ABBREVIATION.....CIWA TR 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Not Visible But Can Be Felt  
                  Fingertip To Fingertip  
HELP\_TEXT.....No Help Text  
ID.....{31833D55-9018-47EE-8341-A0863744CEF8}  
TERM.....1 - NOT VISIBLE BUT CAN BE FELT  
                  FINGERTIP

DATA VALUE: 1 - RESPONDS TO VOICE

-----  
ABBREVIATION.....Voice  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Responds to Voice  
HELP\_TEXT.....  
ID.....{69C7DA2C-893A-40AB-969C-E003B5D2F05D}  
TERM.....1 - RESPONDS TO VOICE

DATA VALUE: 1 - RR 15-20

-----  
ABBREVIATION.....RR 15-20  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - RR 15-20  
HELP\_TEXT.....  
ID.....{1CF2487B-30C6-46AB-A051-B4499F825DC2}  
TERM.....1 - RR 15-20

DATA VALUE: 1 - SBP 81-100

-----  
ABBREVIATION.....SBP 81-100  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - SBP 81-100  
HELP\_TEXT.....  
ID.....{93D627C1-2FF3-4FCC-B0AF-83A54183AE3D}  
TERM.....1 - SBP 81-100

DATA VALUE: 1 - SETUP HELP ONLY

-----  
ABBREVIATION.....1 Setup  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Setup Help Only  
HELP\_TEXT.....  
ID.....{5494773C-99FE-4A96-B12E-D734188517CE}  
TERM.....1 - SETUP HELP ONLY

DATA VALUE: 1 - SUPERVISION - OVERSIGHT

-----  
ABBREVIATION.....1 Superv  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Supervision - Oversight  
HELP\_TEXT.....  
ID.....{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
TERM.....1 - SUPERVISION - OVERSIGHT

DATA VALUE: 1 - SUPERVISION - OVERSIGHT HELP ONLY

-----  
ABBREVIATION.....1 Supervi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Supervision - Oversight Help Only  
HELP\_TEXT.....  
ID.....{F7DFB6E8-F550-4072-B693-93BF96A23834}  
TERM.....1 - SUPERVISION - OVERSIGHT HELP ONLY

DATA VALUE: 1 - TEMP 35.1-36 C

-----  
ABBREVIATION.....35.1-36 C  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Temp 35.1-36 C  
HELP\_TEXT.....  
ID.....{AF9BC2E6-9C52-4030-8422-28DCBDD43DD9}  
TERM.....1 - TEMP 35.1-36 C

DATA VALUE: 1 - TEMP 38.1-38.5 C

-----  
ABBREVIATION.....38.1-38.5C  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Temp 38.1-38.5 C  
HELP\_TEXT.....  
ID.....{21326CB3-A848-4984-BB34-5594AD7E5D32}  
TERM.....1 - TEMP 38.1-38.5 C

DATA VALUE: 1 - VERY MILD

-----  
ABBREVIATION.....CIWA HA 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild  
HELP\_TEXT.....No Help Text  
ID.....{F789C1EA-CC7A-4368-87BA-08AFFE492EE6}  
TERM.....1 - VERY MILD

DATA VALUE: 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN

-----  
ABBREVIATION.....CIWA AU 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild Harshness Or Ability To  
                  Frighten  
HELP\_TEXT.....No Help Text  
ID.....{E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}  
TERM.....1 - VERY MILD HARSHNESS OR ABILITY TO  
                  FRIGHTEN

DATA VALUE: 1 - VERY MILD ITCHING PINS/NEEDLES BURNING

-----  
ABBREVIATION.....CIWA TC 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild Itching, Pins/Needles,  
                  Burning, Numbness  
HELP\_TEXT.....No Help Text  
ID.....{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}  
TERM.....1 - VERY MILD ITCHING PINS/NEEDLES  
                  BURNING

DATA VALUE: 1 - VERY MILD SENSITIVITY

-----  
ABBREVIATION.....CIWA VS 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild Sensitivity  
HELP\_TEXT.....No Help Text  
ID.....{8BF96CF1-3EA7-468C-838A-284430EA850D}  
TERM.....1 - VERY MILD SENSITIVITY

DATA VALUE: 1 - WEAK

-----  
ABBREVIATION.....1 - WEAK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Weak  
HELP\_TEXT.....No Help Text  
ID.....{A41570DC-2F35-DDF6-977B-7C262150DFA2}  
TERM.....1 - WEAK

DATA VALUE: 1 = 2 EXTREMITIES

-----  
ABBREVIATION.....ALD ACT 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = 2 Extremities  
DISPLAY\_NAME.....1 = Moves 2 Extremities  
HELP\_TEXT.....1 = 2 Extremities  
ID.....{6DCB4762-72CE-48C2-9AFE-B19969ED1DE0}  
TERM.....1 = 2 EXTREMITIES

DATA VALUE: 1 = ANSWERS ONE QUESTION CORRECTLY

-----  
ABBREVIATION.....One Ques  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Answers One Question Correctly  
HELP\_TEXT.....  
ID.....{9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}  
TERM.....1 = ANSWERS ONE QUESTION CORRECTLY

DATA VALUE: 1 = AROUSABLE

-----  
ABBREVIATION.....ALD CON 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Arousable with minimal stimulation  
DISPLAY\_NAME.....1 = Arousable with minimal stimulation  
HELP\_TEXT.....1 = Arousable with minimal stimulation  
ID.....{B2A07804-9829-42D0-9C49-A61FD51EEAA0}  
TERM.....1 = AROUSABLE

DATA VALUE: 1 = AWAKE AND ALERT

-----  
ABBREVIATION.....POSS Awake  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Awake and Alert  
HELP\_TEXT.....  
ID.....{6D0015F9-BDD1-422C-AD60-1DBE0247D46E}  
TERM.....1 = AWAKE AND ALERT

DATA VALUE: 1 = BP +/- 20-49% PREOP

-----  
ABBREVIATION.....ALD CIR 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = BP +/- 20-49% Preop  
DISPLAY\_NAME.....1 = BP +/- 20-49% Preop  
HELP\_TEXT.....1 = BP +/- 20-49% Preop  
ID.....{D4A6100D-1228-4860-9BD6-B43F30D4FF94}  
TERM.....1 = BP +/- 20-49% PREOP

DATA VALUE: 1 = DRIFT

-----  
ABBREVIATION.....Drift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Drift  
HELP\_TEXT.....  
ID.....{7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}  
TERM.....1 = DRIFT

DATA VALUE: 1 = DYSPNEA

-----  
ABBREVIATION.....ALD RESP 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Dyspnea, shallow or limited  
DISPLAY\_NAME.....1 = Dyspnea, shallow or limited  
HELP\_TEXT.....1 = Dyspnea, shallow or limited  
ID.....{3DAE60A2-57DA-4121-A507-BC43497C7B67}  
TERM.....1 = DYSPNEA

DATA VALUE: 1 = MILD TO MODERATE APHASIA

-----  
ABBREVIATION.....Mod Aphasi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Mild to Moderate Aphasia  
HELP\_TEXT.....  
ID.....{FFA529FF-EDC0-4768-B308-93656C75E382}  
TERM.....1 = MILD TO MODERATE APHASIA

DATA VALUE: 1 = MILD TO MODERATE DYSARTHRIA

-----  
ABBREVIATION.....1 = Mild  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Mild to Moderate Dysarthria  
HELP\_TEXT.....  
ID.....{0EFCBA9C-36E4-4046-9A55-DAD58F08C516}  
TERM.....1 = MILD TO MODERATE DYSARTHRIA

DATA VALUE: 1 = MILD TO MODERATE SENSORY LOSS

-----  
ABBREVIATION.....Moderate  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Mild to Moderate Sensory Loss  
HELP\_TEXT.....  
ID.....{1BF6BC0E-9A83-4589-B849-853585CF4E96}  
TERM.....1 = MILD TO MODERATE SENSORY LOSS

DATA VALUE: 1 = MINOR PARALYSIS

-----  
ABBREVIATION.....1 = Minor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Minor Paralysis  
HELP\_TEXT.....  
ID.....{55A125E8-E83A-4163-AB50-0D3569B502D3}  
TERM.....1 = MINOR PARALYSIS

DATA VALUE: 1 = NEEDS O2

-----  
ABBREVIATION.....ALD O2 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Needs O2 to maintain >90%  
DISPLAY\_NAME.....1 = Needs O2 to maintain >90%  
HELP\_TEXT.....1 = Needs O2 to maintain >90%  
ID.....{5D97F6BB-7B02-4644-8CE5-014C89826731}  
TERM.....1 = NEEDS O2

DATA VALUE: 1 = NOT ALERT, MINOR STIMULATION RESPONSE

-----  
ABBREVIATION.....1 = Minor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Not Alert, Minor Stimulation  
Response  
HELP\_TEXT.....  
ID.....{29268B78-0FF2-48EE-8EA1-4BDE6C39739E}  
TERM.....1 = NOT ALERT, MINOR STIMULATION  
RESPONSE

DATA VALUE: 1 = PARTIAL GAZE PALSY

-----  
ABBREVIATION.....1 = Part  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Partial Gaze Palsy  
HELP\_TEXT.....  
ID.....{7644667F-2919-4A57-A3A6-EE709CA55960}  
TERM.....1 = PARTIAL GAZE PALSY

DATA VALUE: 1 = PARTIAL HEMIANOPIA

-----  
ABBREVIATION.....Partial  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Partial Hemianopia  
HELP\_TEXT.....  
ID.....{0FDFE052-C438-48AD-A3F8-C3C53E963365}  
TERM.....1 = PARTIAL HEMIANOPIA



DATA VALUE: 1 = PERFORMS ONE TASK CORRECTLY

-----  
ABBREVIATION.....One Task  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Performs One Task Correctly  
HELP\_TEXT.....  
ID.....{7DBE49B4-067F-4BA7-807F-A4A5FAC1BCFB}  
TERM.....1 = PERFORMS ONE TASK CORRECTLY

DATA VALUE: 1 = PRESENT IN ONE LIMB

-----  
ABBREVIATION.....One Limb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1= Present in One Limb  
HELP\_TEXT.....  
ID.....{D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}  
TERM.....1 = PRESENT IN ONE LIMB

DATA VALUE: 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTI  
ON

-----  
ABBREVIATION.....1 = Inatt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Visual, Tactile, Auditory,  
Spatial, or 2 Personal Inattention  
HELP\_TEXT.....  
ID.....{BEBED217-91CA-47F8-A15D-A548648D09BF}  
TERM.....1 = VISUAL, TACTILE, AUDITORY,  
SPATIAL, OR 2 PERSONAL INATTENTION

DATA VALUE: 1 HOUR

-----  
ABBREVIATION.....1 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 Hour  
HELP\_TEXT.....No Help Text  
ID.....{319BA174-1624-483C-B666-4998127B0800}  
TERM.....1 HOUR

DATA VALUE: 1+=PALPABLE, THREADY, EASILY OBLITERATED

-----  
ABBREVIATION.....1teo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1+=Palpable, Thready, Easily  
Obliterated  
HELP\_TEXT.....No Help Text  
ID.....{3AE92556-1337-BFE2-C3EE-9676327935C3}  
TERM.....1+=PALPABLE, THREADY, EASILY  
OBLITERATED

DATA VALUE: 1- MILD ANXIOUS

-----  
ABBREVIATION.....CIWA AX 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Mild Anxious  
HELP\_TEXT.....No Help Text  
ID.....{CAB6FB3A-4088-4D2C-AE1E-623352511D73}  
TERM.....1- MILD ANXIOUS

DATA VALUE: 1- SOMEWHAT MORE THAN NORMAL ACTIVITY

-----  
ABBREVIATION.....CIWA AG 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Somewhat More Than Normal Activity  
HELP\_TEXT.....No Help Text  
ID.....{497F7A3D-72C8-4986-A1E6-74EA0E5704F9}  
TERM.....1- SOMEWHAT MORE THAN NORMAL ACTIVITY

DATA VALUE: 1. DRY

-----  
ABBREVIATION.....1. Dry  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1. Dry  
HELP\_TEXT.....  
ID.....{E6C8E56E-DFC8-42FE-9D49-BED30EC37491}  
TERM.....1. DRY

DATA VALUE: 1800 CALORIE CONTROLLED

-----  
ABBREVIATION.....1800 CAL C  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1800 Calorie Controlled Diet  
HELP\_TEXT.....No Help Text  
ID.....{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}  
TERM.....1800 CALORIE CONTROLLED

DATA VALUE: 1800 DIABETIC

-----  
ABBREVIATION.....1800 DIAB  
ACTIVE.....Yes  
DESCRIPTION.....1800 Calorie Diabetic Diet  
DISPLAY\_NAME.....1800 Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{FC71C7D7-F24E-4316-A455-8674804BE092}  
TERM.....1800 DIABETIC

DATA VALUE: 1:1

-----  
ABBREVIATION.....1:1  
ACTIVE.....Yes  
DESCRIPTION.....1 to 1 ratio  
DISPLAY\_NAME.....1:1  
HELP\_TEXT.....No Help Text  
ID.....{5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}  
TERM.....1:1

DATA VALUE: 1:1 OBSERVATION

-----  
ABBREVIATION.....1o  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1:1 Observation  
HELP\_TEXT.....No Help Text  
ID.....{B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}  
TERM.....1:1 OBSERVATION

DATA VALUE: 1:2

-----  
ABBREVIATION.....1:2  
ACTIVE.....Yes  
DESCRIPTION.....1 to 2 ratio  
DISPLAY\_NAME.....1:2  
HELP\_TEXT.....No Help Text  
ID.....{287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}  
TERM.....1:2

DATA VALUE: 1:3

-----  
ABBREVIATION.....1:3  
ACTIVE.....Yes  
DESCRIPTION.....1 to 3 ratio  
DISPLAY\_NAME.....1:3  
HELP\_TEXT.....No Help Text  
ID.....{062B4F93-8F48-7373-F679-11F57CE98BB3}  
TERM.....1:3

DATA VALUE: 1:4

-----  
ABBREVIATION.....1:4  
ACTIVE.....Yes  
DESCRIPTION.....1 to 4 ratio  
DISPLAY\_NAME.....1:4  
HELP\_TEXT.....No Help Text  
ID.....{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}  
TERM.....1:4

DATA VALUE: 1:8

-----  
ABBREVIATION.....1:8  
ACTIVE.....Yes  
DESCRIPTION.....1 to 8 ratio  
DISPLAY\_NAME.....1:8  
HELP\_TEXT.....No Help Text  
ID.....{94790C4C-3AF2-6F4C-58B8-87021CA97A53}  
TERM.....1:8

DATA VALUE: 1A + 2V

-----  
ABBREVIATION.....1+2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1A + 2V  
HELP\_TEXT.....No Help Text  
ID.....{FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}  
TERM.....1A + 2V

DATA VALUE: 1A + 3V

-----  
ABBREVIATION.....1+3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1A + 3V  
HELP\_TEXT.....No Help Text  
ID.....{CEDF220D-E593-B8F9-DB08-D32800AF3F5E}  
TERM.....1A + 3V

DATA VALUE: 1A +1V

-----  
ABBREVIATION.....1+  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1A +1V  
HELP\_TEXT.....No Help Text  
ID.....{31711946-9F1B-0AD9-BDBE-846EDBC86AE2}  
TERM.....1A +1V

DATA VALUE: 2 - ABNORMAL EXTENSION FROM PAIN

-----  
ABBREVIATION.....2-aeFP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Abnormal Extension From Pain  
HELP\_TEXT.....No Help Text  
ID.....{9B4951D8-B271-DFC3-0A00-1DC9984039E3}  
TERM.....2 - ABNORMAL EXTENSION FROM PAIN

DATA VALUE: 2 - ANSWERS NEITHER QUESTION CORRECTLY

-----  
ABBREVIATION.....Neither  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Answers Neither Question Correctly  
HELP\_TEXT.....  
ID.....{181D8ACA-49D0-496E-B22A-2839D0718836}  
TERM.....2 - ANSWERS NEITHER QUESTION CORRECTLY

DATA VALUE: 2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----  
ABBREVIATION.....CIWA PS 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Beads Of Sweat Obvious On Forehead  
HELP\_TEXT.....No Help Text  
ID.....{38EA4194-F5F4-42CB-8DE2-715167888F86}  
TERM.....2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS

-----  
ABBREVIATION.....CIWA OR 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Disoriented For Date By No More  
Than 2 Calendar Days  
HELP\_TEXT.....No Help Text  
ID.....{01B894B0-3E70-47FA-820A-83CA48B93EF9}  
TERM.....2 - DISORIENTED FOR DATE < 2 CALENDAR  
DAYS

DATA VALUE: 2 - HR 0-39

-----  
ABBREVIATION.....HR 0-39  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - HR 0-39  
HELP\_TEXT.....  
ID.....{1243C1C9-C72F-4765-8D19-D689E1FC44F5}  
TERM.....2 - HR 0-39

DATA VALUE: 2 - HR 111-129

-----  
ABBREVIATION.....HR 111-129  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - HR 111-129  
HELP\_TEXT.....  
ID.....{6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}  
TERM.....2 - HR 111-129

DATA VALUE: 2 - INCOMPREHENSIBLE SOUNDS

-----  
ABBREVIATION.....2-is  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Incomprehensible Sounds  
HELP\_TEXT.....No Help Text  
ID.....{F2261C3D-79A3-055B-702D-446B7A6A3113}  
TERM.....2 - INCOMPREHENSIBLE SOUNDS

DATA VALUE: 2 - INTERMITTENT NAUSEA WITH DRY HEAVES

-----  
ABBREVIATION.....CIWA NV 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Intermittent Nausea With Dry Heaves  
HELP\_TEXT.....No Help Text  
ID.....{E92221EE-1298-4D9D-9EFD-35F615118C96}  
TERM.....2 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 2 - LESS THAN 30MLS/HR

-----  
ABBREVIATION.....< 30mls/hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Less than 30mls/hr  
HELP\_TEXT.....  
ID.....{A85A05F7-3443-4E62-ACF4-3334E3EF5675}  
TERM.....2 - LESS THAN 30MLS/HR

DATA VALUE: 2 - LIMITED ASSISTANCE

-----  
ABBREVIATION.....2 Limited  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Limited Assistance  
HELP\_TEXT.....  
ID.....{35934E53-08EB-46E0-8136-96FD6174ACF1}  
TERM.....2 - LIMITED ASSISTANCE

DATA VALUE: 2 - MILD

-----  
ABBREVIATION.....CIWA HA 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild  
HELP\_TEXT.....No Help Text  
ID.....{6B752397-0A4F-4176-90E7-E220DB2BF1C4}  
TERM.....2 - MILD

DATA VALUE: 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN

-----  
ABBREVIATION.....CIWA AU 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild Harshness Or Ability To  
                  Frighten  
HELP\_TEXT.....No Help-Text  
ID.....{71204969-E614-46A4-ADA5-39FAF81A79B5}  
TERM.....2 - MILD HARSHNESS OR ABILITY TO  
                  FRIGHTEN

DATA VALUE: 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS

-----  
ABBREVIATION.....CIWA TC 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild Itching, Pins/Needles,  
                  Burning, Numbness  
HELP\_TEXT.....No Help Text  
ID.....{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}  
TERM.....2 - MILD ITCHING PINS/NEEDLES BURNING  
                  NUMBNESS

DATA VALUE: 2 - MILD SENSITIVITY

-----  
ABBREVIATION.....CIWA VS 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild Sensitivity  
HELP\_TEXT.....No Help Text  
ID.....{ED600249-E5E8-4020-955E-A5CDA18B5DE9}  
TERM.....2 - MILD SENSITIVITY

DATA VALUE: 2 - MODERATE WITH PATIENTS ARMS EXTENDED

-----  
ABBREVIATION.....CIWA TR 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Moderate With Patient's Arms  
                  Extended  
HELP\_TEXT.....No Help Text  
ID.....{B4E7B7FB-B88E-435A-904E-C613AC937323}  
TERM.....2 - MODERATE WITH PATIENTS ARMS  
                  EXTENDED

DATA VALUE: 2 - NORMAL

-----  
ABBREVIATION.....2-n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Normal  
HELP\_TEXT.....No Help Text  
ID.....{25FAADFC-D280-78AC-4F01-CFCF34ECD3FF}  
TERM.....2 - NORMAL

DATA VALUE: 2 - ONE PERSON PHYSICAL ASSIST

-----  
ABBREVIATION.....2 one asst  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - One Person Physical Assist  
HELP\_TEXT.....  
ID.....{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
TERM.....2 - ONE PERSON PHYSICAL ASSIST

DATA VALUE: 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY

-----  
ABBREVIATION.....2 Phys Tra  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Physical Help Limited to Transfer  
Only  
HELP\_TEXT.....  
ID.....{0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}  
TERM.....2 - PHYSICAL HELP LIMITED TO TRANSFER  
ONLY

DATA VALUE: 2 - RESPONDS TO PAIN

-----  
ABBREVIATION.....Pain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Responds to Pain  
HELP\_TEXT.....  
ID.....{AE6B5DEC-6510-4FEE-8461-D2E930534ACE}  
TERM.....2 - RESPONDS TO PAIN

DATA VALUE: 2 - RR 0-8

-----  
ABBREVIATION.....RR 0-8  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - RR 0-8  
HELP\_TEXT.....  
ID.....{73DC19E6-865C-4161-9CBE-3A8D44BC4D84}  
TERM.....2 - RR 0-8

DATA VALUE: 2 - RR 21-29

-----  
ABBREVIATION.....RR 21-29  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - RR 21-29  
HELP\_TEXT.....  
ID.....{72DF48C2-B8F3-4ED4-91D1-87157707C3EC}  
TERM.....2 - RR 21-29



DATA VALUE: 2 - SBP 200 OR MORE

-----  
ABBREVIATION.....SBP 200+  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - SBP 200 or more  
HELP\_TEXT.....  
ID.....{C3B80866-749C-402A-B7CA-A1B797D36885}  
TERM.....2 - SBP 200 OR MORE

DATA VALUE: 2 - SBP 71-80

-----  
ABBREVIATION.....SBP 71-80  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - SBP 71-80  
HELP\_TEXT.....  
ID.....{063CE20D-435C-4176-9A8B-3FC3DB16FF11}  
TERM.....2 - SBP 71-80

DATA VALUE: 2 - TEMP 35.0 C OR LESS

-----  
ABBREVIATION.....35.0 C or<  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Temp 35.0 C or less  
HELP\_TEXT.....  
ID.....{D7987CD3-1866-4AE9-A2EA-C96F2CFE2850}  
TERM.....2 - TEMP 35.0 C OR LESS

DATA VALUE: 2 - TEMP MORE THAN 38.6 C

-----  
ABBREVIATION.....> 38.6 C  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Temp more than 38.6 C  
HELP\_TEXT.....  
ID.....{B45FAD7F-9438-488D-BDE1-8A64A84E51F6}  
TERM.....2 - TEMP MORE THAN 38.6 C

DATA VALUE: 2 - TO PAIN

-----  
ABBREVIATION.....2-tp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - To Pain  
HELP\_TEXT.....No Help Text  
ID.....{49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}  
TERM.....2 - TO PAIN

DATA VALUE: 2 = 4 EXTREMITIES

-----  
ABBREVIATION.....ALD ACT 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = 4 Extremities  
DISPLAY\_NAME.....2 = Moves 4 Extremities  
HELP\_TEXT.....2 = 4 Extremities  
ID.....{3434DF4B-5CB6-417F-B5BE-CEF2D63FE8E0}  
TERM.....2 = 4 EXTREMITIES

DATA VALUE: 2 = BP +/- 20% PREOP

-----  
ABBREVIATION.....ALD CIR 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = BP +/- 20% Preop  
DISPLAY\_NAME.....2 = BP +/- 20% Preop  
HELP\_TEXT.....2 = BP +/- 20% Preop  
ID.....{04B67413-7A88-409B-8005-471A7C84B879}  
TERM.....2 = BP +/- 20% PREOP

DATA VALUE: 2 = BREATHES FREELY

-----  
ABBREVIATION.....ALD RESP 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Breathes freely, coughs freely  
DISPLAY\_NAME.....2 = Breathes freely, coughs freely  
HELP\_TEXT.....2 = Breathes freely, coughs freely  
ID.....{278CD44C-538E-4015-9D98-D9312A7039BA}  
TERM.....2 = BREATHES FREELY

DATA VALUE: 2 = COMPLETE HEMIANOPIA

-----  
ABBREVIATION.....Complete  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Complete Hemianopia  
HELP\_TEXT.....  
ID.....{F995161E-39A0-4010-855D-EE86B1F707BB}  
TERM.....2 = COMPLETE HEMIANOPIA

DATA VALUE: 2 = FORCED DEVIATION

-----  
ABBREVIATION.....2 = Forced  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Forced Deviation  
HELP\_TEXT.....  
ID.....{FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}  
TERM.....2 = FORCED DEVIATION

DATA VALUE: 2 = FULLY AWAKE

-----  
ABBREVIATION.....ALD CON 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Fully awake  
DISPLAY\_NAME.....2 = Fully awake  
HELP\_TEXT.....2 = Fully awake  
ID.....{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}  
TERM.....2 = FULLY AWAKE

DATA VALUE: 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE

-----  
ABBREVIATION.....2 = Strong  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Not Alert, repeat/strong  
stimulation response  
HELP\_TEXT.....  
ID.....{0F5E13CC-211C-40D0-96CB-8F8D87564612}  
TERM.....2 = NOT ALERT, REPEAT/STRONG  
STIMULATION RESPONSE

DATA VALUE: 2 = ON ROOM AIR

-----  
ABBREVIATION.....ALD O2 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = On room air  
DISPLAY\_NAME.....2 = >92% on room air  
HELP\_TEXT.....2 = On room air  
ID.....{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}  
TERM.....2 = ON ROOM AIR

DATA VALUE: 2 = PARTIAL PARALYSIS

-----  
ABBREVIATION.....2 = Part  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Partial Paralysis  
HELP\_TEXT.....  
ID.....{BC48CC51-609A-4E85-9029-8B4790E9E669}  
TERM.....2 = PARTIAL PARALYSIS

DATA VALUE: 2 = PERFORMS NEITHER TASK CORRECTLY

-----  
ABBREVIATION.....Neither  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Performs Neither Task Correctly  
HELP\_TEXT.....  
ID.....{8CE75E64-5A4A-45EA-9987-4112AAD54A55}  
TERM.....2 = PERFORMS NEITHER TASK CORRECTLY

DATA VALUE: 2 = PRESENT IN TWO LIMBS

-----  
ABBREVIATION.....Two Limbs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Present in Two Limbs  
HELP\_TEXT.....  
ID.....{ADA3074C-1E75-42BC-B7E6-425C2281FB05}  
TERM.....2 = PRESENT IN TWO LIMBS

DATA VALUE: 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY

-----  
ABBREVIATION.....2 = Profnd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Profound Hemi-Inattention or  
Extinction to More than One Modality  
HELP\_TEXT.....  
ID.....{1D3AA69E-2154-4F33-BFFF-42F06365079A}  
TERM.....2 = PROFOUND HEMI-INATTENTION OR  
EXTINCTION TO MORE THAN ONE MODALITY

DATA VALUE: 2 = SEVERE APHASIA

-----  
ABBREVIATION.....Sev Aphasi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Severe Aphasia  
HELP\_TEXT.....  
ID.....{82445D2A-6E9F-4574-B2D1-476E720B9113}  
TERM.....2 = SEVERE APHASIA

DATA VALUE: 2 = SEVERE DYSARTHRIA

-----  
ABBREVIATION.....2 = Severe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Severe Dysarthria  
HELP\_TEXT.....  
ID.....{D9864E04-1962-47AD-B3C5-58CD49CF30FD}  
TERM.....2 = SEVERE DYSARTHRIA

DATA VALUE: 2 = SEVERE TO TOTAL SENSORY LOSS

-----  
ABBREVIATION.....Severe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Severe to Total Sensory Loss  
HELP\_TEXT.....  
ID.....{C3959DA5-9108-4E35-B81A-6F4FB135B3BD}  
TERM.....2 = SEVERE TO TOTAL SENSORY LOSS

DATA VALUE: 2 = SLIGHTLY DROWSY, EASILY AROUSED

-----  
ABBREVIATION.....POSS 2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Slightly Drowsy, Easily Aroused  
HELP\_TEXT.....  
ID.....{3027CED1-70F2-4F2B-9DCC-C6CFCAFD1832}  
TERM.....2 = SLIGHTLY DROWSY, EASILY AROUSED

DATA VALUE: 2 = SOME EFFORT AGAINST GRAVITY

-----  
ABBREVIATION.....Some Effor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Some Effort Against Gravity  
HELP\_TEXT.....  
ID.....{63885565-9ADC-4560-BC73-DEA084FB651A}  
TERM.....2 = SOME EFFORT AGAINST GRAVITY

DATA VALUE: 2+=NORMAL, NOT EASILY OBLITERATED

-----  
ABBREVIATION.....2neo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2+=Normal, Not Easily Obliterated  
HELP\_TEXT.....No Help Text  
ID.....{50484DA4-EC15-47E5-3923-268C4B5D6428}  
TERM.....2+=NORMAL, NOT EASILY OBLITERATED

DATA VALUE: 2- MILD HARSHNESS OR ABILITY TO FRIGHTEN

-----  
ABBREVIATION.....CIWA AU 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild Harshness Or Ability To  
Frighten  
HELP\_TEXT.....No Help Text  
ID.....{42DAFB33-E9AF-4558-95D4-2FFF7BE779F1}  
TERM.....2- MILD HARSHNESS OR ABILITY TO  
FRIGHTEN

DATA VALUE: 2. INTACT

-----  
ABBREVIATION.....2. Intact  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2. Intact  
HELP\_TEXT.....  
ID.....{6F977B33-94E0-4F40-A5B2-9D1EBFB8433}  
TERM.....2. INTACT

DATA VALUE: 2.0 CAL FORMULA

-----  
ABBREVIATION.....2.0 C FORM  
ACTIVE.....Yes  
DESCRIPTION.....2.0 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....2.0 Cal Formula  
HELP\_TEXT.....No Help Text  
ID.....{4A595230-45D1-40F0-AEF3-11E75DF418CB}  
TERM.....2.0 CAL FORMULA

DATA VALUE: 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE

-----  
ABBREVIATION.....20 Min Nar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20 Minutes Since Last IV  
Narcotic/Sedative  
HELP\_TEXT.....  
ID.....{FBDB50B7-19B5-472C-80E5-F4758E141BB1}  
TERM.....20 MINUTES SINCE LAST IV  
NARCOTIC/SEDATIVE

DATA VALUE: 20/100

-----  
ABBREVIATION.....20/100  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/100  
HELP\_TEXT.....  
ID.....{ECB85701-8B21-407A-9E0B-C015834E984B}  
TERM.....20/100

DATA VALUE: 20/15

-----  
ABBREVIATION.....20/15  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/15  
HELP\_TEXT.....  
ID.....{0DB4E45B-A96C-4D11-B59E-A89C9F531146}  
TERM.....20/15

DATA VALUE: 20/20

-----  
ABBREVIATION.....20/20  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/20  
HELP\_TEXT.....  
ID.....{FE086353-09B2-4314-84E9-FA909253AAED}  
TERM.....20/20

DATA VALUE: 20/200

-----  
ABBREVIATION.....20/200  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/200  
HELP\_TEXT.....  
ID.....{C3CAF0D6-22A6-4FD5-B8BB-55771F416D4E}  
TERM.....20/200

DATA VALUE: 20/25

-----  
ABBREVIATION.....20/25  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/25  
HELP\_TEXT.....  
ID.....{4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB}  
TERM.....20/25

DATA VALUE: 20/30

-----  
ABBREVIATION.....20/30  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/30  
HELP\_TEXT.....  
ID.....{667B5FCD-A85D-4054-BFA9-3DA9DDD21306}  
TERM.....20/30

DATA VALUE: 20/300

-----  
ABBREVIATION.....20/300  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/300  
HELP\_TEXT.....  
ID.....{E6976753-667B-418B-A6E3-0A7CD010CAC0}  
TERM.....20/300

DATA VALUE: 20/40

-----  
ABBREVIATION.....20/40  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/40  
HELP\_TEXT.....  
ID.....{048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF}  
TERM.....20/40

DATA VALUE: 20/400

-----  
ABBREVIATION.....20/400  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/400  
HELP\_TEXT.....  
ID.....{AE8E4C3E-D031-4047-B44E-06F4EB29C73B}  
TERM.....20/400

DATA VALUE: 20/50

-----  
ABBREVIATION.....20/50  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/50  
HELP\_TEXT.....  
ID.....{C679C160-D93A-431C-8F28-800D64A019D5}  
TERM.....20/50

DATA VALUE: 20/60

-----  
ABBREVIATION.....20/60  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/60  
HELP\_TEXT.....  
ID.....{AEAA52C2-1450-45B4-A512-73E339718B02}  
TERM.....20/60

DATA VALUE: 20/70

-----  
ABBREVIATION.....20/70  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/70  
HELP\_TEXT.....  
ID.....{B0279832-605C-4441-B568-C131636EB634}  
TERM.....20/70

DATA VALUE: 20/80

-----  
ABBREVIATION.....20/80  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/80  
HELP\_TEXT.....  
ID.....{60F51F22-C739-4BD1-A77E-D224517F861F}  
TERM.....20/80



DATA VALUE: 20/800

-----  
ABBREVIATION.....20/800  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/800  
HELP\_TEXT.....  
ID.....{1303A571-B57C-4757-AC5B-286E6B09343A}  
TERM.....20/800

DATA VALUE: 2000 CALORIE CONTROLLED

-----  
ABBREVIATION.....2000 CAL C  
ACTIVE.....Yes  
DESCRIPTION.....2000 Calorie Controlled Diet  
DISPLAY\_NAME.....2000 Calorie Controlled Diet  
HELP\_TEXT.....No Help Text  
ID.....{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}  
TERM.....2000 CALORIE CONTROLLED

DATA VALUE: 2000 DIABETIC

-----  
ABBREVIATION.....2000 DIAB  
ACTIVE.....Yes  
DESCRIPTION.....2000 Diabetic Diet  
DISPLAY\_NAME.....2000 Diabetic Diet  
HELP\_TEXT.....No Help Text  
ID.....{DF3056C9-3AEA-4F4E-B758-E35590080AFB}  
TERM.....2000 DIABETIC

DATA VALUE: 2200 CALORIE CONTROLLED

-----  
ABBREVIATION.....2200 CAL C  
ACTIVE.....Yes  
DESCRIPTION.....2200 Calorie Controlled Diet  
DISPLAY\_NAME.....2200 Calorie Controlled Diet  
HELP\_TEXT.....No Help Text  
ID.....{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}  
TERM.....2200 CALORIE CONTROLLED

DATA VALUE: 2200 DIABETIC

-----  
ABBREVIATION.....2200 DIAB  
ACTIVE.....Yes  
DESCRIPTION.....2200 Diabetic Diet  
DISPLAY\_NAME.....2200 Diabetic Diet  
HELP\_TEXT.....No Help Text  
ID.....{1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}  
TERM.....2200 DIABETIC

DATA VALUE: 2400 CALORIE CONTROLLED

-----  
ABBREVIATION.....2400 CAL C  
ACTIVE.....Yes  
DESCRIPTION.....2400 Calorie Controlled Diet  
DISPLAY\_NAME.....2400 Calorie Controlled Diet  
HELP\_TEXT.....No Help Text  
ID.....{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}  
TERM.....2400 CALORIE CONTROLLED

DATA VALUE: 2400 DIABETIC

-----  
ABBREVIATION.....2400 DIAB  
ACTIVE.....Yes  
DESCRIPTION.....2400 Diabetic Diet  
DISPLAY\_NAME.....2400 Diabetic Diet  
HELP\_TEXT.....No Help Text  
ID.....{2018FB65-3D4E-47E0-90E9-205A45EDF130}  
TERM.....2400 DIABETIC

DATA VALUE: 25 PERCENT ALBUMIN

-----  
ABBREVIATION.....25 PERC AL  
ACTIVE.....Yes  
DESCRIPTION.....25 Percent Albumin  
DISPLAY\_NAME.....25 Percent Albumin  
HELP\_TEXT.....No Help Text  
ID.....{2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}  
TERM.....25 PERCENT ALBUMIN

DATA VALUE: 2:4

-----  
ABBREVIATION.....2:4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2:4  
HELP\_TEXT.....No Help Text  
ID.....{7D423C9A-42B3-4FDD-999B-889193492F5C}  
TERM.....2:4

DATA VALUE: 2A

-----  
ABBREVIATION.....2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2A  
HELP\_TEXT.....No Help Text  
ID.....{C75BDC9F-C756-9051-CAA3-A27DDD94B35E}  
TERM.....2A

DATA VALUE: 2A + 1V

-----  
ABBREVIATION.....2+1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2A + 1V  
HELP\_TEXT.....No Help Text  
ID.....{1849AA0D-1572-55E0-A780-ACE602E2C72D}  
TERM.....2A + 1V

DATA VALUE: 2A + 2V

-----  
ABBREVIATION.....2+2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2A + 2V  
HELP\_TEXT.....No Help Text  
ID.....{17203251-68E8-A00A-CF54-E2CC55B8EEDD}  
TERM.....2A + 2V

DATA VALUE: 2V

-----  
ABBREVIATION.....2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2V  
HELP\_TEXT.....No Help Text  
ID.....{D24B5FA4-1DA6-36DE-49DB-627A9B82E968}  
TERM.....2V

DATA VALUE: 3 - HR 130 OR MORE

-----  
ABBREVIATION.....HR 130 +  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - HR 130 or More  
HELP\_TEXT.....  
ID.....{CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}  
TERM.....3 - HR 130 OR MORE

DATA VALUE: 3 - ABNORMAL FLEXION FROM PAIN

-----  
ABBREVIATION.....3-affp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Abnormal Flexion From Pain  
HELP\_TEXT.....No Help Text  
ID.....{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}  
TERM.....3 - ABNORMAL FLEXION FROM PAIN

DATA VALUE: 3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----  
ABBREVIATION.....CIWA PS 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Beads Of Sweat Obvious On Forehead  
HELP\_TEXT.....No Help Text  
ID.....{663591B6-3FB4-4060-8A49-18747F857B16}  
TERM.....3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS

-----  
ABBREVIATION.....CIWA OR 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Disoriented For Date By More Than  
2 Calendar Days  
HELP\_TEXT.....No Help Text  
ID.....{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}  
TERM.....3 - DISORIENTED FOR DATE > 2 CALENDAR  
DAYS

DATA VALUE: 3 - EXTENSIVE ASSISTANCE

-----  
ABBREVIATION.....3 Extensiv  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Extensive Assistance  
HELP\_TEXT.....  
ID.....{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
TERM.....3 - EXTENSIVE ASSISTANCE

DATA VALUE: 3 - INAPPROPRIATE WORDS

-----  
ABBREVIATION.....3-iw  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Inappropriate Words  
HELP\_TEXT.....No Help Text  
ID.....{FE000191-243E-4D32-1E1E-546EE2CF88A5}  
TERM.....3 - INAPPROPRIATE WORDS

DATA VALUE: 3 - INTERMITTENT NAUSEA WITH DRY HEAVES

-----  
ABBREVIATION.....CIWA NV 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Intermittent Nausea With Dry Heaves  
HELP\_TEXT.....No Help Text  
ID.....{D299B4E1-0FF4-474D-BECD-5537391EEE7A}  
TERM.....3 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 3 - LESS THAN 10MLS/HR

-----  
ABBREVIATION.....< 10mls/hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Less than 10mls/hr  
HELP\_TEXT.....  
ID.....{E013F8AC-7DBE-4F13-BF48-0317A46332CC}  
TERM.....3 - LESS THAN 10MLS/HR

DATA VALUE: 3 - MODERATE

-----  
ABBREVIATION.....CIWA HA 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate  
HELP\_TEXT.....No Help Text  
ID.....{F26EB828-6864-4384-9EBB-35A6CDCACC59}  
TERM.....3 - MODERATE

DATA VALUE: 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN

-----  
ABBREVIATION.....CIWA AU 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate Harshness Or Ability To  
Frighten  
HELP\_TEXT.....No Help Text  
ID.....{77F59277-6CE4-4323-8531-3CA26E13C9C4}  
TERM.....3 - MODERATE HARSHNESS OR ABILITY TO  
FRIGHTEN

DATA VALUE: 3 - MODERATE ITCHING PINS/NEEDLES BURNING

-----  
ABBREVIATION.....CIWA TC 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate Itching, Pins/Needles,  
Burning, Numbness  
HELP\_TEXT.....No Help Text  
ID.....{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}  
TERM.....3 - MODERATE ITCHING PINS/NEEDLES  
BURNING

DATA VALUE: 3 - MODERATE SENSITIVITY

-----  
ABBREVIATION.....CIWA VS 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate Sensitivity  
HELP\_TEXT.....No Help Text  
ID.....{D673A630-1F1E-4734-AADE-17586C48E8B9}  
TERM.....3 - MODERATE SENSITIVITY

DATA VALUE: 3 - MODERATE WITH PATIENTS ARMS EXTENDED

-----  
ABBREVIATION.....CIWA TR 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate With Patient's Arms  
                  Extended  
HELP\_TEXT.....No Help Text  
ID.....{36FF0AB3-F5ED-4CBA-A6F3-110DFCB65244}  
TERM.....3 - MODERATE WITH PATIENTS ARMS  
                  EXTENDED

DATA VALUE: 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY

-----  
ABBREVIATION.....3 Phys Bat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Physical Help in Part of Bathing  
                  Activity  
HELP\_TEXT.....  
ID.....{1F24B08B-A5C1-4430-AC56-B40C347E1DDE}  
TERM.....3 - PHYSICAL HELP IN PART OF BATHING  
                  ACTIVITY

DATA VALUE: 3 - RR 30 OR MORE

-----  
ABBREVIATION.....RR 30 or +  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - RR 30 or More  
HELP\_TEXT.....  
ID.....{6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}  
TERM.....3 - RR 30 OR MORE

DATA VALUE: 3 - SBP 70 OR LESS

-----  
ABBREVIATION.....SBP 70 or<  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - SBP 70 or less  
HELP\_TEXT.....  
ID.....{84DE09CE-FCB0-4E07-A72F-C1064CECF094}  
TERM.....3 - SBP 70 OR LESS

DATA VALUE: 3 - STRONG

-----  
ABBREVIATION.....3-s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Strong  
HELP\_TEXT.....No Help Text  
ID.....{C55EAB72-7816-5440-84E9-6E7E190ED197}  
TERM.....3 - STRONG

DATA VALUE: 3 - TO VERBAL COMMAND

-----  
ABBREVIATION.....3-tvc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - To Verbal Command  
HELP\_TEXT.....No Help Text  
ID.....{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}  
TERM.....3 - TO VERBAL COMMAND

DATA VALUE: 3 - TWO + PERSONS PHYSICAL ASSIST

-----  
ABBREVIATION.....3 + asst  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Two + Persons Physical Assist  
HELP\_TEXT.....  
ID.....{AE401096-DF23-4A6E-8842-E1F58829902A}  
TERM.....3 - TWO + PERSONS PHYSICAL ASSIST

DATA VALUE: 3 - UNRESPONSIVE

-----  
ABBREVIATION.....Unresponsi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Unresponsive  
HELP\_TEXT.....  
ID.....{F40F8A1E-ED15-424A-9481-3527B0E69DF1}  
TERM.....3 - UNRESPONSIVE

DATA VALUE: 3 = BILATERAL HEMIANOPIA

-----  
ABBREVIATION.....Bilateral  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Bilateral Hemianopia  
HELP\_TEXT.....  
ID.....{89969DC1-30BA-494A-A8C8-4344C2C75D0E}  
TERM.....3 = BILATERAL HEMIANOPIA

DATA VALUE: 3 = COMPLETE PARALYSIS

-----  
ABBREVIATION.....3 = comple  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Complete Paralysis  
HELP\_TEXT.....  
ID.....{F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}  
TERM.....3 = COMPLETE PARALYSIS

DATA VALUE: 3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION

-----  
ABBREVIATION.....POSS 3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Frequently Drowsy, Arousable,  
                  Drifts Off to Sleep During  
                  Conversation  
HELP\_TEXT.....  
ID.....{95111092-85B2-463A-8F97-F6E56AEC1730}  
TERM.....3 = FREQUENTLY DROWSY, AROUSABLE,  
                  DRIFTS OFF TO SLEEP DURING  
                  CONVERSATION

DATA VALUE: 3 = MUTE, GLOBAL APHASIA

-----  
ABBREVIATION.....Mute  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Mute, Global Aphasia  
HELP\_TEXT.....  
ID.....{E357021D-2B57-4AC2-BDA5-73B61726D183}  
TERM.....3 = MUTE, GLOBAL APHASIA

DATA VALUE: 3 = NO EFFORT AGAINST GRAVITY

-----  
ABBREVIATION.....No Effort  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = No Effort Against Gravity  
HELP\_TEXT.....  
ID.....{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}  
TERM.....3 = NO EFFORT AGAINST GRAVITY

DATA VALUE: 3 = UNRESPONSIVE

-----  
ABBREVIATION.....3 = Unresp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Unresponsive  
HELP\_TEXT.....  
ID.....{A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}  
TERM.....3 = UNRESPONSIVE

DATA VALUE: 3 WAY FOLEY

-----  
ABBREVIATION.....3WAY FOLEY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 Way Foley  
HELP\_TEXT.....No Help Text  
ID.....{32408760-F517-4530-AEC0-54FE0A6A062B}  
TERM.....3 WAY FOLEY



DATA VALUE: 3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED

-----  
ABBREVIATION.....3epcbo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3+=Bounding, Easily Palpable, Cannot  
Be Obliterated  
HELP\_TEXT.....No Help Text  
ID.....{7A7A07ED-26B6-A3BF-C564-94BD4F6D4E1C}  
TERM.....3+=BOUNDING, EASILY PALPABLE, CANNOT  
BE OBLITERATED

DATA VALUE: 3. CHANGED

-----  
ABBREVIATION.....3. Changed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3. Changed  
HELP\_TEXT.....  
ID.....{1F23AD0D-376F-4F2D-ADF4-ADF5CD475633}  
TERM.....3. CHANGED

DATA VALUE: 34 ml

-----  
ABBREVIATION.....34 ml  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....34 ml  
HELP\_TEXT.....No Help Text  
ID.....{25952BB5-50B1-4CC0-9483-8AF891767045}  
TERM.....34 ml

DATA VALUE: 3:4

-----  
ABBREVIATION.....3:4  
ACTIVE.....Yes  
DESCRIPTION.....3:4  
DISPLAY\_NAME.....3:4  
HELP\_TEXT.....No Help Text  
ID.....{E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2}  
TERM.....3:4

DATA VALUE: 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----  
ABBREVIATION.....CIWA PS 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Beads Of Sweat Obvious On Forehead  
HELP\_TEXT.....No Help Text  
ID.....{8388B1A0-46EA-4003-A32B-A2C708A6F056}  
TERM.....4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 4 - DISORIENTED AND CONVERSES

-----  
ABBREVIATION.....4-dac  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Disoriented And Converses  
HELP\_TEXT.....No Help Text  
ID.....{D43F646D-A130-5D06-6DC6-DDB971027231}  
TERM.....4 - DISORIENTED AND CONVERSES

DATA VALUE: 4 - DISORIENTED FOR PLACE OR PERSON

-----  
ABBREVIATION.....CIWA OR 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Disoriented For Place/Or Person  
HELP\_TEXT.....No Help Text  
ID.....{03BBFFA2-233A-41A1-8212-F988889C5E72}  
TERM.....4 - DISORIENTED FOR PLACE OR PERSON

DATA VALUE: 4 - INTERMITTENT NAUSEA WITH DRY HEAVES

-----  
ABBREVIATION.....CIWA NV 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Intermittent Nausea With Dry Heaves  
HELP\_TEXT.....No Help Text  
ID.....{7FBE10F0-472F-4F21-BE55-0892259141B5}  
TERM.....4 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 4 - MODERATE WITH PATIENTS ARMS EXTENDED

-----  
ABBREVIATION.....CIWA TR 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderate With Patient's Arms  
Extended  
HELP\_TEXT.....No Help Text  
ID.....{79CE1486-151C-4492-AFD2-7845DD69DA9E}  
TERM.....4 - MODERATE WITH PATIENTS ARMS  
EXTENDED

DATA VALUE: 4 - MODERATELY ANXIOUS

-----  
ABBREVIATION.....CIWA AX 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderately Anxious, Or Guarded,  
Anxiety Is Inferred  
HELP\_TEXT.....No Help Text  
ID.....{9A01FEFD-844C-4FAB-BEC3-96333495FA62}  
TERM.....4 - MODERATELY ANXIOUS

DATA VALUE: 4 - MODERATELY FIDGETY AND RESTLESS

-----  
ABBREVIATION.....CIWA AG 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderately Fidgety And Restless  
HELP\_TEXT.....No Help Text  
ID.....{B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}  
TERM.....4 - MODERATELY FIDGETY AND RESTLESS

DATA VALUE: 4 - MODERATELY SEVERE

-----  
ABBREVIATION.....CIWA HA 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderately Severe  
HELP\_TEXT.....No Help Text  
ID.....{83B3DE0F-3BA4-4B0A-A222-F372BD403094}  
TERM.....4 - MODERATELY SEVERE

DATA VALUE: 4 - MODERATELY SEVERE HALLUCINATIONS

-----  
ABBREVIATION.....CIWA 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderately Severe Hallucinations  
HELP\_TEXT.....No Help Text  
ID.....{13FCDA97-A967-4993-AED5-13EBA61F3102}  
TERM.....4 - MODERATELY SEVERE HALLUCINATIONS

DATA VALUE: 4 - SPONTANEOUSLY

-----  
ABBREVIATION.....4-s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Spontaneously  
HELP\_TEXT.....No Help Text  
ID.....{4612FC84-FCA8-8C85-50DC-A9A42C195F51}  
TERM.....4 - SPONTANEOUSLY

DATA VALUE: 4 - TOTAL DEPENDENCE

-----  
ABBREVIATION.....4 Tot Dep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Total Dependence  
HELP\_TEXT.....  
ID.....{062C8F50-294A-48CF-8E81-0C6D7787A4B1}  
TERM.....4 - TOTAL DEPENDENCE

DATA VALUE: 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE

-----  
ABBREVIATION.....4 Full Stf  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Total Dependence - Full Staff  
Performance  
HELP\_TEXT.....  
ID.....{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
TERM.....4 - TOTAL DEPENDENCE - FULL STAFF  
PERFORMANCE

DATA VALUE: 4 - WITHDRAWS FROM PAIN

-----  
ABBREVIATION.....4-wfp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Withdraws From Pain  
HELP\_TEXT.....No Help Text  
ID.....{D808ACF1-30CB-29AB-4957-E91D63C4DF18}  
TERM.....4 - WITHDRAWS FROM PAIN

DATA VALUE: 4 = NO MOVEMENT

-----  
ABBREVIATION.....No Movem  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 = No Movement  
HELP\_TEXT.....  
ID.....{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}  
TERM.....4 = NO MOVEMENT

DATA VALUE: 4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION

-----  
ABBREVIATION.....POSS 4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 = Somnolent, Minimal or No Response  
to Verbal or Physical Stimulation  
HELP\_TEXT.....  
ID.....{7CC72ED2-FB08-4CE3-BD56-674D0DD6D3C2}  
TERM.....4 = SOMNOLENT, MINIMAL OR NO RESPONSE  
TO VERBAL OR PHYSICAL STIMULATION

DATA VALUE: 4 HOUR

-----  
ABBREVIATION.....4 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 Hour  
HELP\_TEXT.....No Help Text  
ID.....{91B2A49D-0308-47C9-B220-63A0E318A201}  
TERM.....4 HOUR

DATA VALUE: 4. REINFORCED

-----  
ABBREVIATION.....4. Reinf  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4. Reinforced  
HELP\_TEXT.....  
ID.....{5D06DC53-DB40-47B2-9257-8FD206463014}  
TERM.....4. REINFORCED

DATA VALUE: 40 ml

-----  
ABBREVIATION.....40 ml  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....40 ml  
HELP\_TEXT.....No Help Text  
ID.....{37A2998F-AB1C-4493-9C7A-FFCB05ED2302}  
TERM.....40 ml

DATA VALUE: 4:4

-----  
ABBREVIATION.....4:4  
ACTIVE.....Yes  
DESCRIPTION.....4:4  
DISPLAY\_NAME.....4:4  
HELP\_TEXT.....No Help Text  
ID.....{E9FCD5A0-995A-401D-8E85-6F0C753609B6}  
TERM.....4:4

DATA VALUE: 5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

-----  
ABBREVIATION.....CIWA NV 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Constant Nausea W Frequent Heaves  
and Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{3A90064F-0B58-48AB-ABEE-188F215F4E33}  
TERM.....5 - CONSTANT NAUSEA W FREQUENT HEAVES  
AND VOMITING

DATA VALUE: 5 - DRENCHING SWEAT

-----  
ABBREVIATION.....CIWA PS 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Drenching Sweat  
HELP\_TEXT.....No Help Text  
ID.....{4CAA2CFF-6DA5-4238-A25B-4D3A960808A9}  
TERM.....5 - DRENCHING SWEAT

DATA VALUE: 5 - LOCALIZES PAIN

-----  
ABBREVIATION.....5-lp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Localizes Pain  
HELP\_TEXT.....No Help Text  
ID.....{CF13650F-899B-6AE1-5913-DC1F4776E5E4}  
TERM.....5 - LOCALIZES PAIN

DATA VALUE: 5 - ORIENTED AND CONVERSES

-----  
ABBREVIATION.....5-oac  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Oriented And Converses  
HELP\_TEXT.....No Help Text  
ID.....{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}  
TERM.....5 - ORIENTED AND CONVERSES

DATA VALUE: 5 - SEVERE

-----  
ABBREVIATION.....CIWA HA 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Severe  
HELP\_TEXT.....No Help Text  
ID.....{7BD7B91F-DF6F-47B9-BAA6-3EF249340578}  
TERM.....5 - SEVERE

DATA VALUE: 5 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----  
ABBREVIATION.....CIWA TR 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Severe Even With Arms Not Extended  
HELP\_TEXT.....No Help Text  
ID.....{611A344A-C540-4861-81D7-681DAF1AA473}  
TERM.....5 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 5 - SEVERE HALLUCINATIONS

-----  
ABBREVIATION.....CIWA 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Severe Hallucinations  
HELP\_TEXT.....No Help Text  
ID.....{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}  
TERM.....5 - SEVERE HALLUCINATIONS

DATA VALUE: 5 PERCENT ALBUMIN

-----  
ABBREVIATION.....5 PERC ALB  
ACTIVE.....Yes  
DESCRIPTION.....5 Percent Albumin  
DISPLAY\_NAME.....5 Percent Albumin  
HELP\_TEXT.....No Help Text  
ID.....{38CE47CB-736B-475E-8E89-C4C13F2DF184}  
TERM.....5 PERCENT ALBUMIN

DATA VALUE: 6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

-----  
ABBREVIATION.....CIWA NV 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Constant Nausea W Frequent Heaves  
and Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{446FE39A-EB53-4D6B-B5B8-1370A5D55EEB}  
TERM.....6 - CONSTANT NAUSEA W FREQUENT HEAVES  
AND VOMITING

DATA VALUE: 6 - DRENCHING SWEAT

-----  
ABBREVIATION.....CIWA PS 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Drenching Sweat  
HELP\_TEXT.....No Help Text  
ID.....{7294B311-9032-4FE1-9779-363D19FD1FD3}  
TERM.....6 - DRENCHING SWEAT

DATA VALUE: 6 - EXTREMELY SEVERE HALLUCINATIONS

-----  
ABBREVIATION.....CIWA 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Extremely Severe Hallucinations  
HELP\_TEXT.....No Help Text  
ID.....{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}  
TERM.....6 - EXTREMELY SEVERE HALLUCINATIONS

DATA VALUE: 6 - OBEYS COMMANDS

-----  
ABBREVIATION.....6-oc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Obeys Commands  
HELP\_TEXT.....No Help Text  
ID.....{0D4956F4-7E79-8D17-EDF3-274B96BBC89A}  
TERM.....6 - OBEYS COMMANDS

DATA VALUE: 6 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----  
ABBREVIATION.....CIWA TR 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Severe Even With Arms Not Extended  
HELP\_TEXT.....No Help Text  
ID.....{9BCF893C-76D0-4A3E-80D0-281A917F1A08}  
TERM.....6 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 6 - VERY SEVERE

-----  
ABBREVIATION.....CIWA HA 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Very Severe  
HELP\_TEXT.....No Help Text  
ID.....{241C1EF4-2E2A-4D65-9991-607BB6B29E01}  
TERM.....6 - VERY SEVERE

DATA VALUE: 6 HOUR

-----  
ABBREVIATION.....6 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 Hour  
HELP\_TEXT.....No Help Text  
ID.....{0D1F000A-01F0-422C-9CB8-2A04CD479444}  
TERM.....6 HOUR

DATA VALUE: 6 PERCENT HETASTARCH

-----  
ABBREVIATION.....6 PERC HET  
ACTIVE.....Yes  
DESCRIPTION.....6 Percent Hetastarch  
DISPLAY\_NAME.....6 Percent Hetastarch  
HELP\_TEXT.....No Help Text  
ID.....{D94072C9-87E8-46CA-929F-4904F3BD964C}  
TERM.....6 PERCENT HETASTARCH

DATA VALUE: 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT

-----  
ABBREVIATION.....60 Min Rev  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....60 Minutes Since Administration of  
Reversal Agent  
HELP\_TEXT.....  
ID.....{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}  
TERM.....60 MINUTES SINCE ADMINISTRATION OF  
REVERSAL AGENT



DATA VALUE: 7 - ACUTE PANIC

-----  
ABBREVIATION.....CIWA AX 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Equivalent To Acute Panic States  
HELP\_TEXT.....No Help Text  
ID.....{3F5E6786-FD67-405F-A535-EC1609910F14}  
TERM.....7 - ACUTE PANIC

DATA VALUE: 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

-----  
ABBREVIATION.....CIWA NV 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Constant Nausea W Frequent Heaves  
and Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{7F1076C4-C655-4BF2-8BB1-036F5169B619}  
TERM.....7 - CONSTANT NAUSEA W FREQUENT HEAVES  
AND VOMITING

DATA VALUE: 7 - CONTINUOUS HALLUCINATIONS

-----  
ABBREVIATION.....CIWA 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Continuous Hallucinations  
HELP\_TEXT.....No Help Text  
ID.....{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}  
TERM.....7 - CONTINUOUS HALLUCINATIONS

DATA VALUE: 7 - DRENCHING SWEAT

-----  
ABBREVIATION.....CIWA PS 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Drenching Sweat  
HELP\_TEXT.....No Help Text  
ID.....{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}  
TERM.....7 - DRENCHING SWEAT

DATA VALUE: 7 - EXTREMELY SEVERE

-----  
ABBREVIATION.....CIWA HA 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Extremely Severe  
HELP\_TEXT.....No Help Text  
ID.....{F8DCC910-D36D-480E-867E-B45221170C49}  
TERM.....7 - EXTREMELY SEVERE

DATA VALUE: 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW

-----  
ABBREVIATION.....CIWA AG 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Pacing Back And Forth The  
                  Interview/Thrashing  
HELP\_TEXT.....No Help Text  
ID.....{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}  
TERM.....7 - PACING BACK AND FORTH MOST OF THE  
                  INTERVIEW

DATA VALUE: 7 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----  
ABBREVIATION.....CIWA TR 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Severe Even With Arms Not Extended  
HELP\_TEXT.....No Help Text  
ID.....{FE0BE72E-913A-48CD-BABF-C5B742AFED93}  
TERM.....7 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 8 - ACTIVITY DID NOT OCCUR

-----  
ABBREVIATION.....8 d/n occ  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....8 - Activity Did Not Occur  
HELP\_TEXT.....  
ID.....{8B586CC9-2360-4060-B660-021C25E28F0F}  
TERM.....8 - ACTIVITY DID NOT OCCUR

DATA VALUE: 8 HOUR

-----  
ABBREVIATION.....8 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....8 Hour  
HELP\_TEXT.....No Help Text  
ID.....{05E46D8F-C165-4552-8063-B735DECD4AF3}  
TERM.....8 HOUR

DATA VALUE: AAI

-----  
ABBREVIATION.....AAI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AAI  
HELP\_TEXT.....No Help Text  
ID.....{2DD18ACA-B98E-24D3-E760-6D082A76074B}  
TERM.....AAI

DATA VALUE: AAIR

-----  
ABBREVIATION.....AAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AAIR  
HELP\_TEXT.....No Help Text  
ID.....{3B4B6F37-B631-BE32-F1C1-65B99D0C5018}  
TERM.....AAIR

DATA VALUE: AAO

-----  
ABBREVIATION.....AAO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AAO  
HELP\_TEXT.....No Help Text  
ID.....{E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}  
TERM.....AAO

DATA VALUE: ABDOMINAL

-----  
ABBREVIATION.....ABDOMINAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Abdominal  
HELP\_TEXT.....No Help Text  
ID.....{29E279F4-5D2E-4644-A2FA-CF85BEDFD480}  
TERM.....ABDOMINAL

DATA VALUE: ABLE TO AMBULATE

-----  
ABBREVIATION.....AMBULAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Able to Ambulate  
HELP\_TEXT.....No Help Text  
ID.....{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}  
TERM.....ABLE TO AMBULATE

DATA VALUE: ABRASION

-----  
ABBREVIATION.....ABRASION  
ACTIVE.....Yes  
DESCRIPTION.....Abrasion  
DISPLAY\_NAME.....Abrasion  
HELP\_TEXT.....No Help Text  
ID.....{7E962B43-24B1-46D2-A79A-5481117271A}  
TERM.....ABRASION

DATA VALUE: ABSENT

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Absent  
HELP\_TEXT.....No Help Text  
ID.....{6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
TERM.....ABSENT

DATA VALUE: ABSENT TO MINIMAL BLEEDING

-----  
ABBREVIATION.....ABS BLEE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Absent to Minimal Bleeding  
HELP\_TEXT.....No Help Text  
ID.....{123460FB-1A8D-45AB-B0A2-489EAB482F67}  
TERM.....ABSENT TO MINIMAL BLEEDING

DATA VALUE: ACCELERATING

-----  
ABBREVIATION.....ACCELERATI  
ACTIVE.....Yes  
DESCRIPTION.....Accelerating  
DISPLAY\_NAME.....Accelerating  
HELP\_TEXT.....Accelerating  
ID.....{514FE300-87EE-4C2C-AC70-5E57DBECAFF7}  
TERM.....ACCELERATING

DATA VALUE: ACHING

-----  
ABBREVIATION.....ACHING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aching  
HELP\_TEXT.....No Help Text  
ID.....{736BC1A4-2DA7-4A56-ACC0-28086EA103E0}  
TERM.....ACHING

DATA VALUE: ACTIVE RANGE OF MOTION

-----  
ABBREVIATION.....ACTIVE ROM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Active Range Of Motion  
HELP\_TEXT.....No Help Text  
ID.....{F55E68F3-6788-47AE-B962-119413B4A089}  
TERM.....ACTIVE RANGE OF MOTION

DATA VALUE: ACTIVITIES OF DAILY LIVING

-----  
ABBREVIATION.....ADL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Activities of Daily Living  
HELP\_TEXT.....No Help Text  
ID.....{12F2CA66-3DCE-443D-883C-119CE4838B4A}  
TERM.....ACTIVITIES OF DAILY LIVING

DATA VALUE: ADMISSION

-----  
ABBREVIATION.....ADMISSION  
ACTIVE.....Yes  
DESCRIPTION.....Admission  
DISPLAY\_NAME.....Admission  
HELP\_TEXT.....No Help Text  
ID.....{483C2830-813A-46C3-A012-CCD70044B2A2}  
TERM.....ADMISSION

DATA VALUE: ADMISSION DIAGNOSIS

-----  
ABBREVIATION.....ADM DIAG  
ACTIVE.....Yes  
DESCRIPTION.....Admission Diagnosis  
DISPLAY\_NAME.....Admission Diagnosis  
HELP\_TEXT.....Admission Diagnosis  
ID.....{2EEC3F2F-9802-46C5-AB47-008AFA093A7F}  
TERM.....ADMISSION DIAGNOSIS

DATA VALUE: ADULT

-----  
ABBREVIATION.....ADULT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult  
HELP\_TEXT.....No Help Text  
ID.....{37B557BE-B932-4757-8E08-5EA315E8AD1F}  
TERM.....ADULT

DATA VALUE: ADULT LARGE

-----  
ABBREVIATION.....AD LARGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult Large  
HELP\_TEXT.....No Help Text  
ID.....{38E64D72-2806-47FA-B82F-51844574F850}  
TERM.....ADULT LARGE

DATA VALUE: ADULT SMALL

-----  
ABBREVIATION.....AD SMALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult Small  
HELP\_TEXT.....No Help Text  
ID.....{0161A4E5-713A-406B-B3FD-9ED13BEB5366}  
TERM.....ADULT SMALL

DATA VALUE: ADVANCED CARE PLANNING

-----  
ABBREVIATION.....ADV CAR PL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Advanced Care Planning  
HELP\_TEXT.....No Help Text  
ID.....{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}  
TERM.....ADVANCED CARE PLANNING

DATA VALUE: AGENT CASHIER

-----  
ABBREVIATION.....Cashier  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Agent Cashier  
HELP\_TEXT.....  
ID.....{3849A887-F353-4215-88FD-DDD0188BE1BB}  
TERM.....AGENT CASHIER

DATA VALUE: AGITATED

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Agitated  
HELP\_TEXT.....No Help Text  
ID.....{BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}  
TERM.....AGITATED

DATA VALUE: AGONAL

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Agonal  
HELP\_TEXT.....No Help Text  
ID.....{1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}  
TERM.....AGONAL

DATA VALUE: AGONIZING

-----  
ABBREVIATION.....AGONIZING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Agonizing  
HELP\_TEXT.....No Help Text  
ID.....{F43DF9E7-555B-49FF-987C-35F083D547AA}  
TERM.....AGONIZING

DATA VALUE: AICD

-----  
ABBREVIATION.....AICD  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....AICD  
HELP\_TEXT.....  
ID.....{EDB0E730-A1DC-4639-888B-30E956CCA958}  
TERM.....AICD

DATA VALUE: AIR FLOW DEVICE

-----  
ABBREVIATION.....AIR FLOW D  
ACTIVE.....Yes  
DESCRIPTION.....Air Flow Device  
DISPLAY\_NAME.....Air Flow Device  
HELP\_TEXT.....Air Flow Device  
ID.....{60AF6215-CE2A-4EEE-9596-909E3E50BE71}  
TERM.....AIR FLOW DEVICE

DATA VALUE: AIR LEAK

-----  
ABBREVIATION.....AIR LEAK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Air Leak  
HELP\_TEXT.....No Help Text  
ID.....{52E40E25-6D28-53EC-BC05-D1FEAA4616EF}  
TERM.....AIR LEAK

DATA VALUE: AIRBORNE

-----  
ABBREVIATION.....AIRBORNE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Airborne  
HELP\_TEXT.....No Help Text  
ID.....{D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}  
TERM.....AIRBORNE

DATA VALUE: AIRWAY REFLEXES INTACT / SECRETIONS

-----  
ABBREVIATION.....AIR REFL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Airway Reflexes Intact Manages  
                  Secretions  
HELP\_TEXT.....No Help Text  
ID.....{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}  
TERM.....AIRWAY REFLEXES INTACT / SECRETIONS

DATA VALUE: ALARMS ON

-----  
ABBREVIATION.....Alarms On  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Alarms On  
HELP\_TEXT.....  
ID.....{A07F739F-3E78-405D-9012-E43CD84B2CBC}  
TERM.....ALARMS ON

DATA VALUE: ALBUMIN

-----  
ABBREVIATION.....ALBUMIN  
ACTIVE.....Yes  
DESCRIPTION.....Albumin  
DISPLAY\_NAME.....Albumin  
HELP\_TEXT.....No Help Text  
ID.....{4CC265EE-F506-4752-8309-E569A25B40E5}  
TERM.....ALBUMIN

DATA VALUE: ALCOHOL PORT PROTECTOR

-----  
ABBREVIATION.....Al Port Pr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Alcohol Port Protector  
HELP\_TEXT.....  
ID.....{785F47CF-A279-46F9-9073-B6A6A70E8888}  
TERM.....ALCOHOL PORT PROTECTOR

DATA VALUE: ALDRETE SCORE 8 OR GREATER

-----  
ABBREVIATION.....ALD 8+  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aldrete Score 8 or Greater  
HELP\_TEXT.....No Help Text  
ID.....{1FACE6D7-BC92-4579-8665-C5E1D3475461}  
TERM.....ALDRETE SCORE 8 OR GREATER



DATA VALUE: ALDRETE SCORE AT BASELINE

-----  
ABBREVIATION.....ALD BASE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aldrete Score at Baseline  
HELP\_TEXT.....No Help Text  
ID.....{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}  
TERM.....ALDRETE SCORE AT BASELINE

DATA VALUE: ALERT

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Alert  
HELP\_TEXT.....No Help Text  
ID.....{BC7E2630-179A-5C80-E6C7-598D42F0BFD6}  
TERM.....ALERT

DATA VALUE: ALERT AND ORIENTED

-----  
ABBREVIATION.....AL AN OR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Alert and Oriented  
HELP\_TEXT.....No Help Text  
ID.....{C031F776-36DF-4570-AFAF-A30B8BFA635B}  
TERM.....ALERT AND ORIENTED

DATA VALUE: ALL DOWN

-----  
ABBREVIATION.....ALL DOWN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....All Down  
HELP\_TEXT.....No Help Text  
ID.....{76C14E79-95E2-49B7-B847-3B114653E98C}  
TERM.....ALL DOWN

DATA VALUE: ALL UP

-----  
ABBREVIATION.....ALL UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....All Up  
HELP\_TEXT.....No Help Text  
ID.....{48199083-ACC2-408C-9242-7A6313CD7A7F}  
TERM.....ALL UP

DATA VALUE: ALLERGY

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Allergy  
HELP\_TEXT.....No Help Text  
ID.....{EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}  
TERM.....ALLERGY

DATA VALUE: ALLERGY WRISTBAND

-----  
ABBREVIATION.....Wristband  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Allergy Wristband  
HELP\_TEXT.....  
ID.....{BB7F6746-102D-4CBA-8E53-EA465176812B}  
TERM.....ALLERGY WRISTBAND

DATA VALUE: ALOPECIA PARTIAL

-----  
ABBREVIATION.....ALOPE PART  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Alopecia Partial  
HELP\_TEXT.....No Help Text  
ID.....{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}  
TERM.....ALOPECIA PARTIAL

DATA VALUE: ALOPECIA TOTAL

-----  
ABBREVIATION.....ALOPE TOTA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Alopecia Total  
HELP\_TEXT.....No Help Text  
ID.....{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}  
TERM.....ALOPECIA TOTAL

DATA VALUE: AMBER

-----  
ABBREVIATION.....AMBER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Amber  
HELP\_TEXT.....No Help Text  
ID.....{90A13048-4C35-E01D-3482-64D782001D4A}  
TERM.....AMBER

DATA VALUE: AMBULATE AND ASSIST

-----  
ABBREVIATION.....AMB ASSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambulate and Assist  
HELP\_TEXT.....No Help Text  
ID.....{EB53ADD9-B5B0-4174-95C7-C4B33E80DBDC}  
TERM.....AMBULATE AND ASSIST

DATA VALUE: AMBULATED

-----  
ABBREVIATION.....AMBULATED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambulated  
HELP\_TEXT.....No Help Text  
ID.....{017D99FE-91D5-49F1-AC15-50620879C466}  
TERM.....AMBULATED

DATA VALUE: AMBULATORY CARE UNIT

-----  
ABBREVIATION.....ACU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambulatory Care Unit  
HELP\_TEXT.....No Help Text  
ID.....{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}  
TERM.....AMBULATORY CARE UNIT

DATA VALUE: AMPUTEE

-----  
ABBREVIATION.....AMPUTEE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Amputee  
HELP\_TEXT.....No Help-Text  
ID.....{5804286F-2B23-91BD-FCB5-6AD18C918203}  
TERM.....AMPUTEE

DATA VALUE: ANALGESIA

-----  
ABBREVIATION.....ANALGESIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Analgesia  
HELP\_TEXT.....No Help Text  
ID.....{5452ED11-25E1-437B-8048-3BB3E03BE3B9}  
TERM.....ANALGESIA

DATA VALUE: ANESTHESIOLOGIST

-----  
ABBREVIATION.....Anesthesio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Anesthesiologist  
HELP\_TEXT.....  
ID.....{44BAD970-DD8F-4015-9C41-AC7868CEBE79}  
TERM.....ANESTHESIOLOGIST

DATA VALUE: ANGINAL

-----  
ABBREVIATION.....ANGINAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ANGINAL  
HELP\_TEXT.....No Help Text  
ID.....{ECF02415-4124-46D3-AA01-F21AC40FEFF7}  
TERM.....ANGINAL

DATA VALUE: ANNOYING

-----  
ABBREVIATION.....ANNOYING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Annoying  
HELP\_TEXT.....No Help Text  
ID.....{53437530-57C9-4EA8-AC0D-36B5F2BD051D}  
TERM.....ANNOYING

DATA VALUE: ANTI-EMBOLUS STOCKINGS KNEE HIGH

-----  
ABBREVIATION.....ANT EMB KN  
ACTIVE.....Yes  
DESCRIPTION.....ANTI-EMBOLUS STOCKINGS KNEE HIGH  
DISPLAY\_NAME.....Anti-Embolus Stockings Knee High  
HELP\_TEXT.....ANTI-EMBOLUS STOCKINGS KNEE HIGH  
ID.....{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}  
TERM.....ANTI-EMBOLUS STOCKINGS KNEE HIGH

DATA VALUE: ANTI-EMBOLUS STOCKINGS THIGH HIGH

-----  
ABBREVIATION.....ANT EMB ST  
ACTIVE.....Yes  
DESCRIPTION.....ANTI-EMBOLUS STOCKINGS THIGH HIGH  
DISPLAY\_NAME.....Anti-Embolus Stockings Thigh High  
HELP\_TEXT.....ANTI-EMBOLUS STOCKINGS THIGH HIGH  
ID.....{9B32D3F3-47F1-886F-A59A-D8AB38A34754}  
TERM.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

DATA VALUE: ANTI-MICROBIAL DRESSING

-----  
ABBREVIATION.....AB DRESSIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Anti-Microbial Dressing  
HELP\_TEXT.....No Help Text  
ID.....{9734C5E9-D099-47EB-93B1-D82201F64331}  
TERM.....ANTI-MICROBIAL DRESSING

DATA VALUE: ANTIBIOTIC OINTMENT

-----  
ABBREVIATION.....AB OINTMEN  
ACTIVE.....Yes  
DESCRIPTION.....Antibiotic Ointment  
DISPLAY\_NAME.....Antibiotic Ointment  
HELP\_TEXT.....No Help Text  
ID.....{352D9690-77BB-44DC-919E-5357876DEAC4}  
TERM.....ANTIBIOTIC OINTMENT

DATA VALUE: ANTIMICROBIAL DISK

-----  
ABBREVIATION.....WOU DR ADI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Antimicrobial Disk  
HELP\_TEXT.....No Help-Text  
ID.....{1F1745EA-D763-4AFD-9CED-82E974E57692}  
TERM.....ANTIMICROBIAL DISK

DATA VALUE: ANURIC

-----  
ABBREVIATION.....ANURIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Anuric  
HELP\_TEXT.....No Help Text  
ID.....{0CCA4B44-7A59-4042-BAB9-EB2395A63C51}  
TERM.....ANURIC

DATA VALUE: ANXIOUS

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Anxious  
HELP\_TEXT.....No Help Text  
ID.....{381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}  
TERM.....ANXIOUS

DATA VALUE: AOO

-----  
ABBREVIATION.....AOO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AOO  
HELP\_TEXT.....No Help Text  
ID.....{86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}  
TERM.....AOO

DATA VALUE: APNEA

-----  
ABBREVIATION.....Apnea  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Apnea  
HELP\_TEXT.....  
ID.....{BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}  
TERM.....APNEA

DATA VALUE: APPEARS ASLEEP

-----  
ABBREVIATION.....App Asleep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Appears Asleep  
HELP\_TEXT.....  
ID.....{8D1436B8-ADB0-4092-A0CE-383D74131AA8}  
TERM.....APPEARS ASLEEP

DATA VALUE: APPLIANCE CHANGED

-----  
ABBREVIATION.....app change  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Appliance Changed  
HELP\_TEXT.....  
ID.....{CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}  
TERM.....APPLIANCE CHANGED

DATA VALUE: APPROPRIATE

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Appropriate  
HELP\_TEXT.....No Help Text  
ID.....{1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}  
TERM.....APPROPRIATE

DATA VALUE: ARRHYTHMIA

-----  
ABBREVIATION.....Arrhythmi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Arrhythmia  
HELP\_TEXT.....  
ID.....{F12E4852-27E7-4C2C-989F-E973EBDF2C62}  
TERM.....ARRHYTHMIA

DATA VALUE: ARTERIAL LINE CARE

-----  
ABBREVIATION.....ART LINE C  
ACTIVE.....Yes  
DESCRIPTION.....Arterial Line Care  
DISPLAY\_NAME.....Arterial Line Care  
HELP\_TEXT.....No Help Text  
ID.....{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}  
TERM.....ARTERIAL LINE CARE

DATA VALUE: ARTIFICIAL AIRWAY

-----  
ABBREVIATION.....ART AIRWAY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Artificial Airway  
HELP\_TEXT.....No Help Text  
ID.....{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}  
TERM.....ARTIFICIAL AIRWAY

DATA VALUE: ARTIFICIAL VALVES

-----  
ABBREVIATION.....Art Valves  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Artificial Valves  
HELP\_TEXT.....  
ID.....{088BB4A5-A93E-47E2-B21F-BC2957D52693}  
TERM.....ARTIFICIAL VALVES

DATA VALUE: ASA PS 1

-----  
ABBREVIATION.....ASA PS 1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 1  
HELP\_TEXT.....  
ID.....{BAF1730E-C358-17F1-8DB8-4B6097AFF066}  
TERM.....ASA PS 1

DATA VALUE: ASA PS 2

-----  
ABBREVIATION.....ASA PS 2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 2  
HELP\_TEXT.....  
ID.....{070C0F56-3D9C-5430-EF9E-BF3B96DFB595}  
TERM.....ASA PS 2

DATA VALUE: ASA PS 3

-----  
ABBREVIATION.....ASA PS 3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 3  
HELP\_TEXT.....  
ID.....{B041CE25-82D0-EDAD-C673-A64BCD6647F4}  
TERM.....ASA PS 3

DATA VALUE: ASA PS 4

-----  
ABBREVIATION.....ASA PS 4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 4  
HELP\_TEXT.....  
ID.....{040841C3-D933-E687-C7E0-29F439C08778}  
TERM.....ASA PS 4

DATA VALUE: ASA PS 5

-----  
ABBREVIATION.....ASA PS 5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 5  
HELP\_TEXT.....  
ID.....{1F7B73A6-3F8E-E230-1C23-C7DF92032E58}  
TERM.....ASA PS 5

DATA VALUE: ASEPTIC TECHNIQUE FOLLOWED

-----  
ABBREVIATION.....Aseptic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Aseptic Technique Followed  
HELP\_TEXT.....  
ID.....{2DE69DDB-F455-4570-A821-C81F39FD2574}  
TERM.....ASEPTIC TECHNIQUE FOLLOWED



DATA VALUE: ASHEN

-----  
ABBREVIATION.....ASHEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ashen  
HELP\_TEXT.....No Help-Text  
ID.....{7431E4EC-DCF1-4966-85CB-29BF65311855}  
TERM.....ASHEN

DATA VALUE: ASLEEP AT ROUNDS

-----  
ABBREVIATION.....SLEEP ROUN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Appeared Asleep At All Rounds  
HELP\_TEXT.....No Help Text  
ID.....{24E1D9F0-D8F1-4DC8-911F-6170F343C087}  
TERM.....ASLEEP AT ROUNDS

DATA VALUE: ASPIRATION

-----  
ABBREVIATION.....ASPIRATION  
ACTIVE.....Yes  
DESCRIPTION.....Aspiration  
DISPLAY\_NAME.....Aspiration  
HELP\_TEXT.....No Help Text  
ID.....{68B91085-8E3C-4B94-9F97-6305F5DFD900}  
TERM.....ASPIRATION

DATA VALUE: ASSAULTIVE

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Assaultive  
HELP\_TEXT.....No Help Text  
ID.....{99ECD8C7-191A-3B9C-2A7A-803A921065FA}  
TERM.....ASSAULTIVE

DATA VALUE: ASSIGNED ONE TO ONE SITTER

-----  
ABBREVIATION.....One to One  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Assigned One to One Sitter  
HELP\_TEXT.....  
ID.....{07D48368-101F-4974-9EC5-7CB182A39281}  
TERM.....ASSIGNED ONE TO ONE SITTER

DATA VALUE: ASSIST CONTROL

-----  
ABBREVIATION.....AC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Assist Control  
HELP\_TEXT.....No Help Text  
ID.....{862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}  
TERM.....ASSIST CONTROL

DATA VALUE: ASSISTED

-----  
ABBREVIATION.....ASSISTED  
ACTIVE.....Yes  
DESCRIPTION.....Assisted  
DISPLAY\_NAME.....Assisted  
HELP\_TEXT.....No Help Text  
ID.....{65069804-39BF-41ED-9EA3-BF2C41389F10}  
TERM.....ASSISTED

DATA VALUE: ASYSTOLE

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Asystole  
HELP\_TEXT.....No Help Text  
ID.....{6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}  
TERM.....ASYSTOLE

DATA VALUE: ATRIAL

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....ATRIAL  
DISPLAY\_NAME.....Atrial  
HELP\_TEXT.....No Help Text  
ID.....{266D2FDA-5D6A-203D-6FF0-8282D49BFD67}  
TERM.....ATRIAL

DATA VALUE: ATRIAL FIB/FLUTTER

-----  
ABBREVIATION.....af  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Atrial Fib/Flutter  
HELP\_TEXT.....No Help Text  
ID.....{9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}  
TERM.....ATRIAL FIB/FLUTTER

DATA VALUE: ATRIAL FIBRILLATION

-----  
ABBREVIATION.....a fib  
ACTIVE.....Yes  
DESCRIPTION.....Atrial Fibrillation  
DISPLAY\_NAME.....Atrial Fibrillation  
HELP\_TEXT.....Atrial Fibrillation  
ID.....{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}  
TERM.....ATRIAL FIBRILLATION

DATA VALUE: ATRIAL FLUTTER

-----  
ABBREVIATION.....af  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Atrial Flutter  
HELP\_TEXT.....No Help Text  
ID.....{9CB8D413-6762-D78E-F40E-25DB66CD23B3}  
TERM.....ATRIAL FLUTTER

DATA VALUE: AUSCULTATION

-----  
ABBREVIATION.....AUSCULTATI  
ACTIVE.....Yes  
DESCRIPTION.....Auscultation  
DISPLAY\_NAME.....Auscultation  
HELP\_TEXT.....Auscultation  
ID.....{B9D756DF-74F5-4604-B781-D7BC512FC453}  
TERM.....AUSCULTATION

DATA VALUE: AUTOLOGOUS

-----  
ABBREVIATION.....Autologous  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Autologous  
HELP\_TEXT.....  
ID.....{666DDEC1-5D32-47F6-813C-09F50B4040D2}  
TERM.....AUTOLOGOUS

DATA VALUE: AVF

-----  
ABBREVIATION.....AVF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVF  
HELP\_TEXT.....No Help Text  
ID.....{C8E97206-58AA-47C0-BD2E-7A30E56DB46A}  
TERM.....AVF

DATA VALUE: AVI

-----  
ABBREVIATION.....AVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVI  
HELP\_TEXT.....No Help Text  
ID.....{8BB49456-FB80-4916-6EBE-06837BF12B0C}  
TERM.....AVI

DATA VALUE: AVL

-----  
ABBREVIATION.....AVL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVL  
HELP\_TEXT.....No Help Text  
ID.....{9124A193-5F50-448D-9E60-C5869EC4029C}  
TERM.....AVL

DATA VALUE: AVO

-----  
ABBREVIATION.....AVO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVO  
HELP\_TEXT.....No Help Text  
ID.....{02EA752A-D156-96E6-3D28-3D389FFC7B58}  
TERM.....AVO

DATA VALUE: AVOIDED LIGHT AND NOISE OVERSTIMULATION

-----  
ABBREVIATION.....Avoid Lght  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Avoided Light and Noise Overstimulation  
HELP\_TEXT.....  
ID.....{135BE5DC-B93B-4A72-97AC-B423A6E81538}  
TERM.....AVOIDED LIGHT AND NOISE OVERSTIMULATION

DATA VALUE: AVR

-----  
ABBREVIATION.....AVR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVR  
HELP\_TEXT.....No Help Text  
ID.....{04AF2551-1185-4BA9-AEED-977D562D188A}  
TERM.....AVR

DATA VALUE: AWAKE

-----  
ABBREVIATION.....Awake  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Awake  
HELP\_TEXT.....  
ID.....{D71412D4-5782-46BA-AE6C-24EDC586AE55}  
TERM.....AWAKE

DATA VALUE: BACTERICIDAL

-----  
ABBREVIATION.....BACTERIOCI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bactericidal  
HELP\_TEXT.....No Help-Text  
ID.....{680E4A3C-A40A-461E-818D-003AE8A1EFC8}  
TERM.....BACTERICIDAL

DATA VALUE: BACTERIOSTATIC

-----  
ABBREVIATION.....BACTERIOST  
ACTIVE.....Yes  
DESCRIPTION.....Bacteriostatic  
DISPLAY\_NAME.....Bacteriostatic  
HELP\_TEXT.....No Help Text  
ID.....{AB74D109-8ED7-4A6C-B028-7A041781DF67}  
TERM.....BACTERIOSTATIC

DATA VALUE: BAG - CONTINUOUS

-----  
ABBREVIATION.....Bag - cont  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag - Continuous  
HELP\_TEXT.....  
ID.....{F072EF8A-B38B-4D75-82BF-D5EF851784B0}  
TERM.....BAG - CONTINUOUS

DATA VALUE: BAG - INTERMITTENT

-----  
ABBREVIATION.....Bag - inte  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag - Intermittent  
HELP\_TEXT.....  
ID.....{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}  
TERM.....BAG - INTERMITTENT

DATA VALUE: BAG CHANGE

-----  
ABBREVIATION.....Bag Chg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag Change  
HELP\_TEXT.....  
ID.....{BC58D518-A742-410B-BE33-732C04D303BD}  
TERM.....BAG CHANGE

DATA VALUE: BAG CHANGED

-----  
ABBREVIATION.....BAG CHANGE  
ACTIVE.....Yes  
DESCRIPTION.....Changed Bag  
DISPLAY\_NAME.....Bag Changed  
HELP\_TEXT.....No Help Text  
ID.....{818990DE-4F95-4F8E-92D8-B4D3B975CB36}  
TERM.....BAG CHANGED

DATA VALUE: BAG/MASK & O2 SET UP

-----  
ABBREVIATION.....Bag/Mask  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag/Mask & O2 Set Up  
HELP\_TEXT.....  
ID.....{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}  
TERM.....BAG/MASK & O2 SET UP

DATA VALUE: BALSAM OF PERU

-----  
ABBREVIATION.....WOU DR PER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Balsam Of Peru  
HELP\_TEXT.....No Help-Text  
ID.....{DD412BB1-B1C1-4A48-A38F-832629448E06}  
TERM.....BALSAM OF PERU

DATA VALUE: BARIATRIC FRAME

-----  
ABBREVIATION.....BARI FRAME  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bariatric Frame  
HELP\_TEXT.....No Help Text  
ID.....{CF95B426-F280-451B-86F2-CEF7A1A2B967}  
TERM.....BARIATRIC FRAME

DATA VALUE: BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT

-----  
ABBREVIATION.....BAR L AIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bariatric Low Airloss Mattress  
Replacement  
HELP\_TEXT.....No Help Text  
ID.....{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}  
TERM.....BARIATRIC LOW AIRLOSS MATTRESS  
REPLACEMENT

DATA VALUE: BARIATRIC PATIENT

-----  
ABBREVIATION.....BARIAC PAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bariatric Patient  
HELP\_TEXT.....No Help Text  
ID.....{6F614334-685E-4533-A475-BDF5440855EA}  
TERM.....BARIATRIC PATIENT

DATA VALUE: BASAL RATE ONLY

-----  
ABBREVIATION.....BASAL ONL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Basal Rate Only  
HELP\_TEXT.....No Help Text  
ID.....{4BFFF2BC-837C-4D62-B811-0E547247D4D0}  
TERM.....BASAL RATE ONLY

DATA VALUE: BATHROOM

-----  
ABBREVIATION.....b  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bathroom  
HELP\_TEXT.....No Help Text  
ID.....{D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}  
TERM.....BATHROOM

DATA VALUE: BATHROOM PRIVILEGES

-----  
ABBREVIATION.....BATHR PRIV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bathroom Privileges  
HELP\_TEXT.....No Help Text  
ID.....{29C1B6DD-3308-4DED-9970-1322A97C633B}  
TERM.....BATHROOM PRIVILEGES

DATA VALUE: BED

-----  
ABBREVIATION.....BED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed  
HELP\_TEXT.....No Help Text  
ID.....{7E447C9C-41A0-43C9-AF63-38D6EA68279C}  
TERM.....BED

DATA VALUE: BED EXIT ALARM

-----  
ABBREVIATION.....BED EXIT A  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed Exit Alarm  
HELP\_TEXT.....No Help Text  
ID.....{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}  
TERM.....BED EXIT ALARM

DATA VALUE: BEDREST

-----  
ABBREVIATION.....BEDREST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bedrest  
HELP\_TEXT.....No Help Text  
ID.....{8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}  
TERM.....BEDREST

DATA VALUE: BEDSIDE

-----  
ABBREVIATION.....Bedside  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bedside  
HELP\_TEXT.....  
ID.....{481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}  
TERM.....BEDSIDE

DATA VALUE: BEDSIDE COMMODO

-----  
ABBREVIATION.....Bedside Cm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bedside Commode  
HELP\_TEXT.....  
ID.....{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}  
TERM.....BEDSIDE COMMODO



DATA VALUE: BIER BLOCK

-----  
ABBREVIATION.....Bier Blk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bier Block  
HELP\_TEXT.....  
ID.....{241C28E7-6040-4ABC-B76C-4255452C66FD}  
TERM.....BIER BLOCK

DATA VALUE: BIGEMINY

-----  
ABBREVIATION.....Bigeminy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bigeminy  
HELP\_TEXT.....  
ID.....{729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}  
TERM.....BIGEMINY

DATA VALUE: BILATERAL

-----  
ABBREVIATION.....Bilateral  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{FCD5361B-C674-473C-8F29-7B08650BA338}  
TERM.....BILATERAL

DATA VALUE: BIPAP - RESPIRONICS

-----  
ABBREVIATION.....BIPAP RESP  
ACTIVE.....Yes  
DESCRIPTION.....BiPap machine by Respironics  
DISPLAY\_NAME.....Bipap - Respironics  
HELP\_TEXT.....No Help Text  
ID.....{AA94A723-4C68-489F-88AC-2C6F276EAB76}  
TERM.....BIPAP - RESPIRONICS

DATA VALUE: BIPAP - VISION

-----  
ABBREVIATION.....BIPAP VISI  
ACTIVE.....Yes  
DESCRIPTION.....BiPap ventilator made by Vision  
DISPLAY\_NAME.....Bipap - Vision  
HELP\_TEXT.....No Help Text  
ID.....{AA39C765-BA1F-4289-B459-200A57C07FFF}  
TERM.....BIPAP - VISION

DATA VALUE: BIPAP/CPAP

-----  
ABBREVIATION.....BIPAP/CPAP  
ACTIVE.....Yes  
DESCRIPTION.....BiPap / CPAP machine  
DISPLAY\_NAME.....BiPap / CPAP machine  
HELP\_TEXT.....No Help Text  
ID.....{8D767C67-3712-410F-A96B-69C731E03C5D}  
TERM.....BIPAP/CPAP

DATA VALUE: BIPHASIC POSITIVE AIRWAY PRESSURE

-----  
ABBREVIATION.....BiPAP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....BiPap  
HELP\_TEXT.....No Help Text  
ID.....{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}  
TERM.....BIPHASIC POSITIVE AIRWAY PRESSURE

DATA VALUE: BISMUTH GAUZE

-----  
ABBREVIATION.....WOU DR BIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bismuth Gauze  
HELP\_TEXT.....No Help-Text  
ID.....{010DED59-C808-4D92-A7F8-87AEB86B4439}  
TERM.....BISMUTH GAUZE

DATA VALUE: BITE

-----  
ABBREVIATION.....Bite  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bite  
HELP\_TEXT.....No Help Text  
ID.....{FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}  
TERM.....BITE

DATA VALUE: BITE BLOCK

-----  
ABBREVIATION.....BITE BLOCK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bite Block  
HELP\_TEXT.....No Help Text  
ID.....{E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}  
TERM.....BITE BLOCK

DATA VALUE: BLACK

-----  
ABBREVIATION.....BLACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Black  
HELP\_TEXT.....No Help Text  
ID.....{7A55AFB9-6861-4918-0746-3D67D47FE5C3}  
TERM.....BLACK

DATA VALUE: BLACK/NECROTIC

-----  
ABBREVIATION.....BLACK/NECR  
ACTIVE.....Yes  
DESCRIPTION.....Black / Necrotic  
DISPLAY\_NAME.....Black / Necrotic  
HELP\_TEXT.....No Help Text  
ID.....{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}  
TERM.....BLACK/NECROTIC

DATA VALUE: BLADDER SCAN

-----  
ABBREVIATION.....Blad Scan  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bladder Scan  
HELP\_TEXT.....  
ID.....{6C66BC97-1042-4E53-A49F-69AB7ABEE551}  
TERM.....BLADDER SCAN

DATA VALUE: BLANCHED

-----  
ABBREVIATION.....Blanched  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blanched  
HELP\_TEXT.....  
ID.....{EBB2EA8D-04BC-49E7-812A-62B46F0F4678}  
TERM.....BLANCHED

DATA VALUE: BLAND

-----  
ABBREVIATION.....BLAND  
ACTIVE.....Yes  
DESCRIPTION.....BLAND DIET  
DISPLAY\_NAME.....BLAND  
HELP\_TEXT.....No Help Text  
ID.....{38930AFE-ECF7-4548-857C-854E1B5BE148}  
TERM.....BLAND

DATA VALUE: BLISTERING

-----  
ABBREVIATION.....BLISTERING  
ACTIVE.....Yes  
DESCRIPTION.....Blistering  
DISPLAY\_NAME.....Blistering  
HELP\_TEXT.....No Help Text  
ID.....{3A4212D5-F2A8-4636-BB7F-F36FA8CED192}  
TERM.....BLISTERING

DATA VALUE: BLOOD GLUCOSE MONITORING

-----  
ABBREVIATION.....BI Glu Mon  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blood Glucose Monitoring  
HELP\_TEXT.....  
ID.....{525C8F3C-F8F5-4158-9CDE-3A7B306BAD5}  
TERM.....BLOOD GLUCOSE MONITORING

DATA VALUE: BLOOD PRESSURE

-----  
ABBREVIATION.....Blood Pres  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blood Pressure  
HELP\_TEXT.....  
ID.....{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}  
TERM.....BLOOD PRESSURE

DATA VALUE: BLOOD STREAKED

-----  
ABBREVIATION.....BLOOD STRE  
ACTIVE.....Yes  
DESCRIPTION.....Blood Streaked  
DISPLAY\_NAME.....Blood Streaked  
HELP\_TEXT.....Blood Streaked  
ID.....{AEC5607D-806F-49AE-8436-DC47F49F39BC}  
TERM.....BLOOD STREAKED

DATA VALUE: BLOOD TRANSFUSION IV

-----  
ABBREVIATION.....BI TRAN IV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Blood Transfusion IV  
HELP\_TEXT.....No Help Text  
ID.....{27A0BE4C-433C-F920-BAC2-066F304BDF59}  
TERM.....BLOOD TRANSFUSION IV

DATA VALUE: BLOODY

-----  
ABBREVIATION.....BLOODY  
ACTIVE.....Yes  
DESCRIPTION.....Containing blood  
DISPLAY\_NAME.....Bloody  
HELP\_TEXT.....No Help Text  
ID.....{D7904E84-8331-D6DD-F2C0-7F3039C5746A}  
TERM.....BLOODY

DATA VALUE: BLUE

-----  
ABBREVIATION.....BLUE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Blue  
HELP\_TEXT.....No Help Text  
ID.....{8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}  
TERM.....BLUE

DATA VALUE: BLUNTED

-----  
ABBREVIATION.....Blunted  
ACTIVE.....Yes  
DESCRIPTION.....Blunted  
DISPLAY\_NAME.....Blunted  
HELP\_TEXT.....No Help Text  
ID.....{F119F2DA-9182-2480-BA75-02D39F4FF69B}  
TERM.....BLUNTED

DATA VALUE: BLURRED VISION

-----  
ABBREVIATION.....Blurred Vi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blurred Vision  
HELP\_TEXT.....  
ID.....{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}  
TERM.....BLURRED VISION

DATA VALUE: BMI>35KG/M2

-----  
ABBREVIATION.....BMI>35KG/M  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....BMI > 35kg/m2  
HELP\_TEXT.....  
ID.....{FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}  
TERM.....BMI>35KG/M2

DATA VALUE: BONE

-----  
ABBREVIATION.....BONE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bone  
HELP\_TEXT.....No Help Text  
ID.....{3729DEB9-0967-4B32-86B7-409CF27C8625}  
TERM.....BONE

DATA VALUE: BOOST

-----  
ABBREVIATION.....Boost  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Boost  
HELP\_TEXT.....  
ID.....{2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}  
TERM.....BOOST

DATA VALUE: BOOST PLUS

-----  
ABBREVIATION.....Boost Plus  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Boost Plus  
HELP\_TEXT.....  
ID.....{432C8151-10CE-4804-939D-6B6B609BE54A}  
TERM.....BOOST PLUS

DATA VALUE: BORDERLINE REDUCED

-----  
ABBREVIATION.....BORD REDUC  
ACTIVE.....Yes  
DESCRIPTION.....Borderline Reduced  
DISPLAY\_NAME.....Borderline Reduced  
HELP\_TEXT.....No Help Text  
ID.....{63703AB1-6249-403B-BDE8-FECA9FA36CF5}  
TERM.....BORDERLINE REDUCED

DATA VALUE: BRADEN FRICTION AND SHEAR 1 PROBLEM

-----  
ABBREVIATION.....BS F/S 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Friction and Shear 1  
                  Problem  
DISPLAY\_NAME.....1 - Problem  
HELP\_TEXT.....Requires moderate to maximum  
                  assistance in moving. Complete  
                  lifting without sliding against  
                  sheets is impossible. Frequently  
                  slides down in bed or chair,  
                  requiring frequent repositioning with  
                  maximum assistance.  
ID.....{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}  
TERM.....BRADEN FRICTION AND SHEAR 1 PROBLEM

DATA VALUE: BRADEN SCALE ACTIVITY 1 BEDFAST

-----  
ABBREVIATION.....BS ACT 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Activity 1 Bedfast  
DISPLAY\_NAME.....1 - Bedfast  
HELP\_TEXT.....Confined to bed  
ID.....{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}  
TERM.....BRADEN SCALE ACTIVITY 1 BEDFAST

DATA VALUE: BRADEN SCALE ACTIVITY 2 CHAIRFAST

-----  
ABBREVIATION.....BS ACT 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Activity 2 Chairfast  
DISPLAY\_NAME.....2 - Chairfast  
HELP\_TEXT.....Ability to walk severely limited or  
non-existent. Cannot bear own weight  
and/or must be assisted into chair or  
wheelchair.  
ID.....{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}  
TERM.....BRADEN SCALE ACTIVITY 2 CHAIRFAST

DATA VALUE: BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY

-----  
ABBREVIATION.....BS ACT 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Activity 3 Walks  
Occasionally  
DISPLAY\_NAME.....3 - Walks Occasionally  
HELP\_TEXT.....Walks occasionally during day, but  
for very short distances, with or  
without assistance. Spends majority  
of each shift in bed or chair.  
ID.....{E47B47BC-6097-4602-9184-BF5A4F6D686A}  
TERM.....BRADEN SCALE ACTIVITY 3 WALKS  
OCCASIONALLY

DATA VALUE: BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY

-----  
ABBREVIATION.....BS ACT 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Activity 4 Walks  
Frequently  
DISPLAY\_NAME.....4 - Walks Frequently  
HELP\_TEXT.....Walks outside room at least twice a  
day and inside room at least once  
every two hours during waking hours.  
ID.....{C5A8C2EA-E042-4804-9812-77603C47FC6A}  
TERM.....BRADEN SCALE ACTIVITY 4 WALKS  
FREQUENTLY

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM

-----  
ABBREVIATION.....BS F/S 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Friction and Shear 2  
Potential Problem  
DISPLAY\_NAME.....2 - Potential Problem  
HELP\_TEXT.....Moves feebly or requires minimum

assistance. During a move skin probably slides to some extent against sheets, chair, restraints or other devices. Maintains relatively good position in chair or bed most of the time but occasionally slides down

ID.....{B56338A9-8956-4D27-8BA0-DA50E07359E0}  
TERM.....BRADEN SCALE FRICTION AND SHEAR 2  
POTENTIAL PROBLEM



DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM

-----  
ABBREVIATION.....BS F/S 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Friction and Shear 3 No  
Apparent Problem  
DISPLAY\_NAME.....3 - No Apparent Problem  
HELP\_TEXT.....No Apparent Problem  
ID.....{9850E2BF-6600-4E66-8FCD-1517D903BC0F}  
TERM.....BRADEN SCALE FRICTION AND SHEAR 3 NO  
APPARENT PROBLEM

DATA VALUE: BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE

-----  
ABBREVIATION.....BS MOB 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Mobility 1 Completely  
Immobile  
DISPLAY\_NAME.....1 - Completely Immobile  
HELP\_TEXT.....Does not make even slight changes in  
body or extremity position without  
assistance  
ID.....{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}  
TERM.....BRADEN SCALE MOBILITY 1 COMPLETELY  
IMMOBILE

DATA VALUE: BRADEN SCALE MOBILITY 2 VERY LIMITED

-----  
ABBREVIATION.....BS MOB 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Mobility 2 Very Limited  
DISPLAY\_NAME.....2 - Very Limited  
HELP\_TEXT.....Makes occasional slight changes in  
body or extremity position but unable  
to make frequent or significant  
changes independently  
ID.....{868EFA33-877E-4B91-B4FD-9655F66A7160}  
TERM.....BRADEN SCALE MOBILITY 2 VERY LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED

-----  
ABBREVIATION.....BS MOB 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Mobility 3 Slightly  
Limited  
DISPLAY\_NAME.....3 - Slightly Limited  
HELP\_TEXT.....Makes frequent though slight changes  
in body or extremity position  
independently  
ID.....{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}  
TERM.....BRADEN SCALE MOBILITY 3 SLIGHTLY  
LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 4 NO LIMITATION

-----  
ABBREVIATION.....BS MOB 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Mobility 4 No Limitation  
DISPLAY\_NAME.....4 - No Limitation  
HELP\_TEXT.....Makes major and frequent changes in

position without assistance

ID.....{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

TERM.....BRADEN SCALE MOBILITY 4 NO LIMITATION

DATA VALUE: BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST

-----  
ABBREVIATION.....BS MOI 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Moisture 1 Constantly  
Moist  
DISPLAY\_NAME.....1 - Constantly Moist  
HELP\_TEXT.....Skin is kept moist almost constantly  
by perspiration, urine, etc. Dampness  
is detected every time patient is  
moved or turned  
ID.....{3E2569BA-ECF0-4622-8F4A-26378A2CB466}  
TERM.....BRADEN SCALE MOISTURE 1 CONSTANTLY  
MOIST

DATA VALUE: BRADEN SCALE MOISTURE 2 VERY MOIST

-----  
ABBREVIATION.....BS MOI 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Moisture 2 Very Moist  
DISPLAY\_NAME.....2 - Very Moist  
HELP\_TEXT.....Skin is often, but not always moist.  
Linen must be changed at least once a  
shift  
ID.....{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}  
TERM.....BRADEN SCALE MOISTURE 2 VERY MOIST

DATA VALUE: BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST

-----  
ABBREVIATION.....BS MOI 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Moisture 3 Occasionally  
Moist  
DISPLAY\_NAME.....3 - Occasionally Moist  
HELP\_TEXT.....Skin is occasionally moist, requiring  
an extra linen change approximately  
once a day  
ID.....{D7F2714B-B0C7-4000-8588-8582C1B32ECE}  
TERM.....BRADEN SCALE MOISTURE 3 OCCASIONALLY  
MOIST

DATA VALUE: BRADEN SCALE MOISTURE 4 RARELY MOIST

-----  
ABBREVIATION.....BS MOI 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Moisture 4 Rarely Moist  
DISPLAY\_NAME.....4 - Rarely Moist  
HELP\_TEXT.....Skin is usually dry, linen only  
requires changing at routine  
intervals  
ID.....{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}  
TERM.....BRADEN SCALE MOISTURE 4 RARELY MOIST

DATA VALUE: BRADEN SCALE NUTRITION 1 VERY POOR

-----  
ABBREVIATION.....BS NUT 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Nutrition 1 Very Poor  
DISPLAY\_NAME.....1 - Very Poor  
HELP\_TEXT.....Never eats a complete meal. Rarely

eats more than 1/2 of any food offered. Eats 2 servings or less of protein per day. Takes fluids poorly, does not take a liquid supplement. OR is NPO maintained on clear liquids or IV's for more than 5 days

ID.....{28A86074-A6B2-455E-ABA4-19195C2E3679}  
TERM.....BRADEN SCALE NUTRITION 1 VERY POOR

DATA VALUE: BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE

-----  
ABBREVIATION.....BS NUT 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Nutrition 2 Probably  
                  Inadequate  
DISPLAY\_NAME.....2 - Probably Inadequate  
HELP\_TEXT.....Rarely eats a complete meal and  
                  generally eats only about 2 of any  
                  food offered. Protein intake includes  
                  only 3 servings of meat or dairy  
                  products per day. Occasionally will  
                  take a dietary supplement. OR  
                  receives less than optimum amount of  
                  liquid.  
ID.....{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}  
TERM.....BRADEN SCALE NUTRITION 2 PROBABLY  
                  INADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 3 ADEQUATE

-----  
ABBREVIATION.....BS NUT 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Nutrition 3 Adequate  
DISPLAY\_NAME.....3 - Adequate  
HELP\_TEXT.....Eats over half of most meals. Eats a  
                  total of 4 servings of protein (meat,  
                  dairy products) per day. Occasionally  
                  will refuse a meal, but will usually  
                  take a supplement when offered. OR is  
                  on a tube feeding or TPN regimen.  
ID.....{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}  
TERM.....BRADEN SCALE NUTRITION 3 ADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 4 EXCELLENT

-----  
ABBREVIATION.....BS NUT 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Nutrition 4 Excellent  
DISPLAY\_NAME.....4 - Excellent  
HELP\_TEXT.....Eats most of every meal. Never  
                  refuses a meal. Usually eats a total  
                  of 4 or more servings of meat and  
                  dairy products. Occasionally eats  
                  between meals. Does NOT require  
                  supplements  
ID.....{F09E4D35-1AA8-49A5-9B38-FBFFAFCFC181}  
TERM.....BRADEN SCALE NUTRITION 4 EXCELLENT

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED

-----  
ABBREVIATION.....BS SENC 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Sensory Perception 1  
                  Completely Limited  
DISPLAY\_NAME.....1 - Completely Limited  
HELP\_TEXT.....Unresponsive (does not moan, flinch  
                  or grasp) to painful stimuli, due to  
                  diminished level of consciousness or  
                  sedation. OR limited ability to feel

pain over most of body  
ID.....{60F646B3-790F-4C5A-B2A0-845915E120E6}  
TERM.....BRADEN SCALE SENSORY PERCEPTION 1  
COMPLETELY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED

-----  
ABBREVIATION.....BS SENC 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Sensory Perception 2  
Very Limited  
DISPLAY\_NAME.....2 - Very Limited  
HELP\_TEXT.....Responds only to painful stimuli.  
Cannot Communicate discomfort except  
by moaning or restlessness. OR has a  
sensory impairment which limits the  
ability to feel pain or discomfort  
over 1/2 of the body  
ID.....{98362E63-7245-4E7F-8C30-896A9B923199}  
TERM.....BRADEN SCALE SENSORY PERCEPTION 2  
VERY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED

-----  
ABBREVIATION.....BS SENC 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Sensory Perception 3  
Slightly Limited  
DISPLAY\_NAME.....3 - Slightly Limited  
HELP\_TEXT.....Responds to verbal commands, but  
cannot always communicate discomfort  
or the need to be turned. OR has some  
sensory impairment which limits  
ability to feel pain or discomfort in  
one or two extremities.  
ID.....{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}  
TERM.....BRADEN SCALE SENSORY PERCEPTION 3  
SLIGHTLY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT

-----  
ABBREVIATION.....BS SENC 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Sensory Perception 4 No  
Impairment  
DISPLAY\_NAME.....4 - No Impairment  
HELP\_TEXT.....Responds to verbal commands. Has no  
sensory deficit which would limit  
ability to feel or voice pain or  
discomfort.  
ID.....{10304656-E5E8-4F32-8358-A9F80511EFDA}  
TERM.....BRADEN SCALE SENSORY PERCEPTION 4 NO  
IMPAIRMENT

DATA VALUE: BREAKDOWN

-----  
ABBREVIATION.....BREAKDOWN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Breakdown  
HELP\_TEXT.....Use comment to describe breakdown  
ID.....{9CFD21C0-A805-47C4-E559-8033C754DE80}  
TERM.....BREAKDOWN

DATA VALUE: BREAKFAST

-----  
ABBREVIATION.....Breakfast  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Breakfast  
HELP\_TEXT.....  
ID.....{59166132-625E-4E1E-9D97-13BF678EA726}  
TERM.....BREAKFAST

DATA VALUE: BRIDGE PRESENT

-----  
ABBREVIATION.....bridge pre  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bridge Present  
HELP\_TEXT.....  
ID.....{5C474C17-33C9-492D-833E-64F5EF049BF4}

TERM.....BRIDGE PRESENT



DATA VALUE: BRIGHT

-----  
ABBREVIATION.....Bright  
ACTIVE.....Yes  
DESCRIPTION.....Bright  
DISPLAY\_NAME.....Bright  
HELP\_TEXT.....No Help Text  
ID.....{D16542CE-0403-2C68-A361-125CB3C75ABA}  
TERM.....BRIGHT

DATA VALUE: BRISK

-----  
ABBREVIATION.....brisk  
ACTIVE.....Yes  
DESCRIPTION.....Brisk  
DISPLAY\_NAME.....Brisk  
HELP\_TEXT.....No Help Text  
ID.....{980AE687-0A78-458B-BA7B-5D646C38A5F5}  
TERM.....BRISK

DATA VALUE: BROWN

-----  
ABBREVIATION.....BROWN  
ACTIVE.....Yes  
DESCRIPTION.....The color brown  
DISPLAY\_NAME.....Brown  
HELP\_TEXT.....The color brown  
ID.....{A1C32FBC-7B4D-707C-CA58-92A2E201368E}  
TERM.....BROWN

DATA VALUE: BRUISED

-----  
ABBREVIATION.....BRUISED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bruised  
HELP\_TEXT.....No Help Text  
ID.....{FA5B38A7-7744-186F-055A-8458D696AF33}  
TERM.....BRUISED

DATA VALUE: BRUIT

-----  
ABBREVIATION.....BRUIT  
ACTIVE.....Yes  
DESCRIPTION.....Bruit  
DISPLAY\_NAME.....Bruit  
HELP\_TEXT.....No Help Text  
ID.....{2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}  
TERM.....BRUIT

DATA VALUE: BUCKS TRACTION

-----  
ABBREVIATION.....BUCK TRACT  
ACTIVE.....Yes  
DESCRIPTION.....Buck's Traction  
DISPLAY\_NAME.....Buck's Traction  
HELP\_TEXT.....Buck's Traction  
ID.....{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}  
TERM.....BUCKS TRACTION

DATA VALUE: BULB

-----  
ABBREVIATION.....Bulb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bulb  
HELP\_TEXT.....  
ID.....{2390453E-3353-40EB-B2D7-EF770B67F037}  
TERM.....BULB

DATA VALUE: BULB SUCTION

-----  
ABBREVIATION.....Bulb Sucti  
ACTIVE.....Yes  
DESCRIPTION.....Bulb Suction Drain  
DISPLAY\_NAME.....Bulb Suction Drain  
HELP\_TEXT.....No Help Text  
ID.....{B0839A82-BB79-BB9F-5E4E-0ED67F716A50}  
TERM.....BULB SUCTION

DATA VALUE: BULLET

-----  
ABBREVIATION.....BULLET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bullet  
HELP\_TEXT.....No Help Text  
ID.....{1570D8E2-D936-494D-AF6E-13838EA34EFD}  
TERM.....BULLET

DATA VALUE: BUPIVICAINE

-----  
ABBREVIATION.....Bupivicain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bupivicaïne  
HELP\_TEXT.....  
ID.....{03B908B3-365A-47F6-8D71-8F8FE1D2C16B}  
TERM.....BUPIVICAINE

DATA VALUE: BURN

-----  
ABBREVIATION.....BURN  
ACTIVE.....Yes  
DESCRIPTION.....Burn  
DISPLAY\_NAME.....Burn  
HELP\_TEXT.....No Help Text  
ID.....{97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}  
TERM.....BURN

DATA VALUE: BURNING

-----  
ABBREVIATION.....BURNING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Burning  
HELP\_TEXT.....No Help Text  
ID.....{D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}  
TERM.....BURNING

DATA VALUE: BY PROVIDER ORDER

-----  
ABBREVIATION.....BY ORDER  
ACTIVE.....Yes  
DESCRIPTION.....By Provider Order  
DISPLAY\_NAME.....By Provider Order  
HELP\_TEXT.....No Help Text  
ID.....{C038BC16-44CF-4933-BECC-B0F1A1B12603}  
TERM.....BY PROVIDER ORDER

DATA VALUE: C1

-----  
ABBREVIATION.....C1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C1  
HELP\_TEXT.....  
ID.....{F942693D-F272-4A70-81FF-E750BAF082B9}  
TERM.....C1

DATA VALUE: C2

-----  
ABBREVIATION.....C2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C2  
HELP\_TEXT.....  
ID.....{EE1C5D26-12DE-42ED-A46C-63D66BC145C5}  
TERM.....C2

DATA VALUE: C3

-----  
ABBREVIATION.....C3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C3  
HELP\_TEXT.....  
ID.....{B53D0E0E-7BF0-4D26-B4DD-D072035E307E}  
TERM.....C3

DATA VALUE: C4

-----  
ABBREVIATION.....C4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C4  
HELP\_TEXT.....  
ID.....{A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}  
TERM.....C4

DATA VALUE: C5

-----  
ABBREVIATION.....C5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C5  
HELP\_TEXT.....  
ID.....{30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}  
TERM.....C5

DATA VALUE: CADEXOMER IODINE

-----  
ABBREVIATION.....CADEXO IOD  
ACTIVE.....Yes  
DESCRIPTION.....Cadexomer Iodine  
DISPLAY\_NAME.....Cadexomer Iodine  
HELP\_TEXT.....No Help Text  
ID.....{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}  
TERM.....CADEXOMER IODINE

DATA VALUE: CALCIUM ALGINATE

-----  
ABBREVIATION.....CA ALGINAT  
ACTIVE.....Yes  
DESCRIPTION.....Calcium Alginate  
DISPLAY\_NAME.....Calcium Alginate  
HELP\_TEXT.....No Help Text  
ID.....{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}  
TERM.....CALCIUM ALGINATE

DATA VALUE: CALM

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Calm  
HELP\_TEXT.....No Help Text  
ID.....{E206C3F5-6977-302C-51FB-AF2155B5FFD9}  
TERM.....CALM

DATA VALUE: CANE

-----  
ABBREVIATION.....CANE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cane  
HELP\_TEXT.....No Help Text  
ID.....{562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}  
TERM.....CANE

DATA VALUE: CANES

-----  
ABBREVIATION.....CANES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Canes  
HELP\_TEXT.....No Help Text  
ID.....{DF37C541-1C7D-4527-A4D2-31867B5ED438}  
TERM.....CANES

DATA VALUE: CARDIAC

-----  
ABBREVIATION.....Cardiac  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cardiac  
HELP\_TEXT.....  
ID.....{2A4308E5-C843-4844-B908-32DA0A0B50E3}  
TERM.....CARDIAC

DATA VALUE: CARDIAC CHAIR

-----  
ABBREVIATION.....cc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cardiac Chair  
HELP\_TEXT.....No Help Text  
ID.....{D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}  
TERM.....CARDIAC CHAIR

DATA VALUE: CARDIAC DIET

-----  
ABBREVIATION.....CARD DIET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CARDIAC DIET  
HELP\_TEXT.....No Help Text  
ID.....{218A883D-32A0-438D-B453-7CBCE02693A3}  
TERM.....CARDIAC DIET

DATA VALUE: CARDIAC OUTPUT INJECTATE

-----  
ABBREVIATION.....CARD OUT I  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Output Injectate  
DISPLAY\_NAME.....Cardiac Output Injectate  
HELP\_TEXT.....No Help Text  
ID.....{19605CAB-8D54-4704-819B-20ABDAB6C604}  
TERM.....CARDIAC OUTPUT INJECTATE

DATA VALUE: CARDIAC REPOSITION

-----  
ABBREVIATION.....CARD REPOS  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Reposition  
DISPLAY\_NAME.....Cardiac Reposition  
HELP\_TEXT.....No Help Text  
ID.....{E133FE5A-20E1-418F-BD90-D2DFE14908C0}  
TERM.....CARDIAC REPOSITION

DATA VALUE: CARDIO-RESP MONITOR

-----  
ABBREVIATION.....Cardio-Re  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cardio-Resp Monitor  
HELP\_TEXT.....  
ID.....{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}  
TERM.....CARDIO-RESP MONITOR

DATA VALUE: CARDIOLOGY PROCEDURE ROOM

-----  
ABBREVIATION.....Cardio Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cardiology Procedure Room  
HELP\_TEXT.....  
ID.....{744142F5-D301-4509-A96D-06AB8C1D2C81}  
TERM.....CARDIOLOGY PROCEDURE ROOM

DATA VALUE: CAREGIVER

-----  
ABBREVIATION.....CAREGIVER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Caregiver  
HELP\_TEXT.....No Help Text  
ID.....{F9B8BABE-2F05-437D-85C8-585FC1FFC07F}  
TERM.....CAREGIVER

DATA VALUE: CAREGIVER STRESS

-----  
ABBREVIATION.....Care Stres  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Caregiver Stress  
HELP\_TEXT.....  
ID.....{A6A201E7-259C-485E-A35E-9F2F3489B24F}  
TERM.....CAREGIVER STRESS

DATA VALUE: CASS ENDOTRACHEAL TUBE

-----  
ABBREVIATION.....CASS  
ACTIVE.....Yes  
DESCRIPTION.....CASS Endotracheal Tube  
DISPLAY\_NAME.....CASS Endotracheal Tube  
HELP\_TEXT.....Mucous Slurping Endotracheal Tube  
ID.....{02BF805C-DF35-4DAB-A99F-2ED673174E49}  
TERM.....CASS ENDOTRACHEAL TUBE

DATA VALUE: CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL

-----  
ABBREVIATION.....Cath Secur  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cath Secured with Drain Bag Below  
Pt's Bladder Level  
HELP\_TEXT.....  
ID.....{A2D2ABF1-88D4-46A2-B935-33211292FF25}  
TERM.....CATH SECURED WITH DRAIN BAG BELOW  
PT'S BLADDER LEVEL

DATA VALUE: CATH SIZE DOCUMENTED

-----  
ABBREVIATION.....Cath Size  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cath Size Documented  
HELP\_TEXT.....  
ID.....{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}  
TERM.....CATH SIZE DOCUMENTED

DATA VALUE: CATHETER

-----  
ABBREVIATION.....CATHETER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Catheter  
HELP\_TEXT.....No Help Text  
ID.....{B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}  
TERM.....CATHETER

DATA VALUE: CATHETERIZATION TIME DOCUMENTED

-----  
ABBREVIATION.....Cath Time  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME..... Catheterization Time Documented  
HELP\_TEXT.....  
ID.....{4EF58FCA-A5E1-454C-B435-5BFB487618F4}  
TERM.....CATHETERIZATION TIME DOCUMENTED

DATA VALUE: CELLULITIS

-----  
ABBREVIATION.....CELLULITIS  
ACTIVE.....Yes  
DESCRIPTION.....Cellulitis  
DISPLAY\_NAME.....Cellulitis  
HELP\_TEXT.....No Help Text  
ID.....{709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}  
TERM.....CELLULITIS

DATA VALUE: CENTRAL ECG

-----  
ABBREVIATION.....cecg  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Central ECG  
HELP\_TEXT.....No Help Text  
ID.....{26D36175-E4E3-C364-3018-1B0DB4DC4793}  
TERM.....CENTRAL ECG

DATA VALUE: CENTRAL VENOUS CATHETER

-----  
ABBREVIATION.....CENT VEN C  
ACTIVE.....Yes  
DESCRIPTION.....Central Venous Catheter  
DISPLAY\_NAME.....Central Venous Catheter  
HELP\_TEXT.....No Help Text  
ID.....{EE91E841-C09B-4432-A121-8EBAB92E9CD2}  
TERM.....CENTRAL VENOUS CATHETER



DATA VALUE: CERVICAL SPINAL PRECAUTIONS

-----  
ABBREVIATION.....CERV S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cervical Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{A15F7127-2367-464A-AB7D-1E6A7C09AA21}  
TERM.....CERVICAL SPINAL PRECAUTIONS

DATA VALUE: CF: COUNTING FINGERS

-----  
ABBREVIATION.....CF  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CF: Counting Fingers  
HELP\_TEXT.....  
ID.....{3AFD9EDB-98A2-498A-AD95-F5285130CC03}  
TERM.....CF: COUNTING FINGERS

DATA VALUE: CHAIR

-----  
ABBREVIATION.....CHAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Chair  
HELP\_TEXT.....No Help Text  
ID.....{5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}  
TERM.....CHAIR

DATA VALUE: CHANGED

-----  
ABBREVIATION.....CHANGED  
ACTIVE.....Yes  
DESCRIPTION.....Changed  
DISPLAY\_NAME.....Changed  
HELP\_TEXT.....No Help Text  
ID.....{74B14023-D74D-41F6-AA48-B0E5137623CD}  
TERM.....CHANGED

DATA VALUE: CHART VERIFIED CORRECT

-----  
ABBREVIATION.....Chart Ver  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Chart Verified Correct  
HELP\_TEXT.....  
ID.....{319E702F-C7A9-409D-881F-3F4D1D9AF393}  
TERM.....CHART VERIFIED CORRECT

DATA VALUE: CHEYNE-STOKES

-----  
ABBREVIATION.....CHEYNE-STO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cheyne-Stokes  
HELP\_TEXT.....No Help Text  
ID.....{58DD2B80-B522-499C-2C60-C48A654BAD84}  
TERM.....CHEYNE-STOKES

DATA VALUE: CIRCULATION CHECK

-----  
ABBREVIATION.....ccq  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Circulation Check  
HELP\_TEXT.....No Help Text  
ID.....{BA32C2A8-F15C-84EF-4859-6277EFA6463A}  
TERM.....CIRCULATION CHECK

DATA VALUE: CLAMPED

-----  
ABBREVIATION.....CLAMPED  
ACTIVE.....Yes  
DESCRIPTION.....Clamped  
DISPLAY\_NAME.....Clamped  
HELP\_TEXT.....No Help Text  
ID.....{B86865B8-078A-4996-B5EC-46A4A99D5A7D}  
TERM.....CLAMPED

DATA VALUE: CLASS I

-----  
ABBREVIATION.....Class I  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class I  
HELP\_TEXT.....  
ID.....{4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}  
TERM.....CLASS I

DATA VALUE: CLASS II

-----  
ABBREVIATION.....Class II  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class II  
HELP\_TEXT.....  
ID.....{2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}  
TERM.....CLASS II

DATA VALUE: CLASS III

-----  
ABBREVIATION.....Class III  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class III  
HELP\_TEXT.....  
ID.....{C0FFDE12-241C-4087-9404-DB128F6B793A}  
TERM.....CLASS III

DATA VALUE: CLASS IV

-----  
ABBREVIATION.....Class IV  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class IV  
HELP\_TEXT.....  
ID.....{176030D0-2576-4D2D-A5AB-E5DA38DADEB5}  
TERM.....CLASS IV

DATA VALUE: CLAY

-----  
ABBREVIATION.....CLAY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clay  
HELP\_TEXT.....No Help Text  
ID.....{A4E4D16C-B45C-0934-ED22-8BF640080108}  
TERM.....CLAY

DATA VALUE: CLEAN

-----  
ABBREVIATION.....Clean  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Clean  
HELP\_TEXT.....  
ID.....{1F187B99-9963-4AD5-98F6-D8D24D2DDD30}  
TERM.....CLEAN

DATA VALUE: CLEAR

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clear  
HELP\_TEXT.....No Help Text  
ID.....{8981C365-2B46-704F-C9F4-975DF1C23C2D}  
TERM.....CLEAR

DATA VALUE: CLEAR LIQUID DIET

-----  
ABBREVIATION.....CL LI DIET  
ACTIVE.....Yes  
DESCRIPTION.....Clear Liquid Diet  
DISPLAY\_NAME.....Clear Liquid Diet  
HELP\_TEXT.....No Help Text  
ID.....{D540348D-3E1D-4E42-9EDC-43C56CF56206}  
TERM.....CLEAR LIQUID DIET

DATA VALUE: CLICK

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Click  
HELP\_TEXT.....No Help Text  
ID.....{F1F3A1A8-35E1-61B4-C783-3314C8247380}  
TERM.....CLICK

DATA VALUE: CLINICAL ASSESSMENT

-----  
ABBREVIATION.....CLIN ASSME  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clinical Assessment  
HELP\_TEXT.....No Help Text  
ID.....{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}  
TERM.....CLINICAL ASSESSMENT

DATA VALUE: CLOSE OBSERVATION

-----  
ABBREVIATION.....co  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Close Observation  
HELP\_TEXT.....No Help Text  
ID.....{2679BCAC-8753-FE73-56F8-3AB632161AF4}  
TERM.....CLOSE OBSERVATION

DATA VALUE: CLOSED

-----  
ABBREVIATION.....CLOSED  
ACTIVE.....Yes  
DESCRIPTION.....CLOSED  
DISPLAY\_NAME.....CLOSED  
HELP\_TEXT.....No Help Text  
ID.....{9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}  
TERM.....CLOSED

DATA VALUE: CLOSED SYSTEM

-----  
ABBREVIATION.....Closed sys  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Closed System  
HELP\_TEXT.....  
ID.....{D076BAB6-C4D1-42F1-9036-80BF4B72E695}  
TERM.....CLOSED SYSTEM

DATA VALUE: CLOTHED SELF

-----  
ABBREVIATION.....CLOTH S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clothed Self  
HELP\_TEXT.....No Help Text  
ID.....{33802A30-FAA7-426B-ADAC-5297818DA7DE}  
TERM.....CLOTHED SELF

DATA VALUE: CLOTHING ROOM

-----  
ABBREVIATION.....Cloth Room  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Clothing Room  
HELP\_TEXT.....  
ID.....{8F116C60-10B1-4033-93F2-9121629CD608}  
TERM.....CLOTHING ROOM

DATA VALUE: CLOTS

-----  
ABBREVIATION.....CLOTS  
ACTIVE.....Yes  
DESCRIPTION.....Clots Present  
DISPLAY\_NAME.....Clots  
HELP\_TEXT.....No Help Text  
ID.....{B52B88E0-6D23-4657-97CD-81E3EF64991B}  
TERM.....CLOTS

DATA VALUE: CLOUDY

-----  
ABBREVIATION.....CLOUDY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cloudy  
HELP\_TEXT.....No Help Text  
ID.....{3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}  
TERM.....CLOUDY

DATA VALUE: CLUBBING

-----  
ABBREVIATION.....CLUBBING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clubbing  
HELP\_TEXT.....No Help Text  
ID.....{AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}  
TERM.....CLUBBING

DATA VALUE: CMS INTACT DISTAL TO SURGICAL SITE

-----  
ABBREVIATION.....CMS INTA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CMS Intact Distal to Surgical Site  
HELP\_TEXT.....No Help Text  
ID.....{CE2D2CDE-71C5-4993-8E46-C4799301A851}  
TERM.....CMS INTACT DISTAL TO SURGICAL SITE

DATA VALUE: CNS

-----  
ABBREVIATION.....CNS  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CNS  
HELP\_TEXT.....  
ID.....{487A4DE0-A822-437D-87A2-75FA86D7BBDE}  
TERM.....CNS

DATA VALUE: CNS DEPRESSION

-----  
ABBREVIATION.....CNS Depres  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CNS Depression  
HELP\_TEXT.....  
ID.....{EE349460-8B60-427B-AE98-72007DFD2F6A}  
TERM.....CNS DEPRESSION

DATA VALUE: CODE CART IS ASSESSIBLE

-----  
ABBREVIATION.....Code Cart  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Code Cart is Accessible  
HELP\_TEXT.....  
ID.....{DB670E39-CF90-4068-8E38-44DCA5F365B5}  
TERM.....CODE CART IS ASSESSIBLE

DATA VALUE: COFFEE GROUND

-----  
ABBREVIATION.....COFFEE GRO  
ACTIVE.....Yes  
DESCRIPTION.....Coffee Ground  
DISPLAY\_NAME.....Coffee Ground  
HELP\_TEXT.....Coffee Ground  
ID.....{A5B3119A-C739-4B8D-87C2-7D858B94F380}  
TERM.....COFFEE GROUND

DATA VALUE: COGNITIVE IMPAIRMENT

-----  
ABBREVIATION.....Cog Impair  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cognitive Impairment  
HELP\_TEXT.....  
ID.....{6D051F44-2124-4914-A415-B98B2AC516E9}  
TERM.....COGNITIVE IMPAIRMENT

DATA VALUE: COLD

-----  
ABBREVIATION.....COLD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cold  
HELP\_TEXT.....No Help Text  
ID.....{B7B422BA-22EC-117D-0A0C-8419E9447D46}  
TERM.....COLD

DATA VALUE: COLLAGEN

-----  
ABBREVIATION.....COLLAGEN  
ACTIVE.....Yes  
DESCRIPTION.....Collagen  
DISPLAY\_NAME.....Collagen  
HELP\_TEXT.....No Help Text  
ID.....{8D734495-2FAF-41C0-9146-55B22583A830}  
TERM.....COLLAGEN

DATA VALUE: COLOR APPROPRIATE FOR ETHNICITY

-----  
ABBREVIATION.....Color Appr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Color Appropriate for Ethnicity  
HELP\_TEXT.....  
ID.....{C4128AA9-AC26-45CA-8D42-0764AB327C7F}  
TERM.....COLOR APPROPRIATE FOR ETHNICITY

DATA VALUE: COLORLESS

-----  
ABBREVIATION.....COLORLESS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Colorless  
HELP\_TEXT.....No Help Text  
ID.....{D093D8C5-E284-47D4-8FA6-DCD5B030B10E}  
TERM.....COLORLESS

DATA VALUE: COLOSTOMY

-----  
ABBREVIATION.....COLOSTOMY  
ACTIVE.....Yes  
DESCRIPTION.....Colostomy  
DISPLAY\_NAME.....Colostomy  
HELP\_TEXT.....No Help Text  
ID.....{53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}  
TERM.....COLOSTOMY

DATA VALUE: COMBATIVE

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Combative  
HELP\_TEXT.....No Help Text  
ID.....{DF65D42D-6CAA-657E-AEE1-C070C1FDF177}  
TERM.....COMBATIVE

DATA VALUE: COMFORT CARE

-----  
ABBREVIATION.....Comfort Ca  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Comfort Care  
HELP\_TEXT.....  
ID.....{51669E41-DF78-4E49-BA5F-DE6F1B5F1148}  
TERM.....COMFORT CARE

DATA VALUE: COMFORT MEASURES

-----  
ABBREVIATION.....Com Measu  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Comfort Measures  
HELP\_TEXT.....  
ID.....{A5F09A1F-921E-4469-9652-0A136BCD9C07}  
TERM.....COMFORT MEASURES



DATA VALUE: COMMODE

-----  
ABBREVIATION.....COMMODE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Commode  
HELP\_TEXT.....No Help-Text  
ID.....{75C896CA-F105-4EF0-B641-3F2B1F984F1B}  
TERM.....COMMODE

DATA VALUE: COMMUNICATION BARRIER

-----  
ABBREVIATION.....COMM BARRI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Communication Barrier  
HELP\_TEXT.....No Help Text  
ID.....{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}  
TERM.....COMMUNICATION BARRIER

DATA VALUE: COMMUNITY RESOURCES

-----  
ABBREVIATION.....Comm Res  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Community Resources  
HELP\_TEXT.....  
ID.....{0088604F-6A99-4D99-B451-5262734E0D17}  
TERM.....COMMUNITY RESOURCES

DATA VALUE: COMPLETE BATH

-----  
ABBREVIATION.....COMP BATH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Complete Bath  
HELP\_TEXT.....No Help Text  
ID.....{A7CB1F56-F88E-403B-AABC-105BE129FBB0}  
TERM.....COMPLETE BATH

DATA VALUE: COMPLIANCE

-----  
ABBREVIATION.....COMPLIANC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Compliance  
HELP\_TEXT.....No Help Text  
ID.....{EF43367E-9898-44C3-8AC8-F5BD28051F1D}  
TERM.....COMPLIANCE

DATA VALUE: CONFUSED

-----  
ABBREVIATION.....CONFUSED  
ACTIVE.....Yes  
DESCRIPTION.....Confused  
DISPLAY\_NAME.....Confused  
HELP\_TEXT.....No Help Text  
ID.....{31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}  
TERM.....CONFUSED

DATA VALUE: CONFUSION

-----  
ABBREVIATION.....Confusion  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Confusion  
HELP\_TEXT.....  
ID.....{4C1B8247-75C4-4C60-970B-3D7F07BD1164}  
TERM.....CONFUSION

DATA VALUE: CONNECTED TO DRAINAGE BAG

-----  
ABBREVIATION.....drain bag  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Connected to Drainage Bag  
HELP\_TEXT.....  
ID.....{1901C4A7-671C-43BD-BEDD-1D48BCB43465}  
TERM.....CONNECTED TO DRAINAGE BAG

DATA VALUE: CONSISTENT WITH BODY TEMPERATURE

-----  
ABBREVIATION.....CON W TEMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Consistent With Body Temperature  
HELP\_TEXT.....No Help Text  
ID.....{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}  
TERM.....CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: CONSTANT

-----  
ABBREVIATION.....CONSTANT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Constant  
HELP\_TEXT.....No Help Text  
ID.....{0FB8E43C-2106-4C37-9430-38675953A85B}  
TERM.....CONSTANT

DATA VALUE: CONSTIPATION

-----  
ABBREVIATION.....CONSTIPAT.  
ACTIVE.....Yes  
DESCRIPTION.....Constipation  
DISPLAY\_NAME.....Constipation  
HELP\_TEXT.....No Help Text  
ID.....{4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}  
TERM.....CONSTIPATION

DATA VALUE: CONSTRICTED

-----  
ABBREVIATION.....Constrict  
ACTIVE.....Yes  
DESCRIPTION.....Constricted  
DISPLAY\_NAME.....Constricted  
HELP\_TEXT.....No Help Text  
ID.....{A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}  
TERM.....CONSTRICTED

DATA VALUE: CONTACT

-----  
ABBREVIATION.....CONTACT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Contact  
HELP\_TEXT.....No Help Text  
ID.....{958F2B5E-F980-47B6-A7F7-EE7D5520B61F}  
TERM.....CONTACT

DATA VALUE: CONTACTS

-----  
ABBREVIATION.....Contacts  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Contacts  
HELP\_TEXT.....  
ID.....{6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}  
TERM.....CONTACTS

DATA VALUE: CONTEMPLATIVE

-----  
ABBREVIATION.....CONTEMPLAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Contemplative  
HELP\_TEXT.....No Help Text  
ID.....{5194DB04-7A68-491E-B117-BD089C912DFB}  
TERM.....CONTEMPLATIVE

DATA VALUE: CONTINENT

-----  
ABBREVIATION.....CONTINENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Continent  
HELP\_TEXT.....No Help Text  
ID.....{3B658506-F42E-BAF5-04C4-5AD49699E0D2}  
TERM.....CONTINENT

DATA VALUE: CONTINUOUS

-----  
ABBREVIATION.....CONTINUOUS  
ACTIVE.....Yes  
DESCRIPTION.....Continuous  
DISPLAY\_NAME.....Continuous  
HELP\_TEXT.....No Help Text  
ID.....{676CD2DA-F882-4BE5-99BB-510EA7669749}  
TERM.....CONTINUOUS

DATA VALUE: CONTINUOUS POSITIVE AIR PRESSURE

-----  
ABBREVIATION.....CPAP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CPAP  
HELP\_TEXT.....No Help Text  
ID.....{387B42F0-F587-AAFC-ECA0-66067F18BEC6}  
TERM.....CONTINUOUS POSITIVE AIR PRESSURE

DATA VALUE: CONTINUOUS SUCTION

-----  
ABBREVIATION.....CONT SUCTI  
ACTIVE.....Yes  
DESCRIPTION.....Continuous Suction  
DISPLAY\_NAME.....Continuous Suction  
HELP\_TEXT.....No Help Text  
ID.....{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}  
TERM.....CONTINUOUS SUCTION

DATA VALUE: CONTRACT CARE FACILITY

-----  
ABBREVIATION.....Contr Care  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Contract Care Facility  
HELP\_TEXT.....  
ID.....{74CA0AAE-119B-4D54-B7A1-3DA5B8CA6AF6}  
TERM.....CONTRACT CARE FACILITY

DATA VALUE: CONTROL MODE VENTILATION

-----  
ABBREVIATION.....CMV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Control Mode Ventilation  
HELP\_TEXT.....No Help Text  
ID.....{2E79351C-BA31-FC04-B636-F39728B23EA6}  
TERM.....CONTROL MODE VENTILATION

DATA VALUE: CONTUSION

-----  
ABBREVIATION.....Contusion  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Contusion  
HELP\_TEXT.....No Help Text  
ID.....{5285197A-CC0A-4D12-A1F8-966765C687F1}  
TERM.....CONTUSION

DATA VALUE: COOL

-----  
ABBREVIATION.....COOL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cool  
HELP\_TEXT.....No Help Text  
ID.....{48A1FEA8-FD75-DAF8-174A-9C6AB2044439}  
TERM.....COOL

DATA VALUE: COOL CHEM PACK

-----  
ABBREVIATION.....CO CHEM PA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cool Chem Pack  
HELP\_TEXT.....No Help Text  
ID.....{6DE5E644-28C2-4190-A2EF-1A766E014A65}  
TERM.....COOL CHEM PACK

DATA VALUE: COOLER THAN GENERAL BODY TEMPERATURE

-----  
ABBREVIATION.....CoolGenT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooler Than General Body Temperature  
HELP\_TEXT.....No Help Text  
ID.....{03D7D4CF-9B3C-49CA-9650-213E9BABE064}  
TERM.....COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: COOLER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....COOL OPP P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooler Than Opposite Body Part  
HELP\_TEXT.....No Help Text  
ID.....{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}  
TERM.....COOLER THAN OPPOSITE BODY PART

DATA VALUE: COOLING BLANKET

-----  
ABBREVIATION.....COOL BLANK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooling Blanket  
HELP\_TEXT.....No Help Text  
ID.....{13A42B12-4959-4674-AF97-2D1242CFD934}  
TERM.....COOLING BLANKET

DATA VALUE: COOLING OFF

-----  
ABBREVIATION.....COOLING OF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooling Off  
HELP\_TEXT.....No Help Text  
ID.....{14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}  
TERM.....COOLING OFF

DATA VALUE: COOLING ON

-----  
ABBREVIATION.....COOLING ON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooling On  
HELP\_TEXT.....No Help Text  
ID.....{911CA17D-614E-445A-969E-4F5220E469EB}  
TERM.....COOLING ON

DATA VALUE: COOPERATIVE

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooperative  
HELP\_TEXT.....No Help Text  
ID.....{C176406E-EBDE-4ADE-53DE-CF191D8AFC85}  
TERM.....COOPERATIVE

DATA VALUE: COPIUS

-----  
ABBREVIATION.....COPIUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Copius  
HELP\_TEXT.....No Help Text  
ID.....{C74A6979-0E35-AA12-F992-69ACA3B0FA23}  
TERM.....COPIUS

DATA VALUE: CRACKLES

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crackles  
HELP\_TEXT.....No Help Text  
ID.....{6B64C108-4424-00D9-525F-D89D549476D6}  
TERM.....CRACKLES

DATA VALUE: CRAMPING

-----  
ABBREVIATION.....CRAMPING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cramping  
HELP\_TEXT.....No Help Text  
ID.....{3EC3E352-5469-4A85-80E4-3AFEB61224C4}  
TERM.....CRAMPING

DATA VALUE: CREPITUS

-----  
ABBREVIATION.....CREPITUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crepitus  
HELP\_TEXT.....No Help Text  
ID.....{56A97506-05F0-4F37-8FD9-3AA82191408A}  
TERM.....CREPITUS

DATA VALUE: CRNA

-----  
ABBREVIATION.....CRNA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CRNA  
HELP\_TEXT.....  
ID.....{41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}  
TERM.....CRNA

DATA VALUE: CRUSHING

-----  
ABBREVIATION.....CRUSHING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crushing  
HELP\_TEXT.....No Help Text  
ID.....{92D4BAF1-63E3-4FC0-B096-B5CBC4736245}  
TERM.....CRUSHING

DATA VALUE: CRUTCH

-----  
ABBREVIATION.....CRUTCH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crutch  
HELP\_TEXT.....No Help Text  
ID.....{2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}  
TERM.....CRUTCH

DATA VALUE: CRUTCHES

-----  
ABBREVIATION.....CRUTCHES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crutches  
HELP\_TEXT.....No Help Text  
ID.....{DDA81269-B25C-4F7D-A059-BB1602B2B179}  
TERM.....CRUTCHES

DATA VALUE: CRYING

-----  
ABBREVIATION.....CRYING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crying  
HELP\_TEXT.....No Help Text  
ID.....{D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}  
TERM.....CRYING

DATA VALUE: CRYSTALLOID

-----  
ABBREVIATION.....CRYSTALLOI  
ACTIVE.....Yes  
DESCRIPTION.....Crystalloid  
DISPLAY\_NAME.....Crystalloid  
HELP\_TEXT.....No Help Text  
ID.....{4EC07E19-88B2-4C13-99B6-8233DF612997}  
TERM.....CRYSTALLOID



DATA VALUE: CSM: CENTRAL STEADY MAINTAINED

-----  
ABBREVIATION.....CSM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CSM: Central Steady Maintained  
HELP\_TEXT.....  
ID.....{43085BCB-4264-4E4A-BC17-A9C252A89BA8}  
TERM.....CSM: CENTRAL STEADY MAINTAINED

DATA VALUE: CULTURAL

-----  
ABBREVIATION.....CULTURAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cultural  
HELP\_TEXT.....No Help Text  
ID.....{530D166D-D7C1-4204-94DC-83F4E140F11C}  
TERM.....CULTURAL

DATA VALUE: CYANOTIC

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cyanotic  
HELP\_TEXT.....No Help Text  
ID.....{06BD77DB-1849-D731-0F27-F8CE48755EA9}  
TERM.....CYANOTIC

DATA VALUE: D - DOPPLER

-----  
ABBREVIATION.....d-d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....D - Doppler  
HELP\_TEXT.....No Help Text  
ID.....{2B77F099-0520-474D-A4BC-22BF824C8364}  
TERM.....D - DOPPLER

DATA VALUE: D10W ENTERAL NUTRITION

-----  
ABBREVIATION.....D10W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D10W Enteral Nutrition Type  
DISPLAY\_NAME.....D10W Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}  
TERM.....D10W ENTERAL NUTRITION

DATA VALUE: D50W ENTERAL NUTRITION

-----  
ABBREVIATION.....D50W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D50W Enteral Nutrition Type  
DISPLAY\_NAME.....D50W Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{528A4339-0261-4EC5-821C-7CE5592666DC}  
TERM.....D50W ENTERAL NUTRITION

DATA VALUE: D5W ENTERAL NUTRITION

-----  
ABBREVIATION.....D5W  
ACTIVE.....Yes  
DESCRIPTION.....D5W Enteral Nutrition Type  
DISPLAY\_NAME.....D5W Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{D6664641-BF43-4157-9A30-8AD8CFE96518}  
TERM.....D5W ENTERAL NUTRITION

DATA VALUE: D=DOPPLER

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....D=Doppler  
HELP\_TEXT.....No Help Text  
ID.....{BCF37855-1E6E-9544-B316-D80A651697E4}  
TERM.....D=DOPPLER

DATA VALUE: DAILY PLAN

-----  
ABBREVIATION.....DAILY PLAN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Daily Plan  
HELP\_TEXT.....No Help Text  
ID.....{B29357A5-4294-4EA0-A0D3-59182F3C94FB}  
TERM.....DAILY PLAN

DATA VALUE: DAMPENED

-----  
ABBREVIATION.....DAMPENED  
ACTIVE.....Yes  
DESCRIPTION.....Dampened  
DISPLAY\_NAME.....Dampened  
HELP\_TEXT.....No Help Text  
ID.....{77C777B3-7E56-41E3-8E70-DE144E6A3424}  
TERM.....DAMPENED

DATA VALUE: DANGLED

-----  
ABBREVIATION.....DANGLED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dangled  
HELP\_TEXT.....No Help Text  
ID.....{40665750-112F-401D-AEFA-8E19F45EC0C9}  
TERM.....DANGLED

DATA VALUE: DATE OF BIRTH

-----  
ABBREVIATION.....DOB  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Date of Birth  
HELP\_TEXT.....  
ID.....{F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}  
TERM.....DATE OF BIRTH

DATA VALUE: DAY ROOM

-----  
ABBREVIATION.....dr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Day Room  
HELP\_TEXT.....No Help Text  
ID.....{269125EF-FA82-B17A-6B56-0CEAB4788899}  
TERM.....DAY ROOM

DATA VALUE: DDD

-----  
ABBREVIATION.....DDD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DDD  
HELP\_TEXT.....No Help Text  
ID.....{7AA7152E-48F0-8550-AD0D-9F298E90B765}  
TERM.....DDD

DATA VALUE: DDDR

-----  
ABBREVIATION.....DDDR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DDDR  
HELP\_TEXT.....No Help Text  
ID.....{A3CC0D9D-D329-1A52-2DD1-911A1E04B871}  
TERM.....DDDR

DATA VALUE: DDI

-----  
ABBREVIATION.....DDI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DDI  
HELP\_TEXT.....No Help Text  
ID.....{0C1E359F-B1F4-7994-D337-37622CB14BC8}  
TERM.....DDI

DATA VALUE: DECELERATING

-----  
ABBREVIATION.....DECELERATI  
ACTIVE.....Yes  
DESCRIPTION.....Decelerating  
DISPLAY\_NAME.....Decelerating  
HELP\_TEXT.....Decelerating  
ID.....{B259D4D4-82B8-454A-B53D-F12F4952BB61}  
TERM.....DECELERATING

DATA VALUE: DECLINES BLOOD PRODUCT(S) - SEE COMMENTS

-----  
ABBREVIATION.....Declines  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Declines Blood Product(s) - See  
Comments  
HELP\_TEXT.....  
ID.....{6956B7C1-5996-4ED0-91B7-040992E11DED}  
TERM.....DECLINES BLOOD PRODUCT(S) - SEE  
COMMENTS

DATA VALUE: DECREASED

-----  
ABBREVIATION.....DECREASED  
ACTIVE.....Yes  
DESCRIPTION.....Decreased  
DISPLAY\_NAME.....Decreased  
HELP\_TEXT.....No Help Text  
ID.....{D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}  
TERM.....DECREASED

DATA VALUE: DECREASED ROM

-----  
ABBREVIATION.....Decr ROM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Decreased ROM  
HELP\_TEXT.....  
ID.....{F3C533EE-4528-4164-9F66-F2D4D3F681D5}  
TERM.....DECREASED ROM

DATA VALUE: DEEP

-----  
ABBREVIATION.....DEEP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Deep  
HELP\_TEXT.....No Help Text  
ID.....{78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}  
TERM.....DEEP

DATA VALUE: DELIRIOUS

-----  
ABBREVIATION.....Delirious  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Delirious  
HELP\_TEXT.....  
ID.....{6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}  
TERM.....DELIRIOUS

DATA VALUE: DENIES HAVING SLEPT

-----  
ABBREVIATION.....DENIES SL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Denies Having Slept  
HELP\_TEXT.....No Help Text  
ID.....{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}  
TERM.....DENIES HAVING SLEPT

DATA VALUE: DENIES NEED

-----  
ABBREVIATION.....DENIES NE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Denies Need  
HELP\_TEXT.....No Help Text  
ID.....{28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}  
TERM.....DENIES NEED

DATA VALUE: DENTAL

-----  
ABBREVIATION.....Dental  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dental  
HELP\_TEXT.....  
ID.....{0A60F06A-ED63-4B06-8FF9-EEFB12567D65}  
TERM.....DENTAL

DATA VALUE: DENTAL IMPLANTS

-----  
ABBREVIATION.....Implants  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dental Implants  
HELP\_TEXT.....  
ID.....{D3AF96DE-6920-4C93-8105-99EE574FC092}  
TERM.....DENTAL IMPLANTS

DATA VALUE: DENTIST

-----  
ABBREVIATION.....Dentist  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dentist  
HELP\_TEXT.....  
ID.....{DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}  
TERM.....DENTIST

DATA VALUE: DENTURES

-----  
ABBREVIATION.....Dentures  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dentures  
HELP\_TEXT.....  
ID.....{ECABE4D0-97BE-418D-AC7D-29E40D166581}  
TERM.....DENTURES

DATA VALUE: DESCRIP

-----  
ABBREVIATION.....N  
ACTIVE.....Yes  
DESCRIPTION.....1.5 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....N  
HELP\_TEXT.....No Help Text  
ID.....{47FD2D75-2C45-476F-82AF-7B40108E9C07}  
TERM.....DESCRIP

DATA VALUE: DEVIATION LEFT

-----  
ABBREVIATION.....DeviationL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Deviation Left  
HELP\_TEXT.....  
ID.....{B8F53B29-9BE7-4681-8AFF-DE5D3F962755}  
TERM.....DEVIATION LEFT

DATA VALUE: DEVIATION RIGHT

-----  
ABBREVIATION.....DeviationR  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Deviation Right  
HELP\_TEXT.....  
ID.....{D716E41B-4042-4C35-8FE3-6B7BDC3DB1A9}  
TERM.....DEVIATION RIGHT

DATA VALUE: DEVICE RELATED PRESSURE

-----  
ABBREVIATION.....DEV REL PR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Device Related Pressure  
HELP\_TEXT.....No Help Text  
ID.....{3AED6107-A173-4B53-8EB5-2FB2B3336FC5}  
TERM.....DEVICE RELATED PRESSURE

DATA VALUE: DEVICE RELEASE

-----  
ABBREVIATION.....drq  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Device Release  
HELP\_TEXT.....No Help Text  
ID.....{9F97947F-CFFE-3285-F4C3-A8DF294DA46C}  
TERM.....DEVICE RELEASE

DATA VALUE: DIABETES

-----  
ABBREVIATION.....Diabetes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Diabetes  
HELP\_TEXT.....  
ID.....{E295E970-759D-44CD-AD43-6047382A790D}  
TERM.....DIABETES

DATA VALUE: DIABETIC/VASCULAR ULCER

-----  
ABBREVIATION.....DIA/VAS UL  
ACTIVE.....Yes  
DESCRIPTION.....Type of wound  
DISPLAY\_NAME.....Diabetic / Vascular Ulcer  
HELP\_TEXT.....No Help Text  
ID.....{E209E53E-EFF1-48F5-9581-75236C89D9B9}  
TERM.....DIABETIC/VASCULAR ULCER

DATA VALUE: DIAGNOSIS/HEALTH STATUS

-----  
ABBREVIATION.....Diag/Healt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Diagnosis/Health Status  
HELP\_TEXT.....  
ID.....{42F128CE-63B7-4AA9-A121-B08C507F9941}  
TERM.....DIAGNOSIS/HEALTH STATUS

DATA VALUE: DIALYSIS

-----  
ABBREVIATION.....DIALYSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dialysis Line  
HELP\_TEXT.....No Help Text  
ID.....{D218E23C-5A34-09B0-DE43-DC792DCD0F1C}  
TERM.....DIALYSIS

DATA VALUE: DIAPHORETIC

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diaphoretic  
HELP\_TEXT.....No Help Text  
ID.....{F5F1E644-A1BD-0137-54B5-1C02678C1D5A}  
TERM.....DIAPHORETIC

DATA VALUE: DIARRHEA

-----  
ABBREVIATION.....DIARRHEA  
ACTIVE.....Yes  
DESCRIPTION.....Diarrhea  
DISPLAY\_NAME.....Diarrhea  
HELP\_TEXT.....No Help Text  
ID.....{353472EF-3499-46B1-AD7C-554FE01D8CE2}  
TERM.....DIARRHEA

DATA VALUE: DIASTOLIC

-----  
ABBREVIATION.....DIASTOLIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diastolic  
HELP\_TEXT.....No Help Text  
ID.....{3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}  
TERM.....DIASTOLIC



DATA VALUE: DIFFICULT TO AROUSE

-----  
ABBREVIATION.....Diff to Ar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Difficult to Arouse  
HELP\_TEXT.....  
ID.....{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}  
TERM.....DIFFICULT TO AROUSE

DATA VALUE: DILATED

-----  
ABBREVIATION.....Dilated  
ACTIVE.....Yes  
DESCRIPTION.....Dilated  
DISPLAY\_NAME.....Dilated  
HELP\_TEXT.....No Help Text  
ID.....{BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}  
TERM.....DILATED

DATA VALUE: DILUTE DAKINS SOLUTION

-----  
ABBREVIATION.....DL DAKINS  
ACTIVE.....Yes  
DESCRIPTION.....Dilute Dakins Solution  
DISPLAY\_NAME.....Dilute Dakins Solution  
HELP\_TEXT.....No Help Text  
ID.....{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}  
TERM.....DILUTE DAKINS SOLUTION

DATA VALUE: DILUTE SODIUM HYPOCHLORITE SOLUTION

-----  
ABBREVIATION.....D NA HYPO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dilute Sodium Hypochlorite Solution  
HELP\_TEXT.....No Help Text  
ID.....{14D2B1FB-1A5D-42AA-ACCF-A5033741DB61}  
TERM.....DILUTE SODIUM HYPOCHLORITE SOLUTION

DATA VALUE: DIMINISHED

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diminished  
HELP\_TEXT.....No Help Text  
ID.....{49DE419E-DC3C-F7CD-771D-742031E0DEBC}  
TERM.....DIMINISHED

DATA VALUE: DISCHARGE

-----  
ABBREVIATION.....DISCHARGE  
ACTIVE.....Yes  
DESCRIPTION.....Discharge  
DISPLAY\_NAME.....Discharge  
HELP\_TEXT.....No Help Text  
ID.....{ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}  
TERM.....DISCHARGE

DATA VALUE: DISCHARGE MEDS PLANNED

-----  
ABBREVIATION.....DI ME PL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Discharge Meds Planned  
HELP\_TEXT.....No Help Text  
ID.....{04E9DF8B-8807-47A5-AE88-180F431F3BDE}  
TERM.....DISCHARGE MEDS PLANNED

DATA VALUE: DISCHARGE ORDER ON CHART

-----  
ABBREVIATION.....DI OR CH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Discharge Order On Chart  
HELP\_TEXT.....No Help Text  
ID.....{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}  
TERM.....DISCHARGE ORDER ON CHART

DATA VALUE: DISCOLORATION

-----  
ABBREVIATION.....DISCOLORAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Discoloration  
HELP\_TEXT.....No Help Text  
ID.....{BBE3E910-CC49-430C-BD90-FB0A97F1B183}  
TERM.....DISCOLORATION

DATA VALUE: DISCOMFORT

-----  
ABBREVIATION.....DISCOMFORT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Discomfort  
HELP\_TEXT.....No Help Text  
ID.....{77D058C9-1EB4-96C0-C9E3-666C840B884C}  
TERM.....DISCOMFORT

DATA VALUE: DISCONTINUED

-----  
ABBREVIATION.....DISCONTINU  
ACTIVE.....Yes  
DESCRIPTION.....Discontinued  
DISPLAY\_NAME.....Discontinued  
HELP\_TEXT.....No Help Text  
ID.....{15E289FB-09DF-4731-9CF3-48A4E0031C31}  
TERM.....DISCONTINUED

DATA VALUE: DISEASE PROCESS

-----  
ABBREVIATION.....DISEA PROC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disease Process  
HELP\_TEXT.....No Help Text  
ID.....{E80807AE-6208-421D-BE4C-445C470D32FA}  
TERM.....DISEASE PROCESS

DATA VALUE: DISHEVELED

-----  
ABBREVIATION.....DISHEVEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disheveled  
HELP\_TEXT.....No Help Text  
ID.....{0455549E-5CCB-470D-9D7F-F3959E6D55FE}  
TERM.....DISHEVELED

DATA VALUE: DISORIENTED

-----  
ABBREVIATION.....DISORIENTE  
ACTIVE.....Yes  
DESCRIPTION.....Disoriented  
DISPLAY\_NAME.....Disoriented  
HELP\_TEXT.....No Help Text  
ID.....{A7D1F2EA-CD7C-4100-8552-44834684C6DE}  
TERM.....DISORIENTED

DATA VALUE: DISORIENTED TO PERSON

-----  
ABBREVIATION.....DISOR TO P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Person  
HELP\_TEXT.....No Help Text  
ID.....{E5D83C03-7EF5-770B-930F-7B3B3345048C}  
TERM.....DISORIENTED TO PERSON

DATA VALUE: DISORIENTED TO PLACE

-----  
ABBREVIATION.....dtp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Place  
HELP\_TEXT.....No Help Text  
ID.....{00C98809-C0D0-C7B4-0615-8F7D31017FE8}  
TERM.....DISORIENTED TO PLACE

DATA VALUE: DISORIENTED TO SITUATION

-----  
ABBREVIATION.....dts  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Situation  
HELP\_TEXT.....No Help Text  
ID.....{7143B3D7-5569-4378-D3AA-10C4675F0BA5}  
TERM.....DISORIENTED TO SITUATION

DATA VALUE: DISORIENTED TO TIME

-----  
ABBREVIATION.....dtt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Time  
HELP\_TEXT.....No Help Text  
ID.....{2AD1A28A-4121-4B82-CFB8-E5A8D3095704}  
TERM.....DISORIENTED TO TIME

DATA VALUE: DISTAL PORT

-----  
ABBREVIATION.....DIST PORT  
ACTIVE.....Yes  
DESCRIPTION.....Distal Port  
DISPLAY\_NAME.....Distal Port  
HELP\_TEXT.....No Help Text  
ID.....{E493DF34-AD0E-4951-9715-5AD4EFA14036}  
TERM.....DISTAL PORT

DATA VALUE: DISTENDED

-----  
ABBREVIATION.....DISTENDED  
ACTIVE.....Yes  
DESCRIPTION.....Distended  
DISPLAY\_NAME.....Distended  
HELP\_TEXT.....No Help Text  
ID.....{B5C529CA-2BE0-4698-A153-718F4D58E643}  
TERM.....DISTENDED

DATA VALUE: DIVERSION

-----  
ABBREVIATION.....DIVERSION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diversion  
HELP\_TEXT.....No Help Text  
ID.....{087AAE9F-7FE1-5717-6423-07574C637875}  
TERM.....DIVERSION

DATA VALUE: DO

-----  
ABBREVIATION.....DO  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....DO  
HELP\_TEXT.....  
ID.....{F70738A6-7BFA-4D76-881C-6A4B4F4E41E4}  
TERM.....DO

DATA VALUE: DO NOT INTUBATE

-----  
ABBREVIATION.....Do Not Int  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Do Not Intubate  
HELP\_TEXT.....  
ID.....{88F9A76A-43BC-4BD9-A567-C8FE5A868544}  
TERM.....DO NOT INTUBATE

DATA VALUE: DO NOT RESUSCITATE

-----  
ABBREVIATION.....dnr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Do Not Resuscitate  
HELP\_TEXT.....No Help Text  
ID.....{0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}  
TERM.....DO NOT RESUSCITATE

DATA VALUE: DONE

-----  
ABBREVIATION.....DONE  
ACTIVE.....Yes  
DESCRIPTION.....Done  
DISPLAY\_NAME.....Done  
HELP\_TEXT.....No Help Text  
ID.....{60412C8D-132F-46EA-8DDF-FCC282C4CC8B}  
TERM.....DONE

DATA VALUE: DOO

-----  
ABBREVIATION.....DOO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DOO  
HELP\_TEXT.....No Help Text  
ID.....{749BCE3D-FF09-B796-FF2A-ECD2D116C96F}  
TERM.....DOO

DATA VALUE: DOUBLE

-----  
ABBREVIATION.....DOUBLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Double  
HELP\_TEXT.....No Help Text  
ID.....{A486852F-150B-24E3-8EB3-8CAABB3D0520}  
TERM.....DOUBLE

DATA VALUE: DOWN

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Down  
HELP\_TEXT.....No Help Text  
ID.....{36ECC86E-2D73-D4A9-5E13-9972E2ECF2E2}  
TERM.....DOWN

DATA VALUE: DRAINAGE FLOW IS UNOBSTRUCTED

-----  
ABBREVIATION.....Unobstruct  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Drainage Flow is Unobstructed  
HELP\_TEXT.....  
ID.....{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}  
TERM.....DRAINAGE FLOW IS UNOBSTRUCTED

DATA VALUE: DRESSING

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dressing  
HELP\_TEXT.....No Help Text  
ID.....{FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}  
TERM.....DRESSING

DATA VALUE: DRESSING CHANGED

-----  
ABBREVIATION.....DRESS CHAN  
ACTIVE.....Yes  
DESCRIPTION.....Changed Dressing  
DISPLAY\_NAME.....Dressing Changed  
HELP\_TEXT.....No Help Text  
ID.....{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}  
TERM.....DRESSING CHANGED

DATA VALUE: DRESSING WITH PRESCRIPTION RX

-----  
ABBREVIATION.....DR W RX  
ACTIVE.....Yes  
DESCRIPTION.....Dressing With Prescription Rx  
DISPLAY\_NAME.....Dressing With Prescription Rx  
HELP\_TEXT.....No Help Text  
ID.....{AD5F9FDC-F280-4F1C-99E9-2BE0F9FFB15C}  
TERM.....DRESSING WITH PRESCRIPTION RX

DATA VALUE: DRESSINGS CHECKED

-----  
ABBREVIATION.....DRESS CH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dressings Checked  
HELP\_TEXT.....No Help Text  
ID.....{21014F53-29CE-4914-8760-6976D8DBA742}  
TERM.....DRESSINGS CHECKED

DATA VALUE: DROPLET

-----  
ABBREVIATION.....DROPLET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Droplet  
HELP\_TEXT.....No Help Text  
ID.....{CE1DD314-8A30-4785-BD56-1540CDA85146}  
TERM.....DROPLET

DATA VALUE: DROWSY

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Drowsy  
HELP\_TEXT.....No Help Text  
ID.....{6B350814-A88A-0F05-C382-9F27830FBC09}  
TERM.....DROWSY

DATA VALUE: DRY

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dry  
HELP\_TEXT.....No Help Text  
ID.....{D8F4F0FD-1B19-2515-3815-EC88D175B305}  
TERM.....DRY

DATA VALUE: DRY AND INTACT

-----  
ABBREVIATION.....DRY INTACT  
ACTIVE.....Yes  
DESCRIPTION.....Dry and Intact  
DISPLAY\_NAME.....Dry and Intact  
HELP\_TEXT.....No Help Text  
ID.....{77B62A18-F098-4764-86FA-66373E08E8C3}  
TERM.....DRY AND INTACT

DATA VALUE: DRY SHAMPOO

-----  
ABBREVIATION.....DRY SHAMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dry Shampoo  
HELP\_TEXT.....No Help Text  
ID.....{8910A186-2590-4352-A884-7D692A9D2B3C}  
TERM.....DRY SHAMPOO

DATA VALUE: DRY STERILE DRESSING

-----  
ABBREVIATION.....DRY ST DRE  
ACTIVE.....Yes  
DESCRIPTION.....Dry Sterile Dressing  
DISPLAY\_NAME.....Dry Sterile Dressing  
HELP\_TEXT.....No Help Text  
ID.....{3069DFCE-1B59-467C-97CE-9DBAF9AF42CC}  
TERM.....DRY STERILE DRESSING

DATA VALUE: DULL

-----  
ABBREVIATION.....DULL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dull  
HELP\_TEXT.....No Help Text  
ID.....{F0F80976-F6A0-4363-9C75-AAAE9937DB49}  
TERM.....DULL



DATA VALUE: DUMPING SYNDROME

-----  
ABBREVIATION.....DUMP SYND  
ACTIVE.....Yes  
DESCRIPTION.....Dumping Syndrome Diet  
DISPLAY\_NAME.....Dumping Syndrome Diet  
HELP\_TEXT.....No Help Text  
ID.....{0173C971-63CB-45A5-9E93-D966EB3B957D}  
TERM.....DUMPING SYNDROME

DATA VALUE: DUODENOSTOMY

-----  
ABBREVIATION.....DUODENOSTO  
ACTIVE.....Yes  
DESCRIPTION.....Duodenostomy  
DISPLAY\_NAME.....Duodenostomy  
HELP\_TEXT.....No Help Text  
ID.....{FA44135D-6806-42E7-B371-8C3912B3582E}  
TERM.....DUODENOSTOMY

DATA VALUE: DUSKY

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dusky  
HELP\_TEXT.....No Help Text  
ID.....{2ABF845E-4E2F-883F-3FCC-F72B8507FF85}  
TERM.....DUSKY

DATA VALUE: DVI

-----  
ABBREVIATION.....DVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DVI  
HELP\_TEXT.....No Help Text  
ID.....{4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}  
TERM.....DVI

DATA VALUE: DYE PRESENT

-----  
ABBREVIATION.....DYE PRESEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dye Present  
HELP\_TEXT.....No Help Text  
ID.....{E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}  
TERM.....DYE PRESENT

DATA VALUE: DYSPHAGIA

-----  
ABBREVIATION.....Dysphagia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dysphagia  
HELP\_TEXT.....  
ID.....{CC69271C-B4DF-42D1-BA91-0832DBC45E31}  
TERM.....DYSPHAGIA

DATA VALUE: DYSPHAGIA PHASE I

-----  
ABBREVIATION.....DYSP PH I  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage I Diet  
DISPLAY\_NAME.....Dysphagia Stage I Diet  
HELP\_TEXT.....No Help Text  
ID.....{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}  
TERM.....DYSPHAGIA PHASE I

DATA VALUE: DYSPHAGIA STAGE II

-----  
ABBREVIATION.....DYSP ST II  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage II Diet  
DISPLAY\_NAME.....Dysphagia Stage II Diet  
HELP\_TEXT.....No Help Text  
ID.....{294BF58A-47FD-43A1-8A1E-9E348987B004}  
TERM.....DYSPHAGIA STAGE II

DATA VALUE: DYSPHAGIA STAGE III

-----  
ABBREVIATION.....DYS ST III  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage III Diet  
DISPLAY\_NAME.....Dysphagia Stage III Diet  
HELP\_TEXT.....No Help Text  
ID.....{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}  
TERM.....DYSPHAGIA STAGE III

DATA VALUE: DYSPHAGIA STAGE IV

-----  
ABBREVIATION.....DYSP ST IV  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage IV Diet  
DISPLAY\_NAME.....Dysphagia Stage IV Diet  
HELP\_TEXT.....No Help Text  
ID.....{E738569A-5104-4C93-8EFC-47D80765F739}  
TERM.....DYSPHAGIA STAGE IV

DATA VALUE: DYSPHAGIA STAGE V

-----  
ABBREVIATION.....DYSPH ST V  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage V Diet  
DISPLAY\_NAME.....Dysphagia Stage V Diet  
HELP\_TEXT.....No Help Text  
ID.....{ABE7D85D-1821-4592-B4E8-84670EE484E4}  
TERM.....DYSPHAGIA STAGE V

DATA VALUE: DYSPNEIC

-----  
ABBREVIATION.....DYSPENIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dyspenic  
HELP\_TEXT.....No Help Text  
ID.....{4C6B42D9-694F-5EB2-6396-7ED85D5B154E}  
TERM.....DYSPNEIC

DATA VALUE: DYSURIA

-----  
ABBREVIATION.....DYSURIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dysuria  
HELP\_TEXT.....No Help Text  
ID.....{75AC5ECD-8975-406A-30C7-E2EB23F10F84}  
TERM.....DYSURIA

DATA VALUE: EAGER TO LEARN

-----  
ABBREVIATION.....EAGER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Eager To Learn  
HELP\_TEXT.....No Help Text  
ID.....{A20AF51B-C89C-4308-AE17-C66144FE68BE}  
TERM.....EAGER TO LEARN

DATA VALUE: EASY TO AROUSE

-----  
ABBREVIATION.....Easy to Ar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Easy to Arouse  
HELP\_TEXT.....  
ID.....{19BB5A04-F979-449C-AA93-D5A21BD368F6}  
TERM.....EASY TO AROUSE

DATA VALUE: ECCHYMOSIS

-----  
ABBREVIATION.....ECCHYMOSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ecchymosis  
HELP\_TEXT.....No Help Text  
ID.....{DF076906-CC17-6AD1-76E7-B07678A126DE}  
TERM.....ECCHYMOSIS

DATA VALUE: ELASTIC WRAP

-----  
ABBREVIATION.....ELAST WRAP  
ACTIVE.....Yes  
DESCRIPTION.....ELASTIC WRAP  
DISPLAY\_NAME.....Elastic Wrap  
HELP\_TEXT.....ELASTIC WRAP  
ID.....{9EB52FA5-32D8-823F-2E3C-83375DA62342}  
TERM.....ELASTIC WRAP

DATA VALUE: ELBOW PAD

-----  
ABBREVIATION.....ELBOW PAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Elbow Pad  
HELP\_TEXT.....No Help Text  
ID.....{26942F81-1E33-4962-B772-A96FFBCED814}  
TERM.....ELBOW PAD

DATA VALUE: ELECTRIC

-----  
ABBREVIATION.....ELECTRIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ELECTRIC  
HELP\_TEXT.....No Help Text  
ID.....{0C221385-61AF-4660-A129-35E610EA71AB}  
TERM.....ELECTRIC

DATA VALUE: ELEMENTAL FORMULA

-----  
ABBREVIATION.....ELE FORM  
ACTIVE.....Yes  
DESCRIPTION.....Elemental Enteral Nutrition Formula  
DISPLAY\_NAME.....Elemental Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{DCE1E81C-1AC7-48F4-97AA-F1FC4D0601D8}  
TERM.....ELEMENTAL FORMULA

DATA VALUE: ELIMINATED ENVIRONMENTAL HAZARDS

-----  
ABBREVIATION.....Eli Env Hz  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Eliminated Environmental Hazards  
HELP\_TEXT.....  
ID.....{78E77129-F53F-491D-8C86-36AE948FCCC6}  
TERM.....ELIMINATED ENVIRONMENTAL HAZARDS

DATA VALUE: ELOPEMENT

-----  
ABBREVIATION.....e  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Elopement  
HELP\_TEXT.....No Help Text  
ID.....{EB030907-FB90-CA9D-CF50-E26C5D9FE671}  
TERM.....ELOPEMENT

DATA VALUE: EMERGENCY

-----  
ABBREVIATION.....Emergency  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Emergency  
HELP\_TEXT.....  
ID.....{3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}  
TERM.....EMERGENCY

DATA VALUE: EMERGENCY DEPARTMENT

-----  
ABBREVIATION.....ER DEPT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Emergency Department  
HELP\_TEXT.....No Help Text  
ID.....{D2E511F7-8B80-4928-A64B-3F1EE17395F7}  
TERM.....EMERGENCY DEPARTMENT

DATA VALUE: EMERGENCY DEPT

-----  
ABBREVIATION.....Emer Dept  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Emergency Dept  
HELP\_TEXT.....  
ID.....{E8490DF5-278C-4102-9675-C9B40D596A10}  
TERM.....EMERGENCY DEPT

DATA VALUE: EMOTIONAL

-----  
ABBREVIATION.....EMOTIONAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Emotional  
HELP\_TEXT.....No Help Text  
ID.....{626C22E6-EF2A-489F-AA79-D27541A0BC45}  
TERM.....EMOTIONAL

DATA VALUE: END OF LIFE CARE

-----  
ABBREVIATION.....END LIFE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....End Of Life Care  
HELP\_TEXT.....No Help Text  
ID.....{047D8977-0567-4B90-AD6A-3AAF8DB35238}  
TERM.....END OF LIFE CARE

DATA VALUE: END-TIDAL CO2 MONITOR

-----  
ABBREVIATION.....End-Tidal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....End-Tidal CO2 Monitor  
HELP\_TEXT.....  
ID.....{609E3607-E441-465D-B1FC-C6986C58C11C}  
TERM.....END-TIDAL CO2 MONITOR

DATA VALUE: ENSURE PLUS

-----  
ABBREVIATION.....Ensure Plu  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ensure Plus  
HELP\_TEXT.....  
ID.....{519D1249-B6C0-49ED-BA86-1B27C0F964C9}  
TERM.....ENSURE PLUS

DATA VALUE: ENTERAL FEEDING FORMULA/WATER ADMINISTRATION

-----  
ABBREVIATION.....Feed Form  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enteral Feeding Formula/Water  
Administration  
HELP\_TEXT.....  
ID.....{D2EA8840-1123-4660-AD25-587458BF1E89}  
TERM.....ENTERAL FEEDING FORMULA/WATER  
ADMINISTRATION

DATA VALUE: ENTERAL FEEDING PUMP

-----  
ABBREVIATION.....Feed Pump  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enteral Feeding Pump  
HELP\_TEXT.....  
ID.....{31FF069C-0060-45C3-898F-20F1A9D1552B}  
TERM.....ENTERAL FEEDING PUMP

DATA VALUE: ENTERAL TUBE MEDICATION ADMINISTRATION

-----  
ABBREVIATION.....Med Admin  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enteral Tube Medication Administration  
HELP\_TEXT.....  
ID.....{68D124A7-69CF-414B-8A47-BC666A373E24}  
TERM.....ENTERAL TUBE MEDICATION ADMINISTRATION

DATA VALUE: ENTERAL TUBE/STOMA CARE

-----  
ABBREVIATION.....Tube/Stoma  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enteral Tube/Stoma Care  
HELP\_TEXT.....  
ID.....{B91B94EF-CFE6-4628-BEF2-D06E5870D574}  
TERM.....ENTERAL TUBE/STOMA CARE

DATA VALUE: ENVIRONMENT

-----  
ABBREVIATION.....ENVIRO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Environment  
HELP\_TEXT.....No Help Text  
ID.....{C61AA262-F6AF-46AC-A215-0D56FD01B234}  
TERM.....ENVIRONMENT

DATA VALUE: ENZYMATIC OINTMENT

-----  
ABBREVIATION.....ENZY OINTM  
ACTIVE.....Yes  
DESCRIPTION.....Enzymatic Ointment  
DISPLAY\_NAME.....Enzymatic Ointment  
HELP\_TEXT.....No Help Text  
ID.....{E781DA75-8777-4884-A093-FB623774DB8F}  
TERM.....ENZYMATIC OINTMENT

DATA VALUE: EPICARDIAL LEADS

-----  
ABBREVIATION.....el  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Epicardial Leads  
HELP\_TEXT.....No Help Text  
ID.....{2B551575-3D50-96BD-7BAA-50CC9796361E}  
TERM.....EPICARDIAL LEADS

DATA VALUE: EPIDURAL

-----  
ABBREVIATION.....Epidural  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Epidural  
HELP\_TEXT.....  
ID.....{63317A63-16FF-4D55-A034-420C65B17AEB}  
TERM.....EPIDURAL

DATA VALUE: EPIDURAL PUMP

-----  
ABBREVIATION.....Epid Pump  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Epidural Pump  
HELP\_TEXT.....  
ID.....{26C83111-5FA8-4398-8D3E-787B31A2A9E9}  
TERM.....EPIDURAL PUMP

DATA VALUE: EPITHELIALIZATION

-----  
ABBREVIATION.....EPITHELIAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Epithelialization  
HELP\_TEXT.....No Help Text  
ID.....{5FC43A6D-921D-4736-A234-9993DB6499B7}  
TERM.....EPITHELIALIZATION

DATA VALUE: EQUAL

-----  
ABBREVIATION.....Equal  
ACTIVE.....Yes  
DESCRIPTION.....Equal  
DISPLAY\_NAME.....Equal  
HELP\_TEXT.....No Help Text  
ID.....{AC079584-158D-EBF2-E13A-C2E919375E4D}  
TERM.....EQUAL



DATA VALUE: EQUIPMENT

-----  
ABBREVIATION.....EQUIPMENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Equipment  
HELP\_TEXT.....No Help Text  
ID.....{04C0F805-C7B3-4A9A-91D8-0F32F3265874}  
TERM.....EQUIPMENT

DATA VALUE: ERYTHEMA

-----  
ABBREVIATION.....ERYTHEMA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Erythema  
HELP\_TEXT.....No Help Text  
ID.....{0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}  
TERM.....ERYTHEMA

DATA VALUE: ESCAPE

-----  
ABBREVIATION.....e  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Escape  
HELP\_TEXT.....No Help Text  
ID.....{965F3201-9D63-66AB-FA25-99479AE7145A}  
TERM.....ESCAPE

DATA VALUE: ESCHAR

-----  
ABBREVIATION.....ESCHAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Eschar  
HELP\_TEXT.....No Help Text  
ID.....{555E03C5-FBFE-4EB9-816F-25CE34476B3C}  
TERM.....ESCHAR

DATA VALUE: ESTABLISHED ROUTINE TOILETING SCHEDULE

-----  
ABBREVIATION.....Toil Sched  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Established Routine Toileting Schedule  
HELP\_TEXT.....  
ID.....{A66F5259-5C01-4597-B881-9267DEBC017C}  
TERM.....ESTABLISHED ROUTINE TOILETING SCHEDULE

DATA VALUE: ETT REPOSITIONED

-----  
ABBREVIATION.....ETT REPOSI  
ACTIVE.....Yes  
DESCRIPTION.....ETT Repositioned  
DISPLAY\_NAME.....ETT Repositioned  
HELP\_TEXT.....No Help Text  
ID.....{95B35EDB-76B6-433E-B526-01C543A7CCEA}  
TERM.....ETT REPOSITIONED

DATA VALUE: ETT RETAPED/SECURED

-----  
ABBREVIATION.....ETT RETAPE  
ACTIVE.....Yes  
DESCRIPTION.....ETT Retaped / Secured  
DISPLAY\_NAME.....ETT Retaped / Secured  
HELP\_TEXT.....No Help Text  
ID.....{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}  
TERM.....ETT RETAPED/SECURED

DATA VALUE: EWALD TUBE

-----  
ABBREVIATION.....EWALD TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Ewald Tube  
DISPLAY\_NAME.....Ewald Tube  
HELP\_TEXT.....No Help Text  
ID.....{B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}  
TERM.....EWALD TUBE

DATA VALUE: EXPIRATORY WHEEZES

-----  
ABBREVIATION.....EXP WHEEZE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Expiratory Wheezes  
HELP\_TEXT.....No Help Text  
ID.....{CFC103A8-8B02-4942-BBDD-8D24C930883E}  
TERM.....EXPIRATORY WHEEZES

DATA VALUE: EXTENDED PERIOD OF IMMOBILITY

-----  
ABBREVIATION.....Ex Pd Immo  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extended Period of Immobility  
HELP\_TEXT.....  
ID.....{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}  
TERM.....EXTENDED PERIOD OF IMMOBILITY

DATA VALUE: EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM

-----  
ABBREVIATION.....ER EXI <1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Less Than 1 cm  
HELP\_TEXT.....No Help-Text  
ID.....{095709D0-6190-49A3-AB08-BF4575DC8396}  
TERM.....EXTENDS AROUND INCISION EXTENDS INTO  
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION MORE THAN 1 CM

-----  
ABBREVIATION.....ER EXI >1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extends Into Periwound More Than 1 cm  
HELP\_TEXT.....No Help-Text  
ID.....{11F13A1F-7AC2-4629-A960-CD92655EE101}  
TERM.....EXTENDS AROUND INCISION MORE THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION NONE

-----  
ABBREVIATION.....ER EXI NON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help-Text  
ID.....{91F1A7C5-885C-4B13-9F7F-189C93E505CC}  
TERM.....EXTENDS AROUND INCISION NONE

DATA VALUE: EXTENDS INTO PERIWOUND <1CM

-----  
ABBREVIATION.....EX IN PER<  
ACTIVE.....Yes  
DESCRIPTION.....Extends Into Periwound <1cm  
DISPLAY\_NAME.....Extends Into Periwound <1cm  
HELP\_TEXT.....No Help Text  
ID.....{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}  
TERM.....EXTENDS INTO PERIWOUND <1CM

DATA VALUE: EXTENDS INTO PERIWOUND>1CM

-----  
ABBREVIATION.....EX IN PER>  
ACTIVE.....Yes  
DESCRIPTION.....Extends Into Periwound > 1cm  
DISPLAY\_NAME.....Extends Into Periwound > 1cm  
HELP\_TEXT.....No Help Text  
ID.....{1F31FE9B-DA19-434C-8C58-67CDC5385231}  
TERM.....EXTENDS INTO PERIWOUND>1CM

DATA VALUE: EXTENDS TO PAIN

-----  
ABBREVIATION.....EXT TO PAI  
ACTIVE.....Yes  
DESCRIPTION.....Extends To Pain  
DISPLAY\_NAME.....Extends To Pain  
HELP\_TEXT.....No Help Text  
ID.....{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}  
TERM.....EXTENDS TO PAIN

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM

-----  
ABBREVIATION.....ERY EX <1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extends Into Periwound Less Than 1 cm  
HELP\_TEXT.....No Help-Text  
ID.....{48C7FA69-D31A-4AAA-84F3-79AC863B71FD}  
TERM.....EXTENSION AROUND WOUND EXTENDS INTO  
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM

-----  
ABBREVIATION.....ERY EX >1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extends Into Periwound Greater Than 1  
cm  
HELP\_TEXT.....No Help-Text  
ID.....{175B2505-C596-4036-8FC3-DFEA8EFB76F9}  
TERM.....EXTENSION AROUND WOUND EXTENDS INTO  
PERIWOUND MORE THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND LIMITED TO WOUND

-----  
ABBREVIATION.....ERY EX LIM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited To Wound  
HELP\_TEXT.....No Help-Text  
ID.....{2DC83B85-B3B6-4679-9F48-7DD26EFFF4D4}  
TERM.....EXTENSION AROUND WOUND LIMITED TO WOUND

DATA VALUE: EXTENSION AROUND WOUND NONE

-----  
ABBREVIATION.....ERY EX NON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help-Text  
ID.....{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}  
TERM.....EXTENSION AROUND WOUND NONE

DATA VALUE: EXTENSIVE ASSISTANCE

-----  
ABBREVIATION.....EXT ASSIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extensive Assistance  
HELP\_TEXT.....No Help Text  
ID.....{C402B659-E880-4070-8345-13E5508B4D29}  
TERM.....EXTENSIVE ASSISTANCE

DATA VALUE: EXTERNAL CATHETER

-----  
ABBREVIATION.....EXT. CATHE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....External Catheter  
HELP\_TEXT.....No Help Text  
ID.....{C8AEE936-DD91-FE91-4DD6-6F210FB59726}  
TERM.....EXTERNAL CATHETER

DATA VALUE: EXTERNAL CONDOM CATH

-----  
ABBREVIATION.....Ex Con Cat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....External Condom Cath  
HELP\_TEXT.....  
ID.....{747E493A-C535-44EA-AD6D-27CE3E8E8CAC}  
TERM.....EXTERNAL CONDOM CATH

DATA VALUE: EXTREMELY DRY

-----  
ABBREVIATION.....EXTR DRY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extremely Dry  
HELP\_TEXT.....No Help Text  
ID.....{51677B19-80B9-4787-B6E2-E0BCF6601AA1}  
TERM.....EXTREMELY DRY

DATA VALUE: EYE CLOSED

-----  
ABBREVIATION.....ec  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Eye Closed  
HELP\_TEXT.....No Help Text  
ID.....{140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}  
TERM.....EYE CLOSED

DATA VALUE: EYEGLASSES

-----  
ABBREVIATION.....Eyeglasses  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Eyeglasses  
HELP\_TEXT.....  
ID.....{E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}  
TERM.....EYEGLASSES

DATA VALUE: FACE WASH

-----  
ABBREVIATION.....FACE WASH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Face Wash  
HELP\_TEXT.....No Help Text  
ID.....{E1162A8B-D26D-4EB3-988F-50583B1849EA}  
TERM.....FACE WASH

DATA VALUE: FALL RISK ID

-----  
ABBREVIATION.....Fall Risk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fall Risk ID  
HELP\_TEXT.....  
ID.....{EF1BE81B-656B-474C-B19E-CCDAD8BB4100}  
TERM.....FALL RISK ID

DATA VALUE: FALL RISK SIGN

-----  
ABBREVIATION.....Fall Sign  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fall Risk Sign  
HELP\_TEXT.....  
ID.....{E9670720-957E-487E-B0F0-7F7A8AEF69DE}  
TERM.....FALL RISK SIGN

DATA VALUE: FAMILY

-----  
ABBREVIATION.....FAMILY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Family  
HELP\_TEXT.....No Help Text  
ID.....{1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}  
TERM.....FAMILY

DATA VALUE: FAMILY INFORMED

-----  
ABBREVIATION.....FAM INFORM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Family Informed  
HELP\_TEXT.....No Help Text  
ID.....{77135D32-9CDD-4D3F-9B62-6E8189B77844}  
TERM.....FAMILY INFORMED

DATA VALUE: FAMILY INSTRUCTED

-----  
ABBREVIATION.....fam instru  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Family Instructed  
HELP\_TEXT.....  
ID.....{0FD5988C-2C4D-4786-99B3-3287A355E813}  
TERM.....FAMILY INSTRUCTED

DATA VALUE: FAMILY NEEDS

-----  
ABBREVIATION.....Fam Needs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Family Needs  
HELP\_TEXT.....  
ID.....{CEB07929-0A6E-47E9-99CD-BD9333304C9C}  
TERM.....FAMILY NEEDS

DATA VALUE: FAMILY STATED

-----  
ABBREVIATION.....Fam Stated  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Family Stated  
HELP\_TEXT.....  
ID.....{07A4B749-65F2-48E8-AD93-D142B04055B4}  
TERM.....FAMILY STATED

DATA VALUE: FAMILY/FRIEND

-----  
ABBREVIATION.....FAM/FRIE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Family/Friend  
HELP\_TEXT.....No Help Text  
ID.....{FA8FE272-E659-41EF-A394-F907A5F55ED8}  
TERM.....FAMILY/FRIEND

DATA VALUE: FASCIA

-----  
ABBREVIATION.....FASCIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Fascia  
HELP\_TEXT.....No Help Text  
ID.....{EEE8535C-B887-4A34-A93F-C1C4AFC1296F}  
TERM.....FASCIA

DATA VALUE: FAT RESTRICTED 50 GM DIET

-----  
ABBREVIATION.....F RES 50gm  
ACTIVE.....Yes  
DESCRIPTION.....Fat Restricted 50 gm Diet  
DISPLAY\_NAME.....Fat Restricted 50 gm Diet  
HELP\_TEXT.....No Help Text  
ID.....{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}  
TERM.....FAT RESTRICTED 50 GM DIET

DATA VALUE: FECAL FAT TEST DIET

-----  
ABBREVIATION.....FEC F TEST  
ACTIVE.....Yes  
DESCRIPTION.....Fecal Fat Test Diet  
DISPLAY\_NAME.....Fecal Fat Test Diet  
HELP\_TEXT.....No Help Text  
ID.....{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}  
TERM.....FECAL FAT TEST DIET

DATA VALUE: FENTANYL

-----  
ABBREVIATION.....Fentanyl  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fentanyl  
HELP\_TEXT.....  
ID.....{C0740659-05FB-4513-BD0F-4F4111B32215}  
TERM.....FENTANYL

DATA VALUE: FHWN1

-----  
ABBREVIATION.....FHWN1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....FHWN1  
HELP\_TEXT.....No Help Text  
ID.....{93B28875-51BF-4294-B2F9-58BE9365DC81}  
TERM.....FHWN1



DATA VALUE: FIBER FORMULA

-----  
ABBREVIATION.....FIBER FORM  
ACTIVE.....Yes  
DESCRIPTION.....Fiber Enteral Nutrition Formula  
DISPLAY\_NAME.....Fiber Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{1AF14DA4-8D59-420B-9895-4256E7A818BE}  
TERM.....FIBER FORMULA

DATA VALUE: FIBER STAT

-----  
ABBREVIATION.....Fiber Stat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fiber Stat  
HELP\_TEXT.....  
ID.....{201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}  
TERM.....FIBER STAT

DATA VALUE: FIBRINOUS

-----  
ABBREVIATION.....FIBRINOUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Fibrinous  
HELP\_TEXT.....No Help Text  
ID.....{D286EAE2-6902-4B7E-845D-BBB316941B2C}  
TERM.....FIBRINOUS

DATA VALUE: FINANCIAL CONCERNS

-----  
ABBREVIATION.....Fin Concer  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Financial Concerns  
HELP\_TEXT.....  
ID.....{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}  
TERM.....FINANCIAL CONCERNS

DATA VALUE: FIRM

-----  
ABBREVIATION.....FIRM  
ACTIVE.....Yes  
DESCRIPTION.....Firm  
DISPLAY\_NAME.....Firm  
HELP\_TEXT.....No Help Text  
ID.....{11E23F20-39A0-4A6D-B198-04BB36B0C909}  
TERM.....FIRM

DATA VALUE: FIRST DEGREE AV BLOCK

-----  
ABBREVIATION.....fdab  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....First Degree Av Block  
HELP\_TEXT.....No Help Text  
ID.....{4FF046C9-B638-F86C-5D51-006B3D5225E3}  
TERM.....FIRST DEGREE AV BLOCK

DATA VALUE: FIXED

-----  
ABBREVIATION.....f  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Fixed  
HELP\_TEXT.....No Help Text  
ID.....{697D8C5A-976F-F423-30EC-A04102CF85F0}  
TERM.....FIXED

DATA VALUE: FLAT

-----  
ABBREVIATION.....Flat  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Flat  
HELP\_TEXT.....No Help Text  
ID.....{EA4F1980-EDF3-82BC-B677-D747F48F1163}  
TERM.....FLAT

DATA VALUE: FLATULENCE

-----  
ABBREVIATION.....FLATULENCE  
ACTIVE.....Yes  
DESCRIPTION.....Flatulence  
DISPLAY\_NAME.....Flatulence  
HELP\_TEXT.....No Help Text  
ID.....{F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}  
TERM.....FLATULENCE

DATA VALUE: FLEXION TO PAIN

-----  
ABBREVIATION.....FLEX TO PA  
ACTIVE.....Yes  
DESCRIPTION.....Flexion To Pain  
DISPLAY\_NAME.....Flexion To Pain  
HELP\_TEXT.....No Help Text  
ID.....{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}  
TERM.....FLEXION TO PAIN

DATA VALUE: FLICKER OF CONTRACTION

-----  
ABBREVIATION.....foc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Flicker Of Contraction  
HELP\_TEXT.....No Help Text  
ID.....{218B322B-84AA-F6F6-5207-D86F9A4311F0}  
TERM.....FLICKER OF CONTRACTION

DATA VALUE: FLOTATION BED

-----  
ABBREVIATION.....FLOT BED  
ACTIVE.....Yes  
DESCRIPTION.....Flotation Bed  
DISPLAY\_NAME.....Flotation Bed  
HELP\_TEXT.....No Help Text  
ID.....{FA6329AB-85A6-4301-BC14-D0D089249356}  
TERM.....FLOTATION BED

DATA VALUE: FLUCTUANCE

-----  
ABBREVIATION.....FLUCTUANCE  
ACTIVE.....Yes  
DESCRIPTION.....Fluctuance  
DISPLAY\_NAME.....Fluctuance  
HELP\_TEXT.....No Help Text  
ID.....{A6AD2660-621D-4F39-8485-A013D7491566}  
TERM.....FLUCTUANCE

DATA VALUE: FLUCTUATES

-----  
ABBREVIATION.....Fluctuates  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Fluctuates  
HELP\_TEXT.....No Help Text  
ID.....{C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}  
TERM.....FLUCTUATES

DATA VALUE: FLUSHED

-----  
ABBREVIATION.....nt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Flushed  
HELP\_TEXT.....No Help Text  
ID.....{C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}  
TERM.....FLUSHED

DATA VALUE: FOAM AIR HEEL ELEVATOR

-----  
ABBREVIATION.....FO AI HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foam Air Heel Elevator  
HELP\_TEXT.....No Help Text  
ID.....{4EC26AA3-4577-4808-8728-F360C5C5A0D4}  
TERM.....FOAM AIR HEEL ELEVATOR

DATA VALUE: FOAM DRESSING

-----  
ABBREVIATION.....WOU DR FOA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foam Dressing  
HELP\_TEXT.....No Help-Text  
ID.....{D18A5EDD-0EF6-470E-8370-4EDB6D322477}  
TERM.....FOAM DRESSING

DATA VALUE: FOLEY

-----  
ABBREVIATION.....FOLEY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foley  
HELP\_TEXT.....No Help Text  
ID.....{9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}  
TERM.....FOLEY

DATA VALUE: FOLLOWS COMMANDS

-----  
ABBREVIATION.....Follow Cmd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Follows Commands  
HELP\_TEXT.....  
ID.....{D5722341-ACC1-4F69-B537-1D3126ADA249}  
TERM.....FOLLOWS COMMANDS

DATA VALUE: FOOT CARE

-----  
ABBREVIATION.....FOOT CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot Care  
HELP\_TEXT.....No Help Text  
ID.....{332E8338-6DAE-4BC9-B195-63DAD57937D0}  
TERM.....FOOT CARE

DATA VALUE: FOOT DOWN

-----  
ABBREVIATION.....fd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot Down  
HELP\_TEXT.....No Help Text  
ID.....{13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}  
TERM.....FOOT DOWN

DATA VALUE: FOOT UP

-----  
ABBREVIATION.....fu  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot Up  
HELP\_TEXT.....No Help Text  
ID.....{49CCC59E-002E-8387-E8D6-D57AAC089EF3}  
TERM.....FOOT UP

DATA VALUE: FOUL SMELLING

-----  
ABBREVIATION.....FOUL SMELL  
ACTIVE.....Yes  
DESCRIPTION.....Foul Smelling  
DISPLAY\_NAME.....Foul Smelling  
HELP\_TEXT.....No Help Text  
ID.....{761346A9-329D-4F42-8D80-0E9D8D40653C}  
TERM.....FOUL SMELLING

DATA VALUE: FOWLER'S

-----  
ABBREVIATION.....FOWLER'S  
ACTIVE.....Yes  
DESCRIPTION.....Fowler's  
DISPLAY\_NAME.....Fowler's  
HELP\_TEXT.....No Help Text  
ID.....{8E691813-A9AC-48BE-9401-528A7D762A32}  
TERM.....FOWLER'S

DATA VALUE: FRANK BLOOD

-----  
ABBREVIATION.....FRANK BLD  
ACTIVE.....Yes  
DESCRIPTION.....Frank Blood  
DISPLAY\_NAME.....Frank Blood  
HELP\_TEXT.....No Help Text  
ID.....{CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}  
TERM.....FRANK BLOOD

DATA VALUE: FREQUENT VERBAL REMINDERS

-----  
ABBREVIATION.....FR VER RE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Frequent Verbal Reminders  
HELP\_TEXT.....No Help Text  
ID.....{F30D791D-BB80-4AB3-B37F-22B6B547EA65}  
TERM.....FREQUENT VERBAL REMINDERS

DATA VALUE: FRIEND

-----  
ABBREVIATION.....FRIEND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Friend  
HELP\_TEXT.....No Help Text  
ID.....{03902E48-AF86-432A-8372-37796A55F625}  
TERM.....FRIEND

DATA VALUE: FROM A NON-VA OUTSIDE FACILITY

-----  
ABBREVIATION.....Fr Non-VA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From a Non-VA Outside Facility  
HELP\_TEXT.....  
ID.....{8090F49E-5056-4F7C-932C-538581996F8F}  
TERM.....FROM A NON-VA OUTSIDE FACILITY

DATA VALUE: FROM ANOTHER UNIT

-----  
ABBREVIATION.....Fr An Unit  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Another Unit  
HELP\_TEXT.....  
ID.....{D94B5252-7E8A-48EB-A481-0B18C68CAEF7}  
TERM.....FROM ANOTHER UNIT

DATA VALUE: FROM ANOTHER VA FACILITY

-----  
ABBREVIATION.....Fr Oth VA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Another VA Facility  
HELP\_TEXT.....  
ID.....{66AF9A88-6404-4E05-9640-4FB0C6513BAF}  
TERM.....FROM ANOTHER VA FACILITY

DATA VALUE: FROM CLC

-----  
ABBREVIATION.....From CLC  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From CLC  
HELP\_TEXT.....  
ID.....{8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}  
TERM.....FROM CLC

DATA VALUE: FROM EMERGENCY DEPARTMENT

-----  
ABBREVIATION.....Fr Emergen  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Emergency Department  
HELP\_TEXT.....  
ID.....{9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}  
TERM.....FROM EMERGENCY DEPARTMENT

DATA VALUE: FROM HOME

-----  
ABBREVIATION.....From Home  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Home  
HELP\_TEXT.....  
ID.....{2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}  
TERM.....FROM HOME

DATA VALUE: FROM INTERVENTIONAL RADIOLOGY

-----  
ABBREVIATION.....Fr Int Rad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Interventional Radiology  
HELP\_TEXT.....  
ID.....{617DA086-B121-4E2F-8B02-41133EEDD50D}  
TERM.....FROM INTERVENTIONAL RADIOLOGY

DATA VALUE: FROM MICU

-----  
ABBREVIATION.....From MICU  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From MICU  
HELP\_TEXT.....  
ID.....{971D83AE-B75C-420B-B23D-844397CEE968}  
TERM.....FROM MICU

DATA VALUE: FROM OPERATING ROOM

-----  
ABBREVIATION.....From Op Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Operating Room  
HELP\_TEXT.....  
ID.....{2B26BD84-3D4D-4931-99C7-8204E9D49827}  
TERM.....FROM OPERATING ROOM

DATA VALUE: FROM SICU

-----  
ABBREVIATION.....From SICU  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From SICU  
HELP\_TEXT.....  
ID.....{892002CC-E07A-49A5-B909-1F88665B3D65}  
TERM.....FROM SICU

DATA VALUE: FULL CODE

-----  
ABBREVIATION.....fc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Full Code  
HELP\_TEXT.....No Help Text  
ID.....{1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}  
TERM.....FULL CODE

DATA VALUE: FULL LIQUID DIABETIC

-----  
ABBREVIATION.....FULL L DIA  
ACTIVE.....Yes  
DESCRIPTION.....Full Liquid Diabetic  
DISPLAY\_NAME.....Full Liquid Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}  
TERM.....FULL LIQUID DIABETIC

DATA VALUE: FULL LIQUID DIET

-----  
ABBREVIATION.....FULL LIQ D  
ACTIVE.....Yes  
DESCRIPTION.....Full Liquid Diet  
DISPLAY\_NAME.....Full Liquid Diet  
HELP\_TEXT.....No Help Text  
ID.....{CAC22234-7B69-44C3-8A0E-9A84A684E429}  
TERM.....FULL LIQUID DIET



DATA VALUE: FULL LOWER

-----  
ABBREVIATION.....Full Low  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full Lower  
HELP\_TEXT.....  
ID.....{D38022EF-F4F0-44A7-82FE-B277A2A0A165}  
TERM.....FULL LOWER

DATA VALUE: FULL NAME

-----  
ABBREVIATION.....Full Name  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full Name  
HELP\_TEXT.....  
ID.....{A915EA98-D18D-4887-8C50-4B6C0DF44D1D}  
TERM.....FULL NAME

DATA VALUE: FULL SPINAL PRECAUTIONS

-----  
ABBREVIATION.....FULL S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Full Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{42ADB74D-12CC-4111-B181-626C0F01BC7C}  
TERM.....FULL SPINAL PRECAUTIONS

DATA VALUE: FULL SSN

-----  
ABBREVIATION.....Full SSN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full SSN  
HELP\_TEXT.....  
ID.....{3E2887AF-2DC5-40FA-9052-7B04347CC802}  
TERM.....FULL SSN

DATA VALUE: FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO

-----  
ABBREVIATION.....F SK L MBS  
ACTIVE.....Yes  
DESCRIPTION.....Full Thickness Skin Loss Involving  
Muscle, Bone, or Supporting Tissue  
DISPLAY\_NAME.....Full Thickness Skin Loss Involving  
Muscle, Bone, or Supporting Tissue  
HELP\_TEXT.....No Help Text  
ID.....{E027FBEF-1C83-41B7-B848-26D9D62F4266}  
TERM.....FULL THICK SKIN LOSS INVOLVING  
MUSCLE, BONE, SUPPO

DATA VALUE: FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE

-----  
ABBREVIATION.....FULL SKINL  
ACTIVE.....Yes  
DESCRIPTION.....Full Thickness Skin Loss Involving  
                  Subcutaneous Tissue  
DISPLAY\_NAME.....Full Thickness Skin Loss Involving  
                  Subcutaneous Tissue  
HELP\_TEXT.....No Help Text  
ID.....{14C31B14-1D35-4CCB-81A3-C6E30801950D}  
TERM.....FULL THICK SKIN LOSS INVOLVING  
                  SUBCUTANEOUS TISSUE

DATA VALUE: FULL UPPER

-----  
ABBREVIATION.....Full Up  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full Upper  
HELP\_TEXT.....  
ID.....{1808E638-62BB-4978-8706-34BD74B427DE}  
TERM.....FULL UPPER

DATA VALUE: FUNCTIONAL SECTION SET UP

-----  
ABBREVIATION.....Func Sect  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Functional Suction Set Up  
HELP\_TEXT.....  
ID.....{E156C048-11D5-4F62-8B1A-0CEA931E03EF}  
TERM.....FUNCTIONAL SECTION SET UP

DATA VALUE: GAIT BELT

-----  
ABBREVIATION.....GAIT BELT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gait Belt  
HELP\_TEXT.....No Help Text  
ID.....{AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}  
TERM.....GAIT BELT

DATA VALUE: GASTRIC BYPASS CLEAR LIQUID

-----  
ABBREVIATION.....GAS BYP LI  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Bypass Clear Liquid  
DISPLAY\_NAME.....Gastric Bypass Clear Liquid  
HELP\_TEXT.....No Help Text  
ID.....{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}  
TERM.....GASTRIC BYPASS CLEAR LIQUID

DATA VALUE: GASTRIC BYPASS PUREED

-----  
ABBREVIATION.....GAS BY PUR  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Bypass Pureed  
DISPLAY\_NAME.....Gastric Bypass Pureed  
HELP\_TEXT.....No Help Text  
ID.....{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}  
TERM.....GASTRIC BYPASS PUREED

DATA VALUE: GASTRIC BYPASS REGULAR

-----  
ABBREVIATION.....GAS BY REG  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Bypass Regular  
DISPLAY\_NAME.....Gastric Bypass Regular  
HELP\_TEXT.....No Help Text  
ID.....{EE831906-EA51-4EE4-AAF2-583DF366A942}  
TERM.....GASTRIC BYPASS REGULAR

DATA VALUE: GASTRIC TUBE

-----  
ABBREVIATION.....G TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Feeding Tube  
DISPLAY\_NAME.....G Tube  
HELP\_TEXT.....No Help Text  
ID.....{65F774BA-F977-46D3-AE41-7F7C74CFF47E}  
TERM.....GASTRIC TUBE

DATA VALUE: GASTROSTOMY FEEDING BUTTON

-----  
ABBREVIATION.....GAST F BUT  
ACTIVE.....Yes  
DESCRIPTION.....Gastrostomy Feeding Button  
DISPLAY\_NAME.....Gastrostomy Feeding Button  
HELP\_TEXT.....No Help Text  
ID.....{1627B53B-374B-42B4-BBFE-463EE37B6110}  
TERM.....GASTROSTOMY FEEDING BUTTON

DATA VALUE: GASTROSTOMY TUBE

-----  
ABBREVIATION.....GAST TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Gastrostomy Tube  
DISPLAY\_NAME.....Gastrostomy Tube  
HELP\_TEXT.....No Help Text  
ID.....{EF017A39-745E-4C29-821A-5B25F103DF99}  
TERM.....GASTROSTOMY TUBE

DATA VALUE: GAUZE

-----  
ABBREVIATION.....GAUZE  
ACTIVE.....Yes  
DESCRIPTION.....Gauze  
DISPLAY\_NAME.....Gauze  
HELP\_TEXT.....No Help Text  
ID.....{CF10C658-4334-4F3B-A38E-E98894458333}  
TERM.....GAUZE

DATA VALUE: GAUZE AND TAPE

-----  
ABBREVIATION.....GAU & TAPE  
ACTIVE.....Yes  
DESCRIPTION.....Gauze And Tape Dressing  
DISPLAY\_NAME.....Gauze and Tape  
HELP\_TEXT.....No Help Text  
ID.....{5BC40405-B5C4-47CF-81C3-520732E100AC}  
TERM.....GAUZE AND TAPE

DATA VALUE: GAUZE PACKING

-----  
ABBREVIATION.....GAUZE PACK  
ACTIVE.....Yes  
DESCRIPTION.....Gauze Packing  
DISPLAY\_NAME.....Gauze Packing  
HELP\_TEXT.....No Help Text  
ID.....{6C093717-82CB-4966-929E-C909310649C1}  
TERM.....GAUZE PACKING

DATA VALUE: GAUZE WRAP

-----  
ABBREVIATION.....GAUZE WRAP  
ACTIVE.....Yes  
DESCRIPTION.....Gauze Wrap  
DISPLAY\_NAME.....Gauze Wrap  
HELP\_TEXT.....No Help Text  
ID.....{040A9648-E6E1-4AC5-93C7-53A49537B15C}  
TERM.....GAUZE WRAP

DATA VALUE: GENERAL

-----  
ABBREVIATION.....General  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....General  
HELP\_TEXT.....  
ID.....{6ED377F7-55E4-4743-B781-124267567200}  
TERM.....GENERAL

DATA VALUE: GENERAL HEALTH

-----  
ABBREVIATION.....Gen Healt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....General Health  
HELP\_TEXT.....  
ID.....{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}  
TERM.....GENERAL HEALTH

DATA VALUE: GERI-CHAIR

-----  
ABBREVIATION.....g  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Geri-Chair  
HELP\_TEXT.....No Help Text  
ID.....{167F9786-8F24-054F-020A-658A6EE5B0B4}  
TERM.....GERI-CHAIR

DATA VALUE: GI PROCEDURE ROOM

-----  
ABBREVIATION.....GI Proc Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....GI Procedure Room  
HELP\_TEXT.....  
ID.....{924532F4-B52F-4EA9-8C7D-59168B340118}  
TERM.....GI PROCEDURE ROOM

DATA VALUE: GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING

-----  
ABBREVIATION.....DI IN UN  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Given Discharge Instructions and  
Verbalizes Understanding  
HELP\_TEXT.....No Help Text  
ID.....{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}  
TERM.....GIVEN DISCHARGE INSTRUCTION AND  
VERBALIZES UNDERSTANDING

DATA VALUE: GLUCERNA 1.0

-----  
ABBREVIATION.....Glu 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Glucerna 1.0  
HELP\_TEXT.....  
ID.....{1C465710-80F2-4C13-B8D5-B1D084151104}  
TERM.....GLUCERNA 1.0

DATA VALUE: GLUCERNA 1.2

-----  
ABBREVIATION.....Glu 1.2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Glucerna 1.2  
HELP\_TEXT.....  
ID.....{F58F1014-D1C4-44EB-9B01-FB88F2B3D751}  
TERM.....GLUCERNA 1.2

DATA VALUE: GLUTEN RESTRICTED

-----  
ABBREVIATION.....GLUT RESTR  
ACTIVE.....Yes  
DESCRIPTION.....Gluten Restricted  
DISPLAY\_NAME.....Gluten Restricted  
HELP\_TEXT.....No Help Text  
ID.....{0805A164-D387-4E67-9D42-BAF1F2543337}  
TERM.....GLUTEN RESTRICTED

DATA VALUE: GNAWING

-----  
ABBREVIATION.....GNAWING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gnawing  
HELP\_TEXT.....No Help Text  
ID.....{8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}  
TERM.....GNAWING

DATA VALUE: GOLD

-----  
ABBREVIATION.....Gold  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Gold  
HELP\_TEXT.....  
ID.....{1D1A2586-C13C-41FA-A3AD-39294BEBA83E}  
TERM.....GOLD

DATA VALUE: GOOD

-----  
ABBREVIATION.....GOOD  
ACTIVE.....Yes  
DESCRIPTION.....Good  
DISPLAY\_NAME.....Good  
HELP\_TEXT.....No Help Text  
ID.....{39ECA304-49F9-44B7-9735-B33CEC9D8119}  
TERM.....GOOD

DATA VALUE: GRAFTS

-----  
ABBREVIATION.....Grafts  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Grafts  
HELP\_TEXT.....  
ID.....{E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}  
TERM.....GRAFTS

DATA VALUE: GRANULATING

-----  
ABBREVIATION.....GRANULATI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Granulating  
HELP\_TEXT.....No Help Text  
ID.....{F8930276-3954-4BFE-82B0-6C44A8E9CAE0}  
TERM.....GRANULATING

DATA VALUE: GRAVITY

-----  
ABBREVIATION.....GRAVITY  
ACTIVE.....Yes  
DESCRIPTION.....Gravity  
DISPLAY\_NAME.....Gravity  
HELP\_TEXT.....No Help Text  
ID.....{C0233F70-376D-41CE-9F14-714C7B35244F}  
TERM.....GRAVITY

DATA VALUE: GRAY

-----  
ABBREVIATION.....GRAY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gray  
HELP\_TEXT.....No Help Text  
ID.....{D38ABEE0-52D7-4316-A713-40ACF4250599}  
TERM.....GRAY

DATA VALUE: GREEN

-----  
ABBREVIATION.....GREEN  
ACTIVE.....Yes  
DESCRIPTION.....The color green  
DISPLAY\_NAME.....Green  
HELP\_TEXT.....The color green  
ID.....{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}  
TERM.....GREEN

DATA VALUE: GRIMACING

-----  
ABBREVIATION.....GRIMACING  
ACTIVE.....Yes  
DESCRIPTION.....Grimacing  
DISPLAY\_NAME.....Grimacing  
HELP\_TEXT.....No Help Text  
ID.....{69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}  
TERM.....GRIMACING

DATA VALUE: GROUP ROOM

-----  
ABBREVIATION.....gr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Group Room  
HELP\_TEXT.....No Help Text  
ID.....{D41C3D9F-8F10-1A0F-D571-20DE0EA36328}  
TERM.....GROUP ROOM

DATA VALUE: GU PROCEDURE ROOM

-----  
ABBREVIATION.....GU Proc Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....GU Procedure Room  
HELP\_TEXT.....  
ID.....{D4B6678F-C1DD-4A23-9045-574251F6CD74}  
TERM.....GU PROCEDURE ROOM

DATA VALUE: GUARDING

-----  
ABBREVIATION.....GUARDING  
ACTIVE.....Yes  
DESCRIPTION.....Guarding  
DISPLAY\_NAME.....Guarding  
HELP\_TEXT.....No Help Text  
ID.....{9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}  
TERM.....GUARDING

DATA VALUE: GURNEY CHAIR

-----  
ABBREVIATION.....GURN CHAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gurney Chair  
HELP\_TEXT.....No Help Text  
ID.....{B6EA0944-8414-42FD-88C0-50155DE82896}  
TERM.....GURNEY CHAIR



DATA VALUE: HALL

-----  
ABBREVIATION.....h  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hall  
HELP\_TEXT.....No Help Text  
ID.....{BFCEA10F-2663-199E-88D8-E263122D7D26}  
TERM.....HALL

DATA VALUE: HAND HYGIENE BEFORE AND AFTER

-----  
ABBREVIATION.....Hand Hyg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hand Hygiene Before and After  
HELP\_TEXT.....  
ID.....{6005023D-3C02-4C93-99E8-2A8167574E93}  
TERM.....HAND HYGIENE BEFORE AND AFTER

DATA VALUE: HARD

-----  
ABBREVIATION.....HARD  
ACTIVE.....Yes  
DESCRIPTION.....Hard  
DISPLAY\_NAME.....Hard  
HELP\_TEXT.....No Help Text  
ID.....{7934B543-7028-4CBC-9308-99F5A952A1DE}  
TERM.....HARD

DATA VALUE: HAS NOT SLEPT

-----  
ABBREVIATION.....NO SLEEP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Has Not Slept  
HELP\_TEXT.....No Help Text  
ID.....{3BF9DB54-5D1E-422D-90AF-918F81C9EA85}  
TERM.....HAS NOT SLEPT

DATA VALUE: HEAD DOWN

-----  
ABBREVIATION.....hd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Head Down  
HELP\_TEXT.....No Help Text  
ID.....{80BF3425-D252-F917-052E-DC54D39E464E}  
TERM.....HEAD DOWN

DATA VALUE: HEAD UP

-----  
ABBREVIATION.....hu  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Head Up  
HELP\_TEXT.....No Help Text  
ID.....{BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}  
TERM.....HEAD UP

DATA VALUE: HEADACHE

-----  
ABBREVIATION.....Headache  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Headache  
HELP\_TEXT.....  
ID.....{9338E67C-201C-4066-A734-8BD4B47462BD}  
TERM.....HEADACHE

DATA VALUE: HEALTH TECH

-----  
ABBREVIATION.....Health Tec  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Health Tech  
HELP\_TEXT.....  
ID.....{7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}  
TERM.....HEALTH TECH

DATA VALUE: HEARING

-----  
ABBREVIATION.....HEARING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hearing  
HELP\_TEXT.....No Help Text  
ID.....{D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}  
TERM.....HEARING

DATA VALUE: HEARING AIDS

-----  
ABBREVIATION.....Hear Aids  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hearing Aids  
HELP\_TEXT.....  
ID.....{504FF149-8889-444E-925B-C952314FDF98}  
TERM.....HEARING AIDS

DATA VALUE: HEARTBURN

-----  
ABBREVIATION.....HEARTBURN  
ACTIVE.....Yes  
DESCRIPTION.....Heartburn  
DISPLAY\_NAME.....Heartburn  
HELP\_TEXT.....Heartburn  
ID.....{5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}  
TERM.....HEARTBURN

DATA VALUE: HEAT

-----  
ABBREVIATION.....HEAT  
ACTIVE.....Yes  
DESCRIPTION.....Heat  
DISPLAY\_NAME.....Heat  
HELP\_TEXT.....No Help Text  
ID.....{E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}  
TERM.....HEAT

DATA VALUE: HEAT CHEM PACK

-----  
ABBREVIATION.....HT CHEM PA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heat Chemi Pack  
HELP\_TEXT.....No Help Text  
ID.....{D759F891-2535-40C2-A68C-678170E56F7A}  
TERM.....HEAT CHEM PACK

DATA VALUE: HEAT LAMP

-----  
ABBREVIATION.....HEAT LAMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heat Lamp  
HELP\_TEXT.....Heat Lamp  
ID.....{4E9DE229-F810-4AB0-9FD7-4596759CEA11}  
TERM.....HEAT LAMP

DATA VALUE: HEAVY

-----  
ABBREVIATION.....HEAVY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heavy  
HELP\_TEXT.....No Help Text  
ID.....{1F10CD98-03FA-4705-BF7D-941E881C4E3D}  
TERM.....HEAVY

DATA VALUE: HEEL LIFT

-----  
ABBREVIATION.....HEEL LIFT  
ACTIVE.....Yes  
DESCRIPTION.....Heel Lift  
DISPLAY\_NAME.....Heel Lift  
HELP\_TEXT.....No Help Text  
ID.....{974F90E6-382D-421A-A4CE-94A74CBEFC32}  
TERM.....HEEL LIFT

DATA VALUE: HEEL PILLOW

-----  
ABBREVIATION.....HEEL PILLO  
ACTIVE.....Yes  
DESCRIPTION.....Heel Pillow  
DISPLAY\_NAME.....Heel Pillow  
HELP\_TEXT.....No Help Text  
ID.....{F0F1D997-C780-40BF-AA88-78262E81BFAA}  
TERM.....HEEL PILLOW

DATA VALUE: HELMET

-----  
ABBREVIATION.....Helmet  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Helmet  
HELP\_TEXT.....  
ID.....{E65974F8-BCE7-4361-868D-C0B4D780EA21}  
TERM.....HELMET

DATA VALUE: HEMATOMA

-----  
ABBREVIATION.....HEMATOMA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hematoma  
HELP\_TEXT.....No Help Text  
ID.....{6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}  
TERM.....HEMATOMA

DATA VALUE: HEMATURIA

-----  
ABBREVIATION.....HEMATURIA  
ACTIVE.....Yes  
DESCRIPTION.....Blood present in urine  
DISPLAY\_NAME.....Hematuria  
HELP\_TEXT.....Blood present in urine  
ID.....{ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}  
TERM.....HEMATURIA

DATA VALUE: HEMORRHAGE

-----  
ABBREVIATION.....HEMORRHAGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hemorrhage  
HELP\_TEXT.....No Help Text  
ID.....{E00AC828-83F3-4F69-B97B-D6AD1D87A440}  
TERM.....HEMORRHAGE

DATA VALUE: HEMOVAC

-----  
ABBREVIATION.....HEMOVAC  
ACTIVE.....Yes  
DESCRIPTION.....Hemovac  
DISPLAY\_NAME.....Hemovac  
HELP\_TEXT.....No Help Text  
ID.....{82DA2DA7-E20B-E571-659C-457DF42472C2}  
TERM.....HEMOVAC

DATA VALUE: HEPATIC FORMULA

-----  
ABBREVIATION.....HEPAT FORM  
ACTIVE.....Yes  
DESCRIPTION.....Hepatic Enteral Nutrition Formula  
DISPLAY\_NAME.....Hepatic Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{1BC0A09A-CCD7-457F-BC08-9B6FC5144BF3}  
TERM.....HEPATIC FORMULA

DATA VALUE: HEPLOCK

-----  
ABBREVIATION.....HEPLOCK  
ACTIVE.....Yes  
DESCRIPTION.....Heplock  
DISPLAY\_NAME.....Heplock  
HELP\_TEXT.....No Help Text  
ID.....{C827FEDE-59D6-4C45-BDDA-4884FA0882F3}  
TERM.....HEPLOCK

DATA VALUE: HIGH

-----  
ABBREVIATION.....h  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....High  
HELP\_TEXT.....No Help Text  
ID.....{D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}  
TERM.....HIGH

DATA VALUE: HIGH CALORIE

-----  
ABBREVIATION.....HIGH CALOR  
ACTIVE.....Yes  
DESCRIPTION.....High Calorie  
DISPLAY\_NAME.....High Calorie  
HELP\_TEXT.....No Help Text  
ID.....{FC453BF0-1E7E-4733-9605-AC3425F16205}  
TERM.....HIGH CALORIE

DATA VALUE: HIGH FALL RISK

-----  
ABBREVIATION.....hfr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....High Fall Risk  
HELP\_TEXT.....No Help Text  
ID.....{276C15F3-5BED-0FE0-5649-337A23AB1386}  
TERM.....HIGH FALL RISK

DATA VALUE: HIGH FIBER

-----  
ABBREVIATION.....HIGH FIBER  
ACTIVE.....Yes  
DESCRIPTION.....High Fiber  
DISPLAY\_NAME.....High Fiber  
HELP\_TEXT.....No Help Text  
ID.....{3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}  
TERM.....HIGH FIBER

DATA VALUE: HIGH FOWLER'S

-----  
ABBREVIATION.....HIGH FOWLE  
ACTIVE.....Yes  
DESCRIPTION.....High Fowler's  
DISPLAY\_NAME.....High Fowler's  
HELP\_TEXT.....No Help Text  
ID.....{EA23C94D-EE91-4552-9F74-E051FAF3E194}  
TERM.....HIGH FOWLER'S

DATA VALUE: HIGH PROTEIN

-----  
ABBREVIATION.....HIGH PROTE  
ACTIVE.....Yes  
DESCRIPTION.....High Protein  
DISPLAY\_NAME.....High Protein  
HELP\_TEXT.....No Help Text  
ID.....{1595A29D-CA91-45AE-893B-856EB909E4DD}  
TERM.....HIGH PROTEIN

DATA VALUE: HIP-PROTECTORS

-----  
ABBREVIATION.....Hip-Prot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hip-Protectors  
HELP\_TEXT.....  
ID.....{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}  
TERM.....HIP-PROTECTORS

DATA VALUE: HIRSUTISM

-----  
ABBREVIATION.....HIRSUTISM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hirsutism  
HELP\_TEXT.....No Help Text  
ID.....{A909A4FC-080A-4E9A-867A-0B30D4633602}  
TERM.....HIRSUTISM

DATA VALUE: HM: HAND MOTIONS

-----  
ABBREVIATION.....HM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....HM: Hand Motions  
HELP\_TEXT.....  
ID.....{5180AD3D-4377-435B-9F47-FE59F3E3501B}  
TERM.....HM: HAND MOTIONS

DATA VALUE: HOME

-----  
ABBREVIATION.....HOME  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Home  
HELP\_TEXT.....No Help Text  
ID.....{C8E5E320-361B-421C-A6A9-13DC16125440}  
TERM.....HOME

DATA VALUE: HOME HEALTH

-----  
ABBREVIATION.....HOME HEALT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Home Health  
HELP\_TEXT.....No Help Text  
ID.....{F94FB70A-AFFD-4A5E-A829-0AF933B044BB}  
TERM.....HOME HEALTH

DATA VALUE: HOSTILE

-----  
ABBREVIATION.....h  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hostile  
HELP\_TEXT.....No Help Text  
ID.....{29EF2C04-7DB0-4491-2B5E-D92A6A558721}  
TERM.....HOSTILE

DATA VALUE: HOT

-----  
ABBREVIATION.....HOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hot  
HELP\_TEXT.....No Help Text  
ID.....{401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}  
TERM.....HOT

DATA VALUE: HUMIDIFIER

-----  
ABBREVIATION.....HUMIDIFIER  
ACTIVE.....Yes  
DESCRIPTION.....Humidifier  
DISPLAY\_NAME.....Humidifier  
HELP\_TEXT.....Humidifier  
ID.....{A4CE67D1-F885-423B-B914-392D8CAC697E}  
TERM.....HUMIDIFIER

DATA VALUE: HYDROCOLLOIDAL DRESSING

-----  
ABBREVIATION.....HCOLL DRES  
ACTIVE.....Yes  
DESCRIPTION.....Hydrocolloidal Dressing  
DISPLAY\_NAME.....Hydrocolloidal Dressing  
HELP\_TEXT.....No Help Text  
ID.....{D85741EF-0DB3-48CF-BC9A-88C834A72F36}  
TERM.....HYDROCOLLOIDAL DRESSING

DATA VALUE: HYDROFIBER

-----  
ABBREVIATION.....H-FIBER  
ACTIVE.....Yes  
DESCRIPTION.....Hydrofiber  
DISPLAY\_NAME.....Hydrofiber  
HELP\_TEXT.....No Help Text  
ID.....{42740A7F-A831-4FBD-9E59-88F315176674}  
TERM.....HYDROFIBER



DATA VALUE: HYDROFIBER WITH SILVER

-----  
ABBREVIATION.....HYFIB W SI  
ACTIVE.....Yes  
DESCRIPTION.....Hydrofiber With Silver  
DISPLAY\_NAME.....Hydrofiber With Silver  
HELP\_TEXT.....No Help Text  
ID.....{04BD9512-DE5D-421A-9818-8A33D1F0693D}  
TERM.....HYDROFIBER WITH SILVER

DATA VALUE: HYDROGEL DRESSING

-----  
ABBREVIATION.....H-GEL DRES  
ACTIVE.....Yes  
DESCRIPTION.....Hydrogel Dressing  
DISPLAY\_NAME.....Hydrogel Dressing  
HELP\_TEXT.....No Help Text  
ID.....{F6192D10-D6EA-42C2-AB15-270659D9925C}  
TERM.....HYDROGEL DRESSING

DATA VALUE: HYDROMORPHONE

-----  
ABBREVIATION.....Hydromorph  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hydromorphone  
HELP\_TEXT.....  
ID.....{8E6E9DB1-C969-4274-9761-C9830A9FCF67}  
TERM.....HYDROMORPHONE

DATA VALUE: HYPERACTIVE

-----  
ABBREVIATION.....HYPERACTIV  
ACTIVE.....Yes  
DESCRIPTION.....Hyperactive  
DISPLAY\_NAME.....Hyperactive  
HELP\_TEXT.....No Help Text  
ID.....{1A548FFE-8645-4C0D-899D-5D91430CC1B1}  
TERM.....HYPERACTIVE

DATA VALUE: HYPERDYNAMIC

-----  
ABBREVIATION.....HYPERDYNAM  
ACTIVE.....Yes  
DESCRIPTION.....Hyperdynamic  
DISPLAY\_NAME.....Hyperdynamic  
HELP\_TEXT.....No Help Text  
ID.....{818A8A99-04D9-4989-A9BA-ECFACED74605}  
TERM.....HYPERDYNAMIC

DATA VALUE: HYPERGRANULIZATION

-----  
ABBREVIATION.....HYPERGRANU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hypergranulization  
HELP\_TEXT.....No Help Text  
ID.....{C14B9FB0-6F33-4ACB-88B3-4B799594F845}  
TERM.....HYPERGRANULIZATION

DATA VALUE: HYPERTONIC HYDROGEL

-----  
ABBREVIATION.....WOU DR HYP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hypertonic Hydrogel  
HELP\_TEXT.....No Help-Text  
ID.....{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}  
TERM.....HYPERTONIC HYDROGEL

DATA VALUE: HYPOACTIVE

-----  
ABBREVIATION.....HYPOACTIVE  
ACTIVE.....Yes  
DESCRIPTION.....Hypoactive  
DISPLAY\_NAME.....Hypoactive  
HELP\_TEXT.....No Help Text  
ID.....{2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}  
TERM.....HYPOACTIVE

DATA VALUE: HYPOALBUMINEMIA

-----  
ABBREVIATION.....HYPOALBUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hypoalbuminemia  
HELP\_TEXT.....No Help Text  
ID.....{A3397F38-2491-48E7-8366-A6FA2D91E866}  
TERM.....HYPOALBUMINEMIA

DATA VALUE: HYPOTENSION

-----  
ABBREVIATION.....Hypotensio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hypotension  
HELP\_TEXT.....  
ID.....{1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}  
TERM.....HYPOTENSION

DATA VALUE: HYPOXIA

-----  
ABBREVIATION.....Hypoxia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hypoxia  
HELP\_TEXT.....  
ID.....{7599629D-1206-4A1A-9D02-EEE384E5FE51}  
TERM.....HYPOXIA

DATA VALUE: I

-----  
ABBREVIATION.....I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....I  
HELP\_TEXT.....No Help Text  
ID.....{BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}  
TERM.....I

DATA VALUE: IABP

-----  
ABBREVIATION.....IABP  
ACTIVE.....Yes  
DESCRIPTION.....Intra-Aortic Balloon Pump  
DISPLAY\_NAME.....IABP  
HELP\_TEXT.....No Help Text  
ID.....{763FE975-F5E5-80A6-AB16-E903A829E665}  
TERM.....IABP

DATA VALUE: ICE PACK

-----  
ABBREVIATION.....ICE PACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ice Pack  
HELP\_TEXT.....No Help Text  
ID.....{E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}  
TERM.....ICE PACK

DATA VALUE: ICTERIC

-----  
ABBREVIATION.....ICTERIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Icteric  
HELP\_TEXT.....Relating to or affected with jaundice  
ID.....{274ED5BB-5A34-20EE-A9B0-81AB7803780E}  
TERM.....ICTERIC

DATA VALUE: ICU

-----  
ABBREVIATION.....ICU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ICU  
HELP\_TEXT.....No Help Text  
ID.....{E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}  
TERM.....ICU

DATA VALUE: ID BAND

-----  
ABBREVIATION.....ID Band  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ID Band  
HELP\_TEXT.....  
ID.....{5526C5AB-64C8-4AB1-B77F-DAF45D26B439}  
TERM.....ID BAND

DATA VALUE: ID CARD

-----  
ABBREVIATION.....ID Card  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ID Card  
HELP\_TEXT.....  
ID.....{CFD540F0-3D73-498F-B590-CCEF11499078}  
TERM.....ID CARD

DATA VALUE: IDENTIFICATION

-----  
ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Identification  
HELP\_TEXT.....No Help Text  
ID.....{39274F69-556C-7F05-6D17-CE8A03D1867D}  
TERM.....IDENTIFICATION

DATA VALUE: IDIOVENTRICULAR

-----  
ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Idioventricular  
HELP\_TEXT.....No Help Text  
ID.....{8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}  
TERM.....IDIOVENTRICULAR

DATA VALUE: II

-----  
ABBREVIATION.....II  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....II  
HELP\_TEXT.....No Help Text  
ID.....{F165C13B-397E-4182-8D72-BD1D74CFBA00}  
TERM.....II

DATA VALUE: III

-----  
ABBREVIATION.....III  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....III  
HELP\_TEXT.....No Help Text  
ID.....{D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}  
TERM.....III

DATA VALUE: ILEAL CONDUIT

-----  
ABBREVIATION.....ILEAL COND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ileal Conduit  
HELP\_TEXT.....No Help Text  
ID.....{032CB6FE-77D2-702E-A0AE-46176F5CAA57}  
TERM.....ILEAL CONDUIT

DATA VALUE: ILEAL-CONDUIT

-----  
ABBREVIATION.....Ileal-Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ileal-Conduit  
HELP\_TEXT.....  
ID.....{C91C4E4A-2D0D-438A-8EF5-8717D703A777}  
TERM.....ILEAL-CONDUIT

DATA VALUE: ILEOSTOMY

-----  
ABBREVIATION.....ILEOSTOMY  
ACTIVE.....Yes  
DESCRIPTION.....Ileostomy  
DISPLAY\_NAME.....Ileostomy  
HELP\_TEXT.....No Help Text  
ID.....{D5DF49C8-C6BA-44C1-9840-7765907730A3}  
TERM.....ILEOSTOMY

DATA VALUE: IMAGING

-----  
ABBREVIATION.....IMAGING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Imaging  
HELP\_TEXT.....No Help Text  
ID.....{791A322E-F45E-40EB-B95D-E5B62E1D0A75}  
TERM.....IMAGING

DATA VALUE: IMPAIRED LISTENING SKILLS

-----  
ABBREVIATION.....IMP LIS SK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Impaired Listening Skills  
HELP\_TEXT.....No Help Text  
ID.....{9CE0E7E7-79E5-4910-918C-2022C9830171}  
TERM.....IMPAIRED LISTENING SKILLS

DATA VALUE: IMPLANTS

-----  
ABBREVIATION.....Implants  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Implants  
HELP\_TEXT.....  
ID.....{14998852-14FD-4C6A-BB8A-5073D6094B11}  
TERM.....IMPLANTS

DATA VALUE: INAPPROPRIATE

-----  
ABBREVIATION.....Inappropri  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Inappropriate  
HELP\_TEXT.....No Help Text  
ID.....{7E3B54C2-8A49-28EC-055E-FEA87599421C}  
TERM.....INAPPROPRIATE

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS BLOODY

-----  
ABBREVIATION.....INC DI BLO  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
                  Bloody  
DISPLAY\_NAME.....Bloody  
HELP\_TEXT.....Incision Discharge Characteristics  
                  Bloody  
ID.....{D185E55B-EC21-49B6-A040-5422382C3B90}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
                  BLOODY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS CLOUDY

-----  
ABBREVIATION.....INC DI CLO  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
                  Cloudy  
DISPLAY\_NAME.....Cloudy  
HELP\_TEXT.....Incision Discharge Characteristics  
                  Cloudy  
ID.....{3EBBB25E-1B90-415B-BCB5-3C3DAC33C118}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
                  CLOUDY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS NONE

-----  
ABBREVIATION.....INC DI NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Discharge Characteristics None  
ID.....{4F118F41-8C09-400E-A303-0955DFDF54E2}  
TERM.....INCISION DISCHARGE CHARACTERISTICS NONE

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS PURULENT

-----  
ABBREVIATION.....INC DI PUR  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
                  Purulent  
DISPLAY\_NAME.....Purulent  
HELP\_TEXT.....Incision Discharge Characteristics  
                  Purulent  
ID.....{B2D71BDF-41AB-4F10-ABE3-A9D9F338F6F1}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
                  PURULENT

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS

-----  
ABBREVIATION.....INC DI SSA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
                  Serosanguinous  
DISPLAY\_NAME.....Serosanguinous  
HELP\_TEXT.....Incision Discharge Characteristics  
                  Serosanguinous  
ID.....{102F19A9-CC28-4156-88DE-1B4C8A682AC2}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
                  SEROSANGUINOUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROUS

-----  
ABBREVIATION.....INC DI SER  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
                  Serous  
DISPLAY\_NAME.....Serous  
HELP\_TEXT.....Incision Discharge Characteristics  
                  Serous  
ID.....{CC4F3BA1-AD0D-42BA-9D76-1FE66F864FC8}  
TERM.....INCISION DISCHARGE CHARACTERISTICS

SEROUS



DATA VALUE: INCISION DISCHARGE CHARACTERISTICS VISCOUS

-----  
ABBREVIATION.....INC DI VIS  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
                  Viscous  
DISPLAY\_NAME.....Viscous  
HELP\_TEXT.....Incision Discharge Characteristics  
                  Viscous  
ID.....{A38C2D8C-25B1-41E5-A69F-7A5C439C6EB9}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
                  VISCOUS

DATA VALUE: INCISION DRAINAGE AMOUNT HEAVY

-----  
ABBREVIATION.....I DR A HEA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Heavy  
DISPLAY\_NAME.....Heavy  
HELP\_TEXT.....Incision Drainage Amount Heavy  
ID.....{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}  
TERM.....INCISION DRAINAGE AMOUNT HEAVY

DATA VALUE: INCISION DRAINAGE AMOUNT MODERATE

-----  
ABBREVIATION.....I DR A MOD  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Moderate  
DISPLAY\_NAME.....Moderate  
HELP\_TEXT.....Incision Drainage Amount Moderate  
ID.....{9B0487A9-DCB4-42D3-92E6-805C412B5D34}  
TERM.....INCISION DRAINAGE AMOUNT MODERATE

DATA VALUE: INCISION DRAINAGE AMOUNT NONE

-----  
ABBREVIATION.....I DR A NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Drainage Amount None  
ID.....{5D0D9027-4B20-43A4-B437-EA7B77CB2105}  
TERM.....INCISION DRAINAGE AMOUNT NONE

DATA VALUE: INCISION DRAINAGE AMOUNT SCANT

-----  
ABBREVIATION.....I DR A SCA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Scant  
DISPLAY\_NAME.....Scant  
HELP\_TEXT.....Incision Drainage Amount Scant  
ID.....{A476E395-46AA-44E7-8A00-CE22C7066BB1}  
TERM.....INCISION DRAINAGE AMOUNT SCANT

DATA VALUE: INCISION DRAINAGE AMOUNT SMALL

-----  
ABBREVIATION.....I DR A SMA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Small  
DISPLAY\_NAME.....Small  
HELP\_TEXT.....Incision Drainage Amount Small  
ID.....{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}  
TERM.....INCISION DRAINAGE AMOUNT SMALL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL

-----  
ABBREVIATION.....INC DR ANT  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Antimicrobial  
DISPLAY\_NAME.....Antimicrobial  
HELP\_TEXT.....Incision Dressing Type Antimicrobial  
ID.....{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}  
TERM.....INCISION DRESSING TYPE ANTIMICROBIAL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL DISK

-----  
ABBREVIATION.....INC DR ADI  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Antimicrobial  
Disk  
DISPLAY\_NAME.....Antimicrobial Disk  
HELP\_TEXT.....Incision Dressing Type Antimicrobial  
Disk  
ID.....{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}  
TERM.....INCISION DRESSING TYPE ANTIMICROBIAL  
DISK

DATA VALUE: INCISION DRESSING TYPE BALSAM OF PERU

-----  
ABBREVIATION.....INC DR BAL  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Balsam of Peru  
DISPLAY\_NAME.....Balsam Of Peru  
HELP\_TEXT.....Incision Dressing Type Balsam of Peru  
ID.....{A1FB45C6-6315-4282-8D89-DCB0C018E357}  
TERM.....INCISION DRESSING TYPE BALSAM OF PERU

DATA VALUE: INCISION DRESSING TYPE BISMUTH GAUZE

-----  
ABBREVIATION.....INC DR BIS  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Bismuth Gauze  
DISPLAY\_NAME.....Bismuth Gauze  
HELP\_TEXT.....Incision Dressing Type Bismuth Gauze  
ID.....{CA88C5DC-3890-49A2-800A-0528CE194BA8}  
TERM.....INCISION DRESSING TYPE BISMUTH GAUZE

DATA VALUE: INCISION DRESSING TYPE CALCIUM ALGINATE

-----  
ABBREVIATION.....INC DR CAL  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Calcium Alginate  
DISPLAY\_NAME.....Calcium Alginate  
HELP\_TEXT.....Incision Dressing Type Calcium Alginate  
ID.....{B20558BA-FB9E-499E-82DF-49616ACE9375}  
TERM.....INCISION DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: INCISION DRESSING TYPE FOAM DRESSING

-----  
ABBREVIATION.....INC DR FOA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Foam dressing  
DISPLAY\_NAME.....Foam Dressing  
HELP\_TEXT.....Incision Dressing Type Foam dressing  
ID.....{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}  
TERM.....INCISION DRESSING TYPE FOAM DRESSING

DATA VALUE: INCISION DRESSING TYPE GAUZE

-----  
ABBREVIATION.....INC DR GAU  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Gauze  
DISPLAY\_NAME.....Gauze  
HELP\_TEXT.....Incision Dressing Type Gauze  
ID.....{E4AC9307-0512-4F9D-A254-FE19E654461F}  
TERM.....INCISION DRESSING TYPE GAUZE

DATA VALUE: INCISION DRESSING TYPE GAUZE PACKING

-----  
ABBREVIATION.....INC DR GPA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Gauze Packing  
DISPLAY\_NAME.....Gauze Packing  
HELP\_TEXT.....Incision Dressing Type Gauze Packing  
ID.....{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}  
TERM.....INCISION DRESSING TYPE GAUZE PACKING

DATA VALUE: INCISION DRESSING TYPE GAUZE WRAP

-----  
ABBREVIATION.....INC DR GWR  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Gauze Wrap  
DISPLAY\_NAME.....Gauze Wrap  
HELP\_TEXT.....Incision Dressing Type Gauze Wrap  
ID.....{E1DBEC29-1430-4DA0-99DC-49B9389D2440}  
TERM.....INCISION DRESSING TYPE GAUZE WRAP

DATA VALUE: INCISION DRESSING TYPE HYDROCOLLOIDAL

-----  
ABBREVIATION.....INC DR HYD  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Hydrocolloidal  
DISPLAY\_NAME.....Hydrocolloidal  
HELP\_TEXT.....Incision Dressing Type Hydrocolloidal  
ID.....{424CCDCA-5196-4BBD-AE8B-0F68DDCC3FCF}  
TERM.....INCISION DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: INCISION DRESSING TYPE HYDROGEL

-----  
ABBREVIATION.....INC DR HYD  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Hydrogel  
DISPLAY\_NAME.....Hydrogel  
HELP\_TEXT.....Incision Dressing Type Hydrogel  
ID.....{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}  
TERM.....INCISION DRESSING TYPE HYDROGEL

DATA VALUE: INCISION DRESSING TYPE HYPERTONIC HYDROGEL

-----  
ABBREVIATION.....INC DR HYP  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Hypertonic  
Hydrogel  
DISPLAY\_NAME.....Hypertonic Hydrogel  
HELP\_TEXT.....Incision Dressing Type Hypertonic  
Hydrogel  
ID.....{25820A63-AD76-4198-BEB1-EF95DDEC5B35}  
TERM.....INCISION DRESSING TYPE HYPERTONIC  
HYDROGEL

DATA VALUE: INCISION DRESSING TYPE NONE

-----  
ABBREVIATION.....INC DR NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Dressing Type None  
ID.....{81F07C8D-A463-48A0-A64A-A143CECB5DD6}  
TERM.....INCISION DRESSING TYPE NONE

DATA VALUE: INCISION DRESSING TYPE PRESSURE

-----  
ABBREVIATION.....INC DR PRE  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Pressure  
DISPLAY\_NAME.....Pressure  
HELP\_TEXT.....Incision Dressing Type Pressure  
ID.....{B5823373-E5D8-40A5-954C-6A193D7E7511}  
TERM.....INCISION DRESSING TYPE PRESSURE

DATA VALUE: INCISION DRESSING TYPE TRANSPARENT

-----  
ABBREVIATION.....INC DR TRA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Gauze  
DISPLAY\_NAME.....Transparent  
HELP\_TEXT.....Incision Dressing Type Gauze  
ID.....{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}  
TERM.....INCISION DRESSING TYPE TRANSPARENT

DATA VALUE: INCISION EDGE INDISTINCT/ATTACHED

-----  
ABBREVIATION.....INC ED ATT  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Indistinct, Attached  
DISPLAY\_NAME.....Indistinct, Attached  
HELP\_TEXT.....Incision Edge Indistinct, Attached  
ID.....{AF7E7150-525E-49A4-AC23-042B788E8805}  
TERM.....INCISION EDGE INDISTINCT/ATTACHED

DATA VALUE: INCISION EDGE NON-ATTACHED

-----  
ABBREVIATION.....INC ED NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Non Attached  
DISPLAY\_NAME.....Non-Attached  
HELP\_TEXT.....Incision Edge Non Attached  
ID.....{F457F951-F1DC-47AC-9336-AC093E149862}  
TERM.....INCISION EDGE NON-ATTACHED

DATA VALUE: INCISION EDGE ROLLED

-----  
ABBREVIATION.....INC ED ROL  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Rolled  
DISPLAY\_NAME.....Rolled  
HELP\_TEXT.....Incision Edge Rolled  
ID.....{FFA33CAE-5D8B-4501-8120-A536BE53296F}  
TERM.....INCISION EDGE ROLLED

DATA VALUE: INCISION EDGE TUNNELING

-----  
ABBREVIATION.....INC ED TUN  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Tunneling  
DISPLAY\_NAME.....Tunneling  
HELP\_TEXT.....Incision Edge Tunneling  
ID.....{492CD783-3C32-40F0-AE35-5A89E90409A7}  
TERM.....INCISION EDGE TUNNELING

DATA VALUE: INCISION EDGE UNDERMINING

-----  
ABBREVIATION.....INC ED UND  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Undermining  
DISPLAY\_NAME.....Undermining  
HELP\_TEXT.....Incision Edge Undermining  
ID.....{0F3E968A-B867-4123-8C05-ED6B12D364CD}  
TERM.....INCISION EDGE UNDERMINING

DATA VALUE: INCISION ODOR FOUL

-----  
ABBREVIATION.....INC OD FOU  
ACTIVE.....Yes  
DESCRIPTION.....Incision Odor Foul  
DISPLAY\_NAME.....Foul  
HELP\_TEXT.....Incision Odor Foul  
ID.....{ECDC0988-BE82-41E3-8104-A66A5F8A1093}  
TERM.....INCISION ODOR FOUL

DATA VALUE: INCISION ODOR NONE

-----  
ABBREVIATION.....INC OD NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Odor None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Odor None  
ID.....{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}  
TERM.....INCISION ODOR NONE

DATA VALUE: INCISION WOUND CLOSURE APPROXIMATED

-----  
ABBREVIATION.....INC CL APP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Approximated  
HELP\_TEXT.....No Help-Text  
ID.....{2DD5713E-D81C-484B-A0DF-6A5730B396DF}  
TERM.....INCISION WOUND CLOSURE APPROXIMATED

DATA VALUE: INCISION WOUND CLOSURE DEHISCENCE

-----  
ABBREVIATION.....INC CL DEH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dehiscence  
HELP\_TEXT.....No Help-Text  
ID.....{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}  
TERM.....INCISION WOUND CLOSURE DEHISCENCE

DATA VALUE: INCISION WOUND CLOSURE GLUE

-----  
ABBREVIATION.....IN CL GLU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Glue  
HELP\_TEXT.....No Help-Text  
ID.....{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}  
TERM.....INCISION WOUND CLOSURE GLUE

DATA VALUE: INCISION WOUND CLOSURE NOT CLOSED

-----  
ABBREVIATION.....INC CL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Not Closed  
HELP\_TEXT.....No Help-Text  
ID.....{D63A05BF-1205-45F6-A78D-15D198BCB1C6}  
TERM.....INCISION WOUND CLOSURE NOT CLOSED

DATA VALUE: INCISIONAL SITE

-----  
ABBREVIATION.....INCIS SITE  
ACTIVE.....Yes  
DESCRIPTION.....INCISIONAL SITE  
DISPLAY\_NAME.....Incisional Site  
HELP\_TEXT.....INCISIONAL SITE  
ID.....{19E69DE2-097B-0FA5-449D-B2E9161A3E05}  
TERM.....INCISIONAL SITE

DATA VALUE: INCOMPREHENSIBLE

-----  
ABBREVIATION.....INCOMPREHE  
ACTIVE.....Yes  
DESCRIPTION.....Incomprehensible  
DISPLAY\_NAME.....Incomprehensible  
HELP\_TEXT.....No Help Text  
ID.....{916CD781-563D-4F54-8752-800D37BFAA3B}  
TERM.....INCOMPREHENSIBLE

DATA VALUE: INCONTENENCE DERMATITIS

-----  
ABBREVIATION.....INCON DERM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Incontenance Dermatitis  
HELP\_TEXT.....No Help Text  
ID.....{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}  
TERM.....INCONTENENCE DERMATITIS

DATA VALUE: INCONTINENT

-----  
ABBREVIATION.....INCONTINEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Incontinent  
HELP\_TEXT.....No Help Text  
ID.....{BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}  
TERM.....INCONTINENT

DATA VALUE: INCREASE ROUNDS

-----  
ABBREVIATION.....Inc Rds  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Increase Rounds  
HELP\_TEXT.....  
ID.....{873180AF-9BB9-44F4-B9E4-80F8BBD9769}  
TERM.....INCREASE ROUNDS

DATA VALUE: INDEPENDENT

-----  
ABBREVIATION.....INDEPENDEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Independent  
HELP\_TEXT.....No Help-Text  
ID.....{11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}  
TERM.....INDEPENDENT

DATA VALUE: INDICATES UNDERSTANDING

-----  
ABBREVIATION.....UNDERSTAND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Indicates Understanding  
HELP\_TEXT.....No Help Text  
ID.....{C4AEFE5F-C388-4E00-9663-6B308934284B}  
TERM.....INDICATES UNDERSTANDING

DATA VALUE: INDIFFERENT

-----  
ABBREVIATION.....INDIFF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Indifferent  
HELP\_TEXT.....No Help Text  
ID.....{7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}  
TERM.....INDIFFERENT



DATA VALUE: INDURATION

-----  
ABBREVIATION.....INDURAITON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Induration (Hardness)  
HELP\_TEXT.....No Help Text  
ID.....{A1669576-45D9-435C-87B9-488E9CF6BBA4}  
TERM.....INDURATION

DATA VALUE: INDWELLING CATHETER

-----  
ABBREVIATION.....INDW CATH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Indwelling Catheter  
HELP\_TEXT.....No Help Text  
ID.....{EC16724C-D1EA-5650-58D4-38A89D4456F9}  
TERM.....INDWELLING CATHETER

DATA VALUE: INEFFECTIVE COPING

-----  
ABBREVIATION.....ic  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ineffective Coping  
HELP\_TEXT.....No Help Text  
ID.....{704B1A55-B639-60F4-E3A5-16F942ABC259}  
TERM.....INEFFECTIVE COPING

DATA VALUE: INFECTION

-----  
ABBREVIATION.....INFECTION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Infection  
HELP\_TEXT.....No Help Text  
ID.....{DA00DB58-640D-4294-9468-EEF070DBAE8E}  
TERM.....INFECTION

DATA VALUE: INFECTION PREVENTION AND SCREENING

-----  
ABBREVIATION.....INF PRE SC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Infection Prevention and Screening  
HELP\_TEXT.....No Help Text  
ID.....{BA58329F-59EC-49F0-BACE-75AA5EC57F52}  
TERM.....INFECTION PREVENTION AND SCREENING

DATA VALUE: INFLATABLE HEEL LIFT

-----  
ABBREVIATION.....INF HEEL L  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Inflatable Heel Lift  
HELP\_TEXT.....No Help Text  
ID.....{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}  
TERM.....INFLATABLE HEEL LIFT

DATA VALUE: INITIATED

-----  
ABBREVIATION.....INITIATED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Initiated  
HELP\_TEXT.....No Help Text  
ID.....{562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}  
TERM.....INITIATED

DATA VALUE: INSERTED THROUGH EXISTING INTRODUCER

-----  
ABBREVIATION.....INS EXS IN  
ACTIVE.....Yes  
DESCRIPTION.....Inserted Through Existing Introducer  
DISPLAY\_NAME.....Inserted Through Existing Introducer  
HELP\_TEXT.....No Help Text  
ID.....{20BC183A-197F-4464-A27C-47F63C5B842A}  
TERM.....INSERTED THROUGH EXISTING INTRODUCER

DATA VALUE: INSERTED THROUGH NEW INTRODUCER

-----  
ABBREVIATION.....INS NEW IN  
ACTIVE.....Yes  
DESCRIPTION.....Inserted Through New Introducer  
DISPLAY\_NAME.....Inserted Through New Introducer  
HELP\_TEXT.....No Help Text  
ID.....{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}  
TERM.....INSERTED THROUGH NEW INTRODUCER

DATA VALUE: INSPIRATORY WHEEZES

-----  
ABBREVIATION.....INSP WHEEZ  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Inspiratory Wheezes  
HELP\_TEXT.....No Help Text  
ID.....{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}  
TERM.....INSPIRATORY WHEEZES

DATA VALUE: INTACT

-----  
ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Intact  
HELP\_TEXT.....No apparent breakdown  
ID.....{935C9CAF-6C88-6610-C6E9-4C1B822923AF}  
TERM.....INTACT

DATA VALUE: INTENTIONAL

-----  
ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Intentional  
HELP\_TEXT.....No Help Text  
ID.....{D5BBBFFC-F739-1E69-FED4-288D8E803D04}  
TERM.....INTENTIONAL

DATA VALUE: INTERMITTENT

-----  
ABBREVIATION.....INTERMITTE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Intermittent  
HELP\_TEXT.....No Help Text  
ID.....{DD09ED7C-B977-412F-A678-5130F77D239E}  
TERM.....INTERMITTENT

DATA VALUE: INTERMITTENT SLEEP

-----  
ABBREVIATION.....INT SLEEP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....States Has Slept Intermittently  
HELP\_TEXT.....No Help Text  
ID.....{5005C433-5892-4F4D-A64D-4C94AD1853E2}  
TERM.....INTERMITTENT SLEEP

DATA VALUE: INTERRUPTED

-----  
ABBREVIATION.....INTERRUPTED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Interrupted  
HELP\_TEXT.....No Help Text  
ID.....{AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}  
TERM.....INTERRUPTED

DATA VALUE: INTERVENTIONAL RADIOLOGY

-----  
ABBREVIATION.....Interv Rad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Interventional Radiology  
HELP\_TEXT.....  
ID.....{322B66E6-814F-43AF-B669-E503519DB72F}  
TERM.....INTERVENTIONAL RADIOLOGY

DATA VALUE: INTRODUCER

-----  
ABBREVIATION.....INTRODUCER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Introducer  
HELP\_TEXT.....No Help Text  
ID.....{B46F7CA4-C94E-68FD-2892-52866763B5A0}  
TERM.....INTRODUCER

DATA VALUE: IRREGULAR

-----  
ABBREVIATION.....IRREGULAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Irregular  
HELP\_TEXT.....No Help Text  
ID.....{6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}  
TERM.....IRREGULAR

DATA VALUE: IRRITABLE

-----  
ABBREVIATION.....Irritable  
ACTIVE.....Yes  
DESCRIPTION.....Irritable  
DISPLAY\_NAME.....Irritable  
HELP\_TEXT.....No Help Text  
ID.....{10651C11-2736-4056-BA84-E544358BA877}  
TERM.....IRRITABLE

DATA VALUE: ISOLATION

-----  
ABBREVIATION.....Isolation  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Isolation  
HELP\_TEXT.....  
ID.....{BD993BAD-087B-4C88-9EEC-DC1B84F9A642}  
TERM.....ISOLATION

DATA VALUE: ISOSOURCE VHN

-----  
ABBREVIATION.....Iso VHN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Isosource VHN  
HELP\_TEXT.....  
ID.....{D68525BF-F922-464E-97DE-1AB767974483}  
TERM.....ISOSOURCE VHN

DATA VALUE: ITCHING

-----  
ABBREVIATION.....Itching  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Itching  
HELP\_TEXT.....  
ID.....{3A1FB47B-F274-458D-BDF6-E6882D6CB600}  
TERM.....ITCHING

DATA VALUE: IV DISCONTINUED

-----  
ABBREVIATION.....IV DISC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....IV Discontinued  
HELP\_TEXT.....No Help Text  
ID.....{FDF951E7-5B72-4166-969B-073D5EC74800}  
TERM.....IV DISCONTINUED

DATA VALUE: IV PUMP

-----  
ABBREVIATION.....IV PUMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....IV Pump  
HELP\_TEXT.....No Help Text  
ID.....{EFB92C16-CFA3-18BB-9D54-590089DA3962}  
TERM.....IV PUMP

DATA VALUE: IV SEDATION

-----  
ABBREVIATION.....IV Sed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....IV Sedation  
HELP\_TEXT.....  
ID.....{789B61EB-5E83-4024-850D-D92370C4EC9A}  
TERM.....IV SEDATION

DATA VALUE: IVPB

-----  
ABBREVIATION.....IVPB  
ACTIVE.....Yes  
DESCRIPTION.....IV Piggy Back  
DISPLAY\_NAME.....IV Piggy Back  
HELP\_TEXT.....No Help Text  
ID.....{50EE76CF-5A9C-4EEB-9201-37CD90509355}  
TERM.....IVPB

DATA VALUE: JAUNDICE

-----  
ABBREVIATION.....j  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Jaundice  
HELP\_TEXT.....No Help Text  
ID.....{B17F4603-7C68-660D-96A7-119140A998D3}  
TERM.....JAUNDICE

DATA VALUE: JEJUNOSTOMY

-----  
ABBREVIATION.....JEJUNOSTOM  
ACTIVE.....Yes  
DESCRIPTION.....Jejunostomy EF Tube  
DISPLAY\_NAME.....Jejunostomy  
HELP\_TEXT.....No Help Text  
ID.....{1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}  
TERM.....JEJUNOSTOMY

DATA VALUE: JEVITY 1.0

-----  
ABBREVIATION.....Jevity 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Jevity 1.0  
HELP\_TEXT.....  
ID.....{637F4523-0417-4EA4-9991-379C8362EC00}  
TERM.....JEVITY 1.0

DATA VALUE: JEVITY 1.2

-----  
ABBREVIATION.....Jevity 1.2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Jevity 1.2  
HELP\_TEXT.....  
ID.....{0B3ADECE-FC19-4D90-912B-6EDC3D35C845}  
TERM.....JEVITY 1.2

DATA VALUE: JEVITY 1.5

-----  
ABBREVIATION.....Jevity 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Jevity 1.5  
HELP\_TEXT.....  
ID.....{ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}  
TERM.....JEVITY 1.5

DATA VALUE: JOINT CAPSULE

-----  
ABBREVIATION.....JOINT CAPS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Joint Capsule  
HELP\_TEXT.....No Help Text  
ID.....{F10E4DA8-DF84-4625-A317-724E7C9E028C}  
TERM.....JOINT CAPSULE

DATA VALUE: JP DRAIN

-----  
ABBREVIATION.....JP Drain  
ACTIVE.....Yes  
DESCRIPTION.....Jackson Pratt Drain  
DISPLAY\_NAME.....JP Drain  
HELP\_TEXT.....No Help Text  
ID.....{20F3B3D5-D3A4-96FD-5446-253FD031DF2B}  
TERM.....JP DRAIN

DATA VALUE: JUNCTIONAL

-----  
ABBREVIATION.....j  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Junctional  
HELP\_TEXT.....No Help Text  
ID.....{4A339D84-7051-1258-877D-85AFC1CA20FE}  
TERM.....JUNCTIONAL

DATA VALUE: JUNCTIONAL ESCAPE BEAT

-----  
ABBREVIATION.....Junctional  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Junctional Escape Beat  
HELP\_TEXT.....  
ID.....{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}  
TERM.....JUNCTIONAL ESCAPE BEAT

DATA VALUE: JUNCTIONAL TACHYCARDIA

-----  
ABBREVIATION.....jt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Junctional Tachycardia  
HELP\_TEXT.....  
ID.....{D6EF01C1-A8F9-40FD-AE24-785041526041}  
TERM.....JUNCTIONAL TACHYCARDIA

DATA VALUE: JUVEN

-----  
ABBREVIATION.....Juven  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Juven  
HELP\_TEXT.....  
ID.....{2112F76A-D581-4C55-94CA-4B4CC68813AD}  
TERM.....JUVEN

DATA VALUE: K-PAD

-----  
ABBREVIATION.....K-PAD  
ACTIVE.....Yes  
DESCRIPTION.....K-pad  
DISPLAY\_NAME.....K-pad  
HELP\_TEXT.....K-pad  
ID.....{10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}  
TERM.....K-PAD

DATA VALUE: KNIFE-LIKE

-----  
ABBREVIATION.....KNIFE-LIKE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Knife-Like  
HELP\_TEXT.....No Help Text  
ID.....{FBA0EE3F-134B-431B-879A-9B17D65CD464}  
TERM.....KNIFE-LIKE

DATA VALUE: KNOWN DONOR

-----  
ABBREVIATION.....Known  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Known Donor  
HELP\_TEXT.....  
ID.....{74BEA6F1-8FA5-49C7-9198-957838B1C971}  
TERM.....KNOWN DONOR



DATA VALUE: KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

-----  
ABBREVIATION.....Known/Susp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Known/Suspected Obstructive Sleep Apnea  
HELP\_TEXT.....  
ID.....{BD47DD8C-7057-403B-B393-EBCBF9907B68}  
TERM.....KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

DATA VALUE: KUSSMAUL

-----  
ABBREVIATION.....KUSSMAUL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Kussmaul  
HELP\_TEXT.....No Help Text  
ID.....{0C5ED066-F445-ABFE-F7B1-D158EC7C2976}  
TERM.....KUSSMAUL

DATA VALUE: L BUNDLE BRANCH BLOCK

-----  
ABBREVIATION.....lbbb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Bundle Branch Block  
HELP\_TEXT.....No Help Text  
ID.....{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}  
TERM.....L BUNDLE BRANCH BLOCK

DATA VALUE: L FOOT DOWN

-----  
ABBREVIATION.....L FOOT DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Foot Down  
HELP\_TEXT.....No Help Text  
ID.....{5B18895B-DAD5-4874-87DB-DACFFF88B170}  
TERM.....L FOOT DOWN

DATA VALUE: L FOOT UP

-----  
ABBREVIATION.....L FOOT UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Foot Up  
HELP\_TEXT.....No Help Text  
ID.....{A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}  
TERM.....L FOOT UP

DATA VALUE: L HEAD DOWN

-----  
ABBREVIATION.....L HEAD DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Head Down  
HELP\_TEXT.....No Help Text  
ID.....{3C919CB8-1C0A-498D-95A6-C46D25744CEC}  
TERM.....L HEAD DOWN

DATA VALUE: L HEAD UP

-----  
ABBREVIATION.....L HEAD UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Head Up  
HELP\_TEXT.....No Help Text  
ID.....{BB39792D-B572-4A10-BA81-8685809E7437}  
TERM.....L HEAD UP

DATA VALUE: L NECK

-----  
ABBREVIATION.....LEFT NECK  
ACTIVE.....Yes  
DESCRIPTION.....Left Neck  
DISPLAY\_NAME.....L Neck  
HELP\_TEXT.....Left Neck  
ID.....{6A53228A-5BD1-6AAF-029F-701C7EFE7C48}  
TERM.....L NECK

DATA VALUE: L NEPHROSTOMY

-----  
ABBREVIATION.....L NEPHROST  
ACTIVE.....Yes  
DESCRIPTION.....Left Nephrostomy  
DISPLAY\_NAME.....L Nephrostomy  
HELP\_TEXT.....Left Nephrostomy  
ID.....{D8FC4C18-081E-A7B9-E394-25F194BE9757}  
TERM.....L NEPHROSTOMY

DATA VALUE: L STENT

-----  
ABBREVIATION.....LEFT STENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Stent  
HELP\_TEXT.....No Help Text  
ID.....{FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}  
TERM.....L STENT

DATA VALUE: L1

-----  
ABBREVIATION.....L1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L1  
HELP\_TEXT.....  
ID.....{E6FA1F4F-B32B-4523-966C-9AFAD9C44316}  
TERM.....L1

DATA VALUE: L2

-----  
ABBREVIATION.....L2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L2  
HELP\_TEXT.....  
ID.....{0E5E7F8E-BA82-499B-A57A-8D32C2113006}  
TERM.....L2

DATA VALUE: L3

-----  
ABBREVIATION.....L3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L3  
HELP\_TEXT.....  
ID.....{0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}  
TERM.....L3

DATA VALUE: L4

-----  
ABBREVIATION.....L4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L4  
HELP\_TEXT.....  
ID.....{94632F85-0152-47C2-9D82-B49C36ABF495}  
TERM.....L4

DATA VALUE: L5

-----  
ABBREVIATION.....L5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L5  
HELP\_TEXT.....  
ID.....{87E93C0D-B607-4DD2-83EC-71131C072019}  
TERM.....L5

DATA VALUE: LACERATION

-----  
ABBREVIATION.....LACERATION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Laceration  
HELP\_TEXT.....No Help Text  
ID.....{F4548BB2-39AF-4E0D-B52F-472EA080D6FF}  
TERM.....LACERATION

DATA VALUE: LACKS INTEREST

-----  
ABBREVIATION.....LACKS INT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lacks Interest  
HELP\_TEXT.....No Help Text  
ID.....{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}  
TERM.....LACKS INTEREST

DATA VALUE: LACTOSE RESTRICTED

-----  
ABBREVIATION.....LACT RESTR  
ACTIVE.....Yes  
DESCRIPTION.....Lactose Restricted  
DISPLAY\_NAME.....Lactose Restricted  
HELP\_TEXT.....No Help Text  
ID.....{78A9066A-48E2-4285-88E3-A180CE771B5A}  
TERM.....LACTOSE RESTRICTED

DATA VALUE: LANGUAGE

-----  
ABBREVIATION.....LANGUAGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Language  
HELP\_TEXT.....No Help-Text  
ID.....{0666538E-4F44-4D34-A5EA-69CF2F1F86FA}  
TERM.....LANGUAGE

DATA VALUE: LARGE

-----  
ABBREVIATION.....L  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Large  
HELP\_TEXT.....No Help Text  
ID.....{E60D5CF9-920D-44E2-8A83-136DAB1FE251}  
TERM.....LARGE

DATA VALUE: LARYNGECTOMY

-----  
ABBREVIATION.....LARYNGECTO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Laryngectomy  
HELP\_TEXT.....No Help Text  
ID.....{225CB76A-BAF5-827E-729B-C3D60AD5B50A}  
TERM.....LARYNGECTOMY

DATA VALUE: LATEX ALLERGY

-----  
ABBREVIATION.....Latex Alle  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Latex Allergy  
HELP\_TEXT.....  
ID.....{3E7326AA-8CA4-448C-802A-111C232B2F1C}  
TERM.....LATEX ALLERGY

DATA VALUE: LEFT

-----  
ABBREVIATION.....LEFT  
ACTIVE.....Yes  
DESCRIPTION.....Left  
DISPLAY\_NAME.....Left  
HELP\_TEXT.....No Help Text  
ID.....{81063CEE-2E83-4C95-AAEE-76B7DCB828D4}  
TERM.....LEFT

DATA VALUE: LESION PRESENT

-----  
ABBREVIATION.....Lesion  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lesion Present  
HELP\_TEXT.....  
ID.....{6AA9A82F-917E-45BB-9601-9E53A559006D}  
TERM.....LESION PRESENT

DATA VALUE: LESS THAN 30

-----  
ABBREVIATION.....<30  
ACTIVE.....Yes  
DESCRIPTION.....Less Than 30  
DISPLAY\_NAME.....<30  
HELP\_TEXT.....No Help Text  
ID.....{5AA98A0D-9B05-425D-97CA-B8B12425AACA}  
TERM.....LESS THAN 30

DATA VALUE: LETHARGIC

-----  
ABBREVIATION.....L  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lethargic  
HELP\_TEXT.....No Help Text  
ID.....{4ECA2E44-093A-9354-848E-CDC72B165072}  
TERM.....LETHARGIC

DATA VALUE: LEVELED

-----  
ABBREVIATION.....LEVELED  
ACTIVE.....Yes  
DESCRIPTION.....Leveled  
DISPLAY\_NAME.....Leveled  
HELP\_TEXT.....No Help Text  
ID.....{D72523B2-E0CD-40E1-AC14-2FA43636A456}  
TERM.....LEVELED

DATA VALUE: LIBERAL DIABETIC

-----  
ABBREVIATION.....LIBRL DIAB  
ACTIVE.....Yes  
DESCRIPTION.....Liberal Diabetic  
DISPLAY\_NAME.....Liberal Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{9B66B47B-E77E-4F69-BDFA-5323B28A283D}  
TERM.....LIBERAL DIABETIC

DATA VALUE: LIMITED ASSISTANCE

-----  
ABBREVIATION.....LIM ASSIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited Assistance  
HELP\_TEXT.....No Help Text  
ID.....{9A8C1310-C840-431E-BA21-065B7EA7B768}  
TERM.....LIMITED ASSISTANCE

DATA VALUE: LIMITED ATTENTION SPAN

-----  
ABBREVIATION.....LIM ATT S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited Attention Span  
HELP\_TEXT.....No Help Text  
ID.....{51553020-0CB9-483E-AC1C-15CA6D9380A3}  
TERM.....LIMITED ATTENTION SPAN

DATA VALUE: LIMITED TO INCISION

-----  
ABBREVIATION.....ER EXI LIM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited to Incision  
HELP\_TEXT.....No Help-Text  
ID.....{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}  
TERM.....LIMITED TO INCISION

DATA VALUE: LINE FLUSH

-----  
ABBREVIATION.....LINE FLUSH  
ACTIVE.....Yes  
DESCRIPTION.....Fluid flushed from line  
DISPLAY\_NAME.....Line Flush  
HELP\_TEXT.....No Help Text  
ID.....{8DDD63BE-CF28-4C83-93FF-C81609FFDE51}  
TERM.....LINE FLUSH

DATA VALUE: LINEN CHANGE

-----  
ABBREVIATION.....Lin Change  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Linen Change  
HELP\_TEXT.....  
ID.....{AE30A510-112B-4F43-830E-E27FD994550A}  
TERM.....LINEN CHANGE

DATA VALUE: LIP SALVE

-----  
ABBREVIATION.....LIP SALVE  
ACTIVE.....Yes  
DESCRIPTION.....Lip Salve  
DISPLAY\_NAME.....Lip Salve  
HELP\_TEXT.....No Help Text  
ID.....{612F78AB-7386-4176-9896-02DE5A8E836D}  
TERM.....LIP SALVE

DATA VALUE: LISTED DIET

-----  
ABBREVIATION.....LIST DIET  
ACTIVE.....Yes  
DESCRIPTION.....Listed Diet  
DISPLAY\_NAME.....Listed Diet  
HELP\_TEXT.....No Help Text  
ID.....{24FBBFD9-B426-4DD9-9843-3428A1C91676}  
TERM.....LISTED DIET

DATA VALUE: LOCAL

-----  
ABBREVIATION.....Local  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Local  
HELP\_TEXT.....  
ID.....{64A0FD20-4584-446C-8A2A-57F2FEF3DD10}  
TERM.....LOCAL

DATA VALUE: LOCALIZES TO PAIN

-----  
ABBREVIATION.....LOC TO PAI  
ACTIVE.....Yes  
DESCRIPTION.....Localizes To Pain  
DISPLAY\_NAME.....Localizes To Pain  
HELP\_TEXT.....No Help Text  
ID.....{4072DFF9-2D90-423F-B6F0-0F2B924025D9}  
TERM.....LOCALIZES TO PAIN

DATA VALUE: LOCK BOX

-----  
ABBREVIATION.....Lock Box  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lock Box  
HELP\_TEXT.....  
ID.....{974A2F44-C918-4E85-ABAF-03A21498F98B}  
TERM.....LOCK BOX

DATA VALUE: LOCKER

-----  
ABBREVIATION.....Locker  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Locker  
HELP\_TEXT.....  
ID.....{36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}  
TERM.....LOCKER

DATA VALUE: LOOSE

-----  
ABBREVIATION.....LOOSE  
ACTIVE.....Yes  
DESCRIPTION.....Loose  
DISPLAY\_NAME.....Loose  
HELP\_TEXT.....No Help Text  
ID.....{1346A74E-3AA1-4D81-876B-91201F9717A5}  
TERM.....LOOSE



DATA VALUE: LOW

-----  
ABBREVIATION.....I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Low  
HELP\_TEXT.....No Help Text  
ID.....{B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}  
TERM.....LOW

DATA VALUE: LOW AIRLOSS OVERLAY

-----  
ABBREVIATION.....L AIR OVRL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Low Airloss Overlay  
HELP\_TEXT.....No Help Text  
ID.....{282C439C-A697-43E6-85C1-786352EB56BC}  
TERM.....LOW AIRLOSS OVERLAY

DATA VALUE: LOW AIRLOSS/ALTERNATING PRESSURE COMBO

-----  
ABBREVIATION.....L AIRL ALT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Low Airloss/Alternating Pressure Combo  
HELP\_TEXT.....No Help Text  
ID.....{ADDD1260-C95B-4D7B-AB89-3749D76A3700}  
TERM.....LOW AIRLOSS/ALTERNATING PRESSURE COMBO

DATA VALUE: LOW CHOLESTEROL

-----  
ABBREVIATION.....LOW CHOLES  
ACTIVE.....Yes  
DESCRIPTION.....Low Cholesterol  
DISPLAY\_NAME.....Low Cholesterol  
HELP\_TEXT.....No Help Text  
ID.....{88F0170A-2560-48C6-9604-982453BCFC3B}  
TERM.....LOW CHOLESTEROL

DATA VALUE: LOW FIBER

-----  
ABBREVIATION.....LOW FIBER  
ACTIVE.....Yes  
DESCRIPTION.....Low Fiber  
DISPLAY\_NAME.....Low Fiber  
HELP\_TEXT.....No Help Text  
ID.....{2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}  
TERM.....LOW FIBER

DATA VALUE: LOW PROTEIN 60 GM

-----  
ABBREVIATION.....L PROT 60g  
ACTIVE.....Yes  
DESCRIPTION.....Low Protein 60 GM  
DISPLAY\_NAME.....Low Protein 60 GM  
HELP\_TEXT.....No Help Text  
ID.....{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}  
TERM.....LOW PROTEIN 60 GM

DATA VALUE: LOW TYRAMINE

-----  
ABBREVIATION.....LOW TYRAMI  
ACTIVE.....Yes  
DESCRIPTION.....Low Tyramine  
DISPLAY\_NAME.....Low Tyramine  
HELP\_TEXT.....No Help Text  
ID.....{DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}  
TERM.....LOW TYRAMINE

DATA VALUE: LP: LIGHT PERCEPTION

-----  
ABBREVIATION.....LP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....LP: Light Perception  
HELP\_TEXT.....  
ID.....{3B5C4FA1-6770-4347-B5FB-2B0554D71339}  
TERM.....LP: LIGHT PERCEPTION

DATA VALUE: LPP: LIGHT PERCEPTION WITH PROJECTION

-----  
ABBREVIATION.....LPP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....LPP: Light Perception with Projection  
HELP\_TEXT.....  
ID.....{29ED35AA-49C5-4835-AF43-17173333A2BB}  
TERM.....LPP: LIGHT PERCEPTION WITH PROJECTION

DATA VALUE: LUMBAR

-----  
ABBREVIATION.....Lumbar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lumbar  
HELP\_TEXT.....  
ID.....{29729E2C-3650-4E81-B7EB-72052EBA3D48}  
TERM.....LUMBAR

DATA VALUE: LUMBAR DRAIN

-----  
ABBREVIATION.....LUM DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lumbar Drain  
HELP\_TEXT.....No Help Text  
ID.....{FF36A046-1799-0734-286B-2272C34E3056}  
TERM.....LUMBAR DRAIN

DATA VALUE: LUMBAR SPINAL PRECAUTIONS

-----  
ABBREVIATION.....LUMB S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lumbar Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}  
TERM.....LUMBAR SPINAL PRECAUTIONS

DATA VALUE: LUNCH

-----  
ABBREVIATION.....Lunch  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lunch  
HELP\_TEXT.....  
ID.....{9CF74807-8CA5-491F-98C4-97A5476FCE30}  
TERM.....LUNCH

DATA VALUE: LVN

-----  
ABBREVIATION.....LVN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....LVN  
HELP\_TEXT.....  
ID.....{8F8300FD-5A33-4B01-9F0B-901E2A3D96AB}  
TERM.....LVN

DATA VALUE: LVN/LPN

-----  
ABBREVIATION.....LVN/LPN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....LVN/LPN  
HELP\_TEXT.....  
ID.....{DC89CD99-80C5-4455-A280-3A19E74DCE7D}  
TERM.....LVN/LPN

DATA VALUE: LYING OR SITTING

-----  
ABBREVIATION.....los  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lying Or Sitting  
HELP\_TEXT.....No Help Text  
ID.....{52A940B1-55AF-AB4E-9E59-F93515A1296C}  
TERM.....LYING OR SITTING

DATA VALUE: MACERATION

-----  
ABBREVIATION.....MACERATION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....MACERATION  
HELP\_TEXT.....No Help Text  
ID.....{B7C63E05-E193-40AA-A572-F1ACA0162B8B}  
TERM.....MACERATION

DATA VALUE: MAGNACAL

-----  
ABBREVIATION.....MAGNACAL  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Magnacal  
HELP\_TEXT.....No Help Text  
ID.....{C810A618-FB1A-45BB-A540-EADF1414E343}  
TERM.....MAGNACAL

DATA VALUE: MAINTAINING EFFECTIVE VENTILATION

-----  
ABBREVIATION.....EFF VENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Maintaining Effective Ventilation  
HELP\_TEXT.....No Help Text  
ID.....{18774550-ECBD-412D-AD95-131FAA4CC549}  
TERM.....MAINTAINING EFFECTIVE VENTILATION

DATA VALUE: MAROON

-----  
ABBREVIATION.....MAROON  
ACTIVE.....Yes  
DESCRIPTION.....Maroon in appearance  
DISPLAY\_NAME.....Maroon  
HELP\_TEXT.....No Help Text  
ID.....{1F518B23-C79F-4F06-9DF3-ADC5C96D3029}  
TERM.....MAROON

DATA VALUE: MD

-----  
ABBREVIATION.....MD  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....MD  
HELP\_TEXT.....  
ID.....{9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8}  
TERM.....MD

DATA VALUE: MEAL

-----  
ABBREVIATION.....MEAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Meal  
HELP\_TEXT.....No Help Text  
ID.....{85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}  
TERM.....MEAL

DATA VALUE: MECHANICAL

-----  
ABBREVIATION.....MECHANICAL  
ACTIVE.....Yes  
DESCRIPTION.....Mechanical  
DISPLAY\_NAME.....Mechanical  
HELP\_TEXT.....No Help Text  
ID.....{01EA793C-B524-4685-A3EC-60A317CBACC5}  
TERM.....MECHANICAL

DATA VALUE: MED RECONCILLIATION DOCUMENTED

-----  
ABBREVIATION.....ME RE DO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Med Reconcilliation Documented  
HELP\_TEXT.....No Help Text  
ID.....{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}  
TERM.....MED RECONCILLIATION DOCUMENTED

DATA VALUE: MEDIAL PORT

-----  
ABBREVIATION.....MEDI PORT  
ACTIVE.....Yes  
DESCRIPTION.....Medial Port  
DISPLAY\_NAME.....Medial Port  
HELP\_TEXT.....No Help Text  
ID.....{D1734D73-2E1A-4538-8884-05D8A78CF556}  
TERM.....MEDIAL PORT

DATA VALUE: MEDICAL DEVICE SAFETY

-----  
ABBREVIATION.....mds  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medical Device Safety  
HELP\_TEXT.....No Help Text  
ID.....{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}  
TERM.....MEDICAL DEVICE SAFETY

DATA VALUE: MEDICAL NECESSITY CONFIRMED

-----  
ABBREVIATION.....med nec  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Medical Necessity Confirmed  
HELP\_TEXT.....  
ID.....{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}  
TERM.....MEDICAL NECESSITY CONFIRMED

DATA VALUE: MEDICATION

-----  
ABBREVIATION.....MEDICATION  
ACTIVE.....Yes  
DESCRIPTION.....Medication  
DISPLAY\_NAME.....Medication  
HELP\_TEXT.....No Help Text  
ID.....{22E6DEBB-9662-466B-990C-8DA500C0A183}  
TERM.....MEDICATION

DATA VALUE: MEDICATION PROPHYLAXIS

-----  
ABBREVIATION.....Med Prophy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Medication Prophylaxis  
HELP\_TEXT.....  
ID.....{40D79227-A4DB-4E1E-81C6-6F4E4F243964}  
TERM.....MEDICATION PROPHYLAXIS

DATA VALUE: MEDICATION ROOM

-----  
ABBREVIATION.....mr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medication Room  
HELP\_TEXT.....No Help Text  
ID.....{9571AA9F-F538-55EC-37F6-99FE5677B970}  
TERM.....MEDICATION ROOM

DATA VALUE: MEDIUM

-----  
ABBREVIATION.....MEDIUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medium  
HELP\_TEXT.....No Help Text  
ID.....{62C94066-A7B6-CAA8-064B-2AF7C0DA6323}  
TERM.....MEDIUM

DATA VALUE: MEMORY

-----  
ABBREVIATION.....MEMORY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Memory  
HELP\_TEXT.....No Help Text  
ID.....{E30C1930-B98B-4382-B892-34E9C6008D1F}  
TERM.....MEMORY

DATA VALUE: MENTAL HEALTH

-----  
ABBREVIATION.....MEN HEAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mental Health  
HELP\_TEXT.....No Help Text  
ID.....{ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}  
TERM.....MENTAL HEALTH

DATA VALUE: MENTAL HEALTH HOLD

-----  
ABBREVIATION.....MEN HEA HO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mental Health Hold  
HELP\_TEXT.....No Help Text  
ID.....{31560285-7BD5-4E53-BB77-93B244367F42}  
TERM.....MENTAL HEALTH HOLD

DATA VALUE: MENTAL STATUS - AWAKE ORIENTED

-----  
ABBREVIATION.....M/S Awake  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mental Status - Awake Oriented  
HELP\_TEXT.....  
ID.....{37818468-4798-4CBE-82ED-A793BDD10874}  
TERM.....MENTAL STATUS - AWAKE ORIENTED

DATA VALUE: MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA

-----  
ABBREVIATION.....M/S Demen  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mental Status - Baseline for Dementia  
HELP\_TEXT.....  
ID.....{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}  
TERM.....MENTAL STATUS - BASELINE FOR KNOWN  
          DEMENTIA

DATA VALUE: METAL IMPLANTS

-----  
ABBREVIATION.....Metal Impl  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Metal Implants  
HELP\_TEXT.....  
ID.....{E7424C97-0A81-4C4E-916E-0AE812FFDB96}  
TERM.....METAL IMPLANTS

DATA VALUE: MICU

-----  
ABBREVIATION.....MICU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....MICU  
HELP\_TEXT.....No Help Text  
ID.....{28244B62-644C-4DA0-A350-EAFE0D2FA7C0}  
TERM.....MICU

DATA VALUE: MIDLINE

-----  
ABBREVIATION.....Midline  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Midline  
HELP\_TEXT.....  
ID.....{3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}  
TERM.....MIDLINE

DATA VALUE: MILD-MODERATELY REDUCED

-----  
ABBREVIATION.....MI-MOD-RED  
ACTIVE.....Yes  
DESCRIPTION.....Mild-Moderately Reduced  
DISPLAY\_NAME.....Mild-Moderately Reduced  
HELP\_TEXT.....No Help Text  
ID.....{41DA2518-0E49-4E92-A733-3ACF3D2E8199}  
TERM.....MILD-MODERATELY REDUCED



DATA VALUE: MILLIGRAMS PER KILOGRAM PER HOUR

-----  
ABBREVIATION.....mg/kg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Kilogram per Hour  
DISPLAY\_NAME.....mg/kg/hr  
HELP\_TEXT.....Milligrams per Kilogram per Hour  
ID.....{731B270D-C8C5-4910-B4B0-AC101555108A}  
TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

DATA VALUE: MISSING

-----  
ABBREVIATION.....MISSING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Missing  
HELP\_TEXT.....No Help Text  
ID.....{80019911-11DA-6569-751E-ECAE0D1BC7DF}  
TERM.....MISSING

DATA VALUE: MOANING

-----  
ABBREVIATION.....MOANING  
ACTIVE.....Yes  
DESCRIPTION.....Moaning  
DISPLAY\_NAME.....Moaning  
HELP\_TEXT.....No Help Text  
ID.....{A71E3515-AA20-4B0E-9CB8-1612F76BA406}  
TERM.....MOANING

DATA VALUE: MODERATE

-----  
ABBREVIATION.....MODERATE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Moderate  
HELP\_TEXT.....No Help Text  
ID.....{C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}  
TERM.....MODERATE

DATA VALUE: MODERATE SEDATION

-----  
ABBREVIATION.....Mod Sed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Moderate Sedation  
HELP\_TEXT.....  
ID.....{C874EDC7-24BF-4F39-8FDA-E8D1193A8428}  
TERM.....MODERATE SEDATION

DATA VALUE: MODERATE-SEVERELY REDUCED

-----  
ABBREVIATION.....MO-SEV RED  
ACTIVE.....Yes  
DESCRIPTION.....Moderate-Severely Reduced  
DISPLAY\_NAME.....Moderate-Severely Reduced  
HELP\_TEXT.....No Help Text  
ID.....{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}  
TERM.....MODERATE-SEVERELY REDUCED

DATA VALUE: MODERATELY REDUCED

-----  
ABBREVIATION.....MOD REDUCE  
ACTIVE.....Yes  
DESCRIPTION.....Moderately Reduced  
DISPLAY\_NAME.....Moderately Reduced  
HELP\_TEXT.....No Help Text  
ID.....{91F73300-7EE0-428C-A838-5B3BE062D8BC}  
TERM.....MODERATELY REDUCED

DATA VALUE: MOIST

-----  
ABBREVIATION.....m  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Moist  
HELP\_TEXT.....No Help Text  
ID.....{AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}  
TERM.....MOIST

DATA VALUE: MOTORIZED WHEELCHAIR

-----  
ABBREVIATION.....MO WH CH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Motorized Wheelchair  
HELP\_TEXT.....No Help Text  
ID.....{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}  
TERM.....MOTORIZED WHEELCHAIR

DATA VALUE: MOTTLED

-----  
ABBREVIATION.....m  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mottled  
HELP\_TEXT.....No Help Text  
ID.....{4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}  
TERM.....MOTTLED

DATA VALUE: MOUTHWASH USED

-----  
ABBREVIATION.....MOUTHWASH  
ACTIVE.....Yes  
DESCRIPTION.....Mouthwash Used  
DISPLAY\_NAME.....Mouthwash Used  
HELP\_TEXT.....No Help Text  
ID.....{9F7EF355-12A4-4EBA-92ED-0F38273E411B}  
TERM.....MOUTHWASH USED

DATA VALUE: MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER

-----  
ABBREVIATION.....magareobte  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Movement Against Gravity And  
Resistance, Easily Overcome By The  
Examiner  
HELP\_TEXT.....No Help Text  
ID.....{2ECCC197-4A81-025F-3EF3-6214004887A9}  
TERM.....MOVE AGAINST GRAVITY AND RESISTANCE,  
EASILY OVERCOME BY THE EXAMINER

DATA VALUE: MOVE AGAINST GRAVITY BUT NO RESISTANCE

-----  
ABBREVIATION.....magbnr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Movement Against Gravity But No  
Resistance  
HELP\_TEXT.....No Help Text  
ID.....{F995A165-8536-C493-2269-286E8EFF5E43}  
TERM.....MOVE AGAINST GRAVITY BUT NO RESISTANCE

DATA VALUE: MOVEMENT WITH GRAVITY ELIMINATED

-----  
ABBREVIATION.....mwge  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Movement With Gravity Eliminated  
HELP\_TEXT.....No Help Text  
ID.....{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}  
TERM.....MOVEMENT WITH GRAVITY ELIMINATED

DATA VALUE: MUCOID

-----  
ABBREVIATION.....MUCOID  
ACTIVE.....Yes  
DESCRIPTION.....Mucoid in appearance  
DISPLAY\_NAME.....Mucoid  
HELP\_TEXT.....No Help Text  
ID.....{073E5514-DACE-4F43-ADE5-91A1A87D6601}  
TERM.....MUCOID

DATA VALUE: MULTIFOCAL PVC

-----  
ABBREVIATION.....Mult PVC  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Multifocal PVC  
HELP\_TEXT.....  
ID.....{34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}  
TERM.....MULTIFOCAL PVC

DATA VALUE: MULTIPODOUS

-----  
ABBREVIATION.....MULTIPODOU  
ACTIVE.....Yes  
DESCRIPTION.....Multipodous  
DISPLAY\_NAME.....Multipodous  
HELP\_TEXT.....No Help Text  
ID.....{ED098F9D-B204-4310-813A-98D91FF9DD25}  
TERM.....MULTIPODOUS

DATA VALUE: MURMUR

-----  
ABBREVIATION.....MURMUR  
ACTIVE.....Yes  
DESCRIPTION.....MURMUR  
DISPLAY\_NAME.....Murmur  
HELP\_TEXT.....MURMUR  
ID.....{591058E0-4B71-E432-B7D7-EBD42A8C4225}  
TERM.....MURMUR

DATA VALUE: MUSHROOM CATHETER

-----  
ABBREVIATION.....MUSH CATHE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mushroom Catheter  
HELP\_TEXT.....No Help Text  
ID.....{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}  
TERM.....MUSHROOM CATHETER

DATA VALUE: MUTIFOCAL ATRIAL TACHYCARDIA

-----  
ABBREVIATION.....mat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Multifocal Atrial Tachycardia  
HELP\_TEXT.....  
ID.....{562C6BBD-C210-4467-93B3-8E50640E7CCE}  
TERM.....MUTIFOCAL ATRIAL TACHYCARDIA

DATA VALUE: N/A

-----  
ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....N/A  
HELP\_TEXT.....No Help Text  
ID.....{B3DBE3FD-C5CB-3894-607A-BE13319594D0}  
TERM.....N/A

DATA VALUE: NA

-----  
ABBREVIATION.....NA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....NA  
HELP\_TEXT.....  
ID.....{1993F8D9-D536-4ECA-AFAD-366F79BA0CBD}  
TERM.....NA

DATA VALUE: NAIL CARE

-----  
ABBREVIATION.....NAIL CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nail Care  
HELP\_TEXT.....No Help Text  
ID.....{B783A171-1F0A-4135-8535-85776B81AB68}  
TERM.....NAIL CARE

DATA VALUE: NAPS ONLY

-----  
ABBREVIATION.....NAPS ONLY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Naps Only  
HELP\_TEXT.....No Help Text  
ID.....{CF749F5C-2E4B-419A-B020-C81B30A7E482}  
TERM.....NAPS ONLY

DATA VALUE: NASAL

-----  
ABBREVIATION.....NASAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal  
HELP\_TEXT.....No Help Text  
ID.....{0F73F0CB-E25E-4611-9625-62E6F1596A9B}  
TERM.....NASAL

DATA VALUE: NASAL ENDOTRACHEAL

-----  
ABBREVIATION.....Nasal Endo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal Endotracheal  
HELP\_TEXT.....No Help Text  
ID.....{C631352E-CAB5-0409-6133-E5D11ECC3293}  
TERM.....NASAL ENDOTRACHEAL

DATA VALUE: NASAL INTESTINAL SMALL BORE

-----  
ABBREVIATION.....N INT SM B  
ACTIVE.....Yes  
DESCRIPTION.....Nasal Intestinal Small Bore EF Tube  
DISPLAY\_NAME.....Nasal Intestinal Small Bore  
HELP\_TEXT.....No Help Text  
ID.....{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}  
TERM.....NASAL INTESTINAL SMALL BORE

DATA VALUE: NASAL SMALL BOWEL FEEDING TUBE

-----  
ABBREVIATION.....NAS SM BOW  
ACTIVE.....Yes  
DESCRIPTION.....Nasal Small Bowel Feeding Tube  
DISPLAY\_NAME.....Nasal Small Bowel Feeding Tube  
HELP\_TEXT.....No Help Text  
ID.....{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}  
TERM.....NASAL SMALL BOWEL FEEDING TUBE

DATA VALUE: NASAL TRUMPET

-----  
ABBREVIATION.....NASAL TRUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal Trumpet  
HELP\_TEXT.....No Help Text  
ID.....{2FFB8510-793C-D6A4-838E-20FF7CD26533}  
TERM.....NASAL TRUMPET

DATA VALUE: NASOGASTRIC LARGE BORE TUBE

-----  
ABBREVIATION.....NG LG BORE  
ACTIVE.....Yes  
DESCRIPTION.....Nasogastric Large Bore EF Tube  
DISPLAY\_NAME.....Nasogastric Large Bore  
HELP\_TEXT.....No Help Text  
ID.....{C3FEE16A-9998-455B-BEB8-CC55AF890202}  
TERM.....NASOGASTRIC LARGE BORE TUBE

DATA VALUE: NASOGASTRIC TUBE

-----  
ABBREVIATION.....NG TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Nasogastric Tube  
DISPLAY\_NAME.....Nasogastric Tube  
HELP\_TEXT.....No Help Text  
ID.....{6475E343-A310-48A5-B543-D29573E7684D}  
TERM.....NASOGASTRIC TUBE

DATA VALUE: NASOGASTRIC TUBE SMALL BORE

-----  
ABBREVIATION.....NGT SMALL  
ACTIVE.....Yes  
DESCRIPTION.....NGT Small Bore Tube  
DISPLAY\_NAME.....Nasal Gastric Tube Small Bore  
HELP\_TEXT.....No Help Text  
ID.....{D9FDAD80-9BE2-4B96-87C6-1D25D26D2959}  
TERM.....NASOGASTRIC TUBE SMALL BORE

DATA VALUE: NAUSEA

-----  
ABBREVIATION.....NAUSEA  
ACTIVE.....Yes  
DESCRIPTION.....Nausea  
DISPLAY\_NAME.....Nausea  
HELP\_TEXT.....Nausea  
ID.....{6BF33DC3-0300-4643-BB14-27C35692B806}  
TERM.....NAUSEA

DATA VALUE: NEAT

-----  
ABBREVIATION.....NEAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Neat  
HELP\_TEXT.....No Help Text  
ID.....{8B01F7B8-B626-4143-A092-1E732EEB4A05}  
TERM.....NEAT

DATA VALUE: NECROTIC

-----  
ABBREVIATION.....NECROTIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Necrotic  
HELP\_TEXT.....No Help Text  
ID.....{86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}  
TERM.....NECROTIC

DATA VALUE: NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY

-----  
ABBREVIATION.....Needleless  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Needleless Hub Disinfected and  
                  Accessed per Policy  
HELP\_TEXT.....  
ID.....{5D9D8D90-9B39-4DF3-8095-755235687F45}  
TERM.....NEEDLELESS HUB DISINFECTED AND  
                  ACCESSED PER POLICY

DATA VALUE: NEEDS REINFORCEMENT

-----  
ABBREVIATION.....NEED REINF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Needs Reinforcement  
HELP\_TEXT.....No Help Text  
ID.....{B6171F65-4530-418D-A63B-65DFFF522786}  
TERM.....NEEDS REINFORCEMENT

DATA VALUE: NEGATIVE PRESSURE

-----  
ABBREVIATION.....NEG PRESSU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Negative Pressure  
HELP\_TEXT.....No Help Text  
ID.....{6D6CB4BB-96B0-4978-97CC-116A03479DAD}  
TERM.....NEGATIVE PRESSURE

DATA VALUE: NEGATIVE PRESSURE THERAPY DEVICE

-----  
ABBREVIATION.....NEG PRE TH  
ACTIVE.....Yes  
DESCRIPTION.....Negative Pressure Therapy Device  
DISPLAY\_NAME.....Negative Pressure Therapy Device  
HELP\_TEXT.....No Help Text  
ID.....{8AF0A069-66AD-4114-99D8-238AD987F0FF}  
TERM.....NEGATIVE PRESSURE THERAPY DEVICE

DATA VALUE: NEPRO

-----  
ABBREVIATION.....Nepro  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nepro  
HELP\_TEXT.....  
ID.....{00FFC7A1-5CDA-45AF-BD50-D77666A23851}  
TERM.....NEPRO



DATA VALUE: NEPRO CARB STEADY

-----  
ABBREVIATION.....Nepro Car  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nepro Carb Steady  
HELP\_TEXT.....  
ID.....{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}  
TERM.....NEPRO CARB STEADY

DATA VALUE: NEPRO RENAL FORMULA

-----  
ABBREVIATION.....NEP RENAL  
ACTIVE.....Yes  
DESCRIPTION.....Nepro Renal Enteral Nutrition Formula  
DISPLAY\_NAME.....Nepro Renal Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{B8F28816-BC81-443F-AEC5-DBAE4D435998}  
TERM.....NEPRO RENAL FORMULA

DATA VALUE: NEUROGENIC BLADDER

-----  
ABBREVIATION.....Neuro Blad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Neurogenic Bladder  
HELP\_TEXT.....  
ID.....{D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}  
TERM.....NEUROGENIC BLADDER

DATA VALUE: NEUTRAL PRESSURE CONNECTOR

-----  
ABBREVIATION.....N Pres Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Neutral Pressure Connector  
HELP\_TEXT.....  
ID.....{263F1A2C-4384-4B6A-B930-B9AF85B7F965}  
TERM.....NEUTRAL PRESSURE CONNECTOR

DATA VALUE: NEUTROPENIC

-----  
ABBREVIATION.....NEUTROPENI  
ACTIVE.....Yes  
DESCRIPTION.....Neutropenic Diet  
DISPLAY\_NAME.....Neutropenic  
HELP\_TEXT.....No Help Text  
ID.....{5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}  
TERM.....NEUTROPENIC

DATA VALUE: NEW ADMISSION EDUCATION

-----  
ABBREVIATION.....N ADM EDU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....New Admission Education  
HELP\_TEXT.....No Help Text  
ID.....{1890BC97-FEEB-4BED-A054-3C754C01817B}  
TERM.....NEW ADMISSION EDUCATION

DATA VALUE: NEW SITE

-----  
ABBREVIATION.....NEW SITE  
ACTIVE.....Yes  
DESCRIPTION.....New Site  
DISPLAY\_NAME.....New Site  
HELP\_TEXT.....No Help Text  
ID.....{10B1FF61-E58E-4608-9CCB-9232BC964418}  
TERM.....NEW SITE

DATA VALUE: NIGHT LIGHT PROVIDED

-----  
ABBREVIATION.....Night Lite  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Night Light Provided  
HELP\_TEXT.....  
ID.....{A6F3E41A-92A1-4AAE-9EFC-84D21E8A32BD}  
TERM.....NIGHT LIGHT PROVIDED

DATA VALUE: NLP: NO LIGHT PERCEPTION

-----  
ABBREVIATION.....NLP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....NLP: No Light Perception  
HELP\_TEXT.....  
ID.....{F710E3C5-9B5A-4826-876D-B5675F9AA67E}  
TERM.....NLP: NO LIGHT PERCEPTION

DATA VALUE: NO

-----  
ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....No  
HELP\_TEXT.....No Help Text  
ID.....{FC275445-1225-9912-18A3-DF36245893D3}  
TERM.....NO

DATA VALUE: NO BREAK IN EPIDERMIS

-----  
ABBREVIATION.....NO BREAK E  
ACTIVE.....Yes  
DESCRIPTION.....No Break In Epidermis  
DISPLAY\_NAME.....No Break In Epidermis  
HELP\_TEXT.....No Help Text  
ID.....{615D96CD-6096-446B-BDDF-3F7242936AF9}  
TERM.....NO BREAK IN EPIDERMIS

DATA VALUE: NO MOVEMENT

-----  
ABBREVIATION.....nm  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....No Movement  
HELP\_TEXT.....No Help Text  
ID.....{2618E301-379B-BAB9-9EDE-98FD4B60D311}  
TERM.....NO MOVEMENT

DATA VALUE: NO PREFERENCE

-----  
ABBREVIATION.....No Pref  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No Preference  
HELP\_TEXT.....  
ID.....{CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}  
TERM.....NO PREFERENCE

DATA VALUE: NO SIGNS AND SYMPTOMS

-----  
ABBREVIATION.....NO SIG&SYM  
ACTIVE.....Yes  
DESCRIPTION.....No Signs And Symptoms  
DISPLAY\_NAME.....No Signs And Symptoms  
HELP\_TEXT.....No Help Text  
ID.....{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}  
TERM.....NO SIGNS AND SYMPTOMS

DATA VALUE: NO WANDERING PREVENTION MEASURES APPLIED

-----  
ABBREVIATION.....No Wan App  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No Wandering Prevention Measures  
Applied  
HELP\_TEXT.....  
ID.....{6967F640-223E-46CE-82F9-0E4D87745D94}  
TERM.....NO WANDERING PREVENTION MEASURES  
APPLIED

DATA VALUE: NO WANDERING PREVENTION MEASURES NEEDED

-----  
ABBREVIATION.....No Wan Nee  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No Wandering Prevention Measures Needed  
HELP\_TEXT.....  
ID.....{8D39BA2B-24C6-4355-9AC2-4AAAD2E66D9B}  
TERM.....NO WANDERING PREVENTION MEASURES NEEDED

DATA VALUE: NON-ADHERENT GAUZE

-----  
ABBREVIATION.....NON-AD GAU  
ACTIVE.....Yes  
DESCRIPTION.....Non-Adherent Gauze  
DISPLAY\_NAME.....Non-Adherent gauze  
HELP\_TEXT.....No Help Text  
ID.....{1DBF7C56-F5C2-42B5-AB59-B39A5069A414}  
TERM.....NON-ADHERENT GAUZE

DATA VALUE: NON-PITTING

-----  
ABBREVIATION.....NON-PITTIN  
ACTIVE.....Yes  
DESCRIPTION.....NON-PITTING  
DISPLAY\_NAME.....Non-Pitting  
HELP\_TEXT.....NON-PITTING  
ID.....{786DEC76-36DE-FDC7-885C-F84210F7C7D2}  
TERM.....NON-PITTING

DATA VALUE: NON-PRODUCTIVE

-----  
ABBREVIATION.....np  
ACTIVE.....Yes  
DESCRIPTION.....Does not produce desired result  
DISPLAY\_NAME.....Non-Productive  
HELP\_TEXT.....Does not produce desired result  
ID.....{9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}  
TERM.....NON-PRODUCTIVE

DATA VALUE: NON-SKID SLIPPERS

-----  
ABBREVIATION.....Non-Skid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Non-Skid Slippers  
HELP\_TEXT.....  
ID.....{D7641B31-2CB9-4284-B505-74B131BF4789}  
TERM.....NON-SKID SLIPPERS

DATA VALUE: NON-TENDER

-----  
ABBREVIATION.....NON-TENDER  
ACTIVE.....Yes  
DESCRIPTION.....Not Tender  
DISPLAY\_NAME.....Non-Tender  
HELP\_TEXT.....No Help Text  
ID.....{5A3D41C0-A83D-4382-A573-D6884BB1670B}  
TERM.....NON-TENDER

DATA VALUE: NONBLANCHABLE ERYTHEMA

-----  
ABBREVIATION.....N BLAN ERY  
ACTIVE.....Yes  
DESCRIPTION.....Nonblanchable Erythema  
DISPLAY\_NAME.....Nonblanchable Erythema  
HELP\_TEXT.....No Help Text  
ID.....{30273ACE-03F3-4818-995B-26586AAB5499}  
TERM.....NONBLANCHABLE ERYTHEMA

DATA VALUE: NONE

-----  
ABBREVIATION.....NONE  
ACTIVE.....Yes  
DESCRIPTION.....None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help Text  
ID.....{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
TERM.....NONE

DATA VALUE: NONE IDENTIFIED AT THIS VISIT

-----  
ABBREVIATION.....None  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....None identified at this Visit  
HELP\_TEXT.....  
ID.....{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}  
TERM.....NONE IDENTIFIED AT THIS VISIT

DATA VALUE: NONREACTIVE

-----  
ABBREVIATION.....nonreact  
ACTIVE.....Yes  
DESCRIPTION.....Nonreactive  
DISPLAY\_NAME.....Nonreactive  
HELP\_TEXT.....No Help Text  
ID.....{AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}  
TERM.....NONREACTIVE

DATA VALUE: NORMAL

-----  
ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal  
HELP\_TEXT.....No Help Text  
ID.....{553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
TERM.....NORMAL

DATA VALUE: NORMAL FOR ETHNIC GROUP

-----  
ABBREVIATION.....ETH. NORM.  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal for ethnic group  
HELP\_TEXT.....Skin color is normal for ethnic group  
ID.....{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}  
TERM.....NORMAL FOR ETHNIC GROUP

DATA VALUE: NORMAL POWER

-----  
ABBREVIATION.....np  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal Power  
HELP\_TEXT.....No Help Text  
ID.....{0E45C061-0744-8A21-7256-003702A5005B}  
TERM.....NORMAL POWER

DATA VALUE: NORMAL SINUS

-----  
ABBREVIATION.....ns  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal Sinus  
HELP\_TEXT.....No Help Text  
ID.....{735DC86D-08CD-1533-5A36-4775A882C507}  
TERM.....NORMAL SINUS

DATA VALUE: NORMAL STOOL

-----  
ABBREVIATION.....NORM STOOL  
ACTIVE.....Yes  
DESCRIPTION.....Normal Stool  
DISPLAY\_NAME.....Normal Stool  
HELP\_TEXT.....No Help Text  
ID.....{486B0693-CAC5-48EE-B2E6-1F73C651418A}  
TERM.....NORMAL STOOL

DATA VALUE: NOT DONE

-----  
ABBREVIATION.....NOT DONE  
ACTIVE.....Yes  
DESCRIPTION.....Not Done  
DISPLAY\_NAME.....Not Done  
HELP\_TEXT.....No Help Text  
ID.....{C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}  
TERM.....NOT DONE

DATA VALUE: NOT MONITORED

-----  
ABBREVIATION.....NOT MONITO  
ACTIVE.....Yes  
DESCRIPTION.....Not Monitored  
DISPLAY\_NAME.....Not Monitored  
HELP\_TEXT.....No Help Text  
ID.....{0E6A8A07-48E0-428F-8D86-22572CABCF48}  
TERM.....NOT MONITORED

DATA VALUE: NOVASOURCE 2.0

-----  
ABBREVIATION.....NOVAS 2.0  
ACTIVE.....Yes  
DESCRIPTION.....Novasource 2.0 Enteral Nutrition  
Formula  
DISPLAY\_NAME.....Novasource 2.0 Enteral Nutrition  
Formula  
HELP\_TEXT.....No Help Text  
ID.....{ACE82591-502A-4FBA-9697-B1B330DED78A}  
TERM.....NOVASOURCE 2.0

DATA VALUE: NP

-----  
ABBREVIATION.....NP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....NP  
HELP\_TEXT.....  
ID.....{E7EA4017-4374-41A1-9D3D-54051CEDF63C}  
TERM.....NP

DATA VALUE: NPO DIET

-----  
ABBREVIATION.....NPO DIET  
ACTIVE.....Yes  
DESCRIPTION.....Nothing By Mouth Diet  
DISPLAY\_NAME.....NPO Diet  
HELP\_TEXT.....Nothing By Mouth Diet  
ID.....{BEC8F771-B082-40A2-9EE8-553222A25FBF}  
TERM.....NPO DIET

DATA VALUE: NSG ASSIST

-----  
ABBREVIATION.....Nsg Assist  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nsg Assist  
HELP\_TEXT.....  
ID.....{14FA9638-3786-4FEA-BE8F-2345C1F455C3}  
TERM.....NSG ASSIST

DATA VALUE: NUMB

-----  
ABBREVIATION.....NUMB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....NUMB  
HELP\_TEXT.....No Help Text  
ID.....{652634C0-5334-4D56-BE57-5F58F952FF0D}  
TERM.....NUMB

DATA VALUE: NUMBER: SPECIFY

-----  
ABBREVIATION.....Specify  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Number: Specify  
HELP\_TEXT.....When "Number" is selected, enter  
                  numeric value as a "Comment"  
ID.....{397D773F-78F9-4E69-9A84-B518109A95AB}  
TERM.....NUMBER: SPECIFY

DATA VALUE: NUMBNESS

-----  
ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Numbness  
HELP\_TEXT.....No Help Text  
ID.....{037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
TERM.....NUMBNESS

DATA VALUE: NURSING STATION

-----  
ABBREVIATION.....ns  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nursing Station  
HELP\_TEXT.....No Help Text  
ID.....{B6E48F92-B9BA-488F-3A2E-D74568A6B855}  
TERM.....NURSING STATION



DATA VALUE: NUTRIHEP

-----  
ABBREVIATION.....Nutrihep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nutrihep  
HELP\_TEXT.....  
ID.....{ABD98675-EB60-40C7-BCE6-73FD787F6D17}  
TERM.....NUTRIHEP

DATA VALUE: NUTRITION

-----  
ABBREVIATION.....NUTRITION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{429A28EF-8A1F-4247-85E8-68D4EFC189C}  
TERM.....NUTRITION

DATA VALUE: NUTRITIONAL SUPPLEMENT

-----  
ABBREVIATION.....NUTR SUPPL  
ACTIVE.....Yes  
DESCRIPTION.....Nutritional Supplement  
DISPLAY\_NAME.....Nutritional Supplement  
HELP\_TEXT.....No Help Text  
ID.....{4573BD4E-7220-4B88-A2EE-959F8A0E1199}  
TERM.....NUTRITIONAL SUPPLEMENT

DATA VALUE: OBEYS COMMANDS

-----  
ABBREVIATION.....OBEYS COMM  
ACTIVE.....Yes  
DESCRIPTION.....Obeys Commands  
DISPLAY\_NAME.....Obeys Commands  
HELP\_TEXT.....No Help Text  
ID.....{EE88EE08-4C71-4C70-B93E-65F9091544C1}  
TERM.....OBEYS COMMANDS

DATA VALUE: OBSTRUCTIVE SLEEP APNEA

-----  
ABBREVIATION.....Ob Sleep A  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Obstructive Sleep Apnea  
HELP\_TEXT.....  
ID.....{217F9D63-4624-4201-9F98-C0D992B663DE}  
TERM.....OBSTRUCTIVE SLEEP APNEA

DATA VALUE: OBTUNDED

-----  
ABBREVIATION.....Obtunded  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Obtunded  
HELP\_TEXT.....  
ID.....{356C0511-C91C-4B79-AF10-072F94D4AE09}  
TERM.....OBTUNDED

DATA VALUE: OCCLUDED

-----  
ABBREVIATION.....Occluded  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Occluded  
HELP\_TEXT.....  
ID.....{25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}  
TERM.....OCCLUDED

DATA VALUE: OFF DURING BATHING

-----  
ABBREVIATION.....OFF BATHIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Off During Bathing  
HELP\_TEXT.....No Help Text  
ID.....{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}  
TERM.....OFF DURING BATHING

DATA VALUE: OFF WHILE AMBULATORY

-----  
ABBREVIATION.....OFF AMBULA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Off While Ambulatory  
HELP\_TEXT.....No Help Text  
ID.....{FF4610BF-8C92-408F-882A-1D6B2C2F146F}  
TERM.....OFF WHILE AMBULATORY

DATA VALUE: OFFER PRN MEDS

-----  
ABBREVIATION.....OFFER PRN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Offer PRN Meds  
HELP\_TEXT.....No Help Text  
ID.....{B7AF4903-913C-4848-A255-0B4767B81AE2}  
TERM.....OFFER PRN MEDS

DATA VALUE: OFFERED

-----  
ABBREVIATION.....OFFERED  
ACTIVE.....Yes  
DESCRIPTION.....Offered  
DISPLAY\_NAME.....Offered  
HELP\_TEXT.....No Help Text  
ID.....{715091C2-9668-4678-900E-6D55D3335A30}  
TERM.....OFFERED

DATA VALUE: ON WHILE SITTING IN CHAIR

-----  
ABBREVIATION.....ON IN CHAI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....On While Sitting In Chair  
HELP\_TEXT.....No Help Text  
ID.....{4139F4C3-BB68-4477-BF63-9BE7813AADA7}  
TERM.....ON WHILE SITTING IN CHAIR

DATA VALUE: ONE PERSON ASSIST

-----  
ABBREVIATION.....1 PERS AS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....One Person Assist  
HELP\_TEXT.....No Help Text  
ID.....{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}  
TERM.....ONE PERSON ASSIST

DATA VALUE: ONE TO ONE SUPERVISION

-----  
ABBREVIATION.....1 SUPERV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....One To One Supervision  
HELP\_TEXT.....No Help Text  
ID.....{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}  
TERM.....ONE TO ONE SUPERVISION

DATA VALUE: OOZING

-----  
ABBREVIATION.....Oozing  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oozing  
HELP\_TEXT.....  
ID.....{C23549D7-3238-4523-BA31-AB71609F01C2}  
TERM.....OOZING

DATA VALUE: OPEN SPONTANEOUSLY

-----  
ABBREVIATION.....OPEN SPONT  
ACTIVE.....Yes  
DESCRIPTION.....Open Spontaneously  
DISPLAY\_NAME.....Open Spontaneously  
HELP\_TEXT.....No Help Text  
ID.....{013F1473-BDC9-4E7C-9709-C577357709F6}  
TERM.....OPEN SPONTANEOUSLY

DATA VALUE: OPEN SYSTEM

-----  
ABBREVIATION.....Open syste  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Open System  
HELP\_TEXT.....  
ID.....{2047EDE8-5D72-4541-A23A-81F097A6CA2A}  
TERM.....OPEN SYSTEM

DATA VALUE: OPEN TO AIR

-----  
ABBREVIATION.....OPE TO AIR  
ACTIVE.....Yes  
DESCRIPTION.....Open To Air  
DISPLAY\_NAME.....Open To Air  
HELP\_TEXT.....No Help Text  
ID.....{EFB715D0-5666-4281-9034-A0326A14B2BB}  
TERM.....OPEN TO AIR

DATA VALUE: OPERATING ROOM

-----  
ABBREVIATION.....OR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Operating Room  
HELP\_TEXT.....No Help Text  
ID.....{37DACE14-2A28-45F4-9DEA-35A1A433F4E6}  
TERM.....OPERATING ROOM

DATA VALUE: ORAL

-----  
ABBREVIATION.....ORAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oral  
HELP\_TEXT.....No Help Text  
ID.....{BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}  
TERM.....ORAL

DATA VALUE: ORAL AIRWAY

-----  
ABBREVIATION.....ORAL AIRWA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oral Airway  
HELP\_TEXT.....No Help Text  
ID.....{B0CF4270-A68D-1322-0621-1DFF8D677B40}  
TERM.....ORAL AIRWAY

DATA VALUE: ORAL ENDOTRACHEAL

-----  
ABBREVIATION.....ORAL ENDO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oral Endotracheal  
HELP\_TEXT.....No Help Text  
ID.....{466CAD16-D7F3-9D73-6500-959C4DA50D9A}  
TERM.....ORAL ENDOTRACHEAL

DATA VALUE: ORAL GASTRIC TUBE

-----  
ABBREVIATION.....OG TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Oral Gastric Enteral Feeding Tube  
DISPLAY\_NAME.....Oral Gastric Tube  
HELP\_TEXT.....No Help Text  
ID.....{C6995D6A-939C-4C31-A3C2-4504CB5597CD}  
TERM.....ORAL GASTRIC TUBE

DATA VALUE: ORANGE

-----  
ABBREVIATION.....ORANGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Orange  
HELP\_TEXT.....No Help Text  
ID.....{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}  
TERM.....ORANGE

DATA VALUE: ORIENTATION

-----  
ABBREVIATION.....ORIENTA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Orientation  
HELP\_TEXT.....No Help Text  
ID.....{10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}  
TERM.....ORIENTATION

DATA VALUE: ORIENTED

-----  
ABBREVIATION.....ORIENTED  
ACTIVE.....Yes  
DESCRIPTION.....Oriented  
DISPLAY\_NAME.....Oriented  
HELP\_TEXT.....No Help Text  
ID.....{B8DC9245-6D81-40E4-8B47-B6413E49F152}  
TERM.....ORIENTED

DATA VALUE: ORIENTED TO CALL FOR ASSISTANCE

-----  
ABBREVIATION.....Call/Asst  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oriented to Call for Assistance  
HELP\_TEXT.....  
ID.....{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}  
TERM.....ORIENTED TO CALL FOR ASSISTANCE

DATA VALUE: ORIENTED TO PERSON

-----  
ABBREVIATION.....otp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Person  
HELP\_TEXT.....No Help Text  
ID.....{9912CFB9-AC55-6445-3EC1-0F1DF98C0561}  
TERM.....ORIENTED TO PERSON

DATA VALUE: ORIENTED TO PLACE

-----  
ABBREVIATION.....otp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Place  
HELP\_TEXT.....No Help Text  
ID.....{8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}  
TERM.....ORIENTED TO PLACE

DATA VALUE: ORIENTED TO SITUATION

-----  
ABBREVIATION.....ots  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Situation  
HELP\_TEXT.....No Help Text  
ID.....{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}  
TERM.....ORIENTED TO SITUATION

DATA VALUE: ORIENTED TO SURROUNDINGS/ROUTINE

-----  
ABBREVIATION.....Oriented  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oriented to Surroundings/Routine  
HELP\_TEXT.....  
ID.....{A8F3F756-E5B5-4B8D-AF21-E45746A64E46}  
TERM.....ORIENTED TO SURROUNDINGS/ROUTINE

DATA VALUE: ORIENTED TO TIME

-----  
ABBREVIATION.....ott  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Time  
HELP\_TEXT.....No Help Text  
ID.....{C79EBE25-C51B-478C-CB39-25943792F191}  
TERM.....ORIENTED TO TIME

DATA VALUE: ORTHOPNEIC

-----  
ABBREVIATION.....ORTHOPNIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Orthopneic  
HELP\_TEXT.....No Help Text  
ID.....{FF373BD7-FD84-DF43-7A44-1B8E62917116}  
TERM.....ORTHOPNEIC

DATA VALUE: ORTHOTIC BOOTS

-----  
ABBREVIATION.....ORTHO BOOT  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC BOOTS  
DISPLAY\_NAME.....Orthotic Boots  
HELP\_TEXT.....ORTHOTIC BOOTS  
ID.....{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}  
TERM.....ORTHOTIC BOOTS

DATA VALUE: ORTHOTIC COLLAR

-----  
ABBREVIATION.....ORTHO COLL  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC COLLAR  
DISPLAY\_NAME.....Orthotic Collar  
HELP\_TEXT.....ORTHOTIC COLLAR  
ID.....{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}  
TERM.....ORTHOTIC COLLAR

DATA VALUE: ORTHOTIC KNEE IMMOBILIZER

-----  
ABBREVIATION.....KNEE IMMOB  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC KNEE IMMOBILIZER  
DISPLAY\_NAME.....Orthotic Knee Immobilizer  
HELP\_TEXT.....ORTHOTIC KNEE IMMOBILIZER  
ID.....{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}  
TERM.....ORTHOTIC KNEE IMMOBILIZER

DATA VALUE: ORTHOTIC SPINE BRACE

-----  
ABBREVIATION.....ORTH SPINE  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC SPINE BRACE  
DISPLAY\_NAME.....Orthotic Spine Brace  
HELP\_TEXT.....ORTHOTIC SPINE BRACE  
ID.....{B47A3536-FEBC-802E-01A1-E909147D18C2}  
TERM.....ORTHOTIC SPINE BRACE

DATA VALUE: ORTHOTIC TED HOSE

-----  
ABBREVIATION.....TED HOSE  
ACTIVE.....Yes  
DESCRIPTION.....TED HOSE  
DISPLAY\_NAME.....Orthotic TED Hose  
HELP\_TEXT.....TED HOSE  
ID.....{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}  
TERM.....ORTHOTIC TED HOSE

DATA VALUE: ORTHOTIC WEDGE PILLOW

-----  
ABBREVIATION.....WEDG PILLO  
ACTIVE.....Yes  
DESCRIPTION.....WEDGE PILLOW  
DISPLAY\_NAME.....Orthotic Wedge Pillow  
HELP\_TEXT.....WEDGE PILLOW  
ID.....{20E58D21-399B-85E4-BDAB-93B371395BCF}  
TERM.....ORTHOTIC WEDGE PILLOW

DATA VALUE: OSMOLITE

-----  
ABBREVIATION.....OSMOLITE  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Osmolite  
HELP\_TEXT.....No Help Text  
ID.....{8E41BB55-063E-43C0-BAFE-65150EDD99F8}  
TERM.....OSMOLITE



DATA VALUE: OSMOLITE 1.0

-----  
ABBREVIATION.....Osmo 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Osmolite 1.0  
HELP\_TEXT.....  
ID.....{D5EE7DA5-707B-4000-A133-0C571824A376}  
TERM.....OSMOLITE 1.0

DATA VALUE: OSMOLITE 1.2

-----  
ABBREVIATION.....Osmo 1.2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Osmolite 1.2  
HELP\_TEXT.....  
ID.....{CEF57C44-82E5-43F5-8646-F8FBCD4609A0}  
TERM.....OSMOLITE 1.2

DATA VALUE: OSMOLITE 1.5

-----  
ABBREVIATION.....Osmo 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Osmolite 1.5  
HELP\_TEXT.....  
ID.....{8AF4CD1A-631A-4E95-A631-ACFF775284BA}  
TERM.....OSMOLITE 1.5

DATA VALUE: OSMOLITE HN

-----  
ABBREVIATION.....OSMOLIT HN  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Osmolite HN  
HELP\_TEXT.....No Help Text  
ID.....{E4186CA6-302F-4513-B125-30B094151423}  
TERM.....OSMOLITE HN

DATA VALUE: OSTOMY CARE

-----  
ABBREVIATION.....Ostomy Car  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ostomy Care  
HELP\_TEXT.....  
ID.....{BC834BC9-5861-4B94-BA34-FDF5C9FDF979}  
TERM.....OSTOMY CARE

DATA VALUE: OTHER

-----  
ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other  
HELP\_TEXT.....  
ID.....{4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}  
TERM.....OTHER

DATA VALUE: OTHER (ADD COMMENTS)

-----  
ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (Add Comments)  
HELP\_TEXT.....  
ID.....{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}  
TERM.....OTHER (ADD COMMENTS)

DATA VALUE: OTHER (COMMENT REQUIRED)

-----  
ABBREVIATION.....Other Req  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (Comment Required)  
HELP\_TEXT.....  
ID.....{334806FC-36EA-4BCB-B3E4-1EC61A5C8DB9}  
TERM.....OTHER (COMMENT REQUIRED)

DATA VALUE: OTHER (SEE COMMENTS)

-----  
ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (see comments)  
HELP\_TEXT.....  
ID.....{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}  
TERM.....OTHER (SEE COMMENTS)

DATA VALUE: OUTPATIENT

-----  
ABBREVIATION.....Outpatient  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Outpatient  
HELP\_TEXT.....  
ID.....{CFDEB843-1AB5-4B6B-870C-1729EA4E05A9}  
TERM.....OUTPATIENT

DATA VALUE: OVER WIRE

-----  
ABBREVIATION.....OVER WIRE  
ACTIVE.....Yes  
DESCRIPTION.....Over Wire  
DISPLAY\_NAME.....Over Wire  
HELP\_TEXT.....No Help Text  
ID.....{157CD456-1020-43AE-9AAA-1686F1574B6F}  
TERM.....OVER WIRE

DATA VALUE: OXEPA

-----  
ABBREVIATION.....Oxepa  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oxepa  
HELP\_TEXT.....  
ID.....{1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}  
TERM.....OXEPA

DATA VALUE: OXIMETRIC

-----  
ABBREVIATION.....OXIMETRIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oximetric Catheter  
HELP\_TEXT.....No Help Text  
ID.....{DA1F5AAA-A349-C17B-74CD-1794492E0A13}  
TERM.....OXIMETRIC

DATA VALUE: PA

-----  
ABBREVIATION.....PA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PA  
HELP\_TEXT.....  
ID.....{C057C47D-780A-4230-B577-2C528AD09DEB}  
TERM.....PA

DATA VALUE: PAC

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PAC  
HELP\_TEXT.....No Help Text  
ID.....{848AB18A-598D-8E4E-8B1B-ED7478CE340B}  
TERM.....PAC

DATA VALUE: PACED: ATRIAL

-----  
ABBREVIATION.....pa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paced: Atrial  
HELP\_TEXT.....No Help Text  
ID.....{88837DD4-098D-B77F-A754-89D5C4F5870F}  
TERM.....PACED: ATRIAL

DATA VALUE: PACED: AV SEQUENTIAL

-----  
ABBREVIATION.....pas  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paced: Av Sequential  
HELP\_TEXT.....No Help Text  
ID.....{3C485674-224C-47DA-510D-92F1A0CA54A1}  
TERM.....PACED: AV SEQUENTIAL

DATA VALUE: PACED: VENTRICULAR

-----  
ABBREVIATION.....pv  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paced: Ventricular  
HELP\_TEXT.....No Help Text  
ID.....{A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}  
TERM.....PACED: VENTRICULAR

DATA VALUE: PACER

-----  
ABBREVIATION.....Pacer  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pacer  
HELP\_TEXT.....  
ID.....{F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}  
TERM.....PACER

DATA VALUE: PAIN

-----  
ABBREVIATION.....PAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pain  
HELP\_TEXT.....No Help Text  
ID.....{F2F23EE7-0A06-46B8-A496-B7A4651A551F}  
TERM.....PAIN

DATA VALUE: PAIN CONTROLLED PER PT

-----  
ABBREVIATION.....PAIN CON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pain Controlled Per Patient  
HELP\_TEXT.....No Help Text  
ID.....{7EC1AF38-39B1-475E-B58C-E33404A47E96}  
TERM.....PAIN CONTROLLED PER PT

DATA VALUE: PAINAD BL 0

-----  
ABBREVIATION.....PAINAD BL0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = Relaxed  
HELP\_TEXT.....No Help Text  
ID.....{C77929DB-A59A-4A24-B57B-BF111770C2AB}  
TERM.....PAINAD BL 0

DATA VALUE: PAINAD BL 1

-----  
ABBREVIATION.....PAINAD BL1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Tense, Distressed Pacing, Fidgeting  
DISPLAY\_NAME.....1 = Tense, Distressed Pacing, Fidgeting  
HELP\_TEXT.....1 = Tense, Distressed Pacing, Fidgeting  
ID.....{CC1E1516-086D-4B79-8264-0C3BD67D8552}  
TERM.....PAINAD BL 1

DATA VALUE: PAINAD BL 2

-----  
ABBREVIATION.....PAINAD BL2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Rigid, Fists Clenched, Knees  
Pulled Up, Pulling or Pushing Away,  
Striking Out  
DISPLAY\_NAME.....2 = Rigid, Fists Clenched, Knees  
Pulled Up, Pulling or Pushing  
HELP\_TEXT.....2 = Rigid, Fists Clenched, Knees  
Pulled Up, Pulling or Pushing Away,  
Striking Out  
ID.....{34C3E304-DF66-40A7-906F-22AEA3F76FAD}  
TERM.....PAINAD BL 2

DATA VALUE: PAINAD BR 0

-----  
ABBREVIATION.....PAINAD B0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = Normal  
HELP\_TEXT.....No Help Text  
ID.....{58E71B2E-F5C3-419F-8B71-A9FD701E0202}  
TERM.....PAINAD BR 0

DATA VALUE: PAINAD BR 1

-----  
ABBREVIATION.....PAINAD BR1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Occasional Labored Breathing.  
Short Period of Hyperventilation  
DISPLAY\_NAME.....1 = Occasional Labored Breathing.  
Short Period of Hyperventilation  
HELP\_TEXT.....1 = Occasional Labored Breathing.  
Short Period of Hyperventilation  
ID.....{727D1B04-A702-4806-857B-78BCBACB0FE1}  
TERM.....PAINAD BR 1

DATA VALUE: PAINAD BR 2

-----  
ABBREVIATION.....PAINAD BR2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Noisy Labored Breathing.  
Cheynes-Stokes Respirations  
DISPLAY\_NAME.....2 = Noisy Labored Breathing.  
Cheynes-Stokes Respirations  
HELP\_TEXT.....2 = Noisy Labored Breathing.  
Cheynes-Stokes Respirations  
ID.....{37978012-ADAC-416C-8920-48CDAAA5D59D}  
TERM.....PAINAD BR 2

DATA VALUE: PAINAD CO 0

-----  
ABBREVIATION.....PAINAD CO0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = No Need To Console  
HELP\_TEXT.....No Help Text  
ID.....{06A89B55-5822-42F7-A689-DBD91B62979F}  
TERM.....PAINAD CO 0

DATA VALUE: PAINAD CO 1

-----  
ABBREVIATION.....PAINAD CO1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 = Distracted or Reassured By Voice  
or Touch  
HELP\_TEXT.....No Help Text  
ID.....{8E5DDB47-1955-40AD-A008-A9CE4646A707}  
TERM.....PAINAD CO 1

DATA VALUE: PAINAD CO 2

-----  
ABBREVIATION.....PAINAD CO2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 = Unable To Console, Distract or  
Reassure  
HELP\_TEXT.....No Help Text  
ID.....{1DFFB735-6272-4B60-8F42-CCCAA701C7A7}  
TERM.....PAINAD CO 2

DATA VALUE: PAINAD FE 0

-----  
ABBREVIATION.....PAINAD FE0  
ACTIVE.....Yes  
DESCRIPTION.....0 = Smiling or Inexpressive  
DISPLAY\_NAME.....0 = Smiling or Inexpressive  
HELP\_TEXT.....0 = Smiling or Inexpressive  
ID.....{B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}  
TERM.....PAINAD FE 0

DATA VALUE: PAINAD FE 1

-----  
ABBREVIATION.....PAINAD FE1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Sad, Frightened, Frown  
DISPLAY\_NAME.....1 = Sad, Frightened, Frown  
HELP\_TEXT.....1 = Sad, Frightened, Frown  
ID.....{66C01EE9-8F36-40B5-AED2-DBC2E94F860D}  
TERM.....PAINAD FE 1

DATA VALUE: PAINAD FE 2

-----  
ABBREVIATION.....PAINAD FE2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Facial Grimacing  
DISPLAY\_NAME.....2 = Facial Grimacing  
HELP\_TEXT.....2 = Facial Grimacing  
ID.....{35688D06-94F2-4B36-8940-529803D4BC43}  
TERM.....PAINAD FE 2

DATA VALUE: PAINAD NV 0

-----  
ABBREVIATION.....PAINAD NV0  
ACTIVE.....Yes  
DESCRIPTION.....0 = None  
DISPLAY\_NAME.....0 = None  
HELP\_TEXT.....0 = None  
ID.....{63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}  
TERM.....PAINAD NV 0

DATA VALUE: PAINAD NV 1

-----  
ABBREVIATION.....PAINAD NV1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Occasional Moan or Groan. Low  
Level Speech With A Negative or  
Disapproving Quality  
DISPLAY\_NAME.....1 = Occasional Moan or Groan  
HELP\_TEXT.....1 = Occasional Moan or Groan. Low  
Level Speech With A Negative or  
Disapproving Quality  
ID.....{D517E6C9-9D98-4D0F-A8F4-261BED4812D1}  
TERM.....PAINAD NV 1

DATA VALUE: PAINAD NV 2

-----  
ABBREVIATION.....PAINAD NV2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Repeated, Troubled, Calling Out,  
Loud Moaning, Crying  
DISPLAY\_NAME.....2 = Repeated, Troubled, Calling Out,  
Loud Moaning.  
HELP\_TEXT.....2 = Repeated, Troubled, Calling Out,  
Loud Moaning, Crying  
ID.....{3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}  
TERM.....PAINAD NV 2

DATA VALUE: PAINFUL EXPRESSION

-----  
ABBREVIATION.....PAINFUL EX  
ACTIVE.....Yes  
DESCRIPTION.....Painful Expression  
DISPLAY\_NAME.....Painful Expression  
HELP\_TEXT.....No Help Text  
ID.....{608554F9-29F9-4B27-BE63-486AF81810BD}  
TERM.....PAINFUL EXPRESSION

DATA VALUE: PAIRS

-----  
ABBREVIATION.....Pairs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pairs  
HELP\_TEXT.....  
ID.....{668B0D85-E507-4E12-B07A-A90CB98730DC}  
TERM.....PAIRS

DATA VALUE: PALE

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pale  
HELP\_TEXT.....No Help Text  
ID.....{0EB39D28-7ABE-A4AB-D334-3F795E65618D}  
TERM.....PALE

DATA VALUE: PAROXYSMAL ATRIAL TACHYCARDIA

-----  
ABBREVIATION.....pat  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paroxysmal Atrial Tachycardia  
HELP\_TEXT.....No Help Text  
ID.....{27BC1FAF-A403-6EA8-044C-F1271F12A62A}  
TERM.....PAROXYSMAL ATRIAL TACHYCARDIA



DATA VALUE: PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

-----  
ABBREVIATION.....PST  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Paroxysmal Supraventricular Tachycardia  
HELP\_TEXT.....  
ID.....{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}  
TERM.....PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS

-----  
ABBREVIATION.....PART EPIDE  
ACTIVE.....Yes  
DESCRIPTION.....Partial Thickness Skin Loss Involving  
Epidermis/Dermis  
DISPLAY\_NAME.....Partial Thickness Skin Loss Involving  
Epidermis/Dermis  
HELP\_TEXT.....No Help Text  
ID.....{EAD3A260-CC46-4B47-AA49-91CFE13EEE4B}  
TERM.....PART THICKNESS SKIN LOSS INVOLVE  
EPIDERMIS/DERMIS

DATA VALUE: PARTIAL BATH

-----  
ABBREVIATION.....PART. BATH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Partial Bath  
HELP\_TEXT.....No Help Text  
ID.....{60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}  
TERM.....PARTIAL BATH

DATA VALUE: PARTIAL IMPAIRED

-----  
ABBREVIATION.....PART IMPAI  
ACTIVE.....Yes  
DESCRIPTION.....Partial Impaired  
DISPLAY\_NAME.....Partial Impaired  
HELP\_TEXT.....Partial Impaired  
ID.....{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}  
TERM.....PARTIAL IMPAIRED

DATA VALUE: PARTIAL LOWER

-----  
ABBREVIATION.....Part Low  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Partial Lower  
HELP\_TEXT.....  
ID.....{2556CE7E-F211-4992-BCAF-09677C20BEFE}  
TERM.....PARTIAL LOWER

DATA VALUE: PARTIAL SIMPLE

-----  
ABBREVIATION.....PART SIMP  
ACTIVE.....Yes  
DESCRIPTION.....Partial Simple  
DISPLAY\_NAME.....Partial Simple  
HELP\_TEXT.....Partial Simple  
ID.....{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}  
TERM.....PARTIAL SIMPLE

DATA VALUE: PARTIAL UPPER

-----  
ABBREVIATION.....Part Up  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Partial Upper  
HELP\_TEXT.....  
ID.....{D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}  
TERM.....PARTIAL UPPER

DATA VALUE: PASSIVE RANGE OF MOTION

-----  
ABBREVIATION.....PASS ROM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Passive Range Of Motion  
HELP\_TEXT.....No Help Text  
ID.....{DD43B9EF-E18F-4203-8564-89EBBAD963A4}  
TERM.....PASSIVE RANGE OF MOTION

DATA VALUE: PATENT

-----  
ABBREVIATION.....Patent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patent  
HELP\_TEXT.....  
ID.....{F0C38BCB-1D11-436C-8B8C-4297C27DDE04}  
TERM.....PATENT

DATA VALUE: PATENT CLEAN

-----  
ABBREVIATION.....PAT CLEAN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patent Clean  
HELP\_TEXT.....No Help Text  
ID.....{68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}  
TERM.....PATENT CLEAN

DATA VALUE: PATIENT

-----  
ABBREVIATION.....PATIENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient  
HELP\_TEXT.....No Help Text  
ID.....{7881F205-BCD1-4948-AE66-AD572F5A02F2}  
TERM.....PATIENT

DATA VALUE: PATIENT INFORMED

-----  
ABBREVIATION.....PAT INFORM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient Informed  
HELP\_TEXT.....No Help Text  
ID.....{074A1D19-3920-49F1-8958-2EB6F9CF05BA}  
TERM.....PATIENT INFORMED

DATA VALUE: PATIENT INSTRUCTED

-----  
ABBREVIATION.....pat instru  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Instructed  
HELP\_TEXT.....  
ID.....{D89A50A6-352D-4EB8-ABD7-5D732A060D9A}  
TERM.....PATIENT INSTRUCTED

DATA VALUE: PATIENT LOCATOR DEVICE IN PLACE

-----  
ABBREVIATION.....Loc Device  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Locator Device in Place  
HELP\_TEXT.....  
ID.....{CAF7B45E-0143-472D-BABF-9A92857419E9}  
TERM.....PATIENT LOCATOR DEVICE IN PLACE

DATA VALUE: PATIENT REFUSES MARKING

-----  
ABBREVIATION.....Pat Refuse  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Refuses Marking  
HELP\_TEXT.....  
ID.....{93CE893B-AFE1-4047-9EE9-2AD6388C0086}  
TERM.....PATIENT REFUSES MARKING

DATA VALUE: PATIENT REPORTS NOT PRESENT

-----  
ABBREVIATION.....PT RP N PR  
ACTIVE.....Yes  
DESCRIPTION.....Patient Reports Not Present  
DISPLAY\_NAME.....Patient Reports Not Present  
HELP\_TEXT.....Patient Reports Not Present  
ID.....{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}  
TERM.....PATIENT REPORTS NOT PRESENT

DATA VALUE: PATIENT REPORTS PRESENT

-----  
ABBREVIATION.....PT REP PRE  
ACTIVE.....Yes  
DESCRIPTION.....Patient Reports Present  
DISPLAY\_NAME.....Patient Reports Present  
HELP\_TEXT.....Patient Reports Present  
ID.....{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}  
TERM.....PATIENT REPORTS PRESENT

DATA VALUE: PATIENT RIGHTS AND RESPONSIBILITIES

-----  
ABBREVIATION.....Pat Rights  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Rights and Responsibilities  
HELP\_TEXT.....  
ID.....{DA69AAEE-DBDC-4CAA-849A-7242F0854385}  
TERM.....PATIENT RIGHTS AND RESPONSIBILITIES

DATA VALUE: PATIENT SIGNS SAFETY CONTRACT

-----  
ABBREVIATION.....PT CONTRAC  
ACTIVE.....Yes  
DESCRIPTION.....Patient Signs Safety Contract  
DISPLAY\_NAME.....Patient Signs Safety Contract  
HELP\_TEXT.....No Help Text  
ID.....{C65734EC-2CAF-4547-8FD8-CBCD9C706003}  
TERM.....PATIENT SIGNS SAFETY CONTRACT

DATA VALUE: PATIENT STATED

-----  
ABBREVIATION.....Pat Stated  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Stated  
HELP\_TEXT.....  
ID.....{843654E1-4BC9-4277-9EFC-0B388A70A907}  
TERM.....PATIENT STATED

DATA VALUE: PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION

-----  
ABBREVIATION.....pswlosons  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient Stays Within Line Of Site Of  
Nursing Station  
HELP\_TEXT.....No Help Text  
ID.....{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}  
TERM.....PATIENT STAYS WITHIN LINE OF SITE OF  
NURSING STATION

DATA VALUE: PATIENT'S ROOM

-----  
ABBREVIATION.....pr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient's Room  
HELP\_TEXT.....No Help Text  
ID.....{0F13E11D-9F78-14A3-0568-AF26393F39F1}  
TERM.....PATIENT'S ROOM

DATA VALUE: PCA

-----  
ABBREVIATION.....PCA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient Controlled Analgesia  
HELP\_TEXT.....No Help-Text  
ID.....{A1EE27C6-F22A-4109-A8E6-28DCCE599E64}  
TERM.....PCA

DATA VALUE: PCA AND BASAL RATE

-----  
ABBREVIATION.....PCA/BASAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PCA and Basal Rate  
HELP\_TEXT.....No Help Text  
ID.....{D711BB51-0662-4DD0-8654-C737F6A6686A}  
TERM.....PCA AND BASAL RATE

DATA VALUE: PCA ONLY

-----  
ABBREVIATION.....PCA ONLY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PCA Only  
HELP\_TEXT.....No Help Text  
ID.....{30E0441A-1098-4FE9-B277-BF2BBD6B1667}  
TERM.....PCA ONLY

DATA VALUE: PCA PUMP

-----  
ABBREVIATION.....PCA Pump  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PCA Pump  
HELP\_TEXT.....  
ID.....{C6F139AF-C42B-4577-83E1-A12675C31A21}  
TERM.....PCA PUMP

DATA VALUE: PEDIATRIC

-----  
ABBREVIATION.....PEDIATRIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pediatric  
HELP\_TEXT.....No Help Text  
ID.....{06865E22-3ED9-4EDD-9749-6F8641BF29DE}  
TERM.....PEDIATRIC

DATA VALUE: PEG TUBE

-----  
ABBREVIATION.....PEG TUBE  
ACTIVE.....Yes  
DESCRIPTION.....PEG Tube EF Tube  
DISPLAY\_NAME.....PEG Tube  
HELP\_TEXT.....No Help Text  
ID.....{970C3755-2B3F-462F-AA87-EA33F846843F}  
TERM.....PEG TUBE

DATA VALUE: PENETRATING

-----  
ABBREVIATION.....PENETRATING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Penetrating  
HELP\_TEXT.....No Help Text  
ID.....{00A2D4C8-EDDE-4593-A1F8-A87A836B3379}  
TERM.....PENETRATING

DATA VALUE: PENROSE DRAIN

-----  
ABBREVIATION.....Penrose D  
ACTIVE.....Yes  
DESCRIPTION.....Penrose Drain  
DISPLAY\_NAME.....Penrose Drain  
HELP\_TEXT.....No Help Text  
ID.....{DE508E95-D044-ACCA-EE69-33B9A8454E6C}  
TERM.....PENROSE DRAIN

DATA VALUE: PERATIVE

-----  
ABBREVIATION.....Perative  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Perative  
HELP\_TEXT.....  
ID.....{9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}  
TERM.....PERATIVE

DATA VALUE: PERCUSSION BED

-----  
ABBREVIATION.....PERC BED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Percussion Bed  
HELP\_TEXT.....No Help Text  
ID.....{BE0B086B-A2F3-446A-ADE0-9589E92689FE}  
TERM.....PERCUSSION BED

DATA VALUE: PERINEAL CARE

-----  
ABBREVIATION.....PERIN CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Perineal Care  
HELP\_TEXT.....No Help Text  
ID.....{D88736E4-E0EB-4FF7-9199-288A4D051A20}  
TERM.....PERINEAL CARE

DATA VALUE: PERMANENT

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Permanent  
HELP\_TEXT.....No Help Text  
ID.....{A31FF319-F8C3-7AAC-D7FC-765C89732D09}  
TERM.....PERMANENT

DATA VALUE: PERSONAL ARTICLES AT REACH

-----  
ABBREVIATION.....At Reach  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Personal Articles at Reach  
HELP\_TEXT.....  
ID.....{166DE5BA-67F1-4BDB-9378-062862519BE4}  
TERM.....PERSONAL ARTICLES AT REACH

DATA VALUE: PERSONAL HYGIENE AND/OR GROOMING

-----  
ABBREVIATION.....Per Hyg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Personal Hygiene and/or Grooming  
HELP\_TEXT.....  
ID.....{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}  
TERM.....PERSONAL HYGIENE AND/OR GROOMING

DATA VALUE: PERSONAL MEDICAL ALERT BRACELET

-----  
ABBREVIATION.....pmab  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Personal Medical Alert Bracelet  
HELP\_TEXT.....No Help Text  
ID.....{E63D5FDE-4509-5751-A11C-C023E296858A}  
TERM.....PERSONAL MEDICAL ALERT BRACELET

DATA VALUE: PETROLATUM

-----  
ABBREVIATION.....PETROLATUM  
ACTIVE.....Yes  
DESCRIPTION.....Petrolatum  
DISPLAY\_NAME.....Petrolatum  
HELP\_TEXT.....No Help Text  
ID.....{DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}  
TERM.....PETROLATUM

DATA VALUE: PHYSICAL IMPAIRMENT

-----  
ABBREVIATION.....Phys Impai  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Physical Impairment  
HELP\_TEXT.....  
ID.....{4D744081-134E-420D-9712-AF114977E490}  
TERM.....PHYSICAL IMPAIRMENT

DATA VALUE: PHYSICIAN

-----  
ABBREVIATION.....PHYSICIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Physician  
HELP\_TEXT.....No Help Text  
ID.....{DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}  
TERM.....PHYSICIAN



DATA VALUE: PHYSICIAN NOTIFIED

-----  
ABBREVIATION.....PHYS NOTIF  
ACTIVE.....Yes  
DESCRIPTION.....Physician Notified  
DISPLAY\_NAME.....Physician Notified  
HELP\_TEXT.....No Help Text  
ID.....{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}  
TERM.....PHYSICIAN NOTIFIED

DATA VALUE: PHYSICIAN ORDER

-----  
ABBREVIATION.....PHY ORDER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Physician Order  
HELP\_TEXT.....No Help Text  
ID.....{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}  
TERM.....PHYSICIAN ORDER

DATA VALUE: PICC

-----  
ABBREVIATION.....PICC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PICC  
HELP\_TEXT.....Peripherally inserted central catheter  
ID.....{3CFE33D0-5A35-88CC-152C-D7501D1858D9}  
TERM.....PICC

DATA VALUE: PIN

-----  
ABBREVIATION.....PIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pin  
HELP\_TEXT.....No Help Text  
ID.....{10D48A4E-46F3-4242-BA56-B9D4B37A4C93}  
TERM.....PIN

DATA VALUE: PIN TRACTION

-----  
ABBREVIATION.....PIN TRACT  
ACTIVE.....Yes  
DESCRIPTION.....Pin Traction  
DISPLAY\_NAME.....Pin Traction  
HELP\_TEXT.....Pin Traction  
ID.....{C75104A5-3B6B-4CFE-8E2E-05877522C811}  
TERM.....PIN TRACTION

DATA VALUE: PINK

-----  
ABBREVIATION.....PINK  
ACTIVE.....Yes  
DESCRIPTION.....The color pink  
DISPLAY\_NAME.....Pink  
HELP\_TEXT.....The color pink  
ID.....{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}  
TERM.....PINK

DATA VALUE: PINK / GRANULATING

-----  
ABBREVIATION.....Pink/Gran  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pink / Granulating  
HELP\_TEXT.....  
ID.....{05245B27-3292-48B2-9F37-6AB9BB92395B}  
TERM.....PINK / GRANULATING

DATA VALUE: PINPOINT

-----  
ABBREVIATION.....pinpoint  
ACTIVE.....Yes  
DESCRIPTION.....Pinpoint  
DISPLAY\_NAME.....Pinpoint  
HELP\_TEXT.....No Help Text  
ID.....{4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}  
TERM.....PINPOINT

DATA VALUE: PITTED

-----  
ABBREVIATION.....PITTED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pitted  
HELP\_TEXT.....No Help Text  
ID.....{BEA42FD8-91C7-4BF6-936E-726D78064F11}  
TERM.....PITTED

DATA VALUE: PITTING

-----  
ABBREVIATION.....PITTING  
ACTIVE.....Yes  
DESCRIPTION.....PITTING  
DISPLAY\_NAME.....Pitting  
HELP\_TEXT.....PITTING  
ID.....{A9F6ACFF-E427-145A-A168-345ACB87C1DE}  
TERM.....PITTING

DATA VALUE: PIVOT

-----  
ABBREVIATION.....Pivot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pivot  
HELP\_TEXT.....  
ID.....{2E68ED54-57F5-490D-A982-668121F0CF5A}  
TERM.....PIVOT

DATA VALUE: PIVOT 1.5

-----  
ABBREVIATION.....Pivot 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pivot 1.5  
HELP\_TEXT.....  
ID.....{9126F0C6-9716-4C33-8B7C-178D46899D44}  
TERM.....PIVOT 1.5

DATA VALUE: PJC

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PJC  
HELP\_TEXT.....No Help Text  
ID.....{1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}  
TERM.....PJC

DATA VALUE: PLACED NEAR TO NURSE STATION

-----  
ABBREVIATION.....Near N/Sta  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Placed Near to Nurse Station  
HELP\_TEXT.....  
ID.....{7790D901-36F0-4DFD-9BF5-8C3A913F30E1}  
TERM.....PLACED NEAR TO NURSE STATION

DATA VALUE: PLAIN

-----  
ABBREVIATION.....PLAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Plain Catheter  
HELP\_TEXT.....No Help Text  
ID.....{483EE48F-F72B-A917-DCD0-E8B69A3FA36F}  
TERM.....PLAIN

DATA VALUE: POOR

-----  
ABBREVIATION.....POOR  
ACTIVE.....Yes  
DESCRIPTION.....Poor  
DISPLAY\_NAME.....Poor  
HELP\_TEXT.....No Help Text  
ID.....{A3D75A12-A791-446D-AF63-9435054DFC4C}  
TERM.....POOR

DATA VALUE: POOR BAL

-----  
ABBREVIATION.....Poor Balan  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Poor Balance  
HELP\_TEXT.....  
ID.....{959AFDB4-6984-452D-9235-B154409DC0ED}  
TERM.....POOR BAL

DATA VALUE: PORCINE SUBMUCOSA

-----  
ABBREVIATION.....PORC SUBMU  
ACTIVE.....Yes  
DESCRIPTION.....Oasis (porcine submucosa)  
DISPLAY\_NAME.....Oasis (porcine submucosa)  
HELP\_TEXT.....No Help Text  
ID.....{6F3917DA-74BD-4790-9D4D-B284E27B7623}  
TERM.....PORCINE SUBMUCOSA

DATA VALUE: POSITIONAL

-----  
ABBREVIATION.....POSITIONAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Positional  
HELP\_TEXT.....No Help Text  
ID.....{9A74D16B-5E95-4EA8-88AF-E53C80311A5D}  
TERM.....POSITIONAL

DATA VALUE: POSITIVE PRESSURE CONNECTOR

-----  
ABBREVIATION.....P Pres Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Positive Pressure Connector  
HELP\_TEXT.....  
ID.....{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}  
TERM.....POSITIVE PRESSURE CONNECTOR

DATA VALUE: POST CATH DIET

-----  
ABBREVIATION.....POST CA DT  
ACTIVE.....Yes  
DESCRIPTION.....Post Cath Diet  
DISPLAY\_NAME.....Post Cath Diet  
HELP\_TEXT.....No Help Text  
ID.....{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}  
TERM.....POST CATH DIET

DATA VALUE: POST OPERATION DIAGNOSIS

-----  
ABBREVIATION.....PO OP DIAG  
ACTIVE.....Yes  
DESCRIPTION.....Post Operation Diagnosis  
DISPLAY\_NAME.....Post Operation Diagnosis  
HELP\_TEXT.....Post Operation Diagnosis  
ID.....{A69379C9-C54A-4C55-85B3-C3D92D1705A0}  
TERM.....POST OPERATION DIAGNOSIS

DATA VALUE: POST PROCEDURE DIAGNOSIS

-----  
ABBREVIATION.....PO PRO DIA  
ACTIVE.....Yes  
DESCRIPTION.....Post Procedure Diagnosis  
DISPLAY\_NAME.....Post Procedure Diagnosis  
HELP\_TEXT.....Post Procedure Diagnosis  
ID.....{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}  
TERM.....POST PROCEDURE DIAGNOSIS

DATA VALUE: POST-FALL

-----  
ABBREVIATION.....POST-FALL  
ACTIVE.....Yes  
DESCRIPTION.....Post-Fall  
DISPLAY\_NAME.....Post-Fall  
HELP\_TEXT.....No Help Text  
ID.....{9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}  
TERM.....POST-FALL

DATA VALUE: POST-OPERATIVE

-----  
ABBREVIATION.....POST-OP  
ACTIVE.....Yes  
DESCRIPTION.....Post-Operative  
DISPLAY\_NAME.....Post-Operative  
HELP\_TEXT.....No Help Text  
ID.....{9FA19656-849F-4A65-92FC-755A4C9E8056}  
TERM.....POST-OPERATIVE

DATA VALUE: POST-PROCEDURE

-----  
ABBREVIATION.....POST-PROC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Post-Procedure  
HELP\_TEXT.....No Help Text  
ID.....{0F943BD7-BD13-412E-B4EA-9B5526587340}  
TERM.....POST-PROCEDURE

DATA VALUE: POST-SEDATION

-----  
ABBREVIATION.....POST SED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Post-Sedation  
HELP\_TEXT.....No Help Text  
ID.....{B829A249-CB14-4919-86F8-4A8C8D6B7753}  
TERM.....POST-SEDATION

DATA VALUE: POTASSIUM MODIFIED 60 MEQ

-----  
ABBREVIATION.....K MOD 60M  
ACTIVE.....Yes  
DESCRIPTION.....Potassium Modified 60 MEQ  
DISPLAY\_NAME.....Potassium Modified 60 MEQ  
HELP\_TEXT.....No Help Text  
ID.....{6EC2F10D-CC44-4872-8473-2445A835ABB0}  
TERM.....POTASSIUM MODIFIED 60 MEQ

DATA VALUE: PRBC

-----  
ABBREVIATION.....PRBC  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells  
DISPLAY\_NAME.....PRBC  
HELP\_TEXT.....No Help Text  
ID.....{F6D9B889-1BCB-4724-B75A-E98743585D55}  
TERM.....PRBC

DATA VALUE: PRE-MEDICATED FOR ACTIVITY

-----  
ABBREVIATION.....PRE-MED AC  
ACTIVE.....Yes  
DESCRIPTION.....Pre-Medicated For Activity  
DISPLAY\_NAME.....Pre-Medicated For Activity  
HELP\_TEXT.....No Help Text  
ID.....{D6DA772A-FA22-4170-B928-855A2F68711F}  
TERM.....PRE-MEDICATED FOR ACTIVITY

DATA VALUE: PRE-OPERATIVE

-----  
ABBREVIATION.....PRE-OP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pre-Operative  
HELP\_TEXT.....No Help Text  
ID.....{80C418D5-54B1-4CC3-9B19-5653B8D73C45}  
TERM.....PRE-OPERATIVE

DATA VALUE: PRE-PROCEDURE

-----  
ABBREVIATION.....PRE-PROC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pre-Procedure  
HELP\_TEXT.....No Help Text  
ID.....{D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}  
TERM.....PRE-PROCEDURE

DATA VALUE: PRE-SEDATION

-----  
ABBREVIATION.....PRE SEDA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pre-Sedation  
HELP\_TEXT.....No Help Text  
ID.....{684C764E-2BE9-4C99-A2B2-C92D75C73751}  
TERM.....PRE-SEDATION

DATA VALUE: PRE-SURGERY

-----  
ABBREVIATION.....PRE-SURG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pre-Surgery  
HELP\_TEXT.....No Help Text  
ID.....{0C71761F-3024-4638-A95C-FDF12DC03CF5}  
TERM.....PRE-SURGERY

DATA VALUE: PREGNANT, NO

-----  
ABBREVIATION.....Preg, No  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pregnant, No  
HELP\_TEXT.....  
ID.....{D08F5D48-965E-4537-83BC-14722E28B0AE}  
TERM.....PREGNANT, NO

DATA VALUE: PREGNANT, YES

-----  
ABBREVIATION.....Preg, Yes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pregnant, Yes  
HELP\_TEXT.....  
ID.....{CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}  
TERM.....PREGNANT, YES

DATA VALUE: PREMATURE ATRIAL

-----  
ABBREVIATION.....pa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Premature Atrial  
HELP\_TEXT.....No Help Text  
ID.....{070FDCB1-2EC4-B4EF-4DFD-81F6CCFFBDED}  
TERM.....PREMATURE ATRIAL

DATA VALUE: PRESENT

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Present  
HELP\_TEXT.....No Help Text  
ID.....{384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
TERM.....PRESENT

DATA VALUE: PRESSURE

-----  
ABBREVIATION.....PRESSURE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure  
HELP\_TEXT.....No Help Text  
ID.....{387AFB7F-3973-4D77-B2E6-0724F344D8F6}  
TERM.....PRESSURE

DATA VALUE: PRESSURE CALIBRATION

-----  
ABBREVIATION.....PRESS CALI  
ACTIVE.....Yes  
DESCRIPTION.....Pressure Calibration  
DISPLAY\_NAME.....Pressure Calibration  
HELP\_TEXT.....No Help Text  
ID.....{38C12E69-2CD2-4F61-98D9-06AB857DA51A}  
TERM.....PRESSURE CALIBRATION



DATA VALUE: PRESSURE CONTROL

-----  
ABBREVIATION.....PRESS CONT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure Control  
HELP\_TEXT.....No Help Text  
ID.....{C3CDF756-484F-1483-9883-9B63DEF3B012}  
TERM.....PRESSURE CONTROL

DATA VALUE: PRESSURE DRESSING

-----  
ABBREVIATION.....PRESS DRES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure Dressing  
HELP\_TEXT.....No Help Text  
ID.....{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}  
TERM.....PRESSURE DRESSING

DATA VALUE: PRESSURE ULCER

-----  
ABBREVIATION.....PRE ULCER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure Ulcer  
HELP\_TEXT.....No Help Text  
ID.....{7279639E-498D-4EA3-A3FA-4A6D611E6F48}  
TERM.....PRESSURE ULCER

DATA VALUE: PRESYSTOLIC

-----  
ABBREVIATION.....PRESYSTOLI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Presystolic  
HELP\_TEXT.....No Help Text  
ID.....{BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}  
TERM.....PRESYSTOLIC

DATA VALUE: PREVENT ACCESS TO DEVICE

-----  
ABBREVIATION.....PREV ACCE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Prevent Access To Medical Devices  
HELP\_TEXT.....No Help Text  
ID.....{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}  
TERM.....PREVENT ACCESS TO DEVICE

DATA VALUE: PREVENTIVE HEALTH REHAB TECHNIQUES

-----  
ABBREVIATION.....Rehab Tech  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Preventive Health Rehab Techniques  
HELP\_TEXT.....  
ID.....{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}  
TERM.....PREVENTIVE HEALTH REHAB TECHNIQUES

DATA VALUE: PREVIOUS PERCUTANEOUS SITE

-----  
ABBREVIATION.....PRE PER SI  
ACTIVE.....Yes  
DESCRIPTION.....Previous Percutaneous Site  
DISPLAY\_NAME.....Previous Percutaneous Site  
HELP\_TEXT.....No Help Text  
ID.....{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}  
TERM.....PREVIOUS PERCUTANEOUS SITE

DATA VALUE: PRN

-----  
ABBREVIATION.....PRN  
ACTIVE.....Yes  
DESCRIPTION.....As Needed  
DISPLAY\_NAME.....PRN  
HELP\_TEXT.....As Needed  
ID.....{36493D81-954B-4C56-B0A2-9988EA785EBD}  
TERM.....PRN

DATA VALUE: PRO STAT SUGAR FREE 64

-----  
ABBREVIATION.....ProSta 64  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pro Stat Sugar Free 64  
HELP\_TEXT.....  
ID.....{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}  
TERM.....PRO STAT SUGAR FREE 64

DATA VALUE: PRO-STAT

-----  
ABBREVIATION.....Pro-Stat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pro-Stat  
HELP\_TEXT.....  
ID.....{E39E36C7-0A47-459D-BA75-CF6186247B40}  
TERM.....PRO-STAT

DATA VALUE: PROCEDURE ROOM

-----  
ABBREVIATION.....PROC ROO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Procedure Room  
HELP\_TEXT.....No Help Text  
ID.....{CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}  
TERM.....PROCEDURE ROOM

DATA VALUE: PRODUCTIVE

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....Produces desired result  
DISPLAY\_NAME.....Productive  
HELP\_TEXT.....No Help Text  
ID.....{22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}  
TERM.....PRODUCTIVE

DATA VALUE: PROJECTILE VOMITING

-----  
ABBREVIATION.....PROJ VOMIT  
ACTIVE.....Yes  
DESCRIPTION.....Projectile Vomiting  
DISPLAY\_NAME.....Projectile Vomiting  
HELP\_TEXT.....Projectile Vomiting  
ID.....{0D2CB23B-B266-40E1-A6FF-20B733655B69}  
TERM.....PROJECTILE VOMITING

DATA VALUE: PROMOTE

-----  
ABBREVIATION.....Promote  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Promote  
HELP\_TEXT.....  
ID.....{6377C8D3-F6DD-4BD2-877F-DB52525DD65D}  
TERM.....PROMOTE

DATA VALUE: PROMOTE WITH FIBER

-----  
ABBREVIATION.....Pro W/Fib  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Promote With Fiber  
HELP\_TEXT.....  
ID.....{33E04B6F-2976-402C-B3B7-B75705430340}  
TERM.....PROMOTE WITH FIBER

DATA VALUE: PRONE

-----  
ABBREVIATION.....PRONE  
ACTIVE.....Yes  
DESCRIPTION.....Prone  
DISPLAY\_NAME.....Prone  
HELP\_TEXT.....No Help Text  
ID.....{41180E09-D9D6-4903-BAE9-28CD5AAC4991}  
TERM.....PRONE

DATA VALUE: PROPASS PROTEIN POWDER

-----  
ABBREVIATION.....Pro Prot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Propass Protein Powder  
HELP\_TEXT.....  
ID.....{2307C41A-92D2-4DD4-BC1F-2E78F7477D98}  
TERM.....PROPASS PROTEIN POWDER

DATA VALUE: PROSTHESIS

-----  
ABBREVIATION.....PROSTHESIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Prosthesis  
HELP\_TEXT.....No Help Text  
ID.....{CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}  
TERM.....PROSTHESIS

DATA VALUE: PROTENEX WOUND CARE

-----  
ABBREVIATION.....Protenex  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Protenex Wound Care  
HELP\_TEXT.....  
ID.....{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}  
TERM.....PROTENEX WOUND CARE

DATA VALUE: PROVIDED PATIENT EDUCATION

-----  
ABBREVIATION.....Pat Ed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Provided Patient Education  
HELP\_TEXT.....  
ID.....{25D0998B-3600-40C9-8608-9A0D91CCBEE0}  
TERM.....PROVIDED PATIENT EDUCATION

DATA VALUE: PROXIMAL PORT

-----  
ABBREVIATION.....PROX PORT  
ACTIVE.....Yes  
DESCRIPTION.....Proximal Port  
DISPLAY\_NAME.....Proximal Port  
HELP\_TEXT.....No Help Text  
ID.....{3244EF4F-F18A-4250-96F5-ABCEA7BFA578}  
TERM.....PROXIMAL PORT

DATA VALUE: PT DENIES NAUSEA / NO VOMITING

-----  
ABBREVIATION.....DEN NAUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pt. Denies Nausea / No Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}  
TERM.....PT DENIES NAUSEA / NO VOMITING

DATA VALUE: PT PAIN AT ACCEPTABLE LEVEL

-----  
ABBREVIATION.....PT PA OK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient's Pain at Acceptable Level  
HELP\_TEXT.....No Help Text  
ID.....{78489498-4A5B-41C5-98C5-95D56C4A0933}  
TERM.....PT PAIN AT ACCEPTABLE LEVEL

DATA VALUE: PULMOCARE

-----  
ABBREVIATION.....Pulmocare  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulmocare  
HELP\_TEXT.....  
ID.....{8D683106-B5EE-46E1-B1C6-0C7843EDD15C}  
TERM.....PULMOCARE

DATA VALUE: PULMONARY PROCEDURE ROOM

-----  
ABBREVIATION.....Pul Prc Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulmonary Procedure Room  
HELP\_TEXT.....  
ID.....{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}  
TERM.....PULMONARY PROCEDURE ROOM

DATA VALUE: PULSE OXIMETER

-----  
ABBREVIATION.....Pulse Ox  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulse Oximeter  
HELP\_TEXT.....  
ID.....{773A956B-0B08-4D72-AAD4-630DF8268694}  
TERM.....PULSE OXIMETER

DATA VALUE: PULSELESS ELECTRICAL ACTIVITY

-----  
ABBREVIATION.....Pulseless  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulseless Electrical Activity  
HELP\_TEXT.....  
ID.....{8E21E500-78D4-462D-9483-DD81D3887EE5}  
TERM.....PULSELESS ELECTRICAL ACTIVITY

DATA VALUE: PUMP - CONTINUOUS

-----  
ABBREVIATION.....Pump- cont  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pump- Continuous  
HELP\_TEXT.....  
ID.....{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}  
TERM.....PUMP - CONTINUOUS

DATA VALUE: PUMP - INTERMITTENT

-----  
ABBREVIATION.....Pump - int  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pump - Intermittent  
HELP\_TEXT.....  
ID.....{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}  
TERM.....PUMP - INTERMITTENT

DATA VALUE: PUNCTURE

-----  
ABBREVIATION.....PUNCTURE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Puncture  
HELP\_TEXT.....No Help Text  
ID.....{28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}  
TERM.....PUNCTURE

DATA VALUE: PUREED

-----  
ABBREVIATION.....PUREED  
ACTIVE.....Yes  
DESCRIPTION.....Pureed  
DISPLAY\_NAME.....Pureed  
HELP\_TEXT.....No Help Text  
ID.....{99F8AE5F-E390-4583-8A92-CAC13E21BCF4}  
TERM.....PUREED

DATA VALUE: PURULENT

-----  
ABBREVIATION.....PURULENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Purulent  
HELP\_TEXT.....No Help Text  
ID.....{86C01494-743A-C6A2-8883-01CA5200C79B}  
TERM.....PURULENT

DATA VALUE: PVC

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PVC  
HELP\_TEXT.....No Help Text  
ID.....{33FF92F1-84CC-7CFA-41CF-B271A26C59B8}  
TERM.....PVC

DATA VALUE: QUADRAGEMINY

-----  
ABBREVIATION.....Quadrage  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Quadrageminy  
HELP\_TEXT.....  
ID.....{899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}  
TERM.....QUADRAGEMINY

DATA VALUE: QUIET OR RESTING

-----  
ABBREVIATION.....qor  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Quiet Or Resting  
HELP\_TEXT.....No Help Text  
ID.....{76E4908F-014C-2088-FF7F-33EBF223DE40}  
TERM.....QUIET OR RESTING

DATA VALUE: QUIET ROOM

-----  
ABBREVIATION.....qr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Quiet Room  
HELP\_TEXT.....No Help Text  
ID.....{CCD96D41-C273-F6F3-DA18-8818B1CC9980}  
TERM.....QUIET ROOM

DATA VALUE: R BUNDLE BRANCH BLOCK

-----  
ABBREVIATION.....rbbb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Bundle Branch Block  
HELP\_TEXT.....No Help Text  
ID.....{FDE0D174-5220-F069-D284-20399D9489B0}  
TERM.....R BUNDLE BRANCH BLOCK

DATA VALUE: R FOOT DOWN

-----  
ABBREVIATION.....R FOOT DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Foot Down  
HELP\_TEXT.....No Help Text  
ID.....{DBCC0BA2-3097-42C7-AE9E-DF71FA779162}  
TERM.....R FOOT DOWN

DATA VALUE: R FOOT UP

-----  
ABBREVIATION.....R FOOT UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Foot Up  
HELP\_TEXT.....No Help Text  
ID.....{5928B710-6EB1-4183-93CB-6C72B37A97C3}  
TERM.....R FOOT UP

DATA VALUE: R HEAD DOWN

-----  
ABBREVIATION.....R HEAD DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Head Down  
HELP\_TEXT.....No Help Text  
ID.....{FDFE0638-444C-4023-B586-985E84EEA1FA}  
TERM.....R HEAD DOWN



DATA VALUE: R HEAD UP

-----  
ABBREVIATION.....R HEAD UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Head Up  
HELP\_TEXT.....No Help Text  
ID.....{D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}  
TERM.....R HEAD UP

DATA VALUE: R NECK

-----  
ABBREVIATION.....RIGHT NECK  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT NECK  
DISPLAY\_NAME.....R Neck  
HELP\_TEXT.....RIGHT NECK  
ID.....{907E90CD-87BF-073D-AF76-EA11ABE7FC3C}  
TERM.....R NECK

DATA VALUE: R NEPHROSTOMY

-----  
ABBREVIATION.....R NEPHROST  
ACTIVE.....Yes  
DESCRIPTION.....Right Nephrostomy  
DISPLAY\_NAME.....R Nephrostomy  
HELP\_TEXT.....Right Nephrostomy  
ID.....{33661137-688D-5611-4368-B1DFD8DB1469}  
TERM.....R NEPHROSTOMY

DATA VALUE: R STENT

-----  
ABBREVIATION.....RT. STENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Stent  
HELP\_TEXT.....No Help Text  
ID.....{6D0EED3B-1F08-11D2-165D-97A9F58327D5}  
TERM.....R STENT

DATA VALUE: RAD TECH

-----  
ABBREVIATION.....Rad Tech  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rad Tech  
HELP\_TEXT.....  
ID.....{EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}  
TERM.....RAD TECH

DATA VALUE: RADIATING

-----  
ABBREVIATION.....RADIATING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....RADIATING  
HELP\_TEXT.....No Help Text  
ID.....{B6807939-F809-45C1-912A-ADEF2E0DB0DC}  
TERM.....RADIATING

DATA VALUE: RADIOLOGY

-----  
ABBREVIATION.....Radiology  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Radiology  
HELP\_TEXT.....  
ID.....{AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}  
TERM.....RADIOLOGY

DATA VALUE: RAMSAY ANXIOUS

-----  
ABBREVIATION.....RAM ANXIOUS  
ACTIVE.....Yes  
DESCRIPTION.....Anxious, agitated, or restless  
DISPLAY\_NAME.....1 - Anxious  
HELP\_TEXT.....Anxious, agitated, or restless  
ID.....{88205A0C-7065-4616-8FCF-75059462DD15}  
TERM.....RAMSAY ANXIOUS

DATA VALUE: RAMSAY ASLEEP BRISK RESPONSE

-----  
ABBREVIATION.....RAM ASL BR  
ACTIVE.....Yes  
DESCRIPTION.....Asleep; brisk response to light  
glabellar tap or loud auditory  
stimulus  
DISPLAY\_NAME.....4 - Asleep; Brisk Response  
HELP\_TEXT.....Asleep; brisk response to light  
glabellar tap or loud auditory  
stimulus  
ID.....{00F4A117-F9E7-4B60-A521-F2E8725AECD3}  
TERM.....RAMSAY ASLEEP BRISK RESPONSE

DATA VALUE: RAMSAY ASLEEP NO RESPONSE

-----  
ABBREVIATION.....RAM ASL NO  
ACTIVE.....Yes  
DESCRIPTION.....Asleep; no response to painful stimuli  
DISPLAY\_NAME.....6 - Asleep No Response  
HELP\_TEXT.....Asleep; no response to painful stimuli  
ID.....{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}  
TERM.....RAMSAY ASLEEP NO RESPONSE

DATA VALUE: RAMSAY ASLEEP SLUGGISH

-----  
ABBREVIATION.....RAM ASL SL  
ACTIVE.....Yes  
DESCRIPTION.....Asleep; sluggish response to light  
                  glabellar tap or loud auditory  
                  stimulus  
DISPLAY\_NAME.....5 - Asleep Sluggish Response  
HELP\_TEXT.....Asleep; sluggish response to light  
                  glabellar tap or loud auditory  
                  stimulus  
ID.....{AA61604F-00F9-4103-B27F-E817FBC9577B}  
TERM.....RAMSAY ASLEEP SLUGGISH

DATA VALUE: RAMSAY COOPERATIVE

-----  
ABBREVIATION.....RAM COOPER  
ACTIVE.....Yes  
DESCRIPTION.....Cooperative, oriented, and tranquil  
DISPLAY\_NAME.....2 - Cooperative  
HELP\_TEXT.....Cooperative, oriented, and tranquil  
ID.....{56846ADA-0F0E-44AA-9779-A567B9D24C4F}  
TERM.....RAMSAY COOPERATIVE

DATA VALUE: RAMSAY SEDATED

-----  
ABBREVIATION.....RAM SEDATE  
ACTIVE.....Yes  
DESCRIPTION.....Sedated but responds to commands  
DISPLAY\_NAME.....3 - Sedated But Responds  
HELP\_TEXT.....Sedated but responds to commands  
ID.....{CC12405F-60DB-485F-94E5-78C1EB32AB74}  
TERM.....RAMSAY SEDATED

DATA VALUE: RASH/EXFOLIATION

-----  
ABBREVIATION.....RASH/EXFOL  
ACTIVE.....Yes  
DESCRIPTION.....Rash / Exfoliation  
DISPLAY\_NAME.....Rash / Exfoliation  
HELP\_TEXT.....No Help Text  
ID.....{AB83ABA9-28A7-6484-67E7-4E66B5526942}  
TERM.....RASH/EXFOLIATION

DATA VALUE: RASS AGITATED

-----  
ABBREVIATION.....RASS AGITA  
ACTIVE.....Yes  
DESCRIPTION.....Frequent non-purposeful movement,  
                  fights ventilator  
DISPLAY\_NAME.....+2: Agitated  
HELP\_TEXT.....Frequent non-purposeful movement,  
                  fights ventilator  
ID.....{D81A5D5D-E7FC-445A-A814-495731ABA0F8}  
TERM.....RASS AGITATED

DATA VALUE: RASS ALERT AND CALM

-----  
ABBREVIATION.....RASS AL CA  
ACTIVE.....Yes  
DESCRIPTION.....Alert and Calm  
DISPLAY\_NAME.....0: Alert and Calm  
HELP\_TEXT.....Alert and Calm  
ID.....{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}  
TERM.....RASS ALERT AND CALM

DATA VALUE: RASS COMBATIVE

-----  
ABBREVIATION.....RASS COMBA  
ACTIVE.....Yes  
DESCRIPTION.....Overtly combative, violent, immediate  
                  danger to staff  
DISPLAY\_NAME.....+4: Combative  
HELP\_TEXT.....Overtly combative, violent, immediate  
                  danger to staff  
ID.....{A97E064A-7709-42F9-9A88-4AAFF1020883}  
TERM.....RASS COMBATIVE

DATA VALUE: RASS DEEP SEDATION

-----  
ABBREVIATION.....RASS DP SE  
ACTIVE.....Yes  
DESCRIPTION.....No response to voice, but movement or  
                  eye opening to physical stimulation  
DISPLAY\_NAME.....-4: Deep Sedation  
HELP\_TEXT.....No response to voice, but movement or  
                  eye opening to physical stimulation  
ID.....{83CB4E64-3581-452F-987A-D31CB3AB38D2}  
TERM.....RASS DEEP SEDATION

DATA VALUE: RASS DROWSY

-----  
ABBREVIATION.....RASS DROWS  
ACTIVE.....Yes  
DESCRIPTION.....Not fully alert, but has sustained  
                  awakening (eye-opening/eye contact)  
                  to voice (>10 seconds)  
DISPLAY\_NAME.....-1: Drowsy  
HELP\_TEXT.....Not fully alert, but has sustained  
                  awakening (eye-opening/eye contact)  
                  to voice (>10 seconds)  
ID.....{5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}  
TERM.....RASS DROWSY

DATA VALUE: RASS LIGHT SEDATION

-----  
ABBREVIATION.....RASS LT SE  
ACTIVE.....Yes  
DESCRIPTION.....Briefly awakens with eye contact to  
                  voice (<10 seconds)  
DISPLAY\_NAME.....-2: Light Sedation  
HELP\_TEXT.....Briefly awakens with eye contact to  
                  voice (<10 seconds)  
ID.....{FDEEC084-3922-4065-A863-4893E42F8F93}  
TERM.....RASS LIGHT SEDATION

DATA VALUE: RASS MODERATE SEDATION

-----  
ABBREVIATION.....RASS MD SE  
ACTIVE.....Yes  
DESCRIPTION.....Movement or eye opening to voice (but  
no eye contact)  
DISPLAY\_NAME.....-3: Moderate Sedation  
HELP\_TEXT.....Movement or eye opening to voice (but  
no eye contact)  
ID.....{D12B0A3E-B80E-494F-B89F-A79E8B81B080}  
TERM.....RASS MODERATE SEDATION

DATA VALUE: RASS RESTLESS

-----  
ABBREVIATION.....RASS RESTL  
ACTIVE.....Yes  
DESCRIPTION.....Anxious but movements not aggressive  
vigorous  
DISPLAY\_NAME.....+1: Restless  
HELP\_TEXT.....Anxious but movements not aggressive  
vigorous  
ID.....{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}  
TERM.....RASS RESTLESS

DATA VALUE: RASS UNAROUSABLE

-----  
ABBREVIATION.....RASS UNARO  
ACTIVE.....Yes  
DESCRIPTION.....No response to voice or physical  
stimulation  
DISPLAY\_NAME.....-5: Unarousable  
HELP\_TEXT.....No response to voice or physical  
stimulation  
ID.....{1578E147-7D2C-4469-828E-FCA97109B27C}  
TERM.....RASS UNAROUSABLE

DATA VALUE: RASS VERY AGITATED

-----  
ABBREVIATION.....RASS V AGI  
ACTIVE.....Yes  
DESCRIPTION.....Pulls or removes tube(s) or  
catheter(s); aggressive  
DISPLAY\_NAME.....+3: Very Agitated  
HELP\_TEXT.....Pulls or removes tube(s) or  
catheter(s); aggressive  
ID.....{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}  
TERM.....RASS VERY AGITATED

DATA VALUE: REACTIVE

-----  
ABBREVIATION.....Reactive  
ACTIVE.....Yes  
DESCRIPTION.....Reactive  
DISPLAY\_NAME.....Reactive  
HELP\_TEXT.....No Help Text  
ID.....{31B44ADB-0000-A5B0-5F56-59D4A08C05D2}  
TERM.....REACTIVE

DATA VALUE: RECTAL TUBE

-----  
ABBREVIATION.....RECT TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Rectal Tube  
DISPLAY\_NAME.....Rectal Tube  
HELP\_TEXT.....No Help Text  
ID.....{7E492AE5-D3B8-44EC-8841-97770FAD3AFE}  
TERM.....RECTAL TUBE

DATA VALUE: RED

-----  
ABBREVIATION.....RED  
ACTIVE.....Yes  
DESCRIPTION.....The color red  
DISPLAY\_NAME.....Red  
HELP\_TEXT.....The color red  
ID.....{515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
TERM.....RED

DATA VALUE: RED/GRANULATING

-----  
ABBREVIATION.....RED/GRANUL  
ACTIVE.....Yes  
DESCRIPTION.....Red / Granulating  
DISPLAY\_NAME.....Red / Granulating  
HELP\_TEXT.....No Help Text  
ID.....{BB69D2A2-7807-490A-B21D-77B6677796F6}  
TERM.....RED/GRANULATING

DATA VALUE: REDDENING OF THE SKIN

-----  
ABBREVIATION.....RED O SKIN  
ACTIVE.....Yes  
DESCRIPTION.....Reddening Of The Skin  
DISPLAY\_NAME.....Reddening Of The Skin  
HELP\_TEXT.....No Help Text  
ID.....{716AEC57-0835-4D07-A78C-D8453599A3D2}  
TERM.....REDDENING OF THE SKIN

DATA VALUE: REDIRECT PATIENT ACTIVITY

-----  
ABBREVIATION.....REDIR ACT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Redirect Patient Activity  
HELP\_TEXT.....No Help Text  
ID.....{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}  
TERM.....REDIRECT PATIENT ACTIVITY

DATA VALUE: REFLEX

-----  
ABBREVIATION.....r  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reflex  
HELP\_TEXT.....No Help Text  
ID.....{F21585F9-5206-A6B3-2BF6-F416E5842366}  
TERM.....REFLEX

DATA VALUE: REFUSE MEDICATION

-----  
ABBREVIATION.....REFUSE MED  
ACTIVE.....Yes  
DESCRIPTION.....Refuse Medication  
DISPLAY\_NAME.....Refuse Medication  
HELP\_TEXT.....No Help Text  
ID.....{17D6956B-4CF6-492C-B113-B5A93D9E215E}  
TERM.....REFUSE MEDICATION

DATA VALUE: REFUSE TO MOVE

-----  
ABBREVIATION.....REF TO MOV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Refuse To Move  
HELP\_TEXT.....No Help Text  
ID.....{E14588CE-2498-4FE8-AB0B-E954DC1696AC}  
TERM.....REFUSE TO MOVE

DATA VALUE: REFUSED

-----  
ABBREVIATION.....REFUSED  
ACTIVE.....Yes  
DESCRIPTION.....Refused  
DISPLAY\_NAME.....Refused  
HELP\_TEXT.....No Help Text  
ID.....{D5B3E135-4D68-4528-BBC9-6E8A7A997104}  
TERM.....REFUSED

DATA VALUE: REGIONAL BLOCK

-----  
ABBREVIATION.....Region Blk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Regional Block  
HELP\_TEXT.....  
ID.....{3F829DFC-D3F6-4D08-AAACD-A9A29ED82F19}  
TERM.....REGIONAL BLOCK

DATA VALUE: REGISTERED NURSE

-----  
ABBREVIATION.....RN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....RN  
HELP\_TEXT.....No Help Text  
ID.....{524F344F-FDCD-423F-AD34-291D5DB4271B}  
TERM.....REGISTERED NURSE

DATA VALUE: REGULAR

-----  
ABBREVIATION.....REGULAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Regular  
HELP\_TEXT.....No Help Text  
ID.....{3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}  
TERM.....REGULAR

DATA VALUE: REINFORCED

-----  
ABBREVIATION.....REINFORCED  
ACTIVE.....Yes  
DESCRIPTION.....Dressing has been reinforced  
DISPLAY\_NAME.....Reinforced  
HELP\_TEXT.....No Help Text  
ID.....{EC524C50-0CDE-4AA1-8059-E4323850575E}  
TERM.....REINFORCED

DATA VALUE: RELATIVE

-----  
ABBREVIATION.....Relative  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Relative  
HELP\_TEXT.....  
ID.....{F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}  
TERM.....RELATIVE

DATA VALUE: RELIGIOUS

-----  
ABBREVIATION.....RELIGIOUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Religious  
HELP\_TEXT.....No Help Text  
ID.....{936C9949-8A30-4BBF-934C-1F194551B8E2}  
TERM.....RELIGIOUS



DATA VALUE: REMNANT P-WAVE

-----  
ABBREVIATION.....Remnant P  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Remnant P-Wave  
HELP\_TEXT.....  
ID.....{3BBAA695-337E-41C4-BB83-8452917C07DF}  
TERM.....REMNANT P-WAVE

DATA VALUE: REMOVE FROM STIM. SETTING

-----  
ABBREVIATION.....REM SET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Remove From Stimulating Setting  
HELP\_TEXT.....No Help Text  
ID.....{2010BA89-B399-4A30-9ACF-C65AB57B6351}  
TERM.....REMOVE FROM STIM. SETTING

DATA VALUE: REMOVE RECTAL TUBE

-----  
ABBREVIATION.....Rectal Tub  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Remove Rectal Tube  
HELP\_TEXT.....  
ID.....{3D3D75CD-994E-49EE-B51A-8621FF5CA4D8}  
TERM.....REMOVE RECTAL TUBE

DATA VALUE: RENAL DIET

-----  
ABBREVIATION.....REN DIET  
ACTIVE.....Yes  
DESCRIPTION.....Renal Diet  
DISPLAY\_NAME.....Renal Diet  
HELP\_TEXT.....No Help Text  
ID.....{089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}  
TERM.....RENAL DIET

DATA VALUE: REORIENTED TO ENVIRONMENT

-----  
ABBREVIATION.....REORIENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reoriented To Environment  
HELP\_TEXT.....No Help Text  
ID.....{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}  
TERM.....REORIENTED TO ENVIRONMENT

DATA VALUE: REPIRATORY DEPRESSION

-----  
ABBREVIATION.....Resp Depr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Respiratory Depression  
HELP\_TEXT.....  
ID.....{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}  
TERM.....REPIRATORY DEPRESSION

DATA VALUE: REPORTED

-----  
ABBREVIATION.....REPORTED  
ACTIVE.....Yes  
DESCRIPTION.....Reported as having happened  
DISPLAY\_NAME.....Reported  
HELP\_TEXT.....No Help Text  
ID.....{1D13BAC5-D8F9-455C-B815-8E256943492E}  
TERM.....REPORTED

DATA VALUE: REPOSITION

-----  
ABBREVIATION.....REPOSITION  
ACTIVE.....Yes  
DESCRIPTION.....Reposition  
DISPLAY\_NAME.....Reposition  
HELP\_TEXT.....No Help Text  
ID.....{DF3039CA-5977-4454-81D4-DB0AF966F85D}  
TERM.....REPOSITION

DATA VALUE: REQUEST FOR MORE MEDICATION

-----  
ABBREVIATION.....REQ MOR ME  
ACTIVE.....Yes  
DESCRIPTION.....Request For More Medication  
DISPLAY\_NAME.....Request For More Medication  
HELP\_TEXT.....No Help Text  
ID.....{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}  
TERM.....REQUEST FOR MORE MEDICATION

DATA VALUE: RES CRIT: AGGRESSIVE

-----  
ABBREVIATION.....R.C. AGGR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aggressive  
HELP\_TEXT.....No Help Text  
ID.....{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}  
TERM.....RES CRIT: AGGRESSIVE

DATA VALUE: RES CRIT: AMBULATE

-----  
ABBREVIATION.....R.C. AMBU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Attempting To Ambulate When  
                  Unable/High Injury Risk  
HELP\_TEXT.....No Help Text  
ID.....{54B72608-2C13-46CD-8034-00179669762C}  
TERM.....RES CRIT: AMBULATE

DATA VALUE: RES CRIT: COMBATIVE

-----  
ABBREVIATION.....R.C. COMB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Combative  
HELP\_TEXT.....No Help Text  
ID.....{38DBF61A-D364-4215-B4AA-36B660F96462}  
TERM.....RES CRIT: COMBATIVE

DATA VALUE: RES CRIT: EQUIPMENT

-----  
ABBREVIATION.....R.C. EQUI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Attempting To Remove  
                  Equipment/Dressings  
HELP\_TEXT.....No Help Text  
ID.....{38C2C56C-6D57-4750-8E68-F1193B16190A}  
TERM.....RES CRIT: EQUIPMENT

DATA VALUE: RES CRIT: HARM TO SELF

-----  
ABBREVIATION.....R.C. HARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Risk of Physical Harm To Self  
HELP\_TEXT.....No Help Text  
ID.....{4DC33341-8F53-4D30-BC28-1E32DB54F30D}  
TERM.....RES CRIT: HARM TO SELF

DATA VALUE: RES CRIT: LINES

-----  
ABBREVIATION.....R.C. LINE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Attempting To Pull Lines  
HELP\_TEXT.....No Help Text  
ID.....{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}  
TERM.....RES CRIT: LINES

DATA VALUE: RES CRIT: UNABLE TO FOLLOW DIRECTIONS

-----  
ABBREVIATION.....R.C. DIRE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable To Follow Directions While  
                  Injury Risk  
HELP\_TEXT.....No Help Text  
ID.....{41358EAE-9912-48F8-8931-D3C635406D21}  
TERM.....RES CRIT: UNABLE TO FOLLOW DIRECTIONS

DATA VALUE: RES EVAL: AMBULATION/EXERCISE

-----  
ABBREVIATION.....R.E. EXER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambulation / Exercise  
HELP\_TEXT.....No Help Text  
ID.....{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}  
TERM.....RES EVAL: AMBULATION/EXERCISE

DATA VALUE: RES EVAL: DECREASE STIMULATION

-----  
ABBREVIATION.....R.E. DECR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Decrease Stimulation  
HELP\_TEXT.....No Description  
ID.....{0841626E-994E-4346-B701-1662A00209EB}  
TERM.....RES EVAL: DECREASE STIMULATION

DATA VALUE: RES EVAL: DIVERSIONAL ACTIVITIES

-----  
ABBREVIATION.....R.E. DIVER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diversional Activities  
HELP\_TEXT.....No Help Text  
ID.....{569F6D49-C564-4910-835A-B05179086E1F}  
TERM.....RES EVAL: DIVERSIONAL ACTIVITIES

DATA VALUE: RES EVAL: EDUCATION

-----  
ABBREVIATION.....R.E. EDUC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education  
HELP\_TEXT.....No Help Text  
ID.....{76341E6E-7F0A-429C-B768-9CA83C452FD7}  
TERM.....RES EVAL: EDUCATION

DATA VALUE: RES EVAL: INVOLVEMENT WITH FAMILY

-----  
ABBREVIATION.....R.E. INVO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Involvement With Family And Others  
HELP\_TEXT.....No Help Text  
ID.....{0EF31047-70A5-4072-953A-B62E1ACDF84B}  
TERM.....RES EVAL: INVOLVEMENT WITH FAMILY

DATA VALUE: RES EVAL: MEDICATION REVIEW

-----  
ABBREVIATION.....R.E. REVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medication Review  
HELP\_TEXT.....No Help Text  
ID.....{914A0F82-5863-4C84-B3AB-D5A22BD340D8}  
TERM.....RES EVAL: MEDICATION REVIEW

DATA VALUE: RES EVAL: REALITY ORIENTATION

-----  
ABBREVIATION.....R.E. REALI  
ACTIVE.....Yes  
DESCRIPTION.....None  
DISPLAY\_NAME.....Reality Orientation  
HELP\_TEXT.....None  
ID.....{221C363C-2261-40FC-8400-8B1D2E693F69}  
TERM.....RES EVAL: REALITY ORIENTATION

DATA VALUE: RES EVAL: RELOCATE

-----  
ABBREVIATION.....R.E. RELO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Relocate Patient  
HELP\_TEXT.....No Help Text  
ID.....{D8165678-ECEF-4F4D-A1C4-C616349E1873}  
TERM.....RES EVAL: RELOCATE

DATA VALUE: RES EVAL: UNABLE TO ATTEMPT

-----  
ABBREVIATION.....R.E. UNAB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable To Attempt Due To Patient  
Safety Concern  
HELP\_TEXT.....No Help Text  
ID.....{979B0477-5789-4319-9562-6752048C4005}  
TERM.....RES EVAL: UNABLE TO ATTEMPT

DATA VALUE: RES LRM: DEVICE ACCESS

-----  
ABBREVIATION.....RLRM ACCE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Prevent Access To Medical Devices  
HELP\_TEXT.....No Help Text  
ID.....{1662F5E1-30E7-4E8A-BCC5-1738868435B8}  
TERM.....RES LRM: DEVICE ACCESS

DATA VALUE: RES LRM: LIMIT SETTING

-----  
ABBREVIATION.....RLRM SETT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limit Setting  
HELP\_TEXT.....No Help Text  
ID.....{96417DDF-8562-4EFF-B4F6-0933FD91CD36}  
TERM.....RES LRM: LIMIT SETTING

DATA VALUE: RES LRM: PRN MEDS

-----  
ABBREVIATION.....RLRM: MEDS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Offer PRN Meds  
HELP\_TEXT.....No Help Text  
ID.....{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}  
TERM.....RES LRM: PRN MEDS

DATA VALUE: RES LRM: REDIRECT

-----  
ABBREVIATION.....RLRM REDI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Redirect Patient Activity  
HELP\_TEXT.....No Help Text  
ID.....{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}  
TERM.....RES LRM: REDIRECT

DATA VALUE: RES LRM: REMOVE FROM SETTING

-----  
ABBREVIATION.....RLRM REMO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Remove From Stimulating Setting  
HELP\_TEXT.....No Help Text  
ID.....{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}  
TERM.....RES LRM: REMOVE FROM SETTING

DATA VALUE: RES LRM: REORIENT

-----  
ABBREVIATION.....RLRM REOR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reoriented To Environment  
HELP\_TEXT.....No Help Text  
ID.....{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}  
TERM.....RES LRM: REORIENT

DATA VALUE: RES LRM: SUPERVISION

-----  
ABBREVIATION.....RLRM SUPR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....One To One Supervision  
HELP\_TEXT.....No Help Text  
ID.....{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}  
TERM.....RES LRM: SUPERVISION

DATA VALUE: RES LRM: VERBAL DE-ESCALATION

-----  
ABBREVIATION.....RLRM VERB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Verbal De-escalation  
HELP\_TEXT.....No Help Text  
ID.....{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}  
TERM.....RES LRM: VERBAL DE-ESCALATION

DATA VALUE: RES LRM: VERBAL REMINDERS

-----  
ABBREVIATION.....RLRM REMI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Frequent Verbal Reminders  
HELP\_TEXT.....No Help Text  
ID.....{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}  
TERM.....RES LRM: VERBAL REMINDERS

DATA VALUE: RESOURCE BREEZE

-----  
ABBREVIATION.....Re Breeze  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resource Breeze  
HELP\_TEXT.....  
ID.....{D3A38687-AD62-4E1D-A945-1201168E1CF6}  
TERM.....RESOURCE BREEZE

DATA VALUE: RESOURCE DM

-----  
ABBREVIATION.....Re Dm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resource Dm  
HELP\_TEXT.....  
ID.....{C9D4A461-81F9-4392-98DA-129B00E5807F}  
TERM.....RESOURCE DM

DATA VALUE: RESP TECH

-----  
ABBREVIATION.....Resp Tech  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resp Tech  
HELP\_TEXT.....  
ID.....{8A7BA130-3EDC-4D07-A852-846B37399FC9}  
TERM.....RESP TECH

DATA VALUE: RESPIRATION

-----  
ABBREVIATION.....Respiratio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Respiration  
HELP\_TEXT.....  
ID.....{5D6198F0-FE26-4F94-9118-D49A7EC44017}  
TERM.....RESPIRATION

DATA VALUE: RESPIRATORY DEPRESSION

-----  
ABBREVIATION.....Resp Depr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Respiratory Depression  
HELP\_TEXT.....  
ID.....{A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}  
TERM.....RESPIRATORY DEPRESSION

DATA VALUE: RESTING

-----  
ABBREVIATION.....Resting  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resting  
HELP\_TEXT.....  
ID.....{D750373F-12E2-4D95-AF0D-F7731905F723}  
TERM.....RESTING



DATA VALUE: RESTING RESPIRATORY RATE BASELINE OR ABOVE

-----  
ABBREVIATION.....Rest Base  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resting Respiratory Rate Baseline or  
Above  
HELP\_TEXT.....  
ID.....{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}  
TERM.....RESTING RESPIRATORY RATE BASELINE OR  
ABOVE

DATA VALUE: RESTLESS

-----  
ABBREVIATION.....r  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Restless  
HELP\_TEXT.....No Help Text  
ID.....{8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}  
TERM.....RESTLESS

DATA VALUE: RESTRAINT

-----  
ABBREVIATION.....RESTRAINT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Restraint  
HELP\_TEXT.....No Help Text  
ID.....{0429322D-A987-4913-B64D-A6414645B214}  
TERM.....RESTRAINT

DATA VALUE: RESTRAINT BILATERAL ANKLE

-----  
ABBREVIATION.....RES BI ANK  
ACTIVE.....Yes  
DESCRIPTION.....Bilateral Ankle Restraint  
DISPLAY\_NAME.....Bilateral Ankle  
HELP\_TEXT.....No Help Text  
ID.....{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}  
TERM.....RESTRAINT BILATERAL ANKLE

DATA VALUE: RESTRAINT BILATERAL HAND MITT

-----  
ABBREVIATION.....RES BI H M  
ACTIVE.....Yes  
DESCRIPTION.....Bilateral Hand Mitt Restraint  
DISPLAY\_NAME.....Bilateral Hand Mitt  
HELP\_TEXT.....No Help Text  
ID.....{5E293110-1235-4307-80C2-0FFFA007E1DA}  
TERM.....RESTRAINT BILATERAL HAND MITT

DATA VALUE: RESTRAINT GERI CHAIR

-----  
ABBREVIATION.....RES GERI C  
ACTIVE.....Yes  
DESCRIPTION.....Geri Chair Restraint  
DISPLAY\_NAME.....Geri Chair  
HELP\_TEXT.....No Help Text  
ID.....{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}  
TERM.....RESTRAINT GERI CHAIR

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER

-----  
ABBREVIATION.....RES H PL/L  
ACTIVE.....Yes  
DESCRIPTION.....Hard Plastic/Leather Restraint  
DISPLAY\_NAME.....Hard Plastic/Leather  
HELP\_TEXT.....No Help Text  
ID.....{9BB528F4-7016-4030-B73F-4037ADF2621D}  
TERM.....RESTRAINT HARD PLASTIC/LEATHER

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 2 POINT

-----  
ABBREVIATION.....RES P/L 2P  
ACTIVE.....Yes  
DESCRIPTION.....Hard Plastic/Leather 2 Point Restraint  
DISPLAY\_NAME.....Hard Plastic/Leather 2 Point  
HELP\_TEXT.....No Help Text  
ID.....{17CB8739-612A-4319-946A-2062C5245C90}  
TERM.....RESTRAINT HARD PLASTIC/LEATHER 2 POINT

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 4 POINT

-----  
ABBREVIATION.....RES P/L 4P  
ACTIVE.....Yes  
DESCRIPTION.....Hard Plastic/Leather 4 Point Restraint  
DISPLAY\_NAME.....Hard Plastic/Leather 4 Point  
HELP\_TEXT.....No Help Text  
ID.....{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}  
TERM.....RESTRAINT HARD PLASTIC/LEATHER 4 POINT

DATA VALUE: RESTRAINT ONE ARM

-----  
ABBREVIATION.....RES ONE AR  
ACTIVE.....Yes  
DESCRIPTION.....One Arm Restraint  
DISPLAY\_NAME.....One Arm  
HELP\_TEXT.....No Help Text  
ID.....{839914DA-6D63-43EB-961E-70DA56737A92}  
TERM.....RESTRAINT ONE ARM

DATA VALUE: RESTRAINT ONE LEG

-----  
ABBREVIATION.....RES ONE LE  
ACTIVE.....Yes  
DESCRIPTION.....One Leg Restraint  
DISPLAY\_NAME.....One Leg  
HELP\_TEXT.....No Help Text  
ID.....{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}  
TERM.....RESTRAINT ONE LEG

DATA VALUE: RESTRAINT SINGLE HAND MITT

-----  
ABBREVIATION.....RES S HA M  
ACTIVE.....Yes  
DESCRIPTION.....Single Hand Mitt Restraint  
DISPLAY\_NAME.....Single Hand Mitt  
HELP\_TEXT.....No Help Text  
ID.....{A5F1D037-FB5E-402B-9F25-22DE48404D57}  
TERM.....RESTRAINT SINGLE HAND MITT

DATA VALUE: RESTRAINT SOFT

-----  
ABBREVIATION.....RESTR SOFT  
ACTIVE.....Yes  
DESCRIPTION.....Soft Restraint  
DISPLAY\_NAME.....Soft Restraint  
HELP\_TEXT.....No Help Text  
ID.....{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}  
TERM.....RESTRAINT SOFT

DATA VALUE: RESTRAINT SOFT 2 POINT

-----  
ABBREVIATION.....RES S2POIN  
ACTIVE.....Yes  
DESCRIPTION.....Soft 2 Point Restraint  
DISPLAY\_NAME.....Soft Restraint 2 Point  
HELP\_TEXT.....No Help Text  
ID.....{66B71CFE-2603-40C9-9625-24448012BAB5}  
TERM.....RESTRAINT SOFT 2 POINT

DATA VALUE: RESTRAINT SOFT 4 POINT

-----  
ABBREVIATION.....RES S4POIN  
ACTIVE.....Yes  
DESCRIPTION.....Soft 4 Point Restraint  
DISPLAY\_NAME.....Soft Restraint 4 Point  
HELP\_TEXT.....No Help Text  
ID.....{6820E997-60A0-4802-BE26-CA29B4F48F32}  
TERM.....RESTRAINT SOFT 4 POINT

DATA VALUE: RESTRAINT SOFT ARMS + LOCKED WAIST

-----  
ABBREVIATION.....RES S A+LW  
ACTIVE.....Yes  
DESCRIPTION.....Soft Arms + Locked Waist Restraint  
DISPLAY\_NAME.....Soft Arms + Locked Waist  
HELP\_TEXT.....No Help Text  
ID.....{C480D67C-958C-42F9-9203-98E2F2BDBEC8}  
TERM.....RESTRAINT SOFT ARMS + LOCKED WAIST

DATA VALUE: RESTRAINT SOFT ARMS + WAIST

-----  
ABBREVIATION.....RES S A+W  
ACTIVE.....Yes  
DESCRIPTION.....Soft Arms + Waist Restraints  
DISPLAY\_NAME.....Soft Arms + Waist  
HELP\_TEXT.....No Help Text  
ID.....{4A322BB6-0F63-4BB7-9290-C0655BD7D772}  
TERM.....RESTRAINT SOFT ARMS + WAIST

DATA VALUE: RESTRAINT STRAP

-----  
ABBREVIATION.....RES STRAP  
ACTIVE.....Yes  
DESCRIPTION.....Restraint Strap  
DISPLAY\_NAME.....Restraint Strap  
HELP\_TEXT.....No Help Text  
ID.....{642FDACE-B320-42BC-9514-F5FCD6583B19}  
TERM.....RESTRAINT STRAP

DATA VALUE: RESTRAINT VEST

-----  
ABBREVIATION.....RES VEST  
ACTIVE.....Yes  
DESCRIPTION.....Restraint Vest  
DISPLAY\_NAME.....Restraint Vest  
HELP\_TEXT.....No Help Text  
ID.....{643378B2-86D7-4DB7-93ED-9DCE16D85E27}  
TERM.....RESTRAINT VEST

DATA VALUE: RESTRAINT WAIST

-----  
ABBREVIATION.....RES WAIST  
ACTIVE.....Yes  
DESCRIPTION.....Waist  
DISPLAY\_NAME.....Waist  
HELP\_TEXT.....No Help Text  
ID.....{253E2757-5A57-4410-9C0E-F4A907A1EC16}  
TERM.....RESTRAINT WAIST

DATA VALUE: RESTRAINT WAIST LOCKED

-----  
ABBREVIATION.....RES WAI LO  
ACTIVE.....Yes  
DESCRIPTION.....Waist Locked Restraint  
DISPLAY\_NAME.....Waist Locked  
HELP\_TEXT.....No Help Text  
ID.....{1EE7AB42-CE17-4D49-849B-CA550966E58C}  
TERM.....RESTRAINT WAIST LOCKED

DATA VALUE: RESTRAINT WRIST

-----  
ABBREVIATION.....RES WRIST  
ACTIVE.....Yes  
DESCRIPTION.....Wrist Restraint  
DISPLAY\_NAME.....Restraint Wrist  
HELP\_TEXT.....No Help Text  
ID.....{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}  
TERM.....RESTRAINT WRIST

DATA VALUE: RESTRAINTS BROCHURE

-----  
ABBREVIATION.....RES BRO P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education Brochure Provided  
HELP\_TEXT.....No Help Text  
ID.....{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}  
TERM.....RESTRAINTS BROCHURE

DATA VALUE: RESTRAINTS ED REMOVAL

-----  
ABBREVIATION.....RES ED REM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education On Condition Required For  
Removal  
HELP\_TEXT.....No Help Text  
ID.....{B19316C8-687B-48FB-9EBC-9857662B9F85}  
TERM.....RESTRAINTS ED REMOVAL

DATA VALUE: RESTRAINTS ED TYPE

-----  
ABBREVIATION.....RES ED TY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education Rational For Type Of  
Restraint  
HELP\_TEXT.....No Help Text  
ID.....{5560A332-C365-4DAF-BA33-610C4AE301F5}  
TERM.....RESTRAINTS ED TYPE

DATA VALUE: RESTRAINTS EXPLAINED

-----  
ABBREVIATION.....RES EXPL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Explain Why Restraints Applied  
HELP\_TEXT.....No Help Text  
ID.....{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}  
TERM.....RESTRAINTS EXPLAINED

DATA VALUE: RESTRAINTS LIMIT SETTING

-----  
ABBREVIATION.....RES LIM SE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limit Setting  
HELP\_TEXT.....No Help Text  
ID.....{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}  
TERM.....RESTRAINTS LIMIT SETTING

DATA VALUE: RESTRAINTS TIME LIMIT

-----  
ABBREVIATION.....RES TIME L  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Time Limit On Restraints  
HELP\_TEXT.....No Help Text  
ID.....{513B483E-AD7B-4B1A-BD01-91133C605C3C}  
TERM.....RESTRAINTS TIME LIMIT

DATA VALUE: RESTRICTED EXTREMITY

-----  
ABBREVIATION.....Res Extrem  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Restricted Extremity  
HELP\_TEXT.....  
ID.....{7BC82415-996E-46F2-B2BC-DF0705AD2AA3}  
TERM.....RESTRICTED EXTREMITY

DATA VALUE: RHONCHI

-----  
ABBREVIATION.....RHONCHI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rhonchi  
HELP\_TEXT.....No Help Text  
ID.....{850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}  
TERM.....RHONCHI

DATA VALUE: RIGHT

-----  
ABBREVIATION.....RIGHT  
ACTIVE.....Yes  
DESCRIPTION.....Right  
DISPLAY\_NAME.....Right  
HELP\_TEXT.....No Help Text  
ID.....{AB74C579-DF14-4D7B-A9EF-5F119089F976}  
TERM.....RIGHT

DATA VALUE: RIGID HEEL SPLINT

-----  
ABBREVIATION.....RIG HEEL S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rigid Heel Splint  
HELP\_TEXT.....No Help Text  
ID.....{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}  
TERM.....RIGID HEEL SPLINT

DATA VALUE: RN

-----  
ABBREVIATION.....RN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....RN  
HELP\_TEXT.....  
ID.....{A103E506-EAA5-4777-8126-268CD723AD87}  
TERM.....RN

DATA VALUE: ROPIVICAINE

-----  
ABBREVIATION.....Ropivicain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ropivicaïne  
HELP\_TEXT.....  
ID.....{911BE8BC-6737-4DBF-96AF-A501D3D54493}  
TERM.....ROPIVICAINE

DATA VALUE: ROTATIONAL THERAPY

-----  
ABBREVIATION.....ROT THERAP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rotational Therapy  
HELP\_TEXT.....No Help Text  
ID.....{BB795594-720C-40D7-9B7C-6792BC849DA0}  
TERM.....ROTATIONAL THERAPY

DATA VALUE: ROUND

-----  
ABBREVIATION.....ROUND  
ACTIVE.....Yes  
DESCRIPTION.....Round  
DISPLAY\_NAME.....Round  
HELP\_TEXT.....No Help Text  
ID.....{E8E741F1-F0C5-4B77-B014-63B545BED755}  
TERM.....ROUND

DATA VALUE: RT

-----  
ABBREVIATION.....RT  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....RT  
HELP\_TEXT.....  
ID.....{6E374EFA-B7CE-44C2-ADCE-DF9C132E951E}  
TERM.....RT

DATA VALUE: RUB

-----  
ABBREVIATION.....r  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rub  
HELP\_TEXT.....No Help Text  
ID.....{0040835D-1CF0-7D55-EEBB-A94A1E0D1206}  
TERM.....RUB

DATA VALUE: RUNS OF VT

-----  
ABBREVIATION.....Runs of VT  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Runs of VT  
HELP\_TEXT.....  
ID.....{3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}  
TERM.....RUNS OF VT

DATA VALUE: S = SLEEP, EASY TO AROUSE

-----  
ABBREVIATION.....POSS Sleep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....S = Sleep, Easy to Arouse  
HELP\_TEXT.....  
ID.....{9AB0CB97-1451-401E-9245-445132934C3B}  
TERM.....S = SLEEP, EASY TO AROUSE



DATA VALUE: S1

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....S1  
HELP\_TEXT.....No Help Text  
ID.....{1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}  
TERM.....S1

DATA VALUE: S2

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....S2  
HELP\_TEXT.....No Help Text  
ID.....{57C043D3-B227-3E7A-C1E6-5129A2800718}  
TERM.....S2

DATA VALUE: S3

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....S3  
HELP\_TEXT.....No Help Text  
ID.....{9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}  
TERM.....S3

DATA VALUE: S4

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....S4  
HELP\_TEXT.....No Help Text  
ID.....{9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}  
TERM.....S4

DATA VALUE: SAFETY

-----  
ABBREVIATION.....SAFETY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Safety  
HELP\_TEXT.....No Help Text  
ID.....{AD905A8F-33BD-4EFE-929E-A2B575797402}  
TERM.....SAFETY

DATA VALUE: SALINE LOCK

-----  
ABBREVIATION.....SALIN LOCK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Saline Lock  
HELP\_TEXT.....No Help Text  
ID.....{A94D7639-2A45-4319-A6C7-5A892AA6B1F4}  
TERM.....SALINE LOCK

DATA VALUE: SALINE MOIST DRESSING

-----  
ABBREVIATION.....SAL MOI DR  
ACTIVE.....Yes  
DESCRIPTION.....Saline Moist Dressing  
DISPLAY\_NAME.....Saline Moist Dressing  
HELP\_TEXT.....No Help Text  
ID.....{19F98514-8ABF-461C-9969-C31177FE7DE7}  
TERM.....SALINE MOIST DRESSING

DATA VALUE: SANDOSOURCE PEPTIDE

-----  
ABBREVIATION.....SAND PEPTI  
ACTIVE.....Yes  
DESCRIPTION.....Sandosource Peptide Enteral Nutrition  
Formula  
DISPLAY\_NAME.....Sandosource Peptide Enteral Nutrition  
Formula  
HELP\_TEXT.....No Help Text  
ID.....{0EF43998-4ED4-47F5-ACC6-5A977B6F9997}  
TERM.....SANDOSOURCE PEPTIDE

DATA VALUE: SAS AGITATED

-----  
ABBREVIATION.....SAS AGITAT  
ACTIVE.....Yes  
DESCRIPTION.....Anxious or physically agitated, calms  
to verbal instructions  
DISPLAY\_NAME.....5 - Agitated  
HELP\_TEXT.....Anxious or physically agitated, calms  
to verbal instructions  
ID.....{107143D4-9527-4A26-8CB7-EEBB656B68B3}  
TERM.....SAS AGITATED

DATA VALUE: SAS CALM AND COOPERATIVE

-----  
ABBREVIATION.....SAS C COOP  
ACTIVE.....Yes  
DESCRIPTION.....Calm, easily arousable, follows  
commands  
DISPLAY\_NAME.....4 - Calm and Cooperative  
HELP\_TEXT.....Calm, easily arousable, follows  
commands  
ID.....{F0633778-280C-43C3-9E6E-9C35C18179F6}  
TERM.....SAS CALM AND COOPERATIVE

DATA VALUE: SAS DANGEROUS AGITATION

-----  
ABBREVIATION.....SAS DA AGI  
ACTIVE.....Yes  
DESCRIPTION.....Pulling at ET tube, trying to remove  
                  catheters, climbing over bedrail,  
                  striking at staff, thrashing  
                  side-to-side  
DISPLAY\_NAME.....7 - Dangerous Agitation  
HELP\_TEXT.....Pulling at ET tube, trying to remove  
                  catheters, climbing over bedrail,  
                  striking at staff, thrashing  
                  side-to-side  
ID.....{0701FB25-1DF0-4771-8C81-AC19A985A3B6}  
TERM.....SAS DANGEROUS AGITATION

DATA VALUE: SAS SEDATED

-----  
ABBREVIATION.....SAS SEDATE  
ACTIVE.....Yes  
DESCRIPTION.....Difficult to arouse but awakens to  
                  verbal stimuli or gentle shaking,  
                  follows simple commands but drifts  
                  off again  
DISPLAY\_NAME.....3 - Sedated  
HELP\_TEXT.....Difficult to arouse but awakens to  
                  verbal stimuli or gentle shaking,  
                  follows simple commands but drifts  
                  off again  
ID.....{AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}  
TERM.....SAS SEDATED

DATA VALUE: SAS UNAROUSABLE

-----  
ABBREVIATION.....SAS UNAROU  
ACTIVE.....Yes  
DESCRIPTION.....Minimal or no response to noxious  
                  stimuli, does not communicate or  
                  follow commands  
DISPLAY\_NAME.....1 - Unarousable  
HELP\_TEXT.....Minimal or no response to noxious  
                  stimuli, does not communicate or  
                  follow commands  
ID.....{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}  
TERM.....SAS UNAROUSABLE

DATA VALUE: SAS VERY AGITATED

-----  
ABBREVIATION.....SAS VY AGI  
ACTIVE.....Yes  
DESCRIPTION.....Requiring restraint and frequent  
                  verbal reminding of limits, biting  
                  ETT  
DISPLAY\_NAME.....6 - Very Agitated  
HELP\_TEXT.....Requiring restraint and frequent  
                  verbal reminding of limits, biting  
                  ETT  
ID.....{B501606A-EEA7-470E-81BE-F51D422272F1}  
TERM.....SAS VERY AGITATED

DATA VALUE: SAS VERY SEDATED

-----  
ABBREVIATION.....SAS VY SED

ACTIVE.....Yes

DESCRIPTION.....Arouses to physical stimuli but does  
not communicate or follow commands,  
may move spontaneously

DISPLAY\_NAME.....2 - Very Sedated

HELP\_TEXT.....Arouses to physical stimuli but does  
not communicate or follow commands,  
may move spontaneously

ID.....{4B13529B-61C5-4B68-857A-3A5351DC4BE2}

TERM.....SAS VERY SEDATED

DATA VALUE: SCANT

-----  
ABBREVIATION.....SCANT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Scant  
HELP\_TEXT.....No Help Text  
ID.....{8EF6C62D-0D94-37BB-60AD-86E306E8120D}  
TERM.....SCANT

DATA VALUE: SCAPHOID

-----  
ABBREVIATION.....SCAPHOID  
ACTIVE.....Yes  
DESCRIPTION.....Scaphoid  
DISPLAY\_NAME.....Scaphoid  
HELP\_TEXT.....No Help Text  
ID.....{1BE93489-42FC-44EB-8D07-87F4224979F3}  
TERM.....SCAPHOID

DATA VALUE: SCOOTER

-----  
ABBREVIATION.....Scooter  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Scooter  
HELP\_TEXT.....  
ID.....{663BC475-C20E-4B8B-B8B5-B16CC79A93C6}  
TERM.....SCOOTER

DATA VALUE: SECLUSION

-----  
ABBREVIATION.....SECLUSION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Seclusion  
HELP\_TEXT.....No Help Text  
ID.....{65B57F6C-C849-4BF7-8705-175361BC900F}  
TERM.....SECLUSION

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 1

-----  
ABBREVIATION.....sdabt1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Second Degree Av Block: Type 1  
HELP\_TEXT.....No Help Text  
ID.....{508BF663-96FB-EEBE-4F06-D2F1A02BD099}  
TERM.....SECOND DEGREE AV BLOCK: TYPE 1

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 2

-----  
ABBREVIATION.....sdabt2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Second Degree Av Block: Type 2  
HELP\_TEXT.....No Help Text  
ID.....{3367754A-08D1-31A9-E850-1B36358E358A}  
TERM.....SECOND DEGREE AV BLOCK: TYPE 2

DATA VALUE: SECURE TRACK IN PLACE

-----  
ABBREVIATION.....Secure Trk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Secure Track in Place  
HELP\_TEXT.....  
ID.....{33F72416-BAD4-44AD-825E-93BCBFFB9670}  
TERM.....SECURE TRACK IN PLACE

DATA VALUE: SEDATED

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sedated  
HELP\_TEXT.....No Help Text  
ID.....{29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}  
TERM.....SEDATED

DATA VALUE: SEDIMENT

-----  
ABBREVIATION.....SEDIMENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sediment  
HELP\_TEXT.....No Help Text  
ID.....{4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}  
TERM.....SEDIMENT

DATA VALUE: SEIZURES

-----  
ABBREVIATION.....Seizures  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Seizures  
HELP\_TEXT.....  
ID.....{DE974E49-2AB6-4781-9930-468F2B781BA9}  
TERM.....SEIZURES

DATA VALUE: SELECTED SURGERY

-----  
ABBREVIATION.....Sel Surg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Selected Surgery  
HELP\_TEXT.....  
ID.....{6DBC6356-0F00-4001-AF94-20A479995A6C}  
TERM.....SELECTED SURGERY

DATA VALUE: SELF AM CARE BY PATIENT

-----  
ABBREVIATION.....SELF AM CR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self AM Care By Patient  
HELP\_TEXT.....No Help Text  
ID.....{C48A46C1-0E68-479C-B803-08C80617ADFF}  
TERM.....SELF AM CARE BY PATIENT

DATA VALUE: SELF CARE

-----  
ABBREVIATION.....SELF CARE  
ACTIVE.....Yes  
DESCRIPTION.....Self Care  
DISPLAY\_NAME.....Self Care  
HELP\_TEXT.....No Help Text  
ID.....{0E068188-75B8-46C5-8947-A6CC5C7849B5}  
TERM.....SELF CARE

DATA VALUE: SELF CARE OF BEDSIDE ENVIRONMENT

-----  
ABBREVIATION.....S CARE BED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Care of Bedside Environment  
HELP\_TEXT.....No Help Text  
ID.....{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}  
TERM.....SELF CARE OF BEDSIDE ENVIRONMENT

DATA VALUE: SELF FACE WASH

-----  
ABBREVIATION.....S FACE WAS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Face Wash  
HELP\_TEXT.....No Help Text  
ID.....{77457D46-5676-46E6-B38F-FE3AF70B5CBC}  
TERM.....SELF FACE WASH

DATA VALUE: SELF FOOT CARE

-----  
ABBREVIATION.....SELF FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Foot Care  
HELP\_TEXT.....No Help Text  
ID.....{F2DCAF0E-389D-4987-8C73-66E35266CC78}  
TERM.....SELF FOOT CARE

DATA VALUE: SELF SHAVE

-----  
ABBREVIATION.....SELF SHAVE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Shave  
HELP\_TEXT.....No Help Text  
ID.....{90F1760C-4C12-4976-ADCB-DBF456A34023}  
TERM.....SELF SHAVE

DATA VALUE: SELF SHOWER

-----  
ABBREVIATION.....SELF SHOWER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Shower  
HELP\_TEXT.....No Help Text  
ID.....{C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}  
TERM.....SELF SHOWER

DATA VALUE: SELF TRACH CARE

-----  
ABBREVIATION.....S TRACH CA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Trach Care  
HELP\_TEXT.....No Help Text  
ID.....{70BE79EC-107F-4CD3-B964-7919B3DDE222}  
TERM.....SELF TRACH CARE

DATA VALUE: SELF-CARE SKILLS

-----  
ABBREVIATION.....Self Skill  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Self-Care Skills  
HELP\_TEXT.....  
ID.....{39145E84-85F2-486C-9FF8-27787EC8026A}  
TERM.....SELF-CARE SKILLS



DATA VALUE: SEMIFOWLERS HIGH

-----  
ABBREVIATION.....sh  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Semifowlers High  
HELP\_TEXT.....No Help Text  
ID.....{1BBE7175-2BD2-BFB5-1E1B-E02443433072}  
TERM.....SEMIFOWLERS HIGH

DATA VALUE: SEMIFOWLERS LOW

-----  
ABBREVIATION.....sl  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Semifowlers Low  
HELP\_TEXT.....No Help Text  
ID.....{A265AF02-53FC-B182-8AE3-A06E95718D7E}  
TERM.....SEMIFOWLERS LOW

DATA VALUE: SEQUENTIAL COMPRESSION DEVICE

-----  
ABBREVIATION.....SCD  
ACTIVE.....Yes  
DESCRIPTION.....SEQUENTIAL COMPRESSION DEVICE  
DISPLAY\_NAME.....Sequential Compression Device  
HELP\_TEXT.....SEQUENTIAL COMPRESSION DEVICE  
ID.....{29D657DB-6679-8A55-0E33-235B5DD349F2}  
TERM.....SEQUENTIAL COMPRESSION DEVICE

DATA VALUE: SEROSANGUINOUS

-----  
ABBREVIATION.....SEROSANGUI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Serosanguinous  
HELP\_TEXT.....No Help Text  
ID.....{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}  
TERM.....SEROSANGUINOUS

DATA VALUE: SEROUS

-----  
ABBREVIATION.....SEROUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Serous  
HELP\_TEXT.....No Help Text  
ID.....{9BDA347E-29E9-80C7-91FA-016192D4257E}  
TERM.....SEROUS

DATA VALUE: SET UP HELP ONLY

-----  
ABBREVIATION.....SETUP ONLY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Set Up Help only  
HELP\_TEXT.....No Help Text  
ID.....{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}  
TERM.....SET UP HELP ONLY

DATA VALUE: SEVERELY REDUCED

-----  
ABBREVIATION.....SEV REDUCE  
ACTIVE.....Yes  
DESCRIPTION.....Severely Reduced  
DISPLAY\_NAME.....Severely Reduced  
HELP\_TEXT.....No Help Text  
ID.....{A895BACE-85AC-45B2-A190-4A6816DEDC1D}  
TERM.....SEVERELY REDUCED

DATA VALUE: SHALLOW

-----  
ABBREVIATION.....SHALLOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shallow  
HELP\_TEXT.....No Help Text  
ID.....{CD205617-BF98-4177-971A-056AFEC823A}  
TERM.....SHALLOW

DATA VALUE: SHAMPOO

-----  
ABBREVIATION.....SHAMPOO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shampoo  
HELP\_TEXT.....No Help Text  
ID.....{95CCB23C-E614-40CD-84F0-EE4EFBC95271}  
TERM.....SHAMPOO

DATA VALUE: SHARP

-----  
ABBREVIATION.....SHARP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sharp  
HELP\_TEXT.....No Help Text  
ID.....{20608864-E5CF-4FE3-8B6D-AE2FEE086503}  
TERM.....SHARP

DATA VALUE: SHAVE

-----  
ABBREVIATION.....SHAVE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shave  
HELP\_TEXT.....No Help Text  
ID.....{A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}  
TERM.....SHAVE

DATA VALUE: SHOOTING

-----  
ABBREVIATION.....SHOOTING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shooting  
HELP\_TEXT.....No Help Text  
ID.....{73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}  
TERM.....SHOOTING

DATA VALUE: SHORT NECK

-----  
ABBREVIATION.....Short Neck  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Short Neck  
HELP\_TEXT.....  
ID.....{FCBEFC55-197E-4FA1-B2EB-2DE065DCA463}  
TERM.....SHORT NECK

DATA VALUE: SHOWER

-----  
ABBREVIATION.....SHOWER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shower  
HELP\_TEXT.....No Help Text  
ID.....{C259929A-44DB-48FD-A2EC-BC6ECF9D0476}  
TERM.....SHOWER

DATA VALUE: SHUFFLING

-----  
ABBREVIATION.....Shuffling  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shuffling  
HELP\_TEXT.....  
ID.....{7EA3A898-1D90-472C-BE90-2110330A1ADA}  
TERM.....SHUFFLING

DATA VALUE: SHUNTS

-----  
ABBREVIATION.....Shunts  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shunts  
HELP\_TEXT.....  
ID.....{8D9CB03B-6D63-4205-86C3-869421BEBD04}  
TERM.....SHUNTS

DATA VALUE: SICU

-----  
ABBREVIATION.....SICU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....SICU  
HELP\_TEXT.....No Help Text  
ID.....{EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}  
TERM.....SICU

DATA VALUE: SIGMOIDOSTOMY

-----  
ABBREVIATION.....SIGMOIDOST  
ACTIVE.....Yes  
DESCRIPTION.....Sigmoidostomy  
DISPLAY\_NAME.....Sigmoidostomy  
HELP\_TEXT.....No Help Text  
ID.....{0C84B317-59B3-433B-A9AD-6588C1361E0C}  
TERM.....SIGMOIDOSTOMY

DATA VALUE: SIGNIFICANT OTHER

-----  
ABBREVIATION.....SO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Significant Other  
HELP\_TEXT.....No Help Text  
ID.....{082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}  
TERM.....SIGNIFICANT OTHER

DATA VALUE: SILVADENE

-----  
ABBREVIATION.....SILVADENE  
ACTIVE.....Yes  
DESCRIPTION.....Silvadene  
DISPLAY\_NAME.....Silvadene  
HELP\_TEXT.....No Help Text  
ID.....{0889134F-C419-4366-B12E-EAB775719410}  
TERM.....SILVADENE

DATA VALUE: SILVER

-----  
ABBREVIATION.....SILVER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Silver  
HELP\_TEXT.....No Help Text  
ID.....{AF233570-2BB4-4AE6-8751-056B9717C475}  
TERM.....SILVER

DATA VALUE: SILVER SULFADIAZINE

-----  
ABBREVIATION.....SILVER SUL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Silver Sulfadiazine  
HELP\_TEXT.....No Help Text  
ID.....{E7A99A4E-C9B5-40D6-9820-05F87004F48B}  
TERM.....SILVER SULFADIAZINE

DATA VALUE: SINGLE

-----  
ABBREVIATION.....SINGLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Single  
HELP\_TEXT.....No Help Text  
ID.....{8D305E0F-9035-E396-E768-40D7E6455BE4}  
TERM.....SINGLE

DATA VALUE: SINGLE USE LUBRICANT PACKET

-----  
ABBREVIATION.....Single Use  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Single Use Lubricant Packet  
HELP\_TEXT.....  
ID.....{7F748EDB-77D4-42D2-BE75-54F73598D4B0}  
TERM.....SINGLE USE LUBRICANT PACKET

DATA VALUE: SINUS ARREST

-----  
ABBREVIATION.....sa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Arrest  
HELP\_TEXT.....No Help Text  
ID.....{3CD8F7AC-3FE0-F342-089C-787232D2A5C2}  
TERM.....SINUS ARREST

DATA VALUE: SINUS ARRHYTHMIA

-----  
ABBREVIATION.....sa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Arrhythmia  
HELP\_TEXT.....No Help Text  
ID.....{07A24AC9-B486-A4B8-BADB-04D2729542CE}  
TERM.....SINUS ARRHYTHMIA

DATA VALUE: SINUS BLOCK

-----  
ABBREVIATION.....sb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Block  
HELP\_TEXT.....No Help Text  
ID.....{94D6EFED-3D08-E724-BC40-9C398919A142}  
TERM.....SINUS BLOCK

DATA VALUE: SINUS BRADYCARDIA

-----  
ABBREVIATION.....sb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Bradycardia  
HELP\_TEXT.....No Help Text  
ID.....{D6EF4940-63AE-22AF-1A80-D8E6F0F07839}  
TERM.....SINUS BRADYCARDIA

DATA VALUE: SINUS PAUSE

-----  
ABBREVIATION.....sp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Pause  
HELP\_TEXT.....No Help Text  
ID.....{7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}  
TERM.....SINUS PAUSE

DATA VALUE: SINUS RHYTHM

-----  
ABBREVIATION.....sr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Rhythm  
HELP\_TEXT.....No Help Text  
ID.....{A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}  
TERM.....SINUS RHYTHM

DATA VALUE: SINUS TACHYCARDIA

-----  
ABBREVIATION.....SINUS T  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Tachycardia  
HELP\_TEXT.....No Help Text  
ID.....{0AC41AF3-7656-A35D-E397-21D35405812A}  
TERM.....SINUS TACHYCARDIA

DATA VALUE: SITE UNABLE TO BE MARKED

-----  
ABBREVIATION.....Unable/Mar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Site Unable to be Marked  
HELP\_TEXT.....  
ID.....{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}  
TERM.....SITE UNABLE TO BE MARKED

DATA VALUE: SKIN INCISION WOUND CLOSURE OPEN WOUND

-----  
ABBREVIATION.....INC CL OPE  
ACTIVE.....Yes  
DESCRIPTION.....Skin Incision Closure Open Wound  
DISPLAY\_NAME.....Open Wound  
HELP\_TEXT.....Skin Incision Closure Open Wound  
ID.....{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}  
TERM.....SKIN INCISION WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN INCISION WOUND CLOSURE STAPLES

-----  
ABBREVIATION.....INC CL STA  
ACTIVE.....Yes  
DESCRIPTION.....Skin Incision Closure Staples  
DISPLAY\_NAME.....Staples  
HELP\_TEXT.....Skin Incision Closure Staples  
ID.....{4F48D42D-C206-423C-970B-02C03B2EE0B6}  
TERM.....SKIN INCISION WOUND CLOSURE STAPLES

DATA VALUE: SKIN INCISION WOUND CLOSURE STERI-STRIPS

-----  
ABBREVIATION.....INC CL STE  
ACTIVE.....Yes  
DESCRIPTION.....Skin Incision Closure Steri-Strips  
DISPLAY\_NAME.....Steri-Strips  
HELP\_TEXT.....Skin Incision Closure Steri-Strips  
ID.....{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}  
TERM.....SKIN INCISION WOUND CLOSURE  
STERI-STRIPS

DATA VALUE: SKIN INCISION WOUND CLOSURE SUTURES

-----  
ABBREVIATION.....INC CL SUT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Incision Closure Sutures  
DISPLAY\_NAME.....Sutures  
HELP\_TEXT.....Skin Incision Closure Sutures  
ID.....{DED8DEDA-82C9-4D3A-A81E-641583314919}  
TERM.....SKIN INCISION WOUND CLOSURE SUTURES

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm

-----  
ABBREVIATION.....INC IN <1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Incision Extends into Periwound Less  
Than1 cm  
DISPLAY\_NAME.....Extends Into Periwound Less Than 1 cm  
HELP\_TEXT.....Skin Induration Extension Around  
Incision Extends into Periwound Less  
Than1 cm  
ID.....{2A5097BF-955C-4F79-B483-7EE14AF05786}  
TERM.....SKIN INDURATION AROUND INCISION  
EXTENDS INTO PERIWOUND LESS THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm

-----  
ABBREVIATION.....INC IN >1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Incision Extends into Periwound  
Greater Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound Greater Than 1  
cm  
HELP\_TEXT.....Skin Induration Extension Around  
Incision Extends into Periwound  
Greater Than 1 cm  
ID.....{D8EE448D-00EB-412D-95AC-2E2E92C53EEB}  
TERM.....SKIN INDURATION AROUND INCISION  
EXTENDS INTO PERIWOUND MORE THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION LIMITED TO INCISION

-----  
ABBREVIATION.....INC IN LIM  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Incision Limited to Incision  
DISPLAY\_NAME.....Limited to Incision  
HELP\_TEXT.....Skin Induration Extension Around  
Incision Limited to Incision  
ID.....{88BCE7F9-F21F-427A-A50B-C1BA831639AB}  
TERM.....SKIN INDURATION AROUND INCISION  
LIMITED TO INCISION

DATA VALUE: SKIN INDURATION AROUND INCISION NONE

-----  
ABBREVIATION.....INC IN NON  
ACTIVE.....Yes



DESCRIPTION.....Skin Induration Extension Around  
Incison None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Skin Induration Extension Around  
Incison None  
ID.....{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}  
TERM.....SKIN INDURATION AROUND INCISION NONE

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm

-----  
ABBREVIATION.....WOU IN <1  
ACTIVE.....Yes  
DESCRIPTION.....No DescriptionSkin Induration  
Extension Around Wound Extends into  
Periwound Less Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound Less Than 1 cm  
HELP\_TEXT.....No DescriptionSkin Induration  
Extension Around Wound Extends into  
Periwound Less Than 1 cm  
ID.....{3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}  
TERM.....SKIN INDURATION EXTENSION AROUND  
WOUND EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm

-----  
ABBREVIATION.....WOU IN >1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Wound Extends into Periwound More  
Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound More Than 1 cm  
HELP\_TEXT.....Skin Induration Extension Around  
Wound Extends into Periwound More  
Than 1 cm  
ID.....{7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}  
TERM.....SKIN INDURATION EXTENSION AROUND  
WOUND EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND

-----  
ABBREVIATION.....WOU IN LIM  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Wound Limited to Wound  
DISPLAY\_NAME.....Limited to Wound  
HELP\_TEXT.....Skin Induration Extension Around  
Wound Limited to Wound  
ID.....{1828A9EA-FF9D-4A49-9543-15B85FBF211E}  
TERM.....SKIN INDURATION EXTENSION AROUND  
WOUND LIMITED TO WOUND

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND NONE

-----  
ABBREVIATION.....WOU IN NON  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Wound None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Skin Induration Extension Around  
Wound None  
ID.....{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}  
TERM.....SKIN INDURATION EXTENSION AROUND  
WOUND NONE

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm

-----  
ABBREVIATION.....INC SW <1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around  
                  Incision Extends into Periwound Less  
                  Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound < 1 cm  
HELP\_TEXT.....Skin Swelling Extension Around  
                  Incision Extends into Periwound Less  
                  Than 1 cm  
ID.....{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}  
TERM.....SKIN SWELLING EXTENSION AROUND  
                  INCISION EXTENDS INTO PERIWOUND < 1  
                  cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND  
> 1 cm

-----  
ABBREVIATION.....INC SW >1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around  
                  Incision Extends into Periwound  
                  Greater Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound More Than 1 cm  
HELP\_TEXT.....Skin Swelling Extension Around  
                  Incision Extends into Periwound  
                  Greater Than 1 cm  
ID.....{106A2AD3-F482-4DEE-967E-6F06C6026944}  
TERM.....SKIN SWELLING EXTENSION AROUND  
                  INCISION EXTENDS INTO PERIWOUND > 1  
                  cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT

-----  
ABBREVIATION.....INC SW FLU  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around  
                  Incision Fluctuant  
DISPLAY\_NAME.....Fluctuant  
HELP\_TEXT.....Skin Swelling Extension Around  
                  Incision Fluctuant  
ID.....{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}  
TERM.....SKIN SWELLING EXTENSION AROUND  
                  INCISION FLUCTUANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND

-----  
ABBREVIATION.....INC SW LIM  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around  
                  Incision Limited to Wound  
DISPLAY\_NAME.....Limited to Wound  
HELP\_TEXT.....Skin Swelling Extension Around  
                  Incision Limited to Wound  
ID.....{B8503D54-6925-430E-8AB6-692412347D5D}  
TERM.....SKIN SWELLING EXTENSION AROUND  
                  INCISION LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION NONE

-----  
ABBREVIATION.....INC SW NON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help Text  
ID.....{54C9FC46-899C-460B-9524-D6F196B9FF31}  
TERM.....SKIN SWELLING EXTENSION AROUND  
                  INCISION NONE

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1  
cm

-----  
ABBREVIATION.....WOU SW <1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound

Extends into Periwound Less Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound Less Than 1 cm  
HELP\_TEXT.....Skin Swelling Extension Around Wound  
Extends into Periwound Less Than 1 cm  
ID.....{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}  
TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1  
cm

-----  
ABBREVIATION.....WOU SW >1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound  
                  Extends into Periwound Greater Than 1  
                  cm  
DISPLAY\_NAME.....Extends Into Periwound More Than 1 cm  
HELP\_TEXT.....Skin Swelling Extension Around Wound  
                  Extends into Periwound Greater Than 1  
                  cm  
ID.....{EA6AC933-0737-4C28-9F31-D36F3452DA96}  
TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
                  EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT

-----  
ABBREVIATION.....WOU SW FLU  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound  
                  Fluctuant  
DISPLAY\_NAME.....Fluctuant  
HELP\_TEXT.....Skin Swelling Extension Around Wound  
                  Fluctuant  
ID.....{DB5077E7-D339-4C87-B8CA-D16269DB2935}  
TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
                  FLUCTANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND

-----  
ABBREVIATION.....WOU SW LIM  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound  
                  Limited to Wound  
DISPLAY\_NAME.....Limited to Wound  
HELP\_TEXT.....Skin Swelling Extension Around Wound  
                  Limited to Wound  
ID.....{413CD1EC-309C-45D0-A1E0-E829EA615E2A}  
TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
                  LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND NONE

-----  
ABBREVIATION.....WOU SW NON  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound  
                  None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Skin Swelling Extension Around Wound  
                  None  
ID.....{550E3B92-2C69-403B-A997-2DBE61374ABF}  
TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
                  NONE

DATA VALUE: SKIN TEAR

-----  
ABBREVIATION.....SKIN TEAR  
ACTIVE.....Yes  
DESCRIPTION.....Skin Tear

DISPLAY\_NAME.....Skin Tear  
HELP\_TEXT.....No Help Text  
ID.....{2E230C6E-119F-4F9F-8797-2FFA9D76F337}  
TERM.....SKIN TEAR

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE

-----  
ABBREVIATION.....INC TP CON  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
                  Consistent with Body Temperature  
DISPLAY\_NAME.....Skin Temperature at Incision Site  
                  Consistent with Body Temperature  
HELP\_TEXT.....Skin Temperature at Incision Site  
                  Consistent with Body Temperature  
ID.....{D349175A-4B20-4243-BE40-E01E50C5583F}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
                  CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE

-----  
ABBREVIATION.....INC TP CBT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
                  Cooler than General Body Temperature  
DISPLAY\_NAME.....Cooler Than General Body Temperature  
HELP\_TEXT.....Skin Temperature at Incision Site  
                  Cooler than General Body Temperature  
ID.....{D357C975-857D-4293-B3EF-EFA7A4586357}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
                  COOLER THAN GENERAL BODY TEMPERATURE

T DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....INC TP COP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
                  Cooler than Opposite Body Part  
DISPLAY\_NAME.....Cooler Than Opposite Body Part  
HELP\_TEXT.....Skin Temperature at Incision Site  
                  Cooler than Opposite Body Part  
ID.....{85307AD8-F730-43F0-BCB3-882594D9DDF8}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
                  COOLER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE

-----  
ABBREVIATION.....WARM BD OP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
                  Warmer than General Body Temperature  
DISPLAY\_NAME.....Warmer Than General Body Temp  
HELP\_TEXT.....Skin Temperature at Incision Site  
                  Warmer than General Body Temperature  
ID.....{5F888E9D-8F65-49ED-BC5D-F6F287A9D478}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
                  WARMER THAN GENERAL BODY TEMPERATURE

T DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART



ABBREVIATION.....WARMER OP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
Warmer than Opposite Body Part  
DISPLAY\_NAME.....Warmer Than Opposite Body Part  
HELP\_TEXT.....Skin Temperature at Incision Site  
Warmer than Opposite Body Part  
ID.....{F518787A-325A-45F3-82B4-73C856802073}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
WARMER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE

-----  
ABBREVIATION.....WOU TP CBT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site  
                  Consistent with Body Temperature  
DISPLAY\_NAME.....Consistent With Body Temperature  
HELP\_TEXT.....Skin Temperature at Wound Site  
                  Consistent with Body Temperature  
ID.....{672D56C1-D1A3-4DDF-8815-F05DEE197061}  
TERM.....SKIN TEMPERATURE AT WOUND SITE  
                  CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE

-----  
ABBREVIATION.....WOU TP CGB  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site Cooler  
                  than General Body Temp  
DISPLAY\_NAME.....Cooler Than General Body Temperature  
HELP\_TEXT.....Skin Temperature at Wound Site Cooler  
                  than General Body Temp  
ID.....{7203993E-3334-44EC-9FD9-14224253283D}  
TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER  
                  THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....WOU TP COB  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site Cooler  
                  than Opposite Body Part  
DISPLAY\_NAME.....Cooler Than Opposite Body Part  
HELP\_TEXT.....Skin Temperature at Wound Site Cooler  
                  than Opposite Body Part  
ID.....{A904C666-2810-4211-B53A-2961DCE6894E}  
TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER  
                  THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE

-----  
ABBREVIATION.....WOU TP WGB  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site Warmer  
                  than General Body Temperature  
DISPLAY\_NAME.....Warmer Than General Body Temperature  
HELP\_TEXT.....Skin Temperature at Wound Site Warmer  
                  than General Body Temperature  
ID.....{03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}  
TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER  
                  THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....WOU TP WOB  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site Warmer  
                  than Opposite Body Part

DISPLAY\_NAME.....Warmer Than Opposite Body Part  
HELP\_TEXT.....Skin Temperature at Wound Site Warmer  
                  than Opposite Body Part  
ID.....{6290BD23-24BF-4A3A-8555-DCE52D2274B3}  
TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER  
                  THAN OPPOSITE BODY PART

DATA VALUE: SKIN TRAUMA

-----  
ABBREVIATION.....SKIN TRAUM  
ACTIVE.....Yes  
DESCRIPTION.....Skin Trauma  
DISPLAY\_NAME.....Skin Trauma  
HELP\_TEXT.....No Help Text  
ID.....{91C8EE13-2C4A-468C-94EB-C53E0D153EBA}  
TERM.....SKIN TRAUMA

DATA VALUE: SKIN WARM AND DRY COLOR APPROPRIATE

-----  
ABBREVIATION.....S W A DR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Skin Warm and Dry, Color Appropriate  
to Baseline  
HELP\_TEXT.....No Help Text  
ID.....{9637D510-C199-4969-8F2D-0A499151E22B}  
TERM.....SKIN WARM AND DRY COLOR APPROPRIATE

DATA VALUE: SKIN WOUND CLOSURE APPROXIMATED

-----  
ABBREVIATION.....WOU CL APP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Approximated  
DISPLAY\_NAME.....Approximated  
HELP\_TEXT.....Skin Wound Closure Approximated  
ID.....{83D48E0F-8643-436B-9ECC-80795857C322}  
TERM.....SKIN WOUND CLOSURE APPROXIMATED

DATA VALUE: SKIN WOUND CLOSURE DEHISCENCE

-----  
ABBREVIATION.....WOU CL DEH  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Dehiscence  
DISPLAY\_NAME.....Dehiscence  
HELP\_TEXT.....Skin Wound Closure Dehiscence  
ID.....{425A460F-19C0-4A4A-8E4E-712C66968C38}  
TERM.....SKIN WOUND CLOSURE DEHISCENCE

DATA VALUE: SKIN WOUND CLOSURE GLUE

-----  
ABBREVIATION.....WOU CL GLU  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Glue  
DISPLAY\_NAME.....Glue  
HELP\_TEXT.....Skin Wound Closure Glue  
ID.....{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}  
TERM.....SKIN WOUND CLOSURE GLUE

DATA VALUE: SKIN WOUND CLOSURE NOT CLOSED

-----  
ABBREVIATION.....WOU CL NOT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Not Closed  
DISPLAY\_NAME.....Not Closed  
HELP\_TEXT.....Skin Wound Closure Not Closed  
ID.....{0E69F1FA-35F6-4F34-8547-CC3602670A7B}  
TERM.....SKIN WOUND CLOSURE NOT CLOSED

DATA VALUE: SKIN WOUND CLOSURE OPEN WOUND

-----  
ABBREVIATION.....WOU CL OPE  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Open Wound  
DISPLAY\_NAME.....Open Wound  
HELP\_TEXT.....Skin Wound Closure Open Wound  
ID.....{C6F2AD2C-932F-434A-8A7A-513029092FFD}  
TERM.....SKIN WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN WOUND CLOSURE STAPLES

-----  
ABBREVIATION.....WOU CL STA  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Staples  
DISPLAY\_NAME.....Staples  
HELP\_TEXT.....Skin Wound Closure Staples  
ID.....{FE04BFE3-DF81-48E7-9FA1-1CF4ECAD71}  
TERM.....SKIN WOUND CLOSURE STAPLES

DATA VALUE: SKIN WOUND CLOSURE STERI-STRIPS

-----  
ABBREVIATION.....WOU CL STE  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Steri - Strips  
DISPLAY\_NAME.....Steri-Strips  
HELP\_TEXT.....Skin Wound Closure Steri-Strips  
ID.....{AD451791-6B49-4A51-ABC3-796D08BEF910}  
TERM.....SKIN WOUND CLOSURE STERI-STRIPS

DATA VALUE: SKIN WOUND CLOSURE SUTURES

-----  
ABBREVIATION.....WOU CL SUT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Sutures  
DISPLAY\_NAME.....Sutures  
HELP\_TEXT.....Skin Wound Closure Sutures  
ID.....{F2840AE4-216B-477C-9FE6-DC91E8CE5364}  
TERM.....SKIN WOUND CLOSURE SUTURES

DATA VALUE: SLEEPING

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sleeping  
HELP\_TEXT.....No Help Text  
ID.....{87338420-F351-F98C-7A80-4990B87ACE2B}  
TERM.....SLEEPING

DATA VALUE: SLEEPS POORLY

-----  
ABBREVIATION.....sp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sleeps Poorly  
HELP\_TEXT.....No Help Text  
ID.....{AB9424B4-D0B1-148B-C800-FF535F3FAC84}  
TERM.....SLEEPS POORLY

DATA VALUE: SLEPT WELL

-----  
ABBREVIATION.....SLEPT WELL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....States Has Slept Well  
HELP\_TEXT.....No Help Text  
ID.....{18573E82-568F-4D2E-B9E1-6E4589EBEE2D}  
TERM.....SLEPT WELL

DATA VALUE: SLIGHT

-----  
ABBREVIATION.....SLIGHT  
ACTIVE.....Yes  
DESCRIPTION.....Slight  
DISPLAY\_NAME.....Slight  
HELP\_TEXT.....Slight  
ID.....{805549C1-5DC5-4A2D-BC1F-046E44928843}  
TERM.....SLIGHT

DATA VALUE: SLING TRACTION

-----  
ABBREVIATION.....SLING TRAC  
ACTIVE.....Yes  
DESCRIPTION.....Sling Traction  
DISPLAY\_NAME.....Sling Traction  
HELP\_TEXT.....Sling Traction  
ID.....{304E924C-C95A-4DBE-B30B-191BC4D26EF7}  
TERM.....SLING TRACTION

DATA VALUE: SLOUGH

-----  
ABBREVIATION.....SLOUGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Slough  
HELP\_TEXT.....No Help Text  
ID.....{548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}  
TERM.....SLOUGH

DATA VALUE: SLUGGISH

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sluggish  
HELP\_TEXT.....No Help Text  
ID.....{3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}  
TERM.....SLUGGISH

DATA VALUE: SLURRED SPEECH

-----  
ABBREVIATION.....Slurred Sp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Slurred Speech  
HELP\_TEXT.....  
ID.....{6C3D295A-71C9-4DA8-A172-995F431D94C9}  
TERM.....SLURRED SPEECH

DATA VALUE: SMALL

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Small  
HELP\_TEXT.....No Help Text  
ID.....{5991F892-B28C-3998-E733-D8FFA26D7E21}  
TERM.....SMALL

DATA VALUE: SMALL BORE FEEDING TUBE

-----  
ABBREVIATION.....SM BO TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Small Bore Feeding Tube  
DISPLAY\_NAME.....Small Bore Feeding Tube  
HELP\_TEXT.....No Help Text  
ID.....{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}  
TERM.....SMALL BORE FEEDING TUBE

DATA VALUE: SMEAR

-----  
ABBREVIATION.....SMEAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smear  
HELP\_TEXT.....No Help Text  
ID.....{4B99BBD3-443E-4954-8ADE-5FB3EE50540A}  
TERM.....SMEAR

DATA VALUE: SMOKING AREA

-----  
ABBREVIATION.....sa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smoking Area  
HELP\_TEXT.....No Help Text  
ID.....{8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}  
TERM.....SMOKING AREA

DATA VALUE: SMOKING PORCH

-----  
ABBREVIATION.....sp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smoking Porch  
HELP\_TEXT.....No Help Text  
ID.....{5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}  
TERM.....SMOKING PORCH

DATA VALUE: SMOOTH

-----  
ABBREVIATION.....SMOOTH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smooth  
HELP\_TEXT.....No Help Text  
ID.....{5D71A0D5-52ED-4B8D-B359-AC7D500660D8}  
TERM.....SMOOTH

DATA VALUE: SNACK

-----  
ABBREVIATION.....SNACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Snack  
HELP\_TEXT.....No Help Text  
ID.....{60B77974-4102-4511-A105-E24850B924D8}  
TERM.....SNACK



DATA VALUE: SNACK - AM

-----  
ABBREVIATION.....Snack - AM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - AM  
HELP\_TEXT.....  
ID.....{CBF0AFB1-AF1D-4C04-931F-3508D0472E70}  
TERM.....SNACK - AM

DATA VALUE: SNACK - HS

-----  
ABBREVIATION.....Snack - HS  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - HS  
HELP\_TEXT.....  
ID.....{861B5B9A-D59F-46D2-BA96-4BEAA50654CE}  
TERM.....SNACK - HS

DATA VALUE: SNACK - OTHER

-----  
ABBREVIATION.....Snack - Ot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - Other  
HELP\_TEXT.....  
ID.....{CDEE1A83-4546-4A81-AA12-5D27DF743E68}  
TERM.....SNACK - OTHER

DATA VALUE: SNACK - PM

-----  
ABBREVIATION.....Snack - PM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - PM  
HELP\_TEXT.....  
ID.....{883C1241-38DA-4C6C-BF3C-CCF3B2378560}  
TERM.....SNACK - PM

DATA VALUE: SNORES

-----  
ABBREVIATION.....Snores  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snores  
HELP\_TEXT.....  
ID.....{69FE4ECF-E1FE-4235-AD44-5AF9E634E000}  
TERM.....SNORES

DATA VALUE: SODIUM CONTROLLED 2 GM

-----  
ABBREVIATION.....SOD CONT 2  
ACTIVE.....Yes  
DESCRIPTION.....Sodium Controlled 2 GM  
DISPLAY\_NAME.....Sodium Controlled 2 GM  
HELP\_TEXT.....No Help Text  
ID.....{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}  
TERM.....SODIUM CONTROLLED 2 GM

DATA VALUE: SODIUM CONTROLLED 4 GM

-----  
ABBREVIATION.....SOD CON 4G  
ACTIVE.....Yes  
DESCRIPTION.....Sodium Controlled 4 GM Diet  
DISPLAY\_NAME.....Sodium Controlled 4 GM  
HELP\_TEXT.....No Help Text  
ID.....{26538A2F-5502-4D94-A2A7-D9E0BF825C47}  
TERM.....SODIUM CONTROLLED 4 GM

DATA VALUE: SOFT

-----  
ABBREVIATION.....SOFT  
ACTIVE.....Yes  
DESCRIPTION.....Soft  
DISPLAY\_NAME.....Soft  
HELP\_TEXT.....No Help Text  
ID.....{E68B4D4B-B86B-4004-A861-986645267F6E}  
TERM.....SOFT

DATA VALUE: SOMNOLENT

-----  
ABBREVIATION.....Somnolent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Somnolent  
HELP\_TEXT.....  
ID.....{008A3F20-DD3D-4775-AA18-CCA7B817A77D}  
TERM.....SOMNOLENT

DATA VALUE: SPECIAL PROCEDURE ROOM

-----  
ABBREVIATION.....Special Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Special Procedure Room  
HELP\_TEXT.....  
ID.....{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}  
TERM.....SPECIAL PROCEDURE ROOM

DATA VALUE: SPECIALTY MATTRESS/BED

-----  
ABBREVIATION.....Specialty  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Specialty Mattress/Bed  
HELP\_TEXT.....  
ID.....{6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}  
TERM.....SPECIALTY MATTRESS/BED

DATA VALUE: SPINAL

-----  
ABBREVIATION.....Spinal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Spinal  
HELP\_TEXT.....  
ID.....{AC02181C-0A2C-4F7A-B983-B32EF1BCD150}  
TERM.....SPINAL

DATA VALUE: SPIRITUAL

-----  
ABBREVIATION.....SPIRITUAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Spiritual  
HELP\_TEXT.....No Help Text  
ID.....{9670E2B9-6938-4487-A857-25546775B7A2}  
TERM.....SPIRITUAL

DATA VALUE: SPLINTING

-----  
ABBREVIATION.....SPLINTING  
ACTIVE.....Yes  
DESCRIPTION.....Splinting  
DISPLAY\_NAME.....Splinting  
HELP\_TEXT.....No Help Text  
ID.....{D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}  
TERM.....SPLINTING

DATA VALUE: SPONTANEOUS

-----  
ABBREVIATION.....SPONTANEOU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Spontaneous  
HELP\_TEXT.....No Help Text  
ID.....{C137C4A7-08A6-4064-8F95-4A4476E2E3A8}  
TERM.....SPONTANEOUS

DATA VALUE: SPOONING

-----  
ABBREVIATION.....SPOONING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Spoonng  
HELP\_TEXT.....No Help Text  
ID.....{CA384C9F-D87D-4E2D-B4C0-89BD85692B16}  
TERM.....SPOONING

DATA VALUE: SPOUSE

-----  
ABBREVIATION.....Spouse  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Spouse  
HELP\_TEXT.....  
ID.....{2C601365-23F9-4939-9B63-F73720A17199}  
TERM.....SPOUSE

DATA VALUE: SQ EMPHYSEMA

-----  
ABBREVIATION.....SQ EMPHYS.  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Subcutaneous Emphysema  
HELP\_TEXT.....No Help Text  
ID.....{B8D03538-0168-4CDC-FF41-BA1185EBCC87}  
TERM.....SQ EMPHYSEMA

DATA VALUE: SQUARE

-----  
ABBREVIATION.....SQUARE  
ACTIVE.....Yes  
DESCRIPTION.....Square  
DISPLAY\_NAME.....Square  
HELP\_TEXT.....Square  
ID.....{63F70678-2CAF-48E8-964D-2805D8B9A43B}  
TERM.....SQUARE

DATA VALUE: SQUEEZING

-----  
ABBREVIATION.....SQUEEZING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....SQUEEZING  
HELP\_TEXT.....No Help Text  
ID.....{A148587A-1B99-4D0D-B11E-87ADC3D2A811}  
TERM.....SQUEEZING

DATA VALUE: STABBING

-----  
ABBREVIATION.....STABBING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stabbing  
HELP\_TEXT.....No Help Text  
ID.....{684640D5-B3AB-47DA-98D8-5434ABF22B7E}  
TERM.....STABBING

DATA VALUE: STABLE

-----  
ABBREVIATION.....STABLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stable  
HELP\_TEXT.....No Help Text  
ID.....{A474E7BC-47EF-4472-A19A-172C441099EC}  
TERM.....STABLE

DATA VALUE: STABLE BP AND PULSE

-----  
ABBREVIATION.....Stable BP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stable BP and Pulse  
HELP\_TEXT.....  
ID.....{F07C2F54-1182-4377-A33A-F529884013E8}  
TERM.....STABLE BP AND PULSE

DATA VALUE: STAFF

-----  
ABBREVIATION.....STAFF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Staff  
HELP\_TEXT.....No Help Text  
ID.....{BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}  
TERM.....STAFF

DATA VALUE: STAGE 3 OR 4 PRESSURE ULCER

-----  
ABBREVIATION.....Press Ulce  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stage 3 or 4 Pressure Ulcer  
HELP\_TEXT.....  
ID.....{883029EF-BB3A-4146-95DD-3C6F1C0D097D}  
TERM.....STAGE 3 OR 4 PRESSURE ULCER

DATA VALUE: STAGE I

-----  
ABBREVIATION.....STAGE I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stage I  
HELP\_TEXT.....No Help Text  
ID.....{B376AAAF-7143-4422-BCA2-CACF1201817C}  
TERM.....STAGE I

DATA VALUE: STAGE II

-----  
ABBREVIATION.....STAGE II  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stage II  
HELP\_TEXT.....No Help Text  
ID.....{B520BEA3-841E-490A-A3CD-63D1027B561F}  
TERM.....STAGE II

DATA VALUE: STAGE III

-----  
ABBREVIATION.....STAGE III  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stage III  
HELP\_TEXT.....No Help Text  
ID.....{A2F0866C-ECEE-4FCD-A34B-498232662D7E}  
TERM.....STAGE III

DATA VALUE: STAGE IV

-----  
ABBREVIATION.....STAGE IV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stage IV  
HELP\_TEXT.....No Help Text  
ID.....{284334AA-E488-4D45-93EF-9B93B2086A63}  
TERM.....STAGE IV

DATA VALUE: STANDARD

-----  
ABBREVIATION.....STANDARD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....STANDARD  
HELP\_TEXT.....No Help Text  
ID.....{C4B8C06D-BFFE-4438-A43D-926F039E5EE1}  
TERM.....STANDARD

DATA VALUE: STANDARD PRESSURE REDUCTION

-----  
ABBREVIATION.....STAN P RED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Standard Pressure Reduction  
HELP\_TEXT.....No Help Text  
ID.....{556537CD-A84D-4493-81F6-51CBD844B5B7}  
TERM.....STANDARD PRESSURE REDUCTION

DATA VALUE: STAPLES

-----  
ABBREVIATION.....STAPLES  
ACTIVE.....Yes  
DESCRIPTION.....Staples to close a wound  
DISPLAY\_NAME.....Staples  
HELP\_TEXT.....No Help Text  
ID.....{344DBBE0-5A94-4E18-BC97-BD7767A83E36}  
TERM.....STAPLES

DATA VALUE: START TIME:

-----  
ABBREVIATION.....Start Time  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Start Time:  
HELP\_TEXT.....When entering data, make sure the  
                  save date/time reflects the start  
                  time.  
ID.....{4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}  
TERM.....START TIME:

DATA VALUE: STARTED

-----  
ABBREVIATION.....STARTED  
ACTIVE.....Yes  
DESCRIPTION.....Started  
DISPLAY\_NAME.....Started  
HELP\_TEXT.....No Help Text  
ID.....{D6E105C4-5EAD-424E-8E4C-195EB7783A3D}  
TERM.....STARTED

DATA VALUE: STARTED ON LEFT

-----  
ABBREVIATION.....sol  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Started On Left  
HELP\_TEXT.....No Help Text  
ID.....{AA6767EE-57F6-F565-76E9-EB219644492F}  
TERM.....STARTED ON LEFT

DATA VALUE: STARTED ON RIGHT

-----  
ABBREVIATION.....sor  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Started On Right  
HELP\_TEXT.....No Help Text  
ID.....{0C690E36-E710-244D-44FC-5DB5BCC0FF7E}  
TERM.....STARTED ON RIGHT

DATA VALUE: STEADY

-----  
ABBREVIATION.....Steady  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Steady  
HELP\_TEXT.....  
ID.....{42CF2FDA-E774-4784-99D3-24545E30C46F}  
TERM.....STEADY

DATA VALUE: STEADY GAIT OR BASELINE

-----  
ABBREVIATION.....ST GA BA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Steady Gait or Baseline  
HELP\_TEXT.....No Help Text  
ID.....{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}  
TERM.....STEADY GAIT OR BASELINE

DATA VALUE: STEP DOWN

-----  
ABBREVIATION.....STEP DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Step Down  
HELP\_TEXT.....No Help Text  
ID.....{F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}  
TERM.....STEP DOWN

DATA VALUE: STERILE GLOVES-DRAPES USED

-----  
ABBREVIATION.....Ster Glove  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sterile Gloves-Drapes Used  
HELP\_TEXT.....  
ID.....{F26BBB1B-1483-40CD-AC47-828F71B9187C}  
TERM.....STERILE GLOVES-DRAPES USED



DATA VALUE: STINGING

-----  
ABBREVIATION.....STINGING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stinging  
HELP\_TEXT.....No Help Text  
ID.....{DF235170-F501-4E8D-89DD-5A3C76F4B13B}  
TERM.....STINGING

DATA VALUE: STOP TIME:

-----  
ABBREVIATION.....Stop Time:  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stop Time:  
HELP\_TEXT.....When entering data, make sure the  
save date/time reflects the stop  
time.  
ID.....{784CA4D8-988F-4A59-8AB5-48AFC9CA210B}  
TERM.....STOP TIME:

DATA VALUE: STOPCOCK CHANGE

-----  
ABBREVIATION.....Stop Chg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stopcock Change  
HELP\_TEXT.....  
ID.....{C4A6E58E-DA4B-478F-823B-D2CFC9860072}  
TERM.....STOPCOCK CHANGE

DATA VALUE: STRAIGHT CATHETER

-----  
ABBREVIATION.....STR. CATH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Straight Catheter  
HELP\_TEXT.....No Help Text  
ID.....{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}  
TERM.....STRAIGHT CATHETER

DATA VALUE: STRETCHER

-----  
ABBREVIATION.....STRETCHER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stretcher  
HELP\_TEXT.....No Help Text  
ID.....{93CB521A-3A67-41FB-A59C-3DD54D810B11}  
TERM.....STRETCHER

DATA VALUE: STRICT

-----  
ABBREVIATION.....STRICT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Strict  
HELP\_TEXT.....No Help Text  
ID.....{5717A3EA-9A1F-44AB-BB0B-E86BBDED3ECF}  
TERM.....STRICT

DATA VALUE: STROKE

-----  
ABBREVIATION.....Stroke  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stroke  
HELP\_TEXT.....  
ID.....{F0EE98A8-040F-4923-8A21-059DA7B17995}  
TERM.....STROKE

DATA VALUE: STRONG

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Strong  
HELP\_TEXT.....No Help Text  
ID.....{A12154E1-544E-F372-3839-0D44E5BC476B}  
TERM.....STRONG

DATA VALUE: STRYKER FRAME

-----  
ABBREVIATION.....STRYKER FR  
ACTIVE.....Yes  
DESCRIPTION.....Stryker Fram  
DISPLAY\_NAME.....Stryker Frame  
HELP\_TEXT.....No Help Text  
ID.....{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}  
TERM.....STRYKER FRAME

DATA VALUE: STUDENT

-----  
ABBREVIATION.....STUDENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Student  
HELP\_TEXT.....No Help Text  
ID.....{613AFF67-9121-4F6C-A44F-1ACFEF10E612}  
TERM.....STUDENT

DATA VALUE: STUPOROUS

-----  
ABBREVIATION.....Stuporous  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stuporous  
HELP\_TEXT.....  
ID.....{4C25FF58-3346-4B06-ACE5-6ADB942877A8}  
TERM.....STUPOROUS

DATA VALUE: SUBCUTANEOUS TISSUE

-----  
ABBREVIATION.....SUBCUTAN T  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Subcutaneous Tissue  
HELP\_TEXT.....No Help Text  
ID.....{D1345ED8-2CDB-4FD7-84B8-92C9E0872543}  
TERM.....SUBCUTANEOUS TISSUE

DATA VALUE: SUCTIONED ONLY

-----  
ABBREVIATION.....SUCTIONED ONLY  
ACTIVE.....Yes  
DESCRIPTION.....Suctioned Only  
DISPLAY\_NAME.....Suctioned Only  
HELP\_TEXT.....No Help Text  
ID.....{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}  
TERM.....SUCTIONED ONLY

DATA VALUE: SUICIDAL

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Suicidal  
HELP\_TEXT.....No Help Text  
ID.....{B104E9C7-A78E-82DC-49A4-19B94A639AFE}  
TERM.....SUICIDAL

DATA VALUE: SUMP

-----  
ABBREVIATION.....Sump  
ACTIVE.....Yes  
DESCRIPTION.....Sump Drain  
DISPLAY\_NAME.....Sump Drain  
HELP\_TEXT.....No Help Text  
ID.....{DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}  
TERM.....SUMP

DATA VALUE: SUPERVISION/SET-UP HELP

-----  
ABBREVIATION.....SUPERVISED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Supervision/Set-Up Help  
HELP\_TEXT.....No Help Text  
ID.....{596D028B-B60D-4244-A1B0-882177C8D25F}  
TERM.....SUPERVISION/SET-UP HELP

DATA VALUE: SUPINE

-----  
ABBREVIATION.....SUPINE  
ACTIVE.....Yes  
DESCRIPTION.....Supine  
DISPLAY\_NAME.....Supine  
HELP\_TEXT.....No Help Text  
ID.....{A18F9534-17AF-47D7-8D14-2AA457A889BD}  
TERM.....SUPINE

DATA VALUE: SUPLENA

-----  
ABBREVIATION.....Suplena  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suplena  
HELP\_TEXT.....  
ID.....{F606979A-083E-40C1-9EBB-EA56053EF5FD}  
TERM.....SUPLENA

DATA VALUE: SUPPER

-----  
ABBREVIATION.....Supper  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Supper  
HELP\_TEXT.....  
ID.....{9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}  
TERM.....SUPPER

DATA VALUE: SUPPORT GROUPS

-----  
ABBREVIATION.....Supp Group  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Support Groups  
HELP\_TEXT.....  
ID.....{7D67F542-4210-42FE-B083-7DA9D29055BD}  
TERM.....SUPPORT GROUPS

DATA VALUE: SUPRAPUBIC

-----  
ABBREVIATION.....SUPRAPUBIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Suprapubic  
HELP\_TEXT.....No Help Text  
ID.....{69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}  
TERM.....SUPRAPUBIC

DATA VALUE: SUPRAVENTRICULAR TACHYCARDIA

-----  
ABBREVIATION.....st  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Supraventricular Tachycardia  
HELP\_TEXT.....No Help Text  
ID.....{F712412F-D39A-58F7-E4F1-6AC8B77445D7}  
TERM.....SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: SURGICAL

-----  
ABBREVIATION.....SURGICAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Surgical  
HELP\_TEXT.....No Help-Text  
ID.....{2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}  
TERM.....SURGICAL

DATA VALUE: SURGICAL DONOR

-----  
ABBREVIATION.....SURG DONOR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Surgical Donor  
HELP\_TEXT.....No Help Text  
ID.....{F3EE10EA-5776-479B-A58C-F59D6526F90B}  
TERM.....SURGICAL DONOR

DATA VALUE: SURGICAL GRAFT

-----  
ABBREVIATION.....SURG GRAFT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Surgical Graft  
HELP\_TEXT.....No Help Text  
ID.....{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}  
TERM.....SURGICAL GRAFT

DATA VALUE: SUSPECTED DEEP TISSUE INJURY

-----  
ABBREVIATION.....SUS DEEP T  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Suspected Deep Tissue Injury  
HELP\_TEXT.....No Help Text  
ID.....{E82B4082-646F-4B5A-B68E-BB0872A4F6D2}  
TERM.....SUSPECTED DEEP TISSUE INJURY

DATA VALUE: SUTURES

-----  
ABBREVIATION.....SUTURES  
ACTIVE.....Yes  
DESCRIPTION.....Sutures to close wound  
DISPLAY\_NAME.....Sutures  
HELP\_TEXT.....No Help Text  
ID.....{F6E3535E-2368-4014-8F4E-670EC0CB69A5}  
TERM.....SUTURES

DATA VALUE: SWOLLEN

-----  
ABBREVIATION.....SWOLLEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Swollen  
HELP\_TEXT.....No Help Text  
ID.....{DCE86B10-C393-8DA9-6518-F2943F0E1A4E}  
TERM.....SWOLLEN

DATA VALUE: SYMPTOMS OF MEDICATION ALLERGY

-----  
ABBREVIATION.....Sym Med Al  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Symptoms of Medication Allergy  
HELP\_TEXT.....  
ID.....{8E73F22D-7583-4F24-B946-091CF8508CED}  
TERM.....SYMPTOMS OF MEDICATION ALLERGY

DATA VALUE: SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION

-----  
ABBREVIATION.....SIMV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Synchronous Intermittent Mandatory  
Ventilation  
HELP\_TEXT.....No Help Text  
ID.....{A606BB2B-5C00-FEA1-127F-1D3455AE5996}  
TERM.....SYNCHRONOUS INTERMITTENT MANDATORY  
VENTILATION

DATA VALUE: SYRINGE

-----  
ABBREVIATION.....Syringe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Syringe  
HELP\_TEXT.....  
ID.....{8ED1EF3E-79AC-4507-A35B-473F31510FB7}  
TERM.....SYRINGE

DATA VALUE: SYRINGE CHANGE

-----  
ABBREVIATION.....Syr Chg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Syringe Change  
HELP\_TEXT.....  
ID.....{1F052EF1-F62C-4442-8B2B-D15280226C69}  
TERM.....SYRINGE CHANGE

DATA VALUE: SYRINGE CHANGED

-----  
ABBREVIATION.....SYR CHANGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Syringe Changed  
HELP\_TEXT.....No Help Text  
ID.....{BE84F060-7E03-49DD-A6BC-787375C8E1F1}  
TERM.....SYRINGE CHANGED

DATA VALUE: SYSTOLIC

-----  
ABBREVIATION.....SYSTOLIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Systolic  
HELP\_TEXT.....No Help Text  
ID.....{859B5700-0990-42FF-8129-8DB24EFDA8D1}  
TERM.....SYSTOLIC

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL BY ORDERS

-----  
ABBREVIATION.....SaO2 by Or  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....SaO2% at Acceptable Level by Orders  
HELP\_TEXT.....  
ID.....{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}  
TERM.....SaO2% AT ACCEPTABLE LEVEL BY ORDERS

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL

-----  
ABBREVIATION.....SaO2 w/Pre  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....SaO2% at Acceptable Level with  
                  Prescribed O2 Level  
HELP\_TEXT.....  
ID.....{8DE3440F-8049-4846-89D6-2E2DDEEA362C}  
TERM.....SaO2% AT ACCEPTABLE LEVEL WITH  
                  PRESCRIBED O2 LEVEL

DATA VALUE: T1

-----  
ABBREVIATION.....T1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T1  
HELP\_TEXT.....  
ID.....{78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}  
TERM.....T1

DATA VALUE: T10

-----  
ABBREVIATION.....T10  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T10  
HELP\_TEXT.....  
ID.....{EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}  
TERM.....T10

DATA VALUE: T11

-----  
ABBREVIATION.....T11  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T11  
HELP\_TEXT.....  
ID.....{3C40B21A-965B-48C4-A65D-9A01CF2327F1}  
TERM.....T11

DATA VALUE: T12

-----  
ABBREVIATION.....T12  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T12  
HELP\_TEXT.....  
ID.....{36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}  
TERM.....T12



DATA VALUE: T2

-----  
ABBREVIATION.....T2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T2  
HELP\_TEXT.....  
ID.....{7536B154-F3CA-4B21-8CEC-301F204B19A9}  
TERM.....T2

DATA VALUE: T3

-----  
ABBREVIATION.....T3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T3  
HELP\_TEXT.....  
ID.....{F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}  
TERM.....T3

DATA VALUE: T4

-----  
ABBREVIATION.....T4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T4  
HELP\_TEXT.....  
ID.....{E95970BB-3FDA-4027-AAF0-EE5670642321}  
TERM.....T4

DATA VALUE: T5

-----  
ABBREVIATION.....T5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T5  
HELP\_TEXT.....  
ID.....{01B568D4-F9F4-44A7-94A4-EFF830691940}  
TERM.....T5

DATA VALUE: T6

-----  
ABBREVIATION.....T6  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T6  
HELP\_TEXT.....  
ID.....{0C2C1A00-7CCB-4608-AECB-30BFB52A5342}  
TERM.....T6

DATA VALUE: T7

-----  
ABBREVIATION.....T7  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T7  
HELP\_TEXT.....  
ID.....{385B254A-F256-4626-9C12-7D8984F4B605}  
TERM.....T7

DATA VALUE: T8

-----  
ABBREVIATION.....T8  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T8  
HELP\_TEXT.....  
ID.....{68337EB5-902D-4DCB-AFDD-8AC59849F58B}  
TERM.....T8

DATA VALUE: T9

-----  
ABBREVIATION.....T9  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T9  
HELP\_TEXT.....  
ID.....{06F10D8D-2E9D-454D-AD6B-B750300523DD}  
TERM.....T9

DATA VALUE: TAN

-----  
ABBREVIATION.....TAN  
ACTIVE.....Yes  
DESCRIPTION.....The color tan  
DISPLAY\_NAME.....Tan  
HELP\_TEXT.....The color tan  
ID.....{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}  
TERM.....TAN

DATA VALUE: TAPE BURN

-----  
ABBREVIATION.....TAPE BURN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tape Burn  
HELP\_TEXT.....No Help Text  
ID.....{DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}  
TERM.....TAPE BURN

DATA VALUE: TARRY

-----  
ABBREVIATION.....TARRY  
ACTIVE.....Yes  
DESCRIPTION.....Tarry in appearance  
DISPLAY\_NAME.....Tarry  
HELP\_TEXT.....No Help Text  
ID.....{09364271-6307-471F-A334-A8F7E051EF46}  
TERM.....TARRY

DATA VALUE: TEA

-----  
ABBREVIATION.....TEA  
ACTIVE.....Yes  
DESCRIPTION.....Tea  
DISPLAY\_NAME.....Tea  
HELP\_TEXT.....Tea  
ID.....{E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}  
TERM.....TEA

DATA VALUE: TECH

-----  
ABBREVIATION.....Tech  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tech  
HELP\_TEXT.....  
ID.....{13AAF5D5-FEBC-4E09-B972-5D86BA02F307}  
TERM.....TECH

DATA VALUE: TEETH BRUSHED

-----  
ABBREVIATION.....TEETH BRUS  
ACTIVE.....Yes  
DESCRIPTION.....Teeth Brushed  
DISPLAY\_NAME.....Teeth Brushed  
HELP\_TEXT.....No Help Text  
ID.....{20841794-6E6D-4262-B1FE-9E3F20F8CC49}  
TERM.....TEETH BRUSHED

DATA VALUE: TEMPORARY (TRANSVENOUS)

-----  
ABBREVIATION.....tt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Temporary (Transvenous)  
HELP\_TEXT.....No Help Text  
ID.....{F6A74188-3D79-D749-540F-4EA32201B0E6}  
TERM.....TEMPORARY (TRANSVENOUS)

DATA VALUE: TENACIOUS

-----  
ABBREVIATION.....TENACIOUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tenacious  
HELP\_TEXT.....No Help Text  
ID.....{EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}  
TERM.....TENACIOUS

DATA VALUE: TENDER

-----  
ABBREVIATION.....TENDER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tender  
HELP\_TEXT.....No Help Text  
ID.....{30486CC7-3097-4F95-9238-FD6C2126CD10}  
TERM.....TENDER

DATA VALUE: TENDON

-----  
ABBREVIATION.....TENDON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tendon  
HELP\_TEXT.....No Help Text  
ID.....{40628D33-E217-4D39-9A82-4C8D7702576F}  
TERM.....TENDON

DATA VALUE: THICK

-----  
ABBREVIATION.....THICK  
ACTIVE.....Yes  
DESCRIPTION.....Thick  
DISPLAY\_NAME.....Thick  
HELP\_TEXT.....No Help Text  
ID.....{1554A49E-1468-46B2-F851-531DDB1D1A98}  
TERM.....THICK

DATA VALUE: THIGH

-----  
ABBREVIATION.....THIGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thigh  
HELP\_TEXT.....No Help Text  
ID.....{65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}  
TERM.....THIGH

DATA VALUE: THIN

-----  
ABBREVIATION.....THIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thin  
HELP\_TEXT.....No Help Text  
ID.....{CB8D8B5C-E824-D030-1241-D8EB814671E9}  
TERM.....THIN

DATA VALUE: THIRD DEGREE AV BLOCK

-----  
ABBREVIATION.....tdab  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Third Degree Av Block  
HELP\_TEXT.....No Help Text  
ID.....{1AC7E31B-830E-2309-3AF7-8FB03003DD86}  
TERM.....THIRD DEGREE AV BLOCK

DATA VALUE: THORACIC

-----  
ABBREVIATION.....Thoracic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Thoracic  
HELP\_TEXT.....  
ID.....{CAC9637E-6CBC-4F12-BF5B-72EDD2148579}  
TERM.....THORACIC

DATA VALUE: THORACIC SPINAL PRECAUTIONS

-----  
ABBREVIATION.....THOR S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thoriacic Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{D55AEF23-7F5E-45DD-A178-F217E6AF3873}  
TERM.....THORACIC SPINAL PRECAUTIONS

DATA VALUE: THREADS

-----  
ABBREVIATION.....Threads  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Threads  
HELP\_TEXT.....  
ID.....{029BB303-B428-41D0-978B-6A8176108D7D}  
TERM.....THREADS

DATA VALUE: THROBBING

-----  
ABBREVIATION.....THROBBING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Throbbing  
HELP\_TEXT.....No Help Text  
ID.....{3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}  
TERM.....THROBBING

DATA VALUE: THYROMENTAL DISTANCE LESS THAN 3 PB

-----  
ABBREVIATION.....T/D <3 PB  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Thyromental Distance Less than 3 PB  
HELP\_TEXT.....  
ID.....{D98AED3F-9583-4A86-9D32-13B0AD0A4614}  
TERM.....THYROMENTAL DISTANCE LESS THAN 3 PB

DATA VALUE: TINGLING

-----  
ABBREVIATION.....t  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tingling  
HELP\_TEXT.....No Help Text  
ID.....{AE8E3101-AC3D-DEC3-0293-58F901F82EB8}  
TERM.....TINGLING

DATA VALUE: TINGLING MOUTH/LIPS

-----  
ABBREVIATION.....Ting Mou/L  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tingling Mouth/Lips  
HELP\_TEXT.....  
ID.....{E603F979-310D-438B-80A2-1F52E4DE71C6}  
TERM.....TINGLING MOUTH/LIPS

DATA VALUE: TINNITUS

-----  
ABBREVIATION.....Tinnitus  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tinnitus  
HELP\_TEXT.....  
ID.....{846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}  
TERM.....TINNITUS

DATA VALUE: TO PAIN

-----  
ABBREVIATION.....TO PAIN  
ACTIVE.....Yes  
DESCRIPTION.....To Pain  
DISPLAY\_NAME.....To Pain  
HELP\_TEXT.....No Help Text  
ID.....{AA1F818D-DCFC-4FBC-97D3-BE86D309119E}  
TERM.....TO PAIN

DATA VALUE: TO SPEECH

-----  
ABBREVIATION.....TO SPEECH  
ACTIVE.....Yes  
DESCRIPTION.....To Speech  
DISPLAY\_NAME.....To Speech  
HELP\_TEXT.....No Help Text  
ID.....{2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}  
TERM.....TO SPEECH

DATA VALUE: TOENAIL CARE

-----  
ABBREVIATION.....TOEN CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Toenail Care  
HELP\_TEXT.....No Help Text  
ID.....{6CF3ABCE-FF74-43E2-81E5-D23339017CA9}  
TERM.....TOENAIL CARE

DATA VALUE: TOILETING BY SCHEDULE

-----  
ABBREVIATION.....Toilet Sch  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Toileting by Schedule  
HELP\_TEXT.....  
ID.....{D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}  
TERM.....TOILETING BY SCHEDULE

DATA VALUE: TOLERATING FLUIDS/NOURISHMENT

-----  
ABBREVIATION.....TO OR FL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tolerating Fluids/Nourishment  
HELP\_TEXT.....No Help Text  
ID.....{E107F272-CD27-46B8-8C50-F9FF776DDCD9}  
TERM.....TOLERATING FLUIDS/NOURISHMENT

DATA VALUE: TONIC/CLONIC

-----  
ABBREVIATION.....TON/CLON  
ACTIVE.....Yes  
DESCRIPTION.....Tonic/Clonic  
DISPLAY\_NAME.....Tonic/Clonic  
HELP\_TEXT.....Tonic/Clonic  
ID.....{81932BAA-6C79-47A3-85B3-592824B6C09C}  
TERM.....TONIC/CLONIC

DATA VALUE: TOPICAL TREATMENT

-----  
ABBREVIATION.....TOPICAL T  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Topical Treatment  
HELP\_TEXT.....No Help Text  
ID.....{4E995342-8A6F-4B21-8013-F8C6A9FC7658}  
TERM.....TOPICAL TREATMENT

DATA VALUE: TORSADES DE POINTES

-----  
ABBREVIATION.....Tor de Poi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Torsades de Pointes  
HELP\_TEXT.....  
ID.....{E936B787-7912-4CAE-A465-AD1A1FEA68CA}  
TERM.....TORSADES DE POINTES

DATA VALUE: TOTAL DEPENDENCE

-----  
ABBREVIATION.....TOT DEPEND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Total Dependence  
HELP\_TEXT.....No Help Text  
ID.....{38702CDD-E440-4EFA-9583-36EEE719F7C3}  
TERM.....TOTAL DEPENDENCE

DATA VALUE: TRACHEOSTOMY

-----  
ABBREVIATION.....TRACHEOSTO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tracheostomy  
HELP\_TEXT.....No Help Text  
ID.....{2B0B7599-847E-852F-D16F-091CAAA4B205}  
TERM.....TRACHEOSTOMY



DATA VALUE: TRANSCUTANEOUS

-----  
ABBREVIATION.....t  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transcutaneous  
HELP\_TEXT.....No Help Text  
ID.....{F4315F92-8804-1CB4-4D03-CCFDC95C6E71}  
TERM.....TRANSCUTANEOUS

DATA VALUE: TRANSFER

-----  
ABBREVIATION.....TRANSFER  
ACTIVE.....Yes  
DESCRIPTION.....Transfer  
DISPLAY\_NAME.....Transfer  
HELP\_TEXT.....No Help Text  
ID.....{DFDB4783-25BE-485B-A9BA-621F1004AAF2}  
TERM.....TRANSFER

DATA VALUE: TRANSFER WITH ASSIST

-----  
ABBREVIATION.....TRANS ASST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transfer With Assist  
HELP\_TEXT.....No Help Text  
ID.....{62A5BFF5-9C7C-4412-83A8-F872095DE005}  
TERM.....TRANSFER WITH ASSIST

DATA VALUE: TRANSPARENT

-----  
ABBREVIATION.....TRANSPAREN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transparent  
HELP\_TEXT.....No Help Text  
ID.....{0E73D24D-0EFC-08F9-196A-D30DD1BB3228}  
TERM.....TRANSPARENT

DATA VALUE: TRANSPARENT DRESSING

-----  
ABBREVIATION.....TRANSP DRE  
ACTIVE.....Yes  
DESCRIPTION.....Transparent Dressing  
DISPLAY\_NAME.....Transparent Dressing  
HELP\_TEXT.....No Help Text  
ID.....{777C7722-AEA8-4A0B-9ADD-1157D37AE539}  
TERM.....TRANSPARENT DRESSING

DATA VALUE: TRANSPORT FACILITATOR PRESENT

-----  
ABBREVIATION.....TR FA PR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transport Facilitator Present  
HELP\_TEXT.....No Help Text  
ID.....{645BF269-6B23-4377-95ED-71291F075B25}  
TERM.....TRANSPORT FACILITATOR PRESENT

DATA VALUE: TRANSPYLORIC

-----  
ABBREVIATION.....TRANSPYOLO  
ACTIVE.....Yes  
DESCRIPTION.....Transpyloric  
DISPLAY\_NAME.....Transpyloric  
HELP\_TEXT.....No Help Text  
ID.....{78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}  
TERM.....TRANSPYLORIC

DATA VALUE: TREATMENTS

-----  
ABBREVIATION.....TREATMENTS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Treatments  
HELP\_TEXT.....No Help Text  
ID.....{7A6879B5-F781-498E-9D71-3FA0243C3F21}  
TERM.....TREATMENTS

DATA VALUE: TRIGEMINY

-----  
ABBREVIATION.....Trigeminy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Trigeminy  
HELP\_TEXT.....  
ID.....{13D65F9F-B51C-4CEC-8002-037C8323626C}  
TERM.....TRIGEMINY

DATA VALUE: TRIPLE

-----  
ABBREVIATION.....TRIPLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Triple  
HELP\_TEXT.....No Help Text  
ID.....{077BE8CF-F2AB-56E1-1F25-51DF80F8054D}  
TERM.....TRIPLE

DATA VALUE: TUBED/DYSPHAGIC

-----  
ABBREVIATION.....TUBE/DYSPH  
ACTIVE.....Yes  
DESCRIPTION.....Tubed/Dysphagic  
DISPLAY\_NAME.....Tubed/Dysphagic  
HELP\_TEXT.....No Help Text  
ID.....{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}  
TERM.....TUBED/DYSPHAGIC

DATA VALUE: TUBING CHANGE

-----  
ABBREVIATION.....Tube Chg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tubing Change  
HELP\_TEXT.....  
ID.....{6418C2A2-D244-4C5B-A398-904B99AAC EA4}  
TERM.....TUBING CHANGE

DATA VALUE: TUBING CHANGED/LABELED

-----  
ABBREVIATION.....TUBE CHANG  
ACTIVE.....Yes  
DESCRIPTION.....Changed or labeled tubing  
DISPLAY\_NAME.....Tubing Changed / Labeled  
HELP\_TEXT.....No Help Text  
ID.....{19BA337C-6E28-411E-9702-48B262C593FA}  
TERM.....TUBING CHANGED/LABELED

DATA VALUE: TURN AND POSITION

-----  
ABBREVIATION.....TURN POSIT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Turn and Position  
HELP\_TEXT.....No Help Text  
ID.....{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}  
TERM.....TURN AND POSITION

DATA VALUE: TURNING SELF INDEPENDENTLY

-----  
ABBREVIATION.....TURN SELF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Turning Self Independently  
HELP\_TEXT.....No Help Text  
ID.....{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}  
TERM.....TURNING SELF INDEPENDENTLY

DATA VALUE: TWILL TAPE

-----  
ABBREVIATION.....Twill Tape  
ACTIVE.....Yes  
DESCRIPTION.....Twill Tape  
DISPLAY\_NAME.....Twill Tape  
HELP\_TEXT.....No Help Text  
ID.....{C52BE250-732D-03BB-B8F9-72BE4D546807}  
TERM.....TWILL TAPE

DATA VALUE: TWO CAL HN

-----  
ABBREVIATION.....Two Cal HN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Two Cal HN  
HELP\_TEXT.....  
ID.....{3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}  
TERM.....TWO CAL HN

DATA VALUE: TWO PERSON ASSIST

-----  
ABBREVIATION.....2 PERS AST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Two Person Assist  
HELP\_TEXT.....No Help Text  
ID.....{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}  
TERM.....TWO PERSON ASSIST

DATA VALUE: ULTRACAL

-----  
ABBREVIATION.....ULTRACAL  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Ultracal  
HELP\_TEXT.....No Help Text  
ID.....{179AE9A5-154D-4CD2-B70B-66E84F5D0932}  
TERM.....ULTRACAL

DATA VALUE: UN = UNEXAMINABLE

-----  
ABBREVIATION.....UN = Unex  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....UN = Unexaminable  
HELP\_TEXT.....  
ID.....{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}  
TERM.....UN = UNEXAMINABLE

DATA VALUE: UNABLE TO AROUSE

-----  
ABBREVIATION.....Un to Ar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Arouse  
HELP\_TEXT.....  
ID.....{05B32DD9-E634-4B60-A58B-2E915EA2834D}  
TERM.....UNABLE TO AROUSE

DATA VALUE: UNABLE TO ASSESS

-----  
ABBREVIATION.....UNA TO AS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable To Assess  
HELP\_TEXT.....No Help Text  
ID.....{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}  
TERM.....UNABLE TO ASSESS

DATA VALUE: UNABLE TO INFORM

-----  
ABBREVIATION.....UNABLE INF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable to Inform  
HELP\_TEXT.....No Help Text  
ID.....{77428C87-B3F9-4BBD-B781-F7D89BCF9492}  
TERM.....UNABLE TO INFORM

DATA VALUE: UNABLE TO READ

-----  
ABBREVIATION.....ILLITERATE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable to Read  
HELP\_TEXT.....No Help Text  
ID.....{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}  
TERM.....UNABLE TO READ

DATA VALUE: UNABLE TO RESPOND

-----  
ABBREVIATION.....UNA TO RES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable To Respond  
HELP\_TEXT.....No Help Text  
ID.....{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}  
TERM.....UNABLE TO RESPOND

DATA VALUE: UNABLE TO VOID

-----  
ABBREVIATION.....Un to Void  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Void  
HELP\_TEXT.....  
ID.....{1F2A844D-4E14-4759-B8F7-82B58E157720}  
TERM.....UNABLE TO VOID

DATA VALUE: UNABLE TO WEDGE

-----  
ABBREVIATION.....UNABLE WED  
ACTIVE.....Yes  
DESCRIPTION.....Unable to Wedge  
DISPLAY\_NAME.....Unable to Wedge  
HELP\_TEXT.....No Help Text  
ID.....{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}  
TERM.....UNABLE TO WEDGE

DATA VALUE: UNBEARABLE

-----  
ABBREVIATION.....UNBEARABLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unbearable  
HELP\_TEXT.....No Help Text  
ID.....{96611993-45F3-4D1D-BF7F-5E5C46E5569E}  
TERM.....UNBEARABLE

DATA VALUE: UNCOOPERATIVE

-----  
ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Uncooperative  
HELP\_TEXT.....No Help Text  
ID.....{2D737EFB-F4CA-7AEA-9EB2-6FF133742815}  
TERM.....UNCOOPERATIVE

DATA VALUE: UNDER STRETCHER/BED

-----  
ABBREVIATION.....Stretcher  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Under Stretcher/Bed  
HELP\_TEXT.....  
ID.....{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}  
TERM.....UNDER STRETCHER/BED

DATA VALUE: UNEQUAL

-----  
ABBREVIATION.....Unequal  
ACTIVE.....Yes  
DESCRIPTION.....Not the same  
DISPLAY\_NAME.....Unequal  
HELP\_TEXT.....Not the same  
ID.....{73319200-164F-B39F-649C-B7FB1AFBDBB8}  
TERM.....UNEQUAL

DATA VALUE: UNEXPECTED NUMBNESS

-----  
ABBREVIATION.....Unexp Numb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unexpected Numbness  
HELP\_TEXT.....  
ID.....{6418B135-56AF-4A76-A207-55D7AE0C5364}  
TERM.....UNEXPECTED NUMBNESS

DATA VALUE: UNIFOCAL PVC

-----  
ABBREVIATION.....Uni PVC  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unifocal PVC  
HELP\_TEXT.....  
ID.....{5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}  
TERM.....UNIFOCAL PVC

DATA VALUE: UNKNOWN

-----  
ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unknown  
HELP\_TEXT.....No Help Text  
ID.....{1F872397-8635-18A3-E252-AE9B20B88C7D}  
TERM.....UNKNOWN

DATA VALUE: UNRESPONSIVE

-----  
ABBREVIATION.....Unresponsi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unresponsive  
HELP\_TEXT.....  
ID.....{F6A71E77-B51F-4812-AE04-E24FA82D2AF1}  
TERM.....UNRESPONSIVE

DATA VALUE: UNSTABLE

-----  
ABBREVIATION.....UNSTABLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unstable  
HELP\_TEXT.....No Help Text  
ID.....{5841C521-8070-4034-A69D-27DAB2990EB3}  
TERM.....UNSTABLE

DATA VALUE: UNSTAGEABLE

-----  
ABBREVIATION.....UNSTAGEABL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unstageable  
HELP\_TEXT.....No Help Text  
ID.....{5C507F64-2EC0-4FD8-A786-94D76D90C0D1}  
TERM.....UNSTAGEABLE

DATA VALUE: UNSTEADY

-----  
ABBREVIATION.....Unsteady  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unsteady  
HELP\_TEXT.....  
ID.....{7AC26DBA-B7F1-401C-9D4C-5C0F06C87152}  
TERM.....UNSTEADY

DATA VALUE: UNSUCCESSFUL

-----  
ABBREVIATION.....UNSUCCESSF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unsuccessful  
HELP\_TEXT.....No Help Text  
ID.....{54DC58A1-7585-4A32-B810-90B586ED9332}  
TERM.....UNSUCCESSFUL

DATA VALUE: UP

-----  
ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Up  
HELP\_TEXT.....No Help Text  
ID.....{7BCC74F9-FE2F-FE60-57BA-321BFA316BEC}  
TERM.....UP



DATA VALUE: UP TO CHAIR

-----  
ABBREVIATION.....UP TO CHAI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Up To Chair  
HELP\_TEXT.....No Help Text  
ID.....{42E598E5-82EC-428B-B5FA-1129E3095C78}  
TERM.....UP TO CHAIR

DATA VALUE: URINARY RETENTION

-----  
ABBREVIATION.....Urinary Re  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Urinary Retention  
HELP\_TEXT.....  
ID.....{959EBBDC-7F67-42EC-8CF0-295F709BB433}  
TERM.....URINARY RETENTION

DATA VALUE: UROMETER

-----  
ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Urometer  
HELP\_TEXT.....No Help Text  
ID.....{13074A3A-19D7-300C-7BFF-8DC18DDE2951}  
TERM.....UROMETER

DATA VALUE: UROSTOMY

-----  
ABBREVIATION.....UROSTOMY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Urostomy  
HELP\_TEXT.....No Help Text  
ID.....{1F9E528D-6D78-54EE-94E6-649C6F2056A3}  
TERM.....UROSTOMY

DATA VALUE: V1

-----  
ABBREVIATION.....V1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V1  
HELP\_TEXT.....No Help Text  
ID.....{4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}  
TERM.....V1

DATA VALUE: V2

-----  
ABBREVIATION.....V2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V2  
HELP\_TEXT.....No Help Text  
ID.....{05A3232E-A30D-4771-A1B5-E7705B717646}  
TERM.....V2

DATA VALUE: V3

-----  
ABBREVIATION.....V3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V3  
HELP\_TEXT.....No Help Text  
ID.....{E150126E-4AA7-4F96-961E-FD1169C77158}  
TERM.....V3

DATA VALUE: V4

-----  
ABBREVIATION.....V4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V4  
HELP\_TEXT.....No Help Text  
ID.....{255260F9-5CC7-41B1-831C-F9319FA27506}  
TERM.....V4

DATA VALUE: V5

-----  
ABBREVIATION.....V5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V5  
HELP\_TEXT.....No Help Text  
ID.....{D5C10744-0EB5-46FA-AE6C-CCF571318F8A}  
TERM.....V5

DATA VALUE: V6

-----  
ABBREVIATION.....V6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V6  
HELP\_TEXT.....No Help Text  
ID.....{B86F72D7-7884-4470-92A8-EF9277C5B584}  
TERM.....V6

DATA VALUE: VACUUM ASSISTED CLOSURE

-----  
ABBREVIATION.....VAC ASS CL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vacuum Assisted Closure  
HELP\_TEXT.....No Help Text  
ID.....{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}  
TERM.....VACUUM ASSISTED CLOSURE

DATA VALUE: VASCULAR

-----  
ABBREVIATION.....VASCULAR  
ACTIVE.....Yes  
DESCRIPTION.....Vascular  
DISPLAY\_NAME.....Vascular  
HELP\_TEXT.....No Help Text  
ID.....{60523BF8-6372-4760-881C-A62F85D2A0F6}  
TERM.....VASCULAR

DATA VALUE: VASCULAR LESION ARTERIAL

-----  
ABBREVIATION.....VASLES ART  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vascular Leasion Arterial  
HELP\_TEXT.....No Help Text  
ID.....{EA565D3F-D984-4553-B597-DFE844554CE9}  
TERM.....VASCULAR LESION ARTERIAL

DATA VALUE: VASCULAR LESION MIXED

-----  
ABBREVIATION.....VASLES MIX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vascular Leasion Mixed  
HELP\_TEXT.....No Help Text  
ID.....{8684AB2D-9162-4DC2-A5FA-A14558678689}  
TERM.....VASCULAR LESION MIXED

DATA VALUE: VASCULAR LESION VENOUS

-----  
ABBREVIATION.....VASLES VEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vascular Lesion Venous  
HELP\_TEXT.....No Help Text  
ID.....{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}  
TERM.....VASCULAR LESION VENOUS

DATA VALUE: VASCULAR/NEUROPATHIC

-----  
ABBREVIATION.....VASC/NEURO  
ACTIVE.....Yes  
DESCRIPTION.....Vascular / Neuropathic  
DISPLAY\_NAME.....Vascular / Neuropathic  
HELP\_TEXT.....No Help Text  
ID.....{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}  
TERM.....VASCULAR/NEUROPATHIC

DATA VALUE: VASOPRESSOR

-----  
ABBREVIATION.....VASOPRESS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vasopressor  
HELP\_TEXT.....No Help Text  
ID.....{591FCB09-1287-48C6-8007-4CE961296BA9}  
TERM.....VASOPRESSOR

DATA VALUE: VDD

-----  
ABBREVIATION.....VDD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....VDD  
HELP\_TEXT.....No Help Text  
ID.....{E733E525-EF36-2F93-AECC-BAD1C3E2C633}  
TERM.....VDD

DATA VALUE: VEGETARIAN DIET

-----  
ABBREVIATION.....VEG DIET  
ACTIVE.....Yes  
DESCRIPTION.....Vegetarian Diet  
DISPLAY\_NAME.....Vegetarian Diet  
HELP\_TEXT.....No Help Text  
ID.....{6B8143BE-843F-4944-9ABB-7175AFE2DF17}  
TERM.....VEGETARIAN DIET

DATA VALUE: VENDOR REP

-----  
ABBREVIATION.....Vendor Rep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vendor Rep  
HELP\_TEXT.....  
ID.....{4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}  
TERM.....VENDOR REP

DATA VALUE: VENTICULAR FIBRILLATION

-----  
ABBREVIATION.....vf  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Fibrillation  
HELP\_TEXT.....No Help Text  
ID.....{400B70C2-6E15-458F-70C6-FA2597DE2556}  
TERM.....VENTICULAR FIBRILLATION

DATA VALUE: VENTILATOR

-----  
ABBREVIATION.....v  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{A5A647ED-A56D-5012-AD5B-788B3DCB3498}  
TERM.....VENTILATOR

DATA VALUE: VENTILATOR ACHIEVA P5O2

-----  
ABBREVIATION.....ACHIEVA P5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Achieva P5O2  
HELP\_TEXT.....No Help Text  
ID.....{1690EEA5-3C3B-4D30-AC5C-214C94626699}  
TERM.....VENTILATOR ACHIEVA P5O2

DATA VALUE: VENTILATOR ADULT STAR

-----  
ABBREVIATION.....ADULT STAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult Star Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{879B13DA-4874-42D4-99EC-8E4ADB31B14E}  
TERM.....VENTILATOR ADULT STAR

DATA VALUE: VENTILATOR BEAR 1000

-----  
ABBREVIATION.....BEAR 1000  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bear 1000  
HELP\_TEXT.....No Help Text  
ID.....{03C30F99-A27C-427C-B0ED-872F0DE646BD}  
TERM.....VENTILATOR BEAR 1000

DATA VALUE: VENTILATOR DRAEGER

-----  
ABBREVIATION.....DRAEGER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Draeger  
HELP\_TEXT.....No Help Text  
ID.....{DD18C42F-EF13-460B-8676-9ED1E429B54B}  
TERM.....VENTILATOR DRAEGER

DATA VALUE: VENTILATOR OTHER

-----  
ABBREVIATION.....VENT OTHER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Other Ventilator; Use Comments  
HELP\_TEXT.....No Help Text  
ID.....{138B7B3D-9F8B-447A-9785-12AB396AE6DE}  
TERM.....VENTILATOR OTHER

DATA VALUE: VENTILATOR PB 7200ae

-----  
ABBREVIATION.....PB7200ae  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PB 7200ae  
HELP\_TEXT.....No Help Text  
ID.....{86AE485F-ECD1-4B8E-820F-71CF159F318B}  
TERM.....VENTILATOR PB 7200ae

DATA VALUE: VENTILATOR PB 840

-----  
ABBREVIATION.....PB 840  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PB 840  
HELP\_TEXT.....No Help Text  
ID.....{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}  
TERM.....VENTILATOR PB 840

DATA VALUE: VENTILATOR SERVO

-----  
ABBREVIATION.....SERVO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Servo  
HELP\_TEXT.....No Help Text  
ID.....{D6F06715-1ADD-4941-B026-B9A5E463943E}  
TERM.....VENTILATOR SERVO

DATA VALUE: VENTRICULAR

-----  
ABBREVIATION.....v  
ACTIVE.....Yes  
DESCRIPTION.....VENTRICULAR  
DISPLAY\_NAME.....Ventricular  
HELP\_TEXT.....No Help Text  
ID.....{307A4572-3CF0-7875-7313-7FD4AB23F8E7}  
TERM.....VENTRICULAR

DATA VALUE: VENTRICULAR TACHYCARDIA

-----  
ABBREVIATION.....vt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Tachycardia  
HELP\_TEXT.....No Help Text  
ID.....{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}  
TERM.....VENTRICULAR TACHYCARDIA

DATA VALUE: VENTRICULAR WHIP PRESENT

-----  
ABBREVIATION.....VENT WHIP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Whip Present  
HELP\_TEXT.....No Help Text  
ID.....{15CB9645-690D-446B-A380-F14CEEC9C6AA}  
TERM.....VENTRICULAR WHIP PRESENT

DATA VALUE: VENTRICULOSTOMY

-----  
ABBREVIATION.....Ventriculo  
ACTIVE.....Yes  
DESCRIPTION.....Ventriculostomy  
DISPLAY\_NAME.....Ventriculostomy  
HELP\_TEXT.....No Help Text  
ID.....{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}  
TERM.....VENTRICULOSTOMY

DATA VALUE: VERBAL DE-ESCALATION

-----  
ABBREVIATION.....VERB DE-ES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Verbal De-escalation  
HELP\_TEXT.....No Help Text  
ID.....{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}  
TERM.....VERBAL DE-ESCALATION

DATA VALUE: VERBALIZED BY PATIENT

-----  
ABBREVIATION.....Verbal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Verbalized by Patient  
HELP\_TEXT.....  
ID.....{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}  
TERM.....VERBALIZED BY PATIENT

DATA VALUE: VERY LOW BMI

-----  
ABBREVIATION.....LOW BMI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Very Low BMI  
HELP\_TEXT.....No Help Text  
ID.....{78B3A37B-938B-42E5-A403-75E206722BC3}  
TERM.....VERY LOW BMI

DATA VALUE: VIOLET

-----  
ABBREVIATION.....VIOLET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Violet  
HELP\_TEXT.....No Help Text  
ID.....{1249AE97-CF1F-4604-A17A-5FC85F6D0185}  
TERM.....VIOLET

DATA VALUE: VIP PORT

-----  
ABBREVIATION.....VIP PORT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....VIP Port Catheter  
HELP\_TEXT.....No Help Text  
ID.....{3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}  
TERM.....VIP PORT

DATA VALUE: VISCOUS

-----  
ABBREVIATION.....VISCOUS  
ACTIVE.....Yes  
DESCRIPTION.....Viscous  
DISPLAY\_NAME.....Viscous  
HELP\_TEXT.....No Help Text  
ID.....{0E8019D5-F2DB-46B8-B750-41568DD0179C}  
TERM.....VISCOUS



DATA VALUE: VISUAL IMPAIRMENT

-----  
ABBREVIATION.....VIS IMPAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Visual Impairment  
HELP\_TEXT.....No Help Text  
ID.....{7B2107CE-002D-43BE-9102-FCD5B9FAD617}  
TERM.....VISUAL IMPAIRMENT

DATA VALUE: VITAL 1.0

-----  
ABBREVIATION.....Vital 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vital 1.0  
HELP\_TEXT.....  
ID.....{D3CA653C-419D-4186-8704-E171650062DF}  
TERM.....VITAL 1.0

DATA VALUE: VITAL 1.5

-----  
ABBREVIATION.....Vital 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vital 1.5  
HELP\_TEXT.....  
ID.....{3665F539-7BBD-4AD9-A4D0-0A33506036D7}  
TERM.....VITAL 1.5

DATA VALUE: VITAL AF

-----  
ABBREVIATION.....Vital AF  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vital AF  
HELP\_TEXT.....  
ID.....{D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}  
TERM.....VITAL AF

DATA VALUE: VITAL ENTERAL NUTRITION TYPE

-----  
ABBREVIATION.....VITAL ENT  
ACTIVE.....Yes  
DESCRIPTION.....Vital Enteral Nutrition Type  
DISPLAY\_NAME.....Vital  
HELP\_TEXT.....No Help Text  
ID.....{2DA036DA-BF27-4E52-86A2-20A312823480}  
TERM.....VITAL ENTERAL NUTRITION TYPE

DATA VALUE: VITAL HN ENTERAL NUTRITION

-----  
ABBREVIATION.....VITAL HN  
ACTIVE.....Yes  
DESCRIPTION.....Vital HN Enteral Nutrition Type  
DISPLAY\_NAME.....Vital HN  
HELP\_TEXT.....No Help Text  
ID.....{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}  
TERM.....VITAL HN ENTERAL NUTRITION

DATA VALUE: VITAL SIGNS STABLE

-----  
ABBREVIATION.....VI SI ST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vital Signs Stable  
HELP\_TEXT.....No Help Text  
ID.....{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}  
TERM.....VITAL SIGNS STABLE

DATA VALUE: VIVONEX RTF

-----  
ABBREVIATION.....Viv RTF  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vivonex RTF  
HELP\_TEXT.....  
ID.....{461E7430-CC94-47D1-A90D-9694314C7729}  
TERM.....VIVONEX RTF

DATA VALUE: VOIDED

-----  
ABBREVIATION.....VOIDED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Voided  
HELP\_TEXT.....No Help Text  
ID.....{7F23E601-A1E5-4016-8A12-06B1099041CF}  
TERM.....VOIDED

DATA VALUE: VOLUNTEER

-----  
ABBREVIATION.....VOLUNTEE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Volunteer  
HELP\_TEXT.....No Help Text  
ID.....{F5406412-DE48-4F84-8A31-0B1D79DB576D}  
TERM.....VOLUNTEER

DATA VALUE: VOMITING

-----  
ABBREVIATION.....VOMITING  
ACTIVE.....Yes  
DESCRIPTION.....Vomiting  
DISPLAY\_NAME.....Vomiting  
HELP\_TEXT.....Vomiting  
ID.....{921F463C-1639-4D13-8E4E-6D3A1B6927F9}  
TERM.....VOMITING

DATA VALUE: VVI

-----  
ABBREVIATION.....VVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....VVI  
HELP\_TEXT.....No Help Text  
ID.....{2C87F8F3-2B99-80E7-04EB-E6FE88168627}  
TERM.....VVI

DATA VALUE: WAFFLE

-----  
ABBREVIATION.....WAFFLE  
ACTIVE.....Yes  
DESCRIPTION.....Waffle  
DISPLAY\_NAME.....Waffle  
HELP\_TEXT.....No Help Text  
ID.....{29A0FA73-CAA7-4660-9861-79A09F6DD98C}  
TERM.....WAFFLE

DATA VALUE: WAITING ROOM

-----  
ABBREVIATION.....WAIT ROOM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Waiting Room  
HELP\_TEXT.....No Help Text  
ID.....{13476486-F895-4FFC-AB42-B274827B47DA}  
TERM.....WAITING ROOM

DATA VALUE: WALKER

-----  
ABBREVIATION.....WALKER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Walker  
HELP\_TEXT.....No Help Text  
ID.....{91247001-5E89-46A0-A841-B4FAE9226E63}  
TERM.....WALKER

DATA VALUE: WALKING OR PACING

-----  
ABBREVIATION.....wop  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Walking Or Pacing  
HELP\_TEXT.....No Help Text  
ID.....{CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}  
TERM.....WALKING OR PACING

DATA VALUE: WANDER GUARD IN PLACE

-----  
ABBREVIATION.....Wander Grd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Wander Guard in Place  
HELP\_TEXT.....  
ID.....{B49D735F-A6ED-4E8F-9BD0-F8514245B262}  
TERM.....WANDER GUARD IN PLACE

DATA VALUE: WANDERER

-----  
ABBREVIATION.....w  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wanderer  
HELP\_TEXT.....No Help Text  
ID.....{C5BD737B-F9A6-5800-B45C-2585507C3EDC}  
TERM.....WANDERER

DATA VALUE: WARD

-----  
ABBREVIATION.....WARD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ward  
HELP\_TEXT.....No Help Text  
ID.....{A16CB5CB-3401-4F6C-8467-7F78FC929872}  
TERM.....WARD

DATA VALUE: WARM

-----  
ABBREVIATION.....WARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warm  
HELP\_TEXT.....No Help Text  
ID.....{E03BBEB4-5643-968F-190F-309A1293FCF9}  
TERM.....WARM

DATA VALUE: WARM HUMIDITY WITH O2

-----  
ABBREVIATION.....WM HUM O2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warm Humidity with Oxygen  
HELP\_TEXT.....No Help Text  
ID.....{E62E07C3-4CA2-426B-8EBA-48C406837D9C}  
TERM.....WARM HUMIDITY WITH O2

DATA VALUE: WARMER THAN GENERAL BODY TEMP

-----  
ABBREVIATION.....WARM B TEM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warmer Than General Body Temperature  
HELP\_TEXT.....No Help Text  
ID.....{AE43F2B4-B585-43F4-9E97-D61E225A803B}  
TERM.....WARMER THAN GENERAL BODY TEMP

DATA VALUE: WARMER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....WARM OPP P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warmer Than Opposite Body Part  
HELP\_TEXT.....No Help Text  
ID.....{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}  
TERM.....WARMER THAN OPPOSITE BODY PART

DATA VALUE: WARMING BLANKET

-----  
ABBREVIATION.....WARM BLANK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warming Blanket  
HELP\_TEXT.....Warming Blanket  
ID.....{23D20AE5-DE25-4456-8F77-BF0411FB19A6}  
TERM.....WARMING BLANKET

DATA VALUE: WARMING BOTTLE

-----  
ABBREVIATION.....WARM BOTTL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warming Bottle  
HELP\_TEXT.....No Help Text  
ID.....{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}  
TERM.....WARMING BOTTLE

DATA VALUE: WARMING OFF

-----  
ABBREVIATION.....WARMING OF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warming Off  
HELP\_TEXT.....No Help Text  
ID.....{98FAC977-8E2E-406A-9217-A77E1DDCDF50}  
TERM.....WARMING OFF

DATA VALUE: WARMING ON

-----  
ABBREVIATION.....WARMING ON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warming On  
HELP\_TEXT.....No Help Text  
ID.....{6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}  
TERM.....WARMING ON

DATA VALUE: WATERSEAL

-----  
ABBREVIATION.....WATERSEAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Waterseal  
HELP\_TEXT.....No Help Text  
ID.....{6D91B99D-F199-09ED-78BE-B54F2CAC4E06}  
TERM.....WATERSEAL

DATA VALUE: WAVEFORM REFLECTS ATRIAL PLACEMENT

-----  
ABBREVIATION.....WAVE ATRIA  
ACTIVE.....Yes  
DESCRIPTION.....Waveform Reflects Atrial Placement  
DISPLAY\_NAME.....Waveform Reflects Atrial Placement  
HELP\_TEXT.....No Help Text  
ID.....{A1249745-41C2-4A4F-A86D-7E5E17477B06}  
TERM.....WAVEFORM REFLECTS ATRIAL PLACEMENT

DATA VALUE: WEAK

-----  
ABBREVIATION.....w  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Weak  
HELP\_TEXT.....No Help Text  
ID.....{BE2D9305-E2DA-F492-66CF-164EE58B8179}  
TERM.....WEAK

DATA VALUE: WEAKNESS

-----  
ABBREVIATION.....Weakness  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Weakness  
HELP\_TEXT.....  
ID.....{E4C6D569-7961-4CB4-8E90-A02A31F98094}  
TERM.....WEAKNESS

DATA VALUE: WEDGED

-----  
ABBREVIATION.....WEDGED  
ACTIVE.....Yes  
DESCRIPTION.....Wedged  
DISPLAY\_NAME.....Wedged  
HELP\_TEXT.....No Help Text  
ID.....{03D7F6FD-399D-4A6B-9900-59655D76EE95}  
TERM.....WEDGED

DATA VALUE: WHEELCHAIR

-----  
ABBREVIATION.....WH CHAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair  
HELP\_TEXT.....No Help Text  
ID.....{EC1B82CE-4037-466F-90AC-52CD5C3B26BE}  
TERM.....WHEELCHAIR

DATA VALUE: WHEELCHAIR EXIT ALARM

-----  
ABBREVIATION.....WHEEL EXIT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair Exit Alarm  
HELP\_TEXT.....No Help Text  
ID.....{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}  
TERM.....WHEELCHAIR EXIT ALARM

DATA VALUE: WHEEZES

-----  
ABBREVIATION.....w  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheezes  
HELP\_TEXT.....No Help Text  
ID.....{1B8A9729-554D-59F6-E9E8-40BDFF9C678E}  
TERM.....WHEEZES

DATA VALUE: WHITE

-----  
ABBREVIATION.....WHITE  
ACTIVE.....Yes  
DESCRIPTION.....The color white  
DISPLAY\_NAME.....White  
HELP\_TEXT.....The color white  
ID.....{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}  
TERM.....WHITE

DATA VALUE: WITH PHYSICIAN

-----  
ABBREVIATION.....wp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Physician  
HELP\_TEXT.....No Help Text  
ID.....{1673C53F-DA8C-2CEC-679B-B01D914FE533}  
TERM.....WITH PHYSICIAN

DATA VALUE: WITH THERAPIST

-----  
ABBREVIATION.....wt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Therapist  
HELP\_TEXT.....No Help Text  
ID.....{795A1300-1D60-9D67-692D-A2AB2B190596}  
TERM.....WITH THERAPIST

DATA VALUE: WITHDRAWN

-----  
ABBREVIATION.....w  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Withdrawn  
HELP\_TEXT.....No Help Text  
ID.....{E74B0F04-0E3F-632F-9409-C4953D95B1BA}  
TERM.....WITHDRAWN

DATA VALUE: WITHDRAWS TO PAIN

-----  
ABBREVIATION.....WITHD TO P  
ACTIVE.....Yes  
DESCRIPTION.....Withdraws To Pain  
DISPLAY\_NAME.....Withdraws To Pain  
HELP\_TEXT.....No Help Text  
ID.....{013527C8-FF6B-49CD-BF45-9338F7413E81}  
TERM.....WITHDRAWS TO PAIN



DATA VALUE: WITHOUT ASSISTANCE

-----  
ABBREVIATION.....WO ASSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Without Assistance  
HELP\_TEXT.....No Help Text  
ID.....{41CE081D-CB0E-49AF-936A-4FD78E61681B}  
TERM.....WITHOUT ASSISTANCE

DATA VALUE: WOUND

-----  
ABBREVIATION.....WOUND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wound  
HELP\_TEXT.....No Help Text  
ID.....{1EC40149-051E-4750-8651-2B2D0DD2DEAC}  
TERM.....WOUND

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS BLOODY

-----  
ABBREVIATION.....WOU DI BLO  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics Bloody  
DISPLAY\_NAME.....Bloody  
HELP\_TEXT.....Wound Discharge Characteristics Bloody  
ID.....{628DBFBC-9B77-48EA-99FE-0DF000376506}  
TERM.....WOUND DISCHARGE CHARACTERISTICS BLOODY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS CLOUDY

-----  
ABBREVIATION.....WOU DI CLO  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics Cloudy  
DISPLAY\_NAME.....Cloudy  
HELP\_TEXT.....Wound Discharge Characteristics Cloudy  
ID.....{159C9993-A2E1-4133-9D5F-315EF9985EC4}  
TERM.....WOUND DISCHARGE CHARACTERISTICS CLOUDY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS NONE

-----  
ABBREVIATION.....WOU DI NON  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Wound Discharge Characteristics None  
ID.....{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}  
TERM.....WOUND DISCHARGE CHARACTERISTICS NONE

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS PURULENT

-----  
ABBREVIATION.....WOU DI PUR  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics  
                  Purulent  
DISPLAY\_NAME.....Purulent  
HELP\_TEXT.....Wound Discharge Characteristics  
                  Purulent  
ID.....{C1E10410-B6D8-4429-BD94-0B179992EAAB}  
TERM.....WOUND DISCHARGE CHARACTERISTICS  
                  PURULENT

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS

-----  
ABBREVIATION.....WOU DI SSA  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics  
                  Serosanguinous  
DISPLAY\_NAME.....Serosanguinous  
HELP\_TEXT.....Wound Discharge Characteristics  
                  Serosanguinous  
ID.....{B431D8EF-5B53-4DCF-A390-431EB5ED3704}  
TERM.....WOUND DISCHARGE CHARACTERISTICS  
                  SEROSANGUINOUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROUS

-----  
ABBREVIATION.....WOU DI SER  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics Serous  
DISPLAY\_NAME.....Serous  
HELP\_TEXT.....Wound Discharge Characteristics Serous  
ID.....{2124005E-5C36-48AC-AA6B-03E06510D70A}  
TERM.....WOUND DISCHARGE CHARACTERISTICS SEROUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS VISCOUS

-----  
ABBREVIATION.....WOU DI VIS  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics Viscous  
DISPLAY\_NAME.....Viscous  
HELP\_TEXT.....Wound Discharge Characteristics Viscous  
ID.....{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}  
TERM.....WOUND DISCHARGE CHARACTERISTICS VISCOUS

DATA VALUE: WOUND DRAINAGE AMOUNT HEAVY

-----  
ABBREVIATION.....W DR A HEA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heavy  
HELP\_TEXT.....No Help-Text  
ID.....{BF959172-6672-4FEB-8FB7-0568405F3C83}  
TERM.....WOUND DRAINAGE AMOUNT HEAVY

DATA VALUE: WOUND DRAINAGE AMOUNT MODERATE

-----  
ABBREVIATION.....W DR A MOD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Moderate  
HELP\_TEXT.....No Help-Text  
ID.....{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}  
TERM.....WOUND DRAINAGE AMOUNT MODERATE

DATA VALUE: WOUND DRAINAGE AMOUNT NONE

-----  
ABBREVIATION.....WOU DR A N  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help-Text  
ID.....{92910398-311F-D4D7-8BD5-AB66C3DC5E72}  
TERM.....WOUND DRAINAGE AMOUNT NONE

DATA VALUE: WOUND DRAINAGE AMOUNT SCANT

-----  
ABBREVIATION.....W DR SCANT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Scant  
HELP\_TEXT.....No Help-Text  
ID.....{9C3CD0BD-F960-4098-B14C-17B20703B242}  
TERM.....WOUND DRAINAGE AMOUNT SCANT

DATA VALUE: WOUND DRAINAGE AMOUNT SMALL

-----  
ABBREVIATION.....W DR A SMA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Small  
HELP\_TEXT.....No Help-Text  
ID.....{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}  
TERM.....WOUND DRAINAGE AMOUNT SMALL

DATA VALUE: WOUND DRESSING TYPE ANTIMICROBIAL

-----  
ABBREVIATION.....WOU DR ANT  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Antimicrobial  
HELP\_TEXT.....No Help Text  
ID.....{9DAE650A-3D5C-498B-BC74-F3CE77CD2BA9}  
TERM.....WOUND DRESSING TYPE ANTIMICROBIAL

DATA VALUE: WOUND DRESSING TYPE CALCIUM ALGINATE

-----  
ABBREVIATION.....WOU DR CAL  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Calcium Alginate  
HELP\_TEXT.....No Help Text  
ID.....{AA084ED8-07D0-4D8A-84D1-51F025246F40}  
TERM.....WOUND DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: WOUND DRESSING TYPE GAUZE

-----  
ABBREVIATION.....WOU DR GAU  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gauze  
HELP\_TEXT.....No Help Text  
ID.....{A2EE67E2-B006-413F-8F8A-E02C21A39FC1}  
TERM.....WOUND DRESSING TYPE GAUZE

DATA VALUE: WOUND DRESSING TYPE GAUZE PACKING

-----  
ABBREVIATION.....WOU DR GPA  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gauze Packing  
HELP\_TEXT.....No Help Text  
ID.....{ED06B435-B205-4BD2-B3D1-795C40EE016F}  
TERM.....WOUND DRESSING TYPE GAUZE PACKING

DATA VALUE: WOUND DRESSING TYPE GAUZE WRAP

-----  
ABBREVIATION.....WOU DR GWR  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gauze Wrap  
HELP\_TEXT.....No Help Text  
ID.....{4257C446-7627-4632-8507-B5880AD934D5}  
TERM.....WOUND DRESSING TYPE GAUZE WRAP

DATA VALUE: WOUND DRESSING TYPE HYDROCOLLOIDAL

-----  
ABBREVIATION.....WOU DR HYD  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hydrocolloidal  
HELP\_TEXT.....No Help Text  
ID.....{8C20226C-FC6A-49A0-9A72-06876DB1F203}  
TERM.....WOUND DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: WOUND DRESSING TYPE HYDROGEL

-----  
ABBREVIATION.....WOU DR HYD  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hydrogel  
HELP\_TEXT.....No Help Text  
ID.....{60DDE603-9FF1-44FA-BC4D-45AA8753E254}  
TERM.....WOUND DRESSING TYPE HYDROGEL

DATA VALUE: WOUND DRESSING TYPE NONE

-----  
ABBREVIATION.....WOU DR NON  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help Text  
ID.....{8A58A493-A02C-4570-9786-9F5AF8D02360}  
TERM.....WOUND DRESSING TYPE NONE

DATA VALUE: WOUND DRESSING TYPE PRESSURE

-----  
ABBREVIATION.....WOU DR PRE  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure  
HELP\_TEXT.....No Help Text  
ID.....{520952E4-FB31-4C1C-9FE2-A10E0F1CEE00}  
TERM.....WOUND DRESSING TYPE PRESSURE

DATA VALUE: WOUND DRESSING TYPE TRANSPARENT

-----  
ABBREVIATION.....WOU DR TRA  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transparent  
HELP\_TEXT.....No Help Text  
ID.....{EA57D935-33D8-4F30-8511-706870A27122}  
TERM.....WOUND DRESSING TYPE TRANSPARENT

DATA VALUE: WOUND EDGE INDISTINCT/ATTACHED

-----  
ABBREVIATION.....WOU ED IND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Indistinct, Attached  
HELP\_TEXT.....No Help-Text  
ID.....{C899235C-4A07-4420-92BC-8F818B8E0A7F}  
TERM.....WOUND EDGE INDISTINCT/ATTACHED

DATA VALUE: WOUND EDGE NON-ATTACHED

-----  
ABBREVIATION.....WOU ED NON  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Non Attached  
DISPLAY\_NAME.....Non-Attached  
HELP\_TEXT.....Wound Edge Non Attached  
ID.....{1D5C1317-B4FF-421C-96A0-C20C1089E672}  
TERM.....WOUND EDGE NON-ATTACHED

DATA VALUE: WOUND EDGE ROLLED

-----  
ABBREVIATION.....WOU ED ROL  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Rolled  
DISPLAY\_NAME.....Rolled  
HELP\_TEXT.....Wound Edge Rolled  
ID.....{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}  
TERM.....WOUND EDGE ROLLED

DATA VALUE: WOUND EDGE TUNNELING

-----  
ABBREVIATION.....WOU ED TUN  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Tunneling  
DISPLAY\_NAME.....Tunneling  
HELP\_TEXT.....Wound Edge Tunneling  
ID.....{97425206-5261-46C1-905F-E03E2F071381}  
TERM.....WOUND EDGE TUNNELING

DATA VALUE: WOUND EDGE UNDERMINING

-----  
ABBREVIATION.....WOU ED UND  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Undermining  
DISPLAY\_NAME.....Undermining  
HELP\_TEXT.....Wound Edge Undermining  
ID.....{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}  
TERM.....WOUND EDGE UNDERMINING

DATA VALUE: WOUND ODOR FOUL

-----  
ABBREVIATION.....WOU OD FOU  
ACTIVE.....Yes  
DESCRIPTION.....Wound Odor Foul  
DISPLAY\_NAME.....Foul  
HELP\_TEXT.....Wound Odor Foul  
ID.....{99A74112-EA71-4896-A4DD-911379E5B453}  
TERM.....WOUND ODOR FOUL

DATA VALUE: WOUND ODOR NONE

-----  
ABBREVIATION.....WOU OD NON  
ACTIVE.....Yes  
DESCRIPTION.....Wound Odor None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Wound Odor None  
ID.....{D2E388F7-B531-4D60-A2BE-830F11B9AA75}  
TERM.....WOUND ODOR NONE

DATA VALUE: WOUND VAC DEVICE

-----  
ABBREVIATION.....WOUND VAC  
ACTIVE.....Yes  
DESCRIPTION.....Wound Vac Device  
DISPLAY\_NAME.....Wound Vac Device  
HELP\_TEXT.....No Help Text  
ID.....{A03F4978-969D-DCB8-DCE2-26EB33F097B3}  
TERM.....WOUND VAC DEVICE

DATA VALUE: X-RAY

-----  
ABBREVIATION.....X-RAY  
ACTIVE.....Yes  
DESCRIPTION.....X-Ray  
DISPLAY\_NAME.....X-Ray  
HELP\_TEXT.....X-Ray  
ID.....{C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}  
TERM.....X-RAY

DATA VALUE: XENADERM

-----  
ABBREVIATION.....XENADERM  
ACTIVE.....Yes  
DESCRIPTION.....Xenaderm  
DISPLAY\_NAME.....Xenaderm  
HELP\_TEXT.....No Help Text  
ID.....{F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}  
TERM.....XENADERM

DATA VALUE: XEROFORM

-----  
ABBREVIATION.....XEROFORM  
ACTIVE.....Yes  
DESCRIPTION.....Xeroform  
DISPLAY\_NAME.....Xeroform  
HELP\_TEXT.....No Help Text  
ID.....{7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}  
TERM.....XEROFORM

DATA VALUE: YELLOW

-----  
ABBREVIATION.....YELLOW  
ACTIVE.....Yes  
DESCRIPTION.....The color yellow  
DISPLAY\_NAME.....Yellow  
HELP\_TEXT.....No Help Text  
ID.....{90DC31AD-6211-9F25-4237-79F7122A2763}  
TERM.....YELLOW

DATA VALUE: YELLOW/FIBRINOUS

-----  
ABBREVIATION.....YELLOW/FIB  
ACTIVE.....Yes  
DESCRIPTION.....Yellow / Fibrinous  
DISPLAY\_NAME.....Yellow / Fibrinous  
HELP\_TEXT.....No Help Text  
ID.....{47CF52FE-0374-4690-ADA1-643E0954E035}  
TERM.....YELLOW/FIBRINOUS

DATA VALUE: YELLOW/GREEN

-----  
ABBREVIATION.....YELLOW/GRN  
ACTIVE.....Yes  
DESCRIPTION.....Yellow/Green in appearance  
DISPLAY\_NAME.....Yellow / Green  
HELP\_TEXT.....No Help Text  
ID.....{1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}  
TERM.....YELLOW/GREEN

DATA VALUE: YES

-----  
ABBREVIATION.....y  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Yes  
HELP\_TEXT.....No Help Text  
ID.....{483DE806-2EDB-34B0-FE11-C29EEEE649CD}  
TERM.....YES

DATA VALUE: pH

-----  
ABBREVIATION.....pH  
ACTIVE.....Yes  
DESCRIPTION.....pH  
DISPLAY\_NAME.....pH  
HELP\_TEXT.....pH  
ID.....{104FE39C-B0A2-40B5-A523-B11E5F2BA272}  
TERM.....pH



DATA VALUE: {8BC7F294-7126-4843-91A0-14F805EC4578}

-----  
ABBREVIATION.....Morphine  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Morphine  
HELP\_TEXT.....  
ID.....{8BC7F294-7126-4843-91A0-14F805EC4578}  
TERM.....{8BC7F294-7126-4843-91A0-14F805EC4578}

LOCATION: ABDOMEN

-----

ABBREVIATION.....ABDOMEN  
ACTIVE.....Yes  
DESCRIPTION.....ABDOMEN  
DISPLAY\_NAME.....Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{109FE041-2521-6EF2-7F95-1FD1587796AB}  
TERM.....ABDOMEN

LOCATION: ABDOMEN LLQ

-----

ABBREVIATION.....ABD LLQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Left Lower Quarter  
DISPLAY\_NAME.....Abdomen Left Lower Quarter  
HELP\_TEXT.....No Help Text  
ID.....{39831F59-D7B0-4156-AC57-4C622A93CA58}  
TERM.....ABDOMEN LLQ

LOCATION: ABDOMEN LUQ

-----

ABBREVIATION.....ABD LUQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Left Upper Quarter  
DISPLAY\_NAME.....Abdomen Left Upper Quarter  
HELP\_TEXT.....No Help Text  
ID.....{3B31E1EC-CE74-4C76-BB61-10C678431FCA}  
TERM.....ABDOMEN LUQ

LOCATION: ABDOMEN RLQ

-----

ABBREVIATION.....ABD RLQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Right Lower Quarter  
DISPLAY\_NAME.....Abdomen Right Lower Quarter  
HELP\_TEXT.....No Help Text  
ID.....{2C48394F-6877-4738-856C-E933644D8067}  
TERM.....ABDOMEN RLQ

LOCATION: ABDOMEN RUQ

-----

ABBREVIATION.....ABD RUQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Right Upper Quarter  
DISPLAY\_NAME.....Abdomen Right Upper Quarter  
HELP\_TEXT.....No Help Text  
ID.....{F29C9FA1-717A-49B7-8000-95070E9AACA0}  
TERM.....ABDOMEN RUQ

LOCATION: ABDOMINAL

-----  
ABBREVIATION.....Abd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Abdominal  
HELP\_TEXT.....No Help Text  
ID.....{AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}  
TERM.....ABDOMINAL

LOCATION: ABDOMINAL AORTA

-----  
ABBREVIATION.....ABD AORTA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Abdominal Aorta  
HELP\_TEXT.....No Help Text  
ID.....{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}  
TERM.....ABDOMINAL AORTA

LOCATION: ANKLE

-----  
ABBREVIATION.....Ank  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ankle  
HELP\_TEXT.....No Help Text  
ID.....{F2A2CF53-BFA5-9279-DB22-EA2627988E5B}  
TERM.....ANKLE

LOCATION: APICAL

-----  
ABBREVIATION.....Ap  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Apical  
HELP\_TEXT.....No Help Text  
ID.....{C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}  
TERM.....APICAL

LOCATION: AV FISTULA

-----  
ABBREVIATION.....AVF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AV Fistula  
HELP\_TEXT.....No Help Text  
ID.....{F977EEF6-EA6A-D56D-D1F7-29B91510A02F}  
TERM.....AV FISTULA

LOCATION: AXILLARY

-----  
ABBREVIATION.....Ax  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Axillary  
HELP\_TEXT.....No Help Text  
ID.....{135AA5F4-A1C7-978D-E9AB-6873841AEB57}  
TERM.....AXILLARY

LOCATION: BACK

-----  
ABBREVIATION.....BACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Back  
HELP\_TEXT.....No Help Text  
ID.....{22C26239-C692-4E93-B522-E5E8392BA3B1}  
TERM.....BACK

LOCATION: BILATERAL ANKLES

-----  
ABBREVIATION.....BILA ANKLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral Ankles  
HELP\_TEXT.....No Help-Text  
ID.....{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}  
TERM.....BILATERAL ANKLES

LOCATION: BILATERAL FOOT

-----  
ABBREVIATION.....BILAT FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{C758847D-468F-479A-B12D-F4E46F0E5E3A}  
TERM.....BILATERAL FOOT

LOCATION: BILATERAL HAND

-----  
ABBREVIATION.....BILAT HAND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{C782FE56-6117-493F-847F-83173407F0B5}  
TERM.....BILATERAL HAND

LOCATION: BILATERAL LEG

-----  
ABBREVIATION.....BILAT LEG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{0713761D-E0FC-DA03-02A1-F20EFEB99F45}  
TERM.....BILATERAL LEG

LOCATION: BILATERAL NECK

-----  
ABBREVIATION.....BILAT NECK  
ACTIVE.....Yes  
DESCRIPTION.....Bilateral Neck  
DISPLAY\_NAME.....Bilateral Neck  
HELP\_TEXT.....No Help Text  
ID.....{744BF4A2-C55E-4D55-8711-58700DD1C446}  
TERM.....BILATERAL NECK

LOCATION: BILATERAL PERIPHERALS

-----  
ABBREVIATION.....BILAT PERI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral Peripherals  
HELP\_TEXT.....No Help Text  
ID.....{7F134529-36C5-E9D4-ABD5-64B404F9E706}  
TERM.....BILATERAL PERIPHERALS

LOCATION: BILATERAL WRIST

-----  
ABBREVIATION.....BILAT WRIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}  
TERM.....BILATERAL WRIST

LOCATION: BLADDER

-----  
ABBREVIATION.....BLADDER  
ACTIVE.....Yes  
DESCRIPTION.....Bladder  
DISPLAY\_NAME.....Bladder  
HELP\_TEXT.....Bladder  
ID.....{18E083F2-C4BB-407E-B0A3-20C4942FC97F}  
TERM.....BLADDER

LOCATION: BOTH ARMS

-----  
ABBREVIATION.....BOTH ARMS  
ACTIVE.....Yes  
DESCRIPTION.....Both Arms  
DISPLAY\_NAME.....Both Arms  
HELP\_TEXT.....No Help Text  
ID.....{A493AB32-9DE9-40AC-8C46-7EFF395B63B5}  
TERM.....BOTH ARMS

LOCATION: BOTH EYES

-----  
ABBREVIATION.....Both Eyes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Both Eyes  
HELP\_TEXT.....  
ID.....{FF0ED136-502C-4CC9-94D0-991A50D738A0}  
TERM.....BOTH EYES

LOCATION: BOTH HANDS

-----  
ABBREVIATION.....BOTH HANDS  
ACTIVE.....Yes  
DESCRIPTION.....Both Hands  
DISPLAY\_NAME.....Both Hands  
HELP\_TEXT.....No Help Text  
ID.....{63AA2685-CB1D-4680-B2F4-2199A22D1EC6}  
TERM.....BOTH HANDS

LOCATION: BOTH LEGS

-----  
ABBREVIATION.....BOTH LEGS  
ACTIVE.....Yes  
DESCRIPTION.....Both Legs  
DISPLAY\_NAME.....Both Legs  
HELP\_TEXT.....No Help Text  
ID.....{5A15A231-4695-4CF3-AD0F-2E7950208967}  
TERM.....BOTH LEGS

LOCATION: BRACHIAL

-----  
ABBREVIATION.....Bra  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Brachial  
HELP\_TEXT.....No Help Text  
ID.....{67426127-09E1-E566-F31E-15714A5B2B7C}  
TERM.....BRACHIAL

LOCATION: CALF

-----  
ABBREVIATION.....Clf  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Calf  
HELP\_TEXT.....No Help Text  
ID.....{7923E496-90D6-B6D5-726A-A5B8DF3436CF}  
TERM.....CALF

LOCATION: CAROTID

-----  
ABBREVIATION.....Car  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Carotid  
HELP\_TEXT.....No Help Text  
ID.....{9536F203-1797-9336-6F69-604249E1B3A0}  
TERM.....CAROTID

LOCATION: CHEST

-----  
ABBREVIATION.....CHEST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Chest  
HELP\_TEXT.....No Help Text  
ID.....{8C3C30FE-6E06-C35E-8226-CBF0C94014CC}  
TERM.....CHEST

LOCATION: COCCYX

-----  
ABBREVIATION.....COCCYX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Coccyx  
HELP\_TEXT.....No Help Text  
ID.....{49D65E9D-3D5B-40E3-B7CF-1003F80B852C}  
TERM.....COCCYX

LOCATION: CORE

-----  
ABBREVIATION.....C  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Core  
HELP\_TEXT.....No Help Text  
ID.....{5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}  
TERM.....CORE

LOCATION: DONOR SITE

-----  
ABBREVIATION.....DONOR SITE  
ACTIVE.....Yes  
DESCRIPTION.....Donor Site  
DISPLAY\_NAME.....Donor Site  
HELP\_TEXT.....No Help Text  
ID.....{F0A65974-7650-4A4B-AC88-0945E37A0AD2}  
TERM.....DONOR SITE

LOCATION: DORSALIS PEDIS

-----  
ABBREVIATION.....DP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dorsalis Pedis  
HELP\_TEXT.....No Help Text  
ID.....{9657D743-1632-2044-B4C5-9EF291A2F6D0}  
TERM.....DORSALIS PEDIS

LOCATION: FACE

-----  
ABBREVIATION.....FACE  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S FACE  
DISPLAY\_NAME.....Face  
HELP\_TEXT.....No Help Text  
ID.....{C638EA14-7903-6A94-496A-C6560D51BEE3}  
TERM.....FACE

LOCATION: FEET

-----  
ABBREVIATION.....FEET  
ACTIVE.....Yes  
DESCRIPTION.....BOTH OF PATIENT'S FEET  
DISPLAY\_NAME.....Feet  
HELP\_TEXT.....No Help Text  
ID.....{944CAA0E-5165-A6AF-BE3D-85455440BF40}  
TERM.....FEET

LOCATION: FEMORAL

-----  
ABBREVIATION.....Fem  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Femoral  
HELP\_TEXT.....No Help Text  
ID.....{E3442C9E-8677-7296-D314-7365319C3716}  
TERM.....FEMORAL



LOCATION: FOREHEAD

-----  
ABBREVIATION.....FOREHEAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Forehead  
HELP\_TEXT.....No Help Text  
ID.....{5F892722-956E-474C-BA08-4074142D49F6}  
TERM.....FOREHEAD

LOCATION: FRONTAL

-----  
ABBREVIATION.....FRONTAL  
ACTIVE.....Yes  
DESCRIPTION.....Frontal  
DISPLAY\_NAME.....Frontal  
HELP\_TEXT.....No Help Text  
ID.....{CF8F7565-13BF-4180-A222-44FFFA06992A}  
TERM.....FRONTAL

LOCATION: GASTROINTESTINAL

-----  
ABBREVIATION.....GI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....GI  
HELP\_TEXT.....No Help Text  
ID.....{C27C66DB-3A6A-487E-9981-FA7FD323C0C3}  
TERM.....GASTROINTESTINAL

LOCATION: GENERAL UMBILICUS

-----  
ABBREVIATION.....GEN UMBILI  
ACTIVE.....Yes  
DESCRIPTION.....General Umbilicus  
DISPLAY\_NAME.....General Umbilicus  
HELP\_TEXT.....General Umbilicus  
ID.....{34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}  
TERM.....GENERAL UMBILICUS

LOCATION: GENERALIZED

-----  
ABBREVIATION.....GENERIZED  
ACTIVE.....Yes  
DESCRIPTION.....TERM DESCRIBES GENERAL OBSERVATIONS  
                  OF PATIENT'S ENTIRE BODY  
DISPLAY\_NAME.....Generalized  
HELP\_TEXT.....No Help Text  
ID.....{17073C6C-8691-CADC-2238-CBAAB0A5C648}  
TERM.....GENERALIZED

LOCATION: GENITALS

-----  
ABBREVIATION.....GENITALS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Genitals  
HELP\_TEXT.....No Help Text  
ID.....{83437106-3336-4925-92C8-F959561687FC}  
TERM.....GENITALS

LOCATION: HEAD

-----  
ABBREVIATION.....Hd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Head  
HELP\_TEXT.....No Help Text  
ID.....{C3209F44-90C6-FF1B-3169-265B294F276A}  
TERM.....HEAD

LOCATION: HEAD OCCIPITAL

-----  
ABBREVIATION.....HEAD OCCIP  
ACTIVE.....Yes  
DESCRIPTION.....Head Occipital  
DISPLAY\_NAME.....Head Occipital  
HELP\_TEXT.....No Help Text  
ID.....{2066CA47-5A16-447F-9919-24ED435B627F}  
TERM.....HEAD OCCIPITAL

LOCATION: HEART

-----  
ABBREVIATION.....HEART  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heart  
HELP\_TEXT.....No Help Text  
ID.....{F7D48A36-B512-42DD-B92F-07ACF2B95E08}  
TERM.....HEART

LOCATION: HIP

-----  
ABBREVIATION.....Hip  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hip  
HELP\_TEXT.....No Help Text  
ID.....{D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}  
TERM.....HIP

LOCATION: INCISIONAL SITE

-----  
ABBREVIATION.....INCISON SI  
ACTIVE.....Yes  
DESCRIPTION.....Incisional Site  
DISPLAY\_NAME.....Incisional Site  
HELP\_TEXT.....No Help Text  
ID.....{EB36A66D-751D-4031-9F68-0BB03E267321}  
TERM.....INCISIONAL SITE

LOCATION: KNEE

-----  
ABBREVIATION.....Kn  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Knee  
HELP\_TEXT.....No Help Text  
ID.....{B577308A-4C37-47BD-AD84-38E6342B6DF7}  
TERM.....KNEE

LOCATION: KNEES

-----  
ABBREVIATION.....KNEES  
ACTIVE.....Yes  
DESCRIPTION.....BOTH OF PATIENT'S KNEES  
DISPLAY\_NAME.....Knees  
HELP\_TEXT.....No Help Text  
ID.....{247D6621-3A85-F1F7-59BF-1FB0361B3C21}  
TERM.....KNEES

LOCATION: L ABDOMEN

-----  
ABBREVIATION.....L ABDOMEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{46B37481-4105-492D-96F0-E2D3895379C1}  
TERM.....L ABDOMEN

LOCATION: L ANKLE

-----  
ABBREVIATION.....L ANKLE  
ACTIVE.....Yes  
DESCRIPTION.....Left Ankle  
DISPLAY\_NAME.....L Ankle  
HELP\_TEXT.....No Help Text  
ID.....{D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}  
TERM.....L ANKLE

LOCATION: L ANTECUBITAL

-----  
ABBREVIATION.....L ANTECUBI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Antecubital  
HELP\_TEXT.....No Help Text  
ID.....{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}  
TERM.....L ANTECUBITAL

LOCATION: L ARM

-----  
ABBREVIATION.....LA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Arm  
HELP\_TEXT.....No Help Text  
ID.....{567F552F-54B5-A8BB-596F-291001746E31}  
TERM.....L ARM

LOCATION: L AXILLARY

-----  
ABBREVIATION.....L AXILLARY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Axillary  
HELP\_TEXT.....No Help Text  
ID.....{21AF62CA-BEED-2A96-2CD6-F2350A01995E}  
TERM.....L AXILLARY

LOCATION: L BRACHIAL

-----  
ABBREVIATION.....L BRACH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Brachial  
HELP\_TEXT.....No Help Text  
ID.....{75F6CE33-1AB3-A1DA-70B8-04825290B577}  
TERM.....L BRACHIAL

LOCATION: L CALF

-----  
ABBREVIATION.....L CALF  
ACTIVE.....Yes  
DESCRIPTION.....Left Calf  
DISPLAY\_NAME.....L Calf  
HELP\_TEXT.....No Help Text  
ID.....{3DAA7817-936B-444F-8A2D-D3AB09144C10}  
TERM.....L CALF

LOCATION: L CAROTID

-----  
ABBREVIATION.....L CAROTID  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Carotid  
HELP\_TEXT.....No Help Text  
ID.....{FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}  
TERM.....L CAROTID

LOCATION: L CHEST

-----  
ABBREVIATION.....L CHEST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Left Chest  
HELP\_TEXT.....No Help Text  
ID.....{E332E497-FE0C-47CB-A0A7-217FBF52DC97}  
TERM.....L CHEST

LOCATION: L DORSALIS PEDIS

-----  
ABBREVIATION.....L DOR PED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Dorsalis Pedis  
HELP\_TEXT.....No Help Text  
ID.....{389397B5-2863-B8F2-A779-C38433894A19}  
TERM.....L DORSALIS PEDIS

LOCATION: L EAR

-----  
ABBREVIATION.....L EAR  
ACTIVE.....Yes  
DESCRIPTION.....Left Ear  
DISPLAY\_NAME.....L Ear  
HELP\_TEXT.....No Help Text  
ID.....{DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}  
TERM.....L EAR

LOCATION: L ELBOW

-----  
ABBREVIATION.....L ELBOW  
ACTIVE.....Yes  
DESCRIPTION.....Left Elbow  
DISPLAY\_NAME.....L Elbow  
HELP\_TEXT.....No Help Text  
ID.....{BF4317E7-2024-47EF-9E5F-3D21D0547885}  
TERM.....L ELBOW

LOCATION: L EXTERNAL JUGULAR

-----  
ABBREVIATION.....L EXT JUGU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L External Jugular  
HELP\_TEXT.....No Help Text  
ID.....{6F7B331B-4F83-0B79-1755-F6F673D647D6}  
TERM.....L EXTERNAL JUGULAR

LOCATION: L EYE

-----  
ABBREVIATION.....L EYE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Eye  
HELP\_TEXT.....No Help Text  
ID.....{D714A0CA-EAD6-EC35-DA54-FF027C23FF45}  
TERM.....L EYE

LOCATION: L FACE

-----  
ABBREVIATION.....L FACE  
ACTIVE.....Yes  
DESCRIPTION.....LEFT SIDE OF PATIENT'S FACE  
DISPLAY\_NAME.....L Face  
HELP\_TEXT.....No Help Text  
ID.....{06F00A70-F475-CD40-665D-AF0569A1E75F}  
TERM.....L FACE

LOCATION: L FEMORAL

-----  
ABBREVIATION.....L FEM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Femoral  
HELP\_TEXT.....No Help Text  
ID.....{50AF6A08-CE37-6859-F4E6-762660A982F7}  
TERM.....L FEMORAL

LOCATION: L FINGER

-----  
ABBREVIATION.....L FINGER  
ACTIVE.....Yes  
DESCRIPTION.....Left Finger  
DISPLAY\_NAME.....L Finger  
HELP\_TEXT.....No Help Text  
ID.....{BB825645-1630-498C-A31B-6728D422EEFC}  
TERM.....L FINGER

LOCATION: L FLANK

-----  
ABBREVIATION.....L FLANK  
ACTIVE.....Yes  
DESCRIPTION.....Left Flank  
DISPLAY\_NAME.....L Flank  
HELP\_TEXT.....No Help Text  
ID.....{6E453E8D-B456-4BFD-A015-F9C013830F30}  
TERM.....L FLANK

LOCATION: L FOOT

-----  
ABBREVIATION.....L FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Foot  
HELP\_TEXT.....No Help Text  
ID.....{2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
TERM.....L FOOT

LOCATION: L GLUTEUS

-----  
ABBREVIATION.....L GLUTEUS  
ACTIVE.....Yes  
DESCRIPTION.....Left Gluteus  
DISPLAY\_NAME.....L Gluteus  
HELP\_TEXT.....No Help Text  
ID.....{88C4E547-04CD-4D52-9416-CAEB6D898D21}  
TERM.....L GLUTEUS

LOCATION: L GROIN

-----  
ABBREVIATION.....L GROIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Groin  
HELP\_TEXT.....No Help Text  
ID.....{5488E4EE-C1A2-4B02-8763-A53C412117A7}  
TERM.....L GROIN

LOCATION: L HAND

-----  
ABBREVIATION.....L HAND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Hand  
HELP\_TEXT.....No Help Text  
ID.....{639DF25A-19E3-B504-D323-4B3F6ED39A24}  
TERM.....L HAND

LOCATION: L HEAD

-----  
ABBREVIATION.....L HEAD  
ACTIVE.....Yes  
DESCRIPTION.....Left Head  
DISPLAY\_NAME.....L Head  
HELP\_TEXT.....No Help Text  
ID.....{3737DC2D-DC9E-4FC8-839D-0355987B62D1}  
TERM.....L HEAD

LOCATION: L HEEL

-----  
ABBREVIATION.....L HEEL  
ACTIVE.....Yes  
DESCRIPTION.....Left Heel  
DISPLAY\_NAME.....L Heel  
HELP\_TEXT.....No Help Text  
ID.....{C9154881-17C7-4921-A0EE-BFB962C59CEF}  
TERM.....L HEEL

LOCATION: L HIP

-----  
ABBREVIATION.....L HIP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Hip  
HELP\_TEXT.....No Help Text  
ID.....{786CD881-27AD-4136-B9CC-8423CB38A431}  
TERM.....L HIP

LOCATION: L INGUINAL

-----  
ABBREVIATION.....L INGUINAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Inguinal  
DISPLAY\_NAME.....L Inguinal  
HELP\_TEXT.....No Help Text  
ID.....{627D172E-8F33-48C9-BE89-D036E07D46BF}  
TERM.....L INGUINAL

LOCATION: L INNER KNEE

-----  
ABBREVIATION.....L INN KNEE  
ACTIVE.....Yes  
DESCRIPTION.....Left Inner Knee  
DISPLAY\_NAME.....L Inner Knee  
HELP\_TEXT.....No Help Text  
ID.....{79853581-CCF0-49E9-9D91-D16DE02A836D}  
TERM.....L INNER KNEE



LOCATION: L INTERNAL JUGULAR

---

ABBREVIATION.....L INT JUG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Internal Jugular  
HELP\_TEXT.....No Help Text  
ID.....{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}  
TERM.....L INTERNAL JUGULAR

LOCATION: L ISCHIAL

---

ABBREVIATION.....L ISCHIAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Ischial  
DISPLAY\_NAME.....L Ischial  
HELP\_TEXT.....No Help Text  
ID.....{DCDAD741-9599-4479-9D55-3279F800DBE6}  
TERM.....L ISCHIAL

LOCATION: L JAW

---

ABBREVIATION.....L JAW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Jaw  
HELP\_TEXT.....No Help Text  
ID.....{65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}  
TERM.....L JAW

LOCATION: L KNEE

---

ABBREVIATION.....L KNEE  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S LEFT KNEE  
DISPLAY\_NAME.....L Knee  
HELP\_TEXT.....No Help Text  
ID.....{3A9E30B4-09A9-967A-58EF-69A01EC4F859}  
TERM.....L KNEE

LOCATION: L LATERAL HEEL

---

ABBREVIATION.....L LAT HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Lateral Heel  
HELP\_TEXT.....No Help Text  
ID.....{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}  
TERM.....L LATERAL HEEL

LOCATION: L LATERAL MALLEOLUS

-----  
ABBREVIATION.....L LAT MALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Lateral Malleolus  
HELP\_TEXT.....No Help Text  
ID.....{9A523B7C-64DD-4E47-9543-165788108D4C}  
TERM.....L LATERAL MALLEOLUS

LOCATION: L LEG

-----  
ABBREVIATION.....LL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Leg  
HELP\_TEXT.....No Help Text  
ID.....{B088C809-E528-B785-21C2-14E45E1FD8AF}  
TERM.....L LEG

LOCATION: L LOWER ANTERIOR CHEST

-----  
ABBREVIATION.....L L A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Lower Anterior Chest  
DISPLAY\_NAME.....L Low. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}  
TERM.....L LOWER ANTERIOR CHEST

LOCATION: L LOWER ARM

-----  
ABBREVIATION.....L LOW ARM  
ACTIVE.....Yes  
DESCRIPTION.....Left Lower Arm  
DISPLAY\_NAME.....L Lower Arm  
HELP\_TEXT.....No Help Text  
ID.....{63AA95E8-256D-4390-8CB3-F00A1B3F91CD}  
TERM.....L LOWER ARM

LOCATION: L LOWER EXTREMITY

-----  
ABBREVIATION.....LLEX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Lower Extremity  
HELP\_TEXT.....No Help Text  
ID.....{FC6F5056-779A-BF76-86D0-A237936C1ECC}  
TERM.....L LOWER EXTREMITY

LOCATION: L LOWER LEG

-----  
ABBREVIATION.....L LOW LEG  
ACTIVE.....Yes  
DESCRIPTION.....Left Lower Leg  
DISPLAY\_NAME.....L Lower Leg  
HELP\_TEXT.....No Help Text  
ID.....{7B8E92FA-E065-4D06-9FB6-4234656CFD61}  
TERM.....L LOWER LEG

LOCATION: L LOWER LIMB

-----  
ABBREVIATION.....LLLI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Lower Limb  
HELP\_TEXT.....No Help Text  
ID.....{4838CB05-A1DD-F4FB-587C-2D0C17A2484E}  
TERM.....L LOWER LIMB

LOCATION: L LOWER POSTERIOR CHEST

-----  
ABBREVIATION.....L L P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Lower Posterior Chest  
DISPLAY\_NAME.....L Low. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{2C19F10B-7546-4A1F-A5DC-3867359ED971}  
TERM.....L LOWER POSTERIOR CHEST

LOCATION: L MANDIBULAR

-----  
ABBREVIATION.....L MANDIBUL  
ACTIVE.....Yes  
DESCRIPTION.....Left Mandibular  
DISPLAY\_NAME.....L Mandibular  
HELP\_TEXT.....No Help Text  
ID.....{CB9DB373-5F0A-446B-909F-F76392CB3A04}  
TERM.....L MANDIBULAR

LOCATION: L MEDIAL HEEL

-----  
ABBREVIATION.....L MED HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Medial Heel  
HELP\_TEXT.....No Help Text  
ID.....{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}  
TERM.....L MEDIAL HEEL

LOCATION: L MEDIAL MALLEOLUS

-----  
ABBREVIATION.....L MED MALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Medial Malleolus  
HELP\_TEXT.....No Help Text  
ID.....{330E7682-407F-43CD-84FC-1CDA41F08C68}  
TERM.....L MEDIAL MALLEOLUS

LOCATION: L MIDDLE ANTERIOR CHEST

-----  
ABBREVIATION.....L M A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Middle Anterior Chest  
DISPLAY\_NAME.....L Mid. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{36A83F77-117E-474B-AE34-0B2C02E131AE}  
TERM.....L MIDDLE ANTERIOR CHEST

LOCATION: L MIDDLE POSTERIOR CHEST

-----  
ABBREVIATION.....L M P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Middle Posterior Chest  
DISPLAY\_NAME.....L Mid. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}  
TERM.....L MIDDLE POSTERIOR CHEST

LOCATION: L NECK

-----  
ABBREVIATION.....L NECK  
ACTIVE.....Yes  
DESCRIPTION.....Left Neck  
DISPLAY\_NAME.....L Neck  
HELP\_TEXT.....No Help Text  
ID.....{C4EA6279-05E2-4195-A638-3794DCBA7B78}  
TERM.....L NECK

LOCATION: L NOSE

-----  
ABBREVIATION.....L NOSE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Nose  
HELP\_TEXT.....No Help Text  
ID.....{C7707847-5135-4749-B196-002E3E59BB54}  
TERM.....L NOSE

LOCATION: L OCCIPITAL

-----  
ABBREVIATION.....L OCCIPTAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Occipital  
DISPLAY\_NAME.....L Occipital  
HELP\_TEXT.....No Help Text  
ID.....{A4234F41-CD6F-4CE1-9210-316DB847BDE2}  
TERM.....L OCCIPITAL

LOCATION: L ORAL

-----  
ABBREVIATION.....L ORAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Oral  
DISPLAY\_NAME.....L Oral  
HELP\_TEXT.....No Help Text  
ID.....{057B787A-8750-4563-80DB-25110CCC1146}  
TERM.....L ORAL

LOCATION: L ORBIT

-----  
ABBREVIATION.....L ORBIT  
ACTIVE.....Yes  
DESCRIPTION.....Left Orbit  
DISPLAY\_NAME.....L Orbit  
HELP\_TEXT.....No Help Text  
ID.....{1D798E35-5095-4BA0-8F9F-FA96668A5239}  
TERM.....L ORBIT

LOCATION: L OUTER KNEE

-----  
ABBREVIATION.....L OUT KNEE  
ACTIVE.....Yes  
DESCRIPTION.....Left Outer Knee  
DISPLAY\_NAME.....L Outer Knee  
HELP\_TEXT.....No Help Text  
ID.....{B143C935-2687-49C3-9F65-8D69C1775ABC}  
TERM.....L OUTER KNEE

LOCATION: L PARIETAL

-----  
ABBREVIATION.....L PARIETAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Parietal  
DISPLAY\_NAME.....L Parietal  
HELP\_TEXT.....No Help Text  
ID.....{2687ED24-F35E-456C-99C9-F6A8EC4364E0}  
TERM.....L PARIETAL

LOCATION: L PEDAL

-----  
ABBREVIATION.....LEFT PEDAL  
ACTIVE.....Yes  
DESCRIPTION.....L Pedal  
DISPLAY\_NAME.....L Pedal  
HELP\_TEXT.....L Pedal  
ID.....{D84E9953-8C17-3130-8F21-A30D2A99FDE4}  
TERM.....L PEDAL

LOCATION: L POST TIBIAL

-----  
ABBREVIATION.....L PO TIB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Post Tibial  
HELP\_TEXT.....No Help Text  
ID.....{BED130EE-31CC-C7E9-6597-78685BCE91AC}  
TERM.....L POST TIBIAL

LOCATION: L RADIAL

-----  
ABBREVIATION.....L RAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Radial  
HELP\_TEXT.....No Help Text  
ID.....{302F78AD-4067-8B6B-BD15-993EC8561AE6}  
TERM.....L RADIAL

LOCATION: L RIBS

-----  
ABBREVIATION.....L RIBS  
ACTIVE.....Yes  
DESCRIPTION.....Left Ribs  
DISPLAY\_NAME.....L Ribs  
HELP\_TEXT.....No Help Text  
ID.....{BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}  
TERM.....L RIBS

LOCATION: L SCAPULA

-----  
ABBREVIATION.....L SCAPULA  
ACTIVE.....Yes  
DESCRIPTION.....Left Scapula  
DISPLAY\_NAME.....L Scapula  
HELP\_TEXT.....No Help Text  
ID.....{3381EC50-771B-41C8-85C8-6EB0D208D54E}  
TERM.....L SCAPULA

LOCATION: L SHOULDER

-----  
ABBREVIATION.....L SHOULDER  
ACTIVE.....Yes  
DESCRIPTION.....Left Shoulder  
DISPLAY\_NAME.....L Shoulder  
HELP\_TEXT.....No Help Text  
ID.....{91CBD2FA-2743-42EB-946B-6933980D9337}  
TERM.....L SHOULDER

LOCATION: L SUBCLAVIAN

-----  
ABBREVIATION.....L SUBCLAV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Subclavian  
HELP\_TEXT.....No Help Text  
ID.....{71B93594-15F9-AA4A-AEF2-E222EC28C00D}  
TERM.....L SUBCLAVIAN

LOCATION: L TEMPORAL

-----  
ABBREVIATION.....L TEMPO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Temporal  
HELP\_TEXT.....No Help Text  
ID.....{375E65CF-A59E-A1E9-EB6D-D53CD818939E}  
TERM.....L TEMPORAL

LOCATION: L TESTICLE

-----  
ABBREVIATION.....L TESTICLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Left Testicle  
HELP\_TEXT.....No Help Text  
ID.....{1E376539-E89F-4472-8274-CFD11275E11F}  
TERM.....L TESTICLE

LOCATION: L THIGH

-----  
ABBREVIATION.....L THIGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Thigh  
HELP\_TEXT.....No Help Text  
ID.....{16C2312F-1E0E-45E0-B675-160F40C23F57}  
TERM.....L THIGH

LOCATION: L THORACIC ANTERIOR

-----  
ABBREVIATION.....L THOR ANT  
ACTIVE.....Yes  
DESCRIPTION.....Left Thoracic Anterior  
DISPLAY\_NAME.....L Thoracic Anterior  
HELP\_TEXT.....No Help Text  
ID.....{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}  
TERM.....L THORACIC ANTERIOR

LOCATION: L THORACIC LATERAL

-----  
ABBREVIATION.....L THOR LAT  
ACTIVE.....Yes  
DESCRIPTION.....Left Thoracic Lateral  
DISPLAY\_NAME.....L Thoracic Lateral  
HELP\_TEXT.....No Help Text  
ID.....{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}  
TERM.....L THORACIC LATERAL

LOCATION: L THORACIC POSTERIOR

-----  
ABBREVIATION.....L THOR POS  
ACTIVE.....Yes  
DESCRIPTION.....Left Thoracic Posterior  
DISPLAY\_NAME.....L Thoracic Posterior  
HELP\_TEXT.....No Help Text  
ID.....{68E3381F-7605-4786-85A8-523D215A2B97}  
TERM.....L THORACIC POSTERIOR

LOCATION: L THORACOTOMY

-----  
ABBREVIATION.....L THORACOT  
ACTIVE.....Yes  
DESCRIPTION.....Left Thoracotomy  
DISPLAY\_NAME.....L Thoracotomy  
HELP\_TEXT.....No Help Text  
ID.....{313C11A1-559A-4F68-8718-4012416EC189}  
TERM.....L THORACOTOMY

LOCATION: L THUMB

-----  
ABBREVIATION.....L THUMB  
ACTIVE.....Yes  
DESCRIPTION.....Left Thumb  
DISPLAY\_NAME.....L Thumb  
HELP\_TEXT.....No Help Text  
ID.....{F82F4731-2CC5-4705-91BE-05E40C25B419}  
TERM.....L THUMB



LOCATION: L TOE

-----  
ABBREVIATION.....L TOE  
ACTIVE.....Yes  
DESCRIPTION.....Left Toe  
DISPLAY\_NAME.....L Toe  
HELP\_TEXT.....No Help Text  
ID.....{C666DE86-E7AE-4AB3-8AE1-91496219E63D}  
TERM.....L TOE

LOCATION: L TRAPEZIUS

-----  
ABBREVIATION.....L TRAPEZIU  
ACTIVE.....Yes  
DESCRIPTION.....Left Trapezius  
DISPLAY\_NAME.....L Trapezius  
HELP\_TEXT.....No Help Text  
ID.....{B74CF943-C10F-4A1B-A19A-4975E674A97A}  
TERM.....L TRAPEZIUS

LOCATION: L TROCHANTER

-----  
ABBREVIATION.....L TROCHANT  
ACTIVE.....Yes  
DESCRIPTION.....Left Trochanter  
DISPLAY\_NAME.....L Trochanter  
HELP\_TEXT.....No Help Text  
ID.....{C91647A4-255D-40E4-A24D-01274E5D799F}  
TERM.....L TROCHANTER

LOCATION: L UPPER ANTERIOR CHEST

-----  
ABBREVIATION.....L U A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Upper Anterior Chest  
DISPLAY\_NAME.....L. Up. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{FE63B58A-DE39-4C03-AE61-E34A5487C767}  
TERM.....L UPPER ANTERIOR CHEST

LOCATION: L UPPER ARM

-----  
ABBREVIATION.....L UPP ARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Upper Arm  
HELP\_TEXT.....No Help Text  
ID.....{5F915696-1B08-32E9-6B95-49246117D660}  
TERM.....L UPPER ARM

LOCATION: L UPPER EXTREMITY

-----  
ABBREVIATION.....LUEX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Upper Extremity  
HELP\_TEXT.....No Help Text  
ID.....{48806E79-B1DA-129B-EB52-453292A3DDC6}  
TERM.....L UPPER EXTREMITY

LOCATION: L UPPER LEG

-----  
ABBREVIATION.....L UPPER LE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Left Upper Leg  
HELP\_TEXT.....No Help Text  
ID.....{1DB35895-F74C-4B88-A3EE-3E556CB6559A}  
TERM.....L UPPER LEG

LOCATION: L UPPER LIMB

-----  
ABBREVIATION.....L Upp Limb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Upper Limb  
HELP\_TEXT.....No Help Text  
ID.....{E6453716-62D3-DFCB-F84D-F6F2FDFC20B7}  
TERM.....L UPPER LIMB

LOCATION: L UPPER POSTERIOR CHEST

-----  
ABBREVIATION.....L U P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Upper Posterior Chest  
DISPLAY\_NAME.....L Up. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}  
TERM.....L UPPER POSTERIOR CHEST

LOCATION: L WRIST

-----  
ABBREVIATION.....L WRIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Wrist  
HELP\_TEXT.....No Help Text  
ID.....{7BCAFACE-FF3B-46DA-99F9-6437A90B7126}  
TERM.....L WRIST

LOCATION: LEFT

-----  
ABBREVIATION.....Lt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Left  
HELP\_TEXT.....No Help Text  
ID.....{C9C09768-9EEA-8F2B-86D4-B53458472E4E}  
TERM.....LEFT

LOCATION: LEFT EYE

-----  
ABBREVIATION.....Left Eye  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Eye  
HELP\_TEXT.....  
ID.....{D1B20983-6076-47E6-9578-2EFB3CB6A47B}  
TERM.....LEFT EYE

LOCATION: LEFT LOWER LOBE

-----  
ABBREVIATION.....LLL  
ACTIVE.....Yes  
DESCRIPTION.....LEFT LUNG'S LOWER LOBE  
DISPLAY\_NAME.....L Lower Lobe  
HELP\_TEXT.....No Help Text  
ID.....{14155C13-874D-6E26-01D8-2C03B349F913}  
TERM.....LEFT LOWER LOBE

LOCATION: LEFT NECK

-----  
ABBREVIATION.....L NECK  
ACTIVE.....Yes  
DESCRIPTION.....LEFT SIDE OF PATIENT'S NECK  
DISPLAY\_NAME.....L Neck  
HELP\_TEXT.....No Help Text  
ID.....{40522B5F-F23E-EADB-AE64-8EDE3B9E1155}  
TERM.....LEFT NECK

LOCATION: LEFT UPPER LOBE

-----  
ABBREVIATION.....LUL  
ACTIVE.....Yes  
DESCRIPTION.....LEFT LUNG'S UPPER LOBE  
DISPLAY\_NAME.....L Upper Lobe  
HELP\_TEXT.....No Help Text  
ID.....{21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}  
TERM.....LEFT UPPER LOBE

LOCATION: LIP

-----  
ABBREVIATION.....Lip  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lip  
HELP\_TEXT.....  
ID.....{43A64C98-CAE1-4069-B66E-91A512D7A703}  
TERM.....LIP

LOCATION: LOWER ABDOMEN

-----  
ABBREVIATION.....LO ABDOM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lower Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}  
TERM.....LOWER ABDOMEN

LOCATION: LOWER ARM

-----  
ABBREVIATION.....LrA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lower Arm  
HELP\_TEXT.....No Help Text  
ID.....{D7627720-D6B0-AC00-8FA3-F7B569ED06FC}  
TERM.....LOWER ARM

LOCATION: LOWER BACK

-----  
ABBREVIATION.....LOWER BACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lower Back  
HELP\_TEXT.....No Help Text  
ID.....{7E761680-61BC-450F-9905-C45CE760EC45}  
TERM.....LOWER BACK

LOCATION: MEDIASTINAL

-----  
ABBREVIATION.....MEDIASTINA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mediastinal  
HELP\_TEXT.....No Help Text  
ID.....{D99997D2-61EF-CAC2-A854-D906E3A97447}  
TERM.....MEDIASTINAL

LOCATION: MID BACK

-----  
ABBREVIATION.....MID BACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mid Back  
HELP\_TEXT.....No Help Text  
ID.....{F8C515E0-F437-4596-B030-DA1811038CDF}  
TERM.....MID BACK

LOCATION: MID-STERNAL

-----  
ABBREVIATION.....MID-STERN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mid-Sternal  
HELP\_TEXT.....No Help Text  
ID.....{3F5168F1-9082-4FB2-A364-3CDE33B1214B}  
TERM.....MID-STERNAL

LOCATION: MIDDLE

-----  
ABBREVIATION.....MIDDLE  
ACTIVE.....Yes  
DESCRIPTION.....MIDDLE  
DISPLAY\_NAME.....Middle  
HELP\_TEXT.....No Help Text  
ID.....{654E4D50-B74E-D58B-B3E3-AA3F218A285E}  
TERM.....MIDDLE

LOCATION: MIDLINE ABDOMINAL

-----  
ABBREVIATION.....MID ABDOMI  
ACTIVE.....Yes  
DESCRIPTION.....Midline Abdominal  
DISPLAY\_NAME.....Midline Abdominal  
HELP\_TEXT.....No Help Text  
ID.....{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}  
TERM.....MIDLINE ABDOMINAL

LOCATION: MIDLINE NECK

-----  
ABBREVIATION.....MID NECK  
ACTIVE.....Yes  
DESCRIPTION.....Midline Neck  
DISPLAY\_NAME.....Midline Neck  
HELP\_TEXT.....No Help Text  
ID.....{FF666713-278D-46D6-8D25-E5D57E78EA08}  
TERM.....MIDLINE NECK

LOCATION: NECK

-----  
ABBREVIATION.....Ne  
ACTIVE.....Yes  
DESCRIPTION.....PATIENTS NECK  
DISPLAY\_NAME.....Neck  
HELP\_TEXT.....No Help Text  
ID.....{D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}  
TERM.....NECK

LOCATION: NOSE

-----  
ABBREVIATION.....NOSE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nose  
HELP\_TEXT.....No Help Text  
ID.....{85F7003E-6D4E-4A79-A534-8A57FBC2D106}  
TERM.....NOSE

LOCATION: OCCIPITAL

-----  
ABBREVIATION.....OCCIPITAL  
ACTIVE.....Yes  
DESCRIPTION.....Occipital  
DISPLAY\_NAME.....Occipital  
HELP\_TEXT.....No Help Text  
ID.....{5A3E384B-1C87-4A19-A449-DB91AB443FFC}  
TERM.....OCCIPITAL

LOCATION: ORAL

-----  
ABBREVIATION.....O  
ACTIVE.....Yes  
DESCRIPTION.....Oral Description  
DISPLAY\_NAME.....Oral  
HELP\_TEXT.....Oral Help  
ID.....{7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}  
TERM.....ORAL

LOCATION: PENIS

-----  
ABBREVIATION.....PENIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Penis  
HELP\_TEXT.....No Help Text  
ID.....{2D82CE55-83B6-4160-A754-07C71FD388E8}  
TERM.....PENIS

LOCATION: PERINEAL

-----  
ABBREVIATION.....PERINEAL  
ACTIVE.....Yes  
DESCRIPTION.....Perineal  
DISPLAY\_NAME.....Perineal  
HELP\_TEXT.....No Help Text  
ID.....{1801441C-D5EF-4775-9E58-E4985496F7E0}  
TERM.....PERINEAL

LOCATION: PERIORBITAL

-----  
ABBREVIATION.....PERIORBITA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Periorbital  
HELP\_TEXT.....No Help Text  
ID.....{DBAC362B-6278-EDB4-7E28-3180321A38B2}  
TERM.....PERIORBITAL

LOCATION: PERIPHERAL

-----  
ABBREVIATION.....Per  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Peripheral  
HELP\_TEXT.....No Help Text  
ID.....{36B31698-E84A-5792-8EAE-F374DFD1B55A}  
TERM.....PERIPHERAL

LOCATION: PERIRECTAL

-----  
ABBREVIATION.....PERIRECTAL  
ACTIVE.....Yes  
DESCRIPTION.....Perirectal  
DISPLAY\_NAME.....Perirectal  
HELP\_TEXT.....No Help Text  
ID.....{560E1473-7B8F-4A75-8807-29315C908553}  
TERM.....PERIRECTAL

LOCATION: POPLITEAL

-----  
ABBREVIATION.....Pop  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Popliteal  
HELP\_TEXT.....No Help Text  
ID.....{77030DF2-CE06-D9E2-0684-EE70209CBE73}  
TERM.....POPLITEAL

LOCATION: POSTERIOR TIBIAL

-----  
ABBREVIATION.....PT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Posterior Tibial  
HELP\_TEXT.....No Help Text  
ID.....{010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}  
TERM.....POSTERIOR TIBIAL

LOCATION: R ABDOMEN

-----  
ABBREVIATION.....R ABDOMEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}  
TERM.....R ABDOMEN

LOCATION: R ANKLE

-----  
ABBREVIATION.....R ANKLE  
ACTIVE.....Yes  
DESCRIPTION.....Right Ankle  
DISPLAY\_NAME.....R Ankle  
HELP\_TEXT.....No Help Text  
ID.....{4E6DF352-F399-4CE9-908C-48132C3D856B}  
TERM.....R ANKLE

LOCATION: R ANTECUBITAL

-----  
ABBREVIATION.....R ANTECUBI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Antecubital  
HELP\_TEXT.....No Help Text  
ID.....{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}  
TERM.....R ANTECUBITAL

LOCATION: R ARM

-----  
ABBREVIATION.....RA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Arm  
HELP\_TEXT.....No Help Text  
ID.....{1C09017A-F10A-543D-A7EA-F13790D78692}  
TERM.....R ARM



LOCATION: R ARTERY

-----  
ABBREVIATION.....R ARTERY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Artery  
HELP\_TEXT.....No Help Text  
ID.....{A2D76F33-A049-B3A0-2CBF-9F83FF52D894}  
TERM.....R ARTERY

LOCATION: R AXILLARY

-----  
ABBREVIATION.....R AXILLARY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Axillary  
HELP\_TEXT.....No Help Text  
ID.....{3044F28B-FED2-4069-7E3B-2A691C5771F9}  
TERM.....R AXILLARY

LOCATION: R BRACHIAL

-----  
ABBREVIATION.....R BRACH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Brachial  
HELP\_TEXT.....No Help Text  
ID.....{A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}  
TERM.....R BRACHIAL

LOCATION: R CALF

-----  
ABBREVIATION.....R CALF  
ACTIVE.....Yes  
DESCRIPTION.....Right Calf  
DISPLAY\_NAME.....R Calf  
HELP\_TEXT.....No Help Text  
ID.....{0298A452-4901-44BF-A7A8-F42DD3BA8B63}  
TERM.....R CALF

LOCATION: R CAROTID

-----  
ABBREVIATION.....R CAROTID  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Carotid  
HELP\_TEXT.....No Help Text  
ID.....{8280ACD2-72D6-202A-89AF-86BCA7736427}  
TERM.....R CAROTID

LOCATION: R CHEST

-----  
ABBREVIATION.....R CHEST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Right Chest  
HELP\_TEXT.....No Help Text  
ID.....{7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}  
TERM.....R CHEST

LOCATION: R DORSALIS PEDIS

-----  
ABBREVIATION.....R DOR PED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Dorsalis Pedis  
HELP\_TEXT.....No Help Text  
ID.....{47D4C64A-FD93-2999-7B46-F25307EA6511}  
TERM.....R DORSALIS PEDIS

LOCATION: R EAR

-----  
ABBREVIATION.....R EAR  
ACTIVE.....Yes  
DESCRIPTION.....Right Ear  
DISPLAY\_NAME.....R Ear  
HELP\_TEXT.....No Help Text  
ID.....{AE31327D-A03C-488C-8A8E-084E7E6E7FDE}  
TERM.....R EAR

LOCATION: R ELBOW

-----  
ABBREVIATION.....R ELBOW  
ACTIVE.....Yes  
DESCRIPTION.....Right Elbow  
DISPLAY\_NAME.....R Elbow  
HELP\_TEXT.....No Help Text  
ID.....{5BAFF87B-6993-4E76-862F-9F386D9B71C5}  
TERM.....R ELBOW

LOCATION: R EXTERNAL JUGULAR

-----  
ABBREVIATION.....R EXT JUGU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R External Jugular  
HELP\_TEXT.....No Help Text  
ID.....{4D78F704-9E3B-907E-A792-4DC4F4CFF170}  
TERM.....R EXTERNAL JUGULAR

LOCATION: R EYE

-----  
ABBREVIATION.....R EYE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Eye  
HELP\_TEXT.....No Help Text  
ID.....{258F0C1D-67BD-ECF8-3152-EB289DEF4681}  
TERM.....R EYE

LOCATION: R FACE

-----  
ABBREVIATION.....R FACE  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT SIDE OF PATIENT'S FACE  
DISPLAY\_NAME.....R Face  
HELP\_TEXT.....No Help Text  
ID.....{D1B15677-EF6F-0125-3601-68C1FE6386CE}  
TERM.....R FACE

LOCATION: R FEMORAL

-----  
ABBREVIATION.....R FEM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Femoral  
HELP\_TEXT.....No Help Text  
ID.....{B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
TERM.....R FEMORAL

LOCATION: R FINGER

-----  
ABBREVIATION.....R FINGER  
ACTIVE.....Yes  
DESCRIPTION.....Right Finger  
DISPLAY\_NAME.....R Finger  
HELP\_TEXT.....No Help Text  
ID.....{E12CA0EF-3267-4B93-8643-230E2226C3D6}  
TERM.....R FINGER

LOCATION: R FLANK

-----  
ABBREVIATION.....R FLANK  
ACTIVE.....Yes  
DESCRIPTION.....Right Flank  
DISPLAY\_NAME.....R Flank  
HELP\_TEXT.....No Help Text  
ID.....{F5700ED2-646F-4B75-A55B-111C27FB939C}  
TERM.....R FLANK

LOCATION: R FOOT

-----  
ABBREVIATION.....R FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Foot  
HELP\_TEXT.....No Help Text  
ID.....{7D9F5FF6-232C-2488-4504-A721FF06928F}  
TERM.....R FOOT

LOCATION: R GLUTEUS

-----  
ABBREVIATION.....R GLUTEUS  
ACTIVE.....Yes  
DESCRIPTION.....Right Gluteus  
DISPLAY\_NAME.....R Gluteus  
HELP\_TEXT.....No Help Text  
ID.....{B4D32045-68D1-4457-9106-7937887FA6F6}  
TERM.....R GLUTEUS

LOCATION: R GROIN

-----  
ABBREVIATION.....R GROIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Groin  
HELP\_TEXT.....No Help Text  
ID.....{BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}  
TERM.....R GROIN

LOCATION: R HAND

-----  
ABBREVIATION.....R HAND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Hand  
HELP\_TEXT.....No Help Text  
ID.....{A54D3A80-8537-D079-9CCE-7DC56346D132}  
TERM.....R HAND

LOCATION: R HEAD

-----  
ABBREVIATION.....R HEAD  
ACTIVE.....Yes  
DESCRIPTION.....Right Head  
DISPLAY\_NAME.....R Head  
HELP\_TEXT.....No Help Text  
ID.....{42A95AAE-3DA9-4C96-A4E7-A15C9840217A}  
TERM.....R HEAD

LOCATION: R HEEL

-----  
ABBREVIATION.....R HEEL  
ACTIVE.....Yes  
DESCRIPTION.....Right Heel  
DISPLAY\_NAME.....R Heel  
HELP\_TEXT.....No Help Text  
ID.....{0020DD20-2EA4-4362-ADF0-07BFA220C60E}  
TERM.....R HEEL

LOCATION: R HIP

-----  
ABBREVIATION.....R HIP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Hip  
HELP\_TEXT.....No Help Text  
ID.....{A48CBCAE-5404-4934-9321-ECEF660A5350}  
TERM.....R HIP

LOCATION: R INGUINAL

-----  
ABBREVIATION.....R INGUINAL  
ACTIVE.....Yes  
DESCRIPTION.....Right Inguinal  
DISPLAY\_NAME.....R Inguinal  
HELP\_TEXT.....No Help Text  
ID.....{395233DF-3B89-49E0-946B-EB5C02E51178}  
TERM.....R INGUINAL

LOCATION: R INNER KNEE

-----  
ABBREVIATION.....R INN KNEE  
ACTIVE.....Yes  
DESCRIPTION.....Right Inner Knee  
DISPLAY\_NAME.....R Inner Knee  
HELP\_TEXT.....No Help Text  
ID.....{2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}  
TERM.....R INNER KNEE

LOCATION: R INTERNAL JUGULAR

-----  
ABBREVIATION.....R INT JUG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Internal Jugular  
HELP\_TEXT.....No Help Text  
ID.....{7ABF6916-D379-198D-6454-F0518A74844A}  
TERM.....R INTERNAL JUGULAR

LOCATION: R ISCHIAL

-----  
ABBREVIATION.....R ISCHIAL  
ACTIVE.....Yes  
DESCRIPTION.....Right Ischial  
DISPLAY\_NAME.....R Ischial  
HELP\_TEXT.....No Help Text  
ID.....{97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}  
TERM.....R ISCHIAL

LOCATION: R JAW

-----  
ABBREVIATION.....R JAW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Jaw  
HELP\_TEXT.....No Help Text  
ID.....{7846AEE2-B6F4-4B5A-909F-56E386FD82A8}  
TERM.....R JAW

LOCATION: R KNEE

-----  
ABBREVIATION.....R KNEE  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S RIGHT KNEE  
DISPLAY\_NAME.....R Knee  
HELP\_TEXT.....No Help Text  
ID.....{BCD18D53-07B6-2C41-64FC-3A07A7E979E7}  
TERM.....R KNEE

LOCATION: R LATERAL HEEL

-----  
ABBREVIATION.....R LAT HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Lateral Heel  
HELP\_TEXT.....No Help Text  
ID.....{A1896CF9-0246-4323-8DED-E4B5FB12CACE}  
TERM.....R LATERAL HEEL

LOCATION: R LATERAL MALLEOLUS

-----  
ABBREVIATION.....R LAT MALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Lateral Malleolus  
HELP\_TEXT.....No Help Text  
ID.....{950FC45B-93E8-424F-A5D4-DE646166D7B0}  
TERM.....R LATERAL MALLEOLUS

LOCATION: R LEG

-----  
ABBREVIATION.....RL  
ACTIVE.....Yes  
DESCRIPTION.....Right Leg  
DISPLAY\_NAME.....R Leg  
HELP\_TEXT.....RIGHT LEG  
ID.....{C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}  
TERM.....R LEG

LOCATION: R LOWER ANTERIOR CHEST

-----  
ABBREVIATION.....R L A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Lower Anterior Chest  
DISPLAY\_NAME.....R Low. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{96BCF731-B661-4455-B5E7-C4AE2509505F}  
TERM.....R LOWER ANTERIOR CHEST

LOCATION: R LOWER ARM

-----  
ABBREVIATION.....R LOW ARM  
ACTIVE.....Yes  
DESCRIPTION.....Right Lower Arm  
DISPLAY\_NAME.....R Lower Arm  
HELP\_TEXT.....No Help Text  
ID.....{8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}  
TERM.....R LOWER ARM

LOCATION: R LOWER EXTREMITY

-----  
ABBREVIATION.....R LOW EXTR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Lower Extremity  
HELP\_TEXT.....No Help Text  
ID.....{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}  
TERM.....R LOWER EXTREMITY

LOCATION: R LOWER LEG

-----  
ABBREVIATION.....R LOW LEG  
ACTIVE.....Yes  
DESCRIPTION.....Right Lower Leg  
DISPLAY\_NAME.....R Lower Leg  
HELP\_TEXT.....No Help Text  
ID.....{C8EA4D71-D97E-46BD-AE9D-C10954C525CD}  
TERM.....R LOWER LEG

LOCATION: R LOWER LIMB

-----  
ABBREVIATION.....R LOW LIMB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Lower Limb  
HELP\_TEXT.....No Help Text  
ID.....{A8E26A05-311A-F196-40B5-B5202D9F8058}  
TERM.....R LOWER LIMB

LOCATION: R LOWER LOBE

-----  
ABBREVIATION.....RLL  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT LUNG'S LOWER LOBE  
DISPLAY\_NAME.....R Lower Lobe  
HELP\_TEXT.....No Help Text  
ID.....{418D350A-3602-1918-22C8-53D093AF49B0}  
TERM.....R LOWER LOBE

LOCATION: R LOWER POSTERIOR CHEST

-----  
ABBREVIATION.....R L P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Lower Posterior Chest  
DISPLAY\_NAME.....R Low. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}  
TERM.....R LOWER POSTERIOR CHEST

LOCATION: R MANDIBULAR

-----  
ABBREVIATION.....R MANDIBUL  
ACTIVE.....Yes  
DESCRIPTION.....Right Mandibular  
DISPLAY\_NAME.....R Mandibular  
HELP\_TEXT.....No Help Text  
ID.....{303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}  
TERM.....R MANDIBULAR

LOCATION: R MEDIAL HEEL

-----  
ABBREVIATION.....R MED HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Medial Heel  
HELP\_TEXT.....No Help Text  
ID.....{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}  
TERM.....R MEDIAL HEEL



LOCATION: R MEDIAL MALLEOLUS

-----  
ABBREVIATION.....R MED MALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Medial Malleolus  
HELP\_TEXT.....No Help Text  
ID.....{C70FB4FA-6516-4567-8E26-46BA439F1DF4}  
TERM.....R MEDIAL MALLEOLUS

LOCATION: R MIDDLE ANTERIOR CHEST

-----  
ABBREVIATION.....R M A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Middle Anterior Chest  
DISPLAY\_NAME.....R Mid. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}  
TERM.....R MIDDLE ANTERIOR CHEST

LOCATION: R MIDDLE LOBE

-----  
ABBREVIATION.....RML  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT LUNG'S MIDDLE LOBE  
DISPLAY\_NAME.....R Middle Lobe  
HELP\_TEXT.....No Help Text  
ID.....{57879159-350C-2055-34D3-C6EFA39CA98F}  
TERM.....R MIDDLE LOBE

LOCATION: R MIDDLE POSTERIOR CHEST

-----  
ABBREVIATION.....R M P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Middle Posterior Chest  
DISPLAY\_NAME.....R Mid. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}  
TERM.....R MIDDLE POSTERIOR CHEST

LOCATION: R NECK

-----  
ABBREVIATION.....R NECK  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT SIDE OF PATIENT'S NECK  
DISPLAY\_NAME.....R Neck  
HELP\_TEXT.....No Help Text  
ID.....{7E4D84D3-535B-6164-C6C1-837C6F997A0D}  
TERM.....R NECK

LOCATION: R NOSE

-----  
ABBREVIATION.....R NOSE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Nose  
HELP\_TEXT.....No Help Text  
ID.....{D80BCB19-E71F-43EA-8990-6C121EE7F7A1}  
TERM.....R NOSE

LOCATION: R OCCIPITAL

-----  
ABBREVIATION.....R OCCIPITA  
ACTIVE.....Yes  
DESCRIPTION.....Right Occipital  
DISPLAY\_NAME.....R Occipital  
HELP\_TEXT.....No Help Text  
ID.....{5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}  
TERM.....R OCCIPITAL

LOCATION: R ORAL

-----  
ABBREVIATION.....R ORAL  
ACTIVE.....Yes  
DESCRIPTION.....Right Oral  
DISPLAY\_NAME.....R Oral  
HELP\_TEXT.....No Help Text  
ID.....{9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}  
TERM.....R ORAL

LOCATION: R ORBIT

-----  
ABBREVIATION.....R ORBIT  
ACTIVE.....Yes  
DESCRIPTION.....Right Orbit  
DISPLAY\_NAME.....R Orbit  
HELP\_TEXT.....No Help Text  
ID.....{DFFD974A-1684-49AE-8230-8E12411EA62E}  
TERM.....R ORBIT

LOCATION: R OUTER KNEE

-----  
ABBREVIATION.....R OUT KNEE  
ACTIVE.....Yes  
DESCRIPTION.....Right Outer Knee  
DISPLAY\_NAME.....R Outer Knee  
HELP\_TEXT.....No Help Text  
ID.....{330F1DF1-8C99-4984-9965-7404ABC9562D}  
TERM.....R OUTER KNEE

LOCATION: R PARIETAL

-----  
ABBREVIATION.....R PARIETAL  
ACTIVE.....Yes  
DESCRIPTION.....Right Parietal  
DISPLAY\_NAME.....R Parietal  
HELP\_TEXT.....No Help Text  
ID.....{28C927CD-1342-483B-B366-0B7EA8ACABAD}  
TERM.....R PARIETAL

LOCATION: R PEDAL

-----  
ABBREVIATION.....R PEDAL  
ACTIVE.....Yes  
DESCRIPTION.....R Pedal  
DISPLAY\_NAME.....R Pedal  
HELP\_TEXT.....R Pedal  
ID.....{9532B614-F4E1-316C-1322-905EB58E58C4}  
TERM.....R PEDAL

LOCATION: R POST TIBIAL

-----  
ABBREVIATION.....R PO TIB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Post Tibial  
HELP\_TEXT.....No Help Text  
ID.....{88CDA53A-5153-4950-701A-3F4F2007CC6B}  
TERM.....R POST TIBIAL

LOCATION: R RADIAL

-----  
ABBREVIATION.....R RADIAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Radial  
HELP\_TEXT.....No Help Text  
ID.....{BA10E6E5-DDF4-345E-68AF-21D32E9D972D}  
TERM.....R RADIAL

LOCATION: R RIBS

-----  
ABBREVIATION.....R RIBS  
ACTIVE.....Yes  
DESCRIPTION.....Right Ribs  
DISPLAY\_NAME.....R Ribs  
HELP\_TEXT.....No Help Text  
ID.....{260FD564-5E58-419B-9F73-62B6037D1572}  
TERM.....R RIBS

LOCATION: R SCAPULA

-----  
ABBREVIATION.....R SCAPULA  
ACTIVE.....Yes  
DESCRIPTION.....Right Scapula  
DISPLAY\_NAME.....R Scapula  
HELP\_TEXT.....No Help Text  
ID.....{EA657261-4D72-40C2-B70D-2A2E27556A01}  
TERM.....R SCAPULA

LOCATION: R SHOULDER

-----  
ABBREVIATION.....R SHOULDER  
ACTIVE.....Yes  
DESCRIPTION.....Right Shoulder  
DISPLAY\_NAME.....R Shoulder  
HELP\_TEXT.....No Help Text  
ID.....{D27AE130-442E-4DD6-B391-8D7E8AD494A2}  
TERM.....R SHOULDER

LOCATION: R SUBCLAVIAN

-----  
ABBREVIATION.....R SUBCLAV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Subclavian  
HELP\_TEXT.....No Help Text  
ID.....{53DEAE83-93AE-123B-14E5-4DE38CD4F752}  
TERM.....R SUBCLAVIAN

LOCATION: R TEMPORAL

-----  
ABBREVIATION.....R TEMPOR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Temporal  
HELP\_TEXT.....No Help Text  
ID.....{1F50461D-5ECF-25B2-A29A-E02803CB7814}  
TERM.....R TEMPORAL

LOCATION: R TESTICLE

-----  
ABBREVIATION.....R TESTICLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Right Testicle  
HELP\_TEXT.....No Help Text  
ID.....{0947D277-50AD-47F8-A76D-0EC34EB3B168}  
TERM.....R TESTICLE

LOCATION: R THIGH

-----  
ABBREVIATION.....R THIGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Thigh  
HELP\_TEXT.....No Help Text  
ID.....{B7A2D4A0-801E-4578-967A-F1CFB86FB96B}  
TERM.....R THIGH

LOCATION: R THORACIC ANTERIOR

-----  
ABBREVIATION.....R THOR ANT  
ACTIVE.....Yes  
DESCRIPTION.....Right Thoracic Anterior  
DISPLAY\_NAME.....R Thoracic Anterior  
HELP\_TEXT.....No Help Text  
ID.....{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}  
TERM.....R THORACIC ANTERIOR

LOCATION: R THORACIC LATERAL

-----  
ABBREVIATION.....R THOR LAT  
ACTIVE.....Yes  
DESCRIPTION.....Right Thoracic Lateral  
DISPLAY\_NAME.....R Thoracic Lateral  
HELP\_TEXT.....No Help Text  
ID.....{55C48294-D3F3-4013-B552-BA3344D9513B}  
TERM.....R THORACIC LATERAL

LOCATION: R THORACIC POSTERIOR

-----  
ABBREVIATION.....R THOR POS  
ACTIVE.....Yes  
DESCRIPTION.....Right Thoracic Posterior  
DISPLAY\_NAME.....R Thoracic Posterior  
HELP\_TEXT.....No Help Text  
ID.....{E91085D2-E665-4EB6-A086-8CF573DECD8F}  
TERM.....R THORACIC POSTERIOR

LOCATION: R THORACOTOMY

-----  
ABBREVIATION.....R THORACOT  
ACTIVE.....Yes  
DESCRIPTION.....Right Thoracotomy  
DISPLAY\_NAME.....R Thoracotomy  
HELP\_TEXT.....No Help Text  
ID.....{A18E4BB3-0718-48D6-BD49-720A70C0EF60}  
TERM.....R THORACOTOMY

LOCATION: R THUMB

-----  
ABBREVIATION.....R THUMB  
ACTIVE.....Yes  
DESCRIPTION.....Right Thumb  
DISPLAY\_NAME.....R Thumb  
HELP\_TEXT.....No Help Text  
ID.....{B414BD68-4155-45B3-985D-B2F8252A20FE}  
TERM.....R THUMB

LOCATION: R TOE

-----  
ABBREVIATION.....R TOE  
ACTIVE.....Yes  
DESCRIPTION.....Right Toe  
DISPLAY\_NAME.....R Toe  
HELP\_TEXT.....No Help Text  
ID.....{B65727AB-3205-4DCE-833F-6DA8554636F9}  
TERM.....R TOE

LOCATION: R TRAPEZIUS

-----  
ABBREVIATION.....R TRAPEZIU  
ACTIVE.....Yes  
DESCRIPTION.....Right Trapezius  
DISPLAY\_NAME.....R Trapezius  
HELP\_TEXT.....No Help Text  
ID.....{69753B67-AFA1-4C93-BA78-E266F9894E46}  
TERM.....R TRAPEZIUS

LOCATION: R TROCHANTER

-----  
ABBREVIATION.....R TROCHANT  
ACTIVE.....Yes  
DESCRIPTION.....Right Trochanter  
DISPLAY\_NAME.....R Trochanter  
HELP\_TEXT.....No Help Text  
ID.....{1A3E21B2-C391-40D2-8059-12290E667D9E}  
TERM.....R TROCHANTER

LOCATION: R UPPER ANTERIOR CHEST

-----  
ABBREVIATION.....R U A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Upper Anterior Chest  
DISPLAY\_NAME.....R Up. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{67890049-A4A8-4241-BDF3-573729BD6EB5}  
TERM.....R UPPER ANTERIOR CHEST

LOCATION: R UPPER ARM

-----  
ABBREVIATION.....R UPP ARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Upper Arm  
HELP\_TEXT.....No Help Text  
ID.....{3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
TERM.....R UPPER ARM

LOCATION: R UPPER EXTREMITY

-----  
ABBREVIATION.....R UPP EXTR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Upper Extremity  
HELP\_TEXT.....No Help Text  
ID.....{C65BA269-8F05-6FB9-62CB-466A286CF2C0}  
TERM.....R UPPER EXTREMITY

LOCATION: R UPPER LEG

-----  
ABBREVIATION.....R UPPER LE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Right Upper Leg  
HELP\_TEXT.....No Help Text  
ID.....{113BD5ED-5A0A-47CA-B100-91B244BFD04A}  
TERM.....R UPPER LEG

LOCATION: R UPPER LIMB

-----  
ABBREVIATION.....R UPP LIMB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Upper Limb  
HELP\_TEXT.....No Help Text  
ID.....{5E028BFF-ED9B-014F-74F0-C4137DB074FB}  
TERM.....R UPPER LIMB

LOCATION: R UPPER LOBE

-----  
ABBREVIATION.....RUL  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT LUNG'S UPPER LOBE  
DISPLAY\_NAME.....R Upper Lobe  
HELP\_TEXT.....Enter the Right Upper Lobe of the lung  
ID.....{098C11B4-B556-FBBE-7E21-AEC9D7E4408A}  
TERM.....R UPPER LOBE

LOCATION: R UPPER POSTERIOR CHEST

-----  
ABBREVIATION.....R U P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Upper Posterior Chest  
DISPLAY\_NAME.....R Up. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}  
TERM.....R UPPER POSTERIOR CHEST

LOCATION: R WRIST

-----  
ABBREVIATION.....R WRIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Wrist  
HELP\_TEXT.....No Help Text  
ID.....{FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}  
TERM.....R WRIST

LOCATION: RADIAL

-----  
ABBREVIATION.....RADIAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Radial  
HELP\_TEXT.....No Help-Text  
ID.....{D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}  
TERM.....RADIAL

LOCATION: RECTAL

-----  
ABBREVIATION.....RECTAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rectal  
HELP\_TEXT.....No Help-Text  
ID.....{0E7069F4-D3E6-67A1-E821-EF1879C3C267}  
TERM.....RECTAL

LOCATION: RIGHT

-----  
ABBREVIATION.....R  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Right  
HELP\_TEXT.....No Help-Text  
ID.....{38528AAC-C0A8-ABB7-A659-7EB54D81EA9F}  
TERM.....RIGHT



LOCATION: RIGHT EYE

---

ABBREVIATION.....Right Eye  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Eye  
HELP\_TEXT.....  
ID.....{56F81421-F1C7-4FD4-9757-E0EDEF26626E}  
TERM.....RIGHT EYE

LOCATION: SACRAL

---

ABBREVIATION.....SACRAL  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S SACRAL AREA  
DISPLAY\_NAME.....Sacral  
HELP\_TEXT.....No Help Text  
ID.....{0CF8A8A7-AB35-B803-4544-0C91645D9D1C}  
TERM.....SACRAL

LOCATION: SCROTUM

---

ABBREVIATION.....SCROTUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Scrotum  
HELP\_TEXT.....No Help Text  
ID.....{BDC109F5-0D30-4914-A62C-CEFE448B547}  
TERM.....SCROTUM

LOCATION: SKIN

---

ABBREVIATION.....SKIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Skin  
HELP\_TEXT.....No Help-Text  
ID.....{0803BC59-1582-AEC8-3DA2-A81363038210}  
TERM.....SKIN

LOCATION: SPINE CERVICAL

---

ABBREVIATION.....SPINE CERV  
ACTIVE.....Yes  
DESCRIPTION.....Spine Cervical  
DISPLAY\_NAME.....Spine Cervical  
HELP\_TEXT.....No Help Text  
ID.....{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}  
TERM.....SPINE CERVICAL

LOCATION: SPINE LUMBAR

-----  
ABBREVIATION.....SPINE LUMB  
ACTIVE.....Yes  
DESCRIPTION.....Spine Lumbar  
DISPLAY\_NAME.....Spine Lumbar  
HELP\_TEXT.....No Help Text  
ID.....{E7E411AB-5C29-4906-B0A9-E8658AAFFF91}  
TERM.....SPINE LUMBAR

LOCATION: SPINE THORACIC

-----  
ABBREVIATION.....SPINE THOR  
ACTIVE.....Yes  
DESCRIPTION.....Spine Thoracic  
DISPLAY\_NAME.....Spine Thoracic  
HELP\_TEXT.....No Help Text  
ID.....{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}  
TERM.....SPINE THORACIC

LOCATION: STERNOTOMY

-----  
ABBREVIATION.....STERNOTOMY  
ACTIVE.....Yes  
DESCRIPTION.....Sternotomy  
DISPLAY\_NAME.....Sternotomy  
HELP\_TEXT.....No Help Text  
ID.....{DB97F6A0-9295-42B7-BC29-6A534CE259DD}  
TERM.....STERNOTOMY

LOCATION: STOMACH

-----  
ABBREVIATION.....STOMACH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stomach  
HELP\_TEXT.....No Help Text  
ID.....{613C20B9-CC9C-4F5D-B5B1-69B66A663540}  
TERM.....STOMACH

LOCATION: SUBSTERNAL

-----  
ABBREVIATION.....SUBSTERN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Substernal  
HELP\_TEXT.....No Help Text  
ID.....{3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}  
TERM.....SUBSTERNAL

LOCATION: TEETH

-----  
ABBREVIATION.....TEETH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Teeth  
HELP\_TEXT.....No Help Text  
ID.....{38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}  
TERM.....TEETH

LOCATION: TEMPORAL

-----  
ABBREVIATION.....TEMPORAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Temporal  
HELP\_TEXT.....No Help-Text  
ID.....{E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}  
TERM.....TEMPORAL

LOCATION: THIGH

-----  
ABBREVIATION.....THIGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thigh  
HELP\_TEXT.....No Help-Text  
ID.....{2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}  
TERM.....THIGH

LOCATION: THYROID

-----  
ABBREVIATION.....THYROID  
ACTIVE.....Yes  
DESCRIPTION.....Thyroid  
DISPLAY\_NAME.....Thyroid  
HELP\_TEXT.....No Help Text  
ID.....{6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}  
TERM.....THYROID

LOCATION: TOOTH

-----  
ABBREVIATION.....TOOTH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tooth  
HELP\_TEXT.....No Help Text  
ID.....{8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}  
TERM.....TOOTH

LOCATION: TORSO

-----  
ABBREVIATION.....TORSO  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S TORSO  
DISPLAY\_NAME.....Torso  
HELP\_TEXT.....No Help Text  
ID.....{EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}  
TERM.....TORSO

LOCATION: TRACHEOSTOMY

-----  
ABBREVIATION.....TRACHEOSTO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tracheostomy  
HELP\_TEXT.....No Help Text  
ID.....{4D12329A-56C8-4175-986F-2F0B68EB7E6D}  
TERM.....TRACHEOSTOMY

LOCATION: TRANSVERSE ABDOMINAL

-----  
ABBREVIATION.....TRANS ABDO  
ACTIVE.....Yes  
DESCRIPTION.....Transverse Abdominal  
DISPLAY\_NAME.....Transverse Abdominal  
HELP\_TEXT.....No Help Text  
ID.....{1C10FF98-7B20-45D0-B420-714981832B3D}  
TERM.....TRANSVERSE ABDOMINAL

LOCATION: TYMPANIC

-----  
ABBREVIATION.....Tym  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tympanic  
HELP\_TEXT.....No Help Text  
ID.....{0A58C14C-E447-E034-AA93-D41E6E0D2F69}  
TERM.....TYMPANIC

LOCATION: ULNAR

-----  
ABBREVIATION.....Uln  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ulnar  
HELP\_TEXT.....No Help Text  
ID.....{81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}  
TERM.....ULNAR

LOCATION: UMBILICAL

-----  
ABBREVIATION.....UMBILICAL  
ACTIVE.....Yes  
DESCRIPTION.....UMBILICAL  
DISPLAY\_NAME.....UMBILICAL  
HELP\_TEXT.....No Help Text  
ID.....{8874B300-0751-49AF-8211-CF4C009C68B5}  
TERM.....UMBILICAL

LOCATION: UPPER ABDOMEN

-----  
ABBREVIATION.....UP ABDOM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Upper Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{234C677B-1CE6-498B-9375-BB5DC3958842}  
TERM.....UPPER ABDOMEN

LOCATION: UPPER ARM

-----  
ABBREVIATION.....UpA  
ACTIVE.....Yes  
DESCRIPTION.....Area of arm between elbow and shoulder  
DISPLAY\_NAME.....Upper Arm  
HELP\_TEXT.....UPPER ARM  
ID.....{B43A2B31-1F35-3F4D-5D23-882541ABE477}  
TERM.....UPPER ARM

LOCATION: UPPER BACK

-----  
ABBREVIATION.....UPPER BACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Upper Back  
HELP\_TEXT.....No Help Text  
ID.....{C1DA4294-E0DC-438B-810D-7F91E170244A}  
TERM.....UPPER BACK

LOCATION: WAIST

-----  
ABBREVIATION.....WAIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Waist  
HELP\_TEXT.....No Help Text  
ID.....{784DD311-8B48-4FE3-96B6-471CCE453CD5}  
TERM.....WAIST

LOCATION: WRIST

-----  
ABBREVIATION.....Wri  
ACTIVE.....Yes  
DESCRIPTION.....Joint between hand and forearm  
DISPLAY\_NAME.....Wrist  
HELP\_TEXT.....WRIST  
ID.....{C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}  
TERM.....WRIST

METHOD: ADULT

-----

ABBREVIATION.....Ad  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult  
HELP\_TEXT.....No Help Text  
ID.....{C2D49445-6556-8E6E-A8E9-CB3FA76BC22E}  
TERM.....ADULT

METHOD: ADULT CUFF

-----

ABBREVIATION.....AC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult Cuff  
HELP\_TEXT.....No Help Text  
ID.....{1222302E-6982-C627-8A0B-A651C98138E3}  
TERM.....ADULT CUFF

METHOD: AEROSOL/HUMIDIFIED MASK

-----

ABBREVIATION.....AM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aerosol/Humidified Mask  
HELP\_TEXT.....No Help Text  
ID.....{CAF54B28-D5D2-8481-FAE3-9C74C2D51551}  
TERM.....AEROSOL/HUMIDIFIED MASK

METHOD: AFTER EXERCISE

-----

ABBREVIATION.....AE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....After Exercise  
HELP\_TEXT.....No Help Text  
ID.....{D129EF4B-3A99-9966-54F1-2C01A36814EE}  
TERM.....AFTER EXERCISE

METHOD: AMBU BAG

-----

ABBREVIATION.....AB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambu Bag  
HELP\_TEXT.....No Help Text  
ID.....{E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}  
TERM.....AMBU BAG

METHOD: ARTERIAL LINE

-----  
ABBREVIATION.....AL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Arterial Line  
HELP\_TEXT.....No Help Text  
ID.....{D4B3F4ED-8B33-431E-4164-BD165E823776}  
TERM.....ARTERIAL LINE

METHOD: ASSISTED VENTILATOR

-----  
ABBREVIATION.....AV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Assisted Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{A540F333-5A09-5F21-7B51-2B5DF05E32C0}  
TERM.....ASSISTED VENTILATOR

METHOD: AT REST

-----  
ABBREVIATION.....AR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....At Rest  
HELP\_TEXT.....No Help Text  
ID.....{E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}  
TERM.....AT REST

METHOD: AUSCULTATE

-----  
ABBREVIATION.....Aus  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Auscultate  
HELP\_TEXT.....No Help Text  
ID.....{0C629C1F-92D3-C641-B02C-9EA43B401DC9}  
TERM.....AUSCULTATE

METHOD: BED

-----  
ABBREVIATION.....B  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed  
HELP\_TEXT.....No Help Text  
ID.....{20188D9F-3815-1F7F-34EC-BA77F75B310E}  
TERM.....BED



METHOD: BIPAP

-----  
ABBREVIATION.....BIP  
ACTIVE.....Yes  
DESCRIPTION.....Biphasic Positive Airway Pressure  
DISPLAY\_NAME.....BiPAP  
HELP\_TEXT.....No Help Text  
ID.....{3CFD1D11-EF8D-58BA-6381-B24956344D2E}  
TERM.....BIPAP

METHOD: BIPAP-CPAP

-----  
ABBREVIATION.....PAP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....BiPAP-CPAP  
HELP\_TEXT.....No Help Text  
ID.....{2BCBE562-8F44-662F-469B-13AC0E863A3D}  
TERM.....BIPAP-CPAP

METHOD: BLADDER

-----  
ABBREVIATION.....BLAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bladder  
HELP\_TEXT.....No Help Text  
ID.....{E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}  
TERM.....BLADDER

METHOD: CARDIAC MONITOR

-----  
ABBREVIATION.....CARDIAC MO  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Monitor  
DISPLAY\_NAME.....Cardiac Monitor  
HELP\_TEXT.....Cardiac Monitor  
ID.....{E8B6B5A3-D143-3967-A362-019BD5EB6984}  
TERM.....CARDIAC MONITOR

METHOD: CARDIAC OUTPUT MONITOR

-----  
ABBREVIATION.....COM  
ACTIVE.....Yes  
DESCRIPTION.....A CO Monitor  
DISPLAY\_NAME.....Cardiac Output Monitor  
HELP\_TEXT.....Data from a Cardiac Output Monitor  
ID.....{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}  
TERM.....CARDIAC OUTPUT MONITOR

METHOD: CATHETER

-----  
ABBREVIATION.....CATHETER  
ACTIVE.....Yes  
DESCRIPTION.....Catheter used to capture Intake and  
Output  
DISPLAY\_NAME.....Catheter - Method  
HELP\_TEXT.....No Help Text  
ID.....{1AA95835-FB32-4D1A-9C53-271EE38B2F63}  
TERM.....CATHETER

METHOD: CHAIR

-----  
ABBREVIATION.....Ch  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Chair  
HELP\_TEXT.....No Help Text  
ID.....{BBF5C05C-220D-D052-C7E8-236E791A4FC9}  
TERM.....CHAIR

METHOD: CHEST TUBE

-----  
ABBREVIATION.....CH TUBE M  
ACTIVE.....Yes  
DESCRIPTION.....Chest Tube  
DISPLAY\_NAME.....Chest Tube  
HELP\_TEXT.....Chest Tube  
ID.....{F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}  
TERM.....CHEST TUBE

METHOD: COLLOID

-----  
ABBREVIATION.....COLLOID M  
ACTIVE.....Yes  
DESCRIPTION.....Colloid as method for Intake and Output  
DISPLAY\_NAME.....Colloid - Method  
HELP\_TEXT.....No Help Text  
ID.....{2AE33508-5EA2-44DF-A401-74DD7B93AB6E}  
TERM.....COLLOID

METHOD: COMPUTED TOMOGRAPHY

-----  
ABBREVIATION.....COM TOMOGR  
ACTIVE.....Yes  
DESCRIPTION.....Computed Tomography  
DISPLAY\_NAME.....Computed Tomography  
HELP\_TEXT.....No Help Text  
ID.....{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}  
TERM.....COMPUTED TOMOGRAPHY

METHOD: CONTRAST LEFT VENTRICULOGRAPHY

-----  
ABBREVIATION.....CON L VENT  
ACTIVE.....Yes  
DESCRIPTION.....Contrast Left Ventriculography  
DISPLAY\_NAME.....Contrast Left Ventriculography  
HELP\_TEXT.....No Help Text  
ID.....{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}  
TERM.....CONTRAST LEFT VENTRICULOGRAPHY

METHOD: CONTROLLED VENTILATOR

-----  
ABBREVIATION.....CV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Controlled Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}  
TERM.....CONTROLLED VENTILATOR

METHOD: CPAP

-----  
ABBREVIATION.....CP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cpap  
HELP\_TEXT.....No Help Text  
ID.....{A041FB71-08EF-F3FE-82FA-051FF74C824F}  
TERM.....CPAP

METHOD: CRRT

-----  
ABBREVIATION.....CRRT  
ACTIVE.....Yes  
DESCRIPTION.....Continuous Renal Replacement Therapy  
DISPLAY\_NAME.....CRRT  
HELP\_TEXT.....No Help Text  
ID.....{AB37FC1D-DD7A-4103-A777-7B8D0F876889}  
TERM.....CRRT

METHOD: CUFF

-----  
ABBREVIATION.....Cu  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cuff  
HELP\_TEXT.....No Help Text  
ID.....{E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}  
TERM.....CUFF

METHOD: CUFF-AUTOMATED

-----  
ABBREVIATION.....CA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cuff-Automated  
HELP\_TEXT.....No Help Text  
ID.....{088AAD2B-2E7B-F835-376F-3D4340790976}  
TERM.....CUFF-AUTOMATED

METHOD: CUFF-MANUAL

-----  
ABBREVIATION.....CM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cuff-Manual  
HELP\_TEXT.....No Help Text  
ID.....{5F56C163-2B04-112F-55DE-E31374E0FB58}  
TERM.....CUFF-MANUAL

METHOD: CVVHD

-----  
ABBREVIATION.....CVVHD  
ACTIVE.....Yes  
DESCRIPTION.....Central Venous - Venous Hemodialysis  
DISPLAY\_NAME.....CVVHD  
HELP\_TEXT.....No Help Text  
ID.....{4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}  
TERM.....CVVHD

METHOD: DIALYSIS

-----  
ABBREVIATION.....DIALYSIS M  
ACTIVE.....Yes  
DESCRIPTION.....Dialysis used to describe Intake and  
Output  
DISPLAY\_NAME.....Dialysis - Method  
HELP\_TEXT.....No Help Text  
ID.....{1EAE28D4-3AC0-4DA1-9D09-3A65C38267F6}  
TERM.....DIALYSIS

METHOD: DIALYSIS CATHETER

-----  
ABBREVIATION.....DIALYSIS C  
ACTIVE.....Yes  
DESCRIPTION.....Dialysis Catheter  
DISPLAY\_NAME.....Dialysis Catheter  
HELP\_TEXT.....No Help Text  
ID.....{D9FF5CA8-09AF-4318-B784-DEB3A8F819D8}  
TERM.....DIALYSIS CATHETER

METHOD: DOPPLER

-----  
ABBREVIATION.....Dop  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Doppler  
HELP\_TEXT.....No Help Text  
ID.....{52683C19-F9DC-876B-CA3F-53E7C864CF04}  
TERM.....DOPPLER

METHOD: DOUBLE LUMEN CATHETER

-----  
ABBREVIATION.....DOUBLE LUM  
ACTIVE.....Yes  
DESCRIPTION.....Double Lumen Catheter  
DISPLAY\_NAME.....Double Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{ED646D10-3DBE-4049-ADC6-5E3DD2C351DD}  
TERM.....DOUBLE LUMEN CATHETER

METHOD: ECHOCARDIOGRAPHY

-----  
ABBREVIATION.....ECG  
ACTIVE.....Yes  
DESCRIPTION.....Echocardiography  
DISPLAY\_NAME.....Echocardiography  
HELP\_TEXT.....No Help Text  
ID.....{CA44697E-3BBA-4767-A30D-6548A72F9639}  
TERM.....ECHOCARDIOGRAPHY

METHOD: ELECTROCARDIOGRAM

-----  
ABBREVIATION.....ECG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Electrocardiogram  
HELP\_TEXT.....No Help Text  
ID.....{CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}  
TERM.....ELECTROCARDIOGRAM

METHOD: ELECTROCARDIOGRAM TRACE 1

-----  
ABBREVIATION.....ECG TR 1  
ACTIVE.....Yes  
DESCRIPTION.....Trace 1 from ECG  
DISPLAY\_NAME.....ECG Trace 1  
HELP\_TEXT.....No Help Text  
ID.....{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}  
TERM.....ELECTROCARDIOGRAM TRACE 1

METHOD: ELECTROCARDIOGRAM TRACE 2

-----  
ABBREVIATION.....ECG TR 2  
ACTIVE.....Yes  
DESCRIPTION.....Trace 2 from ECG  
DISPLAY\_NAME.....ECG Trace 2  
HELP\_TEXT.....No Help Text  
ID.....{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}  
TERM.....ELECTROCARDIOGRAM TRACE 2

METHOD: ENTERAL FEEDING / SUPPLEMENT

-----  
ABBREVIATION.....EF/SUPPLEM  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Feeding / Supplement - Method  
DISPLAY\_NAME.....Enteral Feeding / Supplement - Method  
HELP\_TEXT.....No Help Text  
ID.....{8389A9F5-0D48-496D-A605-1560B055DCC0}  
TERM.....ENTERAL FEEDING / SUPPLEMENT

METHOD: ENTERAL FEEDING TUBE

-----  
ABBREVIATION.....ENT FEED T  
ACTIVE.....Yes  
DESCRIPTION.....EFT for describing Intakes and Outputs  
DISPLAY\_NAME.....Enteral Feeding Tube - Method  
HELP\_TEXT.....No Help Text  
ID.....{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}  
TERM.....ENTERAL FEEDING TUBE

METHOD: EXTERNAL CATHETER

-----  
ABBREVIATION.....Ext. Cathe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....External Catheter  
HELP\_TEXT.....  
ID.....{69A5CBA6-5142-47BC-8C7D-CDAACE6E8E78}  
TERM.....EXTERNAL CATHETER

METHOD: FACE TENT

-----  
ABBREVIATION.....FT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Face Tent  
HELP\_TEXT.....No Help Text  
ID.....{1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}  
TERM.....FACE TENT

METHOD: GI TUBE

-----  
ABBREVIATION.....GI TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Used to describe Intakes and Outputs  
DISPLAY\_NAME.....GI Tube - Method  
HELP\_TEXT.....No Help Text  
ID.....{AF64F7BE-E72E-4391-BC1F-48163F2F3751}  
TERM.....GI TUBE

METHOD: HEMODIALYSIS

-----  
ABBREVIATION.....HEMODIALYS  
ACTIVE.....Yes  
DESCRIPTION.....Hemodialysis  
DISPLAY\_NAME.....Hemodialysis  
HELP\_TEXT.....No Help Text  
ID.....{DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}  
TERM.....HEMODIALYSIS

METHOD: HEMOVAC

-----  
ABBREVIATION.....HEMOVAC  
ACTIVE.....Yes  
DESCRIPTION.....Hemovac Drain  
DISPLAY\_NAME.....Hemovac Drain  
HELP\_TEXT.....No Help Text  
ID.....{79DA0646-B811-4954-8BE1-C133398CD574}  
TERM.....HEMOVAC

METHOD: IABP

-----  
ABBREVIATION.....IABP  
ACTIVE.....Yes  
DESCRIPTION.....Intra-aortic Balloon Pump  
DISPLAY\_NAME.....IABP  
HELP\_TEXT.....Intra-aortic Balloon Pump  
ID.....{4352A41F-AAF3-4544-9590-BAFD7977DF49}  
TERM.....IABP

METHOD: ILEAL CONDUIT

-----  
ABBREVIATION.....Ileal Cond  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ileal Conduit  
HELP\_TEXT.....  
ID.....{B1703A2F-51B8-4B1A-89AE-B1319FD653F7}  
TERM.....ILEAL CONDUIT

METHOD: INDWELLING CATHETER

-----  
ABBREVIATION.....Indw Cath  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Indwelling Catheter  
HELP\_TEXT.....  
ID.....{37577D2A-FAA2-4875-BFF8-09C2F53A2311}  
TERM.....INDWELLING CATHETER

METHOD: INTRODUCER CATHETER

-----  
ABBREVIATION.....INTRODUCER  
ACTIVE.....Yes  
DESCRIPTION.....Introducer Catheter  
DISPLAY\_NAME.....Introducer Catheter  
HELP\_TEXT.....No Help Text  
ID.....{60EED7D3-6CB2-4FCE-BFC0-DE0BA8AB0814}  
TERM.....INTRODUCER CATHETER

METHOD: INVASIVE

-----  
ABBREVIATION.....I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Invasive  
HELP\_TEXT.....No Help Text  
ID.....{5DB8746E-5446-F47A-883C-A44B91275A6E}  
TERM.....INVASIVE

METHOD: IRRIGATION

-----  
ABBREVIATION.....IRRIGATION  
ACTIVE.....Yes  
DESCRIPTION.....Irrigation  
DISPLAY\_NAME.....Irrigation  
HELP\_TEXT.....No Help Text  
ID.....{6C968D0A-400F-448A-93EF-02CB891BA981}  
TERM.....IRRIGATION

METHOD: IV

-----  
ABBREVIATION.....IV  
ACTIVE.....Yes  
DESCRIPTION.....Method to capture Intakes and Outputs  
DISPLAY\_NAME.....IV  
HELP\_TEXT.....No Help Text  
ID.....{52141E2F-7942-4C60-9B08-62F3B4640020}  
TERM.....IV



METHOD: JP DRAIN

-----  
ABBREVIATION.....JP DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....JP Drain  
DISPLAY\_NAME.....JP Drain  
HELP\_TEXT.....No Help Text  
ID.....{94A32247-6190-4047-B581-A212FE4C9453}  
TERM.....JP DRAIN

METHOD: LARYNGEAL MASK

-----  
ABBREVIATION.....LARYNGMASK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Laryngeal Mask  
HELP\_TEXT.....No Help Text  
ID.....{DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}  
TERM.....LARYNGEAL MASK

METHOD: LEAD

-----  
ABBREVIATION.....L  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lead  
HELP\_TEXT.....No Help Text  
ID.....{B628FDCE-05E0-DACF-E66E-0F8380AB465A}  
TERM.....LEAD

METHOD: LG ADULT

-----  
ABBREVIATION.....LgA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lg Adult  
HELP\_TEXT.....No Help Text  
ID.....{0C7B9E22-A426-80D1-80E8-2082F15784BA}  
TERM.....LG ADULT

METHOD: LG ADULT CUFF

-----  
ABBREVIATION.....LAC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lg Adult Cuff  
HELP\_TEXT.....No Help Text  
ID.....{4FA9374C-AE66-DF6E-E0E8-673D7B9B2E19}  
TERM.....LG ADULT CUFF

METHOD: LIFT SCALE

-----  
ABBREVIATION.....LS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lift Scale  
HELP\_TEXT.....No Help Text  
ID.....{8D741461-25C5-3955-BE2C-CBD27317CBA1}  
TERM.....LIFT SCALE

METHOD: MAGNETIC RESONANCE IMAGING

-----  
ABBREVIATION.....MRI  
ACTIVE.....Yes  
DESCRIPTION.....Magnetic Resonance Imaging  
DISPLAY\_NAME.....MRI  
HELP\_TEXT.....No Help Text  
ID.....{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}  
TERM.....MAGNETIC RESONANCE IMAGING

METHOD: MASK

-----  
ABBREVIATION.....M  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mask  
HELP\_TEXT.....No Help Text  
ID.....{4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}  
TERM.....MASK

METHOD: MONITOR

-----  
ABBREVIATION.....Mo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Monitor  
HELP\_TEXT.....No Help Text  
ID.....{63FC24EA-50B8-B302-D948-ABE3517CF6FC}  
TERM.....MONITOR

METHOD: MULTIGATED NUCLEAR VENTRICULOGRAPHY

-----  
ABBREVIATION.....MUGA  
ACTIVE.....Yes  
DESCRIPTION.....Multigated Nuclear Ventriculography  
DISPLAY\_NAME.....MUGA  
HELP\_TEXT.....No Help Text  
ID.....{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}  
TERM.....MULTIGATED NUCLEAR VENTRICULOGRAPHY

METHOD: MUSTACHE CANNULA

-----  
ABBREVIATION.....MC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mustache Cannula  
HELP\_TEXT.....No Help Text  
ID.....{DAB3F52F-A8E1-2D9E-C8E5-1D005EC679FC}  
TERM.....MUSTACHE CANNULA

METHOD: NASAL CANNULA

-----  
ABBREVIATION.....NC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal Cannula  
HELP\_TEXT.....No Help Text  
ID.....{EFFF38AE-6AF5-77FD-72E1-E0F7E3DEBA29}  
TERM.....NASAL CANNULA

METHOD: NEBULIZER

-----  
ABBREVIATION.....NEBULIZER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nebulizer  
HELP\_TEXT.....No Help Text  
ID.....{3CF184A3-2688-4988-B956-D5B0F303E8E8}  
TERM.....NEBULIZER

METHOD: NEPHROSTOMY - LEFT

-----  
ABBREVIATION.....Neph Left  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nephrostomy - Left  
HELP\_TEXT.....  
ID.....{E655E1BA-4803-4E19-B387-65B5F4809970}  
TERM.....NEPHROSTOMY - LEFT

METHOD: NEPHROSTOMY - RIGHT

-----  
ABBREVIATION.....Neph Right  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nephrostomy - Right  
HELP\_TEXT.....  
ID.....{ACE81374-DC90-42C2-9E7C-EF8E5D751EDF}  
TERM.....NEPHROSTOMY - RIGHT

METHOD: NON RE-BREATHER

-----  
ABBREVIATION.....NRB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Non Re-Breather  
HELP\_TEXT.....No Help Text  
ID.....{1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}  
TERM.....NON RE-BREATHER

METHOD: NON-INVASIVE

-----  
ABBREVIATION.....N-I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Non-Invasive  
HELP\_TEXT.....No Help Text  
ID.....{F50ABFED-5FD7-FC95-20FE-1E3038C9F299}  
TERM.....NON-INVASIVE

METHOD: NONINVASIVE

-----  
ABBREVIATION.....N  
ACTIVE.....No  
DESCRIPTION.....Noninvasive  
DISPLAY\_NAME.....Noninvasive  
HELP\_TEXT.....No Help Text  
ID.....{398E91DF-F425-5083-AA35-C5263792845E}  
TERM.....NONINVASIVE

METHOD: NUCLEAR PERFUSION IMAGING

-----  
ABBREVIATION.....NPI  
ACTIVE.....Yes  
DESCRIPTION.....Nuclear Perfusion Imaging  
DISPLAY\_NAME.....Nuclear Perfusion Imaging  
HELP\_TEXT.....No Help Text  
ID.....{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}  
TERM.....NUCLEAR PERFUSION IMAGING

METHOD: O2 SATS

-----  
ABBREVIATION.....O2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....O2 Sats  
HELP\_TEXT.....No Help Text  
ID.....{66C2100C-8A52-F36A-F7F1-A55D4E4D7CE6}  
TERM.....O2 SATS

METHOD: OTHER

-----  
ABBREVIATION.....OTHER  
ACTIVE.....Yes  
DESCRIPTION.....Other: Comments Required  
DISPLAY\_NAME.....OTHER: OBSERVATION COMMENTS REQUIRED  
HELP\_TEXT.....No Help Text  
ID.....{AED275BD-8A42-46BE-BCDF-472EF4C31D65}  
TERM.....OTHER

METHOD: P.O.

-----  
ABBREVIATION.....PO  
ACTIVE.....Yes  
DESCRIPTION.....By Mouth, Oral, "Per Os"  
DISPLAY\_NAME.....P.O. - Method  
HELP\_TEXT.....No Help Text  
ID.....{7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}  
TERM.....P.O.

METHOD: PA CATHETER

-----  
ABBREVIATION.....PA CATHETE  
ACTIVE.....Yes  
DESCRIPTION.....Pulmonary Catheter  
DISPLAY\_NAME.....PA Catheter  
HELP\_TEXT.....No Help Text  
ID.....{5A518696-41B7-4AB8-8FC7-5CF454CE0299}  
TERM.....PA CATHETER

METHOD: PA LINE

-----  
ABBREVIATION.....PALI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PA Line  
HELP\_TEXT.....No Help Text  
ID.....{1AEA41D7-901B-96FF-BF9B-420C24FF00E4}  
TERM.....PA LINE

METHOD: PALPATED

-----  
ABBREVIATION.....Pal  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Palpated  
HELP\_TEXT.....No Help Text  
ID.....{295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}  
TERM.....PALPATED

METHOD: PARTIAL RE-BREATHER

-----  
ABBREVIATION.....PRB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Partial Re-Breather  
HELP\_TEXT.....No Help Text  
ID.....{6F1DF170-5128-2E3F-1831-12FB0BB5E95C}  
TERM.....PARTIAL RE-BREATHER

METHOD: PEDIATRIC CUFF

-----  
ABBREVIATION.....PdC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pediatric Cuff  
HELP\_TEXT.....No Help Text  
ID.....{CA9EA220-EF92-EE77-FBEA-4E49C4730A3E}  
TERM.....PEDIATRIC CUFF

METHOD: PENDANT CANNULA

-----  
ABBREVIATION.....PC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pendant Cannula  
HELP\_TEXT.....No Help Text  
ID.....{A1451228-4ABB-DBCB-31AD-578BCD93012F}  
TERM.....PENDANT CANNULA

METHOD: PENROSE

-----  
ABBREVIATION.....PENROSE  
ACTIVE.....Yes  
DESCRIPTION.....Penrose Drain  
DISPLAY\_NAME.....Penrose Drain  
HELP\_TEXT.....No Help Text  
ID.....{CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}  
TERM.....PENROSE

METHOD: PERITONEAL DIALYSIS

-----  
ABBREVIATION.....PERI DIALY  
ACTIVE.....Yes  
DESCRIPTION.....Peritoneal Dialysis  
DISPLAY\_NAME.....Peritoneal Dialysis  
HELP\_TEXT.....No Help Text  
ID.....{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}  
TERM.....PERITONEAL DIALYSIS

METHOD: PICC LINE

-----  
ABBREVIATION.....PICC LINE  
ACTIVE.....Yes  
DESCRIPTION.....Peripherally Inserted Central  
                  Catheter Line  
DISPLAY\_NAME.....PICC Line  
HELP\_TEXT.....No Help Text  
ID.....{BDB5075B-DECC-443A-B774-CFA062DF34F4}  
TERM.....PICC LINE

METHOD: PULSE OX MONITOR

-----  
ABBREVIATION.....POM  
ACTIVE.....Yes  
DESCRIPTION.....A Pulse Ox Monitor  
DISPLAY\_NAME.....Pulse Ox Monitor  
HELP\_TEXT.....Readings that have come from a Pulse  
                  Ox Monitor  
ID.....{A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}  
TERM.....PULSE OX MONITOR

METHOD: PVR (POST VOID RESIDUAL) - CATHED

-----  
ABBREVIATION.....PVR-Cathed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PVR (Post Void Residual) - Cathed  
HELP\_TEXT.....  
ID.....{19DC72C9-FDAD-4F51-A0F7-63510A96829F}  
TERM.....PVR (POST VOID RESIDUAL) - CATHED

METHOD: RECTAL TEMP PROBE

-----  
ABBREVIATION.....RTP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rectal Temp Probe  
HELP\_TEXT.....No Help Text  
ID.....{0100F644-EF8E-5FE3-0022-804408DCE2DD}  
TERM.....RECTAL TEMP PROBE

METHOD: RESERVOIR CANNULA

-----  
ABBREVIATION.....RC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reservoir Cannula  
HELP\_TEXT.....No Help Text  
ID.....{B332C44D-29BE-765C-932C-63EBFC9631FC}  
TERM.....RESERVOIR CANNULA

METHOD: RHYTHM

-----  
ABBREVIATION.....RHY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rhythm  
HELP\_TEXT.....No Help Text  
ID.....{8A4AC126-12DA-0904-C364-B5D818621E32}  
TERM.....RHYTHM

METHOD: ROOM AIR

-----  
ABBREVIATION.....ROOM AIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Room Air  
HELP\_TEXT.....No Help Text  
ID.....{B4103F11-4BCE-49ED-AF3E-ACCB526D938C}  
TERM.....ROOM AIR

METHOD: ROOM AIR15

-----  
ABBREVIATION.....RA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Room Air15  
HELP\_TEXT.....No Help Text  
ID.....{55AC16E4-4BAD-EDE4-41E9-853C78D8474B}  
TERM.....ROOM AIR15

METHOD: ROOM AIR20

-----  
ABBREVIATION.....xx  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Room Air20  
HELP\_TEXT.....No Help Text  
ID.....{FBBD3CC2-53AF-FBCC-EF16-A6300F7F8330}  
TERM.....ROOM AIR20

METHOD: SINGLE LUMEN CATHETER

-----  
ABBREVIATION.....SING LUM C  
ACTIVE.....Yes  
DESCRIPTION.....Single Lumen Catheter  
DISPLAY\_NAME.....Single Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{E5B432BD-C698-4415-98E1-F5F229F54F8A}  
TERM.....SINGLE LUMEN CATHETER



METHOD: SKIN (ADHESIVE INDICATOR)

-----  
ABBREVIATION.....SKIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Skin (Adhesive Indicator)  
HELP\_TEXT.....No Help Text  
ID.....{C7CE7D84-6FC7-406A-7E56-B080637509DF}  
TERM.....SKIN (ADHESIVE INDICATOR)

METHOD: SM ADULT

-----  
ABBREVIATION.....SmA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sm Adult  
HELP\_TEXT.....No Help Text  
ID.....{CCB94C2F-CE55-A046-3A21-3ADDB1D23D3C}  
TERM.....SM ADULT

METHOD: SM ADULT CUFF

-----  
ABBREVIATION.....SAC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sm Adult Cuff  
HELP\_TEXT.....No Help Text  
ID.....{0346341B-6D38-6599-ED9F-24C81A8698A8}  
TERM.....SM ADULT CUFF

METHOD: SPONTANEOUS

-----  
ABBREVIATION.....S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Spontaneous  
HELP\_TEXT.....No Help Text  
ID.....{5E9463BC-C871-54FD-F800-DCFDEDB8A93B}  
TERM.....SPONTANEOUS

METHOD: STANDING WEIGHT

-----  
ABBREVIATION.....SW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Standing Weight  
HELP\_TEXT.....No Help Text  
ID.....{BE16FA09-16DA-510B-D235-B7F0F93AB105}  
TERM.....STANDING WEIGHT

METHOD: STRAIGHT CATHETER

-----  
ABBREVIATION.....Str. Cath  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Straight Catheter  
HELP\_TEXT.....  
ID.....{9076BBC9-3C76-4445-9F41-E4E59E84BED7}  
TERM.....STRAIGHT CATHETER

METHOD: SUPRAPUBIC

-----  
ABBREVIATION.....Suprapubic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suprapubic  
HELP\_TEXT.....  
ID.....{4BF7948A-0532-41A3-9C1E-171F11DA1056}  
TERM.....SUPRAPUBIC

METHOD: T-PIECE

-----  
ABBREVIATION.....TP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....T-Piece  
HELP\_TEXT.....No Help Text  
ID.....{27FC4BC6-2F25-2154-553C-2B452E28A91C}  
TERM.....T-PIECE

METHOD: THIGH CUFF

-----  
ABBREVIATION.....ThC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thigh Cuff  
HELP\_TEXT.....No Help Text  
ID.....{C581DFAC-691C-B64A-F058-AF2AA5050147}  
TERM.....THIGH CUFF

METHOD: TPN

-----  
ABBREVIATION.....TPN  
ACTIVE.....Yes  
DESCRIPTION.....Total Parenteral Nutrition Method  
DISPLAY\_NAME.....TPN - Method  
HELP\_TEXT.....No Help Text  
ID.....{B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}  
TERM.....TPN

METHOD: TRACHEOSTOMY COLLAR

-----  
ABBREVIATION.....TC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tracheostomy Collar  
HELP\_TEXT.....No Help Text  
ID.....{CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}  
TERM.....TRACHEOSTOMY COLLAR

METHOD: TRANSFUSION

-----  
ABBREVIATION.....TRANSFUSIO  
ACTIVE.....Yes  
DESCRIPTION.....Transfusion - Method  
DISPLAY\_NAME.....Transfusion - Method  
HELP\_TEXT.....No Help Text  
ID.....{9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}  
TERM.....TRANSFUSION

METHOD: TRANSTRACHEAL

-----  
ABBREVIATION.....Tt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transtracheal  
HELP\_TEXT.....No Help Text  
ID.....{48951129-CEEC-10D9-F746-99B4713B9C64}  
TERM.....TRANSTRACHEAL

METHOD: TRIPLE LUMEN CATHETER

-----  
ABBREVIATION.....TRIPLE LUM  
ACTIVE.....Yes  
DESCRIPTION.....Triple Lumen Catheter  
DISPLAY\_NAME.....Triple Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{704E2B3E-5E5D-43FB-B956-CFF90AF7D774}  
TERM.....TRIPLE LUMEN CATHETER

METHOD: UROSTOMY

-----  
ABBREVIATION.....Urostomy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Urostomy  
HELP\_TEXT.....  
ID.....{746BDA57-3D09-4DF7-BED0-5AA1F66DD0C9}  
TERM.....UROSTOMY

METHOD: VENTILATOR

-----  
ABBREVIATION.....Ven  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{416FCBD3-5370-15B9-C480-48855ED486D9}  
TERM.....VENTILATOR

METHOD: VENTRICULAR DRAIN

-----  
ABBREVIATION.....VENT DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Drain  
HELP\_TEXT.....No Help Text  
ID.....{5FF035D1-9C97-415D-BBEB-943506395A0C}  
TERM.....VENTRICULAR DRAIN

METHOD: VENTURI MASK

-----  
ABBREVIATION.....VM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Venturi Mask  
HELP\_TEXT.....No Help Text  
ID.....{E0401675-9C4E-2AFA-2B93-F352B781E963}  
TERM.....VENTURI MASK

METHOD: VOIDED

-----  
ABBREVIATION.....Voided  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Voided  
HELP\_TEXT.....  
ID.....{432E7674-7F59-45AC-8BF6-D60B45F7250B}  
TERM.....VOIDED

METHOD: WHEELCHAIR SCALE

-----  
ABBREVIATION.....WcS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair Scale  
HELP\_TEXT.....No Help Text  
ID.....{8C496753-9F42-2A36-E5CA-750188306ED4}  
TERM.....WHEELCHAIR SCALE

METHOD: WITH ACTIVITY

-----  
ABBREVIATION.....Act  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Activity  
HELP\_TEXT.....No Help Text  
ID.....{544A262B-EA34-F82A-46A9-F80740515D65}  
TERM.....WITH ACTIVITY

METHOD: WITH AMBULATION

-----  
ABBREVIATION.....WA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Ambulation  
HELP\_TEXT.....No Help Text  
ID.....{4E91DE6A-359E-5AF4-AB49-AFAF735E1B94}  
TERM.....WITH AMBULATION

METHOD: WITH CAST OR BRACE

-----  
ABBREVIATION.....WCB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Cast or Brace  
HELP\_TEXT.....No Help Text  
ID.....{47709C05-DF21-FB7D-DE7F-0699D1B7E457}  
TERM.....WITH CAST OR BRACE

METHOD: WITH PROSTHESIS

-----  
ABBREVIATION.....WP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Prosthesis  
HELP\_TEXT.....No Help Text  
ID.....{73C93D2D-934B-CA55-3557-E756A89710F5}  
TERM.....WITH PROSTHESIS

METHOD: WITHOUT PROSTHESIS

-----  
ABBREVIATION.....WOP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Without Prosthesis  
HELP\_TEXT.....No Help Text  
ID.....{9AACA852-E70D-1048-FCE7-112D46C12619}  
TERM.....WITHOUT PROSTHESIS



NULL FLAVOR: PATIENT ON PASS

-----

ABBREVIATION.....op  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....On Pass  
HELP\_TEXT.....No Help Text  
ID.....{3D2D2E52-D3F2-E02D-B9C7-CEB7C46C807D}  
TERM.....PATIENT ON PASS

NULL FLAVOR: PATIENT REFUSED

-----

ABBREVIATION.....pr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Refused  
HELP\_TEXT.....No Help Text  
ID.....{E9676179-B942-3851-37AF-75DAEE9E1F8E}  
TERM.....PATIENT REFUSED

## =====

POSITION: L MIDDLE POSTERIOR CHEST

-----  
ABBREVIATION.....L M P CHES  
ACTIVE.....No  
DESCRIPTION.....Left Middle Posterior Chest  
DISPLAY\_NAME.....L Mid. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{D6D6483C-90A9-4A32-A101-9DAA13BFD7ED}  
TERM.....L MIDDLE POSTERIOR CHEST

## POSITION: LEFT

-----  
ABBREVIATION.....Left  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left  
HELP\_TEXT.....  
ID.....{5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
TERM.....LEFT

## POSITION: LYING

-----  
ABBREVIATION.....Ly  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lying  
HELP\_TEXT.....No Help Text  
ID.....{DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}  
TERM.....LYING

## POSITION: MIDLINE

-----  
ABBREVIATION.....Midline  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Midline  
HELP\_TEXT.....  
ID.....{1C6F049F-532E-406B-9C54-2AA24CAC085E}  
TERM.....MIDLINE

## POSITION: RES EVAL: BED/WHEELCHAIR ALARM

-----  
ABBREVIATION.....R.E. ALAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed / Wheelchair Alarm  
HELP\_TEXT.....No Help Text  
ID.....{BDF926A9-2BEF-4E7C-A099-D02BD98CA2F2}  
TERM.....RES EVAL: BED/WHEELCHAIR ALARM



POSITION: RES EVAL: REALITY ORIENTATION

-----  
ABBREVIATION.....R.E. REALI  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reality Orientation  
HELP\_TEXT.....No Help Text  
ID.....{04D911E1-AADC-4125-9F93-B298266BA61A}  
TERM.....RES EVAL: REALITY ORIENTATION

POSITION: RIGHT

-----  
ABBREVIATION.....Right  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right  
HELP\_TEXT.....  
ID.....{B66EABF4-A800-40DD-869F-7423173989FB}  
TERM.....RIGHT

POSITION: SEMIFOWLERS

-----  
ABBREVIATION.....Sfl  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Semifowlers  
HELP\_TEXT.....No Help Text  
ID.....{C2F6A945-3829-AABA-3D67-54D1829D3EB9}  
TERM.....SEMIFOWLERS

POSITION: SITTING

-----  
ABBREVIATION.....Sit  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sitting  
HELP\_TEXT.....No Help Text  
ID.....{DD4DCDF1-0A22-2CC5-404F-0E472C73961C}  
TERM.....SITTING

POSITION: STANDING

-----  
ABBREVIATION.....St  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Standing  
HELP\_TEXT.....No Help Text  
ID.....{0776AE42-C370-B7B3-9B4D-9C914BA8F231}  
TERM.....STANDING

POSITION: SUPINE

-----  
ABBREVIATION.....SUPINE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Supine  
HELP\_TEXT.....No Help Text  
ID.....{DEA8A744-B445-4A9E-875D-485E060F2ACC}  
TERM.....SUPINE

POSITION: TRENDELENBURG

-----  
ABBREVIATION.....Tr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Trendelenburg  
HELP\_TEXT.....No Help Text  
ID.....{42F3353B-7041-EEE1-A87E-941D3BE1CBCD}  
TERM.....TRENDELENBURG

POSITION: WHEELCHAIR EXIT

-----  
ABBREVIATION.....WHEEL EXIT  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair Exit  
HELP\_TEXT.....No Help Text  
ID.....{DE13F84A-168F-490D-9AC7-840DAB2D8E22}  
TERM.....WHEELCHAIR EXIT

PRODUCT: 25 PERCENT ALBUMIN

-----

ABBREVIATION.....25 PERC AL  
ACTIVE.....Yes  
DESCRIPTION.....25 Percent Albumin  
DISPLAY\_NAME.....25 Percent Albumin  
HELP\_TEXT.....No Help Text  
ID.....{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}  
TERM.....25 PERCENT ALBUMIN

PRODUCT: 5 PERCENT ALBUMIN

-----

ABBREVIATION.....5 PERC ALB  
ACTIVE.....Yes  
DESCRIPTION.....5 Percent Albumin  
DISPLAY\_NAME.....5 Percent Albumin  
HELP\_TEXT.....No Help Text  
ID.....{A2D0F9A0-A9EC-4540-9663-B8B19A189198}  
TERM.....5 PERCENT ALBUMIN

PRODUCT: 6 PERCENT HETASTARCH

-----

ABBREVIATION.....6 PERC HET  
ACTIVE.....Yes  
DESCRIPTION.....6 Percent Hetastarch  
DISPLAY\_NAME.....6 Percent Hetastarch  
HELP\_TEXT.....No Help Text  
ID.....{8A82F108-D2FE-4C21-93BB-344502235AE8}  
TERM.....6 PERCENT HETASTARCH

PRODUCT: ALBUMIN

-----

ABBREVIATION.....ALBUMIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Albumin  
HELP\_TEXT.....No Help Text  
ID.....{EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}  
TERM.....ALBUMIN

PRODUCT: AMPHOTERICIN B

-----

ABBREVIATION.....AMPHOTER B  
ACTIVE.....Yes  
DESCRIPTION.....Amphotericin B  
DISPLAY\_NAME.....Amphotericin B  
HELP\_TEXT.....Amphotericin B  
ID.....{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}  
TERM.....AMPHOTERICIN B

PRODUCT: ANTIBIOTIC

-----  
ABBREVIATION.....AB  
ACTIVE.....Yes  
DESCRIPTION.....Antibiotic  
DISPLAY\_NAME.....Antibiotic  
HELP\_TEXT.....No Help Text  
ID.....{BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}  
TERM.....ANTIBIOTIC

PRODUCT: BACTERIOSTATIC WATER

-----  
ABBREVIATION.....BACTER H2O  
ACTIVE.....Yes  
DESCRIPTION.....Bacteriostatic Water  
DISPLAY\_NAME.....Bacteriostatic Water  
HELP\_TEXT.....Bacteriostatic Water  
ID.....{EF13BCA6-3AF2-47E9-87A0-82642B529368}  
TERM.....BACTERIOSTATIC WATER

PRODUCT: BLADDER IRRIGATION

-----  
ABBREVIATION.....BLAD IRRIG  
ACTIVE.....Yes  
DESCRIPTION.....Bladder Irrigation Output Product  
DISPLAY\_NAME.....Bladder Irrigation  
HELP\_TEXT.....No Help Text  
ID.....{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}  
TERM.....BLADDER IRRIGATION

PRODUCT: BLOOD PRODUCT

-----  
ABBREVIATION.....bp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Blood Product  
HELP\_TEXT.....No Help Text  
ID.....{A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}  
TERM.....BLOOD PRODUCT

PRODUCT: CARDIAC OUTPUT INJECTATE

-----  
ABBREVIATION.....CARD OUT I  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Output Injectate  
DISPLAY\_NAME.....Cardiac Output Injectate  
HELP\_TEXT.....No Help Text  
ID.....{2128B705-DDF4-4776-87C3-AA82F854E313}  
TERM.....CARDIAC OUTPUT INJECTATE

PRODUCT: CHEST TUBE

-----  
ABBREVIATION.....CHEST TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Chest Tube Output  
DISPLAY\_NAME.....Chest Tube  
HELP\_TEXT.....No Help Text  
ID.....{74C0C672-02AD-45A8-99DB-F5256BA14C72}  
TERM.....CHEST TUBE

PRODUCT: CHEST TUBE DRAINAGE

-----  
ABBREVIATION.....CHEST T DR  
ACTIVE.....Yes  
DESCRIPTION.....Chest Tube Drainage  
DISPLAY\_NAME.....Chest Tube Drainage  
HELP\_TEXT.....No Help Text  
ID.....{591D62C9-D173-45AD-8E05-A500F1C4AAA7}  
TERM.....CHEST TUBE DRAINAGE

PRODUCT: CLEAR LIQUIDS

-----  
ABBREVIATION.....Clear Liq  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Clear Liquids  
HELP\_TEXT.....  
ID.....{BBE3A652-ACDC-4797-B140-D4DB4F474B13}  
TERM.....CLEAR LIQUIDS

PRODUCT: COFFEE

-----  
ABBREVIATION.....Coffee  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Coffee  
HELP\_TEXT.....  
ID.....{BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}  
TERM.....COFFEE

PRODUCT: COLLOID

-----  
ABBREVIATION.....COLLOID  
ACTIVE.....Yes  
DESCRIPTION.....Colloid  
DISPLAY\_NAME.....Colloid  
HELP\_TEXT.....No Help Text  
ID.....{5B912A05-9ECA-43C1-A117-BE0843313CDD}  
TERM.....COLLOID

PRODUCT: CRYOPRECIPITATE

-----  
ABBREVIATION.....CRYOPRECIP  
ACTIVE.....Yes  
DESCRIPTION.....Cryoprecipitate Blood Product  
DISPLAY\_NAME.....Cryoprecipitate  
HELP\_TEXT.....No Help Text  
ID.....{5329E737-E059-480D-83F8-1146B091C14E}  
TERM.....CRYOPRECIPITATE

PRODUCT: CRYSTALLOID

-----  
ABBREVIATION.....CRYSTALLOI  
ACTIVE.....Yes  
DESCRIPTION.....Crystalloid  
DISPLAY\_NAME.....Crystalloid  
HELP\_TEXT.....No Help Text  
ID.....{F8B0C9B5-F386-4C88-896A-092C4A95A031}  
TERM.....CRYSTALLOID

PRODUCT: DAKINS SOLUTION

-----  
ABBREVIATION.....DAKINS SOL  
ACTIVE.....Yes  
DESCRIPTION.....Dakins Solution  
DISPLAY\_NAME.....Dakins Solution  
HELP\_TEXT.....Dakins Solution  
ID.....{51651D24-B909-427B-9FF0-3C2859A63D73}  
TERM.....DAKINS SOLUTION

PRODUCT: EF RESIDUAL

-----  
ABBREVIATION.....EF RESID  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Feeding Residual  
DISPLAY\_NAME.....EF Residual  
HELP\_TEXT.....No Help Text  
ID.....{35E269DF-F246-4DF6-9D68-7FD61F8FE088}  
TERM.....EF RESIDUAL

PRODUCT: ELEMENTAL FORMULA

-----  
ABBREVIATION.....ELE FORM  
ACTIVE.....Yes  
DESCRIPTION.....Elemental Enteral Nutrition Formula  
DISPLAY\_NAME.....Elemental Formula  
HELP\_TEXT.....No Help Text  
ID.....{E85DFA33-7F32-4348-9E0E-249AC301EC03}  
TERM.....ELEMENTAL FORMULA

PRODUCT: EMESIS

-----  
ABBREVIATION.....EMESIS  
ACTIVE.....Yes  
DESCRIPTION.....Emesis output  
DISPLAY\_NAME.....Emesis  
HELP\_TEXT.....No Help Text  
ID.....{A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}  
TERM.....EMESIS

PRODUCT: FECES

-----  
ABBREVIATION.....f  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Feces  
HELP\_TEXT.....No Help Text  
ID.....{C1CED7CD-EF5D-37D8-4EE0-CC9FD6F20DB0}  
TERM.....FECES

PRODUCT: FFP

-----  
ABBREVIATION.....FFP  
ACTIVE.....Yes  
DESCRIPTION.....Fresh Frozen Plasma  
DISPLAY\_NAME.....FFP  
HELP\_TEXT.....No Help Text  
ID.....{9DD0ECF5-634F-49CF-A529-A2657240A80C}  
TERM.....FFP

PRODUCT: FFP - THAWED

-----  
ABBREVIATION.....FFP-THAWED  
ACTIVE.....Yes  
DESCRIPTION.....Fresh Frozen Plasma, Thawed  
DISPLAY\_NAME.....FFP - THAWED  
HELP\_TEXT.....No Help Text  
ID.....{AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}  
TERM.....FFP - THAWED

PRODUCT: FORMULA - HIGH FIBER

-----  
ABBREVIATION.....FORM H FIB  
ACTIVE.....Yes  
DESCRIPTION.....High Fiber Formula  
DISPLAY\_NAME.....High Fiber Formula  
HELP\_TEXT.....No Help Text  
ID.....{249D8C78-B600-4443-A2E2-39F1B67698DD}  
TERM.....FORMULA - HIGH FIBER

PRODUCT: FORMULA - PROBALANCE

-----  
ABBREVIATION.....PROBALANCE  
ACTIVE.....Yes  
DESCRIPTION.....Probalance Formula  
DISPLAY\_NAME.....Probalance Formula  
HELP\_TEXT.....No Help Text  
ID.....{4EA729FE-08EA-490B-822D-696061E5B55F}  
TERM.....FORMULA - PROBALANCE

PRODUCT: FORMULA 1.5 CAL

-----  
ABBREVIATION.....1.5 C FORM  
ACTIVE.....Yes  
DESCRIPTION.....1.5 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....1.5 Cal Formula  
HELP\_TEXT.....No Help Text  
ID.....{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}  
TERM.....FORMULA 1.5 CAL

PRODUCT: FORMULA 2.0 CAL

-----  
ABBREVIATION.....2.0 C FORM  
ACTIVE.....Yes  
DESCRIPTION.....2.0 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....2.0 Cal Formula  
HELP\_TEXT.....No Help Text  
ID.....{E5FB9590-25AA-435A-B9B4-4812EA15C217}  
TERM.....FORMULA 2.0 CAL

PRODUCT: FORMULA D10W ENTERAL NUTRITION

-----  
ABBREVIATION.....D10W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D10W Enteral Nutrition  
DISPLAY\_NAME.....D10W Enteral Nutrition  
HELP\_TEXT.....10% Dextrose and Water solution  
ID.....{F8FB55C4-6229-427F-987D-3D469E307D0D}  
TERM.....FORMULA D10W ENTERAL NUTRITION

PRODUCT: FORMULA D50W ENTERAL NUTRITION

-----  
ABBREVIATION.....D50W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D50W Enteral Nutrition  
DISPLAY\_NAME.....D50W Enteral Nutrition  
HELP\_TEXT.....50% Dextrose and Water Solution  
ID.....{19ED9C83-42C1-42AF-AB4D-1A34B621EFB9}  
TERM.....FORMULA D50W ENTERAL NUTRITION



PRODUCT: FORMULA D5W ENTERAL NUTRITION

-----  
ABBREVIATION.....D5W ENT NU  
ACTIVE.....Yes  
DESCRIPTION.....D5W Enteral Nutrition  
DISPLAY\_NAME.....D5W Enteral Nutrition  
HELP\_TEXT.....5% Dextrose and Water Solution  
ID.....{9EA15A1B-DA1C-49EC-B463-82DD5F125F82}  
TERM.....FORMULA D5W ENTERAL NUTRITION

PRODUCT: FORMULA FIBER

-----  
ABBREVIATION.....FIBER FORM  
ACTIVE.....Yes  
DESCRIPTION.....Fiber Enteral Nutrition Formula  
DISPLAY\_NAME.....Fiber Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}  
TERM.....FORMULA FIBER

PRODUCT: FULL LIQUID

-----  
ABBREVIATION.....FL LIQUID  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Full Liquid  
HELP\_TEXT.....No Help Text  
ID.....{C8405270-CCA3-4BFF-B9D0-398590FBB1D9}  
TERM.....FULL LIQUID

PRODUCT: GASTRIC DRAINAGE

-----  
ABBREVIATION.....GAST DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Drainage  
DISPLAY\_NAME.....Gastric Drainage  
HELP\_TEXT.....No Help Text  
ID.....{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}  
TERM.....GASTRIC DRAINAGE

PRODUCT: GLUCERNA DIABETIC

-----  
ABBREVIATION.....GLUCERNA D  
ACTIVE.....Yes  
DESCRIPTION.....Glucerna Diabetic  
DISPLAY\_NAME.....Glucerna Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{C2F2CCFE-6D77-49B4-BF5E-F1A285326440}  
TERM.....GLUCERNA DIABETIC

PRODUCT: GRANULOCYTES PHERESIS

-----  
ABBREVIATION.....GRAN PHERE  
ACTIVE.....Yes  
DESCRIPTION.....Granulocytes Pheresis Blood Product  
DISPLAY\_NAME.....Granulocytes Pheresis  
HELP\_TEXT.....No Help Text  
ID.....{2B90878D-9C29-4731-9525-D7DD7FCB513B}  
TERM.....GRANULOCYTES PHERESIS

PRODUCT: HEME

-----  
ABBREVIATION.....HEME  
ACTIVE.....Yes  
DESCRIPTION.....Heme output  
DISPLAY\_NAME.....Heme  
HELP\_TEXT.....No Help Text  
ID.....{A0ADA229-E779-4562-84B5-67121B88C443}  
TERM.....HEME

PRODUCT: HEMODIALYSIS

-----  
ABBREVIATION.....HEMODIALYS  
ACTIVE.....Yes  
DESCRIPTION.....Hemodialysis Intake and Output Product  
DISPLAY\_NAME.....Hemodialysis  
HELP\_TEXT.....No Help Text  
ID.....{8409B357-C41E-4F4A-BB52-F09AD9704C30}  
TERM.....HEMODIALYSIS

PRODUCT: HEPATIC FORMULA

-----  
ABBREVIATION.....HEPAT FORM  
ACTIVE.....Yes  
DESCRIPTION.....Hepatic Enteral Nutrition Formula  
DISPLAY\_NAME.....Hepatic Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{41DEECAB-168F-4522-852C-C1ED751BFEDC}  
TERM.....HEPATIC FORMULA

PRODUCT: HIGH PROTEIN FORMULA

-----  
ABBREVIATION.....HIGH PROTE  
ACTIVE.....Yes  
DESCRIPTION.....High Protein  
DISPLAY\_NAME.....High Protein Formula  
HELP\_TEXT.....No Help Text  
ID.....{3618C874-3EAE-41CF-BE2B-3DFB960E034F}  
TERM.....HIGH PROTEIN FORMULA

PRODUCT: JP DRAIN

-----  
ABBREVIATION.....JP DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....Jackson-Pratt Drain  
DISPLAY\_NAME.....JP DRAIN  
HELP\_TEXT.....No Help Text  
ID.....{0889246D-AD40-4CFC-A721-BBCB8C34BE19}  
TERM.....JP DRAIN

PRODUCT: JUICE

-----  
ABBREVIATION.....JUICE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Juice  
HELP\_TEXT.....No Help-Text  
ID.....{91FFF519-1677-BB1D-D959-65B1BFA10285}  
TERM.....JUICE

PRODUCT: LINE FLUSH

-----  
ABBREVIATION.....LINE FLUSH  
ACTIVE.....Yes  
DESCRIPTION.....Fluid flushed from line  
DISPLAY\_NAME.....LINE FLUSH  
HELP\_TEXT.....No Help Text  
ID.....{D3EA8BCD-0EC4-4B39-BA92-BC3FF505C9A4}  
TERM.....LINE FLUSH

PRODUCT: LINE FLUSH HEPARIN

-----  
ABBREVIATION.....LN FL HEPA  
ACTIVE.....Yes  
DESCRIPTION.....Heparin used to flush dialysis lines  
DISPLAY\_NAME.....Line Flush Heparin  
HELP\_TEXT.....No Help Text  
ID.....{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}  
TERM.....LINE FLUSH HEPARIN

PRODUCT: LIPIDS

-----  
ABBREVIATION.....LIPIDS  
ACTIVE.....Yes  
DESCRIPTION.....Lipids  
DISPLAY\_NAME.....Lipids  
HELP\_TEXT.....No Help Text  
ID.....{80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}  
TERM.....LIPIDS

PRODUCT: MAGNACAL

-----  
ABBREVIATION.....MAGNACAL  
ACTIVE.....Yes  
DESCRIPTION.....Magnacal Enteral Nutrition Type  
DISPLAY\_NAME.....Maganca  
HELP\_TEXT.....No Help Text  
ID.....{86688633-DFCA-4FBE-99F5-8E0B3FAFE695}  
TERM.....MAGNACAL

PRODUCT: MEDIASTINAL

-----  
ABBREVIATION.....MEDIASTINA  
ACTIVE.....Yes  
DESCRIPTION.....Mediastinal Output Product  
DISPLAY\_NAME.....Mediastinal  
HELP\_TEXT.....No Help Text  
ID.....{A0550B31-B937-4FC7-8F7E-071F75215311}  
TERM.....MEDIASTINAL

PRODUCT: MEDICATION

-----  
ABBREVIATION.....MEDICATION  
ACTIVE.....Yes  
DESCRIPTION.....Medication  
DISPLAY\_NAME.....Medication  
HELP\_TEXT.....Medication  
ID.....{CDD5944E-A0EC-45CE-8EB0-7F9EDF7197E5}  
TERM.....MEDICATION

PRODUCT: MILK

-----  
ABBREVIATION.....Milk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Milk  
HELP\_TEXT.....  
ID.....{6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}  
TERM.....MILK

PRODUCT: MODULAR CUSTOMIZED FORMULA

-----  
ABBREVIATION.....CUST FORMU  
ACTIVE.....Yes  
DESCRIPTION.....Modular Customized Formula  
DISPLAY\_NAME.....Modular Customized Formula  
HELP\_TEXT.....No Help Text  
ID.....{249D095E-9676-4CC5-8A39-097F96A4C032}  
TERM.....MODULAR CUSTOMIZED FORMULA

PRODUCT: NEPRO RENAL FORMULA

-----  
ABBREVIATION.....NEPR RENAL  
ACTIVE.....Yes  
DESCRIPTION.....Nepro Renal Enteral Nutrition Formula  
DISPLAY\_NAME.....Nepro Renal Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{59C9B396-A705-445B-B566-F030DA4B2B79}  
TERM.....NEPRO RENAL FORMULA

PRODUCT: NG RESIDUAL

-----  
ABBREVIATION.....NG RESID  
ACTIVE.....Yes  
DESCRIPTION.....Naso-Gastric Residual Output  
DISPLAY\_NAME.....NG Residual  
HELP\_TEXT.....No Help Text  
ID.....{B03C9557-84B5-4B05-B784-C87FA90D27A7}  
TERM.....NG RESIDUAL

PRODUCT: NOVASOURCE 2.0

-----  
ABBREVIATION.....NOVAS 2.0  
ACTIVE.....Yes  
DESCRIPTION.....Novasource 2.0 Enteral Nutrition  
Formula  
DISPLAY\_NAME.....Novasource 2.0 Enteral Nutrition  
Formula  
HELP\_TEXT.....No Help Text  
ID.....{67D16273-6271-43E1-80D6-D12C4D55E024}  
TERM.....NOVASOURCE 2.0

PRODUCT: NUTREN 1.5

-----  
ABBREVIATION.....NUTREN 1.5  
ACTIVE.....Yes  
DESCRIPTION.....Nutren 1.5  
DISPLAY\_NAME.....Nutren 1.5  
HELP\_TEXT.....No Help Text  
ID.....{B93EF897-B9A1-45C6-AC9A-B386554A3186}  
TERM.....NUTREN 1.5

PRODUCT: NUTRITIONAL SUPPLEMENT

-----  
ABBREVIATION.....NUTR SUPPL  
ACTIVE.....Yes  
DESCRIPTION.....Nutritional Supplement  
DISPLAY\_NAME.....Nutritional Supplement  
HELP\_TEXT.....No Help Text  
ID.....{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}  
TERM.....NUTRITIONAL SUPPLEMENT

PRODUCT: OSMOLITE

-----  
ABBREVIATION.....OSMOLITE  
ACTIVE.....Yes  
DESCRIPTION.....Osmolite Enteral Nutrition  
DISPLAY\_NAME.....Osmolite  
HELP\_TEXT.....No Help Text  
ID.....{18C5843F-BC33-4609-9D58-49F07F12A059}  
TERM.....OSMOLITE

PRODUCT: OSMOLITE HN

-----  
ABBREVIATION.....OSMOLIT HN  
ACTIVE.....Yes  
DESCRIPTION.....Osmolite HN Enteral Nutrition  
DISPLAY\_NAME.....Osmolite HN  
HELP\_TEXT.....No Help Text  
ID.....{3622D5C6-1D7B-4377-94B7-5E33C642C4C5}  
TERM.....OSMOLITE HN

PRODUCT: OTHER PO FLUID

-----  
ABBREVIATION.....PO OTHER  
ACTIVE.....Yes  
DESCRIPTION.....PO Fluid other than those listed.  
DISPLAY\_NAME.....Other - Please Specify  
HELP\_TEXT.....No Help Text  
ID.....{1EA44424-4DE2-42B8-A50F-60DC56204502}  
TERM.....OTHER PO FLUID

PRODUCT: PCA

-----  
ABBREVIATION.....PCA  
ACTIVE.....Yes  
DESCRIPTION.....Patient Controlled Analgesia  
DISPLAY\_NAME.....Patient Controlled Analgesia  
HELP\_TEXT.....No Help Text  
ID.....{D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}  
TERM.....PCA

PRODUCT: PLASMAPHERESIS

-----  
ABBREVIATION.....PLASMAPHER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Plasmapheresis  
HELP\_TEXT.....No Help Text  
ID.....{E1214367-8BB0-4FAA-A916-EC707569A9C4}  
TERM.....PLASMAPHERESIS

PRODUCT: PLATELETS

-----  
ABBREVIATION.....PLATELETS  
ACTIVE.....Yes  
DESCRIPTION.....Platelets  
DISPLAY\_NAME.....Platelets  
HELP\_TEXT.....No Help Text  
ID.....{3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}  
TERM.....PLATELETS

PRODUCT: PLATELETS PHERESIS

-----  
ABBREVIATION.....PLATELET P  
ACTIVE.....Yes  
DESCRIPTION.....Platelets Pheresis (Apheresis  
Platelets)  
DISPLAY\_NAME.....Platelets Pheresis  
HELP\_TEXT.....No Help Text  
ID.....{65CBDCBD-99DB-44FE-9230-D62886208EBF}  
TERM.....PLATELETS PHERESIS

PRODUCT: PLATELETS PHERESIS IRRADIATED

-----  
ABBREVIATION.....PLATEL P I  
ACTIVE.....Yes  
DESCRIPTION.....Platelets Pheresis (Apheresis  
platelets) Irradiated  
DISPLAY\_NAME.....Platelets Pheresis Irradiated  
HELP\_TEXT.....No Help Text  
ID.....{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}  
TERM.....PLATELETS PHERESIS IRRADIATED

PRODUCT: PPN

-----  
ABBREVIATION.....PPN  
ACTIVE.....Yes  
DESCRIPTION.....Peripheral Parenteral Nutrition  
DISPLAY\_NAME.....PPN  
HELP\_TEXT.....No Help Text  
ID.....{BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}  
TERM.....PPN

PRODUCT: PRBC

-----  
ABBREVIATION.....PRBC  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells  
DISPLAY\_NAME.....PRBC  
HELP\_TEXT.....No Help Text  
ID.....{BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}  
TERM.....PRBC

PRODUCT: PRBC - AUTOLOGOUS

-----  
ABBREVIATION.....PRBC-A  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Autologous  
DISPLAY\_NAME.....PRBC - AUTOLOGOUS  
HELP\_TEXT.....No Help Text  
ID.....{1580990C-0B35-4DDD-84AA-682B341C9B76}  
TERM.....PRBC - AUTOLOGOUS

PRODUCT: PRBC - LEUKOREduced

-----  
ABBREVIATION.....PRBC-L  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced  
DISPLAY\_NAME.....PRBC - Leukoreduced  
HELP\_TEXT.....No Help Text  
ID.....{13DB3170-6C26-4178-B429-C02AFC541AC7}  
TERM.....PRBC - LEUKOREduced

PRODUCT: PRBC - LEUKOREduced - DIRECTED

-----  
ABBREVIATION.....PRBC-L-D  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,  
Directed  
DISPLAY\_NAME.....PRBC - LEUKOREduced - DIRECTED  
HELP\_TEXT.....No Help Text  
ID.....{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}  
TERM.....PRBC - LEUKOREduced - DIRECTED

PRODUCT: PRBC - LEUKOREduced - IRRADIATED

-----  
ABBREVIATION.....PRBC-L-I  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,  
Irradiated  
DISPLAY\_NAME.....PRBC - LEUKOREduced - IRRADIATED  
HELP\_TEXT.....No Help Text  
ID.....{B4431519-0102-49ED-94D6-1738E375C5A4}  
TERM.....PRBC - LEUKOREduced - IRRADIATED

PRODUCT: PRBC - LEUKOREduced - WASHED

-----  
ABBREVIATION.....PRBC-L-W  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,  
Washed  
DISPLAY\_NAME.....PRBC - LEUKOREduced - WASHED  
HELP\_TEXT.....No Help Text  
ID.....{BB58F35A-1086-4061-B485-FA35DFB79A0D}  
TERM.....PRBC - LEUKOREduced - WASHED



PRODUCT: Rh IMMUNE GLOBULIN

-----  
ABBREVIATION.....Rh IM GLOB  
ACTIVE.....Yes  
DESCRIPTION.....Rh Immune Globulin  
DISPLAY\_NAME.....Rh Immune Globulin  
HELP\_TEXT.....No Help Text  
ID.....{1FE7BD0C-7252-427A-8216-36FCA4637089}  
TERM.....Rh IMMUNE GLOBULIN

PRODUCT: SALINE

-----  
ABBREVIATION.....SALINE  
ACTIVE.....Yes  
DESCRIPTION.....Saline  
DISPLAY\_NAME.....Saline  
HELP\_TEXT.....No Help Text  
ID.....{19D84001-70DB-47AA-9149-A37B7E0BAEF1}  
TERM.....SALINE

PRODUCT: SANDOSOURCE PEPTIDE

-----  
ABBREVIATION.....SAND PEPTI  
ACTIVE.....Yes  
DESCRIPTION.....Sandosource Peptide Enteral Nutrition  
Formula  
DISPLAY\_NAME.....Sandosource Peptide Enteral Nutrition  
Formula  
HELP\_TEXT.....No Help Text  
ID.....{B543461C-7316-4750-9918-B30E96AB3C95}  
TERM.....SANDOSOURCE PEPTIDE

PRODUCT: SODA: DIET

-----  
ABBREVIATION.....Soda: Diet  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Soda: Diet  
HELP\_TEXT.....  
ID.....{0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}  
TERM.....SODA: DIET

PRODUCT: SODA: NON-DIET

-----  
ABBREVIATION.....Soda: Non  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Soda: Non-Diet  
HELP\_TEXT.....  
ID.....{B15D88DC-07B6-4980-98B2-A59B5662797A}  
TERM.....SODA: NON-DIET

PRODUCT: SOFT DRINK

-----  
ABBREVIATION.....SOFT DRIN  
ACTIVE.....Yes  
DESCRIPTION.....Soft Drink  
DISPLAY\_NAME.....Soft Drink  
HELP\_TEXT.....No Help Text  
ID.....{9216F0F9-4D5F-4AF7-8D84-04A2CE11BCBE}  
TERM.....SOFT DRINK

PRODUCT: TAP WATER

-----  
ABBREVIATION.....Tap Water  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tap Water  
HELP\_TEXT.....  
ID.....{EAAF11A5-6DC5-481F-81D3-A3035812D5C9}  
TERM.....TAP WATER

PRODUCT: TPN

-----  
ABBREVIATION.....TPN  
ACTIVE.....Yes  
DESCRIPTION.....Total Parenteral Nutrition  
DISPLAY\_NAME.....TPN  
HELP\_TEXT.....No Help Text  
ID.....{55341B62-E356-4C38-A52D-4F196751E9EB}  
TERM.....TPN

PRODUCT: ULTRACAL

-----  
ABBREVIATION.....ULTRACAL  
ACTIVE.....Yes  
DESCRIPTION.....Ultracal Enteral Nutrition  
DISPLAY\_NAME.....Ultracal Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{B18E6151-9DC6-4380-899A-E84715BFC61B}  
TERM.....ULTRACAL

PRODUCT: URINE

-----  
ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Urine  
HELP\_TEXT.....No Help Text  
ID.....{1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}  
TERM.....URINE

PRODUCT: VITAL ENTERAL NUTRITION TYPE

-----  
ABBREVIATION.....VIT ENT NU  
ACTIVE.....Yes  
DESCRIPTION.....Vital Enteral Nutrition  
DISPLAY\_NAME.....Vital Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{D77B607C-85C4-428E-AAE6-B319F33F4E9F}  
TERM.....VITAL ENTERAL NUTRITION TYPE

PRODUCT: VITAL HN ENTERAL NUTRITION

-----  
ABBREVIATION.....VIT NUT HN  
ACTIVE.....Yes  
DESCRIPTION.....Vital HN Enteral Nutrition  
DISPLAY\_NAME.....Vital HN Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{3973F52F-D53F-4D80-928A-BD6154D5C434}  
TERM.....VITAL HN ENTERAL NUTRITION

PRODUCT: WATER

-----  
ABBREVIATION.....WATER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Water  
HELP\_TEXT.....No Help-Text  
ID.....{ACCC998E-0F64-510D-B843-3D30B2AD67CF}  
TERM.....WATER

PRODUCT: WBC - WASHED

-----  
ABBREVIATION.....WBC WASHED  
ACTIVE.....Yes  
DESCRIPTION.....White Blood Cells, Washed  
DISPLAY\_NAME.....WBC - Washed  
HELP\_TEXT.....No Help Text  
ID.....{F1460F94-203C-473D-AC7C-92E8ADFFC0F5}  
TERM.....WBC - WASHED

PRODUCT: WHOLE BLOOD

-----  
ABBREVIATION.....WHOL BLOOD  
ACTIVE.....Yes  
DESCRIPTION.....Whole Blood  
DISPLAY\_NAME.....Whole Blood  
HELP\_TEXT.....No Help Text  
ID.....{144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}  
TERM.....WHOLE BLOOD

PRODUCT: WOUND DRAINAGE

-----  
ABBREVIATION.....WOUN DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....Wound Drainage  
DISPLAY\_NAME.....Wound Drainage  
HELP\_TEXT.....Drainage From Wound  
ID.....{73038CBA-1F31-47E2-A78E-50ED1067CBEA}  
TERM.....WOUND DRAINAGE

PRODUCT: WOUND IRRIGATION

-----  
ABBREVIATION.....WOUND IRRI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wound Irrigation  
HELP\_TEXT.....No Help Text  
ID.....{192EC6B7-8E2E-418C-9345-BC8A7986CA59}  
TERM.....WOUND IRRIGATION

PRODUCT: WOUND VACUUM

-----  
ABBREVIATION.....WOUND VAC  
ACTIVE.....Yes  
DESCRIPTION.....Wound Vacuum Output Product  
DISPLAY\_NAME.....Wound Vacuum  
HELP\_TEXT.....No Help Text  
ID.....{9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}  
TERM.....WOUND VACUUM

QUALITY: ACTUAL

-----

ABBREVIATION.....A  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Actual  
HELP\_TEXT.....No Help Text  
ID.....{5842A4D9-56A1-7A5A-13C9-F481699C3A09}  
TERM.....ACTUAL

QUALITY: ANTECUBITAL

-----

ABBREVIATION.....ANTECUB  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Antecubital  
HELP\_TEXT.....No Help Text  
ID.....{0D56DDB8-EDCD-BF9F-5F77-567BC59F3580}  
TERM.....ANTECUBITAL

QUALITY: BRACHIAL

-----

ABBREVIATION.....BRACHIAL  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Brachial  
HELP\_TEXT.....No Help Text  
ID.....{CFE7E2E3-20BC-7ACE-262B-8BAE4FB36B59}  
TERM.....BRACHIAL

QUALITY: DRY

-----

ABBREVIATION.....D  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dry  
HELP\_TEXT.....No Help Text  
ID.....{B319EFF4-BA4A-85B1-2617-E00E46A54ABE}  
TERM.....DRY

QUALITY: ESTIMATED

-----

ABBREVIATION.....E  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Estimated  
HELP\_TEXT.....No Help Text  
ID.....{9EAF26B-7D87-DA66-F991-022D095FB5A0}  
TERM.....ESTIMATED

QUALITY: ESTIMATED BY ARM SPAN

-----  
ABBREVIATION.....EAS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Estimated by Arm Span  
HELP\_TEXT.....No Help Text  
ID.....{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}  
TERM.....ESTIMATED BY ARM SPAN

QUALITY: OTHER

-----  
ABBREVIATION.....Oth  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Other  
HELP\_TEXT.....No Help Text  
ID.....{7C0850DD-931C-65C8-1003-E31FBBADF6E9}  
TERM.....OTHER

QUALITY: PEDIATRIC

-----  
ABBREVIATION.....Ped  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pediatric  
HELP\_TEXT.....No Help Text  
ID.....{83C8FF79-1919-B001-9F8B-68F014216F0B}  
TERM.....PEDIATRIC

QUALITY: RADIAL

-----  
ABBREVIATION.....RADIAL  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Radial  
HELP\_TEXT.....No Help Text  
ID.....{8F407DAB-8C6D-A5B3-524E-444B22613F4D}  
TERM.....RADIAL

QUALITY: STATED

-----  
ABBREVIATION.....Sta  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stated  
HELP\_TEXT.....No Help Text  
ID.....{6362C194-B7F2-D38C-5B72-3BE5DE09438E}  
TERM.....STATED



SCHEDULE: CATHETER

-----

ABBREVIATION.....CATHETER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Catheter  
HELP\_TEXT.....No Help Text  
ID.....{8C788C2B-3C73-7D8D-9032-A1E2188413B8}  
TERM.....CATHETER

SCHEDULE: PRN

-----

ABBREVIATION.....PRN  
ACTIVE.....Yes  
DESCRIPTION.....AS NEEDED  
DISPLAY\_NAME.....PRN  
HELP\_TEXT.....No Help Text  
ID.....{B9423F6A-166B-CF51-6375-E3928FE0BAD6}  
TERM.....PRN

SCHEDULE: Q2H

-----

ABBREVIATION.....q2h  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Every 2 hours  
HELP\_TEXT.....No Help Text  
ID.....{8EF08D16-5529-5FF0-5B84-36703D82E01C}  
TERM.....Q2H

SCHEDULE: Q4H

-----

ABBREVIATION.....q4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Every 4 Hours  
HELP\_TEXT.....No Help Text  
ID.....{E5638DC5-2772-FD4A-2D81-04B2DA5C8DDC}  
TERM.....Q4H

SCHEDULE: Q7D

-----

ABBREVIATION.....q7d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Every 7 Days  
HELP\_TEXT.....No Help Text  
ID.....{E3E171BF-17B3-1C59-112B-042380890C62}  
TERM.....Q7D



SCHEDULE: QD

-----  
ABBREVIATION.....qd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Everyday  
HELP\_TEXT.....No Help Text  
ID.....{741F0241-5BC5-5AE2-8D8E-543155C46711}  
TERM.....QD

SCHEDULE: RESTRAINT STRAP

-----  
ABBREVIATION.....RES STRAP  
ACTIVE.....No  
DESCRIPTION.....Restraint Strap  
DISPLAY\_NAME.....Restaint Strap  
HELP\_TEXT.....No Help Text  
ID.....{D9162D47-0F50-49F4-837F-70AD65C169BB}  
TERM.....RESTRAINT STRAP

TASK: ACTIVITY - ABD PILLOW

-----  
ABBREVIATION.....ACT ABD PI  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - ABD PILLOW  
DISPLAY\_NAME.....ACTIVITY - ABD PILLOW  
HELP\_TEXT.....ACTIVITY - ABD PILLOW  
ID.....{381AA3BB-8858-4B2B-B607-8FC6C6FF707F}  
TERM.....ACTIVITY - ABD PILLOW

TASK: ACTIVITY - AMBULATE

-----  
ABBREVIATION.....ACT AMBULA  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - AMBULATE  
DISPLAY\_NAME.....ACTIVITY - AMBULATE  
HELP\_TEXT.....ACTIVITY - AMBULATE  
ID.....{E7232201-7FC2-4900-82D0-EF3A10FCB760}  
TERM.....ACTIVITY - AMBULATE

TASK: ACTIVITY - CONT. PASSIVE MOTION DEV.

-----  
ABBREVIATION.....ACT CPM DE  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - CONTINUOUS PASSIVE MOTION  
DEVICE  
DISPLAY\_NAME.....ACTIVITY - CONT. PASS. MOT. DEV.  
HELP\_TEXT.....ACTIVITY - CONTINUOUS PASSIVE MOTION  
DEVICE  
ID.....{7587CDE1-CD6F-4A9C-8E4E-9919485E321E}  
TERM.....ACTIVITY - CONT. PASSIVE MOTION DEV.

TASK: ACTIVITY - ELEVATE HEAD OF BED

-----  
ABBREVIATION.....ACT EL HOB  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - ELEVATE HEAD OF BED  
DISPLAY\_NAME.....ACTIVITY - ELEVATE HEAD OF BED  
HELP\_TEXT.....ACTIVITY - ELEVATE HEAD OF BED  
ID.....{66CDCA34-6B02-4D8B-AD39-FD56BD51EC7E}  
TERM.....ACTIVITY - ELEVATE HEAD OF BED

TASK: ACTIVITY - KNEE IMMOBILIZER

-----  
ABBREVIATION.....ACT KNEE I  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - KNEE IMMOBILIZER  
DISPLAY\_NAME.....ACTIVITY - KNEE IMMOBILIZER  
HELP\_TEXT.....ACTIVITY - KNEE IMMOBILIZER  
ID.....{182692D9-7ECC-45B9-82F6-163DFF937438}  
TERM.....ACTIVITY - KNEE IMMOBILIZER

TASK: ACTIVITY - ORIENT TO WARD

-----  
ABBREVIATION.....ACT ORIENT  
ACTIVE.....Yes  
DESCRIPTION.....Orient patient and family to ward  
                  policies and procedures  
DISPLAY\_NAME.....ACTIVITY - ORIENT TO WARD  
HELP\_TEXT.....ACTIVITY - ORIENT TO WARD  
ID.....{35B092D6-86E0-655B-9B0E-8E819FE6967D}  
TERM.....ACTIVITY - ORIENT TO WARD

TASK: ACTIVITY - RANGE OF MOTION EXERCISES

-----  
ABBREVIATION.....ACT ROM EX  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - RANGE OF MOTION EXERCISES  
DISPLAY\_NAME.....ACTIVITY - RANGE OF MOTION EXERCISES  
HELP\_TEXT.....ACTIVITY - RANGE OF MOTION EXERCISES  
ID.....{D028A8B1-2548-485F-9D87-D9154858E076}  
TERM.....ACTIVITY - RANGE OF MOTION EXERCISES

TASK: ACTIVITY - SIT IN CHAIR

-----  
ABBREVIATION.....ACT SIT CH  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - SIT IN CHAIR  
DISPLAY\_NAME.....ACTIVITY - SIT IN CHAIR  
HELP\_TEXT.....ACTIVITY - SIT IN CHAIR  
ID.....{62765F1D-A170-450C-89C3-5F9EEFAFF71B}  
TERM.....ACTIVITY - SIT IN CHAIR

TASK: ACTIVITY - TURN PATIENT

-----  
ABBREVIATION.....ACT TURN  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - TURN PATIENT  
DISPLAY\_NAME.....ACTIVITY - TURN PATIENT  
HELP\_TEXT.....ACTIVITY - TURN PATIENT  
ID.....{7A545892-7660-4ADE-8017-12DD76762EE8}  
TERM.....ACTIVITY - TURN PATIENT

TASK: ADL - BATH ASSIST

-----  
ABBREVIATION.....ADLBATHASS  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH ASSIST  
DISPLAY\_NAME.....ADL - BATH ASSIST  
HELP\_TEXT.....ADL - BATH ASSIST  
ID.....{0DF710C3-7EB8-44EA-8425-C4F5707D1744}  
TERM.....ADL - BATH ASSIST

TASK: ADL - BATH COMPLETE

-----  
ABBREVIATION.....ADLBATHCOM  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH COMPLETE  
DISPLAY\_NAME.....ADL - BATH COMPLETE  
HELP\_TEXT.....No Help Text  
ID.....{E48D2F58-C42D-4D61-9E34-19DB98966970}  
TERM.....ADL - BATH COMPLETE

TASK: ADL - BATH PARTIAL

-----  
ABBREVIATION.....ADLBATHPAR  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH PARTIAL  
DISPLAY\_NAME.....ADL - BATH PARTIAL  
HELP\_TEXT.....ADL - BATH PARTIAL  
ID.....{6997EBBC-1D7C-46CC-AFC0-0035A777DFBD}  
TERM.....ADL - BATH PARTIAL

TASK: ADL - BATH SELF

-----  
ABBREVIATION.....ADLBATHSEL  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH SELF  
DISPLAY\_NAME.....ADL - BATH SELF  
HELP\_TEXT.....ADL - BATH SELF  
ID.....{F79F34A1-F147-4A68-8039-2F80E3BF7CBE}  
TERM.....ADL - BATH SELF

TASK: ADL - CATHETER CARE

-----  
ABBREVIATION.....ADLCATHCAR  
ACTIVE.....Yes  
DESCRIPTION.....ADL - CATHETER CARE  
DISPLAY\_NAME.....ADL - CATHETER CARE  
HELP\_TEXT.....ADL - CATHETER CARE  
ID.....{8AAD5864-D7A5-4886-AD58-BDDDC00D80DC}  
TERM.....ADL - CATHETER CARE

TASK: ADL - FEED PATIENT

-----  
ABBREVIATION.....ADL FEED P  
ACTIVE.....Yes  
DESCRIPTION.....ADL - FEED PATIENT  
DISPLAY\_NAME.....ADL - FEED PATIENT  
HELP\_TEXT.....ADL - FEED PATIENT  
ID.....{D525A017-C515-4FBE-9CC2-FDB5FA6CF010}  
TERM.....ADL - FEED PATIENT

TASK: ADL - ORAL HYGIENE

-----  
ABBREVIATION.....ADLORALHYG  
ACTIVE.....Yes  
DESCRIPTION.....ADL - ORAL HYGIENE  
DISPLAY\_NAME.....ADL - ORAL HYGIENE  
HELP\_TEXT.....ADL - ORAL HYGIENE  
ID.....{27044060-F4C7-4616-9CE4-D2BFE1001EEE}  
TERM.....ADL - ORAL HYGIENE

TASK: ADL - SHAVE

-----  
ABBREVIATION.....ADLSHAVE  
ACTIVE.....Yes  
DESCRIPTION.....ADL - SHAVE  
DISPLAY\_NAME.....ADL - SHAVE  
HELP\_TEXT.....ADL - SHAVE  
ID.....{B5763C28-DEF7-4A6B-86C2-1C1237B6F568}  
TERM.....ADL - SHAVE

TASK: ADL - SKIN CARE

-----  
ABBREVIATION.....ADLSKINCAR  
ACTIVE.....Yes  
DESCRIPTION.....ADL - SKIN CARE  
DISPLAY\_NAME.....ADL - SKIN CARE  
HELP\_TEXT.....ADL - SKIN CARE  
ID.....{7B41CD6E-8F0C-44B5-9415-288ABAF8271A}  
TERM.....ADL - SKIN CARE

TASK: ADL - TURN

-----  
ABBREVIATION.....ADLTURN  
ACTIVE.....Yes  
DESCRIPTION.....ADL - TURN  
DISPLAY\_NAME.....ADL - TURN  
HELP\_TEXT.....ADL - TURN  
ID.....{CCF74486-3ADE-4A67-A6A0-121F195E6FCB}  
TERM.....ADL - TURN

TASK: ASSESSMENT - CO

-----  
ABBREVIATION.....A CO  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - CO  
DISPLAY\_NAME.....ASSESSMENT - CO  
HELP\_TEXT.....ASSESSMENT - CO  
ID.....{D94C0EFD-CFB8-4249-89D0-1A4BF6C777FC}  
TERM.....ASSESSMENT - CO

TASK: ASSESSMENT - COLLECT VITALS

-----  
ABBREVIATION.....A CO VITAL  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - COLLECT VITALS  
DISPLAY\_NAME.....ASSESSMENT - COLLECT VITALS  
HELP\_TEXT.....ASSESSMENT - COLLECT VITALS  
ID.....{9A21F145-1DBA-0BA5-4C9D-E9E31B3F3E45}  
TERM.....ASSESSMENT - COLLECT VITALS

TASK: ASSESSMENT - DOPPLERS

-----  
ABBREVIATION.....A DOPPLERS  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - DOPPLERS  
DISPLAY\_NAME.....ASSESSMENT - DOPPLERS  
HELP\_TEXT.....ASSESSMENT - DOPPLERS  
ID.....{8B1F6E7E-95D5-47A0-A23D-2A8A088930B8}  
TERM.....ASSESSMENT - DOPPLERS

TASK: ASSESSMENT - FINGERSTICK BLOOD SUGAR

-----  
ABBREVIATION.....A BLD SUGR  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - FINGERSTICK BLOOD SUGAR  
DISPLAY\_NAME.....ASSESSMENT - FINGERSTICK BLOOD SUGAR  
HELP\_TEXT.....ASSESSMENT - FINGERSTICK BLOOD SUGAR  
(FSBS)  
ID.....{50A07B57-D9E6-4F67-B6BC-E21D4A60A56C}  
TERM.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

TASK: ASSESSMENT - HEMODYNAMIC READINGS

-----  
ABBREVIATION.....A HEMO REA  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - HEMODYNAMIC READINGS  
DISPLAY\_NAME.....ASSESSMENT - HEMODYNAMIC READINGS  
HELP\_TEXT.....ASSESSMENT - HEMODYNAMIC READINGS  
ID.....{98328403-2F7B-7404-34EA-5411633EA55C}  
TERM.....ASSESSMENT - HEMODYNAMIC READINGS

TASK: ASSESSMENT - I&O

-----  
ABBREVIATION.....A I&O  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - I&O  
DISPLAY\_NAME.....ASSESSMENT - I&O  
HELP\_TEXT.....ASSESSMENT - I&O  
ID.....{53CA663E-40AC-4089-A250-10635CC64F06}  
TERM.....ASSESSMENT - I&O

TASK: ASSESSMENT - NEURO CHECKS

-----  
ABBREVIATION.....A NRO CHKS  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - NEURO CHECKS  
DISPLAY\_NAME.....ASSESSMENT - NEURO CHECKS  
HELP\_TEXT.....ASSESSMENT - NEURO CHECKS  
ID.....{8E1E8DE5-EFE6-41B9-86CD-484BC9EF4F66}  
TERM.....ASSESSMENT - NEURO CHECKS

TASK: ASSESSMENT - NEUROVASCULAR CHECKS

-----  
ABBREVIATION.....A NROVASCU  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - NEUROVASCULAR CHECKS  
DISPLAY\_NAME.....ASSESSMENT - NEUROVASCULAR CHECKS  
HELP\_TEXT.....ASSESSMENT - NEUROVASCULAR CHECKS  
ID.....{4C7FBC3F-F88B-426B-9DCB-74EE2FBC40EA}  
TERM.....ASSESSMENT - NEUROVASCULAR CHECKS

TASK: ASSESSMENT - PCA

-----  
ABBREVIATION.....A PCA  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - PCA  
DISPLAY\_NAME.....ASSESSMENT - PCA  
HELP\_TEXT.....ASSESSMENT - PCA  
ID.....{88464AA6-3DCF-4388-B0EC-6B3D6B098FEC}  
TERM.....ASSESSMENT - PCA

TASK: ASSESSMENT - PULSE OX

-----  
ABBREVIATION.....A PULSE OX  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - PULSE OX  
DISPLAY\_NAME.....ASSESSMENT - PULSE OX  
HELP\_TEXT.....ASSESSMENT - PULSE OX  
ID.....{FC2A17F3-DC69-427D-946B-C3403B92528B}  
TERM.....ASSESSMENT - PULSE OX

TASK: ASSESSMENT - RESTRAINTS

-----  
ABBREVIATION.....A RESTRAIN  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - RESTRAINTS  
DISPLAY\_NAME.....ASSESSMENT - RESTRAINTS  
HELP\_TEXT.....ASSESSMENT - RESTRAINTS  
ID.....{3D02BA0C-BFDD-4D82-8B44-40C861E7FD24}  
TERM.....ASSESSMENT - RESTRAINTS

TASK: ASSESSMENT - TELEMETRY

-----  
ABBREVIATION.....A TELEMETR  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - TELEMETRY  
DISPLAY\_NAME.....ASSESSMENT - TELEMETRY  
HELP\_TEXT.....ASSESSMENT - TELEMETRY  
ID.....{48C7FB6E-74C2-4EA4-984F-19C11C9072D7}  
TERM.....ASSESSMENT - TELEMETRY

TASK: ASSESSMENT - WEIGHT

-----  
ABBREVIATION.....A WEIGHT  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - GET PATIENTS WEIGHT  
DISPLAY\_NAME.....ASSESSMENT - WEIGHT  
HELP\_TEXT.....ASSESSMENT - GET PATIENTS WEIGHT  
ID.....{CCB2F8DF-9319-4767-AE7D-90A7705C03FD}  
TERM.....ASSESSMENT - WEIGHT

TASK: CALL HOUSE OFFICER - BP DIASTOLIC

-----  
ABBREVIATION.....CHO DBP  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - BP DIASTOLIC  
DISPLAY\_NAME.....CALL HOUSE OFFICER - BP DIASTOLIC  
HELP\_TEXT.....CALL HOUSE OFFICER - BP DIASTOLIC  
ID.....{19A8A7AD-6BAC-4326-806C-BC80E5636FFC}  
TERM.....CALL HOUSE OFFICER - BP DIASTOLIC

TASK: CALL HOUSE OFFICER - BP SYSTOLIC

-----  
ABBREVIATION.....CHO SBP  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - BP SYSTOLIC  
DISPLAY\_NAME.....CALL HOUSE OFFICER - BP SYSTOLIC  
HELP\_TEXT.....CALL HOUSE OFFICER - BP SYSTOLIC  
ID.....{971F71F9-AAD6-46BF-A729-45F0B98FD6D3}  
TERM.....CALL HOUSE OFFICER - BP SYSTOLIC

TASK: CALL HOUSE OFFICER - PULSE

-----  
ABBREVIATION.....CHO PULSE  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - PULSE  
DISPLAY\_NAME.....CALL HOUSE OFFICER - PULSE  
HELP\_TEXT.....CALL HOUSE OFFICER - PULSE  
ID.....{81EED77A-5116-4B2D-B52B-42BAFACC69C9}  
TERM.....CALL HOUSE OFFICER - PULSE



TASK: CALL HOUSE OFFICER - RESPIRATORY RATE

-----  
ABBREVIATION.....CHO RR  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - RESPIRATORY RATE  
DISPLAY\_NAME.....CALL HOUSE OFFICER - RESPIRATORY RATE  
HELP\_TEXT.....CALL HOUSE OFFICER - RESPIRATORY RATE  
ID.....{D2DFE1EC-017F-49B8-B59C-C724F71F2E63}  
TERM.....CALL HOUSE OFFICER - RESPIRATORY RATE

TASK: CALL HOUSE OFFICER - TEMP

-----  
ABBREVIATION.....CHO TEMP  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - TEMP  
DISPLAY\_NAME.....CALL HOUSE OFFICER - TEMP  
HELP\_TEXT.....CALL HOUSE OFFICER - TEMP  
ID.....{E59A3DC0-73CB-4B0F-B031-E3CFF280EA5F}  
TERM.....CALL HOUSE OFFICER - TEMP

TASK: HYDRATION - DIET

-----  
ABBREVIATION.....HY DIET  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - DIET  
DISPLAY\_NAME.....HYDRATION - DIET  
HELP\_TEXT.....HYDRATION - DIET  
ID.....{C0F14019-FF1A-4D42-A857-4B1E86E793FA}  
TERM.....HYDRATION - DIET

TASK: HYDRATION - HEPARIN DRIP

-----  
ABBREVIATION.....HY HEPARIN  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - HEPARIN DRIP  
DISPLAY\_NAME.....HYDRATION - HEPARIN DRIP  
HELP\_TEXT.....HYDRATION - HEPARIN DRIP  
ID.....{EC49EE9D-C2EB-4F7D-A9D4-9746DDEF84A6}  
TERM.....HYDRATION - HEPARIN DRIP

TASK: HYDRATION - HYPERAL

-----  
ABBREVIATION.....HY HYPERAL  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - HYPERAL  
DISPLAY\_NAME.....HYDRATION - HYPERAL  
HELP\_TEXT.....HYDRATION - HYPERAL  
ID.....{5F91CA9E-82F1-4490-8648-896864F1F68C}  
TERM.....HYDRATION - HYPERAL

TASK: HYDRATION - IV FLUIDS

-----  
ABBREVIATION.....HY IV FLU  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - IV FLUIDS  
DISPLAY\_NAME.....HYDRATION - IV FLUIDS  
HELP\_TEXT.....HYDRATION - IV FLUIDS  
ID.....{75D6B913-147F-4318-B6A5-985438E8CF66}  
TERM.....HYDRATION - IV FLUIDS

TASK: HYDRATION - NPO

-----  
ABBREVIATION.....HY NPO  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - NPO  
DISPLAY\_NAME.....HYDRATION - NPO  
HELP\_TEXT.....HYDRATION - NPO  
ID.....{44028E10-FB0D-4AFD-9B8D-90F157D6329D}  
TERM.....HYDRATION - NPO

TASK: HYDRATION - PERIPHERAL IV

-----  
ABBREVIATION.....HY PIV  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - PERIPHERAL IV  
DISPLAY\_NAME.....HYDRATION - PERIPHERAL IV  
HELP\_TEXT.....HYDRATION - PERIPHERAL IV  
ID.....{1ACA57CF-4226-4EF1-AABD-142EE1DE369F}  
TERM.....HYDRATION - PERIPHERAL IV

TASK: HYDRATION - PICC/CENTRAL LINE

-----  
ABBREVIATION.....HY PICC  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - PICC/CENTRAL LINE  
DISPLAY\_NAME.....HYDRATION - PICC/CENTRAL LINE  
HELP\_TEXT.....HYDRATION - PICC/CENTRAL LINE  
ID.....{E1D6E811-CE80-4F8A-AB00-570D1C8079CA}  
TERM.....HYDRATION - PICC/CENTRAL LINE

TASK: HYDRATION - SUPPLEMENT SNACK

-----  
ABBREVIATION.....HY SNACK S  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - SUPPLEMENT SNACK  
DISPLAY\_NAME.....HYDRATION - SUPPLEMENT SNACK  
HELP\_TEXT.....HYDRATION - SUPPLEMENT SNACK  
ID.....{0916F365-7FBC-4FD3-A55B-CAD4E41A00B1}  
TERM.....HYDRATION - SUPPLEMENT SNACK

TASK: HYDRATION - TUBE FEEDING

-----  
ABBREVIATION.....HY TU FEED  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - TUBE FEEDING  
DISPLAY\_NAME.....HYDRATION - TUBE FEEDING  
HELP\_TEXT.....HYDRATION - TUBE FEEDING  
ID.....{6EDD774C-DD5A-4BF6-B06D-725FD7A0B26C}  
TERM.....HYDRATION - TUBE FEEDING

TASK: NURSING INTERVENTIONS - STRAIGHT CATH

-----  
ABBREVIATION.....NI ST CATH  
ACTIVE.....Yes  
DESCRIPTION.....NURSING INTERVENTIONS - STRAIGHT CATH  
DISPLAY\_NAME.....NURSING INTERVENTIONS - STRAIGHT CATH  
HELP\_TEXT.....NURSING INTERVENTIONS - STRAIGHT CATH  
ID.....{A1F54C3F-CFD1-4767-BED8-55BF2BE872DD}  
TERM.....NURSING INTERVENTIONS - STRAIGHT CATH

TASK: NURSING INTERVENTIONS - WOUND CARE

-----  
ABBREVIATION.....NI WOU CAR  
ACTIVE.....Yes  
DESCRIPTION.....NURSING INTERVENTIONS - WOUND CARE  
DISPLAY\_NAME.....NURSING INTERVENTIONS - WOUND CARE  
HELP\_TEXT.....NURSING INTERVENTIONS - WOUND CARE  
ID.....{BFBE2EFF-3644-439F-951C-804B43BFFF30}  
TERM.....NURSING INTERVENTIONS - WOUND CARE

TASK: PRECAUTIONS - 24 HOUR CHART CHECK

-----  
ABBREVIATION.....PREC 24 CH  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - 24 HOUR CHART CHECK  
DISPLAY\_NAME.....PRECAUTIONS - 24 HOUR CHART CHECK  
HELP\_TEXT.....PRECAUTIONS - 24 HOUR CHART CHECK  
ID.....{96C39F92-CE4C-4D6B-9837-9C9FECDEC199}  
TERM.....PRECAUTIONS - 24 HOUR CHART CHECK

TASK: PRECAUTIONS - ASPIRATION

-----  
ABBREVIATION.....PREC ASPIR  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - ASPIRATION  
DISPLAY\_NAME.....PRECAUTIONS - ASPIRATION  
HELP\_TEXT.....PRECAUTIONS - ASPIRATION  
ID.....{D8D28810-655E-4707-BF6D-B853F18A1E08}  
TERM.....PRECAUTIONS - ASPIRATION

TASK: PRECAUTIONS - ETOH W/D

-----  
ABBREVIATION.....PREC ETOH  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - ETOH W/D  
DISPLAY\_NAME.....PRECAUTIONS - ETOH W/D  
HELP\_TEXT.....PRECAUTIONS - ETOH W/D  
ID.....{7800B16E-ECCD-4086-985C-0D12D4671123}  
TERM.....PRECAUTIONS - ETOH W/D

TASK: PRECAUTIONS - FALL

-----  
ABBREVIATION.....PREC FALL  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - FALL  
DISPLAY\_NAME.....PRECAUTIONS - FALL  
HELP\_TEXT.....PRECAUTIONS - FALL  
ID.....{CAB2E3CC-18AD-40AB-946B-DB0292E7FA09}  
TERM.....PRECAUTIONS - FALL

TASK: PRECAUTIONS - PATIENT TEACHING

-----  
ABBREVIATION.....PREC TEACH  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - PATIENT TEACHING  
DISPLAY\_NAME.....PRECAUTIONS - PATIENT TEACHING  
HELP\_TEXT.....PRECAUTIONS - PATIENT TEACHING  
ID.....{C58B33AB-6442-46A5-B24A-E2B856C72B98}  
TERM.....PRECAUTIONS - PATIENT TEACHING

TASK: PRECAUTIONS - VALIDATE ALARMS

-----  
ABBREVIATION.....PREC ALARM  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - VALIDATE ALARMS  
DISPLAY\_NAME.....PRECAUTIONS - VALIDATE ALARMS  
HELP\_TEXT.....PRECAUTIONS - VALIDATE ALARMS  
ID.....{CF386EC1-F5B6-4D15-8E48-8453FE6FC1CC}  
TERM.....PRECAUTIONS - VALIDATE ALARMS

TASK: PULMONARY - CHEST PHYSIO-THERAPY

-----  
ABBREVIATION.....PULMCHPHTH  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - CHEST PHYSIO-THERAPY  
DISPLAY\_NAME.....PULMONARY - CHEST PHYSIO-THERAPY  
HELP\_TEXT.....PULMONARY - CHEST PHYSIO-THERAPY  
ID.....{F028FA64-3957-4A15-B30A-277AF594A69D}  
TERM.....PULMONARY - CHEST PHYSIO-THERAPY

TASK: PULMONARY - COUGH AND DEEP BREATH

-----  
ABBREVIATION.....PULMCOUGH  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - COUGH AND DEEP BREATH  
DISPLAY\_NAME.....PULMONARY - COUGH AND DEEP BREATH  
HELP\_TEXT.....PULMONARY - COUGH AND DEEP BREATH  
ID.....{17A5D60E-ED50-4FBA-879D-4618563D2B98}  
TERM.....PULMONARY - COUGH AND DEEP BREATH

TASK: PULMONARY - ET TUBE CARE

-----  
ABBREVIATION.....PULM ET TU  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - ET TUBE CARE  
DISPLAY\_NAME.....PULMONARY - ET TUBE CARE  
HELP\_TEXT.....PULMONARY - ET TUBE CARE  
ID.....{B2F57E59-33C5-49FB-BEE9-176647329910}  
TERM.....PULMONARY - ET TUBE CARE

TASK: PULMONARY - INCENTIVE SPIROMETER

-----  
ABBREVIATION.....PULMINCSPI  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - INCENTIVE SPIROMETER  
DISPLAY\_NAME.....PULMONARY - INCENTIVE SPIROMETER  
HELP\_TEXT.....PULMONARY - INCENTIVE SPIROMETER  
ID.....{F856E287-BAAC-4D8C-AFAD-34912621F3B4}  
TERM.....PULMONARY - INCENTIVE SPIROMETER

TASK: PULMONARY - OXYGEN

-----  
ABBREVIATION.....PULM OXYGE  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - OXYGEN  
DISPLAY\_NAME.....PULMONARY - OXYGEN  
HELP\_TEXT.....PULMONARY - OXYGEN  
ID.....{14A986A8-54F1-4D9A-A2EB-43F306704C42}  
TERM.....PULMONARY - OXYGEN

TASK: PULMONARY - SUCTION PATIENT

-----  
ABBREVIATION.....PULM-SUCTI  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - SUCTION PATIENT  
DISPLAY\_NAME.....PULMONARY - SUCTION PATIENT  
HELP\_TEXT.....PULMONARY - SUCTION PATIENT  
ID.....{8B74C2F6-8CFB-4A60-9158-5333B980D047}  
TERM.....PULMONARY - SUCTION PATIENT

TASK: PULMONARY - TRACH CARE

-----  
ABBREVIATION.....PULMTRACHC  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - TRACH CARE  
DISPLAY\_NAME.....PULMONARY - TRACH CARE  
HELP\_TEXT.....PULMONARY - TRACH CARE  
ID.....{EAAF44D-359B-4FB0-9683-BC44F7D59C23}  
TERM.....PULMONARY - TRACH CARE

TASK: RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET

-----  
ABBREVIATION.....RES TOILET  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Assess Need for  
                  Fluids/Toileting  
DISPLAY\_NAME.....Restraint - Assess Need for  
                  Fluids/Toileting  
HELP\_TEXT.....Restraint - Assess Need for  
                  Fluids/Toileting  
ID.....{58A09EA6-3336-4985-83A9-B765E3CB9C9E}  
TERM.....RESTRAINT - ASSESS NEED FOR  
                  FLUIDS/TOILET

TASK: RESTRAINT - CIRCULATION CHECK

-----  
ABBREVIATION.....RES CIR CH  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Circulation Check  
DISPLAY\_NAME.....Restraint - Circulation Check  
HELP\_TEXT.....Restraint - Circulation Check  
ID.....{0A1DA91C-BC0E-4B07-967D-2BAB7E64B028}  
TERM.....RESTRAINT - CIRCULATION CHECK

TASK: RESTRAINT - DEVICE RELEASE

-----  
ABBREVIATION.....RES DEV RE  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Device Release  
DISPLAY\_NAME.....Restraint - Device Release  
HELP\_TEXT.....Restraint - Device Release  
ID.....{7B0C29DA-6593-472C-9716-24F7E2B7ABD7}  
TERM.....RESTRAINT - DEVICE RELEASE

TASK: RESTRAINT - FALL PRECAUTIONS

-----  
ABBREVIATION.....RES FALL P  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Fall Precautions  
DISPLAY\_NAME.....Restraint - Fall Precautions  
HELP\_TEXT.....Restraint - Fall Precautions  
ID.....{D812036A-7B6B-4C9C-9EE2-616C5EFC4789}  
TERM.....RESTRAINT - FALL PRECAUTIONS

TASK: RESTRAINT - SEIZURE PRECAUTIONS

-----  
ABBREVIATION.....RES SEI PR  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Seizure Precautions  
DISPLAY\_NAME.....Restraint - Seizure Precautions  
HELP\_TEXT.....Restraint - Seizure Precautions  
ID.....{71606A0A-05E6-4DFD-9E00-677A07167199}  
TERM.....RESTRAINT - SEIZURE PRECAUTIONS

TASK: TESTS/PROC. - ACCUCHECKS

-----  
ABBREVIATION.....TP ACCUCHE  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - ACCUCHECKS  
DISPLAY\_NAME.....TESTS/PROC. - ACCUCHECKS  
HELP\_TEXT.....TESTS/PROC. - ACCUCHECKS  
ID.....{0A5E0495-B990-449B-B5F6-10497842534E}  
TERM.....TESTS/PROC. - ACCUCHECKS

TASK: TESTS/PROC. - BLOOD CULTURES

-----  
ABBREVIATION.....T/P BLOOD  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - BLOOD CULTURES  
DISPLAY\_NAME.....TESTS/PROC. - BLOOD CULTURES  
HELP\_TEXT.....TESTS/PROC. - BLOOD CULTURES  
ID.....{BC2F7EFE-3990-47D2-863A-6FB2227746F3}  
TERM.....TESTS/PROC. - BLOOD CULTURES

TASK: TESTS/PROC. - DAILY LABS

-----  
ABBREVIATION.....T/P D LABS  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - DAILY LABS  
DISPLAY\_NAME.....TESTS/PROC. - DAILY LABS  
HELP\_TEXT.....TESTS/PROC. - DAILY LABS  
ID.....{03B3A828-D4B0-40CF-B12C-1DD936DE98AC}  
TERM.....TESTS/PROC. - DAILY LABS

TASK: TESTS/PROC. - MORNING LABS

-----  
ABBREVIATION.....T/P M LABS  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - MORNING LABS  
DISPLAY\_NAME.....TESTS/PROC. - MORNING LABS  
HELP\_TEXT.....TESTS/PROC. - MORNING LABS  
ID.....{6F81B3D1-CCBC-4BC9-AFF0-6400DF212EB}  
TERM.....TESTS/PROC. - MORNING LABS

TASK: TESTS/PROC. - ZERO BALANCE HEMO. LINES

-----  
ABBREVIATION.....T/P 0 HEMO  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - ZERO BALANCE HEMO. LINES  
DISPLAY\_NAME.....TESTS/PROC. - ZERO BALANCE HEMO. LINES  
HELP\_TEXT.....TESTS/PROC. - ZERO BALANCE HEMO. LINES  
ID.....{9CEDB731-A785-48B7-AC92-84B10FCCCE86}  
TERM.....TESTS/PROC. - ZERO BALANCE HEMO. LINES

TASK: TUBES & DRAINS - CONDOM CATH

-----  
ABBREVIATION.....T&D C CATH  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - CONDOM CATH  
DISPLAY\_NAME.....TUBES & DRAINS - CONDOM CATH  
HELP\_TEXT.....TUBES & DRAINS - CONDOM CATH  
ID.....{385EFB2B-55BB-486E-B168-D1FFF71E086C}  
TERM.....TUBES & DRAINS - CONDOM CATH

TASK: TUBES & DRAINS - FOLEY

-----  
ABBREVIATION.....T&D FOLEY  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - FOLEY  
DISPLAY\_NAME.....TUBES & DRAINS - FOLEY  
HELP\_TEXT.....TUBES & DRAINS - FOLEY  
ID.....{14CECC17-A780-41DD-98A4-6E226630BC65}  
TERM.....TUBES & DRAINS - FOLEY

TASK: TUBES & DRAINS - I/O CATH

-----  
ABBREVIATION.....T&D I/O CA  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - I/O CATH  
DISPLAY\_NAME.....TUBES & DRAINS - I/O CATH  
HELP\_TEXT.....TUBES & DRAINS - I/O CATH  
ID.....{5BA34E92-5248-4954-A677-443C4B2183E8}  
TERM.....TUBES & DRAINS - I/O CATH

TASK: TUBES & DRAINS - NG TUBE

-----  
ABBREVIATION.....T&D NG TU  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - NG TUBE  
DISPLAY\_NAME.....TUBES & DRAINS - NG TUBE  
HELP\_TEXT.....TUBES & DRAINS - NG TUBE  
ID.....{BBFCE51A-9CCF-44AC-8C37-4A779232A4B7}  
TERM.....TUBES & DRAINS - NG TUBE



TASK: TUBES & DRAINS - SUPRAPUBIC DRAIN

-----  
ABBREVIATION.....T&D SUP DR  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - SUPRAPUBIC DRAIN  
DISPLAY\_NAME.....TUBES & DRAINS - SUPRAPUBIC DRAIN  
HELP\_TEXT.....TUBES & DRAINS - SUPRAPUBIC DRAIN  
ID.....{6A4A5F28-35D3-494E-BA97-2E0DE4A7B8CC}  
TERM.....TUBES & DRAINS - SUPRAPUBIC DRAIN

## UNIT: BEATS PER MINUTE

ABBREVIATION.....bpm  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Beats Per Minute  
HELP\_TEXT.....No Help Text  
ID.....{8319B3B0-0F31-1393-154D-59A86692D637}  
TERM.....BEATS PER MINUTE

## UNIT: BRADEN SCALE

ABBREVIATION.....BRADEN SCA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Braden Scale  
HELP\_TEXT.....No Help Text  
ID.....{B5EE25BB-DA66-4AC9-9A3B-C05497B2647C}  
TERM.....BRADEN SCALE

## UNIT: BREATHS PER MINUTE

ABBREVIATION.....rpm  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Resp/Min  
HELP\_TEXT.....No Help Text  
ID.....{DCF89527-FFAE-F68E-0871-602F3C32DDB1}  
TERM.....BREATHS PER MINUTE

## UNIT: CALORIE

ABBREVIATION.....CALORIE  
ACTIVE.....Yes  
DESCRIPTION.....A unit of food energy  
DISPLAY\_NAME.....Calorie  
HELP\_TEXT.....The amount of energy required to  
raise the temperature of a liter of  
water one degree centigrade at sea  
level  
ID.....{9F7DE371-AB4B-45EE-A8E3-825822419CCA}  
TERM.....CALORIE

## UNIT: CENTIMETER

ABBREVIATION.....cm  
ACTIVE.....Yes  
DESCRIPTION.....Measurement of length  
DISPLAY\_NAME.....Centimeter  
HELP\_TEXT.....Metric  
ID.....{EF700458-8C2D-16E8-02DC-9E1711584C53}  
TERM.....CENTIMETER

UNIT: CENTIMETERS H2O

-----  
ABBREVIATION.....CM H2O  
ACTIVE.....Yes  
DESCRIPTION.....CENTIMETERS OF WATER  
DISPLAY\_NAME.....CM H2O  
HELP\_TEXT.....No Help Text  
ID.....{F7030BB1-AD2C-15F6-FF41-6DA893C851C1}  
TERM.....CENTIMETERS H2O

UNIT: CIWA SCALE

-----  
ABBREVIATION.....CIWA SCALE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CIWA SCALE  
HELP\_TEXT.....Scale For Addition Of All CIWA Scores  
ID.....{0ED378B9-C1A4-4ABA-82B7-F62BC0D62886}  
TERM.....CIWA SCALE

UNIT: CUBIC CENTIMETER

-----  
ABBREVIATION.....Cubic Cent  
ACTIVE.....Yes  
DESCRIPTION.....Cubic Centimeter  
DISPLAY\_NAME.....Cubic Centimeter  
HELP\_TEXT.....No Help Text  
ID.....{4698E6A0-DA6C-4A0A-800A-395BBCD2871E}  
TERM.....CUBIC CENTIMETER

UNIT: DAY

-----  
ABBREVIATION.....Day  
ACTIVE.....Yes  
DESCRIPTION.....Measurement of passage of time (24  
hours)  
DISPLAY\_NAME.....Day  
HELP\_TEXT.....No Help Text  
ID.....{742619B2-A8C7-1A53-45CD-C3E25A05D58C}  
TERM.....DAY

UNIT: DEGREES (ANGLE)

-----  
ABBREVIATION.....DEG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Degrees (Angle)  
HELP\_TEXT.....No Help Text  
ID.....{5F407D72-3009-2553-7DDC-82BAF2043FCA}  
TERM.....DEGREES (ANGLE)

UNIT: DEGREES C

-----  
ABBREVIATION.....C  
ACTIVE.....Yes  
DESCRIPTION.....Metric Temperature  
DISPLAY\_NAME.....Celsius  
HELP\_TEXT.....No Help Text  
ID.....{1964CB4C-0584-DA80-C7A9-E7400DCD817D}  
TERM.....DEGREES C

UNIT: DEGREES F

-----  
ABBREVIATION.....F  
ACTIVE.....Yes  
DESCRIPTION.....US measurement of temperature  
DISPLAY\_NAME.....Fahrenheit  
HELP\_TEXT.....No Help Text  
ID.....{59FC6CA4-9389-B770-5A9C-8C5A38C572D8}  
TERM.....DEGREES F

UNIT: DYNE \* SECONDS / CM(-5) \* M2

-----  
ABBREVIATION.....D\*S/CM\*M2  
ACTIVE.....Yes  
DESCRIPTION.....dyne \* seconds / cm(-5) \* m2  
DISPLAY\_NAME.....dyne \* seconds / cm(-5) \* m2  
HELP\_TEXT.....dyne \* seconds / cm(-5) \* m2  
ID.....{1241878F-AECA-B1A8-BF12-D5FA583FC1B2}  
TERM.....DYNE \* SECONDS / CM(-5) \* M2

UNIT: DYNE \* SECONDS / CM(-5) / M2

-----  
ABBREVIATION.....D\*S/CM/M2  
ACTIVE.....Yes  
DESCRIPTION.....dyne \* seconds/cm(-5) / m2  
DISPLAY\_NAME.....dyne \* seconds/cm(-5) / m2  
HELP\_TEXT.....dyne \* seconds/cm(-5) / m2  
ID.....{A642531F-A72E-CF60-D31A-F38AD12A8B30}  
TERM.....DYNE \* SECONDS / CM(-5) / M2

UNIT: DYNE-SEC/CM5

-----  
ABBREVIATION.....dyne-sec/c  
ACTIVE.....Yes  
DESCRIPTION.....dyne-sec/cm5  
DISPLAY\_NAME.....dyne-sec/cm5  
HELP\_TEXT.....dyne-sec/cm5  
ID.....{01A538D8-41AF-4D0B-B827-D557060A618A}  
TERM.....DYNE-SEC/CM5

UNIT: EVENT(S)

-----  
ABBREVIATION.....EVENT(S)  
ACTIVE.....Yes  
DESCRIPTION.....Event(s)  
DISPLAY\_NAME.....Event(s)  
HELP\_TEXT.....No Help Text  
ID.....{723F907D-8B71-4183-AE54-66D0C3C72DCA}  
TERM.....EVENT(S)

UNIT: EVENTS PER HOUR

-----  
ABBREVIATION.....EVENT/H  
ACTIVE.....Yes  
DESCRIPTION.....NUMBER OF TIMES PER HOUR THAT AN  
OBSERVABLE EVENT OCCURS  
DISPLAY\_NAME.....Events Per Hour  
HELP\_TEXT.....No Help Text  
ID.....{3D648D4F-02A9-474A-65BF-70608E75BC29}  
TERM.....EVENTS PER HOUR

UNIT: FOOT

-----  
ABBREVIATION.....FT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot/Feet  
HELP\_TEXT.....No Help Text  
ID.....{66D6F7EC-3884-4790-AC35-10B2AE84257F}  
TERM.....FOOT

UNIT: FRENCH

-----  
ABBREVIATION.....FRENCH  
ACTIVE.....Yes  
DESCRIPTION.....UNIT OF MEASURE FOR ARTIFICIAL AIRWAYS  
DISPLAY\_NAME.....French  
HELP\_TEXT.....No Help Text  
ID.....{3734E0E0-087B-098A-984A-E42264CF6567}  
TERM.....FRENCH

UNIT: GAUGE

-----  
ABBREVIATION.....GAUGE  
ACTIVE.....Yes  
DESCRIPTION.....Gauge For Needles  
DISPLAY\_NAME.....Gauge  
HELP\_TEXT.....No Help Text  
ID.....{5670BBC1-4962-4FA1-A4D0-1E399F2D06B1}  
TERM.....GAUGE

UNIT: GLASGOW COMA SCALE

-----  
ABBREVIATION.....GCS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Glasgow Coma Scale  
HELP\_TEXT.....No Help Text  
ID.....{CA674718-C98D-669F-8954-F9EC91C2F6F3}  
TERM.....GLASGOW COMA SCALE

UNIT: GM-M/M2/BEAT

-----  
ABBREVIATION.....gm-m/m2/be  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....gm-m/m2/beat  
HELP\_TEXT.....No Help Text  
ID.....{DB5404C8-1880-4B54-B053-DF0875E72C3B}  
TERM.....GM-M/M2/BEAT

UNIT: GRAMS PER HOUR

-----  
ABBREVIATION.....gm/hr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....gm/hr  
HELP\_TEXT.....No Help Text  
ID.....{A50449B1-DF42-4D18-8F02-59937EA6CDE4}  
TERM.....GRAMS PER HOUR

UNIT: GRAMS PER MINUTE

-----  
ABBREVIATION.....gm/min  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Grams Per Minute  
HELP\_TEXT.....No Help Text  
ID.....{07D005E8-B078-A48F-96B5-8CCAA92EC97F}  
TERM.....GRAMS PER MINUTE

UNIT: HOUR

-----  
ABBREVIATION.....hr  
ACTIVE.....Yes  
DESCRIPTION.....Measurement of time  
DISPLAY\_NAME.....Hour  
HELP\_TEXT.....No Help Text  
ID.....{60034E2A-D088-E9B6-9B98-D0F4357A059F}  
TERM.....HOUR

UNIT: INCH

-----  
ABBREVIATION.....in  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Inch  
HELP\_TEXT.....No Help Text  
ID.....{9CB32FC9-4130-11F8-E750-AF1415556705}  
TERM.....INCH

UNIT: KG/M2

-----  
ABBREVIATION.....KG/M2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....KG/M2  
HELP\_TEXT.....No Help Text  
ID.....{E3204003-83B3-4D12-872D-C32A50F177D0}  
TERM.....KG/M2

UNIT: KGS/HOUR

-----  
ABBREVIATION.....KGS/HOUR  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....kgs/hour  
HELP\_TEXT.....  
ID.....{704F239F-CAAF-4F32-B705-62906403B874}  
TERM.....KGS/HOUR

UNIT: KILOGRAM

-----  
ABBREVIATION.....kg  
ACTIVE.....Yes  
DESCRIPTION.....Metric measurement of weight  
DISPLAY\_NAME.....Kilogram  
HELP\_TEXT.....No Help Text  
ID.....{0AC4E9AC-41CB-32EA-9674-74FDFAA6B4F4}  
TERM.....KILOGRAM

UNIT: LITER

-----  
ABBREVIATION.....L  
ACTIVE.....Yes  
DESCRIPTION.....Volume, 1000 ml  
DISPLAY\_NAME.....Liter  
HELP\_TEXT.....No Help Text  
ID.....{AFADB383-5867-4D7C-8ADB-E76782E5943D}  
TERM.....LITER

UNIT: LITERS PER MINUTE

-----  
ABBREVIATION.....L/min  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L/min  
HELP\_TEXT.....No Help Text  
ID.....{CFCD64D2-8555-8513-5DB0-F0522C19DCCF}  
TERM.....LITERS PER MINUTE

UNIT: LITERS PER MINUTE PER METER2 (BSA)

-----  
ABBREVIATION.....L/min/m2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L/min/m2 (BSA)  
HELP\_TEXT.....No Help Text  
ID.....{F033FDA0-C6D6-0D93-F836-C4A42708FDF2}  
TERM.....LITERS PER MINUTE PER METER2 (BSA)

UNIT: MEWS: SCORE UNIT

-----  
ABBREVIATION.....MEWS-Score  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....MEWS: Score Unit  
HELP\_TEXT.....  
ID.....{C640633E-785A-4ED3-8CD0-356A139ACF36}  
TERM.....MEWS: SCORE UNIT

UNIT: MICROGRAMS

-----  
ABBREVIATION.....mcg  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms  
DISPLAY\_NAME.....mcg  
HELP\_TEXT.....Micrograms  
ID.....{5D2A9B6F-4DD1-48C6-B223-09CAF66A5A50}  
TERM.....MICROGRAMS

UNIT: MICROGRAMS PER HOUR

-----  
ABBREVIATION.....mcg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms per Hour  
DISPLAY\_NAME.....mcg/hr  
HELP\_TEXT.....Micrograms per Hour  
ID.....{971A5FA5-2FD7-4ABD-9035-229B00DC484E}  
TERM.....MICROGRAMS PER HOUR



UNIT: MICROGRAMS PER KILOGRAM PER HOUR

-----  
ABBREVIATION.....mcg/kg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms per Kilogram per Hour  
DISPLAY\_NAME.....mcg/kg/hr  
HELP\_TEXT.....Micrograms per Kilogram per Hour  
ID.....{E5C07334-6932-4329-88A9-2F56780C5DA9}  
TERM.....MICROGRAMS PER KILOGRAM PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER MINUTE

-----  
ABBREVIATION.....mcg/kg/min  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms per Kilogram per Minute  
DISPLAY\_NAME.....mcg/kg/min  
HELP\_TEXT.....Micrograms per Kilogram per Minute  
ID.....{37423DE7-B103-456A-9B36-6C2FBBC55CBE}  
TERM.....MICROGRAMS PER KILOGRAM PER MINUTE

UNIT: MICROGRAMS PER MINUTE

-----  
ABBREVIATION.....mcg/min  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms per Minute  
DISPLAY\_NAME.....mcg/min  
HELP\_TEXT.....Micrograms per Minute  
ID.....{BC684DBB-7DCC-4209-A773-D1243616BD69}  
TERM.....MICROGRAMS PER MINUTE

UNIT: MICROGRAMS PER SHIFT

-----  
ABBREVIATION.....mcg/shift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Micrograms per Shift  
HELP\_TEXT.....  
ID.....{8FF15E2C-54DF-43C3-B5F1-C4AD323CE043}  
TERM.....MICROGRAMS PER SHIFT

UNIT: MILLIAMPS

-----  
ABBREVIATION.....mA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mA  
HELP\_TEXT.....No Help Text  
ID.....{5146A84A-C500-CB21-4718-0E5755691FD5}  
TERM.....MILLIAMPS

UNIT: MILLIBAR

-----  
ABBREVIATION.....mBar  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Millibar  
HELP\_TEXT.....No Help Text  
ID.....{DB8DBC26-6A46-4F2B-AD14-B6A8212F4FCA}  
TERM.....MILLIBAR

UNIT: MILLIGRAMS

-----  
ABBREVIATION.....mg  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams  
DISPLAY\_NAME.....mg  
HELP\_TEXT.....Milligrams  
ID.....{E8CF6B0F-FA19-4F22-BA9D-6EBAA93D7D0D}  
TERM.....MILLIGRAMS

UNIT: MILLIGRAMS PER HOUR

-----  
ABBREVIATION.....mg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Hour  
DISPLAY\_NAME.....mg/hr  
HELP\_TEXT.....Milligrams per Hour  
ID.....{1DCC6F14-E4FF-4BDC-ADBA-99192FB44BE7}  
TERM.....MILLIGRAMS PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER HOUR

-----  
ABBREVIATION.....mg/kg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Kilogram per Hour  
DISPLAY\_NAME.....mg/kg/hr  
HELP\_TEXT.....Milligrams per Kilogram per Hour  
ID.....{6900F44E-3581-4558-83E2-76FB376D6711}  
TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER MINUTE

-----  
ABBREVIATION.....mg/kg/min  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Kilogram per Minute  
DISPLAY\_NAME.....mg/kg/min  
HELP\_TEXT.....Milligrams per Kilogram per Minute  
ID.....{7C1C10C2-8B88-4F45-B667-0F988090CD47}  
TERM.....MILLIGRAMS PER KILOGRAM PER MINUTE

UNIT: MILLIGRAMS PER MINUTE

-----  
ABBREVIATION.....mg/min  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Minute  
DISPLAY\_NAME.....mg/min  
HELP\_TEXT.....Milligrams per Minute  
ID.....{C5E49AC7-5671-4E84-8047-C7B78607CDA2}  
TERM.....MILLIGRAMS PER MINUTE

UNIT: MILLIGRAMS PER SHIFT

-----  
ABBREVIATION.....mg/shift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Milligrams Per Shift  
HELP\_TEXT.....  
ID.....{518BC06B-84C0-48E3-8241-E123B7B4C642}  
TERM.....MILLIGRAMS PER SHIFT

UNIT: MILLILITER

-----  
ABBREVIATION.....ml  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml  
HELP\_TEXT.....No Help Text  
ID.....{EAF55107-F8D5-4F0A-6211-B4AB57A874B4}  
TERM.....MILLILITER

UNIT: MILLILITERS PER BEAT

-----  
ABBREVIATION.....ml/beat  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/beat  
HELP\_TEXT.....No Help Text  
ID.....{548699B0-98CF-2F0F-F289-415228AFAC42}  
TERM.....MILLILITERS PER BEAT

UNIT: MILLILITERS PER BEAT PER METER SQUARE (BSA)

-----  
ABBREVIATION.....ml/beat/m2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/beat/m2(BSA)  
HELP\_TEXT.....No Help Text  
ID.....{574CDB00-A831-EF35-4F2C-A98C0F58923F}  
TERM.....MILLILITERS PER BEAT PER METER SQUARE  
(BSA)

UNIT: MILLILITERS PER HOUR

-----  
ABBREVIATION.....ml/hr  
ACTIVE.....Yes  
DESCRIPTION.....ml/hr  
DISPLAY\_NAME.....ml/hr  
HELP\_TEXT.....No Help Text  
ID.....{345899A8-9DED-418F-A53F-F8084A5601A1}  
TERM.....MILLILITERS PER HOUR

UNIT: MILLILITERS PER KILOGRAM PER HOUR

-----  
ABBREVIATION.....ml kg hr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/kg/hour  
HELP\_TEXT.....No Help Text  
ID.....{2F63C17C-8246-4466-9DC2-C5E5BE1777C2}  
TERM.....MILLILITERS PER KILOGRAM PER HOUR

UNIT: MILLILITERS PER KILOGRAM PER MINUTE

-----  
ABBREVIATION.....ml kg mi  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/kg/min  
HELP\_TEXT.....No Help Text  
ID.....{E564F111-8B23-404A-B610-7707A5B1195D}  
TERM.....MILLILITERS PER KILOGRAM PER MINUTE

UNIT: MILLILITERS PER METER SQUARE (BSA)

-----  
ABBREVIATION.....mL/M2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mL/M2  
HELP\_TEXT.....No Help Text  
ID.....{42C265B4-76B3-44FC-985F-EA1EFCEDA244}  
TERM.....MILLILITERS PER METER SQUARE (BSA)

UNIT: MILLILITERS PER MINUTE

-----  
ABBREVIATION.....ml/min  
ACTIVE.....Yes  
DESCRIPTION.....Milliliters per Minute  
DISPLAY\_NAME.....ml/min  
HELP\_TEXT.....Milliliters per Minute  
ID.....{25F4A228-D614-457A-9885-8F74D4596897}  
TERM.....MILLILITERS PER MINUTE

UNIT: MILLILITERS PER MINUTE PER METER SQUARE

-----  
ABBREVIATION.....ml/min/m2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/min/m2(BSA)  
HELP\_TEXT.....No Help Text  
ID.....{6404DFC7-F8B4-3C97-80EF-96627E9C0270}  
TERM.....MILLILITERS PER MINUTE PER METER SQUARE

UNIT: MILLIMETERS

-----  
ABBREVIATION.....mm  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mm  
HELP\_TEXT.....No Help Text  
ID.....{23F389B2-8308-91DC-2620-EDFFF07B14A5}  
TERM.....MILLIMETERS

UNIT: MILLIMETERS OF MERCURY

-----  
ABBREVIATION.....mm/Hg  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mm Hg  
HELP\_TEXT.....No Help Text  
ID.....{57CF7550-FD97-351E-DF60-56F8F68BE7C6}  
TERM.....MILLIMETERS OF MERCURY

UNIT: MILLIVOLTS

-----  
ABBREVIATION.....mV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mV  
HELP\_TEXT.....No Help Text  
ID.....{40B59357-C9F2-0E5C-DCD7-6C815811F90D}  
TERM.....MILLIVOLTS

UNIT: MINUTE

-----  
ABBREVIATION.....Min  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Minute  
HELP\_TEXT.....No Help Text  
ID.....{0AF0056E-0EB1-3712-6974-A0F5DC60010B}  
TERM.....MINUTE

UNIT: MODIFIED ALDRETE SCORE

-----  
ABBREVIATION.....MOD ALD SC  
ACTIVE.....Yes  
DESCRIPTION.....Modified Aldrete Scoring System Unit  
DISPLAY\_NAME.....Modified Aldrete Score  
HELP\_TEXT.....Unit of measure for Aldrete Scoring  
                  System  
ID.....{8D9A43E8-D4E6-4BBE-A8E6-72677342BC82}  
TERM.....MODIFIED ALDRETE SCORE

UNIT: MONTH

-----  
ABBREVIATION.....Mo  
ACTIVE.....Yes  
DESCRIPTION.....Month of the year  
DISPLAY\_NAME.....Month  
HELP\_TEXT.....1 - 12  
ID.....{8933A469-2D06-D3DA-C2C4-A8FB3DD894D6}  
TERM.....MONTH

UNIT: MORSE SCORE

-----  
ABBREVIATION.....MORSE SCOR  
ACTIVE.....Yes  
DESCRIPTION.....Morse Score  
DISPLAY\_NAME.....Morse Score  
HELP\_TEXT.....Scale for recording Morse Score Values  
ID.....{301282A4-2BC8-430A-853B-C817F9A61878}  
TERM.....MORSE SCORE

UNIT: MULTIVOLTS

-----  
ABBREVIATION.....Multivolts  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Multivolts  
HELP\_TEXT.....No Help Text  
ID.....{2882958B-C91D-4B8C-BEE7-382F3D7CCC49}  
TERM.....MULTIVOLTS

UNIT: OUNCE

-----  
ABBREVIATION.....oz  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ounce  
HELP\_TEXT.....No Help Text  
ID.....{642336FB-7BC9-A1D5-99E5-05447DAD3B75}  
TERM.....OUNCE

UNIT: PAINAD SCALE

-----  
ABBREVIATION.....PAINAD SC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PAINAD Scale  
HELP\_TEXT.....No Help Text  
ID.....{D6CE83BB-3DBE-4E94-9E91-E21C07A12CAD}  
TERM.....PAINAD SCALE

UNIT: PERCENTAGE

-----  
ABBREVIATION.....%  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Percentage  
HELP\_TEXT.....No Help Text  
ID.....{0B3163CE-2C5C-B196-DBBE-A1BC6A970B2A}  
TERM.....PERCENTAGE

UNIT: POINTS

-----  
ABBREVIATION.....POINTS  
ACTIVE.....Yes  
DESCRIPTION.....Points  
DISPLAY\_NAME.....Points  
HELP\_TEXT.....No Help Text  
ID.....{A41F9244-F8A9-4CBD-AD62-32165D77414B}  
TERM.....POINTS

UNIT: POUND

-----  
ABBREVIATION.....lb  
ACTIVE.....Yes  
DESCRIPTION.....US measurement of Weight  
DISPLAY\_NAME.....Pound  
HELP\_TEXT.....No Help Text  
ID.....{F9CBB050-E809-52FF-6C2D-51B7E9557F98}  
TERM.....POUND

UNIT: QUAD LUMEN CATHETER

-----  
ABBREVIATION.....QUAD LUMEN  
ACTIVE.....Yes  
DESCRIPTION.....Quad Lumen Catheter  
DISPLAY\_NAME.....Quad Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{C894DDF4-5976-4435-B0E4-70EC7A909565}  
TERM.....QUAD LUMEN CATHETER

UNIT: RANGE

-----  
ABBREVIATION.....range  
ACTIVE.....Yes  
DESCRIPTION.....Defines the minimum and maximum  
                  values in a range  
DISPLAY\_NAME.....Range  
HELP\_TEXT.....No Help Text  
ID.....{DD90689F-3B19-BC1D-1875-E9EAB08C9C9E}  
TERM.....RANGE

UNIT: SCALE

-----  
ABBREVIATION.....SCALE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Scale  
HELP\_TEXT.....No Help Text  
ID.....{57E423C4-98D9-0891-0982-0B84EFD2D132}  
TERM.....SCALE

UNIT: SECOND

-----  
ABBREVIATION.....sec  
ACTIVE.....Yes  
DESCRIPTION.....Measurement of passage of time (1/60  
                  of a minute)  
DISPLAY\_NAME.....Second  
HELP\_TEXT.....No Help Text  
ID.....{82E7C9B1-38E7-D568-F42D-23F18AA08819}  
TERM.....SECOND

UNIT: SEWS SCALE

-----  
ABBREVIATION.....SEWS SCALE  
ACTIVE.....Yes  
DESCRIPTION.....Severity Of Ethanol Withdrawl Scale  
DISPLAY\_NAME.....SEWS SCALE  
HELP\_TEXT.....Severity Of Ethanol Withdrawl Scale  
ID.....{4C8DFD61-E4FB-4918-93B0-33DAAF4EF1D1}  
TERM.....SEWS SCALE

UNIT: SI UNIT

-----  
ABBREVIATION.....SI UNITS  
ACTIVE.....Yes  
DESCRIPTION.....Unit of measure for Specific Gravity  
DISPLAY\_NAME.....SI Unit  
HELP\_TEXT.....No Help Text  
ID.....{42C760F2-BBFC-4523-82C1-953CB41B4016}  
TERM.....SI UNIT



UNIT: SQUARE METERS

-----  
ABBREVIATION.....M2  
ACTIVE.....Yes  
DESCRIPTION.....Surface area measured in square meters  
DISPLAY\_NAME.....Square Meters  
HELP\_TEXT.....Surface area measured in square meters  
ID.....{5E49A34D-CC24-ABDA-7320-14071BA88781}  
TERM.....SQUARE METERS

UNIT: STROKE WORK PER BEAT

-----  
ABBREVIATION.....gm-M/beat  
ACTIVE.....Yes  
DESCRIPTION.....Stroke Work Per Beat  
DISPLAY\_NAME.....gm-M / beat  
HELP\_TEXT.....Stroke Work Per Beat  
ID.....{61721D2C-02BF-14AA-EB7F-602194924117}  
TERM.....STROKE WORK PER BEAT

UNIT: STROKE WORK PER BEAT PER M2

-----  
ABBREVIATION.....gm-M/B/M2  
ACTIVE.....Yes  
DESCRIPTION.....STROKE WORK PER BEAT PER M2  
DISPLAY\_NAME.....gm-M / Beat / M2  
HELP\_TEXT.....Systemic Vascular Resistance Index  
ID.....{900EBF1F-B706-0419-1697-58FE11257EF3}  
TERM.....STROKE WORK PER BEAT PER M2

UNIT: UNITS

-----  
ABBREVIATION.....UNITS  
ACTIVE.....Yes  
DESCRIPTION.....Units  
DISPLAY\_NAME.....Units  
HELP\_TEXT.....Units  
ID.....{7E9E6B8E-8B47-4B06-81FF-227E46707401}  
TERM.....UNITS

UNIT: UNITS PER HOUR

-----  
ABBREVIATION.....units/hr  
ACTIVE.....Yes  
DESCRIPTION.....Units per Hour  
DISPLAY\_NAME.....units/hr  
HELP\_TEXT.....Units per Hour  
ID.....{7AE61C6C-F8D9-4D6B-8A7C-AE07F93EB3D9}  
TERM.....UNITS PER HOUR

UNIT: UNITS PER MINUTE

-----  
ABBREVIATION.....units/min  
ACTIVE.....Yes  
DESCRIPTION.....Units per Minute  
DISPLAY\_NAME.....Units/min  
HELP\_TEXT.....Units per Minute  
ID.....{3C31F294-AD93-4509-908A-72F3995B01B9}  
TERM.....UNITS PER MINUTE

UNIT: UNITS/kg/HOUR

-----  
ABBREVIATION.....UNkgHR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Units/kg/Hour  
HELP\_TEXT.....No Help Text  
ID.....{89A25E97-A6B8-49B2-934F-797C80C80711}  
TERM.....UNITS/kg/HOUR

UNIT: YEAR

-----  
ABBREVIATION.....yr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Year  
HELP\_TEXT.....No Help Text  
ID.....{F800BBF4-BC4F-6F5D-BB28-BD3EB5ADC34D}  
TERM.....YEAR

UNIT: mg/dl

-----  
ABBREVIATION.....mg/dl  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per deciliter  
DISPLAY\_NAME.....mg/dl  
HELP\_TEXT.....No Help Text  
ID.....{796F843B-3EF5-4E9B-AAD6-254088D77FFB}  
TERM.....mg/dl

UNIT: pH

-----  
ABBREVIATION.....pH  
ACTIVE.....Yes  
DESCRIPTION.....pH  
DISPLAY\_NAME.....pH  
HELP\_TEXT.....No Help Text  
ID.....{EF524413-89B4-4ABA-BD68-1FC6713C623D}  
TERM.....pH



- 0 -

0 (data).....	805
0 (q-pair).....	109, 410, 411, 412, 413, 414, 416, 494, 495, 657, 658, 659, 660, 661, 662, 663, 664, 666, 667
0 - ABSENT (data).....	817
0 - ABSENT (q-pair).....	120, 121, 128, 137, 163, 164, 209, 601
0 - ALERT (data).....	817
0 - ALERT (q-pair).....	394
0 - HR 51-100 (data).....	817
0 - HR 51-100 (q-pair).....	395
0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (data)....	817
0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (q-pair)..	362, 364, 366, 368, 370, 372, 374, 376, 378, 380
0 - INDEPENDENT - NO HELP PROVIDED (data).....	817
0 - INDEPENDENT - NO HELP PROVIDED (q-pair).....	360
0 - NO ANXIETY AT EASE (data).....	818
0 - NO ANXIETY AT EASE (q-pair).....	119
0 - NO NAUSEA/VOMITING (data).....	818
0 - NO NAUSEA/VOMITING (q-pair).....	122
0 - NO SETUP OR PHYSICAL HELP FROM STAFF (data).....	818
0 - NO SETUP OR PHYSICAL HELP FROM STAFF (q-pair).....	361, 363, 365, 367, 369, 371, 373, 375, 377, 379, 381
0 - NO SWEAT VISIBLE (data).....	818
0 - NO SWEAT VISIBLE (q-pair).....	124
0 - NO TREMOR (data).....	818
0 - NO TREMOR (q-pair).....	127
0 - NONE (data).....	819
0 - NONE (q-pair).....	125
0 - NORMAL ACTIVITY (data).....	819
0 - NORMAL ACTIVITY (q-pair).....	118
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (data).....	819
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (q-pair).....	123
0 - RR 9-14 (data).....	819
0 - RR 9-14 (q-pair).....	397
0 - SBP 101-199 (data).....	819
0 - SBP 101-199 (q-pair).....	399
0 - TEMP 36.1-38 C (data).....	820
0 - TEMP 36.1-38 C (q-pair).....	400
0 = 0 EXTREMITIES (data).....	820
0 = 0 EXTREMITIES (q-pair).....	25
0 = <90% (data).....	820
0 = <90% (q-pair).....	28
0 = ABSENT (data).....	820
0 = ABSENT (q-pair).....	432
0 = ABSENT PULSE (data).....	820
0 = ALERT (data).....	821
0 = ALERT (q-pair).....	431
0 = ANSWERS BOTH QUESTIONS CORRECTLY (data).....	821
0 = ANSWERS BOTH QUESTIONS CORRECTLY (q-pair).....	434
0 = APNEIC (data).....	821
0 = APNEIC (q-pair).....	29
0 = BP +/- 50% PREOP (data).....	821
0 = BP +/- 50% PREOP (q-pair).....	26
0 = NO ABNORMALITY (data).....	821

0 = NO ABNORMALITY (q-pair).....	429
0 = NO APHASIA (data).....	822
0 = NO APHASIA (q-pair).....	427
0 = NO DRIFT (data).....	822
0 = NO DRIFT (q-pair).....	435, 436
0 = NO VISUAL LOSS (data).....	822
0 = NO VISUAL LOSS (q-pair).....	439
0 = NORMAL (data).....	822
0 = NORMAL (q-pair).....	426, 428, 437
0 = NORMAL SYMMETRICAL MOVEMENT (data).....	822
0 = NORMAL SYMMETRICAL MOVEMENT (q-pair).....	430
0 = NOT RESPONDING (data).....	823
0 = NOT RESPONDING (q-pair).....	27
0 = PEFORMS BOTH TASKS CORRECTLY (data).....	823
0 = PEFORMS BOTH TASKS CORRECTLY (q-pair).....	433

- 1 -

1 (data).....	805
1 (q-pair).....	109, 190, 349, 494, 495, 659, 661, 716, 750
1 - HR 101-110 (data).....	823
1 - HR 101-110 (q-pair).....	395
1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (data)...	823
1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (q-pair).....	124
1 - CANNOT DO SERIAL ADDITIONS (data).....	823
1 - CANNOT DO SERIAL ADDITIONS (q-pair).....	123
1 - HR 40-50 (data).....	824
1 - HR 40-50 (q-pair).....	395
1 - LESS THAN 45MLS/HR (data).....	824
1 - LESS THAN 45MLS/HR (q-pair).....	396
1 - MILD NAUSEA / NO VOMITING (data).....	824
1 - MILD NAUSEA / NO VOMITING (q-pair).....	122
1 - MILDLY ANXIOUS (data).....	824
1 - MILDLY ANXIOUS (q-pair).....	119
1 - NEW AGITATION CONFUSION (data).....	824
1 - NEW AGITATION CONFUSION (q-pair).....	394
1 - NO RESPONSE (data).....	825
1 - NO RESPONSE (q-pair).....	209, 210, 212
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (data).....	825
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (q-pair).....	127
1 - RESPONDS TO VOICE (data).....	825
1 - RESPONDS TO VOICE (q-pair).....	394
1 - RR 15-20 (data).....	825
1 - RR 15-20 (q-pair).....	397
1 - SBP 81-100 (data).....	825
1 - SBP 81-100 (q-pair).....	399
1 - SETUP HELP ONLY (data).....	826
1 - SETUP HELP ONLY (q-pair).....	361, 363, 365, 367, 369, 371, 373, 375, 377, 379, 381
1 - SUPERVISION - OVERSIGHT (data).....	826
1 - SUPERVISION - OVERSIGHT (q-pair).....	362, 364, 366, 368, 370, 372, 374, 376, 378, 380
1 - SUPERVISION - OVERSIGHT HELP ONLY (data).....	826
1 - SUPERVISION - OVERSIGHT HELP ONLY (q-pair).....	360
1 - TEMP 35.1-36 C (data).....	826
1 - TEMP 35.1-36 C (q-pair).....	400
1 - TEMP 38.1-38.5 C (data).....	826
1 - TEMP 38.1-38.5 C (q-pair).....	400

1 - VERY MILD (data).....	827
1 - VERY MILD (q-pair).....	121
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (data)..	827
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair)	120
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (data).....	827
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (q-pair)....	125
1 - VERY MILD SENSITIVITY (data).....	827
1 - VERY MILD SENSITIVITY (q-pair).....	128
1 - WEAK (data).....	827
1 - WEAK (q-pair).....	601
1 = 2 EXTREMITIES (data).....	828
1 = 2 EXTREMITIES (q-pair).....	25
1 = ANSWERS ONE QUESTION CORRECTLY (data).....	828
1 = ANSWERS ONE QUESTION CORRECTLY (q-pair).....	434
1 = AROUSABLE (data).....	828
1 = AROUSABLE (q-pair).....	27
1 = AWAKE AND ALERT (data).....	828
1 = AWAKE AND ALERT (q-pair).....	504
1 = BP +/- 20-49% PREOP (data).....	828
1 = BP +/- 20-49% PREOP (q-pair).....	26
1 = DRIFT (data).....	829
1 = DRIFT (q-pair).....	435, 436
1 = DYSPNEA (data).....	829
1 = DYSPNEA (q-pair).....	29
1 = MILD TO MODERATE APHASIA (data).....	829
1 = MILD TO MODERATE APHASIA (q-pair).....	427
1 = MILD TO MODERATE DYSARTHRIA (data).....	829
1 = MILD TO MODERATE DYSARTHRIA (q-pair).....	428
1 = MILD TO MODERATE SENSORY LOSS (data).....	829
1 = MILD TO MODERATE SENSORY LOSS (q-pair).....	437
1 = MINOR PARALYSIS (data).....	830
1 = MINOR PARALYSIS (q-pair).....	430
1 = NEEDS O2 (data).....	830
1 = NEEDS O2 (q-pair).....	28
1 = NOT ALERT, MINOR STIMULATION RESPONSE (data).....	830
1 = NOT ALERT, MINOR STIMULATION RESPONSE (q-pair)....	431
1 = PARTIAL GAZE PALSY (data).....	830
1 = PARTIAL GAZE PALSY (q-pair).....	426
1 = PARTIAL HEMIANOPIA (data).....	830
1 = PARTIAL HEMIANOPIA (q-pair).....	439
1 = PERFORMS ONE TASK CORRECTLY (data).....	831
1 = PERFORMS ONE TASK CORRECTLY (q-pair).....	433
1 = PRESENT IN ONE LIMB (data).....	831
1 = PRESENT IN ONE LIMB (q-pair).....	432
1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (data) .....	831
1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (q-pair) .....	429
1 HOUR (data).....	831
1 HOUR (q-pair).....	515
1+=PALPABLE, THRADY, EASILY OBLITERATED (data).....	831
1- MILD ANXIOUS (data).....	832
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (data).....	832
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (q-pair).....	118
1. DRY (data).....	832
1. DRY (q-pair).....	161
10 (data).....	808
10 (q-pair).....	21, 109, 349, 411, 494, 495, 716, 750
11 (data).....	808
11 (q-pair).....	349
12 (data).....	808

12 (q-pair).....	349
12.5 (data).....	808
13 (data).....	809
13.5 (data).....	809
14 (data).....	809
14.5 (data).....	809
15 (data).....	809
15 (q-pair).....	410, 414, 416
15.5 (data).....	810
16 (data).....	810
16.5 (data).....	810
17 (data).....	810
17.5 (data).....	810
18 (data).....	811
18.5 (data).....	811
1800 CALORIE CONTROLLED (data).....	832
1800 CALORIE CONTROLLED (q-pair).....	151
1800 DIABETIC (data).....	832
1800 DIABETIC (q-pair).....	151
19 (data).....	811
19.5 (data).....	811
1:1 (data).....	833
1:1 (q-pair).....	146, 242, 245
1:1 OBSERVATION (data).....	833
1:1 OBSERVATION (q-pair).....	57
1:2 (data).....	833
1:2 (q-pair).....	146, 242, 245
1:3 (data).....	833
1:3 (q-pair).....	146, 242, 245
1:4 (data).....	833
1:4 (q-pair).....	146, 242, 245, 739
1:8 (data).....	834
1:8 (q-pair).....	146, 242, 245
1A + 2V (data).....	834
1A + 2V (q-pair).....	486
1A + 3V (data).....	834
1A + 3V (q-pair).....	486
1A +1V (data).....	834
1A +1V (q-pair).....	486

- 2 -

2 (data).....	805
2 (q-pair).....	109, 118, 119, 122, 124, 127, 190, 349, 494, 495, 716, 750
2 - ABNORMAL EXTENSION FROM PAIN (data).....	834
2 - ABNORMAL EXTENSION FROM PAIN (q-pair).....	210
2 - ANSWERS NEITHER QUESTION CORRECTLY (data).....	835
2 - ANSWERS NEITHER QUESTION CORRECTLY (q-pair).....	434
2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	835
2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (data).....	835
2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (q-pair)....	123
2 - HR 0-39 (data).....	835
2 - HR 0-39 (q-pair).....	395
2 - HR 111-129 (data).....	835
2 - HR 111-129 (q-pair).....	395
2 - INCOMPREHENSIBLE SOUNDS (data).....	836
2 - INCOMPREHENSIBLE SOUNDS (q-pair).....	212
2 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	836
2 - LESS THAN 30MLS/HR (data).....	836
2 - LESS THAN 30MLS/HR (q-pair).....	396

2 - LIMITED ASSISTANCE (data).....	836
2 - LIMITED ASSISTANCE (q-pair).....	362, 364, 366, 368, 370, 372, 374, 376, 378, 380
2 - MILD (data).....	836
2 - MILD (q-pair).....	121
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	837
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair).....	120
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (data).....	837
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (q-pair).....	125
2 - MILD SENSITIVITY (data).....	837
2 - MILD SENSITIVITY (q-pair).....	128
2 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	837
2 - NORMAL (data).....	837
2 - NORMAL (q-pair).....	601
2 - ONE PERSON PHYSICAL ASSIST (data).....	838
2 - ONE PERSON PHYSICAL ASSIST (q-pair).....	361, 363, 365, 367, 369, 371, 373, 375, 377, 379, 381
2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (data).....	838
2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (q-pair).....	360
2 - RESPONDS TO PAIN (data).....	838
2 - RESPONDS TO PAIN (q-pair).....	394
2 - RR 0-8 (data).....	838
2 - RR 0-8 (q-pair).....	397
2 - RR 21-29 (data).....	838
2 - RR 21-29 (q-pair).....	397
2 - SBP 200 OR MORE (data).....	839
2 - SBP 200 OR MORE (q-pair).....	399
2 - SBP 71-80 (data).....	839
2 - SBP 71-80 (q-pair).....	399
2 - TEMP 35.0 C OR LESS (data).....	839
2 - TEMP 35.0 C OR LESS (q-pair).....	400
2 - TEMP MORE THAN 38.6 C (data).....	839
2 - TEMP MORE THAN 38.6 C (q-pair).....	400
2 - TO PAIN (data).....	839
2 - TO PAIN (q-pair).....	209
2 = 4 EXTREMITIES (data).....	840
2 = 4 EXTREMITIES (q-pair).....	25
2 = BP +/- 20% PREOP (data).....	840
2 = BP +/- 20% PREOP (q-pair).....	26
2 = BREATHE FREELY (data).....	840
2 = BREATHE FREELY (q-pair).....	29
2 = COMPLETE HEMIANOPIA (data).....	840
2 = COMPLETE HEMIANOPIA (q-pair).....	439
2 = FORCED DEVIATION (data).....	840
2 = FORCED DEVIATION (q-pair).....	426
2 = FULLY AWAKE (data).....	841
2 = FULLY AWAKE (q-pair).....	27
2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (data) .....	841
2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (q-pair) .....	431
2 = ON ROOM AIR (data).....	841
2 = ON ROOM AIR (q-pair).....	28
2 = PARTIAL PARALYSIS (data).....	841
2 = PARTIAL PARALYSIS (q-pair).....	430
2 = PERFORMS NEITHER TASK CORRECTLY (data).....	841
2 = PERFORMS NEITHER TASK CORRECTLY (q-pair).....	433
2 = PRESENT IN TWO LIMBS (data).....	842
2 = PRESENT IN TWO LIMBS (q-pair).....	432
2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (data)	



).....	842
2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (q-pair).....	429
2 = SEVERE APHASIA (data).....	842
2 = SEVERE APHASIA (q-pair).....	427
2 = SEVERE DYSARTHRIA (data).....	842
2 = SEVERE DYSARTHRIA (q-pair).....	428
2 = SEVERE TO TOTAL SENSORY LOSS (data).....	842
2 = SEVERE TO TOTAL SENSORY LOSS (q-pair).....	437
2 = SLIGHTLY DROWSY, EASILY AROUSED (data).....	843
2 = SLIGHTLY DROWSY, EASILY AROUSED (q-pair).....	504
2 = SOME EFFORT AGAINST GRAVITY (data).....	843
2 = SOME EFFORT AGAINST GRAVITY (q-pair).....	435, 436
2+=NORMAL, NOT EASILY OBLITERATED (data).....	843
2- MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	843
2. INTACT (data).....	843
2. INTACT (q-pair).....	161
2.0 CAL FORMULA (data).....	844
20 (data).....	811
20 (q-pair).....	193, 411, 413
20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (data).....	844
20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (q-pair)....	487
20.5 (data).....	812
20/100 (data).....	844
20/100 (q-pair).....	153
20/15 (data).....	844
20/15 (q-pair).....	153
20/20 (data).....	844
20/20 (q-pair).....	153
20/200 (data).....	845
20/200 (q-pair).....	153
20/25 (data).....	845
20/25 (q-pair).....	153
20/30 (data).....	845
20/30 (q-pair).....	153
20/300 (data).....	845
20/300 (q-pair).....	153
20/40 (data).....	845
20/40 (q-pair).....	153
20/400 (data).....	846
20/400 (q-pair).....	153
20/50 (data).....	846
20/50 (q-pair).....	153
20/60 (data).....	846
20/60 (q-pair).....	153
20/70 (data).....	846
20/70 (q-pair).....	153
20/80 (data).....	846
20/80 (q-pair).....	153
20/800 (data).....	847
20/800 (q-pair).....	153
2000 CALORIE CONTROLLED (data).....	847
2000 CALORIE CONTROLLED (q-pair).....	151
2000 DIABETIC (data).....	847
2000 DIABETIC (q-pair).....	151
21 (data).....	812
21 (q-pair).....	193
21.5 (data).....	812
22 (data).....	812
22 (q-pair).....	193
22.5 (data).....	812
2200 CALORIE CONTROLLED (data).....	847

2200 CALORIE CONTROLLED (q-pair).....	151
2200 DIABETIC (data).....	847
2200 DIABETIC (q-pair).....	151
23 (data).....	813
23 (q-pair).....	193
23.5 (data).....	813
24 (data).....	813
24 (q-pair).....	193
24.5 (data).....	813
2400 CALORIE CONTROLLED (data).....	848
2400 CALORIE CONTROLLED (q-pair).....	151
2400 DIABETIC (data).....	848
2400 DIABETIC (q-pair).....	151
25 (data).....	813
25 (q-pair).....	193, 412
25 PERCENT ALBUMIN (data).....	848
25 PERCENT ALBUMIN (prod).....	1260
25 PERCENT ALBUMIN (q-pair).....	133, 314, 322, 325
25.5 (data).....	814
26 (data).....	814
26 (q-pair).....	193
26.5 (data).....	814
27 (data).....	814
27 (q-pair).....	193
27.5 (data).....	814
28 (data).....	815
28 (q-pair).....	193
28.5 (data).....	815
29 (data).....	815
2:4 (data).....	848
2:4 (q-pair).....	739
2A (data).....	848
2A (q-pair).....	486
2A + 1V (data).....	849
2A + 1V (q-pair).....	486
2A + 2V (data).....	849
2A + 2V (q-pair).....	486
2V (data).....	849
2V (q-pair).....	486

- 3 -

3 - HR 130 OR MORE (data).....	849
3 - HR 130 OR MORE (q-pair).....	395
3 (data).....	805
3 (q-pair).....	109, 118, 119, 122, 124, 127, 190, 349, 494, 495, 657, 658, 660, 662, 663, 664, 666, 667, 716, 750
3 - ABNORMAL FLEXION FROM PAIN (data).....	849
3 - ABNORMAL FLEXION FROM PAIN (q-pair).....	210
3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	850
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (data).....	850
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (q-pair)....	123
3 - EXTENSIVE ASSISTANCE (data).....	850
3 - EXTENSIVE ASSISTANCE (q-pair).....	362, 364, 366, 368, 370, 372, 374, 376, 378, 380
3 - INAPPROPRIATE WORDS (data).....	850
3 - INAPPROPRIATE WORDS (q-pair).....	212
3 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	850

3 - LESS THAN 10MLS/HR (data).....	851
3 - LESS THAN 10MLS/HR (q-pair).....	396
3 - MODERATE (data).....	851
3 - MODERATE (q-pair).....	121
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (data)...	851
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (q-pair).	120
3 - MODERATE ITCHING PINS/NEEDLES BURNING (data).....	851
3 - MODERATE ITCHING PINS/NEEDLES BURNING (q-pair).....	125
3 - MODERATE SENSITIVITY (data).....	851
3 - MODERATE SENSITIVITY (q-pair).....	128
3 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	852
3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (data)...	852
3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (q-pair).	360
3 - RR 30 OR MORE (data).....	852
3 - RR 30 OR MORE (q-pair).....	397
3 - SBP 70 OR LESS (data).....	852
3 - SBP 70 OR LESS (q-pair).....	399
3 - STRONG (data).....	852
3 - STRONG (q-pair).....	601
3 - TO VERBAL COMMAND (data).....	853
3 - TO VERBAL COMMAND (q-pair).....	209
3 - TWO + PERSONS PHYSICAL ASSIST (data).....	853
3 - TWO + PERSONS PHYSICAL ASSIST (q-pair).....	361, 363, 365, 367, 369, 371, 373, 375, 377, 379, 381
3 - UNRESPONSIVE (data).....	853
3 - UNRESPONSIVE (q-pair).....	394
3 = BILATERAL HEMIANOPIA (data).....	853
3 = BILATERAL HEMIANOPIA (q-pair).....	439
3 = COMPLETE PARALYSIS (data).....	853
3 = COMPLETE PARALYSIS (q-pair).....	430
3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION (data).....	854
3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION (q-pair).....	504
3 = MUTE, GLOBAL APHASIA (data).....	854
3 = MUTE, GLOBAL APHASIA (q-pair).....	427
3 = NO EFFORT AGAINST GRAVITY (data).....	854
3 = NO EFFORT AGAINST GRAVITY (q-pair).....	435, 436
3 = UNRESPONSIVE (data).....	854
3 = UNRESPONSIVE (q-pair).....	431
3 WAY FOLEY (data).....	854
3 WAY FOLEY (q-pair).....	224
3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED (data).....	855
3. CHANGED (data).....	855
3. CHANGED (q-pair).....	161
30 (data).....	815
30 (q-pair).....	410
31 (data).....	815
34 ml (data).....	855
34 ml (q-pair).....	237
3:4 (data).....	855
3:4 (q-pair).....	739

- 4 -

4 (data).....	805
4 (q-pair).....	21, 109, 190, 349, 494, 495, 716, 750
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	855
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (q-pair).....	124

4 - DISORIENTED AND CONVERSES (data).....	856
4 - DISORIENTED AND CONVERSES (q-pair).....	212
4 - DISORIENTED FOR PLACE OR PERSON (data).....	856
4 - DISORIENTED FOR PLACE OR PERSON (q-pair).....	123
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	856
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (q-pair).....	122
4 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	856
4 - MODERATE WITH PATIENTS ARMS EXTENDED (q-pair).....	127
4 - MODERATELY ANXIOUS (data).....	856
4 - MODERATELY ANXIOUS (q-pair).....	119
4 - MODERATELY FIDGETY AND RESTLESS (data).....	857
4 - MODERATELY FIDGETY AND RESTLESS (q-pair).....	118
4 - MODERATELY SEVERE (data).....	857
4 - MODERATELY SEVERE (q-pair).....	121
4 - MODERATELY SEVERE HALLUCINATIONS (data).....	857
4 - MODERATELY SEVERE HALLUCINATIONS (q-pair).....	120, 125, 128
4 - SPONTANEOUSLY (data).....	857
4 - SPONTANEOUSLY (q-pair).....	209
4 - TOTAL DEPENDENCE (data).....	857
4 - TOTAL DEPENDENCE (q-pair).....	360
4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (data)...	858
4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (q-pair).....	362, 364, 366, 368, 370, 372, 374, 376, 378, 380
4 - WITHDRAWS FROM PAIN (data).....	858
4 - WITHDRAWS FROM PAIN (q-pair).....	210
4 = NO MOVEMENT (data).....	858
4 = NO MOVEMENT (q-pair).....	435, 436
4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION (data).....	858
4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION (q-pair).....	504
4 HOUR (data).....	858
4 HOUR (q-pair).....	515
4. REINFORCED (data).....	859
4. REINFORCED (q-pair).....	161
4.5 (data).....	806
4.5 (q-pair).....	21
40 ml (data).....	859
40 ml (q-pair).....	237
4:4 (data).....	859
4:4 (q-pair).....	739

- 5 -

5 (data).....	806
5 (q-pair).....	21, 109, 118, 119, 122, 124, 127, 190, 349, 494, 495, 716, 750
5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data).....	859
5 - DRENCHING SWEAT (data).....	859
5 - LOCALIZES PAIN (data).....	860
5 - LOCALIZES PAIN (q-pair).....	210
5 - ORIENTED AND CONVERSES (data).....	860
5 - ORIENTED AND CONVERSES (q-pair).....	212
5 - SEVERE (data).....	860
5 - SEVERE (q-pair).....	121
5 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	860
5 - SEVERE HALLUCINATIONS (data).....	860
5 - SEVERE HALLUCINATIONS (q-pair).....	120, 125, 128

5 PERCENT ALBUMIN (data).....	861
5 PERCENT ALBUMIN (prod).....	1260
5 PERCENT ALBUMIN (q-pair).....	133, 314, 322, 325
5.5 (data).....	806
5.5 (q-pair).....	21

- 6 -

6 (data).....	806
6 (q-pair).....	21, 109, 118, 119, 122, 124, 127, 349, 494, 495, 716, 750
6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data) .....	861
6 - DRENCHING SWEAT (data).....	861
6 - EXTREMELY SEVERE HALLUCINATIONS (data).....	861
6 - EXTREMELY SEVERE HALLUCINATIONS (q-pair).....	120, 125, 128
6 - OBEYS COMMANDS (data).....	861
6 - OBEYS COMMANDS (q-pair).....	210
6 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	862
6 - VERY SEVERE (data).....	862
6 - VERY SEVERE (q-pair).....	121
6 HOUR (data).....	862
6 HOUR (q-pair).....	515
6 PERCENT HETASTARCH (data).....	862
6 PERCENT HETASTARCH (prod).....	1260
6 PERCENT HETASTARCH (q-pair).....	133, 314, 325
6.5 (data).....	806
6.5 (q-pair).....	21
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (data) .....	862
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (q-pair) .....	487

- 7 -

7 (data).....	807
7 (q-pair).....	21, 109, 349, 494, 495, 716, 750
7 - ACUTE PANIC (data).....	863
7 - ACUTE PANIC (q-pair).....	119
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data) .....	863
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (q-pair) .....	122
7 - CONTINUOUS HALLUCINATIONS (data).....	863
7 - CONTINUOUS HALLUCINATIONS (q-pair).....	120, 125, 128
7 - DRENCHING SWEAT (data).....	863
7 - DRENCHING SWEAT (q-pair).....	124
7 - EXTREMELY SEVERE (data).....	863
7 - EXTREMELY SEVERE (q-pair).....	121
7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (data).....	864
7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (q-pair) .....	118
7 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	864
7 - SEVERE EVEN WITH ARMS NOT EXTENDED (q-pair).....	127
7.5 (data).....	807
7.5 (q-pair).....	21, 244

- 8 -

8 (data).....	807
---------------	-----

8 (q-pair).....	21, 109, 244, 349, 494, 495, 716, 750
8 - ACTIVITY DID NOT OCCUR (data).....	864
8 - ACTIVITY DID NOT OCCUR (q-pair).....	360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381
8 HOUR (data).....	864
8 HOUR (q-pair).....	515
8.5 (data).....	807
8.5 (q-pair).....	21, 244

- 9 -

9 (data).....	807
9 (q-pair).....	21, 109, 244, 349, 494, 495, 716, 750
9.5 (data).....	808
9.5 (q-pair).....	21, 244
99 (data).....	816
99 (q-pair).....	495

- + -

+1 = SLIGHT (data).....	816
+1 = SLIGHT (q-pair).....	163, 164
+2 = MODERATE (data).....	816
+2 = MODERATE (q-pair).....	163, 164
+3 = MARKED (data).....	816
+3 = MARKED (q-pair).....	163, 164
+4 = VERY MARKED (data).....	816
+4 = VERY MARKED (q-pair).....	163, 164

- A -

AAI (data).....	864
AAI (q-pair).....	477
AAIR (data).....	865
AAIR (q-pair).....	477
AAO (data).....	865
AAO (q-pair).....	477
ABDOMEN (loca).....	1179
ABDOMEN (q-pair).....	164, 495, 692
ABDOMEN BOWEL SOUNDS.....	1
ABDOMEN LLQ (loca).....	1179
ABDOMEN LLQ (q-pair).....	1, 495, 692
ABDOMEN LUQ (loca).....	1179
ABDOMEN LUQ (q-pair).....	1, 495, 692
ABDOMEN RLQ (loca).....	1179
ABDOMEN RLQ (q-pair).....	1, 495, 692
ABDOMEN RUQ (loca).....	1179
ABDOMEN RUQ (q-pair).....	1, 495, 692
ABDOMINAL (data).....	865
ABDOMINAL (loca).....	1180
ABDOMINAL (q-pair).....	117, 608
ABDOMINAL AORTA (loca).....	1180
ABDOMINAL AORTA (q-pair).....	79, 86
ABDOMINAL CONDITION.....	2
ABDOMINAL GIRTH.....	3
ABLE TO AMBULATE (data).....	865

ABLE TO AMBULATE (q-pair).....	487, 742
ABRASION (data).....	865
ABRASION (q-pair).....	801
ABSENT (data).....	866
ABSENT (q-pair).....	1, 74, 79, 86, 138, 155, 201, 203, 227, 355, 357, 652, 653, 654, 655, 743, 746, 747
ABSENT TO MINIMAL BLEEDING (data).....	866
ABSENT TO MINIMAL BLEEDING (q-pair).....	487
ACCELERATING (data).....	866
ACCELERATING (q-pair).....	775
ACHING (data).....	866
ACHING (q-pair).....	492
ACTIVE RANGE OF MOTION (data).....	866
ACTIVE RANGE OF MOTION (q-pair).....	12
ACTIVITIES OF DAILY LIVING (data).....	867
ACTIVITIES OF DAILY LIVING (q-pair).....	168
ACTIVITIES OF DAILY LIVING: WANDERING PREVENTION MEASURES .....	4
ACTIVITY - ABD PILLOW (task).....	1283
ACTIVITY - AMBULATE (task).....	1283
ACTIVITY - CONT. PASSIVE MOTION DEV. (task).....	1283
ACTIVITY - ELEVATE HEAD OF BED (task).....	1283
ACTIVITY - KNEE IMMOBILIZER (task).....	1283
ACTIVITY - ORIENT TO WARD (task).....	1284
ACTIVITY - RANGE OF MOTION EXERCISES (task).....	1284
ACTIVITY - SIT IN CHAIR (task).....	1284
ACTIVITY - TURN PATIENT (task).....	1284
ACTUAL (q-pair).....	169, 232, 600, 728, 751, 781, 783
ACTUAL (qual).....	1278
ADL - ACTIVITIES OF DAILY LIVING.....	5
ADL - AMBULATION ASSISTANCE.....	6
ADL - AMBULATION DISTANCE.....	7
ADL - BATH ASSIST (task).....	1284
ADL - BATH COMPLETE (task).....	1285
ADL - BATH PARTIAL (task).....	1285
ADL - BATH SELF (task).....	1285
ADL - BED MOBILITY.....	8
ADL - CATHETER CARE (task).....	1285
ADL - DRESSING.....	9
ADL - EATING.....	10
ADL - EMOTIONAL SUPPORT.....	11
ADL - FEED PATIENT (task).....	1285
ADL - ORAL HYGIENE (task).....	1286
ADL - OTHER ACTIVITY.....	12
ADL - REPOSITION.....	13
ADL - SHAVE (task).....	1286
ADL - SKIN CARE (task).....	1286
ADL - SPIRITUAL CARE.....	14
ADL - TURN (task).....	1286
ADL - VISITORS.....	15
ADL- ORAL CARE.....	16
ADMISSION (data).....	867
ADMISSION (q-pair).....	143, 796
ADMISSION DIAGNOSIS (data).....	867
ADULT (data).....	867
ADULT (meth).....	1232
ADULT (q-pair).....	64
ADULT CUFF (meth).....	1232

ADULT LARGE (data).....	867
ADULT LARGE (q-pair).....	64
ADULT SMALL (data).....	868
ADULT SMALL (q-pair).....	64
ADVANCED CARE PLANNING (data).....	868
ADVANCED CARE PLANNING (q-pair).....	168
AEROSOL/HUMIDIFIED MASK (meth).....	1232
AEROSOL/HUMIDIFIED MASK (q-pair).....	720
AFFECT.....	17
AFTER EXERCISE (meth).....	1232
AFTER EXERCISE (q-pair).....	63, 600, 609
AGENT CASHIER (data).....	868
AGENT CASHIER (q-pair).....	541
AGITATED (data).....	868
AGITATED (q-pair).....	56, 356
AGONAL (data).....	868
AGONAL (q-pair).....	84, 608
AGONIZING (data).....	869
AGONIZING (q-pair).....	492
AICD (data).....	869
AICD (q-pair).....	402
AIR FLOW DEVICE (data).....	869
AIR FLOW DEVICE (q-pair).....	779
AIR LEAK (data).....	869
AIR LEAK (q-pair).....	114
AIRBORNE (data).....	869
AIRBORNE (q-pair).....	338
AIRWAY ARTIFICIAL CUFF STATUS.....	18
AIRWAY ARTIFICIAL POSITION AT LIP/NOSE.....	19
AIRWAY ARTIFICIAL SIZE - FRENCH.....	20
AIRWAY ARTIFICIAL SIZE - MILLIMETERS.....	21
AIRWAY ARTIFICIAL TYPE.....	22
AIRWAY REFLEXES INTACT / SECRETIONS (data).....	870
AIRWAY REFLEXES INTACT / SECRETIONS (q-pair).....	487
ALARM PARAMETERS VERIFIED.....	23
ALARMS.....	24
ALARMS ON (data).....	870
ALARMS ON (q-pair).....	195
ALBUMIN (data).....	870
ALBUMIN (prod).....	1260
ALBUMIN (q-pair).....	325
ALCOHOL PORT PROTECTOR (data).....	870
ALCOHOL PORT PROTECTOR (q-pair).....	348
ALDRETE - ACTIVITY.....	25
ALDRETE - CIRCULATION.....	26
ALDRETE - CONSCIOUSNESS.....	27
ALDRETE - O2 SATURATION.....	28
ALDRETE - RESPIRATION.....	29
ALDRETE - TOTAL.....	30
ALDRETE SCORE 8 OR GREATER (data).....	870
ALDRETE SCORE 8 OR GREATER (q-pair).....	487
ALDRETE SCORE AT BASELINE (data).....	871
ALDRETE SCORE AT BASELINE (q-pair).....	487
ALERT (data).....	871
ALERT (q-pair).....	56, 356, 513
ALERT AND ORIENTED (data).....	871
ALERT AND ORIENTED (q-pair).....	152, 487
ALL DOWN (data).....	871
ALL DOWN (q-pair).....	668
ALL UP (data).....	871
ALL UP (q-pair).....	668
ALLERGY (data).....	872



ALLERGY (q-pair).....	40
ALLERGY WRISTBAND (data).....	872
ALLERGY WRISTBAND (q-pair).....	533
ALOPECIA PARTIAL (data).....	872
ALOPECIA PARTIAL (q-pair).....	226
ALOPECIA TOTAL (data).....	872
ALOPECIA TOTAL (q-pair).....	226
AMBER (data).....	872
AMBER (q-pair).....	159, 177, 216, 749,
	788
AMBU BAG (meth).....	1232
AMBU BAG (q-pair).....	721
AMBULATE AND ASSIST (data).....	873
AMBULATED (data).....	873
AMBULATED (q-pair).....	5
AMBULATORY CARE UNIT (data).....	873
AMBULATORY CARE UNIT (q-pair).....	489
AMPHOTERICIN B (prod).....	1260
AMPHOTERICIN B (q-pair).....	321
AMPUTEE (data).....	873
AMPUTEE (q-pair).....	601
ANALGESIA (data).....	873
ANALGESIA (q-pair).....	168
ANESTHESIA PLANNED.....	31
ANESTHESIOLOGIST (data).....	874
ANESTHESIOLOGIST (q-pair).....	584
ANGINAL (data).....	874
ANGINAL (q-pair).....	492
ANKLE (loca).....	1180
ANKLE (q-pair).....	117
ANNOYING (data).....	874
ANNOYING (q-pair).....	492
ANTECUBITAL (qual).....	1278
ANTI-EMBOLUS STOCKINGS KNEE HIGH (data).....	874
ANTI-EMBOLUS STOCKINGS KNEE HIGH (q-pair).....	162
ANTI-EMBOLUS STOCKINGS THIGH HIGH (data).....	874
ANTI-EMBOLUS STOCKINGS THIGH HIGH (q-pair).....	162
ANTI-MICROBIAL DRESSING (data).....	875
ANTI-MICROBIAL DRESSING (q-pair).....	97, 793
ANTIBIOTIC (prod).....	1261
ANTIBIOTIC (q-pair).....	321
ANTIBIOTIC OINTMENT (data).....	875
ANTIBIOTIC OINTMENT (q-pair).....	578
ANTIMICROBIAL DISK (data).....	875
ANTIMICROBIAL DISK (q-pair).....	793
ANURIC (data).....	875
ANURIC (q-pair).....	748
ANXIOUS (data).....	875
ANXIOUS (q-pair).....	56, 165
AOO (data).....	876
AOO (q-pair).....	477
APICAL (loca).....	1180
APICAL (q-pair).....	600
APNEA (data).....	876
APNEA (q-pair).....	404
APPEARANCE.....	32
APPEARS ASLEEP (data).....	876
APPEARS ASLEEP (q-pair).....	54, 513
APPLIANCE CHANGED (data).....	876
APPLIANCE CHANGED (q-pair).....	444
APPROPRIATE (data).....	876
APPROPRIATE (q-pair).....	32, 54

ARM BAND - ALLERGIES.....	33
ARM BAND - BLOOD TRANSFUSION IV.....	34
ARM BAND - DNR.....	35
ARM BAND - ELOPMENT.....	36
ARM BAND - HIGH FALL RISK.....	37
ARM BAND - PERSONAL MEDICAL ALERT.....	38
ARM BAND - WANDERER.....	39
ARM BANDS PRESENT.....	40
ARRHYTHMIA (data).....	877
ARRHYTHMIA (q-pair).....	404
ARTERIAL LINE (meth).....	1233
ARTERIAL LINE (q-pair).....	63, 150, 383, 384, 724
ARTERIAL LINE ALARMS ON.....	41
ARTERIAL LINE CARE (data).....	877
ARTERIAL LINE CARE (q-pair).....	348
ARTERIAL LINE CIRCULATION ASSESSED.....	42
ARTERIAL LINE DRESSING CHANGE.....	43
ARTERIAL LINE DRESSING TYPE.....	44
ARTERIAL LINE SITE CARE.....	45
ARTERIAL LINE SITE CONDITION.....	46
ARTERIAL LINE SIZE.....	47
ARTERIAL LINE WAVEFORM.....	48
ARTERIAL LINE ZEROED.....	49
ARTIFICIAL AIRWAY (data).....	877
ARTIFICIAL AIRWAY (q-pair).....	597
ARTIFICIAL VALVES (data).....	877
ARTIFICIAL VALVES (q-pair).....	402
ASA PHYSICAL STATUS.....	50
ASA PS 1 (data).....	877
ASA PS 1 (q-pair).....	50
ASA PS 2 (data).....	878
ASA PS 2 (q-pair).....	50
ASA PS 3 (data).....	878
ASA PS 3 (q-pair).....	50
ASA PS 4 (data).....	878
ASA PS 4 (q-pair).....	50
ASA PS 5 (data).....	878
ASA PS 5 (q-pair).....	50
ASEPTIC TECHNIQUE FOLLOWED (data).....	878
ASEPTIC TECHNIQUE FOLLOWED (q-pair).....	92
ASHEN (data).....	879
ASHEN (q-pair).....	679
ASLEEP AT ROUNDS (data).....	879
ASLEEP AT ROUNDS (q-pair).....	698
ASPIRATION (data).....	879
ASPIRATION (q-pair).....	217
ASSAULTIVE (data).....	879
ASSAULTIVE (q-pair).....	58, 131
ASSESSMENT - CO (task).....	1286
ASSESSMENT - COLLECT VITALS (task).....	1287
ASSESSMENT - DOPPLERS (task).....	1287
ASSESSMENT - FINGERSTICK BLOOD SUGAR (task).....	1287
ASSESSMENT - HEMODYNAMIC READINGS (task).....	1287
ASSESSMENT - I&O (task).....	1287
ASSESSMENT - NEURO CHECKS (task).....	1288
ASSESSMENT - NEUROVASCULAR CHECKS (task).....	1288
ASSESSMENT - PCA (task).....	1288
ASSESSMENT - PULSE OX (task).....	1288
ASSESSMENT - RESTRAINTS (task).....	1288
ASSESSMENT - TELEMETRY (task).....	1289
ASSESSMENT - WEIGHT (task).....	1289

ASSIGNED ONE TO ONE SITTER (data).....	879
ASSIGNED ONE TO ONE SITTER (q-pair).....	4
ASSIST CONTROL (data).....	880
ASSIST CONTROL (q-pair).....	760
ASSISTED (data).....	880
ASSISTED (q-pair).....	13, 16
ASSISTED VENTILATOR (meth).....	1233
ASSISTED VENTILATOR (q-pair).....	609, 720
ASYSTOLE (data).....	880
ASYSTOLE (q-pair).....	84
AT REST (meth).....	1233
AT REST (q-pair).....	63, 600, 609
ATRIAL (data).....	880
ATRIAL (q-pair).....	483
ATRIAL FIB/FLUTTER (data).....	880
ATRIAL FIB/FLUTTER (q-pair).....	84
ATRIAL FIBRILLATION (data).....	881
ATRIAL FIBRILLATION (q-pair).....	84
ATRIAL FLUTTER (data).....	881
ATRIAL FLUTTER (q-pair).....	84
AUSCULTATE (meth).....	1233
AUSCULTATE (q-pair).....	600
AUSCULTATION (data).....	881
AUSCULTATION (q-pair).....	217
AUTOLOGOUS (data).....	881
AUTOLOGOUS (q-pair).....	537
AV FISTULA (loca).....	1180
AV FISTULA (q-pair).....	600
AVF (data).....	881
AVF (q-pair).....	85
AVI (data).....	882
AVI (q-pair).....	477
AVL (data).....	882
AVL (q-pair).....	85
AVO (data).....	882
AVO (q-pair).....	477
AVOIDED LIGHT AND NOISE OVERSTIMULATION (data).....	882
AVOIDED LIGHT AND NOISE OVERSTIMULATION (q-pair).....	195
AVR (data).....	882
AVR (q-pair).....	85
AWAKE (data).....	883
AWAKE (q-pair).....	513
AXILLARY (loca).....	1181
AXILLARY (q-pair).....	728

- B -

BABINSKI.....	51
BACK (loca).....	1181
BACK (q-pair).....	495, 692
BACTERICIDAL (data).....	883
BACTERICIDAL (q-pair).....	578
BACTERIOSTATIC (data).....	883
BACTERIOSTATIC (q-pair).....	578
BACTERIOSTATIC WATER (prod).....	1261
BACTERIOSTATIC WATER (q-pair).....	321
BAG - CONTINUOUS (data).....	883
BAG - CONTINUOUS (q-pair).....	171
BAG - INTERMITTENT (data).....	883
BAG - INTERMITTENT (q-pair).....	171
BAG CHANGE (data).....	884
BAG CHANGE (q-pair).....	174

BAG CHANGED (data).....	884
BAG CHANGED (q-pair).....	348, 516
BAG/MASK & O2 SET UP (data).....	884
BAG/MASK & O2 SET UP (q-pair).....	406
BALSAM OF PERU (data).....	884
BALSAM OF PERU (q-pair).....	793
BARIATRIC FRAME (data).....	884
BARIATRIC FRAME (q-pair).....	699
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (data).....	885
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (q-pair)....	699
BARIATRIC PATIENT (data).....	885
BARIATRIC PATIENT (q-pair).....	575
BARRIERS TO LEARNING.....	52
BASAL RATE ONLY (data).....	885
BASAL RATE ONLY (q-pair).....	518
BATHROOM (data).....	885
BATHROOM (q-pair).....	55, 130
BATHROOM PRIVILEGES (data).....	885
BATHROOM PRIVILEGES (q-pair).....	12
BEATS PER MINUTE (unit).....	1299
BED (data).....	886
BED (meth).....	1233
BED (q-pair).....	781
BED EXIT ALARM (data).....	886
BED EXIT ALARM (q-pair).....	24, 615
BED POSITION.....	53
BEDREST (data).....	886
BEDREST (q-pair).....	12
BEDSIDE (data).....	886
BEDSIDE (q-pair).....	583
BEDSIDE COMMODORE (data).....	886
BEDSIDE COMMODORE (q-pair).....	89
BEHAVIOR.....	54
BEHAVIOR CURRENT LOCATION.....	55
BEHAVIOR OBSERVED.....	56
BEHAVIOR PRECAUTION LEVEL.....	57
BEHAVIOR PRECAUTION REASON.....	58
BIER BLOCK (data).....	887
BIER BLOCK (q-pair).....	31
BIGEMINY (data).....	887
BIGEMINY (q-pair).....	80
BILATERAL (data).....	887
BILATERAL ANKLES (loca).....	1181
BILATERAL ANKLES (q-pair).....	631, 633
BILATERAL FOOT (loca).....	1181
BILATERAL FOOT (q-pair).....	201
BILATERAL HAND (loca).....	1181
BILATERAL HAND (q-pair).....	227
BILATERAL LEG (loca).....	1182
BILATERAL LEG (q-pair).....	357, 631
BILATERAL NECK (loca).....	1182
BILATERAL NECK (q-pair).....	164
BILATERAL PERIPHERALS (loca).....	1182
BILATERAL PERIPHERALS (q-pair).....	600
BILATERAL WRIST (loca).....	1182
BILATERAL WRIST (q-pair).....	631, 632, 747
BIPAP (meth).....	1234
BIPAP (q-pair).....	721
BIPAP - RESPIRONICS (data).....	887
BIPAP - RESPIRONICS (q-pair).....	774
BIPAP - VISION (data).....	887
BIPAP - VISION (q-pair).....	774

BIPAP-CPAP (meth).....	1234
BIPAP-CPAP (q-pair).....	721
BIPAP-EXPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS.....	59
BIPAP-INSPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS.....	60
BIPAP/CPAP (data).....	888
BIPAP/CPAP (q-pair).....	774
BIPHASIC POSITIVE AIRWAY PRESSURE (data).....	888
BIPHASIC POSITIVE AIRWAY PRESSURE (q-pair).....	760, 774
BISMUTH GAUZE (data).....	888
BISMUTH GAUZE (q-pair).....	793
BITE (data).....	888
BITE (q-pair).....	801
BITE BLOCK (data).....	888
BITE BLOCK (q-pair).....	22
BLACK (data).....	889
BLACK (q-pair).....	159, 177, 216, 715, 749, 784, 788
BLACK/NECROTIC (data).....	889
BLACK/NECROTIC (q-pair).....	567
BLADDER (loca).....	1182
BLADDER (meth).....	1234
BLADDER (q-pair).....	321, 495
BLADDER ASSESSMENT.....	61
BLADDER IRRIGATION (prod).....	1261
BLADDER IRRIGATION (q-pair).....	451
BLADDER SCAN (data).....	889
BLADDER SCAN (q-pair).....	89
BLADDER SCAN - DO NOT CHECK TOTAL OR SUBTOTALS.....	62
BLANCHED (data).....	889
BLANCHED (q-pair).....	46
BLAND (data).....	889
BLAND (q-pair).....	151
BLISTERING (data).....	890
BLISTERING (q-pair).....	801
BLOOD GLUCOSE MONITORING (data).....	890
BLOOD GLUCOSE MONITORING (q-pair).....	168
BLOOD PRESSURE.....	63
BLOOD PRESSURE (data).....	890
BLOOD PRESSURE (q-pair).....	408
BLOOD PRESSURE CUFF SIZE.....	64
BLOOD PRODUCT (prod).....	1261
BLOOD PRODUCT (q-pair).....	314
BLOOD STREAKED (data).....	890
BLOOD TRANSFUSION IV (data).....	890
BLOOD TRANSFUSION IV (q-pair).....	40
BLOODY (data).....	891
BLOODY (q-pair).....	110, 301, 569, 714
BLUE (data).....	891
BLUE (q-pair).....	788
BLUNTED (data).....	891
BLUNTED (q-pair).....	17
BLURRED VISION (data).....	891
BLURRED VISION (q-pair).....	188
BMI>35KG/M2 (data).....	891
BMI>35KG/M2 (q-pair).....	402
BODY SURFACE AREA.....	65
BONE (data).....	892
BOOST (data).....	892
BOOST (q-pair).....	176
BOOST PLUS (data).....	892
BOOST PLUS (q-pair).....	176
BORDERLINE REDUCED (data).....	892

BORDERLINE REDUCED (q-pair).....	353
BOTH ARMS (loca).....	1183
BOTH ARMS (q-pair).....	632
BOTH EYES (loca).....	1183
BOTH EYES (q-pair).....	602, 603
BOTH HANDS (loca).....	1183
BOTH HANDS (q-pair).....	164
BOTH LEGS (loca).....	1183
BOTH LEGS (q-pair).....	137, 164, 633
BOWEL MOVEMENT EVENT(S).....	66
BRACHIAL (loca).....	1183
BRACHIAL (q-pair).....	63, 600
BRACHIAL (qual).....	1278
BRADEN FRICTION AND SHEAR 1 PROBLEM (data).....	892
BRADEN FRICTION AND SHEAR 1 PROBLEM (q-pair).....	68
BRADEN SCALE (unit).....	1299
BRADEN SCALE ACTIVITY.....	67
BRADEN SCALE ACTIVITY 1 BEDFAST (data).....	893
BRADEN SCALE ACTIVITY 1 BEDFAST (q-pair).....	67
BRADEN SCALE ACTIVITY 2 CHAIRFAST (data).....	893
BRADEN SCALE ACTIVITY 2 CHAIRFAST (q-pair).....	67
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (data).....	893
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (q-pair)....	67
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (data).....	893
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (q-pair).....	67
BRADEN SCALE FRICTION AND SHEAR.....	68
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (data)	
.....	893
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (q-pair)	
.....	68
BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (data)	
.....	894
BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (q-pair)	
.....	68
BRADEN SCALE MOBILITY.....	69
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (data)....	894
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (q-pair)...	69
BRADEN SCALE MOBILITY 2 VERY LIMITED (data).....	894
BRADEN SCALE MOBILITY 2 VERY LIMITED (q-pair).....	69
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (data).....	894
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (q-pair).....	69
BRADEN SCALE MOBILITY 4 NO LIMITATION (data).....	894
BRADEN SCALE MOBILITY 4 NO LIMITATION (q-pair).....	69
BRADEN SCALE MOISTURE.....	70
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (data).....	895
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (q-pair).....	70
BRADEN SCALE MOISTURE 2 VERY MOIST (data).....	895
BRADEN SCALE MOISTURE 2 VERY MOIST (q-pair).....	70
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (data).....	895
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (q-pair)....	70
BRADEN SCALE MOISTURE 4 RARELY MOIST (data).....	895
BRADEN SCALE MOISTURE 4 RARELY MOIST (q-pair).....	70
BRADEN SCALE NUTRITION.....	71
BRADEN SCALE NUTRITION 1 VERY POOR (data).....	895
BRADEN SCALE NUTRITION 1 VERY POOR (q-pair).....	71
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (data)....	896
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (q-pair)..	71
BRADEN SCALE NUTRITION 3 ADEQUATE (data).....	896
BRADEN SCALE NUTRITION 3 ADEQUATE (q-pair).....	71
BRADEN SCALE NUTRITION 4 EXCELLENT (data).....	896
BRADEN SCALE NUTRITION 4 EXCELLENT (q-pair).....	71
BRADEN SCALE SENSORY PERCEPTION.....	72

BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (data)	896
BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (q-pair)	72
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (data)	896
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (q-pair)	72
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (data)	897
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (q-pair)	72
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (data)	897
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (q-pair)	72
BRADEN SCALE TOTAL	73
BREAKDOWN (data)	897
BREAKDOWN (q-pair)	680
BREAKFAST (data)	897
BREAKFAST (q-pair)	382
BREATH SOUNDS	74
BREATHS PER MINUTE (unit)	1299
BRIDGE PRESENT (data)	897
BRIDGE PRESENT (q-pair)	444
BRIGHT (data)	898
BRIGHT (q-pair)	17
BRISK (data)	898
BRISK (q-pair)	602
BROWN (data)	898
BROWN (q-pair)	159, 177, 216, 593, 715, 749, 788
BRUISED (data)	898
BRUISED (q-pair)	679, 801
BRUIT (data)	898
BRUIT (q-pair)	1
BUCKS TRACTION (data)	899
BUCKS TRACTION (q-pair)	737
BULB (data)	899
BULB (q-pair)	158
BULB SUCTION (data)	899
BULB SUCTION (q-pair)	790
BULLET (data)	899
BULLET (q-pair)	801
BUPIVICAINE (data)	899
BUPIVICAINE (q-pair)	186
BURN (data)	900
BURN (q-pair)	801
BURNING (data)	900
BURNING (q-pair)	492
BY PROVIDER ORDER (data)	900
BY PROVIDER ORDER (q-pair)	467

- C -

C1 (data)	900
C1 (q-pair)	184, 185
C2 (data)	900
C2 (q-pair)	184, 185
C3 (data)	901
C3 (q-pair)	184, 185
C4 (data)	901
C4 (q-pair)	184, 185
C5 (data)	901
C5 (q-pair)	184, 185

CADEXOMER IODINE (data).....	901
CADEXOMER IODINE (q-pair).....	578
CALCIUM ALGINATE (data).....	901
CALCIUM ALGINATE (q-pair).....	578, 793
CALF (loca).....	1184
CALF (q-pair).....	117
CALL HOUSE OFFICER - BP DIASTOLIC (task).....	1289
CALL HOUSE OFFICER - BP SYSTOLIC (task).....	1289
CALL HOUSE OFFICER - PULSE (task).....	1289
CALL HOUSE OFFICER - RESPIRATORY RATE (task).....	1290
CALL HOUSE OFFICER - TEMP (task).....	1290
CALL LIGHT WITHIN REACH.....	75
CALM (data).....	902
CALM (q-pair).....	56
CALORIE (unit).....	1299
CANE (data).....	902
CANE (q-pair).....	6, 742
CANES (data).....	902
CANES (q-pair).....	742
CAPILLARY REFILL.....	76
CARDIAC (data).....	902
CARDIAC (q-pair).....	408
CARDIAC ABNORMAL BPM.....	77
CARDIAC ALARM PARAMETERS VERIFIED.....	78
CARDIAC BRUIT.....	79
CARDIAC CHAIR (data).....	902
CARDIAC CHAIR (q-pair).....	53
CARDIAC DIET (data).....	903
CARDIAC DIET (q-pair).....	151
CARDIAC ECTOPY.....	80
CARDIAC HEART SOUNDS.....	81
CARDIAC INDEX.....	82
CARDIAC MONITOR (meth).....	1234
CARDIAC OUTPUT.....	83
CARDIAC OUTPUT INJECTATE (data).....	903
CARDIAC OUTPUT INJECTATE (prod).....	1261
CARDIAC OUTPUT INJECTATE (q-pair).....	451
CARDIAC OUTPUT MONITOR (meth).....	1234
CARDIAC OUTPUT MONITOR (q-pair).....	106, 354, 358, 383, 588, 590, 599, 638, 639, 718, 719, 723
CARDIAC REPOSITION (data).....	903
CARDIAC REPOSITION (q-pair).....	13
CARDIAC RHYTHM.....	84
CARDIAC RHYTHM LEAD.....	85
CARDIAC THRILL.....	86
CARDIAC THRILL TIMING.....	87
CARDIO-RESP MONITOR (data).....	903
CARDIO-RESP MONITOR (q-pair).....	406
CARDIOLOGY PROCEDURE ROOM (data).....	903
CARDIOLOGY PROCEDURE ROOM (q-pair).....	583
CAREGIVER (data).....	904
CAREGIVER (q-pair).....	11
CAREGIVER STRESS (data).....	904
CAREGIVER STRESS (q-pair).....	168
CAROTID (loca).....	1184
CAROTID (q-pair).....	600
CASS ENDOTRACHEAL TUBE (data).....	904
CASS ENDOTRACHEAL TUBE (q-pair).....	22
CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (data) .....	904
CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (q-pair)	



.....	92
CATH SIZE DOCUMENTED (data).....	904
CATH SIZE DOCUMENTED (q-pair).....	92
CATHETER (data).....	905
CATHETER (meth).....	1235
CATHETER (q-pair).....	225
CATHETER (sche).....	1281
CATHETERIZATION TIME DOCUMENTED (data).....	905
CATHETERIZATION TIME DOCUMENTED (q-pair).....	92
CAUTI PREVENTION: GU CATHETER DISCONTINUED.....	88
CAUTI: ALTERNATIVES ATTEMPTED PRIOR TO CATH.....	89
CAUTI: CATHETER IN PLACE.....	90
CAUTI: INDICATIONS.....	91
CAUTI: INSERTION REQUIREMENTS.....	92
CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY. .....	93
CELLULITIS (data).....	905
CELLULITIS (q-pair).....	801
CENTIMETER (unit).....	1299
CENTIMETERS H2O (unit).....	1300
CENTRAL ECG (data).....	905
CENTRAL ECG (q-pair).....	24
CENTRAL LINE ALARMS ON.....	94
CENTRAL LINE CHANGED.....	95
CENTRAL LINE DRESSING CHANGE.....	96
CENTRAL LINE DRESSING TYPE.....	97
CENTRAL LINE INSERTION MARK.....	98
CENTRAL LINE SITE CARE.....	99
CENTRAL LINE SITE CONDITION.....	100
CENTRAL LINE SIZE FRENCH.....	101
CENTRAL LINE SIZE GAUGE.....	102
CENTRAL LINE TYPE.....	103
CENTRAL LINE WAVEFORM.....	104
CENTRAL LINE ZEROED.....	105
CENTRAL VENOUS CATHETER (data).....	905
CENTRAL VENOUS CATHETER (q-pair).....	348, 516
CENTRAL VENOUS PRESSURE.....	106
CEREBRAL PERFUSION PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS .....	107
CERVICAL SPINAL PRECAUTIONS (data).....	906
CERVICAL SPINAL PRECAUTIONS (q-pair).....	12
CF: COUNTING FINGERS (data).....	906
CF: COUNTING FINGERS (q-pair).....	153
CHAIR (data).....	906
CHAIR (meth).....	1235
CHAIR (q-pair).....	12, 742, 781
CHANGED (data).....	906
CHANGED (q-pair).....	43, 96, 348
CHART VERIFIED CORRECT (data).....	906
CHART VERIFIED CORRECT (q-pair).....	533
CHEST (loca).....	1184
CHEST (q-pair).....	169, 495, 631, 634, 692
CHEST EXPANSION.....	108
CHEST PAIN.....	109
CHEST TUBE (meth).....	1235
CHEST TUBE (prod).....	1262
CHEST TUBE (q-pair).....	452
CHEST TUBE DRAINAGE (prod).....	1262
CHEST TUBE DRAINAGE CHARACTERISTICS.....	110
CHEST TUBE DRAINAGE SUCTION TYPE.....	111
CHEST TUBE DRAINAGE SYSTEM REPLACED.....	112

CHEST TUBE DRESSING CHANGE.....	113
CHEST TUBE SITE ASSESSMENT.....	114
CHEST TUBE SUCTION (CM H2O).....	115
CHEYNE-STOKES (data).....	907
CHEYNE-STOKES (q-pair).....	608
CHIEF CONCERN/COMPLAINT.....	116
CIRCULATION CHECK (data).....	907
CIRCULATION CHECK (q-pair).....	630
CIRCUMFERENCE/GIRTH.....	117
CIWA SCALE (unit).....	1300
CIWA: AGITATION.....	118
CIWA: ANXIETY.....	119
CIWA: AUDITORY DISTURBANCES.....	120
CIWA: HEADACHE FULLNESS IN HEAD.....	121
CIWA: NAUSEA/VOMITING.....	122
CIWA: ORIENTATION AND CLOUDING OF SENSORIUM.....	123
CIWA: PAROXYSMAL SWEATS.....	124
CIWA: TACTILE DISTURBANCES.....	125
CIWA: TOTAL.....	126
CIWA: TREMOR.....	127
CIWA: VISUAL DISTURBANCES.....	128
CLAMPED (data).....	907
CLAMPED (q-pair).....	219
CLASS I (data).....	907
CLASS I (q-pair).....	359
CLASS II (data).....	907
CLASS II (q-pair).....	359
CLASS III (data).....	908
CLASS III (q-pair).....	359
CLASS IV (data).....	908
CLASS IV (q-pair).....	359
CLAY (data).....	908
CLAY (q-pair).....	159, 177, 216, 749, 788
CLEAN (data).....	908
CLEAN (q-pair).....	46, 100, 144, 243, 350, 469
CLEAR (data).....	908
CLEAR (q-pair).....	74, 159, 177, 216, 301, 569, 593, 670, 715, 748, 749
CLEAR LIQUID DIET (data).....	909
CLEAR LIQUID DIET (q-pair).....	151
CLEAR LIQUIDS (prod).....	1262
CLEAR LIQUIDS (q-pair).....	334
CLICK (data).....	909
CLICK (q-pair).....	81
CLINICAL ASSESSMENT (data).....	909
CLINICAL ASSESSMENT (q-pair).....	168
CLOSE OBSERVATION (data).....	909
CLOSE OBSERVATION (q-pair).....	57
CLOSE OBSERVATION BEHAVIOR.....	129
CLOSE OBSERVATION CURRENT LOCATION.....	130
CLOSE OBSERVATION REASON FOR PRECAUTION.....	131
CLOSED (data).....	909
CLOSED (q-pair).....	134
CLOSED SYSTEM (data).....	910
CLOSED SYSTEM (q-pair).....	171
CLOTHED SELF (data).....	910
CLOTHED SELF (q-pair).....	5
CLOTHING ROOM (data).....	910
CLOTHING ROOM (q-pair).....	540, 541

CLOTS (data).....	910
CLOTS (q-pair).....	714, 748
CLOUDY (data).....	910
CLOUDY (q-pair).....	301, 569, 670, 748
CLUBBING (data).....	911
CLUBBING (q-pair).....	421
CMS INTACT DISTAL TO SURGICAL SITE (data).....	911
CMS INTACT DISTAL TO SURGICAL SITE (q-pair).....	487
CNS (data).....	911
CNS (q-pair).....	584
CNS DEPRESSION (data).....	911
CNS DEPRESSION (q-pair).....	188
COCCYX (loca).....	1184
COCCYX (q-pair).....	495, 577, 692, 796
CODE CART IS ASSESSIBLE (data).....	911
CODE CART IS ASSESSIBLE (q-pair).....	406
CODE STATUS.....	132
COFFEE (prod).....	1262
COFFEE (q-pair).....	334
COFFEE GROUND (data).....	912
COGNITIVE IMPAIRMENT (data).....	912
COGNITIVE IMPAIRMENT (q-pair).....	52
COLD (data).....	912
COLD (q-pair).....	497, 692
COLLAGEN (data).....	912
COLLAGEN (q-pair).....	578
COLLOID (meth).....	1235
COLLOID (prod).....	1262
COLLOID (q-pair).....	314, 329
COLLOID TYPE.....	133
COLOR APPROPRIATE FOR ETHNICITY (data).....	912
COLOR APPROPRIATE FOR ETHNICITY (q-pair).....	419
COLORLESS (data).....	913
COLORLESS (q-pair).....	788
COLOSTOMY (data).....	913
COLOSTOMY (q-pair).....	445
COMA SCORE EYE.....	134
COMA SCORE MOTOR.....	135
COMA SCORE VERBAL.....	136
COMBATIVE (data).....	913
COMBATIVE (q-pair).....	56
COMFORT CARE (data).....	913
COMFORT CARE (q-pair).....	91
COMFORT MEASURES (data).....	913
COMFORT MEASURES (q-pair).....	195
COMMODO (data).....	914
COMMODO (q-pair).....	12
COMMUNICATION BARRIER (data).....	914
COMMUNICATION BARRIER (q-pair).....	165
COMMUNITY RESOURCES (data).....	914
COMMUNITY RESOURCES (q-pair).....	168
COMPLETE BATH (data).....	914
COMPLETE BATH (q-pair).....	5
COMPLIANCE (data).....	914
COMPLIANCE (q-pair).....	168
COMPR. HOSE SEQ. COMP. DEVICE.....	137
COMPUTED TOMOGRAPHY (meth).....	1235
COMPUTED TOMOGRAPHY (q-pair).....	352, 353
CONFUSED (data).....	915
CONFUSED (q-pair).....	136, 165, 356
CONFUSION (data).....	915
CONFUSION (q-pair).....	188, 521

CONNECTED TO DRAINAGE BAG (data).....	915
CONNECTED TO DRAINAGE BAG (q-pair).....	444
CONSISTENT WITH BODY TEMPERATURE (data).....	915
CONSISTENT WITH BODY TEMPERATURE (q-pair).....	692
CONSTANT (data).....	915
CONSTANT (q-pair).....	492, 493, 802
CONSTIPATION (data).....	916
CONSTIPATION (q-pair).....	188, 214, 714
CONSTRICTED (data).....	916
CONSTRICTED (q-pair).....	17
CONTACT (data).....	916
CONTACT (q-pair).....	338
CONTACTS (data).....	916
CONTACTS (q-pair).....	401
CONTEMPLATIVE (data).....	916
CONTEMPLATIVE (q-pair).....	167
CONTINENT (data).....	917
CONTINENT (q-pair).....	225, 751
CONTINUOUS (data).....	917
CONTINUOUS (q-pair).....	87, 158, 219, 221, 656
CONTINUOUS POSITIVE AIR PRESSURE (data).....	917
CONTINUOUS POSITIVE AIR PRESSURE (q-pair).....	760, 774
CONTINUOUS SUCTION (data).....	917
CONTINUOUS SUCTION (q-pair).....	111
CONTRACT CARE FACILITY (data).....	917
CONTRACT CARE FACILITY (q-pair).....	554
CONTRAST LEFT VENTRICULOGRAPHY (meth).....	1236
CONTRAST LEFT VENTRICULOGRAPHY (q-pair).....	352, 353
CONTROL MODE VENTILATION (data).....	918
CONTROL MODE VENTILATION (q-pair).....	760
CONTROLLED VENTILATOR (meth).....	1236
CONTROLLED VENTILATOR (q-pair).....	609
CONTUSION (data).....	918
CONTUSION (q-pair).....	801
COOL (data).....	918
COOL (q-pair).....	692
COOL CHEM PACK (data).....	918
COOL CHEM PACK (q-pair).....	779
COOLER THAN GENERAL BODY TEMPERATURE (data).....	918
COOLER THAN GENERAL BODY TEMPERATURE (q-pair).....	692
COOLER THAN OPPOSITE BODY PART (data).....	919
COOLER THAN OPPOSITE BODY PART (q-pair).....	692
COOLING BLANKET (data).....	919
COOLING BLANKET (q-pair).....	779
COOLING OFF (data).....	919
COOLING OFF (q-pair).....	780
COOLING ON (data).....	919
COOLING ON (q-pair).....	780
COOPERATIVE (data).....	919
COOPERATIVE (q-pair).....	56
COPIUS (data).....	920
COPIUS (q-pair).....	457, 592
CORE (loca).....	1184
CORE (q-pair).....	728
COUGH.....	138
CPAP.....	139
CPAP (meth).....	1236
CPAP (q-pair).....	721
CRACKLES (data).....	920
CRACKLES (q-pair).....	74
CRAMPING (data).....	920

CRAMPING (q-pair).....	214, 492
CREPITUS (data).....	920
CREPITUS (q-pair).....	114
CRNA (data).....	920
CRNA (q-pair).....	584
CRRT (meth).....	1236
CRRT (q-pair).....	316, 450
CRUSHING (data).....	921
CRUSHING (q-pair).....	492, 801
CRUTCH (data).....	921
CRUTCH (q-pair).....	742
CRUTCHES (data).....	921
CRUTCHES (q-pair).....	6, 742
CRYING (data).....	921
CRYING (q-pair).....	496
CRYOPRECIPITATE (prod).....	1263
CRYOPRECIPITATE (q-pair).....	314, 322
CRYSTALLOID (data).....	921
CRYSTALLOID (prod).....	1263
CRYSTALLOID (q-pair).....	314, 329
CSM: CENTRAL STEADY MAINTAINED (data).....	922
CSM: CENTRAL STEADY MAINTAINED (q-pair).....	153
CUBIC CENTIMETER (unit).....	1300
CUFF (meth).....	1236
CUFF (q-pair).....	150, 383, 384, 724
CUFF INFLATION CHECKED.....	140
CUFF-AUTOMATED (meth).....	1237
CUFF-AUTOMATED (q-pair).....	63
CUFF-MANUAL (meth).....	1237
CUFF-MANUAL (q-pair).....	63
CULTURAL (data).....	922
CULTURAL (q-pair).....	166
CVVHD (meth).....	1237
CVVHD (q-pair).....	316, 450
CYANOTIC (data).....	922
CYANOTIC (q-pair).....	419, 420, 679

- D -

D - DOPPLER (data).....	922
D - DOPPLER (q-pair).....	601
D10W ENTERAL NUTRITION (data).....	922
D10W ENTERAL NUTRITION (q-pair).....	176
D50W ENTERAL NUTRITION (data).....	923
D50W ENTERAL NUTRITION (q-pair).....	176
D5W ENTERAL NUTRITION (data).....	923
D5W ENTERAL NUTRITION (q-pair).....	176
D=DOPPLER (data).....	923
DAILY PLAN (data).....	923
DAILY PLAN (q-pair).....	168
DAKINS SOLUTION (prod).....	1263
DAKINS SOLUTION (q-pair).....	321
DAMPENED (data).....	923
DAMPENED (q-pair).....	48, 104, 464, 467, 472
DANGLED (data).....	924
DANGLED (q-pair).....	12
DATE OF BIRTH (data).....	924
DATE OF BIRTH (q-pair).....	407
DAY (unit).....	1300
DAY ROOM (data).....	924
DAY ROOM (q-pair).....	55, 130

DDD (data).....	924
DDD (q-pair).....	477
DDDR (data).....	924
DDDR (q-pair).....	477
DDI (data).....	925
DDI (q-pair).....	477
DECELERATING (data).....	925
DECELERATING (q-pair).....	775
DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (data).....	925
DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (q-pair).....	537
DECREASED (data).....	925
DECREASED (q-pair).....	695
DECREASED ROM (data).....	925
DECREASED ROM (q-pair).....	423
DEEP (data).....	926
DEEP (q-pair).....	492, 608
DEGREES (ANGLE) (unit).....	1300
DEGREES C (unit).....	1301
DEGREES F (unit).....	1301
DELIRIOUS (data).....	926
DELIRIOUS (q-pair).....	356
DENIES HAVING SLEPT (data).....	926
DENIES HAVING SLEPT (q-pair).....	698
DENIES NEED (data).....	926
DENIES NEED (q-pair).....	167
DENTAL (data).....	926
DENTAL (q-pair).....	583
DENTAL IMPLANTS (data).....	927
DENTAL IMPLANTS (q-pair).....	141
DENTIST (data).....	927
DENTIST (q-pair).....	584
DENTURES.....	141
DENTURES (data).....	927
DENTURES (q-pair).....	401
DESCRIP (data).....	927
DEVIATION LEFT (data).....	927
DEVIATION LEFT (q-pair).....	732
DEVIATION RIGHT (data).....	928
DEVIATION RIGHT (q-pair).....	732
DEVICE RELATED PRESSURE (data).....	928
DEVICE RELATED PRESSURE (q-pair).....	575
DEVICE RELEASE (data).....	928
DEVICE RELEASE (q-pair).....	630
DIABETES (data).....	928
DIABETES (q-pair).....	402
DIABETIC/VASCULAR ULCER (data).....	928
DIABETIC/VASCULAR ULCER (q-pair).....	801
DIAGNOSIS.....	142
DIAGNOSIS TYPE.....	143
DIAGNOSIS/HEALTH STATUS (data).....	929
DIAGNOSIS/HEALTH STATUS (q-pair).....	168
DIALYSIS (data).....	929
DIALYSIS (meth).....	1237
DIALYSIS (q-pair).....	103
DIALYSIS CATHETER (meth).....	1237
DIALYSIS CATHETER SITE CONDITION.....	144
DIALYSIS DRESSING TYPE.....	145
DIALYSIS RATIO.....	146
DIALYSIS: ARTERIAL PRESSURE.....	147
DIALYSIS: UFR (ULTRAFILTRATION RATE).....	148
DIALYSIS: VENOUS PRESSURE.....	149
DIAPHORETIC (data).....	929

DIAPHORETIC (q-pair).....	687
DIARRHEA (data).....	929
DIARRHEA (q-pair).....	214, 714
DIASTOLIC (data).....	929
DIASTOLIC (q-pair).....	87
DIASTOLIC PRESSURE.....	150
DIET.....	151
DIFFICULT TO AROUSE (data).....	930
DIFFICULT TO AROUSE (q-pair).....	513
DILATED (data).....	930
DILATED (q-pair).....	602
DILUTE DAKINS SOLUTION (data).....	930
DILUTE DAKINS SOLUTION (q-pair).....	578
DILUTE SODIUM HYPOCHLORITE SOLUTION (data).....	930
DIMINISHED (data).....	930
DIMINISHED (q-pair).....	74
DISCHARGE (data).....	931
DISCHARGE (q-pair).....	143, 168, 796
DISCHARGE ACTIVITIES.....	152
DISCHARGE MEDS PLANNED (data).....	931
DISCHARGE MEDS PLANNED (q-pair).....	152
DISCHARGE ORDER ON CHART (data).....	931
DISCHARGE ORDER ON CHART (q-pair).....	152
DISCOLORATION (data).....	931
DISCOLORATION (q-pair).....	420, 674
DISCOMFORT (data).....	931
DISCOMFORT (q-pair).....	46, 100, 144, 243, 350, 469
DISCONTINUED (data).....	932
DISCONTINUED (q-pair).....	348, 516, 656
DISEASE PROCESS (data).....	932
DISEASE PROCESS (q-pair).....	168
DISHEVELED (data).....	932
DISHEVELED (q-pair).....	32
DISORIENTED (data).....	932
DISORIENTED (q-pair).....	627
DISORIENTED TO PERSON (data).....	932
DISORIENTED TO PERSON (q-pair).....	442
DISORIENTED TO PLACE (data).....	933
DISORIENTED TO PLACE (q-pair).....	442
DISORIENTED TO SITUATION (data).....	933
DISORIENTED TO SITUATION (q-pair).....	442
DISORIENTED TO TIME (data).....	933
DISORIENTED TO TIME (q-pair).....	442
DISTAL PORT (data).....	933
DISTAL PORT (q-pair).....	349
DISTANCE VISION.....	153
DISTENDED (data).....	933
DISTENDED (q-pair).....	2, 424
DIVERSION (data).....	934
DIVERSION (q-pair).....	751
DO (data).....	934
DO (q-pair).....	642
DO NOT INTUBATE (data).....	934
DO NOT INTUBATE (q-pair).....	40
DO NOT PROCESS.....	154
DO NOT RESUSCITATE (data).....	934
DO NOT RESUSCITATE (q-pair).....	40, 132
DONE (data).....	934
DONE (q-pair).....	16
DONOR SITE (loca).....	1185
DONOR SITE (q-pair).....	308

DOO (data).....	935
DOO (q-pair).....	477
DOPPLER (meth).....	1238
DOPPLER (q-pair).....	63, 150, 600, 724
DORSALIS PEDIS (loca).....	1185
DORSALIS PEDIS (q-pair).....	600
DORSI FLEXION.....	155
DOUBLE (data).....	935
DOUBLE (q-pair).....	103
DOUBLE LUMEN CATHETER (meth).....	1238
DOWN (data).....	935
DRAIN DRESSING CHANGE.....	156
DRAIN SUCTION CM H2O.....	157
DRAIN SUCTION TYPE.....	158
DRAINAGE CHARACTERISTICS.....	159
DRAINAGE FLOW IS UNOBSTRUCTED (data).....	935
DRAINAGE FLOW IS UNOBSTRUCTED (q-pair).....	92
DRAINAGE SYSTEM REPLACED.....	160
DRESSING (data).....	935
DRESSING (q-pair).....	602, 785
DRESSING CHANGE.....	161
DRESSING CHANGED (data).....	936
DRESSING CHANGED (q-pair).....	348, 516
DRESSING WITH PRESCRIPTION RX (data).....	936
DRESSINGS CHECKED (data).....	936
DRESSINGS CHECKED (q-pair).....	152
DROPLET (data).....	936
DROPLET (q-pair).....	338
DROWSY (data).....	936
DROWSY (q-pair).....	56, 356, 513
DRY (data).....	937
DRY (q-pair).....	43, 96, 419, 672, 687, 781
DRY (qual).....	1278
DRY AND INTACT (data).....	937
DRY SHAMPOO (data).....	937
DRY SHAMPOO (q-pair).....	5
DRY STERILE DRESSING (data).....	937
DULL (data).....	937
DULL (q-pair).....	492
DUMPING SYNDROME (data).....	938
DUMPING SYNDROME (q-pair).....	151
DUODENOSTOMY (data).....	938
DUODENOSTOMY (q-pair).....	170
DUSKY (data).....	938
DUSKY (q-pair).....	679
DVI (data).....	938
DVI (q-pair).....	477
DVT PROPHYLAXIS.....	162
DYE PRESENT (data).....	938
DYE PRESENT (q-pair).....	749
DYNE * SECONDS / CM(-5) * M2 (unit).....	1301
DYNE * SECONDS / CM(-5) / M2 (unit).....	1301
DYNE-SEC/CM5 (unit).....	1301
DYSPHAGIA (data).....	939
DYSPHAGIA (q-pair).....	40
DYSPHAGIA PHASE I (data).....	939
DYSPHAGIA PHASE I (q-pair).....	151
DYSPHAGIA STAGE II (data).....	939
DYSPHAGIA STAGE II (q-pair).....	151
DYSPHAGIA STAGE III (data).....	939
DYSPHAGIA STAGE III (q-pair).....	151



DYSPHAGIA STAGE IV (data).....	939
DYSPHAGIA STAGE IV (q-pair).....	151
DYSPHAGIA STAGE V (data).....	940
DYSPHAGIA STAGE V (q-pair).....	151
DYSPNEIC (data).....	940
DYSPNEIC (q-pair).....	608
DYSURIA (data).....	940
DYSURIA (q-pair).....	751

- E -

EAGER TO LEARN (data).....	940
EAGER TO LEARN (q-pair).....	167
EASY TO AROUSE (data).....	940
EASY TO AROUSE (q-pair).....	513
ECCHYMOSIS (data).....	941
ECCHYMOSIS (q-pair).....	679
ECHOCARDIOGRAPHY (meth).....	1238
ECHOCARDIOGRAPHY (q-pair).....	352, 353
EDEMA AMOUNT.....	163
EDEMA SEVERITY.....	164
EDUCATION - BARRIERS.....	165
EDUCATION - BELIEFS.....	166
EDUCATION - READINESS TO LEARN.....	167
EDUCATION - TOPIC.....	168
EF RESIDUAL (prod).....	1263
EF RESIDUAL (q-pair).....	451
EKG LEAD.....	169
ELASTIC WRAP (data).....	941
ELASTIC WRAP (q-pair).....	162
ELBOW PAD (data).....	941
ELBOW PAD (q-pair).....	574
ELECTRIC (data).....	941
ELECTRIC (q-pair).....	492
ELECTROCARDIOGRAM (meth).....	1238
ELECTROCARDIOGRAM (q-pair).....	600, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 734, 735
ELECTROCARDIOGRAM TRACE 1 (meth).....	1238
ELECTROCARDIOGRAM TRACE 1 (q-pair).....	600
ELECTROCARDIOGRAM TRACE 2 (meth).....	1239
ELECTROCARDIOGRAM TRACE 2 (q-pair).....	600
ELEMENTAL FORMULA (data).....	941
ELEMENTAL FORMULA (prod).....	1263
ELEMENTAL FORMULA (q-pair).....	314
ELIMINATED ENVIRONMENTAL HAZARDS (data).....	942
ELIMINATED ENVIRONMENTAL HAZARDS (q-pair).....	195
ELOPEMENT (data).....	942
ELOPEMENT (q-pair).....	40, 58, 131
EMERGENCY (data).....	942
EMERGENCY (q-pair).....	50
EMERGENCY DEPARTMENT (data).....	942
EMERGENCY DEPARTMENT (q-pair).....	192, 489
EMERGENCY DEPT (data).....	942
EMERGENCY DEPT (q-pair).....	583
EMESIS (prod).....	1264
EMESIS (q-pair).....	453
EMOTIONAL (data).....	943
EMOTIONAL (q-pair).....	165
END OF LIFE CARE (data).....	943
END OF LIFE CARE (q-pair).....	575

END-TIDAL CO2 MONITOR (data).....	943
END-TIDAL CO2 MONITOR (q-pair).....	406
ENSURE PLUS (data).....	943
ENSURE PLUS (q-pair).....	176
ENTERAL FEEDING / SUPPLEMENT (meth).....	1239
ENTERAL FEEDING / SUPPLEMENT (q-pair).....	314
ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (data)....	943
ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (q-pair)..	168
ENTERAL FEEDING PUMP (data).....	944
ENTERAL FEEDING PUMP (q-pair).....	168
ENTERAL FEEDING TUBE (meth).....	1239
ENTERAL FEEDING TUBE (q-pair).....	314
ENTERAL FEEDING TUBE TYPE.....	170
ENTERAL NUTRITION DELIVERY METHOD.....	171
ENTERAL NUTRITION LINE TRACED.....	172
ENTERAL NUTRITION RATE.....	173
ENTERAL NUTRITION SYSTEM MAINTENANCE.....	174
ENTERAL NUTRITION TUBE PLACEMENT VERIFIED.....	175
ENTERAL NUTRITION TYPE.....	176
ENTERAL TUBE ASPIRATE COLOR.....	177
ENTERAL TUBE ASPIRATE PH.....	178
ENTERAL TUBE MEDICATION ADMINISTRATION (data).....	944
ENTERAL TUBE MEDICATION ADMINISTRATION (q-pair).....	168
ENTERAL TUBE RESIDUAL VOLUME.....	179
ENTERAL TUBE SITE CONDITION CHECKED.....	180
ENTERAL TUBE/STOMA CARE (data).....	944
ENTERAL TUBE/STOMA CARE (q-pair).....	168
ENVIRONMENT (data).....	944
ENVIRONMENT (q-pair).....	168
ENZYMATIC OINTMENT (data).....	944
ENZYMATIC OINTMENT (q-pair).....	578
EPICARDIAL LEADS (data).....	945
EPICARDIAL LEADS (q-pair).....	483
EPIDURAL (data).....	945
EPIDURAL (q-pair).....	31
EPIDURAL PUMP (data).....	945
EPIDURAL PUMP (q-pair).....	168
EPIDURAL: BOLUS (ML).....	181
EPIDURAL: CATHETER SITE.....	182
EPIDURAL: CONTINUOUS RATE (ML/HR).....	183
EPIDURAL: DERMATOME SENSORY LEVEL - LEFT.....	184
EPIDURAL: DERMATOME SENSORY LEVEL - RIGHT.....	185
EPIDURAL: MEDICATION.....	186
EPIDURAL: RESERVOIR VOLUME REMAINING.....	187
EPIDURAL: SIDE EFFECTS.....	188
EPIDURAL: TOTAL VOLUME GIVEN.....	189
EPITHELIALIZATION (data).....	945
EPITHELIALIZATION (q-pair).....	795
EQUAL (data).....	945
EQUAL (q-pair).....	357, 747
EQUIPMENT (data).....	946
EQUIPMENT (q-pair).....	168
ER EMERGENCY SEVERITY INDEX.....	190
ER TRIAGE CONDITION.....	191
ER TRIAGE DISPOSITION.....	192
ERYTHEMA (data).....	946
ERYTHEMA (q-pair).....	674
ESCAPE (data).....	946
ESCAPE (q-pair).....	58, 131
ESCHAR (data).....	946
ESCHAR (q-pair).....	795
ESTABLISHED ROUTINE TOILETING SCHEDULE (data).....	946

ESTABLISHED ROUTINE TOILETING SCHEDULE (q-pair).....	195
ESTIMATED (q-pair).....	232, 302, 457, 600, 728, 781, 783
ESTIMATED (qual).....	1278
ESTIMATED BY ARM SPAN (q-pair).....	232
ESTIMATED BY ARM SPAN (qual).....	1279
ET LOCATION.....	193
ETT REPOSITIONED (data).....	947
ETT REPOSITIONED (q-pair).....	16
ETT RETAPED/SECURED (data).....	947
ETT RETAPED/SECURED (q-pair).....	16
EVENT(S) (unit).....	1302
EVENTS PER HOUR (unit).....	1302
EWALD TUBE (data).....	947
EWALD TUBE (q-pair).....	220
EXPIRATORY WHEEZES (data).....	947
EXPIRATORY WHEEZES (q-pair).....	74
EXTENDED PERIOD OF IMMOBILITY (data).....	947
EXTENDED PERIOD OF IMMOBILITY (q-pair).....	188
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (data) .....	948
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair) .....	682
EXTENDS AROUND INCISION MORE THAN 1 CM (data).....	948
EXTENDS AROUND INCISION MORE THAN 1 CM (q-pair).....	682
EXTENDS AROUND INCISION NONE (data).....	948
EXTENDS AROUND INCISION NONE (q-pair).....	682
EXTENDS INTO PERIWOUND <1CM (data).....	948
EXTENDS INTO PERIWOUND <1CM (q-pair).....	306
EXTENDS INTO PERIWOUND>1CM (data).....	948
EXTENDS INTO PERIWOUND>1CM (q-pair).....	306
EXTENDS TO PAIN (data).....	949
EXTENDS TO PAIN (q-pair).....	135
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (data) .....	949
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair) .....	683
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (data) .....	949
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (q-pair) .....	683
EXTENSION AROUND WOUND LIMITED TO WOUND (data).....	949
EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair).....	683
EXTENSION AROUND WOUND NONE (data).....	949
EXTENSION AROUND WOUND NONE (q-pair).....	683
EXTENSIVE ASSISTANCE (data).....	950
EXTENSIVE ASSISTANCE (q-pair).....	8, 9, 10
EXTERNAL CATHETER (data).....	950
EXTERNAL CATHETER (meth).....	1239
EXTERNAL CATHETER (q-pair).....	224, 458, 751
EXTERNAL CONDOM CATH (data).....	950
EXTERNAL CONDOM CATH (q-pair).....	89
EXTREMELY DRY (data).....	950
EYE CLOSED (data).....	950
EYE CLOSED (q-pair).....	602
EYEGLASSES (data).....	951
EYEGLASSES (q-pair).....	401

- F -

FACE (loca).....	1185
FACE (q-pair).....	164, 495, 692

FACE TENT (meth).....	1239
FACE TENT (q-pair).....	720
FACE WASH (data).....	951
FACE WASH (q-pair).....	5
FALL PRECAUTIONS.....	194
FALL PREVENTION.....	195
FALL RISK ID (data).....	951
FALL RISK ID (q-pair).....	195
FALL RISK SIGN (data).....	951
FALL RISK SIGN (q-pair).....	195
FAMILY (data).....	951
FAMILY (q-pair).....	11, 540, 541
FAMILY INFORMED (data).....	952
FAMILY INFORMED (q-pair).....	409, 613
FAMILY INSTRUCTED (data).....	952
FAMILY INSTRUCTED (q-pair).....	444
FAMILY NEEDS (data).....	952
FAMILY NEEDS (q-pair).....	168
FAMILY ORIENTED TO UNIT.....	196
FAMILY STATED (data).....	952
FAMILY STATED (q-pair).....	533
FAMILY/FRIEND (data).....	952
FAMILY/FRIEND (q-pair).....	741
FASCIA (data).....	953
FAT RESTRICTED 50 GM DIET (data).....	953
FAT RESTRICTED 50 GM DIET (q-pair).....	151
FECAL FAT TEST DIET (data).....	953
FECAL FAT TEST DIET (q-pair).....	151
FECES (prod).....	1264
FEET (loca).....	1185
FEET (q-pair).....	164
FEMORAL (loca).....	1185
FEMORAL (q-pair).....	63, 600
FENTANYL (data).....	953
FENTANYL (q-pair).....	186
FETAL HEART TONES.....	197
FFP (prod).....	1264
FFP (q-pair).....	314, 322
FFP - THAWED (prod).....	1264
FFP - THAWED (q-pair).....	314, 322
FHWN1 (data).....	953
FIBER FORMULA (data).....	954
FIBER STAT (data).....	954
FIBER STAT (q-pair).....	176
FIBRINOUS (data).....	954
FIBRINOUS (q-pair).....	795
FINANCIAL CONCERNS (data).....	954
FINANCIAL CONCERNS (q-pair).....	168
FINGERSTICK GLUCOSE.....	198
FIRM (data).....	954
FIRM (q-pair).....	2
FIRST DEGREE AV BLOCK (data).....	955
FIRST DEGREE AV BLOCK (q-pair).....	84
FIXED (data).....	955
FIXED (q-pair).....	602
FLAT (data).....	955
FLAT (q-pair).....	2, 17, 424
FLATULENCE (data).....	955
FLATULENCE (q-pair).....	1
FLATUS.....	199
FLEXION TO PAIN (data).....	955
FLEXION TO PAIN (q-pair).....	135

FLICKER OF CONTRACTION (data).....	956
FLICKER OF CONTRACTION (q-pair).....	417
FLOTATION BED (data).....	956
FLOTATION BED (q-pair).....	699
FLOWSHEET ADDENDUM.....	200
FLUCTUANCE (data).....	956
FLUCTUATES (data).....	956
FLUCTUATES (q-pair).....	114
FLUSHED (data).....	956
FLUSHED (q-pair).....	348, 679
FOAM AIR HEEL ELEVATOR (data).....	957
FOAM AIR HEEL ELEVATOR (q-pair).....	574
FOAM DRESSING (data).....	957
FOAM DRESSING (q-pair).....	793
FOLEY (data).....	957
FOLEY (q-pair).....	224
FOLLOWS COMMANDS (data).....	957
FOLLOWS COMMANDS (q-pair).....	356
FOOT (unit).....	1302
FOOT CARE (data).....	957
FOOT CARE (q-pair).....	5
FOOT DOWN (data).....	958
FOOT DOWN (q-pair).....	668
FOOT STRENGTH.....	201
FOOT UP (data).....	958
FOOT UP (q-pair).....	668
FOREHEAD (loca).....	1186
FOREHEAD (q-pair).....	577
FORMULA - HIGH FIBER (prod).....	1264
FORMULA - PROBALANCE (prod).....	1265
FORMULA 1.5 CAL (prod).....	1265
FORMULA 1.5 CAL (q-pair).....	314
FORMULA 2.0 CAL (prod).....	1265
FORMULA 2.0 CAL (q-pair).....	314
FORMULA D10W ENTERAL NUTRITION (prod).....	1265
FORMULA D50W ENTERAL NUTRITION (prod).....	1265
FORMULA D5W ENTERAL NUTRITION (prod).....	1266
FORMULA FIBER (prod).....	1266
FORMULA FIBER (q-pair).....	314
FOUL SMELLING (data).....	958
FOUL SMELLING (q-pair).....	572, 789
FOWLER'S (data).....	958
FOWLER'S (q-pair).....	13
FRANK BLOOD (data).....	958
FRANK BLOOD (q-pair).....	714
FRENCH (unit).....	1302
FREQUENT VERBAL REMINDERS (data).....	959
FREQUENT VERBAL REMINDERS (q-pair).....	619
FRIEND (data).....	959
FRIEND (q-pair).....	11, 540, 541, 543
FROM A NON-VA OUTSIDE FACILITY (data).....	959
FROM A NON-VA OUTSIDE FACILITY (q-pair).....	90
FROM ANOTHER UNIT (data).....	959
FROM ANOTHER UNIT (q-pair).....	90
FROM ANOTHER VA FACILITY (data).....	959
FROM ANOTHER VA FACILITY (q-pair).....	90
FROM CLC (data).....	960
FROM CLC (q-pair).....	90
FROM EMERGENCY DEPARTMENT (data).....	960
FROM EMERGENCY DEPARTMENT (q-pair).....	90
FROM HOME (data).....	960
FROM HOME (q-pair).....	90

FROM INTERVENTIONAL RADIOLOGY (data).....	960
FROM INTERVENTIONAL RADIOLOGY (q-pair).....	90
FROM MICU (data).....	960
FROM MICU (q-pair).....	90
FROM OPERATING ROOM (data).....	961
FROM OPERATING ROOM (q-pair).....	90
FROM SICU (data).....	961
FROM SICU (q-pair).....	90
FRONTAL (loca).....	1186
FULL CODE (data).....	961
FULL CODE (q-pair).....	132
FULL LIQUID (prod).....	1266
FULL LIQUID (q-pair).....	334
FULL LIQUID DIABETIC (data).....	961
FULL LIQUID DIABETIC (q-pair).....	151
FULL LIQUID DIET (data).....	961
FULL LIQUID DIET (q-pair).....	151
FULL LOWER (data).....	962
FULL LOWER (q-pair).....	141
FULL NAME (data).....	962
FULL NAME (q-pair).....	407
FULL SPINAL PRECAUTIONS (data).....	962
FULL SPINAL PRECAUTIONS (q-pair).....	12
FULL SSN (data).....	962
FULL SSN (q-pair).....	407
FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO (data)	
.....	962
FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE (data)	
.....	963
FULL UPPER (data).....	963
FULL UPPER (q-pair).....	141
FUNCTIONAL SECTION SET UP (data).....	963
FUNCTIONAL SECTION SET UP (q-pair).....	406
FUNDAL HEIGHT.....	202

- G -

GAG REFLEX.....	203
GAIT.....	204
GAIT BELT (data).....	963
GAIT BELT (q-pair).....	6
GASTRIC BYPASS CLEAR LIQUID (data).....	963
GASTRIC BYPASS CLEAR LIQUID (q-pair).....	151
GASTRIC BYPASS PUREED (data).....	964
GASTRIC BYPASS PUREED (q-pair).....	151
GASTRIC BYPASS REGULAR (data).....	964
GASTRIC BYPASS REGULAR (q-pair).....	151
GASTRIC DRAINAGE (prod).....	1266
GASTRIC DRAINAGE (q-pair).....	451
GASTRIC RESIDUAL AMOUNT DISCARDED.....	205
GASTRIC RESIDUAL CHECKED.....	206
GASTRIC RESIDUAL NOT DISCARDED.....	207
GASTRIC TUBE (data).....	964
GASTRIC TUBE (q-pair).....	170, 220
GASTRIC pH.....	208
GASTROINTESTINAL (loca).....	1186
GASTROINTESTINAL (q-pair).....	495
GASTROSTOMY FEEDING BUTTON (data).....	964
GASTROSTOMY FEEDING BUTTON (q-pair).....	220
GASTROSTOMY TUBE (data).....	964
GASTROSTOMY TUBE (q-pair).....	220
GAUGE (unit).....	1302

GAUZE (data).....	965
GAUZE (q-pair).....	97, 578, 793
GAUZE AND TAPE (data).....	965
GAUZE AND TAPE (q-pair).....	44, 240
GAUZE PACKING (data).....	965
GAUZE PACKING (q-pair).....	578, 793
GAUZE WRAP (data).....	965
GAUZE WRAP (q-pair).....	578, 793
GCS - EYE OPENING.....	209
GCS - MOTOR RESPONSE.....	210
GCS - TOTAL.....	211
GCS - VERBAL RESPONSE.....	212
GENERAL (data).....	965
GENERAL (q-pair).....	31
GENERAL HEALTH (data).....	966
GENERAL HEALTH (q-pair).....	168
GENERAL UMBILICUS (loca).....	1186
GENERAL UMBILICUS (q-pair).....	1
GENERALIZED (loca).....	1186
GENERALIZED (q-pair).....	164, 796
GENITAL ASSESSMENT.....	213
GENITALS (loca).....	1187
GENITALS (q-pair).....	796
GERI-CHAIR (data).....	966
GERI-CHAIR (q-pair).....	12, 129, 634
GI PROCEDURE ROOM (data).....	966
GI PROCEDURE ROOM (q-pair).....	583
GI SYMPTOMS.....	214
GI TUBE (meth).....	1240
GI TUBE DRAINAGE CHARACTERISTICS.....	215
GI TUBE DRAINAGE COLOR.....	216
GI TUBE PLACEMENT CONFIRMATION.....	217
GI TUBE SIZE.....	218
GI TUBE SUCTION TYPE.....	219
GI TUBE TYPE.....	220
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (data) .....	966
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (q-pair) .....	152
GLASGOW COMA SCALE (unit).....	1303
GLUCERNA 1.0 (data).....	966
GLUCERNA 1.0 (q-pair).....	176
GLUCERNA 1.2 (data).....	967
GLUCERNA 1.2 (q-pair).....	176
GLUCERNA DIABETIC (prod).....	1266
GLUTEN RESTRICTED (data).....	967
GLUTEN RESTRICTED (q-pair).....	151
GM-M/M2/BEAT (unit).....	1303
GNAWING (data).....	967
GNAWING (q-pair).....	492
GOLD (data).....	967
GOLD (q-pair).....	177
GOOD (data).....	967
GOOD (q-pair).....	695
GRAFTS (data).....	968
GRAFTS (q-pair).....	402
GRAMS PER HOUR (unit).....	1303
GRAMS PER MINUTE (unit).....	1303
GRANULATING (data).....	968
GRANULATING (q-pair).....	795
GRANULOCYTES PHERESIS (prod).....	1267
GRANULOCYTES PHERESIS (q-pair).....	314, 322

GRAVITY (data).....	968
GRAVITY (q-pair).....	111, 219
GRAY (data).....	968
GRAY (q-pair).....	784
GREEN (data).....	968
GREEN (q-pair).....	159, 177, 216, 593, 715, 749, 784, 788
GRIMACING (data).....	969
GRIMACING (q-pair).....	496
GROUP ROOM (data).....	969
GROUP ROOM (q-pair).....	55, 130
GU BLADDER IRRIGATION FREQUENCY.....	221
GU CATHETER CARE PERFORMED.....	222
GU CATHETER SIZE.....	223
GU CATHETER TYPE.....	224
GU PROCEDURE ROOM (data).....	969
GU PROCEDURE ROOM (q-pair).....	583
GU VOIDING.....	225
GUARDING (data).....	969
GUARDING (q-pair).....	2, 496
GURNEY CHAIR (data).....	969
GURNEY CHAIR (q-pair).....	12

- H -

HAIR CONDITION.....	226
HALL (data).....	970
HALL (q-pair).....	55, 130
HAND GRIP.....	227
HAND HYGIENE BEFORE AND AFTER (data).....	970
HAND HYGIENE BEFORE AND AFTER (q-pair).....	92
HANDOFF REPORT.....	228
HARD (data).....	970
HARD (q-pair).....	2, 672
HAS NOT SLEPT (data).....	970
HAS NOT SLEPT (q-pair).....	698
HEAD (loca).....	1187
HEAD (q-pair).....	117, 495, 692
HEAD CIRCUMFERENCE.....	229
HEAD DOWN (data).....	970
HEAD DOWN (q-pair).....	668
HEAD OCCIPITAL (loca).....	1187
HEAD OCCIPITAL (q-pair).....	577, 796
HEAD OF BED ELEVATION.....	230
HEAD UP (data).....	971
HEAD UP (q-pair).....	668
HEADACHE (data).....	971
HEADACHE (q-pair).....	188
HEALTH TECH (data).....	971
HEALTH TECH (q-pair).....	584
HEARING (data).....	971
HEARING (q-pair).....	165
HEARING AIDS (data).....	971
HEARING AIDS (q-pair).....	401
HEART (loca).....	1187
HEART (q-pair).....	86
HEARTBURN (data).....	972
HEARTBURN (q-pair).....	214
HEAT (data).....	972
HEAT (q-pair).....	497
HEAT CHEM PACK (data).....	972
HEAT CHEM PACK (q-pair).....	779



HEAT LAMP (data).....	972
HEAT LAMP (q-pair).....	779
HEAT/MOISTURE EXCHANGER PRESENT.....	231
HEAVY (data).....	972
HEAVY (q-pair).....	492, 681
HEEL LIFT (data).....	973
HEEL LIFT (q-pair).....	574
HEEL PILLOW (data).....	973
HEIGHT.....	232
HELMET (data).....	973
HELMET (q-pair).....	195
HEMATOMA (data).....	973
HEMATOMA (q-pair).....	679, 801
HEMATURIA (data).....	973
HEMATURIA (q-pair).....	748
HEME (prod).....	1267
HEME (q-pair).....	451
HEMODIALYSIS (meth).....	1240
HEMODIALYSIS (prod).....	1267
HEMODIALYSIS (q-pair).....	316, 450, 451
HEMORRHAGE (data).....	974
HEMORRHAGE (q-pair).....	420
HEMOVAC (data).....	974
HEMOVAC (meth).....	1240
HEMOVAC (q-pair).....	452, 790
HEPATIC FORMULA (data).....	974
HEPATIC FORMULA (prod).....	1267
HEPATIC FORMULA (q-pair).....	314
HEPLOCK (data).....	974
HEPLOCK (q-pair).....	348, 516
HIGH (data).....	974
HIGH (q-pair).....	53, 158, 219
HIGH CALORIE (data).....	975
HIGH CALORIE (q-pair).....	151
HIGH FALL RISK (data).....	975
HIGH FALL RISK (q-pair).....	40
HIGH FIBER (data).....	975
HIGH FIBER (q-pair).....	151
HIGH FOWLER'S (data).....	975
HIGH FOWLER'S (q-pair).....	13
HIGH PROTEIN (data).....	975
HIGH PROTEIN (q-pair).....	151
HIGH PROTEIN FORMULA (prod).....	1267
HIP (loca).....	1187
HIP (q-pair).....	117
HIP-PROTECTORS (data).....	976
HIP-PROTECTORS (q-pair).....	195
HIRSUTISM (data).....	976
HIRSUTISM (q-pair).....	226
HM: HAND MOTIONS (data).....	976
HM: HAND MOTIONS (q-pair).....	153
HOMANS SIGN.....	233
HOME (data).....	976
HOME (q-pair).....	489
HOME HEALTH (data).....	976
HOME HEALTH (q-pair).....	168
HOSTILE (data).....	977
HOSTILE (q-pair).....	56
HOT (data).....	977
HOT (q-pair).....	692
HOUR (unit).....	1303
HUMIDIFIER (data).....	977

HUMIDIFIER (q-pair).....	779
HYDRATION - DIET (task).....	1290
HYDRATION - HEPARIN DRIP (task).....	1290
HYDRATION - HYPERAL (task).....	1290
HYDRATION - IV FLUIDS (task).....	1291
HYDRATION - NPO (task).....	1291
HYDRATION - PERIPHERAL IV (task).....	1291
HYDRATION - PICC/CENTRAL LINE (task).....	1291
HYDRATION - SUPPLEMENT SNACK (task).....	1291
HYDRATION - TUBE FEEDING (task).....	1292
HYDROCOLLOIDAL DRESSING (data).....	977
HYDROCOLLOIDAL DRESSING (q-pair).....	578, 793, 800
HYDROFIBER (data).....	977
HYDROFIBER (q-pair).....	578
HYDROFIBER WITH SILVER (data).....	978
HYDROFIBER WITH SILVER (q-pair).....	578
HYDROGEL DRESSING (data).....	978
HYDROGEL DRESSING (q-pair).....	578, 793
HYDROMORPHONE (data).....	978
HYDROMORPHONE (q-pair).....	186
HYPERACTIVE (data).....	978
HYPERACTIVE (q-pair).....	1
HYPERDYNAMIC (data).....	978
HYPERDYNAMIC (q-pair).....	48, 104, 353, 464, 472
HYPERGRANULIZATION (data).....	979
HYPERGRANULIZATION (q-pair).....	795
HYPERTONIC HYDROGEL (data).....	979
HYPERTONIC HYDROGEL (q-pair).....	793
HYPOACTIVE (data).....	979
HYPOACTIVE (q-pair).....	1
HYPOALBUMINEMIA (data).....	979
HYPOALBUMINEMIA (q-pair).....	575
HYPOTENSION (data).....	979
HYPOTENSION (q-pair).....	188, 404, 521
HYPOXIA (data).....	980
HYPOXIA (q-pair).....	404

- I -

I (data).....	980
I (q-pair).....	85
I:E RATIO.....	234
IABP (data).....	980
IABP (meth).....	1240
IABP (q-pair).....	24, 384
IABP ASSISTED SYSTOLIC PRESSURE.....	235
IABP BAEDP.....	236
IABP BALLOON SIZE.....	237
IABP CATHETER FLUSH.....	238
IABP CIRCULATION ASSESSED.....	239
IABP DRESSING TYPE.....	240
IABP PEAK DIASTOLIC AUGMENTED PRESSURE.....	241
IABP RATIO.....	242
IABP SITE CONDITION.....	243
IABP SIZE.....	244
IABP TIMING.....	245
IABP TIMING CHECK.....	246
IABP UAEDP.....	247
IABP UNASSISTED SYSTOLIC PRESSURE.....	248
ICE PACK (data).....	980
ICE PACK (q-pair).....	779

ICTERIC (data).....	980
ICTERIC (q-pair).....	679
ICU (data).....	981
ICU (q-pair).....	489, 554, 583
ID BAND (data).....	981
ID BAND (q-pair).....	729
ID CARD (data).....	981
ID CARD (q-pair).....	729
IDENTIFICATION (data).....	981
IDENTIFICATION (q-pair).....	40
IDIOVENTRICULAR (data).....	981
IDIOVENTRICULAR (q-pair).....	84
II (data).....	982
II (q-pair).....	85
III (data).....	982
III (q-pair).....	85
ILEAL CONDUIT (data).....	982
ILEAL CONDUIT (meth).....	1240
ILEAL CONDUIT (q-pair).....	224, 458, 751
ILEAL-CONDUIT (data).....	982
ILEAL-CONDUIT (q-pair).....	445
ILEOSTOMY (data).....	982
ILEOSTOMY (q-pair).....	445
IMAGING (data).....	983
IMAGING (q-pair).....	489
IMPAIRED LISTENING SKILLS (data).....	983
IMPAIRED LISTENING SKILLS (q-pair).....	165
IMPLANTS (data).....	983
IMPLANTS (q-pair).....	402
INACTIVE - ARTERIAL LINE SITE.....	249
INACTIVE - ARTERIAL LINE TYPE.....	250
INACTIVE - AUDIOMETRY.....	251
INACTIVE - BISPECTRAL INDEX.....	252
INACTIVE - BODY MASS INDEX.....	253
INACTIVE - CARDIAC AV FISTULA BRUIT.....	254
INACTIVE - CATHETER TYPE.....	255
INACTIVE - CENTRAL LINE SITE.....	256
INACTIVE - CHEST TUBE DRESSING INTACT.....	257
INACTIVE - CHEST TUBE SITE.....	258
INACTIVE - COUGH AND DEEP BREATH EVENTS.....	259
INACTIVE - DATE.....	260
INACTIVE - DATE DAY.....	261
INACTIVE - DATE MONTH.....	262
INACTIVE - DATE YEAR.....	263
INACTIVE - DIALYSIS CATHETER SITE.....	264
INACTIVE - EDEMA LOCATION.....	265
INACTIVE - ENTERAL NUTRITION FORMULA.....	266
INACTIVE - GI EMESIS APPEARANCE.....	267
INACTIVE - HEARING.....	268
INACTIVE - IABP INSERTION SITE.....	269
INACTIVE - IABP SITE.....	270
INACTIVE - INCISION LOCATION.....	271
INACTIVE - INCISION SITE.....	272
INACTIVE - IV DOSE RATE.....	273
INACTIVE - IV FLUID.....	274
INACTIVE - IV INSERTION DATE.....	275
INACTIVE - IV SITE.....	276
INACTIVE - OR OUTPUT - CHEST TUBE.....	277
INACTIVE - OR OUTPUT - DRAIN.....	278
INACTIVE - OR OUTPUT - PUMP LOSS.....	279
INACTIVE - OR OUTPUT - URINE.....	280
INACTIVE - OSTOMY TYPE.....	281

INACTIVE - OXYGEN DELIVERED.....	282
INACTIVE - OXYGEN DELIVERY METHOD.....	283
INACTIVE - OXYGEN EXTRACTION RATIO.....	284
INACTIVE - PA CATHETER INSERTION DATE.....	285
INACTIVE - PA CATHETER SITE.....	286
INACTIVE - PACEMAKER DATE INSERTED.....	287
INACTIVE - PACEMAKER SITES.....	288
INACTIVE - PAIN LOCATION.....	289
INACTIVE - POST OPERATION DAY NUMBER.....	290
INACTIVE - PRESSURE ULCER SITE.....	291
INACTIVE - PRESSURE ULCER VISIBLE STRUCTURE.....	292
INACTIVE - PULSE OXIMETRY.....	293
INACTIVE - SKIN DISCHARGE COLOR.....	294
INACTIVE - SKIN DISCHARGE ODOR.....	295
INACTIVE - SKIN DRAINAGE CHARACTERISTICS.....	296
INACTIVE - VENTILATOR IN-LINE NEBULIZER.....	297
INACTIVE - WOUND SITE.....	298
INACTIVE - WOUND TOPICAL TREATMENT TYPE.....	299
INAPPROPRIATE (data).....	983
INAPPROPRIATE (q-pair).....	32, 54, 136
INCENTIVE SPIROMETRY.....	300
INCH (unit).....	1304
INCISION DISCHARGE CHARACTERISTICS.....	301
INCISION DISCHARGE CHARACTERISTICS BLOODY (data).....	983
INCISION DISCHARGE CHARACTERISTICS CLOUDY (data).....	984
INCISION DISCHARGE CHARACTERISTICS NONE (data).....	984
INCISION DISCHARGE CHARACTERISTICS PURULENT (data).....	984
INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data) .....	984
INCISION DISCHARGE CHARACTERISTICS SEROUS (data).....	984
INCISION DISCHARGE CHARACTERISTICS VISCOUS (data).....	985
INCISION DRAINAGE AMOUNT.....	302
INCISION DRAINAGE AMOUNT HEAVY (data).....	985
INCISION DRAINAGE AMOUNT HEAVY (q-pair).....	302
INCISION DRAINAGE AMOUNT MODERATE (data).....	985
INCISION DRAINAGE AMOUNT MODERATE (q-pair).....	302
INCISION DRAINAGE AMOUNT NONE (data).....	985
INCISION DRAINAGE AMOUNT NONE (q-pair).....	302
INCISION DRAINAGE AMOUNT SCANT (data).....	985
INCISION DRAINAGE AMOUNT SCANT (q-pair).....	302
INCISION DRAINAGE AMOUNT SMALL (data).....	986
INCISION DRAINAGE AMOUNT SMALL (q-pair).....	302
INCISION DRESSING PREVENTS ASSESSMENT.....	303
INCISION DRESSING TYPE.....	304
INCISION DRESSING TYPE ANTIMICROBIAL (data).....	986
INCISION DRESSING TYPE ANTIMICROBIAL (q-pair).....	304
INCISION DRESSING TYPE ANTIMICROBIAL DISK (data).....	986
INCISION DRESSING TYPE ANTIMICROBIAL DISK (q-pair).....	304
INCISION DRESSING TYPE BALSAM OF PERU (data).....	986
INCISION DRESSING TYPE BALSAM OF PERU (q-pair).....	304
INCISION DRESSING TYPE BISMUTH GAUZE (data).....	986
INCISION DRESSING TYPE BISMUTH GAUZE (q-pair).....	304
INCISION DRESSING TYPE CALCIUM ALGINATE (data).....	987
INCISION DRESSING TYPE CALCIUM ALGINATE (q-pair).....	304
INCISION DRESSING TYPE FOAM DRESSING (data).....	987
INCISION DRESSING TYPE FOAM DRESSING (q-pair).....	304
INCISION DRESSING TYPE GAUZE (data).....	987
INCISION DRESSING TYPE GAUZE (q-pair).....	304
INCISION DRESSING TYPE GAUZE PACKING (data).....	987
INCISION DRESSING TYPE GAUZE PACKING (q-pair).....	304
INCISION DRESSING TYPE GAUZE WRAP (data).....	987
INCISION DRESSING TYPE GAUZE WRAP (q-pair).....	304

INCISION DRESSING TYPE HYDROCOLLOIDAL (data).....	988
INCISION DRESSING TYPE HYDROCOLLOIDAL (q-pair).....	304
INCISION DRESSING TYPE HYDROGEL (data).....	988
INCISION DRESSING TYPE HYDROGEL (q-pair).....	304
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (data).....	988
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (q-pair)....	304
INCISION DRESSING TYPE NONE (data).....	988
INCISION DRESSING TYPE NONE (q-pair).....	304
INCISION DRESSING TYPE PRESSURE (data).....	988
INCISION DRESSING TYPE PRESSURE (q-pair).....	304
INCISION DRESSING TYPE TRANSPARENT (data).....	989
INCISION DRESSING TYPE TRANSPARENT (q-pair).....	304
INCISION EDGE.....	305
INCISION EDGE INDISTINCT/ATTACHED (data).....	989
INCISION EDGE INDISTINCT/ATTACHED (q-pair).....	305
INCISION EDGE NON-ATTACHED (data).....	989
INCISION EDGE NON-ATTACHED (q-pair).....	305
INCISION EDGE ROLLED (data).....	989
INCISION EDGE ROLLED (q-pair).....	305
INCISION EDGE TUNNELING (data).....	989
INCISION EDGE TUNNELING (q-pair).....	305
INCISION EDGE UNDERMINING (data).....	990
INCISION EDGE UNDERMINING (q-pair).....	305
INCISION ERYTHEMA.....	306
INCISION ODOR.....	307
INCISION ODOR FOUL (data).....	990
INCISION ODOR FOUL (q-pair).....	307
INCISION ODOR NONE (data).....	990
INCISION ODOR NONE (q-pair).....	307
INCISION PRESENT.....	308
INCISION STAPLES INTACT.....	309
INCISION SUTURES INTACT.....	310
INCISION TENDER TO PALPATION.....	311
INCISION WOUND CLOSURE APPROXIMATED (data).....	990
INCISION WOUND CLOSURE APPROXIMATED (q-pair).....	684
INCISION WOUND CLOSURE DEHISCENCE (data).....	990
INCISION WOUND CLOSURE DEHISCENCE (q-pair).....	684
INCISION WOUND CLOSURE GLUE (data).....	991
INCISION WOUND CLOSURE GLUE (q-pair).....	684
INCISION WOUND CLOSURE NOT CLOSED (data).....	991
INCISION WOUND CLOSURE NOT CLOSED (q-pair).....	684
INCISIONAL SITE (data).....	991
INCISIONAL SITE (loca).....	1188
INCISIONAL SITE (q-pair).....	164, 495
INCOMPREHENSIBLE (data).....	991
INCOMPREHENSIBLE (q-pair).....	136
INCONTENENCE DERMATITIS (data).....	991
INCONTENENCE DERMATITIS (q-pair).....	801
INCONTINENT (data).....	992
INCONTINENT (q-pair).....	225, 751
INCREASE ROUNDS (data).....	992
INCREASE ROUNDS (q-pair).....	195
INDEPENDENT (data).....	992
INDEPENDENT (q-pair).....	6, 8, 9, 10
INDICATES UNDERSTANDING (data).....	992
INDICATES UNDERSTANDING (q-pair).....	624, 629
INDIFFERENT (data).....	992
INDIFFERENT (q-pair).....	167
INDURATION (data).....	993
INDURATION (q-pair).....	674
INDWELLING CATHETER (data).....	993
INDWELLING CATHETER (meth).....	1241

INDWELLING CATHETER (q-pair).....	224, 458, 751
INEFFECTIVE COPING (data).....	993
INEFFECTIVE COPING (q-pair).....	56
INFECTION (data).....	993
INFECTION (q-pair).....	168
INFECTION PREVENTION AND SCREENING (data).....	993
INFECTION PREVENTION AND SCREENING (q-pair).....	168
INFLATABLE HEEL LIFT (data).....	994
INFLATABLE HEEL LIFT (q-pair).....	574
INFUSION SET CHANGED.....	312
INITIATED (data).....	994
INITIATED (q-pair).....	656
INSERTED THROUGH EXISTING INTRODUCER (data).....	994
INSERTED THROUGH EXISTING INTRODUCER (q-pair).....	95, 466
INSERTED THROUGH NEW INTRODUCER (data).....	994
INSERTED THROUGH NEW INTRODUCER (q-pair).....	95, 466
INSPIRATORY WHEEZES (data).....	994
INSPIRATORY WHEEZES (q-pair).....	74
INSULIN PUMP SQ INFUSION ON?.....	313
INTACT (data).....	995
INTACT (q-pair).....	43, 96, 652, 653, 654, 655, 680
INTAKE.....	314
INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER)..	315
INTAKE - DIALYSIS.....	316
INTAKE - EF/SUPPLEMENT CALORIES.....	317
INTAKE - ENTERAL FEEDING TUBE.....	318
INTAKE - ENTERAL TUBE FLUSH.....	319
INTAKE - GI TUBE.....	320
INTAKE - IRRIGATION.....	321
INTAKE - IV BLOOD PRODUCTS.....	322
INTAKE - IV CALORIES.....	323
INTAKE - IV CARDIAC OUTPUT INJECTATE.....	324
INTAKE - IV COLLOID.....	325
INTAKE - IV CRYSTALLOIDS.....	326
INTAKE - IV FLUID.....	327
INTAKE - IV MEDS.....	328
INTAKE - IV NUTRITION.....	329
INTAKE - LINE FLUSH.....	330
INTAKE - PCA VOLUME.....	331
INTAKE - PERCENT MEAL CONSUMED.....	332
INTAKE - PO CALORIES.....	333
INTAKE - PO FLUIDS.....	334
INTAKE - TPN CALORIES.....	335
INTAKE - TRANSFUSION .....	336
INTENTIONAL (data).....	995
INTENTIONAL (q-pair).....	418
INTERMITTENT (data).....	995
INTERMITTENT (q-pair).....	158, 219, 221, 492, 493, 802
INTERMITTENT SLEEP (data).....	995
INTERMITTENT SLEEP (q-pair).....	698
INTERRUPTED (data).....	995
INTERRUPTED (q-pair).....	656
INTERVENTIONAL RADIOLOGY (data).....	996
INTERVENTIONAL RADIOLOGY (q-pair).....	583
INTRACRANIAL PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS	337
INTRODUCER (data).....	996
INTRODUCER (q-pair).....	103
INTRODUCER CATHETER (meth).....	1241
INVASIVE (meth).....	1241
INVASIVE (q-pair).....	63, 147, 148, 149,

150, 383, 384, 600,  
724

IRREGULAR (data).....	996
IRREGULAR (q-pair).....	608
IRRIGATION (meth).....	1241
IRRITABLE (data).....	996
IRRITABLE (q-pair).....	496
ISOLATION (data).....	996
ISOLATION (q-pair).....	168
ISOLATION PRECAUTIONS.....	338
ISOSOURCE VHN (data).....	997
ISOSOURCE VHN (q-pair).....	176
ITCHING (data).....	997
ITCHING (q-pair).....	188, 521
IV (meth).....	1241
IV (q-pair).....	314
IV DISCONTINUED (data).....	997
IV DISCONTINUED (q-pair).....	152
IV DOSE RATE - UNITS/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS .....	339
IV DOSE RATE - UNITS/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS .....	340
IV DOSE RATE - g/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	341
IV DOSE RATE - mcg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS .....	342
IV DOSE RATE - mcg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS .....	343
IV DOSE RATE - mg/TIME- DO NOT CHECK TOTAL OR SUBTOTALS	344
IV DOSE RATE - mg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS .....	345
IV FLOW RATE - ml/TIME - DO NOT CHECK TOTAL OR SUBTOTALS .....	346
IV FLOW RATE - ml/kg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS .....	347
IV LINE CARE.....	348
IV PORT / NUMBER.....	349
IV PUMP (data).....	997
IV PUMP (q-pair).....	24
IV SEDATION (data).....	997
IV SEDATION (q-pair).....	31
IV SITE CONDITION.....	350
IVPB (data).....	998

- J -

JAUNDICE (data).....	998
JAUNDICE (q-pair).....	679
JEJUNOSTOMY (data).....	998
JEJUNOSTOMY (q-pair).....	170, 220, 445
JEVITY 1.0 (data).....	998
JEVITY 1.0 (q-pair).....	176
JEVITY 1.2 (data).....	998
JEVITY 1.2 (q-pair).....	176
JEVITY 1.5 (data).....	999
JEVITY 1.5 (q-pair).....	176
JOINT CAPSULE (data).....	999
JP DRAIN (data).....	999
JP DRAIN (meth).....	1242
JP DRAIN (prod).....	1268
JP DRAIN (q-pair).....	452, 790
JUICE (prod).....	1268
JUICE (q-pair).....	314, 334

JUNCTIONAL (data).....	999
JUNCTIONAL (q-pair).....	84
JUNCTIONAL ESCAPE BEAT (data).....	999
JUNCTIONAL ESCAPE BEAT (q-pair).....	80
JUNCTIONAL TACHYCARDIA (data).....	1000
JUNCTIONAL TACHYCARDIA (q-pair).....	84
JUVEN (data).....	1000
JUVEN (q-pair).....	176

- K -

K-PAD (data).....	1000
K-PAD (q-pair).....	779
KG/M2 (unit).....	1304
KGS/HOUR (unit).....	1304
KILOGRAM (unit).....	1304
KNEE (loca).....	1188
KNEE (q-pair).....	117
KNEES (loca).....	1188
KNEES (q-pair).....	164
KNIFE-LIKE (data).....	1000
KNIFE-LIKE (q-pair).....	492
KNOWN DONOR (data).....	1000
KNOWN DONOR (q-pair).....	537
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (data).....	1001
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (q-pair).....	402
KUSSMAUL (data).....	1001
KUSSMAUL (q-pair).....	608

- L -

L ABDOMEN (loca).....	1188
L ABDOMEN (q-pair).....	796
L ANKLE (loca).....	1188
L ANKLE (q-pair).....	308, 495, 577, 633, 692, 796
L ANTECUBITAL (loca).....	1189
L ANTECUBITAL (q-pair).....	103, 144, 224, 349, 350, 577, 796
L ARM (loca).....	1189
L ARM (q-pair).....	63, 103, 144, 150, 164, 169, 224, 349, 350, 435, 495, 631, 632, 692, 724
L AXILLARY (loca).....	1189
L AXILLARY (q-pair).....	46, 47, 240, 244
L BRACHIAL (loca).....	1189
L BRACHIAL (q-pair).....	46, 47, 106, 478, 483
L BUNDLE BRANCH BLOCK (data).....	1001
L BUNDLE BRANCH BLOCK (q-pair).....	84
L CALF (loca).....	1189
L CALF (q-pair).....	308
L CAROTID (loca).....	1190
L CAROTID (q-pair).....	79, 86
L CHEST (loca).....	1190
L CHEST (q-pair).....	109, 495, 692, 796
L DORSALIS PEDIS (loca).....	1190
L EAR (loca).....	1190
L EAR (q-pair).....	308, 495, 577, 692, 796
L ELBOW (loca).....	1190



L ELBOW (q-pair).....495, 577, 692, 796  
L EXTERNAL JUGULAR (loca).....1191  
L EXTERNAL JUGULAR (q-pair).....103, 144, 224, 349,  
350, 471  
L EYE (loca).....1191  
L EYE (q-pair).....134, 164, 602, 603,  
776, 796  
L FACE (loca).....1191  
L FACE (q-pair).....164, 308, 796  
L FEMORAL (loca).....1191  
L FEMORAL (q-pair).....46, 47, 79, 86,  
103, 106, 144, 224,  
240, 244, 308, 349,  
350, 471, 478, 483,  
577, 601, 796  
L FINGER (loca).....1191  
L FINGER (q-pair).....308  
L FLANK (loca).....1192  
L FLANK (q-pair).....308  
L FOOT (loca).....1192  
L FOOT (q-pair).....164, 201, 308, 349,  
350, 495, 577, 652,  
692, 796  
L FOOT DOWN (data).....1001  
L FOOT DOWN (q-pair).....668  
L FOOT UP (data).....1001  
L FOOT UP (q-pair).....668  
L GLUTEUS (loca).....1192  
L GLUTEUS (q-pair).....308, 577, 796  
L GROIN (loca).....1192  
L GROIN (q-pair).....495, 692  
L HAND (loca).....1192  
L HAND (q-pair).....164, 227, 495, 653,  
692, 796  
L HEAD (loca).....1193  
L HEAD (q-pair).....577, 796  
L HEAD DOWN (data).....1002  
L HEAD DOWN (q-pair).....668  
L HEAD UP (data).....1002  
L HEAD UP (q-pair).....668  
L HEEL (loca).....1193  
L HEEL (q-pair).....577, 796  
L HIP (loca).....1193  
L HIP (q-pair).....308, 495, 692, 796  
L INGUINAL (loca).....1193  
L INGUINAL (q-pair).....308  
L INNER KNEE (loca).....1193  
L INNER KNEE (q-pair).....577, 796  
L INTERNAL JUGULAR (loca).....1194  
L INTERNAL JUGULAR (q-pair).....103, 106, 144, 224,  
349, 350, 471, 478,  
483  
L ISCHIAL (loca).....1194  
L ISCHIAL (q-pair).....577, 796  
L JAW (loca).....1194  
L JAW (q-pair).....495, 692  
L KNEE (loca).....1194  
L KNEE (q-pair).....164, 308, 495, 692  
L LATERAL HEEL (loca).....1194  
L LATERAL HEEL (q-pair).....577  
L LATERAL MALLEOLUS (loca).....1195  
L LATERAL MALLEOLUS (q-pair).....577

L LEG (loca).....1195  
L LEG (q-pair).....63, 137, 150, 164,  
169, 349, 350, 436,  
495, 631, 633, 692,  
724  
L LOWER ANTERIOR CHEST (loca).....1195  
L LOWER ANTERIOR CHEST (q-pair).....111, 308  
L LOWER ARM (loca).....1195  
L LOWER ARM (q-pair).....308, 495, 577, 692,  
796  
L LOWER EXTREMITY (loca).....1195  
L LOWER EXTREMITY (q-pair).....417, 654  
L LOWER LEG (loca).....1196  
L LOWER LEG (q-pair).....308, 796  
L LOWER LIMB (loca).....1196  
L LOWER LIMB (q-pair).....357  
L LOWER POSTERIOR CHEST (loca).....1196  
L LOWER POSTERIOR CHEST (q-pair).....111, 308  
L MANDIBULAR (loca).....1196  
L MANDIBULAR (q-pair).....308  
L MEDIAL HEEL (loca).....1196  
L MEDIAL HEEL (q-pair).....577  
L MEDIAL MALLEOLUS (loca).....1197  
L MEDIAL MALLEOLUS (q-pair).....577  
L MIDDLE ANTERIOR CHEST (loca).....1197  
L MIDDLE ANTERIOR CHEST (q-pair).....111, 308  
L MIDDLE POSTERIOR CHEST (loca).....1197  
L MIDDLE POSTERIOR CHEST (posi).....1257  
L MIDDLE POSTERIOR CHEST (q-pair).....111, 308  
L NECK (data).....1002  
L NECK (loca).....1197  
L NECK (q-pair).....308  
L NEPHROSTOMY (data).....1002  
L NEPHROSTOMY (q-pair).....224, 751  
L NOSE (loca).....1197  
L NOSE (q-pair).....495, 692  
L OCCIPITAL (loca).....1198  
L OCCIPITAL (q-pair).....308  
L ORAL (loca).....1198  
L ORAL (q-pair).....308  
L ORBIT (loca).....1198  
L ORBIT (q-pair).....308  
L OUTER KNEE (loca).....1198  
L OUTER KNEE (q-pair).....577, 796  
L PARIETAL (loca).....1198  
L PARIETAL (q-pair).....308  
L PEDAL (loca).....1199  
L PEDAL (q-pair).....601  
L POST TIBIAL (loca).....1199  
L POST TIBIAL (q-pair).....601  
L RADIAL (loca).....1199  
L RADIAL (q-pair).....46, 47, 601  
L RIBS (loca).....1199  
L RIBS (q-pair).....577, 796  
L SCAPULA (loca).....1199  
L SCAPULA (q-pair).....495, 577, 692, 796  
L SHOULDER (loca).....1200  
L SHOULDER (q-pair).....495, 577, 692, 796  
L STENT (data).....1002  
L STENT (q-pair).....224  
L SUBCLAVIAN (loca).....1200  
L SUBCLAVIAN (q-pair).....103, 106, 144, 224,

	308, 349, 350, 471, 478, 483
L TEMPORAL (loca)	1200
L TEMPORAL (q-pair)	79, 86
L TESTICLE (loca)	1200
L TESTICLE (q-pair)	796
L THIGH (loca)	1200
L THIGH (q-pair)	308, 495, 692
L THORACIC ANTERIOR (loca)	1201
L THORACIC ANTERIOR (q-pair)	308
L THORACIC LATERAL (loca)	1201
L THORACIC LATERAL (q-pair)	308
L THORACIC POSTERIOR (loca)	1201
L THORACIC POSTERIOR (q-pair)	308
L THORACOTOMY (loca)	1201
L THORACOTOMY (q-pair)	308
L THUMB (loca)	1201
L THUMB (q-pair)	308
L TOE (loca)	1202
L TOE (q-pair)	308
L TRAPEZIUS (loca)	1202
L TRAPEZIUS (q-pair)	308
L TROCHANTER (loca)	1202
L TROCHANTER (q-pair)	577, 796
L UPPER ANTERIOR CHEST (loca)	1202
L UPPER ANTERIOR CHEST (q-pair)	111, 308
L UPPER ARM (loca)	1202
L UPPER ARM (q-pair)	103, 144, 224, 308, 349, 350, 495, 577, 692, 796
L UPPER EXTREMITY (loca)	1203
L UPPER EXTREMITY (q-pair)	417, 655
L UPPER LEG (loca)	1203
L UPPER LEG (q-pair)	796
L UPPER LIMB (loca)	1203
L UPPER LIMB (q-pair)	747
L UPPER POSTERIOR CHEST (loca)	1203
L UPPER POSTERIOR CHEST (q-pair)	111, 308
L WRIST (loca)	1203
L WRIST (q-pair)	103, 144, 224, 349, 350, 631, 632, 796
L1 (data)	1003
L1 (q-pair)	184, 185
L2 (data)	1003
L2 (q-pair)	184, 185
L3 (data)	1003
L3 (q-pair)	184, 185
L4 (data)	1003
L4 (q-pair)	184, 185
L5 (data)	1003
L5 (q-pair)	184, 185
LABS PER ORDERS	351
LACERATION (data)	1004
LACERATION (q-pair)	801
LACKS INTEREST (data)	1004
LACKS INTEREST (q-pair)	167
LACTOSE RESTRICTED (data)	1004
LACTOSE RESTRICTED (q-pair)	151
LANGUAGE (data)	1004
LANGUAGE (q-pair)	165
LARGE (data)	1004
LARGE (q-pair)	449, 457, 459, 592

LARYNGEAL MASK (meth).....	1242
LARYNGEAL MASK (q-pair).....	720
LARYNGECTOMY (data).....	1005
LARYNGECTOMY (q-pair).....	22
LATEX ALLERGY (data).....	1005
LATEX ALLERGY (q-pair).....	40
LEAD (meth).....	1242
LEAD (q-pair).....	600
LEFT (data).....	1005
LEFT (loca).....	1204
LEFT (posi).....	1257
LEFT (q-pair).....	13, 193
LEFT EYE (loca).....	1204
LEFT EYE (q-pair).....	153
LEFT LOWER LOBE (loca).....	1204
LEFT LOWER LOBE (q-pair).....	74
LEFT NECK (loca).....	1204
LEFT NECK (q-pair).....	164
LEFT UPPER LOBE (loca).....	1204
LEFT UPPER LOBE (q-pair).....	74
LEFT VENTRICULAR EJECTION FRACTION - CATEGORICAL.....	353
LEFT VENTRICULAR EJECTION FRACTION - CONTINUOUS.....	352
LEFT VENTRICULAR STROKE WORK.....	354
LEG MOVEMENTS.....	355
LESION PRESENT (data).....	1005
LESION PRESENT (q-pair).....	419
LESS THAN 30 (data).....	1005
LESS THAN 30 (q-pair).....	353
LETHARGIC (data).....	1006
LETHARGIC (q-pair).....	56, 356
LEVEL OF CONSCIOUSNESS.....	356
LEVELED (data).....	1006
LEVELED (q-pair).....	348
LG ADULT (meth).....	1242
LG ADULT CUFF (meth).....	1242
LIBERAL DIABETIC (data).....	1006
LIBERAL DIABETIC (q-pair).....	151
LIFT SCALE (meth).....	1243
LIFT SCALE (q-pair).....	781
LIMITED ASSISTANCE (data).....	1006
LIMITED ASSISTANCE (q-pair).....	8, 9, 10
LIMITED ATTENTION SPAN (data).....	1006
LIMITED ATTENTION SPAN (q-pair).....	165
LIMITED TO INCISION (data).....	1007
LIMITED TO INCISION (q-pair).....	306, 682
LINE FLUSH (data).....	1007
LINE FLUSH (prod).....	1268
LINE FLUSH HEPARIN (prod).....	1268
LINE FLUSH HEPARIN (q-pair).....	330
LINEN CHANGE (data).....	1007
LINEN CHANGE (q-pair).....	5
LIP (loca).....	1205
LIP (q-pair).....	193
LIP SALVE (data).....	1007
LIP SALVE (q-pair).....	16
LIPIDS (prod).....	1268
LIPIDS (q-pair).....	329
LISTED DIET (data).....	1007
LISTED DIET (q-pair).....	151
LITER (unit).....	1304
LITERS PER MINUTE (unit).....	1305
LITERS PER MINUTE PER METER2 (BSA) (unit).....	1305

LOCAL (data).....	1008
LOCAL (q-pair).....	31
LOCALIZES TO PAIN (data).....	1008
LOCALIZES TO PAIN (q-pair).....	135
LOCK BOX (data).....	1008
LOCK BOX (q-pair).....	541
LOCKER (data).....	1008
LOCKER (q-pair).....	540, 541
LOOSE (data).....	1008
LOOSE (q-pair).....	714
LOW (data).....	1009
LOW (q-pair).....	53, 158, 219
LOW AIRLOSS OVERLAY (data).....	1009
LOW AIRLOSS OVERLAY (q-pair).....	699
LOW AIRLOSS/ALTERNATING PRESSURE COMBO (data).....	1009
LOW AIRLOSS/ALTERNATING PRESSURE COMBO (q-pair).....	699
LOW CHOLESTEROL (data).....	1009
LOW CHOLESTEROL (q-pair).....	151
LOW FIBER (data).....	1009
LOW FIBER (q-pair).....	151
LOW PROTEIN 60 GM (data).....	1010
LOW PROTEIN 60 GM (q-pair).....	151
LOW TYRAMINE (data).....	1010
LOW TYRAMINE (q-pair).....	151
LOWER ABDOMEN (loca).....	1205
LOWER ABDOMEN (q-pair).....	796
LOWER ARM (loca).....	1205
LOWER ARM (q-pair).....	117
LOWER BACK (loca).....	1205
LOWER BACK (q-pair).....	796
LOWER LIMB EXTREMITIES STRENGTH.....	357
LP: LIGHT PERCEPTION (data).....	1010
LP: LIGHT PERCEPTION (q-pair).....	153
LPP: LIGHT PERCEPTION WITH PROJECTION (data).....	1010
LPP: LIGHT PERCEPTION WITH PROJECTION (q-pair).....	153
LUMBAR (data).....	1010
LUMBAR (q-pair).....	182
LUMBAR DRAIN (data).....	1011
LUMBAR DRAIN (q-pair).....	790
LUMBAR SPINAL PRECAUTIONS (data).....	1011
LUMBAR SPINAL PRECAUTIONS (q-pair).....	12
LUNCH (data).....	1011
LUNCH (q-pair).....	382
LVN (data).....	1011
LVN (q-pair).....	642
LVN/LPN (data).....	1011
LVN/LPN (q-pair).....	584
LVSWI.....	358
LYING (posi).....	1257
LYING (q-pair).....	63, 150, 600, 609, 724, 781
LYING OR SITTING (data).....	1012
LYING OR SITTING (q-pair).....	129

- M -

MACERATION (data).....	1012
MACERATION (q-pair).....	674
MAGNACAL (data).....	1012
MAGNACAL (prod).....	1269
MAGNACAL (q-pair).....	176
MAGNETIC RESONANCE IMAGING (meth).....	1243

MAGNETIC RESONANCE IMAGING (q-pair).....	352, 353
MAINTAINING EFFECTIVE VENTILATION (data).....	1012
MAINTAINING EFFECTIVE VENTILATION (q-pair).....	487
MALLAMPATI SCORE.....	359
MAROON (data).....	1012
MAROON (q-pair).....	715, 788
MASK (meth).....	1243
MASK (q-pair).....	720, 721
MD (data).....	1013
MD (q-pair).....	642
MDS: BATHING-SELF PERFORMANCE.....	360
MDS: BATHING-SUPPORT.....	361
MDS: BED MOBILITY-SELF PERFORMANCE.....	362
MDS: BED MOBILITY-SUPPORT.....	363
MDS: DRESSING-SELF PERFORMANCE.....	364
MDS: DRESSING-SUPPORT.....	365
MDS: EATING-SELF PERFORMANCE.....	366
MDS: EATING-SUPPORT.....	367
MDS: LOCOMOTION OFF UNIT-SELF PERFORMANCE.....	368
MDS: LOCOMOTION OFF UNIT-SUPPORT.....	369
MDS: LOCOMOTION ON UNIT-SELF PERFORMANCE.....	370
MDS: LOCOMOTION ON UNIT-SUPPORT.....	371
MDS: PERSONAL HYGIENE-SELF PERFORMANCE.....	372
MDS: PERSONAL HYGIENE-SUPPORT.....	373
MDS: TOILET USE-SELF PERFORMANCE.....	374
MDS: TOILET USE-SUPPORT.....	375
MDS: TRANSFER-SELF PERFORMANCE.....	376
MDS: TRANSFER-SUPPORT.....	377
MDS: WALK IN CORRIDOR-SELF PERFORMANCE.....	378
MDS: WALK IN CORRIDOR-SUPPORT.....	379
MDS: WALK IN ROOM-SELF PERFORMANCE.....	380
MDS: WALK IN ROOM-SUPPORT.....	381
MEAL (data).....	1013
MEAL (q-pair).....	5
MEAL TYPE.....	382
MEAN ARTERIAL PRESSURE.....	383
MEAN BLOOD PRESSURE.....	384
MEAN BLOOD PRESSURE ARTERIAL LINE.....	385
MEAN BLOOD PRESSURE NON-INVASIVE.....	386
MEAN BP CUFF.....	387
MECHANICAL (data).....	1013
MECHANICAL (q-pair).....	151
MED LAST DOSE: ANTIBIOTIC.....	388
MED LAST DOSE: ANTICOAGULANT.....	389
MED LAST DOSE: ASPIRIN.....	390
MED LAST DOSE: ESA ERYTHROPOETIN.....	391
MED LAST DOSE: HYPOGLYCEMIC AGENT.....	392
MED LAST DOSE: NON-STEROIDAL ANTI-INFLAMMATORY DRUG....	393
MED RECONCILLIATION DOCUMENTED (data).....	1013
MED RECONCILLIATION DOCUMENTED (q-pair).....	152
MEDIAL PORT (data).....	1013
MEDIAL PORT (q-pair).....	349
MEDIASTINAL (loca).....	1205
MEDIASTINAL (prod).....	1269
MEDIASTINAL (q-pair).....	240, 244, 451
MEDICAL DEVICE SAFETY (data).....	1014
MEDICAL DEVICE SAFETY (q-pair).....	58, 131
MEDICAL NECESSITY CONFIRMED (data).....	1014
MEDICAL NECESSITY CONFIRMED (q-pair).....	348
MEDICATION (data).....	1014
MEDICATION (prod).....	1269
MEDICATION (q-pair).....	168, 497

MEDICATION PROPHYLAXIS (data).....	1014
MEDICATION PROPHYLAXIS (q-pair).....	162
MEDICATION ROOM (data).....	1014
MEDICATION ROOM (q-pair).....	55, 130
MEDIUM (data).....	1015
MEDIUM (q-pair).....	158
MEMORY (data).....	1015
MEMORY (q-pair).....	165
MENTAL HEALTH (data).....	1015
MENTAL HEALTH (q-pair).....	168
MENTAL HEALTH HOLD (data).....	1015
MENTAL HEALTH HOLD (q-pair).....	168
MENTAL STATUS - AWAKE ORIENTED (data).....	1015
MENTAL STATUS - AWAKE ORIENTED (q-pair).....	487
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (data).....	1016
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (q-pair).....	487
METAL IMPLANTS (data).....	1016
METAL IMPLANTS (q-pair).....	402
MEWS: CONSCIOUS LEVEL.....	394
MEWS: HEART RATE.....	395
MEWS: HOURLY URINE.....	396
MEWS: RESPIRATORY.....	397
MEWS: SCORE.....	398
MEWS: SCORE UNIT (unit).....	1305
MEWS: SYSTOLIC BLOOD PRESSURE.....	399
MEWS: TEMPERATURE.....	400
MICROGRAMS (unit).....	1305
MICROGRAMS PER HOUR (unit).....	1305
MICROGRAMS PER KILOGRAM PER HOUR (unit).....	1306
MICROGRAMS PER KILOGRAM PER MINUTE (unit).....	1306
MICROGRAMS PER MINUTE (unit).....	1306
MICROGRAMS PER SHIFT (unit).....	1306
MICU (data).....	1016
MICU (q-pair).....	489
MID BACK (loca).....	1206
MID BACK (q-pair).....	796
MID-STERNAL (loca).....	1206
MID-STERNAL (q-pair).....	109
MIDDLE (loca).....	1206
MIDLINE (data).....	1016
MIDLINE (posi).....	1257
MIDLINE (q-pair).....	193, 732
MIDLINE ABDOMINAL (loca).....	1206
MIDLINE ABDOMINAL (q-pair).....	308
MIDLINE NECK (loca).....	1206
MIDLINE NECK (q-pair).....	308
MILD-MODERATELY REDUCED (data).....	1016
MILD-MODERATELY REDUCED (q-pair).....	353
MILK (prod).....	1269
MILK (q-pair).....	334
MILLIAMPS (unit).....	1306
MILLIBAR (unit).....	1307
MILLIGRAMS (unit).....	1307
MILLIGRAMS PER HOUR (unit).....	1307
MILLIGRAMS PER KILOGRAM PER HOUR (data).....	1017
MILLIGRAMS PER KILOGRAM PER HOUR (unit).....	1307
MILLIGRAMS PER KILOGRAM PER MINUTE (unit).....	1307
MILLIGRAMS PER MINUTE (unit).....	1308
MILLIGRAMS PER SHIFT (unit).....	1308
MILLILITER (unit).....	1308
MILLILITERS PER BEAT (unit).....	1308
MILLILITERS PER BEAT PER METER SQUARE (BSA) (unit).....	1308

MILLILITERS PER HOUR (unit).....	1309
MILLILITERS PER KILOGRAM PER HOUR (unit).....	1309
MILLILITERS PER KILOGRAM PER MINUTE (unit).....	1309
MILLILITERS PER METER SQUARE (BSA) (unit).....	1309
MILLILITERS PER MINUTE (unit).....	1309
MILLILITERS PER MINUTE PER METER SQUARE (unit).....	1310
MILLIMETERS (unit).....	1310
MILLIMETERS OF MERCURY (unit).....	1310
MILLIVOLTS (unit).....	1310
MINUTE (unit).....	1310
MISSING (data).....	1017
MOANING (data).....	1017
MOANING (q-pair).....	496
MODERATE (data).....	1017
MODERATE (q-pair).....	449, 457, 459, 592, 681
MODERATE SEDATION (data).....	1017
MODERATE SEDATION (q-pair).....	31
MODERATE SEDATION: PRE-ASSESSMENT APPLIANCES REMOVED...401	
MODERATE SEDATION: PRE-ASSESSMENT CPRS HEALTH HX REVIEWED .....	402
MODERATE SEDATION: PRE-ASSESSMENT TIME OUT.....	403
MODERATE SEDATION: PREASSESS: PREVIOUS MOD SED. COMPLICATIONS .....	404
MODERATE SEDATION: PREASSESS: SUBSTANCE ABUSE.....	405
MODERATE SEDATION: PREPARATION.....	406
MODERATE SEDATION: TIME OUT: PATIENT IDENTIFIERS.....	407
MODERATE-SEVERELY REDUCED (data).....	1018
MODERATE-SEVERELY REDUCED (q-pair).....	353
MODERATELY REDUCED (data).....	1018
MODERATELY REDUCED (q-pair).....	353
MODIFIED ALDRETE SCORE (unit).....	1311
MODULAR CUSTOMIZED FORMULA (prod).....	1269
MOIST (data).....	1018
MOIST (q-pair).....	419, 687
MONITOR (meth).....	1243
MONITOR (q-pair).....	63, 82, 83, 106, 600, 609, 726
MONITOR PLACED.....	408
MONITORING CAMERA.....	409
MONTH (unit).....	1311
MORSE SCORE (unit).....	1311
MORSE: AMBULATORY AID DURING WALKING.....	410
MORSE: GAIT.....	411
MORSE: HISTORY OF FALLING WITHIN LAST THREE MONTHS.....	412
MORSE: IV THERAPY SALINE LOCK.....	413
MORSE: MENTAL STATUS OF PT OWN ABILITY.....	414
MORSE: SCORE TOTAL.....	415
MORSE: SECONDARY DIAGNOSIS LISTED ON CHART.....	416
MOTOR ACTIVITY.....	417
MOTOR CHECK.....	418
MOTORIZED WHEELCHAIR (data).....	1018
MOTORIZED WHEELCHAIR (q-pair).....	742
MOTTLED (data).....	1018
MOTTLED (q-pair).....	679
MOUTHWASH USED (data).....	1019
MOUTHWASH USED (q-pair).....	16
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (data) .....	1019
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (q-pai r).....	417
MOVE AGAINST GRAVITY BUT NO RESISTANCE (data).....	1019



MOVE AGAINST GRAVITY BUT NO RESISTANCE (q-pair).....417  
 MOVEMENT WITH GRAVITY ELIMINATED (data).....1019  
 MOVEMENT WITH GRAVITY ELIMINATED (q-pair).....417  
 MUCOID (data).....1019  
 MUCOID (q-pair).....714  
 MUCOUS MEMBRANE CONDITION.....419  
 MULTIFOCAL PVC (data).....1020  
 MULTIFOCAL PVC (q-pair).....80  
 MULTIGATED NUCLEAR VENTRICULOGRAPHY (meth).....1243  
 MULTIGATED NUCLEAR VENTRICULOGRAPHY (q-pair).....352, 353  
 MULTIPODOUS (data).....1020  
 MULTIPODOUS (q-pair).....574  
 MULTIVOLTS (unit).....1311  
 MURMUR (data).....1020  
 MURMUR (q-pair).....81  
 MUSHROOM CATHETER (data).....1020  
 MUSHROOM CATHETER (q-pair).....224  
 MUSTACHE CANNULA (meth).....1244  
 MUTIFOCAL ATRIAL TACHYCARDIA (data).....1020  
 MUTIFOCAL ATRIAL TACHYCARDIA (q-pair).....84  
 mg/dl (unit).....1315

- N -

N/A (data).....1021  
 N/A (q-pair).....40, 156, 201, 227,  
 300, 540, 541, 716,  
 750  
 NA (data).....1021  
 NA (q-pair).....642  
 NAIL CARE (data).....1021  
 NAIL CARE (q-pair).....5  
 NAIL COLOR.....420  
 NAIL SHAPE.....421  
 NAIL TEXTURE.....422  
 NAPS ONLY (data).....1021  
 NAPS ONLY (q-pair).....698  
 NASAL (data).....1021  
 NASAL (q-pair).....597  
 NASAL CANNULA (meth).....1244  
 NASAL CANNULA (q-pair).....721  
 NASAL ENDOTRACHEAL (data).....1022  
 NASAL ENDOTRACHEAL (q-pair).....22  
 NASAL INTESTINAL SMALL BORE (data).....1022  
 NASAL INTESTINAL SMALL BORE (q-pair).....170  
 NASAL SMALL BOWEL FEEDING TUBE (data).....1022  
 NASAL SMALL BOWEL FEEDING TUBE (q-pair).....220  
 NASAL TRUMPET (data).....1022  
 NASAL TRUMPET (q-pair).....22  
 NASOGASTRIC LARGE BORE TUBE (data).....1022  
 NASOGASTRIC LARGE BORE TUBE (q-pair).....170  
 NASOGASTRIC TUBE (data).....1023  
 NASOGASTRIC TUBE (q-pair).....220  
 NASOGASTRIC TUBE SMALL BORE (data).....1023  
 NAUSEA (data).....1023  
 NAUSEA (q-pair).....188, 214, 521  
 NEAT (data).....1023  
 NEAT (q-pair).....32  
 NEBULIZER (meth).....1244  
 NEBULIZER (q-pair).....721  
 NECK (loca).....1207  
 NECK (q-pair).....117, 495, 692, 796

NECK EVALUATION.....	423
NECK VEIN CONDITION.....	424
NECROTIC (data).....	1023
NECROTIC (q-pair).....	795
NEED FOR FLUIDS/TOILETING ASSESSED.....	425
NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (data) .....	1024
NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (q-pair) .....	348
NEEDS REINFORCEMENT (data).....	1024
NEEDS REINFORCEMENT (q-pair).....	624, 629
NEGATIVE PRESSURE (data).....	1024
NEGATIVE PRESSURE (q-pair).....	338
NEGATIVE PRESSURE THERAPY DEVICE (data).....	1024
NEGATIVE PRESSURE THERAPY DEVICE (q-pair).....	578
NEPHROSTOMY - LEFT (meth).....	1244
NEPHROSTOMY - LEFT (q-pair).....	458
NEPHROSTOMY - RIGHT (meth).....	1244
NEPHROSTOMY - RIGHT (q-pair).....	458
NEPRO (data).....	1024
NEPRO (q-pair).....	176
NEPRO CARB STEADY (data).....	1025
NEPRO CARB STEADY (q-pair).....	176
NEPRO RENAL FORMULA (data).....	1025
NEPRO RENAL FORMULA (prod).....	1270
NEPRO RENAL FORMULA (q-pair).....	314
NEUROGENIC BLADDER (data).....	1025
NEUROGENIC BLADDER (q-pair).....	91
NEUTRAL PRESSURE CONNECTOR (data).....	1025
NEUTRAL PRESSURE CONNECTOR (q-pair).....	348
NEUTROPENIC (data).....	1025
NEUTROPENIC (q-pair).....	151, 338
NEW ADMISSION EDUCATION (data).....	1026
NEW ADMISSION EDUCATION (q-pair).....	168
NEW SITE (data).....	1026
NEW SITE (q-pair).....	95, 466
NG RESIDUAL (prod).....	1270
NG RESIDUAL (q-pair).....	451
NIGHT LIGHT PROVIDED (data).....	1026
NIGHT LIGHT PROVIDED (q-pair).....	195
NIHSS - BEST GAZE.....	426
NIHSS - BEST LANGUAGE.....	427
NIHSS - DYSARTHRIA.....	428
NIHSS - EXTINCTION AND INATTENTION.....	429
NIHSS - FACIAL PALSY.....	430
NIHSS - LEVEL OF CONSCIOUSNESS.....	431
NIHSS - LIMB ATAXIA.....	432
NIHSS - LOC COMMANDS.....	433
NIHSS - LOC QUESTIONS.....	434
NIHSS - MOTOR ARM.....	435
NIHSS - MOTOR LEG.....	436
NIHSS - SENSORY.....	437
NIHSS - TOTAL SCORE.....	438
NIHSS - VISUAL FIELD.....	439
NLP: NO LIGHT PERCEPTION (data).....	1026
NLP: NO LIGHT PERCEPTION (q-pair).....	153
NO (data).....	1026
NO (q-pair).....	14, 15, 18, 23, 33, 34, 35, 36, 37, 38, 39, 41, 42, 45, 49, 51, 61, 75, 76, 78, 94, 99, 105, 108,

	112, 113, 140, 156, 194, 196, 206, 213, 222, 231, 233, 238, 239, 246, 300, 303, 308, 309, 310, 311, 312, 425, 462, 468, 473, 476, 478, 480, 488, 490, 505, 519, 529, 530, 558, 570, 573, 576, 579, 581, 591, 606, 616, 617, 618, 620, 621, 622, 623, 640, 650, 651, 671, 673, 675, 676, 677, 688, 689, 736, 744, 745, 753, 792, 799
NO BREAK IN EPIDERMIS (data).....	1027
NO MOVEMENT (data).....	1027
NO MOVEMENT (q-pair).....	417
NO PREFERENCE (data).....	1027
NO PREFERENCE (q-pair).....	537
NO SIGNS AND SYMPTOMS (data).....	1027
NO SIGNS AND SYMPTOMS (q-pair).....	496
NO WANDERING PREVENTION MEASURES APPLIED (data).....	1027
NO WANDERING PREVENTION MEASURES APPLIED (q-pair).....	4
NO WANDERING PREVENTION MEASURES NEEDED (data).....	1028
NO WANDERING PREVENTION MEASURES NEEDED (q-pair).....	4
NON RE-BREATHING (meth).....	1245
NON RE-BREATHING (q-pair).....	721
NON-ADHERENT GAUZE (data).....	1028
NON-INVASIVE (meth).....	1245
NON-INVASIVE (q-pair).....	63, 150, 383, 384, 600, 724
NON-PITTING (data).....	1028
NON-PRODUCTIVE (data).....	1028
NON-PRODUCTIVE (q-pair).....	138
NON-SKID SLIPPERS (data).....	1028
NON-SKID SLIPPERS (q-pair).....	195
NON-TENDER (data).....	1029
NON-TENDER (q-pair).....	2
NONBLANCHABLE ERYTHEMA (data).....	1029
NONE (data).....	1029
NONE (q-pair).....	31, 80, 134, 135, 136, 141, 158, 165, 188, 301, 306, 404, 449, 515, 569, 572, 575, 678, 681, 789, 793
NONE IDENTIFIED AT THIS VISIT (data).....	1029
NONE IDENTIFIED AT THIS VISIT (q-pair).....	168
NONINVASIVE (meth).....	1245
NONREACTIVE (data).....	1029
NONREACTIVE (q-pair).....	602
NORMAL (data).....	1030
NORMAL (q-pair).....	1, 48, 104, 114, 226, 353, 421, 422, 423, 424, 464, 472, 687
NORMAL FOR ETHNIC GROUP (data).....	1030
NORMAL FOR ETHNIC GROUP (q-pair).....	420, 679
NORMAL POWER (data).....	1030

NORMAL POWER (q-pair).....	417
NORMAL SINUS (data).....	1030
NORMAL STOOL (data).....	1030
NORMAL STOOL (q-pair).....	714
NOSE (loca).....	1207
NOSE (q-pair).....	193, 495, 692
NOSE SIZE.....	440
NOT DONE (data).....	1031
NOT DONE (q-pair).....	8, 9, 10, 16
NOT MONITORED (data).....	1031
NOT MONITORED (q-pair).....	48, 104, 472
NOVASOURCE 2.0 (data).....	1031
NOVASOURCE 2.0 (prod).....	1270
NOVASOURCE 2.0 (q-pair).....	314
NP (data).....	1031
NP (q-pair).....	584, 642
NPO DIET (data).....	1031
NPO DIET (q-pair).....	151
NSG ASSIST (data).....	1032
NSG ASSIST (q-pair).....	584
NUCLEAR PERFUSION IMAGING (meth).....	1245
NUCLEAR PERFUSION IMAGING (q-pair).....	352, 353
NUMB (data).....	1032
NUMB (q-pair).....	492
NUMBER OF DAYS.....	441
NUMBER: SPECIFY (data).....	1032
NUMBER: SPECIFY (q-pair).....	158
NUMBNESS (data).....	1032
NUMBNESS (q-pair).....	652, 653, 654, 655
NURSING INTERVENTIONS - STRAIGHT CATH (task).....	1292
NURSING INTERVENTIONS - WOUND CARE (task).....	1292
NURSING STATION (data).....	1032
NURSING STATION (q-pair).....	55, 130
NUTREN 1.5 (prod).....	1270
NUTRIHEP (data).....	1033
NUTRIHEP (q-pair).....	176
NUTRITION (data).....	1033
NUTRITION (q-pair).....	168
NUTRITIONAL SUPPLEMENT (data).....	1033
NUTRITIONAL SUPPLEMENT (prod).....	1270
NUTRITIONAL SUPPLEMENT (q-pair).....	334

- O -

O2 SATS (meth).....	1245
OBEYS COMMANDS (data).....	1033
OBEYS COMMANDS (q-pair).....	135
OBSTRUCTIVE SLEEP APNEA (data).....	1033
OBTUNDED (data).....	1034
OBTUNDED (q-pair).....	356
OCCIPITAL (loca).....	1207
OCCIPITAL (q-pair).....	308
OCCLUDED (data).....	1034
OCCLUDED (q-pair).....	46, 100, 144, 243, 350, 469
OFF DURING BATHING (data).....	1034
OFF DURING BATHING (q-pair).....	656
OFF WHILE AMBULATORY (data).....	1034
OFF WHILE AMBULATORY (q-pair).....	656
OFFER PRN MEDS (data).....	1034
OFFER PRN MEDS (q-pair).....	619
OFFERED (data).....	1035

OFFERED (q-pair).....	16
ON WHILE SITTING IN CHAIR (data).....	1035
ON WHILE SITTING IN CHAIR (q-pair).....	656
ONE PERSON ASSIST (data).....	1035
ONE PERSON ASSIST (q-pair).....	6, 8, 9, 10
ONE TO ONE SUPERVISION (data).....	1035
ONE TO ONE SUPERVISION (q-pair).....	619
OOZING (data).....	1035
OOZING (q-pair).....	46, 100, 144, 243, 350, 469
OPEN SPONTANEOUSLY (data).....	1036
OPEN SPONTANEOUSLY (q-pair).....	134
OPEN SYSTEM (data).....	1036
OPEN SYSTEM (q-pair).....	171
OPEN TO AIR (data).....	1036
OPEN TO AIR (q-pair).....	578, 800
OPERATING ROOM (data).....	1036
OPERATING ROOM (q-pair).....	489
ORAL (data).....	1036
ORAL (loca).....	1207
ORAL (q-pair).....	597, 728, 796
ORAL AIRWAY (data).....	1037
ORAL AIRWAY (q-pair).....	22
ORAL ENDOTRACHEAL (data).....	1037
ORAL ENDOTRACHEAL (q-pair).....	22
ORAL GASTRIC TUBE (data).....	1037
ORAL GASTRIC TUBE (q-pair).....	170, 220
ORANGE (data).....	1037
ORANGE (q-pair).....	159, 177, 216, 749, 788
ORIENTATION.....	442
ORIENTATION (data).....	1037
ORIENTATION (q-pair).....	168
ORIENTED (data).....	1038
ORIENTED (q-pair).....	136, 627
ORIENTED TO CALL FOR ASSISTANCE (data).....	1038
ORIENTED TO CALL FOR ASSISTANCE (q-pair).....	195
ORIENTED TO PERSON (data).....	1038
ORIENTED TO PERSON (q-pair).....	442
ORIENTED TO PLACE (data).....	1038
ORIENTED TO PLACE (q-pair).....	442
ORIENTED TO SITUATION (data).....	1038
ORIENTED TO SITUATION (q-pair).....	442
ORIENTED TO SURROUNDINGS/ROUTINE (data).....	1039
ORIENTED TO SURROUNDINGS/ROUTINE (q-pair).....	195
ORIENTED TO TIME (data).....	1039
ORIENTED TO TIME (q-pair).....	442
ORTHOPNEIC (data).....	1039
ORTHOPNEIC (q-pair).....	608
ORTHOTIC BOOTS (data).....	1039
ORTHOTIC BOOTS (q-pair).....	443
ORTHOTIC COLLAR (data).....	1039
ORTHOTIC COLLAR (q-pair).....	443
ORTHOTIC KNEE IMMOBILIZER (data).....	1040
ORTHOTIC KNEE IMMOBILIZER (q-pair).....	443
ORTHOTIC SPINE BRACE (data).....	1040
ORTHOTIC SPINE BRACE (q-pair).....	443
ORTHOTIC TED HOSE (data).....	1040
ORTHOTIC TED HOSE (q-pair).....	443
ORTHOTIC WEDGE PILLOW (data).....	1040
ORTHOTIC WEDGE PILLOW (q-pair).....	443
ORTHOTICS.....	443

OSMOLITE (data).....	1040
OSMOLITE (prod).....	1271
OSMOLITE 1.0 (data).....	1041
OSMOLITE 1.0 (q-pair).....	176
OSMOLITE 1.2 (data).....	1041
OSMOLITE 1.2 (q-pair).....	176
OSMOLITE 1.5 (data).....	1041
OSMOLITE 1.5 (q-pair).....	176
OSMOLITE HN (data).....	1041
OSMOLITE HN (prod).....	1271
OSMOLITE HN (q-pair).....	176
OSTOMY CARE.....	444
OSTOMY CARE (data).....	1041
OSTOMY CARE (q-pair).....	168
OSTOMY TYPE.....	445
OTHER (ADD COMMENTS) (data).....	1042
OTHER (ADD COMMENTS) (q-pair).....	574
OTHER (COMMENT REQUIRED) (data).....	1042
OTHER (COMMENT REQUIRED) (q-pair).....	193
OTHER (SEE COMMENTS) (data).....	1042
OTHER (SEE COMMENTS) (q-pair).....	401, 404, 584
OTHER (data).....	1042
OTHER (meth).....	1246
OTHER (q-pair).....	52, 91, 168, 188, 191, 192, 195, 321, 352, 353, 452, 554, 567, 569, 578, 583
OTHER (qual).....	1279
OTHER PO FLUID (prod).....	1271
OTHER PO FLUID (q-pair).....	334
OUNCE (unit).....	1311
OUTPATIENT (data).....	1042
OUTPATIENT (q-pair).....	554
OUTPUT - BLOOD.....	446
OUTPUT - CBI DRAINAGE.....	447
OUTPUT - CHEST TUBE.....	448
OUTPUT - CHEST TUBE ESTIMATED.....	449
OUTPUT - DIALYSIS.....	450
OUTPUT - DO NOT CHECK TOTAL OR SUBTOTALS.....	451
OUTPUT - DRAIN.....	452
OUTPUT - EMESIS.....	453
OUTPUT - GI TUBE.....	454
OUTPUT - NASOGASTRIC TUBE.....	455
OUTPUT - STOOL.....	456
OUTPUT - STOOL ESTIMATED.....	457
OUTPUT - URINE.....	458
OUTPUT - URINE ESTIMATED.....	459
OVER WIRE (data).....	1043
OVER WIRE (q-pair).....	95, 466
OXEPA (data).....	1043
OXEPA (q-pair).....	176
OXIMETRIC (data).....	1043
OXIMETRIC (q-pair).....	471
OXYGEN CONSUMPTION.....	460
OXYGEN SATURATION.....	461

- P -

P.O. (meth).....	1246
P.O. (q-pair).....	314
PA (data).....	1043
PA (q-pair).....	584, 642

PA CATHETER (meth).....	1246
PA CATHETER ALARMS ON.....	462
PA CATHETER DRESSING TYPE.....	463
PA CATHETER DYNAMIC RESPONSE TEST.....	464
PA CATHETER INSERTION MARK.....	465
PA CATHETER INSERTION TECHNIQUE.....	466
PA CATHETER REPOSITIONED/DISCONTINUED REASON.....	467
PA CATHETER SITE CARE.....	468
PA CATHETER SITE CONDITION.....	469
PA CATHETER SIZE.....	470
PA CATHETER TYPE.....	471
PA CATHETER WAVEFORM.....	472
PA CATHETER ZEROED.....	473
PA LINE (meth).....	1246
PAC (data).....	1043
PAC (q-pair).....	80
PACED: ATRIAL (data).....	1044
PACED: ATRIAL (q-pair).....	84
PACED: AV SEQUENTIAL (data).....	1044
PACED: AV SEQUENTIAL (q-pair).....	84
PACED: VENTRICULAR (data).....	1044
PACED: VENTRICULAR (q-pair).....	84
PACEMAKER ATRIAL mA.....	474
PACEMAKER AV INTERVAL.....	475
PACEMAKER CAPTURE.....	476
PACEMAKER MODE.....	477
PACEMAKER ON.....	478
PACEMAKER RATE - DO NOT CHECK TOTAL OR SUBTOTALS.....	479
PACEMAKER SENSE.....	480
PACEMAKER SENSITIVITY ATRIAL.....	481
PACEMAKER SENSITIVITY VENTRICULAR.....	482
PACEMAKER TYPE.....	483
PACEMAKER UNIT ID.....	484
PACEMAKER VENTRICULAR mA.....	485
PACEMAKER WIRES.....	486
PACER (data).....	1044
PACER (q-pair).....	402, 471
PACU - DISCHARGE CRITERIA.....	487
PACU - DISCHARGE CRITERIA MET.....	488
PACU - DISPOSITION.....	489
PACU - PT RECEIVED REVERSAL AGENT.....	490
PACU - TIME OF REVERSAL AGENT.....	491
PAIN (data).....	1044
PAIN (q-pair).....	165, 168
PAIN CHARACTER.....	492
PAIN CONTROLLED PER PT (data).....	1045
PAIN CONTROLLED PER PT (q-pair).....	487
PAIN DURATION.....	493
PAIN GOAL.....	494
PAIN LEVEL.....	495
PAIN NON-VERBAL CUES.....	496
PAIN RELIEVING FACTOR INTERVENTION.....	497
PAINAD BL 0 (data).....	1045
PAINAD BL 0 (q-pair).....	498
PAINAD BL 1 (data).....	1045
PAINAD BL 1 (q-pair).....	498
PAINAD BL 2 (data).....	1045
PAINAD BL 2 (q-pair).....	498
PAINAD BODY LANGUAGE.....	498
PAINAD BR 0 (data).....	1045
PAINAD BR 0 (q-pair).....	499
PAINAD BR 1 (data).....	1046

PAINAD BR 1 (q-pair).....	499
PAINAD BR 2 (data).....	1046
PAINAD BR 2 (q-pair).....	499
PAINAD BREATHING.....	499
PAINAD CO 0 (data).....	1046
PAINAD CO 0 (q-pair).....	500
PAINAD CO 1 (data).....	1046
PAINAD CO 1 (q-pair).....	500
PAINAD CO 2 (data).....	1046
PAINAD CO 2 (q-pair).....	500
PAINAD CONSOLABILITY.....	500
PAINAD FACIAL EXPRESSION.....	501
PAINAD FE 0 (data).....	1047
PAINAD FE 0 (q-pair).....	501
PAINAD FE 1 (data).....	1047
PAINAD FE 1 (q-pair).....	501
PAINAD FE 2 (data).....	1047
PAINAD FE 2 (q-pair).....	501
PAINAD NEGATIVE VOCALIZATION.....	502
PAINAD NV 0 (data).....	1047
PAINAD NV 0 (q-pair).....	502
PAINAD NV 1 (data).....	1047
PAINAD NV 1 (q-pair).....	502
PAINAD NV 2 (data).....	1048
PAINAD NV 2 (q-pair).....	502
PAINAD SCALE (unit).....	1312
PAINAD TOTAL.....	503
PAINFUL EXPRESSION (data).....	1048
PAINFUL EXPRESSION (q-pair).....	496
PAIRS (data).....	1048
PAIRS (q-pair).....	80
PALE (data).....	1048
PALE (q-pair).....	419, 420, 679
PALPATED (meth).....	1246
PALPATED (q-pair).....	63, 600
PAROXYSMAL ATRIAL TACHYCARDIA (data).....	1048
PAROXYSMAL ATRIAL TACHYCARDIA (q-pair).....	84
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (data).....	1049
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	84
PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS (data) .....	1049
PARTIAL BATH (data).....	1049
PARTIAL BATH (q-pair).....	5
PARTIAL IMPAIRED (data).....	1049
PARTIAL IMPAIRED (q-pair).....	647
PARTIAL LOWER (data).....	1049
PARTIAL LOWER (q-pair).....	141
PARTIAL RE-BREATHING (meth).....	1247
PARTIAL RE-BREATHING (q-pair).....	721
PARTIAL SIMPLE (data).....	1050
PARTIAL SIMPLE (q-pair).....	647
PARTIAL UPPER (data).....	1050
PARTIAL UPPER (q-pair).....	141
PASERO OPIOID-INDUCED SEDATION SCALE (POSS).....	504
PASSIVE RANGE OF MOTION (data).....	1050
PASSIVE RANGE OF MOTION (q-pair).....	12
PATENT (data).....	1050
PATENT (q-pair).....	46, 100, 144, 243, 350, 469
PATENT CLEAN (data).....	1050
PATENT CLEAN (q-pair).....	348, 516
PATIENT (data).....	1051



PATIENT (q-pair).....	11
PATIENT ABLE TO RESPOND.....	505
PATIENT EDUCATION PROVIDED PRIOR TO SEDATION.....	506
PATIENT INFORMED (data).....	1051
PATIENT INFORMED (q-pair).....	409, 613
PATIENT INSTRUCTED (data).....	1051
PATIENT INSTRUCTED (q-pair).....	444
PATIENT LOCATOR DEVICE IN PLACE (data).....	1051
PATIENT LOCATOR DEVICE IN PLACE (q-pair).....	4
PATIENT ON PASS (null).....	1256
PATIENT REFUSED (null).....	1256
PATIENT REFUSES MARKING (data).....	1051
PATIENT REFUSES MARKING (q-pair).....	558
PATIENT REPORTS NOT PRESENT (data).....	1052
PATIENT REPORTS NOT PRESENT (q-pair).....	199
PATIENT REPORTS PRESENT (data).....	1052
PATIENT REPORTS PRESENT (q-pair).....	199
PATIENT RIGHTS AND RESPONSIBILITIES (data).....	1052
PATIENT RIGHTS AND RESPONSIBILITIES (q-pair).....	168
PATIENT SIGNS SAFETY CONTRACT (data).....	1052
PATIENT SIGNS SAFETY CONTRACT (q-pair).....	57
PATIENT STATED (data).....	1052
PATIENT STATED (q-pair).....	533
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (data)	
.....	1053
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (q-pair)	
.....	57
PATIENT'S ROOM (data).....	1053
PATIENT'S ROOM (q-pair).....	55, 130
PCA (data).....	1053
PCA (prod).....	1271
PCA (q-pair).....	314
PCA - CLINICAL BOLUS DOSE.....	507
PCA - CONTINUOUS MCG/HR (BASAL).....	508
PCA - CONTINUOUS MG/HR (BASAL).....	509
PCA - DEMAND DOSE - DO NOT CHECK TOTAL OR SUBTOTALS....	510
PCA - DOSAGE DELIVERED.....	511
PCA - DOSES DELIVERED.....	512
PCA - LEVEL OF CONSCIOUSNESS.....	513
PCA - LIMIT DOSE - DO NOT CHECK TOTAL OR SUBTOTALS....	514
PCA - LIMIT TIME.....	515
PCA - LINE CARE.....	516
PCA - LOCK OUT- DO NOT CHECK TOTAL OR SUBTOTALS.....	517
PCA - MODE.....	518
PCA - PUMP CLEARED.....	519
PCA - REQUESTS.....	520
PCA - SIDE EFFECTS.....	521
PCA - TOTAL DOSE 24 HR.....	522
PCA - TOTAL DOSE WASTED.....	523
PCA - TOTAL MCG PER SHIFT.....	524
PCA - TOTAL MG PER SHIFT.....	525
PCA - VOLUME REMAINING - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	526
PCA - VOLUME START - DO NOT CHECK TOTAL OR SUBTOTALS...	527
PCA AND BASAL RATE (data).....	1053
PCA AND BASAL RATE (q-pair).....	518
PCA ONLY (data).....	1053
PCA ONLY (q-pair).....	518
PCA PUMP (data).....	1054
PCA PUMP (q-pair).....	168
PEAK INSPIRATORY PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	528

PEDIATRIC (data).....	1054
PEDIATRIC (q-pair).....	64
PEDIATRIC (qual).....	1279
PEDIATRIC CUFF (meth).....	1247
PEG TUBE (data).....	1054
PEG TUBE (q-pair).....	170, 220
PENDANT CANNULA (meth).....	1247
PENDANT CANNULA (q-pair).....	721
PENETRATING (data).....	1054
PENETRATING (q-pair).....	801
PENIS (loca).....	1207
PENIS (q-pair).....	495, 692
PENROSE (meth).....	1247
PENROSE (q-pair).....	452
PENROSE DRAIN (data).....	1054
PENROSE DRAIN (q-pair).....	790
PERATIVE (data).....	1055
PERATIVE (q-pair).....	176
PERCENTAGE (unit).....	1312
PERCUSSION BED (data).....	1055
PERCUSSION BED (q-pair).....	699
PERINEAL (loca).....	1208
PERINEAL (q-pair).....	308, 495, 577, 796
PERINEAL CARE (data).....	1055
PERINEAL CARE (q-pair).....	5
PERIORBITAL (loca).....	1208
PERIORBITAL (q-pair).....	164
PERIPHERAL (loca).....	1208
PERIPHERAL (q-pair).....	600
PERIRECTAL (loca).....	1208
PERITONEAL DIALYSIS (meth).....	1247
PERITONEAL DIALYSIS (q-pair).....	316, 450
PERMANENT (data).....	1055
PERMANENT (q-pair).....	483
PERSONAL ARTICLES AT REACH (data).....	1055
PERSONAL ARTICLES AT REACH (q-pair).....	195
PERSONAL HYGIENE AND/OR GROOMING (data).....	1056
PERSONAL HYGIENE AND/OR GROOMING (q-pair).....	168
PERSONAL MEDICAL ALERT BRACELET (data).....	1056
PERSONAL MEDICAL ALERT BRACELET (q-pair).....	40
PETROLATUM (data).....	1056
PETROLATUM (q-pair).....	578
PHYSICAL IMPAIRMENT (data).....	1056
PHYSICAL IMPAIRMENT (q-pair).....	52
PHYSICIAN (data).....	1056
PHYSICIAN (q-pair).....	584, 741
PHYSICIAN NOTIFIED (data).....	1057
PHYSICIAN NOTIFIED (q-pair).....	497
PHYSICIAN ORDER (data).....	1057
PHYSICIAN ORDER (q-pair).....	625
PICC (data).....	1057
PICC (q-pair).....	103, 348
PICC LINE (meth).....	1248
PIN (data).....	1057
PIN TRACTION (data).....	1057
PIN TRACTION (q-pair).....	737
PINK (data).....	1058
PINK (q-pair).....	159, 177, 216, 419, 593, 679, 749, 784, 788
PINK / GRANULATING (data).....	1058
PINK / GRANULATING (q-pair).....	567

PINPOINT (data).....	1058
PINPOINT (q-pair).....	602
PITTED (data).....	1058
PITTED (q-pair).....	422
PITTING (data).....	1058
PIVOT (data).....	1059
PIVOT (q-pair).....	176
PIVOT 1.5 (data).....	1059
PIVOT 1.5 (q-pair).....	176
PJC (data).....	1059
PJC (q-pair).....	80
PLACED NEAR TO NURSE STATION (data).....	1059
PLACED NEAR TO NURSE STATION (q-pair).....	195
PLAIN (data).....	1059
PLAIN (q-pair).....	471
PLAN OF CARE - REVISION INDICATED.....	529
PLANTAR FLEXION.....	530
PLASMAPHERESIS (prod).....	1271
PLASMAPHERESIS (q-pair).....	322
PLATELETS (prod).....	1272
PLATELETS (q-pair).....	314, 322
PLATELETS PHERESIS (prod).....	1272
PLATELETS PHERESIS (q-pair).....	314, 322
PLATELETS PHERESIS IRRADIATED (prod).....	1272
PLATELETS PHERESIS IRRADIATED (q-pair).....	314, 322
POINTS (unit).....	1312
POOR (data).....	1060
POOR (q-pair).....	695
POOR BAL (data).....	1060
POOR BAL (q-pair).....	188
POPLITEAL (loca).....	1208
POPLITEAL (q-pair).....	600
PORCINE SUBMUCOSA (data).....	1060
PORCINE SUBMUCOSA (q-pair).....	578
POSITIONAL (data).....	1060
POSITIONAL (q-pair).....	48, 104, 472, 492
POSITIVE PRESSURE CONNECTOR (data).....	1060
POSITIVE PRESSURE CONNECTOR (q-pair).....	348
POST CATH DIET (data).....	1061
POST CATH DIET (q-pair).....	151
POST OPERATION DIAGNOSIS (data).....	1061
POST PROCEDURE DIAGNOSIS (data).....	1061
POST PROCEDURE DIAGNOSIS (q-pair).....	143
POST-FALL (data).....	1061
POST-FALL (q-pair).....	796
POST-OPERATIVE (data).....	1061
POST-OPERATIVE (q-pair).....	143, 168, 796
POST-PROCEDURE (data).....	1062
POST-PROCEDURE (q-pair).....	168
POST-SEDATION (data).....	1062
POST-SEDATION (q-pair).....	168
POSTERIOR TIBIAL (loca).....	1209
POSTERIOR TIBIAL (q-pair).....	600
POTASSIUM MODIFIED 60 MEQ (data).....	1062
POTASSIUM MODIFIED 60 MEQ (q-pair).....	151
POUND (unit).....	1312
PPN (prod).....	1272
PPN (q-pair).....	314
PR INTERVAL.....	531
PRBC (data).....	1062
PRBC (prod).....	1272
PRBC (q-pair).....	314, 322

PRBC - AUTOLOGOUS (prod).....	1273
PRBC - AUTOLOGOUS (q-pair).....	314, 322
PRBC - LEUKOREduced (prod).....	1273
PRBC - LEUKOREduced (q-pair).....	314, 322
PRBC - LEUKOREduced - DIRECTED (prod).....	1273
PRBC - LEUKOREduced - DIRECTED (q-pair).....	314, 322
PRBC - LEUKOREduced - IRRADIATED (prod).....	1273
PRBC - LEUKOREduced - IRRADIATED (q-pair).....	314, 322
PRBC - LEUKOREduced - WASHED (prod).....	1273
PRBC - LEUKOREduced - WASHED (q-pair).....	314, 322
PRE-MEDICATED FOR ACTIVITY (data).....	1062
PRE-MEDICATED FOR ACTIVITY (q-pair).....	497
PRE-OPERATIVE (data).....	1063
PRE-OPERATIVE (q-pair).....	168
PRE-PROCEDURE (data).....	1063
PRE-PROCEDURE (q-pair).....	168
PRE-SEDATION (data).....	1063
PRE-SEDATION (q-pair).....	168
PRE-SURGERY (data).....	1063
PRECAUTIONS - 24 HOUR CHART CHECK (task).....	1292
PRECAUTIONS - ASPIRATION (task).....	1292
PRECAUTIONS - ETOH W/D (task).....	1293
PRECAUTIONS - FALL (task).....	1293
PRECAUTIONS - PATIENT TEACHING (task).....	1293
PRECAUTIONS - VALIDATE ALARMS (task).....	1293
PREGNANT, NO (data).....	1063
PREGNANT, NO (q-pair).....	402
PREGNANT, YES (data).....	1064
PREGNANT, YES (q-pair).....	402
PREMATURE ATRIAL (data).....	1064
PREPROCEDURE: 12 LEAD EKG DONE?.....	532
PREPROCEDURE: ALLERGIES REASSESSED AND DOCUMENTED.....	533
PREPROCEDURE: ANTIBIOTIC GIVEN?.....	534
PREPROCEDURE: ANTIBIOTIC ORDERED?.....	535
PREPROCEDURE: BLOOD TRANSFUSION CONSENT CURRENT?.....	536
PREPROCEDURE: BLOOD TRANSFUSION PREFERENCE?.....	537
PREPROCEDURE: CHEST XRAY DONE?.....	538
PREPROCEDURE: DENTURES REMOVED?.....	539
PREPROCEDURE: DISPOSITION OF CLOTHING.....	540
PREPROCEDURE: DISPOSITION OF VALUABLES.....	541
PREPROCEDURE: DRAINAGE BAG EMPTIED?.....	542
PREPROCEDURE: DRIVER/ESCORT TO HOME CONFIRMED.....	543
PREPROCEDURE: FINGERSTICK GLUCOSE DONE?.....	544
PREPROCEDURE: GLASSES / CONTACTS REMOVED?.....	545
PREPROCEDURE: H AND P CURRENT?.....	546
PREPROCEDURE: HEARING AIDS IN PLACE?.....	547
PREPROCEDURE: HOME MEDICATIONS TAKEN/TIME.....	548
PREPROCEDURE: HOSPITAL GOWN ON?.....	549
PREPROCEDURE: INFORMED CONSENT CURRENT .....	550
PREPROCEDURE: JEWELRY REMOVED?.....	551
PREPROCEDURE: LABS DONE?.....	552
PREPROCEDURE: NPO SINCE (DATE/TIME).....	553
PREPROCEDURE: PLANNED DISPOSITION POST PROCEDURE.....	554
PREPROCEDURE: PLANNED PROCEDURE.....	555
PREPROCEDURE: PREMEDICATION ADMINISTERED?.....	556
PREPROCEDURE: PREMEDICATION ORDERED?.....	557
PREPROCEDURE: PROCEDURE SITE MARKED CORRECTLY.....	558
PREPROCEDURE: PROSTHETICS/IMPLANTS?.....	559
PREPROCEDURE: PULMONARY FUNCTION TEST DONE?.....	560
PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP NIGHT BEFORE? .....	561
PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP THIS AM?.....	562

PREPROCEDURE: TYPE AND CROSS MATCH DONE?.....	563
PREPROCEDURE: TYPE AND SCREEN DONE?.....	564
PREPROCEDURE: VITALS SIGNS DONE?.....	565
PREPROCEDURE: VOIDED?.....	566
PRESENT (data).....	1064
PRESENT (q-pair).....	79, 86, 137, 155, 199, 203, 355, 743, 746
PRESSURE (data).....	1064
PRESSURE (q-pair).....	240, 492, 793
PRESSURE CALIBRATION (data).....	1064
PRESSURE CALIBRATION (q-pair).....	348
PRESSURE CONTROL (data).....	1065
PRESSURE CONTROL (q-pair).....	760
PRESSURE DRESSING (data).....	1065
PRESSURE DRESSING (q-pair).....	44, 97, 145, 463
PRESSURE ULCER (data).....	1065
PRESSURE ULCER (q-pair).....	801
PRESSURE ULCER COLOR.....	567
PRESSURE ULCER DEPTH.....	568
PRESSURE ULCER DRAINAGE CHARACTER.....	569
PRESSURE ULCER DRESSING PREVENTS ASSESSMENT.....	570
PRESSURE ULCER LENGTH.....	571
PRESSURE ULCER ODOR.....	572
PRESSURE ULCER PHOTOGRAPHED.....	573
PRESSURE ULCER PREVENTION DEVICE TYPE.....	574
PRESSURE ULCER RISK FACTORS.....	575
PRESSURE ULCER SINUS/UNDERMINING.....	576
PRESSURE ULCER STAGE/SITE.....	577
PRESSURE ULCER TREATMENT.....	578
PRESSURE ULCER TUNNEL.....	579
PRESSURE ULCER TUNNEL LENGTH.....	580
PRESSURE ULCER UNDERMINING.....	581
PRESSURE ULCER WIDTH.....	582
PRESYSTOLIC (data).....	1065
PRESYSTOLIC (q-pair).....	87
PREVENT ACCESS TO DEVICE (data).....	1065
PREVENT ACCESS TO DEVICE (q-pair).....	619
PREVENTIVE HEALTH REHAB TECHNIQUES (data).....	1066
PREVENTIVE HEALTH REHAB TECHNIQUES (q-pair).....	168
PREVIOUS PERCUTANEOUS SITE (data).....	1066
PREVIOUS PERCUTANEOUS SITE (q-pair).....	801
PRN (data).....	1066
PRN (q-pair).....	221
PRN (sche).....	1281
PRO STAT SUGAR FREE 64 (data).....	1066
PRO STAT SUGAR FREE 64 (q-pair).....	176
PRO-STAT (data).....	1066
PRO-STAT (q-pair).....	176
PROCEDURE LOCATION.....	583
PROCEDURE PERSONNEL.....	584
PROCEDURE ROOM (data).....	1067
PROCEDURE ROOM (q-pair).....	489
PROCEDURE TIME.....	585
PROCEDURE, PLANNED.....	586
PRODUCTIVE (data).....	1067
PRODUCTIVE (q-pair).....	138
PROJECTILE VOMITING (data).....	1067
PROJECTILE VOMITING (q-pair).....	214
PROMOTE (data).....	1067
PROMOTE (q-pair).....	176
PROMOTE WITH FIBER (data).....	1067

PROMOTE WITH FIBER (q-pair).....	176
PRONE (data).....	1068
PRONE (q-pair).....	13
PROPASS PROTEIN POWDER (data).....	1068
PROPASS PROTEIN POWDER (q-pair).....	176
PROSTHESIS (data).....	1068
PROSTHESIS (q-pair).....	153, 401
PROTENEX WOUND CARE (data).....	1068
PROTENEX WOUND CARE (q-pair).....	176
PROVIDED PATIENT EDUCATION (data).....	1068
PROVIDED PATIENT EDUCATION (q-pair).....	92
PROXIMAL PORT (data).....	1069
PROXIMAL PORT (q-pair).....	349
PT DENIES NAUSEA / NO VOMITING (data).....	1069
PT DENIES NAUSEA / NO VOMITING (q-pair).....	487
PT PAIN AT ACCEPTABLE LEVEL (data).....	1069
PT PAIN AT ACCEPTABLE LEVEL (q-pair).....	487
PULMOCARE (data).....	1069
PULMOCARE (q-pair).....	176
PULMONARY - CHEST PHYSIO-THERAPY (task).....	1293
PULMONARY - COUGH AND DEEP BREATH (task).....	1294
PULMONARY - ET TUBE CARE (task).....	1294
PULMONARY - INCENTIVE SPIROMETER (task).....	1294
PULMONARY - OXYGEN (task).....	1294
PULMONARY - SUCTION PATIENT (task).....	1294
PULMONARY - TRACH CARE (task).....	1295
PULMONARY ARTERY DIASTOLIC.....	587
PULMONARY ARTERY MEAN PRESSURE.....	588
PULMONARY ARTERY SYSTOLIC.....	589
PULMONARY CAPILLARY WEDGE PRESSURE.....	590
PULMONARY CARE.....	591
PULMONARY PROCEDURE ROOM (data).....	1069
PULMONARY PROCEDURE ROOM (q-pair).....	583
PULMONARY SECRETION AMOUNT.....	592
PULMONARY SECRETION COLOR.....	593
PULMONARY SECRETION CONSISTENCY.....	594
PULMONARY SUCTIONING EVENT.....	595
PULMONARY SUCTIONING FREQUENCY.....	596
PULMONARY SUCTIONING SITE.....	597
PULMONARY VASCULAR RESISTANCE.....	598
PULMONARY VASCULAR RESISTANCE INDEX.....	599
PULSE - DO NOT CHECK TOTAL OR SUBTOTALS.....	600
PULSE OX MONITOR (meth).....	1248
PULSE OX MONITOR (q-pair).....	726
PULSE OXIMETER (data).....	1070
PULSE OXIMETER (q-pair).....	406, 408
PULSE STRENGTH.....	601
PULSELESS ELECTRICAL ACTIVITY (data).....	1070
PULSELESS ELECTRICAL ACTIVITY (q-pair).....	84
PUMP - CONTINUOUS (data).....	1070
PUMP - CONTINUOUS (q-pair).....	171
PUMP - INTERMITTENT (data).....	1070
PUMP - INTERMITTENT (q-pair).....	171
PUNCTURE (data).....	1070
PUNCTURE (q-pair).....	801
PUPIL REACTION.....	602
PUPIL SIZE.....	603
PUREED (data).....	1071
PUREED (q-pair).....	151
PURULENT (data).....	1071
PURULENT (q-pair).....	110, 159, 177, 216, 301, 569, 748

PVC (data).....1071  
PVC (q-pair).....80  
PVR (POST VOID RESIDUAL) - CATHED (meth).....1248  
PVR (POST VOID RESIDUAL) - CATHED (q-pair).....458  
pH (data).....1177  
pH (q-pair).....217  
pH (unit).....1315

- Q -

Q2H (sche).....1281  
Q4H (sche).....1281  
Q7D (sche).....1281  
QD (sche).....1282  
QRS.....604  
QT.....605  
QUAD LUMEN CATHETER (unit).....1312  
QUADRAGEMINY (data).....1071  
QUADRAGEMINY (q-pair).....80  
QUIET OR RESTING (data).....1071  
QUIET OR RESTING (q-pair).....129  
QUIET ROOM (data).....1072  
QUIET ROOM (q-pair).....55, 130, 497

- R -

R ABDOMEN (loca).....1209  
R ABDOMEN (q-pair).....796  
R ANKLE (loca).....1209  
R ANKLE (q-pair).....308, 495, 577, 633,  
692, 796  
R ANTECUBITAL (loca).....1209  
R ANTECUBITAL (q-pair).....103, 144, 224, 349,  
350, 577, 796  
R ARM (loca).....1209  
R ARM (q-pair).....63, 103, 144, 150,  
164, 169, 224, 349,  
350, 435, 495, 631,  
632, 692, 724  
R ARTERY (loca).....1210  
R AXILLARY (loca).....1210  
R AXILLARY (q-pair).....46, 47, 240, 244  
R BRACHIAL (loca).....1210  
R BRACHIAL (q-pair).....46, 47, 106, 478,  
483  
R BUNDLE BRANCH BLOCK (data).....1072  
R BUNDLE BRANCH BLOCK (q-pair).....84  
R CALF (loca).....1210  
R CALF (q-pair).....308  
R CAROTID (loca).....1210  
R CAROTID (q-pair).....79, 86  
R CHEST (loca).....1211  
R CHEST (q-pair).....109, 495, 692, 796  
R DORSALIS PEDIS (loca).....1211  
R EAR (loca).....1211  
R EAR (q-pair).....308, 495, 577, 796  
R ELBOW (loca).....1211  
R ELBOW (q-pair).....495, 577, 692, 796  
R EXTERNAL JUGULAR (loca).....1211  
R EXTERNAL JUGULAR (q-pair).....103, 144, 224, 349,  
350, 471  
R EYE (loca).....1212

R EYE (q-pair).....134, 164, 602, 603,  
776, 796  
R FACE (loca).....1212  
R FACE (q-pair).....164, 308, 796  
R FEMORAL (loca).....1212  
R FEMORAL (q-pair).....46, 47, 79, 86,  
103, 106, 144, 224,  
240, 244, 308, 349,  
350, 471, 478, 483,  
577, 601, 796  
R FINGER (loca).....1212  
R FINGER (q-pair).....308  
R FLANK (loca).....1212  
R FLANK (q-pair).....308  
R FOOT (loca).....1213  
R FOOT (q-pair).....164, 201, 308, 349,  
350, 495, 577, 652,  
692, 796  
R FOOT DOWN (data).....1072  
R FOOT DOWN (q-pair).....668  
R FOOT UP (data).....1072  
R FOOT UP (q-pair).....668  
R GLUTEUS (loca).....1213  
R GLUTEUS (q-pair).....308, 577, 796  
R GROIN (loca).....1213  
R GROIN (q-pair).....495, 692  
R HAND (loca).....1213  
R HAND (q-pair).....164, 227, 495, 653,  
692, 796  
R HEAD (loca).....1213  
R HEAD (q-pair).....577, 796  
R HEAD DOWN (data).....1072  
R HEAD DOWN (q-pair).....668  
R HEAD UP (data).....1073  
R HEAD UP (q-pair).....668  
R HEEL (loca).....1214  
R HEEL (q-pair).....577, 796  
R HIP (loca).....1214  
R HIP (q-pair).....308, 495, 692, 796  
R INGUINAL (loca).....1214  
R INGUINAL (q-pair).....308  
R INNER KNEE (loca).....1214  
R INNER KNEE (q-pair).....577, 796  
R INTERNAL JUGULAR (loca).....1214  
R INTERNAL JUGULAR (q-pair).....103, 106, 144, 224,  
349, 350, 471, 478,  
483  
R ISCHIAL (loca).....1215  
R ISCHIAL (q-pair).....577, 796  
R JAW (loca).....1215  
R JAW (q-pair).....495, 692  
R KNEE (loca).....1215  
R KNEE (q-pair).....164, 308, 495, 692  
R LATERAL HEEL (loca).....1215  
R LATERAL HEEL (q-pair).....577  
R LATERAL MALLEOLUS (loca).....1215  
R LATERAL MALLEOLUS (q-pair).....577  
R LEG (loca).....1216  
R LEG (q-pair).....63, 137, 150, 164,  
169, 349, 350, 436,  
495, 631, 633, 692,  
724



R LOWER ANTERIOR CHEST (loca).....	1216
R LOWER ANTERIOR CHEST (q-pair).....	111, 308
R LOWER ARM (loca).....	1216
R LOWER ARM (q-pair).....	308, 495, 577, 692, 796
R LOWER EXTREMITY (loca).....	1216
R LOWER EXTREMITY (q-pair).....	417, 654
R LOWER LEG (loca).....	1216
R LOWER LEG (q-pair).....	308, 796
R LOWER LIMB (loca).....	1217
R LOWER LIMB (q-pair).....	357
R LOWER LOBE (loca).....	1217
R LOWER LOBE (q-pair).....	74
R LOWER POSTERIOR CHEST (loca).....	1217
R LOWER POSTERIOR CHEST (q-pair).....	111, 308
R MANDIBULAR (loca).....	1217
R MANDIBULAR (q-pair).....	308
R MEDIAL HEEL (loca).....	1217
R MEDIAL HEEL (q-pair).....	577
R MEDIAL MALLEOLUS (loca).....	1218
R MEDIAL MALLEOLUS (q-pair).....	577
R MIDDLE ANTERIOR CHEST (loca).....	1218
R MIDDLE ANTERIOR CHEST (q-pair).....	111, 308
R MIDDLE LOBE (loca).....	1218
R MIDDLE LOBE (q-pair).....	74
R MIDDLE POSTERIOR CHEST (loca).....	1218
R MIDDLE POSTERIOR CHEST (q-pair).....	111, 308
R NECK (data).....	1073
R NECK (loca).....	1218
R NECK (q-pair).....	164, 308
R NEPHROSTOMY (data).....	1073
R NEPHROSTOMY (q-pair).....	224, 751
R NOSE (loca).....	1219
R NOSE (q-pair).....	495, 692
R OCCIPITAL (loca).....	1219
R OCCIPITAL (q-pair).....	308
R ORAL (loca).....	1219
R ORAL (q-pair).....	308
R ORBIT (loca).....	1219
R ORBIT (q-pair).....	308
R OUTER KNEE (loca).....	1219
R OUTER KNEE (q-pair).....	577, 796
R PARIETAL (loca).....	1220
R PARIETAL (q-pair).....	308
R PEDAL (loca).....	1220
R PEDAL (q-pair).....	601
R POST TIBIAL (loca).....	1220
R POST TIBIAL (q-pair).....	601
R RADIAL (loca).....	1220
R RADIAL (q-pair).....	46, 47, 601
R RIBS (loca).....	1220
R RIBS (q-pair).....	577, 796
R SCAPULA (loca).....	1221
R SCAPULA (q-pair).....	495, 577, 692, 796
R SHOULDER (loca).....	1221
R SHOULDER (q-pair).....	495, 577, 692, 796
R STENT (data).....	1073
R STENT (q-pair).....	224
R SUBCLAVIAN (loca).....	1221
R SUBCLAVIAN (q-pair).....	103, 106, 144, 224, 308, 349, 350, 471, 478, 483

R TEMPORAL (loca).....	1221
R TEMPORAL (q-pair).....	79, 86
R TESTICLE (loca).....	1221
R TESTICLE (q-pair).....	796
R THIGH (loca).....	1222
R THIGH (q-pair).....	308, 495, 692
R THORACIC ANTERIOR (loca).....	1222
R THORACIC ANTERIOR (q-pair).....	308
R THORACIC LATERAL (loca).....	1222
R THORACIC LATERAL (q-pair).....	308
R THORACIC POSTERIOR (loca).....	1222
R THORACIC POSTERIOR (q-pair).....	308
R THORACOTOMY (loca).....	1222
R THORACOTOMY (q-pair).....	308
R THUMB (loca).....	1223
R THUMB (q-pair).....	308
R TOE (loca).....	1223
R TOE (q-pair).....	308
R TRAPEZIUS (loca).....	1223
R TRAPEZIUS (q-pair).....	308
R TROCHANTER (loca).....	1223
R TROCHANTER (q-pair).....	577, 796
R UPPER ANTERIOR CHEST (loca).....	1223
R UPPER ANTERIOR CHEST (q-pair).....	111, 308
R UPPER ARM (loca).....	1224
R UPPER ARM (q-pair).....	103, 144, 224, 308, 349, 350, 495, 577, 692, 796
R UPPER EXTREMITY (loca).....	1224
R UPPER EXTREMITY (q-pair).....	417, 655
R UPPER LEG (loca).....	1224
R UPPER LEG (q-pair).....	796
R UPPER LIMB (loca).....	1224
R UPPER LIMB (q-pair).....	747
R UPPER LOBE (loca).....	1224
R UPPER LOBE (q-pair).....	74
R UPPER POSTERIOR CHEST (loca).....	1225
R UPPER POSTERIOR CHEST (q-pair).....	111, 308
R WRIST (loca).....	1225
R WRIST (q-pair).....	103, 144, 224, 349, 350, 631, 632, 796
RAD TECH (data).....	1073
RAD TECH (q-pair).....	584
RADIAL (loca).....	1225
RADIAL (q-pair).....	63, 600
RADIAL (qual).....	1279
RADIATING (data).....	1074
RADIATING (q-pair).....	492
RADIOLOGY (data).....	1074
RADIOLOGY (q-pair).....	583
RAMSAY ANXIOUS (data).....	1074
RAMSAY ANXIOUS (q-pair).....	643
RAMSAY ASLEEP BRISK RESPONSE (data).....	1074
RAMSAY ASLEEP BRISK RESPONSE (q-pair).....	643
RAMSAY ASLEEP NO RESPONSE (data).....	1074
RAMSAY ASLEEP NO RESPONSE (q-pair).....	643
RAMSAY ASLEEP SLUGGISH (data).....	1075
RAMSAY ASLEEP SLUGGISH (q-pair).....	643
RAMSAY COOPERATIVE (data).....	1075
RAMSAY COOPERATIVE (q-pair).....	643
RAMSAY SEDATED (data).....	1075
RAMSAY SEDATED (q-pair).....	643

RANGE (unit).....	1313
RASH/EXFOLIATION (data).....	1075
RASH/EXFOLIATION (q-pair).....	801
RASS AGITATED (data).....	1075
RASS AGITATED (q-pair).....	644
RASS ALERT AND CALM (data).....	1076
RASS ALERT AND CALM (q-pair).....	644
RASS COMBATIVE (data).....	1076
RASS COMBATIVE (q-pair).....	644
RASS DEEP SEDATION (data).....	1076
RASS DEEP SEDATION (q-pair).....	644
RASS DROWSY (data).....	1076
RASS DROWSY (q-pair).....	644
RASS LIGHT SEDATION (data).....	1076
RASS LIGHT SEDATION (q-pair).....	644
RASS MODERATE SEDATION (data).....	1077
RASS MODERATE SEDATION (q-pair).....	644
RASS RESTLESS (data).....	1077
RASS RESTLESS (q-pair).....	644
RASS UNAROUSABLE (data).....	1077
RASS UNAROUSABLE (q-pair).....	644
RASS VERY AGITATED (data).....	1077
RASS VERY AGITATED (q-pair).....	644
REACTIVE (data).....	1077
REACTIVE (q-pair).....	602
RECTAL (loca).....	1225
RECTAL (q-pair).....	728, 796
RECTAL TEMP PROBE (meth).....	1248
RECTAL TUBE (data).....	1078
RECTAL TUBE PRESENT.....	606
RED (data).....	1078
RED (q-pair).....	46, 100, 144, 159, 177, 216, 243, 350, 469, 567, 593, 715, 749, 784, 788
RED/GRANULATING (data).....	1078
REDDENING OF THE SKIN (data).....	1078
REDIRECT PATIENT ACTIVITY (data).....	1078
REDIRECT PATIENT ACTIVITY (q-pair).....	619
REFLEX (data).....	1079
REFLEX (q-pair).....	201, 227, 357, 418, 747
REFUSE MEDICATION (data).....	1079
REFUSE MEDICATION (q-pair).....	497
REFUSE TO MOVE (data).....	1079
REFUSE TO MOVE (q-pair).....	575
REFUSED (data).....	1079
REFUSED (q-pair).....	16
REGIONAL BLOCK (data).....	1079
REGIONAL BLOCK (q-pair).....	31
REGISTERED NURSE (data).....	1080
REGISTERED NURSE (q-pair).....	625
REGULAR (data).....	1080
REGULAR (q-pair).....	151, 608
REINFORCED (data).....	1080
REINFORCED (q-pair).....	43, 96
RELATIVE (data).....	1080
RELATIVE (q-pair).....	543
RELIGIOUS (data).....	1080
RELIGIOUS (q-pair).....	166
REMNANT P-WAVE (data).....	1081
REMNANT P-WAVE (q-pair).....	80

REMOVE FROM STIM. SETTING (data).....	1081
REMOVE FROM STIM. SETTING (q-pair).....	619
REMOVE RECTAL TUBE (data).....	1081
RENAL DIET (data).....	1081
RENAL DIET (q-pair).....	151
REORIENTED TO ENVIRONMENT (data).....	1081
REORIENTED TO ENVIRONMENT (q-pair).....	619
REPIRATORY DEPRESSION (data).....	1082
REPIRATORY DEPRESSION (q-pair).....	188
REPORTED (data).....	1082
REPORTED (q-pair).....	751
REPOSITION (data).....	1082
REPOSITION (q-pair).....	497, 619, 626, 656
REQUEST FOR MORE MEDICATION (data).....	1082
REQUEST FOR MORE MEDICATION (q-pair).....	497
RES CRIT: AGGRESSIVE (data).....	1082
RES CRIT: AGGRESSIVE (q-pair).....	611
RES CRIT: AMBULATE (data).....	1083
RES CRIT: AMBULATE (q-pair).....	611
RES CRIT: COMBATIVE (data).....	1083
RES CRIT: COMBATIVE (q-pair).....	611
RES CRIT: EQUIPMENT (data).....	1083
RES CRIT: EQUIPMENT (q-pair).....	611
RES CRIT: HARM TO SELF (data).....	1083
RES CRIT: HARM TO SELF (q-pair).....	611
RES CRIT: LINES (data).....	1083
RES CRIT: LINES (q-pair).....	611
RES CRIT: UNABLE TO FOLLOW DIRECTIONS (data).....	1084
RES CRIT: UNABLE TO FOLLOW DIRECTIONS (q-pair).....	611
RES EVAL: AMBULATION/EXERCISE (data).....	1084
RES EVAL: AMBULATION/EXERCISE (q-pair).....	615
RES EVAL: BED/WHEELCHAIR ALARM (posi).....	1257
RES EVAL: DECREASE STIMULATION (data).....	1084
RES EVAL: DECREASE STIMULATION (q-pair).....	615
RES EVAL: DIVERSIONAL ACTIVITIES (data).....	1084
RES EVAL: DIVERSIONAL ACTIVITIES (q-pair).....	615
RES EVAL: EDUCATION (data).....	1084
RES EVAL: EDUCATION (q-pair).....	615
RES EVAL: INVOLVEMENT WITH FAMILY (data).....	1085
RES EVAL: INVOLVEMENT WITH FAMILY (q-pair).....	615
RES EVAL: MEDICATION REVIEW (data).....	1085
RES EVAL: MEDICATION REVIEW (q-pair).....	615
RES EVAL: REALITY ORIENTATION (data).....	1085
RES EVAL: REALITY ORIENTATION (posi).....	1258
RES EVAL: REALITY ORIENTATION (q-pair).....	615
RES EVAL: RELOCATE (data).....	1085
RES EVAL: RELOCATE (q-pair).....	615
RES EVAL: UNABLE TO ATTEMPT (data).....	1085
RES EVAL: UNABLE TO ATTEMPT (q-pair).....	615
RES LRM: DEVICE ACCESS (data).....	1086
RES LRM: DEVICE ACCESS (q-pair).....	626
RES LRM: LIMIT SETTING (data).....	1086
RES LRM: LIMIT SETTING (q-pair).....	626
RES LRM: PRN MEDS (data).....	1086
RES LRM: PRN MEDS (q-pair).....	626
RES LRM: REDIRECT (data).....	1086
RES LRM: REDIRECT (q-pair).....	626
RES LRM: REMOVE FROM SETTING (data).....	1086
RES LRM: REMOVE FROM SETTING (q-pair).....	626
RES LRM: REORIENT (data).....	1087
RES LRM: REORIENT (q-pair).....	626
RES LRM: SUPERVISION (data).....	1087

RES LRM: SUPERVISION (q-pair).....	626
RES LRM: VERBAL DE-ESCALATION (data).....	1087
RES LRM: VERBAL DE-ESCALATION (q-pair).....	626
RES LRM: VERBAL REMINDERS (data).....	1087
RES LRM: VERBAL REMINDERS (q-pair).....	626
RESERVOIR CANNULA (meth).....	1248
RESERVOIR CANNULA (q-pair).....	721
RESOURCE BREEZE (data).....	1087
RESOURCE BREEZE (q-pair).....	176
RESOURCE DM (data).....	1088
RESOURCE DM (q-pair).....	176
RESP TECH (data).....	1088
RESP TECH (q-pair).....	584
RESPIRATION (data).....	1088
RESPIRATION (q-pair).....	408
RESPIRATION: END-TIDAL CO2.....	607
RESPIRATORY DEPRESSION (data).....	1088
RESPIRATORY DEPRESSION (q-pair).....	521
RESPIRATORY PATTERN.....	608
RESPIRATORY RATE - DO NOT CHECK TOTAL OR SUBTOTALS.....	609
RESTING (data).....	1088
RESTING (q-pair).....	54
RESTING RESPIRATORY RATE BASELINE OR ABOVE (data).....	1089
RESTING RESPIRATORY RATE BASELINE OR ABOVE (q-pair).....	487
RESTLESS (data).....	1089
RESTLESS (q-pair).....	56, 356, 496, 627
RESTRAINT (data).....	1089
RESTRAINT (q-pair).....	628
RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET (task).....	1295
RESTRAINT - CIRCULATION CHECK (task).....	1295
RESTRAINT - DEVICE RELEASE (task).....	1295
RESTRAINT - FALL PRECAUTIONS (task).....	1295
RESTRAINT - SEIZURE PRECAUTIONS (task).....	1296
RESTRAINT BILATERAL ANKLE (data).....	1089
RESTRAINT BILATERAL ANKLE (q-pair).....	631
RESTRAINT BILATERAL HAND MITT (data).....	1089
RESTRAINT BILATERAL HAND MITT (q-pair).....	631
RESTRAINT CIRCULATION CHECK.....	610
RESTRAINT CRITERIA.....	611
RESTRAINT DEVICE TRIAL RELEASE.....	612
RESTRAINT EDUCATION.....	613
RESTRAINT EDUCATION TYPE.....	614
RESTRAINT EVAL - ALT. MEASURES ATTEMPTED.....	615
RESTRAINT EVAL - ELIMINATION MONITORED.....	616
RESTRAINT EVAL - FLUID/NUTRITION INTAKE.....	617
RESTRAINT EVAL - HYGIENE/COMFORT.....	618
RESTRAINT EVAL - LEAST RESTRICTIVE MEASURES.....	619
RESTRAINT EVAL - MENTAL.....	620
RESTRAINT EVAL - PRIVACY/DIGNITY.....	621
RESTRAINT EVAL - REPOSITION/RANGE OF MOTION.....	622
RESTRAINT EVAL - SKIN INTEGRETU.....	623
RESTRAINT FAMILY ED. UNDERSTANDING.....	624
RESTRAINT GERI CHAIR (data).....	1090
RESTRAINT GERI CHAIR (q-pair).....	631
RESTRAINT HARD PLASTIC/LEATHER (data).....	1090
RESTRAINT HARD PLASTIC/LEATHER (q-pair).....	631, 632, 633
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (data).....	1090
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (q-pair).....	631
RESTRAINT HARD PLASTIC/LEATHER 4 POINT (data).....	1090
RESTRAINT HARD PLASTIC/LEATHER 4 POINT (q-pair).....	631
RESTRAINT INITIATED BY.....	625
RESTRAINT LEAST RESTRICTIVE MEASURES.....	626

RESTRAINT MENTAL ASSESSMENT.....	627
RESTRAINT ONE ARM (data).....	1090
RESTRAINT ONE ARM (q-pair).....	631
RESTRAINT ONE LEG (data).....	1091
RESTRAINT ONE LEG (q-pair).....	631
RESTRAINT ORDER TYPE.....	628
RESTRAINT PATIENT ED. UNDERSTANDING.....	629
RESTRAINT SAFETY CARE.....	630
RESTRAINT SINGLE HAND MITT (data).....	1091
RESTRAINT SINGLE HAND MITT (q-pair).....	631, 632
RESTRAINT SOFT (data).....	1091
RESTRAINT SOFT (q-pair).....	631, 632, 633
RESTRAINT SOFT 2 POINT (data).....	1091
RESTRAINT SOFT 2 POINT (q-pair).....	631
RESTRAINT SOFT 4 POINT (data).....	1091
RESTRAINT SOFT 4 POINT (q-pair).....	631
RESTRAINT SOFT ARMS + LOCKED WAIST (data).....	1092
RESTRAINT SOFT ARMS + LOCKED WAIST (q-pair).....	631
RESTRAINT SOFT ARMS + WAIST (data).....	1092
RESTRAINT SOFT ARMS + WAIST (q-pair).....	631
RESTRAINT STRAP (data).....	1092
RESTRAINT STRAP (q-pair).....	631, 633
RESTRAINT STRAP (sche).....	1282
RESTRAINT TYPE ALL.....	631
RESTRAINT TYPE ARMS.....	632
RESTRAINT TYPE LEGS.....	633
RESTRAINT TYPE OTHER.....	634
RESTRAINT VEST (data).....	1092
RESTRAINT VEST (q-pair).....	631, 634
RESTRAINT WAIST (data).....	1092
RESTRAINT WAIST (q-pair).....	631, 634
RESTRAINT WAIST LOCKED (data).....	1093
RESTRAINT WAIST LOCKED (q-pair).....	631
RESTRAINT WRIST (data).....	1093
RESTRAINT WRIST (q-pair).....	631
RESTRAINT- ACTIVE ORDER.....	635
RESTRAINT/SECLUSION DISCONTINUED.....	636
RESTRAINTS BROCHURE (data).....	1093
RESTRAINTS BROCHURE (q-pair).....	614
RESTRAINTS ED REMOVAL (data).....	1093
RESTRAINTS ED REMOVAL (q-pair).....	614
RESTRAINTS ED TYPE (data).....	1093
RESTRAINTS ED TYPE (q-pair).....	614
RESTRAINTS EXPLAINED (data).....	1094
RESTRAINTS EXPLAINED (q-pair).....	614
RESTRAINTS LIMIT SETTING (data).....	1094
RESTRAINTS LIMIT SETTING (q-pair).....	619
RESTRAINTS TIME LIMIT (data).....	1094
RESTRAINTS TIME LIMIT (q-pair).....	614
RESTRAINTS: BEHAVIOR CRITERIA FOR DISCONTINUE.....	637
RESTRICTED EXTREMITY (data).....	1094
RESTRICTED EXTREMITY (q-pair).....	40
RHONCHI (data).....	1094
RHONCHI (q-pair).....	74
RHYTHM (meth).....	1249
RIGHT (data).....	1095
RIGHT (loca).....	1225
RIGHT (posi).....	1258
RIGHT (q-pair).....	13, 193
RIGHT EYE (loca).....	1226
RIGHT EYE (q-pair).....	153
RIGHT VENTRICULAR STROKE WORK.....	638

RIGHT VENTRICULAR STROKE WORK INDEX.....	639
RIGID HEEL SPLINT (data).....	1095
RIGID HEEL SPLINT (q-pair).....	574
RN (data).....	1095
RN (q-pair).....	584, 642
ROOM AIR (meth).....	1249
ROOM AIR15 (meth).....	1249
ROOM AIR20 (meth).....	1249
ROPIVICAINE (data).....	1095
ROPIVICAINE (q-pair).....	186
ROTATIONAL THERAPY (data).....	1095
ROTATIONAL THERAPY (q-pair).....	699
ROUND (data).....	1096
ROUND (q-pair).....	2
RT (data).....	1096
RT (q-pair).....	642
RUB (data).....	1096
RUB (q-pair).....	81
RUNS OF VT (data).....	1096
RUNS OF VT (q-pair).....	80
Rh IMMUNE GLOBULIN (prod).....	1274
Rh IMMUNE GLOBULIN (q-pair).....	322

- S -

S = SLEEP, EASY TO AROUSE (data).....	1096
S = SLEEP, EASY TO AROUSE (q-pair).....	504
S1 (data).....	1097
S1 (q-pair).....	81
S2 (data).....	1097
S2 (q-pair).....	81
S3 (data).....	1097
S3 (q-pair).....	81
S4 (data).....	1097
S4 (q-pair).....	81
SACRAL (loca).....	1226
SACRAL (q-pair).....	164, 577, 796
SAFETY (data).....	1097
SAFETY (q-pair).....	168
SAFETY DEVICE WAIST BELT APPLIED.....	640
SALINE (prod).....	1274
SALINE (q-pair).....	321, 330
SALINE LOCK (data).....	1098
SALINE LOCK (q-pair).....	348, 516
SALINE MOIST DRESSING (data).....	1098
SALINE MOIST DRESSING (q-pair).....	578, 800
SANDOSOURCE PEPTIDE (data).....	1098
SANDOSOURCE PEPTIDE (prod).....	1274
SANDOSOURCE PEPTIDE (q-pair).....	314
SAS AGITATED (data).....	1098
SAS AGITATED (q-pair).....	645
SAS CALM AND COOPERATIVE (data).....	1098
SAS CALM AND COOPERATIVE (q-pair).....	645
SAS DANGEROUS AGITATION (data).....	1099
SAS DANGEROUS AGITATION (q-pair).....	645
SAS SEDATED (data).....	1099
SAS SEDATED (q-pair).....	645
SAS UNAROUSABLE (data).....	1099
SAS UNAROUSABLE (q-pair).....	645
SAS VERY AGITATED (data).....	1099
SAS VERY AGITATED (q-pair).....	645
SAS VERY SEDATED (data).....	1099

SAS VERY SEDATED (q-pair).....	645
SCALE (unit).....	1313
SCANT (data).....	1100
SCANT (q-pair).....	449, 592, 681
SCAPHOID (data).....	1100
SCAPHOID (q-pair).....	2
SCOOTER (data).....	1100
SCOOTER (q-pair).....	204
SCROTUM (loca).....	1226
SCROTUM (q-pair).....	495, 577, 692
SECLUSION (data).....	1100
SECLUSION (q-pair).....	628
SECLUSION: BEHAVIOR CRITERIA FOR DISCONTINUATION.....	641
SECOND (unit).....	1313
SECOND DEGREE AV BLOCK: TYPE 1 (data).....	1100
SECOND DEGREE AV BLOCK: TYPE 1 (q-pair).....	84
SECOND DEGREE AV BLOCK: TYPE 2 (data).....	1101
SECOND DEGREE AV BLOCK: TYPE 2 (q-pair).....	84
SECOND VERIFIER.....	642
SECURE TRACK IN PLACE (data).....	1101
SECURE TRACK IN PLACE (q-pair).....	4
SEDATED (data).....	1101
SEDATED (q-pair).....	56, 165, 513, 627
SEDATION SCALE - RAMSAY.....	643
SEDATION SCALE - RASS.....	644
SEDATION SCALE - SAS.....	645
SEDIMENT (data).....	1101
SEDIMENT (q-pair).....	748
SEE CPRS PROGRESS NOTE FOR ADDITIONAL DATA AND ASSESSMENTS .....	646
SEIZURE CHARACTER.....	647
SEIZURE DURATION.....	648
SEIZURE FOCI.....	649
SEIZURE PRECAUTIONS.....	650
SEIZURES.....	651
SEIZURES (data).....	1101
SEIZURES (q-pair).....	402
SELECTED SURGERY (data).....	1102
SELECTED SURGERY (q-pair).....	91
SELF AM CARE BY PATIENT (data).....	1102
SELF AM CARE BY PATIENT (q-pair).....	5
SELF CARE (data).....	1102
SELF CARE (q-pair).....	13, 16
SELF CARE OF BEDSIDE ENVIRONMENT (data).....	1102
SELF CARE OF BEDSIDE ENVIRONMENT (q-pair).....	5
SELF FACE WASH (data).....	1102
SELF FACE WASH (q-pair).....	5
SELF FOOT CARE (data).....	1103
SELF FOOT CARE (q-pair).....	5
SELF SHAVE (data).....	1103
SELF SHAVE (q-pair).....	5
SELF SHOWER (data).....	1103
SELF SHOWER (q-pair).....	5
SELF TRACH CARE (data).....	1103
SELF TRACH CARE (q-pair).....	5
SELF-CARE SKILLS (data).....	1103
SELF-CARE SKILLS (q-pair).....	168
SEMIFOWLERS (posi).....	1258
SEMIFOWLERS (q-pair).....	63, 600, 609
SEMIFOWLERS HIGH (data).....	1104
SEMIFOWLERS HIGH (q-pair).....	53
SEMIFOWLERS LOW (data).....	1104



SEMIFOWLERS LOW (q-pair).....	53
SENSATION FOOT.....	652
SENSATION HAND.....	653
SENSATION LOWER EXTREMITY.....	654
SENSATION UPPER EXTREMITY.....	655
SEQUENTIAL COMPRESSION DEVICE (data).....	1104
SEQUENTIAL COMPRESSION DEVICE (q-pair).....	162
SEQUENTIAL COMPRESSION DEVICE APPLICATION.....	656
SEROSANGUINOUS (data).....	1104
SEROSANGUINOUS (q-pair).....	110, 301, 569, 670
SEROUS (data).....	1104
SEROUS (q-pair).....	110, 301, 569, 670
SET UP HELP ONLY (data).....	1105
SET UP HELP ONLY (q-pair).....	10
SEVERELY REDUCED (data).....	1105
SEVERELY REDUCED (q-pair).....	353
SEWS - AGITATION.....	657
SEWS - ANXIETY.....	658
SEWS - DISORIENTATION NAME PLACE.....	659
SEWS - HALLUCINATION ANY.....	660
SEWS - HALLUCINATION AUDITORY ONLY.....	661
SEWS - NAME ONLY.....	662
SEWS - NAUSEA.....	663
SEWS - SWEATING.....	664
SEWS - TOTAL.....	665
SEWS - TREMOR.....	666
SEWS - VITAL SIGNS.....	667
SEWS SCALE (unit).....	1313
SHALLOW (data).....	1105
SHALLOW (q-pair).....	608
SHAMPOO (data).....	1105
SHAMPOO (q-pair).....	5
SHARP (data).....	1105
SHARP (q-pair).....	492
SHAVE (data).....	1106
SHAVE (q-pair).....	5
SHOOTING (data).....	1106
SHOOTING (q-pair).....	492
SHORT NECK (data).....	1106
SHORT NECK (q-pair).....	423
SHOWER (data).....	1106
SHOWER (q-pair).....	5
SHUFFLING (data).....	1106
SHUFFLING (q-pair).....	204
SHUNTS (data).....	1107
SHUNTS (q-pair).....	402
SI UNIT (unit).....	1313
SICU (data).....	1107
SICU (q-pair).....	489
SIDE RAILS.....	668
SIGMOIDOSTOMY (data).....	1107
SIGMOIDOSTOMY (q-pair).....	445
SIGNIFICANT EVENT.....	669
SIGNIFICANT OTHER (data).....	1107
SIGNIFICANT OTHER (q-pair).....	11
SILVADENE (data).....	1107
SILVADENE (q-pair).....	578
SILVER (data).....	1108
SILVER SULFADIAZINE (data).....	1108
SINGLE (data).....	1108
SINGLE (q-pair).....	103
SINGLE LUMEN CATHETER (meth).....	1249

SINGLE USE LUBRICANT PACKET (data).....	1108
SINGLE USE LUBRICANT PACKET (q-pair).....	92
SINUS ARREST (data).....	1108
SINUS ARREST (q-pair).....	84
SINUS ARRHYTHMIA (data).....	1109
SINUS ARRHYTHMIA (q-pair).....	84
SINUS BLOCK (data).....	1109
SINUS BLOCK (q-pair).....	84
SINUS BRADYCARDIA (data).....	1109
SINUS BRADYCARDIA (q-pair).....	84
SINUS DRAINAGE CHARACTER.....	670
SINUS DRAINAGE PRESENT.....	671
SINUS NECROTIC TISSUE APPEARANCE.....	672
SINUS NECROTIC TISSUE PRESENT.....	673
SINUS PAUSE (data).....	1109
SINUS PAUSE (q-pair).....	84
SINUS RHYTHM (data).....	1109
SINUS RHYTHM (q-pair).....	84
SINUS TACHYCARDIA (data).....	1110
SINUS TACHYCARDIA (q-pair).....	84
SINUS TRACT SURROUNDING TISSUE CHARACTER.....	674
SINUS TRACT ULCER.....	675
SINUS TRACT ULCER EPITHELIALIZATION.....	676
SINUS TRACT ULCER GRANULIZATION.....	677
SITE UNABLE TO BE MARKED (data).....	1110
SITE UNABLE TO BE MARKED (q-pair).....	558
SITTING (posi).....	1258
SITTING (q-pair).....	63, 150, 600, 609, 724, 781
SKIN (ADHESIVE INDICATOR) (meth).....	1250
SKIN (ADHESIVE INDICATOR) (q-pair).....	169
SKIN (loca).....	1226
SKIN (q-pair).....	728
SKIN ALTERATION.....	678
SKIN COLOR.....	679
SKIN CONDITION.....	680
SKIN DRAINAGE AMOUNT.....	681
SKIN ERYTHEMA EXTENDS AROUND INCISION.....	682
SKIN ERYTHEMA EXTENSION AROUND WOUND.....	683
SKIN INCISION CLOSURE.....	684
SKIN INCISION WOUND CLOSURE OPEN WOUND (data).....	1110
SKIN INCISION WOUND CLOSURE OPEN WOUND (q-pair).....	684
SKIN INCISION WOUND CLOSURE STAPLES (data).....	1110
SKIN INCISION WOUND CLOSURE STAPLES (q-pair).....	684
SKIN INCISION WOUND CLOSURE STERI-STRIPS (data).....	1110
SKIN INCISION WOUND CLOSURE STERI-STRIPS (q-pair).....	684
SKIN INCISION WOUND CLOSURE SUTURES (data).....	1111
SKIN INCISION WOUND CLOSURE SUTURES (q-pair).....	684
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (data ).....	1111
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (q-pa ir).....	685
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (data ).....	1111
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (q-pa ir).....	685
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (data) .....	1111
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (q-pair) .....	685
SKIN INDURATION AROUND INCISION NONE (data).....	1111
SKIN INDURATION AROUND INCISION NONE (q-pair).....	685

SKIN INDURATION EXTENSION AROUND INCISION.....	685
SKIN INDURATION EXTENSION AROUND WOUND.....	686
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data) .....	1112
r) SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pai r).....	686
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data) .....	1112
r) SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pai r).....	686
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (data) .....	1112
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair) .....	686
SKIN INDURATION EXTENSION AROUND WOUND NONE (data).....	1112
SKIN INDURATION EXTENSION AROUND WOUND NONE (q-pair).....	686
SKIN MOISTURE.....	687
SKIN PATCHES PRESENT.....	688
SKIN RISK FACTORS PRESENT.....	689
SKIN SWELLING EXTENSION AROUND INCISION.....	690
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (data) ).....	1112
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (q-pa ir).....	690
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (data ).....	1113
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (q-pa ir).....	690
SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (data) .....	1113
SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (q-pair) .....	690
SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (data) .....	1113
SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (q-pair) .....	690
SKIN SWELLING EXTENSION AROUND INCISION NONE (data).....	1113
SKIN SWELLING EXTENSION AROUND INCISION NONE (q-pair).....	690
SKIN SWELLING EXTENSION AROUND WOUND.....	691
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data) .....	1113
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pair) .....	691
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data) .....	1114
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pair) .....	691
SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (data).....	1114
SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (q-pair).....	691
SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (data) .....	1114
SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair) .....	691
SKIN SWELLING EXTENSION AROUND WOUND NONE (data).....	1114
SKIN SWELLING EXTENSION AROUND WOUND NONE (q-pair).....	691
SKIN TEAR (data).....	1114
SKIN TEAR (q-pair).....	801
SKIN TEMP.....	692
SKIN TEMPERATURE AT INCISION SITE.....	693
SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (data) .....	1115
SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (q-pair)	

.....	693
SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (dat	
a).....	1115
SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (q-p	
air).....	693
SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (data)	
.....	1115
SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (q-pair)	
.....	693
SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (dat	
a).....	1115
SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (q-p	
air).....	693
SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (data)	
.....	1115
SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (q-pair)	
.....	693
SKIN TEMPERATURE AT WOUND SITE.....	694
SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (data)	
.....	1116
SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (q-pair)	
.....	694
SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (data)	
.....	1116
SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (q-pair	
).....	694
SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (data)	
.....	1116
SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (q-pair)	
.....	694
SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (data)	
.....	1116
SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (q-pair	
).....	694
SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (data)	
.....	1116
SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (q-pair)	
.....	694
SKIN TRAUMA (data).....	1117
SKIN TRAUMA (q-pair).....	801
SKIN TURGOR.....	695
SKIN WARM AND DRY COLOR APPROPRIATE (data).....	1117
SKIN WARM AND DRY COLOR APPROPRIATE (q-pair).....	487
SKIN WOUND CLOSURE.....	696
SKIN WOUND CLOSURE APPROXIMATED (data).....	1117
SKIN WOUND CLOSURE APPROXIMATED (q-pair).....	696
SKIN WOUND CLOSURE DEHISCENCE (data).....	1117
SKIN WOUND CLOSURE DEHISCENCE (q-pair).....	696
SKIN WOUND CLOSURE GLUE (data).....	1117
SKIN WOUND CLOSURE GLUE (q-pair).....	696
SKIN WOUND CLOSURE NOT CLOSED (data).....	1118
SKIN WOUND CLOSURE NOT CLOSED (q-pair).....	696
SKIN WOUND CLOSURE OPEN WOUND (data).....	1118
SKIN WOUND CLOSURE OPEN WOUND (q-pair).....	696
SKIN WOUND CLOSURE STAPLES (data).....	1118
SKIN WOUND CLOSURE STAPLES (q-pair).....	696
SKIN WOUND CLOSURE STERI-STRIPS (data).....	1118
SKIN WOUND CLOSURE STERI-STRIPS (q-pair).....	696
SKIN WOUND CLOSURE SUTURES (data).....	1118
SKIN WOUND CLOSURE SUTURES (q-pair).....	696
SLEEP AMOUNT.....	697
SLEEP QUALIFIERS.....	698

SLEEPING (data).....	1119
SLEEPING (q-pair).....	129, 496, 627
SLEEPS POORLY (data).....	1119
SLEEPS POORLY (q-pair).....	56
SLEPT WELL (data).....	1119
SLEPT WELL (q-pair).....	698
SLIGHT (data).....	1119
SLIGHT (q-pair).....	459
SLING TRACTION (data).....	1119
SLING TRACTION (q-pair).....	737
SLOUGH (data).....	1120
SLOUGH (q-pair).....	567, 795
SLUGGISH (data).....	1120
SLUGGISH (q-pair).....	602
SLURRED SPEECH (data).....	1120
SLURRED SPEECH (q-pair).....	188
SM ADULT (meth).....	1250
SM ADULT CUFF (meth).....	1250
SMALL (data).....	1120
SMALL (q-pair).....	449, 457, 459, 592, 681
SMALL BORE FEEDING TUBE (data).....	1120
SMALL BORE FEEDING TUBE (q-pair).....	220
SMEAR (data).....	1121
SMEAR (q-pair).....	457
SMOKING AREA (data).....	1121
SMOKING AREA (q-pair).....	55, 130
SMOKING PORCH (data).....	1121
SMOKING PORCH (q-pair).....	55, 130
SMOOTH (data).....	1121
SMOOTH (q-pair).....	795
SNACK (data).....	1121
SNACK (q-pair).....	5
SNACK - AM (data).....	1122
SNACK - AM (q-pair).....	382
SNACK - HS (data).....	1122
SNACK - HS (q-pair).....	382
SNACK - OTHER (data).....	1122
SNACK - OTHER (q-pair).....	382
SNACK - PM (data).....	1122
SNACK - PM (q-pair).....	382
SNORES (data).....	1122
SNORES (q-pair).....	402
SODA: DIET (prod).....	1274
SODA: DIET (q-pair).....	334
SODA: NON-DIET (prod).....	1274
SODA: NON-DIET (q-pair).....	334
SODIUM CONTROLLED 2 GM (data).....	1123
SODIUM CONTROLLED 2 GM (q-pair).....	151
SODIUM CONTROLLED 4 GM (data).....	1123
SODIUM CONTROLLED 4 GM (q-pair).....	151
SOFT (data).....	1123
SOFT (q-pair).....	2, 672, 714
SOFT DRINK (prod).....	1275
SOMNOLENT (data).....	1123
SOMNOLENT (q-pair).....	521
SPECIAL PROCEDURE ROOM (data).....	1123
SPECIAL PROCEDURE ROOM (q-pair).....	583
SPECIALTY BED/MATTRESS.....	699
SPECIALTY MATTRESS/BED (data).....	1124
SPECIALTY MATTRESS/BED (q-pair).....	574
SPECIFIC GRAVITY.....	700

SPINAL (data).....	1124
SPINAL (q-pair).....	31
SPINE CERVICAL (loca).....	1226
SPINE CERVICAL (q-pair).....	308
SPINE LUMBAR (loca).....	1227
SPINE LUMBAR (q-pair).....	308
SPINE THORACIC (loca).....	1227
SPINE THORACIC (q-pair).....	308
SPIRITUAL (data).....	1124
SPIRITUAL (q-pair).....	166, 168
SPLINTING (data).....	1124
SPLINTING (q-pair).....	496
SPONTANEOUS (data).....	1124
SPONTANEOUS (meth).....	1250
SPONTANEOUS (q-pair).....	609, 760
SPOONING (data).....	1125
SPOONING (q-pair).....	421
SPOUSE (data).....	1125
SPOUSE (q-pair).....	540, 541, 543
SQ EMPHYSEMA (data).....	1125
SQ EMPHYSEMA (q-pair).....	114
SQUARE (data).....	1125
SQUARE (q-pair).....	775
SQUARE METERS (unit).....	1314
SQUEEZING (data).....	1125
SQUEEZING (q-pair).....	492
ST SEGMENT AVF.....	701
ST SEGMENT AVL.....	702
ST SEGMENT AVR.....	703
ST SEGMENT I.....	704
ST SEGMENT II.....	705
ST SEGMENT III.....	706
ST SEGMENT V1.....	707
ST SEGMENT V2.....	708
ST SEGMENT V3.....	709
ST SEGMENT V4.....	710
ST SEGMENT V5.....	711
ST SEGMENT V6.....	712
ST/T WAVE MEASUREMENT.....	713
STABBING (data).....	1126
STABBING (q-pair).....	492
STABLE (data).....	1126
STABLE (q-pair).....	191
STABLE BP AND PULSE (data).....	1126
STABLE BP AND PULSE (q-pair).....	487
STAFF (data).....	1126
STAFF (q-pair).....	741
STAGE 3 OR 4 PRESSURE ULCER (data).....	1126
STAGE 3 OR 4 PRESSURE ULCER (q-pair).....	91
STAGE I (data).....	1127
STAGE I (q-pair).....	577
STAGE II (data).....	1127
STAGE II (q-pair).....	577
STAGE III (data).....	1127
STAGE III (q-pair).....	577
STAGE IV (data).....	1127
STAGE IV (q-pair).....	577
STANDARD (data).....	1127
STANDARD (q-pair).....	338
STANDARD PRESSURE REDUCTION (data).....	1128
STANDARD PRESSURE REDUCTION (q-pair).....	699
STANDING (posi).....	1258

STANDING (q-pair).....	63, 150, 600, 609, 724, 781
STANDING WEIGHT (meth).....	1250
STANDING WEIGHT (q-pair).....	781
STAPLES (data).....	1128
START TIME: (data).....	1128
START TIME: (q-pair).....	585
STARTED (data).....	1128
STARTED (q-pair).....	348, 516
STARTED ON LEFT (data).....	1128
STARTED ON LEFT (q-pair).....	649
STARTED ON RIGHT (data).....	1129
STARTED ON RIGHT (q-pair).....	649
STATED (q-pair).....	232, 751, 781, 783
STATED (qual).....	1279
STEADY (data).....	1129
STEADY (q-pair).....	204
STEADY GAIT OR BASELINE (data).....	1129
STEADY GAIT OR BASELINE (q-pair).....	152
STEP DOWN (data).....	1129
STEP DOWN (q-pair).....	489
STERILE GLOVES-DRAPES USED (data).....	1129
STERILE GLOVES-DRAPES USED (q-pair).....	92
STERNOTOMY (loca).....	1227
STINGING (data).....	1130
STINGING (q-pair).....	492
STOMACH (loca).....	1227
STOMACH (q-pair).....	495
STOOL CHARACTERISTICS.....	714
STOOL COLOR.....	715
STOOL NUMBER STOOLS.....	716
STOP TIME: (data).....	1130
STOP TIME: (q-pair).....	585
STOPCOCK CHANGE (data).....	1130
STOPCOCK CHANGE (q-pair).....	174
STRAIGHT CATHETER (data).....	1130
STRAIGHT CATHETER (meth).....	1251
STRAIGHT CATHETER (q-pair).....	224, 458, 751
STRETCHER (data).....	1130
STRETCHER (q-pair).....	742
STRICT (data).....	1131
STRICT (q-pair).....	338
STROKE (data).....	1131
STROKE (q-pair).....	402
STROKE INDEX.....	717
STROKE VOLUME.....	718
STROKE VOLUME INDEX.....	719
STROKE WORK PER BEAT (unit).....	1314
STROKE WORK PER BEAT PER M2 (unit).....	1314
STRONG (data).....	1131
STRONG (q-pair).....	201, 227, 357, 747
STRYKER FRAME (data).....	1131
STRYKER FRAME (q-pair).....	699
STUDENT (data).....	1131
STUDENT (q-pair).....	584, 741
STUPOROUS (data).....	1132
STUPOROUS (q-pair).....	356, 513
SUBCUTANEOUS TISSUE (data).....	1132
SUBSTERNAL (loca).....	1227
SUBSTERNAL (q-pair).....	495
SUCTIONED ONLY (data).....	1132
SUCTIONED ONLY (q-pair).....	16

SUICIDAL (data).....	1132
SUICIDAL (q-pair).....	58, 131
SUMP (data).....	1132
SUMP (q-pair).....	790
SUPERVISION/SET-UP HELP (data).....	1133
SUPERVISION/SET-UP HELP (q-pair).....	8, 9, 10
SUPINE (data).....	1133
SUPINE (posi).....	1259
SUPINE (q-pair).....	13, 63, 609
SUPLENA (data).....	1133
SUPLENA (q-pair).....	176
SUPPER (data).....	1133
SUPPER (q-pair).....	382
SUPPLEMENTAL OXYGEN CONCENTRATION.....	720
SUPPLEMENTAL OXYGEN FLOW RATE.....	721
SUPPORT GROUPS (data).....	1133
SUPPORT GROUPS (q-pair).....	168
SUPRAPUBIC (data).....	1134
SUPRAPUBIC (meth).....	1251
SUPRAPUBIC (q-pair).....	224, 458, 751
SUPRAVENTRICULAR TACHYCARDIA (data).....	1134
SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	84
SURGICAL (data).....	1134
SURGICAL (q-pair).....	801
SURGICAL DONOR (data).....	1134
SURGICAL DONOR (q-pair).....	801
SURGICAL GRAFT (data).....	1134
SURGICAL GRAFT (q-pair).....	801
SUSPECTED DEEP TISSUE INJURY (data).....	1135
SUSPECTED DEEP TISSUE INJURY (q-pair).....	577
SUTURES (data).....	1135
SWOLLEN (data).....	1135
SWOLLEN (q-pair).....	46, 100, 144, 243, 350, 469
SYMPTOMS OF MEDICATION ALLERGY (data).....	1135
SYMPTOMS OF MEDICATION ALLERGY (q-pair).....	188
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (data).....	1135
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (q-pair).....	760
SYRINGE (data).....	1136
SYRINGE (q-pair).....	171
SYRINGE CHANGE (data).....	1136
SYRINGE CHANGE (q-pair).....	174
SYRINGE CHANGED (data).....	1136
SYRINGE CHANGED (q-pair).....	516
SYSTEMIC VASCULAR RESISTANCE.....	722
SYSTEMIC VASCULAR RESISTANCE INDEX.....	723
SYSTOLIC (data).....	1136
SYSTOLIC (q-pair).....	87
SYSTOLIC PRESSURE.....	724
SaO2%.....	725
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (data).....	1136
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (q-pair).....	487
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (data) .....	1137
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (q-pair) .....	487
SpO2%.....	726
SvO2%.....	727

- T -

T-PIECE (meth).....	1251
---------------------	------



T-PIECE (q-pair).....	720
T1 (data).....	1137
T1 (q-pair).....	184, 185
T10 (data).....	1137
T10 (q-pair).....	184, 185
T11 (data).....	1137
T11 (q-pair).....	184, 185
T12 (data).....	1137
T12 (q-pair).....	184, 185
T2 (data).....	1138
T2 (q-pair).....	184, 185
T3 (data).....	1138
T3 (q-pair).....	184, 185
T4 (data).....	1138
T4 (q-pair).....	184, 185
T5 (data).....	1138
T5 (q-pair).....	184, 185
T6 (data).....	1138
T6 (q-pair).....	184, 185
T7 (data).....	1139
T7 (q-pair).....	184, 185
T8 (data).....	1139
T8 (q-pair).....	184, 185
T9 (data).....	1139
T9 (q-pair).....	184, 185
TAN (data).....	1139
TAN (q-pair).....	159, 177, 216, 593, 749, 784, 788
TAP WATER (prod).....	1275
TAP WATER (q-pair).....	321
TAPE BURN (data).....	1139
TAPE BURN (q-pair).....	801
TARRY (data).....	1140
TARRY (q-pair).....	714
TEA (data).....	1140
TEA (q-pair).....	749
TECH (data).....	1140
TECH (q-pair).....	584
TEETH (loca).....	1228
TEETH (q-pair).....	193, 495
TEETH BRUSHED (data).....	1140
TEETH BRUSHED (q-pair).....	16
TEMPERATURE.....	728
TEMPORAL (loca).....	1228
TEMPORAL (q-pair).....	728
TEMPORARY (TRANSVENOUS) (data).....	1140
TEMPORARY (TRANSVENOUS) (q-pair).....	483
TENACIOUS (data).....	1141
TENACIOUS (q-pair).....	594
TENDER (data).....	1141
TENDER (q-pair).....	2, 492
TENDON (data).....	1141
TESTS/PROC. - ACCUCHECKS (task).....	1296
TESTS/PROC. - BLOOD CULTURES (task).....	1296
TESTS/PROC. - DAILY LABS (task).....	1296
TESTS/PROC. - MORNING LABS (task).....	1296
TESTS/PROC. - ZERO BALANCE HEMO. LINES (task).....	1297
THICK (data).....	1141
THICK (q-pair).....	159, 215, 422, 594
THIGH (data).....	1141
THIGH (loca).....	1228
THIGH (q-pair).....	64, 117

THIGH CUFF (meth).....	1251
THIN (data).....	1142
THIN (q-pair).....	159, 215, 594
THIRD DEGREE AV BLOCK (data).....	1142
THIRD DEGREE AV BLOCK (q-pair).....	84
THORACIC (data).....	1142
THORACIC (q-pair).....	182
THORACIC SPINAL PRECAUTIONS (data).....	1142
THORACIC SPINAL PRECAUTIONS (q-pair).....	12
THREADS (data).....	1142
THREADS (q-pair).....	748
THROBBING (data).....	1143
THROBBING (q-pair).....	492
THYROID (loca).....	1228
THYROID (q-pair).....	308
THYROMENTAL DISTANCE LESS THAN 3 PB (data).....	1143
THYROMENTAL DISTANCE LESS THAN 3 PB (q-pair).....	423
TIME OUT: PATIENT IDENTIFICATION METHOD.....	729
TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY .....	731
TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED .....	730
TINGLING (data).....	1143
TINGLING (q-pair).....	492, 652, 653, 654, 655
TINGLING MOUTH/LIPS (data).....	1143
TINGLING MOUTH/LIPS (q-pair).....	188
TINNITUS (data).....	1143
TINNITUS (q-pair).....	521
TO PAIN (data).....	1144
TO PAIN (q-pair).....	134
TO SPEECH (data).....	1144
TO SPEECH (q-pair).....	134
TOENAIL CARE (data).....	1144
TOENAIL CARE (q-pair).....	5
TOILETING BY SCHEDULE (data).....	1144
TOILETING BY SCHEDULE (q-pair).....	89
TOLERATING FLUIDS/NOURISHMENT (data).....	1144
TOLERATING FLUIDS/NOURISHMENT (q-pair).....	152, 487
TONGUE POSITION.....	732
TONIC/CLONIC (data).....	1145
TONIC/CLONIC (q-pair).....	647
TONOMETRY.....	733
TOOTH (loca).....	1228
TOOTH (q-pair).....	495
TOPICAL TREATMENT (data).....	1145
TOPICAL TREATMENT (q-pair).....	785
TORSADES DE POINTES (data).....	1145
TORSADES DE POINTES (q-pair).....	84
TORSO (loca).....	1229
TORSO (q-pair).....	164, 634
TOTAL DEPENDENCE (data).....	1145
TOTAL DEPENDENCE (q-pair).....	8, 9, 10
TPN (meth).....	1251
TPN (prod).....	1275
TPN (q-pair).....	314
TRACE ST SEGMENT.....	734
TRACE ST SEGMENT 2.....	735
TRACHEA MIDLINE DEVIATED.....	736
TRACHEOSTOMY (data).....	1145
TRACHEOSTOMY (loca).....	1229
TRACHEOSTOMY (q-pair).....	22, 577, 597

TRACHEOSTOMY COLLAR (meth).....	1252
TRACHEOSTOMY COLLAR (q-pair).....	720
TRACTION TYPE.....	737
TRACTION WEIGHT - DO NOT CHECK TOTAL OR SUBTOTALS.....	738
TRAIN OF FOUR RESPONSE.....	739
TRAIN OF FOUR SMS.....	740
TRANSCUTANEOUS (data).....	1146
TRANSCUTANEOUS (q-pair).....	483
TRANSFER (data).....	1146
TRANSFER (q-pair).....	143, 796
TRANSFER WITH ASSIST (data).....	1146
TRANSFER WITH ASSIST (q-pair).....	12
TRANSFUSION (meth).....	1252
TRANSFUSION (q-pair).....	314
TRANSPARENT (data).....	1146
TRANSPARENT (q-pair).....	44, 97, 145, 240, 463, 793
TRANSPARENT DRESSING (data).....	1146
TRANSPARENT DRESSING (q-pair).....	578, 800
TRANSPORT FACILITATOR.....	741
TRANSPORT FACILITATOR PRESENT (data).....	1147
TRANSPORT FACILITATOR PRESENT (q-pair).....	152
TRANSPORTATION MODE/DEVICE.....	742
TRANSPYLORIC (data).....	1147
TRANSPYLORIC (q-pair).....	170
TRANSTRACHEAL (meth).....	1252
TRANSVERSE ABDOMINAL (loca).....	1229
TRANSVERSE ABDOMINAL (q-pair).....	308
TREATMENTS (data).....	1147
TREATMENTS (q-pair).....	168
TREMULOUS.....	743
TRENDELENBURG (posi).....	1259
TRENDELENBURG (q-pair).....	63, 609
TRIGEMINY (data).....	1147
TRIGEMINY (q-pair).....	80
TRIPLE (data).....	1147
TRIPLE (q-pair).....	103
TRIPLE LUMEN CATHETER (meth).....	1252
TUBE POSITION VERIFIED.....	744
TUBED/DYSPHAGIC (data).....	1148
TUBED/DYSPHAGIC (q-pair).....	136
TUBES & DRAINS - CONDOM CATH (task).....	1297
TUBES & DRAINS - FOLEY (task).....	1297
TUBES & DRAINS - I/O CATH (task).....	1297
TUBES & DRAINS - NG TUBE (task).....	1297
TUBES & DRAINS - SUPRAPUBIC DRAIN (task).....	1298
TUBING CHANGE (data).....	1148
TUBING CHANGE (q-pair).....	174
TUBING CHANGED/LABELED (data).....	1148
TUBING CHANGED/LABELED (q-pair).....	348, 516
TURN AND POSITION (data).....	1148
TURN AND POSITION (q-pair).....	5
TURN AND SKIN CARE.....	745
TURNING SELF INDEPENDENTLY (data).....	1148
TURNING SELF INDEPENDENTLY (q-pair).....	5
TWILL TAPE (data).....	1149
TWILL TAPE (q-pair).....	8, 790
TWO CAL HN (data).....	1149
TWO CAL HN (q-pair).....	176
TWO PERSON ASSIST (data).....	1149
TWO PERSON ASSIST (q-pair).....	6, 8, 9, 10
TYMPANIC (loca).....	1229

TYMPANIC (q-pair).....728

- U -

ULNAR (loca).....1229  
ULNAR (q-pair).....600  
ULNAR DRIFT.....746  
ULTRACAL (data).....1149  
ULTRACAL (prod).....1275  
ULTRACAL (q-pair).....176  
UMBILICAL (loca).....1230  
UMBILICAL (q-pair).....308  
UN = UNEXAMINABLE (data).....1149  
UN = UNEXAMINABLE (q-pair).....426, 427, 428, 429,  
430, 431, 432, 435,  
436, 437, 439  
UNABLE TO AROUSE (data).....1150  
UNABLE TO AROUSE (q-pair).....513  
UNABLE TO ASSESS (data).....1150  
UNABLE TO ASSESS (q-pair).....165, 167  
UNABLE TO INFORM (data).....1150  
UNABLE TO INFORM (q-pair).....409  
UNABLE TO READ (data).....1150  
UNABLE TO READ (q-pair).....165  
UNABLE TO RESPOND (data).....1150  
UNABLE TO RESPOND (q-pair).....167  
UNABLE TO VOID (data).....1151  
UNABLE TO VOID (q-pair).....91  
UNABLE TO WEDGE (data).....1151  
UNABLE TO WEDGE (q-pair).....467  
UNBEARABLE (data).....1151  
UNBEARABLE (q-pair).....492  
UNCOOPERATIVE (data).....1151  
UNCOOPERATIVE (q-pair).....56  
UNDER STRETCHER/BED (data).....1151  
UNDER STRETCHER/BED (q-pair).....540  
UNEQUAL (data).....1152  
UNEQUAL (q-pair).....357, 747  
UNEXPECTED NUMBNESS (data).....1152  
UNEXPECTED NUMBNESS (q-pair).....188  
UNIFOCAL PVC (data).....1152  
UNIFOCAL PVC (q-pair).....80  
UNITS (unit).....1314  
UNITS PER HOUR (unit).....1314  
UNITS PER MINUTE (unit).....1315  
UNITS/kg/HOUR (unit).....1315  
UNKNOWN (data).....1152  
UNKNOWN (q-pair).....199, 649  
UNRESPONSIVE (data).....1152  
UNRESPONSIVE (q-pair).....356  
UNSTABLE (data).....1153  
UNSTABLE (q-pair).....191, 575  
UNSTAGEABLE (data).....1153  
UNSTAGEABLE (q-pair).....577  
UNSTEADY (data).....1153  
UNSTEADY (q-pair).....204  
UNSUCCESSFUL (data).....1153  
UNSUCCESSFUL (q-pair).....624, 629  
UP (data).....1153  
UP TO CHAIR (data).....1154  
UP TO CHAIR (q-pair).....5  
UPPER ABDOMEN (loca).....1230

UPPER ABDOMEN (q-pair).....	796
UPPER ARM (loca).....	1230
UPPER ARM (q-pair).....	117
UPPER BACK (loca).....	1230
UPPER BACK (q-pair).....	796
UPPER LIMB EXTREMITIES STRENGTH.....	747
URINARY RETENTION (data).....	1154
URINARY RETENTION (q-pair).....	188, 521
URINE (prod).....	1275
URINE (q-pair).....	700
URINE CHARACTERISTICS.....	748
URINE COLOR.....	749
URINE NUMBER VOIDS.....	750
URINE VOIDING METHOD.....	751
UROMETER (data).....	1154
UROMETER (q-pair).....	24
UROSTOMY (data).....	1154
UROSTOMY (meth).....	1252
UROSTOMY (q-pair).....	224, 458

- V -

V1 (data).....	1154
V1 (q-pair).....	85
V2 (data).....	1155
V2 (q-pair).....	85
V3 (data).....	1155
V3 (q-pair).....	85
V4 (data).....	1155
V4 (q-pair).....	85
V5 (data).....	1155
V5 (q-pair).....	85
V6 (data).....	1155
V6 (q-pair).....	85
VACUUM ASSISTED CLOSURE (data).....	1156
VACUUM ASSISTED CLOSURE (q-pair).....	790
VASCULAR (data).....	1156
VASCULAR (q-pair).....	801
VASCULAR LESION ARTERIAL (data).....	1156
VASCULAR LESION ARTERIAL (q-pair).....	801
VASCULAR LESION MIXED (data).....	1156
VASCULAR LESION MIXED (q-pair).....	801
VASCULAR LESION VENOUS (data).....	1156
VASCULAR LESION VENOUS (q-pair).....	801
VASCULAR/NEUROPATHIC (data).....	1157
VASCULAR/NEUROPATHIC (q-pair).....	801
VASOPRESSOR (data).....	1157
VASOPRESSOR (q-pair).....	575
VDD (data).....	1157
VDD (q-pair).....	477
VEGETARIAN DIET (data).....	1157
VEGETARIAN DIET (q-pair).....	151
VENDOR REP (data).....	1157
VENDOR REP (q-pair).....	584
VENTICULAR FIBRILLATION (data).....	1158
VENTICULAR FIBRILLATION (q-pair).....	84
VENTILATOR (data).....	1158
VENTILATOR (meth).....	1253
VENTILATOR (q-pair).....	24, 528, 608, 609, 720, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762,

763, 764, 765, 766,  
767, 768, 769, 770,  
771, 772, 773, 774,  
775

VENTILATOR ACHIEVA P5O2 (data).....	1158
VENTILATOR ACHIEVA P5O2 (q-pair).....	774
VENTILATOR ADULT STAR (data).....	1158
VENTILATOR ADULT STAR (q-pair).....	774
VENTILATOR AUTO PEEP - DO NOT CHECK TOTAL OR SUBTOTALS.....	752
VENTILATOR BEAR 1000 (data).....	1158
VENTILATOR BEAR 1000 (q-pair).....	774
VENTILATOR CIRCUIT CHANGE.....	753
VENTILATOR DRAEGER (data).....	1159
VENTILATOR DRAEGER (q-pair).....	774
VENTILATOR EXHALED VOLUME.....	754
VENTILATOR EXPIRATORY TIME.....	755
VENTILATOR FLOW RATE.....	756
VENTILATOR INSPIRATORY TIME.....	757
VENTILATOR MEAN AIR PRESSURE.....	758
VENTILATOR MINUTE VOLUME.....	759
VENTILATOR MODE.....	760
VENTILATOR OTHER (data).....	1159
VENTILATOR OTHER (q-pair).....	774
VENTILATOR PATIENT EXHALE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS.....	761
VENTILATOR PATIENT MINUTE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS.....	762
VENTILATOR PATIENT RATE - DO NOT CHECK TOTAL OR SUBTOTALS.....	763
VENTILATOR PATIENT RATE TOTAL - DO NOT CHECK TOTAL OR SUBTOTALS.....	764
VENTILATOR PB 7200ae (data).....	1159
VENTILATOR PB 7200ae (q-pair).....	774
VENTILATOR PB 840 (data).....	1159
VENTILATOR PB 840 (q-pair).....	774
VENTILATOR PCV SET PRESSURE.....	765
VENTILATOR PEAK PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS.....	766
VENTILATOR PEEP.....	767
VENTILATOR PRESSURE SUPPORT.....	768
VENTILATOR PSV SET PRESSURE.....	769
VENTILATOR RATE.....	770
VENTILATOR SENSITIVITY.....	771
VENTILATOR SERVO (data).....	1159
VENTILATOR SERVO (q-pair).....	774
VENTILATOR TIDAL VOLUME ACTUAL - DO NOT CHECK TOTAL OR SUBTOTALS.....	772
VENTILATOR TIDAL VOLUME SET.....	773
VENTILATOR TYPE.....	774
VENTILATOR WAVE FORM.....	775
VENTRICULAR (data).....	1160
VENTRICULAR (q-pair).....	483
VENTRICULAR DRAIN (meth).....	1253
VENTRICULAR DRAIN (q-pair).....	337
VENTRICULAR TACHYCARDIA (data).....	1160
VENTRICULAR TACHYCARDIA (q-pair).....	84
VENTRICULAR WHIP PRESENT (data).....	1160
VENTRICULAR WHIP PRESENT (q-pair).....	467
VENTRICULOSTOMY (data).....	1160
VENTRICULOSTOMY (q-pair).....	790
VENTURI MASK (meth).....	1253
VENTURI MASK (q-pair).....	721

VERBAL DE-ESCALATION (data).....	1160
VERBAL DE-ESCALATION (q-pair).....	619
VERBALIZED BY PATIENT (data).....	1161
VERBALIZED BY PATIENT (q-pair).....	729
VERY LOW BMI (data).....	1161
VERY LOW BMI (q-pair).....	575
VIOLET (data).....	1161
VIOLET (q-pair).....	788
VIP PORT (data).....	1161
VIP PORT (q-pair).....	471
VISCOUS (data).....	1161
VISCOUS (q-pair).....	301, 569
VISION CORRECTED.....	776
VISION UNCORRECTED.....	777
VISUAL IMPAIRMENT (data).....	1162
VISUAL IMPAIRMENT (q-pair).....	165
VITAL 1.0 (data).....	1162
VITAL 1.0 (q-pair).....	176
VITAL 1.5 (data).....	1162
VITAL 1.5 (q-pair).....	176
VITAL AF (data).....	1162
VITAL AF (q-pair).....	176
VITAL ENTERAL NUTRITION TYPE (data).....	1162
VITAL ENTERAL NUTRITION TYPE (prod).....	1276
VITAL HN ENTERAL NUTRITION (data).....	1163
VITAL HN ENTERAL NUTRITION (prod).....	1276
VITAL HN ENTERAL NUTRITION (q-pair).....	176
VITAL SIGNS STABLE (data).....	1163
VITAL SIGNS STABLE (q-pair).....	152
VIVONEX RTF (data).....	1163
VIVONEX RTF (q-pair).....	176
VOIDED (data).....	1163
VOIDED (meth).....	1253
VOIDED (q-pair).....	152, 458, 487
VOLUNTEER (data).....	1163
VOLUNTEER (q-pair).....	543, 741
VOMITING (data).....	1164
VOMITING (q-pair).....	188, 214, 521
VT/VC - DO NOT CHECK TOTAL OR SUBTOTALS.....	778
VVI (data).....	1164
VVI (q-pair).....	477

- W -

WAFFLE (data).....	1164
WAFFLE (q-pair).....	574
WAIST (loca).....	1230
WAIST (q-pair).....	631, 634
WAITING ROOM (data).....	1164
WAITING ROOM (q-pair).....	192, 489
WALKER (data).....	1164
WALKER (q-pair).....	6, 742
WALKING OR PACING (data).....	1165
WALKING OR PACING (q-pair).....	129
WANDER GUARD IN PLACE (data).....	1165
WANDER GUARD IN PLACE (q-pair).....	4
WANDERER (data).....	1165
WANDERER (q-pair).....	40
WARD (data).....	1165
WARD (q-pair).....	489, 554
WARM (data).....	1165
WARM (q-pair).....	692

WARM HUMIDITY WITH O2 (data).....	1166
WARM HUMIDITY WITH O2 (q-pair).....	779
WARMER THAN GENERAL BODY TEMP (data).....	1166
WARMER THAN GENERAL BODY TEMP (q-pair).....	692
WARMER THAN OPPOSITE BODY PART (data).....	1166
WARMER THAN OPPOSITE BODY PART (q-pair).....	692
WARMING BLANKET (data).....	1166
WARMING BLANKET (q-pair).....	779
WARMING BOTTLE (data).....	1166
WARMING BOTTLE (q-pair).....	779
WARMING COOLING DEVICE.....	779
WARMING COOLING DEVICE APPLICATION.....	780
WARMING OFF (data).....	1167
WARMING OFF (q-pair).....	780
WARMING ON (data).....	1167
WARMING ON (q-pair).....	780
WATER (prod).....	1276
WATER (q-pair).....	314, 334
WATERSEAL (data).....	1167
WATERSEAL (q-pair).....	111
WAVEFORM REFLECTS ATRIAL PLACEMENT (data).....	1167
WAVEFORM REFLECTS ATRIAL PLACEMENT (q-pair).....	467
WBC - WASHED (prod).....	1276
WBC - WASHED (q-pair).....	314, 322
WEAK (data).....	1167
WEAK (q-pair).....	201, 227, 357, 747
WEAKNESS (data).....	1168
WEAKNESS (q-pair).....	521
WEDGED (data).....	1168
WEDGED (q-pair).....	467
WEIGHT.....	781
WEIGHT AT ADMISSION.....	782
WEIGHT DRY.....	783
WHEELCHAIR (data).....	1168
WHEELCHAIR (q-pair).....	742
WHEELCHAIR EXIT (posi).....	1259
WHEELCHAIR EXIT ALARM (data).....	1168
WHEELCHAIR EXIT ALARM (q-pair).....	24, 615
WHEELCHAIR SCALE (meth).....	1253
WHEELCHAIR SCALE (q-pair).....	781
WHEEZES (data).....	1168
WHITE (data).....	1169
WHITE (q-pair).....	159, 177, 216, 593, 749, 784, 788
WHOLE BLOOD (prod).....	1276
WHOLE BLOOD (q-pair).....	314
WITH ACTIVITY (meth).....	1254
WITH ACTIVITY (q-pair).....	63, 600, 609
WITH AMBULATION (meth).....	1254
WITH CAST OR BRACE (meth).....	1254
WITH CAST OR BRACE (q-pair).....	781
WITH PHYSICIAN (data).....	1169
WITH PHYSICIAN (q-pair).....	129
WITH PROSTHESIS (meth).....	1254
WITH PROSTHESIS (q-pair).....	781
WITH THERAPIST (data).....	1169
WITH THERAPIST (q-pair).....	129
WITHDRAWN (data).....	1169
WITHDRAWN (q-pair).....	56
WITHDRAWS TO PAIN (data).....	1169
WITHDRAWS TO PAIN (q-pair).....	135
WITHOUT ASSISTANCE (data).....	1170



WITHOUT ASSISTANCE (q-pair).....	6
WITHOUT PROSTHESIS (meth).....	1254
WITHOUT PROSTHESIS (q-pair).....	781
WOUND (data).....	1170
WOUND (q-pair).....	678
WOUND BED COLOR.....	784
WOUND CARE TYPE.....	785
WOUND DEPTH.....	786
WOUND DISCHARGE CHARACTERISTICS.....	787
WOUND DISCHARGE CHARACTERISTICS BLOODY (data).....	1170
WOUND DISCHARGE CHARACTERISTICS BLOODY (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS CLOUDY (data).....	1170
WOUND DISCHARGE CHARACTERISTICS CLOUDY (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS NONE (data).....	1170
WOUND DISCHARGE CHARACTERISTICS NONE (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS PURULENT (data).....	1171
WOUND DISCHARGE CHARACTERISTICS PURULENT (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data)..	1171
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (q-pair)	787
WOUND DISCHARGE CHARACTERISTICS SEROUS (data).....	1171
WOUND DISCHARGE CHARACTERISTICS SEROUS (q-pair).....	787
WOUND DISCHARGE CHARACTERISTICS VISCOUS (data).....	1171
WOUND DISCHARGE CHARACTERISTICS VISCOUS (q-pair).....	787
WOUND DISCHARGE COLOR.....	788
WOUND DISCHARGE ODOR.....	789
WOUND DRAIN TYPE.....	790
WOUND DRAINAGE (prod).....	1277
WOUND DRAINAGE (q-pair).....	451
WOUND DRAINAGE AMOUNT.....	791
WOUND DRAINAGE AMOUNT HEAVY (data).....	1171
WOUND DRAINAGE AMOUNT HEAVY (q-pair).....	791
WOUND DRAINAGE AMOUNT MODERATE (data).....	1172
WOUND DRAINAGE AMOUNT MODERATE (q-pair).....	791
WOUND DRAINAGE AMOUNT NONE (data).....	1172
WOUND DRAINAGE AMOUNT NONE (q-pair).....	791
WOUND DRAINAGE AMOUNT SCANT (data).....	1172
WOUND DRAINAGE AMOUNT SCANT (q-pair).....	791
WOUND DRAINAGE AMOUNT SMALL (data).....	1172
WOUND DRAINAGE AMOUNT SMALL (q-pair).....	791
WOUND DRESSING CHANGE.....	792
WOUND DRESSING TYPE.....	793
WOUND DRESSING TYPE ANTIMICROBIAL (data).....	1172
WOUND DRESSING TYPE CALCIUM ALGINATE (data).....	1173
WOUND DRESSING TYPE GAUZE (data).....	1173
WOUND DRESSING TYPE GAUZE PACKING (data).....	1173
WOUND DRESSING TYPE GAUZE WRAP (data).....	1173
WOUND DRESSING TYPE HYDROCOLLOIDAL (data).....	1173
WOUND DRESSING TYPE HYDROGEL (data).....	1174
WOUND DRESSING TYPE NONE (data).....	1174
WOUND DRESSING TYPE PRESSURE (data).....	1174
WOUND DRESSING TYPE TRANSPARENT (data).....	1174
WOUND EDGE.....	794
WOUND EDGE INDISTINCT/ATTACHED (data).....	1174
WOUND EDGE INDISTINCT/ATTACHED (q-pair).....	794
WOUND EDGE NON-ATTACHED (data).....	1175
WOUND EDGE NON-ATTACHED (q-pair).....	794
WOUND EDGE ROLLED (data).....	1175
WOUND EDGE ROLLED (q-pair).....	794
WOUND EDGE TUNNELING (data).....	1175
WOUND EDGE TUNNELING (q-pair).....	794
WOUND EDGE UNDERMINING (data).....	1175
WOUND EDGE UNDERMINING (q-pair).....	794

WOUND HEALING STATUS.....	795
WOUND IDENTIFIED/SITE.....	796
WOUND IRRIGATION (prod).....	1277
WOUND LENGTH.....	797
WOUND ODOR.....	798
WOUND ODOR FOUL (data).....	1175
WOUND ODOR FOUL (q-pair).....	798
WOUND ODOR NONE (data).....	1176
WOUND ODOR NONE (q-pair).....	798
WOUND PHOTOGRAPHED.....	799
WOUND TREATMENT.....	800
WOUND TYPE.....	801
WOUND VAC DEVICE (data).....	1176
WOUND VAC DEVICE (q-pair).....	790
WOUND VACUUM (prod).....	1277
WOUND VACUUM (q-pair).....	451
WOUND VACUUM ASSISTED CLOSURE.....	802
WOUND WIDTH.....	803
WRIST (loca).....	1231
WRIST (q-pair).....	117

- X -

X-RAY (data).....	1176
X-RAY (q-pair).....	217
XENADERM (data).....	1176
XENADERM (q-pair).....	578
XEROFORM (data).....	1176
XEROFORM (q-pair).....	578, 800

- Y -

YEAR (unit).....	1315
YELLOW (data).....	1177
YELLOW (q-pair).....	159, 177, 216, 593, 672, 715, 749, 784, 788
YELLOW/FIBRINOUS (data).....	1177
YELLOW/FIBRINOUS (q-pair).....	567
YELLOW/GREEN (data).....	1177
YELLOW/GREEN (q-pair).....	715
YES (data).....	1177
YES (q-pair).....	14, 15, 18, 23, 33, 34, 35, 36, 37, 38, 39, 41, 42, 45, 49, 51, 61, 75, 76, 78, 94, 99, 105, 108, 112, 113, 140, 156, 194, 196, 206, 213, 222, 231, 233, 238, 239, 246, 300, 303, 308, 309, 310, 311, 312, 425, 462, 468, 473, 476, 478, 480, 488, 490, 505, 519, 529, 530, 558, 570, 573, 576, 579, 581, 591, 606, 616, 617, 618, 620, 621, 622, 623, 640, 650, 651, 671, 673, 675, 676, 677, 688, 689, 736,

744, 745, 753, 792,  
799

- { -

{8BC7F294-7126-4843-91A0-14F805EC4578} (data).....1178  
{8BC7F294-7126-4843-91A0-14F805EC4578} (q-pair).....186