

## **Home Telehealth (HT)**

PXRM\*2\*19 TIU\*1\*258 GMTS\*2.7\*98

## **INSTALLATION and SETUP GUIDE**

**July 2017** 

Department of Veterans Affairs
Office of Information & Technology (OI&T)
Enterprise Program Management Office (EPMO)

## Contents

INTRODUCTION	1
Web Sites	11
Getting Help	11
PRE-INSTALLATION	12
Required Software for PXRM*2*19	
Estimated Installation Time: approximately 20 minutes	
NOTE: We recommend that a Clinical Reminders Manager or CAC be present during the install	
that if questions occur during the install of Reminder Exchange entries, a knowledgeable person	
respond to them.	12
INSTALLATION	14
1. Retrieve host file containing the multi-package build and zip file containing new TXML temp	lates.14
2. Install the build first in a training or test account.	
3. Load the distribution	14
a. Backup a Transport Global	
b. Compare Transport Global to Current System	
c. Verify Checksums in Transport Global	
d. Print Transport Global (optional)	
4. Install the build.	
5. Install File Print	
6. Build File Print	
7. Post-Install Routines	
8. Deletion of init routines	
SET-UP	
Setup Instructions – Summary Steps	
Setup Instructions – Detailed Steps	
1. Create a new user class in for your HT clinicians.	
2. Edit your "CCHT TEMPLATES" folder in SHARED TEMPLATES to be HT TEMPLATES.	
3. Expand the HT_TXML_TEMPLATES.ZIP file to a known location	
4. Create GUI dialogs for the HT reminder dialogs	26
5. Verify that the four new HT clinical reminders launch (reminder dialogs linked) from the Reminders drawer.	20
6. Create/edit the consult quick order to HOME TELEHEALTH ENROLLMENT OUTPT:	
7. Configure two new Health Summary types for the CPRS GUI Reports tab	
8. Assign the TIU HT MENU and (optional) PXRM HT DEFINITION EDIT to CAC(s)	
9. Link the HT templates to NOTE TITLES	
10. (Optional for all sites) If you need to change the FREQUENCY of the HT PERIODIC	33
EVALUATION.	35
11. Build the 5 reminder report templates and do sample runs of each, with a short date range	
APPENDIX A: FILE ENTRY DELETE AND POINTER UPDATE	
APPENDIX B: CROSSWALK FROM CCHT PILOT TO NATIONAL RELEASE	
APPENDIX C: HT QUEUED MAILMAN REPORT	
APPENDIX C. HT QUEUED WAILMAN REPORT  APPENDIX D: CONTENTS OF THE PACKED REMINDER EXPORT HT TEMPLATES/REMINDE	
SET	
APPENDIX E: CLINIC CROSSWALK	
APPENDIX F: INSTALLATION EXAMPLE	
APPENDIX G: FILEMAN SEARCHES FOR HT PILOT SITES	
APPENDIX H: HEALTH FACTORS	119

APPENDIX I: HEALTH FACTORS (ALPHA SORT W/ CATEGORY)	123
APPENDIX J: EDUCATION TOPICS	126
APPENDIX K: ACRONYMS AND GLOSSARY	
ACRONYMS	
Glossary	

## Introduction

The purpose of this project is to release new national reminders and reminder dialogs that will be used by Care Coordinators (Nurses, Social Workers, Rehab Specialists, Dietitians, Pharmacists and Psychologists) managing patients enrolled in HT programs.

The National Office of Connected Care (10P8) wishes to have a comprehensive, integrated template set in use at all VA facilities caring for Home Telehealth patients.

NOTE: These national patches and subsequent template set originated as the Care Coordination Home Telehealth (CCHT) Phase III Pilot program executed over several years at a small number of VA Medical Centers. As such, there are some steps in this document that should only apply to former pilot sites and some steps that apply only to non-pilot sites. These steps are marked accordingly.

This document is an Installation and Setup guide. The intended audience is both IT patch installers and facility CACs. IT installers should ensure that CAC partners receive a copy of this guide and work closely with CACs before, during, and after the installation.

The HT project is being distributed as a bundled build containing the following patches:

**PXRM\*2\*19** installs the new national reminders and dialogs, queues a report to run and sends MailMan output to the Clinical Reminders mail group.

The pre-install will disable PXRM options and protocols; run two routines that will rename any program-specific HEALTH FACTORS or EDUCATION TOPICS found at CCHT Pilot sites where those entries are installed at National IENs; and remove any previous version of the Reminder Exchange file used by the patch install.

The post-install will re-enable the options and protocols; invoke the Reminder Exchange utility to install the Clinical Reminders content; prompt for recipients and then queue the MailMan report; attempt to set the ORWPCE EXCLUDE HEALTH FACTORS and TIU TEMPLATE REMINDER DIALOGS parameters for the relevant entries; and send an install message to the local Clinical Reminders mail group.

#### **PXRM Inventory**

Reminder Definitions

VA-HT CAREGIVER RISK ASSESSMENT

VA-HT CONTINUUM OF CARE (FOLLOW-UP)

VA-HT CONTINUUM OF CARE (INITIAL)

VA-HT OBJ BARRIERS TO LEARNING

VA-HT OBJ CAREGIVER NAME/RELATIONSHIP

VA-HT OBJ CATEGORY OF CARE LAST

VA-HT OBJ CCM RATING LAST

VA-HT OBJ CONTINUUM OF CARE LAST DONE

VA-HT OBJ EDUCATION TOPICS ALL

VA-HT OBJ EMERGENCY PRIORITY RATING LAST

VA-HT OBJ MEDICATION RECONCILIATION

VA-HT OBJ NIC/CCM RATING LAST

VA-HT PERIODIC EVALUATION

## Reminder Dialogs

VA-HT ASSESSMENT TREATMENT PLAN TEMPLATE

VA-HT CAREGIVER ASSESSMENT TEMPLATE

VA-HT CAREGIVER RISK ASSESSMENT

VA-HT CAREGIVER/VETERAN REFERRAL

VA-HT CONTINUUM OF CARE TEMPLATE

VA-HT CONTINUUM OF CARE (FOLLOW-UP)

VA-HT CONTINUUM OF CARE (INITIAL)

VA-HT DISCHARGE TEMPLATE

**VA-HT INTERVENTION TEMPLATE** 

VA-HT PERIODIC EVALUATION

VA-HT SCREENING CONSULT TEMPLATE

VA-HT TECH EDUCATION & INSTALLATION TEMPLATE

VA-HT TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS

VA-HT VIDEO VISIT TEMPLATE

#### Reminder Terms

VA-HT BL GEC BASIC ADLS

**VA-HT BL GEC IADLS** 

VA-HT BL HT BASIC ADLS

VA-HT BL HT IADLS

VA-HT BL NIC/CCM CRITERIA

**VA-HT CAREGIVER RELATIONSHIP** 

VA-HT CAREGIVER RISK ASSESSMENT DONE

VA-HT CATEGORY OF CARE

VA-HT CCF DOES NOT MEET CCM CRITERIA

VA-HT CCF DOES NOT MEET NIC CRITERIA

VA-HT CCF FOLLOW-UP ASSESSMENT COMPLETED

VA-HT CCF INITIAL ASSESSMENT COMPLETED

VA-HT CCF MEETS CHRONIC CARE MGMT CRITERIA

VA-HT CCF MEETS NIC CRITERIA

VA-HT CCF UNPAID CAREGIVER-YES

VA-HT CCM (CHRONIC CARE MGMT) CRITERIA

**VA-HT DISCHARGE REASONS** 

VA-HT EMERGENCY PRIORITY RATINGS

VA-HT ENROLLMENT-START DATE

VA-HT ENROLLMENT-START DATE (PREV ENROLL)

VA-HT MEDICATIONS VIA NON-PROVIDER

VA-HT PERIODIC EVALUATION COMPLETED

VA-HT PT/CAREGIVER LIST OF ACTIVE MEDICATIONS

VA-HT PT/CAREGIVER QUESTIONS ON MEDICATIONS

## VA-HT SUPPRESS FOR AGE <75 VA-HT UNABLE TO SCREEN CAREGIVER

## Reminder Taxonomies

**VA-HT ENCOUNTER PHONE 21** 

VA-HT ENCOUNTER PHONE 11

**VA-HT ENCOUNTER PHONE 5** 

#### New Health Factors

HT (HOME TELEHEALTH)

HT ASSESSMENT/TREATMENT PLAN

HT BARRIERS TO LEARNING

HT BATHING HELP/SUPRVISION LAST 7D-NO

HT BATHING HELP/SUPRVISION LAST 7D-YES

HT BED MOBIL HELP/SUPERV LAST 7D-NO

HT BED MOBIL HELP/SUPERV LAST 7D-YES

HT CAREGIVER ASSESSMENT SCREEN COMPLETED

HT CAREGIVER REFERRAL BEREAVE SUPPORT

HT CAREGIVER REFERRAL C/G SUPPORT GRP

HT CAREGIVER REFERRAL EDUC/TRAINING

HT CAREGIVER REFERRAL FAMILY COUNSEL

HT CAREGIVER REFERRAL INDIVID COUNSEL

HT CAREGIVER REFERRAL MEDICAL EVAL.F/U

HT CAREGIVER REFERRAL OTHER SERVICE

HT CAREGIVER REFERRAL SOCIAL WORK

HT CAREGIVER REFERRAL SVCS IN PLACE

HT CAREGIVER REFERRAL(S) NON VA SYSTEM

HT CAREGIVER REFERRAL(S) VA SYSTEM

HT CAREGIVER REVIEW OF WRITTEN MATERIALS

HT CAREGIVER RISK ASSESSMENT SCREEN

HT CAREGIVER STATES ESSENTIAL CONCEPTS

HT CATEGORY OF CARE-ACUTE CARE

HT CATEGORY OF CARE-CHRONIC CARE MGMT

HT CATEGORY OF CARE-HEALTH PROMOTION

HT CATEGORY OF CARE-NON INSTITUTIONAL

HT CATEGORY OF CARE-OTHER

HT CCF 1 OR MORE BEHAV/COGN PROBLEMS

HT CCF 12 OR MORE CLINIC STOPS PAST YR

HT CCF 2 OR MORE ADL DEFICITS

HT CCF AGE 75 OR GREATER

HT CCF AGITATED/DISORIENTED-NO

HT CCF AGITATED/DISORIENTED-YES

HT CCF CAREGIVER ACCESSIBLE

HT CCF CAREGIVER CAN INCREASE HELP

HT CCF CAREGIVER CAN'T INCREASE HELP

- HT CCF CAREGIVER LIVES WITH PT-NO
- HT CCF CAREGIVER LIVES WITH PT-YES
- HT CCF CAREGIVER NOT ACCESSIBLE
- HT CCF CAREGIVER-ADL HELP
- HT CCF CAREGIVER-CHILD
- HT CCF CAREGIVER-EMOTIONAL SUPPORT
- HT CCF CAREGIVER-FRIEND/NEIGHBOR
- HT CCF CAREGIVER-IADL HELP
- HT CCF CAREGIVER-OTHER
- HT CCF CAREGIVER'S CITY
- HT CCF CAREGIVER'S NAME
- HT CCF CAREGIVER'S PHONE
- HT CCF CAREGIVER'S STATE
- HT CCF CAREGIVER'S STREET ADDRESS
- HT CCF CAREGIVER'S ZIP CODE
- HT CCF CAREGIVER-SPOUSE
- HT CCF COMPLEXITY TOO GREAT-NO
- HT CCF COMPLEXITY TOO GREAT-YES
- HT CCF DELUSIONS-NO
- HT CCF DELUSIONS-YES
- HT CCF DIFFIC MAKE SELF UNDERSTOOD-NO
- HT CCF DIFFIC MAKE SELF UNDERSTOOD-YES
- HT CCF DIFFIC REASONABLE DECISIONS-NO
- HT CCF DIFFIC REASONABLE DECISIONS-YES
- HT CCF DOES NOT MEET CCM CRITERIA
- HT CCF DOES NOT MEET NIC CRITERIA
- HT CCF FLARE UP CHRONIC CONDITION-NO
- HT CCF FLARE UP CHRONIC CONDITION-YES
- HT CCF FOLLOW-UP ASSESSMENT COMPLETED
- HT CCF GROUP SETTING NON RELATIVES
- HT CCF HALLUCINATIONS-AUDITORY
- HT CCF HALLUCINATIONS-NONE
- HT CCF HALLUCINATIONS-OLFACTORY
- HT CCF HALLUCINATIONS-SENSORY
- HT CCF HALLUCINATIONS-TACTILE
- HT CCF HALLUCINATIONS-VISUAL
- HT CCF INITIAL ASSESSMENT COMPLETED
- HT CCF LIFE EXPECTANCY < 6 MO
- HT CCF LIVES ALONE
- HT CCF LIVES ALONE IN COMMUNITY
- HT CCF LIVES AT OTHER
- HT CCF LIVES BOARD AND CARE
- HT CCF LIVES DOMICILIARY
- HT CCF LIVES HOMELESS

- HT CCF LIVES HOMELESS SHELTER
- HT CCF LIVES NURSING HOME
- HT CCF LIVES PRIVATE HOME
- HT CCF LIVES WITH ADULT CHILD
- HT CCF LIVES WITH CHILD
- HT CCF LIVES WITH OTHER
- HT CCF LIVES WITH SPOUSE & OTHERS
- HT CCF LIVES WITH SPOUSE ONLY
- HT CCF MEETS CHRONIC CARE MGMT CRITERIA
- HT CCF MEETS NIC CATEGORY A CRITERIA
- HT CCF MEETS NIC CATEGORY B CRITERIA
- HT CCF MEETS NIC CRITERIA
- HT CCF MOOD DISORDER DEPRESSION-NO
- HT CCF MOOD DISORDER DEPRESSION-YES
- HT CCF MOOD DISORDER MANIC-NO
- HT CCF MOOD DISORDER MANIC-YES
- HT CCF NIC CRITERIA NO-ACUTE CARE MGMT
- HT CCF NIC CRITERIA NO-HLTH PROMOTION
- HT CCF PHYSICALLY ABUSIVE BEHAVIOR-NO
- HT CCF PHYSICALLY ABUSIVE BEHAVIOR-YES
- HT CCF POTENTIAL FOR INCR INDEP-NO
- HT CCF POTENTIAL FOR INCR INDEP-YES
- HT CCF PROBLEMS WITH 3 OR MORE ADLS
- HT CCF PROBLEMS WITH 3 OR MORE IADL
- HT CCF PTSD/OTHER ANXIETY-NO
- HT CCF PTSD/OTHER ANXIETY-YES
- HT CCF RECOMMEND REFERRAL-NO
- HT CCF RECOMMEND REFERRAL-YES
- HT CCF RESISTING CARE-NO
- HT CCF RESISTING CARE-YES
- HT CCF SERVICES IN PLACE-NO
- HT CCF SERVICES IN PLACE-YES
- HT CCF SUBST ABUSE/DEPENDENCE-NO
- HT CCF SUBST ABUSE/DEPENDENCE-YES
- HT CCF UNPAID CAREGIVER-NO
- HT CCF UNPAID CAREGIVER-YES
- HT CCF VERBALLY ABUSIVE BEHAVIOR-NO
- HT CCF VERBALLY ABUSIVE BEHAVIOR-YES
- HT CCF WANDERING-NO
- HT CCF WANDERING-YES
- HT CG/VETERAN REFERRAL COMPLETED
- HT CG/VETERAN REFERRAL(S) NOT UTILIZED
- HT CLINICAL REASON FOR ENROLLMENT
- HT CONSULTS/REFERRALS RECOMMENDED

- HT CONTINUUM OF CARE (CCF)
- HT DIFFICULT MANAGING MEDS/LAST 7D-NO
- HT DIFFICULT MANAGING MEDS/LAST 7D-YES
- HT DIFFICULT MNG FINANCES/LAST 7D-NO
- HT DIFFICULT MNG FINANCES/LAST 7D-YES
- HT DIFFICULT PREPARE MEALS/LAST 7D-NO
- HT DIFFICULT PREPARE MEALS/LAST 7D-YES
- HT DIFFICULT TRANSPORTATION/LAST 7D-NO
- HT DIFFICULT TRANSPORTATION/LAST 7D-YES
- HT DIFFICULT USING PHONE LAST 7D-NO
- HT DIFFICULT USING PHONE LAST 7D-YES
- HT DIFFICULT W/ HOUSEWORK/LAST 7D-NO
- HT DIFFICULT W/ HOUSEWORK/LAST 7D-YES
- HT DIFFICULT WITH SHOPPING/LAST 7D-NO
- HT DIFFICULT WITH SHOPPING/LAST 7D-YES
- HT DISCHARGE
- HT DISCHARGE-ADMITTED TO NURSING HOME
- HT DISCHARGE-ALL ISSUES ADDRESSED(NO)
- HT DISCHARGE-ALL ISSUES ADDRESSED(YES)
- HT DISCHARGE-HAS MET GOALS
- HT DISCHARGE-NO RESPONSE TO PROGRAM
- HT DISCHARGE-NO VA PRIMARY CARE SVCS
- HT DISCHARGE-OTHER FOLLOW-UP
- HT DISCHARGE-PATIENT IS DECEASED
- HT DISCHARGE-PHONE, ELECT SVCS UNAVAIL
- HT DISCHARGE-PROLONGED HOSPITALIZATION
- HT DISCHARGE-PROVIDER REQUESTS DC
- HT DISCHARGE-PT/CG REQUEST DC SERVICES
- HT DISCHARGE-REFERRED TO HOSPICE
- HT DISCHARGE-REFERRED TO MENTAL HEALTH
- HT DISCHARGE-REFERRED TO NEW LOCATION
- HT DISCHARGE-REFERRED TO PRIMARY CARE
- HT DISCHARGE-REFERRED TO SOCIAL WORK
- HT DISCHARGE-RELOCATED OUT OF SVC AREA
- HT DISCHARGE-UNABLE TO OPERATE DEVICES
- HT DISEASE INDICATIONS-COPD
- HT DISEASE INDICATIONS-DEPRESSION
- HT DISEASE INDICATIONS-DIABETES
- HT DISEASE INDICATIONS-HEART FAILURE
- HT DISEASE INDICATIONS-HYPERTENSION
- HT DISEASE INDICATIONS-OBESITY
- HT DISEASE INDICATIONS-OTHER
- HT DISEASE INDICATIONS-PTSD
- HT DISEASE INDICATIONS-SUBSTANCE ABUSE

- HT DISINTERESTED/LACKS MOTIVATION
- HT DRESSING HELP/SUPERV LAST 7D-NO
- HT DRESSING HELP/SUPERV LAST 7D-YES
- HT EATING HELP/SUPERVISION LAST 7D-NO
- HT EATING HELP/SUPERVISION LAST 7D-YES
- HT EMERG PRIORITY HIGH-IMMEDIATE EVAL
- HT EMERG PRIORITY LOW-HAS RESOURCES
- HT EMERG PRIORITY MOD-SVCS AFTER 3-7D
- HT ENROLLMENT-ENDING DATE
- HT ENROLLMENT-START DATE
- HT ENROLLMENT-START DATE (PREV ENROLL)
- HT EQUIP INSTALLED BY OTHER
- HT EQUIP INSTALLED BY SUPPORT STAFF
- HT EQUIP INSTALLED BY VETERAN/CAREGIVER
- HT GETS MEDS VIA NON-VA PROVIDER-NO
- HT GETS MEDS VIA NON-VA PROVIDER-YES
- HT HEALTH EDUCATION PLAN
- HT HEALTH EDUCATION RESPONSE
- HT INDICATIONS-# OUTPT VISITS PAST YR
- HT INDICATIONS-DISTANCE (HOURS)
- HT INDICATIONS-DISTANCE (MILES)
- HT INDICATIONS-HX HIGH COST/HIGH USE
- HT INDICATIONS-HX HOSPITALIZATONS
- HT LEARNING BARRIER-ANGRY
- HT LEARNING BARRIER-ANXIETY
- HT LEARNING BARRIER-APHASIA
- HT LEARNING BARRIER-COGNITIVE IMPAIRMENT
- HT LEARNING BARRIER-CULTURAL
- HT LEARNING BARRIER-HEARING IMPAIRED
- HT LEARNING BARRIER-HOMELESS
- HT LEARNING BARRIER-IMPAIRED MEMORY
- HT LEARNING BARRIER-NONE IDENTIFIED
- HT LEARNING BARRIER-NOT MOTIVATED
- HT LEARNING BARRIER-OVERWHELMED
- HT LEARNING BARRIER-PAIN
- HT LEARNING BARRIER-PHYSICAL LIMITATIONS
- HT LEARNING BARRIER-POOR CONCENTRATION
- HT LEARNING BARRIER-UNABLE TO READ
- HT LEARNING BARRIER-UNABLE TO WRITE
- HT LEARNING BARRIER-VISUALLY IMPAIRED
- HT MEALS PREPARED BY OTHER/LAST 7D-NO
- HT MEALS PREPARED BY OTHER/LAST 7D-YES
- HT MEETS TELEHEALTH CRITERIA(NO)
- HT MEETS TELEHEALTH CRITERIA(YES)

HT MOVE INDOOR HELP/SUPERV LAST 7D-NO

HT MOVE INDOOR HELP/SUPERV LAST 7D-YES

HT NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP

HT NO EVIDENCE OF LEARNING

HT NO FOLLOW-UP NEEDED/INDICATED

HT PERIODIC EVALUATION COMPLETED

HT PLAN-MED DISCREP SENT TO PROVIDER

HT PLAN-REVIEWED LIST OF CURRENT MEDS

HT PT/CG HAS LIST OF ACTIVE MEDS-NO

HT PT/CG HAS LIST OF ACTIVE MEDS-YES

HT PT/CG HAS QUESTIONS ON MEDS-NO

HT PT/CG HAS QUESTIONS ON MEDS-YES

HT REASON FOR NON-ENROLLMENT

HT RECENT CHANGE IN FUNCTION-NO

HT RECENT CHANGE IN FUNCTION-YES

HT REFERRAL-CONSULT COMPLETION

HT REFERRALS FOR VETERAN/CAREGIVER

HT REFERRALS-CAREGIVER NOT SATISFIED

HT REFERRALS-CAREGIVER SATISFIED

HT REPEAT DEMONSTRATION NEXT VISIT

HT TEACH CAREGIVER/FAMILY/SIGNIF OTHER

HT TELEHEALTH DELIVERY/INSTALL MODE

HT TELEHEALTH DEMOGRAPHICS

HT TOILET HELP/SUPERVISION LAST 7D-NO

HT TOILET HELP/SUPERVISION LAST 7D-YES

HT TRANSFERS HELP/SUPERV LAST 7D-NO

HT TRANSFERS HELP/SUPERV LAST 7D-YES

HT UNABLE TO SCREEN CAREGIVER

HT VET NOT INTERESTED TELEHEALTH PROGRAM

HT VET/CAREGIVER VIEW VIDEOS/HEALTH TV

HT VETERAN REFERRAL EDUC/TRAINING

HT VETERAN REFERRAL OTHER SERVICE

HT VETERAN REFERRAL SVCS IN PLACE

HT VETERAN REFERRAL(S) NON VA SYSTEM

HT VETERAN REFERRAL(S) VA SYSTEM

HT VETERAN REVIEW OF WRITTEN MATERIALS

HT VETERAN STATES ESSENTIAL CONCEPTS

HT VETERAN'S GOAL FOR ENROLLMENT

HT W/C MOBIL HELP/SUPERV LAST 7D-NO

HT W/C MOBIL HELP/SUPERV LAST 7D-YES

## **New Education Topics**

VA-HOME TELEHEALTH-CAREGIVER EDUCATION/SUPPORT VA-HOME TELEHEALTH-DISEASE MGMT/PATIENT SELF-MGMT

## VA-HOME TELEHEALTH-IN HOME MONITORING VA-HOME TELEHEALTH-MEDICATION MANAGEMENT

## TIU Template Fields

**BLANK SPACE1** 

**OPTIONAL TEXT** 

OTHER(REQ-DISP ONLY)

TEXT (1-60 CHARACTERS) REQ

VA-HT EDIT50

**VA-HT OTHER** 

**VA-HT SPECIFY** 

**VA-HT VITAL SIGNS MODE** 

VA-HT W-P2LINES(R)

VA-HT W-P4LINES(R)

**VA-HT W-P6LINES** 

VA-HT W-P6LINES(R)

TIU\*1.0\*258 deploys the twelve official titles for the Home Telehealth (HT) program, and will ensure compliance with the HT program's TIU Document Definitions Hierarchy. The end result from the TIU installation should be a document class named HOME TELEHEALTH NOTES installed under the PROGRESS NOTES document class. Contained in HOME TELEHEALTH NOTES will be the titles for HT. They are:

HT ASSESSMENT TREATMENT PLAN NOTE

HT CAREGIVER ASSESSMENT NOTE

HT CONTINUUM OF CARE NOTE

HT DISCHARGE NOTE

HT INTERVENTION NOTE

HT NOTE

HT PERIODIC EVALUATION NOTE

HT SCREENING CONSULT (will be installed under CONSULTS document class)

HT SUMMARY OF EPISODE NOTE

HT TECH EDUCATION NOT

HT TELEPHONE CASE MANAGEMENT NOTE

HT VIDEO VISIT NOTE

The patch has an environment check routine, TIUP258E, which searches for several items and scenarios:

- CLINICAL COORDINATOR user class
- Document Classes:
  - CARE COORDINATION HOME TELEHEALTH NOTES
  - HOME TELEHEALTH NOTES
  - o CONSULTS
- Pre-existing "CCHT" or "HT" named local titles (e.g. "CCHT NOTE" or "HT NOTE")

If CLINICAL COORDINATOR or CONSULTS are missing, the installation will abort and cannot continue until the issue is corrected.

For any pre-existing "CCHT" or "HT" local titles, the environment check is only concerned with titles that have a name match to an incoming national title and are not part of CONSULTS, CARE COORDINATION HOME TELEHEALTH NOTES, or HOME TELEHEALTH NOTES. If any local titles meet these criteria, a list of each title along with the IEN from TIU DOCUMENT DEFINITION (#9825.1) will be displayed on the screen and the installation will abort.

For example, if a site already has a title named HT NOTES but that title is \*not\* sitting under a document class of CARE COORDINATION HOME TELEHEALTH NOTES, or HOME TELEHEALTH NOTES, then this title will be displayed on the installer's screen and the install will abort. Alternatively, if a title named HT PERIODIC EVALUATION is found under HOME TELEHEALTH NOTES, this will not trigger an abort condition for the installation.

#### Example display from a test installation

```
Verifying installation environment...

Checking for existing document classes...
Document class found: HOME TELEHEALTH NOTES

Document class check complete.

Now checking for any local titles that may conflict with new national titles.

***INSTALL ABORTING***

The following title NAMES (.01) have been found in TIU DOCUMENT DEFINITION.
These titles are NOT part of the HOME TELEHEALTH NOTES document class or the CARE COORDINATION HOME TELEHEALTH NOTES document class.
These NAMES will clash with new National titles in patch TIU*1*258.
To correct this issue, please work with site staff to rename these titles.

HT NOTE(#50)

**INSTALL WILL NOW ABORT. TRANSPORT GLOBAL(S) WILL BE UNLOADED**

Please re-install HT TEMPLATES PROJECT 1.0 when corrections are complete.
```

The TIU pre-install routine will prepare the TIU environment to receive the new HT titles. For CCHT pilot sites, this means inactivating the CARE COORDINATION HOME TELEHEALTH NOTES document class and renaming it to HOME TELEHEALTH NOTES. After that, the relevant "CCHT" note titles will be renamed to "HT" equivalents provided the titles are a member of the HOME TELEHEALTH NOTES document class (or CONSULTS document class in the case of CCHT SCREENING CONSULT). For a given title, if a name match is found, but that title is found in a different document class than expected, a new HT title will be created (during post-install) in lieu of renaming the CCHT title.

For sites that did not participate in the CCHT pilot program, the pre-install routine will inactivate and rename the CARE COORDINATION HOME TELEHEALTH NOTES document class. Any pre-existing local title(s) with will be renamed ("CCHT" to "HT") but only if the title(s) are found in the expected document class.

The post-install routine will complete the document definition installations; map the newly introduced HT titles to the HT Enterprise Standard Titles; and if possible, activate the new titles. If the mapping or activation fails for a given title, those tasks can be accomplished locally via TIU package options.

**GMTS\*2.7\*98** adds two new Health Summary reports for display on the CPRS Reports tab. These reports will display both local and remote data.

This patch contains an environment check routine, GMTSPI98, that will run when the KIDS build is first loaded. This routine checks for the presence of any file entries at IEN 5000018 and 5000019 in the 'GMT(142 global. These IENs should be undefined/empty as the 5000000+ IEN range is reserved for new National remote health summary types. If an entry is found at either location, the install will abort. If this occurs, the site should contact the National Help Desk for assistance with the Health Summary package and moving the existing entry(ies) to a different IEN in the 'GMT(142 global. Once this has been corrected, the site may then re-load and re-install the bundle.

The pre-install will remove any previous version of the Reminder Exchange file used to create the two new remote Health Summary Types. The post-install will create a stub entry in HEALTH SUMMARY TYPE (#142) for each of the two remote Health Summary Types and then call the Reminder Exchange utility to populate the stub entries with the content for each Health Summary Type. All other Health Summary items are installed via Reminder Exchange by the PXRM\*2.0\*19 patch.

#### **Web Sites**

Site	URL	Description
National Clinical	http://vista.med.va.gov/reminders	Contains manuals, PowerPoint
Reminders site		presentations, and other information
		about Clinical Reminders
National Clinical	http://vaww.portal.va.gov/sites/ncrc	This committee directs the
Reminders Committee	public/default.aspx	development of new and revised
		national reminders
VA Software	http://www.va.gov/vdl/	Contains manuals for Clinical
Document Library		Reminders and related applications.

#### **Getting Help**

If you require further technical assistance, please notify your local IT support to log a national CA Service Desk Manager (SDM) ticket (previously a Remedy<sup>TM</sup> ticket) or contact the VA Service Desk at 1-888-596-4357 and have them submit a national CA ticket to the Incident Area: NTL.APP.VISTA.CLINICAL REMINDERS 2\_0 and we will contact you.

## **Pre-Installation**

This manual describes how to install the bundled patches, PXRM\*2\*19, GMTS\*2.7\*98, and TIU\*1\*258.

## Required Software for PXRM\*2\*19

Package/Patch	Namespace	Version	Comments
Clinical Reminders	PXRM	2.0	Fully patched
GEN. MED. REC. – VITALS	GMRV	5.0	
GMRV*5*25			
Health Summary	GMTS	2.7	Fully patched
HL7	HL	1.6	Fully patched
Kernel	XU	8.0	Fully patched
MailMan	XM	7.1	Fully patched
NATIONAL DRUG FILE	PSN	4.0	
PSN*4.0*176			
Pharmacy Data Management	PSS	1.0	
PSS*1.0*133			
Outpatient Pharmacy	PSO	7.0	
PSO*7.0*299			
RADIOLOGY/NUCLEAR MEDICINE	RA	5.0	
RA*5*56			
TOOLKIT	XT	7.3	
XT*7.3*111			
VA FileMan	DI	22.2	Fully patched

## **Estimated Installation Time: approximately 20 minutes**

NOTE: We recommend that a Clinical Reminders Manager or CAC be present during the install, so that if questions occur during the install of Reminder Exchange entries, a knowledgeable person can respond to them.

#### **Pre-Installation Instructions**

- 1. Please review the setup steps beginning on page 18 before starting the installation. The installation will do the following:
  - Disable PXRM menu options and protocols.
  - Delete any previous version of the associated Reminder Exchange entry.
  - At pilot program sites, converts a subset of the pre-existing local HT components to National components.
- 2. *Pilot sites.* Inspect and remove any pre-existing "CCHT" or "HT" entries at the SYSTEM level for the following parameters: ORWPCE EXCLUDE HEALTH FACTORS. Use the General Parameter Tools menu [XPAR MENU TOOLS] to clean up these parameter entries.

```
Select OPTION NAME: XPAR MENU TOOLS
                                                General Parameter Tools
                                                                                menu
         List Values for a Selected Parameter
         List Values for a Selected Entity
         List Values for a Selected Package
         List Values for a Selected Template
         Edit Parameter Values
   ET
         Edit Parameter Values with Template
         Edit Parameter Definition Keyword
Select General Parameter Tools <TEST ACCOUNT> Option: EP Edit Parameter Values
                            --- Edit Parameter Values ---
Select PARAMETER DEFINITION NAME: ORWPCE EXCLUDE HEALTH FACTORS Excluded Health
Factors
ORWPCE EXCLUDE HEALTH FACTORS may be set for the following:
     User USR [choose from NEW PERSON]
Location LOC [choose from HOSPITAL LOCATION]
Service SRV [choose from SERVICE/SECTION]
DIV [choose from INSTITUTION]
System SYS [DVF.FO-SLC.MED.VA.GOV]
Package PKG [ORDER ENTRY/RESULTS REPORTING]
Enter selection: 5 System DVF.FO-SLC.MED.VA.GOV
-- Setting ORWPCE EXCLUDE HEALTH FACTORS for System: DVF.FO-SLC.MED.VA.GOV --
Select Sequence: ?
Sequence Value
          CCHT ASSESSMENT/TREATMENT PLAN
          CCHT CAREGIVER RISK ASSESSMENT SCREEN
          CCHT CONTINUUM OF CARE
          CCHT DISCHARGE
           CCHT REFERRALS FOR VETERAN/CAREGIVER
          CCHT TELEHEALTH DELIVERY/INSTALL MODE
           CCHT TELEHEALTH DEMOGRAPHICS
Select Sequence: 2
Sequence: 2//
Health Factor: CCHT ASSESSMENT/TREATMENT PLAN// HT ASSESSMENT/TREATMENT PLAN
```

- 3. Before beginning the installation, the IT person who will install the patch bundle should determine the individuals and/or mail group(s) at the local facility that should receive the queued MailMan report generated by the post-install. This report should be shared with local Clinical Reminders support/configuration staff and/or any other local staff as deemed appropriate by each facility.
- 4. Facility CACs: Review local TIU titles for any titles that may present conflicts as explained in the TIU\*1.0\*258 section of the Introduction. Doing this task before IT

attempts the installation will avoid delay if conflicts are found and the patch install is aborted.

## Installation

This build can be installed with users on the system, but it should be done during non-peak hours.

The installation needs to be done by a person with DUZ(0) set to "@."

# 1. Retrieve host file containing the multi-package build and zip file containing new TXML templates.

Use sftp to access the build from one of the following locations:

Albany	fo-albany.med.va.gov
Hines	fo-hines.med.va.gov
Salt Lake City	fo-slc.med.va.gov

The name of the host file is HT TEMPLATES 1 0.KID

The name of the zip file is HT\_TXML\_TEMPLATES.ZIP – send this file to the Clinical Reminders CAC at the site for which you are installing.

## 2. Install the build first in a training or test account.

Installing in a non-production environment will give you time to get familiar with new functionality and complete the setup for reminders and dialogs prior to installing the software in production.

#### 3. Load the distribution.

In programmer mode, type, D ^XUP, select the Kernel Installation & Distribution System menu (XPD MAIN), then the Installation option, and then the option LOAD a Distribution. Enter your directory name and HT\_TEMPLATES\_1.0.KID at the Host File prompt.

#### **Example**

```
Select Installation Option: LOAD a Distribution

Enter a Host File: HT_TEMPLATES_1_0.KID

KIDS Distribution saved on Apr 07, 2017@08:09:09

Comment: HT TEMPLATES 1.0
```

From the Installation menu, you may elect to use the following options:

#### a. Backup a Transport Global

This option will create a backup message of any routines exported with the patch. It will NOT back up any other changes such as DDs or templates.

## b. Compare Transport Global to Current System

This option will allow you to view all changes that will be made when the patch is installed. It compares all components of the patch (routines, DDs, templates, etc.).

## c. Verify Checksums in Transport Global

This option will allow you to ensure the integrity of the routines that are in the transport global. If there are any discrepancies, do not run the Install Package(s) option. Instead, run the Unload a Distribution option to remove the Transport Global from your system. Retrieve the file again from the anonymous directory (in case there was corruption in transferring) and Load the Distribution again. If the problem still exists, log a Remedy ticket and/or call the national Help Desk (1-888-596-HELP) to report the problem.

#### d. Print Transport Global (optional)

This option will allow you to view the components of the KIDS build.

## 4. Install the build.

From the Installation menu on the Kernel Installation and Distribution System (KIDS) menu, run the option Install Package(s). Select the build xxx and proceed with the install. If you have problems with the installation, log a Remedy ticket and/or call the National Help Desk to report the problem.

```
Select Installation & Distribution System Option: Installation
Select Installation Option: INSTALL PACKAGE(S)
Select INSTALL NAME: HT TEMPLATES PROJECT 1.0
```

Answer "NO" to the following prompts:

Want KIDS to INHIBIT LOGONs during install? NO// NO
Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO// NO
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO// NO

**NOTE: DO NOT QUEUE THE INSTALLATION**, because this installation may ask questions requiring responses and queuing will stop the installation. The most common are replacements for finding items or quick orders during the installation of Reminder Exchange file entries.

## **Installation Example**

See Appendix G.

#### 5. Install File Print

Use the KIDS Install File Print option to print out the results of the installation process. You can select the multi-package build or any of the individual builds included in the multi-package build.

```
Select Utilities Option: Install File Print
Select INSTALL NAME: HT TEMPLATES PROJECT 1.0
```

#### 6. Build File Print

Use the KIDS Build File Print option to print out the build components.

```
Select Utilities Option: Build File Print
Select BUILD NAME: HT TEMPLATES PROJECT 1.0
DEVICE: HOME//
```

#### 7. Post-Install Routines

Following successful installation of the KIDS build, the post-install routine invokes the Reminders Exchange Utility's silent installer to correctly install the HT Document Definition hierarchy, maps the newly introduced HT titles to the HT Enterprise Standard Titles, and if possible, activates the new titles.

• The installation will place the following major file entries in the Reminder Exchange file #811.8 (full contents of the Reminder Exchange file are in Appendix D):

#### REMINDER DIALOG

VA-HT ASSESSMENT TREATMENT PLAN TEMPLATE

VA-HT CAREGIVER ASSESSMENT TEMPLATE

VA-HT CAREGIVER RISK ASSESSMENT

VA-HT CAREGIVER/VETERAN REFERRAL

VA-HT CONTINUUM OF CARE TEMPLATE

VA-HT CONTINUUM OF CARE (FOLLOW-UP)

VA-HT CONTINUUM OF CARE (INITIAL)

VA-HT DISCHARGE TEMPLATE

**VA-HT INTERVENTION TEMPLATE** 

VA-HT PERIODIC EVALUATION

VA-HT SCREENING CONSULT TEMPLATE

VA-HT TECH EDUCATION & INSTALLATION TEMPLATE

VA-HT TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS

VA-HT VIDEO VISIT TEMPLATE

#### REMINDER DEFINITION

VA-HT CAREGIVER RISK ASSESSMENT

VA-HT CONTINUUM OF CARE (FOLLOW-UP)

VA-HT CONTINUUM OF CARE (INITIAL)

VA-HT OBJ BARRIERS TO LEARNING

VA-HT OBJ CAREGIVER NAME/RELATIONSHIP

VA-HT OBJ CATEGORY OF CARE LAST

VA-HT OBJ CCM RATING LAST

VA-HT OBJ CONTINUUM OF CARE LAST DONE

VA-HT OBJ EDUCATION TOPICS ALL

VA-HT OBJ EMERGENCY PRIORITY RATING LAST

VA-HT OBJ MEDICATION RECONCILIATION

VA-HT OBJ NIC/CCM RATING LAST

VA-HT PERIODIC EVALUATION

- If you need to change the frequency of the HT PERIODIC EVALUATION reminder to a value other than the exported 180 days, use the PXRM HT DEFINITION EDIT option. This option has been created expressly to allow sites to edit the frequency for the HT PERIODIC EVALUATION reminder. The option should be assigned as a secondary menu item to the user(s) responsible for maintaining the Home Telehealth reminder definitions.
- The post-init of this GMTS patch will install the new entries in the HEALTH SUMMARY TYPE file (#142). They are:

REMOTE HT CLINICAL REMINDERS REMOTE HT TRACKING

The stub entries in the ^GMT(142 global during pre-install are then populated by the Reminder Exchange file GMTS HS TYPE FOR VA-HT which is silently installed via the Reminder Exchange utility.

#### 8. Deletion of init routines

PXRMP19B, PXRMP19I, TIUP258, and GMTSPI98 can safely be deleted from the system once installation is successful and all HT reminders, reminder dialogs, and associated templates have been verified to be complete and working as expected. Local IT staff should consider keeping a copy of these routines as they may prove useful in the event of any unexpected issues with this patch. PXRMP19A should remain on the system until such time as Clinical Reminder CACs and or Home Telehealth staff determine that the MailMan report described in Appendix C is no longer necessary. At that time, PXRMP19A, may also be deleted from the system.

#### 9. Assign TIU HT MENU

The TIU HT MENU includes options to facilitate implementation of the TIU support for Home Telehealth. It should be assigned to individuals tasked with such activities.

## Set-up

#### **Overview**

Installation of the multi-package build does the following:

- Enables PXRM options and protocols,
- Installs the associated Reminder Exchange entries.
- Queues a single report to run and sends output via MailMan message to recipients selected during installation.

The TIU patch exports a new menu with two options:

#### TIU HT MENU

This menu includes options to facilitate implementation of the TIU support for Home Telehealth.

#### TIU HT TITLE MAPPINGS

This option prints a list of all HT Titles, with their Status and VHA Enterprise Standard Titles. This will allow you to verify that the appropriate titles were installed, renamed, and mapped by patch TIU\*1\*258.

#### TIU HT VERIFY TITLES

This option prints a list of all HT Titles, with their Status and Print Names. This will allow you to verify that the appropriate titles were installed, renamed, or inactivated by patch TIU\*1\*258.

#### **Background – Design Logic**

#### For the reminders module imports:

There are three variations of the HT CONTINUUM OF CARE reminder dialog/template:

- Two are linked to reminder definitions
  - VA-HT CONTINUUM OF CARE (INITIAL) (has a non-interactive HF for initial assessment)
  - VA-HT CONTINUUM OF CARE (FOLLOW-UP) (has a non-interactive HF for f/u assessment)
- One template, the HT CONTINUUM OF CARE template, has an interactive required item for initial/follow-up at the top of the template. This template is attached to a note title of same name and is also stand-alone in Shared Templates.

These reminder dialogs will be linked to note titles of the same name:

HT ASSESSMENT TREATMENT PLAN NOTE

HT CAREGIVER ASSESSMENT NOTE

HT CONTINUUM OF CARE NOTE

HT DISCHARGE NOTE

HT INTERVENTION NOTE

HT NOTE

HT PERIODIC EVALUATION NOTE

HT TECH EDUCATION

HT TELEPHONE CASE MANAGEMENT NOTE

HT VIDEO VISIT NOTE

#### Of the 13 reminder definitions:

- Four of the packed reminder exports are true "clinical reminders" in the Reminders drawer: (Displayed here in order of how they will fire during a Veteran's course of HT care):
  - o VA-HT CONTINUUM OF CARE (INITIAL)
  - VA-HT CAREGIVER RISK ASSESSEMENT
  - VA-HT PERIODIC EVALUATION
  - o VA-HT CONTINUUM OF CARE (FOLLOW-UP)
- Nine reminder definitions are used to evaluate data objects:
  - VA-HT OBJ BARRIERS TO LEARNING
  - VA-HT OBJ CAREGIVER NAME/RELATIONSHIP
  - VA-HT OBJ CATEGORY OF CARE LAST
  - VA-HT OBJ CCM RATING LAST
  - VA-HT OBJ CONTINUUM OF CARE LAST DONE
  - VA-HT OBJ EDUCATION TOPICS ALL
  - VA-HT OBJ EMERGENCY PRIORITY RATING LAST
  - VA-HT OBJ MEDICATION RECONCILIATION
  - VA-HT OBJ NIC/CCM RATING LAST

Three of the reminder dialogs will be "stand-alone" in the SHARED TEMPLATES HT folder:

- VA-HT CONTINUUM OF CARE TEMPLATE
- VA-HT CAREGIVER ASSESSMENT TEMPLATE
- o VA-HT TECH EDUCATION & INSTALLATION TEMPLATE

#### For the two GUI dialog templates (.txml files):

- VA-HOME TELEHEALTH SCREENING is linked to the CONSULT SERVICE (file #123.5) HOME TELEHEALTH ENROLLMENT OUTPT in the CPRS GUI Template Editor. It will be used in a consult QUICK ORDER to order the consult. (NOTE: It should be named HOME TELEHEALTH ENROLLMENT OUTPT in your file. This new naming does not affect the template in any way nor VistA Integration).
- VA-HT MONTHLY MONITOR:
  - o will be linked to a note title of the same name (this is a text paragraph only and is non-interactive)
  - o will be "stand-alone" in SHARED TEMPLATES in the HT folder

There are full HT templates embedded within other templates:

The HT ASSESSMENT TREATMENT PLAN template has three collapsed (optional) templates embedded:

VA-HT CONTINUUM OF CARE TEMPLATE VA-HT CAREGIVER RISK ASSESSMENT VA-HT CAREGIVER/VETERAN REFERRAL

The HT CAREGIVER ASSESSMENT template contains two collapsed (optional) templates:

VA-HT CAREGIVER RISK ASSESSMENT VA-HT CAREGIVER/VETERAN REFERRAL

The HT PERIODIC EVALUATION template contains two collapsed (optional) templates:

VA-HT CAREGIVER RISK ASSESSMENT VA-HT CAREGIVER/VETERAN REFERRAL

#### VA-HT TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS

This template is intended for use by non-pilot sites to sweep up HT currently enrolled patients for the 4 new national HT clinical reminders where note documentation had been done without the standardized national HT reminder dialogs with health factors to trigger the new HT reminders when they should be due. It is for ONE-TIME use on current HT patients. This template should be used on each patient in order to set the health factors associated with the date of enrollment, date of last periodic evaluation, and the non-institutional care status. Once the health factors are set, the HT clinical reminders will now be applicable to each of these patients.

The template should be added to the HT Templates folder within the Shared Templates folder of the CPRS GUI editor. Your site will create a GUI template dialog linked to the VA-HT TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS. You will then link this template to the generic HT NOTE title.

This template should be used soon after installation of the HT Templates bundle. The CAC should notify the HT Lead that the template is available for use. Once Care Coordinators have used the template on all HT currently enrolled patients, the HT Lead should notify the CAC that the GUI dialog template can be removed from service.

*In summary*, this is a rather complex configuration, done for the convenience of HT clinicians at various sites who have different preferences.

Since all of the four clinical reminders exist as templates on note titles and some are additionally stand-alone in CPRS' Shared Templates, it's possible that many HT clinicians may not go to the actual clinical reminders (Reminders drawer) to resolve their clinical reminders

If HT clinicians are timely with their documentation, these four HT clinical reminders (which are basically 'documentation benchmarks') are most beneficial for HT site leads who would be running reminder report templates as they deem desirable, in order to check HT clinical reminder status across the enrolled patients at any point in time, for oversight and monitoring of timely documentation:

- A summary report of all four (4) HT clinical reminders (no individual patient data) with raw numbers and percentages of HT reminders due versus resolved
- Four (4) reminder report templates for EACH of the four (4) HT clinical reminders, for the user running the report to easily determine and communicate to other HT staff which individual patients have reminders past due with date.

Four (4) reminder report templates for EACH of the (4) HT clinical reminders, for the user running the report to easily determine and communicate to other HT staff which individual patients have reminders past due with date.

HT staff will now have an easy method of checking HT reminder status on individual patients, through the new Health Summary on the CPRS GUI Reports tab, as well as new data objects in templates that display reminder status.

## **Setup Instructions – Summary Steps**

The following is a summary of the setup steps, with hyperlinks to detailed instructions and examples that follow.

- 1. Map any local findings to the appropriate reminder terms
  - a. VA-HT ENROLLMENT-START DATE

This term is released the health factor HT ENROLLMENT DATE.

Map any local finding(s) representing the home telehealth enrollment date for the patient.

#### b. VA-HT CCF INITIAL ASSESSMENT COMPLETED

This term is released the health factor HT CCF INITIAL ASSESSMENT COMPLETED. Map any local finding(s) representing completion of the initial home telehealth continuum of care assessment.

#### c. VA-HT CCF MEETS NIC CRITERIA

This term is released the health factor HT CCF MEETS NIC CRITERIA.

Map any local finding(s) representing the Non-Institutional Care criteria is met by the patient.

#### d. VA-HT CCF DOES NOT MEET NIC CRITERIA

This term is released the health factor HT CCF DOES NOT MEET NIC CRITERIA. Map any local finding(s) representing the Non-Institutional Care criteria is not met by the patient.

#### e. VA-HT DISCHARGE REASONS

This term is released with several health factors representing a patient's discharge from home telehealth along with the specific reason.

Map any local finding(s) representing the intent of this term.

## f. VA-HT ENROLLMENT-START DATE (PREV ENROLL)

This term is released with the health factor HT ENROLLMENT-START DATE (PREV ENROLL).

Map any local finding(s) representing documentation of an historical start date for home telehealth.

## g. VA-HT CCF FOLLOW-UP ASSESSMENT COMPLETED

This term is released with the health factor HT CCF FOLLOW-UP ASSESSMENT COMPLETED.

Map any local finding(s) representing completion of a follow-up home telehealth continuum of care assessment.

### h. VA-HT CCF MEETS CHRONIC CARE MGMT CRITERIA

This term is released with the health factor HT CCF MEETS CHRONIC CARE MGMT CRITERIA.

Map any local finding(s) representing the Chronic Care Management criteria is met by the patient.

#### i. VA-HT CCF DOES NOT MEET CCM CRITERIA

This term is released with the health factor HT CCF DOES NOT MEET CCM CRITERIA. Map any local finding(s) representing the Chronic Care Management criteria is not met by the patient.

## j. VA-HT PERIODIC EVALUATION COMPLETED

This term is released with the health factor HT PERIODIC EVALUATION COMPLETED. Map any local finding(s) representing the completion of the home telehealth periodic evaluation.

#### k. VA-HT CCF UNPAID CAREGIVER-YES

This term is released with the health factor HT CCF UNPAID CAREGIVER-YES. Map any local finding(s) representing the Veteran has an unpaid caregiver on file for the current HT enrollment.

#### 1. VA-HT UNABLE TO SCREEN CAREGIVER

This term is released with the health factor HT UNABLE TO SCREEN CAREGIVER. Map any local finding(s) representing the inability to complete the Zarit caregiver risk Assessment.

#### m. VA-HT CAREGIVER RISK ASSESSMENT DONE

This term is released with the MH finding for the Zarit Caregiver Risk Assessment . Map any local finding(s) representing then completion of the Zarit caregiver risk Assessment.

- 2. Optional: <u>Create a user class if your site wishes to restrict certain aspects TIU usage and/or implement business rules.</u>
- **3.** Create or edit folder in Shared Templates to house the HT Templates

PILOT SITES: Edit the name of your "CCHT TEMPLATES" folder in SHARED TEMPLATES to be "HT TEMPLATES".

## NON-PILOT SITE:

- i. Create a folder named "HT TEMPLATES" in the SHARED TEMPLATES section of the CPRS GUI Template Editor.
- **ii.** Create a GUI dialog in the HT TEMPLATES folder for the VA-HT TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS. This template will be linked to the HT NOTE title. This template is used to set historical data for HT patients so that the HT clinical reminders will be triggered appropriately.
- **iii.** When notified by the HT Lead, the CAC should remove the associated GUI template from service.
- **4.** Extract the contents of the "HT\_TXML\_TEMPLATES.ZIP" file to a location of your choosing. From that location, import the two txml files (shown below) into the CPRS GUI Template Editor, into your PERSONAL templates.
  - a. HT MONTHLY MONITOR.TXML
  - b. HT PROVIDER CONSULT.TXML

- **5.** Create GUI dialogs for the HT reminder dialogs in the DOCUMENT TITLES drawer and link these items to the associated note.
  - a. HT ASSESSMENT TREATMENT PLAN TEMPLATE
  - b. HT CAREGIVER ASSESSMENT TEMPLATE
  - c. HT CONTINUUM OF CARE TEMPLATE
  - d. HT DISCHARGE TEMPLATE
  - e. HT INTERVENTION TEMPLATE
  - f. HT PERIODIC EVALUATION TEMPLATE
  - g. HT SCREENING CONSULT TEMPLATE
  - h. HT TECH EDUCATION & INSTALLATION TEMPLATE
  - i. HT VIDEO VISIT TEMPLATE
- **6.** Set the four new HT clinical reminders at the user level (yourself first) and verify that they launch (reminder dialogs linked) in the Reminders drawer. (They will be in the "All Evaluated" folder, no matter what the status is of each reminder for a patient.)
- 7. Create/edit the consult quick order to HOME TELEHEALTH ENROLLMENT OUTPT
- **8.** Configure the two new Health Summary types for the CPRS GUI Reports tab.
- **9.** Assign the new TIU and PXRM menu options to CAC(s) responsible for managing HT Clinical Reminders.
- **10.** After testing all templates (the nine reminder dialogs [step #3] and the two TXML templates [step #2]), link them to note titles.
- **11.** (optional) Change the frequency of the HT PERIODIC EVALUATION reminder if you wish to have a value other than the exported 180 days,
- **12.** Build the five reminder report templates and do a sample run of each with a short date range.

## After completing the above steps, we recommend the following:

- Preview the HOME TELEHEALTH SCREENING dialog to ensure that the two data objects are working without any errors.
- Review what your site does for the consult order to HT/Home Telehealth.
  - PILOT SITES ONLY Re-pointing of HEALTH FACTORS and/or EDUCATION TOPICS: All pilot sites will need to check to see if they need to go through a process with FileMan to replace the "CCHT" health factor and/or education topics entries in the associated files with the corresponding "HT" entries. See <a href="Appendix A "File Entry Delete and Pointer Update"">A "File Entry Delete and Pointer Update</a>" for detailed explanation and steps. This same process/issue is applicable for the five new EDUCATION TOPICS included in the bundle. The post-install will handle any HT renaming as

long as the topics are installed at a low Internal Entry Number (IEN). If the IEN is high, the same manual re-pointing will need to occur.

"Low" and "high" refer to the number range associated with a given health factor. Each health factor in the file has an associated IEN. If the IEN is less than 100,000 this is considered "low" and is reserved for nationally released health factors. IENs greater than 100,000 are considered "high" and are health factors that have been created locally by the facility.

## **Setup Instructions – Detailed Steps**


## 1. Create a new user class in for your HT clinicians.

If your site wishes to restrict certain aspects of TIU usage or implement specific business rules pertaining to HT, then a new user class may be created for this purpose. NOTE: your site may already have a user class called "HT NURSE" (for Home Telehealth Nurse), or HT NURSE, or HT CLINICIAN, or HT STAFF, because of an earlier Home Telehealth project called VistA Integration for Home Telehealth..

The documentation for that project (Home Telehealth Technical Installation Guide) is on the VDL (VistA Documentation Library) at <a href="http://www4.va.gov/vdl/application.asp?appid=154">http://www4.va.gov/vdl/application.asp?appid=154</a> and the specific page that refers to user class is section #12 on page 14 of the Home Telehealth Technical Install Guide.

# 2. Edit your "CCHT TEMPLATES" folder in SHARED TEMPLATES to be HT TEMPLATES.

Use your site's naming conventions, and locate this folder according to your site's conventions and where your HT clinicians will find it.



- 3. Expand the HT\_TXML\_TEMPLATES.ZIP file to a known location. From that location, import the two .txml files into the CPRS GUI Template Editor, into your PERSONAL templates.
  - a. HT MONTHLY MONITOR.TXML
  - b. HT PROVIDER CONSULT.TXML
- 4. Create GUI dialogs for the HT reminder dialogs in the DOCUMENT TITLES drawer and follow the instructions for linking the dialogs to the correct note titles
  - First, ensure that the TIU TEMPLATE REMINDER DIALOG parameter is set at the SYSTEM level for the HT reminder dialogs template. PXRM\*2.0\*19 tries to do this automatically during installation, but sometimes manual intervention is necessary.
    - o Reminder Managers Menu [PXRM MANAGER]
      - CPRS Reminder Configuration
        - TIU Template Reminder Dialog Parameter


- Choose System and enter a ? at the Select Display Sequence prompt. This will show a list of all reminder dialogs that can be used as templates in CPRS GUI.
- Ensure all HT reminder dialogs are in this list. If not, add them.

```
Reminder Dialogs allowed as Templates may be set for the following:
     1 User USR [choose from NEW PERSON]
2 Team (OE/RR) OTL [choose from OE/RR LIST]
3 Service SRV [choose from SERVICE/SECTION]
4 Division DIV [choose from INSTITUTION]
     4 Division DIV [choose from INSTITUTION]
5 System SYS [DVF.FO-SLC.MED.VA.GOV]
Enter selection: 5 System DVF.FO-SLC.MED.VA.GOV
Setting Reminder Dialogs allowed as Templates for System: ABC.SYSTEM.MED.VA.GOV
Select Display Sequence: ?
Display Sequence Value
                     VA-HT ASSESSMENT TREATMENT PLAN TEMPLATE
52
                    VA-HT CAREGIVER ASSESSMENT TEMPLATE
53
                    VA-HT CONTINUUM OF CARE TEMPLATE
54
                    VA-HT DISCHARGE TEMPLATE
55
                    VA-HT INTERVENTION TEMPLATE
56
                    VA-HT PERIODIC EVALUATION
                    VA-HT SCREENING CONSULT TEMPLATE
58
                    VA-HT TECH EDUCATION & INSTALLATION TEMPLATE
59
                    VA-HT TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS
60
                    VA-HT VIDEO VISIT TEMPLATE
```


- Next, go to DOCUMENT TITLES in the CPRS GUI Template Editor.
- Create a new HT TITLES folder in the DOCUMENT TITLES drawer.
- One at a time, create a NEW TEMPLATE for each of these templates in the HT TITLES folder:

```
HT ASSESSMENT TREATMENT PLAN template
HT CAREGIVER ASSESSMENT template
HT CONTINUUM OF CARE template
HT DISCHARGE template
HT INTERVENTION template
HT PERIODIC EVALUATION template
HT SCREENING CONSULT template
HT TECH EDUCATION template
HT VIDEO VISIT template
```

• To link a reminder template to a note title, select the template from the 'reminder dialog' picklist, and then select the note title in the 'associated title' field. This example is shown using the HT Caregiver Assessment.




• When you click the APPLY button, the template name will change to upper-case and take on the name of the note title:



The HT templates all have the same name as the note title. The CPRS GUI template link uses the .01-NAME field in the 'associated title' field

When done, your list of linked templates to note titles should look like this (9 reminder dialog templates and 1 text template):



TITLE (.01 NAME)	HAS TEMPLATE
HT ASSESSMENT TREATMENT PLAN NOTE	YES (RD)
HT CAREGIVER ASSESSMENT NOTE	YES (RD)
HT CONTINUUM OF CARE NOTE	YES (RD)
HT DISCHARGE NOTE	YES (RD)
HT INTERVENTION NOTE	YES (RD)
HT NOTE	NO
HT PERIODIC EVALUATION NOTE	YES (RD)
HT SCREENING CONSULT	YES (RD)
HT SUMMARY OF EPISODE NOTE	YES (TXML)
HT TECH EDUCATION NOTE	YES (RD)
HT TELEPHONE CASE MANAGEMENT NOTE	NO
HT VIDEO VISIT NOTE	YES (RD)


RD = Reminder Dialog

5. Verify that the four new HT clinical reminders launch (reminder dialogs linked) from the Reminders drawer. (They will be in the "All Evaluated" folder, no matter what the status is of each reminder for a patient.) You may choose to either add the four reminders for yourself at the User level or, you could add yourself to the user class referenced in step #1 and then turn on the reminders for the member of that user class.


Do not add the VA-HT CONTINUUM OF CARE (INITIAL) to any level for now. Additional logic will be added to this reminder and sent in an PXRM update later.

## Turning on the four new HT Clinical Reminders for users:

Click the alarm clock or "?" in the CPRS GUI header, then click on ACTION, then "EDIT COVER SHEET REMINDER LIST":



When the next window appears, select level = USER CLASS and HT STAFF for the user class, Use the → to move the HT reminders from the LOWER LEFT window (active reminders) to the LOWER RIGHT window so that they are configured for the USER CLASS. Then set the padlock on each one to lock this reminder configuration.



The four new HT clinical reminders can be found in the "ALL EVALUATED" folder for any patient. Preview each one of them to ensure the reminder dialog loads.

# 6. Create/edit the consult quick order to HOME TELEHEALTH ENROLLMENT OUTPT:


Use your site's naming convention and following VHA Consult Business Rules. OCC recommends creating a HOME TELEHEALTH ENROLLMENT OUTPT sub-service under CARE COORDINATION HOME TELEHEALTH SCREENING\*. If you already have a quick order to CARE COORDINATION HOME TELEHEALTH SCREENING, you can review your configuration (others may have to create a new quick order). Reminder: The consult service CARE COORDINATION HOME TELEHEALTH SCREENING cannot be renamed as other VistA software depends on the presence of that exact name.

```
QO Enter/edit quick orders
Select QUICK ORDER NAME: GMRCT HOME TELEHEALTH ENROLLMENT
Are you adding 'GMRCT HOME TELEHEALTH ENROLLMENT' as a new ORDER DIALOG? No// Y
(Yes)
TYPE OF QUICK ORDER: CONSULTS
NAME: GMRCT HOME TELEHEALTH ENROLLMENT Replace
DISPLAY TEXT: Home Telehealth Enrollment Consult
VERIFY ORDER: y YES
DESCRIPTION:
 No existing text
 Edit? NO//<ENTER>
Consult to Service/Specialty: HOME TELEHEALTH ENROLLMENT OUTPT
Consult Type:
Reason for Request:
 Initial Screening for Home Telehealth services.
 Edit? No// y (Yes)
==[ WRAP ]==[ INSERT ]=======< Reason for Request >======[ <PF1>H=Help ]==
Urgency: ROUTINE//
Place of Consultation: CONSULTANT'S CHOICE
Attention:
Provisional Diagnosis:
Consult to Service/Specialty: HOME TELEHEALTH ENROLLMENT OUTPT
                  Urgency: ROUTINE
     Place of Consultation: Consultant's Choice
(P) lace, (E) dit, or (C) ancel this quick order? PLACE//
Auto-accept this order? NO//
```


\*Set CARE COORDINATION HOME TELEHEALTH SCREENING service's Service Usage to Grouper Only and then create the HOME TELEHEALTH ENROLLMENT OUTPT service as a sub-service of CARE COORDINATION HOME TELEHEALTH SCREENING. Reference the Consult/Request Tracking User Manual if you need explicit instructions for editing/creating consult services. (http://www.va.gov/vdl)

# Linking the consult request template to the HOME TELEHEALTH ENROLLMENT OUTPT consult service

• Go into the GUI Template Editor to EDIT Shared Templates, and select the CONSULTS drawer:



 Copy the HT PROVIDER CONSULT GUI dialog template imported in Step #3 into the CONSULT REASONS FOR REQUEST folder. LINK the HT consult service to the template in the 'associated consult service' field. Click APPLY and note that the GUI dialog template name will change to match that of the associated consult service.



Make sure that this consult quick order is on an order menu for your ordering providers
when you are ready to begin the pilot. Launch this quick order from a menu as a
verification step, so that you are assured that the template loads and the order is working.

#### 7. Configure two new Health Summary types for the CPRS GUI Reports tab.

- Follow your facility's rules and conventions for configuring these health summary types.
- Sequencing new Health Summary types is done in the GUI Parameters option.

### 8. Assign the TIU HT MENU and (optional) PXRM HT DEFINITION EDIT to CAC(s).

• Use Menu Management options to assign TIU HT MENU to the CAC(s) responsible for managing Home Telehealth Documents and/or Clinical Reminders. Depending on your facility's IT support structure, this may be handled at a facility level or by Regional IT support.


## 9. Link the HT templates to NOTE TITLES (after making sure that the nine reminder dialogs and two TXML templates are tested and ready to go).

- Go to DOCUMENT TITLES in the CPRS GUI Template Editor.
- Create a new HT TITLES folder in the DOCUMENT TITLES drawer.
- One at a time, create a NEW TEMPLATE for each of these templates in the HT TITLES folder:


```
HT ASSESSMENT TREATMENT PLAN template
HT CAREGIVER ASSESSMENT template
HT CONTINUUM OF CARE template
HT DISCHARGE template
HT INTERVENTION template
HT PERIODIC EVALUATION template
HT SCREENING CONSULT template
```

## HT TECH EDUCATION template HT VIDEO VISIT template

• To link a reminder template to a note title, select the template from the 'reminder dialog' picklist, and then select the note title in the 'associated title' field. This example is shown using the HT Caregiver Assessment.




• When you click the APPLY button, the template name will change to upper-case and take on the name of the note title:



The HT templates all have the same name as the note title. The CPRS GUI template link uses the .01-NAME field in the 'associated title' field

When done, your list of linked templates to note titles should look like this (9 reminder dialog templates and 1 text template):



TITLE (.01 NAME)	HAS TEMPLATE
HT ASSESSMENT TREATMENT PLAN NOTE	YES (RD)
HT CAREGIVER ASSESSMENT NOTE	YES (RD)
HT CONTINUUM OF CARE NOTE	YES (RD)
HT DISCHARGE NOTE	YES (RD)
HT INTERVENTION NOTE	YES (RD)
HT NOTE	NO
HT PERIODIC EVALUATION NOTE	YES (RD)
HT SCREENING CONSULT	YES (RD)
HT SUMMARY OF EPISODE NOTE	YES (TXML)
HT TECH EDUCATION NOTE	YES (RD)
HT TELEPHONE CASE MANAGEMENT NOTE	NO
HT VIDEO VISIT NOTE	YES (RD)

RD = Reminder Dialog

## **10.** (Optional for all sites) If you need to change the FREQUENCY of the HT PERIODIC EVALUATION. (This example uses 180 days – set the frequency to whatever time period is needed at your site.)

```
RL List Reminder Definitions
RI Inquire about Reminder Definition
RE Add/Edit Reminder Definition
RC Copy Reminder Definition
RA Activate/Inactivate Reminders
HT Edit HT PERIODIC Reminder Definition Frequency
RH Reminder Edit History
ICS Integrity Check Selected
ICA Integrity Check All
```

```
Select Reminder Definition Management <TEST ACCOUNT> Option: HT Edit HT PERIODIC Reminder Definition Frequency

The current frequency for this reminder definition is: 180D

Enter a new REMINDER FREQUENCY: 180D// ???

Choose one of the following frequencies for this reminder definition:

90D (or 3M), 120D (or 4M), 180D (or 6M)

The current frequency for this reminder definition is: 180D

Enter a new REMINDER FREQUENCY: 180D// 90D

Done
```

## 11. Build the 5 reminder report templates and do sample runs of each, with a short date range.

HT CCF INITIAL
HT CCF FOLLOW-UP
HT C/G ASSESSMENT
HT PERIODIC EVALUATION
CREATING THE NEW HT CATEGORY (this should be done first, before starting to build the 5 report templates) (used in the (5) REMINDERS SUMMARY')
HT (4) REMINDERS SUMMARY

### 11a. Example: CREATING THE HT CCF INITIAL reminder report template

```
Select Reminder Managers Menu Option: RP Reminder Reports
Select Reminder Reports Option: d Reminders Due Report
Select an existing REPORT TEMPLATE or return to continue:
     Select one of the following:
                   Individual Patient
         I
                   Reminder Patient List
                   Location
         Ω
                   OE/RR Team
                   PCMM Provider
                   PCMM Team
PATIENT SAMPLE: L// l Location
Select FACILITY: Boise, ID
Select another FACILITY: BOISE-RO
                                     ID
                                                347
Select another FACILITY:
Combined report for all Facilities : \mathrm{N}//\mathrm{YES}
```

```
Select one of the following:
                    All Outpatient Locations
          HAI
                    All Inpatient Locations
          HS
                    Selected Hospital Locations
                    All Clinic Stops (with encounters)
          CS
                     Selected Clinic Stops
                    Selected Clinic Groups
Determine encounter counts for: HS// CS Selected Clinic Stops
Select CLINIC STOP: 179 HOME TELEVIDEO CARE
Select another CLINIC STOP: 371 HT SCREENING
Select another CLINIC STOP: 683 HT NON-VIDEO MONITORING Select another CLINIC STOP: 684 HT NON-VIDEO INTRVNTION
Select another CLINIC STOP: 685 CARE OF HT PROGRAM PATIENTS
Select another CLINIC STOP: 686 PHONE CONTACT BY CC STAFF
Select another CLINIC STOP:
     Select one of the following:
                   Previous Encounters
                     Future Appointments
PREVIOUS ENCOUNTERS OR FUTURE APPOINTMENTS: P// Previous Encounters
Enter ENCOUNTER BEGINNING DATE: T-30 (MAY 31, 2009)
Enter ENCOUNTER ENDING DATE: T (JUN 30, 2009)
Enter EFFECTIVE DUE DATE: Jun 30, 2009// (JUN 30, 2009)
Select SERVICE CATEGORIES: A, I// ?
The possible service categories for the report are:
         AMBULATORY
Η
        HOSPITALIZATION
        IN HOSPITAL
С
        CHART REVIEW
Т
         TELECOMMUNICATIONS
Ν
         NOT FOUND
         DAY SURGERY
S
0
         OBSERVATION
Ε
         EVENT (HISTORICAL)
R
         NURSING HOME
D
         DAILY HOSPITALIZATION DATA
Χ
         ANCILLARY PACKAGE DAILY DATA
Select SERVICE CATEGORIES: A, I// A, H, I, T, E, R
     Select one of the following:
          D
                     Detailed
          S
                     Summary
TYPE OF REPORT: S// Detailed
Combined report for all Clinic Stops : N// YES
Display All Future Appointments: N// O
Sort by Next Appointment date: N// O
Print full SSN: N// O
```

```
Print locations with no patients? YES// NO
Select individual REMINDER: HT CONTINUUM OF CARE (INITIAL)
                                                             VISN
Create a new report template: N// YES
STORE REPORT LOGIC IN TEMPLATE NAME: HT CCF INITIAL
 Are you adding 'HT CCF INITIAL' as
   a new REMINDER REPORT TEMPLATE (the 200TH)? No// Y (Yes)
  REMINDER REPORT TEMPLATE REPORT TITLE: HT CCF Initial
Changes to template 'HT CCF INITIAL' have been saved
    <<< this part is just the running of the report with the new template >>
Print delimited output only: N// O
Include deceased patients on the list? N// O
Include test patients on the list? N// O
Save due patients to a patient list: N// O
DEVICE: HOME//;80;9999 HOME (CRT)
Building Hospital Locations List Done
Elapsed time for building hospital locations: 0 secs
Building patient listDone
Elapsed time for building patient list: 0 secs
Calling the scheduling package to gather appointment data |
Elapsed time for call to the Scheduling Package: 0 secs
Sorting SDAMA301 Output Done
Elapsed time for sorting SDAMA301 output: 0 secs
Elapsed time for removing invalid encounter(s): 0 secDone
Elapsed time for reminder evaluation: 0 secs
done
```

```
Jun 30, 2009 6:17:57 pm Page 1
                                   (sample report)
               Clinical Reminders Due Report - Detailed Report
          Report Title:
                               HT CCF Initial
          Patient Sample:
                                Location
                                Selected Clinic Stops (Prior Encounters)
         Location:
                                HOME TELEVIDEO CARE 179
                                HT NON-VIDEO MONITORING 683
                                HT NON-VIDEO INTRVNTION 684
                                HT SCREENING 371
                                CARE OF HT PROGRAM PATIENTS 685
                                PHONE CONTACT BY CC STAFF 686
                                TELEPHONE CASE MANAGEMENT 182
                                CARE/CASE MANAGER 184
          Reminder:
                                HT CONTINUUM OF CARE (INITIAL)
          Appointments:
                                Next Appointment only
```

Date Range: 5/31/2009 to 6/30/2009 6/30/2009 Effective Due Date: 6/30/2009 6:13:10 pm Date run: Template Name: HT CCF INITIAL3 Combined report: Combined Facility and Combined Locations Service categories: A,H,I,T,E,R A - AMBULATORY H - HOSPITALIZATION I - IN HOSPITAL T - TELECOMMUNICATIONS E - EVENT (HISTORICAL) R - NURSING HOME No patient visits found Report timing data: Elapsed time for building hospital locations: 0 secs Elapsed time for building patient list: 0 secs Elapsed time for reminder evaluation: 0 secs Elapsed time for removing invalid encounter(s): 0 secs Elapsed time for sorting SDAMA301 output: 0 secs Elapsed time for call to the Scheduling Package: 0 secs End of the report. Press ENTER/RETURN to continue...

#### 11b. Example: CREATING THE HT CCF FOLLOW-UP reminder report template

```
Select Reminder Reports Option: Reminders Due Report
Select an existing REPORT TEMPLATE or return to continue:
    Select one of the following:
                   Individual Patient
         I
                   Reminder Patient List
                   Location
         L
                   OE/RR Team
         Ω
                   PCMM Provider
         Ρ
                   PCMM Team
PATIENT SAMPLE: L// l Location
Select FACILITY: Boise, ID
                            531
Select another FACILITY: BOISE-RO
                                                347
Select another FACILITY:
Combined report for all Facilities : N// YES
    Select one of the following:
                 All Outpatient Locations
         HΑ
         HAI
                   All Inpatient Locations
         HS
                   Selected Hospital Locations
                   All Clinic Stops (with encounters)
         CS
                   Selected Clinic Stops
                   Selected Clinic Groups
         GS
Determine encounter counts for: HS// CS Selected Clinic Stops
Select CLINIC STOP: 179 HOME TELEVIDEO CARE
Select another CLINIC STOP: 371 HT SCREENING
Select another CLINIC STOP: 683 HT NON-VIDEO MONITORING
Select another CLINIC STOP: 684 HT NON-VIDEO INTRVNTION
Select another CLINIC STOP: 685 CARE OF HT PROGRAM PATIENTS
Select another CLINIC STOP: 686 PHONE CONTACT BY CC STAFF
Select another CLINIC STOP:
     Select one of the following:
         Ρ
                   Previous Encounters
                   Future Appointments
PREVIOUS ENCOUNTERS OR FUTURE APPOINTMENTS: P// Previous Encounters
Enter ENCOUNTER BEGINNING DATE: T-30 (MAY 31, 2009)
Enter ENCOUNTER ENDING DATE: T (JUN 30, 2009)
Enter EFFECTIVE DUE DATE: Jun 30, 2009// (JUN 30, 2009)
Select SERVICE CATEGORIES: A, I// A, H, I, T, E, R
    Select one of the following:
         D Detailed
         S
                   Summary
TYPE OF REPORT: S// Detailed
Combined report for all Clinic Stops : N// YES
Display All Future Appointments: N// O
Sort by Next Appointment date: N// O
Print full SSN: N// O
Print locations with no patients? YES// NO
Select individual REMINDER: HT CONTINUUM OF CARE (FOLLOW-UP)
                                                            VISN
Create a new report template: N// YES
```

```
STORE REPORT LOGIC IN TEMPLATE NAME: HT CCF FOLLOW-UP
 Are you adding 'HT CCF FOLLOW-UP' as
   a new REMINDER REPORT TEMPLATE (the 201ST)? No// Y (Yes)
  REMINDER REPORT TEMPLATE REPORT TITLE: HT CCF Follow-Up
Changes to template 'HT CCF FOLLOW-UP' have been saved
Print delimited output only: N// O
Include deceased patients on the list? N// O
Include test patients on the list? N// O
Save due patients to a patient list: N// O
DEVICE: HOME//;80;9999 HOME (CRT)
Building Hospital Locations List Done
Elapsed time for building hospital locations: 0 secs
Building patient listDone
Elapsed time for building patient list: 0 secs
Calling the scheduling package to gather appointment data |
Elapsed time for call to the Scheduling Package: 0 secs
Sorting SDAMA301 Output Done
Elapsed time for sorting SDAMA301 output: 0 secs
Elapsed time for removing invalid encounter(s): 0 secDone
Elapsed time for reminder evaluation: 0 secs
done
```

```
Jun 30, 2009 6:19:44 pm Page 1
               Clinical Reminders Due Report - Detailed Report
         Report Title: HT CCF Follow-Up
         Patient Sample:
                               Location
         Location:
                               Selected Clinic Stops (Prior Encounters)
                               HOME TELEVIDEO CARE 179
                               HT NON-VIDEO MONITORING 683
                               HT NON-VIDEO INTRVNTION 684
                               HT SCREENING 371
                               CARE OF HT PROGRAM PATIENTS 685
                               PHONE CONTACT BY CC STAFF 686
                               HT CONTINUUM OF CARE (FOLLOW-UP)
         Reminder:
         Appointments:
                             Next Appointment only
         Date Range:
                              5/31/2009 to 6/30/2009
         Effective Due Date: 6/30/2009
         Date run:
                              6/30/2009 6:18:04 pm
         Template Name:
                               HT CCF FOLLOW-UP
                               Combined Facility and Combined Locations
         Combined report:
         Service categories:
                               A,H,I,T,E,R
            A - AMBULATORY
            H - HOSPITALIZATION
            I - IN HOSPITAL
            T - TELECOMMUNICATIONS
            E - EVENT (HISTORICAL)
            R - NURSING HOME
No patient visits found
Report timing data:
Elapsed time for building hospital locations: 0 secs
Elapsed time for building patient list: 0 secs
Elapsed time for reminder evaluation: 0 secs
Elapsed time for removing invalid encounter(s): 0 secs
Elapsed time for sorting SDAMA301 output: 0 secs
```

```
Elapsed time for call to the Scheduling Package: 0 secs

End of the report. Press ENTER/RETURN to continue...
```

## 11c. Example: CREATING THE HT CAREGIVER ASSESSMENT reminder report template

```
Select Reminder Reports Option: Reminders Due Report
Select an existing REPORT TEMPLATE or return to continue:
     Select one of the following:
          Т
                    Individual Patient
          R
                    Reminder Patient List
          Τ.
                    Location
          0
                    OE/RR Team
                    PCMM Provider
                    PCMM Team
PATIENT SAMPLE: L// l Location
Select FACILITY: Boise, ID
                               531
Select another FACILITY: BOISE-RO ID
                                               347
Select another FACILITY:
Combined report for all Facilities : N// YES
     Select one of the following:
                    All Outpatient Locations
          HA
          HAI
                    All Inpatient Locations
          HS
                   Selected Hospital Locations
                   All Clinic Stops (with encounters)
          CA
                   Selected Clinic Stops
          CS
                    Selected Clinic Groups
Determine encounter counts for: HS// CS Selected Clinic Stops
Select CLINIC STOP: 179 HOME TELEVIDEO CARE
Select another CLINIC STOP: 371 HT SCREENING
Select another CLINIC STOP: 683 HT NON-VIDEO MONITORING Select another CLINIC STOP: 684 HT NON-VIDEO INTRVNTION
Select another CLINIC STOP: 685 CARE OF HT PROGRAM PATIENTS
Select another CLINIC STOP: 686 PHONE CONTACT BY CC STAFF
Select another CLINIC STOP:
     Select one of the following:
                   Previous Encounters
                    Future Appointments
PREVIOUS ENCOUNTERS OR FUTURE APPOINTMENTS: P// revious Encounters
Enter ENCOUNTER BEGINNING DATE: T-30 (MAY 31, 2009)
Enter ENCOUNTER ENDING DATE: T (JUN 30, 2009)
Enter EFFECTIVE DUE DATE: Jun 30, 2009// (JUN 30, 2009)
Select SERVICE CATEGORIES: A, I// A, H, I, T, E, R
     Select one of the following:
                    Detailed
         D
                    Summary
```

```
TYPE OF REPORT: S// Detailed
Combined report for all Clinic Stops : N// YES
Display All Future Appointments: N// O
Sort by Next Appointment date: N// O
Print full SSN: N// O
Print locations with no patients? YES// NO
Select individual REMINDER: HT CAREGIVER ASSESSMENT
                                                        VISN
Create a new report template: N// YES
STORE REPORT LOGIC IN TEMPLATE NAME: HT CAREGIVER ASSESSMENT
 Are you adding 'HT CAREGIVER ASSESSMENT' as
   a new REMINDER REPORT TEMPLATE (the 202ND)? No// Y (Yes)
   REMINDER REPORT TEMPLATE REPORT TITLE: HT Caregiver Assessment
Changes to template 'HT CAREGIVER ASSESSMENT' have been saved
Print delimited output only: N// O
Include deceased patients on the list? N// O
Include test patients on the list? N// O
Save due patients to a patient list: N// O
DEVICE: HOME//;80;9999 HOME (CRT)
Building Hospital Locations List Done
Elapsed time for building hospital locations: 0 secs
Building patient listDone
Elapsed time for building patient list: 0 secs
Calling the scheduling package to gather appointment data |
Elapsed time for call to the Scheduling Package: 0 secs
Sorting SDAMA301 Output Done
Elapsed time for sorting SDAMA301 output: 0 secs
Elapsed time for removing invalid encounter(s): 0 secDone
Elapsed time for reminder evaluation: 0 secs done
```

```
Jun 30, 2009 6:21:14 pm Page 1
      Clinical Reminders Due Report - Detailed Report
Report Title:
                     HT Caregiver Assessment
Patient Sample:
                     Location
Location:
                      Selected Clinic Stops (Prior Encounters)
                      HOME TELEVIDEO CARE 179
                      HT NON-VIDEO MONITORING 683
                      HT NON-VIDEO INTRVNTION 684
                      HT SCREENING 371
                      CARE OF HT PROGRAM PATIENTS 685
                      PHONE CONTACT BY CC STAFF 686
Reminder:
                     HT CAREGIVER ASSESSMENT
Appointments:
                     Next Appointment only
Date Range:
                     5/31/2009 to 6/30/2009
Effective Due Date:
                     6/30/2009
                     6/30/2009 6:19:54 pm
Date run:
Template Name:
                     HT CAREGIVER ASSESSMENT
Combined report:
                     Combined Facility and Combined Locations
Service categories: A,H,I,T,E,R
  A - AMBULATORY
  H - HOSPITALIZATION
  I - IN HOSPITAL
  T - TELECOMMUNICATIONS
   E - EVENT (HISTORICAL)
   R - NURSING HOME
```

```
No patient visits found

Report timing data:

Elapsed time for building hospital locations: 0 secs

Elapsed time for building patient list: 0 secs

Elapsed time for reminder evaluation: 0 secs

Elapsed time for removing invalid encounter(s): 0 secs

Elapsed time for sorting SDAMA301 output: 0 secs

Elapsed time for call to the Scheduling Package: 0 secs

End of the report. Press ENTER/RETURN to continue...
```

## 11d. Example: CREATING THE HT PERIODIC EVALUATION reminder report template

```
Select Reminder Reports Option: Reminders Due Report
Select an existing REPORT TEMPLATE or return to continue:
    Select one of the following:
                   Individual Patient
         Т
         R
                   Reminder Patient List
         Τ.
                   Location
         0
                   OE/RR Team
         Ρ
                   PCMM Provider
                   PCMM Team
PATIENT SAMPLE: L// l Location
Select FACILITY: Boise, ID
Select another FACILITY: BOISE-RO
                                    ID
                                                347
Select another FACILITY:
Combined report for all Facilities : N// YES
    Select one of the following:
         HA
                   All Outpatient Locations
         HAI
                   All Inpatient Locations
         HS
                   Selected Hospital Locations
         CA
                   All Clinic Stops (with encounters)
         CS
                   Selected Clinic Stops
         GS
                   Selected Clinic Groups
Determine encounter counts for: HS// CS Selected Clinic Stops
Select CLINIC STOP: 179 HOME TELEVIDEO CARE
Select another CLINIC STOP: 371 HT SCREENING
Select another CLINIC STOP: 683 HT NON-VIDEO MONITORING
Select another CLINIC STOP: 684 HT NON-VIDEO INTRVNTION
Select another CLINIC STOP: 685 CARE OF HT PROGRAM PATIENTS
Select another CLINIC STOP: 686 PHONE CONTACT BY CC STAFF
Select another CLINIC STOP:
     Select one of the following:
         Ρ
                   Previous Encounters
         F
                   Future Appointments
PREVIOUS ENCOUNTERS OR FUTURE APPOINTMENTS: P// Previous Encounters
Enter ENCOUNTER BEGINNING DATE: T-30 (MAY 31, 2009)
Enter ENCOUNTER ENDING DATE: T (JUN 30, 2009)
Enter EFFECTIVE DUE DATE: Jun 30, 2009// (JUN 30, 2009)
```

```
Select SERVICE CATEGORIES: A,I// A,H,I,T,E,R
    Select one of the following:
         D
                   Detailed
                   Summary
TYPE OF REPORT: S// Detailed
Combined report for all Clinic Stops : N// YES
Display All Future Appointments: N// O
Sort by Next Appointment date: N// O
Print full SSN: N// O
Print locations with no patients? YES// NO
Select individual REMINDER: HT PERIODIC EVALUATION
                                                        VISN
Create a new report template: N// YES
STORE REPORT LOGIC IN TEMPLATE NAME: HT PERIODIC EVALUATION
 Are you adding 'HT PERIODIC EVALUATION' as
   a new REMINDER REPORT TEMPLATE (the 204TH)? No// Y (Yes)
  REMINDER REPORT TEMPLATE REPORT TITLE: HT Periodic Evaluation
Changes to template 'HT PERIODIC EVALUATION' have been saved
Print delimited output only: N// O
Include deceased patients on the list? N// O
Include test patients on the list? N// O
Save due patients to a patient list: N// O
DEVICE: HOME//;80;9999 HOME (CRT)
Building Hospital Locations List Done
Elapsed time for building hospital locations: 0 secs
Building patient listDone
Elapsed time for building patient list: 0 secs
Calling the scheduling package to gather appointment data |
Elapsed time for call to the Scheduling Package: 0 secs
Sorting SDAMA301 Output Done
Elapsed time for sorting SDAMA301 output: 0 secs
Elapsed time for removing invalid encounter(s): 0 secDone
Elapsed time for reminder evaluation: 0 secs done
                                                 Jun 30, 2009 6:23:48 pm Page 1
                Clinical Reminders Due Report - Detailed Report
          Report Title:
                               HT Periodic Evaluation
          Patient Sample:
                               Location
          Location:
                                Selected Clinic Stops (Prior Encounters)
                                HOME TELEVIDEO CARE 179
                                HT NON-VIDEO MONITORING 683
                                HT NON-VIDEO INTRVNTION 684
                                HT SCREENING 371
                                CARE OF HT PROGRAM PATIENTS 685
                                PHONE CONTACT BY CC STAFF 686
          Reminder:
                                HT PERIODIC EVALUATION
          Appointments:
                                Next Appointment only
                                5/31/2009 to 6/30/2009
          Date Range:
          Effective Due Date: 6/30/2009
                               6/30/2009 6:22:43 pm
          Date run:
          Template Name:
                              HT PERIODIC EVALUATION
          Combined report:
                              Combined Facility and Combined Locations
          Service categories: A,H,I,T,E,R
             A - AMBULATORY
             H - HOSPITALIZATION
             I - IN HOSPITAL
             T - TELECOMMUNICATIONS
             E - EVENT (HISTORICAL)
```

# R - NURSING HOME No patient visits found Report timing data: Elapsed time for building hospital locations: 0 secs Elapsed time for building patient list: 0 secs Elapsed time for reminder evaluation: 0 secs Elapsed time for removing invalid encounter(s): 0 secs Elapsed time for sorting SDAMA301 output: 0 secs Elapsed time for call to the Scheduling Package: 0 secs End of the report. Press ENTER/RETURN to continue...

#### 11e. Example CREATING THE NEW HT CATEGORY - 4 HT CLINICAL REMINDERS

```
Select Reminder Managers Menu Option: cp CPRS Reminder Configuration
Select CPRS Reminder Configuration Option: ?
        Add/Edit Reminder Categories
  CT
         CPRS Lookup Categories
  CS
         CPRS Cover Sheet Reminder List
  MH
        Mental Health Dialogs Active
  PN
        Progress Note Headers
       Reminder GUI Resolution Active
  RA
  TIU
        TIU Template Reminder Dialog Parameter
       Default Outside Location
  DL
       Position Reminder Text at Cursor
       New Reminder Parameters
  GEC GEC Status Check Active
  WH
       WH Print Now Active
Select CPRS Reminder Configuration Option: CA Add/Edit Reminder Categories
                          Jun 30, 2009@19:02:05
                                                      Page:
Selection List
                                                                 1 of
Reminder Categories
Item Reminder Category
  1 CHRONIC DISEASE
  2 DEPRESSION
 11 VISN PC MEASURES FY09
         + Next Screen - Prev Screen ?? More Actions
                                                                         >>>
AD Add
                       PT List/Print All OU Ouit
Select Item: Quit// AD Add
Select new REMINDER CATEGORY name: HT
 Are you adding 'HT2' as a new REMINDER CATEGORY (the 12TH)? No// y (Yes)
NAME: HT//
DESCRIPTION:
 No existing text
 Edit? NO// y YES
==[ WRAP ]==[ INSERT ]========< DESCRIPTION >======= [ <PF1>H=Help ]====
4 HT (Home Telehealth) reminders
<=====T=====T=====T=====T>=====T>=====T>=====T>=====
Select INDIVIDUAL REMINDERS: HT CONTINUUM OF CARE (INITIAL)
 Are you adding 'HT CONTINUUM OF CARE (INITIAL)' as
   a new INDIVIDUAL REMINDERS (the 1ST for this REMINDER CATEGORY)? No// Y (Yes)
 DISPLAY ORDER: 1
Select INDIVIDUAL REMINDERS: HT CONTINUUM OF CARE (FOLLOW-UP)
 Are you adding 'HT CONTINUUM OF CARE (FOLLOW-UP)' as
   a new INDIVIDUAL REMINDERS (the 2ND for this REMINDER CATEGORY)? No// Y (Yes)
 DISPLAY ORDER: 2
Select INDIVIDUAL REMINDERS: HT CAREGIVER ASSESSMENT
                                                    VISN
 Are you adding 'HT CAREGIVER ASSESSMENT' as
   a new INDIVIDUAL REMINDERS (the 3RD for this REMINDER CATEGORY)? No// Y (Yes)
 DISPLAY ORDER: 3
Select INDIVIDUAL REMINDERS: HT CAREGIVER/VETERAN REFERRAL
                                                           VISN
Select INDIVIDUAL REMINDERS: HT PERIODIC EVALUATION VISN
```

```
Are you adding 'HT PERIODIC EVALUATION ' as
   a new INDIVIDUAL REMINDERS (the 4TH for this REMINDER CATEGORY)? No// Y (Yes)
 DISPLAY ORDER: 4
Select INDIVIDUAL REMINDERS:
Select SUB-CATEGORY:
                    Jun 30, 2009@19:03
Selection List
Reminder Categories
Item Reminder Category
   1 HT
   2 CHRONIC DISEASE
3 DEPRESSION
4 VISN PC MEASURES FY09
        + Next Screen - Prev Screen ?? More Actions
                                                                           >>>
AD Add
                        PT List/Print All QU Quit
Select Item: Quit// Quit
```

## 11f: Example: CREATING THE REMINDER REPORT TEMPLATE THAT IS A SUMMARY REPORT OF THE (4) HT REMINDERS (Here's where you use the HT

'category')

```
Select
Reminder Reports <PUG TST> Option: d Reminders Due Report
Select an existing REPORT TEMPLATE or return to continue:
    Select one of the following:
         I
                Individual Patient
         R
                  Reminder Patient List
         т.
                  Location
         0
                   OE/RR Team
                   PCMM Provider
                   PCMM Team
PATIENT SAMPLE: L// l Location
Select FACILITY: PUGET SOUND HCS/
Select another FACILITY:
    Select one of the following:
               All Outpatient Locations
         HAI
                  All Inpatient Locations
         HS
                  Selected Hospital Locations
         CA
                  All Clinic Stops (with encounters)
                  Selected Clinic Stops
                   Selected Clinic Groups
Determine encounter counts for: HS// <ENT>
LOCATION: HT NON VIDEO INTERVENTION
Select another LOCATION: <Enter all your HT clinic locations until done>>
    Select one of the following:
         P
                  Previous Encounters
                   Future Appointments
PREVIOUS ENCOUNTERS OR FUTURE APPOINTMENTS: P// revious Encounters
Enter ENCOUNTER BEGINNING DATE: 3/1/10 (MAR 01, 2010)
Enter ENCOUNTER ENDING DATE: 3/5/10 (MAR 05, 2010)
Enter EFFECTIVE DUE DATE: May 24, 2010// (MAY 24, 2010)
Select SERVICE CATEGORIES: A,I//
    Select one of the following:
         D
                   Detailed
                   Summary
         S
TYPE OF REPORT: S// ummary
Print locations with no patients? YES// n NO
Print percentages with the report output? NO// y YES
Select a REMINDER CATEGORY: HT
        ...OK? Yes// (Yes)
Select another REMINDER CATEGORY: <ENT>
Select individual REMINDER: <ENT>
Create a new report template: N// y YES
STORE REPORT LOGIC IN TEMPLATE NAME: HT (4) REMINDERS, SUMMARY
 Are you adding 'HT (4) REMINDERS, SUMMARY' as
   a new REMINDER REPORT TEMPLATE (the 235TH)? No// Y (Yes)
```

```
REMINDER REPORT TEMPLATE REPORT TITLE: HT 4 reminders summary
Changes to template 'HT (4) REMINDERS, SUMMARY' have been saved
Print delimited output only: N// O
Include deceased patients on the list? N// O
Include test patients on the list? N// O
Save due patients to a patient list: N// O
DEVICE: HOME//;80;9999 HOME (CRT)
Building hospital locations list |
Elapsed time for building hospital locations list: 0 secs
Building patient list |
Elapsed time for building patient list: 0 secs
Elapsed time for removing invalid encounter(s): 0 secs
Elapsed time for reminder evaluation: 0 secs
                                                  May 24, 2010 11:49:19 am Page 1
                 Clinical Reminders Due Report - Summary Report
          Report Title:
                          HT 5 reminders summary
          Patient Sample:
                               Location
                                Selected Hospital Locations (Prior Encounters)
          Location:
                                HT/HBPC TELEPHONE
          Reminder Category: HBPC
          Date Range: 3/1/2010 to 3/5/2010 Effective Due Date: 5/24/2010
          Date run:
                                5/24/2010 11:46:29 am
          Template Name: HT (4) REMINDERS, SUMMARY Summary report: Individual Locations only
          Service categories: A, I
             A - AMBULATORY
             I - IN HOSPITAL
```

## 11g. Example: GRANT ACCESS TO THE REMINDER REPORT TEMPLATES TO YOURSELF AND YOUR HT SITE LEAD

#### 11h. Example: RUNNING THE REMINDER REPORT TEMPLATES

```
Select Reminder Reports Option: DRU Reminders Due Report (User)

Select REPORT TEMPLATE:HT

1 HT (5) REMINDERS SUMMARY HT (5) Reminders - Summary

2 HT C/G RISK ASSESSMENT HT Caregiver Risk Assessment

3 HT CONT OF CARE (F/U) HT Continuum of Care (F/U)

4 HT CONT OF CARE (INITIAL) HT Continuum of Care (Initial)

Press <RETURN> to see more, '^' to exit this list, OR

CHOOSE 1-5: 5 HT CONT OF CARE (INITIAL) HT Continuum of Care (Initial)
```

## **Appendix A: File Entry Delete and Pointer Update**

#### **OVERVIEW**

## This procedure is only *potentially* necessary at sites that participated in the CCHT pilot program.

The following is an example of how to delete a HEALTH FACTORS file entry and then update any pointers to a new entry. This same procedure can be used to delete and update any local EDUCATION TOPICS file entries.

If you are a CCHT pilot site, you can determine the need to follow this procedure by examining the entries in the HEALTH FACTORS and EDUCATION TOPICS files. PXRM\*2.0\*19 exports entries to both of those files. Internal Entry Numbers (IENs) less than 100,000 in these files are intended for National entries. During installation, if the "CCHT" health factors and "HOME TELEHEALTH" education topics are found at IENs < 100,000, the patch will rename these entries to "HT..." for health factors and "VA-HOME TELEHEALTH..." for education topics. If these entries are found to be at IENs > 100,000 (i.e. Local), PXRM\*2.0\*19 will install new National entries at low IENs and your site will need to perform the delete/pointer update process below.

# WARNING! A LOCAL "CCHT" HEALTH FACTOR OR EDUCATION TOPIC SHOULD ONLY BE DELETED AND HAVE POINTERS UPDATED AFTER CONFIRMING THAT THE LOCAL "CCHT" HEALTH FACTOR HAS BEEN SUPERSEDED BY A NATIONAL "HT" HEALTH FACTOR.

The process described below involves using FileMan to delete entries in a given file, and subsequently updating any other files that pointed to the deleted entry to now point to a new entry. This is a manual process and is not technically possible to be automatically performed as part of a post-install routine.

#### **EDUCATION TOPICS**

Check to see if the education topics exported in the reminder exchange file have been installed at national IENs and if any local education topics need to be replaced.

**NOTE**: There is no print name for the education topics, because the print name field is too short to include the "VA-" leading text as well as a meaningful name. This wasn't a problem with the local work which was implemented at the CCHT pilot sites, but only became an issue when the work was converted to National, since these needed to be prefaced with "VA-" in the .01 field.

The ONLY education topic that has a print name is the MAIN one that is just the 'holder' of the 4 subtopics.

TOPIC NAME: VA-HOME TELEHEALTH (HT)
PRINT NAME: Home Telehealth (HT)

Perform a FileMan search of the EDUCATION TOPICS file. Look for topics that have "HOME TELEHEALTH" in the NAME. Output the NAME and NUMBER. If an education topic has a "VA-" entry at an IEN of less than 100,000 AND a non "VA-" entry then that non "VA-" entry is a candidate for the delete and re-point process.

```
Enter or Edit File Entries
          Print File Entries
          Search File Entries
          Modify File Attributes
          Inquire to File Entries
          Utility Functions ...
          Data Dictionary Utilities ...
          Transfer Entries
          Other Options ...
Select VA FileMan <TEST ACCOUNT> Option: search File Entries
OUTPUT FROM WHAT FILE: EDUCATION TOPICS//
  -A- SEARCH FOR EDUCATION TOPICS FIELD: NAME
  -A- CONDITION: CONTAINS
  -A- CONTAINS: HOME TELEHEALTH
  -B- SEARCH FOR EDUCATION TOPICS FIELD:
IF: A//
           NAME CONTAINS (case-insensitive) "HOME TELEHEALTH"
STORE RESULTS OF SEARCH IN TEMPLATE:
SORT BY: NAME//
START WITH NAME: FIRST//
FIRST PRINT FIELD: NAME
THEN PRINT FIELD: NUMBER
THEN PRINT FIELD:
Heading (S/C): EDUCATION TOPICS SEARCH Replace
DEVICE: ;;9999 HOME
                                               MAR 20,2013 07:51 PAGE 1
EDUCATION TOPICS SEARCH
NAME
```

```
VA-HOME TELEHEALTH (HT)

37

VA-HOME TELEHEALTH-CAREGIVER EDUCATION/SUPPORT

19

VA-HOME TELEHEALTH-DISEASE MGMT/PATIENT SELF-MGMT

21

VA-HOME TELEHEALTH-IN HOME MONITORING

18

VA-HOME TELEHEALTH-MEDICATION MANAGEMENT

20
```

In this sample search, only the VA-HOME TELEHEALTH education topics are present. If a search result returned a local entry of HOME TELEHEALTH IN HOME MONITORING at IEN 660124, that entry would be a candidate for being deleted from EDUCATION TOPICS and any pointers should be updated to point to the national entry, VA-HOME TELEHEALTH IN HOME MONITORING. Refer to the document "File Entry Delete and Pointer Update" for details of this process.

#### **HEALTH FACTORS**

Check to see if the health factors exported in the reminder exchange file have been installed at national IENs and if any local health factors need to be replaced.

Perform a FileMan search of the HEALTH FACTORS file. Look for health factors that have "HT" in the FACTOR field. Output the FACTOR and NUMBER. If a health factor has an "HT" entry at an IEN of less than 100,000 AND a "CCHT" entry, then that "CCHT" entry is a candidate for the delete and re-point process.

```
Select VA FileMan <TEST ACCOUNT> Option: Search File Entries
OUTPUT FROM WHAT FILE: EDUCATION TOPICS// HEALTH FACTORS
                                        (3440 entries)
  -A- SEARCH FOR HEALTH FACTORS FIELD: FACTOR
  -A- CONDITION: CONTAINS
  -A- CONTAINS: HT \(\begin{array}{c}\text{NOTE:}\text{ type a space after the T}\)
  -B- SEARCH FOR HEALTH FACTORS FIELD:
IF: A FACTOR CONTAINS (case-insensitive) "HT "
STORE RESULTS OF SEARCH IN TEMPLATE:
SORT BY: FACTOR//
START WITH FACTOR: FIRST//
FIRST PRINT FIELD: FACTOR
THEN PRINT FIELD: NUMBER
THEN PRINT FIELD:
Heading (S/C): HEALTH FACTORS SEARCH Replace
DEVICE: ;;9999 HOME 

SUGGEST QUEUEING OUTPUT TO MAILMAN AS SEARCH WILL TAKE A LONG
TIME TO COMPLETE
HEALTH FACTORS SEARCH
                                            MAR 20,2013 07:58 PAGE 1
______
```

CCHT TEST ONE	660012
CCHT VETERAN REFERRAL SOCIAL WO	ORK 660014
HT VETERAN REFERRAL SOCIAL WORK	K 820
HT VETERAN REFERRAL SVCS IN PLA	ACE 822
HT VETERAN REFERRAL TRANSPORTAT	CION 831

In this sample search, the VETERAN REFERRAL SOCIAL WORK factor has a "CCHT" entry and an "HT" entry at IEN less than 100,000. Note that the names are an exact match (excluding "CC"). The "CCHT" entry would be a candiate for the delete and re-point process with any associated pointers being updated to reference the HT VETERAN REFERRAL SOCIAL WORK entry.

#### DELETE AND REPOINT EXAMPLE

VA FileMan Version 22.0

The following is an example of deleting a HEALTH FACTOR file entry and updating the pointers associated with that entry to reference a new HEALTH FACTOR file entry. When a delete/repoint is made, the output will contain a list of files that point to the HEALTH FACTORS (or EDUCATION TOPICS) file. For each file there with either be a listing of the entries that were updated or a "NO RECORDS TO PRINT" message indicating no pointers needed updating.

```
Enter or Edit File Entries
          Print File Entries
          Search File Entries
          Modify File Attributes
          Inquire to File Entries
          Utility Functions ...
          Data Dictionary Utilities ...
          Transfer Entries
          Other Options ...
Select VA FileMan <TEST ACCOUNT> Option: Enter or Edit File Entries
INPUT TO WHAT FILE: HEALTH FACTORS//
EDIT WHICH FIELD: ALL//
Select HEALTH FACTORS: CCHT VETERAN REFERRAL SOCIAL WORK
FACTOR: CCHT TEST ENTRY// @
  SURE YOU WANT TO DELETE THE ENTIRE 'CCHT TEST ENTRY' HEALTH FACTORS? YES
  (Yes)
SINCE THE DELETED ENTRY MAY HAVE BEEN 'POINTED TO'
BY ENTRIES IN THE 'HEALTH SUMMARY TYPE' FILE, ETC.,
DO YOU WANT THOSE POINTERS UPDATED (WHICH COULD TAKE QUITE A WHILE)? No// Y
WHICH DO YOU WANT TO DO? --
    1) DELETE ALL SUCH POINTERS
    2) CHANGE ALL SUCH POINTERS TO POINT TO A DIFFERENT 'HEALTH FACTORS' ENTRY
CHOOSE 1) OR 2): 2
THEN PLEASE INDICATE WHICH ENTRY SHOULD BE POINTED TO
Select HEALTH FACTORS: HT VETERAN REFERRAL SOCIAL WORK
```

NOTE: This is where you would choose the appropriate HT version of the health factor (or education topic) being replaced. In this case, HT VETERAN REFERRAL SOCIAL WORK.

Select HEALTH FACTORS: ... EXCUSE ME, JUST A MOMENT PLEASE... DEVICE: HOME// ;;9999 HOME HEALTH SUMMARY TYPE entries whose 'SELECTION ITEM' pointers have been changed MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* REMINDER DIALOG entries whose 'FINDING ITEM' pointers have been changed MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* REMINDER DIALOG entries whose 'ADDITIONAL FINDINGS' pointers have been changed MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* REMINDER FINDING ITEM PARAMETER entries whose 'FINDING ITEM' pointers have been changed MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* HEALTH FACTOR RESOLUTION entries whose 'NAME' pointers have been changed MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* REMINDER EXTRACT SUMMARY entries whose 'FINDING ITEM' pointers have been changed MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* REMINDER EXTRACT SUMMARY entries whose 'FINDING ITEM' pointers have been changed MAR 19,2013 10:04 PAGE 1

\*\*\* NO RECORDS TO PRINT \*\*\* REMINDER TERM entries whose 'FINDING ITEM' pointers have been changed MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* REMINDER DEFINITION entries whose 'FINDING ITEM' pointers have been changed MAR 19,2013 10:04 PAGE 1 \_\_\_\_\_\_ \*\*\* NO RECORDS TO PRINT \*\*\* NUPA PCE INFO entries whose 'HAD HEALTH FACTOR' pointers have been changed MAR 19,2013 10:04 PAGE 1 \_\_\_\_\_\_ \*\*\* NO RECORDS TO PRINT \*\*\* NUPA PCE INFO entries whose 'RECEIVED PREV HEALTH FACTOR' pointers have been cha nged MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* NUPA PCE INFO entries whose 'DECLINED HEALTH FACTOR' pointers have been changed MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* NUPA PCE INFO entries whose 'N/A HEALTH FACTOR' pointers have been changed MAR 19,2013 10:04 PAGE 1 \*\*\* NO RECORDS TO PRINT \*\*\* V HEALTH FACTORS entries whose 'HEALTH FACTOR' pointers have been changed MAR 19,2013 10:04 PAGE 1 660204 CRPATIENT, TWO NOV 8,2011@08:00

HEALTH FACTORS entries whose 'CATEGORY' pointers have been changed

HEALTH FACTORS entries whose 'NOT USED WITH' pointers have been changed MAR 19,2013 10:04 PAGE 1

\*\*\* NO RECORDS TO PRINT \*\*\*

\*\*\* NO RECORDS TO PRINT \*\*\*

Enter or Edit File Entries
Print File Entries
Search File Entries
Modify File Attributes
Inquire to File Entries
Utility Functions ...
Data Dictionary Utilities ...
Transfer Entries
Other Options ...

## Appendix B: Crosswalk from CCHT Pilot to National Release

This is a table is intended to help sites know what data is being installed into their systems and also assist with any local decisions to inactivate unused/unwanted health factors. The table shows a comparison between the health factors distributed in the VA-HT PROJECT reminder exchange file (installed by PXRM\*2.0\*19) to corresponding entries from the CCHT Phase 3 Pilot Program.

The HT TEMPLATES 1.0 column is the authoritative list of health factors being used by the Home Telehealth clinical reminders content. Health factor category names appear in **bold** text. If the only difference between two health factor names is "HT" vs. "CCHT", those items will appear on the same row. Such as:

HT TEMPLATES 1.0	PILOT PHASE 3
HT CAREGIVER REFERRAL BEREAVE SUPPORT	CCHT CAREGIVER REFERRAL BEREAVE SUPPORT

New health factors will not have an equivalent Pilot entry.

HT TEMPLATES 1.0	PILOT PHASE 3
HT CATEGORY OF CARE-ACUTE CARE	

Pilot health factors no longer used in the HT Templates will not have an equivalent HT entry.

HT TEMPLATES 1.0	PILOT PHASE 3
	CCHT CAREGIVER RISK ASSESSMENT SCORE 0

There are 271 new HT-specific health factors included in the VA-HT PROJECT reminder exchange file. The "GEC" health factors being exported are VA national, already exist at VA sites, and are not included in this table.

HT TEMPLATES 1.0	PILOT PHASE 3
	CCHT (CARE COORDINATION HOME TELEHEALTH)
HT (HOME TELEHEALTH)	
	CCHT APPROX DELIVERY DATE FOR EQUIPMENT
	CCHT ASSESSMENT TX PLAN TEMPLATE USED
HT ASSESSMENT/TREATMENT PLAN	CCHT ASSESSMENT/TREATMENT PLAN
HT BARRIERS TO LEARNING	
HT BATHING HELP/SUPRVISION LAST 7D-NO	CCHT BATHING HELP/SUPRVISION LAST 7D-NO
HT BATHING HELP/SUPRVISION LAST 7D-YES	CCHT BATHING HELP/SUPRVISION LAST 7D-YES
HT BED MOBIL HELP/SUPERV LAST 7D-NO	CCHT BED MOBIL HELP/SUPERV LAST 7D-NO
HT BED MOBIL HELP/SUPERV LAST 7D-YES	CCHT BED MOBIL HELP/SUPERV LAST 7D-YES
	CCHT C/G RISK ASSESSMENT DIALOG USED
	CCHT C/G RISK SCREEN TEMPLATE USED
	CCHT CAREGIVER ASSESSMENT SCREEN DONE
	CCHT CAREGIVER ASSESSMENT TEMPLATE USED
HT CAREGIVER ASSESSMENT SCREEN COMPLETED	)
HT CAREGIVER REFERRAL BEREAVE SUPPORT	CCHT CAREGIVER REFERRAL BEREAVE SUPPORT
HT CAREGIVER REFERRAL C/G SUPPORT GRP	CCHT CAREGIVER REFERRAL C/G SUPPORT GRP
HT CAREGIVER REFERRAL EDUC/TRAINING	CCHT CAREGIVER REFERRAL EDUC/TRAINING
HT CAREGIVER REFERRAL FAMILY COUNSEL	CCHT CAREGIVER REFERRAL FAMILY COUNSEL
HT CAREGIVER REFERRAL INDIVID COUNSEL	CCHT CAREGIVER REFERRAL INDIVID COUNSEL
HT CAREGIVER REFERRAL MEDICAL EVAL,F/U	CCHT CAREGIVER REFERRAL MEDICAL EVAL,F/U
HT CAREGIVER REFERRAL OTHER SERVICE	CCHT CAREGIVER REFERRAL OTHER SERVICE
HT CAREGIVER REFERRAL SVCS IN PLACE	CCHT CAREGIVER REFERRAL SVCS IN PLACE
HT CAREGIVER REFERRAL(S) NON VA SYSTEM	CCHT CAREGIVER REFERRAL(S) NON VA SYSTEM
HT CAREGIVER REFERRAL(S) VA SYSTEM	CCHT CAREGIVER REFERRAL(S) VA SYSTEM
	CCHT CAREGIVER RISK ASSESSMENT SCORE 0
	CCHT CAREGIVER RISK ASSESSMENT SCORE 1
	CCHT CAREGIVER RISK ASSESSMENT SCORE 10
	CCHT CAREGIVER RISK ASSESSMENT SCORE 11
	CCHT CAREGIVER RISK ASSESSMENT SCORE 12
	CCHT CAREGIVER RISK ASSESSMENT SCORE 13
	CCHT CAREGIVER RISK ASSESSMENT SCORE 14
	CCHT CAREGIVER RISK ASSESSMENT SCORE 15
	CCHT CAREGIVER RISK ASSESSMENT SCORE 16
	CCHT CAREGIVER RISK ASSESSMENT SCORE 2
	CCHT CAREGIVER RISK ASSESSMENT SCORE 3

	CCHT CAREGIVER RISK ASSESSMENT SCORE 4
	CCHT CAREGIVER RISK ASSESSMENT SCORE 5
	CCHT CAREGIVER RISK ASSESSMENT SCORE 6
	CCHT CAREGIVER RISK ASSESSMENT SCORE 7
	CCHT CAREGIVER RISK ASSESSMENT SCORE 8
	CCHT CAREGIVER RISK ASSESSMENT SCORE 9
HT CAREGIVER REVIEW OF WRITTEN MATERIALS	CONT CARLETY EN MISICALISSIMENT SCORE S
HT CAREGIVER RISK ASSESSMENT SCREEN	CCHT CAREGIVER RISK ASSESSMENT SCREEN
HT CAREGIVER STATES ESSENTIAL CONCEPTS	
	CCHT CATEGORY-ACUTE CARE
	CCHT CATEGORY-CHRONIC CARE
	CCHT CATEGORY-HEALTH PROMOTION
	CCHT CATEGORY-NON INSTITUTIONAL CARE
HT CATEGORY OF CARE-ACUTE CARE	
HT CATEGORY OF CARE-CHRONIC CARE MGMT	1
HT CATEGORY OF CARE-HEALTH PROMOTION	
HT CATEGORY OF CARE-NON INSTITUTIONAL	
HT CATEGORY OF CARE-OTHER	
	CCHT CATEGORY-TELEPHONE CASE MANAGEMENT
HT CCF 1 OR MORE BEHAV/COGN PROBLEMS	CCHT CCF 1 OR MORE BEHAV/COGN PROBLEMS
HT CCF 12 OR MORE CLINIC STOPS PAST YR	CCHT CCF 12 OR MORE CLINIC STOPS
HT CCF 2 OR MORE ADL DEFICITS	CCHT CCF 2 OR MORE ADL DEFICITS
HT CCF AGE 75 OR GREATER	CCHT CCF AGE 75 OR GREATER
HT CCF AGITATED/DISORIENTED-NO	CCHT CCF AGITATED/DISORIENTED-NO
HT CCF AGITATED/DISORIENTED-YES	CCHT CCF AGITATED/DISORIENTED-YES
HT CCF CAREGIVER ACCESSIBLE	CCHT CCF CAREGIVER ACCESSIBLE
HT CCF CAREGIVER CAN INCREASE HELP	CCHT CCF CAREGIVER CAN INCREASE HELP
HT CCF CAREGIVER CAN'T INCREASE HELP	CCHT CCF CAREGIVER CAN'T INCREASE HELP
HT CCF CAREGIVER LIVES WITH PT-NO	CCHT CCF CAREGIVER LIVES WITH PT-NO
HT CCF CAREGIVER LIVES WITH PT-YES	CCHT CCF CAREGIVER LIVES WITH PT-YES
HT CCF CAREGIVER NOT ACCESSIBLE	CCHT CCF CAREGIVER NOT ACCESSIBLE
	CCHT CCF CAREGIVER SAME NAME AS PT
HT CCF CAREGIVER-ADL HELP	CCHT CCF CAREGIVER-ADL HELP
HT CCF CAREGIVER-CHILD	CCHT CCF CAREGIVER-CHILD
HT CCF CAREGIVER-EMOTIONAL SUPPORT	CCHT CCF CAREGIVER-EMOTIONAL SUPPORT
HT CCF CAREGIVER-FRIEND/NEIGHBOR	CCHT CCF CAREGIVER-FRIEND/NEIGHBOR
HT CCF CAREGIVER-IADL HELP	CCHT CCF CAREGIVER-IADL HELP
HT CCF CAREGIVER-OTHER	CCHT CCF CAREGIVER-OTHER
HT CCF CAREGIVER'S CITY	CCHT CCF CAREGIVER'S CITY
HT CCF CAREGIVER'S NAME	CCHT CCF CAREGIVER'S NAME
HT CCF CAREGIVER'S PHONE	CCHT CCF CAREGIVER'S PHONE

HT CCF CAREGIVER'S STATE	CCHT CCF CAREGIVER'S STATE
HT CCF CAREGIVER'S STREET ADDRESS	CCHT CCF CAREGIVER'S STREET ADDRESS
HT CCF CAREGIVER'S ZIP CODE	CCHT CCF CAREGIVER'S ZIP CODE
HT CCF CAREGIVER-SPOUSE	CCHT CCF CAREGIVER-SPOUSE
HT CCF COMPLEXITY TOO GREAT-NO	CCHT CCF COMPLEXITY TOO GREAT-NO
HT CCF COMPLEXITY TOO GREAT-YES	CCHT CCF COMPLEXITY TOO GREAT-YES
HT CCF DELUSIONS-NO	CCHT CCF DELUSIONS-NO
HT CCF DELUSIONS-YES	CCHT CCF DELUSIONS-YES
HT CCF DIFFIC MAKE SELF UNDERSTOOD-NO	CCHT CCF DIFFIC MAKE SELF UNDERSTOOD-NO
HT CCF DIFFIC MAKE SELF UNDERSTOOD-YES	CCHT CCF DIFFIC MAKE SELF UNDERSTOOD-YES
HT CCF DIFFIC REASONABLE DECISIONS-NO	CCHT CCF DIFFIC REASONABLE DECISIONS-NO
HT CCF DIFFIC REASONABLE DECISIONS-YES	CCHT CCF DIFFIC REASONABLE DECISIONS-YES
HT CCF DOES NOT MEET CCM CRITERIA	CCHT CCF DOES NOT MEET CCM CRITERIA
HT CCF DOES NOT MEET NIC CRITERIA	CCHT CCF DOES NOT MEET NIC CRITERIA
HT CCF FLARE UP CHRONIC CONDITION-NO	CCHT CCF FLARE UP CHRONIC CONDITION-NO
HT CCF FLARE UP CHRONIC CONDITION-YES	CCHT CCF FLARE UP CHRONIC CONDITION-YES
HT CCF FOLLOW-UP ASSESSMENT COMPLETED	CCHT CCF FOLLOW-UP ASSESSMENT DONE
HT CCF GROUP SETTING NON RELATIVES	CCHT CCF GROUP SETTING NON RELATIVES
HT CCF HALLUCINATIONS-AUDITORY	CCHT CCF HALLUCINATIONS-AUDITORY
HT CCF HALLUCINATIONS-NONE	CCHT CCF HALLUCINATIONS-NONE
HT CCF HALLUCINATIONS-OLFACTORY	CCHT CCF HALLUCINATIONS-OLFACTORY
HT CCF HALLUCINATIONS-SENSORY	CCHT CCF HALLUCINATIONS-SENSORY
HT CCF HALLUCINATIONS-TACTILE	CCHT CCF HALLUCINATIONS-TACTILE
HT CCF HALLUCINATIONS-VISUAL	CCHT CCF HALLUCINATIONS-VISUAL
HT CCF INITIAL ASSESSMENT COMPLETED	
	CCHT CCF INITIAL ASSESSMENT DONE
HT CCF LIFE EXPECTANCY < 6 MO	CCHT CCF LIFE EXPECTANCY < 6 MO
HT CCF LIVES ALONE	CCHT CCF LIVES ALONE
HT CCF LIVES ALONE IN COMMUNITY	CCHT CCF LIVES ALONE IN COMMUNITY
HT CCF LIVES AT OTHER	CCHT CCF LIVES AT OTHER
HT CCF LIVES BOARD AND CARE	CCHT CCF LIVES BOARD AND CARE
HT CCF LIVES DOMICILIARY	CCHT CCF LIVES DOMICILIARY
HT CCF LIVES HOMELESS	CCHT CCF LIVES HOMELESS
HT CCF LIVES HOMELESS SHELTER	CCHT CCF LIVES HOMELESS SHELTER
HT CCF LIVES NURSING HOME	CCHT CCF LIVES NURSING HOME
HT CCF LIVES PRIVATE HOME	CCHT CCF LIVES PRIVATE HOME
HT CCF LIVES WITH ADULT CHILD	CCHT CCF LIVES WITH ADULT CHILD
HT CCF LIVES WITH CHILD	CCHT CCF LIVES WITH CHILD
HT CCF LIVES WITH OTHER	CCHT CCF LIVES WITH OTHER
HT CCF LIVES WITH SPOUSE & OTHERS	CCHT CCF LIVES WITH SPOUSE & OTHERS
HT CCF LIVES WITH SPOUSE ONLY	CCHT CCF LIVES WITH SPOUSE ONLY

HT CCF MEETS CHRONIC CARE MGMT CRITERIA	CCHT CCF MEETS CCM CRITERIA
HT CCF MEETS NIC CATEGORY A CRITERIA	CCHT CCF MEETS NIC CATEGORY A CRITERIA
HT CCF MEETS NIC CATEGORY B CRITERIA	CCHT CCF MEETS NIC CATEGORY B CRITERIA
HT CCF MEETS NIC CRITERIA	CCHT CCF MEETS NIC CRITERIA
HT CCF MOOD DISORDER DEPRESSION-NO	CCHT CCF MOOD DISORDER DEPRESSION-NO
HT CCF MOOD DISORDER DEPRESSION-YES	CCHT CCF MOOD DISORDER DEPRESSION-YES
HT CCF MOOD DISORDER MANIC-NO	CCHT CCF MOOD DISORDER MANIC-NO
HT CCF MOOD DISORDER MANIC-YES	CCHT CCF MOOD DISORDER MANIC-YES
HT CCF NIC CRITERIA NO-ACUTE CARE MGMT	CCHT CCF NIC CRITERIA NO-ACUTE CARE MGMT
HT CCF NIC CRITERIA NO-HLTH PROMOTION	CCHT CCF NIC CRITERIA NO-HLTH PROMOTION
HT CCF PHYSICALLY ABUSIVE BEHAVIOR-NO	CCHT CCF PHYSICALLY ABUSIVE BEHAVIOR-NO
HT CCF PHYSICALLY ABUSIVE BEHAVIOR-YES	CCHT CCF PHYSICALLY ABUSIVE BEHAVIOR-YES
HT CCF POTENTIAL FOR INCR INDEP-NO	CCHT CCF POTENTIAL FOR INCR INDEP-NO
HT CCF POTENTIAL FOR INCR INDEP-YES	CCHT CCF POTENTIAL FOR INCR INDEP-YES
HT CCF PROBLEMS WITH 3 OR MORE ADLS	CCHT CCF PROBLEMS IN 3 OR MORE ADLS
HT CCF PROBLEMS WITH 3 OR MORE IADL	CCHT CCF PROBLEMS WITH 3 OR MORE IADL
HT CCF PTSD/OTHER ANXIETY-NO	CCHT CCF PTSD/OTHER ANXIETY-NO
HT CCF PTSD/OTHER ANXIETY-YES	CCHT CCF PTSD/OTHER ANXIETY-YES
HT CCF RECOMMEND REFERRAL-NO	CCHT CCF RECOMMEND REFERRAL
HT CCF RECOMMEND REFERRAL-YES	CCHT CCF RECOMMEND REFERRAL-NO
HT CCF RESISTING CARE-NO	CCHT CCF RESISTING CARE-NO
HT CCF RESISTING CARE-YES	CCHT CCF RESISTING CARE-YES
HT CCF SERVICES IN PLACE-NO	CCHT CCF SERVICES IN PLACE-NO
HT CCF SERVICES IN PLACE-YES	CCHT CCF SERVICES IN PLACE-YES
HT CCF SUBST ABUSE/DEPENDENCE-NO	CCHT CCF SUBST ABUSE/DEPENDENCE-NO
HT CCF SUBST ABUSE/DEPENDENCE-YES	CCHT CCF SUBST ABUSE/DEPENDENCE-YES
HT CCF UNPAID CAREGIVER-NO	CCHT CCF UNPAID CAREGIVER-NO
HT CCF UNPAID CAREGIVER-YES	CCHT CCF UNPAID CAREGIVER-YES
HT CCF VERBALLY ABUSIVE BEHAVIOR-NO	CCHT CCF VERBALLY ABUSIVE BEHAVIOR-NO
HT CCF VERBALLY ABUSIVE BEHAVIOR-YES	CCHT CCF VERBALLY ABUSIVE BEHAVIOR-YES
HT CCF WANDERING-NO	CCHT CCF WANDERING-NO
HT CCF WANDERING-YES	CCHT CCF WANDERING-YES
HT CG/VETERAN REFERRAL COMPLETED	
	CCHT CG/VET REFER DIALOG/TEMPLATE USED
	CCHT CG/VETERAN REFERRAL TEMPLATE DONE
	CCHT CG/VETERAN REFERRAL TEMPLATE USED
HT CG/VETERAN REFERRAL(S) NOT UTILIZED	CCHT CG/VETERAN REFERRAL(S) NOT UTILIZED
HT CLINICAL REASON FOR ENROLLMENT	CCHT CLINICAL REASON FOR ENROLLMENT
HT CONSULTS/REFERRALS RECOMMENDED	
	CCHT CONT OF CARE TITLE/TEMPLATE USED
	CCHT CONT OF CARE(EMBEDDED)TEMPLATE USED

	CCHT CONTACT MADE FOR EQUIP RETURN
	CCHT CONTINUUM OF CARE
HT CONTINUUM OF CARE (CCF)	
HT DIFFICULT MANAGING MEDS/LAST 7D-NO	CCHT DIFFICULT MANAGING MEDS/LAST 7D-NO
HT DIFFICULT MANAGING MEDS/LAST 7D-YES	CCHT DIFFICULT MANAGING MEDS/LAST 7D-YES
HT DIFFICULT MNG FINANCES/LAST 7D-NO	CCHT DIFFICULT MNG FINANCES/LAST 7D-NO
HT DIFFICULT MNG FINANCES/LAST 7D-YES	CCHT DIFFICULT MNG FINANCES/LAST 7D-YES
HT DIFFICULT PREPARE MEALS/LAST 7D-NO	CCHT DIFFICULT PREPARE MEALS/LAST 7D-YES
HT DIFFICULT PREPARE MEALS/LAST 7D-YES	
HT DIFFICULT TRANSPORTATION/LAST 7D-NO	
HT DIFFICULT TRANSPORTATION/LAST 7D-YES	
	CCHT DIFFICULT TRANSPRTATION/LAST 7D-NO
	CCHT DIFFICULT TRANSPRTATION/LAST 7D-YES
HT DIFFICULT USING PHONE LAST 7D-NO	CCHT DIFFICULT USING PHONE LAST 7D-NO
HT DIFFICULT USING PHONE LAST 7D-YES	CCHT DIFFICULT USING PHONE LAST 7D-YES
HT DIFFICULT W/ HOUSEWORK/LAST 7D-NO	CCHT DIFFICULT W/ HOUSEWORK/LAST 7D-NO
HT DIFFICULT W/ HOUSEWORK/LAST 7D-YES	CCHT DIFFICULT W/ HOUSEWORK/LAST 7D-YES
HT DIFFICULT WITH SHOPPING/LAST 7D-NO	CCHT DIFFICULT WITH SHOPPING/LAST 7D-NO
HT DIFFICULT WITH SHOPPING/LAST 7D-YES	CCHT DIFFICULT WITH SHOPPING/LAST 7D-YES
	CCHT DIGITAL CAMERA SERIAL #
HT DISCHARGE	CCHT DISCHARGE
	CCHT DISCHARGE TEMPLATE USED
HT DISCHARGE-ADMITTED TO NURSING HOME	CCHT DISCHARGE-ADMITTED TO NURSING HOME
	CCHT DISCHARGE-ALL EQUIP RETURNED (NO)
	CCHT DISCHARGE-ALL EQUIP RETURNED (YES)
HT DISCHARGE-ALL ISSUES ADDRESSED(NO)	CCHT DISCHARGE-ALL ISSUES ADDRESSED(NO)
HT DISCHARGE-ALL ISSUES ADDRESSED(YES)	CCHT DISCHARGE-ALL ISSUES ADDRESSED(YES)
	CCHT DISCHARGE-EQUIP RETURN (OTHER)
HT DISCHARGE-HAS MET GOALS	CCHT DISCHARGE-HAS MET GOALS
HT DISCHARGE-NO RESPONSE TO PROGRAM	CCHT DISCHARGE-NO RESPONSE TO PROGRAM
HT DISCHARGE-NO VA PRIMARY CARE SVCS	CCHT DISCHARGE-NO VA PRIMARY CARE SVCS
HT DISCHARGE-OTHER FOLLOW-UP	CCHT DISCHARGE-OTHER FOLLOW-UP
HT DISCHARGE-PATIENT IS DECEASED	CCHT DISCHARGE-PATIENT IS DECEASED
HT DISCHARGE-PHONE,ELECT SVCS UNAVAIL	CCHT DISCHARGE-PHONE, ELECT SVCS UNAVAIL
HT DISCHARGE-PROLONGED HOSPITALIZATION	CCHT DISCHARGE-PROLONGED HOSPITALIZATION
HT DISCHARGE-PROVIDER REQUESTS DC	CCHT DISCHARGE-PROVIDER REQUESTS DC
HT DISCHARGE-PT/CG REQUEST DC SERVICES	CCHT DISCHARGE-PT/CG REQUEST DC SERVICES
HT DISCHARGE-REFERRED TO HOSPICE	CCHT DISCHARGE-REFERRED TO HOSPICE
HT DISCHARGE-REFERRED TO MENTAL HEALTH	CCHT DISCHARGE-REFERRED TO MENTAL HEALTH
HT DISCHARGE-REFERRED TO NEW LOCATION	CCHT DISCHARGE-REFERRED TO NEW LOCATION
HT DISCHARGE-REFERRED TO PRIMARY CARE	CCHT DISCHARGE-REFERRED TO PRIMARY CARE

HT DISCHARGE-REFERRED TO SOCIAL WORK	CCHT DISCHARGE-REFERRED TO SOCIAL WORK
HT DISCHARGE-RELOCATED OUT OF SVC AREA	CCHT DISCHARGE-RELOCATED OUT OF SVC AREA
HT DISCHARGE-UNABLE TO OPERATE DEVICES	CCHT DISCHARGE-UNABLE TO OPERATE DEVICES
	CCHT DISEASE INDICATIONS-CHF
HT DISEASE INDICATIONS-COPD	CCHT DISEASE INDICATIONS-COPD
HT DISEASE INDICATIONS-DEPRESSION	CCHT DISEASE INDICATIONS-DEPRESSION
HT DISEASE INDICATIONS-DIABETES	CCHT DISEASE INDICATIONS-DIABETES
HT DISEASE INDICATIONS-HEART FAILURE	
HT DISEASE INDICATIONS-HYPERTENSION	CCHT DISEASE INDICATIONS-HYPERTENSION
HT DISEASE INDICATIONS-OBESITY	
HT DISEASE INDICATIONS-OTHER	CCHT DISEASE INDICATIONS-OTHER
HT DISEASE INDICATIONS-PTSD	CCHT DISEASE INDICATIONS-PTSD
HT DISEASE INDICATIONS-SUBSTANCE ABUSE	
	CCHT DISEASE INDICATIONS-SUBST ABUSE
HT DISINTERESTED/LACKS MOTIVATION	
HT DRESSING HELP/SUPERV LAST 7D-NO	CCHT DRESSING HELP/SUPERV LAST 7D-NO
HT DRESSING HELP/SUPERV LAST 7D-YES	CCHT DRESSING HELP/SUPERV LAST 7D-YES
HT EATING HELP/SUPERVISION LAST 7D-NO	CCHT EATING HELP/SUPERVISION LAST 7D-NO
HT EATING HELP/SUPERVISION LAST 7D-YES	CCHT EATING HELP/SUPERVISION LAST 7D-YES
	CCHT EDUC ON EQUIP-CARE COORDINATOR
	CCHT EDUC ON EQUIP-CONTRACT VENDOR
	CCHT EDUC ON EQUIP-SUPPORT STAFF
HT EMERG PRIORITY HIGH-IMMEDIATE EVAL	CCHT EMERG PRIORITY HIGH-IMMEDIATE EVAL
HT EMERG PRIORITY LOW-HAS RESOURCES	CCHT EMERG PRIORITY LOW-HAS RESOURCES
HT EMERG PRIORITY MOD-SVCS AFTER 3-7D	CCHT EMERG PRIORITY MOD-SVCS AFTER 3-7D
HT ENROLLMENT-ENDING DATE	CCHT ENROLLMENT-ENDING DATE
HT ENROLLMENT-START DATE	CCHT ENROLLMENT-START DATE
HT ENROLLMENT-START DATE (PREV ENROLL)	CCHT ENROLLMENT-START DATE (PREV ENROLL)
HT EQUIP INSTALLATION MODE-OTHER	CCHT EQUIP INSTALLATION MODE-OTHER
	CCHT EQUIP INSTALLED BY CARE COORDINATOR
	CCHT EQUIP INSTALLED BY CONTRACT VENDOR
HT EQUIP INSTALLED BY SUPPORT STAFF	CCHT EQUIP INSTALLED BY SUPPORT STAFF
HT EQUIP INSTALLED BY VETERAN/CAREGIVER	
	CCHT EQUIP INSTALLED BY VETERAN/CAREGVR
	CCHT EQUIP MAILED, INSTALL BY VET/CAREGVR
	CCHT EQUIP TAKEN HOME,INSTALL BY VET/CG
HT GETS MEDS VIA NON-VA PROVIDER-NO	CCHT GETS MEDS VIA NON-VA PROVIDER-NO
HT GETS MEDS VIA NON-VA PROVIDER-YES	CCHT GETS MEDS VIA NON-VA PROVIDER-YES
HT HEALTH EDUCATION PLAN	
HT HEALTH EDUCATION RESPONSE	

HT INDICATIONS-# OUTPT VISITS PAST YR	CCHT INDICATIONS-# OUTPT VISITS PAST YR
HT INDICATIONS-DISTANCE (HOURS)	CCHT INDICATIONS-DISTANCE (HOURS)
HT INDICATIONS-DISTANCE (MILES)	CCHT INDICATIONS-DISTANCE (MILES)
HT INDICATIONS-HX HIGH COST/HIGH USE	CCHT INDICATIONS-HX HIGH COST/HIGH USE
HT INDICATIONS-HX HOSPITALIZATONS	CCHT INDICATIONS-HX HOSPITALIZATONS
	CCHT INTERVENTION TEMPLATE USED
HT LEARNING BARRIER-ANGRY	
HT LEARNING BARRIER-ANXIETY	
HT LEARNING BARRIER-APHASIA	
HT LEARNING BARRIER-COGNITIVE IMPAIRMENT	
HT LEARNING BARRIER-CULTURAL	
HT LEARNING BARRIER-HEARING IMPAIRED	
HT LEARNING BARRIER-HOMELESS	
HT LEARNING BARRIER-IMPAIRED MEMORY	
HT LEARNING BARRIER-LANGUAGE	CCHT LEARNING BARRIER-LANGUAGE
HT LEARNING BARRIER-NONE IDENTIFIED	CCHT LEARNING BARRIER-NONE IDENTIFIED
HT LEARNING BARRIER-NOT MOTIVATED	
HT LEARNING BARRIER-OVERWHELMED	
HT LEARNING BARRIER-PAIN	
HT LEARNING BARRIER-PHYSICAL LIMITATIONS	
HT LEARNING BARRIER-POOR CONCENTRATION	
HT LEARNING BARRIER-UNABLE TO READ	CCHT LEARNING BARRIER-UNABLE TO READ
HT LEARNING BARRIER-UNABLE TO WRITE	
HT LEARNING BARRIER-VISUALLY IMPAIRED	CCHT LEARNING BARRIER-VISUALLY IMPAIRED
	CCHT MAKE TIME FOR SELF=FREQUENTLY
	CCHT MAKE TIME FOR SELF=NEARLY ALWAYS
	CCHT MAKE TIME FOR SELF=NEVER
	CCHT MAKE TIME FOR SELF=RARELY
	CCHT MAKE TIME FOR SELF=SOMETIMES
HT MEALS PREPARED BY OTHER/LAST 7D-NO	CCHT MEALS PREPARED BY OTHER/LAST 7D-NO
HT MEALS PREPARED BY OTHER/LAST 7D-YES	CCHT MEALS PREPARED BY OTHER/LAST 7D-YES
	CCHT MEASURING DEVICE-OTHER
	CCHT MEDS ADAPTATIONS-NONE NEEDED
	CCHT MEDS ADAPTATIONS-OTHER
	CCHT MEDS ADAPT-FOR VISUAL IMPAIRMENT
	CCHT MEDS ADAPT-MEDS ARE COLOR CODED
	CCHT MEDS ADAPT-USES PILLBOX
	CCHT MEDS ADAPT-VA PREPARES/POURS MEDS
	CCHT MEDS SPECIAL ADAPTATIONS
HT MEETS TELEHEALTH CRITERIA(NO)	CCHT MEDS SPECIAL ADAPTATIONS  CCHT MEETS TELEHEALTH CRITERIA(NO)

	CCHT MESSAGING DEVICE TYPE/SERIAL #
	CCHT MESSAGING DEVICE-BLOOD GLUCOSE
	CCHT MESSAGING DEVICE-BLOOD PRESSURE
	CCHT MESSAGING DEVICE-PULSE
	CCHT MESSAGING DEVICE-PULSE OXIMETRY
	CCHT MESSAGING DEVICE-POLSE OXIMETRY  CCHT MESSAGING DEVICE-WEIGHT
	CCHT MESSAGING/MONITORING TYPE/SERIAL #
	CCHT MESSAGING/MONITORING-BLOOD GLUCOSE
	CCHT MESSAGING/MONITORING-BLOOD PRESSURE
	CCHT MESSAGING/MONITORING-OTHER
	CCHT MESSAGING/MONITORING-PULSE
	CCHT MESSAGING/MONITORING-PULSE OXIMETRY
	CCHT MESSAGING/MONITORING-SPIROMETRY
	CCHT MESSAGING/MONITORING-WEIGHT
HT MOVE INDOOR HELP/SUPERV LAST 7D-NO	CCHT MOVE INDOOR HELP/SUPERV LAST 7D-NO
HT MOVE INDOOR HELP/SUPERV LAST 7D-YES	CCHT MOVE INDOOR HELP/SUPERV LAST 7D-YES
HT NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP	
HT NO EVIDENCE OF LEARNING	
HT NO FOLLOW-UP NEEDED/INDICATED	
HT PERIODIC EVALUATION COMPLETED	
	CCHT PERIODIC EVAL DIALOG/TEMPLATE USED
	CCHT PERIODIC EVALUATION DONE
	CCHT PERIPHERALS-BP CUFF (SERIAL #)
	CCHT PERIPHERALS-GLUCOSE CABLES
	CCHT PERIPHERALS-NONE NEEDED
	CCHT PERIPHERALS-OTHER
	CCHT PERIPHERALS-PULSE OX (SERIAL #)
	CCHT PERIPHERALS-SPIROMETRY (SERIAL #)
	CCHT PERIPHERALS-STETHOSCOPE
	CCHT PERIPHERALS-WEIGHT SCALE (SERIAL #)
	CCHT PHONE-DSL LINE
	CCHT PHONE-MODEM
	CCHT PHONE-NO FEATURES
HT PLAN-MED DISCREP SENT TO PROVIDER	CCHT PLAN-MED DISCREP SENT TO PROVIDER
HT PLAN-REVIEWED LIST OF CURRENT MEDS	CCHT PLAN-REVIEWED LIST CURRENT MEDS
2 3 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	CCHT PREVIOUSLY ENROLLED TEMPLATE USED
HT PT/CG HAS LIST OF ACTIVE MEDS-NO	CCHT PT/CG HAS LIST OF ACTIVE MEDS-NO
HT PT/CG HAS LIST OF ACTIVE MEDS-YES	CCHT PT/CG HAS LIST OF ACTIVE MEDS-YES
HT PT/CG HAS QUESTIONS ON MEDS-NO	CCHT PT/CG HAS QUESTIONS ON MEDS-NO
HT PT/CG HAS QUESTIONS ON MEDS-YES	CCHT PT/CG HAS QUESTIONS ON MEDS-NO
THE THE QUESTIONS ON WILDS-TES	CCHT PT/CG HAS QUESTIONS ON MEDS-1ES  CCHT PT/CG KNOWS MED INDICATIONS-NO
	CCITI F I/CO KNOWS WIED INDICATIONS-NO

	CCHT PT/CG KNOWS MED INDICATIONS-YES
	CCHT PT/CG KNOWS MED SIDE EFFECTS-YES
	CCHT PT/CG KNOWS MED SIDE EFF-NO
	CCHT PT/CG KNOWS REFILL PROCESS-NO
	CCHT PT/CG KNOWS REFILL PROCESS-YES
	CCHT PT/CG TAKES MEDS AS PRESCRIBED-NO
	CCHT PT/CG TAKES MEDS AS PRESCRIBED-YES
HT REASON FOR NON-ENROLLMENT	CCHT REASON FOR NON-ENROLLMENT
HT RECENT CHANGE IN FUNCTION-NO	CCHT RECENT CHANGE IN FUNCTION-NO
HT RECENT CHANGE IN FUNCTION-YES	CCHT RECENT CHANGE IN FUNCTION-YES
HT REFERRAL-CONSULT COMPLETION	CCHT REFERRAL-CONSULT COMPLETION
	CCHT REFERRALS CAREGIVER NOT SATISFIED
	CCHT REFERRALS CAREGIVER SATISFIED
HT REFERRALS FOR VETERAN/CAREGIVER	CCHT REFERRALS FOR VETERAN/CAREGIVER
HT REFERRALS-CAREGIVER NOT SATISFIED	
HT REFERRALS-CAREGIVER SATISFIED	
HT REPEAT DEMONSTRATION NEXT VISIT	
	CCHT SCREENING CONSULT TEMPLATE USED
	CCHT STRAINED WITH RELATIVES=FREQUENTLY
	CCHT STRAINED WITH RELATIVES=NEVER
	CCHT STRAINED WITH RELATIVES=NRLY ALWAYS
	CCHT STRAINED WITH RELATIVES=RARELY
	CCHT STRAINED WITH RELATIVES=SOMETIMES
	CCHT STRESSED WORK/FAMILY=FREQUENTLY
	CCHT STRESSED WORK/FAMILY=NEARLY ALWAYS
	CCHT STRESSED WORK/FAMILY=NEVER
	CCHT STRESSED WORK/FAMILY=RARELY
	CCHT STRESSED WORK/FAMILY=SOMETIMES
HT TEACH CAREGIVER/FAMILY/SIGNIF OTHER	
	CCHT TECH EDUCATION TEMPLATE USED
HT TECH EDUC DEVICE ASSIGNED	
	CCHT TELEHEALTH COORDINATOR (NAME)
HT TELEHEALTH DELIVERY/INSTALL MODE	CCHT TELEHEALTH DELIVERY/INSTALL MODE
HT TELEHEALTH DEMOGRAPHICS	CCHT TELEHEALTH DEMOGRAPHICS
	CCHT TELEHEALTH DEVICE(S)
	CCHT TEMPLATE USE (PHASE 3)
HT TOILET HELP/SUPERVISION LAST 7D-NO	CCHT TOILET HELP/SUPERVISION LAST 7D-NO
HT TOILET HELP/SUPERVISION LAST 7D-YES	CCHT TOILET HELP/SUPERVISION LAST 7D-YES
HT TRANSFERS HELP/SUPERV LAST 7D-NO	CCHT TRANSFERS HELP/SUPERV LAST 7D-NO
HT TRANSFERS HELP/SUPERV LAST 7D-YES	CCHT TRANSFERS HELP/SUPERV LAST 7D-YES
HT UNABLE TO SCREEN CAREGIVER	

HT VET NOT INTERESTED TELEHEALTH PROGRAM	
HT VET/CAREGIVER VIEW VIDEOS/HEALTH TV	
	CCHT UNCERTAIN WHAT TO DO=FREQUENTLY
	CCHT UNCERTAIN WHAT TO DO=NEARLY ALWAYS
	CCHT UNCERTAIN WHAT TO DO=NEVER
	CCHT UNCERTAIN WHAT TO DO=RARELY
	CCHT UNCERTAIN WHAT TO DO=SOMETIMES
	CCHT VETERAN REFERRAL ADULT DAY CARE
HT VETERAN REFERRAL EDUC/TRAINING	CCHT VETERAN REFERRAL EDUC/TRAINING
	CCHT VETERAN REFERRAL EMPLOYMENT ASSIST
	CCHT VETERAN REFERRAL FAMILY COUNSEL
	CCHT VETERAN REFERRAL FINANCIAL ASSIST
	CCHT VETERAN REFERRAL HOME HEALTH SVC
	CCHT VETERAN REFERRAL HOMEMKR/CHORE ASST
	CCHT VETERAN REFERRAL HOSPICE
	CCHT VETERAN REFERRAL HOUSING
	CCHT VETERAN REFERRAL INDIVIDUAL COUNSEL
	CCHT VETERAN REFERRAL LEGAL ASSIST
	CCHT VETERAN REFERRAL MEDICAL EVAL, F/U
	CCHT VETERAN REFERRAL NURS HOME PLACEMNT
HT VETERAN REFERRAL OTHER SERVICE	CCHT VETERAN REFERRAL OTHER SERVICE
	CCHT VETERAN REFERRAL RESPITE
	CCHT VETERAN REFERRAL SOCIAL WORK
HT VETERAN REFERRAL SVCS IN PLACE	CCHT VETERAN REFERRAL SVCS IN PLACE
	CCHT VETERAN REFERRAL TRANSPORTATION
HT VETERAN REFERRAL(S) NON VA SYSTEM	CCHT VETERAN REFERRAL(S) NON VA SYSTEM
HT VETERAN REFERRAL(S) VA SYSTEM	CCHT VETERAN REFERRAL(S) VA SYSTEM
HT VETERAN REVIEW OF WRITTEN MATERIALS	
HT VETERAN STATES ESSENTIAL CONCEPTS	
HT VETERAN'S GOAL FOR ENROLLMENT	CCHT VETERAN'S GOAL FOR ENROLLMENT
	CCHT VIDEO VISIT TEMPLATE USED
	CCHT VIDEO VISIT-AUDIO/VIDEO CONNECTION
	CCHT VIDEOPHONE SERIAL #
HT W/C MOBIL HELP/SUPERV LAST 7D-NO	CCHT W/C MOBIL HELP/SUPERV LAST 7D-NO
HT W/C MOBIL HELP/SUPERV LAST 7D-YES	CCHT W/C MOBIL HELP/SUPERV LAST 7D-YES
PREFERRED HEALTHCARE LANGUAGE	
PREFERRED HEALTHCARE LANGUAGE-ASL	
PREFERRED HEALTHCARE LANGUAGE-BRAILLE	
PREFERRED HEALTHCARE LANGUAGE-CHINESE	
PREFERRED HEALTHCARE LANGUAGE-ENGLISH	
PREFERRED HEALTHCARE LANGUAGE-FRENCH	

PREFERRED HEALTHCARE LANGUAGE-GERMAN	
PREFERRED HEALTHCARE LANGUAGE-ITALIAN	
PREFERRED HEALTHCARE LANGUAGE-KOREAN	
PREFERRED HEALTHCARE LANGUAGE-OTHER	
PREFERRED HEALTHCARE LANGUAGE-PORTUGUESE	
PREFERRED HEALTHCARE LANGUAGE-RUSSIAN	
PREFERRED HEALTHCARE LANGUAGE-SPANISH	
PREFERRED HEALTHCARE LANGUAGE-TAGALOG	
PREFERRED HEALTHCARE LANGUAGE-	
VIETNAMESE	

### **Appendix C: HT Queued MailMan Report**

When the HT TEMPLATES build is installed, a single MailMan message will be sent. Message subjects will be:

LOCAL CCHT HFs NOT USED IN NAT'L HT REMINDER DIALOG CONTENT

This report will build a list of all health factors on the system where:

- Considered "local" (file IEN 100,000 or greater), and
  - Factor contains "CCHT" or "CARE COORDINATION HOME TELEHEALTH", or
  - Category contains "CCHT" or "CARE COORDINATION HOME TELEHEALTH"
- And the health factor is not used by any of the new HT clinical reminder content

This report is automatically run as part of the post-installation process for patch PXRM\*2.0\*19. The MailMan message generated by this report is sent to the recipients chosen by the person installing the patch bundle. This first run of this report is intended as a baseline in order to assist sites with configuration and/or any necessary cleanup related to Home Telehealth health factors. NOTE: A health factor appearing in this report should only be interpreted to mean that the health factor is not part of the HT Templates build. These health factors could actually be in use **outside** of the National HT dialogs. Any given health factor should **not** be deleted/deprecated/inactivated based solely on this report. Any such decisions should be made in concert with the local facility personnel who can best determine how/where a given health factor is or is not being used.

After any cleanup/configuration issues are resolved, the report may be run again, as needed, to verify no outstanding issues are remaining. To run the report again, you will need a programmer's assistance. That individual will need to execute the following program:

### DEV>D MAIN^PXRMP19A

The program will, again, generate the MailMan message with one slight difference in delivery. When not run as part of the post-installation, the report will be sent directly to the programmer executing the code (DUZ). That person should forward the message to the appropriate points-of-contact. No new menu options were created for this report due to its temporary nature and the fact that a subsequent national patch would have been necessary to remove it from the OPTION file.

### LOCAL CCHT HFs NOT USED IN NAT'L HT REMINDER DIALOGS CONTENT

Purpose: Provides information to sites on status of Health Factors on system vs. National dialogs. This report attempts to find all local Health Factors that are NOT used in the National dialogs for HT. This is done via building a list of local Health Factors whose name contains "CCHT" or "HOME TELEHEALTH" and then comparing that list to the Health Factors used in the National dialogs.

### **SAMPLE**

DAMI LE	
Subj: LOCAL CCHT HFS NOT USED IN NAT'L HT REMIND 02/22/11@12:27 60 lines From: Clinical Reminders Support In 'IN' basket	
HEALTH FACTOR CATEGORY	INACTIVE?
CCHT APPROX DELIVERY DATE FOR EQUIPMENT CCHT TELEHEALTH DELIVERY/INSTALL MODE	NO
CCHT BATHING HELP/SUPRVISION LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT BATHING HELP/SUPRVISION LAST 7D-YES CCHT CONTINUUM OF CARE	NO
CCHT BED MOBIL HELP/SUPERV LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT BED MOBIL HELP/SUPERV LAST 7D-YES CCHT CONTINUUM OF CARE	NO
CCHT CAREGIVER ASSESSMENT SCREEN DONE CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT CAREGIVER ASSESSMENT TEMPLATE USED CCHT TEMPLATE USE (PHASE 3)	NO
CCHT CAREGIVER RISK ASSESSMENT SCORE 0 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT CAREGIVER RISK ASSESSMENT SCREEN  CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT CAREGIVER RISK ASSESSMENT SCORE 10 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT CAREGIVER RISK ASSESSMENT SCREEN  CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT CAREGIVER RISK ASSESSMENT SCORE 12 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT CAREGIVER RISK ASSESSMENT SCORE 13 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT CAREGIVER RISK ASSESSMENT SCORE 14 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT CAREGIVER RISK ASSESSMENT SCORE 15 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT CAREGIVER RISK ASSESSMENT SCORE 16	

	CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	CAREGIVER RISK ASSESSMENT SCORE 2 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	CAREGIVER RISK ASSESSMENT SCORE 3 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	CAREGIVER RISK ASSESSMENT SCORE 4 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	CAREGIVER RISK ASSESSMENT SCORE 5 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	CAREGIVER RISK ASSESSMENT SCORE 6 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	CAREGIVER RISK ASSESSMENT SCORE 7 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	CAREGIVER RISK ASSESSMENT SCORE 8 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	CAREGIVER RISK ASSESSMENT SCORE 9 CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	CATEGORY-ACUTE CARE CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	CATEGORY-CHRONIC CARE CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	CATEGORY-HEALTH PROMOTION CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	CATEGORY-NON INSTITUTIONAL CARE CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	CATEGORY-TELEPHONE CASE MANAGEMENT CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	CCF 1 OR MORE BEHAV/COGN PROBLEMS CCHT CONTINUUM OF CARE	NO
CCHT	CCF 12 OR MORE CLINIC STOPS CCHT CONTINUUM OF CARE	NO
CCHT	CCF 2 OR MORE ADL DEFICITS CCHT CONTINUUM OF CARE	NO
CCHT	CCF AGE 75 OR GREATER CCHT CONTINUUM OF CARE	NO
ССНТ	CCF AGITATED/DISORIENTED-NO CCHT CONTINUUM OF CARE	NO
ССНТ	CCF AGITATED/DISORIENTED-YES CCHT CONTINUUM OF CARE	NO
ССНТ	CCF CAREGIVER ACCESSIBLE CCHT CONTINUUM OF CARE	NO
CCHT	CCF CAREGIVER CAN INCREASE HELP	

CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER LIVES WITH PT-NO CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER LIVES WITH PT-YES CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER NOT ACCESSIBLE CCHT CONTINUUM OF CARE	по
CCHT CCF CAREGIVER SAME NAME AS PT CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER'S CITY CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER'S NAME CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER'S PHONE CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER'S STATE CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER'S STREET ADDRESS CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER'S ZIP CODE CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER-ADL HELP CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER-CHILD CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER-EMOTIONAL SUPPORT CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER-FRIEND/NEIGHBOR CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER-IADL HELP CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER-OTHER CCHT CONTINUUM OF CARE	NO
CCHT CCF CAREGIVER-SPOUSE CCHT CONTINUUM OF CARE	NO
CCHT CCF COMPLEXITY TOO GREAT-NO CCHT CONTINUUM OF CARE	NO
CCHT CCF COMPLEXITY TOO GREAT-YES CCHT CONTINUUM OF CARE	NO
CCHT CCF DELUSIONS-NO	

	CCHT CONTINUUM OF CARE	NO
CCHT	CCF DELUSIONS-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF DIFFIC MAKE SELF UNDERSTOOD-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF DIFFIC MAKE SELF UNDERSTOOD-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF DIFFIC REASONABLE DECISIONS-NO CCHT CONTINUUM OF CARE	NO
ССНТ	CCF DIFFIC REASONABLE DECISIONS-YES CCHT CONTINUUM OF CARE	NO
ССНТ	CCF DOES NOT MEET NIC CRITERIA CCHT CONTINUUM OF CARE	NO
CCHT	CCF FLARE UP CHRONIC CONDITION-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF FLARE UP CHRONIC CONDITION-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF FOLLOW-UP ASSESSMENT DONE CCHT CONTINUUM OF CARE	NO
CCHT	CCF GROUP SETTING NON RELATIVES CCHT CONTINUUM OF CARE	NO
CCHT	CCF HALLUCINATIONS-AUDITORY CCHT CONTINUUM OF CARE	NO
CCHT	CCF HALLUCINATIONS-NONE CCHT CONTINUUM OF CARE	NO
CCHT	CCF HALLUCINATIONS-OLFACTORY CCHT CONTINUUM OF CARE	NO
ССНТ	CCF HALLUCINATIONS-SENSORY CCHT CONTINUUM OF CARE	NO
CCHT	CCF HALLUCINATIONS-TACTILE CCHT CONTINUUM OF CARE	NO
CCHT	CCF HALLUCINATIONS-VISUAL CCHT CONTINUUM OF CARE	NO
CCHT	CCF INITIAL ASSESSMENT DONE CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIFE EXPECTANCY < 6 MO CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES ALONE CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES ALONE IN COMMUNITY CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES AT OTHER	

	CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES BOARD AND CARE CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES DOMICILIARY CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES HOMELESS CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES HOMELESS SHELTER CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES NURSING HOME CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES PRIVATE HOME CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES WITH ADULT CHILD CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES WITH CHILD CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES WITH OTHER CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES WITH SPOUSE & OTHERS CCHT CONTINUUM OF CARE	NO
CCHT	CCF LIVES WITH SPOUSE ONLY CCHT CONTINUUM OF CARE	NO
CCHT	CCF MEETS NIC CATEGORY A CRITERIA CCHT CONTINUUM OF CARE	NO
CCHT	CCF MEETS NIC CATEGORY B CRITERIA CCHT CONTINUUM OF CARE	NO
CCHT	CCF MEETS NIC CRITERIA CCHT CONTINUUM OF CARE	NO
CCHT	CCF MOOD DISORDER DEPRESSION-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF MOOD DISORDER DEPRESSION-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF MOOD DISORDER MANIC-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF MOOD DISORDER MANIC-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF NIC CRITERIA NO-ACUTE CARE MGMT CCHT CONTINUUM OF CARE	NO
CCHT	CCF NIC CRITERIA NO-HLTH PROMOTION CCHT CONTINUUM OF CARE	NO
CCHT	CCF PHYSICALLY ABUSIVE BEHAVIOR-NO	

	CCHT CONTINUUM OF CARE	NO
CCHT	CCF PHYSICALLY ABUSIVE BEHAVIOR-YES CCHT CONTINUUM OF CARE	NO
ССНТ	CCF POTENTIAL FOR INCR INDEP-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF POTENTIAL FOR INCR INDEP-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF PROBLEMS IN 3 OR MORE ADLS CCHT CONTINUUM OF CARE	NO
CCHT	CCF PROBLEMS WITH 3 OR MORE IADL CCHT CONTINUUM OF CARE	NO
CCHT	CCF PTSD/OTHER ANXIETY-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF PTSD/OTHER ANXIETY-YES CCHT CONTINUUM OF CARE	NO
ССНТ	CCF RECOMMEND REFERRAL CCHT CONTINUUM OF CARE	NO
CCHT	CCF RECOMMEND REFERRAL-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF RESISTING CARE-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF RESISTING CARE-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF SERVICES IN PLACE-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF SERVICES IN PLACE-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF SUBST ABUSE/DEPENDENCE-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF SUBST ABUSE/DEPENDENCE-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF UNPAID CAREGIVER-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF UNPAID CAREGIVER-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF VERBALLY ABUSIVE BEHAVIOR-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF VERBALLY ABUSIVE BEHAVIOR-YES CCHT CONTINUUM OF CARE	NO
CCHT	CCF WANDERING-NO CCHT CONTINUUM OF CARE	NO
CCHT	CCF WANDERING-YES	

	CCHT CONTINUUM OF CARE	NO
CCHT	CG/VETERAN REFERRAL TEMPLATE DONE CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT	CG/VETERAN REFERRAL(S) NOT UTILIZED  CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT	CLINICAL REASON FOR ENROLLMENT CCHT (HOME TELEHEALTH)	NO
CCHT	CONTACT MADE FOR EQUIP RETURN CCHT DISCHARGE	NO
CCHT	CONTINUUM OF CARE TEMPLATE USED CCHT TEMPLATE USE (PHASE 3)	NO
CCHT	DIFFICULT MANAGING MEDS/LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT	DIFFICULT MANAGING MEDS/LAST 7D-YES CCHT CONTINUUM OF CARE	NO
ССНТ	DIFFICULT MNG FINANCES/LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT	DIFFICULT MNG FINANCES/LAST 7D-YES CCHT CONTINUUM OF CARE	NO
ССНТ	DIFFICULT PREPARE MEALS/LAST 7D-YES CCHT CONTINUUM OF CARE	NO
CCHT	DIFFICULT TRANSPRTATION/LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT	DIFFICULT TRANSPRTATION/LAST 7D-YES CCHT CONTINUUM OF CARE	NO
ССНТ	DIFFICULT USING PHONE LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT	DIFFICULT USING PHONE LAST 7D-YES CCHT CONTINUUM OF CARE	NO
ССНТ	DIFFICULT W/ HOUSEWORK/LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT	DIFFICULT W/ HOUSEWORK/LAST 7D-YES CCHT CONTINUUM OF CARE	NO
CCHT	DIFFICULT WITH SHOPPING/LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT	DIFFICULT WITH SHOPPING/LAST 7D-YES CCHT CONTINUUM OF CARE	NO
CCHT	DIGITAL CAMERA SERIAL # CCHT TELEHEALTH DEVICE(S)	NO
CCHT	DISCHARGE-ADMITTED TO NURSING HOME CCHT DISCHARGE	NO
CCHT	DISCHARGE-ALL EQUIP RETURNED (NO)	

	CCHT DISCHARGE	NO
CCHT	DISCHARGE-ALL EQUIP RETURNED (YES) CCHT DISCHARGE	NO
ССНТ	DISCHARGE-ALL ISSUES ADDRESSED(NO) CCHT DISCHARGE	NO
CCHT	DISCHARGE-ALL ISSUES ADDRESSED(YES) CCHT DISCHARGE	NO
ССНТ	DISCHARGE-EQUIP RETURN (OTHER) CCHT DISCHARGE	NO
ССНТ	DISCHARGE-HAS MET GOALS CCHT DISCHARGE	NO
ССНТ	DISCHARGE-NO RESPONSE TO PROGRAM CCHT DISCHARGE	NO
ССНТ	DISCHARGE-NO VA PRIMARY CARE SVCS CCHT DISCHARGE	NO
ССНТ	DISCHARGE-OTHER FOLLOW-UP CCHT DISCHARGE	NO
CCHT	DISCHARGE-PATIENT IS DECEASED CCHT DISCHARGE	NO
CCHT	DISCHARGE-PHONE, ELECT SVCS UNAVAIL CCHT DISCHARGE	NO
CCHT	DISCHARGE-PROLONGED HOSPITALIZATION CCHT DISCHARGE	NO
CCHT	DISCHARGE-PROVIDER REQUESTS DC CCHT DISCHARGE	NO
CCHT	DISCHARGE-PT/CG REQUEST DC SERVICES CCHT DISCHARGE	NO
CCHT	DISCHARGE-REFERRED TO HOSPICE CCHT DISCHARGE	NO
CCHT	DISCHARGE-REFERRED TO MENTAL HEALTH CCHT DISCHARGE	NO
CCHT	DISCHARGE-REFERRED TO NEW LOCATION CCHT DISCHARGE	NO
CCHT	DISCHARGE-REFERRED TO PRIMARY CARE CCHT DISCHARGE	NO
CCHT	DISCHARGE-REFERRED TO SOCIAL WORK CCHT DISCHARGE	NO
ССНТ	DISCHARGE-RELOCATED OUT OF SVC AREA CCHT DISCHARGE	NO
CCHT	DISCHARGE-UNABLE TO OPERATE DEVICES CCHT DISCHARGE	NO
CCHT	DISEASE INDICATIONS-CHF	

	CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	DISEASE INDICATIONS-COPD CCHT TELEHEALTH DEMOGRAPHICS	NO
ССНТ	DISEASE INDICATIONS-DEPRESSION CCHT TELEHEALTH DEMOGRAPHICS	NO
ССНТ	DISEASE INDICATIONS-DIABETES CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	DISEASE INDICATIONS-HYPERTENSION CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	DISEASE INDICATIONS-OTHER CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	DISEASE INDICATIONS-PTSD CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	DISEASE INDICATIONS-SUBST ABUSE CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	DRESSING HELP/SUPERV LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT	DRESSING HELP/SUPERV LAST 7D-YES CCHT CONTINUUM OF CARE	NO
CCHT	EATING HELP/SUPERVISION LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT	EATING HELP/SUPERVISION LAST 7D-YES CCHT CONTINUUM OF CARE	NO
CCHT	EDUC ON EQUIP-CARE COORDINATOR CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	EDUC ON EQUIP-CONTRACT VENDOR CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	EDUC ON EQUIP-SUPPORT STAFF CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	EMERG PRIORITY HIGH-IMMEDIATE EVAL CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	EMERG PRIORITY LOW-HAS RESOURCES CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	EMERG PRIORITY MOD-SVCS AFTER 3-7D CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	ENROLLMENT-ENDING DATE CCHT (HOME TELEHEALTH)	NO
CCHT	ENROLLMENT-START DATE CCHT (HOME TELEHEALTH)	NO
CCHT	EQUIP INSTALLATION MODE-OTHER CCHT TELEHEALTH DELIVERY/INSTALL MODE	NO
CCHT	EQUIP INSTALLED BY CARE COORDINATOR	

	CCHT TELEHEALTH DELIVERY/INSTALL MODE	NO
CCHT	EQUIP INSTALLED BY CONTRACT VENDOR CCHT TELEHEALTH DELIVERY/INSTALL MODE	NO
ССНТ	EQUIP INSTALLED BY SUPPORT STAFF CCHT TELEHEALTH DELIVERY/INSTALL MODE	NO
CCHT	EQUIP INSTALLED BY VETERAN/CAREGVR CCHT TELEHEALTH DELIVERY/INSTALL MODE	NO
CCHT	EQUIP MAILED, INSTALL BY VET/CAREGVR CCHT TELEHEALTH DELIVERY/INSTALL MODE	NO
CCHT	EQUIP TAKEN HOME, INSTALL BY VET/CG CCHT TELEHEALTH DELIVERY/INSTALL MODE	NO
ССНТ	INDICATIONS-# OUTPT VISITS PAST YR CCHT TELEHEALTH DEMOGRAPHICS	NO
ССНТ	INDICATIONS-DISTANCE (HOURS) CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	INDICATIONS-DISTANCE (MILES) CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	INDICATIONS-HX HIGH COST/HIGH USE CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	INDICATIONS-HX HOSPITALIZATONS CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT	LEARNING BARRIER-LANGUAGE CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	LEARNING BARRIER-NONE IDENTIFIED CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	LEARNING BARRIER-UNABLE TO READ CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	LEARNING BARRIER-VISUALLY IMPAIRED CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT	MAKE TIME FOR SELF=FREQUENTLY CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	MAKE TIME FOR SELF=NEARLY ALWAYS CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
ССНТ	MAKE TIME FOR SELF=NEVER CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	MAKE TIME FOR SELF=RARELY CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	MAKE TIME FOR SELF=SOMETIMES CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT	MEALS PREPARED BY OTHER/LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT	MEALS PREPARED BY OTHER/LAST 7D-YES	

CCHT	CONTINUUM OF CARE	NO
	NG DEVICE-OTHER TELEHEALTH DEVICE(S)	NO
	APT-FOR VISUAL IMPAIRMENT ASSESSMENT/TREATMENT PLAN	NO
	APT-MEDS ARE COLOR CODED ASSESSMENT/TREATMENT PLAN	NO
	APT-USES PILLBOX ASSESSMENT/TREATMENT PLAN	NO
	APT-VA PREPARES/POURS MEDS ASSESSMENT/TREATMENT PLAN	NO
	APTATIONS-NONE NEEDED ASSESSMENT/TREATMENT PLAN	NO
	APTATIONS-OTHER ASSESSMENT/TREATMENT PLAN	NO
	ECIAL ADAPTATIONS ASSESSMENT/TREATMENT PLAN	NO
	ELEHEALTH CRITERIA(NO) TELEHEALTH DEMOGRAPHICS	NO
	ELEHEALTH CRITERIA(YES) TELEHEALTH DEMOGRAPHICS	NO
	NG DEVICE TYPE/SERIAL # TELEHEALTH DEVICE(S)	NO
	NG DEVICE-BLOOD GLUCOSE TELEHEALTH DEVICE(S)	NO
	NG DEVICE-BLOOD PRESSURE TELEHEALTH DEVICE(S)	NO
	NG DEVICE-PULSE TELEHEALTH DEVICE(S)	NO
	NG DEVICE-PULSE OXIMETRY TELEHEALTH DEVICE(S)	NO
	NG DEVICE-WEIGHT TELEHEALTH DEVICE(S)	NO
	NG/MONITORING TYPE/SERIAL # TELEHEALTH DEVICE(S)	NO
	NG/MONITORING-BLOOD GLUCOSE TELEHEALTH DEVICE(S)	NO
	NG/MONITORING-BLOOD PRESSURE TELEHEALTH DEVICE(S)	NO
	NG/MONITORING-OTHER TELEHEALTH DEVICE(S)	NO
CCHT MESSAGI	NG/MONITORING-PULSE	

CCHT TELEHEALTH DEVICE(S)	NO
CCHT MESSAGING/MONITORING-PULSE OXIMETRY CCHT TELEHEALTH DEVICE(S)	NO
CCHT MESSAGING/MONITORING-SPIROMETRY CCHT TELEHEALTH DEVICE(S)	NO
CCHT MESSAGING/MONITORING-WEIGHT CCHT TELEHEALTH DEVICE(S)	NO
CCHT MOVE INDOOR HELP/SUPERV LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT MOVE INDOOR HELP/SUPERV LAST 7D-YES CCHT CONTINUUM OF CARE	NO
CCHT PERIODIC EVALUATION DONE CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT PERIPHERALS-BP CUFF (SERIAL #) CCHT TELEHEALTH DEVICE(S)	NO
CCHT PERIPHERALS-GLUCOSE CABLES CCHT TELEHEALTH DEVICE(S)	NO
CCHT PERIPHERALS-NONE NEEDED CCHT TELEHEALTH DEVICE(S)	NO
CCHT PERIPHERALS-OTHER CCHT TELEHEALTH DEVICE(S)	NO
CCHT PERIPHERALS-PULSE OX (SERIAL #) CCHT TELEHEALTH DEVICE(S)	NO
CCHT PERIPHERALS-SPIROMETRY (SERIAL #) CCHT TELEHEALTH DEVICE(S)	NO
CCHT PERIPHERALS-STETHOSCOPE CCHT TELEHEALTH DEVICE(S)	NO
CCHT PERIPHERALS-WEIGHT SCALE (SERIAL #) CCHT TELEHEALTH DEVICE(S)	NO
CCHT PHONE-DSL LINE CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT PHONE-MODEM CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT PHONE-NO FEATURES CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT PLAN-MED DISCREP SENT TO PROVIDER CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT PLAN-REVIEWED LIST CURRENT MEDS CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT REASON FOR NON-ENROLLMENT CCHT TELEHEALTH DEMOGRAPHICS	NO
CCHT RECENT CHANGE IN FUNCTION-NO	

	CCHT CONTINUUM OF CARE	NO	
CCHT	RECENT CHANGE IN FUNCTION-YES CCHT CONTINUUM OF CARE	NO	
CCHT	REFERRAL-CONSULT COMPLETION CCHT (HOME TELEHEALTH)	NO	
CCHT	REFERRALS-CAREGIVER NOT SATISFIED CCHT REFERRALS FOR VETERAN/CAREGIVER	NO	
CCHT	REFERRALS-CAREGIVER SATISFIED CCHT REFERRALS FOR VETERAN/CAREGIVER	NO	
CCHT	STRAINED WITH RELATIVES=FREQUENTLY CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	STRAINED WITH RELATIVES=NEVER CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	STRAINED WITH RELATIVES=NRLY ALWAYS CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	STRAINED WITH RELATIVES=RARELY CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	STRAINED WITH RELATIVES=SOMETIMES CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	STRESSED WORK/FAMILY=FREQUENTLY CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	STRESSED WORK/FAMILY=NEARLY ALWAYS CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	STRESSED WORK/FAMILY=NEVER CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	STRESSED WORK/FAMILY=RARELY CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	STRESSED WORK/FAMILY=SOMETIMES CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	TOILET HELP/SUPERVISION LAST 7D-NO CCHT CONTINUUM OF CARE	NO	
CCHT	TOILET HELP/SUPERVISION LAST 7D-YES CCHT CONTINUUM OF CARE	NO	
CCHT	TRANSFERS HELP/SUPERV LAST 7D-NO CCHT CONTINUUM OF CARE	NO	
CCHT	TRANSFERS HELP/SUPERV LAST 7D-YES CCHT CONTINUUM OF CARE	NO	
CCHT	UNCERTAIN WHAT TO DO=FREQUENTLY CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	UNCERTAIN WHAT TO DO=NEARLY ALWAYS CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO	
CCHT	UNCERTAIN WHAT TO DO=NEVER		

CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT UNCERTAIN WHAT TO DO=RARELY CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT UNCERTAIN WHAT TO DO=SOMETIMES CCHT CAREGIVER RISK ASSESSMENT SCREEN	NO
CCHT VETERAN'S GOAL FOR ENROLLMENT CCHT (HOME TELEHEALTH)	NO
CCHT VIDEO VISIT-AUDIO/VIDEO CONNECTION CCHT TELEHEALTH DEVICE(S)	NO
CCHT VIDEOPHONE SERIAL # CCHT TELEHEALTH DEVICE(S)	NO
CCHT W/C MOBIL HELP/SUPERV LAST 7D-NO CCHT CONTINUUM OF CARE	NO
CCHT W/C MOBIL HELP/SUPERV LAST 7D-YES CCHT CONTINUUM OF CARE	NO
CCHT-CAREGIVER REFERRAL BEREAVE SUPPORT CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-CAREGIVER REFERRAL C/G SUPPORT GRP CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-CAREGIVER REFERRAL EDUC/TRAINING CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-CAREGIVER REFERRAL FAMILY COUNSEL CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-CAREGIVER REFERRAL INDIVID COUNSEL CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-CAREGIVER REFERRAL MEDICAL EVAL, F/U CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-CAREGIVER REFERRAL OTHER SERVICE CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-CAREGIVER REFERRAL SVCS IN PLACE CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-CAREGIVER REFERRAL(S) NON VA SYSTEM CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-CAREGIVER REFERRAL(S) VA SYSTEM CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-GETS MEDS VIA NON-VA PROVIDER-NO CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-GETS MEDS VIA NON-VA PROVIDER-YES CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG HAS LIST OF ACTIVE MEDS-NO CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG HAS LIST OF ACTIVE MEDS-YES	

CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG HAS QUESTIONS ON MEDS-NO CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG HAS QUESTIONS ON MEDS-YES CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG KNOWS MED INDICATIONS-NO CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG KNOWS MED INDICATIONS-YES CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG KNOWS MED SIDE EFF-NO CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG KNOWS MED SIDE EFFECTS-YES CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG KNOWS REFILL PROCESS-NO CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG KNOWS REFILL PROCESS-YES CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG TAKES MEDS AS PRESCRIBED-NO CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-PT/CG TAKES MEDS AS PRESCRIBED-YES CCHT ASSESSMENT/TREATMENT PLAN	NO
CCHT-VETERAN REFERRAL ADULT DAY CARE CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL EDUC/TRAINING CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL EMPLOYMENT ASSIST CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL FAMILY COUNSEL CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL FINANCIAL ASSIST CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL HOME HEALTH SVC CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL HOMEMKR/CHORE ASST CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL HOSPICE CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL HOUSING CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL INDIVIDUAL COUNSEL CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL LEGAL ASSIST	

CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL MEDICAL EVAL, F/U CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL NURS HOME PLACEMNT CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL OTHER SERVICE CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL RESPITE CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL SOCIAL WORK CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL SVCS IN PLACE CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL TRANSPORTATION CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL(S) NON VA SYSTEM CCHT REFERRALS FOR VETERAN/CAREGIVER	NO
CCHT-VETERAN REFERRAL(S) VA SYSTEM CCHT REFERRALS FOR VETERAN/CAREGIVER	NO

# **Appendix D: Contents of the Packed Reminder Export HT Templates/Reminders Set**

Page: 1 of 1 Exchange File Components Mar 02, 2017@10:10:04 -----Component-----Exists-Source: DOE, JOHN at SALT LAKE CITY Date Packed: 03/02/2017@10:10:04 Package Version: 2.0P62 Description: This pack is to support installation of PXRM\*2.0\*19. It contains the standardized reminder dialogs and definitions as requested by the VHA Office of Connected Care (10P8). The following Clinical Reminder items were selected for packing: REMINDER DIALOG VA-HT DISCHARGE TEMPLATE VA-HT VIDEO VISIT TEMPLATE VA-HT TECH EDUCATION & INSTALLATION TEMPLATE VA-HT CONTINUUM OF CARE TEMPLATE VA-HT SCREENING CONSULT TEMPLATE VA-HT ASSESSMENT TREATMENT PLAN TEMPLATE VA-HT CAREGIVER ASSESSMENT TEMPLATE VA-HT INTERVENTION TEMPLATE VA-HT CAREGIVER/VETERAN REFERRAL VA-HT CAREGIVER RISK ASSESSMENT VA-HT CONTINUUM OF CARE (INITIAL) VA-HT PERIODIC EVALUATION VA-HT CONTINUUM OF CARE (FOLLOW-UP) VA-HT TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS REMINDER DEFINITION VA-HT PERIODIC EVALUATION VA-HT CAREGIVER RISK ASSESSMENT VA-HT CONTINUUM OF CARE (INITIAL) VA-HT OBJ EMERGENCY PRIORITY RATING LAST VA-HT OBJ EDUCATION TOPICS ALL VA-HT OBJ CATEGORY OF CARE LAST VA-HT OBJ NIC/CCM RATING LAST VA-HT OBJ MEDICATION RECONCILIATION VA-HT CONTINUUM OF CARE (FOLLOW-UP) VA-HT OBJ BARRIERS TO LEARNING VA-HT OBJ CCM RATING LAST VA-HT OBJ CONTINUUM OF CARE LAST DONE Non-exchangeable order dialog(s): Name: PSH OERR Type: Dialog Display Text: Non VA Medications Non-exchangeable TIU object(s): \_\_\_\_\_\_ TIU Object: PATIENT AGE Object Method: S X=\$\$AGE^TIULO(DFN) TIU Object: PATIENT DATE OF DEATH Object Method: S X=\$\$DOD^TIULO(DFN)

```
TIU Object: PAIN
Object Method: S X=$$PAIN^TIULO(+$G(DFN))
TIU Object: PATIENT HEIGHT
Object Method: S X=$$HEIGHT^TIULO(+$G(DFN))
TIU Object: PATIENT WEIGHT
Object Method: S X=$$WEIGHT^TIULO(+$G(DFN))
TIU Object: TEMPERATURE
Object Method: S X=$$TEMP^TIULO(+$G(DFN))
TIU Object: PULSE
Object Method: S X=$$PULSE^TIULO(+$G(DFN))
TIU Object: RESPIRATION
Object Method: S X=$$RESP^TIULO(+$G(DFN))
TIU Object: BLOOD PRESSURE
Object Method: S X=$$BP^TIULO(+$G(DFN))
TIU Object: ACTIVE MEDICATIONS
Object Method: S X=$$LIST^TIULMED(DFN,"^TMP(""TIUMED"",$J)",1)
______
Keywords:
HOME TELEHEALTH,
PXRM*2.0*19,
HT,
VA-HT PROJECT,
Components:
ROUTINE
     PXRMDATE
                                                                       Χ
     PXRMPDEM
                                                                       Χ
ORDER DIALOG
     PSH OERR
                                                                       X
GMRV VITAL TYPE
     PAIN
                                                                       Χ
MH TESTS AND SURVEYS
     ZBI SCREEN
                                                                       Χ
TIU TEMPLATE FIELD
  1 VA-HT SPECIFY
                                                                       Χ
   2 VA-HT W-P4LINES(R)
                                                                      Χ
     VA-HT W-P2LINES(R)
                                                                       Χ
   4 BLANK SPACE1
                                                                       Χ
     OPTIONAL TEXT
                                                                      Χ
   6 VA-HT EDIT50
                                                                       Χ
     OTHER (REQ-DISP ONLY)
                                                                      Χ
  8 VA-HT OTHER
                                                                      Χ
  9 TEXT (1-60 CHARACTERS) REQ
                                                                      Χ
 10 VA-HT W-P6LINES(R)
                                                                      Χ
 11 VA-HT W-P6LINES
                                                                      Χ
 12 VA-HT VITAL SIGNS MODE
```

EDUCATION TOPICS

```
13 VA-HOME TELEHEALTH-CAREGIVER EDUCATION/SUPPORT
 14 VA-ALCOHOL ABUSE FOLLOW-UP
 15 VA-ALCOHOL ABUSE MEDICATIONS
                                                                         Χ
 16 VA-ALCOHOL ABUSE EXERCISE
                                                                         X
 17 VA-ALCOHOL ABUSE DIET
                                                                         Χ
 18 VA-ALCOHOL ABUSE LIFESTYLE ADAPTATIONS
                                                                         X
 19
     VA-ALCOHOL ABUSE COMPLICATIONS
                                                                         Χ
     VA-ALCOHOL ABUSE DISEASE PROCESS
                                                                         Χ
     VA-SMOKING CESSATION
                                                                         Х
 22
     VA-IMMUNIZATIONS
                                                                         Χ
 23 VA-EXERCISE
                                                                         Χ
 24 VA-NUTRITION/OBESITY
                                                                         Χ
 25 VA-HTN NUTRITION EDUCATION
                                                                         X
 26 VA-HTN MEDICATION ADHERENCE
                                                                         X
 27 VA-HTN EXERCISE
                                                                         Χ
 28 VA-DIABETES FOLLOW-UP
 29 VA-DIABETES MEDICATIONS
                                                                         Χ
 30 VA-DIABETES FOOT CARE
                                                                         Χ
 31 VA-DIABETES EXERCISE
                                                                         Χ
 32 VA-DIABETES DIET
                                                                         X
 33
     VA-DIABETES LIFESTYLE ADAPTATIONS
                                                                         X
     VA-DIABETES COMPLICATIONS
                                                                         Χ
 35
     VA-DIABETES DISEASE PROCESS
     VA-SAFETY/HOME/FALLS
                                                                         Χ
 37
     VA-ADVANCE DIRECTIVES SCREENING
                                                                         Χ
 38 VA-ADVANCE DIRECTIVES
                                                                         Χ
 39 VA-HOME TELEHEALTH-MEDICATION MANAGEMENT
                                                                         X
 40 VA-HOME TELEHEALTH-IN HOME MONITORING
                                                                         X
 41 VA-HOME TELEHEALTH-DISEASE MGMT/PATIENT SELF-MGMT
                                                                         X
HEALTH FACTORS
 42 HT CONTINUUM OF CARE (CCF)
                                                             Χ
                                                                         Χ
 43 HT CCF MEETS CHRONIC CARE MGMT CRITERIA
                                                                         Χ
 44 HT CCF DOES NOT MEET CCM CRITERIA
                                                                         Χ
 45 HT CCF DOES NOT MEET NIC CRITERIA
                                                                         X
 46 HT CCF MEETS NIC CRITERIA
                                                                         X
     HT CCF MEETS NIC CATEGORY B CRITERIA
                                                                         Χ
 48
     HT CCF MEETS NIC CATEGORY A CRITERIA
                                                                         Χ
 49
     HT CCF NIC CRITERIA NO-HLTH PROMOTION
                                                                         Χ
 50 HT CCF NIC CRITERIA NO-ACUTE CARE MGMT
                                                                         Χ
 51 HT CCF 12 OR MORE CLINIC STOPS PAST YR
                                                                         Χ
 52 HT CCF LIVES ALONE IN COMMUNITY
                                                                         X
 53 HT CCF AGE 75 OR GREATER
                                                                         X
 54 HT CCF PROBLEMS WITH 3 OR MORE IADL
                                                                         Χ
 55 HT CCF 2 OR MORE ADL DEFICITS
                                                                         Χ
 56 HT CCF LIFE EXPECTANCY < 6 MO
 57
     HT CCF 1 OR MORE BEHAV/COGN PROBLEMS
                                                                         Χ
 58 HT CCF PROBLEMS WITH 3 OR MORE ADLS
                                                                         X
 59 HT CCF COMPLEXITY TOO GREAT-NO
                                                                         X
 60
     HT CCF RECOMMEND REFERRAL-NO
                                                                         Χ
 61
     HT CCF RECOMMEND REFERRAL-YES
                                                                         Χ
     HT CCF SERVICES IN PLACE-NO
                                                                         Χ
 63
     HT CCF SERVICES IN PLACE-YES
                                                                         Χ
 64
     HT CCF COMPLEXITY TOO GREAT-YES
                                                                         Χ
 65
     HT CCF RESISTING CARE-NO
                                                                         Χ
 66 HT CCF RESISTING CARE-YES
                                                                         Χ
 67 HT CCF PHYSICALLY ABUSIVE BEHAVIOR-NO
                                                                         Χ
 68 HT CCF PHYSICALLY ABUSIVE BEHAVIOR-YES
                                                                         Χ
 69 HT CCF VERBALLY ABUSIVE BEHAVIOR-NO
                                                                         Χ
 70 HT CCF VERBALLY ABUSIVE BEHAVIOR-YES
                                                                         Χ
 71 HT CCF WANDERING-NO
                                                                         Χ
 72 HT CCF WANDERING-YES
                                                                         Χ
 73 HT CCF PTSD/OTHER ANXIETY-NO
```

74			PTSD/OTHER ANXIETY-YES		X				
75			SUBST ABUSE/DEPENDENCE-NO		Χ				
76			SUBST ABUSE/DEPENDENCE-YES		Χ				
77			MOOD DISORDER MANIC-NO		Χ				
78			MOOD DISORDER MANIC-YES		X X				
79			CCF MOOD DISORDER DEPRESSION-NO						
80	ΗT	CCF	MOOD DISORDER DEPRESSION-YES		Χ				
81			DELUSIONS-NO		X X				
82	ΗT	CCF	CF DELUSIONS-YES						
83	ΗT	CCF	CF HALLUCINATIONS-TACTILE						
84	HT	CCF	HALLUCINATIONS-OLFACTORY		Χ				
85	ΗT	CCF	HALLUCINATIONS-VISUAL		Χ				
86	HT	CCF	HALLUCINATIONS-AUDITORY		Χ				
87	ΗT	CCF	HALLUCINATIONS-SENSORY		Χ				
88	ΗT	CCF	HALLUCINATIONS-NONE		X				
89	ΗT	CCF	POTENTIAL FOR INCR INDEP-NO		Χ				
90	HT	CCF	POTENTIAL FOR INCR INDEP-YES		X				
91	HT	CCF	FLARE UP CHRONIC CONDITION-NO		X				
92	${\tt HT}$	CCF	FLARE UP CHRONIC CONDITION-YES		X				
93	${\tt HT}$	RECE	ENT CHANGE IN FUNCTION-NO		X				
94	${\tt HT}$	RECE	ENT CHANGE IN FUNCTION-YES		X				
95	HT	CCF	AGITATED/DISORIENTED-NO		X				
96	${\tt HT}$	CCF	AGITATED/DISORIENTED-YES		Χ				
97	ΗT	CCF	DIFFIC MAKE SELF UNDERSTOOD-NO		X				
98	${\tt HT}$	CCF	DIFFIC MAKE SELF UNDERSTOOD-YES		X				
99	${\tt HT}$	CCF	DIFFIC REASONABLE DECISIONS-NO		X				
100	${\tt HT}$	CCF	DIFFIC REASONABLE DECISIONS-YES		X				
101	${\tt HT}$	CCF	UNPAID CAREGIVER-NO		X				
102	HT	CCF	CAREGIVER CAN'T INCREASE HELP		X				
103	${\tt HT}$	CCF	CAREGIVER CAN INCREASE HELP		X				
104	${\tt HT}$	CCF	CAREGIVER NOT ACCESSIBLE		X				
105	HT	CCF	CAREGIVER ACCESSIBLE		X				
106	HT	CCF	CAREGIVER-IADL HELP		X				
107	HT	CCF	CAREGIVER-ADL HELP		X				
108	HT	CCF	CAREGIVER-EMOTIONAL SUPPORT		X				
109	HT	CCF	CAREGIVER-OTHER		X				
110	ΗT	CCF	CAREGIVER-FRIEND/NEIGHBOR		Χ				
111	ΗT	CCF	CAREGIVER-CHILD		Χ				
112	ΗT	CCF	CAREGIVER-SPOUSE		Χ				
113	ΗT	CCF	CAREGIVER'S PHONE		X				
114	ΗT	CCF	CAREGIVER'S ZIP CODE		Χ				
115	ΗT	CCF	CAREGIVER'S STATE		Χ				
116			CAREGIVER'S CITY		Χ				
117	ΗT	CCF	CAREGIVER'S STREET ADDRESS		X				
118	ΗT	CCF	CAREGIVER'S NAME		X				
119	ΗT	CCF	CAREGIVER LIVES WITH PT-NO		X				
120	ΗT	CCF	CAREGIVER LIVES WITH PT-YES		Χ				
121	ΗT	CCF	UNPAID CAREGIVER-YES		Χ				
122	ΗT	CCF	LIVES HOMELESS SHELTER		Χ				
123	ΗT	CCF	LIVES HOMELESS		X				
124	ΗT	CCF	LIVES AT OTHER		Χ				
125	ΗT	CCF	LIVES DOMICILIARY		Χ				
126			LIVES NURSING HOME		Χ				
127			LIVES BOARD AND CARE		Χ				
128			LIVES PRIVATE HOME		Χ				
129			LIVES WITH OTHER		Χ				
130			GROUP SETTING NON RELATIVES		Χ				
131			LIVES WITH ADULT CHILD		X				
132			LIVES WITH CHILD		X				
133			LIVES WITH SPOUSE & OTHERS		X				
134			LIVES WITH SPOUSE ONLY		X				
135			LIVES ALONE		X				
136	GE(	J REE	FERRAL IADL	X	Χ				

	CEC DECEMB CHANCE IN TADL BY VEC		37
137	GEC RECENT CHANGE IN IADL FX-YES		Χ
138	GEC RECENT CHANGE IN IADL FX-NO		Χ
139	GEC MEALS PREPARED BY OTHERS/LAST 7D-YES		Χ
140	GEC MEALS PREPARED BY OTHERS/LAST 7D-NO		Χ
141	GEC DIFFICULTY WITH SHOPPING/LAST 7D-YES		Χ
142	GEC DIFFICULTY WITH SHOPPING/LAST 7D-NO		Χ
143	GEC DIFFICULTY W/ HOUSEWORK/LAST 7D-YES		Χ
144	GEC DIFFICULTY W/ HOUSEWORK/LAST 7D-NO		Х
145	GEC DIFFICULTY USING PHONE/LAST 7D-YES		X
146	GEC DIFFICULTY USING PHONE/LAST 7D-NO		X
147	GEC DIFFICULTY PREPARE MEALS/LAST 7D-YES		Χ
148	GEC DIFFICULTY PREPARE MEALS/LAST 7D-NO		Χ
149	GEC DIFFICULTY MNG FINANCES/LAST 7D-YES		Χ
150	GEC DIFFICULTY MNG FINANCES/LAST 7D-NO		Χ
151	GEC DIFFICULTY MANAGING MEDS/LAST 7D-YES		Χ
152	GEC DIFFICULTY MANAGING MEDS/LAST 7D-NO		Χ
153	GEC DIFFICULT TRANSPORTATION/LAST 7D-YES		Χ
154	GEC DIFFICULT TRANSPORTATION/LAST 7D-NO		Χ
155	HT DIFFICULT PREPARE MEALS/LAST 7D-NO		Х
156	HT DIFFICULT PREPARE MEALS/LAST 7D-YES		X
157			
	HT MEALS PREPARED BY OTHER/LAST 7D-YES		X
158	HT MEALS PREPARED BY OTHER/LAST 7D-NO		Χ
159	HT DIFFICULT W/ HOUSEWORK/LAST 7D-YES		Χ
160	HT DIFFICULT W/ HOUSEWORK/LAST 7D-NO		Χ
161	HT DIFFICULT WITH SHOPPING/LAST 7D-YES		Χ
162	HT DIFFICULT WITH SHOPPING/LAST 7D-NO		Χ
163	HT DIFFICULT TRANSPORTATION/LAST 7D-YES		Χ
164	HT DIFFICULT TRANSPORTATION/LAST 7D-NO		Χ
165	HT DIFFICULT USING PHONE LAST 7D-YES		Χ
166	HT DIFFICULT USING PHONE LAST 7D-NO		Х
167	HT DIFFICULT MANAGING MEDS/LAST 7D-YES		X
168	HT DIFFICULT MANAGING MEDS/LAST 7D-NO		Х
T 00			
1 ( )			
169	HT DIFFICULT MNG FINANCES/LAST 7D-YES		Χ
170	HT DIFFICULT MNG FINANCES/LAST 7D-NO		Х
170 171	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL	x	X X
170 171 172	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES	х	X X X
170 171	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL	Х	X X
170 171 172	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES	Х	X X X
170 171 172 173	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO	X	X X X X
170 171 172 173 174	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-YES	X	X X X X
170 171 172 173 174 175	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-YES GEC TOILET HELP/SUPERVISION LAST 7D-NO	Х	X X X X X
170 171 172 173 174 175	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO	X	X X X X X X
170 171 172 173 174 175 176 177	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-YES GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO	X	X X X X X X X X
170 171 172 173 174 175 176 177 178	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-YES GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES	X	X X X X X X X X X
170 171 172 173 174 175 176 177 178 179	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO	X	X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES	X	X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO	x	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-YES GEC BED POSITIONING HELP LAST 7D-NO	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-YES GEC BED POSITIONING HELP LAST 7D-NO	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-NO GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES GEC BATHING PHYS ASST NEEDED LAST 7D-NO	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-NO GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES GEC BATHING PHYS ASST NEEDED LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC EATING HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-YES GEC BED POSITIONING HELP LAST 7D-YES GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES GEC BATHING HELP/SUPERVISION LAST 7D-YES HT EATING HELP/SUPERVISION LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES GEC BATHING PHYS ASST NEEDED LAST 7D-YES HT EATING HELP/SUPERVISION LAST 7D-YES HT EATING HELP/SUPERVISION LAST 7D-YES HT EATING HELP/SUPERVISION LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-YES GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES HT EATING HELP/SUPERVISION LAST 7D-YES HT TOILET HELP/SUPERVISION LAST 7D-YES	X	X X X X X X X X X X X X X X X X X X X
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES GEC BATHING PHYS ASST NEEDED LAST 7D-YES HT EATING HELP/SUPERVISION LAST 7D-YES HT TOILET HELP/SUPERVISION LAST 7D-YES HT TOILET HELP/SUPERVISION LAST 7D-YES	X	x x x x x x x x x x x x x x x x x x x
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-YES GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-YES GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES GEC BATHING PHYS ASST NEEDED LAST 7D-YES HT EATING HELP/SUPERVISION LAST 7D-YES HT TOILET HELP/SUPERVISION LAST 7D-YES HT TOILET HELP/SUPERVISION LAST 7D-YES HT TOILET HELP/SUPERVISION LAST 7D-YES HT BED MOBIL HELP/SUPERVISION LAST 7D-YES	X	x x x x x x x x x x x x x x x x x x x
170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196	HT DIFFICULT MNG FINANCES/LAST 7D-NO GEC REFERRAL BASIC ADL GEC TRANSFERS HELP/SPRVISION LAST 7D-YES GEC TRANSFERS HELP/SPRVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC TOILET HELP/SUPERVISION LAST 7D-NO GEC BATHING HELP/SUPERVISION LAST 7D-NO GEC RECENT CHANGE IN ADL FX-YES GEC RECENT CHANGE IN ADL FX-NO GEC MOVING AROUND INDOORS LAST 7D-YES GEC MOVING AROUND INDOORS LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC INDEPENDENT IN WC LAST 7D-NO GEC EATING HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-YES GEC DRESS HELP/SUPERVISION LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BED POSITIONING HELP LAST 7D-NO GEC BATHING PHYS ASST NEEDED LAST 7D-YES GEC BATHING PHYS ASST NEEDED LAST 7D-YES HT EATING HELP/SUPERVISION LAST 7D-YES HT TOILET HELP/SUPERVISION LAST 7D-YES HT TOILET HELP/SUPERVISION LAST 7D-YES	X	x x x x x x x x x x x x x x x x x x x

000		MONE THROOP WELD GREEDEN TROP TO WES		
200		MOVE INDOOR HELP/SUPERV LAST 7D-YES		Χ
201	ΗT	MOVE INDOOR HELP/SUPERV LAST 7D-NO		Χ
202	ΗT	BATHING HELP/SUPRVISION LAST 7D-YES		Χ
203	НТ	BATHING HELP/SUPRVISION LAST 7D-NO		Χ
204		DRESSING HELP/SUPERV LAST 7D-YES		Х
				Х
205		DRESSING HELP/SUPERV LAST 7D-NO		
206	HT	W/C MOBIL HELP/SUPERV LAST 7D-YES		Χ
207	ΗT	W/C MOBIL HELP/SUPERV LAST 7D-NO		Χ
208	НТ	CCF FOLLOW-UP ASSESSMENT COMPLETED		Χ
209		REFERRALS FOR VETERAN/CAREGIVER	X	Χ
210			7.7	
		VETERAN REFERRAL SVCS IN PLACE		Χ
211	H'I'	VETERAN REFERRAL(S) NON VA SYSTEM		Χ
212	ΗT	VETERAN REFERRAL(S) VA SYSTEM		Χ
213	ΗT	VETERAN REFERRAL OTHER SERVICE		Χ
214	НТ	VETERAN REFERRAL EDUC/TRAINING		Χ
215		CAREGIVER REFERRAL SOCIAL WORK		Х
216		CAREGIVER REFERRAL SVCS IN PLACE		Χ
217	HT	CAREGIVER REFERRAL(S) NON VA SYSTEM		Χ
218	ΗT	CAREGIVER REFERRAL(S) VA SYSTEM		Χ
219	HΤ	CAREGIVER REFERRAL BEREAVE SUPPORT		Χ
220	ΗТ	CAREGIVER REFERRAL OTHER SERVICE		Χ
221				
		CAREGIVER REFERRAL MEDICAL EVAL, F/U		Χ
222		CAREGIVER REFERRAL EDUC/TRAINING		Χ
223	HT	CAREGIVER REFERRAL C/G SUPPORT GRP		Χ
224	ΗT	CAREGIVER REFERRAL FAMILY COUNSEL		Χ
225	ΗТ	CAREGIVER REFERRAL INDIVID COUNSEL		Χ
226		CG/VETERAN REFERRAL COMPLETED		Х
			37	
227		CAREGIVER RISK ASSESSMENT SCREEN	X	Χ
228	HT	UNABLE TO SCREEN CAREGIVER		Χ
229	ΗT	CAREGIVER ASSESSMENT SCREEN COMPLETED		Χ
230	НТ	CG/VETERAN REFERRAL(S) NOT UTILIZED		Χ
231		REFERRALS-CAREGIVER NOT SATISFIED		Χ
				X
232		REFERRALS-CAREGIVER SATISFIED		
233	HT	ASSESSMENT/TREATMENT PLAN	X	Χ
234	ΗT	CATEGORY OF CARE-OTHER		Χ
235	ΗT	CATEGORY OF CARE-HEALTH PROMOTION		Χ
236	НТ	CATEGORY OF CARE-CHRONIC CARE MGMT		Χ
237		CATEGORY OF CARE-ACUTE CARE		Х
238		CATEGORY OF CARE-NON INSTITUTIONAL		Χ
239		HEALTH EDUCATION PLAN	X	Χ
240	ΗT	CONSULTS/REFERRALS RECOMMENDED		Χ
241	ΗT	TEACH CAREGIVER/FAMILY/SIGNIF OTHER		Χ
242	НТ	VET/CAREGIVER VIEW VIDEOS/HEALTH TV		Χ
243		CAREGIVER REVIEW OF WRITTEN MATERIALS		Χ
244		VETERAN REVIEW OF WRITTEN MATERIALS		Χ
245		REPEAT DEMONSTRATION NEXT VISIT		Χ
246	ΗT	NO FOLLOW-UP NEEDED/INDICATED		Χ
247	ΗT	HEALTH EDUCATION RESPONSE	X	Χ
248	ΗТ	NO EVIDENCE OF LEARNING		
249				Х
				X
	ΗT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP		Χ
250	HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION		X X
251	HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP		X X X
251 252	HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION		X X X X
251	HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS		X X X
251 252 253	HT HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL		X X X X
251 252 253 254	HT HT HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL EMERG PRIORITY MOD-SVCS AFTER 3-7D		X X X X X
251 252 253 254 255	HT HT HT HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL EMERG PRIORITY MOD-SVCS AFTER 3-7D EMERG PRIORITY LOW-HAS RESOURCES		X X X X X X
251 252 253 254 255 256	HT HT HT HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL EMERG PRIORITY MOD-SVCS AFTER 3-7D EMERG PRIORITY LOW-HAS RESOURCES PLAN-MED DISCREP SENT TO PROVIDER		X X X X X X X
251 252 253 254 255 256 257	HT HT HT HT HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL EMERG PRIORITY MOD-SVCS AFTER 3-7D EMERG PRIORITY LOW-HAS RESOURCES PLAN-MED DISCREP SENT TO PROVIDER PLAN-REVIEWED LIST OF CURRENT MEDS		X X X X X X X X
251 252 253 254 255 256	HT HT HT HT HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL EMERG PRIORITY MOD-SVCS AFTER 3-7D EMERG PRIORITY LOW-HAS RESOURCES PLAN-MED DISCREP SENT TO PROVIDER		X X X X X X X
251 252 253 254 255 256 257	HT HT HT HT HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL EMERG PRIORITY MOD-SVCS AFTER 3-7D EMERG PRIORITY LOW-HAS RESOURCES PLAN-MED DISCREP SENT TO PROVIDER PLAN-REVIEWED LIST OF CURRENT MEDS		X X X X X X X X
251 252 253 254 255 256 257 258 259	HT HT HT HT HT HT HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL EMERG PRIORITY MOD-SVCS AFTER 3-7D EMERG PRIORITY LOW-HAS RESOURCES PLAN-MED DISCREP SENT TO PROVIDER PLAN-REVIEWED LIST OF CURRENT MEDS PT/CG HAS QUESTIONS ON MEDS-YES PT/CG HAS QUESTIONS ON MEDS-NO		X X X X X X X X X X
251 252 253 254 255 256 257 258 259 260	HT HT HT HT HT HT HT HT HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL EMERG PRIORITY MOD-SVCS AFTER 3-7D EMERG PRIORITY LOW-HAS RESOURCES PLAN-MED DISCREP SENT TO PROVIDER PLAN-REVIEWED LIST OF CURRENT MEDS PT/CG HAS QUESTIONS ON MEDS-YES PT/CG HAS QUESTIONS ON MEDS-NO PT/CG HAS LIST OF ACTIVE MEDS-YES		X X X X X X X X X X
251 252 253 254 255 256 257 258 259	HT	NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP DISINTERESTED/LACKS MOTIVATION CAREGIVER STATES ESSENTIAL CONCEPTS VETERAN STATES ESSENTIAL CONCEPTS EMERG PRIORITY HIGH-IMMEDIATE EVAL EMERG PRIORITY MOD-SVCS AFTER 3-7D EMERG PRIORITY LOW-HAS RESOURCES PLAN-MED DISCREP SENT TO PROVIDER PLAN-REVIEWED LIST OF CURRENT MEDS PT/CG HAS QUESTIONS ON MEDS-YES PT/CG HAS QUESTIONS ON MEDS-NO		X X X X X X X X X X

0.00	VIII CHIIG VIII VOV. VII DOVVII DE VO		
263	HT GETS MEDS VIA NON-VA PROVIDER-NO		Χ
264	HT DISCHARGE	X	Χ
265	HT DISCHARGE-HAS MET GOALS		Χ
266	HT DISCHARGE-PT/CG REQUEST DC SERVICES		Χ
267	HT DISCHARGE-UNABLE TO OPERATE DEVICES		Χ
268	HT DISCHARGE-RELOCATED OUT OF SVC AREA		Х
269	HT DISCHARGE-ADMITTED TO NURSING HOME		X
270	HT DISCHARGE-NO VA PRIMARY CARE SVCS		X
271	HT DISCHARGE-PHONE, ELECT SVCS UNAVAIL		Χ
272	HT DISCHARGE-REFERRED TO HOSPICE		Χ
273	HT DISCHARGE-PATIENT IS DECEASED		Χ
274	HT DISCHARGE-PROLONGED HOSPITALIZATION		X
275	HT DISCHARGE-PROVIDER REQUESTS DC		Χ
276	HT DISCHARGE-NO RESPONSE TO PROGRAM		Х
277	HT CCF INITIAL ASSESSMENT COMPLETED		X
278	HT (HOME TELEHEALTH)	X	X
		Λ	
279	HT ENROLLMENT-START DATE		Х
280	HT PERIODIC EVALUATION COMPLETED		Χ
281	HT ENROLLMENT-START DATE (PREV ENROLL)		Χ
282	PREFERRED HEALTHCARE LANGUAGE	X	Χ
283	PREFERRED HEALTHCARE LANGUAGE-ENGLISH		Χ
284	PREFERRED HEALTHCARE LANGUAGE-OTHER		Χ
285	PREFERRED HEALTHCARE LANGUAGE-ASL		Х
286	PREFERRED HEALTHCARE LANGUAGE-BRAILLE		Х
287	PREFERRED HEALTHCARE LANGUAGE-PORTUGUESE		X
288	PREFERRED HEALTHCARE LANGUAGE-ITALIAN		X
289	PREFERRED HEALTHCARE LANGUAGE-RUSSIAN		Χ
290	PREFERRED HEALTHCARE LANGUAGE-KOREAN		Χ
291	PREFERRED HEALTHCARE LANGUAGE-GERMAN		Χ
292	PREFERRED HEALTHCARE LANGUAGE-VIETNAMESE		Χ
293	PREFERRED HEALTHCARE LANGUAGE-TAGALOG		Χ
294	PREFERRED HEALTHCARE LANGUAGE-FRENCH		Х
295	PREFERRED HEALTHCARE LANGUAGE-CHINESE		Х
296	PREFERRED HEALTHCARE LANGUAGE-SPANISH		X
		37	
297	HT BARRIERS TO LEARNING	X	Х
298	HT LEARNING BARRIER-VISUALLY IMPAIRED		X
299	HT LEARNING BARRIER-UNABLE TO WRITE		Χ
300	HT LEARNING BARRIER-UNABLE TO READ		Χ
301	HT LEARNING BARRIER-PHYSICAL LIMITATIONS		Χ
302	HT LEARNING BARRIER-PAIN		X
303	HT LEARNING BARRIER-OVERWHELMED		Χ
304	HT LEARNING BARRIER-NOT MOTIVATED		Χ
305	HT LEARNING BARRIER-HOMELESS		Х
306	HT LEARNING BARRIER-HEARING IMPAIRED		X
307	HT LEARNING BARRIER-CULTURAL		
			X
308	HT LEARNING BARRIER-POOR CONCENTRATION		X
309	HT LEARNING BARRIER-IMPAIRED MEMORY		Χ
310	HT LEARNING BARRIER-APHASIA		Χ
311	HT LEARNING BARRIER-COGNITIVE IMPAIRMENT		Χ
312	HT LEARNING BARRIER-ANXIETY		X
313	HT LEARNING BARRIER-ANGRY		Χ
314	HT LEARNING BARRIER-NONE IDENTIFIED		Χ
315	HT VETERAN'S GOAL FOR ENROLLMENT		Х
316	HT CLINICAL REASON FOR ENROLLMENT		Х
317	HT TELEHEALTH DEMOGRAPHICS	X	Х
		Λ	
318	HT MEETS TELEHEALTH CRITERIA (YES)		X
319	HT REASON FOR NON-ENROLLMENT		X
320	HT MEETS TELEHEALTH CRITERIA(NO)		X
321	HT INDICATIONS-HX HOSPITALIZATONS		Χ
322	HT INDICATIONS-DISTANCE (HOURS)		Χ
323	HT INDICATIONS-DISTANCE (MILES)		Χ
324	HT INDICATIONS-# OUTPT VISITS PAST YR		Χ
325	HT INDICATIONS-HX HIGH COST/HIGH USE		Χ

326 327 328 330 331 332 333 334 335 336 337 338 340 341 342 343 344 345 346 347 348 349	HT DISEASE INDICATIONS-COPD HT DISEASE INDICATIONS-HEART FAILURE HT VET NOT INTERESTED TELEHEALTH PROGRAM HT REFERRAL-CONSULT COMPLETION HT TELEHEALTH DELIVERY/INSTALL MODE HT EQUIP INSTALLED BY OTHER HT EQUIP INSTALLED BY VETERAN/CAREGIVER HT EQUIP INSTALLED BY SUPPORT STAFF HT DISCHARGE-OTHER FOLLOW-UP HT DISCHARGE-REFERRED TO MENTAL HEALTH HT DISCHARGE-REFERRED TO SOCIAL WORK HT DISCHARGE-REFERRED TO NEW LOCATION HT DISCHARGE-REFERRED TO PRIMARY CARE HT DISCHARGE-ALL ISSUES ADDRESSED(NO) HT DISCHARGE-ALL ISSUES ADDRESSED(YES)	X	X X X X X X X X X X X X X X X X X X X
DEMIN	NDER SPONSOR		
	VHA Office of Connected Care (10P8)		Х
REMIN	NDER COMPUTED FINDINGS		
	VA-AGE		Х
	VA-FILEMAN DATE		Х
REMIN	NDER TAXONOMY		
	VA-HT ENCOUNTER PHONE 21		X
	VA-HT ENCOUNTER PHONE 11 VA-HT ENCOUNTER PHONE 5		X X
	NDER TERM		17
	VA-HT BL NIC/CCM CRITERIA VA-HT CCM (CHRONIC CARE MGMT) CRITERIA		X X
356			X
357	VA-HT BL GEC IADLS		Х
358	VA-HT BL HT IADLS		X
	VA-HT BL GEC BASIC ADLS		X
360	VA-HT BL HT BASIC ADLS		X
361 362			X X
363			X
364	VA-HT PT/CAREGIVER LIST OF ACTIVE MEDICATIONS		Х
365	VA-HT MEDICATIONS VIA NON-PROVIDER		Χ
366	VA-HT DISCHARGE REASONS		X
367	VA-HT CCF FOLLOW-UP ASSESSMENT COMPLETED		X
368 369	VA-HT CCF INITIAL ASSESSMENT COMPLETED VA-HT CCF DOES NOT MEET CCM CRITERIA		X X
370	VA-HI CCF DOES NOT MEET CCM CRITERIA  VA-HT CCF MEETS CHRONIC CARE MGMT CRITERIA		X
371	VA-HT CCF DOES NOT MEET NIC CRITERIA		X
372			X
373	VA-HT ENROLLMENT-START DATE		Χ
374	VA-HT PERIODIC EVALUATION COMPLETED		X
375	VA-HT CAREGIVER RISK ASSESSMENT DONE		X
376 377			X X
378			X

	VA-HT CAREGIVER RELATIONSHIP VA-HT CONTINUUM OF CARE LAST	X X
REMIN	NDER DEFINITION	
381	VA-HT OBJ NIC/CCM RATING LAST	X
382	VA-HT OBJ CATEGORY OF CARE LAST	X
383	VA-HT OBJ EMERGENCY PRIORITY RATING LAST	X
384	VA-HT OBJ MEDICATION RECONCILIATION	X
385	VA-HT CONTINUUM OF CARE (FOLLOW-UP)	X
386 387	VA-HT PERIODIC EVALUATION VA-HT CAREGIVER RISK ASSESSMENT	X X
388	VA-HT CONTINUUM OF CARE (INITIAL)	X
389	VA-HT OBJ CAREGIVER NAME/RELATIONSHIP	X
390	VA-HT OBJ CONTINUUM OF CARE LAST DONE	X
391	VA-HT OBJ CCM RATING LAST	X
392	VA-HT OBJ BARRIERS TO LEARNING	X
393	VA-HT OBJ EDUCATION TOPICS ALL	X
	NDER DIALOG	
	VA-HT CONTINUUM OF CARE (FOLLOW-UP)	X
	VA-HT PERIODIC EVALUATION	X
396 397	VA-HT CONTINUUM OF CARE (INITIAL) VA-HT CAREGIVER RISK ASSESSMENT	X X
398	VA-HT CAREGIVER/VETERAN REFERRAL	X
399	VA-HT INTERVENTION TEMPLATE	X
400	VA-HT TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS	X
401	VA-HT CAREGIVER ASSESSMENT TEMPLATE	X
402	VA-HT ASSESSMENT TREATMENT PLAN TEMPLATE	X
403	VA-HT SCREENING CONSULT TEMPLATE	X
404 405	VA-HT CONTINUUM OF CARE TEMPLATE VA-HT TECH EDUCATION & INSTALLATION TEMPLATE	X X
406	VA-HT VIDEO VISIT TEMPLATE	X
407	VA-HT DISCHARGE TEMPLATE	X
нгат.п	TH SUMMARY COMPONENT	
111121111	CLINICAL REMINDERS FINDINGS	X
	PCE HEALTH FACTORS SELECTED	X
	CLINICAL REMINDERS DUE	X
	NEXT OF KIN	X
	MAS ADMISSIONS/DISCHARGES	X
	MAS CLINIC VISITS PAST	X
	TH SUMMARY TYPE	
	VA-HT NIC/CCM RATING LAST	X
409 410	VA-GEC IADLS	X
410	VA-HT IADLS VA-GEC BASIC ADLS	X X
412	VA-HT BASIC ADLS	X
413	VA-HT CATEGORY OF CARE LAST	X
414	VA-HT EMERGENCY LEVEL LAST	X
415	VA-HT MED RECON	X
416	VA-HT REMINDERS DUE	X
417 418	VA-HT ENROLLMENT START VA-HT CAREGIVER	X X
410		X
420	VA-ADMISSIONS PAST YR	X
421	VA-OUTPT APPTS PAST YR	X
HEALT	TH SUMMARY OBJECTS	
422	VA-HT NIC/CCM RATING LAST(TIU)	X
423	VA-GEC IADLS(TIU)	X
	VA-HT IADLS(TIU)	X
425	VA-GEC BASIC ADLS(TIU)	X

426	VA-HT BASIC ADLS(TIU)	Х
427	VA-HT CATEGORY OF CARE (TIU)	X
428	VA-HT EMERGENCY LEVELS (TIU)	X
	VA-HT MED RECON(TIU)	X
430	VA-HT REMINDERS DUE (TIU)	X
431	VA-HT ENROLLMENT START DATE(TIU)	X
	VA-HT CAREGIVER(TIU)	X
	VA-NEXT OF KIN(TIU)	X
	VA-ADMISSIONS PAST YR(TIU)	X
	VA-OUTPT APPTS PAST YR(TIU)	X
433	VA OUTT ATTIO TAGE IN(TIO)	21
TIU D	OCUMENT DEFINITION	
436	HT NIC/CCM RATING LAST	X
	PATIENT AGE	X
437	GEC IADLS (LAST)	X
438	HT IADLS LAST	X
439	GEC BASIC ADLS (LAST)	X
440	HT BASIC ADLS LAST	X
441	HT CATEGORY OF CARE	X
442	HT EMERGENCY PRIORITY RATING	X
443	HT MED RECON	X
	ACTIVE MEDICATIONS	X
444	HT REMINDERS DUE	X
445	HT ENROLLMENT START DATE	X
446	HT CAREGIVER	X
447	NEXT OF KIN	X
	BLOOD PRESSURE	X
	PAIN	X
	PATIENT WEIGHT	X
	PATIENT HEIGHT	X
	RESPIRATION	X
	PULSE	X
	TEMPERATURE	X
448	ADMISSIONS PAST YR	X
449	OUTPT APPTS PAST YR	X
	PATIENT DATE OF DEATH	

# **Appendix E: Clinic Crosswalk**

Current Clinic Location	Prim. Stop Code	Sec. Stop Code	Note Titles	Templates	Definition
HT SCREENING OFC	Prog. Dep Clinic Code				This consult document is used to document initial evaluation
HT SCREENING TC or HT SCREENING PHONE or HT SCREENING PH	Prog. Dep Phone Code	371	HT Screening Consult	HT Screening Consult Template	for enrollment WHETHER OR NOT the patient is actually enrolled.  NOTE: Use to close consult
HT TECH EDUCATION	674	685	HT Tech Education Note	HT Tech Education Template	This document contains patient education, skill validation and installation for technology on all HT patients.  NOTE: ALWAYS attached to the coding pair 674/685 (Non-Count) Use as often as needed when re-educating the patient on technology, changing or troubleshooting technology or adding new peripheral devices. Training/Education on technology only.
HT INTERVENTION	Prog. Dep Phone Code	684	HT Intervention Note	HT Intervention Template	This progress note contains information about all interventions generated from symptoms, behavior and knowledge data gathered from daily monitoring by a non-video messaging device.  NOTE: Use ONLY to document patient encounters in response to alerts from vendor data- not to be used as generic note, and not to be used with VIDEO visit.

HT MONTHLY MONITOR	683	Prog. Dep. Blank for HBPC	HT Monthly Monitor Note	HT Monthly Monitor Template	This progress note contains information about the monthly monitoring of patients assigned non-video messaging devices.  NOTE: Document using this note title once each calendar month on EVERY messaging patient regardless of other patient interactions during the month. Not to be used for patients on video technology that does not have messaging functionality.
HT VIDEO VISIT	Prog Dep	179	HT Video Visit Note	HT Video Visit Template	This document contains information about any visit over a video device (tele-Monitor/Videophone) that meets required criteria for secondary Stop Code xxx179  NOTE: Must meet certain documentation requirements of replicating a face-to-face visit or it can't be coded as 179
HT ASSESS TX PLAN HM  HT ASSESS TX PLAN TC or HT ASSESS TX PLAN PHONE or HT ASSESS TX PLAN PH  HT ASSESS TX PLAN OF or HT ASSESS TX PLAN OF	Prog and Location Dep	685	HT Assessment Treatment Plan	HT Assessment Treatment Plan Template	This document contains information about the visit with the patient/caregiver which includes the clinical assessment and the HT Plan of Care. Additional signature is requested by the Primary Care Provider (and others, including program staff, as appropriate). Additional time needs to be allocated in DSS upon setup for this Clinic Location
HT VISIT TC or HT VISIT PHONE or HT VISIT PH	Prog. Dep Phone Code	685	FIRST, select the HT Clinic Location (left) where the visit is taking place: a. By telephone (TC, Phone, PH) b. In the office (OFC) c. At the patient's home (HM)		
HT VISIT OFC	Prog. Dep Clinic Code	685			
HT VISIT HM	118 or HBPC code	685			

	HT Discharge Note	HT Discharge Template	This Document contains closure of the patients' case and discharge from the HT program. Basically, this note is a discharge summary.  NOTE: Designed to facilitate closing the case of a HT patient. May have an encounter attached to it if the discharge is done by telephone or office visit. Will not have an encounter if patient is not present.
SECOND, select a Note	HT Note	N/A	Generic Note title to encompass all other HT activities. Select documentation templates from the template drawer.
Title/Template (right) to pair with the clinic location (above)	HT Periodic Evaluation Note	HT Periodic Evaluation Template	Periodic review and upgrade of the plan of care  NOTE: Summarization of care for a period of time. Interval dependent on VISN/Program.
	HT Continuum of Care Note	HT Continuum of Care Template	Note title to be used with the Continuum of Care clinical reminder dialog  NOTE: Initial CCF will be included in the Assessment Treatment Plan template. This note title to be used thereafter.
	HT Caregiver Assessment	HT Caregiver Assessment Template	NOTE: Will combine both the High-risk Screen & referral for assistance in one note title and template.

## **Appendix F: Installation Example**

#### **Re-Install**

```
Select Installation <TEST ACCOUNT> Option: 2 Verify Checksums in Transport
Global
Select INSTALL NAME: HT TEMPLATES PROJECT 1.0
                                         3/6/17@10:42:25
   => HT TEMPLATES 1.0 ;Created on Mar 06, 2017@08:31:06
This Distribution was loaded on Mar 06, 2017@10:42:25 with header of
  HT TEMPLATES 1.0 ;Created on Mar 06, 2017@08:31:06
  It consisted of the following Install(s):
HT TEMPLATES PROJECT 1.0 TIU*1.0*258 PXRM*2.0*19 GMTS*2.7*98
Want each Routine Listed with Checksums: Yes// YES
DEVICE: HOME// HOME
PACKAGE: HT TEMPLATES PROJECT 1.0 Mar 06, 2017 10:42 am PAGE 1
______
  0 Routine checked, 0 failed.
PACKAGE: TIU*1.0*258 Mar 06, 2017 10:42 am
                                                         PAGE 1
TIUP258 Calculated 103966494
TIUP258E Calculated 39956358
  2 Routines checked, 0 failed.
PACKAGE: PXRM*2.0*19 Mar 06, 2017 10:42 am
                                                          PAGE 1
______
PXRMCCHT Calculated 24334245
PXRMHTED Calculated 4905599
PXRMP19A Calculated 50240117
PXRMP19B Calculated 106974297
PXRMP19E Calculated
                  1345736
PXRMP19I Calculated 48601801
  6 Routines checked, 0 failed.
PACKAGE: GMTS*2.7*98 Mar 06, 2017 10:42 am
                                                         PAGE 1
GMTSP98E Calculated 5307666
GMTSPI98 Calculated 14297806
  2 Routines checked, 0 failed.
```

- 1 Load a Distribution
- Verify Checksums in Transport Global
- 3 Print Transport Global
- 4 Compare Transport Global to Current System
- 5 Backup a Transport Global
- 6 Install Package(s)

Restart Install of Package(s)

Unload a Distribution

This Distribution was loaded on Mar 06, 2017@10:42:25 with header of HT TEMPLATES 1.0 ;Created on Mar 06, 2017@08:31:06
 It consisted of the following Install(s):
HT TEMPLATES PROJECT 1.0 TIU\*1.0\*258 PXRM\*2.0\*19 GMTS\*2.7\*98
Checking Install for Package HT TEMPLATES PROJECT 1.0

Install Questions for HT TEMPLATES PROJECT 1.0

Checking Install for Package TIU\*1.0\*258
Will first run the Environment Check Routine, TIUP258E

Verifying installation environment...

Checking for existing document classes...

Document class found: CARE COORDINATION HOME TELEHEALTH NOTES

Document class check complete.

Now checking for any local titles that may conflict with new national titles.

Local title check complete. No conflicts found. Environment check complete. Install will proceed.

Install Questions for TIU\*1.0\*258

Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO//

Checking Install for Package PXRM\*2.0\*19

Install Questions for PXRM\*2.0\*19

Incoming Files:

811.8 REMINDER EXCHANGE (including data)
Note: You already have the 'REMINDER EXCHANGE' File.
I will OVERWRITE your data with mine.

Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO//

Checking Install for Package GMTS\*2.7\*98

```
Will first run the Environment Check Routine, GMTSP98E
Verifying installation environment...
 Verification complete; environment check passed
Install Questions for GMTS*2.7*98
Incoming Files:
            REMINDER EXCHANGE (including data)
Note: You already have the 'REMINDER EXCHANGE' File.
I will OVERWRITE your data with mine.
Want KIDS to INHIBIT LOGONs during the install? NO//
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//
Enter the Device you want to print the Install messages.
You can queue the install by enter a 'Q' at the device prompt.
Enter a '^' to abort the install.
DEVICE: HOME// ;;999 HOME
Install Started for HT TEMPLATES PROJECT 1.0 :
              Mar 06, 2017@10:44:28
Build Distribution Date: Mar 06, 2017
Installing Routines:
              Mar 06, 2017@10:44:28
Install Started for TIU*1.0*258:
              Mar 06, 2017@10:44:28
Build Distribution Date: Mar 06, 2017
Installing Routines:
              Mar 06, 2017@10:44:28
Running Pre-Install Routine: PRE^TIUP258
 Preparing HT Document Class & Titles for Update...
 Inactivating CARE COORDINATION HOME TELEHEALTH NOTES.
Renaming document class CARE COORDINATION HOME TELEHEALTH NOTES
 as HOME TELEHEALTH NOTES.
 Inactivating HT SCREENING CONSULT.
 Inactivating HT INTERVENTION NOTE.
 Inactivating HT SUMMARY OF EPISODE NOTE.
 Inactivating HT DISCHARGE NOTE.
 Inactivating HT VIDEO VISIT NOTE.
 Inactivating HT ASSESSMENT TREATMENT PLAN NOTE.
 Inactivating HT CAREGIVER ASSESSMENT NOTE.
 Inactivating HT CONTINUUM OF CARE NOTE.
 Inactivating CCHT NOTE.
```

Inactivating HT PERIODIC EVALUATION NOTE.

Inactivating HT TECH EDUCATION NOTE.
Inactivating HT TELEPHONE CASE MANAGEMENT NOTE.

Renaming CCHT NOTE as HT NOTE.

Installing PACKAGE COMPONENTS:

Installing PRINT TEMPLATE

Installing SORT TEMPLATE

Installing OPTION

Mar 06, 2017@10:44:29

Running Post-Install Routine: POST^TIUP258

HT SCREENING CONSULT successfully installed

HT INTERVENTION NOTE successfully installed

HT SUMMARY OF EPISODE NOTE successfully installed

HT DISCHARGE NOTE successfully installed

HT VIDEO VISIT NOTE successfully installed

HT ASSESSMENT TREATMENT PLAN NOTE successfully installed

HT CAREGIVER ASSESSMENT NOTE successfully installed

HT CONTINUUM OF CARE NOTE successfully installed

HT NOTE successfully installed

HT PERIODIC EVALUATION NOTE successfully installed

HT TECH EDUCATION NOTE successfully installed

HT TELEPHONE CASE MANAGEMENT NOTE successfully installed

Attempting to map HT titles to VHA Enterprise Standard Titles...

Reindexing TIU Titles.....

Updating Routine file...

The following Routines were created during this install: TIUCTP
TIUCTM

Updating KIDS files...

TIU\*1.0\*258 Installed.

Mar 06, 2017@10:44:30

Not a production UCI

NO Install Message sent

```
Install Started for PXRM*2.0*19 :
               Mar 06, 2017@10:44:30
Build Distribution Date: Mar 06, 2017
Installing Routines:
               Mar 06, 2017@10:44:30
Running Pre-Install Routine: PRE^PXRMP19I
DISABLE options.
DISABLE protocols.
 Attempting to rename CCHT Health Factors...
 Installing Data Dictionaries:
              Mar 06, 2017@10:44:32
 Installing Data:
               Mar 06, 2017@10:44:33
 Installing PACKAGE COMPONENTS:
 Installing OPTION
               Mar 06, 2017@10:44:33
Running Post-Install Routine: POST^PXRMP19I
ENABLE options.
ENABLE protocols.
Preparing to install Reminder Exchange entry VA-HT PROJECT.
This is a very large entry that installs numerous components.
Installation of this entry will take 10-15 minutes.
There are 3 Reminder Exchange entries to be installed.
1. Installing Reminder Exchange entry TIU TEMPLATE URL FIX
2. Installing Reminder Exchange entry VA-HT EDUCATION TOPICS
3. Installing Reminder Exchange entry VA-HT PROJECT
The post-install will generate a single MailMan message:
LOCAL CCHT HFs NOT USED IN NAT'L HT CLIN REMINDER CONTENT
The installer is strongly encouraged to include the site's local Clinical
Reminders support/configuration personnel/mail group as recipients.
Send mail to: THOMPSON, WILLIAM//
                                  THOMPSON, WILLIAM
Select basket to send to: IN//
And Send to:
Queueing post-install message...
DONE - Task #1781082
Checking ORWPCE EXCLUDE HEALTH FACTORS at the SYSTEM level
for each HT Health Factor Category
Parameter set for HT (HOME TELEHEALTH)
Parameter set for HT CONTINUUM OF CARE (CCF)
```

Checking TIU TEMPLATE REMINDER DIALOGS at the SYSTEM level

Setting Data Fields for TIU-HS Objects Setting Data Fields Complete Updating Routine file... Updating KIDS files... PXRM\*2.0\*19 Installed. Mar 06, 2017@10:55:50 Not a production UCI NO Install Message sent Install Started for GMTS\*2.7\*98 : Mar 06, 2017@10:55:50 Build Distribution Date: Mar 06, 2017 Installing Routines: Mar 06, 2017@10:55:50 Running Pre-Install Routine: PRE^GMTSPI98 Installing Data Dictionaries: Mar 06, 2017@10:55:50 Installing Data: Mar 06, 2017@10:55:50 Running Post-Install Routine: POST^GMTSPI98 1. Installing Reminder Exchange entry VA-HT REMOTE HEALTH SUMMARY TYPES Updating Routine file... Updating KIDS files... GMTS\*2.7\*98 Installed. Mar 06, 2017@10:55:51 Not a production UCI NO Install Message sent Updating Routine file... Updating KIDS files... HT TEMPLATES PROJECT 1.0 Installed. Mar 06, 2017@10:55:51 No link to PACKAGE file

GMTS\*2.7\*98

Install Completed

## **Appendix G: FileMan Searches for HT Pilot Sites**

### **OVERVIEW**

This information is for reference/use by Clinical Application Coordinator(s) (CACs) at sites that participated in the CCHT Templates Project pilot program. The nationally released version of these templates (HT Templates Project 1.0: TIU\*1\*258, PXRM\*2.0\*19, GMTS\*2.7\*98) will install a complete template set. Some files will have entries left over from the pilot program that should be manually cleaned up and/or inactivated. How to handle this cleanup is a local decision.

The following FileMan search examples can be used at such facilities to identify unused items from the pilot program. Oftentimes, CACs either no longer have FileMan access or do not have access to all the files listed below. In these scenarios, CACs should work with either local or Region-based IT staff to assist with running these searches.

\*

Do not use FileMan to perform edits/renaming of the following file entries. Edits should be done via the proper package options and in the case of GUI templates and/or GUI template fields, the CPRS GUI Template Editor.

#### **REMINDER TERM**

Search for terms that have "CCHT" or "CARE COORD" in the name. Terms with a CLASS of national cannot be locally edited but any term with a CLASS of VISN or LOCAL can be edited by the site. This search will likely find terms that should not be modified. Use caution when making decisions about which terms to edit.

```
Select VA FileMan <TEST ACCOUNT> Option: Search File Entries
OUTPUT FROM WHAT FILE: BUILD// REMINDER TERM
                                              (1009 entries)
  -A- SEARCH FOR REMINDER TERM FIELD: ?
   Answer with FIELD NUMBER, or LABEL
   Choose from:
   .01
              NAME
   .04
              DATE CREATED
              DESCRIPTION (word-processing)
   20
              FINDINGS (multiple)
   100
              CLASS
   101
              SPONSOR
              REVIEW DATE
   110
              EDIT HISTORY
                              (multiple)
  -A- SEARCH FOR REMINDER TERM FIELD: .01 NAME
  -A- CONDITION: CONTAINS
  -A- CONTAINS: CCHT
  -B- SEARCH FOR REMINDER TERM FIELD: NAME
  -B- CONDITION: CONTAINS
  -B- CONTAINS: CARE COORD
 -C- SEARCH FOR REMINDER TERM FIELD:
IF: A NAME CONTAINS (case-insensitive) "CCHT"
OR: B Or NAME CONTAINS (case-insensitive) "CARE COORD"
```

```
OR:
```

STORE RESULTS OF SEARCH IN TEMPLATE:

SORT BY: NAME// START WITH NAME: FIRST// FIRST PRINT FIELD: NAME THEN PRINT FIELD: CLASS

THEN PRINT FIELD:

Heading (S/C): REMINDER TERM SEARCH Replace

DEVICE: ;;9999 HOME

MAY 9,2013 07:48 PAGE 1 REMINDER TERM SEARCH CLASS NAME

VA-GEC CARE COORDINATION COMMENTS CCHT DISCHARGE REASONS CCHT SUPPRESS FOR AGE <75

NATTONAL VISN VISN

3 MATCHES FOUND.

#### REMINDER DEFINITION

Search for definitions that have "CCHT" or "CARE COORD" in the name. Definitions with a CLASS of national cannot be locally edited but any definition with a CLASS of VISN or LOCAL can be edited by the site. This search will likely find definitions that should not be modified. Use caution when making decisions about which definitions to edit.

Select Fileman (VA) <TEST ACCOUNT> Option: Search File Entries

OUTPUT FROM WHAT FILE: REMINDER DEFINITION//

- -A- SEARCH FOR REMINDER DEFINITION FIELD: NAME
- -A- CONDITION: CONTAINS
- -A- CONTAINS: CARE COOR
- -B- SEARCH FOR REMINDER DEFINITION FIELD: NAME
- -B- CONDITION: CONTAINS
- -B- CONTAINS: CCHT
- -C- SEARCH FOR REMINDER DEFINITION FIELD:

NAME CONTAINS (case-insensitive) "CARE COOR" OR: B Or NAME CONTAINS (case-insensitive) "CCHT"

STORE RESULTS OF SEARCH IN TEMPLATE:

SORT BY: NAME//

START WITH NAME: FIRST// FIRST PRINT FIELD: NAME THEN PRINT FIELD: CLASS

THEN PRINT FIELD:

Heading (S/C): REMINDER DEFINITION SEARCH Replace

DEVICE: HOME

REMINDER DEFINITION SEARCH MAY 9,2013 08:12 PAGE 1 NAME CLASS

VA-GEC REFERRAL CARE COORDINATION NATIONAL CCHT NIC CONTINUUM OF CARE LOCAL CCHT PERIODIC EVALUATION VISN CCHT PERIODIC EVALUATION (VER2) VISN

4 MATCHES FOUND.

#### REMINDER DIALOG

Due to the numerous dialog components, site may find it more convenient to use the Reminder Dialog Management menu to locate any LOCAL or VISN reminder dialogs and associated components. This can be done using the Search List feature of dialog management.

Select Reminder Dialog Management <TEST ACCOUNT> Option: DI Reminder Dialogs

```
May 09, 2013@10:17:12
Dialog List
                                                              Page:
REMINDER VIEW (ALL REMINDERS BY NAME)
Item Reminder Name
                                          Linked Dialog Name & Dialog Status
   1 AL LUNG LESION
                                          AL LUNG LESION DIALOG
   2 AL RPT HEMOGLOBIN A1C >9 OR MISSIN
   3 ALBANY DB PT W/LDL > 99
   4 AVJ DDK HOME OX BAKUP
                                          HOME OXYGEN RENEWAL
     AVJ HOME OXYGEN RENEWAL
                                          HOME OXYGEN RENEWAL
   6 Alcohol Screen (PRL)
                                          V2 ALCOHOL SCREEN NEW
     BASELINE MEDICAL EVALUATION/V23
     BATH ACOVE FALL HISTORY
                                         BATH ACOVE FALL HISTORY DIA
     BATH ACOVE FUNCTIONAL STATUS REMIN BATH ACOVE KATZ DIALOG
  10 BATH ACOVE POSITIVE FALL REMINDER BATH ACOVE POSITIVE FALL HI
  11 BATH ACOVE POSITIVE URINARY INCONT BATH ACOVE POSITIVE URINARY
  12 BATH ACOVE URINARY INCONTINENCE BATH ACOVE URINARY INCONTIN
 13BATH ALLERGY REMINDERBATH ALLERGY REVIEW DIALOG14BATH BRADEN SCALE FOLLOWUPVA-VANOD SKIN REASSESSMENT15BATH BRADEN SCALE INITIALVA-VANOD SKIN INITIAL ASSES
                                        VA-VANOD SKIN INITIAL ASSES
 16 BATH BRADEN SCALE INITIAL SCREEN
         Enter ?? for more actions
                                                                               >>>
AR
   All reminders LR Linked Reminders
                                                    QU Quit
   Change View
                          RN Name/Print Name
Select Item: Next Screen// CV Change View
     Select one of the following:
                    Reminder Dialogs
          E
                    Dialog Elements
                    Forced Values
          F
                   Dialog Groups
          G
                    Additional Prompts
                    Reminders
                    Result Group (Mental Health)
                    Result Element (Mental Health)
TYPE OF VIEW: R// D Reminder Dialogs
Select Item: Next Screen// SL
Search for: CCHT // CCHT
                              May 09, 2013@10:19:58
                                                                               26
Dialog List
                                                              Page:
DIALOG VIEW (REMINDER DIALOGS - SOURCE REMINDER NAME)
+Item Reminder Dialog Name
                                               Source Reminder
  61 CCHT (3 DATA OBJECTS ONLY)
                                               *NONE*
  62 CCHT CONTINUUM OF CARE
                                               CCHT NIC CONTINUUM OF CAR Linked
```

```
CHF DIALOG

64 CHF EJECTION FRACTION PROVIDER DIALOG

65 CHF MEDICAL MANAGEMENT

66 CHF NOT ON ACEI NOR BETA BLOCKER

67 CHF ON ACEI AND BETA BLOCKER

68 CHF ON ACEI AND NOT BETA BLOCKER

69 CHF ON BETA BLOCKER

70 CHF WEIGHT EDUCATION DIALOG

71 CHF WEIGHT EDUCATION DIALOG

72 CMS SUICIDE ASSESSMENT MH TOOL

73 CN HOME O2 CERTIFICATION DIALOG

74 CN PAIN PLAN DIALOG

75 CN PAIN SCREEN DIALOG

76 COLON CA SCREEN DIALOG

77 CHT DIALOG

78 CN HOME O2 CERTIFICATION COLON

79 COLON CA SCREEN DIALOG

70 CHF WEIGHT EDUCATION

71 CHF WEIGHT EDUCATION DIALOG

72 CMS SUICIDE ASSESSMENT MH TOOL

73 CN HOME O2 CERTIFICATION DIALOG

74 CN PAIN PLAN DIALOG

75 CN PAIN SCREEN DIALOG

76 COLON CA SCREEN DIALOG

77 COLON CA SCREEN DIALOG

78 COLON CA SCREEN DIALOG

79 COLON CA SCREEN DIALOG

70 COLON CANCER SCREEN

CN PAIN CANCER

CN PAIN CANCER SCREEN

CN PAIN CANCER SCREEN
```

Find Next 'CCHT'? Yes//

As unused reminder dialogs are found, these entries can be edited. Entries could have the DISABLED field set, or names could be changed to begin with "ZZ", which is often used to indicate an unused file entry. How a given site chooses to handle the items that are no longer used (disable, ZZ, etc.) is a local decision.

Following the example searches above for Reminder Terms and Reminder Definitions, these files can also be searched for CCHT items. Each FileMan file name is listed with the FileMan file number in parentheses. Under each file is the FileMan Field Name(s) with the corresponding FileMan Field Number(s).

### HEALTH SUMMARY TYPE (#142)

FileMan search of Health Summary Type, looking for: NAMEs (.01) that contain "CCHT", or "CARE COORD" Or, TITLEs (.02) that contain "CCHT", or "CARE COORD"

### HEALTH SUMMARY OBJECT (#142.5)

FileMan search of Health Summary Object, looking for: NAMEs (.01) that contain "CCHT", "CARE COORD"

#### TIU DOCUMENT DEFINITION (#8925.1)

FileMan search of TIU Document Definition, looking for: NAMEs (.01) that contain "CCHT" or "CARE COORD" Or, ABBREVIATIONs (.02) that contain "CCHT" or "CARE COORD" Or PRINT NAMEs (.03) that contain "CCHT" or "CARE COORD"

### TIU TEMPLATE (#8927)

FileMan search of TIU Template, looking for NAMEs (.01) that contain "CCHT", "CARE COORD", or use the CPRS GUI Template Editor to find relevant template fields. Any edits must be done via the GUI Template Editor.

### TIU TEMPLATE FIELD (#8927.1)

FileMan search of TIU Template Field, looking for NAMEs (.01) that contain "CCHT", "CARE COORD", or use the CPRS GUI Template Editor to find relevant template fields. Any edits must be done via the GUI Template Editor.

#### Pilot Program Reminder Exchange Reference

Below is the listing of the reminder exchange file used as part of Phase 3 of the CCHT Pilot Program. This information can be used as a guide to help identify items that may no longer be needed after installation of the HT Templates bundle. For example, this listing could be compared with the reminder exchange files distributed with the HT Templates 1.0 software bundle in order to help determine the file entries that may no longer be ecessary/in use. The reminder exchange files in HT Templates 1.0 are:

VA-HT EDUCATION TOPICS VA-HT PROJECT VA-HT REMOTE HEALTH SUMMARY TYPES

```
Exchange File Components
                          May 23, 2010@11:34
-----Component-----Exists-
Date Packed: 05/23/2010@11:30:47
Package Version: 2.0P12
Description:
              BEFORE STARTING THIS INSTALL:
   - Read the CCHT Templates Pilot CAC Installation Guide
    - Build the (3) health summary types - configuration below
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
 CCHT DISCHARGE TEMPLATE
 CCHT VIDEO VISIT TEMPLATE
 CCHT TECH EDUCATION TEMPLATE
 CCHT CONTINUUM OF CARE TEMPLATE
 CCHT SCREENING CONSULT TEMPLATE
 CCHT PERIODIC EVALUATION TEMPLATE
 CCHT ASSESSMENT TREATMENT PLAN TEMPLATE
 CCHT CAREGIVER ASSESSMENT TEMPLATE
 CCHT TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS
 CCHT INTERVENTION TEMPLATE
 CCHT (3 DATA OBJECTS ONLY)
REMINDER DEFINITION
 CCHT BL SCREENING CONSULT
 CCHT BL TECH EDUCATION
 CCHT PERIODIC EVALUATION
 CCHT CONTINUUM OF CARE (FOLLOW-UP)
 CCHT CONTINUUM OF CARE (INITIAL)
 CCHT CAREGIVER/VETERAN REFERRAL
 CCHT CAREGIVER RISK ASSESSMENT
```

## DEPRESSION REMINDER STATUS Health Summary type:

For the HEALTH SUMMARY TYPE "DEPR REMINDER STATUS", you will need to ADD your site's SELECTION ITEM for your DEPRESSION SCREEN clinical reminder. Use this for the configuration:

```
Create/Modify Health Summary Type
Select Health Summary Type: DEPR REMINDER STATUS (OBJ)
TITLE: Depression reminder status
SUPPRESS PRINT OF COMPONENTS WITHOUT DATA: yes//
SUPPRESS SENSITIVE PRINT DATA: NO SSN//
LOCK:
Select component: REMINDERS DUE
```

SUMMARY ORDER: 5// 5
HEADER NAME: Reminders Due//

Select SELECTION ITEM: VI-20 DEPR
Searching for a CLINICAL REMINDER/MAINTENANCE
VI-20 DEPRESSION SCREENING (v09.1.1) VISN
...OK? Yes// (Yes)

Select SELECTION ITEM: <ENT>

#### HEMOGLOBIN A1C LAST Health Summary type:

\_\_\_\_\_

TITLE: Hemoglobin Alc last

Select COMPONENT: <ENT>

Use your site's in-house lab test(s) for the selection item for the LAB TEST SELECTED health summary component. If your site uses Health Factors to document OUTSIDE Alc values, add those into the configuration:

NAME: A1C LAST (OBJ) OWNER: MINER, MAURI N SUPPRESS COMP WITHOUT DATA: yes SUMMARY ORDER: 5 COMPONENT NAME: LAB TESTS SELECTED OCCURRENCE LIMIT: 1 HEADER NAME: Lab Tests Selected SELECTION ITEM: HEMOGLOBIN Alc SUMMARY ORDER: 10 COMPONENT NAME: SELECTED HEALTH FACTORS OCCURRENCE LIMIT: 1 SELECTION ITEM: OUTSIDE A1C LESS THAN 7.0 SELECTION ITEM: OUTSIDE A1C BETWEEN 7.0-9.0 SELECTION ITEM: OUTSIDE A1C BETWEEN 9.1-11.0 SELECTION ITEM: OUTSIDE A1C GREATER THAN 11.0 SUPPRESS SENSITIVE PRINT DATA: NO SSN

#### PULSE OXIMETRY OUTPT LAST Health Summary type:

..... NAME: PULSE OX OUTPT LAST(OBJ) OWNER: MINER, MAURI N SUPPRESS COMP WITHOUT DATA: yes SUMMARY ORDER: 5 COMPONENT NAME: VITAL SIGNS SELECTED OUTPAT. HEADER NAME: Vital Select Outpat. OCCURRENCE LIMIT: 1 SELECTION ITEM: PULSE OXIMETRY SUPPRESS SENSITIVE PRINT DATA: NO SSN TITLE: Pulse Oximetry Outpt-last \_ \_ \* Non-exchangeable order dialog(s): Name: PSH OERR Type: Dialog Display Text: Non VA Medications Name: GMRCT SOCIAL WORK (SEA) Type: Quick Order Display Text: Social Work consult Display Group: CONSULTS Package: CONSULT/REQUEST TRACKING Consult to Service/Specialty: SOC WRK-MEDICINE OUTPT (PCCS) Reason for Request: CCHT patient referred for Social Work co ... Category: OUTPATIENT Urgency: ROUTINE Place of Consultation: Consultant's Choice Non-exchangeable TIU object(s): \_\_\_\_\_\_ TIU Object: PATIENT AGE Object Method: S X=\$\$AGE^TIULO(DFN) TIU Object: PATIENT DATE OF DEATH Object Method: S X=\$\$DOD^TIULO(DFN)

```
TIU Object: ALLERGIES/ADR
Object Method: S X=$$MAIN^ARJADR(DFN,0,"^TMP(""TIULADR"",$J)",0)
TIU Object: PATIENT HEIGHT
Object Method: S X=$$HEIGHT^TIULO(+$G(DFN))
TIU Object: PATIENT WEIGHT
Object Method: S X=$$WEIGHT^TIULO(+$G(DFN))
TIU Object: TEMPERATURE
Object Method: S X=$$TEMP^TIULO(+$G(DFN))
TIU Object: PULSE
Object Method: S X=$$PULSE^TIULO(+$G(DFN))
TIU Object: RESPIRATION
Object Method: S X=$$RESP^TIULO(+$G(DFN))
TIU Object: BLOOD PRESSURE
Object Method: S X=$$BP^TIULO(+$G(DFN))
TIU Object: ACTIVE MEDICATIONS
Object Method: S X=$$LIST^TIULMED(DFN, "^TMP(""TIUMED"", $J)", 1)
TIU Object: PAIN
Object Method: S X=$$PAIN^TIULO(+$G(DFN))
Keywords:
Components:
ROUTINE
  1 PXRMPDEM
                                                                             Χ
LABORATORY TEST
      HEMOGLOBIN A1c
ORDER DIALOG
      GMRCT SOCIAL WORK (SEA)
                                                                             Χ
      PSH OERR
                                                                             Χ
GMRV VITAL TYPE
      PULSE OXIMETRY
                                                                             Χ
      PATN
                                                                             Χ
MH TESTS AND SURVEYS
      PHO9
                                                                             Χ
      PHO-2
                                                                             Χ
TIU TEMPLATE FIELD
   2 CCHT W-P4LINES(R)
                                                                             Χ
   3 CCHT W-P2LINES(R)
   4 CCHT CHANGE TO PROVIDER-CG/VET
                                                                             Χ
   5 CCHT EDIT50
                                                                             Χ
   6 CCHT CHANGE TO PROVIDER-CG/VET EMBEDDED
                                                                             Χ
   7 CCHT SPECIFY
                                                                             Χ
   8 CCHT OTHER
                                                                             Χ
   9 CCHT NEW/USED
                                                                             Χ
  10 CCHT BL PRESSURE CUFF SIZE
                                                                             Χ
  11 CCHT W-P6LINES(R)
                                                                             Χ
  12 CCHT W-P6LINES
                                                                             Χ
  13 CCHT VITAL SIGNS MODE
                                                                             Χ
EDUCATION TOPICS
  14 HOME TELEHEALTH-CAREGIVER EDUCATION/SUPPORT
                                                                             Χ
  15 HOME TELEHEALTH-MEDICATION MANAGEMENT
                                                                             Χ
 16 HOME TELEHEALTH-DISEASE MGMT/PATIENT SELF-MGMT
17 HOME TELEHEALTH-IN HOME MONITORING
                                                                             Х
                                                                             X
```

HEALT	H FACT	TORS		
		TEMPLATE USE (PHASE 3)	X	Χ
		INTERVENTION TEMPLATE USED CONTINUUM OF CARE	X	X X
21		CCF MEETS CCM CRITERIA	71	X
	CCHT	CCF FOLLOW-UP ASSESSMENT DONE		Χ
23		CCF MEETS NIC CRITERIA		Χ
24		ASSESSMENT/TREATMENT PLAN	X	X
25 26		PERIODIC EVALUATION DONE (CARE COORDINATION HOME TELEHEALTH)	X	X X
27		ENROLLMENT-START DATE (PREV ENROLL)	21	X
28	CCHT	ENROLLMENT-START DATE		Χ
29		PREVIOUSLY ENROLLED TEMPLATE USED		Χ
30 31		CCF CAREGIVER-OTHER CCF CAREGIVER-FRIEND/NEIGHBOR		X
32		CCF CAREGIVER-CHILD		X X
33		CCF CAREGIVER-SPOUSE		X
34		CCF CAREGIVER'S NAME		Χ
35		CAREGIVER RISK ASSESSMENT SCREEN	X	X
36 37		CAREGIVER RISK ASSESSMENT SCORE 16 CAREGIVER RISK ASSESSMENT SCORE 15		X
38		CAREGIVER RISK ASSESSMENT SCORE 14		Х
39		CAREGIVER RISK ASSESSMENT SCORE 13		X
40	CCHT	CAREGIVER RISK ASSESSMENT SCORE 12		Χ
41		CAREGIVER RISK ASSESSMENT SCORE 11		Χ
42 43		CAREGIVER RISK ASSESSMENT SCORE 10 CAREGIVER RISK ASSESSMENT SCORE 9		X X
44		CAREGIVER RISK ASSESSMENT SCORE 8		Х
45		CAREGIVER RISK ASSESSMENT SCORE 7		X
46		CAREGIVER RISK ASSESSMENT SCORE 6		Χ
47		CAREGIVER RISK ASSESSMENT SCORE 5		X
48 49		CAREGIVER RISK ASSESSMENT SCORE 4 CAREGIVER RISK ASSESSMENT SCORE 3		X
50		CAREGIVER RISK ASSESSMENT SCORE 2		Х
51		CAREGIVER RISK ASSESSMENT SCORE 1		X
52		CAREGIVER RISK ASSESSMENT SCORE 0		Χ
53		CAREGIVER ASSESSMENT SCREEN DONE		X
54 55		UNCERTAIN WHAT TO DO=NEARLY ALWAYS UNCERTAIN WHAT TO DO=FREQUENTLY		X
56		UNCERTAIN WHAT TO DO=SOMETIMES		X
57		UNCERTAIN WHAT TO DO=RARELY		Χ
58		UNCERTAIN WHAT TO DO=NEVER		Χ
59		STRAINED WITH RELATIVES=NRLY ALWAYS		X
60 61		STRAINED WITH RELATIVES=FREQUENTLY STRAINED WITH RELATIVES=SOMETIMES		X
62		STRAINED WITH RELATIVES=SOMETIMES STRAINED WITH RELATIVES=RARELY		X
63	CCHT	STRAINED WITH RELATIVES=NEVER		Χ
64		STRESSED WORK/FAMILY=NEARLY ALWAYS		Χ
65		STRESSED WORK/FAMILY=FREQUENTLY		X
66 67		STRESSED WORK/FAMILY=SOMETIMES STRESSED WORK/FAMILY=RARELY		X X
68		STRESSED WORK/FAMILY=NEVER		X
69		MAKE TIME FOR SELF=NEARLY ALWAYS		Χ
70		MAKE TIME FOR SELF=FREQUENTLY		Χ
71 72		MAKE TIME FOR SELF=SOMETIMES MAKE TIME FOR SELF=RARELY		X
73		MAKE TIME FOR SELF=NEVER		X
74		C/G RISK SCREEN TEMPLATE USED		X
75		REFERRALS FOR VETERAN/CAREGIVER	X	Χ
76		VETERAN REFERRAL SOCIAL WORK		X
77 78		VETERAN REFERRAL HOSPICE VETERAN REFERRAL SVCS IN PLACE		X
78 79		VETERAN REFERRAL SVCS IN PLACE VETERAN REFERRAL(S) NON VA SYSTEM		X
80		VETERAN REFERRAL(S) VA SYSTEM		X
81	CCHT	VETERAN REFERRAL NURS HOME PLACEMNT		Χ
82		VETERAN REFERRAL HOUSING		X
83 84		VETERAN REFERRAL ADULT DAY CARE VETERAN REFERRAL RESPITE		X
84 85		VETERAN REFERRAL RESPITE VETERAN REFERRAL HOMEMKR/CHORE ASST		X
86		VETERAN REFERRAL HOME HEALTH SVC		X
87	CCHT	VETERAN REFERRAL TRANSPORTATION		Χ

88	CCHT	VETERAN REFERRAL EMPLOYMENT ASSIST	X
89	CCHT	VETERAN REFERRAL FINANCIAL ASSIST	X
90	CCHT	VETERAN REFERRAL LEGAL ASSIST	Χ
91		VETERAN REFERRAL MEDICAL EVAL, F/U	Х
92		·	
		VETERAN REFERRAL FAMILY COUNSEL	X
93		VETERAN REFERRAL INDIVIDUAL COUNSEL	Χ
94	CCHT	VETERAN REFERRAL OTHER SERVICE	Χ
95	CCHT	VETERAN REFERRAL EDUC/TRAINING	Χ
96	CCHT	CAREGIVER REFERRAL SVCS IN PLACE	Χ
97		CAREGIVER REFERRAL(S) NON VA SYSTEM	Χ
98		CAREGIVER REFERRAL(S) VA SYSTEM	Х
		. ,	
99		CAREGIVER REFERRAL BEREAVE SUPPORT	X
100	CCHT	CAREGIVER REFERRAL OTHER SERVICE	Χ
101	CCHT	CAREGIVER REFERRAL MEDICAL EVAL,F/U	Χ
102	CCHT	CAREGIVER REFERRAL EDUC/TRAINING	X
103	CCHT	CAREGIVER REFERRAL C/G SUPPORT GRP	Χ
104	CCHT	CAREGIVER REFERRAL FAMILY COUNSEL	Χ
105		CAREGIVER REFERRAL INDIVID COUNSEL	Х
106			
		CG/VETERAN REFERRAL TEMPLATE DONE	X
107		CG/VETERAN REFERRAL TEMPLATE USED	Χ
108	CCHT	DISCHARGE X	Χ
109	CCHT	DISCHARGE-PT/CG REQUEST DC SERVICES	Χ
110	CCHT	DISCHARGE-REFERRED TO NEW LOCATION	Χ
111	CCHT	DISCHARGE-REFERRED TO MENTAL HEALTH	Χ
112		DISCHARGE-REFERRED TO SOCIAL WORK	Х
113		DISCHARGE-REFERRED TO PRIMARY CARE	X
114		DISCHARGE-REFERRED TO HOSPICE	Χ
115		DISCHARGE-PATIENT IS DECEASED	Χ
116	CCHT	DISCHARGE-PHONE, ELECT SVCS UNAVAIL	Χ
117	CCHT	DISCHARGE-NO VA PRIMARY CARE SVCS	Χ
118	CCHT	DISCHARGE-ADMITTED TO NURSING HOME	Χ
119	CCHT	DISCHARGE-RELOCATED OUT OF SVC AREA	Х
120		DISCHARGE-UNABLE TO OPERATE DEVICES	Х
121		DISCHARGE-HAS MET GOALS	X
122		ENROLLMENT-ENDING DATE	Χ
123	CCHT	CCF UNPAID CAREGIVER-YES	Χ
124	CCHT	CCF DOES NOT MEET CCM CRITERIA	X
125	CCHT	CCF INITIAL ASSESSMENT DONE	Χ
126	ССНТ	CCF DOES NOT MEET NIC CRITERIA	Χ
127		CAREGIVER ASSESSMENT TEMPLATE USED	Х
128			X
		PLAN-MED DISCREP SENT TO PROVIDER	
129		PLAN-REVIEWED LIST CURRENT MEDS	Χ
130		PT/CG HAS QUESTIONS ON MEDS-NO	Χ
131	CCHT	PT/CG HAS QUESTIONS ON MEDS-YES	Χ
132	CCHT	PT/CG HAS LIST OF ACTIVE MEDS-NO	Χ
133	CCHT	PT/CG HAS LIST OF ACTIVE MEDS-YES	Χ
134		GETS MEDS VIA NON-VA PROVIDER-NO	Х
135		GETS MEDS VIA NON-VA PROVIDER-YES	X
136		MEDS ADAPTATIONS-NONE NEEDED	X
137		MEDS ADAPTATIONS-OTHER	Χ
138		MEDS ADAPT-FOR VISUAL IMPAIRMENT	Χ
139	CCHT	MEDS ADAPT-VA PREPARES/POURS MEDS	Χ
140	CCHT	MEDS ADAPT-MEDS ARE COLOR CODED	Χ
141	CCHT	MEDS ADAPT-USES PILLBOX	Χ
142		MEDS SPECIAL ADAPTATIONS	Х
143		PT/CG TAKES MEDS AS PRESCRIBED-NO	Х
144			
		PT/CG TAKES MEDS AS PRESCRIBED-YES	X
145		PT/CG KNOWS REFILL PROCESS-NO	Χ
146	CCHT	PT/CG KNOWS REFILL PROCESS-YES	Χ
147		PT/CG KNOWS MED SIDE EFF-NO	Χ
148	CCHT	PT/CG KNOWS MED SIDE EFFECTS-YES	Χ
149	CCHT	PT/CG KNOWS MED INDICATIONS-NO	Χ
150	CCHT	PT/CG KNOWS MED INDICATIONS-YES	Х
151		LEARNING BARRIER-VISUALLY IMPAIRED	Х
152		LEARNING BARRIER-LANGUAGE	X
153		LEARNING BARRIER-UNABLE TO READ	X
154		LEARNING BARRIER-NONE IDENTIFIED	Χ
155		CLINICAL REASON FOR ENROLLMENT	Χ
156	CCHT	TELEHEALTH DEMOGRAPHICS X	Χ
157	CCHT	DISEASE INDICATIONS-OTHER	Χ
158	CCHT	DISEASE INDICATIONS-SUBST ABUSE	Χ

159	CCHT DISEASE INDICATIONS-HYPERTENSION	X
160	CCHT DISEASE INDICATIONS-PTSD	X
161	CCHT DISEASE INDICATIONS-DEPRESSION	Х
162	CCHT DISEASE INDICATIONS-DIABETES	X
163	CCHT DISEASE INDICATIONS-COPD	X
164	CCHT DISEASE INDICATIONS-CHF	X
165	CCHT CCF 12 OR MORE CLINIC STOPS	X
166	CCHT CCF LIVES ALONE IN COMMUNITY	X
167	CCHT CCF AGE 75 OR GREATER	X
168	CCHT CCF PROBLEMS WITH 3 OR MORE IADL	Х
169	CCHT CCF 2 OR MORE ADL DEFICITS	X
	CCHT CCF MEETS NIC CATEGORY B CRITERIA	
170		X
171	CCHT CCF LIFE EXPECTANCY < 6 MO	X
172	CCHT CCF 1 OR MORE BEHAV/COGN PROBLEMS	X
173	CCHT CCF PROBLEMS IN 3 OR MORE ADLS	X
174	CCHT CCF MEETS NIC CATEGORY A CRITERIA	X
175	CCHT CCF NIC CRITERIA NO-HLTH PROMOTION	X
176	CCHT CCF NIC CRITERIA NO-ACUTE CARE MGMT	X
177	CCHT CCF COMPLEXITY TOO GREAT-NO	X
178	CCHT CCF SERVICES IN PLACE-NO	X
179	CCHT CCF SERVICES IN PLACE-YES	X
180	CCHT CCF RECOMMEND REFERRAL-NO	X
181	CCHT CCF RECOMMEND REFERRAL	Х
182	CCHT CCF COMPLEXITY TOO GREAT-YES	Х
183	CCHT CCF POTENTIAL FOR INCR INDEP-NO	X
184	CCHT CCF POTENTIAL FOR INCR INDEP-YES	X
185	CCHT CCF FLARE UP CHRONIC CONDITION-NO	X
186	CCHT CCF FLARE UP CHRONIC CONDITION-YES	X
187	CCHT RECENT CHANGE IN FUNCTION-NO	X
188	CCHT RECENT CHANGE IN FUNCTION-YES	Х
189	CCHT CCF AGITATED/DISORIENTED-NO	Х
190	CCHT CCF AGITATED/DISORIENTED-YES	X
191	CCHT CCF DIFFIC MAKE SELF UNDERSTOOD-NO	X
192	CCHT CCF DIFFIC MAKE SELF UNDERSTOOD-YES	X
193	CCHT CCF DIFFIC REASONABLE DECISIONS-NO	X
194	CCHT CCF DIFFIC REASONABLE DECISIONS-YES	X
195	CCHT CCF RESISTING CARE-NO	X
196	CCHT CCF RESISTING CARE-YES	Х
197	CCHT CCF PHYSICALLY ABUSIVE BEHAVIOR-NO	X
198		
	CCHT CCF PHYSICALLY ABUSIVE BEHAVIOR-YES	X
199	CCHT CCF VERBALLY ABUSIVE BEHAVIOR-NO	Χ
200	CCHT CCF VERBALLY ABUSIVE BEHAVIOR-YES	X
201	CCHT CCF WANDERING-NO	X
202	CCHT CCF WANDERING-YES	X
203	CCHT CCF PTSD/OTHER ANXIETY-NO	Х
204	CCHT CCF PTSD/OTHER ANXIETY-YES	Х
205	CCHT CCF SUBST ABUSE/DEPENDENCE-NO	X
	CCHT CCF SUBST ABUSE/DEPENDENCE-YES	
206		X
207	CCHT CCF MOOD DISORDER MANIC-NO	Х
208	CCHT CCF MOOD DISORDER MANIC-YES	X
209	CCHT CCF MOOD DISORDER DEPRESSION-NO	X
210	CCHT CCF MOOD DISORDER DEPRESSION-YES	X
211	CCHT CCF DELUSIONS-NO	Х
212	CCHT CCF DELUSIONS-YES	X
213	CCHT CCF HALLUCINATIONS-TACTILE	X
214	CCHT CCF HALLUCINATIONS-OLFACTORY	X
215	CCHT CCF HALLUCINATIONS-VISUAL	X
216	CCHT CCF HALLUCINATIONS-AUDITORY	X
217	CCHT CCF HALLUCINATIONS-SENSORY	X
218	CCHT CCF HALLUCINATIONS-NONE	Х
219	GEC REFERRAL IADL X	Х
220		
	GEC RECENT CHANGE IN IADL FX-NO	X
221	GEC RECENT CHANGE IN IADL FX-YES	X
222	GEC DIFFICULTY MNG FINANCES/LAST 7D-NO	X
223	GEC DIFFICULTY MNG FINANCES/LAST 7D-YES	X
224	GEC DIFFICULTY MANAGING MEDS/LAST 7D-NO	X
225	GEC DIFFICULTY MANAGING MEDS/LAST 7D-YES	Х
226	GEC DIFFICULTY USING PHONE/LAST 7D-NO	X
227	GEC DIFFICULTY USING PHONE/LAST 7D-YES	X
228	GEC DIFFICULT TRANSPORTATION/LAST 7D-NO	X
229	GEC DIFFICULT TRANSPORTATION/LAST 7D-YES	Х

230	GEC DIFFICULTY WITH SHOPPING/LAST 7D-NO	X
231	GEC DIFFICULTY WITH SHOPPING/LAST 7D-YES	X
232	GEC DIFFICULTY W/ HOUSEWORK/LAST 7D-NO	X
233	GEC DIFFICULTY W/ HOUSEWORK/LAST 7D-YES	Х
234	GEC MEALS PREPARED BY OTHERS/LAST 7D-NO	X
235	GEC MEALS PREPARED BY OTHERS/LAST 7D-YES	X
236	GEC DIFFICULTY PREPARE MEALS/LAST 7D-NO	Х
		Λ
237	GEC DIFFICULTY PREPARE MEALS/LAST 7D-YES	X
238	CCHT DIFFICULT MNG FINANCES/LAST 7D-NO	Х
239	CCHT DIFFICULT MNG FINANCES/LAST 7D-YES	X
240	CCHT DIFFICULT MANAGING MEDS/LAST 7D-NO	X
241	CCHT DIFFICULT MANAGING MEDS/LAST 7D-YES	X
242	CCHT DIFFICULT USING PHONE LAST 7D-NO	X
243	CCHT DIFFICULT USING PHONE LAST 7D-YES	X
244	CCHT DIFFICULT TRANSPRTATION/LAST 7D-NO	X
245	CCHT DIFFICULT TRANSPRTATION/LAST 7D-YES	X
246	CCHT DIFFICULT WITH SHOPPING/LAST 7D-NO	X
247	CCHT DIFFICULT WITH SHOPPING/LAST 7D-YES	X
248	CCHT DIFFICULT W/ HOUSEWORK/LAST 7D-NO	Х
249	CCHT DIFFICULT W/ HOUSEWORK/LAST 7D-YES	X
250	CCHT MEALS PREPARED BY OTHER/LAST 7D-NO	X
251	CCHT MEALS PREPARED BY OTHER/LAST 7D-YES	X
252	CCHT DIFFICULT PREPARE MEALS/LAST 7D-YES	X
253	GEC REFERRAL BASIC ADL X	Х
254	GEC RECENT CHANGE IN ADL FX-NO	X
255	GEC RECENT CHANGE IN ADL FX-YES	X
256	GEC INDEPENDENT IN WC LAST 7D-NO	Х
257	GEC INDEPENDENT IN WC LAST 7D-YES	X
258	GEC MOVING AROUND INDOORS LAST 7D-NO	X
259	GEC MOVING AROUND INDOORS LAST 7D-YES	X
260	GEC TRANSFERS HELP/SPRVISION LAST 7D-NO	X
261	GEC TRANSFERS HELP/SPRVISION LAST 7D-YES	Х
262	GEC BED POSITIONING HELP LAST 7D-NO	X
263	GEC BED POSITIONING HELP LAST 7D-YES	X
264	GEC TOILET HELP/SUPERVISION LAST 7D-NO	X
265	GEC TOILET HELP/SUPERVISION LAST 7D-YES	X
266	GEC EATING HELP/SUPERVISION LAST 7D-NO	Х
267	GEC EATING HELP/SUPERVISION LAST 7D-YES	X
268	GEC DRESS HELP/SUPERVISION LAST 7D-NO	X
269	GEC DRESS HELP/SUPERVISION LAST 7D-YES	
		Х
270	GEC BATHING PHYS ASST NEEDED LAST 7D-NO	X
271	GEC BATHING PHYS ASST NEEDED LAST 7D-YES	X
272	GEC BATHING HELP/SUPERVISION LAST 7D-NO	X
273	GEC BATHING HELP/SUPERVISION LAST 7D-YES	X
274	CCHT W/C MOBIL HELP/SUPERV LAST 7D-NO	Х
275	CCHT W/C MOBIL HELP/SUPERV LAST 7D-YES	X
276	CCHT DRESSING HELP/SUPERV LAST 7D-NO	X
277	CCHT DRESSING HELP/SUPERV LAST 7D-YES	Х
278	CCHT BATHING HELP/SUPRVISION LAST 7D-NO	X
279	CCHT BATHING HELP/SUPRVISION LAST 7D-YES	X
280	CCHT MOVE INDOOR HELP/SUPERV LAST 7D-NO	X
281	CCHT MOVE INDOOR HELP/SUPERV LAST 7D-YES	X
282	CCHT TRANSFERS HELP/SUPERV LAST 7D-NO	Х
283	CCHT TRANSFERS HELP/SUPERV LAST 7D-YES	Х
284	CCHT BED MOBIL HELP/SUPERV LAST 7D-NO	X
285		
	CCHT BED MORIT, HELD/SIDERV LAST /D=VES	v
286	CCHT BED MOBIL HELP/SUPERV LAST 7D-YES	Х
287	CCHT BED MOBIL HELP/SUPERV LAST 7D-YES CCHT TOILET HELP/SUPERVISION LAST 7D-NO	X X
	CCHT TOILET HELP/SUPERVISION LAST 7D-NO	
	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES	X X
288	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO	X X X
	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES	X X
288 289	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES	X X X X
288 289 290	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO	X X X X
288 289 290 291	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP	X X X X X
288 289 290	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO	X X X X
288 289 290 291 292	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP	X X X X X X
288 289 290 291 292 293	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP CCHT CCF CAREGIVER NOT ACCESSIBLE	X X X X X X X
288 289 290 291 292	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP	X X X X X X
288 289 290 291 292 293 294	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP CCHT CCF CAREGIVER NOT ACCESSIBLE CCHT CCF CAREGIVER ACCESSIBLE	X X X X X X X X
288 289 290 291 292 293 294 295	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP CCHT CCF CAREGIVER NOT ACCESSIBLE CCHT CCF CAREGIVER ACCESSIBLE CCHT CCF CAREGIVER-IADL HELP	X X X X X X X X X
288 289 290 291 292 293 294 295 296	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP CCHT CCF CAREGIVER NOT ACCESSIBLE CCHT CCF CAREGIVER ACCESSIBLE CCHT CCF CAREGIVER-IADL HELP CCHT CCF CAREGIVER-ADL HELP	X X X X X X X X X
288 289 290 291 292 293 294 295	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP CCHT CCF CAREGIVER NOT ACCESSIBLE CCHT CCF CAREGIVER ACCESSIBLE CCHT CCF CAREGIVER-IADL HELP	X X X X X X X X X
288 289 290 291 292 293 294 295 296 297	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP CCHT CCF CAREGIVER NOT ACCESSIBLE CCHT CCF CAREGIVER ACCESSIBLE CCHT CCF CAREGIVER-IADL HELP CCHT CCF CAREGIVER-ADL HELP CCHT CCF CAREGIVER-EMOTIONAL SUPPORT	X X X X X X X X X X X
288 289 290 291 292 293 294 295 296 297 298	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP CCHT CCF CAREGIVER NOT ACCESSIBLE CCHT CCF CAREGIVER ACCESSIBLE CCHT CCF CAREGIVER-IADL HELP CCHT CCF CAREGIVER-ADL HELP CCHT CCF CAREGIVER-EMOTIONAL SUPPORT CCHT CCF CAREGIVER'S PHONE	X X X X X X X X X X X X
288 289 290 291 292 293 294 295 296 297 298 299	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-YES CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP CCHT CCF CAREGIVER NOT ACCESSIBLE CCHT CCF CAREGIVER ACCESSIBLE CCHT CCF CAREGIVER-IADL HELP CCHT CCF CAREGIVER-ADL HELP CCHT CCF CAREGIVER-EMOTIONAL SUPPORT CCHT CCF CAREGIVER'S PHONE CCHT CCF CAREGIVER'S ZIP CODE	x x x x x x x x x x x x x x x x x x x
288 289 290 291 292 293 294 295 296 297 298	CCHT TOILET HELP/SUPERVISION LAST 7D-NO CCHT TOILET HELP/SUPERVISION LAST 7D-YES CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT EATING HELP/SUPERVISION LAST 7D-NO CCHT CCF UNPAID CAREGIVER-NO CCHT CCF CAREGIVER CAN'T INCREASE HELP CCHT CCF CAREGIVER CAN INCREASE HELP CCHT CCF CAREGIVER NOT ACCESSIBLE CCHT CCF CAREGIVER ACCESSIBLE CCHT CCF CAREGIVER-IADL HELP CCHT CCF CAREGIVER-ADL HELP CCHT CCF CAREGIVER-EMOTIONAL SUPPORT CCHT CCF CAREGIVER'S PHONE	X X X X X X X X X X X X

301	CCHT	CCF CAREGIVER'S CITY		X
302	CCHT	CCF CAREGIVER'S STREET ADDRESS		Χ
		CCF CAREGIVER LIVES WITH PT-NO		X
		CCF CAREGIVER SAME NAME AS PT		X
305		CCF CAREGIVER LIVES WITH PT-YES		X
306		CCF LIVES HOMELESS SHELTER		Χ
307	CCHT	CCF LIVES HOMELESS		X
308	CCHT	CCF LIVES AT OTHER		X
309	CCHT	CCF LIVES DOMICILIARY		Χ
		CCF LIVES NURSING HOME		X
311		CCF LIVES BOARD AND CARE		Χ
312		CCF LIVES PRIVATE HOME		Χ
313	CCHT	CCF LIVES WITH OTHER		Χ
314	CCHT	CCF GROUP SETTING NON RELATIVES		X
315	CCHT	CCF LIVES WITH ADULT CHILD		Χ
316		CCF LIVES WITH CHILD		Х
317		CCF LIVES WITH SPOUSE & OTHERS		Х
318		CCF LIVES WITH SPOUSE ONLY		Χ
319	CCHT	CCF LIVES ALONE		Χ
320	CCHT	CONT OF CARE (EMBEDDED) TEMPLATE USED		X
321	CCHT	EMERG PRIORITY LOW-HAS RESOURCES		Χ
322		EMERG PRIORITY MOD-SVCS AFTER 3-7D		Х
		EMERG PRIORITY HIGH-IMMEDIATE EVAL		X
324		ASSESSMENT TX PLAN TEMPLATE USED		Χ
325	CCHT	CG/VETERAN REFERRAL(S) NOT UTILIZED		X
326	CCHT	REFERRALS CAREGIVER NOT SATISFIED		X
327	CCHT	REFERRALS CAREGIVER SATISFIED		Χ
328		CATEGORY-TELEPHONE CASE MANAGEMENT		X
		CATEGORY-HEALTH PROMOTION		X
		CATEGORY-CHRONIC CARE		Χ
331	CCHT	CATEGORY-ACUTE CARE		X
332	CCHT	CATEGORY-NON INSTITUTIONAL CARE		X
333	CCHT	VETERAN'S GOAL FOR ENROLLMENT		Χ
		PERIODIC EVAL DIALOG/TEMPLATE USED		X
		TELEHEALTH DEVICE(S)	v	
			X	X
		MESSAGING/MONITORING TYPE/SERIAL #		Χ
337	CCHT	VIDEOPHONE SERIAL #		X
338	CCHT	MESSAGING DEVICE TYPE/SERIAL #		Χ
339	CCHT	DIGITAL CAMERA SERIAL #		Χ
		TELEHEALTH DELIVERY/INSTALL MODE	X	Х
341		APPROX DELIVERY DATE FOR EQUIPMENT	21	X
342		EQUIP MAILED, INSTALL BY VET/CAREGVR		X
343		EQUIP TAKEN HOME, INSTALL BY VET/CG		Χ
344	CCHT	EQUIP INSTALLATION MODE-OTHER		X
345	CCHT	EQUIP INSTALLED BY CONTRACT VENDOR		7.7
346	CCHT	TANTE THAT I TO BUY ALDE ACCEPTIVE TO D		X
347		EOUIP INSTALLED BY CARE COORDINATOR		
348		EQUIP INSTALLED BY CARE COORDINATOR MESSAGING/MONITORING-OTHER		Х
		MESSAGING/MONITORING-OTHER		X X
	CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY		X X X
349	CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT		X X X
349 350	CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY		X X X
349 350	CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT		X X X
349 350 351	CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY		X X X X
349 350 351 352	CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE		X X X X X X
349 350 351 352 353	CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE		X X X X X X X
349 350 351 352 353 354	CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER		X X X X X X X X
349 350 351 352 353 354 355	CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES		X X X X X X X X X
349 350 351 352 353 354 355 356	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #)		X X X X X X X X X X
349 350 351 352 353 354 355 356 357	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES		X X X X X X X X X
349 350 351 352 353 354 355 356	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #)		X X X X X X X X X X
349 350 351 352 353 354 355 356 357	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE		X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 359	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE PERIPHERALS-BP CUFF (SERIAL #) PERIPHERALS-PULSE OX (SERIAL #)		X X X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 359 360	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE PERIPHERALS-BP CUFF (SERIAL #) PERIPHERALS-PULSE OX (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #)		X X X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 359 360 361	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE PERIPHERALS-BP CUFF (SERIAL #) PERIPHERALS-PULSE OX (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #) PERIPHERALS-NONE NEEDED		X X X X X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 359 360 361 362	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE PERIPHERALS-BP CUFF (SERIAL #) PERIPHERALS-PULSE OX (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #) PERIPHERALS-NONE NEEDED MESSAGING DEVICE-PULSE		x x x x x x x x x x x x x x x x x x x
349 350 351 352 353 354 355 356 357 358 359 360 361 362 363	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE PERIPHERALS-BP CUFF (SERIAL #) PERIPHERALS-PULSE OX (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #) PERIPHERALS-NONE NEEDED MESSAGING DEVICE-PULSE MEASURING DEVICE-OTHER		X X X X X X X X X X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 359 360 361 362	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE PERIPHERALS-BP CUFF (SERIAL #) PERIPHERALS-BUFF (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #) PERIPHERALS-WONE NEEDED MESSAGING DEVICE-OTHER MESSAGING DEVICE-OTHER		x x x x x x x x x x x x x x x x x x x
349 350 351 352 353 354 355 356 357 358 359 360 361 362 363	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE PERIPHERALS-BP CUFF (SERIAL #) PERIPHERALS-PULSE OX (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #) PERIPHERALS-NONE NEEDED MESSAGING DEVICE-PULSE MEASURING DEVICE-OTHER		X X X X X X X X X X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 360 361 362 363 364	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE PERIPHERALS-BP CUFF (SERIAL #) PERIPHERALS-BUFF (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #) PERIPHERALS-WONE NEEDED MESSAGING DEVICE-OTHER MESSAGING DEVICE-OTHER		X X X X X X X X X X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-GLUCOSE CABLES PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-STETHOSCOPE PERIPHERALS-BP CUFF (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #) PERIPHERALS-WEIGHT SCALE (SERIAL #) PERIPHERALS-NONE NEEDED MESSAGING DEVICE-PULSE MEASURING DEVICE-OTHER MESSAGING DEVICE-PULSE OXIMETRY MESSAGING DEVICE-PULSE OXIMETRY MESSAGING DEVICE-BLOOD GLUCOSE		X X X X X X X X X X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER  MESSAGING/MONITORING-SPIROMETRY  MESSAGING/MONITORING-WEIGHT  MESSAGING/MONITORING-PULSE OXIMETRY  MESSAGING/MONITORING-PULSE  MESSAGING/MONITORING-BLOOD GLUCOSE  MESSAGING/MONITORING-BLOOD PRESSURE  PERIPHERALS-OTHER  PERIPHERALS-OTHER  PERIPHERALS-SPIROMETRY (SERIAL #)  PERIPHERALS-STETHOSCOPE  PERIPHERALS-BP CUFF (SERIAL #)  PERIPHERALS-PULSE OX (SERIAL #)  PERIPHERALS-WEIGHT SCALE (SERIAL #)  PERIPHERALS-NONE NEEDED  MESSAGING DEVICE-PULSE  MESSAGING DEVICE-PULSE OXIMETRY  MESSAGING DEVICE-BLOOD GLUCOSE  MESSAGING DEVICE-BLOOD GLUCOSE  MESSAGING DEVICE-BLOOD PRESSURE		X X X X X X X X X X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER  MESSAGING/MONITORING-SPIROMETRY  MESSAGING/MONITORING-WEIGHT  MESSAGING/MONITORING-PULSE OXIMETRY  MESSAGING/MONITORING-PULSE  MESSAGING/MONITORING-BLOOD GLUCOSE  MESSAGING/MONITORING-BLOOD PRESSURE  PERIPHERALS-OTHER  PERIPHERALS-OTHER  PERIPHERALS-SPIROMETRY (SERIAL #)  PERIPHERALS-STETHOSCOPE  PERIPHERALS-BP CUFF (SERIAL #)  PERIPHERALS-WEIGHT SCALE (SERIAL #)  PERIPHERALS-NONE NEEDED  MESSAGING DEVICE-PULSE  MEASURING DEVICE-PULSE  MESSAGING DEVICE-BLOOD GLUCOSE  MESSAGING DEVICE-BLOOD GLUCOSE  MESSAGING DEVICE-BLOOD PRESSURE  MEETS TELEHEALTH CRITERIA (YES)		x x x x x x x x x x x x x x x x x x x
349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER  MESSAGING/MONITORING-SPIROMETRY  MESSAGING/MONITORING-WEIGHT  MESSAGING/MONITORING-PULSE OXIMETRY  MESSAGING/MONITORING-PULSE  MESSAGING/MONITORING-BLOOD GLUCOSE  MESSAGING/MONITORING-BLOOD PRESSURE  PERIPHERALS-OTHER  PERIPHERALS-OTHER  PERIPHERALS-SPIROMETRY (SERIAL #)  PERIPHERALS-STETHOSCOPE  PERIPHERALS-BP CUFF (SERIAL #)  PERIPHERALS-WEIGHT SCALE (SERIAL #)  PERIPHERALS-NONE NEEDED  MESSAGING DEVICE-PULSE  MEASURING DEVICE-OTHER  MESSAGING DEVICE-WEIGHT  MESSAGING DEVICE-BLOOD GLUCOSE  MESSAGING DEVICE-BLOOD PRESSURE  MEETS TELEHEALTH CRITERIA (YES)  REASON FOR NON-ENROLLMENT		x x x x x x x x x x x x x x x x x x x
349 350 351 352 353 354 355 356 357 360 361 362 363 364 365 367 368 369 370	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER MESSAGING/MONITORING-SPIROMETRY MESSAGING/MONITORING-WEIGHT MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE OXIMETRY MESSAGING/MONITORING-PULSE MESSAGING/MONITORING-BLOOD GLUCOSE MESSAGING/MONITORING-BLOOD PRESSURE PERIPHERALS-OTHER PERIPHERALS-OTHER PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-SPIROMETRY (SERIAL #) PERIPHERALS-BULSE OX (SERIAL #) PERIPHERALS-PULSE OX (SERIAL #) PERIPHERALS-PULSE OX (SERIAL #) PERIPHERALS-NONE NEEDED MESSAGING DEVICE-PULSE MEASURING DEVICE-PULSE MEASURING DEVICE-WEIGHT MESSAGING DEVICE-BLOOD GLUCOSE MESSAGING DEVICE-BLOOD PRESSURE MESTS TELEHEALTH CRITERIA (YES) REASON FOR NON-ENROLLMENT MEETS TELEHEALTH CRITERIA (NO)		X X X X X X X X X X X X X X X X X X X
349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369	CCHT CCHT CCHT CCHT CCHT CCHT CCHT CCHT	MESSAGING/MONITORING-OTHER  MESSAGING/MONITORING-SPIROMETRY  MESSAGING/MONITORING-WEIGHT  MESSAGING/MONITORING-PULSE OXIMETRY  MESSAGING/MONITORING-PULSE  MESSAGING/MONITORING-BLOOD GLUCOSE  MESSAGING/MONITORING-BLOOD PRESSURE  PERIPHERALS-OTHER  PERIPHERALS-OTHER  PERIPHERALS-SPIROMETRY (SERIAL #)  PERIPHERALS-STETHOSCOPE  PERIPHERALS-BP CUFF (SERIAL #)  PERIPHERALS-WEIGHT SCALE (SERIAL #)  PERIPHERALS-NONE NEEDED  MESSAGING DEVICE-PULSE  MEASURING DEVICE-OTHER  MESSAGING DEVICE-WEIGHT  MESSAGING DEVICE-BLOOD GLUCOSE  MESSAGING DEVICE-BLOOD PRESSURE  MEETS TELEHEALTH CRITERIA (YES)  REASON FOR NON-ENROLLMENT		x x x x x x x x x x x x x x x x x x x

372	CCHT	PHONE-DSL LINE	Χ
373	CCHT	PHONE-MODEM	Х
		INDICATIONS-HX HOSPITALIZATONS	Х
		INDICATIONS-DISTANCE (HOURS)	X
		INDICATIONS-DISTANCE (MILES)	Х
377		INDICATIONS-# OUTPT VISITS PAST YR	X
378		INDICATIONS-HX HIGH COST/HIGH USE	X
379			
		TELEHEALTH COORDINATOR (NAME)	X
380		SCREENING CONSULT TEMPLATE USED	Х
381		REFERRAL-CONSULT COMPLETION	Χ
382		CONT OF CARE TITLE/TEMPLATE USED	Х
383	CCHT	EQUIP INSTALLED BY VETERAN/CAREGVR	Χ
384	CCHT	EQUIP INSTALLED BY SUPPORT STAFF	Χ
385	CCHT	EDUC ON EQUIP-CARE COORDINATOR	Χ
386	CCHT	EDUC ON EQUIP-SUPPORT STAFF	Χ
387	CCHT	EDUC ON EQUIP-CONTRACT VENDOR	Χ
388		TECH EDUCATION TEMPLATE USED	Х
389		VIDEO VISIT-AUDIO/VIDEO CONNECTION	Х
390		VIDEO VISIT TEMPLATE USED	Х
391		DISCHARGE-OTHER FOLLOW-UP	X
392		DISCHARGE-EQUIP RETURN (OTHER)	X
393		CONTACT MADE FOR EQUIP RETURN	Χ
394		DISCHARGE-ALL EQUIP RETURNED (NO)	Χ
395		DISCHARGE-ALL EQUIP RETURNED (YES)	Χ
396	CCHT	DISCHARGE-ALL ISSUES ADDRESSED(NO)	X
397	CCHT	DISCHARGE-ALL ISSUES ADDRESSED(YES)	Χ
398	CCHT	DISCHARGE-NO RESPONSE TO PROGRAM	Χ
399	CCHT	DISCHARGE-PROVIDER REQUESTS DC	Х
400		DISCHARGE-PROLONGED HOSPITALIZATION	Х
		DISCHARGE TEMPLATE USED	Х
402		CG/VET REFER DIALOG/TEMPLATE USED	X
403		C/G RISK ASSESSMENT DIALOG USED	X
403	ССПІ	C/G KISK ASSESSMENT DIALOG USED	Λ
		PONSOR	
		COORDINATION HOME TELEHEALTH	Χ
105	M		
400	Menta	al Health and Behavioral Science Strategic	Χ
403	Grou		Х
403			Х
	Grou		Х
REMIN	Group DER Co	OMPUTED FINDINGS	
REMIN 406	Group DER CO VA-AO	OMPUTED FINDINGS GE	X
REMIN	Group DER CO VA-AO	OMPUTED FINDINGS	
REMIN 406 407	Group DER CO VA-AO VA-DA	DMPUTED FINDINGS GE ATE OF DEATH	X
REMIN 406 407 REMIN	Group DER CO VA-AO VA-DO DER TI	DMPUTED FINDINGS GE ATE OF DEATH ERM	X X
REMIN 406 407 REMIN 408	Group  DER CO  VA-AO  VA-DO  DER TI  CCHT	DMPUTED FINDINGS GE ATE OF DEATH ERM DISCHARGE REASONS	X X
REMIN 406 407 REMIN 408 409	Group  DER CO VA-AO VA-DO  DER TI CCHT CCHT	OMPUTED FINDINGS GE ATE OF DEATH ERM DISCHARGE REASONS CAREGIVER ASSESSMENT SCORE 0-7	X X X
REMIN 406 407 REMIN 408 409 410	Group  DER CC VA-AC VA-DE  DER TE CCHT CCHT CCHT	DMPUTED FINDINGS  GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER	X X X X
REMIN 406 407 REMIN 408 409 410	Group  DER CC VA-AC VA-DE  DER TE CCHT CCHT CCHT	OMPUTED FINDINGS GE ATE OF DEATH ERM DISCHARGE REASONS CAREGIVER ASSESSMENT SCORE 0-7	X X X
REMIN 406 407 REMIN 408 409 410 411	Group DER CO VA-AO VA-DE DER TH CCHT CCHT CCHT CCHT CCHT	DMPUTED FINDINGS  GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER	X X X X
REMIN 406 407 REMIN 408 409 410 411	Group DER CO VA-AO VA-DE DER TH CCHT CCHT CCHT CCHT CCHT	DMPUTED FINDINGS  GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75	X X X X X
REMIN 406 407 REMIN 408 409 410 411 412	Group DER CO VA-AC VA-DD DER TI CCHT CCHT CCHT CCHT CCHT CCHT	DMPUTED FINDINGS  GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75	X X X X X
REMIN 406 407 REMIN 408 409 410 411 412 REMIN	Group DER CO VA-AC VA-DO DER TI CCHT CCHT CCHT CCHT CCHT CCHT CCHT CC	OMPUTED FINDINGS GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED	X X X X X X
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413	Group DER CO VA-AO VA-D DER TI CCHT CCHT CCHT CCHT CCHT CCHT CCHT CC	OMPUTED FINDINGS GE ATE OF DEATH  ERM DISCHARGE REASONS CAREGIVER ASSESSMENT SCORE 0-7 CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  EFINITION PERIODIC EVALUATION	X X X X X X
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414	DER COVA-AO VA-AO DER TI CCHT CCHT CCHT CCHT CCHT CCHT CCHT CC	OMPUTED FINDINGS GE ATE OF DEATH  ERM DISCHARGE REASONS CAREGIVER ASSESSMENT SCORE 0-7 CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  EFINITION PERIODIC EVALUATION CAREGIVER/VETERAN REFERRAL	X X X X X X
REMIN 406 407 REMIN 408 409 410 411 412 REMIN 413 414 415	DER CC VA-AC VA-D DER TI CCHT CCHT CCHT CCHT CCHT CCHT CCHT CC	DMPUTED FINDINGS  GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT	X X X X X X X
REMIN 406 407 REMIN 408 409 410 411 412 REMIN 413 414 415 416	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS  GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)	X X X X X X X X X X X X X X X X X X X
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS  GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)	X X X X X X X X X X X X X X X X X X X
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417 418	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS  SE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT	X X X X X X X X X X X X X X X X X X X
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS  GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)	X X X X X X X X X X X X X X X X X X X
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417 418	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS  SE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT	X X X X X X X X X X X X X X X X X X X
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417 418 419	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  EFINITION PERIODIC EVALUATION CAREGIVER/VETERAN REFERRAL CAREGIVER RISK ASSESSMENT CONTINUUM OF CARE (FOLLOW-UP) CONTINUUM OF CARE (INITIAL) BL SCREENING CONSULT BL TECH EDUCATION	X X X X X X X X X X X X X X X X X X X
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417 418 419	DER COVA-ACOVA-ACOVA-ACOVA-ACOVATOR CONTINUES OF CONTINUE	DMPUTED FINDINGS GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  EFINITION PERIODIC EVALUATION CAREGIVER/VETERAN REFERRAL CAREGIVER RISK ASSESSMENT CONTINUUM OF CARE (FOLLOW-UP) CONTINUUM OF CARE (INITIAL) BL SCREENING CONSULT BL TECH EDUCATION	X X X X X X X X X X X X X X X X X X X
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417 418 419  REMIN REMIN	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  EFINITION PERIODIC EVALUATION CAREGIVER/VETEAN REFERRAL CAREGIVER RISK ASSESSMENT CONTINUUM OF CARE (FOLLOW-UP) CONTINUUM OF CARE (INITIAL) BL SCREENING CONSULT BL TECH EDUCATION	x x x x x x x x x x x x x x x x x x x
REMIN 406 407 REMIN 408 409 410 411 412 REMIN 413 414 415 416 417 418 419 REMIN 420	DER COVA-ACVA-DO DER TI CCHT CCHT CCHT CCHT CCHT CCHT CCHT CC	DMPUTED FINDINGS SE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  EFINITION PERIODIC EVALUATION CAREGIVER/VETERAN REFERRAL CAREGIVER RISK ASSESSMENT CONTINUUM OF CARE (FOLLOW-UP) CONTINUUM OF CARE (INITIAL) BL SCREENING CONSULT BL TECH EDUCATION  IALOG (3 DATA OBJECTS ONLY)	x x x x x x x x x x x x x x x x x x x
REMIN 406 407 REMIN 408 409 410 411 412 REMIN 413 414 415 416 417 418 419 REMIN 420 421 422	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS  SE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  IALOG  (3 DATA OBJECTS ONLY)  INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS	x x x x x x x x x x x x x x x x x x x
REMIN 406 407 REMIN 408 409 410 411 412 REMIN 413 414 415 416 417 418 419 REMIN 420 421 422 423	DER COVA-ACVA-DO CONTROLL CONT	DMPUTED FINDINGS  SE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  IALOG  (3 DATA OBJECTS ONLY)  INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS  CAREGIVER ASSESSMENT TEMPLATE	x x x x x x x x x x x x x x x x x x x
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417 418 419  REMIN 420 421 422 423 424	DER COVA-ACVA-DO CONTROLL CONT	OMPUTED FINDINGS  SE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  IALOG  (3 DATA OBJECTS ONLY)  INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS  CAREGIVER ASSESSMENT TEMPLATE  ASSESSMENT TREATMENT PLAN TEMPLATE	x x x x x x x x x x x x x x x x x x x
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417 418 419  REMIN 420 421 422 423 424 425	DER COVA-ACTOR OF THE PROPERTY	DMPUTED FINDINGS SE ATE OF DEATH  STM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  SFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  IALOG  (3 DATA OBJECTS ONLY)  INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS  CAREGIVER ASSESSMENT TEMPLATE  ASSESSMENT TREATMENT PLAN TEMPLATE  PERIODIC EVALUATION TEMPLATE	x x x x x x x x x x x x x x x x x x x
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417 418 419  REMIN 420 421 422 423 424 425 426	DER COVA-AC VA-AC VA-DO DER TI CCHT CCHT CCHT CCHT CCHT CCHT CCHT CC	OMPUTED FINDINGS GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  IALOG  (3 DATA OBJECTS ONLY)  INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS  CAREGIVER ASSESSMENT TEMPLATE  ASSESSMENT TREATMENT PLAN TEMPLATE  PERIODIC EVALUATION TEMPLATE  SCREENING CONSULT TEMPLATE	x x x x x x x x x x x x x x x x x x x
REMIN 406 407  REMIN 408 409 410 411 412  REMIN 413 414 415 416 417 418 419  REMIN 420 421 422 423 424 425 426 427	DER COVA-AC VA-AC VA-AC DER TI CCHT CCHT CCHT CCHT CCHT CCHT CCHT CC	OMPUTED FINDINGS GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  IALOG  (3 DATA OBJECTS ONLY)  INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS  CAREGIVER ASSESSMENT TEMPLATE  ASSESSMENT TREATMENT PLAN TEMPLATE  PERIODIC EVALUATION TEMPLATE  SCREENING CONSULT TEMPLATE  SCREENING CONSULT TEMPLATE  SCREENING CONSULT TEMPLATE  CONTINUUM OF CARE TEMPLATE	x x x x x x x x x x x x x x x x x x x
REMIN 406 407 REMIN 408 409 410 411 412 REMIN 413 414 415 416 417 418 419 REMIN 420 421 422 423 424 425 426 427 428	DER COVA-ACVA-DO DER TI CCHT CCHT CCHT CCHT CCHT CCHT CCHT CC	OMPUTED FINDINGS GE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  EALOG  (3 DATA OBJECTS ONLY)  INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS  CAREGIVER ASSESSMENT TEMPLATE  ASSESSMENT TREATMENT PLAN TEMPLATE  PERIODIC EVALUATION TEMPLATE  SCREENING CONSULT TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE	x x x x x x x x x x x x x x x x x x x
REMIN 406 407 REMIN 408 409 410 411 412 REMIN 413 414 415 416 417 418 419 REMIN 420 421 422 423 424 425 426 427 428 429	DER COVA-ACVA-DO CONTROLL CONT	DMPUTED FINDINGS SE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  IALOG  (3 DATA OBJECTS ONLY) INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS  CAREGIVER ASSESSMENT TEMPLATE  ASSESSMENT TREATMENT PLAN TEMPLATE  PERIODIC EVALUATION TEMPLATE  SCREENING CONSULT TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  TECH EDUCATION TEMPLATE  VIDEO VISIT TEMPLATE	x x x x x x x x x x x x x x x x x x x
REMIN 406 407 REMIN 408 409 410 411 412 REMIN 413 414 415 416 417 418 419 REMIN 420 421 422 423 424 425 426 427 428 429 430	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS  GE ATE OF DEATH  CRM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER  SUPPRESS FOR AGE <75  DEVICE TYPE ASSIGNED  CFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  LALOG  (3 DATA OBJECTS ONLY)  INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS  CAREGIVER ASSESSMENT TEMPLATE  ASSESSMENT TREATMENT PLAN TEMPLATE  PERIODIC EVALUATION TEMPLATE  SCREENING CONSULT TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  VIDEO VISIT TEMPLATE  VIDEO VISIT TEMPLATE	x x x x x x x x x x x x x x x x x x x
REMIN 406 407 REMIN 408 409 410 411 412 REMIN 413 414 415 416 417 418 419 REMIN 420 421 422 423 424 425 426 427 428 429	DER COVA-ACVA-DO CONTROL CONTR	DMPUTED FINDINGS SE ATE OF DEATH  ERM  DISCHARGE REASONS  CAREGIVER ASSESSMENT SCORE 0-7  CAREGIVER ASSESSMENT SCORE 8 AND HIGHER SUPPRESS FOR AGE <75 DEVICE TYPE ASSIGNED  EFINITION  PERIODIC EVALUATION  CAREGIVER/VETERAN REFERRAL  CAREGIVER RISK ASSESSMENT  CONTINUUM OF CARE (FOLLOW-UP)  CONTINUUM OF CARE (INITIAL)  BL SCREENING CONSULT  BL TECH EDUCATION  IALOG  (3 DATA OBJECTS ONLY) INTERVENTION TEMPLATE  TEMPLATE FOR PREVIOUSLY ENROLLED PATIENTS  CAREGIVER ASSESSMENT TEMPLATE  ASSESSMENT TREATMENT PLAN TEMPLATE  PERIODIC EVALUATION TEMPLATE  SCREENING CONSULT TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  CONTINUUM OF CARE TEMPLATE  TECH EDUCATION TEMPLATE  VIDEO VISIT TEMPLATE	x x x x x x x x x x x x x x x x x x x

433	CCHT CAREGIVER RISK ASSESSMENT CCHT CONTINUUM OF CARE (FOLLOW-UP) CCHT CONTINUUM OF CARE (INITIAL)	X X X
HEALT	CH SUMMARY COMPONENT CLINICAL REMINDERS DUE VITAL SIGNS SELECTED OUTPAT. LAB TESTS SELECTED PCE HEALTH FACTORS SELECTED NEXT OF KIN CONSULTS BRIEF MAS ADMISSIONS/DISCHARGES MAS CLINIC VISITS PAST	X X X X X X X
435 436 437 438 439 440 441 442 443 444 445 446 447 448 449	DEPR REMINDER STATUS (OBJ) PULSE OX OUTPT LAST(OBJ) A1C LAST (OBJ) CCHT CAREGIVER(OBJ) NEXT OF KIN (OBJ) CCHT REMINDERS DUE (OBJ) CCHT CCF NIC RATING(OBJ) GEC IADLS (OBJ) GEC BASIC ADLS (OBJ) CCHT EMERGENCY LEVELS (OBJ) CCHT CATEGORY OF CARE (OBJ) CCHT WED RECON (OBJ) CCHT VETERAN'S GOAL (OBJ) CONSULTS PAST (OBJ) ADMISSIONS PAST YR (OBJ) OUTPT VISITS PAST YR (OBJ)	x x x x x x x x x x x x x x x x x x x
452 453 454 455 456 457 458 459 460 461 462 463 464 465	DEPRESSION REMINDER STATUS PULSE OXIMETRY OUTPT LAST A1C LAST CCHT CAREGIVER NEXT OF KIN CCHT REMINDERS DUE CCHT CCF NIC RATING LAST GEC IADLS FOR CCHT GEC BASIC ADLS CCHT EMERG LEVELS CCHT CATEGORY OF CARE CCHT WED RECON CCHT VETERAN'S GOAL CONSULTS PAST CCHT ENROLLMENT START DATE ADMISSIONS PAST YR	x x x x x x x x x x x x x x x x x x x
469 470 471 472 473 474	DOCUMENT DEFINITION  DEPRESSION REMINDER STATUS PULSE OXIMETRY OUTPT (LAST)  HEMOGLOBIN A1C (LAST)  CCHT CAREGIVER  NEXT OF KIN  CCHT REMINDERS DUE  ALLERGIES/ADR PAIN  PATIENT WEIGHT  PATIENT HEIGHT  BLOOD PRESSURE  RESPIRATION PULSE  TEMPERATURE  ACTIVE MEDICATIONS  CCHT CCF NIC RATING LAST PATIENT AGE  GEC IADLS (LAST)	x x x x x x x x x x x x x x x x x x x

477	GEC BASIC ADLS (LAST)	X
478	CCHT EMERGENCY PRIORITY RATING	Х
479	CCHT CATEGORY OF CARE	Х
480	CCHT MED RECON	Х
481	CCHT VETERAN'S GOAL	X
482	CONSULTS PAST	X
483	CCHT ENROLLMENT START DATE	Х
484	ADMISSIONS PAST YR	Х
485	OUTPT VISITS PAST YR	X
	PATIENT DATE OF DEATH	X

# **Appendix H: Health Factors**

	,
GEC BATHING HELP/SUPERVISION LAST 7D-NO	GEC TOILET HELP/SUPERVISION LAST 7D-YES
GEC BATHING HELP/SUPERVISION LAST 7D-YES	GEC TRANSFERS HELP/SPRVISION LAST 7D-NO
GEC BATHING PHYS ASST NEEDED LAST 7D-NO	GEC TRANSFERS HELP/SPRVISION LAST 7D-YES
GEC BATHING PHYS ASST NEEDED LAST 7D-YES	HT (HOME TELEHEALTH)
GEC BED POSITIONING HELP LAST 7D-NO	HT ASSESSMENT/TREATMENT PLAN
GEC BED POSITIONING HELP LAST 7D-YES	HT BARRIERS TO LEARNING
GEC DIFFICULT TRANSPORTATION/LAST 7D-NO	HT BATHING HELP/SUPRVISION LAST 7D-NO
GEC DIFFICULT TRANSPORTATION/LAST 7D-YES	HT BATHING HELP/SUPRVISION LAST 7D-YES
GEC DIFFICULTY MANAGING MEDS/LAST 7D-NO	HT BED MOBIL HELP/SUPERV LAST 7D-NO
GEC DIFFICULTY MANAGING MEDS/LAST 7D-YES	HT BED MOBIL HELP/SUPERV LAST 7D-YES
GEC DIFFICULTY MNG FINANCES/LAST 7D-NO	HT CAREGIVER ASSESSMENT SCREEN COMPLETED
GEC DIFFICULTY MNG FINANCES/LAST 7D-YES	HT CAREGIVER REFERRAL BEREAVE SUPPORT
GEC DIFFICULTY PREPARE MEALS/LAST 7D-NO	HT CAREGIVER REFERRAL C/G SUPPORT GRP
GEC DIFFICULTY PREPARE MEALS/LAST 7D-YES	HT CAREGIVER REFERRAL EDUC/TRAINING
GEC DIFFICULTY USING PHONE/LAST 7D-NO	HT CAREGIVER REFERRAL FAMILY COUNSEL
GEC DIFFICULTY USING PHONE/LAST 7D-YES	HT CAREGIVER REFERRAL INDIVID COUNSEL
GEC DIFFICULTY W/ HOUSEWORK/LAST 7D-NO	HT CAREGIVER REFERRAL MEDICAL EVAL,F/U
GEC DIFFICULTY W/ HOUSEWORK/LAST 7D-YES	HT CAREGIVER REFERRAL OTHER SERVICE
GEC DIFFICULTY WITH SHOPPING/LAST 7D-NO	HT CAREGIVER REFERRAL SOCIAL WORK
GEC DIFFICULTY WITH SHOPPING/LAST 7D-YES	HT CAREGIVER REFERRAL SVCS IN PLACE
GEC DRESS HELP/SUPERVISION LAST 7D-NO	HT CAREGIVER REFERRAL(S) NON VA SYSTEM
GEC DRESS HELP/SUPERVISION LAST 7D-YES	HT CAREGIVER REFERRAL(S) VA SYSTEM
GEC EATING HELP/SUPERVISION LAST 7D-NO	HT CAREGIVER REVIEW OF WRITTEN MATERIALS
GEC EATING HELP/SUPERVISION LAST 7D-YES	HT CAREGIVER RISK ASSESSMENT SCREEN
GEC INDEPENDENT IN WC LAST 7D-NO	HT CAREGIVER STATES ESSENTIAL CONCEPTS
GEC INDEPENDENT IN WC LAST 7D-YES	HT CATEGORY OF CARE-ACUTE CARE
GEC MEALS PREPARED BY OTHERS/LAST 7D-NO	HT CATEGORY OF CARE-CHRONIC CARE MGMT
GEC MEALS PREPARED BY OTHERS/LAST 7D-YES	HT CATEGORY OF CARE-HEALTH PROMOTION
GEC MOVING AROUND INDOORS LAST 7D-NO	HT CATEGORY OF CARE-NON INSTITUTIONAL
GEC MOVING AROUND INDOORS LAST 7D-YES	HT CATEGORY OF CARE-OTHER
GEC RECENT CHANGE IN ADL FX-NO	HT CCF 1 OR MORE BEHAV/COGN PROBLEMS
GEC RECENT CHANGE IN ADL FX-YES	HT CCF 12 OR MORE CLINIC STOPS PAST YR
GEC RECENT CHANGE IN IADL FX-NO	HT CCF 2 OR MORE ADL DEFICITS

	·
GEC RECENT CHANGE IN IADL FX-YES	HT CCF AGE 75 OR GREATER
GEC REFERRAL BASIC ADL	HT CCF AGITATED/DISORIENTED-NO
GEC REFERRAL IADL	HT CCF AGITATED/DISORIENTED-YES
GEC TOILET HELP/SUPERVISION LAST 7D-NO	HT CCF CAREGIVER ACCESSIBLE
HT CCF CAREGIVER CAN'T INCREASE HELP	HT CCF CAREGIVER CAN INCREASE HELP
HT CCF CAREGIVER LIVES WITH PT-NO	HT CCF LIVES NURSING HOME
HT CCF CAREGIVER LIVES WITH PT-YES	HT CCF LIVES PRIVATE HOME
HT CCF CAREGIVER NOT ACCESSIBLE	HT CCF LIVES WITH ADULT CHILD
HT CCF CAREGIVER-ADL HELP	HT CCF LIVES WITH CHILD
HT CCF CAREGIVER-CHILD	HT CCF LIVES WITH OTHER
HT CCF CAREGIVER-EMOTIONAL SUPPORT	HT CCF LIVES WITH SPOUSE & OTHERS
HT CCF CAREGIVER-FRIEND/NEIGHBOR	HT CCF LIVES WITH SPOUSE ONLY
HT CCF CAREGIVER-IADL HELP	HT CCF MEETS CHRONIC CARE MGMT CRITERIA
HT CCF CAREGIVER-OTHER	HT CCF MEETS NIC CATEGORY A CRITERIA
HT CCF CAREGIVER'S CITY	HT CCF MEETS NIC CATEGORY B CRITERIA
HT CCF CAREGIVER'S NAME	HT CCF MEETS NIC CRITERIA
HT CCF CAREGIVER'S PHONE	HT CCF MOOD DISORDER DEPRESSION-NO
HT CCF CAREGIVER'S STATE	HT CCF MOOD DISORDER DEPRESSION-YES
HT CCF CAREGIVER'S STREET ADDRESS	HT CCF MOOD DISORDER MANIC-NO
HT CCF CAREGIVER'S ZIP CODE	HT CCF MOOD DISORDER MANIC-YES
HT CCF CAREGIVER-SPOUSE	HT CCF NIC CRITERIA NO-ACUTE CARE MGMT
HT CCF COMPLEXITY TOO GREAT-NO	HT CCF NIC CRITERIA NO-HLTH PROMOTION
HT CCF COMPLEXITY TOO GREAT-YES	HT CCF PHYSICALLY ABUSIVE BEHAVIOR-NO
HT CCF DELUSIONS-NO	HT CCF PHYSICALLY ABUSIVE BEHAVIOR-YES
HT CCF DELUSIONS-YES	HT CCF POTENTIAL FOR INCR INDEP-NO
HT CCF DIFFIC MAKE SELF UNDERSTOOD-NO	HT CCF POTENTIAL FOR INCR INDEP-YES
HT CCF DIFFIC MAKE SELF UNDERSTOOD-YES	HT CCF PROBLEMS WITH 3 OR MORE ADLS
HT CCF DIFFIC REASONABLE DECISIONS-NO	HT CCF PROBLEMS WITH 3 OR MORE IADL
HT CCF DIFFIC REASONABLE DECISIONS-YES	HT CCF PTSD/OTHER ANXIETY-NO
HT CCF DOES NOT MEET CCM CRITERIA	HT CCF PTSD/OTHER ANXIETY-YES
HT CCF DOES NOT MEET NIC CRITERIA	HT CCF RECOMMEND REFERRAL-NO
HT CCF FLARE UP CHRONIC CONDITION-NO	HT CCF RECOMMEND REFERRAL-YES
HT CCF FLARE UP CHRONIC CONDITION-YES	HT CCF RESISTING CARE-NO
HT CCF FOLLOW-UP ASSESSMENT COMPLETED	HT CCF RESISTING CARE-YES
HT CCF GROUP SETTING NON RELATIVES	HT CCF SERVICES IN PLACE-NO
HT CCF HALLUCINATIONS-AUDITORY	HT CCF SERVICES IN PLACE-YES
HT CCF HALLUCINATIONS-NONE	HT CCF SUBST ABUSE/DEPENDENCE-NO
HT CCF HALLUCINATIONS-OLFACTORY	HT CCF SUBST ABUSE/DEPENDENCE-YES
HT CCF HALLUCINATIONS-SENSORY	HT CCF UNPAID CAREGIVER-NO
HT CCF HALLUCINATIONS-TACTILE	HT CCF UNPAID CAREGIVER-YES
HT CCF HALLUCINATIONS-VISUAL	HT CCF VERBALLY ABUSIVE BEHAVIOR-NO
HT CCF INITIAL ASSESSMENT COMPLETED	HT CCF VERBALLY ABUSIVE BEHAVIOR-YES
HT CCF LIFE EXPECTANCY < 6 MO	HT CCF WANDERING-NO
HT CCF LIVES ALONE	HT CCF WANDERING-YES
HT CCF LIVES ALONE IN COMMUNITY	HT CG/VETERAN REFERRAL COMPLETED
HT CCF LIVES AT OTHER	HT CG/VETERAN REFERRAL(S) NOT UTILIZED

HT CCF LIVES BOARD AND CARE	HT CLINICAL REASON FOR ENROLLMENT
HT CCF LIVES DOMICILIARY	HT CONSULTS/REFERRALS RECOMMENDED
HT CCF LIVES HOMELESS	HT CONTINUUM OF CARE (CCF)
HT CCF LIVES HOMELESS SHELTER	HT DIFFICULT MANAGING MEDS/LAST 7D-NO
HT DIFFICULT MNG FINANCES/LAST 7D-NO	HT DIFFICULT MANAGING MEDS/LAST 7D-YES
HT DIFFICULT MNG FINANCES/LAST 7D-YES	HT EMERG PRIORITY HIGH-IMMEDIATE EVAL
HT DIFFICULT PREPARE MEALS/LAST 7D-NO	HT EMERG PRIORITY LOW-HAS RESOURCES
HT DIFFICULT PREPARE MEALS/LAST 7D-YES	HT EMERG PRIORITY MOD-SVCS AFTER 3-7D
HT DIFFICULT TRANSPORTATION/LAST 7D-NO	HT ENROLLMENT-ENDING DATE
HT DIFFICULT TRANSPORTATION/LAST 7D-YES	HT ENROLLMENT-START DATE
HT DIFFICULT USING PHONE LAST 7D-NO	HT ENROLLMENT-START DATE (PREV ENROLL)
HT DIFFICULT USING PHONE LAST 7D-YES	HT EQUIP INSTALLATION MODE-OTHER
HT DIFFICULT W/ HOUSEWORK/LAST 7D-NO	HT EQUIP INSTALLED BY CONTRACT VENDOR
HT DIFFICULT W/ HOUSEWORK/LAST 7D-YES	HT EQUIP INSTALLED BY HOME TELEHEALTH
HT DIFFICULT WITH SHOPPING/LAST 7D-NO	HT EQUIP INSTALLED BY SUPPORT STAFF
HT DIFFICULT WITH SHOPPING/LAST 7D-YES	HT EQUIP INSTALLED BY VETERAN/CAREGIVER
HT DISCHARGE	HT GETS MEDS VIA NON-VA PROVIDER-NO
HT DISCHARGE-ADMITTED TO NURSING HOME	HT GETS MEDS VIA NON-VA PROVIDER-YES
HT DISCHARGE-ALL ISSUES ADDRESSED(NO)	HT HEALTH EDUCATION PLAN
HT DISCHARGE-ALL ISSUES ADDRESSED(YES)	HT HEALTH EDUCATION RESPONSE
HT DISCHARGE-HAS MET GOALS	HT INDICATIONS-# OUTPT VISITS PAST YR
HT DISCHARGE-NO RESPONSE TO PROGRAM	HT INDICATIONS-DISTANCE (HOURS)
HT DISCHARGE-NO VA PRIMARY CARE SVCS	HT INDICATIONS-DISTANCE (MILES)
HT DISCHARGE-OTHER FOLLOW-UP	HT INDICATIONS-HX HIGH COST/HIGH USE
HT DISCHARGE-PATIENT IS DECEASED	HT INDICATIONS-HX HOSPITALIZATONS
HT DISCHARGE-PHONE, ELECT SVCS UNAVAIL	HT LEARNING BARRIER-ANGRY
HT DISCHARGE-PROLONGED HOSPITALIZATION	HT LEARNING BARRIER-ANXIETY
HT DISCHARGE-PROVIDER REQUESTS DC	HT LEARNING BARRIER-APHASIA
HT DISCHARGE-PT/CG REQUEST DC SERVICES	HT LEARNING BARRIER-COGNITIVE IMPAIRMENT
HT DISCHARGE-REFERRED TO HOSPICE	HT LEARNING BARRIER-CULTURAL
HT DISCHARGE-REFERRED TO MENTAL HEALTH	HT LEARNING BARRIER-HEARING IMPAIRED
HT DISCHARGE-REFERRED TO NEW LOCATION	HT LEARNING BARRIER-HOMELESS
HT DISCHARGE-REFERRED TO PRIMARY CARE	HT LEARNING BARRIER-IMPAIRED MEMORY
HT DISCHARGE-REFERRED TO SOCIAL WORK	HT LEARNING BARRIER-LANGUAGE
HT DISCHARGE-RELOCATED OUT OF SVC AREA	HT LEARNING BARRIER-NONE IDENTIFIED
HT DISCHARGE-UNABLE TO OPERATE DEVICES	HT LEARNING BARRIER-NOT MOTIVATED
HT DISEASE INDICATIONS-COPD	HT LEARNING BARRIER-OVERWHELMED
HT DISEASE INDICATIONS-DEPRESSION	HT LEARNING BARRIER-PAIN
HT DISEASE INDICATIONS-DIABETES	HT LEARNING BARRIER-PHYSICAL LIMITATIONS
HT DISEASE INDICATIONS-HEART FAILURE	HT LEARNING BARRIER-POOR CONCENTRATION
HT DISEASE INDICATIONS-HYPERTENSION	HT LEARNING BARRIER-UNABLE TO READ
HT DISEASE INDICATIONS-OBESITY	HT LEARNING BARRIER-UNABLE TO WRITE
HT DISEASE INDICATIONS-OTHER	HT LEARNING BARRIER-VISUALLY IMPAIRED
HT DISEASE INDICATIONS-PTSD	HT MEALS PREPARED BY OTHER/LAST 7D-NO
HT DISEASE INDICATIONS-SUBSTANCE ABUSE	HT MEALS PREPARED BY OTHER/LAST 7D-YES
HT DISINTERESTED/LACKS MOTIVATION	HT MEETS TELEHEALTH CRITERIA(NO)

HT DRESSING HELP/SUPERV LAST 7D-NO	HT MEETS TELEHEALTH CRITERIA(YES)
HT DRESSING HELP/SUPERV LAST 7D-YES	HT MOVE INDOOR HELP/SUPERV LAST 7D-NO
HT EATING HELP/SUPERVISION LAST 7D-NO	HT MOVE INDOOR HELP/SUPERV LAST 7D-YES
HT EATING HELP/SUPERVISION LAST 7D-YES	HT NEEDS REINFORCEMENT/REVIEW/FOLLOW-UP
HT NO FOLLOW-UP NEEDED/INDICATED	
HT PERIODIC EVALUATION COMPLETED	
HT PLAN-MED DISCREP SENT TO PROVIDER	
HT PLAN-REVIEWED LIST OF CURRENT MEDS	
HT PT/CG HAS LIST OF ACTIVE MEDS-NO	
HT PT/CG HAS LIST OF ACTIVE MEDS-YES	
HT PT/CG HAS QUESTIONS ON MEDS-NO	
HT PT/CG HAS QUESTIONS ON MEDS-YES	
HT REASON FOR NON-ENROLLMENT	
HT RECENT CHANGE IN FUNCTION-NO	
HT RECENT CHANGE IN FUNCTION-YES	
HT REFERRAL-CONSULT COMPLETION	
HT REFERRALS FOR VETERAN/CAREGIVER	
HT REFERRALS-CAREGIVER NOT SATISFIED	
HT REFERRALS-CAREGIVER SATISFIED	
HT REPEAT DEMONSTRATION NEXT VISIT	
HT TEACH CAREGIVER/FAMILY/SIGNIF OTHER	
HT TECH EDUC DEVICE ASSIGNED	
HT TELEHEALTH DELIVERY/INSTALL MODE	
HT TELEHEALTH DEMOGRAPHICS	
HT TOILET HELP/SUPERVISION LAST 7D-NO	
HT TOILET HELP/SUPERVISION LAST 7D-YES	
HT TRANSFERS HELP/SUPERV LAST 7D-NO	
HT TRANSFERS HELP/SUPERV LAST 7D-YES	
HT UNABLE TO SCREEN CAREGIVER	
HT VET NOT INTERESTED TELEHEALTH PROGRAM	
HT VETERAN REFERRAL EDUC/TRAINING	
HT VETERAN REFERRAL SVCS IN PLACE	
HT VETERAN REFERRAL(S) NON VA SYSTEM	
HT VETERAN STATES ESSENTIAL CONCEPTS	
PREFERRED HEALTHCARE LANGUAGE	
PREFERRED HEALTHCARE LANGUAGE-ASL	
PREFERRED HEALTHCARE LANGUAGE-BRAILLE	
PREFERRED HEALTHCARE LANGUAGE-CHINESE	
PREFERRED HEALTHCARE LANGUAGE-ENGLISH	
PREFERRED HEALTHCARE LANGUAGE-FRENCH	
PREFERRED HEALTHCARE LANGUAGE-GERMAN	
PREFERRED HEALTHCARE LANGUAGE-ITALIAN	
PREFERRED HEALTHCARE LANGUAGE-KOREAN	
PREFERRED HEALTHCARE LANGUAGE-OTHER	
PREFERRED HEALTHCARE LANGUAGE-	
PORTUGUESE	

PREFERRED HEALTHCARE LANGUAGE-RUSSIAN	
PREFERRED HEALTHCARE LANGUAGE-SPANISH	
PREFERRED HEALTHCARE LANGUAGE-TAGALOG	
PREFERRED HEALTHCARE LANGUAGE-VIETNAMESE	

# Appendix I: Health Factors (Alpha Sort w/ Category)

## **GEC REFERRAL BASIC ADL**

GEC BATHING HELP/SUPERVISION LAST 7D-NO	GEC INDEPENDENT IN WC LAST 7D-NO
GEC BATHING HELP/SUPERVISION LAST 7D-YES	GEC INDEPENDENT IN WC LAST 7D-YES
GEC BATHING PHYS ASST NEEDED LAST 7D-NO	GEC MOVING AROUND INDOORS LAST 7D-NO
GEC BATHING PHYS ASST NEEDED LAST 7D-YES	GEC MOVING AROUND INDOORS LAST 7D-YES
GEC BED POSITIONING HELP LAST 7D-NO	GEC RECENT CHANGE IN ADL FX-NO
GEC BED POSITIONING HELP LAST 7D-YES	GEC RECENT CHANGE IN ADL FX-YES
GEC DRESS HELP/SUPERVISION LAST 7D-NO	GEC TOILET HELP/SUPERVISION LAST 7D-NO
GEC DRESS HELP/SUPERVISION LAST 7D-YES	GEC TOILET HELP/SUPERVISION LAST 7D-YES
GEC EATING HELP/SUPERVISION LAST 7D-NO	GEC TRANSFERS HELP/SPRVISION LAST 7D-NO
GEC EATING HELP/SUPERVISION LAST 7D-YES	GEC TRANSFERS HELP/SPRVISION LAST 7D-YES

## **GEC REFERRAL IADL**

GEC DIFFICULT TRANSPORTATION/LAST 7D-NO	GEC DIFFICULTY USING PHONE/LAST 7D-YES
GEC DIFFICULT TRANSPORTATION/LAST 7D-YES	GEC DIFFICULTY W/ HOUSEWORK/LAST 7D-NO
GEC DIFFICULTY MANAGING MEDS/LAST 7D-NO	GEC DIFFICULTY W/ HOUSEWORK/LAST 7D-YES
GEC DIFFICULTY MANAGING MEDS/LAST 7D-YES	GEC DIFFICULTY WITH SHOPPING/LAST 7D-NO
GEC DIFFICULTY MNG FINANCES/LAST 7D-NO	GEC DIFFICULTY WITH SHOPPING/LAST 7D-YES
GEC DIFFICULTY MNG FINANCES/LAST 7D-YES	GEC MEALS PREPARED BY OTHERS/LAST 7D-NO
GEC DIFFICULTY PREPARE MEALS/LAST 7D-NO	GEC MEALS PREPARED BY OTHERS/LAST 7D-YES
GEC DIFFICULTY PREPARE MEALS/LAST 7D-YES	GEC RECENT CHANGE IN IADL FX-NO
GEC DIFFICULTY USING PHONE/LAST 7D-NO	GEC RECENT CHANGE IN IADL FX-YES

## HT (HOME TELEHEALTH)

HT CLINICAL REASON FOR ENROLLMENT	HT ENROLLMENT-START DATE (PREV ENROLL)
HT ENROLLMENT-ENDING DATE	HT REFERRAL-CONSULT COMPLETION
HT ENROLLMENT-START DATE	HT VETERAN'S GOAL FOR ENROLLMENT

## HT ASSESSMENT/TREATMENT PLAN

HT CATEGORY OF CARE-ACUTE CARE	HT GETS MEDS VIA NON-VA PROVIDER-YES
HT CATEGORY OF CARE-CHRONIC CARE MGMT	HT PERIODIC EVALUATION COMPLETED
HT CATEGORY OF CARE-HEALTH PROMOTION	HT PLAN-MED DISCREP SENT TO PROVIDER
HT CATEGORY OF CARE-NON INSTITUTIONAL	HT PLAN-REVIEWED LIST OF CURRENT MEDS
HT CATEGORY OF CARE-OTHER	HT PT/CG HAS LIST OF ACTIVE MEDS-NO
HT EMERG PRIORITY HIGH-IMMEDIATE EVAL	HT PT/CG HAS LIST OF ACTIVE MEDS-YES
HT EMERG PRIORITY LOW-HAS RESOURCES	HT PT/CG HAS QUESTIONS ON MEDS-NO
HT EMERG PRIORITY MOD-SVCS AFTER 3-7D	HT PT/CG HAS QUESTIONS ON MEDS-YES
HT GETS MEDS VIA NON-VA PROVIDER-NO	

## HT CAREGIVER RISK ASSESSMENT SCREEN

HT CAREGIVER ASSESSMENT SCREEN COMPLETED	HT CAREGIVER ASSESSMENT SCREEN COMPLETED
H	H

## HT CONTINUUM OF CARE (CCF)

HI CONTINUOIVI OF CARE (CCF)	
HT BATHING HELP/SUPRVISION LAST 7D-NO	HT CCF LIVES WITH SPOUSE & OTHERS
HT BATHING HELP/SUPRVISION LAST 7D-YES	HT CCF LIVES WITH SPOUSE ONLY
HT BED MOBIL HELP/SUPERV LAST 7D-NO	HT CCF MEETS CHRONIC CARE MGMT CRITERIA
HT BED MOBIL HELP/SUPERV LAST 7D-YES	HT CCF MEETS NIC CATEGORY A CRITERIA
HT CCF 1 OR MORE BEHAV/COGN PROBLEMS	HT CCF MEETS NIC CATEGORY B CRITERIA
HT CCF 12 OR MORE CLINIC STOPS PAST YR	HT CCF MEETS NIC CRITERIA
HT CCF 2 OR MORE ADL DEFICITS	HT CCF MOOD DISORDER DEPRESSION-NO
HT CCF AGE 75 OR GREATER	HT CCF MOOD DISORDER DEPRESSION-YES
HT CCF AGITATED/DISORIENTED-NO	HT CCF MOOD DISORDER MANIC-NO
HT CCF AGITATED/DISORIENTED-YES	HT CCF MOOD DISORDER MANIC-YES
HT CCF CAREGIVER ACCESSIBLE	HT CCF NIC CRITERIA NO-ACUTE CARE MGMT
HT CCF CAREGIVER CAN INCREASE HELP	HT CCF NIC CRITERIA NO-HLTH PROMOTION
HT CCF CAREGIVER CAN'T INCREASE HELP	HT CCF PHYSICALLY ABUSIVE BEHAVIOR-NO
HT CCF CAREGIVER LIVES WITH PT-NO	HT CCF PHYSICALLY ABUSIVE BEHAVIOR-YES
HT CCF CAREGIVER LIVES WITH PT-YES	HT CCF POTENTIAL FOR INCR INDEP-NO
HT CCF CAREGIVER NOT ACCESSIBLE	HT CCF POTENTIAL FOR INCR INDEP-YES
HT CCF CAREGIVER SAME NAME AS PT	HT CCF PROBLEMS WITH 3 OR MORE ADLS
HT CCF CAREGIVER-ADL HELP	HT CCF PROBLEMS WITH 3 OR MORE IADL
HT CCF CAREGIVER-CHILD	HT CCF PTSD/OTHER ANXIETY-NO
HT CCF CAREGIVER-EMOTIONAL SUPPORT	HT CCF PTSD/OTHER ANXIETY-YES
HT CCF CAREGIVER-FRIEND/NEIGHBOR	HT CCF RECOMMEND REFERRAL-NO
HT CCF CAREGIVER-IADL HELP	HT CCF RECOMMEND REFERRAL-YES
HT CCF CAREGIVER-OTHER	HT CCF RESISTING CARE-NO
HT CCF CAREGIVER'S CITY	HT CCF RESISTING CARE-YES
HT CCF CAREGIVER'S NAME	HT CCF SERVICES IN PLACE-NO
HT CCF CAREGIVER'S PHONE	HT CCF SERVICES IN PLACE-YES
HT CCF CAREGIVER'S STATE	HT CCF SUBST ABUSE/DEPENDENCE-NO
HT CCF CAREGIVER'S STREET ADDRESS	HT CCF SUBST ABUSE/DEPENDENCE-YES
HT CCF CAREGIVER'S ZIP CODE	HT CCF UNPAID CAREGIVER-NO
HT CCF CAREGIVER-SPOUSE	HT CCF UNPAID CAREGIVER-YES
HT CCF COMPLEXITY TOO GREAT-NO	HT CCF VERBALLY ABUSIVE BEHAVIOR-NO
HT CCF COMPLEXITY TOO GREAT-YES	HT CCF VERBALLY ABUSIVE BEHAVIOR-YES
HT CCF DELUSIONS-NO	HT CCF WANDERING-NO
HT CCF DELUSIONS-YES	HT CCF WANDERING-YES
HT CCF DIFFIC MAKE SELF UNDERSTOOD-NO	HT DIFFICULT MANAGING MEDS/LAST 7D-NO
HT CCF DIFFIC MAKE SELF UNDERSTOOD-YES	HT DIFFICULT MANAGING MEDS/LAST 7D-YES
HT CCF DIFFIC REASONABLE DECISIONS-NO	HT DIFFICULT MNG FINANCES/LAST 7D-NO
HT CCF DIFFIC REASONABLE DECISIONS-YES	HT DIFFICULT MNG FINANCES/LAST 7D-YES
HT CCF DOES NOT MEET CCM CRITERIA	HT DIFFICULT PREPARE MEALS/LAST 7D-NO
HT CCF DOES NOT MEET NIC CRITERIA	HT DIFFICULT PREPARE MEALS/LAST 7D-YES
HT CCF FLARE UP CHRONIC CONDITION-NO	HT DIFFICULT TRANSPORTATION/LAST 7D-NO
HT CCF FLARE UP CHRONIC CONDITION-YES	HT DIFFICULT TRANSPORTATION/LAST 7D-YES

HT CCF FOLLOW-UP ASSESSMENT COMPLETED HT DIFFICULT USING PHONE LAST 7D-NO HT CCF GROUP SETTING NON RELATIVES HT DIFFICULT USING PHONE LAST 7D-YES HT CCF HALLUCINATIONS-AUDITORY HT DIFFICULT W/ HOUSEWORK/LAST 7D-NO HT CCF HALLUCINATIONS-NONE HT DIFFICULT W/ HOUSEWORK/LAST 7D-YES HT CCF HALLUCINATIONS-OLFACTORY HT DIFFICULT WITH SHOPPING/LAST 7D-NO HT CCF HALLUCINATIONS-SENSORY HT DIFFICULT WITH SHOPPING/LAST 7D-NO HT CCF HALLUCINATIONS-TACTILE HT DRESSING HELP/SUPERV LAST 7D-NO HT CCF HALLUCINATIONS-VISUAL HT DRESSING HELP/SUPERV LAST 7D-NO HT CCF INITIAL ASSESSMENT COMPLETED HT EATING HELP/SUPERVISION LAST 7D-NO HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-NO HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT RANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH ADULT CHILD HT RANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH ADULT CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-YES		
HT CCF HALLUCINATIONS-AUDITORY HT DIFFICULT W/ HOUSEWORK/LAST 7D-NO HT CCF HALLUCINATIONS-NONE HT DIFFICULT W/ HOUSEWORK/LAST 7D-YES HT CCF HALLUCINATIONS-OLFACTORY HT DIFFICULT WITH SHOPPING/LAST 7D-NO HT CCF HALLUCINATIONS-SENSORY HT DIFFICULT WITH SHOPPING/LAST 7D-YES HT CCF HALLUCINATIONS-TACTILE HT DRESSING HELP/SUPERV LAST 7D-NO HT CCF HALLUCINATIONS-VISUAL HT DRESSING HELP/SUPERV LAST 7D-YES HT CCF INITIAL ASSESSMENT COMPLETED HT EATING HELP/SUPERVISION LAST 7D-NO HT CCF LIFE EXPECTANCY < 6 MO HT EATING HELP/SUPERVISION LAST 7D-YES HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-NO HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES PRIVATE HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF FOLLOW-UP ASSESSMENT COMPLETED	HT DIFFICULT USING PHONE LAST 7D-NO
HT CCF HALLUCINATIONS-NONE HT DIFFICULT W/ HOUSEWORK/LAST 7D-YES HT CCF HALLUCINATIONS-OLFACTORY HT DIFFICULT WITH SHOPPING/LAST 7D-NO HT CCF HALLUCINATIONS-SENSORY HT DIFFICULT WITH SHOPPING/LAST 7D-YES HT CCF HALLUCINATIONS-TACTILE HT DRESSING HELP/SUPERV LAST 7D-NO HT CCF HALLUCINATIONS-VISUAL HT DRESSING HELP/SUPERV LAST 7D-YES HT CCF INITIAL ASSESSMENT COMPLETED HT EATING HELP/SUPERVISION LAST 7D-NO HT CCF LIFE EXPECTANCY < 6 MO HT EATING HELP/SUPERVISION LAST 7D-YES HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-NO HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES PRIVATE HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES	HT CCF GROUP SETTING NON RELATIVES	HT DIFFICULT USING PHONE LAST 7D-YES
HT CCF HALLUCINATIONS-OLFACTORY HT DIFFICULT WITH SHOPPING/LAST 7D-NO HT CCF HALLUCINATIONS-SENSORY HT DIFFICULT WITH SHOPPING/LAST 7D-YES HT CCF HALLUCINATIONS-TACTILE HT DRESSING HELP/SUPERV LAST 7D-NO HT CCF HALLUCINATIONS-VISUAL HT DRESSING HELP/SUPERV LAST 7D-YES HT CCF INITIAL ASSESSMENT COMPLETED HT EATING HELP/SUPERVISION LAST 7D-NO HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES HOMELESS HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES PRIVATE HOME HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF HALLUCINATIONS-AUDITORY	HT DIFFICULT W/ HOUSEWORK/LAST 7D-NO
HT CCF HALLUCINATIONS-SENSORY HT DIFFICULT WITH SHOPPING/LAST 7D-YES HT CCF HALLUCINATIONS-TACTILE HT DRESSING HELP/SUPERV LAST 7D-NO HT CCF HALLUCINATIONS-VISUAL HT DRESSING HELP/SUPERV LAST 7D-YES HT CCF INITIAL ASSESSMENT COMPLETED HT EATING HELP/SUPERVISION LAST 7D-NO HT CCF LIFE EXPECTANCY < 6 MO HT EATING HELP/SUPERVISION LAST 7D-YES HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-NO HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF HALLUCINATIONS-NONE	HT DIFFICULT W/ HOUSEWORK/LAST 7D-YES
HT CCF HALLUCINATIONS-TACTILE HT DRESSING HELP/SUPERV LAST 7D-NO HT CCF HALLUCINATIONS-VISUAL HT DRESSING HELP/SUPERV LAST 7D-YES HT CCF INITIAL ASSESSMENT COMPLETED HT EATING HELP/SUPERVISION LAST 7D-NO HT CCF LIFE EXPECTANCY < 6 MO HT EATING HELP/SUPERVISION LAST 7D-YES HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-NO HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES PRIVATE HOME HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF HALLUCINATIONS-OLFACTORY	HT DIFFICULT WITH SHOPPING/LAST 7D-NO
HT CCF HALLUCINATIONS-VISUAL HT DRESSING HELP/SUPERV LAST 7D-YES HT CCF INITIAL ASSESSMENT COMPLETED HT EATING HELP/SUPERVISION LAST 7D-NO HT CCF LIFE EXPECTANCY < 6 MO HT EATING HELP/SUPERVISION LAST 7D-YES HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-NO HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF HALLUCINATIONS-SENSORY	HT DIFFICULT WITH SHOPPING/LAST 7D-YES
HT CCF INITIAL ASSESSMENT COMPLETED HT EATING HELP/SUPERVISION LAST 7D-NO HT CCF LIFE EXPECTANCY < 6 MO HT EATING HELP/SUPERVISION LAST 7D-YES HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-NO HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT CCF LIVES HOMELESS HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF HALLUCINATIONS-TACTILE	HT DRESSING HELP/SUPERV LAST 7D-NO
HT CCF LIFE EXPECTANCY < 6 MO HT EATING HELP/SUPERVISION LAST 7D-YES HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-NO HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-NO	HT CCF HALLUCINATIONS-VISUAL	HT DRESSING HELP/SUPERV LAST 7D-YES
HT CCF LIVES ALONE HT MEALS PREPARED BY OTHER/LAST 7D-NO HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF INITIAL ASSESSMENT COMPLETED	HT EATING HELP/SUPERVISION LAST 7D-NO
HT CCF LIVES ALONE IN COMMUNITY HT MEALS PREPARED BY OTHER/LAST 7D-YES HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIFE EXPECTANCY < 6 MO	HT EATING HELP/SUPERVISION LAST 7D-YES
HT CCF LIVES AT OTHER HT MOVE INDOOR HELP/SUPERV LAST 7D-NO HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIVES ALONE	HT MEALS PREPARED BY OTHER/LAST 7D-NO
HT CCF LIVES BOARD AND CARE HT MOVE INDOOR HELP/SUPERV LAST 7D-YES HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIVES ALONE IN COMMUNITY	HT MEALS PREPARED BY OTHER/LAST 7D-YES
HT CCF LIVES DOMICILIARY HT RECENT CHANGE IN FUNCTION-NO HT CCF LIVES HOMELESS HT RECENT CHANGE IN FUNCTION-YES HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIVES AT OTHER	HT MOVE INDOOR HELP/SUPERV LAST 7D-NO
HT CCF LIVES HOMELESS HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIVES BOARD AND CARE	HT MOVE INDOOR HELP/SUPERV LAST 7D-YES
HT CCF LIVES HOMELESS SHELTER HT TOILET HELP/SUPERVISION LAST 7D-NO HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIVES DOMICILIARY	HT RECENT CHANGE IN FUNCTION-NO
HT CCF LIVES NURSING HOME HT TOILET HELP/SUPERVISION LAST 7D-YES HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIVES HOMELESS	HT RECENT CHANGE IN FUNCTION-YES
HT CCF LIVES PRIVATE HOME HT TRANSFERS HELP/SUPERV LAST 7D-NO HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIVES HOMELESS SHELTER	HT TOILET HELP/SUPERVISION LAST 7D-NO
HT CCF LIVES WITH ADULT CHILD HT TRANSFERS HELP/SUPERV LAST 7D-YES HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIVES NURSING HOME	HT TOILET HELP/SUPERVISION LAST 7D-YES
HT CCF LIVES WITH CHILD HT W/C MOBIL HELP/SUPERV LAST 7D-NO	HT CCF LIVES PRIVATE HOME	HT TRANSFERS HELP/SUPERV LAST 7D-NO
	HT CCF LIVES WITH ADULT CHILD	HT TRANSFERS HELP/SUPERV LAST 7D-YES
HT CCE LIVES WITH OTHER HT W/C MORIL HELD/SLIDERY LAST 7D-VES	HT CCF LIVES WITH CHILD	HT W/C MOBIL HELP/SUPERV LAST 7D-NO
THE WE LIVES WITH OTHER	HT CCF LIVES WITH OTHER	HT W/C MOBIL HELP/SUPERV LAST 7D-YES

## HT DISCHARGE

HT DISCHARGE-ADMITTED TO NURSING HOME	HT DISCHARGE-PROVIDER REQUESTS DC
HT DISCHARGE-ALL ISSUES ADDRESSED(NO)	HT DISCHARGE-PT/CG REQUEST DC SERVICES
HT DISCHARGE-ALL ISSUES ADDRESSED(YES)	HT DISCHARGE-REFERRED TO HOSPICE
HT DISCHARGE-HAS MET GOALS	HT DISCHARGE-REFERRED TO MENTAL HEALTH
HT DISCHARGE-NO RESPONSE TO PROGRAM	HT DISCHARGE-REFERRED TO NEW LOCATION
HT DISCHARGE-NO VA PRIMARY CARE SVCS	HT DISCHARGE-REFERRED TO PRIMARY CARE
HT DISCHARGE-OTHER FOLLOW-UP	HT DISCHARGE-REFERRED TO SOCIAL WORK
HT DISCHARGE-PATIENT IS DECEASED	HT DISCHARGE-RELOCATED OUT OF SVC AREA
HT DISCHARGE-PHONE, ELECT SVCS UNAVAIL	HT DISCHARGE-UNABLE TO OPERATE DEVICES
HT DISCHARGE-PROLONGED HOSPITALIZATION	

## HT REFERRALS FOR VETERAN/CAREGIVER

HT CAREGIVER REFERRAL BEREAVE SUPPORT	HT VETERAN REFERRAL FAMILY COUNSEL
HT CAREGIVER REFERRAL C/G SUPPORT GRP	HT VETERAN REFERRAL FINANCIAL ASSIST
HT CAREGIVER REFERRAL EDUC/TRAINING	HT VETERAN REFERRAL HOME HEALTH SVC
HT CAREGIVER REFERRAL FAMILY COUNSEL	HT VETERAN REFERRAL HOMEMKR/CHORE ASST
HT CAREGIVER REFERRAL INDIVID COUNSEL	HT VETERAN REFERRAL HOSPICE
HT CAREGIVER REFERRAL MEDICAL EVAL,F/U	HT VETERAN REFERRAL HOUSING
HT CAREGIVER REFERRAL OTHER SERVICE	HT VETERAN REFERRAL INDIVIDUAL COUNSEL
HT CAREGIVER REFERRAL SOCIAL WORK	HT VETERAN REFERRAL LEGAL ASSISTANCE
HT CAREGIVER REFERRAL SVCS IN PLACE	HT VETERAN REFERRAL MEDICAL EVAL, F/U
HT CAREGIVER REFERRAL(S) NON VA SYSTEM	HT VETERAN REFERRAL NURS HOME PLACEMNT

HT CAREGIVER REFERRAL(S) VA SYSTEM	HT VETERAN REFERRAL OTHER SERVICE
HT CG/VETERAN REFERRAL COMPLETED	HT VETERAN REFERRAL RESPITE
HT CG/VETERAN REFERRAL(S) NOT UTILIZED	HT VETERAN REFERRAL SOCIAL WORK
HT REFERRALS-CAREGIVER NOT SATISFIED	HT VETERAN REFERRAL SVCS IN PLACE
HT REFERRALS-CAREGIVER SATISFIED	HT VETERAN REFERRAL TRANSPORTATION
HT VETERAN REFERRAL ADULT DAY CARE	HT VETERAN REFERRAL(S) NON VA SYSTEM
HT VETERAN REFERRAL EDUC/TRAINING	HT VETERAN REFERRAL(S) VA SYSTEM
HT VETERAN REFERRAL EMPLOYMENT ASSIST	

## HT TELEHEALTH DELIVERY/INSTALL MODE

HT EQUIP INSTALLATION MODE-OTHER	HT EQUIP TAKEN HOME, INSTALLED BY VET/CG
HT EQUIP INSTALLED BY SUPPORT STAFF	
HT EQUIP INSTALLED BY VETERAN/CAREGIVER	
HT EQUIP MAILED, INSTALL BY VET/CAREGIVER	

## HT TELEHEALTH DEMOGRAPHICS

HT DISEASE INDICATIONS-COPD	HT INDICATIONS-# OUTPT VISITS PAST YR
HT DISEASE INDICATIONS-DEPRESSION	HT INDICATIONS-DISTANCE (HOURS)
HT DISEASE INDICATIONS-DIABETES	HT INDICATIONS-DISTANCE (MILES)
HT DISEASE INDICATIONS-HEART FAILURE	HT INDICATIONS-HX HIGH COST/HIGH USE
HT DISEASE INDICATIONS-HYPERTENSION	HT INDICATIONS-HX HOSPITALIZATONS
HT DISEASE INDICATIONS-OBESITY	HT MEETS TELEHEALTH CRITERIA(NO)
HT DISEASE INDICATIONS-OTHER	HT MEETS TELEHEALTH CRITERIA(YES)
HT DISEASE INDICATIONS-PTSD	HT REASON FOR NON-ENROLLMENT
HT DISEASE INDICATIONS-SUBSTANCE ABUSE	HT VET NOT INTERESTED TELEHEALTH PROGRAM

## PREFERRED HEALTHCARE LANGUAGE

PREFERRED HEALTHCARE LANGUAGE-ENGLISH	PREFERRED HEALTHCARE LANGUAGE-KOREAN
PREFERRED HEALTHCARE LANGUAGE-OTHER	PREFERRED HEALTHCARE LANGUAGE-GERMAN
PREFERRED HEALTHCARE LANGUAGE-ASL	PREFERRED HEALTHCARE LANGUAGE-VIETNAMESE
PREFERRED HEALTHCARE LANGUAGE-BRAILLE	PREFERRED HEALTHCARE LANGUAGE-TAGALOG
PREFERRED HEALTHCARE LANGUAGE-	
PORTUGUESE	PREFERRED HEALTHCARE LANGUAGE-FRENCH
PREFERRED HEALTHCARE LANGUAGE-ITALIAN	PREFERRED HEALTHCARE LANGUAGE-CHINESE
PREFERRED HEALTHCARE LANGUAGE-RUSSIAN	PREFERRED HEALTHCARE LANGUAGE-SPANISH

# **Appendix J: Education Topics**

## **VA-HOME TELEHEALTH (HT)**

VA-HOME TELEHEALTH-CAREGIVER	VA-HOME TELEHEALTH-CAREGIVER
EDUCATION/SUPPORT	EDUCATION/SUPPORT
VA-HOME TELEHEALTH-DISEASE	VA-HOME TELEHEALTH-DISEASE
MGMT/PATIENT SELF-MGMT	MGMT/PATIENT SELF-MGMT

## VA-HOME TELEHEALTH-CAREGIVER EDUCATION/SUPPORT

The Non-Paid Caregiver will receive both the education (via the in home messaging device, telemonitor, videophone or telephone) as well as the support necessary to enhance the care provided to the Veteran.

- **1.** The Care Coordinator will assign the appropriate DMP to help educate the caregiver on the disease process of the Veteran.
- 2. The Care Coordinator will help coordinate the appropriate resources to support the caregiver.

#### VA-HOME TELEHEALTH-DISEASE MGMT/PATIENT SELF-MGMT

The Veteran, upon enrollment, will be assigned the appropriate Disease Management Protocol (DMP) that will enhance the Veteran's ability to self manage his/her chronic disease process.

- **1.** The Care Coordinator will assign a Disease Management Protocol (DMP) appropriate for the veteran upon enrollment.
- **2.** The Care Coordinator will monitor the Veteran's responses to the DMP questions to provide interventions when necessary.
- 3. Interventions are designed to enhance the Veteran's ability to self manage his/her disease process.

#### VA-HOME TELEHEALTH-IN HOME MONITORING

Veteran receives care coordination and daily monitoring via an in-home messaging/monitoring device of his/her chronic disease(s) by a Care Coordinator.

- **1.** The Care Coordinator monitors measurements and/or individual responses to questions directly related to the Veteran's chronic disease(s).
- **2.** The Care Coordinator responds/intervenes timely to alerts indicating need.
- **3.** The Care Coordinator updates the Veteran's provider routinely and as needed.
- **4.** Veteran and/or caregiver understand proper setup and procedure for in-home monitoring.
- **5.** Veteran and/or caregiver understand the confidentiality of health information.
- **6.** Veteran and/or caregiver understand that he/she must follow his/her normal emergency plan for any emergency.
- 7. Veteran and/or caregiver understand that his/her in home messaging/monitoring device is not a 911 or emergency device.
- **8.** Veteran and/or caregiver understand how to contact Home Telehealth staff for any questions, problems with equipment, or concerns.

## VA-HOME TELEHEALTH-MEDICATION MANAGEMENT

Veteran has provided the VA with a complete list of Non VA medications and OTC drugs & supplements.

The Veteran understands his/her VA prescribed medications and takes his/her medications as prescribed.

- 1. The Care Coordinator reviews all medications upon enrollment into the HT program and at regular intervals throughout the Veteran's active enrollment.
- 2. The Care Coordinator reports any discrepancies to the Veteran's provider for reconciliation.
- **3.** The Care Coordinator routinely educates Veteran on his/her medications and responds timely to any question the Veteran may have about his/her medication.

## **Appendix K: Acronyms and Glossary**

## **National Acronym Directory:**

http://vaww1.va.gov/Acronyms/

## **Acronyms**

Term	Definition
ASU	Authorization/Subscription Utility
CCHT	Care Coordination Home Telehealth (former name; now called HT)
CDCO	Corporate Date Center Operations (includes AITC)
HT	Home Telehealth
CPRS	Computerized Patient Record System
DD	Data Dictionary
ЕРМО	Enterprise Program Management Office
ESM	Enterprise Systems Management (ESM)
FIM	Functional Independence Measure
SFTP	Secure File Transfer Protocol
GMTS	VistA namespace for Health Summary package
GUI	Graphic User Interface
IAB	Initial Assessment & Briefing
MED REC	Medication Reconciliation
OCC	Office of Connected Care
OI	Office of Information
OIF/OEF	Operation Iraqi Freedom/Operation Enduring Freedom
PCS	Patient Care Services
PXRM	Clinical Reminder Package namespace
RSD	Requirements Specification Document
TIU	Text Integration Utilities
TIU/HS	TIU-Health Summary data objects
TXML	Template format for CPRS GUI dialog templates
VA	Department of Veteran Affairs
USR	VistA namespace for ASU package
VistA	Veterans Health Information System and Technology Architecture
VLER	Virtual Lifetime Electronic Record

# **Glossary**

Master OIT Glossary:

 $\underline{http://vaww.oed.wss.va.gov/process/Lists/glossary/default.aspx}$ 

Technology Center (AITC) data center Operations (CDCO). The central repository for National Patient Care Database is maintained at the AITC.  Care Coordinators Care Coordinators are licensed health care professionals who help veteran patients self-manage their condition. Care Coordinators guide	Term	Definition
Care Coordinators  Care Coordinators are licensed health care professionals who help veteran patients self-manage their condition. Care Coordinators guide and support veteran patients to ensure they receive the right care, in the right place, at the right time, from the right person.  Corporate Data Center Operations (CDCO)  Clinical Data Service (CDS) is the access service to patient-centric, clinical data persisted in HDR (Health Data Repository) data stores.  Clinical Context Object Workgroup (CCOW) is used to share patient and user context between applications  Clinical Reminders  A clinical reminder is a software decision support tool that defines evaluation and resolution logic for a given clinical activity. The	Technology Center	· · · · · · · · · · · · · · · · · · ·
Corporate Data Center Operations (CDCO)  Clinical Data Services (CDS)  Clinical Context Object Workgroup (CCOW)  Clinical Reminders  A clinical reminder is a software decision support tool that defines evaluation and resolution logic for a given clinical activity. The	, ,	Care Coordinators are licensed health care professionals who help veteran patients self-manage their condition. Care Coordinators guide and support veteran patients to ensure they receive the right care, in the
Services (CDS)  Clinical Context Object Workgroup (CCOW)  Clinical Reminders  A clinical reminder is a software decision support tool that defines evaluation and resolution logic for a given clinical activity. The	Center Operations	VA's integration of five national data centers, which incorporates the
Object Workgroup (CCOW)  Clinical Reminders  A clinical reminder is a software decision support tool that defines evaluation and resolution logic for a given clinical activity. The		•
evaluation and resolution logic for a given clinical activity. The	Object Workgroup	
presence or absence of specified criteria such as diagnoses, procedure health factors, medications, or demographic variables (e.g., age, gender). A reminder may or may not require provider resolution, depending on its purpose and design, through a user interface, also known as a reminder dialog.	Clinical Reminders	evaluation and resolution logic for a given clinical activity. The evaluation logic defines conditions in the database, including the presence or absence of specified criteria such as diagnoses, procedures, health factors, medications, or demographic variables (e.g., age, gender). A reminder may or may not require provider resolution, depending on its purpose and design, through a user interface, also
	Consult	1 1
Patient Records System (CPRS)  patient record system for clinicians, managers, quality assurance staff and researchers. The primary goal of CPRS is to create a fast and easy to-use product that gives physicians enough information through clini reminders, results reporting, and expert system feedback to make bett decisions regarding orders and treatment. VistA software integrated with CPRS includes Pharmacy, Lab, Radiology, Allergy Tracking, Consults, Dietetics, Progress Notes, Problem List, Patient Administration, Vitals, PCE, TIU, ASU and Clinical Lexicon.	Patient Records System (CPRS)	with CPRS includes Pharmacy, Lab, Radiology, Allergy Tracking, Consults, Dietetics, Progress Notes, Problem List, Patient Administration, Vitals, PCE, TIU, ASU and Clinical Lexicon.
Data File Number (DFN)  Patient's Internal Entry Number (IEN)  Health Data  A data repository of clinical information that resides on one or more	(DFN)	

Term	Definition
Repository (HDR)	independent platforms and is used by clinicians and other personnel to
,	facilitate longitudinal patient-centric care.
Health Level 7	HL7 is an ANSI standard for electronic data exchange in healthcare
(HL7)	environments. It is an interface specification designed to standardize
(ILL)	the transfer of health care information between systems. HL7 is an
	application layer protocol for electronic data exchange in health care
	environments. The HL7 protocol is a collection of standard formats for
	health care data. This communication protocol allows healthcare
	institutions to exchange key sets of data between different application
	systems. The protocol accommodates the flexibility necessary to allow
	compatibility for specialized data sets that have facility-specific needs.
ID	Coded Value data type
Interface Engine	A device or software application that connects disparate system,
(IE)	transforms data, converts data, routes data, ensures the delivery of data
(IL)	and is rules based. The IE provides a consistent HL7 compliant
	communication environment. That is separate from the specific and
	individual application needs. In this environment, messages can be
	routed, transformed, converted and delivery guaranteed as required by
	the application.
Integration Control	The Integration Control Number (ICN) is a unique identifier assigned to
Number (ICN)	patients when they are added to the Master Patient Index (MPI). ICNs
T (dillott (Tell ()	fall under two categories: national and local. The ICN follows the
	ASTM E1714-95 standard for a universal health identifier. ICNs link
	patients to their records across VA systems.
	The ICN is stored in a message using the HL7 CX format.
	The ID subfield is the ICN.
	The type subfield is USVHA.
Master Patient	The objectives of the Master Patient Index (MPI) are to create an index
Index (MPI)	that uniquely identifies each active patient treated by the VA and to
	identify the sites where a patient is receiving care. This is crucial to the
	sharing of patient information across sites.
	MPI manages the synchronization of patient file information between
	the Master Patient Index and the patient's treatment facilities to ensure
	that data being shared is stored in the correct patient's record.
Patient Information	This umbrella application contains the Scheduling, Registration, PCE,
Management	and Enrollment applications that relate to patient information.
System (PIMS)	
Protocol	A set of procedures for establishing and controlling data transmission
Remote Data View	A CPRS application that allows a caregiver to view patient data that is
(RDV)	stored in another VistA facility.
Telehealth	Telehealth is the use of electronic communications and information
	technology to provide and support health care when distance separates
	the participants. It covers health care practitioners interacting with
	patients and patients interacting with other patients.
Telemedicine	Telemedicine is the provision of care by a licensed independent health

Term	Definition
	care provider that directs, diagnoses, or otherwise provides clinical
	treatment delivered using electronic communications and information
	technology when distance separates the provider and the patient
TCP/IP	Transaction Control Protocol/Internet Protocol (TCP/IP) is a set of
	protocols for Layers 3 (Network) and 4 (Transport) of the OSI network
	model. TCP/IP has been developed over a period of 30 years under the
	auspices of the Department of Defense. It is a de facto standard,
	particularly as higher-level layers over Ethernet. TCP/IP predates the
	OSI model; therefore, TCP/IP is not OSI-compliant.
VistA	Veterans Health Information Systems and Technology Architecture
	(VistA), formerly known as Decentralized Hospital Computer Program
	(DHCP), encompasses the complete information environment at VA
	medical facilities. It consists of hardware, software packages, and
	comprehensive support for system-wide and station specific, clinical,
	and administrative automation needs.
VistA Interface	Vitria BusinessWare software that has been configured specifically for
Engine (VIE)	the VHA VistA environment
VistAWeb	A web-based application to view patient data from various VA facilities.
VLER	Virtual Lifetime Electronic Record, a program to integrate VA, DoD,
	and private patient records.