



MENTAL HEALTH ASSISTANT
VERSION 3 (MHA3)
USER MANUAL

PATCH YS*5.01*96

Version 5.01

November 2010

Department of Veterans Affairs
VistA Health System Design & Development

Preface

The Veterans Health Information Systems and Architecture (VistA) Mental Health Assistant Version 3 (MHA3) User Manual for Patch YS*5.01*96 provides the Department of Veterans Affairs Medical Center (DVAMC) Information Resource Management (IRM) staff and other DVAMC users with a straightforward means for implementing and utilizing the MHA3 software application. Detailed instructions, functional requirements, and examples for using the MHA GUI software application are illustrated in this user manual.

NOTE: The Veterans Health Administration (VHA) fully supports Section 508 of The Rehabilitation Act and is committed to equal access for all users. While every effort has been made to ensure Section 508 compliance, we realize that there may be other issues. If you have questions or would like to see a copy of the Compliance Action Plan for future releases, please contact:

Richard Fischer, Project Manager
VA OI&T
1st Avenue and Cermak Rd
Bldg 37
Hines, IL 60141
Phone# 708-786-7529
email: richard.fischer@va.gov

Intended Audience

The intended audience for the MHA3 User Manual includes mental health clinicians, clerks, and patients.

Mental Health Assistant Version 3 User Manual Sections

The Mental Health Assistant Version 3 (MHA3) User Manual for Patch YS*5.01*96 contains the following sections:

NOTE: The screen captures examples text is written in support of Section 508 compliance. Commands to utilize options are bolded.

Preface: This section provides an overview of the manual.

Orientation: This section addresses package or audience specific notations or directions.

Table of Contents (TOC): The TOC provides references to major chapters and/or sections of the user manual.

Introduction: This section conveys the major functions, purposes, and how the software accomplishes the objectives.

Use of the Software: This section describes what the user needs to know in order to competently operate the MHA3 software application, including screen captures examples.

Glossary: This section contains the glossary of terms that are related to the MHA3 software application.

Appendix A: This section contains a list of shortcut keys use in the Mental Health Assistant Version 3, Graphical User Interface software application:

Appendix B: This section contains descriptions of the many window commands and features used in MHA3.

Appendix C: Instructions on co-signing a progress note generated by MHA3.

Appendix D: Procedures are described to remove data that was entered in error.

Appendix E: SecureDesktop (a MHA3 security application for patient data-entry) and Screen Pass (a screensaver security application) may require Windows Registry adjustments to work together.

Appendix F: Instructions on adding an instrument's name to the CPRS Tool menu.

Acknowledgements

In support of Veterans Health Administration (VHA) Office of Information mission to provide exceptional Information Technology services to support the delivery of the best health care to veterans, the Mental Health Enhancements (MHE), MHA Development Team would like to acknowledge the following dedicated employees for their collaboration in designing, developing, and testing of the MHA software application:

Mental Health Enhancements, MHA Development Team

Vickey L. Elijah, Software Quality Analyst

Richard Fischer, Project Manager

Roger Schultz Ph.D., Psychologist/Delphi Programmer

Vaughn Smith, 2nd M Programmer

Frank Traxler, M Programmer

Kevin Voorhees, Project Planner

Office of Mental Health Services, Informatics Section

Allan Finkelstien, Ph.D., Psychologist/M Programmer

Kathleen Lysell, Psy.D., Psychologist/Office of Mental Health Services, Chief Consultant

Table of Contents

PREFACE	III
<i>Intended Audience</i> -----	<i>iii</i>
<i>Mental Health Assistant Version 3 User Manual Sections</i> -----	<i>iii</i>
ACKNOWLEDGEMENTS	V
TABLE OF CONTENTS	VI
ORIENTATION	XII
DOCUMENTATION RETRIEVAL LOCATIONS AND FORMATS	XII
<i>Retrieval Formats Information</i> -----	<i>xii</i>
<i>Retrieval Locations:</i> -----	<i>xiii</i>
<i>VistA Website Locations:</i> -----	<i>xiii</i>
<i>VistA Mental Health Version 5.01 Home Page:</i> -----	<i>xiii</i>
<i>VistA Documentation Library (VDL):</i> -----	<i>xiii</i>
<i>Related Manual</i> -----	<i>xiii</i>
INTRODUCTION	14
OVERVIEW	14
<i>Test Sites</i> -----	16
USE OF THE SOFTWARE	17
CONTINGENCY PLANNING	17
SECURITY KEYS.....	17
WINDOWS CONVENTIONS	18
MENTAL HEALTH ASSISTANT TEMPORARY CRASH FILES	18
MENTAL HEALTH ASSISTANT RESULTS AND CPRS PROGRESS NOTES	18
STARTING MENTAL HEALTH ASSISTANT.....	18
<i>Starting Mental Health Assistant from VistA CPRS Tools Menu</i> -----	18
<i>Starting Mental Health Assistant from Off-line Mode</i> -----	22
MENTAL HEALTH ASSISTANT MAIN FORM FUNCTIONS	23
<i>Selected Patient Identification Label</i> -----	23
<i>Title Bar</i> -----	23
<i>Launch Links</i> -----	23
<i>GAF Rating is Due Label</i> -----	24
<i>Starting the Instrument Administrator</i> -----	24
<i>Starting the Instrument Results Review Functions</i> -----	26
<i>Starting the Addiction Severity Index Manager Function</i> -----	28
<i>Starting the Global Assessment of Functioning Manager</i> -----	30
<i>GAF rating is due</i> -----	32
<i>File Menu</i> -----	33
<i>Tools Menu</i> -----	36
<i>Help Menu</i> -----	40
INSTRUMENT ADMINISTRATOR FUNCTIONS.....	43
<i>Orientation</i> -----	43
<i>Ordering Tests</i> -----	45
<i>Selecting a Person (other than yourself) for Instruments Ordered By</i> -----	46
<i>Selecting a Person for "Interviewer"</i> -----	47
<i>Selecting a Date of Administration</i> -----	48
<i>Selecting a Visit Location</i> -----	49
<i>Filtering the display of Available Instruments and Batteries List</i> -----	50
<i>Choosing One or More Instruments</i> -----	51
<i>Restarting Incomplete Tests</i> -----	52

<i>Selecting Display Mode for Data Entry</i>	53
<i>Selecting Patient Entry Data Entry Mode</i>	54
<i>Selecting Staff Entry Data Entry Mode</i>	56
<i>On-form Instructions</i>	57
<i>Selecting a Different Patient</i>	58
<i>Exiting the Instrument Administrator Form</i>	59
<i>Invoking the METRIC Instrument Reviews Website</i>	60
<i>Reviewing a Description of the Selected Instrument</i>	62
<i>Accessing Online Support</i>	64
<i>Accessing Program Information</i>	65
<i>Instrument Administrator's Battery Wizard</i>	67
<i>Instrument Administrator's Battery Wizard</i>	67
<i>Main Menu</i>	68
<i>Title bar</i>	68
<i>Available Instruments and Batteries list</i>	68
<i>Instruments in Battery list</i>	68
<i>Re-sequencing buttons</i>	68
<i>Context-sensitive Help</i>	68
<i>Battery Selector</i>	68
<i>Save Button</i>	69
<i>Invoking the Battery Wizard</i>	69
<i>Creating a New User-defined Battery using the Battery Wizard</i>	71
<i>Renaming an Existing Battery</i>	74
<i>Deleting an Existing Battery</i>	77
<i>Exiting the Battery Wizard</i>	79
INSTRUMENT ADMINISTRATOR'S "ONE QUESTION AT A TIME" INPUT FORM	81
<i>Orientation</i>	81
<i>The Main Menu</i>	81
<i>The Selected Patient Identification label</i>	81
<i>The Instrument's Name</i>	82
<i>The Section Title Bar</i>	82
<i>The Progress Indicator</i>	82
<i>Responding to a multi-choice question using a Multiple-Selection List Box</i>	83
<i>Responding to a Single-choice question using a Drop-Down List Box</i>	84
<i>Responding to a question that asks for a currency amount using a Text Box</i>	85
<i>Responding to a question that asks for a date using a Date-Picker</i>	86
<i>Responding to a question that asks for a line of text using a Text Box</i>	87
<i>Responding to a question from a list of answers using a Single-Selection List Box</i>	88
<i>Responding to a question using a Masked Text Box that pre-formats input data</i>	89
<i>Responding to a question that asks for a long textual answer using a Multiple-Line Text Box</i>	90
<i>Respond to a question using a Spin Box that asks for an integer value</i>	91
<i>Responding to a question that asks for a single choice from a list using Option Buttons</i>	92
<i>Responding to a question that asks for a staff name from VistA using a Drop-Down List Box</i>	93
<i>Responding to a question that asks for a value from a Slider</i>	94
<i>Identifying the End Point of an Instrument and Finishing the Instrument</i>	95
<i>Incomplete Data-Entry Session</i>	97
<i>Viewing the Next Instrument</i>	98
<i>Viewing the Prior Question</i>	99
<i>View Next Question</i>	100
<i>Review Answers</i>	101
<i>Changing Answers</i>	102
<i>Exiting Data-Entry Session without Saving the Answers</i>	103
<i>Mental Health Assistant File Exit Menu Item</i>	104
<i>Resume Responding to Questions in an Administration Previously Saved as Incomplete</i>	106
INSTRUMENT ADMINISTRATOR'S "ALL QUESTIONS AT ONCE" INPUT FORM	109
<i>Orientation</i>	109

<i>Main Menu</i>	110
<i>Selected Patient Identification Label</i>	110
<i>Instrument's Name</i>	110
<i>Section Text</i>	110
<i>Instrument Tabs</i>	111
<i>Respond to all questions using the techniques learned while using Single-Question Data Entry</i>	111
<i>Change a Previously-given Answer</i>	117
<i>Suspend responding to questions and save the administration in an incomplete state.</i>	118
<i>Exiting Data-Entry Session without Saving the Answers</i>	119
INSTRUMENT RESULTS REVIEW FUNCTIONS.....	120
<i>Orientation</i>	120
<i>Main Menu</i>	124
<i>Selected Patient Identification label</i>	124
<i>Instrument's Name</i>	124
<i>List of Previously-Administered Tests</i>	124
<i>The Navigation Tabs</i>	124
<i>Selecting Another Patient</i>	125
<i>Saving a Graph, Report, or a Table to a File</i>	126
<i>Printing a Graph, Report or Table.</i>	128
<i>Copying a Graph, Report, or Table to the Windows Clipboard.</i>	129
<i>Exiting the Instrument Results Review Form</i>	131
<i>Switching Views from Reports to Graph and Table and Back</i>	132
APPENDING COMMENTS TO AN EXISTING RECORD.....	133
<i>Removing data entered in error</i>	136
ADDICTION SEVERITY INDEX MANAGER FUNCTIONS.....	142
<i>Orientation</i>	142
<i>Main Menu</i>	144
<i>Selected Patient Identification Label</i>	144
<i>Title Bar</i>	144
<i>List of Previously-Administered ASIs</i>	144
<i>Navigation Tabs</i>	144
<i>Determining the Number of Days since the Last ASI for Selected Patient</i>	145
<i>Selecting a Report Type</i>	147
<i>Restarting an Unsigned ASI</i>	148
<i>Starting a New ASI</i>	149
<i>Selecting a New Patient</i>	152
<i>Saving a Report, Graph or Table to a File</i>	153
<i>Printing a Report, Graph, or Table</i>	155
<i>Copying a Report, Graph, or Table to the Windows Clipboard</i>	156
<i>Navigating through the Different Views on the ASI Manager Form</i>	158
DATA ENTRY.....	159
<i>Combo Boxes</i>	159
<i>Date Fields</i>	161
<i>Option Button Groups</i>	164
<i>Spin Edit</i>	165
<i>Item G12</i>	167
<i>Item G19</i>	168
<i>Medical Tab</i>	170
<i>Item M1</i>	171
<i>Medical Status Comments</i>	172
<i>Ending an ASI Data-entry Session</i>	173
<i>Closing ASI Data-entry Session with "Exit, Ignore Changes this session" option.</i>	174
<i>Closing ASI data-entry session with "Finish Later" option</i>	175
<i>Closing ASI data-entry session with "Save and sign"</i>	176
BUSINESS RULES	178
<i>Changing User Preferences</i>	184

<i>Default Form Size/Position</i>	185
<i>SPEED TAB</i>	185
<i>HIGHLIGHT COLOR</i>	185
HELP MENU OPTIONS	186
<i>Opening the ASI Help File</i>	186
<i>Using the Help Index</i>	187
<i>Close Form</i>	188
<i>Domain Scores</i>	189
<i>Item Trends</i>	190
<i>Graphing a Different Item</i>	191
<i>Returning to the Narrative Report View</i>	192
GAF MANAGER FUNCTIONS	193
<i>Orientation</i>	193
<i>Main Menu</i>	194
<i>Selected Patient Identification label</i>	194
<i>Title Bar</i>	194
<i>List of Previous GAF Ratings</i>	194
<i>GAF Criteria Table</i>	194
<i>New Rating Artifacts</i>	194
<i>GAF Rating Is Due Alert label</i>	194
<i>GAF Due Notification Message</i>	195
<i>Selecting a Previous Rating</i>	196
<i>Selecting a New Patient</i>	197
<i>Entering a Rating Using GAF Criteria (Save a new rating)</i>	198
<i>Entering a Rating Using the Spin Edit Control</i>	200
<i>Changing the Evaluation Date</i>	201
<i>Saving a Graph or a Table to a File</i>	202
<i>Printing a Graph or a Table</i>	204
<i>Exiting the GAF Manager Form</i>	205
<i>Copying a Graph or a Table to the Windows Clipboard</i>	206
<i>Marking a Rating Entered in Error</i>	207
<i>Changing or Deleting a Rating</i>	210
<i>Access Copyright Information</i>	213
USER PREFERENCES FUNCTIONS	214
<i>Orientation</i>	214
<i>Form Title</i>	215
<i>Navigation Tabs</i>	215
<i>Editing Panel</i>	215
<i>Command Buttons</i>	215
<i>Changing MHA3System Font</i>	216
<i>Changing the Displayed Highlight Colors on the All-Questions Data-input Form</i>	218
<i>Toggling Visual Feedback On/Off</i>	219
<i>Toggling Speed Tab On/Off</i>	220
<i>Toggling Maintain Original Font on/off</i>	220
OFF-LINE ADMINISTRATIONS FUNCTIONS	222
<i>Orientation</i>	222
<i>Patient Selector</i>	224
<i>Patient Edit Area</i>	224
<i>New button</i>	224
<i>Delete button</i>	224
<i>Cancel button</i>	224
<i>Ok button</i>	224
<i>Off-line Results Synchronizer</i>	225
<i>Main Menu</i>	226
<i>Off-line Records List</i>	226
<i>CPRS Patient Search Panel</i>	226

<i>Patient Match Panel</i>	226
<i>Delete Off-line Record Button</i>	226
<i>Upload Button</i>	226
<i>Exit button</i>	226
<i>Starting MHA3 in off-line mode from the desktop icon</i>	227
<i>Selecting an Existing Patient from the Drop-Down List Box</i>	228
<i>Adding and Selecting a New Off-line Patient</i>	229
<i>Selecting a Different Off-line Patient from the Instrument Administrator Form</i>	231
<i>Deleting an Existing Off-line Patient</i>	233
<i>Canceling Selection of an Off-line Patient</i>	234
<i>Selecting an Existing Off-line Patient from the Off-line Patient Manager</i>	235
<i>Recognizing the Availability of Off-line Administrations, and Initiating the Upload Process</i>	238
<i>Selecting an Off-line Record for Uploading</i>	240
<i>Searching for a Matching CPRS Patient</i>	241
<i>Evaluating the results of a possible match</i>	242
<i>Uploading an Off-line Record to VistA</i>	245
<i>Deleting an Off-line Record</i>	247
<i>Exiting the Off-line Results Synchronizer Form</i>	249
SINGLE-INSTRUMENT ADMINISTRATOR FUNCTIONS	250
<i>Orientation</i>	250
<i>Main Menu</i>	251
<i>Selected Patient Identification Label</i>	251
<i>Instrument's Name</i>	251
<i>List of Previously-Administered Tests</i>	251
<i>The Navigation Tabs</i>	251
<i>New button</i>	251
<i>Edit Button</i>	251
<i>Graph & Table</i>	252
<i>Table View</i>	252
<i>Invoking the Single-Instrument Administrator from the CPRS Tools Menu</i>	254
<i>Starting a New Administration</i>	256
<i>Selecting Another Patient</i>	258
<i>Saving a Graph, Report, or a Table to a File</i>	259
<i>Printing a Graph, Report, or Table</i>	261
<i>Copying a Graph, Report, or Table to the Windows Clipboard</i>	262
<i>Switching View from Reports to Graph & Table and Back</i>	263
<i>Switching to MHA3 Main Menu</i>	264
<i>Editing an Existing Editable Administration</i>	265
<i>Exiting the Single Instrument Administrator Form</i>	266
<i>Selecting a Person (other than yourself) for Instruments Ordered By</i>	267
<i>Selecting a Person for Interviewer</i>	268
<i>Selecting Date of Administration</i>	269
<i>Selecting Visit Location</i>	270
<i>Selecting Display Mode for Data Entry</i>	271
<i>Selecting Patient Entry Data Entry Mode</i>	272
<i>Selecting Staff Entry Data Entry Mode</i>	277
<i>Appending Comments to an Existing Record</i>	280
GLOSSARY	284
GLOSSARY OF GRAPHICAL USER INTERFACE (GUI) COMPONENTS USED IN MENTAL HEALTH ASSISTANT 3 (MHA3)	290
COMPONENT/TERMS	290
DESCRIPTIONS	290
<i>Multiple-Selection List Box</i>	290
<i>Drop-Down Combo Box</i>	290
<i>Drop-Down List Box</i>	291

<i>Text Box</i>	291
<i>Date-Picker</i>	292
<i>Single-Selection List Box</i>	292
<i>Masked Text Box</i>	292
<i>Multiple-Line Text Box</i>	292
<i>Spin Box</i>	293
<i>Option Buttons</i>	293
<i>Slider</i>	293
<i>Progress Indicator</i>	293
<i>Command Button</i>	293
<i>Menu Button</i>	293
<i>Tabs</i>	293
APPENDIX A	294
SHORTCUT KEYS	294
APPENDIX B	301
WINDOWS CONVENTIONS	301
APPENDIX C	304
HOW TO CO-SIGN A PROGRESS NOTE GENERATED BY MHA3	304
APPENDIX D	306
HOW TO REMOVE PATIENT DATA THAT WAS ENTERED IN ERROR	306
REMOVE DATA ENTERED IN ERROR: VISTA MENU INSTRUCTIONS.	306
REMOVE DATA ENTERED IN ERROR: MHA3 INSTRUCTIONS.	308
APPENDIX E	314
SECUREDESKTOP & SCREEN PASS : HOW TO CORRECT WINDOWS-REGISTRY PROBLEMS.	314
SECUREDESKTOP : HOW TO CORRECT DWLGINA2.DLL PROBLEMS.	315
APPENDIX F	316
HOW TO ADD THE NAME OF AN INSTRUMENT TO THE CPRS TOOLS MENU	316

Orientation

Documentation Retrieval Locations and Formats

MHA3 Patch YS*5.01*96 exports the following folders and files:

Retrieval Formats Information

FILE NAMES	CONTENTS	RETRIEVAL FORMATS
YS50196_MHA3_UM.pdf	Mental Health Assistant Version 3 (MHA3) User Manual Patch YS*5.01*96	BINARY
YS50196_MHA3_UM.doc	Mental Health Assistant Version 3 (MHA3) User Manual Patch YS*5.01*96	BINARY

Retrieval Locations:

User Manuals (i.e., YS50196_MHA3_UM.pdf and YS50196_MHA3_UM.doc) are available in MS Word Format (doc) and Portable Document Format (pdf) are available on the Office of Information Field Offices (OIFOs) ANONYMOUS SOFTWARE directory FTP addresses listed below:

NOTE: All sites are encouraged to use the File Transfer Protocol (FTP) capability. Use the FTP address “*download.vista.med.va.gov*” (without the quotes) to connect to the first available FTP server where the files are located.

OI FIELD OFFICE	FTP ADDRESS	DIRECTORY
ALBANY	ftp.fo-albany.med.va.gov	[ANONYMOUS.SOFTWARE]
HINES	ftp.fo-hines.med.va.gov	[ANONYMOUS.SOFTWARE]
SALT LAKE CITY	ftp.fo-slc.med.va.gov	[ANONYMOUS.SOFTWARE]

VistA Website Locations:

VistA MHA3 User Manual (i.e., YS50196_MHA3_UM.pdf and YS50196_MHA3_UM.doc) are available in MS Word Format (doc) and Portable Document Format (pdf) at the following Website locations:

VistA Mental Health Version 5.01 Home Page:

<http://vista.med.va.gov/ClinicalSpecialties/menthlth/Index.html>

VistA Documentation Library (VDL):

<http://www.va.gov/vdl/>

Related Manual

VistA Mental Health (MH) Addiction Severity Index Multimedia Version (ASI-MV) Installation and User Guide (Patch YS*5.01*78)

Introduction

Overview

The VistA Mental Health Assistant (MHA) is the graphical user interface (GUI) for the VistA Mental Health Package (MHP). MHA was developed to create an effective and efficient tool for mental health clinicians and their patients to use for the administration and scoring of assessment instruments and interviews. Additionally, results are displayed in report and graphical formats. MHA and MHP support mental health assessments (e.g., psychological testing, structured interviews, and staff rating scales) that are not available elsewhere in the Computerized Patient Record System (CPRS)/Veterans Information System and Technology Architecture (VistA). MHA has enjoyed widespread usage among mental health clinicians over the past several years, and the current revisions of MHA and MHP initiate steps toward re-engineering VistA Mental Health functionality.

The original revision of MHA created a closer integration with CPRS, by placing the MHA GUI on the CPRS Tools Menu. Additionally, functionality was created to allow a site to place an individual instrument on the Tools menu, allowing widespread access to that specific instrument without having to issue the menu for the MHP to all clinicians.

Additional functionality that strengthens the tie to the patient's medical record is the creation of a progress note in CPRS when an instrument is completed through MHA.

Furthermore, MHA maintains and strengthens its ties to the Clinical Reminders program, which allows for the presentation of specific instruments through reminder dialogs to all clinicians who resolve reminders.

To better meet the needs of clinicians and patients in different programs, particularly non-traditional settings, MHA can now run in a stand-alone mode to administer instruments offline for later uploading to VistA.

This version of MHA has corrected several defects in the YS*5.01*85 version (released in January 2008). These defects are corrected:

- 1) The printing of Minnesota Multiphasic Personality Inventory version 2 (MMPI2) graphs would appear across pages rather than one graph on one page.
- 2) Administrations of Symptom Check List, revised (SCL9R) would produce errors when saved to Vista.

- 3) Administrations of various instruments would sometimes try to save information to a Vista file that no longer exists (601.2) and would produce Vista errors.
- 4) The Morse Fall Scale incorrectly scored one item.
- 5) The data-entry format used in MHA3 and the data-entry format used in the Clinical Reminders within CPRS were not similar.
- 6) To reduce the number of instances when data were entered on the wrong patient, a “Cancel” button was added to the two data-entry forms.
- 7) ASI-MV administrations could be edited in the ASI manager which would treat them as administrations of an ASI Follow-up.
- 8) The Battery Wizard would sometimes produce errors when deleting and adding instruments to a battery list.
- 9) Some dialogs that used radio groups were problematic for some screen readers (e.g., JAWS) so the radio groups were replaced with buttons.
- 10) Users were not given the option of saving and editing progress notes once an instrument was completed in MHA3.
- 11) When two administrations of the same instrument were performed at about the same time, MHA3 would not display both administrations, only the first administration.
- 12) CAC’s, and others who possess the MH Manager key, were unable to view the results of the instrument they wished to remove from VistA.
- 13) The ability to have students obtain co-signer’s signatures on completed instruments was not explained.
- 14) In accordance with VA Directive 6507, the patient’s Social Security Number (SSN) will not be displayed in its entirety in this application; only the last four digits will be shown. When the patient is selected, their entire SSN is available so the user can ensure the proper patient is selected.

Test Sites

VistA MHA3 Patch YS*5.01*96 has been tested by the following Veteran Affairs Medical Centers (VAMCs) and Healthcare Network Systems (HCS):

Test Sites/Integrated	Operating System Platform	Test Site Size
Upstate New York HCS - Integrated	Cache/VMS	Large
Atlanta VAMC	Cache/VMS	Large
Northern California, CA HCS - Integrated	Cache/VMS	Large
North Texas, TX HCS - Integrated	Cache/VMS	Large
Oklahoma City, OK	Cache/VMS	Large

Use of the Software

This section describes what is needed to successfully use the new **Mental Health Assistant Version 3** (MHA3) software application for the following enhanced activities:

- Instrument Administrator
- Instrument Results Review
- Addition Severity Index (ASI) Manager
- Global Assessment of Manager (GAF)

NOTES:

Please see Appendix A, (i.e., located in the back of this manual) for a **revised** list of MHA3 shortcut keys. The list can be removed from this manual for easy access and viewing.

Please see Appendix B, (i.e., located in the back of this manual) for a list of the MHA3 windows conventions. The list can be removed from this manual for easy access and viewing.

Contingency Planning

Each facility using the MHA3 software application **must** develop a local contingency plan to be used in the event of application problems in a live environment. The facility contingency plan **must** identify procedures used for maintaining the functionality provided by the software in the event of a system outage.

Security Keys

MHA3 software application did not release any new security keys, however, the YSP security key is required to control access to the results of “non-exempt” tests. Holders of the YSP security key are controlled (i.e., given out by the Chief of Psychology or a senior psychologist) at a facility that does not have a Chief of Psychology. The Chief of Psychology or senior psychologist also determines which tests are “exempt” (i.e., the results can be seen by anyone), and which are “non-exempt” (i.e., require the YSP key to see the results).

Windows Conventions

The startup, setup, and assignment functions for MHA3 use a Graphical User Interface (GUI). You may refer to the Appendix B, Windows Conventions for an explanation of the windows elements and form buttons used by MHA3.

Mental Health Assistant Temporary Crash Files

To prevent data loss resulting from MHA3 being improperly closed (e.g., power outage), MHA3 creates a **temporary crash file** on the local PC hard drive when instruments are administered. This temporary crash-file is updated each time a new entry is made; therefore, the temporary crash-file is always current. Upon normal program closure, this temporary crash-file is erased. Each time MHA3 begins, it looks for the temporary crash-file on the PC hard drive. If it exists, the data in the temporary crash-file are uploaded to the VistA Mental Health Package (MHP) database so the user can restart the incomplete administration. No data that identifies the patient are contained in the crash file (e.g., name, SSN).

Mental Health Assistant results and CPRS Progress Notes

Under normal circumstances and proper setup, the results of the instruments administered in MHA3 will become progress notes in CPRS.

If the progress notes are not generated, the Clinical Applications Coordinator should be notified. If it does not already exist, create the progress note title of "Mental Health Diagnostic Study Note" in the progress note hierarchy. This is needed for MHA3 to automatically pass a note to CPRS from instrument administrations completed within MHA3.

Some instruments do not generate progress notes because their results are to be viewed by designated staff; for example, the results of the Minnesota Multiphasic Personality Inventory, version 2, can only be viewed by psychologists who have the YSP key.

Starting Mental Health Assistant

There are two ways to start Mental Health Assistant:

- VistA CPRS Tools Menu
- Off-line Mode

Starting Mental Health Assistant from VistA CPRS Tools Menu

The VistA CPRS Tools menu is the standard way of connecting to the VistA MHA3 software application. Since all VistA Mental Health Assistant functionality is started and available to the user

via the VistA CPRS Tool menu, the VistA CPRS software application **must** be installed on the PC workstation where Mental Health Assistant functionality is to be administered. The Mental Health Assistant software application is normally used by clinicians at VAMCs and VA satellite clinics where a “live” network connection to VistA is available. Most of the functionality described in this user manual assumes that the user is operating via the VistA CPRS Tools menu.

NOTE: When the users VistA account is properly configured, there will be a **Mental Health Assistant** menu located on the VistA CPRS Tools menu (as seen in the example below). If the **Mental Health Assistant** menu is missing from the VistA CPRS Tools menu, users should contact their clinical coordinator to have it added.

To start VistA CPRS software application **click** on the CPRS icon located on the Windows Desktop.


Example: CPRS icon located on the Windows Desktop.



Once the VistA CPRS software application is started **click** on the VistA CPRS drop-down list **Tools** menu to start **Mental Health Assistant**.


NOTE: If **Mental Health Assistant** asks users to logon to VistA again, users should contact their clinical coordinator to inquire about the availability of a Single Sign-on.

Example: VistA CPRS drop-down list Tools menu displays **Mental Health Assistant**.



Click on the “Mental Health Assistant” menu item to start MHA3. The splash screen is displayed briefly followed by MHA3 main form.

Example: The Mental Health Assistant splash screen provides the version number of Mental Health Assistant.



Example: Mental Health Assistant main form.



Starting Mental Health Assistant from Off-line Mode

Alternatively, Off-line mode should be used only when the user and equipment are located at a remote site which has no means of connecting to the VistA network. The Off-line mode starts only the smaller subset of the Mental Health Assistant functionality. This functionality handles administering psychological instruments while not connected to VistA. To benefit from the work performed in the Off-line mode, the user must eventually reconnect to the VistA network, at which time the Off-line mode data is uploaded to the VistA database.

NOTE: Specific details about the Off-line mode are discussed later in this manual.


To start the **Mental Health Assistant** from the Off-line mode **click** on the **Mental Health Assistant 3** icon located on the Windows Desktop.

Example: Mental Health Assistant 3 icon.



Click on the **Yes** command button located on the **Mental Health Assistant** dialog box to start the **Off-line mode** function.

Example: Mental Health Assistant dialog box.



Mental Health Assistant Main Form Functions

The **Mental Health Assistant** main form is the starting point for launching the four major activity areas in MHA3:

- Instrument Administrator
- Instrument Results Review
- Addiction Severity Index Manager
- Global Assessment of Functioning Manager

The **Mental Health Assistant** main form also provides user's access to GAF rating is due, select another patient, File, Tools, and Help menus functions.

NOTE: Details about these activity areas are described later in this manual.

Selected Patient Identification Label

The **Selected Patient Identification** label displays information about the currently-selected patient within MHA3. All functions performed in MHA3 apply to this patient. This patient is the same as the one selected in CPRS and should remain synchronized with CPRS even when another patient is selected.

Title Bar

The Title Bar is used throughout MHA3 to display information about the context that applies to the current activity.

Launch Links

The launch links (i.e., Instrument Administrator, Instrument Results Review, Addiction Severity Index Manager, and Global Assessment of Functioning Manager) located on the **Mental Health Assistant** main menu form function very similar to links on a web page—however, MHA3 links do not invoke any web pages. Clicking on a launch link will start a new form that offers the user access to all the functions associated with that particular activity. Navigation is possible by pressing arrow keys. A highlighted, underlined link can be selected by pressing the return key.

Instrument Administrator

The Instrument Administrator launch link starts the Instrument Administrator activity, where instruments are selected for administration, which is explained in detail later in this document.

Instrument Results Review

The Instrument Results Review launch link starts the Instrument Review activity, where results of previous administrations are visible.

Addiction Severity Index Manager

The Addiction Severity Index Manager launch link starts the ASI Manager activity where previous administrations and new administrations are handled.

Global Assessment of Functioning Manager


The Global Assessment of Functioning Manager link starts the GAF Manager where a GAF score can be entered, previous GAF's are visible and GAF criteria are quoted.

GAF Rating is Due Label


The “**GAF rating is due**” label is not a link. It is a notification that is displayed only when a current patient is overdue for a GAF rating. If the patient is not overdue the “**GAF rating is due**” notification is not displayed.

Starting the Instrument Administrator

Example: To start the Instrument Administrator, **click** on the launch link “**Instrument Administrator**” located on the **Mental Health Assistant** main menu form. It is also possible to press the “I” key, or the return key (when “Instrument Administrator” is highlighted and underlined) to display the Instrument Administrator form. After a brief pause, the Instrument Administrator form is displayed.




Example: The **Instrument Administrator** form is used to start the Instrument Administrator functions.




Starting the Instrument Results Review Functions

Example: To start the **Instrument Results Review** function, click on the launch link underline character **I** **Instrument Results Review** label. You can also press the “R” key or the return key to move to the results sections. After a brief pause the Instrument Results Review form is displayed.



Example: The **Instrument Results Review** form is used to start the Instrument Results Review functions.



Starting the Addiction Severity Index Manager Function

Example: To start the **Addiction Severity Index Manager**, **click** on the launch link underline character **A****ddiction Severity Index Manager**. After a brief pause, the Addiction Severity Index Manager form is displayed.



Example: Addiction Severity Index Manager Form.

Addiction Severity Index Manager One Mhpatient
SSN: xxx-xx-2412

File Edit View Tools Help

1028 days since last ASI

Date	Type	Ordered By	Status	Signed
12/08/2006	LITE	MHPROVIDER,NEW	Completed	True
06/13/2006	LITE	MHPROVIDER,NEW	Ready to sign	False
02/08/2006	LITE	MHPROVIDER,NEW	Completed	True
02/08/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

MHPATIENT,ONE 000-00-2412 ASI LITE on 12/08/2006 by: MHPROVIDER,NEW
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION


Ms. Mhpatient is a 87 year old White (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Consultation/Liaison program on Dec 08, 2006. In the past 30 days, she has not been in a controlled environment. She has lived at her current address for 3 years, 3 months.

This report is based on an ASI Lite interview conducted in person on Dec 08, 2006 by New Mhprovider. Ms. Mhpatient completed the interview.

	Composite Score
MEDICAL	0.0222
EMPLOYMENT	0.6356

Starting the Global Assessment of Functioning Manager

Example: To start the **Global Assessment of Functioning Manager** activity, click on the launch link **Global Assessment of Functioning Manager** label located on the Mental Health Assistant main form. As with the previous selections, you can press the “G” key or the return key (when the menu item is highlighted and underlined) to move to that form. After a brief pause the Global Assessment of Functioning Manager form will display.



Example: Global Assessment of Functioning Manager form.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Action Tools Help

Global Assessment of Functioning Manager One Mhpatient
SSN: xxx-xx-2412

Date	GAF	Clinician
05/11/2009	61	MHPROVIDER,ONE
05/06/2009	25	MHPROVIDER,ONE
12/15/2008	77	MHPROVIDER,ONE


Mark Rating "Entered in Error"

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).
41-50	Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job).
51-60	Moderate symptoms (e.g., flat affect and circumstantial speech, occasional panic attacks) OR moderate difficulty in social, occupational, or school functioning (e.g., few friends, conflicts with peers or co-workers).
61-70	Some mild symptoms (e.g., depressed mood and mild insomnia) OR some difficulty in social, occupational or school functioning (e.g., occasional truancy, or theft within the household), but generally functioning pretty well, has some meaningful interpersonal relationships.
71-80	If symptoms are present, they are transient and expectable reactions to psychosocial stressors (e.g., difficulty concentrating after family argument); no more than slight impairment in social, occupational, or school functioning (e.g., temporarily falling behind in schoolwork).
81-90	Absent or minimal symptoms (e.g., mild anxiety before an exam), good functioning in all areas, interested and involved in a wide range of activities, socially effective, generally satisfied with life, no more than everyday problems or concerns (e.g., an occasional argument with family members).
91-100	Superior functioning in a wide range of activities, life's problems never seem to get out of hand, is sought out by others because of his or her many positive qualities. No symptoms.

New GAF rating: Evaluation Date:

GAF rating is due

Example: The “GAF rating is due” alert is displayed at the bottom-right of the main form if a GAF rating is due for the currently-selected patient. If a GAF is not required at this time, the alert is not displayed.



File Menu

The **Mental Health Assistant** drop-down list **File menu** contains the following three menu items:

- Select Patient...
- Upload Results...
- Exit

NOTE: Refer to the CPRS documentation for instructions on patient selection procedures.

Select Patient

Example: From the **Mental Health Assistant** form click on the drop-down **File menu** and click on the **Select Patient...** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a different patient, both CPRS and MHA3 are synchronized and updated to identify the same new patient.



Upload Results

Example: If any off-line administered records remain on this PC, the Upload Results menu item becomes enabled. If no records need to be uploaded to Vista, this menu item is visible, but disabled.

Clicking on the Upload Results menu item initiates the process for uploading off-line records to Vista.



Exit

Example: To exit the **Mental Health Assistant** form and return to the Windows Desktop, **click** on **File** then **Exit**, or **click** on the **Close (X)** icon located at the top-right of the **Mental Health Assistant** form, or **press and hold** the **Alt** key then **press** the **F4** key.




Tools Menu

METRIC Instrument Reviews...


The **METRIC Instrument Reviews** menu item is located on the **Mental Health Assistant** drop-down **Tools** menu. The **METRIC Instrument Reviews** offers comprehensive information about all sorts of instruments, including Mental Health instruments. This menu item is offered as a courtesy and a quick way to link the METRIC website from **Mental Health Assistant**. This website is not associated in any way with **Mental Health Assistant**.

Click on the drop-down list **Tools** and **click** on the **METRIC Instrument Reviews...** menu item display the METRIC website homepage.

Example: The **METRIC Instrument Reviews** menu item is located on the Mental Health Assistant dialog box Tools drop-down menu.



Example: METRIC website displayed in Internet Explorer.



Options


Clicking on the Tools Options menu item invokes the User Preferences form, where users can choose from different MHA3 system properties and behaviors.

Changing User Preferences

Example: Some system parameters are user-configurable and can be changed by **clicking** on the drop-down **Tools menu** and **Options...** menu item. The User Preferences form appears, allowing the user to make system changes, such as the default display font. The user may optionally abort changes before they are saved.



Example: Mental Health Assistant **User Preferences** form.




Help Menu

The Mental Health Assistant Help menu contains the following two menu items:

- Online Support
- About

Online Support...

Example: The Mental Health Assistant Online Support is available via the Mental Health Informatics Section's website. **Clicking** on the **Help menu** and **Online Support...** menu item will start the default Web browser and loads the following web address into the browser: <http://vaww.mentalhealth.va.gov>.



About...


The **About...** menu item contains useful release information about MHA Version 3.

Accessing Program Information

Example: Clicking on the drop-down list **Help menu > About...** menu item displays the **About Mental Health Assistant** form.



Example: The **About Mental Health Assistant** form.




Instrument Administrator Functions

Orientation

The Instrument Administrator functions allow the user to order new tests to administer to selected patient and specify the data entry mode for the ordered tests. First, the user **must** specify the user's name that is requesting the test to be ordered. By default, the user requesting the test to be ordered is identified as the session user. However, another user may be specified as the user requesting the test to be ordered, in which case, the original user's name that requested the test is notified by VistA E-mail that tests were administered in his/her name. The available set of tests that can be ordered depends on the user access privileges (for example, whether the user ordering the test has the YSP key assigned).

Example: Mental Health Assistant **Instrument Administrator** form.



Main Menu

The **Main Menu** offers user functions in the context of the **Instrument Administrator Form**, such as selecting another patient and help.

Selected Patient Identification label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the Instrument Administrator will apply to this patient. This patient is the same as the one selected in CPRS and should remain synchronized with CPRS even when another patient is selected.

Title bar

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity.

Visit information

The Visit information group of data-entry controls is used to describe the clinical particulars of a patient's visit, such as the clinician's name and the location of the visit.

List filters

The list filters are used to change the number and types of instruments displayed in the Instruments and Batteries list.

Available Instruments and Batteries list

The Available Instrument and Batteries list is used to select which instruments will be administered. In some cases there will only be one instrument selected. But, this list also allows for selecting multiple instruments or batteries, or a combination of both.

Instruments Chosen list

The Instruments Chosen list is the collection of instruments selected in the Instruments and Batteries list. The instruments are listed here in the order in which they will be administered—from top to bottom.

Re-sequencing buttons

The re-sequencing buttons are used to alter the order in which the instruments in the Instruments Chosen list will be administered. Instruments can be removed from the list too.

Data-entry mode selection

There are several combinations of data-entry display modes which are selected using the data-entry mode selection buttons.

Context-sensitive help

Context-sensitive help tips are displayed in this area and are dependent on where the mouse pointer is resting.

Ordering Tests

Tests can be ordered in three ways:

1. An existing test battery may be selected.
2. An incomplete test may be restarted if it has not been too long since it was first started. The MMPI2, for example, must be completed within 24 hours; some instruments do not have time limits. Most instruments have a two day time for completion. If the time period has lapsed, the incomplete instrument will not be listed.
3. New tests may be selected individually and their order of administration specified.

The Instrument Administrator Permits the User to select one of two Data Entry Modes:

1. Staff entry, which is optimized for staff data entry when the staff person wishes to see test questions and answers while entering data.
2. Patient entry, which is optimized for on-line administration of tests to the patient.


NOTE: Patient entry invokes special security measures to prevent patients from using the PC for any other purpose than answering questions. Because security measures are not invoked for the staff entry modes it must not be used for the on-line administration of tests to patients. (See Appendix E for more information on SecureDesktop.)

Selecting a Person (other than yourself) for Instruments Ordered By

By default, the current user's name is selected. So, it is necessary to select a different name only if the user is not the same person ordering the tests. To select a new person:

1. Click on the **drop-down list box** labeled **Instruments Ordered By**.
2. From the **Ordered By list**, select the name of the person ordering the tests.

Example: The **Instrument Ordered By** person will receive an email notification in VistA regarding the administration and also appears as the **Instrument Ordered By** person in all reports related to this administration.




Selecting a Person for “Interviewer”

By default, the current user’s name is selected. So, it is necessary to select a different name only if the user is not the same person as the interviewer. To select a new person:

1. Click on the Drop-Down List Box labeled **Interviewer**
2. Select a name from the list

Example: The selected name also appears as the “Interviewer”, or “Printer” person in all reports related to the administration.




Selecting a Date of Administration

By default, today's day is selected. So, it is necessary to select a different date only if the date of administration is not the same as the current date. Future dates are not allowed. To select a new date:

1. Click on the Date-Picker labeled **Date of Administration**
2. Select the administration date from the calendar.

Example: The selected date also appears as the date in all reports related to this administration.




Selecting a Visit Location

By default, the previously-selected Visit Location is selected. So, it is necessary to select a different location only if the location is different from the one displayed. To select a new location:

1. Click on the Drop-Down List Box labeled **Visit Location**
2. Select a different location from the list.

Example: The selected location also appears as the location in all reports related to this administration.



Filtering the display of Available Instruments and Batteries List


Which tests appear in the Available Instruments and Batteries list box depends on the user's access privileges to order tests (i.e., user must hold the YSP security key.) By default, the list of Available Instruments and Batteries displays all instruments and batteries that the user identified as the Ordered By user has permission to administer. However, the list of Available Instruments and Batteries can be filtered in four different ways:

1. All instruments and batteries, in alphabetical order.
2. Batteries only.
3. Restartable instruments only (incomplete instruments which may be resumed.)

To change the lists filter:

1. Click on the Drop-Down List Box labeled Show
2. Select a filter for the list of available instruments.

Example: The displayed Instrument List changes to include only the instruments that meet the new filter's specification.




Choosing One or More Instruments

By default, nothing is selected on the list of Available Instruments and Batteries. The user must choose one or more instruments to administer during this session. In the case where there are multiple instruments that are administered frequently, the user has an option to create and select instrument batteries, which simplify selecting groups of instruments. The user may select any combination of single instruments and batteries.

To select instruments or batteries, **click** on the check box next to the **Available Instruments and Batteries** list box names found on the **Instrument List**.

Example: The **Available Instruments and Batteries** list box located on the Mental Health Assistant form.



The selected instruments appear in the list of **Instruments Chosen**. These are the instruments selected for administration.

NOTE: Instruments are added to the Instruments Chosen list in the order in which they were selected in the Instrument List. This is the same sequence in which the tests will be administered. The date and time of administration is appended at the end of an incomplete test name.

Restarting Incomplete Tests

Whether an incomplete test can be restarted depends on how long ago it was first entered in the VistA Mental Health Package (MHP) database. The permissible lapse is a local site parameter that is set using MHS Manager\Psych Test Utilities\Edit Instrument Restart Limit [YSINST RESTART LIMIT] option (usually two days). Restarting an incomplete test from the **Instruments Chosen** list box is no different from starting a new test, so that process is not described here.


Manipulate the list of Instruments Chosen

After two or more instruments are added to the Instruments Chosen list, it is possible to rearrange the order in which they will be administered. The re-sequencing buttons may be used to change the order of the instruments in the list, or to remove instruments from the list. The order of administration is always from top to bottom.

To change the order, select the instrument item in the **Instruments Chosen** list. Using the re-sequencing buttons:

- **Click** on the up-arrow button to move the instrument up the list.
- **Click** on the down-arrow button to move the instrument down the list.
- **Click** on the left-arrow button to remove the instrument from the list.

Example: The **Instruments Chosen** list box is located on the Mental Health Assistant Instrument Administer Form.



Selecting Display Mode for Data Entry

There are two display modes in MHA3: Display One Question at a Time, or display All Questions at Once.


The **One Question at a Time** display mode is ideal for patient-entry, since it only displays one question in the data entry form. This allows for a more focused and relaxed approach to responding to questions.

The **All Questions at Once** display mode is ideal for staff-entry, since it displays all the questions in a scrollable window. This allows for rapid navigation between questions, and a faster approach to entering data.

In MHA3, either **One Question at a Time** or **All Questions at Once** may be used for patient-entry or staff-entry modes. It is a user preference choice.

- To select **One Question at a Time** display mode, click on the **One Question at a Time** option button.
- To select **All Questions at Once** display mode, click on the **All Questions at Once** option button.
- At least one test **must** be available in **Instruments Chosen**.

Example: Instruments Chosen list box is located on the Mental Health Assistant Instrument Administer Form.



Selecting Patient Entry Data Entry Mode


Patient-entry mode supports the on-line testing of patients, which is by far the most common method of computerized testing in VHA. **Patient Entry** has added security features to prevent unattended patients from using the PC for unauthorized purposes. Clicking on the **Patient Entry** command button triggers the activation of the SecureDesktop security functionality. To start patient entry mode:

1. **Click** on the **Patient Entry** button
2. **Click** on **Yes** in response to the first warning prompt. Click on **No**, to abort invoking SecureDesktop and cancel patient entry.
3. **Click** on **OK** to respond to the second warning prompt


Additional notes about Patient-Entry mode:

- At least one test must be available in the **Instruments Chosen** list.
- If the Patient Entry button is disabled, this means that the SecureDesktop software is not properly installed on this PC – contact your local IRM for support, if needed.
- Any time **Patient Entry** mode is invoked, two warning messages are displayed. These messages are an indication that SecureDesktop is about to be activated.
- The **Single-Question** form or the **All-Questions** form is displayed, depending on which option button was selected.
- Appendix E has further details about the operation of SecureDesktop.

Example: The **Instruments Chosen** list box is located on the Mental Health Assistant Instrument Administer Form displaying the **Patient Entry** button.



Example: SecureDesktop **WARNING** prompt #1.



Example: SecureDesktop **WARNING** prompt #2.




Selecting Staff Entry Data Entry Mode

1. Click on the **Staff Entry** button.

Additional notes about Staff-Entry mode:


- At least one test must be available in the **Instruments Chosen** list.
- Staff-entry mode does not make use of the SecureDesktop functionality, since it is intended for staff use only, not for patients.
- The **Single-Question** form or the **All-Questions** form is displayed, depending on which option button was selected

Example: The **Instruments Chosen** list box is located on the Mental Health Assistant Instrument Administer Form displaying the **Staff Entry** button.



On-form Instructions

Example: The **On-form Instructions** are displayed in the bottom-left corner of the Instrument Administrator form. These are context-sensitive help tips that instructions change depending upon which part of the form the mouse pointer is resting on. Not all elements of the form trigger instructions.




Selecting a Different Patient

To select a different patient, **click** on the **File > Select Patient...** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a different patient, both CPRS and MHA3 are synchronized and updated to identify the same different patient.


NOTE: Refer to the CPRS documentation for instructions on patient selection procedures.

Example: The **Tools drop-down list** is located on the Mental Health Assistant Instrument Administer Form displaying the **Select Patient... menu item** button.



Exiting the Instrument Administrator Form


Example: To exit from the **Instrument Administrator** form, **click** on the **File > Exit** menu item. Alternatively, you can click on the “X” in the upper right-hand corner of the window, or, press the “ESC” key. The **Instrument Administrator** form will close and the user is returned to the Mental Health Assistant main form.



Invoking the METRIC Instrument Reviews Website

The **METRIC Instrument Reviews** website offers comprehensive information about all sorts of instruments, including Mental Health instruments. This menu item is offered as a courtesy and quick way to link to this website from within MHA3. The METRIC website is not associated in any way with MHA3.

Example: Clicking on Tools > METRIC Instrument Reviews... menu item causes the user's default Web browser to display the homepage of the METRIC website.




Example: METRIC website displayed in Internet Explorer.




Reviewing a Description of the Selected Instrument

Example: The clinical and technical features of any particular instrument supported by MHA3 can be reviewed by clicking on the instrument name followed by clicking on Help > Instrument Description... You can right-click on the instrument to perform the same operation.




Example: Description of an instrument.




Accessing Online Support

Example: Online support for MHA3 is available via the Mental Health Informatics Section’s website. **Clicking** on the **Help > Online Support...** menu item will start the default Web browser and loads the following web address into the browser: <http://vaww.mentalhealth.va.gov>.




Accessing Program Information

Example: Clicking on the **Help > About...** menu item displays the **About** Mental Health Assistant message dialog, which contains useful release information about MHA version 3.



Example: Message dialog containing information about the Mental Health Assistant program.




Instrument Administrator's Battery Wizard

Orientation

The Instrument Administrator's **Battery Wizard** is a tool for creating and maintaining persistent, re-usable instrument batteries. User-defined batteries that are created using the **Battery Wizard** are listed in the **Available Instruments and Batteries** list box and can be added to the list of Instruments Chosen. When a battery is added to the Instruments Chosen list, the names of the instruments contained in the battery are listed in Instruments Chosen, not the name of the battery.

Creating re-usable batteries from frequently administered sets of instruments can reduce the time required to set up a testing session for patients with similar testing needs.

Example: The **Available Instruments and Batteries** list box is located on the **Mental Health Assistant Battery Wizard** form.



Main Menu

The Main Menu offers user functions in the context of the Battery Wizard, such as additional tools and help.

Title bar

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity.

Available Instruments and Batteries list

The Available Instruments and Batteries list is used to select which instruments will be administered. In some cases there will only be one instrument selected. But, this list also allows for selecting multiple instruments or batteries, or a combination of both.

Instruments in Battery list

The Instruments in Battery list is the collection of instruments selected to become part of the current battery. The instruments are listed here in the order in which they will be administered—from top to bottom.

Re-sequencing buttons

The re-sequencing buttons are used to alter the order in which the instruments in the Battery will be listed in the Instruments Chosen list. Instruments can be removed from the battery too.

Context-sensitive Help

Context-sensitive help tips are displayed in this area and are dependent on where the mouse pointer is resting.

Battery Selector

The Battery Selector Drop-Down Combo Box is used to type in the name of a new battery, or to select from a list of existing batteries. The battery name indicated here is the currently-selected battery to which all editing actions apply.


Save Button

The Save button is used to save to VistA all changes made to the current battery. After a battery is saved, its name will be listed in the list of Available Instruments and Batteries on the Instrument Administrator form.


Invoking the Battery Wizard

The Battery Wizard **must** be invoked from the **Instrument Administrator** form. Similarly, all consequences of editing batteries are reflected in the Instrument Administrator, upon closing the **Battery Wizard** form.

Example: To start the **Battery Wizard**, click on **Tools > Battery Wizard...** located on the **Instrument Administrator's Tools** drop down list menu.



Example: Mental Health Assistant **Battery Wizard** form.



Creating a New User-defined Battery using the Battery Wizard


New batteries of instruments are created by first assigning a name to the new battery. Next, instruments (and other batteries) are added to the Instruments in Battery list by clicking on the desired instrument names shown in the **Available Instruments and Batteries** list box.

The **Instruments in Battery** list box can be manipulated to change the order of the tests and to add or remove tests. To modify the **Instruments in Battery** list of an existing battery, simply load the battery by selecting the battery name using the Name of Battery Drop-Down Combo Box.


Here is an example of creating a new battery:

1. Click on **File > New** menu item.
2. Enter the name “**Screen Battery**” in the **Name of Battery** box.
3. Select **AUDC** and **PC-PTSD** instruments by clicking on the selection box next to their names.
4. Click on the **Save** button.
5. The new battery is saved after the **Save** button is pressed.
6. The **Battery Wizard** form is closed.
7. The **Instrument Administrator** form is shown and the newly-created battery appears in the list of **Available Instruments and Batteries**.
8. When **Screen Battery** is selected, the two instruments included in the battery are added to the **Instruments Chosen** list on the **Instrument Administrator** form.

Example: This is a display of creating a new battery from the **Name of Battery** box.




Example: Created battery is displayed and is available from the **Instrument Administrator** form under the **Available Instruments and Batteries** list. The two instruments included in the battery are displayed in the **Instruments Chosen** list box.




Renaming an Existing Battery

1. Go to Battery Wizard
2. Click on **File > Rename** menu item.
3. Select the battery that you wish to rename from the **Available Instruments and Batteries** list.
4. Type the new name for the battery
5. **Click Ok.**

Example: Selecting the battery that you wish to rename from the **Available Instruments and Batteries** list box.




Example: Typing in a **New Name** for an existing battery.



Once the “OK” button is pressed, the Battery Wizard can be closed (use the “exit” selection in the “File” menu, or click on the “X” in the upper right hand corner of the window). The battery’s new name will appear in the “Instrument Administer” window.


Example: Displaying the **New Name** from the **Available Instruments and Batteries** list box.




Deleting an Existing Battery

1. Go the Battery Wizard
2. Click on **File > Delete** menu item.
3. Select the battery to be deleted from the **Available Instruments and Batteries** list box.
4. Click on **Yes**.
5. The selected battery is deleted from Vista and from the list of **Available Instruments and Batteries**.

Example: Deleting an existing battery from the **Available Instruments and Batteries** list box.




Example: Click on **File > Delete** menu item. Click on the **Yes** button.




Exiting the Battery Wizard

Example: To exit the **Battery Wizard** form and return to the **Instrument Administrator** form **click** on the drop-down **File > Exit** menu item. You can also press the “ESC” key, or click on the “X” in the upper right-hand corner of the form. The **Battery Wizard** form will close and the user is returned to the **Instrument Administrator** form.



Accessing Online Support

Example: Online support for MHA3 is available via the Mental Health Informatics Section's website. **Clicking** on the drop-down **Help menu**> **Online Support...** menu item will start the default Web browser and loads the following web address into the browser:
<http://vaww.mentalhealth.va.gov>.



Instrument Administrator’s “One Question at a Time” Input Form


Orientation

The “**One Question at a Time**” data-entry form enables the user to answer questions by viewing and responding to one question at a time. This display mode is ideal for patient-entry, since it only displays one question in the data entry form. This allows for a more focused and relaxed approach to responding to questions. This mode is also suitable for staff entry as well. It boils down to a matter of personal preference.

This section lists, in detail, all the various types of visual artifacts that users are likely to interface with while responding to questions during an administration.

Refer to the GUI glossary for a description of the visual elements on these forms, and how they are normally used.

Example: Single-question data-entry form.



The Main Menu

The Main Menu offers user functions in the context of the Single-Question form, such as tools and help.

The Selected Patient Identification label

The **Selected Patient Identification** label displays information about who is the currently-selected patient within MHA3. All functions performed in the **Single-Question** form will apply to this patient.

The Instrument's Name

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

The Section Title Bar

Sometimes, instrument designers may group questions into sections. In this case, existing section titles are displayed in the Section Title Bar.

The Introduction Text

Introduction Text is used as narrative introduction to one or more questions. Generally, introductions present instructions on how to respond to questions.

The Question Text

The Question Text is the actual question presented to the user.

The Response Artifact

A Response Artifact is a visual control that the user will use to respond to the presented question. There are a number of different types of Response Artifacts in MHA3, such as Drop-Down Combo Boxes, Text Boxes, Spin Edits and such. On the Single-question form, all response artifacts are displayed on the same area of the form.

The Navigation Buttons

The Navigation Buttons are used to display Previous and Next Questions. They are used to navigate through the sequence of all questions contained in the instrument.

The Progress Indicator

The Progress Indicator displays the current percentage of questions answered so far, represented by the number of questions answered, compared to the total number of questions in the instrument.

The Review Answers Form

The Review Answers form is a navigational aid to use with instruments that contain a large number of questions. It presents a simple way to select a question for editing that is not contiguous to the present question.


Responding to a multi-choice question using a Multiple-Selection List Box

Multiple-Selection List Boxes allow the user to select one or more of the choices listed. To respond to a question:

1. Select one or more choices from the Multiple-Selection List Box on the form by clicking on the item, or, use the arrow keys to move to the desired item and press the space bar.
2. To go to the next question, click on **Next Question** button, or, press the “Enter” key.

The choices made are recorded and the next question is automatically displayed.

Example: Selecting two choices.



Responding to a Single-choice question using a Drop-Down List Box

NOTE: Drop-Down List Boxes allow selection of a single choice from a list. This type of question is also called a “combo box.”

To respond to a question:

1. **Click** on the down-arrow located on the **Pick one number** drop-down list box to display the list, or, use the arrow keys to step through the sequence of items.
2. Select a number from the **Pick one number question** by clicking on the item, or, when the desired item is presented in the box, press the “Tab” or “Enter” key to select the item. It is also possible to type the number of the item’s designator (“1,” “2,” etc) if they are used.
3. To proceed, click on the **Next Question** button, or press the “Enter” key. Alternately, you can also press the “Tab” key until the **Next Question** button is active, then press the “Enter” key.

Example: Data Input Test form displaying the **Pick one number** label.

Addiction Severity Index - Lite for MHPATIENT, ONE SSN: 00002412

File Tools Help

General Information

G3. Program Type: Consultation/Liaison

G4. Date of Admission: Early Intervention/Education/Referral

G8. Interview Form (AS): Detoxification Services

1. Full Intake Ambulatory except Opioid Substitution

G11. Interviewer : Opioid Substitution

G11a. Ordered By : Inpatient Acute Care

G12. Special: Substance Abuse Residential Rehabilitation program

Compensated Work Therapy/Transitional Residence

Therapeutic Community

Responding to a question that asks for a currency amount using a Text Box


Some Text Box artifacts are configured to only accept valid currency values.

To respond to a question:

1. Type a currency value in the Text Box
2. Click on **Next Question** button, or press the “Enter” key.

The entered currency value is recorded and the next question is automatically displayed.

Example: Entering a currency amount.




Responding to a question that asks for a date using a Date-Picker

Date-Pickers are used to respond to questions requiring a date for an answer. A Date-Picker displays a calendar from which a date is selected. Alternatively, the user may simply type the date in the Text Box portion of the Date-Picker artifact. In MHA, Date-Pickers usually don't allow for selecting a date in the future. To select a date:

1. Click on the button with the arrowhead to open the Date-Picker calendar component; alternately, you can type the date directly into the date box and skip the next step.
2. Navigate to the desired date and click on its number symbol
3. Click on **Next Question** button, or, press the "Enter" key.

The selected date value is recorded and the next question is automatically displayed.

Example: Selecting a date.



Responding to a question that asks for a line of text using a Text Box

A Text Box allows entry of a single line of text as a response to a question.

To answer a question:

1. Type a line of text in the Text Box.
2. Click on **Next Question** button, or, press the “Enter” key.

The entered text is recorded and the next question is automatically displayed. A Text Box accepts any type of text.

Example: Entering text into a Text Box.

The screenshot shows a software window titled "Form 5R: MHPATIENT,ONE" with a menu bar (File, View, Tools, Help). The main area contains a text entry field for question 7, "Name of Residential Provider". A red arrow points to the text box with a red box containing the text "1. Type in text". Below the text box, a red arrow points to the "Next Question" button with a red box containing the text "2. Click". The bottom of the window features a control panel with buttons for "Next Question", "Prior Question", "Review Answers", "Cancel", and "Finish". There is also a checkbox for "Use speed tab" and a hint: "Hint: Use the number key of the item to speed data entry." A status bar at the bottom indicates "Questions skipped: 6., 7.." and a progress indicator.

Responding to a question from a list of answers using a Single-Selection List Box


A Single-Selection List Box is very similar to a Combo Box, except that all available responses are readily visible. There is no drop-down list to trigger. To answer a question:

1. Select one item from the Single-Selection List Box by clicking on it, or, use the arrow keys to move to desired item then press the “Tab” or “Enter” key.
2. Click on **Next Question** button, or, press the “Enter” key.

Alternately, if the “Speed Tab” is checked, you can press the number key that corresponds to the item’s designator. That key press will do two functions; it will select that item and display the next question.

The single choice made is recorded and the next question is automatically displayed.

Example: Selecting a single response.




Responding to a question using a Masked Text Box that pre-formats input data

Masked Text Boxes automatically format the data entered into them. For instance, a Masked Text Box configured to accept a phone number, or Social Security Number, will automatically position and display the parenthesis and dashes normally found in fully-formed phone numbers or SSN. All that the user must type are the numbers.. The rest of the formatting is done automatically.

Enter a Social Security Number:

1. Type only the numbers in a SSN in the Masked Text Box.
2. Click on **Next Question** button, or, press the “Enter” key.

Example: The Masked Text Box adds formatting to the entered numbers to reflect a standard SSN notation. Only numbers are accepted for input.




Responding to a question that asks for a long textual answer using a Multiple-Line Text Box

Multiple-Line Text Boxes accept more than one line of text.

To answer a question:

1. Type several lines of text in the Multiple-Line Text Box
2. Click on **Next Question** button, or, press the “Enter” key.

Example: The entered text is recorded and the next question is automatically displayed .The Multiple-Line Text Box accepts any type of text.




Respond to a question using a Spin Box that asks for an integer value

Spin Boxes are used to select from a list of consecutive integer values. Additionally, an integer value may be typed into the Text Box area of a Spin Box artifact. To answer a question:

1. Type an integer, or use the spin buttons with the arrowheads to enter a value in the Spin Box.
2. Click on **Next Question** button, or, press the “Enter” key.

The entered integer value is recorded and the next question is automatically displayed. The Spin Box only accepts integer values.

Example: Entering an integer value.



Responding to a question that asks for a single choice from a list using Option Buttons


Option Buttons are used to answer questions from a list of mutually-exclusive answers. To answer a question:

1. Click on one of the Option Buttons in the group, or, use the arrow keys to move to the desired option and press the “Tab” or “Enter” key to select the option.
2. Click on **Next Question** button, or, press the “Enter” key.

Alternately, if the “Speed Tab” is checked, you can press the number key that corresponds to the item’s designator. That key press will do two functions; it will select that item and display the next question.

The single choice made is recorded and the next question is automatically displayed.

Example: Selecting an Option Button response.



Responding to a question that asks for a staff name from VistA using a Drop-Down List Box


Staff list Drop-Down List Boxes are special list boxes that display a list of staff members from VistA.

To answer a question:

1. Begin typing the first three letters of the last name in the Text Box part of the component.
2. If the complete name is not automatically filled in, select the name from the list of names that “dropped down” in the Vista Drop-Down List Box
3. Click on **Next Question** button, or, press the “Enter” key.

The name choice made is recorded and the next question is automatically displayed.

Example: Selecting a staff name from a list.




Responding to a question that asks for a value from a Slider

Sliders simplify visually selecting a value from a range of values.

To answer a question:

1. **Select** a value on the Slider by moving the choice indicator on the scale to the number of your choice.
2. Click on **Next Question** button, or, press the “Enter” key.

Example: Selecting a point on a scale. The selected Slider value is recorded and the next question is automatically displayed



**Slide pointer to
make selection on
the scale**


Identifying the End Point of an Instrument and Finishing the Instrument

The last question in an instrument will trigger a change in the displayed navigational buttons. The **Prior Question** buttons remain enabled and a dialog box will be. Clicking on the **Finish** button will finish the test.


To finish a test:

1. Answer every question in the instrument (the progress bar will be green).
2. On the last question, click on the **Finish** button.

Example: Finishing an instrument. Since this is the last question, the Information dialog is presented. Click on **OK** and then the **Finish** button.




Once the data are saved to VistA, the user is given the choice of 1) saving a standard progress note to VistA that summarizes the data and its score(s), 2) Editing the standard note before saving it and 3) not saving a progress note. See Appendix C for cases where a co-signer is required for signing a progress note.



Incomplete Data-Entry Session

1. Click on the **Finish** button.
2. Click on the **YES** button of the “Confirm” dialog. The Confirm dialog will list the questions that have not been answered and will inform the user of the permitted delay to finish the administration. The Confirm dialog will also allow the user to return to the instrument.


Example: When the **Finish** button is clicked, the confirm dialog is displayed. Click **Yes** to save the administration as “incomplete.”



Viewing the Next Instrument

Within the context of a series of instruments, it is possible to jump to different instruments.


Example: Jumping to the next instrument; click on the tab of the desired instrument. The responses are not lost on the current administration when you return.



Viewing the Prior Question

To view the question that is prior in order to the currently-selected question, click on the **Prior Question** button.


Example: The displayed question becomes the prior question within the current instrument.



View Next Question

To view the question that is next in order to the currently-selected question, **click** on the **Next Question** button.


Example: The displayed question becomes the next question within the current instrument.



Review Answers

In the case where navigating through the questions in an instrument using the Next Question and Prior Question buttons is too cumbersome due to a large number of questions, the **Review Answers** offers a quicker way to move around. To start the Review Answers form, **click** on the **Review Answers** button.

Example: Starting the Review Answers form.



Changing Answers

To change a given answer, it is first necessary to return to that answer. There are two ways to navigate back to a previously-answered question: the **question navigation buttons** or the **Review Answers** form. Once the answer is again displayed in the form, simply choose or type in a different answer.

To change an answer using the Review Answers form:

1. Click on any of the previously-answered questions listed in the table, to select the question.
2. Click on the **Change Answer** button.

To return to the Single-Question input form, without making any changes, **click** on the **Exit** button, or click on the **Exit** button.

After clicking on the Change Answer button:

1. The Single-Question input form is displayed and the selected question is shown with the previously-entered response.
2. User can change the response to this question.

Example: Selecting which question to change.

Review Answers

File Help

Alcohol Use Disorders Identification Test One Mhpatient
SSN: xxx-xx-2412

Answers


No.	Question	Answer
1	How often do you have a drink containing alcohol?	Monthly or less
2	How many drinks containing alcohol do you have on a typical day when you	1 or 2
3	How often do you have six or more drinks on one occasion?	Less than monthly
4	How often during the last year have you found that you were not able to stop	Less than monthly
5	How often during the last year have you failed to do what was normally	Less than monthly
6	How often during the last year have you needed a first drink in the morning to	SKIPPED
7	How often during the last year have you had a feeling of guilt or remorse	
8	How often during the last year have you been unable to remember what	
9	Have you or someone else been injured as a result of drinking?	
10	Has a relative or friend, or a doctor or other health worker been concerned	

To change an answer, highlight it and press "Change Answer" or double-click on it.

Exiting Data-Entry Session without Saving the Answers

Example: To abort saving any of the given answers to an administration, **click** on the **Cancel** button. The editing session ends and no answers are saved.

Careful: The use of the **Cancel** button will close out the entire session, which means all the instruments, if more than one has been selected, will be closed without saving, not just the instrument that is active at the time.




Mental Health Assistant File Exit Menu Item


It is possible to interrupt the administration of an instrument and save all the responses given so far. The administration will be saved as an “incomplete” administration, which may be completed later, by using the “Finish” button.

1. The Single-question data-entry form closes and the user is returned to the **Instrument Administrator** form.
2. The instrument administration is automatically saved as an incomplete administration in VistA. No data is lost.
3. The instrument appears in the list of available instruments as an incomplete administration, which can be selected for resumption.

Example: To interrupt and save an administration, **click** on the “**Finish**” button.



Example: This is a display of the **Mental Health Assistant** message dialog box. **Click** on the Yes command button to save the administration.



Resume Responding to Questions in an Administration Previously Saved as Incomplete


Saved incomplete administrations may be reloaded into MHA3 to continue answering questions and complete the administration. Incomplete administrations are identified by the date and time text that is appended to the instrument's name. Incomplete administrations that cannot be restarted are simply not listed in the list of available instruments.

Whether an incomplete test can be restarted depends on how long ago it was first entered in the VistA Mental Health Package (MHP) database. The permissible lapse is a local site parameter that is set using MHS Manager\Psych Test Utilities\Edit Instrument Restart Limit [YSINST RESTART LIMIT] option.


To restart an incomplete administration:

1. Identify and select the incomplete administration in the list of available instruments, in the **Instrument Administrator** form.
2. Choose the display and entry modes.
3. The reminder message shown below is displayed.
4. The data-entry form is displayed and the 1st unanswered question is presented and is ready for a response.
5. All previously-saved responses are restored correctly.
6. Resume the administration in a similar fashion as new administrations after they are started.

Example: Incomplete administration listed in the **Available Instruments and Batteries** list.



Example: Mental Health Assistant message dialog box displaying the Reminder information given upon resuming an incomplete administration.




Instrument Administrator’s “All Questions At Once” Input Form

Orientation

The “**All Questions at Once**” **data-entry** form allows the user to answer questions by viewing and responding to any of all the instrument questions at any time. All questions are displayed at once on a scrollable form, much like a pencil-and-paper version of the instrument. The “**All Questions at Once**” **data-entry** form does not make use of a Review Answers form, or navigation buttons, since they would be redundant with the functions already offered by this form.

NOTE: Refer to the glossary for a description of the visual elements on these forms, and how they are normally used.

Example: All-questions input form.



Main Menu

The Mental Health Assistant Main Menu offers user functions in the context of the All Questions at Once form, such as tools and help.

Selected Patient Identification Label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3.

Instrument's Name

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

Section Text

Sometimes, instrument designers may group questions into sections. In this case, existing section titles are displayed in the form, just above any introduction or question text.

Introduction Text:

The Introduction Text is used as narrative introduction to one or more questions. Generally, introductions present instructions on how to respond to questions.

Question Text:

The Question Text is the actual question presented to the user.

Response Artifact:

A Response Artifact is a visual control that the user will use to respond to the presented question. There are a number of different types of Response Artifacts in MHA3, such as Drop-Down Combo Boxes, Text Boxes, Spin Edits and such.

Navigation Scroll Bar:

The Navigation Scroll Bar is used to display any questions on the form which may be hidden below or above the current view.

Instrument Tabs

When the user is responding to a series of instruments, each individual instrument is indicated as a tab at the bottom of the form. These tabs are used to navigate among the different instruments in the series.

Respond to all questions using the techniques learned while using Single-Question Data Entry

The data-entry visual artifacts on this form respond in the same way that they do on the Single-Question form. The difference being that all questions are presented at once and that navigation to the different questions is done differently.

To navigate using the mouse, simply use the scroll bar until the desired question is within view. To navigate using the keyboard, use the **Tab** key to jump to the next question in the sequence. **Shift-Tab** causes a reverse jump to the previous question in the sequence. Additionally, to automate the tabbing effect, there is the **Speed Tab** option that automatically tabs to the next question once a question is answered. However, the **Speed Tab** option has no effect on Multiple-Line Text Boxes, Single-Line Text Boxes, and Spin Boxes.

While answering questions:

1. All questions pertaining to the current instrument are available on the current form.
2. The scroll bar permits navigation to all the instrument's questions on the form.
3. Using the Tab key for navigation performs as described above.
4. All data-entry visual artifacts respond in the same way as they do on the Single-Question form.
5. After saving the administration, the answers given match the ones listed in the Instrument Results Review report.


Identify the event of reaching the end of an instrument (or battery,) and finish the instrument

An instrument administration is finished once all questions have been answered. In the case of the “All Questions at Once” input form, questions may be answered on a single form which displays all questions.


To end an Instrument Administration:

1. Answer every question in the instrument (the progress bar will be green).
2. **Click** on the **Finish** button.
3. If a required answer has not been answered (progress bar is red), a warning message is displayed and user is returned to the data-entry form.
4. All instrument responses are saved to VistA.
5. The instrument saved message is displayed and user is returned to the Instrument Administrator form.

Example: AUDIT instrument is saved by clicking on the **Finish** button.



Once the answers are saved, the user is given the three options below concerning the progress note. See Appendix C for cases where a co-signer is required for signing a progress note.




Selecting an Instrument within a Series

The instruments are listed in the tabs at the bottom of the form. These tabs are used to navigate to any of these instruments.

To change the current instrument:


1. If the desired instrument tab is not the selected tab (in the foreground) **click** on the tab to bring the instrument to the foreground. **Or...**
2. Use the **View** menu option, **click** on the instrument's name in the View list.

Example: The **Mental Health Assistant** form displays the **View** menu instrument names.



To review answers given:


Example: Use the scroll bar to review every answer given. Moving the scroll bar permits all questions and answers to be viewed.



Change a Previously-given Answer

To change a previously-given answer, navigate to the question and change the answer.

Example: Question #7 with answer changed to the second item.




Suspend responding to questions and save the administration in an incomplete state.


To suspend responding to questions, **click** on the **Finish** button.

1. The “All questions at once” data-entry form closes and the user is returned to the **Instrument Administrator** form
2. The instrument administration is automatically saved as an incomplete administration in Vista. No data is lost.
3. The instrument appears in the list of available instruments as an incomplete administration, which can be selected for resumption.

Example: BOMC saved as an incomplete administration.



Example: Warning given upon exiting an incomplete administration.



Exiting Data-Entry Session without Saving the Answers

Example: To abort saving any of the given answers to an administration, **click** on the **Cancel** button. The editing session ends and no answers are saved.

Careful: The use of the **Cancel** button will close out the entire session, which means all the instruments, if more than one has been selected, will be closed without saving, not just the instrument that is active at the time.

Instrument Results Review Functions

Orientation

All previous tests completed by the selected patient are listed on the Instrument Results Review form, and one of those tests is always highlighted (by default, the first test in the list is highlighted when the user first access this form). A text-based report for the highlighted test is shown. If the highlighted test has a numeric score, only one scale, and if the test has been completed more than once, a graphical display of those scores is presented on the Graph & Table tab.

Example: The **Instrument Results Review** form offers functions to print, save and copy-paste reports, tables and graphs, as well as enable the user to append comments to the results of the highlighted test.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Tools Help

Instrument Results Review: AUDIT One Mhpatient
SSN: xxx-xx-2412

Date	Name
01/15/2009	AUDIT
01/09/2009	BRADEN SCALE
12/12/2008	BOMC
12/02/2008	CAGE
12/01/2008	CAGE
12/01/2008	AUDIT
11/24/2008	AUDIT
11/24/2008	AUDC
12/08/2006	IEQ
11/20/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
10/31/2006	CAGE
10/31/2006	AUDIT
10/31/2006	AUDC
10/30/2006	AUDIT
10/30/2006	CAGE

Alcohol Use Disorders Identification Test

Date Given: 1/15/2009
 Clinician: Mhprovider,One
 Location: 1 Test (north)

Veteran: Mhpatient, One
 SSN: xxx-xx-2412
 DOB: Feb 1,1922 (87)
 Gender: Female


AUDIT Score: 0
 A score of 8 or more indicates a strong likelihood of hazardous or harmful alcohol consumption.

Questions and Answers


- How often do you have a drink containing alcohol?
Never
- How many drinks containing alcohol do you have on a typical day when you are drinking?
Not asked (due to responses to other questions)
- How often do you have six or more drinks on one occasion?
Not asked (due to responses to other questions)
- How often during the last year have you found that you were not able to stop drinking once you had started?
Not asked (due to responses to other questions)
- How often during the last year have you failed to do what was normally expected from you because of drinking?
Not asked (due to responses to other questions)

Reports **Graph & Table**


Example: Graph and table views.



Example: Multi-scale instrument graph. Click on the « group of scales » name (in this case the bold « SCL9R Total »).



If you click on one of the scales, then this graph is presented.



Main Menu

The Main Menu offers user functions, such as tools and help.

Selected Patient Identification label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3.

Instrument's Name

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

List of Previously-Administered Tests

This is the list of all tests that have been administered to the selected patient. The list is also used for selecting which administration to process. The list may be sorted by date or instrument type.

The Report View:

The Report View displays an administration report in textual form, based on the patient's data stored in Vista for the selected administration.

The Navigation Tabs

These tabs are used to switch between report and graph/table view.

The Graph View:

The Graph View displays a graphical representation of test data values over time.

The Table View:


The Table View represents the same data as the Graph View, except that it is in table format. The Table View also functions as a means for selecting which administrations and characteristics to represent on the graph.

Selecting Another Patient

To select a different patient, click on the **File > Select Patient** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a new patient, both CPRS and MHA3 are synchronized and updated to identify the same new patient.

Note: Refer to the CPRS documentation for instructions on patient selection procedures.


Example: Selecting another patient.




Saving a Graph, Report, or a Table to a File

To save a graph, report, or table, **click** on the drop-down **File Menu > Save As...** menu item and then click on Graph, Report, or Table. To save a graph or a table, the “Graph and Table” tab must be selected first.

Example: A message dialog appears that asks the user to enter a filename and storage location for the table, report or graph file to be saved. A graph is saved as a bitmap, a table is saved as an Excel file and a report is saved as a text file.



Example: Save As form.




Printing a Graph, Report or Table.

To print a graph, report, or table, **click** on the drop-down **File Menu > Print...** menu item and then **click** on Graph, Report, or Table menu item.

A copy of the table, report or graph is sent directly to the default printer.


Example: Printing a graph, report, or table.



Copying a Graph, Report, or Table to the Windows Clipboard.

To copy a report, graph, or table to the Windows clipboard, **click** on drop-down **Edit Menu > Copy...** menu item and then **click** on Graph, Report, or Table. A copy of the table, report or graph is sent to the Clipboard. The contents of the Clipboard can then be pasted onto an MS Word or Excel document.

Example: Copying a report the Windows clipboard.




Example: Message displayed after copying to the clipboard.



Exiting the Instrument Results Review Form


To exit the Instruments Results Review form, **click** on the **File > Exit** menu item. The Instrument Results Review form will close and the user is returned to the MHA3 Main form. Alternately, you can press the “ESC” key or click on the “X” in the upper right-hand corner of the form.

Example: Exiting the Instruments Results Review form.



Switching Views from Reports to Graph and Table and Back

Example: To switch between views, **click on View > Reports** and **View > Graph and Table**, to switch between views on the form. The navigation tabs at the bottom-left of the form serve the same purpose.




Appending Comments to an Existing Record

Comments can be appended to existing reports in Vista:

1. Select the instrument to which to append comments
2. **Click** on the **Tools > Append comments...** menu item
3. The Comments Editor Form is displayed.
4. Type a new comment in the Comments Editor
5. **Click** on **File > Save Comment** in the Comments Editor menu
6. Comment appears appended to the administration's report text


Example: Mental Health Assistant Tools menu > Append comments...item




Example: Comments Editor form displays **previous** and **new** comments.

The screenshot shows a window titled "Append Comments" with a menu bar containing "File" and "Help". The main content area is divided into two sections: "Previous Comments" and "New Comments". The "Previous Comments" section contains the text "None". The "New Comments" section is empty. A red arrow points from a red box containing the text "Type comments here" to the "New Comments" section. At the bottom of the window, there are two buttons: "Cancel" and "Save and Exit".

Example: Save Comment and Exit.




Example: Comment added to a report.



Removing data entered in error

Select the administration of the instrument you wish to remove. The instrument's name and the date of the administration will be highlighted, and its report will appear in the right window. In this example, notice that there are five administrations of the CAGE on 11/16/2006.



There are three ways to initiate the deletion process:


- 1) Select « Delete administration » from the Tools option in the Main Menu.
- 2) Press the « DEL » key.
- 3) Right click, then select « Delete » from the pop-up menu.

These three methods are illustrated below.


The screenshot shows the 'Mental Health Assistant' software interface. The title bar reads 'Mental Health Assistant in use by MHPROVIDER,ONE'. The menu bar includes 'File', 'Edit', 'View', 'Tools', and 'Help'. The 'Tools' menu is open, showing options: 'Append Comments...', 'Delete administration Del', 'METRIC Instrument Reviews...', and 'Options...'. A red arrow points from the 'Delete administration Del' option to a red callout box with the text 'Click'. The main window is divided into two panes. The left pane, titled 'Instruments:', contains a table with columns 'Date' and 'Name'. The right pane displays a document with the following text:

Printed by: MHPROVIDER,ONE
Ordered by: MHPROVIDER,ONE
eop
000-00-2412 MHPATIENT, ONE
--
1 N 2 N 3 N 4 N


Date	Name
01/09/2009	BRADEN SCALE
12/12/2008	BOMC
12/02/2008	CAGE
12/01/2008	CAGE
12/01/2008	AUDIT
11/24/2008	AUDIT
11/24/2008	AUDC
12/08/2006	IEQ
11/20/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
10/31/2006	CAGE
10/31/2006	AUDIT
10/31/2006	AUDC
10/30/2006	AUDIT
10/30/2006	CAGE
10/30/2006	AUDIT
10/30/2006	CAGE
10/27/2006	AUDIT



Once you press the « DEL » key, or one of the above methods, this warning dialog will appear.



If you are sure that the deletion is proper, click on the « Yes » button. If the data are removed successfully, this prompt will appear. In addition, the list of instruments will have been refreshed.



Notice that only four administrations of the CAGE are listed for 11/16/2006.

Mental Health Assistant in use by MHPROVIDER.ONE

File Edit View Tools Help

Instrument Results Review: BRADEN SCALE One Mhpatient
SSN: xxx-xx-2412

Instruments:	
Date	Name
01/09/2009	BRADEN SCALE
12/12/2008	BOMC
12/02/2008	CAGE
12/01/2008	CAGE
12/01/2008	AUDIT
11/24/2008	AUDIT
11/24/2008	AUDC
12/08/2006	IEQ
11/20/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
10/31/2006	CAGE
10/31/2006	AUDIT
10/31/2006	AUDC
10/30/2006	AUDIT
10/30/2006	CAGE
10/30/2006	AUDIT
10/30/2006	CAGE
10/27/2006	AUDIT
10/27/2006	AUDC

Braden Scale for Predicting Pressure Ulcer Risk
 Date Given: 1/9/2009
 Clinician: Mhprovider,One
 Location: 1 Test (north)
 Veteran: Mhpatient, One
 SSN: xxx-xx-2412
 DOB: Feb 1,1922 (86)
 Gender: Female
 Sensory perception -- ability to respond meaningfully to pressure-related discomfort
 No impairment.
 Moisture -- degree to which skin is exposed to moisture
 Rarely moist.
 Activity -- ability to change and control body position
 Walks frequently.
 Mobility -- ability to change and control body position
 No limitation.
 Nutrition -- usual food intakepatterns
 Excellent.
 Friction and shear
 No apparent problem.

*** Braden Scale Score ***
 Severe risk 9 or lower.
 High risk:10-12.
 Moderate risk: 13-14.
 Mild risk: 15-18.
 Score: 23
 Copyright Barbara Braden & Nancy Bergstrom, 1988

Reports Graph & Table

Addiction Severity Index Manager Functions

Orientation

The ASI Manager lists all previous interviews and makes it easy to view either the item report or narrative report for a selected interview.

Additional views of ASI data are provided. Both the **Domain Scores** and **Item Trends** functions present graphical and tabular data across multiple interviews. The Domain Scores option gives the user the opportunity to see either problem severity ratings or evaluation factor scores (see Alterman, et al., [1998] "New scales to assess change in the Addiction Severity Index for the opioid, cocaine, and alcohol dependent", *Psychology of Addictive Behavior*, 12, 233-246). The **Item Trends** option displays responses to selected individual items. It is hoped that these data views will help with treatment planning and treatment outcome monitoring.

A user-friendly interface for entering interview data is provided. This "New ASI" option enables staff to quickly enter data, to easily jump from one item to another, and to enter free text comments at any time. This option should greatly reduce data entry time, whether transcribing interview results from a paper form or entering them on-line during an interview. It is not a self-administered version of the ASI, though, and should not be used for patient entry of ASI responses.

Example: Addiction Severity Index Manage form

The screenshot shows the 'Addiction Severity Index Manager' window. The title bar reads 'Mental Health Assistant in use by MHPROVIDER,ONE'. The menu bar includes 'File', 'Edit', 'View', 'Tools', and 'Help'. The main area is titled 'Addiction Severity Index Manager' and displays patient information: 'One Mhpatient SSN: xxx-xx-2412'. A table titled 'Previous ASI' lists four entries with columns for Date, Type, Ordered By, Status, and Signed. Below the table, it states '879 days since last ASI'. A text area shows patient details: 'MHPATIENT,ONE 000-00-2412 ASI LITE on 12/08/2006 by: MHPROVIDER,NEW *** PSYCHOSOCIAL HISTORY *** GENERAL INFORMATION Ms. Mhpatient is a 87 year old White (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the'. At the bottom, there are buttons for 'Narrative Report', 'Item Report', 'Item Trends', and 'Domain Scores'. Red callout boxes point to: 'Main menu' (File Edit View Tools Help), 'Selected patient identification' (One Mhpatient SSN: xxx-xx-2412), 'Title bar' (Addiction Severity Index Manager), 'Previous List of ASIs' (the table), 'ASI editing buttons' (New and Edit buttons), and 'Last ASI days' (879 days since last ASI).

Date	Type	Ordered By	Status	Signed
12/8/2006	LITE	MHPROVIDER,NEW	Completed	True
6/13/2006	LITE	MHPROVIDER,NEW	Incomplete	False
2/8/2006	LITE	MHPROVIDER,NEW	Completed	True
2/8/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

Main Menu

The Main Menu offers user functions in the context of the ASI Manager form, such as tools and help.

Selected Patient Identification Label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the ASI Manager form will apply to this patient.

Title Bar

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

List of Previously-Administered ASIs

This is the list of all ASIs that have been administered to the selected patient. The list is also used for selecting which ASI to process.

Report View

The Report View displays an administration report in textual form, based on the patient's data stored in Vista for the selected administration.

Navigation Tabs

These tabs are used to switch between the various views of the data.

ASI Editing Buttons

The ASI Editing Buttons are used to create new ASIs or edit existing ones.

Days Since Last ASI Label

The Days Since Last ASI label is a reminder about how long ago the current patient had an ASI.

Determining the Number of Days since the Last ASI for Selected Patient

To determine when the last ASI was for the current patient, observe towards the middle-left of the ASI Manager form. Read the text label that states ““x” days since last ASI.”

Example: The last ASI for this patient was administered 879 days ago.

The screenshot shows the 'Addition Severity Index Manager' window. On the left, there are 'New' and 'Edit' buttons. Below them, it says '879 days since last ASI'. The main area contains a table titled 'Previous ASI' with the following data:

Date	Type	Ordered By	Status	Signed
12/8/2006	LITE	MHPROVIDER,NEW	Completed	True
6/13/2006	LITE	MHPROVIDER,NEW	Incomplete	False
2/8/2006	LITE	MHPROVIDER,NEW	Completed	True
2/8/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

Below the table is a narrative report section with the following text:

```

MHPATIENT,ONE 000-00-2412      ASI LITE on 12/08/2006 by: MHPROVIDER,NEW
      *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 87 year old White (not Hisp), married female NSC veteran.
She lists her religious preference as Protestant. She was admitted to the
    
```

At the bottom, there are four tabs: 'Narrative Report', 'Item Report', 'Item Trends', and 'Domain Scores'. The 'Narrative Report' tab is currently selected.

Selecting a Previous Interview

To select from previously-administered interviews, click on the row for the desired interview on the table that lists all previous interviews (upper section of form). The clicked row will be highlighted, and the corresponding report type (Item or Narrative) will be shown below the table.

Example: The ASI interview dated 12/8/2006 is selected, and the Narrative Report is shown below.

879 days since last ASI

Date	Type	Ordered By	Status	Signed
12/8/2006	LITE	MHPROVIDER,NEW	Completed	True
6/13/2006	LITE	MHPROVIDER,NEW	Incomplete	False
2/8/2006	LITE	MHPROVIDER,NEW	Completed	True
2/8/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

MHPATIENT,ONE 000-00-2412 ASI LITE on 12/08/2006 by: MHPROVIDER,NEW
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 87 year old White (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the

Narrative Report | Item Report | Item Trends | Domain Scores

Selecting a Report Type

To select a report type, click on a navigation tab at the bottom of the form. Switch between **Narrative Report** and **Item Report**. The selected report type will be shown for the selected (highlighted) interview.

Example: The Item Report for the 12/8/2006 interview is shown. Note that more than one signed ASI record must be available for displaying the Domain Scores or Item Trends tabs.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Tools Help

Addiction Severity Index Manager One Mhpatient
SSN: xxx-xx-2412

New Edit

879 days since last ASI

Date	Type	Ordered By	Status	Signed
12/8/2006	LITE	MHPROVIDER,NEW	Completed	True
6/13/2006	LITE	MHPROVIDER,NEW	Incomplete	False
2/8/2006	LITE	MHPROVIDER,NEW	Completed	True
2/8/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

MHPATIENT,ONE 000-00-2412 ASI LITE on 12/08/2006 by: MHPROVIDER,NEW

***** GENERAL INFORMATION *****

Name: MHPATIENT,ONE
 SS No.: 000002412 **2. Click**

Admission Date: DEC 08, 2006
 Interview: DEC 08, 2006
 Time Begun:
 Time Ended:
 Contact Code: IN PERSON
 Class: LITE
 Gender: FEMALE

1. Click

Narrative Report **Item Report** Item Trends Domain Scores

Restarting an Unsigned ASI

NOTE: This option can be used to complete, edit, or sign an unsigned ASI.

Example: To restart and unsigned ASI, select an unsigned ASI in the table that lists previous ASIs on the ASI Manager. Click on the **Edit** button. The data entry form will appear, and previous answers will be inserted.

1. Select

Date	Type	Ordered By	Status	Signed
12/8/2006	LITE	MHPROVIDER,NEW	Completed	True
6/13/2006	LITE	MHPROVIDER,NEW	Incomplete	False
2/8/2006	LITE	MHPROVIDER,NEW	Completed	True
2/8/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

2. Click

MHPATIENT,ONE 000-00-2412 ASI LITE on 02/08/2006 by: MHPROVIDER,NEW
 ##### Unsigned Draft #####
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORM

Ms. Mhpatient is a 87 year old Black (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Consultation/Liaison program on Feb 08, 2006. In the past 30 days, she has not been in a controlled environment. She has lived at her current address for 2 years, 3 months.

This report is based on an ASI Lite interview conducted in person on Feb 08, 2006 by New Mhprovider. Ms. Mhpatient completed the interview.


Composite Score
 MEDICAL 0.0000

Narrative Report Item Report Item Trends Domain Scores


Starting a New ASI

To start a New ASI, **click** on the **New ASI** button, and then **click** on the **Full** menu item. There are two types of New ASI data which can be entered: **Full** or **Lite**. The ASI data entry form will appear, and will be formatted corresponding to the choice made by the user of Full or Lite.

Example: File > New ASI... menu item



Example: The **Addiction Severity Index Manager** form.



When the ASI data entry form first begins, it highlights the first item. The first item, G3, is automatically set to the user's last selection. In addition, the fields “G4. Date of Admission” and “G5. Date of Interview,” contains today’s date as defaults; field “G9. Contact Type” is set to “1. In person” and “G11. Interviewer” and “G11a. Ordered By” are set to the staff member who logged on to MHA; field “G12. Special” is set to “N. Interview completed.”

ASI Type	Items with default values
Full	G4, G5, G8, G9, G11, G11a and G12.
Lite	G3, G4, G5, G8, G9, G11 and G11a.
Follow-up	G3, G4, G5, G8, G9, G11, G11a and G12.

Example: G8 is “grayed-out” because it is modifiable. However, G8 displays the selected ASI type. Default items based on ASI type

Selecting a New Patient

NOTE: Refer to the CPRS documentation for instructions on patient selection procedures.

Example: To select a different patient, **click** on the **File > Select Patient** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a new patient, both CPRS and MHA3 are synchronized and updated to identify the same new patient.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER,ONE' window. The 'File' menu is open, highlighting 'Select Patient...'. The main window displays 'Security Index Manager' for 'One Mhpatient' with SSN: xxx-xx-2412. A table lists patient records with columns for Date, Type, Ordered By, Status, and Signed. Below the table, there is a section for '880 days since last ASI' and a detailed report for 'MHPATIENT,ONE 000-00-2412' including 'GENERAL INFORMATION' and 'Composite Score' for MEDICAL and EMPLOYMENT.

Date	Type	Ordered By	Status	Signed
12/08/2006	LITE	MHPROVIDER,NEW	Completed	True
06/13/2006	LITE	MHPROVIDER,NEW	Incomplete	False
02/08/2006	LITE	MHPROVIDER,NEW	Completed	True
02/08/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

880 days since last ASI

MHPATIENT,ONE 000-00-2412 ASI LITE on 12/08/2006 by: MHPROVIDER,NEW
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 87 year old White (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Consultation/Liaison program on Dec 08, 2006. In the past 30 days, she has not been in a controlled environment. She has lived at her current address for 3 years, 3 months.

This report is based on an ASI Lite interview conducted in person on Dec 08, 2006 by New Mhprovider. Ms. Mhpatient completed the interview.

	Composite Score
MEDICAL	0.0222
EMPLOYMENT	0.6356

Narrative Report | Item Report | Item Trends | Domain Scores

Saving a Report, Graph or Table to a File


To save a graph, report or table, **click on File > Save As...** menu item and then click on Graph, Report or Table. To save a graph or a table, the “Graph & Table” tab must be selected first.

The following types of reports are available:


- Narrative Report
- Item Report
- Item Trends Report
- Items Trends Graph
- Domain Scores Report
- Domain Scores Graph

Select the report or graph types by clicking on each of the four tabs at the bottom of the form.

Example: A message dialog appears that asks the user to enter a filename and storage location for the table, report or graph to be saved. A graph is saved as a bitmap, a table is saved as an Excel file and a report is saved as a text file.



Example: Save As form.



Printing a Report, Graph, or Table

To print a graph, report, or table, **click** on **File > Print** menu item and then **click** on Graph, Report/Table item. A copy of the table, report, or graph is sent directly to the default printer.

The following types of reports are available:

- Narrative Report
- Item Report
- Item Trends Report
- Items Trends Graph
- Domain Scores Report
- Domain Scores Graph

Example: Printing a Report, Graph, or Table.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER,ONE' window. The 'File' menu is open, showing 'Print...' with a sub-menu containing 'Report', 'Table', and 'Graph'. A red arrow points from the 'Report' option to a red box with the word 'Click' overlaid on the first row of the table below.

	Type	Ordered By	Status	Signed
06/13/2006	LITE	MHPROVIDER,NEW	Completed	True
02/08/2006	LITE	MHPROVIDER,NEW	Incomplete	False
02/08/2006	LITE	MHPROVIDER,NEW	Completed	True
02/08/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

880 days since last ASI

MHPATIENT,ONE 000-00-2412 ASI LITE on 12/08/2006 by: MHPROVIDER,NEW
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 87 year old White (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Consultation/Liaison program on Dec 08, 2006. In the past 30 days, she has not been in a controlled environment. She has lived at her current address for 3 years, 3 months.

This report is based on an ASI Lite interview conducted in person on Dec 08, 2006 by New Mhprovider. Ms. Mhpatient completed the interview.

Composite Score
 MEDICAL 0.0222
 EMPLOYMENT 0.6356

Narrative Report | Item Report | Item Trends | Domain Scores


Copying a Report, Graph, or Table to the Windows Clipboard

To copy a report, graph, or table to the Windows clipboard, click on **Edit > Copy** menu item and then click on Graph, Report or Table. A copy of the table, report or graph is sent to the Clipboard. The contents of the Clipboard can then be pasted onto an MS Word or Excel document.


The following types of reports are available:

- Narrative Report
- Item Report
- Item Trends Report
- Items Trends Graph
- Domain Scores Report
- Domain Scores Graph

Example: Copying a Report, Graph, or Table to the Windows Clipboard.



Example: Message displayed after copying to the clipboard.



Navigating through the Different Views on the ASI Manager Form

To navigate, **click** on **View** > and then to any of the following **menu entries**:

- Narrative Report
- Item Report
- Item Trends
- Domain Scores

Example: The four tabs at the bottom of the form do the same thing.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER,ONE' window. The 'View' menu is open, showing options: Narrative Report, Item Report, Item Trends, Domain Scores, and Show Graph Labels. A red arrow points from the 'View' menu to a table. A red box with the word 'Click' is placed over the 'View' menu and the table. The table has columns for Date, Type, Order, Status, and Signed. Below the table, there is a text area with patient information and a 'Click' box. At the bottom, there are four tabs: Narrative Report, Item Report, Item Trends, and Domain Scores.

Date	Type	Order	Status	Signed
12/08/2006	LITE	MHPROVIDER,NEW	Completed	True
06/13/2006	LITE	MHPROVIDER,NEW	Incomplete	False
02/08/2006	LITE	MHPROVIDER,NEW	Completed	True
02/08/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

880 days since last ASI

MHPATIENT,ONE 000-00-2412 ASI LITE on 12/08/2006 by: MHPROVIDER,NEW
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 87 year old White (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Consultation/Liaison program on Dec 08, 2006. In the past 30 days, she has not been in a controlled environment. She has lived at her current address for 3 years, 3 months.

This report is based on an ASI Lite interview conducted in per 08, 2006 by New Mhprovider. Ms. Mhpatient completed the interview.

Composite Score
 MEDICAL 0.0222
 EMPLOYMENT 0.6356

Narrative Report | Item Report | Item Trends | Domain Scores

Data Entry

This section of the guide illustrates the action of different types of form components such as combo boxes, option button groups, etc. Not every instance of each type of component is shown, but the user can learn from these examples how every component of the data entry form is to be used.

Combo Boxes

Navigation and Selection: To navigate this list with the keyboard, use the up and down keys, or type the first few letters of program type. Using the mouse, slide the scroll bar or click on the up and down arrows on the scroll bar. To select a program type using the keyboard, press the “tab” or “enter”. The highlighted item is selected. Using the mouse, left click on the desired program type and the list will disappear.

Example: From the ASI Data Entry Form, **click** on the down arrow of Item **G3. Program Type**, (light colored arrow above). A list of 21 ASI Program types will be displayed, eight at a time. Status bar will have context sensitive hints.

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Consultation/Liaison
Early Intervention/Education/Referral
Detoxification Services
Ambulatory except Opioid Substitution
Opioid Substitution
Inpatient Acute Care
Substance Abuse Residential Rehabilitation Treatment Program
Compensated Work Therapy/Transitional Residence

G4. Date of Admission:

G8. Interview Form (A) 1. Full Intake

G11. Interviewer :

G11a. Ordered By :

G12. Special:

1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
 0. No 1. Yes X. Not Answered

G17. Race

1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference

1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None

General Comments:

General Info | Medical | Employment | Drug/Alcohol | Legal | Family Hx | Social | Psychia

Click on down arrow for list of programs. F1 for help.

Date Fields

Navigation and Selection: To navigate this calendar using the keyboard, press the left and right keys to change days and shift-left and shift-right to change months. Pressing the "home" key moves to the 1st day of the month. Press the "tab" or "enter" key to select the date and close the calendar. Clicking the mouse on a day will select the day and close the calendar. Clicking on the left and right arrows will change the month.

Example: From the ASI Data Entry Form, **click** on the down arrow of Item G4. Date of Admission. A calendar is displayed. The status bar will update its hint.

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 3/10/2005

G5. Date of Interview: 3/10/2005

G8. Interview Form (AS...)

1. Full Intake

G9. Contact Type:

1. In person 2. Phone

G11. Interviewer :

G11a. Ordered By :

G12. Special:

1. Patient term...
 2. Patient refus...
 Patient unable to respond
 Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

0. No 1. Yes X. Not Answered

G17. Race

1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference

1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None

General Comments:

General Info | Medical | Employment | Drug/Alcohol | Legal | Family Hx | Social | Psychia

Use down arrow to see calendar. Do not use future dates. F1 for help.

Example: The date can be typed directly in the edit box. The following formats are accepted: 4/14/2001, 4-14-01, 4.14.01, and 4,14,2001. Notice that the year can be entered as last two digits or four digits. Acceptable delimiters are the backslash, period, comma and dash. Dates in the future are not accepted.

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 2/10/2005 ←

G5. Date of Interview: 3/10/2005

G8. Interview Form (ASI Type):
 1. Full Intake 2. Lite Intake 3. Follow-up

G9. Contact Type:
 1. In person 2. Phone

G11. Interviewer: Mhprovider1,One

G11a. Ordered By: Mhprovider1,One

G12. Special:
 1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: [] Months: []

G15. Is this residence owned by you or your family?
 0. No 1. Yes X. Not Answered

G17. Race
 1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference
 1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None

General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychia

Use down arrow to see calender. Do not use future dates. F1 for help.

Option Button Groups

Press the keys "1", "2", or "3" and the appropriate box will be checked and the user will be taken to the next item. While mouse input is effective, experienced users find keyboard entry to be quicker and easier. If an incorrect key is pressed, an error message will appear.

Example: From the ASI Data Entry Form, **click** on one of the boxes in item, **G17**. By clicking on a box or its text a check will appear in that box and other checks will be removed from other boxes.

Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 2/10/2005 G5. Date of Interview: 3/10/2005

G8. Interview Form (ASI Type): G9. Contact Type:

1. Full Intake 2. Lite Intake 3. Follow-up 1. In person 2. Phone

G11. Interviewer: Mhprovider1,One

G11a. Ordered By: Mhprovider1,One

G12. Special:

1. Patient terminated 3. Patient unable to respond

2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

0. No 1. Yes X. Not Answered

G17. Race

1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican

2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban

3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

When race is unknown, leave question blank

G18. Religious Preference

1. Protestant 3. Jewish 5. Other

2. Catholic 4. Islamic 6. None

General Comments:


General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychia

When race is unknown, leave question blank

Spin Edit

Type the number of years—an acceptable number is from 0 to 99—and then press either the "tab" or "entry" key. The "Months:" will then become the active item and will be highlighted. If an incorrect number is entered, an error message will appear.

Example: From the ASI Data Entry Form, type in the year and press tab or enter keys. The next item will then be highlighted, ready for input.



Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 3/10/2005 G5. Date of Interview: 3/10/2005

G8. Interview Form (ASI Type):
 1. Full Intake 2. Lite Intake 3. Follow-up

G9. Contact Type:
 1. In person 2. Phone

G11. Interviewer: Mhprovider1,One

G11a. Ordered By: Mhprovider1,One

G12. Special:
 1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: 0 Months: 0

G15. Is this residence owned by you or your family?
 0. No 1. Yes X. Not Answered

G17. Race
 1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference
 1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None


General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychia

Enter number with keyboard, or Up_Down arrows, or mouse click on arrows. F1 for help.

The spin-edit field can be increased by one when the up arrow receives a mouse click, or when the up-arrow key is pressed. To decrease the value, click on the down arrow or press the down arrow key. A number will not increase beyond the limit of the acceptable range. To move to the next item, press the "tab" or "enter" key.

Example: From the ASI Data Entry Form, **click** on the up or down arrows of the spin-edit field of G14. The number in the spin-edit box will increase or decrease by one.



Addiction Severity Index

File Tools Help

General Information

G3. Program Type: Inpatient Acute Care

G4. Date of Admission: 3/10/2005 G5. Date of Interview: 3/10/2005

G8. Interview Form (ASI Type): 1. Full Intake 2. Lite Intake 3. Follow-up G9. Contact Type: 1. In person 2. Phone

G11. Interviewer: Mhprovider1,One

G11a. Ordered By: Mhprovider1,One

G12. Special: 1. Patient terminated 3. Patient unable to respond
 2. Patient refused N. Interview completed

*G14. How long have you lived at this address? Years: 3 Months:

G15. Is this residence owned by you or your family? 0. No 1. Yes X. Not Answered

G17. Race 1. White (not Hispanic) 4. Alaskan Native 7. Hispanic - Puerto Rican
 2. Black (not Hispanic) 5. Asian or Pacific Islander 8. Hispanic - Cuban
 3. American Indian 6. Hispanic - Mexican 9. Other Hispanic

G18. Religious Preference 1. Protestant 3. Jewish 5. Other
 2. Catholic 4. Islamic 6. None

General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychia


Enter number with keyboard, or Up_Down arrows, or mouse click on arrows. F1 for help.

Item G12

From the ASI Data Entry Form, click on

1. **Patient Terminated** or
2. **Patient Refused** or
3. **Patient unable to respond"** on Item G12.

A dialog-message will appear indicating that default values will not be set for the user.



Item G19

The edit box is active only when item G19 has response "6. Other (Specify)" checked. Otherwise the edit box is disabled (user cannot write to it).

Example: From the ASI Data Entry Form, click on **6. Other (Specify)** on Item G19. The edit box below will become active.

Addiction Severity Index
File Tools Help

General Information

G12. Special:
 1. Patient terminated
 2. Patient refused
 3. Patient unable to respond
 N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
 0. No
 1. Yes
 X. Not Answered

G17. Race
 1. White (not Hispanic)
 2. Black (not Hispanic)
 3. American Indian
 4. Alaskan Native
 5. Asian or Pacific Islander
 6. Hispanic - Mexican
 7. Hispanic - Puerto Rican
 8. Hispanic - Cuban
 9. Other Hispanic

G18. Religious Preference
 1. Protestant
 2. Catholic
 3. Jewish
 4. Islamic
 5. Other
 6. None

*G19. Have you been in a controlled environment in the past 30 days?
 1. No
 2. Jail
 3. Alcohol or Drug Treatment
 6. Other (specify)
 4. Medical Treatment
 5. Psychiatric Treatment
 X. Not Answered
 N. Not Applicable

G20. How many days?

General Comments:

General Info | Medical | Employment | Drug/Alcohol | Legal | Family Hx | Social | Psychia

A place, theoretically, without access to drugs or alcohol. F1 for help.

By clicking on “1. No” the edit box becomes disabled as does item G20. Item G20 will have a response of “N.” This will also occur with “X. Not Answered” and “N. Not Applicable.”

From the ASI Data Entry Form on Item G19, click on

- 1. No or
- X. Not Answered or

Example: The edit box below will, if active, will become inactive and G20 will also become inactive with a value of “N”.

Medical Tab

The Medical Status page has a unique color on its title bar.

Example: From the ASI Data Entry Form, click on the tab, **Medical**. The form will move to the Medical Status page.

The screenshot shows a software window titled "Addiction Severity Index" with a menu bar (File, Tools, Help) and a sub-window titled "Medical Status". The form contains the following questions and options:


- *M1. How many times in your life have you been hospitalized for medical problems ("N" for never)? [Dropdown menu]
- M2. How long ago was your last hospitalization for a physical problem? Years: [Dropdown menu] Months: [Dropdown menu]
- *M3. Do you have any chronic medical problems which continue to interfere with your life?
 0. No 1. Yes (specify) X. Not Answered
[Text input field]
- *M4. Are you taking any prescribed medication on a regular basis for a physical problem?
 0. No 1. Yes X. Not Answered
- *M5. Do you receive a pension for a physical disability? (Exclude psychiatric disability)
 0. No 1. Yes (specify) X. Not Answered
[Text input field]
- *M6. How many days have you experienced medical problems in the past 30? [Dropdown menu]
- *M7. How troubled or bothered have you been by these medical problems in the past 30 days?
 0. Not at all 2. Moderately 4. Extremely
 1. Slightly 3. Considerably X. Not Answered
- *M8. How important to you now is treatment for these medical problems?
 0. Not at all 2. Moderately 4. Extremely
 1. Slightly 3. Considerably X. Not Answered
- M9. Interviewer: How would you rate the patient's need for medical treatment?
 0. Not at all 2. Moderately 4. Extremely
 1. Slightly 3. Considerably X. Not Answered

Below the questions is a text area labeled "Medical Status Comments:". At the bottom, there is a tabbed interface with the following tabs: **G** General Info, **M** Medical (selected), **E** Employment, **D** Drug/Alcohol, **L** Legal, **H** Family Hx, **F** Social, **P** Psychia. Below the tabs is a note: "Include O.D.'s, D.T.'s. Exclude detox, alcohol/drug and psychiatric treatment and childbirth (if without complications). F1 for help."

Item M1

If the patient has never been hospitalized in their life, it follows that their last hospitalization queried in M2 is not applicable.

Example: From the ASI Data Entry Form, type an “N” (case insensitive) in the spin-edit field for M1. The spin-edit fields for M2 will be changed to “N” and will become inactive.



Addiction Severity Index

File Tools Help

Medical Status

*M1. How many times in your life have you been hospitalized for medical problems ("N" for never)? N

M2. How long ago was your last hospitalization for a physical problem? Years: N Months: N

*M3. Do you have any chronic medical problems which continue to interfere with your life?
 0. No 1. Yes (specify) X. Not Answered

*M4. Are you taking any prescribed medication on a regular basis for a physical problem?
 0. No 1. Yes X. Not Answered

*M5. Do you receive a pension for a physical disability? (Exclude psychiatric disability)
 0. No 1. Yes (specify) X. Not Answered

*M6. How many days have you experienced medical problems in the past 30? []

*M7. How troubled or bothered have you been by these medical problems in the past 30 days?
 0. Not at all 1. Slightly 2. Moderately 3. Considerably 4. Extremely X. Not Answered

*M8. How important to you now is treatment for these medical problems?
 0. Not at all 1. Slightly 2. Moderately 3. Considerably 4. Extremely X. Not Answered

M9. Interviewer: How would you rate the patient's need for medical treatment?
 0. Not at all 1. Slightly 2. Moderately 3. Considerably 4. Extremely X. Not Answered

Medical Status Comments:

General Info | **M Medical** | Employment | Drug/Alcohol | Legal | Family Hx | Social | Psychia

Include O.D.'s, D.T.'s. Exclude detox, alcohol/drug and psychiatric treatment and childbirth (if without complications). F1 for help.

Medical Status Comments

The medical status Comments field is an edit field that accepts free text.

Example: From the ASI Data Entry Form, type comments in **Medical Status Comments** field. The memo field will accept free text.

Addiction Severity Index

File Tools Help

Medical Status

*M1. How many times in your life have you been hospitalized for medical problems ("N" for never)? N

M2. How long ago was your last hospitalization for a physical problem? Years: N Months: N

*M3. Do you have any chronic medical problems which continue to interfere with your life?

0. No 1. Yes (specify) X. Not Answered

*M4. Are you taking any prescribed medication on a regular basis for a physical problem?

0. No 1. Yes X. Not Answered

*M5. Do you receive a pension for a physical disability? (Exclude psychiatric disability)

0. No 1. Yes (specify) X. Not Answered

*M6. How many days have you experienced medical problems in the past 30?

*M7. How troubled or bothered have you been by these medical problems in the past 30 days?

0. Not at all 1. Slightly 2. Moderately 3. Considerably 4. Extremely X. Not Answered

*M8. How important to you now is treatment for these medical problems?

0. Not at all 1. Slightly 2. Moderately 3. Considerably 4. Extremely X. Not Answered


M9. Interviewer: How would you rate the patient's need for medical treatment?

Medical Status Comments: This is an example of medical status comments


General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychia

Ending an ASI Data-entry Session

Example: To end an ASI session, click on the **File > Exit** menu option on the ASI data-entry form to invoke the **Close ASI** form. The **Close ASI** form is displayed




Example: ASI Close form.




Closing ASI Data-entry Session with “Exit, Ignore Changes this session” option.

Example: To exit a session, ignoring all changes made, **click** on **Exit**, then in the next dialog box, select **YES**.



Example: Message box warning that ASI hasn't been saved.




Closing ASI data-entry session with “Finish Later” option

Example: To finish a session “later”, click on **Finish Later** option on the **Close ASI** form. Work in progress is saved and the data-entry form is closed. No messages are displayed. The ASI is listed on the ASI Manager form as an incomplete ASI.




Closing ASI data-entry session with “Save and sign”


Example: To save and sign an ASI, **click** on **Save and sign** option on the **Close ASI** form.



Example: Electronic signature form contains the option to sign ASI.



Example: Option to save a progress note.



Business Rules

Business rules check to see whether pairs of responses are logically consistent. The table below lists all of these rules and their actions.

Item #'s	Coding Error	Cross Check Message	Yes/No OK	Cursor movement
G19 and G20	G19>1, and G20=0,00, or N	In the last question (G19), you recorded that the patient has been in a controlled environment in the past 30 days, this question, (G20) how many days, should be greater than 0.	OK	Pop-up after G20 is entered. Cursor doesn't move.
G19 and M1	G19=4, and M1=0, 00, N.	You recorded in the general information section (G19), that the patient had been hospitalized for medical problems in the past 30 days. This hospitalization would usually be coded in this question. Do you want to recode M1?	Yes/No	Pop-up after M1 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to M3.
G19 and M2	G19=4 and M2 years or months >0, 00, or N.	In the general information section (G19), you recorded that the patient had been hospitalized this month for medical problems. The correct coding in M2 is usually 00 00 in this case. Do you want to recode M2?	Yes/No	After M2 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to M3.
M6 and M7	M6>0, and M7=0.	In the last question, you recorded that the patient experienced some medical problems in the past 30 days. If this were true, then we would expect that the patient would be at least slightly bothered by these problems. Do you want to recode M7?	Yes/No	After M7 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to M8.
M6, M7 and M8	M6=0 or 00, and M7 or M8>0.	In question M6, you recorded that the patient experienced no medical problems in the past 30 days, since they report being troubled or wanting treatment (M7 or M8), it is fair to expect that they had some problem days. Go back to M6 and identify the number of days the problem has bothered them.	OK	After M8 is entered. Cursor moves back to M6.
E1a	E1a<4	You are reporting that the patient has had less than 4 years of education, this is rare. Please review this, did you include home schooling, grade school, etc.? Do you want to change E1?	Yes/No	Pop-up after E1b is entered. If "Yes", the cursor moves to E1a. If "No", cursor moves to E2.
E4 and E5	E4=0 and E5=1	If the client does not have a driver's license, E5 is always coded as "No". This is because E5 asks about the car as a way of evaluating ability to travel to and from a job. If the client does not have a license, they cannot "get credit" for having a car! The computer has made this change for you.	OK	Pop-up after E5 is entered. This is a forced change – there is not an option to leave E5=1 if E4=0.
E8 and E9	E8=0 and E9=1	In the last question (E8), you said no one contributes to the client's support, and in this question, you are saying the client gets most of his or her support from someone. Do you want to change your answer in E8?	Yes/No	Pop-up after E9 is entered. If "Yes", the cursor moves to E8. If "No", cursor moves to E10.

Item #'s	Coding Error	Cross Check Message	Yes/No OK	Cursor movement
E11 and E12	E11=0 or 00 and E12>0	In the last question (E11), you recorded that the patient was not paid for working at all in the past month. If this is the case, E12 is generally \$ 0. Do you want to change E11?	Yes/No	Pop-up after E12 is entered. If "Yes", the cursor moves to E11. If "No", cursor moves to E13.
	E11>0 and E12=0, 00, 000, or 0000	In the last question (E11), you recorded that the patient was paid for working this month. If this is the case, E12 is generally not \$ 0, unless the patient has collected no money for their work. Do you want to change E12?	Yes/No	Pop-up after E12 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to E13.
E15 and M5	E15=0, 00, 000, 0000, or 00000 and M5=1	You recorded earlier (M5), that the patient receives a pension for a medical problem. This income is generally recorded in E15 unless they did not receive any cash this month. Do you want to change E15?	Yes/No	Pop-up after E15 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to E16.
E19 and E20	E19>0 and E20=0	In E19, you recorded that the patient experienced some employment problems in the past 30 days. If this were true, then we would expect that the patient would be at least slightly bothered by these problems. Do you want to recode E20?	Yes/No	Pop-up after E20 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to E21.
D1a and D2a	D2a > D1a	You recorded that the patient drank "to intoxication" (D2) more days than total number of days drinking any alcohol at all (D1). Probe and recode D1. Remember D2 is a sub-set of D1.	OK	After D2a is entered. Cursor moves to D1a.
D1b and D2b	D2b > D1b	You recorded that the patient drank "to intoxication" (D2) more years than total number of years drinking any alcohol at all (D1). Probe and recode D1. Remember D2 is a sub-set of D1.	Ok	After D2b is entered. Cursor moves to D1b.
D1-D12 and G20	G20>0 and any item D1a-D12a=30	You recorded in the general information section that the patient had been in a controlled environment in the past month, yet they used either drugs or alcohol every day. Please review this. Do you want to change any information in the drug/alcohol grid?	Yes/No	Pop-up after D12a is entered. If "Yes", the cursor moves to D1a. If "No", cursor moves to D12b.
D14 and D1-D12	D14=3 - 12 or 16 and D1a>15	You report that the patient's problem does not include alcohol, however, the patient used alcohol at least 15 days in the past month. Please review this and consider option "Alcohol and one or more drugs" for question D14. Do you want to change D14?	Yes/No	Pop-up after D14 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D15.
D16 and D1a-D12a	D16=0 or 00 and D1a-D12a>0	You recorded that the patient is "still sober", however, drug or alcohol use in the past 30 days is documented in the drug and alcohol grid. Please review this. Do you want to change D16?	Yes/No	Pop-up after D16 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D17.
D17	D17>5	You recorded more than 5 episodes of DT's for this patient. This is extremely rare, please review the definition of DT's if you are unsure. Do you want to change it?	Yes/No	Pop-up after D17 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D18.

Item #'s	Coding Error	Cross Check Message	Yes/No OK	Cursor movement
D19 and D21	D19=0 or 00 and D21>00	You recorded that the patient never had any treatments for alcohol abuse, so # of detox treatments is not applicable. Do you want to recode (D19), the total number of treatments received?	Yes/No	Pop-up after D21 is entered. If "Yes", the cursor moves to D19. If "No", cursor moves to D23.
D19 and D21	D19>0, and D21>D19	You recorded that the patient had more detox treatments than the total number of treatments received for alcohol abuse. Remember D21 is a sub-set of D19. Do you want to recode D19?	Yes/No	Pop-up after D21 is entered. If "Yes", the cursor moves to D19. If "No", cursor moves to D23.
D20 and D22	D20>0, and D22>D20	You recorded that the patient had more detox treatments than the total number of treatments received for drug abuse. Remember D22 is a sub-set of D20. Do you want to recode D20?	Yes/No	Pop-up after D22 is entered. If "Yes", the cursor moves to D20. If "No", cursor moves to D24.
D20 and D22	D20=0 or 00 and D22>00	You recorded that the patient never had any treatments for drug abuse, so # of detox treatments is not applicable. Do you want to recode (D20), the total number of treatments received?	Yes/No	Pop-up after D22 is entered. If "Yes", the cursor moves to D20. If "No", cursor moves to D24.
D1a and D23	D1a=0 or 00 and D23>0	You recorded no days of drinking in the past 30, but recorded the client has spent money on alcohol. This is unlikely. Please review. Do you want to change D23?	Yes/No	Pop-up after D23 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D20.
D1a, D2a, and D23	D1a+D2a>0 and D23=0, 00, 000, 0000, or 00000	You recorded the client's drinking in the past 30 days (D1 and D2), but no money spent on alcohol. Please review this, do you want to change D23?	Yes/No	Pop-up after D23 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D20.
D3a-D12a, and D24	All items D3a through D12a = 0 or 00 and D24 >0	You recorded zero days of drug use in the past 30, but the patient acknowledges spending money on drugs this month. Please review, and coded those drugs used in the past 30 days. Do you want to change # of days of drug use in the drug grid?	Yes/No	Pop-up after D24 is entered. If "Yes", the cursor moves to D3a. If "No", cursor moves to D25.
D3a-D12a, and D24	Any item D3a-D12a>0 and D24=0, 00, 000, 0000, or 00000.	You recorded days of drug use in the past 30 days, but no money spent on drugs, please review this. Do you want to change D24?	Yes/No	Pop-up after D24 is entered. If "Yes", the cursor does not move. If "No", cursor moves to D25.
D26, D28, and D30	D26>0 and D28 and/or D30=0	In an earlier question (D26), you recorded that the patient had experienced some days with alcohol problems in the past 30 days. If this is true, then we would expect the patient would be at least slightly bothered or slightly in need of treatment for these problems. Do you want to change your code on D28 and/or D30?	Yes/No	Pop-up after D30 is entered. If "Yes", the cursor moves to D28. If "No", cursor moves to D27.


Item #'s	Coding Error	Cross Check Message	Yes/No OK	Cursor movement
D26, D28, and D30	D26=0 or 00 and D28 or D30>0.	In an earlier question (D26), you recorded that the patient had no alcohol problems in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Go back to D26 and identify the number of days the problem has bothered them.	OK	Pop-up after D30 is entered. Cursor moves to D26.
D27, D29, and D31	D27>0 and D29 and/or D31=0	In an earlier question (D27), you recorded that the patient had experienced some days with drug problems in the past 30 days. If this is true, then we would expect the patient would be at least slightly bothered or slightly in need of treatment for these problems. Do you want to change your code on D2 and/or D31?	Yes/No	Pop-up after D31 is entered. If "Yes", the cursor moves to D29. If "No", cursor moves to D32.
D27, D29, and D31	D27=0 and D29 or D31>0.	In an earlier question (D27), you recorded that the patient had no problems with drugs in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Go back to D27 and identify the number of days the problem has bothered them.	OK	Pop-up after D31 is entered. Cursor moves to D27.
L3-L16 and L17	L3 through L16 total > L17	You recorded the patient had more convictions than the total number of times they were arrested and charged (L3 to L16). This is unusual. Do you want to change L17?	Yes/No	Pop-up after L17 is entered. If "Yes", the cursor does not move. If "No", cursor moves to L18.
L2 and L3-L16, L18-L20.	L2=1 and all L3-L16 and L18-L20=0 or 00.	In an earlier question (L2), you indicated the patient is on probation or parole. However, no arrests or charges are documented in items L3-L20. Do you want to recode any legal charges?	Yes/No	Pop-up after L20 is entered. If "Yes", the cursor moves to L3. If "No", cursor moves to L21.
L24 and L3-L16, L18-L20	L24=1, and L3-L16 and L18-L20=0 or 00	You recorded the patient is awaiting charges, trial or sentence (L24), but no arrests and/or charges are coded in L3-L16 or L18-L20. Do you want to recode any of the charges?	Yes/No	Pop-up after L24 is entered. If "Yes", the cursor moves to L3. If "No", cursor moves to L25.
L24 and L25	L24=0, and L25>0	You recorded the patient was not awaiting charges, trial or sentence (L24), yet you coded a charge in L25 (which would be not applicable). Do you want to recode L24?	Yes/No	Pop-up after L25 is entered. If "Yes", the cursor moves to L24. If "No", cursor moves to L26.
L26 and G19	G19=2 and L26=0 or 00	In the general information section, you recorded that the patient had been in jail in the past 30 days, this is usually also represented in L26. Do you want to change your code on L26?	Yes/No	Pop-up after L26 is entered. If "Yes", the cursor does not move. If "No", cursor moves to L27.
L27 and E17	E17>0 and L27=00	In the employment section, you recorded that the patient had illegal income in the past 30 days, this is usually also documented in L27. Do you want to change your code on L27?	Yes/No	Pop-up after L27 is entered. If "Yes", the cursor does not move. If "No", cursor moves to L28.

Item #'s	Coding Error	Cross Check Message	Yes/No OK	Cursor movement
F30, F32, and F34	F30>0 and F32 and/or F34=0	In an earlier question (F30), you recorded that the patient had some family conflicts in the past 30 days. If this is true, then we would expect that the patient would be at least slightly bothered or slightly in need of treatment. Do you want to recode F32 or F34?	Yes/No	Pop-up after F34 is entered. If "Yes", the cursor moves to F32. If "No", cursor moves to F31.
F30, F32, and F34	F30=0 or 00 and F32 and/or F34>0.	In an earlier question (F30), you recorded that the patient had no family conflicts in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Do you want to go back to F30 and identify the number of days the problem has bothered them?	Yes/No	Pop-up after F34 is entered. Cursor moves to F30.
F31, F33, and F35	F31>0 and F33 and/or F35=0	In an earlier question (F31), you recorded that the patient had some conflicts with others in the past 30 days. If this is true, then we would expect that the patient would be at least slightly bothered or slightly in need of treatment for this recent problem. Do you want to recode F33 or F35?	Yes/No	Pop-up after F35 is entered. If "Yes", the cursor moves to F33. If "No", cursor moves to F36.
F31, F33, and F35	F31=0 and F33 or F35>0.	In an earlier question (F31), you recorded that the patient had no conflicts with others in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Do you want to go back to F31 and identify the number of days the problem has bothered them?	Yes/No	Pop-up after F35 is entered. Cursor moves to F31.
P1, P2 and P10a/b	P1 + P2=0 or 00 and P10 a or b (past 30 days or lifetime)=1	You recorded that the patient has not had inpatient or outpatient treatment for psychiatric problems (P1 and P2), yet they have attempted suicide. Please review treatment they may have received for the suicide attempt. Do you want to recode P1 or P2?	Yes/No	Pop-up after P10a and b are entered. If "Yes", the cursor moves to P1. If "No", cursor moves to P11a.
P1, P2 and P11a/b	P1 + P2=0 or 00 and P11 a or b (past 30 days or lifetime)=1	You recorded that the patient has not had inpatient or outpatient treatment for psychiatric problems (P1 and P2), yet they have been prescribed medications for psychiatric problems. Please review treatment they may have received. Do you want to recode P1 or P2?	Yes/No	Pop-up after P11a and b are entered. If "Yes", the cursor moves to P1. If "No", cursor moves to P12.
P3 and E15	E15=0, 00, 000, 0000, or 0000 and P3=1	You recorded that the patient receives a pension for a psychiatric problem (P3). Unless they did not receive any cash this month, this income is generally recorded in the employment question about pension money received (E15). Go back and change E15 in the Employment section.	OK	Pop-up after P3 is entered. Cursor doesn't move.
P4a-P10a and P12	P4a through P10a=0 or 00, and P12>0	You report that the patient has had problems in the past 30 days, but none are recorded in the psychiatric symptom list P4 through P10. Please review P4 through P10, do you want to go back and change the code of any of the symptoms?	Yes/No	Pop-up after P12 is entered. If "Yes", the cursor moves to P4. If "No", cursor moves to P13.

Item #'s	Coding Error	Cross Check Message	Yes/No OK	Cursor movement
P4a-P10a and P12	P4a through P10a>0 and P12=0	You report that the patient has had no problems in the past 30 days, but problems are evident from the psychiatric symptom list P4 through P10, please probe about the number of days these symptoms bothered the client and recode P12.	OK	Pop-up after P12 is entered. Cursor does not move.
P9a and P10a	P9a and/or P10a=1	You report that the client has said they have either suicidal ideation or have attempted suicide in the past 30 days. Probe further for a plan for the suicide and/or dates of the suicide attempt. Notify your supervisor of these responses.	OK	After P10a is entered. Cursor moves to P10b.
P12, P13, and P14	P12>0 and P13 and/or P14=0.	You report that the patient had psychiatric problems in the past 30 days. (P12). Given these problems, we would expect that the patient would be at least slightly bothered or slightly in need of treatment for this recent problem, please recode P13 and/or P14.	OK	After P14 is entered. Cursor moves to P12.
P12, P13, and P14	P12=0 or 00 and P13 or P14>0.	You report that the patient had no psychiatric problems in the past 30 days (P12). If they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Go back to P12 and identify the number of days the symptoms have bothered the client.	OK	After P14 is entered. Cursor moves to P12.

Changing User Preferences

Example: Some system parameters are user-configurable and can be changed by clicking on the **Tools > Options...** menu item.



Default Form Size/Position

When the **Default Form Size/Position option** is checked, this function is used. If it is **not** checked, the Default Form Size/Position that was true when the MHA session was closed the last time is used. The status of the **Default Form Size/Position option** (i.e., checked or not checked) is saved from one MHA session to another, so the Default Form Size/Position settings or the user-preferred settings can always be used. The first time a MHA session is started, the **Default Form Size/Position option** is checked and the default settings are used.

From the Mental Health Assistant window, **click on Tools**, and **click on Default Form Size/Position**. The check-mark symbol displayed beside the **Default Form Size/Position option** toggles on and off and the window size will adjust accordingly.


Speed Tab

The Speed Tab is provided to make data entry faster. ASI Items that require a simple click (or single keystroke) will move to the next item without the user pressing the **Tab** or **Enter** keys. This is particularly helpful on the Social and Psychiatric sections of the ASI.

Highlight Color

The colors depicting the highlighted items on the ASI form can be modified by the user. The default colors are black lettering on a yellow background. To change the foreground or background, use the combo box to select the desired colors. If the user selects the same color for both foreground and background, the item would not be visible and an error message would appear. No checks are conducted for tasteless color choices.

Example: Highlight color-selection form.




Help Menu Options

Opening the ASI Help File

Click on **Help > Contents**... on the help menu, to access the ASI Help file, from the ASI Data Entry Form. The help file for the clinician is opened. This is from the University of Pennsylvania/Veterans Administration Center for Studies of Addiction (1977).


Example: ASI help file.



Using the Help Index

From the ASI Data Entry form, **click on Help Index** on the help menu to access the Help Index. The help file will be opened. This file has information concerning the operation of the program.


Example: ASI Help Index.



Close Form


The user is given several options when exiting the form. 1) The user may return to the form; a graceful way of acknowledging that more work is needed on the ASI. 2) The user may exit the form without saving any data. 3) The user may save the ASI in the intention of finishing it later. 4) Save the ASI and sign it. This option will verify the items for appropriate responses—see business rules—and ensure that the ASI is complete. Once the ASI is verified and saved, the user can provide an electronic signature.

Example: To **close** the ASI Data Entry Form, click on "X" in the form's upper right corner, or press **ALT-F4**, or click on "FILE" on Main Menu, then "Exit". The close menu will appear.




Domain Scores

Example: To view the Domain Scores, **click on Domain Scores** tab. The ASI domain results will be displayed in graph and text form.



Item Trends


To view the Items Trend, click on **Item Trends** tab. Item-level data will be presented in tabular and graphical form across interviews.



Graphing a Different Item

To graph a different item, click on different row in table of item data. The new row will be highlighted and the data for that item will be graphed.

Example: The item was changed from E12 (previous example) to M6 by clicking on the M6 row. M6 data are graphed.



Returning to the Narrative Report View

Example: To return to the Narrative Report View, Click on the **Narrative Report** tab. The original view of the ASI tab is restored.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Tools Help

Addiction Severity Index Manager One Mhpatient
SSN: xxx-xx-2412

New Edit

880 days since last ASI

Date	Type	Ordered By	Status	Signed
12/08/2006	LITE	MHPROVIDER,NEW	Completed	True
06/13/2006	LITE	MHPROVIDER,NEW	Incomplete	False
02/08/2006	LITE	MHPROVIDER,NEW	Completed	True
02/08/2006	LITE	MHPROVIDER,NEW	Ready to sign	False

MHPATIENT,ONE 000-00-2412 ASI LITE on 12/08/2006 by: MHPROVIDER,NEW
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Ms. Mhpatient is a 87 year old White (not Hisp), married female NSC veteran. She lists her religious preference as Protestant. She was admitted to the Consultation/Liaison program on Dec 08, 2006. In the past 30 days, she has not been in a controlled environment. She has lived at her current address for 3 years, 3 months.

This report is based on a interview conducted in person on Dec 08, 2006 by New Mhprovider. Mhpatient completed the interview.

Composite Score

MEDICAL	0.0222
EMPLOYMENT	0.6356

Narrative Report Item Report Item Trends Domain Scores

GAF Manager Functions

Orientation

The GAF Manager gives the user an easy way to enter GAF ratings and to see previous ratings, which are graphed to indicate trends. When entering a new rating, the rating is associated with the GAF rating criteria. It is hoped this association will increase the reliability of ratings and reduce inter-rater variability in the assignment of GAF ratings.

The screenshot shows the 'Global Assessment of Functioning Manager' window. The title bar reads 'Mental Health Assistant in use by MHPROVIDER, ONE'. The menu bar includes 'File', 'Edit', 'View', 'Action', 'Tools', and 'Help'. The patient information is 'One Patient SSN: xxx-xx-2412'. The interface is divided into several sections:

- Main menu:** Located at the top left, containing 'File', 'Edit', 'View', 'Action', 'Tools', and 'Help'.
- Selected patient identification:** Located at the top right, showing 'One Patient SSN: xxx-xx-2412'.
- Title bar:** The top border of the window containing the title and window control buttons.
- Graph:** A line graph showing 'GAF Score' on the y-axis (0 to 100) and dates on the x-axis (01/21/2003, 01/03/2005, 07/19/2006, 12/12/2008). The graph shows a fluctuating trend with a peak near 100 in mid-2006.
- Previous GAFs List:** A table with columns 'Date', 'GAF', and 'Clinician'.

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW
- GAF Criteria Table (score ranges and associated criteria):** A table with columns 'Range' and 'Criteria'.

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene, OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR serious suicidal ideation that is recurrent, suicidal ideation without clear expectation of death; OR in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment of judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR major impairment in several areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).
- GAF entry area:** Located at the bottom, containing a 'New GAF rating' dropdown set to '1', an 'Evaluation Date' dropdown set to '5/ 6/2009', and a 'Save New Rating' button.

Main Menu

The Main Menu offers user functions in the context of the GAF Manager form, such as tools and help.

Selected Patient Identification label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the GAF Manager form will apply to this patient.

Title Bar

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the form's name.

List of Previous GAF Ratings

This is the list of all GAF ratings given to the selected patient. The list is also used for selecting which GAF record to process.

Graph View

The Graph View displays a graphical representation of rating data values over time.

GAF Criteria Table

The GAF Criteria Table is a reference tool for clinicians to enable them to review the different criteria narratives and their associated rating ranges.

GAF Editing Button

The GAF Editing Button is used to edit a saved GAF rating that is still editable or to mark a saved GAF rating as "Entered in error".

New Rating Artifacts

The New Rating Artifacts are a group of controls that are adjusted to save a new GAF rating.


GAF Rating Is Due Alert label

Despite being displayed on MHA3's Main Form, the GAF Rating Is Due alert label is actually a component of the GAF rating activities in MHA3.

GAF Due Notification Message

If the selected patient has no previous GAF ratings or who's most recent rating is older than 90 days, the GAF Is Due alert label is displayed. Otherwise, the label is not displayed.

Example: "GAF rating is due" notification message on MHA's Main Form.



Selecting a Previous Rating

Example: To select a previous rating for processing, click on the row of the desired rating on the table that lists all previous ratings. That row will be highlighted.

The screenshot shows the 'Global Assessment of Functioning Manager' window for a patient with SSN: xxx-xx-2412. The window title is 'Mental Health Assistant in use by MHPROVIDER,ONE'. The menu bar includes File, Edit, View, Action, Tools, and Help. The main area is divided into three sections:

- Table:** A table with columns 'Date', 'GAF', and 'Clinician'. The first row is highlighted in blue. A red arrow points to this row with a red box containing the word 'Click'.

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW
- Graph:** A line graph titled 'GAF Score' showing the patient's GAF score over time from 01/21/2003 to 12/12/2008. The y-axis ranges from 0 to 100. The score starts at approximately 10 in 2003, rises to 54 in early 2005, drops to 28, then rises to 37, 54, 65, 50, 95, 15, and finally 45 in late 2008.
- GAF Criteria:** A table listing GAF score ranges and their corresponding criteria.

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent) OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

At the bottom of the window, there are input fields for 'New GAF rating:' (set to 1), 'Evaluation Date:' (set to 5/ 6/2009), and a 'Save New Rating' button.

Selecting a New Patient

Example: To select a different patient, click on the **File > Select Patient** menu item. After a brief pause, the familiar CPRS patient-selection form is displayed. After selecting a new patient, both CPRS and MHA3 are synchronized and updated to identify the same new patient.

NOTE: Refer to the CPRS documentation for instructions on patient selection procedures.

The screenshot shows the 'Mental Health Assistant' software window. The 'File' menu is open, and the 'Select Patient...' option is highlighted. A red arrow points to this option, and a red box with the word 'Click' is positioned above it. The main window displays a table of patient ratings, a line graph of GAF scores over time, and a table of GAF criteria. At the bottom, there are input fields for 'New GAF rating' (set to 1) and 'Evaluation Date' (set to 5/6/2009), along with a 'Save New Rating' button.

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW

Mark Rating "Entered in Error"

GAF Score

100
80
60
40
20
0

01/21/2003 01/03/2005 07/19/2006 12/12/2008

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

New GAF rating: 1 Evaluation Date: 5/6/2009 Save New Rating

Entering a Rating Using GAF Criteria (Save a new rating)

The GAF Criteria table displays all GAF criteria. When the user starts the GAF Manager for the first time after selecting a new patient, the first row of GAF criteria is selected; a rating of 1 is in the **New GAF Rating** spin edit control, the **Evaluation Date** date-picker is set to today's date, and the Save Rating button disabled. The previous ratings view (above-left) includes a tabular and graphical representation of all previous GAF ratings as well as the rating criteria for the specified new GAF rating.

To save a new rating:

1. Click on one of the Criteria ranges and fine-tune the rating by adjusting the **New GAF Rating** spin-edit.
2. Select a different Evaluation Date, or leave the default date set.
3. Click on the **File > Save New Rating** menu item or the **Save New Rating** button.
4. The rating displayed in the spin edit control will be saved to Vista. The rating will be assigned the date displayed in the Evaluation Date date-picker, and the session user will be the rater. Soon after the new rating is saved, the new rating is displayed in the table and graph on the GAF Manager form.
5. The **Save New Rating** button and menu item will be disabled.
6. The GAF Due notification on the MHA Main Form will not visible.

Example: A rating of 25 is entered for a date of 2/22/2005.

4. Save the new rating

1. Select a rating range

2. Fine-tune the rating

3. Adjust the date, if necessary

4. Save the new rating

One Mhpatient
SSN: xxx-xx-2412

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW

Mark Rating "Entered in Error"

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., suicidal ideation with intent or action) OR persistent inability to maintain minimal personal hygiene OR serious suicidal ideation (e.g., suicidal ideation with intent or action)
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., soiled clothes, smeared feces) OR gross impairment in communication (e.g., largely incoherent or incomprehensible))
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometimes incoherent, acts grossly out of touch with reality) OR gross impairment in function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

New GAF rating: 25 Evaluation Date: 5/ 6/2009 Save New Rating

Entering a Rating Using the Spin Edit Control

To enter or change a rating:

1. Change the rating by typing a number between 1-100 in the spin edit control or by clicking on the up or down arrows.
2. The rating in the spin edit control will change.
3. Alpha characters or numbers outside the 1-100 range are not accepted.
4. The Save Rating button is enabled.

Example: Changing the rating to 25 displays the appropriate criteria row in the Criteria view and enables the **Save New Rating** button.

The screenshot shows the 'Global Assessment of Functioning Manager' window for 'One Mhpatient' with SSN: xxx-xx-2412. The window title is 'Mental Health Assistant in use by MHPROVIDER,ONE'. The menu bar includes File, Edit, View, Action, Tools, and Help.

The main area is divided into two sections:

- Table:** A table with columns 'Date', 'GAF', and 'Clinician'. It contains three rows of data:

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW

 Below the table is a button labeled 'Mark Rating "Entered in Error"'.
- Graph:** A line graph showing 'GAF Score' on the y-axis (0 to 100) and dates on the x-axis (01/21/2003, 01/03/2005, 07/19/2006, 12/12/2008). The graph shows a fluctuating red line representing the patient's GAF score over time.

Below the main area is the 'GAF Criteria' section, which is a table with two columns: 'Range' and 'Criteria'. The row for the range '21-30' is highlighted in blue. A red arrow points from this row to the 'New GAF rating' spin edit control at the bottom of the window.

The 'GAF Criteria' table is as follows:

Range	Criteria
1-10	Persistent danger of severely hurting self or others OR persistent inability to maintain minimal personal hygiene OR serious suicide risk
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

At the bottom of the window, there is a 'New GAF rating' spin edit control with the value '25' entered. To its right is an 'Evaluation Date' dropdown menu showing '5/ 6/2009'. A 'Save New Rating' button is located to the right of the date dropdown.

A red box with the text 'Fine-tune the rating' is overlaid on the criteria table, with a red arrow pointing from it to the spin edit control.

Changing the Evaluation Date

To change an evaluation date:

1. Click on the down arrow of the Evaluation Date date-picker
2. Clicking on the down arrow produces a calendar artifact.
3. Clicking on a previous date inserts the new date into the date-picker text box.
4. Future dates cannot be selected.
5. Select a new date

Example: Clicking on the down arrow produces a calendar with the current evaluation date selected (today's date is the default). Click on the left arrow at the top of the calendar to go to a previous month. Click on today's date or an earlier date to select it as shown in the following example.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Action Tools Help

Global Assessment of Functioning Manager One Mhpatient
SSN: xxx-xx-2412

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW

Mark Rating "Entered in Error"

GAF Score

100
80
60
40
20
0

01/21/2003 01/03/2005 07/19/2006 12/12/2008

GAF Criteria

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain personal hygiene (e.g., smears feces) OR gross impairment in judgment (e.g., sometime incoherent or grossly disorganized) OR inability to function in almost all areas (e.g., stay in one place for more than a few days).
21-30	Behavior is considerably influenced by delusions or hallucinations (e.g., preoccupation with delusions or gross impairment in communication or judgment) OR inability to function in most areas (e.g., stay in one place for more than a few days).
31-40	Some impairment in reality testing or judgment (e.g., illogical, obscure, or irrelevant conclusions) OR major impairment in several areas (e.g., depressed man avoids friends, family, and work; child frequently beats up younger siblings; man forgets names of friends; child frequently beats up younger siblings; man forgets names of friends; OR child frequently beats up younger siblings; OR man forgets names of friends; OR child frequently beats up younger siblings).

◀ May, 2009 ▶

Sun	Mon	Tue	Wed	Thu	Fri	Sat
26	27	28	29	30	1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31	1	2	3	4	5	6

Today: 5/6/2009

New GAF rating: 25 Evaluation Date: 5/ 6/2009 Save New Rating

Adjust the date,
as necessary

Saving a Graph or a Table to a File

Example: To save data to a file, click on **File > Save As** menu item and save one graph and one table. A message dialog appears that allows the user to enter a filename and storage location for the table or graph file to be saved. A graph is saved as a bitmap and a table is saved as an Excel file.


The screenshot shows the 'Mental Health Assistant' window. The 'File' menu is open, and the 'Save As...' option is selected, which has opened a sub-menu with 'Graph' and 'Table' options. A red arrow points to the 'Table' option, and a red box with the word 'Click' is positioned above it. The main window displays a 'GAF Score' line graph and a 'GAF Criteria' table.

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

New GAF rating: Evaluation Date:

Example: Save As form.



Printing a Graph or a Table

Example: To print a GAF graph or table, click on **File > Print** menu item and print one graph and one table. A copy of the table or the graph is sent directly to the default printer.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER,ONE' window. The 'File' menu is open, and the 'Print...' option is selected, which has opened a sub-menu with 'Graph' and 'Table' options. A red arrow points from a red box labeled 'Click' to the 'Table' option. The main window displays a table of GAF scores, a line graph of GAF scores over time, and a section for GAF Criteria. At the bottom, there are input fields for 'New GAF rating' (set to 25) and 'Evaluation Date' (set to 5/6/2009), along with a 'Save New Rating' button.

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW

Mark Rating "Entered in Error"

GAF Score

100
80
60
40
20
0

01/21/2003 01/03/2005 07/19/2006 12/12/2008

GAF Criteria

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

New GAF rating: 25 Evaluation Date: 5/6/2009 Save New Rating

Exiting the GAF Manager Form

Example: To exit the GAF Manager form, click on **File > Exit** menu item. You can also press the “ESC” key or click on the “X” in the upper right-hand corner of the form. The GAF Manager form closes and user is returned to the MHA3 Main form.

The screenshot shows the 'Mental Health Assistant in use by MHPROVIDER,ONE' window. The 'File' menu is open, with 'Exit' highlighted. A red arrow points to 'Exit' with a red box containing the word 'Click'. The main area displays the 'GAF Manager' form for 'One Mhpatient' with SSN: xxx-xx-2412. It includes a table of GAF scores, a line graph of GAF scores over time, and a table of GAF criteria.

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW

Mark Rating "Entered in Error"

GAF Score

100
80
60
40
20
0

01/21/2003 01/03/2005 07/19/2006 12/12/2008

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

New GAF rating: 25 Evaluation Date: 5/ 6/2009 Save New Rating

Copying a Graph or a Table to the Windows Clipboard

Example: To copy data to the clipboard, click on **Edit > Copy** menu item and copy to clipboard one graph and one table. A copy of the table or the graph is sent to the Clipboard. The contents of the Clipboard can be pasted onto an MS Word or Excel document.

Global Assessment of Functioning Manager

One Mhpatient
SSN: xxx-xx-2412

Date	GAF	Clinician
02/03/2005	54	MHPROVIDER,NEW
02/01/2005	28	MHPROVIDER,NEW
01/21/2005	37	MHPROVIDER,NEW

Mark Rating "Entered in Error"

GAF Score

100
80
60
40
20
0

01/21/2003 01/03/2005 07/19/2006 12/12/2008

GAF Criteria

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

New GAF rating: 25 Evaluation Date: 5/ 6/2009 Save New Rating

Example: Message displayed after copying to the clipboard.

Mental Health Assistant

The table has been copied to the Windows clipboard.
If you like, you may paste it into an open MS Excel spreadsheet.

OK

Marking a Rating Entered in Error

NOTE: Only GAF ratings previously entered by you may be modified. This applies to entering ratings in error as well as changing or deleting a rating.

Example: To mark a rating as “entered in error”, select a rating from the list of previous ratings table. Click on the **Action > Mark Rating “Entered in Error”** menu item. The **Mark Rating “Entered in Error”** button does the same thing.

The screenshot shows the 'Global Assessment of Functioning Manager' window. The title bar reads 'Mental Health Assistant in use by MHPROVIDER,ONE'. The menu bar includes 'File', 'Edit', 'View', 'Action', 'Tools', and 'Help'. The 'Action' menu is open, showing 'Save New Rating' and 'Mark Rating "Entered in Error"'. A red box labeled '2. Click' points to the 'Mark Rating "Entered in Error"' menu item. Below the menu, a table lists previous ratings:


Date	GAF	Clinician
05/06/2009	25	MHPROVIDER,ONE
12/15/2008	77	MHPROVIDER,ONE
12/12/2008	45	MHPROVIDER,ONE

A red box labeled '1. Select' points to the row with date '12/15/2008' and GAF '77'. Below the table is a button labeled 'Mark Rating "Entered in Error"'. To the right of the table is a line graph titled 'GAF Score' showing scores over time from 01/21/2003 to 12/12/2008. The y-axis ranges from 0 to 100. The graph shows a fluctuating line with points at approximately (01/21/2003, 10), (01/03/2005, 50), (07/19/2006, 90), and (12/12/2008, 20). Below the graph is a 'GAF Criteria' section with a table:

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

At the bottom of the window, there is a 'New GAF rating' field with a dropdown set to '1', an 'Evaluation Date' field with a dropdown set to '5/ 6/2009', and a 'Save New Rating' button.

Example: A warning message appears. **Click YES** to mark the selected rating by marking with strikethrough the rating text in the table. **Click NO** to abort any changes.



Example: Rating marked as entered in error, labeled in strikethrough text.

The screenshot shows the 'Global Assessment of Functioning Management' window for a patient with SSN: xxx-xx-2412. The window title is 'Mental Health Assistant in use by MHPROVIDER,ONE'. The menu bar includes File, Edit, View, Action, Tools, and Help. The main content area is divided into three sections:

- Table:** A table with columns 'Date', 'GAF', and 'Clinician'. The first row is highlighted in blue and shows a date of 05/06/2009, a GAF score of 25, and the clinician MHPROVIDER,ONE. A red box with the text 'Marked "Entered in Error"' is overlaid on this row, with a red arrow pointing to the GAF score '25'. The second row shows a date of 12/15/2008, a GAF score of 77, and the clinician MHPROVIDER,ONE. The third row shows a date of 12/12/2008, a GAF score of 45, and the clinician MHPROVIDER,ONE. Below the table is a button labeled 'Change/Delete Rating'.
- Line Graph:** A line graph titled 'GAF Score' showing the patient's GAF score over time. The x-axis represents dates from 01/21/2003 to 12/12/2008. The y-axis represents the GAF Score from 0 to 100. The graph shows a fluctuating line with points at approximately (01/21/2003, 10), (01/03/2005, 55), (01/03/2005, 10), (01/03/2005, 65), (07/19/2006, 95), (07/19/2006, 15), and (12/12/2008, 45).
- GAF Criteria Table:** A table with columns 'Range' and 'Criteria'. It lists four ranges of GAF scores and their corresponding clinical criteria.

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

At the bottom of the window, there is a 'New GAF rating' field with a dropdown menu set to '1', an 'Evaluation Date' field with a dropdown menu set to '5/ 6/2009', and a 'Save New Rating' button.

Changing or Deleting a Rating

NOTE: A GAF rating may only be changed or deleted within two days of the date of the initial rating. After two days, the rating may only be marked in error. Ratings allowing modification or deletion are indicated in the table by bold text.

NOTE: Only GAF ratings previously entered by you may be modified. This applies to entering ratings in error as well as changing or deleting a rating.

Example: To delete or change a rating, select a rating which can be deleted or changed from the list of previous ratings. Click on **Action > Change/Delete Rating** menu item. A message dialog appears that allows the user to either delete or change the rating of the selected GAF. Any change or deletion is reflected in the updated ratings table. User may abort changes before they are saved.

The screenshot shows the 'Mental Health Assistant' software interface. The title bar reads 'Mental Health Assistant in use by MHPROVIDER,ONE'. The menu bar includes 'File', 'Edit', 'View', 'Action', 'Tools', and 'Help'. The 'Action' menu is open, showing 'Save New Rating' and 'Change/Delete Rating'. A red box with the word 'Click' and an arrow points to the 'Change/Delete Rating' option. Below the menu, the text 'Global Assessment of Functioning Manager' is visible, along with 'One Mhpatient SSN: xxx-xx-2412'. A table displays GAF ratings:

Date	GAF	Clinician
05/06/2009	25	MHPROVIDER,ON
12/15/2008	77	MHPROVIDER,ONE
12/12/2008	45	MHPROVIDER,ONE

Below the table is a line graph showing 'GAF Score' on the y-axis (0 to 100) and dates on the x-axis (01/21/2003, 01/03/2005, 07/19/2006, 12/12/2008). The graph shows a fluctuating line with points at approximately (01/21/2003, 10), (01/03/2005, 50), (01/03/2005, 10), (01/03/2005, 60), (07/19/2006, 95), (07/19/2006, 15), and (12/12/2008, 45). Below the graph is a 'GAF Criteria' table:

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

At the bottom of the interface, there is a 'New GAF rating:' field with a dropdown menu set to '1', an 'Evaluation Date:' field with a dropdown menu set to '5/ 6/2009', and a 'Save New Rating' button.


Example: Rating which may be deleted or changed, labeled in bold text.

Date	GAF	Clinician
05/06/2009	25	MHPROVIDER,ON
12/15/2008	77	MHPROVIDER,ONE
12/12/2008	45	MHPROVIDER,ONE

Change/Delete Rating

GAF Criteria

Example: Deleting a rating




Example: Changing a rating

Date	GAF	Clinician
05/06/2009	25	MHPROVIDER.ON
12/15/2008	77	MHPROVIDER.ONE
12/12/2008	45	MHPROVIDER.ONE

Change/Delete Rating

GAF Criteria



Access Copyright Information

Example: To access GAF copyright information, click on **Help > Copyright Info** menu item. The Copyright information message dialog is displayed.

Global Assessment Manager

One Mhpatient
SSN: xxx-xx-2412

Date	GAF	Clinician
05/06/2009	25	MHPROVIDER.ON
12/15/2008	77	MHPROVIDER.ONE
12/12/2008	45	MHPROVIDER.ONE

Change/Delete Rating

GAF Score

GAF Criteria

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).

New GAF rating: Evaluation Date:

Example: Copyright information message dialog.

Mental Health Assistant


GAF criteria: Reprinted with permission from the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition.
Copyright 1994 American Psychiatric Association.

OK

User Preferences Functions

Orientation

Example: The User Preferences form enables the user to customize the manner in which several functions are performed and displayed in MHA3. Additionally, the font and display functions are an attempt to comply with Section 508 requirements in MHA3's user interface.



Form Title

The Form Title simply identifies the form.

Navigation Tabs

The Navigation Tabs are used to access the various functions that are distributed across three panels.

Editing Panel

The Editing Panel displays the various artifacts that the user manipulates to make adjustments to preferences. There are three panels, but only one of them is visible at any one time.

Command Buttons

The Command Buttons are used to either cancel all actions or close the window and save the changes made.

Changing MHA3System Font


There are three types of fonts that the user may select to provide the best viewing comfort possible: The CPRS Font, the Windows Font, or a New Font. Selecting the CPRS Font will change MHA3's font to match that with CPRS uses. If the user is comfortable with the CPRS font, then this may be a good choice. The Windows Font is the "default" Windows font. This font is used by the other programs on the system too. The New Font option enables the user to select from any of the fonts found on the PC. With this option it is possible to change font characteristics, such as size and bold, etc. In most cases, the font will not need to be changed from the one offered initially by MHA3. To change Font options:

1. Click on any of the three font Option Buttons.
2. Click on the **Done** button

Example: Font tab. Clicking on **Cancel** ignores any choices made.




Example: If the New Font Option Button is selected, the New Font selection prompt is displayed.



Changing the Displayed Highlight Colors on the All-Questions Data-input Form

As a navigational aide, the selected question on the All-Questions form is highlighted with a different color from the form's color. This color can be changed by choosing the Highlight Color tab and selecting colors from the artifacts on the Editing Panel.

Example: Highlight Color tab. Clicking on **Cancel**, ignores any choices made.




Toggling Visual Feedback On/Off

Visual Feedback displays error messages in addition to sound beeps.

1. Click on the **Miscellaneous tab**
2. Click on the **“Provide visual feedback...”** Option Button, so that a checkmark is displayed.

Example: Miscellaneous tab. **Clicking on Cancel** ignores any choices made.




Toggling Speed Tab On/Off

Speed Tab is a feature that some users may prefer to enable them to increase data entry speed. Speed Tab is actually an automatic “Tab” key press that is triggered after the user makes a choice from a question with multiple choice answers. This saves the user from having to press the Tab key to move on to subsequent questions on the form. However, the Speed Tab option has no effect on Multiple-Line Text Boxes, Single-Line Text Boxes and Spin Boxes.

To toggle Speed Tab:

1. Click on the **Miscellaneous tab**
2. Click on the “**Speed Tab...**” Option Button, so that a checkmark is displayed
3. Click on the **Done** button
4. Speed Tab functions are enabled in the data-entry forms, based on whether the checkmark was visible at the time of clicking on the **Done** button.

Example: Miscellaneous tab. clicking on **Cancel**, ignores any choices made.




Toggling Maintain Original Font on/off

The Original Font is maintained, based on whether the checkmark is set for this toggle. To set this toggle:

1. **Click** on the **Miscellaneous tab**.
2. **Click** on the “**Maintain Original font...**” Option Button, so that a checkmark is displayed.

Example: Misc. tab. Clicking on **Cancel** ignores any choices made



Off-line Administrations Functions


Orientation

Most users are likely to use MHA3 in the standard way, that is, by administering instruments while their computer is connected to a VistA system. However, MHA3 offers “off-line” testing features for users needing such functionality, such as at CBOCs. Off-line testing enables the user to administer an instrument when the user’s computer is not able to connect to a Vista system, temporarily saving the administration’s results in an encrypted local file. When a user returns to the office and resumes a connection to VistA, the user is asked to match the off-line patient information for a selected administration with the Vista patient information. If the user is satisfied with the match, the results can be uploaded to VistA, at which time the temporary local file is deleted.

The only way that MHA3 can connect to Vista is by being “launched” from the CPRS Tools menu. This is different from previous versions of MHA. So, to invoke MHA3 for off-line use, users will need to double-click on the Mental Health Assistant icon on the desktop.

Stored Off-line administrations are not useful until they are uploaded to Vista, at which time they become part of the patient’s official record.

Example: There are two principal forms that are used for processing off-line administrations. The Off-line Patient Manager is used while disconnected to VistA, while the Off-line Results Synchronizer is used once a connection to VistA is restored.



Patient Selector

The Patient Selector Drop-Down List Box is used to choose from a list of existing off-line patients.

Patient Edit Area

The Patient Edit Area contains the input artifacts that are used to edit and display patient information.

New button

The New button is used to prepare the form for entering information about a new patient.

Delete button

The Delete button removes the selected patient from the list of patients and deletes the local record.

Cancel button

The Cancel button closes the Off-line Patient Manager without selecting a patient.

Ok button

The Ok button selects the current patient for processing of off-line administrations.

Off-line Results Synchronizer


To use the Off-line Results Synchronizer, the following must be true:

- The PC is connected to Vista.
- MHA3 is launched from the CPRS Tools menu.
- The user has previously administered at least one off-line instrument that has not yet been uploaded to Vista.

The following functionality is restored once connected to Vista:

- Instruments Ordered-by selection
- Interviewer selection
- Visit Location selection
- Online Support

Example: Off-line Synchronizer.



Main Menu

The Main Menu offers user functions in the context of the Off-line Results Synchronizer form, such as file and help.

Off-line Records List

This is the list of all tests that have been administered off-line, which haven't been uploaded to Vista yet. The list is used to select which administration to process.

CPRS Patient Search Panel

This group of artifacts is used to search for, and list, CPRS (VistA) patients which closely match the off-line patient that is selected in the Off-line Records List.

Patient Match Panel

This panel displays a table on which both the off-line and CPRS patient information is shown side-by-side to aid in determining the possibility of a match. All of the off-line patient information is assumed to come from the patient during an interview. In most cases, the information provided will be a perfect match to the information in Vista for the same patient. This matching scheme is a way for the clinician to verify that it is the same patient and to make any adjustments for typos and other minor errors.

Delete Off-line Record Button

This button triggers the deletion of the currently-selected off-line administration record. A confirmation prompt is displayed before deleting the record.

Upload Button

This button starts the process of uploading to Vista the currently-selected record.

Exit button

The Exit button closes the Off-line Results Synchronizer form.

Starting MHA3 in off-line mode from the desktop icon

To start MHA3 for off-line use:


1. Locate the **Mental Health Assistant 3** icon, as pictured below, on the Windows Desktop
2. Double-click the icon
3. Click on the **Yes** button on the “**Do you want to work off-line**” prompt.
4. Clicking on **Yes** causes the Off-line Patient Manager form to display.

Clicking on the **No** button aborts MHA3.

Example: The Mental Health Assistant icon on the Windows Desktop.



Example: “Do you want to work off-line” prompt



Selecting an Existing Patient from the Drop-Down List Box

To select an existing off-line patient record:

1. **Click** on the down-arrowhead to open up the Drop-Down List Box
2. **Click** on the name of the desired patient.

Example: The patient selected becomes the active patient on the Drop-Down List Box. Demographic information belonging to the selected patient fills the form.

Mental Health Assistant

Off-Line Patient Manager

Select existing off-line patient

MHPATIENT, ONE
MHPATIENT, ONE
MHPATIENT, TWO

First Name: ONE
Last Name: MHPATIENT
SSN: 000-00-2412
DOB: 3/ 5/1992
Sex: Male Female

New Delete Cancel OK

1. Click to open

2. Click to make a selection

Adding and Selecting a New Off-line Patient

To add a new patient to the list of off-line patients:


1. **Click** on the **New** button.
2. **Enter** the new patient information in the corresponding fields.
3. **Click** on the **Ok** button.

Example: The data entry fields are cleared and appear blank and ready for input. After clicking on the **Ok** button, the user is presented in the Instrument Administrator form

2. Enter patient information in provided fields

3. Click, to save patient and administer an instrument

Example: Instrument Administrator form.




Selecting a Different Off-line Patient from the Instrument Administrator Form

To select another off-line patient from the Instrument Administrator form:

1. From the **Instrument Administrator** form, click on **File > Select Patient...** menu option.
2. The **Off-line Patient Manager** form is displayed, offering an opportunity to choose a different existing or new patient.
3. Choose a different off-line patient from the **Off-line Patient Manager** form. After selecting another patient, and clicking **Ok**, the new selected patient is identified.

Example: Instrument Administrator Form.



Example: Off-line Patient Manager Form.

Mental Health Assistant

Off-Line Patient Manager

Select existing off-line patient

MHPROVIDER, THREE

MHPATIENT, ONE

MHPATIENT, TWO

MHPROVIDER, THREE

2. Click

First Name: THREE

Last Name: MHPROVIDER

SSN: 666-12-3456

DOB: 8/10/1960

Sex: Male Female

3. Click


New Delete Cancel OK

Deleting an Existing Off-line Patient


To delete an off-line patient:

1. **Select** the name of an off-line patient using the Drop-Down List Box.
2. **Click** on the **Delete** button.
3. The delete warning message is displayed
4. Click on **Yes** to delete the selected patient from the list OR **click** on the **No** tab to abort the deletion.

Example: Selecting the name of an off-line patient using the Drop-Down List Box.



Example: Delete warning message.



Canceling Selection of an Off-line Patient


To exit the Off-line Patient Manager without selecting a patient:

1. Click on the **Cancel** button.
2. The cancel warning message is displayed.
3. Respond with **Yes** to the cancel warning message prompt.
4. Clicking on **Yes** closes the **Off-line Patient Manager form**.
5. Clicking on **No** returns to the **Off-line Patient Manager form**.

Example: Exiting the Off-line Patient Manager without selecting a patient.



Example: Cancel warning message prompt



Selecting an Existing Off-line Patient from the Off-line Patient Manager

Patients that are already included in the list of existing patients may be selected:

1. **Select** the name of an off-line patient using the Drop-Down List Box
2. **Click** on the **Ok** button
3. The **Off-line Patient Manager** form is closed

Example: Off-line Patient Manager Form.

Mental Health Assistant

Offline Patient Manager

Select existing off-line patient

MHPATIENT, FIFTY

MHPATIENT, FIFTY

MHPATIENT, SIXTY

First Name: FIFTY

Last Name: MHPATIENT


SSN: 000-00-0100

DOB: 5/ 5/1955

Sex: Male Female

New Delete Cancel OK


Example: Instrument Administrator form, shown as modified for off-line use. The **Instrument Administrator** form is displayed, identifying the selected off-line patient. After completing and saving the administration in the Instrument Administrator, the exit reminder prompt is displayed. MHA3 shuts down, as expected



The following functionality is disabled in off-line operating mode:

- Instruments Ordered-by selection
- Interviewer selection
- Visit Location selection
- METRIC Instruments Reviews
- Battery Wizard
- Instrument Description
- Online Support

Example: Exit reminder prompt.




Recognizing the Availability of Off-line Administrations, and Initiating the Upload Process

If any records exist on the PC that was administered off-line, the user is reminded about them once MHA3 is launched from the CPRS Tools bar. A notification prompt is displayed and the user is offered a choice to upload these records at this time.

To upload existing off-line records:

1. Start CPRS
2. Invoke MHA3 from the CPRS Tools menu
3. If any off-line administration files are found on the PC, the “Do you want to upload to VistA...” prompt is presented. Otherwise, uploading functionality is bypassed and MHA3 starts up in normal VistA mode.
4. Uploading the confirmation prompt.

Example: Click on the **Yes** button, on the “Do you want to upload to VistA...” prompt. After clicking on **Yes**, the Off-line Results Synchronizer form is displayed.



1. After clicking on **Yes**, the Off-line Results Synchronizer form is displayed. Clicking on the NO button cancels the upload process and starts MHA3 in normal Vista mode. Clicking on the Yes button displays the Off-line Results Synchronizer form.

Example: Off-line Results Synchronizer form.

Mental Health Assistant

File Help

Off-Line Results Synchronizer

Pick an off-line record, find a matching patient in CPRS, and upload the record.

Off-Line Records					
Name	SSN	DOB	Sex	Instrument	Date
MHPATIENT, ONE	000-00-2412	03/05/1992	FEMALE	DIT-2005	04/22/2005
MHPATIENT, ONE	000-00-2412	03/05/1992	FEMALE	CAGE	04/22/2005
MHPATIENT, TWO	000-00-8455	04/10/1940	FEMALE	AUDC	04/22/2005

Search for Matching CPRS Patient

Search for:

Enter some or all the letters of last name, or SSN, or the first letter of the last name plus last four digits of SSN. Search results below (click on name to select).

Name	SSN	DOB	Sex
MHPATIENT, ONE	000-00-2412	2/1/1922	FEMALE

Results of Match

	Off-Line Patient	CPRS Patient
Name	MHPATIENT, ONE	MHPATIENT, ONE
SSN	000-00-2412	000-00-2412
DOB	03/05/1992	2/1/1922
Sex	FEMALE	FEMALE

Match Confidence Level: Good

Selecting an Off-line Record for Uploading

To select a record for uploading to VistA, click on the desired record from those presented on the **Off-line Records** list.

1. The clicked-on record becomes the selected record
2. The left column of the **Results of Match** grid is populated with demographic information from the selected off-line patient's record.
3. A search in the CPRS database is automatically triggered, to find and list the closest matching CPRS patient(s) on the **CPRS Patient Search Panel**
4. The right column of the **Results of Match** grid is populated with demographic information from the selected CPRS patient's record.
5. If more than one CPRS patient match is found, the first one in the list is automatically selected, although it may not necessarily be the best match.

Example: Off-line Records list contains records.

Click

Off-Line Records						
Name	SSN	DOB	Sex	Instrument	Date	
MHPATIENT, ONE	000-00-2412	03/05/1992	FEMALE	CAGE	04/22/2005	↑
MHPATIENT, ONE	000-00-2412	03/05/1992	FEMALE	AUDIT	04/22/2005	↑
MHPATIENT, TWO	000-00-8455	04/10/1940	FEMALE	AUDC	04/22/2005	↓

Searching for a Matching CPRS Patient

There are two kinds of search methods available for finding a matching CPRS patient: The automatic initial search and a manual search.

The automatic initial search uses a text filter that is built from the selected off-line patient's first letter of the last name, followed by the last four of the SSN—the same way it is done in VistA. This text filter is automatically placed in the “**Search for**” Text Box, and is used for the initial search, which is triggered automatically.

Occasionally, the automatic initial search returns no results or returns poor matching results. In this case, the search text filter may be changed to customize a new result set. To start a manual search, replace the text in the **Search for** Text Box, and click on the **Go** button to trigger a new search, and a refreshed listing of possible matches.

Any text may be entered into the **Search for** Text Box, however, the patient's last name or the default search text typically works best.

Example: The CPRS Patient Search Panel with search results.

The screenshot shows a window titled "Search for Matching CPRS Patient". At the top, there is a text input field labeled "Search for:" containing the text "M2412". To the right of this field is a button labeled "Go". A red arrow points from a red box labeled "2. Click" to the "Go" button. Below the input field is a blue instruction text: "Enter some or all the letters of last name, or SSN, or the first letter of the last name plus last four digits of SSN. Search results below (click on patient name to view details)". A red arrow points from a red box labeled "1. Enter custom search filter" to the "Search for:" text box. Below the instruction text is a table with the following data:

Name	SSN	DUB	Sex
MHPATIENT, ONE	000-00-2412	2/1/1922	FEMALE

A red arrow points from a red box labeled "List of possible matches" to the table.

Evaluating the results of a possible match

After a search, hopefully the off-line patient’s demographic information results in an obvious match to the CPRS Patient, based on information stored in Vista. However, there will be exceptions, in which case the user is forced to make a judgment of whether there is a valid match or not. To aid in making this decision, the “Results of Match” grid displays information about the Off-Line Patient and the selected CPRS Patient.

Example: Results of Match grid with data from two patients.


	Off-Line Patient	CPRS Patient
Name	MHPATIENT, ONE	MHPATIENT, ONE
SSN	000-00-2412	000-00-2412
DOB	03/05/1992	2/1/1922
Sex	FEMALE	FEMALE

Match Confidence Level: Good


The “Results of Match” grid showing the Off-line and CPRS patients.

While MHA3 offers a calculated evaluation of the match, it is ultimately the user’s responsibility to decide on the validity of a match before uploading results to Vista

Example: A poor match: No patient was found in the VistA database that matches the search text. The “Search for” text filter must be changed, and a new search initiated. Try the last name.



Example: A good match: Three out of four fields match perfectly, and the search results list a single patient. It's possible that the unmatched field is the result of a typo or other type of data-entry mistake.




Uploading an Off-line Record to VistA


To upload a record to VistA:

1. Verify that the patient on the selected record is one that matches the CPRS patient.
2. **Click** on the **Upload** button.
3. **Click Yes** on the upload confirmation prompt
4. The additional required information prompt is displayed.
5. Enter the additional required information at the prompt, and then **click Ok**. The upload confirmation prompt is displayed.
6. The selected administration record is uploaded to VistA.
7. After uploading the record, the record is removed from the list of off-line records, which means that the record was deleted from the local file system too.


Example: To upload a record to VistA.



Example: Upload confirmation prompt. Responding with “No” will abort the upload.



Example: Additional required information prompt requesting Ordered By, Interviewer and Visit Location data. Change accordingly and then click Ok.




Deleting an Off-line Record

WARNING: Off-line records, by definition, have not been uploaded to VistA. Deleting a record cannot be undone.


To delete an off-line record:

1. **Select** the record to be deleted.
2. **Click** on the **Delete off-line Record** button.
3. The delete confirmation prompt is displayed.
4. **Click** on the **Yes** button on the delete confirmation prompt.

Example: The selected record is removed from the list of records and from the local file system.




Example: Delete confirmation prompt. Clicking on No will abort deleting the record.



Exiting the Off-line Results Synchronizer Form

Example: To exit the **Off-line Results Synchronizer** form, **click** on the **Exit** button, or select File > Exit from the main menu. The Off-line Results Synchronizer form is closed and the MHA3 main form is displayed.



Single-Instrument Administrator Functions


Orientation

The Single-Instrument Administrator is useful when the goal is to quickly and frequently administer only one instrument and there is no need to select from a list of other instruments or batteries.

Using the Single-Instrument Administrator bypasses the MHA3 Main form and the Instrument Administrator and proceeding directly to administering the instrument.

The Single-Instrument Administrator can only be invoked from the CPRS Tools menu and requires the Clinical Applications Coordinator to configure the Tools menu in VistA. See the Appendix F for instructions on how to add the name of the instrument to the CPRS Tools menu.

Example: The CAGE as viewed from the Single-Instrument Administrator.



Main Menu

The Main Menu offers user functions in the context of the Single-Instrument form, such as tools and help.

Selected Patient Identification Label

The Selected Patient Identification label displays information about who is the currently-selected patient within MHA3. All functions performed in the Single-Question form will apply to this patient.

Instrument's Name

The Title Bar is a visual artifact that is used throughout MHA3 to display information about the context that applies to the current activity. In this case, the Title Bar displays the current instrument's name.

List of Previously-Administered Tests

This is the list of all tests that have been administered to the selected patient. The list is also used for selecting which administration to process.

Report View

The Report View displays an administration report in textual form, based on the patient's data stored in VistA for the selected administration.

The Navigation Tabs

These tabs are used to switch between report and graph/table view.

New button

The New button is used to start a new administration for the selected patient.

Edit Button

In the case that the selected administration is "editable", based on how long ago it was administered, the Edit button becomes enabled and can be used to trigger editing of the selected administration.

Graph & Table

Graph View

Example: The **Graph View** displays a graphical representation of test data values over time.





Table View

The **Table View** represents the same data as the Graph View, except that it is in table format. The Table View also functions as a means for selecting which administrations and characteristics to represent on the graph.

Example: The **Splash** screen is shown upon start up.



Invoking the Single-Instrument Administrator from the CPRS Tools Menu

The only way to invoke the Single-Instrument Administrator is from the CPRS Tools menu. In addition to the Mental Health Assistant, individual instrument types may be added to the CPRS tools menu, from which the Single-Instrument Administrator is started for any particular instrument type. To configure single instruments on the CPRS Tools menu, The Clinical Applications Coordinator needs to add a set of parameters to the user's VistA CPRS GUI Tools menu. See Appendix F for instructions.


NOTE: If the instrument's name entry is missing from the Tools menu, users should contact their Clinical Applications Coordinator for assistance.

In the following example, to start CAGE, start CPRS first. Then, once CPRS has settled, click on the **Tools** menu item, followed by a click on the **CAGE** menu item.

If CAGE starts normally, the "splash" form is displayed briefly, followed by the Single-Instrument Manager form, as shown below.

NOTE: If CAGE asks the user to logon to VistA again, users should contact their local IRM to inquire about the availability of Single Sign-on.

Example: The CAGE instrument type is started in the Single-Instrument Administrator.



Example: The Single-Instrument Administrator form.

The screenshot shows a software window titled "Mental Health Assistant in use by MHPROVIDER, ONE". The main content area is titled "CAGE" and displays patient information: "One Mhpatient" and "SSN: xxx-xx-2412".

Below the title, there is a section for "Administrations" with a table listing several entries. To the left of the table are "New" and "Edit" buttons.

Date Given	Date Saved	Ordered By	Status
11/16/2006	11/16/2006	Mhprovider,New	Complete
10/31/2006	10/31/2006	Mhprovider,New	Complete
10/30/2006	10/30/2006	Mhprovider,New	Complete
10/30/2006	10/30/2006	Mhprovider,New	Complete
10/26/2006	10/26/2006	Mhrovider New	Complete

Below the table is a large text area containing the following text:

```

000-00-2412  MHPATIENT, ONE          F AGE 87 05/06/2009 12/02/2008
                PRINTED      ENTERED

        --- CAGE ---
        S C A L E  RAW

        Total          3
A total score of 2 or greater is considered clinically significant.

Not valid unless signed: Reviewed by .....
Printed by: MHPROVIDER, ONE
Ordered by: MHPROVIDER, TWELVE


***eop***

000-00-2412  MHPATIENT, ONE          F AGE 87 05/06/2009 12/02/2008
                PRINTED      ENTERED
    
```


At the bottom of the window, there are two buttons: "Report" and "Graph & Table".

Starting a New Administration

Example: To start a new administration, click on **File > New...** or click on the **New** button.




Example: The Instrument Administrator form for a single-type of instrument. This form combines the instrument Administrator and the Instrument Results Review functions on a single form.



Selecting Another Patient


Example: To select another patient, **click** on the **File > Select Patient...** menu item. The CPRS patient-selection dialog box is displayed and the user is able to select a different patient, after which the MHA patient synchronizes with the CPRS patient.




Saving a Graph, Report, or a Table to a File

To save a graph, report or table, **click** on **File > Save As...** menu item and then click on Graph, Report or Table. To save a graph or a table, the “Graph and Table” tab must be selected first.

Example: A Mental Health Assistant message dialog appears that asks the user to enter a filename and storage location for the table, report or graph file to be saved. A graph is saved as a bitmap, a table is saved as an Excel file and a report is saved as a text file.




Example: Save As form.




Printing a Graph, Report, or Table

Example: To print a graph, report or table, **click** on **File > Print** menu item and then click on Graph, Report or Table. A copy of the table, report or graph is sent directly to the default printer.




Copying a Graph, Report, or Table to the Windows Clipboard

Example: To copy a report, graph or table to the Windows clipboard, click on **Edit > Copy** menu item and then click on Graph, Report or Table. A copy of the table, report or graph is sent to the Clipboard. The contents of the Clipboard can then be pasted onto an MS Word or Excel document.




Example: The **Mental Health Assistant** message dialog box is display after copying to the clipboard.




Switching View from Reports to Graph & Table and Back

Example: To switch between views, **click on View > Reports** and **View > Graph & Table** to switch between views on the form. The navigation tabs at the bottom-left of the form serve the same purpose.



Switching to MHA3 Main Menu

Example: While the Single-Instrument Administrator initially bypasses MHA3 Main form, it offers a way to return to the Main form. **Click** on the **Action > MHA Main Menu** item.




Editing an Existing Editable Administration

To edit an administration:


1. If the selected administration is editable the **Edit** button will be enabled.
2. Find and select an editable administration.
3. **Click** on the **Edit** button.
4. Administrations older than twenty-four hours are not editable.

Example: Editing an administration.



Exiting the Single Instrument Administrator Form

Example: To exit the **Single Instrument Administrator** form, **click** on **File > Exit** menu item. The Single Instrument Administrator form closes and the user is returned to the MHA3 Main form.



Selecting a Person (other than yourself) for Instruments Ordered By

To identify the Ordered By person:

1. **Click** on the Drop-Down List Box labeled **Instruments Ordered By**.
2. From the Ordered By list, select the name of the desired staff member.
3. The selection list folds up and the selected name is displayed in the box.
4. The **Ordered by** person will receive an email notification in VistA regarding this administration.

Example: The selected name also appears as the **Ordered By** person in all reports related to this administration. By default the current user's name is selected.

The screenshot shows a window titled "Mental Health Assistant in use by MHPROVIDER,ONE". Inside the window, the "CAGE" form is displayed. The "Ordered By:" dropdown menu is currently set to "MHPROVIDER,ONE". A red box with the word "Click" and a red arrow points to the dropdown arrow of this menu. Below the "Ordered By" field are other dropdown menus for "Interviewer:" (set to "MHPROVIDER,ONE"), "Date of Administration:" (set to "5/ 6/2009"), and "Visit Location:" (set to "1 Test (north)"). To the right of these fields is a "Display:" section with two radio buttons: "All Questions at Once." (selected) and "One Question at a Time." (unselected). At the bottom of the form are two buttons: "Staff Entry" and "Patient Entry". In the top right corner of the window, the text "One Mhpatient" and "SSN: xxx-xx-2412" is visible.

Selecting a Person for Interviewer

To select an interviewer:

1. **Click** on the Drop-Down List Box labeled **Interviewer**.
2. Select your name from the list.
3. The Drop-Down List Box folds up and the selected name is displayed in the text box.

Example: By default, the current user's name is selected. The selected name also appears as the Interviewer or Printer person in all reports related to this administration.


The screenshot shows a window titled "Mental Health Assistant in use by MHPROVIDER,ONE". The main area is labeled "CAGE" and displays the name "One Mhpatient" and SSN "xxx-xx-2412". On the left, there are four drop-down menus: "Ordered By:" (MHPROVIDER,ONE), "Interviewer:" (MHPROVIDER,ONE), "Date of Administration:" (5/ 6/2009), and "Visit Location:" (1 Test (north)). On the right, under "Display:", there are two radio buttons: "All Questions at Once." (selected) and "One Question at a Time.". A red arrow points to the "Interviewer:" drop-down menu, and a red box with the word "Click" is positioned next to it. At the bottom, there are two buttons: "Staff Entry" and "Patient Entry".

Selecting Date of Administration

To select a date of administration:

1. Click on the Date-Picker labeled **Date of Administration**.
2. Select a random date from the calendar.
3. The Date-Picker folds up and the selected date is displayed in the box.

Example: By default, today's day is selected. The selected date also appears as the date in all reports related to this administration.




Selecting Visit Location

To select a Visit Location:

1. **Click** on the Drop-Down List Box labeled **Visit Location**.
2. Select the desired location from the list.
3. The Drop-Down List Box folds up and the selected location is displayed in the box.

Example: The selected location also appears as the location in all reports related to this administration.



Selecting Display Mode for Data Entry

Example: To select a Display mode, click on One Question at a Time display mode or click on All Questions at Once display mode. The Display mode Option Button is checked based on selection made.

The screenshot shows a software window titled "Mental Health Assistant in use by MHPROVIDER,ONE". In the top right corner, it displays "One Mhpatient" and "SSN: xxx-xx-2412". A red box labeled "Select Display mode" has a red arrow pointing to the "Display:" section. This section contains two radio button options: "All Questions at Once." (which is selected) and "One Question at a Time." To the left of this section are four dropdown menus: "Ordered By:" (MHPROVIDER,ONE), "Interviewer:" (MHPROVIDER,ONE), "Date of Administration:" (5/ 5/2009), and "Visit Location:" (1 Test (north)). At the bottom of the window are two buttons: "Staff Entry" and "Patient Entry".

Selecting Patient Entry Data Entry Mode

To select Patient Entry mode:

1. **Click** on a Display mode
2. **Click** on Patient Entry button
3. **Click** on Yes to first warning message
4. **Click** on OK to second warning message

Example: The **Single-Question** form or the **All-Questions** form is displayed, depending on which button was clicked.

1. Select Display mode

2. Click on Patient Entry


Example: Any time that **Patient Entry** mode is invoked, two warning messages are displayed. These messages are an indication that SecureDesktop is about to be activated. SecureDesktop warning #1.



Example: SecureDesktop warning #2.



Example: “Single-question” data-entry form.



Example: “All-questions” data-entry form.

CAGE: MHPATIENT, ONE

File View Tools Help

CAGE

One Mhpatient
SSN: xxx-xx-2412

Please read each item carefully and select the answer that best describes you.

1. Have you ever felt you should cut down on your drinking?
 1. Yes
 2. No

2. Have people annoyed you by criticizing your drinking?
 1. Yes
 2. No

3. Have you ever felt bad or guilty about your drinking?
 1. Yes
 2. No

4. Have you ever had a drink first thing in the morning to steady your nerves or to get rid of a hangover (an eye opener)?
 1. Yes
 2. No

CAGE

Use speed tab

Hint: Use the number key of the item to speed data entry.

Selecting Staff Entry Data Entry Mode

To select Staff Entry mode:

1. Click on a display mode.
2. Click on **Staff Entry** button.

Example: The **Single- Question** form or the **All-Questions** form is displayed, depending on which button was clicked.

The screenshot shows a software window titled "Mental Health Assistant in use by MHPROVIDER,ONE". The window contains several fields and buttons. A red box labeled "1. Select Display mode" points to the "Display:" section, which has two radio button options: "All Questions at Once." (selected) and "One Question at a Time." Below this, a red box labeled "2. Click on Staff Entry mode" points to the "Staff Entry" button. The "Patient Entry" button is also visible. The interface includes dropdown menus for "Ordered By:" (MHPROVIDER,ONE), "Interviewer:" (MHPROVIDER,ONE), "Date of Administration:" (5/ 6/2009), and "Visit Location:" (1 Test (north)). The top right corner displays "One Mhpatient" and "SSN: xxx-xx-2412".

Example: “Single-Question” data-entry form.

CAGE: MHPATIENT, ONE

File View Tools Help

Please read each item carefully and select the answer that best describes you.

1. Have you ever felt you should cut down on your drinking?

1. Yes

2. No

CAGE

Next Question Prior Question Review Answers Cancel Finish

Use speed tab it. Use the number key of the item to speed data entry.

Example: All-questions data-entry form.

CAGE: MHPATIENT, ONE

File View Tools Help

CAGE One Mhpatient
SSN: xxx-xx-2412

Please read each item carefully and select the answer that best describes you.

1. Have you ever felt you should cut down on your drinking?
 1. Yes
 2. No

2. Have people annoyed you by criticizing your drinking?
 1. Yes
 2. No

3. Have you ever felt bad or guilty about your drinking?
 1. Yes
 2. No

4. Have you ever had a drink first thing in the morning to steady your nerves or to get rid of a hangover (an eye opener)?
 1. Yes
 2. No

CAGE

Use speed tab


Hint: Use the number key of the item to speed data entry.

Appending Comments to an Existing Record

To append a comment to an existing record:

1. Click on **Tools > Append comments...** menu item
2. The Comments Editor Form is displayed
3. Type a new comment in the Comments Editor
4. Click on **File > Save Comment** in the Comments Editor menu
5. Click on **File > Exit**, to close Comments Editor
6. Comment appears appended to the administration's report text


Example: Mental Health Assistant Main Menu form.



Example: Comments Editor Form.

The screenshot shows a software window titled "Append Comments". The window has a menu bar with "File" and "Help". Below the menu bar, the text "CAGE 04/16/2009" is displayed on the left, and "One Mhpatient SSN: xxx-xx-2412" is displayed on the right. The window is divided into two main sections: "Previous Comments" and "New Comments". The "Previous Comments" section contains the text "None". The "New Comments" section is a large, empty text area. A red arrow points from a red box containing the text "Type comments here" to the "New Comments" text area. At the bottom of the window, there are two buttons: "Cancel" on the left and "Save and Exit" on the right.

Example: Save Comment and Exit.



Example: Comments added to CAGE note.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View Action Tools Help

CAGE One Mhpatient
SSN: xxx-xx-2412

Administrations

Date Given	Date Saved	Ordered By	Status
05/06/2009	05/06/2009	MHPROVIDER,ONE	Incomplete: Editable
04/16/2009	05/06/2009	Mhprovider,One	Complete
04/06/2009	05/06/2009	Mhprovider,One	Complete
12/02/2008	12/02/2008	Mhprovider,Twelve	Complete
12/01/2008	12/01/2008	Mhprovider,Twelve	Complete

```

Not valid unless signed: Reviewed by .....
Printed by: MHPROVIDER,ONE
Ordered by: MHPROVIDER,ONE

***eop***

000-00-2412  MHPATIENT,ONE                F AGE 87 05/06/2009 04/16/2009
                PRINTED      ENTERED

                --- CAGE ---
                --- ITEM RESPONSES ---

    1 Y   2 N   3 Y   4 N
---Comments-----
*** Comment Entered By: MHPROVIDER,ONE Comment Date: 05/06/2009 11:47:55 AM
These are my new comments for CAGE administration.
    
```

Glossary

The following terms are associated with the Mental Health Assistant 3 software application release:

TERMS	DESCRIPTIONS
API:	Application Programmer Interface
ASI:	Addiction Severity Index
CLIENT:	A computer that accesses shared network resources provided by another computer (called a server).
CLOSE:	Closes the window. If there are any changes that have not been saved, you will get a confirmation message asking you if you want to continue without saving; save before exiting; or cancel the close action and return to the window.
CPRS:	Computer Patient Record System
DBIA:	Database Integration Agreement
DESKTOP:	The background on your, on which windows, icon, and dialog boxes appear.
EDIT BOX	This is a box where the user can type in free text using the keyboard.
ELEMENT NAME:	Globally unique descriptive name for the field.
ENHANCEMENT:	An 'enhancement' to an already existing Class I software package is the introduction of new or improved functionality.

TERMS	DESCRIPTIONS
FTP:	File Transfer Protocol
GAF:	Global Assessment of Functioning
GROUP:	In User Manager, an account containing other accounts that are called members. The permissions and rights granted to a group are also provided to its members, which makes groups a convenient way to grant common capabilities to collections of user accounts. For Windows NT, groups are managed with User Manager. For Windows NT Server, groups are managed with User Manager of Domains.
GUI:	Graphical User Interface.
HL7:	Health Level 7
IMR:	Information Resources Management
LENGTH (LEN):	The maximum number of characters that one occurrence of the data field may occupy.
LIST BOX:	Box that shows a list of items. If more items exist than can be seen in the box, a scroll bar appears on the side of the box. Selecting an entry from a list box requires either double clicking the entry or single clicking the entry and pressing the spacebar.
MHP:	Mental Health Package

TERMS	DESCRIPTIONS
OK COMMAND BUTTON:	Adds the new entry after the data has been entered.
OPTION BUTTON:	A small round button that appears in a dialog box. Within a group of related option buttons, you can select only one button at time.
PACKAGE:	An icon that represents an embedded or linked object. When you choose the package, the application that was used to create the object either plays the object (such as sound file) or opens and displays the object.
PASSWORD:	A unique string of characters that must be entered before a logon or an access is authorized. A password is a security measure used to restrict logons to user accounts and access to computer systems and resources. For Windows NT, a password for a user account can be up to 14 characters long and is case-sensitive.
PATH:	Specifies the location of a file within the directory tree. For example, to specify the path of a file named README.WRI located in the WINDOWS directory on drive C, you would type c:\windows\readme.wri .
PID:	Patient Identification


TERMS	DESCRIPTIONS
PREVIOUS:	Previous enable the user to return to a previously answered question so the answer can be changed.
PSYCHOLOGIST:	Performs patient care duties in accordance with Clinical Privileges as assigned or granted by the appropriate governing committee in the area of Psychology and Mental Health. This may include individuals, family and group counseling and psychotherapy, assertiveness, and other behavior training, etc.
RADIO BUTTON:	Radio buttons appear in sets. Each button represents a single choice and normally only one button may be selected at any one time. For example, MALE or FEMALE may be offered as choices through two radio buttons. Click in the button to select it.
RIGHT MOUSE BUTTON or SHIFT F10:	You may click the right mouse button or press Shift F10 for a popup box of menu items.
RPC BROKER:	Remote Producers Call Broker




TERMS	DESCRIPTIONS
RPC:	Remote Producers Call, a message-passing facility that allows a distributed application to call services available on various computers in a network. Used during remote administration of computers.
Save to File (Save AS):	This is a standard feature of Microsoft applications where the user can type the name of the file to be saved. The user can also define the drive and directory where the file is to be saved. In some cases the file name presented in the edit box is sufficient and the user merely needs to click on the “Ok” button to save the file.
SHARE:	To make resources, such as directories, printers, and ClipBook pages, available to network users.
Status Bar:	A line of information related to the application running in the window. Usually located at the bottom of a window. Not all windows have a status bar.
Task List:	A window that shows all running applications and enables you to switch between them. You can open Task List by choosing Switch To from the Control menu or by pressing CTRL=ESC.





TERMS	DESCRIPTIONS
Tab Key:	Use the TAB key or the mouse to move between fields. Do not use the RETURN key. The RETURN key is usually reserved for the default command button or action (except in menu fields).
TCP/IP:	Transmission Communication Protocol/Internet Protocol
TEXT BOX:	Type the desired characters into the edit box. The selected entry will not be effective until you tab off or exit from the text box.
TOOLBAR:	A series of shortcut buttons providing quick access to commands. Usually located directly below the menu bar. Not all windows have a toolbar.
TRANSPORT LAYER:	The fourth layer of the OSI model. It ensures that messages are delivered error-free, in sequence, and with no losses or duplications. This layer repackages messages for their efficient transmission over the network. At the receiving end, the Transport layer unpacks the message, reassembles the original messages, and sends an acknowledgement of receipt.
UID:	Unique Identifier








TERMS	DESCRIPTIONS
VA:	Veterans Administration
VHA:	Veterans Health Administration
VAMC:	Department of Veterans Affairs Medical Center
VERA:	Veterans Equitable Resource
VISN:	Veterans Integrated Service Network
VistA:	Veterans Health Information Systems and Technology Architecture
WORKSTATION:	In general, a powerful computer having considerable calculating and graphics capability. For Windows NT, computers running the windows NT operating systems are called workstations, as distinguished from computers running Windows NT Server, which are called servers.

Glossary of Graphical User Interface (GUI) components used in Mental Health Assistant 3 (MHA3)

Component/Terms	Descriptions
<u>Multiple-Selection List Box</u> 	<p>A Multiple-Selection List Box permits selection of one or more choices from a list of choices. Simply click on the little boxes next to the selection's text and a check-mark symbol appears in the box, indicating your selection.</p>
<u>Drop-Down Combo Box</u>	<p>A Drop-Down Combo Box contains a "hidden" list that is not visible until the user clicks on the button with the down-arrow icon. Then, the list appears and an item can be selected from the list. Click on the item that you wish to select. Drop-Down Combo Boxes also accept typed text in the component's Text Box. Some Drop-Down Combo Boxes are used to display data directly from VistA files, such as a list of</p>

	<p>staff members.</p>
<p><u>Drop-Down List Box</u></p> 	<p>A Drop-Down List Box contains a “hidden” list that is not visible until the user clicks on the button with the down-arrow icon. Then, the list appears and an item can be selected from the list. Click on the item that you wish to select. Unlike Drop-Down Combo Boxes, no text can be entered into the Text Box part of the component.</p>
<p><u>Text Box</u></p> 	<p>Text Boxes allow for typing a relatively small amount of text—generally, the length of a single line of text, or less. Normally, Text Boxes accept any text characters typed into them. However, in some cases, Text Boxes are restricted to accept only a pre-defined group of characters. For instance, only accepting integer or currency values.</p>

<p><u>Date-Picker</u></p> 	<p>A Date-Picker component offers two ways of entering date information. The first is to type in the date in the Text Box part of the component while observing the displayed format. Another way to pick a date is to click on the button with the down-arrow icon, which triggers the display of the visual calendar. By default the calendar displays the current month. Other dates can be navigated to by clicking on the name of the month, the year, and the side-arrows. To pick a date, click on the day number on the calendar.</p>
<p><u>Single-Selection List Box</u></p> 	<p>A Single-Selection List Box displays all available choices at once, from which only one of the mutually-exclusive selections may be made.</p>
<p><u>Masked Text Box</u></p> 	<p>A Masked Text Box is a special kind of Text Box in that it adds pre-configured formatting to the data entered into the component. In this example, the “() –“ formatting elements were correctly placed and automatically added to the phone number as the user typed in only the numbers.</p>
<p><u>Multiple-Line Text Box</u></p> 	<p>A Multiple-Line Text Box functions in the same manner as a single-line Text Box, but provides enough space for entering large amounts of text.</p>

<p><u>Spin Box</u></p> 	<p>Spin Boxes provide for the quick entry and verification of integer data. The buttons with the up and down arrowheads respectively increase or decrease the value of the displayed integer. Additionally, an integer value can be typed into the Text Box holding the integer value.</p>
<p><u>Option Buttons</u></p> 	<p>Option Buttons display all available choices at once, from which one of the mutually-exclusive selections may be made. This is the most commonly-used component in Mental Health Assistant. To make a selection, click on one of the white circles, which will then display a black dot in its center.</p>
<p><u>Slider</u></p> 	<p>A Slider is a visual way of displaying a range from which to select a single value. The accompanying labels offer information about what the range limits mean.</p>
<p><u>Progress Indicator</u></p> 	<p>Indicates the amount of progress transpired during time-consuming events.</p>
<p><u>Command Button</u></p> 	<p>A button that executes a specific function when pressed.</p>
<p><u>Menu Button</u></p> 	<p>A button with more than one choice</p>
<p><u>Tabs</u></p> 	<p>A navigation method similar to tabs on a writing notebook.</p>

Appendix A

This is a list of shortcut keys use by the VistA Mental Health Assistant Graphical User Interface software application:

NOTE: When going from one menu option to a sub-menu, do not release the Alt key.

Shortcut Keys

Main Form Window

Alt-F	File
S	Select Patient
U	Upload Results
X	Exit
Alt-T	Tools
M	METRIC Instrument Reviews
O	Options
Alt-H	Help
O	Online Support
A	About Window
ESC	Exit
Alt-I	Instrument Administrator
Alt-R	Instrument Results Review
Alt-A	Addiction Severity Index Manager
Alt-G	Global Assessment of Functioning Manager

Offline Results Synchronizer Window

Alt-F	File
E	Exit
Alt-H	Help
O	Online Support
A	About Window
Alt-S	Search for
Alt-G	Go
Alt-D	Delete Off-Line record
Alt-U	Upload
Alt-X	Exit

User Preferences Window

Alt-F	Font
	P CPRS Font
	W Windows Font
	N New Font
Alt-H	Highlight Color
Alt-M	Misc.
Alt-C	Cancel
Alt-D	Done

About Window

Alt-O	OK
ESC	Exit

Instrument Administrator Window

Alt-F	File
	S Select Patient
	X Exit
Alt-T	Tools
	M METRIC Instrument Reviews
	B Battery Wizard
	O Options
Alt-H	Help
	I Instrument Description
	O Online Support
	A About Window
Alt-B	Instruments Ordered By
Alt-I	Interviewer
Alt-D	Date of Administration
Alt-L	Visit Location
Alt-A	Available Instruments and Batteries
Alt-W	Show
Alt-C	Instruments Chosen
Alt-O	One Question at a Time
Alt-Q	All Questions at Once
Alt-P	Patient Entry
Alt-S	Staff Entry

Battery Wizard Window

Alt-F	File
	N New
	R Rename
	D Delete
	X Exit
Alt-T	Tools
	O Options
Alt-H	Help
	I Instrument Description
	O Online Support
	A About Window
Alt-A	Available Instruments and Batteries
Alt-B	Name of Battery
Alt-I	Instruments in Battery
Alt-S	Save
ESC	Exit

One Question at a Time Window

Alt-F	File
	C Cancel
Alt-V	View
	E Previous Instrument
	I Next Instrument
	R Review Answers
	P Prior Question
	Q Next Answer
Alt-T	Tools
	M METRIC Instrument Reviews
	O Options
Alt-H	Help
	O Online Support
	A About Window
Alt-P	Prior Question
Alt-Q	Next Question
Alt-R	Review Answers

All Questions at Once Window

Alt-F	File
	X Exit
Alt-V	View
	(Depends on the instruments in the battery)
Alt-T	Tools
	M METRIC Instrument Reviews
	O Options
Alt-H	Help
	O Online Support
	A About Window

Review Answers Window

Alt-F	File
X	Exit
Alt-H	Help
O	Online Support
A	About Window
Alt-C	Change Answer
Alt-X	Exit

Instrument Results Review Window

Alt-F	File
S	Select Patient
A	Save As
R	Report
T	Table
G	Graph
P	Print
R	Report
T	Table
G	Graph
X	Exit
Alt-E	Edit
C	Copy
R	Report
T	Table
G	Graph
Alt-V	View
R	Reports
G	Graph and Table
Alt-T	Tools
A	Append Comments
M	METRIC Instrument Reviews
O	Options
Alt-H	Help
O	Online Support
A	About Window
Alt-R	Reports
Alt-G	Graph and Table
ESC	Exit

Append Test Comments Window

Alt-F		File
	S	Save
Alt-F		File
	X	Exit
Alt-H		Help
	O	Online Support
	A	About Window
ESC		Exit

ASI Window

Alt-F		File
	N	New ASI
	F	Full
	L	Lite
	U	Follow-Up
	S	Select Patient
	A	Save As
	R	Report/Table
	G	Graph
	P	Print
	R	Report/Table
	G	Graph
	X	Exit
Alt-W		New
	F	Full
	L	Lite
	U	Follow-Up
Alt-E		Edit
	C	Copy
	R	Report/Table
	G	Graph
Alt-V	A	ASI
		View
	N	Narrative Report
	I	Item Report
	R	Item Trends
	D	Domain Scores
Alt-A		Action
	W	Write progress note
Alt-T		Tools
	O	Options
Alt-H		Help
	O	Online Support
	A	About Window
ESC		Exit

ASI Data Entry Window

Alt-D	Drug/Alcohol Use Section
Alt-E	Employment/Support Section
Alt-G	General Information Section
Alt-I	Spiritual Comments Section
Alt-L	Legal Status Section
Alt-M	Medical Status Section
Alt-P	Psychiatric Status Section
Alt-R	Leisure Comments Section
Alt-S	Family/Social Relationships Section
Alt-A	Family History Section
Alt-F	File
E	Exit
Alt-T	Tools
O	Options
H	Highlight Color
T	Speed Tab
S	Show hints
D	Default Window Size/Position
Alt-F4	Exit
ESC	Exit
F1	Help for the highlighted item
Alt-H	Help
C	Contents
O	Online Support
A	About Window
ASI Options Window	
Alt-C	Cancel
Alt-D	Done
ESC	Exit
ASI Signature Window	
Alt-C	Cancel
Alt-O	OK
ESC	Exit
ASI Termination Window	
Alt-C	Cancel
Alt-O	OK
ESC	Exit

Addiction Severity Index Manager Window

Alt-F	File
	S Select Patient
	R Save New Rating
	A Save As
	G Graph
	T Table
	P Print
	G Graph
	T Table
	X Exit
Alt-E	Edit
	C Copy
	G Graph
	T Table
Alt-A	Action
	S Save New Rating
	R Mark Rating "Entered in Error"
Alt-T	Tools
	O Options
Alt-H	Help
	O Online Support
	A About Window
	C Copyright Info
Alt-R	Mark Rating "Entered in Error" or Change Delete Rating
Alt-D	Delete Rating
Alt-N	New GAF Rating
Alt-D	Evaluation Date
Alt-S	Save New Rating

Edit GAF Window

Alt-D	Delete Rating
Alt-H	Change Rating
Alt-C	Cancel
Alt-O	OK
ESC	Exit

Pop-Up Menus (Only on Addiction Severity Index Manager Window)

Reports/Tables	
Alt-P	Print
Alt-C	Copy
Alt-S	Save As
Graphs	
Alt-P	Print
Alt-C	Copy
Alt-S	Save As

Appendix B

This section contains descriptions of the many windows commands and features used in MHA GUI software application:

Windows Conventions

Cancel

Cancels the latest entry (up until the OK or SAVE button is clicked).

Check Box

Toggles between a YES/NO and ON/OFF setting. Usually a square box containing a check mark or *x*. Clicking the box or pressing the spacebar toggles the check box setting.

Close

Closes the window. If there are any changes that have not been saved, you will get a confirmation message asking you if you want to continue without saving; save before exiting; or cancel the close action and return to the window.

Command Button

The Command button initiates an action. It is a rectangular box with a label that specifies what the button does. Command buttons that end with three dots indicate that a subsidiary screen may be evoked by selecting the command.

Date Field

Identified by “_/_/_” or a date “mm/dd/yy”. Will usually have an associated popup calendar. Double clicking with the mouse inside the date edit box, or tabbing to the edit box and then pressing the F2 key, displays the calendar. Clicking on the desired date, or using the arrow keys to move to a date and then pressing the spacebar, selects the date. Each component of the date (month/day/year) must consist of two characters (i.e., 02/02/96). The selected entry will not be effective until you tab off or exit from the date field.

Drop Down List

A list box containing an arrow button on the right side which displays one entry at a time. Choose from a vertical list of choices. Select the entry you want by clicking the list entry. You cannot type in this box, only select an item from the list. Once an entry is selected, it cannot be deleted - only changed. If <None> is the last entry, selecting it will clear the list entry. If <More> is the last entry, selecting it will display additional entries. The selected entry will not be effective until you tab off or exit from the drop down list.

Edit

Used to edit position information.

Edit Box

This is a box where the user can type in free text from the keyboard.

F2 Key

Where there is an additional action, which may be taken on a field, pressing the F2 key will initiate that action.

Form Buttons

Buttons, which appear on tab pages, apply only to that tab and not the entire form. If there are action buttons on both the tab page and the form, the tab button should normally be clicked first.

Help

Provides help for the area you are currently working in.

List Box

List Box that shows a list of items. If more items exist than can be seen in the box, a scroll bar appears on the side of the box. Selecting an entry from a list box requires either double clicking the entry or single clicking the entry and pressing the spacebar.

Lookup Box

Choose from a vertical list of choices. By typing in a few characters and pressing the ENTER or TAB key, a list of matching entries drops down. Select the entry you want by clicking the list entry. Entering a question mark and then pressing ENTER or TAB, or clicking the down arrow on an empty edit field, gives a complete listing of available entries. If <More> is the last entry, selecting it will display additional entries.

OK

Adds the new entry after the data has been entered.

Radio Button

Radio buttons appear in sets. Each button represents a single choice and only one button may be selected at any one time. For example, MALE or FEMALE may be offered as choices through two radio buttons. Click in the button to select it.

Right Mouse Button or Shift F10

You may click the right mouse button or press Shift F10 for a popup box of menu items.

Save

Saves all changes made since the last save action. If you attempt to save and all required fields have not yet been completed, you will receive notification that the required fields must be completed before saving.

Save to File (Save AS)

This is a standard feature of Microsoft applications where the user can type the name of the file to be saved. The user can also define the drive and directory where the file is to be saved. In some cases the file name presented in the edit box is sufficient and the user merely needs to click on the “Ok” button to save the file.

Tab Key

Use the TAB key or the mouse to move between fields. Do not use the RETURN key. The RETURN key is usually reserved for the default command button or action (except in menu fields).

Text Box

Type the desired characters into the edit box. The selected entry will not be effective until you tab off or exit from the text box.

View Box

This is a box that displays text but does not allow editing (read only).

Appendix C

How to co-sign a progress note generated by MHA3

The following conditions are needed to generate a co-signer in TIU notes.

1. A progress note needs to be generated. (Some instruments do not generate progress notes.)
2. The person who administers the instrument must be someone who needs a co-signer, like a student.

When an instrument is completed in MHA3, and the two conditions are met, this dialog will appear:

Save Progress Note to Vista

The data for this administration has been saved in Vista.
Do you wish to:

A co-signer is required. Select from:

STUDENT,DDD

Save standard progress note

Edit then save progress note

Do not save progress note

Click

Select the person to co-sign the progress note from the drop-down list presented in the combo box. Once selected, press the button to either save the standard progress note, or edit the progress note before saving it.

Appendix D

How to remove patient data that was entered in error

There are two methods to remove the data from an instrument's administration. The first uses the MHS Manager Functions in VistA and the second is available in MHA3's "Instrument Review Results" window. In either case, this function can be performed only by individuals who have access to the MHS Manager Functions in VistA, usually a Clinical Application Coordinator (CAC).

IMPORTANT: Data removed by either method will only remove the results of the administration of the instrument. Any progress notes, or consult notes, etc., will not be removed.

Remove data entered in error: Vista menu instructions.

Here are the steps to follow in the "roll-and-scroll" version (the user responses are shown in red):

*** MENTAL HEALTH ***
MHS MANAGER FUNCTIONS

- 1 Inpatient Features management functions...
- 2 Mental Health System site parameters...
- 3 MHA2 Psych test utilities...
- 4 Move crisis notes and messages
- 5 Seclusion/Restraint Management Utilities...
- 6 Decision Tree Shell
- 7 MHA3 Utilities...

Select MHS Manager Option: 7 MHA3 Utilities

*** Mental Health ***
MHA3 Utilities

- 1 Print Test Form
- 2 Detailed Definition
- 3 Delete Patient Data
- 4 Stop/Re-Start Progress Notes for an Instrument
- 5 Exempt Test
- 6 Test Usage
- 7 XML Output
- 8 MHA3 HL7 Utilities...

Select MHA3 Utilities Option: 3 Delete Patient Data

Delete Patient Data

Select PATIENT NAME: MHPATIENT,ONE *SENSITIVE* *SENSITIVE*
NO EMPLOYEE

WARNING
RESTRICTED RECORD

* This record is protected by the Privacy Act of 1974 and the Health *
* Insurance Portability and Accountability Act of 1996. If you elect *
* to proceed, you will be required to prove you have a need to know. *
* Accessing this patient is tracked, and your station Security Officer *
* will contact you for your justification. *

Do you want to continue processing this patient record? No// Y (Yes)

Message(s) are on file for MHPATIENT,ONE
Last message was entered on DEC 15, 1992

Enter RETURN to continue or '^' to exit:


Delete MHA3 data? No// YES
PHQ-2 on JAN 07, 2009@09:56:27 by MHPROVIDER,ONE
Delete? No// YES
Are you sure? No// YES ***Deleted
AUDC on NOV 26, 2008@14:28 by MHPROVIDER,ONE
Delete? No// ^

Remove data entered in error: MHA3 instructions.

Open MHA3 and select the Instrument Review Results option.



Select the administration of the instrument you wish to remove. The instrument's name and the date of the administration will be highlighted, and its report will appear in the right window. In this example, notice that there are five administrations of the CAGE on 11/16/2006.



There are three ways to initiate the deletion process:

- 1) Select the **Delete administration** from the Tools option in the Main Menu.
- 2) Press the **DEL** key.
- 3) Right click, then select “**Delete**” from the pop-up menu.

These three methods are illustrated below.

Mental Health Assistant in use by MHPROVIDER,ONE

File Edit View **Tools** Help

Instrumen

- Append Comments...
- Delete administration Del**
- METRIC Instrument Reviews...
- Options...

Instruments:


Date	Name
01/09/2009	BRADEN SCALE
12/12/2008	BOMC
12/02/2008	CAGE
12/01/2008	CAGE
12/01/2008	AUDIT
11/24/2008	AUDIT
11/24/2008	AUDC
12/08/2006	IEQ
11/20/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
10/31/2006	CAGE
10/31/2006	AUDIT
10/31/2006	AUDC
10/30/2006	AUDIT
10/30/2006	CAGE
10/30/2006	AUDIT
10/30/2006	CAGE
10/27/2006	AUDIT

Printed by: MHPROVIDER,ONE
 Ordered by: MHPROVIDER,ONE


eop

000-00-2412 MHPATIENT,ONE


1 N 2 N 3 N 4 N



Once you press the **DEL** key, this warning dialog will appear.



If you are sure that the deletion is proper, click on the **Yes** button. If the data are removed successfully, this prompt will appear. In addition, the list of instruments will have been refreshed.



Notice that only four administrations of the CAGE are listed for 11/16/2006.

Mental Health Assistant in use by MHPROVIDER.ONE

File Edit View Tools Help

Instrument Results Review: BRADEN SCALE One Mhpatient
SSN: xxx-xx-2412

Instruments:	
Date	Name
01/09/2009	BRADEN SCALE
12/12/2008	BOMC
12/02/2008	CAGE
12/01/2008	CAGE
12/01/2008	AUDIT
11/24/2008	AUDIT
11/24/2008	AUDC
12/08/2006	IEQ
11/20/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
11/16/2006	CAGE
10/31/2006	CAGE
10/31/2006	AUDIT
10/31/2006	AUDC
10/30/2006	AUDIT
10/30/2006	CAGE
10/30/2006	AUDIT
10/30/2006	CAGE
10/27/2006	AUDIT
10/27/2006	AUDC

Braden Scale for Predicting Pressure Ulcer Risk
 Date Given: 1/9/2009
 Clinician: Mhprovider,One
 Location: 1 Test (north)
 Veteran: Mhpatient, One
 SSN: xxx-xx-2412
 DOB: Feb 1,1922 (86)
 Gender: Female
 Sensory perception -- ability to respond meaningfully to pressure-related discomfort
 No impairment.
 Moisture -- degree to which skin is exposed to moisture
 Rarely moist.
 Activity -- ability to change and control body position
 Walks frequently.
 Mobility -- ability to change and control body position
 No limitation.
 Nutrition -- usual food intakepatterns
 Excellent.
 Friction and shear
 No apparent problem.

*** Braden Scale Score ***
 Severe risk 9 or lower.
 High risk:10-12.
 Moderate risk: 13-14.
 Mild risk: 15-18.
 Score: 23
 Copyright Barbara Braden & Nancy Bergstrom, 1988

Reports Graph & Table

Appendix E

Some sites have reported difficulty installing SecureDesktop as the Windows registry is blocked by McAfee HIPS. Uninstalling HIPS allowed the installation to occur normally.

SecureDesktop & Screen Pass : How to correct Windows-Registry problems.

According to the Birch Grove Software site:

"Screen Pass is a screen locking system for Windows® that extends the capability of the standard workstation lock and gives network administrators complete control over idle workstations.

With Screen Pass, network administrators can enforce screensaver password use, screensaver timeout, and screen saver selection. Advanced features include automatic logout, automatic shutdown, customizable administrator override, and auditing of all logon/logoff and lock/unlock events.

Intended primarily for workstations connected to Novell Netware or Microsoft networks, Screen Pass can be distributed and managed remotely with or without group policy. The central management feature makes Screen Pass ideal for small, medium, and large networks - anywhere that security of idle workstations is a concern."

Screen Pass installs its own version of a gina.dll and it may take precedence over the one used by Secure Desktop. If SecureDesktop does not operate properly these changes may be necessary in the Windows Registry:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows  
NT\CurrentVersion\Winlogon\GinaDLL=dwlgina2.dll
```

```
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows  
NT\CurrentVersion\Winlogon\GinaDLL_ScreenPass=msgina2.dll
```

See Remedy Ticket # HD0000000278953.

SecureDesktop : How to correct dwlGina2.dll problems.

A dwlGina2.dll error problem may occur when a non-administrator uninstalls MHA3 without an administrator first de-activating SecureDesktop.

Here is how to fix it:

1. Turn off defective PC, if on.
2. Start the PC and Windows in SAFE mode.
3. Logon as Administrator.
4. Find the media containing the YS_MHA_SD_UNINSTALLGINA.exe file. These files are typically found at C:\Program Files\Vista\YS\MHA3. Run YS_MHA_SD_UNINSTALLGINA.exe. Click Yes, to uninstall it.
5. Reboot in normal mode.

If this doesn't work, then modify step five by first finding and running YS_MHA_SD_INSTALLGINA.exe. Click Yes, to install it. Then follow the remainder of step five.

Appendix F

How to add the name of an instrument to the CPRS Tools menu

This is done in Vista; an example for the AUDC is provided below:

```
Select GUI Parameters Option: tm GUI<ENTER> Tool Menu Items
CPRS GUI Tools Menu may be set for the following:<ENTER>
1 User USR [choose from NEW PERSON]
2 Location LOC [choose from HOSPITAL LOCATION]
3 Division DIV [REGION 5]
4 System SYS [OEX.ISC-SLC.VA.GOV]
Enter selection: 1<ENTER> User NEW PERSON
Select NEW PERSON NAME: MHPROVIDER,ONE<ENTER> CPF
----- Setting CPRS GUI Tools Menu for User: MHPROVIDER,ONE-----
Sequence: ? <ENTER>
Enter the sequence in which this menu item should appear.
Select Sequence: 2
Are you adding 2 as a new Sequence? Yes//<ENTER> YES
Sequence: 2// <Enter>
Name=Command: AUDC =C:\Progra~1\Vista\YS\MHA3\YS_MHA.exe s=%SRV p=%PORT
c=%DFN u=%DUZ m=%MREF AUDC
```