

CliO Terminology Dictionary and Clinical Data Model

Date/Time Generated: JUL 1,2015@12:29

M Environment: DEV,DEV

=====

TERM: ABDOMEN BOWEL SOUNDS

Page: 1

ID: {A7E05486-2BF9-D304-4925-9A32165B19F0}

=====

Abbreviation..... AB BOW S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Abdominal Bowel Sounds  
Display Name..... Abdomen Bowel Sounds  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. HYPOACTIVE (HYPOACTIVE) {2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}
  3. HYPERACTIVE (HYPERACTIV) {1A548FFE-8645-4C0D-899D-5D91430CC1B1}
  4. FLATULENCE (FLATULENCE) {F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}
  5. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  6. BRUIT (BRUIT) {2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}

LOCATION: 5 entries

- 
1. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}

2. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACA0}

3. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}

4. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}

5. GENERAL UMBILICUS (GEN UMBILI)

{34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}

UNITS:

-----

ID: {761ED47D-0598-4B17-EA65-3436FDDB8597}

=====

Abbreviation..... ABDOM COND

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... CURRENT OBSERVATION OF ABDOMINAL  
CONDITION

Display Name..... Abdominal Condition

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 10 entries

-----

1. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
2. FIRM (FIRM) {11E23F20-39A0-4A6D-B198-04BB36B0C909}
3. HARD (HARD) {7934B543-7028-4CBC-9308-99F5A952A1DE}
4. DISTENDED (DISTENDED) {B5C529CA-2BE0-4698-A153-718F4D58E643}
5. TENDER (TENDER) {30486CC7-3097-4F95-9238-FD6C2126CD10}
6. NON-TENDER (NON-TENDER) {5A3D41C0-A83D-4382-A573-D6884BB1670B}
7. GUARDING (GUARDING) {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}
8. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
9. ROUND (ROUND) {E8E741F1-F0C5-4B77-B014-63B545BED755}

10. SCAPHOID (SCAPHOID) {1BE93489-42FC-44EB-8D07-87F4224979F3}

UNITS:

-----

=====

TERM: ABDOMINAL GIRTH

Page: 3

ID: {F70E6642-2719-22BE-BE87-DEF0A884F177}

=====

Abbreviation..... AG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Girth of patient abdomen

Display Name..... Abdominal Girth

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4536404

UNITS:

-----

CENTIMETER

0 > 76 \* 152 < 300

Dec Prec: 0

ID: {550A5C42-15F5-4182-B724-DA4DBB96F432}

=====

Abbreviation..... Wan Pre Me

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Activities of Daily Living: Wandering  
Prevention Measures

Help Text..... For patients at risk for wandering

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 6 entries

-----

10. ASSIGNED ONE TO ONE SITTER (One to One)

{07D48368-101F-4974-9EC5-7CB182A39281}

20. NO WANDERING PREVENTION MEASURES APPLIED (No Wan App)

{6967F640-223E-46CE-82F9-0E4D87745D94}

30. NO WANDERING PREVENTION MEASURES NEEDED (No Wan Nee)

{8D39BA2B-24C6-4355-9AC2-4AAAD2E66D9B}

40. PATIENT LOCATOR DEVICE IN PLACE (Loc Device)

{CAF7B45E-0143-472D-BABF-9A92857419E9}

50. SECURE TRACK IN PLACE (Secure Trk)

{33F72416-BAD4-44AD-825E-93BCBFFB9670}

60. WANDER GUARD IN PLACE (Wander Grd)

{B49D735F-A6ED-4E8F-9BD0-F8514245B262}

UNITS:

-----



ID: {B5D8ADB2-0D19-4C07-8A09-6053A4D27003}

=====

Abbreviation..... ADL ADL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Activities of daily living assessment  
Display Name..... Activities of Daily Living  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 26 entries

-----

1. COMPLETE BATH (COMP BATH) {A7CB1F56-F88E-403B-AABC-105BE129FBB0}
2. PARTIAL BATH (PART. BATH) {60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}
3. SELF AM CARE BY PATIENT (SELF AM CR)  
{C48A46C1-0E68-479C-B803-08C80617ADFF}
4. TURN AND POSITION (TURN POSIT)  
{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}
5. UP TO CHAIR (UP TO CHAI) {42E598E5-82EC-428B-B5FA-1129E3095C78}
6. MEAL (MEAL) {85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}
7. AMBULATED (AMBULATED) {017D99FE-91D5-49F1-AC15-50620879C466}
8. SNACK (SNACK) {60B77974-4102-4511-A105-E24850B924D8}

9. SELF CARE OF BEDSIDE ENVIRONMENT (S CARE BED)

{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}

10. SHOWER (SHOWER) {C259929A-44DB-48FD-A2EC-BC6ECF9D0476}

11. SELF SHOWER (SELF SHOWER) {C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}

12. SHAMPOO (SHAMPOO) {95CCB23C-E614-40CD-84F0-EE4EFBC95271}

13. DRY SHAMPOO (DRY SHAMP) {8910A186-2590-4352-A884-7D692A9D2B3C}

14. NAIL CARE (NAIL CARE) {B783A171-1F0A-4135-8535-85776B81AB68}

15. TOENAIL CARE (TOEN CARE) {6CF3ABCE-FF74-43E2-81E5-D23339017CA9}

16. FOOT CARE (FOOT CARE) {332E8338-6DAE-4BC9-B195-63DAD57937D0}

17. SELF FOOT CARE (SELF FOOT)

{F2DCAF0E-389D-4987-8C73-66E35266CC78}

18. TURNING SELF INDEPENDENTLY (TURN SELF)

{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}

19. SHAVE (SHAVE) {A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}

20. SELF SHAVE (SELF SHAVE) {90F1760C-4C12-4976-ADCB-DBF456A34023}

21. FACE WASH (FACE WASH) {E1162A8B-D26D-4EB3-988F-50583B1849EA}

22. SELF FACE WASH (S FACE WAS)

{77457D46-5676-46E6-B38F-FE3AF70B5CBC}

23. PERINEAL CARE (PERIN CARE)

{D88736E4-E0EB-4FF7-9199-288A4D051A20}

24. SELF TRACH CARE (S TRACH CA)

{70BE79EC-107F-4CD3-B964-7919B3DDE222}

25. CLOTHED SELF (CLOTH S) {33802A30-FAA7-426B-ADAC-5297818DA7DE}

26. LINEN CHANGE (Lin Change) {AE30A510-112B-4F43-830E-E27FD994550A}

UNITS:

-----

ID: {BF48D1FD-555C-4714-A624-2A350F74D8A9}

=====

Abbreviation..... ADL AMB AS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Ambulation Assistance  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 8 entries

- 
1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
  2. WITHOUT ASSISTANCE (WO ASSIS)  
{41CE081D-CB0E-49AF-936A-4FD78E61681B}
  3. ONE PERSON ASSIST (1 PERS AS)  
{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
  4. TWO PERSON ASSIST (2 PERS AST)  
{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
  5. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}
  6. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
  7. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}

8. GAIT BELT (GAIT BELT) {AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}

UNITS:

-----

=====

TERM: ADL - AMBULATION DISTANCE

Page: 7

ID: {49097AB5-ACC4-4FC5-91FB-B62DFF5EBA51}

=====

Abbreviation..... ADL AM D

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ambulation Distance

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

FOOT

0 > 0 \* 9999 < 9999

Dec Prec: 0

ID: {ADB040D9-C136-4AF6-809D-CDD868DA3DCA}

=====

Abbreviation..... ADL BED MO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Bed Mobility

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

9 entries

-----

1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}

2. SUPERVISION/SET-UP HELP (SUPERVISED)

{596D028B-B60D-4244-A1B0-882177C8D25F}

3. LIMITED ASSISTANCE (LIM ASSIST)

{9A8C1310-C840-431E-BA21-065B7EA7B768}

4. EXTENSIVE ASSISTANCE (EXT ASSIST)

{C402B659-E880-4070-8345-13E5508B4D29}

5. TOTAL DEPENDENCE (TOT DEPEND)

{38702CDD-E440-4EFA-9583-36EEE719F7C3}

6. ONE PERSON ASSIST (1 PERS AS)

{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

7. TWILL TAPE (Twill Tape) {C52BE250-732D-03BB-B8F9-72BE4D546807}

8. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

-----

=====

TERM: ADL - DRESSING

Page: 9

ID: {3FB32B93-096A-4687-B4BE-E3FF103D75F6}

=====

Abbreviation..... ADL DRESS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dressing  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----

1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
2. SUPERVISION/SET-UP HELP (SUPERVISED)  
{596D028B-B60D-4244-A1B0-882177C8D25F}
3. LIMITED ASSISTANCE (LIM ASSIST)  
{9A8C1310-C840-431E-BA21-065B7EA7B768}
4. EXTENSIVE ASSISTANCE (EXT ASSIST)  
{C402B659-E880-4070-8345-13E5508B4D29}
5. TOTAL DEPENDENCE (TOT DEPEND)  
{38702CDD-E440-4EFA-9583-36EEE719F7C3}
6. ONE PERSON ASSIST (1 PERS AS)



{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

7. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

8. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

-----

ID: {6293D18C-0742-4D1B-B410-E8641798DD2B}

=====

Abbreviation..... ADL EATING  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Eating  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
  2. SUPERVISION/SET-UP HELP (SUPERVISED)  
{596D028B-B60D-4244-A1B0-882177C8D25F}
  3. SET UP HELP ONLY (SETUP ONLY)  
{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}
  4. LIMITED ASSISTANCE (LIM ASSIST)  
{9A8C1310-C840-431E-BA21-065B7EA7B768}
  5. EXTENSIVE ASSISTANCE (EXT ASSIST)  
{C402B659-E880-4070-8345-13E5508B4D29}
  6. TOTAL DEPENDENCE (TOT DEPEND)

{38702CDD-E440-4EFA-9583-36EEE719F7C3}

7. ONE PERSON ASSIST (1 PERS AS)

{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

8. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

-----

ID: {8E6573BB-DED8-47D3-AA52-C56404C5D1D9}

=====

Abbreviation..... EMO SUPPT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Emotional Support  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
1. PATIENT (PATIENT) {7881F205-BCD1-4948-AE66-AD572F5A02F2}
  2. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}
  3. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
  4. SIGNIFICANT OTHER (SO) {082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}
  5. CAREGIVER (CAREGIVER) {F9B8BABE-2F05-437D-85C8-585FC1FFC07F}

UNITS:

-----

ID: {C0EC0C79-A4AB-4CB6-B026-E193E033A3DE}

=====

Abbreviation..... ADL OTHER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Other Activity  
Help Text..... Other ADL Activities  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

- 
1. BEDREST (BEDREST) {8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}
  2. DANGLED (DANGLED) {40665750-112F-401D-AEFA-8E19F45EC0C9}
  3. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}
  4. COMMODORE (COMMODORE) {75C896CA-F105-4EF0-B641-3F2B1F984F1B}
  5. PASSIVE RANGE OF MOTION (PASS ROM)  
{DD43B9EF-E18F-4203-8564-89EBBAD963A4}
  6. ACTIVE RANGE OF MOTION (ACTIVE ROM)  
{F55E68F3-6788-47AE-B962-119413B4A089}
  7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}
  8. GURNEY CHAIR (GURN CHAIR) {B6EA0944-8414-42FD-88C0-50155DE82896}

9. BATHROOM PRIVILEGES (BATHR PRIV)

{29C1B6DD-3308-4DED-9970-1322A97C633B}

10. TRANSFER WITH ASSIST (TRANS ASST)

{62A5BFF5-9C7C-4412-83A8-F872095DE005}

11. FULL SPINAL PRECAUTIONS (FULL S P)

{42ADB74D-12CC-4111-B181-626C0F01BC7C}

12. THORACIC SPINAL PRECAUTIONS (THOR S P)

{D55AEF23-7F5E-45DD-A178-F217E6AF3873}

13. CERVICAL SPINAL PRECAUTIONS (CERV S P)

{A15F7127-2367-464A-AB7D-1E6A7C09AA21}

14. LUMBAR SPINAL PRECAUTIONS (LUMB S P)

{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}

UNITS:

-----

ID: {AC46FCA8-4D8B-45B9-9938-9CE75B759E76}

=====

Abbreviation..... ADL REPOSI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Reposition  
Display Name..... Reposition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. LEFT (LEFT) {81063CEE-2E83-4C95-AAEE-76B7DCB828D4}
  2. RIGHT (RIGHT) {AB74C579-DF14-4D7B-A9EF-5F119089F976}
  3. SUPINE (SUPINE) {A18F9534-17AF-47D7-8D14-2AA457A889BD}
  4. PRONE (PRONE) {41180E09-D9D6-4903-BAE9-28CD5AAC4991}
  5. SELF CARE (SELF CARE) {0E068188-75B8-46C5-8947-A6CC5C7849B5}
  6. ASSISTED (ASSISTED) {65069804-39BF-41ED-9EA3-BF2C41389F10}
  7. CARDIAC REPOSITION (CARD REPOS)  
{E133FE5A-20E1-418F-BD90-D2DFE14908C0}
  8. FOWLER'S (FOWLER'S) {8E691813-A9AC-48BE-9401-528A7D762A32}
  9. HIGH FOWLER'S (HIGH FOWLE)

{EA23C94D-EE91-4552-9F74-E051FAF3E194}

UNITS:

-----



ID: {C0C8630F-6535-4C89-9556-D97CBCB41952}

=====

Abbreviation..... ADL VISITO  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Visitors  
Display Name..... Visitors  
Help Text..... Has the patient had any visitors today.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {0F21C7E0-AD33-46CC-B5BD-40F7A46946D4}

=====

Abbreviation..... ADL ORAL C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Oral Care  
Display Name..... Oral Care  
Help Text..... Oral Care  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

-----

1. DONE (DONE) {60412C8D-132F-46EA-8DDF-FCC282C4CC8B}
2. ASSISTED (ASSISTED) {65069804-39BF-41ED-9EA3-BF2C41389F10}
3. SELF CARE (SELF CARE) {0E068188-75B8-46C5-8947-A6CC5C7849B5}
4. OFFERED (OFFERED) {715091C2-9668-4678-900E-6D55D3335A30}
5. REFUSED (REFUSED) {D5B3E135-4D68-4528-BBC9-6E8A7A997104}
6. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}
7. SUCTIONED ONLY (SUCT ONLY)  
{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}
8. LIP SALVE (LIP SALVE) {612F78AB-7386-4176-9896-02DE5A8E836D}
9. TEETH BRUSHED (TEETH BRUS)

{20841794-6E6D-4262-B1FE-9E3F20F8CC49}

10. MOUTHWASH USED (MOUTHWASH)

{9F7EF355-12A4-4EBA-92ED-0F38273E411B}

11. ETT REPOSITIONED (ETT REPOS)

{95B35EDB-76B6-433E-B526-01C543A7CCEA}

12. ETT RETAPED/SECURED (ETT RETAPE)

{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}

UNITS:

-----

ID: {42608477-6B3D-4036-BE05-F0DA3ED218B9}

=====

Abbreviation..... SPIRIT CA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Spiritual care  
Help Text..... Has Patient Had Spiritual Care  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {CAE19296-4C9E-0049-DD90-4939FFFAA7F4}

=====

Abbreviation..... AFFECT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... an expressed or observed emotional  
response

Display Name..... Affect

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

1. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
2. BLUNTED (Blunted) {F119F2DA-9182-2480-BA75-02D39F4FF69B}
3. BRIGHT (Bright) {D16542CE-0403-2C68-A361-125CB3C75ABA}
4. CONSTRICTED (Constrict) {A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}

UNITS:

-----

ID: {18958F14-76F1-B4F3-DB01-F5FB4C8A70BC}

=====

Abbreviation..... ART AIR C

Active..... Yes

Boolean Value False..... Deflated

Boolean Value True..... Inflated

Data Type..... Boolean

Description..... AIRWAY CUFF INFLATED OR DEFLATED

Display Name..... Artificial Airway Cuff Status

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: AIRWAY ARTIFICIAL POSITION AT LIP/NOSE

Page: 19

ID: {A9032CCC-5479-87C2-27F8-46D8B4F68272}

=====

Abbreviation..... ART AIR PO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Artificial Airway Position at Lip/Nose

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETER

11.9 > 12.0 \* 28.5 < 28.6 Dec Prec: 1

=====

TERM: AIRWAY ARTIFICIAL SIZE - FRENCH

Page: 20

ID: {48027138-FA36-067B-AC88-61C42902C7CC}

=====

Abbreviation..... ART AIR F

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Artifical Airway Size -French

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

FRENCH

3.9 > 4.0 \* 14.0 < 14.1 Dec Prec: 1



ID: {C6712EFD-7351-46E2-B31F-3F788CDECA28}

=====

Abbreviation..... ART AIR mm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Artificial Airway Size - mm  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

- 
- |               |  |
|---------------|--|
| 1. 4 (4)      | {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A} |
| 2. 4.5 (4.5)  | {EC6C0C72-8C49-4535-92B2-7E543007EE32} |
| 3. 5 (5)      | {188EDCE7-0726-4234-D8D2-92C8052CD221} |
| 4. 5.5 (5.5)  | {4878F059-EC9D-44FC-9A61-734C291530E7} |
| 5. 6 (6)      | {640CF2F9-3BBF-AB13-185B-CD02A609FB5A} |
| 6. 6.5 (6.5)  | {CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3} |
| 7. 7 (7)      | {7A010324-D2C2-5D4B-848A-7B8878666D20} |
| 8. 7.5 (7.5)  | {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E} |
| 9. 8 (8)      | {518E7CFC-102E-351E-C7AF-FB575E3C8F4D} |
| 10. 8.5 (8.5) | {96723567-151D-4B5C-9C65-B3EB6D584272} |

- 11. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
- 12. 9.5 (9.5) {252555A1-ADB2-4948-8764-C952F2587DC5}
- 13. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

-----

ID: {2FC0523A-8EBD-7E24-E453-C2DEF54DAE44}

=====

Abbreviation..... ART AIRW T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... TYPE OF ARTIFICIAL AIRWAY  
Display Name..... Artificial Airway Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----

1. NASAL ENDOTRACHEAL (Nasal Endo)  
{C631352E-CAB5-0409-6133-E5D11ECC3293}
2. ORAL ENDOTRACHEAL (ORAL ENDO)  
{466CAD16-D7F3-9D73-6500-959C4DA50D9A}
3. TRACHEOSTOMY (TRACHEOSTO) {2B0B7599-847E-852F-D16F-091CAAA4B205}
4. LARYNGECTOMY (LARYNGECTO) {225CB76A-BAF5-827E-729B-C3D60AD5B50A}
5. NASAL TRUMPET (NASAL TRUM)  
{2FFB8510-793C-D6A4-838E-20FF7CD26533}
6. BITE BLOCK (BITE BLOCK) {E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}
7. ORAL AIRWAY (ORAL AIRWA) {B0CF4270-A68D-1322-0621-1DFF8D677B40}

8. CASS ENDOTRACHEAL TUBE (CASS)

{02BF805C-DF35-4DAB-A99F-2ED673174E49}

UNITS:

-----

ID: {415CE93B-0510-423D-9CAC-838F59882D94}

=====

Abbreviation..... ALARM PARA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Alarm Parameters Verified  
Display Name..... Alarm Parameters Verified  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {97BADE57-C863-F3B4-4507-74BF03D4B0B9}

=====

Abbreviation..... ALARMS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Alarms  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 7 entries

-----

1. CENTRAL ECG (cecg) {26D36175-E4E3-C364-3018-1B0DB4DC4793}
2. BED EXIT ALARM (BED EXIT A)  
{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}
3. WHEELCHAIR EXIT ALARM (WHEEL EXIT)  
{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}
4. IV PUMP (IV PUMP) {EFB92C16-CFA3-18BB-9D54-590089DA3962}
5. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}
6. UROMETER (u) {13074A3A-19D7-300C-7BFF-8DC18DDE2951}
7. IABP (IABP) {763FE975-F5E5-80A6-AB16-E903A829E665}

UNITS:

-----





-----

ID: {42D5FBEB-5FBA-4E89-A1CD-D7882740C7B4}

=====

Abbreviation..... ALD CIRCUL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Modified Aldrete Scoring System

Display Name..... Aldrete Score - Circulation

Help Text..... BP +/- 50% Preop=0, 20-49% Preop= 1,  
20% Preop = 2

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-----

1. 0 = BP +/- 50% PREOP (ALD CIR 0)

{675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}

2. 1 = BP +/- 20-49% PREOP (ALD CIR 1)

{D4A6100D-1228-4860-9BD6-B43F30D4FF94}

3. 2 = BP +/- 20% PREOP (ALD CIR 2)

{04B67413-7A88-409B-8005-471A7C84B879}

UNITS:

-----

ID: {8887F08F-099D-4FE7-84EB-FB122BAFF5F5}

=====

Abbreviation..... ALD CONSCI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Modified Aldrete Scoring System  
Display Name..... Aldrete Score - Consciousness  
Help Text..... Not responding=0, Arousable with  
minimal stimulation=1, Fully awake=2  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. 0 = NOT RESPONDING (ALD CON 0)  
{E8765215-B0B0-430C-8C89-AB969A6AD12E}
  - 2. 1 = AROUSABLE (ALD CON 1) {B2A07804-9829-42D0-9C49-A61FD51EEAA0}
  - 3. 2 = FULLY AWAKE (ALD CON 2)  
{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}

UNITS:

-----

ID: {5530278D-7914-4D0B-B3AF-852FFC708808}

=====

Abbreviation..... ALD O2 SAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Modified Aldrete Scoring System

Display Name..... Aldrete - O2 Saturation

Help Text..... <90% even with O2=0, Needs O2 to  
maintain >90%=1, >92% on room air=2

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

- 
- 1. 0 = <90% (ALD O2 0) {30042730-F600-44FD-A3D0-53172B70082B}
  - 2. 1 = NEEDS O2 (ALD O2 1) {5D97F6BB-7B02-4644-8CE5-014C89826731}
  - 3. 2 = ON ROOM AIR (ALD O2 2)  
{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}

UNITS:

-----



=====

TERM: ALDRETE - TOTAL

Page: 30

ID: {A947CF6C-094E-49B9-A856-E4103162D875}

=====

Abbreviation..... ALD TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Modified Aldrete Scoring System Total

Display Name..... Aldrete - Total Score

Help Text..... Total value of Aldrete scores

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MODIFIED ALDRETE SCORE     -1 > 0 \* 10 < 11     Dec Prec: 0

ID: {5E763979-792D-43A8-A065-661D4ED179E5}

=====

Abbreviation..... Anes Plan  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Anesthesia Planned  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. LOCAL (Local) {64A0FD20-4584-446C-8A2A-57F2FEF3DD10}
  2. REGIONAL BLOCK (Region Blk)  
{3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}
  3. BIER BLOCK (Bier Blk) {241C28E7-6040-4ABC-B76C-4255452C66FD}
  4. GENERAL (General) {6ED377F7-55E4-4743-B781-124267567200}
  5. IV SEDATION (IV Sed) {789B61EB-5E83-4024-850D-D92370C4EC9A}
  6. SPINAL (Spinal) {AC02181C-0A2C-4F7A-B983-B32EF1BCD150}
  7. EPIDURAL (Epidural) {63317A63-16FF-4D55-A034-420C65B17AEB}
  8. MODERATE SEDATION (Mod Sed)  
{C874EDC7-24BF-4F39-8FDA-E8D1193A8428}



9. NONE (NONE)

{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

UNITS:

-----

=====

TERM: APPEARANCE

Page: 32

ID: {5B202547-7AD3-4E86-9FBE-82AEC450510B}

=====

Abbreviation..... APPEARAN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Appearance  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. NEAT (NEAT) {8B01F7B8-B626-4143-A092-1E732EEB4A05}
  2. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
  3. INAPPROPRIATE (Inappropri)  
{7E3B54C2-8A49-28EC-055E-FEA87599421C}
  4. DISHEVELED (DISHEVEL) {0455549E-5CCB-470D-9D7F-F3959E6D55FE}

UNITS:

-----

ID: {D72DC694-6192-8D57-FD8B-02E49EF45DE5}

=====

Abbreviation..... AB ALLERGY  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Is the arm band for allergies present  
Display Name..... Arm Band - Allergies  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

-----

ID: {66410CB8-1475-12D5-1199-76217CC9B174}

=====

Abbreviation..... AB BL TR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Blood Transfusion IV  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {B7AF531A-26FA-B821-F3B6-F75911A8BBC2}

=====

Abbreviation..... AB DNR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Is patient armband for DNR present  
Display Name..... Arm Band - DNR  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {950320E8-0C68-29C0-E39A-355CEB0119C6}

=====

Abbreviation..... AB ELOPE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Elopment  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {48BCE5FD-3703-4F3B-619B-8E5FD2E25D2E}

=====

Abbreviation..... AB FALL RI  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - High Fall Risk  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {4EF7E9C0-4B52-0EA5-B5ED-D29E655089FE}

=====

Abbreviation..... AB PM ALER

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Arm Band - Personal Medical Alert

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



ID: {F0D2FBB6-0843-239A-356E-D903542E9117}

=====

Abbreviation..... AB WANDER  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Wanderer  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {FD6E4F7D-AF64-4208-B6BD-DD965FB234C3}

=====

Abbreviation..... AB PRESENT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arm Bands Present  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

- 
1. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}
  2. IDENTIFICATION (i) {39274F69-556C-7F05-6D17-CE8A03D1867D}
  3. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}
  4. ALLERGY (a) {EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}
  5. HIGH FALL RISK (hfr) {276C15F3-5BED-0FE0-5649-337A23AB1386}
  6. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
  7. PERSONAL MEDICAL ALERT BRACELET (pmab)  
{E63D5FDE-4509-5751-A11C-C023E296858A}
  8. BLOOD TRANSFUSION IV (BI TRAN IV)  
{27A0BE4C-433C-F920-BAC2-066F304BDF59}

9. WANDERER (w) {C5BD737B-F9A6-5800-B45C-2585507C3EDC}

10. DO NOT INTUBATE (Do Not Int)

{88F9A76A-43BC-4BD9-A567-C8FE5A868544}

11. LATEX ALLERGY (Latex Alle)

{3E7326AA-8CA4-448C-802A-111C232B2F1C}

12. DYSPHAGIA (Dysphagia) {CC69271C-B4DF-42D1-BA91-0832DBC45E31}

13. RESTRICTED EXTREMITY (Res Extrem)

{7BC82415-996E-46F2-B2BC-DF0705AD2AA3}

UNITS:

-----

ID: {9267950F-51B3-4C38-B280-C62D7B076F6B}

=====

Abbreviation..... ALINE ALAR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Arterial Lines Alarms On  
Display Name..... Arterial Line Alarms On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



ID: {1D4E53DD-2D96-4B9F-9912-920B96FFF942}

=====

Abbreviation..... ART LIN DC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arterial Line Dressing Change  
Display Name..... Arterial Line Dressing Change  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
  2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
  3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
  4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS:

-----

ID: {A2F0D86E-286A-0D33-2BAA-3DDE78121050}

=====

Abbreviation..... A LINE DRE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arterial Line Dressing  
Help Text..... Type of dressing used on arterial line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

-----

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
2. PRESSURE DRESSING (PRESS DRES)  
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}
3. GAUZE AND TAPE (GAU & TAPE)  
{5BC40405-B5C4-47CF-81C3-520732E100AC}

UNITS:

-----

ID: {2CCDDAA0-9563-8B09-11C1-51E1E2823A48}

=====

Abbreviation..... A LINE CAR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Has Arterial Line Site Care Been Done?

Display Name..... Arterial Line Site Care

Help Text..... Date arterial line inserted

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



ID: {A87DEFA0-FD22-8AAB-AEEE-61E91FEE2154}

=====

Abbreviation..... ART LI CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arterial Line Site Condition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 8 entries

- 
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
  - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
  - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
  - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
  - 70. BLANCHED (Blanched) {EBB2EA8D-04BC-49E7-812A-62B46F0F4678}
  - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}
  - 90. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

LOCATION: 8 entries

- 
1. L RADIAL (L RAD)        {302F78AD-4067-8B6B-BD15-993EC8561AE6}
  2. R RADIAL (R RADIAL)    {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
  3. L FEMORAL (L FEM)     {50AF6A08-CE37-6859-F4E6-762660A982F7}
  4. R FEMORAL (R FEM)     {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
  6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
  7. L BRACHIAL (L BRACH)    {75F6CE33-1AB3-A1DA-70B8-04825290B577}
  8. R BRACHIAL (R BRACH)    {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

---

=====

TERM: ARTERIAL LINE SIZE

Page: 47

ID: {9D96EBB7-19E0-4832-B61F-D2A42CE15737}

=====

Abbreviation..... ART LIN SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Arterial Line in size Gauge  
Display Name..... Arterial Line Size  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

LOCATION: 8 entries

-----

1. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
2. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
3. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
4. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

---

GAUGE

14 > 18 \* 26 < 30

Dec Prec: 0

ID: {1B11B2EF-C905-40F6-9F6F-195FEC0CD8E6}

=====

Abbreviation..... ALINE WAVE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arterial Line Waveform  
Display Name..... Arterial Line Waveform  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
  3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
  4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
  5. NOT MONITORED (NOT MONITO)  
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

-----

ID: {A500DBBF-6E69-4CB3-926F-6B9988BB8B68}

=====

Abbreviation..... ALINE ZERO

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Arterial Line Zeroed

Display Name..... Arterial Line Zeroed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {E189D73A-B578-AAD3-97F5-56580209D089}

=====

Abbreviation..... ASA Phys  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... ASA Physical Status  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. ASA PS 1 (ASA PS 1) {BAF1730E-C358-17F1-8DB8-4B6097AFF066}
  2. ASA PS 2 (ASA PS 2) {070C0F56-3D9C-5430-EF9E-BF3B96DFB595}
  3. ASA PS 3 (ASA PS 3) {B041CE25-82D0-EDAD-C673-A64BCD6647F4}
  4. ASA PS 4 (ASA PS 4) {040841C3-D933-E687-C7E0-29F439C08778}
  5. ASA PS 5 (ASA PS 5) {1F7B73A6-3F8E-E230-1C23-C7DF92032E58}
  6. EMERGENCY (Emergency) {3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}

UNITS:

-----

=====

TERM: BABINSKI

Page: 51

ID: {D7BB9690-82D8-F50B-93AA-1937D051AA53}

=====

Abbreviation..... BABINSKI  
Active..... Yes  
Boolean Value False..... Negative  
Boolean Value True..... Positive  
Data Type..... Boolean  
Description..... Babinski Reflex Test  
Display Name..... Babinski  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE:

2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



ID: {DC4D8E16-1BA9-4A45-820E-A7AAA48449FB}

=====

Abbreviation..... Barriers  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Barriers to Learning  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
- 1. PHYSICAL IMPAIRMENT (Phys Impai)  
                                  {4D744081-134E-420D-9712-AF114977E490}
  - 2. COGNITIVE IMPAIRMENT (Cog Impair)  
                                  {6D051F44-2124-4914-A415-B98B2AC516E9}
  - 3. OTHER (OTHER)            {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

=====

TERM: BED POSITION

Page: 53

ID: {D65573FE-6CAB-3A81-4572-ACC9488D8BAF}

=====

Abbreviation..... BEDPOS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Bed Position  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
  2. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
  3. SEMIFOWLERS HIGH (sh) {1BBE7175-2BD2-BFB5-1E1B-E02443433072}
  4. SEMIFOWLERS LOW (sl) {A265AF02-53FC-B182-8AE3-A06E95718D7E}
  5. CARDIAC CHAIR (cc) {D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}

UNITS:

-----

=====

TERM: BEHAVIOR

Page: 54

ID: {BBF17C69-B1B4-37D9-0469-D124F4ADA673}

=====

Abbreviation..... BEHAVIOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Is Patients Behavior Appropriate?  
Display Name..... Behavior  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
  2. INAPPROPRIATE (Inappropri)  
{7E3B54C2-8A49-28EC-055E-FEA87599421C}
  3. RESTING (Resting) {D750373F-12E2-4D95-AF0D-F7731905F723}
  4. APPEARS ASLEEP (App Asleep)  
{8D1436B8-ADB0-4092-A0CE-383D74131AA8}

UNITS:

-----

ID: {A3BE725A-A4D7-6C75-D5CD-453755C5EF21}

=====

Abbreviation..... CUR LOC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior Current Location  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
  2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
  3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
  4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
  5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
  6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
  7. SMOKING PORCH (sp) {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
  8. SMOKING AREA (sa) {8AFDBCB0-9FC8-523F-5D07-4D8CCBA7036F}
  9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
  10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

-----

ID: {E5D2F4A5-5484-2B9C-EBD0-C0EB0FBC6E8C}

=====

Abbreviation..... BEH OBS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 15 entries

- 
1. COOPERATIVE (c) {C176406E-EBDE-4ADE-53DE-CF191D8AFC85}
  2. CALM (c) {E206C3F5-6977-302C-51FB-AF2155B5FFD9}
  3. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
  4. HOSTILE (h) {29EF2C04-7DB0-4491-2B5E-D92A6A558721}
  5. COMBATIVE (c) {DF65D42D-6CAA-657E-AEE1-C070C1FDF177}
  6. INEFFECTIVE COPING (ic) {704B1A55-B639-60F4-E3A5-16F942ABC259}
  7. WITHDRAWN (w) {E74B0F04-0E3F-632F-9409-C4953D95B1BA}
  8. UNCOOPERATIVE (u) {2D737EFB-F4CA-7AEA-9EB2-6FF133742815}
  9. SLEEPS POORLY (sp) {AB9424B4-D0B1-148B-C800-FF535F3FAC84}
  10. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

- 11. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
- 12. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
- 13. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
- 14. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
- 15. LETHARGIC (l) {4ECA2E44-093A-9354-848E-CDC72B165072}

UNITS:

-----

ID: {1F322720-9BDF-A3A4-47A6-7DA602FFBBF4}

=====

Abbreviation..... PRE LVL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior Precaution Level  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. CLOSE OBSERVATION (co) {2679BCAC-8753-FE73-56F8-3AB632161AF4}
  2. 1:1 OBSERVATION (1o) {B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}
  3. PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (pswlosons)  
{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}
  4. PATIENT SIGNS SAFETY CONTRACT (PT CONTRAC)  
{C65734EC-2CAF-4547-8FD8-CBCD9C706003}

UNITS:

-----



ID: {C2808159-80A1-AF7F-7C7F-C3A96096187E}

=====

Abbreviation..... PRE REA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior Precaution Level  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
  - 2. ESCAPE (e) {965F3201-9D63-66AB-FA25-99479AE7145A}
  - 3. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
  - 4. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
  - 5. MEDICAL DEVICE SAFETY (mds)  
{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

UNITS:

-----

ID: {B52B46E7-A947-447E-A277-71B286B6313A}

=====

Abbreviation..... BIPAP EXP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bipap machine setting for expiratory  
pressure

Display Name..... Bipap Expiratory Pressure - Do Not  
Check Total or Subtotals

Help Text..... Bipap machine setting for expiratory  
pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

CENTIMETERS H2O

-1 > 0 \* 15 < 16

Dec Prec: 0

ID: {25B30C16-509B-4537-9C06-05B1C5013C81}

=====

Abbreviation..... BIPAP IN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bipap machine setting for inspiratory  
pressure

Display Name..... Bipap Inspiratory Pressure - Do Not  
Check Total or Subtotals

Help Text..... Bipap machine setting for inspiratory  
pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

CENTIMETERS H2O

-1 > 0 \* 15 < 16

Dec Prec: 0

ID: {BEDA282C-C39A-4134-DA6D-7BFCC567A058}

=====

Abbreviation..... BLAD ASSMT

Active..... Yes

Boolean Value False..... Nondistended

Boolean Value True..... Distended

Data Type..... Boolean

Description..... Assessment of bladder

Display Name..... Bladder Assessment

Help Text..... Is bladder nondistended or distended?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {403C285B-40ED-4ECA-BFD0-4404BE4FB59E}

=====

Abbreviation..... BLAD SCAN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bladder Scan

Display Name..... Bladder Scan - Do Not Check Total or  
Subtotals

Help Text..... Bladder Scan Urine Volume Results

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLILITER	0 > 0 * 100 < 1000	Dec Prec: 0
------------	--------------------	-------------

CUBIC CENTIMETER	0 > 0 * 100 < 1000	Dec Prec: 0
------------------	--------------------	-------------

ID: {B15F2DF6-CE99-B847-FE6B-3D5F174A2BCD}

=====

Abbreviation..... BP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Complex observation of Systolic and  
Diastolic pressures.

Display Name..... Blood Pressure

Help Text..... Enter in the blood pressure values as  
###/###.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500634

LOCATION: 7 entries

-----

1. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}
2. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}
3. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
4. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
5. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
6. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
7. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

METHOD:

11 entries

-----

1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
3. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
4. CUFF-AUTOMATED (CA) {088AAD2B-2E7B-F835-376F-3D4340790976}
5. CUFF-MANUAL (CM) {5F56C163-2B04-112F-55DE-E31374E0FB58}
6. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
7. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
8. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
9. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
10. PALPATED (Pal) {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}
11. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION:

6 entries

-----

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
3. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
4. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
5. TRENDELENBURG (Tr) {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}
6. SUPINE (SUPINE) {DEA8A744-B445-4A9E-875D-485E060F2ACC}

UNITS:

-----

=====

TERM: BLOOD PRESSURE CUFF SIZE

Page: 64

ID: {46DCF900-6F2C-46D0-ADB8-2EC17E7659FF}

=====

Abbreviation..... BP CUFF SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Blood Pressure Cuff Size  
Help Text..... Blood Pressure Cuff Size  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
1. ADULT (ADULT) {37B557BE-B932-4757-8E08-5EA315E8AD1F}
  2. ADULT LARGE (AD LARGE) {38E64D72-2806-47FA-B82F-51844574F850}
  3. ADULT SMALL (AD SMALL) {0161A4E5-713A-406B-B3FD-9ED13BEB5366}
  4. THIGH (THIGH) {65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}
  5. PEDIATRIC (PEDIATRIC) {06865E22-3ED9-4EDD-9749-6F8641BF29DE}

UNITS:

-----



=====

TERM: BODY SURFACE AREA

Page: 65

ID: {5C9A522B-C5ED-4D59-7BF8-3D88ADEBAB07}

=====

Abbreviation..... M2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Body Surface Area

Display Name..... BSA

Help Text..... Body Surface Area

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

SQUARE METERS

0.50 > 1.00 \* 1.75 < 4.00 Dec Prec: 2

=====

TERM: BOWEL MOVEMENT EVENT(S)

Page: 66

ID: {2EB1DAFB-1E56-40A8-B371-D46EF7AF2435}

=====

Abbreviation..... BM EVENT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Number of bowel movements observed

Display Name..... Bowel Movement Event

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

EVENT(S)

-1 > 0 \* 8 < 30

Dec Prec: 0

ID: {9EBBF98C-9551-3AC6-F955-6242D8416444}

=====

Abbreviation..... BR SC ACTI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Activity - degree of  
physical activity

Display Name..... Braden Scale Activity

Help Text..... 1. Bedfast: Confined to bed 2.

Chairfast: Ability to walk severely

limited or non-existent. 3. Walks

Occasionally: Walks occasionally

during day, but for very short

distances, with or without

assistance. 4. Walks Frequently:

Walks outside room.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

1. BRADEN SCALE ACTIVITY 1 BEDFAST (BS ACT 1)

{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}

2. BRADEN SCALE ACTIVITY 2 CHAIRFAST (BS ACT 2)

{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}

3. BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (BS ACT 3)

{E47B47BC-6097-4602-9184-BF5A4F6D686A}

4. BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (BS ACT 4)

{C5A8C2EA-E042-4804-9812-77603C47FC6A}

UNITS:

-----

ID: {03ECD9F4-3C12-A62B-FAAC-0F8A824763AA}

=====

Abbreviation..... BR SC FRIC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Friction and Shear

Display Name..... Braden Scale Friction and Shear

Help Text..... 1. Problem: Requires moderate to  
maximum assistance in moving. 2  
Potential Problem: Moves feebly or  
requires minimum assistance.3 No  
Apparent Problem: Moves in bed and  
in chair independently and has  
sufficient muscle strength to lift up  
completely

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-----

1. BRADEN FRICTION AND SHEAR 1 PROBLEM (BS F/S 1)

{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}

2. BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (BS F/S 2)

{B56338A9-8956-4D27-8BA0-DA50E07359E0}

3. BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (BS F/S 3)

{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

UNITS:

-----

ID: {85F9FB55-26A3-6203-C1AE-6EFED5952B3D}

=====

Abbreviation..... BR SC MOBI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Mobility - ability to  
change and control body position

Display Name..... Braden Scale Mobility

Help Text..... 1=Completely Immobile, 2=Very  
Limited, 3=Slightly Limited, 4=No  
Impairment

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

1. BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (BS MOB 1)

{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}

2. BRADEN SCALE MOBILITY 2 VERY LIMITED (BS MOB 2)

{868EFA33-877E-4B91-B4FD-9655F66A7160}

3. BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (BS MOB 3)

{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}

4. BRADEN SCALE MOBILITY 4 NO LIMITATION (BS MOB 4)

{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

UNITS:

-----



ID: {D72122E0-C46F-D019-0CE8-FE403ABE8F52}

=====

Abbreviation..... BR SC MOIS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Moisture - degree to  
which skin is exposed to moisture

Display Name..... Braden Scale - Moisture

Help Text..... 1=Constantly Moist, 2=Very Moist,  
3=Occasionally Moist, 4=Rarely Moist

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-----

1. BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (BS MOI 1)

{3E2569BA-ECF0-4622-8F4A-26378A2CB466}

2. BRADEN SCALE MOISTURE 2 VERY MOIST (BS MOI 2)

{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}

3. BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (BS MOI 3)

{D7F2714B-B0C7-4000-8588-8582C1B32ECE}

4. BRADEN SCALE MOISTURE 4 RARELY MOIST (BS MOI 4)

{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}

UNITS:

-----

ID: {C8167958-3381-1ACE-82C3-856BC2CB9FD2}

=====

Abbreviation..... BR SC NUTR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Braden Scale Nutrition - usual food  
intake pattern

Display Name..... Braden Scale Nutrition

Help Text..... 1=Very Poor, 2=Probably Inadequate,  
3=Adequate, 4=Excellent

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-----

1. BRADEN SCALE NUTRITION 1 VERY POOR (BS NUT 1)

{28A86074-A6B2-455E-ABA4-19195C2E3679}

2. BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (BS NUT 2)

{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}

3. BRADEN SCALE NUTRITION 3 ADEQUATE (BS NUT 3)

{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}

4. BRADEN SCALE NUTRITION 4 EXCELLENT (BS NUT 4)

{F09E4D35-1AA8-49A5-9B38-FBFFAFCFC181}

UNITS:

-----

ID: {BC5D5F00-85EE-7FB2-3175-8EDB95485D5E}

=====

Abbreviation..... BR SC SENS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Sensory Perception - ability to  
respond meaningfully

Display Name..... Braden Score - Sensory Perception

Help Text..... 1=Completely Limited, 2=Very Limited,  
3=Slightly Limited, 4=No Impairment

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

1. BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (BS SENC 1 )

{60F646B3-790F-4C5A-B2A0-845915E120E6}

2. BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (BS SENC 2)

{98362E63-7245-4E7F-8C30-896A9B923199}

3. BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (BS SENC 3)

{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}

4. BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (BS SENC 4)

{10304656-E5E8-4F32-8358-A9F80511EFDA}

UNITS:

-----

=====

TERM: BRADEN SCALE TOTAL

Page: 73

ID: {42F65882-FAE1-45E1-84E9-A2A71052BD0C}

=====

Abbreviation..... BRADEN TOT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Braden Scale Total  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

BRADEN SCALE            5 > 6 \* 23 < 24            Dec Prec: 0

ID: {DD4858CD-DC35-9453-3144-FAE30BCE6B58}

=====

Abbreviation..... BREATH SOU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... SOUND OBSERVATIONS FROM PATIENT'S LUNGS

Display Name..... Breath Sounds

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

7 entries

-----

1. RHONCHI (RHONCHI) {850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}

2. CRACKLES (c) {6B64C108-4424-00D9-525F-D89D549476D6}

3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

5. DIMINISHED (d) {49DE419E-DC3C-F7CD-771D-742031E0DEBC}

6. INSPIRATORY WHEEZES (INSP WHEEZ)

{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}

7. EXPIRATORY WHEEZES (EXP WHEEZE)

{CFC103A8-8B02-4942-BBDD-8D24C930883E}



LOCATION:

5 entries

-----

1. LEFT LOWER LOBE (LLL) {14155C13-874D-6E26-01D8-2C03B349F913}
2. LEFT UPPER LOBE (LUL) {21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}
3. R LOWER LOBE (RLL) {418D350A-3602-1918-22C8-53D093AF49B0}
4. R MIDDLE LOBE (RML) {57879159-350C-2055-34D3-C6EFA39CA98F}
5. R UPPER LOBE (RUL) {098C11B4-B556-FBBE-7E21-AEC9D7E4408A}

UNITS:

-----

=====

TERM: CALL LIGHT WITHIN REACH

Page: 75

ID: {ABAC4D24-C449-117E-BE4C-BFBC1F599A57}

=====

Abbreviation..... CALL LT

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Call Light Within Reach

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {951BBDAA-883A-E4F7-AD05-B086A71A2FEC}

=====

Abbreviation..... CAP REFILL  
Active..... Yes  
Boolean Value False..... Greater than 3 seconds  
Boolean Value True..... Less than 3 seconds  
Data Type..... Boolean  
Description..... RATE OF CAPILLARY REFILL  
Display Name..... Capillary Refill  
Help Text..... RATE OF CAPILLARY REFILL  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: CARDIAC ABNORMAL BPM

Page: 77

ID: {1B168030-C39C-8120-915A-36073D044B17}

=====

Abbreviation..... ABN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Cardiac Abnormal BPM

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

BEATS PER MINUTE

0 > 1 \* 200 < 201

Dec Prec: 0

=====

TERM: CARDIAC ALARM PARAMETERS VERIFIED

Page: 78

ID: {564B52F5-824E-3DBF-5EDB-493DDFFC30A3}

=====

Abbreviation..... CARD ALARM

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Cardiac Alarm Parameters Verified

Help Text..... Cardiac Alarm Parameters Verified

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: CARDIAC BRUIT

Page: 79

ID: {23CEA88E-9A5A-4AE2-92C7-F5204B166211}

=====

Abbreviation..... BRUIT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Bruit  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}
2. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 7 entries

-----

1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L CAROTID (L CAROTID) {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}
4. R CAROTID (R CAROTID) {8280ACD2-72D6-202A-89AF-86BCA7736427}
5. R TEMPORAL (R TEMPOR) {1F50461D-5ECF-25B2-A29A-E02803CB7814}

6. L TEMPORAL (L TEMPO) {375E65CF-A59E-A1E9-EB6D-D53CD818939E}

7. ABDOMINAL AORTA (ABD AORTA)

{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

UNITS:

-----

ID: {74EC179C-8598-13F7-3D58-442305A3AFDB}

=====

Abbreviation..... CARD E  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Cardiac Ectopy  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

- 
- 1. PJC (p) {1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}
  - 2. PAC (p) {848AB18A-598D-8E4E-8B1B-ED7478CE340B}
  - 3. PVC (p) {33FF92F1-84CC-7CFA-41CF-B271A26C59B8}
  - 4. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  - 6. MULTIFOCAL PVC (Mult PVC) {34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}
  - 7. UNIFOCAL PVC (Uni PVC) {5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}
  - 8. PAIRS (Pairs) {668B0D85-E507-4E12-B07A-A90CB98730DC}
  - 9. RUNS OF VT (Runs of VT) {3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}
  - 10. BIGEMINY (Bigeminy) {729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}
  - 11. TRIGEMINY (Trigeminy) {13D65F9F-B51C-4CEC-8002-037C8323626C}



12. QUADRAGEMINY (Quadrage mi) {899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}

13. JUNCTIONAL ESCAPE BEAT (Junctional)

{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}

14. REMNANT P-WAVE (Remnant P)

{3BBAA695-337E-41C4-BB83-8452917C07DF}

UNITS:

-----

ID: {476105AC-C83C-ECEC-6C72-7C7C8EE87853}

=====

Abbreviation..... CARD HS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Cardiac Heart Sounds  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 7 entries

- 
- 1. S1 (s) {1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}
  - 2. S2 (s) {57C043D3-B227-3E7A-C1E6-5129A2800718}
  - 3. S3 (s) {9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}
  - 4. S4 (s) {9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}
  - 5. RUB (r) {0040835D-1CF0-7D55-EEBB-A94A1E0D1206}
  - 6. CLICK (c) {F1F3A1A8-35E1-61B4-C783-3314C8247380}
  - 7. MURMUR (MURMUR) {591058E0-4B71-E432-B7D7-EBD42A8C4225}

UNITS:

-----

=====

TERM: CARDIAC INDEX

Page: 82

ID: {BFC29A9A-C666-68B5-C5CF-36B809CF66C2}

=====

Abbreviation..... CI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Cardiac Index  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

-----

LITERS PER MINUTE PER METER2 (BSA)

-0.1 > 0.0 \* 8.0 < 8.1 Dec Prec: 1

=====

TERM: CARDIAC OUTPUT

Page: 83

ID: {0B7C4991-12E5-10DE-F25D-CB81BFA1ADAD}

=====

Abbreviation..... CO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Cardiac Output  
Display Name..... Cardiac Output  
Help Text..... Cardiac Output  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

-----

LITERS PER MINUTE 0.00 > 4.00 \* 8.00 < 16.00

Dec Prec: 2

ID: {D5CF1A63-551A-59D4-E6BB-C851D81BDB58}

=====

Abbreviation..... CARDR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... HEART RHYTHM  
Display Name..... Cardiac Rhythm  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 32 entries

-----

1. SINUS RHYTHM (sr) {A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}
2. SINUS BRADYCARDIA (sb) {D6EF4940-63AE-22AF-1A80-D8E6F0F07839}
3. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}
4. ASYSTOLE (a) {6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}
5. ATRIAL FIB/FLUTTER (af) {9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}
6. ATRIAL FIBRILLATION (a fib)  
{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}
7. ATRIAL FLUTTER (af) {9CB8D413-6762-D78E-F40E-25DB66CD23B3}
8. L BUNDLE BRANCH BLOCK (lbbb)  
{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}

9. R BUNDLE BRANCH BLOCK (rbbb)  
{FDE0D174-5220-F069-D284-20399D9489B0}
10. IDIOVENTRICULAR (i) {8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}
11. JUNCTIONAL (j) {4A339D84-7051-1258-877D-85AFC1CA20FE}
12. PACED: AV SEQUENTIAL (pas)  
{3C485674-224C-47DA-510D-92F1A0CA54A1}
13. PACED: ATRIAL (pa) {88837DD4-098D-B77F-A754-89D5C4F5870F}
14. PACED: VENTRICULAR (pv) {A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}
15. PAROXYSMAL ATRIAL TACHYCARDIA (pat)  
{27BC1FAF-A403-6EA8-044C-F1271F12A62A}
16. SINUS ARREST (sa) {3CD8F7AC-3FE0-F342-089C-787232D2A5C2}
17. SINUS ARRHYTHMIA (sa) {07A24AC9-B486-A4B8-BADB-04D2729542CE}
18. SUPRAVENTRICULAR TACHYCARDIA (st)  
{F712412F-D39A-58F7-E4F1-6AC8B77445D7}
19. VENTRICULAR FIBRILLATION (vf)  
{400B70C2-6E15-458F-70C6-FA2597DE2556}
20. VENTRICULAR TACHYCARDIA (vt)  
{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}
21. FIRST DEGREE AV BLOCK (fdab)  
{4FF046C9-B638-F86C-5D51-006B3D5225E3}
22. SECOND DEGREE AV BLOCK: TYPE 1 (sdabt1)  
{508BF663-96FB-EEBE-4F06-D2F1A02BD099}
23. SECOND DEGREE AV BLOCK: TYPE 2 (sdabt2)  
{3367754A-08D1-31A9-E850-1B36358E358A}
24. THIRD DEGREE AV BLOCK (tdab)  
{1AC7E31B-830E-2309-3AF7-8FB03003DD86}
25. SINUS PAUSE (sp) {7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}
26. SINUS BLOCK (sb) {94D6EFED-3D08-E724-BC40-9C398919A142}

27. SINUS TACHYCARDIA (SINUS T)

{0AC41AF3-7656-A35D-E397-21D35405812A}

28. PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (PST)

{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}

29. MUTIFOCAL ATRIAL TACHYCARDIA (mat)

{562C6BBB-C210-4467-93B3-8E50640E7CCE}

30. JUNCTIONAL TACHYCARDIA (jt)

{D6EF01C1-A8F9-40FD-AE24-785041526041}

31. TORSADES DE POINTES (Tor de Poi)

{E936B787-7912-4CAE-A465-AD1A1FEA68CA}

32. PULSELESS ELECTRICAL ACTIVITY (Pulseless)

{8E21E500-78D4-462D-9483-DD81D3887EE5}

UNITS:

-----



ID: {3F4A283A-6A9F-345A-1BE0-86980228FA6D}

=====

Abbreviation..... CAR RH LD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Cardiac Rhythm Lead  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

- 
- 1. I (I) {BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}
  - 2. II (II) {F165C13B-397E-4182-8D72-BD1D74CFBA00}
  - 3. III (III) {D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}
  - 4. AVR (AVR) {04AF2551-1185-4BA9-AEED-977D562D188A}
  - 5. AVL (AVL) {9124A193-5F50-448D-9E60-C5869EC4029C}
  - 6. AVF (AVF) {C8E97206-58AA-47C0-BD2E-7A30E56DB46A}
  - 7. V1 (V1) {4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}
  - 8. V2 (V2) {05A3232E-A30D-4771-A1B5-E7705B717646}
  - 9. V3 (V3) {E150126E-4AA7-4F96-961E-FD1169C77158}
  - 10. V4 (V4) {255260F9-5CC7-41B1-831C-F9319FA27506}

11. V5 (V5) {D5C10744-0EB5-46FA-AE6C-CCF571318F8A}

12. V6 (V6) {B86F72D7-7884-4470-92A8-EF9277C5B584}

UNITS:

-----

=====

TERM: CARDIAC THRILL

Page: 86

ID: {03A59127-CB5C-4DA6-91C4-5AA02DDE2C66}

=====

Abbreviation..... THRILL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Thrill  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

-----

1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}
2. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 8 entries

-----

1. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
2. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
3. R CAROTID (R CAROTID) {8280ACD2-72D6-202A-89AF-86BCA7736427}
4. L CAROTID (L CAROTID) {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}
5. R TEMPORAL (R TEMPOR) {1F50461D-5ECF-25B2-A29A-E02803CB7814}

6. L TEMPORAL (L TEMPO) {375E65CF-A59E-A1E9-EB6D-D53CD818939E}

7. ABDOMINAL AORTA (ABD AORTA)

{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

8. HEART (HEART) {F7D48A36-B512-42DD-B92F-07ACF2B95E08}

UNITS:

-----

ID: {D52A1728-1692-4742-886A-B119BB7EE598}

=====

Abbreviation..... THRILL TIM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Thrill Timing  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
  2. SYSTOLIC (SYSTOLIC) {859B5700-0990-42FF-8129-8DB24EFDA8D1}
  3. DIASTOLIC (DIASTOLIC) {3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}
  4. PRESYSTOLIC (PRESYSTOLI) {BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}

UNITS:

-----

ID: {D7A1DFC3-BBD5-4439-AAB7-D3489238A360}

=====

Abbreviation..... CAUTI: Alt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... CAUTI: alternatives attempted prior  
to cath

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

10. BLADDER SCAN (Blad Scan)

{6C66BC97-1042-4E53-A49F-69AB7ABEE551}

20. EXTERNAL CONDOM CATH (Ex Con Cat)

{747E493A-C535-44EA-AD6D-27CE3E8E8CAC}

30. BEDSIDE COMMODO (Bedside Cm)

{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}

40. TOILETING BY SCHEDULE (Toilet Sch)

{D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}

UNITS:

-----

ID: {A1A9B834-08E3-461E-8E52-03C49D1B63B0}

=====

Abbreviation..... CAUTI: Cat  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI: Catheter in place  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 10 entries

-----

- 10. FROM OPERATING ROOM (From Op Rm)  
{2B26BD84-3D4D-4931-99C7-8204E9D49827}
- 20. FROM EMERGENCY DEPARTMENT (Fr Emergen)  
{9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}
- 30. FROM INTERVENTIONAL RADIOLOGY (Fr Int Rad)  
{617DA086-B121-4E2F-8B02-41133EEDD50D}
- 40. FROM ANOTHER VA FACILITY (Fr Oth VA)  
{66AF9A88-6404-4E05-9640-4FB0C6513BAF}
- 50. FROM A NON-VA OUTSIDE FACILITY (Fr Non-VA)  
{8090F49E-5056-4F7C-932C-538581996F8F}



60. FROM ANOTHER UNIT (Fr An Unit)

{D94B5252-7E8A-48EB-A481-0B18C68CAEF7}

70. FROM MICU (From MICU) {971D83AE-B75C-420B-B23D-844397CEE968}

80. FROM SICU (From SICU) {892002CC-E07A-49A5-B909-1F88665B3D65}

90. FROM CLC (From CLC) {8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}

100. FROM HOME (From Home) {2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}

UNITS:

-----

ID: {66447A9A-D54B-4323-9A17-EBCD2BF0F38E}

=====

Abbreviation..... CAUTI: In  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI: Indications  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 6 entries

- 
- 10. COMFORT CARE (Comfort Ca) {51669E41-DF78-4E49-BA5F-DE6F1B5F1148}
  - 20. NEUROGENIC BLADDER (Neuro Blad)  
      {D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}
  - 30. STAGE 3 OR 4 PRESSURE ULCER (Press Ulce)  
      {883029EF-BB3A-4146-95DD-3C6F1C0D097D}
  - 40. SELECTED SURGERY (Sel Surg)  
      {6DBC6356-0F00-4001-AF94-20A479995A6C}
  - 50. UNABLE TO VOID (Un to Void)  
      {1F2A844D-4E14-4759-B8F7-82B58E157720}
  - 60. OTHER (OTHER)            {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

ID: {30CAE818-AF88-4B9A-B9A8-157E1342DD0F}

=====

Abbreviation..... CAUTI: Req  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI: Insertion Requirements  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

-----

- 10. HAND HYGIENE BEFORE AND AFTER (Hand Hyg)  
{6005023D-3C02-4C93-99E8-2A8167574E93}
- 20. STERILE GLOVES-DRAPES USED (Ster Glove)  
{F26BBB1B-1483-40CD-AC47-828F71B9187C}
- 30. ASEPTIC TECHNIQUE FOLLOWED (Aseptic)  
{2DE69DDB-F455-4570-A821-C81F39FD2574}
- 40. SINGLE USE LUBRICANT PACKET (Single Use)  
{7F748EDB-77D4-42D2-BE75-54F73598D4B0}
- 50. CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (Cath Secur)  
{A2D2ABF1-88D4-46A2-B935-33211292FF25}

60. DRAINAGE FLOW IS UNOBSTRUCTED (Unobstruct)

{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}

70. CATH SIZE DOCUMENTED (Cath Size)

{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}

80. CATHETERIZATION TIME DOCUMENTED (Cath Time)

{4EF58FCA-A5E1-454C-B435-5BFB487618F4}

90. PROVIDED PATIENT EDUCATION (Pat Ed)

{25D0998B-3600-40C9-8608-9A0D91CCBEE0}

UNITS:

-----

=====

TERM: CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY

Page: 92

ID: {130B6426-2DE1-4FBE-ADDD-AA8C66F24A37}

=====

Abbreviation..... Caution

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Caution-Vitals may not display in  
correct sequence. Review times  
carefully

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {152A037A-A6CC-4F12-8B85-25CEE78772C4}

=====

Abbreviation..... C-LINE ALA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Central Line Alarms On

Display Name..... Central Line Alarms On

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {8FA1B26D-CADB-4769-3574-18A6BD86C400}

=====

Abbreviation..... C LINE CHA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Changed  
Help Text..... Central Line changed to  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}
  2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}
  3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)  
{20BC183A-197F-4464-A27C-47F63C5B842A}
  4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)  
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:

-----



ID: {DDEA3089-9246-40F3-9A67-56A05B393309}

=====

Abbreviation..... C LI DR CH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Central Line Dressing Change  
Display Name..... Central Line Dressing Change  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
- 1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
  - 2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
  - 3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
  - 4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS:

-----

ID: {AF276338-5F2C-1CEF-F009-AC4BAED0DDE3}

=====

Abbreviation..... C LINE DRE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Dressing Type  
Help Text..... Type of dressing on central line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. ANTI-MICROBIAL DRESSING (AB DRESSIN)  
{9734C5E9-D099-47EB-93B1-D82201F64331}
  2. PRESSURE DRESSING (PRESS DRES)  
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}
  3. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

UNITS:

-----

=====

TERM: CENTRAL LINE INSERTION MARK

Page: 97

ID: {FAF85282-EB13-405A-B78E-36767EE4C33B}

=====

Abbreviation..... C LINE INS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Central Line Insertion Mark  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

CENTIMETER                    -1.00 > 5.00 \* 60.00 < 250.00

Dec Prec: 2

ID: {4620B5B3-22F7-45DA-A52E-6D3EAE1C4202}

=====

Abbreviation..... C-LINE CAR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Central Line Site Care

Display Name..... Central Line Site Care

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {7996453B-0F7C-B4E8-2007-6C26AE26C479}

=====

Abbreviation..... C LINE CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Site Condition  
Help Text..... Condition of central line  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
  - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
  - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
  - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
  - 70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
  - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS:

-----

=====

TERM: CENTRAL LINE SIZE FRENCH

Page: 100

ID: {234D330A-C51B-4D56-8631-9418BB081E96}

=====

Abbreviation..... CLINE FREN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Central Line Size (French)

Display Name..... Central Line Size (French)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

FRENCH

0.0 > 6.0 \* 10.0 < 50.0 Dec Prec: 1

=====

TERM: CENTRAL LINE SIZE GAUGE

Page: 101

ID: {870FAA87-69C9-4E00-97A8-CD5CC79B41D6}

=====

Abbreviation..... C-LINE GAU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Central Line Size (Gauge)

Display Name..... Central Line Size (Gauge)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

GAUGE

0 > 12 \* 21 < 40

Dec Prec: 0



ID: {E038D201-2840-B759-4D91-44A093768F8B}

=====

Abbreviation..... C LINE TYP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Type  
Help Text..... Type of central line  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 6 entries

- 
- 1. SINGLE (SINGLE) {8D305E0F-9035-E396-E768-40D7E6455BE4}
  - 2. DOUBLE (DOUBLE) {A486852F-150B-24E3-8EB3-8CAABB3D0520}
  - 3. TRIPLE (TRIPLE) {077BE8CF-F2AB-56E1-1F25-51DF80F8054D}
  - 4. INTRODUCER (INTRODUCER) {B46F7CA4-C94E-68FD-2892-52866763B5A0}
  - 5. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}
  - 6. DIALYSIS (DIALYSIS) {D218E23C-5A34-09B0-DE43-DC792DCD0F1C}

LOCATION: 16 entries

- 
- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG)  
{7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU)  
{6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU)  
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
11. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
12. R ANTECUBITAL (R ANTECUBI)  
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

-----

ID: {4F847833-9A36-4EAE-BC73-B7AB069D39E4}

=====

Abbreviation..... C-LINE WAV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Central Line Waveform  
Display Name..... Central Line Waveform  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
  3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
  4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
  5. NOT MONITORED (NOT MONITO)  
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

-----

ID: {7868021A-72D4-451F-A2E3-E3106DEC52B4}

=====

Abbreviation..... C-LINE ZER

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Central Line Zeroed

Display Name..... Central Line Zeroed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {D30F98A7-4C5D-12E8-AB4D-9C85A4332EC3}

=====

Abbreviation..... CVP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Central Venous Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688719

LOCATION: 8 entries

-----

1. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
2. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
3. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG)  
{7ABF6916-D379-198D-6454-F0518A74844A}
5. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
6. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

METHOD: 2 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

2. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

-----

MILLIMETERS OF MERCURY 0 > 2 \* 6 < 19 Dec Prec: 0

ID: {166BD1C4-D983-464A-9A6E-B3A7AC7885EB}

=====

Abbreviation..... CPP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Cerebral Perfusion Pressure

Display Name..... CPP - Do Not Check Total or Subtotals

Help Text..... Cerebral Perfusion Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS OF MERCURY      0 > 50 \* 150 < 300      Dec Prec: 0

ID: {BAF272C6-1F0A-40E1-918B-3BABC5F22407}

=====

Abbreviation..... CHEST EXPA  
Active..... Yes  
Boolean Value False..... Asymmetrical  
Boolean Value True..... Symmetrical  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Chest Expansion  
Help Text..... Symetrical or Asymetrical Chest  
Expansion  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



ID: {57AE16AF-8EC2-5800-131F-0AF254C3FA76}

Abbreviation..... CHEST PN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... EVALUATION OF PATIENTS CHEST DISCOMFORT  
Display Name..... Chest Pain  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
- 2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
- 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
- 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
- 5. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
- 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
- 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
- 8. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
- 9. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
- 10. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

11. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

LOCATION: 3 entries

-----

1. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217F52DC97}
2. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
3. MID-STERNAL (MID-STERN) {3F5168F1-9082-4FB2-A364-3CDE33B1214B}

UNITS:

-----

ID: {03144029-2E4A-0794-86A5-DD105F707664}

=====

Abbreviation..... DRAIN CHAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... DESCRIPTION OF PATIENT'S DRAINAGE

Display Name..... Chest Tube Characteristics

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}

2. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}

3. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}

4. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}

UNITS:

-----

ID: {9F88C02A-4CC7-4A51-927C-4931FAEFE7DC}

=====

Abbreviation..... CH TU SU T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Chest Tube Drainage Suction Type  
Display Name..... Chest Tube Drainage Suction Type  
Help Text..... Type of Chest Tube Suction  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
1. WATERSEAL (WATERSEAL) {6D91B99D-F199-09ED-78BE-B54F2CAC4E06}
  2. GRAVITY (GRAVITY) {C0233F70-376D-41CE-9F14-714C7B35244F}
  3. CONTINUOUS SUCTION (CONT SUCTI)  
{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}

LOCATION: 12 entries

- 
1. L UPPER ANTERIOR CHEST (L U A CHES)  
{FE63B58A-DE39-4C03-AE61-E34A5487C767}
  2. R UPPER ANTERIOR CHEST (R U A CHES)

{67890049-A4A8-4241-BDF3-573729BD6EB5}

3. L MIDDLE ANTERIOR CHEST (L M A CHES)

{36A83F77-117E-474B-AE34-0B2C02E131AE}

4. R MIDDLE ANTERIOR CHEST (R M A CHES)

{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}

5. L LOWER ANTERIOR CHEST (L L A CHES)

{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}

6. R LOWER ANTERIOR CHEST (R L A CHES)

{96BCF731-B661-4455-B5E7-C4AE2509505F}

7. L UPPER POSTERIOR CHEST (L U P CHES)

{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}

8. R UPPER POSTERIOR CHEST (R U P CHES)

{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}

9. L MIDDLE POSTERIOR CHEST (L M P CHES)

{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}

10. R MIDDLE POSTERIOR CHEST (R M P CHES)

{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}

11. L LOWER POSTERIOR CHEST (L L P CHES)

{2C19F10B-7546-4A1F-A5DC-3867359ED971}

12. R LOWER POSTERIOR CHEST (R L P CHES)

{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

UNITS:

-----

=====

TERM: CHEST TUBE DRAINAGE SYSTEM REPLACED

Page: 111

ID: {5A32F0FC-D81E-435D-A2C9-26EDEF2DF7BB}

=====

Abbreviation..... CH TU S RE

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Chest Tube Drainage System Replaced

Help Text..... Chest Tube Drainage System Changed

Replaced

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {8DE63ADE-D3AC-49EE-BB24-ED44AB9971F5}

=====

Abbreviation..... CH T DR CH

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Chest Tube Dressing Change

Display Name..... Chest Tube Dressing Change

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {BA53D6FB-9BE9-18F4-ED0A-28AB94CEB115}

=====

Abbreviation..... CH TU ASSE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Chest Tube Site Assessment  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  - 2. AIR LEAK (AIR LEAK) {52E40E25-6D28-53EC-BC05-D1FEAA4616EF}
  - 3. FLUCTUATES (Fluctuates) {C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}
  - 4. CREPITUS (CREPITUS) {56A97506-05F0-4F37-8FD9-3AA82191408A}
  - 5. SQ EMPHYSEMA (SQ EMPHYS.) {B8D03538-0168-4CDC-FF41-BA1185EBCC87}

UNITS:

-----



=====

TERM: CHEST TUBE SUCTION (CM H20)

Page: 114

ID: {BD9724EC-B5BB-4F95-8C24-B0A1451C33A6}

=====

Abbreviation..... CHST TU SU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Chest Tube Suction (cm H20)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETERS H2O

0 > 10 \* 20 < 30

Dec Prec: 0

=====

TERM: CHIEF CONCERN/COMPLAINT

Page: 115

ID: {2A6683ED-9258-4CE9-8793-2FD0B2A56E6F}

=====

Abbreviation..... Chief Com

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Chief Concern/Complaint

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

ID: {92A124D4-B75F-9FD9-1A51-605887BCEA79}

=====

Abbreviation..... CG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... circumference  
Display Name..... Circumference/Girth  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688720

LOCATION: 11 entries

-----

1. ABDOMINAL (Abd) {AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}
2. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}
3. CALF (Clf) {7923E496-90D6-B6D5-726A-A5B8DF3436CF}
4. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
5. HIP (Hip) {D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}
6. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}
7. LOWER ARM (LrA) {D7627720-D6B0-AC00-8FA3-F7B569ED06FC}
8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
9. THIGH (THIGH) {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}
10. UPPER ARM (UpA) {B43A2B31-1F35-3F4D-5D23-882541ABE477}

11. WRIST (Wri) {C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

UNITS:

-----

INCH                    29 > 30 \* 60 < 61        Dec Prec: 0

CENTIMETER            75 > 76 \* 156 < 157      Dec Prec: 0

ID: {D80F9E66-A047-400F-A7B1-D701BF019D2A}

=====

Abbreviation..... CIWA AG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Agitation  
Help Text..... CIWA Agitation Observation  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----

- 1. 0 - NORMAL ACTIVITY (CIWA AG 0)  
                  {9FF32084-A432-467C-B0A2-C8BC9F3D6D13}
- 2. 1- SOMEWHAT MORE THAN NORMAL ACTIVITY (CIWA AG 1)  
                  {497F7A3D-72C8-4986-A1E6-74EA0E5704F9}
- 3. 2 (2)                    {38E22B79-A2B6-3401-B195-C955F24E1278}
- 4. 3 (3)                    {E714454D-6A67-91F6-2FB7-D8F24F184328}
- 5. 4 - MODERATELY FIDGETY AND RESTLESS (CIWA AG 4)  
                  {B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}
- 6. 5 (5)                    {188EDCE7-0726-4234-D8D2-92C8052CD221}
- 7. 6 (6)                    {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (CIWA AG 7)

{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

UNITS:

-----

ID: {9552124C-8650-406F-86FA-AB31D04AC8EF}

=====  
Abbreviation..... CIWA AX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Anxiety  
Help Text..... Ask "Do You Feel Nervous?"  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 8 entries

- 
1. 0 - NO ANXIETY AT EASE (CIWA AX 0)  
  {DA61A13E-6443-4E8A-9C76-762FEACDB4E7}
  2. 1 - MILDLY ANXIOUS (CIWA AX 1)  
  {401113EE-5CE7-4AE9-80C1-1C3252E706D0}
  3. 2 (2)                                {38E22B79-A2B6-3401-B195-C955F24E1278}
  4. 3 (3)                                {E714454D-6A67-91F6-2FB7-D8F24F184328}
  5. 4 - MODERATELY ANXIOUS (CIWA AX 4)  
  {9A01FEFD-844C-4FAB-BEC3-96333495FA62}
  6. 5 (5)                                {188EDCE7-0726-4234-D8D2-92C8052CD221}
  7. 6 (6)                                {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - ACUTE PANIC (CIWA AX 7)

{3F5E6786-FD67-405F-A535-EC1609910F14}

UNITS:

-----



ID: {E6AA330B-96F9-4189-AE97-B93A921055A8}

Abbreviation..... CIWA AU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Auditory Disturbances

Help Text..... Ask " Are You More Aware Of Sounds

Around You? Are They Harsh? Do They

Frighten You? Are You Hearing Things

You Know Are Not There?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

2. 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 1)

{E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}

3. 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 2)

{71204969-E614-46A4-ADA5-39FAF81A79B5}

4. 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 3)

{77F59277-6CE4-4323-8531-3CA26E13C9C4}

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

-----

ID: {BAA1C221-5540-4A46-96AA-32C7BA53317B}

=====

Abbreviation..... CIWA HA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Headache, Fullness In Head

Help Text..... Ask "Does your head feel different?

Does it feel like there is a band  
around your head? Do not rate for  
dizziness or lightheadedness."  
Otherwise, rate severity.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

-----

- 1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
- 2. 1 - VERY MILD (CIWA HA 1) {F789C1EA-CC7A-4368-87BA-08AFFE492EE6}
- 3. 2 - MILD (CIWA HA 2) {6B752397-0A4F-4176-90E7-E220DB2BF1C4}
- 4. 3 - MODERATE (CIWA HA 3) {F26EB828-6864-4384-9EBB-35A6CDCACC59}
- 5. 4 - MODERATELY SEVERE (CIWA HA 4)  
{83B3DE0F-3BA4-4B0A-A222-F372BD403094}

6. 5 - SEVERE (CIWA HA 5) {7BD7B91F-DF6F-47B9-BAA6-3EF249340578}

7. 6 - VERY SEVERE (CIWA HA 6)

{241C1EF4-2E2A-4D65-9991-607BB6B29E01}

8. 7 - EXTREMELY SEVERE (CIWA HA 7)

{F8DCC910-D36D-480E-867E-B45221170C49}

UNITS:

-----

ID: {6AAAA859-3092-48FF-93C1-55D310EFE9D4}

Abbreviation..... CIWA NV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Nausea / Vomiting

Help Text..... Ask "Do you feel sick to your  
stomach? Have you vomited?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

1. 0 - NO NAUSEA/VOMITING (CIWA NV 0)

{0569555E-E7B3-49E3-9A18-68D23CFB2B8D}

2. 1 - MILD NAUSEA / NO VOMITING (CIWA NV 1)

{582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}

3. 2 (2)

{38E22B79-A2B6-3401-B195-C955F24E1278}

4. 3 (3)

{E714454D-6A67-91F6-2FB7-D8F24F184328}

5. 4 - INTERMITTENT NAUSEA WITH DRY HEAVES (CIWA NV 4)

{7FBE10F0-472F-4F21-BE55-0892259141B5}

6. 5 (5)

{188EDCE7-0726-4234-D8D2-92C8052CD221}

7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (CIWA NV 7)

{7F1076C4-C655-4BF2-8BB1-036F5169B619}

UNITS:

-----

ID: {DF31A60A-D845-486A-B27C-756AB25D541B}

=====

Abbreviation..... CIWA OR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Orientation And Clouding Of Sensorium

Help Text..... Ask "What day is this? Where are you?

Who am I?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

1. 0 - ORIENTED AND CAN DO SERIAL ADDITIONS (CIWA OR 0)

{D8015F54-6E9E-457A-955C-38565BDDDBB6}

2. 1 - CANNOT DO SERIAL ADDITIONS (CIWA OR 1)

{F4446E01-E326-420E-8EA8-04451AA9D963}

3. 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (CIWA OR 2)

{01B894B0-3E70-47FA-820A-83CA48B93EF9}

4. 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (CIWA OR 3)

{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}

5. 4 - DISORIENTED FOR PLACE OR PERSON (CIWA OR 4)

{03BBFFA2-233A-41A1-8212-F988889C5E72}

UNITS:

-----



ID: {5BA369FD-68F0-4FD6-A564-1C50063E69AC}

=====  
Abbreviation..... CIWA PS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Paroxysmal Sweats  
Help Text..... Paroxysmal Sweats  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 8 entries

- 
- 1. 0 - NO SWEAT VISIBLE (CIWA PS 0)  
      {7C83E616-4414-4766-AAF5-5F5442FFBF09}
  - 2. 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (CIWA PS 1)  
      {93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}
  - 3. 2 (2)            {38E22B79-A2B6-3401-B195-C955F24E1278}
  - 4. 3 (3)            {E714454D-6A67-91F6-2FB7-D8F24F184328}
  - 5. 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (CIWA PS 4)  
      {8388B1A0-46EA-4003-A32B-A2C708A6F056}
  - 6. 5 (5)            {188EDCE7-0726-4234-D8D2-92C8052CD221}
  - 7. 6 (6)            {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - DRENCHING SWEAT (CIWA PS 7)

{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}

UNITS:

-----

ID: {306FFC89-BE89-4E74-90BC-AD8EF2273A51}

=====

Abbreviation..... CIWA TC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Tactile Disturbances

Help Text..... Ask "Have You Any Itching, Pins and  
Needles Sensations, Any Burning, Any  
Numbness Or Do You Feel Bugs Crawling  
On Or Under Your Skin?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

-----

1. 0 - NONE (CIWA TC 0) {5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}
2. 1 - VERY MILD ITCHING PINS/NEEDLES BURNING (CIWA TC 1)  
{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}
3. 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (CIWA TC 2)  
{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}
4. 3 - MODERATE ITCHING PINS/NEEDLES BURNING (CIWA TC 3)  
{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

-----

=====

TERM: CIWA: TOTAL

Page: 125

ID: {BD47158C-B56B-4B92-AD2E-33B7149EF6C0}

=====

Abbreviation..... CIWA TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Total CIWA Score

Help Text..... Add All CIWA Scores Together

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CIWA SCALE

-1 > 0 \* 9 < 68

Dec Prec: 0

ID: {E87CAD13-134C-4556-8D55-49450A0D544C}

=====

Abbreviation..... CIWA TR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Tremor

Help Text..... Arms extended and fingers spread apart.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

8 entries

-----

1. 0 - NO TREMOR (CIWA TR 0) {2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}

2. 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (CIWA TR 1)

{31833D55-9018-47EE-8341-A0863744CEF8}

3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}

4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

5. 4 - MODERATE WITH PATIENTS ARMS EXTENDED (CIWA TR 4)

{79CE1486-151C-4492-AFD2-7845DD69DA9E}

6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}

7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

8. 7 - SEVERE EVEN WITH ARMS NOT EXTENDED (CIWA TR 7)

{FE0BE72E-913A-48CD-BABF-C5B742AFED93}

UNITS:

-----

ID: {88699710-9761-429F-9BB0-228EAFBAA3D3}

=====

Abbreviation..... CIWA VS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Visual Disturbances

Help Text..... Ask "Does the light appear to be too

bright? Is its color different? Does

it hurt your eyes? Are you seeing

anything that is disturbing to you?

Are you seeing things you know are

not there?"

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

8 entries

-----

1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

2. 1 - VERY MILD SENSITIVITY (CIWA VS 1)

{8BF96CF1-3EA7-468C-838A-284430EA850D}

3. 2 - MILD SENSITIVITY (CIWA VS 2)

{ED600249-E5E8-4020-955E-A5CDA18B5DE9}



4. 3 - MODERATE SENSITIVITY (CIWA VS 3)

{D673A630-1F1E-4734-AADE-17586C48E8B9}

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

-----

ID: {42CA9766-A28E-5379-67D7-2BB3BA4C2AE6}

=====

Abbreviation..... CO BEH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Close Observation Behavior  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 7 entries

- 
1. WALKING OR PACING (wop) {CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}
  2. LYING OR SITTING (los) {52A940B1-55AF-AB4E-9E59-F93515A1296C}
  3. QUIET OR RESTING (qor) {76E4908F-014C-2088-FF7F-33EBF223DE40}
  4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
  5. WITH PHYSICIAN (wp) {1673C53F-DA8C-2CEC-679B-B01D914FE533}
  6. WITH THERAPIST (wt) {795A1300-1D60-9D67-692D-A2AB2B190596}
  7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}

UNITS:

-----

ID: {9FFE899C-A69C-4654-9AD7-B0E6F7FF888B}

=====

Abbreviation..... CO CUR LOC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Close Observation Current Location  
Display Name..... Close Observation Current Location  
Help Text..... Close Observation Current Location  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
  2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
  3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
  4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
  5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
  6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
  7. SMOKING AREA (sa) {8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}
  8. SMOKING PORCH (sp) {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
  9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
  10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

-----

ID: {1B131F5A-CD32-38CA-19A5-1038A07C9867}

=====

Abbreviation..... CO RFP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Close Observation Reason for Precaution

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

5 entries

- 
1. SUICIDAL (s)            {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
  2. ESCAPE (e)            {965F3201-9D63-66AB-FA25-99479AE7145A}
  3. ASSAULTIVE (a)        {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
  4. ELOPEMENT (e)        {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
  5. MEDICAL DEVICE SAFETY (mds)  
                              {1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

UNITS:

-----

=====

TERM: CODE STATUS

Page: 131

ID: {95248A8C-E05A-94F3-CA15-6F113997A621}

=====

Abbreviation..... CS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Code Status  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. FULL CODE (fc) {1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}
  2. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}

UNITS:

-----

=====

TERM: COLLOID TYPE

Page: 132

ID: {C22CB099-BC3F-42AE-9A11-67B99093D959}

=====

Abbreviation..... COLLOID TY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Type of Colloid

Display Name..... Colloid Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-----

1. 5 PERCENT ALBUMIN (5 PERC ALB)

{38CE47CB-736B-475E-8E89-C4C13F2DF184}

2. 25 PERCENT ALBUMIN (25 PERC AL)

{2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}

3. 6 PERCENT HETASTARCH (6 PERC HET)

{D94072C9-87E8-46CA-929F-4904F3BD964C}

UNITS:

-----



ID: {EAAF4E71-3BE6-5058-07FF-1A3D977BC569}

=====

Abbreviation..... CSE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO  
SPEECH, 4: OPEN SPONTANEOUSLY

Display Name..... Coma Score

Help Text..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO  
SPEECH, 4: OPEN SPONTANEOUSLY

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

- 
- 1. CLOSED (CLOSED) {9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}
  - 2. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  - 3. TO PAIN (TO PAIN) {AA1F818D-DCFC-4FBC-97D3-BE86D309119E}
  - 4. TO SPEECH (TO SPEECH) {2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}
  - 5. OPEN SPONTANEOUSLY (OPEN SPONT)  
{013F1473-BDC9-4E7C-9709-C577357709F6}

LOCATION: 2 entries

- 
1. L EYE (L EYE)            {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
  2. R EYE (R EYE)            {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

---

ID: {73CA2132-12AC-BD84-3847-2E2EA3689D94}

=====

Abbreviation..... CSM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Coma Score Motor

Help Text..... 1: None, 2: Extends to pain, 3:

Flexion to pain, 4: Withdraws to

pain, 5: Localizes to pain, 6: Obeys

Commands

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

6 entries

-----

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. EXTENDS TO PAIN (EXT TO PAI)

{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}

3. FLEXION TO PAIN (FLEX TO PA)

{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}

4. WITHDRAWS TO PAIN (WITHD TO P)

{013527C8-FF6B-49CD-BF45-9338F7413E81}

5. LOCALIZES TO PAIN (LOC TO PAI)

{4072DFF9-2D90-423F-B6F0-0F2B924025D9}

6. OBEYS COMMANDS (OBEYS COMM)

{EE88EE08-4C71-4C70-B93E-65F9091544C1}

UNITS:

-----

ID: {3EC4838E-8301-F5C4-D4F0-08D1259203B1}

=====

Abbreviation..... CSV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... 0: Tubed/Dysphagic, 1: None, 2:  
Incomprehensible, 3: Inappropriate,  
4: Confused, 5: Oriented

Display Name..... Coma Score Verbal

Help Text..... 0: Tubed/Dysphagic, 1: None, 2:  
Incomprehensible, 3: Inappropriate,  
4: Confused, 5: Oriented

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

1. TUBED/DYSPHAGIC (TUBE/DYSPH)

{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}

2. NONE (NONE)

{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

3. INCOMPREHENSIBLE (INCOMPREHE)

{916CD781-563D-4F54-8752-800D37BFAA3B}

4. INAPPROPRIATE (Inappropri)

{7E3B54C2-8A49-28EC-055E-FEA87599421C}

5. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

6. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}

UNITS:

-----

ID: {F001E3D4-07F9-4B93-9D29-0BA3DC270236}

=====

Abbreviation..... COM S HOS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Compression Hose Sequential

Compression Device

Display Name..... Compression Hose Sequential

Compression Device

Help Text..... Compression Hose Sequential

Compression Device

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

- 
- 1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}
  - 2. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

LOCATION: 3 entries

- 
- 1. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
  - 2. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

3. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

-----



=====

TERM: COUGH

Page: 137

ID: {23E2BBF0-3449-1760-C72D-09867FFD133B}

=====

Abbreviation..... COUGH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Patients cough character

Display Name..... Cough

Help Text..... Patients cough character

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

- 
1. PRODUCTIVE (p) {22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}
  2. NON-PRODUCTIVE (np) {9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}
  3. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

UNITS:

-----

=====

TERM: CPAP

Page: 138

ID: {11AD0BDB-8E33-C04E-29B2-CCB22FDF9EEC}

=====

Abbreviation..... CPAP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Continuous Positive Airway Pressure

Display Name..... CPAP

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688690

UNITS:

-----

CENTIMETERS H2O

-1 > 0 \* 15 < 100

Dec Prec: 0

ID: {77D485C1-8A5F-225A-CEA3-1219601C23E9}

=====

Abbreviation..... CUFF INFL  
Active..... Yes  
Boolean Value False..... Not Checked  
Boolean Value True..... Checked  
Data Type..... Boolean  
Description..... VERIFICATION THAT PATIENT'S CUFF  
INFLATION HAS BEEN CHECKED  
Display Name..... Cuff Inflation Checked  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: DENTURES

Page: 140

ID: {96B79B0B-3D26-42E9-A082-A601E5832633}

=====

Abbreviation..... Dentures

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Dentures

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

6 entries

- 
1. NONE (NONE)            {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. FULL UPPER (Full Up)    {1808E638-62BB-4978-8706-34BD74B427DE}
  3. FULL LOWER (Full Low)    {D38022EF-F4F0-44A7-82FE-B277A2A0A165}
  4. PARTIAL UPPER (Part Up)  {D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}
  5. PARTIAL LOWER (Part Low) {2556CE7E-F211-4992-BCAF-09677C20BEFE}
  6. DENTAL IMPLANTS (Implants)  
                              {D3AF96DE-6920-4C93-8105-99EE574FC092}

UNITS:

-----

=====

TERM: DIAGNOSIS

Page: 141

ID: {025498CA-716F-440A-9638-CF34CDE29413}

=====

Abbreviation..... Diagnosis

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Diagnosis

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

ID: {3289986D-87C6-4796-AA19-76010682BBAE}

=====

Abbreviation..... DIAG TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Diagnosis  
Display Name..... Diagnosis Type  
Help Text..... Type of Diagnosis  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
  2. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
  3. POST PROCEDURE DIAGNOSIS (PO PRO DIA)  
{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}
  4. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
  5. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}

UNITS:

-----

ID: {E9D96923-CBA0-67B4-1D5B-3D6134AD8584}

=====

Abbreviation..... D CATH CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Catheter Site Condition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
  - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
  - 170. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
  - 180. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
  - 190. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
  - 200. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

LOCATION: 16 entries

-----



1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (R INT JUG)  
{7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU)  
{6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU)  
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
11. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
12. R ANTECUBITAL (R ANTECUBI)  
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

-----

ID: {A07D4532-93DF-178D-EB55-070FCF1C570F}

=====

Abbreviation..... DIAL DRESS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Dressing Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
  2. PRESSURE DRESSING (PRESS DRES)  
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS:

-----

=====

TERM: DIALYSIS RATIO

Page: 145

ID: {F0CDCBBA-E65B-FE01-2E15-640FADF9DF20}

=====

Abbreviation..... DIAL RATIO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Ratio  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

-----

1. 1:1 (1:1)	{5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}
2. 1:2 (1:2)	{287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}
3. 1:3 (1:3)	{062B4F93-8F48-7373-F679-11F57CE98BB3}
4. 1:4 (1:4)	{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
5. 1:8 (1:8)	{94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

-----

ID: {D015B928-D30B-49E2-A6F6-135B6131C07B}

=====

Abbreviation..... Art Press

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Dialysis: Arterial Pressure

Help Text..... Pressure measured within the blood  
circuit between the patient's  
arterial access and the dialyzer

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----  
10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----  
MILLIMETERS OF MERCURY -300 > -300 \* 9999 < 9999 Dec Prec: 0

=====

TERM: DIALYSIS: UFR (ULTRAFILTRATION RATE)

Page: 147

ID: {32B6F85E-D3BD-4810-9A57-882AB1630348}

=====

Abbreviation..... UFR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Dialysis: UFR (Ultrafiltration Rate)

Help Text..... rate at which fluid moves from the  
blood into the dialysate

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----

KGS/HOUR 0.00 > 0.00 \* 9999.00 < 9999.00

Dec Prec: 2

=====

TERM: DIALYSIS: VENOUS PRESSURE

Page: 148

ID: {8F84D7EC-BD89-46BC-BDB8-9B18231BD4B9}

=====

Abbreviation..... Ven Press

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Dialysis: Venous Pressure

Help Text..... Pressure measured within the extra  
corporeal blood circuit after the  
dialyzer

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----

MILLIMETERS OF MERCURY 0 > 0 \* 9999 < 9999 Dec Prec: 0

ID: {14B24DAF-A0C0-060C-B1C0-ECEC1DF36E8E}

=====

Abbreviation..... DIASTOL PR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Diastolic Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

LOCATION: 4 entries

-----

- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
- 2. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
- 3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
- 4. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

-----

- 1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
- 2. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
- 3. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}

4. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

POSITION: 3 entries

-----

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

-----

MILLIMETERS OF MERCURY 0 > 40 \* 90 < 300 Dec Prec: 0



=====

TERM: DIET

Page: 150

ID: {9BB08EC4-73C7-49BC-8C60-728C54999C33}

=====

Abbreviation..... DIET  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of diet ordered  
Display Name..... DIET  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 46 entries

-----

1. 1800 CALORIE CONTROLLED (1800 CAL C)  
{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}
2. 1800 DIABETIC (1800 DIAB) {FC71C7D7-F24E-4316-A455-8674804BE092}
3. 2000 CALORIE CONTROLLED (2000 CAL C)  
{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}
4. 2000 DIABETIC (2000 DIAB) {DF3056C9-3AEA-4F4E-B758-E35590080AFB}
5. 2200 CALORIE CONTROLLED (2200 CAL C)  
{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}
6. 2200 DIABETIC (2200 DIAB) {1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}
7. 2400 CALORIE CONTROLLED (2400 CAL C)

{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}

8. 2400 DIABETIC (2400 DIAB) {2018FB65-3D4E-47E0-90E9-205A45EDF130}

9. BLAND (BLAND) {38930AFE-ECF7-4548-857C-854E1B5BE148}

10. CARDIAC DIET (CARD DIET) {218A883D-32A0-438D-B453-7CBCE02693A3}

11. CLEAR LIQUID DIET (CL LI DIET)

{D540348D-3E1D-4E42-9EDC-43C56CF56206}

12. DUMPING SYNDROME (DUMP SYND)

{0173C971-63CB-45A5-9E93-D966EB3B957D}

13. DYSPHAGIA PHASE I (DYSP PH I)

{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}

14. DYSPHAGIA STAGE II (DYSP ST II)

{294BF58A-47FD-43A1-8A1E-9E348987B004}

15. DYSPHAGIA STAGE III (DYS ST III)

{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}

16. DYSPHAGIA STAGE IV (DYSP ST IV)

{E738569A-5104-4C93-8EFC-47D80765F739}

17. DYSPHAGIA STAGE V (DYSPH ST V)

{ABE7D85D-1821-4592-B4E8-84670EE484E4}

18. FAT RESTRICTED 50 GM DIET (F RES 50gm)

{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}

19. FECAL FAT TEST DIET (FEC F TEST)

{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}

20. FULL LIQUID DIET (FULL LIQ D)

{CAC22234-7B69-44C3-8A0E-9A84A684E429}

21. FULL LIQUID DIABETIC (FULL L DIA)

{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}

22. GASTRIC BYPASS CLEAR LIQUID (GAS BYP LI)

{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}

23. GASTRIC BYPASS PUREED (GAS BY PUR)  
{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}
24. GASTRIC BYPASS REGULAR (GAS BY REG)  
{EE831906-EA51-4EE4-AAF2-583DF366A942}
25. GLUTEN RESTRICTED (GLUT RESTR)  
{0805A164-D387-4E67-9D42-BAF1F2543337}
26. HIGH FIBER (HIGH FIBER) {3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}
27. HIGH PROTEIN (HIGH PROTE) {1595A29D-CA91-45AE-893B-856EB909E4DD}
28. HIGH CALORIE (HIGH CALOR) {FC453BF0-1E7E-4733-9605-AC3425F16205}
29. LACTOSE RESTRICTED (LACT RESTR)  
{78A9066A-48E2-4285-88E3-A180CE771B5A}
30. LIBERAL DIABETIC (LIBRL DIAB)  
{9B66B47B-E77E-4F69-BDFA-5323B28A283D}
31. LISTED DIET (LIST DIET) {24FBBFD9-B426-4DD9-9843-3428A1C91676}
32. LOW CHOLESTEROL (LOW CHOLE)  
{88F0170A-2560-48C6-9604-982453BCFC3B}
33. LOW FIBER (LOW FIBER) {2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}
34. LOW PROTEIN 60 GM (L PROT 60g)  
{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}
35. LOW TYRAMINE (LOW TYRAMI) {DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}
36. MECHANICAL (MECHANICAL) {01EA793C-B524-4685-A3EC-60A317CBACC5}
37. NEUTROPENIC (NEUTROPENI) {5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}
38. NPO DIET (NPO DIET) {BEC8F771-B082-40A2-9EE8-553222A25FBF}
39. POST CATH DIET (POST CA DT)  
{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}
40. POTASSIUM MODIFIED 60 MEQ (K MOD 60M)  
{6EC2F10D-CC44-4872-8473-2445A835ABB0}
41. PUREED (PUREED) {99F8AE5F-E390-4583-8A92-CAC13E21BCF4}

42. REGULAR (REGULAR) {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}

43. RENAL DIET (REN DIET) {089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}

44. SODIUM CONTROLLED 2 GM (SOD CONT 2)

{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}

45. SODIUM CONTROLLED 4 GM (SOD CON 4G)

{26538A2F-5502-4D94-A2A7-D9E0BF825C47}

46. VEGETARIAN DIET (VEG DIET)

{6B8143BE-843F-4944-9ABB-7175AFE2DF17}

UNITS:

-----

ID: {22423A29-A1C5-497E-BBB6-109FFBC69D2B}

=====

Abbreviation..... DIS ACTI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Discharge Activities  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 12 entries

-----

1. ALERT AND ORIENTED (AL AN OR)  
{C031F776-36DF-4570-AFAF-A30B8BFA635B}
2. VITAL SIGNS STABLE (VI SI ST)  
{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}
3. STEADY GATE OR BASELINE (ST GA BA)  
{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}
4. TRANSPORT FACILITATOR PRESENT (TR FA PR)  
{645BF269-6B23-4377-95ED-71291F075B25}
5. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)  
{E107F272-CD27-46B8-8C50-F9FF776DDCD9}

6. IV DISCONTINUED (IV DISC) {FDF951E7-5B72-4166-969B-073D5EC74800}

7. VOIDED (VOIDED) {7F23E601-A1E5-4016-8A12-06B1099041CF}

8. DISCHARGE MEDS PLANNED (DI ME PL)

{04E9DF8B-8807-47A5-AE88-180F431F3BDE}

9. MED RECONCILLIATION DOCUMENTED (ME RE DO)

{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}

10. DISCHARGE ORDER ON CHART (DI OR CH)

{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}

11. GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (DI IN UN)

{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}

12. DRESSINGS CHECKED (DRESS CH)

{21014F53-29CE-4914-8760-6976D8DBA742}

UNITS:

-----

ID: {EFC05031-FC2F-4781-A60C-08E3F1E490BB}

=====

Abbreviation..... Dis Vis  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Distance Vision  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 21 entries

- 
- |                      |  |
|----------------------|--|
| 10. 20/15 (20/15)    | {0DB4E45B-A96C-4D11-B59E-A89C9F531146} |
| 20. 20/20 (20/20)    | {FE086353-09B2-4314-84E9-FA909253AAED} |
| 30. 20/25 (20/25)    | {4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB} |
| 40. 20/30 (20/30)    | {667B5FCD-A85D-4054-BFA9-3DA9DDD21306} |
| 50. 20/40 (20/40)    | {048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF} |
| 60. 20/50 (20/50)    | {C679C160-D93A-431C-8F28-800D64A019D5} |
| 70. 20/60 (20/60)    | {AEAA52C2-1450-45B4-A512-73E339718B02} |
| 80. 20/70 (20/70)    | {B0279832-605C-4441-B568-C131636EB634} |
| 90. 20/80 (20/80)    | {60F51F22-C739-4BD1-A77E-D224517F861F} |
| 100. 20/100 (20/100) | {ECB85701-8B21-407A-9E0B-C015834E984B} |





=====

TERM: DO NOT PROCESS

Page: 153

ID: {4615254C-EC67-46D0-BF70-9A54BEB4B32D}

=====

Abbreviation..... DNP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... Do not process

Display Name..... Do Not Process

Help Text..... Do Not Process

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: DORSI FLEXION

Page: 154

ID: {A1E251EA-9302-8851-A67F-00229BCA7163}

=====

Abbreviation..... DORFL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dorsi Flexion  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  - 2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

-----

=====

TERM: DRAIN SUCTION CM H20

Page: 155

ID: {CB2C5928-71E5-429F-9A0E-3FFBF21F62FF}

=====

Abbreviation..... Drain Suct

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Drain Suction cm H20

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETERS H2O

0 > 10 \* 20 < 30

Dec Prec: 0

ID: {550360E9-AFFD-43DE-9142-F3AF7B95185D}

=====

Abbreviation..... Drain Type

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Drain Suction Type

Help Text..... When "Number" is selected, enter  
numeric value as a "Comment"

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

-----

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
3. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
4. BULB (Bulb) {2390453E-3353-40EB-B2D7-EF770B67F037}
5. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
6. MEDIUM (MEDIUM) {62C94066-A7B6-CAA8-064B-2AF7C0DA6323}
7. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
8. NUMBER: SPECIFY (Specify) {397D773F-78F9-4E69-9A84-B518109A95AB}

UNITS:

-----

ID: {4D556AD1-1850-AB94-0776-B58B1D1713B3}

=====

Abbreviation..... DRAIN CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Drainage Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

-----

1. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}
2. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
3. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
4. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
5. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
6. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
8. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
9. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
10. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}

- 11. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
- 12. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
- 13. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
- 14. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
- 15. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

-----

ID: {C2EE711E-C076-491F-8063-8DA80BBCA529}

=====

Abbreviation..... DVT PROPHY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... DVT Prophylaxis devices  
Display Name..... DVT Prophylaxis  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

-----

1. ANTI-EMBOLUS STOCKINGS KNEE HIGH (ANT EMB KN)  
{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}
2. ANTI-EMBOLUS STOCKINGS THIGH HIGH (ANT EMB ST)  
{9B32D3F3-47F1-886F-A59A-D8AB38A34754}
3. SEQUENTIAL COMPRESSION DEVICE (SCD)  
{29D657DB-6679-8A55-0E33-235B5DD349F2}
4. ELASTIC WRAP (ELAST WRAP) {9EB52FA5-32D8-823F-2E3C-83375DA62342}

UNITS:



-----

ID: {64C54E39-9541-4FD2-8F3F-A32053F6889F}

=====

Abbreviation..... EDEMA AMOU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Edema Amount

Display Name..... Edema Amount

Help Text..... 0=Absent, +1=Slight (0-2 mm),  
+2=Moderate (3-5 mm), +3=Marked (6-8  
mm), +4=Very Marked (more than 8 mm)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

-----

1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}
3. +2 = MODERATE (+2 = MODER)  
{CCF23A60-068C-443F-AFD0-2D56EEE0446C}
4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}
5. +4 = VERY MARKED (+4 = VY MA)  
{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

UNITS:

-----

ID: {E60900D9-BDF3-954C-E752-F3D1CAAC8EC1}

=====

Abbreviation..... EDEMA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Observation Of Patients Edema

Display Name..... Edema Severity

Help Text..... 0=Absent, +1=Slight (0-2 mm),  
+2=Moderate (3-5 mm), +3=Marked (6-8  
mm), +4=Very Marked (more than 8 mm)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

-----

1. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}
3. +2 = MODERATE (+2 = MODER)  
{CCF23A60-068C-443F-AFD0-2D56EEE0446C}
4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}
5. +4 = VERY MARKED (+4 = VY MA)  
{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

LOCATION:

28 entries

- 
1. GENERALIZED (GENERIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}
  2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
  3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
  4. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
  5. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
  6. BOTH HANDS (BOTH HANDS) {63AA2685-CB1D-4680-B2F4-2199A22D1EC6}
  7. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
  8. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
  9. LEFT NECK (L NECK) {40522B5F-F23E-EADB-AE64-8EDE3B9E1155}
  10. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}
  11. BILATERAL NECK (BILAT NECK)  
{744BF4A2-C55E-4D55-8711-58700DD1C446}
  12. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
  13. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
  14. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
  15. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
  16. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
  17. FEET (FEET) {944CAA0E-5165-A6AF-BE3D-85455440BF40}
  18. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
  19. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
  20. KNEES (KNEES) {247D6621-3A85-F1F7-59BF-1FB0361B3C21}
  21. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}
  22. PERIORBITAL (PERIORBITA) {DBAC362B-6278-EDB4-7E28-3180321A38B2}
  23. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
  24. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
  25. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}

26. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

27. INCISIONAL SITE (INCISON SI)

{EB36A66D-751D-4031-9F68-0BB03E267321}

28. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

-----

ID: {6B9914EF-CEA5-4B2A-A9CC-5ED6FBA420F7}

=====

Abbreviation..... EDU BARR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Barriers  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 15 entries

-----

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. HEARING (HEARING) {D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}
3. LANGUAGE (LANGUAGE) {0666538E-4F44-4D34-A5EA-69CF2F1F86FA}
4. LIMITED ATTENION SPAN (LIM ATT S)  
{51553020-0CB9-483E-AC1C-15CA6D9380A3}
5. MEMORY (MEMORY) {E30C1930-B98B-4382-B892-34E9C6008D1F}
6. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}
7. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
8. VISUAL IMPAIRMENT (VIS IMPAIR)  
{7B2107CE-002D-43BE-9102-FCD5B9FAD617}

- 9. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
- 10. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
- 11. COMMUNICATION BARRIER (COMM BARRI)  
{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}
- 12. IMPAIRED LISTENING SKILLS (IMP LIS SK)  
{9CE0E7E7-79E5-4910-918C-2022C9830171}
- 13. EMOTIONAL (EMOTIONAL) {626C22E6-EF2A-489F-AA79-D27541A0BC45}
- 14. UNABLE TO ASSESS (UNA TO AS)  
{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}
- 15. UNABLE TO READ (ILLITERATE)  
{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}

UNITS:

-----



ID: {3CA218A6-33BA-43A8-A39A-F458BDAFEB82}

=====

Abbreviation..... EDU BELIEF

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Beliefs

Help Text..... Describe patient beliefs that may  
impact education provided

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

- 
- 1. CULTURAL (CULTURAL) {530D166D-D7C1-4204-94DC-83F4E140F11C}
  - 2. RELIGIOUS (RELIGIOUS) {936C9949-8A30-4BBF-934C-1F194551B8E2}
  - 3. SPIRITUAL (SPIRITUAL) {9670E2B9-6938-4487-A857-25546775B7A2}

UNITS:

-----

ID: {50E493C5-BBBB-4D4F-B301-13CDD9B76FA9}

=====

Abbreviation..... EDU READY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Readiness To Learn

Help Text..... Evaluate patient`s desire and  
motivation to learn

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 7 entries

-----

1. EAGER TO LEARN (EAGER) {A20AF51B-C89C-4308-AE17-C66144FE68BE}
2. LACKS INTEREST (LACKS INT)  
{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}
3. DENIES NEED (DENIES NE) {28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}
4. INDIFFERENT (INDIFF) {7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}
5. UNABLE TO RESPOND (UNA TO RES)  
{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}
6. CONTEMPLATIVE (CONTEMPLAT)  
{5194DB04-7A68-491E-B117-BD089C912DFB}

7. UNABLE TO ASSESS (UNA TO AS)

{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

UNITS:

-----

ID: {0F8D9E47-CDD7-4652-9E30-0E4355CC2EFA}

=====

Abbreviation..... EDU TOPIC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Topic  
Help Text..... Patient Education  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 50 entries

-----

1. ACTIVITIES OF DAILY LIVING (ADL)  
{12F2CA66-3DCE-443D-883C-119CE4838B4A}
2. ADVANCED CARE PLANNING (ADV CAR PL)  
{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}
3. ANALGESIA (ANALGESIA) {5452ED11-25E1-437B-8048-3BB3E03BE3B9}
4. CLINICAL ASSESSMENT (CLIN ASSME)  
{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}
5. COMPLIANCE (COMPLIANC) {EF43367E-9898-44C3-8AC8-F5BD28051F1D}
6. DAILY PLAN (DAILY PLAN) {B29357A5-4294-4EA0-A0D3-59182F3C94FB}
7. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}

8. DISEASE PROCESS (DISEA PROC)

{E80807AE-6208-421D-BE4C-445C470D32FA}

9. EQUIPMENT (EQUIPMENT) {04C0F805-C7B3-4A9A-91D8-0F32F3265874}

10. HOME HEALTH (HOME HEALT) {F94FB70A-AFFD-4A5E-A829-0AF933B044BB}

11. INFECTION (INFECTION) {DA00DB58-640D-4294-9468-EEF070DBAE8E}

12. INFECTION PREVENTION AND SCREENING (INF PRE SC)

{BA58329F-59EC-49F0-BACE-75AA5EC57F52}

13. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}

14. MENTAL HEALTH (MEN HEAL) {ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}

15. MENTAL HEALTH HOLD (MEN HEA HO)

{31560285-7BD5-4E53-BB77-93B244367F42}

16. NEW ADMISSION EDUCATION (N ADM EDU)

{1890BC97-FEEB-4BED-A054-3C754C01817B}

17. NUTRITION (NUTRITION) {429A28EF-8A1F-4247-85E8-68D4EFCD189C}

18. ORIENTATION (ORIENTA) {10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}

19. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}

20. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}

21. POST-PROCEDURE (POST-PROC)

{0F943BD7-BD13-412E-B4EA-9B5526587340}

22. PRE-OPERATIVE (PRE-OP) {80C418D5-54B1-4CC3-9B19-5653B8D73C45}

23. PRE-PROCEDURE (PRE-PROC) {D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}

24. SAFETY (SAFETY) {AD905A8F-33BD-4EFE-929E-A2B575797402}

25. SPIRITUAL (SPIRITUAL) {9670E2B9-6938-4487-A857-25546775B7A2}

26. TREATMENTS (TREATMENTS) {7A6879B5-F781-498E-9D71-3FA0243C3F21}

27. PRE-SEDATION (PRE SEDA) {684C764E-2BE9-4C99-A2B2-C92D75C73751}

28. POST-SEDATION (POST SED) {B829A249-CB14-4919-86F8-4A8C8D6B7753}

29. ENVIRONMENT (ENVIRO) {C61AA262-F6AF-46AC-A215-0D56FD01B234}

30. ENTERAL TUBE/STOMA CARE (Tube/Stoma)

- {B91B94EF-CFE6-4628-BEF2-D06E5870D574}
31. ENTERAL TUBE MEDICATION ADMINISTRATION (Med Admin)  
{68D124A7-69CF-414B-8A47-BC666A373E24}
32. ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (Feed Form)  
{D2EA8840-1123-4660-AD25-587458BF1E89}
33. ENTERAL FEEDING PUMP (Feed Pump)  
{31FF069C-0060-45C3-898F-20F1A9D1552B}
34. PCA PUMP (PCA Pump) {C6F139AF-C42B-4577-83E1-A12675C31A21}
35. EPIDURAL PUMP (Epid Pump) {26C83111-5FA8-4398-8D3E-787B31A2A9E9}
360. BLOOD GLUCOSE MONITORING (BI Glu Mon)  
{525C8F3C-F8F5-4158-9CDE-3A7B306BAD5}
370. COMMUNITY RESOURCES (Comm Res)  
{0088604F-6A99-4D99-B451-5262734E0D17}
380. DIAGNOSIS/HEALTH STATUS (Diag/Healt)  
{42F128CE-63B7-4AA9-A121-B08C507F9941}
390. FINANCIAL CONCERNS (Fin Concer)  
{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}
400. GENERAL HEALTH (Gen Healt)  
{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}
410. OSTOMY CARE (Ostomy Car) {BC834BC9-5861-4B94-BA34-FDF5C9FDF979}
420. PATIENT RIGHTS AND RESPONSIBILITIES (Pat Rights)  
{DA69AAEE-DBDC-4CAA-849A-7242F0854385}
430. PERSONAL HYGIENE AND/OR GROOMING (Per Hyg)  
{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}
440. PREVENTIVE HEALTH REHAB TECHNIQUES (Rehab Tech)  
{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}
450. SELF-CARE SKILLS (Self Skill)  
{39145E84-85F2-486C-9FF8-27787EC8026A}

460. SUPPORT GROUPS (Supp Group)

{7D67F542-4210-42FE-B083-7DA9D29055BD}

470. CAREGIVER STRESS (Care Stres)

{A6A201E7-259C-485E-A35E-9F2F3489B24F}

480. FAMILY NEEDS (Fam Needs) {CEB07929-0A6E-47E9-99CD-BD9333304C9C}

490. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

500. NONE IDENTIFIED AT THIS VISIT (None)

{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}

UNITS:

-----

=====

TERM: EKG LEAD

Page: 165

ID: {D7BAE1AC-E3DA-4C9B-1216-7A07AA310A52}

=====

Abbreviation..... EKG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... EKG Lead  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

LOCATION: 5 entries

- 
1. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
  2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
  3. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
  4. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
  5. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 1 entries

- 
1. SKIN (ADHESIVE INDICATOR) (SKIN)  
{C7CE7D84-6FC7-406A-7E56-B080637509DF}



QUALITY: 1 entries

-----

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

UNITS:

-----

MILLIMETERS -21.00 > -20.00 \* 20.00 < 21.00

Dec Prec: 2

ID: {C0633B19-939C-4213-B7C7-C04DC2ADEF0C}

=====

Abbreviation..... EF TUBE TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Enteral Feeding Tube used  
Display Name..... E.F. Tube Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----

1. NASOGASTRIC LARGE BORE TUBE (NG LG BORE)  
{C3FEE16A-9998-455B-BEB8-CC55AF890202}
2. NASAL INTESTINAL SMALL BORE (N INT SM B)  
{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}
3. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}
4. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
5. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}
6. ORAL GASTRIC TUBE (OG TUBE)  
{C6995D6A-939C-4C31-A3C2-4504CB5597CD}
7. DUODENOSTOMY (DUODENOSTO) {FA44135D-6806-42E7-B371-8C3912B3582E}

8. TRANSPYLORIC (TRANSPYOLO) {78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}

UNITS:

-----

ID: {EB68B555-6DE2-4BCE-942D-3B7F1E202B24}

=====

Abbreviation..... En Deliver  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Enteral Nutrition Delivery Method  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 7 entries

-----

1. PUMP - CONTINUOUS (Pump- cont)  
{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}
2. PUMP - INTERMITTENT (Pump - int)  
{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}
3. BAG - CONTINUOUS (Bag - cont)  
{F072EF8A-B38B-4D75-82BF-D5EF851784B0}
4. BAG - INTERMITTENT (Bag - inte)  
{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}
5. SYRINGE (Syringe ) {8ED1EF3E-79AC-4507-A35B-473F31510FB7}
6. OPEN SYSTEM (Open syste) {2047EDE8-5D72-4541-A23A-81F097A6CA2A}

7. CLOSED SYSTEM (Closed sys)

{D076BAB6-C4D1-42F1-9036-80BF4B72E695}

UNITS:

-----



=====

TERM: ENTERAL NUTRITION RATE

Page: 169

ID: {75A4F240-8D8E-4F7D-84D3-3DBCE1C20F00}

=====

Abbreviation..... ENT NUT RA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Rate of Enteral Nutrition

Display Name..... Enteral Nutrition Rate

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITERS PER HOUR      -1 > 0 \* 500 < 1000      Dec Prec: 0

ID: {9B0AB028-886A-49A5-83BF-A9E4BC787EBF}

=====

Abbreviation..... En Sys Mnt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Enteral Nutrition System Maintenance

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

- 
1. BAG CHANGE (Bag Chg) {BC58D518-A742-410B-BE33-732C04D303BD}
  2. SYRINGE CHANGE (Syr Chg) {1F052EF1-F62C-4442-8B2B-D15280226C69}
  3. TUBING CHANGE (Tube Chg) {6418C2A2-D244-4C5B-A398-904B99AACEA4}
  4. STOPCOCK CHANGE (Stop Chg)  
{C4A6E58E-DA4B-478F-823B-D2CFC9860072}

UNITS:

-----



=====

TERM: ENTERAL NUTRITION TUBE PLACEMENT VERIFIED

Page: 171

ID: {45513946-76B4-4941-87A4-2737720A16E4}

=====

Abbreviation..... Tube Place

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Enteral Nutrition Tube Placement  
Verified

Help Text..... Can specify method of verification in  
comments

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {F083AE22-811C-432F-951A-3FF9DA485785}

=====

Abbreviation..... ENT NUT TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Enteral Nutrition Used  
Display Name..... Enteral Nutrition Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 43 entries

- 
- 1. MAGNACAL (MAGNACAL) {C810A618-FB1A-45BB-A540-EADF1414E343}
  - 3. OSMOLITE HN (OSMOLIT HN) {E4186CA6-302F-4513-B125-30B094151423}
  - 4. ULTRACAL (ULTRACAL) {179AE9A5-154D-4CD2-B70B-66E84F5D0932}
  - 6. VITAL HN ENTERAL NUTRITION (VITAL HN)  
{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}
  - 7. D5W ENTERAL NUTRITION (D5W)  
{D6664641-BF43-4157-9A30-8AD8CFE96518}
  - 8. D10W ENTERAL NUTRITION (D10W ENT N)  
{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}
  - 9. D50W ENTERAL NUTRITION (D50W ENT N)

{528A4339-0261-4EC5-821C-7CE5592666DC}

- 17. BOOST (Boost) {2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}
- 18. BOOST PLUS (Boost Plus) {432C8151-10CE-4804-939D-6B6B609BE54A}
- 19. ENSURE PLUS (Ensure Plu) {519D1249-B6C0-49ED-BA86-1B27C0F964C9}
- 20. FIBER STAT (Fiber Stat) {201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}
- 21. GLUCERNA 1.0 (Glu 1.0) {1C465710-80F2-4C13-B8D5-B1D084151104}
- 22. GLUCERNA 1.2 (Glu 1.2) {F58F1014-D1C4-44EB-9B01-FB88F2B3D751}
- 23. ISOSOURCE VHN (Iso VHN) {D68525BF-F922-464E-97DE-1AB767974483}
- 24. JEVITY 1.0 (Jevity 1.0) {637F4523-0417-4EA4-9991-379C8362EC00}
- 25. JEVITY 1.2 (Jevity 1.2) {0B3ADECE-FC19-4D90-912B-6EDC3D35C845}
- 26. JEVITY 1.5 (Jevity 1.5) {ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}
- 27. JUVEN (Juven) {2112F76A-D581-4C55-94CA-4B4CC68813AD}
- 28. NEPRO (Nepro) {00FFC7A1-5CDA-45AF-BD50-D77666A23851}
- 29. NEPRO CARB STEADY (Nepro Car)

{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}

- 30. NUTRIHEP (Nutrihep) {ABD98675-EB60-40C7-BCE6-73FD787F6D17}
- 31. OSMOLITE 1.0 (Osmo 1.0) {D5EE7DA5-707B-4000-A133-0C571824A376}
- 32. OSMOLITE 1.2 (Osmo 1.2) {CEF57C44-82E5-43F5-8646-F8FBCD4609A0}
- 33. OSMOLITE 1.5 (Osmo 1.5) {8AF4CD1A-631A-4E95-A631-ACFF775284BA}
- 34. OXEPA (Oxepa) {1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}
- 35. PERATIVE (Perative) {9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}
- 36. PIVOT (Pivot) {2E68ED54-57F5-490D-A982-668121F0CF5A}
- 37. PIVOT 1.5 (Pivot 1.5) {9126F0C6-9716-4C33-8B7C-178D46899D44}
- 38. PRO STAT SUGAR FREE 64 (ProSta 64 )

{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}

- 39. PROMOTE (Promote) {6377C8D3-F6DD-4BD2-877F-DB52525DD65D}
- 40. PROMOTE WITH FIBER (Pro W/Fib )

{33E04B6F-2976-402C-B3B7-B75705430340}

41. PROPASS PROTEIN POWDER (Pro Prot )  
 {2307C41A-92D2-4DD4-BC1F-2E78F7477D98}
42. PRO-STAT (Pro-Stat) {E39E36C7-0A47-459D-BA75-CF6186247B40}
43. PROTENEX WOUND CARE (Protenex)  
 {3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}
44. PULMOCARE (Pulmocare) {8D683106-B5EE-46E1-B1C6-0C7843EDD15C}
45. RESOURCE BREEZE (Re Breeze)  
 {D3A38687-AD62-4E1D-A945-1201168E1CF6}
46. RESOURCE DM (Re Dm) {C9D4A461-81F9-4392-98DA-129B00E5807F}
47. SUPLENA (Suplena) {F606979A-083E-40C1-9EBB-EA56053EF5FD}
48. TWO CAL HN (Two Cal HN) {3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}
49. VITAL 1.0 (Vital 1.0) {D3CA653C-419D-4186-8704-E171650062DF}
50. VITAL 1.5 (Vital 1.5) {3665F539-7BBD-4AD9-A4D0-0A33506036D7}
51. VITAL AF (Vital AF) {D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}
52. VIVONEX RTF (Viv RTF) {461E7430-CC94-47D1-A90D-9694314C7729}

PRODUCT: 15 entries

- 
1. FORMULA 2.0 CAL (2.0 C FORM)  
 {E5FB9590-25AA-435A-B9B4-4812EA15C217}
2. FORMULA D5W ENTERAL NUTRITION (D5W ENT NU)  
 {9EA15A1B-DA1C-49EC-B463-82DD5F125F82}
3. FORMULA D10W ENTERAL NUTRITION (D10W ENT N)  
 {F8FB55C4-6229-427F-987D-3D469E307D0D}
4. FORMULA D50W ENTERAL NUTRITION (D50W ENT N)  
 {19ED9C83-42C1-42AF-AB4D-1A34B621EFB9}
5. FORMULA - PROBALANCE (PROBALANCE)  
 {4EA729FE-08EA-490B-822D-696061E5B55F}

6. GLUCERNA DIABETIC (GLUCERNA D)

{C2F2CCFE-6D77-49B4-BF5E-F1A285326440}

7. HIGH PROTEIN FORMULA (HIGH PROTE)

{3618C874-3EAE-41CF-BE2B-3DFB960E034F}

8. MAGNACAL (MAGNACAL) {86688633-DFCA-4FBE-99F5-8E0B3FAFE695}

9. MODULAR CUSTOMIZED FORMULA (CUST FORMU)

{249D095E-9676-4CC5-8A39-097F96A4C032}

10. NEPRO RENAL FORMULA (NEPR RENAL)

{59C9B396-A705-445B-B566-F030DA4B2B79}

11. NUTREN 1.5 (NUTREN 1.5) {B93EF897-B9A1-45C6-AC9A-B386554A3186}

13. OSMOLITE HN (OSMOLIT HN) {3622D5C6-1D7B-4377-94B7-5E33C642C4C5}

14. ULTRACAL (ULTRACAL) {B18E6151-9DC6-4380-899A-E84715BFC61B}

15. VITAL ENTERAL NUTRITION TYPE (VIT ENT NU)

{D77B607C-85C4-428E-AAE6-B319F33F4E9F}

16. VITAL HN ENTERAL NUTRITION (VIT NUT HN)

{3973F52F-D53F-4D80-928A-BD6154D5C434}

UNITS:

-----

ID: {65B585A6-C193-4121-ACCA-0152433BC4A9}

=====

Abbreviation..... Asp Color  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Enteral Tube Aspirate Color  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

- 
- 1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
  - 2. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
  - 3. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
  - 4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
  - 5. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
  - 6. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  - 7. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
  - 8. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
  - 9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
  - 10. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

11. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}

12. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

13. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

140. GOLD (Gold) {1D1A2586-C13C-41FA-A3AD-39294BEB83E}

UNITS:

-----

=====

TERM: ENTERAL TUBE ASPIRATE PH

Page: 174

ID: {C6DD77B7-2501-4B20-AAF8-FF40554257CF}

=====

Abbreviation..... Asp PH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Enteral Tube Aspirate pH

Help Text..... pH of enteral tube output

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

pH                    -1.0 > 0.0 \* 14.0 < 15.0   Dec Prec: 1



=====

TERM: ENTERAL TUBE RESIDUAL VOLUME

Page: 175

ID: {22EBBA65-D612-43B8-A97F-E750C2ADC9D0}

=====

Abbreviation..... Res Vol

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Enteral Tube Residual Volume

Help Text..... volume of enteral tube output

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER

-1 > 0 \* 300 < 301

Dec Prec: 0

=====

TERM: ENTERAL TUBE SITE CONDITION CHECKED

Page: 176

ID: {07A53E80-0F27-46DC-A260-B03CFE25803E}

=====

Abbreviation..... En Tube Ck

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Enteral Tube Site Condition Checked

Help Text..... Indicate any abnormal findings in  
comments

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: EPIDURAL: BOLUS (ML)

Page: 177

ID: {ECED5FF9-C840-4D0A-8CD9-6A2EB772FEB0}

=====

Abbreviation..... Epi Bol ml

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Bolus (ml)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER                    0.01 > 0.01 \* 999.99 < 999.99

Dec Prec: 2

=====

TERM: EPIDURAL: CONTINUOUS RATE (ML/HR)

Page: 178

ID: {45F9DF95-EF21-4BE4-8F43-B680A3CDDC47}

=====

Abbreviation..... C Rate Hr

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Continuous Rate (ml/hr)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITERS PER HOUR      0.01 > 0.01 \* 999.99 < 999.99

Dec Prec: 2

ID: {297730B0-12B4-4296-B9E5-9A112E5D4E91}

=====

Abbreviation..... Derm Left

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Epidural: Dermatome Sensory Level -  
Left

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 22 entries

-----

- 1. C1 (C1) {F942693D-F272-4A70-81FF-E750BAF082B9}
- 2. C2 (C2) {EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
- 3. C3 (C3) {B53D0E0E-7BF0-4D26-B4DD-D072035E307E}
- 4. C4 (C4) {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}
- 5. C5 (C5) {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}
- 6. T1 (T1) {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}
- 7. T2 (T2) {7536B154-F3CA-4B21-8CEC-301F204B19A9}
- 8. T3 (T3) {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}
- 9. T4 (T4) {E95970BB-3FDA-4027-AAF0-EE5670642321}

- 10. T5 (T5) {01B568D4-F9F4-44A7-94A4-EFF830691940}
- 11. T6 (T6) {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
- 12. T7 (T7) {385B254A-F256-4626-9C12-7D8984F4B605}
- 13. T8 (T8) {68337EB5-902D-4DCB-AFDD-8AC59849F58B}
- 14. T9 (T9) {06F10D8D-2E9D-454D-AD6B-B750300523DD}
- 15. T10 (T10) {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
- 16. T11 (T11) {3C40B21A-965B-48C4-A65D-9A01CF2327F1}
- 17. T12 (T12) {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
- 18. L1 (L1) {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
- 19. L2 (L2) {0E5E7F8E-BA82-499B-A57A-8D32C2113006}
- 20. L3 (L3) {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}
- 21. L4 (L4) {94632F85-0152-47C2-9D82-B49C36ABF495}
- 22. L5 (L5) {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

-----

ID: {B7ACEED3-8360-4BC2-8608-1597C4776379}

=====

Abbreviation..... Derm Right

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Epidural: Dermatome Sensory Level -  
Right

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 22 entries

- 
- |            |  |
|------------|--|
| 1. C1 (C1) | {F942693D-F272-4A70-81FF-E750BAF082B9} |
| 2. C2 (C2) | {EE1C5D26-12DE-42ED-A46C-63D66BC145C5} |
| 3. C3 (C3) | {B53D0E0E-7BF0-4D26-B4DD-D072035E307E} |
| 4. C4 (C4) | {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF} |
| 5. C5 (C5) | {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4} |
| 6. T1 (T1) | {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F} |
| 7. T2 (T2) | {7536B154-F3CA-4B21-8CEC-301F204B19A9} |
| 8. T3 (T3) | {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD} |
| 9. T4 (T4) | {E95970BB-3FDA-4027-AAF0-EE5670642321} |

- 10. T5 (T5) {01B568D4-F9F4-44A7-94A4-EFF830691940}
- 11. T6 (T6) {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
- 12. T7 (T7) {385B254A-F256-4626-9C12-7D8984F4B605}
- 13. T8 (T8) {68337EB5-902D-4DCB-AFDD-8AC59849F58B}
- 14. T9 (T9) {06F10D8D-2E9D-454D-AD6B-B750300523DD}
- 15. T10 (T10) {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
- 16. T11 (T11) {3C40B21A-965B-48C4-A65D-9A01CF2327F1}
- 17. T12 (T12) {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
- 18. L1 (L1) {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
- 19. L2 (L2) {0E5E7F8E-BA82-499B-A57A-8D32C2113006}
- 20. L3 (L3) {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}
- 21. L4 (L4) {94632F85-0152-47C2-9D82-B49C36ABF495}
- 22. L5 (L5) {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

-----





-----

=====

TERM: EPIDURAL: RESERVOIR VOLUME REMAINING

Page: 182

ID: {E8DB41BB-C76C-4397-828E-42AB339D20E5}

=====

Abbreviation..... Res Vol Rm

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Reservoir Volume Remaining

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER                    -1.00 > -1.00 \* 9999.00 < 9999.00

Dec Prec: 2

ID: {31D66C3C-3A8C-4F97-B9E5-7ECA49A01574}

=====

Abbreviation..... Side Eff  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Epidural: Side Effects  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 19 entries

-----

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
3. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
4. ITCHING (Itching) {33304859-7DF4-4D89-86E8-9AA3395CC80A}
5. URINARY RETENTION (Urin Reten)  
{BDD3A568-00E4-4148-8A5D-00319728022A}
6. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
7. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
8. HEADACHE (Headache) {9338E67C-201C-4066-A734-8BD4B47462BD}
9. BLURRED VISION (Blurred Vi)

{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}

10. SLURRED SPEECH (Slurred Sp)

{6C3D295A-71C9-4DA8-A172-995F431D94C9}

11. CONFUSION (Confusion) {C577D53B-2924-41C6-AAF0-426F5259B36F}

12. POOR BAL (Poor Balan) {959AFDB4-6984-452D-9235-B154409DC0ED}

13. TINGLING MOUTH/LIPS (Ting Mou/L)

{E603F979-310D-438B-80A2-1F52E4DE71C6}

14. UNEXPECTED NUMBNESS (Unexp Numb)

{6418B135-56AF-4A76-A207-55D7AE0C5364}

15. EXTENDED PERIOD OF IMMOBILITY (Ex Pd Immo)

{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}

16. SYMPTOMS OF MEDICATION ALLERGY (Sym Med Al)

{8E73F22D-7583-4F24-B946-091CF8508CED}

17. REPIRATORY DEPRESSION (Resp Depr)

{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}

18. CNS DEPRESSION (CNS Depres)

{EE349460-8B60-427B-AE98-72007DFD2F6A}

19. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

=====

TERM: EPIDURAL: TOTAL VOLUME GIVEN

Page: 184

ID: {9D6BECEA-1AED-42FD-BE2D-396B0B8CD472}

=====

Abbreviation..... Tot VI Giv

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Epidural: Total Volume Given

Help Text..... Total Volume of Epidural given

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER                    -1.00 > -1.00 \* 9999.00 < 9999.00

Dec Prec: 2

ID: {62C9FF10-1B3F-48D1-8FE7-ACF8284FD04A}

=====

Abbreviation..... ESI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... EMERGENCY SEVERITY INDEX  
Display Name..... ESI  
Help Text..... EMERGENCY SEVERITY INDEX  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
- 1. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
  - 2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
  - 3. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
  - 4. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
  - 5. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}

UNITS:

-----

ID: {E4848AF5-F7CA-4B23-B436-B902B0F5555A}

=====

Abbreviation..... TRIAGE CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Triage Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. STABLE (STABLE) {A474E7BC-47EF-4472-A19A-172C441099EC}
  2. UNSTABLE (UNSTABLE) {5841C521-8070-4034-A69D-27DAB2990EB3}
  3. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----



ID: {4D5AB8A3-0883-4D48-AAF7-73933D411038}

=====

Abbreviation..... TRIAGE DIS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Triage Disposition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
- 1. EMERGENCY DEPARTMENT (ER DEPT)  
                                  {D2E511F7-8B80-4928-A64B-3F1EE17395F7}
  - 2. WAITING ROOM (WAIT ROOM) {13476486-F895-4FFC-AB42-B274827B47DA}
  - 3. OTHER (OTHER)            {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

ID: {7DA32BAB-D3E3-55F0-CBAC-812B366B15A5}

=====

Abbreviation..... ET LOC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... LOCATION OF ENDOTRACHEAL TUBE

Display Name..... Endotracheal Tube Location

Help Text..... Measured in centimeters from lip or  
nose

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

31 entries

- 
- 1. 13 (13) {030242DB-3F82-7517-3DEE-4D50E3E8AE23}
  - 2. 13.5 (13.5) {34D24648-B2D9-9C6C-6D71-F80E977CE185}
  - 3. 14 (14) {EDF1C2B1-123B-011F-9B02-7D71088971C1}
  - 4. 14.5 (14.5) {373C8F8C-5D36-4AD6-6A76-513064669CB5}
  - 5. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}
  - 6. 15.5 (15.5) {1BBF5122-2FFA-6B27-445B-3291C3F83A36}
  - 7. 16 (16) {9E4B84FF-430A-39FB-E6AA-E1031814796D}
  - 8. 16.5 (16.5) {7D4EA1D4-5233-760F-FD2B-A70FB0969815}
  - 9. 17 (17) {2E89B9C8-5E80-F3C9-FE66-4396CB63201A}

10. 17.5 (17.5) {FDE6FFD9-00D0-9C55-1A7F-4AA70CE313BA}
11. 18 (18) {F2815231-0FCE-4988-95E9-D9AF46C57086}
12. 18.5 (18.5) {75ABCB85-4D6E-0BBC-157F-CA69B7737402}
13. 19 (19) {478FFB89-4941-1474-04E1-C838B2467439}
14. 19.5 (19.5) {58F0F98D-299A-8C4E-F50F-AE21B6E696D6}
15. 20.5 (20.5) {DB1F50D2-AF99-7BB3-88F5-B58C0BDE7987}
16. 21 (21) {C6188159-9EF1-DA5C-C015-2142A1205C4C}
17. 21.5 (21.5) {A259E466-773F-519C-7B5B-1570D1B03B70}
18. 22 (22) {DA839156-C7A9-76D7-58CD-7EC2B016EF40}
19. 22.5 (22.5) {D402D24F-1EF2-1AA0-DD1C-FA8320AA929A}
20. 23 (23) {8FB6A8B1-B692-BDC7-43B9-0332F33D826A}
21. 23.5 (23.5) {DDB76295-7E4A-FEAC-324D-37878F62771A}
22. 24 (24) {2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}
23. 24.5 (24.5) {D815830B-5D94-0975-D007-E4FDD966155B}
24. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCD1}
25. 25.5 (25.5) {9D704E9E-FB1D-FB83-2142-EDBF3805E8F7}
26. 26 (26) {181395F6-29FD-5A41-5AD7-BFC9CF564F3B}
27. 26.5 (26.5) {1D464967-6CFA-E29E-548D-EF68AFCDEC61}
28. 27 (27) {64D25A86-6516-0910-B4B5-644B85378876}
29. 27.5 (27.5) {8C7BE365-AFD0-3FFD-B8EC-6EC914763CFC}
30. 28 (28) {66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}
31. 28.5 (28.5) {C99C9298-D4D2-BC02-36D3-F612B6080A87}

UNITS:

-----

ID: {7912B52F-20BC-9128-883B-08AF0EC48045}

=====

Abbreviation..... FALL PRE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Fall Precautions  
Help Text..... Fall Precautions Taken  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



{166DE5BA-67F1-4BDB-9378-062862519BE4}

70. ORIENTED TO CALL FOR ASSISTANCE (Call/Asst)

{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}

80. COMFORT MEASURES (Com Measu)

{A5F09A1F-921E-4469-9652-0A136BCD9C07}

90. ESTABLISHED ROUTINE TOILETING SCHEDULE (Toil Sched)

{A66F5259-5C01-4597-B881-9267DEBC017C}

100. AVOIDED LIGHT AND NOISE OVERSTIMULATION (Avoid Lght)

{135BE5DC-B93B-4A72-97AC-B423A6E81538}

110. ELIMINATED ENVIRONMENTAL HAZARDS (Eli Env Hz)

{78E77129-F53F-491D-8C86-36AE948FCCC6}

120. ALARMS ON (Alarms On) {A07F739F-3E78-405D-9012-E43CD84B2CBC}

130. HELMET (Helmet) {E65974F8-BCE7-4361-868D-C0B4D780EA21}

140. HIP-PROTECTORS (Hip-Prot)

{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}

150. FALL RISK SIGN (Fall Sign)

{E9670720-957E-487E-B0F0-7F7A8AEF69DE}

160. FALL RISK ID (Fall Risk) {EF1BE81B-656B-474C-B19E-CCDAD8BB4100}

170. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

ID: {E1CB7972-95FE-FE7B-9E6E-ECF1FF4699EB}

=====

Abbreviation..... FOTU  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Family Oriented to Unit  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: FETAL HEART TONES

Page: 192

ID: {A2E22A44-E924-ADDE-2B8E-0251666B4DE6}

=====

Abbreviation..... FT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... From Vitals  
Display Name..... Fetal Heart Tones  
Help Text..... From Vitals  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void..... 4688721

UNITS:

-----

BEATS PER MINUTE      50 > 120 \* 160 < 225      Dec Prec: 0



=====

TERM: FINGERSTICK GLUCOSE

Page: 193

ID: {805F184D-EF11-446F-A272-B08249A477E9}

=====

Abbreviation..... FINGER GLU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Fingerstick Glucose Test Result

Display Name..... Fingerstick Glucose

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

mg/dl

29 > 65 \* 110 < 601

Dec Prec: 0

=====

TERM: FLATUS

Page: 194

ID: {9999776E-D262-4F64-BDEC-16A7E5885185}

=====

Abbreviation..... FLATUS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Flatus  
Display Name..... Flatus  
Help Text..... Flatus / Flatulence  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}
  2. PATIENT REPORTS NOT PRESENT (PT RP N PR)  
{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}
  3. PATIENT REPORTS PRESENT (PT REP PRE)  
{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}
  4. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

-----

ID: {72F2398C-E7DB-418F-89A4-79E07895295F}

=====

Abbreviation..... FLOW ADDEN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... Flowsheet Addendum

Display Name..... Flowsheet Addendum

Help Text..... 250 Characters ONLY: Place to enter

status updates, notes, significant

events, etc. That are relevant to the

patient and entire flowsheet.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {5B1A78F0-5C93-F5BA-29D5-D9AFC205B3C7}

=====

Abbreviation..... FOOTS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Foot Strength  
Help Text..... Evaluation of foot strength  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
- 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
- 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
- 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
- 6. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

-----

- 1. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
- 2. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

3. BILATERAL FOOT (BILAT FOOT)

{C758847D-468F-479A-B12D-F4E46F0E5E3A}

UNITS:

-----

=====

TERM: FUNDAL HEIGHT

Page: 197

ID: {EEAB8762-624F-7BA3-4001-114FD229BA69}

=====

Abbreviation..... FH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... From Vitals

Display Name..... Fundal Height

Help Text..... Starting at 24 weeks

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688722

UNITS:

-----

CENTIMETER

15 > 21 \* 43 < 60

Dec Prec: 0

=====

TERM: GAG REFLEX

Page: 198

ID: {21F9FD70-0E30-2772-2E3C-D36C9D3ABA9D}

=====

Abbreviation..... GAG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Gag Reflex  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

-----

=====

TERM: GAIT

Page: 199

ID: {E36F1998-896C-47EE-97FC-18E224E9A415}

=====

Abbreviation..... Gait

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Gait

Help Text..... Assessment of Gait

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE:

4 entries

- 
- |                           |  |
|---------------------------|--|
| 10. STEADY (Steady)       | {42CF2FDA-E774-4784-99D3-24545E30C46F} |
| 20. UNSTEADY (Unsteady)   | {7AC26DBA-B7F1-401C-9D4C-5C0F06C87152} |
| 30. SHUFFLING (Shuffling) | {7EA3A898-1D90-472C-BE90-2110330A1ADA} |
| 40. SCOOTER (Scooter)     | {663BC475-C20E-4B8B-B8B5-B16CC79A93C6} |

UNITS:

-----



=====

TERM: GASTRIC RESIDUAL AMOUNT DISCARDED

Page: 200

ID: {E74268D1-6DB1-40BB-810B-4A33D65F73A4}

=====

Abbreviation..... GAS DISCAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Gastric Residual Amount Discarded

Display Name..... Gastric Residual Amount Discarded

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            -1 > 0 \* 750 < 10000    Dec Prec: 0

=====

TERM: GASTRIC RESIDUAL CHECKED

Page: 201

ID: {7CFB9F8C-FDDB-4CB2-B977-E6570D84BAFE}

=====

Abbreviation..... GAS RES CH

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the Gastric Residual Checked?

Display Name..... Gastric Residual Checked

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: GASTRIC RESIDUAL NOT DISCARDED

Page: 202

ID: {D93EDA7E-706C-4914-A774-5BE46D4A3085}

=====

Abbreviation..... GAS NOT DI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Gastric Residual Amount Not Discarded

Display Name..... Gastric Residual Amount Not Discarded

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER

-1 > 0 \* 500 < 10000

Dec Prec: 0

=====

TERM: GASTRIC pH

Page: 203

ID: {5ECE05DB-47C5-43C9-A3CD-0CD31E285BA8}

=====

Abbreviation..... GASTRIC pH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Gastric pH

Display Name..... Gastric pH

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

pH

-1 > 0 \* 7 < 15

Dec Prec: 0

ID: {11D9DC0B-FE5C-9374-0904-96896A69E41B}

=====

Abbreviation..... GCS EYE OP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Eye Opening  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. 4 - SPONTANEOUSLY (4-s) {4612FC84-FCA8-8C85-50DC-A9A42C195F51}
  - 2. 3 - TO VERBAL COMMAND (3-tvc)  
{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}
  - 3. 2 - TO PAIN (2-tp) {49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}
  - 4. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}
  - 5. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

UNITS:

-----

ID: {F708D210-5A49-4731-443A-DB3992450B45}

=====

Abbreviation..... GCS MOTOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Motor Response  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. 6 - OBEYS COMMANDS (6-oc) {0D4956F4-7E79-8D17-EDF3-274B96BBC89A}
  2. 5 - LOCALIZES PAIN (5-lp) {CF13650F-899B-6AE1-5913-DC1F4776E5E4}
  3. 4 - WITHDRAWS FROM PAIN (4-wfp)  
{D808ACF1-30CB-29AB-4957-E91D63C4DF18}
  4. 3 - ABNORMAL FLEXION FROM PAIN (3-affp)  
{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}
  5. 2 - ABNORMAL EXTENSION FROM PAIN (2-aefp)  
{9B4951D8-B271-DFC3-0A00-1DC9984039E3}
  6. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:

-----

=====

TERM: GCS - TOTAL

Page: 206

ID: {09118FCE-11BC-2679-68FC-67913B3EAAD0}

=====

Abbreviation..... GCS TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Total GCS

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

GLASGOW COMA SCALE

2 > 3 \* 15 < 16

Dec Prec: 0



ID: {B4BA8135-48CB-2930-B5F2-5B93688C07FE}

=====

Abbreviation..... GCS VERBAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Verbal Response  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

- 1. 5 - ORIENTED AND CONVERSES (5-oac)  
{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}
- 2. 4 - DISORIENTED AND CONVERSES (4-dac)  
{D43F646D-A130-5D06-6DC6-DDB971027231}
- 3. 3 - INAPPROPRIATE WORDS (3-iw)  
{FE000191-243E-4D32-1E1E-546EE2CF88A5}
- 4. 2 - INCOMPREHENSIBLE SOUNDS (2-is)  
{F2261C3D-79A3-055B-702D-446B7A6A3113}
- 5. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:

-----

ID: {139D5B8A-4DF7-4764-A1C9-835C73A13E41}

=====

Abbreviation..... GEN. ASSMT  
Active..... Yes  
Boolean Value False..... Normal  
Boolean Value True..... Abnormal  
Data Type..... Boolean  
Description..... General condition of genitals  
Display Name..... Genital Assessment  
Help Text..... Are genitals normal or abnormal?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {2566D442-22EA-4523-8D77-007B858C1EA0}

=====

Abbreviation..... GI SYMPTOM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... GI Symptoms  
Display Name..... GI Symptoms  
Help Text..... GI Symptoms  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
  2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
  3. PROJECTILE VOMITING (PROJ VOMIT)  
{0D2CB23B-B266-40E1-A6FF-20B733655B69}
  4. CRAMPING (CRAMPING) {3EC3E352-5469-4A85-80E4-3AFEB61224C4}
  5. HEARTBURN (HEARTBURN) {5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}
  6. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
  7. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

UNITS:

-----

ID: {D72728F5-FE40-1697-E896-BFAA1895A4A8}

=====

Abbreviation..... GI DRAIN C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... GI Tube Drainage Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
  - 2. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:

-----

ID: {4D0CB409-25EA-40CB-ABE5-1BB2E0FDE1C3}

=====

Abbreviation..... GI DRA COL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... GI Tube Drainage Color

Display Name..... GI Tube Drainage Color

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

13 entries

- 
1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
  2. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
  3. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
  4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
  5. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
  6. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  7. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
  8. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
  9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
  10. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

11. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}

12. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

13. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

-----



ID: {BFA579B5-CEA7-43EF-84C0-C4893EFD0F3A}

=====

Abbreviation..... GI T PLACE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... GI Tube Placement Confirmation  
Display Name..... GI Tube Placement Confirmation  
Help Text..... GI Tube Placement Confirmation  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. X-RAY (X-RAY) {C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}
  2. ASPIRATION (ASPIRATION) {68B91085-8E3C-4B94-9F97-6305F5DFD900}
  3. AUSCULTATION (AUSCULTATI) {B9D756DF-74F5-4604-B781-D7BC512FC453}
  4. pH (pH) {104FE39C-B0A2-40B5-A523-B11E5F2BA272}

UNITS:

-----

=====

TERM: GI TUBE SIZE

Page: 213

ID: {9F0E347C-C292-41A6-B213-340B2ECD716E}

=====

Abbreviation..... GI TU SIZE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... GI Tube Size  
Display Name..... GI Tube Size  
Help Text..... GI Tube Size  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

FRENCH                      7 > 8 \* 18 < 25                      Dec Prec: 0

ID: {884A773C-187A-B910-AEC0-59815DEE579E}

=====

Abbreviation..... TUBE SUC T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... TYPE OF SUCTION APPLIED TO GI TUBE  
Display Name..... GI Tube Suction Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 6 entries

- 
- 1. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
  - 2. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
  - 3. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
  - 4. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
  - 5. CLAMPED (CLAMPED) {B86865B8-078A-4996-B5EC-46A4A99D5A7D}
  - 6. GRAVITY (GRAVITY) {C0233F70-376D-41CE-9F14-714C7B35244F}

UNITS:

-----

=====

TERM: GI TUBE TYPE

Page: 215

ID: {DD63CB7E-0759-F5F2-EFF6-AB6874590B43}

=====

Abbreviation..... GI TUBE TY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... TYPE OF GI TUBE

Display Name..... GI Tube Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

10 entries

-----

1. NASOGASTRIC TUBE (NG TUBE)

{6475E343-A310-48A5-B543-D29573E7684D}

2. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}

3. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}

4. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}

5. NASAL SMALL BOWEL FEEDING TUBE (NAS SM BOW)

{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}

6. ORAL GASTRIC TUBE (OG TUBE)

{C6995D6A-939C-4C31-A3C2-4504CB5597CD}

7. SMALL BORE FEEDING TUBE (SM BO TUBE)

{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}

8. GASTROSTOMY TUBE (GAST TUBE)

{EF017A39-745E-4C29-821A-5B25F103DF99}

9. GASTROSTOMY FEEDING BUTTON (GAST F BUT)

{1627B53B-374B-42B4-BBFE-463EE37B6110}

10. EWALD TUBE (EWALD TUBE) {B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}

UNITS:

-----

=====

TERM: GU BLADDER IRRIGATION FREQUENCY

Page: 216

ID: {D16099EA-DF97-4481-8B8F-7A25E88D15B1}

=====

Abbreviation..... GU BL IR F  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Bladder Irrigation Frequency  
Display Name..... Bladder Irrigation Frequency  
Help Text..... Bladder Irrigation Frequency  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
  2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
  3. PRN (PRN) {36493D81-954B-4C56-B0A2-9988EA785EBD}

UNITS:

-----

=====

TERM: GU CATHETER CARE PERFORMED

Page: 217

ID: {F99A31A1-6D6D-4532-81F4-35EA957233D7}

=====

Abbreviation..... GU CA CARE

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Catheter Care Performed

Display Name..... Catheter Care Performed

Help Text..... Catheter Care Performed

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: GU CATHETER SIZE

Page: 218

ID: {222FF9DB-7D48-4004-B9B9-49B41D8E510B}

=====

Abbreviation..... GU CA SIZE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Catheter Size

Display Name..... Catheter Size

Help Text..... Catheter Size

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

FRENCH

11 > 12 \* 30 < 31

Dec Prec: 0



ID: {A73423E8-EA6C-007E-1F20-6185BD488AEA}

=====

Abbreviation..... GU CATH TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of catheter used  
Display Name..... Catheter Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 13 entries

-----

1. INDWELLING CATHETER (INDW CATH)  
{EC16724C-D1EA-5650-58D4-38A89D4456F9}
2. EXTERNAL CATHETER (EXT. CATHE)  
{C8AEE936-DD91-FE91-4DD6-6F210FB59726}
3. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}
4. L NEPHROSTOMY (L NEPHROST)  
{D8FC4C18-081E-A7B9-E394-25F194BE9757}
5. R NEPHROSTOMY (R NEPHROST)  
{33661137-688D-5611-4368-B1DFD8DB1469}
6. UROSTOMY (UROSTOMY) {1F9E528D-6D78-54EE-94E6-649C6F2056A3}

7. STRAIGHT CATHETER (STR. CATH)

{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

8. ILEAL CONDUIT (ILEAL COND)

{032CB6FE-77D2-702E-A0AE-46176F5CAA57}

9. L STENT (LEFT STENT) {FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}

10. R STENT (RT. STENT) {6D0EED3B-1F08-11D2-165D-97A9F58327D5}

11. FOLEY (FOLEY) {9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}

12. 3 WAY FOLEY (3WAY FOLEY) {32408760-F517-4530-AEC0-54FE0A6A062B}

13. MUSHROOM CATHETER (MUSH CATHE)

{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}

LOCATION: 16 entries

-----

1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

3. L INTERNAL JUGULAR (L INT JUG)

{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. R INTERNAL JUGULAR (R INT JUG)

{7ABF6916-D379-198D-6454-F0518A74844A}

5. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

6. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}

10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}

11. L ANTECUBITAL (L ANTECUBI)

{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

12. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}

14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

-----

=====

TERM: GU VOIDING

Page: 220

ID: {BE9D4DD5-CF6E-C973-C1F1-D70D9F554E38}

=====

Abbreviation..... GU VOIDING

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Method of urine elimination

Display Name..... Voiding

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

- 
1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}
  2. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
  3. CATHETER (CATHETER) {B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}

UNITS:

-----

ID: {7FA596FC-81CF-4906-BBA9-96ED54FAC55D}

=====

Abbreviation..... HAIR CONDI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Hair Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. ALOPECIA PARTIAL (ALOPE PART)  
{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}
  3. ALOPECIA TOTAL (ALOPE TOTA)  
{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}
  4. HIRSUTISM (HIRSUTISM) {A909A4FC-080A-4E9A-867A-0B30D4633602}

UNITS:

-----

ID: {67289BB5-D6B1-53C5-53E2-6D209C1B0826}

=====

Abbreviation..... HAND GRIP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Hand Grip  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
  - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
  - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
  - 7. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

- 
- 1. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
  - 2. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}

3. BILATERAL HAND (BILAT HAND)

{C782FE56-6117-493F-847F-83173407F0B5}

UNITS:

-----

=====

TERM: HANDOFF REPORT

Page: 223

ID: {EF8C4872-1F90-4A5A-93CA-9B3DD4350A55}

=====

Abbreviation..... Handoff Rp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Handoff Report  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----



=====

TERM: HEAD CIRCUMFERENCE

Page: 224

ID: {33827E3C-5DBB-083C-D8BE-4DFD7D42071F}

=====

Abbreviation..... HC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... From Vitals

Display Name..... Head Circumference

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4536405

UNITS:

-----

CENTIMETER

0 > 1 \* 100 < 101

Dec Prec: 0

=====

TERM: HEAD OF BED ELEVATION

Page: 225

ID: {97D6AA11-1F1A-1853-23E5-25F2F41E07CF}

=====

Abbreviation..... HOB E

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Head of Bed Elevation

Help Text..... Value in degrees

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

DEGREES (ANGLE)

-1 > 0 \* 90 < 99

Dec Prec: 0

=====

TERM: HEAT/MOISTURE EXCHANGER PRESENT

Page: 226

ID: {1AAC7785-C695-44AB-9E0E-96257D66F432}

=====

Abbreviation..... HME PRESEN

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Heat & Moisture Exchanger Present

Display Name..... Heat & Moisture Exchanger Present

Help Text..... Heat & Moisture Exchanger Present

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: HEIGHT

Page: 227

ID: {B440216B-0FB3-1950-7859-7C1BE398FE4A}

=====

Abbreviation..... HT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Height of Patient  
Display Name..... Height  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void..... 4688724

QUALITY: 4 entries

-----

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}
3. ESTIMATED BY ARM SPAN (EAS)  
{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}
4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

-----

INCH 0.00 > 1.00 \* 96.00 < 100.00

Dec Prec: 2

CENTIMETER

0.0 > 1.0 \* 2999.0 < 3000.0

Dec Prec: 1

ID: {996F1DCC-A6EE-4D52-B889-6E0E6185C74C}

=====

Abbreviation..... HOMAN SIGN

Active..... Yes

Boolean Value False..... Negative

Boolean Value True..... Positive

Data Type..... Boolean

Description..... No Description

Display Name..... Homan's Sign

Help Text..... Positive is calf pain with

Dorsiflexion and Plantar Flexion

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: I:E RATIO

Page: 229

ID: {7A108E36-2701-4095-B1CE-FC51773D8D10}

=====

Abbreviation..... I:E RATIO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Inspiratory Time to Expiratory Time  
Ratio

Display Name..... I:E Ratio

Help Text..... Inspiratory Time to Expiratory Time  
Ratio

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: IABP ASSISTED SYSTOLIC PRESSURE

Page: 230

ID: {21DA5247-9369-4E7E-8089-29087553F2AD}

=====

Abbreviation..... IABP A S P

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Assisted Systolic Pressure

Display Name..... IABP Assisted Systolic Pressure

Help Text..... IABP Assisted Systolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS OF MERCURY

0 > 80 \* 150 < 250

Dec Prec: 0



=====

TERM: IABP BAEDP

Page: 231

ID: {422441B9-61AD-4EC1-B3DE-78A593C410C7}

=====

Abbreviation..... IABP BAEDP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Balloon Assisted Aortic End

Diastolic Pressure

Display Name..... IABP BAEDP

Help Text..... IABP Balloon Assisted Aortic End

Diastolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLIMETERS OF MERCURY

0 > 40 \* 80 < 200

Dec Prec: 0

=====

TERM: IABP BALLOON SIZE

Page: 232

ID: {FBA3FB62-E2E2-4246-8D39-D58E5811B1E2}

=====

Abbreviation..... IABP B SIZ  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Size of the IABP  
Display Name..... Balloon Size  
Help Text..... Size of the IABP  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. 34 ml (34 ml) {25952BB5-50B1-4CC0-9483-8AF891767045}
  2. 40 ml (40 ml) {37A2998F-AB1C-4493-9C7A-FFCB05ED2302}

UNITS:

-----

ID: {D034E8DA-1C70-44D2-B556-F21860827AF9}

=====

Abbreviation..... IABP CAT F

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the Intra-aortic Balloon Pump  
Flushed

Display Name..... IABP Catheter Flush

Help Text..... Was the Intra-aortic Balloon Pump  
Flushed

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {59A9ADB9-6630-41B3-AE5E-495AB232E287}

=====

Abbreviation..... IABP CIR A  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... IABP Circulation Assessed  
Display Name..... IABP Circulation Assessed  
Help Text..... IABP Circulation Assessed  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {71923854-939D-C730-3A1B-F4A9FA02A6C6}

---

---

Abbreviation..... IABP DRESS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... IABP Dressing Type

Help Text..... Type of Invasive Arterial Blood  
Pressure dressing

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

---

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
2. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}
3. GAUZE AND TAPE (GAU & TAPE)  
{5BC40405-B5C4-47CF-81C3-520732E100AC}

LOCATION: 5 entries

---

1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

3. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
4. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

-----

=====

TERM: IABP PEAK DIASTOLIC AUGMENTED PRESSURE

Page: 236

ID: {24E18FB7-94D9-4F2D-9D6D-3CAF3C1F9951}

=====

Abbreviation..... IABP PDAP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... BP Peak Diastolic Augmented Pressure

Display Name..... IABP Peak Diastolic Augmented Pressure

Help Text..... BP Peak Diastolic Augmented Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS OF MERCURY      0 > 80 \* 120 < 200      Dec Prec: 0

ID: {19DC7448-F44F-4E90-9FC0-233738821325}

Abbreviation..... IABP RATIO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IABP Ratio  
Display Name..... IABP Ratio  
Help Text..... IABP Ratio  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 1. 1:1 (1:1) {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}
- 2. 1:2 (1:2) {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}
- 3. 1:3 (1:3) {062B4F93-8F48-7373-F679-11F57CE98BB3}
- 4. 1:4 (1:4) {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
- 5. 1:8 (1:8) {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:



ID: {AA81E246-45C3-258F-4FC8-49CDD592B2D4}

=====

Abbreviation..... IABP CONDI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IABP Site Condition  
Help Text..... Condition of IABP Site  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 7 entries

- 
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
  - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
  - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
  - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
  - 70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
  - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS:

-----

ID: {3C313604-F012-416F-A000-CCB92D04C30C}

=====

Abbreviation..... IABP SIZE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Intra-aortic Balloon Pump Size  
Display Name..... IABP Size  
Help Text..... Intra-aortic Balloon Pump Size  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

- 1. 7.5 (7.5) {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}
- 2. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
- 3. 8.5 (8.5) {96723567-151D-4B5C-9C65-B3EB6D584272}
- 4. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
- 5. 9.5 (9.5) {252555A1-ADB2-4948-8764-C952F2587DC5}

LOCATION: 5 entries

-----

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

3. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
4. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

-----

ID: {443F4932-9C42-EADA-4A9A-8F8956DF2CE2}

=====

Abbreviation..... IABP TIMIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IABP Timing  
Display Name..... IABP Timing  
Help Text..... IABP Timing  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
- 1. 1:1 (1:1) {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}
  - 2. 1:2 (1:2) {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}
  - 3. 1:3 (1:3) {062B4F93-8F48-7373-F679-11F57CE98BB3}
  - 4. 1:4 (1:4) {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
  - 5. 1:8 (1:8) {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

-----

ID: {B2BA8A27-B578-40B6-83A0-77D95C49B59B}

=====

Abbreviation..... IABP TI CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was The IABP Timing Checked?  
Display Name..... IABP Timing Check  
Help Text..... Was The IABP Timing Checked?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: IABP UAEDP

Page: 242

ID: {6CB7493C-6175-4FFA-AEA9-C60CF2EE0EE4}

=====

Abbreviation..... IABP UAEDP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Unassisted Aortic End Diastolic  
Pressure

Display Name..... IABP UAEDP

Help Text..... IABP Unassisted Aortic End Diastolic  
Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLIMETERS OF MERCURY

0 > 40 \* 90 < 200

Dec Prec: 0

=====

TERM: IABP UNASSISTED SYSTOLIC PRESSURE

Page: 243

ID: {BA1A966E-51BE-42D7-84F6-2C119AD043F8}

=====

Abbreviation..... IABP U S P

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IABP Unassisted Systolic Pressure

Display Name..... IABP Unassisted Systolic Pressure

Help Text..... IABP Unassisted Systolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS OF MERCURY      0 > 80 \* 150 < 250      Dec Prec: 0



=====

TERM: INACTIVE - ARTERIAL LINE SITE

Page: 244

ID: {F7924F9E-16C8-0C2C-9461-FBC45435191A}

=====

Abbreviation..... A LINE SIT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arterial Line Site  
Help Text..... Site of arterial line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

=====

TERM: INACTIVE - ARTERIAL LINE TYPE

Page: 245

ID: {708908E0-9BCD-4DCA-A33D-CB5C6A729526}

=====

Abbreviation..... ALINE TYPE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arterial Line Type  
Display Name..... Arterial Line Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

=====

TERM: INACTIVE - AUDIOMETRY

Page: 246

ID: {FFD29134-8BB2-248E-0412-93C2C08B076F}

=====

Abbreviation..... AUD

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Audiometry

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4688718

UNITS:

-----

=====

TERM: INACTIVE - BISPECTRAL INDEX

Page: 247

ID: {4819B466-D0D0-4851-A434-E1691ECA1E65}

=====

Abbreviation..... BIS

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Bispectral Index

Display Name..... Bispectral Index

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - BODY MASS INDEX

Page: 248

ID: {54398789-EC32-4F1D-8E02-913FC96FD198}

=====

Abbreviation..... BMI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... BMI

Help Text..... Body Mass Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - CARDIAC AV FISTULA BRUIT

Page: 249

ID: {A0E99499-8021-47FF-AEA2-EB33B9648B0E}

=====

Abbreviation..... AV FIST BR

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... AV Fistula Bruit

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - CATHETER TYPE

Page: 250

ID: {01941D20-3FD7-A4BF-6108-712C7EBC33A1}

=====

Abbreviation..... CATHETER T

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Catheter Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - CENTRAL LINE SITE

Page: 251

ID: {D6FC875B-CC24-2981-B85E-07FF9CD798AB}

=====

Abbreviation..... C LINE SIT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Site  
Help Text..... Site of Central Line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----



=====

TERM: INACTIVE - CHEST TUBE DRESSING INTACT

Page: 252

ID: {525B2489-75C2-4AB3-9441-A457BCD7B257}

=====

Abbreviation..... CH TU DR I

Active..... No

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Chest Tube Dressing Intact

Display Name..... Chest Tube Dressing Intact

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - CHEST TUBE SITE

Page: 253

ID: {C5224B54-65A5-2010-F9E3-1C4570500A11}

=====

Abbreviation..... CHEST TU S  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... SITE OF CHEST TUBE  
Display Name..... Chest Tube Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

=====

TERM: INACTIVE - COUGH AND DEEP BREATH EVENTS

Page: 254

ID: {5F7D2087-018E-4DA4-8B36-02743F65A769}

=====

Abbreviation..... C&DB EVENT

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Cough and Deep Breath Events

Display Name..... Cough and Deep Breath Events

Help Text..... Cough and Deep Breath Events

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - DATE

Page: 255

ID: {5BB40FB6-173F-9656-8D5B-7A2F5A5F3B82}

=====

Abbreviation..... DATE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Todays Date

Display Name..... Date

Help Text..... Date: Year, Date: Month, Date: Day

are all available

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - DATE DAY

Page: 256

ID: {CD91474C-1EB3-304B-4E3A-B85F6976C1E7}

=====

Abbreviation..... DATE DAY  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... The day of the month  
Display Name..... Date: Day  
Help Text..... The day of the month  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

=====

TERM: INACTIVE - DATE MONTH

Page: 257

ID: {D4E1590F-7B12-FD7C-B545-9CF83BA68BAC}

=====

Abbreviation..... DATE MONTH

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Month of the year

Display Name..... Date: Month

Help Text..... Month of the year

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - DATE YEAR

Page: 258

ID: {57029BBB-5904-DE1D-F58D-AF13A890C6ED}

=====

Abbreviation..... DATE YEAR

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The Year

Display Name..... Date: Year

Help Text..... The Year

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - DIALYSIS CATHETER SITE

Page: 259

ID: {FC099337-E02E-84E6-7338-E423ECD3DDCB}

=====

Abbreviation..... DIAL CTH S

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Dialysis Catheter Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----



=====

TERM: INACTIVE - EDEMA LOCATION

Page: 260

ID: {8C4F762B-FD4A-CB97-326F-74C4A2ED5548}

=====

Abbreviation..... EDEMA LOCA

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Location of identified edema

Display Name..... Edema Location

Help Text..... Location of identified edema

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - ENTERAL NUTRITION FORMULA

Page: 261

ID: {1C7EF762-4D93-438B-8CBD-2CB98E6C8686}

=====

Abbreviation..... ENT NUT FO

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Enteral Nutrition Formula Used

Display Name..... Enteral Nutrition Formula

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - GI EMESIS APPEARANCE

Page: 262

ID: {1B314FCB-6B36-46E0-8306-60C361377BAB}

=====

Abbreviation..... GI EME APP  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Emesis Appearance  
Display Name..... Emesis Appearance  
Help Text..... Emesis Appearance  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

=====

TERM: INACTIVE - HEARING

Page: 263

ID: {813CCC94-3D64-5093-BC6C-053EFD9948F9}

=====

Abbreviation..... HEARING

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Hearing

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688723

UNITS:

-----

=====

TERM: INACTIVE - IABP INSERTION SITE

Page: 264

ID: {657C16D3-529D-3720-0602-7AA26EBD0D08}

=====

Abbreviation..... IABP SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... IABP Insertion Site

Help Text..... Site of Invasive Arterial Blood

Pressure line insertion

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - IABP SITE

Page: 265

ID: {EA276ABE-52D0-6D4D-1B0A-7E6443BB264F}

=====

Abbreviation..... IABP SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IABP Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

=====

TERM: INACTIVE - INCISION LOCATION

Page: 266

ID: {8A9D3611-6984-4FA1-9C16-4DC215F9B4D6}

=====

Abbreviation..... IN LOCATIO

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Incision Location

Display Name..... Incision Location

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - INCISION SITE

Page: 267

ID: {9DBE601B-4D61-D280-1F13-0FDE3533B0A4}

=====

Abbreviation..... WOUND INCS

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... SITE OF WOUND INCISION

Display Name..... Incision Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----



=====

TERM: INACTIVE - IV DOSE RATE

Page: 268

ID: {992F3BFD-44C8-4366-A9F0-3BDCEB9A7EEC}

=====

Abbreviation..... IV DOSE RA

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IV Dose Rate

Display Name..... IV Dose Rate

Help Text..... Enter in the IV medication dose rate  
administered over time

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - IV FLUID

Page: 269

ID: {60B33951-8ABD-41B1-A9FA-5EE1F85CAB97}

=====

Abbreviation..... IV FLUID

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... IV FLUID

Display Name..... IV FLUID

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - IV INSERTION DATE

Page: 270

ID: {D01454A0-E430-8B54-C7A6-11B04EBAA417}

=====

Abbreviation..... IV DATE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV Insertion Date

Help Text..... Date IV Inserted

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - IV SITE

Page: 271

ID: {7F252F53-B53D-D8BD-097B-78197EE99FBA}

=====

Abbreviation..... IV SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Site of IV

Display Name..... IV Site

Help Text..... Site of IV

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - CHEST TUBE

Page: 272

ID: {F6ECA901-354B-4C5B-B03F-C17F7F6448B6}

=====

Abbreviation..... OR OUT CHE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Output - Chest Tube

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - DRAIN

Page: 273

ID: {1A99C3C7-9FE1-46D3-9A32-57A2C735DFC6}

=====

Abbreviation..... OR OUT DRA

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Output - Drain

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - PUMP LOSS

Page: 274

ID: {6A424E02-67FF-49F6-9B33-853BE8545B9B}

=====

Abbreviation..... OR OUT PUM

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Output - Pump Loss

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - URINE

Page: 275

ID: {3ECAAD17-1BA5-4D0A-BEDC-EC512D32EFF9}

=====

Abbreviation..... OR OUT URI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... OR Ouput - Urine

Help Text..... contributes to output total value

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----



=====

TERM: INACTIVE - OSTOMY TYPE

Page: 276

ID: {975E1FD8-521C-4818-9975-98A30B12C1EF}

=====

Abbreviation..... OSTOMY TYP  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Ostomy Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

=====

TERM: INACTIVE - OXYGEN DELIVERED

Page: 277

ID: {CFD876D1-AC28-F63F-3B6C-680F5B66A1BD}

=====

Abbreviation..... D02

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Oxygen Delivered

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - OXYGEN DELIVERY METHOD

Page: 278

ID: {F320E0CF-6BAC-3B6D-F5D7-21253FB88A4F}

=====

Abbreviation..... O2 DEL MET

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Type of equipment used to deliver  
oxygen to patient

Display Name..... Oxygen Delivery Method

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - OXYGEN EXTRACTION RATIO

Page: 279

ID: {D6C6849F-6134-417F-AD8B-7853F5AE3451}

=====

Abbreviation..... O2ER

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Complex

Description..... Ratio of Oxygen Consumed (VO2) to  
Oxygen delivered (DO2)

Display Name..... O2ER

Help Text..... Ratio of Oxygen Consumed (VO2) to  
Oxygen delivered (DO2)

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PA CATHETER INSERTION DATE

Page: 280

ID: {64ADD596-950E-EDB5-D7DE-38F5F8601D9E}

=====

Abbreviation..... PA INS DAT

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PA Catheter Insertion Date

Help Text..... Date PA Catheter Inserted

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - PA CATHETER SITE

Page: 281

ID: {1E2B676E-24D4-28D6-9EC4-2200F3DA31B6}

=====

Abbreviation..... PA SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PA Catheter Site

Help Text..... Site of PA Catheter

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - PACEMAKER DATE INSERTED

Page: 282

ID: {B395D1F6-2788-CA17-618C-62719C1CAF4A}

=====

Abbreviation..... PDI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Date Inserted

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - PACEMAKER SITES

Page: 283

ID: {668C0AE7-061F-C573-A119-8ED8D006F018}

=====

Abbreviation..... PMSI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Pacemaker Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----



=====

TERM: INACTIVE - PAIN LOCATION

Page: 284

ID: {20836431-E2C3-41CA-BE14-A8FB1F6A8637}

=====

Abbreviation..... PAIN LOC

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Location of patients Pain

Display Name..... Pain Location

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - POST OPERATION DAY NUMBER

Page: 285

ID: {82FF0CE1-48CD-4AA8-6292-CB6879B8CD75}

=====

Abbreviation..... POD#

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... NUMBER OF DAYS SINCE OPERATION

Display Name..... Post Op Day #

Help Text..... Number of days since operation.

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - PRESSURE ULCER SITE

Page: 286

ID: {580747C6-F7B1-4CCA-AE24-E82C436746B6}

=====

Abbreviation..... PR UL SITE

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Site

Display Name..... Pressure Ulcer Site

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PRESSURE ULCER VISIBLE STRUCTURE

Page: 287

ID: {C911EB61-F151-42C2-A6EC-1EA357EA6F1D}

=====

Abbreviation..... PR UL VISI

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Pressure Ulcer Visible Anatomical  
Structure

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PULSE OXIMETRY

Page: 288

ID: {9B830A66-0278-20E1-DB38-089A952DF381}

=====

Abbreviation..... PO2

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... O2 saturation

Display Name..... Pulse Oximetry

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500637

UNITS:

-----

=====

TERM: INACTIVE - SKIN DISCHARGE COLOR

Page: 289

ID: {C4633087-CBC5-4924-ADF6-846D13624D3E}

=====

Abbreviation..... SKI DIS CO

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Discharge Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - SKIN DISCHARGE ODOR

Page: 290

ID: {4E9309BD-6F1E-4D2C-B500-CE724A92A0F6}

=====

Abbreviation..... SKI DIS OD

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Discharge Odor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - SKIN DRAINAGE CHARACTERISTICS

Page: 291

ID: {9F12C134-BA23-40C9-8CC9-0AC08D8891CA}

=====

Abbreviation..... SKI DRA CH

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Drainage Characteristics

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----



=====

TERM: INACTIVE - VENTILATOR IN-LINE NEBULIZER

Page: 292

ID: {12804E1D-9B65-4027-BCD4-1A28C9C57730}

=====

Abbreviation..... VENT I-L N

Active..... No

Boolean Value False..... Off

Boolean Value True..... On

Data Type..... Boolean

Description..... Ventilator In-Line Nebulizer

Display Name..... Ventilator In-Line Nebulizer

Help Text..... Ventilator In-Line Nebulizer

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INACTIVE - WOUND SITE

Page: 293

ID: {7BFBDAAF-779E-4C7A-82F3-DA9E0E7DD597}

=====

Abbreviation..... WOU SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Site  
Display Name..... Wound Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

=====

TERM: INACTIVE - WOUND TOPICAL TREATMENT TYPE

Page: 294

ID: {29E59078-A908-496E-ABC7-B2C48A4E6400}

=====

Abbreviation..... WOU TOP TR

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Topical Treatment

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

ID: {C1E6301C-CB9C-4909-9500-9AA01C42583D}

=====

Abbreviation..... INC SPIROM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incentive Spirometry  
Display Name..... Incentive Spirometry  
Help Text..... Incentive Spirometry  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
  - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 3. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

-----

ID: {14342EB1-1961-C52E-D00A-DA5E7509C4FD}

=====

Abbreviation..... INC DIS CH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Incision Discharge Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 8 entries

-----

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
4. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}

UNITS:

-----

ID: {77AAAB12-979C-2624-5CFE-7FD5F2310AD5}

=====

Abbreviation..... I DR AMOUN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Amount of incision drainage  
Display Name..... Incision Drainage Amount  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

1. INCISION DRAINAGE AMOUNT NONE (I DR A NON)  
{5D0D9027-4B20-43A4-B437-EA7B77CB2105}
2. INCISION DRAINAGE AMOUNT SCANT (I DR A SCA)  
{A476E395-46AA-44E7-8A00-CE22C7066BB1}
3. INCISION DRAINAGE AMOUNT SMALL (I DR A SMA)  
{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}
4. INCISION DRAINAGE AMOUNT MODERATE (I DR A MOD)  
{9B0487A9-DCB4-42D3-92E6-805C412B5D34}
5. INCISION DRAINAGE AMOUNT HEAVY (I DR A HEA)  
{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}

QUALITY:

1 entries

-----

1. ESTIMATED (E)

{9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

-----



ID: {4BE5369B-FBED-40B9-8950-AF370A31A189}

=====

Abbreviation..... IN DR PREV

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Incision Dressing Prevents Full  
Assessment

Display Name..... Incision Dressing Prevents Full  
Assessment

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {AA1F8811-85BF-187A-7A1D-D55A2B523190}

=====

Abbreviation..... INC DRE TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... OBSERVATION OF INCISION WOUND DRESSING  
Display Name..... Incision Dressing Type  
Help Text..... Incision Dressing Type  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 15 entries

- 
1. INCISION DRESSING TYPE NONE (INC DR NON)  
{81F07C8D-A463-48A0-A64A-A143CECB5DD6}
  2. INCISION DRESSING TYPE PRESSURE (INC DR PRE)  
{B5823373-E5D8-40A5-954C-6A193D7E7511}
  3. INCISION DRESSING TYPE ANTIMICROBIAL (INC DR ANT)  
{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}
  4. INCISION DRESSING TYPE GAUZE (INC DR GAU)  
{E4AC9307-0512-4F9D-A254-FE19E654461F}
  5. INCISION DRESSING TYPE TRANSPARENT (INC DR TRA)  
{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}

6. INCISION DRESSING TYPE ANTIMICROBIAL DISK (INC DR ADI)  
{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}
7. INCISION DRESSING TYPE GAUZE WRAP (INC DR GWR)  
{E1DBEC29-1430-4DA0-99DC-49B9389D2440}
8. INCISION DRESSING TYPE FOAM DRESSING (INC DR FOA)  
{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}
9. INCISION DRESSING TYPE GAUZE PACKING (INC DR GPA)  
{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}
10. INCISION DRESSING TYPE HYDROCOLLOIDAL (INC DR HYD)  
{424CCDCA-5196-4BBB-AE8B-0F68DDCC3FCF}
11. INCISION DRESSING TYPE CALCIUM ALGINATE (INC DR CAL)  
{B20558BA-FB9E-499E-82DF-49616ACE9375}
12. INCISION DRESSING TYPE HYPERTONIC HYDROGEL (INC DR HYP)  
{25820A63-AD76-4198-BEB1-EF95DDEC5B35}
13. INCISION DRESSING TYPE HYDROGEL (INC DR HYD)  
{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}
14. INCISION DRESSING TYPE BALSAM OF PERU (INC DR BAL)  
{A1FB45C6-6315-4282-8D89-DCB0C018E357}
15. INCISION DRESSING TYPE BISMUTH GAUZE (INC DR BIS)  
{CA88C5DC-3890-49A2-800A-0528CE194BA8}

UNITS:

-----

ID: {3FEA28A9-1C53-47D7-95F9-BFFFFB25576C6}

=====

Abbreviation..... INC ED  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incision Edge  
Display Name..... Incision Edge  
Help Text..... Incision Edge  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

1. INCISION EDGE INDISTINCT/ATTACHED (INC ED ATT)  
{AF7E7150-525E-49A4-AC23-042B788E8805}
2. INCISION EDGE NON-ATTACHED (INC ED NON)  
{F457F951-F1DC-47AC-9336-AC093E149862}
3. INCISION EDGE TUNNELING (INC ED TUN)  
{492CD783-3C32-40F0-AE35-5A89E90409A7}
4. INCISION EDGE UNDERMINING (INC ED UND)  
{0F3E968A-B867-4123-8C05-ED6B12D364CD}
5. INCISION EDGE ROLLED (INC ED ROL)  
{FFA33CAE-5D8B-4501-8120-A536BE53296F}

UNITS:

-----

ID: {D87F3C97-622C-43D3-9C7F-55C2C848941B}

=====

Abbreviation..... INC ERYTHE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Incision Erythema

Display Name..... Incision Erythema

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. LIMITED TO INCISION (LIM TO INC)  
{81A61254-55B6-47E1-8BE2-F4A47F624BC6}

3. EXTENDS INTO PERIWOUND <1CM (EX IN PER<)  
{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}

4. EXTENDS INTO PERIWOUND>1CM (EX IN PER>)  
{1F31FEBB-DA19-434C-8C58-67CDC5385231}

UNITS:

-----

=====

TERM: INCISION ODOR

Page: 302

ID: {2584F1F9-CD15-450C-BDDDB-D0B2B1924303}

=====

Abbreviation..... INC OD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Incision Odor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. INCISION ODOR NONE (INC OD NON)  
{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}
  2. INCISION ODOR FOUL (INC OD FOU)  
{ECDC0988-BE82-41E3-8104-A66A5F8A1093}

UNITS:

-----



ID: {CC0DD035-AAD2-4C9F-B971-E13B2FF0DB9C}

=====

Abbreviation..... INCIS PRES

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Incision Present

Display Name..... Incision Present

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

LOCATION: 85 entries

- 
- 1. L THORACOTOMY (L THORACOT)  
{313C11A1-559A-4F68-8718-4012416EC189}
  - 2. R THORACOTOMY (R THORACOT)  
{A18E4BB3-0718-48D6-BD49-720A70C0EF60}
  - 3. L TRAPEZIUS (L TRAPEZIU) {B74CF943-C10F-4A1B-A19A-4975E674A97A}

4. R TRAPEZIUS (R TRAPEZIU) {69753B67-AFA1-4C93-BA78-E266F9894E46}
5. DONOR SITE (DONOR SITE) {F0A65974-7650-4A4B-AC88-0945E37A0AD2}
6. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
7. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
8. L LOWER ANTERIOR CHEST (L L A CHES)  
{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}
9. R LOWER ANTERIOR CHEST (R L A CHES)  
{96BCF731-B661-4455-B5E7-C4AE2509505F}
10. L MIDDLE ANTERIOR CHEST (L M A CHES)  
{36A83F77-117E-474B-AE34-0B2C02E131AE}
11. R MIDDLE ANTERIOR CHEST (R M A CHES)  
{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}
12. L UPPER ANTERIOR CHEST (L U A CHES)  
{FE63B58A-DE39-4C03-AE61-E34A5487C767}
13. R UPPER ANTERIOR CHEST (R U A CHES)  
{67890049-A4A8-4241-BDF3-573729BD6EB5}
14. L LOWER POSTERIOR CHEST (L L P CHES)  
{2C19F10B-7546-4A1F-A5DC-3867359ED971}
15. R LOWER POSTERIOR CHEST (R L P CHES)  
{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}
16. L MIDDLE POSTERIOR CHEST (L M P CHES)  
{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}
17. R MIDDLE POSTERIOR CHEST (R M P CHES)  
{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}
18. L UPPER POSTERIOR CHEST (L U P CHES)  
{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}
19. R UPPER POSTERIOR CHEST (R U P CHES)  
{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}

20. MIDLINE ABDOMINAL (MID ABDOMI)

{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}

21. UMBILICAL (UMBILICAL) {8874B300-0751-49AF-8211-CF4C009C68B5}

22. TRANSVERSE ABDOMINAL (TRANS ABDO)

{1C10FF98-7B20-45D0-B420-714981832B3D}

23. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

24. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}

25. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

26. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

27. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}

28. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

29. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

30. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

31. L INGUINAL (L INGUINAL) {627D172E-8F33-48C9-BE89-D036E07D46BF}

32. R INGUINAL (R INGUINAL) {395233DF-3B89-49E0-946B-EB5C02E51178}

33. L FLANK (L FLANK) {6E453E8D-B456-4BFD-A015-F9C013830F30}

34. R FLANK (R FLANK) {F5700ED2-646F-4B75-A55B-111C27FB939C}

35. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

36. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

37. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}

38. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}

39. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}

40. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

41. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}

42. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

43. L CALF (L CALF) {3DAA7817-936B-444F-8A2D-D3AB09144C10}

44. R CALF (R CALF) {0298A452-4901-44BF-A7A8-F42DD3BA8B63}

45. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}

46. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}
47. MIDLINE NECK (MID NECK) {FF666713-278D-46D6-8D25-E5D57E78EA08}
48. L NECK (L NECK) {C4EA6279-05E2-4195-A638-3794DCBA7B78}
49. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}
50. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
51. SPINE CERVICAL (SPINE CERV)  
{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}
52. SPINE THORACIC (SPINE THOR)  
{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}
53. SPINE LUMBAR (SPINE LUMB) {E7E411AB-5C29-4906-B0A9-E8658AAFFF91}
54. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
55. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
56. L THORACIC ANTERIOR (L THOR ANT)  
{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}
57. R THORACIC ANTERIOR (R THOR ANT)  
{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}
58. L THORACIC POSTERIOR (L THOR POS)  
{68E3381F-7605-4786-85A8-523D215A2B97}
59. R THORACIC POSTERIOR (R THOR POS)  
{E91085D2-E665-4EB6-A086-8CF573DECD8F}
60. L THORACIC LATERAL (L THOR LAT)  
{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}
61. R THORACIC LATERAL (R THOR LAT)  
{55C48294-D3F3-4013-B552-BA3344D9513B}
62. L THORACOTOMY (L THORACOT)  
{313C11A1-559A-4F68-8718-4012416EC189}
63. R THORACOTOMY (R THORACOT)  
{A18E4BB3-0718-48D6-BD49-720A70C0EF60}

64. THYROID (THYROID) {6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}
65. L PARIETAL (L PARIETAL) {2687ED24-F35E-456C-99C9-F6A8EC4364E0}
66. R PARIETAL (R PARIETAL) {28C927CD-1342-483B-B366-0B7EA8ACABAD}
67. L ORBIT (L ORBIT) {1D798E35-5095-4BA0-8F9F-FA96668A5239}
68. R ORBIT (R ORBIT) {DFFD974A-1684-49AE-8230-8E12411EA62E}
69. L MANDIBULAR (L MANDIBUL) {CB9DB373-5F0A-446B-909F-F76392CB3A04}
70. R MANDIBULAR (R MANDIBUL) {303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}
71. L ORAL (L ORAL) {057B787A-8750-4563-80DB-25110CCC1146}
72. R ORAL (R ORAL) {9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}
73. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
74. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
75. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
76. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
77. L THUMB (L THUMB) {F82F4731-2CC5-4705-91BE-05E40C25B419}
78. R THUMB (R THUMB) {B414BD68-4155-45B3-985D-B2F8252A20FE}
79. L FINGER (L FINGER) {BB825645-1630-498C-A31B-6728D422EEFC}
80. R FINGER (R FINGER) {E12CA0EF-3267-4B93-8643-230E2226C3D6}
81. L TOE (L TOE) {C666DE86-E7AE-4AB3-8AE1-91496219E63D}
82. R TOE (R TOE) {B65727AB-3205-4DCE-833F-6DA8554636F9}
83. L OCCIPITAL (L OCCIPTAL) {A4234F41-CD6F-4CE1-9210-316DB847BDE2}
84. R OCCIPITAL (R OCCIPITA) {5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}
85. OCCIPITAL (OCCIPITAL) {5A3E384B-1C87-4A19-A449-DB91AB443FFC}

UNITS:

-----

=====

TERM: INCISION STAPLES INTACT

Page: 304

ID: {FA75C02B-3698-4D85-A293-0ACC8C1D3252}

=====

Abbreviation..... IN STA INT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Incision Stapes Intact  
Display Name..... Incision Staples Intact  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

-----

=====

TERM: INCISION SUTURES INTACT

Page: 305

ID: {A5C84A03-633B-4A9B-891B-292449B8C409}

=====

Abbreviation..... IN SUT INT

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Incision Sutures Intact

Display Name..... Incision Sutures Intact

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: INCISION TENDER TO PALPATION

Page: 306

ID: {C6ACAC1F-0AEF-4F1B-A487-35A92207AE22}

=====

Abbreviation..... IN TENDER

Active..... Yes

Boolean Value False..... Patient Denies

Boolean Value True..... Appropriate

Data Type..... Boolean

Description..... Incision Tender To Palpation

Display Name..... Incision Tender To Palpation

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



ID: {BA138A48-8B25-40CF-8345-2AD9E12CC840}

=====

Abbreviation..... INF SET CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the infusion set changed?  
Display Name..... Infusion Set Changed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

-----

=====

TERM: INSULIN PUMP SQ INFUSION ON?

Page: 308

ID: {0B8DD5F9-E685-4D44-81D1-04D17DE1E5DA}

=====

Abbreviation..... In Pump on

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Insulin Pump SQ Infusion On?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: INTAKE

Page: 309

ID: {062BB93E-EECB-A074-63D7-EB95E176D6A3}

=====

Abbreviation..... Intake

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Intake

Help Text..... For Volume (ml) inputs use a value  
between 0 and 9999, For Volume (.oz)  
use value between 0 and 64

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 7 entries

-----

1. IV (IV) {52141E2F-7942-4C60-9B08-62F3B4640020}
2. TPN (TPN) {B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}
3. ENTERAL FEEDING / SUPPLEMENT (EF/SUPPLEM)  
{8389A9F5-0D48-496D-A605-1560B055DCC0}
4. ENTERAL FEEDING TUBE (ENT FEED T)  
{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}
5. P.O. (PO) {7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}
6. TRANSFUSION (TRANSFUSIO) {9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}

7. COLLOID (COLLOID M) {2AE33508-5EA2-44DF-A401-74DD7B93AB6E}

PRODUCT: 33 entries

-----  
1. FORMULA 1.5 CAL (1.5 C FORM)

{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}

2. FORMULA 2.0 CAL (2.0 C FORM)

{E5FB9590-25AA-435A-B9B4-4812EA15C217}

3. 25 PERCENT ALBUMIN (25 PERC AL)

{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

4. 5 PERCENT ALBUMIN (5 PERC ALB)

{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

5. 6 PERCENT HETASTARCH (6 PERC HET)

{8A82F108-D2FE-4C21-93BB-344502235AE8}

6. BLOOD PRODUCT (bp) {A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}

7. CRYOPRECIPITATE (CRYOPRECIP)

{5329E737-E059-480D-83F8-1146B091C14E}

8. ELEMENTAL FORMULA (ELE FORM)

{E85DFA33-7F32-4348-9E0E-249AC301EC03}

9. FFP (FFP) {9DD0ECF5-634F-49CF-A529-A2657240A80C}

10. FFP - THAWED (FFP-THAWED) {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}

11. FORMULA FIBER (FIBER FORM)

{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}

12. GRANULOCYTES PHERESIS (GRAN PHERE)

{2B90878D-9C29-4731-9525-D7DD7FCB513B}

13. HEPATIC FORMULA (HEPAT FORM)

{41DEECAB-168F-4522-852C-C1ED751BFEDC}

14. JUICE (JUICE) {91FFF519-1677-BB1D-D959-65B1BFA10285}

15. NEPRO RENAL FORMULA (NEPR RENAL)  
{59C9B396-A705-445B-B566-F030DA4B2B79}
16. NOVASOURCE 2.0 (NOVAS 2.0)  
{67D16273-6271-43E1-80D6-D12C4D55E024}
17. PCA (PCA) {D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}
18. PLATELETS PHERESIS (PLATELET P)  
{65CBDCBD-99DB-44FE-9230-D62886208EBF}
19. PLATELETS PHERESIS IRRADIATED (PLATEL P I)  
{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}
20. PPN (PPN) {BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}
21. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}
22. PRBC - AUTOLOGOUS (PRBC-A)  
{1580990C-0B35-4DDD-84AA-682B341C9B76}
23. PRBC - LEUKOREduced (PRBC-L)  
{13DB3170-6C26-4178-B429-C02AFC541AC7}
24. PRBC - LEUKOREduced - DIRECTED (PRBC-L-D)  
{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}
25. PRBC - LEUKOREduced - IRRADIATED (PRBC-L-I)  
{B4431519-0102-49ED-94D6-1738E375C5A4}
26. PRBC - LEUKOREduced - WASHED (PRBC-L-W)  
{BB58F35A-1086-4061-B485-FA35DFB79A0D}
27. SANDOSOURCE PEPTIDE (SAND PEPTI)  
{B543461C-7316-4750-9918-B30E96AB3C95}
28. TPN (TPN) {55341B62-E356-4C38-A52D-4F196751E9EB}
29. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
30. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}
31. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
32. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

33. WHOLE BLOOD (WHOL BLOOD) {144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0

OUNCE                -1 > 0 \* 64 < 350        Dec Prec: 0

CUBIC CENTIMETER    -1 > 0 \* 9999 < 10000    Dec Prec: 0

=====

TERM: INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER)

Page: 310

ID: {182D805C-CF2D-4829-8925-6916D027020D}

=====

Abbreviation..... CBI Irriga

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Intake - CBI Irrigation to Subtract

(negative number)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLILITER

-99999 > -99999 \* 0 < 0 Dec Prec: 0

ID: {CE3D8DBD-278C-4D3D-AA4F-2E5800C17DBF}

=====

Abbreviation..... INT DIALYS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Dialysis Intake  
Display Name..... Dialysis Intake  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 4 entries

-----

1. HEMODIALYSIS (HEMODIALYS) {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}
2. PERITONEAL DIALYSIS (PERI DIALY)  
{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}
3. CVVHD (CVVHD) {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}
4. CRRT (CRRT) {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0



CUBIC CENTIMETER

-1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - EF/SUPPLEMENT CALORIES

Page: 312

ID: {58506F9F-9D10-47F6-A195-5CE7D749FFBC}

=====

Abbreviation..... INT EF CAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Enteral Feeding and Supplement Calories

Display Name..... Intake - EF/Supplement Calories

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CALORIE

-1 > 0 \* 500 < 2001

Dec Prec: 0

=====

TERM: INTAKE - ENTERAL FEEDING TUBE

Page: 313

ID: {769017E8-B98E-45DC-9706-FE6475B7FF8D}

=====

Abbreviation..... INT EF TU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Intake - EF Tube

Display Name..... Intake - EF Tube

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0

CUBIC CENTIMETER        -1 > 0 \* 9999 < 10000    Dec Prec: 0

=====

TERM: INTAKE - ENTERAL TUBE FLUSH

Page: 314

ID: {9A509673-FD4C-4F7B-BDF4-FD3E6ECD4A64}

=====

Abbreviation..... En Tube FI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Intake - Enteral Tube Flush

Help Text..... Specify water flush for enteral  
feeding tube

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLILITER

0 > 0 \* 9999 < 9999

Dec Prec: 0

=====

TERM: INTAKE - GI TUBE

Page: 315

ID: {38602EA8-600E-4427-A695-029DFE06883F}

=====

Abbreviation..... INT GI TU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... GI Tube Intake

Display Name..... GI Tube Intake

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0

CUBIC CENTIMETER        -1 > 0 \* 9999 < 10000    Dec Prec: 0

ID: {385178C8-3E17-4CEC-8C4B-3DA83E4ACA8D}

=====

Abbreviation..... INT IRRIGA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Irrigation Intakes  
Display Name..... Intake - Irrigation  
Help Text..... Fluid intake from irrigations  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 2 entries

-----

- 1. BLADDER (BLAD) {E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}
- 2. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

PRODUCT: 6 entries

-----

- 1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}
- 2. BACTERIOSTATIC WATER (BACTER H2O)  
{EF13BCA6-3AF2-47E9-87A0-82642B529368}
- 3. DAKINS SOLUTION (DAKINS SOL)  
{51651D24-B909-427B-9FF0-3C2859A63D73}

4. AMPHOTERICIN B (AMPHOTER B)

{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}

5. ANTIBIOTIC (AB) {BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}

6. TAP WATER (Tap Water) {EAAF11A5-6DC5-481F-81D3-A3035812D5C9}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

ID: {80BF8A4E-7536-4325-A803-F66E83C11E3B}

=====

Abbreviation..... INT BLOOD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Blood Products given to patient  
Display Name..... Intake - IV Blood Products  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 18 entries

-----

1. CRYOPRECIPITATE (CRYOPRECIP)  
{5329E737-E059-480D-83F8-1146B091C14E}
2. FFP (FFP) {9DD0ECF5-634F-49CF-A529-A2657240A80C}
3. FFP - THAWED (FFP-THAWED) {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}
4. GRANULOCYTES PHERESIS (GRAN PHERE)  
{2B90878D-9C29-4731-9525-D7DD7FCB513B}
5. PLATELETS PHERESIS (PLATELET P)  
{65CBDCBD-99DB-44FE-9230-D62886208EBF}
6. PLATELETS PHERESIS IRRADIATED (PLATEL P I)  
{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}



7. PRBC - AUTOLOGOUS (PRBC-A)

{1580990C-0B35-4DDD-84AA-682B341C9B76}

8. PRBC - LEUKOREduced (PRBC-L)

{13DB3170-6C26-4178-B429-C02AFC541AC7}

9. PRBC - LEUKOREduced - DIRECTED (PRBC-L-D)

{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}

10. PRBC - LEUKOREduced - IRRADIATED (PRBC-L-I)

{B4431519-0102-49ED-94D6-1738E375C5A4}

11. PRBC - LEUKOREduced - WASHED (PRBC-L-W)

{BB58F35A-1086-4061-B485-FA35DFB79A0D}

12. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}

13. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}

14. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

15. PLASMAPHERESIS (PLASMAPHER)

{E1214367-8BB0-4FAA-A916-EC707569A9C4}

16. 25 PERCENT ALBUMIN (25 PERC AL)

{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

17. 5 PERCENT ALBUMIN (5 PERC ALB)

{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

18. Rh IMMUNE GLOBULIN (Rh IM GLOB)

{1FE7BD0C-7252-427A-8216-36FCA4637089}

UNITS:

-----

MILLILITER                    -1 > 0 \* 9999 < 10000    Dec Prec: 0

CUBIC CENTIMETER            -1 > 0 \* 9999 < 10000    Dec Prec: 0

=====

TERM: INTAKE - IV CALORIES

Page: 318

ID: {868852E2-3D29-4007-BB36-62F6D90B1685}

=====

Abbreviation..... INT IV CAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Calories taken in by IV  
Display Name..... Itake - IV Calories  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

CALORIE                    -1 > 0 \* 9999 < 20000    Dec Prec: 0

=====

TERM: INTAKE - IV CARDIAC OUTPUT INJECTATE

Page: 319

ID: {FE023C43-32D0-4937-A100-0F14CDCACEF2}

=====

Abbreviation..... INT CO INJ

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Cardiac Output Injectate

Display Name..... Cardiac Output Injectate

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0

CUBIC CENTIMETER        -1 > 0 \* 9999 < 10000    Dec Prec: 0

=====

TERM: INTAKE - IV COLLOID

Page: 320

ID: {7CD55D76-7D00-414E-BF24-315A5A92A998}

=====

Abbreviation..... INT IV COL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake of IV Colloids  
Display Name..... Intake IV Colloids  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

PRODUCT: 4 entries

- 
1. ALBUMIN (ALBUMIN) {EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}
  2. 5 PERCENT ALBUMIN (5 PERC ALB)  
{A2D0F9A0-A9EC-4540-9663-B8B19A189198}
  3. 25 PERCENT ALBUMIN (25 PERC AL)  
{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}
  4. 6 PERCENT HETASTARCH (6 PERC HET)  
{8A82F108-D2FE-4C21-93BB-344502235AE8}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 20000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV CRYSTALLOIDS

Page: 321

ID: {DD597777-861C-44FD-82E6-1FFF925D0095}

=====

Abbreviation..... INT IV CRY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Intake of IV Crystalloids

Display Name..... Intake - IV Crystalloids

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0

CUBIC CENTIMETER        -1 > 0 \* 9999 < 10000    Dec Prec: 0

=====

TERM: INTAKE - IV FLUID

Page: 322

ID: {5902ECD7-7C26-481F-AE76-999211321FFD}

=====

Abbreviation..... INT IV FL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Intake - IV Fluids

Display Name..... Intake - IV Fluids

Help Text..... Enter Fluid type as 'Comments',

Continuous or IVPB

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 20000    Dec Prec: 0

CUBIC CENTIMETER        -1 > 0 \* 9999 < 10000    Dec Prec: 0

=====

TERM: INTAKE - IV MEDS

Page: 323

ID: {79429ADC-7CFD-48E5-B44C-5159595C10AD}

=====

Abbreviation..... INT IV MED

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IV Intake of Medicines

Display Name..... Intake - IV Meds

Help Text..... Please note the type of med being  
given in the 'comment'

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0

CUBIC CENTIMETER        -1 > 0 \* 9999 < 10000    Dec Prec: 0



ID: {DDD9CA13-29FA-4BDB-9558-B0DFEF76FA15}

=====

Abbreviation..... IN IV NUTR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IV Nutrition  
Display Name..... IV Nutrition  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

PRODUCT: 3 entries

- 
1. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
  2. COLLOID (COLLOID) {5B912A05-9ECA-43C1-A117-BE0843313CDD}
  3. LIPIDS (LIPIDS) {80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - LINE FLUSH

Page: 325

ID: {0DAF17DD-4039-406C-9F53-5AB46E172648}

=====

Abbreviation..... IN LINE FL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake from line flush  
Display Name..... Intake - Line Flush  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

PRODUCT: 2 entries

- 
1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}
  2. LINE FLUSH HEPARIN (LN FL HEPA)  
{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

ID: {86B055A5-04E4-4C85-B20B-9EA8F02E45AB}

=====

Abbreviation..... INT PCA VO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Intake PCA Volume

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            0.00 > 0.00 \* 5000.00 < 5001.00

Dec Prec: 2

CUBIC CENTIMETER    0.00 > 0.00 \* 5000.00 < 5001.00

Dec Prec: 2

=====

TERM: INTAKE - PERCENT MEAL CONSUMED

Page: 327

ID: {A3C27D46-477C-476E-8D56-A652B8BC3933}

=====

Abbreviation..... INT % MEAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Percentage of meal consumed by patient

Display Name..... Percent Meal Consumed

Help Text..... Percentage of meal consumed by patient

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

PERCENTAGE

-1 > 0 \* 100 < 101

Dec Prec: 0

=====

TERM: INTAKE - PO CALORIES

Page: 328

ID: {DDCB1A84-6EA1-4ECC-AF57-EEA6754E8540}

=====

Abbreviation..... INT PO CAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pharyngeal Oral caloric intake

Display Name..... Intake - PO Calories

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CALORIE                    -1 > 0 \* 9999 < 10000    Dec Prec: 0

ID: {D6F28CE6-0E98-436E-AAC8-6749BC71F468}

=====

Abbreviation..... INT PO FLU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Oral intake of fluids  
Display Name..... Intake PO Fluids  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

PRODUCT: 10 entries

-----

1. NUTRITIONAL SUPPLEMENT (NUTR SUPPL)  
{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}
2. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
3. JUICE (JUICE) {91FFF519-1677-BB1D-D959-65B1BFA10285}
4. FULL LIQUID (FL LIQUID) {C8405270-CCA3-4BFF-B9D0-398590FBB1D9}
6. OTHER PO FLUID (PO OTHER) {1EA44424-4DE2-42B8-A50F-60DC56204502}
70. MILK (Milk) {6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}
80. COFFEE (Coffee) {BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}
90. SODA: DIET (Soda: Diet) {0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}
100. SODA: NON-DIET (Soda: Non)

{B15D88DC-07B6-4980-98B2-A59B5662797A}

110. CLEAR LIQUIDS (Clear Liq)

{BBE3A652-ACDC-4797-B140-D4DB4F474B13}

UNITS:

-----

MILLILITER            0 > 1 \* 10000 < 10001    Dec Prec: 0

OUNCE                0 > 1 \* 338 < 339        Dec Prec: 0

CUBIC CENTIMETER    0 > 1 \* 10000 < 10001    Dec Prec: 0

=====

TERM: INTAKE - TPN CALORIES

Page: 330

ID: {6AAC56B6-D4B8-4F1C-A4D0-86FDD3B6C72E}

=====

Abbreviation..... INT TPN CA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Total parenteral nutrition calories

Display Name..... Intake - TPN Calories

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CALORIE

-1 > 0 \* 2000 < 2001

Dec Prec: 0



=====

TERM: INTAKE - TRANSFUSION

Page: 331

ID: {DCD2263B-0390-4754-950A-6A410C0C59EB}

=====

Abbreviation..... INT TRANSF

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Transfusion Type

Display Name..... Transfusion

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            0 > 0 \* 9999 < 10000    Dec Prec: 0

CUBIC CENTIMETER    0 > 0 \* 9999 < 10000    Dec Prec: 0

ID: {E11DD9AE-8220-432E-A855-4697F82AC17A}

=====

Abbreviation..... ICP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Intracranial Pressure - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTRICULAR DRAIN (VENT DRAIN)

{5FF035D1-9C97-415D-BBEB-943506395A0C}

UNITS:

-----

MILLIMETERS OF MERCURY

0 > 8 \* 20 < 30

Dec Prec: 0



UNITS:

-----

ID: {48FBFFFC-1B66-4439-8B74-ECCDDDE37804}

=====

Abbreviation..... DR UN HR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Only to be used with products with  
dosage measured in "Units"

Display Name..... IV DOSE RATE - UNITS/HOUR - Do Not  
Check Total or Subtotals

Help Text..... Only to be used with products with  
dosage measured in "Units"

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

UNITS PER HOUR            0 > 1 \* 99999 < 99999    Dec Prec: 0

ID: {D1749D90-3EEE-41BE-BBF5-B3B00C18E8D2}

=====

Abbreviation..... IVDR UKH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Only to be used with products with  
dosage measured in "Units"

Display Name..... IV DOSE RATE - UNITS/kg/HOUR - Do Not  
Check Total or Subtotals

Help Text..... Only to be used with products with  
dosage measured in "Units"

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

UNITS/kg/HOUR

0 > 10 \* 51 < 101

Dec Prec: 0

ID: {5D83FE3F-45BC-4D82-A7A7-832DA99A751F}

=====

Abbreviation..... IVDR g/t

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - g/TIME - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

GRAMS PER HOUR	0 > 20 * 80 < 100	Dec Prec: 0
----------------	-------------------	-------------

GRAMS PER MINUTE	0 > 20 * 540 < 600	Dec Prec: 0
------------------	--------------------	-------------





ID: {7B983266-54DD-4F13-879B-44719FB91076}

=====

Abbreviation..... DR mckgH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mcg/kg/HOUR - Do Not

Check Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MICROGRAMS PER KILOGRAM PER HOUR

0.000 > 1.000 \* 2000.000 < 9999.000

Dec Prec: 3

ID: {E4E00CBB-AE1C-48BE-A172-CDEFF039A311}

=====

Abbreviation..... nt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mg/TIME - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLIGRAMS PER HOUR      -1.00 > 0.00 \* 9999.00 < 10000.00

Dec Prec: 2

MILLIGRAMS PER MINUTE      -1.00 > 0.00 \* 9999.00 < 10000.00

Dec Prec: 2

=====

TERM: IV DOSE RATE - mg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS Page: 340

ID: {FE8EB504-6F94-4863-B673-489582F1233C}

=====

Abbreviation..... IV DR MG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV DOSE RATE - mg/kg/HOUR - Do Not

Check Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLIGRAMS PER KILOGRAM PER HOUR

0 > 1 \* 2000 < 9999 Dec Prec: 0

ID: {0ED682FE-21ED-4D08-9250-46CB6FB85146}

=====

Abbreviation..... IV FLOW R

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... IV Flow Rate in ml / min or hour

Display Name..... IV Flow Rate - Do Not Check Total or  
Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLILITERS PER HOUR      -1.00 > 0.00 \* 9999.00 < 10000.00

Dec Prec: 2

MILLILITERS PER MINUTE    -1.00 > 0.00 \* 9999.00 < 10000.00

Dec Prec: 2

ID: {5BDF4F11-9713-4B20-8DF1-49BB33DEAB67}

=====

Abbreviation..... IV FL kg

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... IV FLOW RATE - ml/kg/Time - Do Not

Check Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLILITERS PER KILOGRAM PER HOUR

0.00 > 1.00 \* 40.00 < 100.00

Dec Prec: 2

MILLILITERS PER KILOGRAM PER MINUTE

0.00 > 0.33 \* 1.33 < 1.70 Dec Prec: 2

ID: {3EC86714-EDBD-4D51-B4B7-465CB386DC72}

=====

Abbreviation..... IV LI CARE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Care of IV Lines  
Display Name..... IV Line Care  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 20 entries

-----

1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
2. DRESSING CHANGED (DRESS CHAN)  
{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
3. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}
4. TUBING CHANGED/LABELED (TUBE CHANG)  
{19BA337C-6E28-411E-9702-48B262C593FA}
5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
6. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}
7. LEVELED (LEVELED) {D72523B2-E0CD-40E1-AC14-2FA43636A456}
8. PRESSURE CALIBRATION (PRESS CALI)

{38C12E69-2CD2-4F61-98D9-06AB857DA51A}

9. ARTERIAL LINE CARE (ART LINE C)

{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}

10. CENTRAL VENOUS CATHETER (CENT VEN C)

{EE91E841-C09B-4432-A121-8EBAB92E9CD2}

11. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}

12. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}

13. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}

14. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}

15. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}

16. ALCOHOL PORT PROTECTOR (Al Port Pr)

{785F47CF-A279-46F9-9073-B6A6A70E8888}

17. NEUTRAL PRESSURE CONNECTOR (N Pres Con)

{263F1A2C-4384-4B6A-B930-B9AF85B7F965}

18. POSITIVE PRESSURE CONNECTOR (P Pres Con)

{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}

19. NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (Needleless)

{5D9D8D90-9B39-4DF3-8095-755235687F45}

20. MEDICAL NECESSITY CONFIRMED (med nec)

{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}

UNITS:

-----

ID: {84D9EDBF-F38B-496F-90F7-CF99E8D11321}

=====

Abbreviation..... IV PORT #  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IV Port descriptor or number  
Display Name..... IV Port / Number  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 15 entries

-----

1. PROXIMAL PORT (PROX PORT) {3244EF4F-F18A-4250-96F5-ABCEA7BFA578}
2. MEDIAL PORT (MEDI PORT) {D1734D73-2E1A-4538-8884-05D8A78CF556}
3. DISTAL PORT (DIST PORT) {E493DF34-AD0E-4951-9715-5AD4EFA14036}
4. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
5. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
6. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
7. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
8. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
9. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
10. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}



- 11. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
- 12. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
- 13. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
- 14. 11 (11) {BD51A7B3-FACF-890C-472E-E3B28519CC16}
- 15. 12 (12) {ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

LOCATION: 20 entries

- 
- 1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
  - 2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
  - 3. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
  - 4. R ANTECUBITAL (R ANTECUBI)  
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
  - 5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
  - 6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
  - 7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
  - 8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
  - 9. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
  - 10. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  - 11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
  - 12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
  - 13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
  - 14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
  - 15. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
  - 16. R INTERNAL JUGULAR (R INT JUG)  
{7ABF6916-D379-198D-6454-F0518A74844A}

17. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

18. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

19. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

20. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

-----

ID: {84C7D095-10E1-AFD2-405D-C44C8278241F}

=====

Abbreviation..... IV ST COND  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IV Site Condition  
Help Text..... Condition of IV Site  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
  - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
  - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
  - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
  - 70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
  - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

LOCATION: 20 entries

-----

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
4. R ANTECUBITAL (R ANTECUBI)  
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
9. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
10. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
15. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
16. R INTERNAL JUGULAR (R INT JUG)  
{7ABF6916-D379-198D-6454-F0518A74844A}
17. L EXTERNAL JUGULAR (L EXT JUGU)  
{6F7B331B-4F83-0B79-1755-F6F673D647D6}
18. R EXTERNAL JUGULAR (R EXT JUGU)  
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}
19. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
20. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

-----

=====

TERM: LABS PER ORDERS

Page: 346

ID: {6D66F3BC-9A35-4CE2-8677-00938428CD19}

=====

Abbreviation..... Labs p/Ord  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Labs per Orders  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

ID: {1D980210-D857-457D-A335-DC248B264B10}

=====

Abbreviation..... LVEF - CON

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Continuous Left Ventricular Ejection  
Fraction

Display Name..... LVEF - Continuous

Help Text..... If a range is provided use the midpoint

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 7 entries

-----

1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}
2. NUCLEAR PERFUSION IMAGING (NPI)  
{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}
3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)  
{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}
4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)  
{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}
5. MAGNETIC RESONANCE IMAGING (MRI)  
{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}

6. COMPUTED TOMOGRAPHY (COM TOMOGR)

{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}

7. OTHER (OTHER)

{AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

-----

PERCENTAGE

0 > 1 \* 99 < 100

Dec Prec: 0



ID: {8B4D6E3B-1138-4BC0-A303-44B09F05A058}

=====

Abbreviation..... LVEF - CAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Categorical Left Ventricular Ejection  
Fraction

Display Name..... LVEF - Categorical

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

-----

1. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}

2. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

3. BORDERLINE REDUCED (BORD REDUC)  
{63703AB1-6249-403B-BDE8-FECA9FA36CF5}

4. MILD-MODERATELY REDUCED (MI-MOD-RED)  
{41DA2518-0E49-4E92-A733-3ACF3D2E8199}

5. MODERATELY REDUCED (MOD REDUCE)  
{91F73300-7EE0-428C-A838-5B3BE062D8BC}

6. MODERATE-SEVERELY REDUCED (MO-SEV RED)

{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}

7. SEVERELY REDUCED (SEV REDUCE)

{A895BACE-85AC-45B2-A190-4A6816DEDC1D}

8. LESS THAN 30 (<30) {5AA98A0D-9B05-425D-97CA-B8B12425AACA}

METHOD: 7 entries

-----  
1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}

2. NUCLEAR PERFUSION IMAGING (NPI)

{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)

{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}

4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)

{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}

5. MAGNETIC RESONANCE IMAGING (MRI)

{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}

6. COMPUTED TOMOGRAPHY (COM TOMOGR)

{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}

7. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:  
-----

=====

TERM: LEFT VENTRICULAR STROKE WORK

Page: 349

ID: {E9D668F0-920C-7E29-A6A1-618FC8ECD19B}

=====

Abbreviation..... LVSW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Left Ventricular Stroke Work

Display Name..... Left Ventricular Stroke Work

Help Text..... Left Ventricular Stroke Work

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

STROKE WORK PER BEAT 29.9 > 30.0 \* 150.0 < 150.1

Dec Prec: 1

ID: {49E9E897-E19A-8FE9-416C-F98CA66EFBC9}

=====

Abbreviation..... LEGMOV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Leg Movements  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  - 2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

-----

ID: {48EF6B0D-C435-12D4-EA93-F8F5D344E4C5}

=====

Abbreviation..... LOC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Level of Consciousness

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 11 entries

- 
- 1. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
  - 2. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
  - 3. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
  - 4. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}
  - 5. LETHARGIC (l) {4ECA2E44-093A-9354-848E-CDC72B165072}
  - 60. FOLLOWS COMMANDS (Follow Cmd)  
{D5722341-ACC1-4F69-B537-1D3126ADA249}
  - 70. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
  - 80. DELIRIOUS (Delirious) {6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}
  - 90. OBTUNDED (Obtunded) {356C0511-C91C-4B79-AF10-072F94D4AE09}

100. STUPOROUS (Stuporous) {4C25FF58-3346-4B06-ACE5-6ADB942877A8}

110. UNRESPONSIVE (Unresponsi)

{F6A71E77-B51F-4812-AE04-E24FA82D2AF1}

UNITS:

-----

ID: {9215BD72-FA1A-9146-EA8D-B4A33B455724}

=====

Abbreviation..... LLES  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Lower Limb Extremities Strength  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 6 entries

- 
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
  - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
  - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
  - 5. EQUAL (Equal) {AC079584-158D-EBF2-E13A-C2E919375E4D}
  - 6. UNEQUAL (Unequal) {73319200-164F-B39F-649C-B7FB1AFBDBB8}

LOCATION: 3 entries

- 
- 1. L LOWER LIMB (LLLI) {4838CB05-A1DD-F4FB-587C-2D0C17A2484E}

2. R LOWER LIMB (R LOW LIMB) {A8E26A05-311A-F196-40B5-B5202D9F8058}

3. BILATERAL LEG (BILAT LEG) {0713761D-E0FC-DA03-02A1-F20EFEB99F45}

UNITS:

-----



=====

TERM: LVSWI

Page: 353

ID: {7945FB00-2FA8-6D4C-BC85-0110EA75AC5C}

=====

Abbreviation..... LVSWI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Left Ventricular Stroke Work Index

Display Name..... LVSWI

Help Text..... Left Ventricular Stroke Work Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD:

1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

STROKE WORK PER BEAT PER M2 19 > 20 \* 150 < 151 Dec Prec: 0

GM-M/M2/BEAT 19 > 20 \* 150 < 151 Dec Prec: 0

ID: {33452BD5-3E25-4B92-8849-F31EE04879AD}

Abbreviation..... Mallampati  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Mallampati Score  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 1. CLASS I (Class I) {4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}
- 2. CLASS II (Class II) {2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}
- 3. CLASS III (Class III) {C0FFDE12-241C-4087-9404-DB128F6B793A}
- 4. CLASS IV (Class IV) {176030D0-2576-4D2D-A5AB-E5DA38DADEB5}

UNITS:

ID: {273C0E5E-8503-4CBE-8DED-E002126A0BBF}

=====

Abbreviation..... Bath Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Bathing-Self Performance

Help Text..... How resident takes full-body

bath/shower, sponge bath, and

transfers in/out of tub/shower

(excludes washing of back and hair)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP PROVIDED (0 ind)

{07AB4004-1793-410A-9872-00BB0B322DFE}

20. 1 - SUPERVISION - OVERSIGHT HELP ONLY (1 Supervi)

{F7DFB6E8-F550-4072-B693-93BF96A23834}

30. 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (2 Phys Tra)

{0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}

40. 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (3 Phys Bat)

{1F24B08B-A5C1-4430-AC56-B40C347E1DDE}

50. 4 - TOTAL DEPENDENCE (4 Tot Dep)

{062C8F50-294A-48CF-8E81-0C6D7787A4B1}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{909C971F-9C9F-4D6A-9C33-3447614E9057}

UNITS:

-----

ID: {34BD5BDF-D8A3-4E46-B930-397C434A0F9F}

=====

Abbreviation..... Bath Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Bathing-Support

Help Text..... How resident takes full-body

bath/shower, sponge bath, and

transfers in/out of tub/shower

(excludes washing of back and hair)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup )

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {5857AA3B-9EDD-4005-BC42-2036C70A016D}

=====

Abbreviation..... Bed Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Bed Mobility-Self Performance

Help Text..... How resident moves to and from lying

position, turns, side to side, and

positions body while in bed or

alternate sleep furniture

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----



ID: {D7946DB1-AEF9-4348-97C3-DF69A93981D7}

=====

Abbreviation..... Bed Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Bed Mobility-Support

Help Text..... How resident moves to and from lying

position, turns, side to side, and

positions body while in bed or

alternate sleep furniture

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup )

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {C8A5C323-5655-48FD-B5EB-53B206B60BE1}

=====

Abbreviation..... Dress Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Dressing-Self Performance

Help Text..... How resident puts on, fastens and

takes off all items of clothing,  
including donning/removing a  
prosthesis or TED hose. Dressing  
includes putting on and changing  
pajamas and housedresses.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

ID: {E70C8300-5F54-490F-BDB3-619A15C3CA90}

=====

Abbreviation..... Dress Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Dressing-Support  
Help Text..... How resident puts on, fastens and  
takes off all items of clothing,  
including donning/removing a  
prosthesis or TED hose. Dressing  
includes putting on and changing  
pajamas and housedresses.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup )

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {CF6BFC0A-132B-44C9-939E-C3967C1692F6}

=====

Abbreviation..... Eat Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Eating-Self Performance

Help Text..... How resident eats and drinks,  
regardless of skill. Do not include  
eating/drinking during medication  
pass. Includes intakes of nourishment  
by other means (eg. Tube feeding,  
total parenteral nutrition, IV fluids  
administered for nutrition or  
hydration)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----



ID: {26FD209D-173D-4210-B50A-77C7A99CDE56}

=====

Abbreviation..... Eat Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Eating-Support

Help Text..... How resident eats and drinks,  
regardless of skill. Do not include  
eating/drinking during medication  
pass. Includes intakes of nourishment  
by other means (eg. Tube feeding,  
total parenteral nutrition, IV fluids  
administered for nutrition or  
hydration)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

-----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup )

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {4C62560C-42F6-475E-8F7E-A58827EA975C}

=====

Abbreviation..... Locom Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: MDS: Locomotion Off Unit-Self  
Performance

Help Text..... How resident moves to and returns  
from off-unit locations (eg. areas  
set aside for dining, activities,  
treatments). If facility only has 1  
floor, how resident moves to/from  
distant areas on floor. If in  
wheelchair, self-sufficiency once in  
chair

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

ID: {E0E6DBB2-AB68-4EDB-9DE9-72FA57B67B75}

=====

Abbreviation..... Locom Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Locomotion Off Unit-Support

Help Text..... How resident moves to and returns

from off-unit locations (eg. areas  
set aside for dining, activities,  
treatments). If facility only has 1  
floor, how resident moves to/from  
distant areas on floor. If in  
wheelchair, self-sufficiency once in  
chair

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup )

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {AC5AF981-3195-4450-8D6F-AA7B1D75BC86}

=====

Abbreviation..... Locom Unt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Locomotion on Unit-Self  
Performance

Help Text..... How resident moves between locations  
in his/her room and adjacent corridor  
on same floor. If in wheelchair,  
self-sufficiency once in chair

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----



ID: {A9D7962B-2236-41C3-A561-2FECCC8281FD}

=====

Abbreviation..... Loc Un Sup

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Locomotion on Unit-Support

Help Text..... How resident moves between locations  
in his/her room and adjacent corridor  
on same floor. If in wheelchair,  
self-sufficiency once in chair

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup )

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {0FA65E54-A9DB-4FDB-A07A-C972B0520D70}

=====

Abbreviation..... Hygi Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Personal Hygiene-Self Performance

Help Text..... How resident maintains personal

hygiene, including combing hair,  
brushing teeth, shaving, applying  
makeup, washing/drying face and hands  
(excludes baths and showers)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/h occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

ID: {EC30A02C-DAE9-41A4-A7B3-49CD258A4A48}

=====

Abbreviation..... Hygi Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Personal Hygiene-Support

Help Text..... How resident maintains personal  
hygiene, including combing hair,  
brushing teeth, shaving, applying  
makeup, washing/drying face and hands  
(excludes baths and showers)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup )

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {E10FB29A-9AD5-4C4E-8D9E-0D23F10C5FE8}

=====

Abbreviation..... Toil Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Toilet Use-Self Performance

Help Text..... How resident uses the toilet room,  
commode, bedpan or urinal; transfers  
on/off toilet; cleanses after  
elimination; changes pad; manages  
ostomy or catheter; adjusts clothes.  
Do not include emptying bedpan,  
urinal, commode, catheter or ostomy  
bag.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----



ID: {0555B732-4BD3-44C7-8EC0-F5C8872337B9}

=====

Abbreviation..... Toil Supp

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Toilet Use-Support

Help Text..... How resident uses the toilet room,  
commode, bedpan or urinal; transfers  
on/off toilet; cleanses after  
elimination; changes pad; manages  
ostomy or catheter; adjusts clothes.  
Do not include emptying bedpan,  
urinal, commode, catheter or ostomy  
bag.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

-----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup )

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {E19A7DC4-2086-436B-BBA3-1CB4EF01FDA1}

=====

Abbreviation..... Trans Self

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Transfer-Self Performance

Help Text..... How resident moves between surfaces

including to or from: bed, chair,

wheelchair, standing position

(excludes to/from bath/toilet)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----



{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {FB71EEC1-FE9C-4D43-9D07-DB30CF6DD272}

=====

Abbreviation..... Wlk Cor Sf

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Walk in Corridor-Self Performance

Help Text..... How resident walks in corridor on unit

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----



ID: {75F64D4D-D6F5-42CE-9FCC-500565FA6A0F}

=====

Abbreviation..... Wlk Cor Sp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Walk in Corridor-Support  
Help Text..... How resident walks in corridor on unit  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}
  - 20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}
  - 30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}
  - 40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}
  - 50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {1359D4F5-F839-4FC2-AD57-09E0DD5C472D}

=====

Abbreviation..... Wlk Rm Sel

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MDS: Walk in room-Self Performance

Help Text..... How resident walks between locations

in his/her room

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----



{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

ID: {B7077982-602A-426F-98A8-522722E39393}

=====

Abbreviation..... Meal Type  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Meal Type  
Help Text..... Select meal or snack type  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 7 entries

- 
- 10. BREAKFAST (Breakfast) {59166132-625E-4E1E-9D97-13BF678EA726}
  - 20. LUNCH (Lunch) {9CF74807-8CA5-491F-98C4-97A5476FCE30}
  - 30. SUPPER (Supper) {9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}
  - 40. SNACK - AM (Snack - AM) {CBF0AFB1-AF1D-4C04-931F-3508D0472E70}
  - 50. SNACK - PM (Snack - PM) {883C1241-38DA-4C6C-BF3C-CCF3B2378560}
  - 60. SNACK - HS (Snack - HS) {861B5B9A-D59F-46D2-BA96-4BEAA50654CE}
  - 70. SNACK - OTHER (Snack - Ot)  
{CDEE1A83-4546-4A81-AA12-5D27DF743E68}

UNITS:

-----



ID: {9D9D9FD8-C352-6434-E796-C583407EBD45}

=====

Abbreviation..... MAP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Mean Arterial Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 5 entries

- 
1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
  2. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
  3. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
  4. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}
  5. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

UNITS:

-----

MILLIMETERS OF MERCURY

25 > 50 \* 100 < 300

Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE

Page: 379

ID: {9038EF74-932A-42EE-992F-A20BD8784BB7}

=====

Abbreviation..... BP MEAN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Mean Blood Pressure  
Display Name..... Mean Blood Pressure  
Help Text..... Mean Blood Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 5 entries

- 
1. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
  2. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
  3. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
  4. IABP (IABP) {4352A41F-AAF3-4544-9590-BAFD7977DF49}
  5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----

MILLIMETERS OF MERCURY 20 > 50 \* 100 < 200 Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE ARTERIAL LINE

Page: 380

ID: {4493FB14-8C5E-9995-C08F-D0BC9A3B5D0B}

=====

Abbreviation..... MBPAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Mean Blood Pressure Arterial Line

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS OF MERCURY      24 > 25 \* 200 < 201      Dec Prec: 0

=====

TERM: MEAN BLOOD PRESSURE NON-INVASIVE

Page: 381

ID: {A89EC390-60BB-FE79-6F40-F9E2BAFE5BB5}

=====

Abbreviation..... MBPNI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Mean Blood Pressure Non-Invasive

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS OF MERCURY      24 > 25 \* 200 < 201      Dec Prec: 0

=====

TERM: MEAN BP CUFF

Page: 382

ID: {1F7DAE88-DE53-4807-F51F-47AB8A672EA1}

=====

Abbreviation..... MBPC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Mean BP Cuff

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS OF MERCURY      24 > 25 \* 200 < 201      Dec Prec: 0

=====

TERM: MED LAST DOSE: ANTIBIOTIC

Page: 383

ID: {F521A3A6-27C9-48F7-8203-6E5634783198}

=====

Abbreviation..... MLD AnBio

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Antibiotic

Help Text..... Date and time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: MED LAST DOSE: ANTICOAGULANT

Page: 384

ID: {4404F3B5-B163-4F86-B2B1-E1E9E0687937}

=====

Abbreviation..... MLD AnCoag

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Anticoagulant

Help Text..... Date and Time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----



=====

TERM: MED LAST DOSE: ASPIRIN

Page: 385

ID: {40F5DD1D-4534-463F-B4C8-5FF0D589C878}

=====

Abbreviation..... MLD Aspi

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Aspirin

Help Text..... Date and Time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: MED LAST DOSE: ESA ERYTHROPOETIN

Page: 386

ID: {E63799D0-44A6-40A0-9968-FD0974BEDD17}

=====

Abbreviation..... MLD: ESA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: ESA Erythropoetin

Help Text..... Enter last time/dose of medications

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: MED LAST DOSE: HYPOGLYCEMIC AGENT

Page: 387

ID: {26E3B7EF-95A6-4ED3-A483-59DF78E4EB94}

=====

Abbreviation..... MLD: Hypog

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Hypoglycemic Agent

Help Text..... Enter last time/dose of medications

for Diabetes

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {69BB442B-01B6-485F-A78D-423A74C18D06}

=====

Abbreviation..... MLD Non-St

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Med Last Dose: Non-steroidal

Anti-inflammatory Drug

Help Text..... Date and Time of Last Dose

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {D13CE4D4-116E-4929-A8DC-740B579E8018}

=====

Abbreviation..... MEWS: CONS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MEWS: Conscious Level

Help Text..... (Modified Early Warning System)

Conscious level (AVPU)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

10. 3 - UNRESPONSIVE (Unresponsi)

{F40F8A1E-ED15-424A-9481-3527B0E69DF1}

20. 2 - RESPONDS TO PAIN (Pain)

{AE6B5DEC-6510-4FEE-8461-D2E930534ACE}

30. 1 - RESPONDS TO VOICE (Voice)

{69C7DA2C-893A-40AB-969C-E003B5D2F05D}

40. 0 - ALERT (Alert) {A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}

50. 1 - NEW AGITATION CONFUSION (New Agitat)

{F458199B-A547-419B-A691-F15E7CD61F8C}

UNITS:

-----

ID: {6D3266EC-E57D-4299-9AAC-80D0842C0D3F}

=====

Abbreviation..... MEWS: HR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Heart Rate  
Help Text..... (Modified Early Warning System) Heart  
rate per minute  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 10. 2 - HR 0-39 (HR 0-39) {1243C1C9-C72F-4765-8D19-D689E1FC44F5}
  - 20. 1 - HR 40-50 (HR 40-50 ) {EC915B1F-BED1-497D-AD10-4FD0C2ADEDCE}
  - 30. 0 - HR 51-100 (HR 51-100) {6A262124-7FE8-4520-9762-87D0A3DB8AE9}
  - 40. 1 - HR 101-110 (HR 101-110)  
{FCB6C37E-1BB4-418F-8203-0916B4056DEB}
  - 50. 2 - HR 111-129 (HR 111-129)  
{6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}
  - 60. 3 - HR 130 OR MORE (HR 130 +)  
{CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}

UNITS:

-----



ID: {11CAC7DF-6CF0-404C-ADB5-747B1AF6F48E}

=====

Abbreviation..... MEWS: Urin  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Hourly Urine  
Help Text..... (Modified Early Warning System)  
Hourly urine for 2 hours  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 10. 3 - LESS THAN 10MLS/HR (< 10mls/hr)  
{E013F8AC-7DBE-4F13-BF48-0317A46332CC}
  - 20. 2 - LESS THAN 30MLS/HR (< 30mls/hr)  
{A85A05F7-3443-4E62-ACF4-3334E3EF5675}
  - 30. 1 - LESS THAN 45MLS/HR (< 45mls/hr)  
{3AED380E-00F9-4C29-B303-52E08F8911B3}

UNITS:

-----

ID: {BBB4C1F6-B418-4960-A3C7-87BAF9DB7595}

=====

Abbreviation..... MEWS: Resp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Respiratory  
Help Text..... (Modified Early Warning System)  
Respiratory rate per minute  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 10. 2 - RR 0-8 (RR 0-8) {73DC19E6-865C-4161-9CBE-3A8D44BC4D84}
  - 20. 0 - RR 9-14 (RR 9-14) {F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}
  - 30. 1 - RR 15-20 (RR 15-20) {1CF2487B-30C6-46AB-A051-B4499F825DC2}
  - 40. 2 - RR 21-29 (RR 21-29) {72DF48C2-B8F3-4ED4-91D1-87157707C3EC}
  - 50. 3 - RR 30 OR MORE (RR 30 or +)  
{6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}

UNITS:

-----

ID: {528BE6FB-ED0A-43FA-A5A4-DF6ADD532CA1}

=====

Abbreviation..... MEWS-Score

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... (Modified Early Warning System) MEWS  
Score

Display Name..... MEWS: Score

Help Text..... (Modified Early Warning System) MEWS  
Score

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MEWS: SCORE UNIT

0 > 0 \* 15 < 15

Dec Prec: 0

ID: {71007A41-8139-4ED7-BE65-4CCE796F430B}

=====

Abbreviation..... MEWS-SysBP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... MEWS: Systolic Blood Pressure

Help Text..... (Modified Early Warning System)

Systolic Blood Pressure

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

10. 3 - SBP 70 OR LESS (SBP 70 or<)

{84DE09CE-FCB0-4E07-A72F-C1064CECF094}

20. 2 - SBP 71-80 (SBP 71-80) {063CE20D-435C-4176-9A8B-3FC3DB16FF11}

30. 1 - SBP 81-100 (SBP 81-100)

{93D627C1-2FF3-4FCC-B0AF-83A54183AE3D}

40. 0 - SBP 101-199 (SBP101-199)

{ED9B73BA-8B9E-49C0-83A2-5B2397028564}

50. 2 - SBP 200 OR MORE (SBP 200+)

{C3B80866-749C-402A-B7CA-A1B797D36885}

UNITS:

-----





{B45FAD7F-9438-488D-BDE1-8A64A84E51F6}

UNITS:

-----



-----

ID: {84C38C5F-75E6-4CC4-ABD4-3E4DD128082A}

=====

Abbreviation..... Health HX

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Moderate Sedation: Pre-assessment  
CPRS Health HX Reviewed

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 15 entries

-----

1. AICD (AICD) {EDB0E730-A1DC-4639-888B-30E956CCA958}
2. ARTIFICIAL VALVES (Art Valves)  
{088BB4A5-A93E-47E2-B21F-BC2957D52693}
3. BMI>35KG/M2 (BMI>35KG/M) {FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}
4. DIABETES (Diabetes) {E295E970-759D-44CD-AD43-6047382A790D}
5. GRAFTS (Grafts) {E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}
6. IMPLANTS (Implants) {14998852-14FD-4C6A-BB8A-5073D6094B11}
7. PACER (Pacer) {F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}
8. KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (Known/Susp)

{BD47DD8C-7057-403B-B393-EBCBF9907B68}

10. METAL IMPLANTS (Metal Impl)

{E7424C97-0A81-4C4E-916E-0AE812FFDB96}

11. PREGNANT, NO (Preg, No) {D08F5D48-965E-4537-83BC-14722E28B0AE}

12. PREGNANT, YES (Preg, Yes) {CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}

13. SEIZURES (Seizures) {DE974E49-2AB6-4781-9930-468F2B781BA9}

14. SHUNTS (Shunts) {8D9CB03B-6D63-4205-86C3-869421BEBD04}

15. SNORES (Snores) {69FE4ECF-E1FE-4235-AD44-5AF9E634E000}

16. STROKE (Stroke) {F0EE98A8-040F-4923-8A21-059DA7B17995}

UNITS:

-----

=====

TERM: MODERATE SEDATION: PRE-ASSESSMENT TIME OUT

Page: 398

ID: {04BC70CE-732A-404B-94AA-ED9273CFB408}

=====

Abbreviation..... Pre-Time O

Active..... Yes

Boolean Value False..... Not Done

Boolean Value True..... Done

Data Type..... Boolean

Description.....

Display Name..... Moderate Sedation: Pre-assessment  
Time out

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {6242F2E9-8402-44B6-B7C3-74B3106314AD}

=====

Abbreviation..... Prev Compl  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Moderate Sedation: PreAssess:  
Previous Mod Sed. Complications  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
3. HYPOXIA (Hypoxia) {7599629D-1206-4A1A-9D02-EEE384E5FE51}
4. APNEA (Apnea) {BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}
5. ARRHYTHMIA (Arrhythmi) {F12E4852-27E7-4C2C-989F-E973EBDF2C62}
6. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----



ID: {4D7D1A38-3055-4B94-82C0-49803A34C834}

=====

Abbreviation..... Sub Abuse

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Moderate Sedation: PreAssess:

Substance Abuse

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {8D5EB5DD-4552-421D-BC76-9600C4597B8F}

=====

Abbreviation..... Mod Sed Pr  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Moderate Sedation: Preparation  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----

1. CODE CART IS ASSESSIBLE (Code Cart)  
{DB670E39-CF90-4068-8E38-44DCA5F365B5}
2. BAG/MASK & O2 SET UP (Bag/Mask)  
{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}
3. FUNCTIONAL SECTION SET UP (Func Sect)  
{E156C048-11D5-4F62-8B1A-0CEA931E03EF}
4. CARDIO-RESP MONITOR (Cardio-Re)  
{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}
5. PULSE OXIMETER (Pulse Ox) {773A956B-0B08-4D72-AAD4-630DF8268694}
6. END-TIDAL CO2 MONITOR (End-Tidal)

{609E3607-E441-465D-B1FC-C6986C58C11C}

UNITS:

-----

ID: {49C83164-4646-45D7-8873-315654599E2F}

=====

Abbreviation..... Pat Ident

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Moderate sedation: Time Out: Patient  
Identifiers

Help Text..... Patient Identifiers

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

- 
1. FULL NAME (Full Name) {A915EA98-D18D-4887-8C50-4B6C0DF44D1D}
  2. FULL SSN (Full SSN) {3E2887AF-2DC5-40FA-9052-7B04347CC802}
  3. DATE OF BIRTH (DOB) {F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

UNITS:

-----

ID: {FA699021-BD76-4DCA-B680-6E0F523B67FF}

=====

Abbreviation..... Monitor  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Monitor Placed  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. CARDIAC (Cardiac) {2A4308E5-C843-4844-B908-32DA0A0B50E3}
  2. RESPIRATION (Respiratio) {5D6198F0-FE26-4F94-9118-D49A7EC44017}
  3. BLOOD PRESSURE (Blood Pres)  
{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}
  4. PULSE OXIMETER (Pulse Ox) {D681E1E3-E914-421C-A19E-37C72F5E869F}

UNITS:

-----

ID: {3C959476-0C22-4C00-88D8-99C944D2D4A5}

=====

Abbreviation..... MON CAMERA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Monitoring Camera  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. PATIENT INFORMED (PAT INFORM)  
    {074A1D19-3920-49F1-8958-2EB6F9CF05BA}
  2. FAMILY INFORMED (FAM INFORM)  
    {77135D32-9CDD-4D3F-9B62-6E8189B77844}
  3. UNABLE TO INFORM (UNABLE INF)  
    {77428C87-B3F9-4BBD-B781-F7D89BCF9492}

UNITS:

-----

ID: {472ED5D6-2DFB-4EAF-9CCB-78D77C2D685B}

=====

Abbreviation..... MORSE AID

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Morse: Ambulatory Aid During Walking

Display Name..... Morse: Ambulatory Aid During Walking

Help Text..... 0: None/bedrest/Nurse Assis./

Wheelchair, 15: Crutches/Cane/Walker,

30: Furniture

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

-----

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

3. 30 (30) {1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}

UNITS:

-----

ID: {7CCE584F-DDAB-090B-9E73-41D5A8696F98}

=====

Abbreviation..... MORSE GAIT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: Gait

Help Text..... 0: Normal/Bedrest/Wheelchair, 10:  
Weak, 20: Impaired

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

- 
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
  - 2. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
  - 3. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

-----



ID: {9E44E0AE-F9AD-25A8-7771-589BF2DBD6B7}

=====

Abbreviation..... MORSE HIST

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: History of Falling Within Last  
Three Months

Help Text..... 0 if NO, 25 if YES

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCD1}

UNITS:

-----

=====

TERM: MORSE: IV THERAPY SALINE LOCK

Page: 408

ID: {5FB26C06-AF8D-ECBE-FC10-442510EC52F1}

=====

Abbreviation..... MORSE IV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: IV Therapy Saline Lock

Help Text..... 0 if NO, 25 if YES

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. 0 (0)                {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 20 (20)            {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

-----

ID: {E15F905B-5D1C-47CA-A23A-5EC47302D9A3}

=====

Abbreviation..... MORSE PT S

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Morse: Mental Status of Patients Own  
Ability

Display Name..... Morse: Mental Status of Patients Own  
Ability

Help Text..... 0: Oriented to own ability, 15  
Overestimates, forgets limitations

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:

-----

=====

TERM: MORSE: SCORE TOTAL

Page: 410

ID: {80F2ACB5-5E42-48B8-8EB8-CADAD149E7BB}

=====

Abbreviation..... MORSE TOTA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Morse Score Total

Display Name..... Morse: Score Total

Help Text..... Morse Score Total

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MORSE SCORE

-1 > 0 \* 135 < 136

Dec Prec: 0

ID: {305B5629-D6B2-440A-B46F-E0535AE843F9}

=====

Abbreviation..... MORSE 2NDA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Morse: Secondary Diagnosis Listed On C

Help Text..... 0 = No, 25 = Yes

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-----

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:

-----

ID: {C6063BDB-3A3D-A167-3D99-3A49F17FCD0C}

=====

Abbreviation..... MOTOR ACTI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Motor Activity  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
1. NORMAL POWER (np) {0E45C061-0744-8A21-7256-003702A5005B}
  2. NO MOVEMENT (nm) {2618E301-379B-BAB9-9EDE-98FD4B60D311}
  3. FLICKER OF CONTRACTION (foc)  
{218B322B-84AA-F6F6-5207-D86F9A4311F0}
  4. MOVEMENT WITH GRAVITY ELIMINATED (mwge)  
{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}
  5. MOVE AGAINST GRAVITY BUT NO RESISTANCE (magbnr)  
{F995A165-8536-C493-2269-286E8EFF5E43}
  6. MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (magareobte)  
{2ECCC197-4A81-025F-3EF3-6214004887A9}

LOCATION:

4 entries

-----

1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}

2. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}

3. R LOWER EXTREMITY (R LOW EXTR)

{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

4. R UPPER EXTREMITY (R UPP EXTR)

{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

-----

=====

TERM: MOTOR CHECK

Page: 413

ID: {521171CF-BD9D-2F28-4042-EA885C40E556}

=====

Abbreviation..... MOCH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Motor Check  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. INTENTIONAL (i) {D5BBBFFC-F739-1E69-FED4-288D8E803D04}
  2. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}

UNITS:

-----



ID: {4D9B0E42-4A15-4699-A80E-31588D8C13FD}

=====

Abbreviation..... MUC MEMBRA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Mucous Membrane Condition  
Display Name..... Mucous Membrane Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
- 1. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
  - 2. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}
  - 3. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}

UNITS:

-----

=====

TERM: NAIL COLOR

Page: 415

ID: {63FF0B1B-B57D-43A9-A05F-3F2CF6FE8926}

=====

Abbreviation..... NAIL COLOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Nail Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

5 entries

-----

1. NORMAL FOR ETHNIC GROUP (ETH. NORM.)

{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}

2. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}

3. DISCOLORATION (DISCOLORAT)

{BBE3E910-CC49-430C-BD90-FB0A97F1B183}

4. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}

5. HEMORRHAGE (HEMORRHAGE) {E00AC828-83F3-4F69-B97B-D6AD1D87A440}

UNITS:

-----

=====

TERM: NAIL SHAPE

Page: 416

ID: {6351A78B-67BC-46A4-B7E4-72D63C8C2917}

=====

Abbreviation..... NAIL SHAPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Nail Shape  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. CLUBBING (CLUBBING) {AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}
  3. SPOONING (SPOONING) {CA384C9F-D87D-4E2D-B4C0-89BD85692B16}

UNITS:

-----

=====

TERM: NAIL TEXTURE

Page: 417

ID: {AD3F008F-6AA8-483F-AAA6-5F797109F4A6}

=====

Abbreviation..... NAIL TEXTU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Nail Texture  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
- |                    |  |
|--------------------|--|
| 1. NORMAL (n)      | {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B} |
| 2. THICK (THICK)   | {1554A49E-1468-46B2-F851-531DDB1D1A98} |
| 3. PITTED (PITTED) | {BEA42FD8-91C7-4BF6-936E-726D78064F11} |

UNITS:

-----

=====

TERM: NECK VEIN CONDITION

Page: 418

ID: {D76459ED-8572-409E-85A4-F64228AE9A36}

=====

Abbreviation..... NECK VEIN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Neck Vein Condition

Display Name..... Neck Vein Condition

Help Text..... Condition of Neck Veins

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-----

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

2. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}

3. DISTENDED (DISTENDED) {B5C529CA-2BE0-4698-A153-718F4D58E643}

UNITS:

-----

=====

TERM: NEED FOR FLUIDS/TOILETING ASSESSED

Page: 419

ID: {816D5DB3-7AEA-E73F-08D8-68C58D4FB4FE}

=====

Abbreviation..... NFFTA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Need for Fluids/Toileting Assessed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {163D9953-B227-46AB-838D-92414FCC982E}

=====

Abbreviation..... Best Gaze  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Best Gaze  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

-----  
10. 0 = NORMAL (0 = Normal) {97C72AF0-FF56-48E0-A94E-528BB36D0AB9}

20. 1 = PARTIAL GAZE PALSY (1 = Part)  
{7644667F-2919-4A57-A3A6-EE709CA55960}

30. 2 = FORCED DEVIATION (2 = Forced)  
{FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}

40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:



-----

ID: {37841E3D-A4D2-4BA2-863B-366E22F7F010}

=====

Abbreviation..... Best Lang  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Best Language  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

- 10. 0 = NO APHASIA (No Aphasia)  
{AD629099-6ED1-4DFE-9D02-075FFD67B083}
- 20. 1 = MILD TO MODERATE APHASIA (Mod Aphasi)  
{FFA529FF-EDC0-4768-B308-93656C75E382}
- 30. 2 = SEVERE APHASIA (Sev Aphasi)  
{82445D2A-6E9F-4574-B2D1-476E720B9113}
- 40. 3 = MUTE, GLOBAL APHASIA (Mute)  
{E357021D-2B57-4AC2-BDA5-73B61726D183}
- 50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----

ID: {97F76DF4-8BDE-402F-98EA-93F0D8E52AA5}

=====

Abbreviation..... Dysarthria  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Dysarthria  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
- 10. 0 = NORMAL (0 = Normal) {405C2939-8BB2-4890-9548-D9956B297C79}
  - 20. 1 = MILD TO MODERATE DYSARTHRIA (1 = Mild)  
{0EFCBA9C-36E4-4046-9A55-DAD58F08C516}
  - 30. 2 = SEVERE DYSARTHRIA (2 = Severe)  
{D9864E04-1962-47AD-B3C5-58CD49CF30FD}
  - 40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----

ID: {110274E4-8D1D-494A-A8B9-6FE764B67439}

=====

Abbreviation..... Ext/Inatt

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... NIHSS - Extinction and Inattention

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-----

10. 0 = NO ABNORMALITY (0 = No abn)

{DE0BF57B-1322-4581-BB38-2A61562DC87F}

20. 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (1 =  
Inatt) {BEBED217-91CA-47F8-A15D-A548648D09BF}

30. 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (  
2 = Profnd) {1D3AA69E-2154-4F33-BFFF-42F06365079A}

40. UN = UNEXAMINABLE (UN = Unex)

{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----

ID: {C9692FC3-9FBE-4409-8235-23F713562672}

=====

Abbreviation..... Facial Pal  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Facial Palsy  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

- 10. 0 = NORMAL SYMMETRICAL MOVEMENT (0 = Normal)  
{23267CFE-B306-477A-A8B2-60828C1234FA}
- 20. 1 = MINOR PARALYSIS (1 = Minor)  
{55A125E8-E83A-4163-AB50-0D3569B502D3}
- 30. 2 = PARTIAL PARALYSIS (2 = Part)  
{BC48CC51-609A-4E85-9029-8B4790E9E669}
- 40. 3 = COMPLETE PARALYSIS (3 = comple)  
{F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}
- 50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}



UNITS:

-----

ID: {F92A7FCB-5026-49C1-92E3-C6DF86041A29}

=====

Abbreviation..... Conscious  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Level of Consciousness  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
- 10. 0 = ALERT (0 = Alert) {9F918315-BDE7-43D8-BD69-442D74F41C79}
  - 20. 1 = NOT ALERT, MINOR STIMULATION RESPONSE (1 = Minor)  
{29268B78-0FF2-48EE-8EA1-4BDE6C39739E}
  - 30. 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (2 = Strong)  
{0F5E13CC-211C-40D0-96CB-8F8D87564612}
  - 40. 3 = UNRESPONSIVE (3 = Unresp)  
{A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}
  - 50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----

=====  
TERM: NIHSS - LIMB ATAXIA

Page: 426

ID: {BE5E7FDB-CFDC-4B5B-A138-A205C53F2389}  
=====

Abbreviation..... Limb Ataxi  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Limb Ataxia  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 = ABSENT (Absent) {16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}  
20. 1 = PRESENT IN ONE LIMB (One Limb)  
  {D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}  
30. 2 = PRESENT IN TWO LIMBS (Two Limbs)  
  {ADA3074C-1E75-42BC-B7E6-425C2281FB05}  
40. UN = UNEXAMINABLE (UN = Unex)  
  {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----

ID: {C5A17B98-FBF2-4B5C-8692-FE5A1601FB1A}

=====

Abbreviation..... Loc Comm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - LOC Commands  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
- 10. 0 = PEFORMS BOTH TASKS CORRECTLY (Both Tasks)  
          {08B7AA60-AFEE-41F6-AA1E-0855D1A2946C}
  - 20. 1 = PERFORMS ONE TASK CORRECTLY (One Task)  
          {7DBE49B4-067F-4BA7-807F-A4A5FAC1BCFB}
  - 30. 2 = PERFORMS NEITHER TASK CORRECTLY (Neither )  
          {8CE75E64-5A4A-45EA-9987-4112AAD54A55}

UNITS:  
-----

ID: {722E75F9-9F2B-4040-A453-EF6E15738D03}

=====

Abbreviation..... LOC Ques

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... NIHSS - LOC Questions

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 3 entries

-----

10. 0 = ANSWERS BOTH QUESTIONS CORRECTLY (Both)

{A4380E5F-206A-40CF-B508-6CA61DE87ED2}

20. 1 = ANSWERS ONE QUESTION CORRECTLY (One Ques)

{9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}

30. 2 - ANSWERS NEITHER QUESTION CORRECTLY (Neither)

{181D8ACA-49D0-496E-B22A-2839D0718836}

UNITS:

-----

ID: {8321D970-A029-44B6-92F6-213E1ECF79CC}

=====

Abbreviation..... Motor Arm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Motor Arm  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 10. 0 = NO DRIFT (No Drift) {6DD3E839-D919-4C90-94F9-216B3268944D}
  - 20. 1 = DRIFT (Drift) {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}
  - 30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)  
{63885565-9ADC-4560-BC73-DEA084FB651A}
  - 40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)  
{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}
  - 50. 4 = NO MOVEMENT (No Movem)  
{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}
  - 60. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}



LOCATION:

2 entries

-----

10. L ARM (LA)            {567F552F-54B5-A8BB-596F-291001746E31}

20. R ARM (RA)            {1C09017A-F10A-543D-A7EA-F13790D78692}

UNITS:

-----

ID: {7FDA8802-03FA-401F-9842-F2558252CC0B}

=====

Abbreviation..... Motor Leg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Motor Leg  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 10. 0 = NO DRIFT (No Drift) {6DD3E839-D919-4C90-94F9-216B3268944D}
  - 20. 1 = DRIFT (Drift) {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}
  - 30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)  
{63885565-9ADC-4560-BC73-DEA084FB651A}
  - 40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)  
{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}
  - 50. 4 = NO MOVEMENT (No Movem)  
{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}
  - 60. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

LOCATION:

2 entries

-----

10. L LEG (LL)            {B088C809-E528-B785-21C2-14E45E1FD8AF}

20. R LEG (RL)            {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

UNITS:

-----

ID: {F2F02471-5F1D-41D3-A599-932F1B67E7B1}

=====

Abbreviation..... Sensory  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Sensory  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
- 10. 0 = NORMAL (Normal) {7739B63B-8623-4ADB-8059-1A26B5A7BEBB}
  - 20. 1 = MILD TO MODERATE SENSORY LOSS (Moderate)  
{1BF6BC0E-9A83-4589-B849-853585CF4E96}
  - 30. 2 = SEVERE TO TOTAL SENSORY LOSS (Severe)  
{C3959DA5-9108-4E35-B81A-6F4FB135B3BD}
  - 40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----

=====

TERM: NIHSS - TOTAL SCORE

Page: 432

ID: {5B55992D-78A0-42C4-BACA-E88106607888}

=====

Abbreviation..... NIHSS Tot

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... NIHSS - Total Score

Help Text..... For computation of NIHSS Total

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

UNITS

0 > 0 \* 42 < 42

Dec Prec: 0

ID: {87D5D15A-F8CD-4F98-BFEC-57BA48BEE5BA}

=====

Abbreviation..... Visual

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... NIHSS - Visual Field

Help Text.....

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

10. 0 = NO VISUAL LOSS (None) {20347E7B-4A96-4000-B326-0B4B1797738A}

20. 1 = PARTIAL HEMIANOPIA (Partial)  
{0FDFE052-C438-48AD-A3F8-C3C53E963365}

30. 2 = COMPLETE HEMIANOPIA (Complete)  
{F995161E-39A0-4010-855D-EE86B1F707BB}

40. 3 = BILATERAL HEMIANOPIA (Bilateral)  
{89969DC1-30BA-494A-A8C8-4344C2C75D0E}

50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----



=====

TERM: NOSE SIZE

Page: 434

ID: {0A7CD784-279C-9F56-67CC-1C0624B26F4A}

=====

Abbreviation..... ns

Active..... No

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Describe the size of the honker

Display Name..... Nose Size

Help Text..... Honker etiquette

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: NUMBER OF DAYS

Page: 435

ID: {C2D0AF1E-C88B-48ED-A8BE-E3C258B4317D}

=====

Abbreviation..... # of Days

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Number of Days

Help Text..... Number of days since event or device  
days

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

DAY

-1 > -1 \* 9999 < 9999    Dec Prec: 0

=====

TERM: ORIENTATION

Page: 436

ID: {656AA278-6C1E-C1B8-6876-A85780A1608A}

=====

Abbreviation..... ORIENT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Orientation  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----

1. ORIENTED TO TIME (ott) {C79EBE25-C51B-478C-CB39-25943792F191}
2. ORIENTED TO PLACE (otp) {8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}
3. ORIENTED TO PERSON (otp) {9912CFB9-AC55-6445-3EC1-0F1DF98C0561}
4. ORIENTED TO SITUATION (ots)  
{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}
5. DISORIENTED TO TIME (dtt) {2AD1A28A-4121-4B82-CFB8-E5A8D3095704}
6. DISORIENTED TO PLACE (dtp)  
{00C98809-C0D0-C7B4-0615-8F7D31017FE8}
7. DISORIENTED TO PERSON (DISOR TO P)  
{E5D83C03-7EF5-770B-930F-7B3B3345048C}

8. DISORIENTED TO SITUATION (dts)

{7143B3D7-5569-4378-D3AA-10C4675F0BA5}

UNITS:

-----

ID: {EBD57A7A-3D0F-FB10-EA1A-E505DE2FB84C}

=====

Abbreviation..... ORTHOTICS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Devices which support or correct  
human function

Display Name..... Orthotics

Help Text..... Devices which support or correct  
human function

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

1. ORTHOTIC BOOTS (ORTHO BOOT)

{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}

2. ORTHOTIC COLLAR (ORTHO COLL)

{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}

3. ORTHOTIC SPINE BRACE (ORTH SPINE)

{B47A3536-FEBC-802E-01A1-E909147D18C2}

4. ORTHOTIC KNEE IMMOBILIZER (KNEE IMMOB)

{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}

5. ORTHOTIC WEDGE PILLOW (WEDG PILLO)

{20E58D21-399B-85E4-BDAB-93B371395BCF}

6. ORTHOTIC TED HOSE (TED HOSE)

{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}

UNITS:

-----

ID: {BB127CE7-04B9-48BA-85CB-AD895D3DA32D}

---

Abbreviation..... Ostomy Car  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Ostomy Care  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

---

- 10. APPLIANCE CHANGED (app change)  
{CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}
- 20. BRIDGE PRESENT (bridge pre)  
{5C474C17-33C9-492D-833E-64F5EF049BF4}
- 30. CONNECTED TO DRAINAGE BAG (drain bag)  
{1901C4A7-671C-43BD-BEDD-1D48BCB43465}
- 40. PATIENT INSTRUCTED (pat instru)  
{D89A50A6-352D-4EB8-ABD7-5D732A060D9A}
- 50. FAMILY INSTRUCTED (fam instru)  
{0FD5988C-2C4D-4786-99B3-3287A355E813}

UNITS:

-----



=====

TERM: OSTOMY TYPE

Page: 439

ID: {CA5CC473-EE95-4E81-8E24-DC23B47A7F42}

=====

Abbreviation..... OSTOMY TYP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Ostomy  
Display Name..... OSTOMY TYPE  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
1. COLOSTOMY (COLOSTOMY) {53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}
  2. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
  3. SIGMOIDOSTOMY (SIGMOIDOST)  
{0C84B317-59B3-433B-A9AD-6588C1361E0C}
  4. ILEOSTOMY (ILEOSTOMY) {D5DF49C8-C6BA-44C1-9840-7765907730A3}
  70. ILEAL-CONDUIT (Ileal-Con) {C91C4E4A-2D0D-438A-8EF5-8717D703A777}

UNITS:

-----

=====

TERM: OUTPUT - BLOOD

Page: 440

ID: {F90805CD-A0E1-4943-B871-D93B445EA639}

=====

Abbreviation..... OUT BLOOD

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Output of blood lost

Display Name..... Output - Blood

Help Text..... Output of blood lost

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0

CUBIC CENTIMETER        -1 > 0 \* 9999 < 10000    Dec Prec: 0

=====

TERM: OUTPUT - CBI DRAINAGE

Page: 441

ID: {08B2CC2A-AE5A-47C3-9FFE-CD0619F8B3BE}

=====

Abbreviation..... CBI Drain

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Output - CBI Drainage

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER

0 > 0 \* 99999 < 99999

Dec Prec: 0

ID: {478FE098-139E-B9EB-9F87-C03A847B6789}

=====

Abbreviation..... OUT CHE TU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... VOLUME OF CHEST TUBE DRAINAGE

Display Name..... Chest Tube Drainage Volume (ml)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER                    -1.0 > 0.0 \* 9999.0 < 10000.0

Dec Prec: 1

CUBIC CENTIMETER            -1.0 > 0.0 \* 9999.0 < 10000.0

Dec Prec: 1

ID: {5623F6F3-3A00-E63F-706E-C9561D206920}

=====

Abbreviation..... OUT CHTU E  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... AMOUNT OF CHEST TUBE DRAINAGE  
Display Name..... Chest Tube Drainage Amount Estimated  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  - 2. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
  - 3. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  - 4. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  - 5. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:

-----

ID: {C7954A6C-4214-4CB2-B80E-8F4128D05847}

=====

Abbreviation..... OUT DIALYS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Dialysis Output  
Display Name..... Dialysis Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 4 entries

-----

1. HEMODIALYSIS (HEMODIALYS) {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}
2. PERITONEAL DIALYSIS (PERI DIALY)  
{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}
3. CVVHD (CVVHD) {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}
4. CRRT (CRRT) {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER

-1 > 0 \* 9999 < 10000

Dec Prec: 0

ID: {733293B4-0FEC-9D4B-191C-85D490209348}

=====

Abbreviation..... OUTPUT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Output - Do Not Check Total or  
Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

PRODUCT: 10 entries

-----

1. CARDIAC OUTPUT INJECTATE (CARD OUT I)

{2128B705-DDF4-4776-87C3-AA82F854E313}

2. EF RESIDUAL (EF RESID) {35E269DF-F246-4DF6-9D68-7FD61F8FE088}

3. NG RESIDUAL (NG RESID) {B03C9557-84B5-4B05-B784-C87FA90D27A7}

4. HEME (HEME) {A0ADA229-E779-4562-84B5-67121B88C443}

5. HEMODIALYSIS (HEMODIALYS) {8409B357-C41E-4F4A-BB52-F09AD9704C30}

6. MEDIASTINAL (MEDIASTINA) {A0550B31-B937-4FC7-8F7E-071F75215311}

7. BLADDER IRRIGATION (BLAD IRRIG)

{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}



8. WOUND VACUUM (WOUND VAC) {9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}

9. GASTRIC DRAINAGE (GAST DRAIN)

{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}

10. WOUND DRAINAGE (WOUN DRAIN)

{73038CBA-1F31-47E2-A78E-50ED1067CBEA}

UNITS:

-----

MILLILITER            0 > 0 \* 9999 < 10000    Dec Prec: 0

OUNCE                0 > 0 \* 338 < 339        Dec Prec: 0

CUBIC CENTIMETER    0 > 0 \* 9999 < 10000    Dec Prec: 0

ID: {B8FD2F72-FCDD-484A-98E1-14B3637B797A}

=====

Abbreviation..... OUT DRAIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Drain Output  
Display Name..... Drain Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 5 entries

- 
1. JP DRAIN (JP DRAIN) {94A32247-6190-4047-B581-A212FE4C9453}
  2. HEMOVAC (HEMOVAC) {79DA0646-B811-4954-8BE1-C133398CD574}
  3. PENROSE (PENROSE) {CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}
  4. CHEST TUBE (CH TUBE M) {F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}
  5. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER

-1 > 0 \* 9999 < 10000

Dec Prec: 0

ID: {56BD11AB-FE61-4785-B3CA-C528A5F4EBD6}

=====

Abbreviation..... OUT EMESIS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Emesis Output  
Display Name..... Emesis Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

PRODUCT: 1 entries

-----

1. EMESIS (EMESIS) {A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}

UNITS:

-----

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0

CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: OUTPUT - GI TUBE

Page: 448

ID: {CB54872E-CF17-4BA5-BF3B-80B0E6C745F8}

=====

Abbreviation..... OUT GI TU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... GI Tube Output  
Display Name..... GI Tube Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====

TERM: OUTPUT - STOOL

Page: 449

ID: {8B7CD3AF-5441-40A7-BBAA-11B822B529FD}

=====

Abbreviation..... OUT STOOL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Measured amount of stool

Display Name..... Stool Output

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            -1 > 0 \* 1000 < 2000    Dec Prec: 0

CUBIC CENTIMETER        -1 > 0 \* 1000 < 2000    Dec Prec: 0

ID: {5BCC5773-0627-CEC5-12D1-4D4BF55ECFB5}

=====

Abbreviation..... OUT ST EST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Stool Amount Estimated  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
- 1. SMEAR (SMEAR) {4B99BBD3-443E-4954-8ADE-5FB3EE50540A}
  - 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  - 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  - 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
  - 5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

QUALITY: 1 entries

- 
- 1. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

-----



=====

TERM: OUTPUT - URINE

Page: 451

ID: {F4998CFC-19CA-402A-AB0F-C32FA194DAA5}

=====

Abbreviation..... OUT URINE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Urine Output

Display Name..... Urine Output

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER            -1 > 0 \* 9999 < 10000    Dec Prec: 0

CUBIC CENTIMETER        -1 > 0 \* 9999 < 10000    Dec Prec: 0

ID: {C5116BFA-332E-4C05-8FF7-4C828D8999BF}

=====

Abbreviation..... OUT UR EST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Output - Urine Estimated  
Display Name..... Output - Urine Estimated  
Help Text..... Output - Urine Estimated  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
- 1. SLIGHT (SLIGHT) {805549C1-5DC5-4A2D-BC1F-046E44928843}
  - 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  - 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  - 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:

-----

=====

TERM: OXYGEN CONSUMPTION

Page: 453

ID: {5EC773D2-D17D-EE6B-5079-BED57318658D}

=====

Abbreviation..... V02

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Oxygen Consumption

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----  
MILLILITERS PER MINUTE PER METER SQUARE

0 > 1 \* 300 < 301      Dec Prec: 0

=====

TERM: OXYGEN SATURATION

Page: 454

ID: {8013084D-A35E-264A-23EE-8D3D5C5C8382}

=====

Abbreviation..... O2 SAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Oxygen Saturation percentage

Display Name..... Oxygen Saturation

Help Text..... Enter in the percentage of O2  
saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500637

UNITS:

-----

PERCENTAGE

0 > 92 \* 100 < 101

Dec Prec: 0

=====

TERM: PA CATHETER ALARMS ON

Page: 455

ID: {8129EB35-E85A-4C3B-86AF-34FB2ABE168C}

=====

Abbreviation..... PA ALARM O

Active..... Yes

Boolean Value False..... Off

Boolean Value True..... On

Data Type..... Boolean

Description..... PA Catheter Alarms On

Display Name..... PA Catheter Alarms On

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

-----

ID: {16F7EF6A-E0B6-9931-1F74-039E9D18AC57}

=====

Abbreviation..... PA DRESSIN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PA Catheter Dressing Type

Help Text..... Type of dressing on PA Catheter site

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

-----

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

2. PRESSURE DRESSING (PRESS DRES)

{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS:

-----

=====

TERM: PA CATHETER DYNAMIC RESPONSE TEST

Page: 457

ID: {7ED7B728-5683-4660-B301-79E72C3FD1C9}

=====

Abbreviation..... PA CATH DR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... PA Catheter Dynamic Response Test

Display Name..... PA Catheter Dynamic Response Test

Help Text..... PA Catheter Dynamic Response Test

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
  3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}

UNITS:

-----

=====

TERM: PA CATHETER INSERTION MARK

Page: 458

ID: {7E62F0A7-9233-4BD3-870B-189BC86A179E}

=====

Abbreviation..... PA INS MAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... PA Catheter Insertion Mark

Display Name..... PA Catheter Insertion Mark (cm)

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETER

-1.0 > 0.0 \* 10.0 < 20.0 Dec Prec: 1



ID: {30F7B681-FCDB-4349-9082-92BDF3618CA3}

=====

Abbreviation..... PACATH INS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... PA Catheter Insertion Technique  
Display Name..... PA Catheter Insertion Technique  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}
  2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}
  3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)  
{20BC183A-197F-4464-A27C-47F63C5B842A}
  4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)  
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:

-----

ID: {959199C6-C6DE-4F32-9303-F06CD0C80A28}

=====

Abbreviation..... PA CATH RE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... PA Catheter Repositioned/Discontinued  
Reason

Display Name..... PA Catheter Repositioned/Discontinued  
Reason

Help Text..... PA Catheter Repositioned/Discontinued  
Reason

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

-----

1. VENTRICULAR WHIP PRESENT (VENT WHIP)

{15CB9645-690D-446B-A380-F14CEEC9C6AA}

2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}

3. WEDGED (WEDGED) {03D7F6FD-399D-4A6B-9900-59655D76EE95}

4. UNABLE TO WEDGE (UNABLE WED)

{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}

5. WAVEFORM REFLECTS ATRIAL PLACEMENT (WAVE ATRIA)

{A1249745-41C2-4A4F-A86D-7E5E17477B06}

6. BY PROVIDER ORDER (BY ORDER)

{C038BC16-44CF-4933-BECC-B0F1A1B12603}

UNITS:

-----

=====

TERM: PA CATHETER SITE CARE

Page: 461

ID: {F5F81475-6135-4B0C-A144-658AB8C075C7}

=====

Abbreviation..... PA SITE CA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... PA Catheter Site Care

Display Name..... PA Catheter Site Care

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {00A7358A-DBE8-CB1D-FFC0-046F3C5E266F}

=====

Abbreviation..... PA CONDITI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Site Condition  
Help Text..... Condition of PA catheter  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 7 entries

- 
- 2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  - 3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}
  - 4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}
  - 50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}
  - 60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}
  - 70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}
  - 80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS:

-----

=====

TERM: PA CATHETER SIZE

Page: 463

ID: {706045DE-B1D4-46DB-B6CE-A171BAFB0CB9}

=====

Abbreviation..... PA CATH SI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... PA Catheter Size

Display Name..... PA Catheter Size

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

FRENCH                    -1.0 > 5.0 \* 10.0 < 20.0   Dec Prec: 1

ID: {A1F96B2C-AA70-0D43-8F1E-8DD2BDDFA8F3}

=====

Abbreviation..... PA TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Type  
Help Text..... Type of PA catheter  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
- 1. PLAIN (PLAIN) {483EE48F-F72B-A917-DCD0-E8B69A3FA36F}
  - 2. OXIMETRIC (OXIMETRIC) {DA1F5AAA-A349-C17B-74CD-1794492E0A13}
  - 3. PACER (PACER) {79499460-ACAB-33B3-52CF-D2D2E5BCD0EE}
  - 4. VIP PORT (VIP PORT) {3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

LOCATION: 8 entries

- 
- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
  - 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  - 3. L INTERNAL JUGULAR (L INT JUG)



{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. R INTERNAL JUGULAR (R INT JUG)

{7ABF6916-D379-198D-6454-F0518A74844A}

5. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

6. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

-----

=====

TERM: PA CATHETER WAVEFORM

Page: 465

ID: {9EF25DC1-2B10-4248-807E-DDEDDB1B76ABC}

=====

Abbreviation..... PA WAVEFOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... PA Catheter Waveform

Display Name..... PA Catheter Waveform

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

5 entries

- 
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
  3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
  4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
  5. NOT MONITORED (NOT MONITO)  
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

-----

=====

TERM: PA CATHETER ZEROED

Page: 466

ID: {E8B0247F-BD12-4902-87F7-012AA4C1D73D}

=====

Abbreviation..... PA ZEROED

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... PA Catheter Zeroed

Display Name..... PA Catheter Zeroed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: PACEMAKER ATRIAL mA

Page: 467

ID: {2551E3D7-CD46-909E-1D79-082B92AEDF7A}

=====

Abbreviation..... PAmA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Atrial mA

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIAMPS                    -0.01 > 0.00 \* 24.00 < 48.00

Dec Prec: 2

=====

TERM: PACEMAKER AV INTERVAL

Page: 468

ID: {118070EB-2F23-9C3D-68D1-B57D423449E1}

=====

Abbreviation..... PAVI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker AV Interval

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

SECOND                    0.01 > 0.12 \* 0.20 < 0.50 Dec Prec: 2

=====

TERM: PACEMAKER CAPTURE

Page: 469

ID: {4D93B7C5-5302-085D-DFC5-EBEED03A6B31}

=====

Abbreviation..... PMC  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pacemaker Capture  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {AC25DEC8-680C-EDD4-1141-43F841651D2A}

Abbreviation..... PMM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pacemaker Mode  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

- 1. AOO (AOO) {86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}
- 2. AAO (AAO) {E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}
- 3. AAI (AAI) {2DD18ACA-B98E-24D3-E760-6D082A76074B}
- 4. AAIR (AAIR) {3B4B6F37-B631-BE32-F1C1-65B99D0C5018}
- 5. AVO (AVO) {02EA752A-D156-96E6-3D28-3D389FFC7B58}
- 6. AVI (AVI) {8BB49456-FB80-4916-6EBE-06837BF12B0C}
- 7. VVI (VVI) {2C87F8F3-2B99-80E7-04EB-E6FE88168627}
- 8. VDD (VDD) {E733E525-EF36-2F93-AECC-BAD1C3E2C633}
- 9. DVI (DVI) {4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}
- 10. DOO (DOO) {749BCE3D-FF09-B796-FF2A-ECD2D116C96F}

- 11. DDI (DDI) {0C1E359F-B1F4-7994-D337-37622CB14BC8}
- 12. DDD (DDD) {7AA7152E-48F0-8550-AD0D-9F298E90B765}
- 13. DDDR (DDDR) {A3CC0D9D-D329-1A52-2DD1-911A1E04B871}

UNITS:

-----



ID: {A7D28B32-845F-0E16-FDAF-F654FA6EE8A4}

=====

Abbreviation..... PMO  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pacemaker On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

-----

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
- 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

LOCATION: 8 entries

-----

- 1. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
- 3. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
- 4. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}
- 5. L INTERNAL JUGULAR (L INT JUG)

{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

6. R INTERNAL JUGULAR (R INT JUG)

{7ABF6916-D379-198D-6454-F0518A74844A}

7. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

-----

=====

TERM: PACEMAKER RATE - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 472

ID: {FCA825C5-12A2-132D-8842-23D56ED6660B}

=====

Abbreviation..... PMR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Rate - Do Not Check Total  
or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

BEATS PER MINUTE

0 > 45 \* 100 < 200

Dec Prec: 0

=====

TERM: PACEMAKER SENSE

Page: 473

ID: {7F716D0A-ACA4-7E33-62D7-988BA22F0D7F}

=====

Abbreviation..... PMS  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pacemaker Sense  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

UNITS:

-----

=====

TERM: PACEMAKER SENSITIVITY ATRIAL

Page: 474

ID: {6CBB234D-694E-CB88-3844-6B9E9E262320}

=====

Abbreviation..... PSA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Sensitivity Atrial

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIVOLTS

0.01 > 0.05 \* 2.00 < 6.00 Dec Prec: 2

=====

TERM: PACEMAKER SENSITIVITY VENTRICULAR

Page: 475

ID: {305A8823-01D3-F3FE-D66E-3CACE736CD30}

=====

Abbreviation..... PSV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Sensitivity Ventricular

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIVOLTS            0.01 > 0.05 \* 2.00 < 6.00 Dec Prec: 2

ID: {3B5B64D7-9091-8511-64CE-848456CAD2CD}

=====

Abbreviation..... PACEM TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pacemaker Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----

1. TRANSCUTANEOUS (t) {F4315F92-8804-1CB4-4D03-CCFDC95C6E71}
2. PERMANENT (p) {A31FF319-F8C3-7AAC-D7FC-765C89732D09}
3. TEMPORARY (TRANSVENOUS) (tt)  
{F6A74188-3D79-D749-540F-4EA32201B0E6}
4. EPICARDIAL LEADS (el) {2B551575-3D50-96BD-7BAA-50CC9796361E}
5. ATRIAL (a) {266D2FDA-5D6A-203D-6FF0-8282D49BFD67}
6. VENTRICULAR (v) {307A4572-3CF0-7875-7313-7FD4AB23F8E7}

LOCATION: 8 entries

-----

1. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}

2. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}

3. L INTERNAL JUGULAR (L INT JUG)

{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. L SUBCLAVIAN (L SUBCLAV) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

5. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

6. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

7. R INTERNAL JUGULAR (R INT JUG)

{7ABF6916-D379-198D-6454-F0518A74844A}

8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

-----



=====

TERM: PACEMAKER UNIT ID

Page: 477

ID: {CDA2992F-349C-9904-45E3-20D01DC87917}

=====

Abbreviation..... PUID

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... No Description

Display Name..... Pacemaker Unit ID

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PACEMAKER VENTRICULAR mA

Page: 478

ID: {D64D8FED-93B8-FABD-5361-96CD28F99472}

=====

Abbreviation..... PVmA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pacemaker Ventricular mA

Help Text..... Pacemaker Ventricular mA

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLIAMPS                    -0.01 > 0.00 \* 24.00 < 48.00

Dec Prec: 2

ID: {AE7D2B1A-D1BA-E1E1-4E21-B1608F627411}

Abbreviation..... PMWI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pacemaker Wires  
Help Text..... Pacemaker Wires  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 1. 1A +1V (1+) {31711946-9F1B-0AD9-BDBE-846EDBC86AE2}
- 2. 1A + 2V (1+2) {FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}
- 3. 2A (2) {C75BDC9F-C756-9051-CAA3-A27DDD94B35E}
- 4. 2V (2) {D24B5FA4-1DA6-36DE-49DB-627A9B82E968}
- 5. 2A + 1V (2+1) {1849AA0D-1572-55E0-A780-ACE602E2C72D}
- 6. 2A + 2V (2+2) {17203251-68E8-A00A-CF54-E2CC55B8EEDD}
- 7. 1A + 3V (1+3) {CEDF220D-E593-B8F9-DB08-D32800AF3F5E}

UNITS:

-----

ID: {D9E69897-BE8C-4A18-A490-A6FD2F2DE2E8}

=====

Abbreviation..... P DIS C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PACU - Discharge Criteria  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 22 entries

-----

1. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)  
{E107F272-CD27-46B8-8C50-F9FF776DDCD9}
2. ABLE TO AMBULATE (AMBULAT)  
{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
3. ALERT AND ORIENTED (AL AN OR)  
{C031F776-36DF-4570-AFAF-A30B8BFA635B}
4. PT DENIES NAUSEA / NO VOMITING (DEN NAUS)  
{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}
5. ALDRETE SCORE 8 OR GREATER (ALD 8+)  
{1FACE6D7-BC92-4579-8665-C5E1D3475461}

6. AIRWAY REFLEXES INTACT / SECRETIONS (AIR REFL)  
{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}
7. PAIN CONTROLLED PER PT (PAIN CON)  
{7EC1AF38-39B1-475E-B58C-E33404A47E96}
8. PT PAIN AT ACCEPTABLE LEVEL (PT PA OK)  
{78489498-4A5B-41C5-98C5-95D56C4A0933}
9. VOIDED (VOIDED) {7F23E601-A1E5-4016-8A12-06B1099041CF}
10. ABSENT TO MINIMAL BLEEDING (ABS BLEE)  
{123460FB-1A8D-45AB-B0A2-489EAB482F67}
11. CMS INTACT DISTAL TO SURGICAL SITE (CMS INTA)  
{CE2D2CDE-71C5-4993-8E46-C4799301A851}
12. SKIN WARM AND DRY COLOR APPROPRIATE (S W A DR)  
{9637D510-C199-4969-8F2D-0A499151E22B}
13. MAINTAINING EFFECTIVE VENTILATION (EFF VENT)  
{18774550-ECBD-412D-AD95-131FAA4CC549}
14. ALDRETE SCORE AT BASELINE (ALD BASE)  
{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}
15. STABLE BP AND PULSE (Stable BP)  
{F07C2F54-1182-4377-A33A-F529884013E8}
16. SaO2% AT ACCEPTABLE LEVEL BY ORDERS (SaO2 by Or)  
{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}
17. SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (SaO2 w/Pre)  
{8DE3440F-8049-4846-89D6-2E2DDEEA362C}
18. 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (20 Min Nar)  
{FBDB50B7-19B5-472C-80E5-F4758E141BB1}
19. RESTING RESPIRATORY RATE BASELINE OR ABOVE (Rest Base)  
{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}
20. MENTAL STATUS - AWAKE ORIENTED (M/S Awake)

{37818468-4798-4CBE-82ED-A793BDD10874}

21. MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (M/S Demen)

{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}

22. 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (60 Min Rev)

{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}

UNITS:

-----

ID: {3B2F659B-ABA4-41E4-9861-B4B0FE3C873D}

=====

Abbreviation..... P DIS ME  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Discharge Criteria Met  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
  - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

-----



ID: {9EADBFE2-2072-4B3F-A077-354B76E5F190}

=====

Abbreviation..... PAC DISP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PACU - Disposition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

- 
1. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}
  2. MICU (MICU) {28244B62-644C-4DA0-A350-EAFE0D2FA7C0}
  3. SICU (SICU) {EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}
  4. STEP DOWN (STEP DOW) {F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}
  5. WARD (WARD) {A16CB5CB-3401-4F6C-8467-7F78FC929872}
  6. AMBULATORY CARE UNIT (ACU)  
{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}
  7. PROCEDURE ROOM (PROC ROO) {CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}
  8. IMAGING (IMAGING) {791A322E-F45E-40EB-B95D-E5B62E1D0A75}
  9. OPERATING ROOM (OR) {37DACE14-2A28-45F4-9DEA-35A1A433F4E6}

10. EMERGENCY DEPARTMENT (ER DEPT)

{D2E511F7-8B80-4928-A64B-3F1EE17395F7}

11. WAITING ROOM (WAIT ROOM) {13476486-F895-4FFC-AB42-B274827B47DA}

12. HOME (HOME) {C8E5E320-361B-421C-A6A9-13DC16125440}

UNITS:

-----

=====

TERM: PACU - PT RECEIVED REVERSAL AGENT

Page: 483

ID: {08A85E74-4365-41AA-8C26-4D712C9364DE}

=====

Abbreviation..... REV AGEN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Patient Received Reversal Agent  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
  - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

-----

=====

TERM: PACU - TIME OF REVERSAL AGENT

Page: 484

ID: {43AD957E-55D2-44BA-B591-C4B31EB64E55}

=====

Abbreviation..... Time of Rv

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... PACU - Time of Reversal Agent

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----



10. DULL (DULL) {F0F80976-F6A0-4363-9C75-AAAE9937DB49}
11. ELECTRIC (ELECTRIC) {0C221385-61AF-4660-A129-35E610EA71AB}
12. GNAWING (GNAWING) {8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}
13. HEAVY (HEAVY) {1F10CD98-03FA-4705-BF7D-941E881C4E3D}
14. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
15. KNIFE-LIKE (KNIFE-LIKE) {FBA0EE3F-134B-431B-879A-9B17D65CD464}
16. NUMB (NUMB) {652634C0-5334-4D56-BE57-5F58F952FF0D}
17. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
18. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}
19. RADIATING (RADIATING) {B6807939-F809-45C1-912A-ADEF2E0DB0DC}
20. SHARP (SHARP) {20608864-E5CF-4FE3-8B6D-AE2FEE086503}
21. SHOOTING (SHOOTING) {73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}
22. SQUEEZING (SQUEEZING) {A148587A-1B99-4D0D-B11E-87ADC3D2A811}
23. STABBING (STABBING) {684640D5-B3AB-47DA-98D8-5434ABF22B7E}
24. STINGING (STINGING) {DF235170-F501-4E8D-89DD-5A3C76F4B13B}
25. TENDER (TENDER) {30486CC7-3097-4F95-9238-FD6C2126CD10}
26. THROBBING (THROBBING) {3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}
27. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
28. UNBEARABLE (UNBEARABLE) {96611993-45F3-4D1D-BF7F-5E5C46E5569E}

UNITS:

-----

=====

TERM: PAIN DURATION

Page: 486

ID: {DF714694-E547-4D39-9355-ADF3B419F9CD}

=====

Abbreviation..... PAIN DURAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pain Duration

Display Name..... Pain Duration

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
1. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}
  2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}

UNITS:

-----

ID: {709DFACE-B211-4160-B291-359777ED8D0F}

=====

Abbreviation..... PAIN GOAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pain Goal  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 11 entries

- 
- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
  - 2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
  - 3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
  - 4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
  - 5. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
  - 6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
  - 7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
  - 8. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
  - 9. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
  - 10. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}



11. 10 (10)

{0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

-----

=====

TERM: PAIN LEVEL

Page: 488

ID: {47A83DEA-BA95-38AD-DF2E-1F209122E684}

=====

Abbreviation..... PAIN LEVEL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Standard pain scale

Display Name..... Pain Level

Help Text..... Enter 0-10, 99 or Unable to respond

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid..... 4500635

DATA VALUE:

12 entries

-----

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 1 (1)	{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
3. 2 (2)	{38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 (4)	{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
6. 5 (5)	{188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6)	{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 (7)	{7A010324-D2C2-5D4B-848A-7B8878666D20}
9. 8 (8)	{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
10. 9 (9)	{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

- 11. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}
- 12. 99 (99) {B013C05B-1AF0-1547-4F03-378883F887C5}

LOCATION: 58 entries

-----

- 1. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
- 2. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
- 3. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
- 4. STOMACH (STOMACH) {613C20B9-CC9C-4F5D-B5B1-69B66A663540}
- 5. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
- 6. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}
- 7. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
- 8. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
- 9. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
- 10. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
- 11. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
- 12. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
- 13. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}
- 14. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
- 15. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}
- 16. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
- 17. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
- 18. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
- 19. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
- 20. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
- 21. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
- 22. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
- 23. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

24. GASTROINTESTINAL (GI) {C27C66DB-3A6A-487E-9981-FA7FD323C0C3}
25. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
26. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
27. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
28. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
29. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
30. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
31. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
32. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
33. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
34. BLADDER (BLADDER) {18E083F2-C4BB-407E-B0A3-20C4942FC97F}
35. L JAW (L JAW) {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}
36. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}
37. TOOTH (TOOTH) {8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}
38. TEETH (TEETH) {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}
39. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}
40. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}
41. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
42. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}
43. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACAO}
44. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
45. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
46. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
47. INCISIONAL SITE (INCISION SI)  
{EB36A66D-751D-4031-9F68-0BB03E267321}
48. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
49. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
50. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

- 51. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
- 52. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 53. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
- 54. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
- 55. SUBSTERNAL (SUBSTERN) {3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}
- 56. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
- 57. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
- 58. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

-----

ID: {F875330C-D06C-41A7-877F-FBF07596EFF6}

=====

Abbreviation..... PAI NONVER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Non-Verbal Cues  
Display Name..... Pain Non-Verbal Cues  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. CRYING (CRYING) {D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}
  2. GRIMACING (GRIMACING) {69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}
  3. MOANING (MOANING) {A71E3515-AA20-4B0E-9CB8-1612F76BA406}
  4. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
  5. SPLINTING (SPLINTING) {D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}
  6. GUARDING (GUARDING) {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}
  7. PAINFUL EXPRESSION (PAINFUL EX)  
{608554F9-29F9-4B27-BE63-486AF81810BD}
  8. IRRITABLE (Irritable) {10651C11-2736-4056-BA84-E544358BA877}
  9. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}

10. NO SIGNS AND SYMPTOMS (NO SIG&SYM)

{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}

UNITS:

-----

ID: {325DB732-E996-4DF5-9F5F-EF3B55D80935}

=====

Abbreviation..... PN FACT IN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Relieving Factor Intervention  
Display Name..... Pain Relieving Factor Intervention  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 9 entries

- 
1. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
  2. HEAT (HEAT) {E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}
  3. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
  4. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
  5. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}
  6. REFUSE MEDICATION (REFUSE MED)  
{17D6956B-4CF6-492C-B113-B5A93D9E215E}
  7. REQUEST FOR MORE MEDICATION (REQ MOR ME)  
{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}
  8. PRE-MEDICATED FOR ACTIVITY (PRE-MED AC)



{D6DA772A-FA22-4170-B928-855A2F68711F}

9. PHYSICIAN NOTIFIED (PHYS NOTIF)

{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}

UNITS:

-----

ID: {6DF1DD0D-C735-4D34-ABF6-A274621EC177}

=====

Abbreviation..... PAINAD BL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PAINAD Body Language

Help Text..... Pain Assessment in Advanced Dementia

(PAINAD)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

- 
1. PAINAD BL 0 (PAINAD BL0) {C77929DB-A59A-4A24-B57B-BF111770C2AB}
  2. PAINAD BL 1 (PAINAD BL1) {CC1E1516-086D-4B79-8264-0C3BD67D8552}
  3. PAINAD BL 2 (PAINAD BL2) {34C3E304-DF66-40A7-906F-22AEA3F76FAD}

UNITS:

-----

=====

TERM: PAINAD BREATHING

Page: 492

ID: {EBF3C2FD-5906-4FC8-8E75-CF998FA797C3}

=====

Abbreviation..... PAINAD BR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PAINAD Breathing  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. PAINAD BR 0 (PAINAD B0) {58E71B2E-F5C3-419F-8B71-A9FD701E0202}
  2. PAINAD BR 1 (PAINAD BR1) {727D1B04-A702-4806-857B-78BCBACB0FE1}
  3. PAINAD BR 2 (PAINAD BR2) {37978012-ADAC-416C-8920-48CDAAA5D59D}

UNITS:

-----

ID: {869E7E2E-04C5-46A5-8811-C7F94E066A2C}

=====

Abbreviation..... PAINAD CO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PAINAD Consolability  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
- 1. PAINAD CO 0 (PAINAD CO0) {06A89B55-5822-42F7-A689-DBD91B62979F}
  - 2. PAINAD CO 1 (PAINAD CO1) {8E5DDDB47-1955-40AD-A008-A9CE4646A707}
  - 3. PAINAD CO 2 (PAINAD CO2) {1DFFB735-6272-4B60-8F42-CCCAA701C7A7}

UNITS:

-----

=====

TERM: PAINAD FACIAL EXPRESSION

Page: 494

ID: {CB17C4F3-2E4B-4355-9E63-DE165CE47A25}

=====

Abbreviation..... PAINAD FE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pain Assessment in Advanced Dementia  
(PAINAD)

Display Name..... Painad Facial Expression

Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

- 
1. PAINAD FE 0 (PAINAD FE0) {B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}
  2. PAINAD FE 1 (PAINAD FE1) {66C01EE9-8F36-40B5-AED2-DBC2E94F860D}
  3. PAINAD FE 2 (PAINAD FE2) {35688D06-94F2-4B36-8940-529803D4BC43}

UNITS:

-----

ID: {815392EF-49E0-48D9-BCC0-39FD3333B255}

=====

Abbreviation..... PAINAD NV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Display Name..... PAINAD Negative Vocalization  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. PAINAD NV 0 (PAINAD NV0) {63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}
  2. PAINAD NV 1 (PAINAD NV1) {D517E6C9-9D98-4D0F-A8F4-261BED4812D1}
  3. PAINAD NV 2 (PAINAD NV2) {3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}

UNITS:  
-----

=====

TERM: PAINAD TOTAL

Page: 496

ID: {4E35BBC8-DD3C-4EEA-A0BD-DADBD1252F28}

=====

Abbreviation..... PAINAD TO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PAINAD Total Score

Help Text..... Pain Assessment in Advanced Dementia

(PAINAD)

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

PAINAD SCALE

0 > 1 \* 10 < 11

Dec Prec: 0

=====

TERM: PATIENT ABLE TO RESPOND

Page: 497

ID: {08A622B7-3939-427E-A532-7F12F8790EF7}

=====

Abbreviation..... PAT RESPON

Active..... Yes

Boolean Value False..... Unable to respond

Boolean Value True..... Able to repond

Data Type..... Boolean

Description..... No Description

Display Name..... Patient Able To Respond

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



=====

TERM: PATIENT EDUCATION PROVIDED PRIOR TO SEDATION

Page: 498

ID: {59683A04-FA78-40FA-8DDF-A728BA34C72D}

=====

Abbreviation..... Pat Ed Pro

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Patient Education Provided Prior to  
Sedation

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {3705805D-6ABB-412B-8DF2-648E634237F9}

=====

Abbreviation..... PCA BOL DO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Clinical Bolus Dose  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

MICROGRAMS            -1.00 > 0.00 \* 1000000.00 < 1001000.00

Dec Prec: 2

MILLIGRAMS           -1.00 > 0.00 \* 1000.00 < 1001.00

Dec Prec: 2

=====

TERM: PCA - CONTINUOUS MCG/HR (BASAL)

Page: 500

ID: {3E22F87D-E696-4401-90D0-2BE623E75DE9}

=====

Abbreviation..... PCA - MCG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Continuous mcg/hr (Basal)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MICROGRAMS PER HOUR      0.0 > 6.2 \* 100.0 < 300.0 Dec Prec: 1

=====

TERM: PCA - CONTINUOUS MG/HR (BASAL)

Page: 501

ID: {39A3FFFD-8AB1-4691-A5CE-7FD268F6F5CB}

=====

Abbreviation..... PCA - MG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Continuous mg/hr (Basal)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIGRAMS PER HOUR      0.0 > 0.1 \* 8.0 < 20.0      Dec Prec: 1

ID: {48E49A30-E83F-4A5B-A1EA-C58D92D08288}

=====

Abbreviation..... PCA DEM DO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA Demand Dose - Do Not Check Total  
or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MICROGRAMS            -1.00 > 0.00 \* 1000000.00 < 1001000.00

Dec Prec: 2

MILLIGRAMS           -1.00 > 0.00 \* 1000.00 < 1001.00

Dec Prec: 2

ID: {BBD517C0-EDFE-452C-9B2C-5B21400E173A}

=====

Abbreviation..... PCA DAG DE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Dosage Delivered  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

MICROGRAMS            -0.01 > 0.00 \* 8000000.00 < 8001000.00

Dec Prec: 2

MILLIGRAMS           -1.00 > 0.00 \* 8000.00 < 8001.00

Dec Prec: 2

=====

TERM: PCA - DOSES DELIVERED

Page: 504

ID: {2F9D23F2-B385-4028-A2F5-F33B83A2D137}

=====

Abbreviation..... PCA DO DEL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Doses Delivered

Help Text..... Number of times patient received  
analgesia

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

EVENT(S)            -1 > 0 \* 1000 < 1001    Dec Prec: 0

ID: {7071DC06-8738-481F-A471-EE7112BB8F10}

=====

Abbreviation..... Lev of Con  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PCA - Level of Consciousness  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
  2. AWAKE (Awake) {D71412D4-5782-46BA-AE6C-24EDC586AE55}
  3. APPEARS ASLEEP (Asleep) {245A1E78-B5E0-4440-963C-A6ABB416D9B9}
  4. EASY TO AROUSE (Easy to Ar)  
{19BB5A04-F979-449C-AA93-D5A21BD368F6}
  5. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}
  6. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
  7. STUPOROUS (Stuporous) {4C25FF58-3346-4B06-ACE5-6ADB942877A8}
  8. DIFFICULT TO AROUSE (Diff to Ar)  
{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}



9. UNABLE TO AROUSE (Un to Ar)

{05B32DD9-E634-4B60-A58B-2E915EA2834D}

UNITS:

-----

ID: {854503A0-5C4C-4DBE-B137-A9BE68871874}

=====

Abbreviation..... PCA LIM DO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Limit Dose - Do Not Check Total  
or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MICROGRAMS            -1.00 > 0.00 \* 8000000.00 < 8001000.00

Dec Prec: 2

MILLIGRAMS           -1.00 > 0.00 \* 8000.00 < 8001.00

Dec Prec: 2

ID: {A21D84E2-41B3-46E5-929A-71C24C575163}

=====

Abbreviation..... PCA LIM TI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PCA - Limit Time

Help Text..... Once the max is reached the pt will  
not be able to get any futher demand  
doses until the appropriate time has  
passed

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 5 entries

-----

1. 1 HOUR (1 HOUR)	{319BA174-1624-483C-B666-4998127B0800}
2. 4 HOUR (4 HOUR)	{91B2A49D-0308-47C9-B220-63A0E318A201}
3. 6 HOUR (6 HOUR)	{0D1F000A-01F0-422C-9CB8-2A04CD479444}
4. 8 HOUR (8 HOUR)	{05E46D8F-C165-4552-8063-B735DECD4AF3}
5. NONE (NONE)	{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

UNITS:

-----

ID: {B84F9A0A-4353-4480-9DCB-F44437E41F49}

=====

Abbreviation..... PCA LINE C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA Line Care  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----

1. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}
2. CENTRAL VENOUS CATHETER (CENT VEN C)  
{EE91E841-C09B-4432-A121-8EBAB92E9CD2}
3. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
4. DRESSING CHANGED (DRESS CHAN)  
{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
6. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
7. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}
8. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}

9. SYRINGE CHANGED (SYR CHANGE)

{BE84F060-7E03-49DD-A6BC-787375C8E1F1}

10. TUBING CHANGED/LABELED (TUBE CHANG)

{19BA337C-6E28-411E-9702-48B262C593FA}

UNITS:

-----

ID: {845BF472-0D5F-4B42-964D-8D8DBAD4B1D1}

=====

Abbreviation..... PCA LOCK

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA Lock Out - Do Not Check Total or  
Subtotals

Help Text..... If the patient pushes the button to  
get a dose of medication, a dose will  
not be delivered unless the the last  
dose has exceeded the lock out

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----  
MINUTE                    -1 > 0 \* 1440 < 1441      Dec Prec: 0

---

---

TERM: PCA - MODE

Page: 510

ID: {7CAE5B29-5855-4E16-85DF-4886AF9A75E6}

---

---

Abbreviation..... PCA MODE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA Mode  
Help Text..... Patient Controlled Analgesia Mode  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

---

1. BASAL RATE ONLY (BASAL ONL)

{4BFFF2BC-837C-4D62-B811-0E547247D4D0}

2. PCA AND BASAL RATE (PCA/BASAL)

{D711BB51-0662-4DD0-8654-C737F6A6686A}

3. PCA ONLY (PCA ONLY) {30E0441A-1098-4FE9-B277-BF2BBD6B1667}

UNITS:

---



=====

TERM: PCA - PUMP CLEARED

Page: 511

ID: {9CD3B8C5-40C0-4EA4-8325-0B4399A91F53}

=====

Abbreviation..... PCA PUMP C

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... PCA - Pump Cleared

Help Text..... PCA Pump Usage History Cleared

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. YES (y)                    {483DE806-2EDB-34B0-FE11-C29EEEE649CD}

2. NO (n)                    {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

-----

ID: {851F9560-C9AB-4F6C-AB24-283F64B5943A}

=====

Abbreviation..... PCA REQUES

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Requests

Help Text..... Number of times patient requested  
analgesia

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

EVENT(S)            -1 > 0 \* 1000 < 1001    Dec Prec: 0

ID: {86D637CB-00FC-4F7D-B504-0124FCB7C1A8}

=====

Abbreviation..... PCA: Side  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PCA - Side Effects  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----

1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
3. URINARY RETENTION (Urinary Re)  
{959EBBDC-7F67-42EC-8CF0-295F709BB433}
4. WEAKNESS (Weakness) {E4C6D569-7961-4CB4-8E90-A02A31F98094}
5. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
6. ITCHING (Itching) {3A1FB47B-F274-458D-BDF6-E6882D6CB600}
7. TINNITUS (Tinnitus) {846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}
8. CONFUSION (Confusion) {4C1B8247-75C4-4C60-970B-3D7F07BD1164}
9. SOMNOLENT (Somnolent) {008A3F20-DD3D-4775-AA18-CCA7B817A77D}

10. RESPIRATORY DEPRESSION (Resp Depr)

{A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}

UNITS:

-----

ID: {C18B5B5C-B1D5-440C-964B-FD7651AF2F32}

=====

Abbreviation..... Tot 24 hr

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Total Dose 24 hr

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MICROGRAMS            -1.00 > -1.00 \* 9999.00 < 9999.00

Dec Prec: 2

MILLIGRAMS           -1.00 > -1.00 \* 9999.00 < 9999.00

Dec Prec: 2

=====

TERM: PCA - TOTAL DOSE WASTED

Page: 515

ID: {1FFE57C3-3A9F-4281-B949-8AABC67CBB99}

=====

Abbreviation..... Wasted

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... PCA - Total Dose Wasted

Help Text..... Enter a PCA Total Dose Wasted

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITER                    0.00 > 0.00 \* 1000.00 < 1000.00

Dec Prec: 2

=====

TERM: PCA - TOTAL MCG PER SHIFT

Page: 516

ID: {5EEA95D7-D6D8-4FA4-AD1F-C40303A145A5}

=====

Abbreviation..... PCA mcg sh

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Micrograms per Shift

Display Name..... PCA - Total mcg Per Shift

Help Text..... Micrograms per Shift

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MICROGRAMS PER SHIFT      0.0 > 0.0 \* 800.0 < 5000.0

Dec Prec: 1

=====

TERM: PCA - TOTAL MG PER SHIFT

Page: 517

ID: {58CCC88B-404B-4D47-A131-472950622B2B}

=====

Abbreviation..... PCA mg shf  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Milligrams per Shift  
Display Name..... PCA - Total mg Per Shift  
Help Text..... Milligrams per Shift  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----

MILLIGRAMS PER SHIFT      0.0 > 0.0 \* 64.0 < 300.0    Dec Prec: 1



ID: {7A6CB341-8E80-4F5C-B399-857409777BB1}

=====

Abbreviation..... PCA VOL RE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Volume Remaining - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLILITER                    -1.00 > 0.00 \* 8000.00 < 8001.00

Dec Prec: 2

=====

TERM: PCA - VOLUME START - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 519

ID: {B5644934-F363-4BE1-BC2D-473BDECBA9AC}

=====

Abbreviation..... PCA VOL ST

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... PCA - Volume Start - Do Not Check

Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLILITER

-1.00 > 0.00 \* 8000.00 < 8001.00

Dec Prec: 2

ID: {05BD86DC-10C3-C4EB-1359-C2406381F357}

=====

Abbreviation..... PK INSP PR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Peak Inspiratory Pressure - Do Not  
Check Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O 0 > 5 \* 100 < 200 Dec Prec: 0

=====

TERM: PLAN OF CARE - REVISION INDICATED

Page: 521

ID: {DE8BBB70-21B4-4955-BEC4-C1E71BBA3E31}

=====

Abbreviation..... POC REV I  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Plan Of Care Revision Indicated  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: PLANTAR FLEXION

Page: 522

ID: {4BBDBB76-053B-CA20-908E-017F5956DF5E}

=====

Abbreviation..... PLANFL  
Active..... Yes  
Boolean Value False..... Absent  
Boolean Value True..... Present  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Plantar Flexion  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {3657545A-7138-94C0-03A5-3136C51B0369}

=====

Abbreviation..... PR INTERVA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The PR interval is measured from the  
beginning of the P wave to the  
beginning of the QRS complex

Display Name..... PRI

Help Text..... The PR interval is measured from the  
beginning of the P wave to the  
beginning of the QRS complex

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

SECOND                    0.00 > 0.12 \* 0.20 < 1.00 Dec Prec: 2

=====

TERM: PREPROCEDURE: 12 LEAD EKG DONE?

Page: 524

ID: {98DB7D48-ED01-4F73-BD71-82C62F0EBBD2}

=====

Abbreviation..... Pre-Prc 12

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: 12 lead EKG done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

ID: {DD181761-D7C1-42B3-A954-801FA62163CA}

=====

Abbreviation..... Pre-Allerg

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Allergies Reassessed  
and Documented

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

1. PATIENT STATED (Pat Stated)

{843654E1-4BC9-4277-9EFC-0B388A70A907}

2. FAMILY STATED (Fam Stated)

{07A4B749-65F2-48E8-AD93-D142B04055B4}

3. CHART VERIFIED CORRECT (Chart Ver)

{319E702F-C7A9-409D-881F-3F4D1D9AF393}

4. ALLERGY WRISTBAND (Wristband)

{BB7F6746-102D-4CBA-8E53-EA465176812B}



UNITS:

-----

=====

TERM: PREPROCEDURE: ANTIBIOTIC GIVEN?

Page: 526

ID: {07D521A2-01EA-404F-96C9-40EBE772E514}

=====

Abbreviation..... Pre-Prc Gv

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Antibiotic given?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: ANTIBIOTIC ORDERED?

Page: 527

ID: {5FBF230D-E096-4980-B96D-B7BB264AE733}

=====

Abbreviation..... Pre-Prc An

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Antibiotic ordered?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

ID: {9A3B98C0-9478-4BFA-9274-450D8DF363DC}

=====

Abbreviation..... Pre-Prc BI

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Blood Transfusion  
consent current?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {42BD0D96-88A9-44CB-94D7-BF43A7F86946}

=====

Abbreviation..... Tran Pref  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Blood Transfusion  
Preference?  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 10. NO PREFERENCE (No Pref) {CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}
  - 20. AUTOLOGOUS (Autologous) {666DDEC1-5D32-47F6-813C-09F50B4040D2}
  - 30. KNOWN DONOR (Known) {74BEA6F1-8FA5-49C7-9198-957838B1C971}
  - 40. DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (Declines)  
{6956B7C1-5996-4ED0-91B7-040992E11DED}

UNITS:

-----

=====

TERM: PREPROCEDURE: CHEST XRAY DONE?

Page: 530

ID: {37CC251D-A494-4E4C-AECA-D90C4AEAEF4F}

=====

Abbreviation..... Pre-Prc Xr

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Chest Xray done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: DENTURES REMOVED?

Page: 531

ID: {BA505699-D88A-41FB-AAC7-DCBE13D35D0C}

=====

Abbreviation..... Pre-Dentur

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Dentures removed?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

ID: {607C2938-639D-417D-9CFE-6FC1A6CEDB7F}

=====

Abbreviation..... Clothing

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Disposition of Clothing

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE:

7 entries

-----

1. CLOTHING ROOM (Cloth Room)

{8F116C60-10B1-4033-93F2-9121629CD608}

2. LOCKER (Locker) {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

3. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}

4. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

5. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}

6. UNDER STRETCHER/BED (Stretcher)

{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}

7. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}



UNITS:

-----

ID: {7AD9207F-B87B-445D-A567-D229DBF475E0}

=====

Abbreviation..... Pre-Val

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Disposition of Valuables

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

8 entries

-----

1. CLOTHING ROOM (Cloth Room)

{8F116C60-10B1-4033-93F2-9121629CD608}

2. AGENT CASHIER (Cashier) {3849A887-F353-4215-88FD-DDD0188BE1BB}

3. LOCKER (Locker) {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

4. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}

5. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

6. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}

7. LOCK BOX (Lock Box) {974A2F44-C918-4E85-ABAF-03A21498F98B}

8. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

-----

ID: {C68E61EA-C493-41D2-A558-95ED48B2C353}

=====

Abbreviation..... Pre-driver

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Driver/Escort to Home  
Confirmed

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

- 
- 1. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}
  - 2. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
  - 3. RELATIVE (Relative) {F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}
  - 4. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}

UNITS:

-----

=====

TERM: PREPROCEDURE: FINGERSTICK GLUCOSE DONE?

Page: 535

ID: {98B3541C-372E-4876-ABD2-74E04AF23DF0}

=====

Abbreviation..... Pre-Finger

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Fingerstick Glucose done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: GLASSES / CONTACTS REMOVED?

Page: 536

ID: {FBE31829-FEFC-4C11-8D62-EDCF94EA28EF}

=====

Abbreviation..... Pre-Glass

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Glasses / Contacts  
removed?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: H AND P CURRENT?

Page: 537

ID: {CF191D5F-A3FF-4169-8A47-1C799BA22C48}

=====

Abbreviation..... Pre-Prc HP

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: H and P current?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: HEARING AIDS IN PLACE?

Page: 538

ID: {173DAC5E-4332-4D0B-A232-98DA65305234}

=====

Abbreviation..... Pre-Hear

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Hearing Aids in place?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----



ID: {9700CD4B-2EB1-4205-B88E-405A1F77A025}

=====

Abbreviation..... Home Meds

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Preprocedure: Home Medications  
taken/time

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: HOSPITAL GOWN ON?

Page: 540

ID: {62B89BA3-009B-4A2A-A6E4-E82B527FBC40}

=====

Abbreviation..... Pre-Gown

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Hospital Gown on?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: INFORMED CONSENT CURRENT

Page: 541

ID: {068445ED-622A-4549-842D-0D88922EF8CE}

=====

Abbreviation..... Pre-Prc In

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Informed Consent current?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: JEWELRY REMOVED?

Page: 542

ID: {8220E017-8816-452A-B2E1-07209A167781}

=====

Abbreviation..... Pre-Jewel

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Jewelry Removed?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: LABS DONE?

Page: 543

ID: {88D2EB1F-C5E5-4190-A697-17C1E078A12B}

=====

Abbreviation..... Pre-Prc La

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Labs Done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: NPO SINCE (DATE/TIME)

Page: 544

ID: {64F57F8D-DDB7-4CB7-9C71-F9C6C334F717}

=====

Abbreviation..... Pre-NPO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Preprocedure: NPO Since (Date/Time)

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: PLANNED PROCEDURE

Page: 545

ID: {696F0ABC-ADA5-4BDF-8EE6-CF9FCA84581C}

=====

Abbreviation..... Pre-Prc PI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Preprocedure: Planned Procedure

Help Text..... Enter name of procedure to be performed

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: PREMEDICATION ADMINISTERED?

Page: 546

ID: {05DCC583-7E1E-4D21-AED5-726A507C2A07}

=====

Abbreviation..... Pre-Admin

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Premedication

Administered?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----



=====

TERM: PREPROCEDURE: PREMEDICATION ORDERED?

Page: 547

ID: {13AD97AD-C093-4341-BC4E-834A5B016727}

=====

Abbreviation..... Pre-Meds

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Premedication ordered?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

ID: {A9CAE001-E29B-42AB-B353-63E255803169}

=====

Abbreviation..... Site Marke

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Preprocedure: Procedure Site Marked  
Correctly

Help Text.....

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

3. SITE UNABLE TO BE MARKED (Unable/Mar)  
{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}

4. PATIENT REFUSES MARKING (Pat Refuse)  
{93CE893B-AFE1-4047-9EE9-2AD6388C0086}

UNITS:

-----

=====

TERM: PREPROCEDURE: PROSTHETICS/IMPLANTS?

Page: 549

ID: {3D026E62-A5F3-4F9E-93D9-401B23EF32FB}

=====

Abbreviation..... Pre-Pros

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Prosthetics/Implants?

Help Text..... This can be used for identifying  
implants the patient possess and the  
information captured from patient,  
family or other source

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: TYPE AND CROSS MATCH DONE?

Page: 550

ID: {6CC89C30-4F13-4ECA-9D80-2A80BEB13120}

=====

Abbreviation..... Pre-Prc Cr

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Type and Cross Match  
done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: TYPE AND SCREEN DONE?

Page: 551

ID: {801BD31C-760C-41DD-BE7B-F55B5C7018AD}

=====

Abbreviation..... Pre-Prc TS

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Type and Screen done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: VITALS SIGNS DONE?

Page: 552

ID: {749E6863-8E6B-43F2-A521-84959FF0260B}

=====

Abbreviation..... Pre-Vitals

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Preprocedure: Vitals Signs done?

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PREPROCEDURE: VOIDED?

Page: 553

ID: {F35A4852-958D-4F51-A36F-1730EC7629E3}

=====

Abbreviation..... Pre-Voided  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Voided?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

UNITS:

-----



ID: {CC98B260-63A7-43DF-956C-AFE2EE8974D4}

=====

Abbreviation..... PR UL COLO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Color  
Display Name..... Pressure Ulcer Color  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----

2. BLACK/NECROTIC (BLACK/NECR)

{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}

3. YELLOW/FIBRINOUS (YELLOW/FIB)

{47CF52FE-0374-4690-ADA1-643E0954E035}

40. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

50. PINK / GRANULATING (Pink/Gran)

{05245B27-3292-48B2-9F37-6AB9BB92395B}

60. SLOUGH (SLOUGH) {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}

70. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

-----

=====

TERM: PRESSURE ULCER DEPTH

Page: 555

ID: {A829C7B5-B0E5-4B7B-882A-BA63337C65F8}

=====

Abbreviation..... PR UL DEPT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Ulcer Depth

Display Name..... Pressure Ulcer Depth

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETER

-1.00 > 0.00 \* 20.00 < 40.00

Dec Prec: 2

ID: {A1A771D4-AF2C-4023-9265-461975D995CF}

=====

Abbreviation..... PR UL DRAI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Drainage Character  
Display Name..... Pressure Ulcer Drainage  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 8 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
  3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
  4. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
  5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
  6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
  8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}

UNITS:

-----

ID: {856A2512-422F-479E-A0D3-A9CF12923016}

=====

Abbreviation..... PR UL D P

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Pressure Ulcer Dressing Prevents  
Assessment

Display Name..... Pressure Ulcer Dressing Prevents  
Assessment

Help Text..... Does the pressure ulcer dressing  
prevent a full assessment?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:  
-----

=====

TERM: PRESSURE ULCER LENGTH

Page: 558

ID: {B31F418F-99E1-4273-BB5B-3C56745B38C5}

=====

Abbreviation..... PR UL LENG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Ulcer Length

Display Name..... Pressure Ulcer Length

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETER                    -1.00 > 0.00 \* 50.00 < 100.00

Dec Prec: 2

=====

TERM: PRESSURE ULCER ODOR

Page: 559

ID: {48FE49CA-D1FE-4812-ACB2-D4540B0EC2B9}

=====

Abbreviation..... PR UL ODOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Odor

Display Name..... Pressure Ulcer Odor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. FOUL SMELLING (FOUL SMELL)

{761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:

-----



=====

TERM: PRESSURE ULCER PHOTOGRAPHED

Page: 560

ID: {453C53C4-516D-4FE6-9032-496517880D3F}

=====

Abbreviation..... PR UL PHOT

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the pressure ulcer photographed?

Display Name..... Pressure Ulcer Photographed

Help Text..... Was the pressure ulcer photographed?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {4C16776B-B53E-441C-AA73-BA1083D9F626}

=====

Abbreviation..... PR ULC BOO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Pressure Ulcer Prevention Boots

Display Name..... Pressure Ulcer Prevention Devices

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 9 entries

-----

1. ELBOW PAD (ELBOW PAD) {26942F81-1E33-4962-B772-A96FFBCED814}

2. FOAM AIR HEEL ELEVATOR (FO AI HEEL)

{4EC26AA3-4577-4808-8728-F360C5C5A0D4}

3. HEEL LIFT (HEEL LIFT) {974F90E6-382D-421A-A4CE-94A74CBEFC32}

5. INFLATABLE HEEL LIFT (INF HEEL L)

{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}

6. RIGID HEEL SPLINT (RIG HEEL S)

{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}

7. MULTIPODOUS (MULTIPODOU) {ED098F9D-B204-4310-813A-98D91FF9DD25}

8. WAFFLE (WAFFLE) {29A0FA73-CAA7-4660-9861-79A09F6DD98C}

90. SPECIALTY MATTRESS/BED (Specialty)

{6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}

100. OTHER (ADD COMMENTS) (Other)

{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}

UNITS:

-----

ID: {A6658726-4361-4B3C-932D-AF2C0F9D6E54}

=====

Abbreviation..... PRE ULC RF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pressure Ulcer Risk Factors  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. BARIATRIC PATIENT (BARIAC PAT)  
{6F614334-685E-4533-A475-BDF5440855EA}
  3. DEVICE RELATED PRESSURE (DEV REL PR)  
{3AED6107-A173-4B53-8EB5-2FB2B3336FC5}
  4. END OF LIFE CARE (END LIFE)  
{047D8977-0567-4B90-AD6A-3AAF8DB35238}
  5. HYPOALBUMINEMIA (HYPOALBUM)  
{A3397F38-2491-48E7-8366-A6FA2D91E866}
  6. VASOPRESSOR (VASOPRESS) {591FCB09-1287-48C6-8007-4CE961296BA9}

7. REFUSE TO MOVE (REF TO MOV)

{E14588CE-2498-4FE8-AB0B-E954DC1696AC}

8. UNSTABLE (UNSTABLE) {5841C521-8070-4034-A69D-27DAB2990EB3}

9. VERY LOW BMI (LOW BMI) {78B3A37B-938B-42E5-A403-75E206722BC3}

UNITS:

-----

=====

TERM: PRESSURE ULCER SINUS/UNDERMINING

Page: 563

ID: {CAE9260D-3B9E-433E-8FCD-F5D98A0EB02D}

=====

Abbreviation..... PR UL SINU

Active..... Yes

Boolean Value False..... Not Present

Boolean Value True..... Present

Data Type..... Boolean

Description..... Pressure Ulcer Sinus/Undermining

Display Name..... Pressure Ulcer Sinus/Undermining

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {4DA7EC17-AF79-4FCC-A75F-F1CEB4FE1172}

=====

Abbreviation..... PR UL STAG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Stage  
Display Name..... Pressure Ulcer Stage  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 6 entries

-----

7. SUSPECTED DEEP TISSUE INJURY (SUS DEEP T)

{E82B4082-646F-4B5A-B68E-BB0872A4F6D2}

8. STAGE I (STAGE I) {B376AAAF-7143-4422-BCA2-CACF1201817C}

9. STAGE II (STAGE II) {B520BEA3-841E-490A-A3CD-63D1027B561F}

10. STAGE III (STAGE III) {A2F0866C-ECEE-4FCD-A34B-498232662D7E}

11. STAGE IV (STAGE IV) {284334AA-E488-4D45-93EF-9B93B2086A63}

12. UNSTAGEABLE (UNSTAGEABL) {5C507F64-2EC0-4FD8-A786-94D76D90C0D1}

LOCATION: 51 entries

-----

1. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
2. HEAD OCCIPITAL (HEAD OCCIP)  
{2066CA47-5A16-447F-9919-24ED435B627F}
3. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
4. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
5. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
6. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
7. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
8. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
9. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
10. L HEAD (L HEAD) {3737DC2D-DC9E-4FC8-839D-0355987B62D1}
11. L HEEL (L HEEL) {C9154881-17C7-4921-A0EE-BFB962C59CEF}
12. L INNER KNEE (L INN KNEE) {79853581-CCF0-49E9-9D91-D16DE02A836D}
13. L ISCHIAL (L ISCHIAL) {DCDAD741-9599-4479-9D55-3279F800DBE6}
14. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
15. L OUTER KNEE (L OUT KNEE) {B143C935-2687-49C3-9F65-8D69C1775ABC}
16. L RIBS (L RIBS) {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}
17. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
18. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
19. L TROCHANTER (L TROCHANT) {C91647A4-255D-40E4-A24D-01274E5D799F}
20. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
21. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
22. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
23. R ANTECUBITAL (R ANTECUBI)  
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
24. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
25. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}



26. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
27. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
28. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
29. R HEAD (R HEAD) {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}
30. R HEEL (R HEEL) {0020DD20-2EA4-4362-ADF0-07BFA220C60E}
31. R INNER KNEE (R INN KNEE) {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}
32. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}
33. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
34. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}
35. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}
36. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
37. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
38. R TROCHANTER (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}
39. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
40. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}
41. FOREHEAD (FOREHEAD) {5F892722-956E-474C-BA08-4074142D49F6}
42. L LATERAL HEEL (L LAT HEEL)  
{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}
43. R LATERAL HEEL (R LAT HEEL)  
{A1896CF9-0246-4323-8DED-E4B5FB12CACE}
44. L MEDIAL HEEL (L MED HEEL)  
{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}
45. R MEDIAL HEEL (R MED HEEL)  
{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}
46. L LATERAL MALLEOLUS (L LAT MALL)  
{9A523B7C-64DD-4E47-9543-165788108D4C}
47. R LATERAL MALLEOLUS (R LAT MALL)  
{950FC45B-93E8-424F-A5D4-DE646166D7B0}

48. L MEDIAL MALLEOLUS (L MED MALL)

{330E7682-407F-43CD-84FC-1CDA41F08C68}

49. R MEDIAL MALLEOLUS (R MED MALL)

{C70FB4FA-6516-4567-8E26-46BA439F1DF4}

50. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

51. TRACHEOSTOMY (TRACHEOSTO) {4D12329A-56C8-4175-986F-2F0B68EB7E6D}

UNITS:

-----

ID: {669EE6DD-D4AA-417C-BB27-81F648BE25F3}

=====

Abbreviation..... PR UL TREA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Methods used for treatment of  
Pressure Ulcer

Display Name..... Pressure Ulcer Treatment

Help Text..... Methods used for treatment of  
Pressure Ulcer

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 25 entries

-----

1. ANTIBIOTIC OINTMENT (AB OINTMEN)

{352D9690-77BB-44DC-919E-5357876DEAC4}

2. BACTERICIDAL (BACTERIOCI) {680E4A3C-A40A-461E-818D-003AE8A1EFC8}

3. BACTERIOSTATIC (BACTERIOST)

{AB74D109-8ED7-4A6C-B028-7A041781DF67}

4. CADEXOMER IODINE (CADEXO IOD)

{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}

5. CALCIUM ALGINATE (CA ALGINAT)

{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

6. COLLAGEN (COLLAGEN) {8D734495-2FAF-41C0-9146-55B22583A830}

7. DILUTE DAKINS SOLUTION (DL DAKINS)

{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}

8. ENZYMATIC OINTMENT (ENZY OINTM)

{E781DA75-8777-4884-A093-FB623774DB8F}

9. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}

10. GAUZE PACKING (GAUZE PACK)

{6C093717-82CB-4966-929E-C909310649C1}

11. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}

12. HYDROCOLLOIDAL DRESSING (HCOLL DRES)

{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

13. HYDROFIBER (H-FIBER) {42740A7F-A831-4FBD-9E59-88F315176674}

14. HYDROFIBER WITH SILVER (HYFIB W SI)

{04BD9512-DE5D-421A-9818-8A33D1F0693D}

15. HYDROGEL DRESSING (H-GEL DRES)

{F6192D10-D6EA-42C2-AB15-270659D9925C}

16. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}

17. NEGATIVE PRESSURE THERAPY DEVICE (NEG PRE TH)

{8AF0A069-66AD-4114-99D8-238AD987F0FF}

18. SALINE MOIST DRESSING (SAL MOI DR)

{19F98514-8ABF-461C-9969-C31177FE7DE7}

19. TRANSPARENT DRESSING (TRANSP DRE)

{777C7722-AEA8-4A0B-9ADD-1157D37AE539}

20. PETROLATUM (PETROLATUM) {DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}

21. PORCINE SUBMUCOSA (PORC SUBMU)

{6F3917DA-74BD-4790-9D4D-B284E27B7623}

22. SILVADENE (SILVADENE) {0889134F-C419-4366-B12E-EAB775719410}

- 23. XENADERM (XENADERM) {F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}
- 24. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}
- 30. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

=====

TERM: PRESSURE ULCER TUNNEL

Page: 566

ID: {584775CB-EB35-47BB-A7D4-62966A23D0DF}

=====

Abbreviation..... PRE ULC TU

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Pressure Ulcer Tunnelling

Help Text..... Is the Pressure Ulcer Tunnelling?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: PRESSURE ULCER TUNNEL LENGTH

Page: 567

ID: {D7FC23D9-8C2B-42F0-A545-5102AFC22335}

=====

Abbreviation..... PR UL TU L

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pressure Ulcer Tunnel Length

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETER

-1.0 > 0.0 \* 15.9 < 16.0 Dec Prec: 1

=====

TERM: PRESSURE ULCER UNDERMINING

Page: 568

ID: {CF9D2160-4E70-452C-B0D1-D14A4E5662CE}

=====

Abbreviation..... PRE ULC UM

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Pressure Ulcer Undermining

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



=====

TERM: PRESSURE ULCER WIDTH

Page: 569

ID: {2C1FCC95-E9D1-40A6-ACD7-58E0D4324E4E}

=====

Abbreviation..... PR UL WIDT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Ulcer Width

Display Name..... Pressure Ulcer Width

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

CENTIMETER                    -1.00 > 0.00 \* 50.00 < 100.00

Dec Prec: 2

ID: {81AEBA1E-F786-4091-A3E3-C9516318234B}

=====

Abbreviation..... Proc Loc

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Procedure Location

Help Text..... Document physical environment in  
which the procedure is occurring.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 12 entries

- 
1. PULMONARY PROCEDURE ROOM (Pul Proc Rm)  
{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}
  2. CARDIOLOGY PROCEDURE ROOM (Cardio Rm)  
{744142F5-D301-4509-A96D-06AB8C1D2C81}
  3. SPECIAL PROCEDURE ROOM (Special Rm)  
{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}
  4. EMERGENCY DEPT (Emer Dept)  
{E8490DF5-278C-4102-9675-C9B40D596A10}
  5. GI PROCEDURE ROOM (GI Proc Rm)

{924532F4-B52F-4EA9-8C7D-59168B340118}

6. GU PROCEDURE ROOM (GU Proc Rm)

{D4B6678F-C1DD-4A23-9045-574251F6CD74}

7. DENTAL (Dental) {0A60F06A-ED63-4B06-8FF9-EEFB12567D65}

8. RADIOLOGY (Radiology) {AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}

9. INTERVENTIONAL RADIOLOGY (Interv Rad)

{322B66E6-814F-43AF-B669-E503519DB72F}

10. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

11. BEDSIDE (Bedside) {481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}

12. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

-----

ID: {AFB2D7A6-54C9-4891-B799-BAFB0A1F9F49}

=====

Abbreviation..... Proc Pers  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Procedure Personnel  
Help Text..... Identify personnel present  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 17 entries

-----

- 10. PHYSICIAN (PHYSICIA) {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}
- 20. NP (NP) {E7EA4017-4374-41A1-9D3D-54051CEDF63C}
- 30. PA (PA) {C057C47D-780A-4230-B577-2C528AD09DEB}
- 40. DENTIST (Dentist) {DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}
- 50. CNS (CNS) {487A4DE0-A822-437D-87A2-75FA86D7BBDE}
- 60. ANESTHESIOLOGIST (Anesthesio)  
{44BAD970-DD8F-4015-9C41-AC7868CEBE79}
- 70. CRNA (CRNA) {41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}
- 80. LVN/LPN (LVN/LPN) {DC89CD99-80C5-4455-A280-3A19E74DCE7D}
- 90. HEALTH TECH (Health Tec) {7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}

- 100. RESP TECH (Resp Tech) {8A7BA130-3EDC-4D07-A852-846B37399FC9}
- 110. RAD TECH (Rad Tech) {EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}
- 120. STUDENT (STUDENT) {613AFF67-9121-4F6C-A44F-1ACFEF10E612}
- 130. RN (RN) {A103E506-EAA5-4777-8126-268CD723AD87}
- 140. NSG ASSIST (Nsg Assist) {14FA9638-3786-4FEA-BE8F-2345C1F455C3}
- 150. VENDOR REP (Vendor Rep) {4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}
- 160. TECH (Tech) {13AAF5D5-FEBC-4E09-B972-5D86BA02F307}
- 170. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

ID: {709E6959-A58C-454C-A2A4-2AF69483F21B}

=====

Abbreviation..... Proc Time

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Procedure Time

Help Text..... When entering data, make sure the  
save date/time reflects the start or  
stop time.

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-----

1. START TIME: (Start Time) {4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}
2. STOP TIME: (Stop Time:) {784CA4D8-988F-4A59-8AB5-48AFC9CA210B}

UNITS:

-----

=====

TERM: PROCEDURE, PLANNED

Page: 573

ID: {87C9E441-B4EA-4F72-9CDF-B9DCC072F86A}

=====

Abbreviation..... Proc, Plan

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... Procedure, Planned

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

=====

TERM: PULMONARY ARTERY DIASTOLIC

Page: 574

ID: {A7126912-49DD-A952-8731-D06A323D2C3E}

=====

Abbreviation..... PAD

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pulmonary Artery Diastolic Pressure

Display Name..... Pulmonary Artery Diastolic Pressure

Help Text..... Pulmonary Artery Diastolic Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS OF MERCURY

0 > 8 \* 15 < 30

Dec Prec: 0



=====

TERM: PULMONARY ARTERY MEAN PRESSURE

Page: 575

ID: {BE486939-CA23-58EF-ADE2-A34D19C4F41F}

=====

Abbreviation..... PAM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pulmonary Artery Mean Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

MILLIMETERS OF MERCURY 0 > 9 \* 19 < 50 Dec Prec: 0

=====

TERM: PULMONARY ARTERY SYSTOLIC

Page: 576

ID: {4DFDF10B-3501-87E1-0EB8-AD3772E60012}

=====

Abbreviation..... PAS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pulmonary Artery Systolic

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS OF MERCURY

0 > 15 \* 25 < 50

Dec Prec: 0

=====

TERM: PULMONARY CAPILLARY WEDGE PRESSURE

Page: 577

ID: {9D3EB2BE-9492-CDE3-03EC-07FE580E22E0}

=====

Abbreviation..... PCWP WEDGE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Pulmonary Capillary Wedge Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

MILLIMETERS OF MERCURY 0 > 8 \* 12 < 30 Dec Prec: 0

ID: {A7906E15-CBF1-A881-F3C7-4DF41A6A85B6}

=====

Abbreviation..... PUL CARE  
Active..... Yes  
Boolean Value False..... False  
Boolean Value True..... True  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pulmonary Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: PULMONARY SECRETION AMOUNT

Page: 579

ID: {FEED2CE3-F697-D1AB-AB1B-72A7968F0EB0}

=====

Abbreviation..... PUL SEC AM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... AMOUNT OF SPUTUM FROM PATIENT

Display Name..... Pulmonary Secretion Amount

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

- 
1. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
  2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
  5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

UNITS:

-----

ID: {52529F3D-B461-1C5E-892A-1E46DFB8C003}

=====

Abbreviation..... SPUTUM COL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Color of sputum  
Display Name..... Pulmonary Secretion Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- 1. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  - 2. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
  - 3. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
  - 4. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
  - 5. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
  - 6. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
  - 7. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
  - 8. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

UNITS:

-----

=====

TERM: PULMONARY SECRETION CONSISTENCY

Page: 581

ID: {633A949F-FED1-7A86-5DEA-C62DAC802B7B}

=====

Abbreviation..... P SECR CON

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Sputum Consistency

Display Name..... Pulmonary Secretion Consistency

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

- 
1. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
  2. TENACIOUS (TENACIOUS) {EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}
  3. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:

-----



=====

TERM: PULMONARY SUCTIONING EVENT

Page: 582

ID: {6A5A8DA3-859F-4BE3-9673-EA26D463D5F7}

=====

Abbreviation..... PUL SUC EV

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Patient needed and got Pulmonary

Suctioning

Display Name..... Pulmonary Suctioning Event

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

EVENT(S)

-1 > 0 \* 30 < 100

Dec Prec: 0

=====

TERM: PULMONARY SUCTIONING FREQUENCY

Page: 583

ID: {2B44A4A5-9DEA-0B46-777F-CE2C3822A514}

=====

Abbreviation..... PUL SUC FR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... FREQUENCY OF PATIENT'S PULMONARY  
SUCTIONING

Display Name..... Pulmonary Suctioning Frequency

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

EVENTS PER HOUR

-1 > 0 \* 100 < 101

Dec Prec: 0

ID: {D011DC21-02E6-463B-DF02-6E4ADD94D703}

=====

Abbreviation..... PUL SUC SI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... SITE OF PATIENTS PULMONARY SUCTIONING

Display Name..... Pulmonary Suctioning Site

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 3 entries

-----

1. ORAL (ORAL) {BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}

2. NASAL (NASAL) {0F73F0CB-E25E-4611-9625-62E6F1596A9B}

3. ARTIFICIAL AIRWAY (ART AIRWAY)  
{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}

UNITS:

-----

=====

TERM: PULMONARY VASCULAR RESISTANCE

Page: 585

ID: {56E4D7F3-EC49-B76A-B223-3C9E62E8B0ED}

=====

Abbreviation..... PVR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pulmonary Vascular Resistance

Display Name..... Pulmonary Vascular Resistance

Help Text..... Pulmonary Vascular Resistance

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----  
DYNE \* SECONDS / CM(-5) \* M2 50 > 150 \* 250 < 500      Dec Prec: 0

=====

TERM: PULMONARY VASCULAR RESISTANCE INDEX

Page: 586

ID: {F98F291B-14F4-AA32-F218-E146364D9754}

=====

Abbreviation..... PVRI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pulmonary Vascular Resistance Index

Display Name..... Pulmonary Vascular Resistance Index

Help Text..... Pulmonary Vascular Resistance Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

DYNE \* SECONDS / CM(-5) / M2 20 > 80 \* 240 < 350 Dec Prec: 0

ID: {FCA63B76-EF4C-EBE5-33C1-F1EEBD7A7BC4}

=====

Abbreviation..... P

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Beats per minute

Display Name..... Pulse - Do Not Check Total or Subtotals

Help Text..... Heart beats per minute,

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500636

LOCATION: 12 entries

-----

1. APICAL (Ap) {C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}
2. AV FISTULA (AVF) {F977EEF6-EA6A-D56D-D1F7-29B91510A02F}
3. BILATERAL PERIPHERALS (BILAT PERI)  
{7F134529-36C5-E9D4-ABD5-64B404F9E706}
4. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}
5. CAROTID (Car) {9536F203-1797-9336-6F69-604249E1B3A0}
6. DORSALIS PEDIS (DP) {9657D743-1632-2044-B4C5-9EF291A2F6D0}
7. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}
8. PERIPHERAL (Per) {36B31698-E84A-5792-8EAE-F374DFD1B55A}
9. POPLITEAL (Pop) {77030DF2-CE06-D9E2-0684-EE70209CBE73}

- 10. POSTERIOR TIBIAL (PT) {010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}
- 11. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}
- 12. ULNAR (Uln) {81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}

METHOD: 13 entries

- 
- 1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
  - 2. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
  - 3. AUSCULTATE (Aus) {0C629C1F-92D3-C641-B02C-9EA43B401DC9}
  - 4. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
  - 5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
  - 6. LEAD (L) {B628FDCE-05E0-DACF-E66E-0F8380AB465A}
  - 7. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
  - 8. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
  - 9. PALPATED (Pal) {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}
  - 10. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}
  - 11. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}
  - 12. ELECTROCARDIOGRAM TRACE 1 (ECG TR 1)  
{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}
  - 13. ELECTROCARDIOGRAM TRACE 2 (ECG TR 2)  
{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}

POSITION: 4 entries

- 
- 1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
  - 2. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
  - 3. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
  - 4. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

QUALITY:

2 entries

-----

1. ACTUAL (A)            {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. ESTIMATED (E)        {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

-----

BEATS PER MINUTE        0 > 60 \* 100 < 300      Dec Prec: 0



ID: {7C9FBF50-4417-8563-3570-9F9BA44BDF39}

Abbreviation..... PULSE STR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Quality of pulse

Display Name..... Pulse Strength

Help Text..... Select one of the measurements for  
pulse quality

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 6 entries

- 
- 1. 3 - STRONG (3-s) {C55EAB72-7816-5440-84E9-6E7E190ED197}
  - 2. 2 - NORMAL (2-n) {25FAADFC-D280-78AC-4F01-CFCF34ECD3FF}
  - 3. 1 - WEAK (1 - WEAK) {A41570DC-2F35-DDF6-977B-7C262150DFA2}
  - 4. 0 - ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
  - 5. D - DOPPLER (d-d) {2B77F099-0520-474D-A4BC-22BF824C8364}
  - 6. AMPUTEE (AMPUTEE) {5804286F-2B23-91BD-FCB5-6AD18C918203}

LOCATION: 8 entries

1. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
2. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
3. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
4. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
5. R POST TIBIAL (R PO TIB) {88CDA53A-5153-4950-701A-3F4F2007CC6B}
6. L POST TIBIAL (L PO TIB) {BED130EE-31CC-C7E9-6597-78685BCE91AC}
7. R PEDAL (R PEDAL) {9532B614-F4E1-316C-1322-905EB58E58C4}
8. L PEDAL (LEFT PEDAL) {D84E9953-8C17-3130-8F21-A30D2A99FDE4}

UNITS:

-----

ID: {9FCBF7CF-39B8-9710-6F41-9B7DDDC3BDD2}

=====

Abbreviation..... PREA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pupil Reaction  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 9 entries

-----

1. FIXED (f) {697D8C5A-976F-F423-30EC-A04102CF85F0}
2. SLUGGISH (s) {3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}
3. EYE CLOSED (ec) {140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}
4. DRESSING (d) {FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}
5. REACTIVE (Reactive) {31B44ADB-0000-A5B0-5F56-59D4A08C05D2}
6. NONREACTIVE (nonreact) {AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}
7. BRISK (brisk) {980AE687-0A78-458B-BA7B-5D646C38A5F5}
8. PINPOINT (pinpoint) {4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}
9. DILATED (Dilated) {BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}

LOCATION:

2 entries

-----

- 1. L EYE (L EYE)            {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
- 2. R EYE (R EYE)            {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

-----

=====

TERM: PUPIL SIZE

Page: 590

ID: {80D7541F-0EE5-D362-E781-F825A9848E8C}

=====

Abbreviation..... PS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pupil Size  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

LOCATION: 2 entries

- 
- 1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
  - 2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

-----

MILLIMETERS 0 > 1 \* 9 < 11 Dec Prec: 0

=====

TERM: QRS

Page: 591

ID: {7E76309C-0486-40CC-B14F-0D9B042C1D83}

=====

Abbreviation..... QRS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The QRS complex is a structure on the  
ECG that corresponds to the  
depolarization of the ventricles.

Display Name..... QRS Complex

Help Text..... The QRS complex is a structure on the  
ECG that corresponds to the  
depolarization of the ventricles.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

SECOND

0.02 > 0.04 \* 0.12 < 0.24 Dec Prec: 2

=====

TERM: QT

Page: 592

ID: {5226FEC7-8AD3-AE64-4122-6F9D2925448A}

=====

Abbreviation..... QT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... The QT interval is measured from the  
beginning of the QRS complex to the  
end of the T wave.

Display Name..... QT Interval

Help Text..... The QT interval is measured from the  
beginning of the QRS complex to the  
end of the T wave.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

SECOND

0.10 > 0.30 \* 0.46 < 1.00 Dec Prec: 2

=====

TERM: RECTAL TUBE PRESENT

Page: 593

ID: {D05DB527-8EDD-4324-B7B5-989AC004486E}

=====

Abbreviation..... REC TU PRE

Active..... Yes

Boolean Value False..... Not Present

Boolean Value True..... Present

Data Type..... Boolean

Description..... Rectal Tube Present

Display Name..... Rectal Tube Present

Help Text..... Rectal Tube Present

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----



ID: {08E66099-B598-4126-925C-57592446916D}

=====

Abbreviation..... End-Tidal

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... Respiration: End-Tidal CO2

Help Text..... The measurement of carbon dioxide  
concentration in a patient's breath,  
assumed to reflect arterial carbon  
dioxide tension.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

MILLIMETERS OF MERCURY      0.0 > 0.0 \* 120.0 < 120.0 Dec Prec: 1

ID: {5E7469A0-F426-2342-DA03-7054F44D7614}

=====

Abbreviation..... RESP PATT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Respiratory Pattern  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

- 
1. REGULAR (REGULAR) {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}
  2. IRREGULAR (IRREGULAR) {6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}
  3. DEEP (DEEP) {78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}
  4. SHALLOW (SHALLOW) {CD205617-BF98-4177-971A-056AFECC823A}
  5. DYSPNEIC (DYSPENIC) {4C6B42D9-694F-5EB2-6396-7ED85D5B154E}
  6. ORTHOPNEIC (ORTHOPNIC) {FF373BD7-FD84-DF43-7A44-1B8E62917116}
  7. ABDOMINAL (ABDOMINAL) {29E279F4-5D2E-4644-A2FA-CF85BEDFD480}
  8. CHEYNE-STOKES (CHEYNE-STO)  
{58DD2B80-B522-499C-2C60-C48A654BAD84}
  9. KUSSMAUL (KUSSMAUL) {0C5ED066-F445-ABFE-F7B1-D158EC7C2976}

10. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}

11. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}

UNITS:

-----

ID: {973ED2C0-0625-7DF9-17DC-8FFF7E376F23}

=====

Abbreviation..... RR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... RESPIRATIONS PER MINUTE

Display Name..... Respiratory Rate - Do Not Check Total  
or Subtotals

Help Text..... Breaths per minute

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4688725

METHOD: 8 entries

-----

1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}
3. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
4. CONTROLLED VENTILATOR (CV)  
{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}
5. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
6. SPONTANEOUS (S) {5E9463BC-C871-54FD-F800-DCFDEDB8A93B}
7. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}
8. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION:

6 entries

-----

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
4. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
5. SUPINE (SUPINE) {DEA8A744-B445-4A9E-875D-485E060F2ACC}
6. TRENDELENBURG (Tr) {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}

UNITS:

-----

BREATHS PER MINUTE      -1 > 12 \* 20 < 201      Dec Prec: 0

ID: {4B4C42F3-0F9E-40BE-90AB-C744E91228B0}

=====

Abbreviation..... RES CRITER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Criteria  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----

1. RES CRIT: LINES (R.C. LINE)  
{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}
2. RES CRIT: EQUIPMENT (R.C. EQUI)  
{38C2C56C-6D57-4750-8E68-F1193B16190A}
3. RES CRIT: AMBULATE (R.C. AMBU)  
{54B72608-2C13-46CD-8034-00179669762C}
4. RES CRIT: UNABLE TO FOLLOW DIRECTIONS (R.C. DIRE)  
{41358EAE-9912-48F8-8931-D3C635406D21}
5. RES CRIT: COMBATIVE (R.C. COMB)  
{38DBF61A-D364-4215-B4AA-36B660F96462}

6. RES CRIT: AGGRESSIVE (R.C. AGGR)

{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}

7. RES CRIT: HARM TO SELF (R.C. HARM)

{4DC33341-8F53-4D30-BC28-1E32DB54F30D}

UNITS:

-----

ID: {08B0A919-200B-4874-993B-E9924E9A439F}

=====

Abbreviation..... RES EDUCAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Education  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. FAMILY INFORMED (FAM INFORM)  
      {77135D32-9CDD-4D3F-9B62-6E8189B77844}
  - 2. PATIENT INFORMED (PAT INFORM)  
      {074A1D19-3920-49F1-8958-2EB6F9CF05BA}

UNITS:

-----



ID: {05693D33-977E-4089-988F-4FE029D64BE4}

=====

Abbreviation..... RES EDU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Education Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

-----

1. RESTRAINTS EXPLAINED (RES EXPL)  
{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}
2. RESTRAINTS ED TYPE (RES ED TY)  
{5560A332-C365-4DAF-BA33-610C4AE301F5}
3. RESTRAINTS ED REMOVAL (RES ED REM)  
{B19316C8-687B-48FB-9EBC-9857662B9F85}
4. RESTRAINTS BROCHURE (RES BRO P)  
{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}
5. RESTRAINTS TIME LIMIT (RES TIME L)  
{513B483E-AD7B-4B1A-BD01-91133C605C3C}

UNITS:

-----

ID: {B3B065C3-2612-45C0-9127-3CB42BDA99B6}

=====

Abbreviation..... R.E. ALT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Alternative Measures Attempted

Help Text..... Restraint Evaluation: Alternative

Measures Attempted

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 11 entries

-----

1. RES EVAL: DECREASE STIMULATION (R.E. DECR)

{0841626E-994E-4346-B701-1662A00209EB}

2. RES EVAL: REALITY ORIENTATION (R.E. REALI)

{221C363C-2261-40FC-8400-8B1D2E693F69}

3. RES EVAL: RELOCATE (R.E. RELO)

{D8165678-ECEF-4F4D-A1C4-C616349E1873}

4. RES EVAL: INVOLVEMENT WITH FAMILY (R.E. INVO)

{0EF31047-70A5-4072-953A-B62E1ACDF84B}

5. RES EVAL: AMBULATION/EXERCISE (R.E. EXER)

{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}

6. RES EVAL: EDUCATION (R.E. EDUC)

{76341E6E-7F0A-429C-B768-9CA83C452FD7}

7. RES EVAL: DIVERSIONAL ACTIVITIES (R.E. DIVER)

{569F6D49-C564-4910-835A-B05179086E1F}

8. RES EVAL: MEDICATION REVIEW (R.E. REVI)

{914A0F82-5863-4C84-B3AB-D5A22BD340D8}

9. RES EVAL: UNABLE TO ATTEMPT (R.E. UNAB)

{979B0477-5789-4319-9562-6752048C4005}

10. BED EXIT ALARM (BED EXIT A)

{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}

11. WHEELCHAIR EXIT ALARM (WHEEL EXIT)

{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

UNITS:

-----

ID: {6553B5FA-F6D5-4FE4-B2B6-E55723D11907}

=====

Abbreviation..... R.E. ELIM

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Elimination Monitored

Help Text..... Restraint Evaluation: Elimination  
Monitored

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {0695905D-42DC-4903-98E1-1C89CFAB2A08}

=====

Abbreviation..... R.E. INTA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Fluid / Nutrition Intake Evaluated

Help Text..... Restraint Evaluation: Fluid /

Nutrition Intake Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {EE9BB547-79C9-4C0D-9D46-5F24835F37F9}

=====

Abbreviation..... R.E. HYGI

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Hygiene / Comfort Evaluated

Help Text..... Restraint Evaluation: Hygiene /  
Comfort Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {D5F408ED-1743-4CD3-BC34-41F58530DE9B}

=====

Abbreviation..... RES EV LRM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Least Restrictive Measures Evaluated

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 10 entries

-----

1. RESTRAINTS LIMIT SETTING (RES LIM SE)

{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}

2. REDIRECT PATIENT ACTIVITY (REDIR ACT)

{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}

3. REMOVE FROM STIM. SETTING (REM SET)

{2010BA89-B399-4A30-9ACF-C65AB57B6351}

4. OFFER PRN MEDS (OFFER PRN)

{B7AF4903-913C-4848-A255-0B4767B81AE2}

5. VERBAL DE-ESCALATION (VERB DE-ES)

{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}



6. ONE TO ONE SUPERVISION (1 SUPERV)

{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}

7. FREQUENT VERBAL REMINDERS (FR VER RE)

{F30D791D-BB80-4AB3-B37F-22B6B547EA65}

8. PREVENT ACCESS TO DEVICE (PREV ACCE)

{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}

9. REORIENTED TO ENVIRONMENT (REORIENT)

{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}

10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

-----

ID: {5F3119EB-85AC-4EC1-9B11-029B147D1FCE}

=====

Abbreviation..... R.E. MENT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Mental Status Evaluated  
Help Text..... Restraint Evaluation: Mental Status  
                        Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE:                        2 entries

- 
- 1. NO (n)                    {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y)                    {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {58C842E4-8A48-4DDD-8DEF-2C97F3314E40}

=====

Abbreviation..... R.E. DIGN

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Maintain Privacy and Dignity Evaluated

Help Text..... Restraint Evaluation: Maintain

Privacy and Dignity Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {54C82D71-B32F-48A2-87A9-683D6023D905}

=====

Abbreviation..... R.E. REPOS

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Reposition / Range of Motion Evaluated

Help Text..... Restraint Evaluation: Reposition /

Range of Motion Evaluated

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {1EE22D46-855D-4705-858B-D7623CC79F83}

=====

Abbreviation..... R.E. SKIN  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Skin Integrity Evaluated  
Help Text..... Restraint Evaluation: Assess Skin  
Integrity Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
- 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {5EE7B156-51FF-4819-A0F4-8796D518B092}

=====

Abbreviation..... RES FM U

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Family Understanding Of Restraints  
Education

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-----

1. INDICATES UNDERSTANDING (UNDERSTAND)

{C4AEFE5F-C388-4E00-9663-6B308934284B}

2. NEEDS REINFORCEMENT (NEED REINF)

{B6171F65-4530-418D-A63B-65DFFF522786}

3. UNSUCCESSFUL (UNSUCCESSF) {54DC58A1-7585-4A32-B810-90B586ED9332}

UNITS:

-----

=====

TERM: RESTRAINT INITIATED BY

Page: 610

ID: {6939E11B-F414-435F-93B2-D69334A50FA1}

=====

Abbreviation..... RES INIT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Seclusion/Restraint Initiated By

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. REGISTERED NURSE (RN) {524F344F-FDCD-423F-AD34-291D5DB4271B}

2. PHYSICIAN ORDER (PHY ORDER)

{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}

UNITS:

-----

ID: {1132E26A-19E0-40D0-9602-68AB41F415FA}

=====

Abbreviation..... RES LRME

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Least Restrictive Measures Evaluated

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 10 entries

-----

1. RES LRM: LIMIT SETTING (RLRM SETT)

{96417DDF-8562-4EFF-B4F6-0933FD91CD36}

2. RES LRM: REDIRECT (RLRM REDI)

{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}

3. RES LRM: REMOVE FROM SETTING (RLRM REMO)

{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}

4. RES LRM: PRN MEDS (RLRM: MEDS)

{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}

5. RES LRM: VERBAL DE-ESCALATION (RLRM VERB)

{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}



6. RES LRM: SUPERVISION (RLRM SUPR)

{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}

7. RES LRM: VERBAL REMINDERS (RLRM REMI)

{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}

8. RES LRM: DEVICE ACCESS (RLRM ACCE)

{1662F5E1-30E7-4E8A-BCC5-1738868435B8}

9. RES LRM: REORIENT (RLRM REOR)

{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}

10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

-----

ID: {78C70CF3-3253-46B1-AD61-4A6E7C72442E}

=====

Abbreviation..... RES MENT A

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Mental Assessment Patient Evaluation

Display Name..... Mental Assessment

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

- 
1. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}
  2. DISORIENTED (DISORIENTE) {A7D1F2EA-CD7C-4100-8552-44834684C6DE}
  3. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
  4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
  5. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

UNITS:

-----

ID: {843976A3-7C4A-4E09-A273-4589923DDDC2}

=====

Abbreviation..... RES ORD TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Order Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. SECLUSION (SECLUSION) {65B57F6C-C849-4BF7-8705-175361BC900F}
  2. RESTRAINT (RESTRAINT) {0429322D-A987-4913-B64D-A6414645B214}

UNITS:

-----

ID: {5002371C-E683-459E-A4B0-3CC914081E78}

=====

Abbreviation..... RES PT U

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Patient Understanding Of Restraints  
Education

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 3 entries

-----  
1. INDICATES UNDERSTANDING (UNDERSTAND)

{C4AEFE5F-C388-4E00-9663-6B308934284B}

2. NEEDS REINFORCEMENT (NEED REINF)

{B6171F65-4530-418D-A63B-65DFFF522786}

3. UNSUCCESSFUL (UNSUCCESSF) {54DC58A1-7585-4A32-B810-90B586ED9332}

UNITS:  
-----

=====

TERM: RESTRAINT SAFETY CARE

Page: 615

ID: {1450E52B-CBF3-BA02-F4E0-4AE793AE9614}

=====

Abbreviation..... RESSC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Restraint Safety Care

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. CIRCULATION CHECK (ccq) {BA32C2A8-F15C-84EF-4859-6277EFA6463A}

2. DEVICE RELEASE (drq) {9F97947F-CFFE-3285-F4C3-A8DF294DA46C}

UNITS:

-----

ID: {696245B7-717E-4CF4-3C92-7E0F4DFEDEDDE}

=====

Abbreviation..... RES TYPE A  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Type  
Help Text..... Location and type of restraint used  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 19 entries

-----

1. RESTRAINT SOFT (RESTR SOFT)  
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}
2. RESTRAINT SOFT 2 POINT (RES S2POIN)  
{66B71CFE-2603-40C9-9625-24448012BAB5}
3. RESTRAINT SOFT 4 POINT (RES S4POIN)  
{6820E997-60A0-4802-BE26-CA29B4F48F32}
4. RESTRAINT SOFT ARMS + WAIST (RES S A+W)  
{4A322BB6-0F63-4BB7-9290-C0655BD7D772}
5. RESTRAINT SOFT ARMS + LOCKED WAIST (RES S A+LW)  
{C480D67C-958C-42F9-9203-98E2F2BDBEC8}

6. RESTRAINT SINGLE HAND MITT (RES S HA M)  
{A5F1D037-FB5E-402B-9F25-22DE48404D57}
7. RESTRAINT BILATERAL HAND MITT (RES BI H M)  
{5E293110-1235-4307-80C2-0FFFA007E1DA}
8. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
9. RESTRAINT BILATERAL ANKLE (RES BI ANK)  
{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}
10. RESTRAINT WRIST (RES WRIST)  
{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}
11. RESTRAINT GERI CHAIR (RES GERI C)  
{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}
12. RESTRAINT HARD PLASTIC/LEATHER 2 POINT (RES P/L 2P)  
{17CB8739-612A-4319-946A-2062C5245C90}
13. RESTRAINT HARD PLASTIC/LEATHER 4 POINT (RES P/L 4P)  
{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}
14. RESTRAINT ONE ARM (RES ONE AR)  
{839914DA-6D63-43EB-961E-70DA56737A92}
15. RESTRAINT ONE LEG (RES ONE LE)  
{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}
16. RESTRAINT WAIST LOCKED (RES WAI LO)  
{1EE7AB42-CE17-4D49-849B-CA550966E58C}
17. RESTRAINT WAIST (RES WAIST)  
{253E2757-5A57-4410-9C0E-F4A907A1EC16}
18. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)  
{9BB528F4-7016-4030-B73F-4037ADF2621D}
19. RESTRAINT STRAP (RES STRAP)  
{642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION:

11 entries

-----

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
4. BILATERAL WRIST (BILAT WRIS)  
{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}
5. BILATERAL LEG (BILAT LEG) {0713761D-E0FC-DA03-02A1-F20EFEB99F45}
6. BILATERAL ANKLES (BILA ANKLE)  
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}
7. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
8. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
9. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
10. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
11. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

-----



ID: {0A2CB443-AA1A-4526-9BF0-9C63B49D7603}

=====

Abbreviation..... RES TY ARM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arm Restraints  
Display Name..... Arm Restraints  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. RESTRAINT SINGLE HAND MITT (RES S HA M)  
{A5F1D037-FB5E-402B-9F25-22DE48404D57}
  2. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)  
{9BB528F4-7016-4030-B73F-4037ADF2621D}
  3. RESTRAINT SOFT (RESTR SOFT)  
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

LOCATION: 6 entries

- 
1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}

- 2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
- 3. BOTH ARMS (BOTH ARMS) {A493AB32-9DE9-40AC-8C46-7EFF395B63B5}
- 4. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
- 5. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
- 6. BILATERAL WRIST (BILAT WRIS)  
{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

-----

ID: {C3B1D18A-FF73-4362-8FCF-7AFB5304A4CF}

=====

Abbreviation..... RES TY LEG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Leg Restraints  
Display Name..... Leg Restraints  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----

1. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)  
{9BB528F4-7016-4030-B73F-4037ADF2621D}
2. RESTRAINT SOFT (RESTR SOFT)  
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}
3. RESTRAINT STRAP (RES STRAP)  
{642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION: 6 entries

-----

1. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}

- 2. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
- 3. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}
- 4. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
- 5. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
- 6. BILATERAL ANKLES (BILA ANKLE)  
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}

UNITS:

-----

ID: {40448F75-66C2-4FA1-AA02-6B827C9A06F8}

=====

Abbreviation..... RES TYP OT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Restraint Type Other  
Display Name..... Restraint Type Other  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}
  2. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
  3. RESTRAINT WAIST (RES WAIST)  
{253E2757-5A57-4410-9C0E-F4A907A1EC16}

LOCATION: 3 entries

- 
1. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
  2. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
  3. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

-----

=====

TERM: RESTRAINT- ACTIVE ORDER

Page: 620

ID: {C950673E-C098-4C68-A62D-ACDA3DB25A8A}

=====

Abbreviation..... Restraint

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Restraint- Active Order

Help Text..... Is there an Active Order for  
restraints?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {C74C9527-37B3-42EB-BCA2-AAC6FAA20ADE}

=====

Abbreviation..... Restr/Beha

Active..... Yes

Boolean Value False..... Unmet

Boolean Value True..... Met

Data Type..... Boolean

Description.....

Display Name..... Restraints: Behavior criteria for  
discontinue

Help Text..... Refer to local policy for list of  
behaviors that meet discontinuation  
criteria or as specified in order

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----



=====

TERM: RIGHT VENTRICULAR STROKE WORK

Page: 622

ID: {3A72DA75-5112-7980-4F4F-E1E34FFCD1A6}

=====

Abbreviation..... RVSW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Right Ventricular Stroke Work

Display Name..... Right Ventricular Stroke Work

Help Text..... Right Ventricular Stroke Work

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

STROKE WORK PER BEAT 0.0 > 5.0 \* 30.0 < 50.0 Dec Prec: 1

=====

TERM: RIGHT VENTRICULAR STROKE WORK INDEX

Page: 623

ID: {EE450A40-E87C-1F5C-FDEF-BAAD030B8149}

=====

Abbreviation..... RVSWI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Right Ventricular Stroke Work Index

Display Name..... Right Ventricular Stroke Work Index

Help Text..... Right Ventricular Stroke Work Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

STROKE WORK PER BEAT PER M2 1.9 > 2.0 \* 18.0 < 18.1 Dec Prec: 1

GM-M/M2/BEAT 3.9 > 4.0 \* 18.0 < 18.1 Dec Prec: 1

=====

TERM: SAFETY DEVICE WAIST BELT APPLIED

Page: 624

ID: {27E75399-989F-4598-A972-646FBFF51A20}

=====

Abbreviation..... WAIST BE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Safety Device Waist Belt Applied  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEE649CD}
  - 2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

-----

ID: {9015CE78-A973-4A4C-AC57-6F39E180B09F}

=====

Abbreviation..... Seclu/Cri

Active..... Yes

Boolean Value False..... Unmet

Boolean Value True..... Met

Data Type..... Boolean

Description.....

Display Name..... Seclusion: Behavior criteria for  
discontinuation

Help Text..... Refer to local policy for list of  
behaviors that meet discontinuation  
criteria or as specified in order

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

ID: {97EB4C11-C7C5-4F6D-9488-DA9369CC5060}

=====

Abbreviation..... 2nd Verf  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Second Verifier  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----

- 10. RN (RN) {A103E506-EAA5-4777-8126-268CD723AD87}
- 20. LVN (LVN) {8F8300FD-5A33-4B01-9F0B-901E2A3D96AB}
- 30. NA (NA) {1993F8D9-D536-4ECA-AFAD-366F79BA0CBD}
- 40. MD (MD) {9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8}
- 50. DO (DO) {F70738A6-7BFA-4D76-881C-6A4B4F4E41E4}
- 60. RT (RT) {6E374EFA-B7CE-44C2-ADCE-DF9C132E951E}
- 70. NP (NP) {E7EA4017-4374-41A1-9D3D-54051CEDF63C}
- 80. PA (PA) {C057C47D-780A-4230-B577-2C528AD09DEB}

UNITS:

-----

ID: {CF2E7E29-8C96-461B-9074-CA94455F62D6}

=====

Abbreviation..... SED RAMSEY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Ramsey Sedation Scale  
Display Name..... RAMSEY  
Help Text..... Ramsey Sedation Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 6 entries

-----

1. RAMSEY ANXIOUS (RAM ANXIOU)  
{88205A0C-7065-4616-8FCF-75059462DD15}
2. RAMSEY COOPERATIVE (RAM COOPER)  
{56846ADA-0F0E-44AA-9779-A567B9D24C4F}
3. RAMSEY SEDATED (RAM SEDATE)  
{CC12405F-60DB-485F-94E5-78C1EB32AB74}
4. RAMSEY ASLEEP BRISK RESPONSE (RAM ASL BR)  
{00F4A117-F9E7-4B60-A521-F2E8725AEC3}
5. RAMSEY ASLEEP SLUGGISH (RAM ASL SL)  
{AA61604F-00F9-4103-B27F-E817FBC9577B}

6. RAMSEY ASLEEP NO RESPONSE (RAM ASL NO)

{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}

UNITS:

-----



ID: {F4900650-2584-4A5B-9F97-171A9552C7BA}

=====

Abbreviation..... RASS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Richmond Agitation Sedation Scale  
Display Name..... RASS  
Help Text..... Richmond Agitation Sedation Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----

1. RASS COMBATIVE (RASS COMBA)  
{A97E064A-7709-42F9-9A88-4AAFF1020883}
2. RASS VERY AGITATED (RASS V AGI)  
{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}
3. RASS AGITATED (RASS AGITA)  
{D81A5D5D-E7FC-445A-A814-495731ABA0F8}
4. RASS RESTLESS (RASS RESTL)  
{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}
5. RASS ALERT AND CALM (RASS AL CA)  
{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}

6. RASS DROWSY (RASS DROWS) {5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}

7. RASS LIGHT SEDATION (RASS LT SE)

{FDEEC084-3922-4065-A863-4893E42F8F93}

8. RASS MODERATE SEDATION (RASS MD SE)

{D12B0A3E-B80E-494F-B89F-A79E8B81B080}

9. RASS DEEP SEDATION (RASS DP SE)

{83CB4E64-3581-452F-987A-D31CB3AB38D2}

10. RASS UNAROUSABLE (RASS UNARO)

{1578E147-7D2C-4469-828E-FCA97109B27C}

UNITS:

-----

ID: {8281E806-CEC9-4236-B984-495B8A3973E5}

=====

Abbreviation..... SED SC SAS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Riker Sedation-Agitation Scale  
Display Name..... SAS  
Help Text..... Riker Sedation-Agitation Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----

1. SAS DANGEROUS AGITATION (SAS DA AGI)  
{0701FB25-1DF0-4771-8C81-AC19A985A3B6}
2. SAS VERY AGITATED (SAS VY AGI)  
{B501606A-EEA7-470E-81BE-F51D422272F1}
3. SAS AGITATED (SAS AGITAT) {107143D4-9527-4A26-8CB7-EEBB656B68B3}
4. SAS CALM AND COOPERATIVE (SAS C COOP)  
{F0633778-280C-43C3-9E6E-9C35C18179F6}
5. SAS SEDATED (SAS SEDATE) {AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}
6. SAS VERY SEDATED (SAS VY SED)  
{4B13529B-61C5-4B68-857A-3A5351DC4BE2}

7. SAS UNAROUSABLE (SAS UNAROU)

{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

UNITS:

-----

ID: {5B11E0C7-C95C-440B-BA16-EEA0B8AED008}

=====

Abbreviation..... CPRS note

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description.....

Display Name..... See CPRS Progress Note for Additional

Data and Assessments

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: SEIZURE CHARACTER

Page: 631

ID: {15B23878-6E4C-4FCE-9F49-1C728A4A65D2}

=====

Abbreviation..... SEIZU CHAR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Seizure Character

Display Name..... Seizure Character

Help Text..... Character of Seizure

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-----

1. TONIC/CLONIC (TON/CLON) {81932BAA-6C79-47A3-85B3-592824B6C09C}

2. PARTIAL IMPAIRED (PART IMPAI)

{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}

3. PARTIAL SIMPLE (PART SIMP)

{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

UNITS:

-----

=====

TERM: SEIZURE DURATION

Page: 632

ID: {DAABDF54-F64C-6306-87EA-B8F5DE034DA0}

=====

Abbreviation..... SEID

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Seizure Duration

Help Text..... Value in minutes

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MINUTE

0 > 1 \* 15 < 30

Dec Prec: 0

=====

TERM: SEIZURE FOCI

Page: 633

ID: {719641C6-BA10-0BA3-65F1-17DC4B1B92E0}

=====

Abbreviation..... SEIF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Seizure FOCI  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 3 entries

- 
1. STARTED ON LEFT (sol) {AA6767EE-57F6-F565-76E9-EB219644492F}
  2. STARTED ON RIGHT (sor) {0C690E36-E710-244D-44FC-5DB5BCC0FF7E}
  3. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}

UNITS:

-----



ID: {9BD54461-23E5-F317-E5AC-5FAF87EECA0C}

=====

Abbreviation..... SEI PREC  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Seizure Precautions  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: SEIZURES

Page: 635

ID: {BB006255-D69A-E29C-1286-D71E6FF15830}

=====

Abbreviation..... SEI  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Seizures  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {CCF961DC-8590-2498-3836-0F010461F69A}

=====

Abbreviation..... SENSF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Foot  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

-----

- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
- 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
- 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
- 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

-----

- 1. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
- 2. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

UNITS:

-----

ID: {7B880F9C-83F8-3395-9983-F10A1EF2F97A}

=====

Abbreviation..... SENSH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Hand  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

-----

- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
- 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
- 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
- 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

-----

- 1. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
- 2. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}

UNITS:

-----

=====

TERM: SENSATION LOWER EXTREMITY

Page: 638

ID: {EB69E23D-9C3B-F2AB-B7F6-CAE402C87DE9}

=====

Abbreviation..... SLEX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Lower Extremity  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

-----

1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

-----

1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}
2. R LOWER EXTREMITY (R LOW EXTR)  
{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

UNITS:

-----



ID: {25313956-8B3E-FA21-0AA7-8E9DD4ABFF8D}

=====

Abbreviation..... SUEX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Upper Extremity  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
- 1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
  - 2. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}
  - 3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
  - 4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

- 
- 1. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}
  - 2. R UPPER EXTREMITY (R UPP EXTR)  
{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

-----

ID: {1D7F207B-7808-4280-8CA6-8A59478DAB7B}

=====

Abbreviation..... SEQ DEV AP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sequential Compression Device  
Application

Help Text..... No Help Text

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 8 entries

-----

1. INITIATED (INITIATED) {562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}
2. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
3. INTERRUPTED (INTERRUPTED) {AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}
4. DISCONTINUED (DISCONTINUED) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
5. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
6. OFF WHILE AMBULATORY (OFF AMBULATORY)  
{FF4610BF-8C92-408F-882A-1D6B2C2F146F}
7. ON WHILE SITTING IN CHAIR (ON IN CHAIR)  
{4139F4C3-BB68-4477-BF63-9BE7813AADA7}

8. OFF DURING BATHING (OFF BATHIN)

{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}

UNITS:

-----

=====

TERM: SEWS - AGITATION

Page: 641

ID: {012BB6B1-0CF8-4F51-832C-D85EF58C0831}

=====

Abbreviation..... SEWS AGITA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Agitation

Help Text..... Agitation: fidgety, restless, pacing?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. 0 (0)            {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3)            {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

ID: {1F7184F3-45F0-4D93-808C-FB797589814F}

=====

Abbreviation..... SEWS ANXIE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity of Ethanol Withdrawl Scale

Display Name..... Anxiety

Help Text..... Do you feel that something bad is  
about to happen to you right now?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====

TERM: SEWS - DISORIENTATION NAME PLACE

Page: 643

ID: {A6E459CA-ADEF-4EA5-8B24-11300836DE9A}

=====

Abbreviation..... SEWS N PL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Disorientation: Knows Name and Place

Help Text..... Disorientation: Knows name and place

but not date

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

-----

1. 0 (0)            {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 1 (1)            {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

-----

ID: {4CDA775D-987A-442E-A260-82DE115FC127}

=====

Abbreviation..... SEWS H ANY

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Hallucinations Visual, Tactile,  
Olfactory, Gustatory (any)

Help Text..... Hallucinations: Visual, Tactile,  
Olfactory, Gustatory (any)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 2 entries

-----

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----



=====

TERM: SEWS - HALLUCINATION AUDITORY ONLY

Page: 645

ID: {6C720EBC-4E08-44B5-BAFC-7473E0E7E6DD}

=====

Abbreviation..... SEWS HAL A

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Hallucination: Auditory Only

Help Text..... Auditory Only (Check for major  
psychotic disorder)

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

-----

=====

TERM: SEWS - NAME ONLY

Page: 646

ID: {7F010DD2-E6C5-45EF-800D-37C238ED69A1}

=====

Abbreviation..... SEWS N ONL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Disorientation: Knows Name Only

Help Text..... Disorientation: Knows Name Only

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. 0 (0)            {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3)            {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====

TERM: SEWS - NAUSEA

Page: 647

ID: {168E97DD-48FA-45BF-A3C0-8FCB5B316B6D}

=====

Abbreviation..... SEWS NAUSE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Nausea and Dry Heaves or Vomitting?

Help Text..... Nausea and Dry Heaves or Vomitting?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. 0 (0)            {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3)            {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

ID: {4B7D9035-79F8-4736-9A20-87671D76E12B}

=====

Abbreviation..... SEWS SWEAT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Sweating

Help Text..... Sweating: Includes moist palms,  
sweating now?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:  
-----

=====

TERM: SEWS - TOTAL

Page: 649

ID: {6220504D-6961-4138-B1EC-1257142F5E49}

=====

Abbreviation..... SEWS TOTAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Severity Of Ethanol Withdrawl Scale

Total

Display Name..... SEWS TOTAL

Help Text..... 5 Or Less = Lower Risk For Withdrawl.

6 Or More = Higher Risk For Withdrawl

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

SEWS SCALE

-1 > 0 \* 5 < 24

Dec Prec: 0

ID: {8BC41692-A9A8-4900-BB2D-5E60E5625798}

=====

Abbreviation..... SEWS TREMO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Tremor

Help Text..... Tremor: with arms extended, eyes  
closed?

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:  
-----

ID: {657A9E0B-12CC-4D33-B4A8-99827CAE5CFF}

Abbreviation..... SEWS VITAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Severity Of Ethanol Withdrawl Scale

Display Name..... Vitals: Pulse > 110, Diastolic BP >  
90, Temp > 99.6

Help Text..... Vitals: Pulse > 110, Diastolic BP >  
90, Temp > 99.6

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

- 1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
- 2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

ID: {1BE3FF8D-BC95-CE9E-ABFB-9C94CF591F24}

=====

Abbreviation..... SD RAIL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Side Rails  
Help Text..... Side Rail Positions  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

-----

1. ALL UP (ALL UP) {48199083-ACC2-408C-9242-7A6313CD7A7F}
2. ALL DOWN (ALL DOWN) {76C14E79-95E2-49B7-B847-3B114653E98C}
3. HEAD UP (hu) {BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}
4. R HEAD UP (R HEAD UP) {D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}
5. L HEAD UP (L HEAD UP) {BB39792D-B572-4A10-BA81-8685809E7437}
6. HEAD DOWN (hd) {80BF3425-D252-F917-052E-DC54D39E464E}
7. R HEAD DOWN (R HEAD DOW) {FDfE0638-444C-4023-B586-985E84EEA1FA}
8. L HEAD DOWN (L HEAD DOW) {3C919CB8-1C0A-498D-95A6-C46D25744CEC}
9. FOOT UP (fu) {49CCC59E-002E-8387-E8D6-D57AAC089EF3}
10. R FOOT UP (R FOOT UP) {5928B710-6EB1-4183-93CB-6C72B37A97C3}



- 11. L FOOT UP (L FOOT UP) {A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}
- 12. FOOT DOWN (fd) {13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}
- 13. R FOOT DOWN (R FOOT DOW) {DBCC0BA2-3097-42C7-AE9E-DF71FA779162}
- 14. L FOOT DOWN (L FOOT DOW) {5B18895B-DAD5-4874-87DB-DACFFF88B170}

UNITS:

-----

=====

TERM: SIGNIFICANT EVENT

Page: 653

ID: {0DBEF78C-8CFC-0173-2A39-02C24EB10A5F}

=====

Abbreviation..... se

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... String

Description..... No Description

Display Name..... Significant Event

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

ID: {05B77F59-77DE-424F-ACD1-413E70D52429}

=====

Abbreviation..... SIN DRA CH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sinus Drainage Character  
Help Text..... Describe The Sinus Drainage  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
  2. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}
  3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  4. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

UNITS:

-----

=====

TERM: SINUS DRAINAGE PRESENT

Page: 655

ID: {0F9CDF0D-A7A8-408D-BBFD-A6F74E5B8D6F}

=====

Abbreviation..... SIN DRAI P  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Drainage Present  
Help Text..... Is Sinus Drainage Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: SINUS NECROTIC TISSUE APPEARANCE

Page: 656

ID: {0578E21E-CFBE-440A-A532-8135AD414085}

=====

Abbreviation..... SNEC TI AP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sinus Necrotic Tissue Appearance

Help Text..... Sinus Necrotic Tissue Appearance

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

- 
1. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
  2. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
  3. HARD (HARD) {7934B543-7028-4CBC-9308-99F5A952A1DE}
  4. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}

UNITS:

-----

=====

TERM: SINUS NECROTIC TISSUE PRESENT

Page: 657

ID: {299921C9-5A13-4D9E-BC0D-8F777ED490D4}

=====

Abbreviation..... SIN NEC TI  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Necrotic Tissue Present  
Help Text..... Is Sinus Necrotic Tissue Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {59D298AC-1BE0-4C13-B75B-1CE331454151}

=====

Abbreviation..... SIN TI CHA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sinus Tract Surrounding Tissue  
Character

Help Text..... Sinus Tract Surrounding Tissue  
Character

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

-----

1. ERYTHEMA (ERYTHEMA) {0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}
2. DISCOLORATION (DISCOLORAT)  
{BBE3E910-CC49-430C-BD90-FB0A97F1B183}
3. INDURATION (INDURAITON) {A1669576-45D9-435C-87B9-488E9CF6BBA4}
4. MACERATION (MACERATION) {B7C63E05-E193-40AA-A572-F1ACA0162B8B}

UNITS:

-----



=====

TERM: SINUS TRACT ULCER

Page: 659

ID: {D89C6750-E1F0-4817-9EDD-205EE310A09A}

=====

Abbreviation..... SIN TRA UL

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Sinus Tract Ulcer

Help Text..... Is a Sinus Tract Ulcer Present?

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {63375C18-43BF-4969-989F-8239440E4040}

=====

Abbreviation..... SIN ULC EP

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Sinus Tract Ulcer Epithelialization

Help Text..... Is Sinus Tract Ulcer

Epithelialization Present?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: SINUS TRACT ULCER GRANULIZATION

Page: 661

ID: {64BE9437-2EAB-40F2-93BC-2D0C9DBDC1EB}

=====

Abbreviation..... SIN ULC GR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... No Description

Display Name..... Sinus Tract Ulcer Granulization

Help Text..... Is Sinus Tract Ulcer Granulization  
Present?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: SKIN ALTERATION

Page: 662

ID: {6B4325F4-F776-48C1-902D-2CFFC73A22BB}

=====

Abbreviation..... SKIN ALTER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Alteration  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. WOUND (WOUND) {1EC40149-051E-4750-8651-2B2D0DD2DEAC}

UNITS:

-----

=====

TERM: SKIN COLOR

Page: 663

ID: {8D3A8036-39B5-AA2B-BF62-CC1EB134BB19}

=====

Abbreviation..... SKIN COLOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Observation of Patients Skin Color

Display Name..... Skin Color

Help Text..... Observation of Patients Skin Color

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

13 entries

- 
1. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}
  2. MOTTLED (m) {4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}
  3. ICTERIC (ICTERIC) {274ED5BB-5A34-20EE-A9B0-81AB7803780E}
  4. JAUNDICE (j) {B17F4603-7C68-660D-96A7-119140A998D3}
  5. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}
  6. DUSKY (d) {2ABF845E-4E2F-883F-3FCC-F72B8507FF85}
  7. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}
  8. ASHEN (ASHEN) {7431E4EC-DCF1-4966-85CB-29BF65311855}
  9. NORMAL FOR ETHNIC GROUP (ETH. NORM.)  
{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}

- 10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
- 11. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}
- 12. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
- 13. ECCHYMOSIS (ECCHYMOSIS) {DF076906-CC17-6AD1-76E7-B07678A126DE}

UNITS:

-----

=====

TERM: SKIN CONDITION

Page: 664

ID: {831BEB82-92CE-07A0-F36B-09C94030D088}

=====

Abbreviation..... SKIN COND.  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
  2. BREAKDOWN (BREAKDOWN) {9CFD21C0-A805-47C4-E559-8033C754DE80}

UNITS:

-----

=====

TERM: SKIN DRAINAGE AMOUNT

Page: 665

ID: {B973CF56-27AD-447B-9B12-A4326997E027}

=====

Abbreviation..... SKI DRA AM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Device Drainage Amount  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
  3. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  4. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  5. HEAVY (HEAVY) {1F10CD98-03FA-4705-BF7D-941E881C4E3D}

UNITS:

-----



=====

TERM: SKIN ERYTHEMA EXTENDS AROUND INCISION

Page: 666

ID: {A88D0DBE-7CC6-4983-B9AC-AF9CCF9653AB}

=====

Abbreviation..... ER EXI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Erythema Extension Around Incision

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-----

1. EXTENDS AROUND INCISION NONE (ER EXI NON)  
{91F1A7C5-885C-4B13-9F7F-189C93E505CC}
2. EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (ER EXI <  
1) {095709D0-6190-49A3-AB08-BF4575DC8396}
3. EXTENDS AROUND INCISION MORE THAN 1 CM (ER EXI >1)  
{11F13A1F-7AC2-4629-A960-CD92655EE101}
4. LIMITED TO INCISION (ER EXI LIM)  
{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}

UNITS:

-----

=====

TERM: SKIN ERYTHEMA EXTENSION AROUND WOUND

Page: 667

ID: {6BABC7F1-2C62-41A7-83E2-F5F4B5ACE087}

=====

Abbreviation..... ERY EX

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Skin Erythema Extension Around Wound

Display Name..... Erythema Extension Around Wound

Help Text..... Skin Erythema Extension Around Wound

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

4 entries

-----

1. EXTENSION AROUND WOUND NONE (ERY EX NON)

{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}

2. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (ERY EX >1

) {175B2505-C596-4036-8FC3-DFEA8EFB76F9}

3. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (ERY EX <1

) {48C7FA69-D31A-4AAA-84F3-79AC863B71FD}

4. EXTENSION AROUND WOUND LIMITED TO WOUND (ERY EX LIM)

{2DC83B85-B3B6-4679-9F48-7DD26EFFC4D4}

UNITS:

-----

ID: {210023AD-813A-05F9-29E5-9F4339FD8BFE}

=====

Abbreviation..... INCI CLOSU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Incision Closure  
Help Text..... Type of material used to close incision  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. SKIN INCISION WOUND CLOSURE SUTURES (INC CL SUT)  
{DED8DEDA-82C9-4D3A-A81E-641583314919}
  2. INCISION WOUND CLOSURE GLUE (IN CL GLU)  
{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}
  3. SKIN INCISION WOUND CLOSURE STAPLES (INC CL STA)  
{4F48D42D-C206-423C-970B-02C03B2EE0B6}
  4. SKIN INCISION WOUND CLOSURE STERI-STRIPS (INC CL STE)  
{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}
  5. INCISION WOUND CLOSURE NOT CLOSED (INC CL)  
{D63A05BF-1205-45F6-A78D-15D198BCB1C6}

6. SKIN INCISION WOUND CLOSURE OPEN WOUND (INC CL OPE)

{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}

7. INCISION WOUND CLOSURE APPROXIMATED (INC CL APP)

{2DD5713E-D81C-484B-A0DF-6A5730B396DF}

8. INCISION WOUND CLOSURE DEHISCENCE (INC CL DEH)

{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

UNITS:

-----

ID: {36580CA5-4FB0-4562-9652-0B3BD7D04307}

=====

Abbreviation..... INC IN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Induration Extension Around Incision

Display Name..... Induration Extension Around Incision

Help Text..... Induration Extension Around Incision

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-----

1. SKIN INDURATION AROUND INCISION NONE (INC IN NON)

{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}

2. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (INC IN <1)

{2A5097BF-955C-4F79-B483-7EE14AF05786}

3. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (INC IN >1)

{D8EE448D-00EB-412D-95AC-2E2E92C53EEB}

4. SKIN INDURATION AROUND INCISION LIMITED TO INCISION (INC IN LIM)

{88BCE7F9-F21F-427A-A50B-C1BA831639AB}

UNITS:

-----



ID: {20391515-609B-4D18-AE79-533E47AFCAA8}

=====

Abbreviation..... WOU IN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Induration Extension Around Wound

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 4 entries

-----

1. SKIN INDURATION EXTENSION AROUND WOUND NONE (WOU IN NON)

{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}

2. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (W  
OU IN <1) {3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}

3. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (W  
OU IN >1) {7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}

4. SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (WOU IN LIM)

{1828A9EA-FF9D-4A49-9543-15B85F211E}

UNITS:

-----

=====

TERM: SKIN MOISTURE

Page: 671

ID: {BE934424-A7CF-EEF0-8098-26B3AFC4B2FE}

=====

Abbreviation..... SKIN MOIST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Moisture  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
- |                    |  |
|--------------------|--|
| 1. DRY (d)         | {D8F4F0FD-1B19-2515-3815-EC88D175B305} |
| 2. MOIST (m)       | {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0} |
| 3. DIAPHORETIC (d) | {F5F1E644-A1BD-0137-54B5-1C02678C1D5A} |
| 4. NORMAL (n)      | {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B} |

UNITS:

-----

=====

TERM: SKIN PATCHES PRESENT

Page: 672

ID: {D48AF8EF-A439-4D1B-9987-A04D9E030B45}

=====

Abbreviation..... SKIN PAT P  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Are Skin Patches Present  
Display Name..... Skin Patches Present  
Help Text..... Are Skin Patches Present? (EKG,  
Medication...)  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: SKIN RISK FACTORS PRESENT

Page: 673

ID: {8258C84C-8C09-417D-8FB2-FC1999456654}

=====

Abbreviation..... SK RISK PR

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Are Skin Risk Factors Present?

Display Name..... Skin Risk Factors Present

Help Text..... Does The Patient Have Spinal Cord  
Injury, Paralysis, Or Neurological  
Disease?

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: SKIN SWELLING EXTENSION AROUND INCISION

Page: 674

ID: {AB9716EF-235C-4434-A96D-5BC289C9458A}

=====

Abbreviation..... INC SW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Skin Swelling Extension Around Incision

Display Name..... Skin Swelling Extension Around Incision

Help Text..... Skin Swelling Extension Around Incision

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

5 entries

- 
1. SKIN SWELLING EXTENSION AROUND INCISION NONE (INC SW NON)  
{54C9FC46-899C-460B-9524-D6F196B9FF31}
  2. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (INC SW <1)  
{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}
  3. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (INC SW >1)  
{106A2AD3-F482-4DEE-967E-6F06C6026944}
  4. SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (INC SW LIM)  
{B8503D54-6925-430E-8AB6-692412347D5D}
  5. SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (INC SW FLU)  
{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

UNITS:

-----

=====

TERM: SKIN SWELLING EXTENSION AROUND WOUND

Page: 675

ID: {FE9F8966-B828-473C-9285-E189A448E304}

=====

Abbreviation..... WOU SW

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Swelling Extension Around Wound

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 5 entries

-----

1. SKIN SWELLING EXTENSION AROUND WOUND NONE (WOU SW NON)  
{550E3B92-2C69-403B-A997-2DBE61374ABF}
2. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (WOU SW <1)  
{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}
3. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (WOU SW >1)  
{EA6AC933-0737-4C28-9F31-D36F3452DA96}
4. SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (WOU SW LIM)  
{413CD1EC-309C-45D0-A1E0-E829EA615E2A}
5. SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (WOU SW FLU)  
{DB5077E7-D339-4C87-B8CA-D16269DB2935}



UNITS:

-----

ID: {7E791776-2C73-E8F3-64A6-D965319D79BA}

=====

Abbreviation..... SKIN TEMP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Temperature  
Display Name..... Skin Temperature  
Help Text..... Skin Temperature  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
1. COOL (COOL) {48A1FEA8-FD75-DAF8-174A-9C6AB2044439}
  2. WARM (WARM) {E03BBEB4-5643-968F-190F-309A1293FCF9}
  3. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
  4. HOT (HOT) {401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}
  5. CONSISTENT WITH BODY TEMPERATURE (CON W TEMP)  
{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}
  6. WARMER THAN GENERAL BODY TEMP (WARM B TEM)  
{AE43F2B4-B585-43F4-9E97-D61E225A803B}
  7. WARMER THAN OPPOSITE BODY PART (WARM OPP P)  
{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}

8. COOLER THAN OPPOSITE BODY PART (COOL OPP P)

{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}

9. COOLER THAN GENERAL BODY TEMPERATURE (CoolGenT)

{03D7D4CF-9B3C-49CA-9650-213E9BABE064}

LOCATION:

49 entries

- 
1. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
  2. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
  3. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
  4. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
  5. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}
  6. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
  7. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
  8. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
  9. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
  10. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
  11. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
  12. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}
  13. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
  14. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}
  15. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
  16. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
  17. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
  18. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
  19. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
  20. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
  21. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

22. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
23. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
24. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
25. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
26. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
27. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
28. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
29. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
30. L JAW (L JAW) {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}
31. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}
32. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}
33. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}
34. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}
35. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}
36. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
37. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACA0}
38. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
39. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
40. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
41. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
42. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
43. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
44. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
45. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
46. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
47. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
48. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
49. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

-----

ID: {832CCFB8-A5D4-49C0-A97D-2079E698D0EA}

=====

Abbreviation..... INC TP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Temperature at Incision Site  
Display Name..... Skin Temperature at Incision Site  
Help Text..... Skin Temperature at Incision Site  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

1. SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (INC TP CON) {D349175A-4B20-4243-BE40-E01E50C5583F}
2. SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (WARM BD OP) {5F888E9D-8F65-49ED-BC5D-F6F287A9D478}
3. SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (WARME R OP) {F518787A-325A-45F3-82B4-73C856802073}
4. SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (INC TP CBT) {D357C975-857D-4293-B3EF-EFA7A4586357}
5. SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (INC T P COP) {85307AD8-F730-43F0-BCB3-882594D9DDF8}

UNITS:

-----

ID: {52AE1F41-553B-4D21-8A65-33B4CEDFA783}

=====

Abbreviation..... WOU TP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Temperature at Wound Site  
Display Name..... Skin Temperature at Wound Site  
Help Text..... Skin Temperature at Wound Site  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

1. SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (WOU TP CBT) {672D56C1-D1A3-4DDF-8815-F05DEE197061}
2. SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (WOU TP WGB) {03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}
3. SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (WOU TP WOB) {6290BD23-24BF-4A3A-8555-DCE52D2274B3}
4. SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (WOU TP COB) {A904C666-2810-4211-B53A-2961DCE6894E}
5. SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (WOU TP CGB)



U TP CGB)

{7203993E-3334-44EC-9FD9-14224253283D}

UNITS:

-----

=====

TERM: SKIN TURGOR

Page: 679

ID: {4D90E9F2-5E61-67AA-1ACA-874AED4E6C79}

=====

Abbreviation..... SKIN TURG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Skin Turgor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

3 entries

- 
1. GOOD (GOOD) {39ECA304-49F9-44B7-9735-B33CEC9D8119}
  2. DECREASED (DECREASED) {D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}
  3. POOR (POOR) {A3D75A12-A791-446D-AF63-9435054DFC4C}

UNITS:

-----

ID: {975D025B-F852-4212-A182-1D9469BCA5B1}

=====

Abbreviation..... WOU CLOSUR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Closure

Help Text..... Type of material used to close wound

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

8 entries

-----

1. SKIN WOUND CLOSURE APPROXIMATED (WOU CL APP)

{83D48E0F-8643-436B-9ECC-80795857C322}

2. SKIN WOUND CLOSURE DEHISCENCE (WOU CL DEH)

{425A460F-19C0-4A4A-8E4E-712C66968C38}

3. SKIN WOUND CLOSURE GLUE (WOU CL GLU)

{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}

4. SKIN WOUND CLOSURE NOT CLOSED (WOU CL NOT)

{0E69F1FA-35F6-4F34-8547-CC3602670A7B}

5. SKIN WOUND CLOSURE OPEN WOUND (WOU CL OPE)

{C6F2AD2C-932F-434A-8A7A-513029092FFD}

6. SKIN WOUND CLOSURE STAPLES (WOU CL STA)

{FE04BFE3-DF81-48E7-9FA1-1CF4ECAD71}

7. SKIN WOUND CLOSURE STERI-STRIPS (WOU CL STE)

{AD451791-6B49-4A51-ABC3-796D08BEF910}

8. SKIN WOUND CLOSURE SUTURES (WOU CL SUT)

{F2840AE4-216B-477C-9FE6-DC91E8CE5364}

UNITS:

-----

=====

TERM: SLEEP AMOUNT

Page: 681

ID: {E68F85F4-35A1-4FAC-BA86-90BF1FD5D63F}

=====

Abbreviation..... SLEEP AMOU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Sleep Amount

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

HOUR                    -0.1 > 0.0 \* 24.0 < 24.1    Dec Prec: 1

ID: {7727D9C8-C3F2-4676-A2B8-23F4DAC72B90}

=====

Abbreviation..... SLEEP QUAL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Sleep Qualifiers

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

6 entries

- 
1. NAPS ONLY (NAPS ONLY) {CF749F5C-2E4B-419A-B020-C81B30A7E482}
  2. HAS NOT SLEPT (NO SLEEP) {3BF9DB54-5D1E-422D-90AF-918F81C9EA85}
  3. ASLEEP AT ROUNDS (SLEEP ROUN)  
{24E1D9F0-D8F1-4DC8-911F-6170F343C087}
  4. DENIES HAVING SLEPT (DENIES SL)  
{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}
  5. SLEPT WELL (SLEPT WELL) {18573E82-568F-4D2E-B9E1-6E4589EBEE2D}
  6. INTERMITTENT SLEEP (INT SLEEP)  
{5005C433-5892-4F4D-A64D-4C94AD1853E2}

UNITS:

-----

ID: {274B7CFD-D091-47F2-9F35-602F14D75340}

=====

Abbreviation..... SPEC BED/M  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of specialty Bed or Mattress  
Display Name..... Specialty Bed/Mattress  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

-----

1. BARIATRIC FRAME (BARI FRAME)  
{CF95B426-F280-451B-86F2-CEF7A1A2B967}
2. BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (BAR L AIR)  
{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}
3. LOW AIRLOSS/ALTERNATING PRESSURE COMBO (L AIRL ALT)  
{ADDD1260-C95B-4D7B-AB89-3749D76A3700}
4. LOW AIRLOSS OVERLAY (L AIR OVRL)  
{282C439C-A697-43E6-85C1-786352EB56BC}
5. PERCUSSION BED (PERC BED) {BE0B086B-A2F3-446A-ADE0-9589E92689FE}
6. ROTATIONAL THERAPY (ROT THERAP)



{BB795594-720C-40D7-9B7C-6792BC849DA0}

7. STANDARD PRESSURE REDUCTION (STAN P RED)

{556537CD-A84D-4493-81F6-51CBD844B5B7}

8. STRYKER FRAME (STRYKER FR)

{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}

9. FLOTATION BED (FLOT BED) {FA6329AB-85A6-4301-BC14-D0D089249356}

UNITS:

-----

=====

TERM: SPECIFIC GRAVITY

Page: 684

ID: {CFB61154-54BD-4DE2-B83B-BC497AEC0F33}

=====

Abbreviation..... SPEC GRAVI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Specific Gravity

Display Name..... Specific Gravity

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

PRODUCT:

1 entries

-----

1. URINE (u)            {1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

UNITS:

-----

SI UNIT                0.500 > 1.000 \* 1.030 < 2.000

Dec Prec: 3

ID: {F5ECC376-8003-62AF-64E7-08D52B244095}

=====

Abbreviation..... STAVF

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment Average Vector Foot

Display Name..... ST Segment AVF

Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

ID: {BB728DEB-4928-4714-9D0D-051EBC0187D2}

=====

Abbreviation..... STAVL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment Average Vector Left

Display Name..... ST Segment AVL

Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

ID: {AE4E7CCA-2453-99B2-B345-6A03580214AD}

=====

Abbreviation..... STAVR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment Average Vector Right

Display Name..... ST Segment AVR

Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2



ID: {6D678028-BDCB-65D9-6F76-455102C8B05A}

=====

Abbreviation..... ST1

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment 1

Display Name..... ST Segment 1

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

ID: {6F42CE65-5097-918C-93B6-7D3000CA402E}

=====

Abbreviation..... ST2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment 2

Display Name..... ST Segment 2

Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

ID: {C2D177EB-A435-9EAA-E518-2039E8592E69}

=====

Abbreviation..... ST 3

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment 3

Display Name..... ST Segment 3

Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

ID: {6D9794A3-5374-CE1D-6AD4-D4601683F6F0}

=====

Abbreviation..... STV1

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead V1

Display Name..... ST Segment V1

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V1

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS            -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS           -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2



ID: {BA2FE2E9-D587-5F6C-66D4-B046A3746ADE}

=====

Abbreviation..... STV2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead V2

Display Name..... ST Segment V2

Help Text..... The part of an electrocardiogram

immediately following the QRS complex  
and merging into the T wave from Lead  
V2

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

ID: {ACEEBB4D-FDFD-31BA-7151-446EAB274549}

=====

Abbreviation..... STV3

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead v3

Display Name..... ST Segment V3

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V3

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

ID: {A48D67C4-49D9-4EFD-DF99-7088D8E2DFBA}

=====

Abbreviation..... STV4

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead 4

Display Name..... ST Segment V4

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V4

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS            -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS           -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

ID: {0B6F3CF6-9DDB-17EC-EFC0-37610387E274}

=====

Abbreviation..... STV5

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead 5

Display Name..... ST Segment V5

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V5

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2



ID: {4D796057-5561-652D-D6A0-387DB5D16973}

=====

Abbreviation..... STV6

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ST Segment from Lead 6

Display Name..... ST Segment V6

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V6

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD:

1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS            -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS           -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

=====

TERM: ST/T WAVE MEASUREMENT

Page: 697

ID: {F825C20C-82DE-4DD6-BC78-4E25030D0DB1}

=====

Abbreviation..... ST/T measu

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description.....

Display Name..... ST/T Wave Measurement

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIMETERS

-9.0 > -9.0 \* 9.0 < 9.0 Dec Prec: 1

ID: {811C87C7-BC37-72E2-98B5-AF4E61976DBB}

=====

Abbreviation..... STOOL CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Stool Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----

1. NORMAL STOOL (NORM STOOL) {486B0693-CAC5-48EE-B2E6-1F73C651418A}
2. LOOSE (LOOSE) {1346A74E-3AA1-4D81-876B-91201F9717A5}
3. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
4. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
5. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
6. TARRY (TARRY) {09364271-6307-471F-A334-A8F7E051EF46}
7. MUCOID (MUCOID) {073E5514-DACE-4F43-ADE5-91A1A87D6601}
8. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
9. FRANK BLOOD (FRANK BLD) {CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}
10. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}

UNITS:

-----

=====

TERM: STOOL COLOR

Page: 699

ID: {85012C5D-09F3-4078-9A4D-82564BF57235}

=====

Abbreviation..... STOOL COLO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Stool Color  
Display Name..... Stool Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

-----

1. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
2. YELLOW/GREEN (YELLOW/GRN) {1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}
3. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
4. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
5. MAROON (MAROON) {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
8. RASH/EXFOLIATION (RASH/EXFOL)  
{AB83ABA9-28A7-6484-67E7-4E66B5526942}
9. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

-----

ID: {85348D14-F821-4043-A1C6-07D5BA407198}

=====

Abbreviation..... NUM STOOLS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Number of stools

Display Name..... Number of stools

Help Text..... Number of stools

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

11 entries

- 
- |             |  |
|-------------|--|
| 1. 1 (1)    | {8F5D10A8-FE17-47BC-DACA-6972D12CC00A} |
| 2. 2 (2)    | {38E22B79-A2B6-3401-B195-C955F24E1278} |
| 3. 3 (3)    | {E714454D-6A67-91F6-2FB7-D8F24F184328} |
| 4. 4 (4)    | {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A} |
| 5. 5 (5)    | {188EDCE7-0726-4234-D8D2-92C8052CD221} |
| 6. 6 (6)    | {640CF2F9-3BBF-AB13-185B-CD02A609FB5A} |
| 7. 7 (7)    | {7A010324-D2C2-5D4B-848A-7B8878666D20} |
| 8. 8 (8)    | {518E7CFC-102E-351E-C7AF-FB575E3C8F4D} |
| 9. 9 (9)    | {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC} |
| 10. 10 (10) | {0C827160-18DB-816F-7FAA-A3C175C6D33B} |



11. N/A (n)

{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

-----

=====

TERM: STROKE INDEX

Page: 701

ID: {14D70939-EDAB-9318-200B-D71EF2F38570}

=====

Abbreviation..... SI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Stroke Index

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLILITERS PER BEAT

10 > 25 \* 45 < 100

Dec Prec: 0

=====

TERM: STROKE VOLUME

Page: 702

ID: {97938D03-0837-552B-5BC2-3F8D1A38E386}

=====

Abbreviation..... SV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Stroke Volume  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

MILLILITERS PER BEAT 30 > 60 \* 130 < 200 Dec Prec: 0

=====

TERM: STROKE VOLUME INDEX

Page: 703

ID: {0FFED66D-43F3-E4CA-18B7-DBFCAA2F5EC5}

=====

Abbreviation..... SVI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Stroke Volume Index

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

MILLILITERS PER BEAT PER METER SQUARE (BSA)

20 > 41 \* 51 < 100 Dec Prec: 0

ID: {56F82CAC-3564-46CE-A520-1025020DADE9}

=====

Abbreviation..... FIO2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... This is the level of O2 that is set  
on the machine to be delivered to the  
patient

Display Name..... FiO2

Help Text..... Fraction of Inspired Oxygen

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 8 entries

-----

1. AEROSOL/HUMIDIFIED MASK (AM)

{CAF54B28-D5D2-8481-FAE3-9C74C2D51551}

2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}

3. FACE TENT (FT) {1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}

4. LARYNGEAL MASK (LARYNGMASK)

{DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}

5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}

6. T-PIECE (TP) {27FC4BC6-2F25-2154-553C-2B452E28A91C}

7. TRACHEOSTOMY COLLAR (TC) {CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}

8. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

PERCENTAGE

0 > 21 \* 100 < 101

Dec Prec: 0

ID: {3BB314E8-9BBB-480E-B34E-B56EDE43BAC4}

=====

Abbreviation..... O2FLOWRATE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Supplemental Oxygen Flow Rate  
Display Name..... Supplemental Oxygen Flow Rate  
Help Text..... Supplemental Oxygen Flow Rate  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 12 entries

-----

1. AMBU BAG (AB) {E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}
2. BIPAP (BIP) {3CFD1D11-EF8D-58BA-6381-B24956344D2E}
3. BIPAP-CPAP (PAP) {2BCBE562-8F44-662F-469B-13AC0E863A3D}
4. CPAP (CP) {A041FB71-08EF-F3FE-82FA-051FF74C824F}
5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}
6. NASAL CANNULA (NC) {EFFD38AE-6AF5-77FD-72E1-E0F7E3DEBA29}
7. NEBULIZER (NEBULIZER) {3CF184A3-2688-4988-B956-D5B0F303E8E8}
8. NON RE-BREATHING (NRB) {1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}
9. PARTIAL RE-BREATHING (PRB) {6F1DF170-5128-2E3F-1831-12FB0BB5E95C}
10. PENDANT CANNULA (PC) {A1451228-4ABB-DBCB-31AD-578BCD93012F}

11. RESERVOIR CANNULA (RC) {B332C44D-29BE-765C-932C-63EBFC9631FC}

12. VENTURI MASK (VM) {E0401675-9C4E-2AFA-2B93-F352B781E963}

UNITS:

-----

LITERS PER MINUTE      -1 > 0 \* 20 < 21      Dec Prec: 0



=====

TERM: SYSTEMIC VASCULAR RESISTANCE

Page: 706

ID: {BD2C3F43-186B-A312-2514-186EFE223B65}

=====

Abbreviation..... SVR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Systemic Vascular Resistance

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

DYNE \* SECONDS / CM(-5) \* M2 400 > 800 \* 1200 < 3000 Dec Prec: 0

=====

TERM: SYSTEMIC VASCULAR RESISTANCE INDEX

Page: 707

ID: {62C5A9F1-C0D2-DD0C-5A01-459C833375EE}

=====

Abbreviation..... SVRI

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Systemic Vascular Resistance Index

Display Name..... Systemic Vascular Resistance Index

Help Text..... Systemic Vascular Resistance Index

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. CARDIAC OUTPUT MONITOR (COM)

{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----

DYNE \* SECONDS / CM(-5) / M2 1500 > 1760 \* 2600 < 4000 Dec Prec: 0

ID: {D66590AE-5D02-A206-A7CD-7EFB22AE591D}

=====

Abbreviation..... SYSTOL PRE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Systolic Pressure

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

LOCATION: 4 entries

-----

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
4. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

-----

1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
2. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}
3. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}

4. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

5. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

POSITION: 3 entries

-----

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

-----

MILLIMETERS OF MERCURY 0 > 80 \* 150 < 300 Dec Prec: 0

=====

TERM: SaO2%

Page: 709

ID: {D2D98D5C-552B-9913-31FB-E4FE5BB32912}

=====

Abbreviation..... SaO2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Arterial Oxygen Saturation

Display Name..... SaO2%

Help Text..... Arterial Oxygen Saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

PERCENTAGE

50 > 92 \* 100 < 101

Dec Prec: 0

=====

TERM: SpO2%

Page: 710

ID: {5F84DD55-3CCF-094C-2536-B51EB7FAD999}

=====

Abbreviation..... SpO2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Spot Oxygen Saturation

Display Name..... SpO2%

Help Text..... Oxygen Saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500637

METHOD:

2 entries

-----

13. MONITOR (Mo)            {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

19. PULSE OX MONITOR (POM)    {A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

UNITS:

-----

PERCENTAGE

50 > 92 \* 100 < 101

Dec Prec: 0

=====

TERM: SvO2%

Page: 711

ID: {A7862F66-E515-838A-6F71-2099DCC02C9E}

=====

Abbreviation..... SvO2%

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Venous Oxygen Saturation

Display Name..... SvO2%

Help Text..... Venous Oxygen Saturation

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

PERCENTAGE

30 > 60 \* 75 < 100

Dec Prec: 0

ID: {0F33223E-DF2C-6B8B-5201-5E091C5F9065}

=====

Abbreviation..... T

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Internal body temperature of a patient.

Display Name..... Temperature

Help Text..... Enter in the numeric value of the  
patients temperature with up to one  
decimal.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500638

LOCATION: 7 entries

-----

1. AXILLARY (Ax) {135AA5F4-A1C7-978D-E9AB-6873841AEB57}
2. CORE (C) {5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}
3. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
4. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
5. SKIN (SKIN) {0803BC59-1582-AEC8-3DA2-A81363038210}
6. TEMPORAL (TEMPORAL) {E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}
7. TYMPANIC (Tym) {0A58C14C-E447-E034-AA93-D41E6E0D2F69}



QUALITY: 2 entries

-----

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

-----

DEGREES F 70.0 > 95.0 \* 100.9 < 108.0

Dec Prec: 1

DEGREES C 21.1 > 35.0 \* 38.3 < 42.2 Dec Prec: 1

ID: {339EAE62-5A1A-4F43-8D83-F9152EE5AB94}

=====

Abbreviation..... ID Method

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description.....

Display Name..... Time Out: Patient Identification Method

Help Text..... Method of Patient Identification

Multi Select Picklist..... Yes

Term Type..... OBSERVATION

Void.....

DATA VALUE: 3 entries

-----

1. VERBALIZED BY PATIENT (Verbal)

{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}

2. ID BAND (ID Band) {5526C5AB-64C8-4AB1-B77F-DAF45D26B439}

3. ID CARD (ID Card ) {CFD540F0-3D73-498F-B590-CCEF11499078}

UNITS:

-----

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED

Page: 714

ID: {AD9203C2-342A-4397-B71D-1AE9F36D4582}

=====

Abbreviation..... T/O Confir

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Time Out: Verbal confirmation by team  
of procedure to be performed

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY

Page: 715

ID: {C90F1CBF-5CC7-49DB-8643-D220B20D954C}

=====

Abbreviation..... T/O Lat

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Time Out: Verbal confirmation by team  
of procedure and laterality

Help Text.....

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====

TERM: TONOMETRY

Page: 716

ID: {C06989EF-4B0F-4941-B1A7-FA9D81A480FF}

=====

Abbreviation..... TON

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Tonometry

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688726

UNITS:

-----

MILLIMETERS OF MERCURY

0 > 0 \* 80 < 80

Dec Prec: 0

ID: {8A29B49B-7338-7943-B6C0-9027BE094607}

=====

Abbreviation..... TSS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Electrocardiogram Reading

Display Name..... Trace ST Segment

Help Text..... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

ID: {ED106F43-5AB7-8B5C-D282-8458B35169C2}

=====

Abbreviation..... TSS2

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... ECG Reading

Display Name..... Trace ST Segment 2

Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00



Dec Prec: 2

=====

TERM: TRACHEA MIDLINE DEVIATED

Page: 719

ID: {E952DF23-0FC7-5809-2135-C8AA60FE159B}

=====

Abbreviation..... TRACH MIDL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Trachea Midline Deviated  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: TRACTION TYPE

Page: 720

ID: {5A9CB3E0-7141-45E9-BE82-AA026A7889AB}

=====

Abbreviation..... TRACT TYPE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Traction Type

Display Name..... Traction Type

Help Text..... Type of traction used

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

3 entries

-----

1. BUCKS TRACTION (BUCK TRACT)

{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}

2. SLING TRACTION (SLING TRAC)

{304E924C-C95A-4DBE-B30B-191BC4D26EF7}

3. PIN TRACTION (PIN TRACT) {C75104A5-3B6B-4CFE-8E2E-05877522C811}

UNITS:

-----

=====

TERM: TRACTION WEIGHT - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 721

ID: {0C913807-C678-4E94-BD20-B8B2EBE697BE}

=====

Abbreviation..... TRACT WEIG

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Weight used in traction

Display Name..... Traction Weight - Do Not Check Total  
or Subtotals

Help Text..... Weight used in traction

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----  
POUND

-1 > 0 \* 30 < 31

Dec Prec: 0

=====

TERM: TRAIN OF FOUR RESPONSE

Page: 722

ID: {86E4352A-A72E-4287-8C17-ABCF97DCAF94}

=====

Abbreviation..... TOF RESP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Train of Four response  
Display Name..... Train of Four Response  
Help Text..... Record the number of responses  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 4 entries

- 
- |              |  |
|--------------|--|
| 1. 1:4 (1:4) | {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD} |
| 2. 2:4 (2:4) | {7D423C9A-42B3-4FDD-999B-889193492F5C} |
| 3. 3:4 (3:4) | {E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2} |
| 4. 4:4 (4:4) | {E9FCD5A0-995A-401D-8E85-6F0C753609B6} |

UNITS:

-----

=====

TERM: TRAIN OF FOUR SMS

Page: 723

ID: {63E1D230-3238-4D03-95C5-24BF51FD0CEF}

=====

Abbreviation..... TOF SMS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Train of Four sms

Display Name..... Train of Four SMS

Help Text..... Record current setting in milliamps

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

MILLIAMPS                    -1.0 > 10.0 \* 100.0 < 1000.0

Dec Prec: 1

=====

TERM: TRANSPORT FACILITATOR

Page: 724

ID: {9F4001FD-C520-4360-87CC-1420803FF72A}

=====

Abbreviation..... TRANS FA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Transport Facilitator  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

- 
1. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}
  2. STAFF (STAFF) {BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}
  3. PHYSICIAN (PHYSICIA) {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}
  4. STUDENT (STUDENT) {613AFF67-9121-4F6C-A44F-1ACFEF10E612}
  5. FAMILY/FRIEND (FAM/FRIE) {FA8FE272-E659-41EF-A394-F907A5F55ED8}

UNITS:

-----

ID: {976E8051-8473-4FBE-B4EA-CF96762CACC5}

=====

Abbreviation..... TRANS MO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Transportation Mode/Device  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 10 entries

-----

1. ABLE TO AMBULATE (AMBULAT)  
{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
2. CRUTCH (CRUTCH) {2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}
3. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}
4. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
5. CANES (CANES) {DF37C541-1C7D-4527-A4D2-31867B5ED438}
6. MOTORIZED WHEELCHAIR (MO WH CH)  
{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}
7. WHEELCHAIR (WH CHAIR) {EC1B82CE-4037-466F-90AC-52CD5C3B26BE}
8. STRETCHER (STRETCHER) {93CB521A-3A67-41FB-A59C-3DD54D810B11}



9. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}

10. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}

UNITS:

-----

=====  
TERM: TREMULOUS

Page: 726

ID: {72BAD86-F225-A686-F5E6-F395AEC2D5B6}

=====

Abbreviation..... TREM

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Tremulous

Help Text..... characterized by or affected with

trembling or tremors

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE:

2 entries

- 
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

---

=====

TERM: TUBE POSITION VERIFIED

Page: 727

ID: {1B065DF3-2D96-4F90-8CA2-7F377A0C2D28}

=====

Abbreviation..... TUBE POS V

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Was the tube position verified

Display Name..... Tube Position Verified

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {42B46B96-C43B-4F36-B7F9-A3413F02EEA7}

=====

Abbreviation..... TURN SKIN  
Active..... Yes  
Boolean Value False..... Not Done  
Boolean Value True..... Done  
Data Type..... Boolean  
Description..... Turn and Skin Care  
Display Name..... Turn and Skin Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: ULNAR DRIFT

Page: 729

ID: {70284DFB-2F51-403D-54BE-DA51C83F2DDD}

=====

Abbreviation..... ULDT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Ulnar Drift

Help Text..... position of the metacarpophalangeal  
joints

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 2 entries

-----

1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

-----

ID: {C713F418-605C-1E77-7834-610B6394D5F2}

=====

Abbreviation..... UP. LIM. S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Upper Limb Extremities Strength  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 6 entries

- 
- 1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  - 2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}
  - 3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}
  - 4. REFLEX (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}
  - 5. EQUAL (Equal) {AC079584-158D-EBF2-E13A-C2E919375E4D}
  - 6. UNEQUAL (Unequal) {73319200-164F-B39F-649C-B7FB1AFBDBB8}

LOCATION: 3 entries

- 
- 1. L UPPER LIMB (L Upp Limb) {E6453716-62D3-DFCB-F84D-F6F2FD5C20B7}

2. R UPPER LIMB (R UPP LIMB) {5E028BFF-ED9B-014F-74F0-C4137DB074FB}

3. BILATERAL WRIST (BILAT WRIS)

{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

-----

ID: {3112FF47-AF91-5D4B-AD9B-1A2D95AA9CA7}

=====

Abbreviation..... URINE CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Urine Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 8 entries

- 
1. ANURIC (ANURIC) {0CCA4B44-7A59-4042-BAB9-EB2395A63C51}
  2. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  3. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
  4. HEMATURIA (HEMATURIA) {ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}
  5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
  6. SEDIMENT (SEDIMENT) {4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}
  7. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}
  8. THREADS (Threads) {029BB303-B428-41D0-978B-6A8176108D7D}

UNITS:



-----

ID: {80D67904-3FE2-98BA-6810-F15D88A637B3}

=====

Abbreviation..... URINE COLO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Color of urine  
Display Name..... Urine Color  
Help Text..... Color of urine  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

-----

1. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
2. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
3. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
4. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
5. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
6. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
7. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
8. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
9. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
10. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

- 11. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
- 12. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
- 13. DYE PRESENT (DYE PRESEN) {E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}
- 14. TEA (TEA) {E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

UNITS:

-----

ID: {298781A7-DC46-4065-AA8E-1567F72FBCB8}

=====

Abbreviation..... URINE VOID  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Urine Voids  
Help Text..... Number of urine voids since last entry  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 11 entries

- 
- 1. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
  - 2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
  - 3. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
  - 4. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
  - 5. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
  - 6. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
  - 7. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}
  - 8. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
  - 9. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
  - 10. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

11. N/A (n)

{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

-----

ID: {CF4BE586-DB30-CD14-BEE1-704461E412C5}

=====

Abbreviation..... VOIDING  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Urine Voiding Method  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 12 entries

-----

1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}
2. DYSURIA (DYSURIA) {75AC5ECD-8975-406A-30C7-E2EB23F10F84}
3. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
4. DIVERSION (DIVERSION) {087AAE9F-7FE1-5717-6423-07574C637875}
5. INDWELLING CATHETER (INDW CATH)  
{EC16724C-D1EA-5650-58D4-38A89D4456F9}
6. EXTERNAL CATHETER (EXT. CATHE)  
{C8AEE936-DD91-FE91-4DD6-6F210FB59726}
7. STRAIGHT CATHETER (STR. CATH)  
{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

8. ILEAL CONDUIT (ILEAL COND)

{032CB6FE-77D2-702E-A0AE-46176F5CAA57}

9. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}

10. L NEPHROSTOMY (L NEPHROST)

{D8FC4C18-081E-A7B9-E394-25F194BE9757}

11. R NEPHROSTOMY (R NEPHROST)

{33661137-688D-5611-4368-B1DFD8DB1469}

12. REPORTED (REPORTED) {1D13BAC5-D8F9-455C-B815-8E256943492E}

QUALITY: 2 entries

-----

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

-----

ID: {EA42E7E0-23CA-43D3-984E-CC421E0A90DF}

=====

Abbreviation..... VENT AU PE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Auto Peep

Display Name..... Ventilator Auto Peep - Do Not Check

Total or Subtotals

Help Text..... Ventilator Auto Peep

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O -1.00 > 0.00 \* 10.00 < 100.00

Dec Prec: 2



ID: {C0494BB3-5896-41BD-89B4-86C684078604}

=====

Abbreviation..... VENT CIR C  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Ventilator Circuit Change  
Display Name..... Ventilator Circuit Change  
Help Text..... Ventilator Circuit Change  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

METHOD: 1 entries

- 
- 1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

=====

TERM: VENTILATOR EXHALED VOLUME

Page: 737

ID: {404A3850-382D-4E86-B7F3-29DDAF1616BC}

=====

Abbreviation..... VENT EXHAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Exhaled Volume  
Display Name..... Ventilator Exhaled Volume  
Help Text..... Ventilator Exhaled Volume  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

LITER 0.0 > 1.0 \* 99.0 < 100.0 Dec Prec: 1

=====

TERM: VENTILATOR EXPIRATORY TIME

Page: 738

ID: {004C6736-FFB2-4002-B92C-E2F17D03AF4E}

=====

Abbreviation..... VENT EXP T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Expiratory Time  
Display Name..... Ventilator Expiratory Time  
Help Text..... Ventilator Expiratory Time  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

SECOND 0.00 > 0.01 \* 9.99 < 10.00

Dec Prec: 2

=====

TERM: VENTILATOR FLOW RATE

Page: 739

ID: {548E1F72-B501-49DD-B22B-1366CE06C2BE}

=====

Abbreviation..... VENT FL RA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Flow Rate  
Display Name..... Ventilator Flow Rate  
Help Text..... Ventilator Flow Rate  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

LITERS PER MINUTE -1 > 0 \* 150 < 151 Dec Prec: 0

=====

TERM: VENTILATOR INSPIRATORY TIME

Page: 740

ID: {35948B65-6D8F-4BD4-8F4E-CE785D8D829D}

=====

Abbreviation..... VENT INS T

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Inspiratory Time

Display Name..... Ventilator Inspiratory Time

Help Text..... Ventilator Inspiratory Time

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

SECOND 0.00 > 0.01 \* 9.99 < 10.00

Dec Prec: 2

=====

TERM: VENTILATOR MEAN AIR PRESSURE

Page: 741

ID: {BD28B791-7E79-4116-8DF1-6296B60FCC57}

=====

Abbreviation..... VENT MAP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Mean Air Pressure

Display Name..... Ventilator Mean Air Pressure

Help Text..... Ventilator Mean Air Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0

MILLIBAR 0 > 20 \* 80 < 100 Dec Prec: 0

=====

TERM: VENTILATOR MINUTE VOLUME

Page: 742

ID: {1C718F1D-EE59-4743-888D-7767864C4EB0}

=====

Abbreviation..... VENT MIN V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Ventilator Minute Volume

Display Name..... Ventilator Minute Volume

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

LITERS PER MINUTE -1 > -1 \* 30 < 30 Dec Prec: 0

ID: {21CF6705-7597-53D0-F5EA-CBB704128A4B}

=====

Abbreviation..... VENT MODE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Ventilator Mode

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

7 entries

-----

1. CONTROL MODE VENTILATION (CMV)

{2E79351C-BA31-FC04-B636-F39728B23EA6}

2. ASSIST CONTROL (AC) {862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}

3. SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (SIMV)

{A606BB2B-5C00-FEA1-127F-1D3455AE5996}

4. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)

{387B42F0-F587-AAFC-ECA0-66067F18BEC6}

5. PRESSURE CONTROL (PRESS CONT)

{C3CDF756-484F-1483-9883-9B63DEF3B012}

6. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)



{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

7. SPONTANEOUS (SPONTANEOU) {C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

=====

TERM: VENTILATOR PATIENT EXHALE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 744

ID: {A125A0E0-8385-43F0-9A55-56D18B33CA24}

=====

Abbreviation..... VT PT EX V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Exhale Volume that the patient  
actually achieved

Display Name..... Ventilator Patient Exhale Volume - Do  
Not Check Total or Subtotals

Help Text..... Exhale Volume that the patient  
actually achieved

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CUBIC CENTIMETER 0 > 1 \* 499 < 500 Dec Prec: 0

=====

TERM: VENTILATOR PATIENT MINUTE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 745

ID: {0E7E1130-0CC0-4D61-9BA4-7E88B18A7A77}

=====

Abbreviation..... VT PT MN V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Minute Volume that the patient  
actually achieved

Display Name..... Ventilator Patient Minute Volume - Do  
Not Check Total or Subtotals

Help Text..... Minute Volume that the patient  
actually achieved

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

LITERS PER MINUTE -0.1 > 0.0 \* 4.9 < 5.0 Dec Prec: 1

ID: {4266EFCB-CF00-4363-8E5A-244653F6F17A}

=====

Abbreviation..... VT PT RATE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Rate that the patient actually achieved

Display Name..... Ventilator Patient Rate - Do Not  
Check Total or Subtotals

Help Text..... Value that is determined by taking  
the number of breaths total per  
minute minus the breaths set to be  
delivered by the machine

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

BREATHS PER MINUTE 0 > 1 \* 119 < 120 Dec Prec: 0

ID: {B2681753-B7DE-4E0B-8901-B7CDF22D0E45}

=====

Abbreviation..... VT PT R TO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Total rate that the patient actually  
achieved

Display Name..... Ventilator Patient Rate Total - Do  
Not Check Total or Subtotals

Help Text..... Value of breaths delivered by the  
machine plus any additional breaths  
that the patient takes on their own

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

BREATHS PER MINUTE 0 > 1 \* 119 < 120 Dec Prec: 0

=====

TERM: VENTILATOR PCV SET PRESSURE

Page: 748

ID: {BC521E68-B7AA-4B6E-AAC1-0594EE27D94E}

=====

Abbreviation..... VENT PCV S

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Control Ventilator Pressure

Display Name..... Ventilator PCV Set Pressure

Help Text..... Pressure Control Ventilator Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0

ID: {F955312E-79E0-A72D-1F93-533B1B6EAD04}

=====

Abbreviation..... PEAK PRESS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ventilator Peak Pressure - Do Not  
Check Total or Subtotals

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0

=====

TERM: VENTILATOR PEEP

Page: 750

ID: {4847847A-7EB7-9A8F-D565-1DF26438A616}

=====

Abbreviation..... VENT PEEP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... PEEP: Positive End Expiratory Pressure

Display Name..... Ventilator PEEP

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O -1 > 0 \* 20 < 21 Dec Prec: 0



=====

TERM: VENTILATOR PRESSURE SUPPORT

Page: 751

ID: {B6ABD066-7B39-126F-C4C2-A4243C2F93E9}

=====

Abbreviation..... V PRES SUP

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ventilator Pressure Support

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O -1 > 0 \* 20 < 40 Dec Prec: 0

=====

TERM: VENTILATOR PSV SET PRESSURE

Page: 752

ID: {B2494FE0-0B78-4BD9-97B6-DE604B711801}

=====

Abbreviation..... VENT PSV S

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Pressure Support Ventilator Pressure

Display Name..... Ventilator PSV Set Pressure

Help Text..... Pressure Support Ventilator Pressure

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0

=====

TERM: VENTILATOR RATE

Page: 753

ID: {001D591B-6CE7-F51F-098C-79AC6B3E0E09}

=====

Abbreviation..... VENT RATE

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Ventilator Rate Set

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

BREATHS PER MINUTE 0 > 8 \* 40 < 120 Dec Prec: 0

=====

TERM: VENTILATOR SENSITIVITY

Page: 754

ID: {52F9AF8D-CF31-430B-8A11-A8115BFF4B2E}

=====

Abbreviation..... VENT SENSI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Sensitivity  
Display Name..... Ventilator Sensitivity  
Help Text..... Ventilator Sensitivity  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CENTIMETERS H2O -10.0 > -9.9 \* -0.1 < 0.0 Dec Prec: 1

ID: {0592309F-98B7-DBF1-F9F7-94051584BF9F}

=====

Abbreviation..... TIDL VOL A  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Tidal Volume Actual - Do Not Check  
Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

MILLILITER 0 > 400 \* 1200 < 5000 Dec Prec: 0

LITER 0.000 > 0.400 \* 1.200 < 5.000

Dec Prec: 3

=====

TERM: VENTILATOR TIDAL VOLUME SET

Page: 756

ID: {90D4A5CA-E21B-06F6-7AAC-FC6D4B11E7AC}

=====

Abbreviation..... TIDL VOL S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Tidal Volume Set  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

MILLILITER 0 > 800 \* 1200 < 5000 Dec Prec: 0

LITER 0.000 > 0.800 \* 1.200 < 5.000

Dec Prec: 3

ID: {58151FCB-646B-4CC5-A89F-6D34DFB7E622}

=====

Abbreviation..... VENT TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Ventilator  
Display Name..... Ventilator Type  
Help Text..... Type of Ventilator  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 13 entries

-----

1. VENTILATOR PB 840 (PB 840)  
{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}
2. VENTILATOR ACHIEVA P5O2 (ACHIEVA P5)  
{1690EEA5-3C3B-4D30-AC5C-214C94626699}
3. VENTILATOR ADULT STAR (ADULT STAR)  
{879B13DA-4874-42D4-99EC-8E4ADB31B14E}
4. VENTILATOR BEAR 1000 (BEAR 1000)  
{03C30F99-A27C-427C-B0ED-872F0DE646BD}
5. VENTILATOR DRAEGER (DRAEGER)  
{DD18C42F-EF13-460B-8676-9ED1E429B54B}

6. VENTILATOR PB 7200ae (PB7200ae)

{86AE485F-ECD1-4B8E-820F-71CF159F318B}

7. VENTILATOR SERVO (SERVO) {D6F06715-1ADD-4941-B026-B9A5E463943E}

8. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)

{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

9. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)

{387B42F0-F587-AAFC-ECA0-66067F18BEC6}

10. VENTILATOR OTHER (VENT OTHER)

{138B7B3D-9F8B-447A-9785-12AB396AE6DE}

11. BIPAP - RESPIRONICS (BIPAP RESP)

{AA94A723-4C68-489F-88AC-2C6F276EAB76}

12. BIPAP - VISION (BIPAP VISI)

{AA39C765-BA1F-4289-B459-200A57C07FFF}

13. BIPAP/CPAP (BIPAP/CPAP) {8D767C67-3712-410F-A96B-69C731E03C5D}

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----



ID: {17F52B3E-B4C9-483A-B02F-0F4DD809E673}

=====

Abbreviation..... VENT WA FO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Ventilator Wave Form Setting  
Display Name..... Ventilator Wave Form  
Help Text..... Ventilator Wave Form Setting  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. SQUARE (SQUARE) {63F70678-2CAF-48E8-964D-2805D8B9A43B}
  - 2. ACCELERATING (ACCELERATI) {514FE300-87EE-4C2C-AC70-5E57DBECAFF7}
  - 3. DECELERATING (DECELERATI) {B259D4D4-82B8-454A-B53D-F12F4952BB61}

METHOD: 1 entries

- 
- 1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

=====

TERM: VISION CORRECTED

Page: 759

ID: {ED022AC1-EBE4-E708-684D-63D00628A94C}

=====

Abbreviation..... VC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Vision Corrected

Help Text..... Enter Acuity value XX/20

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688727

LOCATION:

2 entries

-----

1. L EYE (L EYE)            {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

2. R EYE (R EYE)            {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

-----

FOOT

-1 > 0 \* 200 < 201

Dec Prec: 0

=====

TERM: VISION UNCORRECTED

Page: 760

ID: {BEA5E565-D728-F5B3-0A3A-0528C42A45C4}

=====

Abbreviation..... VU

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Vision Uncorrected

Help Text..... Enter Acuity value XX/20

Multi Select Picklist.....

Term Type..... OBSERVATION

Void..... 4688728

UNITS:

-----

FOOT

-1 > 0 \* 200 < 201

Dec Prec: 0

=====

TERM: VT/VC - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 761

ID: {FF8D8ABA-E89E-429A-AE65-7C25E22EF199}

=====

Abbreviation..... VT/VC

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Tidal Volume / Vital Capacity

Display Name..... Vt/VC - Do Not Check Total or Subtotals

Help Text..... Tidal Volume / Vital Capacity

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

LITER                    0.00 > 1.00 \* 99.00 < 100.00

Dec Prec: 2

ID: {34F4BAF5-8388-4431-8AE1-F04670A25FE4}

=====

Abbreviation..... WM CL DEV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Warming, Cooling Device  
Help Text..... Warming or Cooling Device  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

-----

1. AIR FLOW DEVICE (AIR FLOW D)  
{60AF6215-CE2A-4EEE-9596-909E3E50BE71}
2. K-PAD (K-PAD) {10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}
3. WARMING BLANKET (WARM BLANK)  
{23D20AE5-DE25-4456-8F77-BF0411FB19A6}
4. HUMIDIFIER (HUMIDIFIER) {A4CE67D1-F885-423B-B914-392D8CAC697E}
5. HEAT LAMP (HEAT LAMP) {4E9DE229-F810-4AB0-9FD7-4596759CEA11}
6. HEAT CHEM PACK (HT CHEM PA)  
{D759F891-2535-40C2-A68C-678170E56F7A}
7. COOL CHEM PACK (CO CHEM PA)

{6DE5E644-28C2-4190-A2EF-1A766E014A65}

8. ICE PACK (ICE PACK) {E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}

9. WARMING BOTTLE (WARM BOTTL)

{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}

10. WARM HUMIDITY WITH O2 (WM HUM O2)

{E62E07C3-4CA2-426B-8EBA-48C406837D9C}

11. COOLING BLANKET (COOL BLANK)

{13A42B12-4959-4674-AF97-2D1242CFD934}

UNITS:

-----

ID: {17908A29-AF84-4217-A035-1CE6CA0F7316}

=====

Abbreviation..... WM CL APPL

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Warming/Cooling Device Application

Help Text..... Current State of Warming/Cooling Device

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 4 entries

- 
1. WARMING ON (WARMING ON) {6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}
  2. WARMING OFF (WARMING OF) {98FAC977-8E2E-406A-9217-A77E1DDCDF50}
  3. COOLING ON (COOLING ON) {911CA17D-614E-445A-969E-4F5220E469EB}
  4. COOLING OFF (COOLING OF) {14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}

UNITS:

-----



=====

TERM: WEIGHT

Page: 764

ID: {CD2D8263-6B71-0E1C-0AFE-87B4B2C12632}

=====

Abbreviation..... WT

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Weight of patient

Display Name..... Weight

Help Text..... Patients weight in lb or kg.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid..... 4500639

METHOD:

8 entries

- 
1. BED (B) {20188D9F-3815-1F7F-34EC-BA77F75B310E}
  2. CHAIR (Ch) {BBF5C05C-220D-D052-C7E8-236E791A4FC9}
  3. LIFT SCALE (LS) {8D741461-25C5-3955-BE2C-CBD27317CBA1}
  4. STANDING WEIGHT (SW) {BE16FA09-16DA-510B-D235-B7F0F93AB105}
  5. WHEELCHAIR SCALE (WcS) {8C496753-9F42-2A36-E5CA-750188306ED4}
  6. WITH CAST OR BRACE (WCB) {47709C05-DF21-FB7D-DE7F-0699D1B7E457}
  7. WITH PROSTHESIS (WP) {73C93D2D-934B-CA55-3557-E756A89710F5}
  8. WITHOUT PROSTHESIS (WOP) {9AACA852-E70D-1048-FCE7-112D46C12619}

POSITION:

3 entries

- 
1. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
  2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
  3. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

QUALITY: 4 entries

- 
1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
  2. DRY (D) {B319EFF4-BA4A-85B1-2617-E00E46A54ABE}
  3. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}
  4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

---

POUND 0.0 > 1.0 \* 1499.0 < 1500.0

Dec Prec: 1

KILOGRAM 0.0 > 0.5 \* 680.3 < 680.4 Dec Prec: 1

=====

TERM: WEIGHT AT ADMISSION

Page: 765

ID: {F9C859E2-ACD7-44F5-8E0D-3166C3D0A61F}

=====

Abbreviation..... WT AT ADM I

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... No Description

Display Name..... Weight at Admission

Help Text..... Weight of patient at admission time

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

POUND                    0.0 > 1.0 \* 1499.0 < 1500.0

Dec Prec: 1

KILOGRAM                0.0 > 0.5 \* 680.3 < 680.4 Dec Prec: 1

=====

TERM: WEIGHT DRY

Page: 766

ID: {8594A12F-97BD-41A5-802A-76E5317448C6}

=====

Abbreviation..... WEIGHT DRY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Dry Weight  
Help Text..... Patient Dry Weight  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

QUALITY: 3 entries

- 
- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
  - 2. ESTIMATED (E) {9EAF26B-7D87-DA66-F991-022D095FB5A0}
  - 3. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

-----

POUND 0.0 > 1.0 \* 1499.0 < 1500.0

Dec Prec: 1

KILOGRAM 0.0 > 0.5 \* 680.3 < 680.4 Dec Prec: 1

=====

TERM: WOUND BED COLOR

Page: 767

ID: {2B890957-8886-4BC8-84AC-D46DDAE733A0}

=====

Abbreviation..... WOU BED CO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Bed Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

8 entries

- 
- |                    |  |
|--------------------|--|
| 1. BLACK (BLACK)   | {7A55AFB9-6861-4918-0746-3D67D47FE5C3} |
| 2. GRAY (GRAY)     | {D38ABEE0-52D7-4316-A713-40ACF4250599} |
| 3. GREEN (GREEN)   | {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF} |
| 4. PINK (PINK)     | {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D} |
| 5. RED (RED)       | {515D7CFB-3527-30E7-EC4B-B607C272DFA0} |
| 6. TAN (TAN)       | {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1} |
| 7. WHITE (WHITE)   | {AB04EF54-5246-EF3A-E1D9-02E9E24369DD} |
| 8. YELLOW (YELLOW) | {90DC31AD-6211-9F25-4237-79F7122A2763} |

UNITS:

-----

=====

TERM: WOUND CARE TYPE

Page: 768

ID: {09114B46-DF13-431B-B9F3-C15667811A2C}

=====

Abbreviation..... WOU CARE T

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Care Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. TOPICAL TREATMENT (TOPICAL T)

{4E995342-8A6F-4B21-8013-F8C6A9FC7658}

2. DRESSING (d)

{FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

UNITS:

-----

=====

TERM: WOUND DEPTH

Page: 769

ID: {B8FDF2BE-E6ED-49E3-8F42-4CEF94E29C47}

=====

Abbreviation..... WOU DEPTH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Wound Depth

Display Name..... Wound Depth

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETER

-1.00 > 0.00 \* 200.00 < 400.00

Dec Prec: 2



ID: {02DD62D6-E771-43DB-8CDF-F45A27263CFC}

=====

Abbreviation..... WOU DR CHA

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Wound Drainage

Display Name..... Wound Discharge Characteristics

Help Text..... Wound Discharge Characteristics Pick

One

Multi Select Picklist..... No

Term Type..... OBSERVATION

Vuid.....

DATA VALUE: 7 entries

-----

1. WOUND DISCHARGE CHARACTERISTICS NONE (WOU DI NON)

{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}

2. WOUND DISCHARGE CHARACTERISTICS BLOODY (WOU DI BLO)

{628DBFBC-9B77-48EA-99FE-0DF000376506}

3. WOUND DISCHARGE CHARACTERISTICS CLOUDY (WOU DI CLO)

{159C9993-A2E1-4133-9D5F-315EF9985EC4}

4. WOUND DISCHARGE CHARACTERISTICS PURULENT (WOU DI PUR)

{C1E10410-B6D8-4429-BD94-0B179992EAAB}

5. WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (WOU DI SSA)

{B431D8EF-5B53-4DCF-A390-431EB5ED3704}

6. WOUND DISCHARGE CHARACTERISTICS SEROUS (WOU DI SER)

{2124005E-5C36-48AC-AA6B-03E06510D70A}

7. WOUND DISCHARGE CHARACTERISTICS VISCOUS (WOU DI VIS)

{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}

UNITS:

-----

ID: {6BF2AAEF-0D62-4D2D-9E41-F2EDCA714150}

=====

Abbreviation..... WOU DIS CO

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Discharge Color

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE: 15 entries

- 
1. AMBER (AMBER) {90A13048-4C35-E01D-3482-64D782001D4A}
  2. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
  3. BLUE (BLUE) {8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}
  4. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
  5. COLORLESS (COLORLESS) {D093D8C5-E284-47D4-8FA6-DCD5B030B10E}
  6. CLAY (CLAY) {A4E4D16C-B45C-0934-ED22-8BF640080108}
  7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
  8. MAROON (MAROON) {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
  9. ORANGE (ORANGE) {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
  10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

- 11. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
- 12. TAN (TAN) {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
- 13. VIOLET (VIOLET) {1249AE97-CF1F-4604-A17A-5FC85F6D0185}
- 14. WHITE (WHITE) {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
- 15. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

-----

=====

TERM: WOUND DISCHARGE ODOR

Page: 772

ID: {67D752F7-CC83-4D76-96EB-ECE6DBA40210}

=====

Abbreviation..... WOU DIS OD

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Wound Discharge Odor

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NONE (NONE)            {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

2. FOUL SMELLING (FOUL SMELL)

                              {761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:

-----

ID: {8EC56666-A337-AA7F-5109-A10155D4FD58}

=====

Abbreviation..... WOU DR TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of drain used  
Display Name..... Wound Drain Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----

1. BULB SUCTION (Bulb Sucti) {B0839A82-BB79-BB9F-5E4E-0ED67F716A50}
2. HEMOVAC (HEMOVAC) {82DA2DA7-E20B-E571-659C-457DF42472C2}
3. JP DRAIN (JP Drain) {20F3B3D5-D3A4-96FD-5446-253FD031DF2B}
4. LUMBAR DRAIN (LUM DRAIN) {FF36A046-1799-0734-286B-2272C34E3056}
5. PENROSE DRAIN (Penrose D) {DE508E95-D044-ACCA-EE69-33B9A8454E6C}
6. SUMP (Sump) {DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}
7. TWILL TAPE (Twill Tape) {C52BE250-732D-03BB-B8F9-72BE4D546807}
8. VENTRICULOSTOMY (Ventriculo)  
{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}
9. WOUND VAC DEVICE (WOUND VAC)

{A03F4978-969D-DCB8-DCE2-26EB33F097B3}

10. VACUUM ASSISTED CLOSURE (VAC ASS CL)

{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}

UNITS:

-----

ID: {3BABF5D4-BD30-4814-A397-EEEEAE0EE1D13}

=====

Abbreviation..... WOU DRA AM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Amount of drainage from wound  
Display Name..... Wound Drainage Amount  
Help Text..... Amount of drainage from wound  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

-----

1. WOUND DRAINAGE AMOUNT NONE (WOU DR A N)  
{92910398-311F-D4D7-8BD5-AB66C3DC5E72}
2. WOUND DRAINAGE AMOUNT SCANT (W DR SCANT)  
{9C3CD0BD-F960-4098-B14C-17B20703B242}
3. WOUND DRAINAGE AMOUNT SMALL (W DR A SMA)  
{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}
4. WOUND DRAINAGE AMOUNT MODERATE (W DR A MOD)  
{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}
5. WOUND DRAINAGE AMOUNT HEAVY (W DR A HEA)  
{BF959172-6672-4FEB-8FB7-0568405F3C83}



UNITS:

-----

=====

TERM: WOUND DRESSING CHANGE

Page: 775

ID: {01A45F49-9EBB-44E7-8B9A-6920886F51BB}

=====

Abbreviation..... WOU DR CHA

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description..... Has Wound Dressing Been Changed?

Display Name..... Wound Dressing Changed

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {4C47F5C1-BA38-4FDC-A334-32EA297D8A16}

=====

Abbreviation..... WOU DR TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Dressing Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 15 entries

-----

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. ANTI-MICROBIAL DRESSING (AB DRESSIN)  
{9734C5E9-D099-47EB-93B1-D82201F64331}
3. ANTIMICROBIAL DISK (WOU DR ADI)  
{1F1745EA-D763-4AFD-9CED-82E974E57692}
4. BALSAM OF PERU (WOU DR PER)  
{DD412BB1-B1C1-4A48-A38F-832629448E06}
5. BISMUTH GAUZE (WOU DR BIS)  
{010DED59-C808-4D92-A7F8-87AEB86B4439}
6. CALCIUM ALGINATE (CA ALGINAT)

{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

7. FOAM DRESSING (WOU DR FOA)

{D18A5EDD-0EF6-470E-8370-4EDB6D322477}

8. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}

9. GAUZE PACKING (GAUZE PACK)

{6C093717-82CB-4966-929E-C909310649C1}

10. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}

11. HYDROCOLLOIDAL DRESSING (HCOLL DRES)

{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

12. HYDROGEL DRESSING (H-GEL DRES)

{F6192D10-D6EA-42C2-AB15-270659D9925C}

13. HYPERTONIC HYDROGEL (WOU DR HYP)

{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}

14. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}

15. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

UNITS:

-----

=====

TERM: WOUND EDGE

Page: 777

ID: {BC1B996C-35E6-4A05-BDF6-00DF84EA90EF}

=====

Abbreviation..... WOU ED  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Edge  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

-----

1. WOUND EDGE INDISTINCT/ATTACHED (WOU ED IND)  
{C899235C-4A07-4420-92BC-8F818B8E0A7F}
2. WOUND EDGE NON-ATTACHED (WOU ED NON)  
{1D5C1317-B4FF-421C-96A0-C20C1089E672}
3. WOUND EDGE TUNNELING (WOU ED TUN)  
{97425206-5261-46C1-905F-E03E2F071381}
4. WOUND EDGE UNDERMINING (WOU ED UND)  
{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}
5. WOUND EDGE ROLLED (WOU ED ROL)  
{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}

UNITS:

-----

ID: {687C2787-FDDF-4796-8195-23152E8A9FD9}

=====

Abbreviation..... WOU HEA ST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Healing Status  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----

1. EPITHELIALIZATION (EPITHELIAL)  
{5FC43A6D-921D-4736-A234-9993DB6499B7}
2. ESCHAR (ESCHAR) {555E03C5-FBFE-4EB9-816F-25CE34476B3C}
3. FIBRINOUS (FIBRINOUS) {D286EAE2-6902-4B7E-845D-BBB316941B2C}
4. GRANULATING (GRANULATI) {F8930276-3954-4BFE-82B0-6C44A8E9CAE0}
5. HYPERGRANULIZATION (HYPERGRANU)  
{C14B9FB0-6F33-4ACB-88B3-4B799594F845}
6. NECROTIC (NECROTIC) {86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}
7. SLOUGH (SLOUGH) {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}
8. SMOOTH (SMOOTH) {5D71A0D5-52ED-4B8D-B359-AC7D500660D8}

UNITS:

-----



ID: {7DDD37DD-4323-4704-BC23-7722732D9B32}

=====

Abbreviation..... WOU IDENTI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Identified  
Display Name..... Wound Identified  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----

1. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
2. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
3. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}
4. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
5. POST-FALL (POST-FALL) {9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}

LOCATION: 70 entries

-----

1. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
2. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

3. R TESTICLE (R TESTICLE) {0947D277-50AD-47F8-A76D-0EC34EB3B168}
4. L TESTICLE (L TESTICLE) {1E376539-E89F-4472-8274-CFD11275E11F}
5. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
6. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
7. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
9. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
10. R UPPER LEG (R UPPER LE) {113BD5ED-5A0A-47CA-B100-91B244BFD04A}
11. L UPPER LEG (L UPPER LE) {1DB35895-F74C-4B88-A3EE-3E556CB6559A}
12. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}
13. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}
14. R INNER KNEE (R INN KNEE) {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}
15. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}
16. L INNER KNEE (L INN KNEE) {79853581-CCF0-49E9-9D91-D16DE02A836D}
17. L OUTER KNEE (L OUT KNEE) {B143C935-2687-49C3-9F65-8D69C1775ABC}
18. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
19. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
20. L HEAD (L HEAD) {3737DC2D-DC9E-4FC8-839D-0355987B62D1}
21. R HEAD (R HEAD) {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}
22. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
23. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
24. GENITALS (GENITALS) {83437106-3336-4925-92C8-F959561687FC}
25. GENERALIZED (GENERIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}
26. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
27. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
28. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
29. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
30. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

31. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
32. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
33. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
34. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
35. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
36. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
37. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}
38. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}
39. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}
40. UPPER BACK (UPPER BACK) {C1DA4294-E0DC-438B-810D-7F91E170244A}
41. MID BACK (MID BACK) {F8C515E0-F437-4596-B030-DA1811038CDF}
42. LOWER BACK (LOWER BACK) {7E761680-61BC-450F-9905-C45CE760EC45}
43. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
44. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
45. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
46. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
47. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
48. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
49. UPPER ABDOMEN (UP ABDOM) {234C677B-1CE6-498B-9375-BB5DC3958842}
50. R ABDOMEN (R ABDOMEN) {5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}
51. LOWER ABDOMEN (LO ABDOM) {077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}
52. L ABDOMEN (L ABDOMEN) {46B37481-4105-492D-96F0-E2D3895379C1}
53. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
54. HEAD OCCIPITAL (HEAD OCCIP)  
{2066CA47-5A16-447F-9919-24ED435B627F}
55. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
56. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

- 57. L FEMORAL (L FEM) {50AF6A08-CE37-6859-F4E6-762660A982F7}
- 58. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
- 59. L HEEL (L HEEL) {C9154881-17C7-4921-A0EE-BFB962C59CEF}
- 60. R HEEL (R HEEL) {0020DD20-2EA4-4362-ADF0-07BFA220C60E}
- 61. L ISCHIAL (L ISCHIAL) {DCDAD741-9599-4479-9D55-3279F800DBE6}
- 62. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}
- 63. L RIBS (L RIBS) {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}
- 64. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}
- 65. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}
- 66. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}
- 67. L TROCHANTER (L TROCHANT) {C91647A4-255D-40E4-A24D-01274E5D799F}
- 68. R TROCHANTER (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}
- 69. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}
- 70. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

UNITS:

-----

=====

TERM: WOUND LENGTH

Page: 780

ID: {B43EAD3E-A282-4351-B83A-1A4F9ADD0B46}

=====

Abbreviation..... WOU LEN

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Wound Length

Display Name..... Wound Length

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETER

-1.00 > 0.00 \* 200.00 < 400.00

Dec Prec: 2

=====

TERM: WOUND ODOR

Page: 781

ID: {F71814E1-2D36-4074-B8F4-253AC6BDA1AA}

=====

Abbreviation..... WOU ODOR

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... Wound Odor

Display Name..... Wound Odor

Help Text..... Wound Odor

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. WOUND ODOR NONE (WOU OD NON)

{D2E388F7-B531-4D60-A2BE-830F11B9AA75}

2. WOUND ODOR FOUL (WOU OD FOU)

{99A74112-EA71-4896-A4DD-911379E5B453}

UNITS:

-----

=====

TERM: WOUND PHOTOGRAPHED

Page: 782

ID: {398E171E-93A6-4DB3-82E7-5C0D118A80EE}

=====

Abbreviation..... WOU PHOTOG  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Has Wound Been Photographed  
Display Name..... Wound Photographed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

ID: {4883E272-E8D4-48D4-A7C5-B00F5315B6DC}

=====

Abbreviation..... WOU TREATM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Treatment  
Display Name..... Wound Treatment  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Void.....

DATA VALUE: 5 entries

-----

1. HYDROCOLLOIDAL DRESSING (HCOLL DRES)  
{D85741EF-0DB3-48CF-BC9A-88C834A72F36}
2. TRANSPARENT DRESSING (TRANSP DRE)  
{777C7722-AEA8-4A0B-9ADD-1157D37AE539}
3. SALINE MOIST DRESSING (SAL MOI DR)  
{19F98514-8ABF-461C-9969-C31177FE7DE7}
4. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}
5. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AE4}

UNITS:



-----

ID: {1DCC28AC-700F-4E61-85BC-71D00758F9EB}

=====

Abbreviation..... WOU TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of wound  
Display Name..... Wound Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 29 entries

-----

1. ABRASION (ABRASION) {7E962B43-24B1-46D2-A79A-54811117271A}
2. BLISTERING (BLISTERING) {3A4212D5-F2A8-4636-BB7F-F36FA8CED192}
3. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}
4. BURN (BURN) {97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}
5. CELLULITIS (CELLULITIS) {709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}
6. CRUSHING (CRUSHING) {92D4BAF1-63E3-4FC0-B096-B5CBC4736245}
7. DIABETIC/VASCULAR ULCER (DIA/VAS UL)  
{E209E53E-EFF1-48F5-9581-75236C89D9B9}
8. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
9. PREVIOUS PERCUTANEOUS SITE (PRE PER SI)

{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}

10. RASH/EXFOLIATION (RASH/EXFOL)

{AB83ABA9-28A7-6484-67E7-4E66B5526942}

11. SKIN TEAR (SKIN TEAR) {2E230C6E-119F-4F9F-8797-2FFA9D76F337}

12. SKIN TRAUMA (SKIN TRAUM) {91C8EE13-2C4A-468C-94EB-C53E0D153EBA}

13. SURGICAL DONOR (SURG DONOR)

{F3EE10EA-5776-479B-A58C-F59D6526F90B}

14. SURGICAL GRAFT (SURG GRAFT)

{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}

15. SURGICAL (SURGICAL) {2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}

16. VASCULAR (VASCULAR) {60523BF8-6372-4760-881C-A62F85D2A0F6}

17. VASCULAR/NEUROPATHIC (VASC/NEURO)

{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}

18. BITE (Bite) {FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}

19. BULLET (BULLET) {1570D8E2-D936-494D-AF6E-13838EA34EFD}

20. CONTUSION (Contusion) {5285197A-CC0A-4D12-A1F8-966765C687F1}

21. INCONTENENCE DERMATITIS (INCON DERM)

{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}

22. LACERATION (LACERATION) {F4548BB2-39AF-4E0D-B52F-472EA080D6FF}

23. PENETRATING (PENETRATIN) {00A2D4C8-EDDE-4593-A1F8-A87A836B3379}

24. PRESSURE ULCER (PRE ULCER)

{7279639E-498D-4EA3-A3FA-4A6D611E6F48}

25. PUNCTURE (PUNCTURE) {28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}

26. TAPE BURN (TAPE BURN) {DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}

27. VASCULAR LESION ARTERIAL (VASLES ART)

{EA565D3F-D984-4553-B597-DFE844554CE9}

28. VASCULAR LESION MIXED (VASLES MIX)

{8684AB2D-9162-4DC2-A5FA-A14558678689}

29. VASCULAR LESION VENOUS (VASLES VEN)

{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}

UNITS:

-----

=====

TERM: WOUND VACUUM ASSISTED CLOSURE

Page: 785

ID: {04748983-B61B-4121-AF49-FA1FDA1D9646}

=====

Abbreviation..... WOU VAC AS

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... PickList

Description..... No Description

Display Name..... Vacuum Assisted Closure Type

Help Text..... No Help Text

Multi Select Picklist..... No

Term Type..... OBSERVATION

Void.....

DATA VALUE:

2 entries

-----

1. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}

2. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}

UNITS:

-----

=====

TERM: WOUND WIDTH

Page: 786

ID: {7EED882C-3CAE-4A54-88FA-D0B380D81658}

=====

Abbreviation..... WOU WIDTH

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Wound Width

Display Name..... Wound Width

Help Text..... No Help Text

Multi Select Picklist.....

Term Type..... OBSERVATION

Void.....

UNITS:

-----

CENTIMETER

-1.00 > 0.00 \* 200.00 < 400.00

Dec Prec: 2



DATA VALUE: 0

ABBREVIATION.....0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0

HELP\_TEXT.....No Help Text

ID.....{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

TERM.....0

DATA VALUE: 1

ABBREVIATION.....1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1

HELP\_TEXT.....No Help Text

ID.....{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

TERM.....1

DATA VALUE: 2

ABBREVIATION.....2

ACTIVE.....Yes



DESCRIPTION.....No Description

DISPLAY\_NAME.....2

HELP\_TEXT.....No Help Text

ID.....{38E22B79-A2B6-3401-B195-C955F24E1278}

TERM.....2

DATA VALUE: 3

-----

ABBREVIATION.....3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3

HELP\_TEXT.....No Help Text

ID.....{E714454D-6A67-91F6-2FB7-D8F24F184328}

TERM.....3

DATA VALUE: 4

-----

ABBREVIATION.....4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4

HELP\_TEXT.....No Help Text

ID.....{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

TERM.....4

DATA VALUE: 4.5

-----

ABBREVIATION.....4.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4.5

HELP\_TEXT.....No Help Text

ID.....{EC6C0C72-8C49-4535-92B2-7E543007EE32}

TERM.....4.5

DATA VALUE: 5

-----

ABBREVIATION.....5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....5

HELP\_TEXT.....No Help Text

ID.....{188EDCE7-0726-4234-D8D2-92C8052CD221}

TERM.....5

DATA VALUE: 5.5

-----

ABBREVIATION.....5.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....5.5

HELP\_TEXT.....No Help Text

ID.....{4878F059-EC9D-44FC-9A61-734C291530E7}

TERM.....5.5

DATA VALUE: 6

-----

ABBREVIATION.....6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....6

HELP\_TEXT.....No Help Text

ID.....{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

TERM.....6

DATA VALUE: 6.5

-----

ABBREVIATION.....6.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....6.5

HELP\_TEXT.....No Help Text

ID.....{CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3}

TERM.....6.5

DATA VALUE: 7

-----

ABBREVIATION.....7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....7

HELP\_TEXT.....No Help Text

ID.....{7A010324-D2C2-5D4B-848A-7B8878666D20}

TERM.....7

DATA VALUE: 7.5

-----

ABBREVIATION.....7.5

ACTIVE.....Yes

DESCRIPTION.....7.5

DISPLAY\_NAME.....7.5

HELP\_TEXT.....No Help Text

ID.....{7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}

TERM.....7.5

DATA VALUE: 8

-----

ABBREVIATION.....8

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....8

HELP\_TEXT.....No Help Text

ID.....{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

TERM.....8

DATA VALUE: 8.5

-----

ABBREVIATION.....8.5

ACTIVE.....Yes

DESCRIPTION.....8.5

DISPLAY\_NAME.....8.5

HELP\_TEXT.....8.5

ID.....{96723567-151D-4B5C-9C65-B3EB6D584272}

TERM.....8.5

DATA VALUE: 9

-----

ABBREVIATION.....9

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....9

HELP\_TEXT.....No Help Text

ID.....{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

TERM.....9

DATA VALUE: 9.5

-----

ABBREVIATION.....9.5

ACTIVE.....Yes

DESCRIPTION.....9.5

DISPLAY\_NAME.....9.5

HELP\_TEXT.....9.5

ID.....{252555A1-ADB2-4948-8764-C952F2587DC5}

TERM.....9.5

DATA VALUE: 10

-----

ABBREVIATION.....10

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....10

HELP\_TEXT.....No Help-Text

ID.....{0C827160-18DB-816F-7FAA-A3C175C6D33B}

TERM.....10

DATA VALUE: 11

-----

ABBREVIATION.....11

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....11

HELP\_TEXT.....11

ID.....{BD51A7B3-FACF-890C-472E-E3B28519CC16}

TERM.....11

DATA VALUE: 12

-----

ABBREVIATION.....12

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....12

HELP\_TEXT.....No Help Text

ID.....{ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

TERM.....12

DATA VALUE: 12.5

-----

ABBREVIATION.....12.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....12.5

HELP\_TEXT.....No Help Text

ID.....{97A947AE-2BCC-F75D-1794-6AF9BAC1497B}

TERM.....12.5

DATA VALUE: 13

-----

ABBREVIATION.....13  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....13  
HELP\_TEXT.....No Help Text  
ID.....{030242DB-3F82-7517-3DEE-4D50E3E8AE23}  
TERM.....13

DATA VALUE: 13.5

-----

ABBREVIATION.....13.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....13.5  
HELP\_TEXT.....No Help Text  
ID.....{34D24648-B2D9-9C6C-6D71-F80E977CE185}  
TERM.....13.5

DATA VALUE: 14

-----

ABBREVIATION.....14  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....14



HELP\_TEXT.....No Help Text  
ID.....{EDF1C2B1-123B-011F-9B02-7D71088971C1}  
TERM.....14

DATA VALUE: 14.5

-----  
ABBREVIATION.....14.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....14.5  
HELP\_TEXT.....No Help Text  
ID.....{373C8F8C-5D36-4AD6-6A76-513064669CB5}  
TERM.....14.5

DATA VALUE: 15

-----  
ABBREVIATION.....15  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....15  
HELP\_TEXT.....No Help Text  
ID.....{FE8C049F-B64C-4991-2F50-3C561BA4825C}  
TERM.....15

DATA VALUE: 15.5

-----

ABBREVIATION.....15.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....15.5

HELP\_TEXT.....No Help Text

ID.....{1BBF5122-2FFA-6B27-445B-3291C3F83A36}

TERM.....15.5

DATA VALUE: 16

-----

ABBREVIATION.....16

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....16

HELP\_TEXT.....No Help Text

ID.....{9E4B84FF-430A-39FB-E6AA-E1031814796D}

TERM.....16

DATA VALUE: 16.5

-----

ABBREVIATION.....16.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....16.5

HELP\_TEXT.....No Help Text  
ID.....{7D4EA1D4-5233-760F-FD2B-A70FB0969815}  
TERM.....16.5

DATA VALUE: 17

-----  
ABBREVIATION.....17  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....17  
HELP\_TEXT.....No Help Text  
ID.....{2E89B9C8-5E80-F3C9-FE66-4396CB63201A}  
TERM.....17

DATA VALUE: 17.5

-----  
ABBREVIATION.....17.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....17.5  
HELP\_TEXT.....No Help Text  
ID.....{FDE6FFD9-00D0-9C55-1A7F-4AA70CE313BA}  
TERM.....17.5

DATA VALUE: 18

-----

ABBREVIATION.....18

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....18

HELP\_TEXT.....No Help Text

ID.....{F2815231-0FCE-4988-95E9-D9AF46C57086}

TERM.....18

DATA VALUE: 18.5

-----

ABBREVIATION.....18.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....18.5

HELP\_TEXT.....No Help Text

ID.....{75ABCB85-4D6E-0BBC-157F-CA69B7737402}

TERM.....18.5

DATA VALUE: 19

-----

ABBREVIATION.....19

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....19

HELP\_TEXT.....No Help Text

ID.....{478FFB89-4941-1474-04E1-C838B2467439}

TERM.....19

DATA VALUE: 19.5

-----

ABBREVIATION.....19.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....19.5

HELP\_TEXT.....No Help Text

ID.....{58F0F98D-299A-8C4E-F50F-AE21B6E696D6}

TERM.....19.5

DATA VALUE: 20

-----

ABBREVIATION.....20

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....20

HELP\_TEXT.....No Help Text

ID.....{532FBDF8-7F7B-9551-300C-F2CFEF656163}

TERM.....20

DATA VALUE: 20.5

-----

ABBREVIATION.....20.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....20.5

HELP\_TEXT.....No Help Text

ID.....{DB1F50D2-AF99-7BB3-88F5-B58C0BDE7987}

TERM.....20.5

DATA VALUE: 21

-----

ABBREVIATION.....21

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....21

HELP\_TEXT.....No Help Text

ID.....{C6188159-9EF1-DA5C-C015-2142A1205C4C}

TERM.....21

DATA VALUE: 21.5

-----

ABBREVIATION.....21.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....21.5

HELP\_TEXT.....No Help Text

ID.....{A259E466-773F-519C-7B5B-1570D1B03B70}

TERM.....21.5

DATA VALUE: 22

-----

ABBREVIATION.....22

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....22

HELP\_TEXT.....No Help Text

ID.....{DA839156-C7A9-76D7-58CD-7EC2B016EF40}

TERM.....22

DATA VALUE: 22.5

-----

ABBREVIATION.....22.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....22.5

HELP\_TEXT.....No Help Text

ID.....{D402D24F-1EF2-1AA0-DD1C-FA8320AA929A}

TERM.....22.5

DATA VALUE: 23

-----  
ABBREVIATION.....23  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....23  
HELP\_TEXT.....No Help Text  
ID.....{8FB6A8B1-B692-BDC7-43B9-0332F33D826A}  
TERM.....23

DATA VALUE: 23.5

-----  
ABBREVIATION.....23.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....23.5  
HELP\_TEXT.....No Help Text  
ID.....{DDB76295-7E4A-FEAC-324D-37878F62771A}  
TERM.....23.5

DATA VALUE: 24

-----  
ABBREVIATION.....24  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....24



HELP\_TEXT.....No Help Text

ID.....{2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}

TERM.....24

DATA VALUE: 24.5

-----

ABBREVIATION.....24.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....24.5

HELP\_TEXT.....No Help Text

ID.....{D815830B-5D94-0975-D007-E4FDD966155B}

TERM.....24.5

DATA VALUE: 25

-----

ABBREVIATION.....25

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....25

HELP\_TEXT.....No Help Text

ID.....{42DD0655-142D-6901-D3FE-66D295BBFCD1}

TERM.....25

DATA VALUE: 25.5

-----

ABBREVIATION.....25.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....25.5

HELP\_TEXT.....No Help Text

ID.....{9D704E9E-FB1D-FB83-2142-EDBF3805E8F7}

TERM.....25.5

DATA VALUE: 26

-----

ABBREVIATION.....26

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....26

HELP\_TEXT.....No Help Text

ID.....{181395F6-29FD-5A41-5AD7-BFC9CF564F3B}

TERM.....26

DATA VALUE: 26.5

-----

ABBREVIATION.....26.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....26.6

HELP\_TEXT.....No Help Text  
ID.....{1D464967-6CFA-E29E-548D-EF68AFCDEC61}  
TERM.....26.5

DATA VALUE: 27

-----  
ABBREVIATION.....27  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....27  
HELP\_TEXT.....No Help Text

ID.....{64D25A86-6516-0910-B4B5-644B85378876}  
TERM.....27

DATA VALUE: 27.5

-----  
ABBREVIATION.....27.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....27.5  
HELP\_TEXT.....No Help Text

ID.....{8C7BE365-AFD0-3FFD-B8EC-6EC914763CFC}  
TERM.....27.5

DATA VALUE: 28

-----

ABBREVIATION.....28

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....28

HELP\_TEXT.....No Help Text

ID.....{66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}

TERM.....28

DATA VALUE: 28.5

-----

ABBREVIATION.....28.5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....28.5

HELP\_TEXT.....No Help Text

ID.....{C99C9298-D4D2-BC02-36D3-F612B6080A87}

TERM.....28.5

DATA VALUE: 29

-----

ABBREVIATION.....29

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....29

HELP\_TEXT.....29

ID.....{93F62F6F-5EFE-C451-5908-47C895B7177C}

TERM.....29

DATA VALUE: 30

-----

ABBREVIATION.....30

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....30

HELP\_TEXT.....30

ID.....{1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}

TERM.....30

DATA VALUE: 31

-----

ABBREVIATION.....31

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....31

HELP\_TEXT.....31

ID.....{5EEDDCF5-7D59-1526-2522-FA59099C8C21}

TERM.....31

DATA VALUE: 99

-----

ABBREVIATION.....99

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....99

HELP\_TEXT.....No Help Text

ID.....{B013C05B-1AF0-1547-4F03-378883F887C5}

TERM.....99

DATA VALUE: +1 = SLIGHT

-----

ABBREVIATION.....+1 SLIGHT

ACTIVE.....Yes

DESCRIPTION.....+1 = Slight

DISPLAY\_NAME.....+1 = Slight

HELP\_TEXT.....No Help Text

ID.....{7C0245BA-B261-4B68-A84C-D737CA634230}

TERM.....+1 = SLIGHT

DATA VALUE: +2 = MODERATE

-----

ABBREVIATION.....+2 = MODER

ACTIVE.....Yes

DESCRIPTION.....+2 = Moderate

DISPLAY\_NAME.....+2 = Moderate

HELP\_TEXT.....No Help Text

ID.....{CCF23A60-068C-443F-AFD0-2D56EEE0446C}

TERM.....+2 = MODERATE

DATA VALUE: +3 = MARKED

-----

ABBREVIATION.....+3 = MARKE

ACTIVE.....Yes

DESCRIPTION.....+3 = Marked

DISPLAY\_NAME.....+3 = Marked

HELP\_TEXT.....No Help Text

ID.....{41ACC586-0C68-4780-8B2D-F36B21FCEDB2}

TERM.....+3 = MARKED

DATA VALUE: +4 = VERY MARKED

-----

ABBREVIATION.....+4 = VY MA

ACTIVE.....Yes

DESCRIPTION.....+4 = Very Marked

DISPLAY\_NAME.....+4 = Very Marked

HELP\_TEXT.....No Help Text

ID.....{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

TERM.....+4 = VERY MARKED

DATA VALUE: 0 - ABSENT

-----

ABBREVIATION.....0-a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 - Absent

HELP\_TEXT.....No Help Text

ID.....{75F14311-F113-963C-4F05-B8AE17F044A9}

TERM.....0 - ABSENT

DATA VALUE: 0 - ALERT

-----

ABBREVIATION.....Alert

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 - Alert

HELP\_TEXT.....

ID.....{A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}

TERM.....0 - ALERT

DATA VALUE: 0 - HR 51-100

-----

ABBREVIATION.....HR 51-100

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 - HR 51-100



HELP\_TEXT.....

ID.....{6A262124-7FE8-4520-9762-87D0A3DB8AE9}

TERM.....0 - HR 51-100

DATA VALUE: 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT

-----

ABBREVIATION.....0 Ind

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 - Independent - No Help or Staff

Oversight

HELP\_TEXT.....

ID.....{4A125BF9-A2C1-4503-9182-BF3E2A708547}

TERM.....0 - INDEPENDENT - NO HELP OR STAFF

OVERSIGHT

DATA VALUE: 0 - INDEPENDENT - NO HELP PROVIDED

-----

ABBREVIATION.....0 ind

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 - Independent - No Help Provided

HELP\_TEXT.....

ID.....{07AB4004-1793-410A-9872-00BB0B322DFE}

TERM.....0 - INDEPENDENT - NO HELP PROVIDED

DATA VALUE: 0 - NO ANXIETY AT EASE

-----

ABBREVIATION.....CIWA AX 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 - No Anxiety, At Ease

HELP\_TEXT.....No Help Text

ID.....{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}

TERM.....0 - NO ANXIETY AT EASE

DATA VALUE: 0 - NO NAUSEA/VOMITING

-----

ABBREVIATION.....CIWA NV 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 - No Nausea / Vomiting

HELP\_TEXT.....No Help Text

ID.....{0569555E-E7B3-49E3-9A18-68D23CFB2B8D}

TERM.....0 - NO NAUSEA/VOMITING

DATA VALUE: 0 - NO SETUP OR PHYSICAL HELP FROM STAFF

-----

ABBREVIATION.....0 No Setup

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 - No Setup or Physical Help from

Staff

HELP\_TEXT.....

ID.....{730049CC-4CD5-449E-A0E8-389AB61A02BD}

TERM.....0 - NO SETUP OR PHYSICAL HELP FROM

STAFF

DATA VALUE: 0 - NO SWEAT VISIBLE

-----

ABBREVIATION.....CIWA PS 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 - No Sweat Visible

HELP\_TEXT.....No Help Text

ID.....{7C83E616-4414-4766-AAF5-5F5442FFBF09}

TERM.....0 - NO SWEAT VISIBLE

DATA VALUE: 0 - NO TREMOR

-----

ABBREVIATION.....CIWA TR 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 - No Tremor

HELP\_TEXT.....No Help Text

ID.....{2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}

TERM.....0 - NO TREMOR

DATA VALUE: 0 - NONE

-----

ABBREVIATION.....CIWA TC 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 - None

HELP\_TEXT.....No Help Text

ID.....{5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}

TERM.....0 - NONE

DATA VALUE: 0 - NORMAL ACTIVITY

-----

ABBREVIATION.....CIWA AG 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 - Normal Activity

HELP\_TEXT.....No Help Text

ID.....{9FF32084-A432-467C-B0A2-C8BC9F3D6D13}

TERM.....0 - NORMAL ACTIVITY

DATA VALUE: 0 - ORIENTED AND CAN DO SERIAL ADDITIONS

-----

ABBREVIATION.....CIWA OR 0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 - Oriented And Can Do Serial

Additions

HELP\_TEXT.....No Help Text

ID.....{D8015F54-6E9E-457A-955C-38565BDDDBB6}

TERM.....0 - ORIENTED AND CAN DO SERIAL

ADDITIONS

DATA VALUE: 0 - RR 9-14

---

ABBREVIATION.....RR 9-14

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 - RR 9-14

HELP\_TEXT.....

ID.....{F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}

TERM.....0 - RR 9-14

DATA VALUE: 0 - SBP 101-199

---

ABBREVIATION.....SBP101-199

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 - SBP 101-199

HELP\_TEXT.....

ID.....{ED9B73BA-8B9E-49C0-83A2-5B2397028564}

TERM.....0 - SBP 101-199

DATA VALUE: 0 - TEMP 36.1-38 C

-----

ABBREVIATION.....36.1-38 C

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 - Temp 36.1-38 C

HELP\_TEXT.....

ID.....{87CCCC92-0761-47FC-BD44-C37590832EA7}

TERM.....0 - TEMP 36.1-38 C

DATA VALUE: 0 = 0 EXTREMITIES

-----

ABBREVIATION.....ALD ACT 0

ACTIVE.....Yes

DESCRIPTION.....0 = 0 Extremities

DISPLAY\_NAME.....0 = Moves 0 Extremities

HELP\_TEXT.....0 = 0 Extremities

ID.....{6E248A9A-B509-4BD0-A01D-9ED5CE5B8FC9}

TERM.....0 = 0 EXTREMITIES

DATA VALUE: 0 = <90%

-----

ABBREVIATION.....ALD O2 0

ACTIVE.....Yes

DESCRIPTION.....0 = <90% with O2

DISPLAY\_NAME.....0 = <90% with O2

HELP\_TEXT.....0 = <90% with O2

ID.....{30042730-F600-44FD-A3D0-53172B70082B}

TERM.....0 = <90%

DATA VALUE: 0 = ABSENT

-----

ABBREVIATION.....Absent

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = Absent

HELP\_TEXT.....

ID.....{16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}

TERM.....0 = ABSENT

DATA VALUE: 0 = ABSENT PULSE

-----

ABBREVIATION.....0p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 = Absent Pulse

HELP\_TEXT.....No Help Text

ID.....{4253CB74-51AE-BBFA-214F-937762F7638C}

TERM.....0 = ABSENT PULSE

DATA VALUE: 0 = ALERT

-----

ABBREVIATION.....0 = Alert

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = Alert

HELP\_TEXT.....

ID.....{9F918315-BDE7-43D8-BD69-442D74F41C79}

TERM.....0 = ALERT

DATA VALUE: 0 = ANSWERS BOTH QUESTIONS CORRECTLY

-----

ABBREVIATION.....Both

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = Answers Both Questions Correctly

HELP\_TEXT.....

ID.....{A4380E5F-206A-40CF-B508-6CA61DE87ED2}

TERM.....0 = ANSWERS BOTH QUESTIONS CORRECTLY

DATA VALUE: 0 = APNEIC

-----

ABBREVIATION.....ALD RESP 0

ACTIVE.....Yes

DESCRIPTION.....0 = Apneic

DISPLAY\_NAME.....0 = Apneic



HELP\_TEXT.....0 = Apneic

ID.....{649C42B0-6E0A-4E86-AAC5-70A8C20EC511}

TERM.....0 = APNEIC

DATA VALUE: 0 = BP +/- 50% PREOP

-----

ABBREVIATION.....ALD CIR 0

ACTIVE.....Yes

DESCRIPTION.....0 = BP +/- 50% Preop

DISPLAY\_NAME.....0 = BP +/- 50% Preop

HELP\_TEXT.....0 = BP +/- 50% Preop

ID.....{675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}

TERM.....0 = BP +/- 50% PREOP

DATA VALUE: 0 = NO ABNORMALITY

-----

ABBREVIATION.....0 = No abn

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = No Abnormality

HELP\_TEXT.....

ID.....{DE0BF57B-1322-4581-BB38-2A61562DC87F}

TERM.....0 = NO ABNORMALITY

DATA VALUE: 0 = NO APHASIA

-----

ABBREVIATION.....No Aphasia

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = No Aphasia

HELP\_TEXT.....

ID.....{AD629099-6ED1-4DFE-9D02-075FFD67B083}

TERM.....0 = NO APHASIA

DATA VALUE: 0 = NO DRIFT

-----

ABBREVIATION.....No Drift

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = No Drift

HELP\_TEXT.....

ID.....{6DD3E839-D919-4C90-94F9-216B3268944D}

TERM.....0 = NO DRIFT

DATA VALUE: 0 = NO VISUAL LOSS

-----

ABBREVIATION.....None

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = No Visual Loss

HELP\_TEXT.....

ID.....{20347E7B-4A96-4000-B326-0B4B1797738A}

TERM.....0 = NO VISUAL LOSS

DATA VALUE: 0 = NORMAL

-----

ABBREVIATION.....Normal

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = Normal

HELP\_TEXT.....

ID.....{7739B63B-8623-4ADB-8059-1A26B5A7BEBB}

TERM.....0 = NORMAL

DATA VALUE: 0 = NORMAL SYMMETRICAL MOVEMENT

-----

ABBREVIATION.....0 = Normal

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = Normal Symmetrical Movement

HELP\_TEXT.....

ID.....{23267CFE-B306-477A-A8B2-60828C1234FA}

TERM.....0 = NORMAL SYMMETRICAL MOVEMENT

DATA VALUE: 0 = NOT RESPONDING

-----

ABBREVIATION.....ALD CON 0

ACTIVE.....Yes

DESCRIPTION.....0 = Not Responding

DISPLAY\_NAME.....0 = Not Responding

HELP\_TEXT.....0 = Not Responding

ID.....{E8765215-B0B0-430C-8C89-AB969A6AD12E}

TERM.....0 = NOT RESPONDING

DATA VALUE: 0 = PEFORMS BOTH TASKS CORRECTLY

-----

ABBREVIATION.....Both Tasks

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....0 = Performs Both Tasks Correctly

HELP\_TEXT.....

ID.....{08B7AA60-AFEE-41F6-AA1E-0855D1A2946C}

TERM.....0 = PEFORMS BOTH TASKS CORRECTLY

DATA VALUE: 1 - HR 101-110

-----

ABBREVIATION.....HR 101-110

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - HR 101-110

HELP\_TEXT.....

ID.....{FCB6C37E-1BB4-418F-8203-0916B4056DEB}

TERM.....1 - HR 101-110

DATA VALUE: 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST

-----

ABBREVIATION.....CIWA PS 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 - Barely Perceptible Sweating /

Palms Moist

HELP\_TEXT.....No Help Text

ID.....{93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}

TERM.....1 - BARELY PERCEPTIBLE SWEATING /

PALMS MOIST

DATA VALUE: 1 - CANNOT DO SERIAL ADDITIONS

-----

ABBREVIATION.....CIWA OR 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 - Cannot Do Serial Additions Or Is

Uncertain About Date

HELP\_TEXT.....No Help Text

ID.....{F4446E01-E326-420E-8EA8-04451AA9D963}

TERM.....1 - CANNOT DO SERIAL ADDITIONS

DATA VALUE: 1 - HR 40-50

-----

ABBREVIATION.....HR 40-50

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - HR 40-50

HELP\_TEXT.....

ID.....{EC915B1F-BED1-497D-AD10-4FD0C2AEDCE}

TERM.....1 - HR 40-50

DATA VALUE: 1 - LESS THAN 45MLS/HR

-----

ABBREVIATION.....< 45mls/hr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - Less than 45mls/hr

HELP\_TEXT.....

ID.....{3AED380E-00F9-4C29-B303-52E08F8911B3}

TERM.....1 - LESS THAN 45MLS/HR

DATA VALUE: 1 - MILD NAUSEA / NO VOMITING

-----

ABBREVIATION.....CIWA NV 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 - Mild Nausea / No Vomiting

HELP\_TEXT.....No Help Text

ID.....{582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}

TERM.....1 - MILD NAUSEA / NO VOMITING

DATA VALUE: 1 - MILDLY ANXIOUS

-----

ABBREVIATION.....CIWA AX 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 - Mildy Anxious

HELP\_TEXT.....No Help Text

ID.....{401113EE-5CE7-4AE9-80C1-1C3252E706D0}

TERM.....1 - MILDLY ANXIOUS

DATA VALUE: 1 - NEW AGITATION CONFUSION

-----

ABBREVIATION.....New Agitat

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - New Agitation Confusion

HELP\_TEXT.....

ID.....{F458199B-A547-419B-A691-F15E7CD61F8C}

TERM.....1 - NEW AGITATION CONFUSION

DATA VALUE: 1 - NO RESPONSE

-----

ABBREVIATION.....1-nr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 - No Response

HELP\_TEXT.....No Help Text

ID.....{26D3168D-40EA-C918-D321-54BED4837311}

TERM.....1 - NO RESPONSE

DATA VALUE: 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP

-----

ABBREVIATION.....CIWA TR 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 - Not Visible But Can Be Felt

Fingertip To Fingertip

HELP\_TEXT.....No Help Text

ID.....{31833D55-9018-47EE-8341-A0863744CEF8}

TERM.....1 - NOT VISIBLE BUT CAN BE FELT

FINGERTIP

DATA VALUE: 1 - RESPONDS TO VOICE

-----

ABBREVIATION.....Voice

ACTIVE.....Yes



DESCRIPTION.....

DISPLAY\_NAME.....1 - Responds to Voice

HELP\_TEXT.....

ID.....{69C7DA2C-893A-40AB-969C-E003B5D2F05D}

TERM.....1 - RESPONDS TO VOICE

DATA VALUE: 1 - RR 15-20

---

ABBREVIATION.....RR 15-20

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - RR 15-20

HELP\_TEXT.....

ID.....{1CF2487B-30C6-46AB-A051-B4499F825DC2}

TERM.....1 - RR 15-20

DATA VALUE: 1 - SBP 81-100

---

ABBREVIATION.....SBP 81-100

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - SBP 81-100

HELP\_TEXT.....

ID.....{93D627C1-2FF3-4FCC-B0AF-83A54183AE3D}

TERM.....1 - SBP 81-100

DATA VALUE: 1 - SETUP HELP ONLY

-----

ABBREVIATION.....1 Setup

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - Setup Help Only

HELP\_TEXT.....

ID.....{5494773C-99FE-4A96-B12E-D734188517CE}

TERM.....1 - SETUP HELP ONLY

DATA VALUE: 1 - SUPERVISION - OVERSIGHT

-----

ABBREVIATION.....1 Superv

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - Supervision - Oversight

HELP\_TEXT.....

ID.....{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

TERM.....1 - SUPERVISION - OVERSIGHT

DATA VALUE: 1 - SUPERVISION - OVERSIGHT HELP ONLY

-----

ABBREVIATION.....1 Supervi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - Supervision - Oversight Help Only

HELP\_TEXT.....

ID.....{F7DFB6E8-F550-4072-B693-93BF96A23834}

TERM.....1 - SUPERVISION - OVERSIGHT HELP ONLY

DATA VALUE: 1 - TEMP 35.1-36 C

-----

ABBREVIATION.....35.1-36 C

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - Temp 35.1-36 C

HELP\_TEXT.....

ID.....{AF9BC2E6-9C52-4030-8422-28DCBDD43DD9}

TERM.....1 - TEMP 35.1-36 C

DATA VALUE: 1 - TEMP 38.1-38.5 C

-----

ABBREVIATION.....38.1-38.5C

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 - Temp 38.1-38.5 C

HELP\_TEXT.....

ID.....{21326CB3-A848-4984-BB34-5594AD7E5D32}

TERM.....1 - TEMP 38.1-38.5 C

DATA VALUE: 1 - VERY MILD

-----

ABBREVIATION.....CIWA HA 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 - Very Mild

HELP\_TEXT.....No Help Text

ID.....{F789C1EA-CC7A-4368-87BA-08AFFE492EE6}

TERM.....1 - VERY MILD

DATA VALUE: 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN

-----

ABBREVIATION.....CIWA AU 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 - Very Mild Harshness Or Ability To  
Frighten

HELP\_TEXT.....No Help Text

ID.....{E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}

TERM.....1 - VERY MILD HARSHNESS OR ABILITY TO  
FRIGHTEN

DATA VALUE: 1 - VERY MILD ITCHING PINS/NEEDLES BURNING

-----

ABBREVIATION.....CIWA TC 1

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild Itching, Pins/Needles,  
Burning, Numbness  
HELP\_TEXT.....No Help Text  
ID.....{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}  
TERM.....1 - VERY MILD ITCHING PINS/NEEDLES  
BURNING

DATA VALUE: 1 - VERY MILD SENSITIVITY

-----  
ABBREVIATION.....CIWA VS 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild Sensitivity  
HELP\_TEXT.....No Help Text  
ID.....{8BF96CF1-3EA7-468C-838A-284430EA850D}  
TERM.....1 - VERY MILD SENSITIVITY

DATA VALUE: 1 - WEAK

-----  
ABBREVIATION.....1 - WEAK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Weak  
HELP\_TEXT.....No Help Text  
ID.....{A41570DC-2F35-DDF6-977B-7C262150DFA2}  
TERM.....1 - WEAK

DATA VALUE: 1 = 2 EXTREMITIES

-----

ABBREVIATION.....ALD ACT 1

ACTIVE.....Yes

DESCRIPTION.....1 = 2 Extremities

DISPLAY\_NAME.....1 = Moves 2 Extremities

HELP\_TEXT.....1 = 2 Extremities

ID.....{6DCB4762-72CE-48C2-9AFE-B19969ED1DE0}

TERM.....1 = 2 EXTREMITIES

DATA VALUE: 1 = ANSWERS ONE QUESTION CORRECTLY

-----

ABBREVIATION.....One Ques

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Answers One Question Correctly

HELP\_TEXT.....

ID.....{9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}

TERM.....1 = ANSWERS ONE QUESTION CORRECTLY

DATA VALUE: 1 = AROUSABLE

-----

ABBREVIATION.....ALD CON 1

ACTIVE.....Yes

DESCRIPTION.....1 = Arousable with minimal stimulation

DISPLAY\_NAME.....1 = Arousable with minimal stimulation

HELP\_TEXT.....1 = Arousable with minimal stimulation  
ID.....{B2A07804-9829-42D0-9C49-A61FD51EEAA0}  
TERM.....1 = AROUSABLE

DATA VALUE: 1 = BP +/- 20-49% PREOP

-----  
ABBREVIATION.....ALD CIR 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = BP +/- 20-49% Preop  
DISPLAY\_NAME.....1 = BP +/- 20-49% Preop  
HELP\_TEXT.....1 = BP +/- 20-49% Preop  
ID.....{D4A6100D-1228-4860-9BD6-B43F30D4FF94}  
TERM.....1 = BP +/- 20-49% PREOP

DATA VALUE: 1 = DRIFT

-----  
ABBREVIATION.....Drift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Drift  
HELP\_TEXT.....  
ID.....{7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}  
TERM.....1 = DRIFT

DATA VALUE: 1 = DYSPNEA

-----

ABBREVIATION.....ALD RESP 1

ACTIVE.....Yes

DESCRIPTION.....1 = Dyspnea, shallow or limited

DISPLAY\_NAME.....1 = Dyspnea, shallow or limited

HELP\_TEXT.....1 = Dyspnea, shallow or limited

ID.....{3DAE60A2-57DA-4121-A507-BC43497C7B67}

TERM.....1 = DYSPNEA

DATA VALUE: 1 = MILD TO MODERATE APHASIA

-----

ABBREVIATION.....Mod Aphasi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Mild to Moderate Aphasia

HELP\_TEXT.....

ID.....{FFA529FF-EDC0-4768-B308-93656C75E382}

TERM.....1 = MILD TO MODERATE APHASIA

DATA VALUE: 1 = MILD TO MODERATE DYSARTHRIA

-----

ABBREVIATION.....1 = Mild

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Mild to Moderate Dysarthria



HELP\_TEXT.....

ID.....{0EFCBA9C-36E4-4046-9A55-DAD58F08C516}

TERM.....1 = MILD TO MODERATE DYSARTHRIA

DATA VALUE: 1 = MILD TO MODERATE SENSORY LOSS

-----

ABBREVIATION.....Moderate

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Mild to Moderate Sensory Loss

HELP\_TEXT.....

ID.....{1BF6BC0E-9A83-4589-B849-853585CF4E96}

TERM.....1 = MILD TO MODERATE SENSORY LOSS

DATA VALUE: 1 = MINOR PARALYSIS

-----

ABBREVIATION.....1 = Minor

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Minor Paralysis

HELP\_TEXT.....

ID.....{55A125E8-E83A-4163-AB50-0D3569B502D3}

TERM.....1 = MINOR PARALYSIS

DATA VALUE: 1 = NEEDS O2

-----

ABBREVIATION.....ALD O2 1

ACTIVE.....Yes

DESCRIPTION.....1 = Needs O2 to maintain >90%

DISPLAY\_NAME.....1 = Needs O2 to maintain >90%

HELP\_TEXT.....1 = Needs O2 to maintain >90%

ID.....{5D97F6BB-7B02-4644-8CE5-014C89826731}

TERM.....1 = NEEDS O2

DATA VALUE: 1 = NOT ALERT, MINOR STIMULATION RESPONSE

-----

ABBREVIATION.....1 = Minor

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Not Alert, Minor Stimulation

Response

HELP\_TEXT.....

ID.....{29268B78-0FF2-48EE-8EA1-4BDE6C39739E}

TERM.....1 = NOT ALERT, MINOR STIMULATION

RESPONSE

DATA VALUE: 1 = PARTIAL GAZE PALSY

-----

ABBREVIATION.....1 = Part

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Partial Gaze Palsy

HELP\_TEXT.....

ID.....{7644667F-2919-4A57-A3A6-EE709CA55960}

TERM.....1 = PARTIAL GAZE PALSY

DATA VALUE: 1 = PARTIAL HEMIANOPIA

---

ABBREVIATION.....Partial

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Partial Hemianopia

HELP\_TEXT.....

ID.....{0FDFE052-C438-48AD-A3F8-C3C53E963365}

TERM.....1 = PARTIAL HEMIANOPIA

DATA VALUE: 1 = PERFORMS ONE TASK CORRECTLY

---

ABBREVIATION.....One Task

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Performs One Task Correctly

HELP\_TEXT.....

ID.....{7DBE49B4-067F-4BA7-807F-A4A5FAC1BCFB}

TERM.....1 = PERFORMS ONE TASK CORRECTLY

DATA VALUE: 1 = PRESENT IN ONE LIMB

-----

ABBREVIATION.....One Limb

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1= Present in One Limb

HELP\_TEXT.....

ID.....{D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}

TERM.....1 = PRESENT IN ONE LIMB

DATA VALUE: 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTI  
ON

-----

ABBREVIATION.....1 = Inatt

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....1 = Visual, Tactile, Auditory,  
Spatial, or 2 Personal Inattention

HELP\_TEXT.....

ID.....{BEBED217-91CA-47F8-A15D-A548648D09BF}

TERM.....1 = VISUAL, TACTILE, AUDITORY,  
SPATIAL, OR 2 PERSONAL INATTENTION

DATA VALUE: 1 HOUR

-----

ABBREVIATION.....1 HOUR

ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 Hour  
HELP\_TEXT.....No Help Text  
ID.....{319BA174-1624-483C-B666-4998127B0800}  
TERM.....1 HOUR

DATA VALUE: 1+=PALPABLE, THREADY, EASILY OBLITERATED

-----  
ABBREVIATION.....1teo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1+=Palpable, Thready, Easily  
Obliterated  
HELP\_TEXT.....No Help Text  
ID.....{3AE92556-1337-BFE2-C3EE-9676327935C3}  
TERM.....1+=PALPABLE, THREADY, EASILY  
OBLITERATED

DATA VALUE: 1- MILD ANXIOUS

-----  
ABBREVIATION.....CIWA AX 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Mild Anxious  
HELP\_TEXT.....No Help Text  
ID.....{CAB6FB3A-4088-4D2C-AE1E-623352511D73}

TERM.....1- MILD ANXIOUS

DATA VALUE: 1- SOMEWHAT MORE THAN NORMAL ACTIVITY

-----

ABBREVIATION.....CIWA AG 1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 - Somewhat More Than Normal Activity

HELP\_TEXT.....No Help Text

ID.....{497F7A3D-72C8-4986-A1E6-74EA0E5704F9}

TERM.....1- SOMEWHAT MORE THAN NORMAL ACTIVITY

DATA VALUE: 1800 CALORIE CONTROLLED

-----

ABBREVIATION.....1800 CAL C

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1800 Calorie Controlled Diet

HELP\_TEXT.....No Help Text

ID.....{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}

TERM.....1800 CALORIE CONTROLLED

DATA VALUE: 1800 DIABETIC

-----

ABBREVIATION.....1800 DIAB

ACTIVE.....Yes

DESCRIPTION.....1800 Calorie Diabetic Diet

DISPLAY\_NAME.....1800 Diabetic

HELP\_TEXT.....No Help Text

ID.....{FC71C7D7-F24E-4316-A455-8674804BE092}

TERM.....1800 DIABETIC

DATA VALUE: 1:1

-----

ABBREVIATION.....1:1

ACTIVE.....Yes

DESCRIPTION.....1 to 1 ratio

DISPLAY\_NAME.....1:1

HELP\_TEXT.....No Help Text

ID.....{5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}

TERM.....1:1

DATA VALUE: 1:1 OBSERVATION

-----

ABBREVIATION.....1o

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1:1 Observation

HELP\_TEXT.....No Help Text

ID.....{B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}

TERM.....1:1 OBSERVATION



DATA VALUE: 1:2

-----

ABBREVIATION.....1:2

ACTIVE.....Yes

DESCRIPTION.....1 to 2 ratio

DISPLAY\_NAME.....1:2

HELP\_TEXT.....No Help Text

ID.....{287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}

TERM.....1:2

DATA VALUE: 1:3

-----

ABBREVIATION.....1:3

ACTIVE.....Yes

DESCRIPTION.....1 to 3 ratio

DISPLAY\_NAME.....1:3

HELP\_TEXT.....No Help Text

ID.....{062B4F93-8F48-7373-F679-11F57CE98BB3}

TERM.....1:3

DATA VALUE: 1:4

-----

ABBREVIATION.....1:4

ACTIVE.....Yes

DESCRIPTION.....1 to 4 ratio

DISPLAY\_NAME.....1:4

HELP\_TEXT.....No Help Text

ID.....{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}

TERM.....1:4

DATA VALUE: 1:8

-----

ABBREVIATION.....1:8

ACTIVE.....Yes

DESCRIPTION.....1 to 8 ratio

DISPLAY\_NAME.....1:8

HELP\_TEXT.....No Help Text

ID.....{94790C4C-3AF2-6F4C-58B8-87021CA97A53}

TERM.....1:8

DATA VALUE: 1A + 2V

-----

ABBREVIATION.....1+2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1A + 2V

HELP\_TEXT.....No Help Text

ID.....{FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}

TERM.....1A + 2V

DATA VALUE: 1A + 3V

-----

ABBREVIATION.....1+3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1A + 3V

HELP\_TEXT.....No Help Text

ID.....{CEDF220D-E593-B8F9-DB08-D32800AF3F5E}

TERM.....1A + 3V

DATA VALUE: 1A +1V

-----

ABBREVIATION.....1+

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1A +1V

HELP\_TEXT.....No Help Text

ID.....{31711946-9F1B-0AD9-BDBE-846EDBC86AE2}

TERM.....1A +1V

DATA VALUE: 2 - ABNORMAL EXTENSION FROM PAIN

-----

ABBREVIATION.....2-aeFP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Abnormal Extension From Pain

HELP\_TEXT.....No Help Text

ID.....{9B4951D8-B271-DFC3-0A00-1DC9984039E3}

TERM.....2 - ABNORMAL EXTENSION FROM PAIN

DATA VALUE: 2 - ANSWERS NEITHER QUESTION CORRECTLY

-----

ABBREVIATION.....Neither

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Answers Neither Question Correctly

HELP\_TEXT.....

ID.....{181D8ACA-49D0-496E-B22A-2839D0718836}

TERM.....2 - ANSWERS NEITHER QUESTION CORRECTLY

DATA VALUE: 2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----

ABBREVIATION.....CIWA PS 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Beads Of Sweat Obvious On Forehead

HELP\_TEXT.....No Help Text

ID.....{38EA4194-F5F4-42CB-8DE2-715167888F86}

TERM.....2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS

-----

ABBREVIATION.....CIWA OR 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Disoriented For Date By No More  
Than 2 Calendar Days

HELP\_TEXT.....No Help Text

ID.....{01B894B0-3E70-47FA-820A-83CA48B93EF9}

TERM.....2 - DISORIENTED FOR DATE < 2 CALENDAR  
DAYS

DATA VALUE: 2 - HR 0-39

-----

ABBREVIATION.....HR 0-39

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - HR 0-39

HELP\_TEXT.....

ID.....{1243C1C9-C72F-4765-8D19-D689E1FC44F5}

TERM.....2 - HR 0-39

DATA VALUE: 2 - HR 111-129

-----

ABBREVIATION.....HR 111-129

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - HR 111-129

HELP\_TEXT.....

ID.....{6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}

TERM.....2 - HR 111-129

DATA VALUE: 2 - INCOMPREHENSIBLE SOUNDS

-----

ABBREVIATION.....2-is

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Incomprehensible Sounds

HELP\_TEXT.....No Help Text

ID.....{F2261C3D-79A3-055B-702D-446B7A6A3113}

TERM.....2 - INCOMPREHENSIBLE SOUNDS

DATA VALUE: 2 - INTERMITTENT NAUSEA WITH DRY HEAVES

-----

ABBREVIATION.....CIWA NV 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Intermittent Nausea With Dry Heaves

HELP\_TEXT.....No Help Text

ID.....{E92221EE-1298-4D9D-9EFD-35F615118C96}

TERM.....2 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 2 - LESS THAN 30MLS/HR

-----

ABBREVIATION.....< 30mls/hr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - Less than 30mls/hr

HELP\_TEXT.....

ID.....{A85A05F7-3443-4E62-ACF4-3334E3EF5675}

TERM.....2 - LESS THAN 30MLS/HR

DATA VALUE: 2 - LIMITED ASSISTANCE

-----

ABBREVIATION.....2 Limited

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - Limited Assistance

HELP\_TEXT.....

ID.....{35934E53-08EB-46E0-8136-96FD6174ACF1}

TERM.....2 - LIMITED ASSISTANCE

DATA VALUE: 2 - MILD

-----

ABBREVIATION.....CIWA HA 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Mild

HELP\_TEXT.....No Help Text

ID.....{6B752397-0A4F-4176-90E7-E220DB2BF1C4}

TERM.....2 - MILD

DATA VALUE: 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN

-----

ABBREVIATION.....CIWA AU 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Mild Harshness Or Ability To

Frighten

HELP\_TEXT.....No Help-Text

ID.....{71204969-E614-46A4-ADA5-39FAF81A79B5}

TERM.....2 - MILD HARSHNESS OR ABILITY TO

FRIGHTEN

DATA VALUE: 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS

-----

ABBREVIATION.....CIWA TC 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Mild Itching, Pins/Needles,

Burning, Numbness

HELP\_TEXT.....No Help Text

ID.....{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}

TERM.....2 - MILD ITCHING PINS/NEEDLES BURNING

NUMBNESS



DATA VALUE: 2 - MILD SENSITIVITY

-----

ABBREVIATION.....CIWA VS 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Mild Sensitivity

HELP\_TEXT.....No Help Text

ID.....{ED600249-E5E8-4020-955E-A5CDA18B5DE9}

TERM.....2 - MILD SENSITIVITY

DATA VALUE: 2 - MODERATE WITH PATIENTS ARMS EXTENDED

-----

ABBREVIATION.....CIWA TR 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Moderate With Patient's Arms

Extended

HELP\_TEXT.....No Help Text

ID.....{B4E7B7FB-B88E-435A-904E-C613AC937323}

TERM.....2 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 2 - NORMAL

-----

ABBREVIATION.....2-n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Normal

HELP\_TEXT.....No Help Text

ID.....{25FAADFC-D280-78AC-4F01-CFCF34ECD3FF}

TERM.....2 - NORMAL

DATA VALUE: 2 - ONE PERSON PHYSICAL ASSIST

-----  
ABBREVIATION.....2 one asst

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - One Person Physical Assist

HELP\_TEXT.....

ID.....{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

TERM.....2 - ONE PERSON PHYSICAL ASSIST

DATA VALUE: 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY

-----  
ABBREVIATION.....2 Phys Tra

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - Physical Help Limited to Transfer

Only

HELP\_TEXT.....

ID.....{0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}

TERM.....2 - PHYSICAL HELP LIMITED TO TRANSFER

ONLY

DATA VALUE: 2 - RESPONDS TO PAIN

-----  
ABBREVIATION.....Pain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Responds to Pain  
HELP\_TEXT.....  
ID.....{AE6B5DEC-6510-4FEE-8461-D2E930534ACE}  
TERM.....2 - RESPONDS TO PAIN

DATA VALUE: 2 - RR 0-8

-----  
ABBREVIATION.....RR 0-8  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - RR 0-8  
HELP\_TEXT.....  
ID.....{73DC19E6-865C-4161-9CBE-3A8D44BC4D84}  
TERM.....2 - RR 0-8

DATA VALUE: 2 - RR 21-29

-----  
ABBREVIATION.....RR 21-29  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - RR 21-29

HELP\_TEXT.....

ID.....{72DF48C2-B8F3-4ED4-91D1-87157707C3EC}

TERM.....2 - RR 21-29

DATA VALUE: 2 - SBP 200 OR MORE

-----

ABBREVIATION.....SBP 200+

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - SBP 200 or more

HELP\_TEXT.....

ID.....{C3B80866-749C-402A-B7CA-A1B797D36885}

TERM.....2 - SBP 200 OR MORE

DATA VALUE: 2 - SBP 71-80

-----

ABBREVIATION.....SBP 71-80

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - SBP 71-80

HELP\_TEXT.....

ID.....{063CE20D-435C-4176-9A8B-3FC3DB16FF11}

TERM.....2 - SBP 71-80

DATA VALUE: 2 - TEMP 35.0 C OR LESS

-----

ABBREVIATION.....35.0 C or<

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - Temp 35.0 C or less

HELP\_TEXT.....

ID.....{D7987CD3-1866-4AE9-A2EA-C96F2CFE2850}

TERM.....2 - TEMP 35.0 C OR LESS

DATA VALUE: 2 - TEMP MORE THAN 38.6 C

-----

ABBREVIATION.....> 38.6 C

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 - Temp more than 38.6 C

HELP\_TEXT.....

ID.....{B45FAD7F-9438-488D-BDE1-8A64A84E51F6}

TERM.....2 - TEMP MORE THAN 38.6 C

DATA VALUE: 2 - TO PAIN

-----

ABBREVIATION.....2-tp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - To Pain

HELP\_TEXT.....No Help Text

ID.....{49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}

TERM.....2 - TO PAIN

DATA VALUE: 2 = 4 EXTREMITIES

-----

ABBREVIATION.....ALD ACT 2

ACTIVE.....Yes

DESCRIPTION.....2 = 4 Extremities

DISPLAY\_NAME.....2 = Moves 4 Extremities

HELP\_TEXT.....2 = 4 Extremities

ID.....{3434DF4B-5CB6-417F-B5BE-CEF2D63FE8E0}

TERM.....2 = 4 EXTREMITIES

DATA VALUE: 2 = BP +/- 20% PREOP

-----

ABBREVIATION.....ALD CIR 2

ACTIVE.....Yes

DESCRIPTION.....2 = BP +/- 20% Preop

DISPLAY\_NAME.....2 = BP +/- 20% Preop

HELP\_TEXT.....2 = BP +/- 20% Preop

ID.....{04B67413-7A88-409B-8005-471A7C84B879}

TERM.....2 = BP +/- 20% PREOP

DATA VALUE: 2 = BREATHES FREELY

-----  
ABBREVIATION.....ALD RESP 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Breathes freely, coughs freely  
DISPLAY\_NAME.....2 = Breathes freely, coughs freely  
HELP\_TEXT.....2 = Breathes freely, coughs freely  
ID.....{278CD44C-538E-4015-9D98-D9312A7039BA}  
TERM.....2 = BREATHES FREELY

DATA VALUE: 2 = COMPLETE HEMIANOPIA

-----  
ABBREVIATION.....Complete  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Complete Hemianopia  
HELP\_TEXT.....  
ID.....{F995161E-39A0-4010-855D-EE86B1F707BB}  
TERM.....2 = COMPLETE HEMIANOPIA

DATA VALUE: 2 = FORCED DEVIATION

-----  
ABBREVIATION.....2 = Forced  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Forced Deviation

HELP\_TEXT.....

ID.....{FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}

TERM.....2 = FORCED DEVIATION

DATA VALUE: 2 = FULLY AWAKE

-----

ABBREVIATION.....ALD CON 2

ACTIVE.....Yes

DESCRIPTION.....2 = Fully awake

DISPLAY\_NAME.....2 = Fully awake

HELP\_TEXT.....2 = Fully awake

ID.....{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}

TERM.....2 = FULLY AWAKE

DATA VALUE: 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE

-----

ABBREVIATION.....2 = Strong

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Not Alert, repeat/strong

stimulation response

HELP\_TEXT.....

ID.....{0F5E13CC-211C-40D0-96CB-8F8D87564612}

TERM.....2 = NOT ALERT, REPEAT/STRONG

STIMULATION RESPONSE



DATA VALUE: 2 = ON ROOM AIR

-----

ABBREVIATION.....ALD O2 2

ACTIVE.....Yes

DESCRIPTION.....2 = On room air

DISPLAY\_NAME.....2 = >92% on room air

HELP\_TEXT.....2 = On room air

ID.....{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}

TERM.....2 = ON ROOM AIR

DATA VALUE: 2 = PARTIAL PARALYSIS

-----

ABBREVIATION.....2 = Part

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Partial Paralysis

HELP\_TEXT.....

ID.....{BC48CC51-609A-4E85-9029-8B4790E9E669}

TERM.....2 = PARTIAL PARALYSIS

DATA VALUE: 2 = PERFORMS NEITHER TASK CORRECTLY

-----

ABBREVIATION.....Neither

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Performs Neither Task Correctly

HELP\_TEXT.....

ID.....{8CE75E64-5A4A-45EA-9987-4112AAD54A55}

TERM.....2 = PERFORMS NEITHER TASK CORRECTLY

DATA VALUE: 2 = PRESENT IN TWO LIMBS

-----

ABBREVIATION.....Two Limbs

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Present in Two Limbs

HELP\_TEXT.....

ID.....{ADA3074C-1E75-42BC-B7E6-425C2281FB05}

TERM.....2 = PRESENT IN TWO LIMBS

DATA VALUE: 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MO

DALITY

-----

ABBREVIATION.....2 = Profnd

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Profound Hemi-Inattention or

Extinction to More than One Modality

HELP\_TEXT.....

ID.....{1D3AA69E-2154-4F33-BFFF-42F06365079A}

TERM.....2 = PROFOUND HEMI-INATTENTION OR

EXTINCTION TO MORE THAN ONE MODALITY

DATA VALUE: 2 = SEVERE APHASIA

-----

ABBREVIATION.....Sev Aphasi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Severe Aphasia

HELP\_TEXT.....

ID.....{82445D2A-6E9F-4574-B2D1-476E720B9113}

TERM.....2 = SEVERE APHASIA

DATA VALUE: 2 = SEVERE DYSARTHRIA

-----

ABBREVIATION.....2 = Severe

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Severe Dysarthria

HELP\_TEXT.....

ID.....{D9864E04-1962-47AD-B3C5-58CD49CF30FD}

TERM.....2 = SEVERE DYSARTHRIA

DATA VALUE: 2 = SEVERE TO TOTAL SENSORY LOSS

-----

ABBREVIATION.....Severe

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Severe to Total Sensory Loss

HELP\_TEXT.....

ID.....{C3959DA5-9108-4E35-B81A-6F4FB135B3BD}

TERM.....2 = SEVERE TO TOTAL SENSORY LOSS

DATA VALUE: 2 = SOME EFFORT AGAINST GRAVITY

-----

ABBREVIATION.....Some Effor

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....2 = Some Effort Against Gravity

HELP\_TEXT.....

ID.....{63885565-9ADC-4560-BC73-DEA084FB651A}

TERM.....2 = SOME EFFORT AGAINST GRAVITY

DATA VALUE: 2+=NORMAL, NOT EASILY OBLITERATED

-----

ABBREVIATION.....2neo

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2+=Normal, Not Easily Obliterated

HELP\_TEXT.....No Help Text

ID.....{50484DA4-EC15-47E5-3923-268C4B5D6428}

TERM.....2+=NORMAL, NOT EASILY OBLITERATED

DATA VALUE: 2- MILD HARSHNESS OR ABILITY TO FRIGHTEN

-----

ABBREVIATION.....CIWA AU 2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 - Mild Harshness Or Ability To  
Frighten

HELP\_TEXT.....No Help Text

ID.....{42DAFB BB-E9AF-4558-95D4-2FFF7BE779F1}

TERM.....2- MILD HARSHNESS OR ABILITY TO  
FRIGHTEN

DATA VALUE: 2.0 CAL FORMULA

-----

ABBREVIATION.....2.0 C FORM

ACTIVE.....Yes

DESCRIPTION.....2.0 Cal Enteral Nutrition Formula

DISPLAY\_NAME.....2.0 Cal Formula

HELP\_TEXT.....No Help Text

ID.....{4A595230-45D1-40F0-AEF3-11E75DF418CB}

TERM.....2.0 CAL FORMULA

DATA VALUE: 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE

-----

ABBREVIATION.....20 Min Nar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20 Minutes Since Last IV

Narcotic/Sedative

HELP\_TEXT.....

ID.....{FBDB50B7-19B5-472C-80E5-F4758E141BB1}

TERM.....20 MINUTES SINCE LAST IV

NARCOTIC/SEDATIVE

DATA VALUE: 20/100

-----

ABBREVIATION.....20/100

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/100

HELP\_TEXT.....

ID.....{ECB85701-8B21-407A-9E0B-C015834E984B}

TERM.....20/100

DATA VALUE: 20/15

-----

ABBREVIATION.....20/15

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/15

HELP\_TEXT.....

ID.....{0DB4E45B-A96C-4D11-B59E-A89C9F531146}

TERM.....20/15

DATA VALUE: 20/20

-----

ABBREVIATION.....20/20

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/20

HELP\_TEXT.....

ID.....{FE086353-09B2-4314-84E9-FA909253AAED}

TERM.....20/20

DATA VALUE: 20/200

-----

ABBREVIATION.....20/200

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/200

HELP\_TEXT.....

ID.....{C3CAF0D6-22A6-4FD5-B8BB-55771F416D4E}

TERM.....20/200

DATA VALUE: 20/25

-----

ABBREVIATION.....20/25

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/25

HELP\_TEXT.....

ID.....{4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB}

TERM.....20/25

DATA VALUE: 20/30

-----

ABBREVIATION.....20/30

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/30

HELP\_TEXT.....

ID.....{667B5FCD-A85D-4054-BFA9-3DA9DDD21306}

TERM.....20/30

DATA VALUE: 20/300

-----

ABBREVIATION.....20/300

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/300

HELP\_TEXT.....

ID.....{E6976753-667B-418B-A6E3-0A7CD010CAC0}

TERM.....20/300



DATA VALUE: 20/40

-----

ABBREVIATION.....20/40

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/40

HELP\_TEXT.....

ID.....{048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF}

TERM.....20/40

DATA VALUE: 20/400

-----

ABBREVIATION.....20/400

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/400

HELP\_TEXT.....

ID.....{AE8E4C3E-D031-4047-B44E-06F4EB29C73B}

TERM.....20/400

DATA VALUE: 20/50

-----

ABBREVIATION.....20/50

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/50

HELP\_TEXT.....

ID.....{C679C160-D93A-431C-8F28-800D64A019D5}

TERM.....20/50

DATA VALUE: 20/60

-----

ABBREVIATION.....20/60

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/60

HELP\_TEXT.....

ID.....{AEAA52C2-1450-45B4-A512-73E339718B02}

TERM.....20/60

DATA VALUE: 20/70

-----

ABBREVIATION.....20/70

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/70

HELP\_TEXT.....

ID.....{B0279832-605C-4441-B568-C131636EB634}

TERM.....20/70

DATA VALUE: 20/80

-----

ABBREVIATION.....20/80

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/80

HELP\_TEXT.....

ID.....{60F51F22-C739-4BD1-A77E-D224517F861F}

TERM.....20/80

DATA VALUE: 20/800

-----

ABBREVIATION.....20/800

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....20/800

HELP\_TEXT.....

ID.....{1303A571-B57C-4757-AC5B-286E6B09343A}

TERM.....20/800

DATA VALUE: 2000 CALORIE CONTROLLED

-----

ABBREVIATION.....2000 CAL C

ACTIVE.....Yes

DESCRIPTION.....2000 Calorie Controlled Diet

DISPLAY\_NAME.....2000 Calorie Controlled Diet

HELP\_TEXT.....No Help Text  
ID.....{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}  
TERM.....2000 CALORIE CONTROLLED

DATA VALUE: 2000 DIABETIC

---

ABBREVIATION.....2000 DIAB  
ACTIVE.....Yes  
DESCRIPTION.....2000 Diabetic Diet  
DISPLAY\_NAME.....2000 Diabetic Diet  
HELP\_TEXT.....No Help Text  
ID.....{DF3056C9-3AEA-4F4E-B758-E35590080AFB}  
TERM.....2000 DIABETIC

DATA VALUE: 2200 CALORIE CONTROLLED

---

ABBREVIATION.....2200 CAL C  
ACTIVE.....Yes  
DESCRIPTION.....2200 Calorie Controlled Diet  
DISPLAY\_NAME.....2200 Calorie Controlled Diet  
HELP\_TEXT.....No Help Text  
ID.....{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}  
TERM.....2200 CALORIE CONTROLLED

DATA VALUE: 2200 DIABETIC

-----

ABBREVIATION.....2200 DIAB

ACTIVE.....Yes

DESCRIPTION.....2200 Diabetic Diet

DISPLAY\_NAME.....2200 Diabetic Diet

HELP\_TEXT.....No Help Text

ID.....{1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}

TERM.....2200 DIABETIC

DATA VALUE: 2400 CALORIE CONTROLLED

-----

ABBREVIATION.....2400 CAL C

ACTIVE.....Yes

DESCRIPTION.....2400 Calorie Controlled Diet

DISPLAY\_NAME.....2400 Calorie Controlled Diet

HELP\_TEXT.....No Help Text

ID.....{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}

TERM.....2400 CALORIE CONTROLLED

DATA VALUE: 2400 DIABETIC

-----

ABBREVIATION.....2400 DIAB

ACTIVE.....Yes

DESCRIPTION.....2400 Diabetic Diet

DISPLAY\_NAME.....2400 Diabetic Diet

HELP\_TEXT.....No Help Text

ID.....{2018FB65-3D4E-47E0-90E9-205A45EDF130}

TERM.....2400 DIABETIC

DATA VALUE: 25 PERCENT ALBUMIN

-----

ABBREVIATION.....25 PERC AL

ACTIVE.....Yes

DESCRIPTION.....25 Percent Albumin

DISPLAY\_NAME.....25 Percent Albumin

HELP\_TEXT.....No Help Text

ID.....{2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}

TERM.....25 PERCENT ALBUMIN

DATA VALUE: 2:4

-----

ABBREVIATION.....2:4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2:4

HELP\_TEXT.....No Help Text

ID.....{7D423C9A-42B3-4FDD-999B-889193492F5C}

TERM.....2:4

DATA VALUE: 2A

-----

ABBREVIATION.....2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2A

HELP\_TEXT.....No Help Text

ID.....{C75BDC9F-C756-9051-CAA3-A27DDD94B35E}

TERM.....2A

DATA VALUE: 2A + 1V

-----

ABBREVIATION.....2+1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2A + 1V

HELP\_TEXT.....No Help Text

ID.....{1849AA0D-1572-55E0-A780-ACE602E2C72D}

TERM.....2A + 1V

DATA VALUE: 2A + 2V

-----

ABBREVIATION.....2+2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2A + 2V

HELP\_TEXT.....No Help Text

ID.....{17203251-68E8-A00A-CF54-E2CC55B8EEDD}

TERM.....2A + 2V

DATA VALUE: 2V

-----

ABBREVIATION.....2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2V

HELP\_TEXT.....No Help Text

ID.....{D24B5FA4-1DA6-36DE-49DB-627A9B82E968}

TERM.....2V

DATA VALUE: 3 - HR 130 OR MORE

-----

ABBREVIATION.....HR 130 +

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 - HR 130 or More

HELP\_TEXT.....

ID.....{CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}

TERM.....3 - HR 130 OR MORE



DATA VALUE: 3 - ABNORMAL FLEXION FROM PAIN

-----

ABBREVIATION.....3-affp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Abnormal Flexion From Pain

HELP\_TEXT.....No Help Text

ID.....{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}

TERM.....3 - ABNORMAL FLEXION FROM PAIN

DATA VALUE: 3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----

ABBREVIATION.....CIWA PS 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Beads Of Sweat Obvious On Forehead

HELP\_TEXT.....No Help Text

ID.....{663591B6-3FB4-4060-8A49-18747F857B16}

TERM.....3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS

-----

ABBREVIATION.....CIWA OR 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Disoriented For Date By More Than

2 Calendar Days

HELP\_TEXT.....No Help Text

ID.....{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}

TERM.....3 - DISORIENTED FOR DATE > 2 CALENDAR  
DAYS

DATA VALUE: 3 - EXTENSIVE ASSISTANCE

-----  
ABBREVIATION.....3 Extensiv

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 - Extensive Assistance

HELP\_TEXT.....

ID.....{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

TERM.....3 - EXTENSIVE ASSISTANCE

DATA VALUE: 3 - INAPPROPRIATE WORDS

-----  
ABBREVIATION.....3-iw

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Inappropriate Words

HELP\_TEXT.....No Help Text

ID.....{FE000191-243E-4D32-1E1E-546EE2CF88A5}

TERM.....3 - INAPPROPRIATE WORDS

DATA VALUE: 3 - INTERMITTENT NAUSEA WITH DRY HEAVES

-----

ABBREVIATION.....CIWA NV 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Intermittent Nausea With Dry Heaves

HELP\_TEXT.....No Help Text

ID.....{D299B4E1-0FF4-474D-BECD-5537391EEE7A}

TERM.....3 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 3 - LESS THAN 10MLS/HR

-----

ABBREVIATION.....< 10mls/hr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 - Less than 10mls/hr

HELP\_TEXT.....

ID.....{E013F8AC-7DBE-4F13-BF48-0317A46332CC}

TERM.....3 - LESS THAN 10MLS/HR

DATA VALUE: 3 - MODERATE

-----

ABBREVIATION.....CIWA HA 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Moderate

HELP\_TEXT.....No Help Text

ID.....{F26EB828-6864-4384-9EBB-35A6CDCACC59}

TERM.....3 - MODERATE

DATA VALUE: 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN

-----

ABBREVIATION.....CIWA AU 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Moderate Harshness Or Ability To

Frighten

HELP\_TEXT.....No Help Text

ID.....{77F59277-6CE4-4323-8531-3CA26E13C9C4}

TERM.....3 - MODERATE HARSHNESS OR ABILITY TO

FRIGHTEN

DATA VALUE: 3 - MODERATE ITCHING PINS/NEEDLES BURNING

-----

ABBREVIATION.....CIWA TC 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Moderate Itching, Pins/Needles,

Burning, Numbness

HELP\_TEXT.....No Help Text

ID.....{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}

TERM.....3 - MODERATE ITCHING PINS/NEEDLES

BURNING

DATA VALUE: 3 - MODERATE SENSITIVITY

-----

ABBREVIATION.....CIWA VS 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Moderate Sensitivity

HELP\_TEXT.....No Help Text

ID.....{D673A630-1F1E-4734-AADE-17586C48E8B9}

TERM.....3 - MODERATE SENSITIVITY

DATA VALUE: 3 - MODERATE WITH PATIENTS ARMS EXTENDED

-----

ABBREVIATION.....CIWA TR 3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Moderate With Patient's Arms

Extended

HELP\_TEXT.....No Help Text

ID.....{36FF0AB3-F5ED-4CBA-A6F3-110DFCB65244}

TERM.....3 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY

-----

ABBREVIATION.....3 Phys Bat

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 - Physical Help in Part of Bathing

Activity

HELP\_TEXT.....

ID.....{1F24B08B-A5C1-4430-AC56-B40C347E1DDE}

TERM.....3 - PHYSICAL HELP IN PART OF BATHING

ACTIVITY

DATA VALUE: 3 - RR 30 OR MORE

-----

ABBREVIATION.....RR 30 or +

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 - RR 30 or More

HELP\_TEXT.....

ID.....{6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}

TERM.....3 - RR 30 OR MORE

DATA VALUE: 3 - SBP 70 OR LESS

-----

ABBREVIATION.....SBP 70 or<

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 - SBP 70 or less

HELP\_TEXT.....

ID.....{84DE09CE-FCB0-4E07-A72F-C1064CECF094}

TERM.....3 - SBP 70 OR LESS

DATA VALUE: 3 - STRONG

-----

ABBREVIATION.....3-s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - Strong

HELP\_TEXT.....No Help Text

ID.....{C55EAB72-7816-5440-84E9-6E7E190ED197}

TERM.....3 - STRONG

DATA VALUE: 3 - TO VERBAL COMMAND

-----

ABBREVIATION.....3-tvc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 - To Verbal Command

HELP\_TEXT.....No Help Text

ID.....{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}

TERM.....3 - TO VERBAL COMMAND

DATA VALUE: 3 - TWO + PERSONS PHYSICAL ASSIST

-----

ABBREVIATION.....3 + asst

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 - Two + Persons Physical Assist

HELP\_TEXT.....

ID.....{AE401096-DF23-4A6E-8842-E1F58829902A}

TERM.....3 - TWO + PERSONS PHYSICAL ASSIST

DATA VALUE: 3 - UNRESPONSIVE

-----

ABBREVIATION.....Unresponsi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 - Unresponsive

HELP\_TEXT.....

ID.....{F40F8A1E-ED15-424A-9481-3527B0E69DF1}

TERM.....3 - UNRESPONSIVE

DATA VALUE: 3 = BILATERAL HEMIANOPIA

-----

ABBREVIATION.....Bilateral

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 = Bilateral Hemianopia

HELP\_TEXT.....

ID.....{89969DC1-30BA-494A-A8C8-4344C2C75D0E}

TERM.....3 = BILATERAL HEMIANOPIA



DATA VALUE: 3 = COMPLETE PARALYSIS

-----

ABBREVIATION.....3 = comple

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 = Complete Paralysis

HELP\_TEXT.....

ID.....{F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}

TERM.....3 = COMPLETE PARALYSIS

DATA VALUE: 3 = MUTE, GLOBAL APHASIA

-----

ABBREVIATION.....Mute

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 = Mute, Global Aphasia

HELP\_TEXT.....

ID.....{E357021D-2B57-4AC2-BDA5-73B61726D183}

TERM.....3 = MUTE, GLOBAL APHASIA

DATA VALUE: 3 = NO EFFORT AGAINST GRAVITY

-----

ABBREVIATION.....No Effort

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 = No Effort Against Gravity

HELP\_TEXT.....

ID.....{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}

TERM.....3 = NO EFFORT AGAINST GRAVITY

DATA VALUE: 3 = UNRESPONSIVE

-----

ABBREVIATION.....3 = Unresp

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....3 = Unresponsive

HELP\_TEXT.....

ID.....{A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}

TERM.....3 = UNRESPONSIVE

DATA VALUE: 3 WAY FOLEY

-----

ABBREVIATION.....3WAY FOLEY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3 Way Foley

HELP\_TEXT.....No Help Text

ID.....{32408760-F517-4530-AEC0-54FE0A6A062B}

TERM.....3 WAY FOLEY

DATA VALUE: 3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED

-----

ABBREVIATION.....3epcbo

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....3+=Bounding, Easily Palpable, Cannot  
Be Obliterated

HELP\_TEXT.....No Help Text

ID.....{7A7A07ED-26B6-A3BF-C564-94BD4F6D4E1C}

TERM.....3+=BOUNDING, EASILY PALPABLE, CANNOT  
BE OBLITERATED

DATA VALUE: 34 ml

-----

ABBREVIATION.....34 ml

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....34 ml

HELP\_TEXT.....No Help Text

ID.....{25952BB5-50B1-4CC0-9483-8AF891767045}

TERM.....34 ml

DATA VALUE: 3:4

-----

ABBREVIATION.....3:4

ACTIVE.....Yes

DESCRIPTION.....3:4

DISPLAY\_NAME.....3:4

HELP\_TEXT.....No Help Text

ID.....{E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2}

TERM.....3:4

DATA VALUE: 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----

ABBREVIATION.....CIWA PS 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Beads Of Sweat Obvious On Forehead

HELP\_TEXT.....No Help Text

ID.....{8388B1A0-46EA-4003-A32B-A2C708A6F056}

TERM.....4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 4 - DISORIENTED AND CONVERSES

-----

ABBREVIATION.....4-dac

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Disoriented And Converses

HELP\_TEXT.....No Help Text

ID.....{D43F646D-A130-5D06-6DC6-DDB971027231}

TERM.....4 - DISORIENTED AND CONVERSES

DATA VALUE: 4 - DISORIENTED FOR PLACE OR PERSON

-----

ABBREVIATION.....CIWA OR 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Disoriented For Place/Or Person

HELP\_TEXT.....No Help Text

ID.....{03BBFFA2-233A-41A1-8212-F988889C5E72}

TERM.....4 - DISORIENTED FOR PLACE OR PERSON

DATA VALUE: 4 - INTERMITTENT NAUSEA WITH DRY HEAVES

-----

ABBREVIATION.....CIWA NV 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Intermittent Nausea With Dry Heaves

HELP\_TEXT.....No Help Text

ID.....{7FBE10F0-472F-4F21-BE55-0892259141B5}

TERM.....4 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 4 - MODERATE WITH PATIENTS ARMS EXTENDED

-----

ABBREVIATION.....CIWA TR 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Moderate With Patient's Arms

Extended

HELP\_TEXT.....No Help Text

ID.....{79CE1486-151C-4492-AFD2-7845DD69DA9E}

TERM.....4 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 4 - MODERATELY ANXIOUS

-----

ABBREVIATION.....CIWA AX 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Moderately Anxious, Or Guarded,  
Anxiety Is Inferred

HELP\_TEXT.....No Help Text

ID.....{9A01FEFD-844C-4FAB-BEC3-96333495FA62}

TERM.....4 - MODERATELY ANXIOUS

DATA VALUE: 4 - MODERATELY FIDGETY AND RESTLESS

-----

ABBREVIATION.....CIWA AG 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Moderately Fidgety And Restless

HELP\_TEXT.....No Help Text

ID.....{B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}

TERM.....4 - MODERATELY FIDGETY AND RESTLESS

DATA VALUE: 4 - MODERATELY SEVERE

-----

ABBREVIATION.....CIWA HA 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Moderately Severe

HELP\_TEXT.....No Help Text

ID.....{83B3DE0F-3BA4-4B0A-A222-F372BD403094}

TERM.....4 - MODERATELY SEVERE

DATA VALUE: 4 - MODERATELY SEVERE HALLUCINATIONS

-----

ABBREVIATION.....CIWA 4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Moderately Severe Hallucinations

HELP\_TEXT.....No Help Text

ID.....{13FCDA97-A967-4993-AED5-13EBA61F3102}

TERM.....4 - MODERATELY SEVERE HALLUCINATIONS

DATA VALUE: 4 - SPONTANEOUSLY

-----

ABBREVIATION.....4-s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Spontaneously

HELP\_TEXT.....No Help Text  
ID.....{4612FC84-FCA8-8C85-50DC-A9A42C195F51}  
TERM.....4 - SPONTANEOUSLY

DATA VALUE: 4 - TOTAL DEPENDENCE

-----  
ABBREVIATION.....4 Tot Dep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Total Dependence  
HELP\_TEXT.....  
ID.....{062C8F50-294A-48CF-8E81-0C6D7787A4B1}  
TERM.....4 - TOTAL DEPENDENCE

DATA VALUE: 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE

-----  
ABBREVIATION.....4 Full Stf  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Total Dependence - Full Staff  
Performance  
HELP\_TEXT.....  
ID.....{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
TERM.....4 - TOTAL DEPENDENCE - FULL STAFF  
PERFORMANCE



DATA VALUE: 4 - WITHDRAWS FROM PAIN

-----

ABBREVIATION.....4-wfp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 - Withdraws From Pain

HELP\_TEXT.....No Help Text

ID.....{D808ACF1-30CB-29AB-4957-E91D63C4DF18}

TERM.....4 - WITHDRAWS FROM PAIN

DATA VALUE: 4 = NO MOVEMENT

-----

ABBREVIATION.....No Movem

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....4 = No Movement

HELP\_TEXT.....

ID.....{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}

TERM.....4 = NO MOVEMENT

DATA VALUE: 4 HOUR

-----

ABBREVIATION.....4 HOUR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....4 Hour

HELP\_TEXT.....No Help Text

ID.....{91B2A49D-0308-47C9-B220-63A0E318A201}

TERM.....4 HOUR

DATA VALUE: 40 ml

-----

ABBREVIATION.....40 ml

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....40 ml

HELP\_TEXT.....No Help Text

ID.....{37A2998F-AB1C-4493-9C7A-FFCB05ED2302}

TERM.....40 ml

DATA VALUE: 4:4

-----

ABBREVIATION.....4:4

ACTIVE.....Yes

DESCRIPTION.....4:4

DISPLAY\_NAME.....4:4

HELP\_TEXT.....No Help Text

ID.....{E9FCD5A0-995A-401D-8E85-6F0C753609B6}

TERM.....4:4

DATA VALUE: 5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

-----

ABBREVIATION.....CIWA NV 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....5 - Constant Nausea W Frequent Heaves  
and Vomiting

HELP\_TEXT.....No Help Text

ID.....{3A90064F-0B58-48AB-ABEE-188F215F4E33}

TERM.....5 - CONSTANT NAUSEA W FREQUENT HEAVES  
AND VOMITING

DATA VALUE: 5 - DRENCHING SWEAT

-----

ABBREVIATION.....CIWA PS 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....5 - Drenching Sweat

HELP\_TEXT.....No Help Text

ID.....{4CAA2CFF-6DA5-4238-A25B-4D3A960808A9}

TERM.....5 - DRENCHING SWEAT

DATA VALUE: 5 - LOCALIZES PAIN

-----

ABBREVIATION.....5-lp

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Localizes Pain  
HELP\_TEXT.....No Help Text  
ID.....{CF13650F-899B-6AE1-5913-DC1F4776E5E4}  
TERM.....5 - LOCALIZES PAIN

DATA VALUE: 5 - ORIENTED AND CONVERSES

-----  
ABBREVIATION.....5-oac  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Oriented And Converses  
HELP\_TEXT.....No Help Text  
ID.....{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}  
TERM.....5 - ORIENTED AND CONVERSES

DATA VALUE: 5 - SEVERE

-----  
ABBREVIATION.....CIWA HA 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Severe  
HELP\_TEXT.....No Help Text  
ID.....{7BD7B91F-DF6F-47B9-BAA6-3EF249340578}  
TERM.....5 - SEVERE

DATA VALUE: 5 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----

ABBREVIATION.....CIWA TR 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....5 - Severe Even With Arms Not Extended

HELP\_TEXT.....No Help Text

ID.....{611A344A-C540-4861-81D7-681DAF1AA473}

TERM.....5 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 5 - SEVERE HALLUCINATIONS

-----

ABBREVIATION.....CIWA 5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....5 - Severe Hallucinations

HELP\_TEXT.....No Help Text

ID.....{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

TERM.....5 - SEVERE HALLUCINATIONS

DATA VALUE: 5 PERCENT ALBUMIN

-----

ABBREVIATION.....5 PERC ALB

ACTIVE.....Yes

DESCRIPTION.....5 Percent Albumin

DISPLAY\_NAME.....5 Percent Albumin

HELP\_TEXT.....No Help Text  
ID.....{38CE47CB-736B-475E-8E89-C4C13F2DF184}  
TERM.....5 PERCENT ALBUMIN

DATA VALUE: 6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

-----  
ABBREVIATION.....CIWA NV 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Constant Nausea W Frequent Heaves  
and Vomiting

HELP\_TEXT.....No Help Text  
ID.....{446FE39A-EB53-4D6B-B5B8-1370A5D55EEB}  
TERM.....6 - CONSTANT NAUSEA W FREQUENT HEAVES  
AND VOMITING

DATA VALUE: 6 - DRENCHING SWEAT

-----  
ABBREVIATION.....CIWA PS 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Drenching Sweat  
HELP\_TEXT.....No Help Text  
ID.....{7294B311-9032-4FE1-9779-363D19FD1FD3}  
TERM.....6 - DRENCHING SWEAT

DATA VALUE: 6 - EXTREMELY SEVERE HALLUCINATIONS

-----

ABBREVIATION.....CIWA 6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....6 - Extremely Severe Hallucinations

HELP\_TEXT.....No Help Text

ID.....{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

TERM.....6 - EXTREMELY SEVERE HALLUCINATIONS

DATA VALUE: 6 - OBEYS COMMANDS

-----

ABBREVIATION.....6-oc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....6 - Obeys Commands

HELP\_TEXT.....No Help Text

ID.....{0D4956F4-7E79-8D17-EDF3-274B96BBC89A}

TERM.....6 - OBEYS COMMANDS

DATA VALUE: 6 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----

ABBREVIATION.....CIWA TR 6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....6 - Severe Even With Arms Not Extended

HELP\_TEXT.....No Help Text  
ID.....{9BCF893C-76D0-4A3E-80D0-281A917F1A08}  
TERM.....6 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 6 - VERY SEVERE

-----  
ABBREVIATION.....CIWA HA 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Very Severe  
HELP\_TEXT.....No Help Text  
ID.....{241C1EF4-2E2A-4D65-9991-607BB6B29E01}  
TERM.....6 - VERY SEVERE

DATA VALUE: 6 HOUR

-----  
ABBREVIATION.....6 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 Hour  
HELP\_TEXT.....No Help Text  
ID.....{0D1F000A-01F0-422C-9CB8-2A04CD479444}  
TERM.....6 HOUR



DATA VALUE: 6 PERCENT HETASTARCH

-----

ABBREVIATION.....6 PERC HET

ACTIVE.....Yes

DESCRIPTION.....6 Percent Hetastarch

DISPLAY\_NAME.....6 Percent Hetastarch

HELP\_TEXT.....No Help Text

ID.....{D94072C9-87E8-46CA-929F-4904F3BD964C}

TERM.....6 PERCENT HETASTARCH

DATA VALUE: 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT

-----

ABBREVIATION.....60 Min Rev

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....60 Minutes Since Administration of  
Reversal Agent

HELP\_TEXT.....

ID.....{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}

TERM.....60 MINUTES SINCE ADMINISTRATION OF  
REVERSAL AGENT

DATA VALUE: 7 - ACUTE PANIC

-----

ABBREVIATION.....CIWA AX 7

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Equivalent To Acute Panic States  
HELP\_TEXT.....No Help Text  
ID.....{3F5E6786-FD67-405F-A535-EC1609910F14}  
TERM.....7 - ACUTE PANIC

DATA VALUE: 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

-----  
ABBREVIATION.....CIWA NV 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Constant Nausea W Frequent Heaves  
and Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{7F1076C4-C655-4BF2-8BB1-036F5169B619}  
TERM.....7 - CONSTANT NAUSEA W FREQUENT HEAVES  
AND VOMITING

DATA VALUE: 7 - CONTINUOUS HALLUCINATIONS

-----  
ABBREVIATION.....CIWA 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Continuous Hallucinations  
HELP\_TEXT.....No Help Text  
ID.....{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}  
TERM.....7 - CONTINUOUS HALLUCINATIONS

DATA VALUE: 7 - DRENCHING SWEAT

-----  
ABBREVIATION.....CIWA PS 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Drenching Sweat  
HELP\_TEXT.....No Help Text  
ID.....{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}  
TERM.....7 - DRENCHING SWEAT

DATA VALUE: 7 - EXTREMELY SEVERE

-----  
ABBREVIATION.....CIWA HA 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Extremely Severe  
HELP\_TEXT.....No Help Text  
ID.....{F8DCC910-D36D-480E-867E-B45221170C49}  
TERM.....7 - EXTREMELY SEVERE

DATA VALUE: 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW

-----  
ABBREVIATION.....CIWA AG 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Pacing Back And Forth The

Interview/Thrashing

HELP\_TEXT.....No Help Text

ID.....{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

TERM.....7 - PACING BACK AND FORTH MOST OF THE  
INTERVIEW

DATA VALUE: 7 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----

ABBREVIATION.....CIWA TR 7

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....7 - Severe Even With Arms Not Extended

HELP\_TEXT.....No Help Text

ID.....{FE0BE72E-913A-48CD-BABF-C5B742AFED93}

TERM.....7 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 8 - ACTIVITY DID NOT OCCUR

-----

ABBREVIATION.....8 d/n occ

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....8 - Activity Did Not Occur

HELP\_TEXT.....

ID.....{8B586CC9-2360-4060-B660-021C25E28F0F}

TERM.....8 - ACTIVITY DID NOT OCCUR

DATA VALUE: 8 HOUR

-----  
ABBREVIATION.....8 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....8 Hour  
HELP\_TEXT.....No Help Text  
ID.....{05E46D8F-C165-4552-8063-B735DECD4AF3}  
TERM.....8 HOUR

DATA VALUE: AAI

-----  
ABBREVIATION.....AAI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AAI  
HELP\_TEXT.....No Help Text  
ID.....{2DD18ACA-B98E-24D3-E760-6D082A76074B}  
TERM.....AAI

DATA VALUE: AAIR

-----  
ABBREVIATION.....AAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AAIR

HELP\_TEXT.....No Help Text

ID.....{3B4B6F37-B631-BE32-F1C1-65B99D0C5018}

TERM.....AAIR

DATA VALUE: AAO

---

ABBREVIATION.....AAO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....AAO

HELP\_TEXT.....No Help Text

ID.....{E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}

TERM.....AAO

DATA VALUE: ABDOMINAL

---

ABBREVIATION.....ABDOMINAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Abdominal

HELP\_TEXT.....No Help Text

ID.....{29E279F4-5D2E-4644-A2FA-CF85BEDFD480}

TERM.....ABDOMINAL

DATA VALUE: ABLE TO AMBULATE

-----  
ABBREVIATION.....AMBULAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Able to Ambulate  
HELP\_TEXT.....No Help Text  
ID.....{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}  
TERM.....ABLE TO AMBULATE

DATA VALUE: ABRASION

-----  
ABBREVIATION.....ABRASION  
ACTIVE.....Yes  
DESCRIPTION.....Abrasion  
DISPLAY\_NAME.....Abrasion  
HELP\_TEXT.....No Help Text  
ID.....{7E962B43-24B1-46D2-A79A-54811117271A}  
TERM.....ABRASION

DATA VALUE: ABSENT

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Absent

HELP\_TEXT.....No Help Text

ID.....{6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

TERM.....ABSENT

DATA VALUE: ABSENT TO MINIMAL BLEEDING

-----

ABBREVIATION.....ABS BLEE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Absent to Minimal Bleeding

HELP\_TEXT.....No Help Text

ID.....{123460FB-1A8D-45AB-B0A2-489EAB482F67}

TERM.....ABSENT TO MINIMAL BLEEDING

DATA VALUE: ACCELERATING

-----

ABBREVIATION.....ACCELERATI

ACTIVE.....Yes

DESCRIPTION.....Accelerating

DISPLAY\_NAME.....Accelerating

HELP\_TEXT.....Accelerating

ID.....{514FE300-87EE-4C2C-AC70-5E57DBECAFF7}

TERM.....ACCELERATING



DATA VALUE: ACHING

-----

ABBREVIATION.....ACHING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Aching

HELP\_TEXT.....No Help Text

ID.....{736BC1A4-2DA7-4A56-ACC0-28086EA103E0}

TERM.....ACHING

DATA VALUE: ACTIVE RANGE OF MOTION

-----

ABBREVIATION.....ACTIVE ROM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Active Range Of Motion

HELP\_TEXT.....No Help Text

ID.....{F55E68F3-6788-47AE-B962-119413B4A089}

TERM.....ACTIVE RANGE OF MOTION

DATA VALUE: ACTIVITIES OF DAILY LIVING

-----

ABBREVIATION.....ADL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Activities of Daily Living

HELP\_TEXT.....No Help Text  
ID.....{12F2CA66-3DCE-443D-883C-119CE4838B4A}  
TERM.....ACTIVITIES OF DAILY LIVING

DATA VALUE: ADMISSION

-----  
ABBREVIATION.....ADMISSION  
ACTIVE.....Yes  
DESCRIPTION.....Admission  
DISPLAY\_NAME.....Admission  
HELP\_TEXT.....No Help Text  
ID.....{483C2830-813A-46C3-A012-CCD70044B2A2}  
TERM.....ADMISSION

DATA VALUE: ADMISSION DIAGNOSIS

-----  
ABBREVIATION.....ADM DIAG  
ACTIVE.....Yes  
DESCRIPTION.....Admission Diagnosis  
DISPLAY\_NAME.....Admission Diagnosis  
HELP\_TEXT.....Admission Diagnosis  
ID.....{2EEC3F2F-9802-46C5-AB47-008AFA093A7F}  
TERM.....ADMISSION DIAGNOSIS

DATA VALUE: ADULT

-----

ABBREVIATION.....ADULT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Adult

HELP\_TEXT.....No Help Text

ID.....{37B557BE-B932-4757-8E08-5EA315E8AD1F}

TERM.....ADULT

DATA VALUE: ADULT LARGE

-----

ABBREVIATION.....AD LARGE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Adult Large

HELP\_TEXT.....No Help Text

ID.....{38E64D72-2806-47FA-B82F-51844574F850}

TERM.....ADULT LARGE

DATA VALUE: ADULT SMALL

-----

ABBREVIATION.....AD SMALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Adult Small

HELP\_TEXT.....No Help Text  
ID.....{0161A4E5-713A-406B-B3FD-9ED13BEB5366}  
TERM.....ADULT SMALL

DATA VALUE: ADVANCED CARE PLANNING

-----  
ABBREVIATION.....ADV CAR PL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Advanced Care Planning  
HELP\_TEXT.....No Help Text  
ID.....{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}  
TERM.....ADVANCED CARE PLANNING

DATA VALUE: AGENT CASHIER

-----  
ABBREVIATION.....Cashier  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Agent Cashier  
HELP\_TEXT.....  
ID.....{3849A887-F353-4215-88FD-DDD0188BE1BB}  
TERM.....AGENT CASHIER

DATA VALUE: AGITATED

-----

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Agitated

HELP\_TEXT.....No Help Text

ID.....{BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

TERM.....AGITATED

DATA VALUE: AGONAL

-----

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Agonal

HELP\_TEXT.....No Help Text

ID.....{1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}

TERM.....AGONAL

DATA VALUE: AGONIZING

-----

ABBREVIATION.....AGONIZING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Agonizing

HELP\_TEXT.....No Help Text

ID.....{F43DF9E7-555B-49FF-987C-35F083D547AA}

TERM.....AGONIZING

DATA VALUE: AICD

-----

ABBREVIATION.....AICD

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....AICD

HELP\_TEXT.....

ID.....{EDB0E730-A1DC-4639-888B-30E956CCA958}

TERM.....AICD

DATA VALUE: AIR FLOW DEVICE

-----

ABBREVIATION.....AIR FLOW D

ACTIVE.....Yes

DESCRIPTION.....Air Flow Device

DISPLAY\_NAME.....Air Flow Device

HELP\_TEXT.....Air Flow Device

ID.....{60AF6215-CE2A-4EEE-9596-909E3E50BE71}

TERM.....AIR FLOW DEVICE

DATA VALUE: AIR LEAK

-----

ABBREVIATION.....AIR LEAK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Air Leak

HELP\_TEXT.....No Help Text

ID.....{52E40E25-6D28-53EC-BC05-D1FEAA4616EF}

TERM.....AIR LEAK

DATA VALUE: AIRBORNE

-----

ABBREVIATION.....AIRBORNE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Airborne

HELP\_TEXT.....No Help Text

ID.....{D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}

TERM.....AIRBORNE

DATA VALUE: AIRWAY REFLEXES INTACT / SECRETIONS

-----

ABBREVIATION.....AIR REFL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Airway Reflexes Intact Manages

Secretions

HELP\_TEXT.....No Help Text

ID.....{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}

TERM.....AIRWAY REFLEXES INTACT / SECRETIONS

DATA VALUE: ALARMS ON

-----

ABBREVIATION.....Alarms On

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Alarms On

HELP\_TEXT.....

ID.....{A07F739F-3E78-405D-9012-E43CD84B2CBC}

TERM.....ALARMS ON

DATA VALUE: ALBUMIN

-----

ABBREVIATION.....ALBUMIN

ACTIVE.....Yes

DESCRIPTION.....Albumin

DISPLAY\_NAME.....Albumin

HELP\_TEXT.....No Help Text

ID.....{4CC265EE-F506-4752-8309-E569A25B40E5}

TERM.....ALBUMIN



DATA VALUE: ALCOHOL PORT PROTECTOR

-----

ABBREVIATION.....AI Port Pr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Alcohol Port Protector

HELP\_TEXT.....

ID.....{785F47CF-A279-46F9-9073-B6A6A70E8888}

TERM.....ALCOHOL PORT PROTECTOR

DATA VALUE: ALDRETE SCORE 8 OR GREATER

-----

ABBREVIATION.....ALD 8+

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Aldrete Score 8 or Greater

HELP\_TEXT.....No Help Text

ID.....{1FACE6D7-BC92-4579-8665-C5E1D3475461}

TERM.....ALDRETE SCORE 8 OR GREATER

DATA VALUE: ALDRETE SCORE AT BASELINE

-----

ABBREVIATION.....ALD BASE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Aldrete Score at Baseline

HELP\_TEXT.....No Help Text

ID.....{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}

TERM.....ALDRETE SCORE AT BASELINE

DATA VALUE: ALERT

-----

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Alert

HELP\_TEXT.....No Help Text

ID.....{BC7E2630-179A-5C80-E6C7-598D42F0BFD6}

TERM.....ALERT

DATA VALUE: ALERT AND ORIENTED

-----

ABBREVIATION.....AL AN OR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Alert and Oriented

HELP\_TEXT.....No Help Text

ID.....{C031F776-36DF-4570-AFAF-A30B8BFA635B}

TERM.....ALERT AND ORIENTED

DATA VALUE: ALL DOWN

-----

ABBREVIATION.....ALL DOWN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....All Down

HELP\_TEXT.....No Help Text

ID.....{76C14E79-95E2-49B7-B847-3B114653E98C}

TERM.....ALL DOWN

DATA VALUE: ALL UP

-----

ABBREVIATION.....ALL UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....All Up

HELP\_TEXT.....No Help Text

ID.....{48199083-ACC2-408C-9242-7A6313CD7A7F}

TERM.....ALL UP

DATA VALUE: ALLERGY

-----

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Allergy

HELP\_TEXT.....No Help Text

ID.....{EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}

TERM.....ALLERGY

DATA VALUE: ALLERGY WRISTBAND

-----

ABBREVIATION.....Wristband

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Allergy Wristband

HELP\_TEXT.....

ID.....{BB7F6746-102D-4CBA-8E53-EA465176812B}

TERM.....ALLERGY WRISTBAND

DATA VALUE: ALOPECIA PARTIAL

-----

ABBREVIATION.....ALOPE PART

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Alopecia Partial

HELP\_TEXT.....No Help Text

ID.....{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}

TERM.....ALOPECIA PARTIAL

DATA VALUE: ALOPECIA TOTAL

-----  
ABBREVIATION.....ALOPE TOTA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Alopecia Total  
HELP\_TEXT.....No Help Text  
ID.....{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}  
TERM.....ALOPECIA TOTAL

DATA VALUE: AMBER

-----  
ABBREVIATION.....AMBER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Amber  
HELP\_TEXT.....No Help Text  
ID.....{90A13048-4C35-E01D-3482-64D782001D4A}  
TERM.....AMBER

DATA VALUE: AMBULATE AND ASSIST

-----  
ABBREVIATION.....AMB ASSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambulate and Assist

HELP\_TEXT.....No Help Text

ID.....{EB53ADD9-B5B0-4174-95C7-C4B33E80DBDC}

TERM.....AMBULATE AND ASSIST

DATA VALUE: AMBULATED

-----

ABBREVIATION.....AMBULATED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ambulated

HELP\_TEXT.....No Help Text

ID.....{017D99FE-91D5-49F1-AC15-50620879C466}

TERM.....AMBULATED

DATA VALUE: AMBULATORY CARE UNIT

-----

ABBREVIATION.....ACU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ambulatory Care Unit

HELP\_TEXT.....No Help Text

ID.....{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}

TERM.....AMBULATORY CARE UNIT

DATA VALUE: AMPUTEE

-----  
ABBREVIATION.....AMPUTEE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Amputee  
HELP\_TEXT.....No Help-Text  
ID.....{5804286F-2B23-91BD-FCB5-6AD18C918203}  
TERM.....AMPUTEE

DATA VALUE: ANALGESIA

-----  
ABBREVIATION.....ANALGESIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Analgesia  
HELP\_TEXT.....No Help Text  
ID.....{5452ED11-25E1-437B-8048-3BB3E03BE3B9}  
TERM.....ANALGESIA

DATA VALUE: ANESTHESIOLOGIST

-----  
ABBREVIATION.....Anesthesio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Anesthesiologist

HELP\_TEXT.....

ID.....{44BAD970-DD8F-4015-9C41-AC7868CEBE79}

TERM.....ANESTHESIOLOGIST

DATA VALUE: ANGINAL

---

ABBREVIATION.....ANGINAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....ANGINAL

HELP\_TEXT.....No Help Text

ID.....{ECF02415-4124-46D3-AA01-F21AC40FEFF7}

TERM.....ANGINAL

DATA VALUE: ANNOYING

---

ABBREVIATION.....ANNOYING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Annoying

HELP\_TEXT.....No Help Text

ID.....{53437530-57C9-4EA8-AC0D-36B5F2BD051D}

TERM.....ANNOYING



DATA VALUE: ANTI-EMBOLUS STOCKINGS KNEE HIGH

-----

ABBREVIATION.....ANT EMB KN

ACTIVE.....Yes

DESCRIPTION.....ANTI-EMBOLUS STOCKINGS KNEE HIGH

DISPLAY\_NAME.....Anti-Embolus Stockings Knee High

HELP\_TEXT.....ANTI-EMBOLUS STOCKINGS KNEE HIGH

ID.....{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}

TERM.....ANTI-EMBOLUS STOCKINGS KNEE HIGH

DATA VALUE: ANTI-EMBOLUS STOCKINGS THIGH HIGH

-----

ABBREVIATION.....ANT EMB ST

ACTIVE.....Yes

DESCRIPTION.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

DISPLAY\_NAME.....Anti-Embolus Stockings Thigh High

HELP\_TEXT.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

ID.....{9B32D3F3-47F1-886F-A59A-D8AB38A34754}

TERM.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

DATA VALUE: ANTI-MICROBIAL DRESSING

-----

ABBREVIATION.....AB DRESSIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Anti-Microbial Dressing

HELP\_TEXT.....No Help Text  
ID.....{9734C5E9-D099-47EB-93B1-D82201F64331}  
TERM.....ANTI-MICROBIAL DRESSING

DATA VALUE: ANTIBIOTIC OINTMENT

-----  
ABBREVIATION.....AB OINTMEN  
ACTIVE.....Yes  
DESCRIPTION.....Antibiotic Ointment  
DISPLAY\_NAME.....Antibiotic Ointment  
HELP\_TEXT.....No Help Text  
ID.....{352D9690-77BB-44DC-919E-5357876DEAC4}  
TERM.....ANTIBIOTIC OINTMENT

DATA VALUE: ANTIMICROBIAL DISK

-----  
ABBREVIATION.....WOU DR ADI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Antimicrobial Disk  
HELP\_TEXT.....No Help-Text  
ID.....{1F1745EA-D763-4AFD-9CED-82E974E57692}  
TERM.....ANTIMICROBIAL DISK

DATA VALUE: ANURIC

-----

ABBREVIATION.....ANURIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Anuric

HELP\_TEXT.....No Help Text

ID.....{0CCA4B44-7A59-4042-BAB9-EB2395A63C51}

TERM.....ANURIC

DATA VALUE: ANXIOUS

-----

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Anxious

HELP\_TEXT.....No Help Text

ID.....{381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}

TERM.....ANXIOUS

DATA VALUE: AOO

-----

ABBREVIATION.....AOO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....AOO

HELP\_TEXT.....No Help Text

ID.....{86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}

TERM.....AOO

DATA VALUE: APNEA

-----

ABBREVIATION.....Apnea

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Apnea

HELP\_TEXT.....

ID.....{BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}

TERM.....APNEA

DATA VALUE: APPEARS ASLEEP

-----

ABBREVIATION.....App Asleep

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Appears Asleep

HELP\_TEXT.....

ID.....{8D1436B8-ADB0-4092-A0CE-383D74131AA8}

TERM.....APPEARS ASLEEP

DATA VALUE: APPLIANCE CHANGED

-----  
ABBREVIATION.....app change  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Appliance Changed  
HELP\_TEXT.....  
ID.....{CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}  
TERM.....APPLIANCE CHANGED

DATA VALUE: APPROPRIATE

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Appropriate  
HELP\_TEXT.....No Help Text  
ID.....{1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}  
TERM.....APPROPRIATE

DATA VALUE: ARRHYTHMIA

-----  
ABBREVIATION.....Arrhythmi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Arrhythmia

HELP\_TEXT.....

ID.....{F12E4852-27E7-4C2C-989F-E973EBDF2C62}

TERM.....ARRHYTHMIA

DATA VALUE: ARTERIAL LINE CARE

-----

ABBREVIATION.....ART LINE C

ACTIVE.....Yes

DESCRIPTION.....Arterial Line Care

DISPLAY\_NAME.....Arterial Line Care

HELP\_TEXT.....No Help Text

ID.....{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}

TERM.....ARTERIAL LINE CARE

DATA VALUE: ARTIFICIAL AIRWAY

-----

ABBREVIATION.....ART AIRWAY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Artificial Airway

HELP\_TEXT.....No Help Text

ID.....{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}

TERM.....ARTIFICIAL AIRWAY

DATA VALUE: ARTIFICIAL VALVES

-----  
ABBREVIATION.....Art Valves  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Artificial Valves  
HELP\_TEXT.....  
ID.....{088BB4A5-A93E-47E2-B21F-BC2957D52693}  
TERM.....ARTIFICIAL VALVES

DATA VALUE: ASA PS 1

-----  
ABBREVIATION.....ASA PS 1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 1  
HELP\_TEXT.....  
ID.....{BAF1730E-C358-17F1-8DB8-4B6097AFF066}  
TERM.....ASA PS 1

DATA VALUE: ASA PS 2

-----  
ABBREVIATION.....ASA PS 2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 2

HELP\_TEXT.....

ID.....{070C0F56-3D9C-5430-EF9E-BF3B96DFB595}

TERM.....ASA PS 2

DATA VALUE: ASA PS 3

-----

ABBREVIATION.....ASA PS 3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....ASA PS 3

HELP\_TEXT.....

ID.....{B041CE25-82D0-EDAD-C673-A64BCD6647F4}

TERM.....ASA PS 3

DATA VALUE: ASA PS 4

-----

ABBREVIATION.....ASA PS 4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....ASA PS 4

HELP\_TEXT.....

ID.....{040841C3-D933-E687-C7E0-29F439C08778}

TERM.....ASA PS 4



DATA VALUE: ASA PS 5

-----  
ABBREVIATION.....ASA PS 5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 5  
HELP\_TEXT.....  
ID.....{1F7B73A6-3F8E-E230-1C23-C7DF92032E58}  
TERM.....ASA PS 5

DATA VALUE: ASEPTIC TECHNIQUE FOLLOWED

-----  
ABBREVIATION.....Aseptic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Aseptic Technique Followed  
HELP\_TEXT.....  
ID.....{2DE69DDB-F455-4570-A821-C81F39FD2574}  
TERM.....ASEPTIC TECHNIQUE FOLLOWED

DATA VALUE: ASHEN

-----  
ABBREVIATION.....ASHEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ashen

HELP\_TEXT.....No Help-Text  
ID.....{7431E4EC-DCF1-4966-85CB-29BF65311855}  
TERM.....ASHEN

DATA VALUE: ASLEEP AT ROUNDS

-----  
ABBREVIATION.....SLEEP ROUN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Appeared Asleep At All Rounds  
HELP\_TEXT.....No Help Text  
ID.....{24E1D9F0-D8F1-4DC8-911F-6170F343C087}  
TERM.....ASLEEP AT ROUNDS

DATA VALUE: ASPIRATION

-----  
ABBREVIATION.....ASPIRATION  
ACTIVE.....Yes  
DESCRIPTION.....Aspiration  
DISPLAY\_NAME.....Aspiration  
HELP\_TEXT.....No Help Text  
ID.....{68B91085-8E3C-4B94-9F97-6305F5DFD900}  
TERM.....ASPIRATION

DATA VALUE: ASSAULTIVE

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Assaultive  
HELP\_TEXT.....No Help Text  
ID.....{99ECD8C7-191A-3B9C-2A7A-803A921065FA}  
TERM.....ASSAULTIVE

DATA VALUE: ASSIGNED ONE TO ONE SITTER

-----  
ABBREVIATION.....One to One  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Assigned One to One Sitter  
HELP\_TEXT.....  
ID.....{07D48368-101F-4974-9EC5-7CB182A39281}  
TERM.....ASSIGNED ONE TO ONE SITTER

DATA VALUE: ASSIST CONTROL

-----  
ABBREVIATION.....AC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Assist Control

HELP\_TEXT.....No Help Text

ID.....{862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}

TERM.....ASSIST CONTROL

DATA VALUE: ASSISTED

-----

ABBREVIATION.....ASSISTED

ACTIVE.....Yes

DESCRIPTION.....Assisted

DISPLAY\_NAME.....Assisted

HELP\_TEXT.....No Help Text

ID.....{65069804-39BF-41ED-9EA3-BF2C41389F10}

TERM.....ASSISTED

DATA VALUE: ASYSTOLE

-----

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Asystole

HELP\_TEXT.....No Help Text

ID.....{6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}

TERM.....ASYSTOLE

DATA VALUE: ATRIAL

-----

ABBREVIATION.....a

ACTIVE.....Yes

DESCRIPTION.....ATRIAL

DISPLAY\_NAME.....Atrial

HELP\_TEXT.....No Help Text

ID.....{266D2FDA-5D6A-203D-6FF0-8282D49BFD67}

TERM.....ATRIAL

DATA VALUE: ATRIAL FIB/FLUTTER

-----

ABBREVIATION.....af

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Atrial Fib/Flutter

HELP\_TEXT.....No Help Text

ID.....{9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}

TERM.....ATRIAL FIB/FLUTTER

DATA VALUE: ATRIAL FIBRILLATION

-----

ABBREVIATION.....a fib

ACTIVE.....Yes

DESCRIPTION.....Atrial Fibrillation

DISPLAY\_NAME.....Atrial Fibrillation

HELP\_TEXT.....Atrial Fibrillation  
ID.....{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}  
TERM.....ATRIAL FIBRILLATION

DATA VALUE: ATRIAL FLUTTER

-----  
ABBREVIATION.....af  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Atrial Flutter  
HELP\_TEXT.....No Help Text  
ID.....{9CB8D413-6762-D78E-F40E-25DB66CD23B3}  
TERM.....ATRIAL FLUTTER

DATA VALUE: AUSCULTATION

-----  
ABBREVIATION.....AUSCULTATI  
ACTIVE.....Yes  
DESCRIPTION.....Auscultation  
DISPLAY\_NAME.....Auscultation  
HELP\_TEXT.....Auscultation  
ID.....{B9D756DF-74F5-4604-B781-D7BC512FC453}  
TERM.....AUSCULTATION

DATA VALUE: AUTOLOGOUS

-----  
ABBREVIATION.....Autologous  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Autologous  
HELP\_TEXT.....  
ID.....{666DDEC1-5D32-47F6-813C-09F50B4040D2}  
TERM.....AUTOLOGOUS

DATA VALUE: AVF

-----  
ABBREVIATION.....AVF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVF  
HELP\_TEXT.....No Help Text  
ID.....{C8E97206-58AA-47C0-BD2E-7A30E56DB46A}  
TERM.....AVF

DATA VALUE: AVI

-----  
ABBREVIATION.....AVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVI

HELP\_TEXT.....No Help Text

ID.....{8BB49456-FB80-4916-6EBE-06837BF12B0C}

TERM.....AVI

DATA VALUE: AVL

---

ABBREVIATION.....AVL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....AVL

HELP\_TEXT.....No Help Text

ID.....{9124A193-5F50-448D-9E60-C5869EC4029C}

TERM.....AVL

DATA VALUE: AVO

---

ABBREVIATION.....AVO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....AVO

HELP\_TEXT.....No Help Text

ID.....{02EA752A-D156-96E6-3D28-3D389FFC7B58}

TERM.....AVO



DATA VALUE: AVOIDED LIGHT AND NOISE OVERSTIMULATION

-----

ABBREVIATION.....Avoid Lght

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Avoided Light and Noise Overstimulation

HELP\_TEXT.....

ID.....{135BE5DC-B93B-4A72-97AC-B423A6E81538}

TERM.....AVOIDED LIGHT AND NOISE OVERSTIMULATION

DATA VALUE: AVR

-----

ABBREVIATION.....AVR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....AVR

HELP\_TEXT.....No Help Text

ID.....{04AF2551-1185-4BA9-AEED-977D562D188A}

TERM.....AVR

DATA VALUE: AWAKE

-----

ABBREVIATION.....Awake

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Awake

HELP\_TEXT.....

ID.....{D71412D4-5782-46BA-AE6C-24EDC586AE55}

TERM.....AWAKE

DATA VALUE: BACTERICIDAL

-----

ABBREVIATION.....BACTERIOCI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bactericidal

HELP\_TEXT.....No Help-Text

ID.....{680E4A3C-A40A-461E-818D-003AE8A1EFC8}

TERM.....BACTERICIDAL

DATA VALUE: BACTERIOSTATIC

-----

ABBREVIATION.....BACTERIOST

ACTIVE.....Yes

DESCRIPTION.....Bacteriostatic

DISPLAY\_NAME.....Bacteriostatic

HELP\_TEXT.....No Help Text

ID.....{AB74D109-8ED7-4A6C-B028-7A041781DF67}

TERM.....BACTERIOSTATIC

DATA VALUE: BAG - CONTINUOUS

-----  
ABBREVIATION.....Bag - cont  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag - Continuous  
HELP\_TEXT.....  
ID.....{F072EF8A-B38B-4D75-82BF-D5EF851784B0}  
TERM.....BAG - CONTINUOUS

DATA VALUE: BAG - INTERMITTENT

-----  
ABBREVIATION.....Bag - inte  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag - Intermittent  
HELP\_TEXT.....  
ID.....{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}  
TERM.....BAG - INTERMITTENT

DATA VALUE: BAG CHANGE

-----  
ABBREVIATION.....Bag Chg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag Change

HELP\_TEXT.....

ID.....{BC58D518-A742-410B-BE33-732C04D303BD}

TERM.....BAG CHANGE

DATA VALUE: BAG CHANGED

---

ABBREVIATION.....BAG CHANGE

ACTIVE.....Yes

DESCRIPTION.....Changed Bag

DISPLAY\_NAME.....Bag Changed

HELP\_TEXT.....No Help Text

ID.....{818990DE-4F95-4F8E-92D8-B4D3B975CB36}

TERM.....BAG CHANGED

DATA VALUE: BAG/MASK & O2 SET UP

---

ABBREVIATION.....Bag/Mask

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Bag/Mask & O2 Set Up

HELP\_TEXT.....

ID.....{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}

TERM.....BAG/MASK & O2 SET UP

DATA VALUE: BALSAM OF PERU

-----

ABBREVIATION.....WOU DR PER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Balsam Of Peru

HELP\_TEXT.....No Help-Text

ID.....{DD412BB1-B1C1-4A48-A38F-832629448E06}

TERM.....BALSAM OF PERU

DATA VALUE: BARIATRIC FRAME

-----

ABBREVIATION.....BARI FRAME

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bariatric Frame

HELP\_TEXT.....No Help Text

ID.....{CF95B426-F280-451B-86F2-CEF7A1A2B967}

TERM.....BARIATRIC FRAME

DATA VALUE: BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT

-----

ABBREVIATION.....BAR L AIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bariatric Low Airloss Mattress

Replacement

HELP\_TEXT.....No Help Text

ID.....{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}

TERM.....BARIATRIC LOW AIRLOSS MATTRESS

REPLACEMENT

DATA VALUE: BARIATRIC PATIENT

-----

ABBREVIATION.....BARIAC PAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bariatric Patient

HELP\_TEXT.....No Help Text

ID.....{6F614334-685E-4533-A475-BDF5440855EA}

TERM.....BARIATRIC PATIENT

DATA VALUE: BASAL RATE ONLY

-----

ABBREVIATION.....BASAL ONL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Basal Rate Only

HELP\_TEXT.....No Help Text

ID.....{4BFFF2BC-837C-4D62-B811-0E547247D4D0}

TERM.....BASAL RATE ONLY

DATA VALUE: BATHROOM

-----  
ABBREVIATION.....b  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bathroom  
HELP\_TEXT.....No Help Text  
ID.....{D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}  
TERM.....BATHROOM

DATA VALUE: BATHROOM PRIVILEGES

-----  
ABBREVIATION.....BATHR PRIV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bathroom Privileges  
HELP\_TEXT.....No Help Text  
ID.....{29C1B6DD-3308-4DED-9970-1322A97C633B}  
TERM.....BATHROOM PRIVILEGES

DATA VALUE: BED

-----  
ABBREVIATION.....BED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed

HELP\_TEXT.....No Help Text  
ID.....{7E447C9C-41A0-43C9-AF63-38D6EA68279C}  
TERM.....BED

DATA VALUE: BED EXIT ALARM

-----  
ABBREVIATION.....BED EXIT A  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed Exit Alarm  
HELP\_TEXT.....No Help Text  
ID.....{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}  
TERM.....BED EXIT ALARM

DATA VALUE: BEDREST

-----  
ABBREVIATION.....BEDREST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bedrest  
HELP\_TEXT.....No Help Text  
ID.....{8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}  
TERM.....BEDREST



DATA VALUE: BEDSIDE

-----  
ABBREVIATION.....Bedside  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bedside  
HELP\_TEXT.....  
ID.....{481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}  
TERM.....BEDSIDE

DATA VALUE: BEDSIDE COMMODORE

-----  
ABBREVIATION.....Bedside Cm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bedside Commode  
HELP\_TEXT.....  
ID.....{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}  
TERM.....BEDSIDE COMMODORE

DATA VALUE: BIER BLOCK

-----  
ABBREVIATION.....Bier Blk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bier Block

HELP\_TEXT.....

ID.....{241C28E7-6040-4ABC-B76C-4255452C66FD}

TERM.....BIER BLOCK

DATA VALUE: BIGEMINY

-----

ABBREVIATION.....Bigeminy

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Bigeminy

HELP\_TEXT.....

ID.....{729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}

TERM.....BIGEMINY

DATA VALUE: BILATERAL

-----

ABBREVIATION.....Bilateral

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bilateral

HELP\_TEXT.....No Help Text

ID.....{FCD5361B-C674-473C-8F29-7B08650BA338}

TERM.....BILATERAL

DATA VALUE: BIPAP - RESPIRONICS

-----  
ABBREVIATION.....BIPAP RESP  
ACTIVE.....Yes  
DESCRIPTION.....BiPap machine by Respironics  
DISPLAY\_NAME.....Bipap - Respironics  
HELP\_TEXT.....No Help Text  
ID.....{AA94A723-4C68-489F-88AC-2C6F276EAB76}  
TERM.....BIPAP - RESPIRONICS

DATA VALUE: BIPAP - VISION

-----  
ABBREVIATION.....BIPAP VISI  
ACTIVE.....Yes  
DESCRIPTION.....BiPap ventilator made by Vision  
DISPLAY\_NAME.....Bipap - Vision  
HELP\_TEXT.....No Help Text  
ID.....{AA39C765-BA1F-4289-B459-200A57C07FFF}  
TERM.....BIPAP - VISION

DATA VALUE: BIPAP/CPAP

-----  
ABBREVIATION.....BIPAP/CPAP  
ACTIVE.....Yes  
DESCRIPTION.....BiPap / CPAP machine  
DISPLAY\_NAME.....BiPap / CPAP machine

HELP\_TEXT.....No Help Text

ID.....{8D767C67-3712-410F-A96B-69C731E03C5D}

TERM.....BIPAP/CPAP

DATA VALUE: BIPHASIC POSITIVE AIRWAY PRESSURE

-----

ABBREVIATION.....BiPAP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....BiPap

HELP\_TEXT.....No Help Text

ID.....{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

TERM.....BIPHASIC POSITIVE AIRWAY PRESSURE

DATA VALUE: BISMUTH GAUZE

-----

ABBREVIATION.....WOU DR BIS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bismuth Gauze

HELP\_TEXT.....No Help-Text

ID.....{010DED59-C808-4D92-A7F8-87AEB86B4439}

TERM.....BISMUTH GAUZE

DATA VALUE: BITE

-----

ABBREVIATION.....Bite

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bite

HELP\_TEXT.....No Help Text

ID.....{FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}

TERM.....BITE

DATA VALUE: BITE BLOCK

-----

ABBREVIATION.....BITE BLOCK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bite Block

HELP\_TEXT.....No Help Text

ID.....{E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}

TERM.....BITE BLOCK

DATA VALUE: BLACK

-----

ABBREVIATION.....BLACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Black

HELP\_TEXT.....No Help Text

ID.....{7A55AFB9-6861-4918-0746-3D67D47FE5C3}

TERM.....BLACK

DATA VALUE: BLACK/NECROTIC

-----

ABBREVIATION.....BLACK/NECR

ACTIVE.....Yes

DESCRIPTION.....Black / Necrotic

DISPLAY\_NAME.....Black / Necrotic

HELP\_TEXT.....No Help Text

ID.....{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}

TERM.....BLACK/NECROTIC

DATA VALUE: BLADDER SCAN

-----

ABBREVIATION.....Blad Scan

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Bladder Scan

HELP\_TEXT.....

ID.....{6C66BC97-1042-4E53-A49F-69AB7ABEE551}

TERM.....BLADDER SCAN

DATA VALUE: BLANCHED

-----  
ABBREVIATION.....Blanched  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blanched  
HELP\_TEXT.....  
ID.....{EBB2EA8D-04BC-49E7-812A-62B46F0F4678}  
TERM.....BLANCHED

DATA VALUE: BLAND

-----  
ABBREVIATION.....BLAND  
ACTIVE.....Yes  
DESCRIPTION.....BLAND DIET  
DISPLAY\_NAME.....BLAND  
HELP\_TEXT.....No Help Text  
ID.....{38930AFE-ECF7-4548-857C-854E1B5BE148}  
TERM.....BLAND

DATA VALUE: BLISTERING

-----  
ABBREVIATION.....BLISTERING  
ACTIVE.....Yes  
DESCRIPTION.....Blistering  
DISPLAY\_NAME.....Blistering

HELP\_TEXT.....No Help Text

ID.....{3A4212D5-F2A8-4636-BB7F-F36FA8CED192}

TERM.....BLISTERING

DATA VALUE: BLOOD GLUCOSE MONITORING

-----

ABBREVIATION.....BI Glu Mon

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Blood Glucose Monitoring

HELP\_TEXT.....

ID.....{525C8F3C-F8F5-4158-9CDE-3A7B306BAD5}

TERM.....BLOOD GLUCOSE MONITORING

DATA VALUE: BLOOD PRESSURE

-----

ABBREVIATION.....Blood Pres

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Blood Pressure

HELP\_TEXT.....

ID.....{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}

TERM.....BLOOD PRESSURE



DATA VALUE: BLOOD STREAKED

-----  
ABBREVIATION.....BLOOD STRE  
ACTIVE.....Yes  
DESCRIPTION.....Blood Streaked  
DISPLAY\_NAME.....Blood Streaked  
HELP\_TEXT.....Blood Streaked  
ID.....{AEC5607D-806F-49AE-8436-DC47F49F39BC}  
TERM.....BLOOD STREAKED

DATA VALUE: BLOOD TRANSFUSION IV

-----  
ABBREVIATION.....BI TRAN IV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Blood Transfusion IV  
HELP\_TEXT.....No Help Text  
ID.....{27A0BE4C-433C-F920-BAC2-066F304BDF59}  
TERM.....BLOOD TRANSFUSION IV

DATA VALUE: BLOODY

-----  
ABBREVIATION.....BLOODY  
ACTIVE.....Yes  
DESCRIPTION.....Containing blood  
DISPLAY\_NAME.....Bloody

HELP\_TEXT.....No Help Text

ID.....{D7904E84-8331-D6DD-F2C0-7F3039C5746A}

TERM.....BLOODY

DATA VALUE: BLUE

-----

ABBREVIATION.....BLUE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Blue

HELP\_TEXT.....No Help Text

ID.....{8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}

TERM.....BLUE

DATA VALUE: BLUNTED

-----

ABBREVIATION.....Blunted

ACTIVE.....Yes

DESCRIPTION.....Blunted

DISPLAY\_NAME.....Blunted

HELP\_TEXT.....No Help Text

ID.....{F119F2DA-9182-2480-BA75-02D39F4FF69B}

TERM.....BLUNTED

DATA VALUE: BLURRED VISION

-----

ABBREVIATION.....Blurred Vi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Blurred Vision

HELP\_TEXT.....

ID.....{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}

TERM.....BLURRED VISION

DATA VALUE: BMI>35KG/M2

-----

ABBREVIATION.....BMI>35KG/M

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....BMI > 35kg/m2

HELP\_TEXT.....

ID.....{FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}

TERM.....BMI>35KG/M2

DATA VALUE: BONE

-----

ABBREVIATION.....BONE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bone

HELP\_TEXT.....No Help Text

ID.....{3729DEB9-0967-4B32-86B7-409CF27C8625}

TERM.....BONE

DATA VALUE: BOOST

-----

ABBREVIATION.....Boost

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Boost

HELP\_TEXT.....

ID.....{2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}

TERM.....BOOST

DATA VALUE: BOOST PLUS

-----

ABBREVIATION.....Boost Plus

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Boost Plus

HELP\_TEXT.....

ID.....{432C8151-10CE-4804-939D-6B6B609BE54A}

TERM.....BOOST PLUS

DATA VALUE: BORDERLINE REDUCED

-----

ABBREVIATION.....BORD REDUC

ACTIVE.....Yes

DESCRIPTION.....Borderline Reduced

DISPLAY\_NAME.....Borderline Reduced

HELP\_TEXT.....No Help Text

ID.....{63703AB1-6249-403B-BDE8-FECA9FA36CF5}

TERM.....BORDERLINE REDUCED

DATA VALUE: BRADEN FRICTION AND SHEAR 1 PROBLEM

-----

ABBREVIATION.....BS F/S 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Friction and Shear 1

Problem

DISPLAY\_NAME.....1 - Problem

HELP\_TEXT.....Requires moderate to maximum

assistance in moving. Complete

lifting without sliding against

sheets is impossible. Frequently

slides down in bed or chair,

requiring frequent repositioning with

maximum assistance.

ID.....{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}

TERM.....BRADEN FRICTION AND SHEAR 1 PROBLEM

DATA VALUE: BRADEN SCALE ACTIVITY 1 BEDFAST

-----

ABBREVIATION.....BS ACT 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 1 Bedfast

DISPLAY\_NAME.....1 - Bedfast

HELP\_TEXT.....Confined to bed

ID.....{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}

TERM.....BRADEN SCALE ACTIVITY 1 BEDFAST

DATA VALUE: BRADEN SCALE ACTIVITY 2 CHAIRFAST

-----

ABBREVIATION.....BS ACT 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 2 Chairfast

DISPLAY\_NAME.....2 - Chairfast

HELP\_TEXT.....Ability to walk severely limited or

non-existent. Cannot bear own weight

and/or must be assisted into chair or

wheelchair.

ID.....{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}

TERM.....BRADEN SCALE ACTIVITY 2 CHAIRFAST

DATA VALUE: BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY

-----

ABBREVIATION.....BS ACT 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 3 Walks

Occasionally

DISPLAY\_NAME.....3 - Walks Occasionally

HELP\_TEXT.....Walks occasionally during day, but

for very short distances, with or

without assistance. Spends majority

of each shift in bed or chair.

ID.....{E47B47BC-6097-4602-9184-BF5A4F6D686A}

TERM.....BRADEN SCALE ACTIVITY 3 WALKS

OCCASIONALLY

DATA VALUE: BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY

-----

ABBREVIATION.....BS ACT 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Activity 4 Walks

Frequently

DISPLAY\_NAME.....4 - Walks Frequently

HELP\_TEXT.....Walks outside room at least twice a

day and inside room at least once

every two hours during waking hours.

ID.....{C5A8C2EA-E042-4804-9812-77603C47FC6A}

TERM.....BRADEN SCALE ACTIVITY 4 WALKS

FREQUENTLY

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM

-----

ABBREVIATION.....BS F/S 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Friction and Shear 2

Potential Problem

DISPLAY\_NAME.....2 - Potential Problem

HELP\_TEXT.....Moves feebly or requires minimum

assistance. During a move skin

probably slides to some extent

against sheets, chair, restraints or

other devices. Maintains relatively



good position in chair or bed most of  
the time but occasionally slides down

ID.....{B56338A9-8956-4D27-8BA0-DA50E07359E0}

TERM.....BRADEN SCALE FRICTION AND SHEAR 2

POTENTIAL PROBLEM

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM

-----

ABBREVIATION.....BS F/S 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Friction and Shear 3 No  
Apparent Problem

DISPLAY\_NAME.....3 - No Apparent Problem

HELP\_TEXT.....No Apparent Problem

ID.....{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

TERM.....BRADEN SCALE FRICTION AND SHEAR 3 NO

APPARENT PROBLEM

DATA VALUE: BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE

-----

ABBREVIATION.....BS MOB 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 1 Completely  
Immobile

DISPLAY\_NAME.....1 - Completely Immobile

HELP\_TEXT.....Does not make even slight changes in  
body or extremity position without  
assistance

ID.....{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}

TERM.....BRADEN SCALE MOBILITY 1 COMPLETELY  
IMMOBILE

DATA VALUE: BRADEN SCALE MOBILITY 2 VERY LIMITED

-----

ABBREVIATION.....BS MOB 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 2 Very Limited

DISPLAY\_NAME.....2 - Very Limited

HELP\_TEXT.....Makes occasional slight changes in  
body or extremity position but unable  
to make frequent or significant  
changes independently

ID.....{868EFA33-877E-4B91-B4FD-9655F66A7160}

TERM.....BRADEN SCALE MOBILITY 2 VERY LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED

-----

ABBREVIATION.....BS MOB 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 3 Slightly  
Limited

DISPLAY\_NAME.....3 - Slightly Limited

HELP\_TEXT.....Makes frequent though slight changes  
in body or extremity position  
independently

ID.....{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}

TERM.....BRADEN SCALE MOBILITY 3 SLIGHTLY  
LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 4 NO LIMITATION

-----

ABBREVIATION.....BS MOB 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Mobility 4 No Limitation

DISPLAY\_NAME.....4 - No Limitation

HELP\_TEXT.....Makes major and frequent changes in  
position without assistance

ID.....{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

TERM.....BRADEN SCALE MOBILITY 4 NO LIMITATION

DATA VALUE: BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST

-----  
ABBREVIATION.....BS MOI 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 1 Constantly  
Moist

DISPLAY\_NAME.....1 - Constantly Moist

HELP\_TEXT.....Skin is kept moist almost constantly  
by perspiration, urine, etc. Dampness  
is detected every time patient is  
moved or turned

ID.....{3E2569BA-ECF0-4622-8F4A-26378A2CB466}

TERM.....BRADEN SCALE MOISTURE 1 CONSTANTLY  
MOIST

DATA VALUE: BRADEN SCALE MOISTURE 2 VERY MOIST  
-----

ABBREVIATION.....BS MOI 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 2 Very Moist

DISPLAY\_NAME.....2 - Very Moist

HELP\_TEXT.....Skin is often, but not always moist.  
Linen must be changed at least once a  
shift

ID.....{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}

TERM.....BRADEN SCALE MOISTURE 2 VERY MOIST

DATA VALUE: BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST  
-----

ABBREVIATION.....BS MOI 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 3 Occasionally

Moist

DISPLAY\_NAME.....3 - Occasionally Moist

HELP\_TEXT.....Skin is occasionally moist, requiring

an extra linen change approximately

once a day

ID.....{D7F2714B-B0C7-4000-8588-8582C1B32ECE}

TERM.....BRADEN SCALE MOISTURE 3 OCCASIONALLY

MOIST

DATA VALUE: BRADEN SCALE MOISTURE 4 RARELY MOIST

-----

ABBREVIATION.....BS MOI 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Moisture 4 Rarely Moist

DISPLAY\_NAME.....4 - Rarely Moist

HELP\_TEXT.....Skin is usually dry, linen only

requires changing at routine

intervals

ID.....{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}

TERM.....BRADEN SCALE MOISTURE 4 RARELY MOIST

DATA VALUE: BRADEN SCALE NUTRITION 1 VERY POOR

-----

ABBREVIATION.....BS NUT 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 1 Very Poor

DISPLAY\_NAME.....1 - Very Poor

HELP\_TEXT.....Never eats a complete meal. Rarely

eats more than 1/2 of any food

offered. Eats 2 servings or less of

protein per day. Takes fluids poorly,

does not take a liquid supplement. OR

is NPO maintained on clear liquids or

IV's for more than 5 days

ID.....{28A86074-A6B2-455E-ABA4-19195C2E3679}

TERM.....BRADEN SCALE NUTRITION 1 VERY POOR

DATA VALUE: BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE

-----  
ABBREVIATION.....BS NUT 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 2 Probably  
Inadequate

DISPLAY\_NAME.....2 - Probably Inadequate

HELP\_TEXT.....Rarely eats a complete meal and  
generally eats only about 2 of any  
food offered. Protein intake includes  
only 3 servings of meat or dairy  
products per day. Occasionally will  
take a dietary supplement. OR  
receives less than optimum amount of  
liquid.

ID.....{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}

TERM.....BRADEN SCALE NUTRITION 2 PROBABLY  
INADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 3 ADEQUATE

-----  
ABBREVIATION.....BS NUT 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 3 Adequate

DISPLAY\_NAME.....3 - Adequate

HELP\_TEXT.....Eats over half of most meals. Eats a

total of 4 servings of protein (meat,  
dairy products) per day. Occasionally  
will refuse a meal, but will usually  
take a supplement when offered. OR is  
on a tube feeding or TPN regimen.

ID.....{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}

TERM.....BRADEN SCALE NUTRITION 3 ADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 4 EXCELLENT

-----

ABBREVIATION.....BS NUT 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Nutrition 4 Excellent

DISPLAY\_NAME.....4 - Excellent

HELP\_TEXT.....Eats most of every meal. Never

refuses a meal. Usually eats a total  
of 4 or more servings of meat and  
dairy products. Occasionally eats  
between meals. Does NOT require  
supplements

ID.....{F09E4D35-1AA8-49A5-9B38-FBFFAFCFC181}

TERM.....BRADEN SCALE NUTRITION 4 EXCELLENT



DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED

-----

ABBREVIATION.....BS SENC 1

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 1

Completely Limited

DISPLAY\_NAME.....1 - Completely Limited

HELP\_TEXT.....Unresponsive (does not moan, flinch

or grasp) to painful stimuli, due to

diminished level of consciousness or

sedation. OR limited ability to feel

pain over most of body

ID.....{60F646B3-790F-4C5A-B2A0-845915E120E6}

TERM.....BRADEN SCALE SENSORY PERCEPTION 1

COMPLETELY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED

-----

ABBREVIATION.....BS SENC 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 2

Very Limited

DISPLAY\_NAME.....2 - Very Limited

HELP\_TEXT.....Responds only to painful stimuli.

Cannot Communicate discomfort except

by moaning or restlessness. OR has a

sensory impairment which limits the  
ability to feel pain or discomfort  
over 1/2 of the body

ID.....{98362E63-7245-4E7F-8C30-896A9B923199}

TERM.....BRADEN SCALE SENSORY PERCEPTION 2  
VERY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED

-----  
ABBREVIATION.....BS SENC 3

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 3  
Slightly Limited

DISPLAY\_NAME.....3 - Slightly Limited

HELP\_TEXT.....Responds to verbal commands, but  
cannot always communicate discomfort  
or the need to be turned. OR has some  
sensory impairment which limits  
ability to feel pain or discomfort in  
one or two extremities.

ID.....{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}

TERM.....BRADEN SCALE SENSORY PERCEPTION 3  
SLIGHTLY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT

-----  
ABBREVIATION.....BS SENC 4

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 4 No  
Impairment

DISPLAY\_NAME.....4 - No Impairment

HELP\_TEXT.....Responds to verbal commands. Has no  
sensory deficit which would limit  
ability to feel or voice pain or  
discomfort.

ID.....{10304656-E5E8-4F32-8358-A9F80511EFDA}

TERM.....BRADEN SCALE SENSORY PERCEPTION 4 NO  
IMPAIRMENT

DATA VALUE: BREAKDOWN

-----

ABBREVIATION.....BREAKDOWN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Breakdown

HELP\_TEXT.....Use comment to describe breakdown

ID.....{9CFD21C0-A805-47C4-E559-8033C754DE80}

TERM.....BREAKDOWN

DATA VALUE: BREAKFAST

-----

ABBREVIATION.....Breakfast

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Breakfast

HELP\_TEXT.....

ID.....{59166132-625E-4E1E-9D97-13BF678EA726}

TERM.....BREAKFAST

DATA VALUE: BRIDGE PRESENT

-----

ABBREVIATION.....bridge pre

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Bridge Present

HELP\_TEXT.....

ID.....{5C474C17-33C9-492D-833E-64F5EF049BF4}

TERM.....BRIDGE PRESENT

DATA VALUE: BRIGHT

-----

ABBREVIATION.....Bright

ACTIVE.....Yes

DESCRIPTION.....Bright

DISPLAY\_NAME.....Bright

HELP\_TEXT.....No Help Text

ID.....{D16542CE-0403-2C68-A361-125CB3C75ABA}

TERM.....BRIGHT

DATA VALUE: BRISK

---

ABBREVIATION.....brisk

ACTIVE.....Yes

DESCRIPTION.....Brisk

DISPLAY\_NAME.....Brisk

HELP\_TEXT.....No Help Text

ID.....{980AE687-0A78-458B-BA7B-5D646C38A5F5}

TERM.....BRISK

DATA VALUE: BROWN

---

ABBREVIATION.....BROWN

ACTIVE.....Yes

DESCRIPTION.....The color brown

DISPLAY\_NAME.....Brown

HELP\_TEXT.....The color brown

ID.....{A1C32FBC-7B4D-707C-CA58-92A2E201368E}

TERM.....BROWN

DATA VALUE: BRUISED

-----

ABBREVIATION.....BRUISED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bruised

HELP\_TEXT.....No Help Text

ID.....{FA5B38A7-7744-186F-055A-8458D696AF33}

TERM.....BRUISED

DATA VALUE: BRUIT

-----

ABBREVIATION.....BRUIT

ACTIVE.....Yes

DESCRIPTION.....Bruit

DISPLAY\_NAME.....Bruit

HELP\_TEXT.....No Help Text

ID.....{2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}

TERM.....BRUIT

DATA VALUE: BUCKS TRACTION

-----

ABBREVIATION.....BUCK TRACT

ACTIVE.....Yes

DESCRIPTION.....Buck's Traction

DISPLAY\_NAME.....Buck's Traction

HELP\_TEXT.....Buck's Traction  
ID.....{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}  
TERM.....BUCKS TRACTION

DATA VALUE: BULB

-----  
ABBREVIATION.....Bulb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bulb  
HELP\_TEXT.....  
ID.....{2390453E-3353-40EB-B2D7-EF770B67F037}  
TERM.....BULB

DATA VALUE: BULB SUCTION

-----  
ABBREVIATION.....Bulb Sucti  
ACTIVE.....Yes  
DESCRIPTION.....Bulb Suction Drain  
DISPLAY\_NAME.....Bulb Suction Drain  
HELP\_TEXT.....No Help Text  
ID.....{B0839A82-BB79-BB9F-5E4E-0ED67F716A50}  
TERM.....BULB SUCTION

DATA VALUE: BULLET

---

ABBREVIATION.....BULLET

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bullet

HELP\_TEXT.....No Help Text

ID.....{1570D8E2-D936-494D-AF6E-13838EA34EFD}

TERM.....BULLET

DATA VALUE: BUPIVICAINE

---

ABBREVIATION.....Bupivicain

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Bupivicaine

HELP\_TEXT.....

ID.....{03B908B3-365A-47F6-8D71-8F8FE1D2C16B}

TERM.....BUPIVICAINE

DATA VALUE: BURN

---

ABBREVIATION.....BURN

ACTIVE.....Yes

DESCRIPTION.....Burn

DISPLAY\_NAME.....Burn



HELP\_TEXT.....No Help Text  
ID.....{97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}  
TERM.....BURN

DATA VALUE: BURNING

-----  
ABBREVIATION.....BURNING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Burning  
HELP\_TEXT.....No Help Text  
ID.....{D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}  
TERM.....BURNING

DATA VALUE: BY PROVIDER ORDER

-----  
ABBREVIATION.....BY ORDER  
ACTIVE.....Yes  
DESCRIPTION.....By Provider Order  
DISPLAY\_NAME.....By Provider Order  
HELP\_TEXT.....No Help Text  
ID.....{C038BC16-44CF-4933-BECC-B0F1A1B12603}  
TERM.....BY PROVIDER ORDER

DATA VALUE: C1

-----

ABBREVIATION.....C1

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....C1

HELP\_TEXT.....

ID.....{F942693D-F272-4A70-81FF-E750BAF082B9}

TERM.....C1

DATA VALUE: C2

-----

ABBREVIATION.....C2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....C2

HELP\_TEXT.....

ID.....{EE1C5D26-12DE-42ED-A46C-63D66BC145C5}

TERM.....C2

DATA VALUE: C3

-----

ABBREVIATION.....C3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....C3

HELP\_TEXT.....

ID.....{B53D0E0E-7BF0-4D26-B4DD-D072035E307E}

TERM.....C3

DATA VALUE: C4

-----

ABBREVIATION.....C4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....C4

HELP\_TEXT.....

ID.....{A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}

TERM.....C4

DATA VALUE: C5

-----

ABBREVIATION.....C5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....C5

HELP\_TEXT.....

ID.....{30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}

TERM.....C5

DATA VALUE: CADEXOMER IODINE

-----  
ABBREVIATION.....CADEXO IOD  
ACTIVE.....Yes  
DESCRIPTION.....Cadexomer Iodine  
DISPLAY\_NAME.....Cadexomer Iodine  
HELP\_TEXT.....No Help Text  
ID.....{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}  
TERM.....CADEXOMER IODINE

DATA VALUE: CALCIUM ALGINATE

-----  
ABBREVIATION.....CA ALGINAT  
ACTIVE.....Yes  
DESCRIPTION.....Calcium Alginate  
DISPLAY\_NAME.....Calcium Alginate  
HELP\_TEXT.....No Help Text  
ID.....{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}  
TERM.....CALCIUM ALGINATE

DATA VALUE: CALM

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Calm

HELP\_TEXT.....No Help Text

ID.....{E206C3F5-6977-302C-51FB-AF2155B5FFD9}

TERM.....CALM

DATA VALUE: CANE

---

ABBREVIATION.....CANE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Cane

HELP\_TEXT.....No Help Text

ID.....{562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}

TERM.....CANE

DATA VALUE: CANES

---

ABBREVIATION.....CANES

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Canes

HELP\_TEXT.....No Help Text

ID.....{DF37C541-1C7D-4527-A4D2-31867B5ED438}

TERM.....CANES

DATA VALUE: CARDIAC

-----  
ABBREVIATION.....Cardiac  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cardiac  
HELP\_TEXT.....  
ID.....{2A4308E5-C843-4844-B908-32DA0A0B50E3}  
TERM.....CARDIAC

DATA VALUE: CARDIAC CHAIR

-----  
ABBREVIATION.....cc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cardiac Chair  
HELP\_TEXT.....No Help Text  
ID.....{D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}  
TERM.....CARDIAC CHAIR

DATA VALUE: CARDIAC DIET

-----  
ABBREVIATION.....CARD DIET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CARDIAC DIET

HELP\_TEXT.....No Help Text  
ID.....{218A883D-32A0-438D-B453-7CBCE02693A3}  
TERM.....CARDIAC DIET

DATA VALUE: CARDIAC OUTPUT INJECTATE

-----  
ABBREVIATION.....CARD OUT I  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Output Injectate  
DISPLAY\_NAME.....Cardiac Output Injectate  
HELP\_TEXT.....No Help Text  
ID.....{19605CAB-8D54-4704-819B-20ABDAB6C604}  
TERM.....CARDIAC OUTPUT INJECTATE

DATA VALUE: CARDIAC REPOSITION

-----  
ABBREVIATION.....CARD REPOS  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Reposition  
DISPLAY\_NAME.....Cardiac Reposition  
HELP\_TEXT.....No Help Text  
ID.....{E133FE5A-20E1-418F-BD90-D2DFE14908C0}  
TERM.....CARDIAC REPOSITION

DATA VALUE: CARDIO-RESP MONITOR

-----

ABBREVIATION.....Cardio-Re

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Cardio-Resp Monitor

HELP\_TEXT.....

ID.....{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}

TERM.....CARDIO-RESP MONITOR

DATA VALUE: CARDIOLOGY PROCEDURE ROOM

-----

ABBREVIATION.....Cardio Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Cardiology Procedure Room

HELP\_TEXT.....

ID.....{744142F5-D301-4509-A96D-06AB8C1D2C81}

TERM.....CARDIOLOGY PROCEDURE ROOM

DATA VALUE: CAREGIVER

-----

ABBREVIATION.....CAREGIVER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Caregiver



HELP\_TEXT.....No Help Text

ID.....{F9B8BABE-2F05-437D-85C8-585FC1FFC07F}

TERM.....CAREGIVER

DATA VALUE: CAREGIVER STRESS

-----

ABBREVIATION.....Care Stres

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Caregiver Stress

HELP\_TEXT.....

ID.....{A6A201E7-259C-485E-A35E-9F2F3489B24F}

TERM.....CAREGIVER STRESS

DATA VALUE: CASS ENDOTRACHEAL TUBE

-----

ABBREVIATION.....CASS

ACTIVE.....Yes

DESCRIPTION.....CASS Endotracheal Tube

DISPLAY\_NAME.....CASS Endotracheal Tube

HELP\_TEXT.....Mucous Slurping Endotracheal Tube

ID.....{02BF805C-DF35-4DAB-A99F-2ED673174E49}

TERM.....CASS ENDOTRACHEAL TUBE

DATA VALUE: CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL

-----

ABBREVIATION.....Cath Secur

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Cath Secured with Drain Bag Below

Pt`s Bladder Level

HELP\_TEXT.....

ID.....{A2D2ABF1-88D4-46A2-B935-33211292FF25}

TERM.....CATH SECURED WITH DRAIN BAG BELOW

PT'S BLADDER LEVEL

DATA VALUE: CATH SIZE DOCUMENTED

-----

ABBREVIATION.....Cath Size

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Cath Size Documented

HELP\_TEXT.....

ID.....{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}

TERM.....CATH SIZE DOCUMENTED

DATA VALUE: CATHETER

-----

ABBREVIATION.....CATHETER

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....Catheter  
HELP\_TEXT.....No Help Text  
ID.....{B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}  
TERM.....CATHETER

DATA VALUE: CATHETERIZATION TIME DOCUMENTED

-----  
ABBREVIATION.....Cath Time  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME..... Catheterization Time Documented  
HELP\_TEXT.....  
ID.....{4EF58FCA-A5E1-454C-B435-5BFB487618F4}  
TERM.....CATHETERIZATION TIME DOCUMENTED

DATA VALUE: CELLULITIS

-----  
ABBREVIATION.....CELLULITIS  
ACTIVE.....Yes  
DESCRIPTION.....Cellulitis  
DISPLAY\_NAME.....Cellulitis  
HELP\_TEXT.....No Help Text  
ID.....{709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}  
TERM.....CELLULITIS

DATA VALUE: CENTRAL ECG

-----  
ABBREVIATION.....cecg  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Central ECG  
HELP\_TEXT.....No Help Text  
ID.....{26D36175-E4E3-C364-3018-1B0DB4DC4793}  
TERM.....CENTRAL ECG

DATA VALUE: CENTRAL VENOUS CATHETER

-----  
ABBREVIATION.....CENT VEN C  
ACTIVE.....Yes  
DESCRIPTION.....Central Venous Catheter  
DISPLAY\_NAME.....Central Venous Catheter  
HELP\_TEXT.....No Help Text  
ID.....{EE91E841-C09B-4432-A121-8EBAB92E9CD2}  
TERM.....CENTRAL VENOUS CATHETER

DATA VALUE: CERVICAL SPINAL PRECAUTIONS

-----  
ABBREVIATION.....CERV S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cervical Spinal Precautions

HELP\_TEXT.....No Help Text  
ID.....{A15F7127-2367-464A-AB7D-1E6A7C09AA21}  
TERM.....CERVICAL SPINAL PRECAUTIONS

DATA VALUE: CF: COUNTING FINGERS

-----  
ABBREVIATION.....CF  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CF: Counting Fingers  
HELP\_TEXT.....  
ID.....{3AFD9EDB-98A2-498A-AD95-F5285130CC03}  
TERM.....CF: COUNTING FINGERS

DATA VALUE: CHAIR

-----  
ABBREVIATION.....CHAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Chair  
HELP\_TEXT.....No Help Text  
ID.....{5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}  
TERM.....CHAIR

DATA VALUE: CHANGED

-----

ABBREVIATION.....CHANGED

ACTIVE.....Yes

DESCRIPTION.....Changed

DISPLAY\_NAME.....Changed

HELP\_TEXT.....No Help Text

ID.....{74B14023-D74D-41F6-AA48-B0E5137623CD}

TERM.....CHANGED

DATA VALUE: CHART VERIFIED CORRECT

-----

ABBREVIATION.....Chart Ver

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Chart Verified Correct

HELP\_TEXT.....

ID.....{319E702F-C7A9-409D-881F-3F4D1D9AF393}

TERM.....CHART VERIFIED CORRECT

DATA VALUE: CHEYNE-STOKES

-----

ABBREVIATION.....CHEYNE-STO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Cheyne-Stokes

HELP\_TEXT.....No Help Text  
ID.....{58DD2B80-B522-499C-2C60-C48A654BAD84}  
TERM.....CHEYNE-STOKES

DATA VALUE: CIRCULATION CHECK

-----  
ABBREVIATION.....ccq  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Circulation Check  
HELP\_TEXT.....No Help Text  
ID.....{BA32C2A8-F15C-84EF-4859-6277EFA6463A}  
TERM.....CIRCULATION CHECK

DATA VALUE: CLAMPED

-----  
ABBREVIATION.....CLAMPED  
ACTIVE.....Yes  
DESCRIPTION.....Clamped  
DISPLAY\_NAME.....Clamped  
HELP\_TEXT.....No Help Text  
ID.....{B86865B8-078A-4996-B5EC-46A4A99D5A7D}  
TERM.....CLAMPED

DATA VALUE: CLASS I

-----  
ABBREVIATION.....Class I  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class I  
HELP\_TEXT.....  
ID.....{4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}  
TERM.....CLASS I

DATA VALUE: CLASS II

-----  
ABBREVIATION.....Class II  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class II  
HELP\_TEXT.....  
ID.....{2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}  
TERM.....CLASS II

DATA VALUE: CLASS III

-----  
ABBREVIATION.....Class III  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class III



HELP\_TEXT.....

ID.....{C0FFDE12-241C-4087-9404-DB128F6B793A}

TERM.....CLASS III

DATA VALUE: CLASS IV

-----

ABBREVIATION.....Class IV

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Class IV

HELP\_TEXT.....

ID.....{176030D0-2576-4D2D-A5AB-E5DA38DADEB5}

TERM.....CLASS IV

DATA VALUE: CLAY

-----

ABBREVIATION.....CLAY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Clay

HELP\_TEXT.....No Help Text

ID.....{A4E4D16C-B45C-0934-ED22-8BF640080108}

TERM.....CLAY

DATA VALUE: CLEAN

-----

ABBREVIATION.....Clean

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Clean

HELP\_TEXT.....

ID.....{1F187B99-9963-4AD5-98F6-D8D24D2DDD30}

TERM.....CLEAN

DATA VALUE: CLEAR

-----

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Clear

HELP\_TEXT.....No Help Text

ID.....{8981C365-2B46-704F-C9F4-975DF1C23C2D}

TERM.....CLEAR

DATA VALUE: CLEAR LIQUID DIET

-----

ABBREVIATION.....CL LI DIET

ACTIVE.....Yes

DESCRIPTION.....Clear Liquid Diet

DISPLAY\_NAME.....Clear Liquid Diet

HELP\_TEXT.....No Help Text  
ID.....{D540348D-3E1D-4E42-9EDC-43C56CF56206}  
TERM.....CLEAR LIQUID DIET

DATA VALUE: CLICK

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Click  
HELP\_TEXT.....No Help Text  
ID.....{F1F3A1A8-35E1-61B4-C783-3314C8247380}  
TERM.....CLICK

DATA VALUE: CLINICAL ASSESSMENT

-----  
ABBREVIATION.....CLIN ASSME  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clinical Assessment  
HELP\_TEXT.....No Help Text  
ID.....{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}  
TERM.....CLINICAL ASSESSMENT

DATA VALUE: CLOSE OBSERVATION

-----  
ABBREVIATION.....co  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Close Observation  
HELP\_TEXT.....No Help Text  
ID.....{2679BCAC-8753-FE73-56F8-3AB632161AF4}  
TERM.....CLOSE OBSERVATION

DATA VALUE: CLOSED

-----  
ABBREVIATION.....CLOSED  
ACTIVE.....Yes  
DESCRIPTION.....CLOSED  
DISPLAY\_NAME.....CLOSED  
HELP\_TEXT.....No Help Text  
ID.....{9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}  
TERM.....CLOSED

DATA VALUE: CLOSED SYSTEM

-----  
ABBREVIATION.....Closed sys  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Closed System

HELP\_TEXT.....

ID.....{D076BAB6-C4D1-42F1-9036-80BF4B72E695}

TERM.....CLOSED SYSTEM

DATA VALUE: CLOTHED SELF

-----

ABBREVIATION.....CLOTH S

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Clothed Self

HELP\_TEXT.....No Help Text

ID.....{33802A30-FAA7-426B-ADAC-5297818DA7DE}

TERM.....CLOTHED SELF

DATA VALUE: CLOTHING ROOM

-----

ABBREVIATION.....Cloth Room

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Clothing Room

HELP\_TEXT.....

ID.....{8F116C60-10B1-4033-93F2-9121629CD608}

TERM.....CLOTHING ROOM

DATA VALUE: CLOTS

-----

ABBREVIATION.....CLOTS

ACTIVE.....Yes

DESCRIPTION.....Clots Present

DISPLAY\_NAME.....Clots

HELP\_TEXT.....No Help Text

ID.....{B52B88E0-6D23-4657-97CD-81E3EF64991B}

TERM.....CLOTS

DATA VALUE: CLOUDY

-----

ABBREVIATION.....CLOUDY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Cloudy

HELP\_TEXT.....No Help Text

ID.....{3CCFC000-00FC-6B00-1D58-A77C02FDB401}

TERM.....CLOUDY

DATA VALUE: CLUBBING

-----

ABBREVIATION.....CLUBBING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Clubbing

HELP\_TEXT.....No Help Text

ID.....{AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}

TERM.....CLUBBING

DATA VALUE: CMS INTACT DISTAL TO SURGICAL SITE

-----

ABBREVIATION.....CMS INTA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....CMS Intact Distal to Surgical Site

HELP\_TEXT.....No Help Text

ID.....{CE2D2CDE-71C5-4993-8E46-C4799301A851}

TERM.....CMS INTACT DISTAL TO SURGICAL SITE

DATA VALUE: CNS

-----

ABBREVIATION.....CNS

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....CNS

HELP\_TEXT.....

ID.....{487A4DE0-A822-437D-87A2-75FA86D7BBDE}

TERM.....CNS

DATA VALUE: CNS DEPRESSION

-----  
ABBREVIATION.....CNS Depres  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CNS Depression  
HELP\_TEXT.....  
ID.....{EE349460-8B60-427B-AE98-72007DFD2F6A}  
TERM.....CNS DEPRESSION

DATA VALUE: CODE CART IS ASSESSIBLE

-----  
ABBREVIATION.....Code Cart  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Code Cart is Accessible  
HELP\_TEXT.....  
ID.....{DB670E39-CF90-4068-8E38-44DCA5F365B5}  
TERM.....CODE CART IS ASSESSIBLE

DATA VALUE: COFFEE GROUND

-----  
ABBREVIATION.....COFFEE GRO  
ACTIVE.....Yes  
DESCRIPTION.....Coffee Ground  
DISPLAY\_NAME.....Coffee Ground



HELP\_TEXT.....Coffee Ground  
ID.....{A5B3119A-C739-4B8D-87C2-7D858B94F380}  
TERM.....COFFEE GROUND

DATA VALUE: COGNITIVE IMPAIRMENT

-----  
ABBREVIATION.....Cog Impair  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cognitive Impairment  
HELP\_TEXT.....  
ID.....{6D051F44-2124-4914-A415-B98B2AC516E9}  
TERM.....COGNITIVE IMPAIRMENT

DATA VALUE: COLD

-----  
ABBREVIATION.....COLD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cold  
HELP\_TEXT.....No Help Text  
ID.....{B7B422BA-22EC-117D-0A0C-8419E9447D46}  
TERM.....COLD

DATA VALUE: COLLAGEN

-----  
ABBREVIATION.....COLLAGEN  
ACTIVE.....Yes  
DESCRIPTION.....Collagen  
DISPLAY\_NAME.....Collagen  
HELP\_TEXT.....No Help Text  
ID.....{8D734495-2FAF-41C0-9146-55B22583A830}  
TERM.....COLLAGEN

DATA VALUE: COLORLESS

-----  
ABBREVIATION.....COLORLESS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Colorless  
HELP\_TEXT.....No Help Text  
ID.....{D093D8C5-E284-47D4-8FA6-DCD5B030B10E}  
TERM.....COLORLESS

DATA VALUE: COLOSTOMY

-----  
ABBREVIATION.....COLOSTOMY  
ACTIVE.....Yes  
DESCRIPTION.....Colostomy  
DISPLAY\_NAME.....Colostomy

HELP\_TEXT.....No Help Text

ID.....{53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}

TERM.....COLOSTOMY

DATA VALUE: COMBATIVE

-----

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Combative

HELP\_TEXT.....No Help Text

ID.....{DF65D42D-6CAA-657E-AEE1-C070C1FDF177}

TERM.....COMBATIVE

DATA VALUE: COMFORT CARE

-----

ABBREVIATION.....Comfort Ca

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Comfort Care

HELP\_TEXT.....

ID.....{51669E41-DF78-4E49-BA5F-DE6F1B5F1148}

TERM.....COMFORT CARE

DATA VALUE: COMFORT MEASURES

-----  
ABBREVIATION.....Com Measu  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Comfort Measures  
HELP\_TEXT.....  
ID.....{A5F09A1F-921E-4469-9652-0A136BCD9C07}  
TERM.....COMFORT MEASURES

DATA VALUE: COMMODE

-----  
ABBREVIATION.....COMMODE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Commode  
HELP\_TEXT.....No Help-Text  
ID.....{75C896CA-F105-4EF0-B641-3F2B1F984F1B}  
TERM.....COMMODE

DATA VALUE: COMMUNICATION BARRIER

-----  
ABBREVIATION.....COMM BARRI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Communication Barrier

HELP\_TEXT.....No Help Text  
ID.....{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}  
TERM.....COMMUNICATION BARRIER

DATA VALUE: COMMUNITY RESOURCES

-----  
ABBREVIATION.....Comm Res  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Community Resources  
HELP\_TEXT.....  
ID.....{0088604F-6A99-4D99-B451-5262734E0D17}  
TERM.....COMMUNITY RESOURCES

DATA VALUE: COMPLETE BATH

-----  
ABBREVIATION.....COMP BATH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Complete Bath  
HELP\_TEXT.....No Help Text  
ID.....{A7CB1F56-F88E-403B-AABC-105BE129FBB0}  
TERM.....COMPLETE BATH

DATA VALUE: COMPLIANCE

-----  
ABBREVIATION.....COMPLIANC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Compliance  
HELP\_TEXT.....No Help Text  
ID.....{EF43367E-9898-44C3-8AC8-F5BD28051F1D}  
TERM.....COMPLIANCE

DATA VALUE: CONFUSED

-----  
ABBREVIATION.....CONFUSED  
ACTIVE.....Yes  
DESCRIPTION.....Confused  
DISPLAY\_NAME.....Confused  
HELP\_TEXT.....No Help Text  
ID.....{31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}  
TERM.....CONFUSED

DATA VALUE: CONFUSION

-----  
ABBREVIATION.....Confusion  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Confusion

HELP\_TEXT.....

ID.....{4C1B8247-75C4-4C60-970B-3D7F07BD1164}

TERM.....CONFUSION

DATA VALUE: CONNECTED TO DRAINAGE BAG

-----

ABBREVIATION.....drain bag

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Connected to Drainage Bag

HELP\_TEXT.....

ID.....{1901C4A7-671C-43BD-BEDD-1D48BCB43465}

TERM.....CONNECTED TO DRAINAGE BAG

DATA VALUE: CONSISTENT WITH BODY TEMPERATURE

-----

ABBREVIATION.....CON W TEMP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Consistent With Body Temperature

HELP\_TEXT.....No Help Text

ID.....{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}

TERM.....CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: CONSTANT

-----  
ABBREVIATION.....CONSTANT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Constant  
HELP\_TEXT.....No Help Text  
ID.....{0FB8E43C-2106-4C37-9430-38675953A85B}  
TERM.....CONSTANT

DATA VALUE: CONSTIPATION

-----  
ABBREVIATION.....CONSTIPAT.  
ACTIVE.....Yes  
DESCRIPTION.....Constipation  
DISPLAY\_NAME.....Constipation  
HELP\_TEXT.....No Help Text  
ID.....{4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}  
TERM.....CONSTIPATION

DATA VALUE: CONSTRICTED

-----  
ABBREVIATION.....Constricte  
ACTIVE.....Yes  
DESCRIPTION.....Constricted  
DISPLAY\_NAME.....Constricted



HELP\_TEXT.....No Help Text

ID.....{A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}

TERM.....CONSTRICTED

DATA VALUE: CONTACT

-----

ABBREVIATION.....CONTACT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Contact

HELP\_TEXT.....No Help Text

ID.....{958F2B5E-F980-47B6-A7F7-EE7D5520B61F}

TERM.....CONTACT

DATA VALUE: CONTACTS

-----

ABBREVIATION.....Contacts

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Contacts

HELP\_TEXT.....

ID.....{6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}

TERM.....CONTACTS

DATA VALUE: CONTEMPLATIVE

-----  
ABBREVIATION.....CONTEMPLAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Contemplative  
HELP\_TEXT.....No Help Text  
ID.....{5194DB04-7A68-491E-B117-BD089C912DFB}  
TERM.....CONTEMPLATIVE

DATA VALUE: CONTINENT

-----  
ABBREVIATION.....CONTINENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Continent  
HELP\_TEXT.....No Help Text  
ID.....{3B658506-F42E-BAF5-04C4-5AD49699E0D2}  
TERM.....CONTINENT

DATA VALUE: CONTINUOUS

-----  
ABBREVIATION.....CONTINUOUS  
ACTIVE.....Yes  
DESCRIPTION.....Continuous  
DISPLAY\_NAME.....Continuous

HELP\_TEXT.....No Help Text

ID.....{676CD2DA-F882-4BE5-99BB-510EA7669749}

TERM.....CONTINUOUS

DATA VALUE: CONTINUOUS POSITIVE AIR PRESSURE

-----

ABBREVIATION.....CPAP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....CPAP

HELP\_TEXT.....No Help Text

ID.....{387B42F0-F587-AAFC-ECA0-66067F18BEC6}

TERM.....CONTINUOUS POSITIVE AIR PRESSURE

DATA VALUE: CONTINUOUS SUCTION

-----

ABBREVIATION.....CONT SUCTI

ACTIVE.....Yes

DESCRIPTION.....Continuous Suction

DISPLAY\_NAME.....Continuous Suction

HELP\_TEXT.....No Help Text

ID.....{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}

TERM.....CONTINUOUS SUCTION

DATA VALUE: CONTROL MODE VENTILATION

-----  
ABBREVIATION.....CMV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Control Mode Ventilation  
HELP\_TEXT.....No Help Text  
ID.....{2E79351C-BA31-FC04-B636-F39728B23EA6}  
TERM.....CONTROL MODE VENTILATION

DATA VALUE: CONTUSION

-----  
ABBREVIATION.....Contusion  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Contusion  
HELP\_TEXT.....No Help Text  
ID.....{5285197A-CC0A-4D12-A1F8-966765C687F1}  
TERM.....CONTUSION

DATA VALUE: COOL

-----  
ABBREVIATION.....COOL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cool

HELP\_TEXT.....No Help Text  
ID.....{48A1FEA8-FD75-DAF8-174A-9C6AB2044439}  
TERM.....COOL

DATA VALUE: COOL CHEM PACK

-----

ABBREVIATION.....CO CHEM PA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cool Chem Pack  
HELP\_TEXT.....No Help Text  
ID.....{6DE5E644-28C2-4190-A2EF-1A766E014A65}  
TERM.....COOL CHEM PACK

DATA VALUE: COOLER THAN GENERAL BODY TEMPERATURE

-----

ABBREVIATION.....CoolGenT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooler Than General Body Temperature  
HELP\_TEXT.....No Help Text  
ID.....{03D7D4CF-9B3C-49CA-9650-213E9BABE064}  
TERM.....COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: COOLER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....COOL OPP P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooler Than Opposite Body Part  
HELP\_TEXT.....No Help Text  
ID.....{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}  
TERM.....COOLER THAN OPPOSITE BODY PART

DATA VALUE: COOLING BLANKET

-----  
ABBREVIATION.....COOL BLANK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooling Blanket  
HELP\_TEXT.....No Help Text  
ID.....{13A42B12-4959-4674-AF97-2D1242CFD934}  
TERM.....COOLING BLANKET

DATA VALUE: COOLING OFF

-----  
ABBREVIATION.....COOLING OF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooling Off

HELP\_TEXT.....No Help Text

ID.....{14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}

TERM.....COOLING OFF

DATA VALUE: COOLING ON

-----

ABBREVIATION.....COOLING ON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Cooling On

HELP\_TEXT.....No Help Text

ID.....{911CA17D-614E-445A-969E-4F5220E469EB}

TERM.....COOLING ON

DATA VALUE: COOPERATIVE

-----

ABBREVIATION.....c

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Cooperative

HELP\_TEXT.....No Help Text

ID.....{C176406E-EBDE-4ADE-53DE-CF191D8AFC85}

TERM.....COOPERATIVE

DATA VALUE: COPIUS

-----  
ABBREVIATION.....COPIUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Copius  
HELP\_TEXT.....No Help Text  
ID.....{C74A6979-0E35-AA12-F992-69ACA3B0FA23}  
TERM.....COPIUS

DATA VALUE: CRACKLES

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crackles  
HELP\_TEXT.....No Help Text  
ID.....{6B64C108-4424-00D9-525F-D89D549476D6}  
TERM.....CRACKLES

DATA VALUE: CRAMPING

-----  
ABBREVIATION.....CRAMPING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cramping



HELP\_TEXT.....No Help Text

ID.....{3EC3E352-5469-4A85-80E4-3AFEB61224C4}

TERM.....CRAMPING

DATA VALUE: CREPITUS

---

ABBREVIATION.....CREPITUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Crepitus

HELP\_TEXT.....No Help Text

ID.....{56A97506-05F0-4F37-8FD9-3AA82191408A}

TERM.....CREPITUS

DATA VALUE: CRNA

---

ABBREVIATION.....CRNA

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....CRNA

HELP\_TEXT.....

ID.....{41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}

TERM.....CRNA

DATA VALUE: CRUSHING

-----  
ABBREVIATION.....CRUSHING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crushing  
HELP\_TEXT.....No Help Text  
ID.....{92D4BAF1-63E3-4FC0-B096-B5CBC4736245}  
TERM.....CRUSHING

DATA VALUE: CRUTCH

-----  
ABBREVIATION.....CRUTCH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crutch  
HELP\_TEXT.....No Help Text  
ID.....{2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}  
TERM.....CRUTCH

DATA VALUE: CRUTCHES

-----  
ABBREVIATION.....CRUTCHES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crutches

HELP\_TEXT.....No Help Text

ID.....{DDA81269-B25C-4F7D-A059-BB1602B2B179}

TERM.....CRUTCHES

DATA VALUE: CRYING

-----

ABBREVIATION.....CRYING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Crying

HELP\_TEXT.....No Help Text

ID.....{D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}

TERM.....CRYING

DATA VALUE: CRYSTALLOID

-----

ABBREVIATION.....CRYSTALLOI

ACTIVE.....Yes

DESCRIPTION.....Crystalloid

DISPLAY\_NAME.....Crystalloid

HELP\_TEXT.....No Help Text

ID.....{4EC07E19-88B2-4C13-99B6-8233DF612997}

TERM.....CRYSTALLOID

DATA VALUE: CSM: CENTRAL STEADY MAINTAINED

-----  
ABBREVIATION.....CSM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CSM: Central Steady Maintained  
HELP\_TEXT.....  
ID.....{43085BCB-4264-4E4A-BC17-A9C252A89BA8}  
TERM.....CSM: CENTRAL STEADY MAINTAINED

DATA VALUE: CULTURAL

-----  
ABBREVIATION.....CULTURAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cultural  
HELP\_TEXT.....No Help Text  
ID.....{530D166D-D7C1-4204-94DC-83F4E140F11C}  
TERM.....CULTURAL

DATA VALUE: CYANOTIC

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cyanotic

HELP\_TEXT.....No Help Text

ID.....{06BD77DB-1849-D731-0F27-F8CE48755EA9}

TERM.....CYANOTIC

DATA VALUE: D - DOPPLER

-----

ABBREVIATION.....d-d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....D - Doppler

HELP\_TEXT.....No Help Text

ID.....{2B77F099-0520-474D-A4BC-22BF824C8364}

TERM.....D - DOPPLER

DATA VALUE: D10W ENTERAL NUTRITION

-----

ABBREVIATION.....D10W ENT N

ACTIVE.....Yes

DESCRIPTION.....D10W Enteral Nutrition Type

DISPLAY\_NAME.....D10W Enteral Nutrition

HELP\_TEXT.....No Help Text

ID.....{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}

TERM.....D10W ENTERAL NUTRITION

DATA VALUE: D50W ENTERAL NUTRITION

-----  
ABBREVIATION.....D50W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D50W Enteral Nutrition Type  
DISPLAY\_NAME.....D50W Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{528A4339-0261-4EC5-821C-7CE5592666DC}  
TERM.....D50W ENTERAL NUTRITION

DATA VALUE: D5W ENTERAL NUTRITION

-----  
ABBREVIATION.....D5W  
ACTIVE.....Yes  
DESCRIPTION.....D5W Enteral Nutrition Type  
DISPLAY\_NAME.....D5W Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{D6664641-BF43-4157-9A30-8AD8CFE96518}  
TERM.....D5W ENTERAL NUTRITION

DATA VALUE: D=DOPPLER

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....D=Doppler

HELP\_TEXT.....No Help Text

ID.....{BCF37855-1E6E-9544-B316-D80A651697E4}

TERM.....D=DOPPLER

DATA VALUE: DAILY PLAN

-----

ABBREVIATION.....DAILY PLAN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Daily Plan

HELP\_TEXT.....No Help Text

ID.....{B29357A5-4294-4EA0-A0D3-59182F3C94FB}

TERM.....DAILY PLAN

DATA VALUE: DAMPENED

-----

ABBREVIATION.....DAMPENED

ACTIVE.....Yes

DESCRIPTION.....Dampened

DISPLAY\_NAME.....Dampened

HELP\_TEXT.....No Help Text

ID.....{77C777B3-7E56-41E3-8E70-DE144E6A3424}

TERM.....DAMPENED

DATA VALUE: DANGLED

-----

ABBREVIATION.....DANGLED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Dangled

HELP\_TEXT.....No Help Text

ID.....{40665750-112F-401D-AEFA-8E19F45EC0C9}

TERM.....DANGLED

DATA VALUE: DATE OF BIRTH

-----

ABBREVIATION.....DOB

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Date of Birth

HELP\_TEXT.....

ID.....{F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

TERM.....DATE OF BIRTH

DATA VALUE: DAY ROOM

-----

ABBREVIATION.....dr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Day Room



HELP\_TEXT.....No Help Text  
ID.....{269125EF-FA82-B17A-6B56-0CEAB4788899}  
TERM.....DAY ROOM

DATA VALUE: DDD

-----

ABBREVIATION.....DDD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DDD  
HELP\_TEXT.....No Help Text  
ID.....{7AA7152E-48F0-8550-AD0D-9F298E90B765}  
TERM.....DDD

DATA VALUE: DDDR

-----

ABBREVIATION.....DDDR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DDDR  
HELP\_TEXT.....No Help Text  
ID.....{A3CC0D9D-D329-1A52-2DD1-911A1E04B871}  
TERM.....DDDR

DATA VALUE: DDI

-----

ABBREVIATION.....DDI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....DDI

HELP\_TEXT.....No Help Text

ID.....{0C1E359F-B1F4-7994-D337-37622CB14BC8}

TERM.....DDI

DATA VALUE: DECELERATING

-----

ABBREVIATION.....DECELERATI

ACTIVE.....Yes

DESCRIPTION.....Decelerating

DISPLAY\_NAME.....Decelerating

HELP\_TEXT.....Decelerating

ID.....{B259D4D4-82B8-454A-B53D-F12F4952BB61}

TERM.....DECELERATING

DATA VALUE: DECLINES BLOOD PRODUCT(S) - SEE COMMENTS

-----

ABBREVIATION.....Declines

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Declines Blood Product(s) - See

Comments

HELP\_TEXT.....

ID.....{6956B7C1-5996-4ED0-91B7-040992E11DED}

TERM.....DECLINES BLOOD PRODUCT(S) - SEE

COMMENTS

DATA VALUE: DECREASED

-----

ABBREVIATION.....DECREASED

ACTIVE.....Yes

DESCRIPTION.....Decreased

DISPLAY\_NAME.....Decreased

HELP\_TEXT.....No Help Text

ID.....{D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}

TERM.....DECREASED

DATA VALUE: DEEP

-----

ABBREVIATION.....DEEP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Deep

HELP\_TEXT.....No Help Text

ID.....{78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}

TERM.....DEEP

DATA VALUE: DELIRIOUS

-----  
ABBREVIATION.....Delirious  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Delirious  
HELP\_TEXT.....  
ID.....{6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}  
TERM.....DELIRIOUS

DATA VALUE: DENIES HAVING SLEPT

-----  
ABBREVIATION.....DENIES SL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Denies Having Slept  
HELP\_TEXT.....No Help Text  
ID.....{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}  
TERM.....DENIES HAVING SLEPT

DATA VALUE: DENIES NEED

-----  
ABBREVIATION.....DENIES NE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Denies Need

HELP\_TEXT.....No Help Text

ID.....{28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}

TERM.....DENIES NEED

DATA VALUE: DENTAL

-----

ABBREVIATION.....Dental

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Dental

HELP\_TEXT.....

ID.....{0A60F06A-ED63-4B06-8FF9-EEFB12567D65}

TERM.....DENTAL

DATA VALUE: DENTAL IMPLANTS

-----

ABBREVIATION.....Implants

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Dental Implants

HELP\_TEXT.....

ID.....{D3AF96DE-6920-4C93-8105-99EE574FC092}

TERM.....DENTAL IMPLANTS

DATA VALUE: DENTIST

-----  
ABBREVIATION.....Dentist  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dentist  
HELP\_TEXT.....  
ID.....{DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}  
TERM.....DENTIST

DATA VALUE: DENTURES

-----  
ABBREVIATION.....Dentures  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dentures  
HELP\_TEXT.....  
ID.....{ECABE4D0-97BE-418D-AC7D-29E40D166581}  
TERM.....DENTURES

DATA VALUE: DESCRIP

-----  
ABBREVIATION.....N  
ACTIVE.....Yes  
DESCRIPTION.....1.5 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....N

HELP\_TEXT.....No Help Text  
ID.....{47FD2D75-2C45-476F-82AF-7B40108E9C07}  
TERM.....DESCRIP

DATA VALUE: DEVICE RELATED PRESSURE

-----

ABBREVIATION.....DEV REL PR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Device Related Pressure  
HELP\_TEXT.....No Help Text  
ID.....{3AED6107-A173-4B53-8EB5-2FB2B3336FC5}  
TERM.....DEVICE RELATED PRESSURE

DATA VALUE: DEVICE RELEASE

-----

ABBREVIATION.....drq  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Device Release  
HELP\_TEXT.....No Help Text  
ID.....{9F97947F-CFFE-3285-F4C3-A8DF294DA46C}  
TERM.....DEVICE RELEASE

DATA VALUE: DIABETES

-----  
ABBREVIATION.....Diabetes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Diabetes  
HELP\_TEXT.....  
ID.....{E295E970-759D-44CD-AD43-6047382A790D}  
TERM.....DIABETES

DATA VALUE: DIABETIC/VASCULAR ULCER

-----  
ABBREVIATION.....DIA/VAS UL  
ACTIVE.....Yes  
DESCRIPTION.....Type of wound  
DISPLAY\_NAME.....Diabetic / Vascular Ulcer  
HELP\_TEXT.....No Help Text  
ID.....{E209E53E-EFF1-48F5-9581-75236C89D9B9}  
TERM.....DIABETIC/VASCULAR ULCER

DATA VALUE: DIAGNOSIS/HEALTH STATUS

-----  
ABBREVIATION.....Diag/Healt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Diagnosis/Health Status



HELP\_TEXT.....

ID.....{42F128CE-63B7-4AA9-A121-B08C507F9941}

TERM.....DIAGNOSIS/HEALTH STATUS

DATA VALUE: DIALYSIS

-----

ABBREVIATION.....DIALYSIS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Dialysis Line

HELP\_TEXT.....No Help Text

ID.....{D218E23C-5A34-09B0-DE43-DC792DCD0F1C}

TERM.....DIALYSIS

DATA VALUE: DIAPHORETIC

-----

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Diaphoretic

HELP\_TEXT.....No Help Text

ID.....{F5F1E644-A1BD-0137-54B5-1C02678C1D5A}

TERM.....DIAPHORETIC

DATA VALUE: DIARRHEA

-----  
ABBREVIATION.....DIARRHEA  
ACTIVE.....Yes  
DESCRIPTION.....Diarrhea  
DISPLAY\_NAME.....Diarrhea  
HELP\_TEXT.....No Help Text  
ID.....{353472EF-3499-46B1-AD7C-554FE01D8CE2}  
TERM.....DIARRHEA

DATA VALUE: DIASTOLIC

-----  
ABBREVIATION.....DIASTOLIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diastolic  
HELP\_TEXT.....No Help Text  
ID.....{3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}  
TERM.....DIASTOLIC

DATA VALUE: DIFFICULT TO AROUSE

-----  
ABBREVIATION.....Diff to Ar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Difficult to Arouse

HELP\_TEXT.....

ID.....{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}

TERM.....DIFFICULT TO AROUSE

DATA VALUE: DILATED

---

ABBREVIATION.....Dilated

ACTIVE.....Yes

DESCRIPTION.....Dilated

DISPLAY\_NAME.....Dilated

HELP\_TEXT.....No Help Text

ID.....{BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}

TERM.....DILATED

DATA VALUE: DILUTE DAKINS SOLUTION

---

ABBREVIATION.....DL DAKINS

ACTIVE.....Yes

DESCRIPTION.....Dilute Dakins Solution

DISPLAY\_NAME.....Dilute Dakins Solution

HELP\_TEXT.....No Help Text

ID.....{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}

TERM.....DILUTE DAKINS SOLUTION

DATA VALUE: DILUTE SODIUM HYPOCHLORITE SOLUTION

-----

ABBREVIATION.....D NA HYPO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Dilute Sodium Hypochlorite Solution

HELP\_TEXT.....No Help Text

ID.....{14D2B1FB-1A5D-42AA-ACCF-A5033741DB61}

TERM.....DILUTE SODIUM HYPOCHLORITE SOLUTION

DATA VALUE: DIMINISHED

-----

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Diminished

HELP\_TEXT.....No Help Text

ID.....{49DE419E-DC3C-F7CD-771D-742031E0DEBC}

TERM.....DIMINISHED

DATA VALUE: DISCHARGE

-----

ABBREVIATION.....DISCHARGE

ACTIVE.....Yes

DESCRIPTION.....Discharge

DISPLAY\_NAME.....Discharge

HELP\_TEXT.....No Help Text

ID.....{ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}

TERM.....DISCHARGE

DATA VALUE: DISCHARGE MEDS PLANNED

-----

ABBREVIATION.....DI ME PL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Discharge Meds Planned

HELP\_TEXT.....No Help Text

ID.....{04E9DF8B-8807-47A5-AE88-180F431F3BDE}

TERM.....DISCHARGE MEDS PLANNED

DATA VALUE: DISCHARGE ORDER ON CHART

-----

ABBREVIATION.....DI OR CH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Discharge Order On Chart

HELP\_TEXT.....No Help Text

ID.....{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}

TERM.....DISCHARGE ORDER ON CHART

DATA VALUE: DISCOLORATION

-----

ABBREVIATION.....DISCOLORAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Discoloration

HELP\_TEXT.....No Help Text

ID.....{BBE3E910-CC49-430C-BD90-FB0A97F1B183}

TERM.....DISCOLORATION

DATA VALUE: DISCOMFORT

-----

ABBREVIATION.....DISCOMFORT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Discomfort

HELP\_TEXT.....No Help Text

ID.....{77D058C9-1EB4-96C0-C9E3-666C840B884C}

TERM.....DISCOMFORT

DATA VALUE: DISCONTINUED

-----

ABBREVIATION.....DISCONTINU

ACTIVE.....Yes

DESCRIPTION.....Discontinued

DISPLAY\_NAME.....Discontinued

HELP\_TEXT.....No Help Text

ID.....{15E289FB-09DF-4731-9CF3-48A4E0031C31}

TERM.....DISCONTINUED

DATA VALUE: DISEASE PROCESS

-----

ABBREVIATION.....DISEA PROC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Disease Process

HELP\_TEXT.....No Help Text

ID.....{E80807AE-6208-421D-BE4C-445C470D32FA}

TERM.....DISEASE PROCESS

DATA VALUE: DISHEVELED

-----

ABBREVIATION.....DISHEVEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Disheveled

HELP\_TEXT.....No Help Text

ID.....{0455549E-5CCB-470D-9D7F-F3959E6D55FE}

TERM.....DISHEVELED

DATA VALUE: DISORIENTED

-----  
ABBREVIATION.....DISORIENTE  
ACTIVE.....Yes  
DESCRIPTION.....Disoriented  
DISPLAY\_NAME.....Disoriented  
HELP\_TEXT.....No Help Text  
ID.....{A7D1F2EA-CD7C-4100-8552-44834684C6DE}  
TERM.....DISORIENTED

DATA VALUE: DISORIENTED TO PERSON

-----  
ABBREVIATION.....DISOR TO P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Person  
HELP\_TEXT.....No Help Text  
ID.....{E5D83C03-7EF5-770B-930F-7B3B3345048C}  
TERM.....DISORIENTED TO PERSON

DATA VALUE: DISORIENTED TO PLACE

-----  
ABBREVIATION.....dtp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Place



HELP\_TEXT.....No Help Text  
ID.....{00C98809-C0D0-C7B4-0615-8F7D31017FE8}  
TERM.....DISORIENTED TO PLACE

DATA VALUE: DISORIENTED TO SITUATION

-----  
ABBREVIATION.....dts  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Situation  
HELP\_TEXT.....No Help Text  
ID.....{7143B3D7-5569-4378-D3AA-10C4675F0BA5}  
TERM.....DISORIENTED TO SITUATION

DATA VALUE: DISORIENTED TO TIME

-----  
ABBREVIATION.....dtt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Time  
HELP\_TEXT.....No Help Text  
ID.....{2AD1A28A-4121-4B82-CFB8-E5A8D3095704}  
TERM.....DISORIENTED TO TIME

DATA VALUE: DISTAL PORT

-----  
ABBREVIATION.....DIST PORT  
ACTIVE.....Yes  
DESCRIPTION.....Distal Port  
DISPLAY\_NAME.....Distal Port  
HELP\_TEXT.....No Help Text  
ID.....{E493DF34-AD0E-4951-9715-5AD4EFA14036}  
TERM.....DISTAL PORT

DATA VALUE: DISTENDED

-----  
ABBREVIATION.....DISTENDED  
ACTIVE.....Yes  
DESCRIPTION.....Distended  
DISPLAY\_NAME.....Distended  
HELP\_TEXT.....No Help Text  
ID.....{B5C529CA-2BE0-4698-A153-718F4D58E643}  
TERM.....DISTENDED

DATA VALUE: DIVERSION

-----  
ABBREVIATION.....DIVERSION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diversion

HELP\_TEXT.....No Help Text

ID.....{087AAE9F-7FE1-5717-6423-07574C637875}

TERM.....DIVERSION

DATA VALUE: DO

-----

ABBREVIATION.....DO

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....DO

HELP\_TEXT.....

ID.....{F70738A6-7BFA-4D76-881C-6A4B4F4E41E4}

TERM.....DO

DATA VALUE: DO NOT INTUBATE

-----

ABBREVIATION.....Do Not Int

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Do Not Intubate

HELP\_TEXT.....

ID.....{88F9A76A-43BC-4BD9-A567-C8FE5A868544}

TERM.....DO NOT INTUBATE

DATA VALUE: DO NOT RESUSCITATE

-----  
ABBREVIATION.....dnr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Do Not Resuscitate  
HELP\_TEXT.....No Help Text  
ID.....{0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}  
TERM.....DO NOT RESUSCITATE

DATA VALUE: DONE

-----  
ABBREVIATION.....DONE  
ACTIVE.....Yes  
DESCRIPTION.....Done  
DISPLAY\_NAME.....Done  
HELP\_TEXT.....No Help Text  
ID.....{60412C8D-132F-46EA-8DDF-FCC282C4CC8B}  
TERM.....DONE

DATA VALUE: DOO

-----  
ABBREVIATION.....DOO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DOO

HELP\_TEXT.....No Help Text

ID.....{749BCE3D-FF09-B796-FF2A-ECD2D116C96F}

TERM.....DOO

DATA VALUE: DOUBLE

-----

ABBREVIATION.....DOUBLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Double

HELP\_TEXT.....No Help Text

ID.....{A486852F-150B-24E3-8EB3-8CAABB3D0520}

TERM.....DOUBLE

DATA VALUE: DOWN

-----

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Down

HELP\_TEXT.....No Help Text

ID.....{36ECC86E-2D73-D4A9-5E13-9972E2ECF2E2}

TERM.....DOWN

DATA VALUE: DRAINAGE FLOW IS UNOBSTRUCTED

-----

ABBREVIATION.....Unobstruct

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Drainage Flow is Unobstructed

HELP\_TEXT.....

ID.....{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}

TERM.....DRAINAGE FLOW IS UNOBSTRUCTED

DATA VALUE: DRESSING

-----

ABBREVIATION.....d

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Dressing

HELP\_TEXT.....No Help Text

ID.....{FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

TERM.....DRESSING

DATA VALUE: DRESSING CHANGED

-----

ABBREVIATION.....DRESS CHAN

ACTIVE.....Yes

DESCRIPTION.....Changed Dressing

DISPLAY\_NAME.....Dressing Changed

HELP\_TEXT.....No Help Text  
ID.....{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}  
TERM.....DRESSING CHANGED

DATA VALUE: DRESSING WITH PRESCRIPTION RX

-----  
ABBREVIATION.....DR W RX  
ACTIVE.....Yes  
DESCRIPTION.....Dressing With Prescription Rx  
DISPLAY\_NAME.....Dressing With Prescription Rx  
HELP\_TEXT.....No Help Text  
ID.....{AD5F9FDC-F280-4F1C-99E9-2BE0F9FFB15C}  
TERM.....DRESSING WITH PRESCRIPTION RX

DATA VALUE: DRESSINGS CHECKED

-----  
ABBREVIATION.....DRESS CH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dressings Checked  
HELP\_TEXT.....No Help Text  
ID.....{21014F53-29CE-4914-8760-6976D8DBA742}  
TERM.....DRESSINGS CHECKED

DATA VALUE: DROPLET

-----  
ABBREVIATION.....DROPLET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Droplet  
HELP\_TEXT.....No Help Text  
ID.....{CE1DD314-8A30-4785-BD56-1540CDA85146}  
TERM.....DROPLET

DATA VALUE: DROWSY

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Drowsy  
HELP\_TEXT.....No Help Text  
ID.....{6B350814-A88A-0F05-C382-9F27830FBC09}  
TERM.....DROWSY

DATA VALUE: DRY

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dry



HELP\_TEXT.....No Help Text  
ID.....{D8F4F0FD-1B19-2515-3815-EC88D175B305}  
TERM.....DRY

DATA VALUE: DRY AND INTACT

-----  
ABBREVIATION.....DRY INTACT  
ACTIVE.....Yes  
DESCRIPTION.....Dry and Intact  
DISPLAY\_NAME.....Dry and Intact  
HELP\_TEXT.....No Help Text  
ID.....{77B62A18-F098-4764-86FA-66373E08E8C3}  
TERM.....DRY AND INTACT

DATA VALUE: DRY SHAMPOO

-----  
ABBREVIATION.....DRY SHAMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dry Shampoo  
HELP\_TEXT.....No Help Text  
ID.....{8910A186-2590-4352-A884-7D692A9D2B3C}  
TERM.....DRY SHAMPOO

DATA VALUE: DRY STERILE DRESSING

-----  
ABBREVIATION.....DRY ST DRE  
ACTIVE.....Yes  
DESCRIPTION.....Dry Sterile Dressing  
DISPLAY\_NAME.....Dry Sterile Dressing  
HELP\_TEXT.....No Help Text  
ID.....{3069DFCE-1B59-467C-97CE-9DBAF9AF42CC}  
TERM.....DRY STERILE DRESSING

DATA VALUE: DULL

-----  
ABBREVIATION.....DULL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dull  
HELP\_TEXT.....No Help Text  
ID.....{F0F80976-F6A0-4363-9C75-AAAE9937DB49}  
TERM.....DULL

DATA VALUE: DUMPING SYNDROME

-----  
ABBREVIATION.....DUMP SYND  
ACTIVE.....Yes  
DESCRIPTION.....Dumping Syndrome Diet  
DISPLAY\_NAME.....Dumping Syndrome Diet

HELP\_TEXT.....No Help Text  
ID.....{0173C971-63CB-45A5-9E93-D966EB3B957D}  
TERM.....DUMPING SYNDROME

DATA VALUE: DUODENOSTOMY

-----  
ABBREVIATION.....DUODENOSTO  
ACTIVE.....Yes  
DESCRIPTION.....Duodenostomy  
DISPLAY\_NAME.....Duodenostomy  
HELP\_TEXT.....No Help Text  
ID.....{FA44135D-6806-42E7-B371-8C3912B3582E}  
TERM.....DUODENOSTOMY

DATA VALUE: DUSKY

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dusky  
HELP\_TEXT.....No Help Text  
ID.....{2ABF845E-4E2F-883F-3FCC-F72B8507FF85}  
TERM.....DUSKY

DATA VALUE: DVI

-----

ABBREVIATION.....DVI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....DVI

HELP\_TEXT.....No Help Text

ID.....{4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}

TERM.....DVI

DATA VALUE: DYE PRESENT

-----

ABBREVIATION.....DYE PRESEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Dye Present

HELP\_TEXT.....No Help Text

ID.....{E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}

TERM.....DYE PRESENT

DATA VALUE: DYSPHAGIA

-----

ABBREVIATION.....Dysphagia

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Dysphagia

HELP\_TEXT.....

ID.....{CC69271C-B4DF-42D1-BA91-0832DBC45E31}

TERM.....DYSPHAGIA

DATA VALUE: DYSPHAGIA PHASE I

-----

ABBREVIATION.....DYSP PH I

ACTIVE.....Yes

DESCRIPTION.....Dysphagia Stage I Diet

DISPLAY\_NAME.....Dysphagia Stage I Diet

HELP\_TEXT.....No Help Text

ID.....{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}

TERM.....DYSPHAGIA PHASE I

DATA VALUE: DYSPHAGIA STAGE II

-----

ABBREVIATION.....DYSP ST II

ACTIVE.....Yes

DESCRIPTION.....Dysphagia Stage II Diet

DISPLAY\_NAME.....Dysphagia Stage II Diet

HELP\_TEXT.....No Help Text

ID.....{294BF58A-47FD-43A1-8A1E-9E348987B004}

TERM.....DYSPHAGIA STAGE II

DATA VALUE: DYSPHAGIA STAGE III

-----  
ABBREVIATION.....DYS ST III  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage III Diet  
DISPLAY\_NAME.....Dysphagia Stage III Diet  
HELP\_TEXT.....No Help Text  
ID.....{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}  
TERM.....DYSPHAGIA STAGE III

DATA VALUE: DYSPHAGIA STAGE IV

-----  
ABBREVIATION.....DYSP ST IV  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage IV Diet  
DISPLAY\_NAME.....Dysphagia Stage IV Diet  
HELP\_TEXT.....No Help Text  
ID.....{E738569A-5104-4C93-8EFC-47D80765F739}  
TERM.....DYSPHAGIA STAGE IV

DATA VALUE: DYSPHAGIA STAGE V

-----  
ABBREVIATION.....DYSPH ST V  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage V Diet  
DISPLAY\_NAME.....Dysphagia Stage V Diet

HELP\_TEXT.....No Help Text  
ID.....{ABE7D85D-1821-4592-B4E8-84670EE484E4}  
TERM.....DYSPHAGIA STAGE V

DATA VALUE: DYSPNEIC

---

ABBREVIATION.....DYSPENIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dyspenic  
HELP\_TEXT.....No Help Text  
ID.....{4C6B42D9-694F-5EB2-6396-7ED85D5B154E}  
TERM.....DYSPNEIC

DATA VALUE: DYSURIA

---

ABBREVIATION.....DYSURIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dysuria  
HELP\_TEXT.....No Help Text  
ID.....{75AC5ECD-8975-406A-30C7-E2EB23F10F84}  
TERM.....DYSURIA

DATA VALUE: EAGER TO LEARN

-----  
ABBREVIATION.....EAGER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Eager To Learn  
HELP\_TEXT.....No Help Text  
ID.....{A20AF51B-C89C-4308-AE17-C66144FE68BE}  
TERM.....EAGER TO LEARN

DATA VALUE: EASY TO AROUSE

-----  
ABBREVIATION.....Easy to Ar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Easy to Arouse  
HELP\_TEXT.....  
ID.....{19BB5A04-F979-449C-AA93-D5A21BD368F6}  
TERM.....EASY TO AROUSE

DATA VALUE: ECCHYMOSIS

-----  
ABBREVIATION.....ECCHYMOSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ecchymosis



HELP\_TEXT.....No Help Text  
ID.....{DF076906-CC17-6AD1-76E7-B07678A126DE}  
TERM.....ECCHYMOSIS

DATA VALUE: ELASTIC WRAP

-----  
ABBREVIATION.....ELAST WRAP  
ACTIVE.....Yes  
DESCRIPTION.....ELASTIC WRAP  
DISPLAY\_NAME.....Elastic Wrap  
HELP\_TEXT.....ELASTIC WRAP  
ID.....{9EB52FA5-32D8-823F-2E3C-83375DA62342}  
TERM.....ELASTIC WRAP

DATA VALUE: ELBOW PAD

-----  
ABBREVIATION.....ELBOW PAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Elbow Pad  
HELP\_TEXT.....No Help Text  
ID.....{26942F81-1E33-4962-B772-A96FFBCED814}  
TERM.....ELBOW PAD

DATA VALUE: ELECTRIC

-----

ABBREVIATION.....ELECTRIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....ELECTRIC

HELP\_TEXT.....No Help Text

ID.....{0C221385-61AF-4660-A129-35E610EA71AB}

TERM.....ELECTRIC

DATA VALUE: ELEMENTAL FORMULA

-----

ABBREVIATION.....ELE FORM

ACTIVE.....Yes

DESCRIPTION.....Elemental Enteral Nutrition Formula

DISPLAY\_NAME.....Elemental Enteral Nutrition Formula

HELP\_TEXT.....No Help Text

ID.....{DCE1E81C-1AC7-48F4-97AA-F1FC4D0601D8}

TERM.....ELEMENTAL FORMULA

DATA VALUE: ELIMINATED ENVIRONMENTAL HAZARDS

-----

ABBREVIATION.....Eli Env Hz

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Eliminated Environmental Hazards

HELP\_TEXT.....

ID.....{78E77129-F53F-491D-8C86-36AE948FCCC6}

TERM.....ELIMINATED ENVIRONMENTAL HAZARDS

DATA VALUE: ELOPEMENT

-----

ABBREVIATION.....e

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Elopement

HELP\_TEXT.....No Help Text

ID.....{EB030907-FB90-CA9D-CF50-E26C5D9FE671}

TERM.....ELOPEMENT

DATA VALUE: EMERGENCY

-----

ABBREVIATION.....Emergency

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Emergency

HELP\_TEXT.....

ID.....{3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}

TERM.....EMERGENCY

DATA VALUE: EMERGENCY DEPARTMENT

-----

ABBREVIATION.....ER DEPT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Emergency Department

HELP\_TEXT.....No Help Text

ID.....{D2E511F7-8B80-4928-A64B-3F1EE17395F7}

TERM.....EMERGENCY DEPARTMENT

DATA VALUE: EMERGENCY DEPT

-----

ABBREVIATION.....Emer Dept

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Emergency Dept

HELP\_TEXT.....

ID.....{E8490DF5-278C-4102-9675-C9B40D596A10}

TERM.....EMERGENCY DEPT

DATA VALUE: EMOTIONAL

-----

ABBREVIATION.....EMOTIONAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Emotional

HELP\_TEXT.....No Help Text

ID.....{626C22E6-EF2A-489F-AA79-D27541A0BC45}

TERM.....EMOTIONAL

DATA VALUE: END OF LIFE CARE

-----

ABBREVIATION.....END LIFE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....End Of Life Care

HELP\_TEXT.....No Help Text

ID.....{047D8977-0567-4B90-AD6A-3AAF8DB35238}

TERM.....END OF LIFE CARE

DATA VALUE: END-TIDAL CO2 MONITOR

-----

ABBREVIATION.....End-Tidal

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....End-Tidal CO2 Monitor

HELP\_TEXT.....

ID.....{609E3607-E441-465D-B1FC-C6986C58C11C}

TERM.....END-TIDAL CO2 MONITOR

DATA VALUE: ENSURE PLUS

-----

ABBREVIATION.....Ensure Plu

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Ensure Plus

HELP\_TEXT.....

ID.....{519D1249-B6C0-49ED-BA86-1B27C0F964C9}

TERM.....ENSURE PLUS

DATA VALUE: ENTERAL FEEDING FORMULA/WATER ADMINISTRATION

-----

ABBREVIATION.....Feed Form

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Enteral Feeding Formula/Water

Administration

HELP\_TEXT.....

ID.....{D2EA8840-1123-4660-AD25-587458BF1E89}

TERM.....ENTERAL FEEDING FORMULA/WATER

ADMINISTRATION

DATA VALUE: ENTERAL FEEDING PUMP

-----

ABBREVIATION.....Feed Pump

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Enteral Feeding Pump

HELP\_TEXT.....

ID.....{31FF069C-0060-45C3-898F-20F1A9D1552B}

TERM.....ENTERAL FEEDING PUMP

DATA VALUE: ENTERAL TUBE MEDICATION ADMINISTRATION

-----

ABBREVIATION.....Med Admin

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Enteral Tube Medication Administration

HELP\_TEXT.....

ID.....{68D124A7-69CF-414B-8A47-BC666A373E24}

TERM.....ENTERAL TUBE MEDICATION ADMINISTRATION

DATA VALUE: ENTERAL TUBE/STOMA CARE

-----

ABBREVIATION.....Tube/Stoma

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Enteral Tube/Stoma Care

HELP\_TEXT.....

ID.....{B91B94EF-CFE6-4628-BEF2-D06E5870D574}

TERM.....ENTERAL TUBE/STOMA CARE

DATA VALUE: ENVIRONMENT

-----  
ABBREVIATION.....ENVIRO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Environment  
HELP\_TEXT.....No Help Text  
ID.....{C61AA262-F6AF-46AC-A215-0D56FD01B234}  
TERM.....ENVIRONMENT

DATA VALUE: ENZYMATIC OINTMENT

-----  
ABBREVIATION.....ENZY OINTM  
ACTIVE.....Yes  
DESCRIPTION.....Enzymatic Ointment  
DISPLAY\_NAME.....Enzymatic Ointment  
HELP\_TEXT.....No Help Text  
ID.....{E781DA75-8777-4884-A093-FB623774DB8F}  
TERM.....ENZYMATIC OINTMENT

DATA VALUE: EPICARDIAL LEADS

-----  
ABBREVIATION.....el  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Epicardial Leads



HELP\_TEXT.....No Help Text

ID.....{2B551575-3D50-96BD-7BAA-50CC9796361E}

TERM.....EPICARDIAL LEADS

DATA VALUE: EPIDURAL

-----

ABBREVIATION.....Epidural

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Epidural

HELP\_TEXT.....

ID.....{63317A63-16FF-4D55-A034-420C65B17AEB}

TERM.....EPIDURAL

DATA VALUE: EPIDURAL PUMP

-----

ABBREVIATION.....Epid Pump

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Epidural Pump

HELP\_TEXT.....

ID.....{26C83111-5FA8-4398-8D3E-787B31A2A9E9}

TERM.....EPIDURAL PUMP

DATA VALUE: EPITHELIALIZATION

-----

ABBREVIATION.....EPITHELIAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Epithelialization  
HELP\_TEXT.....No Help Text  
ID.....{5FC43A6D-921D-4736-A234-9993DB6499B7}  
TERM.....EPITHELIALIZATION

DATA VALUE: EQUAL

-----

ABBREVIATION.....Equal  
ACTIVE.....Yes  
DESCRIPTION.....Equal  
DISPLAY\_NAME.....Equal  
HELP\_TEXT.....No Help Text  
ID.....{AC079584-158D-EBF2-E13A-C2E919375E4D}  
TERM.....EQUAL

DATA VALUE: EQUIPMENT

-----

ABBREVIATION.....EQUIPMENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Equipment

HELP\_TEXT.....No Help Text

ID.....{04C0F805-C7B3-4A9A-91D8-0F32F3265874}

TERM.....EQUIPMENT

DATA VALUE: ERYTHEMA

-----

ABBREVIATION.....ERYTHEMA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Erythema

HELP\_TEXT.....No Help Text

ID.....{0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}

TERM.....ERYTHEMA

DATA VALUE: ESCAPE

-----

ABBREVIATION.....e

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Escape

HELP\_TEXT.....No Help Text

ID.....{965F3201-9D63-66AB-FA25-99479AE7145A}

TERM.....ESCAPE

DATA VALUE: ESCHAR

-----

ABBREVIATION.....ESCHAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Eschar

HELP\_TEXT.....No Help Text

ID.....{555E03C5-FBFE-4EB9-816F-25CE34476B3C}

TERM.....ESCHAR

DATA VALUE: ESTABLISHED ROUTINE TOILETING SCHEDULE

-----

ABBREVIATION.....Toil Sched

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Established Routine Toileting Schedule

HELP\_TEXT.....

ID.....{A66F5259-5C01-4597-B881-9267DEBC017C}

TERM.....ESTABLISHED ROUTINE TOILETING SCHEDULE

DATA VALUE: ETT REPOSITIONED

-----

ABBREVIATION.....ETT REPOSI

ACTIVE.....Yes

DESCRIPTION.....ETT Repositioned

DISPLAY\_NAME.....ETT Repositioned

HELP\_TEXT.....No Help Text  
ID.....{95B35EDB-76B6-433E-B526-01C543A7CCEA}  
TERM.....ETT REPOSITIONED

DATA VALUE: ETT RETAPED/SECURED

-----  
ABBREVIATION.....ETT RETAPE  
ACTIVE.....Yes  
DESCRIPTION.....ETT Retaped / Secured  
DISPLAY\_NAME.....ETT Retaped / Secured  
HELP\_TEXT.....No Help Text  
ID.....{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}  
TERM.....ETT RETAPED/SECURED

DATA VALUE: EWALD TUBE

-----  
ABBREVIATION.....EWALD TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Ewald Tube  
DISPLAY\_NAME.....Ewald Tube  
HELP\_TEXT.....No Help Text  
ID.....{B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}  
TERM.....EWALD TUBE

DATA VALUE: EXPIRATORY WHEEZES

-----

ABBREVIATION.....EXP WHEEZE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Expiratory Wheezes

HELP\_TEXT.....No Help Text

ID.....{CFC103A8-8B02-4942-BBDD-8D24C930883E}

TERM.....EXPIRATORY WHEEZES

DATA VALUE: EXTENDED PERIOD OF IMMOBILITY

-----

ABBREVIATION.....Ex Pd Immo

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Extended Period of Immobility

HELP\_TEXT.....

ID.....{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}

TERM.....EXTENDED PERIOD OF IMMOBILITY

DATA VALUE: EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM

-----

ABBREVIATION.....ER EXI <1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Less Than 1 cm

HELP\_TEXT.....No Help-Text

ID.....{095709D0-6190-49A3-AB08-BF4575DC8396}

TERM.....EXTENDS AROUND INCISION EXTENDS INTO  
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION MORE THAN 1 CM

-----

ABBREVIATION.....ER EXI >1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Extends Into Periwound More Than 1 cm

HELP\_TEXT.....No Help-Text

ID.....{11F13A1F-7AC2-4629-A960-CD92655EE101}

TERM.....EXTENDS AROUND INCISION MORE THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION NONE

-----

ABBREVIATION.....ER EXI NON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....None

HELP\_TEXT.....No Help-Text

ID.....{91F1A7C5-885C-4B13-9F7F-189C93E505CC}

TERM.....EXTENDS AROUND INCISION NONE

DATA VALUE: EXTENDS INTO PERIWOUND <1CM

-----  
ABBREVIATION.....EX IN PER<  
ACTIVE.....Yes  
DESCRIPTION.....Extends Into Periwound <1cm  
DISPLAY\_NAME.....Extends Into Periwound <1cm  
HELP\_TEXT.....No Help Text  
ID.....{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}  
TERM.....EXTENDS INTO PERIWOUND <1CM

DATA VALUE: EXTENDS INTO PERIWOUND>1CM

-----  
ABBREVIATION.....EX IN PER>  
ACTIVE.....Yes  
DESCRIPTION.....Extends Into Periwound > 1cm  
DISPLAY\_NAME.....Extends Into Periwound > 1cm  
HELP\_TEXT.....No Help Text  
ID.....{1F31FE9B-DA19-434C-8C58-67CDC5385231}  
TERM.....EXTENDS INTO PERIWOUND>1CM

DATA VALUE: EXTENDS TO PAIN

-----  
ABBREVIATION.....EXT TO PAI  
ACTIVE.....Yes  
DESCRIPTION.....Extends To Pain  
DISPLAY\_NAME.....Extends To Pain



HELP\_TEXT.....No Help Text

ID.....{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}

TERM.....EXTENDS TO PAIN

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM

-----

ABBREVIATION.....ERY EX <1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Extends Into Periwound Less Than 1 cm

HELP\_TEXT.....No Help-Text

ID.....{48C7FA69-D31A-4AAA-84F3-79AC863B71FD}

TERM.....EXTENSION AROUND WOUND EXTENDS INTO  
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM

-----

ABBREVIATION.....ERY EX >1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Extends Into Periwound Greater Than 1  
cm

HELP\_TEXT.....No Help-Text

ID.....{175B2505-C596-4036-8FC3-DFEA8EFB76F9}

TERM.....EXTENSION AROUND WOUND EXTENDS INTO  
PERIWOUND MORE THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND LIMITED TO WOUND

-----

ABBREVIATION.....ERY EX LIM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Limited To Wound

HELP\_TEXT.....No Help-Text

ID.....{2DC83B85-B3B6-4679-9F48-7DD26EFFC4D4}

TERM.....EXTENSION AROUND WOUND LIMITED TO WOUND

DATA VALUE: EXTENSION AROUND WOUND NONE

-----

ABBREVIATION.....ERY EX NON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....None

HELP\_TEXT.....No Help-Text

ID.....{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}

TERM.....EXTENSION AROUND WOUND NONE

DATA VALUE: EXTENSIVE ASSISTANCE

-----

ABBREVIATION.....EXT ASSIST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Extensive Assistance

HELP\_TEXT.....No Help Text

ID.....{C402B659-E880-4070-8345-13E5508B4D29}

TERM.....EXTENSIVE ASSISTANCE

DATA VALUE: EXTERNAL CATHETER

-----

ABBREVIATION.....EXT. CATHE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....External Catheter

HELP\_TEXT.....No Help Text

ID.....{C8AEE936-DD91-FE91-4DD6-6F210FB59726}

TERM.....EXTERNAL CATHETER

DATA VALUE: EXTERNAL CONDOM CATH

-----

ABBREVIATION.....Ex Con Cat

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....External Condom Cath

HELP\_TEXT.....

ID.....{747E493A-C535-44EA-AD6D-27CE3E8E8CAC}

TERM.....EXTERNAL CONDOM CATH

DATA VALUE: EXTREMELY DRY

-----

ABBREVIATION.....EXTR DRY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Extremely Dry

HELP\_TEXT.....No Help Text

ID.....{51677B19-80B9-4787-B6E2-E0BCF6601AA1}

TERM.....EXTREMELY DRY

DATA VALUE: EYE CLOSED

-----

ABBREVIATION.....ec

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Eye Closed

HELP\_TEXT.....No Help Text

ID.....{140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}

TERM.....EYE CLOSED

DATA VALUE: EYEGLASSES

-----

ABBREVIATION.....Eyeglasses

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Eyeglasses

HELP\_TEXT.....

ID.....{E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}

TERM.....EYEGLASSES

DATA VALUE: FACE WASH

-----

ABBREVIATION.....FACE WASH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Face Wash

HELP\_TEXT.....No Help Text

ID.....{E1162A8B-D26D-4EB3-988F-50583B1849EA}

TERM.....FACE WASH

DATA VALUE: FALL RISK ID

-----

ABBREVIATION.....Fall Risk

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Fall Risk ID

HELP\_TEXT.....

ID.....{EF1BE81B-656B-474C-B19E-CCDAD8BB4100}

TERM.....FALL RISK ID

DATA VALUE: FALL RISK SIGN

-----  
ABBREVIATION.....Fall Sign  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fall Risk Sign  
HELP\_TEXT.....  
ID.....{E9670720-957E-487E-B0F0-7F7A8AEF69DE}  
TERM.....FALL RISK SIGN

DATA VALUE: FAMILY

-----  
ABBREVIATION.....FAMILY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Family  
HELP\_TEXT.....No Help Text  
ID.....{1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}  
TERM.....FAMILY

DATA VALUE: FAMILY INFORMED

-----  
ABBREVIATION.....FAM INFORM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Family Informed

HELP\_TEXT.....No Help Text

ID.....{77135D32-9CDD-4D3F-9B62-6E8189B77844}

TERM.....FAMILY INFORMED

DATA VALUE: FAMILY INSTRUCTED

-----

ABBREVIATION.....fam instru

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Family Instructed

HELP\_TEXT.....

ID.....{0FD5988C-2C4D-4786-99B3-3287A355E813}

TERM.....FAMILY INSTRUCTED

DATA VALUE: FAMILY NEEDS

-----

ABBREVIATION.....Fam Needs

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Family Needs

HELP\_TEXT.....

ID.....{CEB07929-0A6E-47E9-99CD-BD9333304C9C}

TERM.....FAMILY NEEDS

DATA VALUE: FAMILY STATED

-----

ABBREVIATION.....Fam Stated

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Family Stated

HELP\_TEXT.....

ID.....{07A4B749-65F2-48E8-AD93-D142B04055B4}

TERM.....FAMILY STATED

DATA VALUE: FAMILY/FRIEND

-----

ABBREVIATION.....FAM/FRIE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Family/Friend

HELP\_TEXT.....No Help Text

ID.....{FA8FE272-E659-41EF-A394-F907A5F55ED8}

TERM.....FAMILY/FRIEND

DATA VALUE: FASCIA

-----

ABBREVIATION.....FASCIA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Fascia



HELP\_TEXT.....No Help Text

ID.....{EEE8535C-B887-4A34-A93F-C1C4AFC1296F}

TERM.....FASCIA

DATA VALUE: FAT RESTRICTED 50 GM DIET

-----

ABBREVIATION.....F RES 50gm

ACTIVE.....Yes

DESCRIPTION.....Fat Restricted 50 gm Diet

DISPLAY\_NAME.....Fat Restricted 50 gm Diet

HELP\_TEXT.....No Help Text

ID.....{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}

TERM.....FAT RESTRICTED 50 GM DIET

DATA VALUE: FECAL FAT TEST DIET

-----

ABBREVIATION.....FEC F TEST

ACTIVE.....Yes

DESCRIPTION.....Fecal Fat Test Diet

DISPLAY\_NAME.....Fecal Fat Test Diet

HELP\_TEXT.....No Help Text

ID.....{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}

TERM.....FECAL FAT TEST DIET

DATA VALUE: FENTANYL

-----  
ABBREVIATION.....Fentanyl  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fentanyl  
HELP\_TEXT.....  
ID.....{C0740659-05FB-4513-BD0F-4F4111B32215}  
TERM.....FENTANYL

DATA VALUE: FHWN1

-----  
ABBREVIATION.....FHWN1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....FHWN1  
HELP\_TEXT.....No Help Text  
ID.....{93B28875-51BF-4294-B2F9-58BE9365DC81}  
TERM.....FHWN1

DATA VALUE: FIBER FORMULA

-----  
ABBREVIATION.....FIBER FORM  
ACTIVE.....Yes  
DESCRIPTION.....Fiber Enteral Nutrition Formula  
DISPLAY\_NAME.....Fiber Enteral Nutrition Formula

HELP\_TEXT.....No Help Text

ID.....{1AF14DA4-8D59-420B-9895-4256E7A818BE}

TERM.....FIBER FORMULA

DATA VALUE: FIBER STAT

-----

ABBREVIATION.....Fiber Stat

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Fiber Stat

HELP\_TEXT.....

ID.....{201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}

TERM.....FIBER STAT

DATA VALUE: FIBRINOUS

-----

ABBREVIATION.....FIBRINOUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Fibrinous

HELP\_TEXT.....No Help Text

ID.....{D286EAE2-6902-4B7E-845D-BBB316941B2C}

TERM.....FIBRINOUS

DATA VALUE: FINANCIAL CONCERNS

-----  
ABBREVIATION.....Fin Concer  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Financial Concerns  
HELP\_TEXT.....  
ID.....{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}  
TERM.....FINANCIAL CONCERNS

DATA VALUE: FIRM

-----  
ABBREVIATION.....FIRM  
ACTIVE.....Yes  
DESCRIPTION.....Firm  
DISPLAY\_NAME.....Firm  
HELP\_TEXT.....No Help Text  
ID.....{11E23F20-39A0-4A6D-B198-04BB36B0C909}  
TERM.....FIRM

DATA VALUE: FIRST DEGREE AV BLOCK

-----  
ABBREVIATION.....fdab  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....First Degree Av Block

HELP\_TEXT.....No Help Text  
ID.....{4FF046C9-B638-F86C-5D51-006B3D5225E3}  
TERM.....FIRST DEGREE AV BLOCK

DATA VALUE: FIXED

---

ABBREVIATION.....f  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Fixed  
HELP\_TEXT.....No Help Text  
ID.....{697D8C5A-976F-F423-30EC-A04102CF85F0}  
TERM.....FIXED

DATA VALUE: FLAT

---

ABBREVIATION.....Flat  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Flat  
HELP\_TEXT.....No Help Text  
ID.....{EA4F1980-EDF3-82BC-B677-D747F48F1163}  
TERM.....FLAT

DATA VALUE: FLATULENCE

-----  
ABBREVIATION.....FLATULENCE  
ACTIVE.....Yes  
DESCRIPTION.....Flatulence  
DISPLAY\_NAME.....Flatulence  
HELP\_TEXT.....No Help Text  
ID.....{F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}  
TERM.....FLATULENCE

DATA VALUE: FLEXION TO PAIN

-----  
ABBREVIATION.....FLEX TO PA  
ACTIVE.....Yes  
DESCRIPTION.....Flexion To Pain  
DISPLAY\_NAME.....Flexion To Pain  
HELP\_TEXT.....No Help Text  
ID.....{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}  
TERM.....FLEXION TO PAIN

DATA VALUE: FLICKER OF CONTRACTION

-----  
ABBREVIATION.....foc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Flicker Of Contraction

HELP\_TEXT.....No Help Text  
ID.....{218B322B-84AA-F6F6-5207-D86F9A4311F0}  
TERM.....FLICKER OF CONTRACTION

DATA VALUE: FLOTATION BED

---

ABBREVIATION.....FLOT BED  
ACTIVE.....Yes  
DESCRIPTION.....Flotation Bed  
DISPLAY\_NAME.....Flotation Bed  
HELP\_TEXT.....No Help Text  
ID.....{FA6329AB-85A6-4301-BC14-D0D089249356}  
TERM.....FLOTATION BED

DATA VALUE: FLUCTUANCE

---

ABBREVIATION.....FLUCTUANCE  
ACTIVE.....Yes  
DESCRIPTION.....Fluctuance  
DISPLAY\_NAME.....Fluctuance  
HELP\_TEXT.....No Help Text  
ID.....{A6AD2660-621D-4F39-8485-A013D7491566}  
TERM.....FLUCTUANCE

DATA VALUE: FLUCTUATES

-----

ABBREVIATION.....Fluctuates

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Fluctuates

HELP\_TEXT.....No Help Text

ID.....{C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}

TERM.....FLUCTUATES

DATA VALUE: FLUSHED

-----

ABBREVIATION.....nt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Flushed

HELP\_TEXT.....No Help Text

ID.....{C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}

TERM.....FLUSHED

DATA VALUE: FOAM AIR HEEL ELEVATOR

-----

ABBREVIATION.....FO AI HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Foam Air Heel Elevator



HELP\_TEXT.....No Help Text  
ID.....{4EC26AA3-4577-4808-8728-F360C5C5A0D4}  
TERM.....FOAM AIR HEEL ELEVATOR

DATA VALUE: FOAM DRESSING

---

ABBREVIATION.....WOU DR FOA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foam Dressing  
HELP\_TEXT.....No Help-Text  
ID.....{D18A5EDD-0EF6-470E-8370-4EDB6D322477}  
TERM.....FOAM DRESSING

DATA VALUE: FOLEY

---

ABBREVIATION.....FOLEY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foley  
HELP\_TEXT.....No Help Text  
ID.....{9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}  
TERM.....FOLEY

DATA VALUE: FOLLOWS COMMANDS

-----  
ABBREVIATION.....Follow Cmd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Follows Commands  
HELP\_TEXT.....  
ID.....{D5722341-ACC1-4F69-B537-1D3126ADA249}  
TERM.....FOLLOWS COMMANDS

DATA VALUE: FOOT CARE

-----  
ABBREVIATION.....FOOT CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot Care  
HELP\_TEXT.....No Help Text  
ID.....{332E8338-6DAE-4BC9-B195-63DAD57937D0}  
TERM.....FOOT CARE

DATA VALUE: FOOT DOWN

-----  
ABBREVIATION.....fd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot Down

HELP\_TEXT.....No Help Text  
ID.....{13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}  
TERM.....FOOT DOWN

DATA VALUE: FOOT UP

-----  
ABBREVIATION.....fu  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot Up  
HELP\_TEXT.....No Help Text  
ID.....{49CCC59E-002E-8387-E8D6-D57AAC089EF3}  
TERM.....FOOT UP

DATA VALUE: FOUL SMELLING

-----  
ABBREVIATION.....FOUL SMELL  
ACTIVE.....Yes  
DESCRIPTION.....Foul Smelling  
DISPLAY\_NAME.....Foul Smelling  
HELP\_TEXT.....No Help Text  
ID.....{761346A9-329D-4F42-8D80-0E9D8D40653C}  
TERM.....FOUL SMELLING

DATA VALUE: FOWLER'S

-----  
ABBREVIATION.....FOWLER'S  
ACTIVE.....Yes  
DESCRIPTION.....Fowler's  
DISPLAY\_NAME.....Fowler's  
HELP\_TEXT.....No Help Text  
ID.....{8E691813-A9AC-48BE-9401-528A7D762A32}  
TERM.....FOWLER'S

DATA VALUE: FRANK BLOOD

-----  
ABBREVIATION.....FRANK BLD  
ACTIVE.....Yes  
DESCRIPTION.....Frank Blood  
DISPLAY\_NAME.....Frank Blood  
HELP\_TEXT.....No Help Text  
ID.....{CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}  
TERM.....FRANK BLOOD

DATA VALUE: FREQUENT VERBAL REMINDERS

-----  
ABBREVIATION.....FR VER RE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Frequent Verbal Reminders

HELP\_TEXT.....No Help Text  
ID.....{F30D791D-BB80-4AB3-B37F-22B6B547EA65}  
TERM.....FREQUENT VERBAL REMINDERS

DATA VALUE: FRIEND

-----  
ABBREVIATION.....FRIEND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Friend  
HELP\_TEXT.....No Help Text  
ID.....{03902E48-AF86-432A-8372-37796A55F625}  
TERM.....FRIEND

DATA VALUE: FROM A NON-VA OUTSIDE FACILITY

-----  
ABBREVIATION.....Fr Non-VA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From a Non-VA Outside Facility  
HELP\_TEXT.....  
ID.....{8090F49E-5056-4F7C-932C-538581996F8F}  
TERM.....FROM A NON-VA OUTSIDE FACILITY

DATA VALUE: FROM ANOTHER UNIT

-----

ABBREVIATION.....Fr An Unit

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....From Another Unit

HELP\_TEXT.....

ID.....{D94B5252-7E8A-48EB-A481-0B18C68CAEF7}

TERM.....FROM ANOTHER UNIT

DATA VALUE: FROM ANOTHER VA FACILITY

-----

ABBREVIATION.....Fr Oth VA

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....From Another VA Facility

HELP\_TEXT.....

ID.....{66AF9A88-6404-4E05-9640-4FB0C6513BAF}

TERM.....FROM ANOTHER VA FACILITY

DATA VALUE: FROM CLC

-----

ABBREVIATION.....From CLC

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....From CLC

HELP\_TEXT.....

ID.....{8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}

TERM.....FROM CLC

DATA VALUE: FROM EMERGENCY DEPARTMENT

-----

ABBREVIATION.....Fr Emergen

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....From Emergency Department

HELP\_TEXT.....

ID.....{9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}

TERM.....FROM EMERGENCY DEPARTMENT

DATA VALUE: FROM HOME

-----

ABBREVIATION.....From Home

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....From Home

HELP\_TEXT.....

ID.....{2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}

TERM.....FROM HOME

DATA VALUE: FROM INTERVENTIONAL RADIOLOGY

-----  
ABBREVIATION.....Fr Int Rad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Interventional Radiology  
HELP\_TEXT.....  
ID.....{617DA086-B121-4E2F-8B02-41133EEDD50D}  
TERM.....FROM INTERVENTIONAL RADIOLOGY

DATA VALUE: FROM MICU

-----  
ABBREVIATION.....From MICU  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From MICU  
HELP\_TEXT.....  
ID.....{971D83AE-B75C-420B-B23D-844397CEE968}  
TERM.....FROM MICU

DATA VALUE: FROM OPERATING ROOM

-----  
ABBREVIATION.....From Op Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Operating Room



HELP\_TEXT.....

ID.....{2B26BD84-3D4D-4931-99C7-8204E9D49827}

TERM.....FROM OPERATING ROOM

DATA VALUE: FROM SICU

-----

ABBREVIATION.....From SICU

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....From SICU

HELP\_TEXT.....

ID.....{892002CC-E07A-49A5-B909-1F88665B3D65}

TERM.....FROM SICU

DATA VALUE: FULL CODE

-----

ABBREVIATION.....fc

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Full Code

HELP\_TEXT.....No Help Text

ID.....{1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}

TERM.....FULL CODE

DATA VALUE: FULL LIQUID DIABETIC

-----  
ABBREVIATION.....FULL L DIA  
ACTIVE.....Yes  
DESCRIPTION.....Full Liquid Diabetic  
DISPLAY\_NAME.....Full Liquid Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}  
TERM.....FULL LIQUID DIABETIC

DATA VALUE: FULL LIQUID DIET

-----  
ABBREVIATION.....FULL LIQ D  
ACTIVE.....Yes  
DESCRIPTION.....Full Liquid Diet  
DISPLAY\_NAME.....Full Liquid Diet  
HELP\_TEXT.....No Help Text  
ID.....{CAC22234-7B69-44C3-8A0E-9A84A684E429}  
TERM.....FULL LIQUID DIET

DATA VALUE: FULL LOWER

-----  
ABBREVIATION.....Full Low  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full Lower

HELP\_TEXT.....

ID.....{D38022EF-F4F0-44A7-82FE-B277A2A0A165}

TERM.....FULL LOWER

DATA VALUE: FULL NAME

-----

ABBREVIATION.....Full Name

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Full Name

HELP\_TEXT.....

ID.....{A915EA98-D18D-4887-8C50-4B6C0DF44D1D}

TERM.....FULL NAME

DATA VALUE: FULL SPINAL PRECAUTIONS

-----

ABBREVIATION.....FULL S P

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Full Spinal Precautions

HELP\_TEXT.....No Help Text

ID.....{42ADB74D-12CC-4111-B181-626C0F01BC7C}

TERM.....FULL SPINAL PRECAUTIONS

DATA VALUE: FULL SSN

-----  
ABBREVIATION.....Full SSN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full SSN  
HELP\_TEXT.....  
ID.....{3E2887AF-2DC5-40FA-9052-7B04347CC802}  
TERM.....FULL SSN

DATA VALUE: FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO

-----  
ABBREVIATION.....F SK L MBS  
ACTIVE.....Yes  
DESCRIPTION.....Full Thickness Skin Loss Involving  
Muscle, Bone, or Supporting Tissue  
DISPLAY\_NAME.....Full Thickness Skin Loss Involving  
Muscle, Bone, or Supporting Tissue  
HELP\_TEXT.....No Help Text  
ID.....{E027FB EF-1C83-41B7-B848-26D9D62F4266}  
TERM.....FULL THICK SKIN LOSS INVOLVING  
MUSCLE, BONE, SUPPO

DATA VALUE: FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE

-----  
ABBREVIATION.....FULL SKINL

ACTIVE.....Yes  
DESCRIPTION.....Full Thickness Skin Loss Involving  
Subcutaneous Tissue  
DISPLAY\_NAME.....Full Thickness Skin Loss Involving  
Subcutaneous Tissue  
HELP\_TEXT.....No Help Text  
ID.....{14C31B14-1D35-4CCB-81A3-C6E30801950D}  
TERM.....FULL THICK SKIN LOSS INVOLVING  
SUBCUTANEOUS TISSUE

DATA VALUE: FULL UPPER

-----

ABBREVIATION.....Full Up  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full Upper  
HELP\_TEXT.....  
ID.....{1808E638-62BB-4978-8706-34BD74B427DE}  
TERM.....FULL UPPER

DATA VALUE: FUNCTIONAL SECTION SET UP

-----

ABBREVIATION.....Func Sect  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Functional Suction Set Up  
HELP\_TEXT.....  
ID.....{E156C048-11D5-4F62-8B1A-0CEA931E03EF}

TERM.....FUNCTIONAL SECTION SET UP

DATA VALUE: GAIT BELT

-----  
ABBREVIATION.....GAIT BELT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gait Belt  
HELP\_TEXT.....No Help Text  
ID.....{AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}  
TERM.....GAIT BELT

DATA VALUE: GASTRIC BYPASS CLEAR LIQUID

-----  
ABBREVIATION.....GAS BYP LI  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Bypass Clear Liquid  
DISPLAY\_NAME.....Gastric Bypass Clear Liquid  
HELP\_TEXT.....No Help Text  
ID.....{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}  
TERM.....GASTRIC BYPASS CLEAR LIQUID

DATA VALUE: GASTRIC BYPASS PUREED

-----  
ABBREVIATION.....GAS BY PUR  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Bypass Pureed  
DISPLAY\_NAME.....Gastric Bypass Pureed

HELP\_TEXT.....No Help Text  
ID.....{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}  
TERM.....GASTRIC BYPASS PUREED

DATA VALUE: GASTRIC BYPASS REGULAR

-----  
ABBREVIATION.....GAS BY REG  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Bypass Regular  
DISPLAY\_NAME.....Gastric Bypass Regular  
HELP\_TEXT.....No Help Text  
ID.....{EE831906-EA51-4EE4-AAF2-583DF366A942}  
TERM.....GASTRIC BYPASS REGULAR

DATA VALUE: GASTRIC TUBE

-----  
ABBREVIATION.....G TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Feeding Tube  
DISPLAY\_NAME.....G Tube  
HELP\_TEXT.....No Help Text  
ID.....{65F774BA-F977-46D3-AE41-7F7C74CFF47E}  
TERM.....GASTRIC TUBE



DATA VALUE: GASTROSTOMY FEEDING BUTTON

-----  
ABBREVIATION.....GAST F BUT  
ACTIVE.....Yes  
DESCRIPTION.....Gastrostomy Feeding Button  
DISPLAY\_NAME.....Gastrostomy Feeding Button  
HELP\_TEXT.....No Help Text  
ID.....{1627B53B-374B-42B4-BBFE-463EE37B6110}  
TERM.....GASTROSTOMY FEEDING BUTTON

DATA VALUE: GASTROSTOMY TUBE

-----  
ABBREVIATION.....GAST TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Gastrostomy Tube  
DISPLAY\_NAME.....Gastrostomy Tube  
HELP\_TEXT.....No Help Text  
ID.....{EF017A39-745E-4C29-821A-5B25F103DF99}  
TERM.....GASTROSTOMY TUBE

DATA VALUE: GAUZE

-----  
ABBREVIATION.....GAUZE  
ACTIVE.....Yes  
DESCRIPTION.....Gauze  
DISPLAY\_NAME.....Gauze

HELP\_TEXT.....No Help Text  
ID.....{CF10C658-4334-4F3B-A38E-E98894458333}  
TERM.....GAUZE

DATA VALUE: GAUZE AND TAPE

-----  
ABBREVIATION.....GAU & TAPE  
ACTIVE.....Yes  
DESCRIPTION.....Gauze And Tape Dressing  
DISPLAY\_NAME.....Gauze and Tape  
HELP\_TEXT.....No Help Text  
ID.....{5BC40405-B5C4-47CF-81C3-520732E100AC}  
TERM.....GAUZE AND TAPE

DATA VALUE: GAUZE PACKING

-----  
ABBREVIATION.....GAUZE PACK  
ACTIVE.....Yes  
DESCRIPTION.....Gauze Packing  
DISPLAY\_NAME.....Gauze Packing  
HELP\_TEXT.....No Help Text  
ID.....{6C093717-82CB-4966-929E-C909310649C1}  
TERM.....GAUZE PACKING

DATA VALUE: GAUZE WRAP

-----  
ABBREVIATION.....GAUZE WRAP  
ACTIVE.....Yes  
DESCRIPTION.....Gauze Wrap  
DISPLAY\_NAME.....Gauze Wrap  
HELP\_TEXT.....No Help Text  
ID.....{040A9648-E6E1-4AC5-93C7-53A49537B15C}  
TERM.....GAUZE WRAP

DATA VALUE: GENERAL

-----  
ABBREVIATION.....General  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....General  
HELP\_TEXT.....  
ID.....{6ED377F7-55E4-4743-B781-124267567200}  
TERM.....GENERAL

DATA VALUE: GENERAL HEALTH

-----  
ABBREVIATION.....Gen Healt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....General Health

HELP\_TEXT.....

ID.....{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}

TERM.....GENERAL HEALTH

DATA VALUE: GERI-CHAIR

-----

ABBREVIATION.....g

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Geri-Chair

HELP\_TEXT.....No Help Text

ID.....{167F9786-8F24-054F-020A-658A6EE5B0B4}

TERM.....GERI-CHAIR

DATA VALUE: GI PROCEDURE ROOM

-----

ABBREVIATION.....GI Proc Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....GI Procedure Room

HELP\_TEXT.....

ID.....{924532F4-B52F-4EA9-8C7D-59168B340118}

TERM.....GI PROCEDURE ROOM

DATA VALUE: GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING

-----

ABBREVIATION.....DI IN UN

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY\_NAME.....Given Discharge Instructions and  
Verbalizes Understanding

HELP\_TEXT.....No Help Text

ID.....{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}

TERM.....GIVEN DISCHARGE INSTRUCTION AND  
VERBALIZES UNDERSTANDING

DATA VALUE: GLUCERNA 1.0

-----

ABBREVIATION.....Glu 1.0

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Glucerna 1.0

HELP\_TEXT.....

ID.....{1C465710-80F2-4C13-B8D5-B1D084151104}

TERM.....GLUCERNA 1.0

DATA VALUE: GLUCERNA 1.2

-----

ABBREVIATION.....Glu 1.2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Glucerna 1.2

HELP\_TEXT.....

ID.....{F58F1014-D1C4-44EB-9B01-FB88F2B3D751}

TERM.....GLUCERNA 1.2

DATA VALUE: GLUTEN RESTRICTED

---

ABBREVIATION.....GLUT RESTR

ACTIVE.....Yes

DESCRIPTION.....Gluten Restricted

DISPLAY\_NAME.....Gluten Restricted

HELP\_TEXT.....No Help Text

ID.....{0805A164-D387-4E67-9D42-BAF1F2543337}

TERM.....GLUTEN RESTRICTED

DATA VALUE: GNAWING

---

ABBREVIATION.....GNAWING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Gnawing

HELP\_TEXT.....No Help Text

ID.....{8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}

TERM.....GNAWING

DATA VALUE: GOLD

-----

ABBREVIATION.....Gold

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Gold

HELP\_TEXT.....

ID.....{1D1A2586-C13C-41FA-A3AD-39294BEB83E}

TERM.....GOLD

DATA VALUE: GOOD

-----

ABBREVIATION.....GOOD

ACTIVE.....Yes

DESCRIPTION.....Good

DISPLAY\_NAME.....Good

HELP\_TEXT.....No Help Text

ID.....{39ECA304-49F9-44B7-9735-B33CEC9D8119}

TERM.....GOOD

DATA VALUE: GRAFTS

-----

ABBREVIATION.....Grafts

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Grafts

HELP\_TEXT.....

ID.....{E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}

TERM.....GRAFTS

DATA VALUE: GRANULATING

-----

ABBREVIATION.....GRANULATI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Granulating

HELP\_TEXT.....No Help Text

ID.....{F8930276-3954-4BFE-82B0-6C44A8E9CAE0}

TERM.....GRANULATING

DATA VALUE: GRAVITY

-----

ABBREVIATION.....GRAVITY

ACTIVE.....Yes

DESCRIPTION.....Gravity

DISPLAY\_NAME.....Gravity

HELP\_TEXT.....No Help Text

ID.....{C0233F70-376D-41CE-9F14-714C7B35244F}

TERM.....GRAVITY



DATA VALUE: GRAY

-----  
ABBREVIATION.....GRAY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gray  
HELP\_TEXT.....No Help Text  
ID.....{D38ABEE0-52D7-4316-A713-40ACF4250599}  
TERM.....GRAY

DATA VALUE: GREEN

-----  
ABBREVIATION.....GREEN  
ACTIVE.....Yes  
DESCRIPTION.....The color green  
DISPLAY\_NAME.....Green  
HELP\_TEXT.....The color green  
ID.....{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}  
TERM.....GREEN

DATA VALUE: GRIMACING

-----  
ABBREVIATION.....GRIMACING  
ACTIVE.....Yes  
DESCRIPTION.....Grimacing  
DISPLAY\_NAME.....Grimacing

HELP\_TEXT.....No Help Text

ID.....{69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}

TERM.....GRIMACING

DATA VALUE: GROUP ROOM

-----

ABBREVIATION.....gr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Group Room

HELP\_TEXT.....No Help Text

ID.....{D41C3D9F-8F10-1A0F-D571-20DE0EA36328}

TERM.....GROUP ROOM

DATA VALUE: GU PROCEDURE ROOM

-----

ABBREVIATION.....GU Proc Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....GU Procedure Room

HELP\_TEXT.....

ID.....{D4B6678F-C1DD-4A23-9045-574251F6CD74}

TERM.....GU PROCEDURE ROOM

DATA VALUE: GUARDING

-----

ABBREVIATION.....GUARDING

ACTIVE.....Yes

DESCRIPTION.....Guarding

DISPLAY\_NAME.....Guarding

HELP\_TEXT.....No Help Text

ID.....{9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}

TERM.....GUARDING

DATA VALUE: GURNEY CHAIR

-----

ABBREVIATION.....GURN CHAIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Gurney Chair

HELP\_TEXT.....No Help Text

ID.....{B6EA0944-8414-42FD-88C0-50155DE82896}

TERM.....GURNEY CHAIR

DATA VALUE: HALL

-----

ABBREVIATION.....h

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Hall

HELP\_TEXT.....No Help Text

ID.....{BFCEA10F-2663-199E-88D8-E263122D7D26}

TERM.....HALL

DATA VALUE: HAND HYGIENE BEFORE AND AFTER

-----

ABBREVIATION.....Hand Hyg

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Hand Hygiene Before and After

HELP\_TEXT.....

ID.....{6005023D-3C02-4C93-99E8-2A8167574E93}

TERM.....HAND HYGIENE BEFORE AND AFTER

DATA VALUE: HARD

-----

ABBREVIATION.....HARD

ACTIVE.....Yes

DESCRIPTION.....Hard

DISPLAY\_NAME.....Hard

HELP\_TEXT.....No Help Text

ID.....{7934B543-7028-4CBC-9308-99F5A952A1DE}

TERM.....HARD

DATA VALUE: HAS NOT SLEPT

-----

ABBREVIATION.....NO SLEEP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Has Not Slept

HELP\_TEXT.....No Help Text

ID.....{3BF9DB54-5D1E-422D-90AF-918F81C9EA85}

TERM.....HAS NOT SLEPT

DATA VALUE: HEAD DOWN

-----

ABBREVIATION.....hd

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Head Down

HELP\_TEXT.....No Help Text

ID.....{80BF3425-D252-F917-052E-DC54D39E464E}

TERM.....HEAD DOWN

DATA VALUE: HEAD UP

-----

ABBREVIATION.....hu

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Head Up

HELP\_TEXT.....No Help Text

ID.....{BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}

TERM.....HEAD UP

DATA VALUE: HEADACHE

-----

ABBREVIATION.....Headache

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Headache

HELP\_TEXT.....

ID.....{9338E67C-201C-4066-A734-8BD4B47462BD}

TERM.....HEADACHE

DATA VALUE: HEALTH TECH

-----

ABBREVIATION.....Health Tec

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Health Tech

HELP\_TEXT.....

ID.....{7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}

TERM.....HEALTH TECH

DATA VALUE: HEARING

-----

ABBREVIATION.....HEARING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Hearing

HELP\_TEXT.....No Help Text

ID.....{D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}

TERM.....HEARING

DATA VALUE: HEARING AIDS

-----

ABBREVIATION.....Hear Aids

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Hearing Aids

HELP\_TEXT.....

ID.....{504FF149-8889-444E-925B-C952314FDF98}

TERM.....HEARING AIDS

DATA VALUE: HEARTBURN

-----

ABBREVIATION.....HEARTBURN

ACTIVE.....Yes

DESCRIPTION.....Heartburn

DISPLAY\_NAME.....Heartburn

HELP\_TEXT.....Heartburn

ID.....{5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}

TERM.....HEARTBURN

DATA VALUE: HEAT

-----

ABBREVIATION.....HEAT

ACTIVE.....Yes

DESCRIPTION.....Heat

DISPLAY\_NAME.....Heat

HELP\_TEXT.....No Help Text

ID.....{E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}

TERM.....HEAT

DATA VALUE: HEAT CHEM PACK

-----

ABBREVIATION.....HT CHEM PA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Heat Chemi Pack

HELP\_TEXT.....No Help Text

ID.....{D759F891-2535-40C2-A68C-678170E56F7A}

TERM.....HEAT CHEM PACK



DATA VALUE: HEAT LAMP

-----  
ABBREVIATION.....HEAT LAMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heat Lamp  
HELP\_TEXT.....Heat Lamp  
ID.....{4E9DE229-F810-4AB0-9FD7-4596759CEA11}  
TERM.....HEAT LAMP

DATA VALUE: HEAVY

-----  
ABBREVIATION.....HEAVY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heavy  
HELP\_TEXT.....No Help Text  
ID.....{1F10CD98-03FA-4705-BF7D-941E881C4E3D}  
TERM.....HEAVY

DATA VALUE: HEEL LIFT

-----  
ABBREVIATION.....HEEL LIFT  
ACTIVE.....Yes  
DESCRIPTION.....Heel Lift  
DISPLAY\_NAME.....Heel Lift

HELP\_TEXT.....No Help Text  
ID.....{974F90E6-382D-421A-A4CE-94A74CBEFC32}  
TERM.....HEEL LIFT

DATA VALUE: HEEL PILLOW

---

ABBREVIATION.....HEEL PILLO  
ACTIVE.....Yes  
DESCRIPTION.....Heel Pillow  
DISPLAY\_NAME.....Heel Pillow  
HELP\_TEXT.....No Help Text  
ID.....{F0F1D997-C780-40BF-AA88-78262E81BFAA}  
TERM.....HEEL PILLOW

DATA VALUE: HELMET

---

ABBREVIATION.....Helmet  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Helmet  
HELP\_TEXT.....  
ID.....{E65974F8-BCE7-4361-868D-C0B4D780EA21}  
TERM.....HELMET

DATA VALUE: HEMATOMA

-----

ABBREVIATION.....HEMATOMA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Hematoma

HELP\_TEXT.....No Help Text

ID.....{6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}

TERM.....HEMATOMA

DATA VALUE: HEMATURIA

-----

ABBREVIATION.....HEMATURIA

ACTIVE.....Yes

DESCRIPTION.....Blood present in urine

DISPLAY\_NAME.....Hematuria

HELP\_TEXT.....Blood present in urine

ID.....{ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}

TERM.....HEMATURIA

DATA VALUE: HEMORRHAGE

-----

ABBREVIATION.....HEMORRHAGE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Hemorrhage

HELP\_TEXT.....No Help Text  
ID.....{E00AC828-83F3-4F69-B97B-D6AD1D87A440}  
TERM.....HEMORRHAGE

DATA VALUE: HEMOVAC

-----  
ABBREVIATION.....HEMOVAC  
ACTIVE.....Yes  
DESCRIPTION.....Hemovac  
DISPLAY\_NAME.....Hemovac  
HELP\_TEXT.....No Help Text  
ID.....{82DA2DA7-E20B-E571-659C-457DF42472C2}  
TERM.....HEMOVAC

DATA VALUE: HEPATIC FORMULA

-----  
ABBREVIATION.....HEPAT FORM  
ACTIVE.....Yes  
DESCRIPTION.....Hepatic Enteral Nutrition Formula  
DISPLAY\_NAME.....Hepatic Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{1BC0A09A-CCD7-457F-BC08-9B6FC5144BF3}  
TERM.....HEPATIC FORMULA

DATA VALUE: HEPLOCK

-----

ABBREVIATION.....HEPLOCK

ACTIVE.....Yes

DESCRIPTION.....Heplock

DISPLAY\_NAME.....Heplock

HELP\_TEXT.....No Help Text

ID.....{C827FEDE-59D6-4C45-BDDA-4884FA0882F3}

TERM.....HEPLOCK

DATA VALUE: HIGH

-----

ABBREVIATION.....h

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....High

HELP\_TEXT.....No Help Text

ID.....{D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}

TERM.....HIGH

DATA VALUE: HIGH CALORIE

-----

ABBREVIATION.....HIGH CALOR

ACTIVE.....Yes

DESCRIPTION.....High Calorie

DISPLAY\_NAME.....High Calorie

HELP\_TEXT.....No Help Text

ID.....{FC453BF0-1E7E-4733-9605-AC3425F16205}

TERM.....HIGH CALORIE

DATA VALUE: HIGH FALL RISK

-----

ABBREVIATION.....hfr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....High Fall Risk

HELP\_TEXT.....No Help Text

ID.....{276C15F3-5BED-0FE0-5649-337A23AB1386}

TERM.....HIGH FALL RISK

DATA VALUE: HIGH FIBER

-----

ABBREVIATION.....HIGH FIBER

ACTIVE.....Yes

DESCRIPTION.....High Fiber

DISPLAY\_NAME.....High Fiber

HELP\_TEXT.....No Help Text

ID.....{3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}

TERM.....HIGH FIBER

DATA VALUE: HIGH FOWLER'S

-----  
ABBREVIATION.....HIGH FOWLE  
ACTIVE.....Yes  
DESCRIPTION.....High Fowler's  
DISPLAY\_NAME.....High Fowler's  
HELP\_TEXT.....No Help Text  
ID.....{EA23C94D-EE91-4552-9F74-E051FAF3E194}  
TERM.....HIGH FOWLER'S

DATA VALUE: HIGH PROTEIN

-----  
ABBREVIATION.....HIGH PROTE  
ACTIVE.....Yes  
DESCRIPTION.....High Protein  
DISPLAY\_NAME.....High Protein  
HELP\_TEXT.....No Help Text  
ID.....{1595A29D-CA91-45AE-893B-856EB909E4DD}  
TERM.....HIGH PROTEIN

DATA VALUE: HIP-PROTECTORS

-----  
ABBREVIATION.....Hip-Prot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hip-Protectors

HELP\_TEXT.....

ID.....{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}

TERM.....HIP-PROTECTORS

DATA VALUE: HIRSUTISM

-----

ABBREVIATION.....HIRSUTISM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Hirsutism

HELP\_TEXT.....No Help Text

ID.....{A909A4FC-080A-4E9A-867A-0B30D4633602}

TERM.....HIRSUTISM

DATA VALUE: HM: HAND MOTIONS

-----

ABBREVIATION.....HM

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....HM: Hand Motions

HELP\_TEXT.....

ID.....{5180AD3D-4377-435B-9F47-FE59F3E3501B}

TERM.....HM: HAND MOTIONS



DATA VALUE: HOME

-----

ABBREVIATION.....HOME

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Home

HELP\_TEXT.....No Help Text

ID.....{C8E5E320-361B-421C-A6A9-13DC16125440}

TERM.....HOME

DATA VALUE: HOME HEALTH

-----

ABBREVIATION.....HOME HEALT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Home Health

HELP\_TEXT.....No Help Text

ID.....{F94FB70A-AFFD-4A5E-A829-0AF933B044BB}

TERM.....HOME HEALTH

DATA VALUE: HOSTILE

-----

ABBREVIATION.....h

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Hostile

HELP\_TEXT.....No Help Text

ID.....{29EF2C04-7DB0-4491-2B5E-D92A6A558721}

TERM.....HOSTILE

DATA VALUE: HOT

-----

ABBREVIATION.....HOT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Hot

HELP\_TEXT.....No Help Text

ID.....{401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}

TERM.....HOT

DATA VALUE: HUMIDIFIER

-----

ABBREVIATION.....HUMIDIFIER

ACTIVE.....Yes

DESCRIPTION.....Humidifier

DISPLAY\_NAME.....Humidifier

HELP\_TEXT.....Humidifier

ID.....{A4CE67D1-F885-423B-B914-392D8CAC697E}

TERM.....HUMIDIFIER

DATA VALUE: HYDROCOLLOIDAL DRESSING

-----

ABBREVIATION.....HCOLL DRES

ACTIVE.....Yes

DESCRIPTION.....Hydrocolloidal Dressing

DISPLAY\_NAME.....Hydrocolloidal Dressing

HELP\_TEXT.....No Help Text

ID.....{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

TERM.....HYDROCOLLOIDAL DRESSING

DATA VALUE: HYDROFIBER

-----

ABBREVIATION.....H-FIBER

ACTIVE.....Yes

DESCRIPTION.....Hydrofiber

DISPLAY\_NAME.....Hydrofiber

HELP\_TEXT.....No Help Text

ID.....{42740A7F-A831-4FBD-9E59-88F315176674}

TERM.....HYDROFIBER

DATA VALUE: HYDROFIBER WITH SILVER

-----

ABBREVIATION.....HYFIB W SI

ACTIVE.....Yes

DESCRIPTION.....Hydrofiber With Silver

DISPLAY\_NAME.....Hydrofiber With Silver

HELP\_TEXT.....No Help Text  
ID.....{04BD9512-DE5D-421A-9818-8A33D1F0693D}  
TERM.....HYDROFIBER WITH SILVER

DATA VALUE: HYDROGEL DRESSING

-----  
ABBREVIATION.....H-GEL DRES  
ACTIVE.....Yes  
DESCRIPTION.....Hydrogel Dressing  
DISPLAY\_NAME.....Hydrogel Dressing  
HELP\_TEXT.....No Help Text  
ID.....{F6192D10-D6EA-42C2-AB15-270659D9925C}  
TERM.....HYDROGEL DRESSING

DATA VALUE: HYDROMORPHONE

-----  
ABBREVIATION.....Hydromorph  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hydromorphone  
HELP\_TEXT.....  
ID.....{8E6E9DB1-C969-4274-9761-C9830A9FCF67}  
TERM.....HYDROMORPHONE

DATA VALUE: HYPERACTIVE

-----  
ABBREVIATION.....HYPERACTIV  
ACTIVE.....Yes  
DESCRIPTION.....Hyperactive  
DISPLAY\_NAME.....Hyperactive  
HELP\_TEXT.....No Help Text  
ID.....{1A548FFE-8645-4C0D-899D-5D91430CC1B1}  
TERM.....HYPERACTIVE

DATA VALUE: HYPERDYNAMIC

-----  
ABBREVIATION.....HYPERDYNAM  
ACTIVE.....Yes  
DESCRIPTION.....Hyperdynamic  
DISPLAY\_NAME.....Hyperdynamic  
HELP\_TEXT.....No Help Text  
ID.....{818A8A99-04D9-4989-A9BA-ECFACED74605}  
TERM.....HYPERDYNAMIC

DATA VALUE: HYPERGRANULIZATION

-----  
ABBREVIATION.....HYPERGRANU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hypergranulization

HELP\_TEXT.....No Help Text  
ID.....{C14B9FB0-6F33-4ACB-88B3-4B799594F845}  
TERM.....HYPERGRANULIZATION

DATA VALUE: HYPERTONIC HYDROGEL

-----  
ABBREVIATION.....WOU DR HYP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hypertonic Hydrogel  
HELP\_TEXT.....No Help-Text  
ID.....{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}  
TERM.....HYPERTONIC HYDROGEL

DATA VALUE: HYPOACTIVE

-----  
ABBREVIATION.....HYPOACTIVE  
ACTIVE.....Yes  
DESCRIPTION.....Hypoactive  
DISPLAY\_NAME.....Hypoactive  
HELP\_TEXT.....No Help Text  
ID.....{2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}  
TERM.....HYPOACTIVE

DATA VALUE: HYPOALBUMINEMIA

-----  
ABBREVIATION.....HYPOALBUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hypoalbuminemia  
HELP\_TEXT.....No Help Text  
ID.....{A3397F38-2491-48E7-8366-A6FA2D91E866}  
TERM.....HYPOALBUMINEMIA

DATA VALUE: HYPOTENSION

-----  
ABBREVIATION.....Hypotensio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hypotension  
HELP\_TEXT.....  
ID.....{1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}  
TERM.....HYPOTENSION

DATA VALUE: HYPOXIA

-----  
ABBREVIATION.....Hypoxia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hypoxia

HELP\_TEXT.....

ID.....{7599629D-1206-4A1A-9D02-EEE384E5FE51}

TERM.....HYPOXIA

DATA VALUE: I

-----

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....I

HELP\_TEXT.....No Help Text

ID.....{BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}

TERM.....I

DATA VALUE: IABP

-----

ABBREVIATION.....IABP

ACTIVE.....Yes

DESCRIPTION.....Intra-Aortic Balloon Pump

DISPLAY\_NAME.....IABP

HELP\_TEXT.....No Help Text

ID.....{763FE975-F5E5-80A6-AB16-E903A829E665}

TERM.....IABP



DATA VALUE: ICE PACK

-----  
ABBREVIATION.....ICE PACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ice Pack  
HELP\_TEXT.....No Help Text  
ID.....{E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}  
TERM.....ICE PACK

DATA VALUE: ICTERIC

-----  
ABBREVIATION.....ICTERIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Icteric  
HELP\_TEXT.....Relating to or affected with jaundice  
ID.....{274ED5BB-5A34-20EE-A9B0-81AB7803780E}  
TERM.....ICTERIC

DATA VALUE: ICU

-----  
ABBREVIATION.....ICU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ICU

HELP\_TEXT.....No Help Text

ID.....{E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

TERM.....ICU

DATA VALUE: ID BAND

---

ABBREVIATION.....ID Band

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....ID Band

HELP\_TEXT.....

ID.....{5526C5AB-64C8-4AB1-B77F-DAF45D26B439}

TERM.....ID BAND

DATA VALUE: ID CARD

---

ABBREVIATION.....ID Card

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....ID Card

HELP\_TEXT.....

ID.....{CFD540F0-3D73-498F-B590-CCEF11499078}

TERM.....ID CARD

DATA VALUE: IDENTIFICATION

-----  
ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Identification  
HELP\_TEXT.....No Help Text  
ID.....{39274F69-556C-7F05-6D17-CE8A03D1867D}  
TERM.....IDENTIFICATION

DATA VALUE: IDIOVENTRICULAR

-----  
ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Idioventricular  
HELP\_TEXT.....No Help Text  
ID.....{8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}  
TERM.....IDIOVENTRICULAR

DATA VALUE: II

-----  
ABBREVIATION.....II  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....II

HELP\_TEXT.....No Help Text  
ID.....{F165C13B-397E-4182-8D72-BD1D74CFBA00}  
TERM.....II

DATA VALUE: III

-----

ABBREVIATION.....III  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....III  
HELP\_TEXT.....No Help Text  
ID.....{D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}  
TERM.....III

DATA VALUE: ILEAL CONDUIT

-----

ABBREVIATION.....ILEAL COND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ileal Conduit  
HELP\_TEXT.....No Help Text  
ID.....{032CB6FE-77D2-702E-A0AE-46176F5CAA57}  
TERM.....ILEAL CONDUIT

DATA VALUE: ILEAL-CONDUIT

-----  
ABBREVIATION.....Ileal-Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ileal-Conduit  
HELP\_TEXT.....  
ID.....{C91C4E4A-2D0D-438A-8EF5-8717D703A777}  
TERM.....ILEAL-CONDUIT

DATA VALUE: ILEOSTOMY

-----  
ABBREVIATION.....ILEOSTOMY  
ACTIVE.....Yes  
DESCRIPTION.....Ileostomy  
DISPLAY\_NAME.....Ileostomy  
HELP\_TEXT.....No Help Text  
ID.....{D5DF49C8-C6BA-44C1-9840-7765907730A3}  
TERM.....ILEOSTOMY

DATA VALUE: IMAGING

-----  
ABBREVIATION.....IMAGING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Imaging

HELP\_TEXT.....No Help Text

ID.....{791A322E-F45E-40EB-B95D-E5B62E1D0A75}

TERM.....IMAGING

DATA VALUE: IMPAIRED LISTENING SKILLS

-----

ABBREVIATION.....IMP LIS SK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Impaired Listening Skills

HELP\_TEXT.....No Help Text

ID.....{9CE0E7E7-79E5-4910-918C-2022C9830171}

TERM.....IMPAIRED LISTENING SKILLS

DATA VALUE: IMPLANTS

-----

ABBREVIATION.....Implants

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Implants

HELP\_TEXT.....

ID.....{14998852-14FD-4C6A-BB8A-5073D6094B11}

TERM.....IMPLANTS

DATA VALUE: INAPPROPRIATE

-----

ABBREVIATION.....Inappropri

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Inappropriate

HELP\_TEXT.....No Help Text

ID.....{7E3B54C2-8A49-28EC-055E-FEA87599421C}

TERM.....INAPPROPRIATE

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS BLOODY

-----

ABBREVIATION.....INC DI BLO

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Bloody

DISPLAY\_NAME.....Bloody

HELP\_TEXT.....Incision Discharge Characteristics

Bloody

ID.....{D185E55B-EC21-49B6-A040-5422382C3B90}

TERM.....INCISION DISCHARGE CHARACTERISTICS

BLOODY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS CLOUDY

-----

ABBREVIATION.....INC DI CLO

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Cloudy

DISPLAY\_NAME.....Cloudy

HELP\_TEXT.....Incision Discharge Characteristics

Cloudy

ID.....{3EBBB25E-1B90-415B-BCB5-3C3DAC33C118}

TERM.....INCISION DISCHARGE CHARACTERISTICS

CLOUDY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS NONE

-----

ABBREVIATION.....INC DI NON

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics None

DISPLAY\_NAME.....None

HELP\_TEXT.....Incision Discharge Characteristics None

ID.....{4F118F41-8C09-400E-A303-0955DFDF54E2}

TERM.....INCISION DISCHARGE CHARACTERISTICS NONE

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS PURULENT

-----

ABBREVIATION.....INC DI PUR

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Purulent

DISPLAY\_NAME.....Purulent

HELP\_TEXT.....Incision Discharge Characteristics



Purulent

ID.....{B2D71BDF-41AB-4F10-ABE3-A9D9F338F6F1}

TERM.....INCISION DISCHARGE CHARACTERISTICS

PURULENT

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS

-----

ABBREVIATION.....INC DI SSA

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Serosanguinous

DISPLAY\_NAME.....Serosanguinous

HELP\_TEXT.....Incision Discharge Characteristics

Serosanguinous

ID.....{102F19A9-CC28-4156-88DE-1B4C8A682AC2}

TERM.....INCISION DISCHARGE CHARACTERISTICS

SEROSANGUINOUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROUS

-----

ABBREVIATION.....INC DI SER

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Serous

DISPLAY\_NAME.....Serous

HELP\_TEXT.....Incision Discharge Characteristics

Serous

ID.....{CC4F3BA1-AD0D-42BA-9D76-1FE66F864FC8}

TERM.....INCISION DISCHARGE CHARACTERISTICS

SEROUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS VISCOUS

-----

ABBREVIATION.....INC DI VIS

ACTIVE.....Yes

DESCRIPTION.....Incision Discharge Characteristics

Viscous

DISPLAY\_NAME.....Viscous

HELP\_TEXT.....Incision Discharge Characteristics

Viscous

ID.....{A38C2D8C-25B1-41E5-A69F-7A5C439C6EB9}

TERM.....INCISION DISCHARGE CHARACTERISTICS

VISCOUS

DATA VALUE: INCISION DRAINAGE AMOUNT HEAVY

-----

ABBREVIATION.....I DR A HEA

ACTIVE.....Yes

DESCRIPTION.....Incision Drainage Amount Heavy

DISPLAY\_NAME.....Heavy

HELP\_TEXT.....Incision Drainage Amount Heavy

ID.....{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}

TERM.....INCISION DRAINAGE AMOUNT HEAVY

DATA VALUE: INCISION DRAINAGE AMOUNT MODERATE

-----

ABBREVIATION.....I DR A MOD

ACTIVE.....Yes

DESCRIPTION.....Incision Drainage Amount Moderate

DISPLAY\_NAME.....Moderate

HELP\_TEXT.....Incision Drainage Amount Moderate

ID.....{9B0487A9-DCB4-42D3-92E6-805C412B5D34}

TERM.....INCISION DRAINAGE AMOUNT MODERATE

DATA VALUE: INCISION DRAINAGE AMOUNT NONE

-----  
ABBREVIATION.....I DR A NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Drainage Amount None  
ID.....{5D0D9027-4B20-43A4-B437-EA7B77CB2105}  
TERM.....INCISION DRAINAGE AMOUNT NONE

DATA VALUE: INCISION DRAINAGE AMOUNT SCANT

-----  
ABBREVIATION.....I DR A SCA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Scant  
DISPLAY\_NAME.....Scant  
HELP\_TEXT.....Incision Drainage Amount Scant  
ID.....{A476E395-46AA-44E7-8A00-CE22C7066BB1}  
TERM.....INCISION DRAINAGE AMOUNT SCANT

DATA VALUE: INCISION DRAINAGE AMOUNT SMALL

-----  
ABBREVIATION.....I DR A SMA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Small  
DISPLAY\_NAME.....Small

HELP\_TEXT.....Incision Drainage Amount Small  
ID.....{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}  
TERM.....INCISION DRAINAGE AMOUNT SMALL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL

-----  
ABBREVIATION.....INC DR ANT

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Antimicrobial

DISPLAY\_NAME.....Antimicrobial

HELP\_TEXT.....Incision Dressing Type Antimicrobial

ID.....{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}

TERM.....INCISION DRESSING TYPE ANTIMICROBIAL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL DISK

-----  
ABBREVIATION.....INC DR ADI

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Antimicrobial

Disk

DISPLAY\_NAME.....Antimicrobial Disk

HELP\_TEXT.....Incision Dressing Type Antimicrobial

Disk

ID.....{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}

TERM.....INCISION DRESSING TYPE ANTIMICROBIAL

DISK

DATA VALUE: INCISION DRESSING TYPE BALSAM OF PERU

-----

ABBREVIATION.....INC DR BAL

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Balsam of Peru

DISPLAY\_NAME.....Balsam Of Peru

HELP\_TEXT.....Incision Dressing Type Balsam of Peru

ID.....{A1FB45C6-6315-4282-8D89-DCB0C018E357}

TERM.....INCISION DRESSING TYPE BALSAM OF PERU

DATA VALUE: INCISION DRESSING TYPE BISMUTH GAUZE

-----

ABBREVIATION.....INC DR BIS

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Bismuth Gauze

DISPLAY\_NAME.....Bismuth Gauze

HELP\_TEXT.....Incision Dressing Type Bismuth Gauze

ID.....{CA88C5DC-3890-49A2-800A-0528CE194BA8}

TERM.....INCISION DRESSING TYPE BISMUTH GAUZE

DATA VALUE: INCISION DRESSING TYPE CALCIUM ALGINATE

-----

ABBREVIATION.....INC DR CAL

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Calcium Alginate

DISPLAY\_NAME.....Calcium Alginate

HELP\_TEXT.....Incision Dressing Type Calcium Alginate  
ID.....{B20558BA-FB9E-499E-82DF-49616ACE9375}  
TERM.....INCISION DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: INCISION DRESSING TYPE FOAM DRESSING

-----  
ABBREVIATION.....INC DR FOA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Foam dressing  
DISPLAY\_NAME.....Foam Dressing  
HELP\_TEXT.....Incision Dressing Type Foam dressing  
ID.....{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}  
TERM.....INCISION DRESSING TYPE FOAM DRESSING

DATA VALUE: INCISION DRESSING TYPE GAUZE

-----  
ABBREVIATION.....INC DR GAU  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Gauze  
DISPLAY\_NAME.....Gauze  
HELP\_TEXT.....Incision Dressing Type Gauze  
ID.....{E4AC9307-0512-4F9D-A254-FE19E654461F}  
TERM.....INCISION DRESSING TYPE GAUZE



DATA VALUE: INCISION DRESSING TYPE GAUZE PACKING

-----

ABBREVIATION.....INC DR GPA

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Gauze Packing

DISPLAY\_NAME.....Gauze Packing

HELP\_TEXT.....Incision Dressing Type Gauze Packing

ID.....{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}

TERM.....INCISION DRESSING TYPE GAUZE PACKING

DATA VALUE: INCISION DRESSING TYPE GAUZE WRAP

-----

ABBREVIATION.....INC DR GWR

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Gauze Wrap

DISPLAY\_NAME.....Gauze Wrap

HELP\_TEXT.....Incision Dressing Type Gauze Wrap

ID.....{E1DBEC29-1430-4DA0-99DC-49B9389D2440}

TERM.....INCISION DRESSING TYPE GAUZE WRAP

DATA VALUE: INCISION DRESSING TYPE HYDROCOLLOIDAL

-----

ABBREVIATION.....INC DR HYD

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Hydrocolloidal

DISPLAY\_NAME.....Hydrocolloidal

HELP\_TEXT.....Incision Dressing Type Hydrocolloidal  
ID.....{424CCDCA-5196-4BBD-AE8B-0F68DDCC3FCF}  
TERM.....INCISION DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: INCISION DRESSING TYPE HYDROGEL

-----  
ABBREVIATION.....INC DR HYD  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Hydrogel  
DISPLAY\_NAME.....Hydrogel  
HELP\_TEXT.....Incision Dressing Type Hydrogel  
ID.....{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}  
TERM.....INCISION DRESSING TYPE HYDROGEL

DATA VALUE: INCISION DRESSING TYPE HYPERTONIC HYDROGEL

-----  
ABBREVIATION.....INC DR HYP  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Hypertonic  
Hydrogel  
DISPLAY\_NAME.....Hypertonic Hydrogel  
HELP\_TEXT.....Incision Dressing Type Hypertonic  
Hydrogel  
ID.....{25820A63-AD76-4198-BEB1-EF95DDEC5B35}  
TERM.....INCISION DRESSING TYPE HYPERTONIC  
HYDROGEL

DATA VALUE: INCISION DRESSING TYPE NONE

-----

ABBREVIATION.....INC DR NON

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type None

DISPLAY\_NAME.....None

HELP\_TEXT.....Incision Dressing Type None

ID.....{81F07C8D-A463-48A0-A64A-A143CECB5DD6}

TERM.....INCISION DRESSING TYPE NONE

DATA VALUE: INCISION DRESSING TYPE PRESSURE

-----

ABBREVIATION.....INC DR PRE

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Pressure

DISPLAY\_NAME.....Pressure

HELP\_TEXT.....Incision Dressing Type Pressure

ID.....{B5823373-E5D8-40A5-954C-6A193D7E7511}

TERM.....INCISION DRESSING TYPE PRESSURE

DATA VALUE: INCISION DRESSING TYPE TRANSPARENT

-----

ABBREVIATION.....INC DR TRA

ACTIVE.....Yes

DESCRIPTION.....Incision Dressing Type Gauze

DISPLAY\_NAME.....Transparent

HELP\_TEXT.....Incision Dressing Type Gauze  
ID.....{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}  
TERM.....INCISION DRESSING TYPE TRANSPARENT

DATA VALUE: INCISION EDGE INDISTINCT/ATTACHED

-----  
ABBREVIATION.....INC ED ATT  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Indistinct, Attached  
DISPLAY\_NAME.....Indistinct, Attached  
HELP\_TEXT.....Incision Edge Indistinct, Attached  
ID.....{AF7E7150-525E-49A4-AC23-042B788E8805}  
TERM.....INCISION EDGE INDISTINCT/ATTACHED

DATA VALUE: INCISION EDGE NON-ATTACHED

-----  
ABBREVIATION.....INC ED NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Non Attached  
DISPLAY\_NAME.....Non-Attached  
HELP\_TEXT.....Incision Edge Non Attached  
ID.....{F457F951-F1DC-47AC-9336-AC093E149862}  
TERM.....INCISION EDGE NON-ATTACHED

DATA VALUE: INCISION EDGE ROLLED

-----

ABBREVIATION.....INC ED ROL

ACTIVE.....Yes

DESCRIPTION.....Incision Edge Rolled

DISPLAY\_NAME.....Rolled

HELP\_TEXT.....Incision Edge Rolled

ID.....{FFA33CAE-5D8B-4501-8120-A536BE53296F}

TERM.....INCISION EDGE ROLLED

DATA VALUE: INCISION EDGE TUNNELING

-----

ABBREVIATION.....INC ED TUN

ACTIVE.....Yes

DESCRIPTION.....Incision Edge Tunneling

DISPLAY\_NAME.....Tunneling

HELP\_TEXT.....Incision Edge Tunneling

ID.....{492CD783-3C32-40F0-AE35-5A89E90409A7}

TERM.....INCISION EDGE TUNNELING

DATA VALUE: INCISION EDGE UNDERMINING

-----

ABBREVIATION.....INC ED UND

ACTIVE.....Yes

DESCRIPTION.....Incision Edge Undermining

DISPLAY\_NAME.....Undermining

HELP\_TEXT.....Incision Edge Undermining  
ID.....{0F3E968A-B867-4123-8C05-ED6B12D364CD}  
TERM.....INCISION EDGE UNDERMINING

DATA VALUE: INCISION ODOR FOUL

-----  
ABBREVIATION.....INC OD FOU  
ACTIVE.....Yes  
DESCRIPTION.....Incision Odor Foul  
DISPLAY\_NAME.....Foul  
HELP\_TEXT.....Incision Odor Foul  
ID.....{ECDC0988-BE82-41E3-8104-A66A5F8A1093}  
TERM.....INCISION ODOR FOUL

DATA VALUE: INCISION ODOR NONE

-----  
ABBREVIATION.....INC OD NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Odor None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Odor None  
ID.....{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}  
TERM.....INCISION ODOR NONE

DATA VALUE: INCISION WOUND CLOSURE APPROXIMATED

-----

ABBREVIATION.....INC CL APP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Approximated

HELP\_TEXT.....No Help-Text

ID.....{2DD5713E-D81C-484B-A0DF-6A5730B396DF}

TERM.....INCISION WOUND CLOSURE APPROXIMATED

DATA VALUE: INCISION WOUND CLOSURE DEHISCENCE

-----

ABBREVIATION.....INC CL DEH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Dehiscence

HELP\_TEXT.....No Help-Text

ID.....{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

TERM.....INCISION WOUND CLOSURE DEHISCENCE

DATA VALUE: INCISION WOUND CLOSURE GLUE

-----

ABBREVIATION.....IN CL GLU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Glue

HELP\_TEXT.....No Help-Text  
ID.....{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}  
TERM.....INCISION WOUND CLOSURE GLUE

DATA VALUE: INCISION WOUND CLOSURE NOT CLOSED

-----  
ABBREVIATION.....INC CL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Not Closed

HELP\_TEXT.....No Help-Text

ID.....{D63A05BF-1205-45F6-A78D-15D198BCB1C6}

TERM.....INCISION WOUND CLOSURE NOT CLOSED

DATA VALUE: INCISIONAL SITE

-----  
ABBREVIATION.....INCIS SITE

ACTIVE.....Yes

DESCRIPTION.....INCISIONAL SITE

DISPLAY\_NAME.....Incisional Site

HELP\_TEXT.....INCISIONAL SITE

ID.....{19E69DE2-097B-0FA5-449D-B2E9161A3E05}

TERM.....INCISIONAL SITE



DATA VALUE: INCOMPREHENSIBLE

-----

ABBREVIATION.....INCOMPREHE

ACTIVE.....Yes

DESCRIPTION.....Incomprehensible

DISPLAY\_NAME.....Incomprehensible

HELP\_TEXT.....No Help Text

ID.....{916CD781-563D-4F54-8752-800D37BFAA3B}

TERM.....INCOMPREHENSIBLE

DATA VALUE: INCONTENENCE DERMATITIS

-----

ABBREVIATION.....INCON DERM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Incontenance Dermatitis

HELP\_TEXT.....No Help Text

ID.....{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}

TERM.....INCONTENENCE DERMATITIS

DATA VALUE: INCONTINENT

-----

ABBREVIATION.....INCONTINEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Incontinent

HELP\_TEXT.....No Help Text

ID.....{BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}

TERM.....INCONTINENT

DATA VALUE: INCREASE ROUNDS

-----

ABBREVIATION.....Inc Rds

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Increase Rounds

HELP\_TEXT.....

ID.....{873180AF-9BB9-44F4-B9E4-80F8BBDF9769}

TERM.....INCREASE ROUNDS

DATA VALUE: INDEPENDENT

-----

ABBREVIATION.....INDEPENDEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Independent

HELP\_TEXT.....No Help-Text

ID.....{11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}

TERM.....INDEPENDENT

DATA VALUE: INDICATES UNDERSTANDING

-----

ABBREVIATION.....UNDERSTAND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Indicates Understanding

HELP\_TEXT.....No Help Text

ID.....{C4AEFE5F-C388-4E00-9663-6B308934284B}

TERM.....INDICATES UNDERSTANDING

DATA VALUE: INDIFFERENT

-----

ABBREVIATION.....INDIFF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Indifferent

HELP\_TEXT.....No Help Text

ID.....{7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}

TERM.....INDIFFERENT

DATA VALUE: INDURATION

-----

ABBREVIATION.....INDURAITON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Induration (Hardness)

HELP\_TEXT.....No Help Text

ID.....{A1669576-45D9-435C-87B9-488E9CF6BBA4}

TERM.....INDURATION

DATA VALUE: INDWELLING CATHETER

-----

ABBREVIATION.....INDW CATH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Indwelling Catheter

HELP\_TEXT.....No Help Text

ID.....{EC16724C-D1EA-5650-58D4-38A89D4456F9}

TERM.....INDWELLING CATHETER

DATA VALUE: INEFFECTIVE COPING

-----

ABBREVIATION.....ic

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ineffective Coping

HELP\_TEXT.....No Help Text

ID.....{704B1A55-B639-60F4-E3A5-16F942ABC259}

TERM.....INEFFECTIVE COPING

DATA VALUE: INFECTION

-----

ABBREVIATION.....INFECTION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Infection

HELP\_TEXT.....No Help Text

ID.....{DA00DB58-640D-4294-9468-EEF070DBAE8E}

TERM.....INFECTION

DATA VALUE: INFECTION PREVENTION AND SCREENING

-----

ABBREVIATION.....INF PRE SC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Infection Prevention and Screening

HELP\_TEXT.....No Help Text

ID.....{BA58329F-59EC-49F0-BACE-75AA5EC57F52}

TERM.....INFECTION PREVENTION AND SCREENING

DATA VALUE: INFLATABLE HEEL LIFT

-----

ABBREVIATION.....INF HEEL L

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Inflatable Heel Lift

HELP\_TEXT.....No Help Text  
ID.....{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}  
TERM.....INFLATABLE HEEL LIFT

DATA VALUE: INITIATED

-----

ABBREVIATION.....INITIATED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Initiated  
HELP\_TEXT.....No Help Text  
ID.....{562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}  
TERM.....INITIATED

DATA VALUE: INSERTED THROUGH EXISTING INTRODUCER

-----

ABBREVIATION.....INS EXS IN  
ACTIVE.....Yes  
DESCRIPTION.....Inserted Through Existing Introducer  
DISPLAY\_NAME.....Inserted Through Existing Introducer  
HELP\_TEXT.....No Help Text  
ID.....{20BC183A-197F-4464-A27C-47F63C5B842A}  
TERM.....INSERTED THROUGH EXISTING INTRODUCER

DATA VALUE: INSERTED THROUGH NEW INTRODUCER

-----  
ABBREVIATION.....INS NEW IN  
ACTIVE.....Yes  
DESCRIPTION.....Inserted Through New Introducer  
DISPLAY\_NAME.....Inserted Through New Introducer  
HELP\_TEXT.....No Help Text  
ID.....{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}  
TERM.....INSERTED THROUGH NEW INTRODUCER

DATA VALUE: INSPIRATORY WHEEZES

-----  
ABBREVIATION.....INSP WHEEZ  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Inspiratory Wheezes  
HELP\_TEXT.....No Help Text  
ID.....{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}  
TERM.....INSPIRATORY WHEEZES

DATA VALUE: INTACT

-----  
ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Intact

HELP\_TEXT.....No apparent breakdown

ID.....{935C9CAF-6C88-6610-C6E9-4C1B822923AF}

TERM.....INTACT

DATA VALUE: INTENTIONAL

-----

ABBREVIATION.....i

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Intentional

HELP\_TEXT.....No Help Text

ID.....{D5BBBFFC-F739-1E69-FED4-288D8E803D04}

TERM.....INTENTIONAL

DATA VALUE: INTERMITTENT

-----

ABBREVIATION.....INTERMITTE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Intermittent

HELP\_TEXT.....No Help Text

ID.....{DD09ED7C-B977-412F-A678-5130F77D239E}

TERM.....INTERMITTENT



DATA VALUE: INTERMITTENT SLEEP

-----  
ABBREVIATION.....INT SLEEP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....States Has Slept Intermittently  
HELP\_TEXT.....No Help Text  
ID.....{5005C433-5892-4F4D-A64D-4C94AD1853E2}  
TERM.....INTERMITTENT SLEEP

DATA VALUE: INTERRUPTED

-----  
ABBREVIATION.....INTERRUPTED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Interrupted  
HELP\_TEXT.....No Help Text  
ID.....{AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}  
TERM.....INTERRUPTED

DATA VALUE: INTERVENTIONAL RADIOLOGY

-----  
ABBREVIATION.....Interv Rad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Interventional Radiology

HELP\_TEXT.....

ID.....{322B66E6-814F-43AF-B669-E503519DB72F}

TERM.....INTERVENTIONAL RADIOLOGY

DATA VALUE: INTRODUCER

-----

ABBREVIATION.....INTRODUCER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Introducer

HELP\_TEXT.....No Help Text

ID.....{B46F7CA4-C94E-68FD-2892-52866763B5A0}

TERM.....INTRODUCER

DATA VALUE: IRREGULAR

-----

ABBREVIATION.....IRREGULAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Irregular

HELP\_TEXT.....No Help Text

ID.....{6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}

TERM.....IRREGULAR

DATA VALUE: IRRITABLE

-----

ABBREVIATION.....Irritable

ACTIVE.....Yes

DESCRIPTION.....Irritable

DISPLAY\_NAME.....Irritable

HELP\_TEXT.....No Help Text

ID.....{10651C11-2736-4056-BA84-E544358BA877}

TERM.....IRRITABLE

DATA VALUE: ISOSOURCE VHN

-----

ABBREVIATION.....Iso VHN

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Isosource VHN

HELP\_TEXT.....

ID.....{D68525BF-F922-464E-97DE-1AB767974483}

TERM.....ISOSOURCE VHN

DATA VALUE: ITCHING

-----

ABBREVIATION.....Itching

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Itching

HELP\_TEXT.....

ID.....{3A1FB47B-F274-458D-BDF6-E6882D6CB600}

TERM.....ITCHING

DATA VALUE: IV DISCONTINUED

-----

ABBREVIATION.....IV DISC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....IV Discontinued

HELP\_TEXT.....No Help Text

ID.....{FDF951E7-5B72-4166-969B-073D5EC74800}

TERM.....IV DISCONTINUED

DATA VALUE: IV PUMP

-----

ABBREVIATION.....IV PUMP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....IV Pump

HELP\_TEXT.....No Help Text

ID.....{EFB92C16-CFA3-18BB-9D54-590089DA3962}

TERM.....IV PUMP

DATA VALUE: IV SEDATION

-----  
ABBREVIATION.....IV Sed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....IV Sedation  
HELP\_TEXT.....  
ID.....{789B61EB-5E83-4024-850D-D92370C4EC9A}  
TERM.....IV SEDATION

DATA VALUE: IVPB

-----  
ABBREVIATION.....IVPB  
ACTIVE.....Yes  
DESCRIPTION.....IV Piggy Back  
DISPLAY\_NAME.....IV Piggy Back  
HELP\_TEXT.....No Help Text  
ID.....{50EE76CF-5A9C-4EEB-9201-37CD90509355}  
TERM.....IVPB

DATA VALUE: JAUNDICE

-----  
ABBREVIATION.....j  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Jaundice

HELP\_TEXT.....No Help Text

ID.....{B17F4603-7C68-660D-96A7-119140A998D3}

TERM.....JAUNDICE

DATA VALUE: JEJUNOSTOMY

-----

ABBREVIATION.....JEJUNOSTOM

ACTIVE.....Yes

DESCRIPTION.....Jejunostomy EF Tube

DISPLAY\_NAME.....Jejunostomy

HELP\_TEXT.....No Help Text

ID.....{1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}

TERM.....JEJUNOSTOMY

DATA VALUE: JEVITY 1.0

-----

ABBREVIATION.....Jevity 1.0

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Jevity 1.0

HELP\_TEXT.....

ID.....{637F4523-0417-4EA4-9991-379C8362EC00}

TERM.....JEVITY 1.0

DATA VALUE: JEVITY 1.2

-----  
ABBREVIATION.....Jevity 1.2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Jevity 1.2  
HELP\_TEXT.....  
ID.....{0B3ADECE-FC19-4D90-912B-6EDC3D35C845}  
TERM.....JEVITY 1.2

DATA VALUE: JEVITY 1.5

-----  
ABBREVIATION.....Jevity 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Jevity 1.5  
HELP\_TEXT.....  
ID.....{ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}  
TERM.....JEVITY 1.5

DATA VALUE: JOINT CAPSULE

-----  
ABBREVIATION.....JOINT CAPS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Joint Capsule

HELP\_TEXT.....No Help Text

ID.....{F10E4DA8-DF84-4625-A317-724E7C9E028C}

TERM.....JOINT CAPSULE

DATA VALUE: JP DRAIN

-----

ABBREVIATION.....JP Drain

ACTIVE.....Yes

DESCRIPTION.....Jackson Pratt Drain

DISPLAY\_NAME.....JP Drain

HELP\_TEXT.....No Help Text

ID.....{20F3B3D5-D3A4-96FD-5446-253FD031DF2B}

TERM.....JP DRAIN

DATA VALUE: JUNCTIONAL

-----

ABBREVIATION.....j

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Junctional

HELP\_TEXT.....No Help Text

ID.....{4A339D84-7051-1258-877D-85AFC1CA20FE}

TERM.....JUNCTIONAL



DATA VALUE: JUNCTIONAL ESCAPE BEAT

-----  
ABBREVIATION.....Junctional  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Junctional Escape Beat  
HELP\_TEXT.....  
ID.....{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}  
TERM.....JUNCTIONAL ESCAPE BEAT

DATA VALUE: JUNCTIONAL TACHYCARDIA

-----  
ABBREVIATION.....jt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Junctional Tachycardia  
HELP\_TEXT.....  
ID.....{D6EF01C1-A8F9-40FD-AE24-785041526041}  
TERM.....JUNCTIONAL TACHYCARDIA

DATA VALUE: JUVEN

-----  
ABBREVIATION.....Juven  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Juven

HELP\_TEXT.....

ID.....{2112F76A-D581-4C55-94CA-4B4CC68813AD}

TERM.....JUVEN

DATA VALUE: K-PAD

-----

ABBREVIATION.....K-PAD

ACTIVE.....Yes

DESCRIPTION.....K-pad

DISPLAY\_NAME.....K-pad

HELP\_TEXT.....K-pad

ID.....{10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}

TERM.....K-PAD

DATA VALUE: KNIFE-LIKE

-----

ABBREVIATION.....KNIFE-LIKE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Knife-Like

HELP\_TEXT.....No Help Text

ID.....{FBA0EE3F-134B-431B-879A-9B17D65CD464}

TERM.....KNIFE-LIKE

DATA VALUE: KNOWN DONOR

-----

ABBREVIATION.....Known

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Known Donor

HELP\_TEXT.....

ID.....{74BEA6F1-8FA5-49C7-9198-957838B1C971}

TERM.....KNOWN DONOR

DATA VALUE: KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

-----

ABBREVIATION.....Known/Susp

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Known/Suspected Obstructive Sleep Apnea

HELP\_TEXT.....

ID.....{BD47DD8C-7057-403B-B393-EBCBF9907B68}

TERM.....KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

DATA VALUE: KUSSMAUL

-----

ABBREVIATION.....KUSSMAUL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Kussmaul

HELP\_TEXT.....No Help Text

ID.....{0C5ED066-F445-ABFE-F7B1-D158EC7C2976}

TERM.....KUSSMAUL

DATA VALUE: L BUNDLE BRANCH BLOCK

-----

ABBREVIATION.....lbbb

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Bundle Branch Block

HELP\_TEXT.....No Help Text

ID.....{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}

TERM.....L BUNDLE BRANCH BLOCK

DATA VALUE: L FOOT DOWN

-----

ABBREVIATION.....L FOOT DOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Foot Down

HELP\_TEXT.....No Help Text

ID.....{5B18895B-DAD5-4874-87DB-DACFFF88B170}

TERM.....L FOOT DOWN

DATA VALUE: L FOOT UP

---

ABBREVIATION.....L FOOT UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Foot Up

HELP\_TEXT.....No Help Text

ID.....{A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}

TERM.....L FOOT UP

DATA VALUE: L HEAD DOWN

---

ABBREVIATION.....L HEAD DOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Head Down

HELP\_TEXT.....No Help Text

ID.....{3C919CB8-1C0A-498D-95A6-C46D25744CEC}

TERM.....L HEAD DOWN

DATA VALUE: L HEAD UP

---

ABBREVIATION.....L HEAD UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Head Up

HELP\_TEXT.....No Help Text

ID.....{BB39792D-B572-4A10-BA81-8685809E7437}

TERM.....L HEAD UP

DATA VALUE: L NECK

-----

ABBREVIATION.....LEFT NECK

ACTIVE.....Yes

DESCRIPTION.....Left Neck

DISPLAY\_NAME.....L Neck

HELP\_TEXT.....Left Neck

ID.....{6A53228A-5BD1-6AAF-029F-701C7EFE7C48}

TERM.....L NECK

DATA VALUE: L NEPHROSTOMY

-----

ABBREVIATION.....L NEPHROST

ACTIVE.....Yes

DESCRIPTION.....Left Nephrostomy

DISPLAY\_NAME.....L Nephrostomy

HELP\_TEXT.....Left Nephrostomy

ID.....{D8FC4C18-081E-A7B9-E394-25F194BE9757}

TERM.....L NEPHROSTOMY

DATA VALUE: L STENT

-----

ABBREVIATION.....LEFT STENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Stent

HELP\_TEXT.....No Help Text

ID.....{FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}

TERM.....L STENT

DATA VALUE: L1

-----

ABBREVIATION.....L1

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....L1

HELP\_TEXT.....

ID.....{E6FA1F4F-B32B-4523-966C-9AFAD9C44316}

TERM.....L1

DATA VALUE: L2

-----

ABBREVIATION.....L2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....L2

HELP\_TEXT.....

ID.....{0E5E7F8E-BA82-499B-A57A-8D32C2113006}

TERM.....L2

DATA VALUE: L3

-----

ABBREVIATION.....L3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....L3

HELP\_TEXT.....

ID.....{0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}

TERM.....L3

DATA VALUE: L4

-----

ABBREVIATION.....L4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....L4

HELP\_TEXT.....

ID.....{94632F85-0152-47C2-9D82-B49C36ABF495}

TERM.....L4



DATA VALUE: L5

-----

ABBREVIATION.....L5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....L5

HELP\_TEXT.....

ID.....{87E93C0D-B607-4DD2-83EC-71131C072019}

TERM.....L5

DATA VALUE: LACERATION

-----

ABBREVIATION.....LACERATION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Laceration

HELP\_TEXT.....No Help Text

ID.....{F4548BB2-39AF-4E0D-B52F-472EA080D6FF}

TERM.....LACERATION

DATA VALUE: LACKS INTEREST

-----

ABBREVIATION.....LACKS INT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lacks Interest

HELP\_TEXT.....No Help Text  
ID.....{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}  
TERM.....LACKS INTEREST

DATA VALUE: LACTOSE RESTRICTED

-----  
ABBREVIATION.....LACT RESTR  
ACTIVE.....Yes  
DESCRIPTION.....Lactose Restricted  
DISPLAY\_NAME.....Lactose Restricted  
HELP\_TEXT.....No Help Text  
ID.....{78A9066A-48E2-4285-88E3-A180CE771B5A}  
TERM.....LACTOSE RESTRICTED

DATA VALUE: LANGUAGE

-----  
ABBREVIATION.....LANGUAGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Language  
HELP\_TEXT.....No Help-Text  
ID.....{0666538E-4F44-4D34-A5EA-69CF2F1F86FA}  
TERM.....LANGUAGE

DATA VALUE: LARGE

-----

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Large

HELP\_TEXT.....No Help Text

ID.....{E60D5CF9-920D-44E2-8A83-136DAB1FE251}

TERM.....LARGE

DATA VALUE: LARYNGECTOMY

-----

ABBREVIATION.....LARYNGECTO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Laryngectomy

HELP\_TEXT.....No Help Text

ID.....{225CB76A-BAF5-827E-729B-C3D60AD5B50A}

TERM.....LARYNGECTOMY

DATA VALUE: LATEX ALLERGY

-----

ABBREVIATION.....Latex Alle

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Latex Allergy

HELP\_TEXT.....

ID.....{3E7326AA-8CA4-448C-802A-111C232B2F1C}

TERM.....LATEX ALLERGY

DATA VALUE: LEFT

-----

ABBREVIATION.....LEFT

ACTIVE.....Yes

DESCRIPTION.....Left

DISPLAY\_NAME.....Left

HELP\_TEXT.....No Help Text

ID.....{81063CEE-2E83-4C95-AAEE-76B7DCB828D4}

TERM.....LEFT

DATA VALUE: LESS THAN 30

-----

ABBREVIATION.....<30

ACTIVE.....Yes

DESCRIPTION.....Less Than 30

DISPLAY\_NAME.....<30

HELP\_TEXT.....No Help Text

ID.....{5AA98A0D-9B05-425D-97CA-B8B12425AACA}

TERM.....LESS THAN 30

DATA VALUE: LETHARGIC

-----  
ABBREVIATION.....I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lethargic  
HELP\_TEXT.....No Help Text  
ID.....{4ECA2E44-093A-9354-848E-CDC72B165072}  
TERM.....LETHARGIC

DATA VALUE: LEVELED

-----  
ABBREVIATION.....LEVELED  
ACTIVE.....Yes  
DESCRIPTION.....Leveled  
DISPLAY\_NAME.....Leveled  
HELP\_TEXT.....No Help Text  
ID.....{D72523B2-E0CD-40E1-AC14-2FA43636A456}  
TERM.....LEVELED

DATA VALUE: LIBERAL DIABETIC

-----  
ABBREVIATION.....LIBRL DIAB  
ACTIVE.....Yes  
DESCRIPTION.....Liberal Diabetic  
DISPLAY\_NAME.....Liberal Diabetic

HELP\_TEXT.....No Help Text  
ID.....{9B66B47B-E77E-4F69-BDFA-5323B28A283D}  
TERM.....LIBERAL DIABETIC

DATA VALUE: LIMITED ASSISTANCE

-----  
ABBREVIATION.....LIM ASSIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited Assistance  
HELP\_TEXT.....No Help Text  
ID.....{9A8C1310-C840-431E-BA21-065B7EA7B768}  
TERM.....LIMITED ASSISTANCE

DATA VALUE: LIMITED ATTENION SPAN

-----  
ABBREVIATION.....LIM ATT S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited Attention Span  
HELP\_TEXT.....No Help Text  
ID.....{51553020-0CB9-483E-AC1C-15CA6D9380A3}  
TERM.....LIMITED ATTENION SPAN

DATA VALUE: LIMITED TO INCISION

-----  
ABBREVIATION.....ER EXI LIM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited to Incision  
HELP\_TEXT.....No Help-Text  
ID.....{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}  
TERM.....LIMITED TO INCISION

DATA VALUE: LINE FLUSH

-----  
ABBREVIATION.....LINE FLUSH  
ACTIVE.....Yes  
DESCRIPTION.....Fluid flushed from line  
DISPLAY\_NAME.....Line Flush  
HELP\_TEXT.....No Help Text  
ID.....{8DDD63BE-CF28-4C83-93FF-C81609FFDE51}  
TERM.....LINE FLUSH

DATA VALUE: LINEN CHANGE

-----  
ABBREVIATION.....Lin Change  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Linen Change

HELP\_TEXT.....

ID.....{AE30A510-112B-4F43-830E-E27FD994550A}

TERM.....LINEN CHANGE

DATA VALUE: LIP SALVE

-----

ABBREVIATION.....LIP SALVE

ACTIVE.....Yes

DESCRIPTION.....Lip Salve

DISPLAY\_NAME.....Lip Salve

HELP\_TEXT.....No Help Text

ID.....{612F78AB-7386-4176-9896-02DE5A8E836D}

TERM.....LIP SALVE

DATA VALUE: LISTED DIET

-----

ABBREVIATION.....LIST DIET

ACTIVE.....Yes

DESCRIPTION.....Listed Diet

DISPLAY\_NAME.....Listed Diet

HELP\_TEXT.....No Help Text

ID.....{24FBBFD9-B426-4DD9-9843-3428A1C91676}

TERM.....LISTED DIET



DATA VALUE: LOCAL

-----  
ABBREVIATION.....Local  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Local  
HELP\_TEXT.....  
ID.....{64A0FD20-4584-446C-8A2A-57F2FEF3DD10}  
TERM.....LOCAL

DATA VALUE: LOCALIZES TO PAIN

-----  
ABBREVIATION.....LOC TO PAI  
ACTIVE.....Yes  
DESCRIPTION.....Localizes To Pain  
DISPLAY\_NAME.....Localizes To Pain  
HELP\_TEXT.....No Help Text  
ID.....{4072DFF9-2D90-423F-B6F0-0F2B924025D9}  
TERM.....LOCALIZES TO PAIN

DATA VALUE: LOCK BOX

-----  
ABBREVIATION.....Lock Box  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lock Box

HELP\_TEXT.....

ID.....{974A2F44-C918-4E85-ABAF-03A21498F98B}

TERM.....LOCK BOX

DATA VALUE: LOCKER

-----

ABBREVIATION.....Locker

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Locker

HELP\_TEXT.....

ID.....{36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

TERM.....LOCKER

DATA VALUE: LOOSE

-----

ABBREVIATION.....LOOSE

ACTIVE.....Yes

DESCRIPTION.....Loose

DISPLAY\_NAME.....Loose

HELP\_TEXT.....No Help Text

ID.....{1346A74E-3AA1-4D81-876B-91201F9717A5}

TERM.....LOOSE

DATA VALUE: LOW

-----

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Low

HELP\_TEXT.....No Help Text

ID.....{B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}

TERM.....LOW

DATA VALUE: LOW AIRLOSS OVERLAY

-----

ABBREVIATION.....L AIR OVRL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Low Airloss Overlay

HELP\_TEXT.....No Help Text

ID.....{282C439C-A697-43E6-85C1-786352EB56BC}

TERM.....LOW AIRLOSS OVERLAY

DATA VALUE: LOW AIRLOSS/ALTERNATING PRESSURE COMBO

-----

ABBREVIATION.....L AIRL ALT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Low Airloss/Alternating Pressure Combo

HELP\_TEXT.....No Help Text

ID.....{ADDD1260-C95B-4D7B-AB89-3749D76A3700}

TERM.....LOW AIRLOSS/ALTERNATING PRESSURE COMBO

DATA VALUE: LOW CHOLESTEROL

-----

ABBREVIATION.....LOW CHOLES

ACTIVE.....Yes

DESCRIPTION.....Low Cholesterol

DISPLAY\_NAME.....Low Cholesterol

HELP\_TEXT.....No Help Text

ID.....{88F0170A-2560-48C6-9604-982453BCFC3B}

TERM.....LOW CHOLESTEROL

DATA VALUE: LOW FIBER

-----

ABBREVIATION.....LOW FIBER

ACTIVE.....Yes

DESCRIPTION.....Low Fiber

DISPLAY\_NAME.....Low Fiber

HELP\_TEXT.....No Help Text

ID.....{2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}

TERM.....LOW FIBER

DATA VALUE: LOW PROTEIN 60 GM

-----

ABBREVIATION.....L PROT 60g

ACTIVE.....Yes

DESCRIPTION.....Low Protein 60 GM

DISPLAY\_NAME.....Low Protein 60 GM

HELP\_TEXT.....No Help Text

ID.....{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}

TERM.....LOW PROTEIN 60 GM

DATA VALUE: LOW TYRAMINE

-----

ABBREVIATION.....LOW TYRAMI

ACTIVE.....Yes

DESCRIPTION.....Low Tyramine

DISPLAY\_NAME.....Low Tyramine

HELP\_TEXT.....No Help Text

ID.....{DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}

TERM.....LOW TYRAMINE

DATA VALUE: LP: LIGHT PERCEPTION

-----

ABBREVIATION.....LP

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....LP: Light Perception

HELP\_TEXT.....

ID.....{3B5C4FA1-6770-4347-B5FB-2B0554D71339}

TERM.....LP: LIGHT PERCEPTION

DATA VALUE: LPP: LIGHT PERCEPTION WITH PROJECTION

-----

ABBREVIATION.....LPP

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....LPP: Light Perception with Projection

HELP\_TEXT.....

ID.....{29ED35AA-49C5-4835-AF43-17173333A2BB}

TERM.....LPP: LIGHT PERCEPTION WITH PROJECTION

DATA VALUE: LUMBAR DRAIN

-----

ABBREVIATION.....LUM DRAIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lumbar Drain

HELP\_TEXT.....No Help Text

ID.....{FF36A046-1799-0734-286B-2272C34E3056}

TERM.....LUMBAR DRAIN

DATA VALUE: LUMBAR SPINAL PRECAUTIONS

-----  
ABBREVIATION.....LUMB S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lumbar Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}  
TERM.....LUMBAR SPINAL PRECAUTIONS

DATA VALUE: LUNCH

-----  
ABBREVIATION.....Lunch  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lunch  
HELP\_TEXT.....  
ID.....{9CF74807-8CA5-491F-98C4-97A5476FCE30}  
TERM.....LUNCH

DATA VALUE: LVN

-----  
ABBREVIATION.....LVN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....LVN

HELP\_TEXT.....

ID.....{8F8300FD-5A33-4B01-9F0B-901E2A3D96AB}

TERM.....LVN

DATA VALUE: LVN/LPN

---

ABBREVIATION.....LVN/LPN

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....LVN/LPN

HELP\_TEXT.....

ID.....{DC89CD99-80C5-4455-A280-3A19E74DCE7D}

TERM.....LVN/LPN

DATA VALUE: LYING OR SITTING

---

ABBREVIATION.....los

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lying Or Sitting

HELP\_TEXT.....No Help Text

ID.....{52A940B1-55AF-AB4E-9E59-F93515A1296C}

TERM.....LYING OR SITTING



DATA VALUE: MACERATION

-----  
ABBREVIATION.....MACERATION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....MACERATION  
HELP\_TEXT.....No Help Text  
ID.....{B7C63E05-E193-40AA-A572-F1ACA0162B8B}  
TERM.....MACERATION

DATA VALUE: MAGNACAL

-----  
ABBREVIATION.....MAGNACAL  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Magnacal  
HELP\_TEXT.....No Help Text  
ID.....{C810A618-FB1A-45BB-A540-EADF1414E343}  
TERM.....MAGNACAL

DATA VALUE: MAINTAINING EFFECTIVE VENTILATION

-----  
ABBREVIATION.....EFF VENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Maintaining Effective Ventilation

HELP\_TEXT.....No Help Text  
ID.....{18774550-ECBD-412D-AD95-131FAA4CC549}  
TERM.....MAINTAINING EFFECTIVE VENTILATION

DATA VALUE: MAROON

-----

ABBREVIATION.....MAROON  
ACTIVE.....Yes  
DESCRIPTION.....Maroon in appearance  
DISPLAY\_NAME.....Maroon  
HELP\_TEXT.....No Help Text  
ID.....{1F518B23-C79F-4F06-9DF3-ADC5C96D3029}  
TERM.....MAROON

DATA VALUE: MD

-----

ABBREVIATION.....MD  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....MD  
HELP\_TEXT.....  
ID.....{9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8}  
TERM.....MD

DATA VALUE: MEAL

-----

ABBREVIATION.....MEAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Meal

HELP\_TEXT.....No Help Text

ID.....{85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}

TERM.....MEAL

DATA VALUE: MECHANICAL

-----

ABBREVIATION.....MECHANICAL

ACTIVE.....Yes

DESCRIPTION.....Mechanical

DISPLAY\_NAME.....Mechanical

HELP\_TEXT.....No Help Text

ID.....{01EA793C-B524-4685-A3EC-60A317CBACC5}

TERM.....MECHANICAL

DATA VALUE: MED RECONCILLIATION DOCUMENTED

-----

ABBREVIATION.....ME RE DO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Med Reconcillation Documented

HELP\_TEXT.....No Help Text  
ID.....{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}  
TERM.....MED RECONCILLIATION DOCUMENTED

DATA VALUE: MEDIAL PORT

---

ABBREVIATION.....MEDI PORT  
ACTIVE.....Yes  
DESCRIPTION.....Medial Port  
DISPLAY\_NAME.....Medial Port  
HELP\_TEXT.....No Help Text  
ID.....{D1734D73-2E1A-4538-8884-05D8A78CF556}  
TERM.....MEDIAL PORT

DATA VALUE: MEDICAL DEVICE SAFETY

---

ABBREVIATION.....mds  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medical Device Safety  
HELP\_TEXT.....No Help Text  
ID.....{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}  
TERM.....MEDICAL DEVICE SAFETY

DATA VALUE: MEDICAL NECESSITY CONFIRMED

-----  
ABBREVIATION.....med nec  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Medical Necessity Confirmed  
HELP\_TEXT.....  
ID.....{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}  
TERM.....MEDICAL NECESSITY CONFIRMED

DATA VALUE: MEDICATION

-----  
ABBREVIATION.....MEDICATION  
ACTIVE.....Yes  
DESCRIPTION.....Medication  
DISPLAY\_NAME.....Medication  
HELP\_TEXT.....No Help Text  
ID.....{22E6DEBB-9662-466B-990C-8DA500C0A183}  
TERM.....MEDICATION

DATA VALUE: MEDICATION ROOM

-----  
ABBREVIATION.....mr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medication Room

HELP\_TEXT.....No Help Text  
ID.....{9571AA9F-F538-55EC-37F6-99FE5677B970}  
TERM.....MEDICATION ROOM

DATA VALUE: MEDIUM

---

ABBREVIATION.....MEDIUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medium  
HELP\_TEXT.....No Help Text  
ID.....{62C94066-A7B6-CAA8-064B-2AF7C0DA6323}  
TERM.....MEDIUM

DATA VALUE: MEMORY

---

ABBREVIATION.....MEMORY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Memory  
HELP\_TEXT.....No Help Text  
ID.....{E30C1930-B98B-4382-B892-34E9C6008D1F}  
TERM.....MEMORY

DATA VALUE: MENTAL HEALTH

-----

ABBREVIATION.....MEN HEAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Mental Health

HELP\_TEXT.....No Help Text

ID.....{ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}

TERM.....MENTAL HEALTH

DATA VALUE: MENTAL HEALTH HOLD

-----

ABBREVIATION.....MEN HEA HO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Mental Health Hold

HELP\_TEXT.....No Help Text

ID.....{31560285-7BD5-4E53-BB77-93B244367F42}

TERM.....MENTAL HEALTH HOLD

DATA VALUE: MENTAL STATUS - AWAKE ORIENTED

-----

ABBREVIATION.....M/S Awake

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Mental Status - Awake Oriented

HELP\_TEXT.....

ID.....{37818468-4798-4CBE-82ED-A793BDD10874}

TERM.....MENTAL STATUS - AWAKE ORIENTED

DATA VALUE: MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA

-----

ABBREVIATION.....M/S Demen

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Mental Status - Baseline for Dementia

HELP\_TEXT.....

ID.....{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}

TERM.....MENTAL STATUS - BASELINE FOR KNOWN  
DEMENTIA

DATA VALUE: METAL IMPLANTS

-----

ABBREVIATION.....Metal Impl

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Metal Implants

HELP\_TEXT.....

ID.....{E7424C97-0A81-4C4E-916E-0AE812FFDB96}

TERM.....METAL IMPLANTS



DATA VALUE: MICU

-----

ABBREVIATION.....MICU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....MICU

HELP\_TEXT.....No Help Text

ID.....{28244B62-644C-4DA0-A350-EAFE0D2FA7C0}

TERM.....MICU

DATA VALUE: MILD-MODERATELY REDUCED

-----

ABBREVIATION.....MI-MOD-RED

ACTIVE.....Yes

DESCRIPTION.....Mild-Moderately Reduced

DISPLAY\_NAME.....Mild-Moderately Reduced

HELP\_TEXT.....No Help Text

ID.....{41DA2518-0E49-4E92-A733-3ACF3D2E8199}

TERM.....MILD-MODERATELY REDUCED

DATA VALUE: MILLIGRAMS PER KILOGRAM PER HOUR

-----

ABBREVIATION.....mg/kg/hr

ACTIVE.....Yes

DESCRIPTION.....Milligrams per Kilogram per Hour

DISPLAY\_NAME.....mg/kg/hr

HELP\_TEXT.....Milligrams per Kilogram per Hour  
ID.....{731B270D-C8C5-4910-B4B0-AC101555108A}  
TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

DATA VALUE: MISSING

---

ABBREVIATION.....MISSING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Missing  
HELP\_TEXT.....No Help Text  
ID.....{80019911-11DA-6569-751E-ECAE0D1BC7DF}  
TERM.....MISSING

DATA VALUE: MOANING

---

ABBREVIATION.....MOANING  
ACTIVE.....Yes  
DESCRIPTION.....Moaning  
DISPLAY\_NAME.....Moaning  
HELP\_TEXT.....No Help Text  
ID.....{A71E3515-AA20-4B0E-9CB8-1612F76BA406}  
TERM.....MOANING

DATA VALUE: MODERATE

-----

ABBREVIATION.....MODERATE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Moderate

HELP\_TEXT.....No Help Text

ID.....{C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}

TERM.....MODERATE

DATA VALUE: MODERATE SEDATION

-----

ABBREVIATION.....Mod Sed

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Moderate Sedation

HELP\_TEXT.....

ID.....{C874EDC7-24BF-4F39-8FDA-E8D1193A8428}

TERM.....MODERATE SEDATION

DATA VALUE: MODERATE-SEVERELY REDUCED

-----

ABBREVIATION.....MO-SEV RED

ACTIVE.....Yes

DESCRIPTION.....Moderate-Severely Reduced

DISPLAY\_NAME.....Moderate-Severely Reduced

HELP\_TEXT.....No Help Text  
ID.....{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}  
TERM.....MODERATE-SEVERELY REDUCED

DATA VALUE: MODERATELY REDUCED

-----  
ABBREVIATION.....MOD REDUCE  
ACTIVE.....Yes  
DESCRIPTION.....Moderately Reduced  
DISPLAY\_NAME.....Moderately Reduced  
HELP\_TEXT.....No Help Text  
ID.....{91F73300-7EE0-428C-A838-5B3BE062D8BC}  
TERM.....MODERATELY REDUCED

DATA VALUE: MOIST

-----  
ABBREVIATION.....m  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Moist  
HELP\_TEXT.....No Help Text  
ID.....{AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}  
TERM.....MOIST

DATA VALUE: MOTORIZED WHEELCHAIR

-----  
ABBREVIATION.....MO WH CH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Motorized Wheelchair  
HELP\_TEXT.....No Help Text  
ID.....{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}  
TERM.....MOTORIZED WHEELCHAIR

DATA VALUE: MOTTLED

-----  
ABBREVIATION.....m  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mottled  
HELP\_TEXT.....No Help Text  
ID.....{4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}  
TERM.....MOTTLED

DATA VALUE: MOUTHWASH USED

-----  
ABBREVIATION.....MOUTHWASH  
ACTIVE.....Yes  
DESCRIPTION.....Mouthwash Used  
DISPLAY\_NAME.....Mouthwash Used

HELP\_TEXT.....No Help Text  
ID.....{9F7EF355-12A4-4EBA-92ED-0F38273E411B}  
TERM.....MOUTHWASH USED

DATA VALUE: MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXA  
MINER

-----  
ABBREVIATION.....magareobte  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Movement Against Gravity And  
Resistance, Easily Overcome By The  
Examiner

HELP\_TEXT.....No Help Text  
ID.....{2ECCC197-4A81-025F-3EF3-6214004887A9}  
TERM.....MOVE AGAINST GRAVITY AND RESISTANCE,  
EASILY OVERCOME BY THE EXAMINER

DATA VALUE: MOVE AGAINST GRAVITY BUT NO RESISTANCE

-----  
ABBREVIATION.....magbnr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Movement Against Gravity But No  
Resistance

HELP\_TEXT.....No Help Text  
ID.....{F995A165-8536-C493-2269-286E8EFF5E43}

TERM.....MOVE AGAINST GRAVITY BUT NO RESISTANCE

DATA VALUE: MOVEMENT WITH GRAVITY ELIMINATED

-----  
ABBREVIATION.....mwge  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Movement With Gravity Eliminated  
HELP\_TEXT.....No Help Text  
ID.....{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}  
TERM.....MOVEMENT WITH GRAVITY ELIMINATED

DATA VALUE: MUCOID

-----  
ABBREVIATION.....MUCOID  
ACTIVE.....Yes  
DESCRIPTION.....Muroid in appearance  
DISPLAY\_NAME.....Muroid  
HELP\_TEXT.....No Help Text  
ID.....{073E5514-DACE-4F43-ADE5-91A1A87D6601}  
TERM.....MUCOID

DATA VALUE: MULTIFOCAL PVC

-----  
ABBREVIATION.....Mult PVC  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Multifocal PVC



HELP\_TEXT.....

ID.....{34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}

TERM.....MULTIFOCAL PVC

DATA VALUE: MULTIPODOUS

---

ABBREVIATION.....MULTIPODOU

ACTIVE.....Yes

DESCRIPTION.....Multipodous

DISPLAY\_NAME.....Multipodous

HELP\_TEXT.....No Help Text

ID.....{ED098F9D-B204-4310-813A-98D91FF9DD25}

TERM.....MULTIPODOUS

DATA VALUE: MURMUR

---

ABBREVIATION.....MURMUR

ACTIVE.....Yes

DESCRIPTION.....MURMUR

DISPLAY\_NAME.....Murmur

HELP\_TEXT.....MURMUR

ID.....{591058E0-4B71-E432-B7D7-EBD42A8C4225}

TERM.....MURMUR

DATA VALUE: MUSHROOM CATHETER

-----  
ABBREVIATION.....MUSH CATHE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mushroom Catheter  
HELP\_TEXT.....No Help Text  
ID.....{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}  
TERM.....MUSHROOM CATHETER

DATA VALUE: MUTIFOCAL ATRIAL TACHYCARDIA

-----  
ABBREVIATION.....mat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Multifocal Atrial Tachycardia  
HELP\_TEXT.....  
ID.....{562C6BBD-C210-4467-93B3-8E50640E7CCE}  
TERM.....MUTIFOCAL ATRIAL TACHYCARDIA

DATA VALUE: N/A

-----  
ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....N/A

HELP\_TEXT.....No Help Text

ID.....{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

TERM.....N/A

DATA VALUE: NA

---

ABBREVIATION.....NA

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....NA

HELP\_TEXT.....

ID.....{1993F8D9-D536-4ECA-AFAD-366F79BA0CBD}

TERM.....NA

DATA VALUE: NAIL CARE

---

ABBREVIATION.....NAIL CARE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Nail Care

HELP\_TEXT.....No Help Text

ID.....{B783A171-1F0A-4135-8535-85776B81AB68}

TERM.....NAIL CARE

DATA VALUE: NAPS ONLY

-----  
ABBREVIATION.....NAPS ONLY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Naps Only  
HELP\_TEXT.....No Help Text  
ID.....{CF749F5C-2E4B-419A-B020-C81B30A7E482}  
TERM.....NAPS ONLY

DATA VALUE: NASAL

-----  
ABBREVIATION.....NASAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal  
HELP\_TEXT.....No Help Text  
ID.....{0F73F0CB-E25E-4611-9625-62E6F1596A9B}  
TERM.....NASAL

DATA VALUE: NASAL ENDOTRACHEAL

-----  
ABBREVIATION.....Nasal Endo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal Endotracheal

HELP\_TEXT.....No Help Text  
ID.....{C631352E-CAB5-0409-6133-E5D11ECC3293}  
TERM.....NASAL ENDOTRACHEAL

DATA VALUE: NASAL INTESTINAL SMALL BORE

-----  
ABBREVIATION.....N INT SM B  
ACTIVE.....Yes  
DESCRIPTION.....Nasal Intestinal Small Bore EF Tube  
DISPLAY\_NAME.....Nasal Intestinal Small Bore  
HELP\_TEXT.....No Help Text  
ID.....{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}  
TERM.....NASAL INTESTINAL SMALL BORE

DATA VALUE: NASAL SMALL BOWEL FEEDING TUBE

-----  
ABBREVIATION.....NAS SM BOW  
ACTIVE.....Yes  
DESCRIPTION.....Nasal Small Bowel Feeding Tube  
DISPLAY\_NAME.....Nasal Small Bowel Feeding Tube  
HELP\_TEXT.....No Help Text  
ID.....{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}  
TERM.....NASAL SMALL BOWEL FEEDING TUBE

DATA VALUE: NASAL TRUMPET

-----  
ABBREVIATION.....NASAL TRUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal Trumpet  
HELP\_TEXT.....No Help Text  
ID.....{2FFB8510-793C-D6A4-838E-20FF7CD26533}  
TERM.....NASAL TRUMPET

DATA VALUE: NASOGASTRIC LARGE BORE TUBE

-----  
ABBREVIATION.....NG LG BORE  
ACTIVE.....Yes  
DESCRIPTION.....Nasogastric Large Bore EF Tube  
DISPLAY\_NAME.....Nasogastric Large Bore  
HELP\_TEXT.....No Help Text  
ID.....{C3FEE16A-9998-455B-BEB8-CC55AF890202}  
TERM.....NASOGASTRIC LARGE BORE TUBE

DATA VALUE: NASOGASTRIC TUBE

-----  
ABBREVIATION.....NG TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Nasogastric Tube  
DISPLAY\_NAME.....Nasogastric Tube

HELP\_TEXT.....No Help Text  
ID.....{6475E343-A310-48A5-B543-D29573E7684D}  
TERM.....NASOGASTRIC TUBE

DATA VALUE: NASOGASTRIC TUBE SMALL BORE

-----  
ABBREVIATION.....NGT SMALL  
ACTIVE.....Yes  
DESCRIPTION.....NGT Small Bore Tube  
DISPLAY\_NAME.....Nasal Gastric Tube Small Bore  
HELP\_TEXT.....No Help Text  
ID.....{D9FDAD80-9BE2-4B96-87C6-1D25D26D2959}  
TERM.....NASOGASTRIC TUBE SMALL BORE

DATA VALUE: NAUSEA

-----  
ABBREVIATION.....NAUSEA  
ACTIVE.....Yes  
DESCRIPTION.....Nausea  
DISPLAY\_NAME.....Nausea  
HELP\_TEXT.....Nausea  
ID.....{6BF33DC3-0300-4643-BB14-27C35692B806}  
TERM.....NAUSEA

DATA VALUE: NEAT

-----

ABBREVIATION.....NEAT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Neat

HELP\_TEXT.....No Help Text

ID.....{8B01F7B8-B626-4143-A092-1E732EEB4A05}

TERM.....NEAT

DATA VALUE: NECROTIC

-----

ABBREVIATION.....NECROTIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Necrotic

HELP\_TEXT.....No Help Text

ID.....{86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}

TERM.....NECROTIC

DATA VALUE: NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY

-----

ABBREVIATION.....Needleless

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Needleless Hub Disinfected and



Accessed per Policy

HELP\_TEXT.....

ID.....{5D9D8D90-9B39-4DF3-8095-755235687F45}

TERM.....NEEDLELESS HUB DISINFECTED AND  
ACCESSED PER POLICY

DATA VALUE: NEEDS REINFORCEMENT

-----

ABBREVIATION.....NEED REINF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Needs Reinforcement

HELP\_TEXT.....No Help Text

ID.....{B6171F65-4530-418D-A63B-65DFFF522786}

TERM.....NEEDS REINFORCEMENT

DATA VALUE: NEGATIVE PRESSURE

-----

ABBREVIATION.....NEG PRESSU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Negative Pressure

HELP\_TEXT.....No Help Text

ID.....{6D6CB4BB-96B0-4978-97CC-116A03479DAD}

TERM.....NEGATIVE PRESSURE

DATA VALUE: NEGATIVE PRESSURE THERAPY DEVICE

-----  
ABBREVIATION.....NEG PRE TH  
ACTIVE.....Yes  
DESCRIPTION.....Negative Pressure Therapy Device  
DISPLAY\_NAME.....Negative Pressure Therapy Device  
HELP\_TEXT.....No Help Text  
ID.....{8AF0A069-66AD-4114-99D8-238AD987F0FF}  
TERM.....NEGATIVE PRESSURE THERAPY DEVICE

DATA VALUE: NEPRO

-----  
ABBREVIATION.....Nepro  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nepro  
HELP\_TEXT.....  
ID.....{00FFC7A1-5CDA-45AF-BD50-D77666A23851}  
TERM.....NEPRO

DATA VALUE: NEPRO CARB STEADY

-----  
ABBREVIATION.....Nepro Car  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nepro Carb Steady

HELP\_TEXT.....

ID.....{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}

TERM.....NEPRO CARB STEADY

DATA VALUE: NEPRO RENAL FORMULA

-----

ABBREVIATION.....NEP RENAL

ACTIVE.....Yes

DESCRIPTION.....Nepro Renal Enteral Nutrition Formula

DISPLAY\_NAME.....Nepro Renal Enteral Nutrition Formula

HELP\_TEXT.....No Help Text

ID.....{B8F28816-BC81-443F-AEC5-DBAE4D435998}

TERM.....NEPRO RENAL FORMULA

DATA VALUE: NEUROGENIC BLADDER

-----

ABBREVIATION.....Neuro Blad

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Neurogenic Bladder

HELP\_TEXT.....

ID.....{D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}

TERM.....NEUROGENIC BLADDER

DATA VALUE: NEUTRAL PRESSURE CONNECTOR

-----  
ABBREVIATION.....N Pres Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Neutral Pressure Connector  
HELP\_TEXT.....  
ID.....{263F1A2C-4384-4B6A-B930-B9AF85B7F965}  
TERM.....NEUTRAL PRESSURE CONNECTOR

DATA VALUE: NEUTROPENIC

-----  
ABBREVIATION.....NEUTROPENI  
ACTIVE.....Yes  
DESCRIPTION.....Neutropenic Diet  
DISPLAY\_NAME.....Neutropenic  
HELP\_TEXT.....No Help Text  
ID.....{5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}  
TERM.....NEUTROPENIC

DATA VALUE: NEW ADMISSION EDUCATION

-----  
ABBREVIATION.....N ADM EDU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....New Admission Education

HELP\_TEXT.....No Help Text  
ID.....{1890BC97-FEEB-4BED-A054-3C754C01817B}  
TERM.....NEW ADMISSION EDUCATION

DATA VALUE: NEW SITE

-----  
ABBREVIATION.....NEW SITE  
ACTIVE.....Yes  
DESCRIPTION.....New Site  
DISPLAY\_NAME.....New Site  
HELP\_TEXT.....No Help Text  
ID.....{10B1FF61-E58E-4608-9CCB-9232BC964418}  
TERM.....NEW SITE

DATA VALUE: NIGHT LIGHT PROVIDED

-----  
ABBREVIATION.....Night Lite  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Night Light Provided  
HELP\_TEXT.....  
ID.....{A6F3E41A-92A1-4AAE-9EFC-84D21E8A32BD}  
TERM.....NIGHT LIGHT PROVIDED

DATA VALUE: NLP: NO LIGHT PERCEPTION

-----  
ABBREVIATION.....NLP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....NLP: No Light Perception  
HELP\_TEXT.....  
ID.....{F710E3C5-9B5A-4826-876D-B5675F9AA67E}  
TERM.....NLP: NO LIGHT PERCEPTION

DATA VALUE: NO

-----  
ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....No  
HELP\_TEXT.....No Help Text  
ID.....{FC275445-1225-9912-18A3-DF36245893D3}  
TERM.....NO

DATA VALUE: NO BREAK IN EPIDERMIS

-----  
ABBREVIATION.....NO BREAK E  
ACTIVE.....Yes  
DESCRIPTION.....No Break In Epidermis  
DISPLAY\_NAME.....No Break In Epidermis

HELP\_TEXT.....No Help Text

ID.....{615D96CD-6096-446B-BDDF-3F7242936AF9}

TERM.....NO BREAK IN EPIDERMIS

DATA VALUE: NO MOVEMENT

-----

ABBREVIATION.....nm

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....No Movement

HELP\_TEXT.....No Help Text

ID.....{2618E301-379B-BAB9-9EDE-98FD4B60D311}

TERM.....NO MOVEMENT

DATA VALUE: NO PREFERENCE

-----

ABBREVIATION.....No Pref

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....No Preference

HELP\_TEXT.....

ID.....{CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}

TERM.....NO PREFERENCE

DATA VALUE: NO SIGNS AND SYMPTOMS

-----

ABBREVIATION.....NO SIG&SYM

ACTIVE.....Yes

DESCRIPTION.....No Signs And Symptoms

DISPLAY\_NAME.....No Signs And Symptoms

HELP\_TEXT.....No Help Text

ID.....{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}

TERM.....NO SIGNS AND SYMPTOMS

DATA VALUE: NO WANDERING PREVENTION MEASURES APPLIED

-----

ABBREVIATION.....No Wan App

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....No Wandering Prevention Measures

Applied

HELP\_TEXT.....

ID.....{6967F640-223E-46CE-82F9-0E4D87745D94}

TERM.....NO WANDERING PREVENTION MEASURES

APPLIED

DATA VALUE: NO WANDERING PREVENTION MEASURES NEEDED

-----

ABBREVIATION.....No Wan Nee

ACTIVE.....Yes



DESCRIPTION.....

DISPLAY\_NAME.....No Wandering Prevention Measures Needed

HELP\_TEXT.....

ID.....{8D39BA2B-24C6-4355-9AC2-4AAAD2E66D9B}

TERM.....NO WANDERING PREVENTION MEASURES NEEDED

DATA VALUE: NON-ADHERENT GAUZE

-----

ABBREVIATION.....NON-AD GAU

ACTIVE.....Yes

DESCRIPTION.....Non-Adherent Gauze

DISPLAY\_NAME.....Non-Adherent gauze

HELP\_TEXT.....No Help Text

ID.....{1DBF7C56-F5C2-42B5-AB59-B39A5069A414}

TERM.....NON-ADHERENT GAUZE

DATA VALUE: NON-PITTING

-----

ABBREVIATION.....NON-PITTIN

ACTIVE.....Yes

DESCRIPTION.....NON-PITTING

DISPLAY\_NAME.....Non-Pitting

HELP\_TEXT.....NON-PITTING

ID.....{786DEC76-36DE-FDC7-885C-F84210F7C7D2}

TERM.....NON-PITTING

DATA VALUE: NON-PRODUCTIVE

-----  
ABBREVIATION.....np  
ACTIVE.....Yes  
DESCRIPTION.....Does not produce desired result  
DISPLAY\_NAME.....Non-Productive  
HELP\_TEXT.....Does not produce desired result  
ID.....{9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}  
TERM.....NON-PRODUCTIVE

DATA VALUE: NON-SKID SLIPPERS

-----  
ABBREVIATION.....Non-Skid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Non-Skid Slippers  
HELP\_TEXT.....  
ID.....{D7641B31-2CB9-4284-B505-74B131BF4789}  
TERM.....NON-SKID SLIPPERS

DATA VALUE: NON-TENDER

-----  
ABBREVIATION.....NON-TENDER  
ACTIVE.....Yes  
DESCRIPTION.....Not Tender  
DISPLAY\_NAME.....Non-Tender

HELP\_TEXT.....No Help Text  
ID.....{5A3D41C0-A83D-4382-A573-D6884BB1670B}  
TERM.....NON-TENDER

DATA VALUE: NONBLANCHABLE ERYTHEMA

-----  
ABBREVIATION.....N BLAN ERY  
ACTIVE.....Yes  
DESCRIPTION.....Nonblanchable Erythema  
DISPLAY\_NAME.....Nonblanchable Erythema  
HELP\_TEXT.....No Help Text  
ID.....{30273ACE-03F3-4818-995B-26586AAB5499}  
TERM.....NONBLANCHABLE ERYTHEMA

DATA VALUE: NONE

-----  
ABBREVIATION.....NONE  
ACTIVE.....Yes  
DESCRIPTION.....None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help Text  
ID.....{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
TERM.....NONE

DATA VALUE: NONE IDENTIFIED AT THIS VISIT

-----

ABBREVIATION.....None

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....None identified at this Visit

HELP\_TEXT.....

ID.....{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}

TERM.....NONE IDENTIFIED AT THIS VISIT

DATA VALUE: NONREACTIVE

-----

ABBREVIATION.....nonreact

ACTIVE.....Yes

DESCRIPTION.....Nonreactive

DISPLAY\_NAME.....Nonreactive

HELP\_TEXT.....No Help Text

ID.....{AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}

TERM.....NONREACTIVE

DATA VALUE: NORMAL

-----

ABBREVIATION.....n

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Normal

HELP\_TEXT.....No Help Text  
ID.....{553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
TERM.....NORMAL

DATA VALUE: NORMAL FOR ETHNIC GROUP

-----  
ABBREVIATION.....ETH. NORM.  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal for ethnic group  
HELP\_TEXT.....Skin color is normal for ethnic group  
ID.....{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}  
TERM.....NORMAL FOR ETHNIC GROUP

DATA VALUE: NORMAL POWER

-----  
ABBREVIATION.....np  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal Power  
HELP\_TEXT.....No Help Text  
ID.....{0E45C061-0744-8A21-7256-003702A5005B}  
TERM.....NORMAL POWER

DATA VALUE: NORMAL SINUS

-----

ABBREVIATION.....ns  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal Sinus  
HELP\_TEXT.....No Help Text  
ID.....{735DC86D-08CD-1533-5A36-4775A882C507}  
TERM.....NORMAL SINUS

DATA VALUE: NORMAL STOOL

-----

ABBREVIATION.....NORM STOOL  
ACTIVE.....Yes  
DESCRIPTION.....Normal Stool  
DISPLAY\_NAME.....Normal Stool  
HELP\_TEXT.....No Help Text  
ID.....{486B0693-CAC5-48EE-B2E6-1F73C651418A}  
TERM.....NORMAL STOOL

DATA VALUE: NOT DONE

-----

ABBREVIATION.....NOT DONE  
ACTIVE.....Yes  
DESCRIPTION.....Not Done  
DISPLAY\_NAME.....Not Done

HELP\_TEXT.....No Help Text

ID.....{C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

TERM.....NOT DONE

DATA VALUE: NOT MONITORED

-----

ABBREVIATION.....NOT MONITO

ACTIVE.....Yes

DESCRIPTION.....Not Monitored

DISPLAY\_NAME.....Not Monitored

HELP\_TEXT.....No Help Text

ID.....{0E6A8A07-48E0-428F-8D86-22572CABCF48}

TERM.....NOT MONITORED

DATA VALUE: NOVASOURCE 2.0

-----

ABBREVIATION.....NOVAS 2.0

ACTIVE.....Yes

DESCRIPTION.....Novasource 2.0 Enteral Nutrition

Formula

DISPLAY\_NAME.....Novasource 2.0 Enteral Nutrition

Formula

HELP\_TEXT.....No Help Text

ID.....{ACE82591-502A-4FBA-9697-B1B330DED78A}

TERM.....NOVASOURCE 2.0

DATA VALUE: NP

-----

ABBREVIATION.....NP

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....NP

HELP\_TEXT.....

ID.....{E7EA4017-4374-41A1-9D3D-54051CEDF63C}

TERM.....NP

DATA VALUE: NPO DIET

-----

ABBREVIATION.....NPO DIET

ACTIVE.....Yes

DESCRIPTION.....Nothing By Mouth Diet

DISPLAY\_NAME.....NPO Diet

HELP\_TEXT.....Nothing By Mouth Diet

ID.....{BEC8F771-B082-40A2-9EE8-553222A25FBF}

TERM.....NPO DIET

DATA VALUE: NSG ASSIST

-----

ABBREVIATION.....Nsg Assist

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Nsg Assist



HELP\_TEXT.....

ID.....{14FA9638-3786-4FEA-BE8F-2345C1F455C3}

TERM.....NSG ASSIST

DATA VALUE: NUMB

---

ABBREVIATION.....NUMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....NUMB

HELP\_TEXT.....No Help Text

ID.....{652634C0-5334-4D56-BE57-5F58F952FF0D}

TERM.....NUMB

DATA VALUE: NUMBER: SPECIFY

---

ABBREVIATION.....Specify

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Number: Specify

HELP\_TEXT.....When "Number" is selected, enter

numeric value as a "Comment"

ID.....{397D773F-78F9-4E69-9A84-B518109A95AB}

TERM.....NUMBER: SPECIFY

DATA VALUE: NUMBNESS

-----  
ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Numbness  
HELP\_TEXT.....No Help Text  
ID.....{037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
TERM.....NUMBNESS

DATA VALUE: NURSING STATION

-----  
ABBREVIATION.....ns  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nursing Station  
HELP\_TEXT.....No Help Text  
ID.....{B6E48F92-B9BA-488F-3A2E-D74568A6B855}  
TERM.....NURSING STATION

DATA VALUE: NUTRIHEP

-----  
ABBREVIATION.....Nutrihep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nutrihep

HELP\_TEXT.....

ID.....{ABD98675-EB60-40C7-BCE6-73FD787F6D17}

TERM.....NUTRIHEP

DATA VALUE: NUTRITION

---

ABBREVIATION.....NUTRITION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Nutrition

HELP\_TEXT.....No Help Text

ID.....{429A28EF-8A1F-4247-85E8-68D4EFCD189C}

TERM.....NUTRITION

DATA VALUE: NUTRITIONAL SUPPLEMENT

---

ABBREVIATION.....NUTR SUPPL

ACTIVE.....Yes

DESCRIPTION.....Nutritional Supplement

DISPLAY\_NAME.....Nutritional Supplement

HELP\_TEXT.....No Help Text

ID.....{4573BD4E-7220-4B88-A2EE-959F8A0E1199}

TERM.....NUTRITIONAL SUPPLEMENT

DATA VALUE: OBEYS COMMANDS

-----  
ABBREVIATION.....OBEYS COMM  
ACTIVE.....Yes  
DESCRIPTION.....Obeys Commands  
DISPLAY\_NAME.....Obeys Commands  
HELP\_TEXT.....No Help Text  
ID.....{EE88EE08-4C71-4C70-B93E-65F9091544C1}  
TERM.....OBEYS COMMANDS

DATA VALUE: OBSTRUCTIVE SLEEP APNEA

-----  
ABBREVIATION.....Ob Sleep A  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Obstructive Sleep Apnea  
HELP\_TEXT.....  
ID.....{217F9D63-4624-4201-9F98-C0D992B663DE}  
TERM.....OBSTRUCTIVE SLEEP APNEA

DATA VALUE: OBTUNDED

-----  
ABBREVIATION.....OBTUNDED  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....OBTUNDED

HELP\_TEXT.....

ID.....{356C0511-C91C-4B79-AF10-072F94D4AE09}

TERM.....OBTUNDED

DATA VALUE: OCCLUDED

-----

ABBREVIATION.....Occluded

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Occluded

HELP\_TEXT.....

ID.....{25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

TERM.....OCCLUDED

DATA VALUE: OFF DURING BATHING

-----

ABBREVIATION.....OFF BATHIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Off During Bathing

HELP\_TEXT.....No Help Text

ID.....{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}

TERM.....OFF DURING BATHING

DATA VALUE: OFF WHILE AMBULATORY

-----  
ABBREVIATION.....OFF AMBULA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Off While Ambulatory  
HELP\_TEXT.....No Help Text  
ID.....{FF4610BF-8C92-408F-882A-1D6B2C2F146F}  
TERM.....OFF WHILE AMBULATORY

DATA VALUE: OFFER PRN MEDS

-----  
ABBREVIATION.....OFFER PRN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Offer PRN Meds  
HELP\_TEXT.....No Help Text  
ID.....{B7AF4903-913C-4848-A255-0B4767B81AE2}  
TERM.....OFFER PRN MEDS

DATA VALUE: OFFERED

-----  
ABBREVIATION.....OFFERED  
ACTIVE.....Yes  
DESCRIPTION.....Offered  
DISPLAY\_NAME.....Offered

HELP\_TEXT.....No Help Text

ID.....{715091C2-9668-4678-900E-6D55D3335A30}

TERM.....OFFERED

DATA VALUE: ON WHILE SITTING IN CHAIR

-----

ABBREVIATION.....ON IN CHAI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....On While Sitting In Chair

HELP\_TEXT.....No Help Text

ID.....{4139F4C3-BB68-4477-BF63-9BE7813AADA7}

TERM.....ON WHILE SITTING IN CHAIR

DATA VALUE: ONE PERSON ASSIST

-----

ABBREVIATION.....1 PERS AS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....One Person Assist

HELP\_TEXT.....No Help Text

ID.....{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

TERM.....ONE PERSON ASSIST

DATA VALUE: ONE TO ONE SUPERVISION

-----

ABBREVIATION.....1 SUPERV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....One To One Supervision  
HELP\_TEXT.....No Help Text  
ID.....{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}  
TERM.....ONE TO ONE SUPERVISION

DATA VALUE: OOZING

-----

ABBREVIATION.....Oozing  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oozing  
HELP\_TEXT.....  
ID.....{C23549D7-3238-4523-BA31-AB71609F01C2}  
TERM.....OOZING

DATA VALUE: OPEN SPONTANEOUSLY

-----

ABBREVIATION.....OPEN SPONT  
ACTIVE.....Yes  
DESCRIPTION.....Open Spontaneously  
DISPLAY\_NAME.....Open Spontaneously



HELP\_TEXT.....No Help Text  
ID.....{013F1473-BDC9-4E7C-9709-C577357709F6}  
TERM.....OPEN SPONTANEOUSLY

DATA VALUE: OPEN SYSTEM

---

ABBREVIATION.....Open syste  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Open System  
HELP\_TEXT.....  
ID.....{2047EDE8-5D72-4541-A23A-81F097A6CA2A}  
TERM.....OPEN SYSTEM

DATA VALUE: OPEN TO AIR

---

ABBREVIATION.....OPE TO AIR  
ACTIVE.....Yes  
DESCRIPTION.....Open To Air  
DISPLAY\_NAME.....Open To Air  
HELP\_TEXT.....No Help Text  
ID.....{EFB715D0-5666-4281-9034-A0326A14B2BB}  
TERM.....OPEN TO AIR

DATA VALUE: OPERATING ROOM

-----

ABBREVIATION.....OR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Operating Room

HELP\_TEXT.....No Help Text

ID.....{37DACE14-2A28-45F4-9DEA-35A1A433F4E6}

TERM.....OPERATING ROOM

DATA VALUE: ORAL

-----

ABBREVIATION.....ORAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Oral

HELP\_TEXT.....No Help Text

ID.....{BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}

TERM.....ORAL

DATA VALUE: ORAL AIRWAY

-----

ABBREVIATION.....ORAL AIRWA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Oral Airway

HELP\_TEXT.....No Help Text  
ID.....{B0CF4270-A68D-1322-0621-1DFF8D677B40}  
TERM.....ORAL AIRWAY

DATA VALUE: ORAL ENDOTRACHEAL

-----  
ABBREVIATION.....ORAL ENDO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oral Endotracheal  
HELP\_TEXT.....No Help Text  
ID.....{466CAD16-D7F3-9D73-6500-959C4DA50D9A}  
TERM.....ORAL ENDOTRACHEAL

DATA VALUE: ORAL GASTRIC TUBE

-----  
ABBREVIATION.....OG TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Oral Gastric Enteral Feeding Tube  
DISPLAY\_NAME.....Oral Gastric Tube  
HELP\_TEXT.....No Help Text  
ID.....{C6995D6A-939C-4C31-A3C2-4504CB5597CD}  
TERM.....ORAL GASTRIC TUBE

DATA VALUE: ORANGE

-----

ABBREVIATION.....ORANGE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Orange

HELP\_TEXT.....No Help Text

ID.....{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}

TERM.....ORANGE

DATA VALUE: ORIENTATION

-----

ABBREVIATION.....ORIENTA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Orientation

HELP\_TEXT.....No Help Text

ID.....{10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}

TERM.....ORIENTATION

DATA VALUE: ORIENTED

-----

ABBREVIATION.....ORIENTED

ACTIVE.....Yes

DESCRIPTION.....Oriented

DISPLAY\_NAME.....Oriented

HELP\_TEXT.....No Help Text

ID.....{B8DC9245-6D81-40E4-8B47-B6413E49F152}

TERM.....ORIENTED

DATA VALUE: ORIENTED TO CALL FOR ASSISTANCE

-----

ABBREVIATION.....Call/Asst

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Oriented to Call for Assistance

HELP\_TEXT.....

ID.....{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}

TERM.....ORIENTED TO CALL FOR ASSISTANCE

DATA VALUE: ORIENTED TO PERSON

-----

ABBREVIATION.....otp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Oriented To Person

HELP\_TEXT.....No Help Text

ID.....{9912CFB9-AC55-6445-3EC1-0F1DF98C0561}

TERM.....ORIENTED TO PERSON

DATA VALUE: ORIENTED TO PLACE

-----  
ABBREVIATION.....otp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Place  
HELP\_TEXT.....No Help Text  
ID.....{8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}  
TERM.....ORIENTED TO PLACE

DATA VALUE: ORIENTED TO SITUATION

-----  
ABBREVIATION.....ots  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Situation  
HELP\_TEXT.....No Help Text  
ID.....{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}  
TERM.....ORIENTED TO SITUATION

DATA VALUE: ORIENTED TO SURROUNDINGS/ROUTINE

-----  
ABBREVIATION.....Oriented  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oriented to Surroundings/Routine

HELP\_TEXT.....

ID.....{A8F3F756-E5B5-4B8D-AF21-E45746A64E46}

TERM.....ORIENTED TO SURROUNDINGS/ROUTINE

DATA VALUE: ORIENTED TO TIME

-----

ABBREVIATION.....ott

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Oriented To Time

HELP\_TEXT.....No Help Text

ID.....{C79EBE25-C51B-478C-CB39-25943792F191}

TERM.....ORIENTED TO TIME

DATA VALUE: ORTHOPNEIC

-----

ABBREVIATION.....ORTHOPNIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Orthopneic

HELP\_TEXT.....No Help Text

ID.....{FF373BD7-FD84-DF43-7A44-1B8E62917116}

TERM.....ORTHOPNEIC

DATA VALUE: ORTHOTIC BOOTS

-----  
ABBREVIATION.....ORTHO BOOT  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC BOOTS  
DISPLAY\_NAME.....Orthotic Boots  
HELP\_TEXT.....ORTHOTIC BOOTS  
ID.....{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}  
TERM.....ORTHOTIC BOOTS

DATA VALUE: ORTHOTIC COLLAR

-----  
ABBREVIATION.....ORTHO COLL  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC COLLAR  
DISPLAY\_NAME.....Orthotic Collar  
HELP\_TEXT.....ORTHOTIC COLLAR  
ID.....{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}  
TERM.....ORTHOTIC COLLAR

DATA VALUE: ORTHOTIC KNEE IMMOBILIZER

-----  
ABBREVIATION.....KNEE IMMOB  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC KNEE IMMOBILIZER  
DISPLAY\_NAME.....Orthotic Knee Immobilizer



HELP\_TEXT.....ORTHOTIC KNEE IMMOBILIZER

ID.....{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}

TERM.....ORTHOTIC KNEE IMMOBILIZER

DATA VALUE: ORTHOTIC SPINE BRACE

-----

ABBREVIATION.....ORTH SPINE

ACTIVE.....Yes

DESCRIPTION.....ORTHOTIC SPINE BRACE

DISPLAY\_NAME.....Orthotic Spine Brace

HELP\_TEXT.....ORTHOTIC SPINE BRACE

ID.....{B47A3536-FEBC-802E-01A1-E909147D18C2}

TERM.....ORTHOTIC SPINE BRACE

DATA VALUE: ORTHOTIC TED HOSE

-----

ABBREVIATION.....TED HOSE

ACTIVE.....Yes

DESCRIPTION.....TED HOSE

DISPLAY\_NAME.....Orthotic TED Hose

HELP\_TEXT.....TED HOSE

ID.....{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}

TERM.....ORTHOTIC TED HOSE

DATA VALUE: ORTHOTIC WEDGE PILLOW

-----  
ABBREVIATION.....WEDG PILLO  
ACTIVE.....Yes  
DESCRIPTION.....WEDGE PILLOW  
DISPLAY\_NAME.....Orthotic Wedge Pillow  
HELP\_TEXT.....WEDGE PILLOW  
ID.....{20E58D21-399B-85E4-BDAB-93B371395BCF}  
TERM.....ORTHOTIC WEDGE PILLOW

DATA VALUE: OSMOLITE

-----  
ABBREVIATION.....OSMOLITE  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Osmolite  
HELP\_TEXT.....No Help Text  
ID.....{8E41BB55-063E-43C0-BAFE-65150EDD99F8}  
TERM.....OSMOLITE

DATA VALUE: OSMOLITE 1.0

-----  
ABBREVIATION.....Osmo 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Osmolite 1.0

HELP\_TEXT.....

ID.....{D5EE7DA5-707B-4000-A133-0C571824A376}

TERM.....OSMOLITE 1.0

DATA VALUE: OSMOLITE 1.2

-----

ABBREVIATION.....Osmo 1.2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Osmolite 1.2

HELP\_TEXT.....

ID.....{CEF57C44-82E5-43F5-8646-F8FBCD4609A0}

TERM.....OSMOLITE 1.2

DATA VALUE: OSMOLITE 1.5

-----

ABBREVIATION.....Osmo 1.5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Osmolite 1.5

HELP\_TEXT.....

ID.....{8AF4CD1A-631A-4E95-A631-ACFF775284BA}

TERM.....OSMOLITE 1.5

DATA VALUE: OSMOLITE HN

-----

ABBREVIATION.....OSMOLIT HN  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Osmolite HN  
HELP\_TEXT.....No Help Text  
ID.....{E4186CA6-302F-4513-B125-30B094151423}  
TERM.....OSMOLITE HN

DATA VALUE: OSTOMY CARE

-----

ABBREVIATION.....Ostomy Car  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ostomy Care  
HELP\_TEXT.....  
ID.....{BC834BC9-5861-4B94-BA34-FDF5C9FDF979}  
TERM.....OSTOMY CARE

DATA VALUE: OTHER

-----

ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other

HELP\_TEXT.....

ID.....{4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

TERM.....OTHER

DATA VALUE: OTHER (ADD COMMENTS)

-----

ABBREVIATION.....Other

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Other (Add Comments)

HELP\_TEXT.....

ID.....{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}

TERM.....OTHER (ADD COMMENTS)

DATA VALUE: OTHER (SEE COMMENTS)

-----

ABBREVIATION.....Other

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Other (see comments)

HELP\_TEXT.....

ID.....{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

TERM.....OTHER (SEE COMMENTS)

DATA VALUE: OVER WIRE

-----

ABBREVIATION.....OVER WIRE

ACTIVE.....Yes

DESCRIPTION.....Over Wire

DISPLAY\_NAME.....Over Wire

HELP\_TEXT.....No Help Text

ID.....{157CD456-1020-43AE-9AAA-1686F1574B6F}

TERM.....OVER WIRE

DATA VALUE: OXEPA

-----

ABBREVIATION.....Oxepa

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Oxepa

HELP\_TEXT.....

ID.....{1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}

TERM.....OXEPA

DATA VALUE: OXIMETRIC

-----

ABBREVIATION.....OXIMETRIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Oximetric Catheter

HELP\_TEXT.....No Help Text

ID.....{DA1F5AAA-A349-C17B-74CD-1794492E0A13}

TERM.....OXIMETRIC

DATA VALUE: PA

-----

ABBREVIATION.....PA

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....PA

HELP\_TEXT.....

ID.....{C057C47D-780A-4230-B577-2C528AD09DEB}

TERM.....PA

DATA VALUE: PAC

-----

ABBREVIATION.....p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....PAC

HELP\_TEXT.....No Help Text

ID.....{848AB18A-598D-8E4E-8B1B-ED7478CE340B}

TERM.....PAC

DATA VALUE: PACED: ATRIAL

-----  
ABBREVIATION.....pa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paced: Atrial  
HELP\_TEXT.....No Help Text  
ID.....{88837DD4-098D-B77F-A754-89D5C4F5870F}  
TERM.....PACED: ATRIAL

DATA VALUE: PACED: AV SEQUENTIAL

-----  
ABBREVIATION.....pas  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paced: Av Sequential  
HELP\_TEXT.....No Help Text  
ID.....{3C485674-224C-47DA-510D-92F1A0CA54A1}  
TERM.....PACED: AV SEQUENTIAL

DATA VALUE: PACED: VENTRICULAR

-----  
ABBREVIATION.....pv  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paced: Ventricular



HELP\_TEXT.....No Help Text  
ID.....{A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}  
TERM.....PACED: VENTRICULAR

DATA VALUE: PACER

-----  
ABBREVIATION.....Pacer  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pacer  
HELP\_TEXT.....  
ID.....{F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}  
TERM.....PACER

DATA VALUE: PAIN

-----  
ABBREVIATION.....PAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pain  
HELP\_TEXT.....No Help Text  
ID.....{F2F23EE7-0A06-46B8-A496-B7A4651A551F}  
TERM.....PAIN

DATA VALUE: PAIN CONTROLLED PER PT

-----  
ABBREVIATION.....PAIN CON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pain Controlled Per Patient  
HELP\_TEXT.....No Help Text  
ID.....{7EC1AF38-39B1-475E-B58C-E33404A47E96}  
TERM.....PAIN CONTROLLED PER PT

DATA VALUE: PAINAD BL 0

-----  
ABBREVIATION.....PAINAD BL0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = Relaxed  
HELP\_TEXT.....No Help Text  
ID.....{C77929DB-A59A-4A24-B57B-BF111770C2AB}  
TERM.....PAINAD BL 0

DATA VALUE: PAINAD BL 1

-----  
ABBREVIATION.....PAINAD BL1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Tense, Distressed Pacing, Fidgeting  
DISPLAY\_NAME.....1 = Tense, Distressed Pacing, Fidgeting

HELP\_TEXT.....1 = Tense, Distressed Pacing, Fidgeting  
ID.....{CC1E1516-086D-4B79-8264-0C3BD67D8552}  
TERM.....PAINAD BL 1

DATA VALUE: PAINAD BL 2

-----

ABBREVIATION.....PAINAD BL2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Rigid, Fists Clenched, Knees  
Pulled Up, Pulling or Pushing Away,  
Striking Out

DISPLAY\_NAME.....2 = Rigid, Fists Clenched, Knees  
Pulled Up, Pulling or Pushing

HELP\_TEXT.....2 = Rigid, Fists Clenched, Knees  
Pulled Up, Pulling or Pushing Away,  
Striking Out

ID.....{34C3E304-DF66-40A7-906F-22AEA3F76FAD}  
TERM.....PAINAD BL 2

DATA VALUE: PAINAD BR 0

-----

ABBREVIATION.....PAINAD B0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = Normal  
HELP\_TEXT.....No Help Text  
ID.....{58E71B2E-F5C3-419F-8B71-A9FD701E0202}

TERM.....PAINAD BR 0

DATA VALUE: PAINAD BR 1

-----

ABBREVIATION.....PAINAD BR1

ACTIVE.....Yes

DESCRIPTION.....1 = Occasional Labored Breathing.

Short Period of Hyperventilation

DISPLAY\_NAME.....1 = Occasional Labored Breathing.

Short Period of Hyperventilation

HELP\_TEXT.....1 = Occasional Labored Breathing.

Short Period of Hyperventilation

ID.....{727D1B04-A702-4806-857B-78BCBACB0FE1}

TERM.....PAINAD BR 1

DATA VALUE: PAINAD BR 2

-----

ABBREVIATION.....PAINAD BR2

ACTIVE.....Yes

DESCRIPTION.....2 = Noisy Labored Breathing.

Cheyne-Stokes Respirations

DISPLAY\_NAME.....2 = Noisy Labored Breathing.

Cheyne-Stokes Respirations

HELP\_TEXT.....2 = Noisy Labored Breathing.

Cheyne-Stokes Respirations

ID.....{37978012-ADAC-416C-8920-48CDAAA5D59D}

TERM.....PAINAD BR 2

DATA VALUE: PAINAD CO 0

-----

ABBREVIATION.....PAINAD CO0

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....0 = No Need To Console

HELP\_TEXT.....No Help Text

ID.....{06A89B55-5822-42F7-A689-DBD91B62979F}

TERM.....PAINAD CO 0

DATA VALUE: PAINAD CO 1

-----

ABBREVIATION.....PAINAD CO1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....1 = Distracted or Reassured By Voice  
or Touch

HELP\_TEXT.....No Help Text

ID.....{8E5DDB47-1955-40AD-A008-A9CE4646A707}

TERM.....PAINAD CO 1

DATA VALUE: PAINAD CO 2

-----

ABBREVIATION.....PAINAD CO2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....2 = Unable To Console, Distract or  
Reassure

HELP\_TEXT.....No Help Text

ID.....{1DFFB735-6272-4B60-8F42-CCCAA701C7A7}

TERM.....PAINAD CO 2

DATA VALUE: PAINAD FE 0

-----  
ABBREVIATION.....PAINAD FE0  
ACTIVE.....Yes  
DESCRIPTION.....0 = Smiling or Inexpressive  
DISPLAY\_NAME.....0 = Smiling or Inexpressive  
HELP\_TEXT.....0 = Smiling or Inexpressive  
ID.....{B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}  
TERM.....PAINAD FE 0

DATA VALUE: PAINAD FE 1

-----  
ABBREVIATION.....PAINAD FE1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Sad, Frightened, Frown  
DISPLAY\_NAME.....1 = Sad, Frightened, Frown  
HELP\_TEXT.....1 = Sad, Frightened, Frown  
ID.....{66C01EE9-8F36-40B5-AED2-DBC2E94F860D}  
TERM.....PAINAD FE 1

DATA VALUE: PAINAD FE 2

-----  
ABBREVIATION.....PAINAD FE2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Facial Grimacing  
DISPLAY\_NAME.....2 = Facial Grimacing



HELP\_TEXT.....2 = Facial Grimacing

ID.....{35688D06-94F2-4B36-8940-529803D4BC43}

TERM.....PAINAD FE 2

DATA VALUE: PAINAD NV 0

-----

ABBREVIATION.....PAINAD NV0

ACTIVE.....Yes

DESCRIPTION.....0 = None

DISPLAY\_NAME.....0 = None

HELP\_TEXT.....0 = None

ID.....{63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}

TERM.....PAINAD NV 0

DATA VALUE: PAINAD NV 1

-----

ABBREVIATION.....PAINAD NV1

ACTIVE.....Yes

DESCRIPTION.....1 = Occasional Moan or Groan. Low

Level Speech With A Negative or

Disapproving Quality

DISPLAY\_NAME.....1 = Occasional Moan or Groan

HELP\_TEXT.....1 = Occasional Moan or Groan. Low

Level Speech With A Negative or

Disapproving Quality

ID.....{D517E6C9-9D98-4D0F-A8F4-261BED4812D1}

TERM.....PAINAD NV 1

DATA VALUE: PAINAD NV 2

-----  
ABBREVIATION.....PAINAD NV2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Repeated, Troubled, Calling Out,  
Loud Moaning, Crying  
DISPLAY\_NAME.....2 = Repeated, Troubled, Calling Out,  
Loud Moaning.  
HELP\_TEXT.....2 = Repeated, Troubled, Calling Out,  
Loud Moaning, Crying  
ID.....{3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}  
TERM.....PAINAD NV 2

DATA VALUE: PAINFUL EXPRESSION

-----  
ABBREVIATION.....PAINFUL EX  
ACTIVE.....Yes  
DESCRIPTION.....Painful Expression  
DISPLAY\_NAME.....Painful Expression  
HELP\_TEXT.....No Help Text  
ID.....{608554F9-29F9-4B27-BE63-486AF81810BD}  
TERM.....PAINFUL EXPRESSION

DATA VALUE: PAIRS

-----  
ABBREVIATION.....Pairs

ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pairs  
HELP\_TEXT.....  
ID.....{668B0D85-E507-4E12-B07A-A90CB98730DC}  
TERM.....PAIRS

DATA VALUE: PALE

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pale  
HELP\_TEXT.....No Help Text  
ID.....{0EB39D28-7ABE-A4AB-D334-3F795E65618D}  
TERM.....PALE

DATA VALUE: PAROXYSMAL ATRIAL TACHYCARDIA

-----  
ABBREVIATION.....pat  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paroxysmal Atrial Tachycardia  
HELP\_TEXT.....No Help Text  
ID.....{27BC1FAF-A403-6EA8-044C-F1271F12A62A}  
TERM.....PAROXYSMAL ATRIAL TACHYCARDIA

DATA VALUE: PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

-----

ABBREVIATION.....PST

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Paroxysmal Supraventricular Tachycardia

HELP\_TEXT.....

ID.....{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}

TERM.....PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS

-----

ABBREVIATION.....PART EPIDE

ACTIVE.....Yes

DESCRIPTION.....Partial Thickness Skin Loss Involving

Epidermis/Dermis

DISPLAY\_NAME.....Partial Thickness Skin Loss Involving

Epidermis/Dermis

HELP\_TEXT.....No Help Text

ID.....{EAD3A260-CC46-4B47-AA49-91CFE13EEE4B}

TERM.....PART THICKNESS SKIN LOSS INVOLVE

EPIDERMIS/DERMIS

DATA VALUE: PARTIAL BATH

-----

ABBREVIATION.....PART. BATH

ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Partial Bath  
HELP\_TEXT.....No Help Text  
ID.....{60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}  
TERM.....PARTIAL BATH

DATA VALUE: PARTIAL IMPAIRED

-----  
ABBREVIATION.....PART IMPAI  
ACTIVE.....Yes  
DESCRIPTION.....Partial Impaired  
DISPLAY\_NAME.....Partial Impaired  
HELP\_TEXT.....Partial Impaired  
ID.....{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}  
TERM.....PARTIAL IMPAIRED

DATA VALUE: PARTIAL LOWER

-----  
ABBREVIATION.....Part Low  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Partial Lower  
HELP\_TEXT.....  
ID.....{2556CE7E-F211-4992-BCAF-09677C20BEFE}  
TERM.....PARTIAL LOWER

DATA VALUE: PARTIAL SIMPLE

-----

ABBREVIATION.....PART SIMP

ACTIVE.....Yes

DESCRIPTION.....Partial Simple

DISPLAY\_NAME.....Partial Simple

HELP\_TEXT.....Partial Simple

ID.....{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

TERM.....PARTIAL SIMPLE

DATA VALUE: PARTIAL UPPER

-----

ABBREVIATION.....Part Up

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Partial Upper

HELP\_TEXT.....

ID.....{D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}

TERM.....PARTIAL UPPER

DATA VALUE: PASSIVE RANGE OF MOTION

-----

ABBREVIATION.....PASS ROM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Passive Range Of Motion

HELP\_TEXT.....No Help Text

ID.....{DD43B9EF-E18F-4203-8564-89EBBAD963A4}

TERM.....PASSIVE RANGE OF MOTION

DATA VALUE: PATENT

-----

ABBREVIATION.....Patent

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Patent

HELP\_TEXT.....

ID.....{F0C38BCB-1D11-436C-8B8C-4297C27DDE04}

TERM.....PATENT

DATA VALUE: PATENT CLEAN

-----

ABBREVIATION.....PAT CLEAN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Patent Clean

HELP\_TEXT.....No Help Text

ID.....{68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}

TERM.....PATENT CLEAN

DATA VALUE: PATIENT

-----

ABBREVIATION.....PATIENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient  
HELP\_TEXT.....No Help Text  
ID.....{7881F205-BCD1-4948-AE66-AD572F5A02F2}  
TERM.....PATIENT

DATA VALUE: PATIENT INFORMED

-----

ABBREVIATION.....PAT INFORM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient Informed  
HELP\_TEXT.....No Help Text  
ID.....{074A1D19-3920-49F1-8958-2EB6F9CF05BA}  
TERM.....PATIENT INFORMED

DATA VALUE: PATIENT INSTRUCTED

-----

ABBREVIATION.....pat instru  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Instructed



HELP\_TEXT.....

ID.....{D89A50A6-352D-4EB8-ABD7-5D732A060D9A}

TERM.....PATIENT INSTRUCTED

DATA VALUE: PATIENT LOCATOR DEVICE IN PLACE

-----

ABBREVIATION.....Loc Device

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Patient Locator Device in Place

HELP\_TEXT.....

ID.....{CAF7B45E-0143-472D-BABF-9A92857419E9}

TERM.....PATIENT LOCATOR DEVICE IN PLACE

DATA VALUE: PATIENT REFUSES MARKING

-----

ABBREVIATION.....Pat Refuse

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Patient Refuses Marking

HELP\_TEXT.....

ID.....{93CE893B-AFE1-4047-9EE9-2AD6388C0086}

TERM.....PATIENT REFUSES MARKING

DATA VALUE: PATIENT REPORTS NOT PRESENT

-----  
ABBREVIATION.....PT RP N PR  
ACTIVE.....Yes  
DESCRIPTION.....Patient Reports Not Present  
DISPLAY\_NAME.....Patient Reports Not Present  
HELP\_TEXT.....Patient Reports Not Present  
ID.....{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}  
TERM.....PATIENT REPORTS NOT PRESENT

DATA VALUE: PATIENT REPORTS PRESENT

-----  
ABBREVIATION.....PT REP PRE  
ACTIVE.....Yes  
DESCRIPTION.....Patient Reports Present  
DISPLAY\_NAME.....Patient Reports Present  
HELP\_TEXT.....Patient Reports Present  
ID.....{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}  
TERM.....PATIENT REPORTS PRESENT

DATA VALUE: PATIENT RIGHTS AND RESPONSIBILITIES

-----  
ABBREVIATION.....Pat Rights  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Rights and Responsibilities

HELP\_TEXT.....

ID.....{DA69AAEE-DBDC-4CAA-849A-7242F0854385}

TERM.....PATIENT RIGHTS AND RESPONSIBILITIES

DATA VALUE: PATIENT SIGNS SAFETY CONTRACT

-----

ABBREVIATION.....PT CONTRAC

ACTIVE.....Yes

DESCRIPTION.....Patient Signs Safety Contract

DISPLAY\_NAME.....Patient Signs Safety Contract

HELP\_TEXT.....No Help Text

ID.....{C65734EC-2CAF-4547-8FD8-CBCD9C706003}

TERM.....PATIENT SIGNS SAFETY CONTRACT

DATA VALUE: PATIENT STATED

-----

ABBREVIATION.....Pat Stated

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Patient Stated

HELP\_TEXT.....

ID.....{843654E1-4BC9-4277-9EFC-0B388A70A907}

TERM.....PATIENT STATED

DATA VALUE: PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION

-----

ABBREVIATION.....pswlosons

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Patient Stays Within Line Of Site Of  
Nursing Station

HELP\_TEXT.....No Help Text

ID.....{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}

TERM.....PATIENT STAYS WITHIN LINE OF SITE OF  
NURSING STATION

DATA VALUE: PATIENT'S ROOM

-----

ABBREVIATION.....pr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Patient's Room

HELP\_TEXT.....No Help Text

ID.....{0F13E11D-9F78-14A3-0568-AF26393F39F1}

TERM.....PATIENT'S ROOM

DATA VALUE: PCA

-----

ABBREVIATION.....PCA

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient Controlled Analgesia  
HELP\_TEXT.....No Help-Text  
ID.....{A1EE27C6-F22A-4109-A8E6-28DCCE599E64}  
TERM.....PCA

DATA VALUE: PCA AND BASAL RATE

-----

ABBREVIATION.....PCA/BASAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PCA and Basal Rate  
HELP\_TEXT.....No Help Text  
ID.....{D711BB51-0662-4DD0-8654-C737F6A6686A}  
TERM.....PCA AND BASAL RATE

DATA VALUE: PCA ONLY

-----

ABBREVIATION.....PCA ONLY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PCA Only  
HELP\_TEXT.....No Help Text  
ID.....{30E0441A-1098-4FE9-B277-BF2BBD6B1667}  
TERM.....PCA ONLY

DATA VALUE: PCA PUMP

-----  
ABBREVIATION.....PCA Pump  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PCA Pump  
HELP\_TEXT.....  
ID.....{C6F139AF-C42B-4577-83E1-A12675C31A21}  
TERM.....PCA PUMP

DATA VALUE: PEDIATRIC

-----  
ABBREVIATION.....PEDIATRIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pediatric  
HELP\_TEXT.....No Help Text  
ID.....{06865E22-3ED9-4EDD-9749-6F8641BF29DE}  
TERM.....PEDIATRIC

DATA VALUE: PEG TUBE

-----  
ABBREVIATION.....PEG TUBE  
ACTIVE.....Yes  
DESCRIPTION.....PEG Tube EF Tube  
DISPLAY\_NAME.....PEG Tube

HELP\_TEXT.....No Help Text

ID.....{970C3755-2B3F-462F-AA87-EA33F846843F}

TERM.....PEG TUBE

DATA VALUE: PENETRATING

-----

ABBREVIATION.....PENETRATING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Penetrating

HELP\_TEXT.....No Help Text

ID.....{00A2D4C8-EDDE-4593-A1F8-A87A836B3379}

TERM.....PENETRATING

DATA VALUE: PENROSE DRAIN

-----

ABBREVIATION.....Penrose D

ACTIVE.....Yes

DESCRIPTION.....Penrose Drain

DISPLAY\_NAME.....Penrose Drain

HELP\_TEXT.....No Help Text

ID.....{DE508E95-D044-ACCA-EE69-33B9A8454E6C}

TERM.....PENROSE DRAIN

DATA VALUE: PERATIVE

-----  
ABBREVIATION.....Perative  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Perative  
HELP\_TEXT.....  
ID.....{9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}  
TERM.....PERATIVE

DATA VALUE: PERCUSSION BED

-----  
ABBREVIATION.....PERC BED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Percussion Bed  
HELP\_TEXT.....No Help Text  
ID.....{BE0B086B-A2F3-446A-ADE0-9589E92689FE}  
TERM.....PERCUSSION BED

DATA VALUE: PERINEAL CARE

-----  
ABBREVIATION.....PERIN CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Perineal Care



HELP\_TEXT.....No Help Text

ID.....{D88736E4-E0EB-4FF7-9199-288A4D051A20}

TERM.....PERINEAL CARE

DATA VALUE: PERMANENT

-----

ABBREVIATION.....p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Permanent

HELP\_TEXT.....No Help Text

ID.....{A31FF319-F8C3-7AAC-D7FC-765C89732D09}

TERM.....PERMANENT

DATA VALUE: PERSONAL ARTICLES AT REACH

-----

ABBREVIATION.....At Reach

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Personal Articles at Reach

HELP\_TEXT.....

ID.....{166DE5BA-67F1-4BDB-9378-062862519BE4}

TERM.....PERSONAL ARTICLES AT REACH

DATA VALUE: PERSONAL HYGIENE AND/OR GROOMING

-----  
ABBREVIATION.....Per Hyg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Personal Hygiene and/or Grooming  
HELP\_TEXT.....  
ID.....{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}  
TERM.....PERSONAL HYGIENE AND/OR GROOMING

DATA VALUE: PERSONAL MEDICAL ALERT BRACELET

-----  
ABBREVIATION.....pmab  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Personal Medical Alert Bracelet  
HELP\_TEXT.....No Help Text  
ID.....{E63D5FDE-4509-5751-A11C-C023E296858A}  
TERM.....PERSONAL MEDICAL ALERT BRACELET

DATA VALUE: PETROLATUM

-----  
ABBREVIATION.....PETROLATUM  
ACTIVE.....Yes  
DESCRIPTION.....Petrolatum  
DISPLAY\_NAME.....Petrolatum

HELP\_TEXT.....No Help Text

ID.....{DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}

TERM.....PETROLATUM

DATA VALUE: PHYSICAL IMPAIRMENT

-----

ABBREVIATION.....Phys Impai

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Physical Impairment

HELP\_TEXT.....

ID.....{4D744081-134E-420D-9712-AF114977E490}

TERM.....PHYSICAL IMPAIRMENT

DATA VALUE: PHYSICIAN

-----

ABBREVIATION.....PHYSICIA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Physician

HELP\_TEXT.....No Help Text

ID.....{DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}

TERM.....PHYSICIAN

DATA VALUE: PHYSICIAN NOTIFIED

-----  
ABBREVIATION.....PHYS NOTIF  
ACTIVE.....Yes  
DESCRIPTION.....Physician Notified  
DISPLAY\_NAME.....Physician Notified  
HELP\_TEXT.....No Help Text  
ID.....{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}  
TERM.....PHYSICIAN NOTIFIED

DATA VALUE: PHYSICIAN ORDER

-----  
ABBREVIATION.....PHY ORDER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Physician Order  
HELP\_TEXT.....No Help Text  
ID.....{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}  
TERM.....PHYSICIAN ORDER

DATA VALUE: PICC

-----  
ABBREVIATION.....PICC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PICC

HELP\_TEXT.....Peripherally inserted central catheter

ID.....{3CFE33D0-5A35-88CC-152C-D7501D1858D9}

TERM.....PICC

DATA VALUE: PIN

-----

ABBREVIATION.....PIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Pin

HELP\_TEXT.....No Help Text

ID.....{10D48A4E-46F3-4242-BA56-B9D4B37A4C93}

TERM.....PIN

DATA VALUE: PIN TRACTION

-----

ABBREVIATION.....PIN TRACT

ACTIVE.....Yes

DESCRIPTION.....Pin Traction

DISPLAY\_NAME.....Pin Traction

HELP\_TEXT.....Pin Traction

ID.....{C75104A5-3B6B-4CFE-8E2E-05877522C811}

TERM.....PIN TRACTION

DATA VALUE: PINK

-----

ABBREVIATION.....PINK

ACTIVE.....Yes

DESCRIPTION.....The color pink

DISPLAY\_NAME.....Pink

HELP\_TEXT.....The color pink

ID.....{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

TERM.....PINK

DATA VALUE: PINK / GRANULATING

-----

ABBREVIATION.....Pink/Gran

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Pink / Granulating

HELP\_TEXT.....

ID.....{05245B27-3292-48B2-9F37-6AB9BB92395B}

TERM.....PINK / GRANULATING

DATA VALUE: PINPOINT

-----

ABBREVIATION.....pinpoint

ACTIVE.....Yes

DESCRIPTION.....Pinpoint

DISPLAY\_NAME.....Pinpoint

HELP\_TEXT.....No Help Text

ID.....{4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}

TERM.....PINPOINT

DATA VALUE: PITTED

-----

ABBREVIATION.....PITTED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Pitted

HELP\_TEXT.....No Help Text

ID.....{BEA42FD8-91C7-4BF6-936E-726D78064F11}

TERM.....PITTED

DATA VALUE: PITTING

-----

ABBREVIATION.....PITTING

ACTIVE.....Yes

DESCRIPTION.....PITTING

DISPLAY\_NAME.....Pitting

HELP\_TEXT.....PITTING

ID.....{A9F6ACFF-E427-145A-A168-345ACB87C1DE}

TERM.....PITTING

DATA VALUE: PIVOT

-----  
ABBREVIATION.....Pivot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pivot  
HELP\_TEXT.....  
ID.....{2E68ED54-57F5-490D-A982-668121F0CF5A}  
TERM.....PIVOT

DATA VALUE: PIVOT 1.5

-----  
ABBREVIATION.....Pivot 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pivot 1.5  
HELP\_TEXT.....  
ID.....{9126F0C6-9716-4C33-8B7C-178D46899D44}  
TERM.....PIVOT 1.5

DATA VALUE: PJC

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PJC



HELP\_TEXT.....No Help Text

ID.....{1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}

TERM.....PJC

DATA VALUE: PLACED NEAR TO NURSE STATION

-----

ABBREVIATION.....Near N/Sta

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Placed Near to Nurse Station

HELP\_TEXT.....

ID.....{7790D901-36F0-4DFD-9BF5-8C3A913F30E1}

TERM.....PLACED NEAR TO NURSE STATION

DATA VALUE: PLAIN

-----

ABBREVIATION.....PLAIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Plain Catheter

HELP\_TEXT.....No Help Text

ID.....{483EE48F-F72B-A917-DCD0-E8B69A3FA36F}

TERM.....PLAIN

DATA VALUE: POOR

-----  
ABBREVIATION.....POOR  
ACTIVE.....Yes  
DESCRIPTION.....Poor  
DISPLAY\_NAME.....Poor  
HELP\_TEXT.....No Help Text  
ID.....{A3D75A12-A791-446D-AF63-9435054DFC4C}  
TERM.....POOR

DATA VALUE: POOR BAL

-----  
ABBREVIATION.....Poor Balan  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Poor Balance  
HELP\_TEXT.....  
ID.....{959AFDB4-6984-452D-9235-B154409DC0ED}  
TERM.....POOR BAL

DATA VALUE: PORCINE SUBMUCOSA

-----  
ABBREVIATION.....PORC SUBMU  
ACTIVE.....Yes  
DESCRIPTION.....Oasis (porcine submucosa)  
DISPLAY\_NAME.....Oasis (porcine submucosa)

HELP\_TEXT.....No Help Text  
ID.....{6F3917DA-74BD-4790-9D4D-B284E27B7623}  
TERM.....PORCINE SUBMUCOSA

DATA VALUE: POSITIONAL

-----  
ABBREVIATION.....POSITIONAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Positional  
HELP\_TEXT.....No Help Text  
ID.....{9A74D16B-5E95-4EA8-88AF-E53C80311A5D}  
TERM.....POSITIONAL

DATA VALUE: POSITIVE PRESSURE CONNECTOR

-----  
ABBREVIATION.....P Pres Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Positive Pressure Connector  
HELP\_TEXT.....  
ID.....{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}  
TERM.....POSITIVE PRESSURE CONNECTOR

DATA VALUE: POST CATH DIET

-----

ABBREVIATION.....POST CA DT

ACTIVE.....Yes

DESCRIPTION.....Post Cath Diet

DISPLAY\_NAME.....Post Cath Diet

HELP\_TEXT.....No Help Text

ID.....{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}

TERM.....POST CATH DIET

DATA VALUE: POST OPERATION DIAGNOSIS

-----

ABBREVIATION.....PO OP DIAG

ACTIVE.....Yes

DESCRIPTION.....Post Operation Diagnosis

DISPLAY\_NAME.....Post Operation Diagnosis

HELP\_TEXT.....Post Operation Diagnosis

ID.....{A69379C9-C54A-4C55-85B3-C3D92D1705A0}

TERM.....POST OPERATION DIAGNOSIS

DATA VALUE: POST PROCEDURE DIAGNOSIS

-----

ABBREVIATION.....PO PRO DIA

ACTIVE.....Yes

DESCRIPTION.....Post Procedure Diagnosis

DISPLAY\_NAME.....Post Procedure Diagnosis

HELP\_TEXT.....Post Procedure Diagnosis

ID.....{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}

TERM.....POST PROCEDURE DIAGNOSIS

DATA VALUE: POST-FALL

-----

ABBREVIATION.....POST-FALL

ACTIVE.....Yes

DESCRIPTION.....Post-Fall

DISPLAY\_NAME.....Post-Fall

HELP\_TEXT.....No Help Text

ID.....{9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}

TERM.....POST-FALL

DATA VALUE: POST-OPERATIVE

-----

ABBREVIATION.....POST-OP

ACTIVE.....Yes

DESCRIPTION.....Post-Operative

DISPLAY\_NAME.....Post-Operative

HELP\_TEXT.....No Help Text

ID.....{9FA19656-849F-4A65-92FC-755A4C9E8056}

TERM.....POST-OPERATIVE

DATA VALUE: POST-PROCEDURE

-----  
ABBREVIATION.....POST-PROC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Post-Procedure  
HELP\_TEXT.....No Help Text  
ID.....{0F943BD7-BD13-412E-B4EA-9B5526587340}  
TERM.....POST-PROCEDURE

DATA VALUE: POST-SEDATION

-----  
ABBREVIATION.....POST SED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Post-Sedation  
HELP\_TEXT.....No Help Text  
ID.....{B829A249-CB14-4919-86F8-4A8C8D6B7753}  
TERM.....POST-SEDATION

DATA VALUE: POTASSIUM MODIFIED 60 MEQ

-----  
ABBREVIATION.....K MOD 60M  
ACTIVE.....Yes  
DESCRIPTION.....Potassium Modified 60 MEQ  
DISPLAY\_NAME.....Potassium Modified 60 MEQ

HELP\_TEXT.....No Help Text  
ID.....{6EC2F10D-CC44-4872-8473-2445A835ABB0}  
TERM.....POTASSIUM MODIFIED 60 MEQ

DATA VALUE: PRBC

-----  
ABBREVIATION.....PRBC  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells  
DISPLAY\_NAME.....PRBC  
HELP\_TEXT.....No Help Text  
ID.....{F6D9B889-1BCB-4724-B75A-E98743585D55}  
TERM.....PRBC

DATA VALUE: PRE-MEDICATED FOR ACTIVITY

-----  
ABBREVIATION.....PRE-MED AC  
ACTIVE.....Yes  
DESCRIPTION.....Pre-Medicated For Activity  
DISPLAY\_NAME.....Pre-Medicated For Activity  
HELP\_TEXT.....No Help Text  
ID.....{D6DA772A-FA22-4170-B928-855A2F68711F}  
TERM.....PRE-MEDICATED FOR ACTIVITY

DATA VALUE: PRE-OPERATIVE

-----

ABBREVIATION.....PRE-OP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Pre-Operative

HELP\_TEXT.....No Help Text

ID.....{80C418D5-54B1-4CC3-9B19-5653B8D73C45}

TERM.....PRE-OPERATIVE

DATA VALUE: PRE-PROCEDURE

-----

ABBREVIATION.....PRE-PROC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Pre-Procedure

HELP\_TEXT.....No Help Text

ID.....{D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}

TERM.....PRE-PROCEDURE

DATA VALUE: PRE-SEDATION

-----

ABBREVIATION.....PRE SEDA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Pre-Sedation



HELP\_TEXT.....No Help Text  
ID.....{684C764E-2BE9-4C99-A2B2-C92D75C73751}  
TERM.....PRE-SEDATION

DATA VALUE: PRE-SURGERY

-----  
ABBREVIATION.....PRE-SURG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pre-Surgery  
HELP\_TEXT.....No Help Text  
ID.....{0C71761F-3024-4638-A95C-FDF12DC03CF5}  
TERM.....PRE-SURGERY

DATA VALUE: PREGNANT, NO

-----  
ABBREVIATION.....Preg, No  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pregnant, No  
HELP\_TEXT.....  
ID.....{D08F5D48-965E-4537-83BC-14722E28B0AE}  
TERM.....PREGNANT, NO

DATA VALUE: PREGNANT, YES

-----

ABBREVIATION.....Preg, Yes

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Pregnant, Yes

HELP\_TEXT.....

ID.....{CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}

TERM.....PREGNANT, YES

DATA VALUE: PREMATURE ATRIAL

-----

ABBREVIATION.....pa

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Premature Atrial

HELP\_TEXT.....No Help Text

ID.....{070FDCB1-2EC4-B4EF-4DFD-81F6CCFFBDED}

TERM.....PREMATURE ATRIAL

DATA VALUE: PRESENT

-----

ABBREVIATION.....p

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Present

HELP\_TEXT.....No Help Text  
ID.....{384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
TERM.....PRESENT

DATA VALUE: PRESSURE

-----  
ABBREVIATION.....PRESSURE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure  
HELP\_TEXT.....No Help Text

ID.....{387AFB7F-3973-4D77-B2E6-0724F344D8F6}  
TERM.....PRESSURE

DATA VALUE: PRESSURE CALIBRATION

-----  
ABBREVIATION.....PRESS CALI  
ACTIVE.....Yes  
DESCRIPTION.....Pressure Calibration  
DISPLAY\_NAME.....Pressure Calibration  
HELP\_TEXT.....No Help Text

ID.....{38C12E69-2CD2-4F61-98D9-06AB857DA51A}  
TERM.....PRESSURE CALIBRATION

DATA VALUE: PRESSURE CONTROL

-----  
ABBREVIATION.....PRESS CONT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure Control  
HELP\_TEXT.....No Help Text  
ID.....{C3CDF756-484F-1483-9883-9B63DEF3B012}  
TERM.....PRESSURE CONTROL

DATA VALUE: PRESSURE DRESSING

-----  
ABBREVIATION.....PRESS DRES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure Dressing  
HELP\_TEXT.....No Help Text  
ID.....{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}  
TERM.....PRESSURE DRESSING

DATA VALUE: PRESSURE ULCER

-----  
ABBREVIATION.....PRE ULCER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure Ulcer

HELP\_TEXT.....No Help Text  
ID.....{7279639E-498D-4EA3-A3FA-4A6D611E6F48}  
TERM.....PRESSURE ULCER

DATA VALUE: PRESYSTOLIC

-----

ABBREVIATION.....PRESYSTOLI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Presystolic  
HELP\_TEXT.....No Help Text  
ID.....{BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}  
TERM.....PRESYSTOLIC

DATA VALUE: PREVENT ACCESS TO DEVICE

-----

ABBREVIATION.....PREV ACCE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Prevent Access To Medical Devices  
HELP\_TEXT.....No Help Text  
ID.....{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}  
TERM.....PREVENT ACCESS TO DEVICE

DATA VALUE: PREVENTIVE HEALTH REHAB TECHNIQUES

-----

ABBREVIATION.....Rehab Tech

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Preventive Health Rehab Techniques

HELP\_TEXT.....

ID.....{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}

TERM.....PREVENTIVE HEALTH REHAB TECHNIQUES

DATA VALUE: PREVIOUS PERCUTANEOUS SITE

-----

ABBREVIATION.....PRE PER SI

ACTIVE.....Yes

DESCRIPTION.....Previous Percutaneous Site

DISPLAY\_NAME.....Previous Percutaneous Site

HELP\_TEXT.....No Help Text

ID.....{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}

TERM.....PREVIOUS PERCUTANEOUS SITE

DATA VALUE: PRN

-----

ABBREVIATION.....PRN

ACTIVE.....Yes

DESCRIPTION.....As Needed

DISPLAY\_NAME.....PRN

HELP\_TEXT.....As Needed

ID.....{36493D81-954B-4C56-B0A2-9988EA785EBD}

TERM.....PRN

DATA VALUE: PRO STAT SUGAR FREE 64

-----

ABBREVIATION.....ProSta 64

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Pro Stat Sugar Free 64

HELP\_TEXT.....

ID.....{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}

TERM.....PRO STAT SUGAR FREE 64

DATA VALUE: PRO-STAT

-----

ABBREVIATION.....Pro-Stat

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Pro-Stat

HELP\_TEXT.....

ID.....{E39E36C7-0A47-459D-BA75-CF6186247B40}

TERM.....PRO-STAT

DATA VALUE: PROCEDURE ROOM

-----  
ABBREVIATION.....PROC ROO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Procedure Room  
HELP\_TEXT.....No Help Text  
ID.....{CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}  
TERM.....PROCEDURE ROOM

DATA VALUE: PRODUCTIVE

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....Produces desired result  
DISPLAY\_NAME.....Productive  
HELP\_TEXT.....No Help Text  
ID.....{22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}  
TERM.....PRODUCTIVE

DATA VALUE: PROJECTILE VOMITING

-----  
ABBREVIATION.....PROJ VOMIT  
ACTIVE.....Yes  
DESCRIPTION.....Projectile Vomiting  
DISPLAY\_NAME.....Projectile Vomiting



HELP\_TEXT.....Projectile Vomiting  
ID.....{0D2CB23B-B266-40E1-A6FF-20B733655B69}  
TERM.....PROJECTILE VOMITING

DATA VALUE: PROMOTE

-----  
ABBREVIATION.....Promote  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Promote  
HELP\_TEXT.....  
ID.....{6377C8D3-F6DD-4BD2-877F-DB52525DD65D}  
TERM.....PROMOTE

DATA VALUE: PROMOTE WITH FIBER

-----  
ABBREVIATION.....Pro W/Fib  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Promote With Fiber  
HELP\_TEXT.....  
ID.....{33E04B6F-2976-402C-B3B7-B75705430340}  
TERM.....PROMOTE WITH FIBER

DATA VALUE: PRONE

-----

ABBREVIATION.....PRONE

ACTIVE.....Yes

DESCRIPTION.....Prone

DISPLAY\_NAME.....Prone

HELP\_TEXT.....No Help Text

ID.....{41180E09-D9D6-4903-BAE9-28CD5AAC4991}

TERM.....PRONE

DATA VALUE: PROPASS PROTEIN POWDER

-----

ABBREVIATION.....Pro Prot

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Propass Protein Powder

HELP\_TEXT.....

ID.....{2307C41A-92D2-4DD4-BC1F-2E78F7477D98}

TERM.....PROPASS PROTEIN POWDER

DATA VALUE: PROSTHESIS

-----

ABBREVIATION.....PROSTHESIS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Prosthesis

HELP\_TEXT.....No Help Text

ID.....{CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

TERM.....PROSTHESIS

DATA VALUE: PROTENEX WOUND CARE

-----

ABBREVIATION.....Protenex

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Protenex Wound Care

HELP\_TEXT.....

ID.....{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}

TERM.....PROTENEX WOUND CARE

DATA VALUE: PROVIDED PATIENT EDUCATION

-----

ABBREVIATION.....Pat Ed

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Provided Patient Education

HELP\_TEXT.....

ID.....{25D0998B-3600-40C9-8608-9A0D91CCBEE0}

TERM.....PROVIDED PATIENT EDUCATION

DATA VALUE: PROXIMAL PORT

-----  
ABBREVIATION.....PROX PORT  
ACTIVE.....Yes  
DESCRIPTION.....Proximal Port  
DISPLAY\_NAME.....Proximal Port  
HELP\_TEXT.....No Help Text  
ID.....{3244EF4F-F18A-4250-96F5-ABCEA7BFA578}  
TERM.....PROXIMAL PORT

DATA VALUE: PT DENIES NAUSEA / NO VOMITING

-----  
ABBREVIATION.....DEN NAUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pt. Denies Nausea / No Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}  
TERM.....PT DENIES NAUSEA / NO VOMITING

DATA VALUE: PT PAIN AT ACCEPTABLE LEVEL

-----  
ABBREVIATION.....PT PA OK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient's Pain at Acceptable Level

HELP\_TEXT.....No Help Text

ID.....{78489498-4A5B-41C5-98C5-95D56C4A0933}

TERM.....PT PAIN AT ACCEPTABLE LEVEL

DATA VALUE: PULMOCARE

-----

ABBREVIATION.....Pulmocare

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Pulmocare

HELP\_TEXT.....

ID.....{8D683106-B5EE-46E1-B1C6-0C7843EDD15C}

TERM.....PULMOCARE

DATA VALUE: PULMONARY PROCEDURE ROOM

-----

ABBREVIATION.....Pul Prc Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Pulmonary Procedure Room

HELP\_TEXT.....

ID.....{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}

TERM.....PULMONARY PROCEDURE ROOM

DATA VALUE: PULSE OXIMETER

-----  
ABBREVIATION.....Pulse Ox  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulse Oximeter  
HELP\_TEXT.....  
ID.....{773A956B-0B08-4D72-AAD4-630DF8268694}  
TERM.....PULSE OXIMETER

DATA VALUE: PULSELESS ELECTRICAL ACTIVITY

-----  
ABBREVIATION.....Pulseless  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulseless Electrical Activity  
HELP\_TEXT.....  
ID.....{8E21E500-78D4-462D-9483-DD81D3887EE5}  
TERM.....PULSELESS ELECTRICAL ACTIVITY

DATA VALUE: PUMP - CONTINUOUS

-----  
ABBREVIATION.....Pump- cont  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pump- Continuous

HELP\_TEXT.....

ID.....{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}

TERM.....PUMP - CONTINUOUS

DATA VALUE: PUMP - INTERMITTENT

-----

ABBREVIATION.....Pump - int

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Pump - Intermittent

HELP\_TEXT.....

ID.....{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}

TERM.....PUMP - INTERMITTENT

DATA VALUE: PUNCTURE

-----

ABBREVIATION.....PUNCTURE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Puncture

HELP\_TEXT.....No Help Text

ID.....{28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}

TERM.....PUNCTURE

DATA VALUE: PUREED

-----  
ABBREVIATION.....PUREED  
ACTIVE.....Yes  
DESCRIPTION.....Pureed  
DISPLAY\_NAME.....Pureed  
HELP\_TEXT.....No Help Text  
ID.....{99F8AE5F-E390-4583-8A92-CAC13E21BCF4}  
TERM.....PUREED

DATA VALUE: PURULENT

-----  
ABBREVIATION.....PURULENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Purulent  
HELP\_TEXT.....No Help Text  
ID.....{86C01494-743A-C6A2-8883-01CA5200C79B}  
TERM.....PURULENT

DATA VALUE: PVC

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PVC



HELP\_TEXT.....No Help Text  
ID.....{33FF92F1-84CC-7CFA-41CF-B271A26C59B8}  
TERM.....PVC

DATA VALUE: QUADRAGEMINY

-----  
ABBREVIATION.....Quadragemi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Quadrageminy  
HELP\_TEXT.....  
ID.....{899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}  
TERM.....QUADRAGEMINY

DATA VALUE: QUIET OR RESTING

-----  
ABBREVIATION.....qor  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Quiet Or Resting  
HELP\_TEXT.....No Help Text  
ID.....{76E4908F-014C-2088-FF7F-33EBF223DE40}  
TERM.....QUIET OR RESTING

DATA VALUE: QUIET ROOM

-----

ABBREVIATION.....qr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Quiet Room  
HELP\_TEXT.....No Help Text  
ID.....{CCD96D41-C273-F6F3-DA18-8818B1CC9980}  
TERM.....QUIET ROOM

DATA VALUE: R BUNDLE BRANCH BLOCK

-----

ABBREVIATION.....rbbb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Bundle Branch Block  
HELP\_TEXT.....No Help Text  
ID.....{FDE0D174-5220-F069-D284-20399D9489B0}  
TERM.....R BUNDLE BRANCH BLOCK

DATA VALUE: R FOOT DOWN

-----

ABBREVIATION.....R FOOT DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Foot Down

HELP\_TEXT.....No Help Text

ID.....{DBCC0BA2-3097-42C7-AE9E-DF71FA779162}

TERM.....R FOOT DOWN

DATA VALUE: R FOOT UP

-----

ABBREVIATION.....R FOOT UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Foot Up

HELP\_TEXT.....No Help Text

ID.....{5928B710-6EB1-4183-93CB-6C72B37A97C3}

TERM.....R FOOT UP

DATA VALUE: R HEAD DOWN

-----

ABBREVIATION.....R HEAD DOW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Head Down

HELP\_TEXT.....No Help Text

ID.....{FD0638-444C-4023-B586-985E84EEA1FA}

TERM.....R HEAD DOWN

DATA VALUE: R HEAD UP

-----

ABBREVIATION.....R HEAD UP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Head Up

HELP\_TEXT.....No Help Text

ID.....{D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}

TERM.....R HEAD UP

DATA VALUE: R NECK

-----

ABBREVIATION.....RIGHT NECK

ACTIVE.....Yes

DESCRIPTION.....RIGHT NECK

DISPLAY\_NAME.....R Neck

HELP\_TEXT.....RIGHT NECK

ID.....{907E90CD-87BF-073D-AF76-EA11ABE7FC3C}

TERM.....R NECK

DATA VALUE: R NEPHROSTOMY

-----

ABBREVIATION.....R NEPHROST

ACTIVE.....Yes

DESCRIPTION.....Right Nephrostomy

DISPLAY\_NAME.....R Nephrostomy

HELP\_TEXT.....Right Nephrostomy  
ID.....{33661137-688D-5611-4368-B1DFD8DB1469}  
TERM.....R NEPHROSTOMY

DATA VALUE: R STENT

---

ABBREVIATION.....RT. STENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Stent  
HELP\_TEXT.....No Help Text  
ID.....{6D0EED3B-1F08-11D2-165D-97A9F58327D5}  
TERM.....R STENT

DATA VALUE: RAD TECH

---

ABBREVIATION.....Rad Tech  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rad Tech  
HELP\_TEXT.....  
ID.....{EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}  
TERM.....RAD TECH

DATA VALUE: RADIATING

-----  
ABBREVIATION.....RADIATING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....RADIATING  
HELP\_TEXT.....No Help Text  
ID.....{B6807939-F809-45C1-912A-ADEF2E0DB0DC}  
TERM.....RADIATING

DATA VALUE: RADIOLOGY

-----  
ABBREVIATION.....Radiology  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Radiology  
HELP\_TEXT.....  
ID.....{AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}  
TERM.....RADIOLOGY

DATA VALUE: RAMSEY ANXIOUS

-----  
ABBREVIATION.....RAM ANXIOU  
ACTIVE.....Yes  
DESCRIPTION.....Anxious, agitated, or restless  
DISPLAY\_NAME.....1 - Anxious

HELP\_TEXT.....Anxious, agitated, or restless  
ID.....{88205A0C-7065-4616-8FCF-75059462DD15}  
TERM.....RAMSEY ANXIOUS

DATA VALUE: RAMSEY ASLEEP BRISK RESPONSE

-----  
ABBREVIATION.....RAM ASL BR  
ACTIVE.....Yes  
DESCRIPTION.....Asleep; brisk response to light  
glabellar tap or loud auditory  
stimulus

DISPLAY\_NAME.....4 - Asleep; Brisk Response  
HELP\_TEXT.....Asleep; brisk response to light  
glabellar tap or loud auditory  
stimulus

ID.....{00F4A117-F9E7-4B60-A521-F2E8725AECD3}  
TERM.....RAMSEY ASLEEP BRISK RESPONSE

DATA VALUE: RAMSEY ASLEEP NO RESPONSE

-----  
ABBREVIATION.....RAM ASL NO  
ACTIVE.....Yes  
DESCRIPTION.....Asleep; no response to painful stimuli  
DISPLAY\_NAME.....6 - Asleep No Response  
HELP\_TEXT.....Asleep; no response to painful stimuli  
ID.....{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}  
TERM.....RAMSEY ASLEEP NO RESPONSE

DATA VALUE: RAMSEY ASLEEP SLUGGISH

-----

ABBREVIATION.....RAM ASL SL

ACTIVE.....Yes

DESCRIPTION.....Asleep; sluggish response to light

glabellar tap or loud auditory

stimulus

DISPLAY\_NAME.....5 - Asleep Sluggish Response

HELP\_TEXT.....Asleep; sluggish response to light

glabellar tap or loud auditory

stimulus

ID.....{AA61604F-00F9-4103-B27F-E817FBC9577B}

TERM.....RAMSEY ASLEEP SLUGGISH

DATA VALUE: RAMSEY COOPERATIVE

-----

ABBREVIATION.....RAM COOPER

ACTIVE.....Yes

DESCRIPTION.....Cooperative, oriented, and tranquil

DISPLAY\_NAME.....2 - Cooperative

HELP\_TEXT.....Cooperative, oriented, and tranquil

ID.....{56846ADA-0F0E-44AA-9779-A567B9D24C4F}

TERM.....RAMSEY COOPERATIVE

DATA VALUE: RAMSEY SEDATED

-----



ABBREVIATION.....RAM SEDATE  
ACTIVE.....Yes  
DESCRIPTION.....Sedated but responds to commands  
DISPLAY\_NAME.....3 - Sedated But Responds  
HELP\_TEXT.....Sedated but responds to commands  
ID.....{CC12405F-60DB-485F-94E5-78C1EB32AB74}  
TERM.....RAMSEY SEDATED

DATA VALUE: RASH/EXFOLIATION

-----  
ABBREVIATION.....RASH/EXFOL  
ACTIVE.....Yes  
DESCRIPTION.....Rash / Exfoliation  
DISPLAY\_NAME.....Rash / Exfoliation  
HELP\_TEXT.....No Help Text  
ID.....{AB83ABA9-28A7-6484-67E7-4E66B5526942}  
TERM.....RASH/EXFOLIATION

DATA VALUE: RASS AGITATED

-----  
ABBREVIATION.....RASS AGITA  
ACTIVE.....Yes  
DESCRIPTION.....Frequent non-purposeful movement,  
                  fights ventilator  
DISPLAY\_NAME.....+2: Agitated  
HELP\_TEXT.....Frequent non-purposeful movement,  
                  fights ventilator  
ID.....{D81A5D5D-E7FC-445A-A814-495731ABA0F8}

TERM.....RASS AGITATED

DATA VALUE: RASS ALERT AND CALM

-----  
ABBREVIATION.....RASS AL CA  
ACTIVE.....Yes  
DESCRIPTION.....Alert and Calm  
DISPLAY\_NAME.....0: Alert and Calm  
HELP\_TEXT.....Alert and Calm  
ID.....{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}  
TERM.....RASS ALERT AND CALM

DATA VALUE: RASS COMBATIVE

-----  
ABBREVIATION.....RASS COMBA  
ACTIVE.....Yes  
DESCRIPTION.....Overtly combative, violent, immediate  
                  danger to staff  
DISPLAY\_NAME.....+4: Combative  
HELP\_TEXT.....Overtly combative, violent, immediate  
                  danger to staff  
ID.....{A97E064A-7709-42F9-9A88-4AAFF1020883}  
TERM.....RASS COMBATIVE

DATA VALUE: RASS DEEP SEDATION

-----  
ABBREVIATION.....RASS DP SE  
ACTIVE.....Yes

DESCRIPTION.....No response to voice, but movement or  
eye opening to physical stimulation

DISPLAY\_NAME.....-4: Deep Sedation

HELP\_TEXT.....No response to voice, but movement or  
eye opening to physical stimulation

ID.....{83CB4E64-3581-452F-987A-D31CB3AB38D2}

TERM.....RASS DEEP SEDATION

DATA VALUE: RASS DROWSY

-----  
ABBREVIATION.....RASS DROWS

ACTIVE.....Yes

DESCRIPTION.....Not fully alert, but has sustained  
awakening (eye-opening/eye contact)  
to voice (>10 seconds)

DISPLAY\_NAME.....-1: Drowsy

HELP\_TEXT.....Not fully alert, but has sustained  
awakening (eye-opening/eye contact)  
to voice (>10 seconds)

ID.....{5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}

TERM.....RASS DROWSY

DATA VALUE: RASS LIGHT SEDATION

-----  
ABBREVIATION.....RASS LT SE

ACTIVE.....Yes

DESCRIPTION.....Briefly awakens with eye contact to  
voice (<10 seconds)

DISPLAY\_NAME.....-2: Light Sedation

HELP\_TEXT.....Briefly awakens with eye contact to  
voice (<10 seconds)

ID.....{FDEEC084-3922-4065-A863-4893E42F8F93}

TERM.....RASS LIGHT SEDATION

DATA VALUE: RASS MODERATE SEDATION

-----

ABBREVIATION.....RASS MD SE

ACTIVE.....Yes

DESCRIPTION.....Movement or eye opening to voice (but  
no eye contact)

DISPLAY\_NAME.....-3: Moderate Sedation

HELP\_TEXT.....Movement or eye opening to voice (but  
no eye contact)

ID.....{D12B0A3E-B80E-494F-B89F-A79E8B81B080}

TERM.....RASS MODERATE SEDATION

DATA VALUE: RASS RESTLESS

-----

ABBREVIATION.....RASS RESTL

ACTIVE.....Yes

DESCRIPTION.....Anxious but movements not aggressive  
vigorous

DISPLAY\_NAME.....+1: Restless

HELP\_TEXT.....Anxious but movements not aggressive  
vigorous

ID.....{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}

TERM.....RASS RESTLESS

DATA VALUE: RASS UNAROUSABLE

-----

ABBREVIATION.....RASS UNARO  
ACTIVE.....Yes  
DESCRIPTION.....No response to voice or physical  
stimulation  
DISPLAY\_NAME.....-5: Unarousable  
HELP\_TEXT.....No response to voice or physical  
stimulation  
ID.....{1578E147-7D2C-4469-828E-FCA97109B27C}  
TERM.....RASS UNAROUSABLE

DATA VALUE: RASS VERY AGITATED

-----

ABBREVIATION.....RASS V AGI  
ACTIVE.....Yes  
DESCRIPTION.....Pulls or removes tube(s) or  
catheter(s); aggressive  
DISPLAY\_NAME.....+3: Very Agitated  
HELP\_TEXT.....Pulls or removes tube(s) or  
catheter(s); aggressive  
ID.....{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}  
TERM.....RASS VERY AGITATED

DATA VALUE: REACTIVE

-----

ABBREVIATION.....Reactive  
ACTIVE.....Yes  
DESCRIPTION.....Reactive  
DISPLAY\_NAME.....Reactive

HELP\_TEXT.....No Help Text

ID.....{31B44ADB-0000-A5B0-5F56-59D4A08C05D2}

TERM.....REACTIVE



DATA VALUE: RECTAL TUBE

-----  
ABBREVIATION.....RECT TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Rectal Tube  
DISPLAY\_NAME.....Rectal Tube  
HELP\_TEXT.....No Help Text  
ID.....{7E492AE5-D3B8-44EC-8841-97770FAD3AFE}  
TERM.....RECTAL TUBE

DATA VALUE: RED

-----  
ABBREVIATION.....RED  
ACTIVE.....Yes  
DESCRIPTION.....The color red  
DISPLAY\_NAME.....Red  
HELP\_TEXT.....The color red  
ID.....{515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
TERM.....RED

DATA VALUE: RED/GRANULATING

-----  
ABBREVIATION.....RED/GRANUL  
ACTIVE.....Yes  
DESCRIPTION.....Red / Granulating  
DISPLAY\_NAME.....Red / Granulating

HELP\_TEXT.....No Help Text  
ID.....{BB69D2A2-7807-490A-B21D-77B6677796F6}  
TERM.....RED/GRANULATING

DATA VALUE: REDDENING OF THE SKIN

-----  
ABBREVIATION.....RED O SKIN  
ACTIVE.....Yes  
DESCRIPTION.....Reddening Of The Skin  
DISPLAY\_NAME.....Reddening Of The Skin  
HELP\_TEXT.....No Help Text  
ID.....{716AEC57-0835-4D07-A78C-D8453599A3D2}  
TERM.....REDDENING OF THE SKIN

DATA VALUE: REDIRECT PATIENT ACTIVITY

-----  
ABBREVIATION.....REDIR ACT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Redirect Patient Activity  
HELP\_TEXT.....No Help Text  
ID.....{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}  
TERM.....REDIRECT PATIENT ACTIVITY

DATA VALUE: REFLEX

-----

ABBREVIATION.....r  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reflex  
HELP\_TEXT.....No Help Text  
ID.....{F21585F9-5206-A6B3-2BF6-F416E5842366}  
TERM.....REFLEX

DATA VALUE: REFUSE MEDICATION

-----

ABBREVIATION.....REFUSE MED  
ACTIVE.....Yes  
DESCRIPTION.....Refuse Medication  
DISPLAY\_NAME.....Refuse Medication  
HELP\_TEXT.....No Help Text  
ID.....{17D6956B-4CF6-492C-B113-B5A93D9E215E}  
TERM.....REFUSE MEDICATION

DATA VALUE: REFUSE TO MOVE

-----

ABBREVIATION.....REF TO MOV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Refuse To Move

HELP\_TEXT.....No Help Text  
ID.....{E14588CE-2498-4FE8-AB0B-E954DC1696AC}  
TERM.....REFUSE TO MOVE

DATA VALUE: REFUSED

-----  
ABBREVIATION.....REFUSED  
ACTIVE.....Yes  
DESCRIPTION.....Refused  
DISPLAY\_NAME.....Refused  
HELP\_TEXT.....No Help Text  
ID.....{D5B3E135-4D68-4528-BBC9-6E8A7A997104}  
TERM.....REFUSED

DATA VALUE: REGIONAL BLOCK

-----  
ABBREVIATION.....Region Blk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Regional Block  
HELP\_TEXT.....  
ID.....{3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}  
TERM.....REGIONAL BLOCK

DATA VALUE: REGISTERED NURSE

-----

ABBREVIATION.....RN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....RN

HELP\_TEXT.....No Help Text

ID.....{524F344F-FDCD-423F-AD34-291D5DB4271B}

TERM.....REGISTERED NURSE

DATA VALUE: REGULAR

-----

ABBREVIATION.....REGULAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Regular

HELP\_TEXT.....No Help Text

ID.....{3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}

TERM.....REGULAR

DATA VALUE: REINFORCED

-----

ABBREVIATION.....REINFORCED

ACTIVE.....Yes

DESCRIPTION.....Dressing has been reinforced

DISPLAY\_NAME.....Reinforced

HELP\_TEXT.....No Help Text

ID.....{EC524C50-0CDE-4AA1-8059-E4323850575E}

TERM.....REINFORCED

DATA VALUE: RELATIVE

-----

ABBREVIATION.....Relative

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Relative

HELP\_TEXT.....

ID.....{F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}

TERM.....RELATIVE

DATA VALUE: RELIGIOUS

-----

ABBREVIATION.....RELIGIOUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Religious

HELP\_TEXT.....No Help Text

ID.....{936C9949-8A30-4BBF-934C-1F194551B8E2}

TERM.....RELIGIOUS

DATA VALUE: REMNANT P-WAVE

-----  
ABBREVIATION.....Remnant P  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Remnant P-Wave  
HELP\_TEXT.....  
ID.....{3BBAA695-337E-41C4-BB83-8452917C07DF}  
TERM.....REMNANT P-WAVE

DATA VALUE: REMOVE FROM STIM. SETTING

-----  
ABBREVIATION.....REM SET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Remove From Stimulating Setting  
HELP\_TEXT.....No Help Text  
ID.....{2010BA89-B399-4A30-9ACF-C65AB57B6351}  
TERM.....REMOVE FROM STIM. SETTING

DATA VALUE: REMOVE RECTAL TUBE

-----  
ABBREVIATION.....Rectal Tub  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Remove Rectal Tube

HELP\_TEXT.....

ID.....{3D3D75CD-994E-49EE-B51A-8621FF5CA4D8}

TERM.....REMOVE RECTAL TUBE

DATA VALUE: RENAL DIET

-----

ABBREVIATION.....REN DIET

ACTIVE.....Yes

DESCRIPTION.....Renal Diet

DISPLAY\_NAME.....Renal Diet

HELP\_TEXT.....No Help Text

ID.....{089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}

TERM.....RENAL DIET

DATA VALUE: REORIENTED TO ENVIRONMENT

-----

ABBREVIATION.....REORIENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Reoriented To Environment

HELP\_TEXT.....No Help Text

ID.....{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}

TERM.....REORIENTED TO ENVIRONMENT



DATA VALUE: REPIRATORY DEPRESSION

-----  
ABBREVIATION.....Resp Depr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Respiratory Depression  
HELP\_TEXT.....  
ID.....{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}  
TERM.....REPIRATORY DEPRESSION

DATA VALUE: REPORTED

-----  
ABBREVIATION.....REPORTED  
ACTIVE.....Yes  
DESCRIPTION.....Reported as having happened  
DISPLAY\_NAME.....Reported  
HELP\_TEXT.....No Help Text  
ID.....{1D13BAC5-D8F9-455C-B815-8E256943492E}  
TERM.....REPORTED

DATA VALUE: REPOSITION

-----  
ABBREVIATION.....REPOSITION  
ACTIVE.....Yes  
DESCRIPTION.....Reposition  
DISPLAY\_NAME.....Reposition

HELP\_TEXT.....No Help Text  
ID.....{DF3039CA-5977-4454-81D4-DB0AF966F85D}  
TERM.....REPOSITION

DATA VALUE: REQUEST FOR MORE MEDICATION

-----  
ABBREVIATION.....REQ MOR ME  
ACTIVE.....Yes  
DESCRIPTION.....Request For More Medication  
DISPLAY\_NAME.....Request For More Medication  
HELP\_TEXT.....No Help Text  
ID.....{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}  
TERM.....REQUEST FOR MORE MEDICATION

DATA VALUE: RES CRIT: AGGRESSIVE

-----  
ABBREVIATION.....R.C. AGGR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aggressive  
HELP\_TEXT.....No Help Text  
ID.....{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}  
TERM.....RES CRIT: AGGRESSIVE

DATA VALUE: RES CRIT: AMBULATE

-----

ABBREVIATION.....R.C. AMBU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Attempting To Ambulate When  
Unable/High Injury Risk

HELP\_TEXT.....No Help Text

ID.....{54B72608-2C13-46CD-8034-00179669762C}

TERM.....RES CRIT: AMBULATE

DATA VALUE: RES CRIT: COMBATIVE

-----

ABBREVIATION.....R.C. COMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Combative

HELP\_TEXT.....No Help Text

ID.....{38DBF61A-D364-4215-B4AA-36B660F96462}

TERM.....RES CRIT: COMBATIVE

DATA VALUE: RES CRIT: EQUIPMENT

-----

ABBREVIATION.....R.C. EQUI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Attempting To Remove

Equipment/Dressings

HELP\_TEXT.....No Help Text

ID.....{38C2C56C-6D57-4750-8E68-F1193B16190A}

TERM.....RES CRIT: EQUIPMENT

DATA VALUE: RES CRIT: HARM TO SELF

-----  
ABBREVIATION.....R.C. HARM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Risk of Physical Harm To Self

HELP\_TEXT.....No Help Text

ID.....{4DC33341-8F53-4D30-BC28-1E32DB54F30D}

TERM.....RES CRIT: HARM TO SELF

DATA VALUE: RES CRIT: LINES

-----  
ABBREVIATION.....R.C. LINE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Attempting To Pull Lines

HELP\_TEXT.....No Help Text

ID.....{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}

TERM.....RES CRIT: LINES

DATA VALUE: RES CRIT: UNABLE TO FOLLOW DIRECTIONS

-----

ABBREVIATION.....R.C. DIRE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Unable To Follow Directions While  
Injury Risk

HELP\_TEXT.....No Help Text

ID.....{41358EAE-9912-48F8-8931-D3C635406D21}

TERM.....RES CRIT: UNABLE TO FOLLOW DIRECTIONS

DATA VALUE: RES EVAL: AMBULATION/EXERCISE

-----

ABBREVIATION.....R.E. EXER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ambulation / Exercise

HELP\_TEXT.....No Help Text

ID.....{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}

TERM.....RES EVAL: AMBULATION/EXERCISE

DATA VALUE: RES EVAL: DECREASE STIMULATION

-----

ABBREVIATION.....R.E. DECR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Decrease Stimulation  
HELP\_TEXT.....No Description  
ID.....{0841626E-994E-4346-B701-1662A00209EB}  
TERM.....RES EVAL: DECREASE STIMULATION

DATA VALUE: RES EVAL: DIVERSIONAL ACTIVITIES

-----  
ABBREVIATION.....R.E. DIVER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diversonal Activities  
HELP\_TEXT.....No Help Text  
ID.....{569F6D49-C564-4910-835A-B05179086E1F}  
TERM.....RES EVAL: DIVERSIONAL ACTIVITIES

DATA VALUE: RES EVAL: EDUCATION

-----  
ABBREVIATION.....R.E. EDUC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Edcuation  
HELP\_TEXT.....No Help Text  
ID.....{76341E6E-7F0A-429C-B768-9CA83C452FD7}  
TERM.....RES EVAL: EDUCATION

DATA VALUE: RES EVAL: INVOLVEMENT WITH FAMILY

-----  
ABBREVIATION.....R.E. INVO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Involvement With Family And Others  
HELP\_TEXT.....No Help Text  
ID.....{0EF31047-70A5-4072-953A-B62E1ACDF84B}  
TERM.....RES EVAL: INVOLVEMENT WITH FAMILY

DATA VALUE: RES EVAL: MEDICATION REVIEW

-----  
ABBREVIATION.....R.E. REVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medication Review  
HELP\_TEXT.....No Help Text  
ID.....{914A0F82-5863-4C84-B3AB-D5A22BD340D8}  
TERM.....RES EVAL: MEDICATION REVIEW

DATA VALUE: RES EVAL: REALITY ORIENTATION

-----  
ABBREVIATION.....R.E. REALI  
ACTIVE.....Yes  
DESCRIPTION.....None  
DISPLAY\_NAME.....Reality Orientation

HELP\_TEXT.....None

ID.....{221C363C-2261-40FC-8400-8B1D2E693F69}

TERM.....RES EVAL: REALITY ORIENTATION

DATA VALUE: RES EVAL: RELOCATE

-----

ABBREVIATION.....R.E. RELO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Relocate Patient

HELP\_TEXT.....No Help Text

ID.....{D8165678-ECEF-4F4D-A1C4-C616349E1873}

TERM.....RES EVAL: RELOCATE

DATA VALUE: RES EVAL: UNABLE TO ATTEMPT

-----

ABBREVIATION.....R.E. UNAB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Unable To Attempt Due To Patient

Safety Concern

HELP\_TEXT.....No Help Text

ID.....{979B0477-5789-4319-9562-6752048C4005}

TERM.....RES EVAL: UNABLE TO ATTEMPT



DATA VALUE: RES LRM: DEVICE ACCESS

-----  
ABBREVIATION.....RLRM ACCE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Prevent Access To Medical Devices  
HELP\_TEXT.....No Help Text  
ID.....{1662F5E1-30E7-4E8A-BCC5-1738868435B8}  
TERM.....RES LRM: DEVICE ACCESS

DATA VALUE: RES LRM: LIMIT SETTING

-----  
ABBREVIATION.....RLRM SETT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limit Setting  
HELP\_TEXT.....No Help Text  
ID.....{96417DDF-8562-4EFF-B4F6-0933FD91CD36}  
TERM.....RES LRM: LIMIT SETTING

DATA VALUE: RES LRM: PRN MEDS

-----  
ABBREVIATION.....RLRM: MEDS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Offer PRN Meds

HELP\_TEXT.....No Help Text  
ID.....{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}  
TERM.....RES LRM: PRN MEDS

DATA VALUE: RES LRM: REDIRECT

-----  
ABBREVIATION.....RLRM REDI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Redirect Patient Activity  
HELP\_TEXT.....No Help Text  
ID.....{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}  
TERM.....RES LRM: REDIRECT

DATA VALUE: RES LRM: REMOVE FROM SETTING

-----  
ABBREVIATION.....RLRM REMO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Remove From Stimulating Setting  
HELP\_TEXT.....No Help Text  
ID.....{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}  
TERM.....RES LRM: REMOVE FROM SETTING

DATA VALUE: RES LRM: REORIENT

-----

ABBREVIATION.....RLRM REOR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Reoriented To Environment

HELP\_TEXT.....No Help Text

ID.....{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}

TERM.....RES LRM: REORIENT

DATA VALUE: RES LRM: SUPERVISION

-----

ABBREVIATION.....RLRM SUPR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....One To One Supervision

HELP\_TEXT.....No Help Text

ID.....{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}

TERM.....RES LRM: SUPERVISION

DATA VALUE: RES LRM: VERBAL DE-ESCALATION

-----

ABBREVIATION.....RLRM VERB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Verbal De-escalation

HELP\_TEXT.....No Help Text  
ID.....{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}  
TERM.....RES LRM: VERBAL DE-ESCALATION

DATA VALUE: RES LRM: VERBAL REMINDERS

-----  
ABBREVIATION.....RLRM REMI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Frequent Verbal Reminders  
HELP\_TEXT.....No Help Text  
ID.....{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}  
TERM.....RES LRM: VERBAL REMINDERS

DATA VALUE: RESOURCE BREEZE

-----  
ABBREVIATION.....Re Breeze  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resource Breeze  
HELP\_TEXT.....  
ID.....{D3A38687-AD62-4E1D-A945-1201168E1CF6}  
TERM.....RESOURCE BREEZE

DATA VALUE: RESOURCE DM

-----

ABBREVIATION.....Re Dm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Resource Dm

HELP\_TEXT.....

ID.....{C9D4A461-81F9-4392-98DA-129B00E5807F}

TERM.....RESOURCE DM

DATA VALUE: RESP TECH

-----

ABBREVIATION.....Resp Tech

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Resp Tech

HELP\_TEXT.....

ID.....{8A7BA130-3EDC-4D07-A852-846B37399FC9}

TERM.....RESP TECH

DATA VALUE: RESPIRATION

-----

ABBREVIATION.....Respiratio

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Respiration

HELP\_TEXT.....

ID.....{5D6198F0-FE26-4F94-9118-D49A7EC44017}

TERM.....RESPIRATION

DATA VALUE: RESPIRATORY DEPRESSION

-----

ABBREVIATION.....Resp Depr

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Respiratory Depression

HELP\_TEXT.....

ID.....{A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}

TERM.....RESPIRATORY DEPRESSION

DATA VALUE: RESTING

-----

ABBREVIATION.....Resting

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Resting

HELP\_TEXT.....

ID.....{D750373F-12E2-4D95-AF0D-F7731905F723}

TERM.....RESTING

DATA VALUE: RESTING RESPIRATORY RATE BASELINE OR ABOVE

-----

ABBREVIATION.....Rest Base

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Resting Respiratory Rate Baseline or  
Above

HELP\_TEXT.....

ID.....{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}

TERM.....RESTING RESPIRATORY RATE BASELINE OR  
ABOVE

DATA VALUE: RESTLESS

-----

ABBREVIATION.....r

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Restless

HELP\_TEXT.....No Help Text

ID.....{8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}

TERM.....RESTLESS

DATA VALUE: RESTRAINT

-----

ABBREVIATION.....RESTRAINT

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....Restraint  
HELP\_TEXT.....No Help Text  
ID.....{0429322D-A987-4913-B64D-A6414645B214}  
TERM.....RESTRAINT

DATA VALUE: RESTRAINT BILATERAL ANKLE

-----  
ABBREVIATION.....RES BI ANK  
ACTIVE.....Yes  
DESCRIPTION.....Bilateral Ankle Restraint  
DISPLAY\_NAME.....Bilateral Ankle  
HELP\_TEXT.....No Help Text  
ID.....{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}  
TERM.....RESTRAINT BILATERAL ANKLE

DATA VALUE: RESTRAINT BILATERAL HAND MITT

-----  
ABBREVIATION.....RES BI H M  
ACTIVE.....Yes  
DESCRIPTION.....Bilateral Hand Mitt Restraint  
DISPLAY\_NAME.....Bilateral Hand Mitt  
HELP\_TEXT.....No Help Text  
ID.....{5E293110-1235-4307-80C2-0FFFA007E1DA}  
TERM.....RESTRAINT BILATERAL HAND MITT



DATA VALUE: RESTRAINT GERI CHAIR

-----  
ABBREVIATION.....RES GERI C  
ACTIVE.....Yes  
DESCRIPTION.....Geri Chair Restraint  
DISPLAY\_NAME.....Geri Chair  
HELP\_TEXT.....No Help Text  
ID.....{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}  
TERM.....RESTRAINT GERI CHAIR

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER

-----  
ABBREVIATION.....RES H PL/L  
ACTIVE.....Yes  
DESCRIPTION.....Hard Plastic/Leather Restraint  
DISPLAY\_NAME.....Hard Plastic/Leather  
HELP\_TEXT.....No Help Text  
ID.....{9BB528F4-7016-4030-B73F-4037ADF2621D}  
TERM.....RESTRAINT HARD PLASTIC/LEATHER

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 2 POINT

-----  
ABBREVIATION.....RES P/L 2P  
ACTIVE.....Yes  
DESCRIPTION.....Hard Plastic/Leather 2 Point Restraint  
DISPLAY\_NAME.....Hard Plastic/Leather 2 Point

HELP\_TEXT.....No Help Text  
ID.....{17CB8739-612A-4319-946A-2062C5245C90}  
TERM.....RESTRAINT HARD PLASTIC/LEATHER 2 POINT

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 4 POINT

-----  
ABBREVIATION.....RES P/L 4P  
ACTIVE.....Yes  
DESCRIPTION.....Hard Plastic/Leather 4 Point Restraint  
DISPLAY\_NAME.....Hard Plastic/Leather 4 Point  
HELP\_TEXT.....No Help Text  
ID.....{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}  
TERM.....RESTRAINT HARD PLASTIC/LEATHER 4 POINT

DATA VALUE: RESTRAINT ONE ARM

-----  
ABBREVIATION.....RES ONE AR  
ACTIVE.....Yes  
DESCRIPTION.....One Arm Restraint  
DISPLAY\_NAME.....One Arm  
HELP\_TEXT.....No Help Text  
ID.....{839914DA-6D63-43EB-961E-70DA56737A92}  
TERM.....RESTRAINT ONE ARM

DATA VALUE: RESTRAINT ONE LEG

-----  
ABBREVIATION.....RES ONE LE  
ACTIVE.....Yes  
DESCRIPTION.....One Leg Restraint  
DISPLAY\_NAME.....One Leg  
HELP\_TEXT.....No Help Text  
ID.....{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}  
TERM.....RESTRAINT ONE LEG

DATA VALUE: RESTRAINT SINGLE HAND MITT

-----  
ABBREVIATION.....RES S HA M  
ACTIVE.....Yes  
DESCRIPTION.....Single Hand Mitt Restraint  
DISPLAY\_NAME.....Single Hand Mitt  
HELP\_TEXT.....No Help Text  
ID.....{A5F1D037-FB5E-402B-9F25-22DE48404D57}  
TERM.....RESTRAINT SINGLE HAND MITT

DATA VALUE: RESTRAINT SOFT

-----  
ABBREVIATION.....RESTR SOFT  
ACTIVE.....Yes  
DESCRIPTION.....Soft Restraint  
DISPLAY\_NAME.....Soft Restraint

HELP\_TEXT.....No Help Text

ID.....{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

TERM.....RESTRAINT SOFT

DATA VALUE: RESTRAINT SOFT 2 POINT

-----

ABBREVIATION.....RES S2POIN

ACTIVE.....Yes

DESCRIPTION.....Soft 2 Point Restraint

DISPLAY\_NAME.....Soft Restraint 2 Point

HELP\_TEXT.....No Help Text

ID.....{66B71CFE-2603-40C9-9625-24448012BAB5}

TERM.....RESTRAINT SOFT 2 POINT

DATA VALUE: RESTRAINT SOFT 4 POINT

-----

ABBREVIATION.....RES S4POIN

ACTIVE.....Yes

DESCRIPTION.....Soft 4 Point Restraint

DISPLAY\_NAME.....Soft Restraint 4 Point

HELP\_TEXT.....No Help Text

ID.....{6820E997-60A0-4802-BE26-CA29B4F48F32}

TERM.....RESTRAINT SOFT 4 POINT

DATA VALUE: RESTRAINT SOFT ARMS + LOCKED WAIST

-----

ABBREVIATION.....RES S A+LW

ACTIVE.....Yes

DESCRIPTION.....Soft Arms + Locked Waist Restraint

DISPLAY\_NAME.....Soft Arms + Locked Waist

HELP\_TEXT.....No Help Text

ID.....{C480D67C-958C-42F9-9203-98E2F2BDBEC8}

TERM.....RESTRAINT SOFT ARMS + LOCKED WAIST

DATA VALUE: RESTRAINT SOFT ARMS + WAIST

-----

ABBREVIATION.....RES S A+W

ACTIVE.....Yes

DESCRIPTION.....Soft Arms + Waist Restraints

DISPLAY\_NAME.....Soft Arms + Waist

HELP\_TEXT.....No Help Text

ID.....{4A322BB6-0F63-4BB7-9290-C0655BD7D772}

TERM.....RESTRAINT SOFT ARMS + WAIST

DATA VALUE: RESTRAINT STRAP

-----

ABBREVIATION.....RES STRAP

ACTIVE.....Yes

DESCRIPTION.....Restraint Strap

DISPLAY\_NAME.....Restraint Strap

HELP\_TEXT.....No Help Text  
ID.....{642FDACE-B320-42BC-9514-F5FCD6583B19}  
TERM.....RESTRAINT STRAP

DATA VALUE: RESTRAINT VEST

---

ABBREVIATION.....RES VEST  
ACTIVE.....Yes  
DESCRIPTION.....Restraint Vest  
DISPLAY\_NAME.....Restraint Vest  
HELP\_TEXT.....No Help Text  
ID.....{643378B2-86D7-4DB7-93ED-9DCE16D85E27}  
TERM.....RESTRAINT VEST

DATA VALUE: RESTRAINT WAIST

---

ABBREVIATION.....RES WAIST  
ACTIVE.....Yes  
DESCRIPTION.....Waist  
DISPLAY\_NAME.....Waist  
HELP\_TEXT.....No Help Text  
ID.....{253E2757-5A57-4410-9C0E-F4A907A1EC16}  
TERM.....RESTRAINT WAIST

DATA VALUE: RESTRAINT WAIST LOCKED

-----

ABBREVIATION.....RES WAI LO  
ACTIVE.....Yes  
DESCRIPTION.....Waist Locked Restraint  
DISPLAY\_NAME.....Waist Locked  
HELP\_TEXT.....No Help Text  
ID.....{1EE7AB42-CE17-4D49-849B-CA550966E58C}  
TERM.....RESTRAINT WAIST LOCKED

DATA VALUE: RESTRAINT WRIST

-----

ABBREVIATION.....RES WRIST  
ACTIVE.....Yes  
DESCRIPTION.....Wrist Restraint  
DISPLAY\_NAME.....Restraint Wrist  
HELP\_TEXT.....No Help Text  
ID.....{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}  
TERM.....RESTRAINT WRIST

DATA VALUE: RESTRAINTS BROCHURE

-----

ABBREVIATION.....RES BRO P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education Brochure Provided

HELP\_TEXT.....No Help Text  
ID.....{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}  
TERM.....RESTRAINTS BROCHURE

DATA VALUE: RESTRAINTS ED REMOVAL

-----  
ABBREVIATION.....RES ED REM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education On Condition Required For  
Removal

HELP\_TEXT.....No Help Text  
ID.....{B19316C8-687B-48FB-9EBC-9857662B9F85}  
TERM.....RESTRAINTS ED REMOVAL

DATA VALUE: RESTRAINTS ED TYPE

-----  
ABBREVIATION.....RES ED TY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education Rational For Type Of  
Restraint

HELP\_TEXT.....No Help Text  
ID.....{5560A332-C365-4DAF-BA33-610C4AE301F5}  
TERM.....RESTRAINTS ED TYPE



DATA VALUE: RESTRAINTS EXPLAINED

-----  
ABBREVIATION.....RES EXPL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Explain Why Restraints Applied  
HELP\_TEXT.....No Help Text  
ID.....{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}  
TERM.....RESTRAINTS EXPLAINED

DATA VALUE: RESTRAINTS LIMIT SETTING

-----  
ABBREVIATION.....RES LIM SE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limit Setting  
HELP\_TEXT.....No Help Text  
ID.....{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}  
TERM.....RESTRAINTS LIMIT SETTING

DATA VALUE: RESTRAINTS TIME LIMIT

-----  
ABBREVIATION.....RES TIME L  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Time Limit On Restraints

HELP\_TEXT.....No Help Text  
ID.....{513B483E-AD7B-4B1A-BD01-91133C605C3C}  
TERM.....RESTRAINTS TIME LIMIT

DATA VALUE: RESTRICTED EXTREMITY

-----  
ABBREVIATION.....Res Extrem  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Restricted Extremity  
HELP\_TEXT.....  
ID.....{7BC82415-996E-46F2-B2BC-DF0705AD2AA3}  
TERM.....RESTRICTED EXTREMITY

DATA VALUE: RHONCHI

-----  
ABBREVIATION.....RHONCHI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rhonchi  
HELP\_TEXT.....No Help Text  
ID.....{850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}  
TERM.....RHONCHI

DATA VALUE: RIGHT

-----  
ABBREVIATION.....RIGHT  
ACTIVE.....Yes  
DESCRIPTION.....Right  
DISPLAY\_NAME.....Right  
HELP\_TEXT.....No Help Text  
ID.....{AB74C579-DF14-4D7B-A9EF-5F119089F976}  
TERM.....RIGHT

DATA VALUE: RIGID HEEL SPLINT

-----  
ABBREVIATION.....RIG HEEL S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rigid Heel Splint  
HELP\_TEXT.....No Help Text  
ID.....{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}  
TERM.....RIGID HEEL SPLINT

DATA VALUE: RN

-----  
ABBREVIATION.....RN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....RN

HELP\_TEXT.....

ID.....{A103E506-EAA5-4777-8126-268CD723AD87}

TERM.....RN

DATA VALUE: ROPIVICAINE

-----

ABBREVIATION.....Ropivicaïn

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Ropivicaïne

HELP\_TEXT.....

ID.....{911BE8BC-6737-4DBF-96AF-A501D3D54493}

TERM.....ROPIVICAINE

DATA VALUE: ROTATIONAL THERAPY

-----

ABBREVIATION.....ROT THERAP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Rotational Therapy

HELP\_TEXT.....No Help Text

ID.....{BB795594-720C-40D7-9B7C-6792BC849DA0}

TERM.....ROTATIONAL THERAPY

DATA VALUE: ROUND

-----

ABBREVIATION.....ROUND

ACTIVE.....Yes

DESCRIPTION.....Round

DISPLAY\_NAME.....Round

HELP\_TEXT.....No Help Text

ID.....{E8E741F1-F0C5-4B77-B014-63B545BED755}

TERM.....ROUND

DATA VALUE: RT

-----

ABBREVIATION.....RT

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....RT

HELP\_TEXT.....

ID.....{6E374EFA-B7CE-44C2-ADCE-DF9C132E951E}

TERM.....RT

DATA VALUE: RUB

-----

ABBREVIATION.....r

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Rub

HELP\_TEXT.....No Help Text

ID.....{0040835D-1CF0-7D55-EEBB-A94A1E0D1206}

TERM.....RUB

DATA VALUE: RUNS OF VT

-----

ABBREVIATION.....Runs of VT

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Runs of VT

HELP\_TEXT.....

ID.....{3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}

TERM.....RUNS OF VT

DATA VALUE: S1

-----

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....S1

HELP\_TEXT.....No Help Text

ID.....{1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}

TERM.....S1

DATA VALUE: S2

-----

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....S2

HELP\_TEXT.....No Help Text

ID.....{57C043D3-B227-3E7A-C1E6-5129A2800718}

TERM.....S2

DATA VALUE: S3

-----

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....S3

HELP\_TEXT.....No Help Text

ID.....{9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}

TERM.....S3

DATA VALUE: S4

-----

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....S4

HELP\_TEXT.....No Help Text

ID.....{9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}

TERM.....S4

DATA VALUE: SAFETY

-----

ABBREVIATION.....SAFETY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Safety

HELP\_TEXT.....No Help Text

ID.....{AD905A8F-33BD-4EFE-929E-A2B575797402}

TERM.....SAFETY

DATA VALUE: SALINE LOCK

-----

ABBREVIATION.....SALIN LOCK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Saline Lock

HELP\_TEXT.....No Help Text

ID.....{A94D7639-2A45-4319-A6C7-5A892AA6B1F4}

TERM.....SALINE LOCK



DATA VALUE: SALINE MOIST DRESSING

-----

ABBREVIATION.....SAL MOI DR

ACTIVE.....Yes

DESCRIPTION.....Saline Moist Dressing

DISPLAY\_NAME.....Saline Moist Dressing

HELP\_TEXT.....No Help Text

ID.....{19F98514-8ABF-461C-9969-C31177FE7DE7}

TERM.....SALINE MOIST DRESSING

DATA VALUE: SANDOSOURCE PEPTIDE

-----

ABBREVIATION.....SAND PEPTI

ACTIVE.....Yes

DESCRIPTION.....Sandosource Peptide Enteral Nutrition

Formula

DISPLAY\_NAME.....Sandosource Peptide Enteral Nutrition

Formula

HELP\_TEXT.....No Help Text

ID.....{0EF43998-4ED4-47F5-ACC6-5A977B6F9997}

TERM.....SANDOSOURCE PEPTIDE

DATA VALUE: SAS AGITATED

-----

ABBREVIATION.....SAS AGITAT

ACTIVE.....Yes

DESCRIPTION.....Anxious or physically agitated, calms  
to verbal instructions

DISPLAY\_NAME.....5 - Agitated

HELP\_TEXT.....Anxious or physically agitated, calms  
to verbal instructions

ID.....{107143D4-9527-4A26-8CB7-EEBB656B68B3}

TERM.....SAS AGITATED

DATA VALUE: SAS CALM AND COOPERATIVE

-----  
ABBREVIATION.....SAS C COOP

ACTIVE.....Yes

DESCRIPTION.....Calm, easily arousable, follows  
commands

DISPLAY\_NAME.....4 - Calm and Cooperative

HELP\_TEXT.....Calm, easily arousable, follows  
commands

ID.....{F0633778-280C-43C3-9E6E-9C35C18179F6}

TERM.....SAS CALM AND COOPERATIVE

DATA VALUE: SAS DANGEROUS AGITATION

-----  
ABBREVIATION.....SAS DA AGI

ACTIVE.....Yes

DESCRIPTION.....Pulling at ET tube, trying to remove  
catheters, climbing over bedrail,  
striking at staff, thrashing  
side-to-side

DISPLAY\_NAME.....7 - Dangerous Agitation

HELP\_TEXT.....Pulling at ET tube, trying to remove

catheters, climbing over bedrail,

striking at staff, thrashing

side-to-side

ID.....{0701FB25-1DF0-4771-8C81-AC19A985A3B6}

TERM.....SAS DANGEROUS AGITATION

DATA VALUE: SAS SEDATED

-----

ABBREVIATION.....SAS SEDATE

ACTIVE.....Yes

DESCRIPTION.....Difficult to arouse but awakens to

verbal stimuli or gentle shaking,

follows simple commands but drifts

off again

DISPLAY\_NAME.....3 - Sedated

HELP\_TEXT.....Difficult to arouse but awakens to

verbal stimuli or gentle shaking,

follows simple commands but drifts

off again

ID.....{AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}

TERM.....SAS SEDATED

DATA VALUE: SAS UNAROUSABLE

-----

ABBREVIATION.....SAS UNAROU

ACTIVE.....Yes

DESCRIPTION.....Minimal or no response to noxious

stimuli, does not communicate or

follow commands

DISPLAY\_NAME.....1 - Unarousable

HELP\_TEXT.....Minimal or no response to noxious

stimuli, does not communicate or

follow commands

ID.....{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

TERM.....SAS UNAROUSABLE

DATA VALUE: SAS VERY AGITATED

-----

ABBREVIATION.....SAS VY AGI

ACTIVE.....Yes

DESCRIPTION.....Requiring restraint and frequent

verbal reminding of limits, biting

ETT

DISPLAY\_NAME.....6 - Very Agitated

HELP\_TEXT.....Requiring restraint and frequent

verbal reminding of limits, biting

ETT

ID.....{B501606A-EEA7-470E-81BE-F51D422272F1}

TERM.....SAS VERY AGITATED

DATA VALUE: SAS VERY SEDATED

-----

ABBREVIATION.....SAS VY SED

ACTIVE.....Yes

DESCRIPTION.....Arouses to physical stimuli but does

not communicate or follow commands,

may move spontaneously

DISPLAY\_NAME.....2 - Very Sedated

HELP\_TEXT.....Arouses to physical stimuli but does

not communicate or follow commands,

may move spontaneously

ID.....{4B13529B-61C5-4B68-857A-3A5351DC4BE2}

TERM.....SAS VERY SEDATED

DATA VALUE: SCANT

-----

ABBREVIATION.....SCANT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Scant

HELP\_TEXT.....No Help Text

ID.....{8EF6C62D-0D94-37BB-60AD-86E306E8120D}

TERM.....SCANT

DATA VALUE: SCAPHOID

-----

ABBREVIATION.....SCAPHOID

ACTIVE.....Yes

DESCRIPTION.....Scaphoid

DISPLAY\_NAME.....Scaphoid

HELP\_TEXT.....No Help Text

ID.....{1BE93489-42FC-44EB-8D07-87F4224979F3}

TERM.....SCAPHOID

DATA VALUE: SCOOTER

-----

ABBREVIATION.....Scooter

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Scooter

HELP\_TEXT.....

ID.....{663BC475-C20E-4B8B-B8B5-B16CC79A93C6}

TERM.....SCOOTER

DATA VALUE: SECLUSION

-----

ABBREVIATION.....SECLUSION

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Seclusion

HELP\_TEXT.....No Help Text

ID.....{65B57F6C-C849-4BF7-8705-175361BC900F}

TERM.....SECLUSION

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 1

-----

ABBREVIATION.....sdabt1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Second Degree Av Block: Type 1

HELP\_TEXT.....No Help Text

ID.....{508BF663-96FB-EEBE-4F06-D2F1A02BD099}

TERM.....SECOND DEGREE AV BLOCK: TYPE 1

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 2

-----

ABBREVIATION.....sdabt2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Second Degree Av Block: Type 2

HELP\_TEXT.....No Help Text

ID.....{3367754A-08D1-31A9-E850-1B36358E358A}

TERM.....SECOND DEGREE AV BLOCK: TYPE 2



DATA VALUE: SECURE TRACK IN PLACE

-----  
ABBREVIATION.....Secure Trk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Secure Track in Place  
HELP\_TEXT.....  
ID.....{33F72416-BAD4-44AD-825E-93BCBFFB9670}  
TERM.....SECURE TRACK IN PLACE

DATA VALUE: SEDATED

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sedated  
HELP\_TEXT.....No Help Text  
ID.....{29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}  
TERM.....SEDATED

DATA VALUE: SEDIMENT

-----  
ABBREVIATION.....SEDIMENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sediment

HELP\_TEXT.....No Help Text

ID.....{4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}

TERM.....SEDIMENT

DATA VALUE: SEIZURES

-----

ABBREVIATION.....Seizures

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Seizures

HELP\_TEXT.....

ID.....{DE974E49-2AB6-4781-9930-468F2B781BA9}

TERM.....SEIZURES

DATA VALUE: SELECTED SURGERY

-----

ABBREVIATION.....Sel Surg

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Selected Surgery

HELP\_TEXT.....

ID.....{6DBC6356-0F00-4001-AF94-20A479995A6C}

TERM.....SELECTED SURGERY

DATA VALUE: SELF AM CARE BY PATIENT

-----  
ABBREVIATION.....SELF AM CR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self AM Care By Patient  
HELP\_TEXT.....No Help Text  
ID.....{C48A46C1-0E68-479C-B803-08C80617ADFF}  
TERM.....SELF AM CARE BY PATIENT

DATA VALUE: SELF CARE

-----  
ABBREVIATION.....SELF CARE  
ACTIVE.....Yes  
DESCRIPTION.....Self Care  
DISPLAY\_NAME.....Self Care  
HELP\_TEXT.....No Help Text  
ID.....{0E068188-75B8-46C5-8947-A6CC5C7849B5}  
TERM.....SELF CARE

DATA VALUE: SELF CARE OF BEDSIDE ENVIRONMENT

-----  
ABBREVIATION.....S CARE BED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Care of Bedside Environment

HELP\_TEXT.....No Help Text  
ID.....{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}  
TERM.....SELF CARE OF BEDSIDE ENVIRONMENT

DATA VALUE: SELF FACE WASH

-----  
ABBREVIATION.....S FACE WAS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Face Wash  
HELP\_TEXT.....No Help Text  
ID.....{77457D46-5676-46E6-B38F-FE3AF70B5CBC}  
TERM.....SELF FACE WASH

DATA VALUE: SELF FOOT CARE

-----  
ABBREVIATION.....SELF FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Foot Care  
HELP\_TEXT.....No Help Text  
ID.....{F2DCAF0E-389D-4987-8C73-66E35266CC78}  
TERM.....SELF FOOT CARE

DATA VALUE: SELF SHAVE

-----  
ABBREVIATION.....SELF SHAVE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Shave  
HELP\_TEXT.....No Help Text  
ID.....{90F1760C-4C12-4976-ADCB-DBF456A34023}  
TERM.....SELF SHAVE

DATA VALUE: SELF SHOWER

-----  
ABBREVIATION.....SELF SHOWE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Shower  
HELP\_TEXT.....No Help Text  
ID.....{C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}  
TERM.....SELF SHOWER

DATA VALUE: SELF TRACH CARE

-----  
ABBREVIATION.....S TRACH CA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Trach Care

HELP\_TEXT.....No Help Text  
ID.....{70BE79EC-107F-4CD3-B964-7919B3DDE222}  
TERM.....SELF TRACH CARE

DATA VALUE: SELF-CARE SKILLS

-----  
ABBREVIATION.....Self Skill  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Self-Care Skills  
HELP\_TEXT.....  
ID.....{39145E84-85F2-486C-9FF8-27787EC8026A}  
TERM.....SELF-CARE SKILLS

DATA VALUE: SEMIFOWLERS HIGH

-----  
ABBREVIATION.....sh  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Semifowlers High  
HELP\_TEXT.....No Help Text  
ID.....{1BBE7175-2BD2-BFB5-1E1B-E02443433072}  
TERM.....SEMIFOWLERS HIGH

DATA VALUE: SEMIFOWLERS LOW

-----  
ABBREVIATION.....sl  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Semifowlers Low  
HELP\_TEXT.....No Help Text  
ID.....{A265AF02-53FC-B182-8AE3-A06E95718D7E}  
TERM.....SEMIFOWLERS LOW

DATA VALUE: SEQUENTIAL COMPRESSION DEVICE

-----  
ABBREVIATION.....SCD  
ACTIVE.....Yes  
DESCRIPTION.....SEQUENTIAL COMPRESSION DEVICE  
DISPLAY\_NAME.....Sequential Compression Device  
HELP\_TEXT.....SEQUENTIAL COMPRESSION DEVICE  
ID.....{29D657DB-6679-8A55-0E33-235B5DD349F2}  
TERM.....SEQUENTIAL COMPRESSION DEVICE

DATA VALUE: SEROSANGUINOUS

-----  
ABBREVIATION.....SEROSANGUI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Serosanguinous

HELP\_TEXT.....No Help Text  
ID.....{19A8D332-899D-177A-2247-ABCDAAEE3BFA8}  
TERM.....SEROSANGUINOUS

DATA VALUE: SEROUS

---

ABBREVIATION.....SEROUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Serous  
HELP\_TEXT.....No Help Text  
ID.....{9BDA347E-29E9-80C7-91FA-016192D4257E}  
TERM.....SEROUS

DATA VALUE: SET UP HELP ONLY

---

ABBREVIATION.....SETUP ONLY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Set Up Help only  
HELP\_TEXT.....No Help Text  
ID.....{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}  
TERM.....SET UP HELP ONLY



DATA VALUE: SEVERELY REDUCED

-----  
ABBREVIATION.....SEV REDUCE  
ACTIVE.....Yes  
DESCRIPTION.....Severely Reduced  
DISPLAY\_NAME.....Severely Reduced  
HELP\_TEXT.....No Help Text  
ID.....{A895BACE-85AC-45B2-A190-4A6816DEDC1D}  
TERM.....SEVERELY REDUCED

DATA VALUE: SHALLOW

-----  
ABBREVIATION.....SHALLOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shallow  
HELP\_TEXT.....No Help Text  
ID.....{CD205617-BF98-4177-971A-056AFECC823A}  
TERM.....SHALLOW

DATA VALUE: SHAMPOO

-----  
ABBREVIATION.....SHAMPOO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shampoo

HELP\_TEXT.....No Help Text

ID.....{95CCB23C-E614-40CD-84F0-EE4EFBC95271}

TERM.....SHAMPOO

DATA VALUE: SHARP

---

ABBREVIATION.....SHARP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Sharp

HELP\_TEXT.....No Help Text

ID.....{20608864-E5CF-4FE3-8B6D-AE2FEE086503}

TERM.....SHARP

DATA VALUE: SHAVE

---

ABBREVIATION.....SHAVE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Shave

HELP\_TEXT.....No Help Text

ID.....{A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}

TERM.....SHAVE

DATA VALUE: SHOOTING

-----

ABBREVIATION.....SHOOTING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Shooting

HELP\_TEXT.....No Help Text

ID.....{73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}

TERM.....SHOOTING

DATA VALUE: SHOWER

-----

ABBREVIATION.....SHOWER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Shower

HELP\_TEXT.....No Help Text

ID.....{C259929A-44DB-48FD-A2EC-BC6ECF9D0476}

TERM.....SHOWER

DATA VALUE: SHUFFLING

-----

ABBREVIATION.....Shuffling

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Shuffling

HELP\_TEXT.....

ID.....{7EA3A898-1D90-472C-BE90-2110330A1ADA}

TERM.....SHUFFLING

DATA VALUE: SHUNTS

-----

ABBREVIATION.....Shunts

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Shunts

HELP\_TEXT.....

ID.....{8D9CB03B-6D63-4205-86C3-869421BEBD04}

TERM.....SHUNTS

DATA VALUE: SICU

-----

ABBREVIATION.....SICU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....SICU

HELP\_TEXT.....No Help Text

ID.....{EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}

TERM.....SICU

DATA VALUE: SIGMOIDOSTOMY

-----  
ABBREVIATION.....SIGMOIDOST  
ACTIVE.....Yes  
DESCRIPTION.....Sigmoidostomy  
DISPLAY\_NAME.....Sigmoidostomy  
HELP\_TEXT.....No Help Text  
ID.....{0C84B317-59B3-433B-A9AD-6588C1361E0C}  
TERM.....SIGMOIDOSTOMY

DATA VALUE: SIGNIFICANT OTHER

-----  
ABBREVIATION.....SO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Significant Other  
HELP\_TEXT.....No Help Text  
ID.....{082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}  
TERM.....SIGNIFICANT OTHER

DATA VALUE: SILVADENE

-----  
ABBREVIATION.....SILVADENE  
ACTIVE.....Yes  
DESCRIPTION.....Silvadene  
DISPLAY\_NAME.....Silvadene

HELP\_TEXT.....No Help Text  
ID.....{0889134F-C419-4366-B12E-EAB775719410}  
TERM.....SILVADENE

DATA VALUE: SILVER

-----  
ABBREVIATION.....SILVER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Silver  
HELP\_TEXT.....No Help Text  
ID.....{AF233570-2BB4-4AE6-8751-056B9717C475}  
TERM.....SILVER

DATA VALUE: SILVER SULFADIAZINE

-----  
ABBREVIATION.....SILVER SUL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Silver Sulfadiazine  
HELP\_TEXT.....No Help Text  
ID.....{E7A99A4E-C9B5-40D6-9820-05F87004F48B}  
TERM.....SILVER SULFADIAZINE

DATA VALUE: SINGLE

-----

ABBREVIATION.....SINGLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Single

HELP\_TEXT.....No Help Text

ID.....{8D305E0F-9035-E396-E768-40D7E6455BE4}

TERM.....SINGLE

DATA VALUE: SINGLE USE LUBRICANT PACKET

-----

ABBREVIATION.....Single Use

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Single Use Lubricant Packet

HELP\_TEXT.....

ID.....{7F748EDB-77D4-42D2-BE75-54F73598D4B0}

TERM.....SINGLE USE LUBRICANT PACKET

DATA VALUE: SINUS ARREST

-----

ABBREVIATION.....sa

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Sinus Arrest

HELP\_TEXT.....No Help Text  
ID.....{3CD8F7AC-3FE0-F342-089C-787232D2A5C2}  
TERM.....SINUS ARREST

DATA VALUE: SINUS ARRHYTHMIA

-----  
ABBREVIATION.....sa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Arrhythmia  
HELP\_TEXT.....No Help Text  
ID.....{07A24AC9-B486-A4B8-BADB-04D2729542CE}  
TERM.....SINUS ARRHYTHMIA

DATA VALUE: SINUS BLOCK

-----  
ABBREVIATION.....sb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Block  
HELP\_TEXT.....No Help Text  
ID.....{94D6EFED-3D08-E724-BC40-9C398919A142}  
TERM.....SINUS BLOCK



DATA VALUE: SINUS BRADYCARDIA

-----  
ABBREVIATION.....sb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Bradycardia  
HELP\_TEXT.....No Help Text  
ID.....{D6EF4940-63AE-22AF-1A80-D8E6F0F07839}  
TERM.....SINUS BRADYCARDIA

DATA VALUE: SINUS PAUSE

-----  
ABBREVIATION.....sp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Pause  
HELP\_TEXT.....No Help Text  
ID.....{7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}  
TERM.....SINUS PAUSE

DATA VALUE: SINUS RHYTHM

-----  
ABBREVIATION.....sr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Rhythm

HELP\_TEXT.....No Help Text

ID.....{A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}

TERM.....SINUS RHYTHM

DATA VALUE: SINUS TACHYCARDIA

-----

ABBREVIATION.....SINUS T

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Sinus Tachycardia

HELP\_TEXT.....No Help Text

ID.....{0AC41AF3-7656-A35D-E397-21D35405812A}

TERM.....SINUS TACHYCARDIA

DATA VALUE: SITE UNABLE TO BE MARKED

-----

ABBREVIATION.....Unable/Mar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Site Unable to be Marked

HELP\_TEXT.....

ID.....{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}

TERM.....SITE UNABLE TO BE MARKED

DATA VALUE: SKIN INCISION WOUND CLOSURE OPEN WOUND

-----

ABBREVIATION.....INC CL OPE

ACTIVE.....Yes

DESCRIPTION.....Skin Incision Closure Open Wound

DISPLAY\_NAME.....Open Wound

HELP\_TEXT.....Skin Incision Closure Open Wound

ID.....{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}

TERM.....SKIN INCISION WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN INCISION WOUND CLOSURE STAPLES

-----

ABBREVIATION.....INC CL STA

ACTIVE.....Yes

DESCRIPTION.....Skin Incision Closure Staples

DISPLAY\_NAME.....Staples

HELP\_TEXT.....Skin Incision Closure Staples

ID.....{4F48D42D-C206-423C-970B-02C03B2EE0B6}

TERM.....SKIN INCISION WOUND CLOSURE STAPLES

DATA VALUE: SKIN INCISION WOUND CLOSURE STERI-STRIPS

-----

ABBREVIATION.....INC CL STE

ACTIVE.....Yes

DESCRIPTION.....Skin Incision Closure Steri-Strips

DISPLAY\_NAME.....Steri-Strips

HELP\_TEXT.....Skin Incision Closure Steri-Strips  
ID.....{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}  
TERM.....SKIN INCISION WOUND CLOSURE  
STERI-STRIPS

DATA VALUE: SKIN INCISION WOUND CLOSURE SUTURES

-----  
ABBREVIATION.....INC CL SUT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Incision Closure Sutures  
DISPLAY\_NAME.....Sutures  
HELP\_TEXT.....Skin Incision Closure Sutures  
ID.....{DED8DEDA-82C9-4D3A-A81E-641583314919}  
TERM.....SKIN INCISION WOUND CLOSURE SUTURES

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm

-----  
ABBREVIATION.....INC IN <1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Incision Extends into Periwound Less  
Than1 cm  
DISPLAY\_NAME.....Extends Into Periwound Less Than 1 cm  
HELP\_TEXT.....Skin Induration Extension Around  
Incision Extends into Periwound Less  
Than1 cm  
ID.....{2A5097BF-955C-4F79-B483-7EE14AF05786}

TERM.....SKIN INDURATION AROUND INCISION

EXTENDS INTO PERIWOUND LESS THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THA

N 1 cm

-----

ABBREVIATION.....INC IN >1

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision Extends into Periwound

Greater Than 1 cm

DISPLAY\_NAME.....Extends into Periwound Greater Than 1

cm

HELP\_TEXT.....Skin Induration Extension Around

Incision Extends into Periwound

Greater Than 1 cm

ID.....{D8EE448D-00EB-412D-95AC-2E2E92C53EEB}

TERM.....SKIN INDURATION AROUND INCISION

EXTENDS INTO PERIWOUND MORE THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION LIMITED TO INCISION

-----

ABBREVIATION.....INC IN LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision Limited to Incision

DISPLAY\_NAME.....Limited to Incision

HELP\_TEXT.....Skin Induration Extension Around

Incision Limited to Incision

ID.....{88BCE7F9-F21F-427A-A50B-C1BA831639AB}

TERM.....SKIN INDURATION AROUND INCISION

LIMITED TO INCISION

DATA VALUE: SKIN INDURATION AROUND INCISION NONE

-----

ABBREVIATION.....INC IN NON

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Incision None

DISPLAY\_NAME.....None

HELP\_TEXT.....Skin Induration Extension Around

Incision None

ID.....{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}

TERM.....SKIN INDURATION AROUND INCISION NONE

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND

<

1 cm

-----

ABBREVIATION.....WOU IN <1

ACTIVE.....Yes

DESCRIPTION.....No DescriptionSkin Induration

Extension Around Wound Extends into

Periwound Less Than 1 cm

DISPLAY\_NAME.....Extends into Periwound Less Than 1 cm

HELP\_TEXT.....No DescriptionSkin Induration

Extension Around Wound Extends into

Periwound Less Than 1 cm

ID.....{3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND

>

1 cm

-----

ABBREVIATION.....WOU IN >1

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Wound Extends into Periwound More

Than 1 cm

DISPLAY\_NAME.....Extends into Periwound More Than 1 cm

HELP\_TEXT.....Skin Induration Extension Around

Wound Extends into Periwound More

Than 1 cm

ID.....{7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND EXTENDS INTO PERIWOUND > 1 cm



DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND

-----

ABBREVIATION.....WOU IN LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Wound Limited to Wound

DISPLAY\_NAME.....Limited to Wound

HELP\_TEXT.....Skin Induration Extension Around

Wound Limited to Wound

ID.....{1828A9EA-FF9D-4A49-9543-15B85FBF211E}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND LIMITED TO WOUND

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND NONE

-----

ABBREVIATION.....WOU IN NON

ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around

Wound None

DISPLAY\_NAME.....None

HELP\_TEXT.....Skin Induration Extension Around

Wound None

ID.....{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}

TERM.....SKIN INDURATION EXTENSION AROUND

WOUND NONE

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND

< 1 cm

-----

ABBREVIATION.....INC SW <1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around

Incision Extends into Periwound Less

Than 1 cm

DISPLAY\_NAME.....Extends into Periwound < 1 cm

HELP\_TEXT.....Skin Swelling Extension Around

Incision Extends into Periwound Less

Than 1 cm

ID.....{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}

TERM.....SKIN SWELLING EXTENSION AROUND

INCISION EXTENDS INTO PERIWOUND < 1

cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND

> 1 cm

-----

ABBREVIATION.....INC SW >1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around

Incision Extends into Periwound

Greater Than 1 cm

DISPLAY\_NAME.....Extends into Periwound More Than 1 cm

HELP\_TEXT.....Skin Swelling Extension Around

Incision Extends into Periwound

Greater Than 1 cm

ID.....{106A2AD3-F482-4DEE-967E-6F06C6026944}

TERM.....SKIN SWELLING EXTENSION AROUND

INCISION EXTENDS INTO PERIWOUND > 1

cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT

-----

ABBREVIATION.....INC SW FLU

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around

Incision Fluctuant

DISPLAY\_NAME.....Fluctuant

HELP\_TEXT.....Skin Swelling Extension Around

Incision Fluctuant

ID.....{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

TERM.....SKIN SWELLING EXTENSION AROUND

INCISION FLUCTUANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND

-----

ABBREVIATION.....INC SW LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around

Incision Limited to Wound

DISPLAY\_NAME.....Limited to Wound

HELP\_TEXT.....Skin Swelling Extension Around

Incision Limited to Wound

ID.....{B8503D54-6925-430E-8AB6-692412347D5D}

TERM.....SKIN SWELLING EXTENSION AROUND

INCISION LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION NONE

-----

ABBREVIATION.....INC SW NON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....None

HELP\_TEXT.....No Help Text

ID.....{54C9FC46-899C-460B-9524-D6F196B9FF31}

TERM.....SKIN SWELLING EXTENSION AROUND

INCISION NONE

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1

cm

-----  
ABBREVIATION.....WOU SW <1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Extends into Periwound Less Than 1 cm

DISPLAY\_NAME.....Extends into Periwound Less Than 1 cm

HELP\_TEXT.....Skin Swelling Extension Around Wound

Extends into Periwound Less Than 1 cm

ID.....{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1

cm

-----  
ABBREVIATION.....WOU SW >1

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Extends into Periwound Greater Than 1

cm

DISPLAY\_NAME.....Extends Into Periwound More Than 1 cm

HELP\_TEXT.....Skin Swelling Extension Around Wound

Extends into Periwound Greater Than 1

cm

ID.....{EA6AC933-0737-4C28-9F31-D36F3452DA96}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT

-----

ABBREVIATION.....WOU SW FLU

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound  
Fluctuant

DISPLAY\_NAME.....Fluctant

HELP\_TEXT.....Skin Swelling Extension Around Wound  
Fluctuant

ID.....{DB5077E7-D339-4C87-B8CA-D16269DB2935}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
FLUCTANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND

-----

ABBREVIATION.....WOU SW LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

Limited to Wound

DISPLAY\_NAME.....Linited to Wound

HELP\_TEXT.....Skin Swelling Extension Around Wound

Limited to Wound

ID.....{413CD1EC-309C-45D0-A1E0-E829EA615E2A}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND NONE

-----

ABBREVIATION.....WOU SW NON

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around Wound

None

DISPLAY\_NAME.....None

HELP\_TEXT.....Skin Swelling Extension Around Wound

None

ID.....{550E3B92-2C69-403B-A997-2DBE61374ABF}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

NONE

DATA VALUE: SKIN TEAR

-----

ABBREVIATION.....SKIN TEAR

ACTIVE.....Yes

DESCRIPTION.....Skin Tear

DISPLAY\_NAME.....Skin Tear

HELP\_TEXT.....No Help Text

ID.....{2E230C6E-119F-4F9F-8797-2FFA9D76F337}

TERM.....SKIN TEAR

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE

-----

ABBREVIATION.....INC TP CON

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site  
Consistent with Body Temperature

DISPLAY\_NAME.....Skin Temperature at Incision Site  
Consistent with Body Temperature

HELP\_TEXT.....Skin Temperature at Incision Site  
Consistent with Body Temperature

ID.....{D349175A-4B20-4243-BE40-E01E50C5583F}

TERM.....SKIN TEMPERATURE AT INCISION SITE  
CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE

-----



ABBREVIATION.....INC TP CBT

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site

Cooler than General Body Temperature

DISPLAY\_NAME.....Cooler Than General Body Temperature

HELP\_TEXT.....Skin Temperature at Incision Site

Cooler than General Body Temperature

ID.....{D357C975-857D-4293-B3EF-EFA7A4586357}

TERM.....SKIN TEMPERATURE AT INCISION SITE

COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PAR

T

-----  
ABBREVIATION.....INC TP COP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
Cooler than Opposite Body Part  
DISPLAY\_NAME.....Cooler Than Opposite Body Part  
HELP\_TEXT.....Skin Temperature at Incision Site  
Cooler than Opposite Body Part  
ID.....{85307AD8-F730-43F0-BCB3-882594D9DDF8}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
COOLER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMP

ERATURE

-----  
ABBREVIATION.....WARM BD OP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
Warmer than General Body Temperture  
DISPLAY\_NAME.....Warmer Than General Body Temp  
HELP\_TEXT.....Skin Temperature at Incision Site  
Warmer than General Body Temperture  
ID.....{5F888E9D-8F65-49ED-BC5D-F6F287A9D478}  
TERM.....SKIN TEMPERATURE AT INCISION SITE

WARMER THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PAR

T

-----

ABBREVIATION.....WARMER OP

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Incision Site

Warmer than Opposite Body Part

DISPLAY\_NAME.....Warmer Than Opposite Body Part

HELP\_TEXT.....Skin Temperature at Incision Site

Warmer than Opposite Body Part

ID.....{F518787A-325A-45F3-82B4-73C856802073}

TERM.....SKIN TEMPERATURE AT INCISION SITE

WARMER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE

-----

ABBREVIATION.....WOU TP CBT

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site

Consistent with Body Temperature

DISPLAY\_NAME.....Consistent With Body Temperature

HELP\_TEXT.....Skin Temperature at Wound Site

Consistent with Body Temperature

ID.....{672D56C1-D1A3-4DDF-8815-F05DEE197061}

TERM.....SKIN TEMPERATURE AT WOUND SITE

CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY  
TEMPERA

TURE

-----

ABBREVIATION.....WOU TP CGB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Cooler  
than General Body Temp

DISPLAY\_NAME.....Cooler Than General Body Temperature

HELP\_TEXT.....Skin Temperature at Wound Site Cooler  
than General Body Temp

ID.....{7203993E-3334-44EC-9FD9-14224253283D}

TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER  
THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART

-----

ABBREVIATION.....WOU TP COB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Cooler  
than Opposite Body Part

DISPLAY\_NAME.....Cooler Than Opposite Body Part

HELP\_TEXT.....Skin Temperature at Wound Site Cooler  
than Opposite Body Part

ID.....{A904C666-2810-4211-B53A-2961DCE6894E}

TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER  
THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY  
TEMPERA

TURE

-----

ABBREVIATION.....WOU TP WGB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Warmer  
than General Body Temperature

DISPLAY\_NAME.....Warmer Than General Body Temperature

HELP\_TEXT.....Skin Temperature at Wound Site Warmer  
than General Body Temperature

ID.....{03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}

TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER

THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART

-----

ABBREVIATION.....WOU TP WOB

ACTIVE.....Yes

DESCRIPTION.....Skin Temperature at Wound Site Warmer  
than Opposite Body Part

DISPLAY\_NAME.....Warmer Than Opposite Body Part

HELP\_TEXT.....Skin Temperature at Wound Site Warmer  
than Opposite Body Part

ID.....{6290BD23-24BF-4A3A-8555-DCE52D2274B3}

TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER  
THAN OPPOSITE BODY PART

DATA VALUE: SKIN TRAUMA

-----

ABBREVIATION.....SKIN TRAUM

ACTIVE.....Yes

DESCRIPTION.....Skin Trauma

DISPLAY\_NAME.....Skin Trauma

HELP\_TEXT.....No Help Text

ID.....{91C8EE13-2C4A-468C-94EB-C53E0D153EBA}

TERM.....SKIN TRAUMA

DATA VALUE: SKIN WARM AND DRY COLOR APPROPRIATE

-----

ABBREVIATION.....S W A DR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Skin Warm and Dry, Color Appropriate  
to Baseline

HELP\_TEXT.....No Help Text

ID.....{9637D510-C199-4969-8F2D-0A499151E22B}

TERM.....SKIN WARM AND DRY COLOR APPROPRIATE

DATA VALUE: SKIN WOUND CLOSURE APPROXIMATED

-----  
ABBREVIATION.....WOU CL APP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Approximated  
DISPLAY\_NAME.....Approximated  
HELP\_TEXT.....Skin Wound Closure Approximated  
ID.....{83D48E0F-8643-436B-9ECC-80795857C322}  
TERM.....SKIN WOUND CLOSURE APPROXIMATED

DATA VALUE: SKIN WOUND CLOSURE DEHISCENCE

-----  
ABBREVIATION.....WOU CL DEH  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Dehiscence  
DISPLAY\_NAME.....Dehiscence  
HELP\_TEXT.....Skin Wound Closure Dehiscence  
ID.....{425A460F-19C0-4A4A-8E4E-712C66968C38}  
TERM.....SKIN WOUND CLOSURE DEHISCENCE

DATA VALUE: SKIN WOUND CLOSURE GLUE

-----  
ABBREVIATION.....WOU CL GLU  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Glue  
DISPLAY\_NAME.....Glue



HELP\_TEXT.....Skin Wound Closure Glue  
ID.....{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}  
TERM.....SKIN WOUND CLOSURE GLUE

DATA VALUE: SKIN WOUND CLOSURE NOT CLOSED

-----

ABBREVIATION.....WOU CL NOT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Not Closed  
DISPLAY\_NAME.....Not Closed  
HELP\_TEXT.....Skin Wound Closure Not Closed  
ID.....{0E69F1FA-35F6-4F34-8547-CC3602670A7B}  
TERM.....SKIN WOUND CLOSURE NOT CLOSED

DATA VALUE: SKIN WOUND CLOSURE OPEN WOUND

-----

ABBREVIATION.....WOU CL OPE  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Open Wound  
DISPLAY\_NAME.....Open Wound  
HELP\_TEXT.....Skin Wound Closure Open Wound  
ID.....{C6F2AD2C-932F-434A-8A7A-513029092FFD}  
TERM.....SKIN WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN WOUND CLOSURE STAPLES

-----

ABBREVIATION.....WOU CL STA

ACTIVE.....Yes

DESCRIPTION.....Skin Wound Closure Staples

DISPLAY\_NAME.....Staples

HELP\_TEXT.....Skin Wound Closure Staples

ID.....{FE04BFE3-DF81-48E7-9FA1-1CF4E4CAD71}

TERM.....SKIN WOUND CLOSURE STAPLES

DATA VALUE: SKIN WOUND CLOSURE STERI-STRIPS

-----

ABBREVIATION.....WOU CL STE

ACTIVE.....Yes

DESCRIPTION.....Skin Wound Closure Steri - Strips

DISPLAY\_NAME.....Steri-Strips

HELP\_TEXT.....Skin Wound Closure Steri-Strips

ID.....{AD451791-6B49-4A51-ABC3-796D08BEF910}

TERM.....SKIN WOUND CLOSURE STERI-STRIPS

DATA VALUE: SKIN WOUND CLOSURE SUTURES

-----

ABBREVIATION.....WOU CL SUT

ACTIVE.....Yes

DESCRIPTION.....Skin Wound Closure Sutures

DISPLAY\_NAME.....Sutures

HELP\_TEXT.....Skin Wound Closure Sutures  
ID.....{F2840AE4-216B-477C-9FE6-DC91E8CE5364}  
TERM.....SKIN WOUND CLOSURE SUTURES

DATA VALUE: SLEEPING

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sleeping  
HELP\_TEXT.....No Help Text  
ID.....{87338420-F351-F98C-7A80-4990B87ACE2B}  
TERM.....SLEEPING

DATA VALUE: SLEEPS POORLY

-----  
ABBREVIATION.....sp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sleeps Poorly  
HELP\_TEXT.....No Help Text  
ID.....{AB9424B4-D0B1-148B-C800-FF535F3FAC84}  
TERM.....SLEEPS POORLY

DATA VALUE: SLEPT WELL

-----  
ABBREVIATION.....SLEPT WELL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....States Has Slept Well  
HELP\_TEXT.....No Help Text  
ID.....{18573E82-568F-4D2E-B9E1-6E4589EBEE2D}  
TERM.....SLEPT WELL

DATA VALUE: SLIGHT

-----  
ABBREVIATION.....SLIGHT  
ACTIVE.....Yes  
DESCRIPTION.....Slight  
DISPLAY\_NAME.....Slight  
HELP\_TEXT.....Slight  
ID.....{805549C1-5DC5-4A2D-BC1F-046E44928843}  
TERM.....SLIGHT

DATA VALUE: SLING TRACTION

-----  
ABBREVIATION.....SLING TRAC  
ACTIVE.....Yes  
DESCRIPTION.....Sling Traction  
DISPLAY\_NAME.....Sling Traction

HELP\_TEXT.....Sling Traction

ID.....{304E924C-C95A-4DBE-B30B-191BC4D26EF7}

TERM.....SLING TRACTION

DATA VALUE: SLOUGH

---

ABBREVIATION.....SLOUGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Slough

HELP\_TEXT.....No Help Text

ID.....{548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}

TERM.....SLOUGH

DATA VALUE: SLUGGISH

---

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Sluggish

HELP\_TEXT.....No Help Text

ID.....{3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}

TERM.....SLUGGISH

DATA VALUE: SLURRED SPEECH

-----  
ABBREVIATION.....Slurred Sp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Slurred Speech  
HELP\_TEXT.....  
ID.....{6C3D295A-71C9-4DA8-A172-995F431D94C9}  
TERM.....SLURRED SPEECH

DATA VALUE: SMALL

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Small  
HELP\_TEXT.....No Help Text  
ID.....{5991F892-B28C-3998-E733-D8FFA26D7E21}  
TERM.....SMALL

DATA VALUE: SMALL BORE FEEDING TUBE

-----  
ABBREVIATION.....SM BO TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Small Bore Feeding Tube  
DISPLAY\_NAME.....Small Bore Feeding Tube

HELP\_TEXT.....No Help Text  
ID.....{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}  
TERM.....SMALL BORE FEEDING TUBE

DATA VALUE: SMEAR

-----

ABBREVIATION.....SMEAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smear  
HELP\_TEXT.....No Help Text  
ID.....{4B99BBD3-443E-4954-8ADE-5FB3EE50540A}  
TERM.....SMEAR

DATA VALUE: SMOKING AREA

-----

ABBREVIATION.....sa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smoking Area  
HELP\_TEXT.....No Help Text  
ID.....{8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}  
TERM.....SMOKING AREA

DATA VALUE: SMOKING PORCH

-----

ABBREVIATION.....sp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smoking Porch  
HELP\_TEXT.....No Help Text  
ID.....{5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}  
TERM.....SMOKING PORCH

DATA VALUE: SMOOTH

-----

ABBREVIATION.....SMOOTH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smooth  
HELP\_TEXT.....No Help Text  
ID.....{5D71A0D5-52ED-4B8D-B359-AC7D500660D8}  
TERM.....SMOOTH

DATA VALUE: SNACK

-----

ABBREVIATION.....SNACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Snack



HELP\_TEXT.....No Help Text

ID.....{60B77974-4102-4511-A105-E24850B924D8}

TERM.....SNACK

DATA VALUE: SNACK - AM

-----

ABBREVIATION.....Snack - AM

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Snack - AM

HELP\_TEXT.....

ID.....{CBF0AFB1-AF1D-4C04-931F-3508D0472E70}

TERM.....SNACK - AM

DATA VALUE: SNACK - HS

-----

ABBREVIATION.....Snack - HS

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Snack - HS

HELP\_TEXT.....

ID.....{861B5B9A-D59F-46D2-BA96-4BEAA50654CE}

TERM.....SNACK - HS

DATA VALUE: SNACK - OTHER

-----  
ABBREVIATION.....Snack - Ot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - Other  
HELP\_TEXT.....  
ID.....{CDEE1A83-4546-4A81-AA12-5D27DF743E68}  
TERM.....SNACK - OTHER

DATA VALUE: SNACK - PM

-----  
ABBREVIATION.....Snack - PM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - PM  
HELP\_TEXT.....  
ID.....{883C1241-38DA-4C6C-BF3C-CCF3B2378560}  
TERM.....SNACK - PM

DATA VALUE: SNORES

-----  
ABBREVIATION.....Snores  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snores

HELP\_TEXT.....

ID.....{69FE4ECF-E1FE-4235-AD44-5AF9E634E000}

TERM.....SNORES

DATA VALUE: SODIUM CONTROLLED 2 GM

---

ABBREVIATION.....SOD CONT 2

ACTIVE.....Yes

DESCRIPTION.....Sodium Controlled 2 GM

DISPLAY\_NAME.....Sodium Controlled 2 GM

HELP\_TEXT.....No Help Text

ID.....{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}

TERM.....SODIUM CONTROLLED 2 GM

DATA VALUE: SODIUM CONTROLLED 4 GM

---

ABBREVIATION.....SOD CON 4G

ACTIVE.....Yes

DESCRIPTION.....Sodium Controlled 4 GM Diet

DISPLAY\_NAME.....Sodium Controlled 4 GM

HELP\_TEXT.....No Help Text

ID.....{26538A2F-5502-4D94-A2A7-D9E0BF825C47}

TERM.....SODIUM CONTROLLED 4 GM

DATA VALUE: SOFT

-----

ABBREVIATION.....SOFT

ACTIVE.....Yes

DESCRIPTION.....Soft

DISPLAY\_NAME.....Soft

HELP\_TEXT.....No Help Text

ID.....{E68B4D4B-B86B-4004-A861-986645267F6E}

TERM.....SOFT

DATA VALUE: SOMNOLENT

-----

ABBREVIATION.....Somnolent

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Somnolent

HELP\_TEXT.....

ID.....{008A3F20-DD3D-4775-AA18-CCA7B817A77D}

TERM.....SOMNOLENT

DATA VALUE: SPECIAL PROCEDURE ROOM

-----

ABBREVIATION.....Special Rm

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Special Procedure Room

HELP\_TEXT.....

ID.....{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}

TERM.....SPECIAL PROCEDURE ROOM

DATA VALUE: SPECIALTY MATTRESS/BED

-----

ABBREVIATION.....Specialty

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Specialty Mattress/Bed

HELP\_TEXT.....

ID.....{6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}

TERM.....SPECIALTY MATTRESS/BED

DATA VALUE: SPINAL

-----

ABBREVIATION.....Spinal

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Spinal

HELP\_TEXT.....

ID.....{AC02181C-0A2C-4F7A-B983-B32EF1BCD150}

TERM.....SPINAL

DATA VALUE: SPIRITUAL

-----

ABBREVIATION.....SPIRITUAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Spiritual

HELP\_TEXT.....No Help Text

ID.....{9670E2B9-6938-4487-A857-25546775B7A2}

TERM.....SPIRITUAL

DATA VALUE: SPLINTING

-----

ABBREVIATION.....SPLINTING

ACTIVE.....Yes

DESCRIPTION.....Splinting

DISPLAY\_NAME.....Splinting

HELP\_TEXT.....No Help Text

ID.....{D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}

TERM.....SPLINTING

DATA VALUE: SPONTANEOUS

-----

ABBREVIATION.....SPONTANEOU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Spontaneous

HELP\_TEXT.....No Help Text

ID.....{C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

TERM.....SPONTANEOUS

DATA VALUE: SPOONING

---

ABBREVIATION.....SPOONING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Spooning

HELP\_TEXT.....No Help Text

ID.....{CA384C9F-D87D-4E2D-B4C0-89BD85692B16}

TERM.....SPOONING

DATA VALUE: SPOUSE

---

ABBREVIATION.....Spouse

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Spouse

HELP\_TEXT.....

ID.....{2C601365-23F9-4939-9B63-F73720A17199}

TERM.....SPOUSE

DATA VALUE: SQ EMPHYSEMA

-----

ABBREVIATION.....SQ EMPHYS.  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Subcutaneous Emphysema  
HELP\_TEXT.....No Help Text  
ID.....{B8D03538-0168-4CDC-FF41-BA1185EBCC87}  
TERM.....SQ EMPHYSEMA

DATA VALUE: SQUARE

-----

ABBREVIATION.....SQUARE  
ACTIVE.....Yes  
DESCRIPTION.....Square  
DISPLAY\_NAME.....Square  
HELP\_TEXT.....Square  
ID.....{63F70678-2CAF-48E8-964D-2805D8B9A43B}  
TERM.....SQUARE

DATA VALUE: SQUEEZING

-----

ABBREVIATION.....SQUEEZING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....SQUEEZING



HELP\_TEXT.....No Help Text

ID.....{A148587A-1B99-4D0D-B11E-87ADC3D2A811}

TERM.....SQUEEZING

DATA VALUE: STABBING

-----

ABBREVIATION.....STABBING

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Stabbing

HELP\_TEXT.....No Help Text

ID.....{684640D5-B3AB-47DA-98D8-5434ABF22B7E}

TERM.....STABBING

DATA VALUE: STABLE

-----

ABBREVIATION.....STABLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Stable

HELP\_TEXT.....No Help Text

ID.....{A474E7BC-47EF-4472-A19A-172C441099EC}

TERM.....STABLE

DATA VALUE: STABLE BP AND PULSE

-----  
ABBREVIATION.....Stable BP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stable BP and Pulse  
HELP\_TEXT.....  
ID.....{F07C2F54-1182-4377-A33A-F529884013E8}  
TERM.....STABLE BP AND PULSE

DATA VALUE: STAFF

-----  
ABBREVIATION.....STAFF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Staff  
HELP\_TEXT.....No Help Text  
ID.....{BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}  
TERM.....STAFF

DATA VALUE: STAGE 3 OR 4 PRESSURE ULCER

-----  
ABBREVIATION.....Press Ulce  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stage 3 or 4 Pressure Ulcer

HELP\_TEXT.....

ID.....{883029EF-BB3A-4146-95DD-3C6F1C0D097D}

TERM.....STAGE 3 OR 4 PRESSURE ULCER

DATA VALUE: STAGE I

-----

ABBREVIATION.....STAGE I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Stage I

HELP\_TEXT.....No Help Text

ID.....{B376AAAF-7143-4422-BCA2-CACF1201817C}

TERM.....STAGE I

DATA VALUE: STAGE II

-----

ABBREVIATION.....STAGE II

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Stage II

HELP\_TEXT.....No Help Text

ID.....{B520BEA3-841E-490A-A3CD-63D1027B561F}

TERM.....STAGE II

DATA VALUE: STAGE III

-----

ABBREVIATION.....STAGE III

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Stage III

HELP\_TEXT.....No Help Text

ID.....{A2F0866C-ECEE-4FCD-A34B-498232662D7E}

TERM.....STAGE III

DATA VALUE: STAGE IV

-----

ABBREVIATION.....STAGE IV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Stage IV

HELP\_TEXT.....No Help Text

ID.....{284334AA-E488-4D45-93EF-9B93B2086A63}

TERM.....STAGE IV

DATA VALUE: STANDARD

-----

ABBREVIATION.....STANDARD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....STANDARD

HELP\_TEXT.....No Help Text  
ID.....{C4B8C06D-BFFE-4438-A43D-926F039E5EE1}  
TERM.....STANDARD

DATA VALUE: STANDARD PRESSURE REDUCTION

-----  
ABBREVIATION.....STAN P RED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Standard Pressure Reduction  
HELP\_TEXT.....No Help Text  
ID.....{556537CD-A84D-4493-81F6-51CBD844B5B7}  
TERM.....STANDARD PRESSURE REDUCTION

DATA VALUE: STAPLES

-----  
ABBREVIATION.....STAPLES  
ACTIVE.....Yes  
DESCRIPTION.....Staples to close a wound  
DISPLAY\_NAME.....Staples  
HELP\_TEXT.....No Help Text  
ID.....{344DBBE0-5A94-4E18-BC97-BD7767A83E36}  
TERM.....STAPLES

DATA VALUE: START TIME:

-----

ABBREVIATION.....Start Time

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Start Time:

HELP\_TEXT.....When entering data, make sure the  
save date/time reflects the start  
time.

ID.....{4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}

TERM.....START TIME:

DATA VALUE: STARTED

-----

ABBREVIATION.....STARTED

ACTIVE.....Yes

DESCRIPTION.....Started

DISPLAY\_NAME.....Started

HELP\_TEXT.....No Help Text

ID.....{D6E105C4-5EAD-424E-8E4C-195EB7783A3D}

TERM.....STARTED

DATA VALUE: STARTED ON LEFT

-----

ABBREVIATION.....sol

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....Started On Left  
HELP\_TEXT.....No Help Text  
ID.....{AA6767EE-57F6-F565-76E9-EB219644492F}  
TERM.....STARTED ON LEFT

DATA VALUE: STARTED ON RIGHT

-----  
ABBREVIATION.....sor  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Started On Right  
HELP\_TEXT.....No Help Text  
ID.....{0C690E36-E710-244D-44FC-5DB5BCC0FF7E}  
TERM.....STARTED ON RIGHT

DATA VALUE: STEADY

-----  
ABBREVIATION.....Steady  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Steady  
HELP\_TEXT.....  
ID.....{42CF2FDA-E774-4784-99D3-24545E30C46F}  
TERM.....STEADY

DATA VALUE: STEADY GATE OR BASELINE

-----  
ABBREVIATION.....ST GA BA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Steady Gate or Baseline  
HELP\_TEXT.....No Help Text  
ID.....{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}  
TERM.....STEADY GATE OR BASELINE

DATA VALUE: STEP DOWN

-----  
ABBREVIATION.....STEP DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Step Down  
HELP\_TEXT.....No Help Text  
ID.....{F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}  
TERM.....STEP DOWN

DATA VALUE: STERILE GLOVES-DRAPES USED

-----  
ABBREVIATION.....Ster Glove  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sterile Gloves-Drapes Used



HELP\_TEXT.....  
ID.....{F26BBB1B-1483-40CD-AC47-828F71B9187C}  
TERM.....STERILE GLOVES-DRAPES USED

DATA VALUE: STINGING

-----  
ABBREVIATION.....STINGING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stinging  
HELP\_TEXT.....No Help Text  
ID.....{DF235170-F501-4E8D-89DD-5A3C76F4B13B}  
TERM.....STINGING

DATA VALUE: STOP TIME:

-----  
ABBREVIATION.....Stop Time:  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stop Time:  
HELP\_TEXT.....When entering data, make sure the  
                  save date/time reflects the stop  
                  time.  
ID.....{784CA4D8-988F-4A59-8AB5-48AFC9CA210B}  
TERM.....STOP TIME:

DATA VALUE: STOPCOCK CHANGE

-----

ABBREVIATION.....Stop Chg

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Stopcock Change

HELP\_TEXT.....

ID.....{C4A6E58E-DA4B-478F-823B-D2CFC9860072}

TERM.....STOPCOCK CHANGE

DATA VALUE: STRAIGHT CATHETER

-----

ABBREVIATION.....STR. CATH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Straight Catheter

HELP\_TEXT.....No Help Text

ID.....{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

TERM.....STRAIGHT CATHETER

DATA VALUE: STRETCHER

-----

ABBREVIATION.....STRETCHER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Stretcher

HELP\_TEXT.....No Help Text

ID.....{93CB521A-3A67-41FB-A59C-3DD54D810B11}

TERM.....STRETCHER

DATA VALUE: STRICT

-----

ABBREVIATION.....STRICT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Strict

HELP\_TEXT.....No Help Text

ID.....{5717A3EA-9A1F-44AB-BB0B-E86BBDED3ECF}

TERM.....STRICT

DATA VALUE: STROKE

-----

ABBREVIATION.....Stroke

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Stroke

HELP\_TEXT.....

ID.....{F0EE98A8-040F-4923-8A21-059DA7B17995}

TERM.....STROKE

DATA VALUE: STRONG

-----

ABBREVIATION.....s

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Strong

HELP\_TEXT.....No Help Text

ID.....{A12154E1-544E-F372-3839-0D44E5BC476B}

TERM.....STRONG

DATA VALUE: STRYKER FRAME

-----

ABBREVIATION.....STRYKER FR

ACTIVE.....Yes

DESCRIPTION.....Stryker Fram

DISPLAY\_NAME.....Stryker Frame

HELP\_TEXT.....No Help Text

ID.....{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}

TERM.....STRYKER FRAME

DATA VALUE: STUDENT

-----

ABBREVIATION.....STUDENT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Student

HELP\_TEXT.....No Help Text

ID.....{613AFF67-9121-4F6C-A44F-1ACFEF10E612}

TERM.....STUDENT

DATA VALUE: STUPOROUS

-----

ABBREVIATION.....Stuporous

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Stuporous

HELP\_TEXT.....

ID.....{4C25FF58-3346-4B06-ACE5-6ADB942877A8}

TERM.....STUPOROUS

DATA VALUE: SUBCUTANEOUS TISSUE

-----

ABBREVIATION.....SUBCUTAN T

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Subcutaneous Tissue

HELP\_TEXT.....No Help Text

ID.....{D1345ED8-2CDB-4FD7-84B8-92C9E0872543}

TERM.....SUBCUTANEOUS TISSUE

DATA VALUE: SUCTIONED ONLY

-----

ABBREVIATION.....SUCT ONLY  
ACTIVE.....Yes  
DESCRIPTION.....Suctioned Only  
DISPLAY\_NAME.....Suctioned Only  
HELP\_TEXT.....No Help Text  
ID.....{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}  
TERM.....SUCTIONED ONLY

DATA VALUE: SUICIDAL

-----

ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Suicidal  
HELP\_TEXT.....No Help Text  
ID.....{B104E9C7-A78E-82DC-49A4-19B94A639AFE}  
TERM.....SUICIDAL

DATA VALUE: SUMP

-----

ABBREVIATION.....Sump  
ACTIVE.....Yes  
DESCRIPTION.....Sump Drain  
DISPLAY\_NAME.....Sump Drain

HELP\_TEXT.....No Help Text

ID.....{DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}

TERM.....SUMP

DATA VALUE: SUPERVISION/SET-UP HELP

-----

ABBREVIATION.....SUPERVISED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Supervision/Set-Up Help

HELP\_TEXT.....No Help Text

ID.....{596D028B-B60D-4244-A1B0-882177C8D25F}

TERM.....SUPERVISION/SET-UP HELP

DATA VALUE: SUPINE

-----

ABBREVIATION.....SUPINE

ACTIVE.....Yes

DESCRIPTION.....Supine

DISPLAY\_NAME.....Supine

HELP\_TEXT.....No Help Text

ID.....{A18F9534-17AF-47D7-8D14-2AA457A889BD}

TERM.....SUPINE

DATA VALUE: SUPLENA

-----  
ABBREVIATION.....Suplena  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suplena  
HELP\_TEXT.....  
ID.....{F606979A-083E-40C1-9EBB-EA56053EF5FD}  
TERM.....SUPLENA

DATA VALUE: SUPPER

-----  
ABBREVIATION.....Supper  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Supper  
HELP\_TEXT.....  
ID.....{9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}  
TERM.....SUPPER

DATA VALUE: SUPPORT GROUPS

-----  
ABBREVIATION.....Supp Group  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Support Groups



HELP\_TEXT.....

ID.....{7D67F542-4210-42FE-B083-7DA9D29055BD}

TERM.....SUPPORT GROUPS

DATA VALUE: SUPRAPUBIC

-----

ABBREVIATION.....SUPRAPUBIC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Suprapubic

HELP\_TEXT.....No Help Text

ID.....{69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}

TERM.....SUPRAPUBIC

DATA VALUE: SUPRAVENTRICULAR TACHYCARDIA

-----

ABBREVIATION.....st

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Supraventricular Tachycardia

HELP\_TEXT.....No Help Text

ID.....{F712412F-D39A-58F7-E4F1-6AC8B77445D7}

TERM.....SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: SURGICAL

-----

ABBREVIATION.....SURGICAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Surgical

HELP\_TEXT.....No Help-Text

ID.....{2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}

TERM.....SURGICAL

DATA VALUE: SURGICAL DONOR

-----

ABBREVIATION.....SURG DONOR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Surgical Donor

HELP\_TEXT.....No Help Text

ID.....{F3EE10EA-5776-479B-A58C-F59D6526F90B}

TERM.....SURGICAL DONOR

DATA VALUE: SURGICAL GRAFT

-----

ABBREVIATION.....SURG GRAFT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Surgical Graft

HELP\_TEXT.....No Help Text  
ID.....{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}  
TERM.....SURGICAL GRAFT

DATA VALUE: SUSPECTED DEEP TISSUE INJURY

-----  
ABBREVIATION.....SUS DEEP T  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Suspected Deep Tissue Injury  
HELP\_TEXT.....No Help Text  
ID.....{E82B4082-646F-4B5A-B68E-BB0872A4F6D2}  
TERM.....SUSPECTED DEEP TISSUE INJURY

DATA VALUE: SUTURES

-----  
ABBREVIATION.....SUTURES  
ACTIVE.....Yes  
DESCRIPTION.....Sutures to close wound  
DISPLAY\_NAME.....Sutures  
HELP\_TEXT.....No Help Text  
ID.....{F6E3535E-2368-4014-8F4E-670EC0CB69A5}  
TERM.....SUTURES

DATA VALUE: SWOLLEN

-----  
ABBREVIATION.....SWOLLEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Swollen  
HELP\_TEXT.....No Help Text  
ID.....{DCE86B10-C393-8DA9-6518-F2943F0E1A4E}  
TERM.....SWOLLEN

DATA VALUE: SYMPTOMS OF MEDICATION ALLERGY

-----  
ABBREVIATION.....Sym Med Al  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Symptoms of Medication Allergy  
HELP\_TEXT.....  
ID.....{8E73F22D-7583-4F24-B946-091CF8508CED}  
TERM.....SYMPTOMS OF MEDICATION ALLERGY

DATA VALUE: SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION

-----  
ABBREVIATION.....SIMV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Synchronous Intermittent Mandatory

Ventilation

HELP\_TEXT.....No Help Text

ID.....{A606BB2B-5C00-FEA1-127F-1D3455AE5996}

TERM.....SYNCHRONOUS INTERMITTENT MANDATORY

VENTILATION

DATA VALUE: SYRINGE

-----

ABBREVIATION.....Syringe

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Syringe

HELP\_TEXT.....

ID.....{8ED1EF3E-79AC-4507-A35B-473F31510FB7}

TERM.....SYRINGE

DATA VALUE: SYRINGE CHANGE

-----

ABBREVIATION.....Syr Chg

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Syringe Change

HELP\_TEXT.....

ID.....{1F052EF1-F62C-4442-8B2B-D15280226C69}

TERM.....SYRINGE CHANGE

DATA VALUE: SYRINGE CHANGED

-----  
ABBREVIATION.....SYR CHANGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Syringe Changed  
HELP\_TEXT.....No Help Text  
ID.....{BE84F060-7E03-49DD-A6BC-787375C8E1F1}  
TERM.....SYRINGE CHANGED

DATA VALUE: SYSTOLIC

-----  
ABBREVIATION.....SYSTOLIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Systolic  
HELP\_TEXT.....No Help Text  
ID.....{859B5700-0990-42FF-8129-8DB24EFDA8D1}  
TERM.....SYSTOLIC

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL BY ORDERS

-----  
ABBREVIATION.....SaO2 by Or  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....SaO2% at Acceptable Level by Orders

HELP\_TEXT.....

ID.....{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}

TERM.....SaO2% AT ACCEPTABLE LEVEL BY ORDERS

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL

-----

ABBREVIATION.....SaO2 w/Pre

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....SaO2% at Acceptable Level with

Prescribed O2 Level

HELP\_TEXT.....

ID.....{8DE3440F-8049-4846-89D6-2E2DDEEA362C}

TERM.....SaO2% AT ACCEPTABLE LEVEL WITH

PRESCRIBED O2 LEVEL

DATA VALUE: T1

-----

ABBREVIATION.....T1

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T1

HELP\_TEXT.....

ID.....{78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}

TERM.....T1

DATA VALUE: T10

-----

ABBREVIATION.....T10

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T10

HELP\_TEXT.....

ID.....{EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}

TERM.....T10

DATA VALUE: T11

-----

ABBREVIATION.....T11

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T11

HELP\_TEXT.....

ID.....{3C40B21A-965B-48C4-A65D-9A01CF2327F1}

TERM.....T11

DATA VALUE: T12

-----

ABBREVIATION.....T12

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T12



HELP\_TEXT.....

ID.....{36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}

TERM.....T12

DATA VALUE: T2

-----

ABBREVIATION.....T2

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T2

HELP\_TEXT.....

ID.....{7536B154-F3CA-4B21-8CEC-301F204B19A9}

TERM.....T2

DATA VALUE: T3

-----

ABBREVIATION.....T3

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T3

HELP\_TEXT.....

ID.....{F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}

TERM.....T3

DATA VALUE: T4

-----

ABBREVIATION.....T4

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T4

HELP\_TEXT.....

ID.....{E95970BB-3FDA-4027-AAF0-EE5670642321}

TERM.....T4

DATA VALUE: T5

-----

ABBREVIATION.....T5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T5

HELP\_TEXT.....

ID.....{01B568D4-F9F4-44A7-94A4-EFF830691940}

TERM.....T5

DATA VALUE: T6

-----

ABBREVIATION.....T6

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T6

HELP\_TEXT.....

ID.....{0C2C1A00-7CCB-4608-AECB-30BFB52A5342}

TERM.....T6

DATA VALUE: T7

-----

ABBREVIATION.....T7

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T7

HELP\_TEXT.....

ID.....{385B254A-F256-4626-9C12-7D8984F4B605}

TERM.....T7

DATA VALUE: T8

-----

ABBREVIATION.....T8

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T8

HELP\_TEXT.....

ID.....{68337EB5-902D-4DCB-AFDD-8AC59849F58B}

TERM.....T8

DATA VALUE: T9

-----

ABBREVIATION.....T9

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....T9

HELP\_TEXT.....

ID.....{06F10D8D-2E9D-454D-AD6B-B750300523DD}

TERM.....T9

DATA VALUE: TAN

-----

ABBREVIATION.....TAN

ACTIVE.....Yes

DESCRIPTION.....The color tan

DISPLAY\_NAME.....Tan

HELP\_TEXT.....The color tan

ID.....{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

TERM.....TAN

DATA VALUE: TAPE BURN

-----

ABBREVIATION.....TAPE BURN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tape Burn

HELP\_TEXT.....No Help Text

ID.....{DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}

TERM.....TAPE BURN

DATA VALUE: TARRY

-----

ABBREVIATION.....TARRY

ACTIVE.....Yes

DESCRIPTION.....Tarry in appearance

DISPLAY\_NAME.....Tarry

HELP\_TEXT.....No Help Text

ID.....{09364271-6307-471F-A334-A8F7E051EF46}

TERM.....TARRY

DATA VALUE: TEA

-----

ABBREVIATION.....TEA

ACTIVE.....Yes

DESCRIPTION.....Tea

DISPLAY\_NAME.....Tea

HELP\_TEXT.....Tea

ID.....{E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

TERM.....TEA

DATA VALUE: TECH

-----

ABBREVIATION.....Tech

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Tech

HELP\_TEXT.....

ID.....{13AAF5D5-FEBC-4E09-B972-5D86BA02F307}

TERM.....TECH

DATA VALUE: TEETH BRUSHED

-----

ABBREVIATION.....TEETH BRUS

ACTIVE.....Yes

DESCRIPTION.....Teeth Brushed

DISPLAY\_NAME.....Teeth Brushed

HELP\_TEXT.....No Help Text

ID.....{20841794-6E6D-4262-B1FE-9E3F20F8CC49}

TERM.....TEETH BRUSHED

DATA VALUE: TEMPORARY (TRANSVENOUS)

-----

ABBREVIATION.....tt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Temporary (Transvenous)

HELP\_TEXT.....No Help Text

ID.....{F6A74188-3D79-D749-540F-4EA32201B0E6}

TERM.....TEMPORARY (TRANSVENOUS)

DATA VALUE: TENACIOUS

-----

ABBREVIATION.....TENACIOUS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tenacious

HELP\_TEXT.....No Help Text

ID.....{EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}

TERM.....TENACIOUS

DATA VALUE: TENDER

-----

ABBREVIATION.....TENDER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tender

HELP\_TEXT.....No Help Text

ID.....{30486CC7-3097-4F95-9238-FD6C2126CD10}

TERM.....TENDER

DATA VALUE: TENDON

-----

ABBREVIATION.....TENDON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tendon

HELP\_TEXT.....No Help Text

ID.....{40628D33-E217-4D39-9A82-4C8D7702576F}

TERM.....TENDON

DATA VALUE: THICK

-----

ABBREVIATION.....THICK

ACTIVE.....Yes

DESCRIPTION.....Thick

DISPLAY\_NAME.....Thick

HELP\_TEXT.....No Help Text

ID.....{1554A49E-1468-46B2-F851-531DDB1D1A98}

TERM.....THICK

DATA VALUE: THIGH

-----

ABBREVIATION.....THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Thigh



HELP\_TEXT.....No Help Text

ID.....{65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}

TERM.....THIGH

DATA VALUE: THIN

-----

ABBREVIATION.....THIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Thin

HELP\_TEXT.....No Help Text

ID.....{CB8D8B5C-E824-D030-1241-D8EB814671E9}

TERM.....THIN

DATA VALUE: THIRD DEGREE AV BLOCK

-----

ABBREVIATION.....tdab

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Third Degree Av Block

HELP\_TEXT.....No Help Text

ID.....{1AC7E31B-830E-2309-3AF7-8FB03003DD86}

TERM.....THIRD DEGREE AV BLOCK

DATA VALUE: THORACIC SPINAL PRECAUTIONS

-----  
ABBREVIATION.....THOR S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thoriacic Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{D55AEF23-7F5E-45DD-A178-F217E6AF3873}  
TERM.....THORACIC SPINAL PRECAUTIONS

DATA VALUE: THREADS

-----  
ABBREVIATION.....Threads  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Threads  
HELP\_TEXT.....  
ID.....{029BB303-B428-41D0-978B-6A8176108D7D}  
TERM.....THREADS

DATA VALUE: THROBBING

-----  
ABBREVIATION.....THROBBING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Throbbing

HELP\_TEXT.....No Help Text

ID.....{3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}

TERM.....THROBBING

DATA VALUE: TINGLING

-----

ABBREVIATION.....t

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tingling

HELP\_TEXT.....No Help Text

ID.....{AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

TERM.....TINGLING

DATA VALUE: TINGLING MOUTH/LIPS

-----

ABBREVIATION.....Ting Mou/L

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Tingling Mouth/Lips

HELP\_TEXT.....

ID.....{E603F979-310D-438B-80A2-1F52E4DE71C6}

TERM.....TINGLING MOUTH/LIPS

DATA VALUE: TINNITUS

-----

ABBREVIATION.....Tinnitus

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Tinnitus

HELP\_TEXT.....

ID.....{846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}

TERM.....TINNITUS

DATA VALUE: TO PAIN

-----

ABBREVIATION.....TO PAIN

ACTIVE.....Yes

DESCRIPTION.....To Pain

DISPLAY\_NAME.....To Pain

HELP\_TEXT.....No Help Text

ID.....{AA1F818D-DCFC-4FBC-97D3-BE86D309119E}

TERM.....TO PAIN

DATA VALUE: TO SPEECH

-----

ABBREVIATION.....TO SPEECH

ACTIVE.....Yes

DESCRIPTION.....To Speech

DISPLAY\_NAME.....To Speech

HELP\_TEXT.....No Help Text

ID.....{2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}

TERM.....TO SPEECH

DATA VALUE: TOENAIL CARE

-----

ABBREVIATION.....TOEN CARE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Toenail Care

HELP\_TEXT.....No Help Text

ID.....{6CF3ABCE-FF74-43E2-81E5-D23339017CA9}

TERM.....TOENAIL CARE

DATA VALUE: TOILETING BY SCHEDULE

-----

ABBREVIATION.....Toilet Sch

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Toileting by Schedule

HELP\_TEXT.....

ID.....{D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}

TERM.....TOILETING BY SCHEDULE

DATA VALUE: TOLERATING FLUIDS/NOURISHMENT

-----

ABBREVIATION.....TO OR FL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tolerating Fluids/Nourishment

HELP\_TEXT.....No Help Text

ID.....{E107F272-CD27-46B8-8C50-F9FF776DDCD9}

TERM.....TOLERATING FLUIDS/NOURISHMENT

DATA VALUE: TONIC/CLONIC

-----

ABBREVIATION.....TON/CLON

ACTIVE.....Yes

DESCRIPTION.....Tonic/Clonic

DISPLAY\_NAME.....Tonic/Clonic

HELP\_TEXT.....Tonic/Clonic

ID.....{81932BAA-6C79-47A3-85B3-592824B6C09C}

TERM.....TONIC/CLONIC

DATA VALUE: TOPICAL TREATMENT

-----

ABBREVIATION.....TOPICAL T

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Topical Treatment

HELP\_TEXT.....No Help Text

ID.....{4E995342-8A6F-4B21-8013-F8C6A9FC7658}

TERM.....TOPICAL TREATMENT

DATA VALUE: TORSADES DE POINTES

-----

ABBREVIATION.....Tor de Poi

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Torsades de Pointes

HELP\_TEXT.....

ID.....{E936B787-7912-4CAE-A465-AD1A1FEA68CA}

TERM.....TORSADES DE POINTES

DATA VALUE: TOTAL DEPENDENCE

-----

ABBREVIATION.....TOT DEPEND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Total Dependence

HELP\_TEXT.....No Help Text

ID.....{38702CDD-E440-4EFA-9583-36EEE719F7C3}

TERM.....TOTAL DEPENDENCE

DATA VALUE: TRACHEOSTOMY

-----

ABBREVIATION.....TRACHEOSTO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tracheostomy

HELP\_TEXT.....No Help Text

ID.....{2B0B7599-847E-852F-D16F-091CAA4B205}

TERM.....TRACHEOSTOMY

DATA VALUE: TRANSCUTANEOUS

-----

ABBREVIATION.....t

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Transcutaneous

HELP\_TEXT.....No Help Text

ID.....{F4315F92-8804-1CB4-4D03-CCFDC95C6E71}

TERM.....TRANSCUTANEOUS

DATA VALUE: TRANSFER

-----

ABBREVIATION.....TRANSFER

ACTIVE.....Yes

DESCRIPTION.....Transfer

DISPLAY\_NAME.....Transfer



HELP\_TEXT.....No Help Text  
ID.....{DFDB4783-25BE-485B-A9BA-621F1004AAF2}  
TERM.....TRANSFER

DATA VALUE: TRANSFER WITH ASSIST

-----  
ABBREVIATION.....TRANS ASST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transfer With Assist  
HELP\_TEXT.....No Help Text  
ID.....{62A5BFF5-9C7C-4412-83A8-F872095DE005}  
TERM.....TRANSFER WITH ASSIST

DATA VALUE: TRANSPARENT

-----  
ABBREVIATION.....TRANSPAREN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transparent  
HELP\_TEXT.....No Help Text  
ID.....{0E73D24D-0EFC-08F9-196A-D30DD1BB3228}  
TERM.....TRANSPARENT

DATA VALUE: TRANSPARENT DRESSING

-----

ABBREVIATION.....TRANSP DRE  
ACTIVE.....Yes  
DESCRIPTION.....Transparent Dressing  
DISPLAY\_NAME.....Transparent Dressing  
HELP\_TEXT.....No Help Text  
ID.....{777C7722-AEA8-4A0B-9ADD-1157D37AE539}  
TERM.....TRANSPARENT DRESSING

DATA VALUE: TRANSPORT FACILITATOR PRESENT

-----

ABBREVIATION.....TR FA PR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transport Facilitator Present  
HELP\_TEXT.....No Help Text  
ID.....{645BF269-6B23-4377-95ED-71291F075B25}  
TERM.....TRANSPORT FACILITATOR PRESENT

DATA VALUE: TRANSPYLORIC

-----

ABBREVIATION.....TRANSPYOLO  
ACTIVE.....Yes  
DESCRIPTION.....Transpyloric  
DISPLAY\_NAME.....Transpyloric

HELP\_TEXT.....No Help Text

ID.....{78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}

TERM.....TRANSPYLORIC

DATA VALUE: TREATMENTS

-----

ABBREVIATION.....TREATMENTS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Treatments

HELP\_TEXT.....No Help Text

ID.....{7A6879B5-F781-498E-9D71-3FA0243C3F21}

TERM.....TREATMENTS

DATA VALUE: TRIGEMINY

-----

ABBREVIATION.....Trigeminy

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Trigeminy

HELP\_TEXT.....

ID.....{13D65F9F-B51C-4CEC-8002-037C8323626C}

TERM.....TRIGEMINY

DATA VALUE: TRIPLE

-----

ABBREVIATION.....TRIPLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Triple

HELP\_TEXT.....No Help Text

ID.....{077BE8CF-F2AB-56E1-1F25-51DF80F8054D}

TERM.....TRIPLE

DATA VALUE: TUBED/DYSPHAGIC

-----

ABBREVIATION.....TUBE/DYSPH

ACTIVE.....Yes

DESCRIPTION.....Tubed/Dysphagic

DISPLAY\_NAME.....Tubed/Dysphagic

HELP\_TEXT.....No Help Text

ID.....{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}

TERM.....TUBED/DYSPHAGIC

DATA VALUE: TUBING CHANGE

-----

ABBREVIATION.....Tube Chg

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Tubing Change

HELP\_TEXT.....

ID.....{6418C2A2-D244-4C5B-A398-904B99AAACEA4}

TERM.....TUBING CHANGE

DATA VALUE: TUBING CHANGED/LABELED

-----

ABBREVIATION.....TUBE CHANG

ACTIVE.....Yes

DESCRIPTION.....Changed or labeled tubing

DISPLAY\_NAME.....Tubing Changed / Labeled

HELP\_TEXT.....No Help Text

ID.....{19BA337C-6E28-411E-9702-48B262C593FA}

TERM.....TUBING CHANGED/LABELED

DATA VALUE: TURN AND POSITION

-----

ABBREVIATION.....TURN POSIT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Turn and Position

HELP\_TEXT.....No Help Text

ID.....{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}

TERM.....TURN AND POSITION

DATA VALUE: TURNING SELF INDEPENDENTLY

-----  
ABBREVIATION.....TURN SELF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Turning Self Independently  
HELP\_TEXT.....No Help Text  
ID.....{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}  
TERM.....TURNING SELF INDEPENDENTLY

DATA VALUE: TWILL TAPE

-----  
ABBREVIATION.....Twill Tape  
ACTIVE.....Yes  
DESCRIPTION.....Twill Tape  
DISPLAY\_NAME.....Twill Tape  
HELP\_TEXT.....No Help Text  
ID.....{C52BE250-732D-03BB-B8F9-72BE4D546807}  
TERM.....TWILL TAPE

DATA VALUE: TWO CAL HN

-----  
ABBREVIATION.....Two Cal HN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Two Cal HN

HELP\_TEXT.....

ID.....{3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}

TERM.....TWO CAL HN

DATA VALUE: TWO PERSON ASSIST

-----

ABBREVIATION.....2 PERS AST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Two Person Assist

HELP\_TEXT.....No Help Text

ID.....{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

TERM.....TWO PERSON ASSIST

DATA VALUE: ULTRACAL

-----

ABBREVIATION.....ULTRACAL

ACTIVE.....Yes

DESCRIPTION.....Enteral Nutrition Type

DISPLAY\_NAME.....Ultracal

HELP\_TEXT.....No Help Text

ID.....{179AE9A5-154D-4CD2-B70B-66E84F5D0932}

TERM.....ULTRACAL

DATA VALUE: UN = UNEXAMINABLE

-----

ABBREVIATION.....UN = Unex

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....UN = Unexaminable

HELP\_TEXT.....

ID.....{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

TERM.....UN = UNEXAMINABLE

DATA VALUE: UNABLE TO AROUSE

-----

ABBREVIATION.....Un to Ar

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Unable to Arouse

HELP\_TEXT.....

ID.....{05B32DD9-E634-4B60-A58B-2E915EA2834D}

TERM.....UNABLE TO AROUSE

DATA VALUE: UNABLE TO ASSESS

-----

ABBREVIATION.....UNA TO AS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Unable To Assess



HELP\_TEXT.....No Help Text

ID.....{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

TERM.....UNABLE TO ASSESS

DATA VALUE: UNABLE TO INFORM

-----

ABBREVIATION.....UNABLE INF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Unable to Inform

HELP\_TEXT.....No Help Text

ID.....{77428C87-B3F9-4BBD-B781-F7D89BCF9492}

TERM.....UNABLE TO INFORM

DATA VALUE: UNABLE TO READ

-----

ABBREVIATION.....ILLITERATE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Unable to Read

HELP\_TEXT.....No Help Text

ID.....{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}

TERM.....UNABLE TO READ

DATA VALUE: UNABLE TO RESPOND

-----

ABBREVIATION.....UNA TO RES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable To Respond  
HELP\_TEXT.....No Help Text  
ID.....{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}  
TERM.....UNABLE TO RESPOND

DATA VALUE: UNABLE TO VOID

-----

ABBREVIATION.....Un to Void  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Void  
HELP\_TEXT.....  
ID.....{1F2A844D-4E14-4759-B8F7-82B58E157720}  
TERM.....UNABLE TO VOID

DATA VALUE: UNABLE TO WEDGE

-----

ABBREVIATION.....UNABLE WED  
ACTIVE.....Yes  
DESCRIPTION.....Unable to Wedge  
DISPLAY\_NAME.....Unable to Wedge

HELP\_TEXT.....No Help Text  
ID.....{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}  
TERM.....UNABLE TO WEDGE

DATA VALUE: UNBEARABLE

-----

ABBREVIATION.....UNBEARABLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unbearable  
HELP\_TEXT.....No Help Text  
ID.....{96611993-45F3-4D1D-BF7F-5E5C46E5569E}  
TERM.....UNBEARABLE

DATA VALUE: UNCOOPERATIVE

-----

ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Uncooperative  
HELP\_TEXT.....No Help Text  
ID.....{2D737EFB-F4CA-7AEA-9EB2-6FF133742815}  
TERM.....UNCOOPERATIVE

DATA VALUE: UNDER STRETCHER/BED

-----  
ABBREVIATION.....Stretcher  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Under Stretcher/Bed  
HELP\_TEXT.....  
ID.....{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}  
TERM.....UNDER STRETCHER/BED

DATA VALUE: UNEQUAL

-----  
ABBREVIATION.....Unequal  
ACTIVE.....Yes  
DESCRIPTION.....Not the same  
DISPLAY\_NAME.....Unequal  
HELP\_TEXT.....Not the same  
ID.....{73319200-164F-B39F-649C-B7FB1AFBDBB8}  
TERM.....UNEQUAL

DATA VALUE: UNEXPECTED NUMBNESS

-----  
ABBREVIATION.....Unexp Numb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unexpected Numbness

HELP\_TEXT.....

ID.....{6418B135-56AF-4A76-A207-55D7AE0C5364}

TERM.....UNEXPECTED NUMBNESS

DATA VALUE: UNIFOCAL PVC

-----

ABBREVIATION.....Uni PVC

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Unifocal PVC

HELP\_TEXT.....

ID.....{5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}

TERM.....UNIFOCAL PVC

DATA VALUE: UNKNOWN

-----

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Unknown

HELP\_TEXT.....No Help Text

ID.....{1F872397-8635-18A3-E252-AE9B20B88C7D}

TERM.....UNKNOWN

DATA VALUE: UNRESPONSIVE

-----  
ABBREVIATION.....Unresponsi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unresponsive  
HELP\_TEXT.....  
ID.....{F6A71E77-B51F-4812-AE04-E24FA82D2AF1}  
TERM.....UNRESPONSIVE

DATA VALUE: UNSTABLE

-----  
ABBREVIATION.....UNSTABLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unstable  
HELP\_TEXT.....No Help Text  
ID.....{5841C521-8070-4034-A69D-27DAB2990EB3}  
TERM.....UNSTABLE

DATA VALUE: UNSTAGEABLE

-----  
ABBREVIATION.....UNSTAGEABL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unstageable

HELP\_TEXT.....No Help Text  
ID.....{5C507F64-2EC0-4FD8-A786-94D76D90C0D1}  
TERM.....UNSTAGEABLE

DATA VALUE: UNSTEADY

-----  
ABBREVIATION.....Unsteady  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unsteady  
HELP\_TEXT.....  
ID.....{7AC26DBA-B7F1-401C-9D4C-5C0F06C87152}  
TERM.....UNSTEADY

DATA VALUE: UNSUCCESSFUL

-----  
ABBREVIATION.....UNSUCCESSF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unsuccessful  
HELP\_TEXT.....No Help Text  
ID.....{54DC58A1-7585-4A32-B810-90B586ED9332}  
TERM.....UNSUCCESSFUL

DATA VALUE: UP

-----

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Up

HELP\_TEXT.....No Help Text

ID.....{7BCC74F9-FE2F-FE60-57BA-321BFA316BEC}

TERM.....UP

DATA VALUE: UP TO CHAIR

-----

ABBREVIATION.....UP TO CHAI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Up To Chair

HELP\_TEXT.....No Help Text

ID.....{42E598E5-82EC-428B-B5FA-1129E3095C78}

TERM.....UP TO CHAIR

DATA VALUE: URINARY RETENTION

-----

ABBREVIATION.....Urinary Re

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Urinary Retention



HELP\_TEXT.....

ID.....{959EBBDC-7F67-42EC-8CF0-295F709BB433}

TERM.....URINARY RETENTION

DATA VALUE: UROMETER

-----

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Urometer

HELP\_TEXT.....No Help Text

ID.....{13074A3A-19D7-300C-7BFF-8DC18DDE2951}

TERM.....UROMETER

DATA VALUE: UROSTOMY

-----

ABBREVIATION.....UROSTOMY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Urostomy

HELP\_TEXT.....No Help Text

ID.....{1F9E528D-6D78-54EE-94E6-649C6F2056A3}

TERM.....UROSTOMY

DATA VALUE: V1

-----

ABBREVIATION.....V1

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....V1

HELP\_TEXT.....No Help Text

ID.....{4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}

TERM.....V1

DATA VALUE: V2

-----

ABBREVIATION.....V2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....V2

HELP\_TEXT.....No Help Text

ID.....{05A3232E-A30D-4771-A1B5-E7705B717646}

TERM.....V2

DATA VALUE: V3

-----

ABBREVIATION.....V3

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....V3

HELP\_TEXT.....No Help Text

ID.....{E150126E-4AA7-4F96-961E-FD1169C77158}

TERM.....V3

DATA VALUE: V4

-----

ABBREVIATION.....V4

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....V4

HELP\_TEXT.....No Help Text

ID.....{255260F9-5CC7-41B1-831C-F9319FA27506}

TERM.....V4

DATA VALUE: V5

-----

ABBREVIATION.....V5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....V5

HELP\_TEXT.....No Help Text

ID.....{D5C10744-0EB5-46FA-AE6C-CCF571318F8A}

TERM.....V5

DATA VALUE: V6

-----

ABBREVIATION.....V6

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....V6

HELP\_TEXT.....No Help Text

ID.....{B86F72D7-7884-4470-92A8-EF9277C5B584}

TERM.....V6

DATA VALUE: VACUUM ASSISTED CLOSURE

-----

ABBREVIATION.....VAC ASS CL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Vacuum Assisted Closure

HELP\_TEXT.....No Help Text

ID.....{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}

TERM.....VACUUM ASSISTED CLOSURE

DATA VALUE: VASCULAR

-----

ABBREVIATION.....VASCULAR

ACTIVE.....Yes

DESCRIPTION.....Vascular

DISPLAY\_NAME.....Vascular

HELP\_TEXT.....No Help Text

ID.....{60523BF8-6372-4760-881C-A62F85D2A0F6}

TERM.....VASCULAR

DATA VALUE: VASCULAR LESION ARTERIAL

-----

ABBREVIATION.....VASLES ART

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Vascular Leasion Arterial

HELP\_TEXT.....No Help Text

ID.....{EA565D3F-D984-4553-B597-DFE844554CE9}

TERM.....VASCULAR LESION ARTERIAL

DATA VALUE: VASCULAR LESION MIXED

-----

ABBREVIATION.....VASLES MIX

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Vascular Leasion Mixed

HELP\_TEXT.....No Help Text

ID.....{8684AB2D-9162-4DC2-A5FA-A14558678689}

TERM.....VASCULAR LESION MIXED

DATA VALUE: VASCULAR LESION VENOUS

-----  
ABBREVIATION.....VASLES VEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vascular Lesion Venous  
HELP\_TEXT.....No Help Text  
ID.....{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}  
TERM.....VASCULAR LESION VENOUS

DATA VALUE: VASCULAR/NEUROPATHIC

-----  
ABBREVIATION.....VASC/NEURO  
ACTIVE.....Yes  
DESCRIPTION.....Vascular / Neuropathic  
DISPLAY\_NAME.....Vascular / Neuropathic  
HELP\_TEXT.....No Help Text  
ID.....{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}  
TERM.....VASCULAR/NEUROPATHIC

DATA VALUE: VASOPRESSOR

-----  
ABBREVIATION.....VASOPRESS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vasopressor

HELP\_TEXT.....No Help Text

ID.....{591FCB09-1287-48C6-8007-4CE961296BA9}

TERM.....VASOPRESSOR

DATA VALUE: VDD

-----

ABBREVIATION.....VDD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....VDD

HELP\_TEXT.....No Help Text

ID.....{E733E525-EF36-2F93-AECC-BAD1C3E2C633}

TERM.....VDD

DATA VALUE: VEGETARIAN DIET

-----

ABBREVIATION.....VEG DIET

ACTIVE.....Yes

DESCRIPTION.....Vegetarian Diet

DISPLAY\_NAME.....Vegetarian Diet

HELP\_TEXT.....No Help Text

ID.....{6B8143BE-843F-4944-9ABB-7175AFE2DF17}

TERM.....VEGETARIAN DIET

DATA VALUE: VENDOR REP

-----

ABBREVIATION.....Vendor Rep

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Vendor Rep

HELP\_TEXT.....

ID.....{4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}

TERM.....VENDOR REP

DATA VALUE: VENTICULAR FIBRILLATION

-----

ABBREVIATION.....vf

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ventricular Fibrillation

HELP\_TEXT.....No Help Text

ID.....{400B70C2-6E15-458F-70C6-FA2597DE2556}

TERM.....VENTICULAR FIBRILLATION

DATA VALUE: VENTILATOR

-----

ABBREVIATION.....v

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ventilator



HELP\_TEXT.....No Help Text

ID.....{A5A647ED-A56D-5012-AD5B-788B3DCB3498}

TERM.....VENTILATOR

DATA VALUE: VENTILATOR ACHIEVA P5O2

-----

ABBREVIATION.....ACHIEVA P5

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Achieva P5O2

HELP\_TEXT.....No Help Text

ID.....{1690EEA5-3C3B-4D30-AC5C-214C94626699}

TERM.....VENTILATOR ACHIEVA P5O2

DATA VALUE: VENTILATOR ADULT STAR

-----

ABBREVIATION.....ADULT STAR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Adult Star Ventilator

HELP\_TEXT.....No Help Text

ID.....{879B13DA-4874-42D4-99EC-8E4ADB31B14E}

TERM.....VENTILATOR ADULT STAR

DATA VALUE: VENTILATOR BEAR 1000

-----

ABBREVIATION.....BEAR 1000  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bear 1000  
HELP\_TEXT.....No Help Text  
ID.....{03C30F99-A27C-427C-B0ED-872F0DE646BD}  
TERM.....VENTILATOR BEAR 1000

DATA VALUE: VENTILATOR DRAEGER

-----

ABBREVIATION.....DRAEGER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Draeger  
HELP\_TEXT.....No Help Text  
ID.....{DD18C42F-EF13-460B-8676-9ED1E429B54B}  
TERM.....VENTILATOR DRAEGER

DATA VALUE: VENTILATOR OTHER

-----

ABBREVIATION.....VENT OTHER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Other Ventilator; Use Comments

HELP\_TEXT.....No Help Text  
ID.....{138B7B3D-9F8B-447A-9785-12AB396AE6DE}  
TERM.....VENTILATOR OTHER

DATA VALUE: VENTILATOR PB 7200ae

-----  
ABBREVIATION.....PB7200ae  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PB 7200ae  
HELP\_TEXT.....No Help Text  
ID.....{86AE485F-ECD1-4B8E-820F-71CF159F318B}  
TERM.....VENTILATOR PB 7200ae

DATA VALUE: VENTILATOR PB 840

-----  
ABBREVIATION.....PB 840  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PB 840  
HELP\_TEXT.....No Help Text  
ID.....{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}  
TERM.....VENTILATOR PB 840

DATA VALUE: VENTILATOR SERVO

-----  
ABBREVIATION.....SERVO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Servo  
HELP\_TEXT.....No Help Text  
ID.....{D6F06715-1ADD-4941-B026-B9A5E463943E}  
TERM.....VENTILATOR SERVO

DATA VALUE: VENTRICULAR

-----  
ABBREVIATION.....v  
ACTIVE.....Yes  
DESCRIPTION.....VENTRICULAR  
DISPLAY\_NAME.....Ventricular  
HELP\_TEXT.....No Help Text  
ID.....{307A4572-3CF0-7875-7313-7FD4AB23F8E7}  
TERM.....VENTRICULAR

DATA VALUE: VENTRICULAR TACHYCARDIA

-----  
ABBREVIATION.....vt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Tachycardia

HELP\_TEXT.....No Help Text

ID.....{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}

TERM.....VENTRICULAR TACHYCARDIA

DATA VALUE: VENTRICULAR WHIP PRESENT

-----

ABBREVIATION.....VENT WHIP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ventricular Whip Present

HELP\_TEXT.....No Help Text

ID.....{15CB9645-690D-446B-A380-F14CEEC9C6AA}

TERM.....VENTRICULAR WHIP PRESENT

DATA VALUE: VENTRICULOSTOMY

-----

ABBREVIATION.....Ventriculo

ACTIVE.....Yes

DESCRIPTION.....Ventriculostomy

DISPLAY\_NAME.....Ventriculostomy

HELP\_TEXT.....No Help Text

ID.....{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}

TERM.....VENTRICULOSTOMY

DATA VALUE: VERBAL DE-ESCALATION

-----

ABBREVIATION.....VERB DE-ES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Verbal De-escalation  
HELP\_TEXT.....No Help Text  
ID.....{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}  
TERM.....VERBAL DE-ESCALATION

DATA VALUE: VERBALIZED BY PATIENT

-----

ABBREVIATION.....Verbal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Verbalized by Patient  
HELP\_TEXT.....  
ID.....{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}  
TERM.....VERBALIZED BY PATIENT

DATA VALUE: VERY LOW BMI

-----

ABBREVIATION.....LOW BMI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Very Low BMI

HELP\_TEXT.....No Help Text

ID.....{78B3A37B-938B-42E5-A403-75E206722BC3}

TERM.....VERY LOW BMI

DATA VALUE: VIOLET

-----

ABBREVIATION.....VIOLET

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Violet

HELP\_TEXT.....No Help Text

ID.....{1249AE97-CF1F-4604-A17A-5FC85F6D0185}

TERM.....VIOLET

DATA VALUE: VIP PORT

-----

ABBREVIATION.....VIP PORT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....VIP Port Catheter

HELP\_TEXT.....No Help Text

ID.....{3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

TERM.....VIP PORT

DATA VALUE: VISCOUS

-----  
ABBREVIATION.....VISCOUS  
ACTIVE.....Yes  
DESCRIPTION.....Viscous  
DISPLAY\_NAME.....Viscous  
HELP\_TEXT.....No Help Text  
ID.....{0E8019D5-F2DB-46B8-B750-41568DD0179C}  
TERM.....VISCOUS

DATA VALUE: VISUAL IMPAIRMENT

-----  
ABBREVIATION.....VIS IMPAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Visual Impairment  
HELP\_TEXT.....No Help Text  
ID.....{7B2107CE-002D-43BE-9102-FCD5B9FAD617}  
TERM.....VISUAL IMPAIRMENT

DATA VALUE: VITAL 1.0

-----  
ABBREVIATION.....Vital 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vital 1.0



HELP\_TEXT.....

ID.....{D3CA653C-419D-4186-8704-E171650062DF}

TERM.....VITAL 1.0

DATA VALUE: VITAL 1.5

-----

ABBREVIATION.....Vital 1.5

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Vital 1.5

HELP\_TEXT.....

ID.....{3665F539-7BBD-4AD9-A4D0-0A33506036D7}

TERM.....VITAL 1.5

DATA VALUE: VITAL AF

-----

ABBREVIATION.....Vital AF

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Vital AF

HELP\_TEXT.....

ID.....{D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}

TERM.....VITAL AF

DATA VALUE: VITAL ENTERAL NUTRITION TYPE

-----

ABBREVIATION.....VITAL ENT

ACTIVE.....Yes

DESCRIPTION.....Vital Enteral Nutrition Type

DISPLAY\_NAME.....Vital

HELP\_TEXT.....No Help Text

ID.....{2DA036DA-BF27-4E52-86A2-20A312823480}

TERM.....VITAL ENTERAL NUTRITION TYPE

DATA VALUE: VITAL HN ENTERAL NUTRITION

-----

ABBREVIATION.....VITAL HN

ACTIVE.....Yes

DESCRIPTION.....Vital HN Enteral Nutrition Type

DISPLAY\_NAME.....Vital HN

HELP\_TEXT.....No Help Text

ID.....{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}

TERM.....VITAL HN ENTERAL NUTRITION

DATA VALUE: VITAL SIGNS STABLE

-----

ABBREVIATION.....VI SI ST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Vital Signs Stable

HELP\_TEXT.....No Help Text  
ID.....{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}  
TERM.....VITAL SIGNS STABLE

DATA VALUE: VIVONEX RTF

-----  
ABBREVIATION.....Viv RTF  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vivonex RTF  
HELP\_TEXT.....  
ID.....{461E7430-CC94-47D1-A90D-9694314C7729}  
TERM.....VIVONEX RTF

DATA VALUE: VOIDED

-----  
ABBREVIATION.....VOIDED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Voided  
HELP\_TEXT.....No Help Text  
ID.....{7F23E601-A1E5-4016-8A12-06B1099041CF}  
TERM.....VOIDED

DATA VALUE: VOLUNTEER

-----  
ABBREVIATION.....VOLUNTEE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Volunteer  
HELP\_TEXT.....No Help Text  
ID.....{F5406412-DE48-4F84-8A31-0B1D79DB576D}  
TERM.....VOLUNTEER

DATA VALUE: VOMITING

-----  
ABBREVIATION.....VOMITING  
ACTIVE.....Yes  
DESCRIPTION.....Vomiting  
DISPLAY\_NAME.....Vomiting  
HELP\_TEXT.....Vomiting  
ID.....{921F463C-1639-4D13-8E4E-6D3A1B6927F9}  
TERM.....VOMITING

DATA VALUE: VVI

-----  
ABBREVIATION.....VVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....VVI

HELP\_TEXT.....No Help Text

ID.....{2C87F8F3-2B99-80E7-04EB-E6FE88168627}

TERM.....VVI

DATA VALUE: WAFFLE

-----

ABBREVIATION.....WAFFLE

ACTIVE.....Yes

DESCRIPTION.....Waffle

DISPLAY\_NAME.....Waffle

HELP\_TEXT.....No Help Text

ID.....{29A0FA73-CAA7-4660-9861-79A09F6DD98C}

TERM.....WAFFLE

DATA VALUE: WAITING ROOM

-----

ABBREVIATION.....WAIT ROOM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Waiting Room

HELP\_TEXT.....No Help Text

ID.....{13476486-F895-4FFC-AB42-B274827B47DA}

TERM.....WAITING ROOM

DATA VALUE: WALKER

-----

ABBREVIATION.....WALKER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Walker

HELP\_TEXT.....No Help Text

ID.....{91247001-5E89-46A0-A841-B4FAE9226E63}

TERM.....WALKER

DATA VALUE: WALKING OR PACING

-----

ABBREVIATION.....wop

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Walking Or Pacing

HELP\_TEXT.....No Help Text

ID.....{CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}

TERM.....WALKING OR PACING

DATA VALUE: WANDER GUARD IN PLACE

-----

ABBREVIATION.....Wander Grd

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Wander Guard in Place

HELP\_TEXT.....

ID.....{B49D735F-A6ED-4E8F-9BD0-F8514245B262}

TERM.....WANDER GUARD IN PLACE

DATA VALUE: WANDERER

-----

ABBREVIATION.....w

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Wanderer

HELP\_TEXT.....No Help Text

ID.....{C5BD737B-F9A6-5800-B45C-2585507C3EDC}

TERM.....WANDERER

DATA VALUE: WARD

-----

ABBREVIATION.....WARD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ward

HELP\_TEXT.....No Help Text

ID.....{A16CB5CB-3401-4F6C-8467-7F78FC929872}

TERM.....WARD

DATA VALUE: WARM

-----

ABBREVIATION.....WARM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Warm

HELP\_TEXT.....No Help Text

ID.....{E03BBEB4-5643-968F-190F-309A1293FCF9}

TERM.....WARM

DATA VALUE: WARM HUMIDITY WITH O2

-----

ABBREVIATION.....WM HUM O2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Warm Humidity with Oxygen

HELP\_TEXT.....No Help Text

ID.....{E62E07C3-4CA2-426B-8EBA-48C406837D9C}

TERM.....WARM HUMIDITY WITH O2

DATA VALUE: WARMER THAN GENERAL BODY TEMP

-----

ABBREVIATION.....WARM B TEM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Warmer Than General Body Temperature



HELP\_TEXT.....No Help Text  
ID.....{AE43F2B4-B585-43F4-9E97-D61E225A803B}  
TERM.....WARMER THAN GENERAL BODY TEMP

DATA VALUE: WARMER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....WARM OPP P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warmer Than Opposite Body Part  
HELP\_TEXT.....No Help Text  
ID.....{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}  
TERM.....WARMER THAN OPPOSITE BODY PART

DATA VALUE: WARMING BLANKET

-----  
ABBREVIATION.....WARM BLANK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warming Blanket  
HELP\_TEXT.....Warming Blanket  
ID.....{23D20AE5-DE25-4456-8F77-BF0411FB19A6}  
TERM.....WARMING BLANKET

DATA VALUE: WARMING BOTTLE

-----

ABBREVIATION.....WARM BOTTL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Warming Bottle

HELP\_TEXT.....No Help Text

ID.....{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}

TERM.....WARMING BOTTLE

DATA VALUE: WARMING OFF

-----

ABBREVIATION.....WARMING OF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Warming Off

HELP\_TEXT.....No Help Text

ID.....{98FAC977-8E2E-406A-9217-A77E1DDCDF50}

TERM.....WARMING OFF

DATA VALUE: WARMING ON

-----

ABBREVIATION.....WARMING ON

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Warming On

HELP\_TEXT.....No Help Text

ID.....{6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}

TERM.....WARMING ON

DATA VALUE: WATERSEAL

-----

ABBREVIATION.....WATERSEAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Waterseal

HELP\_TEXT.....No Help Text

ID.....{6D91B99D-F199-09ED-78BE-B54F2CAC4E06}

TERM.....WATERSEAL

DATA VALUE: WAVEFORM REFLECTS ATRIAL PLACEMENT

-----

ABBREVIATION.....WAVE ATRIA

ACTIVE.....Yes

DESCRIPTION.....Waveform Reflects Atrial Placement

DISPLAY\_NAME.....Waveform Reflects Atrial Placement

HELP\_TEXT.....No Help Text

ID.....{A1249745-41C2-4A4F-A86D-7E5E17477B06}

TERM.....WAVEFORM REFLECTS ATRIAL PLACEMENT

DATA VALUE: WEAK

-----

ABBREVIATION.....w

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Weak

HELP\_TEXT.....No Help Text

ID.....{BE2D9305-E2DA-F492-66CF-164EE58B8179}

TERM.....WEAK

DATA VALUE: WEAKNESS

-----

ABBREVIATION.....Weakness

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Weakness

HELP\_TEXT.....

ID.....{E4C6D569-7961-4CB4-8E90-A02A31F98094}

TERM.....WEAKNESS

DATA VALUE: WEDGED

-----

ABBREVIATION.....WEDGED

ACTIVE.....Yes

DESCRIPTION.....Wedged

DISPLAY\_NAME.....Wedged

HELP\_TEXT.....No Help Text

ID.....{03D7F6FD-399D-4A6B-9900-59655D76EE95}

TERM.....WEDGED

DATA VALUE: WHEELCHAIR

-----

ABBREVIATION.....WH CHAIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Wheelchair

HELP\_TEXT.....No Help Text

ID.....{EC1B82CE-4037-466F-90AC-52CD5C3B26BE}

TERM.....WHEELCHAIR

DATA VALUE: WHEELCHAIR EXIT ALARM

-----

ABBREVIATION.....WHEEL EXIT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Wheelchair Exit Alarm

HELP\_TEXT.....No Help Text

ID.....{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

TERM.....WHEELCHAIR EXIT ALARM

DATA VALUE: WHEEZES

-----  
ABBREVIATION.....w  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheezes  
HELP\_TEXT.....No Help Text  
ID.....{1B8A9729-554D-59F6-E9E8-40BDFF9C678E}  
TERM.....WHEEZES

DATA VALUE: WHITE

-----  
ABBREVIATION.....WHITE  
ACTIVE.....Yes  
DESCRIPTION.....The color white  
DISPLAY\_NAME.....White  
HELP\_TEXT.....The color white  
ID.....{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}  
TERM.....WHITE

DATA VALUE: WITH PHYSICIAN

-----  
ABBREVIATION.....wp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Physician

HELP\_TEXT.....No Help Text

ID.....{1673C53F-DA8C-2CEC-679B-B01D914FE533}

TERM.....WITH PHYSICIAN

DATA VALUE: WITH THERAPIST

-----

ABBREVIATION.....wt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....With Therapist

HELP\_TEXT.....No Help Text

ID.....{795A1300-1D60-9D67-692D-A2AB2B190596}

TERM.....WITH THERAPIST

DATA VALUE: WITHDRAWN

-----

ABBREVIATION.....w

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Withdrawn

HELP\_TEXT.....No Help Text

ID.....{E74B0F04-0E3F-632F-9409-C4953D95B1BA}

TERM.....WITHDRAWN

DATA VALUE: WITHDRAWS TO PAIN

-----

ABBREVIATION.....WITHD TO P  
ACTIVE.....Yes  
DESCRIPTION.....Withdraws To Pain  
DISPLAY\_NAME.....Withdraws To Pain  
HELP\_TEXT.....No Help Text  
ID.....{013527C8-FF6B-49CD-BF45-9338F7413E81}  
TERM.....WITHDRAWS TO PAIN

DATA VALUE: WITHOUT ASSISTANCE

-----

ABBREVIATION.....WO ASSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Without Assistance  
HELP\_TEXT.....No Help Text  
ID.....{41CE081D-CB0E-49AF-936A-4FD78E61681B}  
TERM.....WITHOUT ASSISTANCE

DATA VALUE: WOUND

-----

ABBREVIATION.....WOUND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wound



HELP\_TEXT.....No Help Text

ID.....{1EC40149-051E-4750-8651-2B2D0DD2DEAC}

TERM.....WOUND

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS BLOODY

-----

ABBREVIATION.....WOU DI BLO

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Bloody

DISPLAY\_NAME.....Bloody

HELP\_TEXT.....Wound Discharge Characteristics Bloody

ID.....{628DBFBC-9B77-48EA-99FE-0DF000376506}

TERM.....WOUND DISCHARGE CHARACTERISTICS BLOODY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS CLOUDY

-----

ABBREVIATION.....WOU DI CLO

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Cloudy

DISPLAY\_NAME.....Cloudy

HELP\_TEXT.....Wound Discharge Characteristics Cloudy

ID.....{159C9993-A2E1-4133-9D5F-315EF9985EC4}

TERM.....WOUND DISCHARGE CHARACTERISTICS CLOUDY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS NONE

-----

ABBREVIATION.....WOU DI NON

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics None

DISPLAY\_NAME.....None

HELP\_TEXT.....Wound Discharge Characteristics None

ID.....{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}

TERM.....WOUND DISCHARGE CHARACTERISTICS NONE

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS PURULENT

-----

ABBREVIATION.....WOU DI PUR

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics

Purulent

DISPLAY\_NAME.....Purulent

HELP\_TEXT.....Wound Discharge Characteristics

Purulent

ID.....{C1E10410-B6D8-4429-BD94-0B179992EAAB}

TERM.....WOUND DISCHARGE CHARACTERISTICS

PURULENT

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS

-----

ABBREVIATION.....WOU DI SSA

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics

Serosanguinous

DISPLAY\_NAME.....Serosanguinous

HELP\_TEXT.....Wound Discharge Characteristics

Serosanguinous

ID.....{B431D8EF-5B53-4DCF-A390-431EB5ED3704}

TERM.....WOUND DISCHARGE CHARACTERISTICS

SEROSANGUINOUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROUS

-----

ABBREVIATION.....WOU DI SER

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Serous

DISPLAY\_NAME.....Serous

HELP\_TEXT.....Wound Discharge Characteristics Serous

ID.....{2124005E-5C36-48AC-AA6B-03E06510D70A}

TERM.....WOUND DISCHARGE CHARACTERISTICS SEROUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS VISCOUS

-----

ABBREVIATION.....WOU DI VIS

ACTIVE.....Yes

DESCRIPTION.....Wound Discharge Characteristics Viscous

DISPLAY\_NAME.....Viscous

HELP\_TEXT.....Wound Discharge Characteristics Viscous

ID.....{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}

TERM.....WOUND DISCHARGE CHARACTERISTICS VISCOUS

DATA VALUE: WOUND DRAINAGE AMOUNT HEAVY

-----  
ABBREVIATION.....W DR A HEA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heavy  
HELP\_TEXT.....No Help-Text  
ID.....{BF959172-6672-4FEB-8FB7-0568405F3C83}  
TERM.....WOUND DRAINAGE AMOUNT HEAVY

DATA VALUE: WOUND DRAINAGE AMOUNT MODERATE

-----  
ABBREVIATION.....W DR A MOD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Moderate  
HELP\_TEXT.....No Help-Text  
ID.....{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}  
TERM.....WOUND DRAINAGE AMOUNT MODERATE

DATA VALUE: WOUND DRAINAGE AMOUNT NONE

-----  
ABBREVIATION.....WOU DR A N  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None

HELP\_TEXT.....No Help-Text  
ID.....{92910398-311F-D4D7-8BD5-AB66C3DC5E72}  
TERM.....WOUND DRAINAGE AMOUNT NONE

DATA VALUE: WOUND DRAINAGE AMOUNT SCANT

-----  
ABBREVIATION.....W DR SCANT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Scant  
HELP\_TEXT.....No Help-Text  
ID.....{9C3CD0BD-F960-4098-B14C-17B20703B242}  
TERM.....WOUND DRAINAGE AMOUNT SCANT

DATA VALUE: WOUND DRAINAGE AMOUNT SMALL

-----  
ABBREVIATION.....W DR A SMA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Small  
HELP\_TEXT.....No Help-Text  
ID.....{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}  
TERM.....WOUND DRAINAGE AMOUNT SMALL

DATA VALUE: WOUND DRESSING TYPE ANTIMICROBIAL

-----

ABBREVIATION.....WOU DR ANT

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY\_NAME.....Antimicrobial

HELP\_TEXT.....No Help Text

ID.....{9DAE650A-3D5C-498B-BC74-F3CE77CD2BA9}

TERM.....WOUND DRESSING TYPE ANTIMICROBIAL

DATA VALUE: WOUND DRESSING TYPE CALCIUM ALGINATE

-----

ABBREVIATION.....WOU DR CAL

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY\_NAME.....Calcium Alginate

HELP\_TEXT.....No Help Text

ID.....{AA084ED8-07D0-4D8A-84D1-51F025246F40}

TERM.....WOUND DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: WOUND DRESSING TYPE GAUZE

-----

ABBREVIATION.....WOU DR GAU

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY\_NAME.....Gauze

HELP\_TEXT.....No Help Text  
ID.....{A2EE67E2-B006-413F-8F8A-E02C21A39FC1}  
TERM.....WOUND DRESSING TYPE GAUZE

DATA VALUE: WOUND DRESSING TYPE GAUZE PACKING

-----  
ABBREVIATION.....WOU DR GPA

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY\_NAME.....Gauze Packing

HELP\_TEXT.....No Help Text

ID.....{ED06B435-B205-4BD2-B3D1-795C40EE016F}

TERM.....WOUND DRESSING TYPE GAUZE PACKING

DATA VALUE: WOUND DRESSING TYPE GAUZE WRAP

-----  
ABBREVIATION.....WOU DR GWR

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY\_NAME.....Gauze Wrap

HELP\_TEXT.....No Help Text

ID.....{4257C446-7627-4632-8507-B5880AD934D5}

TERM.....WOUND DRESSING TYPE GAUZE WRAP



DATA VALUE: WOUND DRESSING TYPE HYDROCOLLOIDAL

-----

ABBREVIATION.....WOU DR HYD  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hydrocolloidal  
HELP\_TEXT.....No Help Text  
ID.....{8C20226C-FC6A-49A0-9A72-06876DB1F203}  
TERM.....WOUND DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: WOUND DRESSING TYPE HYDROGEL

-----

ABBREVIATION.....WOU DR HYD  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hydrogel  
HELP\_TEXT.....No Help Text  
ID.....{60DDE603-9FF1-44FA-BC4D-45AA8753E254}  
TERM.....WOUND DRESSING TYPE HYDROGEL

DATA VALUE: WOUND DRESSING TYPE NONE

-----

ABBREVIATION.....WOU DR NON  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None

HELP\_TEXT.....No Help Text  
ID.....{8A58A493-A02C-4570-9786-9F5AF8D02360}  
TERM.....WOUND DRESSING TYPE NONE

DATA VALUE: WOUND DRESSING TYPE PRESSURE

-----  
ABBREVIATION.....WOU DR PRE  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure  
HELP\_TEXT.....No Help Text  
ID.....{520952E4-FB31-4C1C-9FE2-A10E0F1CEE00}  
TERM.....WOUND DRESSING TYPE PRESSURE

DATA VALUE: WOUND DRESSING TYPE TRANSPARENT

-----  
ABBREVIATION.....WOU DR TRA  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transparent  
HELP\_TEXT.....No Help Text  
ID.....{EA57D935-33D8-4F30-8511-706870A27122}  
TERM.....WOUND DRESSING TYPE TRANSPARENT

DATA VALUE: WOUND EDGE INDISTINCT/ATTACHED

-----  
ABBREVIATION.....WOU ED IND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Indistinct, Attached  
HELP\_TEXT.....No Help-Text  
ID.....{C899235C-4A07-4420-92BC-8F818B8E0A7F}  
TERM.....WOUND EDGE INDISTINCT/ATTACHED

DATA VALUE: WOUND EDGE NON-ATTACHED

-----  
ABBREVIATION.....WOU ED NON  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Non Attached  
DISPLAY\_NAME.....Non-Attached  
HELP\_TEXT.....Wound Edge Non Attached  
ID.....{1D5C1317-B4FF-421C-96A0-C20C1089E672}  
TERM.....WOUND EDGE NON-ATTACHED

DATA VALUE: WOUND EDGE ROLLED

-----  
ABBREVIATION.....WOU ED ROL  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Rolled  
DISPLAY\_NAME.....Rolled

HELP\_TEXT.....Wound Edge Rolled

ID.....{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}

TERM.....WOUND EDGE ROLLED

DATA VALUE: WOUND EDGE TUNNELING

-----

ABBREVIATION.....WOU ED TUN

ACTIVE.....Yes

DESCRIPTION.....Wound Edge Tunneling

DISPLAY\_NAME.....Tunneling

HELP\_TEXT.....Wound Edge Tunneling

ID.....{97425206-5261-46C1-905F-E03E2F071381}

TERM.....WOUND EDGE TUNNELING

DATA VALUE: WOUND EDGE UNDERMINING

-----

ABBREVIATION.....WOU ED UND

ACTIVE.....Yes

DESCRIPTION.....Wound Edge Undermining

DISPLAY\_NAME.....Undermining

HELP\_TEXT.....Wound Edge Undermining

ID.....{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}

TERM.....WOUND EDGE UNDERMINING

DATA VALUE: WOUND ODOR FOUL

-----

ABBREVIATION.....WOU OD FOU

ACTIVE.....Yes

DESCRIPTION.....Wound Odor Foul

DISPLAY\_NAME.....Foul

HELP\_TEXT.....Wound Odor Foul

ID.....{99A74112-EA71-4896-A4DD-911379E5B453}

TERM.....WOUND ODOR FOUL

DATA VALUE: WOUND ODOR NONE

-----

ABBREVIATION.....WOU OD NON

ACTIVE.....Yes

DESCRIPTION.....Wound Odor None

DISPLAY\_NAME.....None

HELP\_TEXT.....Wound Odor None

ID.....{D2E388F7-B531-4D60-A2BE-830F11B9AA75}

TERM.....WOUND ODOR NONE

DATA VALUE: WOUND VAC DEVICE

-----

ABBREVIATION.....WOUND VAC

ACTIVE.....Yes

DESCRIPTION.....Wound Vac Device

DISPLAY\_NAME.....Wound Vac Device

HELP\_TEXT.....No Help Text  
ID.....{A03F4978-969D-DCB8-DCE2-26EB33F097B3}  
TERM.....WOUND VAC DEVICE

DATA VALUE: X-RAY

---

ABBREVIATION.....X-RAY  
ACTIVE.....Yes  
DESCRIPTION.....X-Ray  
DISPLAY\_NAME.....X-Ray  
HELP\_TEXT.....X-Ray  
ID.....{C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}  
TERM.....X-RAY

DATA VALUE: XENADERM

---

ABBREVIATION.....XENADERM  
ACTIVE.....Yes  
DESCRIPTION.....Xenaderm  
DISPLAY\_NAME.....Xenaderm  
HELP\_TEXT.....No Help Text  
ID.....{F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}  
TERM.....XENADERM

DATA VALUE: XEROFORM

-----

ABBREVIATION.....XEROFORM

ACTIVE.....Yes

DESCRIPTION.....Xeroform

DISPLAY\_NAME.....Xeroform

HELP\_TEXT.....No Help Text

ID.....{7D7C3CDC-253E-4262-B8D4-3B70DE9AE4}

TERM.....XEROFORM

DATA VALUE: YELLOW

-----

ABBREVIATION.....YELLOW

ACTIVE.....Yes

DESCRIPTION.....The color yellow

DISPLAY\_NAME.....Yellow

HELP\_TEXT.....No Help Text

ID.....{90DC31AD-6211-9F25-4237-79F7122A2763}

TERM.....YELLOW

DATA VALUE: YELLOW/FIBRINOUS

-----

ABBREVIATION.....YELLOW/FIB

ACTIVE.....Yes

DESCRIPTION.....Yellow / Fibrinous

DISPLAY\_NAME.....Yellow / Fibrinous

HELP\_TEXT.....No Help Text  
ID.....{47CF52FE-0374-4690-ADA1-643E0954E035}  
TERM.....YELLOW/FIBRINOUS

DATA VALUE: YELLOW/GREEN

-----  
ABBREVIATION.....YELLOW/GRN  
ACTIVE.....Yes  
DESCRIPTION.....Yellow/Green in appearance  
DISPLAY\_NAME.....Yellow / Green  
HELP\_TEXT.....No Help Text  
ID.....{1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}  
TERM.....YELLOW/GREEN

DATA VALUE: YES

-----  
ABBREVIATION.....y  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Yes  
HELP\_TEXT.....No Help Text  
ID.....{483DE806-2EDB-34B0-FE11-C29EEEA649CD}  
TERM.....YES



DATA VALUE: pH

-----

ABBREVIATION.....pH

ACTIVE.....Yes

DESCRIPTION.....pH

DISPLAY\_NAME.....pH

HELP\_TEXT.....pH

ID.....{104FE39C-B0A2-40B5-A523-B11E5F2BA272}

TERM.....pH

DATA VALUE: {8BC7F294-7126-4843-91A0-14F805EC4578}

-----

ABBREVIATION.....Morphine

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Morphine

HELP\_TEXT.....

ID.....{8BC7F294-7126-4843-91A0-14F805EC4578}

TERM.....{8BC7F294-7126-4843-91A0-14F805EC4578}

LOCATION: ABDOMEN

-----  
ABBREVIATION.....ABDOMEN

ACTIVE.....Yes

DESCRIPTION.....ABDOMEN

DISPLAY\_NAME.....Abdomen

HELP\_TEXT.....No Help Text

ID.....{109FE041-2521-6EF2-7F95-1FD1587796AB}

TERM.....ABDOMEN

LOCATION: ABDOMEN LLQ

-----  
ABBREVIATION.....ABD LLQ

ACTIVE.....Yes

DESCRIPTION.....Abdomen Left Lower Quarter

DISPLAY\_NAME.....Abdomen Left Lower Quarter

HELP\_TEXT.....No Help Text

ID.....{39831F59-D7B0-4156-AC57-4C622A93CA58}

TERM.....ABDOMEN LLQ

LOCATION: ABDOMEN LUQ

-----  
ABBREVIATION.....ABD LUQ

ACTIVE.....Yes

DESCRIPTION.....Abdomen Left Upper Quarter  
DISPLAY\_NAME.....Abdomen Left Upper Quarter  
HELP\_TEXT.....No Help Text  
ID.....{3B31E1EC-CE74-4C76-BB61-10C678431FCA}  
TERM.....ABDOMEN LUQ

LOCATION: ABDOMEN RLQ

-----

ABBREVIATION.....ABD RLQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Right Lower Quarter  
DISPLAY\_NAME.....Abdomen Right Lower Quarter  
HELP\_TEXT.....No Help Text  
ID.....{2C48394F-6877-4738-856C-E933644D8067}  
TERM.....ABDOMEN RLQ

LOCATION: ABDOMEN RUQ

-----

ABBREVIATION.....ABD RUQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Right Upper Quarter  
DISPLAY\_NAME.....Abdomen Right Upper Quarter  
HELP\_TEXT.....No Help Text  
ID.....{F29C9FA1-717A-49B7-8000-95070E9AACA0}  
TERM.....ABDOMEN RUQ

LOCATION: ABDOMINAL

-----

ABBREVIATION.....Abd

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Abdominal

HELP\_TEXT.....No Help Text

ID.....{AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}

TERM.....ABDOMINAL

LOCATION: ABDOMINAL AORTA

-----

ABBREVIATION.....ABD AORTA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Abdominal Aorta

HELP\_TEXT.....No Help Text

ID.....{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

TERM.....ABDOMINAL AORTA

LOCATION: ANKLE

-----

ABBREVIATION.....Ank

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ankle

HELP\_TEXT.....No Help Text

ID.....{F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

TERM.....ANKLE

LOCATION: APICAL

-----

ABBREVIATION.....Ap

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Apical

HELP\_TEXT.....No Help Text

ID.....{C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}

TERM.....APICAL

LOCATION: AV FISTULA

-----

ABBREVIATION.....AVF

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....AV Fistula

HELP\_TEXT.....No Help Text

ID.....{F977EEF6-EA6A-D56D-D1F7-29B91510A02F}

TERM.....AV FISTULA

LOCATION: AXILLARY

-----

ABBREVIATION.....Ax

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Axillary

HELP\_TEXT.....No Help Text

ID.....{135AA5F4-A1C7-978D-E9AB-6873841AEB57}

TERM.....AXILLARY

LOCATION: BACK

-----

ABBREVIATION.....BACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Back

HELP\_TEXT.....No Help Text

ID.....{22C26239-C692-4E93-B522-E5E8392BA3B1}

TERM.....BACK

LOCATION: BILATERAL ANKLES

-----

ABBREVIATION.....BILA ANKLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bilateral Ankles

HELP\_TEXT.....No Help-Text  
ID.....{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}  
TERM.....BILATERAL ANKLES

LOCATION: BILATERAL FOOT

-----

ABBREVIATION.....BILAT FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{C758847D-468F-479A-B12D-F4E46F0E5E3A}  
TERM.....BILATERAL FOOT

LOCATION: BILATERAL HAND

-----

ABBREVIATION.....BILAT HAND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{C782FE56-6117-493F-847F-83173407F0B5}  
TERM.....BILATERAL HAND

LOCATION: BILATERAL LEG

---

ABBREVIATION.....BILAT LEG

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bilateral

HELP\_TEXT.....No Help Text

ID.....{0713761D-E0FC-DA03-02A1-F20EFEB99F45}

TERM.....BILATERAL LEG

LOCATION: BILATERAL NECK

---

ABBREVIATION.....BILAT NECK

ACTIVE.....Yes

DESCRIPTION.....Bilateral Neck

DISPLAY\_NAME.....Bilateral Neck

HELP\_TEXT.....No Help Text

ID.....{744BF4A2-C55E-4D55-8711-58700DD1C446}

TERM.....BILATERAL NECK

LOCATION: BILATERAL PERIPHERALS

---

ABBREVIATION.....BILAT PERI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bilateral Peripherals



HELP\_TEXT.....No Help Text

ID.....{7F134529-36C5-E9D4-ABD5-64B404F9E706}

TERM.....BILATERAL PERIPHERALS

LOCATION: BILATERAL WRIST

-----

ABBREVIATION.....BILAT WRIS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bilateral

HELP\_TEXT.....No Help Text

ID.....{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

TERM.....BILATERAL WRIST

LOCATION: BLADDER

-----

ABBREVIATION.....BLADDER

ACTIVE.....Yes

DESCRIPTION.....Bladder

DISPLAY\_NAME.....Bladder

HELP\_TEXT.....Bladder

ID.....{18E083F2-C4BB-407E-B0A3-20C4942FC97F}

TERM.....BLADDER

LOCATION: BOTH ARMS

---

ABBREVIATION.....BOTH ARMS

ACTIVE.....Yes

DESCRIPTION.....Both Arms

DISPLAY\_NAME.....Both Arms

HELP\_TEXT.....No Help Text

ID.....{A493AB32-9DE9-40AC-8C46-7EFF395B63B5}

TERM.....BOTH ARMS

LOCATION: BOTH HANDS

---

ABBREVIATION.....BOTH HANDS

ACTIVE.....Yes

DESCRIPTION.....Both Hands

DISPLAY\_NAME.....Both Hands

HELP\_TEXT.....No Help Text

ID.....{63AA2685-CB1D-4680-B2F4-2199A22D1EC6}

TERM.....BOTH HANDS

LOCATION: BOTH LEGS

---

ABBREVIATION.....BOTH LEGS

ACTIVE.....Yes

DESCRIPTION.....Both Legs

DISPLAY\_NAME.....Both Legs

HELP\_TEXT.....No Help Text

ID.....{5A15A231-4695-4CF3-AD0F-2E7950208967}

TERM.....BOTH LEGS

LOCATION: BRACHIAL

-----

ABBREVIATION.....Bra

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Brachial

HELP\_TEXT.....No Help Text

ID.....{67426127-09E1-E566-F31E-15714A5B2B7C}

TERM.....BRACHIAL

LOCATION: CALF

-----

ABBREVIATION.....Cif

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Calf

HELP\_TEXT.....No Help Text

ID.....{7923E496-90D6-B6D5-726A-A5B8DF3436CF}

TERM.....CALF

LOCATION: CAROTID

-----

ABBREVIATION.....Car

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Carotid

HELP\_TEXT.....No Help Text

ID.....{9536F203-1797-9336-6F69-604249E1B3A0}

TERM.....CAROTID

LOCATION: CHEST

-----

ABBREVIATION.....CHEST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Chest

HELP\_TEXT.....No Help Text

ID.....{8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

TERM.....CHEST

LOCATION: COCCYX

-----

ABBREVIATION.....COCCYX

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Coccyx

HELP\_TEXT.....No Help Text  
ID.....{49D65E9D-3D5B-40E3-B7CF-1003F80B852C}  
TERM.....COCCYX

LOCATION: CORE

-----

ABBREVIATION.....C  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Core  
HELP\_TEXT.....No Help Text  
ID.....{5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}  
TERM.....CORE

LOCATION: DONOR SITE

-----

ABBREVIATION.....DONOR SITE  
ACTIVE.....Yes  
DESCRIPTION.....Donor Site  
DISPLAY\_NAME.....Donor Site  
HELP\_TEXT.....No Help Text  
ID.....{F0A65974-7650-4A4B-AC88-0945E37A0AD2}  
TERM.....DONOR SITE

LOCATION: DORSALIS PEDIS

-----

ABBREVIATION.....DP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Dorsalis Pedis

HELP\_TEXT.....No Help Text

ID.....{9657D743-1632-2044-B4C5-9EF291A2F6D0}

TERM.....DORSALIS PEDIS

LOCATION: FACE

-----

ABBREVIATION.....FACE

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S FACE

DISPLAY\_NAME.....Face

HELP\_TEXT.....No Help Text

ID.....{C638EA14-7903-6A94-496A-C6560D51BEE3}

TERM.....FACE

LOCATION: FEET

-----

ABBREVIATION.....FEET

ACTIVE.....Yes

DESCRIPTION.....BOTH OF PATIENT'S FEET

DISPLAY\_NAME.....Feet

HELP\_TEXT.....No Help Text

ID.....{944CAA0E-5165-A6AF-BE3D-85455440BF40}

TERM.....FEET

LOCATION: FEMORAL

-----

ABBREVIATION.....Fem

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Femoral

HELP\_TEXT.....No Help Text

ID.....{E3442C9E-8677-7296-D314-7365319C3716}

TERM.....FEMORAL

LOCATION: FOREHEAD

-----

ABBREVIATION.....FOREHEAD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Forehead

HELP\_TEXT.....No Help Text

ID.....{5F892722-956E-474C-BA08-4074142D49F6}

TERM.....FOREHEAD

LOCATION: FRONTAL

-----

ABBREVIATION.....FRONTAL

ACTIVE.....Yes

DESCRIPTION.....Frontal

DISPLAY\_NAME.....Frontal

HELP\_TEXT.....No Help Text

ID.....{CF8F7565-13BF-4180-A222-44FFFA06992A}

TERM.....FRONTAL

LOCATION: GASTROINTESTINAL

-----

ABBREVIATION.....GI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....GI

HELP\_TEXT.....No Help Text

ID.....{C27C66DB-3A6A-487E-9981-FA7FD323C0C3}

TERM.....GASTROINTESTINAL

LOCATION: GENERAL UMBILICUS

-----

ABBREVIATION.....GEN UMBILI

ACTIVE.....Yes

DESCRIPTION.....General Umbilicus

DISPLAY\_NAME.....General Umbilicus



HELP\_TEXT.....General Umbilicus

ID.....{34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}

TERM.....GENERAL UMBILICUS

LOCATION: GENERALIZED

-----

ABBREVIATION.....GENERIZED

ACTIVE.....Yes

DESCRIPTION.....TERM DESCRIBES GENERAL OBSERVATIONS

OF PATIENT'S ENTIRE BODY

DISPLAY\_NAME.....Generalized

HELP\_TEXT.....No Help Text

ID.....{17073C6C-8691-CADC-2238-CBAAB0A5C648}

TERM.....GENERALIZED

LOCATION: GENITALS

-----

ABBREVIATION.....GENITALS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Genitals

HELP\_TEXT.....No Help Text

ID.....{83437106-3336-4925-92C8-F959561687FC}

TERM.....GENITALS

LOCATION: HEAD

-----  
ABBREVIATION.....Hd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Head  
HELP\_TEXT.....No Help Text  
ID.....{C3209F44-90C6-FF1B-3169-265B294F276A}  
TERM.....HEAD

LOCATION: HEAD OCCIPITAL

-----  
ABBREVIATION.....HEAD OCCIP  
ACTIVE.....Yes  
DESCRIPTION.....Head Occipital  
DISPLAY\_NAME.....Head Occipital  
HELP\_TEXT.....No Help Text  
ID.....{2066CA47-5A16-447F-9919-24ED435B627F}  
TERM.....HEAD OCCIPITAL

LOCATION: HEART

-----  
ABBREVIATION.....HEART  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heart

HELP\_TEXT.....No Help Text

ID.....{F7D48A36-B512-42DD-B92F-07ACF2B95E08}

TERM.....HEART

LOCATION: HIP

-----

ABBREVIATION.....Hip

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Hip

HELP\_TEXT.....No Help Text

ID.....{D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}

TERM.....HIP

LOCATION: INCISIONAL SITE

-----

ABBREVIATION.....INCISON SI

ACTIVE.....Yes

DESCRIPTION.....Incisional Site

DISPLAY\_NAME.....Incisional Site

HELP\_TEXT.....No Help Text

ID.....{EB36A66D-751D-4031-9F68-0BB03E267321}

TERM.....INCISIONAL SITE

LOCATION: KNEE

-----

ABBREVIATION.....Kn

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Knee

HELP\_TEXT.....No Help Text

ID.....{B577308A-4C37-47BD-AD84-38E6342B6DF7}

TERM.....KNEE

LOCATION: KNEES

-----

ABBREVIATION.....KNEES

ACTIVE.....Yes

DESCRIPTION.....BOTH OF PATIENT'S KNEES

DISPLAY\_NAME.....Knees

HELP\_TEXT.....No Help Text

ID.....{247D6621-3A85-F1F7-59BF-1FB0361B3C21}

TERM.....KNEES

LOCATION: L ABDOMEN

-----

ABBREVIATION.....L ABDOMEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Abdomen

HELP\_TEXT.....No Help Text

ID.....{46B37481-4105-492D-96F0-E2D3895379C1}

TERM.....L ABDOMEN

LOCATION: L ANKLE

-----

ABBREVIATION.....L ANKLE

ACTIVE.....Yes

DESCRIPTION.....Left Ankle

DISPLAY\_NAME.....L Ankle

HELP\_TEXT.....No Help Text

ID.....{D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

TERM.....L ANKLE

LOCATION: L ANTECUBITAL

-----

ABBREVIATION.....L ANTECUBI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Antecubital

HELP\_TEXT.....No Help Text

ID.....{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

TERM.....L ANTECUBITAL

LOCATION: L ARM

---

ABBREVIATION.....LA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Arm

HELP\_TEXT.....No Help Text

ID.....{567F552F-54B5-A8BB-596F-291001746E31}

TERM.....L ARM

LOCATION: L AXILLARY

---

ABBREVIATION.....L AXILLARY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Axillary

HELP\_TEXT.....No Help Text

ID.....{21AF62CA-BEED-2A96-2CD6-F2350A01995E}

TERM.....L AXILLARY

LOCATION: L BRACHIAL

---

ABBREVIATION.....L BRACH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Brachial

HELP\_TEXT.....No Help Text

ID.....{75F6CE33-1AB3-A1DA-70B8-04825290B577}

TERM.....L BRACHIAL

LOCATION: L CALF

-----

ABBREVIATION.....L CALF

ACTIVE.....Yes

DESCRIPTION.....Left Calf

DISPLAY\_NAME.....L Calf

HELP\_TEXT.....No Help Text

ID.....{3DAA7817-936B-444F-8A2D-D3AB09144C10}

TERM.....L CALF

LOCATION: L CAROTID

-----

ABBREVIATION.....L CAROTID

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Carotid

HELP\_TEXT.....No Help Text

ID.....{FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}

TERM.....L CAROTID

LOCATION: L CHEST

---

ABBREVIATION.....L CHEST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Left Chest

HELP\_TEXT.....No Help Text

ID.....{E332E497-FE0C-47CB-A0A7-217FBF52DC97}

TERM.....L CHEST

LOCATION: L DORSALIS PEDIS

---

ABBREVIATION.....L DOR PED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Dorsalis Pedis

HELP\_TEXT.....No Help Text

ID.....{389397B5-2863-B8F2-A779-C38433894A19}

TERM.....L DORSALIS PEDIS

LOCATION: L EAR

---

ABBREVIATION.....L EAR

ACTIVE.....Yes

DESCRIPTION.....Left Ear

DISPLAY\_NAME.....L Ear



HELP\_TEXT.....No Help Text

ID.....{DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

TERM.....L EAR

LOCATION: L ELBOW

-----

ABBREVIATION.....L ELBOW

ACTIVE.....Yes

DESCRIPTION.....Left Elbow

DISPLAY\_NAME.....L Elbow

HELP\_TEXT.....No Help Text

ID.....{BF4317E7-2024-47EF-9E5F-3D21D0547885}

TERM.....L ELBOW

LOCATION: L EXTERNAL JUGULAR

-----

ABBREVIATION.....L EXT JUGU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L External Jugular

HELP\_TEXT.....No Help Text

ID.....{6F7B331B-4F83-0B79-1755-F6F673D647D6}

TERM.....L EXTERNAL JUGULAR

LOCATION: L EYE

-----

ABBREVIATION.....L EYE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Eye

HELP\_TEXT.....No Help Text

ID.....{D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

TERM.....L EYE

LOCATION: L FACE

-----

ABBREVIATION.....L FACE

ACTIVE.....Yes

DESCRIPTION.....LEFT SIDE OF PATIENT'S FACE

DISPLAY\_NAME.....L Face

HELP\_TEXT.....No Help Text

ID.....{06F00A70-F475-CD40-665D-AF0569A1E75F}

TERM.....L FACE

LOCATION: L FEMORAL

-----

ABBREVIATION.....L FEM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Femoral

HELP\_TEXT.....No Help Text

ID.....{50AF6A08-CE37-6859-F4E6-762660A982F7}

TERM.....L FEMORAL

LOCATION: L FINGER

-----

ABBREVIATION.....L FINGER

ACTIVE.....Yes

DESCRIPTION.....Left Finger

DISPLAY\_NAME.....L Finger

HELP\_TEXT.....No Help Text

ID.....{BB825645-1630-498C-A31B-6728D422EEFC}

TERM.....L FINGER

LOCATION: L FLANK

-----

ABBREVIATION.....L FLANK

ACTIVE.....Yes

DESCRIPTION.....Left Flank

DISPLAY\_NAME.....L Flank

HELP\_TEXT.....No Help Text

ID.....{6E453E8D-B456-4BFD-A015-F9C013830F30}

TERM.....L FLANK

LOCATION: L FOOT

-----

ABBREVIATION.....L FOOT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Foot

HELP\_TEXT.....No Help Text

ID.....{2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

TERM.....L FOOT

LOCATION: L GLUTEUS

-----

ABBREVIATION.....L GLUTEUS

ACTIVE.....Yes

DESCRIPTION.....Left Gluteus

DISPLAY\_NAME.....L Gluteus

HELP\_TEXT.....No Help Text

ID.....{88C4E547-04CD-4D52-9416-CAEB6D898D21}

TERM.....L GLUTEUS

LOCATION: L GROIN

-----

ABBREVIATION.....L GROIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Groin

HELP\_TEXT.....No Help Text

ID.....{5488E4EE-C1A2-4B02-8763-A53C412117A7}

TERM.....L GROIN

LOCATION: L HAND

-----

ABBREVIATION.....L HAND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Hand

HELP\_TEXT.....No Help Text

ID.....{639DF25A-19E3-B504-D323-4B3F6ED39A24}

TERM.....L HAND

LOCATION: L HEAD

-----

ABBREVIATION.....L HEAD

ACTIVE.....Yes

DESCRIPTION.....Left Head

DISPLAY\_NAME.....L Head

HELP\_TEXT.....No Help Text

ID.....{3737DC2D-DC9E-4FC8-839D-0355987B62D1}

TERM.....L HEAD

LOCATION: L HEEL

---

ABBREVIATION.....L HEEL

ACTIVE.....Yes

DESCRIPTION.....Left Heel

DISPLAY\_NAME.....L Heel

HELP\_TEXT.....No Help Text

ID.....{C9154881-17C7-4921-A0EE-BFB962C59CEF}

TERM.....L HEEL

LOCATION: L HIP

---

ABBREVIATION.....L HIP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Hip

HELP\_TEXT.....No Help Text

ID.....{786CD881-27AD-4136-B9CC-8423CB38A431}

TERM.....L HIP

LOCATION: L INGUINAL

---

ABBREVIATION.....L INGUINAL

ACTIVE.....Yes

DESCRIPTION.....Left Inguinal

DISPLAY\_NAME.....L Inguinal

HELP\_TEXT.....No Help Text

ID.....{627D172E-8F33-48C9-BE89-D036E07D46BF}

TERM.....L INGUINAL

LOCATION: L INNER KNEE

-----

ABBREVIATION.....L INN KNEE

ACTIVE.....Yes

DESCRIPTION.....Left Inner Knee

DISPLAY\_NAME.....L Inner Knee

HELP\_TEXT.....No Help Text

ID.....{79853581-CCF0-49E9-9D91-D16DE02A836D}

TERM.....L INNER KNEE

LOCATION: L INTERNAL JUGULAR

-----

ABBREVIATION.....L INT JUG

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Internal Jugular

HELP\_TEXT.....No Help Text

ID.....{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

TERM.....L INTERNAL JUGULAR

LOCATION: L ISCHIAL

-----

ABBREVIATION.....L ISCHIAL

ACTIVE.....Yes

DESCRIPTION.....Left Ischial

DISPLAY\_NAME.....L Ischial

HELP\_TEXT.....No Help Text

ID.....{DCDAD741-9599-4479-9D55-3279F800DBE6}

TERM.....L ISCHIAL

LOCATION: L JAW

-----

ABBREVIATION.....L JAW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Jaw

HELP\_TEXT.....No Help Text

ID.....{65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}

TERM.....L JAW

LOCATION: L KNEE

-----

ABBREVIATION.....L KNEE

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S LEFT KNEE

DISPLAY\_NAME.....L Knee



HELP\_TEXT.....No Help Text

ID.....{3A9E30B4-09A9-967A-58EF-69A01EC4F859}

TERM.....L KNEE

LOCATION: L LATERAL HEEL

---

ABBREVIATION.....L LAT HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Lateral Heel

HELP\_TEXT.....No Help Text

ID.....{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}

TERM.....L LATERAL HEEL

LOCATION: L LATERAL MALLEOLUS

---

ABBREVIATION.....L LAT MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Lateral Malleolus

HELP\_TEXT.....No Help Text

ID.....{9A523B7C-64DD-4E47-9543-165788108D4C}

TERM.....L LATERAL MALLEOLUS

LOCATION: L LEG

---

ABBREVIATION.....LL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Leg

HELP\_TEXT.....No Help Text

ID.....{B088C809-E528-B785-21C2-14E45E1FD8AF}

TERM.....L LEG

LOCATION: L LOWER ANTERIOR CHEST

---

ABBREVIATION.....L L A CHES

ACTIVE.....Yes

DESCRIPTION.....Left Lower Anterior Chest

DISPLAY\_NAME.....L Low. Ant. Chest

HELP\_TEXT.....No Help Text

ID.....{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}

TERM.....L LOWER ANTERIOR CHEST

LOCATION: L LOWER ARM

---

ABBREVIATION.....L LOW ARM

ACTIVE.....Yes

DESCRIPTION.....Left Lower Arm

DISPLAY\_NAME.....L Lower Arm

HELP\_TEXT.....No Help Text  
ID.....{63AA95E8-256D-4390-8CB3-F00A1B3F91CD}  
TERM.....L LOWER ARM

LOCATION: L LOWER EXTREMITY

-----  
ABBREVIATION.....LLEX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Lower Extremity  
HELP\_TEXT.....No Help Text  
ID.....{FC6F5056-779A-BF76-86D0-A237936C1ECC}  
TERM.....L LOWER EXTREMITY

LOCATION: L LOWER LEG

-----  
ABBREVIATION.....L LOW LEG  
ACTIVE.....Yes  
DESCRIPTION.....Left Lower Leg  
DISPLAY\_NAME.....L Lower Leg  
HELP\_TEXT.....No Help Text  
ID.....{7B8E92FA-E065-4D06-9FB6-4234656CFD61}  
TERM.....L LOWER LEG

LOCATION: L LOWER LIMB

-----

ABBREVIATION.....LLLI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Lower Limb

HELP\_TEXT.....No Help Text

ID.....{4838CB05-A1DD-F4FB-587C-2D0C17A2484E}

TERM.....L LOWER LIMB

LOCATION: L LOWER POSTERIOR CHEST

-----

ABBREVIATION.....L L P CHES

ACTIVE.....Yes

DESCRIPTION.....Left Lower Posterior Chest

DISPLAY\_NAME.....L Low. Pos. Chest

HELP\_TEXT.....No Help Text

ID.....{2C19F10B-7546-4A1F-A5DC-3867359ED971}

TERM.....L LOWER POSTERIOR CHEST

LOCATION: L MANDIBULAR

-----

ABBREVIATION.....L MANDIBUL

ACTIVE.....Yes

DESCRIPTION.....Left Mandibular

DISPLAY\_NAME.....L Mandibular

HELP\_TEXT.....No Help Text

ID.....{CB9DB373-5F0A-446B-909F-F76392CB3A04}

TERM.....L MANDIBULAR

LOCATION: L MEDIAL HEEL

-----

ABBREVIATION.....L MED HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Medial Heel

HELP\_TEXT.....No Help Text

ID.....{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}

TERM.....L MEDIAL HEEL

LOCATION: L MEDIAL MALLEOLUS

-----

ABBREVIATION.....L MED MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Medial Malleolus

HELP\_TEXT.....No Help Text

ID.....{330E7682-407F-43CD-84FC-1CDA41F08C68}

TERM.....L MEDIAL MALLEOLUS

LOCATION: L MIDDLE ANTERIOR CHEST

---

ABBREVIATION.....L M A CHES

ACTIVE.....Yes

DESCRIPTION.....Left Middle Anterior Chest

DISPLAY\_NAME.....L Mid. Ant. Chest

HELP\_TEXT.....No Help Text

ID.....{36A83F77-117E-474B-AE34-0B2C02E131AE}

TERM.....L MIDDLE ANTERIOR CHEST

LOCATION: L MIDDLE POSTERIOR CHEST

---

ABBREVIATION.....L M P CHES

ACTIVE.....Yes

DESCRIPTION.....Left Middle Posterior Chest

DISPLAY\_NAME.....L Mid. Pos. Chest

HELP\_TEXT.....No Help Text

ID.....{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}

TERM.....L MIDDLE POSTERIOR CHEST

LOCATION: L NECK

---

ABBREVIATION.....L NECK

ACTIVE.....Yes

DESCRIPTION.....Left Neck

DISPLAY\_NAME.....L Neck

HELP\_TEXT.....No Help Text

ID.....{C4EA6279-05E2-4195-A638-3794DCBA7B78}

TERM.....L NECK

LOCATION: L NOSE

-----

ABBREVIATION.....L NOSE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Nose

HELP\_TEXT.....No Help Text

ID.....{C7707847-5135-4749-B196-002E3E59BB54}

TERM.....L NOSE

LOCATION: L OCCIPITAL

-----

ABBREVIATION.....L OCCIPTAL

ACTIVE.....Yes

DESCRIPTION.....Left Occipital

DISPLAY\_NAME.....L Occipital

HELP\_TEXT.....No Help Text

ID.....{A4234F41-CD6F-4CE1-9210-316DB847BDE2}

TERM.....L OCCIPITAL

LOCATION: L ORAL

---

ABBREVIATION.....L ORAL

ACTIVE.....Yes

DESCRIPTION.....Left Oral

DISPLAY\_NAME.....L Oral

HELP\_TEXT.....No Help Text

ID.....{057B787A-8750-4563-80DB-25110CCC1146}

TERM.....L ORAL

LOCATION: L ORBIT

---

ABBREVIATION.....L ORBIT

ACTIVE.....Yes

DESCRIPTION.....Left Orbit

DISPLAY\_NAME.....L Orbit

HELP\_TEXT.....No Help Text

ID.....{1D798E35-5095-4BA0-8F9F-FA96668A5239}

TERM.....L ORBIT

LOCATION: L OUTER KNEE

---

ABBREVIATION.....L OUT KNEE

ACTIVE.....Yes

DESCRIPTION.....Left Outer Knee

DISPLAY\_NAME.....L Outer Knee



HELP\_TEXT.....No Help Text  
ID.....{B143C935-2687-49C3-9F65-8D69C1775ABC}  
TERM.....L OUTER KNEE

LOCATION: L PARIETAL

---

ABBREVIATION.....L PARIETAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Parietal  
DISPLAY\_NAME.....L Parietal  
HELP\_TEXT.....No Help Text  
ID.....{2687ED24-F35E-456C-99C9-F6A8EC4364E0}  
TERM.....L PARIETAL

LOCATION: L PEDAL

---

ABBREVIATION.....LEFT PEDAL  
ACTIVE.....Yes  
DESCRIPTION.....L Pedal  
DISPLAY\_NAME.....L Pedal  
HELP\_TEXT.....L Pedal  
ID.....{D84E9953-8C17-3130-8F21-A30D2A99FDE4}  
TERM.....L PEDAL

LOCATION: L POST TIBIAL

---

ABBREVIATION.....L PO TIB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Post Tibial

HELP\_TEXT.....No Help Text

ID.....{BED130EE-31CC-C7E9-6597-78685BCE91AC}

TERM.....L POST TIBIAL

LOCATION: L RADIAL

---

ABBREVIATION.....L RAD

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Radial

HELP\_TEXT.....No Help Text

ID.....{302F78AD-4067-8B6B-BD15-993EC8561AE6}

TERM.....L RADIAL

LOCATION: L RIBS

---

ABBREVIATION.....L RIBS

ACTIVE.....Yes

DESCRIPTION.....Left Ribs

DISPLAY\_NAME.....L Ribs

HELP\_TEXT.....No Help Text

ID.....{BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}

TERM.....L RIBS

LOCATION: L SCAPULA

-----

ABBREVIATION.....L SCAPULA

ACTIVE.....Yes

DESCRIPTION.....Left Scapula

DISPLAY\_NAME.....L Scapula

HELP\_TEXT.....No Help Text

ID.....{3381EC50-771B-41C8-85C8-6EB0D208D54E}

TERM.....L SCAPULA

LOCATION: L SHOULDER

-----

ABBREVIATION.....L SHOULDER

ACTIVE.....Yes

DESCRIPTION.....Left Shoulder

DISPLAY\_NAME.....L Shoulder

HELP\_TEXT.....No Help Text

ID.....{91CBD2FA-2743-42EB-946B-6933980D9337}

TERM.....L SHOULDER

LOCATION: L SUBCLAVIAN

---

ABBREVIATION.....L SUBCLAV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Subclavian

HELP\_TEXT.....No Help Text

ID.....{71B93594-15F9-AA4A-AEF2-E222EC28C00D}

TERM.....L SUBCLAVIAN

LOCATION: L TEMPORAL

---

ABBREVIATION.....L TEMPO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Temporal

HELP\_TEXT.....No Help Text

ID.....{375E65CF-A59E-A1E9-EB6D-D53CD818939E}

TERM.....L TEMPORAL

LOCATION: L TESTICLE

---

ABBREVIATION.....L TESTICLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Left Testicle

HELP\_TEXT.....No Help Text

ID.....{1E376539-E89F-4472-8274-CFD11275E11F}

TERM.....L TESTICLE

LOCATION: L THIGH

-----

ABBREVIATION.....L THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Thigh

HELP\_TEXT.....No Help Text

ID.....{16C2312F-1E0E-45E0-B675-160F40C23F57}

TERM.....L THIGH

LOCATION: L THORACIC ANTERIOR

-----

ABBREVIATION.....L THOR ANT

ACTIVE.....Yes

DESCRIPTION.....Left Thoracic Anterior

DISPLAY\_NAME.....L Thoracic Anterior

HELP\_TEXT.....No Help Text

ID.....{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}

TERM.....L THORACIC ANTERIOR

LOCATION: L THORACIC LATERAL

-----

ABBREVIATION.....L THOR LAT

ACTIVE.....Yes

DESCRIPTION.....Left Thoracic Lateral

DISPLAY\_NAME.....L Thoracic Lateral

HELP\_TEXT.....No Help Text

ID.....{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}

TERM.....L THORACIC LATERAL

LOCATION: L THORACIC POSTERIOR

-----

ABBREVIATION.....L THOR POS

ACTIVE.....Yes

DESCRIPTION.....Left Thoracic Posterior

DISPLAY\_NAME.....L Thoracic Posterior

HELP\_TEXT.....No Help Text

ID.....{68E3381F-7605-4786-85A8-523D215A2B97}

TERM.....L THORACIC POSTERIOR

LOCATION: L THORACOTOMY

-----

ABBREVIATION.....L THORACOT

ACTIVE.....Yes

DESCRIPTION.....Left Thoracotomy

DISPLAY\_NAME.....L Thoracotomy

HELP\_TEXT.....No Help Text

ID.....{313C11A1-559A-4F68-8718-4012416EC189}

TERM.....L THORACOTOMY

LOCATION: L THUMB

-----

ABBREVIATION.....L THUMB

ACTIVE.....Yes

DESCRIPTION.....Left Thumb

DISPLAY\_NAME.....L Thumb

HELP\_TEXT.....No Help Text

ID.....{F82F4731-2CC5-4705-91BE-05E40C25B419}

TERM.....L THUMB

LOCATION: L TOE

-----

ABBREVIATION.....L TOE

ACTIVE.....Yes

DESCRIPTION.....Left Toe

DISPLAY\_NAME.....L Toe

HELP\_TEXT.....No Help Text

ID.....{C666DE86-E7AE-4AB3-8AE1-91496219E63D}

TERM.....L TOE

LOCATION: L TRAPEZIUS

---

ABBREVIATION.....L TRAPEZIU

ACTIVE.....Yes

DESCRIPTION.....Left Trapezius

DISPLAY\_NAME.....L Trapezius

HELP\_TEXT.....No Help Text

ID.....{B74CF943-C10F-4A1B-A19A-4975E674A97A}

TERM.....L TRAPEZIUS

LOCATION: L TROCHANTER

---

ABBREVIATION.....L TROCHANT

ACTIVE.....Yes

DESCRIPTION.....Left Trochanter

DISPLAY\_NAME.....L Trochanter

HELP\_TEXT.....No Help Text

ID.....{C91647A4-255D-40E4-A24D-01274E5D799F}

TERM.....L TROCHANTER

LOCATION: L UPPER ANTERIOR CHEST

---

ABBREVIATION.....L U A CHES

ACTIVE.....Yes

DESCRIPTION.....Left Upper Anterior Chest

DISPLAY\_NAME.....L. Up. Ant. Chest



HELP\_TEXT.....No Help Text  
ID.....{FE63B58A-DE39-4C03-AE61-E34A5487C767}  
TERM.....L UPPER ANTERIOR CHEST

LOCATION: L UPPER ARM

-----  
ABBREVIATION.....L UPP ARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Upper Arm  
HELP\_TEXT.....No Help Text  
ID.....{5F915696-1B08-32E9-6B95-49246117D660}  
TERM.....L UPPER ARM

LOCATION: L UPPER EXTREMITY

-----  
ABBREVIATION.....LUEX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Upper Extremity  
HELP\_TEXT.....No Help Text  
ID.....{48806E79-B1DA-129B-EB52-453292A3DDC6}  
TERM.....L UPPER EXTREMITY

LOCATION: L UPPER LEG

---

ABBREVIATION.....L UPPER LE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Left Upper Leg

HELP\_TEXT.....No Help Text

ID.....{1DB35895-F74C-4B88-A3EE-3E556CB6559A}

TERM.....L UPPER LEG

LOCATION: L UPPER LIMB

---

ABBREVIATION.....L Upp Limb

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Upper Limb

HELP\_TEXT.....No Help Text

ID.....{E6453716-62D3-DFCB-F84D-F6F2FD FC20B7}

TERM.....L UPPER LIMB

LOCATION: L UPPER POSTERIOR CHEST

---

ABBREVIATION.....L U P CHES

ACTIVE.....Yes

DESCRIPTION.....Left Upper Posterior Chest

DISPLAY\_NAME.....L Up. Pos. Chest

HELP\_TEXT.....No Help Text

ID.....{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}

TERM.....L UPPER POSTERIOR CHEST

LOCATION: L WRIST

-----

ABBREVIATION.....L WRIST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....L Wrist

HELP\_TEXT.....No Help Text

ID.....{7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

TERM.....L WRIST

LOCATION: LEFT

-----

ABBREVIATION.....Lt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Left

HELP\_TEXT.....No Help Text

ID.....{C9C09768-9EEA-8F2B-86D4-B53458472E4E}

TERM.....LEFT

LOCATION: LEFT EYE

-----

ABBREVIATION.....Left Eye

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Left Eye

HELP\_TEXT.....

ID.....{D1B20983-6076-47E6-9578-2EFB3CB6A47B}

TERM.....LEFT EYE

LOCATION: LEFT LOWER LOBE

-----

ABBREVIATION.....LLL

ACTIVE.....Yes

DESCRIPTION.....LEFT LUNG'S LOWER LOBE

DISPLAY\_NAME.....L Lower Lobe

HELP\_TEXT.....No Help Text

ID.....{14155C13-874D-6E26-01D8-2C03B349F913}

TERM.....LEFT LOWER LOBE

LOCATION: LEFT NECK

-----

ABBREVIATION.....L NECK

ACTIVE.....Yes

DESCRIPTION.....LEFT SIDE OF PATIENT'S NECK

DISPLAY\_NAME.....L Neck

HELP\_TEXT.....No Help Text

ID.....{40522B5F-F23E-EADB-AE64-8EDE3B9E1155}

TERM.....LEFT NECK

LOCATION: LEFT UPPER LOBE

-----

ABBREVIATION.....LUL

ACTIVE.....Yes

DESCRIPTION.....LEFT LUNG'S UPPER LOBE

DISPLAY\_NAME.....L Upper Lobe

HELP\_TEXT.....No Help Text

ID.....{21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}

TERM.....LEFT UPPER LOBE

LOCATION: LOWER ABDOMEN

-----

ABBREVIATION.....LO ABDOM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lower Abdomen

HELP\_TEXT.....No Help Text

ID.....{077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}

TERM.....LOWER ABDOMEN

LOCATION: LOWER ARM

-----

ABBREVIATION.....LrA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lower Arm

HELP\_TEXT.....No Help Text

ID.....{D7627720-D6B0-AC00-8FA3-F7B569ED06FC}

TERM.....LOWER ARM

LOCATION: LOWER BACK

-----

ABBREVIATION.....LOWER BACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lower Back

HELP\_TEXT.....No Help Text

ID.....{7E761680-61BC-450F-9905-C45CE760EC45}

TERM.....LOWER BACK

LOCATION: MEDIASTINAL

-----

ABBREVIATION.....MEDIASTINA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Mediastinal

HELP\_TEXT.....No Help Text  
ID.....{D99997D2-61EF-CAC2-A854-D906E3A97447}  
TERM.....MEDIASTINAL

LOCATION: MID BACK

-----

ABBREVIATION.....MID BACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mid Back  
HELP\_TEXT.....No Help Text  
ID.....{F8C515E0-F437-4596-B030-DA1811038CDF}  
TERM.....MID BACK

LOCATION: MID-STERNAL

-----

ABBREVIATION.....MID-STERN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mid-Sternal  
HELP\_TEXT.....No Help Text  
ID.....{3F5168F1-9082-4FB2-A364-3CDE33B1214B}  
TERM.....MID-STERNAL

LOCATION: MIDDLE

---

ABBREVIATION.....MIDDLE

ACTIVE.....Yes

DESCRIPTION.....MIDDLE

DISPLAY\_NAME.....Middle

HELP\_TEXT.....No Help Text

ID.....{654E4D50-B74E-D58B-B3E3-AA3F218A285E}

TERM.....MIDDLE

LOCATION: MIDLINE ABDOMINAL

---

ABBREVIATION.....MID ABDOMI

ACTIVE.....Yes

DESCRIPTION.....Midline Abdominal

DISPLAY\_NAME.....Midline Abdominal

HELP\_TEXT.....No Help Text

ID.....{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}

TERM.....MIDLINE ABDOMINAL

LOCATION: MIDLINE NECK

---

ABBREVIATION.....MID NECK

ACTIVE.....Yes

DESCRIPTION.....Midline Neck

DISPLAY\_NAME.....Midline Neck



HELP\_TEXT.....No Help Text

ID.....{FF666713-278D-46D6-8D25-E5D57E78EA08}

TERM.....MIDLINE NECK

LOCATION: NECK

-----

ABBREVIATION.....Ne

ACTIVE.....Yes

DESCRIPTION.....PATIENTS NECK

DISPLAY\_NAME.....Neck

HELP\_TEXT.....No Help Text

ID.....{D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

TERM.....NECK

LOCATION: NOSE

-----

ABBREVIATION.....NOSE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Nose

HELP\_TEXT.....No Help Text

ID.....{85F7003E-6D4E-4A79-A534-8A57FBC2D106}

TERM.....NOSE

LOCATION: OCCIPITAL

-----  
ABBREVIATION.....OCCIPITAL  
ACTIVE.....Yes  
DESCRIPTION.....Occipital  
DISPLAY\_NAME.....Occipital  
HELP\_TEXT.....No Help Text  
ID.....{5A3E384B-1C87-4A19-A449-DB91AB443FFC}  
TERM.....OCCIPITAL

LOCATION: ORAL

-----  
ABBREVIATION.....O  
ACTIVE.....Yes  
DESCRIPTION.....Oral Description  
DISPLAY\_NAME.....Oral  
HELP\_TEXT.....Oral Help  
ID.....{7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}  
TERM.....ORAL

LOCATION: PENIS

-----  
ABBREVIATION.....PENIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Penis

HELP\_TEXT.....No Help Text

ID.....{2D82CE55-83B6-4160-A754-07C71FD388E8}

TERM.....PENIS

LOCATION: PERINEAL

-----

ABBREVIATION.....PERINEAL

ACTIVE.....Yes

DESCRIPTION.....Perineal

DISPLAY\_NAME.....Perineal

HELP\_TEXT.....No Help Text

ID.....{1801441C-D5EF-4775-9E58-E4985496F7E0}

TERM.....PERINEAL

LOCATION: PERIORBITAL

-----

ABBREVIATION.....PERIORBITA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Periorbital

HELP\_TEXT.....No Help Text

ID.....{DBAC362B-6278-EDB4-7E28-3180321A38B2}

TERM.....PERIORBITAL

LOCATION: PERIPHERAL

-----  
ABBREVIATION.....Per  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Peripheral  
HELP\_TEXT.....No Help Text  
ID.....{36B31698-E84A-5792-8EAE-F374DFD1B55A}  
TERM.....PERIPHERAL

LOCATION: PERIRECTAL

-----  
ABBREVIATION.....PERIRECTAL  
ACTIVE.....Yes  
DESCRIPTION.....Perirectal  
DISPLAY\_NAME.....Perirectal  
HELP\_TEXT.....No Help Text  
ID.....{560E1473-7B8F-4A75-8807-29315C908553}  
TERM.....PERIRECTAL

LOCATION: POPLITEAL

-----  
ABBREVIATION.....Pop  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Popliteal

HELP\_TEXT.....No Help Text

ID.....{77030DF2-CE06-D9E2-0684-EE70209CBE73}

TERM.....POPLITEAL

LOCATION: POSTERIOR TIBIAL

-----

ABBREVIATION.....PT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Posterior Tibial

HELP\_TEXT.....No Help Text

ID.....{010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}

TERM.....POSTERIOR TIBIAL

LOCATION: R ABDOMEN

-----

ABBREVIATION.....R ABDOMEN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Abdomen

HELP\_TEXT.....No Help Text

ID.....{5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}

TERM.....R ABDOMEN

LOCATION: R ANKLE

---

ABBREVIATION.....R ANKLE

ACTIVE.....Yes

DESCRIPTION.....Right Ankle

DISPLAY\_NAME.....R Ankle

HELP\_TEXT.....No Help Text

ID.....{4E6DF352-F399-4CE9-908C-48132C3D856B}

TERM.....R ANKLE

LOCATION: R ANTECUBITAL

---

ABBREVIATION.....R ANTECUBI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Antecubital

HELP\_TEXT.....No Help Text

ID.....{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

TERM.....R ANTECUBITAL

LOCATION: R ARM

---

ABBREVIATION.....RA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Arm

HELP\_TEXT.....No Help Text

ID.....{1C09017A-F10A-543D-A7EA-F13790D78692}

TERM.....R ARM

LOCATION: R ARTERY

-----

ABBREVIATION.....R ARTERY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Artery

HELP\_TEXT.....No Help Text

ID.....{A2D76F33-A049-B3A0-2CBF-9F83FF52D894}

TERM.....R ARTERY

LOCATION: R AXILLARY

-----

ABBREVIATION.....R AXILLARY

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Axillary

HELP\_TEXT.....No Help Text

ID.....{3044F28B-FED2-4069-7E3B-2A691C5771F9}

TERM.....R AXILLARY

LOCATION: R BRACHIAL

---

ABBREVIATION.....R BRACH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Brachial

HELP\_TEXT.....No Help Text

ID.....{A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

TERM.....R BRACHIAL

LOCATION: R CALF

---

ABBREVIATION.....R CALF

ACTIVE.....Yes

DESCRIPTION.....Right Calf

DISPLAY\_NAME.....R Calf

HELP\_TEXT.....No Help Text

ID.....{0298A452-4901-44BF-A7A8-F42DD3BA8B63}

TERM.....R CALF

LOCATION: R CAROTID

---

ABBREVIATION.....R CAROTID

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Carotid



HELP\_TEXT.....No Help Text

ID.....{8280ACD2-72D6-202A-89AF-86BCA7736427}

TERM.....R CAROTID

LOCATION: R CHEST

---

ABBREVIATION.....R CHEST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Right Chest

HELP\_TEXT.....No Help Text

ID.....{7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

TERM.....R CHEST

LOCATION: R DORSALIS PEDIS

---

ABBREVIATION.....R DOR PED

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Dorsalis Pedis

HELP\_TEXT.....No Help Text

ID.....{47D4C64A-FD93-2999-7B46-F25307EA6511}

TERM.....R DORSALIS PEDIS

LOCATION: R EAR

-----

ABBREVIATION.....R EAR

ACTIVE.....Yes

DESCRIPTION.....Right Ear

DISPLAY\_NAME.....R Ear

HELP\_TEXT.....No Help Text

ID.....{AE31327D-A03C-488C-8A8E-084E7E6E7FDE}

TERM.....R EAR

LOCATION: R ELBOW

-----

ABBREVIATION.....R ELBOW

ACTIVE.....Yes

DESCRIPTION.....Right Elbow

DISPLAY\_NAME.....R Elbow

HELP\_TEXT.....No Help Text

ID.....{5BAFF87B-6993-4E76-862F-9F386D9B71C5}

TERM.....R ELBOW

LOCATION: R EXTERNAL JUGULAR

-----

ABBREVIATION.....R EXT JUGU

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R External Jugular

HELP\_TEXT.....No Help Text  
ID.....{4D78F704-9E3B-907E-A792-4DC4F4CFF170}  
TERM.....R EXTERNAL JUGULAR

LOCATION: R EYE

-----

ABBREVIATION.....R EYE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Eye  
HELP\_TEXT.....No Help Text  
ID.....{258F0C1D-67BD-ECF8-3152-EB289DEF4681}  
TERM.....R EYE

LOCATION: R FACE

-----

ABBREVIATION.....R FACE  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT SIDE OF PATIENT'S FACE  
DISPLAY\_NAME.....R Face  
HELP\_TEXT.....No Help Text  
ID.....{D1B15677-EF6F-0125-3601-68C1FE6386CE}  
TERM.....R FACE

LOCATION: R FEMORAL

---

ABBREVIATION.....R FEM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Femoral

HELP\_TEXT.....No Help Text

ID.....{B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

TERM.....R FEMORAL

LOCATION: R FINGER

---

ABBREVIATION.....R FINGER

ACTIVE.....Yes

DESCRIPTION.....Right Finger

DISPLAY\_NAME.....R Finger

HELP\_TEXT.....No Help Text

ID.....{E12CA0EF-3267-4B93-8643-230E2226C3D6}

TERM.....R FINGER

LOCATION: R FLANK

---

ABBREVIATION.....R FLANK

ACTIVE.....Yes

DESCRIPTION.....Right Flank

DISPLAY\_NAME.....R Flank

HELP\_TEXT.....No Help Text  
ID.....{F5700ED2-646F-4B75-A55B-111C27FB939C}  
TERM.....R FLANK

LOCATION: R FOOT

-----

ABBREVIATION.....R FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Foot  
HELP\_TEXT.....No Help Text  
ID.....{7D9F5FF6-232C-2488-4504-A721FF06928F}  
TERM.....R FOOT

LOCATION: R GLUTEUS

-----

ABBREVIATION.....R GLUTEUS  
ACTIVE.....Yes  
DESCRIPTION.....Right Gluteus  
DISPLAY\_NAME.....R Gluteus  
HELP\_TEXT.....No Help Text  
ID.....{B4D32045-68D1-4457-9106-7937887FA6F6}  
TERM.....R GLUTEUS

LOCATION: R GROIN

---

ABBREVIATION.....R GROIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Groin

HELP\_TEXT.....No Help Text

ID.....{BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}

TERM.....R GROIN

LOCATION: R HAND

---

ABBREVIATION.....R HAND

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Hand

HELP\_TEXT.....No Help Text

ID.....{A54D3A80-8537-D079-9CCE-7DC56346D132}

TERM.....R HAND

LOCATION: R HEAD

---

ABBREVIATION.....R HEAD

ACTIVE.....Yes

DESCRIPTION.....Right Head

DISPLAY\_NAME.....R Head

HELP\_TEXT.....No Help Text

ID.....{42A95AAE-3DA9-4C96-A4E7-A15C9840217A}

TERM.....R HEAD

LOCATION: R HEEL

-----

ABBREVIATION.....R HEEL

ACTIVE.....Yes

DESCRIPTION.....Right Heel

DISPLAY\_NAME.....R Heel

HELP\_TEXT.....No Help Text

ID.....{0020DD20-2EA4-4362-ADF0-07BFA220C60E}

TERM.....R HEEL

LOCATION: R HIP

-----

ABBREVIATION.....R HIP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Hip

HELP\_TEXT.....No Help Text

ID.....{A48CBCAE-5404-4934-9321-ECEF660A5350}

TERM.....R HIP

LOCATION: R INGUINAL

---

ABBREVIATION.....R INGUINAL

ACTIVE.....Yes

DESCRIPTION.....Right Inguinal

DISPLAY\_NAME.....R Inguinal

HELP\_TEXT.....No Help Text

ID.....{395233DF-3B89-49E0-946B-EB5C02E51178}

TERM.....R INGUINAL

LOCATION: R INNER KNEE

---

ABBREVIATION.....R INN KNEE

ACTIVE.....Yes

DESCRIPTION.....Right Inner Knee

DISPLAY\_NAME.....R Inner Knee

HELP\_TEXT.....No Help Text

ID.....{2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}

TERM.....R INNER KNEE

LOCATION: R INTERNAL JUGULAR

---

ABBREVIATION.....R INT JUG

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Internal Jugular



HELP\_TEXT.....No Help Text

ID.....{7ABF6916-D379-198D-6454-F0518A74844A}

TERM.....R INTERNAL JUGULAR

LOCATION: R ISCHIAL

---

ABBREVIATION.....R ISCHIAL

ACTIVE.....Yes

DESCRIPTION.....Right Ischial

DISPLAY\_NAME.....R Ischial

HELP\_TEXT.....No Help Text

ID.....{97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}

TERM.....R ISCHIAL

LOCATION: R JAW

---

ABBREVIATION.....R JAW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Jaw

HELP\_TEXT.....No Help Text

ID.....{7846AEE2-B6F4-4B5A-909F-56E386FD82A8}

TERM.....R JAW

LOCATION: R KNEE

-----

ABBREVIATION.....R KNEE

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S RIGHT KNEE

DISPLAY\_NAME.....R Knee

HELP\_TEXT.....No Help Text

ID.....{BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

TERM.....R KNEE

LOCATION: R LATERAL HEEL

-----

ABBREVIATION.....R LAT HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Lateral Heel

HELP\_TEXT.....No Help Text

ID.....{A1896CF9-0246-4323-8DED-E4B5FB12CACE}

TERM.....R LATERAL HEEL

LOCATION: R LATERAL MALLEOLUS

-----

ABBREVIATION.....R LAT MALL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Lateral Malleolus

HELP\_TEXT.....No Help Text  
ID.....{950FC45B-93E8-424F-A5D4-DE646166D7B0}  
TERM.....R LATERAL MALLEOLUS

LOCATION: R LEG

-----

ABBREVIATION.....RL  
ACTIVE.....Yes  
DESCRIPTION.....Right Leg  
DISPLAY\_NAME.....R Leg  
HELP\_TEXT.....RIGHT LEG  
ID.....{C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}  
TERM.....R LEG

LOCATION: R LOWER ANTERIOR CHEST

-----

ABBREVIATION.....R L A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Lower Anterior Chest  
DISPLAY\_NAME.....R Low. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{96BCF731-B661-4455-B5E7-C4AE2509505F}  
TERM.....R LOWER ANTERIOR CHEST

LOCATION: R LOWER ARM

---

ABBREVIATION.....R LOW ARM

ACTIVE.....Yes

DESCRIPTION.....Right Lower Arm

DISPLAY\_NAME.....R Lower Arm

HELP\_TEXT.....No Help Text

ID.....{8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

TERM.....R LOWER ARM

LOCATION: R LOWER EXTREMITY

---

ABBREVIATION.....R LOW EXTR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Lower Extremity

HELP\_TEXT.....No Help Text

ID.....{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

TERM.....R LOWER EXTREMITY

LOCATION: R LOWER LEG

---

ABBREVIATION.....R LOW LEG

ACTIVE.....Yes

DESCRIPTION.....Right Lower Leg

DISPLAY\_NAME.....R Lower Leg

HELP\_TEXT.....No Help Text

ID.....{C8EA4D71-D97E-46BD-AE9D-C10954C525CD}

TERM.....R LOWER LEG

LOCATION: R LOWER LIMB

-----

ABBREVIATION.....R LOW LIMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Lower Limb

HELP\_TEXT.....No Help Text

ID.....{A8E26A05-311A-F196-40B5-B5202D9F8058}

TERM.....R LOWER LIMB

LOCATION: R LOWER LOBE

-----

ABBREVIATION.....RLL

ACTIVE.....Yes

DESCRIPTION.....RIGHT LUNG'S LOWER LOBE

DISPLAY\_NAME.....R Lower Lobe

HELP\_TEXT.....No Help Text

ID.....{418D350A-3602-1918-22C8-53D093AF49B0}

TERM.....R LOWER LOBE

LOCATION: R LOWER POSTERIOR CHEST

---

ABBREVIATION.....R L P CHES

ACTIVE.....Yes

DESCRIPTION.....Right Lower Posterior Chest

DISPLAY\_NAME.....R Low. Pos. Chest

HELP\_TEXT.....No Help Text

ID.....{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

TERM.....R LOWER POSTERIOR CHEST

LOCATION: R MANDIBULAR

---

ABBREVIATION.....R MANDIBUL

ACTIVE.....Yes

DESCRIPTION.....Right Mandibular

DISPLAY\_NAME.....R Mandibular

HELP\_TEXT.....No Help Text

ID.....{303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}

TERM.....R MANDIBULAR

LOCATION: R MEDIAL HEEL

---

ABBREVIATION.....R MED HEEL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Medial Heel

HELP\_TEXT.....No Help Text  
ID.....{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}  
TERM.....R MEDIAL HEEL

LOCATION: R MEDIAL MALLEOLUS

-----  
ABBREVIATION.....R MED MALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Medial Malleolus  
HELP\_TEXT.....No Help Text

ID.....{C70FB4FA-6516-4567-8E26-46BA439F1DF4}  
TERM.....R MEDIAL MALLEOLUS

LOCATION: R MIDDLE ANTERIOR CHEST

-----  
ABBREVIATION.....R M A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Middle Anterior Chest  
DISPLAY\_NAME.....R Mid. Ant. Chest  
HELP\_TEXT.....No Help Text

ID.....{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}  
TERM.....R MIDDLE ANTERIOR CHEST

LOCATION: R MIDDLE LOBE

---

ABBREVIATION.....RML

ACTIVE.....Yes

DESCRIPTION.....RIGHT LUNG'S MIDDLE LOBE

DISPLAY\_NAME.....R Middle Lobe

HELP\_TEXT.....No Help Text

ID.....{57879159-350C-2055-34D3-C6EFA39CA98F}

TERM.....R MIDDLE LOBE

LOCATION: R MIDDLE POSTERIOR CHEST

---

ABBREVIATION.....R M P CHES

ACTIVE.....Yes

DESCRIPTION.....Right Middle Posterior Chest

DISPLAY\_NAME.....R Mid. Pos. Chest

HELP\_TEXT.....No Help Text

ID.....{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}

TERM.....R MIDDLE POSTERIOR CHEST

LOCATION: R NECK

---

ABBREVIATION.....R NECK

ACTIVE.....Yes

DESCRIPTION.....RIGHT SIDE OF PATIENT'S NECK

DISPLAY\_NAME.....R Neck



HELP\_TEXT.....No Help Text

ID.....{7E4D84D3-535B-6164-C6C1-837C6F997A0D}

TERM.....R NECK

LOCATION: R NOSE

-----

ABBREVIATION.....R NOSE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Nose

HELP\_TEXT.....No Help Text

ID.....{D80BCB19-E71F-43EA-8990-6C121EE7F7A1}

TERM.....R NOSE

LOCATION: R OCCIPITAL

-----

ABBREVIATION.....R OCCIPITA

ACTIVE.....Yes

DESCRIPTION.....Right Occipital

DISPLAY\_NAME.....R Occipital

HELP\_TEXT.....No Help Text

ID.....{5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}

TERM.....R OCCIPITAL

LOCATION: R ORAL

---

ABBREVIATION.....R ORAL

ACTIVE.....Yes

DESCRIPTION.....Right Oral

DISPLAY\_NAME.....R Oral

HELP\_TEXT.....No Help Text

ID.....{9CEE934-AA3D-4BDE-BC3B-9E275C51CC9C}

TERM.....R ORAL

LOCATION: R ORBIT

---

ABBREVIATION.....R ORBIT

ACTIVE.....Yes

DESCRIPTION.....Right Orbit

DISPLAY\_NAME.....R Orbit

HELP\_TEXT.....No Help Text

ID.....{DFFD974A-1684-49AE-8230-8E12411EA62E}

TERM.....R ORBIT

LOCATION: R OUTER KNEE

---

ABBREVIATION.....R OUT KNEE

ACTIVE.....Yes

DESCRIPTION.....Right Outer Knee

DISPLAY\_NAME.....R Outer Knee

HELP\_TEXT.....No Help Text

ID.....{330F1DF1-8C99-4984-9965-7404ABC9562D}

TERM.....R OUTER KNEE

LOCATION: R PARIETAL

-----

ABBREVIATION.....R PARIETAL

ACTIVE.....Yes

DESCRIPTION.....Right Parietal

DISPLAY\_NAME.....R Parietal

HELP\_TEXT.....No Help Text

ID.....{28C927CD-1342-483B-B366-0B7EA8ACABAD}

TERM.....R PARIETAL

LOCATION: R PEDAL

-----

ABBREVIATION.....R PEDAL

ACTIVE.....Yes

DESCRIPTION.....R Pedal

DISPLAY\_NAME.....R Pedal

HELP\_TEXT.....R Pedal

ID.....{9532B614-F4E1-316C-1322-905EB58E58C4}

TERM.....R PEDAL

LOCATION: R POST TIBIAL

-----

ABBREVIATION.....R PO TIB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Post Tibial

HELP\_TEXT.....No Help Text

ID.....{88CDA53A-5153-4950-701A-3F4F2007CC6B}

TERM.....R POST TIBIAL

LOCATION: R RADIAL

-----

ABBREVIATION.....R RADIAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Radial

HELP\_TEXT.....No Help Text

ID.....{BA10E6E5-DDF4-345E-68AF-21D32E9D972D}

TERM.....R RADIAL

LOCATION: R RIBS

-----

ABBREVIATION.....R RIBS

ACTIVE.....Yes

DESCRIPTION.....Right Ribs

DISPLAY\_NAME.....R Ribs

HELP\_TEXT.....No Help Text

ID.....{260FD564-5E58-419B-9F73-62B6037D1572}

TERM.....R RIBS

LOCATION: R SCAPULA

-----

ABBREVIATION.....R SCAPULA

ACTIVE.....Yes

DESCRIPTION.....Right Scapula

DISPLAY\_NAME.....R Scapula

HELP\_TEXT.....No Help Text

ID.....{EA657261-4D72-40C2-B70D-2A2E27556A01}

TERM.....R SCAPULA

LOCATION: R SHOULDER

-----

ABBREVIATION.....R SHOULDER

ACTIVE.....Yes

DESCRIPTION.....Right Shoulder

DISPLAY\_NAME.....R Shoulder

HELP\_TEXT.....No Help Text

ID.....{D27AE130-442E-4DD6-B391-8D7E8AD494A2}

TERM.....R SHOULDER

LOCATION: R SUBCLAVIAN

-----

ABBREVIATION.....R SUBCLAV

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Subclavian

HELP\_TEXT.....No Help Text

ID.....{53DEAE83-93AE-123B-14E5-4DE38CD4F752}

TERM.....R SUBCLAVIAN

LOCATION: R TEMPORAL

-----

ABBREVIATION.....R TEMPOR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Temporal

HELP\_TEXT.....No Help Text

ID.....{1F50461D-5ECF-25B2-A29A-E02803CB7814}

TERM.....R TEMPORAL

LOCATION: R TESTICLE

-----

ABBREVIATION.....R TESTICLE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Right Testicle

HELP\_TEXT.....No Help Text

ID.....{0947D277-50AD-47F8-A76D-0EC34EB3B168}

TERM.....R TESTICLE

LOCATION: R THIGH

-----

ABBREVIATION.....R THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Thigh

HELP\_TEXT.....No Help Text

ID.....{B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

TERM.....R THIGH

LOCATION: R THORACIC ANTERIOR

-----

ABBREVIATION.....R THOR ANT

ACTIVE.....Yes

DESCRIPTION.....Right Thoracic Anterior

DISPLAY\_NAME.....R Thoracic Anterior

HELP\_TEXT.....No Help Text

ID.....{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}

TERM.....R THORACIC ANTERIOR

LOCATION: R THORACIC LATERAL

---

ABBREVIATION.....R THOR LAT

ACTIVE.....Yes

DESCRIPTION.....Right Thoracic Lateral

DISPLAY\_NAME.....R Thoracic Lateral

HELP\_TEXT.....No Help Text

ID.....{55C48294-D3F3-4013-B552-BA3344D9513B}

TERM.....R THORACIC LATERAL

LOCATION: R THORACIC POSTERIOR

---

ABBREVIATION.....R THOR POS

ACTIVE.....Yes

DESCRIPTION.....Right Thoracic Posterior

DISPLAY\_NAME.....R Thoracic Posterior

HELP\_TEXT.....No Help Text

ID.....{E91085D2-E665-4EB6-A086-8CF573DECD8F}

TERM.....R THORACIC POSTERIOR

LOCATION: R THORACOTOMY

---

ABBREVIATION.....R THORACOT

ACTIVE.....Yes

DESCRIPTION.....Right Thoracotomy

DISPLAY\_NAME.....R Thoracotomy



HELP\_TEXT.....No Help Text  
ID.....{A18E4BB3-0718-48D6-BD49-720A70C0EF60}  
TERM.....R THORACOTOMY

LOCATION: R THUMB

-----

ABBREVIATION.....R THUMB  
ACTIVE.....Yes  
DESCRIPTION.....Right Thumb  
DISPLAY\_NAME.....R Thumb  
HELP\_TEXT.....No Help Text  
ID.....{B414BD68-4155-45B3-985D-B2F8252A20FE}  
TERM.....R THUMB

LOCATION: R TOE

-----

ABBREVIATION.....R TOE  
ACTIVE.....Yes  
DESCRIPTION.....Right Toe  
DISPLAY\_NAME.....R Toe  
HELP\_TEXT.....No Help Text  
ID.....{B65727AB-3205-4DCE-833F-6DA8554636F9}  
TERM.....R TOE

LOCATION: R TRAPEZIUS

---

ABBREVIATION.....R TRAPEZIU

ACTIVE.....Yes

DESCRIPTION.....Right Trapezius

DISPLAY\_NAME.....R Trapezius

HELP\_TEXT.....No Help Text

ID.....{69753B67-AFA1-4C93-BA78-E266F9894E46}

TERM.....R TRAPEZIUS

LOCATION: R TROCHANTER

---

ABBREVIATION.....R TROCHANT

ACTIVE.....Yes

DESCRIPTION.....Right Trochanter

DISPLAY\_NAME.....R Trochanter

HELP\_TEXT.....No Help Text

ID.....{1A3E21B2-C391-40D2-8059-12290E667D9E}

TERM.....R TROCHANTER

LOCATION: R UPPER ANTERIOR CHEST

---

ABBREVIATION.....R U A CHES

ACTIVE.....Yes

DESCRIPTION.....Right Upper Anterior Chest

DISPLAY\_NAME.....R Up. Ant. Chest

HELP\_TEXT.....No Help Text  
ID.....{67890049-A4A8-4241-BDF3-573729BD6EB5}  
TERM.....R UPPER ANTERIOR CHEST

LOCATION: R UPPER ARM

-----

ABBREVIATION.....R UPP ARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Upper Arm  
HELP\_TEXT.....No Help Text  
ID.....{3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
TERM.....R UPPER ARM

LOCATION: R UPPER EXTREMITY

-----

ABBREVIATION.....R UPP EXTR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Upper Extremity  
HELP\_TEXT.....No Help Text  
ID.....{C65BA269-8F05-6FB9-62CB-466A286CF2C0}  
TERM.....R UPPER EXTREMITY

LOCATION: R UPPER LEG

---

ABBREVIATION.....R UPPER LE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Right Upper Leg

HELP\_TEXT.....No Help Text

ID.....{113BD5ED-5A0A-47CA-B100-91B244BFD04A}

TERM.....R UPPER LEG

LOCATION: R UPPER LIMB

---

ABBREVIATION.....R UPP LIMB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....R Upper Limb

HELP\_TEXT.....No Help Text

ID.....{5E028BFF-ED9B-014F-74F0-C4137DB074FB}

TERM.....R UPPER LIMB

LOCATION: R UPPER LOBE

---

ABBREVIATION.....RUL

ACTIVE.....Yes

DESCRIPTION.....RIGHT LUNG'S UPPER LOBE

DISPLAY\_NAME.....R Upper Lobe

HELP\_TEXT.....Enter the Right Upper Lobe of the lung  
ID.....{098C11B4-B556-FBBE-7E21-AEC9D7E4408A}  
TERM.....R UPPER LOBE

LOCATION: R UPPER POSTERIOR CHEST

-----  
ABBREVIATION.....R U P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Upper Posterior Chest  
DISPLAY\_NAME.....R Up. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}  
TERM.....R UPPER POSTERIOR CHEST

LOCATION: R WRIST

-----  
ABBREVIATION.....R WRIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Wrist  
HELP\_TEXT.....No Help Text  
ID.....{FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}  
TERM.....R WRIST

LOCATION: RADIAL

-----

ABBREVIATION.....RADIAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Radial

HELP\_TEXT.....No Help-Text

ID.....{D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

TERM.....RADIAL

LOCATION: RECTAL

-----

ABBREVIATION.....RECTAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Rectal

HELP\_TEXT.....No Help-Text

ID.....{0E7069F4-D3E6-67A1-E821-EF1879C3C267}

TERM.....RECTAL

LOCATION: RIGHT

-----

ABBREVIATION.....R

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Right

HELP\_TEXT.....No Help-Text

ID.....{38528AAC-C0A8-ABB7-A659-7EB54D81EA9F}

TERM.....RIGHT

LOCATION: RIGHT EYE

-----

ABBREVIATION.....Right Eye

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Right Eye

HELP\_TEXT.....

ID.....{56F81421-F1C7-4FD4-9757-E0EDEF26626E}

TERM.....RIGHT EYE

LOCATION: SACRAL

-----

ABBREVIATION.....SACRAL

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S SACRAL AREA

DISPLAY\_NAME.....Sacral

HELP\_TEXT.....No Help Text

ID.....{0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

TERM.....SACRAL

LOCATION: SCROTUM

---

ABBREVIATION.....SCROTUM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Scrotum

HELP\_TEXT.....No Help Text

ID.....{BDC109F5-0D30-4914-A62C-CEFE448B547}

TERM.....SCROTUM

LOCATION: SKIN

---

ABBREVIATION.....SKIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Skin

HELP\_TEXT.....No Help-Text

ID.....{0803BC59-1582-AEC8-3DA2-A81363038210}

TERM.....SKIN

LOCATION: SPINE CERVICAL

---

ABBREVIATION.....SPINE CERV

ACTIVE.....Yes

DESCRIPTION.....Spine Cervical

DISPLAY\_NAME.....Spine Cervical



HELP\_TEXT.....No Help Text  
ID.....{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}  
TERM.....SPINE CERVICAL

LOCATION: SPINE LUMBAR

-----  
ABBREVIATION.....SPINE LUMB  
ACTIVE.....Yes  
DESCRIPTION.....Spine Lumbar  
DISPLAY\_NAME.....Spine Lumbar  
HELP\_TEXT.....No Help Text  
ID.....{E7E411AB-5C29-4906-B0A9-E8658AAFFF91}  
TERM.....SPINE LUMBAR

LOCATION: SPINE THORACIC

-----  
ABBREVIATION.....SPINE THOR  
ACTIVE.....Yes  
DESCRIPTION.....Spine Thoracic  
DISPLAY\_NAME.....Spine Thoracic  
HELP\_TEXT.....No Help Text  
ID.....{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}  
TERM.....SPINE THORACIC

LOCATION: STERNOTOMY

---

ABBREVIATION.....STERNOTOMY

ACTIVE.....Yes

DESCRIPTION.....Sternotomy

DISPLAY\_NAME.....Sternotomy

HELP\_TEXT.....No Help Text

ID.....{DB97F6A0-9295-42B7-BC29-6A534CE259DD}

TERM.....STERNOTOMY

LOCATION: STOMACH

---

ABBREVIATION.....STOMACH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Stomach

HELP\_TEXT.....No Help Text

ID.....{613C20B9-CC9C-4F5D-B5B1-69B66A663540}

TERM.....STOMACH

LOCATION: SUBSTERNAL

---

ABBREVIATION.....SUBSTERN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Substernal

HELP\_TEXT.....No Help Text

ID.....{3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}

TERM.....SUBSTERNAL

LOCATION: TEETH

-----

ABBREVIATION.....TEETH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Teeth

HELP\_TEXT.....No Help Text

ID.....{38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}

TERM.....TEETH

LOCATION: TEMPORAL

-----

ABBREVIATION.....TEMPORAL

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Temporal

HELP\_TEXT.....No Help-Text

ID.....{E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}

TERM.....TEMPORAL

LOCATION: THIGH

---

ABBREVIATION.....THIGH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Thigh

HELP\_TEXT.....No Help-Text

ID.....{2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}

TERM.....THIGH

LOCATION: THYROID

---

ABBREVIATION.....THYROID

ACTIVE.....Yes

DESCRIPTION.....Thyroid

DISPLAY\_NAME.....Thyroid

HELP\_TEXT.....No Help Text

ID.....{6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}

TERM.....THYROID

LOCATION: TOOTH

---

ABBREVIATION.....TOOTH

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tooth

HELP\_TEXT.....No Help Text

ID.....{8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}

TERM.....TOOTH

LOCATION: TORSO

-----

ABBREVIATION.....TORSO

ACTIVE.....Yes

DESCRIPTION.....PATIENT'S TORSO

DISPLAY\_NAME.....Torso

HELP\_TEXT.....No Help Text

ID.....{EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}

TERM.....TORSO

LOCATION: TRACHEOSTOMY

-----

ABBREVIATION.....TRACHEOSTO

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tracheostomy

HELP\_TEXT.....No Help Text

ID.....{4D12329A-56C8-4175-986F-2F0B68EB7E6D}

TERM.....TRACHEOSTOMY

LOCATION: TRANSVERSE ABDOMINAL

-----

ABBREVIATION.....TRANS ABDO

ACTIVE.....Yes

DESCRIPTION.....Transverse Abdominal

DISPLAY\_NAME.....Transverse Abdominal

HELP\_TEXT.....No Help Text

ID.....{1C10FF98-7B20-45D0-B420-714981832B3D}

TERM.....TRANSVERSE ABDOMINAL

LOCATION: TYMPANIC

-----

ABBREVIATION.....Tym

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Tympanic

HELP\_TEXT.....No Help Text

ID.....{0A58C14C-E447-E034-AA93-D41E6E0D2F69}

TERM.....TYMPANIC

LOCATION: ULNAR

-----

ABBREVIATION.....Uln

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Ulnar

HELP\_TEXT.....No Help Text

ID.....{81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}

TERM.....ULNAR

LOCATION: UMBILICAL

-----

ABBREVIATION.....UMBILICAL

ACTIVE.....Yes

DESCRIPTION.....UMBILICAL

DISPLAY\_NAME.....UMBILICAL

HELP\_TEXT.....No Help Text

ID.....{8874B300-0751-49AF-8211-CF4C009C68B5}

TERM.....UMBILICAL

LOCATION: UPPER ABDOMEN

-----

ABBREVIATION.....UP ABDOM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Upper Abdomen

HELP\_TEXT.....No Help Text

ID.....{234C677B-1CE6-498B-9375-BB5DC3958842}

TERM.....UPPER ABDOMEN

LOCATION: UPPER ARM

---

ABBREVIATION.....UpA

ACTIVE.....Yes

DESCRIPTION.....Area of arm between elbow and shoulder

DISPLAY\_NAME.....Upper Arm

HELP\_TEXT.....UPPER ARM

ID.....{B43A2B31-1F35-3F4D-5D23-882541ABE477}

TERM.....UPPER ARM

LOCATION: UPPER BACK

---

ABBREVIATION.....UPPER BACK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Upper Back

HELP\_TEXT.....No Help Text

ID.....{C1DA4294-E0DC-438B-810D-7F91E170244A}

TERM.....UPPER BACK

LOCATION: WAIST

---

ABBREVIATION.....WAIST

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Waist



HELP\_TEXT.....No Help Text

ID.....{784DD311-8B48-4FE3-96B6-471CCE453CD5}

TERM.....WAIST

LOCATION: WRIST

-----

ABBREVIATION.....Wri

ACTIVE.....Yes

DESCRIPTION.....Joint between hand and forearm

DISPLAY\_NAME.....Wrist

HELP\_TEXT.....WRIST

ID.....{C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

TERM.....WRIST

METHOD: ADULT

ABBREVIATION.....Ad

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Adult

HELP\_TEXT.....No Help Text

ID.....{C2D49445-6556-8E6E-A8E9-CB3FA76BC22E}

TERM.....ADULT

METHOD: ADULT CUFF

ABBREVIATION.....AC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Adult Cuff

HELP\_TEXT.....No Help Text

ID.....{1222302E-6982-C627-8A0B-A651C98138E3}

TERM.....ADULT CUFF

METHOD: AEROSOL/HUMIDIFIED MASK

ABBREVIATION.....AM

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aerosol/Humidified Mask  
HELP\_TEXT.....No Help Text  
ID.....{CAF54B28-D5D2-8481-FAE3-9C74C2D51551}  
TERM.....AEROSOL/HUMIDIFIED MASK

METHOD: AFTER EXERCISE

-----  
ABBREVIATION.....AE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....After Exercise  
HELP\_TEXT.....No Help Text  
ID.....{D129EF4B-3A99-9966-54F1-2C01A36814EE}  
TERM.....AFTER EXERCISE

METHOD: AMBU BAG

-----  
ABBREVIATION.....AB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambu Bag  
HELP\_TEXT.....No Help Text  
ID.....{E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}  
TERM.....AMBU BAG

METHOD: ARTERIAL LINE

-----  
ABBREVIATION.....AL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Arterial Line  
HELP\_TEXT.....No Help Text  
ID.....{D4B3F4ED-8B33-431E-4164-BD165E823776}  
TERM.....ARTERIAL LINE

METHOD: ASSISTED VENTILATOR

-----  
ABBREVIATION.....AV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Assisted Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{A540F333-5A09-5F21-7B51-2B5DF05E32C0}  
TERM.....ASSISTED VENTILATOR

METHOD: AT REST

-----  
ABBREVIATION.....AR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....At Rest

HELP\_TEXT.....No Help Text

ID.....{E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}

TERM.....AT REST

METHOD: AUSCULTATE

-----

ABBREVIATION.....Aus

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Auscultate

HELP\_TEXT.....No Help Text

ID.....{0C629C1F-92D3-C641-B02C-9EA43B401DC9}

TERM.....AUSCULTATE

METHOD: BED

-----

ABBREVIATION.....B

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Bed

HELP\_TEXT.....No Help Text

ID.....{20188D9F-3815-1F7F-34EC-BA77F75B310E}

TERM.....BED

METHOD: BIPAP

-----  
ABBREVIATION.....BIP  
ACTIVE.....Yes  
DESCRIPTION.....Biphasic Positive Airway Pressure  
DISPLAY\_NAME.....BiPAP  
HELP\_TEXT.....No Help Text  
ID.....{3CFD1D11-EF8D-58BA-6381-B24956344D2E}  
TERM.....BIPAP

METHOD: BIPAP-CPAP

-----  
ABBREVIATION.....PAP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....BiPAP-CPAP  
HELP\_TEXT.....No Help Text  
ID.....{2BCBE562-8F44-662F-469B-13AC0E863A3D}  
TERM.....BIPAP-CPAP

METHOD: BLADDER

-----  
ABBREVIATION.....BLAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bladder

HELP\_TEXT.....No Help Text

ID.....{E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}

TERM.....BLADDER

METHOD: CARDIAC MONITOR

-----

ABBREVIATION.....CARDIAC MO

ACTIVE.....Yes

DESCRIPTION.....Cardiac Monitor

DISPLAY\_NAME.....Cardiac Monitor

HELP\_TEXT.....Cardiac Monitor

ID.....{E8B6B5A3-D143-3967-A362-019BD5EB6984}

TERM.....CARDIAC MONITOR

METHOD: CARDIAC OUTPUT MONITOR

-----

ABBREVIATION.....COM

ACTIVE.....Yes

DESCRIPTION.....A CO Monitor

DISPLAY\_NAME.....Cardiac Output Monitor

HELP\_TEXT.....Data from a Cardiac Output Monitor

ID.....{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

TERM.....CARDIAC OUTPUT MONITOR

METHOD: CATHETER

-----  
ABBREVIATION.....CATHETER  
ACTIVE.....Yes  
DESCRIPTION.....Catheter used to capture Intake and  
                                Output  
DISPLAY\_NAME.....Catheter - Method  
HELP\_TEXT.....No Help Text  
ID.....{1AA95835-FB32-4D1A-9C53-271EE38B2F63}  
TERM.....CATHETER

METHOD: CHAIR

-----  
ABBREVIATION.....Ch  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Chair  
HELP\_TEXT.....No Help Text  
ID.....{BBF5C05C-220D-D052-C7E8-236E791A4FC9}  
TERM.....CHAIR

METHOD: CHEST TUBE

-----  
ABBREVIATION.....CH TUBE M  
ACTIVE.....Yes  
DESCRIPTION.....Chest Tube



DISPLAY\_NAME.....Chest Tube  
HELP\_TEXT.....Chest Tube  
ID.....{F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}  
TERM.....CHEST TUBE

METHOD: COLLOID

-----  
ABBREVIATION.....COLLOID M  
ACTIVE.....Yes  
DESCRIPTION.....Colloid as method for Intake and Output  
DISPLAY\_NAME.....Colloid - Method  
HELP\_TEXT.....No Help Text  
ID.....{2AE33508-5EA2-44DF-A401-74DD7B93AB6E}  
TERM.....COLLOID

METHOD: COMPUTED TOMOGRAPHY

-----  
ABBREVIATION.....COM TOMOGR  
ACTIVE.....Yes  
DESCRIPTION.....Computed Tomography  
DISPLAY\_NAME.....Computed Tomography  
HELP\_TEXT.....No Help Text  
ID.....{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}  
TERM.....COMPUTED TOMOGRAPHY

METHOD: CONTRAST LEFT VENTRICULOGRAPHY

-----  
ABBREVIATION.....CON L VENT  
ACTIVE.....Yes  
DESCRIPTION.....Contrast Left Ventriculography  
DISPLAY\_NAME.....Contrast Left Ventriculography  
HELP\_TEXT.....No Help Text  
ID.....{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}  
TERM.....CONTRAST LEFT VENTRICULOGRAPHY

METHOD: CONTROLLED VENTILATOR

-----  
ABBREVIATION.....CV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Controlled Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}  
TERM.....CONTROLLED VENTILATOR

METHOD: CPAP

-----  
ABBREVIATION.....CP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cpap

HELP\_TEXT.....No Help Text

ID.....{A041FB71-08EF-F3FE-82FA-051FF74C824F}

TERM.....CPAP

METHOD: CRRT

-----

ABBREVIATION.....CRRT

ACTIVE.....Yes

DESCRIPTION.....Continuous Renal Replacement Therapy

DISPLAY\_NAME.....CRRT

HELP\_TEXT.....No Help Text

ID.....{AB37FC1D-DD7A-4103-A777-7B8D0F876889}

TERM.....CRRT

METHOD: CUFF

-----

ABBREVIATION.....Cu

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Cuff

HELP\_TEXT.....No Help Text

ID.....{E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}

TERM.....CUFF

METHOD: CUFF-AUTOMATED

-----

ABBREVIATION.....CA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Cuff-Automated

HELP\_TEXT.....No Help Text

ID.....{088AAD2B-2E7B-F835-376F-3D4340790976}

TERM.....CUFF-AUTOMATED

METHOD: CUFF-MANUAL

-----

ABBREVIATION.....CM

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Cuff-Manual

HELP\_TEXT.....No Help Text

ID.....{5F56C163-2B04-112F-55DE-E31374E0FB58}

TERM.....CUFF-MANUAL

METHOD: CVVHD

-----

ABBREVIATION.....CVVHD

ACTIVE.....Yes

DESCRIPTION.....Central Venous - Venous Hemodialysis

DISPLAY\_NAME.....CVVHD

HELP\_TEXT.....No Help Text

ID.....{4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}

TERM.....CVVHD

METHOD: DIALYSIS

-----

ABBREVIATION.....DIALYSIS M

ACTIVE.....Yes

DESCRIPTION.....Dialysis used to describe Intake and  
Output

DISPLAY\_NAME.....Dialysis - Method

HELP\_TEXT.....No Help Text

ID.....{1EAE28D4-3AC0-4DA1-9D09-3A65C38267F6}

TERM.....DIALYSIS

METHOD: DIALYSIS CATHETER

-----

ABBREVIATION.....DIALYSIS C

ACTIVE.....Yes

DESCRIPTION.....Dialysis Catheter

DISPLAY\_NAME.....Dialysis Catheter

HELP\_TEXT.....No Help Text

ID.....{D9FF5CA8-09AF-4318-B784-DEB3A8F819D8}

TERM.....DIALYSIS CATHETER

METHOD: DOPPLER

-----  
ABBREVIATION.....Dop  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Doppler  
HELP\_TEXT.....No Help Text  
ID.....{52683C19-F9DC-876B-CA3F-53E7C864CF04}  
TERM.....DOPPLER

METHOD: DOUBLE LUMEN CATHETER

-----  
ABBREVIATION.....DOUBLE LUM  
ACTIVE.....Yes  
DESCRIPTION.....Double Lumen Catheter  
DISPLAY\_NAME.....Double Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{ED646D10-3DBE-4049-ADC6-5E3DD2C351DD}  
TERM.....DOUBLE LUMEN CATHETER

METHOD: ECHOCARDIOGRAPHY

-----  
ABBREVIATION.....ECG  
ACTIVE.....Yes  
DESCRIPTION.....Echocardiography  
DISPLAY\_NAME.....Echocardiography

HELP\_TEXT.....No Help Text  
ID.....{CA44697E-3BBA-4767-A30D-6548A72F9639}  
TERM.....ECHOCARDIOGRAPHY

METHOD: ELECTROCARDIOGRAM

-----  
ABBREVIATION.....ECG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Electrocardiogram  
HELP\_TEXT.....No Help Text  
ID.....{CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}  
TERM.....ELECTROCARDIOGRAM

METHOD: ELECTROCARDIOGRAM TRACE 1

-----  
ABBREVIATION.....ECG TR 1  
ACTIVE.....Yes  
DESCRIPTION.....Trace 1 from ECG  
DISPLAY\_NAME.....ECG Trace 1  
HELP\_TEXT.....No Help Text  
ID.....{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}  
TERM.....ELECTROCARDIOGRAM TRACE 1

METHOD: ELECTROCARDIOGRAM TRACE 2

-----

ABBREVIATION.....ECG TR 2  
ACTIVE.....Yes  
DESCRIPTION.....Trace 2 from ECG  
DISPLAY\_NAME.....ECG Trace 2  
HELP\_TEXT.....No Help Text  
ID.....{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}  
TERM.....ELECTROCARDIOGRAM TRACE 2

METHOD: ENTERAL FEEDING / SUPPLEMENT

-----

ABBREVIATION.....EF/SUPPLEM  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Feeding / Supplement - Method  
DISPLAY\_NAME.....Enteral Feeding / Supplement - Method  
HELP\_TEXT.....No Help Text  
ID.....{8389A9F5-0D48-496D-A605-1560B055DCC0}  
TERM.....ENTERAL FEEDING / SUPPLEMENT

METHOD: ENTERAL FEEDING TUBE

-----

ABBREVIATION.....ENT FEED T  
ACTIVE.....Yes  
DESCRIPTION.....EFT for describing Intakes and Outputs  
DISPLAY\_NAME.....Enteral Feeding Tube - Method



HELP\_TEXT.....No Help Text

ID.....{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}

TERM.....ENTERAL FEEDING TUBE

METHOD: FACE TENT

-----

ABBREVIATION.....FT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Face Tent

HELP\_TEXT.....No Help Text

ID.....{1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}

TERM.....FACE TENT

METHOD: GI TUBE

-----

ABBREVIATION.....GI TUBE

ACTIVE.....Yes

DESCRIPTION.....Used to describe Intakes and Outputs

DISPLAY\_NAME.....GI Tube - Method

HELP\_TEXT.....No Help Text

ID.....{AF64F7BE-E72E-4391-BC1F-48163F2F3751}

TERM.....GI TUBE

METHOD: HEMODIALYSIS

-----  
ABBREVIATION.....HEMODIALYS  
ACTIVE.....Yes  
DESCRIPTION.....Hemodialysis  
DISPLAY\_NAME.....Hemodialysis  
HELP\_TEXT.....No Help Text  
ID.....{DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}  
TERM.....HEMODIALYSIS

METHOD: HEMOVAC

-----  
ABBREVIATION.....HEMOVAC  
ACTIVE.....Yes  
DESCRIPTION.....Hemovac Drain  
DISPLAY\_NAME.....Hemovac Drain  
HELP\_TEXT.....No Help Text  
ID.....{79DA0646-B811-4954-8BE1-C133398CD574}  
TERM.....HEMOVAC

METHOD: IABP

-----  
ABBREVIATION.....IABP  
ACTIVE.....Yes  
DESCRIPTION.....Intra-aortic Balloon Pump  
DISPLAY\_NAME.....IABP

HELP\_TEXT.....Intra-aortic Balloon Pump

ID.....{4352A41F-AAF3-4544-9590-BAFD7977DF49}

TERM.....IABP

METHOD: INTRODUCER CATHETER

-----

ABBREVIATION.....INTRODUCER

ACTIVE.....Yes

DESCRIPTION.....Introducer Catheter

DISPLAY\_NAME.....Introducer Catheter

HELP\_TEXT.....No Help Text

ID.....{60EED7D3-6CB2-4FCE-BFC0-DE0BA8AB0814}

TERM.....INTRODUCER CATHETER

METHOD: INVASIVE

-----

ABBREVIATION.....I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Invasive

HELP\_TEXT.....No Help Text

ID.....{5DB8746E-5446-F47A-883C-A44B91275A6E}

TERM.....INVASIVE

METHOD: IRRIGATION

-----  
ABBREVIATION.....IRRIGATION  
ACTIVE.....Yes  
DESCRIPTION.....Irrigation  
DISPLAY\_NAME.....Irrigation  
HELP\_TEXT.....No Help Text  
ID.....{6C968D0A-400F-448A-93EF-02CB891BA981}  
TERM.....IRRIGATION

METHOD: IV

-----  
ABBREVIATION.....IV  
ACTIVE.....Yes  
DESCRIPTION.....Method to capture Intakes and Outputs  
DISPLAY\_NAME.....IV  
HELP\_TEXT.....No Help Text  
ID.....{52141E2F-7942-4C60-9B08-62F3B4640020}  
TERM.....IV

METHOD: JP DRAIN

-----  
ABBREVIATION.....JP DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....JP Drain  
DISPLAY\_NAME.....JP Drain

HELP\_TEXT.....No Help Text

ID.....{94A32247-6190-4047-B581-A212FE4C9453}

TERM.....JP DRAIN

METHOD: LARYNGEAL MASK

-----

ABBREVIATION.....LARYNGMASK

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Laryngeal Mask

HELP\_TEXT.....No Help Text

ID.....{DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}

TERM.....LARYNGEAL MASK

METHOD: LEAD

-----

ABBREVIATION.....L

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lead

HELP\_TEXT.....No Help Text

ID.....{B628FDCE-05E0-DACF-E66E-0F8380AB465A}

TERM.....LEAD

METHOD: LG ADULT

-----

ABBREVIATION.....LgA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lg Adult

HELP\_TEXT.....No Help Text

ID.....{0C7B9E22-A426-80D1-80E8-2082F15784BA}

TERM.....LG ADULT

METHOD: LG ADULT CUFF

-----

ABBREVIATION.....LAC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lg Adult Cuff

HELP\_TEXT.....No Help Text

ID.....{4FA9374C-AE66-DF6E-E0E8-673D7B9B2E19}

TERM.....LG ADULT CUFF

METHOD: LIFT SCALE

-----

ABBREVIATION.....LS

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lift Scale

HELP\_TEXT.....No Help Text  
ID.....{8D741461-25C5-3955-BE2C-CBD27317CBA1}  
TERM.....LIFT SCALE

METHOD: MAGNETIC RESONANCE IMAGING

-----  
ABBREVIATION.....MRI  
ACTIVE.....Yes  
DESCRIPTION.....Magnetic Resonance Imaging  
DISPLAY\_NAME.....MRI  
HELP\_TEXT.....No Help Text  
ID.....{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}  
TERM.....MAGNETIC RESONANCE IMAGING

METHOD: MASK

-----  
ABBREVIATION.....M  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mask  
HELP\_TEXT.....No Help Text  
ID.....{4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}  
TERM.....MASK

METHOD: MONITOR

-----

ABBREVIATION.....Mo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Monitor  
HELP\_TEXT.....No Help Text  
ID.....{63FC24EA-50B8-B302-D948-ABE3517CF6FC}  
TERM.....MONITOR

METHOD: MULTIGATED NUCLEAR VENTRICULOGRAPHY

-----

ABBREVIATION.....MUGA  
ACTIVE.....Yes  
DESCRIPTION.....Multigated Nuclear Ventriculography  
DISPLAY\_NAME.....MUGA  
HELP\_TEXT.....No Help Text  
ID.....{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}  
TERM.....MULTIGATED NUCLEAR VENTRICULOGRAPHY

METHOD: MUSTACHE CANNULA

-----

ABBREVIATION.....MC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mustache Cannula



HELP\_TEXT.....No Help Text

ID.....{DAB3F52F-A8E1-2D9E-C8E5-1D005EC679FC}

TERM.....MUSTACHE CANNULA

METHOD: NASAL CANNULA

-----

ABBREVIATION.....NC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Nasal Cannula

HELP\_TEXT.....No Help Text

ID.....{EFFF38AE-6AF5-77FD-72E1-E0F7E3DEBA29}

TERM.....NASAL CANNULA

METHOD: NEBULIZER

-----

ABBREVIATION.....NEBULIZER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Nebulizer

HELP\_TEXT.....No Help Text

ID.....{3CF184A3-2688-4988-B956-D5B0F303E8E8}

TERM.....NEBULIZER

METHOD: NON RE-BREATHER

-----

ABBREVIATION.....NRB

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Non Re-Breather

HELP\_TEXT.....No Help Text

ID.....{1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}

TERM.....NON RE-BREATHER

METHOD: NON-INVASIVE

-----

ABBREVIATION.....N-I

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Non-Invasive

HELP\_TEXT.....No Help Text

ID.....{F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

TERM.....NON-INVASIVE

METHOD: NONINVASIVE

-----

ABBREVIATION.....N

ACTIVE.....No

DESCRIPTION.....Noninvasive

DISPLAY\_NAME.....Noninvasive

HELP\_TEXT.....No Help Text

ID.....{398E91DF-F425-5083-AA35-C5263792845E}

TERM.....NONINVASIVE

METHOD: NUCLEAR PERFUSION IMAGING

-----

ABBREVIATION.....NPI

ACTIVE.....Yes

DESCRIPTION.....Nuclear Perfusion Imaging

DISPLAY\_NAME.....Nuclear Perfusion Imaging

HELP\_TEXT.....No Help Text

ID.....{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

TERM.....NUCLEAR PERFUSION IMAGING

METHOD: O2 SATS

-----

ABBREVIATION.....O2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....O2 Sats

HELP\_TEXT.....No Help Text

ID.....{66C2100C-8A52-F36A-F7F1-A55D4E4D7CE6}

TERM.....O2 SATS

METHOD: OTHER

-----

ABBREVIATION.....OTHER

ACTIVE.....Yes

DESCRIPTION.....Other: Comments Required

DISPLAY\_NAME.....OTHER: OBSERVATION COMMENTS REQUIRED

HELP\_TEXT.....No Help Text

ID.....{AED275BD-8A42-46BE-BCDF-472EF4C31D65}

TERM.....OTHER

METHOD: P.O.

-----

ABBREVIATION.....PO

ACTIVE.....Yes

DESCRIPTION.....By Mouth, Oral, "Per Os"

DISPLAY\_NAME.....P.O. - Method

HELP\_TEXT.....No Help Text

ID.....{7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}

TERM.....P.O.

METHOD: PA CATHETER

-----

ABBREVIATION.....PA CATHETE

ACTIVE.....Yes

DESCRIPTION.....Pulmonary Catheter

DISPLAY\_NAME.....PA Catheter

HELP\_TEXT.....No Help Text

ID.....{5A518696-41B7-4AB8-8FC7-5CF454CE0299}

TERM.....PA CATHETER

METHOD: PA LINE

-----

ABBREVIATION.....PALI

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....PA Line

HELP\_TEXT.....No Help Text

ID.....{1AEA41D7-901B-96FF-BF9B-420C24FF00E4}

TERM.....PA LINE

METHOD: PALPATED

-----

ABBREVIATION.....Pal

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Palpated

HELP\_TEXT.....No Help Text

ID.....{295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}

TERM.....PALPATED

METHOD: PARTIAL RE-BREATHER

-----  
ABBREVIATION.....PRB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Partial Re-Breather  
HELP\_TEXT.....No Help Text  
ID.....{6F1DF170-5128-2E3F-1831-12FB0BB5E95C}  
TERM.....PARTIAL RE-BREATHER

METHOD: PEDIATRIC CUFF

-----  
ABBREVIATION.....PdC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pediatric Cuff  
HELP\_TEXT.....No Help Text  
ID.....{CA9EA220-EF92-EE77-FBEA-4E49C4730A3E}  
TERM.....PEDIATRIC CUFF

METHOD: PENDANT CANNULA

-----  
ABBREVIATION.....PC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pendant Cannula

HELP\_TEXT.....No Help Text

ID.....{A1451228-4ABB-DBCB-31AD-578BCD93012F}

TERM.....PENDANT CANNULA

METHOD: PENROSE

-----

ABBREVIATION.....PENROSE

ACTIVE.....Yes

DESCRIPTION.....Penrose Drain

DISPLAY\_NAME.....Penrose Drain

HELP\_TEXT.....No Help Text

ID.....{CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}

TERM.....PENROSE

METHOD: PERITONEAL DIALYSIS

-----

ABBREVIATION.....PERI DIALY

ACTIVE.....Yes

DESCRIPTION.....Peritoneal Dialysis

DISPLAY\_NAME.....Peritoneal Dialysis

HELP\_TEXT.....No Help Text

ID.....{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}

TERM.....PERITONEAL DIALYSIS

METHOD: PICC LINE

-----

ABBREVIATION.....PICC LINE

ACTIVE.....Yes

DESCRIPTION.....Peripherally Inserted Central  
Catheter Line

DISPLAY\_NAME.....PICC Line

HELP\_TEXT.....No Help Text

ID.....{BDB5075B-DECC-443A-B774-CFA062DF34F4}

TERM.....PICC LINE

METHOD: PULSE OX MONITOR

-----

ABBREVIATION.....POM

ACTIVE.....Yes

DESCRIPTION.....A Pulse Ox Monitor

DISPLAY\_NAME.....Pulse Ox Monitor

HELP\_TEXT.....Readings that have come from a Pulse  
Ox Monitor

ID.....{A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

TERM.....PULSE OX MONITOR

METHOD: RECTAL TEMP PROBE

-----

ABBREVIATION.....RTP

ACTIVE.....Yes



DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rectal Temp Probe  
HELP\_TEXT.....No Help Text  
ID.....{0100F644-EF8E-5FE3-0022-804408DCE2DD}  
TERM.....RECTAL TEMP PROBE

METHOD: RESERVOIR CANNULA

-----  
ABBREVIATION.....RC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reservoir Cannula  
HELP\_TEXT.....No Help Text  
ID.....{B332C44D-29BE-765C-932C-63EBFC9631FC}  
TERM.....RESERVOIR CANNULA

METHOD: RHYTHM

-----  
ABBREVIATION.....RHY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rhythm  
HELP\_TEXT.....No Help Text  
ID.....{8A4AC126-12DA-0904-C364-B5D818621E32}  
TERM.....RHYTHM

METHOD: ROOM AIR

-----

ABBREVIATION.....ROOM AIR

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Room Air

HELP\_TEXT.....No Help Text

ID.....{B4103F11-4BCE-49ED-AF3E-ACCB526D938C}

TERM.....ROOM AIR

METHOD: ROOM AIR15

-----

ABBREVIATION.....RA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Room Air15

HELP\_TEXT.....No Help Text

ID.....{55AC16E4-4BAD-EDE4-41E9-853C78D8474B}

TERM.....ROOM AIR15

METHOD: ROOM AIR20

-----

ABBREVIATION.....xx

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Room Air20

HELP\_TEXT.....No Help Text

ID.....{FBB3CC2-53AF-FBCC-EF16-A6300F7F8330}

TERM.....ROOM AIR20

METHOD: SINGLE LUMEN CATHETER

-----

ABBREVIATION.....SING LUM C

ACTIVE.....Yes

DESCRIPTION.....Single Lumen Catheter

DISPLAY\_NAME.....Single Lumen Catheter

HELP\_TEXT.....No Help Text

ID.....{E5B432BD-C698-4415-98E1-F5F229F54F8A}

TERM.....SINGLE LUMEN CATHETER

METHOD: SKIN (ADHESIVE INDICATOR)

-----

ABBREVIATION.....SKIN

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Skin (Adhesive Indicator)

HELP\_TEXT.....No Help Text

ID.....{C7CE7D84-6FC7-406A-7E56-B080637509DF}

TERM.....SKIN (ADHESIVE INDICATOR)

METHOD: SM ADULT

-----

ABBREVIATION.....SmA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Sm Adult

HELP\_TEXT.....No Help Text

ID.....{CCB94C2F-CE55-A046-3A21-3ADDB1D23D3C}

TERM.....SM ADULT

METHOD: SM ADULT CUFF

-----

ABBREVIATION.....SAC

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Sm Adult Cuff

HELP\_TEXT.....No Help Text

ID.....{0346341B-6D38-6599-ED9F-24C81A8698A8}

TERM.....SM ADULT CUFF

METHOD: SPONTANEOUS

-----

ABBREVIATION.....S

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Spontaneous

HELP\_TEXT.....No Help Text

ID.....{5E9463BC-C871-54FD-F800-DCFDEDB8A93B}

TERM.....SPONTANEOUS

METHOD: STANDING WEIGHT

-----

ABBREVIATION.....SW

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Standing Weight

HELP\_TEXT.....No Help Text

ID.....{BE16FA09-16DA-510B-D235-B7F0F93AB105}

TERM.....STANDING WEIGHT

METHOD: T-PIECE

-----

ABBREVIATION.....TP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....T-Piece

HELP\_TEXT.....No Help Text

ID.....{27FC4BC6-2F25-2154-553C-2B452E28A91C}

TERM.....T-PIECE

METHOD: THIGH CUFF

-----  
ABBREVIATION.....ThC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thigh Cuff  
HELP\_TEXT.....No Help Text  
ID.....{C581DFAC-691C-B64A-F058-AF2AA5050147}  
TERM.....THIGH CUFF

METHOD: TPN

-----  
ABBREVIATION.....TPN  
ACTIVE.....Yes  
DESCRIPTION.....Total Parenteral Nutrition Method  
DISPLAY\_NAME.....TPN - Method  
HELP\_TEXT.....No Help Text  
ID.....{B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}  
TERM.....TPN

METHOD: TRACHEOSTOMY COLLAR

-----  
ABBREVIATION.....TC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tracheostomy Collar

HELP\_TEXT.....No Help Text

ID.....{CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}

TERM.....TRACHEOSTOMY COLLAR

METHOD: TRANSFUSION

-----

ABBREVIATION.....TRANSFUSIO

ACTIVE.....Yes

DESCRIPTION.....Transfusion - Method

DISPLAY\_NAME.....Transfusion - Method

HELP\_TEXT.....No Help Text

ID.....{9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}

TERM.....TRANSFUSION

METHOD: TRANSTRACHEAL

-----

ABBREVIATION.....Tt

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Transtracheal

HELP\_TEXT.....No Help Text

ID.....{48951129-CEEC-10D9-F746-99B4713B9C64}

TERM.....TRANSTRACHEAL

METHOD: TRIPLE LUMEN CATHETER

-----  
ABBREVIATION.....TRIPLE LUM  
ACTIVE.....Yes  
DESCRIPTION.....Triple Lumen Catheter  
DISPLAY\_NAME.....Triple Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{704E2B3E-5E5D-43FB-B956-CFF90AF7D774}  
TERM.....TRIPLE LUMEN CATHETER

METHOD: VENTILATOR

-----  
ABBREVIATION.....Ven  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{416FCBD3-5370-15B9-C480-48855ED486D9}  
TERM.....VENTILATOR

METHOD: VENTRICULAR DRAIN

-----  
ABBREVIATION.....VENT DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Drain



HELP\_TEXT.....No Help Text  
ID.....{5FF035D1-9C97-415D-BBEB-943506395A0C}  
TERM.....VENTRICULAR DRAIN

METHOD: VENTURI MASK

-----

ABBREVIATION.....VM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Venturi Mask  
HELP\_TEXT.....No Help Text  
ID.....{E0401675-9C4E-2AFA-2B93-F352B781E963}  
TERM.....VENTURI MASK

METHOD: WHEELCHAIR SCALE

-----

ABBREVIATION.....WcS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair Scale  
HELP\_TEXT.....No Help Text  
ID.....{8C496753-9F42-2A36-E5CA-750188306ED4}  
TERM.....WHEELCHAIR SCALE

METHOD: WITH ACTIVITY

-----  
ABBREVIATION.....Act  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Activity  
HELP\_TEXT.....No Help Text  
ID.....{544A262B-EA34-F82A-46A9-F80740515D65}  
TERM.....WITH ACTIVITY

METHOD: WITH AMBULATION

-----  
ABBREVIATION.....WA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Ambulation  
HELP\_TEXT.....No Help Text  
ID.....{4E91DE6A-359E-5AF4-AB49-AFAF735E1B94}  
TERM.....WITH AMBULATION

METHOD: WITH CAST OR BRACE

-----  
ABBREVIATION.....WCB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Cast or Brace

HELP\_TEXT.....No Help Text

ID.....{47709C05-DF21-FB7D-DE7F-0699D1B7E457}

TERM.....WITH CAST OR BRACE

METHOD: WITH PROSTHESIS

-----

ABBREVIATION.....WP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....With Prosthesis

HELP\_TEXT.....No Help Text

ID.....{73C93D2D-934B-CA55-3557-E756A89710F5}

TERM.....WITH PROSTHESIS

METHOD: WITHOUT PROSTHESIS

-----

ABBREVIATION.....WOP

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Without Prosthesis

HELP\_TEXT.....No Help Text

ID.....{9AACA852-E70D-1048-FCE7-112D46C12619}

TERM.....WITHOUT PROSTHESIS



NULL FLAVOR: PATIENT ON PASS

-----

ABBREVIATION.....op

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....On Pass

HELP\_TEXT.....No Help Text

ID.....{3D2D2E52-D3F2-E02D-B9C7-CEB7C46C807D}

TERM.....PATIENT ON PASS

NULL FLAVOR: PATIENT REFUSED

-----

ABBREVIATION.....pr

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Refused

HELP\_TEXT.....No Help Text

ID.....{E9676179-B942-3851-37AF-75DAEE9E1F8E}

TERM.....PATIENT REFUSED

=====

POSITION: L MIDDLE POSTERIOR CHEST

-----

ABBREVIATION.....L M P CHES

ACTIVE.....No

DESCRIPTION.....Left Middle Posterior Chest

DISPLAY\_NAME.....L Mid. Pos. Chest

HELP\_TEXT.....No Help Text

ID.....{D6D6483C-90A9-4A32-A101-9DAA13BFD7ED}

TERM.....L MIDDLE POSTERIOR CHEST

POSITION: LYING

-----

ABBREVIATION.....Ly

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Lying

HELP\_TEXT.....No Help Text

ID.....{DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

TERM.....LYING

POSITION: RES EVAL: BED/WHEELCHAIR ALARM

-----

ABBREVIATION.....R.E. ALAR

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed / Wheelchair Alarm  
HELP\_TEXT.....No Help Text  
ID.....{BDF926A9-2BEF-4E7C-A099-D02BD98CA2F2}  
TERM.....RES EVAL: BED/WHEELCHAIR ALARM

POSITION: RES EVAL: REALITY ORIENTATION

-----  
ABBREVIATION.....R.E. REALI  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reality Orientation  
HELP\_TEXT.....No Help Text  
ID.....{04D911E1-AADC-4125-9F93-B298266BA61A}  
TERM.....RES EVAL: REALITY ORIENTATION

POSITION: SEMIFOWLERS

-----  
ABBREVIATION.....Sfl  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Semifowlers  
HELP\_TEXT.....No Help Text  
ID.....{C2F6A945-3829-AABA-3D67-54D1829D3EB9}  
TERM.....SEMIFOWLERS

POSITION: SITTING

-----  
ABBREVIATION.....Sit  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sitting  
HELP\_TEXT.....No Help Text  
ID.....{DD4DCDF1-0A22-2CC5-404F-0E472C73961C}  
TERM.....SITTING

POSITION: STANDING

-----  
ABBREVIATION.....St  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Standing  
HELP\_TEXT.....No Help Text  
ID.....{0776AE42-C370-B7B3-9B4D-9C914BA8F231}  
TERM.....STANDING

POSITION: SUPINE

-----  
ABBREVIATION.....SUPINE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Supine



HELP\_TEXT.....No Help Text  
ID.....{DEA8A744-B445-4A9E-875D-485E060F2ACC}  
TERM.....SUPINE

POSITION: TRENDELENBURG

-----  
ABBREVIATION.....Tr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Trendelenburg  
HELP\_TEXT.....No Help Text  
ID.....{42F3353B-7041-EEE1-A87E-941D3BE1CBCD}  
TERM.....TRENDELENBURG

POSITION: WHEELCHAIR EXIT

-----  
ABBREVIATION.....WHEEL EXIT  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair Exit  
HELP\_TEXT.....No Help Text  
ID.....{DE13F84A-168F-490D-9AC7-840DAB2D8E22}  
TERM.....WHEELCHAIR EXIT



PRODUCT: 25 PERCENT ALBUMIN

-----

ABBREVIATION.....25 PERC AL

ACTIVE.....Yes

DESCRIPTION.....25 Percent Albumin

DISPLAY\_NAME.....25 Percent Albumin

HELP\_TEXT.....No Help Text

ID.....{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

TERM.....25 PERCENT ALBUMIN

PRODUCT: 5 PERCENT ALBUMIN

-----

ABBREVIATION.....5 PERC ALB

ACTIVE.....Yes

DESCRIPTION.....5 Percent Albumin

DISPLAY\_NAME.....5 Percent Albumin

HELP\_TEXT.....No Help Text

ID.....{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

TERM.....5 PERCENT ALBUMIN

PRODUCT: 6 PERCENT HETASTARCH

-----

ABBREVIATION.....6 PERC HET

ACTIVE.....Yes

DESCRIPTION.....6 Percent Hetastarch  
DISPLAY\_NAME.....6 Percent Hetastarch  
HELP\_TEXT.....No Help Text  
ID.....{8A82F108-D2FE-4C21-93BB-344502235AE8}  
TERM.....6 PERCENT HETASTARCH

PRODUCT: ALBUMIN

-----  
ABBREVIATION.....ALBUMIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Albumin  
HELP\_TEXT.....No Help Text  
ID.....{EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}  
TERM.....ALBUMIN

PRODUCT: AMPHOTERICIN B

-----  
ABBREVIATION.....AMPHOTER B  
ACTIVE.....Yes  
DESCRIPTION.....Amphotericin B  
DISPLAY\_NAME.....Amphotericin B  
HELP\_TEXT.....Amphotericin B  
ID.....{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}  
TERM.....AMPHOTERICIN B

PRODUCT: ANTIBIOTIC

-----

ABBREVIATION.....AB  
ACTIVE.....Yes  
DESCRIPTION.....Antibiotic  
DISPLAY\_NAME.....Antibiotic  
HELP\_TEXT.....No Help Text  
ID.....{BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}  
TERM.....ANTIBIOTIC

PRODUCT: BACTERIOSTATIC WATER

-----

ABBREVIATION.....BACTER H2O  
ACTIVE.....Yes  
DESCRIPTION.....Bacteriostatic Water  
DISPLAY\_NAME.....Bacteriostatic Water  
HELP\_TEXT.....Bacteriostatic Water  
ID.....{EF13BCA6-3AF2-47E9-87A0-82642B529368}  
TERM.....BACTERIOSTATIC WATER

PRODUCT: BLADDER IRRIGATION

-----

ABBREVIATION.....BLAD IRRIG  
ACTIVE.....Yes  
DESCRIPTION.....Bladder Irrigation Output Product  
DISPLAY\_NAME.....Bladder Irrigation

HELP\_TEXT.....No Help Text

ID.....{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}

TERM.....BLADDER IRRIGATION

PRODUCT: BLOOD PRODUCT

-----

ABBREVIATION.....bp

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Blood Product

HELP\_TEXT.....No Help Text

ID.....{A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}

TERM.....BLOOD PRODUCT

PRODUCT: CARDIAC OUTPUT INJECTATE

-----

ABBREVIATION.....CARD OUT I

ACTIVE.....Yes

DESCRIPTION.....Cardiac Output Injectate

DISPLAY\_NAME.....Cardiac Output Injectate

HELP\_TEXT.....No Help Text

ID.....{2128B705-DDF4-4776-87C3-AA82F854E313}

TERM.....CARDIAC OUTPUT INJECTATE

PRODUCT: CHEST TUBE

-----  
ABBREVIATION.....CHEST TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Chest Tube Output  
DISPLAY\_NAME.....Chest Tube  
HELP\_TEXT.....No Help Text  
ID.....{74C0C672-02AD-45A8-99DB-F5256BA14C72}  
TERM.....CHEST TUBE

PRODUCT: CHEST TUBE DRAINAGE

-----  
ABBREVIATION.....CHEST T DR  
ACTIVE.....Yes  
DESCRIPTION.....Chest Tube Drainage  
DISPLAY\_NAME.....Chest Tube Drainage  
HELP\_TEXT.....No Help Text  
ID.....{591D62C9-D173-45AD-8E05-A500F1C4AAA7}  
TERM.....CHEST TUBE DRAINAGE

PRODUCT: CLEAR LIQUIDS

-----  
ABBREVIATION.....Clear Liq  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Clear Liquids

HELP\_TEXT.....

ID.....{BBE3A652-ACDC-4797-B140-D4DB4F474B13}

TERM.....CLEAR LIQUIDS

PRODUCT: COFFEE

-----

ABBREVIATION.....Coffee

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Coffee

HELP\_TEXT.....

ID.....{BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}

TERM.....COFFEE

PRODUCT: COLLOID

-----

ABBREVIATION.....COLLOID

ACTIVE.....Yes

DESCRIPTION.....Colloid

DISPLAY\_NAME.....Colloid

HELP\_TEXT.....No Help Text

ID.....{5B912A05-9ECA-43C1-A117-BE0843313CDD}

TERM.....COLLOID



PRODUCT: CRYOPRECIPITATE

-----

ABBREVIATION.....CRYOPRECIP

ACTIVE.....Yes

DESCRIPTION.....Cryoprecipitate Blood Product

DISPLAY\_NAME.....Cryoprecipitate

HELP\_TEXT.....No Help Text

ID.....{5329E737-E059-480D-83F8-1146B091C14E}

TERM.....CRYOPRECIPITATE

PRODUCT: CRYSTALLOID

-----

ABBREVIATION.....CRYSTALLOI

ACTIVE.....Yes

DESCRIPTION.....Crystalloid

DISPLAY\_NAME.....Crystalloid

HELP\_TEXT.....No Help Text

ID.....{F8B0C9B5-F386-4C88-896A-092C4A95A031}

TERM.....CRYSTALLOID

PRODUCT: DAKINS SOLUTION

-----

ABBREVIATION.....DAKINS SOL

ACTIVE.....Yes

DESCRIPTION.....Dakins Solution

DISPLAY\_NAME.....Dakins Solution

HELP\_TEXT.....Dakins Solution  
ID.....{51651D24-B909-427B-9FF0-3C2859A63D73}  
TERM.....DAKINS SOLUTION

PRODUCT: EF RESIDUAL

-----

ABBREVIATION.....EF RESID  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Feeding Residual  
DISPLAY\_NAME.....EF Residual  
HELP\_TEXT.....No Help Text  
ID.....{35E269DF-F246-4DF6-9D68-7FD61F8FE088}  
TERM.....EF RESIDUAL

PRODUCT: ELEMENTAL FORMULA

-----

ABBREVIATION.....ELE FORM  
ACTIVE.....Yes  
DESCRIPTION.....Elemental Enteral Nutrition Formula  
DISPLAY\_NAME.....Elemental Formula  
HELP\_TEXT.....No Help Text  
ID.....{E85DFA33-7F32-4348-9E0E-249AC301EC03}  
TERM.....ELEMENTAL FORMULA

PRODUCT: EMESIS

-----

ABBREVIATION.....EMESIS

ACTIVE.....Yes

DESCRIPTION.....Emesis output

DISPLAY\_NAME.....Emesis

HELP\_TEXT.....No Help Text

ID.....{A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}

TERM.....EMESIS

PRODUCT: FECES

-----

ABBREVIATION.....f

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Feces

HELP\_TEXT.....No Help Text

ID.....{C1CED7CD-EF5D-37D8-4EE0-CC9FD6F20DB0}

TERM.....FECES

PRODUCT: FFP

-----

ABBREVIATION.....FFP

ACTIVE.....Yes

DESCRIPTION.....Fresh Frozen Plasma

DISPLAY\_NAME.....FFP

HELP\_TEXT.....No Help Text

ID.....{9DD0ECF5-634F-49CF-A529-A2657240A80C}

TERM.....FFP

PRODUCT: FFP - THAWED

-----

ABBREVIATION.....FFP-THAWED

ACTIVE.....Yes

DESCRIPTION.....Fresh Frozen Plasma, Thawed

DISPLAY\_NAME.....FFP - THAWED

HELP\_TEXT.....No Help Text

ID.....{AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}

TERM.....FFP - THAWED

PRODUCT: FORMULA - HIGH FIBER

-----

ABBREVIATION.....FORM H FIB

ACTIVE.....Yes

DESCRIPTION.....High Fiber Formula

DISPLAY\_NAME.....High Fiber Formula

HELP\_TEXT.....No Help Text

ID.....{249D8C78-B600-4443-A2E2-39F1B67698DD}

TERM.....FORMULA - HIGH FIBER

PRODUCT: FORMULA - PROBALANCE

-----  
ABBREVIATION.....PROBALANCE  
ACTIVE.....Yes  
DESCRIPTION.....Probalance Formula  
DISPLAY\_NAME.....Probalance Formula  
HELP\_TEXT.....No Help Text  
ID.....{4EA729FE-08EA-490B-822D-696061E5B55F}  
TERM.....FORMULA - PROBALANCE

PRODUCT: FORMULA 1.5 CAL

-----  
ABBREVIATION.....1.5 C FORM  
ACTIVE.....Yes  
DESCRIPTION.....1.5 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....1.5 Cal Formula  
HELP\_TEXT.....No Help Text  
ID.....{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}  
TERM.....FORMULA 1.5 CAL

PRODUCT: FORMULA 2.0 CAL

-----  
ABBREVIATION.....2.0 C FORM  
ACTIVE.....Yes  
DESCRIPTION.....2.0 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....2.0 Cal Formula

HELP\_TEXT.....No Help Text  
ID.....{E5FB9590-25AA-435A-B9B4-4812EA15C217}  
TERM.....FORMULA 2.0 CAL

PRODUCT: FORMULA D10W ENTERAL NUTRITION

-----  
ABBREVIATION.....D10W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D10W Enteral Nutrition  
DISPLAY\_NAME.....D10W Enteral Nutrition  
HELP\_TEXT.....10% Dextrose and Water solution  
ID.....{F8FB55C4-6229-427F-987D-3D469E307D0D}  
TERM.....FORMULA D10W ENTERAL NUTRITION

PRODUCT: FORMULA D50W ENTERAL NUTRITION

-----  
ABBREVIATION.....D50W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D50W Enteral Nutrition  
DISPLAY\_NAME.....D50W Enteral Nutrition  
HELP\_TEXT.....50% Dextrose and Water Solution  
ID.....{19ED9C83-42C1-42AF-AB4D-1A34B621EFB9}  
TERM.....FORMULA D50W ENTERAL NUTRITION

PRODUCT: FORMULA D5W ENTERAL NUTRITION

-----

ABBREVIATION.....D5W ENT NU  
ACTIVE.....Yes  
DESCRIPTION.....D5W Enteral Nutrition  
DISPLAY\_NAME.....D5W Enteral Nutrition  
HELP\_TEXT.....5% Dextrose and Water Solution  
ID.....{9EA15A1B-DA1C-49EC-B463-82DD5F125F82}  
TERM.....FORMULA D5W ENTERAL NUTRITION

PRODUCT: FORMULA FIBER

-----

ABBREVIATION.....FIBER FORM  
ACTIVE.....Yes  
DESCRIPTION.....Fiber Enteral Nutrition Formula  
DISPLAY\_NAME.....Fiber Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}  
TERM.....FORMULA FIBER

PRODUCT: FULL LIQUID

-----

ABBREVIATION.....FL LIQUID  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Full Liquid

HELP\_TEXT.....No Help Text  
ID.....{C8405270-CCA3-4BFF-B9D0-398590FBB1D9}  
TERM.....FULL LIQUID

PRODUCT: GASTRIC DRAINAGE

---

ABBREVIATION.....GAST DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Drainage  
DISPLAY\_NAME.....Gastric Drainage  
HELP\_TEXT.....No Help Text  
ID.....{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}  
TERM.....GASTRIC DRAINAGE

PRODUCT: GLUCERNA DIABETIC

---

ABBREVIATION.....GLUCERNA D  
ACTIVE.....Yes  
DESCRIPTION.....Glucerna Diabetic  
DISPLAY\_NAME.....Glucerna Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{C2F2CCFE-6D77-49B4-BF5E-F1A285326440}  
TERM.....GLUCERNA DIABETIC



PRODUCT: GRANULOCYTES PHERESIS

-----  
ABBREVIATION.....GRAN PHERE  
ACTIVE.....Yes  
DESCRIPTION.....Granulocytes Pheresis Blood Product  
DISPLAY\_NAME.....Granulocytes Pheresis  
HELP\_TEXT.....No Help Text  
ID.....{2B90878D-9C29-4731-9525-D7DD7FCB513B}  
TERM.....GRANULOCYTES PHERESIS

PRODUCT: HEME

-----  
ABBREVIATION.....HEME  
ACTIVE.....Yes  
DESCRIPTION.....Heme output  
DISPLAY\_NAME.....Heme  
HELP\_TEXT.....No Help Text  
ID.....{A0ADA229-E779-4562-84B5-67121B88C443}  
TERM.....HEME

PRODUCT: HEMODIALYSIS

-----  
ABBREVIATION.....HEMODIALYS  
ACTIVE.....Yes  
DESCRIPTION.....Hemodialysis Intake and Output Product  
DISPLAY\_NAME.....Hemodialysis

HELP\_TEXT.....No Help Text

ID.....{8409B357-C41E-4F4A-BB52-F09AD9704C30}

TERM.....HEMODIALYSIS

PRODUCT: HEPATIC FORMULA

-----

ABBREVIATION.....HEPAT FORM

ACTIVE.....Yes

DESCRIPTION.....Hepatic Enteral Nutrition Formula

DISPLAY\_NAME.....Hepatic Enteral Nutrition Formula

HELP\_TEXT.....No Help Text

ID.....{41DEECAB-168F-4522-852C-C1ED751BFEDC}

TERM.....HEPATIC FORMULA

PRODUCT: HIGH PROTEIN FORMULA

-----

ABBREVIATION.....HIGH PROTE

ACTIVE.....Yes

DESCRIPTION.....High Protein

DISPLAY\_NAME.....High Protein Formula

HELP\_TEXT.....No Help Text

ID.....{3618C874-3EAE-41CF-BE2B-3DFB960E034F}

TERM.....HIGH PROTEIN FORMULA

PRODUCT: JP DRAIN

-----  
ABBREVIATION.....JP DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....Jackson-Pratt Drain  
DISPLAY\_NAME.....JP DRAIN  
HELP\_TEXT.....No Help Text  
ID.....{0889246D-AD40-4CFC-A721-BBCB8C34BE19}  
TERM.....JP DRAIN

PRODUCT: JUICE

-----  
ABBREVIATION.....JUICE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Juice  
HELP\_TEXT.....No Help-Text  
ID.....{91FFF519-1677-BB1D-D959-65B1BFA10285}  
TERM.....JUICE

PRODUCT: LINE FLUSH

-----  
ABBREVIATION.....LINE FLUSH  
ACTIVE.....Yes  
DESCRIPTION.....Fluid flushed from line  
DISPLAY\_NAME.....LINE FLUSH

HELP\_TEXT.....No Help Text

ID.....{D3EA8BCD-0EC4-4B39-BA92-BC3FF505C9A4}

TERM.....LINE FLUSH

PRODUCT: LINE FLUSH HEPARIN

-----

ABBREVIATION.....LN FL HEPA

ACTIVE.....Yes

DESCRIPTION.....Heparin used to flush dialysis lines

DISPLAY\_NAME.....Line Flush Heparin

HELP\_TEXT.....No Help Text

ID.....{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}

TERM.....LINE FLUSH HEPARIN

PRODUCT: LIPIDS

-----

ABBREVIATION.....LIPIDS

ACTIVE.....Yes

DESCRIPTION.....Lipids

DISPLAY\_NAME.....Lipids

HELP\_TEXT.....No Help Text

ID.....{80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

TERM.....LIPIDS

PRODUCT: MAGNACAL

-----  
ABBREVIATION.....MAGNACAL  
ACTIVE.....Yes  
DESCRIPTION.....Magnacal Enteral Nutrition Type  
DISPLAY\_NAME.....Magancal  
HELP\_TEXT.....No Help Text  
ID.....{86688633-DFCA-4FBE-99F5-8E0B3FAFE695}  
TERM.....MAGNACAL

PRODUCT: MEDIASTINAL

-----  
ABBREVIATION.....MEDIASTINA  
ACTIVE.....Yes  
DESCRIPTION.....Mediastinal Output Product  
DISPLAY\_NAME.....Mediastinal  
HELP\_TEXT.....No Help Text  
ID.....{A0550B31-B937-4FC7-8F7E-071F75215311}  
TERM.....MEDIASTINAL

PRODUCT: MEDICATION

-----  
ABBREVIATION.....MEDICATION  
ACTIVE.....Yes  
DESCRIPTION.....Medication  
DISPLAY\_NAME.....Medication

HELP\_TEXT.....Medication

ID.....{CDD5944E-A0EC-45CE-8EB0-7F9EDF7197E5}

TERM.....MEDICATION

PRODUCT: MILK

-----

ABBREVIATION.....Milk

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Milk

HELP\_TEXT.....

ID.....{6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}

TERM.....MILK

PRODUCT: MODULAR CUSTOMIZED FORMULA

-----

ABBREVIATION.....CUST FORMU

ACTIVE.....Yes

DESCRIPTION.....Modular Customized Formula

DISPLAY\_NAME.....Modular Customized Formula

HELP\_TEXT.....No Help Text

ID.....{249D095E-9676-4CC5-8A39-097F96A4C032}

TERM.....MODULAR CUSTOMIZED FORMULA

PRODUCT: NEPRO RENAL FORMULA

-----  
ABBREVIATION.....NEPR RENAL  
ACTIVE.....Yes  
DESCRIPTION.....Nepro Renal Enteral Nutrition Formula  
DISPLAY\_NAME.....Nepro Renal Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{59C9B396-A705-445B-B566-F030DA4B2B79}  
TERM.....NEPRO RENAL FORMULA

PRODUCT: NG RESIDUAL

-----  
ABBREVIATION.....NG RESID  
ACTIVE.....Yes  
DESCRIPTION.....Naso-Gastric Residual Output  
DISPLAY\_NAME.....NG Residual  
HELP\_TEXT.....No Help Text  
ID.....{B03C9557-84B5-4B05-B784-C87FA90D27A7}  
TERM.....NG RESIDUAL

PRODUCT: NOVASOURCE 2.0

-----  
ABBREVIATION.....NOVAS 2.0  
ACTIVE.....Yes  
DESCRIPTION.....Novasource 2.0 Enteral Nutrition  
Formula

DISPLAY\_NAME.....Novasource 2.0 Enteral Nutrition

Formula

HELP\_TEXT.....No Help Text

ID.....{67D16273-6271-43E1-80D6-D12C4D55E024}

TERM.....NOVASOURCE 2.0

PRODUCT: NUTREN 1.5

-----

ABBREVIATION.....NUTREN 1.5

ACTIVE.....Yes

DESCRIPTION.....Nutren 1.5

DISPLAY\_NAME.....Nutren 1.5

HELP\_TEXT.....No Help Text

ID.....{B93EF897-B9A1-45C6-AC9A-B386554A3186}

TERM.....NUTREN 1.5

PRODUCT: NUTRITIONAL SUPPLEMENT

-----

ABBREVIATION.....NUTR SUPPL

ACTIVE.....Yes

DESCRIPTION.....Nutritional Supplement

DISPLAY\_NAME.....Nutritional Supplement

HELP\_TEXT.....No Help Text

ID.....{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}

TERM.....NUTRITIONAL SUPPLEMENT



PRODUCT: OSMOLITE

-----

ABBREVIATION.....OSMOLITE

ACTIVE.....Yes

DESCRIPTION.....Osmolite Enteral Nutrition

DISPLAY\_NAME.....Osmolite

HELP\_TEXT.....No Help Text

ID.....{18C5843F-BC33-4609-9D58-49F07F12A059}

TERM.....OSMOLITE

PRODUCT: OSMOLITE HN

-----

ABBREVIATION.....OSMOLIT HN

ACTIVE.....Yes

DESCRIPTION.....Osmolite HN Enteral Nutrition

DISPLAY\_NAME.....Osmolite HN

HELP\_TEXT.....No Help Text

ID.....{3622D5C6-1D7B-4377-94B7-5E33C642C4C5}

TERM.....OSMOLITE HN

PRODUCT: OTHER PO FLUID

-----

ABBREVIATION.....PO OTHER

ACTIVE.....Yes

DESCRIPTION.....PO Fluid other than those listed.

DISPLAY\_NAME.....Other - Please Specify

HELP\_TEXT.....No Help Text

ID.....{1EA44424-4DE2-42B8-A50F-60DC56204502}

TERM.....OTHER PO FLUID

PRODUCT: PCA

-----

ABBREVIATION.....PCA

ACTIVE.....Yes

DESCRIPTION.....Patient Controlled Analgesia

DISPLAY\_NAME.....Patient Controlled Analgesia

HELP\_TEXT.....No Help Text

ID.....{D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}

TERM.....PCA

PRODUCT: PLASMAPHERESIS

-----

ABBREVIATION.....PLASMAPHER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Plasmapheresis

HELP\_TEXT.....No Help Text

ID.....{E1214367-8BB0-4FAA-A916-EC707569A9C4}

TERM.....PLASMAPHERESIS

PRODUCT: PLATELETS

-----

ABBREVIATION.....PLATELETS

ACTIVE.....Yes

DESCRIPTION.....Platelets

DISPLAY\_NAME.....Platelets

HELP\_TEXT.....No Help Text

ID.....{3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

TERM.....PLATELETS

PRODUCT: PLATELETS PHERESIS

-----

ABBREVIATION.....PLATELET P

ACTIVE.....Yes

DESCRIPTION.....Platelets Pheresis (Apheresis  
Platelets)

DISPLAY\_NAME.....Platelets Pheresis

HELP\_TEXT.....No Help Text

ID.....{65CBDCBD-99DB-44FE-9230-D62886208EBF}

TERM.....PLATELETS PHERESIS

PRODUCT: PLATELETS PHERESIS IRRADIATED

-----

ABBREVIATION.....PLATEL P I

ACTIVE.....Yes

DESCRIPTION.....Platelets Pheresis (Apheresis

platelets) Irradiated

DISPLAY\_NAME.....Platelets Pheresis Irradiated

HELP\_TEXT.....No Help Text

ID.....{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}

TERM.....PLATELETS PHERESIS IRRADIATED

PRODUCT: PPN

-----  
ABBREVIATION.....PPN

ACTIVE.....Yes

DESCRIPTION.....Peripheral Parenteral Nutrition

DISPLAY\_NAME.....PPN

HELP\_TEXT.....No Help Text

ID.....{BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}

TERM.....PPN

PRODUCT: PRBC

-----  
ABBREVIATION.....PRBC

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells

DISPLAY\_NAME.....PRBC

HELP\_TEXT.....No Help Text

ID.....{BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}

TERM.....PRBC

PRODUCT: PRBC - AUTOLOGOUS

-----  
ABBREVIATION.....PRBC-A  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Autologous  
DISPLAY\_NAME.....PRBC - AUTOLOGOUS  
HELP\_TEXT.....No Help Text  
ID.....{1580990C-0B35-4DDD-84AA-682B341C9B76}  
TERM.....PRBC - AUTOLOGOUS

PRODUCT: PRBC - LEUKOREDUCED

-----  
ABBREVIATION.....PRBC-L  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced  
DISPLAY\_NAME.....PRBC - Leukoreduced  
HELP\_TEXT.....No Help Text  
ID.....{13DB3170-6C26-4178-B429-C02AFC541AC7}  
TERM.....PRBC - LEUKOREDUCED

PRODUCT: PRBC - LEUKOREDUCED - DIRECTED

-----  
ABBREVIATION.....PRBC-L-D  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,  
Directed

DISPLAY\_NAME.....PRBC - LEUKOREDUCED - DIRECTED

HELP\_TEXT.....No Help Text

ID.....{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}

TERM.....PRBC - LEUKOREDUCED - DIRECTED

PRODUCT: PRBC - LEUKOREDUCED - IRRADIATED

-----

ABBREVIATION.....PRBC-L-I

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,  
Irradiated

DISPLAY\_NAME.....PRBC - LEUKOREDUCED - IRRADIATED

HELP\_TEXT.....No Help Text

ID.....{B4431519-0102-49ED-94D6-1738E375C5A4}

TERM.....PRBC - LEUKOREDUCED - IRRADIATED

PRODUCT: PRBC - LEUKOREDUCED - WASHED

-----

ABBREVIATION.....PRBC-L-W

ACTIVE.....Yes

DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,  
Washed

DISPLAY\_NAME.....PRBC - LEUKOREDUCED - WASHED

HELP\_TEXT.....No Help Text

ID.....{BB58F35A-1086-4061-B485-FA35DFB79A0D}

TERM.....PRBC - LEUKOREDUCED - WASHED

PRODUCT: Rh IMMUNE GLOBULIN

-----  
ABBREVIATION.....Rh IM GLOB  
ACTIVE.....Yes  
DESCRIPTION.....Rh Immune Globulin  
DISPLAY\_NAME.....Rh Immune Globulin  
HELP\_TEXT.....No Help Text  
ID.....{1FE7BD0C-7252-427A-8216-36FCA4637089}  
TERM.....Rh IMMUNE GLOBULIN

PRODUCT: SALINE

-----  
ABBREVIATION.....SALINE  
ACTIVE.....Yes  
DESCRIPTION.....Saline  
DISPLAY\_NAME.....Saline  
HELP\_TEXT.....No Help Text  
ID.....{19D84001-70DB-47AA-9149-A37B7E0BAEF1}  
TERM.....SALINE

PRODUCT: SANDOSOURCE PEPTIDE

-----  
ABBREVIATION.....SAND PEPTI  
ACTIVE.....Yes  
DESCRIPTION.....Sandosource Peptide Enteral Nutrition  
Formula

DISPLAY\_NAME.....Sandosource Peptide Enteral Nutrition

Formula

HELP\_TEXT.....No Help Text

ID.....{B543461C-7316-4750-9918-B30E96AB3C95}

TERM.....SANDOSOURCE PEPTIDE

PRODUCT: SODA: DIET

-----

ABBREVIATION.....Soda: Diet

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Soda: Diet

HELP\_TEXT.....

ID.....{0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}

TERM.....SODA: DIET

PRODUCT: SODA: NON-DIET

-----

ABBREVIATION.....Soda: Non

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Soda: Non-Diet

HELP\_TEXT.....

ID.....{B15D88DC-07B6-4980-98B2-A59B5662797A}

TERM.....SODA: NON-DIET



PRODUCT: SOFT DRINK

-----

ABBREVIATION.....SOFT DRIN

ACTIVE.....Yes

DESCRIPTION.....Soft Drink

DISPLAY\_NAME.....Soft Drink

HELP\_TEXT.....No Help Text

ID.....{9216F0F9-4D5F-4AF7-8D84-04A2CE11BCBE}

TERM.....SOFT DRINK

PRODUCT: TAP WATER

-----

ABBREVIATION.....Tap Water

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Tap Water

HELP\_TEXT.....

ID.....{EAAF11A5-6DC5-481F-81D3-A3035812D5C9}

TERM.....TAP WATER

PRODUCT: TPN

-----

ABBREVIATION.....TPN

ACTIVE.....Yes

DESCRIPTION.....Total Parenteral Nutrition

DISPLAY\_NAME.....TPN

HELP\_TEXT.....No Help Text

ID.....{55341B62-E356-4C38-A52D-4F196751E9EB}

TERM.....TPN

PRODUCT: ULTRACAL

-----

ABBREVIATION.....ULTRACAL

ACTIVE.....Yes

DESCRIPTION.....Ultracal Enteral Nutrition

DISPLAY\_NAME.....Ultracal Enteral Nutrition

HELP\_TEXT.....No Help Text

ID.....{B18E6151-9DC6-4380-899A-E84715BFC61B}

TERM.....ULTRACAL

PRODUCT: URINE

-----

ABBREVIATION.....u

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Urine

HELP\_TEXT.....No Help Text

ID.....{1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

TERM.....URINE

PRODUCT: VITAL ENTERAL NUTRITION TYPE

-----  
ABBREVIATION.....VIT ENT NU  
ACTIVE.....Yes  
DESCRIPTION.....Vital Enteral Nutrition  
DISPLAY\_NAME.....Vital Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{D77B607C-85C4-428E-AAE6-B319F33F4E9F}  
TERM.....VITAL ENTERAL NUTRITION TYPE

PRODUCT: VITAL HN ENTERAL NUTRITION

-----  
ABBREVIATION.....VIT NUT HN  
ACTIVE.....Yes  
DESCRIPTION.....Vital HN Enteral Nutrition  
DISPLAY\_NAME.....Vital HN Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{3973F52F-D53F-4D80-928A-BD6154D5C434}  
TERM.....VITAL HN ENTERAL NUTRITION

PRODUCT: WATER

-----  
ABBREVIATION.....WATER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Water

HELP\_TEXT.....No Help-Text

ID.....{ACCC998E-0F64-510D-B843-3D30B2AD67CF}

TERM.....WATER

PRODUCT: WBC - WASHED

-----

ABBREVIATION.....WBC WASHED

ACTIVE.....Yes

DESCRIPTION.....White Blood Cells, Washed

DISPLAY\_NAME.....WBC - Washed

HELP\_TEXT.....No Help Text

ID.....{F1460F94-203C-473D-AC7C-92E8ADFFC0F5}

TERM.....WBC - WASHED

PRODUCT: WHOLE BLOOD

-----

ABBREVIATION.....WHOL BLOOD

ACTIVE.....Yes

DESCRIPTION.....Whole Blood

DISPLAY\_NAME.....Whole Blood

HELP\_TEXT.....No Help Text

ID.....{144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

TERM.....WHOLE BLOOD

PRODUCT: WOUND DRAINAGE

-----  
ABBREVIATION.....WOUN DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....Wound Drainage  
DISPLAY\_NAME.....Wound Drainage  
HELP\_TEXT.....Drainage From Wound  
ID.....{73038CBA-1F31-47E2-A78E-50ED1067CBEA}  
TERM.....WOUND DRAINAGE

PRODUCT: WOUND IRRIGATION

-----  
ABBREVIATION.....WOUND IRRI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wound Irrigation  
HELP\_TEXT.....No Help Text  
ID.....{192EC6B7-8E2E-418C-9345-BC8A7986CA59}  
TERM.....WOUND IRRIGATION

PRODUCT: WOUND VACUUM

-----  
ABBREVIATION.....WOUND VAC  
ACTIVE.....Yes  
DESCRIPTION.....Wound Vacuum Output Product  
DISPLAY\_NAME.....Wound Vacuum

HELP\_TEXT.....No Help Text

ID.....{9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}

TERM.....WOUND VACUUM

QUALITY: ACTUAL

-----

ABBREVIATION.....A

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Actual

HELP\_TEXT.....No Help Text

ID.....{5842A4D9-56A1-7A5A-13C9-F481699C3A09}

TERM.....ACTUAL

QUALITY: ANTECUBITAL

-----

ABBREVIATION.....ANTECUB

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY\_NAME.....Antecubital

HELP\_TEXT.....No Help Text

ID.....{0D56DDB8-EDCD-BF9F-5F77-567BC59F3580}

TERM.....ANTECUBITAL

QUALITY: BRACHIAL

-----

ABBREVIATION.....BRACHIAL

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY\_NAME.....Brachial

HELP\_TEXT.....No Help Text

ID.....{CFE7E2E3-20BC-7ACE-262B-8BAE4FB36B59}

TERM.....BRACHIAL

QUALITY: DRY

-----

ABBREVIATION.....D

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Dry

HELP\_TEXT.....No Help Text

ID.....{B319EFF4-BA4A-85B1-2617-E00E46A54ABE}

TERM.....DRY

QUALITY: ESTIMATED

-----

ABBREVIATION.....E

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Estimated

HELP\_TEXT.....No Help Text

ID.....{9EAF26B-7D87-DA66-F991-022D095FB5A0}

TERM.....ESTIMATED



QUALITY: ESTIMATED BY ARM SPAN

-----  
ABBREVIATION.....EAS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Estimated by Arm Span  
HELP\_TEXT.....No Help Text  
ID.....{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}  
TERM.....ESTIMATED BY ARM SPAN

QUALITY: OTHER

-----  
ABBREVIATION.....Oth  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Other  
HELP\_TEXT.....No Help Text  
ID.....{7C0850DD-931C-65C8-1003-E31FBBADF6E9}  
TERM.....OTHER

QUALITY: PEDIATRIC

-----  
ABBREVIATION.....Ped  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pediatric

HELP\_TEXT.....No Help Text

ID.....{83C8FF79-1919-B001-9F8B-68F014216F0B}

TERM.....PEDIATRIC

QUALITY: RADIAL

-----

ABBREVIATION.....RADIAL

ACTIVE.....No

DESCRIPTION.....No Description

DISPLAY\_NAME.....Radial

HELP\_TEXT.....No Help Text

ID.....{8F407DAB-8C6D-A5B3-524E-444B22613F4D}

TERM.....RADIAL

QUALITY: STATED

-----

ABBREVIATION.....Sta

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Stated

HELP\_TEXT.....No Help Text

ID.....{6362C194-B7F2-D38C-5B72-3BE5DE09438E}

TERM.....STATED



SCHEDULE: CATHETER

ABBREVIATION.....CATHETER

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Catheter

HELP\_TEXT.....No Help Text

ID.....{8C788C2B-3C73-7D8D-9032-A1E2188413B8}

TERM.....CATHETER

SCHEDULE: PRN

ABBREVIATION.....PRN

ACTIVE.....Yes

DESCRIPTION.....AS NEEDED

DISPLAY\_NAME.....PRN

HELP\_TEXT.....No Help Text

ID.....{B9423F6A-166B-CF51-6375-E3928FE0BAD6}

TERM.....PRN

SCHEDULE: Q2H

ABBREVIATION.....q2h

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....Every 2 hours  
HELP\_TEXT.....No Help Text  
ID.....{8EF08D16-5529-5FF0-5B84-36703D82E01C}  
TERM.....Q2H

SCHEDULE: Q4H

-----

ABBREVIATION.....q4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Every 4 Hours  
HELP\_TEXT.....No Help Text  
ID.....{E5638DC5-2772-FD4A-2D81-04B2DA5C8DDC}  
TERM.....Q4H

SCHEDULE: Q7D

-----

ABBREVIATION.....q7d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Every 7 Days  
HELP\_TEXT.....No Help Text  
ID.....{E3E171BF-17B3-1C59-112B-042380890C62}  
TERM.....Q7D

SCHEDULE: QD

-----  
ABBREVIATION.....qd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Everyday  
HELP\_TEXT.....No Help Text  
ID.....{741F0241-5BC5-5AE2-8D8E-543155C46711}  
TERM.....QD

SCHEDULE: RESTRAINT STRAP

-----  
ABBREVIATION.....RES STRAP  
ACTIVE.....No  
DESCRIPTION.....Restraint Strap  
DISPLAY\_NAME.....Restaint Strap  
HELP\_TEXT.....No Help Text  
ID.....{D9162D47-0F50-49F4-837F-70AD65C169BB}  
TERM.....RESTRAINT STRAP

TASK: ACTIVITY - ABD PILLOW

ABBREVIATION.....ACT ABD PI

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - ABD PILLOW

DISPLAY\_NAME.....ACTIVITY - ABD PILLOW

HELP\_TEXT.....ACTIVITY - ABD PILLOW

ID.....{381AA3BB-8858-4B2B-B607-8FC6C6FF707F}

TERM.....ACTIVITY - ABD PILLOW

TASK: ACTIVITY - AMBULATE

ABBREVIATION.....ACT AMBULA

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - AMBULATE

DISPLAY\_NAME.....ACTIVITY - AMBULATE

HELP\_TEXT.....ACTIVITY - AMBULATE

ID.....{E7232201-7FC2-4900-82D0-EF3A10FCB760}

TERM.....ACTIVITY - AMBULATE

TASK: ACTIVITY - CONT. PASSIVE MOTION DEV.

ABBREVIATION.....ACT CPM DE

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - CONTINUOUS PASSIVE MOTION

DEVICE

DISPLAY\_NAME.....ACTIVITY - CONT. PASS. MOT. DEV.

HELP\_TEXT.....ACTIVITY - CONTINUOUS PASSIVE MOTION

DEVICE

ID.....{7587CDE1-CD6F-4A9C-8E4E-9919485E321E}

TERM.....ACTIVITY - CONT. PASSIVE MOTION DEV.

TASK: ACTIVITY - ELEVATE HEAD OF BED

-----

ABBREVIATION.....ACT EL HOB

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - ELEVATE HEAD OF BED

DISPLAY\_NAME.....ACTIVITY - ELEVATE HEAD OF BED

HELP\_TEXT.....ACTIVITY - ELEVATE HEAD OF BED

ID.....{66CDCA34-6B02-4D8B-AD39-FD56BD51EC7E}

TERM.....ACTIVITY - ELEVATE HEAD OF BED

TASK: ACTIVITY - KNEE IMMOBILIZER

-----

ABBREVIATION.....ACT KNEE I

ACTIVE.....Yes

DESCRIPTION.....ACTIVITY - KNEE IMMOBILIZER

DISPLAY\_NAME.....ACTIVITY - KNEE IMMOBILIZER

HELP\_TEXT.....ACTIVITY - KNEE IMMOBILIZER

ID.....{182692D9-7ECC-45B9-82F6-163DFF937438}

TERM.....ACTIVITY - KNEE IMMOBILIZER



TASK: ACTIVITY - ORIENT TO WARD

-----  
ABBREVIATION.....ACT ORIENT  
ACTIVE.....Yes  
DESCRIPTION.....Orient patient and family to ward  
                  policies and procedures  
DISPLAY\_NAME.....ACTIVITY - ORIENT TO WARD  
HELP\_TEXT.....ACTIVITY - ORIENT TO WARD  
ID.....{35B092D6-86E0-655B-9B0E-8E819FE6967D}  
TERM.....ACTIVITY - ORIENT TO WARD

TASK: ACTIVITY - RANGE OF MOTION EXERCISES

-----  
ABBREVIATION.....ACT ROM EX  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - RANGE OF MOTION EXERCISES  
DISPLAY\_NAME.....ACTIVITY - RANGE OF MOTION EXERCISES  
HELP\_TEXT.....ACTIVITY - RANGE OF MOTION EXERCISES  
ID.....{D028A8B1-2548-485F-9D87-D9154858E076}  
TERM.....ACTIVITY - RANGE OF MOTION EXERCISES

TASK: ACTIVITY - SIT IN CHAIR

-----  
ABBREVIATION.....ACT SIT CH  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - SIT IN CHAIR

DISPLAY\_NAME.....ACTIVITY - SIT IN CHAIR  
HELP\_TEXT.....ACTIVITY - SIT IN CHAIR  
ID.....{62765F1D-A170-450C-89C3-5F9EEFAFF71B}  
TERM.....ACTIVITY - SIT IN CHAIR

TASK: ACTIVITY - TURN PATIENT

-----  
ABBREVIATION.....ACT TURN  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - TURN PATIENT  
DISPLAY\_NAME.....ACTIVITY - TURN PATIENT  
HELP\_TEXT.....ACTIVITY - TURN PATIENT  
ID.....{7A545892-7660-4ADE-8017-12DD76762EE8}  
TERM.....ACTIVITY - TURN PATIENT

TASK: ADL - BATH ASSIST

-----  
ABBREVIATION.....ADLBATHASS  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH ASSIST  
DISPLAY\_NAME.....ADL - BATH ASSIST  
HELP\_TEXT.....ADL - BATH ASSIST  
ID.....{0DF710C3-7EB8-44EA-8425-C4F5707D1744}  
TERM.....ADL - BATH ASSIST

TASK: ADL - BATH COMPLETE

-----  
ABBREVIATION.....ADLBATHCOM  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH COMPLETE  
DISPLAY\_NAME.....ADL - BATH COMPLETE  
HELP\_TEXT.....No Help Text  
ID.....{E48D2F58-C42D-4D61-9E34-19DB98966970}  
TERM.....ADL - BATH COMPLETE

TASK: ADL - BATH PARTIAL

-----  
ABBREVIATION.....ADLBATHPAR  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH PARTIAL  
DISPLAY\_NAME.....ADL - BATH PARTIAL  
HELP\_TEXT.....ADL - BATH PARTIAL  
ID.....{6997EBBC-1D7C-46CC-AFC0-0035A777DFBD}  
TERM.....ADL - BATH PARTIAL

TASK: ADL - BATH SELF

-----  
ABBREVIATION.....ADLBATHSEL  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH SELF  
DISPLAY\_NAME.....ADL - BATH SELF

HELP\_TEXT.....ADL - BATH SELF

ID.....{F79F34A1-F147-4A68-8039-2F80E3BF7CBE}

TERM.....ADL - BATH SELF

TASK: ADL - CATHETER CARE

-----

ABBREVIATION.....ADLCATHCAR

ACTIVE.....Yes

DESCRIPTION.....ADL - CATHETER CARE

DISPLAY\_NAME.....ADL - CATHETER CARE

HELP\_TEXT.....ADL - CATHETER CARE

ID.....{8AAD5864-D7A5-4886-AD58-BDDDC00D80DC}

TERM.....ADL - CATHETER CARE

TASK: ADL - FEED PATIENT

-----

ABBREVIATION.....ADL FEED P

ACTIVE.....Yes

DESCRIPTION.....ADL - FEED PATIENT

DISPLAY\_NAME.....ADL - FEED PATIENT

HELP\_TEXT.....ADL - FEED PATIENT

ID.....{D525A017-C515-4FBE-9CC2-FDB5FA6CF010}

TERM.....ADL - FEED PATIENT

TASK: ADL - ORAL HYGIENE

-----  
ABBREVIATION.....ADLORALHYG  
ACTIVE.....Yes  
DESCRIPTION.....ADL - ORAL HYGIENE  
DISPLAY\_NAME.....ADL - ORAL HYGIENE  
HELP\_TEXT.....ADL - ORAL HYGIENE  
ID.....{27044060-F4C7-4616-9CE4-D2BFE1001EEE}  
TERM.....ADL - ORAL HYGIENE

TASK: ADL - SHAVE

-----  
ABBREVIATION.....ADLSHAVE  
ACTIVE.....Yes  
DESCRIPTION.....ADL - SHAVE  
DISPLAY\_NAME.....ADL - SHAVE  
HELP\_TEXT.....ADL - SHAVE  
ID.....{B5763C28-DEF7-4A6B-86C2-1C1237B6F568}  
TERM.....ADL - SHAVE

TASK: ADL - SKIN CARE

-----  
ABBREVIATION.....ADLSKINCAR  
ACTIVE.....Yes  
DESCRIPTION.....ADL - SKIN CARE  
DISPLAY\_NAME.....ADL - SKIN CARE

HELP\_TEXT.....ADL - SKIN CARE

ID.....{7B41CD6E-8F0C-44B5-9415-288ABAF8271A}

TERM.....ADL - SKIN CARE

TASK: ADL - TURN

-----

ABBREVIATION.....ADLTURN

ACTIVE.....Yes

DESCRIPTION.....ADL - TURN

DISPLAY\_NAME.....ADL - TURN

HELP\_TEXT.....ADL - TURN

ID.....{CCF74486-3ADE-4A67-A6A0-121F195E6FCB}

TERM.....ADL - TURN

TASK: ASSESSMENT - CO

-----

ABBREVIATION.....A CO

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - CO

DISPLAY\_NAME.....ASSESSMENT - CO

HELP\_TEXT.....ASSESSMENT - CO

ID.....{D94C0EFD-CFB8-4249-89D0-1A4BF6C777FC}

TERM.....ASSESSMENT - CO

TASK: ASSESSMENT - COLLECT VITALS

-----

ABBREVIATION.....A CO VITAL

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - COLLECT VITALS

DISPLAY\_NAME.....ASSESSMENT - COLLECT VITALS

HELP\_TEXT.....ASSESSMENT - COLLECT VITALS

ID.....{9A21F145-1DBA-0BA5-4C9D-E9E31B3F3E45}

TERM.....ASSESSMENT - COLLECT VITALS

TASK: ASSESSMENT - DOPPLERS

-----

ABBREVIATION.....A DOPPLERS

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - DOPPLERS

DISPLAY\_NAME.....ASSESSMENT - DOPPLERS

HELP\_TEXT.....ASSESSMENT - DOPPLERS

ID.....{8B1F6E7E-95D5-47A0-A23D-2A8A088930B8}

TERM.....ASSESSMENT - DOPPLERS

TASK: ASSESSMENT - FINGERSTICK BLOOD SUGAR

-----

ABBREVIATION.....A BLD SUGR

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

DISPLAY\_NAME.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

HELP\_TEXT.....ASSESSMENT - FINGERSTICK BLOOD SUGAR  
(FSBS)

ID.....{50A07B57-D9E6-4F67-B6BC-E21D4A60A56C}

TERM.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

TASK: ASSESSMENT - HEMODYNAMIC READINGS

-----

ABBREVIATION.....A HEMO REA

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - HEMODYNAMIC READINGS

DISPLAY\_NAME.....ASSESSMENT - HEMODYNAMIC READINGS

HELP\_TEXT.....ASSESSMENT - HEMODYNAMIC READINGS

ID.....{98328403-2F7B-7404-34EA-5411633EA55C}

TERM.....ASSESSMENT - HEMODYNAMIC READINGS

TASK: ASSESSMENT - I&O

-----

ABBREVIATION.....A I&O

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - I&O

DISPLAY\_NAME.....ASSESSMENT - I&O

HELP\_TEXT.....ASSESSMENT - I&O

ID.....{53CA663E-40AC-4089-A250-10635CC64F06}

TERM.....ASSESSMENT - I&O



TASK: ASSESSMENT - NEURO CHECKS

-----  
ABBREVIATION.....A NRO CHKS  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - NEURO CHECKS  
DISPLAY\_NAME.....ASSESSMENT - NEURO CHECKS  
HELP\_TEXT.....ASSESSMENT - NEURO CHECKS  
ID.....{8E1E8DE5-EFE6-41B9-86CD-484BC9EF4F66}  
TERM.....ASSESSMENT - NEURO CHECKS

TASK: ASSESSMENT - NEUROVASCULAR CHECKS

-----  
ABBREVIATION.....A NROVASCU  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - NEUROVASCULAR CHECKS  
DISPLAY\_NAME.....ASSESSMENT - NEUROVASCULAR CHECKS  
HELP\_TEXT.....ASSESSMENT - NEUROVASCULAR CHECKS  
ID.....{4C7FBC3F-F88B-426B-9DCB-74EE2FBC40EA}  
TERM.....ASSESSMENT - NEUROVASCULAR CHECKS

TASK: ASSESSMENT - PCA

-----  
ABBREVIATION.....A PCA  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - PCA  
DISPLAY\_NAME.....ASSESSMENT - PCA

HELP\_TEXT.....ASSESSMENT - PCA

ID.....{88464AA6-3DCF-4388-B0EC-6B3D6B098FEC}

TERM.....ASSESSMENT - PCA

TASK: ASSESSMENT - PULSE OX

-----

ABBREVIATION.....A PULSE OX

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - PULSE OX

DISPLAY\_NAME.....ASSESSMENT - PULSE OX

HELP\_TEXT.....ASSESSMENT - PULSE OX

ID.....{FC2A17F3-DC69-427D-946B-C3403B92528B}

TERM.....ASSESSMENT - PULSE OX

TASK: ASSESSMENT - RESTRAINTS

-----

ABBREVIATION.....A RESTRAIN

ACTIVE.....Yes

DESCRIPTION.....ASSESSMENT - RESTRAINTS

DISPLAY\_NAME.....ASSESSMENT - RESTRAINTS

HELP\_TEXT.....ASSESSMENT - RESTRAINTS

ID.....{3D02BA0C-BFDD-4D82-8B44-40C861E7FD24}

TERM.....ASSESSMENT - RESTRAINTS

TASK: ASSESSMENT - TELEMETRY

-----  
ABBREVIATION.....A TELEMETR  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - TELEMETRY  
DISPLAY\_NAME.....ASSESSMENT - TELEMETRY  
HELP\_TEXT.....ASSESSMENT - TELEMETRY  
ID.....{48C7FB6E-74C2-4EA4-984F-19C11C9072D7}  
TERM.....ASSESSMENT - TELEMETRY

TASK: ASSESSMENT - WEIGHT

-----  
ABBREVIATION.....A WEIGHT  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - GET PATIENTS WEIGHT  
DISPLAY\_NAME.....ASSESSMENT - WEIGHT  
HELP\_TEXT.....ASSESSMENT - GET PATIENTS WEIGHT  
ID.....{CCB2F8DF-9319-4767-AE7D-90A7705C03FD}  
TERM.....ASSESSMENT - WEIGHT

TASK: CALL HOUSE OFFICER - BP DIASTOLIC

-----  
ABBREVIATION.....CHO DBP  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - BP DIASTOLIC  
DISPLAY\_NAME.....CALL HOUSE OFFICER - BP DIASTOLIC

HELP\_TEXT.....CALL HOUSE OFFICER - BP DIASTOLIC  
ID.....{19A8A7AD-6BAC-4326-806C-BC80E5636FFC}  
TERM.....CALL HOUSE OFFICER - BP DIASTOLIC

TASK: CALL HOUSE OFFICER - BP SYSTOLIC

-----  
ABBREVIATION.....CHO SBP  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - BP SYSTOLIC  
DISPLAY\_NAME.....CALL HOUSE OFFICER - BP SYSTOLIC  
HELP\_TEXT.....CALL HOUSE OFFICER - BP SYSTOLIC  
ID.....{971F71F9-AAD6-46BF-A729-45F0B98FD6D3}  
TERM.....CALL HOUSE OFFICER - BP SYSTOLIC

TASK: CALL HOUSE OFFICER - PULSE

-----  
ABBREVIATION.....CHO PULSE  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - PULSE  
DISPLAY\_NAME.....CALL HOUSE OFFICER - PULSE  
HELP\_TEXT.....CALL HOUSE OFFICER - PULSE  
ID.....{81EED77A-5116-4B2D-B52B-42BAFACC69C9}  
TERM.....CALL HOUSE OFFICER - PULSE

TASK: CALL HOUSE OFFICER - RESPIRATORY RATE

-----

ABBREVIATION.....CHO RR

ACTIVE.....Yes

DESCRIPTION.....CALL HOUSE OFFICER - RESPIRATORY RATE

DISPLAY\_NAME.....CALL HOUSE OFFICER - RESPIRATORY RATE

HELP\_TEXT.....CALL HOUSE OFFICER - RESPIRATORY RATE

ID.....{D2DFE1EC-017F-49B8-B59C-C724F71F2E63}

TERM.....CALL HOUSE OFFICER - RESPIRATORY RATE

TASK: CALL HOUSE OFFICER - TEMP

-----

ABBREVIATION.....CHO TEMP

ACTIVE.....Yes

DESCRIPTION.....CALL HOUSE OFFICER - TEMP

DISPLAY\_NAME.....CALL HOUSE OFFICER - TEMP

HELP\_TEXT.....CALL HOUSE OFFICER - TEMP

ID.....{E59A3DC0-73CB-4B0F-B031-E3CFF280EA5F}

TERM.....CALL HOUSE OFFICER - TEMP

TASK: HYDRATION - DIET

-----

ABBREVIATION.....HY DIET

ACTIVE.....Yes

DESCRIPTION.....HYDRATION - DIET

DISPLAY\_NAME.....HYDRATION - DIET

HELP\_TEXT.....HYDRATION - DIET

ID.....{C0F14019-FF1A-4D42-A857-4B1E86E793FA}

TERM.....HYDRATION - DIET

TASK: HYDRATION - HEPARIN DRIP

-----

ABBREVIATION.....HY HEPARIN

ACTIVE.....Yes

DESCRIPTION.....HYDRATION - HEPARIN DRIP

DISPLAY\_NAME.....HYDRATION - HEPARIN DRIP

HELP\_TEXT.....HYDRATION - HEPARIN DRIP

ID.....{EC49EE9D-C2EB-4F7D-A9D4-9746DDEF84A6}

TERM.....HYDRATION - HEPARIN DRIP

TASK: HYDRATION - HYPERAL

-----

ABBREVIATION.....HY HYPERAL

ACTIVE.....Yes

DESCRIPTION.....HYDRATION - HYPERAL

DISPLAY\_NAME.....HYDRATION - HYPERAL

HELP\_TEXT.....HYDRATION - HYPERAL

ID.....{5F91CA9E-82F1-4490-8648-896864F1F68C}

TERM.....HYDRATION - HYPERAL

TASK: HYDRATION - IV FLUIDS

-----  
ABBREVIATION.....HY IV FLU  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - IV FLUIDS  
DISPLAY\_NAME.....HYDRATION - IV FLUIDS  
HELP\_TEXT.....HYDRATION - IV FLUIDS  
ID.....{75D6B913-147F-4318-B6A5-985438E8CF66}  
TERM.....HYDRATION - IV FLUIDS

TASK: HYDRATION - NPO

-----  
ABBREVIATION.....HY NPO  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - NPO  
DISPLAY\_NAME.....HYDRATION - NPO  
HELP\_TEXT.....HYDRATION - NPO  
ID.....{44028E10-FB0D-4AFD-9B8D-90F157D6329D}  
TERM.....HYDRATION - NPO

TASK: HYDRATION - PERIPHERAL IV

-----  
ABBREVIATION.....HY PIV  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - PERIPHERAL IV  
DISPLAY\_NAME.....HYDRATION - PERIPHERAL IV

HELP\_TEXT.....HYDRATION - PERIPHERAL IV  
ID.....{1ACA57CF-4226-4EF1-AABD-142EE1DE369F}  
TERM.....HYDRATION - PERIPHERAL IV

TASK: HYDRATION - PICC/CENTRAL LINE

-----  
ABBREVIATION.....HY PICC  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - PICC/CENTRAL LINE  
DISPLAY\_NAME.....HYDRATION - PICC/CENTRAL LINE  
HELP\_TEXT.....HYDRATION - PICC/CENTRAL LINE  
ID.....{E1D6E811-CE80-4F8A-AB00-570D1C8079CA}  
TERM.....HYDRATION - PICC/CENTRAL LINE

TASK: HYDRATION - SUPPLEMENT SNACK

-----  
ABBREVIATION.....HY SNACK S  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - SUPPLEMENT SNACK  
DISPLAY\_NAME.....HYDRATION - SUPPLEMENT SNACK  
HELP\_TEXT.....HYDRATION - SUPPLEMENT SNACK  
ID.....{0916F365-7FBC-4FD3-A55B-CAD4E41A00B1}  
TERM.....HYDRATION - SUPPLEMENT SNACK



TASK: HYDRATION - TUBE FEEDING

-----  
ABBREVIATION.....HY TU FEED  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - TUBE FEEDING  
DISPLAY\_NAME.....HYDRATION - TUBE FEEDING  
HELP\_TEXT.....HYDRATION - TUBE FEEDING  
ID.....{6EDD774C-DD5A-4BF6-B06D-725FD7A0B26C}  
TERM.....HYDRATION - TUBE FEEDING

TASK: NURSING INTERVENTIONS - STRAIGHT CATH

-----  
ABBREVIATION.....NI ST CATH  
ACTIVE.....Yes  
DESCRIPTION.....NURSING INTERVENTIONS - STRAIGHT CATH  
DISPLAY\_NAME.....NURSING INTERVENTIONS - STRAIGHT CATH  
HELP\_TEXT.....NURSING INTERVENTIONS - STRAIGHT CATH  
ID.....{A1F54C3F-CFD1-4767-BED8-55BF2BE872DD}  
TERM.....NURSING INTERVENTIONS - STRAIGHT CATH

TASK: NURSING INTERVENTIONS - WOUND CARE

-----  
ABBREVIATION.....NI WOU CAR  
ACTIVE.....Yes  
DESCRIPTION.....NURSING INTERVENTIONS - WOUND CARE  
DISPLAY\_NAME.....NURSING INTERVENTIONS - WOUND CARE

HELP\_TEXT.....NURSING INTERVENTIONS - WOUND CARE

ID.....{BFBE2EFF-3644-439F-951C-804B43BFFF30}

TERM.....NURSING INTERVENTIONS - WOUND CARE

TASK: PRECAUTIONS - 24 HOUR CHART CHECK

-----

ABBREVIATION.....PREC 24 CH

ACTIVE.....Yes

DESCRIPTION.....PRECAUTIONS - 24 HOUR CHART CHECK

DISPLAY\_NAME.....PRECAUTIONS - 24 HOUR CHART CHECK

HELP\_TEXT.....PRECAUTIONS - 24 HOUR CHART CHECK

ID.....{96C39F92-CE4C-4D6B-9837-9C9FECDEC199}

TERM.....PRECAUTIONS - 24 HOUR CHART CHECK

TASK: PRECAUTIONS - ASPIRATION

-----

ABBREVIATION.....PREC ASPIR

ACTIVE.....Yes

DESCRIPTION.....PRECAUTIONS - ASPIRATION

DISPLAY\_NAME.....PRECAUTIONS - ASPIRATION

HELP\_TEXT.....PRECAUTIONS - ASPIRATION

ID.....{D8D28810-655E-4707-BF6D-B853F18A1E08}

TERM.....PRECAUTIONS - ASPIRATION

TASK: PRECAUTIONS - ETOH W/D

-----  
ABBREVIATION.....PREC ETOH  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - ETOH W/D  
DISPLAY\_NAME.....PRECAUTIONS - ETOH W/D  
HELP\_TEXT.....PRECAUTIONS - ETOH W/D  
ID.....{7800B16E-ECCD-4086-985C-0D12D4671123}  
TERM.....PRECAUTIONS - ETOH W/D

TASK: PRECAUTIONS - FALL

-----  
ABBREVIATION.....PREC FALL  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - FALL  
DISPLAY\_NAME.....PRECAUTIONS - FALL  
HELP\_TEXT.....PRECAUTIONS - FALL  
ID.....{CAB2E3CC-18AD-40AB-946B-DB0292E7FA09}  
TERM.....PRECAUTIONS - FALL

TASK: PRECAUTIONS - PATIENT TEACHING

-----  
ABBREVIATION.....PREC TEACH  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - PATIENT TEACHING  
DISPLAY\_NAME.....PRECAUTIONS - PATIENT TEACHING

HELP\_TEXT.....PRECAUTIONS - PATIENT TEACHING  
ID.....{C58B33AB-6442-46A5-B24A-E2B856C72B98}  
TERM.....PRECAUTIONS - PATIENT TEACHING

TASK: PRECAUTIONS - VALIDATE ALARMS

-----  
ABBREVIATION.....PREC ALARM  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - VALIDATE ALARMS  
DISPLAY\_NAME.....PRECAUTIONS - VALIDATE ALARMS  
HELP\_TEXT.....PRECAUTIONS - VALIDATE ALARMS  
ID.....{CF386EC1-F5B6-4D15-8E48-8453FE6FC1CC}  
TERM.....PRECAUTIONS - VALIDATE ALARMS

TASK: PULMONARY - CHEST PHYSIO-THERAPY

-----  
ABBREVIATION.....PULMCHPHTH  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - CHEST PHYSIO-THERAPY  
DISPLAY\_NAME.....PULMONARY - CHEST PHYSIO-THERAPY  
HELP\_TEXT.....PULMONARY - CHEST PHYSIO-THERAPY  
ID.....{F028FA64-3957-4A15-B30A-277AF594A69D}  
TERM.....PULMONARY - CHEST PHYSIO-THERAPY

TASK: PULMONARY - COUGH AND DEEP BREATH

-----

ABBREVIATION.....PULMCOUGH  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - COUGH AND DEEP BREATH  
DISPLAY\_NAME.....PULMONARY - COUGH AND DEEP BREATH  
HELP\_TEXT.....PULMONARY - COUGH AND DEEP BREATH  
ID.....{17A5D60E-ED50-4FBA-879D-4618563D2B98}  
TERM.....PULMONARY - COUGH AND DEEP BREATH

TASK: PULMONARY - ET TUBE CARE

-----

ABBREVIATION.....PULM ET TU  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - ET TUBE CARE  
DISPLAY\_NAME.....PULMONARY - ET TUBE CARE  
HELP\_TEXT.....PULMONARY - ET TUBE CARE  
ID.....{B2F57E59-33C5-49FB-BEE9-176647329910}  
TERM.....PULMONARY - ET TUBE CARE

TASK: PULMONARY - INCENTIVE SPIROMETER

-----

ABBREVIATION.....PULMINCSPI  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - INCENTIVE SPIROMETER  
DISPLAY\_NAME.....PULMONARY - INCENTIVE SPIROMETER

HELP\_TEXT.....PULMONARY - INCENTIVE SPIROMETER  
ID.....{F856E287-BAAC-4D8C-AFAD-34912621F3B4}  
TERM.....PULMONARY - INCENTIVE SPIROMETER

TASK: PULMONARY - OXYGEN

-----  
ABBREVIATION.....PULM OXYGE  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - OXYGEN  
DISPLAY\_NAME.....PULMONARY - OXYGEN  
HELP\_TEXT.....PULMONARY - OXYGEN  
ID.....{14A986A8-54F1-4D9A-A2EB-43F306704C42}  
TERM.....PULMONARY - OXYGEN

TASK: PULMONARY - SUCTION PATIENT

-----  
ABBREVIATION.....PULM-SUCTI  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - SUCTION PATIENT  
DISPLAY\_NAME.....PULMONARY - SUCTION PATIENT  
HELP\_TEXT.....PULMONARY - SUCTION PATIENT  
ID.....{8B74C2F6-8CFB-4A60-9158-5333B980D047}  
TERM.....PULMONARY - SUCTION PATIENT



ABBREVIATION.....RES CIR CH  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Circulation Check  
DISPLAY\_NAME.....Restraint - Circulation Check  
HELP\_TEXT.....Restraint - Circulation Check  
ID.....{0A1DA91C-BC0E-4B07-967D-2BAB7E64B028}  
TERM.....RESTRAINT - CIRCULATION CHECK

TASK: RESTRAINT - DEVICE RELEASE

-----  
ABBREVIATION.....RES DEV RE  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Device Release  
DISPLAY\_NAME.....Restraint - Device Release  
HELP\_TEXT.....Restraint - Device Release  
ID.....{7B0C29DA-6593-472C-9716-24F7E2B7ABD7}  
TERM.....RESTRAINT - DEVICE RELEASE

TASK: RESTRAINT - FALL PRECAUTIONS

-----  
ABBREVIATION.....RES FALL P  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Fall Precautions  
DISPLAY\_NAME.....Restraint - Fall Precautions  
HELP\_TEXT.....Restraint - Fall Precautions  
ID.....{D812036A-7B6B-4C9C-9EE2-616C5EFC4789}  
TERM.....RESTRAINT - FALL PRECAUTIONS



TASK: RESTRAINT - SEIZURE PRECAUTIONS

-----  
ABBREVIATION.....RES SEI PR  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Seizure Precautions  
DISPLAY\_NAME.....Restraint - Seizure Precautions  
HELP\_TEXT.....Restraint - Seizure Precautions  
ID.....{71606A0A-05E6-4DFD-9E00-677A07167199}  
TERM.....RESTRAINT - SEIZURE PRECAUTIONS

TASK: TESTS/PROC. - ACCUCHECKS

-----  
ABBREVIATION.....TP ACCUCHE  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - ACCUCHECKS  
DISPLAY\_NAME.....TESTS/PROC. - ACCUCHECKS  
HELP\_TEXT.....TESTS/PROC. - ACCUCHECKS  
ID.....{0A5E0495-B990-449B-B5F6-10497842534E}  
TERM.....TESTS/PROC. - ACCUCHECKS

TASK: TESTS/PROC. - BLOOD CULTURES

-----  
ABBREVIATION.....T/P BLOOD  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - BLOOD CULTURES  
DISPLAY\_NAME.....TESTS/PROC. - BLOOD CULTURES

HELP\_TEXT.....TESTS/PROC. - BLOOD CULTURES  
ID.....{BC2F7EFE-3990-47D2-863A-6FB2227746F3}  
TERM.....TESTS/PROC. - BLOOD CULTURES

TASK: TESTS/PROC. - DAILY LABS

-----  
ABBREVIATION.....T/P D LABS  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - DAILY LABS  
DISPLAY\_NAME.....TESTS/PROC. - DAILY LABS  
HELP\_TEXT.....TESTS/PROC. - DAILY LABS  
ID.....{03B3A828-D4B0-40CF-B12C-1DD936DE98AC}  
TERM.....TESTS/PROC. - DAILY LABS

TASK: TESTS/PROC. - MORNING LABS

-----  
ABBREVIATION.....T/P M LABS  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - MORNING LABS  
DISPLAY\_NAME.....TESTS/PROC. - MORNING LABS  
HELP\_TEXT.....TESTS/PROC. - MORNING LABS  
ID.....{6F81B3D1-CCBC-4BC9-AFF0-64000DF212EB}  
TERM.....TESTS/PROC. - MORNING LABS

TASK: TESTS/PROC. - ZERO BALANCE HEMO. LINES

-----  
ABBREVIATION.....T/P 0 HEMO  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - ZERO BALANCE HEMO. LINES  
DISPLAY\_NAME.....TESTS/PROC. - ZERO BALANCE HEMO. LINES  
HELP\_TEXT.....TESTS/PROC. - ZERO BALANCE HEMO. LINES  
ID.....{9CEDB731-A785-48B7-AC92-84B10FCCCE86}  
TERM.....TESTS/PROC. - ZERO BALANCE HEMO. LINES

TASK: TUBES & DRAINS - CONDOM CATH

-----  
ABBREVIATION.....T&D C CATH  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - CONDOM CATH  
DISPLAY\_NAME.....TUBES & DRAINS - CONDOM CATH  
HELP\_TEXT.....TUBES & DRAINS - CONDOM CATH  
ID.....{385EFB2B-55BB-486E-B168-D1FFF71E086C}  
TERM.....TUBES & DRAINS - CONDOM CATH

TASK: TUBES & DRAINS - FOLEY

-----  
ABBREVIATION.....T&D FOLEY  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - FOLEY  
DISPLAY\_NAME.....TUBES & DRAINS - FOLEY

HELP\_TEXT.....TUBES & DRAINS - FOLEY

ID.....{14CECC17-A780-41DD-98A4-6E226630BC65}

TERM.....TUBES & DRAINS - FOLEY

TASK: TUBES & DRAINS - I/O CATH

-----

ABBREVIATION.....T&D I/O CA

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - I/O CATH

DISPLAY\_NAME.....TUBES & DRAINS - I/O CATH

HELP\_TEXT.....TUBES & DRAINS - I/O CATH

ID.....{5BA34E92-5248-4954-A677-443C4B2183E8}

TERM.....TUBES & DRAINS - I/O CATH

TASK: TUBES & DRAINS - NG TUBE

-----

ABBREVIATION.....T&D NG TU

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - NG TUBE

DISPLAY\_NAME.....TUBES & DRAINS - NG TUBE

HELP\_TEXT.....TUBES & DRAINS - NG TUBE

ID.....{BBFCE51A-9CCF-44AC-8C37-4A779232A4B7}

TERM.....TUBES & DRAINS - NG TUBE

TASK: TUBES & DRAINS - SUPRAPUBIC DRAIN

-----

ABBREVIATION.....T&D SUP DR

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - SUPRAPUBIC DRAIN

DISPLAY\_NAME.....TUBES & DRAINS - SUPRAPUBIC DRAIN

HELP\_TEXT.....TUBES & DRAINS - SUPRAPUBIC DRAIN

ID.....{6A4A5F28-35D3-494E-BA97-2E0DE4A7B8CC}

TERM.....TUBES & DRAINS - SUPRAPUBIC DRAIN

UNIT: BEATS PER MINUTE

ABBREVIATION.....bpm

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Beats Per Minute

HELP\_TEXT.....No Help Text

ID.....{8319B3B0-0F31-1393-154D-59A86692D637}

TERM.....BEATS PER MINUTE

UNIT: BRADEN SCALE

ABBREVIATION.....BRADEN SCA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Braden Scale

HELP\_TEXT.....No Help Text

ID.....{B5EE25BB-DA66-4AC9-9A3B-C05497B2647C}

TERM.....BRADEN SCALE

UNIT: BREATHS PER MINUTE

ABBREVIATION.....rpm

ACTIVE.....Yes

DESCRIPTION.....No Description  
DISPLAY\_NAME.....Resp/Min  
HELP\_TEXT.....No Help Text  
ID.....{DCF89527-FFAE-F68E-0871-602F3C32DDB1}  
TERM.....BREATHS PER MINUTE

UNIT: CALORIE

---

ABBREVIATION.....CALORIE  
ACTIVE.....Yes  
DESCRIPTION.....A unit of food energy  
DISPLAY\_NAME.....Calorie  
HELP\_TEXT.....The amount of energy required to  
raise the temperature of a liter of  
water one degree centigrade at sea  
level

ID.....{9F7DE371-AB4B-45EE-A8E3-825822419CCA}  
TERM.....CALORIE

UNIT: CENTIMETER

---

ABBREVIATION.....cm  
ACTIVE.....Yes  
DESCRIPTION.....Measurment of length  
DISPLAY\_NAME.....Centimeter  
HELP\_TEXT.....Metric  
ID.....{EF700458-8C2D-16E8-02DC-9E1711584C53}

TERM.....CENTIMETER



UNIT: CENTIMETERS H2O

-----  
ABBREVIATION.....CM H2O  
ACTIVE.....Yes  
DESCRIPTION.....CENTIMETERS OF WATER  
DISPLAY\_NAME.....CM H2O  
HELP\_TEXT.....No Help Text  
ID.....{F7030BB1-AD2C-15F6-FF41-6DA893C851C1}  
TERM.....CENTIMETERS H2O

UNIT: CIWA SCALE

-----  
ABBREVIATION.....CIWA SCALE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CIWA SCALE  
HELP\_TEXT.....Scale For Addition Of All CIWA Scores  
ID.....{0ED378B9-C1A4-4ABA-82B7-F62BC0D62886}  
TERM.....CIWA SCALE

UNIT: CUBIC CENTIMETER

-----  
ABBREVIATION.....Cubic Cent  
ACTIVE.....Yes  
DESCRIPTION.....Cubic Centimeter  
DISPLAY\_NAME.....Cubic Centimeter

HELP\_TEXT.....No Help Text  
ID.....{4698E6A0-DA6C-4A0A-800A-395BBCD2871E}  
TERM.....CUBIC CENTIMETER

UNIT: DAY

-----

ABBREVIATION.....Day  
ACTIVE.....Yes  
DESCRIPTION.....Measurement of passage of time (24  
hours)

DISPLAY\_NAME.....Day  
HELP\_TEXT.....No Help Text  
ID.....{742619B2-A8C7-1A53-45CD-C3E25A05D58C}  
TERM.....DAY

UNIT: DEGREES (ANGLE)

-----

ABBREVIATION.....DEG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Degrees (Angle)  
HELP\_TEXT.....No Help Text  
ID.....{5F407D72-3009-2553-7DDC-82BAF2043FCA}  
TERM.....DEGREES (ANGLE)

UNIT: DEGREES C

-----

ABBREVIATION.....C

ACTIVE.....Yes

DESCRIPTION.....Metric Temperature

DISPLAY\_NAME.....Celsius

HELP\_TEXT.....No Help Text

ID.....{1964CB4C-0584-DA80-C7A9-E7400DCD817D}

TERM.....DEGREES C

UNIT: DEGREES F

-----

ABBREVIATION.....F

ACTIVE.....Yes

DESCRIPTION.....US measurement of temperature

DISPLAY\_NAME.....Fahrenheit

HELP\_TEXT.....No Help Text

ID.....{59FC6CA4-9389-B770-5A9C-8C5A38C572D8}

TERM.....DEGREES F

UNIT: DYNE \* SECONDS / CM(-5) \* M2

-----

ABBREVIATION.....D\*S/CM\*M2

ACTIVE.....Yes

DESCRIPTION.....dyne \* seconds / cm(-5) \* m2

DISPLAY\_NAME.....dyne \* seconds / cm(-5) \* m2

HELP\_TEXT.....dyne \* seconds / cm(-5) \* m2  
ID.....{1241878F-AECA-B1A8-BF12-D5FA583FC1B2}  
TERM.....DYNE \* SECONDS / CM(-5) \* M2

UNIT: DYNE \* SECONDS / CM(-5) / M2

---

ABBREVIATION.....D\*S/CM/M2  
ACTIVE.....Yes  
DESCRIPTION.....dyne \* seconds/cm(-5) / m2  
DISPLAY\_NAME.....dyne \* seconds/cm(-5) / m2  
HELP\_TEXT.....dyne \* seconds/cm(-5) / m2  
ID.....{A642531F-A72E-CF60-D31A-F38AD12A8B30}  
TERM.....DYNE \* SECONDS / CM(-5) / M2

UNIT: DYNE-SEC/CM5

---

ABBREVIATION.....dyne-sec/c  
ACTIVE.....Yes  
DESCRIPTION.....dyne-sec/cm5  
DISPLAY\_NAME.....dyne-sec/cm5  
HELP\_TEXT.....dyne-sec/cm5  
ID.....{01A538D8-41AF-4D0B-B827-D557060A618A}  
TERM.....DYNE-SEC/CM5

UNIT: EVENT(S)

-----

ABBREVIATION.....EVENT(S)

ACTIVE.....Yes

DESCRIPTION.....Event(s)

DISPLAY\_NAME.....Event(s)

HELP\_TEXT.....No Help Text

ID.....{723F907D-8B71-4183-AE54-66D0C3C72DCA}

TERM.....EVENT(S)

UNIT: EVENTS PER HOUR

-----

ABBREVIATION.....EVENT/H

ACTIVE.....Yes

DESCRIPTION.....NUMBER OF TIMES PER HOUR THAT AN  
OBSERVABLE EVENT OCCURS

DISPLAY\_NAME.....Events Per Hour

HELP\_TEXT.....No Help Text

ID.....{3D648D4F-02A9-474A-65BF-70608E75BC29}

TERM.....EVENTS PER HOUR

UNIT: FOOT

-----

ABBREVIATION.....FT

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Foot/Feet  
HELP\_TEXT.....No Help Text  
ID.....{66D6F7EC-3884-4790-AC35-10B2AE84257F}  
TERM.....FOOT

UNIT: FRENCH

-----  
ABBREVIATION.....FRENCH  
ACTIVE.....Yes  
DESCRIPTION.....UNIT OF MEASURE FOR ARTIFICIAL AIRWAYS  
DISPLAY\_NAME.....French  
HELP\_TEXT.....No Help Text  
ID.....{3734E0E0-087B-098A-984A-E42264CF6567}  
TERM.....FRENCH

UNIT: GAUGE

-----  
ABBREVIATION.....GAUGE  
ACTIVE.....Yes  
DESCRIPTION.....Gauge For Needles  
DISPLAY\_NAME.....Gauge  
HELP\_TEXT.....No Help Text  
ID.....{5670BBC1-4962-4FA1-A4D0-1E399F2D06B1}  
TERM.....GAUGE

UNIT: GLASGOW COMA SCALE

-----  
ABBREVIATION.....GCS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Glasgow Coma Scale  
HELP\_TEXT.....No Help Text  
ID.....{CA674718-C98D-669F-8954-F9EC91C2F6F3}  
TERM.....GLASGOW COMA SCALE

UNIT: GM-M/M2/BEAT

-----  
ABBREVIATION.....gm-m/m2/be  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....gm-m/m2/beat  
HELP\_TEXT.....No Help Text  
ID.....{DB5404C8-1880-4B54-B053-DF0875E72C3B}  
TERM.....GM-M/M2/BEAT

UNIT: GRAMS PER HOUR

-----  
ABBREVIATION.....gm/hr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....gm/hr

HELP\_TEXT.....No Help Text

ID.....{A50449B1-DF42-4D18-8F02-59937EA6CDE4}

TERM.....GRAMS PER HOUR

UNIT: GRAMS PER MINUTE

-----

ABBREVIATION.....gm/min

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Grams Per Minute

HELP\_TEXT.....No Help Text

ID.....{07D005E8-B078-A48F-96B5-8CCAA92EC97F}

TERM.....GRAMS PER MINUTE

UNIT: HOUR

-----

ABBREVIATION.....hr

ACTIVE.....Yes

DESCRIPTION.....Measurement of time

DISPLAY\_NAME.....Hour

HELP\_TEXT.....No Help Text

ID.....{60034E2A-D088-E9B6-9B98-D0F4357A059F}

TERM.....HOUR



UNIT: INCH

-----

ABBREVIATION.....in

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Inch

HELP\_TEXT.....No Help Text

ID.....{9CB32FC9-4130-11F8-E750-AF1415556705}

TERM.....INCH

UNIT: KG/M2

-----

ABBREVIATION.....KG/M2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....KG/M2

HELP\_TEXT.....No Help Text

ID.....{E3204003-83B3-4D12-872D-C32A50F177D0}

TERM.....KG/M2

UNIT: KGS/HOUR

-----

ABBREVIATION.....KGS/HOUR

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....kgs/hour

HELP\_TEXT.....

ID.....{704F239F-CAAF-4F32-B705-62906403B874}

TERM.....KGS/HOUR

UNIT: KILOGRAM

-----

ABBREVIATION.....kg

ACTIVE.....Yes

DESCRIPTION.....Metric measurement of weight

DISPLAY\_NAME.....Kilogram

HELP\_TEXT.....No Help Text

ID.....{0AC4E9AC-41CB-32EA-9674-74FDFAA6B4F4}

TERM.....KILOGRAM

UNIT: LITER

-----

ABBREVIATION.....L

ACTIVE.....Yes

DESCRIPTION.....Volume, 1000 ml

DISPLAY\_NAME.....Liter

HELP\_TEXT.....No Help Text

ID.....{AFADB383-5867-4D7C-8ADB-E76782E5943D}

TERM.....LITER

UNIT: LITERS PER MINUTE

-----  
ABBREVIATION.....L/min  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L/min  
HELP\_TEXT.....No Help Text  
ID.....{CFCD64D2-8555-8513-5DB0-F0522C19DCCF}  
TERM.....LITERS PER MINUTE

UNIT: LITERS PER MINUTE PER METER2 (BSA)

-----  
ABBREVIATION.....L/min/m2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L/min/m2 (BSA)  
HELP\_TEXT.....No Help Text  
ID.....{F033FDA0-C6D6-0D93-F836-C4A42708FDF2}  
TERM.....LITERS PER MINUTE PER METER2 (BSA)

UNIT: MEWS: SCORE UNIT

-----  
ABBREVIATION.....MEWS-Score  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....MEWS: Score Unit

HELP\_TEXT.....

ID.....{C640633E-785A-4ED3-8CD0-356A139ACF36}

TERM.....MEWS: SCORE UNIT

UNIT: MICROGRAMS

-----

ABBREVIATION.....mcg

ACTIVE.....Yes

DESCRIPTION.....Micrograms

DISPLAY\_NAME.....mcg

HELP\_TEXT.....Micrograms

ID.....{5D2A9B6F-4DD1-48C6-B223-09CAF66A5A50}

TERM.....MICROGRAMS

UNIT: MICROGRAMS PER HOUR

-----

ABBREVIATION.....mcg/hr

ACTIVE.....Yes

DESCRIPTION.....Micrograms per Hour

DISPLAY\_NAME.....mcg/hr

HELP\_TEXT.....Micrograms per Hour

ID.....{971A5FA5-2FD7-4ABD-9035-229B00DC484E}

TERM.....MICROGRAMS PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER HOUR

-----

ABBREVIATION.....mcg/kg/hr

ACTIVE.....Yes

DESCRIPTION.....Micrograms per Kilogram per Hour

DISPLAY\_NAME.....mcg/kg/hr

HELP\_TEXT.....Micrograms per Kilogram per Hour

ID.....{E5C07334-6932-4329-88A9-2F56780C5DA9}

TERM.....MICROGRAMS PER KILOGRAM PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER MINUTE

-----

ABBREVIATION.....mcg/kg/min

ACTIVE.....Yes

DESCRIPTION.....Micrograms per Kilogram per Minute

DISPLAY\_NAME.....mcg/kg/min

HELP\_TEXT.....Micrograms per Kilogram per Minute

ID.....{37423DE7-B103-456A-9B36-6C2FBBC55CBE}

TERM.....MICROGRAMS PER KILOGRAM PER MINUTE

UNIT: MICROGRAMS PER MINUTE

-----

ABBREVIATION.....mcg/min

ACTIVE.....Yes

DESCRIPTION.....Micrograms per Minute

DISPLAY\_NAME.....mcg/min

HELP\_TEXT.....Micrograms per Minute

ID.....{BC684DBB-7DCC-4209-A773-D1243616BD69}

TERM.....MICROGRAMS PER MINUTE

UNIT: MICROGRAMS PER SHIFT

-----

ABBREVIATION.....mcg/shift

ACTIVE.....Yes

DESCRIPTION.....

DISPLAY\_NAME.....Micrograms per Shift

HELP\_TEXT.....

ID.....{8FF15E2C-54DF-43C3-B5F1-C4AD323CE043}

TERM.....MICROGRAMS PER SHIFT

UNIT: MILLIAMPS

-----

ABBREVIATION.....mA

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....mA

HELP\_TEXT.....No Help Text

ID.....{5146A84A-C500-CB21-4718-0E5755691FD5}

TERM.....MILLIAMPS

UNIT: MILLIBAR

-----  
ABBREVIATION.....mBar  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Millibar  
HELP\_TEXT.....No Help Text  
ID.....{DB8DBC26-6A46-4F2B-AD14-B6A8212F4FCA}  
TERM.....MILLIBAR

UNIT: MILLIGRAMS

-----  
ABBREVIATION.....mg  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams  
DISPLAY\_NAME.....mg  
HELP\_TEXT.....Milligrams  
ID.....{E8CF6B0F-FA19-4F22-BA9D-6EBAA93D7D0D}  
TERM.....MILLIGRAMS

UNIT: MILLIGRAMS PER HOUR

-----  
ABBREVIATION.....mg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Hour  
DISPLAY\_NAME.....mg/hr

HELP\_TEXT.....Milligrams per Hour

ID.....{1DCC6F14-E4FF-4BDC-ADBA-99192FB44BE7}

TERM.....MILLIGRAMS PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER HOUR

-----

ABBREVIATION.....mg/kg/hr

ACTIVE.....Yes

DESCRIPTION.....Milligrams per Kilogram per Hour

DISPLAY\_NAME.....mg/kg/hr

HELP\_TEXT.....Milligrams per Kilogram per Hour

ID.....{6900F44E-3581-4558-83E2-76FB376D6711}

TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER MINUTE

-----

ABBREVIATION.....mg/kg/min

ACTIVE.....Yes

DESCRIPTION.....Milligrams per Kilogram per Minute

DISPLAY\_NAME.....mg/kg/min

HELP\_TEXT.....Milligrams per Kilogram per Minute

ID.....{7C1C10C2-8B88-4F45-B667-0F988090CD47}

TERM.....MILLIGRAMS PER KILOGRAM PER MINUTE



UNIT: MILLIGRAMS PER MINUTE

-----  
ABBREVIATION.....mg/min  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Minute  
DISPLAY\_NAME.....mg/min  
HELP\_TEXT.....Milligrams per Minute  
ID.....{C5E49AC7-5671-4E84-8047-C7B78607CDA2}  
TERM.....MILLIGRAMS PER MINUTE

UNIT: MILLIGRAMS PER SHIFT

-----  
ABBREVIATION.....mg/shift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Milligrams Per Shift  
HELP\_TEXT.....  
ID.....{518BC06B-84C0-48E3-8241-E123B7B4C642}  
TERM.....MILLIGRAMS PER SHIFT

UNIT: MILLILITER

-----  
ABBREVIATION.....ml  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml

HELP\_TEXT.....No Help Text

ID.....{EAF55107-F8D5-4F0A-6211-B4AB57A874B4}

TERM.....MILLILITER

UNIT: MILLILITERS PER BEAT

-----

ABBREVIATION.....ml/beat

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....ml/beat

HELP\_TEXT.....No Help Text

ID.....{548699B0-98CF-2F0F-F289-415228AFAC42}

TERM.....MILLILITERS PER BEAT

UNIT: MILLILITERS PER BEAT PER METER SQUARE (BSA)

-----

ABBREVIATION.....ml/beat/m2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....ml/beat/m2(BSA)

HELP\_TEXT.....No Help Text

ID.....{574CDB00-A831-EF35-4F2C-A98C0F58923F}

TERM.....MILLILITERS PER BEAT PER METER SQUARE

(BSA)

UNIT: MILLILITERS PER HOUR

-----

ABBREVIATION.....ml/hr

ACTIVE.....Yes

DESCRIPTION.....ml/hr

DISPLAY\_NAME.....ml/hr

HELP\_TEXT.....No Help Text

ID.....{345899A8-9DED-418F-A53F-F8084A5601A1}

TERM.....MILLILITERS PER HOUR

UNIT: MILLILITERS PER METER SQUARE (BSA)

-----

ABBREVIATION.....mL/M2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....mL/M2

HELP\_TEXT.....No Help Text

ID.....{42C265B4-76B3-44FC-985F-EA1EFCEDA244}

TERM.....MILLILITERS PER METER SQUARE (BSA)

UNIT: MILLILITERS PER MINUTE

-----

ABBREVIATION.....ml/min

ACTIVE.....Yes

DESCRIPTION.....Milliliters per Minute

DISPLAY\_NAME.....ml/min

HELP\_TEXT.....Milliliters per Minute

ID.....{25F4A228-D614-457A-9885-8F74D4596897}

TERM.....MILLILITERS PER MINUTE

UNIT: MILLILITERS PER MINUTE PER METER SQUARE

-----

ABBREVIATION.....ml/min/m2

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....ml/min/m2(BSA)

HELP\_TEXT.....No Help Text

ID.....{6404DFC7-F8B4-3C97-80EF-96627E9C0270}

TERM.....MILLILITERS PER MINUTE PER METER SQUARE

UNIT: MILLIMETERS

-----

ABBREVIATION.....mm

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....mm

HELP\_TEXT.....No Help Text

ID.....{23F389B2-8308-91DC-2620-EDFFF07B14A5}

TERM.....MILLIMETERS

UNIT: MILLIMETERS OF MERCURY

-----  
ABBREVIATION.....mm/Hg  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mm Hg  
HELP\_TEXT.....No Help Text  
ID.....{57CF7550-FD97-351E-DF60-56F8F68BE7C6}  
TERM.....MILLIMETERS OF MERCURY

UNIT: MILLIVOLTS

-----  
ABBREVIATION.....mV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mV  
HELP\_TEXT.....No Help Text  
ID.....{40B59357-C9F2-0E5C-DCD7-6C815811F90D}  
TERM.....MILLIVOLTS

UNIT: MILLILITERS PER KILOGRAM PER HOUR

-----  
ABBREVIATION.....ml kg hr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/kg/hour

HELP\_TEXT.....No Help Text  
ID.....{2F63C17C-8246-4466-9DC2-C5E5BE1777C2}  
TERM.....MILLILITERS PER KILOGRAM PER HOUR

UNIT: MILLILITERS PER KILOGRAM PER MINUTE

-----  
ABBREVIATION.....ml kg mi  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/kg/min  
HELP\_TEXT.....No Help Text  
ID.....{E564F111-8B23-404A-B610-7707A5B1195D}  
TERM.....MILLILITERS PER KILOGRAM PER MINUTE

UNIT: MINUTE

-----  
ABBREVIATION.....Min  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Minute  
HELP\_TEXT.....No Help Text  
ID.....{0AF0056E-0EB1-3712-6974-A0F5DC60010B}  
TERM.....MINUTE

UNIT: MODIFIED ALDRETE SCORE

-----  
ABBREVIATION.....MOD ALD SC  
ACTIVE.....Yes  
DESCRIPTION.....Modified Aldrete Scoring System Unit  
DISPLAY\_NAME.....Modified Aldrete Score  
HELP\_TEXT.....Unit of measure for Aldrete Scoring  
                  System  
ID.....{8D9A43E8-D4E6-4BBE-A8E6-72677342BC82}  
TERM.....MODIFIED ALDRETE SCORE

UNIT: MONTH

-----  
ABBREVIATION.....Mo  
ACTIVE.....Yes  
DESCRIPTION.....Month of the year  
DISPLAY\_NAME.....Month  
HELP\_TEXT.....1 - 12  
ID.....{8933A469-2D06-D3DA-C2C4-A8FB3DD894D6}  
TERM.....MONTH

UNIT: MORSE SCORE

-----  
ABBREVIATION.....MORSE SCOR  
ACTIVE.....Yes  
DESCRIPTION.....Morse Score

DISPLAY\_NAME.....Morse Score  
HELP\_TEXT.....Scale for recording Morse Score Values  
ID.....{301282A4-2BC8-430A-853B-C817F9A61878}  
TERM.....MORSE SCORE

UNIT: MULTIVOLTS

-----  
ABBREVIATION.....Multivolts  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Multivolts  
HELP\_TEXT.....No Help Text  
ID.....{2882958B-C91D-4B8C-BEE7-382F3D7CCC49}  
TERM.....MULTIVOLTS

UNIT: OUNCE

-----  
ABBREVIATION.....oz  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ounce  
HELP\_TEXT.....No Help Text  
ID.....{642336FB-7BC9-A1D5-99E5-05447DAD3B75}  
TERM.....OUNCE



UNIT: PAINAD SCALE

-----  
ABBREVIATION.....PAINAD SC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PAINAD Scale  
HELP\_TEXT.....No Help Text  
ID.....{D6CE83BB-3DBE-4E94-9E91-E21C07A12CAD}  
TERM.....PAINAD SCALE

UNIT: PERCENTAGE

-----  
ABBREVIATION.....%  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Percentage  
HELP\_TEXT.....No Help Text  
ID.....{0B3163CE-2C5C-B196-DBBE-A1BC6A970B2A}  
TERM.....PERCENTAGE

UNIT: POINTS

-----  
ABBREVIATION.....POINTS  
ACTIVE.....Yes  
DESCRIPTION.....Points  
DISPLAY\_NAME.....Points

HELP\_TEXT.....No Help Text

ID.....{A41F9244-F8A9-4CBD-AD62-32165D77414B}

TERM.....POINTS

UNIT: POUND

-----

ABBREVIATION.....lb

ACTIVE.....Yes

DESCRIPTION.....US measurement of Weight

DISPLAY\_NAME.....Pound

HELP\_TEXT.....No Help Text

ID.....{F9CBB050-E809-52FF-6C2D-51B7E9557F98}

TERM.....POUND

UNIT: QUAD LUMEN CATHETER

-----

ABBREVIATION.....QUAD LUMEN

ACTIVE.....Yes

DESCRIPTION.....Quad Lumen Catheter

DISPLAY\_NAME.....Quad Lumen Catheter

HELP\_TEXT.....No Help Text

ID.....{C894DDF4-5976-4435-B0E4-70EC7A909565}

TERM.....QUAD LUMEN CATHETER

UNIT: RANGE

-----

ABBREVIATION.....range

ACTIVE.....Yes

DESCRIPTION.....Defines the minimum and maximum  
values in a range

DISPLAY\_NAME.....Range

HELP\_TEXT.....No Help Text

ID.....{DD90689F-3B19-BC1D-1875-E9EAB08C9C9E}

TERM.....RANGE

UNIT: SCALE

-----

ABBREVIATION.....SCALE

ACTIVE.....Yes

DESCRIPTION.....No Description

DISPLAY\_NAME.....Scale

HELP\_TEXT.....No Help Text

ID.....{57E423C4-98D9-0891-0982-0B84EFD2D132}

TERM.....SCALE

UNIT: SECOND

-----

ABBREVIATION.....sec

ACTIVE.....Yes

DESCRIPTION.....Measurement of passage of time (1/60

of a minute)

DISPLAY\_NAME.....Second

HELP\_TEXT.....No Help Text

ID.....{82E7C9B1-38E7-D568-F42D-23F18AA08819}

TERM.....SECOND

UNIT: SEWS SCALE

-----

ABBREVIATION.....SEWS SCALE

ACTIVE.....Yes

DESCRIPTION.....Severity Of Ethanol Withdrawl Scale

DISPLAY\_NAME.....SEWS SCALE

HELP\_TEXT.....Severity Of Ethanol Withdrawl Scale

ID.....{4C8DFD61-E4FB-4918-93B0-33DAAF4EF1D1}

TERM.....SEWS SCALE

UNIT: SI UNIT

-----

ABBREVIATION.....SI UNITS

ACTIVE.....Yes

DESCRIPTION.....Unit of measure for Specific Gravity

DISPLAY\_NAME.....SI Unit

HELP\_TEXT.....No Help Text

ID.....{42C760F2-BBFC-4523-82C1-953CB41B4016}

TERM.....SI UNIT

UNIT: SQUARE METERS

-----  
ABBREVIATION.....M2  
ACTIVE.....Yes  
DESCRIPTION.....Surface area measured in square meters  
DISPLAY\_NAME.....Square Meters  
HELP\_TEXT.....Surface area measured in square meters  
ID.....{5E49A34D-CC24-ABDA-7320-14071BA88781}  
TERM.....SQUARE METERS

UNIT: STROKE WORK PER BEAT

-----  
ABBREVIATION.....gm-M/beat  
ACTIVE.....Yes  
DESCRIPTION.....Stroke Work Per Beat  
DISPLAY\_NAME.....gm-M / beat  
HELP\_TEXT.....Stroke Work Per Beat  
ID.....{61721D2C-02BF-14AA-EB7F-602194924117}  
TERM.....STROKE WORK PER BEAT

UNIT: STROKE WORK PER BEAT PER M2

-----  
ABBREVIATION.....gm-M/B/M2  
ACTIVE.....Yes  
DESCRIPTION.....STROKE WORK PER BEAT PER M2  
DISPLAY\_NAME.....gm-M / Beat / M2

HELP\_TEXT.....Systemic Vascular Resistance Index  
ID.....{900EBF1F-B706-0419-1697-58FE11257EF3}  
TERM.....STROKE WORK PER BEAT PER M2

UNIT: UNITS

-----

ABBREVIATION.....UNITS  
ACTIVE.....Yes  
DESCRIPTION.....Units  
DISPLAY\_NAME.....Units  
HELP\_TEXT.....Units  
ID.....{7E9E6B8E-8B47-4B06-81FF-227E46707401}  
TERM.....UNITS

UNIT: UNITS PER HOUR

-----

ABBREVIATION.....units/hr  
ACTIVE.....Yes  
DESCRIPTION.....Units per Hour  
DISPLAY\_NAME.....units/hr  
HELP\_TEXT.....Units per Hour  
ID.....{7AE61C6C-F8D9-4D6B-8A7C-AE07F93EB3D9}  
TERM.....UNITS PER HOUR

UNIT: UNITS PER MINUTE

-----  
ABBREVIATION.....units/min  
ACTIVE.....Yes  
DESCRIPTION.....Units per Minute  
DISPLAY\_NAME.....Units/min  
HELP\_TEXT.....Units per Minute  
ID.....{3C31F294-AD93-4509-908A-72F3995B01B9}  
TERM.....UNITS PER MINUTE

UNIT: UNITS/kg/HOUR

-----  
ABBREVIATION.....UNkgHR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Units/kg/Hour  
HELP\_TEXT.....No Help Text  
ID.....{89A25E97-A6B8-49B2-934F-797C80C80711}  
TERM.....UNITS/kg/HOUR

UNIT: YEAR

-----  
ABBREVIATION.....yr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Year

HELP\_TEXT.....No Help Text

ID.....{F800BBF4-BC4F-6F5D-BB28-BD3EB5ADC34D}

TERM.....YEAR

UNIT: mg/dl

-----

ABBREVIATION.....mg/dl

ACTIVE.....Yes

DESCRIPTION.....Milligrams per deciliter

DISPLAY\_NAME.....mg/dl

HELP\_TEXT.....No Help Text

ID.....{796F843B-3EF5-4E9B-AAD6-254088D77FFB}

TERM.....mg/dl

UNIT: pH

-----

ABBREVIATION.....pH

ACTIVE.....Yes

DESCRIPTION.....pH

DISPLAY\_NAME.....pH

HELP\_TEXT.....No Help Text

ID.....{EF524413-89B4-4ABA-BD68-1FC6713C623D}

TERM.....pH





0 (data).....	788
0 (q-pair).....	108, 405, 406, 407, 408, 409, 411, 487, 488, 641, 642, 643, 644, 645, 646, 647, 648, 650, 651
0 - ABSENT (data).....	800
0 - ABSENT (q-pair).....	119, 120, 127, 136, 159, 160, 204, 588
0 - ALERT (data).....	800
0 - ALERT (q-pair).....	389
0 - HR 51-100 (data).....	800
0 - HR 51-100 (q-pair).....	390
0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (data)....	800
0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (q-pair)..	357, 359, 361, 363, 365, 367, 369, 371, 373, 375
0 - INDEPENDENT - NO HELP PROVIDED (data).....	800
0 - INDEPENDENT - NO HELP PROVIDED (q-pair).....	355
0 - NO ANXIETY AT EASE (data).....	801
0 - NO ANXIETY AT EASE (q-pair).....	118
0 - NO NAUSEA/VOMITING (data).....	801
0 - NO NAUSEA/VOMITING (q-pair).....	121
0 - NO SETUP OR PHYSICAL HELP FROM STAFF (data).....	801
0 - NO SETUP OR PHYSICAL HELP FROM STAFF (q-pair).....	356, 358, 360, 362,

364, 366, 368, 370,

372, 374, 376

0 - NO SWEAT VISIBLE (data).....	801
0 - NO SWEAT VISIBLE (q-pair).....	123
0 - NO TREMOR (data).....	801
0 - NO TREMOR (q-pair).....	126
0 - NONE (data).....	802
0 - NONE (q-pair).....	124
0 - NORMAL ACTIVITY (data).....	802
0 - NORMAL ACTIVITY (q-pair).....	117
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (data).....	802
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (q-pair).....	122
0 - RR 9-14 (data).....	802
0 - RR 9-14 (q-pair).....	392
0 - SBP 101-199 (data).....	802
0 - SBP 101-199 (q-pair).....	394
0 - TEMP 36.1-38 C (data).....	803
0 - TEMP 36.1-38 C (q-pair).....	395
0 = 0 EXTREMITIES (data).....	803
0 = 0 EXTREMITIES (q-pair).....	25
0 = <90% (data).....	803
0 = <90% (q-pair).....	28
0 = ABSENT (data).....	803
0 = ABSENT (q-pair).....	426
0 = ABSENT PULSE (data).....	803
0 = ALERT (data).....	804
0 = ALERT (q-pair).....	425
0 = ANSWERS BOTH QUESTIONS CORRECTLY (data).....	804

0 = ANSWERS BOTH QUESTIONS CORRECTLY (q-pair).....	428
0 = APNEIC (data).....	804
0 = APNEIC (q-pair).....	29
0 = BP +/- 50% PREOP (data).....	804
0 = BP +/- 50% PREOP (q-pair).....	26
0 = NO ABNORMALITY (data).....	804
0 = NO ABNORMALITY (q-pair).....	423
0 = NO APHASIA (data).....	805
0 = NO APHASIA (q-pair).....	421
0 = NO DRIFT (data).....	805
0 = NO DRIFT (q-pair).....	429, 430
0 = NO VISUAL LOSS (data).....	805
0 = NO VISUAL LOSS (q-pair).....	433
0 = NORMAL (data).....	805
0 = NORMAL (q-pair).....	420, 422, 431
0 = NORMAL SYMMETRICAL MOVEMENT (data).....	805
0 = NORMAL SYMMETRICAL MOVEMENT (q-pair).....	424
0 = NOT RESPONDING (data).....	806
0 = NOT RESPONDING (q-pair).....	27
0 = PEFORMS BOTH TASKS CORRECTLY (data).....	806
0 = PEFORMS BOTH TASKS CORRECTLY (q-pair).....	427

- 1 -

1 (data).....	788
1 (q-pair).....	108, 185, 344, 487, 488, 643, 645, 700, 733

1 - HR 101-110 (data).....	806
1 - HR 101-110 (q-pair).....	390
1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (data)...	806
1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (q-pair).	123
1 - CANNOT DO SERIAL ADDITIONS (data).....	806
1 - CANNOT DO SERIAL ADDITIONS (q-pair).....	122
1 - HR 40-50 (data).....	807
1 - HR 40-50 (q-pair).....	390
1 - LESS THAN 45MLS/HR (data).....	807
1 - LESS THAN 45MLS/HR (q-pair).....	391
1 - MILD NAUSEA / NO VOMITING (data).....	807
1 - MILD NAUSEA / NO VOMITING (q-pair).....	121
1 - MILDLY ANXIOUS (data).....	807
1 - MILDLY ANXIOUS (q-pair).....	118
1 - NEW AGITATION CONFUSION (data).....	807
1 - NEW AGITATION CONFUSION (q-pair).....	389
1 - NO RESPONSE (data).....	808
1 - NO RESPONSE (q-pair).....	204, 205, 207
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (data).....	808
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (q-pair).....	126
1 - RESPONDS TO VOICE (data).....	808
1 - RESPONDS TO VOICE (q-pair).....	389
1 - RR 15-20 (data).....	808
1 - RR 15-20 (q-pair).....	392
1 - SBP 81-100 (data).....	808
1 - SBP 81-100 (q-pair).....	394
1 - SETUP HELP ONLY (data).....	809
1 - SETUP HELP ONLY (q-pair).....	356, 358, 360, 362,

	364, 366, 368, 370,
	372, 374, 376
1 - SUPERVISION - OVERSIGHT (data).....	809
1 - SUPERVISION - OVERSIGHT (q-pair).....	357, 359, 361, 363,
	365, 367, 369, 371,
	373, 375
1 - SUPERVISION - OVERSIGHT HELP ONLY (data).....	809
1 - SUPERVISION - OVERSIGHT HELP ONLY (q-pair).....	355
1 - TEMP 35.1-36 C (data).....	809
1 - TEMP 35.1-36 C (q-pair).....	395
1 - TEMP 38.1-38.5 C (data).....	809
1 - TEMP 38.1-38.5 C (q-pair).....	395
1 - VERY MILD (data).....	810
1 - VERY MILD (q-pair).....	120
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (data)..	810
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair)	119
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (data).....	810
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (q-pair)....	124
1 - VERY MILD SENSITIVITY (data).....	810
1 - VERY MILD SENSITIVITY (q-pair).....	127
1 - WEAK (data).....	810
1 - WEAK (q-pair).....	588
1 = 2 EXTREMITIES (data).....	811
1 = 2 EXTREMITIES (q-pair).....	25
1 = ANSWERS ONE QUESTION CORRECTLY (data).....	811
1 = ANSWERS ONE QUESTION CORRECTLY (q-pair).....	428
1 = AROUSABLE (data).....	811
1 = AROUSABLE (q-pair).....	27

1 = BP +/- 20-49% PREOP (data).....	811
1 = BP +/- 20-49% PREOP (q-pair).....	26
1 = DRIFT (data).....	811
1 = DRIFT (q-pair).....	429, 430
1 = DYSPNEA (data).....	812
1 = DYSPNEA (q-pair).....	29
1 = MILD TO MODERATE APHASIA (data).....	812
1 = MILD TO MODERATE APHASIA (q-pair).....	421
1 = MILD TO MODERATE DYSARTHRIA (data).....	812
1 = MILD TO MODERATE DYSARTHRIA (q-pair).....	422
1 = MILD TO MODERATE SENSORY LOSS (data).....	812
1 = MILD TO MODERATE SENSORY LOSS (q-pair).....	431
1 = MINOR PARALYSIS (data).....	812
1 = MINOR PARALYSIS (q-pair).....	424
1 = NEEDS O2 (data).....	813
1 = NEEDS O2 (q-pair).....	28
1 = NOT ALERT, MINOR STIMULATION RESPONSE (data).....	813
1 = NOT ALERT, MINOR STIMULATION RESPONSE (q-pair).....	425
1 = PARTIAL GAZE PALSY (data).....	813
1 = PARTIAL GAZE PALSY (q-pair).....	420
1 = PARTIAL HEMIANOPIA (data).....	813
1 = PARTIAL HEMIANOPIA (q-pair).....	433
1 = PERFORMS ONE TASK CORRECTLY (data).....	813
1 = PERFORMS ONE TASK CORRECTLY (q-pair).....	427
1 = PRESENT IN ONE LIMB (data).....	814
1 = PRESENT IN ONE LIMB (q-pair).....	426
1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (data) .....	814

1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (q-pair)	
.....	423
1 HOUR (data).....	814
1 HOUR (q-pair).....	507
1+=PALPABLE, THREADY, EASILY OBLITERATED (data).....	814
1- MILD ANXIOUS (data).....	814
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (data).....	815
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (q-pair).....	117
10 (data).....	791
10 (q-pair).....	21, 108, 344, 406,
	487, 488, 700, 733
11 (data).....	791
11 (q-pair).....	344
12 (data).....	791
12 (q-pair).....	344
12.5 (data).....	791
13 (data).....	792
13 (q-pair).....	188
13.5 (data).....	792
13.5 (q-pair).....	188
14 (data).....	792
14 (q-pair).....	188
14.5 (data).....	792
14.5 (q-pair).....	188
15 (data).....	792
15 (q-pair).....	188, 405, 409, 411
15.5 (data).....	793
15.5 (q-pair).....	188



16 (data).....	793
16 (q-pair).....	188
16.5 (data).....	793
16.5 (q-pair).....	188
17 (data).....	793
17 (q-pair).....	188
17.5 (data).....	793
17.5 (q-pair).....	188
18 (data).....	794
18 (q-pair).....	188
18.5 (data).....	794
18.5 (q-pair).....	188
1800 CALORIE CONTROLLED (data).....	815
1800 CALORIE CONTROLLED (q-pair).....	150
1800 DIABETIC (data).....	815
1800 DIABETIC (q-pair).....	150
19 (data).....	794
19 (q-pair).....	188
19.5 (data).....	794
19.5 (q-pair).....	188
1:1 (data).....	815
1:1 (q-pair).....	145, 237, 240
1:1 OBSERVATION (data).....	815
1:1 OBSERVATION (q-pair).....	57
1:2 (data).....	816
1:2 (q-pair).....	145, 237, 240
1:3 (data).....	816
1:3 (q-pair).....	145, 237, 240

1:4 (data).....	816
1:4 (q-pair).....	145, 237, 240, 722
1:8 (data).....	816
1:8 (q-pair).....	145, 237, 240
1A + 2V (data).....	816
1A + 2V (q-pair).....	479
1A + 3V (data).....	817
1A + 3V (q-pair).....	479
1A +1V (data).....	817
1A +1V (q-pair).....	479

- 2 -

2 (data).....	788
2 (q-pair).....	108, 117, 118, 121, 123, 126, 185, 344, 487, 488, 700, 733
2 - ABNORMAL EXTENSION FROM PAIN (data).....	817
2 - ABNORMAL EXTENSION FROM PAIN (q-pair).....	205
2 - ANSWERS NEITHER QUESTION CORRECTLY (data).....	817
2 - ANSWERS NEITHER QUESTION CORRECTLY (q-pair).....	428
2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	817
2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (data).....	818
2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (q-pair)....	122
2 - HR 0-39 (data).....	818
2 - HR 0-39 (q-pair).....	390
2 - HR 111-129 (data).....	818
2 - HR 111-129 (q-pair).....	390

2 - INCOMPREHENSIBLE SOUNDS (data).....	818
2 - INCOMPREHENSIBLE SOUNDS (q-pair).....	207
2 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	818
2 - LESS THAN 30MLS/HR (data).....	819
2 - LESS THAN 30MLS/HR (q-pair).....	391
2 - LIMITED ASSISTANCE (data).....	819
2 - LIMITED ASSISTANCE (q-pair).....	357, 359, 361, 363, 365, 367, 369, 371, 373, 375
2 - MILD (data).....	819
2 - MILD (q-pair).....	120
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	819
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair).....	119
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (data)..	819
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (q-pair)	124
2 - MILD SENSITIVITY (data).....	820
2 - MILD SENSITIVITY (q-pair).....	127
2 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	820
2 - NORMAL (data).....	820
2 - NORMAL (q-pair).....	588
2 - ONE PERSON PHYSICAL ASSIST (data).....	820
2 - ONE PERSON PHYSICAL ASSIST (q-pair).....	356, 358, 360, 362, 364, 366, 368, 370, 372, 374, 376
2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (data).....	820
2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (q-pair).....	355
2 - RESPONDS TO PAIN (data).....	821
2 - RESPONDS TO PAIN (q-pair).....	389

2 - RR 0-8 (data).....	821
2 - RR 0-8 (q-pair).....	392
2 - RR 21-29 (data).....	821
2 - RR 21-29 (q-pair).....	392
2 - SBP 200 OR MORE (data).....	821
2 - SBP 200 OR MORE (q-pair).....	394
2 - SBP 71-80 (data).....	821
2 - SBP 71-80 (q-pair).....	394
2 - TEMP 35.0 C OR LESS (data).....	822
2 - TEMP 35.0 C OR LESS (q-pair).....	395
2 - TEMP MORE THAN 38.6 C (data).....	822
2 - TEMP MORE THAN 38.6 C (q-pair).....	395
2 - TO PAIN (data).....	822
2 - TO PAIN (q-pair).....	204
2 = 4 EXTREMITIES (data).....	822
2 = 4 EXTREMITIES (q-pair).....	25
2 = BP +/- 20% PREOP (data).....	822
2 = BP +/- 20% PREOP (q-pair).....	26
2 = BREATHES FREELY (data).....	823
2 = BREATHES FREELY (q-pair).....	29
2 = COMPLETE HEMIANOPIA (data).....	823
2 = COMPLETE HEMIANOPIA (q-pair).....	433
2 = FORCED DEVIATION (data).....	823
2 = FORCED DEVIATION (q-pair).....	420
2 = FULLY AWAKE (data).....	823
2 = FULLY AWAKE (q-pair).....	27
2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (data) .....	823

2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (q-pair)	
.....	425
2 = ON ROOM AIR (data).....	824
2 = ON ROOM AIR (q-pair).....	28
2 = PARTIAL PARALYSIS (data).....	824
2 = PARTIAL PARALYSIS (q-pair).....	424
2 = PERFORMS NEITHER TASK CORRECTLY (data).....	824
2 = PERFORMS NEITHER TASK CORRECTLY (q-pair).....	427
2 = PRESENT IN TWO LIMBS (data).....	824
2 = PRESENT IN TWO LIMBS (q-pair).....	426
2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (data	
).....	824
2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (q-pa	
ir).....	423
2 = SEVERE APHASIA (data).....	825
2 = SEVERE APHASIA (q-pair).....	421
2 = SEVERE DYSARTHRIA (data).....	825
2 = SEVERE DYSARTHRIA (q-pair).....	422
2 = SEVERE TO TOTAL SENSORY LOSS (data).....	825
2 = SEVERE TO TOTAL SENSORY LOSS (q-pair).....	431
2 = SOME EFFORT AGAINST GRAVITY (data).....	825
2 = SOME EFFORT AGAINST GRAVITY (q-pair).....	429, 430
2+=NORMAL, NOT EASILY OBLITERATED (data).....	825
2- MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	826
2.0 CAL FORMULA (data).....	826
20 (data).....	794
20 (q-pair).....	406, 408
20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (data).....	826

20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (q-pair)....480

20.5 (data).....	795
20.5 (q-pair).....	188
20/100 (data).....	826
20/100 (q-pair).....	152
20/15 (data).....	826
20/15 (q-pair).....	152
20/20 (data).....	827
20/20 (q-pair).....	152
20/200 (data).....	827
20/200 (q-pair).....	152
20/25 (data).....	827
20/25 (q-pair).....	152
20/30 (data).....	827
20/30 (q-pair).....	152
20/300 (data).....	827
20/300 (q-pair).....	152
20/40 (data).....	828
20/40 (q-pair).....	152
20/400 (data).....	828
20/400 (q-pair).....	152
20/50 (data).....	828
20/50 (q-pair).....	152
20/60 (data).....	828
20/60 (q-pair).....	152
20/70 (data).....	828
20/70 (q-pair).....	152
20/80 (data).....	829

20/80 (q-pair).....	152
20/800 (data).....	829
20/800 (q-pair).....	152
2000 CALORIE CONTROLLED (data).....	829
2000 CALORIE CONTROLLED (q-pair).....	150
2000 DIABETIC (data).....	829
2000 DIABETIC (q-pair).....	150
21 (data).....	795
21 (q-pair).....	188
21.5 (data).....	795
21.5 (q-pair).....	188
22 (data).....	795
22 (q-pair).....	188
22.5 (data).....	795
22.5 (q-pair).....	188
2200 CALORIE CONTROLLED (data).....	829
2200 CALORIE CONTROLLED (q-pair).....	150
2200 DIABETIC (data).....	830
2200 DIABETIC (q-pair).....	150
23 (data).....	796
23 (q-pair).....	188
23.5 (data).....	796
23.5 (q-pair).....	188
24 (data).....	796
24 (q-pair).....	188
24.5 (data).....	796
24.5 (q-pair).....	188
2400 CALORIE CONTROLLED (data).....	830

2400 CALORIE CONTROLLED (q-pair).....	150
2400 DIABETIC (data).....	830
2400 DIABETIC (q-pair).....	150
25 (data).....	796
25 (q-pair).....	188, 407
25 PERCENT ALBUMIN (data).....	830
25 PERCENT ALBUMIN (prod).....	1235
25 PERCENT ALBUMIN (q-pair).....	132, 309, 317, 320
25.5 (data).....	797
25.5 (q-pair).....	188
26 (data).....	797
26 (q-pair).....	188
26.5 (data).....	797
26.5 (q-pair).....	188
27 (data).....	797
27 (q-pair).....	188
27.5 (data).....	797
27.5 (q-pair).....	188
28 (data).....	798
28 (q-pair).....	188
28.5 (data).....	798
28.5 (q-pair).....	188
29 (data).....	798
2:4 (data).....	830
2:4 (q-pair).....	722
2A (data).....	831
2A (q-pair).....	479
2A + 1V (data).....	831



2A + 1V (q-pair).....	479
2A + 2V (data).....	831
2A + 2V (q-pair).....	479
2V (data).....	831
2V (q-pair).....	479

- 3 -

3 - HR 130 OR MORE (data).....	831
3 - HR 130 OR MORE (q-pair).....	390
3 (data).....	788
3 (q-pair).....	108, 117, 118, 121, 123, 126, 185, 344, 487, 488, 641, 642, 644, 646, 647, 648, 650, 651, 700, 733
3 - ABNORMAL FLEXION FROM PAIN (data).....	832
3 - ABNORMAL FLEXION FROM PAIN (q-pair).....	205
3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	832
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (data).....	832
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (q-pair)....	122
3 - EXTENSIVE ASSISTANCE (data).....	832
3 - EXTENSIVE ASSISTANCE (q-pair).....	357, 359, 361, 363, 365, 367, 369, 371, 373, 375
3 - INAPPROPRIATE WORDS (data).....	832
3 - INAPPROPRIATE WORDS (q-pair).....	207
3 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	833

3 - LESS THAN 10MLS/HR (data).....	833
3 - LESS THAN 10MLS/HR (q-pair).....	391
3 - MODERATE (data).....	833
3 - MODERATE (q-pair).....	120
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (data)...	833
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (q-pair).	119
3 - MODERATE ITCHING PINS/NEEDLES BURNING (data).....	833
3 - MODERATE ITCHING PINS/NEEDLES BURNING (q-pair).....	124
3 - MODERATE SENSITIVITY (data).....	834
3 - MODERATE SENSITIVITY (q-pair).....	127
3 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	834
3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (data)...	834
3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (q-pair).	355
3 - RR 30 OR MORE (data).....	834
3 - RR 30 OR MORE (q-pair).....	392
3 - SBP 70 OR LESS (data).....	834
3 - SBP 70 OR LESS (q-pair).....	394
3 - STRONG (data).....	835
3 - STRONG (q-pair).....	588
3 - TO VERBAL COMMAND (data).....	835
3 - TO VERBAL COMMAND (q-pair).....	204
3 - TWO + PERSONS PHYSICAL ASSIST (data).....	835
3 - TWO + PERSONS PHYSICAL ASSIST (q-pair).....	356, 358, 360, 362, 364, 366, 368, 370, 372, 374, 376
3 - UNRESPONSIVE (data).....	835
3 - UNRESPONSIVE (q-pair).....	389
3 = BILATERAL HEMIANOPIA (data).....	835

3 = BILATERAL HEMIANOPIA (q-pair).....	433
3 = COMPLETE PARALYSIS (data).....	836
3 = COMPLETE PARALYSIS (q-pair).....	424
3 = MUTE, GLOBAL APHASIA (data).....	836
3 = MUTE, GLOBAL APHASIA (q-pair).....	421
3 = NO EFFORT AGAINST GRAVITY (data).....	836
3 = NO EFFORT AGAINST GRAVITY (q-pair).....	429, 430
3 = UNRESPONSIVE (data).....	836
3 = UNRESPONSIVE (q-pair).....	425
3 WAY FOLEY (data).....	836
3 WAY FOLEY (q-pair).....	219
3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED (data)	
.....	837
30 (data).....	798
30 (q-pair).....	405
31 (data).....	798
34 ml (data).....	837
34 ml (q-pair).....	232
3:4 (data).....	837
3:4 (q-pair).....	722

- 4 -

4 (data).....	788
4 (q-pair).....	21, 108, 185, 344,
	487, 488, 700, 733
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	837
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (q-pair).....	123

4 - DISORIENTED AND CONVERSES (data).....	837
4 - DISORIENTED AND CONVERSES (q-pair).....	207
4 - DISORIENTED FOR PLACE OR PERSON (data).....	838
4 - DISORIENTED FOR PLACE OR PERSON (q-pair).....	122
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	838
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (q-pair).....	121
4 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	838
4 - MODERATE WITH PATIENTS ARMS EXTENDED (q-pair).....	126
4 - MODERATELY ANXIOUS (data).....	838
4 - MODERATELY ANXIOUS (q-pair).....	118
4 - MODERATELY FIDGETY AND RESTLESS (data).....	838
4 - MODERATELY FIDGETY AND RESTLESS (q-pair).....	117
4 - MODERATELY SEVERE (data).....	839
4 - MODERATELY SEVERE (q-pair).....	120
4 - MODERATELY SEVERE HALLUCINATIONS (data).....	839
4 - MODERATELY SEVERE HALLUCINATIONS (q-pair).....	119, 124, 127
4 - SPONTANEOUSLY (data).....	839
4 - SPONTANEOUSLY (q-pair).....	204
4 - TOTAL DEPENDENCE (data).....	839
4 - TOTAL DEPENDENCE (q-pair).....	355
4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (data)...	839
4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (q-pair).	357, 359, 361, 363, 365, 367, 369, 371, 373, 375
4 - WITHDRAWS FROM PAIN (data).....	840
4 - WITHDRAWS FROM PAIN (q-pair).....	205
4 = NO MOVEMENT (data).....	840
4 = NO MOVEMENT (q-pair).....	429, 430

4 HOUR (data).....	840
4 HOUR (q-pair).....	507
4.5 (data).....	789
4.5 (q-pair).....	21
40 ml (data).....	840
40 ml (q-pair).....	232
4:4 (data).....	840
4:4 (q-pair).....	722

- 5 -

5 (data).....	789
5 (q-pair).....	21, 108, 117, 118, 121, 123, 126, 185, 344, 487, 488, 700, 733
5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data) .....	841
5 - DRENCHING SWEAT (data).....	841
5 - LOCALIZES PAIN (data).....	841
5 - LOCALIZES PAIN (q-pair).....	205
5 - ORIENTED AND CONVERSESES (data).....	841
5 - ORIENTED AND CONVERSESES (q-pair).....	207
5 - SEVERE (data).....	841
5 - SEVERE (q-pair).....	120
5 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	842
5 - SEVERE HALLUCINATIONS (data).....	842
5 - SEVERE HALLUCINATIONS (q-pair).....	119, 124, 127

5 PERCENT ALBUMIN (data).....	842
5 PERCENT ALBUMIN (prod).....	1235
5 PERCENT ALBUMIN (q-pair).....	132, 309, 317, 320
5.5 (data).....	789
5.5 (q-pair).....	21

- 6 -

6 (data).....	789
6 (q-pair).....	21, 108, 117, 118, 121, 123, 126, 344, 487, 488, 700, 733
6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data) .....	842
6 - DRENCHING SWEAT (data).....	842
6 - EXTREMELY SEVERE HALLUCINATIONS (data).....	843
6 - EXTREMELY SEVERE HALLUCINATIONS (q-pair).....	119, 124, 127
6 - OBEYS COMMANDS (data).....	843
6 - OBEYS COMMANDS (q-pair).....	205
6 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	843
6 - VERY SEVERE (data).....	843
6 - VERY SEVERE (q-pair).....	120
6 HOUR (data).....	843
6 HOUR (q-pair).....	507
6 PERCENT HETASTARCH (data).....	844
6 PERCENT HETASTARCH (prod).....	1235
6 PERCENT HETASTARCH (q-pair).....	132, 309, 320
6.5 (data).....	789

6.5 (q-pair).....	21
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (data)	
.....	844
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (q-pair)	
.....	480

- 7 -

7 (data).....	790
7 (q-pair).....	21, 108, 344, 487,
	488, 700, 733
7 - ACUTE PANIC (data).....	844
7 - ACUTE PANIC (q-pair).....	118
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data)	
.....	844
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (q-pair)	
.....	121
7 - CONTINUOUS HALLUCINATIONS (data).....	844
7 - CONTINUOUS HALLUCINATIONS (q-pair).....	119, 124, 127
7 - DRENCHING SWEAT (data).....	845
7 - DRENCHING SWEAT (q-pair).....	123
7 - EXTREMELY SEVERE (data).....	845
7 - EXTREMELY SEVERE (q-pair).....	120
7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (data).	845
7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (q-pair)	
.....	117
7 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	845
7 - SEVERE EVEN WITH ARMS NOT EXTENDED (q-pair).....	126

7.5 (data).....790  
7.5 (q-pair).....21, 239

- 8 -

8 (data).....790  
8 (q-pair).....21, 108, 239, 344,  
487, 488, 700, 733  
8 - ACTIVITY DID NOT OCCUR (data).....845  
8 - ACTIVITY DID NOT OCCUR (q-pair).....355, 356, 357, 358,  
359, 360, 361, 362,  
363, 364, 365, 366,  
367, 368, 369, 370,  
371, 372, 373, 374,  
375, 376  
8 HOUR (data).....846  
8 HOUR (q-pair).....507  
8.5 (data).....790  
8.5 (q-pair).....21, 239

- 9 -

9 (data).....790  
9 (q-pair).....21, 108, 239, 344,  
487, 488, 700, 733  
9.5 (data).....791  
9.5 (q-pair).....21, 239  
99 (data).....799



99 (q-pair).....488

- + -

+1 = SLIGHT (data).....799

+1 = SLIGHT (q-pair).....159, 160

+2 = MODERATE (data).....799

+2 = MODERATE (q-pair).....159, 160

+3 = MARKED (data).....799

+3 = MARKED (q-pair).....159, 160

+4 = VERY MARKED (data).....799

+4 = VERY MARKED (q-pair).....159, 160

- A -

AAI (data).....846

AAI (q-pair).....470

AAIR (data).....846

AAIR (q-pair).....470

AAO (data).....846

AAO (q-pair).....470

ABDOMEN (loca).....1157

ABDOMEN (q-pair).....160, 488, 676

ABDOMEN BOWEL SOUNDS.....1

ABDOMEN LLQ (loca).....1157

ABDOMEN LLQ (q-pair).....1, 488, 676

ABDOMEN LUQ (loca).....1157

ABDOMEN LUQ (q-pair).....1, 488, 676

ABDOMEN RLQ (loca).....	1157
ABDOMEN RLQ (q-pair).....	1, 488, 676
ABDOMEN RUQ (loca).....	1157
ABDOMEN RUQ (q-pair).....	1, 488, 676
ABDOMINAL (data).....	846
ABDOMINAL (loca).....	1158
ABDOMINAL (q-pair).....	116, 595
ABDOMINAL AORTA (loca).....	1158
ABDOMINAL AORTA (q-pair).....	79, 86
ABDOMINAL CONDITION.....	2
ABDOMINAL GIRTH.....	3
ABLE TO AMBULATE (data).....	847
ABLE TO AMBULATE (q-pair).....	480, 725
ABRASION (data).....	847
ABRASION (q-pair).....	784
ABSENT (data).....	847
ABSENT (q-pair).....	1, 74, 79, 86, 137, 154, 196, 198, 222, 350, 352, 636, 637, 638, 639, 726, 729, 730
ABSENT TO MINIMAL BLEEDING (data).....	847
ABSENT TO MINIMAL BLEEDING (q-pair).....	480
ACCELERATING (data).....	847
ACCELERATING (q-pair).....	758
ACHING (data).....	848
ACHING (q-pair).....	485
ACTIVE RANGE OF MOTION (data).....	848

ACTIVE RANGE OF MOTION (q-pair).....	12
ACTIVITIES OF DAILY LIVING (data).....	848
ACTIVITIES OF DAILY LIVING (q-pair).....	164
ACTIVITIES OF DAILY LIVING: WANDERING PREVENTION MEASURES .....	4
ACTIVITY - ABD PILLOW (task).....	1258
ACTIVITY - AMBULATE (task).....	1258
ACTIVITY - CONT. PASSIVE MOTION DEV. (task).....	1258
ACTIVITY - ELEVATE HEAD OF BED (task).....	1258
ACTIVITY - KNEE IMMOBILIZER (task).....	1258
ACTIVITY - ORIENT TO WARD (task).....	1259
ACTIVITY - RANGE OF MOTION EXERCISES (task).....	1259
ACTIVITY - SIT IN CHAIR (task).....	1259
ACTIVITY - TURN PATIENT (task).....	1259
ACTUAL (q-pair).....	165, 227, 587, 712, 734, 764, 766
ACTUAL (qual).....	1253
ADL - ACTIVITIES OF DAILY LIVING.....	5
ADL - AMBULATION ASSISTANCE.....	6
ADL - AMBULATION DISTANCE.....	7
ADL - BATH ASSIST (task).....	1259
ADL - BATH COMPLETE (task).....	1260
ADL - BATH PARTIAL (task).....	1260
ADL - BATH SELF (task).....	1260
ADL - BED MOBILITY.....	8
ADL - CATHETER CARE (task).....	1260
ADL - DRESSING.....	9
ADL - EATING.....	10

ADL - EMOTIONAL SUPPORT.....	11
ADL - FEED PATIENT (task).....	1260
ADL - ORAL HYGIENE (task).....	1261
ADL - OTHER ACTIVITY.....	12
ADL - REPOSITION.....	13
ADL - SHAVE (task).....	1261
ADL - SKIN CARE (task).....	1261
ADL - TURN (task).....	1261
ADL - VISITORS.....	14
ADL- ORAL CARE.....	15
ADMISSION (data).....	848
ADMISSION (q-pair).....	142, 779
ADMISSION DIAGNOSIS (data).....	848
ADULT (data).....	849
ADULT (meth).....	1209
ADULT (q-pair).....	64
ADULT CUFF (meth).....	1209
ADULT LARGE (data).....	849
ADULT LARGE (q-pair).....	64
ADULT SMALL (data).....	849
ADULT SMALL (q-pair).....	64
ADVANCED CARE PLANNING (data).....	849
ADVANCED CARE PLANNING (q-pair).....	164
ADI - SPIRITUAL CARE.....	16
AEROSOL/HUMIDIFIED MASK (meth).....	1209
AEROSOL/HUMIDIFIED MASK (q-pair).....	704
AFFECT.....	17
AFTER EXERCISE (meth).....	1209

AFTER EXERCISE (q-pair).....	63, 587, 596
AGENT CASHIER (data).....	849
AGENT CASHIER (q-pair).....	533
AGITATED (data).....	850
AGITATED (q-pair).....	56, 351
AGONAL (data).....	850
AGONAL (q-pair).....	84, 595
AGONIZING (data).....	850
AGONIZING (q-pair).....	485
AICD (data).....	850
AICD (q-pair).....	397
AIR FLOW DEVICE (data).....	850
AIR FLOW DEVICE (q-pair).....	762
AIR LEAK (data).....	851
AIR LEAK (q-pair).....	113
AIRBORNE (data).....	851
AIRBORNE (q-pair).....	333
AIRWAY ARTIFICIAL CUFF STATUS.....	18
AIRWAY ARTIFICIAL POSITION AT LIP/NOSE.....	19
AIRWAY ARTIFICIAL SIZE - FRENCH.....	20
AIRWAY ARTIFICIAL SIZE - MILIMETERS.....	21
AIRWAY ARTIFICIAL TYPE.....	22
AIRWAY REFLEXES INTACT / SECRETIONS (data).....	851
AIRWAY REFLEXES INTACT / SECRETIONS (q-pair).....	480
ALARM PARAMETERS VERIFIED.....	23
ALARMS.....	24
ALARMS ON (data).....	851
ALARMS ON (q-pair).....	190

ALBUMIN (data).....	851
ALBUMIN (prod).....	1235
ALBUMIN (q-pair).....	320
ALCOHOL PORT PROTECTOR (data).....	852
ALCOHOL PORT PROTECTOR (q-pair).....	343
ALDRETE - ACTIVITY.....	25
ALDRETE - CIRCULATION.....	26
ALDRETE - CONSCIOUSNESS.....	27
ALDRETE - O2 SATURATION.....	28
ALDRETE - RESPIRATION.....	29
ALDRETE - TOTAL.....	30
ALDRETE SCORE 8 OR GREATER (data).....	852
ALDRETE SCORE 8 OR GREATER (q-pair).....	480
ALDRETE SCORE AT BASELINE (data).....	852
ALDRETE SCORE AT BASELINE (q-pair).....	480
ALERT (data).....	852
ALERT (q-pair).....	56, 351, 505
ALERT AND ORIENTED (data).....	852
ALERT AND ORIENTED (q-pair).....	151, 480
ALL DOWN (data).....	853
ALL DOWN (q-pair).....	652
ALL UP (data).....	853
ALL UP (q-pair).....	652
ALLERGY (data).....	853
ALLERGY (q-pair).....	40
ALLERGY WRISTBAND (data).....	853
ALLERGY WRISTBAND (q-pair).....	525
ALOPECIA PARTIAL (data).....	853

ALOPECIA PARTIAL (q-pair).....	221
ALOPECIA TOTAL (data).....	854
ALOPECIA TOTAL (q-pair).....	221
AMBER (data).....	854
AMBER (q-pair).....	157, 173, 211, 732,

771

AMBU BAG (meth).....	1209
AMBU BAG (q-pair).....	705
AMBULATE AND ASSIST (data).....	854
AMBULATED (data).....	854
AMBULATED (q-pair).....	5
AMBULATORY CARE UNIT (data).....	854
AMBULATORY CARE UNIT (q-pair).....	482
AMPHOTERICIN B (prod).....	1235
AMPHOTERICIN B (q-pair).....	316
AMPUTEE (data).....	855
AMPUTEE (q-pair).....	588
ANALGESIA (data).....	855
ANALGESIA (q-pair).....	164
ANESTHESIA PLANNED.....	31
ANESTHESIOLOGIST (data).....	855
ANESTHESIOLOGIST (q-pair).....	571
ANGINAL (data).....	855
ANGINAL (q-pair).....	485
ANKLE (loca).....	1158
ANKLE (q-pair).....	116
ANNOYING (data).....	855
ANNOYING (q-pair).....	485

ANTECUBITAL (qual).....	1253
ANTI-EMBOLUS STOCKINGS KNEE HIGH (data).....	856
ANTI-EMBOLUS STOCKINGS KNEE HIGH (q-pair).....	158
ANTI-EMBOLUS STOCKINGS THIGH HIGH (data).....	856
ANTI-EMBOLUS STOCKINGS THIGH HIGH (q-pair).....	158
ANTI-MICROBIAL DRESSING (data).....	856
ANTI-MICROBIAL DRESSING (q-pair).....	96, 776
ANTIBIOTIC (prod).....	1236
ANTIBIOTIC (q-pair).....	316
ANTIBIOTIC OINTMENT (data).....	856
ANTIBIOTIC OINTMENT (q-pair).....	565
ANTIMICROBIAL DISK (data).....	856
ANTIMICROBIAL DISK (q-pair).....	776
ANURIC (data).....	857
ANURIC (q-pair).....	731
ANXIOUS (data).....	857
ANXIOUS (q-pair).....	56, 161
AOO (data).....	857
AOO (q-pair).....	470
APICAL (loca).....	1158
APICAL (q-pair).....	587
APNEA (data).....	857
APNEA (q-pair).....	399
APPEARANCE.....	32
APPEARS ASLEEP (data).....	857
APPEARS ASLEEP (q-pair).....	54, 505
APPLIANCE CHANGED (data).....	858
APPLIANCE CHANGED (q-pair).....	438



APPROPRIATE (data).....	858
APPROPRIATE (q-pair).....	32, 54
ARM BAND - ALLERGIES.....	33
ARM BAND - BLOOD TRANSFUSION IV.....	34
ARM BAND - DNR.....	35
ARM BAND - ELOPMENT.....	36
ARM BAND - HIGH FALL RISK.....	37
ARM BAND - PERSONAL MEDICAL ALERT.....	38
ARM BAND - WANDERER.....	39
ARM BANDS PRESENT.....	40
ARRHYTHMIA (data).....	858
ARRHYTHMIA (q-pair).....	399
ARTERIAL LINE (meth).....	1210
ARTERIAL LINE (q-pair).....	63, 149, 378, 379,

708

ARTERIAL LINE ALARMS ON.....	41
ARTERIAL LINE CARE (data).....	858
ARTERIAL LINE CARE (q-pair).....	343
ARTERIAL LINE CIRCULATION ASSESSED.....	42
ARTERIAL LINE DRESSING CHANGE.....	43
ARTERIAL LINE DRESSING TYPE.....	44
ARTERIAL LINE SITE CARE.....	45
ARTERIAL LINE SITE CONDITION.....	46
ARTERIAL LINE SIZE.....	47
ARTERIAL LINE WAVEFORM.....	48
ARTERIAL LINE ZEROED.....	49
ARTIFICIAL AIRWAY (data).....	858
ARTIFICIAL AIRWAY (q-pair).....	584

ARTIFICIAL VALVES (data).....	859
ARTIFICIAL VALVES (q-pair).....	397
ASA PHYSICAL STATUS.....	50
ASA PS 1 (data).....	859
ASA PS 1 (q-pair).....	50
ASA PS 2 (data).....	859
ASA PS 2 (q-pair).....	50
ASA PS 3 (data).....	859
ASA PS 3 (q-pair).....	50
ASA PS 4 (data).....	859
ASA PS 4 (q-pair).....	50
ASA PS 5 (data).....	860
ASA PS 5 (q-pair).....	50
ASEPTIC TECHNIQUE FOLLOWED (data).....	860
ASEPTIC TECHNIQUE FOLLOWED (q-pair).....	91
ASHEN (data).....	860
ASHEN (q-pair).....	663
ASLEEP AT ROUNDS (data).....	860
ASLEEP AT ROUNDS (q-pair).....	682
ASPIRATION (data).....	860
ASPIRATION (q-pair).....	212
ASSAULTIVE (data).....	861
ASSAULTIVE (q-pair).....	58, 130
ASSESSMENT - CO (task).....	1261
ASSESSMENT - COLLECT VITALS (task).....	1262
ASSESSMENT - DOPPLERS (task).....	1262
ASSESSMENT - FINGERSTICK BLOOD SUGAR (task).....	1262
ASSESSMENT - HEMODYNAMIC READINGS (task).....	1262

ASSESSMENT - I&O (task).....	1262
ASSESSMENT - NEURO CHECKS (task).....	1263
ASSESSMENT - NEUROVASCULAR CHECKS (task).....	1263
ASSESSMENT - PCA (task).....	1263
ASSESSMENT - PULSE OX (task).....	1263
ASSESSMENT - RESTRAINTS (task).....	1263
ASSESSMENT - TELEMETRY (task).....	1264
ASSESSMENT - WEIGHT (task).....	1264
ASSIGNED ONE TO ONE SITTER (data).....	861
ASSIGNED ONE TO ONE SITTER (q-pair).....	4
ASSIST CONTROL (data).....	861
ASSIST CONTROL (q-pair).....	743
ASSISTED (data).....	861
ASSISTED (q-pair).....	13, 15
ASSISTED VENTILATOR (meth).....	1210
ASSISTED VENTILATOR (q-pair).....	596, 704
ASYSTOLE (data).....	861
ASYSTOLE (q-pair).....	84
AT REST (meth).....	1210
AT REST (q-pair).....	63, 587, 596
ATRIAL (data).....	862
ATRIAL (q-pair).....	476
ATRIAL FIB/FLUTTER (data).....	862
ATRIAL FIB/FLUTTER (q-pair).....	84
ATRIAL FIBRILLATION (data).....	862
ATRIAL FIBRILLATION (q-pair).....	84
ATRIAL FLUTTER (data).....	862
ATRIAL FLUTTER (q-pair).....	84

AUSCULTATE (meth).....	1210
AUSCULTATE (q-pair).....	587
AUSCULTATION (data).....	862
AUSCULTATION (q-pair).....	212
AUTOLOGOUS (data).....	863
AUTOLOGOUS (q-pair).....	529
AV FISTULA (loca).....	1158
AV FISTULA (q-pair).....	587
AVF (data).....	863
AVF (q-pair).....	85
AVI (data).....	863
AVI (q-pair).....	470
AVL (data).....	863
AVL (q-pair).....	85
AVO (data).....	863
AVO (q-pair).....	470
AVOIDED LIGHT AND NOISE OVERSTIMULATION (data).....	864
AVOIDED LIGHT AND NOISE OVERSTIMULATION (q-pair).....	190
AVR (data).....	864
AVR (q-pair).....	85
AWAKE (data).....	864
AWAKE (q-pair).....	505
AXILLARY (loca).....	1159
AXILLARY (q-pair).....	712

- B -

BABINSKI.....	51
---------------	----

BACK (loca).....	1159
BACK (q-pair).....	488, 676
BACTERICIDAL (data).....	864
BACTERICIDAL (q-pair).....	565
BACTERIOSTATIC (data).....	864
BACTERIOSTATIC (q-pair).....	565
BACTERIOSTATIC WATER (prod).....	1236
BACTERIOSTATIC WATER (q-pair).....	316
BAG - CONTINUOUS (data).....	865
BAG - CONTINUOUS (q-pair).....	167
BAG - INTERMITTENT (data).....	865
BAG - INTERMITTENT (q-pair).....	167
BAG CHANGE (data).....	865
BAG CHANGE (q-pair).....	170
BAG CHANGED (data).....	865
BAG CHANGED (q-pair).....	343, 508
BAG/MASK & O2 SET UP (data).....	865
BAG/MASK & O2 SET UP (q-pair).....	401
BALSAM OF PERU (data).....	866
BALSAM OF PERU (q-pair).....	776
BARIATRIC FRAME (data).....	866
BARIATRIC FRAME (q-pair).....	683
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (data).....	866
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (q-pair)....	683
BARIATRIC PATIENT (data).....	866
BARIATRIC PATIENT (q-pair).....	562
BARRIERS TO LEARNING.....	52
BASAL RATE ONLY (data).....	866

BASAL RATE ONLY (q-pair).....	510
BATHROOM (data).....	867
BATHROOM (q-pair).....	55, 129
BATHROOM PRIVILEGES (data).....	867
BATHROOM PRIVILEGES (q-pair).....	12
BEATS PER MINUTE (unit).....	1274
BED (data).....	867
BED (meth).....	1210
BED (q-pair).....	764
BED EXIT ALARM (data).....	867
BED EXIT ALARM (q-pair).....	24, 600
BED POSITION.....	53
BEDREST (data).....	867
BEDREST (q-pair).....	12
BEDSIDE (data).....	868
BEDSIDE (q-pair).....	570
BEDSIDE COMMODE (data).....	868
BEDSIDE COMMODE (q-pair).....	88
BEHAVIOR.....	54
BEHAVIOR CURRENT LOCATION.....	55
BEHAVIOR OBSERVED.....	56
BEHAVIOR PRECAUTION LEVEL.....	57
BEHAVIOR PRECAUTION REASON.....	58
BIER BLOCK (data).....	868
BIER BLOCK (q-pair).....	31
BIGEMINY (data).....	868
BIGEMINY (q-pair).....	80
BILATERAL (data).....	868

BILATERAL ANKLES (loca).....	1159
BILATERAL ANKLES (q-pair).....	616, 618
BILATERAL FOOT (loca).....	1159
BILATERAL FOOT (q-pair).....	196
BILATERAL HAND (loca).....	1159
BILATERAL HAND (q-pair).....	222
BILATERAL LEG (loca).....	1160
BILATERAL LEG (q-pair).....	352, 616
BILATERAL NECK (loca).....	1160
BILATERAL NECK (q-pair).....	160
BILATERAL PERIPHERALS (loca).....	1160
BILATERAL PERIPHERALS (q-pair).....	587
BILATERAL WRIST (loca).....	1160
BILATERAL WRIST (q-pair).....	616, 617, 730
BIPAP (meth).....	1211
BIPAP (q-pair).....	705
BIPAP - RESPIRONICS (data).....	869
BIPAP - RESPIRONICS (q-pair).....	757
BIPAP - VISION (data).....	869
BIPAP - VISION (q-pair).....	757
BIPAP-CPAP (meth).....	1211
BIPAP-CPAP (q-pair).....	705
BIPAP-EXPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS.....	59
BIPAP-INSPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS....	60
BIPAP/CPAP (data).....	869
BIPAP/CPAP (q-pair).....	757
BIPHASIC POSITIVE AIRWAY PRESSURE (data).....	869
BIPHASIC POSITIVE AIRWAY PRESSURE (q-pair).....	743, 757

BISMUTH GAUZE (data).....	869
BISMUTH GAUZE (q-pair).....	776
BITE (data).....	870
BITE (q-pair).....	784
BITE BLOCK (data).....	870
BITE BLOCK (q-pair).....	22
BLACK (data).....	870
BLACK (q-pair).....	157, 173, 211, 699, 732, 767, 771
BLACK/NECROTIC (data).....	870
BLACK/NECROTIC (q-pair).....	554
BLADDER (loca).....	1160
BLADDER (meth).....	1211
BLADDER (q-pair).....	316, 488
BLADDER ASSESSMENT.....	61
BLADDER IRRIGATION (prod).....	1236
BLADDER IRRIGATION (q-pair).....	445
BLADDER SCAN (data).....	870
BLADDER SCAN (q-pair).....	88
BLADDER SCAN - DO NOT CHECK TOTAL OR SUBTOTALS.....	62
BLANCHED (data).....	871
BLANCHED (q-pair).....	46
BLAND (data).....	871
BLAND (q-pair).....	150
BLISTERING (data).....	871
BLISTERING (q-pair).....	784
BLOOD GLUCOSE MONITORING (data).....	871
BLOOD GLUCOSE MONITORING (q-pair).....	164



BLOOD PRESSURE.....	63
BLOOD PRESSURE (data).....	871
BLOOD PRESSURE (q-pair).....	403
BLOOD PRESSURE CUFF SIZE.....	64
BLOOD PRODUCT (prod).....	1236
BLOOD PRODUCT (q-pair).....	309
BLOOD STREAKED (data).....	872
BLOOD TRANSFUSION IV (data).....	872
BLOOD TRANSFUSION IV (q-pair).....	40
BLOODY (data).....	872
BLOODY (q-pair).....	109, 296, 556, 698
BLUE (data).....	872
BLUE (q-pair).....	771
BLUNTED (data).....	872
BLUNTED (q-pair).....	17
BLURRED VISION (data).....	873
BLURRED VISION (q-pair).....	183
BMI>35KG/M2 (data).....	873
BMI>35KG/M2 (q-pair).....	397
BODY SURFACE AREA.....	65
BONE (data).....	873
BOOST (data).....	873
BOOST (q-pair).....	172
BOOST PLUS (data).....	873
BOOST PLUS (q-pair).....	172
BORDERLINE REDUCED (data).....	874
BORDERLINE REDUCED (q-pair).....	348
BOTH ARMS (loca).....	1161

BOTH ARMS (q-pair).....	617
BOTH HANDS (loca).....	1161
BOTH HANDS (q-pair).....	160
BOTH LEGS (loca).....	1161
BOTH LEGS (q-pair).....	136, 160, 618
BOWEL MOVEMENT EVENT(S).....	66
BRACHIAL (loca).....	1161
BRACHIAL (q-pair).....	63, 587
BRACHIAL (qual).....	1253
BRADEN FRICTION AND SHEAR 1 PROBLEM (data).....	874
BRADEN FRICTION AND SHEAR 1 PROBLEM (q-pair).....	68
BRADEN SCALE (unit).....	1274
BRADEN SCALE ACTIVITY.....	67
BRADEN SCALE ACTIVITY 1 BEDFAST (data).....	874
BRADEN SCALE ACTIVITY 1 BEDFAST (q-pair).....	67
BRADEN SCALE ACTIVITY 2 CHAIRFAST (data).....	874
BRADEN SCALE ACTIVITY 2 CHAIRFAST (q-pair).....	67
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (data).....	874
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (q-pair)....	67
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (data).....	875
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (q-pair).....	67
BRADEN SCALE FRICTION AND SHEAR.....	68
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (data)	
.....	875
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (q-pair)	
.....	68
BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (data)	
.....	875

BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (q-pair)	
.....	68
BRADEN SCALE MOBILITY.....	69
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (data).....	875
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (q-pair)...	69
BRADEN SCALE MOBILITY 2 VERY LIMITED (data).....	875
BRADEN SCALE MOBILITY 2 VERY LIMITED (q-pair).....	69
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (data).....	876
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (q-pair).....	69
BRADEN SCALE MOBILITY 4 NO LIMITATION (data).....	876
BRADEN SCALE MOBILITY 4 NO LIMITATION (q-pair).....	69
BRADEN SCALE MOISTURE.....	70
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (data).....	876
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (q-pair).....	70
BRADEN SCALE MOISTURE 2 VERY MOIST (data).....	876
BRADEN SCALE MOISTURE 2 VERY MOIST (q-pair).....	70
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (data).....	876
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (q-pair)....	70
BRADEN SCALE MOISTURE 4 RARELY MOIST (data).....	877
BRADEN SCALE MOISTURE 4 RARELY MOIST (q-pair).....	70
BRADEN SCALE NUTRITION.....	71
BRADEN SCALE NUTRITION 1 VERY POOR (data).....	877
BRADEN SCALE NUTRITION 1 VERY POOR (q-pair).....	71
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (data)....	877
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (q-pair)..	71
BRADEN SCALE NUTRITION 3 ADEQUATE (data).....	877
BRADEN SCALE NUTRITION 3 ADEQUATE (q-pair).....	71
BRADEN SCALE NUTRITION 4 EXCELLENT (data).....	877

BRADEN SCALE NUTRITION 4 EXCELLENT (q-pair).....	71
BRADEN SCALE SENSORY PERCEPTION.....	72
BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (data) .....	878
BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (q-pair) .....	72
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (data)..	878
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (q-pair)	72
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (data) .....	878
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (q-pair) .....	72
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (data).	878
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (q-pair) .....	72
BRADEN SCALE TOTAL.....	73
BREAKDOWN (data).....	878
BREAKDOWN (q-pair).....	664
BREAKFAST (data).....	879
BREAKFAST (q-pair).....	377
BREATH SOUNDS.....	74
BREATHS PER MINUTE (unit).....	1274
BRIDGE PRESENT (data).....	879
BRIDGE PRESENT (q-pair).....	438
BRIGHT (data).....	879
BRIGHT (q-pair).....	17
BRISK (data).....	879
BRISK (q-pair).....	589

BROWN (data).....	879
BROWN (q-pair).....	157, 173, 211, 580, 699, 732, 771
BRUISED (data).....	880
BRUISED (q-pair).....	663, 784
BRUIT (data).....	880
BRUIT (q-pair).....	1
BUCKS TRACTION (data).....	880
BUCKS TRACTION (q-pair).....	720
BULB (data).....	880
BULB (q-pair).....	156
BULB SUCTION (data).....	880
BULB SUCTION (q-pair).....	773
BULLET (data).....	881
BULLET (q-pair).....	784
BUPIVICAINE (data).....	881
BUPIVICAINE (q-pair).....	181
BURN (data).....	881
BURN (q-pair).....	784
BURNING (data).....	881
BURNING (q-pair).....	485
BY PROVIDER ORDER (data).....	881
BY PROVIDER ORDER (q-pair).....	460

- C -

C1 (data).....	882
C1 (q-pair).....	179, 180

C2 (data).....	882
C2 (q-pair).....	179, 180
C3 (data).....	882
C3 (q-pair).....	179, 180
C4 (data).....	882
C4 (q-pair).....	179, 180
C5 (data).....	882
C5 (q-pair).....	179, 180
CADEXOMER IODINE (data).....	883
CADEXOMER IODINE (q-pair).....	565
CALCIUM ALGINATE (data).....	883
CALCIUM ALGINATE (q-pair).....	565, 776
CALF (loca).....	1161
CALF (q-pair).....	116
CALL HOUSE OFFICER - BP DIASTOLIC (task).....	1264
CALL HOUSE OFFICER - BP SYSTOLIC (task).....	1264
CALL HOUSE OFFICER - PULSE (task).....	1264
CALL HOUSE OFFICER - RESPIRATORY RATE (task).....	1265
CALL HOUSE OFFICER - TEMP (task).....	1265
CALL LIGHT WITHIN REACH.....	75
CALM (data).....	883
CALM (q-pair).....	56
CALORIE (unit).....	1274
CANE (data).....	883
CANE (q-pair).....	6, 725
CANES (data).....	883
CANES (q-pair).....	725
CAPILLARY REFILL.....	76

CARDIAC (data).....	884
CARDIAC (q-pair).....	403
CARDIAC ABNORMAL BPM.....	77
CARDIAC ALARM PARAMETERS VERIFIED.....	78
CARDIAC BRUIT.....	79
CARDIAC CHAIR (data).....	884
CARDIAC CHAIR (q-pair).....	53
CARDIAC DIET (data).....	884
CARDIAC DIET (q-pair).....	150
CARDIAC ECTOPY.....	80
CARDIAC HEART SOUNDS.....	81
CARDIAC INDEX.....	82
CARDIAC MONITOR (meth).....	1211
CARDIAC OUTPUT.....	83
CARDIAC OUTPUT INJECTATE (data).....	884
CARDIAC OUTPUT INJECTATE (prod).....	1236
CARDIAC OUTPUT INJECTATE (q-pair).....	445
CARDIAC OUTPUT MONITOR (meth).....	1211
CARDIAC OUTPUT MONITOR (q-pair).....	105, 349, 353, 378, 575, 577, 586, 622, 623, 702, 703, 707
CARDIAC REPOSITION (data).....	884
CARDIAC REPOSITION (q-pair).....	13
CARDIAC RHYTHM.....	84
CARDIAC RHYTHM LEAD.....	85
CARDIAC THRILL.....	86
CARDIAC THRILL TIMING.....	87
CARDIO-RESP MONITOR (data).....	885

CARDIO-RESP MONITOR (q-pair).....	401
CARDIOLOGY PROCEDURE ROOM (data).....	885
CARDIOLOGY PROCEDURE ROOM (q-pair).....	570
CAREGIVER (data).....	885
CAREGIVER (q-pair).....	11
CAREGIVER STRESS (data).....	885
CAREGIVER STRESS (q-pair).....	164
CAROTID (loca).....	1162
CAROTID (q-pair).....	587
CASS ENDOTRACHEAL TUBE (data).....	885
CASS ENDOTRACHEAL TUBE (q-pair).....	22
CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (data)	
.....	886
CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (q-pair)	
.....	91
CATH SIZE DOCUMENTED (data).....	886
CATH SIZE DOCUMENTED (q-pair).....	91
CATHETER (data).....	886
CATHETER (meth).....	1212
CATHETER (q-pair).....	220
CATHETER (sche).....	1256
CATHETERIZATION TIME DOCUMENTED (data).....	886
CATHETERIZATION TIME DOCUMENTED (q-pair).....	91
CAUTI: ALTERNATIVES ATTEMPTED PRIOR TO CATH.....	88
CAUTI: CATHETER IN PLACE.....	89
CAUTI: INDICATIONS.....	90
CAUTI: INSERTION REQUIREMENTS.....	91
CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY.	



.....	92
CELLULITIS (data).....	886
CELLULITIS (q-pair).....	784
CENTIMETER (unit).....	1274
CENTIMETERS H2O (unit).....	1275
CENTRAL ECG (data).....	887
CENTRAL ECG (q-pair).....	24
CENTRAL LINE ALARMS ON.....	93
CENTRAL LINE CHANGED.....	94
CENTRAL LINE DRESSING CHANGE.....	95
CENTRAL LINE DRESSING TYPE.....	96
CENTRAL LINE INSERTION MARK.....	97
CENTRAL LINE SITE CARE.....	98
CENTRAL LINE SITE CONDITION.....	99
CENTRAL LINE SIZE FRENCH.....	100
CENTRAL LINE SIZE GAUGE.....	101
CENTRAL LINE TYPE.....	102
CENTRAL LINE WAVEFORM.....	103
CENTRAL LINE ZEROED.....	104
CENTRAL VENOUS CATHETER (data).....	887
CENTRAL VENOUS CATHETER (q-pair).....	343, 508
CENTRAL VENOUS PRESSURE.....	105
CEREBRAL PERFUSION PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS .....	106
CERVICAL SPINAL PRECAUTIONS (data).....	887
CERVICAL SPINAL PRECAUTIONS (q-pair).....	12
CF: COUNTING FINGERS (data).....	887
CF: COUNTING FINGERS (q-pair).....	152

CHAIR (data).....	887
CHAIR (meth).....	1212
CHAIR (q-pair).....	12, 725, 764
CHANGED (data).....	888
CHANGED (q-pair).....	43, 95, 343
CHART VERIFIED CORRECT (data).....	888
CHART VERIFIED CORRECT (q-pair).....	525
CHEST (loca).....	1162
CHEST (q-pair).....	165, 488, 616, 619,
	676
CHEST EXPANSION.....	107
CHEST PAIN.....	108
CHEST TUBE (meth).....	1212
CHEST TUBE (prod).....	1237
CHEST TUBE (q-pair).....	446
CHEST TUBE DRAINAGE (prod).....	1237
CHEST TUBE DRAINAGE CHARACTERISTICS.....	109
CHEST TUBE DRAINAGE SUCTION TYPE.....	110
CHEST TUBE DRAINAGE SYSTEM REPLACED.....	111
CHEST TUBE DRESSING CHANGE.....	112
CHEST TUBE SITE ASSESSMENT.....	113
CHEST TUBE SUCTION (CM H2O).....	114
CHEYNE-STOKES (data).....	888
CHEYNE-STOKES (q-pair).....	595
CHIEF CONCERN/COMPLAINT.....	115
CIRCULATION CHECK (data).....	888
CIRCULATION CHECK (q-pair).....	615
CIRCUMFERENCE/GIRTH.....	116

CIWA SCALE (unit).....	1275
CIWA: AGITATION.....	117
CIWA: ANXIETY.....	118
CIWA: AUDITORY DISTURBANCES.....	119
CIWA: HEADACHE FULLNESS IN HEAD.....	120
CIWA: NAUSEA/VOMITING.....	121
CIWA: ORIENTATION AND CLOUDING OF SENSORIUM.....	122
CIWA: PAROXYSMAL SWEATS.....	123
CIWA: TACTILE DISTURBANCES.....	124
CIWA: TOTAL.....	125
CIWA: TREMOR.....	126
CIWA: VISUAL DISTURBANCES.....	127
CLAMPED (data).....	888
CLAMPED (q-pair).....	214
CLASS I (data).....	889
CLASS I (q-pair).....	354
CLASS II (data).....	889
CLASS II (q-pair).....	354
CLASS III (data).....	889
CLASS III (q-pair).....	354
CLASS IV (data).....	889
CLASS IV (q-pair).....	354
CLAY (data).....	889
CLAY (q-pair).....	157, 173, 211, 732,

771

CLEAN (data).....	890
CLEAN (q-pair).....	46, 99, 143, 238,

345, 462

CLEAR (data).....	890
CLEAR (q-pair).....	74, 157, 173, 211, 296, 556, 580, 654, 699, 731, 732
CLEAR LIQUID DIET (data).....	890
CLEAR LIQUID DIET (q-pair).....	150
CLEAR LIQUIDS (prod).....	1237
CLEAR LIQUIDS (q-pair).....	329
CLICK (data).....	890
CLICK (q-pair).....	81
CLINICAL ASSESSMENT (data).....	890
CLINICAL ASSESSMENT (q-pair).....	164
CLOSE OBSERVATION (data).....	891
CLOSE OBSERVATION (q-pair).....	57
CLOSE OBSERVATION BEHAVIOR.....	128
CLOSE OBSERVATION CURRENT LOCATION.....	129
CLOSE OBSERVATION REASON FOR PRECAUTION.....	130
CLOSED (data).....	891
CLOSED (q-pair).....	133
CLOSED SYSTEM (data).....	891
CLOSED SYSTEM (q-pair).....	167
CLOTHED SELF (data).....	891
CLOTHED SELF (q-pair).....	5
CLOTHING ROOM (data).....	891
CLOTHING ROOM (q-pair).....	532, 533
CLOTS (data).....	892
CLOTS (q-pair).....	698, 731
CLOUDY (data).....	892

CLOUDY (q-pair).....	296, 556, 654, 731
CLUBBING (data).....	892
CLUBBING (q-pair).....	416
CMS INTACT DISTAL TO SURGICAL SITE (data).....	892
CMS INTACT DISTAL TO SURGICAL SITE (q-pair).....	480
CNS (data).....	892
CNS (q-pair).....	571
CNS DEPRESSION (data).....	893
CNS DEPRESSION (q-pair).....	183
COCCYX (loca).....	1162
COCCYX (q-pair).....	488, 564, 676, 779
CODE CART IS ASSESSIBLE (data).....	893
CODE CART IS ASSESSIBLE (q-pair).....	401
CODE STATUS.....	131
COFFEE (prod).....	1237
COFFEE (q-pair).....	329
COFFEE GROUND (data).....	893
COGNITIVE IMPAIRMENT (data).....	893
COGNITIVE IMPAIRMENT (q-pair).....	52
COLD (data).....	893
COLD (q-pair).....	490, 676
COLLAGEN (data).....	894
COLLAGEN (q-pair).....	565
COLLOID (meth).....	1212
COLLOID (prod).....	1237
COLLOID (q-pair).....	309, 324
COLLOID TYPE.....	132
COLORLESS (data).....	894

COLORLESS (q-pair).....	771
COLOSTOMY (data).....	894
COLOSTOMY (q-pair).....	439
COMA SCORE EYE.....	133
COMA SCORE MOTOR.....	134
COMA SCORE VERBAL.....	135
COMBATIVE (data).....	894
COMBATIVE (q-pair).....	56
COMFORT CARE (data).....	894
COMFORT CARE (q-pair).....	90
COMFORT MEASURES (data).....	895
COMFORT MEASURES (q-pair).....	190
COMMODE (data).....	895
COMMODE (q-pair).....	12
COMMUNICATION BARRIER (data).....	895
COMMUNICATION BARRIER (q-pair).....	161
COMMUNITY RESOURCES (data).....	895
COMMUNITY RESOURCES (q-pair).....	164
COMPLETE BATH (data).....	895
COMPLETE BATH (q-pair).....	5
COMPLIANCE (data).....	896
COMPLIANCE (q-pair).....	164
COMPR. HOSE SEQ. COMP. DEVICE.....	136
COMPUTED TOMOGRAPHY (meth).....	1212
COMPUTED TOMOGRAPHY (q-pair).....	347, 348
CONFUSED (data).....	896
CONFUSED (q-pair).....	135, 161, 351
CONFUSION (data).....	896

CONFUSION (q-pair).....	183, 513
CONNECTED TO DRAINAGE BAG (data).....	896
CONNECTED TO DRAINAGE BAG (q-pair).....	438
CONSISTENT WITH BODY TEMPERATURE (data).....	896
CONSISTENT WITH BODY TEMPERATURE (q-pair).....	676
CONSTANT (data).....	897
CONSTANT (q-pair).....	485, 486, 785
CONSTIPATION (data).....	897
CONSTIPATION (q-pair).....	183, 209, 698
CONSTRICTED (data).....	897
CONSTRICTED (q-pair).....	17
CONTACT (data).....	897
CONTACT (q-pair).....	333
CONTACTS (data).....	897
CONTACTS (q-pair).....	396
CONTEMPLATIVE (data).....	898
CONTEMPLATIVE (q-pair).....	163
CONTINENT (data).....	898
CONTINENT (q-pair).....	220, 734
CONTINUOUS (data).....	898
CONTINUOUS (q-pair).....	87, 156, 214, 216,

CONTINUOUS POSITIVE AIR PRESSURE (data).....	898
CONTINUOUS POSITIVE AIR PRESSURE (q-pair).....	743, 757
CONTINUOUS SUCTION (data).....	898
CONTINUOUS SUCTION (q-pair).....	110
CONTRAST LEFT VENTRICULOGRAPHY (meth).....	1213
CONTRAST LEFT VENTRICULOGRAPHY (q-pair).....	347, 348

CONTROL MODE VENTILATION (data).....	899
CONTROL MODE VENTILATION (q-pair).....	743
CONTROLLED VENTILATOR (meth).....	1213
CONTROLLED VENTILATOR (q-pair).....	596
CONTUSION (data).....	899
CONTUSION (q-pair).....	784
COOL (data).....	899
COOL (q-pair).....	676
COOL CHEM PACK (data).....	899
COOL CHEM PACK (q-pair).....	762
COOLER THAN GENERAL BODY TEMPERATURE (data).....	899
COOLER THAN GENERAL BODY TEMPERATURE (q-pair).....	676
COOLER THAN OPPOSITE BODY PART (data).....	900
COOLER THAN OPPOSITE BODY PART (q-pair).....	676
COOLING BLANKET (data).....	900
COOLING BLANKET (q-pair).....	762
COOLING OFF (data).....	900
COOLING OFF (q-pair).....	763
COOLING ON (data).....	900
COOLING ON (q-pair).....	763
COOPERATIVE (data).....	900
COOPERATIVE (q-pair).....	56
COPIUS (data).....	901
COPIUS (q-pair).....	450, 579
CORE (loca).....	1162
CORE (q-pair).....	712
COUGH.....	137
CPAP.....	138



CPAP (meth).....	1213
CPAP (q-pair).....	705
CRACKLES (data).....	901
CRACKLES (q-pair).....	74
CRAMPING (data).....	901
CRAMPING (q-pair).....	209, 485
CREPITUS (data).....	901
CREPITUS (q-pair).....	113
CRNA (data).....	901
CRNA (q-pair).....	571
CRRT (meth).....	1213
CRRT (q-pair).....	311, 444
CRUSHING (data).....	902
CRUSHING (q-pair).....	485, 784
CRUTCH (data).....	902
CRUTCH (q-pair).....	725
CRUTCHES (data).....	902
CRUTCHES (q-pair).....	6, 725
CRYING (data).....	902
CRYING (q-pair).....	489
CRYOPRECIPITATE (prod).....	1238
CRYOPRECIPITATE (q-pair).....	309, 317
CRYSTALLOID (data).....	902
CRYSTALLOID (prod).....	1238
CRYSTALLOID (q-pair).....	309, 324
CSM: CENTRAL STEADY MAINTAINED (data).....	903
CSM: CENTRAL STEADY MAINTAINED (q-pair).....	152
CUBIC CENTIMETER (unit).....	1275

CUFF (meth).....	1213
CUFF (q-pair).....	149, 378, 379, 708
CUFF INFLATION CHECKED.....	139
CUFF-AUTOMATED (meth).....	1214
CUFF-AUTOMATED (q-pair).....	63
CUFF-MANUAL (meth).....	1214
CUFF-MANUAL (q-pair).....	63
CULTURAL (data).....	903
CULTURAL (q-pair).....	162
CVVHD (meth).....	1214
CVVHD (q-pair).....	311, 444
CYANOTIC (data).....	903
CYANOTIC (q-pair).....	414, 415, 663

- D -

D - DOPPLER (data).....	903
D - DOPPLER (q-pair).....	588
D10W ENTERAL NUTRITION (data).....	903
D10W ENTERAL NUTRITION (q-pair).....	172
D50W ENTERAL NUTRITION (data).....	904
D50W ENTERAL NUTRITION (q-pair).....	172
D5W ENTERAL NUTRITION (data).....	904
D5W ENTERAL NUTRITION (q-pair).....	172
D=DOPPLER (data).....	904
DAILY PLAN (data).....	904
DAILY PLAN (q-pair).....	164
DAKINS SOLUTION (prod).....	1238

DAKINS SOLUTION (q-pair).....	316
DAMPENED (data).....	904
DAMPENED (q-pair).....	48, 103, 457, 460,
	465
DANGLED (data).....	905
DANGLED (q-pair).....	12
DATE OF BIRTH (data).....	905
DATE OF BIRTH (q-pair).....	402
DAY (unit).....	1275
DAY ROOM (data).....	905
DAY ROOM (q-pair).....	55, 129
DDD (data).....	905
DDD (q-pair).....	470
DDDR (data).....	905
DDDR (q-pair).....	470
DDI (data).....	906
DDI (q-pair).....	470
DECELERATING (data).....	906
DECELERATING (q-pair).....	758
DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (data).....	906
DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (q-pair).....	529
DECREASED (data).....	906
DECREASED (q-pair).....	679
DEEP (data).....	906
DEEP (q-pair).....	485, 595
DEGREES (ANGLE) (unit).....	1275
DEGREES C (unit).....	1276
DEGREES F (unit).....	1276

DELIRIOUS (data).....	907
DELIRIOUS (q-pair).....	351
DENIES HAVING SLEPT (data).....	907
DENIES HAVING SLEPT (q-pair).....	682
DENIES NEED (data).....	907
DENIES NEED (q-pair).....	163
DENTAL (data).....	907
DENTAL (q-pair).....	570
DENTAL IMPLANTS (data).....	907
DENTAL IMPLANTS (q-pair).....	140
DENTIST (data).....	908
DENTIST (q-pair).....	571
DENTURES.....	140
DENTURES (data).....	908
DENTURES (q-pair).....	396
DESCRIP (data).....	908
DEVICE RELATED PRESSURE (data).....	908
DEVICE RELATED PRESSURE (q-pair).....	562
DEVICE RELEASE (data).....	908
DEVICE RELEASE (q-pair).....	615
DIABETES (data).....	909
DIABETES (q-pair).....	397
DIABETIC/VASCULAR ULCER (data).....	909
DIABETIC/VASCULAR ULCER (q-pair).....	784
DIAGNOSIS.....	141
DIAGNOSIS TYPE.....	142
DIAGNOSIS/HEALTH STATUS (data).....	909
DIAGNOSIS/HEALTH STATUS (q-pair).....	164

DIALYSIS (data).....	909
DIALYSIS (meth).....	1214
DIALYSIS (q-pair).....	102
DIALYSIS CATHETER (meth).....	1214
DIALYSIS CATHETER SITE CONDITION.....	143
DIALYSIS DRESSING TYPE.....	144
DIALYSIS RATIO.....	145
DIALYSIS: ARTERIAL PRESSURE.....	146
DIALYSIS: UFR (ULTRAFILTRATION RATE).....	147
DIALYSIS: VENOUS PRESSURE.....	148
DIAPHORETIC (data).....	909
DIAPHORETIC (q-pair).....	671
DIARRHEA (data).....	910
DIARRHEA (q-pair).....	209, 698
DIASTOLIC (data).....	910
DIASTOLIC (q-pair).....	87
DIASTOLIC PRESSURE.....	149
DIET.....	150
DIFFICULT TO AROUSE (data).....	910
DIFFICULT TO AROUSE (q-pair).....	505
DILATED (data).....	910
DILATED (q-pair).....	589
DILUTE DAKINS SOLUTION (data).....	910
DILUTE DAKINS SOLUTION (q-pair).....	565
DILUTE SODIUM HYPOCHLORITE SOLUTION (data).....	911
DIMINISHED (data).....	911
DIMINISHED (q-pair).....	74
DISCHARGE (data).....	911

DISCHARGE (q-pair).....	142, 164, 779
DISCHARGE ACTIVITIES.....	151
DISCHARGE MEDS PLANNED (data).....	911
DISCHARGE MEDS PLANNED (q-pair).....	151
DISCHARGE ORDER ON CHART (data).....	911
DISCHARGE ORDER ON CHART (q-pair).....	151
DISCOLORATION (data).....	912
DISCOLORATION (q-pair).....	415, 658
DISCOMFORT (data).....	912
DISCOMFORT (q-pair).....	46, 99, 143, 238,
	345, 462
DISCONTINUED (data).....	912
DISCONTINUED (q-pair).....	343, 508, 640
DISEASE PROCESS (data).....	912
DISEASE PROCESS (q-pair).....	164
DISHEVELED (data).....	912
DISHEVELED (q-pair).....	32
DISORIENTED (data).....	913
DISORIENTED (q-pair).....	612
DISORIENTED TO PERSON (data).....	913
DISORIENTED TO PERSON (q-pair).....	436
DISORIENTED TO PLACE (data).....	913
DISORIENTED TO PLACE (q-pair).....	436
DISORIENTED TO SITUATION (data).....	913
DISORIENTED TO SITUATION (q-pair).....	436
DISORIENTED TO TIME (data).....	913
DISORIENTED TO TIME (q-pair).....	436
DISTAL PORT (data).....	914

DISTAL PORT (q-pair).....	344
DISTANCE VISION.....	152
DISTENDED (data).....	914
DISTENDED (q-pair).....	2, 418
DIVERSION (data).....	914
DIVERSION (q-pair).....	734
DO (data).....	914
DO (q-pair).....	626
DO NOT INTUBATE (data).....	914
DO NOT INTUBATE (q-pair).....	40
DO NOT PROCESS.....	153
DO NOT RESUSCITATE (data).....	915
DO NOT RESUSCITATE (q-pair).....	40, 131
DONE (data).....	915
DONE (q-pair).....	15
DONOR SITE (loca).....	1162
DONOR SITE (q-pair).....	303
DOO (data).....	915
DOO (q-pair).....	470
DOPPLER (meth).....	1215
DOPPLER (q-pair).....	63, 149, 587, 708
DORSALIS PEDIS (loca).....	1163
DORSALIS PEDIS (q-pair).....	587
DORSI FLEXION.....	154
DOUBLE (data).....	915
DOUBLE (q-pair).....	102
DOUBLE LUMEN CATHETER (meth).....	1215
DOWN (data).....	915

DRAIN SUCTION CM H20.....	155
DRAIN SUCTION TYPE.....	156
DRAINAGE CHARACTERISTICS.....	157
DRAINAGE FLOW IS UNOBSTRUCTED (data).....	916
DRAINAGE FLOW IS UNOBSTRUCTED (q-pair).....	91
DRESSING (data).....	916
DRESSING (q-pair).....	589, 768
DRESSING CHANGED (data).....	916
DRESSING CHANGED (q-pair).....	343, 508
DRESSING WITH PRESCRIPTION RX (data).....	916
DRESSINGS CHECKED (data).....	916
DRESSINGS CHECKED (q-pair).....	151
DROPLET (data).....	917
DROPLET (q-pair).....	333
DROWSY (data).....	917
DROWSY (q-pair).....	56, 351, 505
DRY (data).....	917
DRY (q-pair).....	43, 95, 656, 671,
	764
DRY (qual).....	1253
DRY AND INTACT (data).....	917
DRY SHAMPOO (data).....	917
DRY SHAMPOO (q-pair).....	5
DRY STERILE DRESSING (data).....	918
DULL (data).....	918
DULL (q-pair).....	485
DUMPING SYNDROME (data).....	918
DUMPING SYNDROME (q-pair).....	150



DUODENOSTOMY (data).....	918
DUODENOSTOMY (q-pair).....	166
DUSKY (data).....	918
DUSKY (q-pair).....	663
DVI (data).....	919
DVI (q-pair).....	470
DVT PROPHYLAXIS.....	158
DYE PRESENT (data).....	919
DYE PRESENT (q-pair).....	732
DYNE * SECONDS / CM(-5) * M2 (unit).....	1276
DYNE * SECONDS / CM(-5) / M2 (unit).....	1276
DYNE-SEC/CM5 (unit).....	1276
DYSPHAGIA (data).....	919
DYSPHAGIA (q-pair).....	40
DYSPHAGIA PHASE I (data).....	919
DYSPHAGIA PHASE I (q-pair).....	150
DYSPHAGIA STAGE II (data).....	919
DYSPHAGIA STAGE II (q-pair).....	150
DYSPHAGIA STAGE III (data).....	920
DYSPHAGIA STAGE III (q-pair).....	150
DYSPHAGIA STAGE IV (data).....	920
DYSPHAGIA STAGE IV (q-pair).....	150
DYSPHAGIA STAGE V (data).....	920
DYSPHAGIA STAGE V (q-pair).....	150
DYSPNEIC (data).....	920
DYSPNEIC (q-pair).....	595
DYSURIA (data).....	920
DYSURIA (q-pair).....	734

- E -

EAGER TO LEARN (data).....	921
EAGER TO LEARN (q-pair).....	163
EASY TO AROUSE (data).....	921
EASY TO AROUSE (q-pair).....	505
ECCHYMOSIS (data).....	921
ECCHYMOSIS (q-pair).....	663
ECHOCARDIOGRAPHY (meth).....	1215
ECHOCARDIOGRAPHY (q-pair).....	347, 348
EDEMA AMOUNT.....	159
EDEMA SEVERITY.....	160
EDUCATION - BARRIERS.....	161
EDUCATION - BELIEFS.....	162
EDUCATION - READINESS TO LEARN.....	163
EDUCATION - TOPIC.....	164
EF RESIDUAL (prod).....	1238
EF RESIDUAL (q-pair).....	445
EKG LEAD.....	165
ELASTIC WRAP (data).....	921
ELASTIC WRAP (q-pair).....	158
ELBOW PAD (data).....	921
ELBOW PAD (q-pair).....	561
ELECTRIC (data).....	922
ELECTRIC (q-pair).....	485
ELECTROCARDIOGRAM (meth).....	1215
ELECTROCARDIOGRAM (q-pair).....	587, 685, 686, 687,

688, 689, 690, 691,  
692, 693, 694, 695,  
696, 717, 718

ELECTROCARDIOGRAM TRACE 1 (meth).....	1215
ELECTROCARDIOGRAM TRACE 1 (q-pair).....	587
ELECTROCARDIOGRAM TRACE 2 (meth).....	1216
ELECTROCARDIOGRAM TRACE 2 (q-pair).....	587
ELEMENTAL FORMULA (data).....	922
ELEMENTAL FORMULA (prod).....	1238
ELEMENTAL FORMULA (q-pair).....	309
ELIMINATED ENVIRONMENTAL HAZARDS (data).....	922
ELIMINATED ENVIRONMENTAL HAZARDS (q-pair).....	190
ELOPEMENT (data).....	922
ELOPEMENT (q-pair).....	40, 58, 130
EMERGENCY (data).....	922
EMERGENCY (q-pair).....	50
EMERGENCY DEPARTMENT (data).....	923
EMERGENCY DEPARTMENT (q-pair).....	187, 482
EMERGENCY DEPT (data).....	923
EMERGENCY DEPT (q-pair).....	570
EMESIS (prod).....	1239
EMESIS (q-pair).....	447
EMOTIONAL (data).....	923
EMOTIONAL (q-pair).....	161
END OF LIFE CARE (data).....	923
END OF LIFE CARE (q-pair).....	562
END-TIDAL CO2 MONITOR (data).....	923
END-TIDAL CO2 MONITOR (q-pair).....	401

ENSURE PLUS (data).....	924
ENSURE PLUS (q-pair).....	172
ENTERAL FEEDING / SUPPLEMENT (meth).....	1216
ENTERAL FEEDING / SUPPLEMENT (q-pair).....	309
ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (data)....	924
ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (q-pair)..	164
ENTERAL FEEDING PUMP (data).....	924
ENTERAL FEEDING PUMP (q-pair).....	164
ENTERAL FEEDING TUBE (meth).....	1216
ENTERAL FEEDING TUBE (q-pair).....	309
ENTERAL FEEDING TUBE TYPE.....	166
ENTERAL NUTRITION DELIVERY METHOD.....	167
ENTERAL NUTRITION LINE TRACED.....	168
ENTERAL NUTRITION RATE.....	169
ENTERAL NUTRITION SYSTEM MAINTENANCE.....	170
ENTERAL NUTRITION TUBE PLACEMENT VERIFIED.....	171
ENTERAL NUTRITION TYPE.....	172
ENTERAL TUBE ASPIRATE COLOR.....	173
ENTERAL TUBE ASPIRATE PH.....	174
ENTERAL TUBE MEDICATION ADMINISTRATION (data).....	924
ENTERAL TUBE MEDICATION ADMINISTRATION (q-pair).....	164
ENTERAL TUBE RESIDUAL VOLUME.....	175
ENTERAL TUBE SITE CONDITION CHECKED.....	176
ENTERAL TUBE/STOMA CARE (data).....	924
ENTERAL TUBE/STOMA CARE (q-pair).....	164
ENVIRONMENT (data).....	925
ENVIRONMENT (q-pair).....	164
ENZYMATIC OINTMENT (data).....	925

ENZYMATIC OINTMENT (q-pair).....	565
EPICARDIAL LEADS (data).....	925
EPICARDIAL LEADS (q-pair).....	476
EPIDURAL (data).....	925
EPIDURAL (q-pair).....	31
EPIDURAL PUMP (data).....	925
EPIDURAL PUMP (q-pair).....	164
EPIDURAL: BOLUS (ML).....	177
EPIDURAL: CONTINUOUS RATE (ML/HR).....	178
EPIDURAL: DERMATOME SENSORY LEVEL - LEFT.....	179
EPIDURAL: DERMATOME SENSORY LEVEL - RIGHT.....	180
EPIDURAL: MEDICATION.....	181
EPIDURAL: RESERVOIR VOLUME REMAINING.....	182
EPIDURAL: SIDE EFFECTS.....	183
EPIDURAL: TOTAL VOLUME GIVEN.....	184
EPITHELIALIZATION (data).....	926
EPITHELIALIZATION (q-pair).....	778
EQUAL (data).....	926
EQUAL (q-pair).....	352, 730
EQUIPMENT (data).....	926
EQUIPMENT (q-pair).....	164
ER EMERGENCY SEVERITY INDEX.....	185
ER TRIAGE CONDITION.....	186
ER TRIAGE DISPOSITION.....	187
ERYTHEMA (data).....	926
ERYTHEMA (q-pair).....	658
ESCAPE (data).....	926
ESCAPE (q-pair).....	58, 130

ESCHAR (data).....	927
ESCHAR (q-pair).....	778
ESTABLISHED ROUTINE TOILETING SCHEDULE (data).....	927
ESTABLISHED ROUTINE TOILETING SCHEDULE (q-pair).....	190
ESTIMATED (q-pair).....	227, 297, 450, 587, 712, 764, 766
ESTIMATED (qual).....	1253
ESTIMATED BY ARM SPAN (q-pair).....	227
ESTIMATED BY ARM SPAN (qual).....	1254
ET LOCATION.....	188
ETT REPOSITIONED (data).....	927
ETT REPOSITIONED (q-pair).....	15
ETT RETAPED/SECURED (data).....	927
ETT RETAPED/SECURED (q-pair).....	15
EVENT(S) (unit).....	1277
EVENTS PER HOUR (unit).....	1277
EWALD TUBE (data).....	927
EWALD TUBE (q-pair).....	215
EXPIRATORY WHEEZES (data).....	928
EXPIRATORY WHEEZES (q-pair).....	74
EXTENDED PERIOD OF IMMOBILITY (data).....	928
EXTENDED PERIOD OF IMMOBILITY (q-pair).....	183
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (data) .....	928
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair) .....	666
EXTENDS AROUND INCISION MORE THAN 1 CM (data).....	928
EXTENDS AROUND INCISION MORE THAN 1 CM (q-pair).....	666

EXTENDS AROUND INCISION NONE (data).....	928
EXTENDS AROUND INCISION NONE (q-pair).....	666
EXTENDS INTO PERIWOUND <1CM (data).....	929
EXTENDS INTO PERIWOUND <1CM (q-pair).....	301
EXTENDS INTO PERIWOUND>1CM (data).....	929
EXTENDS INTO PERIWOUND>1CM (q-pair).....	301
EXTENDS TO PAIN (data).....	929
EXTENDS TO PAIN (q-pair).....	134
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (data) .....	929
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair) .....	667
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (data) .....	929
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (q-pair) .....	667
EXTENSION AROUND WOUND LIMITED TO WOUND (data).....	930
EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair).....	667
EXTENSION AROUND WOUND NONE (data).....	930
EXTENSION AROUND WOUND NONE (q-pair).....	667
EXTENSIVE ASSISTANCE (data).....	930
EXTENSIVE ASSISTANCE (q-pair).....	8, 9, 10
EXTERNAL CATHETER (data).....	930
EXTERNAL CATHETER (q-pair).....	219, 734
EXTERNAL CONDOM CATH (data).....	930
EXTERNAL CONDOM CATH (q-pair).....	88
EXTREMELY DRY (data).....	931
EYE CLOSED (data).....	931

EYE CLOSED (q-pair).....	589
EYEGLASSES (data).....	931
EYEGLASSES (q-pair).....	396

- F -

FACE (loca).....	1163
FACE (q-pair).....	160, 488, 676
FACE TENT (meth).....	1216
FACE TENT (q-pair).....	704
FACE WASH (data).....	931
FACE WASH (q-pair).....	5
FALL PRECAUTIONS.....	189
FALL PREVENTION.....	190
FALL RISK ID (data).....	931
FALL RISK ID (q-pair).....	190
FALL RISK SIGN (data).....	932
FALL RISK SIGN (q-pair).....	190
FAMILY (data).....	932
FAMILY (q-pair).....	11, 532, 533
FAMILY INFORMED (data).....	932
FAMILY INFORMED (q-pair).....	404, 598
FAMILY INSTRUCTED (data).....	932
FAMILY INSTRUCTED (q-pair).....	438
FAMILY NEEDS (data).....	932
FAMILY NEEDS (q-pair).....	164
FAMILY ORIENTED TO UNIT.....	191
FAMILY STATED (data).....	933



FAMILY STATED (q-pair).....	525
FAMILY/FRIEND (data).....	933
FAMILY/FRIEND (q-pair).....	724
FASCIA (data).....	933
FAT RESTRICTED 50 GM DIET (data).....	933
FAT RESTRICTED 50 GM DIET (q-pair).....	150
FECAL FAT TEST DIET (data).....	933
FECAL FAT TEST DIET (q-pair).....	150
FECES (prod).....	1239
FEET (loca).....	1163
FEET (q-pair).....	160
FEMORAL (loca).....	1163
FEMORAL (q-pair).....	63, 587
FENTANYL (data).....	934
FENTANYL (q-pair).....	181
FETAL HEART TONES.....	192
FFP (prod).....	1239
FFP (q-pair).....	309, 317
FFP - THAWED (prod).....	1239
FFP - THAWED (q-pair).....	309, 317
FHWN1 (data).....	934
FIBER FORMULA (data).....	934
FIBER STAT (data).....	934
FIBER STAT (q-pair).....	172
FIBRINOUS (data).....	934
FIBRINOUS (q-pair).....	778
FINANCIAL CONCERNS (data).....	935
FINANCIAL CONCERNS (q-pair).....	164

FINGERSTICK GLUCOSE.....	193
FIRM (data).....	935
FIRM (q-pair).....	2
FIRST DEGREE AV BLOCK (data).....	935
FIRST DEGREE AV BLOCK (q-pair).....	84
FIXED (data).....	935
FIXED (q-pair).....	589
FLAT (data).....	935
FLAT (q-pair).....	2, 17, 418
FLATULENCE (data).....	936
FLATULENCE (q-pair).....	1
FLATUS.....	194
FLEXION TO PAIN (data).....	936
FLEXION TO PAIN (q-pair).....	134
FLICKER OF CONTRACTION (data).....	936
FLICKER OF CONTRACTION (q-pair).....	412
FLOTATION BED (data).....	936
FLOTATION BED (q-pair).....	683
FLOWSHEET ADDENDUM.....	195
FLUCTUANCE (data).....	936
FLUCTUATES (data).....	937
FLUCTUATES (q-pair).....	113
FLUSHED (data).....	937
FLUSHED (q-pair).....	343, 663
FOAM AIR HEEL ELEVATOR (data).....	937
FOAM AIR HEEL ELEVATOR (q-pair).....	561
FOAM DRESSING (data).....	937
FOAM DRESSING (q-pair).....	776

FOLEY (data).....	937
FOLEY (q-pair).....	219
FOLLOWS COMMANDS (data).....	938
FOLLOWS COMMANDS (q-pair).....	351
FOOT (unit).....	1277
FOOT CARE (data).....	938
FOOT CARE (q-pair).....	5
FOOT DOWN (data).....	938
FOOT DOWN (q-pair).....	652
FOOT STRENGTH.....	196
FOOT UP (data).....	938
FOOT UP (q-pair).....	652
FOREHEAD (loca).....	1163
FOREHEAD (q-pair).....	564
FORMULA - HIGH FIBER (prod).....	1239
FORMULA - PROBALANCE (prod).....	1240
FORMULA - PROBALANCE (q-pair).....	172
FORMULA 1.5 CAL (prod).....	1240
FORMULA 1.5 CAL (q-pair).....	309
FORMULA 2.0 CAL (prod).....	1240
FORMULA 2.0 CAL (q-pair).....	172, 309
FORMULA D10W ENTERAL NUTRITION (prod).....	1240
FORMULA D10W ENTERAL NUTRITION (q-pair).....	172
FORMULA D50W ENTERAL NUTRITION (prod).....	1240
FORMULA D50W ENTERAL NUTRITION (q-pair).....	172
FORMULA D5W ENTERAL NUTRITION (prod).....	1241
FORMULA D5W ENTERAL NUTRITION (q-pair).....	172
FORMULA FIBER (prod).....	1241

FORMULA FIBER (q-pair).....	309
FOUL SMELLING (data).....	938
FOUL SMELLING (q-pair).....	559, 772
FOWLER'S (data).....	939
FOWLER'S (q-pair).....	13
FRANK BLOOD (data).....	939
FRANK BLOOD (q-pair).....	698
FRENCH (unit).....	1277
FREQUENT VERBAL REMINDERS (data).....	939
FREQUENT VERBAL REMINDERS (q-pair).....	604
FRIEND (data).....	939
FRIEND (q-pair).....	11, 532, 533, 534
FROM A NON-VA OUTSIDE FACILITY (data).....	939
FROM A NON-VA OUTSIDE FACILITY (q-pair).....	89
FROM ANOTHER UNIT (data).....	940
FROM ANOTHER UNIT (q-pair).....	89
FROM ANOTHER VA FACILITY (data).....	940
FROM ANOTHER VA FACILITY (q-pair).....	89
FROM CLC (data).....	940
FROM CLC (q-pair).....	89
FROM EMERGENCY DEPARTMENT (data).....	940
FROM EMERGENCY DEPARTMENT (q-pair).....	89
FROM HOME (data).....	940
FROM HOME (q-pair).....	89
FROM INTERVENTIONAL RADIOLOGY (data).....	941
FROM INTERVENTIONAL RADIOLOGY (q-pair).....	89
FROM MICU (data).....	941
FROM MICU (q-pair).....	89

FROM OPERATING ROOM (data).....	941
FROM OPERATING ROOM (q-pair).....	89
FROM SICU (data).....	941
FROM SICU (q-pair).....	89
FRONTAL (loca).....	1164
FULL CODE (data).....	941
FULL CODE (q-pair).....	131
FULL LIQUID (prod).....	1241
FULL LIQUID (q-pair).....	329
FULL LIQUID DIABETIC (data).....	942
FULL LIQUID DIABETIC (q-pair).....	150
FULL LIQUID DIET (data).....	942
FULL LIQUID DIET (q-pair).....	150
FULL LOWER (data).....	942
FULL LOWER (q-pair).....	140
FULL NAME (data).....	942
FULL NAME (q-pair).....	402
FULL SPINAL PRECAUTIONS (data).....	942
FULL SPINAL PRECAUTIONS (q-pair).....	12
FULL SSN (data).....	943
FULL SSN (q-pair).....	402
FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO (data) .....	943
FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE (data) .....	943
FULL UPPER (data).....	943
FULL UPPER (q-pair).....	140
FUNCTIONAL SECTION SET UP (data).....	943

FUNCTIONAL SECTION SET UP (q-pair).....	401
FUNDAL HEIGHT.....	197

- G -

GAG REFLEX.....	198
GAIT.....	199
GAIT BELT (data).....	944
GAIT BELT (q-pair).....	6
GASTRIC BYPASS CLEAR LIQUID (data).....	944
GASTRIC BYPASS CLEAR LIQUID (q-pair).....	150
GASTRIC BYPASS PUREED (data).....	944
GASTRIC BYPASS PUREED (q-pair).....	150
GASTRIC BYPASS REGULAR (data).....	944
GASTRIC BYPASS REGULAR (q-pair).....	150
GASTRIC DRAINAGE (prod).....	1241
GASTRIC DRAINAGE (q-pair).....	445
GASTRIC RESIDUAL AMOUNT DISCARDED.....	200
GASTRIC RESIDUAL CHECKED.....	201
GASTRIC RESIDUAL NOT DISCARDED.....	202
GASTRIC TUBE (data).....	944
GASTRIC TUBE (q-pair).....	166, 215
GASTRIC pH.....	203
GASTROINTESTINAL (loca).....	1164
GASTROINTESTINAL (q-pair).....	488
GASTROSTOMY FEEDING BUTTON (data).....	945
GASTROSTOMY FEEDING BUTTON (q-pair).....	215
GASTROSTOMY TUBE (data).....	945

GASTROSTOMY TUBE (q-pair).....	215
GAUGE (unit).....	1277
GAUZE (data).....	945
GAUZE (q-pair).....	565, 776
GAUZE AND TAPE (data).....	945
GAUZE AND TAPE (q-pair).....	44, 235
GAUZE PACKING (data).....	945
GAUZE PACKING (q-pair).....	565, 776
GAUZE WRAP (data).....	946
GAUZE WRAP (q-pair).....	565, 776
GCS - EYE OPENING.....	204
GCS - MOTOR RESPONSE.....	205
GCS - TOTAL.....	206
GCS - VERBAL RESPONSE.....	207
GENERAL (data).....	946
GENERAL (q-pair).....	31
GENERAL HEALTH (data).....	946
GENERAL HEALTH (q-pair).....	164
GENERAL UMBILICUS (loca).....	1164
GENERAL UMBILICUS (q-pair).....	1
GENERALIZED (loca).....	1164
GENERALIZED (q-pair).....	160, 779
GENITAL ASSESSMENT.....	208
GENITALS (loca).....	1164
GENITALS (q-pair).....	779
GERI-CHAIR (data).....	946
GERI-CHAIR (q-pair).....	12, 128, 619
GI PROCEDURE ROOM (data).....	946

GI PROCEDURE ROOM (q-pair).....	570
GI SYMPTOMS.....	209
GI TUBE (meth).....	1216
GI TUBE DRAINAGE CHARACTERISTICS.....	210
GI TUBE DRAINAGE COLOR.....	211
GI TUBE PLACEMENT CONFIRMATION.....	212
GI TUBE SIZE.....	213
GI TUBE SUCTION TYPE.....	214
GI TUBE TYPE.....	215
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (data) .....	947
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (q-pair) .....	151
GLASGOW COMA SCALE (unit).....	1278
GLUCERNA 1.0 (data).....	947
GLUCERNA 1.0 (q-pair).....	172
GLUCERNA 1.2 (data).....	947
GLUCERNA 1.2 (q-pair).....	172
GLUCERNA DIABETIC (prod).....	1241
GLUCERNA DIABETIC (q-pair).....	172
GLUTEN RESTRICTED (data).....	947
GLUTEN RESTRICTED (q-pair).....	150
GM-M/M2/BEAT (unit).....	1278
GNAWING (data).....	947
GNAWING (q-pair).....	485
GOLD (data).....	948
GOLD (q-pair).....	173
GOOD (data).....	948



GOOD (q-pair).....	679
GRAFTS (data).....	948
GRAFTS (q-pair).....	397
GRAMS PER HOUR (unit).....	1278
GRAMS PER MINUTE (unit).....	1278
GRANULATING (data).....	948
GRANULATING (q-pair).....	778
GRANULOCYTES PHERESIS (prod).....	1242
GRANULOCYTES PHERESIS (q-pair).....	309, 317
GRAVITY (data).....	948
GRAVITY (q-pair).....	110, 214
GRAY (data).....	949
GRAY (q-pair).....	767
GREEN (data).....	949
GREEN (q-pair).....	157, 173, 211, 580, 699, 732, 767, 771
GRIMACING (data).....	949
GRIMACING (q-pair).....	489
GROUP ROOM (data).....	949
GROUP ROOM (q-pair).....	55, 129
GU BLADDER IRRIGATION FREQUENCY.....	216
GU CATHETER CARE PERFORMED.....	217
GU CATHETER SIZE.....	218
GU CATHETER TYPE.....	219
GU PROCEDURE ROOM (data).....	949
GU PROCEDURE ROOM (q-pair).....	570
GU VOIDING.....	220
GUARDING (data).....	950

GUARDING (q-pair).....	2, 489
GURNEY CHAIR (data).....	950
GURNEY CHAIR (q-pair).....	12

- H -

HAIR CONDITION.....	221
HALL (data).....	950
HALL (q-pair).....	55, 129
HAND GRIP.....	222
HAND HYGIENE BEFORE AND AFTER (data).....	950
HAND HYGIENE BEFORE AND AFTER (q-pair).....	91
HANDOFF REPORT.....	223
HARD (data).....	950
HARD (q-pair).....	2, 656
HAS NOT SLEPT (data).....	951
HAS NOT SLEPT (q-pair).....	682
HEAD (loca).....	1165
HEAD (q-pair).....	116, 488, 676
HEAD CIRCUMFERENCE.....	224
HEAD DOWN (data).....	951
HEAD DOWN (q-pair).....	652
HEAD OCCIPITAL (loca).....	1165
HEAD OCCIPITAL (q-pair).....	564, 779
HEAD OF BED ELEVATION.....	225
HEAD UP (data).....	951
HEAD UP (q-pair).....	652
HEADACHE (data).....	951

HEADACHE (q-pair).....	183
HEALTH TECH (data).....	951
HEALTH TECH (q-pair).....	571
HEARING (data).....	952
HEARING (q-pair).....	161
HEARING AIDS (data).....	952
HEARING AIDS (q-pair).....	396
HEART (loca).....	1165
HEART (q-pair).....	86
HEARTBURN (data).....	952
HEARTBURN (q-pair).....	209
HEAT (data).....	952
HEAT (q-pair).....	490
HEAT CHEM PACK (data).....	952
HEAT CHEM PACK (q-pair).....	762
HEAT LAMP (data).....	953
HEAT LAMP (q-pair).....	762
HEAT/MOISTURE EXCHANGER PRESENT.....	226
HEAVY (data).....	953
HEAVY (q-pair).....	485, 665
HEEL LIFT (data).....	953
HEEL LIFT (q-pair).....	561
HEEL PILLOW (data).....	953
HEIGHT.....	227
HELMET (data).....	953
HELMET (q-pair).....	190
HEMATOMA (data).....	954
HEMATOMA (q-pair).....	663, 784

HEMATURIA (data).....	954
HEMATURIA (q-pair).....	731
HEME (prod).....	1242
HEME (q-pair).....	445
HEMODIALYSIS (meth).....	1217
HEMODIALYSIS (prod).....	1242
HEMODIALYSIS (q-pair).....	311, 444, 445
HEMORRHAGE (data).....	954
HEMORRHAGE (q-pair).....	415
HEMOVAC (data).....	954
HEMOVAC (meth).....	1217
HEMOVAC (q-pair).....	446, 773
HEPATIC FORMULA (data).....	954
HEPATIC FORMULA (prod).....	1242
HEPATIC FORMULA (q-pair).....	309
HEPLOCK (data).....	955
HEPLOCK (q-pair).....	343, 508
HIGH (data).....	955
HIGH (q-pair).....	53, 156, 214
HIGH CALORIE (data).....	955
HIGH CALORIE (q-pair).....	150
HIGH FALL RISK (data).....	955
HIGH FALL RISK (q-pair).....	40
HIGH FIBER (data).....	955
HIGH FIBER (q-pair).....	150
HIGH FOWLER'S (data).....	956
HIGH FOWLER'S (q-pair).....	13
HIGH PROTEIN (data).....	956

HIGH PROTEIN (q-pair).....	150
HIGH PROTEIN FORMULA (prod).....	1242
HIGH PROTEIN FORMULA (q-pair).....	172
HIP (loca).....	1165
HIP (q-pair).....	116
HIP-PROTECTORS (data).....	956
HIP-PROTECTORS (q-pair).....	190
HIRSUTISM (data).....	956
HIRSUTISM (q-pair).....	221
HM: HAND MOTIONS (data).....	956
HM: HAND MOTIONS (q-pair).....	152
HOMANS SIGN.....	228
HOME (data).....	957
HOME (q-pair).....	482
HOME HEALTH (data).....	957
HOME HEALTH (q-pair).....	164
HOSTILE (data).....	957
HOSTILE (q-pair).....	56
HOT (data).....	957
HOT (q-pair).....	676
HOUR (unit).....	1278
HUMIDIFIER (data).....	957
HUMIDIFIER (q-pair).....	762
HYDRATION - DIET (task).....	1265
HYDRATION - HEPARIN DRIP (task).....	1265
HYDRATION - HYPERAL (task).....	1265
HYDRATION - IV FLUIDS (task).....	1266
HYDRATION - NPO (task).....	1266

HYDRATION - PERIPHERAL IV (task).....	1266
HYDRATION - PICC/CENTRAL LINE (task).....	1266
HYDRATION - SUPPLEMENT SNACK (task).....	1266
HYDRATION - TUBE FEEDING (task).....	1267
HYDROCOLLOIDAL DRESSING (data).....	958
HYDROCOLLOIDAL DRESSING (q-pair).....	565, 776, 783
HYDROFIBER (data).....	958
HYDROFIBER (q-pair).....	565
HYDROFIBER WITH SILVER (data).....	958
HYDROFIBER WITH SILVER (q-pair).....	565
HYDROGEL DRESSING (data).....	958
HYDROGEL DRESSING (q-pair).....	565, 776
HYDROMORPHONE (data).....	958
HYDROMORPHONE (q-pair).....	181
HYPERACTIVE (data).....	959
HYPERACTIVE (q-pair).....	1
HYPERDYNAMIC (data).....	959
HYPERDYNAMIC (q-pair).....	48, 103, 348, 457, 465
HYPERGRANULIZATION (data).....	959
HYPERGRANULIZATION (q-pair).....	778
HYPERTONIC HYDROGEL (data).....	959
HYPERTONIC HYDROGEL (q-pair).....	776
HYPOACTIVE (data).....	959
HYPOACTIVE (q-pair).....	1
HYPOALBUMINEMIA (data).....	960
HYPOALBUMINEMIA (q-pair).....	562
HYPOTENSION (data).....	960

HYPOTENSION (q-pair).....	183, 399, 513
HYPOXIA (data).....	960
HYPOXIA (q-pair).....	399

- I -

I (data).....	960
I (q-pair).....	85
I:E RATIO.....	229
IABP (data).....	960
IABP (meth).....	1217
IABP (q-pair).....	24, 379
IABP ASSISTED SYSTOLIC PRESSURE.....	230
IABP BAEDP.....	231
IABP BALLOON SIZE.....	232
IABP CATHETER FLUSH.....	233
IABP CIRCULATION ASSESSED.....	234
IABP DRESSING TYPE.....	235
IABP PEAK DIASTOLIC AUGMENTED PRESSURE.....	236
IABP RATIO.....	237
IABP SITE CONDITION.....	238
IABP SIZE.....	239
IABP TIMING.....	240
IABP TIMING CHECK.....	241
IABP UAEDP.....	242
IABP UNASSISTED SYSTOLIC PRESSURE.....	243
ICE PACK (data).....	961
ICE PACK (q-pair).....	762

ICTERIC (data).....	961
ICTERIC (q-pair).....	663
ICU (data).....	961
ICU (q-pair).....	482, 570
ID BAND (data).....	961
ID BAND (q-pair).....	713
ID CARD (data).....	961
ID CARD (q-pair).....	713
IDENTIFICATION (data).....	962
IDENTIFICATION (q-pair).....	40
IDIOVENTRICULAR (data).....	962
IDIOVENTRICULAR (q-pair).....	84
II (data).....	962
II (q-pair).....	85
III (data).....	962
III (q-pair).....	85
ILEAL CONDUIT (data).....	962
ILEAL CONDUIT (q-pair).....	219, 734
ILEAL-CONDUIT (data).....	963
ILEAL-CONDUIT (q-pair).....	439
ILEOSTOMY (data).....	963
ILEOSTOMY (q-pair).....	439
IMAGING (data).....	963
IMAGING (q-pair).....	482
IMPAIRED LISTENING SKILLS (data).....	963
IMPAIRED LISTENING SKILLS (q-pair).....	161
IMPLANTS (data).....	963
IMPLANTS (q-pair).....	397



INACTIVE - ARTERIAL LINE SITE.....	244
INACTIVE - ARTERIAL LINE TYPE.....	245
INACTIVE - AUDIOMETRY.....	246
INACTIVE - BISPECTRAL INDEX.....	247
INACTIVE - BODY MASS INDEX.....	248
INACTIVE - CARDIAC AV FISTULA BRUIT.....	249
INACTIVE - CATHETER TYPE.....	250
INACTIVE - CENTRAL LINE SITE.....	251
INACTIVE - CHEST TUBE DRESSING INTACT.....	252
INACTIVE - CHEST TUBE SITE.....	253
INACTIVE - COUGH AND DEEP BREATH EVENTS.....	254
INACTIVE - DATE.....	255
INACTIVE - DATE DAY.....	256
INACTIVE - DATE MONTH.....	257
INACTIVE - DATE YEAR.....	258
INACTIVE - DIALYSIS CATHETER SITE.....	259
INACTIVE - EDEMA LOCATION.....	260
INACTIVE - ENTERAL NUTRITION FORMULA.....	261
INACTIVE - GI EMESIS APPEARANCE.....	262
INACTIVE - HEARING.....	263
INACTIVE - IABP INSERTION SITE.....	264
INACTIVE - IABP SITE.....	265
INACTIVE - INCISION LOCATION.....	266
INACTIVE - INCISION SITE.....	267
INACTIVE - IV DOSE RATE.....	268
INACTIVE - IV FLUID.....	269
INACTIVE - IV INSERTION DATE.....	270
INACTIVE - IV SITE.....	271

INACTIVE - OR OUTPUT - CHEST TUBE.....	272
INACTIVE - OR OUTPUT - DRAIN.....	273
INACTIVE - OR OUTPUT - PUMP LOSS.....	274
INACTIVE - OR OUTPUT - URINE.....	275
INACTIVE - OSTOMY TYPE.....	276
INACTIVE - OXYGEN DELIVERED.....	277
INACTIVE - OXYGEN DELIVERY METHOD.....	278
INACTIVE - OXYGEN EXTRACTION RATIO.....	279
INACTIVE - PA CATHETER INSERTION DATE.....	280
INACTIVE - PA CATHETER SITE.....	281
INACTIVE - PACEMAKER DATE INSERTED.....	282
INACTIVE - PACEMAKER SITES.....	283
INACTIVE - PAIN LOCATION.....	284
INACTIVE - POST OPERATION DAY NUMBER.....	285
INACTIVE - PRESSURE ULCER SITE.....	286
INACTIVE - PRESSURE ULCER VISIBLE STRUCTURE.....	287
INACTIVE - PULSE OXIMETRY.....	288
INACTIVE - SKIN DISCHARGE COLOR.....	289
INACTIVE - SKIN DISCHARGE ODOR.....	290
INACTIVE - SKIN DRAINAGE CHARACTERISTICS.....	291
INACTIVE - VENTILATOR IN-LINE NEBULIZER.....	292
INACTIVE - WOUND SITE.....	293
INACTIVE - WOUND TOPICAL TREATMENT TYPE.....	294
INAPPROPRIATE (data).....	964
INAPPROPRIATE (q-pair).....	32, 54, 135
INCENTIVE SPIROMETRY.....	295
INCH (unit).....	1279
INCISION DISCHARGE CHARACTERISTICS.....	296

INCISION DISCHARGE CHARACTERISTICS BLOODY (data).....	964
INCISION DISCHARGE CHARACTERISTICS CLOUDY (data).....	964
INCISION DISCHARGE CHARACTERISTICS NONE (data).....	964
INCISION DISCHARGE CHARACTERISTICS PURULENT (data).....	964
INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data) .....	965
INCISION DISCHARGE CHARACTERISTICS SEROUS (data).....	965
INCISION DISCHARGE CHARACTERISTICS VISCOUS (data).....	965
INCISION DRAINAGE AMOUNT.....	297
INCISION DRAINAGE AMOUNT HEAVY (data).....	965
INCISION DRAINAGE AMOUNT HEAVY (q-pair).....	297
INCISION DRAINAGE AMOUNT MODERATE (data).....	965
INCISION DRAINAGE AMOUNT MODERATE (q-pair).....	297
INCISION DRAINAGE AMOUNT NONE (data).....	966
INCISION DRAINAGE AMOUNT NONE (q-pair).....	297
INCISION DRAINAGE AMOUNT SCANT (data).....	966
INCISION DRAINAGE AMOUNT SCANT (q-pair).....	297
INCISION DRAINAGE AMOUNT SMALL (data).....	966
INCISION DRAINAGE AMOUNT SMALL (q-pair).....	297
INCISION DRESSING PREVENTS ASSESSMENT.....	298
INCISION DRESSING TYPE.....	299
INCISION DRESSING TYPE ANTIMICROBIAL (data).....	966
INCISION DRESSING TYPE ANTIMICROBIAL (q-pair).....	299
INCISION DRESSING TYPE ANTIMICROBIAL DISK (data).....	966
INCISION DRESSING TYPE ANTIMICROBIAL DISK (q-pair).....	299
INCISION DRESSING TYPE BALSAM OF PERU (data).....	967
INCISION DRESSING TYPE BALSAM OF PERU (q-pair).....	299
INCISION DRESSING TYPE BISMUTH GAUZE (data).....	967

INCISION DRESSING TYPE BISMUTH GAUZE (q-pair).....	299
INCISION DRESSING TYPE CALCIUM ALGINATE (data).....	967
INCISION DRESSING TYPE CALCIUM ALGINATE (q-pair).....	299
INCISION DRESSING TYPE FOAM DRESSING (data).....	967
INCISION DRESSING TYPE FOAM DRESSING (q-pair).....	299
INCISION DRESSING TYPE GAUZE (data).....	967
INCISION DRESSING TYPE GAUZE (q-pair).....	299
INCISION DRESSING TYPE GAUZE PACKING (data).....	968
INCISION DRESSING TYPE GAUZE PACKING (q-pair).....	299
INCISION DRESSING TYPE GAUZE WRAP (data).....	968
INCISION DRESSING TYPE GAUZE WRAP (q-pair).....	299
INCISION DRESSING TYPE HYDROCOLLOIDAL (data).....	968
INCISION DRESSING TYPE HYDROCOLLOIDAL (q-pair).....	299
INCISION DRESSING TYPE HYDROGEL (data).....	968
INCISION DRESSING TYPE HYDROGEL (q-pair).....	299
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (data).....	968
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (q-pair)....	299
INCISION DRESSING TYPE NONE (data).....	969
INCISION DRESSING TYPE NONE (q-pair).....	299
INCISION DRESSING TYPE PRESSURE (data).....	969
INCISION DRESSING TYPE PRESSURE (q-pair).....	299
INCISION DRESSING TYPE TRANSPARENT (data).....	969
INCISION DRESSING TYPE TRANSPARENT (q-pair).....	299
INCISION EDGE.....	300
INCISION EDGE INDISTINCT/ATTACHED (data).....	969
INCISION EDGE INDISTINCT/ATTACHED (q-pair).....	300
INCISION EDGE NON-ATTACHED (data).....	969
INCISION EDGE NON-ATTACHED (q-pair).....	300

INCISION EDGE ROLLED (data).....	970
INCISION EDGE ROLLED (q-pair).....	300
INCISION EDGE TUNNELING (data).....	970
INCISION EDGE TUNNELING (q-pair).....	300
INCISION EDGE UNDERMINING (data).....	970
INCISION EDGE UNDERMINING (q-pair).....	300
INCISION ERYTHEMA.....	301
INCISION ODOR.....	302
INCISION ODOR FOUL (data).....	970
INCISION ODOR FOUL (q-pair).....	302
INCISION ODOR NONE (data).....	970
INCISION ODOR NONE (q-pair).....	302
INCISION PRESENT.....	303
INCISION STAPLES INTACT.....	304
INCISION SUTURES INTACT.....	305
INCISION TENDER TO PALPATION.....	306
INCISION WOUND CLOSURE APPROXIMATED (data).....	971
INCISION WOUND CLOSURE APPROXIMATED (q-pair).....	668
INCISION WOUND CLOSURE DEHISCENCE (data).....	971
INCISION WOUND CLOSURE DEHISCENCE (q-pair).....	668
INCISION WOUND CLOSURE GLUE (data).....	971
INCISION WOUND CLOSURE GLUE (q-pair).....	668
INCISION WOUND CLOSURE NOT CLOSED (data).....	971
INCISION WOUND CLOSURE NOT CLOSED (q-pair).....	668
INCISIONAL SITE (data).....	971
INCISIONAL SITE (loca).....	1165
INCISIONAL SITE (q-pair).....	160, 488
INCOMPREHENSIBLE (data).....	972

INCOMPREHENSIBLE (q-pair).....	135
INCONTENENCE DERMATITIS (data).....	972
INCONTENENCE DERMATITIS (q-pair).....	784
INCONTINENT (data).....	972
INCONTINENT (q-pair).....	220, 734
INCREASE ROUNDS (data).....	972
INCREASE ROUNDS (q-pair).....	190
INDEPENDENT (data).....	972
INDEPENDENT (q-pair).....	6, 8, 9, 10
INDICATES UNDERSTANDING (data).....	973
INDICATES UNDERSTANDING (q-pair).....	609, 614
INDIFFERENT (data).....	973
INDIFFERENT (q-pair).....	163
INDURATION (data).....	973
INDURATION (q-pair).....	658
INDWELLING CATHETER (data).....	973
INDWELLING CATHETER (q-pair).....	219, 734
INEFFECTIVE COPING (data).....	973
INEFFECTIVE COPING (q-pair).....	56
INFECTION (data).....	974
INFECTION (q-pair).....	164
INFECTION PREVENTION AND SCREENING (data).....	974
INFECTION PREVENTION AND SCREENING (q-pair).....	164
INFLATABLE HEEL LIFT (data).....	974
INFLATABLE HEEL LIFT (q-pair).....	561
INFUSION SET CHANGED.....	307
INITIATED (data).....	974
INITIATED (q-pair).....	640

INSERTED THROUGH EXISTING INTRODUCER (data).....	974
INSERTED THROUGH EXISTING INTRODUCER (q-pair).....	94, 459
INSERTED THROUGH NEW INTRODUCER (data).....	975
INSERTED THROUGH NEW INTRODUCER (q-pair).....	94, 459
INSPIRATORY WHEEZES (data).....	975
INSPIRATORY WHEEZES (q-pair).....	74
INSULIN PUMP SQ INFUSION ON?.....	308
INTACT (data).....	975
INTACT (q-pair).....	43, 95, 636, 637,
	638, 639, 664
INTAKE.....	309
INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER)..	310
INTAKE - DIALYSIS.....	311
INTAKE - EF/SUPPLEMENT CALORIES.....	312
INTAKE - ENTERAL FEEDING TUBE.....	313
INTAKE - ENTERAL TUBE FLUSH.....	314
INTAKE - GI TUBE.....	315
INTAKE - IRRIGATION.....	316
INTAKE - IV BLOOD PRODUCTS.....	317
INTAKE - IV CALORIES.....	318
INTAKE - IV CARDIAC OUTPUT INJECTATE.....	319
INTAKE - IV COLLOID.....	320
INTAKE - IV CRYSTALLOIDS.....	321
INTAKE - IV FLUID.....	322
INTAKE - IV MEDS.....	323
INTAKE - IV NUTRITION.....	324
INTAKE - LINE FLUSH.....	325
INTAKE - PCA VOLUME.....	326

INTAKE - PERCENT MEAL CONSUMED.....	327
INTAKE - PO CALORIES.....	328
INTAKE - PO FLUIDS.....	329
INTAKE - TPN CALORIES.....	330
INTAKE - TRANSFUSION .....	331
INTENTIONAL (data).....	975
INTENTIONAL (q-pair).....	413
INTERMITTENT (data).....	975
INTERMITTENT (q-pair).....	156, 214, 216, 485, 486, 785
INTERMITTENT SLEEP (data).....	976
INTERMITTENT SLEEP (q-pair).....	682
INTERRUPTED (data).....	976
INTERRUPTED (q-pair).....	640
INTERVENTIONAL RADIOLOGY (data).....	976
INTERVENTIONAL RADIOLOGY (q-pair).....	570
INTRACRANIAL PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS	332
INTRODUCER (data).....	976
INTRODUCER (q-pair).....	102
INTRODUCER CATHETER (meth).....	1217
INVASIVE (meth).....	1217
INVASIVE (q-pair).....	63, 146, 147, 148, 149, 378, 379, 587, 708
IRREGULAR (data).....	976
IRREGULAR (q-pair).....	595
IRRIGATION (meth).....	1218
IRRITABLE (data).....	977



IRRITABLE (q-pair).....	489
ISOLATION PRECAUTIONS.....	333
ISOSOURCE VHN (data).....	977
ISOSOURCE VHN (q-pair).....	172
ITCHING (data).....	977
ITCHING (q-pair).....	183, 513
IV (meth).....	1218
IV (q-pair).....	309
IV DISCONTINUED (data).....	977
IV DISCONTINUED (q-pair).....	151
IV DOSE RATE - UNITS/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS .....	334
IV DOSE RATE - UNITS/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS .....	335
IV DOSE RATE - g/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	336
IV DOSE RATE - mcg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS .....	337
IV DOSE RATE - mcg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS .....	338
IV DOSE RATE - mg/TIME- DO NOT CHECK TOTAL OR SUBTOTALS	339
IV DOSE RATE - mg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS .....	340
IV FLOW RATE - ml/TIME - DO NOT CHECK TOTAL OR SUBTOTALS .....	341
IV FLOW RATE - ml/kg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS .....	342
IV LINE CARE.....	343
IV PORT / NUMBER.....	344

IV PUMP (data).....	977
IV PUMP (q-pair).....	24
IV SEDATION (data).....	978
IV SEDATION (q-pair).....	31
IV SITE CONDITION.....	345
IVPB (data).....	978

- J -

JAUNDICE (data).....	978
JAUNDICE (q-pair).....	663
JEJUNOSTOMY (data).....	978
JEJUNOSTOMY (q-pair).....	166, 215, 439
JEVITY 1.0 (data).....	978
JEVITY 1.0 (q-pair).....	172
JEVITY 1.2 (data).....	979
JEVITY 1.2 (q-pair).....	172
JEVITY 1.5 (data).....	979
JEVITY 1.5 (q-pair).....	172
JOINT CAPSULE (data).....	979
JP DRAIN (data).....	979
JP DRAIN (meth).....	1218
JP DRAIN (prod).....	1243
JP DRAIN (q-pair).....	446, 773
JUICE (prod).....	1243
JUICE (q-pair).....	309, 329
JUNCTIONAL (data).....	979
JUNCTIONAL (q-pair).....	84

JUNCTIONAL ESCAPE BEAT (data).....	980
JUNCTIONAL ESCAPE BEAT (q-pair).....	80
JUNCTIONAL TACHYCARDIA (data).....	980
JUNCTIONAL TACHYCARDIA (q-pair).....	84
JUVEN (data).....	980
JUVEN (q-pair).....	172

- K -

K-PAD (data).....	980
K-PAD (q-pair).....	762
KG/M2 (unit).....	1279
KGS/HOUR (unit).....	1279
KILOGRAM (unit).....	1279
KNEE (loca).....	1166
KNEE (q-pair).....	116
KNEES (loca).....	1166
KNEES (q-pair).....	160
KNIFE-LIKE (data).....	980
KNIFE-LIKE (q-pair).....	485
KNOWN DONOR (data).....	981
KNOWN DONOR (q-pair).....	529
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (data).....	981
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (q-pair).....	397
KUSSMAUL (data).....	981
KUSSMAUL (q-pair).....	595

- L -

L ABDOMEN (loca).....	1166
L ABDOMEN (q-pair).....	779
L ANKLE (loca).....	1166
L ANKLE (q-pair).....	303, 488, 564, 618,
	676, 779
L ANTECUBITAL (loca).....	1166
L ANTECUBITAL (q-pair).....	102, 143, 219, 344,
	345, 564, 779
L ARM (loca).....	1167
L ARM (q-pair).....	63, 102, 143, 149,
	160, 165, 219, 344,
	345, 429, 488, 616,
	617, 676, 708
L AXILLARY (loca).....	1167
L AXILLARY (q-pair).....	46, 47, 235, 239
L BRACHIAL (loca).....	1167
L BRACHIAL (q-pair).....	46, 47, 105, 471,
	476
L BUNDLE BRANCH BLOCK (data).....	981
L BUNDLE BRANCH BLOCK (q-pair).....	84
L CALF (loca).....	1167
L CALF (q-pair).....	303
L CAROTID (loca).....	1167
L CAROTID (q-pair).....	79, 86
L CHEST (loca).....	1168
L CHEST (q-pair).....	108, 488, 676, 779
L DORSALIS PEDIS (loca).....	1168

L EAR (loca).....	1168
L EAR (q-pair).....	303, 488, 564, 676,
	779
L ELBOW (loca).....	1168
L ELBOW (q-pair).....	488, 564, 676, 779
L EXTERNAL JUGULAR (loca).....	1168
L EXTERNAL JUGULAR (q-pair).....	102, 143, 219, 344,
	345, 464
L EYE (loca).....	1169
L EYE (q-pair).....	133, 160, 589, 590,
	759, 779
L FACE (loca).....	1169
L FACE (q-pair).....	160, 303, 779
L FEMORAL (loca).....	1169
L FEMORAL (q-pair).....	46, 47, 79, 86,
	102, 105, 143, 219,
	235, 239, 303, 344,
	345, 464, 471, 476,
	564, 588, 779
L FINGER (loca).....	1169
L FINGER (q-pair).....	303
L FLANK (loca).....	1169
L FLANK (q-pair).....	303
L FOOT (loca).....	1170
L FOOT (q-pair).....	160, 196, 303, 344,
	345, 488, 564, 636,
	676, 779
L FOOT DOWN (data).....	981

L FOOT DOWN (q-pair).....	652
L FOOT UP (data).....	982
L FOOT UP (q-pair).....	652
L GLUTEUS (loca).....	1170
L GLUTEUS (q-pair).....	303, 564, 779
L GROIN (loca).....	1170
L GROIN (q-pair).....	488, 676
L HAND (loca).....	1170
L HAND (q-pair).....	160, 222, 488, 637,
	676, 779
L HEAD (loca).....	1170
L HEAD (q-pair).....	564, 779
L HEAD DOWN (data).....	982
L HEAD DOWN (q-pair).....	652
L HEAD UP (data).....	982
L HEAD UP (q-pair).....	652
L HEEL (loca).....	1171
L HEEL (q-pair).....	564, 779
L HIP (loca).....	1171
L HIP (q-pair).....	303, 488, 676, 779
L INGUINAL (loca).....	1171
L INGUINAL (q-pair).....	303
L INNER KNEE (loca).....	1171
L INNER KNEE (q-pair).....	564, 779
L INTERNAL JUGULAR (loca).....	1171
L INTERNAL JUGULAR (q-pair).....	102, 105, 143, 219,
	344, 345, 464, 471,
	476

L ISCHIAL (loca).....	1172
L ISCHIAL (q-pair).....	564, 779
L JAW (loca).....	1172
L JAW (q-pair).....	488, 676
L KNEE (loca).....	1172
L KNEE (q-pair).....	160, 303, 488, 676
L LATERAL HEEL (loca).....	1172
L LATERAL HEEL (q-pair).....	564
L LATERAL MALLEOLUS (loca).....	1172
L LATERAL MALLEOLUS (q-pair).....	564
L LEG (loca).....	1173
L LEG (q-pair).....	63, 136, 149, 160, 165, 344, 345, 430, 488, 616, 618, 676, 708
L LOWER ANTERIOR CHEST (loca).....	1173
L LOWER ANTERIOR CHEST (q-pair).....	110, 303
L LOWER ARM (loca).....	1173
L LOWER ARM (q-pair).....	303, 488, 564, 676, 779
L LOWER EXTREMITY (loca).....	1173
L LOWER EXTREMITY (q-pair).....	412, 638
L LOWER LEG (loca).....	1173
L LOWER LEG (q-pair).....	303, 779
L LOWER LIMB (loca).....	1174
L LOWER LIMB (q-pair).....	352
L LOWER POSTERIOR CHEST (loca).....	1174
L LOWER POSTERIOR CHEST (q-pair).....	110, 303

L MANDIBULAR (loca).....	1174
L MANDIBULAR (q-pair).....	303
L MEDIAL HEEL (loca).....	1174
L MEDIAL HEEL (q-pair).....	564
L MEDIAL MALLEOLUS (loca).....	1174
L MEDIAL MALLEOLUS (q-pair).....	564
L MIDDLE ANTERIOR CHEST (loca).....	1175
L MIDDLE ANTERIOR CHEST (q-pair).....	110, 303
L MIDDLE POSTERIOR CHEST (loca).....	1175
L MIDDLE POSTERIOR CHEST (posi).....	1232
L MIDDLE POSTERIOR CHEST (q-pair).....	110, 303
L NECK (data).....	982
L NECK (loca).....	1175
L NECK (q-pair).....	303
L NEPHROSTOMY (data).....	982
L NEPHROSTOMY (q-pair).....	219, 734
L NOSE (loca).....	1175
L NOSE (q-pair).....	488, 676
L OCCIPITAL (loca).....	1175
L OCCIPITAL (q-pair).....	303
L ORAL (loca).....	1176
L ORAL (q-pair).....	303
L ORBIT (loca).....	1176
L ORBIT (q-pair).....	303
L OUTER KNEE (loca).....	1176
L OUTER KNEE (q-pair).....	564, 779
L PARIETAL (loca).....	1176
L PARIETAL (q-pair).....	303



L PEDAL (loca).....	1176
L PEDAL (q-pair).....	588
L POST TIBIAL (loca).....	1177
L POST TIBIAL (q-pair).....	588
L RADIAL (loca).....	1177
L RADIAL (q-pair).....	46, 47, 588
L RIBS (loca).....	1177
L RIBS (q-pair).....	564, 779
L SCAPULA (loca).....	1177
L SCAPULA (q-pair).....	488, 564, 676, 779
L SHOULDER (loca).....	1177
L SHOULDER (q-pair).....	488, 564, 676, 779
L STENT (data).....	983
L STENT (q-pair).....	219
L SUBCLAVIAN (loca).....	1178
L SUBCLAVIAN (q-pair).....	102, 105, 143, 219, 303, 344, 345, 464, 471, 476
L TEMPORAL (loca).....	1178
L TEMPORAL (q-pair).....	79, 86
L TESTICLE (loca).....	1178
L TESTICLE (q-pair).....	779
L THIGH (loca).....	1178
L THIGH (q-pair).....	303, 488, 676
L THORACIC ANTERIOR (loca).....	1178
L THORACIC ANTERIOR (q-pair).....	303
L THORACIC LATERAL (loca).....	1179
L THORACIC LATERAL (q-pair).....	303

L THORACIC POSTERIOR (loca).....	1179
L THORACIC POSTERIOR (q-pair).....	303
L THORACOTOMY (loca).....	1179
L THORACOTOMY (q-pair).....	303
L THUMB (loca).....	1179
L THUMB (q-pair).....	303
L TOE (loca).....	1179
L TOE (q-pair).....	303
L TRAPEZIUS (loca).....	1180
L TRAPEZIUS (q-pair).....	303
L TROCHANTER (loca).....	1180
L TROCHANTER (q-pair).....	564, 779
L UPPER ANTERIOR CHEST (loca).....	1180
L UPPER ANTERIOR CHEST (q-pair).....	110, 303
L UPPER ARM (loca).....	1180
L UPPER ARM (q-pair).....	102, 143, 219, 303, 344, 345, 488, 564, 676, 779
L UPPER EXTREMITY (loca).....	1180
L UPPER EXTREMITY (q-pair).....	412, 639
L UPPER LEG (loca).....	1181
L UPPER LEG (q-pair).....	779
L UPPER LIMB (loca).....	1181
L UPPER LIMB (q-pair).....	730
L UPPER POSTERIOR CHEST (loca).....	1181
L UPPER POSTERIOR CHEST (q-pair).....	110, 303
L WRIST (loca).....	1181
L WRIST (q-pair).....	102, 143, 219, 344,

345, 616, 617, 779

L1 (data).....	983
L1 (q-pair).....	179, 180
L2 (data).....	983
L2 (q-pair).....	179, 180
L3 (data).....	983
L3 (q-pair).....	179, 180
L4 (data).....	983
L4 (q-pair).....	179, 180
L5 (data).....	984
L5 (q-pair).....	179, 180
LABS PER ORDERS.....	346
LACERATION (data).....	984
LACERATION (q-pair).....	784
LACKS INTEREST (data).....	984
LACKS INTEREST (q-pair).....	163
LACTOSE RESTRICTED (data).....	984
LACTOSE RESTRICTED (q-pair).....	150
LANGUAGE (data).....	984
LANGUAGE (q-pair).....	161
LARGE (data).....	985
LARGE (q-pair).....	443, 450, 452, 579
LARYNGEAL MASK (meth).....	1218
LARYNGEAL MASK (q-pair).....	704
LARYNGECTOMY (data).....	985
LARYNGECTOMY (q-pair).....	22
LATEX ALLERGY (data).....	985
LATEX ALLERGY (q-pair).....	40

LEAD (meth).....	1218
LEAD (q-pair).....	587
LEFT (data).....	985
LEFT (loca).....	1181
LEFT (q-pair).....	13
LEFT EYE (loca).....	1182
LEFT EYE (q-pair).....	152
LEFT LOWER LOBE (loca).....	1182
LEFT LOWER LOBE (q-pair).....	74
LEFT NECK (loca).....	1182
LEFT NECK (q-pair).....	160
LEFT UPPER LOBE (loca).....	1182
LEFT UPPER LOBE (q-pair).....	74
LEFT VENTRICULAR EJECTION FRACTION - CATEGORICAL.....	348
LEFT VENTRICULAR EJECTION FRACTION - CONTINUOUS.....	347
LEFT VENTRICULAR STROKE WORK.....	349
LEG MOVEMENTS.....	350
LESS THAN 30 (data).....	985
LESS THAN 30 (q-pair).....	348
LETHARGIC (data).....	986
LETHARGIC (q-pair).....	56, 351
LEVEL OF CONSCIOUSNESS.....	351
LEVELED (data).....	986
LEVELED (q-pair).....	343
LG ADULT (meth).....	1219
LG ADULT CUFF (meth).....	1219
LIBERAL DIABETIC (data).....	986
LIBERAL DIABETIC (q-pair).....	150

LIFT SCALE (meth).....	1219
LIFT SCALE (q-pair).....	764
LIMITED ASSISTANCE (data).....	986
LIMITED ASSISTANCE (q-pair).....	8, 9, 10
LIMITED ATTENTION SPAN (data).....	986
LIMITED ATTENTION SPAN (q-pair).....	161
LIMITED TO INCISION (data).....	987
LIMITED TO INCISION (q-pair).....	301, 666
LINE FLUSH (data).....	987
LINE FLUSH (prod).....	1243
LINE FLUSH HEPARIN (prod).....	1243
LINE FLUSH HEPARIN (q-pair).....	325
LINEN CHANGE (data).....	987
LINEN CHANGE (q-pair).....	5
LIP SALVE (data).....	987
LIP SALVE (q-pair).....	15
LIPIDS (prod).....	1243
LIPIDS (q-pair).....	324
LISTED DIET (data).....	987
LISTED DIET (q-pair).....	150
LITER (unit).....	1279
LITERS PER MINUTE (unit).....	1280
LITERS PER MINUTE PER METER <sup>2</sup> (BSA) (unit).....	1280
LOCAL (data).....	988
LOCAL (q-pair).....	31
LOCALIZES TO PAIN (data).....	988
LOCALIZES TO PAIN (q-pair).....	134
LOCK BOX (data).....	988

LOCK BOX (q-pair).....	533
LOCKER (data).....	988
LOCKER (q-pair).....	532, 533
LOOSE (data).....	988
LOOSE (q-pair).....	698
LOW (data).....	989
LOW (q-pair).....	53, 156, 214
LOW AIRLOSS OVERLAY (data).....	989
LOW AIRLOSS OVERLAY (q-pair).....	683
LOW AIRLOSS/ALTERNATING PRESSURE COMBO (data).....	989
LOW AIRLOSS/ALTERNATING PRESSURE COMBO (q-pair).....	683
LOW CHOLESTEROL (data).....	989
LOW CHOLESTEROL (q-pair).....	150
LOW FIBER (data).....	989
LOW FIBER (q-pair).....	150
LOW PROTEIN 60 GM (data).....	990
LOW PROTEIN 60 GM (q-pair).....	150
LOW TYRAMINE (data).....	990
LOW TYRAMINE (q-pair).....	150
LOWER ABDOMEN (loca).....	1182
LOWER ABDOMEN (q-pair).....	779
LOWER ARM (loca).....	1183
LOWER ARM (q-pair).....	116
LOWER BACK (loca).....	1183
LOWER BACK (q-pair).....	779
LOWER LIMB EXTREMITIES STRENGTH.....	352
LP: LIGHT PERCEPTION (data).....	990
LP: LIGHT PERCEPTION (q-pair).....	152

LPP: LIGHT PERCEPTION WITH PROJECTION (data).....	990
LPP: LIGHT PERCEPTION WITH PROJECTION (q-pair).....	152
LUMBAR DRAIN (data).....	990
LUMBAR DRAIN (q-pair).....	773
LUMBAR SPINAL PRECAUTIONS (data).....	991
LUMBAR SPINAL PRECAUTIONS (q-pair).....	12
LUNCH (data).....	991
LUNCH (q-pair).....	377
LVN (data).....	991
LVN (q-pair).....	626
LVN/LPN (data).....	991
LVN/LPN (q-pair).....	571
LVSWI.....	353
LYING (posi).....	1232
LYING (q-pair).....	63, 149, 587, 596,
	708, 764
LYING OR SITTING (data).....	991
LYING OR SITTING (q-pair).....	128

- M -

MACERATION (data).....	992
MACERATION (q-pair).....	658
MAGNACAL (data).....	992
MAGNACAL (prod).....	1244
MAGNACAL (q-pair).....	172
MAGNETIC RESONANCE IMAGING (meth).....	1219
MAGNETIC RESONANCE IMAGING (q-pair).....	347, 348

MAINTAINING EFFECTIVE VENTILATION (data).....	992
MAINTAINING EFFECTIVE VENTILATION (q-pair).....	480
MALLAMPATI SCORE.....	354
MAROON (data).....	992
MAROON (q-pair).....	699, 771
MASK (meth).....	1219
MASK (q-pair).....	704, 705
MD (data).....	992
MD (q-pair).....	626
MDS: BATHING-SELF PERFORMANCE.....	355
MDS: BATHING-SUPPORT.....	356
MDS: BED MOBILITY-SELF PERFORMANCE.....	357
MDS: BED MOBILITY-SUPPORT.....	358
MDS: DRESSING-SELF PERFORMANCE.....	359
MDS: DRESSING-SUPPORT.....	360
MDS: EATING-SELF PERFORMANCE.....	361
MDS: EATING-SUPPORT.....	362
MDS: LOCOMOTION OFF UNIT-SELF PERFORMANCE.....	363
MDS: LOCOMOTION OFF UNIT-SUPPORT.....	364
MDS: LOCOMOTION ON UNIT-SELF PERFORMANCE.....	365
MDS: LOCOMOTION ON UNIT-SUPPORT.....	366
MDS: PERSONAL HYGIENE-SELF PERFORMANCE.....	367
MDS: PERSONAL HYGIENE-SUPPORT.....	368
MDS: TOILET USE-SELF PERFORMANCE.....	369
MDS: TOILET USE-SUPPORT.....	370
MDS: TRANSFER-SELF PERFORMANCE.....	371
MDS: TRANSFER-SUPPORT.....	372
MDS: WALK IN CORRIDOR-SELF PERFORMANCE.....	373



MDS: WALK IN CORRIDOR-SUPPORT.....	374
MDS: WALK IN ROOM-SELF PERFORMANCE.....	375
MDS: WALK IN ROOM-SUPPORT.....	376
MEAL (data).....	993
MEAL (q-pair).....	5
MEAL TYPE.....	377
MEAN ARTERIAL PRESSURE.....	378
MEAN BLOOD PRESSURE.....	379
MEAN BLOOD PRESSURE ARTERIAL LINE.....	380
MEAN BLOOD PRESSURE NON-INVASIVE.....	381
MEAN BP CUFF.....	382
MECHANICAL (data).....	993
MECHANICAL (q-pair).....	150
MED LAST DOSE: ANTIBIOTIC.....	383
MED LAST DOSE: ANTICOAGULANT.....	384
MED LAST DOSE: ASPIRIN.....	385
MED LAST DOSE: ESA ERYTHROPOETIN.....	386
MED LAST DOSE: HYPOGLYCEMIC AGENT.....	387
MED LAST DOSE: NON-STEROIDAL ANTI-INFLAMMATORY DRUG....	388
MED RECONCILIATION DOCUMENTED (data).....	993
MED RECONCILIATION DOCUMENTED (q-pair).....	151
MEDIAL PORT (data).....	993
MEDIAL PORT (q-pair).....	344
MEDIASTINAL (loca).....	1183
MEDIASTINAL (prod).....	1244
MEDIASTINAL (q-pair).....	235, 239, 445
MEDICAL DEVICE SAFETY (data).....	993
MEDICAL DEVICE SAFETY (q-pair).....	58, 130

MEDICAL NECESSITY CONFIRMED (data).....	994
MEDICAL NECESSITY CONFIRMED (q-pair).....	343
MEDICATION (data).....	994
MEDICATION (prod).....	1244
MEDICATION (q-pair).....	164, 490
MEDICATION ROOM (data).....	994
MEDICATION ROOM (q-pair).....	55, 129
MEDIUM (data).....	994
MEDIUM (q-pair).....	156
MEMORY (data).....	994
MEMORY (q-pair).....	161
MENTAL HEALTH (data).....	995
MENTAL HEALTH (q-pair).....	164
MENTAL HEALTH HOLD (data).....	995
MENTAL HEALTH HOLD (q-pair).....	164
MENTAL STATUS - AWAKE ORIENTED (data).....	995
MENTAL STATUS - AWAKE ORIENTED (q-pair).....	480
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (data).....	995
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (q-pair).....	480
METAL IMPLANTS (data).....	995
METAL IMPLANTS (q-pair).....	397
MEWS: CONSCIOUS LEVEL.....	389
MEWS: HEART RATE.....	390
MEWS: HOURLY URINE.....	391
MEWS: RESPIRATORY.....	392
MEWS: SCORE.....	393
MEWS: SCORE UNIT (unit).....	1280
MEWS: SYSTOLIC BLOOD PRESSURE.....	394

MEWS: TEMPERATURE.....	395
MICROGRAMS (unit).....	1280
MICROGRAMS PER HOUR (unit).....	1280
MICROGRAMS PER KILOGRAM PER HOUR (unit).....	1281
MICROGRAMS PER KILOGRAM PER MINUTE (unit).....	1281
MICROGRAMS PER MINUTE (unit).....	1281
MICROGRAMS PER SHIFT (unit).....	1281
MICU (data).....	996
MICU (q-pair).....	482
MID BACK (loca).....	1183
MID BACK (q-pair).....	779
MID-STERNAL (loca).....	1183
MID-STERNAL (q-pair).....	108
MIDDLE (loca).....	1184
MIDLINE ABDOMINAL (loca).....	1184
MIDLINE ABDOMINAL (q-pair).....	303
MIDLINE NECK (loca).....	1184
MIDLINE NECK (q-pair).....	303
MILD-MODERATELY REDUCED (data).....	996
MILD-MODERATELY REDUCED (q-pair).....	348
MILK (prod).....	1244
MILK (q-pair).....	329
MILLIAMPS (unit).....	1281
MILLIBAR (unit).....	1282
MILLIGRAMS (unit).....	1282
MILLIGRAMS PER HOUR (unit).....	1282
MILLIGRAMS PER KILOGRAM PER HOUR (data).....	996
MILLIGRAMS PER KILOGRAM PER HOUR (unit).....	1282

MILLIGRAMS PER KILOGRAM PER MINUTE (unit).....	1282
MILLIGRAMS PER MINUTE (unit).....	1283
MILLIGRAMS PER SHIFT (unit).....	1283
MILLILITER (unit).....	1283
MILLILITERS PER BEAT (unit).....	1283
MILLILITERS PER BEAT PER METER SQUARE (BSA) (unit).....	1283
MILLILITERS PER HOUR (unit).....	1284
MILLILITERS PER METER SQUARE (BSA) (unit).....	1284
MILLILITERS PER MINUTE (unit).....	1284
MILLILITERS PER MINUTE PER METER SQUARE (unit).....	1284
MILLIMETERS (unit).....	1284
MILLIMETERS OF MERCURY (unit).....	1285
MILLIVOLTS (unit).....	1285
MILLILITERS PER KILOGRAM PER HOUR (unit).....	1285
MILLILITERS PER KILOGRAM PER MINUTE (unit).....	1285
MINUTE (unit).....	1285
MISSING (data).....	996
MOANING (data).....	996
MOANING (q-pair).....	489
MODERATE (data).....	997
MODERATE (q-pair).....	443, 450, 452, 579,

665

MODERATE SEDATION (data).....	997
MODERATE SEDATION (q-pair).....	31
MODERATE SEDATION: PRE-ASSESSMENT APPLIANCES REMOVED...	396
MODERATE SEDATION: PRE-ASSESSMENT CPRS HEALTH HX REVIEWED .....	397
MODERATE SEDATION: PRE-ASSESSMENT TIME OUT.....	398

MODERATE SEDATION: PREASSESS: PREVIOUS MOD SED. COMPLICATIONS	
.....	399
MODERATE SEDATION: PREASSESS: SUBSTANCE ABUSE.....	400
MODERATE SEDATION: PREPARATION.....	401
MODERATE SEDATION: TIME OUT: PATIENT IDENTIFIERS.....	402
MODERATE-SEVERELY REDUCED (data).....	997
MODERATE-SEVERELY REDUCED (q-pair).....	348
MODERATELY REDUCED (data).....	997
MODERATELY REDUCED (q-pair).....	348
MODIFIED ALDRETE SCORE (unit).....	1286
MODULAR CUSTOMIZED FORMULA (prod).....	1244
MODULAR CUSTOMIZED FORMULA (q-pair).....	172
MOIST (data).....	997
MOIST (q-pair).....	671
MONITOR (meth).....	1220
MONITOR (q-pair).....	63, 82, 83, 105,
	587, 596, 710
MONITOR PLACED.....	403
MONITORING CAMERA.....	404
MONTH (unit).....	1286
MORSE SCORE (unit).....	1286
MORSE: AMBULATORY AID DURING WALKING.....	405
MORSE: GAIT.....	406
MORSE: HISTORY OF FALLING WITHIN LAST THREE MONTHS.....	407
MORSE: IV THERAPY SALINE LOCK.....	408
MORSE: MENTAL STATUS OF PT OWN ABILITY.....	409
MORSE: SCORE TOTAL.....	410
MORSE: SECONDARY DIAGNOSIS LISTED ON CHART.....	411

MOTOR ACTIVITY.....	412
MOTOR CHECK.....	413
MOTORIZED WHEELCHAIR (data).....	998
MOTORIZED WHEELCHAIR (q-pair).....	725
MOTTLED (data).....	998
MOTTLED (q-pair).....	663
MOUTHWASH USED (data).....	998
MOUTHWASH USED (q-pair).....	15
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (data) .....	998
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (q-pai r).....	412
MOVE AGAINST GRAVITY BUT NO RESISTANCE (data).....	998
MOVE AGAINST GRAVITY BUT NO RESISTANCE (q-pair).....	412
MOVEMENT WITH GRAVITY ELIMINATED (data).....	999
MOVEMENT WITH GRAVITY ELIMINATED (q-pair).....	412
MUCOID (data).....	999
MUCOID (q-pair).....	698
MUCOUS MEMBRANE CONDITION.....	414
MULTIFOCAL PVC (data).....	999
MULTIFOCAL PVC (q-pair).....	80
MULTIGATED NUCLEAR VENTRICULOGRAPHY (meth).....	1220
MULTIGATED NUCLEAR VENTRICULOGRAPHY (q-pair).....	347, 348
MULTIPODOUS (data).....	999
MULTIPODOUS (q-pair).....	561
MULTIVOLTS (unit).....	1286
MURMUR (data).....	999
MURMUR (q-pair).....	81

MUSHROOM CATHETER (data).....	1000
MUSHROOM CATHETER (q-pair).....	219
MUSTACHE CANNULA (meth).....	1220
MUTIFOCAL ATRIAL TACHYCARDIA (data).....	1000
MUTIFOCAL ATRIAL TACHYCARDIA (q-pair).....	84
mg/dl (unit).....	1290

- N -

N/A (data).....	1000
N/A (q-pair).....	40, 196, 222, 295, 532, 533, 700, 733
NA (data).....	1000
NA (q-pair).....	626
NAIL CARE (data).....	1000
NAIL CARE (q-pair).....	5
NAIL COLOR.....	415
NAIL SHAPE.....	416
NAIL TEXTURE.....	417
NAPS ONLY (data).....	1001
NAPS ONLY (q-pair).....	682
NASAL (data).....	1001
NASAL (q-pair).....	584
NASAL CANNULA (meth).....	1220
NASAL CANNULA (q-pair).....	705
NASAL ENDOTRACHEAL (data).....	1001
NASAL ENDOTRACHEAL (q-pair).....	22
NASAL INTESTINAL SMALL BORE (data).....	1001

NASAL INTESTINAL SMALL BORE (q-pair).....	166
NASAL SMALL BOWEL FEEDING TUBE (data).....	1001
NASAL SMALL BOWEL FEEDING TUBE (q-pair).....	215
NASAL TRUMPET (data).....	1002
NASAL TRUMPET (q-pair).....	22
NASOGASTRIC LARGE BORE TUBE (data).....	1002
NASOGASTRIC LARGE BORE TUBE (q-pair).....	166
NASOGASTRIC TUBE (data).....	1002
NASOGASTRIC TUBE (q-pair).....	215
NASOGASTRIC TUBE SMALL BORE (data).....	1002
NAUSEA (data).....	1002
NAUSEA (q-pair).....	183, 209, 513
NEAT (data).....	1003
NEAT (q-pair).....	32
NEBULIZER (meth).....	1220
NEBULIZER (q-pair).....	705
NECK (loca).....	1184
NECK (q-pair).....	116, 488, 676, 779
NECK VEIN CONDITION.....	418
NECROTIC (data).....	1003
NECROTIC (q-pair).....	778
NEED FOR FLUIDS/TOILETING ASSESSED.....	419
NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (data) .....	1003
NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (q-pair) .....	343
NEEDS REINFORCEMENT (data).....	1003
NEEDS REINFORCEMENT (q-pair).....	609, 614



NEGATIVE PRESSURE (data).....	1003
NEGATIVE PRESSURE (q-pair).....	333
NEGATIVE PRESSURE THERAPY DEVICE (data).....	1004
NEGATIVE PRESSURE THERAPY DEVICE (q-pair).....	565
NEPRO (data).....	1004
NEPRO (q-pair).....	172
NEPRO CARB STEADY (data).....	1004
NEPRO CARB STEADY (q-pair).....	172
NEPRO RENAL FORMULA (data).....	1004
NEPRO RENAL FORMULA (prod).....	1245
NEPRO RENAL FORMULA (q-pair).....	172, 309
NEUROGENIC BLADDER (data).....	1004
NEUROGENIC BLADDER (q-pair).....	90
NEUTRAL PRESSURE CONNECTOR (data).....	1005
NEUTRAL PRESSURE CONNECTOR (q-pair).....	343
NEUTROPENIC (data).....	1005
NEUTROPENIC (q-pair).....	150, 333
NEW ADMISSION EDUCATION (data).....	1005
NEW ADMISSION EDUCATION (q-pair).....	164
NEW SITE (data).....	1005
NEW SITE (q-pair).....	94, 459
NG RESIDUAL (prod).....	1245
NG RESIDUAL (q-pair).....	445
NIGHT LIGHT PROVIDED (data).....	1005
NIGHT LIGHT PROVIDED (q-pair).....	190
NIHSS - BEST GAZE.....	420
NIHSS - BEST LANGUAGE.....	421
NIHSS - DYSARTHRIA.....	422

NIHSS - EXTINCTION AND INATTENTION.....	423
NIHSS - FACIAL PALSY.....	424
NIHSS - LEVEL OF CONSCIOUSNESS.....	425
NIHSS - LIMB ATAXIA.....	426
NIHSS - LOC COMMANDS.....	427
NIHSS - LOC QUESTIONS.....	428
NIHSS - MOTOR ARM.....	429
NIHSS - MOTOR LEG.....	430
NIHSS - SENSORY.....	431
NIHSS - TOTAL SCORE.....	432
NIHSS - VISUAL FIELD.....	433
NLP: NO LIGHT PERCEPTION (data).....	1006
NLP: NO LIGHT PERCEPTION (q-pair).....	152
NO (data).....	1006
NO (q-pair).....	14, 16, 18, 23, 33, 34, 35, 36, 37, 38, 39, 41, 42, 45, 49, 51, 61, 75, 76, 78, 93, 98, 104, 107, 111, 112, 139, 189, 191, 201, 208, 217, 226, 228, 233, 234, 241, 295, 298, 303, 304, 305, 306, 307, 419, 455, 461, 466, 469, 471, 473, 481, 483, 497, 511, 521, 522, 548, 557, 560,

563, 566, 568, 578,  
593, 601, 602, 603,  
605, 606, 607, 608,  
624, 634, 635, 655,  
657, 659, 660, 661,  
672, 673, 719, 727,  
728, 736, 775, 782

NO BREAK IN EPIDERMIS (data).....	1006
NO MOVEMENT (data).....	1006
NO MOVEMENT (q-pair).....	412
NO PREFERENCE (data).....	1006
NO PREFERENCE (q-pair).....	529
NO SIGNS AND SYMPTOMS (data).....	1007
NO SIGNS AND SYMPTOMS (q-pair).....	489
NO WANDERING PREVENTION MEASURES APPLIED (data).....	1007
NO WANDERING PREVENTION MEASURES APPLIED (q-pair).....	4
NO WANDERING PREVENTION MEASURES NEEDED (data).....	1007
NO WANDERING PREVENTION MEASURES NEEDED (q-pair).....	4
NON RE-BREATHER (meth).....	1221
NON RE-BREATHER (q-pair).....	705
NON-ADHERENT GAUZE (data).....	1007
NON-INVASIVE (meth).....	1221
NON-INVASIVE (q-pair).....	63, 149, 378, 379, 587, 708
NON-PITTING (data).....	1007
NON-PRODUCTIVE (data).....	1008
NON-PRODUCTIVE (q-pair).....	137
NON-SKID SLIPPERS (data).....	1008

NON-SKID SLIPPERS (q-pair).....	190
NON-TENDER (data).....	1008
NON-TENDER (q-pair).....	2
NONBLANCHABLE ERYTHEMA (data).....	1008
NONE (data).....	1008
NONE (q-pair).....	31, 80, 133, 134, 135, 140, 156, 161, 183, 296, 301, 399, 443, 507, 556, 559, 562, 662, 665, 772, 776
NONE IDENTIFIED AT THIS VISIT (data).....	1009
NONE IDENTIFIED AT THIS VISIT (q-pair).....	164
NONINVASIVE (meth).....	1221
NONREACTIVE (data).....	1009
NONREACTIVE (q-pair).....	589
NORMAL (data).....	1009
NORMAL (q-pair).....	1, 48, 103, 113, 221, 348, 416, 417, 418, 457, 465, 671
NORMAL FOR ETHNIC GROUP (data).....	1009
NORMAL FOR ETHNIC GROUP (q-pair).....	415, 663
NORMAL POWER (data).....	1009
NORMAL POWER (q-pair).....	412
NORMAL SINUS (data).....	1010
NORMAL STOOL (data).....	1010
NORMAL STOOL (q-pair).....	698
NOSE (loca).....	1184

NOSE (q-pair).....	488, 676
NOSE SIZE.....	434
NOT DONE (data).....	1010
NOT DONE (q-pair).....	8, 9, 10, 15
NOT MONITORED (data).....	1010
NOT MONITORED (q-pair).....	48, 103, 465
NOVASOURCE 2.0 (data).....	1010
NOVASOURCE 2.0 (prod).....	1245
NOVASOURCE 2.0 (q-pair).....	309
NP (data).....	1011
NP (q-pair).....	571, 626
NPO DIET (data).....	1011
NPO DIET (q-pair).....	150
NSG ASSIST (data).....	1011
NSG ASSIST (q-pair).....	571
NUCLEAR PERFUSION IMAGING (meth).....	1221
NUCLEAR PERFUSION IMAGING (q-pair).....	347, 348
NUMB (data).....	1011
NUMB (q-pair).....	485
NUMBER OF DAYS.....	435
NUMBER: SPECIFY (data).....	1011
NUMBER: SPECIFY (q-pair).....	156
NUMBNESS (data).....	1012
NUMBNESS (q-pair).....	636, 637, 638, 639
NURSING INTERVENTIONS - STRAIGHT CATH (task).....	1267
NURSING INTERVENTIONS - WOUND CARE (task).....	1267
NURSING STATION (data).....	1012
NURSING STATION (q-pair).....	55, 129

NUTREN 1.5 (prod).....	1245
NUTREN 1.5 (q-pair).....	172
NUTRIHEP (data).....	1012
NUTRIHEP (q-pair).....	172
NUTRITION (data).....	1012
NUTRITION (q-pair).....	164
NUTRITIONAL SUPPLEMENT (data).....	1012
NUTRITIONAL SUPPLEMENT (prod).....	1245
NUTRITIONAL SUPPLEMENT (q-pair).....	329

- O -

O2 SATS (meth).....	1221
OBEYS COMMANDS (data).....	1013
OBEYS COMMANDS (q-pair).....	134
OBSTRUCTIVE SLEEP APNEA (data).....	1013
OBTUNDED (data).....	1013
OBTUNDED (q-pair).....	351
OCCIPITAL (loca).....	1185
OCCIPITAL (q-pair).....	303
OCCLUDED (data).....	1013
OCCLUDED (q-pair).....	46, 99, 143, 238, 345, 462
OFF DURING BATHING (data).....	1013
OFF DURING BATHING (q-pair).....	640
OFF WHILE AMBULATORY (data).....	1014
OFF WHILE AMBULATORY (q-pair).....	640
OFFER PRN MEDS (data).....	1014

OFFER PRN MEDS (q-pair).....	604
OFFERED (data).....	1014
OFFERED (q-pair).....	15
ON WHILE SITTING IN CHAIR (data).....	1014
ON WHILE SITTING IN CHAIR (q-pair).....	640
ONE PERSON ASSIST (data).....	1014
ONE PERSON ASSIST (q-pair).....	6, 8, 9, 10
ONE TO ONE SUPERVISION (data).....	1015
ONE TO ONE SUPERVISION (q-pair).....	604
OOZING (data).....	1015
OOZING (q-pair).....	46, 99, 143, 238, 345, 462
OPEN SPONTANEOUSLY (data).....	1015
OPEN SPONTANEOUSLY (q-pair).....	133
OPEN SYSTEM (data).....	1015
OPEN SYSTEM (q-pair).....	167
OPEN TO AIR (data).....	1015
OPEN TO AIR (q-pair).....	565, 783
OPERATING ROOM (data).....	1016
OPERATING ROOM (q-pair).....	482
ORAL (data).....	1016
ORAL (loca).....	1185
ORAL (q-pair).....	584, 712, 779
ORAL AIRWAY (data).....	1016
ORAL AIRWAY (q-pair).....	22
ORAL ENDOTRACHEAL (data).....	1016
ORAL ENDOTRACHEAL (q-pair).....	22
ORAL GASTRIC TUBE (data).....	1016

ORAL GASTRIC TUBE (q-pair).....166, 215  
ORANGE (data).....1017  
ORANGE (q-pair).....157, 173, 211, 732,

771

ORIENTATION.....436  
ORIENTATION (data).....1017  
ORIENTATION (q-pair).....164  
ORIENTED (data).....1017  
ORIENTED (q-pair).....135, 612  
ORIENTED TO CALL FOR ASSISTANCE (data).....1017  
ORIENTED TO CALL FOR ASSISTANCE (q-pair).....190  
ORIENTED TO PERSON (data).....1017  
ORIENTED TO PERSON (q-pair).....436  
ORIENTED TO PLACE (data).....1018  
ORIENTED TO PLACE (q-pair).....436  
ORIENTED TO SITUATION (data).....1018  
ORIENTED TO SITUATION (q-pair).....436  
ORIENTED TO SURROUNDINGS/ROUTINE (data).....1018  
ORIENTED TO SURROUNDINGS/ROUTINE (q-pair).....190  
ORIENTED TO TIME (data).....1018  
ORIENTED TO TIME (q-pair).....436  
ORTHOPNEIC (data).....1018  
ORTHOPNEIC (q-pair).....595  
ORTHOTIC BOOTS (data).....1019  
ORTHOTIC BOOTS (q-pair).....437  
ORTHOTIC COLLAR (data).....1019  
ORTHOTIC COLLAR (q-pair).....437  
ORTHOTIC KNEE IMMOBILIZER (data).....1019



ORTHOTIC KNEE IMMOBILIZER (q-pair).....	437
ORTHOTIC SPINE BRACE (data).....	1019
ORTHOTIC SPINE BRACE (q-pair).....	437
ORTHOTIC TED HOSE (data).....	1019
ORTHOTIC TED HOSE (q-pair).....	437
ORTHOTIC WEDGE PILLOW (data).....	1020
ORTHOTIC WEDGE PILLOW (q-pair).....	437
ORTHOTICS.....	437
OSMOLITE (data).....	1020
OSMOLITE (prod).....	1246
OSMOLITE 1.0 (data).....	1020
OSMOLITE 1.0 (q-pair).....	172
OSMOLITE 1.2 (data).....	1020
OSMOLITE 1.2 (q-pair).....	172
OSMOLITE 1.5 (data).....	1020
OSMOLITE 1.5 (q-pair).....	172
OSMOLITE HN (data).....	1021
OSMOLITE HN (prod).....	1246
OSMOLITE HN (q-pair).....	172
OSTOMY CARE.....	438
OSTOMY CARE (data).....	1021
OSTOMY CARE (q-pair).....	164
OSTOMY TYPE.....	439
OTHER (ADD COMMENTS) (data).....	1021
OTHER (ADD COMMENTS) (q-pair).....	561
OTHER (SEE COMMENTS) (data).....	1021
OTHER (SEE COMMENTS) (q-pair).....	396, 399, 571
OTHER (data).....	1021

OTHER (meth).....	1222
OTHER (q-pair).....	52, 90, 164, 183,
	186, 187, 190, 316,
	347, 348, 446, 554,
	565, 570
OTHER (qual).....	1254
OTHER PO FLUID (prod).....	1246
OTHER PO FLUID (q-pair).....	329
OUNCE (unit).....	1286
OUTPUT - BLOOD.....	440
OUTPUT - CBI DRAINAGE.....	441
OUTPUT - CHEST TUBE.....	442
OUTPUT - CHEST TUBE ESTIMATED.....	443
OUTPUT - DIALYSIS.....	444
OUTPUT - DO NOT CHECK TOTAL OR SUBTOTALS.....	445
OUTPUT - DRAIN.....	446
OUTPUT - EMESIS.....	447
OUTPUT - GI TUBE.....	448
OUTPUT - STOOL.....	449
OUTPUT - STOOL ESTIMATED.....	450
OUTPUT - URINE.....	451
OUTPUT - URINE ESTIMATED.....	452
OVER WIRE (data).....	1022
OVER WIRE (q-pair).....	94, 459
OXEPA (data).....	1022
OXEPA (q-pair).....	172
OXIMETRIC (data).....	1022
OXIMETRIC (q-pair).....	464

OXYGEN CONSUMPTION.....	453
OXYGEN SATURATION.....	454

- P -

P.O. (meth).....	1222
P.O. (q-pair).....	309
PA (data).....	1022
PA (q-pair).....	571, 626
PA CATHETER (meth).....	1222
PA CATHETER ALARMS ON.....	455
PA CATHETER DRESSING TYPE.....	456
PA CATHETER DYNAMIC RESPONSE TEST.....	457
PA CATHETER INSERTION MARK.....	458
PA CATHETER INSERTION TECHNIQUE.....	459
PA CATHETER REPOSITIONED/DISCONTINUED REASON.....	460
PA CATHETER SITE CARE.....	461
PA CATHETER SITE CONDITION.....	462
PA CATHETER SIZE.....	463
PA CATHETER TYPE.....	464
PA CATHETER WAVEFORM.....	465
PA CATHETER ZEROED.....	466
PA LINE (meth).....	1222
PAC (data).....	1022
PAC (q-pair).....	80
PACED: ATRIAL (data).....	1023
PACED: ATRIAL (q-pair).....	84
PACED: AV SEQUENTIAL (data).....	1023

PACED: AV SEQUENTIAL (q-pair).....	84
PACED: VENTRICULAR (data).....	1023
PACED: VENTRICULAR (q-pair).....	84
PACEMAKER ATRIAL mA.....	467
PACEMAKER AV INTERVAL.....	468
PACEMAKER CAPTURE.....	469
PACEMAKER MODE.....	470
PACEMAKER ON.....	471
PACEMAKER RATE - DO NOT CHECK TOTAL OR SUBTOTALS.....	472
PACEMAKER SENSE.....	473
PACEMAKER SENSITIVITY ATRIAL.....	474
PACEMAKER SENSITIVITY VENTRICULAR.....	475
PACEMAKER TYPE.....	476
PACEMAKER UNIT ID.....	477
PACEMAKER VENTRICULAR mA.....	478
PACEMAKER WIRES.....	479
PACER (data).....	1023
PACER (q-pair).....	397, 464
PACU - DISCHARGE CRITERIA.....	480
PACU - DISCHARGE CRITERIA MET.....	481
PACU - DISPOSITION.....	482
PACU - PT RECEIVED REVERSAL AGENT.....	483
PACU - TIME OF REVERSAL AGENT.....	484
PAIN (data).....	1023
PAIN (q-pair).....	161, 164
PAIN CHARACTER.....	485
PAIN CONTROLLED PER PT (data).....	1024
PAIN CONTROLLED PER PT (q-pair).....	480

PAIN DURATION.....	486
PAIN GOAL.....	487
PAIN LEVEL.....	488
PAIN NON-VERBAL CUES.....	489
PAIN RELIEVING FACTOR INTERVENTION.....	490
PAINAD BL 0 (data).....	1024
PAINAD BL 0 (q-pair).....	491
PAINAD BL 1 (data).....	1024
PAINAD BL 1 (q-pair).....	491
PAINAD BL 2 (data).....	1024
PAINAD BL 2 (q-pair).....	491
PAINAD BODY LANGUAGE.....	491
PAINAD BR 0 (data).....	1024
PAINAD BR 0 (q-pair).....	492
PAINAD BR 1 (data).....	1025
PAINAD BR 1 (q-pair).....	492
PAINAD BR 2 (data).....	1025
PAINAD BR 2 (q-pair).....	492
PAINAD BREATHING.....	492
PAINAD CO 0 (data).....	1025
PAINAD CO 0 (q-pair).....	493
PAINAD CO 1 (data).....	1025
PAINAD CO 1 (q-pair).....	493
PAINAD CO 2 (data).....	1025
PAINAD CO 2 (q-pair).....	493
PAINAD CONSOLABILITY.....	493
PAINAD FACIAL EXPRESSION.....	494
PAINAD FE 0 (data).....	1026

PAINAD FE 0 (q-pair).....	494
PAINAD FE 1 (data).....	1026
PAINAD FE 1 (q-pair).....	494
PAINAD FE 2 (data).....	1026
PAINAD FE 2 (q-pair).....	494
PAINAD NEGATIVE VOCALIZATION.....	495
PAINAD NV 0 (data).....	1026
PAINAD NV 0 (q-pair).....	495
PAINAD NV 1 (data).....	1026
PAINAD NV 1 (q-pair).....	495
PAINAD NV 2 (data).....	1027
PAINAD NV 2 (q-pair).....	495
PAINAD SCALE (unit).....	1287
PAINAD TOTAL.....	496
PAINFUL EXPRESSION (data).....	1027
PAINFUL EXPRESSION (q-pair).....	489
PAIRS (data).....	1027
PAIRS (q-pair).....	80
PALE (data).....	1027
PALE (q-pair).....	414, 415, 663
PALPATED (meth).....	1222
PALPATED (q-pair).....	63, 587
PAROXYSMAL ATRIAL TACHYCARDIA (data).....	1027
PAROXYSMAL ATRIAL TACHYCARDIA (q-pair).....	84
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (data).....	1028
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	84
PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS (data)	
.....	1028

PARTIAL BATH (data).....	1028
PARTIAL BATH (q-pair).....	5
PARTIAL IMPAIRED (data).....	1028
PARTIAL IMPAIRED (q-pair).....	631
PARTIAL LOWER (data).....	1028
PARTIAL LOWER (q-pair).....	140
PARTIAL RE-BREATHING (meth).....	1223
PARTIAL RE-BREATHING (q-pair).....	705
PARTIAL SIMPLE (data).....	1029
PARTIAL SIMPLE (q-pair).....	631
PARTIAL UPPER (data).....	1029
PARTIAL UPPER (q-pair).....	140
PASSIVE RANGE OF MOTION (data).....	1029
PASSIVE RANGE OF MOTION (q-pair).....	12
PATENT (data).....	1029
PATENT (q-pair).....	46, 99, 143, 238, 345, 462
PATENT CLEAN (data).....	1029
PATENT CLEAN (q-pair).....	343, 508
PATIENT (data).....	1030
PATIENT (q-pair).....	11
PATIENT ABLE TO RESPOND.....	497
PATIENT EDUCATION PROVIDED PRIOR TO SEDATION.....	498
PATIENT INFORMED (data).....	1030
PATIENT INFORMED (q-pair).....	404, 598
PATIENT INSTRUCTED (data).....	1030
PATIENT INSTRUCTED (q-pair).....	438
PATIENT LOCATOR DEVICE IN PLACE (data).....	1030

PATIENT LOCATOR DEVICE IN PLACE (q-pair).....	4
PATIENT ON PASS (null).....	1231
PATIENT REFUSED (null).....	1231
PATIENT REFUSES MARKING (data).....	1030
PATIENT REFUSES MARKING (q-pair).....	548
PATIENT REPORTS NOT PRESENT (data).....	1031
PATIENT REPORTS NOT PRESENT (q-pair).....	194
PATIENT REPORTS PRESENT (data).....	1031
PATIENT REPORTS PRESENT (q-pair).....	194
PATIENT RIGHTS AND RESPONSIBILITIES (data).....	1031
PATIENT RIGHTS AND RESPONSIBILITIES (q-pair).....	164
PATIENT SIGNS SAFETY CONTRACT (data).....	1031
PATIENT SIGNS SAFETY CONTRACT (q-pair).....	57
PATIENT STATED (data).....	1031
PATIENT STATED (q-pair).....	525
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (data)	
.....	1032
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (q-pair)	
.....	57
PATIENT'S ROOM (data).....	1032
PATIENT'S ROOM (q-pair).....	55, 129
PCA (data).....	1032
PCA (prod).....	1246
PCA (q-pair).....	309
PCA - CLINICAL BOLUS DOSE.....	499
PCA - CONTINUOUS MCG/HR (BASAL).....	500
PCA - CONTINUOUS MG/HR (BASAL).....	501
PCA - DEMAND DOSE - DO NOT CHECK TOTAL OR SUBTOTALS....	502



PCA - DOSAGE DELIVERED.....	503
PCA - DOSES DELIVERED.....	504
PCA - LEVEL OF CONSCIOUSNESS.....	505
PCA - LIMIT DOSE - DO NOT CHECK TOTAL OR SUBTOTALS.....	506
PCA - LIMIT TIME.....	507
PCA - LINE CARE.....	508
PCA - LOCK OUT- DO NOT CHECK TOTAL OR SUBTOTALS.....	509
PCA - MODE.....	510
PCA - PUMP CLEARED.....	511
PCA - REQUESTS.....	512
PCA - SIDE EFFECTS.....	513
PCA - TOTAL DOSE 24 HR.....	514
PCA - TOTAL DOSE WASTED.....	515
PCA - TOTAL MCG PER SHIFT.....	516
PCA - TOTAL MG PER SHIFT.....	517
PCA - VOLUME REMAINING - DO NOT CHECK TOTAL OR SUBTOTALS .....	518
PCA - VOLUME START - DO NOT CHECK TOTAL OR SUBTOTALS...	519
PCA AND BASAL RATE (data).....	1032
PCA AND BASAL RATE (q-pair).....	510
PCA ONLY (data).....	1032
PCA ONLY (q-pair).....	510
PCA PUMP (data).....	1033
PCA PUMP (q-pair).....	164
PEAK INSPIRATORY PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS .....	520
PEDIATRIC (data).....	1033
PEDIATRIC (q-pair).....	64

PEDIATRIC (qual).....	1254
PEDIATRIC CUFF (meth).....	1223
PEG TUBE (data).....	1033
PEG TUBE (q-pair).....	166, 215
PENDANT CANNULA (meth).....	1223
PENDANT CANNULA (q-pair).....	705
PENETRATING (data).....	1033
PENETRATING (q-pair).....	784
PENIS (loca).....	1185
PENIS (q-pair).....	488, 676
PENROSE (meth).....	1223
PENROSE (q-pair).....	446
PENROSE DRAIN (data).....	1033
PENROSE DRAIN (q-pair).....	773
PERATIVE (data).....	1034
PERATIVE (q-pair).....	172
PERCENTAGE (unit).....	1287
PERCUSSION BED (data).....	1034
PERCUSSION BED (q-pair).....	683
PERINEAL (loca).....	1185
PERINEAL (q-pair).....	303, 488, 564, 779
PERINEAL CARE (data).....	1034
PERINEAL CARE (q-pair).....	5
PERIORBITAL (loca).....	1185
PERIORBITAL (q-pair).....	160
PERIPHERAL (loca).....	1186
PERIPHERAL (q-pair).....	587
PERIRECTAL (loca).....	1186

PERITONEAL DIALYSIS (meth).....	1223
PERITONEAL DIALYSIS (q-pair).....	311, 444
PERMANENT (data).....	1034
PERMANENT (q-pair).....	476
PERSONAL ARTICLES AT REACH (data).....	1034
PERSONAL ARTICLES AT REACH (q-pair).....	190
PERSONAL HYGIENE AND/OR GROOMING (data).....	1035
PERSONAL HYGIENE AND/OR GROOMING (q-pair).....	164
PERSONAL MEDICAL ALERT BRACELET (data).....	1035
PERSONAL MEDICAL ALERT BRACELET (q-pair).....	40
PETROLATUM (data).....	1035
PETROLATUM (q-pair).....	565
PHYSICAL IMPAIRMENT (data).....	1035
PHYSICAL IMPAIRMENT (q-pair).....	52
PHYSICIAN (data).....	1035
PHYSICIAN (q-pair).....	571, 724
PHYSICIAN NOTIFIED (data).....	1036
PHYSICIAN NOTIFIED (q-pair).....	490
PHYSICIAN ORDER (data).....	1036
PHYSICIAN ORDER (q-pair).....	610
PICC (data).....	1036
PICC (q-pair).....	102, 343
PICC LINE (meth).....	1224
PIN (data).....	1036
PIN TRACTION (data).....	1036
PIN TRACTION (q-pair).....	720
PINK (data).....	1037
PINK (q-pair).....	157, 173, 211, 414,

580, 663, 732, 767,

771

PINK / GRANULATING (data).....	1037
PINK / GRANULATING (q-pair).....	554
PINPOINT (data).....	1037
PINPOINT (q-pair).....	589
PITTED (data).....	1037
PITTED (q-pair).....	417
PITTING (data).....	1037
PIVOT (data).....	1038
PIVOT (q-pair).....	172
PIVOT 1.5 (data).....	1038
PIVOT 1.5 (q-pair).....	172
PJC (data).....	1038
PJC (q-pair).....	80
PLACED NEAR TO NURSE STATION (data).....	1038
PLACED NEAR TO NURSE STATION (q-pair).....	190
PLAIN (data).....	1038
PLAIN (q-pair).....	464
PLAN OF CARE - REVISION INDICATED.....	521
PLANTAR FLEXION.....	522
PLASMAPHERESIS (prod).....	1246
PLASMAPHERESIS (q-pair).....	317
PLATELETS (prod).....	1247
PLATELETS (q-pair).....	309, 317
PLATELETS PHERESIS (prod).....	1247
PLATELETS PHERESIS (q-pair).....	309, 317
PLATELETS PHERESIS IRRADIATED (prod).....	1247

PLATELETS PHERESIS IRRADIATED (q-pair).....	309, 317
POINTS (unit).....	1287
POOR (data).....	1039
POOR (q-pair).....	679
POOR BAL (data).....	1039
POOR BAL (q-pair).....	183
POPLITEAL (loca).....	1186
POPLITEAL (q-pair).....	587
PORCINE SUBMUCOSA (data).....	1039
PORCINE SUBMUCOSA (q-pair).....	565
POSITIONAL (data).....	1039
POSITIONAL (q-pair).....	48, 103, 465, 485
POSITIVE PRESSURE CONNECTOR (data).....	1039
POSITIVE PRESSURE CONNECTOR (q-pair).....	343
POST CATH DIET (data).....	1040
POST CATH DIET (q-pair).....	150
POST OPERATION DIAGNOSIS (data).....	1040
POST PROCEDURE DIAGNOSIS (data).....	1040
POST PROCEDURE DIAGNOSIS (q-pair).....	142
POST-FALL (data).....	1040
POST-FALL (q-pair).....	779
POST-OPERATIVE (data).....	1040
POST-OPERATIVE (q-pair).....	142, 164, 779
POST-PROCEDURE (data).....	1041
POST-PROCEDURE (q-pair).....	164
POST-SEDATION (data).....	1041
POST-SEDATION (q-pair).....	164
POSTERIOR TIBIAL (loca).....	1186

POSTERIOR TIBIAL (q-pair).....	587
POTASSIUM MODIFIED 60 MEQ (data).....	1041
POTASSIUM MODIFIED 60 MEQ (q-pair).....	150
POUND (unit).....	1287
PPN (prod).....	1247
PPN (q-pair).....	309
PR INTERVAL.....	523
PRBC (data).....	1041
PRBC (prod).....	1247
PRBC (q-pair).....	309, 317
PRBC - AUTOLOGOUS (prod).....	1248
PRBC - AUTOLOGOUS (q-pair).....	309, 317
PRBC - LEUKOREduced (prod).....	1248
PRBC - LEUKOREduced (q-pair).....	309, 317
PRBC - LEUKOREduced - DIRECTED (prod).....	1248
PRBC - LEUKOREduced - DIRECTED (q-pair).....	309, 317
PRBC - LEUKOREduced - IRRADIATED (prod).....	1248
PRBC - LEUKOREduced - IRRADIATED (q-pair).....	309, 317
PRBC - LEUKOREduced - WASHED (prod).....	1248
PRBC - LEUKOREduced - WASHED (q-pair).....	309, 317
PRE-MEDICATED FOR ACTIVITY (data).....	1041
PRE-MEDICATED FOR ACTIVITY (q-pair).....	490
PRE-OPERATIVE (data).....	1042
PRE-OPERATIVE (q-pair).....	164
PRE-PROCEDURE (data).....	1042
PRE-PROCEDURE (q-pair).....	164
PRE-SEDATION (data).....	1042
PRE-SEDATION (q-pair).....	164

PRE-SURGERY (data).....	1042
PRECAUTIONS - 24 HOUR CHART CHECK (task).....	1267
PRECAUTIONS - ASPIRATION (task).....	1267
PRECAUTIONS - ETOH W/D (task).....	1268
PRECAUTIONS - FALL (task).....	1268
PRECAUTIONS - PATIENT TEACHING (task).....	1268
PRECAUTIONS - VALIDATE ALARMS (task).....	1268
PREGNANT, NO (data).....	1042
PREGNANT, NO (q-pair).....	397
PREGNANT, YES (data).....	1043
PREGNANT, YES (q-pair).....	397
PREMATURE ATRIAL (data).....	1043
PREPROCEDURE: 12 LEAD EKG DONE?.....	524
PREPROCEDURE: ALLERGIES REASSESSED AND DOCUMENTED.....	525
PREPROCEDURE: ANTIBIOTIC GIVEN?.....	526
PREPROCEDURE: ANTIBIOTIC ORDERED?.....	527
PREPROCEDURE: BLOOD TRANSFUSION CONSENT CURRENT?.....	528
PREPROCEDURE: BLOOD TRANSFUSION PREFERENCE?.....	529
PREPROCEDURE: CHEST XRAY DONE?.....	530
PREPROCEDURE: DENTURES REMOVED?.....	531
PREPROCEDURE: DISPOSITION OF CLOTHING.....	532
PREPROCEDURE: DISPOSITION OF VALUABLES.....	533
PREPROCEDURE: DRIVER/ESCORT TO HOME CONFIRMED.....	534
PREPROCEDURE: FINGERSTICK GLUCOSE DONE?.....	535
PREPROCEDURE: GLASSES / CONTACTS REMOVED?.....	536
PREPROCEDURE: H AND P CURRENT?.....	537
PREPROCEDURE: HEARING AIDS IN PLACE?.....	538
PREPROCEDURE: HOME MEDICATIONS TAKEN/TIME.....	539

PREPROCEDURE: HOSPITAL GOWN ON?.....	540
PREPROCEDURE: INFORMED CONSENT CURRENT .....	541
PREPROCEDURE: JEWELRY REMOVED?.....	542
PREPROCEDURE: LABS DONE?.....	543
PREPROCEDURE: NPO SINCE (DATE/TIME).....	544
PREPROCEDURE: PLANNED PROCEDURE.....	545
PREPROCEDURE: PREMEDICATION ADMINISTERED?.....	546
PREPROCEDURE: PREMEDICATION ORDERED?.....	547
PREPROCEDURE: PROCEDURE SITE MARKED CORRECTLY.....	548
PREPROCEDURE: PROSTHETICS/IMPLANTS?.....	549
PREPROCEDURE: TYPE AND CROSS MATCH DONE?.....	550
PREPROCEDURE: TYPE AND SCREEN DONE?.....	551
PREPROCEDURE: VITALS SIGNS DONE?.....	552
PREPROCEDURE: VOIDED?.....	553
PRESENT (data).....	1043
PRESENT (q-pair).....	79, 86, 136, 154, 194, 198, 350, 726, 729
PRESSURE (data).....	1043
PRESSURE (q-pair).....	235, 485, 776
PRESSURE CALIBRATION (data).....	1043
PRESSURE CALIBRATION (q-pair).....	343
PRESSURE CONTROL (data).....	1044
PRESSURE CONTROL (q-pair).....	743
PRESSURE DRESSING (data).....	1044
PRESSURE DRESSING (q-pair).....	44, 96, 144, 456
PRESSURE ULCER (data).....	1044
PRESSURE ULCER (q-pair).....	784



PRESSURE ULCER COLOR.....	554
PRESSURE ULCER DEPTH.....	555
PRESSURE ULCER DRAINAGE CHARACTER.....	556
PRESSURE ULCER DRESSING PREVENTS ASSESSMENT.....	557
PRESSURE ULCER LENGTH.....	558
PRESSURE ULCER ODOR.....	559
PRESSURE ULCER PHOTOGRAPHED.....	560
PRESSURE ULCER PREVENTION DEVICE TYPE.....	561
PRESSURE ULCER RISK FACTORS.....	562
PRESSURE ULCER SINUS/UNDERMINING.....	563
PRESSURE ULCER STAGE/SITE.....	564
PRESSURE ULCER TREATMENT.....	565
PRESSURE ULCER TUNNEL.....	566
PRESSURE ULCER TUNNEL LENGTH.....	567
PRESSURE ULCER UNDERMINING.....	568
PRESSURE ULCER WIDTH.....	569
PRESYSTOLIC (data).....	1044
PRESYSTOLIC (q-pair).....	87
PREVENT ACCESS TO DEVICE (data).....	1044
PREVENT ACCESS TO DEVICE (q-pair).....	604
PREVENTIVE HEALTH REHAB TECHNIQUES (data).....	1045
PREVENTIVE HEALTH REHAB TECHNIQUES (q-pair).....	164
PREVIOUS PERCUTANEOUS SITE (data).....	1045
PREVIOUS PERCUTANEOUS SITE (q-pair).....	784
PRN (data).....	1045
PRN (q-pair).....	216
PRN (sche).....	1256
PRO STAT SUGAR FREE 64 (data).....	1045

PRO STAT SUGAR FREE 64 (q-pair).....	172
PRO-STAT (data).....	1045
PRO-STAT (q-pair).....	172
PROCEDURE LOCATION.....	570
PROCEDURE PERSONNEL.....	571
PROCEDURE ROOM (data).....	1046
PROCEDURE ROOM (q-pair).....	482
PROCEDURE TIME.....	572
PROCEDURE, PLANNED.....	573
PRODUCTIVE (data).....	1046
PRODUCTIVE (q-pair).....	137
PROJECTILE VOMITING (data).....	1046
PROJECTILE VOMITING (q-pair).....	209
PROMOTE (data).....	1046
PROMOTE (q-pair).....	172
PROMOTE WITH FIBER (data).....	1046
PROMOTE WITH FIBER (q-pair).....	172
PRONE (data).....	1047
PRONE (q-pair).....	13
PROPASS PROTEIN POWDER (data).....	1047
PROPASS PROTEIN POWDER (q-pair).....	172
PROSTHESIS (data).....	1047
PROSTHESIS (q-pair).....	152, 396
PROTENEX WOUND CARE (data).....	1047
PROTENEX WOUND CARE (q-pair).....	172
PROVIDED PATIENT EDUCATION (data).....	1047
PROVIDED PATIENT EDUCATION (q-pair).....	91
PROXIMAL PORT (data).....	1048

PROXIMAL PORT (q-pair).....	344
PT DENIES NAUSEA / NO VOMITING (data).....	1048
PT DENIES NAUSEA / NO VOMITING (q-pair).....	480
PT PAIN AT ACCEPTABLE LEVEL (data).....	1048
PT PAIN AT ACCEPTABLE LEVEL (q-pair).....	480
PULMOCARE (data).....	1048
PULMOCARE (q-pair).....	172
PULMONARY - CHEST PHYSIO-THERAPY (task).....	1268
PULMONARY - COUGH AND DEEP BREATH (task).....	1269
PULMONARY - ET TUBE CARE (task).....	1269
PULMONARY - INCENTIVE SPIROMETER (task).....	1269
PULMONARY - OXYGEN (task).....	1269
PULMONARY - SUCTION PATIENT (task).....	1269
PULMONARY - TRACH CARE (task).....	1270
PULMONARY ARTERY DIASTOLIC.....	574
PULMONARY ARTERY MEAN PRESSURE.....	575
PULMONARY ARTERY SYSTOLIC.....	576
PULMONARY CAPILLARY WEDGE PRESSURE.....	577
PULMONARY CARE.....	578
PULMONARY PROCEDURE ROOM (data).....	1048
PULMONARY PROCEDURE ROOM (q-pair).....	570
PULMONARY SECRETION AMOUNT.....	579
PULMONARY SECRETION COLOR.....	580
PULMONARY SECRETION CONSISTENCY.....	581
PULMONARY SUCTIONING EVENT.....	582
PULMONARY SUCTIONING FREQUENCY.....	583
PULMONARY SUCTIONING SITE.....	584
PULMONARY VASCULAR RESISTANCE.....	585

PULMONARY VASCULAR RESISTANCE INDEX.....	586
PULSE - DO NOT CHECK TOTAL OR SUBTOTALS.....	587
PULSE OX MONITOR (meth).....	1224
PULSE OX MONITOR (q-pair).....	710
PULSE OXIMETER (data).....	1049
PULSE OXIMETER (q-pair).....	401, 403
PULSE STRENGTH.....	588
PULSELESS ELECTRICAL ACTIVITY (data).....	1049
PULSELESS ELECTRICAL ACTIVITY (q-pair).....	84
PUMP - CONTINUOUS (data).....	1049
PUMP - CONTINUOUS (q-pair).....	167
PUMP - INTERMITTENT (data).....	1049
PUMP - INTERMITTENT (q-pair).....	167
PUNCTURE (data).....	1049
PUNCTURE (q-pair).....	784
PUPIL REACTION.....	589
PUPIL SIZE.....	590
PUREED (data).....	1050
PUREED (q-pair).....	150
PURULENT (data).....	1050
PURULENT (q-pair).....	109, 157, 173, 211, 296, 556, 731
PVC (data).....	1050
PVC (q-pair).....	80
pH (data).....	1156
pH (q-pair).....	212
pH (unit).....	1290

- Q -

Q2H (sche).....	1256
Q4H (sche).....	1256
Q7D (sche).....	1256
QD (sche).....	1257
QRS.....	591
QT.....	592
QUAD LUMEN CATHETER (unit).....	1287
QUADRAGEMINY (data).....	1050
QUADRAGEMINY (q-pair).....	80
QUIET OR RESTING (data).....	1050
QUIET OR RESTING (q-pair).....	128
QUIET ROOM (data).....	1051
QUIET ROOM (q-pair).....	55, 129, 490

- R -

R ABDOMEN (loca).....	1186
R ABDOMEN (q-pair).....	779
R ANKLE (loca).....	1187
R ANKLE (q-pair).....	303, 488, 564, 618, 676, 779
R ANTECUBITAL (loca).....	1187
R ANTECUBITAL (q-pair).....	102, 143, 219, 344, 345, 564, 779
R ARM (loca).....	1187
R ARM (q-pair).....	63, 102, 143, 149,

160, 165, 219, 344,

345, 429, 488, 616,

617, 676, 708

R ARTERY (loca).....1187

R AXILLARY (loca).....1187

R AXILLARY (q-pair).....46, 47, 235, 239

R BRACHIAL (loca).....1188

R BRACHIAL (q-pair).....46, 47, 105, 471,

476

R BUNDLE BRANCH BLOCK (data).....1051

R BUNDLE BRANCH BLOCK (q-pair).....84

R CALF (loca).....1188

R CALF (q-pair).....303

R CAROTID (loca).....1188

R CAROTID (q-pair).....79, 86

R CHEST (loca).....1188

R CHEST (q-pair).....108, 488, 676, 779

R DORSALIS PEDIS (loca).....1188

R EAR (loca).....1189

R EAR (q-pair).....303, 488, 564, 779

R ELBOW (loca).....1189

R ELBOW (q-pair).....488, 564, 676, 779

R EXTERNAL JUGULAR (loca).....1189

R EXTERNAL JUGULAR (q-pair).....102, 143, 219, 344,

345, 464

R EYE (loca).....1189

R EYE (q-pair).....133, 160, 589, 590,

759, 779

R FACE (loca).....	1189
R FACE (q-pair).....	160, 303, 779
R FEMORAL (loca).....	1190
R FEMORAL (q-pair).....	46, 47, 79, 86, 102, 105, 143, 219, 235, 239, 303, 344, 345, 464, 471, 476, 564, 588, 779
R FINGER (loca).....	1190
R FINGER (q-pair).....	303
R FLANK (loca).....	1190
R FLANK (q-pair).....	303
R FOOT (loca).....	1190
R FOOT (q-pair).....	160, 196, 303, 344, 345, 488, 564, 636, 676, 779
R FOOT DOWN (data).....	1051
R FOOT DOWN (q-pair).....	652
R FOOT UP (data).....	1051
R FOOT UP (q-pair).....	652
R GLUTEUS (loca).....	1190
R GLUTEUS (q-pair).....	303, 564, 779
R GROIN (loca).....	1191
R GROIN (q-pair).....	488, 676
R HAND (loca).....	1191
R HAND (q-pair).....	160, 222, 488, 637, 676, 779
R HEAD (loca).....	1191

R HEAD (q-pair).....	564, 779
R HEAD DOWN (data).....	1051
R HEAD DOWN (q-pair).....	652
R HEAD UP (data).....	1052
R HEAD UP (q-pair).....	652
R HEEL (loca).....	1191
R HEEL (q-pair).....	564, 779
R HIP (loca).....	1191
R HIP (q-pair).....	303, 488, 676, 779
R INGUINAL (loca).....	1192
R INGUINAL (q-pair).....	303
R INNER KNEE (loca).....	1192
R INNER KNEE (q-pair).....	564, 779
R INTERNAL JUGULAR (loca).....	1192
R INTERNAL JUGULAR (q-pair).....	102, 105, 143, 219, 344, 345, 464, 471, 476
R ISCHIAL (loca).....	1192
R ISCHIAL (q-pair).....	564, 779
R JAW (loca).....	1192
R JAW (q-pair).....	488, 676
R KNEE (loca).....	1193
R KNEE (q-pair).....	160, 303, 488, 676
R LATERAL HEEL (loca).....	1193
R LATERAL HEEL (q-pair).....	564
R LATERAL MALLEOLUS (loca).....	1193
R LATERAL MALLEOLUS (q-pair).....	564
R LEG (loca).....	1193



R LEG (q-pair).....	63, 136, 149, 160,
	165, 344, 345, 430,
	488, 616, 618, 676,
	708
R LOWER ANTERIOR CHEST (loca).....	1193
R LOWER ANTERIOR CHEST (q-pair).....	110, 303
R LOWER ARM (loca).....	1194
R LOWER ARM (q-pair).....	303, 488, 564, 676,
	779
R LOWER EXTREMITY (loca).....	1194
R LOWER EXTREMITY (q-pair).....	412, 638
R LOWER LEG (loca).....	1194
R LOWER LEG (q-pair).....	303, 779
R LOWER LIMB (loca).....	1194
R LOWER LIMB (q-pair).....	352
R LOWER LOBE (loca).....	1194
R LOWER LOBE (q-pair).....	74
R LOWER POSTERIOR CHEST (loca).....	1195
R LOWER POSTERIOR CHEST (q-pair).....	110, 303
R MANDIBULAR (loca).....	1195
R MANDIBULAR (q-pair).....	303
R MEDIAL HEEL (loca).....	1195
R MEDIAL HEEL (q-pair).....	564
R MEDIAL MALLEOLUS (loca).....	1195
R MEDIAL MALLEOLUS (q-pair).....	564
R MIDDLE ANTERIOR CHEST (loca).....	1195
R MIDDLE ANTERIOR CHEST (q-pair).....	110, 303
R MIDDLE LOBE (loca).....	1196

R MIDDLE LOBE (q-pair).....	74
R MIDDLE POSTERIOR CHEST (loca).....	1196
R MIDDLE POSTERIOR CHEST (q-pair).....	110, 303
R NECK (data).....	1052
R NECK (loca).....	1196
R NECK (q-pair).....	160, 303
R NEPHROSTOMY (data).....	1052
R NEPHROSTOMY (q-pair).....	219, 734
R NOSE (loca).....	1196
R NOSE (q-pair).....	488, 676
R OCCIPITAL (loca).....	1196
R OCCIPITAL (q-pair).....	303
R ORAL (loca).....	1197
R ORAL (q-pair).....	303
R ORBIT (loca).....	1197
R ORBIT (q-pair).....	303
R OUTER KNEE (loca).....	1197
R OUTER KNEE (q-pair).....	564, 779
R PARIETAL (loca).....	1197
R PARIETAL (q-pair).....	303
R PEDAL (loca).....	1197
R PEDAL (q-pair).....	588
R POST TIBIAL (loca).....	1198
R POST TIBIAL (q-pair).....	588
R RADIAL (loca).....	1198
R RADIAL (q-pair).....	46, 47, 588
R RIBS (loca).....	1198
R RIBS (q-pair).....	564, 779

R SCAPULA (loca).....	1198
R SCAPULA (q-pair).....	488, 564, 676, 779
R SHOULDER (loca).....	1198
R SHOULDER (q-pair).....	488, 564, 676, 779
R STENT (data).....	1052
R STENT (q-pair).....	219
R SUBCLAVIAN (loca).....	1199
R SUBCLAVIAN (q-pair).....	102, 105, 143, 219, 303, 344, 345, 464, 471, 476
R TEMPORAL (loca).....	1199
R TEMPORAL (q-pair).....	79, 86
R TESTICLE (loca).....	1199
R TESTICLE (q-pair).....	779
R THIGH (loca).....	1199
R THIGH (q-pair).....	303, 488, 676
R THORACIC ANTERIOR (loca).....	1199
R THORACIC ANTERIOR (q-pair).....	303
R THORACIC LATERAL (loca).....	1200
R THORACIC LATERAL (q-pair).....	303
R THORACIC POSTERIOR (loca).....	1200
R THORACIC POSTERIOR (q-pair).....	303
R THORACOTOMY (loca).....	1200
R THORACOTOMY (q-pair).....	303
R THUMB (loca).....	1200
R THUMB (q-pair).....	303
R TOE (loca).....	1200
R TOE (q-pair).....	303

R TRAPEZIUS (loca).....	1201
R TRAPEZIUS (q-pair).....	303
R TROCHANTER (loca).....	1201
R TROCHANTER (q-pair).....	564, 779
R UPPER ANTERIOR CHEST (loca).....	1201
R UPPER ANTERIOR CHEST (q-pair).....	110, 303
R UPPER ARM (loca).....	1201
R UPPER ARM (q-pair).....	102, 143, 219, 303, 344, 345, 488, 564, 676, 779
R UPPER EXTREMITY (loca).....	1201
R UPPER EXTREMITY (q-pair).....	412, 639
R UPPER LEG (loca).....	1202
R UPPER LEG (q-pair).....	779
R UPPER LIMB (loca).....	1202
R UPPER LIMB (q-pair).....	730
R UPPER LOBE (loca).....	1202
R UPPER LOBE (q-pair).....	74
R UPPER POSTERIOR CHEST (loca).....	1202
R UPPER POSTERIOR CHEST (q-pair).....	110, 303
R WRIST (loca).....	1202
R WRIST (q-pair).....	102, 143, 219, 344, 345, 616, 617, 779
RAD TECH (data).....	1052
RAD TECH (q-pair).....	571
RADIAL (loca).....	1203
RADIAL (q-pair).....	63, 587
RADIAL (qual).....	1254

RADIATING (data).....	1053
RADIATING (q-pair).....	485
RADIOLOGY (data).....	1053
RADIOLOGY (q-pair).....	570
RAMSEY ANXIOUS (data).....	1053
RAMSEY ANXIOUS (q-pair).....	627
RAMSEY ASLEEP BRISK RESPONSE (data).....	1053
RAMSEY ASLEEP BRISK RESPONSE (q-pair).....	627
RAMSEY ASLEEP NO RESPONSE (data).....	1053
RAMSEY ASLEEP NO RESPONSE (q-pair).....	627
RAMSEY ASLEEP SLUGGISH (data).....	1054
RAMSEY ASLEEP SLUGGISH (q-pair).....	627
RAMSEY COOPERATIVE (data).....	1054
RAMSEY COOPERATIVE (q-pair).....	627
RAMSEY SEDATED (data).....	1054
RAMSEY SEDATED (q-pair).....	627
RANGE (unit).....	1288
RASH/EXFOLIATION (data).....	1054
RASH/EXFOLIATION (q-pair).....	699, 784
RASS AGITATED (data).....	1054
RASS AGITATED (q-pair).....	628
RASS ALERT AND CALM (data).....	1055
RASS ALERT AND CALM (q-pair).....	628
RASS COMBATIVE (data).....	1055
RASS COMBATIVE (q-pair).....	628
RASS DEEP SEDATION (data).....	1055
RASS DEEP SEDATION (q-pair).....	628
RASS DROWSY (data).....	1055

RASS DROWSY (q-pair).....	628
RASS LIGHT SEDATION (data).....	1055
RASS LIGHT SEDATION (q-pair).....	628
RASS MODERATE SEDATION (data).....	1056
RASS MODERATE SEDATION (q-pair).....	628
RASS RESTLESS (data).....	1056
RASS RESTLESS (q-pair).....	628
RASS UNAROUSABLE (data).....	1056
RASS UNAROUSABLE (q-pair).....	628
RASS VERY AGITATED (data).....	1056
RASS VERY AGITATED (q-pair).....	628
REACTIVE (data).....	1056
REACTIVE (q-pair).....	589
RECTAL (loca).....	1203
RECTAL (q-pair).....	712, 779
RECTAL TEMP PROBE (meth).....	1224
RECTAL TUBE (data).....	1057
RECTAL TUBE PRESENT.....	593
RED (data).....	1057
RED (q-pair).....	46, 99, 143, 157, 173, 211, 238, 345, 462, 554, 580, 699, 732, 767, 771
RED/GRANULATING (data).....	1057
REDDENING OF THE SKIN (data).....	1057
REDIRECT PATIENT ACTIVITY (data).....	1057
REDIRECT PATIENT ACTIVITY (q-pair).....	604
REFLEX (data).....	1058

REFLEX (q-pair).....196, 222, 352, 413,

730

REFUSE MEDICATION (data).....1058

REFUSE MEDICATION (q-pair).....490

REFUSE TO MOVE (data).....1058

REFUSE TO MOVE (q-pair).....562

REFUSED (data).....1058

REFUSED (q-pair).....15

REGIONAL BLOCK (data).....1058

REGIONAL BLOCK (q-pair).....31

REGISTERED NURSE (data).....1059

REGISTERED NURSE (q-pair).....610

REGULAR (data).....1059

REGULAR (q-pair).....150, 595

REINFORCED (data).....1059

REINFORCED (q-pair).....43, 95

RELATIVE (data).....1059

RELATIVE (q-pair).....534

RELIGIOUS (data).....1059

RELIGIOUS (q-pair).....162

REMNANT P-WAVE (data).....1060

REMNANT P-WAVE (q-pair).....80

REMOVE FROM STIM. SETTING (data).....1060

REMOVE FROM STIM. SETTING (q-pair).....604

REMOVE RECTAL TUBE (data).....1060

RENAL DIET (data).....1060

RENAL DIET (q-pair).....150

REORIENTED TO ENVIRONMENT (data).....1060

REORIENTED TO ENVIRONMENT (q-pair).....	604
REPIRATORY DEPRESSION (data).....	1061
REPIRATORY DEPRESSION (q-pair).....	183
REPORTED (data).....	1061
REPORTED (q-pair).....	734
REPOSITION (data).....	1061
REPOSITION (q-pair).....	490, 604, 611, 640
REQUEST FOR MORE MEDICATION (data).....	1061
REQUEST FOR MORE MEDICATION (q-pair).....	490
RES CRIT: AGGRESSIVE (data).....	1061
RES CRIT: AGGRESSIVE (q-pair).....	597
RES CRIT: AMBULATE (data).....	1062
RES CRIT: AMBULATE (q-pair).....	597
RES CRIT: COMBATIVE (data).....	1062
RES CRIT: COMBATIVE (q-pair).....	597
RES CRIT: EQUIPMENT (data).....	1062
RES CRIT: EQUIPMENT (q-pair).....	597
RES CRIT: HARM TO SELF (data).....	1062
RES CRIT: HARM TO SELF (q-pair).....	597
RES CRIT: LINES (data).....	1062
RES CRIT: LINES (q-pair).....	597
RES CRIT: UNABLE TO FOLLOW DIRECTIONS (data).....	1063
RES CRIT: UNABLE TO FOLLOW DIRECTIONS (q-pair).....	597
RES EVAL: AMBULATION/EXERCISE (data).....	1063
RES EVAL: AMBULATION/EXERCISE (q-pair).....	600
RES EVAL: BED/WHEELCHAIR ALARM (posi).....	1232
RES EVAL: DECREASE STIMULATION (data).....	1063
RES EVAL: DECREASE STIMULATION (q-pair).....	600



RES EVAL: DIVERSIONAL ACTIVITIES (data).....	1063
RES EVAL: DIVERSIONAL ACTIVITIES (q-pair).....	600
RES EVAL: EDUCATION (data).....	1063
RES EVAL: EDUCATION (q-pair).....	600
RES EVAL: INVOLVEMENT WITH FAMILY (data).....	1064
RES EVAL: INVOLVEMENT WITH FAMILY (q-pair).....	600
RES EVAL: MEDICATION REVIEW (data).....	1064
RES EVAL: MEDICATION REVIEW (q-pair).....	600
RES EVAL: REALITY ORIENTATION (data).....	1064
RES EVAL: REALITY ORIENTATION (posi).....	1232
RES EVAL: REALITY ORIENTATION (q-pair).....	600
RES EVAL: RELOCATE (data).....	1064
RES EVAL: RELOCATE (q-pair).....	600
RES EVAL: UNABLE TO ATTEMPT (data).....	1064
RES EVAL: UNABLE TO ATTEMPT (q-pair).....	600
RES LRM: DEVICE ACCESS (data).....	1065
RES LRM: DEVICE ACCESS (q-pair).....	611
RES LRM: LIMIT SETTING (data).....	1065
RES LRM: LIMIT SETTING (q-pair).....	611
RES LRM: PRN MEDS (data).....	1065
RES LRM: PRN MEDS (q-pair).....	611
RES LRM: REDIRECT (data).....	1065
RES LRM: REDIRECT (q-pair).....	611
RES LRM: REMOVE FROM SETTING (data).....	1065
RES LRM: REMOVE FROM SETTING (q-pair).....	611
RES LRM: REORIENT (data).....	1066
RES LRM: REORIENT (q-pair).....	611
RES LRM: SUPERVISION (data).....	1066

RES LRM: SUPERVISION (q-pair).....	611
RES LRM: VERBAL DE-ESCALATION (data).....	1066
RES LRM: VERBAL DE-ESCALATION (q-pair).....	611
RES LRM: VERBAL REMINDERS (data).....	1066
RES LRM: VERBAL REMINDERS (q-pair).....	611
RESERVOIR CANNULA (meth).....	1224
RESERVOIR CANNULA (q-pair).....	705
RESOURCE BREEZE (data).....	1066
RESOURCE BREEZE (q-pair).....	172
RESOURCE DM (data).....	1067
RESOURCE DM (q-pair).....	172
RESP TECH (data).....	1067
RESP TECH (q-pair).....	571
RESPIRATION (data).....	1067
RESPIRATION (q-pair).....	403
RESPIRATION: END-TIDAL CO2.....	594
RESPIRATORY DEPRESSION (data).....	1067
RESPIRATORY DEPRESSION (q-pair).....	513
RESPIRATORY PATTERN.....	595
RESPIRATORY RATE - DO NOT CHECK TOTAL OR SUBTOTALS.....	596
RESTING (data).....	1067
RESTING (q-pair).....	54
RESTING RESPIRATORY RATE BASELINE OR ABOVE (data).....	1068
RESTING RESPIRATORY RATE BASELINE OR ABOVE (q-pair)....	480
RESTLESS (data).....	1068
RESTLESS (q-pair).....	56, 351, 489, 612
RESTRAINT (data).....	1068
RESTRAINT (q-pair).....	613

RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET (task).....	1270
RESTRAINT - CIRCULATION CHECK (task).....	1270
RESTRAINT - DEVICE RELEASE (task).....	1270
RESTRAINT - FALL PRECAUTIONS (task).....	1270
RESTRAINT - SEIZURE PRECAUTIONS (task).....	1271
RESTRAINT BILATERAL ANKLE (data).....	1068
RESTRAINT BILATERAL ANKLE (q-pair).....	616
RESTRAINT BILATERAL HAND MITT (data).....	1068
RESTRAINT BILATERAL HAND MITT (q-pair).....	616
RESTRAINT CRITERIA.....	597
RESTRAINT EDUCATION.....	598
RESTRAINT EDUCATION TYPE.....	599
RESTRAINT EVAL - ALT. MEASURES ATTEMPTED.....	600
RESTRAINT EVAL - ELIMINATION MONITORED.....	601
RESTRAINT EVAL - FLUID/NUTRITION INTAKE.....	602
RESTRAINT EVAL - HYGIENE/COMFORT.....	603
RESTRAINT EVAL - LEAST RESTRICTIVE MEASURES.....	604
RESTRAINT EVAL - MENTAL.....	605
RESTRAINT EVAL - PRIVACY/DIGNITY.....	606
RESTRAINT EVAL - REPOSITION/RANGE OF MOTION.....	607
RESTRAINT EVAL - SKIN INTEGRETU.....	608
RESTRAINT FAMILY ED. UNDERSTANDING.....	609
RESTRAINT GERI CHAIR (data).....	1069
RESTRAINT GERI CHAIR (q-pair).....	616
RESTRAINT HARD PLASTIC/LEATHER (data).....	1069
RESTRAINT HARD PLASTIC/LEATHER (q-pair).....	616, 617, 618
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (data).....	1069
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (q-pair).....	616

RESTRAINT HARD PLASTIC/LEATHER 4 POINT (data).....	1069
RESTRAINT HARD PLASTIC/LEATHER 4 POINT (q-pair).....	616
RESTRAINT INITIATED BY.....	610
RESTRAINT LEAST RESTRICTIVE MEASURES.....	611
RESTRAINT MENTAL ASSESSMENT.....	612
RESTRAINT ONE ARM (data).....	1069
RESTRAINT ONE ARM (q-pair).....	616
RESTRAINT ONE LEG (data).....	1070
RESTRAINT ONE LEG (q-pair).....	616
RESTRAINT ORDER TYPE.....	613
RESTRAINT PATIENT ED. UNDERSTANDING.....	614
RESTRAINT SAFETY CARE.....	615
RESTRAINT SINGLE HAND MITT (data).....	1070
RESTRAINT SINGLE HAND MITT (q-pair).....	616, 617
RESTRAINT SOFT (data).....	1070
RESTRAINT SOFT (q-pair).....	616, 617, 618
RESTRAINT SOFT 2 POINT (data).....	1070
RESTRAINT SOFT 2 POINT (q-pair).....	616
RESTRAINT SOFT 4 POINT (data).....	1070
RESTRAINT SOFT 4 POINT (q-pair).....	616
RESTRAINT SOFT ARMS + LOCKED WAIST (data).....	1071
RESTRAINT SOFT ARMS + LOCKED WAIST (q-pair).....	616
RESTRAINT SOFT ARMS + WAIST (data).....	1071
RESTRAINT SOFT ARMS + WAIST (q-pair).....	616
RESTRAINT STRAP (data).....	1071
RESTRAINT STRAP (q-pair).....	616, 618
RESTRAINT STRAP (sche).....	1257
RESTRAINT TYPE ALL.....	616

RESTRAINT TYPE ARMS.....	617
RESTRAINT TYPE LEGS.....	618
RESTRAINT TYPE OTHER.....	619
RESTRAINT VEST (data).....	1071
RESTRAINT VEST (q-pair).....	616, 619
RESTRAINT WAIST (data).....	1071
RESTRAINT WAIST (q-pair).....	616, 619
RESTRAINT WAIST LOCKED (data).....	1072
RESTRAINT WAIST LOCKED (q-pair).....	616
RESTRAINT WRIST (data).....	1072
RESTRAINT WRIST (q-pair).....	616
RESTRAINT- ACTIVE ORDER.....	620
RESTRAINTS BROCHURE (data).....	1072
RESTRAINTS BROCHURE (q-pair).....	599
RESTRAINTS ED REMOVAL (data).....	1072
RESTRAINTS ED REMOVAL (q-pair).....	599
RESTRAINTS ED TYPE (data).....	1072
RESTRAINTS ED TYPE (q-pair).....	599
RESTRAINTS EXPLAINED (data).....	1073
RESTRAINTS EXPLAINED (q-pair).....	599
RESTRAINTS LIMIT SETTING (data).....	1073
RESTRAINTS LIMIT SETTING (q-pair).....	604
RESTRAINTS TIME LIMIT (data).....	1073
RESTRAINTS TIME LIMIT (q-pair).....	599
RESTRAINTS: BEHAVIOR CRITERIA FOR DISCONTINUE.....	621
RESTRICTED EXTREMITY (data).....	1073
RESTRICTED EXTREMITY (q-pair).....	40
RHONCHI (data).....	1073

RHONCHI (q-pair).....	74
RHYTHM (meth).....	1224
RIGHT (data).....	1074
RIGHT (loca).....	1203
RIGHT (q-pair).....	13
RIGHT EYE (loca).....	1203
RIGHT EYE (q-pair).....	152
RIGHT VENTRICULAR STROKE WORK.....	622
RIGHT VENTRICULAR STROKE WORK INDEX.....	623
RIGID HEEL SPLINT (data).....	1074
RIGID HEEL SPLINT (q-pair).....	561
RN (data).....	1074
RN (q-pair).....	571, 626
ROOM AIR (meth).....	1225
ROOM AIR15 (meth).....	1225
ROOM AIR20 (meth).....	1225
ROPIVICAINE (data).....	1074
ROPIVICAINE (q-pair).....	181
ROTATIONAL THERAPY (data).....	1074
ROTATIONAL THERAPY (q-pair).....	683
ROUND (data).....	1075
ROUND (q-pair).....	2
RT (data).....	1075
RT (q-pair).....	626
RUB (data).....	1075
RUB (q-pair).....	81
RUNS OF VT (data).....	1075
RUNS OF VT (q-pair).....	80

Rh IMMUNE GLOBULIN (prod).....	1249
Rh IMMUNE GLOBULIN (q-pair).....	317

- S -

S1 (data).....	1075
S1 (q-pair).....	81
S2 (data).....	1076
S2 (q-pair).....	81
S3 (data).....	1076
S3 (q-pair).....	81
S4 (data).....	1076
S4 (q-pair).....	81
SACRAL (loca).....	1203
SACRAL (q-pair).....	160, 564, 779
SAFETY (data).....	1076
SAFETY (q-pair).....	164
SAFETY DEVICE WAIST BELT APPLIED.....	624
SALINE (prod).....	1249
SALINE (q-pair).....	316, 325
SALINE LOCK (data).....	1076
SALINE LOCK (q-pair).....	343, 508
SALINE MOIST DRESSING (data).....	1077
SALINE MOIST DRESSING (q-pair).....	565, 783
SANDOSOURCE PEPTIDE (data).....	1077
SANDOSOURCE PEPTIDE (prod).....	1249
SANDOSOURCE PEPTIDE (q-pair).....	309
SAS AGITATED (data).....	1077

SAS AGITATED (q-pair).....	629
SAS CALM AND COOPERATIVE (data).....	1077
SAS CALM AND COOPERATIVE (q-pair).....	629
SAS DANGEROUS AGITATION (data).....	1077
SAS DANGEROUS AGITATION (q-pair).....	629
SAS SEDATED (data).....	1078
SAS SEDATED (q-pair).....	629
SAS UNAROUSABLE (data).....	1078
SAS UNAROUSABLE (q-pair).....	629
SAS VERY AGITATED (data).....	1078
SAS VERY AGITATED (q-pair).....	629
SAS VERY SEDATED (data).....	1078
SAS VERY SEDATED (q-pair).....	629
SCALE (unit).....	1288
SCANT (data).....	1078
SCANT (q-pair).....	443, 579, 665
SCAPHOID (data).....	1079
SCAPHOID (q-pair).....	2
SCOOTER (data).....	1079
SCOOTER (q-pair).....	199
SCROTUM (loca).....	1204
SCROTUM (q-pair).....	488, 564, 676
SECLUSION (data).....	1079
SECLUSION (q-pair).....	613
SECLUSION: BEHAVIOR CRITERIA FOR DISCONTINUATION.....	625
SECOND (unit).....	1288
SECOND DEGREE AV BLOCK: TYPE 1 (data).....	1079
SECOND DEGREE AV BLOCK: TYPE 1 (q-pair).....	84



SECOND DEGREE AV BLOCK: TYPE 2 (data).....	1079
SECOND DEGREE AV BLOCK: TYPE 2 (q-pair).....	84
SECOND VERIFIER.....	626
SECURE TRACK IN PLACE (data).....	1080
SECURE TRACK IN PLACE (q-pair).....	4
SEDATED (data).....	1080
SEDATED (q-pair).....	56, 161, 505, 612
SEDATION SCALE - RAMSEY.....	627
SEDATION SCALE - RASS.....	628
SEDATION SCALE - SAS.....	629
SEDIMENT (data).....	1080
SEDIMENT (q-pair).....	731
SEE CPRS PROGRESS NOTE FOR ADDITIONAL DATA AND ASSESSMENTS	
.....	630
SEIZURE CHARACTER.....	631
SEIZURE DURATION.....	632
SEIZURE FOCI.....	633
SEIZURE PRECAUTIONS.....	634
SEIZURES.....	635
SEIZURES (data).....	1080
SEIZURES (q-pair).....	397
SELECTED SURGERY (data).....	1080
SELECTED SURGERY (q-pair).....	90
SELF AM CARE BY PATIENT (data).....	1081
SELF AM CARE BY PATIENT (q-pair).....	5
SELF CARE (data).....	1081
SELF CARE (q-pair).....	13, 15
SELF CARE OF BEDSIDE ENVIRONMENT (data).....	1081

SELF CARE OF BEDSIDE ENVIRONMENT (q-pair).....	5
SELF FACE WASH (data).....	1081
SELF FACE WASH (q-pair).....	5
SELF FOOT CARE (data).....	1081
SELF FOOT CARE (q-pair).....	5
SELF SHAVE (data).....	1082
SELF SHAVE (q-pair).....	5
SELF SHOWER (data).....	1082
SELF SHOWER (q-pair).....	5
SELF TRACH CARE (data).....	1082
SELF TRACH CARE (q-pair).....	5
SELF-CARE SKILLS (data).....	1082
SELF-CARE SKILLS (q-pair).....	164
SEMIFOWLERS (posi).....	1232
SEMIFOWLERS (q-pair).....	63, 587, 596
SEMIFOWLERS HIGH (data).....	1082
SEMIFOWLERS HIGH (q-pair).....	53
SEMIFOWLERS LOW (data).....	1083
SEMIFOWLERS LOW (q-pair).....	53
SENSATION FOOT.....	636
SENSATION HAND.....	637
SENSATION LOWER EXTREMITY.....	638
SENSATION UPPER EXTREMITY.....	639
SEQUENTIAL COMPRESSION DEVICE (data).....	1083
SEQUENTIAL COMPRESSION DEVICE (q-pair).....	158
SEQUENTIAL COMPRESSION DEVICE APPLICATION.....	640
SEROSANGUINOUS (data).....	1083
SEROSANGUINOUS (q-pair).....	109, 296, 556, 654

SEROUS (data).....	1083
SEROUS (q-pair).....	109, 296, 556, 654
SET UP HELP ONLY (data).....	1083
SET UP HELP ONLY (q-pair).....	10
SEVERELY REDUCED (data).....	1084
SEVERELY REDUCED (q-pair).....	348
SEWS - AGITATION.....	641
SEWS - ANXIETY.....	642
SEWS - DISORIENTATION NAME PLACE.....	643
SEWS - HALLUCINATION ANY.....	644
SEWS - HALLUCINATION AUDITORY ONLY.....	645
SEWS - NAME ONLY.....	646
SEWS - NAUSEA.....	647
SEWS - SWEATING.....	648
SEWS - TOTAL.....	649
SEWS - TREMOR.....	650
SEWS - VITAL SIGNS.....	651
SEWS SCALE (unit).....	1288
SHALLOW (data).....	1084
SHALLOW (q-pair).....	595
SHAMPOO (data).....	1084
SHAMPOO (q-pair).....	5
SHARP (data).....	1084
SHARP (q-pair).....	485
SHAVE (data).....	1084
SHAVE (q-pair).....	5
SHOOTING (data).....	1085
SHOOTING (q-pair).....	485

SHOWER (data).....	1085
SHOWER (q-pair).....	5
SHUFFLING (data).....	1085
SHUFFLING (q-pair).....	199
SHUNTS (data).....	1085
SHUNTS (q-pair).....	397
SI UNIT (unit).....	1288
SICU (data).....	1085
SICU (q-pair).....	482
SIDE RAILS.....	652
SIGMOIDOSTOMY (data).....	1086
SIGMOIDOSTOMY (q-pair).....	439
SIGNIFICANT EVENT.....	653
SIGNIFICANT OTHER (data).....	1086
SIGNIFICANT OTHER (q-pair).....	11
SILVADENE (data).....	1086
SILVADENE (q-pair).....	565
SILVER (data).....	1086
SILVER SULFADIAZINE (data).....	1086
SINGLE (data).....	1087
SINGLE (q-pair).....	102
SINGLE LUMEN CATHETER (meth).....	1225
SINGLE USE LUBRICANT PACKET (data).....	1087
SINGLE USE LUBRICANT PACKET (q-pair).....	91
SINUS ARREST (data).....	1087
SINUS ARREST (q-pair).....	84
SINUS ARRHYTHMIA (data).....	1087
SINUS ARRHYTHMIA (q-pair).....	84

SINUS BLOCK (data).....	1087
SINUS BLOCK (q-pair).....	84
SINUS BRADYCARDIA (data).....	1088
SINUS BRADYCARDIA (q-pair).....	84
SINUS DRAINAGE CHARACTER.....	654
SINUS DRAINAGE PRESENT.....	655
SINUS NECROTIC TISSUE APPEARANCE.....	656
SINUS NECROTIC TISSUE PRESENT.....	657
SINUS PAUSE (data).....	1088
SINUS PAUSE (q-pair).....	84
SINUS RHYTHM (data).....	1088
SINUS RHYTHM (q-pair).....	84
SINUS TACHYCARDIA (data).....	1088
SINUS TACHYCARDIA (q-pair).....	84
SINUS TRACT SURROUNDING TISSUE CHARACTER.....	658
SINUS TRACT ULCER.....	659
SINUS TRACT ULCER EPITHELIALIZATION.....	660
SINUS TRACT ULCER GRANULIZATION.....	661
SITE UNABLE TO BE MARKED (data).....	1088
SITE UNABLE TO BE MARKED (q-pair).....	548
SITTING (posi).....	1233
SITTING (q-pair).....	63, 149, 587, 596, 708, 764
SKIN (ADHESIVE INDICATOR) (meth).....	1225
SKIN (ADHESIVE INDICATOR) (q-pair).....	165
SKIN (loca).....	1204
SKIN (q-pair).....	712
SKIN ALTERATION.....	662

SKIN COLOR.....	663
SKIN CONDITION.....	664
SKIN DRAINAGE AMOUNT.....	665
SKIN ERYTHEMA EXTENDS AROUND INCISION.....	666
SKIN ERYTHEMA EXTENSION AROUND WOUND.....	667
SKIN INCISION CLOSURE.....	668
SKIN INCISION WOUND CLOSURE OPEN WOUND (data).....	1089
SKIN INCISION WOUND CLOSURE OPEN WOUND (q-pair).....	668
SKIN INCISION WOUND CLOSURE STAPLES (data).....	1089
SKIN INCISION WOUND CLOSURE STAPLES (q-pair).....	668
SKIN INCISION WOUND CLOSURE STERI-STRIPS (data).....	1089
SKIN INCISION WOUND CLOSURE STERI-STRIPS (q-pair).....	668
SKIN INCISION WOUND CLOSURE SUTURES (data).....	1089
SKIN INCISION WOUND CLOSURE SUTURES (q-pair).....	668
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (data ).....	1089
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (q-pair).....	669
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (data ).....	1090
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (q-pair).....	669
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (data ).....	1090
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (q-pair).....	669
SKIN INDURATION AROUND INCISION NONE (data).....	1090
SKIN INDURATION AROUND INCISION NONE (q-pair).....	669

SKIN INDURATION EXTENSION AROUND INCISION.....	669
SKIN INDURATION EXTENSION AROUND WOUND.....	670
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data) .....	1090
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pai r).....	670
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data) .....	1090
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pai r).....	670
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (data) .....	1091
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair) .....	670
SKIN INDURATION EXTENSION AROUND WOUND NONE (data).....	1091
SKIN INDURATION EXTENSION AROUND WOUND NONE (q-pair)...	670
SKIN MOISTURE.....	671
SKIN PATCHES PRESENT.....	672
SKIN RISK FACTORS PRESENT.....	673
SKIN SWELLING EXTENSION AROUND INCISION.....	674
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (data ).....	1091
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (q-pa ir).....	674
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (data ).....	1091
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (q-pa ir).....	674

SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (data)	
.....	1091
SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (q-pair)	
.....	674
SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (data)	
.....	1092
SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (q-pair)	
.....	674
SKIN SWELLING EXTENSION AROUND INCISION NONE (data)....	1092
SKIN SWELLING EXTENSION AROUND INCISION NONE (q-pair)..	674
SKIN SWELLING EXTENSION AROUND WOUND.....	675
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data)	
.....	1092
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pair)	
.....	675
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data)	
.....	1092
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pair)	
.....	675
SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (data)...	1092
SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (q-pair).	675
SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (data)	
.....	1093
SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair)	
.....	675
SKIN SWELLING EXTENSION AROUND WOUND NONE (data).....	1093
SKIN SWELLING EXTENSION AROUND WOUND NONE (q-pair).....	675
SKIN TEAR (data).....	1093



SKIN TEAR (q-pair).....	784
SKIN TEMP.....	676
SKIN TEMPERATURE AT INCISION SITE.....	677
SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (data) .....	1093
SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (q-pair) .....	677
SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (dat a).....	1093
SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (q-p air).....	677
SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (data) .....	1094
SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (q-pair) .....	677
SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (dat a).....	1094
SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (q-p air).....	677
SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (data) .....	1094
SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (q-pair) .....	677
SKIN TEMPERATURE AT WOUND SITE.....	678
SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (data) .....	1094
SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (q-pair) .....	678

SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (data)	
.....	1094
SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (q-pair)	
.....	678
SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (data)	
.....	1095
SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (q-pair)	
.....	678
SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (data)	
.....	1095
SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (q-pair)	
.....	678
SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (data)	
.....	1095
SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (q-pair)	
.....	678
SKIN TRAUMA (data).....	1095
SKIN TRAUMA (q-pair).....	784
SKIN TURGOR.....	679
SKIN WARM AND DRY COLOR APPROPRIATE (data).....	1095
SKIN WARM AND DRY COLOR APPROPRIATE (q-pair).....	480
SKIN WOUND CLOSURE.....	680
SKIN WOUND CLOSURE APPROXIMATED (data).....	1096
SKIN WOUND CLOSURE APPROXIMATED (q-pair).....	680
SKIN WOUND CLOSURE DEHISCENCE (data).....	1096
SKIN WOUND CLOSURE DEHISCENCE (q-pair).....	680
SKIN WOUND CLOSURE GLUE (data).....	1096
SKIN WOUND CLOSURE GLUE (q-pair).....	680

SKIN WOUND CLOSURE NOT CLOSED (data).....	1096
SKIN WOUND CLOSURE NOT CLOSED (q-pair).....	680
SKIN WOUND CLOSURE OPEN WOUND (data).....	1096
SKIN WOUND CLOSURE OPEN WOUND (q-pair).....	680
SKIN WOUND CLOSURE STAPLES (data).....	1097
SKIN WOUND CLOSURE STAPLES (q-pair).....	680
SKIN WOUND CLOSURE STERI-STRIPS (data).....	1097
SKIN WOUND CLOSURE STERI-STRIPS (q-pair).....	680
SKIN WOUND CLOSURE SUTURES (data).....	1097
SKIN WOUND CLOSURE SUTURES (q-pair).....	680
SLEEP AMOUNT.....	681
SLEEP QUALIFIERS.....	682
SLEEPING (data).....	1097
SLEEPING (q-pair).....	128, 489, 612
SLEEPS POORLY (data).....	1097
SLEEPS POORLY (q-pair).....	56
SLEPT WELL (data).....	1098
SLEPT WELL (q-pair).....	682
SLIGHT (data).....	1098
SLIGHT (q-pair).....	452
SLING TRACTION (data).....	1098
SLING TRACTION (q-pair).....	720
SLOUGH (data).....	1098
SLOUGH (q-pair).....	554, 778
SLUGGISH (data).....	1098
SLUGGISH (q-pair).....	589
SLURRED SPEECH (data).....	1099
SLURRED SPEECH (q-pair).....	183

SM ADULT (meth).....	1226
SM ADULT CUFF (meth).....	1226
SMALL (data).....	1099
SMALL (q-pair).....	443, 450, 452, 579,
	665
SMALL BORE FEEDING TUBE (data).....	1099
SMALL BORE FEEDING TUBE (q-pair).....	215
SMEAR (data).....	1099
SMEAR (q-pair).....	450
SMOKING AREA (data).....	1099
SMOKING AREA (q-pair).....	55, 129
SMOKING PORCH (data).....	1100
SMOKING PORCH (q-pair).....	55, 129
SMOOTH (data).....	1100
SMOOTH (q-pair).....	778
SNACK (data).....	1100
SNACK (q-pair).....	5
SNACK - AM (data).....	1100
SNACK - AM (q-pair).....	377
SNACK - HS (data).....	1100
SNACK - HS (q-pair).....	377
SNACK - OTHER (data).....	1101
SNACK - OTHER (q-pair).....	377
SNACK - PM (data).....	1101
SNACK - PM (q-pair).....	377
SNORES (data).....	1101
SNORES (q-pair).....	397
SODA: DIET (prod).....	1249

SODA: DIET (q-pair).....	329
SODA: NON-DIET (prod).....	1249
SODA: NON-DIET (q-pair).....	329
SODIUM CONTROLLED 2 GM (data).....	1101
SODIUM CONTROLLED 2 GM (q-pair).....	150
SODIUM CONTROLLED 4 GM (data).....	1101
SODIUM CONTROLLED 4 GM (q-pair).....	150
SOFT (data).....	1102
SOFT (q-pair).....	2, 656, 698
SOFT DRINK (prod).....	1250
SOMNOLENT (data).....	1102
SOMNOLENT (q-pair).....	513
SPECIAL PROCEDURE ROOM (data).....	1102
SPECIAL PROCEDURE ROOM (q-pair).....	570
SPECIALTY BED/MATTRESS.....	683
SPECIALTY MATTRESS/BED (data).....	1102
SPECIALTY MATTRESS/BED (q-pair).....	561
SPECIFIC GRAVITY.....	684
SPINAL (data).....	1102
SPINAL (q-pair).....	31
SPINE CERVICAL (loca).....	1204
SPINE CERVICAL (q-pair).....	303
SPINE LUMBAR (loca).....	1204
SPINE LUMBAR (q-pair).....	303
SPINE THORACIC (loca).....	1204
SPINE THORACIC (q-pair).....	303
SPIRITUAL (data).....	1103
SPIRITUAL (q-pair).....	162, 164

SPLINTING (data).....	1103
SPLINTING (q-pair).....	489
SPONTANEOUS (data).....	1103
SPONTANEOUS (meth).....	1226
SPONTANEOUS (q-pair).....	596, 743
SPOONING (data).....	1103
SPOONING (q-pair).....	416
SPOUSE (data).....	1103
SPOUSE (q-pair).....	532, 533, 534
SQ EMPHYSEMA (data).....	1104
SQ EMPHYSEMA (q-pair).....	113
SQUARE (data).....	1104
SQUARE (q-pair).....	758
SQUARE METERS (unit).....	1289
SQUEEZING (data).....	1104
SQUEEZING (q-pair).....	485
ST SEGMENT AVF.....	685
ST SEGMENT AVL.....	686
ST SEGMENT AVR.....	687
ST SEGMENT I.....	688
ST SEGMENT II.....	689
ST SEGMENT III.....	690
ST SEGMENT V1.....	691
ST SEGMENT V2.....	692
ST SEGMENT V3.....	693
ST SEGMENT V4.....	694
ST SEGMENT V5.....	695
ST SEGMENT V6.....	696

ST/T WAVE MEASUREMENT.....	697
STABBING (data).....	1104
STABBING (q-pair).....	485
STABLE (data).....	1104
STABLE (q-pair).....	186
STABLE BP AND PULSE (data).....	1105
STABLE BP AND PULSE (q-pair).....	480
STAFF (data).....	1105
STAFF (q-pair).....	724
STAGE 3 OR 4 PRESSURE ULCER (data).....	1105
STAGE 3 OR 4 PRESSURE ULCER (q-pair).....	90
STAGE I (data).....	1105
STAGE I (q-pair).....	564
STAGE II (data).....	1105
STAGE II (q-pair).....	564
STAGE III (data).....	1106
STAGE III (q-pair).....	564
STAGE IV (data).....	1106
STAGE IV (q-pair).....	564
STANDARD (data).....	1106
STANDARD (q-pair).....	333
STANDARD PRESSURE REDUCTION (data).....	1106
STANDARD PRESSURE REDUCTION (q-pair).....	683
STANDING (posi).....	1233
STANDING (q-pair).....	63, 149, 587, 596, 708, 764
STANDING WEIGHT (meth).....	1226
STANDING WEIGHT (q-pair).....	764

STAPLES (data).....	1106
START TIME: (data).....	1107
START TIME: (q-pair).....	572
STARTED (data).....	1107
STARTED (q-pair).....	343, 508
STARTED ON LEFT (data).....	1107
STARTED ON LEFT (q-pair).....	633
STARTED ON RIGHT (data).....	1107
STARTED ON RIGHT (q-pair).....	633
STATED (q-pair).....	227, 734, 764, 766
STATED (qual).....	1254
STEADY (data).....	1107
STEADY (q-pair).....	199
STEADY GATE OR BASELINE (data).....	1108
STEADY GATE OR BASELINE (q-pair).....	151
STEP DOWN (data).....	1108
STEP DOWN (q-pair).....	482
STERILE GLOVES-DRAPES USED (data).....	1108
STERILE GLOVES-DRAPES USED (q-pair).....	91
STERNOTOMY (loca).....	1205
STINGING (data).....	1108
STINGING (q-pair).....	485
STOMACH (loca).....	1205
STOMACH (q-pair).....	488
STOOL CHARACTERISTICS.....	698
STOOL COLOR.....	699
STOOL NUMBER STOOLS.....	700
STOP TIME: (data).....	1108



STOP TIME: (q-pair).....	572
STOPCOCK CHANGE (data).....	1109
STOPCOCK CHANGE (q-pair).....	170
STRAIGHT CATHETER (data).....	1109
STRAIGHT CATHETER (q-pair).....	219, 734
STRETCHER (data).....	1109
STRETCHER (q-pair).....	725
STRICT (data).....	1109
STRICT (q-pair).....	333
STROKE (data).....	1109
STROKE (q-pair).....	397
STROKE INDEX.....	701
STROKE VOLUME.....	702
STROKE VOLUME INDEX.....	703
STROKE WORK PER BEAT (unit).....	1289
STROKE WORK PER BEAT PER M2 (unit).....	1289
STRONG (data).....	1110
STRONG (q-pair).....	196, 222, 352, 730
STRYKER FRAME (data).....	1110
STRYKER FRAME (q-pair).....	683
STUDENT (data).....	1110
STUDENT (q-pair).....	571, 724
STUPOROUS (data).....	1110
STUPOROUS (q-pair).....	351, 505
SUBCUTANEOUS TISSUE (data).....	1110
SUBSTERNAL (loca).....	1205
SUBSTERNAL (q-pair).....	488
SUCTIONED ONLY (data).....	1111

SUCTIONED ONLY (q-pair).....	15
SUICIDAL (data).....	1111
SUICIDAL (q-pair).....	58, 130
SUMP (data).....	1111
SUMP (q-pair).....	773
SUPERVISION/SET-UP HELP (data).....	1111
SUPERVISION/SET-UP HELP (q-pair).....	8, 9, 10
SUPINE (data).....	1111
SUPINE (posi).....	1233
SUPINE (q-pair).....	13, 63, 596
SUPLENA (data).....	1112
SUPLENA (q-pair).....	172
SUPPER (data).....	1112
SUPPER (q-pair).....	377
SUPPLEMENTAL OXYGEN CONCENTRATION.....	704
SUPPLEMENTAL OXYGEN FLOW RATE.....	705
SUPPORT GROUPS (data).....	1112
SUPPORT GROUPS (q-pair).....	164
SUPRAPUBIC (data).....	1112
SUPRAPUBIC (q-pair).....	219, 734
SUPRAVENTRICULAR TACHYCARDIA (data).....	1112
SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	84
SURGICAL (data).....	1113
SURGICAL (q-pair).....	784
SURGICAL DONOR (data).....	1113
SURGICAL DONOR (q-pair).....	784
SURGICAL GRAFT (data).....	1113
SURGICAL GRAFT (q-pair).....	784

SUSPECTED DEEP TISSUE INJURY (data).....	1113
SUSPECTED DEEP TISSUE INJURY (q-pair).....	564
SUTURES (data).....	1113
SWOLLEN (data).....	1114
SWOLLEN (q-pair).....	46, 99, 143, 238, 345, 462
SYMPTOMS OF MEDICATION ALLERGY (data).....	1114
SYMPTOMS OF MEDICATION ALLERGY (q-pair).....	183
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (data)..	1114
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (q-pair)	743
SYRINGE (data).....	1114
SYRINGE (q-pair).....	167
SYRINGE CHANGE (data).....	1114
SYRINGE CHANGE (q-pair).....	170
SYRINGE CHANGED (data).....	1115
SYRINGE CHANGED (q-pair).....	508
SYSTEMIC VASCULAR RESISTANCE.....	706
SYSTEMIC VASCULAR RESISTANCE INDEX.....	707
SYSTOLIC (data).....	1115
SYSTOLIC (q-pair).....	87
SYSTOLIC PRESSURE.....	708
SaO2%.....	709
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (data).....	1115
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (q-pair).....	480
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (data) .....	1115
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (q-pair) .....	480

SpO2%.....	710
SvO2%.....	711

- T -

T-PIECE (meth).....	1226
T-PIECE (q-pair).....	704
T1 (data).....	1115
T1 (q-pair).....	179, 180
T10 (data).....	1116
T10 (q-pair).....	179, 180
T11 (data).....	1116
T11 (q-pair).....	179, 180
T12 (data).....	1116
T12 (q-pair).....	179, 180
T2 (data).....	1116
T2 (q-pair).....	179, 180
T3 (data).....	1116
T3 (q-pair).....	179, 180
T4 (data).....	1117
T4 (q-pair).....	179, 180
T5 (data).....	1117
T5 (q-pair).....	179, 180
T6 (data).....	1117
T6 (q-pair).....	179, 180
T7 (data).....	1117
T7 (q-pair).....	179, 180
T8 (data).....	1117

T8 (q-pair).....	179, 180
T9 (data).....	1118
T9 (q-pair).....	179, 180
TAN (data).....	1118
TAN (q-pair).....	157, 173, 211, 580, 732, 767, 771
TAP WATER (prod).....	1250
TAP WATER (q-pair).....	316
TAPE BURN (data).....	1118
TAPE BURN (q-pair).....	784
TARRY (data).....	1118
TARRY (q-pair).....	698
TEA (data).....	1118
TEA (q-pair).....	732
TECH (data).....	1119
TECH (q-pair).....	571
TEETH (loca).....	1205
TEETH (q-pair).....	488
TEETH BRUSHED (data).....	1119
TEETH BRUSHED (q-pair).....	15
TEMPERATURE.....	712
TEMPORAL (loca).....	1205
TEMPORAL (q-pair).....	712
TEMPORARY (TRANSVENOUS) (data).....	1119
TEMPORARY (TRANSVENOUS) (q-pair).....	476
TENACIOUS (data).....	1119
TENACIOUS (q-pair).....	581
TENDER (data).....	1119

TENDER (q-pair).....	2, 485
TENDON (data).....	1120
TESTS/PROC. - ACCUCHECKS (task).....	1271
TESTS/PROC. - BLOOD CULTURES (task).....	1271
TESTS/PROC. - DAILY LABS (task).....	1271
TESTS/PROC. - MORNING LABS (task).....	1271
TESTS/PROC. - ZERO BALANCE HEMO. LINES (task).....	1272
THICK (data).....	1120
THICK (q-pair).....	157, 210, 417, 581
THIGH (data).....	1120
THIGH (loca).....	1206
THIGH (q-pair).....	64, 116
THIGH CUFF (meth).....	1227
THIN (data).....	1120
THIN (q-pair).....	157, 210, 581
THIRD DEGREE AV BLOCK (data).....	1120
THIRD DEGREE AV BLOCK (q-pair).....	84
THORACIC SPINAL PRECAUTIONS (data).....	1121
THORACIC SPINAL PRECAUTIONS (q-pair).....	12
THREADS (data).....	1121
THREADS (q-pair).....	731
THROBBING (data).....	1121
THROBBING (q-pair).....	485
THYROID (loca).....	1206
THYROID (q-pair).....	303
TIME OUT: PATIENT IDENTIFICATION METHOD.....	713
TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY .....	715

TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED

.....	714
TINGLING (data).....	1121
TINGLING (q-pair).....	485, 636, 637, 638,
	639
TINGLING MOUTH/LIPS (data).....	1121
TINGLING MOUTH/LIPS (q-pair).....	183
TINNITUS (data).....	1122
TINNITUS (q-pair).....	513
TO PAIN (data).....	1122
TO PAIN (q-pair).....	133
TO SPEECH (data).....	1122
TO SPEECH (q-pair).....	133
TOENAIL CARE (data).....	1122
TOENAIL CARE (q-pair).....	5
TOILETING BY SCHEDULE (data).....	1122
TOILETING BY SCHEDULE (q-pair).....	88
TOLERATING FLUIDS/NOURISHMENT (data).....	1123
TOLERATING FLUIDS/NOURISHMENT (q-pair).....	151, 480
TONIC/CLONIC (data).....	1123
TONIC/CLONIC (q-pair).....	631
TONOMETRY.....	716
TOOTH (loca).....	1206
TOOTH (q-pair).....	488
TOPICAL TREATMENT (data).....	1123
TOPICAL TREATMENT (q-pair).....	768
TORSADES DE POINTES (data).....	1123
TORSADES DE POINTES (q-pair).....	84

TORSO (loca).....	1206
TORSO (q-pair).....	160, 619
TOTAL DEPENDENCE (data).....	1123
TOTAL DEPENDENCE (q-pair).....	8, 9, 10
TPN (meth).....	1227
TPN (prod).....	1250
TPN (q-pair).....	309
TRACE ST SEGMENT.....	717
TRACE ST SEGMENT 2.....	718
TRACHEA MIDLINE DEVIATED.....	719
TRACHEOSTOMY (data).....	1124
TRACHEOSTOMY (loca).....	1206
TRACHEOSTOMY (q-pair).....	22, 564
TRACHEOSTOMY COLLAR (meth).....	1227
TRACHEOSTOMY COLLAR (q-pair).....	704
TRACTION TYPE.....	720
TRACTION WEIGHT - DO NOT CHECK TOTAL OR SUBTOTALS.....	721
TRAIN OF FOUR RESPONSE.....	722
TRAIN OF FOUR SMS.....	723
TRANSCUTANEOUS (data).....	1124
TRANSCUTANEOUS (q-pair).....	476
TRANSFER (data).....	1124
TRANSFER (q-pair).....	142, 779
TRANSFER WITH ASSIST (data).....	1124
TRANSFER WITH ASSIST (q-pair).....	12
TRANSFUSION (meth).....	1227
TRANSFUSION (q-pair).....	309
TRANSPARENT (data).....	1124



TRANSPARENT (q-pair).....	44, 96, 144, 235, 456, 776
TRANSPARENT DRESSING (data).....	1125
TRANSPARENT DRESSING (q-pair).....	565, 783
TRANSPORT FACILITATOR.....	724
TRANSPORT FACILITATOR PRESENT (data).....	1125
TRANSPORT FACILITATOR PRESENT (q-pair).....	151
TRANSPORTATION MODE/DEVICE.....	725
TRANSPYLORIC (data).....	1125
TRANSPYLORIC (q-pair).....	166
TRANSTRACHEAL (meth).....	1227
TRANSVERSE ABDOMINAL (loca).....	1207
TRANSVERSE ABDOMINAL (q-pair).....	303
TREATMENTS (data).....	1125
TREATMENTS (q-pair).....	164
TREMULOUS.....	726
TRENDELENBURG (posi).....	1233
TRENDELENBURG (q-pair).....	63, 596
TRIGEMINY (data).....	1125
TRIGEMINY (q-pair).....	80
TRIPLE (data).....	1126
TRIPLE (q-pair).....	102
TRIPLE LUMEN CATHETER (meth).....	1228
TUBE POSITION VERIFIED.....	727
TUBED/DYSPHAGIC (data).....	1126
TUBED/DYSPHAGIC (q-pair).....	135
TUBES & DRAINS - CONDOM CATH (task).....	1272
TUBES & DRAINS - FOLEY (task).....	1272

TUBES & DRAINS - I/O CATH (task).....	1272
TUBES & DRAINS - NG TUBE (task).....	1272
TUBES & DRAINS - SUPRAPUBIC DRAIN (task).....	1273
TUBING CHANGE (data).....	1126
TUBING CHANGE (q-pair).....	170
TUBING CHANGED/LABELED (data).....	1126
TUBING CHANGED/LABELED (q-pair).....	343, 508
TURN AND POSITION (data).....	1126
TURN AND POSITION (q-pair).....	5
TURN AND SKIN CARE.....	728
TURNING SELF INDEPENDENTLY (data).....	1127
TURNING SELF INDEPENDENTLY (q-pair).....	5
TWILL TAPE (data).....	1127
TWILL TAPE (q-pair).....	8, 773
TWO CAL HN (data).....	1127
TWO CAL HN (q-pair).....	172
TWO PERSON ASSIST (data).....	1127
TWO PERSON ASSIST (q-pair).....	6, 8, 9, 10
TYMPANIC (loca).....	1207
TYMPANIC (q-pair).....	712

- U -

ULNAR (loca).....	1207
ULNAR (q-pair).....	587
ULNAR DRIFT.....	729
ULTRACAL (data).....	1127
ULTRACAL (prod).....	1250

ULTRACAL (q-pair).....	172
UMBILICAL (loca).....	1207
UMBILICAL (q-pair).....	303
UN = UNEXAMINABLE (data).....	1128
UN = UNEXAMINABLE (q-pair).....	420, 421, 422, 423, 424, 425, 426, 429, 430, 431, 433
UNABLE TO AROUSE (data).....	1128
UNABLE TO AROUSE (q-pair).....	505
UNABLE TO ASSESS (data).....	1128
UNABLE TO ASSESS (q-pair).....	161, 163
UNABLE TO INFORM (data).....	1128
UNABLE TO INFORM (q-pair).....	404
UNABLE TO READ (data).....	1128
UNABLE TO READ (q-pair).....	161
UNABLE TO RESPOND (data).....	1129
UNABLE TO RESPOND (q-pair).....	163
UNABLE TO VOID (data).....	1129
UNABLE TO VOID (q-pair).....	90
UNABLE TO WEDGE (data).....	1129
UNABLE TO WEDGE (q-pair).....	460
UNBEARABLE (data).....	1129
UNBEARABLE (q-pair).....	485
UNCOOPERATIVE (data).....	1129
UNCOOPERATIVE (q-pair).....	56
UNDER STRETCHER/BED (data).....	1130
UNDER STRETCHER/BED (q-pair).....	532
UNEQUAL (data).....	1130

UNEQUAL (q-pair).....	352, 730
UNEXPECTED NUMBNESS (data).....	1130
UNEXPECTED NUMBNESS (q-pair).....	183
UNIFOCAL PVC (data).....	1130
UNIFOCAL PVC (q-pair).....	80
UNITS (unit).....	1289
UNITS PER HOUR (unit).....	1289
UNITS PER MINUTE (unit).....	1290
UNITS/kg/HOUR (unit).....	1290
UNKNOWN (data).....	1130
UNKNOWN (q-pair).....	194, 633
UNRESPONSIVE (data).....	1131
UNRESPONSIVE (q-pair).....	351
UNSTABLE (data).....	1131
UNSTABLE (q-pair).....	186, 562
UNSTAGEABLE (data).....	1131
UNSTAGEABLE (q-pair).....	564
UNSTEADY (data).....	1131
UNSTEADY (q-pair).....	199
UNSUCCESSFUL (data).....	1131
UNSUCCESSFUL (q-pair).....	609, 614
UP (data).....	1132
UP TO CHAIR (data).....	1132
UP TO CHAIR (q-pair).....	5
UPPER ABDOMEN (loca).....	1207
UPPER ABDOMEN (q-pair).....	779
UPPER ARM (loca).....	1208
UPPER ARM (q-pair).....	116

UPPER BACK (loca).....	1208
UPPER BACK (q-pair).....	779
UPPER LIMB EXTREMITIES STRENGTH.....	730
URINARY RETENTION (data).....	1132
URINARY RETENTION (q-pair).....	183, 513
URINE (prod).....	1250
URINE (q-pair).....	684
URINE CHARACTERISTICS.....	731
URINE COLOR.....	732
URINE NUMBER VOIDS.....	733
URINE VOIDING METHOD.....	734
UROMETER (data).....	1132
UROMETER (q-pair).....	24
UROSTOMY (data).....	1132
UROSTOMY (q-pair).....	219

- V -

V1 (data).....	1133
V1 (q-pair).....	85
V2 (data).....	1133
V2 (q-pair).....	85
V3 (data).....	1133
V3 (q-pair).....	85
V4 (data).....	1133
V4 (q-pair).....	85
V5 (data).....	1133
V5 (q-pair).....	85

V6 (data).....	1134
V6 (q-pair).....	85
VACUUM ASSISTED CLOSURE (data).....	1134
VACUUM ASSISTED CLOSURE (q-pair).....	773
VASCULAR (data).....	1134
VASCULAR (q-pair).....	784
VASCULAR LESION ARTERIAL (data).....	1134
VASCULAR LESION ARTERIAL (q-pair).....	784
VASCULAR LESION MIXED (data).....	1134
VASCULAR LESION MIXED (q-pair).....	784
VASCULAR LESION VENOUS (data).....	1135
VASCULAR LESION VENOUS (q-pair).....	784
VASCULAR/NEUROPATHIC (data).....	1135
VASCULAR/NEUROPATHIC (q-pair).....	784
VASOPRESSOR (data).....	1135
VASOPRESSOR (q-pair).....	562
VDD (data).....	1135
VDD (q-pair).....	470
VEGETARIAN DIET (data).....	1135
VEGETARIAN DIET (q-pair).....	150
VENDOR REP (data).....	1136
VENDOR REP (q-pair).....	571
VENTICULAR FIBRILLATION (data).....	1136
VENTICULAR FIBRILLATION (q-pair).....	84
VENTILATOR (data).....	1136
VENTILATOR (meth).....	1228
VENTILATOR (q-pair).....	24, 520, 595, 596,

738, 739, 740, 741,  
742, 743, 744, 745,  
746, 747, 748, 749,  
750, 751, 752, 753,  
754, 755, 756, 757,  
758

VENTILATOR ACHIEVA P5O2 (data).....	1136
VENTILATOR ACHIEVA P5O2 (q-pair).....	757
VENTILATOR ADULT STAR (data).....	1136
VENTILATOR ADULT STAR (q-pair).....	757
VENTILATOR AUTO PEEP - DO NOT CHECK TOTAL OR SUBTOTALS.	735
VENTILATOR BEAR 1000 (data).....	1137
VENTILATOR BEAR 1000 (q-pair).....	757
VENTILATOR CIRCUIT CHANGE.....	736
VENTILATOR DRAEGER (data).....	1137
VENTILATOR DRAEGER (q-pair).....	757
VENTILATOR EXHALED VOLUME.....	737
VENTILATOR EXPIRATORY TIME.....	738
VENTILATOR FLOW RATE.....	739
VENTILATOR INSPIRATORY TIME.....	740
VENTILATOR MEAN AIR PRESSURE.....	741
VENTILATOR MINUTE VOLUME.....	742
VENTILATOR MODE.....	743
VENTILATOR OTHER (data).....	1137
VENTILATOR OTHER (q-pair).....	757
VENTILATOR PATIENT EXHALE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS .....	744
VENTILATOR PATIENT MINUTE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS	

.....	745
VENTILATOR PATIENT RATE - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	746
VENTILATOR PATIENT RATE TOTAL - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	747
VENTILATOR PB 7200ae (data).....	1137
VENTILATOR PB 7200ae (q-pair).....	757
VENTILATOR PB 840 (data).....	1137
VENTILATOR PB 840 (q-pair).....	757
VENTILATOR PCV SET PRESSURE.....	748
VENTILATOR PEAK PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	749
VENTILATOR PEEP.....	750
VENTILATOR PRESSURE SUPPORT.....	751
VENTILATOR PSV SET PRESSURE.....	752
VENTILATOR RATE.....	753
VENTILATOR SENSITIVITY.....	754
VENTILATOR SERVO (data).....	1138
VENTILATOR SERVO (q-pair).....	757
VENTILATOR TIDAL VOLUME ACTUAL - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	755
VENTILATOR TIDAL VOLUME SET.....	756
VENTILATOR TYPE.....	757
VENTILATOR WAVE FORM.....	758
VENTRICULAR (data).....	1138
VENTRICULAR (q-pair).....	476
VENTRICULAR DRAIN (meth).....	1228
VENTRICULAR DRAIN (q-pair).....	332



VENTRICULAR TACHYCARDIA (data).....	1138
VENTRICULAR TACHYCARDIA (q-pair).....	84
VENTRICULAR WHIP PRESENT (data).....	1138
VENTRICULAR WHIP PRESENT (q-pair).....	460
VENTRICULOSTOMY (data).....	1138
VENTRICULOSTOMY (q-pair).....	773
VENTURI MASK (meth).....	1228
VENTURI MASK (q-pair).....	705
VERBAL DE-ESCALATION (data).....	1139
VERBAL DE-ESCALATION (q-pair).....	604
VERBALIZED BY PATIENT (data).....	1139
VERBALIZED BY PATIENT (q-pair).....	713
VERY LOW BMI (data).....	1139
VERY LOW BMI (q-pair).....	562
VIOLET (data).....	1139
VIOLET (q-pair).....	771
VIP PORT (data).....	1139
VIP PORT (q-pair).....	464
VISCOUS (data).....	1140
VISCOUS (q-pair).....	296, 556
VISION CORRECTED.....	759
VISION UNCORRECTED.....	760
VISUAL IMPAIRMENT (data).....	1140
VISUAL IMPAIRMENT (q-pair).....	161
VITAL 1.0 (data).....	1140
VITAL 1.0 (q-pair).....	172
VITAL 1.5 (data).....	1140
VITAL 1.5 (q-pair).....	172

VITAL AF (data).....	1140
VITAL AF (q-pair).....	172
VITAL ENTERAL NUTRITION TYPE (data).....	1141
VITAL ENTERAL NUTRITION TYPE (prod).....	1251
VITAL ENTERAL NUTRITION TYPE (q-pair).....	172
VITAL HN ENTERAL NUTRITION (data).....	1141
VITAL HN ENTERAL NUTRITION (prod).....	1251
VITAL HN ENTERAL NUTRITION (q-pair).....	172
VITAL SIGNS STABLE (data).....	1141
VITAL SIGNS STABLE (q-pair).....	151
VIVONEX RTF (data).....	1141
VIVONEX RTF (q-pair).....	172
VOIDED (data).....	1141
VOIDED (q-pair).....	151, 480
VOLUNTEER (data).....	1142
VOLUNTEER (q-pair).....	534, 724
VOMITING (data).....	1142
VOMITING (q-pair).....	183, 209, 513
VT/VC - DO NOT CHECK TOTAL OR SUBTOTALS.....	761
VVI (data).....	1142
VVI (q-pair).....	470

- W -

WAFFLE (data).....	1142
WAFFLE (q-pair).....	561
WAIST (loca).....	1208
WAIST (q-pair).....	616, 619

WAITING ROOM (data).....	1142
WAITING ROOM (q-pair).....	187, 482
WALKER (data).....	1143
WALKER (q-pair).....	6, 725
WALKING OR PACING (data).....	1143
WALKING OR PACING (q-pair).....	128
WANDER GUARD IN PLACE (data).....	1143
WANDER GUARD IN PLACE (q-pair).....	4
WANDERER (data).....	1143
WANDERER (q-pair).....	40
WARD (data).....	1143
WARD (q-pair).....	482
WARM (data).....	1144
WARM (q-pair).....	676
WARM HUMIDITY WITH O2 (data).....	1144
WARM HUMIDITY WITH O2 (q-pair).....	762
WARMER THAN GENERAL BODY TEMP (data).....	1144
WARMER THAN GENERAL BODY TEMP (q-pair).....	676
WARMER THAN OPPOSITE BODY PART (data).....	1144
WARMER THAN OPPOSITE BODY PART (q-pair).....	676
WARMING BLANKET (data).....	1144
WARMING BLANKET (q-pair).....	762
WARMING BOTTLE (data).....	1145
WARMING BOTTLE (q-pair).....	762
WARMING COOLING DEVICE.....	762
WARMING COOLING DEVICE APPLICATION.....	763
WARMING OFF (data).....	1145
WARMING OFF (q-pair).....	763

WARMING ON (data).....	1145
WARMING ON (q-pair).....	763
WATER (prod).....	1251
WATER (q-pair).....	309, 329
WATERSEAL (data).....	1145
WATERSEAL (q-pair).....	110
WAVEFORM REFLECTS ATRIAL PLACEMENT (data).....	1145
WAVEFORM REFLECTS ATRIAL PLACEMENT (q-pair).....	460
WBC - WASHED (prod).....	1251
WBC - WASHED (q-pair).....	309, 317
WEAK (data).....	1146
WEAK (q-pair).....	196, 222, 352, 730
WEAKNESS (data).....	1146
WEAKNESS (q-pair).....	513
WEDGED (data).....	1146
WEDGED (q-pair).....	460
WEIGHT.....	764
WEIGHT AT ADMISSION.....	765
WEIGHT DRY.....	766
WHEELCHAIR (data).....	1146
WHEELCHAIR (q-pair).....	725
WHEELCHAIR EXIT (posi).....	1233
WHEELCHAIR EXIT ALARM (data).....	1146
WHEELCHAIR EXIT ALARM (q-pair).....	24, 600
WHEELCHAIR SCALE (meth).....	1228
WHEELCHAIR SCALE (q-pair).....	764
WHEEZES (data).....	1147
WHITE (data).....	1147

WHITE (q-pair).....	157, 173, 211, 580, 732, 767, 771
WHOLE BLOOD (prod).....	1251
WHOLE BLOOD (q-pair).....	309
WITH ACTIVITY (meth).....	1229
WITH ACTIVITY (q-pair).....	63, 587, 596
WITH AMBULATION (meth).....	1229
WITH CAST OR BRACE (meth).....	1229
WITH CAST OR BRACE (q-pair).....	764
WITH PHYSICIAN (data).....	1147
WITH PHYSICIAN (q-pair).....	128
WITH PROSTHESIS (meth).....	1229
WITH PROSTHESIS (q-pair).....	764
WITH THERAPIST (data).....	1147
WITH THERAPIST (q-pair).....	128
WITHDRAWN (data).....	1147
WITHDRAWN (q-pair).....	56
WITHDRAWS TO PAIN (data).....	1148
WITHDRAWS TO PAIN (q-pair).....	134
WITHOUT ASSISTANCE (data).....	1148
WITHOUT ASSISTANCE (q-pair).....	6
WITHOUT PROSTHESIS (meth).....	1229
WITHOUT PROSTHESIS (q-pair).....	764
WOUND (data).....	1148
WOUND (q-pair).....	662
WOUND BED COLOR.....	767
WOUND CARE TYPE.....	768
WOUND DEPTH.....	769

WOUND DISCHARGE CHARACTERISTICS.....	770
WOUND DISCHARGE CHARACTERISTICS BLOODY (data).....	1148
WOUND DISCHARGE CHARACTERISTICS BLOODY (q-pair).....	770
WOUND DISCHARGE CHARACTERISTICS CLOUDY (data).....	1148
WOUND DISCHARGE CHARACTERISTICS CLOUDY (q-pair).....	770
WOUND DISCHARGE CHARACTERISTICS NONE (data).....	1149
WOUND DISCHARGE CHARACTERISTICS NONE (q-pair).....	770
WOUND DISCHARGE CHARACTERISTICS PURULENT (data).....	1149
WOUND DISCHARGE CHARACTERISTICS PURULENT (q-pair).....	770
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data)..	1149
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (q-pair)	770
WOUND DISCHARGE CHARACTERISTICS SEROUS (data).....	1149
WOUND DISCHARGE CHARACTERISTICS SEROUS (q-pair).....	770
WOUND DISCHARGE CHARACTERISTICS VISCOUS (data).....	1149
WOUND DISCHARGE CHARACTERISTICS VISCOUS (q-pair).....	770
WOUND DISCHARGE COLOR.....	771
WOUND DISCHARGE ODOR.....	772
WOUND DRAIN TYPE.....	773
WOUND DRAINAGE (prod).....	1252
WOUND DRAINAGE (q-pair).....	445
WOUND DRAINAGE AMOUNT.....	774
WOUND DRAINAGE AMOUNT HEAVY (data).....	1150
WOUND DRAINAGE AMOUNT HEAVY (q-pair).....	774
WOUND DRAINAGE AMOUNT MODERATE (data).....	1150
WOUND DRAINAGE AMOUNT MODERATE (q-pair).....	774
WOUND DRAINAGE AMOUNT NONE (data).....	1150
WOUND DRAINAGE AMOUNT NONE (q-pair).....	774
WOUND DRAINAGE AMOUNT SCANT (data).....	1150

WOUND DRAINAGE AMOUNT SCANT (q-pair).....	774
WOUND DRAINAGE AMOUNT SMALL (data).....	1150
WOUND DRAINAGE AMOUNT SMALL (q-pair).....	774
WOUND DRESSING CHANGE.....	775
WOUND DRESSING TYPE.....	776
WOUND DRESSING TYPE ANTIMICROBIAL (data).....	1151
WOUND DRESSING TYPE CALCIUM ALGINATE (data).....	1151
WOUND DRESSING TYPE GAUZE (data).....	1151
WOUND DRESSING TYPE GAUZE PACKING (data).....	1151
WOUND DRESSING TYPE GAUZE WRAP (data).....	1151
WOUND DRESSING TYPE HYDROCOLLOIDAL (data).....	1152
WOUND DRESSING TYPE HYDROGEL (data).....	1152
WOUND DRESSING TYPE NONE (data).....	1152
WOUND DRESSING TYPE PRESSURE (data).....	1152
WOUND DRESSING TYPE TRANSPARENT (data).....	1152
WOUND EDGE.....	777
WOUND EDGE INDISTINCT/ATTACHED (data).....	1153
WOUND EDGE INDISTINCT/ATTACHED (q-pair).....	777
WOUND EDGE NON-ATTACHED (data).....	1153
WOUND EDGE NON-ATTACHED (q-pair).....	777
WOUND EDGE ROLLED (data).....	1153
WOUND EDGE ROLLED (q-pair).....	777
WOUND EDGE TUNNELING (data).....	1153
WOUND EDGE TUNNELING (q-pair).....	777
WOUND EDGE UNDERMINING (data).....	1153
WOUND EDGE UNDERMINING (q-pair).....	777
WOUND HEALING STATUS.....	778
WOUND IDENTIFIED/SITE.....	779

WOUND IRRIGATION (prod).....	1252
WOUND LENGTH.....	780
WOUND ODOR.....	781
WOUND ODOR FOUL (data).....	1154
WOUND ODOR FOUL (q-pair).....	781
WOUND ODOR NONE (data).....	1154
WOUND ODOR NONE (q-pair).....	781
WOUND PHOTOGRAPHED.....	782
WOUND TREATMENT.....	783
WOUND TYPE.....	784
WOUND VAC DEVICE (data).....	1154
WOUND VAC DEVICE (q-pair).....	773
WOUND VACUUM (prod).....	1252
WOUND VACUUM (q-pair).....	445
WOUND VACUUM ASSISTED CLOSURE.....	785
WOUND WIDTH.....	786
WRIST (loca).....	1208
WRIST (q-pair).....	116

- X -

X-RAY (data).....	1154
X-RAY (q-pair).....	212
XENADERM (data).....	1154
XENADERM (q-pair).....	565
XEROFORM (data).....	1155
XEROFORM (q-pair).....	565, 783



YEAR (unit).....	1290
YELLOW (data).....	1155
YELLOW (q-pair).....	157, 173, 211, 580, 656, 699, 732, 767, 771
YELLOW/FIBRINOUS (data).....	1155
YELLOW/FIBRINOUS (q-pair).....	554
YELLOW/GREEN (data).....	1155
YELLOW/GREEN (q-pair).....	699
YES (data).....	1155
YES (q-pair).....	14, 16, 18, 23, 33, 34, 35, 36, 37, 38, 39, 41, 42, 45, 49, 51, 61, 75, 76, 78, 93, 98, 104, 107, 111, 112, 139, 189, 191, 201, 208, 217, 226, 228, 233, 234, 241, 295, 298, 303, 304, 305, 306, 307, 419, 455, 461, 466, 469, 471, 473, 481, 483, 497, 511, 521, 522, 548, 557, 560, 563, 566, 568, 578, 593, 601, 602, 603,

605, 606, 607, 608,  
624, 634, 635, 655,  
657, 659, 660, 661,  
672, 673, 719, 727,  
728, 736, 775, 782

- { -

{8BC7F294-7126-4843-91A0-14F805EC4578} (data).....1156

{8BC7F294-7126-4843-91A0-14F805EC4578} (q-pair).....181