



# **SURGERY**

## **USER MANUAL**

Version 3.0

July 1993

(Revised March 2012)



# Revision History

Each time this manual is updated, the Title Page lists the new revised date and this page describes the changes. If the Revised Pages column lists “All,” replace the existing manual with the reissued manual. If the Revised Pages column lists individual entries (e.g., 25, 32), either update the existing manual with the Change Pages Document or print the entire new manual.

Date	Revised Pages	Patch Number	Description
03/12	i-iiid, v, vii, <a href="#">6-11</a> , <a href="#">81-83</a> , <a href="#">120</a> , <a href="#">120a-120b</a> , <a href="#">140</a> , <a href="#">144-145</a> , <a href="#">145a-145b</a> , <a href="#">146</a> , <a href="#">151-152</a> , <a href="#">152a</a> , <a href="#">178</a> , <a href="#">207-209</a> , <a href="#">212c</a> , <a href="#">212f</a> , <a href="#">213</a> , <a href="#">215</a> , <a href="#">217-</a> <a href="#">219</a> , <a href="#">219a-219b</a> , <a href="#">220</a> , <a href="#">222</a> , <a href="#">224</a> , <a href="#">226</a> , <a href="#">228</a> , <a href="#">230</a> , <a href="#">232</a> , <a href="#">234</a> , <a href="#">236</a> , <a href="#">239</a> , <a href="#">241</a> , <a href="#">243</a> , <a href="#">245</a> , <a href="#">247</a> , <a href="#">276</a> , <a href="#">327c</a> , <a href="#">394c</a> , <a href="#">395-396</a> , <a href="#">397a</a> , <a href="#">397c-397d</a> , <a href="#">411</a> , <a href="#">432</a> , <a href="#">449-450</a> , <a href="#">461</a> , <a href="#">464</a> , <a href="#">467-468</a> , <a href="#">474b</a> , <a href="#">482</a> , <a href="#">484</a> , <a href="#">486</a> , <a href="#">486a</a> , <a href="#">523</a> , <a href="#">525</a> , <a href="#">527</a> , <a href="#">549</a> , <a href="#">553-554</a>	SR*3*176	<p>Updated definitions, added new data fields, made changes to existing fields, data entry screens, reports, surgery risk assessment transmissions and transplant components of the VistA Surgery application. For more details, see the <i>Annual Surgery Updates – VASQIP 2011, Increment 2, Release Notes</i>.</p> <p>Chapter Seven: “CoreFLS/Surgery Interface” has been removed.</p> <p>(T. Leggett, PM; B. Thomas, Tech Writer)</p>
09/11	i-iiib, iii-iv, vi, 64, 66, 70, 98-101, 101a-101b, 109-112, 114-118, 122- 124, 124a-124b, 142- 152, 152a-152b, 176, 178, 180, 183-184, 184a-184f, 244, 246, 248, 325-326, 326a- 326b, 327, 327a-327d, 368, 394a-394b, 394c- 394d, 395-397, 397a- 397d, 432-433, 441, 449-450, 458-459, 461, 464a, 471-474, 474a- 474b, 475, 477, 480a, 482, 486-486a, 509,519, 521, 522a, 522c, 527, 534-535, 550, 552-556	SR*3*175	<p>Updated definitions and made minor modifications to the non-cardiac, cardiac and transplant components of the VistA Surgery application. For more details, see the <i>Annual Surgery Updates – VASQIP 2011, Increment 1, Release Notes</i>.</p> <p>(T. Leggett, PM; B. Thomas, Tech Writer)</p>

<b>Date</b>	<b>Revised Pages</b>	<b>Patch Number</b>	<b>Description</b>
12/10	i-ii, 372, 376, 449-450, 458, 467-468, 468b, 471-474, 474a-474b, 479, 479a, 482, 486, 486a, 522c-522d	SR*3*174	Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software. For more details, see the <i>Annual Surgery Updates – VASQIP 2010 Release Notes</i> . (T. Leggett, PM; B. Thomas, Tech Writer)
11/08	vii-viii, 527-556	SR*3*167	New chapter added for transplant assessments. Changed Glossary to Chapter 10, and renumbered the Index. (M. Montali, PM; G. O’Connor, Tech Writer)
04/08	iii-iv, vi, 160, 165, 168, 171-172, 296-298, 443, 447, 449-450, 459, 471-473, 479-479a, 482, 486-486a, 489, 491, 493- 495, 497, 499, 501-502a, 502c, 502d-502h, 513-517, 522c-522d, 529, 534	SR*3*166	Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software. For more details, see the <i>Surgery NSQIP-CICSP Enhancements 2008 Release Notes</i> . (M. Montali, PM; G. O’Connor, Tech Writer)
11/07	479-479a, 486a	SR*3*164	Updated the <i>Resource Data Enter/Edit</i> and the <i>Print a Surgery Risk Assessment</i> options to reflect the new cardiac field for CT Surgery Consult Date. (M. Montali, PM; S. Krakosky, Tech Writer)
09/07	125, 371, 375, 382	SR*3*163	Updated the Service Classification section regarding environmental indicators, unrelated to this patch. Updated the Quarterly Report to reflect updates to the numbers and names of specific specialties in the NATIONAL SURGICAL SPECIALTY file. (M. Montali, PM; S. Krakosky, Tech Writer)
06/07	35, 210, 212b	SR*3*159	Updated screens to reflect change of the environmental indicator “Environmental Contaminant” to “SWAC” (e.g., SouthWest Asia). (M. Montali, PM; S. Krakosky, Tech Writer)
06/07	176-180, 180a, 184c-d, 327c-d, 372, 375-376, 446, 449-450, 452-453, 455-456, 458, 461, 468, 470, 472, 479-479a, 482-484, 486a, 489, 491, 493, 495, 497, 499, 501, 502a-d, 504-506, 509-512, 519	SR*3*160	Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software. For more details, see the <i>Surgery NSQIP-CICSP Enhancements 2007 Release Notes</i> .  Updated data entry screens to match software; changes are unrelated to this patch. (M. Montali, PM; S. Krakosky, Tech Writer)

Date	Revised Pages	Patch Number	Description
11/06	10-12, 14, 21-22, 139-141, 145-150, 152, 219, 438	SR*3*157	<p>Updated data entry options to display new fields for collecting sterility information for the Prosthesis Installed field; updated the Nurse Intraoperative Report section with these required new fields. For more details, see the <i>Surgery-Tracking Prosthesis Items Release Notes</i>.</p> <p>Updated data entry screens to match software; changes are unrelated to this patch.</p> <p>(M. Montali, PM; S. Krakosky, Tech Writer)</p>
08/06	6-9, 14, 109-112, 122-124, 141-149, 151-152, 176, 178-180, 180a-b, 181-184, 184a-d, 185-186, 218-219, 326-327, 327a-d, 328-329, 373, 377, 449-450, 452-456, 459, 461-462, 467-468, 468b, 469-470, 470a, 473-474, 474a-474b, 475, 477, 481-486, 486a-b, 489-502, 502a-b, 503-504, 509-512	SR*3*153	<p>Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software.</p> <p>Updated data entry options to incorporate renamed/new Hair Removal documentation fields.</p> <p>Updated the Nurse Intraoperative Report and Quarterly Report to include these fields.</p> <p>For more details, see the <i>Surgery NSQIP/CICSP Enhancements 2006 Release Notes</i>.</p> <p>(M. Montali, PM; S. Krakosky, Tech Writer)</p>
06/06	28-32, 40-50, 64-80, 101-102	SR*3*144	<p>Updated options to reflect new required fields (Attending Surgeon and Principal Preoperative Diagnosis) for creating a surgery case.</p> <p>(M. Montali, PM; S. Krakosky, Tech Writer)</p>
06/06	vi, 34-35, 125, 210, 212b, 522a-b	SR*3*152	<p>Updated Service Classification screen example to display new PROJ 112/SHAD prompt.</p> <p>This patch will prevent the PRIN PRE-OP ICD DIAGNOSIS CODE field of the Surgery file from being sent to the Patient Care Encounter (PCE) package.</p> <p>Added the new Alert Coder Regarding Coding Issues option to the Surgery Risk Assessment Menu option.</p> <p>(M. Montali, PM; S. Krakosky, Tech Writer)</p>
04/06	445, 464a-b, 465, 480a-b	SR*3*146	<p>Added the new <i>Alert Coder Regarding Coding Issues</i> option to the Assessing Surgical Risk chapter.</p> <p>(M. Montali, PM; S. Krakosky, Tech Writer)</p>

Date	Revised Pages	Patch Number	Description
04/06	6-8, 29, 31-32, 37-38, 40, 43-44, 46-48, 50, 52, 65-67, 71-73, 75-77, 79, 100, 102, 109-112, 117-120, 122-123, 125-127, 189-191, 195b, 209-212, 212a-h, 219a, 224-231, 238-242, 273-277, 311-313, 315-317, 369, 379- 392, 410, 449-464, 467-468, 468a-b, 469-470, 470a, 471-474, 474a-b, 475-479, 479a-b, 480, 483-484, 489-502, 507, 519	SR*3*142	<p>Updated the data entry screens to reflect renaming of the Planned Principal CPT Code field and the Principal Pre-op ICD Diagnosis Code field. Updated the <i>Update/Verify Procedure/Diagnosis Coding</i> option to reflect new functionality. Updated Risk Assessment options to remove CPT codes from headers of cases displayed. Updated reports related to the coding option to reflect final CPT codes.</p> <p>For more specific information on changes, see the <i>Patient Financial Services System (PFSS) – Surgery Release Notes</i> for this patch.</p> <p>(M. Montali, PM; S. Krakosky, Tech Writer)</p>
10/05	9, 109-110, 144, 151, 218	SR*3*147	<p>Updated data entry screens to reflect renaming of the Preop Shave By field to Preop Hair Clipping By field.</p> <p>(M. Montali, PM; S. Krakosky, Tech Writer)</p>
08/05	10, 14, 99-100, 114, 119-120, 124, 153-154, 162-164, 164a-b, 190, 192, 209-212f, 238-242	SR*3*119	<p>Updated the Anesthesia Data Entry Menu section (and other data entry options) to reflect new functionality for entering multiple start and end times for anesthesia. Updated examples for Referring Physician updates (e.g., capability to automatically look up physician by name). Updated the PCE Filing Status Report section.</p> <p>(J. Podolec, PM; B. Manies, Tech Writer)</p>
08/04	iv-vi, 187-189, 195, 195a-195b, 196, 207-208, 219a-b, 527-528	SR*3*132	<p>Updated the Table of Contents and Index to reflect added options. Added the new <i>Non-OR Procedure Information</i> option and the <i>Tissue Examination Report</i> option (unrelated to this patch) to the Non-OR Procedures section.</p>
08/04	31, 43, 46, 66, 71-72, 75-76, 311	SR*3*127	<p>Updated screen captures to display new text for ICD-9 and CPT codes.</p>

Date	Revised Pages	Patch Number	Description
08/04	vi, 441, 443, 445-456, 458-459, 461 463, 465, 467-468, 468a-b, 469-470, 470a-b, 471, 473-474, 474a-b, 474-479, 479a-b, 480-486, 486a-b, 519, 531-534	SR*3*125	Updated the Table of Contents and Index. Clarified the location of the national centers for NSQIP and CICSP. Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software and new options have been added. For an overview of the data entry changes, see the <i>Surgery NSQIP/CICSP Enhancements 2004 Release Notes</i> . Added the <i>Laboratory Test Result (Enter/Edit)</i> option and the <i>Outcome Information (Enter/Edit)</i> option to the <i>Cardiac Risk Assessment Information (Enter/Edit)</i> menu section. Changed the name of the <i>Cardiac Procedures Requiring CPB (Enter/Edit)</i> option to <i>Cardiac Procedures Operative Data (Enter/Edit)</i> option. Removed the <i>Update Operations as Unrelated/Related to Death</i> option from the <i>Surgery Risk Assessment Menu</i> .
08/04	6-10, 14, 103, 105-107, 109-112, 114-120, 122-124, 141-152, 218-219, 284-287, 324, 370-377	SR*3*129	Updated examples to include the new levels for the Attending Code (or Resident Supervision). Also updated examples to include the new fields for ensuring Correct Surgery. For specific options affected by each of these updates, please see the <i>Resident Supervision/Ensuring Correct Surgery Phase II Release Notes</i> .
04/04	All	SR*3*100	All pages were updated to reflect the most recent Clinical Ancillary Local Documentation Standards and the changes resulting from the Surgery Electronic Signature for Operative Reports project, SR*3*100. For more information about the specific changes, see the patch description or the <i>Surgery Electronic Signature for Operative Reports Release Notes</i> .

*(This page included for two-sided copying.)*



# Table Of Contents

---

<b>Introduction</b> .....	<b>1</b>
Overview .....	1
Documentation Conventions .....	3
Getting Help and Exiting .....	3
Using Screen Server .....	5
Introduction.....	5
Navigating.....	5
Basics of Screen Server .....	6
Entering Data .....	7
Editing Data .....	8
Turning Pages .....	8
Entering or Editing a Range of Data Elements .....	9
Working with Multiples .....	10
Word Processing .....	14
<b>Chapter One: Booking Operations</b> .....	<b>15</b>
Introduction .....	15
Key Vocabulary .....	15
Exiting an Option or the System.....	16
Option Overview.....	16
Maintain Surgery Waiting List.....	17
Print Surgery Waiting List.....	18
Enter a Patient on the Waiting List.....	21
Edit a Patient on the Waiting List .....	22
Delete a Patient from the Waiting List.....	23
Request Operations Menu .....	25
Display Availability .....	26
Make Operation Requests .....	28
Delete or Update Operation Requests.....	36
Make a Request from the Waiting List .....	42
Make a Request for Concurrent Cases.....	45
Review Request Information .....	52
Operation Requests for a Day .....	53
Requests by Ward .....	55
List Operation Requests .....	57
Schedule Operations.....	59
Display Availability .....	60
Schedule Requested Operation .....	61
Schedule Unrequested Concurrent Cases .....	69
Reschedule or Update a Scheduled Operation.....	74
Cancel Scheduled Operation.....	81
Update Cancellation Reason.....	83
Schedule Anesthesia Personnel.....	84
Create Service Blockout .....	85
Delete Service Blockout .....	87
Schedule of Operations .....	88

List Scheduled Operations.....	91
<b>Chapter Two: Tracking Clinical Procedures .....</b>	<b>93</b>
Introduction .....	93
Key Vocabulary .....	93
Exiting an Option or the System.....	94
Option Overview.....	94
Operation Menu.....	95
Using the Operation Menu Options .....	96
Operation Information .....	103
Surgical Staff .....	104
Operation Startup.....	108
Operation .....	113
Post Operation.....	119
Enter PAC(U) Information .....	121
Operation (Short Screen) .....	122
Time Out Verified Utilizing Checklist.....	124a
Surgeon’s Verification of Diagnosis & Procedures.....	125
Anesthesia for an Operation Menu .....	128
Operation Report.....	129
Anesthesia Report.....	131
Nurse Intraoperative Report.....	140
Tissue Examination Report.....	153
Enter Referring Physician Information.....	154
Enter Irrigations and Restraints .....	155
Medications (Enter/Edit).....	157
Blood Product Verification.....	158
Anesthesia Menu .....	160
Prerequisites.....	160
Anesthesia Data Entry Menu .....	161
Anesthesia Information (Enter/Edit).....	162
Anesthesia Technique (Enter/Edit) .....	165
Medications (Enter/Edit).....	169
Anesthesia Report.....	170
Schedule Anesthesia Personnel.....	173
Perioperative Occurrences Menu.....	175
Key Vocabulary .....	175
Intraoperative Occurrences (Enter/Edit) .....	176
Postoperative Occurrences (Enter/Edit).....	178
Non-Operative Occurrence (Enter/Edit) .....	180
Update Status of Returns Within 30 Days .....	181
Morbidity & Mortality Reports.....	183
Non-O.R. Procedures.....	187
Non-O.R. Procedures (Enter/Edit).....	188
Edit Non-O.R. Procedure.....	189
Procedure Report (Non-O.R.).....	193
Tissue Examination Report.....	195a
Non-OR Procedure Information .....	195b
Annual Report of Non-O.R. Procedures .....	196
Report of Non-O.R. Procedures.....	198

Comments Option.....	205
CPT/ICD Coding Menu.....	207
CPT/ICD Update/Verify Menu.....	208
Update/Verify Procedure/Diagnosis Codes .....	209
Operation/Procedure Report .....	213
Nurse Intraoperative Report.....	217
Non-OR Procedure Information .....	219b
Cumulative Report of CPT Codes .....	220
Report of CPT Coding Accuracy .....	224
List Completed Cases Missing CPT Codes .....	230
List of Operations .....	232
List of Operations (by Surgical Specialty).....	234
Report of Daily Operating Room Activity.....	236
PCE Filing Status Report.....	238
Report of Non-O.R. Procedures.....	243
<b>Chapter Three: Generating Surgical Reports.....</b>	<b>249</b>
Introduction .....	249
Exiting an Option or the System.....	249
Option Overview.....	249
Surgery Reports .....	251
Management Reports .....	252
List of Operations (by Surgical Priority) .....	267
Surgery Staffing Reports.....	283
Anesthesia Reports.....	296
CPT Code Reports .....	305
Laboratory Interim Report.....	319
<b>Chapter Four: Chief of Surgery Reports .....</b>	<b>321</b>
Introduction .....	321
Exiting an Option or the System.....	321
Option Overview.....	321
Chief of Surgery Menu .....	323
View Patient Perioperative Occurrences.....	324
Management Reports .....	325
Unlock a Case for Editing.....	398
Update Status of Returns Within 30 Days .....	399
Update Cancelled Cases.....	400
Update Operations as Unrelated/Related to Death .....	401
Update/Verify Procedure/Diagnosis Codes .....	402
<b>Chapter Five: Managing the Software Package .....</b>	<b>407</b>
Introduction .....	407
Exiting an Option or the System.....	407
Option Overview.....	407
Surgery Package Management Menu .....	409
Surgery Site Parameters (Enter/Edit).....	410
Operating Room Information (Enter/Edit).....	413
Surgery Utilization Menu .....	414

Person Field Restrictions Menu .....	425
Update O.R. Schedule Devices .....	429
Update Staff Surgeon Information .....	430
Flag Drugs for Use as Anesthesia Agents .....	431
Update Site Configurable Files .....	432
Surgery Interface Management Menu.....	434
Make Reports Viewable in CPRS .....	440
<b>Chapter Six: Assessing Surgical Risk.....</b>	<b>441</b>
Introduction .....	441
Exiting an Option or the System.....	441
Surgery Risk Assessment Menu .....	443
Non-Cardiac Risk Assessment Information (Enter/Edit) .....	445
Creating a New Risk Assessment .....	445
Editing an Incomplete Risk Assessment.....	447
Preoperative Information (Enter/Edit) .....	448
Laboratory Test Results (Enter/Edit) .....	451
Operation Information (Enter/Edit) .....	455
Patient Demographics (Enter/Edit) .....	457
Intraoperative Occurrences (Enter/Edit) .....	459
Postoperative Occurrences (Enter/Edit).....	461
Update Status of Returns Within 30 Days .....	463
Update Assessment Status to 'Complete' .....	464
Alert Coder Regarding Coding Issues .....	464a
Cardiac Risk Assessment Information (Enter/Edit) .....	465
Creating a New Risk Assessment .....	465
Clinical Information (Enter/Edit).....	467
Laboratory Test Results (Enter/Edit) .....	468a
Enter Cardiac Catheterization & Angiographic Data .....	469
Operative Risk Summary Data (Enter/Edit) .....	471
Cardiac Procedures Operative Data (Enter/Edit) .....	473
Outcome Information (Enter/Edit).....	474b
Intraoperative Occurrences (Enter/Edit) .....	475
Postoperative Occurrences (Enter/Edit).....	477
Resource Data (Enter/Edit) .....	479
Update Assessment Status to 'COMPLETE' .....	480
Alert Coder Regarding Coding Issues .....	480a
Print a Surgery Risk Assessment.....	481
Update Assessment Completed/Transmitted in Error .....	487
List of Surgery Risk Assessments .....	489
Print 30 Day Follow-up Letters .....	503
Exclusion Criteria (Enter/Edit).....	507
Monthly Surgical Case Workload Report .....	509
M&M Verification Report.....	513
Update 1-Liner Case.....	519
Queue Assessment Transmissions.....	521
Alert Coder Regarding Coding Issues .....	522a

Risk Model Lab Test .....	522c
<b>Chapter Seven: Code Set Versioning .....</b>	<b>525</b>
<b>Chapter Eight: Assessing Transplants.....</b>	<b>527</b>
Introduction .....	527
Transplant Assessment Menu .....	529
Enter/Edit Transplant Assessments .....	531
Creating a New Transplant Assessment.....	531
Edit a Transplant Assessment .....	536
Print Transplant Assessment .....	541
Printing a Transplant Assessment .....	541
List of Transplant Assessments .....	544
Printing a List of Transplant Assessments.....	544
Transplant Assessment Parameters (Enter/Edit) .....	546
Changing Transplant Assessment Parameters .....	546
<b>Chapter Nine: Glossary .....</b>	<b>549</b>
<b>Index .....</b>	<b>551</b>

*(This page included for two-sided copying.)*

# Introduction

---

This section provides an overview of the Surgery package, and also provides documentation conventions used in this *Surgery V. 3.0 User Manual*. This section also discusses the use of the Screen Server in the Surgery package.

## Overview

The Surgery package is designed to be used by Surgeons, Surgical Residents, Anesthetists, Operating Room Nurses and other surgical staff. The Surgery package is part of the patient information system that stores data on the Department of Veterans Affairs (VA) patients who have, or are about to undergo, surgical procedures. This package integrates booking, clinical, and patient data to provide a variety of administrative and clinical reports.





The *Surgery V. 3.0 User Manual* is designed to acquaint the user with the various Surgery options and to offer specific guidance on the use of the Surgery package. Documentation concerning the Surgery package, including any subsequent change pages affecting this documentation, can be found at the Veterans Health Information Systems and Technology Architecture (VistA) Documentation Library (VDL) on the Internet at <http://www.va.gov/vdl/>.

*(This page included for two-sided copying.)*



# Documentation Conventions

This *Surgery V. 3.0 User Manual* includes documentation conventions, also known as notations, which are used consistently throughout this manual. Each convention is outlined below.

Convention	Example
Menu option text is italicized.	The <i>Print Surgery Waiting List</i> option generates the long form surgery Waiting List for the surgical service(s) selected.
Screen prompts are denoted with quotation marks around them.	The "Puncture Site:" prompt will display next.
Responses in bold face indicate user input.	Needle Size: <b>25G</b>
Text centered between bent parentheses represents a keyboard key that needs to be pressed for the system to capture a user response or move the cursor to another field. <Enter> indicates that the Enter key (or Return key on some keyboards) must be pressed. <Tab> indicates that the Tab key must be pressed.	Type <b>Y</b> for Yes or <b>N</b> for No and press <Enter>. Press <Tab> to move the cursor to the next field.
 Indicates especially important or helpful information.	 If the user attempts to reschedule a case after the schedule close time for the date of operation, only the time, and not the date, can be changed.
 Indicates that options are locked with a particular security key. The user must hold the particular security key to be able to perform the menu option.	 Without the SROAMIS key the <i>Anesthesia AMIS</i> option cannot be accessed.

## Getting Help and Exiting

?, ??, ??? One, two or three question marks can be entered at any of the prompts for online help. One question mark elicits a brief statement of what information is appropriate for the prompt. Two question marks provide more help, plus the hidden actions, and three question marks will provide more detailed help, including a list of possible answers, if appropriate.

Typing an up arrow ^ (caret or a circumflex) and pressing <Enter> can be used to exit the current option.

*(This page included for two-sided copying.)*

# Using Screen Server

This section provides information about using the Screen Server utility with the Surgery software.

## Introduction

Screen Server is a screen-based data entry utility. It allows the user to display and select data elements for entering, editing, and deleting information. The format is designed to display a number of data fields at one time on a menu. With Screen Server, a number of data elements are displayed at one time on a menu and the user is able to choose on which element to work.

This section contains a description of the Screen Server format and gives examples of how to respond to the unique Screen Server prompts. The screen facsimiles used in the examples are taken from the Surgery software; however, these screens may not display on the terminal monitor exactly as they display in this manual, because the Surgery package is subject to enhancements and local modifications. In this document, the different ways to respond to the Screen Server prompt, to perform a task, and to utilize shortcuts are explained. The shortcuts are listed below:

- Enter data
- Edit data
- Move between pages
- Enter/edit a range of data elements
- Multiples
- Multiple screen shortcuts
- Word processing

The user should be familiar with VistA conventions. In the examples, the user's response is presented in bold face text.

## Navigating

The user can press the Return key to move through a prompt and go to the next page or item. To return directly to the *Surgery Menu* options, the user can enter an up-arrow (^), unless he or she is in a multiple field. To exit a multiple field, enter two up-arrows (^ ^).

## Basics of Screen Server

Each Screen Server arrangement consists of three basic parts: a header, data elements, and an action prompt. These items are defined in the following table.

Term	Definition
Header	The screen heading contains information specific to the record with which you are working. This can include the patient name or case number. The information in the heading is programmed and cannot be easily changed.
Data Elements	Each Screen Server display contains from 1 to 15 data elements (or fields). If information has been entered for any of the data elements defined, it will display to the right of the element. Some data elements are multiple fields, meaning they can contain more than one piece of information. These multiple fields are distinguished by the word "Multiple" next to the data element. If the multiple field contains information, the word "Data" will be next to the data element.
Prompt	The action prompt is at the bottom of each screen. From the prompt "Enter Screen Server Functions:" you can enter, edit, or delete information from the data elements. The possible responses to this prompt are explained in more detail on the following pages. Enter a question mark (?), for help text with possible prompt responses.

The following is an example of a Screen Server display with help text.

### Example: Screen Server with On-line Help Text

```

** SHORT SCREEN **   CASE #16  SURPATIENT,ONE          PAGE 1 OF 3
1  DATE OF OPERATION:      AUG 01, 2006
2  IN/OUT-PATIENT STATUS:  OUTPATIENT
3  SURGEON:                SURSURGEON,ONE
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE:
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE:  REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES:  (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS:  (WORD PROCESSING)
13 TIME PAT IN OR:
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function:  ?
To change entries, enter your choices (numbers) separated by a ';', or
use a ':' for ranges.  i.e. 2;3 or 1:3.  Enter 'A' to enter/edit all.

If there is more than one page to this screen, entering a '+' or '-'
followed by the number of pages or entering 'P' followed by the page
number will take you to the desired page.

Enter '^' to quit, or '^ ^' to return to the menu option.
  
```

The diagram includes the following annotations:

- Header:** Points to the top line of the screen: `** SHORT SCREEN ** CASE #16 SURPATIENT,ONE PAGE 1 OF 3`
- Data Elements:** Points to the list of 15 data elements (lines 1-15).
- Prompt:** Points to the line: `Enter Screen Server Function: ?`
- On-line Help:** Points to the text block explaining navigation options (lines 11-15).


## Entering Data

To enter or edit data, the user can type the item number corresponding with the data element for which he/she is entering information and press the <Enter> key. In the following example, we typed the number 10 at the prompt and pressed the <Enter> key. A new prompt appeared allowing us to enter the data. The software immediately processed this information and produced an updated menu screen and another action prompt.

```
** SHORT SCREEN **      CASE #16  SURPATIENT,ONE      PAGE 1 OF 3

1  DATE OF OPERATION:      AUG 01, 2006
2  IN/OUT-PATIENT STATUS:  OUTPATIENT
3  SURGEON:                SURSURGEON,ONE
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE:
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE:  REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES:  (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS:  (WORD PROCESSING)
13 TIME PAT IN OR:
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function:  13
Time Patient In the O.R.:  13:00  AUG 1, 2006 AT 13:00
```




The software processes the information and produces an update.

```
** SHORT SCREEN **      CASE #16  SURPATIENT,ONE      PAGE 1 OF 3

1  DATE OF OPERATION:      AUG 01, 2006
2  IN/OUT-PATIENT STATUS:  OUTPATIENT
3  SURGEON:                SURSURGEON,ONE
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE:
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE:  REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES:  (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS:  (WORD PROCESSING)
13 TIME PAT IN OR:                AUG 1, 2006 AT 13:00
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function:
```




## Editing Data

Changing an existing entry is similar to entering. Once again, the user can type in the number for the data element he/she wants to change and press **<Enter>**. In the following example, the number 3 was entered to change the surgeon name. A new prompt appeared containing the existing value for the data element in a default format. We entered the new value, "SURSURGEON,TWO." The software immediately processed this information and produced an updated screen.

```
** SHORT SCREEN **      CASE #16  SURPATIENT,ONE      PAGE 1 OF 3
1  DATE OF OPERATION:    AUG 01, 2006
2  IN/OUT-PATIENT STATUS: OUTPATIENT
3  SURGEON:              SURSURGEON,ONE
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE:
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE: REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES: (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
13 TIME PAT IN OR:      AUG 1, 2006 AT 13:00
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:


Enter Screen Server Function: 3
SURGEON: SURSURGEON,ONE // SURSURGEON,TWO
```



The software processes the information and produces an update.

```
** SHORT SCREEN **      CASE #16  SURPATIENT,ONE      PAGE 1 OF 3
1  DATE OF OPERATION:    AUG 01, 2006
2  IN/OUT-PATIENT STATUS: OUTPATIENT
3  SURGEON:              SURSURGEON,TWO
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE:
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE: REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES: (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
13 TIME PAT IN OR:      AUG 1, 2006 AT 13:00
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function:
```



## Turning Pages

No more than 15 data elements will fit on a single Screen Server formatted page, but there can be as many pages as needed. Because many screens contain more than one page of data elements, the screen server provides the ability to move between the pages. Pages are numbered in the heading. To go back one page, enter minus one (-1) at the action prompt. To go forward, enter plus one (+1) or press **<Enter>**. The user can move more than one page by combining the minus or plus sign with the number of pages needed to go backward or forward.

## Entering or Editing a Range of Data Elements

Colons and semicolons are used as delineators for ranges of item numbers. This allows the user to respond to two or more data elements on the same page of a screen at one time. Typing a colon and/or semicolon between the item numbers at the prompt tells the software what elements to display for editing.

Colons are used when the user wants to respond to all numbers within a sequence (for example, 2:5 means items 2, 3, 4, and 5). Semicolons are used to separate the item numbers for non-sequential items (e.g., 2;5;9;11 means items 2, 5, 9 and 11). To respond to all the data elements on the page, enter "A" for all.

### Example 1: Colon

```
** STARTUP **      CASE #24  SURPATIENT,TWO          PAGE 2 OF 3

1  ASA CLASS:
2  PREOP MOOD:
3  PREOP CONSCIOUS:
4  PREOP SKIN INTEG:
5  TRANS TO OR BY:
6  HAIR REMOVAL BY:
7  HAIR REMOVAL METHOD:
8  HAIR REMOVAL COMMENTS:      (WORD PROCESSING)
9  SKIN PREPPED BY (1):
10 SKIN PREPPED BY (2):
11 SKIN PREP AGENTS:
12 SECOND SKIN PREP AGENT:
13 SURGERY POSITION:            (MULTIPLE)(DATA)
14 RESTR & POSITION AIDS:      (MULTIPLE)(DATA)
15 ELECTROGROUND POSITION:

Enter Screen Server Function: 1:6
ASA Class: 2      2-MILD DISTURB.
Preoperative Mood: RELAXED          R
Preoperative Consciousness: ALERT-ORIENTED      AO
Preoperative Skin Integrity: INTACT          I
Transported to O.R. By: STRETCHER
Preop Surgical Site Hair Removal by: SURNURSE,ONE      OS
```

### Example 2: Semicolon

```
** STARTUP **      CASE #24  SURPATIENT,TWO          PAGE 1 OF 3

1  DATE OF OPERATION:          APR 19, 2006 AT 800
2  PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE
3  PRIN PRE-OP ICD DIAGNOSIS CODE:
4  OTHER PREOP DIAGNOSIS: (MULTIPLE)
5  OPERATING ROOM:            OR4
6  SURGERY SPECIALTY:         ORTHOPEDICS
7  MAJOR/MINOR:
8  REQ POSTOP CARE:           WARD
9  CASE SCHEDULE TYPE:        ELECTIVE
10 REQ ANESTHESIA TECHNIQUE: GENERAL
11 PATIENT EDUCATION/ASSESSMENT: YES
12 CANCEL DATE:
13 CANCEL REASON:
14 CANCELLATION AVOIDABLE:
15 DELAY CAUSE:                (MULTIPLE)

Enter Screen Server Function: 5;7;
Operating Room: OR4// OR2
Major or Minor: MAJOR
```

## Working with Multiples

The notation MULTIPLE indicates a data element that can have more than one answer. Some multiple fields have several layers of screens from which to respond. Navigating through the layers may seem tedious at first, but the user will soon develop speed. Remember, the user can press <Enter> at the prompt to go back to the main menu screen, or enter an up-arrow (^) to go back to the previous screen.

In the following examples, there are other screens after the initial (also called top-level) screen. With the multiple screens, a new menu list is built with each entry.

### Example: Multiples

```
** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1 OF 3
1  TIME PAT IN HOLD AREA: AUG 15, 2001 AT 740
2  TIME PAT IN OR:      AUG 15, 2001 AT 800
3  ANES CARE TIME BLOCK: (MULTIPLE)(DATA)
4  TIME OPERATION BEGAN: AUG 15, 2001 AT 900
5  SPECIMENS:           (WORD PROCESSING)
6  CULTURES:            (WORD PROCESSING)
7  THERMAL UNIT:        (MULTIPLE)
8  ELECTROCAUTERY UNIT:
9  ESU COAG RANGE:
10 ESU CUTTING RANGE:
11 TIME TOURNIQUET APPLIED: (MULTIPLE)
12 PROSTHESIS INSTALLED: (MULTIPLE)(DATA)
13 REPLACEMENT FLUID TYPE: (MULTIPLE)
14 IRRIGATION:          (MULTIPLE)
15 MEDICATIONS:         (MULTIPLE)

Enter Screen Server Function: 12

** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1
    PROSTHESIS INSTALLED

1  NEW ENTRY

Enter Screen Server Function: 1
Select PROSTHESIS INSTALLED PROSTHESIS ITEM: MANDIBULAR PLATES
    PROSTHESIS INSTALLED ITEM: MANDIBULAR PLATES// <Enter>
```

Notice the three user responses entered above. The first response, 12, told the software that we want to enter data in the PROSTHESIS INSTALLED field. Then, at the next screen, we entered "1" because we wanted to make a new prosthesis entry for this case. The third response, MANDIBULAR PLATES, told the software the kind of prosthesis being installed. The software echoed back the full prosthesis name "MANDIBULAR PLATES" and we accepted it by pressing <Enter>.



Because the PROSTHESIS INSTALLED field can contain multiple answers, a new screen immediately appeared as follows:

```
** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1
      PROSTHESIS INSTALLED (MANDIBULAR PLATES)

1  PROSTHESIS ITEM:          MANDIBULAR PLATES
2  IMPLANT STERILITY CHECKED:
3  STERILITY EXPIRATION DATE:
4  RN VERIFIER:
5  VENDOR:
6  MODEL:
7  LOT NUMBER:
8  SERIAL NUMBER:
9  STERILE RESP:
10 SIZE:
11 QUANTITY:

Enter Screen Server Function:  2:11
Implant Sterility Checked (Y/N):  Y  YES
Sterility Expiration Date:  01.30.07  (JAN 30, 2007)
RN Verifier:  SURNURSE,ONE          OS
Manufacturer/Vendor:  SYNTHES
Model:  MAXILLOFACIAL
Lot Number:  #20-15
Serial Number:  612A874
Who is Accountable for Sterilization:  SPD
Size:  10 HOLE
Quantity:  20
```

The first response, 2:10, corresponds to data elements 2 through 10. We entered data for these elements one-by-one and the software processed the information and produced this update:

```
** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1 OF 1
      PROSTHESIS INSTALLED (MANDIBULAR PLATES)

1  PROSTHESIS ITEM:          MANDIBULAR PLATES
2  IMPLANT STERILITY CHECKED:  YES
3  STERILITY EXPIRATION DATE:  JAN 30, 2007
4  RN VERIFIER:              SURNURSE,ONE
5  VENDOR:                   SYNTHES
6  MODEL:                    MAXILLOFACIAL
7  LOT NUMBER:               20-15
8  SERIAL NUMBER:           612A874
9  STERILE RESP:            SPD
10 SIZE:                     10 HOLE
11 QUANTITY:                 20

Enter Screen Server Function:  <Enter>
```

Pressing <Enter> will now bring back the top-level screen and allow us to make another entry. As many as 15 prostheses can be added to this list. If we were to add more prostheses, the N and R shortcuts discussed on the next two pages would come in handy, but it is a good idea to practice the steps just covered before attempting the shortcuts.

## Multiple Screen Shortcuts

The help text for a multiple field mentions the N and R functions. The user can enter a question mark (?) to view the help text at the prompt, as displayed in the following example.

```
** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1 OF 1
      PROsthESIS INSTALLED

1  PROsthESIS ITEM:   MANDIBULAR PLATES
2  NEW ENTRY

Enter Screen Server Function:  ?
Enter 2N to enter only the top level of this multiple, or the number
of your choice followed by an 'R' to make a duplicate entry.

Press <RET> to continue
```

## N Function

The N function allows the user to enter **new** entries without going beyond the top level screen, whereas the R function allows the user to **repeat** a previous top level response. In the following example we will build entries by entering the data element number and the letter N:

```
** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1 OF 1
      PROsthESIS INSTALLED

1  MANDIBULAR PLATES
2  NEW ENTRY

Enter Screen Server Function:  2N
Select PROsthESIS INSTALLED PROsthESIS ITEM:  GLENOID COMPONENT
      PROsthESIS INSTALLED ITEM: GLENOID COMPONENT// <Enter>
Select PROsthESIS INSTALLED PROsthESIS ITEM:  HUMERAL COMPONENT
      PROsthESIS INSTALLED ITEM: HUMERAL COMPONENT// <Enter>
Select PROsthESIS INSTALLED PROsthESIS ITEM:  INTRAMEDULLARY PLUG
      PROsthESIS INSTALLED ITEM: INTRAMEDULLARY PLUG// <Enter>
Select PROsthESIS INSTALLED PROsthESIS ITEM:  <Enter>
```

The software processes the information and produces an update.

```
** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1 OF 1
      PROsthESIS INSTALLED

1  PROsthESIS ITEM:   MANDIBULAR PLATES
2  PROsthESIS ITEM:   GLENOID COMPONENT
3  PROsthESIS ITEM:   HUMERAL COMPONENT
4  PROsthESIS ITEM:   INTRAMEDULLARY PLUG
5  NEW ENTRY

Enter Screen Server Function:  <Enter>
```

## R Function

The R function saves the user from typing in the top-level information again. In this example, we have the same anesthesia technique but different anesthesia agents. By entering the element number we want to repeat, and the letter R, we avoid having to enter the top-level data again. This feature can also be useful in cases where the same medication is repeated at different times. After the user enters the item and the letter R, the software responds with a default prompt. The user can press <Enter> to accept the default.

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE
1 ANESTHESIA TECHNIQUE: GENERAL
2 ANESTHESIA TECHNIQUE: LOCAL
3 NEW ENTRY
Enter Screen Server Function: 1R
ANESTHESIA TECHNIQUE: GENERAL// <Enter>
```

The software processes the information and produces an update.

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE (0)
1 ANESTHESIA TECHNIQUE: GENERAL
2 PRINCIPAL TECH:
3 ANESTHESIA AGENTS: (MULTIPLE)
Enter Screen Server Function: 3
```

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE
0)
ANESTHESIA AGENTS
1 NEW ENTRY
Enter Screen Server Function: 1
Select ANESTHESIA AGENTS: PROCAINE HYDROCHLORIDE
ANESTHESIA AGENTS: PROCAINE HYDROCHLORIDE // <Enter>
```

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE (0)
ANESTHESIA AGENTS
1 ANESTHESIA AGENTS: PROCAINE HYDROCHLORIDE
2 NEW ENTRY
Enter Screen Server Function: <Enter>
```

The software processes the information and produces an update.

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE (0)
1 ANESTHESIA TECHNIQUE: GENERAL
2 PRINCIPAL TECH:
3 ANESTHESIA AGENTS: (MULTIPLE)(DATA)
Enter Screen Server Function: <Enter>
```

The updating continues through to the top layer.

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE
1 ANESTHESIA TECHNIQUE: INTRAVENOUS
2 ANESTHESIA TECHNIQUE: LOCAL
3 ANESTHESIA TECHNIQUE: INTRAVENOUS
4 NEW ENTRY
Enter Screen Server Function:
```

## Word Processing

The phrase “Word Processing” in the menu means that the user can enter as much data as needed to complete the entry.

Following is an example of how we entered text on a Screen Server word processing field. Notice that we pressed **<Enter>** after each line of text as there is no automatic word-wrap:

```
** SHORT SCREEN **      CASE #25  SURPATIENT,FOUR      PAGE 3 OF 4

1  SPONGE, SHARPS, & INST COUNTER:
2  COUNT VERIFIER:
3  SURGERY SPECIALTY:      GENERAL
4  WOUND CLASSIFICATION:
5  ATTEND SURG:
6  ATTENDING CODE:      LEVEL D: ATTENDING IN O.R. SUITE, IMMEDIATELY AVAILABLE
7  SPECIMENS:      (WORD PROCESSING)
8  CULTURES:      (WORD PROCESSING)
9  NURSING CARE COMMENTS: (WORD PROCESSING)
10 ASA CLASS:
11 PRINC ANESTHETIST:
12 ANESTHESIA TECHNIQUE: (MULTIPLE)
13 ANES CARE TIME BLOCK: (MULTIPLE)
14 DELAY CAUSE:      (MULTIPLE)
15 CANCEL DATE:

Enter Screen Server Function: 9
NURSING CARE COMMENTS:
  1>Patient arrived ambulatory from Ambulatory Surgery Unit. <Enter>
  2>Discharged via wheelchair. Lidocaine applied topically. <Enter>
  3> <Enter>
EDIT Option: <Enter>
```

The software processes the information and produces an update.

```
** SHORT SCREEN **      CASE #25  SURPATIENT,FOUR      PAGE 3 OF 3

1  SPONGE, SHARPS, & INST COUNTER:
2  COUNT VERIFIER:
3  SURGERY SPECIALTY:      GENERAL
4  WOUND CLASSIFICATION:
5  ATTEND SURG:
6  ATTENDING CODE:      LEVEL D: ATTENDING IN O.R. SUITE, IMMEDIATELY AVAILABLE
7  SPECIMENS:      (WORD PROCESSING)
8  CULTURES:      (WORD PROCESSING)
9  NURSING CARE COMMENTS: (WORD PROCESSING)(DATA)
10 ASA CLASS:
11 PRINC ANESTHETIST:
12 ANESTHESIA TECHNIQUE: (MULTIPLE)
13 ANES CARE TIME BLOCK: (MULTIPLE)
14 DELAY CAUSE:      (MULTIPLE)
15 CANCEL DATE:

Enter Screen Server Function:
```

# Chapter One: Booking Operations

---

## Introduction

The options described in this chapter facilitate the scheduling of surgical procedures. Automated scheduling provides better operating room use and greater ease in distributing the operating room schedule. These options help accomplish the following tasks.

- Track patients on a waiting list
- Track operation requests
- Chart operating room availability
- Designate operating rooms for a surgical service
- Schedule operations by assigning operating rooms and time slots
- Generate operating room schedules on any designated printer in the medical center
- Reschedule or cancel any operative procedures

Whether or not the user is booking a case from the Waiting List, *Request Operations* menu, or *Schedule Operations* menu, he/she will be asked to provide preoperative information about the case. Some of the preoperative information is mandatory and must be entered immediately to proceed with the option, while other information can be entered later. It is advisable to enter as much information as possible and update or correct it later. If a prompt cannot be answered, the user can press the <Enter> key to move to the next item.

## Key Vocabulary

The following terms are used in this chapter.

Term	Definition
Concurrent Case	The patient undergoes two operations, by two different specialties, at the same time in the same operating room.
Cutoff Time	An institution might have a daily cutoff time for entering requests. After the cutoff time, the user is prohibited from booking a request for an operation to take place through midnight of the following day. The user may still book requests two or more days in advance.
Outstanding Requests	Requests that have been entered but not scheduled. When the patient name is entered, the software will list the outstanding requests for this patient.
Screen Server	After the data concerning the operation has been entered, the terminal display device will clear and then present a two-page Screen Server summary. The Screen Server summary organizes the information entered and gives the user another opportunity to enter or edit data.

## Exiting an Option or the System

The user can type the up-arrow (^) at any prompt to stop the line of questioning and return to the previous level in the routine. To completely exit from the system, the user should continue entering up-arrows.

## Option Overview

The main options included in this menu are listed below. Each of these options, except the *List Operation Requests* option and *List Scheduled Operations* option, contain submenus. To the left of the option name is the shortcut synonym that the user can enter to select the option.

Shortcut	Option Name
W	<i>Maintain Surgery Waiting List</i>
R	<i>Request Operations</i>
LR	<i>List Operation Requests</i>
S	<i>Schedule Operations</i>
LS	<i>List Scheduled Operations</i>

# Maintain Surgery Waiting List

## [SROWAIT]

The options within the *Maintain Surgery Waiting List* menu allow surgeons to develop waiting lists for selected surgery specialties. The patient can remain on the Waiting List until sufficient information is available to book the operation for a specific date (see *Make a Request from the Waiting List* option).



This option is locked with the SROWAIT key.

The *Maintain Surgery Waiting List* menu contains the following options. To the left is the shortcut synonym the user can enter to select the option.

Shortcut	Option Name
W	<i>Print Surgery Waiting List</i>
E	<i>Enter a Patient on the Waiting List</i>
U	<i>Edit a Patient on the Waiting List</i>
D	<i>Delete a Patient from the Waiting List</i>

## Print Surgery Waiting List [SRSWL2]

Resident surgeons use the *Print Surgery Waiting List* option to print the waiting list for one or more surgical specialties. The Waiting List includes the names of patients waiting to have an operation and the type of operation. Cases entered on the Waiting List are not assigned an operating room or a date of operation.

The report can be sorted in several different ways. First, the user can sort the report by one or more surgical specialties. Then, the user can choose to sort the report either alphabetically by patient name, by the tentative date of the operation, or by the date the case was entered on the waiting list. A brief form can be requested, as in Example 1, or a long form report, as in Example 2. The long form report includes the procedure name, comments, referring physician, tentative admission date, patient address, and phone numbers.

This report has an 80-column format and can be viewed on a software terminal or copied to a printer. When the screen is full the user will be prompted to press the Return key to continue viewing the list.

### Example 1: Print the Surgery Waiting List, Brief Form, Sort By T

```
Select Maintain Surgery Waiting List Option: W Print Surgery Waiting List

                Surgery Waiting List Reports

Print Report By:

    A   Alphabetical Order by Patient
    T   Tentative Date of Operation
    D   Date Entered on the Waiting List

Enter Selection (A,T, or D): T

Do you want to print the waiting list for all specialties ? YES// N

Select Surgical Specialty: 50          GENERAL(OR WHEN NOT DEFINED BELOW)  GENER
AL(OR WHEN NOT DEFINED BELOW)      50

Do you want to print the brief form ? YES// <Enter>

Print the Waiting List on which Device: [Select Print Device]
```

-----printout follows-----

```
Surgery Waiting List for GENERAL (OR WHEN NOT DEFINED BELOW)
Printed JUN 28, 2001 at 14:10
```

Date Entered	Patient	Operative Procedure
JAN 19, 2001	SURPATIENT,FIVE	Bunionectomy
Tentative Admission: JAN 23, 2001		
Tentative Date of Operation: JAN 23, 2001		
JAN 21, 2001	SURPATIENT,SIX	REPAIR INGUINAL HERNIA
Tentative Admission: JAN 28, 2001		
Tentative Date of Operation: JAN 29, 2001		
NOV 29, 1999	SURPATIENT,SEVEN	ARTHROSCOPY, RIGHT SHOULDER
Tentative Admission: DEC 29, 1999		
Tentative Date of Operation: None Specified		



## Example 2: Print the long form, Sort by D

Select Maintain Surgery Waiting List Option: **W** Print Surgery Waiting List

Surgery Waiting List Reports

Print Report By:

A Alphabetical Order by Patient  
T Tentative Date of Operation  
D Date Entered on the Waiting List

Enter Selection (A,T, or D): **D**

Do you want to print the waiting list for all specialties ? YES// **N**

Select Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW) GENER  
AL(OR WHEN NOT DEFINED BELOW) 50

Do you want to print the brief form ? YES// **N**

Print the Waiting List on which Device: [**Select Print Device**]

-----*printout follows*-----

Surgery Waiting List for GENERAL (OR WHEN NOT DEFINED BELOW)  
Printed JAN 20, 2001 at 14:11

-----  
Patient: SURPATIENT,SEVEN (000-84-0987)  
Date Entered: DEC 28, 2001 09:08  
Procedure: ARTHROSCOPY, RIGHT SHOULDER

Tentative Admission Date: JAN 29, 2001

Home Phone: (555) 555-5877 Work Phone: NOT ENTERED  
Address:

Referring Physician/Institution:  
DR. SURSURGEON Phone: 555-555-0987  
122 1ST AVE.  
TUSCALOOSA, ALABAMA 35205

-----  
Patient: SURPATIENT,FIVE (000-58-7963)  
Date Entered: JAN 19, 2001 15:17  
Procedure: Bunionectomy

Tentative Admission Date: JAN 23, 2001  
Tentative Date of Operation: JAN 23, 2001

Home Phone: NOT ENTERED Work Phone: NOT ENTERED  
Address:

Referring Physician/Institution:  
Four Sursurgeon Phone:  
Sylacauga OPC

-----  
Patient: SURPATIENT,SIX (000-09-8797)  
Date Entered: JAN 21, 2001 13:48  
Procedure: REPAIR INGUINAL HERNIA

Tentative Admission Date: JAN 28, 2001  
Tentative Date of Operation: JAN 29, 2001

Comments:  
Bland Diet

Home Phone: 555-555-1233 Work Phone: NOT ENTERED  
Address: 117TH SO 40TH ST  
BIRMINGHAM, ALABAMA 35217

Referring Physician/Institution:  
SURSURGEON Phone: 555-555-8900  
Jefferson OPC

## Enter a Patient on the Waiting List [SROW-ENTER]

Resident surgeons use the *Enter a Patient on the Waiting List* option to enter a patient on the waiting list for a selected surgical specialty.

First, identify the surgical specialty to which the patient will be assigned. To add a new case to the waiting list, the user must enter the patient name and the procedure name. Comments, referring physician name and address, tentative admission date, and tentative operation date can also be added. This information will appear on the *Waiting List Report*. Patient names stay on the Waiting List until the data is used to make a request or until it is deleted.

### Example: Enter a Patient on the Waiting List

```
Select Maintain Surgery Waiting List Option: E Enter a Patient on the Waiting List
```

```
Select Surgical Specialty: 62 PERIPHERAL VASCULAR PERIPHERAL VASCULAR 62
...OK? YES// <Enter> (YES)
PERIPHERAL VASCULAR
```

```
Select Patient: SURPATIENT,EIGHT 06-04-35 000370555
```

```
Select Operative Procedure: HAVEST SAPHENOUS VEIN
```

```
Select PATIENT: SURPATIENT,EIGHT// <Enter>
```

```
General Comments/Special Instructions:
1>Patient is an insulin dependent diabetic.
2><Enter>
```

```
EDIT Option: <Enter>
```

```
Tentative Admission Date: 08/25/01 (AUG 25, 2001)
Tentative Date of Operation: 08/26/01 (AUG 26, 2001)
```

```
Select REFERRING PHYSICIAN: DR. ONE SURSURGEON
Street Address: VAMC HOUSTON
City: HOUSTON
State: TEXAS
Zip Code: 77005
Telephone Number: 555 555-5555
```

```
SURPATIENT,EIGHT has been entered on the waiting list for PERIPHERAL VASCULAR
```

```
Press RETURN to continue
```

## Edit a Patient on the Waiting List [SROW-EDIT]

The *Edit a Patient on the Waiting List* option is used to edit information collected for a patient who is already on the waiting list. The user enters the patient's name first. The user should be certain that the correct patient has been entered and that the right entry (there can be more than one) has been selected. Information can then be updated by simply typing in the new data at each prompt. If there is no change for a response, press the <Enter> key and the cursor will go to the next prompt.

This option allows changes to the procedure name, the referring physician information, comments, tentative admission date, and/or the tentative operation date. A patient's name cannot be edited. A patient's name will stay on the Waiting List until the data is used to make a request or until it is deleted.

### Example: Edit Waiting List

```
Select Maintain Surgery Waiting List Option: U Edit a Patient on the Waiting List
Edit which Patient ? SURPATIENT,EIGHT          06-04-35          000370555
Procedures entered on the Waiting List for SURPATIENT,EIGHT
1. PERIPHERAL VASCULAR          Date Entered on List:      AUG 11,2001
   HAVEST SAPHENOUS VEIN        Tentative Operation Date:  AUG 26,2001
Principal Operative Procedure: HAVEST SAPHENOUS VEIN
      Replace HA <Enter> With HAR <Enter> Replace <Enter>
      HARVEST SAPHENOUS VEIN
General Comments/Special Instructions:
  1>Patient is an insulin dependent diabetic.
EDIT Option: <Enter>
Tentative Admission Date: AUG 25,2001// 8/26 (AUG 26, 2001)
Tentative Date of Operation: AUG 26,2001// 8/27 (AUG 27, 2001)
Select REFERRING PHYSICIAN: DR. ONE SURSURGEON// <Enter>
Referring Physician/Medical Center: DR. ONE SURSURGEON
      Replace <Enter>
Street Address: VAMC HOUSON// <Enter>
City: HOUSTON// <Enter>
State: TEXAS// <Enter>
Zip Code: 77005// <Enter>
Telephone Number: 555 555-5555// <Enter>
Press RETURN to continue
```

## Delete a Patient from the Waiting List [SROW-DELETE]

The *Delete a Patient from the Waiting List* option is used to delete a patient's procedure from the Surgery Waiting List. Enter the patient's name and select the procedure from the list of procedures and his or her entry will be deleted. The software will provide a message that the procedure has been deleted.

Example: Delete Patient From Waiting List

```
Select Maintain Surgery Waiting List Option: D Delete a Patient from the Waiting List
```

```
Delete which Patient ? SURPATIENT,EIGHT 06-04-35 000370555
```

```
Procedures entered on the Waiting List for SURPATIENT,EIGHT
```

```
1. PERIPHERAL VASCULAR          Date Entered on List:    AUG 11,2001  
   HARVEST SAPHENOUS VEIN      Tentative Operation Date: AUG 26,2001
```

```
Are you sure that you want to delete this entry ? YES// <Enter>
```

```
SURPATIENT,EIGHT has been removed from the Waiting List.
```

```
Press RETURN to continue
```

*(This page included for two-sided copying.)*

# Request Operations Menu

[SROREQ]

The *Request Operations* menu contains several functions that the surgeons and resident surgeons use to book an operation. Options within the *Request Operations* menu are used to book an operation for a certain day. The surgeon can request, via the software, the operation(s) for a patient on a specific day and then enter additional information concerning the upcoming operation.



This option is locked with the SROREQ key.

To request an operation, the user must have a patient name, an operative procedure to perform, and a date to book it. Also required are the Surgeon, Surgical Specialty, and the Indications for Operations. If the user does not know the anticipated date of surgery, the user can enter the patient on the Waiting List. If there is enough information to book the operation for a specific time and operating room, the user can use the *Schedule Unrequested Operations* option on the *Schedule Operation* menu to schedule the operation.

The information gathered is collated by the software and used to produce reports. The person in charge of scheduling (scheduling manager) arranges the operation requests according to the hospital's Surgical Service protocols and schedules the operation by assigning the case an operating room and a time slot.

The options included in the *Request Operations* menu option are listed below. To the left of the option name is the shortcut character(s) the user can enter to select the option.

Shortcut	Option Name
A	<i>Display Availability</i>
R	<i>Make Operation Requests</i>
D	<i>Delete or Update Operation Requests</i>
W	<i>Make a Request from the Waiting List</i>
CC	<i>Make a Request for Concurrent Cases</i>
V	<i>Review Request Information</i>
OR	<i>Operation Requests for a Day</i>
WR	<i>Requests by Ward</i>

## Display Availability [SRODISP]

The *Display Availability* option is used to check on the availability of an operating room before booking an operation. This option allows the user to view the availability of operating rooms on a blockout graph. This screen is “read-only” with no editing capabilities.

Scheduled operations display on the graph as an equal sign (=) followed by the letter X. The equal sign before the X indicates the beginning of a scheduled operation. Surgical specialty blockouts are indicated by an abbreviation for the service (for more information on service blockouts, a function of the Scheduling menu, see the *Create Service Blockouts* option).

After entering this option, the user has a choice of viewing the room availability on the blockout graph in two ways. The user can either view all rooms for a particular date (as in Example 1) or view a particular operating room for a range of dates (Example 2). Notice, in the first example, that the user can also list requests, if any have been made.

### Condensed Characters

If the display terminal can print condensed characters, a 24-hour graph will display on the screen. If not, the user will be prompted to select one of three graphs representing different chunks of that day.

#### Example 1: All O.R.S For One Day

```
Select Request Operations Option:  A Display Availability
```

```
Do you want to view all Operating Rooms on one day ?  YES //  <Enter>
```

```
Do you want to list requests also ?  NO//  <Enter>
```

```
Display Operating Room Availability for which Date ?  T  (DEC 10, 2003)
```

```
Display of Available Operating Room Time
```

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

```
Select Number: 2//  <Enter>
```

ROOM	6AM	7	8	9	10	11	12	13	14	15	16	17	18	19	20
OR1	=XXX	XXXX	XXXX	gen.	gen.	gen.									
OR2															
OR3															
OR4															
OR5															
OR6															

```
Press RETURN to continue
```



Example 2: One O.R. for a Date Range

Select Request Operations Option: **A** Display Availability

Do you want to view all Operating Rooms on one day ? YES // **N**

Begin Display on which Date ? **T** (APR 14, 2003)

Select OPERATING ROOM NAME: **OR1**

Display of Available Operating Room Time

- 1. Display Availability (12:00 AM - 12:00 PM)
- 2. Display Availability (06:00 AM - 08:00 PM)
- 3. Display Availability (12:00 PM - 12:00 AM)

Select Number: 2// **<Enter>**

Operating Room: OR1 (6:00 AM - 8:00 PM)

DATE	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
04-14-03							eye.	eye.							
04-15-03		eye.	eye.	eye.	eye.	eye.									
04-16-03		gen.	gen.	gen.	gen.	gen.									
04-17-03															
04-18-03															
04-19-03							eye.	eye.	eye.	eye.					
04-20-03															
04-21-03							eye.	eye.							
04-22-03		eye.	eye.	eye.	eye.	eye.									
04-23-03	=XXX	XXXX	XXXX	gen.	gen.	gen.									
04-24-03															
04-25-03															
04-26-03							eye.	eye.	eye.	eye.					
04-27-03															
04-28-03							eye.	eye.							

Press RETURN to continue

## Make Operation Requests [SROOPREQ]

The *Make Operation Requests* option allows the resident surgeon or scheduling manager to request an operation for a patient on a specific day. To request an operation the user must know the patient name, the operative procedure to be performed, and the date on which to book the procedure.

This option also asks for detailed information concerning the upcoming operation. First, the user will be prompted to enter required information, including the Date of Operation, Surgeon, Surgical Specialty, Principal Procedure, and indications for the operation. Facilities can set up additional required fields using the *Surgery Site Parameters (Enter/Edit)* option within the *Surgery Package Management* menu. Then, the user will be prompted to enter procedure information, such as the estimated case length, blood product information, and other information about the operation.

The user should enter as much information as possible when making the request. Later, more information can be added or corrections can be made by using the *Delete or Update Operation Requests* option.

### About Outstanding Requests

When the patient name is entered, the software will list any requests that have been made but not scheduled. These requests are called outstanding requests. If the user discovers that the request being entered has already been made, he or she should respond **YES** to the prompt "Do you want to update the outstanding request ? ". Answering **YES** allows the user to view the information and make changes (see the following example).

If the user is entering a new, separate request for the same patient, he or she should respond **NO** to this prompt.

#### Example: Making an Operation Request

```
Select Request Operations Option:  R  Make Operation Requests
Select Patient:      SURPATIENT,NINE      12-09-51      000345555      NSC VETERAN

The following requests are outstanding for SURPATIENT,NINE:

1.  09-15-99
    Release of Hammer Toes
2.  11-20-99
    CHOLECYSTECTOMY

Do you want to update the outstanding request ?  YES// <Enter>

Select Operation Request:  1
```

Prompts that require a response before the user can continue with the option include the following.

- "Make a Request for which Date ?"
- "Surgeon:"
- "Attending Surgeon:"
- "Surgical Specialty:"
- "Principal Operative Procedure:"
- "Principal Preoperative Diagnosis:"

## Entering Preoperative Information

At this prompt:	The user should do this:
Principal Preoperative Diagnosis	Type in the reason this procedure is being performed. The user must enter information into this field prompt before the option can be completed. The information entered in this field will automatically populate the Indications for Operations field, which can be edited through the Screen Server.
Planned Principal Procedure Code (CPT)	Type in the Current Procedural Terminology (CPT) identifying code for each procedure. If the code number is not known, the user can enter the type of operation (i.e., appendectomy) or a body organ and select from a list of codes.
Estimated Case Length (HOURS:MINUTES)	Either accept the default answer by pressing the <Enter> key, or enter a number for the length of time needed for this procedure. If a CPT Code is entered, the software will display the average length of time for the procedure based on the Surgical Specialty and CPT Code.
Brief Clinical History	This information will display on the Tissue Examination Report. It should contain any information relevant to the specimens being sent to the laboratory. This is a word-processing field.

-----chart continues-----

At this prompt:	The user should do this:
Select REQ BLOOD KIND	<p>Enter the type of blood product that will be needed for the operation.</p> <p>The package coordinator can select a default response to this prompt when installing the package. If the default product is not what is wanted for a case, it can be deleted by entering the at-sign (@) at this prompt. The user can then select the preferred blood product (enter two question marks for a list of blood products).</p> <p>If no blood products are needed, do not enter <b>NO</b> or <b>NONE</b>. Instead, press the <b>&lt;Enter&gt;</b> key to bypass this prompt.</p> <p>To order more than one product for the same case, use the screen server summary that concludes the option and select item 9, REQ BLOOD KIND. This is a multiple field; as many blood products as needed may be entered.</p>
Requested Preoperative X-Rays	<p>Enter the types of preoperative x-ray films and reports required for delivery to the operating room before the operation. This field may be left blank if the user does not intend to order any x-ray products.</p>
Request Clean or Contaminated	<p>Enter the letter code <b>C</b> for clean or <b>D</b> for contaminated, or type in the first few letters of either word. This information allows the scheduling manager to determine how much time is needed between operations for sanitizing a room.</p>

## Example: Make Operation Requests

Select Request Operations Option: **R** Make Operation Requests

Select Patient: SURPATIENT,TWENTY 03-27-40 000454886

The following request is outstanding for SURPATIENT,TWENTY:

1. 03-09-2002  
CARPAL TUNNEL RELEASE

Do you want to update the outstanding request ? YES// **N**

Do you want to make a new request for SURPATIENT,TWENTY ? NO// **Y**

Make a Request for which Date ? **12/1** (DEC 01, 2004)

### OPERATION REQUEST: REQUIRED INFORMATION

SURPATIENT,TWENTY (000-45-4886) DEC 1, 2004  
=====

Surgeon: **SURSURGEON,ONE**  
Attending Surgeon: **SURSURGEON,ONE**  
Surgical Specialty: **GENERAL**(OR WHEN NOT DEFINED BELOW) 50  
Principal Operative Procedure: **CHOLECYSTECTOMY**  
Principal Preoperative Diagnosis: **CHOLELITHIASIS**

The information entered into the Principal Preoperative Diagnosis field  
has been transferred into the Indications for Operation field.  
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue **<Enter>**

### OPERATION REQUEST: PROCEDURE INFORMATION

SURPATIENT,TWENTY (000-45-4886) DEC 1, 2004  
=====

Principal Procedure: CHOLECYSTECTOMY  
Planned Principal Procedure Code (CPT): **47480** INCISION OF GALLBLADDER  
CHOLECYSTOTOMY OR CHOLECYSTOSTOMY WITH EXPLORATION, DRAINAGE, OR REMOVAL  
OF CALCULUS (SEPARATE PROCEDURE) ACTIVE

Modifier: **66** SURGICAL TEAM

Modifier: **<Enter>**

Select OTHER PROCEDURE: **<Enter>**

Estimated Case Length (HOURS:MINUTES): **2:45**

Brief Clinical History:

1>**SUBSCAPULAR PAIN FOR 3 DAYS. NAUSEA AND VOMITING. ACHOLIC**

2>**STOOLS. CHOLANGIOGRAM SHOWS COMMON DUCT OBSTRUCTION.**

3>**<Enter>**

EDIT Option: **<Enter>**

Enter a "^^" at this  
prompt to bypass  
entering additional  
information related  
to this request.

```

OPERATION REQUEST: BLOOD INFORMATION

SURPATIENT,TWENTY (000-45-4886)                                DEC  1, 2004
=====
Request Blood Availability ? YES//  <Enter>
Type and Crossmatch, Screen, or Autologous ? TYPE & CROSSMATCH// <Enter>  TYPE & CROSSMATCH
Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// @
  SURE YOU WANT TO DELETE THE ENTIRE REQ BLOOD KIND? Y (YES)
Select REQ BLOOD KIND: FAL  FRESH FROZEN PLASMA, CPDA-1      18201
Units Required: 2

```

```

OPERATION REQUEST: OTHER INFORMATION

SURPATIENT,TWENTY (000-45-4886)                                DEC  1, 2004
=====
Principal Preoperative Diagnosis: CHOLELITHIASIS//  <Enter>
Prin Pre-OP ICD Diagnosis Code: 574.01  574.01  CHOLELITH/AC GB INF-OBST (w C/C
)
  ...OK? Yes//  <Enter> (YES)
Hospital Admission Status: I//  <Enter>  INPATIENT
Case Schedule Type: U  URGENT
First Assistant: SURSURGEON,TWO
Second Assistant: <Enter>
Requested Postoperative Care: WARD      W
Case Schedule Order: 1
Select SURGERY POSITION: SUPINE//  <Enter>
  Surgery Position: SUPINE//  <Enter>
Requested Anesthesia Technique: GENERAL <Enter>  GENERAL
Request Frozen Section Tests (Y/N/C): N  NO
Requested Preoperative X-Rays: ABDOMIN
Intraoperative X-Rays (Y/N): N
Request Medical Media (Y/N): N
Request Clean or Contaminated: CLEAN
Select REFERRING PHYSICIAN: <Enter>
General Comments: <Enter>
  No existing text
  Edit? NO//  <Enter>
SPD Comments: <Enter>
  No existing text
  Edit? NO//  <Enter>

```

After entering the request information, the Screen Server redisplay all fields, providing an opportunity to the user to update the information.

```

** REQUESTS **      CASE #227  SURPATIENT,TWENTY              PAGE 1 OF 3

1  PRINCIPAL PROCEDURE: CHOLECYSTECTOMY
2  OTHER PROCEDURES: (MULTIPLE)
3  PLANNED PRIN PROCEDURE CODE: 47480-66
4  PRINCIPAL PRE-OP DIAGNOSIS: CHOLELITHIASIS
5  PRIN PRE-OP ICD DIAGNOSIS CODE: 574.01
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  IN/OUT-PATIENT STATUS: INPATIENT
8  PRE-ADMISSION TESTING:
9  CASE SCHEDULE TYPE: URGENT
10 SURGERY SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)
11 SURGEON:          SURSURGEON,ONE
12 FIRST ASST:      SURSURGEON,TWO
13 SECOND ASST:
14 ATTEND SURG:     SURSURGEON,ONE
15 REQ POSTOP CARE:  WARD

Enter Screen Server Function: <Enter>

```

\*\* REQUESTS \*\* CASE #227 SURPATIENT,TWENTY PAGE 2 OF 3

1 CASE SCHEDULE ORDER: 1  
2 SURGERY POSITION: (MULTIPLE)(DATA)  
3 REQ ANESTHESIA TECHNIQUE: GENERAL  
4 REQ FROZ SECT: NO  
5 REQ PREOP X-RAY: ABDOMIN  
6 INTRAOPERATIVE X-RAYS: NO  
7 REQUEST BLOOD AVAILABILITY: YES  
8 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH  
9 REQ BLOOD KIND: (MULTIPLE)(DATA)  
10 REQ PHOTO: NO  
11 REQ CLEAN OR CONTAMINATED: CLEAN  
12 REFERRING PHYSICIAN: (MULTIPLE)  
13 GENERAL COMMENTS: (WORD PROCESSING)  
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)  
15 BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

\*\* REQUESTS \*\* CASE #227 SURPATIENT,TWENTY PAGE 3 OF 3

1 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

A request has been made for SURPATIENT,TWENTY on 12-01-01.

Press RETURN to continue

## **Service Classifications**

The Surgery software allows the user to associate a patient's Service Classification status when entering or editing a surgical case or Non-OR procedure. Service Classifications can be designated for a surgical case *only* if the veteran is first registered with these designations.

The Service Classifications that the user selects for the case also apply to the principal diagnosis.



These classifications default to each Other Postop Diagnosis as they are added to the case.

---

## **Updating an Operation Request with Service Classification Information**

After the user selects the patient and enters the required data, a screen displays with questions about the Service Classifications.



If the patient is not enrolled, or his/her status is not populated in enrollment, the software displays the text “*SC/NSC status not found, N will be defaulted into all SC/EI categories.*” The software defaults **N** into all Service Connected/Environmental Indicator fields related to the case.

---

If the user changes the SC/EI classifications at the case level, the software prompts the user with the message “*Update all ‘OTHER POSTOP DIAGNOSIS’ Eligibility and Service Connected Conditions with these values?’*”



The following example depicts Service Classification status change when the user updates a case.

The user can also edit diagnosis classification status individually using the *Surgeon's Verification of Diagnosis & Procedures* option or the *Update/Verify Procedure/Diagnosis Codes* option.

Example: Make an Operation Request with Service Classification Information

```
SURPATIENT,TEN (000-12-3456)          ALLIED VETERAN

* * * Eligibility Information and Service Connected Conditions * * *

Primary Eligibility: SERVICE CONNECTED 50% to 100%
Combat Vet: NO    A/O Exp.: YES    M/S Trauma: NO
ION Rad.: YES    SWAC: YES        H/N Cancer: NO
PROJ 112/SHAD: YES

          SC Percent: 100%
Rated Disabilities: NONE STATED
-----

Please supply the following required information about this operation:

Treatment related to Service Connected condition (Y/N): N NO
Treatment related to Agent Orange (Y/N): N NO
Treatment related to Ionizing Radiation Exposure (Y/N): N NO
Treatment related to SW Asia (Y/N): N NO
Treatment related to PROJ 112/SHAD (Y/N): YES YES

Update all 'OTHER POSTOP DIAGNOSIS' Eligibility and
Service Connected Conditions with these values? Enter YES or NO. <NO> Y

Press RETURN to continue
```

## Delete or Update Operation Requests [SRSUPRQ]

The *Delete or Update Operation Requests* option is used to delete a request, to update information, or to change the date of a requested operation. When a user enters this option and selects a patient's name and case, he or she can choose one of the three functions. The three functions are explained below and the next few pages contain examples of how to use them.

The prompts differ for concurrent cases (operations performed by two different specialties at the same time on the same patient), as illustrated in Examples 4, 5, and 6. Whenever a user makes a change or updates information for one of the concurrent cases, the software wants to know if the other case is affected.

The three functions available in this option are also available in the *Request Operations* option when the user selects an outstanding request.

<b>With this function:</b>	<b>The user can:</b>
Delete	Permanently remove an operation request from the software files (Examples 1 and 4). Example 4 shows the deletion of one operation in a set of concurrent cases.
Update Request Information	Change the length of the operation and edit other data fields that were entered earlier (Example 2). The software can automatically update each case in a set of two concurrent cases (Example 5).
Change the Request Date	Alter the operation date of the request (Examples 3 and 6). For a set of concurrent cases to remain concurrent, the user must change the request date for both operations (Example 6).

### Example 1: Delete a Request

```
Select Request Operations Option: D Delete or Update Operation Requests
Select Patient: SURPATIENT,NINE 12-09-51 000345555 NSC VETERAN

The following cases are requested for SURPATIENT,NINE:

1. 08-15-01 CHOLECYSTECTOMY
2. 09-15-01 Release of Hammer Toes

Select Operation Request: 2

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: 1

Are you sure that you want to delete this request ? YES// <Enter>

Deleting Operation ...

Press RETURN to continue
```

### Example 2: Update Request Information

```
Select Request Operations Option: D Delete or Update Operation Requests
Select Patient: SURPATIENT,TWENTY 03-27-40 000454886

The following case is requested for SURPATIENT,TWENTY:

1. 12-01-01 CHOLECYSTECTOMY

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: 2

How long is this procedure ? (HOURS:MINUTES) 2:45 // 2:30
```

```
** UPDATE REQUEST ** CASE #227 SURPATIENT,TWENTY PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: CHOLECYSTECTOMY
2 OTHER PROCEDURES: (MULTIPLE)
3 PLANNED PRIN PROCEDURE CODE: 47480-66
4 PRINCIPAL PRE-OP DIAGNOSIS: CHOLELITHIASIS
5 PRIN PRE-OP ICD DIAGNOSIS CODE 574.01
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)
7 IN/OUT-PATIENT STATUS: INPATIENT
8 PRE-ADMISSION TESTING:
9 CASE SCHEDULE TYPE: URGENT
10 SURGERY SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)
11 SURGEON: SURSURGEON,ONE
12 FIRST ASST: SURSURGEON,TWO
13 SECOND ASST:
14 ATTEND SURG: SURSURGEON,ONE
15 REQ POSTOP CARE: WARD

Enter Screen Server Function: 13
Second Assistant: SURSURGEON,THREE
```

```

** UPDATE REQUEST **   CASE #227  SURPATIENT,TWENTY   PAGE 1 OF 3

1  PRINCIPAL PROCEDURE: CHOLECYSTECTOMY
2  OTHER PROCEDURES:   (MULTIPLE)
3  PLANNED PRIN PROCEDURE CODE: 47480-66
4  PRINCIPAL PRE-OP DIAGNOSIS: CHOLELITHIASIS
5  PRIN PRE-OP ICD DIAGNOSIS CODE: 574.01
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  IN/OUT-PATIENT STATUS: INPATIENT
8  PRE-ADMISSION TESTING:
9  CASE SCHEDULE TYPE: URGENT
10 SURGERY SPECIALTY:  GENERAL(OR WHEN NOT DEFINED BELOW)
11 SURGEON:           SURSURGEON,ONE
12 FIRST ASST:       SURSURGEON,TWO
13 SECOND ASST:      SURSURGEON,THREE
14 ATTEND SURG:      SURSURGEON,ONE
15 REQ POSTOP CARE:  WARD

Enter Screen Server Function:  <Enter>

```

```

** UPDATE REQUEST **   CASE #227  SURPATIENT,TWENTY   PAGE 2 OF 3

1  CASE SCHEDULE ORDER: 1
2  SURGERY POSITION:     (MULTIPLE)(DATA)
3  REQ ANESTHESIA TECHNIQUE: GENERAL
4  REQ FROZ SECT:      NO
5  REQ PREOP X-RAY:    ABDOMIN
6  INTRAOPERATIVE X-RAYS: NO
7  REQUEST BLOOD AVAILABILITY: YES
8  CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH
9  REQ BLOOD KIND:     (MULTIPLE)(DATA)
10 REQ PHOTO:          NO
11 REQ CLEAN OR CONTAMINATED: CLEAN
12 REFERRING PHYSICIAN: (MULTIPLE)
13 GENERAL COMMENTS:   (WORD PROCESSING)
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)
15 BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function:  <Enter>

```

```

** UPDATE REQUEST **   CASE #227  SURPATIENT,TWENTY   PAGE 3 OF 3

1  SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function:  <Enter>

```

**Example 3: Change the Request Date**

```

Select Request Operations Option: D Delete or Update Operation Requests
Select Patient:   SURPATIENT,TWENTY      03-27-40      000454886

```

```

The following case is requested for SURPATIENT,TWENTY:

1. 12-01-01  CHOLECYSTECTOMY

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: 3

Change to which Date ? 11/30 (NOV 30, 2001)

The request for SURPATIENT,TWENTY has been changed to NOV 30, 2001.

Press RETURN to continue

```

## Deleting or Updating Requests for Concurrent Cases

Any changes made to one concurrent case can affect the other case. When one of the concurrent cases is deleted, a prompt will ask if the user wishes to delete the other case also. If the user responds with **NO**, the remaining operation will stay in the records as a single case. When the user changes the date of one operation of a concurrent case, the user must simultaneously change the date for the other operation, otherwise the operations will no longer be considered concurrent.

When updating a response to a prompt or group of related prompts, the software will ask if the user wants to store (meaning duplicate) the information in the other case. This saves time by storing the information into the other case so that it does not have to be entered again. If the user does not want the prompt response duplicated for the other case, enter **N** or **NO**.

### Example 4: Delete a Request for Concurrent Cases

```
Select Request Operations Option: D Delete or Update Operation Requests
Select Patient: SURPATIENT,FOUR 01-16-35 000170555 NSC VETERAN
```

The following cases are requested for SURPATIENT,FOUR:

1. 03-15-05 APPENDECTOMY
2. 08-15-05 CAROTID ARTERY ENDARTERECTOMY
3. 08-15-05 AORTO CORONARY BYPASS

Select Operation Request: **2**

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: **1**

Are you sure that you want to delete this request ? YES// **<Enter>**

A concurrent case has been requested for this operation. Do you want to delete the request for it also ? YES// **<Enter>**

Deleting Operation ...

Deleting Concurrent Operation ...

Press **<Enter>** to continue **<Enter>**

Responding **YES** here will delete both operation requests. **NO** leaves the single remaining case, no longer concurrent.

### Example 5: Update Request Information for a Concurrent Case

```
Select Request Operations Option: Delete or Update Operation Requests
Select Patient: SURPATIENT,TWELVE 02-12-28 000418719
```

The following cases are requested for SURPATIENT,TWELVE:

1. 03-16-05 CAROTID ARTERY ENDARTERECTOMY
2. 03-16-05 AORTO CORONARY BYPASS GRAFT

Select Operation Request: **1**

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: **2**

How long is this procedure ? (HOURS:MINUTES) 1:30 // **<Enter>**

```

** UPDATE REQUEST **      CASE #178  SURPATIENT,TWELVE      PAGE 1 OF 3

1  PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY
2  OTHER PROCEDURES:      (MULTIPLE)
3  PLANNED PRIN PROCEDURE CODE: 35301-59
4  PRINCIPAL PRE-OP DIAGNOSIS:
5  PRIN PRE-OP ICD DIAGNOSIS CODE:
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  IN/OUT-PATIENT STATUS:
8  PRE-ADMISSION TESTING:
9  CASE SCHEDULE TYPE: STANDBY
10 SURGERY SPECIALTY: PERIPHERAL VASCULAR
11 SURGEON: SURSURGEON,ONE
12 FIRST ASST:
13 SECOND ASST:
14 ATTEND SURG: SURSURGEON,ONE
15 REQ POSTOP CARE: SICU

Enter Screen Server Function: 4;5;8
Principal Preoperative Diagnosis: CAROTID ARTERY STENOSIS
Prin Pre-OP ICD Diagnosis Code: 433.1 'C' CAROTID ARTERY OCCLUSION
COMPLICATION/COMORBIDITY
...OK? YES// <Enter> (YES)

Pre-admission Testing Complete (Y/N): YES YES
Do you want to store this information in the concurrent case ? YES// N

```

```

** UPDATE REQUEST **      CASE #178  SURPATIENT,TWELVE      PAGE 1 OF 3

1  PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY
2  OTHER PROCEDURES:      (MULTIPLE)
3  PLANNED PRIN PROCEDURE CODE: 35301-59
4  PRINCIPAL PRE-OP DIAGNOSIS: CAROTID ARTERY STENOSIS
5  PRIN PRE-OP ICD DIAGNOSIS CODE: 433.10
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  IN/OUT-PATIENT STATUS: INPATIENT
8  PRE-ADMISSION TESTING: YES
9  CASE SCHEDULE TYPE: STANDBY
10 SURGERY SPECIALTY: PERIPHERAL VASCULAR
11 SURGEON: SURSURGEON,ONE
12 FIRST ASST:
13 SECOND ASST:
14 ATTEND SURG: SURSURGEON,ONE
15 REQ POSTOP CARE: SICU

Enter Screen Server Function: <Enter>

```

```

** UPDATE REQUEST **      CASE #178  SURPATIENT,TWELVE      PAGE 2 OF 3

1  CASE SCHEDULE ORDER: 1
2  SURGERY POSITION:      (MULTIPLE)
3  REQ ANESTHESIA TECHNIQUE: GENERAL
4  REQ FROZ SECT: NO
5  REQ PREOP X-RAY: DOPPLER STUDIES
6  INTRAOPERATIVE X-RAYS: NO
7  REQUEST BLOOD AVAILABILITY:
8  CROSSMATCH, SCREEN, AUTOLOGOUS:
9  REQ BLOOD KIND:      (MULTIPLE)
10 REQ PHOTO:
11 REQ CLEAN OR CONTAMINATED: CLEAN
12 REFERRING PHYSICIAN: (MULTIPLE)
13 GENERAL COMMENTS: (WORD PROCESSING)
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)
15 BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

```

\*\* UPDATE REQUEST \*\* CASE #229 SURPATIENT,TWELVE PAGE 3 OF 3

1 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function:

### Example 6: Change the Request Date of Concurrent Cases

Select Request Operations Option: **D** Delete or Update Operation Requests

Select Patient: **SURPATIENT,FOUR** 01-16-35 000170555 NSC VETERAN

The following cases are requested for SURPATIENT,FOUR:

1. 04-04-05 ARTHROSCOPY, RIGHT KNEE
2. 04-04-05 REMOVE MOLE
3. 06-01-05 CAROTID ARTERY ENDARTERECTOMY
4. 06-01-05 AORTO CORONARY BYPASS GRAFT

Select Operation Request: **3**

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: **3**

Change to which Date ? **6/2** (JUN 02, 2005)

There is a concurrent case associated with this operation. Do you want to change the date of it also ? YES// ?

Enter <Enter> if these cases will remain concurrent, or 'NO' if they will no longer be associated together.

There is a concurrent case associated with this operation. Do you want to change the date of it also ? YES// **<Enter>**

The request for SURPATIENT,FOUR has been changed to JUN 2, 2005.

Press RETURN to continue

## Make a Request from the Waiting List [SRSWREQ]

The *Make a Request from the Waiting List* option uses data from the Waiting List to make an operation request. It can save time by moving data from the Waiting List to the request (simultaneously removing it from the waiting list). As with any request, a date for the surgery is required.

After the user enters the patient name, the software will list any operations on the Waiting List for that patient. The user then selects the operative procedure wanted. The software will advise if the patient selected has any outstanding requests.

Each institution might have a daily cutoff time for entering requests. After the cutoff time for a particular day, the users are prohibited from booking a request for an operation to take place through midnight of that day.

When a request is made, the user is asked to provide preoperative information about the case. It is best to enter as much information as available.

### Example: Making A Request From the Waiting List

```
Select Request Operations Option: W Make a Request from the Waiting List
Make a request from the waiting list for which patient ? SURPATIENT,FOURTEEN
08-16-51      000457212
Procedures Entered on the Waiting List for SURPATIENT,FOURTEEN:
1. GENERAL(OR WHEN NOT DEFINED BELOW)   Date Entered on List:  NOV 17, 2005
   REPAIR DIAPHRAGMATIC HERNIA
Is this the correct procedure ?  YES// <Enter>
Make a request for which Date ?  12/1 (DEC 01, 2005)

OPERATION REQUEST: REQUIRED INFORMATION
SURPATIENT,FOURTEEN (000-45-7212)                DEC 1, 2005
=====
Surgeon: SURSURGEON,TWO
Attending Surgeon: SURSURGEON,TWO
Surgical Specialty: GENERAL(OR WHEN NOT DEFINED BELOW)
Principal Operative Procedure: REPAIR DIAPHRAGMATIC HERNIA
Principal Preoperative Diagnosis: ACUTE DIAPHRAGMATIC HERNIA

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue <Enter>
Sending a Notification of Appointment Booking for case #229
```



## OPERATION REQUEST: PROCEDURE INFORMATION

SURPATIENT,FOURTEEN (000-45-7212) DEC 1, 2005

```

=====
Principal Procedure: REPAIR DIAPHRAGMATIC HERNIA
Planned Principal Procedure Code (CPT): 39540 REPAIR OF DIAPHRAGM HERNIA
REPAIR, DIAPHRAGMATIC HERNIA (OTHER THAN NEONATAL), TRAUMATIC; ACUTE
Select OTHER PROCEDURE: <Enter>
Estimated Case Length (HOURS:MINUTES): 2:00
BRIEF CLIN HISTORY:
  1>Patient was reporting indigestion and a burning
  2>sensation in esophagus. Upper GI indicated hernia.
  3><Enter>
EDIT Option: <Enter>

```

## OPERATION REQUEST: BLOOD INFORMATION

SURPATIENT,FOURTEEN (000-45-7212) DEC 1, 2005

```

=====
Request Blood Availability ? YES// <Enter>
Type and Crossmatch, Screen, or Autologous ? TYPE & CROSSMATCH// <Enter> TYPE & CROSSMATCH
Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// <Enter>
  Required Blood Product: CPDA-1 WHOLE BLOOD// <Enter>
  Units Required: 2

```

## OPERATION REQUEST: OTHER INFORMATION

SURPATIENT,FOURTEEN (000-45-7212) DEC 1, 2005

```

=====
Principal Preoperative Diagnosis: ACUTE DIAPHRAGMATIC HERNIA
  Replace <Enter>
Prin Pre-OP ICD Diagnosis Code: 551.3 DIAPHRAGM HERNIA W GANGR (w C/C)
  ...OK? Yes// <Enter> (YES)
Hospital Admission Status: I// <Enter> INPATIENT
Case Schedule Type: S STANDBY
First Assistant: SURSURGEON,ONE
Second Assistant: <Enter>
Requested Postoperative Care: WARD W
Case Schedule Order: <Enter>
Select SURGERY POSITION: SUPINE// <Enter>
  Surgery Position: SUPINE// <Enter>
Requested Anesthesia Technique: GENERAL GENERAL
Request Frozen Section Tests (Y/N): N NO
Requested Preoperative X-Rays: ABDOMEN
Intraoperative X-Rays (Y/N): N NO
Request Medical Media (Y/N): N NO
Request Clean or Contaminated: C CLEAN
Select REFERRING PHYSICIAN: <Enter>
General Comments: <Enter>
  No existing text
  Edit? NO// <Enter>
SPD Comments: <Enter>
  No existing text
  Edit? NO// <Enter>

```

\*\* REQUEST \*\* CASE #229 SURPATIENT,FOURTEEN PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: REPAIR DIAPHRAGMATIC HERNIA  
2 OTHER PROCEDURES: (MULTIPLE)  
3 PLANNED PRIN PROCEDURE CODE: 39540  
4 PRINCIPAL PRE-OP DIAGNOSIS: ACUTE DIAPHRAGMATIC HERNIA  
5 PRIN PRE-OP ICD DIAGNOSIS CODE: 551.3  
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)  
7 IN/OUT-PATIENT STATUS: INPATIENT  
8 PRE-ADMISSION TESTING:  
9 CASE SCHEDULE TYPE: STANDBY  
10 SURGERY SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)  
11 SURGEON: SURSURGEON,TWO  
12 FIRST ASST: SURSURGEON,ONE  
13 SECOND ASST:  
14 ATTEND SURG: SURSURGEON,TWO  
15 REQ POSTOP CARE: WARD

Enter Screen Server Function: <Enter>

\*\* REQUEST \*\* CASE #229 SURPATIENT,FOURTEEN PAGE 2 OF 3

1 CASE SCHEDULE ORDER:  
2 SURGERY POSITION: (MULTIPLE)(DATA)  
3 REQ ANESTHESIA TECHNIQUE: GENERAL  
4 REQ FROZ SECT: NO  
5 REQ PREOP X-RAY: ABDOMEN  
6 INTRAOPERATIVE X-RAYS: NO  
7 REQUEST BLOOD AVAILABILITY: YES  
8 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH  
9 REQ BLOOD KIND: (MULTIPLE)(DATA)  
10 REQ PHOTO: NO  
11 REQ CLEAN OR CONTAMINATED: CLEAN  
12 REFERRING PHYSICIAN: (MULTIPLE)  
13 GENERAL COMMENTS: (WORD PROCESSING)  
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)  
15 BRIEF CLIN HISTORY: (WORD PROCESSING)(DATA)

Enter Screen Server Function: <Enter>

\*\* REQUEST \*\* CASE #229 SURPATIENT,FOURTEEN PAGE 3 OF 3

1 SPD COMMENTS: (WORD PROCESSING)

A request has been made for SURPATIENT,FOURTEEN on 12/01/2005.

Press RETURN to continue:

## **Make a Request for Concurrent Cases [SRSREQCC]**

The *Make a Request for Concurrent Cases* option is used to book concurrent operations. Concurrent cases are two operations performed on the same patient by different surgical specialties simultaneously, or back-to-back in the same room. A request may be made for each case at one time with this option. As usual, whenever a request is entered, the user is asked to provide preoperative information about the case. It is best to enter as much information as possible and update it later if necessary.

### **Mandatory Prompts**

After the patient name has been entered, the user will be prompted to enter some required information about the first case (the mandatory prompts include the date of operation, procedure, surgeon and attending surgeon, principal preoperative diagnosis, and time needed). If a mandatory prompt is not answered, the software will not book the operation and will return the user to the *Request Operations* menu. After answering the prompts for the first case, the user is prompted to answer the same questions about the second case. Then, the software will provide a message that the two requests have been entered and simultaneously prompt the user to select one of the cases for entering detailed information. If the user does not want to enter detailed preoperative information at this time, pressing the **<Enter>** key will send the user to the *Request Operations* menu. In Example 1, detailed information is entered for the first case only.

### **Storing the Request Information**

After most prompts, the software will ask if the user wants to store (meaning duplicate) this information in the concurrent, or other, case. This saves time by storing the information into the other case so that information does not have to be entered again. If the user does not want the prompt response duplicated for the other case, he or she should enter **N** or **NO**.

Finally, the software will display the Screen Server summary and store any duplicated information into the other case. At this point, the software will provide another message that the two requests have been entered and again prompt the user to select either case for entering detailed information. This whole process may be repeated with the other case by selecting the number for it, or pressing the **<Enter>** key to get back to the *Request Operations* menu.

### **Updating the Preoperative Information Later**

Use the *Delete or Update Operation Requests* option to change or update any of the information entered for either or both concurrent cases (Example 2).

### Example 1: Make a Request for Concurrent Cases

Select Request Operations Option: **CC** Make a Request for Concurrent Cases

Request Concurrent Cases for which Patient ? **SURPATIENT,TWELVE** 02-12-28 000418719

Make a Request for Concurrent Cases on which Date ? **12/1** (DEC 01, 1999)

FIRST CONCURRENT CASE  
OPERATION REQUEST: REQUIRED INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005  
=====

Surgeon: **SURSURGEON,ONE**  
Attending Surgeon: **SURSURGEON,TWO**  
Surgical Specialty: **62** PERIPHERAL VASCULAR PERIPHERAL VASCULAR  
62  
Principal Operative Procedure: **CAROTID ARTERY ENDARTERECTOMY**  
Principal Preoperative Diagnosis: **CAROTID ARTERY STENOSIS**

The information entered into the Principal Preoperative Diagnosis field  
has been transferred into the Indications for Operation field.  
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue <Enter>

SECOND CONCURRENT CASE  
OPERATION REQUEST: REQUIRED INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005  
=====

Surgeon: **SURSURGEON,TWO**  
Attending Surgeon: **SURSURGEON,ONE**  
Surgical Specialty: **58** THORACIC SURGERY (INC. CARDIAC SURG.) THORACIC  
SURGERY (INC. CARDIAC SURG.) 58  
Principal Operative Procedure: **AORTO CORONARY BYPASS GRAFT**  
Principal Preoperative Diagnosis: **CORONARY ARTERY DISEASE**

The information entered into the Principal Preoperative Diagnosis field  
has been transferred into the Indications for Operation field.  
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue <Enter>

The following requests have been entered.

1. Case # 230 DEC 1, 2005  
Surgeon: SURSURGEON,ONE PERIPHERAL VASCULAR  
Procedure: CAROTID ARTERY ENDARTERECTOMY
2. Case # 231 DEC 1, 2005  
Surgeon: SURSURGEON,TWO THORACIC SURGERY (INC. CARDIAC SURG.)  
Procedure: AORTO CORONARY BYPASS GRAFT

1. Enter Request Information for Case #230
2. Enter Request Information for Case #231

Select Number: (1-2): **2**

SECOND CONCURRENT CASE  
OPERATION REQUEST: PROCEDURE INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005  
=====

Principal Procedure: AORTO CORONARY BYPASS GRAFT  
Planned Principal Procedure Code (CPT): **35526** ARTERY BYPASS GRAFT  
Modifiers: -66 SURGICAL TEAM  
Select OTHER PROCEDURE: **<Enter>**  
Estimated Case Length (HOURS:MINUTES): **3:30**  
BRIEF CLIN HISTORY:  
1>**CARDIAC CATH SHOWS 80% OCCLUSION OF THE LAD, 75% OCCLUSION OF**  
2>**RIGHT CORONARY. ALSO, ANTERIOR INFERIOR HYPOKINESIS WITH**  
3>**POOR LEFT VENTRICULAR FUNCTION, 27%.**  
4>**<Enter>**  
EDIT Option: **<Enter>**

SECOND CONCURRENT CASE  
OPERATION REQUEST: BLOOD INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005  
=====

Request Blood Availability ? N// **YES**  
Type and Crossmatch, Screen, or Autologous ? TYPE & CROSSMATCH// **<Enter>** TYPE & CROSSMATCH  
Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// **@**  
SURE YOU WANT TO DELETE THE ENTIRE REQ BLOOD KIND? **Y** (YES)  
Select REQ BLOOD KIND: **04061** CPDA-1 RED BLOOD CELLS, DIVIDED UNIT 04061  
Units Required: **4**

SECOND CONCURRENT CASE  
OPERATION REQUEST: OTHER INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005  
=====

Prin Pre-OP ICD Diagnosis Code: **996.03** 996.03 'C' MALFUNC CORON BYPASS GRF  
COMPLICATION/COMORBIDITY  
...OK? YES// **<Enter>** (YES)  
Hospital Admission Status: I// **<Enter>** INPATIENT

Do you want to store this information in the concurrent case ? YES// **<Enter>**

Case Schedule Type: **S** STANDBY

Do you want to store this information in the concurrent case ? YES// **<Enter>**

First Assistant: **SURSURGEON,SIX**  
Second Assistant: **<Enter>**  
Requested Postoperative Care: **SICU**

Do you want to store this information in the concurrent case ? YES// **<Enter>**

Case Schedule Order: **2**

Do you want to store this information in the concurrent case ? YES// **N**

Select SURGERY POSITION: SUPINE// **<Enter>**  
Surgery Position: SUPINE// **<Enter>**  
Requested Anesthesia Technique: **GENERAL**

Do you want to store this information in the concurrent case ? YES// **<Enter>**

Request Frozen Section Tests (Y/N): **N** NO  
Do you want to store this information in the concurrent case ? YES// **<Enter>**  
Requested Preoperative X-Rays: **DOPPLER STUDIES**

Do you want to store this information in the concurrent case ? YES// **N**  
 Intraoperative X-Rays (Y/N): **N** NO  
 Do you want to store this information in the concurrent case ? YES// **<Enter>**  
 Request Medical Media (Y/N): **N** NO  
 Do you want to store this information in the concurrent case ? YES// **<Enter>**  
 Request Clean or Contaminated: **C** CLEAN  
 Do you want to store this information in the concurrent case ? YES// **<Enter>**  
 Select REFERRING PHYSICIAN: **<Enter>**  
 General Comments: **<Enter>**  
 No existing text  
 Edit? NO// **<Enter>**  
 SPD Comments: **<Enter>**  
 No existing text  
 Edit? NO// **<Enter>**

The information to be duplicated in the concurrent case will now be entered....

```

** REQUESTS **      CASE #231  SURPATIENT,TWELVE                PAGE 1 OF 3
1  PRINCIPAL PROCEDURE: AORTO CORONARY BYPASS GRAFT
2  OTHER PROCEDURES:   (MULTIPLE)
3  PLANNED PRIN PROCEDURE CODE: 35526-66
4  PRINCIPAL PRE-OP DIAGNOSIS: CORONARY ARTERY DISEASE
5  PRIN PRE-OP ICD DIAGNOSIS CODE: 996.03
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  IN/OUT-PATIENT STATUS: INPATIENT
8  PRE-ADMISSION TESTING:
9  CASE SCHEDULE TYPE: STANDBY
10 SURGERY SPECIALTY:  THORACIC SURGERY (INC. CARDIAC SURG.)
11 SURGEON:             SURSURGEON,TWO
12 FIRST ASST:         SURSURGEON,SIX
13 SECOND ASST:
14 ATTEND SURG:       SURSURGEON,TWO
15 REQ POSTOP CARE:   SICU
Enter Screen Server Function:  <Enter>

```

```

** REQUESTS **      CASE #231  SURPATIENT,TWELVE                PAGE 2 OF 3
1  CASE SCHEDULE ORDER: 2
2  SURGERY POSITION:     (MULTIPLE)(DATA)
3  REQ ANESTHESIA TECHNIQUE: GENERAL
4  REQ FROZ SECT:      NO
5  REQ PREOP X-RAY:    DOPPLER STUDIES
6  INTRAOPERATIVE X-RAYS: NO
7  REQUEST BLOOD AVAILABILITY: YES
8  CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH
9  REQ BLOOD KIND:     (MULTIPLE)(DATA)
10 REQ PHOTO:          NO
11 REQ CLEAN OR CONTAMINATED: CLEAN
12 REFERRING PHYSICIAN: (MULTIPLE)
13 GENERAL COMMENTS:   (WORD PROCESSING)
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)
15 BRIEF CLIN HISTORY: (WORD PROCESSING)(DATA)
Enter Screen Server Function:  <Enter>

```

1 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

The following requests have been entered.

1. Case # 230 DEC 1, 2005  
Surgeon: SURSURGEON,ONE PERIPHERAL VASCULAR  
Procedure: CAROTID ARTERY ENDARTERECTOMY
2. Case # 231 DEC 1, 2005  
Surgeon: SURSURGEON,TWO THORACIC SURGERY (INC. CARDIAC SURG.)  
Procedure: AORTO CORONARY BYPASS GRAFT

1. Enter Request Information for Case #230
2. Enter Request Information for Case #231

Select Number: (1-2):

## Example 2: Update Request Information for a Concurrent Case

```
Select Request Operations Option: D Delete or Update Operation Requests
Select Patient:      SURPATIENT,TWELVE      02-12-28      000418719
```

The following cases are requested for SURPATIENT,TWELVE:

1. 03-09-05 REMOVE FACIAL LESIONS
2. 12-01-05 CAROTID ARTERY ENDARTERECTOMY
3. 12-01-05 AORTO CORONARY BYPASS GRAFT

Select Operation Request: **2**

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: **2**

How long is this procedure ? (HOURS:MINUTES) // **1:30**

```
** UPDATE REQUEST **      CASE #230 SURPATIENT,TWELVE      PAGE 1 OF 3

1  PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY
2  OTHER PROCEDURES: (MULTIPLE)
3  PLANNED PRIN PROCEDURE CODE: 35301-59
4  PRINCIPAL PRE-OP DIAGNOSIS: CAROTID ARTERY STENOSIS
5  PRIN PRE-OP ICD DIAGNOSIS CODE:
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  IN/OUT-PATIENT STATUS: INPATIENT
8  PRE-ADMISSION TESTING:
9  CASE SCHEDULE TYPE: STANDBY
10 SURGERY SPECIALTY: PERIPHERAL VASCULAR
11 SURGEON: SURSURGEON,ONE
12 FIRST ASST:
13 SECOND ASST:
14 ATTEND SURG: SURSURGEON,TWO
15 REQ POSTOP CARE: SICU

Enter Screen Server Function: 5
Prin Pre-OP ICD Diagnosis Code: 433.1 433.1 'C' CAROTID ARTERY OCCLUSION
COMPLICATION/COMORBIDITY
...OK? YES// <Enter> (YES)
```

```
** UPDATE REQUEST **      CASE #230 SURPATIENT,TWELVE      PAGE 1 OF 3

1  PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY
2  OTHER PROCEDURES: (MULTIPLE)
3  PLANNED PRIN PROCEDURE CODE: 35301-59
4  PRINCIPAL PRE-OP DIAGNOSIS: CAROTID ARTERY STENOSIS
5  PRIN PRE-OP ICD DIAGNOSIS CODE: 433.10
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  IN/OUT-PATIENT STATUS: INPATIENT
8  PRE-ADMISSION TESTING:
9  CASE SCHEDULE TYPE: STANDBY
10 SURGERY SPECIALTY: PERIPHERAL VASCULAR
11 SURGEON: SURSURGEON,ONE
12 FIRST ASST:
13 SECOND ASST:
14 ATTEND SURG: SURSURGEON,TWO
15 REQ POSTOP CARE: SICU

Enter Screen Server Function: <Enter>
```



\*\* UPDATE REQUEST \*\*    CASE #230    SURPATIENT,TWELVE    PAGE 2 OF 3

1    CASE SCHEDULE ORDER:  
2    SURGERY POSITION:    (MULTIPLE)  
3    REQ ANESTHESIA TECHNIQUE: GENERAL  
4    REQ FROZ SECT:        NO  
5    REQ PREOP X-RAY:  
6    INTRAOPERATIVE X-RAYS: NO  
7    REQUEST BLOOD AVAILABILITY:  
8    CROSSMATCH, SCREEN, AUTOLOGOUS:  
9    REQ BLOOD KIND:        (MULTIPLE)  
10    REQ PHOTO:            NO  
11    REQ CLEAN OR CONTAMINATED: CLEAN  
12    REFERRING PHYSICIAN: (MULTIPLE)  
13    GENERAL COMMENTS:    (WORD PROCESSING)  
14    INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)  
15    BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function:    <Enter>

\*\* UPDATE REQUEST \*\*    CASE #230    SURPATIENT,TWELVE    PAGE 3 OF 3

1    SPD COMMENTS:            (WORD PROCESSING)

Enter Screen Server Function:

## Review Request Information [SROREQV]

Surgeons and nurses use the *Review Request Information* option to edit or review the preoperative information that was entered when the case was requested. This option can be accessed after the case has been scheduled.

### Example: Review Request Information

```
Select Request Operations Option: V Review Request Information
Select Patient: SURPATIENT,ONE 02-23-53 000447629
```

```
SURPATIENT,ONE
```

```
1. 03-09-99 REVISE MEDIAN NERVE (REQUESTED)
```

```
Select Operation: 1
```

```
** REVIEW REQUEST ** CASE #35 SURPATIENT,ONE PAGE 1 OF 2
```

```
1 PRINCIPAL PROCEDURE: REVISE MEDIAN NERVE
2 OTHER PROCEDURES: (MULTIPLE)
3 PLANNED PRIN PROCEDURE CODE: 64721
4 PRINCIPAL PRE-OP DIAGNOSIS: CARPAL TUNNEL SYNDROME
5 PRIN PRE-OP ICD DIAGNOSIS CODE: 354.0
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)
7 IN/OUT-PATIENT STATUS: INPATIENT
8 CASE SCHEDULE TYPE: ELECTIVE
9 SURGERY SPECIALTY: ORTHOPEDICS
10 SURGEON: SURSURGEON,ONE
11 FIRST ASST: SURSURGEON,THREE
12 SECOND ASST: SURSURGEON,TWO
13 ATTEND SURG: SURSURGEON,ONE
14 REQ POSTOP CARE: WARD
15 CASE SCHEDULE ORDER: 2ND
```

```
Enter Screen Server Function: <Enter>
```

```
** REVIEW REQUEST ** CASE #35 SURPATIENT,ONE PAGE 2 OF 2
```

```
1 SURGERY POSITION: (MULTIPLE)(DATA)
2 REQ ANESTHESIA TECHNIQUE: GENERAL
3 REQ FROZ SECT:
4 REQ PREOP X-RAY: CARPAL TUNNEL, R WRIST
5 INTRAOPERATIVE X-RAYS:
6 REQUEST BLOOD AVAILABILITY: NO
7 CROSSMATCH, SCREEN, AUTOLOGOUS:
8 REQ BLOOD KIND: (MULTIPLE)
9 REQ PHOTO:
10 REQ CLEAN OR CONTAMINATED: CLEAN
11 REFERRING PHYSICIAN: (MULTIPLE)
12 GENERAL COMMENTS: (WORD PROCESSING)
13 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)
14 BRIEF CLIN HISTORY: (WORD PROCESSING)
```

```
Enter Screen Server Function:
```



Example 2: Long Form

Select Request Operations Option: OR Operation Requests for a Day
Print Requests for which date ? 3/15 (MAR 15, 1999)
Would you like the long or short form ? SHORT// L
Do you want the requests for all surgical specialties ? YES// N
Print Requests for which Surgical Specialty ? GENERAL
(OR WHEN NOT DEFINED BELOW) GENERAL(OR WHEN NOT DEFINED BELOW) 50
Print the Requests on which Device: HOME// [Select Print Device]

-----printout follows-----

=====
OPERATION REQUESTS FOR GENERAL(OR WHEN NOT DEFINED BELOW)
ON MAR 15, 1999
-----

Patient: SURPATIENT,TWENTY ID #: 000-45-4886
Age: 51 Ward: NOT ENTERED
Surgeon: SURSURGEON,ONE Attending: SURSURGEON,ONE
Preoperative Diagnosis: CHOLELITHIASIS

Principal Procedure: CHOLECYSTECTOMY
Other Procedures: INTRAOPERATIVE CHOLANGIOGRAM
Estimated Case Length: 2:30

Req. Anesthesia Technique: GENERAL
Blood Requested: CPDA-1 WHOLE BLOOD UNITS
FRESH FROZEN PLASMA, CPDA-1 2 UNITS
Restrains: SAFETY STRAP
Requested by: SURNURSE,ONE on JAN 7, 1999 13:45

Press <Enter> to continue, or '^' to quit: <Enter>

=====
OPERATION REQUESTS FOR GENERAL(OR WHEN NOT DEFINED BELOW)
ON MAR 15, 1999
-----

Patient: SURPATIENT,FOURTEEN ID #: 000-45-7212
Age: 48 Ward: 1 SOUTH
Surgeon: SURSURGEON,TWO Attending: SURSURGEON,TWO
Preoperative Diagnosis: ACUTE DIAPHRAGMATIC HERNIA

Principal Procedure: REPAIR DIAPHRAGMATIC HERNIA
Estimated Case Length: 2:00

Req. Anesthesia Technique: GENERAL
Blood Requested: CPDA-1 WHOLE BLOOD 2 UNITS
Restrains: SAFETY STRAP
Requested by: SURNURSE,ONE on JAN 13, 1999 14:39

Press RETURN to continue <Enter>

## Requests by Ward [SROWRQ]

Users can utilize the *Requests by Ward* option to print request information for patients in all wards or a specific ward. The first prompt asks if the user wants to print the requests for all wards. If not, accept the **NO** default and the next prompt will ask "Print schedule for which ward?". If the user enters a question mark (?), the help screen will list the ward names from which to choose. Patients not assigned to a ward are listed under the category "Outpatient."

This report prints in an 80-column format and can be viewed on the screen.

### Example: Print Requests by Ward

```
Select Request Operations Option:  WR  Requests by Ward
```

```
Do you wish to print the requests for all wards ?  NO// Y
```

```
Print Requests on which Device:  [Select Print Device]
```

-----printout follows-----

#### Requests for Operations

Ward: 1 SOUTH

```
=====
Patient: SURPATIENT,FOURTEEN (000-45-7212)           Case Number: 180
Date of Operation:   03/15/99           Case Order:
Requested Anesthesia: GENERAL
Operation(s): REPAIR DIAPHRAGMATIC HERNIA
```

Comments:

Press RETURN to continue or '^' to quit. <Enter>

#### Requests for Operations

Ward: 2 WEST

```
=====
Patient: SURPATIENT,TWELVE (000-41-8719)           Case Number: 178
Date of Operation:   03/15/99           Case Order: 1
Requested Anesthesia: GENERAL
Operation(s): CAROTID ARTERY ENDARTERECTOMY
```

Comments:

```
Concurrent Case Number: 179
Procedure: AORTO CORONARY BYPASS GRAFT
```

Comments:

```
=====
Patient: SURPATIENT,TWELVE (000-41-8719)           Case Number: 179
Date of Operation:   03/15/99           Case Order: 1
Requested Anesthesia: GENERAL
Operation(s): AORTO CORONARY BYPASS GRAFT
```

Comments:

```
Concurrent Case Number: 178
Procedure: CAROTID ARTERY ENDARTERECTOMY
```

Comments:

Press RETURN to continue or '^' to quit. <Enter>

Requests for Operations

Ward: OUTPATIENT

Patient: SURPATIENT,FIFTEEN (000-98-1234) Case Number: 172  
Date of Operation: 03/25/99 Case Order:  
Requested Anesthesia:  
Operation(s): HEMMORHOIDECTOMY

Comments:

Patient: SURPATIENT,TWENTY (000-45-4886) Case Number: 173  
Date of Operation: 03/15/99 Case Order:  
Requested Anesthesia: GENERAL  
Operation(s): CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM

Comments:

Patient: SURPATIENT,SIXTEEN (000-11-1111) Case Number: 175  
Date of Operation: 03/14/99 Case Order:  
Requested Anesthesia: LOCAL  
Operation(s): REMOVE BUNION

Comments:

# List Operation Requests

[SRSRBS]

Users can use the *List Operation Requests* option to produce a list of requested cases, including cases on the Waiting List. This report sorts by ward or surgical specialty.

This report prints in an 80-column format and can be viewed on the screen.

## Example 1: List Operation Requests, by Specialty

```
Select Surgery Menu Option:  LR  List Operation Requests
List requests by SPECIALTY or WARD ?  SPECIALTY// <Enter>
Do you want requests for all surgical specialties ? YES// N

List Request for which Specialty ?  GENERAL  (OR WHEN NOT DEFINED BELOW)  GENERA
L(OR WHEN NOT DEFINED BELOW)      50

Print to Device: [Select Print Device]
```

-----printout follows-----

Operative Requests for GENERAL(OR WHEN NOT DEFINED BELOW)

Date	Patient	Ward Location
Case Number	Operative Procedure	
APR 4, 1999	SURPATIENT,FOUR	1 SOUTH
180	000-45-7212 REMOVE MOLE	
JUN 1, 1999	SURPATIENT,SEVENTEEN	1 SOUTH
178	000-45-5119 REPAIR DIAPHRAGMATIC HERNIA	
AUG 15, 1999	SURPATIENT,NINE	1 NORTH
145	000-34-5555 CHOLECYSTECTOMY	

Press RETURN to continue

## Example 2: List Operation Requests, by Ward

```
Select Surgery Menu Option:  LR List Operation Requests
List requests by SPECIALTY or WARD ?  SPECIALTY//  WARD
Do you want requests for all wards ? YES// N

Select Requests for which Ward ?  1 SOUTH
Print the Report on which Device: HOME//  [Select Print Device]
```

-----printout follows-----

### Operative Requests for 1 SOUTH

Date	Patient	Surgical Specialty
Case Number	Operative Procedure	
APR 4, 1999	SURPATIENT,FOUR	ORTHOPEDICS
179	000-45-7212 ARTHROSCOPY, RIGHT KNEE	
APR 4, 1999	SURPATIENT,THREE	GENERAL
180	000-21-2453 REMOVE MOLE	
JUN 1, 1999	SURPATIENT,SEVENTEEN	GENERAL
178	000-45-5119 REPAIR DIAPHRAGMATIC HERNIA	
JUN 1, 1999	SURPATIENT,TWELVE	PERIPHERAL VASCULAR
181	000-41-8719 CAROTID ARTERY ENDARTERECTOMY	
JUN 1, 1999	SURPATIENT,NINE	THORACIC SURGERY
182	000-34-5555 AORTO CORONARY BYPASS GRAFT	

Press RETURN to continue



# Schedule Operations

## [SROSCHOP]

The options contained within the *Schedule Operations* menu are designed to be used by surgeons or the Scheduling Manager to book an operation when the date, time, and operating room are determined. The scheduling manager may schedule an already requested operation using the *Schedule Requested Operation* option. On the other hand, the scheduling manager may book an operation that has not been previously requested if the date, time and operating room are known. In this case, the *Request Operations* option can be skipped and the operation can be scheduled using the *Schedule Unrequested Operations* option.



This option is locked with the SROSCH key.

Whether a user is booking a case from the Waiting List, *Request Menu*, *Scheduling Menu*, or as a new surgery, he or she will be asked to provide preoperative information about the case. It is advisable to enter as much information as possible. Later, the information can be updated.

The information gathered by the *Request Operations* options is collated by the software and used to produce reports. The person in charge of scheduling (scheduling manager) arranges the requests according to the hospital's Surgical Service protocols and schedules the operation by assigning the case an operating room and a time slot. The information gathered by the *Schedule Operations* menu is collated by the software and is used to produce reports for the scheduling manager.



Local restrictions can be applied to the scheduling of procedures. For example, a facility can require CPT codes be entered before a surgical case is scheduled. The *Surgery Site Parameters* (Enter/Edit) option is used to select required fields.

The options included in the *Schedule Operation* menu are listed below. To the left of the option name is the shortcut synonym that the user can enter to select the option.

Shortcut	Option Name
A	<i>Display Availability</i>
SR	<i>Schedule Requested Operations</i>
SU	<i>Schedule Unrequested Operations</i>
CON	<i>Schedule Unrequested Concurrent Cases</i>
R	<i>Reschedule or Update Scheduled Operations</i>
C	<i>Cancel Scheduled Operation</i>
UC	<i>Update Cancellation Reason</i>
AN	<i>Schedule Anesthesia Personnel</i>
B	<i>Create Service Blockout</i>
DB	<i>Delete Service Blockout</i>
S	<i>Schedule of Operations</i>

## Display Availability [SRODISP]

A user can view the availability of operating rooms on a blackout graph before booking an operation with the *Display Availability* option. A user might also use this option to check a booking or service blackout. This feature is the same as the *Display Availability* option available on the *Request Operations* menu option.

Scheduled operations show up on the graph as an equal sign (=) followed by the letter X. The equal sign before the X indicates the beginning of a scheduled operation. Surgical specialty blockouts are indicated by an abbreviation for the service. For more information on service blockouts, a function of the scheduling menu, see the *Create Service Blockout* option.

If the facility has a display terminal that can print condensed characters, a 24-hour graph will display on the screen. If not, the user will be prompted to select one of three graphs representing different chunks of that day.

Example: Display all O.R.s for One Day

```
Select Schedule Operations Option: A Display Availability
Do you want to view all Operating Rooms on one day ? YES // <Enter>
Do you want to list requests also ? NO// <Enter>
Display Operating Room Availability for which Date ? T (JUL 01, 1999)

Display of Available Operating Room Time
1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// <Enter>

ROOM  6AM  7    8    9    10   11   12   13   14   15   16   17   18   19   20
OR1   |____|uro.|uro.|uro.|uro.|uro.|uro.|uro.|uro.|uro.|____|____|____|____|____|
OR2   |____|card|card|card|card|card|card|card|card|card|card|____|____|____|____|
OR3   |____|thor|thor|thor|thor|thor|thor|thor|thor|thor|____|____|____|____|
OR4   |____|gen.|gen.|gen.|gen.|gen.|gen.|gen.|gen.|gen.|____|____|____|____|
OR5   |____|=XXX|XXXX|=XXX|XXXX|____|____|____|____|____|____|____|____|

Press RETURN to continue
```

## Schedule Requested Operation [SRSCHD1]

Users utilize the *Schedule Requested Operation* option to schedule a previously requested operation when enough information is available to assign an operating room and time slot. The user will also be prompted to provide anesthesia personnel information. The information entered here is reflected in the Schedule of Operations report. This option is designed for the scheduling manager to expeditiously schedule any or all requests on a specific date.

First, the user enters the patient to be scheduled. The software will automatically display all requests for that patient. The user then picks the request he or she wishes to schedule and assigns the operating room, beginning and end times, and anesthesia personnel for the case. The user can then choose another patient to schedule, or press the <Enter> key to leave the option.

The prompts that require a response before the user can continue with this option include the following.

"Schedule a Case for which Operating Room ?"  
"Reserve from what time ? (24HR:NEAREST 15 MIN):"  
"Reserve to what time ? (24HR:NEAREST 15 MIN):"

### Scheduling a Concurrent Case

A concurrent case occurs when a patient undergoes two operations by different surgical specialties simultaneously, or back-to-back in the same operating room. Example 2 demonstrates scheduling a requested concurrent case. When a user schedules a concurrent case, he or she must answer the prompt "There is a concurrent case associated with this operation. Do you want to schedule it for the same time? (Y/N) ". If the answer is **NO**, the two cases will no longer be considered concurrent. The user can enter anesthesia personnel information for each case.



The user should allow enough time for **both** surgeries when he or she answers the prompts, "Reserve from what time ? (24HR:NEAREST 15 MIN):" and "Reserve to what time ? (24HR:NEAREST 15 MIN):".

---

**Example 1: Schedule a Requested Operation**

```
Select Schedule Operations Option: SR Schedule Requested Operations
Select Patient: SURPATIENT,SIX          04-04-30      000098797
The following case is requested for SURPATIENT,SIX:
1. 04-24-99  CHOLECYSTECTOMY

Case Information:
CHOLECYSTECTOMY
By SURSURGEON,TWO                      On SURPATIENT,SIX
Case # 210                               For 1:00 Hours

Comments:
Is this the correct operation ? YES// <Enter>
```

```
Display of Available Operating Room Time
1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability
Select Number: 2// <Enter>
```

ROOM	6AM	7	8	9	10	11	12	13	14	15	16	17	18	19	20
OR1									gen.	gen.	gen.				
OR2		card	card	card	card	card	card	card	card	card					
OR3															
OR4															
OR5															

```
Schedule a Case for which Operating Room ? OR1
Reserve from what time ? (24HR:NEAREST 15 MIN): 7:00
Reserve to what time ? (24HR:NEAREST 15 MIN): 8:00

Principal Anesthetist: SURANESTHETIST,ONE
Anesthesiologist Supervisor: SURANESTHETIST,TWO

Select Patient:
```

**Example 2: Schedule Operation for a Concurrent Case**

```
Select Schedule Operations Option: SR Schedule Requested Operations
Select Patient: SURPATIENT,EIGHTEEN 09-14-54 000223334

The following cases are requested for SURPATIENT,EIGHTEEN:

1. 07-06-99 CAROTID ARTERY ENDARTERECTOMY
2. 07-06-99 AORTO CORONARY BYPASS GRAFT

Select Operation Request: 1

Case Information:
CAROTID ARTERY ENDARTERECTOMY
By SURSURGEON,ONE On SURPATIENT,EIGHTEEN
Case # 262
STANDBY
* Concurrent Case # 263 AORTO CORONARY BYPASS GRAFT

Is this the correct operation ? YES// <Enter>
```

```
Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// <Enter>
```

ROOM	6AM	7	8	9	10	11	12	13	14	15	16	17	18	19	20
OR1															
OR2		card	card	card	card	card	card	card	card	card					
OR3		orth	orth	orth	orth	orth	orth								
OR4															
OR5															

```
Schedule a Case for which Operating Room ? OR2

Reserve from what time ? (24HR:NEAREST 15 MIN): 7:15

Reserve to what time ? (24HR:NEAREST 15 MIN): 12:30

Principal Anesthetist: SURANESTHETIST,ONE
Anesthesiologist Supervisor: SURANESTHETIST,TWO

There is a concurrent case associated with this operation. Do you want to
schedule it for the same time ? (Y/N) Y

Select Patient:
```

## **Schedule Unrequested Operations [SROSRES]**

Users can use the *Schedule Unrequested Operations* option to schedule an operation that has not been requested. To schedule an operation, the user must determine the date, time, and operating room. The information entered in this option is reflected in the Schedule of Operations Report.

Whenever a new case is booked, the user is asked to provide preoperative information about the case. Enter as much information as possible. Later, the information can be updated or corrected.

Prompts that require a response before the user can continue with this option are listed below.

"Schedule Procedure for which Date ?"  
"Select Patient:"  
"Schedule a case for which operating Room ?"  
"Reserve from what time ? (24HR:NEAREST 15 MIN):"  
"Reserve to what time ? (24HR:NEAREST 15 MIN):"  
"Desired Procedure Date:"  
"Surgeon:"  
"Attending Surgeon:"  
"Surgical Specialty:"  
"Principal Operative Procedure:"  
"Principal Preoperative Diagnosis:"

## Entering Preoperative Information

At this prompt:	The user should do this:
Planned Principal Procedure Code (CPT)	Enter the Current Procedural Terminology (CPT) identifying code for each procedure. If the code number is not known, the user can enter the type of operation (i.e., appendectomy) or a body organ and select from a list of codes.
Principal Preoperative Diagnosis	Type in the reason this procedure is being performed. The user must enter information into this field prompt before the option can be completed. The information entered in this field will automatically populate the Indications for Operations field, which can be edited through the Screen Server.
Brief Clinical History	Enter any information relevant to the specimens being sent to the laboratory. This is an open-text word-processing field. This information will display on the Tissue Examination Report.
Select REQ BLOOD KIND	<p>Enter the type of blood product needed for the operation.</p> <p>If no blood products are needed, do not enter <b>NO</b> or <b>NONE</b>; instead, press the &lt;Enter&gt; key to bypass this prompt.</p> <p>The package coordinator at each facility can select a default response to this prompt when installing the package. If the default product is not what is wanted for a case, it can be deleted by entering the at-sign (@) at this prompt. Then, the user can select the preferred blood product. (Enter two question marks for a list of blood products.)</p> <p>To order more than one product for the same case, use the screen server summary that concludes the option. On page two of the summary, select item 7, REQ BLOOD KIND, to enter as many blood products as needed.</p>
Requested Preoperative X-Rays	Enter the types of preoperative x-ray films and reports required for delivery to the operating room before the operation. If the user does not intend to order any x-ray products, this field should be left blank.
Request Clean or Contaminated	Enter the letter code <b>C</b> for clean or <b>D</b> for contaminated, or type in the first few letters of either word. This information allows the scheduling manager to determine how much time is needed between operations for sanitizing a room.

**Example: Schedule an Unrequested Operation**

Select Schedule Operations Option: **SU** Schedule Unrequested Operations

Schedule a Procedure for which Date ? **7 18 05** (JUL 18, 2005)

Select Patient: **SURPATIENT,THREE** 12-19-53 000212453

Display of Available Operating Room Time

- 1. Display Availability (12:00 AM - 12:00 PM)
- 2. Display Availability (06:00 AM - 08:00 PM)
- 3. Display Availability (12:00 PM - 12:00 AM)
- 4. Do Not Display Availability

Select Number: 2// **<Enter>**

ROOM	6AM	7	8	9	10	11	12	13	14	15	16	17	18	19	20
OR1															
OR2															
OR3															
OR4															
OR5															

Schedule a case for which operating Room ? **OR1**

Reserve from what time ? (24HR:NEAREST 15 MIN): **8:00**

Reserve to what time ? (24HR:NEAREST 15 MIN): **13:00**

**SCHEDULE UNREQUESTED OPERATION: REQUIRED INFORMATION**

SURPATIENT,THREE (000-21-2453) JUL 18, 2005  
 =====

Desired Procedure Date: **7 18 05** (JUL 18, 2005)  
 Surgeon: **SURSURGEON,ONE**  
 Attending Surgeon: **SURSURGEON,TWO**  
 Surgical Specialty: **54** ORTHOPEDICS ORTHOPEDICS 54  
 Principal Operative Procedure: **SHOULDER ARTHROPLASTY-PROSTHESIS**  
 Principal Preoperative Diagnosis: **DEGENERATIVE JOINT DISEASE, L SHOULDER**

The information entered into the Principal Preoperative Diagnosis field has been transferred into the Indications for Operation field. The Indications for Operation field can be updated later if necessary.

Press RETURN to continue **<Enter>**

**SCHEDULE UNREQUESTED OPERATION: ANESTHESIA PERSONNEL**

SURPATIENT,THREE (000-21-2453) JUL 18, 2005  
 =====

Principal Anesthetist: **SURANESTHETIST,ONE**  
 Anesthesiologist Supervisor: **SURANESTHETIST,TWO**

**SCHEDULE UNREQUESTED OPERATION: PROCEDURE INFORMATION**

SURPATIENT,THREE (000-21-2453) JUL 18, 2005  
 =====

Principal Procedure: SHOULDER ARTHROPLASTY-PROSTHESIS  
 Planned Principal Procedure Code (CPT): **23470** ARTHROPLASTY, GLENOHUMERAL JOINT; HEMIART  
 Brief Clinical History:  
 1>**CHRONIC DEBILITATING PAIN. X-RAY SHOWS SEVERE**  
 2>**DEGENERATIVE OSTEOARTHRITIS.**  
 3>**<Enter>**  
 EDIT Option: **<Enter>**



SCHEDULE UNREQUESTED OPERATION: BLOOD INFORMATION

SURPATIENT,THREE (000-21-2453) JUL 18, 2005  
 =====

Request Blood Availability (Y/N): Y// <Enter> YES

Type and Crossmatch, Screen, or Autologous: TYPE & CROSSMATCH// <Enter> TYPE & CROSSMATCH

Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// @

SURE YOU WANT TO DELETE THE ENTIRE REQ BLOOD KIND? Y (YES)

Select REQ BLOOD KIND: **FA1** FRESH FROZEN PLASMA, CPDA-1 18201

Units Required: **4**

SCHEDULE UNREQUESTED OPERATION: OTHER INFORMATION

SURPATIENT,THREE (000-21-2453) JUL 18, 2005  
 =====

Prin Pre-OP ICD Diagnosis Code: **715.11** 715.11 LOC PRIM OSTEOART-SHLDER

...OK? YES// <Enter> (YES)

Hospital Admission Status: I// <Enter> INPATIENT

Case Schedule Type: **S** STANDBY

First Assistant: **TS** SURSURGEON,THREE

Second Assistant: **SURSURGEON,FOUR**

Requested Postoperative Care: **W** WARD

Case Schedule Order: **1**

Requested Anesthesia Technique: **G** GENERAL

Request Frozen Section Tests (Y/N): **N** NO

Requested Preoperative X-Rays: **LEFT SHOULDER**

Intraoperative X-Rays (Y/N/C): **Y** YES

Request Medical Media (Y/N): **N** NO

Request Clean or Contaminated: **C** CLEAN

GENERAL COMMENTS:

1><Enter>

SPD Comments:

1><Enter>

\*\* SCHEDULING \*\* CASE #264 SURPATIENT,THREE PAGE 1 OF 2

- 1 PRINCIPAL PROCEDURE: SHOULDER ARTHROPLASTY-PROSTHESIS
- 2 PLANNED PRIN PROCEDURE CODE: 23470
- 3 OTHER PROCEDURES: (MULTIPLE)
- 4 PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE, L SHOULDER
- 5 PRIN PRE-OP ICD DIAGNOSIS CODE: 715.11
- 6 OTHER PREOP DIAGNOSIS: (MULTIPLE)
- 7 IN/OUT-PATIENT STATUS: INPATIENT
- 8 PRE-ADMISSION TESTING:
- 9 CASE SCHEDULE TYPE: STANDBY
- 10 SURGERY SPECIALTY: ORTHOPEDICS
- 11 SURGEON: SURSURGEON,ONE
- 12 FIRST ASST: SURSURGEON,THREE
- 13 SECOND ASST: SURSURGEON,FOUR
- 14 ATTEND SURG: SURSURGEON,TWO
- 15 REQ POSTOP CARE: WARD

Enter Screen Server Function: <Enter>

1    CASE SCHEDULE ORDER: 1  
2    REQ ANESTHESIA TECHNIQUE: GENERAL  
3    REQ FROZ SECT:            NO  
4    REQ PREOP X-RAY:        LEFT SHOULDER  
5    INTRAOPERATIVE X-RAYS: YES  
6    REQUEST BLOOD AVAILABILITY: YES  
7    CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH  
8    REQ BLOOD KIND:        (MULTIPLE)(DATA)  
9    REQ PHOTO:              NO  
10   REQ CLEAN OR CONTAMINATED: CLEAN  
11   PRINC ANESTHETIST:    SURANESTHETIST,ONE  
12   ANESTHESIOLOGIST SUPVR: SURSURGEON,TWO  
13   BRIEF CLIN HISTORY: (WORD PROCESSING)(DATA)  
14   GENERAL COMMENTS:    (WORD PROCESSING)  
15   SPD COMMENTS:        (WORD PROCESSING)

Enter Screen Server Function:

## **Schedule Unrequested Concurrent Cases [SRSCHDC]**

The *Schedule Unrequested Concurrent Cases* option is used to schedule concurrent cases that have not been requested. A concurrent case is when a patient undergoes two operations by different surgical specialties simultaneously, or back to back in the same room. The user can schedule both cases with this one option. As usual, whenever the user enters a request, he or she is asked to provide preoperative information about the case. It is best to enter as much information as possible and update it later if necessary.

### **Required Prompts**

After the patient name is entered, the user will be prompted to enter some required information about the first case. The mandatory prompts include the date, procedures, surgeon and attending surgeon, principal preoperative diagnosis, and time needed. If a mandatory prompt is not answered, the software will not book the operation and will return the cursor to the *Schedule Operations* menu. After answering the prompts for the first case, the user will be asked to answer the same prompts for the second case. The software will then provide a message stating that the two requests have been entered. The user can then select a case for entering detailed preoperative information. If the user does not want to enter details at this time, he or she should press the <Enter> key and the cursor will return to the *Schedule Operations* menu. In the example, detailed information for the first case has been entered.

### **Storing the Request Information**

After every prompt or group of related prompts, the software will ask if the user wants to store (meaning duplicate) the answers in the concurrent case. This saves time by storing the information into the other case so that it does not have to be typed again. The software will then display the screen server summary and store any duplicated information into the other case. Finally, the software will inform the user that the two requests have been entered and prompt to select either case for entering detailed information. The user can select a case or press the <Enter> key to get back to the *Schedule Operations* menu.

### **Updating the Preoperative Information Later**

Use the *Reschedule or Update a Scheduled Operation* option to change or update any of the information entered for either of the concurrent cases.

Example: Schedule Unrequested Concurrent Cases

```
Select Schedule Operations Option: CON Schedule Unrequested Concurrent Cases

Schedule Concurrent Cases for which Patient ? SURPATIENT,EIGHT 06-04-35
000370555

Schedule Concurrent Procedures for which Date ? 07 25 2005 (JUL 25, 2005)

Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// 4

Schedule a case for which operating Room ? OR2

Reserve from what time ? (24HR:NEAREST 15 MIN): 11:15 (11:15)

Reserve to what time ? (24HR:NEAREST 15 MIN): 16:00 (16:00)
```

```

FIRST CONCURRENT CASE
SCHEDULE UNREQUESTED OPERATION: REQUIRED INFORMATION

SURPATIENT,EIGHT (000-37-0555) JUL 25, 2005
=====
Desired Procedure Date: 07 25 2005 (JUL 25, 2005)
Surgeon: SURSURGEON,ONE
Attending Surgeon: SURSURGEON,ONE
Surgical Specialty: 62 PERIPHERAL VASCULAR PERIPHERAL VASCULAR 62

Principal Operative Procedure: CAROTID ARTERY ENDARTERECTOMY
Principal Preoperative Diagnosis: CAROTID ARTERY STENOSIS

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue <Enter>
```

```

SECOND CONCURRENT CASE
SCHEDULE UNREQUESTED OPERATION: REQUIRED INFORMATION

SURPATIENT,EIGHT (000-37-0555) JUL 25, 2005
=====
Desired Procedure Date: 07 25 2005 (JUL 25, 2005)
Surgeon: SURSURGEON,TWO
Attending Surgeon: SURSURGEON,ONE
Surgical Specialty: 58 THORACIC SURGERY (INC. CARDIAC SURG.) THORACIC
SURGERY (INC. CARDIAC SURG.) 58
Principal Operative Procedure: AORTO CORONARY BYPASS GRAFT
Principal Preoperative Diagnosis: UNSTABLE ANGINA

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue <Enter>
```



FIRST CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: OTHER INFORMATION

SURPATIENT,EIGHT (000-37-0555) JUL 25, 1999  
=====

Prin Pre-OP ICD Diagnosis Code: **433.11** OCCL&STEN/CAR ART W/CRB INF  
COMPLICATION/COMORBIDITY ACTIVE  
Hospital Admission Status: I// **<Enter>** INPATIENT

Do you want to store this information in the concurrent case ? YES// **N**

Case Schedule Type: **S** STANDBY

Do you want to store this information in the concurrent case ? YES// **<Enter>**

First Assistant: **SURSURGEON,FOUR**  
Second Assistant: **TS** SURSURGEON,THREE  
Requested Postoperative Care: **SICU**

Do you want to store this information in the concurrent case ? YES// **N**

Case Schedule Order: **2**

Do you want to store this information in the concurrent case ? YES// **N**

Requested Anesthesia Technique: **G** GENERAL

Do you want to store this information in the concurrent case ? YES// **<Enter>**

Request Frozen Section Tests (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// **<Enter>**

Requested Preoperative X-Rays: **DOPPLER STUDIES**

Do you want to store this information in the concurrent case ? YES// **N**

Intraoperative X-Rays (Y/N/C): **N** NO

Do you want to store this information in the concurrent case ? YES// **N**

Request Medical Media (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// **Y**

Request Clean or Contaminated: **C** CLEAN

Do you want to store this information in the concurrent case ? YES// **<Enter>**

GENERAL COMMENTS:

1**<Enter>**

SPD Comments:

1**<Enter>**

The information to be duplicated in the concurrent case will now be entered....

Press RETURN to continue **<Enter>**

```
** SCHEDULING **      CASE #265  SURPATIENT,EIGHT      PAGE 1 OF 3

1  PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY
2  PLANNED PRIN PROCEDURE CODE: 35301
3  OTHER PROCEDURES:      (MULTIPLE)
4  PRINCIPAL PRE-OP DIAGNOSIS: CAROTID ARTERY STENOSIS
5  PRIN PRE-OP ICD DIAGNOSIS CODE: 433.1
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  IN/OUT-PATIENT STATUS: INPATIENT
8  PRE-ADMISSION TESTING:
9  CASE SCHEDULE TYPE:   STANDBY
10 SURGERY SPECIALTY:   PERIPHERAL VASCULAR
11 SURGEON:             SURSURGEON,ONE
12 FIRST ASST:         SURSURGEON,FOUR
13 SECOND ASST:        SURSURGEON,THREE
14 ATTEND SURG:        SURSURGEON,ONE
15 REQ POSTOP CARE:    SICU

Enter Screen Server Function:  <Enter>
```

```
** SCHEDULING **      CASE #265  SURPATIENT,EIGHT      PAGE 2 OF 3

1  CASE SCHEDULE ORDER: 2
2  REQ ANESTHESIA TECHNIQUE: GENERAL
3  REQ FROZ SECT:       NO
4  REQ PREOP X-RAY:     DOPPLER STUDIES
5  INTRAOPERATIVE X-RAYS: NO
6  REQUEST BLOOD AVAILABILITY: YES
7  CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH
8  REQ BLOOD KIND:      (MULTIPLE)(DATA)
9  REQ PHOTO:           NO
10 REQ CLEAN OR CONTAMINATED: CLEAN
11 PRINC ANESTHETIST:   SURANESTHETIST,ONE
12 ANESTHESIOLOGIST SUPVR: SURANESTHETIST,TWO
13 BRIEF CLIN HISTORY: (WORD PROCESSING)
14 GENERAL COMMENTS:   (WORD PROCESSING)
15 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)

Enter Screen Server Function:  <Enter>
```

```
** SCHEDULING **      CASE #265  SURPATIENT,EIGHT      PAGE 3 OF 3

1  SPD COMMENTS:       (WORD PROCESSING)

Enter Screen Server Function:
```

## Reschedule or Update a Scheduled Operation [SRSCHUP]

The *Reschedule or Update a Scheduled Operation* option has three uses: 1) to add a concurrent case, 2) to reschedule an operation for another date, time, and/or operating room, 3) to update the preoperative information that was entered earlier.

### **Adding a Concurrent Case (See Example 1)**

After the case is selected, the software will ask whether the user wishes to add a concurrent case. If the response is **YES**, the software will prompt for information on the second case. To add the case, the user must enter a surgeon and attending surgeon, a surgical specialty, the principal operative procedure, and a principal preoperative diagnosis. The software will then inform the user that the case has been added. The user can then select another case or the same case for entering detailed preoperative information, or the user can press the <Enter> key to return to the *Schedule Operations* menu.

### **Changing the Date, Time, or Operating Room (See Example 2)**

If a user does not wish to add a concurrent case, the software will prompt to change the date, time or operating room. If the user enters **YES**, the software will erase the old date, time, and operating room and prompt to re-enter this information. The user will be prompted to select a new date, but if the <Enter> key is pressed, the software will default to the original date and allow the user to change the room and time. The software supplies a blockout graph to help with rescheduling.



If the user attempts to reschedule a case after the schedule close time for the date of operation, only the time, and not the date, can be changed.

---

### **Updating the Preoperative Info (See Example 3)**

To update the preoperative information that was entered earlier, the user should respond **NO** to the prompt asking if the user wishes to change the date, time or operating room. The terminal display screen will clear and present a two-page Screen Server summary. Any of the data fields may be changed, as in Example 2.



Example 3 also shows the user how to order more than one blood product for a case.

---



### Example 1: How to Add a Concurrent Case to a Scheduled Operation

```
Select Schedule Operations Option:  R  Reschedule or Update a Scheduled Operation

Select Patient:  SURPATIENT,SIX          04-04-30      000098797
SURPATIENT,SIX (000-09-8797)

1. 09/16/05  CARPAL TUNNEL RELEASE (SCHEDULED)
2. 02/02/05  BUNIONECTOMY (SCHEDULED)

Select Number:  1

Do you want to add a concurrent case ?  NO//  Y
```

```

                SECOND CONCURRENT CASE
          SCHEDULE UNREQUESTED OPERATION:  REQUIRED INFORMATION

SURPATIENT,SIX (000-09-8797)                               SEP 16, 2005
=====

Surgeon:  SURSURGEON,TWO
Attending Surgeon:  SURSURGEON,TWO
Surgical Specialty:  54          ORTHOPEDICS  ORTHOPEDICS          54
Principal Operative Procedure:  ARTHROSCOPY, R SHOULDER
Principal Preoperative Diagnosis:  DEGENERATIVE OSTEOARTHRITIS

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue  <Enter>
```

```

                SECOND CONCURRENT CASE
          SCHEDULE UNREQUESTED OPERATION:  ANESTHESIA PERSONNEL

SURPATIENT,SIX (000-09-8797)                               SEP 16, 2005
=====
Principal Anesthetist:  SURANESTHETIST,ONE
Anesthesiologist Supervisor:  SURANESTHETIST,TWO
```

```

                SECOND CONCURRENT CASE
          SCHEDULE UNREQUESTED OPERATION:  PROCEDURE INFORMATION

SURPATIENT,SIX (000-09-8797)                               SEP 16, 2005
=====
Principal Procedure:          ARTHROSCOPY, R SHOULDER
Planned Principal Procedure Code (CPT):  23470          RECONSTRUCT SHOULDER JOINT
ARTHROPLASTY, GLENOHUMERAL JOINT; HEMIARTHROPLASTY      ACTIVE
Modifier:  <Enter>
Select OTHER PROCEDURE:  <Enter>
Brief Clinical History:
  1>CHRONIC DEBILITATING PAIN. X-RAY SHOWS SEVERE
  2>DEGENERATIVE OSTEOARTHRITIS.
  3><Enter>
EDIT Option:  <Enter>
```

```

                SECOND CONCURRENT CASE
          SCHEDULE UNREQUESTED OPERATION:  BLOOD INFORMATION

SURPATIENT,SIX (000-09-8797)                               SEP 16, 2005
=====

Request Blood Availability ? YES//  <Enter>
Type and Crossmatch, Screen, or Autologous ? TYPE & CROSSMATCH//  <Enter> TYPE & CROSSMATCH
Select REQ BLOOD KIND:  CPDA-1 WHOLE BLOOD//  FA1  FRESH FROZEN PLASMA, CPDA-1
18201
Units Required:  2
```

SECOND CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: OTHER INFORMATION

SURPATIENT,SIX (000-09-8797) SEP 16, 2005

Prin Pre-OP ICD Diagnosis Code: **715.90** 715.90 OSTEOARTHROS NOS-UNSPEC  
ACTIVE

...OK? Yes// **<Enter>** (Yes)  
(Hospital Admission Status: I// **<Enter>** INPATIENT

Do you want to store this information in the concurrent case ? YES// **N**

Case Schedule Type: **S** STANDBY

Do you want to store this information in the concurrent case ? YES// **N**

First Assistant: **TS** SURSURGEON,THREE

Second Assistant: **<Enter>**

Requested Postoperative Care: **WARD**

Do you want to store this information in the concurrent case ? YES// **N**

Case Schedule Order: **1**

Do you want to store this information in the concurrent case ? YES// **N**

Requested Anesthesia Technique: **GENERAL**

Do you want to store this information in the concurrent case ? YES// **<Enter>**

Request Frozen Section Tests (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// **<Enter>**

Requested Preoperative X-Rays: **<Enter>**

Intraoperative X-Rays (Y/N): **Y** YES

Do you want to store this information in the concurrent case ? YES// **N**

Request Medical Media (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// **<Enter>**

Request Clean or Contaminated: **C** CLEAN

Do you want to store this information in the concurrent case ? YES// **<Enter>**

GENERAL COMMENTS:

1> **<Enter>**

SPD Comments:

1>**<Enter>**

The information to be duplicated in the concurrent case will now be entered....

```
** SCHEDULING ** CASE #245 SURPATIENT,SIX PAGE 1 OF 3
1 PRINCIPAL PROCEDURE: ARTHROSCOPY, R SHOULDER
2 PLANNED PRIN PROCEDURE CODE: 23470
3 OTHER PROCEDURES: (MULTIPLE)
4 PRINCIPAL PRE-OP DIAGNOSIS: DEGERATIVE OSTEOARTHRITIS
5 PRIN PRE-OP ICD DIAGNOSIS CODE: 715.90
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)
7 IN/OUT-PATIENT STATUS: INPATIENT
8 PRE-ADMISSION TESTING:
9 CASE SCHEDULE TYPE: STANDBY
10 SURGERY SPECIALTY: ORTHOPEDICS
11 SURGEON: SURSURGEON,TWO
12 FIRST ASST: SURSURGEON,THREE
13 SECOND ASST:
14 ATTEND SURG: SURSURGEON,TWO
15 REQ POSTOP CARE: WARD
Enter Screen Server Function: <Enter>
```

```
** SCHEDULING ** CASE #245 SURPATIENT,SIX PAGE 2 OF 3
1 CASE SCHEDULE ORDER: 1
2 REQ ANESTHESIA TECHNIQUE: GENERAL
3 REQ FROZ SECT: NO
4 REQ PREOP X-RAY:
5 INTRAOPERATIVE X-RAYS: YES
6 REQUEST BLOOD AVAILABILITY: YES
7 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH
8 REQ BLOOD KIND: (MULTIPLE)(DATA)
9 REQ PHOTO: NO
10 REQ CLEAN OR CONTAMINATED: CLEAN
11 PRINC ANESTHETIST: SURANESTHETIST,ONE
12 ANESTHESIOLOGIST SUPVR: SURANESTHETIST,TWO
13 BRIEF CLIN HISTORY: (WORD PROCESSING)(DATA)
14 GENERAL COMMENTS: (WORD PROCESSING)
15 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)
Enter Screen Server Function: <Enter>
```

```
** SCHEDULING ** CASE #245 SURPATIENT,SIX PAGE 3 OF 3
1 SPD COMMENTS: (WORD PROCESSING)
Enter Screen Server Function: <Enter>
```

```
The following cases have been entered.
1. Case # 224 SEP 16, 2005
Surgeon: SURSURGEON,ONE NEUROSURGERY
Procedure: CARPAL TUNNEL RELEASE
2. Case # 245 SEP 16, 2005
Surgeon: SURSURGEON,TWO ORTHOPEDICS
Procedure: ARTHROSCOPY, R SHOULDER
1. Enter Information for Case #224
2. Enter Information for Case #245
Select Number: (1-2):
```

## Example 2: How to Reschedule an Operation, Change the Date, Time, or Operating Room

Select Schedule Operations Option: **R** Reschedule or Update a Scheduled Operation

Select Patient: **SURPATIENT,THREE** 12-19-53 000212453

SURPATIENT,THREE (000-21-2453)

1. 09/15/05 SHOULDER ARTHROPLASTY-PROTHESIS (SCHEDULED)

Select Number: **1**

Do you want to add a concurrent case ? NO// **<Enter>**

Do you want to change the date/time or operating room for which this case is scheduled ? NO// **Y**

Operating Room Reservations:

Surgeon: SURSURGEON,ONE

Patient: SURPATIENT,THREE

Procedure(s): SHOULDER ARTHROPLASTY-PROTHESIS

Operating Room: OR3

Scheduled Start: SEP 15, 2005 08:00

Scheduled End: SEP 15, 2005 13:00

Reschedule this Procedure for which Date ? **<Enter>**

Since no date has been entered, I must assume that you want to re-schedule this case for the same date. If you have made a mistake and want to leave this case scheduled for the same operating room at the same times, enter RETURN when prompted to select an operating room.

Press RETURN to continue **<Enter>**

Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)

2. Display Availability (06:00 AM - 08:00 PM)

3. Display Availability (12:00 PM - 12:00 AM)

4. Do Not Display Availability

Select Number: 2// **4**

Schedule this case for which Operating Room: **OR3**

Reserve from what time ? (24HR:NEAREST 15 MIN): **7:30**

Reserve to what time ? (24HR:NEAREST 15 MIN): **13:00**

Principal Anesthetist: SURANESTHETIST,ONE// **<Enter>**

Anesthesiologist Supervisor: SURANESTHETIST,TWO// **<Enter>**

### Example 3: How to Update a Scheduled Operation

Select Schedule Operations Option: **R** Reschedule or Update a Scheduled Operation

Select Patient: **SURPATIENT,THREE** 12-19-53 000212453

SURPATIENT,THREE (000-21-2453)

1. 09/15/05 SHOULDER ARTHROPLASTY-PROTHESIS (SCHEDULED)

Select Number: **1**

Do you want to add a concurrent case ? NO// **<Enter>**

Do you want to change the date/time or operating room for which this case is scheduled ? NO// **<Enter>**

\*\* SCHEDULING \*\* CASE #218 SURPATIENT,THREE PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: SHOULDER ARTHROPLASTY-PROSTHESIS  
2 PLANNED PRIN PROCEDURE CODE: 23470  
3 OTHER PROCEDURES: (MULTIPLE)  
4 PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE, L SHOULDER  
5 PRIN PRE-OP ICD DIAGNOSIS CODE: 715.11  
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)  
7 IN/OUT-PATIENT STATUS: INPATIENT  
8 PRE-ADMISSION TESTING:  
9 CASE SCHEDULE TYPE: STANDBY  
10 SURGERY SPECIALTY: ORTHOPEDICS  
11 SURGEON: SURSURGEON,ONE  
12 FIRST ASST: SURSURGEON,TWO  
13 SECOND ASST: SURSURGEON,FOUR  
14 ATTEND SURG: SURSURGEON,ONE  
15 REQ POSTOP CARE: WARD

Enter Screen Server Function: **<Enter>**

\*\* SCHEDULING \*\* CASE #218 SURPATIENT,THREE PAGE 2 OF 3

1 CASE SCHEDULE ORDER: 1  
2 REQ ANESTHESIA TECHNIQUE: GENERAL  
3 REQ FROZ SECT: NO  
4 REQ PREOP X-RAY: LEFT SHOULDER  
5 INTRAOPERATIVE X-RAYS: YES  
6 REQUEST BLOOD AVAILABILITY: YES  
7 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH  
8 REQ BLOOD KIND: (MULTIPLE)(DATA)  
9 REQ PHOTO: NO  
10 REQ CLEAN OR CONTAMINATED: CLEAN  
11 PRINC ANESTHETIST: SURANESTHETIST,ONE  
12 ANESTHESIOLOGIST SUPVR: SURANESTHETIST,TWO  
13 BRIEF CLIN HISTORY: (WORD PROCESSING)  
14 GENERAL COMMENTS: (WORD PROCESSING)  
15 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)

Enter Screen Server Function: **8**

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 1 OF 1
REQ BLOOD KIND

1 REQ BLOOD KIND: FRESH FROZEN PLASMA, CPDA-1
2 NEW ENTRY

Enter Screen Server Function: 2
Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD 00160
REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// <Enter>
```

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 1 OF 1
REQ BLOOD KIND (CPDA-1 WHOLE BLOOD)

1 REQ BLOOD KIND: CPDA-1 WHOLE BLOOD
2 UNITS REQ:

Enter Screen Server Function: 2
Units Required: 2
```

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 1 OF 1
REQ BLOOD KIND (CPDA-1 WHOLE BLOOD)

1 REQ BLOOD KIND: CPDA-1 WHOLE BLOOD
2 UNITS REQ: 2

Enter Screen Server Function: <Enter>
```

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 1 OF 1
REQ BLOOD KIND

1 REQ BLOOD KIND: FRESH FROZEN PLASMA, CPDA-1
2 REQ BLOOD KIND: CPDA-1 WHOLE BLOOD
3 NEW ENTRY

Enter Screen Server Function: <Enter>
```

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 2 OF 3

1 CASE SCHEDULE ORDER: 1
2 REQ ANESTHESIA TECHNIQUE: GENERAL
3 REQ FROZ SECT: NO
4 REQ PREOP X-RAY: LEFT SHOULDER
5 INTRAOPERATIVE X-RAYS: YES
6 REQUEST BLOOD AVAILABILITY: YES
7 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH
8 REQ BLOOD KIND: (MULTIPLE)(DATA)
9 REQ PHOTO: NO
10 REQ CLEAN OR CONTAMINATED: CLEAN
11 PRINC ANESTHETIST: SURANESTHETIST,ONE
12 ANESTHESIOLOGIST SUPVR: SURANESTHETIST,TWO
13 BRIEF CLIN HISTORY: (WORD PROCESSING)
14 GENERAL COMMENTS: (WORD PROCESSING)
15 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)

Enter Screen Server Function: <Enter>
```

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 3 OF 3

1 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function:
```

## Cancel Scheduled Operation [SRSCAN]

When a scheduled operation is cancelled, the *Cancel Scheduled Operation* option will remove that case from the list of scheduled operations. A cancellation will remain in the system as a cancelled case and will be used in computing the facility's cancellation rate.

Enter the patient name and select the operation to be deleted from the choices listed. The "Cancellation Reason:" prompt is a mandatory prompt. Enter a question mark for a list of cancellation reasons from which to select. If a mistake is made, or the user finds out later that the cancellation reason was not correct, the *Update Cancellation Reason* option allows the cancellation reason to be edited.

If there is a concurrent case associated with the operation being cancelled, the software will ask if the user wants to cancel it also.

### Example 1: Cancel a Single Scheduled Operation

```
Select Schedule Operations Option: C Cancel Scheduled Operation

Cancel a Scheduled Procedure for which Patient: SURPATIENT,NINETEEN      01-01-40
000287354 YES          SC VETERAN

SURPATIENT,NINETEEN (000-28-7354)

1. 09/12/11  FRONTAL CRANIOTOMY TO RULE OUT TUMOR (SCHEDULED)

Select Number: 1

Reservation for OR3
Scheduled Start Time: 09-12-11 11:00
Scheduled End Time:   09-12-11 13:00
Patient: SURPATIENT,NINETEEN
Physician: SURSURGEON,ONE
Procedure: FRONTAL CRANIOTOMY TO RULE OUT TUMOR

Is this the correct operation ? YES// <Enter>

Cancellation Reason: CHANGE IN TREATMENT, PT HEALTH      2
Cancellation Avoidable: YES// N NO

Do you want to create a new request for this cancelled case ?? YES// <Enter>

Make the new request for which Date ? MAR 12, 2012// <Enter> (MAR 12, 2012)

Creating the new request...
```

### Example 2: Cancel a Scheduled Concurrent Case

```
Select Schedule Operations Option: C Cancel Scheduled Operation

Cancel a Scheduled Procedure for which Patient: SURPATIENT,SIX          04-04-30
000098797

SURPATIENT,SIX (000-09-8797)

1. 09/16/11  ARTHROSCOPY, RIGHT SHOULDER (SCHEDULED)
2. 09/16/11  CARPAL TUNNEL RELEASE (SCHEDULED)

Select Number: 1
```

Reservation for OR2  
Scheduled Start Time: 09-16-11 08:00  
Scheduled End Time: 09-16-11 13:00  
Patient: SURPATIENT,SIX  
Physician: SURSURGEON,TWO  
Procedure: ARTHROSCOPY, RIGHT SHOULDER

Is this the correct operation ? YES// <Enter>

Cancellation Reason: **NO BED AVAILABLE** 6  
Cancellation Avoidable: YES// **N** NO

Do you want to create a new request for this cancelled case ?? YES// <Enter>

Make the new request for which Date ? MAR 29, 2012// <Enter> (MAR 29, 2012)

Creating the new request...

There is a concurrent case associated with this operation. Do you want to cancel it also ? YES// <Enter>

Do you want to create a new request for this cancelled case ?? YES// <Enter>

Make the new request for which Date ? MAR 29, 2012// <Enter> (MAR 29, 2012)

Creating the new request...



## Update Cancellation Reason [SRSUPC]

The *Update Cancellation Reason* option is used to update the cancellation date and reason previously entered for a selected surgical case.

Example: Update Cancellation Reason

```
Select Schedule Operations Option:  UC Update Cancellation Reason

Update Cancellation Information for which Patient:  SURPATIENT,NINETEEN      01-01-40
000287354      NSC VETERAN

1. 06-01-98  FRONTAL CRANIOTOMY TO RULE OUT TUMOR (CANCELLED)

Select Operation:  1

SURPATIENT,NINETEEN      000-28-7354      Case # 21199
06-01-98      FRONTAL CRANIOTOMY TO RULE OUT TUMOR (CANCELLED)

Cancellation Date: JUN 01,1998@10:53// <Enter>

Cancellation Reason: LAB TEST//  EM  EMERGENCY CASE SUPERSEDES      EM
Cancellation Avoidable: NO// <Enter>

Press RETURN to continue <Enter>
```

## Schedule Anesthesia Personnel [SRSCHDA]

The *Schedule Anesthesia Personnel* option allows anesthesia staff to assign, or change, anesthesia personnel for surgery cases. The scheduling manager may have already assigned some personnel to a case using other menu selections. For the user's convenience, the software will default to any previously entered data.



This option is locked with the SROANES key and will not appear on the menu if the user does not have this key.

This option is used to enter the names of the principal anesthetist, the supervisor, and anesthesia techniques for cases scheduled on a specific date. The user should first enter the date, and then select an operating room. The software will display all cases scheduled in that room. After scheduling personnel for any or all cases in one operating room, the user can do the same for other operating rooms without leaving this option.



This option also appears on the *Anesthesia* menu.

### Example: Schedule Anesthesia Personnel

```
Select Schedule Operations Option: AN Schedule Anesthesia Personnel
```

```
Schedule Anesthesia Personnel for which Date ? 8/16 (AUG 16, 1999)
```

```
Schedule Anesthesia Personnel for which Operating Room ? OR2
```

```
Scheduled Operations for OR2
```

```
-----  
Case # 5 Patient: SURPATIENT,TWENTY  
From: 07:00 To: 09:00  
HARVEST SAPHENOUS VEIN
```

```
Requested Anesthesia Technique: GENERAL// <Enter>  
Principal Anesthetist: SURANESTHETIST,ONE OS 112G  
Anesthesiologist Supervisor: SURANESTHETIST,TWO TS
```

```
Press RETURN to continue, or '^' to quit <Enter>
```

```
Scheduled Operations for OR2
```

```
-----  
Case # 14 Patient: SURPATIENT,THREE  
From: 13:00 To: 18:00  
SHOULDER ARTHROPLASTY
```

```
Requested Anesthesia Technique: GENERAL// <Enter>  
Principal Anesthetist: SURANESTHETIST,ONE// <Enter> OS 112G  
Anesthesiologist Supervisor: SURANESTHETIST,TWO TS
```

```
Press RETURN to continue, or '^' to quit <Enter>
```

```
Would you like to continue with another operating room ? YES// <Enter>
```

```
Schedule Anesthesia Personnel for which Operating Room ? OR1
```

```
There are no cases scheduled for this operating room.
```

```
Press RETURN to continue <Enter>
```

```
Would you like to continue with another operating room ? YES// N
```

## Create Service Blockout [SRSBOUT]

At times, the surgical staff may need to set aside an operating room for a particular service on a recurring basis. The *Create Service Blockout* option is used by the scheduling manager to blockout the operating room(s) on a graph.

The resulting service blockout is automatically charted on a graph that can be viewed from the *Display Availability* option. This service blockout does not restrict the operating room to the service, but can assist the scheduling manager when assigning operating rooms.

The scheduling manager can create the service blockouts by following the example provided on the following page. The required data fields are listed in the following table.

<b>At this prompt:</b>	<b>The user should do this:</b>
For what service?	Enter a three or four letter abbreviation for the surgical service the room is being reserved (for example, card for cardiology, gen for general surgery).  Do not use the letter X or an equal sign (=).
Select Operating Room	Enter the operating room name or code. The operating room must already exist in the HOSPITAL LOCATION file and the OPERATING ROOM file. The user should enter a question mark to get a list of operating rooms already included in these files. The supervisor or package coordinator can add an operating room to these files.
Select Starting Date	The user should enter the date for the blockout to begin.
Reserve from what time?	Enter the times for which this room will be blocked-out for a particular service. A room may be reserved at any time during the 24-hour cycle to the nearest 15 minutes.
Reserve to what time?	Enter the end time for the service blockout.

### Example: Create a Service Blockout

```
Select Schedule Operations Option: B Create Service Blockout

For what service ? (3-4 characters, do not use 'X' or '=') CARD
Select Operating Room: OR2

Select Starting Date: T (NOV 18, 1999)

Reserve from what time ? (24HR:NEAREST 15 MIN): 7 (07:00)
Reserve to what time ? (24HR:NEAREST 15 MIN): 12 (12:00)

1. Every week, same time
2. Every other week
3. Every month, same day of week & week of month

Select Number: 1

Updating Schedules...
```

After the service blockout has been created, it will appear on the operating room availability graph display, as shown below.

ROOM	6AM	7	8	9	10	11	12	13	14	15	16	17	18	19	20
OR1	____	uro.	uro.	uro.	uro.	uro.	uro.	uro.	uro.	uro.	____	____	____	____	____
OR2	____	card	card	card	card	card	card	card	card	card	card	____	____	____	____
OR3	____	thor	thor	thor	thor	thor	thor	thor	thor	thor	thor	thor	thor	thor	thor
OR4	____	gen.	gen.	gen.	gen.	gen.	gen.	gen.	gen.	gen.	____	____	____	____	____
OR5	____	=XXX	XXXX	=XXX	XXXX	____	____	____	____	____	____	____	____	____	____

## Delete Service Blockout [SRSDDEL]

The following example shows how to remove a service blockout from the blockout graph. A service blockout can be deleted for just one date or for all the reserved dates.

After starting this option, if the user decides not to delete a service blockout, he or she can enter an up-arrow (^) to exit.

### Example: Delete Service Blockout

```
Select Schedule Operations Option: DB Delete Service Blockout
Select service you wish to delete. (3-4 characters) CARD

The service 'card' has the following time(s) scheduled:
  1. OR1 on Tuesday from 07.00 to 12.00

Which number would you like to delete ? 1

Delete the Blockout starting with which date ? 3/29 (MAR 29, 1999)

Do you want to delete the blockout for this service on this
date only ? NO// <Enter>

Updating Schedules...

Press RETURN to continue
```

## Schedule of Operations [SROSCH]

The *Schedule of Operations* option generates the Operating Room Schedule used by the OR nurses, surgeons, anesthesiologists and other hospital services. The report lists operations and patients scheduled for a particular date. It sorts by operating room and includes the procedure(s), blood products requested, and any preoperative x-rays requested. The schedule also provides anesthesia information and surgeon names.

This report has a 132-column format and is designed to be copied to a printer.



By setting up default printers in the SURGERY SITE PARAMETERS file, this report can be queued to print in various locations simultaneously. Please see “Chapter 5: Managing the Software Package” for more information.

---

### Example: Print Schedule of Operations

```
Select Schedule Operations Option:  S  Schedule of Operations
Print Schedule of Operations for which date ?  9/8  (SEP 08, 1999)
Do you want to print the schedule at all locations ?  NO// <Enter>
This report is designed to use a 132 column format.
DEVICE:  [Select Print Device]
```

-----printout follows-----

PRINTED: SEP 07, 1999 11:12

SIGNATURE OF CHIEF: DR. ONE SURSURGEON

PATIENT ID#	AGE	DISPOSITION START TIME	PREOPERATIVE DIAGNOSIS OPERATION(S)	REQ ANESTHESIA ANESTHESIOLOGIST PRIN. ANESTHETIST	SURGEON FIRST ASST. ATT SURGEON
-------------	-----	------------------------	-------------------------------------	---	---------------------------------

OPERATING ROOM: OR1

SURPATIENT, ONE 000-44-7629 TO BE ADMITTED Case # 143	46	WARD 07:30 09:30	CARPAL TUNNEL SYNDROME REVISE MEDIAN NERVE  PREOPERATIVE XRAYS: CARPAL TUNNEL, R WRIST	GENERAL SURANESTHETIST, T SURANESTHETIST, O	SURSURGEON, O SURSURGEON, F SURSURGEON, O
--	----	------------------------	---	---	---

OPERATING ROOM: OR2

SURPATIENT, FOURTEEN 000-45-7212 HICU 212-B Case # 141	48	WARD 06:30 08:00	CHOLELITHIASIS CHOLECYSTECTOMY  REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH CPDA-1 RED BLOOD CELLS - 2 UNITS	GENERAL SURANESTHETIST, T SURANESTHETIST, O	SURSURGEON, O SURSURGEON, T SURSURGEON, O
---	----	------------------------	--	---	---

SURPATIENT, TWELVE 000-41-8719 TO BE ADMITTED Case # 142	71	WARD 08:00 09:30	ACUTE DIAPHRAGMATIC HERNIA REPAIR DIAPHRAGMATIC HERNIA  REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH CPDA-1 RED BLOOD CELLS - 2 UNITS PREOPERATIVE XRAYS: ABDOMEN	GENERAL SURANESTHETIST, T SURANESTHETIST, O	SURSURGEON, T SURSURGEON, O SURSURGEON, T
---	----	------------------------	---	---	---

SURPATIENT, THIRTY 000-82-9472 TO BE ADMITTED Case # 150	48	WARD 11:15 16:00	CAROTID ARTERY STENOSIS CAROTID ARTERY ENDARTERECTOMY  ** Concurrent Case #157 AORTO CORONARY BYPASS GRAFT REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH CPDA-1 RED BLOOD CELLS - UNITS NOT ENTERED CPDA-1 WHOLE BLOOD - 2 UNITS PREOPERATIVE XRAYS: DOPPLER STUDIES	GENERAL SURANESTHETIST, T SURANESTHETIST, O	SURSURGEON, O SURSURGEON, F SURSURGEON, O
---	----	------------------------	---	---	---

SURPATIENT, THIRTY 000-82-9472 TO BE ADMITTED Case # 157	48	WARD 11:15 16:00	CORONARY ARTERY DISEASE AORTO CORONARY BYPASS GRAFT  ** Concurrent Case #150 CAROTID ARTERY ENDARTERECTOMY	GENERAL SURANESTHETIST, T SURANESTHETIST, O	SURSURGEON, T SURSURGEON, F SURSURGEON, T
---	----	------------------------	---	---	---

TOTAL CASES SCHEDULED: 5

*(This page included for two-sided copying.)*



# List Scheduled Operations

[SRSCD]

The *List Scheduled Operations* option provides a short form listing of scheduled cases for a given date. It will sort by surgical specialty, operating room, or ward location.

This report is in 80-column format and can be viewed on the screen.

Example: List Scheduled Operations

```
Select Surgery Menu Option:  LS  List Scheduled Operations
```

```
List of Scheduled Operations:
```

```
List Scheduled Operations for which date ?  3/12  (MAR 12, 1999)
```

```
Do you want to sort by OPERATING ROOM, SPECIALTY or WARD LOCATION ?  SPE
```

```
Do you want a list of scheduled operations for a specific specialty ?  YES//  N
```

```
Print to Device:  [Select Print Device]
```

-----printout follows-----

```
          * Scheduled Operations for GENERAL *
          MAR 12, 1999
```

Start Time	Patient ID #	Operating Room	Ward Location
08:00	SURPATIENT, TWENTY 000-45-4886 CHOLECYSTECTOMY	OR2	OUTPATIENT

```
Press RETURN to continue  <Enter>
```

```
          * Scheduled Operations for ORTHOPEDICS *
          MAR 12, 1999
```

Start Time	Patient ID #	Operating Room	Ward Location
07:15	SURPATIENT, THREE 000-21-2453 SHOULDER ARTHROPLASTY-PROTHESIS	OR4	1 WEST

```
Press RETURN to continue  <Enter>
```

\* Scheduled Operations for PERIPHERAL VASCULAR \*  
MAR 12, 1999

Start Time	Patient ID #	Operating Room	Ward Location
11:15	SURPATIENT,EIGHT 000-37-0555 CAROTID ARTERY ENDARTERECTOMY	OR2	1 NORTH

Press RETURN to continue or '^' to quit. <Enter>

\* Scheduled Operations for THORACIC SURGERY \*  
MAR 12, 1999

Start Time	Patient ID #	Operating Room	Ward Location
11:15	SURPATIENT,EIGHT 000-37-0555 AORTO CORONARY BYPASS GRAFT	OR2	1 NORTH

Press RETURN to continue

# Chapter Two: Tracking Clinical Procedures

---

## Introduction

The options described in this chapter provide online access to medical administration and laboratory information and provide tracking of operative procedures. They allow the following:

- Entry of information specific to an individual surgical case (for example, staff, times, diagnoses, complications, anesthesia).
- Online entry of data inside the operating room during the actual operative procedure.
- Generation of patient records and reports.

## Key Vocabulary

The following terms are used in this chapter.

Term	Definition
Concurrent Case	The patient undergoes two operations, by two different specialties, at the same time in the same operating room.
Screen Server	After the data concerning the operation has been entered, the terminal display device will clear and then present a two-page Screen Server summary. The Screen Server summary organizes the information entered and gives the user another opportunity to enter or edit data.

## Exiting an Option or the System

The user should enter an up-arrow (^) to stop what he or she is currently doing. The user can use the up-arrow at almost any prompt to terminate the line of questioning and return to the previous level in the routine. Continue entering up-arrows to completely exit the system.

## Option Overview

The main options included in this chapter are listed in the following table. The *Operation Menu* option, *Anesthesia Menu* option, and the *Non-O.R. Procedures* menu contain submenus. To the left of the option name is the shortcut synonym the user can enter to select the option.

Shortcut	Option Name
O	<i>Operation Menu</i>
A	<i>Anesthesia Menu</i>
PO	<i>Perioperative Occurrences Menu</i>
NON	<i>Non-O.R. Procedures</i>
C	<i>Comments</i>

# Operation Menu

## [SROPER]

The *Operation Menu* provides operating room personnel with online access to medical administration and laboratory information and generates post-operative reports, including the Nurse Intraoperative Report and the Operation Report. The menu options provide the opportunity to delete, edit, or review a patient's operation history or to enter information concerning a new surgery. The *Operation Menu* allows the user to select an area on which to concentrate data entry or review, such as post operation or anesthesia information. It is designed for operating room nurses, surgeons, and anesthesiologists to use before, during, and after surgery. The Screen Server utility is used extensively to provide quick access to relevant information.



This option is locked with the SROPER key.

The *Operation Menu* contains the following options. To the left is the keyboard shortcut the user can enter to select the option. A restricted option, such as the *Anesthesia Menu*, will not display if the user does not have security clearance for that option.

Shortcut	Option Name
I	<i>Operation Information</i>
SS	<i>Surgical Staff</i>
OS	<i>Operation Startup</i>
O	<i>Operation</i>
PO	<i>Post Operation</i>
PAC	<i>Enter PAC(U) Information</i>
OSS	<i>Operation (Short Screen)</i>
V	<i>Surgeon's Verification of Diagnosis &amp; Procedures</i>
A	<i>Anesthesia Menu</i>
OR	<i>Operation Report</i>
AR	<i>Anesthesia Report</i>
NR	<i>Nurse Intraoperative Report</i>
TR	<i>Tissue Examination Report</i>
R	<i>Enter Referring Physician Information</i>
RP	<i>Enter Irrigations and Restraints</i>
M	<i>Medications (Enter/Edit)</i>
B	<i>Blood Product Verification</i>

## Using the Operation Menu Options

This section provides information on the following:

- accessing the *Operation Menu* option
- entering information
- reviewing information
- deleting a surgery case
- entering a new surgical case

### **Accessing the Operation Menu**

To use one of the *Operation Menu* options, the user must first identify the patient and case on which he or she is currently working. When the *Operation Menu* option is selected, the user will be prompted to enter a patient name. The software will then list all the cases on record for the patient, including scheduled or requested cases and any operations that have been started or completed. Each case will have one of the following designations.

<b>Designation</b>	<b>Definition</b>
REQUESTED	The procedure is booked for a particular day but the time of surgery and the operating room are not yet confirmed.
SCHEDULED	The procedure is booked for both an operating room and a day, and the starting time of the surgery is scheduled.
NOT COMPLETE	The start time of the operation is recorded and the patient is still in the operating room.
COMPLETE	The operation is completed and the patient has left the operating room.
ABORTED	The patient entered the operating room, but the operation had to be cancelled.

Following is an example of how the software lists existing cases on record for a patient.

```
Select Surgery Menu Option: O Operation Menu  
Select Patient: SURPATIENT,SIX 04-04-30 000098797 NSC VETERAN
```

```
SURPATIENT,SIX 000-09-8797
```

1. 01-25-92 ARTHROSCOPY, RIGHT SHOULDER (SCHEDULED)
2. 01-05-92 CORONARY BYPASS (REQUESTED)
3. ENTER NEW SURGICAL CASE

```
Select Operation: <Enter>
```

The user can select from the case(s) listed or, as in an emergency situation, enter a new surgical case. When the existing case is selected, the software will ask whether the user wants to:

- 1) enter information for the case,
- 2) review the information already entered, or
- 3) delete the case.

```
SURPATIENT,SIX 000-09-8797
```

```
01-25-92 ARTHROSCOPY, RIGHT SHOULDER (SCHEDULED)
```

1. Enter Information
2. Review Information
3. Delete Surgery Case

```
Select Number: 1//
```

## Entering Information

First, the user selects the patient name. The Surgery software will then list all the cases on record for the patient, including scheduled or requested cases and any operations that have been started or completed. Then, the user selects the appropriate case.

Example: Enter Information

```
Select Surgery Menu Option: 0 Operation Menu
Select Patient: SURPATIENT,THREE 12-19-53 000212453
```

```
SURPATIENT,THREE 000-21-2453
1. 03-12-92 SHOULDER ARTHROPLASTY-PROSTHESIS (SCHEDULED)
2. 08-15-88 SHOULDER ARTHROPLASTY (NOT COMPLETE)
3. ENTER NEW SURGICAL CASE
```

```
Select Operation: 2
```

```
SURPATIENT,THREE 000-21-2453
08-15-88 SHOULDER ARTHROPLASTY (NOT COMPLETE)
```

```
1. Enter Information
2. Review Information
3. Delete Surgery Case
```

```
Select Number: 1// <Enter>
```

After the case is displayed, the user will press the **<Enter>** key or enter the number **1** to enter information for the case.

```
SURPATIENT,THREE (000-21-2453) Case #14 - MAR 12,1999

I Operation Information
SS Surgical Staff
OS Operation Startup
O Operation
PO Post Operation
PAC Enter PAC(U) Information
OSS Operation (Short Screen)
TO Time Out Verified Utilizing Checklist
V Surgeon's Verification of Diagnosis & Procedures
A Anesthesia for an Operation Menu ...
OR Operation Report
AR Anesthesia Report
NR Nurse Intraoperative Report
TR Tissue Examination Report
R Enter Referring Physician Information
RP Enter Irrigations and Restraints
M Medications (Enter/Edit)
B Blood Product Verification

Select Operation Menu Option:
```

Now the user can select any of the *Operation Menu* options.



## Reviewing Information

The user enters the number **2** to access this feature. This feature displays a two-page summary of the case. The user cannot edit from this feature. Press the **<Enter>** key at the "Enter Screen Server Function:" prompt to move to the next page, or enter **+1** or **-1** to move forward or backward one page.

Example: Review Information

```
Select Surgery Menu Option: Operation Menu
Select Patient: SURPATIENT,THREE 12-19-53 000212453
```

```
SURPATIENT,THREE 000-21-2453

1. 08-15-99 SHOULDER ARTHROPLASTY (NOT COMPLETE)
2. 03-12-92 SHOULDER ARTHROPLASTY-PROSTHESIS (SCHEDULED)
3. ENTER NEW SURGICAL CASE

Select Operation: 2
```

```
SURPATIENT,THREE 000-21-2453

08-15-88 SHOULDER ARTHROPLASTY (NOT COMPLETE)

1. Enter Information
2. Review Information
3. Delete Surgery Case

Select Number: 1// 2
```

```
** REVIEW ** CASE #14 SURPATIENT,THREE PAGE 1 OF 3

1 TIME PAT IN HOLD AREA: AUG 15, 1999 AT 07:40
2 TIME PAT IN OR: AUG 15, 1999 AT 08:00
3 ANES CARE TIME BLOCK: (MULTIPLE)
4 TIME OPERATION BEGAN: AUG 15, 1999 AT 09:00
5 SPECIMENS: (WORD PROCESSING)
6 CULTURES: (WORD PROCESSING)
7 THERMAL UNIT: (MULTIPLE)
8 ELECTROCAUTERY UNIT:
9 ESU COAG RANGE:
10 ESU CUTTING RANGE:
11 TIME TOURNIQUET APPLIED: (MULTIPLE)
12 PROSTHESIS INSTALLED: (MULTIPLE)
13 REPLACEMENT FLUID TYPE: (MULTIPLE)
14 IRRIGATION: (MULTIPLE)
15 MEDICATIONS: (MULTIPLE)

Enter Screen Server Function: <Enter>
```

```
** REVIEW ** CASE #14 SURPATIENT,THREE PAGE 2 OF 3

1 SPONGE COUNT CORRECT (Y/N): YES
2 SHARPS COUNT CORRECT (Y/N): YES
3 INSTRUMENT COUNT CORRECT (Y/N):
4 SPONGE, SHARPS, & INST COUNTER: YES
5 COUNT VERIFIER:
6 SEQUENTIAL COMPRESSION DEVICE:
7 LASER UNIT: (MULTIPLE)
8 CELL SAVER: (MULTIPLE)
9 NURSING CARE COMMENTS: (WORD PROCESSING) (DATA)
10 PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE L SHOULDER
11 PRIN PRE-OP ICD DIAGNOSIS CODE:
```

```
12 PRINCIPAL PROCEDURE: SHOULDER ARTHROPLASTY
13 PLANNED PRIN PROCEDURE CODE :
14 OTHER PROCEDURES: (MULTIPLE)
15 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)
```

Enter Screen Server Function: <Enter>

```
** REVIEW ** CASE #14 SURPATIENT,THREE PAGE 3 OF 3
```

```
1 BRIEF CLIN HISTORY: (WORD PROCESSING)
```

Enter Screen Server Function:

### Deleting a Surgery Case

The user enters the number **3** to access this feature. The *Delete Surgery Case* feature will permanently remove all information on the operative procedure from the records; however, only cases that are not completed can be deleted.

#### Example: How to Delete A Case

```
Select Surgery Menu Option: Operation Menu
Select Patient: SURPATIENT,NINE 12-09-51 000345555 NSC VETERAN
```

```
SURPATIENT,NINE 000-34-5555
```

1. 04-26-05 CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM (COMPLETED)
2. 12-20-05 REMOVE FACIAL LESIONS (NOT COMPLETE)
3. ENTER NEW SURGICAL CASE

Select Operation: **2**

```
SURPATIENT,NINE 000-34-5555
```

```
12-20-05 REMOVE FACIAL LESIONS (NOT COMPLETE)
```

1. Enter Information
2. Review Information
3. Delete Surgery Case

Select Number: 1// **3**

Are you sure that you want to delete this case ? NO// **Y**

Deleting Operation...

## Entering a New Surgical Case

A new surgical case is a case that has not been previously requested or scheduled. This option is designed primarily for entering emergency cases. Be aware that a surgical case entered in the records without being booked through scheduling will not appear on the operating room schedule or as an operative request.

At the "Select Operation:" prompt the user enters the number corresponding to the ENTER NEW SURGICAL CASE field. He or she will then be prompted to supply preoperative information concerning the case.

After the user has entered data concerning the operation, the screen will clear and present a two-page Screen Server summary and provide another opportunity to enter or edit data.

### **Prompts that require a response include:**

"Select the Date of Operation:"

"Desired Procedure Date:"

"Enter the Principal Operative Procedure:"

"Principal Preoperative Diagnosis:"

"Select Surgeon:"

"Attending Surgeon:"

"Select Surgical Specialty:"

### **Example: Entering a New Surgical Case**

```
Select Surgery Menu Option:  O Operation Menu
Select Patient:  SURPATIENT,SIX          04-04-30      000098797

SURPATIENT,SIX    000-09-8797

1. ENTER NEW SURGICAL CASE

Select Operation:  1

Select the Date of Operation:  T  (JAN 14, 2006)
Desired Procedure Date:  T  (JAN 14, 2006)

Enter the Principal Operative Procedure:  APPENDECTOMY
Principal Preoperative Diagnosis:  APPENDICITIS

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press Return to continue <Enter>

Select Surgeon:  SURSURGEON,ONE
Attending Surgeon:  SURSURGEON,TWO
Select Surgical Specialty:  50          GENERAL(OR WHEN NOT DEFINED BELOW)

Brief Clinical History:
  1>PATIENT WITH 5-DAY HISTORY OF INCREASING ABDOMINAL
  2>PAIN, ONSET OF FEVER IN LAST 24 HOURS. REBOUND
  3>TENDERNESS IN RIGHT LOWER QUAD. NAUSEA AND
  4>VOMITING FOR 3 DAYS.
  5><Enter>
EDIT Option:  <Enter>
Request Blood Availability (Y/N):  N//  YES

Type and Crossmatch, Screen, or Autologous:  TYPE & CROSSMATCH//  <Enter>  TYPE & CROSSMATCH

Select REQ BLOOD KIND:  CPDA-1 RED BLOOD CELLS//  <Enter>
```

Required Blood Product: CPDA-1 RED BLOOD CELLS// <Enter>  
Units Required: **2**

*(This page included for two-sided copying.)*

**Principal Preoperative Diagnosis: APPENDICITIS// <Enter>**  
Prin Pre-OP ICD Diagnosis Code: **540.9** 540.9 ACUTE APPENDICITIS NOS COM  
PLICATION/COMORBIDITY ACTIVE  
.....OK? YES// **<Enter>** (YES)

Hospital Admission Status: I// **<Enter>** INPATIENT  
Case Schedule Type: **EM** EMERGENCY  
First Assistant: **SURSURGEON,ONE**  
Second Assistant: **SURSURGEON,FOUR**  
Requested Postoperative Care: **W** WARD  
Case Schedule Order: **<Enter>**  
Select SURGERY POSITION: SUPINE// **<Enter>**  
Surgery Position: SUPINE// **<Enter>**  
Requested Anesthesia Technique: **G** GENERAL  
Request Frozen Section Tests (Y/N): **N** NO  
Requested Preoperative X-Rays: **<Enter>**  
Intraoperative X-Rays (Y/N): **N** NO  
Request Medical Media: **N** NO  
Request Clean or Contaminated: **C** CLEAN  
Select REFERRING PHYSICIAN: **<Enter>**  
General Comments:  
1> **<Enter>**  
SPD Comments:  
No existing text  
Edit? NO// **<Enter>**

**\*\* NEW SURGERY \*\*** CASE #185 SURPATIENT,SIX PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: APPENDECTOMY  
2 OTHER PROCEDURES: (MULTIPLE)  
3 PLANNED PRIN PROCEDURE CODE:  
4 PRINCIPAL PRE-OP DIAGNOSIS: APPENDICITIS  
5 PRIN PRE-OP ICD DIAGNOSIS CODE: 540.9  
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)  
7 IN/OUT-PATIENT STATUS: INPATIENT  
8 PRE-ADMISSION TESTING:  
9 CASE SCHEDULE TYPE: EMERGENCY  
10 SURGERY SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)  
11 SURGEON: SURSURGEON,ONE  
12 FIRST ASST: SURSURGEON,ONE  
13 SECOND ASST: SURSURGEON,FOUR  
14 ATTEND SURG: SURSURGEON,TWO  
15 REQ POSTOP CARE: WARD

Enter Screen Server Function: **<Enter>**

**\*\* NEW SURGERY \*\*** CASE #185 SURPATIENT,SIX PAGE 2 OF 3

1 CASE SCHEDULE ORDER:  
2 SURGERY POSITION: (MULTIPLE)(DATA)  
3 REQ ANESTHESIA TECHNIQUE: GENERAL  
4 REQ FROZ SECT: NO  
5 REQ PREOP X-RAY:  
6 INTRAOPERATIVE X-RAYS: NO  
7 REQUEST BLOOD AVAILABILITY: YES  
8 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH  
9 REQ BLOOD KIND: (MULTIPLE)(DATA)  
10 REQ PHOTO: NO  
11 REQ CLEAN OR CONTAMINATED: CLEAN  
12 REFERRING PHYSICIAN: (MULTIPLE)  
13 GENERAL COMMENTS: (WORD PROCESSING)  
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)  
15 BRIEF CLIN HISTORY: (WORD PROCESSING)(DATA)

Enter Screen Server Function: **<Enter>**

**\*\* NEW SURGERY \*\*** CASE #185 SURPATIENT,SIX PAGE 3 OF 3

1 SPD COMMENTS  
Enter Screen Server Function:

## Operation Information [SR0MEN-OPINFO]

Surgeons and other members of the surgical staff use the *Operation Information* option for a quick reference on a case. It produces a report that touches on the more important areas of interest recorded for the case. The report can be viewed on screen but cannot be edited from this option.

An asterisk indicates the principal diagnosis for the case, since some cases have more than one diagnosis. Notice that the INTRAOP OCCURRENCES field and the POSTOP OCCURRENCES field indicate if there are occurrences; however, the occurrences will not be defined, as access to this information is restricted.

### Example: Operation Information

Select Operation Menu Option: **I** Operation Information

```
-----  
Patient: SURPATIENT,SIX (000-09-8797)      Operation Date: MAR  9, 1999  
Surgeon: SURSURGEON,SIXTEEN              Major/Minor:  
Attending Surgeon: SURSURGEON,FOUR       Operation Time: 45 Minutes  
Attending Code: LEVEL D: ATTENDING IN O.R. SUITE, IMMEDIATELY AVAILABLE  
-----  
Operation(s):  
APPENECTOMY  
-----  
Postop Diagnosis:                          Intraop Occurrences: YES  
* APPENDICITIS                             Postop Occurrences:  YES  
-----  
Anesthesia Technique:                      Anesthetist: SURANESTHETIST,THREE  
  INHALATION  
  ENFLURANE 125ML  
-----  
Wound Classification:  
Intraoperative Blood Loss: 100 CC'S  
-----  
Press RETURN to continue
```

## Surgical Staff [SRMEN-STAFF]

The *Surgical Staff* option allows the operating room nurse or scheduling manager to enter or edit the names of the surgical team prior to the operation. Some data fields may be automatically filled in based on previous responses. The names entered will be reflected in the Nurse Intraoperative Report and other staffing reports.

At the "Enter Screen Server Function:" prompt, the user may choose the field(s) to be edited or press the <Enter> key to continue. Some of the data fields are "multiple" and may contain more than one value. When a field labeled "multiple" is selected, a new screen is generated so that the user can enter data related to that multiple. For example, the CIRC SUPPORT, SCRUB SUPPORT, and SCRUBBED ASSISTANT fields generate new screens that allow the user to add the TIME ON, TIME OFF, REASON FOR RELIEF, and STATUS. The TIME ON and TIME OFF fields also generate additional screens so that the user may enter more than one TIME ON/OFF for the same operation as some assistants must enter and exit more than once.



If entering times on a day other than the day of surgery, enter both the date and the time. Entering only a time will default the date to the current date.

---

### Field Information

The following are fields that correspond to the Surgical Staff entries.

Field Name	Definition
ATTENDING CODE	This field corresponds to the highest level of supervision provided by the attending staff surgeon during the procedure. Enter a question mark (?) to retrieve the list of codes.
OTHER SCRUBBED ASSISTANTS	If there are more than two assistants scrubbed for this case, they can be entered here.
OTHER PERSONS IN O.R.	This fields includes any observers, such as equipment vendors, in the operating room.



## Example: Entering Surgical Staff

Select Operation Menu Option: **SS** Surgical Staff

```
** SURGICAL STAFF **   CASE #193  SURPATIENT,THREE   PAGE 1 OF 1

1  SURGEON:                SURSURGEON,ONE
2  PGY OF PRIMARY SURGEON:
3  FIRST ASST:             SURSURGEON,TWELVE
4  SECOND ASST:            SURSURGEON,TWO
5  ATTEND SURG:            SURSURGEON,ONE
6  ATTENDING CODE:
7  PRINC ANESTHETIST:      SURANESTHETIST,FOUR
8  ASST ANESTHETIST:
9  ANESTHESIOLOGIST SUPVR: SURSURGEON,TWO
10 PERFUSIONIST:
11 ASST PERFUSIONIST:
12 OR CIRC SUPPORT:        (MULTIPLE)
13 OR SCRUB SUPPORT:      (MULTIPLE)
14 OTHER SCRUBBED ASSISTANTS: (MULTIPLE)
15 OTHER PERSONS IN OR:   (MULTIPLE)
```

Enter Screen Server Function: **6;13;15**

Attending Code: **C** LEVEL C: ATTENDING IN O.R., NOT SCRUBBED C

The supervising practitioner is physically present in the operative or procedural room. The supervising practitioner observes and provides direction. The resident performs the procedure.

```
** SURGICAL STAFF **   CASE #193  SURPATIENT,THREE   PAGE 1
      OR SCRUB SUPPORT
```

1 NEW ENTRY

Enter Screen Server Function: **1**

Select OR SCRUB SUPPORT: **SURNURSE,ONE**

OR SCRUB SUPPORT: SURNURSE,ONE// **<Enter>**

```
** SURGICAL STAFF **   CASE #193  SURPATIENT,THREE   PAGE 1
      OR SCRUB SUPPORT (SURNURSE,ONE)
```

```
1  OR SCRUB SUPPORT:      SURNURSE,ONE
2  TIME ON:                (MULTIPLE)
3  STATUS:
```

Enter Screen Server Function: **2:3**

Educational Status: **?**

CHOOSE FROM:

O ORIENTEE

F FULLY TRAINED

Educational Status: **F** FULLY TRAINED

```
** SURGICAL STAFF **   CASE #193  SURPATIENT,THREE   PAGE 1
      OR SCRUB SUPPORT (SURNURSE,ONE)
      TIME ON
```

1 NEW ENTRY

Enter Screen Server Function: **1**

Select TIME ON: **8:00** (JUN 06, 1999@08:00)

TIME ON: JUN 06, 1999@08:00// **<Enter>**

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1
OR SCRUB SUPPORT (SURNURSE,ONE)
TIME ON (2920606.08)
```

```
1 TIME ON: JUN 06, 1999 AT 08:00
2 TIME OFF:
3 REASON FOR RELIEF:
```

```
Enter Screen Server Function: 2:3
Time Off: 13:00 (JUN 06, 1999@13:00)
Reason for Relief: ?
```

```
Enter the code corresponding to the reason for relief.
CHOOSE FROM:
```

```
P PERSONAL
S SHIFT CHANGE
A ADMINISTRATIVE
```

```
Reason for Relief: S SHIFT CHANGE
```

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
OR SCRUB SUPPORT (SURNURSE,ONE)
TIME ON (2920606.08)
```

```
1 TIME ON: JUN 06, 1999 AT 08:00
2 TIME OFF: JUN 06, 1999 AT 13:00
3 REASON FOR RELIEF: SHIFT CHANGE
```

```
Enter Screen Server Function: <Enter>
```

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
OR SCRUB SUPPORT (SURNURSE,ONE)
TIME ON
```

```
1 TIME ON: JUN 06, 1999 AT 08:00
2 NEW ENTRY
```

```
Enter Screen Server Function: <Enter>
```

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
OR SCRUB SUPPORT (SURNURSE,ONE)
```

```
1 OR SCRUB SUPPORT: SURNURSE,ONE
2 TIME ON: (MULTIPLE)(DATA)
3 STATUS: FULLY TRAINED
```

```
Enter Screen Server Function: <Enter>
```

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
OR SCRUB SUPPORT
```

```
1 OR SCRUB SUPPORT: SURNURSE,ONE
2 NEW ENTRY
```

```
Enter Screen Server Function: <Enter>
```

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
OTHER PERSONS IN OR
```

```
1 NEW ENTRY
```

```
Enter Screen Server Function: 1
Select OTHER PERSONS IN OR: SURTECHNICIAN,ONE
OTHER PERSONS IN OR: SURTECHNICIAN,ONE // <Enter>
```

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
    OTHER PERSONS IN OR (0)

1 OTHER PERSONS IN OR: ONE SURTECHNICIAN
2 TITLE/ORGANIZATION:

Enter Screen Server Function: 2
Title and Organization: TECHNICIAN, AMERICAN SURGICAL EQUIP
```

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
    OTHER PERSONS IN OR (0)

1 OTHER PERSONS IN OR: ONE SURTECHNICIAN
2 TITLE/ORGANIZATION: TECHNICIAN, AMERICAN SURGICAL EQUIP

Enter Screen Server Function: <Enter>
```

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
    OTHER PERSONS IN OR

1 OTHER PERSONS IN OR: ONE SURTECHNICIAN
2 NEW ENTRY

Enter Screen Server Function: <Enter>
```

```
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1

1 SURGEON: SURSURGEON,ONE
2 PGY OF PRIMARY SURGEON:
3 FIRST ASST: SURSURGEON,TWELVE
4 SECOND ASST: SURSURGEON,TWO
5 ATTEND SURG: SURSURGEON,ONE
6 ATTENDING CODE: LEVEL C: ATTENDING IN O.R., NOT SCRUBBED
7 PRINC ANESTHETIST: SURANESTHETIST,FOUR
8 ASST ANESTHETIST:
9 ANESTHESIOLOGIST SUPVR: SURANESTHETIST,TWO
10 PERFUSIONIST:
11 ASST PERFUSIONIST:
12 OR CIRC SUPPORT: (MULTIPLE)
13 OR SCRUB SUPPORT: (MULTIPLE)(DATA)
14 OTHER SCRUBBED ASSISTANTS: (MULTIPLE)
15 OTHER PERSONS IN OR: (MULTIPLE)(DATA)

Enter Screen Server Function:
```

## Operation Startup [SROMEN-START]

The nurse or other operating room staff uses the *Operation Startup* option to enter data concerning the patient's preparation for the surgery (for example, diagnosis, delays, skin prep, and position aids). Some data fields may be automatically filled in based on previous responses.

Some of the data fields are "multiple fields" and can have more than one value. For example, a patient can have more than one diagnosis or restraint/position aid. When a multiple field is selected, a new screen is generated so that the user can enter data related to that multiple. At the "Enter Screen Server Function:" prompt, the user can choose the field(s) to be edited, or press the <Enter> key to go to the next item or page.

### Field Information

The following are fields that correspond to the Operation Startup entries.

Field Name	Definition
MAJOR/MINOR:	Major surgery is any operation performed under general, spinal, or epidural anesthesia plus all inguinal herniorrhaphies and carotid endarterectomies, regardless of anesthesia administered. Minor surgery is any operation not designated as Major.
CANCEL REASON:	The user must respond to this prompt if he or she has information in the CANCEL DATE field. Typing in a question mark (?) at the "Cancel Reason:" prompt allows the user to select from a list of cancellation reasons. The "Cancel Reason:" prompt should only be answered if the case has been aborted. Use the <i>Cancel Scheduled Case</i> option if the patient has not yet entered the operating room.
DELAY CAUSE:	If the actual start time of the surgery is significantly delayed (15 minutes or more, depending on the institution's policy) it is necessary to select a reason at the "Delay Cause:" prompt. Type in a question mark (?) at this prompt to select from a list of delay causes.
RESTR & POSITION AIDS:	A safety strap is automatically included as a restraint.

## Example: Operation Startup

Select Operation Menu Option: **OS** Operation Startup

```
** STARTUP **      CASE #159  SURPATIENT,THREE          PAGE 1 OF 3

1  DATE OF OPERATION:      DEC 06, 2004 AT 08:00
2  PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE, L SHOULDER
3  PRIN PRE-OP ICD DIAGNOSIS CODE:
4  OTHER PREOP DIAGNOSIS: (MULTIPLE)
5  OPERATING ROOM:        OR2
6  SURGERY SPECIALTY:     ORTHOPEDICS
7  MAJOR/MINOR:           MAJOR
8  REQ POSTOP CARE:       WARD
9  CASE SCHEDULE TYPE:    ELECTIVE
10 REQ ANESTHESIA TECHNIQUE: GENERAL
11 PATIENT EDUCATION/ASSESSMENT:
12 CANCEL DATE:
13 CANCEL REASON:
14 CANCELLATION AVOIDABLE:
15 DELAY CAUSE:           (MULTIPLE)

Enter Screen Server Function: 7;11
Major or Minor: J MAJOR
Preoperative Patient Education: Y YES
```

```
** STARTUP **      CASE #159  SURPATIENT,THREE          PAGE 1 OF 3

1  DATE OF OPERATION:      DEC 06, 2004 AT 08:00
2  PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE, L SHOULDER
3  PRIN PRE-OP ICD DIAGNOSIS CODE:
4  OTHER PREOP DIAGNOSIS: (MULTIPLE)
5  OPERATING ROOM:        OR2
6  SURGERY SPECIALTY:     ORTHOPEDICS
7  MAJOR/MINOR:           MAJOR
8  REQ POSTOP CARE:       WARD
9  CASE SCHEDULE TYPE:    ELECTIVE
10 REQ ANESTHESIA TECHNIQUE: GENERAL
11 PATIENT EDUCATION/ASSESSMENT: YES
12 CANCEL DATE:
13 CANCEL REASON:
14 CANCELLATION AVOIDABLE:
15 DELAY CAUSE:           (MULTIPLE)

Enter Screen Server Function: <Enter>
```

```
** STARTUP **      CASE #159  SURPATIENT,THREE          PAGE 2 OF 3

1  ASA CLASS:
2  PREOP MOOD:
3  PREOP CONSCIOUS:
4  PREOP SKIN INTEG:
5  TRANS TO OR BY:
6  HAIR REMOVAL BY:
7  HAIR REMOVAL METHOD:
8  HAIR REMOVAL COMMENTS: (WORD PROCESSING)
9  SKIN PREPPED BY (1):
10 SKIN PREPPED BY (2):
11 SKIN PREP AGENTS:
12 SECOND SKIN PREP AGENT:
13 SURGERY POSITION:       (MULTIPLE)(DATA)
14 RESTR & POSITION AIDS:  (MULTIPLE)(DATA)
15 ELECTROGROUND POSITION:

Enter Screen Server Function: A
```

```

ASA Class: 2 2 2-MILD DISTURB.
Preoperative Mood: ?
    Enter the code corresponding to the preoperative assessment of the
    patient's emotional status upon arrival to the operating room.
    Screen prevents selection of inactive entries.
    Answer with PATIENT MOOD NAME, or CODE
    Choose from:
    AGITATED          AG
    ANGRY             ANG
    ANXIOUS           ANX
    APATHETIC         AP
    DEPRESSED         D
    RELAXED           R
    TESTY AND IRRATE, SLEEPY      BUF

Preoperative Mood: ANXIOUS          ANX
Preoperative Consciousness: AO ALERT-ORIENTED      AO
Preoperative Skin Integrity: INTACT          I
Transported to O.R. By: PACU BED
Preop Surgical Site Hair Removal by: SURNURSE,TWO
Surgical Site Hair Removal Method: N NO HAIR REMOVED
Hair Removal Comments:
    No existing text
    Edit? NO// <Enter>
Skin Prepped By: <Enter>
Skin Prepped By (2): <Enter>
Skin Preparation Agent: HIBICLENS          HI
Second Skin Preparation Agent: <Enter>
Electroground Placement: RAT RIGHT ANT THIGH

```

```

** STARTUP ** CASE #159 SURPATIENT,THREE          PAGE 1
    SURGERY POSITION

1 SURGERY POSITION: SUPINE
2 NEW ENTRY

Enter Screen Server Function: 2
Select SURGERY POSITION: SEMISUPINE
SURGERY POSITION: SEMISUPINE// <Enter>

```

```

** STARTUP ** CASE #159 SURPATIENT,THREE          PAGE 1
    SURGERY POSITION (SEMISUPINE)

1 SURGERY POSITION: SEMISUPINE
2 TIME PLACED:

Enter Screen Server Function: <Enter>

```

```

** STARTUP ** CASE #159 SURPATIENT,THREE          PAGE 1 OF 1
    SURGERY POSITION

1 SURGERY POSITION: SUPINE
2 SURGERY POSITION: SEMISUPINE
3 NEW ENTRY

Enter Screen Server Function: <Enter>

```

```

** STARTUP ** CASE #159 SURPATIENT,THREE          PAGE 1 OF 1
    RESTR & POSITION AIDS

1 RESTR & POSITION AIDS: SAFETY STRAP
2 NEW ENTRY

Enter Screen Server Function: 2
Select RESTR & POSITION AIDS: FOAM PADS
RESTR & POSITION AIDS: FOAM PADS// <Enter>

```

```
** STARTUP **      CASE #159  SURPATIENT,THREE      PAGE 1 OF 1
      RESTR & POSITION AIDS  (FOAM PADS)

1  RESTR & POSITION AIDS: FOAM PADS
2  APPLIED BY:

Enter Screen Server Function:  2
Applied By:  SURNURSE,TWO
```

```
** STARTUP **      CASE #159  SURPATIENT,THREE      PAGE 2 OF 3

1  ASA CLASS:                2-MILD DISTURB.
2  PREOP MOOD:                ANXIOUS
3  PREOP CONSCIOUS:          ALERT-ORIENTED
4  PREOP SKIN INTEG:         INTACT
5  TRANS TO OR BY:           PACU BED
6  HAIR REMOVAL BY:          MONOSKY,ALAN
7  HAIR REMOVAL METHOD:       NO HAIR REMOVED
8  HAIR REMOVAL COMMENTS:    (WORD PROCESSING)
9  SKIN PREPPED BY (1):
10 SKIN PREPPED BY (2):
11 SKIN PREP AGENTS:         HIBICLENS
12 SECOND SKIN PREP AGENT:
13 SURGERY POSITION:          (MULTIPLE)(DATA)
14 RESTR & POSITION AIDS:      (MULTIPLE)(DATA)
15 ELECTROGROUND POSITION:    RIGHT ANT THIGH

Enter Screen Server Function:  <Enter>
```

```
** STARTUP **      CASE #159  SURPATIENT,THREE      PAGE 3 OF 3

1  ELECTROGROUND POSITION (2):

Enter Screen Server Function:  1
Electroground Position (2):  LF  LEFT FLANK
```

```
** STARTUP **      CASE #159  SURPATIENT,THREE      PAGE 3 OF 3

1  ELECTROGROUND POSITION (2):

Enter Screen Server Function:
```

*(This page included for two-sided copying.)*



## Operation [SR0MEN-OP]

Surgeons and nurses use the *Operation* option to enter data relating to the operation during or immediately following the actual procedure. It is very important to record the time of the patient's entrance into the hold area and operating room, the time anesthesia is administered, and the operation start time.

Many of the data fields are "multiple fields" and can have more than one value. For example, a patient can have more than one diagnosis or procedure done per operation. When a multiple field is selected, a new screen is generated so that the user can enter data related to that multiple. The up-arrow (^) can be used to exit from any multiple field. Enter a question mark (?) for software- assisted instruction.

### Field Information

The following are fields that correspond to the Operation entries.

Field Name	Definition
TIME OPERATION BEGAN	The user should check his or her institution's policy concerning an operation's start time. In some institutions, this may be the time of first incision.



If entering times on a day other than the day of surgery, enter both the date and the time. Entering only a time will default the date to the current date.

---

### Example: Operation Option: Entering Information

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 1 OF 3

1  TIME PAT IN HOLD AREA:
2  TIME PAT IN OR:
3  ANES CARE TIME BLOCK:      (MULTIPLE)
4  TIME OPERATION BEGAN:
5  SPECIMENS:                  (WORD PROCESSING)
6  CULTURES:                  (WORD PROCESSING)
7  THERMAL UNIT:              (MULTIPLE)
8  ELECTROCAUTERY UNIT:
9  ESU COAG RANGE:
10 ESU CUTTING RANGE:
11 TIME TOURNIQUET APPLIED: (MULTIPLE)
12 PROSTHESIS INSTALLED:    (MULTIPLE)
13 REPLACEMENT FLUID TYPE:  (MULTIPLE)
14 IRRIGATION:              (MULTIPLE)
15 MEDICATIONS:             (MULTIPLE)

Enter Screen Server Function:  1;2;13;14
```

```
Time Patient Arrived in Holding Area: 8:50 (MAR 12, 1999@08:50)
Time Patient In the O.R.: 9:00 (MAR 12, 1999@09:00)
```

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 1 OF 1
      REPLACEMENT FLUID TYPE

1  NEW ENTRY

Enter Screen Server Function:  1
Select REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION
      REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION// <Enter>
```

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 1 OF 1
      REPLACEMENT FLUID TYPE (RINGERS LACTATED SOLUTION)

1  REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION
2  QTY OF FLUID (ml):
3  SOURCE ID:
4  VA IDENT:
5  REPLACEMENT FLUID COMMENTS: (WORD PROCESSING)

Enter Screen Server Function:  2;3
Quantity of Fluid (ml): 1000
Source Identification Number: TRAVENOL
```

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 1 OF 1
      REPLACEMENT FLUID TYPE (RINGERS LACTATED SOLUTION)

1  REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION
2  QTY OF FLUID (ml):      1000
3  SOURCE ID:              TRAVENOL
4  VA IDENT:
5  REPLACEMENT FLUID COMMENTS: (WORD PROCESSING)

Enter Screen Server Function:  <Enter>
```

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 1 OF 1
      REPLACEMENT FLUID TYPE

1  REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION
2  NEW ENTRY

Enter Screen Server Function:  <Enter>
```

```
** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
IRRIGATION

1 NEW ENTRY

Enter Screen Server Function: 1
Select IRRIGATION: NORMAL SALINE
IRRIGATION: NORMAL SALINE// <Enter>
```

```
** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
IRRIGATION (NORMAL SALINE)

1 IRRIGATION: NORMAL SALINE
2 TIME: (MULTIPLE)

Enter Screen Server Function: 2
```

```
** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1
IRRIGATION (NORMAL SALINE)
TIME

1 NEW ENTRY

Enter Screen Server Function: 1
Select TIME: 9:40 MAR 12, 1999@09:40
TIME: MAR 12, 1999@09:40// <Enter>
```

```
** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1
IRRIGATION (NORMAL SALINE)
TIME (2930601.094)

1 TIME: MAR 12, 1999 AT 09:40
2 AMOUNT USED:
3 PROVIDER:

Enter Screen Server Function: 2:3
Amount of Solution Used: 1000
Person Responsible: SURNURSE,THREE
```

```
** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
IRRIGATION (NORMAL SALINE)
TIME (2930601.094)

1 TIME: MAR 12, 1999 AT 09:40
2 AMOUNT USED: 1000
3 PROVIDER: SURNURSE,THREE

Enter Screen Server Function: <Enter>
```

```
** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
IRRIGATION (NORMAL SALINE)
TIME

1 TIME: MAR 12, 1999 AT 09:40
2 NEW ENTRY

Enter Screen Server Function: <Enter>
```

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 1 OF 1
      IRRIGATION    (NORMAL SALINE)

1  IRRIGATION:      NORMAL SALINE
2  TIME:            (MULTIPLE)(DATA)

Enter Screen Server Function:  <Enter>
```

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 1 OF 1
      IRRIGATION

1  IRRIGATION:      NORMAL SALINE
2  NEW ENTRY

Enter Screen Server Function:  <Enter>
```

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 1 OF 3

1  TIME PAT IN HOLD AREA:  MAR 12, 1999 AT 08:50
2  TIME PAT IN OR:        MAR 12, 1999 AT 09:00
3  ANES CARE TIME BLOCK:  (MULTIPLE)
4  TIME OPERATION BEGAN:
5  SPECIMENS:             (WORD PROCESSING)
6  CULTURES:              (WORD PROCESSING)
7  THERMAL UNIT:          (MULTIPLE)
8  ELECTROCAUTERY UNIT:
9  ESU COAG RANGE:
10 ESU CUTTING RANGE:
11 TIME TOURNIQUET APPLIED: (MULTIPLE)
12 PROSTHESIS INSTALLED:  (MULTIPLE)
13 REPLACEMENT FLUID TYPE: (MULTIPLE)
14 IRRIGATION:            (MULTIPLE)
15 MEDICATIONS:           (MULTIPLE)

Enter Screen Server Function:  <Enter>
```

\*\* OPERATION \*\* CASE #173 SURPATIENT,TWENTY PAGE 2 OF 3

1 SPONGE COUNT CORRECT (Y/N):  
2 SHARPS COUNT CORRECT (Y/N):  
3 INSTRUMENT COUNT CORRECT (Y/N):  
4 SPONGE, SHARPS, & INST COUNTER:  
5 COUNT VERIFIER:  
6 SEQUENTIAL COMPRESSION DEVICE:  
7 LASER UNIT: (MULTIPLE)  
8 CELL SAVER: (MULTIPLE)  
9 NURSING CARE COMMENTS: (WORD PROCESSING)  
10 PRINCIPAL PRE-OP DIAGNOSIS: CHOLELITHIASIS  
11 PRIN PRE-OP ICD DIAGNOSIS CODE:  
12 PRINCIPAL PROCEDURE: CHOLECYSTECTOMY  
13 PLANNED PRIN PROCEDURE CODE :  
14 OTHER PROCEDURES: (MULTIPLE)  
15 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)

Enter Screen Server Function: **1:4**

Final Sponge Count Correct (Y/N): **Y** YES  
Final Sharps Count Correct (Y/N): **Y** YES  
Final Instrument Count Correct (Y/N): **Y** YES  
Person Responsible for Final Counts: **SURNURSE,THREE**

\*\* OPERATION \*\* CASE #173 SURPATIENT,TWENTY PAGE 2 OF 3

1 SPONGE COUNT CORRECT (Y/N): YES  
2 SHARPS COUNT CORRECT (Y/N): YES  
3 INSTRUMENT COUNT CORRECT (Y/N): YES  
4 SPONGE, SHARPS, & INST COUNTER: **SURNURSE,THREE**  
5 COUNT VERIFIER:  
6 SEQUENTIAL COMPRESSION DEVICE:  
7 LASER UNIT: (MULTIPLE)  
8 CELL SAVER: (MULTIPLE)  
9 NURSING CARE COMMENTS: (WORD PROCESSING)  
10 PRINCIPAL PRE-OP DIAGNOSIS: CHOLELITHIASIS  
11 PRIN PRE-OP ICD DIAGNOSIS CODE:  
12 PRINCIPAL PROCEDURE: CHOLECYSTECTOMY  
13 PLANNED PRIN PROCEDURE CODE :  
14 OTHER PROCEDURES: (MULTIPLE)  
15 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)

Enter Screen Server Function: **9**

NURSING CARE COMMENTS:

**1>Admitted with prosthesis in place, left eye is artificial eye.**  
**2>Foam pads applied to elbows and knees. Pillow placed**  
**3>under knees.**  
**4><Enter>**

EDIT Option: **<Enter>**

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 2 OF 3

1  SPONGE COUNT CORRECT (Y/N): YES
2  SHARPS COUNT CORRECT (Y/N): YES
3  INSTRUMENT COUNT CORRECT (Y/N): YES
4  SPONGE, SHARPS, & INST COUNTER: SURNURSE,THREE
5  COUNT VERIFIER:
6  SEQUENTIAL COMPRESSION DEVICE:
7  LASER UNIT:          (MULTIPLE)
8  CELL SAVER:         (MULTIPLE)
9  NURSING CARE COMMENTS: (WORD PROCESSING)(DATA)
10 PRINCIPAL PRE-OP DIAGNOSIS: CHOLELITHIASIS
11 PRIN PRE-OP ICD DIAGNOSIS CODE:
12 PRINCIPAL PROCEDURE:  CHOLECYSTECTOMY
13 PLANNED PRIN PROCEDURE CODE :
14 OTHER PROCEDURES:    (MULTIPLE)
15 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)(DATA)

Enter Screen Server Function: <Enter>
```

```
** OPERATION **      CASE #173  SURPATIENT,TWENTY      PAGE 3 OF 3

1  BRIEF CLIN HISTORY:   (WORD PROCESSING)

Enter Screen Server Function:
```

## Post Operation [SRROMEN-POST]

The *Post Operation* option concerns the close of the operation, discharge, and post anesthesia recovery. It is important to enter the operation and anesthesia end times, as well as the time the patient leaves the operation room, as these fields affect many reports.

### Field Information

The following are fields that correspond to the *Post Operation* option entries.

Field Name	Definition
TIME PAT OUT OR	Entry of this field generates an alert notifying the circulating nurse that the Nurse Intraoperative Report is ready for signature.
ANES CARE TIME BLOCK	Entry of this multiple generates an alert notifying the anesthetist that the Anesthesia Report is ready for signature.

### Example: Post Operation

Select Operation Menu Option: **PO** Post Operation

```

** POST OPERATION **   CASE #145  SURPATIENT,NINE   PAGE 1 OF 2

1  DRESSING:
2  PACKING:
3  TUBES AND DRAINS:
4  BLOOD LOSS (ML):
5  TOTAL URINE OUTPUT (ML):
6  GASTRIC OUTPUT:
7  WOUND CLASSIFICATION:
8  POSTOP MOOD:
9  POSTOP CONSCIOUS:
10 POSTOP SKIN INTEG:
11 TIME OPERATION ENDS:
12 ANES CARE TIME BLOCK: (MULTIPLE)
13 TIME PAT OUT OR:
14 OP DISPOSITION:
15 DISCHARGED VIA:

Enter Screen Server Function:  A
Dressing(s):  TELFA
Packing Type:  <Enter>
Tubes and Drains:  PENROSE
Intraoperative Blood Loss (ml):  200
Total Urine Output (ml):  600
Gastric Output (cc's):  150
Wound Classification:  CC  CLEAN/CONTAMINATED
Postoperative Mood:  RELAXED          R
Postoperative Consciousness:  RESTING          R
Postoperative Skin Integrity:  INTACT          I
Time the Operation Ends:  12:30  (APR 26, 2005@12:30)
Time Patient Out of the O.R.:  12:50  (APR 26, 2005@12:50)
Postoperative Disposition:  PACU (RECOVERY ROOM)          R
Patient Discharged Via:  PACU BED

```

```

** POST OPERATION ** CASE #145 SURPATIENT,NINE PAGE 1 OF 1
ANES CARE TIME BLOCK

1 NEW ENTRY

Enter Screen Server Function: 1
Select ANES CARE TIME BLOCK ANES CARE MULTIPLE START TIME: 10:30 APR 26, 2005@
10:30
ANES CARE TIME BLOCK ANES CARE MULTIPLE START TIME: APR 26, 2005@10:30
// <Enter>

```

```

** POST OPERATION ** CASE #145 SURPATIENT,NINE PAGE 1 OF 1
ANES CARE TIME BLOCK (3050608.153)

1 ANES CARE MULTIPLE START TIME: APR 26, 2005@10:30
2 ANES CARE MULTIPLE END TIME:

Enter Screen Server Function: 2
Anesthesia Care Multiple End Time: 12:40 (APR 26, 2005@12:40)

Does this entry complete all start and end times for this case? (Y/N)// Y

```

```

** POST OPERATION ** CASE #145 SURPATIENT,NINE PAGE 1 OF 1
ANES CARE TIME BLOCK (3050608.153)

1 ANES CARE MULTIPLE START TIME: APR 26, 2005 AT 10:30
2 ANES CARE MULTIPLE END TIME: APR 26, 2005 AT 12:40

Enter Screen Server Function: <Enter>

```

```

** POST OPERATION ** CASE #145 SURPATIENT,NINE PAGE 1 OF 1
ANES CARE TIME BLOCK

1 ANES CARE MULTIPLE START TIME: APR 26, 2005 AT 10:30
2 NEW ENTRY

Enter Screen Server Function: <Enter>

```

```

** POST OPERATION ** CASE #145 SURPATIENT,NINE PAGE 1 OF 2

1 DRESSING: TELFA
2 PACKING:
3 TUBES AND DRAINS: PENROSE
4 BLOOD LOSS (ML): 200
5 TOTAL URINE OUTPUT (ML): 600
6 GASTRIC OUTPUT: 150
7 WOUND CLASSIFICATION: CLEAN/CONTAMINATED
8 POSTOP MOOD: RELAXED
9 POSTOP CONSCIOUS: RESTING
10 POSTOP SKIN INTEG: INTACT
11 TIME OPERATION ENDS: APR 26, 2005 AT 12:30
12 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)
13 TIME PAT OUT OR: APR 26, 2005 AT 12:50
14 OP DISPOSITION: PACU (RECOVERY ROOM)
15 DISCHARGED VIA: PACU BED

Enter Screen Server Function: <Enter>

```

```

** POST OPERATION ** CASE #145 SURPATIENT,NINE PAGE 2 OF 2

1 PRINCIPAL POST-OP DIAG: CHOLELITHIASIS
2 PRIN PRE-OP ICD DIAGNOSIS CODE:
3 OTHER POSTOP DIAGS: (MULTIPLE)
4 PRINCIPAL PROCEDURE: CHOLECYSTECTOMY
5 PLANNED PRIN PROCEDURE CODE: 47480
6 OTHER PROCEDURES: (MULTIPLE)(DATA)
7 ATTENDING CODE: LEVEL C: ATTENDING IN O.R., NOT SCRUBBED
8 FLASH-CONTAMINATION: 56
9 FLASH-SPD/OR MGT ISSUE: 0
10 FLASH-EMERGENCY CASE: 6
11 FLASH-NO BETTER OPTION: 4

```



12 FLASH-LOANER INSTRUMENT: 9  
13 FLASH-DECONTAMINATION: 12

Enter Screen Server Function:

*(This page included for two-sided copying.)*

## Enter PAC(U) Information [SRMEN-PACU]

Personnel in the Post Anesthesia Care Unit (PACU) use the *Enter PAC(U) Information* option to enter the admission and discharge times and scores.

### Example: Entering PAC(U) Information

Select Operation Menu Option: **PAC** Enter PAC(U) Information

```
** PACU **      CASE #145  SURPATIENT,NINE                PAGE 1 OF 1
1  ADMIT PAC(U) TIME:
2  PAC(U) ADMIT SCORE:
3  PAC(U) DISCH TIME:
4  PAC(U) DISCH SCORE:

Enter Screen Server Function: 1:4
PAC(U) Admission Time: 13:00 (APR 26, 1999@13:00)
PAC(U) Admission Score: 10
PAC(U) Discharge Date/Time: 14:00 (APR 26, 1999@14:00)
PAC(U) Discharge Score: 10
```

```
** PACU **      CASE #145  SURPATIENT,NINE                PAGE 1 OF 1
1  ADMIT PAC(U) TIME:      APR 26, 1999 AT 13:00
2  PAC(U) ADMIT SCORE:    10
3  PAC(U) DISCH TIME:     APR 26, 1999 AT 14:00
4  PAC(U) DISCH SCORE:    10

Enter Screen Server Function:
```

## Operation (Short Screen) [SROMEN-OUT]

The *Operation (Short Screen)* option provides a three-page screen of information concerning a surgical procedure performed on a patient. The *Operation (Short Screen)* option allows the nurse or surgeon to easily enter data relating to the operation during, and shortly after, the actual procedure. This time-saving option can replace the *Operation Startup* option, the *Operation* option, and the *Post Operation* option for minor surgeries.

When only one anesthesia technique is entered, the software will assume that it is the principal anesthesia technique for the case. Some data fields may be automatically pre-populated if the case was booked in advance.

### Example: Operation Short Screen

Select Operation Menu Option: **OSS** Operation (Short Screen)

```
** SHORT SCREEN **      CASE #186  SURPATIENT,TWELVE      PAGE 1 OF 3

1  DATE OF OPERATION:      MAR 09, 2005
2  IN/OUT-PATIENT STATUS:  OUTPATIENT
3  SURGEON:                SURSURGEON,FOUR
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE:
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE:    REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE: 17000
9  OTHER PROCEDURES:      (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS:  (WORD PROCESSING)
13 TIME PAT IN OR:
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function: 13:15
Time Patient In the O.R.: 13:00 (MAR 09, 2005@13:00)
Time the Operation Began: 13:10 (MAR 09, 2005@13:10)
Time the Operation Ends: 13:36 (MAR 09, 2005@13:36)
```

```

** SHORT SCREEN **      CASE #186  SURPATIENT,TWELVE      PAGE 1 OF 3

1  DATE OF OPERATION:      MAR 09, 2005
2  IN/OUT-PATIENT STATUS:  OUTPATIENT
3  SURGEON:                SURSURGEON,FOUR
4  PRINCIPAL PRE-OP DIAGNOSIS:  BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE:
6  OTHER PREOP DIAGNOSIS:  (MULTIPLE)
7  PRINCIPAL PROCEDURE:    REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE: 17000
9  OTHER PROCEDURES:      (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS:  (WORD PROCESSING)
13 TIME PAT IN OR:        MAR 09, 2005 AT 13:00
14 TIME OPERATION BEGAN:   MAR 09, 2005 at 13:10
15 TIME OPERATION ENDS:   MAR 09, 2005 AT 13:36

Enter Screen Server Function:  <Enter>

```

```

** SHORT SCREEN **      CASE #186  SURPATIENT,TWELVE      PAGE 2 OF 3

1  TIME PAT OUT OR:
2  IV STARTED BY:
3  OR CIRC SUPPORT:        (MULTIPLE)
4  OR SCRUB SUPPORT:      (MULTIPLE)
5  OPERATING ROOM:
6  FIRST ASST:
7  SPONGE COUNT CORRECT (Y/N):
8  SHARPS COUNT CORRECT (Y/N):
9  INSTRUMENT COUNT CORRECT (Y/N):
10 SPONGE, SHARPS, & INST COUNTER:
11 COUNT VERIFIER:
12 SURGERY SPECIALTY:     GENERAL(OR WHEN NOT DEFINED BELOW)
13 WOUND CLASSIFICATION:
14 ATTEND SURG:          SURSURGEON,TWO
15 ATTENDING CODE:

Enter Screen Server Function:  1;5;15

Time Patient Out of the O.R.: 13:40 (MAR 09, 2005@13:40)
Operating Room: OR1
Attending Code: A      LEVEL A: ATTENDING DOING THE OPERATION A
The staff practitioner performs the case, but may be assisted by a
resident.

```

```

** SHORT SCREEN **      CASE #186  SURPATIENT,TWELVE      PAGE 2 OF 3

1  TIME PAT OUT OR:        MAR 12, 2006 AT 13:40
2  IV STARTED BY:
3  OR CIRC SUPPORT:        (MULTIPLE)
4  OR SCRUB SUPPORT:      (MULTIPLE)
5  OPERATING ROOM:        OR1
6  FIRST ASST:
7  SPONGE COUNT CORRECT (Y/N):
8  SHARPS COUNT CORRECT (Y/N):
9  INSTRUMENT COUNT CORRECT (Y/N):
10 SPONGE, SHARPS, & INST COUNTER:
11 COUNT VERIFIER:
12 SURGERY SPECIALTY:     GENERAL(OR WHEN NOT DEFINED BELOW)
13 WOUND CLASSIFICATION:
14 ATTEND SURG:          SURSURGEON,TWO
15 ATTENDING CODE:      LEVEL A: ATTENDING DOING THE OPERATION

Enter Screen Server Function:  <Enter>

```

```
** SHORT SCREEN **      CASE #186  SURPATIENT,TWELVE      PAGE 3 OF 3

1  SPECIMENS:              (WORD PROCESSING)
2  CULTURES:              (WORD PROCESSING)
3  NURSING CARE COMMENTS: (WORD PROCESSING) (DATA)
4  ASA CLASS:
5  PRINC ANESTHETIST:     SURANESTHETIST,FOUR
6  ANESTHESIA TECHNIQUE: (MULTIPLE)
7  ANES CARE TIME BLOCK: (MULTIPLE)
8  DELAY CAUSE:          (MULTIPLE)
9  CANCEL DATE:
10 CANCEL REASON:
11 CANCELLATION COMMENTS:

Enter Screen Server Function:  3:4

Nursing Care Comments:
  1>PATIENT ARRIVED AMBULATORY FROM AMBULATORY
  2>SURGERY UNIT. DISCHARGED VIA WHEELCHAIR, AWAKE,
  3>ALERT, ORIENTED.
  4><Enter>
EDIT Option:  <Enter>
ASA Class: 3  3      3-SEVERE DISTURB.
```

```
** SHORT SCREEN **      CASE #186  SURPATIENT,TWELVE      PAGE 3 OF 3

1  SPECIMENS:              (WORD PROCESSING)
2  CULTURES:              (WORD PROCESSING)
3  NURSING CARE COMMENTS: (WORD PROCESSING) (DATA)
4  ASA CLASS:              3-SEVERE DISTURB.
5  PRINC ANESTHETIST:     SURANESTHETIST,FOUR
6  ANESTHESIA TECHNIQUE: (MULTIPLE)
7  ANES CARE TIME BLOCK: (MULTIPLE)
8  DELAY CAUSE:          (MULTIPLE)
9  CANCEL DATE:
10 CANCEL REASON:
11 CANCELLATION COMMENTS:

Enter Screen Server Function:  <Enter>
```

## Time Out Verified Utilizing Checklist [SR0MEN-VERF]

This option is used to enter information related to the Time Out Verified Utilizing Checklist.

Example: Time Out Verified Utilizing Checklist

Select Operation Menu Option: **Time Out Verified Utilizing Checklist**

```
      ** TIME OUT CHECKLIST **      CASE #145  SURPATIENT,NINE  PAGE 1 OF 1

1   CONFIRM PATIENT IDENTITY:
2   PROCEDURE TO BE PERFORMED:
3   SITE OF PROCEDURE:
4   VALID CONSENT FORM:
5   CONFIRM PATIENT POSITION:
6   MARKED SITE CONFIRMED:
7   PREOPERATIVE IMAGES CONFIRMED:
8   CORRECT MEDICAL IMPLANTS:
9   AVAILABILITY OF SPECIAL EQUIP:
10  ANTIBIOTIC PROPHYLAXIS:
11  APPROPRIATE DVT PROPHYLAXIS:
12  BLOOD AVAILABILITY:
13  CHECKLIST COMMENT:      (WORD PROCESSING)
14  CHECKLIST CONFIRMED BY:

Enter Screen Server Function:  A
Confirm Correct Patient Identity: Y YES
Confirm Procedure To Be Performed: Y YES
Confirm Site of Procedure, Including Laterality: Y YES
Confirm Valid Consent Form: Y YES
Confirm Patient Position: N NO
Confirm Proc. Site has been Marked Appropriately and the Site of the Mark is Visible After Prep: Y YES
Pertinent Medical Images Have Been Confirmed: Y YES
Correct Medical Implant(s) is Available: Y YES
Availability of Special Equipment: Y YES
Appropriate Antibiotic Prophylaxis: Y YES
Appropriate Deep Vein Thrombosis Prophylaxis: Y YES
Blood Availability: Y YES
Checklist Comment:
  No existing text
  Edit? NO// <Enter>
Checklist Confirmed By: SURNURSE,FIVE

Checklist Comments should be entered when a "NO" response is entered for any of the Time Out Verified Utilizing Checklist fields.
Do you want to enter Checklist Comment ? YES//

Checklist Comment:
  No existing text
  Edit? NO//
```

```
      ** TIME OUT CHECKLIST **      CASE #145  SURPATIENT,NINE  PAGE 1 OF 1

1   CONFIRM PATIENT IDENTITY: YES
2   PROCEDURE TO BE PERFORMED: YES
3   SITE OF PROCEDURE:      YES
4   VALID CONSENT FORM:      YES
5   CONFIRM PATIENT POSITION: YES
6   MARKED SITE CONFIRMED:   YES
7   PREOPERATIVE IMAGES CONFIRMED: YES
8   CORRECT MEDICAL IMPLANTS: YES
9   AVAILABILITY OF SPECIAL EQUIP: YES
10  ANTIBIOTIC PROPHYLAXIS:  YES
11  APPROPRIATE DVT PROPHYLAXIS: YES
12  BLOOD AVAILABILITY:      YES
```

13 CHECKLIST COMMENT: (WORD PROCESSING)  
14 CHECKLIST CONFIRMED BY: **SURNURSE, FIVE**

Enter Screen Server Function:



## Surgeon's Verification of Diagnosis & Procedures [SROVER]

Surgeons use this option to verify that the stated procedure(s), diagnosis, and occurrences are correct for a case. With this option, the surgeon can update the Operation Name, Planned CPT Code, Diagnosis, and Intraoperative Occurrences before verifying the case. If the case has already been verified, the user will be asked whether to re-verify it.

If the user responds **YES** to the prompt "Do you need to update the information above ?" the software will provide a summary for editing.



If there are no occurrences, the INTRAOP OCCURRENCES field should be left blank. Do **not** enter **NO** or **NONE**.

---

The procedure and diagnosis codes are the codes captured with clinical data, and are supplied as defaults to the Coder when entering the final codes that will be sent to PCE.

### **Service Classifications**

Information relating to a patient's status of Service Connected (SC) and Environmental Indicators (EI) are captured during patient registration. The Surgery software receives this data from enrollment and displays it when the user creates a case.

In the Surgery software, the patient's Service Classification status is determined at the case level when the case is created. The user can further refine status designations, not only per case, but also per diagnosis.

The system defaults the case-level Service Classification indicators into each Other Postop Diagnosis field as the user adds the Other Postop Diagnoses. The system allows the user to edit these fields if the user determines that the defaulted value is incorrect.

### Example: Surgeon's Verification of Diagnosis & Procedures

Select Operation Menu Option: **V** Surgeon's Verification of Diagnosis & Procedures

SURPATIENT,ONE (000-44-7629)  
Operation Date: JUN 5, 2005

- 
1. Indications for Operation:  
Swelling in the inguinal region.
  2. Planned Principal CPT Code: 00830  
Assoc. DX: 1. 550.02 BILAT ING HERNIA W GANG
  3. Principal Procedure: REMOVE HERNIA
  4. Other Procedures:
  5. Postoperative Diagnosis: INGUINAL HERNIA
  6. Intraoperative Occurrences: NO OCCURRENCES HAVE BEEN ENTERED
  7. Principal Pre-OP Diagnosis: HERNIA
  8. Principal Pre-OP Diagnosis Code: 550.02 BILAT ING HERNIA W GANG
- 

Do you need to update the information above ? NO// **Y**

Select Information to Edit: **2:3**

Planned Principal Procedure Code (CPT): **49521** REREPAIR ING HERNIA, BLOCKE  
D

REPAIR RECURRENT INGUINAL HERNIA, ANY AGE; INCARCERATED OR STRANGULATED  
The Diagnosis to Procedure Associations may no longer be correct.  
Delete Diagnosis Associations for this Procedure? N// **NO**

Modifier: **59** DISTINCT PROCEDURAL SERVICE  
Modifier: **<Enter>**

Principal Procedure: REMOVE HERNIA// **REPAIR INGUINAL HERNIA**

SURPATIENT,ONE (000-44-7629)  
Operation Date: JUN 5, 2005

- 
1. Indications for Operation:  
Swelling in the inguinal region.
  2. Planned Principal CPT Code: 49521  
REPAIR RECURRENT INGUINAL HERNIA, ANY AGE; INCARCERATED OR STRANGULATED
- Modifiers: -59
3. Principal Procedure: REPAIR INGUINAL HERNIA
  4. Other Procedures:
  5. Postoperative Diagnosis: INGUINAL HERNIA
  6. Intraoperative Occurrences: NO OCCURRENCES HAVE BEEN ENTERED
  7. Principal Pre-OP Diagnosis: HERNIA
  8. Principal Pre-OP Diagnosis Code: 550.02 BILAT ING HERNIA W GANG
- 

Do you need to update the information above ? NO// <Enter>  
Will you verify that the information on your screen is correct ? YES// <Enter>

Press RETURN to continue

## Anesthesia for an Operation Menu [SROANES]



The *Anesthesia for an Operation Menu* option is restricted to anesthesia personnel and is locked with the SROANES key.

This option is designed for convenient entry of data pertaining to the anesthesia agents, personnel and techniques. When the user selects this option from the *Operation Menu* option, he or she is given a submenu of five options.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym that may be entered to select the option.

Shortcut	Option Name
I	<i>Anesthesia Information (Enter/Edit)</i>
T	<i>Anesthesia Technique (Enter/Edit)</i>
M	<i>Medications (Enter/Edit)</i>
R	<i>Anesthesia Report</i>
S	<i>Schedule Anesthesia Personnel</i>

### **Prerequisites**

To use any of these options, other than the *Schedule Anesthesia Personnel* option, the user must first select a patient case. For the *Schedule Anesthesia Personnel* option, a date and then an operating room must first be selected.

These options can also be accessed from the main *Surgery Menu*.

Information related to these options is contained in “Chapter Two: Tracking Clinical Procedures,” in the Anesthesia Menu section.

## Operation Report [SROS RPT]

The *Operation Report* option displays the dictated Operation Report for the patient case selected. This report contains the surgeon's dictation regarding the surgical procedure. The Operation Report is not electronically signed in the Surgery package. After the dictated Operation Report is uploaded into the Text Integration Utilities (TIU) package, it is then available for electronic signature through the Computerized Patient Record System (CPRS) Surgery tab.

When electronically signed, the Operation Report is also viewable through CPRS. The electronically signed Operation Report replaces VA Form 516. If the Operation Report has not been electronically signed, then CPRS will only display a stub for that document.



After the dictated Operation Report is transcribed and uploaded into TIU, the TIU software sends an alert to the surgeon responsible for electronically signing the report.

---

Until the Operation Report is signed, if the *Operation Report* option is selected, the following text displays:

“The Operation Report for this case is not yet available.”

If the Operation Report has been signed, the *Operation Report* option will display the signed document. (See the example.)

-----printout follows-----

## Example: A signed Operation Report

Page: 1

-----  
SURPATIENT,TEN 000-12-3456

OPERATION REPORT  
-----

NOTE DATED: 07/29/2003 15:15 OPERATION REPORT  
VISIT: 07/29/2003 15:15 SURGERY OP REPORT NON-COUNT  
SUBJECT: Case #: 73285

PREOPERATIVE DIAGNOSIS: Visually significant cataract, right eye

POSTOPERATIVE DIAGNOSIS: Visually significant cataract, right eye

PROCEDURE: Phacoemulsification with intraocular lens placement, right eye

CLINICAL INDICATIONS: This 64-year-old gentleman complains of decreased vision in the right eye affecting his activities of daily living. Best corrected visual acuity is counting fingers at 6 feet, associated with a 2-3+ nuclear sclerotic and 4+ posterior subcapsular cataract in that eye.

ANESTHESIA: Local monitoring with topical Tetracaine and 1% preservative free Lidocaine.

DESCRIPTION OF THE PROCEDURE: After the risks, benefits and alternatives of the procedure were explained to the patient, informed consent was obtained. The patient's right eye was dilated with Phenylephrine, Mydriacyl and Ocufen. He was brought to the Operating Room and placed on anesthetic monitors. Topical Tetracaine was given. He was prepped and draped in the usual sterile fashion for eye surgery. A Lieberman lid speculum was placed.

A Supersharp was used to create a superior paracentesis port. The anterior chamber was irrigated with 1% preservative free Lidocaine. The anterior chamber was filled with Viscoelastic. The diamond groove maker and diamond keratome were used to create a clear corneal tunneled incision at the temporal limbus. The cystotome was used to initiate a continuous capsulorrhexis, which was then completed using Utrata forceps. Balanced salt solution was used to hydrodissect and hydrodelineate the lens.

Phacoemulsification was used to remove the lens nucleus and epinucleus in a non-stop horizontal chop fashion. Cortex was removed using irrigation and aspiration. The capsular bag was filled with Viscoelastic. The wound was enlarged with a 69 blade. An Alcon model MA60BM posterior chamber intraocular lens with a power of 24.0 diopters, serial #588502.064, was folded and inserted with the leading haptic placed into the bag. The trailing haptic was dialed into the bag with the Lester hook. The wound was hydrated. The anterior chamber was filled with balanced salt solution. The wound was tested and found to be self-sealing. Subconjunctival antibiotics were given, and an eye shield was placed. The patient was taken in good condition to the Recovery Room. There were no complications.

KJC/PSI

DATE DICTATED: 07/29/03  
DATE TRANSCRIBED: 07/29/03  
JOB: 629095

Signed by: /es/ FOURTEEN SURSURGEON, M.D.  
07/30/2003 10:31

## Anesthesia Report [SROARPT]

The Anesthesia Report details anesthesia information for the patient case selected. This option provides the capability to view/print the report, edit information contained in the report, and electronically sign the report. This option can also be accessed from the *Anesthesia Menu* option located on the *Operation Menu*, as well as on the main *Surgery Menu*.

### Anesthesia Report (Unsigned)

Upon selecting this option, if the Anesthesia Report is not signed the report will begin displaying. The Anesthesia Report displays key fields on the first page. Several of these fields are required before the software will allow the user to electronically sign the report. If any of these fields are left blank, a warning will appear prompting the user to provide the missing information. The ANES CARE TIME field, ANESTHESIA TECHNIQUE field, ASA CLASS field, OP DISPOSITION field, and the PRINC ANESTHETIST field must all be completed before the Anesthesia Report can be electronically signed.



Entering the information into the ANES CARE END TIME field triggers an alert that is sent to the anesthetist responsible for signing the report. By responding to the alert, the user is taken to the *Anesthesia Report* option.

At the bottom of the first screen is the prompt, "Press <return> to continue, 'A' to access Anesthesia Report functions or '^' to exit:". The *Anesthesia Report* functions, accessed by entering **A** at the prompt, allow the user to edit the report, to view or print the report, or to electronically sign the report.

Example: First page of an Anesthesia Report

```
MEDICAL RECORD          SURPATIENT,TEN (000-12-3456)          PAGE 1
                        ANESTHESIA REPORT - CASE #267226

Operating Room: WX OR3

Anesthetist: SURANESTHETIST,SEVEN          Relief Anesth:
Anesthesiologist: SURANESTHESIOLOGIST,ONE  Assist Anesth: SURANESTHETIST,FIVE
Attending Code: LEVEL 3. ATTENDING NOT PRESENT IN O.R. SUITE, IMMEDIATE
LY AVAILABLE.

Anes Begin:  FEB 12, 2004  08:00          Anes End:  FEB 12, 2004  12:10

ASA Class:  * NOT ENTERED *

Operation Disposition: * NOT ENTERED *

Anesthesia Technique(s):
GENERAL (PRINCIPAL)
  Agent:      ISOFLURANE FOR INHALATION 100ML
  Intubated: YES
  Trauma: NONE

Press <return> to continue, 'A' to access Anesthesia Report functions
or '^' to exit: A
```

After entering an **A** at the prompt, the Anesthesia functions are displayed. The following examples demonstrate how these three functions are accessed and how they operate.

If the user enters a **1**, the Anesthesia Report data can be edited.

#### Example: Edit Report Information

```
SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004
```

```
Anesthesia Report Functions:
```

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

```
Select number: 2// 1 Edit report information
```

```
** ANESTHESIA REPORT ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 2
```

```
1 OPERATING ROOM: WX OR3
2 PRINC ANESTHETIST: SURANESTHETIST,SEVEN
3 RELIEF ANESTHETIST:
4 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
6 ASST ANESTHETIST: SURANESTHETIST,FIVE
7 ANES CARE TIME BLOCK: (MULTIPLE)(DATA)
8 ASA CLASS:
9 OP DISPOSITION:
10 ANESTHESIA TECHNIQUE: (MULTIPLE) (DATA)
11 PRINCIPAL PROCEDURE: MVR
12 OTHER PROCEDURES: (MULTIPLE) (DATA)
13 MEDICATIONS: (MULTIPLE)
14 MIN INTRAOP TEMPERATURE (C): 35
15 MONITORS: (MULTIPLE)
```

```
Enter Screen Server Function: 9
Postoperative Disposition: SICU S
```

```
** ANESTHESIA REPORT ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 2
```

```
1 OPERATING ROOM: WX OR3
2 PRINC ANESTHETIST: SURANESTHETIST,SEVEN
3 RELIEF ANESTHETIST:
4 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
6 ASST ANESTHETIST: SURANESTHETIST,FIVE
7 ANES CARE TIME BLOCK: (MULTIPLE)(DATA)
8 ASA CLASS:
9 OP DISPOSITION: SICU
10 ANESTHESIA TECHNIQUE: (MULTIPLE)(DATA)
11 PRINCIPAL PROCEDURE: MVR
12 OTHER PROCEDURES: (MULTIPLE)(DATA)
13 MEDICATIONS: (MULTIPLE)
14 MIN INTRAOP TEMPERATURE (C): 35
15 MONITORS: (MULTIPLE)
```

```
Enter Screen Server Function: ^
```



If the user enters a **2**, the Anesthesia Report can be printed.

Example: Print the Anesthesia Report

SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004

Anesthesia Report Functions:

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

Select number: 2// **2**

-----*printout follows*-----

-----  
SURPATIENT,TEN 000-12-3456 ANESTHESIA REPORT  
-----

NOTE DATED: 02/12/2004 08:00 ANESTHESIA REPORT

SUBJECT: Case #: 267226

Operating Room: WX OR3

Anesthetist: SURANESTHETIST,SEVEN Relief Anesth:  
Anesthesiologist: SURANESTHESIOLOGIST,ONE Assist Anesth: SURANESTHETIST,FIVE  
Attending Code: LEVEL 3. ATTENDING NOT PRESENT IN O.R. SUITE, IMMEDIATE  
LY AVAILABLE.

Anes Begin: FEB 12, 2004 08:00 Anes End: FEB 12, 2004 12:10

ASA Class: \* NOT ENTERED \*

Operation Disposition: SICU

Anesthesia Technique(s):  
GENERAL (PRINCIPAL)  
Agent: ISOFLURANE FOR INHALATION 100ML  
Intubated: YES  
Trauma: NONE

Min Intraoperative Temp: 35

Intraoperative Blood Loss: 800 ml Urine Output: 750 ml  
Operation Disposition: SICU  
PAC(U) Admit Score: PAC(U) Discharge Score:

Postop Anesthesia Note Date/Time:

To electronically sign the report, the user enters a **3**.

#### Example: Sign the Report Electronically

```
SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004
```

```
Anesthesia Report Functions:
```

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

```
Select number: 2// 3
```

In this case, a key field, the ASA CLASS field, has been omitted. The system will prompt the user to supply the missing information before allowing the report to be electronically signed.



---

The Anesthesia Report cannot be signed if the ASA CLASS field, or any other key field information, is missing.

---

Responding **YES** to the, "Do you want to enter this information?" prompt allows the user to enter or correct fields on the Anesthesia Report.

#### Example: Entering or Correcting a Field on the Anesthesia Report prior to Signature

```
The following information is required before this report may be signed:
```

```
ASA CLASS
```

```
Do you want to enter this information? YES// YES
```

```
** ANESTHESIA REPORT ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 2
```

```
1 OPERATING ROOM: WX OR3
2 PRINC ANESTHETIST: SURANESTHETIST,SEVEN
3 RELIEF ANESTHETIST:
4 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
6 ASST ANESTHETIST: SURANESTHETIST,FIVE
7 ANES CARE TIME BLOCK: (MULTIPLE)(DATA)
8 ASA CLASS:
9 OP DISPOSITION: SICU
10 ANESTHESIA TECHNIQUE: (MULTIPLE)(DATA)
11 PRINCIPAL PROCEDURE: MVR
12 OTHER PROCEDURES: (MULTIPLE)(DATA)
13 MEDICATIONS: (MULTIPLE)
14 MIN INTRAOP TEMPERATURE (C): 35
15 MONITORS: (MULTIPLE)
```

```
Enter Screen Server Function: 8
ASA Class: 1 1 1-NO DISTURB.
```

```
** ANESTHESIA REPORT **   CASE #267226  SURPATIENT,TEN PAGE 1 OF 2
```

```
1  OPERATING ROOM:      WX OR3
2  PRINC ANESTHETIST:   SURANESTHETIST,SEVEN
3  RELIEF ANESTHETIST:
4  ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE
5  ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
6  ASST ANESTHETIST:    SURANESTHETIST,FIVE
7  ANES CARE TIME BLOCK: (MULTIPLE)(DATA)
8  ASA CLASS:           1-NO DISTURB.
9  OP DISPOSITION:      SICU
10 ANESTHESIA TECHNIQUE: (MULTIPLE)(DATA)
11 PRINCIPAL PROCEDURE: MVR
12 OTHER PROCEDURES:    (MULTIPLE)(DATA)
13 MEDICATIONS:         (MULTIPLE)
14 MIN INTRAOP TEMPERATURE (C): 35
15 MONITORS:            (MULTIPLE)
```

```
Enter Screen Server Function: ^
```

After any necessary edits have been made, the report can be electronically signed.

#### Example: Electronically signing the Anesthesia Report

```
SURPATIENT,TEN (000-12-3456)   Case #267226 - FEB 12, 2004
```

```
Anesthesia Report Functions:
```

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

```
Select number: 2// 3 Sign the report electronically
```

```
Enter your Current Signature Code: xxx SIGNATURE VERIFIED
```

```
SURPATIENT,TEN (000-12-3456)   Case #267226 - FEB 12, 2004
```

```
* * The Anesthesia Report has been electronically signed. * *
```

When typing the electronic signature code, no characters will display on screen.

Once an Anesthesia Report has been signed, a warning informing the user that the Anesthesia Report has already been signed will display on screen and an addendum will be required for any future changes.

## Anesthesia Report (Signed)

After an Anesthesia Report has been signed, any changes to the signed report will require a signed addendum.

### Example: Editing the Signed Report

```
Select Operation Menu Option: AR Anesthesia Report
```

```
SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004
```

```
* * The Anesthesia Report has been electronically signed. * *
```

```
Anesthesia Report Functions:
```

1. Edit report information
2. Print/View report from beginning

```
Select number: 2// 1 Edit report information
```



If the Anesthesia Report and/or the Nurse Intraoperative Report has already been signed, the following warning will be displayed. If any data on either signed report is edited, an addendum to the Anesthesia Report and/or to the Nurse Intraoperative Report will be required.

### Example: Warning

```
SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004
```

```
>>> WARNING <<<
```

```
Electronically signed reports are associated with this case. Editing  
of data that appear on electronically signed reports will require the  
creation of addenda to the signed reports.
```

```
Enter RETURN to continue or '^' to exit: <Enter>
```

The user can proceed to edit the report and sign the required addendum or simply exit.

### Example: Editing the Signed Report

```
** ANESTHESIA REPORT ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 2
```

```
1 OPERATING ROOM: WX OR3  
2 PRINC ANESTHETIST: SURANESTHETIST,SEVEN  
3 RELIEF ANESTHETIST:  
4 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE  
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.  
6 ASST ANESTHETIST: SURANESTHETIST,FIVE  
7 ANES CARE TIME BLOCK: (MULTIPLE)(DATA)  
8 ASA CLASS: 1-NO DISTURB.  
9 OP DISPOSITION: SICU  
10 ANESTHESIA TECHNIQUE: (MULTIPLE)(DATA)  
11 PRINCIPAL PROCEDURE: MVR  
12 OTHER PROCEDURES: (MULTIPLE)(DATA)  
13 MEDICATIONS: (MULTIPLE)  
14 MIN INTRAOP TEMPERATURE (C): 35  
15 MONITORS: (MULTIPLE)
```

```
Enter Screen Server Function: 1  
Operating Room: WX OR3// BO OR1
```

\*\* ANESTHESIA REPORT \*\* CASE #267226 SURPATIENT,TEN PAGE 1 OF 2

1 OPERATING ROOM: BO OR1  
2 PRINC ANESTHETIST: SURANESTHETIST,SEVEN  
3 RELIEF ANESTHETIST:  
4 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE  
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.  
6 ASST ANESTHETIST: SURANESTHETIST,FIVE  
7 ANES CARE TIME BLOCK: (MULTIPLE)(DATA)  
8 ASA CLASS: 1-NO DISTURB.  
9 OP DISPOSITION: SICU  
10 ANESTHESIA TECHNIQUE: (MULTIPLE)(DATA)  
11 PRINCIPAL PROCEDURE: MVR  
12 OTHER PROCEDURES: (MULTIPLE)(DATA)  
13 MEDICATIONS: (MULTIPLE)  
14 MIN INTRAOP TEMPERATURE (C): 35  
15 MONITORS: (MULTIPLE)

Enter Screen Server Function: ^

SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12,2004

An addendum to each of the following electronically signed document(s) is required:

Nurse Intraoperative Report - Case #267226  
Anesthesia Report - Case #267226

If you choose not to create an addendum, the original data will be restored to the modified fields appearing on the signed reports.

Create addendum? YES// <Enter>



If the user elects to exit these options prior to signing the addendum, all fields on the report revert back to the values entered when electronically signed.

Addendum for Case #267226 - FEB 12,2004  
Patient: SURPATIENT,TEN (000-12-3456)

-----  
The Operating Room field was changed  
from WX OR3  
to BO OR1

Enter RETURN to continue or '^' to exit: <Enter>

Do you want to add a comment for this case? NO// YES

Comment: OPERATING ROOM NUMBER WAS CORRECTED.

Addendum for Case #267226 - FEB 12,2004  
Patient: SURPATIENT,TEN (000-12-3456)

-----  
The Operating Room field was changed  
from WX OR3  
to BO OR1

Addendum Comment: OPERATING ROOM NUMBER WAS CORRECTED.

Enter RETURN to continue or '^' to exit: <Enter>

Enter your Current Signature Code: **xxx** SIGNATURE VERIFIED

Press RETURN to continue... <Enter>

When typing the electronic signature code, no characters will display on screen.

The *Print/View report from beginning* function can then be used to view or print the report with the addendum.

#### Example: Print/View Report With Addendum

```
SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004
* * The Anesthesia Report has been electronically signed. * *
Anesthesia Report Functions:
1. Edit report information
2. Print/View report from beginning
Select number: 2// 2 Print/View report from beginning
Do you want WORK copies or CHART copies? WORK// <Enter>
DEVICE: [Select Print Device]
```

-----*printout follows*-----

-----  
SURPATIENT,TEN 000-12-3456

ANESTHESIA REPORT  
-----

NOTE DATED: 02/12/2004 08:00 ANESTHESIA REPORT

SUBJECT: Case #: 267226

Operating Room: WX OR3

Anesthetist: SURANESTHETIST,SEVEN

Relief Anesth:

Anesthesiologist: SURANESTHESIOLOGIST,ONE

Assist Anesth: SURANESTHETIST,FIVE

Attending Code: 3. STAFF ASSISTING C.R.N.A.

Anes Begin: FEB 12, 2004 08:00

Anes End: FEB 12, 2004 12:10

ASA Class: 1-NO DISTURB.

Operation Disposition: SICU

Anesthesia Technique(s):

GENERAL (PRINCIPAL)

Agent: ISOFLURANE FOR INHALATION 100ML

Enter RETURN to continue or '^' to exit:

Intubated: YES

Trauma: NONE

Procedure(s) Performed:

Principal: MVR

Min Intraoperative Temp: 35

Intraoperative Blood Loss: 800 ml

Urine Output: 750 ml

Operation Disposition: SICU

PAC(U) Admit Score:

PAC(U) Discharge Score:

Postop Anesthesia Note Date/Time:

Signed by: /es/ SEVEN SURANESTHETIST  
03/04/2004 10:59

03/04/2004 11:04 ADDENDUM

The Operating Room field was changed  
from WX OR3  
to BO OR1

Addendum Comment: OPERATING ROOM NUMBER WAS CORRECTED.

Signed by: /es/ SEVEN SURANESTHETIST  
03/04/2004 11:04

## Nurse Intraoperative Report [SRONRPT]

The Nurse Intraoperative Report details case information relating to nursing care provided for the patient during the operative case selected. This option provides the capability to view and print the report, edit information contained in the report, and electronically sign the report.

With the *Surgery Site Parameters* option located on the *Surgery Package Management Menu*, the user can select one of two different formats for this report. One format includes all field names whether or not information has been entered. The other format only includes fields that have actual data.

Electronically signed reports may be viewed through CPRS for completed operations.

### **Nurse Intraoperative Report - Before Electronic Signature**

Upon selecting the *Nurse Intraoperative Report* option, if the Nurse Intraoperative Report is not signed, the report will begin displaying on the screen. The Nurse Intraoperative Report displays key fields on the first page. Several of these fields are required before the software will allow the user to electronically sign the report. If any required fields are left blank, a warning will appear prompting the user to provide the missing information.

The following fields are required before electronic signature of the Nurse Intraoperative Report:

- TIME PAT IN OR
- HAIR REMOVAL METHOD
- CORRECT PATIENT IDENTITY
- SITE OF PROCEDURE
- CONFIRM PATIENT POSITION
- ANTIBIOTIC PROPHYLAXIS
- BLOOD AVAILABILITY
- CHECKLIST COMMENT
- TIME PAT OUT OR
- MARKED SITE CONFIRMED
- PREOPERATIVE IMAGING CONFIRMED
- PROCEDURE TO BE PERFORMED
- VALID CONSENT FORM
- CORRECT MEDICAL IMPLANTS
- APPROPRIATE DVT PROPHYLAXIS
- AVAILABILITY OF SPECIAL EQUIP

If the COUNT VERIFIER field has been entered, the following fields are required:

- SPONGE COUNT CORRECT (Y/N)
- INSTRUMENT COUNT CORRECT (Y/N)
- SHARPS COUNT CORRECT (Y/N)
- SPONGE, SHARPS, & INST COUNTER

If the PROSTHESIS INSTALLED field has an item (or items) entered, the following fields are required for each item:

- IMPLANT STERILITY CHECKED
- RN VERIFIER
- SERIAL NUMBER
- STERILITY EXPIRATION DATE
- LOT NUMBER



Entering the TIME PAT OUT OR field triggers an alert that is sent to the nurse responsible for signing the report. By acting on the alert, the nurse accesses the *Nurse Intraoperative Report* option to electronically sign the report.

---



At the bottom of the first screen is the prompt, "Press <return> to continue, 'A' to access Nurse Intraoperative Report functions, or '^' to exit:". The *Nurse Intraoperative Report* functions, accessed by entering **A** at the prompt, allow the user to edit the report, to view or print the report, or to electronically sign the report.

Example: First page of the Nurse Intraoperative Report

Select Operation Menu Option: **NR** Nurse Intraoperative Report

```

                                SURPATIENT,TEN (000-12-3456)
MEDICAL RECORD                 NURSE INTRAOPERATIVE REPORT - CASE #267226           PAGE 1
Operating Room:  BO OR1                               Surgical Priority: ELECTIVE
Patient in Hold: JUL 12, 2004 07:30                   Patient in OR:  JUL 12, 2004 08:00
Operation Begin: JUL 12, 2004 08:58                   Operation End:  JUL 12, 2004 12:10
Surgeon in OR:   JUL 12, 2004 07:55                   Patient Out OR: JUL 12, 2004 12:45

Major Operations Performed:
Primary: MVR

Wound Classification: CLEAN
Operation Disposition: SICU
Discharged Via: ICU BED

Surgeon: SURSURGEON,THREE                               First Assist: SURSURGEON,FOUR
Attend Surg: SURSURGEON,THREE                           Second Assist: N/A
Anesthetist: SURANESTHETIST,SEVEN                       Assistant Anesth: N/A

Press <return> to continue, 'A' to access Nurse Intraoperative Report
functions, or '^' to exit: A
```

After the user enters an **A** at the prompt, the *Nurse Intraoperative Report* functions are displayed. The following examples demonstrate how these three functions are accessed and how they operate. If the user enters a **1**, the Nurse Intraoperative Report data can be edited.

#### Example: Editing the Nurse Intraoperative Report

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2004
```

```
Nurse Intraoperative Report Functions:
```

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

```
Select number: 2// 1
```

```
** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 6
```

```
1 CONFIRM PATIENT IDENTITY: YES
2 PROCEDURE TO BE PERFORMED: YES
3 SITE OF PROCEDURE: YES
4 VALID CONSENT FORM: YES
5 CONFIRM PATIENT POSITION: YES
6 MARKED SITE CONFIRMED:
7 PREOPERATIVE IMAGING CONFIRMED:
8 CORRECT MEDICAL IMPLANTS: YES
9 AVAILABILITY OF SPECIAL EQUIP: YES
10 ANTIBIOTIC PROPHYLAXIS: YES
11 APPROPRIATE DVT PROPHYLAXIS: YES
12 BLOOD AVAILABILITY: YES
13 CHECKLIST COMMENT: (WORD PROCESSING)
14 CHECKLIST CONFIRMED BY: SURNURSE,FIVE
```

```
Enter Screen Server Function: <Enter>
```

```
** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 2 OF 6
```

```
1 SPONGE COUNT CORRECT (Y/N): YES
2 SHARPS COUNT CORRECT (Y/N): YES
3 INSTRUMENT COUNT CORRECT (Y/N): YES
4 SPONGE, SHARPS, & INST COUNTER: SURNURSE,FIVE
5 COUNT VERIFIER:
6 TIME PAT IN HOLD AREA: JUL 12, 2004 AT 07:30
7 TIME PAT IN OR: JUL 12, 2004 AT 08:00
8 TIME OPERATION BEGAN: JUL 12, 2004 at 08:58
9 TIME OPERATION ENDS: JUL 12, 2004 AT 12:30
10 SURG PRESENT TIME:
11 TIME PAT OUT OR:
12 PRINCIPAL PROCEDURE: CHOLECYSTECTOMY
13 OTHER PROCEDURES: (MULTIPLE)
14 WOUND CLASSIFICATION: CLEAN
15 OP DISPOSITION:
```

```
Enter Screen Server Function: 14
```

```
Wound Classification: CLEAN// CONTAMINATED CONTAMINATED
```

```
** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 2 OF 6
```

```
1 SPONGE COUNT CORRECT (Y/N): YES
2 SHARPS COUNT CORRECT (Y/N): YES
3 INSTRUMENT COUNT CORRECT (Y/N): YES
4 SPONGE, SHARPS, & INST COUNTER: SURNURSE,FIVE
5 COUNT VERIFIER:
6 TIME PAT IN HOLD AREA: JUL 12, 2004 AT 07:30
7 TIME PAT IN OR: JUL 12, 2004 AT 08:00
8 TIME OPERATION BEGAN: JUL 12, 2004 at 08:58
9 TIME OPERATION ENDS: JUL 12, 2004 AT 12:30
10 SURG PRESENT TIME:
```

```
11 TIME PAT OUT OR:
12 PRINCIPAL PROCEDURE:      CHOLECYSTECTOMY
13 OTHER PROCEDURES:        (MULTIPLE)
14 WOUND CLASSIFICATION:    CONTAMINATED
15 OP DISPOSITION:
```

Enter Screen Server Function: <Enter>

```
** NURSE INTRAOP **      CASE #267226  SURPATIENT,TEN PAGE 3 OF 6
```

```
1 MAJOR/MINOR:              MAJOR
2 OPERATING ROOM:          OR1
3 CASE SCHEDULE TYPE:      ELECTIVE
4 SURGEON:                  SURSURGEON,THREE
5 ATTEND SURG:             SURSURGEON,THREE
6 FIRST ASST:              SURSURGEON,FOUR
7 SECOND ASST:
8 PRINC ANESTHETIST:       SURANESTHETIST,SEVEN
9 ASST ANESTHETIST:
10 OTHER SCRUBBED ASSISTANTS: (MULTIPLE)
11 OR SCRUB SUPPORT:        (MULTIPLE)(DATA)
12 OR CIRC SUPPORT:         (MULTIPLE)(DATA)
13 OTHER PERSONS IN OR:    (MULTIPLE)
14 PREOP MOOD:              RELAXED
15 PREOP CONSCIOUS:        RESTING
```

Enter Screen Server Function: <Enter>

```
** NURSE INTRAOP **      CASE #267226  SURPATIENT,TEN PAGE 4 OF 6
```

```
1 PREOP SKIN INTEG:        INTACT
2 PREOP CONVERSE:          NOT ANSWER QUESTIONS
3 HAIR REMOVAL BY:         SURNURSE,FIVE
4 HAIR REMOVAL METHOD:      OTHER ←
5 HAIR REMOVAL COMMENTS:   (WORD PROCESSING)(DATA)
6 SKIN PREPPED BY (1):     SURNURSE,FIVE
7 SKIN PREPPED BY (2):
8 SKIN PREP AGENTS:        BETADINE
9 SECOND SKIN PREP AGENT:   POVIDONE IODINE
10 SURGERY POSITION:         (MULTIPLE)(DATA)
11 RESTR & POSITION AIDS:    (MULTIPLE)(DATA)
12 ELECTROCAUTERY UNIT:
13 ESU COAG RANGE:
14 ESU CUTTING RANGE:
15 ELECTROGROUND POSITION:
```

If SHAVING or OTHER is entered as the Hair Removal Method, then Hair Removal Comments must be entered before the report can be electronically signed.

Enter Screen Server Function: ^

At the *Nurse Intraoperative Report* functions, the report can be printed if the user enters a **2**.

### Example: Printing the Nurse Intraoperative Report

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2004
```

Nurse Intraoperative Report Functions:

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

Select number: 2// <Enter>

-----printout follows-----

-----  
SURPATIENT,TEN 000-12-3456

NURSE INTRAOPERATIVE REPORT  
-----

NOTE DATED: 07/12/2004 08:00 NURSE INTRAOPERATIVE REPORT

SUBJECT: Case #: 267226

Operating Room: BO OR1 Surgical Priority: ELECTIVE

Patient in Hold: JUL 12, 2004 07:30 Patient in OR: JUL 12, 2004 08:00  
Operation Begin: JUL 12, 2004 08:58 Operation End: JUL 12, 2004 12:10  
Surgeon in OR: JUL 12, 2004 07:55 Patient Out OR: JUL 12, 2004 12:45

Major Operations Performed:  
Primary: MVR

Wound Classification: CONTAMINATED  
Operation Disposition: SICU  
Discharged Via: ICU BED

Surgeon: SURSURGEON,THREE First Assist: SURSURGEON,FOUR  
Attend Surg: SURSURGEON,THREE Second Assist: N/A  
Anesthetist: SURANESTHETIST,SEVEN Assistant Anesth: N/A

Other Scrubbed Assistants: N/A

OR Support Personnel:  
Scrubbed Circulating  
SURNURSE,ONE (FULLY TRAINED) SURNURSE,FIVE (FULLY TRAINED)  
SURNURSE,FOUR (FULLY TRAINED)

Other Persons in OR: N/A

Preop Mood: ANXIOUS Preop Consc: ALERT-ORIENTED  
Preop Skin Integ: INTACT Preop Converse: N/A  
Confirm Correct Patient Identity: YES  
Confirm Procedure to be Performed: YES  
Confirm Site of the Procedure, including laterality: YES  
Confirm Valid Consent Form: YES  
Confirm Patient Position: YES  
Confirm Proc. Site has been Marked Appropriately and that the Site of the  
Mark is Visible After Prep and Draping: YES  
Pertinent Medical Images have been Confirmed: YES  
Correct Medical Implant(s) is available: YES  
Availability of Special Equipment: YES  
Appropriate Antibiotic Prophylaxis: YES  
Appropriate Deep Vein Thrombosis Prophylaxis: YES  
Blood Availability: YES  
Checklist Comment: NO COMMENTS ENTERED

Checklist Confirmed By: SURNURSE,FIVE

Skin Prep By: SURNURSE,FOUR Skin Prep Agent: BETADINE SCRUB  
Skin Prep By (2): SURNURSE,FIVE 2nd Skin Prep Agent: POVIDONE IODINE

Preop Surgical Site Hair Removal by: SURNURSE,FIVE  
Surgical Site Hair Removal Method: OTHER  
Hair Removal Comments: SHAVING AND DEPILATORY COMBINATION USED.

Surgery Position(s):  
SUPINE Placed: N/A

Restraints and Position Aids:  
SAFETY STRAP Applied By: N/A  
ARMBOARD Applied By: N/A  
FOAM PADS Applied By: N/A  
KODEL PAD Applied By: N/A  
STIRRUPS Applied By: N/A

Flash Sterilization Episodes:  
Contamination: 0

SPD Processing/OR Management Issues: 0  
Emergency Case: 0  
No Better Option: 0  
Loaner or Short Notice Instrument: 0  
Decontamination of Instruments Not for Use In Patient: 0

Electrocautery Unit: 8845,5512  
ESU Coagulation Range: 50-35  
ESU Cutting Range: 35-35  
Electroground Position(s): RIGHT BUTTOCK  
LEFT BUTTOCK

Material Sent to Laboratory for Analysis:  
Specimens:  
1. MITRAL VALVE  
Cultures: N/A

Anesthesia Technique(s):  
GENERAL (PRINCIPAL)

Tubes and Drains:  
#16FOLEY, #18NGTUBE, #36 &2 #32RA CHEST TUBES

Tourniquet: N/A

Thermal Unit: N/A

Prosthesis Installed:  
Item: MITRAL VALVE  
Implant Sterility Checked (Y/N): YES  
Sterility Expiration Date: DEC 15, 2004  
RN Verifier: SURNURSE,ONE  
Vendor: BAXTER EDWARDS  
Model: 6900  
Lot Number: T87-12321  
Serial Number: 945673WRU  
Sterile Resp: SPD  
Size: LG  
Quantity: 2

Medications: N/A

Irrigation Solution(s):  
HEPARINIZED SALINE  
NORMAL SALINE  
COLD SALINE

Blood Replacement Fluids: N/A

Sponge Count:  
Sharps Count: YES  
Instrument Count: NOT APPLICABLE  
Counter: SURNURSE,FOUR  
Counts Verified By: SURNURSE,FIVE

Dressing: DSD, PAPER TAPE, MEPORE  
Packing: NONE

Blood Loss: 800 ml  
Urine Output: 750 ml

Postoperative Mood: RELAXED  
Postoperative Consciousness: ANESTHETIZED  
Postoperative Skin Integrity: SUTURED INCISION  
Postoperative Skin Color: N/A

Laser Unit(s): N/A

Sequential Compression Device: NO

Cell Saver(s): N/A

Devices: N/A

Nursing Care Comments:

PATIENT STATES HE IS ALLERGIC TO PCN. ALL WRVAMC INTRAOPERATIVE NURSING STANDARDS WERE MONITORED THROUGHOUT THE PROCEDURE. VANCYMYCIN PASTE WAS APPLIED TO STERNUM.

*(This page included for two-sided copying.)*

To electronically sign the report, the user enters a **3** at the *Nurse Intraoperative Report* functions prompt.

#### Example: Signing the Nurse Intraoperative Report

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2004
```

```
Nurse Intraoperative Report Functions:
```

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

```
Select number: 2// 3
```

---

The Nurse Intraoperative Report may only be signed by a circulating nurse on the case. At the time of electronic signature, the software checks for data in key fields. The nurse will not be able to sign the report if the following fields are not entered:

TIME PATIENT IN OR  
MARKED SITE CONFIRMED  
PREOPERATIVE IMAGING CONFIRMED  
PROCEDURE TO BE PERFORMED  
VALID CONSENT FORM  
CORRECT MEDICAL IMPLANTS  
APPROPRIATE DVT PROPHYLAXIS  
AVAILABILITY OF SPECIAL EQUIP

TIME PATIENT OUT OF OR  
CORRECT PATIENT IDENTITY  
HAIR REMOVAL METHOD  
SITE OF THE PROCEDURE  
PATIENT POSITION  
ANTIBIOTIC PROPHYLAXIS  
BLOOD AVAILABILITY  
CHECKLIST COMMENT



If the COUNT VERIFIER field is entered, the other counts related fields must be populated. These count fields include the following:

SPONGE COUNT CORRECT  
INSTRUMENT COUNT CORRECT (Y/N)

SHARPS COUNT CORRECT (Y/N)  
SPONGE, SHARPS, & INST COUNTER

If the PROSTHESIS INSTALLED field has an item (or items) entered, the following fields are required for each item:

IMPLANT STERILITY CHECKED (Y/N)  
RN VERIFIER  
SERIAL NUMBER

STERILITY EXPIRATION DATE  
LOT NUMBER

---

If any of the key fields are missing, the software will require them to be entered prior to signature. In the following example, the final sponge count must be entered before the nurse is allowed to electronically sign the report.

#### Example: Missing Field Warning

```
The following information is required before this report may be signed:
```

```
ANTIBIOTIC PROPHYLAXIS  
CHECKLIST COMMENT
```

```
Do you want to enter this information? YES// YES
```



\*\* NURSE INTRAOP \*\* CASE #267226 SURPATIENT,TEN PAGE 1 OF 6

1 CONFIRM PATIENT IDENTITY: YES  
2 PROCEDURE TO BE PERFORMED: YES  
3 SITE OF PROCEDURE: YES  
4 VALID CONSENT FORM: YES  
5 CONFIRM PATIENT POSITION: YES  
6 MARKED SITE CONFIRMED: YES  
7 PREOPERATIVE IMAGES CONFIRMED: YES  
8 CORRECT MEDICAL IMPLANTS: YES  
9 AVAILABILITY OF SPECIAL EQUIP: YES  
10 ANTIBIOTIC PROPHYLAXIS:  
11 APPROPRIATE DVT PROPHYLAXIS: YES  
12 BLOOD AVAILABILITY: YES  
13 CHECKLIST COMMENT: (WORD PROCESSING)  
14 CHECKLIST CONFIRMED BY: SURNURSE,FIVE

Enter Screen Server Function: 10  
Appropriate Antibiotic Prophylaxis: Y YES

\*\* NURSE INTRAOP \*\* CASE #267226 SURPATIENT,TEN PAGE 1 OF 6

1 CONFIRM PATIENT IDENTITY: YES  
2 PROCEDURE TO BE PERFORMED: YES  
3 SITE OF PROCEDURE: YES  
4 VALID CONSENT FORM: YES  
5 CONFIRM PATIENT POSITION: YES  
6 MARKED SITE CONFIRMED: YES  
7 PREOPERATIVE IMAGES CONFIRMED: YES  
8 CORRECT MEDICAL IMPLANTS: YES  
9 AVAILABILITY OF SPECIAL EQUIP: YES  
10 ANTIBIOTIC PROPHYLAXIS: YES  
11 APPROPRIATE DVT PROPHYLAXIS: YES  
12 BLOOD AVAILABILITY: YES  
13 CHECKLIST COMMENT: (WORD PROCESSING)  
14 CHECKLIST CONFIRMED BY: SURNURSE,FIVE

Enter Screen Server Function: ^



If any of the Time Out Verified Utilizing Checklist fields is answered with “NO”, then the user is prompted to enter information in the CHECKLIST COMMENT field. Entry in the CHECKLIST COMMENT field is required in such cases where “NO” has been entered before the user can electronically sign the Nurse Intraoperative Report.

SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2004

Nurse Intraoperative Report Functions:

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

Select number: 2// 3 Sign the report electronically

Enter your Current Signature Code: xxxxxx SIGNATURE VERIFIED

Press RETURN to continue... <Enter>

When typing the electronic signature code, no characters will display on screen.

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2004

* * The Nurse Intraoperative Report has been electronically signed. * *

Nurse Intraoperative Report Functions:

1. Edit report information
2. Print/View report from beginning

Select number: 2// ^
```

### **Nurse Intraoperative Report - After Electronic Signature**

After the report has been signed, any changes to the report will require a signed addendum.

Example: Editing the Signed Nurse Intraoperative Report

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2004

* * The Nurse Intraoperative Report has been electronically signed. * *

Nurse Intraoperative Report Functions:

1. Edit report information
2. Print/View report from beginning

Select number: 2// 1 Edit report information
```



If the Anesthesia Report and/or the Nurse Intraoperative Report is already signed, the following warning will be displayed. If any data on either signed report is edited, an addendum to the Anesthesia Report and/or to the Nurse Intraoperative Report will be required.

---

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12,2004

>>> WARNING <<<

Electronically signed reports are associated with this case. Editing
of data that appear on electronically signed reports will require the
creation of addenda to the signed reports.

Enter RETURN to continue or '^' to exit: <Enter>
```

First, the user makes the edits to the desired field.

```
** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 6
```

```
1 CONFIRM PATIENT IDENTITY: YES
2 PROCEDURE TO BE PERFORMED: YES
3 SITE OF PROCEDURE: YES
4 VALID CONSENT FORM: YES
5 CONFIRM PATIENT POSITION: YES
6 MARKED SITE CONFIRMED: YES
7 PREOPERATIVE IMAGES CONFIRMED: YES
8 CORRECT MEDICAL IMPLANTS: YES
9 AVAILABILITY OF SPECIAL EQUIP: YES
10 ANTIBIOTIC PROPHYLAXIS:
11 APPROPRIATE DVT PROPHYLAXIS: YES
12 BLOOD AVAILABILITY: YES
13 CHECKLIST COMMENT: (WORD PROCESSING)
14 CHECKLIST CONFIRMED BY: SURNURSE,FOUR
```

```
Enter Screen Server Function: 14
Checklist Confirmed By: SURNURSE,FOUR // SURNURSE,FIVE
```

```
** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 6
```

```
1 CONFIRM PATIENT IDENTITY: YES
2 PROCEDURE TO BE PERFORMED: YES
3 SITE OF PROCEDURE: YES
4 VALID CONSENT FORM: YES
5 CONFIRM PATIENT POSITION: YES
6 MARKED SITE CONFIRMED: YES
7 PREOPERATIVE IMAGES CONFIRMED: YES
8 CORRECT MEDICAL IMPLANTS: YES
9 AVAILABILITY OF SPECIAL EQUIP: YES
10 ANTIBIOTIC PROPHYLAXIS: YES
11 APPROPRIATE DVT PROPHYLAXIS: YES
12 BLOOD AVAILABILITY: YES
13 CHECKLIST COMMENT: (WORD PROCESSING)
14 CHECKLIST CONFIRMED BY: SURNURSE,FIVE
```

```
Enter Screen Server Function: ^
```

An addendum is required before the edit can be made to the signed report.

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2004
```

```
An addendum to each of the following electronically signed document(s) is
required:
```

```
Nurse Intraoperative Report - Case #267226
```

```
If you choose not to create an addendum, the original data will be restored
to the modified fields appearing on the signed reports.
```

```
Create addendum? YES// <Enter>
```

```
Addendum for Case #267226 - JUL 12,2004
Patient: SURPATIENT,TEN (000-12-3456)
```

```
-----
The Checklist Confirmed By field was changed
from SURNURSE,FOUR
to SURNURSE,FIVE
```

```
Enter RETURN to continue or '^' to exit: <Enter>
```

Before the addendum is signed, comments may be added.

### Example: Signing the Addendum

Comment: OPERATION END TIME WAS CORRECTED.

Addendum for Case #267226 - JUL 12,2004

Patient: SURPATIENT,TEN (000-12-3456)

-----  
The Checklist Confirmed By field was changed  
from SURNURSE,FOUR  
to SURNURSE,FIVE

Addendum Comment: OPERATION END TIME WAS CORRECTED.

Enter RETURN to continue or '^' to exit:

Enter your Current Signature Code: **XXXXXX** SIGNATURE VERIFIED..

Press RETURN to continue... <Enter>

When typing the electronic signature code, no characters will display on screen.

### Example: Printing the Nurse Intraoperative Report

SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2004

\* \* The Nurse Intraoperative Report has been electronically signed. \* \*

Nurse Intraoperative Report Functions:

1. Edit report information
2. Print/View report from beginning

Select number: 2// **2** Print/View report from beginning

Do you want WORK copies or CHART copies? WORK// <Enter>

DEVICE: HOME// [**Select Print Device**]

-----*printout follows*-----

-----  
SURPATIENT,TEN 000-12-3456 NURSE INTRAOPERATIVE REPORT  
-----

NOTE DATED: 07/12/2004 08:00 NURSE INTRAOPERATIVE REPORT

SUBJECT: Case #: 267226

Operating Room: BO OR1 Surgical Priority: ELECTIVE

Patient in Hold: JUL 12, 2004 07:30 Patient in OR: JUL 12, 2004 08:00  
Operation Begin: JUL 12, 2004 08:58 Operation End: JUL 12, 2004 12:30  
Surgeon in OR: JUL 12, 2004 07:55 Patient Out OR: JUL 12, 2004 12:45

Major Operations Performed:  
Primary: MVR

Wound Classification: CONTAMINATED  
Operation Disposition: SICU  
Discharged Via: ICU BED

Surgeon: SURSURGEON,THREE First Assist: SURSURGEON,FOUR  
Attend Surg: SURSURGEON,THREE Second Assist: N/A  
Anesthetist: SURANESTHETIST,SEVEN Assistant Anesth: N/A

Other Scrubbed Assistants: N/A

OR Support Personnel:  
Scrubbed Circulating  
SURNURSE,ONE (FULLY TRAINED) SURNURSE,FIVE (FULLY TRAINED)  
SURNURSE,FOUR (FULLY TRAINED)

Other Persons in OR: N/A

Preop Mood: ANXIOUS Preop Consc: ALERT-ORIENTED  
Preop Skin Integ: INTACT Preop Converse: N/A  
Confirm Correct Patient Identity: YES  
Confirm Procedure to be Performed: YES  
Confirm Site of the Procedure, including laterality: YES  
Confirm Valid Consent Form: YES  
Confirm Patient Position: YES  
Confirm Proc. Site has been Marked Appropriately and that the Site of the  
Mark is Visible After Prep and Draping: YES  
Pertinent Medical Images have been Confirmed: YES  
Correct Medical Implant(s) Is Available: YES  
Availability of Special Equipment: YES  
Appropriate Antibiotic Prophylaxis: YES  
Appropriate Deep Vein Thrombosis Prophylaxis: YES  
Blood Availability: YES  
Checklist Comment: NO COMMENTS ENTERED

Checklist Confirmed By: SURNURSE,FOUR

Skin Prep By: SURNURSE,FOUR Skin Prep Agent: BETADINE SCRUB  
Skin Prep By (2): SURNURSE,FIVE 2nd Skin Prep Agent: POVIDONE IODINE

Preop Surgical Site Hair Removal by: SURNURSE,FIVE  
Surgical Site Hair Removal Method: OTHER  
Hair Removal Comments: SHAVING AND DEPILATORY COMBINATION USED.

Surgery Position(s):  
SUPINE Placed: N/A

Restraints and Position Aids:  
SAFETY STRAP Applied By: N/A  
ARMBBOARD Applied By: N/A  
FOAM PADS Applied By: N/A  
KODEL PAD Applied By: N/A  
STIRRUPS Applied By: N/A

Flash Sterilization Episodes:

Contamination: 0  
SPD Processing/OR Management Issues: 0  
Emergency Case: 0  
No Better Option: 0  
Loaner or Short Notice Instrument: 0  
Decontamination of Instruments Not for Use In Patient: 0

Electrocautery Unit: 8845,5512  
ESU Coagulation Range: 50-35  
ESU Cutting Range: 35-35  
Electroground Position(s): RIGHT BUTTOCK  
LEFT BUTTOCK

Material Sent to Laboratory for Analysis:  
Specimens:  
1. MITRAL VALVE  
Cultures: N/A  
Anesthesia Technique(s):  
GENERAL (PRINCIPAL)

Tubes and Drains:  
#16FOLEY, #18NGTUBE, #36 &2 #32RA CHEST TUBES

Tourniquet: N/A

Thermal Unit: N/A

Prosthesis Installed:

Item: MITRAL VALVE  
Implant Sterility Checked (Y/N): YES  
Sterility Expiration Date: DEC 15, 2004  
RN Verifier: SURNURSE,ONE  
Vendor: BAXTER EDWARDS  
Model: 6900  
Lot Number: T87-12321  
Serial Number: 945673WRU  
Sterile Resp: SPD  
Size: LG  
Quantity: 2

Medications: N/A

Irrigation Solution(s):  
HEPARINIZED SALINE  
NORMAL SALINE  
COLD SALINE

Blood Replacement Fluids: N/A

Sponge Count: YES  
Sharps Count: YES  
Instrument Count: NOT APPLICABLE  
Counter: SURNURSE,FOUR  
Counts Verified By: SURNURSE,FIVE

Dressing: DSD, PAPER TAPE, MEPORE  
Packing: NONE

Blood Loss: 800 ml  
Urine Output: 750 ml

Postoperative Mood: RELAXED  
Postoperative Consciousness: ANESTHETIZED  
Postoperative Skin Integrity: SUTURED INCISION  
Postoperative Skin Color: N/A

Laser Unit(s): N/A

Sequential Compression Device: NO

Cell Saver(s): N/A

Devices: N/A

Nursing Care Comments:

PATIENT STATES HE IS ALLERGIC TO PCN. ALL WRVAMC INTRAOPERATIVE NURSING STANDARDS WERE MONITORED THROUGHOUT THE PROCEDURE. VANCYMYCIN PASTE WAS APPLIED TO STERNUM.

Signed by: /es/ FIVE SURNURSE  
07/13/2004 10:41

07/17/2004 16:42      ADDENDUM

The Checklist Confirmed By field was changed  
from SURNURSE,FOUR to SURNURSE,FIVE

Addendum Comment: OPERATION END TIME WAS CORRECTED.  
Signed by: /es/ FIVE SURNURSE  
07/17/2004 16:42

*(This page included for two-sided copying.)*



# Tissue Examination Report [SROTRPT]

The *Tissue Examination Report* option is used to generate the Tissue Examination Report that contains information about cultures and specimens sent to the laboratory.

This report prints in an 80-column format and can be viewed on the screen.

Example: Tissue Examination Report

```
Select Operation Menu Option: T Tissue Examination Report
DEVICE: [Select Print Device]
```

-----printout follows-----

```
-----
MEDICAL RECORD | TISSUE EXAMINATION
-----
Specimen Submitted By:          Obtained: MAR 09, 1999
OR1, SURGERY CASE # 187
-----
Specimen(s):
-----
Brief Clinical History:
Subscapular pain for 3 days. Nausea and vomiting.
Increased serum amylase.
-----
Operative Procedure(s):
CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM
-----
Preoperative Diagnosis:
CHOLECYSTITIS
-----
Operative Findings:
THE GALLBLADDER HAD A FEW ADHESIONS EASILY REMOVED
AND WAS FOUND TO BE FIRMLY DISTENDED WITH STONES.
-----
Postoperative Diagnosis:          Signature and Title
CHOLECYSTITIS                    SURSURGEON,TWO
-----
Attending Surgeon: SURSURGEON,ONE
-----
                          PATHOLOGY REPORT
-----
Name of Laboratory              Accession Number(s)
-----
```

Gross Description, Histologic Examination and Diagnosis

(Continue on reverse side)

```
-----
PATHOLOGIST'S SIGNATURE          DATE:
-----
SURPATIENT,NINE                 AGE: 48   SEX: MALE   ID # 000-34-5555
ETHNICITY: NOT HISPANIC         REGISTER NO.
RACE: WHITE, ASIAN
WARD:                            ROOM-BED:
-----
VAMC: MAYBERRY, NC              REPLACEMENT FORM 515
-----
```

## Enter Referring Physician Information [SR0MEN-REFER]

The *Enter Referring Physician Information* option allows the surgical staff to enter the name, address, and phone number of the individual or institution that referred the patient. The scheduling manager usually enters referring physician information when the operation is booked. This information shows up on many reports.

First, users identify the surgical specialty to which the patient will be assigned. To add a new case to the waiting list, the user must enter the patient's name and the procedure name. The user can also add comments, referring physician name and address, tentative admission date, and tentative operation date. This information will appear on the *Waiting List Report*. Patient names stay on the waiting list until the data is used to make a request or until the data is deleted.

After entering a Referring Physician name or partial name, the system prompts, "Is this a VA Physician from this facility? (Y/N): <Y>". If the user answers Y, a list of VA physician names displays that matches the data entered. The user selects from those listed. The physician's address and telephone number are also copied into the corresponding fields if the data is available. If no selection is made, the system accepts the information entered as free text.

If the referring physician is not from that VA facility, then the system uses the information already entered as the Referring Physician name, or the user can enter the appropriate name.

### Example: Enter Referring Physician Information

```
Select Operation Menu Option: R Enter Referring Physician Information
```

```
Select REFERRING PHYSICIAN: SURPHYSICIAN,ONE
Is this a VA physician from this facility? (Y/N): Y
Lookup: NAME
  2 SURPHYSICIAN,O    OJ  112  SURGICAL STUDENT
  3 SURPHYSICIAN,S
  4 SURPHYSICIAN,S A
  5 SURPHYSICIAN,S T
  6 SURPHYSICIAN,T

Press <RETURN> to see more, '^' to exit this list, '^'^' to exit all lists, OR
CHOOSE 1-5:
```

## Enter Irrigations and Restraints [SRMEN-REST]

The *Enter Irrigations and Restraints* option is designed to allow the nurse to quickly document the irrigation solutions or the restraint and positioning devices used in a case. The list of solutions or devices can be different at each facility.

At the "Select Number:" prompt, the user should choose the number corresponding to the solution or device. For more than one choice, numbers are separated with a comma. If an item has been selected before, a default prompt will appear. The user can enter an at-sign (@) to delete the selection, as in Example 3.

### Example 1: Entering Irrigations

```
Select Operation Menu Option: RP Enter Irrigations or Restraints
```

```
Enter/Edit Irrigations or Restraints and Positioning Aids:
```

```
1. Irrigations
2. Restraints and Positioning Aids
Select Number: 1
```

#### IRRIGATION SOLUTIONS

```
=====
1.      AEROSP/PXYN          2.      BACITRACIN SOLUTION
3.      BETADINE SOLUTION   4.      HEPARIN
5.      HEPARINIZED SALINE  6.      ICED SALINE
7.      KANTREX SOLUTION    8.      KEFLEX SOLUTION
9.      NEOMYCIN            10.     NEOMYCIN SOLUTION
11.     NORMAL SALINE       12.     POVODINE
13.     SORBITAL            14.     STERILE WATER
15.     VEIN GRAFT SOLUTION 16.     THROMBIN
```

```
Select the number(s) corresponding to your choice: 2,15
```

```
Entering BACITRACIN SOLUTION ...
Entering VEIN GRAFT SOLUTION ...
```

```
Press <Enter> to continue      <Enter>
```

### Example 2: Restraints and Positioning Aids

```
Select Operation Menu Option: RP Enter Irrigations or Restraints
```

```
Enter/Edit Irrigations or Restraints and Positioning Aids:
```

```
1. Irrigations
2. Restraints and Positioning Aids
Select Number: 2
```

```

                                Restraints and Positioning Aids
=====
1.  ARMSHEET                    2.  SAFETY STRAP
3.  ARMBOARD                    4.  VAC PAC
5.  FOAM PADS                   6.  PILLOW
7.  AXILLARY ROLL               8.  ADHESIVE TAPE
9.  SURGERY ARMBOARD           10. KIDNEY REST
11. SANDBAG                     12. OVERHEAD ARMREST
13. ROLLED SHEET               14. LEG HOLDER
15. FOOT EXTENSION             16. STIRRUPS
17. FRACTURE TABLE            18. OTHER

Select the number(s) corresponding to your choice: 3,6,9
Entering ARMBOARD ...

Entering PILLOW ...

Entering SURGERY ARMBOARD ...

Press <Enter> to continue  <Enter>

```

### Example 3: Deleting Restraints and Positioning Aids

```
Select Operation Menu Option: RP Enter Irrigations or Restraints
```

```

Enter/Edit Irrigations or Restraints and Positioning Aids:
1. Irrigations
2. Restraints and Positioning Aids

Select Number: 2

```

```

                                Restraints and Positioning Aids
=====
1.  ARMSHEET                    2.  SAFETY STRAP
3.  ARMBOARD                    4.  VAC PAC
5.  FOAM PADS                   6.  PILLOW
7.  AXILLARY ROLL               8.  ADHESIVE TAPE
9.  SURGERY ARMBOARD           10. KIDNEY REST
11. SANDBAG                     12. OVERHEAD ARMREST
13. ROLLED SHEET               14. LEG HOLDER
15. FOOT EXTENSION             16. STIRRUPS
17. FRACTURE TABLE            18. OTHER

Select the number(s) corresponding to your choice: 3
Entering ARMBOARD ...
  RESTR & POSITION AIDS: ARMBOARD// @
  SURE YOU WANT TO DELETE THE ENTIRE RESTR & POSITION AIDS? Y (YES)

Press <Enter> to continue

```

## Medications (Enter/Edit) [SROANES MED]

The *Medications (Enter/Edit)* option allows the user to enter all the medications administered on a case. It is designed to aid in quickly entering many different medications for a case.

In one entry, the user can enter the medication, dosage, route, and time given with the use of slashes between these categories. After one medication has been entered, the software will return the cursor to the beginning prompt so that the user can enter another medication for the case. When the user is finished entering medications for the case, he or she should press the <Enter> key to return to the menu.

### About the prompts

"ENTER MEDICATION/DOSE(MG)/ROUTE/TIME:" Respond to this prompt with the medication, dosage, route, and time given separated by slashes. If the software needs more specific information about the medication, the user will be prompted. In the example below, the software reads "Valium" and then asks the user to select from the Valiums on file. A question mark can be entered in place of one of the categories in order to get help or more information. In the example, a question mark was entered in place of the route. Then, in response to the question mark, the software offered a list of acceptable routes.

### Example: Entering Medication

```
Select Operation Menu Option: Medications (Enter/Edit)

ENTER MEDICATION/DOSE(MG)/ROUTE/TIME: DIAZEPAM/5MG/?/8:00

      1  DIAZEPAM 10MG S.R. CAP                N/F      ***NOT MANUFACTURED***
      2  DIAZEPAM 10MG S.T.                   NOTE RESTRICTIONS (ON OPTS ONLY)
      3  DIAZEPAM 15 MG S.R. CAP              N/F      NOTE RESTRICTIONS
      4  DIAZEPAM 2MG S.T.                   N/F
      5  DIAZEPAM 5MG S.T.                   NOTE RESTRICTIONS (ON OPTS ONLY)

Press <RETURN> to see more, '^' to exit this list, OR
CHOOSE 1-5: 5

Route entered is not one of the available choices.
Please enter medication route again.

Choose from:
IV      INTRAVENOUS
T       TOPICAL
IR      IRRIGATION
IM      INTRAMUSCULAR
R       RECTAL
S       SUBLINGUAL
SC      SUBCUTANEOUS
IN      INFILTRATE
O       OTHER
P       PREPUMP
OR      ORAL

Enter ROUTE: IV INTRAVENOUS

MEDICATION ENTERED ...

ENTER MEDICATION/DOSE(MG)/ROUTE/TIME:
```

## Blood Product Verification [SR BLOOD PRODUCT VERIFICATION]

The *Blood Product Verification* option is used for transfusion error risk management. This option is used in conjunction with a bar code reader to confirm that the blood product is assigned to the patient. The functionality provided by this option is meant as an additional check for proper patient identification and should never be relied upon as the primary check.

This option prompts the user to scan the blood product unit ID, after which the software checks the Blood Bank files for an association with the patient identified. If there are multiple entries with the unit ID scanned, these entries will be listed along with the Blood Component, Patient Associated, and Expiration Date. The user will then be prompted to select the one that matches the blood product about to be administered. If the selected product is not associated with the patient identified, a warning message will be displayed.

There are certain valid scenarios that are internal to the Blood Bank that may result in a blood component not being readable using the scanner and therefore may give an unexpected response. There will be some rare instances in which this option may not produce an expected result. After verifying proper patient identification, the option may be attempted again; however, it is recommended that the unit ID be typed in manually rather than be scanned in these cases.

Blood product manufacturers are required to label all units of blood in a consistent manner. The barcode that is to be scanned at the "Enter Blood Product Identifier:" prompt will always be the barcode in the upper-left portion of the blood product label. Since this label can be in close proximity to the ABO/Rh label, care should be taken not to read both labels during a scan. One way to accomplish this would be to use a finger or some other convenient object to cover the label that the user does not wish to have read during the scanning process. The light emitted from the scanner itself will cause no harm to skin, latex, or any other object with which it comes in contact.

Example: Option displayed with no discrepancies

```
Select Operation Menu Option: BLOOD PRODUCT VERIFICATION
To use BAR CODE READER
    Pass reader wand over a GROUP-TYPE ( ABO/Rh) label
    =>
Enter Blood Product Identifier: KW10945

1) Unit ID: KW10945                CPDA-1 RED BLOOD CELLS
   Patient: SURPATIENT,FOURTEEN 000-45-7212      Expiration Date: NOV 27,1997

2) Unit ID: KW10945                FRESH FROZEN PLASMA, ACD-A
   Patient: SURPATIENT,FOURTEEN 000-45-7212      Expiration Date: MAY 19,1998

3) Unit ID: KW10945                PLATELETS, POOLED, IRRADIATED
   Patient: SURPATIENT,FOURTEEN 000-45-7212      Expiration Date: MAR 24,1998

Select the blood product matching the unit label: (1-3): 2

No Discrepancies Found
```

### Example: Option displayed with discrepancies

```
Select Operation Menu Option: BLOOD PRODUCT VERIFICATION

To use BAR CODE READER
    Pass reader wand over a GROUP-TYPE ( ABO/Rh) label
    =>
Enter Blood Product Identifier: KW10945

1) Unit ID: KW10945                CPDA-1 RED BLOOD CELLS
   Patient: SURPATIENT,FOURTEEN 000-45-7212      Expiration Date: NOV 27,1997

2) Unit ID: KW10945                FRESH FROZEN PLASMA, ACD-A
   Patient: SURPATIENT,FOURTEEN 000-45-7212      Expiration Date: MAY 19,1998

3) Unit ID: KW10945                PLATELETS, POOLED, IRRADIATED
   Patient: SURPATIENT,FOURTEEN 000-45-7212      Expiration Date: MAR 24,1998

Select the blood product matching the unit label: (1-3): 3

                **WARNING**

Blood Product Expiration Date is later than today's date.
```

# Anesthesia Menu

[SROANES1]



The *Anesthesia Menu* is restricted to Anesthesia personnel and is locked with the SROANES key. It is designed for the convenient entry of data pertaining to the anesthesia agents and techniques used in a surgery.

The main options included in this menu are listed below. The *Anesthesia Data Entry Menu* contains sub-options. To the left of the option name is the shortcut synonym the user can enter to select the option.

Shortcut	Option Name
E	<i>Anesthesia Data Entry Menu</i>
R	<i>Anesthesia Report</i>
S	<i>Schedule Anesthesia Personnel</i>

## Prerequisites

To use the *Anesthesia Data Entry Menu* or the *Anesthesia Report* option, the user must first select a patient case. The user must select an operating room to use the *Schedule Anesthesia Personnel* option.



## Anesthesia Data Entry Menu [SROANES-D]

The *Anesthesia Data Entry Menu* allows the user to enter anesthesia data pertinent to a selected case. The information entered in these sub-options is reflected on the Anesthesia Report.

To use any option within the *Anesthesia Data Entry Menu*, the user must first enter a patient name and choose a patient case, as shown below.

Example: How to Select a Case for the Data Entry Menu

```
Select Surgery Menu Option:  A  Anesthesia Menu

  E  Anesthesia Data Entry Menu
  R  Anesthesia Report
  A  Anesthesia AMIS
  S  Schedule Anesthesia Personnel

Select Anesthesia Menu Option:  E  Anesthesia Data Entry Menu
Select Patient:  SURPATIENT,NINE      12-09-51      000345555      NSC VETERAN

SURPATIENT,NINE      000-34-5555

1. 04-26-99  CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM (COMPLETED)
2. 11-20-98  Release of Hammer Toes (REQUESTED)
3. ENTER NEW SURGICAL CASE

Select Operation:  1

SURPATIENT,NINE (000-34-5555)  Case #145 - APR 26,1999

  I  Anesthesia Information (Enter/Edit)
  T  Anesthesia Technique (Enter/Edit)
  M  Medications (Enter/Edit)

Select Anesthesia Data Entry Menu Option:
```

## Anesthesia Information (Enter/Edit) [SROMEN-ANES]

Anesthesia staff uses this option to enter anesthesia related information for a given case. The first group of prompts affects the Anesthesia AMIS Report. Some of the data fields may be automatically filled in from previous responses.

At the "Enter Screen Server Function:" prompt, the user can choose the field(s) to be edited, or press the <Enter> key to continue. Some of the data fields are "multiple" and may contain more than one value. When a multiple field is selected, a new screen is generated so that the user can enter data related to that multiple. For instance, the MONITORS field generates a new screen for adding the device, time installed, and time removed. The TIME INSTALLED field and TIME REMOVED field generate additional screens so that the user may enter more than one time installed/removed for the same operation.

### About the prompts

The prompts are described as follows:

- "Is this the Principal Technique (Y/N): " — Asks if the user has entered a technique that is the primary anesthesia technique for the case. The user should always establish the principal technique as this information affects many reports.
- "Would you like to enter additional anesthesia related information ? " — If the user wants to enter more detailed information concerning the case, he or she must answer **YES** to this prompt. Two Screen Server-formatted pages are then provided for entering more anesthesia information for the case.
- "Does this entry complete all start and end times for this case? " — The user should answer **YES** only if the block of time just completed is the final block of time for the case that he or she is documenting.

An Anesthesia Care Questionnaire will be added to allow a more complete capture of clinical data, which will support coding and billing efforts. The results of the questionnaire are crucial for a coder to use in order to select the proper modifier. Modifiers are required for reimbursement for all anesthesia services.

This information can be accessed through the Anesthesia menu, specifically through the Anesthesia Data Entry Menu. The user selects a patient and surgical case and completes the anesthesia information.

After completion, the user is prompted with the question, "Would you like to enter additional anesthesia related information? " The questions associated with the Anesthesia Care Questionnaire (shown as numbers 8-12 on the last screen display in this section) are located on page two of the anesthesia information sheet.

## Example: Entering Anesthesia Information

Select Anesthesia Data Entry Menu Option: **I** Anesthesia Information (Enter/Edit)

The following information is required for the Anesthesia AMIS.

Principal Anesthetist: SURANESTHETIST,THREE// **<Enter>**  
Select ANESTHESIA TECHNIQUE: **G** (G GENERAL)  
Is this the Principal Technique (Y/N): YES// **<Enter>**  
Was the Patient Intubated ? (Y/N): **Y** YES  
Trauma Resulting from Intubation Process: NONE// **<Enter>**  
Select ANESTHESIA AGENTS: **ENFLURANE** N/F  
Dose (mg): **125**  
Diagnostic/Therapeutic (Y/N): NO// **<Enter>**

ASA Class: **2** 2-MILD DISTURB.

Mallampati Scale:  
Mandibular Space (length in mm):

Would you like to enter additional anesthesia related information ? NO//**Y**

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 2

1 ANESTHESIOLOGIST SUPVR:  
2 ANES SUPERVISE CODE:  
3 PRINC ANESTHETIST: SURANESTHETIST,THREE  
4 RELIEF ANESTHETIST:  
5 ASST ANESTHETIST:  
6 ANES CARE TIME BLOCK: (MULTIPLE)  
7 INDUCTION COMPLETE:  
8 ASA CLASS: 2-MILD DISTURB.  
9 BLOOD LOSS (ML): 200  
10 MIN INTRAOP TEMPERATURE (C):  
11 FINAL ANESTHESIA TEMP (C):  
12 TOTAL URINE OUTPUT (ML): 1  
13 OP DISPOSITION: PACU (RECOVERY ROOM)  
14 POSTOP ANES NOTE:  
15 ORAL-PHARYNGEAL SCORE: CLASS 2

Enter Screen Server Function: **6**

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK

1 NEW ENTRY

Enter Screen Server Function: **1**

Select ANES CARE TIME BLOCK ANES CARE MULTIPLE START TIME: **4/26@9:20**  
ANES CARE TIME BLOCK ANES CARE MULTIPLE START TIME: APR 26, 1999@09:20  
//

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK (3030426.092)

1 ANES CARE MULTIPLE START TIME: APR 26, 1999 AT 09:20  
2 ANES CARE MULTIPLE END TIME:

Enter Screen Server Function: **2**

Anesthesia Care Multiple End Time: **4/26@12:45** (APR 26, 1999@12:45)

Does this entry complete all start and end times for this case? (Y/N)// **Y**

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK (3030426.092)

1 ANES CARE MULTIPLE START TIME: APR 26, 1999 AT 09:20  
2 ANES CARE MULTIPLE END TIME: APR 26, 1999 AT 12:45

Enter Screen Server Function: **<Enter>**

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 1 OF 1
ANES CARE TIME BLOCK

1 ANES CARE MULTIPLE START TIME: APR 26, 2003 AT 09:20
2 NEW ENTRY

Enter Screen Server Function: <Enter>
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 1 OF 2

1 ANESTHESIOLOGIST SUPVR:
2 ANES SUPERVISE CODE:
3 PRINC ANESTHETIST: SURANESTHETIST, THREE
4 RELIEF ANESTHETIST:
5 ASST ANESTHETIST:
6 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)
7 INDUCTION COMPLETE:
8 ASA CLASS: 2-MILD DISTURB.
9 BLOOD LOSS (ML): 200
10 MIN INTRAOP TEMPERATURE (C):
11 FINAL ANESTHESIA TEMP (C):
12 TOTAL URINE OUTPUT (ML): 1
13 OP DISPOSITION: PACU (RECOVERY ROOM)
14 POSTOP ANES NOTE:
15 ORAL-PHARYNGEAL SCORE: CLASS 2

Enter Screen Server Function: 9:12
Intraoperative Blood Loss (ml): 200// 500
Lowest Intraoperative Temperature (C): 28
Final Anesthesia Temperature (C): 37
Total Urine Output (ml): 1// 1800
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 1 OF 2

1 ANESTHESIOLOGIST SUPVR:
2 ANES SUPERVISE CODE:
3 PRINC ANESTHETIST: SURANESTHETIST, THREE
4 RELIEF ANESTHETIST:
5 ASST ANESTHETIST:
6 ANES CARE TIME BLOCK: (MULTIPLE)(DATA)
7 INDUCTION COMPLETE:
8 ASA CLASS: 2-MILD DISTURB.
9 BLOOD LOSS (ML): 500
10 MIN INTRAOP TEMPERATURE (C): 28
11 FINAL ANESTHESIA TEMP (C): 37
12 TOTAL URINE OUTPUT (ML): 1800
13 OP DISPOSITION: PACU (RECOVERY ROOM)
14 POSTOP ANES NOTE:
15 ORAL-PHARYNGEAL SCORE: CLASS 2

Enter Screen Server Function: <Enter>
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 2 OF 2

1 MANDIBULAR SPACE: 80
2 REPLACEMENT FLUID TYPE: (MULTIPLE)(DATA)
3 MEDICATIONS: (MULTIPLE)(DATA)
4 MONITORS: (MULTIPLE)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 THERMAL UNIT: (MULTIPLE)(DATA)
7 ANESTHESIA TECHNIQUE: (MULTIPLE)(DATA)
8 ANES PERSONALLY PERFORMED:
9 NUM OF CONCURRENT ANES CASES:
10 ANES CONCURRENT CASES: (MULTIPLE)
11 ANES MEDICALLY DIRECTED:
12 ANES PHYSICIAN AVAILABLE:

Enter Screen Server Function: 4
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 1
MONITORS
1 NEW ENTRY
Enter Screen Server Function: 1
Select MONITORS: ECG
MONITORS: ECG// <Enter>
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 1
MONITORS (ECG)
1 MONITORS: ECG
2 TIME INSTALLED:
3 TIME REMOVED:
4 APPLIED BY:
Enter Screen Server Function: 2:4
Time Applied: 4/26@9:20 (APR 26, 1999@09:20)
Time Removed: 4/26@12:45 (APR 26, 1999@12:45)
Person Applying the Monitor: SURNURSE,ONE
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 2 OF 2
1 MANDIBULAR SPACE: 80
2 REPLACEMENT FLUID TYPE: (MULTIPLE)(DATA)
3 MEDICATIONS: (MULTIPLE)(DATA)
4 MONITORS: (MULTIPLE)(DATA)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 THERMAL UNIT: (MULTIPLE)(DATA)
7 ANESTHESIA TECHNIQUE: (MULTIPLE)(DATA)
8 ANES PERSONALLY PERFORMED:
9 NUM OF CONCURRENT ANES CASES:
10 ANES CONCURRENT CASES: (MULTIPLE)
11 ANES MEDICALLY DIRECTED:
12 ANES PHYSICIAN AVAILABLE:
Enter Screen Server Function: 8:12
Anesthesiologist Personally Performed: NO NO
Number Of Concurrent Anesthesiology Cases: <Enter>
Anesthesiologist Medically Directed: Y YES
Teaching Physician Present: Y YES
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 1
ANES CONCURRENT CASES
1 NEW ENTRY
Enter Screen Server Function: <Enter>
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 2 OF 2
1 MANDIBULAR SPACE: 80
2 REPLACEMENT FLUID TYPE: (MULTIPLE)(DATA)
3 MEDICATIONS: (MULTIPLE)(DATA)
4 MONITORS: (MULTIPLE)(DATA)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 THERMAL UNIT: (MULTIPLE)(DATA)
7 ANESTHESIA TECHNIQUE: (MULTIPLE)(DATA)
8 ANES PERSONALLY PERFORMED: NO
9 NUM OF CONCURRENT ANES CASES:
10 ANES CONCURRENT CASES: (MULTIPLE)
11 ANES MEDICALLY DIRECTED: NO
12 ANES PHYSICIAN AVAILABLE: YES
Enter Screen Server Function: <Enter>
```

*(This page included for two-sided copying.)*

## **Anesthesia Technique (Enter/Edit)** **[SRROMEN-ANES TECH]**

The *Anesthesia Technique (Enter/Edit)* option is used to enter information concerning the anesthesia technique. More than one anesthesia technique can be entered for a case. When the user is finished entering the first technique, he or she should select this option again to start entering another anesthesia technique.

The Surgery software recognizes the following anesthesia techniques, each with different sets of prompts.

G	<i>GENERAL</i>
M	<i>MONITORED ANESTHESIA CARE</i>
S	<i>SPINAL</i>
E	<i>EPIDURAL</i>
O	<i>OTHER</i>
L	<i>LOCAL</i>
R	<i>REGIONAL</i>

Another choice for an anesthesia technique is NO ANESTHESIA. This selection does not include any additional prompts.

### **About the prompts**

"Diagnostic/ Therapeutic (Y/N):" The user should answer **Y** or **YES** if the anesthesia procedure is itself a surgical procedure. The user will then have an opportunity to define the surgical (operative) procedure.

"Is this the Principal Technique (Y/N):" This prompt asks the user whether or not the technique being entered is the primary anesthesia technique for the case. For the technique being entered to appear on the Anesthesia AMIS Report, answer this prompt with a **Y** or **YES**.

"Select ANESTHESIA AGENTS:" The user can enter more than one anesthesia agent for a case by using the up-arrow (^) to jump to the "Select ANESTHESIA AGENTS:" prompt.

## Example 1: General Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: G (GENERAL)
  Is this the Principal Technique (Y/N): YES// <Enter> YES
  Was the Patient Intubated ? (Y/N): Y YES
  Trauma Resulting from Intubation Process: NONE// <Enter> NONE
Select ANESTHESIA AGENTS: ?
```

More than one anesthesia agent may be entered for each technique.



The ANESTHESIA AGENT field uses entries from the institution's local DRUG file. Prior to using the Surgery package, drugs that will be used as anesthesia agents must be flagged (using the Chief of Surgery Menu) by the user's package coordinator. If the user experiences problems entering an agent, it is likely that the drug being chosen has not been flagged.

```
Select ANESTHESIA AGENTS: ENFLURANE
  Dose (mg): <Enter>
Approach Technique: D DIRECT VISION LARYNGOSCOPY
Endotracheal Tube Route: O ORAL
Type of Laryngoscope: M MACINTOSH
Laryngoscope Size: 3
Was a Stylet Used ? (Y/N): Y YES
Was Topical Lidocaine Used ? (Y/N): Y YES
Was Intravenous Lidocaine Administered ? (Y/N): N NO
Type of Endotracheal Tube: P PVC LOW PRESSURE
Endotracheal Tube Size: 3
Location where the Endotracheal Tube was Removed: O OR
Who Removed the Endotracheal Tube ? : SURANESTHETIST,SIX
Was Reintubation Required within 8 Hours ? (Y/N): N NO
Was a Heat and Moisture Exchanger Used ? (Y/N): N NO
Was a Bacterial Filter Used ? (Y/N): N NO
Oral-Pharyngeal (OP) Score: 1 CLASS 1
Mandibular Space (length in mm): 65
Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// No (No Editing)
GENERAL COMMENTS:
1> <Enter>
```

## Example 2: Monitored Anesthesia Care Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: M (MONITORED ANESTHESIA CARE)
  Is this the Principal Technique (Y/N): YES// <Enter> YES
  Was the Patient Intubated ? (Y/N): N NO
  Select ANESTHESIA AGENTS: VALIUM
    Dose (mg): 5
Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
Mandibular Space (length in mm): 65// <Enter>
Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0//NO (No Editing)
GENERAL COMMENTS:
1> <Enter>
```



### Example 3: Spinal Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: S (SPINAL)
  Is this the Principal Technique (Y/N): YES// <Enter> YES
  Was the Patient Intubated ? (Y/N): N NO
  Select ANESTHESIA AGENTS: PONTOCAINE
  Dose (mg): 5
  Was the Catheter placed for Continuous Administration ? (Y/N): NO
  // <Enter> NO
  Baricity: 1// <Enter> HYPERBARIC
  Puncture Site: 2 L3-4
  Needle Size: 25G 25G
  Neurodermatone Anesthesia Sensory Level: T6 T6
  Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
  Mandibular Space (length in mm): 65// <Enter>
  Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// (No Editing)
  GENERAL COMMENTS:
  1><Enter>
```

### Example 4: Epidural Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: E (EPIDURAL)
  Is this the Principal Technique (Y/N): YES// <Enter> YES
  Was the Patient Intubated ? (Y/N): N NO
  Select ANESTHESIA AGENTS: LIDOCAINE
  Dose (mg): 5
  Was the Catheter placed for Continuous Administration ? (Y/N): YES
  // <Enter> YES
  Puncture Site: 2 L3-4
  Dural Puncture ? (Y/N): NO// Y YES
  Who Removed the Catheter ? : 213 SURANESTHETIST,SIX
  Date/Time that the Catheter was Removed: 5/4@2:30 (MAY 04, 1999@14:30)
  Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
  Mandibular Space (length in mm): 65// <Enter>
  Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// (No Editing)
  GENERAL COMMENTS:
  1>LOSS OF RESISTANCE TECHNIQUE
  2><Enter>
  EDIT Option: <Enter>
```

### Example 5: Other Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: O (OTHER)
  Is this the Principal Technique (Y/N): YES// <Enter> YES
  Was the Patient Intubated ? (Y/N): N NO
  Select ANESTHESIA AGENTS: LIDOCAINE
  Dose (mg): 5
  Select BLOCK SITE: ABDOMINAL WALL Y4300
  ARE YOU ADDING 'ABDOMINAL WALL' AS A NEW BLOCK SITE (THE 1ST FOR THIS ANESTHESIA TECHNIQUE)? Y
  (YES)
  Length of Needle (cm): 3
  Gauge Size of the Needle: 22
  Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
  Mandibular Space (length in mm): 65// <Enter>
  Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// (No Editing)
  GENERAL COMMENTS:
  1> <Enter>
```

### Example 6: Local Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: L (LOCAL)
  Is this the Principal Technique (Y/N): YES// <Enter> YES
  Was the Patient Intubated ? (Y/N): N NO
  Select ANESTHESIA AGENTS: LIDOCAINE
    Dose (mg): 5
  Select BLOCK SITE: OROPHARYNX          60200
  ARE YOU ADDING 'OROPHARYNX' AS A NEW BLOCK SITE (THE 1ST FOR THIS ANESTHESIA TECHNIQUE)? Y
  (YES)
    Length of Needle (cm): <Enter>
    Gauge Size of the Needle: <Enter>
  Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
  Mandibular Space (length in mm): 65// <Enter>
  Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// (No Editing)
  GENERAL COMMENTS:
  1>
```

### Example 7: Regional Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO//
Select ANESTHESIA TECHNIQUE: LOCAL// R (R REGIONAL)
  Is this the Principal Technique (Y/N): YES// <Enter> YES
  Was the Patient Intubated ? (Y/N): N NO
  Select ANESTHESIA AGENTS: LIDOCAINE
    Dose (mg): 5
  Select BLOCK SITE: OROPHARYNX          60200
  ARE YOU ADDING 'OROPHARYNX' AS A NEW BLOCK SITE (THE 1ST FOR THIS ANESTHESIA TECHNIQUE)? Y
  (YES)
    Length of Needle (cm): <Enter>
    Gauge Size of the Needle: <Enter>
  Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
  Mandibular Space (length in mm): 65// <Enter>
  Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// (No Editing)
  GENERAL COMMENTS:
  1>
```

## Medications (Enter/Edit) [SROANES MED]

Anesthesia staff members use the *Medications (Enter/Edit)* option to enter medications administered on a case. This is the last sub-option of the *Anesthesia Data Entry Menu*.

This option is designed to help the user quickly enter many different medications for a case. In one entry, the user can enter the medication, dosage, route, and time given with the use of slashes between these categories. (This is a different type of prompt response from what has been used elsewhere). After the user has finished entering one medication, the software will return the cursor to the beginning prompt so that he or she can enter another medication for the case. When the user finishes entering medications for the case, he or she should press the <Enter> key to return to the *Anesthesia Data Entry Menu*.

### About the prompts

"ENTER MEDICATION/DOSE(MG)/ROUTE/TIME:" Respond to this prompt with the medication, dosage, route, and time given separated by slashes. If the software needs more specific information about the medication, the user will be prompted. In the example, the software reads "Valium" and then asks the user to select from the Valiums on file. A question mark can be entered in place of one of the categories in order to get help or more information. In the following example, a question mark was entered in place of the route. Then, in response to the question mark, the software offered a list of acceptable routes.

### Example: Entering a Medication

```
Select Anesthesia Data Entry Menu Option: M Medications (Enter/Edit)
```

```
ENTER MEDICATION/DOSE(MG)/ROUTE/TIME: VALIUM/5MG/?/7:50
```

```
  1  VALIUM 5MG          N/F
  2  VALIUM DIAZEPAM 10MG S.T.      N/F      RESTRICTED TO
ENT/ANESTHESIA/PSYCHIATRY/PARAPLEGICS
  3  VALIUM DIAZEPAM 2MG S.T.      N/F      RESTRICTED TO
ENT/ANESTHESIA/PSYCHIATRY/PARAPLEGICS
TYPE '^' TO STOP, OR
CHOOSE 1-3: 1 (JAN 13, 1999 07:50)
```

```
Route entered is not one of the available choices.
Please enter medication route again.
```

```
Choose from:
```

```
IV      INTRAVENOUS
T       TOPICAL
IR      IRRIGATION
IM      INTRAMUSCULAR
R       RECTAL
S       SUBLINGUAL
SC      SUBCUTANEOUS
IN      INFILTRATE
O       OTHER
P       PREPUMP
OR      ORAL
```

```
ENTER ROUTE: IV
```

```
MEDICATION ENTERED ....
```

```
ENTER MEDICATION/DOSE(MG)/ROUTE/TIME:
```

## **Anesthesia Report [SROARPT]**

Anesthesia staff uses the *Anesthesia Report* option to print all the anesthesia information entered for a case. When a hard copy of this report is made, space is provided for the Anesthetist's signature. This option is located on the *Anesthesia Menu* option. It can also be accessed from the *Operation Menu* option.

For more information, see the Anesthesia Report section in the Operation Menu section of this manual.

Page 171 has been deleted. The *Anesthesia AMIS* option has been removed.

Page 172 has been deleted. The *Anesthesia AMIS* option has been removed.

## Schedule Anesthesia Personnel [SRSCHDA]

Anesthesia staff uses the *Schedule Anesthesia Personnel* option to assign or change anesthesia personnel for surgery cases. The Scheduling Manager can also assign personnel to the selected case using other menu options.



This *Schedule Anesthesia Personnel* option is locked with the SROANES key and will not appear on the menu if the user does not have this key.

With this option, the user can enter an anesthesia technique and the names of the principal anesthetist and supervisor. When an operating room is selected, the software will present all cases scheduled for that room. After scheduling personnel for cases in one operating room, the user can do the same for other operating rooms without leaving this option. For convenience, the software will default to the anesthetist and anesthesiologist supervisor previously scheduled for that room.

### Example: Scheduling Anesthesia Personnel

```
Select Anesthesia Menu Option: S Schedule Anesthesia Personnel
Schedule Anesthesia Personnel for which Date ? 4/26 (APR 26,1999)
```

```
Schedule Anesthesia Personnel for which Operating Room ? OR2
```

```
Scheduled Operations for OR2
```

```
-----
Case # 145 Patient: SURPATIENT,NINE
From: 09:00 To: 12:00
CHOLECYSTECTOMY
```

```
Requested Anesthesia Technique: GENERAL// <Enter>
Principal Anesthetist: SURANESTHETIST,THREE TS
Anesthesiologist Supervisor: SURANESTHESIOLOGIST,TWO// <Enter>
```

```
Press <Enter> to continue, or '^' to quit <Enter>
```

```
Scheduled Operations for OR2
```

```
-----
Case # 148 Patient: SURPATIENT,THREE
From: 13:00 To: 18:00
SHOULDER ARTHROPLASTY
```

```
Requested Anesthesia Technique: GENERAL// <Enter>
Principal Anesthetist: SURANESTHETIST,THREE// <Enter> TS
Anesthesiologist Supervisor: SURSURGEON,TWO// <Enter> DA
```

```
Press <Enter> to continue, or '^' to quit <Enter>
```

```
Would you like to continue with another operating room ? YES// <Enter>
```

```
Schedule Anesthesia Personnel for which Operating Room ? OR3
```

Scheduled Operations for OR3

-----  
Case # 136 Patient: SURPATIENT,FORTY  
From: 07:00 To: 10:30  
CHOLECYSECTOMY

Requested Anesthesia Technique: GENERAL// <Enter>  
Principal Anesthetist: **SURSURGEON,ONE** OS  
Anesthesiologist Supervisor: SURANESTHESIOLOGIST,TWO // <Enter>  
Press <Enter> to continue, or '^' to quit <Enter>

Would you like to continue with another operating room ? YES// **Y**

Schedule Anesthesia Personnel for which Operating Room ? **OR1**

There are no cases scheduled for this operating room.

Press RETURN to continue <Enter>

Would you like to continue with another operating room ? YES// **N**



# Perioperative Occurrences Menu

## [SRO COMPLICATIONS MENU]

Surgeons use options within the *Perioperative Occurrences Menu* option to enter or edit occurrences that occur before, during, and/or after a surgical procedure. It is also possible to enter occurrences for a patient who did not have a surgical procedure performed. The user can enter more than one occurrence per patient.



This option is locked with the SROCOMP key.

Occurrences will be included on the Chief of Surgery's Morbidity & Mortality Reports.

---



Please review specific institution policy to determine what is considered an occurrence for any category.

---

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option.

Shortcut	Option Name
I	<i>Intraoperative Occurrences (Enter/Edit)</i>
P	<i>Postoperative Occurrences (Enter/Edit)</i>
N	<i>Non-Operative Occurrences (Enter/Edit)</i>
U	<i>Update Status of Returns Within 30 Days</i>
M	<i>Morbidity &amp; Mortality Reports</i>

## Key Vocabulary

The following terms are used in this section.

Term	Definition
Intraoperative Occurrence	Occurrence that occurs during the procedure.
Postoperative Occurrence	Occurrence that occurs after the procedure.
Non-Operative Occurrence	Occurrence that develops before a surgical procedure is performed.

## Intraoperative Occurrences (Enter/Edit) [SRO INTRAOP COMP]

The *Intraoperative Occurrences (Enter/Edit)* option is used to add information about an occurrence that occurs during the procedure. The user can also use this option to change the information. Occurrence information will be reflected in the Chief of Surgery's Morbidity & Mortality Report.

First, the user should select an operation. The software will then list any occurrences already entered for that operation. The user may edit a previously entered occurrence or can type the word **NEW** and press the **<Enter>** key to enter a new occurrence.

At the prompt "Enter a New Intraoperative Occurrence:" the user can enter two question marks (??) to get a list of categories. Be sure to enter a category for all occurrences to satisfy Surgery Central Office reporting needs.

### Example: Entering Intraoperative Occurrences

```
Select Perioperative Occurrences Menu Option: I Intraoperative Occurrences (Enter/Edit)
```

```
Select Patient: SURPATIENT,FIFTY 10-28-45 000459999
```

```
SURPATIENT,FIFTY 000-45-9999
```

1. 06-30-06 CHOLECYSTECTOMY (COMPLETED)
2. 03-10-07 HEMORRHOIDECTOMY (COMPLETED)

```
Select Operation: 1
```

```
SURPATIENT,FIFTY (000-45-9999) Case #213  
JUN 30,2006 CHOLECYSTECTOMY
```

-----  
There are no Intraoperative Occurrences entered for this case.

Enter a New Intraoperative Occurrence: **CARDIAC ARREST REQUIRING CPR**  
Definition Revised (2011): Indicate if there was any cardiac arrest requiring external or open cardiopulmonary resuscitation (CPR) occurring in the operating room, ICU, ward, or out-of-hospital after the chest had been completely closed and within 30 days of surgery. Patients with AICDs that fire but the patient does not lose consciousness should be excluded.

If patient had cardiac arrest requiring CPR, indicate whether the arrest occurred intraoperatively or postoperatively. Indicate the one appropriate response:  
- intraoperatively: occurring while patient was in the operating room  
- postoperatively: occurring after patient left the operating room

Press RETURN to continue: **<Enter>**

SURPATIENT,FIFTY (000-45-9999) Case #213  
JUN 30,2006 CHOLECYSTECTOMY

---

1. Occurrence: CARDIAC ARREST REQUIRING CPR
  2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
  3. ICD Diagnosis Code:
  4. Treatment Instituted:
  5. Outcome to Date:
  6. Occurrence Comments:
- 

Select Occurrence Information: 4:5

SURPATIENT,FIFTY (000-45-9999)

---

Type of Treatment Instituted: CPR  
Outcome to Date: ?

CHOOSE FROM:

U	UNRESOLVED
I	IMPROVED
D	DEATH
W	WORSE

Outcome to Date: I IMPROVED

SURPATIENT,FIFTY (000-45-9999) Case #213  
JUN 30,2006 CHOLECYSTECTOMY

---

1. Occurrence: CARDIAC ARREST REQUIRING CPR
  2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
  3. ICD Diagnosis Code:
  4. Treatment Instituted: CPR
  5. Outcome to Date: IMPROVED
  6. Occurrence Comments:
- 

Select Occurrence Information:

## Postoperative Occurrences (Enter/Edit) [SRO POSTOP COMP]

The *Postoperative Occurrences (Enter/Edit)* option is used to add information about an occurrence that occurs after the procedure. The user can also utilize this option to change the information. Occurrence information will be reflected in the Chief of Surgery's Morbidity & Mortality Report.

First, the user selects an operation. The software will then list any occurrences already entered for that operation. The user can choose to edit a previously entered occurrence or type the word **NEW** and press the **<Enter>** key to enter a new occurrence.

At the prompt "Enter a New Postoperative Complication:" the user can enter two question marks (??) to get a list of categories. Be sure to enter a category for all occurrences in order to satisfy Surgery Central Office reporting needs.

Example: Entering a Postoperative Occurrence

```
Select Perioperative Occurrences Menu Option: P Postoperative Occurrence (Enter/Edit)
```

```
Select Patient: SURPATIENT, SEVENTEEN      09-13-28      000455119
```

```
SURPATIENT, SEVENTEEN R. 000-45-5119
```

1. 04-18-07 CRANIOTOMY (COMPLETED)
2. 03-18-07 REPAIR INCARCERATED INGUINAL HERNIA (COMPLETED)

```
Select Operation: 2
```

```
SURPATIENT, SEVENTEEN (000-45-5119)      Case #202  
MAR 18, 2007 REPAIR INCARCERATED INGUINAL HERNIA
```

```
-----  
There are no Postoperative Occurrences entered for this case.
```

```
Enter a New Postoperative Occurrence: ACUTE RENAL FAILURE
```

```
VASQIP Definition (2011):
```

```
Indicate if the patient developed new renal failure requiring renal  
replacement therapy or experienced an exacerbation of preoperative  
renal failure requiring initiation of renal replacement therapy (not on  
renal replacement therapy preoperatively) within 30 days  
postoperatively. Renal replacement therapy is defined as venous to  
venous hemodialysis [CVVHD], continuous venous to arterial hemodialysis  
[CVAHD], peritoneal dialysis, hemofiltration, hemodiafiltration or  
ultrafiltration.
```

```
TIP: If the patient refuses dialysis report as an occurrence because  
he/she did require dialysis.
```

```
Press RETURN to continue: <Enter>
```

SURPATIENT,SEVENTEEN (000-45-5119) Case #202  
MAR 18,2007 REPAIR INCARCERATED INGUINAL HERNIA

---

1. Occurrence: ACUTE RENAL FAILURE
  2. Occurrence Category: ACUTE RENAL FAILURE
  3. ICD Diagnosis Code:
  4. Treatment Instituted:
  5. Outcome to Date:
  6. Date Noted:
  7. Occurrence Comments:
- 

Select Occurrence Information: 4:6

SURPATIENT,SEVENTEEN (000-45-5119) Case #202  
MAR 18,2007 REPAIR INCARCERATED INGUINAL HERNIA

---

Treatment Instituted: **ANTIBIOTICS**  
Outcome to Date: **I** IMPROVED  
Date/Time the Occurrence was Noted: **3/20** (MAR 20, 2007)

SURPATIENT,SEVENTEEN R. (000-45-5119) Case #202  
MAR 18,2007 REPAIR INCARCERATED INGUINAL HERNIA

---

1. Occurrence: ACUTE RENAL FAILURE
  2. Occurrence Category: ACUTE RENAL FAILURE
  3. ICD Diagnosis Code:
  4. Treatment Instituted: DIALYSIS
  5. Outcome to Date: IMPROVED
  6. Date Noted: 03/20/07
  7. Occurrence Comments:
- 

Select Occurrence Information:

## Non-Operative Occurrence (Enter/Edit) [SROCOMP]

The *Non-Operative Occurrence (Enter/Edit)* option is used to enter or edit occurrences that are not related to surgical procedures. A non-operative occurrence is an occurrence that develops before a surgical procedure is performed.

At the "Occurrence Category:" prompt, the user can enter two question marks (??) to get a list of categories. Be sure to enter a category for each occurrence in order to satisfy Surgery Central Office reporting needs.

### Example: Entering a Non-Operative Occurrence

```
Select Perioperative Occurrences Menu Option: N Non-Operative Occurrences (Enter/Edit)
```

```
NOTE: You are about to enter an occurrence for a patient that has not had an operation during this admission. If this patient has a surgical procedure during the current admission, use the option to enter or edit intraoperative and postoperative occurrences.
```

```
Select PATIENT NAME: SURPATIENT, SEVENTEEN          09-13-28          000455119
```

```
          SURPATIENT, SEVENTEEN
```

```
1.          ENTER A NEW NON-OPERATIVE OCCURRENCE
```

```
Select Number:  1
```

```
Select the Date of Occurrence: 063007 (JUN 30, 2007)
```

```
Name of the Surgeon Treating the Complication: SURSURGEON, ONE
```

```
Name of the Attending Surgeon: SURSURGEON, TWO
```

```
Surgical Specialty: GENERAL(OR WHEN NOT DEFINED BELOW)
```

```
Select NON-OPERATIVE OCCURRENCES: SYSTEMIC SEPSIS
```

```
Occurrence Category: SYSTEMIC SEPSIS
```

```
Definition Revised (2007):
```

Sepsis is a vast clinical entity that takes a variety of forms. The spectrum of disorders spans from relatively mild physiologic abnormalities to septic shock. Please report the most significant level using the criteria below:

1. Sepsis: Sepsis is the systemic response to infection. Report this variable if the patient has clinical signs and symptoms of SIRS. SIRS is a widespread inflammatory response to a variety of severe clinical insults. This syndrome is clinically recognized by the presence of two or more of the following:

- Temp >38 degrees C or <36 degrees C
- HR >90 bpm
- RR >20 breaths/min or PaCO2 <32 mmHg(<4.3 kPa)
- WBC >12,000 cell/mm3, <4000 cells/mm3, or >10% immature (band) forms
- Anion gap acidosis: this is defined by either:  
[Na + K] - [Cl + HCO3 (or serum CO2)]. If this number is greater than 16, then an anion gap acidosis is present.  
or  
Na - [Cl + HCO3 (or serum CO2)]. If this number is greater than 12, then an anion gap acidosis is present.

and one of the following:

- positive blood culture
- clinical documentation of purulence or positive culture from any site thought to be causative

2. Severe Sepsis/Septic Shock: Sepsis is considered severe when it is associated with organ and/or circulatory dysfunction. Report this variable if the patient has the clinical signs and symptoms of SIRS or sepsis AND documented organ and/or circulatory dysfunction. Examples of organ dysfunction include: oliguria, acute alteration in mental status, acute respiratory distress. Examples of circulatory dysfunction include: hypotension, requirement of inotropic or vasopressor agents.

\* For the patient that had sepsis preoperatively, worsening of any of the above signs postoperatively would be reported as a postoperative sepsis.

Examples:

A patient comes into the emergency room with signs of sepsis - WBC 31, Temperature 104. CT shows an abdominal abscess. He is given antibiotics and is then taken emergently to the OR to drain the abscess. He receives antibiotics intraoperatively. Postoperatively his WBC and Temperature are trending down.

POD#1 WBC 24, Temp 102

POD#2 WBC 14, Temp 100

POD#3 WBC 10, Temp 99

This patient does not have postoperative sepsis as his WBC and Temperature are improving each postoperative day.

Patient comes into the ER with s/s of sepsis - WBC 31, Temp 104. CT shows an abdominal abscess. He is given antibiotics and is taken emergently to the OR to drain the abscess. He receives antibiotics intraoperatively. Postoperatively his WBC and Temp are as follows:

POD#1 WBC 28, Temp 103

POD#2 WBC 24, Temp 102.6

POD#3 WBC 22, Temp 102

POD#4 WBC 21, Temp 101.6

POD#5 WBC 30, Temp 104

This patient does have postoperative sepsis because on postoperative day #5, his WBC and Temperature increase. The patient is having worsening of the defined signs of sepsis.

Treatment Instituted: **ANTIBIOTICS**

Outcome to Date: **U** UNRESOLVED

Occurrence Comments:

**1>Cancel scheduled surgery for this week. Reschedule later.**

**2><Enter>**

EDIT Option: **<Enter>**

Press RETURN to continue

*(This page included for two-sided copying.)*



## Update Status of Returns Within 30 Days [SRO UPDATE RETURNS]

The *Update Status of Returns Within 30 Days* option will define a case as related or unrelated to another case. When a new surgical case is entered into the software, the user is asked whether it is related to any previous cases within the past 30 days. This option is designed to update that information.

The user should first enter the patient name and select a case. The software will list any cases that occurred within 30 days prior to the selected case and will indicate if the listed cases have been flagged as related or unrelated. At this point the user may update the status of the cases listed.

Example: Updating Status of Returns Within 30 days

```
Select Perioperative Occurrences Menu Option: Update Status of Returns Within 30 Days
```

```
Select Patient: SURPATIENT,SIXTY          03-03-59      000567821      NO      NO
N-VETERAN (OTHER)
```

```
SURPATIENT,SIXTY  000-56-7821
```

1. 07-06-99 REPAIR INGUINAL HERNIA (COMPLETED)
2. 06-25-99 CHOLECYSTECTOMY, APPENDECTOMY (COMPLETED)
3. 06-23-99 CHOLEDOCHOTOMY (COMPLETED)
4. 04-10-98 CRANIOTOMY (COMPLETED)

```
Select Operation: 3
```

```
SURPATIENT,SIXTY (000-56-7821)      Case #62192      RETURNS TO SURGERY
JUN 23,1999  CHOLEDOCHOTOMY
-----
```

1. 07/06/99 REPAIR INGUINAL HERNIA - UNRELATED
  2. 06/25/99 CHOLECYSTECTOMY - UNRELATED
- ```
-----
```

```
Select Number: 2
```

```
SURPATIENT,SIXTY (000-56-7821)      Case #62192      RETURNS TO SURGERY
JUN 23,1999  CHOLEDOCHOTOMY
-----
```

2. 06/25/99 CHOLECYSTECTOMY - UNRELATED
- ```
-----
```

```
This return to surgery is currently defined as UNRELATED to the case selected.
Do you want to change this status ? NO// Y
```

SURPATIENT,SIXTY (000-56-7821) Case #62192 RETURNS TO SURGERY  
JUN 23,1999 CHOLEDOCHOTOMY

-----  
1. 07/06/99 REPAIR INGUINAL HERNIA - UNRELATED

2. 06/25/99 CHOLECYSTECTOMY (- RELATED  
-----

Select Number:

## Morbidity & Mortality Reports [SROMM]

The *Morbidity & Mortality Reports* option generates two reports: the Perioperative Occurrences Report and the Mortality Report. The Perioperative Occurrences Report includes all cases that have occurrences, both intraoperatively and postoperatively, and can be sorted by specialty, attending surgeon, or occurrence category. The Mortality Report includes all cases performed within the selected date range that had a death within 30 days after surgery, and sort by specialty within a date range. Each surgical specialty will begin on a separate page.

After the user enters the date range, the software will ask whether to generate both reports. If the user answers **NO**, the software will ask the user to select from the Perioperative Occurrences Report or the Mortality Report.

These reports have a 132-column format and are designed to be copied to a printer.

### Example 1: Printing the Perioperative Occurrences Report – Sorted by Specialty

```
Select Perioperative Occurrences Menu Option: M Morbidity & Mortality Reports
```

```
The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.
```

```
Do you want to generate both reports ? YES// N
```

1. Perioperative Occurrences Report
2. Mortality Report

```
Select Number: (1-2): 1
```

```
Print Report for:
```

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

```
Select Number: (1-3): 3
```

```
Start with Date: 7/1 (JUL 01, 2006)
```

```
End with Date: 7/31 (JUL 31, 2006)
```

```
Do you want to print all divisions? YES// <Enter>
```

```
Print report by
```

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

```
Select 1, 2 or 3: (1-3): 1// <Enter>
```

Do you want to print this report for all Surgical Specialties ? YES// **N**

Print the report for which Specialty ? **GENERAL** (OR WHEN NOT DEFINED BELOW)

Select an Additional Specialty **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

-----*report follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
 FROM: JUL 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

PATIENT ID# OPERATION DATE	ATTENDING SURGEON PRINCIPAL OPERATION	OCCURRENCE(S) - (DATE) TREATMENT	OUTCOME
=====			
GENERAL (OR WHEN NOT DEFINED BELOW)			
-----			
SURPATIENT, TWELVE 000-41-8719 JUL 07, 2006@07:15	SURSURGEON, THREE REPAIR DIAPHRAGMATIC HERNIA	MYOCARDIAL INFARCTION ASPIRIN THERAPY	I
		URINARY TRACT INFECTION * (07/09/06) IV ANTBIOTICS	I
SURPATIENT, FOURTEEN 000-45-7212 JUL 31, 2006@09:00	SURSURGEON, FIVE CHOLECYSTECTOMY, APPENDECTOMY	SUPERFICIAL WOUND INFECTION * (08/02/06) ANTIBIOTICS	I

-----  
 OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
 '\* ' Represents Postoperative Occurrences  
 -----

## Example 2: Printing the Perioperative Occurrences Report – Sorted by Attending Surgeon

Select Perioperative Occurrences Menu Option: **M** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **1**

Print Report for:

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

Select Number: (1-3): **3**

Start with Date: **7/1** (JUL 01, 2006)

End with Date: **7/31** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

Print report by

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

Select 1, 2 or 3: (1-3): 1// **2**

Do you want to print this report for all Attending Surgeons ? YES//**N**

Print the report for which Attending Surgeon ? **SURGEON,ONE**

Select an Additional Attending Surgeon: **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

-----report follows-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
 FROM: JUL 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

PATIENT ID# OPERATION DATE	SURGICAL SPECIALTY PRINCIPAL OPERATION	OCCURRENCE(S) - (DATE) TREATMENT	OUTCOME
=====			
ATTENDING: SURGEON, ONE			
-----			
SURPATIENT, TWELVE 000-41-8719 JUL 07, 2006@07:15	GENERAL (OR WHEN NOT DEFINED BELOW) REPAIR DIAPHRAGMATIC HERNIA	MYOCARDIAL INFARCTION ASPIRIN THERAPY  URINARY TRACT INFECTION * (07/09/06) IV ANTBIOTICS	I   I
SURPATIENT, THREE 000-21-2453 JUL 22, 2006@10:00	CARDIAC SURGERY CABG	REPEAT VENTILATOR SUPPORT W/IN 30 DAYS *	I
SURPATIENT, FOURTEEN 000-45-7212 JUL 31, 2006@09:00	GENERAL (OR WHEN NOT DEFINED BELOW) CHOLECYSTECTOMY, APPENDECTOMY	SUPERFICIAL WOUND INFECTION * (08/02/06) ANTIBIOTICS	I

-----  
 OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
 ' \* ' Represents Postoperative Occurrences  
 -----

### Example 3: Printing the Perioperative Occurrences Report – Sorted by Occurrence Category

Select Perioperative Occurrences Menu Option: **M** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **1**

Print Report for:

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

Select Number: (1-3): **3**

Start with Date: **7/1** (JUL 01, 2006)

End with Date: **7/31** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

Print report by

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

Select 1, 2 or 3: (1-3): 1// **3**

Do you want to print this report for all occurrence categories? YES// **NO**

Print the report for which Occurrence Category ? **ACUTE RENAL FAILURE**

Definition Revised (2011): Indicate if the patient developed new renal failure requiring renal replacement therapy or experienced an exacerbation of preoperative renal failure requiring initiation of renal replacement therapy (not on renal replacement therapy preoperatively) within 30 days postoperatively.

TIP: If the patient refuses dialysis report as an occurrence because he/she did require dialysis.

Select an Additional Occurrence Category: **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

-----report follows-----



MAYBERRY, NC  
SURGICAL SERVICE  
PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
FROM: JUN 1,2007 TO: JUN 30,2007

PAGE 1  
REVIEWED BY:  
DATE REVIEWED:  
DATE PRINTED: AUG 22,2007

PATIENT ID# OPERATION DATE	ATTENDING SURGEON SURGICAL SPECIALTY PRINCIPAL OPERATION	OCCURRENCE(S) - (DATE) TREATMENT	OUTCOME
=====			
CATEGORY: ACUTE RENAL FAILURE			
-----			
SURPATIENT, SEVENTEEN 000-45-5119 JUN 18, 2007@07:15	SURGEON, TWO GENERAL REPAIR INCARCERATED INGUINAL HERNIA	ACUTE RENAL FAILURE DIALYSIS	I

-----  
OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
          '\*' Represents Postoperative Occurrences  
-----

*(This page included for two-sided copying.)*

#### Example 4: Printing the *Mortality Report*

Select Perioperative Occurrences Menu Option: **M** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **2**

Start with Date: **1/1/06** (JAN 01, 2006)

End with Date: **7/31/06** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: [**Select Print Device**]

-----*report follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 MORTALITY REPORT  
 FROM: JAN 1, 2006 TO: JUL 31, 2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22, 2006

OPERATION DATE	PATIENT ID#	PRINCIPAL OPERATIVE PROCEDURE	DATE OF DEATH AUTOPSY (Y/N)
=====			
OTORHINOLARYNGOLOGY (ENT)			
-----			
JAN 22, 2006	SURPATIENT, SIXTEEN 000-11-1111	LARYNGOSCOPY, BRONCHOSCOPY, ESOPHAGOGASTROSCOPY	FEB 09, 2006 NO
JAN 27, 2006	SURPATIENT, TWO 000-45-1982	BRONCHOSCOPY	FEB 26, 2006 NOT AVAILABLE
JAN 29, 2006	SURPATIENT, SIXTEEN 000-11-1111	BILATERAL NECK DISECTION, LARYNGECTOMY	FEB 09, 2006 NO
FEB 08, 2006	SURPATIENT, SIXTEEN 000-11-1111	LIGATION LT INTERNAL JUGLAR , EXPLORATORY LAPARATOMY	FEB 09, 2006 NO
FEB 19, 2006	SURPATIENT, TEN 000-12-3456	TRACH	FEB 21, 2006 NO
JUL 20, 2006	SURPATIENT, FORTY 000-77-7777	LARYNGOSCOPY W/ BX, ESOPHAGOSCOPY	NOV 01, 2006 NOT AVAILABLE

# Non-O.R. Procedures

[SRONOP]



The *Non-O.R. Procedures* option, located in the main *Surgery Menu* and locked with the SROPER key, is designed for documenting and reviewing Non-O.R. Procedures.

A Non-O.R. Procedure is any procedure not performed in an operating room, but which still involves surgical or anesthesia providers. Any procedures involving anesthesia providers will display on the Anesthesia AMIS Report.

The main options included in this menu are listed below. The first option, *Non-O.R.. Procedures (Enter Edit)*, contains options to enter or update cases. To the left of the option name is the shortcut synonym the user can enter to select the option.

Shortcut	Option Name
E	<i>Non-O.R.. Procedures (Enter/Edit)</i>
A	<i>Annual Report of Non-O.R.. Procedures</i>
R	<i>Report of Non-O.R.. Procedures</i>

## Non-O.R. Procedures (Enter/Edit) [SRNOP-ENTER]

The *Non-O.R. Procedures (Enter/Edit)* option allows the user to enter, edit, or delete information related to a Non-O.R. Procedure. The editing feature branches to another submenu that allows the user to enter or edit anesthesia information for a procedure. To use one of the *Non-O.R. Procedures (Enter/Edit)* options, the user must first identify the patient on which he or she is working.

### Accessing the Non-O.R. Procedures Menu

When the *Non-O.R. Procedures (Enter/Edit)* option is selected, the user will be prompted to enter a patient name. The Surgery software will then list all non-O.R. procedures on record for the patient.

```
SURPATIENT,FIFTEEN 000-98-1234
1. APR 22, 2002 BRONCHOSCOPY
2. NEW PROCEDURE
Select Procedure: 1
```

The user can select from the procedure(s) listed or enter a new procedure. When selecting an existing procedure, the software will ask whether the user wants to 1) edit information for the case, or 2) delete the procedure, as follows.

```
SURPATIENT,FIFTEEN 000-98-1234
APR 22, 2002 BRONCHOSCOPY
Do you want to edit or delete this procedure ?
1. Edit
2. Delete
Select Number: 1// 1
```

If the user enters **2** to delete, the software will permanently remove the procedure from the records. On the other hand, if the user accepts the default answer, **1**, to edit the existing procedure, the software will display the *Non-O.R. Procedures (Enter/Edit)* menu option. The user will see the following options.

```
SURPATIENT,FIFTEEN (000-98-1234) Case #267260 - APR 22,2002
E Edit Non-O.R. Procedure
AI Anesthesia Information (Enter/Edit)
AM Medications (Enter/Edit)
AT Anesthesia Technique (Enter/Edit)
PR Procedure Report (Non-O.R.)
TR Tissue Examination Report
I Non-OR Procedure Information
Select Non-O.R. Procedures (Enter/Edit) Option:
```

Three of these sub-options, the *Anesthesia Information (Enter/Edit)* option, the *Medications (Enter/Edit)* option, and the *Anesthesia Technique (Enter/Edit)* option, are the same as the sub-options of the same name on the *Anesthesia Menu* option.

## Edit Non-O.R. Procedure [SRONOP-EDIT]

The *Edit Non-O.R. Procedure* option on the *Non-O.R. Procedures* menu allows the user to enter or edit data on the selected procedure.

The DICTATED SUMMARY EXPECTED field is used to determine whether a dictated summary will be required for this Non-O.R. Procedure case. If **NO** is entered into the DICTATED SUMMARY EXPECTED field, no alerts will be generated and no report information will be displayed. If **YES** is entered into the DICTATED SUMMARY EXPECTED field, an alert will be sent to the appropriate provider when the dictated summary is uploaded, informing him or her that the Procedure Summary is ready for signature.



The DICTATED SUMMARY EXPECTED field is used to determine whether a dictated summary will be required for a Non-O.R. Procedure case.

Example: Setting the DICTATED SUMMARY EXPECTED field to YES

```
SURPATIENT,FIFTEEN (000-98-1234) Case #267260 - APR 22,2002

E      Edit Non-O.R. Procedure
AI     Anesthesia Information (Enter/Edit)
AM     Medications (Enter/Edit)
AT     Anesthesia Technique (Enter/Edit)
PR     Procedure Report (Non-O.R.)
TR     Tissue Examination Report
I      Non-OR Procedure Information

Select Non-O.R. Procedures (Enter/Edit) Option: E Edit Non-O.R. Procedure

** NON-O.R. PROCEDURE ** CASE #267260 SURPATIENT,FIFTEEN PAGE 1 OF 3

1  DATE OF PROCEDURE: APR 22, 2002
2  PRINCIPAL PROCEDURE: BRONCHOSCOPY
3  PLANNED PRIN PROCEDURE CODE:
4  MEDICAL SPECIALTY: GENERAL SURGERY
5  DICTATED SUMMARY EXPECTED:
6  IN/OUT-PATIENT STATUS:
7  TIME PROCEDURE BEGAN:
8  TIME PROCEDURE ENDED:
9  PROVIDER: SURSURGEON,FIFTEEN
10 NON-OR LOCATION:
11 ASSOCIATED CLINIC:
12 PRINCIPAL DIAGNOSIS:
13 PLANNED PRIN DIAGNOSIS CODE:
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)
15 BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function: 5
Dictated Summary Expected: YES YES
```

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 1 OF 3

1 DATE OF PROCEDURE: APRIL 22, 2002  
2 PRINCIPAL PROCEDURE: BRONCHOSCOPY  
3 PLANNED PRIN PROCEDURE CODE:  
4 MEDICAL SPECIALTY: GENERAL SURGERY  
5 DICTATED SUMMARY EXPECTED: YES  
6 IN/OUT-PATIENT STATUS:  
7 TIME PROCEDURE BEGAN:  
8 TIME PROCEDURE ENDED:  
9 PROVIDER: SURSURGEON, FIFTEEN  
10 NON-OR LOCATION:  
11 ASSOCIATED CLINIC:  
12 PRINCIPAL DIAGNOSIS:  
13 PLANNED PRIN DIAGNOSIS CODE:  
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)  
15 BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 2 OF 3

1 OPERATIVE FINDINGS: (WORD PROCESSING)  
2 ATTEND PROVIDER:  
3 ATTENDING CODE:  
4 PRINC ANESTHETIST:  
5 ANESTHESIOLOGIST SUPVR:  
6 ANES CARE TIME BLOCK: (MULTIPLE)  
7 ANESTHESIA TECHNIQUE: (MULTIPLE)  
8 ANES SUPERVISE CODE:  
9 DIAGNOSTIC/THERAPEUTIC (Y/N):  
10 ASA CLASS:  
11 OTHER PROCEDURES: (MULTIPLE)  
12 OTHER POSTOP DIAGS: (MULTIPLE)  
13 PROCEDURE OCCURRENCE: (MULTIPLE)  
14 SPECIMENS: (WORD PROCESSING)  
15 GENERAL COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 3 OF 3

1 CANCEL DATE:  
2 CANCEL REASON:

Enter Screen Server Function:



If the user wishes to edit information in the Procedure Report (Non-O.R.), the *Edit Non-O.R.. Procedure* option on the *Non-O.R.. Procedures* menu can be used.

Example: Using the Edit Non-O.R. Procedure option

```
SURPATIENT,FIFTEEN (000-98-1234) Case #267260 - APR 22,2002

E      Edit Non-O.R. Procedure
AI     Anesthesia Information (Enter/Edit)
AM     Medications (Enter/Edit)
AT     Anesthesia Technique (Enter/Edit)
PR     Procedure Report (Non-O.R.)
TR     Tissue Examination Report

Select Non-O.R. Procedures (Enter/Edit) Option: E Edit Non-O.R. Procedure
```

```
** NON-O.R. PROCEDURE ** CASE #267260 SURPATIENT,FIFTEEN PAGE 1 OF 3
```

```
1 DATE OF PROCEDURE: APR 22, 2002
2 PRINCIPAL PROCEDURE: BRONCHOSCOPY
3 PLANNED PRIN PROCEDURE CODE:
4 MEDICAL SPECIALTY: GENERAL SURGERY
5 DICTATED SUMMARY EXPECTED: YES
6 IN/OUT-PATIENT STATUS:
7 TIME PROCEDURE BEGAN: APR 22, 2002 AT 08:50
8 TIME PROCEDURE ENDED: APR 22, 2002 AT 09:27
9 PROVIDER: SURSURGEON,FIFTEEN
10 NON-OR LOCATION:
11 ASSOCIATED CLINIC:
12 PRINCIPAL DIAGNOSIS:
13 PLANNED PRIN DIAGNOSIS CODE:
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)
15 BRIEF CLIN HISTORY: (WORD PROCESSING)
```

```
Enter Screen Server Function: 8
Time Procedure Ended: APR 22,2002@09:27// 917 (APR 22, 2002@09:17)
```

```
** NON-O.R. PROCEDURE ** CASE #267260 SURPATIENT,FIFTEEN PAGE 1 OF 3
```

```
1 DATE OF PROCEDURE: APR 22, 2002
2 PRINCIPAL PROCEDURE: BRONCHOSCOPY
3 PLANNED PRIN PROCEDURE CODE:
4 MEDICAL SPECIALTY: GENERAL SURGERY
5 DICTATED SUMMARY EXPECTED: YES
6 IN/OUT-PATIENT STATUS:
7 TIME PROCEDURE BEGAN: APR 22, 2002 AT 08:50
8 TIME PROCEDURE ENDED: APR 22, 2002 AT 09:17
9 PROVIDER: SURSURGEON,FIFTEEN
10 NON-OR LOCATION:
11 ASSOCIATED CLINIC:
12 PRINCIPAL DIAGNOSIS:
13 PLANNED PRIN DIAGNOSIS CODE:
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)
15 BRIEF CLIN HISTORY: (WORD PROCESSING)
```

```
Enter Screen Server Function: <Enter>
```

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 2 OF 3

1 OPERATIVE FINDINGS: (WORD PROCESSING)  
2 ATTEND PROVIDER:  
3 ATTENDING CODE:  
4 PRINC ANESTHETIST:  
5 ANESTHESIOLOGIST SUPVR:  
6 ANES CARE TIME BLOCK: (MULTIPLE)  
7 ANESTHESIA TECHNIQUE: (MULTIPLE)  
8 ANES SUPERVISE CODE:  
9 DIAGNOSTIC/THERAPEUTIC (Y/N):  
10 ASA CLASS:  
11 OTHER PROCEDURES: (MULTIPLE)  
12 OTHER POSTOP DIAGS: (MULTIPLE)  
13 PROCEDURE OCCURRENCE: (MULTIPLE)  
14 SPECIMENS: (WORD PROCESSING)  
15 GENERAL COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 3 OF 3

1 CANCEL DATE:  
2 CANCEL REASON:

Enter Screen Server Function: ^

## Procedure Report (Non-O.R.) [SR NON-OR REPORT]

The *Procedure Report (Non-O.R.)* option details operation information for the patient case selected. This report includes the Procedure Summary section. The Procedure Summary is dictated by the provider after completing the Non-O.R. procedure and then is electronically signed.

### Prior to Signature

The *Edit Non-O.R. Procedure* option on the *Non-O.R. Procedures* menu is used to enter the non-O.R. procedure data. The DICTATED SUMMARY EXPECTED field is used to determine whether a dictated summary will be required for this non-O.R. procedure. This field is a required entry when creating a new non-O.R. procedure and may be edited using the *Edit Non-O.R. Procedure* option. Entering YES in this field allows a Procedure Summary to be uploaded and signed in TIU, making a Procedure Report (Non-O.R.) available for this procedure.



The DICTATED SUMMARY EXPECTED field is used to determine whether a dictated summary will be required for a Non-O.R. Procedure case.

---

After the Procedure Summary has been electronically signed, the Procedure Report (Non-O.R..) is viewable through CPRS. If the Procedure Summary has not been electronically signed, the following displays:

“\* \* A Non-O.R. Procedure Summary is not available. \* \*”



After the Procedure Summary is transcribed and uploaded into TIU, the TIU software sends an alert to the provider responsible for electronically signing the report. The provider can then sign using CPRS options or the List Manager.

---

## **After Electronic Signature**

After electronic signature, the report is available for viewing.

Example 1: Printing a Procedure (Non-O.R.) Report when the Procedure Summary has been signed

```
SURPATIENT,ONE (000-44-7629) Case #267236 - FEB 13, 2002
```

```
Select Non-O.R. Procedures (Enter/Edit) Option: PR Procedure Report (Non-O.R.)
```

```
Do you want WORK copies or CHART copies? WORK// <Enter>
```

```
DEVICE: HOME// [Select Print Device]
```

```
-----report follows-----
```

-----  
SURPATIENT, ONE 000-44-7629

PROCEDURE REPORT  
-----

NOTE DATED: 02/13/2002 00:00 PROCEDURE REPORT

SUBJECT: Case #: 267236

PREOPERATIVE DIAGNOSIS: RESPIRATORY FAILURE, PROLONGED TRACHEAL INTUBATION  
AND FAILURE TO WEAN

POSTOPERATIVE DIAGNOSIS: SAME

PROCEDURE PERFORMED: OPEN TRACHEOSTOMY

PROVIDER: DR. SURSURGEON

ASSISTANT PROVIDER:

ANESTHESIA: GENERAL ENDOTRACHEAL ANESTHESIA

ESTIMATED BLOOD LOSS: MINIMAL

COMPLICATIONS: NONE

INDICATIONS FOR PROCEDURE: The patient is a sixty-four-year-old gentleman with a rather extensive past surgical history, mostly significant for status post esophagogastrectomy and presented to the hospital approximately three weeks ago with abdominal pain. Diagnostic evaluation consisted of an abdominal CT scan, liver function tests and right upper quadrant ultrasound, all of which were consistent with a diagnosis of acalculus cholecystitis. Because of these findings, the patient was brought to the operating room approximately three weeks ago where an open cholecystectomy was performed. The patient subsequent to that has had a very rocky postoperative course, most significantly focusing around persistently spiking fevers with sources significant for an E-coli sinusitis as well as a Staphylococcus E-coli pneumonia with no evidence of bacteremia. As a result of all of this sepsis and persistent spiking fevers, the patient has had a pneumonia, the patient has had a rather difficult time weaning from the ventilator and because of the almost three week period since his last operation with persistent endotracheal tube in place, the patient was brought to the operating room for an open tracheostomy procedure.

DESCRIPTION OF PROCEDURE: After appropriate consent was obtained from the patient's next of kin and the risks and benefits were explained to her, the patient was then brought to the operating room where general endotracheal anesthesia was induced. The area was prepped and draped in the usual fashion with a towel roll under the patient's scapula and the neck extended.

A longitudinal incision of approximately 2 cm was made just below the cricoid cartilage. The strap muscles were taken down using Bovie electrocautery. The isthmus of the thyroid was clamped and tied off using 2-0 silk x two. Hemostasis was assured. The thyroid cartilage was carefully dissected directly onto it. The window in the third ring of the trachea was opened after placement of retraction sutures of 0 silk, The hatch was cut open using a hatch box shape. This opening was then dilated using the tracheal dilator. The endotracheal tube was pulled back. A #7 Tracheostomy tube was placed with ease. Breath sounds were assured. The patient was oxygenating well and the stay sutures were placed. The patient tolerated the procedure well. The skin was closed with 0 silk and trachea tip was applied. The patient tolerated the procedure well. The endotracheal tube was finally removed. He was brought to the Surgical Intensive Care Unit in stable, but critical condition.

Three Sursurgeon, M.D.

TS/ger:jw J#: 514 DD: 02-13-02 DT: 02-13-02

Signed by: /es/ THREE SURSURGEON  
02/13/2002 16:40

Enter RETURN to continue or '^' to exit: ^

# Tissue Examination Report [SROTRPT]

The *Tissue Examination Report* option is used to generate the Tissue Examination Report that contains information about cultures and specimens sent to the laboratory for a non-OR procedure.

This report prints in an 80-column format and can be viewed on the screen.

Example: Tissue Examination Report

```
Select Non-O.R. Procedures (Enter/Edit) Option: TR Tissue Examination Report  
DEVICE: [Select Print Device]
```

-----printout follows-----

```
-----  
MEDICAL RECORD | TISSUE EXAMINATION  
-----  
Specimen Submitted By: Obtained: AUG 13, 2004  
OR1, SURGERY CASE # 267260  
-----  
Specimen(s): BIOPSY OF STOMACH LINING  
-----  
Brief Clinical History:  
The patient has had a pneumonia, and had a rather difficult time weaning  
from the ventilator and because of the almost three week period since  
his last operation with persistent endotracheal tube in place, the  
patient was brought to the operating room for an open tracheostomy procedure.  
-----  
Operative Procedure(s):  
OPEN TRACHEOSTOMY  
-----  
Preoperative Diagnosis:  
RESPIRATORY FAILURE, PROLONGED TRACHEAL INTUBATION  
AND FAILURE TO WEAN  
-----  
Operative Findings:  
-----  
Postoperative Diagnosis: Signature and Title  
FOREIGN BODY IN TRACHEA SURSURGEON,TWO  
-----  
Attending Surgeon: SURSURGEON,ONE
```

```
-----  
PATHOLOGY REPORT  
-----  
Name of Laboratory Accession Number(s)  
-----
```

Gross Description, Histologic Examination and Diagnosis

(Continue on reverse side)

```
-----  
PATHOLOGIST'S SIGNATURE DATE:  
-----  
SURPATIENT,FIFTEEN (000-98-1234) Age: 64 SEX: MALE ID # 000-98-1234  
ETHNICITY: NOT HISPANIC REGISTER NO.  
RACE: WHITE, ASIAN  
WARD: ROOM-BED:  
-----  
VAMC: MAYBERRY, NC REPLACEMENT FORM 515
```

Press RETURN to continue

## Non-OR Procedure Information [SR NON-OR INFO]

The *Non-OR Procedure Information* option displays information on the selected non-OR procedure, with the exception of the provider's dictated summary.

This report prints in an 80-column format and can be viewed on the screen.

### Example: Non-OR Procedure Information Report

```
SURPATIENT,FIFTEEN (000-98-1234) Case #267260 - APR 22,2002
Select Non-O.R. Procedures (Enter/Edit) Option: I Non-O.R. Procedure Information
DEVICE: HOME// [Select Print Device]
```

-----printout follows-----

```
SURPATIENT,FIFTEEN (000-98-1234) Age: 64 PAGE 1
NON-O.R. PROCEDURE - CASE #267260 Printed: AUG 13, 2004@14:40
```

Med. Specialty: PULMONARY, NON-TB Location: NON OR

Principal Diagnosis:  
FAILURE TO WEAN

Provider: SURSURGEON,TWO Patient Status: INPATIENT  
Attending: SURSURGEON,FIFTEEN  
Attending Code: LEVEL F: NON-OR PROCEDURE DONE IN THE OR, ATTENDING IDENTIFIED

Attend Anesth: N/A  
Anesthesia Supervisor Code: N/A  
Anesthetist: N/A

Anesthesia Technique(s): N/A

Proc Begin: AUG 13, 2004 09:00 Proc End: AUG 13, 2004 10:00

Procedure(s) Performed:  
Principal: OPEN TRACHEOSTOMY

Indications for Procedure:  
FOREIGN BODY IN TRACHEA.

Brief Clinical History:  
The patient is a sixty-four-year-old gentleman with a rather extensive past surgical history, mostly significant for status post esophagogastrectomy and presented to the hospital approximately three weeks ago with abdominal pain. Diagnostic evaluation consisted of an abdominal CT scan, liver function tests and right upper quadrant ultrasound, all of which were consistent with a diagnosis of acalculus cholecystitis. Because of these findings, the patient was brought to the operating room approximately three weeks ago where an open cholecystectomy was performed.

Specimens: BIOPSY OF STOMACH LINING.

Dictated Summary Expected: YES

Enter RETURN to continue or '^' to exit:

## Annual Report of Non-O.R. Procedures [SRONOP-ANNUAL]

The *Annual Report of Non-O.R. Procedures* option generates the Annual Report of Non-O.R. Procedures. It displays the total number of non-O.R. procedures within the selected date range based on CPT code.

This report prints in an 80-column format and can be viewed on the screen.

Example: Annual Report of Non-O.R. Procedures

```
Select Non-O.R. Procedures Option:  A Annual Report of Non-O.R. Procedures
```

```
Annual Report of Non-O.R. Procedures
```

```
Starting with Date: 3/2 (MAR 02, 1999)
```

```
Ending with Date: 3/30 (MAR 30, 1999)
```

```
Print the report on which Device: [Select Print Device]
```

-----report follows-----



ANNUAL REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 2,1999 TO: MAR 30,1999

CPT - PROCEDURE	SPECIALTY	TOTAL
CARDIOLOGY		
92960	HEART ELECTROCONVERSION	2

Press RETURN to continue, or '^' to quit: <Enter>

ANNUAL REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 2,1999 TO: MAR 30,1999

CPT - PROCEDURE	SPECIALTY	TOTAL
GENERAL SURGERY		
11404	REMOVAL OF SKIN LESION	1

Press RETURN to continue, or '^' to quit: <Enter>

ANNUAL REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 2,1999 TO: MAR 30,1999

CPT - PROCEDURE	SPECIALTY	TOTAL
GENERAL(ACUTE MEDICINE)		
11423	REMOVAL OF SKIN LESION	1
64510	INJECTION FOR NERVE BLOCK	1

Press RETURN to continue, or '^' to quit: <Enter>

ANNUAL REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 2,1999 TO: MAR 30,1999

CPT - PROCEDURE	SPECIALTY	TOTAL
PSYCHIATRY		
90870	ELECTROCONVULSIVE THERAPY	3

Press RETURN to continue, or '^' to quit: <Enter>

ANNUAL REPORT OF NON-O.R. PROCEDURES  
 SUMMARY OF ALL SPECIALTIES  
 FROM: MAR 2,1999 TO: MAR 30,1999

CARDIOLOGY	TOTAL NON-O.R. PROCEDURES: 2
GENERAL SURGERY	TOTAL NON-O.R. PROCEDURES: 1
GENERAL(ACUTE MEDICINE)	TOTAL NON-O.R. PROCEDURES: 2
PSYCHIATRY	TOTAL NON-O.R. PROCEDURES: 3
TOTAL NON-O.R. PROCEDURES FOR THIS MEDICAL CENTER: 8	

Press RETURN to continue

## Report of Non-O.R. Procedures [SRONOR]

This report chronologically lists non-O.R. procedures, and can be sorted by specialty, provider, or location.

This report prints in a 132-column format and must be copied to a printer.

### Example 1: Report of Non-O.R. Procedures by Specialty

Select Non-O.R. Procedures Option: **Report of Non-O.R. Procedures**

Report of Non-OR Procedures

Start with Date: **3/1** (MAR 01, 1999)  
End with Date: **3/31** (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 1// **<Enter>**

Do you want to print the report for all Specialties ? YES// **N**

Print the Report for which Specialty ? **Cardiology**

This report is designed to use a 132 column format.

Print on Device: **[Select Print Device]**

-----*report follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT (ID#) LOCATION (IN/OUT-PAT STATUS)	PROVIDER PROCEDURE(S)	START TIME FINISH TIME
=====			
*** SPECIALTY: CARDIOLOGY ***			
03/02/92 501	SURPATIENT, TWELVE (000-41-8719) AMBULATORY SURGERY (OUTPATIENT)	SURSURGEON, TWO CARDIOVERSION	03/02/92 13:05 03/02/92 14:10
03/13/92 500	SURPATIENT, SIXTY (000-56-7821) ICU (INPATIENT)	SURSURGEON, TWO CARDIOVERSION	03/13/92 14:00 03/13/92 14:25

## Example 2: Report of Non-O.R. Procedures by Provider

Select Non-O.R. Procedures Option: **Report of Non-O.R. Procedures**

Report of Non-OR Procedures

Start with Date: **3/1** (MAR 01, 1999)

End with Date: **3/31** (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 2// **<Enter>**

Do you want to print the report for all Providers ? YES// **N**

Print the Report for which Provider ? **SURSURGEON,SIXTEEN** SS

This report is designed to use a 132 column format.

Print on Device: **[Select Print Device]**

-----report follows-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT (ID#) LOCATION (IN/OUT-PAT STATUS)	SPECIALTY PROCEDURE(S)	START TIME FINISH TIME
=====			
*** PROVIDER SURSURGEON, SIXTEEN ***			
03/12/92 195	SURPATIENT,TWO (000-45-1982) PAC(U) - ANESTHESIA (INPATIENT)	PSYCHIATRY ELECTROCONVULSIVE THERAPY	03/12/92 08:00 03/12/92 09:00
03/23/92 240	SURPATIENT,NINE (000-34-5555) PAC(U) - ANESTHESIA (INPATIENT)	PSYCHIATRY ELECTROCONVULSIVE THERAPY	03/23/92 08:10 03/23/92 08:40
03/25/92 266	SURPATIENT,FOURTEEN (000-45-7212) PAC(U) - ANESTHESIA (INPATIENT)	PSYCHIATRY ELECTROCONVULSIVE THERAPY	03/12/92 09:30 03/12/92 10:15

### Example 3: Report of Non-O.R. Procedures by Location

Select Non-O.R. Procedures Option: **Report of Non-O.R. Procedures**

Report of Non-OR Procedures

Start with Date: 3/1 (MAR 01, 1999)

End with Date: 3/31 (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 2// <Enter>

Do you want to print the report for all Locations ? YES// **N**

Print the Report for which location ? **AMBULATORY SURGERY**

This report is designed to use a 132 column format.

Print the report on which Device: [Select Print Device]

-----*report follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT (ID#) SPECIALTY (IN/OUT-PAT STATUS)	PROVIDER PROCEDURE(S)	START TIME FINISH TIME
=====			
*** LOCATION: AMBULATORY SURGERY ***			
03/02/92 201	SURPATIENT,TWELVE (000-41-8719) CARDIOLOGY (OUTPATIENT)	SURSURGEON,TWO CARDIOVERSION	03/02/92 13:05 03/02/92 14:10
03/06/92 198	SURPATIENT,TWENTY (000-45-4886) GENERAL(ACUTE MEDICINE) (OUTPATIENT)	SURSURGEON,FOUR EXCISION OF SKIN LESION	03/07/92 16:30 03/07/92 17:08
03/09/92 193	SURPATIENT,FIFTY (000-45-9999) GENERAL(ACUTE MEDICINE) (OUTPATIENT)	SURANESTHETIST,ONE STELLATE NERVE BLOCK	03/09/92 09:45 03/09/92 10:21
03/13/92 200	SURPATIENT,SIXTY (000-56-7821) CARDIOLOGY (INPATIENT)	SURSURGEON,TWO CARDIOVERSION	03/13/92 14:00 03/13/92 14:25
03/17/92 191	SURPATIENT,EIGHTEEN (000-22-3334) GENERAL SURGERY (OUTPATIENT)	SURSURGEON,FOUR EXCISION OF SKIN LESION	03/17/92 13:30 03/17/92 14:42

*(This page included for two-sided copying.)*



# Comments Option

## [SROMEN-COM]

Surgeons use the *Comments* option to respond to the GENERAL COMMENTS field for a surgical case or non-O.R. procedure. This option is designed to give surgeons an opportunity to directly add general comments after a case has been booked. The GENERAL COMMENTS field may already contain information added by the person booking the operation.

After selecting the patient case, the surgeon can add the general comments using the VA FileMan word-processing device, demonstrated below. The surgeon must press the <Enter> key at the end of each line with this type of word processing. The surgeon would press the <Enter> key again when he or she is through with the comments.

Example: Enter General Comments

```
Select Surgery Menu Option:  C  Comments
```

```
Select Patient:  SURPATIENT,THREE      08-15-42      000212453
```

1. 11/20/99 CAROTID ARTERY ENDARTERECTOMY (COMPLETED)
2. 11/20/99 AORTO CORONARY BYPASS GRAFT (CANCELLED)

```
Select Number:  1
```

```
General Comments:
```

```
 1>Patient at high risk due to severe hypertension. Pre-operative  
 2>evaluation recommended treatment by other than surgical means.  
 3>This treatment, however, was unsuccessful necessitating  
 4>surgery. Patient should be monitored closely & anesthesia time  
 5>kept to a minimum.  
 6> <Enter>
```

```
EDIT Option:  <Enter>
```

```
Select Surgery Menu Option:
```

*(This page included for two-sided copying.)*

# CPT/ICD Coding Menu

## [SRCODING MENU]

The Surgery *CPT/ICD Coding Menu* option was developed to help assure access to the most accurate source documentation and to provide a means for efficient coding entry and validation. It provides coders with special, limited access to the VistA Surgery package.

From the menu, coders have ready access to the Operation Report, which is dictated by the surgeon postoperatively and contains the most comprehensive and accurate description of the procedure(s) actually performed. Coders can also view the Nurse Intraoperative Report, which is often an important supplementary source of data.

Using the same menu, coders can add and edit procedures, CPT codes, diagnoses, and International Classification of Diseases (ICD) codes, without having to rely on a paper-based system. Options are available to assist surgery staff and others who perform coding validation, as are several commonly used reports.

The *Surgery CPT/ICD Coding Menu* contains the following options. To the left is the shortcut synonym the user can enter to select the option:

Shortcut	Option Name
EDIT CPT/ICD	<i>Update/Verify Menu ...</i>
C	<i>Cumulative Report of CPT Codes</i>
A	<i>Report of CPT Coding Accuracy</i>
M	<i>List Completed Cases Missing CPT Codes</i>
L	<i>List of Operations</i>
LS	<i>List of Operations (by Surgical Specialty)</i>
U	<i>List of Undictated Operations</i>
D	<i>Report of Daily Operating Room Activity</i>
PS	<i>PCE Filing Status Report</i>
R	<i>Report of Non-O.R. Procedures</i>

## CPT/ICD Update/Verify Menu [SRCODING UPDATE/VERIFY MENU]



The *CPT/ICD Update/Verify Menu* is locked with the SR CODER security key.

This option provides coding personnel with access to review and edit procedure and diagnosis information. It also provides access to the Operation Report and Nurse Intraoperative Report for operations and to the Procedure Report (Non-O.R.) for non-O.R. procedures.

The *CPT/ICD Update/Verify Menu* contains the following options. To the left is the shortcut synonym the user can enter to select the option.

Shortcut	Option Name
UV	<i>Update/Verify Procedure/Diagnosis Codes</i>
OR	<i>Operation/Procedure Report</i>
NR	<i>Nurse Intraoperative Report</i>
PI	<i>Non-OR Procedure Information</i>

To access the *CPT/ICD Update/Verify Menu*, the user must first identify the patient and case. When the user selects **EDIT** for the *CPT/ICD Update/Verify Menu* from the *CPT/ICD Coding Menu*, the user will be prompted to enter a patient name. The software will then list all the cases on record for the patient, including any operations that are completed or are in progress and any non-O.R. procedures.

```
Select CPT/ICD Coding Menu Option: EDIT  CPT/ICD Update/Verify Menu

Select Patient: SURPATIENT, TWELVE          02-12-28    000418719    YES    S
C VETERAN

SURPATIENT, TWELVE    000-41-8719

1. 08-07-99    REPAIR DIAPHRAGMATIC HERNIA (COMPLETED)
2. 02-24-99    CYSTOSCOPY (NON-OR PROCEDURE)
3. 02-18-03    TRACHEOSTOMY (COMPLETED)
4. 09-04-97    CHOLECYSTECTOMY (COMPLETED)
5. 09-28-95    INGUINAL HERNIA (COMPLETED)
6. 08-31-95    HIP REPLACEMENT (COMPLETED)

Select Case: 3

SURPATIENT, TWELVE (000-41-8719)    Case #124 - FEB 18, 2003

UV    Update/Verify Procedure/Diagnosis Codes
OR    Operation/Procedure Report
NR    Nurse Intraoperative Report
PI    Non-OR Procedure Information

Select CPT/ICD Update/Verify Menu Option:
```

From this point, the user can select any of the *CPT/ICD Update/Verify Menu* options.

## Update/Verify Procedure/Diagnosis Codes [SRCODING EDIT]

The *Update/Verify Procedure/Diagnosis Codes* option allows the user to enter the final codes and associated information required for PCE upon completion of a Surgery case.



The procedure and diagnoses codes entered/edited through this option will be the coded information that is sent to the Patient Care Encounter (PCE) package. After the case is coded, the user will select to send the information to PCE.

When the user first edits a case through this option, the values will be pre-populated, using the values for planned codes entered by the nurse or surgeon. If there is no Planned Principal Procedure Code or no Principal Pre-op Diagnosis Code, then the Surgery software will prompt for the final CPT and ICD codes.

Because a case can have more than one procedure and/or diagnosis, the user can associate one or more diagnosis with each procedure. The Surgery software displays the diagnoses in the order in which the user entered them in the case. The user can then associate and reorder the relevant diagnoses to each procedure.

The user can also edit the service classifications for the Postoperative Diagnoses.

The following examples depict using the *Update/Verify Procedure/Diagnosis Codes* option to edit a Bronchoscopy, with no planned CPT or ICD codes entered by a clinician.

### Example: Entering Required Information

```
Select CPT/ICD Update/Verify Menu Option: UV Update/Verify Procedure/Diagnosis Codes
```

```
SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY
```

```
-----  
Surgery Procedure PCE/Billing Information:
```

1. Principal Postop Diagnosis Code: NOT ENTERED
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: NOT ENTERED  
Assoc. DX:  
NO Assoc. DX ENTERED
4. Other CPT Code: NOT ENTERED

```
-----  
The following information is required before continuing.
```

```
Principal Postop Diagnosis Code (ICD):934.0 934.0 FOREIGN BODY IN TRACHEA  
...OK? Yes// (Yes) <Enter>
```

Because the patient has a service-connected status, the Surgery software displays a service-connected prompt:

```
SURPATIENT,TWELVE (000-41-8719)          SC VETERAN

* * * Eligibility Information and Service Connected Conditions * * *

Primary Eligibility: SERVICE CONNECTED 50% TO 100%
Combat Vet: NO      A/O Exp.: YES      M/S Trauma: NO
ION Rad.: YES      SWAC: NO           H/N Cancer: NO
PROJ 112/SHAD: NO

          SC Percent: 50%
Rated Disabilities: NONE STATED
-----

Please supply the following required information about this operation:

Treatment related to Service Connected condition (Y/N): YES
Treatment related to Agent Orange Exposure (Y/N): YES
Treatment related to Ionizing Radiation Exposure (Y/N): YES
```

Note that when a Postop Diagnosis Code is entered, it is automatically associated to a Principal CPT code, even if a CPT code is not entered.

```
SURPATIENT,TWELVE (000-41-8719)          Case #10062
JUN 08, 2005  BRONCHOSCOPY
-----

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0  FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code:          NOT ENTERED
3. Principal CPT Code: NOT ENTERED
   Assoc. DX: 934.0 -FOREIGN BODY IN TRACHEA
4. Other CPT Code:          NOT ENTERED
-----

The following information is required before continuing.

Principal Procedure Code (CPT): 31622  DX BRONCHOSCOPE/WASH
BRONCHOSCOPY, RIGID OR FLEXIBLE, WITH OR WITHOUT FLUOROSCOPIC GUIDANCE;
DIAGNOSTIC, WITH OR WITHOUT CELL WASHING (SEPARATE PROCEDURE)
Modifier: <Enter>
```

```
SURPATIENT,TWELVE (000-41-8719)          Case #10062
JUN 08, 2005  BRONCHOSCOPY
-----

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0  FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code:          NOT ENTERED
3. Principal CPT Code: 31622  DX BRONCHOSCOPE/WASH
   Assoc. DX: 934.0  FOREIGN BODY IN TRACHEA
4. Other CPT Code:          NOT ENTERED
-----

Enter number of item to edit (1-4):
```

Because all required information is now entered, the user can select to automatically send the information to PCE, or wait until other information is entered.

```
Is the coding of this case complete and ready to send to PCE? NO// <Enter>
```

## Example: Editing the Principal CPT Code

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: 31622 DX BRONCHOSCOPE/WASH  
Assoc. DX: 934.0 FOREIGN BODY IN TRACHEA
4. Other CPT Code: NOT ENTERED

-----  
Enter number of item to edit (1-4): **3**

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

-----  
Principal Procedure:

CPT Code: 31622 DX BRONCHOSCOPE/WASH  
Modifiers: NOT ENTERED  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHEA

Select one of the following:

- 1 Update Principal Procedure CPT Code
- 2 Update Associated Diagnoses

Enter selection (1 or 2): 1// **1** Update Principal Procedure CPT Code

Principal Procedure Code (CPT): 31622// **31623** DX BRONCHOSCOPE/BRUSH  
BRONCHOSCOPY (RIGID OR FLEXIBLE); WITH BRUSHING OR PROTECTED BRUSHINGS  
Modifier:

The Diagnosis to Procedure Associations may no longer be correct.  
Delete all Principal Associated Diagnoses? N// **<Enter>** NO



Editing or deleting any diagnosis or procedures may cause any associated diagnoses to be incorrect; the software prompts the user to check any diagnosis to procedure associations. The user can select to delete all associated diagnoses, or keep all associations.

---

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

-----  
CPT Code: 31623 DX BRONCHOSCOPE/BRUSH  
Modifiers: NOT ENTERED  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHEA

Only the following ICD Diagnosis Codes can be associated:

1. 934.0-FOREIGN BODY IN TRACHEA

Select the number(s) of the Diagnosis Code to associate to  
the procedure selected: 1// **<Enter>**

### Example: Entering a New Other Procedure CPT Code

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: 31623 DX BRONCHOSCOPE/BRUSH  
Assoc. DX: 934.0 FOREIGN BODY IN TRACHEA
4. Other CPT Code: NOT ENTERED

-----  
Enter number of item to edit (1-4): 4

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

-----  
Other Procedures:

1. Enter NEW Other Procedure

Enter selection: (1-1): 1

Enter new OTHER PROCEDURE CPT code: 43200 ESOPHAGUS ENDOSCOPY  
ESOPHAGOSCOPY, RIGID OR FLEXIBLE; DIAGNOSTIC, WITH OR WITHOUT COLLECTION  
OF SPECIMEN(S) BY BRUSHING OR WASHING (SEPARATE PROCEDURE)  
Modifier: <Enter>

All procedures must be associated with a diagnosis; the Surgery software allows the user to associate any or all available diagnoses to a single procedure. If more than one diagnosis is available, then the user enters the associations sequentially for the association.

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

-----  
Other Procedures:

1. CPT Code: 43200 ESOPHAGUS ENDOSCOPY  
Modifiers: NOT ENTERED  
Assoc. DX: NOT ENTERED

-----  
Only the following ICD Diagnosis Codes can be associated:

1. 934.0-FOREIGN BODY IN TRACHEA

Select the number(s) of the Diagnosis Code to associate to  
the procedure selected: 1// <Enter>

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

-----  
Other Procedures:

1. CPT Code: 43200 ESOPHAGUS ENDOSCOPY  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHEA
2. Enter NEW Other Procedure Code

Enter selection: (1-2): <Enter>



```

SURPATIENT,TWELVE (000-41-8719)                               Case #10062
JUN 08, 2005   BRONCHOSCOPY
-----
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0  FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code:          NOT ENTERED
3. Principal CPT Code: 31623  DX BRONCHOSCOPE/BRUSH
   Assoc. DX: 934.0-FOREIGN BODY IN TRACHE
4. Other CPT Code: 43200  ESOPHAGUS ENDOSCOPY
   Assoc. DX: 934.0-FOREIGN BODY IN TRACHE
-----
Enter number of item to edit (1-4):

```

**Example: Editing Service Connected/Environmental Indicators (SC/EIs)**

To edit service connected or environmental indicators, the user selects either the Principal Postop Diagnosis Code or the Other Postop Diagnosis Code.

```

SURPATIENT,TWELVE (000-41-8719)                               Case #10062
JUN 08, 2005   BRONCHOSCOPY
-----
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0  FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code:          NOT ENTERED
3. Principal CPT Code: 31623  DX BRONCHOSCOPE/BRUSH
   Assoc. DX: 934.0-FOREIGN BODY IN TRACHE
4. Other CPT Code: 43200  ESOPHAGUS ENDOSCOPY
   Assoc. DX: 934.0-FOREIGN BODY IN TRACHE
-----
Enter number of item to edit (1-4): 1

```

The following shows an example of the Principal Postop Diagnosis Code being edited.

```

SURPATIENT,TWELVE (000-41-8719)                               Case #10062
JUN 08, 2005   BRONCHOSCOPY
-----
Principal Postop Diagnosis:

   ICD9 Code: 934.0  FOREIGN BODY IN TRACHEA
           SC:Y   AO:Y   IR:Y

   Select one of the following:

           1          Update Principal Postop Diagnosis Code
           2          Update Service Connected/Environmental Indicators only

Enter selection (1 or 2): 1// 2 Update Service Connected/Environmental Indicators only

```

The information displayed for this patient show Service Connected status of less than 50%, and the Agent Orange Exposure and Ionizing Radiation indicators associated with the diagnosis. The software gives the user the option to update all diagnoses with the same service-connected indicators simultaneously.

```
SURPATIENT,TWELVE (000-41-8719)          SC VETERAN

* * * Eligibility Information and Service Connected Conditions * * *

Primary Eligibility: SC LESS THAN 50%
Combat Vet: NO   A/O Exp.: YES   M/S Trauma: NO
ION Rad.: YES   SWAC: NO       H/N Cancer: NO
PROJ 112/SHAD: NO

          SC Percent: %
Rated Disabilities: NONE STATED
-----

Please supply the following required information about this operation:

Treatment related to Service Connected condition (Y/N): YES// <Enter>
Treatment related to Agent Orange Exposure (Y/N): NO
Treatment related to Ionizing Radiation Exposure (Y/N): YES

Update all 'OTHER POSTOP DIAGNOSIS' Eligibility and Service Connected
Conditions with these values (Y/N)? NO// <Enter>
```

```
SURPATIENT,TWELVE (000-41-8719)          Case #10062
JUN 08, 2005   BRONCHOSCOPY
-----

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code:      NOT ENTERED
3. Principal CPT Code: 31623 DX BRONCHOSCOPE/BRUSH
   Assoc. DX: 934.0-FOREIGN BODY IN TRACHE
4. Other CPT Code: 43200 ESOPHAGUS ENDOSCOPY
   Assoc. DX: 934.0-FOREIGN BODY IN TRACHE
-----

Enter number of item to edit (1-4):
```

The following examples depict using the *Update/Verify Procedure/Diagnosis Codes* option to edit a cardiac procedure (CABG), with clinician-entered Planned CPT and ICD codes.

**Example: Editing Final Codes and Sending the Case to PCE**

```
Select CPT/ICD Coding Menu Option: EDIT CPT/ICD Update/Verify Menu
Select Patient: SURPATIENT, SEVENTEEN 3-29-20 000455119 YES
SC VETERAN
```

```
SURPATIENT, SEVENTEEN 000-45-5119
1. 07-15-05 CABG (COMPLETED)
2. 06-09-05 NASAL ENDOSCOPY (COMPLETED)
Select Case: 1
```

```
Division: ALBANY (500)
SURPATIENT, SEVENTEEN (000-45-5119) Case #314 - JUL 15, 2005
UV Update/Verify Procedure/Diagnosis Codes
OR Operation/Procedure Report
NR Nurse Intraoperative Report
PI Non-OR Procedure Information
```

```
Select CPT/ICD Update/Verify Menu Option: UV Update/Verify Procedure/Diagnosis
Codes
```

Because the nurse or surgeon entered a Planned Principal CPT Code and a Preoperative Diagnosis Code, the corresponding fields pre-fill with those clinician-entered values when the user accesses the case through the *Update/Verify Procedure/Diagnosis Codes* option.

The user can either accept the codes that have been pre-operatively entered, or the user can edit the codes as necessary. In this example, the codes will be adjusted to accurately reflect the procedures by adding Other Postop Diagnosis Codes and Other CPT Codes.

```
SURPATIENT, SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG
-----
Surgery Procedure PCE/Billing Information:
1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: 33510 CABG, VEIN, SINGLE
   Assoc. DX: 402.01-HYP HEART DIS MALIGN
4. Other CPT Code: NOT ENTERED
-----
Enter number of item to edit (1-4): 2
```

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Postop Diagnosis:

1. Enter NEW Other Postop Diagnosis Code

Enter selection: (1-1): 1

Enter new OTHER POSTOP DIAGNOSIS Code: 599.0 599.0 URIN TRACT INFECTION NOS  
(w C/C)

...OK? Yes// <Enter> (Yes)

Please review and update procedure associations for this diagnosis.

Press Enter/Return key to continue <Enter>

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Postop Diagnosis:

1. ICD9 Code: 599.0 URIN TRACT INFECTION NOS  
SC:N

2. Enter NEW Other Postop Diagnosis Code

Enter selection: (1-2): <Enter>

Now the Other CPT Code will be entered.

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL

2. Other Postop Diagnosis Code: 599.0 URIN TRACT INFECTION NOS

3. Principal CPT Code: 33510 CABG, VEIN, SINGLE

Assoc. DX: 402.01-HYP HEART DIS MALIGN

4. Other CPT Code: NOT ENTERED

-----  
Enter number of item to edit (1-4): 4

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Procedures:

1. Enter NEW Other Procedure Code

Enter selection: (1-1): 1

Enter new OTHER PROCEDURE CPT code: 33510 CABG, VEIN, SINGLE  
CORONARY ARTERY BYPASS, VEIN ONLY; SINGLE CORONARY VENOUS GRAFT  
Modifier: <Enter>

When additional diagnoses and procedure codes are entered, the user should review the procedure to diagnosis associations to ensure that the associations are correct. In this example, additional associations will be assigned.

```
SURPATIENT,SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG
-----
Other Procedures:

1. CPT Code: 33510 CABG, VEIN, SINGLE
   Modifiers: NOT ENTERED
   Assoc. DX: NOT ENTERED
-----

Only the following ICD Diagnosis Codes can be associated:

1. 402.01-HYP HEART DIS MALIGN WITH FAIL
2. 599.0-URIN TRACT INFECTION NOS

Select the number(s) of the Diagnosis Code to associate to
the procedure selected: 1// 1,2
```

```
SURPATIENT,SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG
-----
Other Procedures:

1. CPT Code: 33510 CABG, VEIN, SINGLE
   Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N
2. Enter NEW Other Procedure Code

Enter selection: (1-2): <Enter>
```

The Surgery case displays the updated values.

```
SURPATIENT,SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG
-----
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL
2. Other Postop Diagnosis Code: 599.0 URIN TRACT INFECTION NOS
3. Principal CPT Code: 33510 CABG, VEIN, SINGLE
   Assoc. DX: 402.01-HYP HEART DIS MALIGN
4. Other CPT Code: 33510 CABG, VEIN, SINGLE
Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N
-----
Enter number of item to edit (1-4): <Enter>
```

Because the coding for the case is completed, the user can select to stop editing the case and send the case to PCE.

```
Is the coding of this case complete and ready to send to PCE? NO// YES
Coding completed and sent to PCE.
Press Enter/Return key to continue
```



---

Prior to sending the case to PCE, the Surgery software checks to see if a specific code, 065.0 CRIMEAN HEMORRHAGIC FEV, is entered as a diagnosis code. If it is entered, the software prompts the user to make sure that the code is correct for the specified case. This check is added to prevent the inadvertent assignment of code 065.0 when "CHF" is entered for the Principal or Other ICD Diagnosis codes.

---

After the case has been sent to PCE, any changes made to the case through the Update/Verify Procedure/Diagnosis Codes option will be automatically sent to PCE.

### Example: Editing a Case After Sending to PCE

```
Select CPT/ICD Update/Verify Menu Option: UV Update/Verify Procedure/Diagnosis Codes
```

```
SURPATIENT,SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG
```

```
-----
Coding for this case has been completed and sent to PCE.
```

```
Are you sure you want to edit this case? NO// YES
```

```
SURPATIENT,SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG
```

```
-----
Surgery Procedure PCE/Billing Information:
```

1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL
2. Other Postop Diagnosis Code: 599.0 URIN TRACT INFECTION NOS
3. Principal CPT Code: 33510 CABG, VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN
4. Other CPT Code: 33510 CABG, VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N

```
-----
Enter number of item to edit (1-4): 4
```

```
SURPATIENT,SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG
```

```
-----
Other Procedures:
```

1. CPT Code: 33510 CABG, VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N
2. Enter NEW Other Procedure Code

```
Enter selection: (1-2): 1
```

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Procedures:

1. CPT Code: 33510 CABG, VEIN, SINGLE  
Modifiers: NOT ENTERED  
Assoc. DX: 402.01-HYP HEART DIS MALIGN  
599.0-URIN TRACT INFECTION N

Select one of the following:

- 1 Update Other Procedure CPT Code
- 2 Update Associated Diagnoses

Enter selection (1 or 2): 1// <Enter> Update Other Procedure CPT Code

Other Procedure CPT Code: 33510// **33517** CABG, ARTERY-VEIN, SINGLE  
CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S);  
SINGLE VEIN GRAFT (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL  
GRAFT)  
Modifier: <Enter>

The Diagnosis to Procedure Associations may no longer be correct.  
Delete all Other Associated Diagnoses? N// **Y** YES

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Procedures:

1. CPT Code: 33517 CABG, ARTERY-VEIN, SINGLE  
Modifiers: NOT ENTERED  
Assoc. DX: NOT ENTERED

-----  
Only the following ICD Diagnosis Codes can be associated:

- 1. 402.01-HYP HEART DIS MALIGN WITH FAIL
- 2. 599.0-URIN TRACT INFECTION NOS

Select the number(s) of the Diagnosis Code to associate to  
the procedure selected: 1// **1,2**

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Procedures:

1. CPT Code: 33517 CABG, ARTERY-VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N  
2. Enter NEW Other Procedure Code

Enter selection: (1-2): <Enter>

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL
2. Other Postop Diagnosis Code: 599.0 URIN TRACT INFECTION NOS
3. Principal CPT Code: 33510 CABG, VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN
4. Other CPT Code: 33517 CABG, ARTERY-VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N

-----  
Enter number of item to edit (1-4): <Enter>

Coding completed and sent to PCE.

Press Enter/Return key to continue



## Operation/Procedure Report [SRCODING OP REPORT]

The *Operation/Procedure Report* option is used by the coders to print the Operation Report for an operation or the Procedure Report (Non-O.R.) for a non-O.R. procedure.

Any user may print this report, which prints in an 80-column format and can be viewed on the screen or copied to a printer.

Example 1: Operation Report

```
Select CPT/ICD Update/Verify Menu Option: OR Operation/Procedure Report  
DEVICE: [Select Print Device]
```

-----*printout follows*-----

SURPATIENT, TEN 000-12-3456

OPERATION REPORT

NOTE DATED: 07/29/2003 15:15 OPERATION REPORT  
VISIT: 07/29/2003 15:15 SURGERY OF REPORT NON-COUNT  
SUBJECT: Case #: 73285

PREOPERATIVE DIAGNOSIS: Visually significant cataract, right eye

POSTOPERATIVE DIAGNOSIS: Visually significant cataract, right eye

PROCEDURE: Phacoemulsification with intraocular lens placement, right eye

CLINICAL INDICATIONS: This 64-year-old gentleman complains of decreased vision in the right eye affecting his activities of daily living. Best corrected visual acuity is counting fingers at 6 feet, associated with a 2-3+ nuclear sclerotic and 4+ posterior subcapsular cataract in that eye.

ANESTHESIA: Local monitoring with topical Tetracaine and 1% preservative free Lidocaine.

DESCRIPTION OF THE PROCEDURE: After the risks, benefits and alternatives of the procedure were explained to the patient, informed consent was obtained. The patient's right eye was dilated with Phenylephrine, Mydriacyl and Ocufer. He was brought to the Operating Room and placed on anesthetic monitors. Topical Tetracaine was given. He was prepped and draped in the usual sterile fashion for eye surgery. A Lieberman lid speculum was placed.

A Supersharp was used to create a superior paracentesis port. The anterior chamber was irrigated with 1% preservative free Lidocaine. The anterior chamber was filled with Viscoelastic. The diamond groove maker and diamond keratome were used to create a clear corneal tunneled incision at the temporal limbus. The cystotome was used to initiate a continuous capsulorrhexis, which was then completed using Utrata forceps. Balanced salt solution was used to hydrodissect and hydrodelineate the lens.

Phacoemulsification was used to remove the lens nucleus and epinucleus in a non-stop horizontal chop fashion. Cortex was removed using irrigation and aspiration. The capsular bag was filled with Viscoelastic. The wound was enlarged with a 69 blade. An Alcon model MA60BM posterior chamber intraocular lens with a power of 24.0 diopters, serial #588502.064, was folded and inserted with the leading haptic placed into the bag. The trailing haptic was dialed into the bag with the Lester hook. The wound was hydrated. The anterior chamber was filled with balanced salt solution. The wound was tested and found to be self-sealing. Subconjunctival antibiotics were given, and an eye shield was placed. The patient was taken in good condition to the Recovery Room. There were no complications.

KJC/PSI

DATE DICTATED: 07/29/03  
DATE TRANSCRIBED: 07/29/03  
JOB: 629095

Signed by: /es/ FOURTEEN SURSURGEON, M.D.  
07/30/2003 10:31

Example 2: Procedure Report (Non-OR)

Select CPT/ICD Update/Verify Menu Option: **OR** Operation/Procedure Report  
DEVICE: [Select Print Device]

-----*printout follows*-----

-----  
SURPATIENT, ONE 000-44-7629

PROCEDURE REPORT  
-----

NOTE DATED: 02/13/2002 00:00 PROCEDURE REPORT

SUBJECT: Case #: 267236

PREOPERATIVE DIAGNOSIS: RESPIRATORY FAILURE, PROLONGED TRACHEAL INTUBATION  
AND FAILURE TO WEAN

POSTOPERATIVE DIAGNOSIS: SAME

PROCEDURE PERFORMED: OPEN TRACHEOSTOMY

SURGEON: DR. SURSURGEON

ASSISTANT SURGEON:

ANESTHESIA: GENERAL ENDOTRACHEAL ANESTHESIA

ESTIMATED BLOOD LOSS: MINIMAL

COMPLICATIONS: NONE

INDICATIONS FOR PROCEDURE: The patient is a forty-nine-year-old gentleman with a rather extensive past surgical history, mostly significant for status post esophagogastrectomy and presented to the hospital approximately three weeks ago with abdominal pain. Diagnostic evaluation consisted of an abdominal CT scan, liver function tests and right upper quadrant ultrasound, all of which were consistent with a diagnosis of acalculus cholecystitis. Because of these findings, the patient was brought to the operating room approximately three weeks ago where an open cholecystectomy was performed. The patient subsequent to that has had a very rocky postoperative course, most significantly focusing around persistently spiking fevers with sources significant for an E-coli sinusitis as well as a Staphylococcus E-coli pneumonia with no evidence of bacteremia. As a result of all of this sepsis and persistent spiking fevers, the patient has had a pneumonia, the patient has had a rather difficult time weaning from the ventilator and because of the almost three week period since his last operation with persistent endotracheal tube in place, the patient was brought to the operating room for an open tracheostomy procedure.

DESCRIPTION OF PROCEDURE: After appropriate consent was obtained from the patient's next of kin and the risks and benefits were explained to her, the patient was then brought to the operating room where general endotracheal anesthesia was induced. The area was prepped and draped in the usual fashion with a towel roll under the patient's scapula and the neck extended.

A longitudinal incision of approximately 2 cm was made just below the cricoid cartilage. The strap muscles were taken down using Bovee electrocautery. The isthmus of the thyroid was clamped and tied off using 2-0 silk x two. Hemostasis was assured. The thyroid cartilage was carefully dissected directly onto it. The window in the third ring of the trachea was opened after placement of retraction sutures of 0 silk, The hatch was cut open using a hatch box shape. This opening was then dilated using the tracheal dilator. The endotracheal tube was pulled back. A #7 Tracheostomy tube was placed with ease. Breath sounds were assured. The patient was oxygenating well and the stay sutures were placed. The patient tolerated the procedure well. The skin was closed with 0 silk and trachea tip was applied. The patient tolerated the procedure well. The endotracheal tube was finally removed. He was brought to the Surgical Intensive Care Unit in stable, but critical condition.

Three Sursurgeon, M.D.

TS/ger:jw J#: 514 DD: 02-13-02 DT: 02-13-02

Signed by: /es/ THREE SURSURGEON  
02/13/2002 16:40

Enter RETURN to continue or '^' to exit: ^

## Nurse Intraoperative Report [SRCODING NURSE REPORT]

The *Nurse Intraoperative Report* option is used by the coders to print the Nurse Intraoperative Report for an operation. This report is not available for non-O.R. procedures.

This report prints in an 80-column format and can be viewed on the screen or copied to a printer.

Example: Nurse Intraoperative Report

```
Select CPT/ICD Update/Verify Menu Option: NR Nurse Intraoperative Report  
DEVICE: [Select Print Device]
```

-----*printout follows*-----

-----  
SURPATIENT,TEN 000-12-3456 NURSE INTRAOPERATIVE REPORT  
-----

NOTE DATED: 02/12/2004 08:00 NURSE INTRAOPERATIVE REPORT

SUBJECT: Case #: 267226

Operating Room: BO OR1 Surgical Priority: ELECTIVE

Patient in Hold: JUL 12, 2004 07:30 Patient in OR: JUL 12, 2004 08:00  
Operation Begin: JUL 12, 2004 08:58 Operation End: JUL 12, 2004 12:10  
Surgeon in OR: JUL 12, 2004 07:55 Patient Out OR: JUL 12, 2004 12:15

Major Operations Performed:  
Primary: MVR  
Other: ATRIAL SEPTAL DEFECT REPAIR  
Other: TEE

Wound Classification: CONTAMINATED

Operation Disposition: SICU  
Discharged Via: ICU BED

Surgeon: SURSURGEON,THREE First Assist: SURSURGEON,FOUR  
Attend Surg: SURSURGEON,THREE Second Assist: N/A  
Anesthetist: SURANESTHETIST,SEVEN Assistant Anesth: N/A

Other Scrubbed Assistants: N/A

OR Support Personnel:  
Scrubbed Circulating  
SURNURSE,ONE (FULLY TRAINED) SURNURSE,FIVE (FULLY TRAINED)  
SURNURSE,FOUR (FULLY TRAINED)

Other Persons in OR: N/A

Preop Mood: ANXIOUS Preop Consc: ALERT-ORIENTED  
Preop Skin Integ: INTACT Preop Converse: N/A

Valid Consent/ID Band Confirmed By: SURSURGEON,FOUR  
Mark on Surgical Site Confirmed: YES  
Marked Site Comments: NO COMMENTS ENTERED

Preoperative Imaging Confirmed: YES  
Imaging Confirmed Comments: NO COMMENTS ENTERED

Time Out Verification Completed: YES  
Time Out Verified Comments: NO COMMENTS ENTERED

Skin Prep By: SURNURSE,FOUR Skin Prep Agent: BETADINE SCRUB  
Skin Prep By (2): SURNURSE,FIVE 2nd Skin Prep Agent: POVIDONE IODINE

Preop Surgical Site Hair Removal by: SURNURSE,FIVE  
Surgical Site Hair Removal Method: OTHER  
Hair Removal Comments: SHAVING AND DEPILATORY COMBINATION USED.

Surgery Position(s):  
SUPINE Placed: N/A

Restraints and Position Aids:  
SAFETY STRAP Applied By: N/A  
ARMBOARD Applied By: N/A  
FOAM PADS Applied By: N/A  
KODEL PAD Applied By: N/A  
STIRRUPS Applied By: N/A

Flash Sterilization Episodes:  
Contamination: 0  
SPD Processing/OR Management Issues: 0  
Emergency Case: 0

No Better Option: 0  
Loaner or Short Notice Instrument: 0  
Decontamination of Instruments Not for Use In Patient: 0

Electrocautery Unit: 8845,5512  
ESU Coagulation Range: 50-35

ESU Cutting Range: 35-35  
Electroground Position(s): RIGHT BUTTOCK  
LEFT BUTTOCK

Material Sent to Laboratory for Analysis:  
Specimens:  
1. MITRAL VALVE  
Cultures: N/A

Anesthesia Technique(s):  
GENERAL (PRINCIPAL)

Tubes and Drains:  
#16FOLEY, #18NGTUBE, #36 &2 #32RA CHEST TUBES

Tourniquet: N/A

Thermal Unit: N/A

Prosthesis Installed:

Item: MITRAL VALVE  
Implant Sterility Checked (Y/N): YES  
Sterility Expiration Date: DEC 15, 2004  
RN Verifier: SURNURSE,ONE  
Vendor: BAXTER EDWARDS  
Model: 6900  
Lot Number: T87-12321  
Serial Number: 945673WRU  
Sterile Resp: MANUFACTURER  
Size: LG  
Quantity: 2

Medications: N/A

Irrigation Solution(s):  
HEPARINIZED SALINE  
NORMAL SALINE  
COLD SALINE

Blood Replacement Fluids: N/A

Sponge Count: YES  
Sharps Count: YES  
Instrument Count: NOT APPLICABLE  
Counter: SURNURSE,FOUR  
Counts Verified By: SURNURSE,FIVE

Dressing: DSD, PAPER TAPE, MEPORE  
Packing: NONE

Blood Loss: 800 ml  
Urine Output: 750 ml

Postoperative Mood: RELAXED  
Postoperative Consciousness: ANESTHETIZED  
Postoperative Skin Integrity: SUTURED INCISION  
Postoperative Skin Color: N/A

Laser Unit(s): N/A

Sequential Compression Device: NO

Cell Saver(s): N/A

Devices: N/A

Signed by: /es/ FIVE SURNURSE  
03/04/2004 10:41



## Non-OR Procedure Information [SR NON-OR INFO]

The *Non-OR Procedure Information* option displays information on the selected non-OR procedure, with the exception of the provider's dictated summary.

This report prints in an 80-column format and can be viewed on the screen.

Example: Non-OR Procedure Information

```
SURPATIENT,FIFTEEN (000-98-1234) Case #267260 - APR 22,2002

  UV      Update/Verify Procedure/Diagnosis Codes
  OR      Operation/Procedure Report
  NR      Nurse Intraoperative Report
  PI      Non-OR Procedure Information

Select CPT/ICD Update/Verify Menu Option: I Non-O.R. Procedure Information

DEVICE: HOME// [Select Print Device]
```

-----printout follows-----

```
SURPATIENT,FIFTEEN (000-98-1234) Age: 60 PAGE 1
NON-O.R. PROCEDURE - CASE #267260 Printed: AUG 04, 2004@14:40
-----
```

Med. Specialty: GENERAL

Location: NON OR

Principal Diagnosis: LARYNGEAL/TRACHEAL BURN

Provider: SURSURGEON,FIFTEEN

Patient Status: NOT ENTERED

Attending:

Attending Code:

Attend Anesth: N/A

Anesthesia Supervisor Code: N/A

Anesthetist: N/A

Anesthesia Technique(s): N/A

Proc Begin: JAN 14, 2004 08:00

Proc End: JAN 14, 2004 09:00

Procedure(s) Performed:

Principal: BRONCHOSCOPY

Dictated Summary Expected: YES

Enter RETURN to continue or '^' to exit:

## Cumulative Report of CPT Codes [SROACCT]

The *Cumulative Report of CPT Codes* option counts and reports the number of times a procedure was performed (based on CPT codes) during a specified date range. There is also a column showing how many times it was in the Other Operative Procedure category.

After the user enters the date range, the software will ask if the user wants the Cumulative Report of CPT Codes to include only operating room surgical procedures, non-O.R. procedures, or both.

These reports have a 132-column format and are designed to be copied to a printer.

### Example 1: Print the Cumulative Report of CPT Codes for only OR Surgical Procedures

```
Select CPT/ICD Coding Menu Option: C Cumulative Report of CPT Codes
```

```
Cumulative Report of CPT Codes
```

```
Start with Date: 3/28 (MAR 28, 1999)
```

```
End with Date: 4/3 (APR 03, 1999)
```

```
Include which cases on the Cumulative Report of CPT Codes ?
```

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures.

```
Select Number: 1// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Select Device: [Select Print Device]
```

-----printout follows-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 CUMULATIVE REPORT OF CPT CODES  
 FROM: MAR 28,1999 TO: APR 3,1999

REVIEWED BY  
 DATE REVIEWED:

O.R. SURGICAL PROCEDURES

CPT CODE - SHORT DESCRIPTION	TOTAL PROCEDURES	TOTAL PRINCIPAL PROCEDURES	TOTAL OTHER PROCEDURES
10060 DRAINAGE OF SKIN ABSCESS	1	1	0
11440 REMOVAL OF SKIN LESION	1	1	0
11441 REMOVAL OF SKIN LESION	4	4	0
11641 REMOVAL OF SKIN LESION	4	2	2
24075 REMOVE ARM/ELBOW LESION	1	1	0
26989 HAND/FINGER SURGERY	1	1	0
30520 REPAIR OF NASAL SEPTUM	1	1	0
31231 NASAL ENDOSCOPY, DX	1	0	1
45315 PROCTOSIGMOIDOSCOPY	1	0	1
45330 SIGMOIDOSCOPY, DIAGNOSTIC	7	7	0
45333 SIGMOIDOSCOPY & POLYPECTOMY	1	1	0
45378 DIAGNOSTIC COLONOSCOPY	2	2	0
45385 COLONOSCOPY, LESION REMOVAL	3	3	0
47600 REMOVAL OF GALLBLADDER	1	0	1
49000 EXPLORATION OF ABDOMEN	1	1	0
49505 REPAIR INGUINAL HERNIA	2	1	1
66984 REMOVE CATARACT, INSERT LENS	4	3	1
68801 DILATE TEAR DUCT OPENING	1	1	0

## Example 2: Print the Cumulative Report of CPT Codes for only Non-OR Procedures

Select CPT/ICD Coding Menu Option: **C** Cumulative Report of CPT Codes

Cumulative Report of CPT Codes

Start with Date: **7 1 99** (JUL 01, 1999)

End with Date: **12 31 99** (DEC 31, 1999)

Include which cases on the Cumulative Report of CPT Codes ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures.

Select Number: 1// 2

This report is designed to use a 132 column format.

Select Device: [**Select Print Device**]

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 CUMULATIVE REPORT OF CPT CODES  
 FROM: JUL 1,1999 TO: DEC 31,1999

REVIEWED BY  
 DATE REVIEWED:

NON-O.R. PROCEDURES

CPT CODE - SHORT DESCRIPTION	TOTAL PROCEDURES	TOTAL PRINCIPAL PROCEDURES	TOTAL OTHER PROCEDURES
10060 DRAINAGE OF SKIN ABSCESS	2	2	0
10061 DRAINAGE OF SKIN ABSCESS	1	1	0
11040 DEBRIDE SKIN PARTIAL	8	8	0
11042 DEBRIDE SKIN/TISSUE	1	1	0
11100 BIOPSY OF SKIN LESION	11	11	0
11402 REMOVAL OF SKIN LESION	1	1	0
11420 REMOVAL OF SKIN LESION	1	1	0
11620 REMOVAL OF SKIN LESION	1	1	0
11640 REMOVAL OF SKIN LESION	1	1	0
11730 REMOVAL OF NAIL PLATE	1	1	0
11750 REMOVAL OF NAIL BED	1	1	0
12001 REPAIR SUPERFICIAL WOUND(S)	3	3	0
12011 REPAIR SUPERFICIAL WOUND(S)	2	2	0
14060 SKIN TISSUE REARRANGEMENT	1	1	0
15782 ABRASION TREATMENT OF SKIN	1	1	0
17340 CRYOTHERAPY OF SKIN	1	1	0
20550 INJ TENDON/LIGAMENT/CYST	23	23	0
29799 CASTING/STRAPPING PROCEDURE	1	1	0
46083 INCISE EXTERNAL HEMORRHOID	2	2	0

## Report of CPT Coding Accuracy

The Report of CPT Coding Accuracy lists cases sorted by the CPT code used in the PRINCIPAL PROCEDURES field and OTHER OPERATIVE PROCEDURES field entered by the coder. This option is designed to help check the accuracy of the coding procedures.

### About the prompts

"Do you want to print the Report of CPT Coding Accuracy for all CPT Codes ?" The user should reply **NO** to this prompt to produce the report for only one CPT code. The user will then be prompted to enter the CPT code or category.

"Do you want to sort the Report of CPT Coding Accuracy by Surgical Specialty ?" The user should press the **<Enter>** key if he or she wants to sort the report by specialty. Enter **NO** to sort the report by date only.

"Do you want to print the Report to Check Coding Accuracy for all Surgical Specialties ?" The user can enter the code or name of the surgical service he or she wants the report to be based on. Or, the user can press the **<Enter>** key to print the report for all surgical specialties.

Example 1: Print the Report of CPT Coding Accuracy for OR Surgical Procedures, sorted by Surgical Specialty

```
Select CPT/ICD Coding Menu Option: A Report of CPT Coding Accuracy
```

```
Report to Check CPT Coding Accuracy
```

```
Start with Date: 10 8 04 (OCT 08, 2004)  
End with Date: 10 8 04 (OCT 08, 2004)
```

```
Print the Report of CPT Coding Accuracy for which cases ?
```

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

```
Select Number: 1// <Enter>
```

```
Do you want to print the Report of CPT Coding Accuracy for all  
CPT Codes ? YES// <Enter>
```

```
Do you want to sort the Report of CPT Coding Accuracy by  
Surgical Specialty ? YES// <Enter>
```

```
Do you want to print the Report to Check Coding Accuracy for all  
Surgical Specialties ? YES// NO
```

```
Print the Coding Accuracy Report for which Surgical Specialty ? 50      GENERA  
L(OR WHEN NOT DEFINED BELOW)    GENERAL(OR WHEN NOT DEFINED BELOW)    50
```

```
This report is designed to use a 132 column format.
```

```
Select Device: [Select Print Device]
```

-----printout follows-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FOR GENERAL (OR WHEN NOT DEFINED BELOW)  
 FROM: OCT 8, 2004 TO: OCT 8, 2004

REVIEWED BY:  
DATE REVIEWED:

O.R. SURGICAL PROCEDURES

PROCEDURE DATE CASE #	PATIENT ID#	PROCEDURES	SURGEON/PROVIDER ATTEND SURG/PROV
===== 47600 REMOVAL OF GALLBLADDER PRINCIPAL PROCEDURES DESCRIPTION: CHOLECYSTECTOMY; -----			
10/08/04 07:00 63072	SURPATIENT, EIGHTEEN 000-22-3334	CHOLECYSTECTOMY	SURSURGEON, TWO SURSURGEON, FOUR
CPT Codes: 47600-22 =====			
47605 REMOVAL OF GALLBLADDER OTHER PROCEDURES DESCRIPTION: CHOLECYSTECTOMY; WITH CHOLANGIOGRAPHY -----			
10/08/04 10:00 63077	SURPATIENT, TWELVE 000-41-8719	INGUINAL HERNIA , OTHER OPERATIONS: CHOLECYSTECTOMY	SURSURGEON, FOUR SURSURGEON, FOUR
CPT Codes: 49521, 47605-22 =====			
49505 REPAIR INGUINAL HERNIA PRINCIPAL PROCEDURES DESCRIPTION: REPAIR INITIAL INGUINAL HERNIA, AGE 5 YEARS OR OVER; REDUCIBLE -----			
10/08/04 06:00 63071	SURPATIENT, FOUR 000-45-7212	INGUINAL HERNIA	SURSURGEON, FOUR SURSURGEON, SIXTEEN
CPT Codes: 49505 =====			

## Example 2: Print the Report of CPT Coding Accuracy for OR Surgical Procedures, sorted by Date

Select CPT/ICD Coding Menu Option: **A** Report of CPT Coding Accuracy

Report to Check CPT Coding Accuracy

Start with Date: **10 1 04** (OCT 01, 2004)

End with Date: **10 7 04** (OCT 07, 2004)

Print the Report of CPT Coding Accuracy for which cases ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// **<Enter>**

Do you want to print the Report of CPT Coding Accuracy for all  
CPT Codes ? YES// **<Enter>**

Do you want to sort the Report of CPT Coding Accuracy by  
Surgical Specialty ? YES// **N**

This report is designed to use a 132 column format.

Select Device: **[Select Print Device]**

-----*printout follows*-----



MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FROM: OCT 1,2004 TO: OCT 7,2004

REVIEWED BY:  
 DATE REVIEWED:

O.R. SURGICAL PROCEDURES

PROCEDURE DATE CASE #	PATIENT ID# SPECIALTY	PROCEDURES	SURGEON/PROVIDER ATTEND SURG/PROV
--------------------------	-----------------------------	------------	--------------------------------------

31365 REMOVAL OF LARYNX  
 PRINCIPAL PROCEDURES  
 DESCRIPTION: LARYNGECTOMY;  
 TOTAL, WITH RADICAL NECK DISSECTION

10/03/04 07:00 63059	SURPATIENT,NINETEEN 000-28-7354 THORACIC SURGERY (INC. CARDIAC SURG.)	PULMONARY LOBECTOMY	SURSURGEON, SEVENTEEN SURSURGEON, FOUR
-------------------------	---	---------------------	---

CPT Codes: 31365

32440 REMOVAL OF LUNG  
 PRINCIPAL PROCEDURES  
 DESCRIPTION: REMOVAL OF LUNG, TOTAL PNEUMONECTOMY;

10/03/04 10:00 63060	SURPATIENT, TWENTY 000-45-4886 THORACIC SURGERY (INC. CARDIAC SURG.)	PULMONARY LOBECTOMY	SURSURGEON, FOUR SURSURGEON, FOUR
-------------------------	--	---------------------	--------------------------------------

CPT Codes: 32440

10/04/04 06:00 63069	SURPATIENT, TEN 000-12-3456 THORACIC SURGERY (INC. CARDIAC SURG.)	PULMONARY LOBECTOMY	SURSURGEON, TWO SURSURGEON, TWO
-------------------------	---	---------------------	------------------------------------

CPT Codes: 32440

### Example 3: Print the Report of CPT Coding Accuracy for Non-OR Procedures, sorted by CPT Code and Medical Specialty

Select CPT/ICD Coding Menu Option: **A** Report of CPT Coding Accuracy

Report to Check CPT Coding Accuracy

Start with Date: **1 1 05** (JAN 01, 2005)

End with Date: **8 31 05** (AUG 31, 2005)

Print the Report of CPT Coding Accuracy for which cases ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// 2

Do you want to print the Report of CPT Coding Accuracy for all CPT Codes ? YES// **N**

Print the Coding Accuracy Report for which CPT Code ? **92960**

HEART ELECTROCONVERSION  
CARDIOVERSION, ELECTIVE, ELECTRICAL CONVERSION OF  
ARRHYTHMIA, EXTERNAL

Do you want to sort the Report of CPT Coding Accuracy by Medical Specialty ? YES// **<Enter>**

Do you want to print the Report to Check Coding Accuracy for all Medical Specialties ? YES// **N**

Print the Coding Accuracy Report for which Medical Specialty ? **MEDICINE**

This report is designed to use a 132 column format.

Select Device: **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FOR MEDICINE  
 FROM: JAN 1,2005 TO: AUG 31,2005

REVIEWED BY:  
 DATE REVIEWED:

NON-O.R. PROCEDURES

PROCEDURE CASE #	DATE	PATIENT ID#	PROCEDURES	SURGEON/PROVIDER ATTEND SURG/PROV
===== 92960 HEART ELECTROCONVERSION PRINCIPAL PROCEDURES DESCRIPTION: CARDIOVERSION, ELECTIVE, ELECTRICAL CONVERSION OF ARRHYTHMIA, EXTERNAL -----				
01/24/05 15499		SURPATIENT, SEVENTEEN 000-45-5119	CARDIOVERSION  CPT Codes: 92690	SURSURGEON, TWO SURSURGEON, TWO
02/09/05 15701		SURPATIENT, NINE 000-34-5555	CARDIOVERSION  CPT Codes: 92960	SURSURGEON, ONE SURSURGEON, TWO
03/29/05 15912		SURPATIENT, FIFTEEN 000-98-1234	CARDIOVERSION  CPT Codes: 92960	SURSURGEON, THREE
08/04/05 16669		SURPATIENT, SIX 000-09-8797	CARDIOVERSION  CPT Codes: 92960	SURSURGEON, TWO SURSURGEON, FOUR
08/25/05 16828		SURPATIENT, TWO 000-45-1982	CARDIOVERSION  CPT Codes: 92960	SURSURGEON, TWO SURSURGEON, TWO

## List Completed Cases Missing CPT Codes [SRSCPT

The *List Completed Cases Missing CPT Codes* option generates a report of completed cases that are missing the Principal CPT code for a specified date range. Only procedures that have CPT codes will be counted on the Annual Report of Surgical Procedures.

After the user enters the date range, the software will ask whether the user wants the Cumulative Report of CPT Codes to include: 1) only operating room surgical procedures, 2) non-O.R. procedures, or 3) both.

This report is in an 80-column format and can be viewed on the screen.

### Example: List Completed Cases Missing CPT Codes

```
Select CPT/ICD Coding Menu Option: M List Completed Cases Missing CPT Codes
```

```
Print list of Completed Cases Missing CPT Codes for
```

1. OR Surgical Procedures.
2. Non-OR Procedures.
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

```
Select Number: 1// 1
```

```
Do you want the list for all Surgical Specialties ? YES// <Enter>
```

```
Start with Date: 2/1 (FEB 01, 2005)
```

```
End with Date: 4/30 (APR 30, 2005)
```

```
Print the List of Cases Missing CPT codes to which Printer ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 Completed Cases Missing CPT Codes  
 O.R. Surgical Procedures  
 From: FEB 1,2005 To: APR 30,2005  
 Specialty: GENERAL(OR WHEN NOT DEFINED BELOW)

Operation Date Case #	Patient (ID#)	Surgeon/Provider
FEB 01, 2005 53708	SURPATIENT,TWO (000-45-1982) * EXC LEFT PREAURICULAR LESION	SURSURGEON,TWO
FEB 08, 2005 53747	SURPATIENT,FIVE (000-58-7963) * EXCISION LESIONS SCALP * N/A (CPT: MISSING)	SURSURGEON,ONE
MAR 12, 2005 53973	SURPATIENT,SEVEN (000-84-0987) * COLONOSCOPY	SURSURGEON,TWO
MAR 23, 2005 54030	SURPATIENT,FORTYONE (000-43-2109) * COLONOSCOPY/ATTEMPTED	SURSURGEON,ONE
APR 27, 2005 54325	SURPATIENT,THIRTY (000-82-9472) * EXCISION RT FOREARM LESIONS * EXC LESION, RT EAR * EXC LESION, RT FOREHEAD * EXC LESION RT SCALP * RXC LESION, NOSE * EXC LESION, LEFT EAR * EXC LESION, LEFT FOREARM * EXC LESION, TOP OF HEAD * EXC LESION, LEFT NECK	SURSURGEON,SEVENTEEN

## List of Operations [SROPLIST]

The List of Operations report contains general information for completed cases within a specified date range. It sorts the cases by date and includes the procedure(s), surgical service, length of actual operation, surgeons, and anesthesia technique. This report also includes aborted cases.

This report has a 132-column format and is designed to be copied to a printer.

Example: List of Operations

```
Select CPT/ICD Coding Menu Option: L List of Operations
```

```
List of Operations
```

```
Start with Date: 10/8 (OCT 08, 1999)
```

```
End with Date: 10/8 (OCT 08, 1999)
```

```
This report is designed to use a 132 column format.
```

```
Print to device: [Select Print Device]
```

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS  
 FROM: OCT 8,1999 TO: OCT 8,1999

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: OCT 20,1999

DATE CASE #	PATIENT ID# PRIORITY	SERVICE OPERATION(S)	SURGEON 1ST ASSISTANT 2ND ASSISTANT	ANESTHESIA TECH
10/08/99 63071	SURPATIENT,FOUR 000-45-7212 ELECTIVE	GENERAL(OR WHEN NOT DEFINED BELOW) INGUINAL HERNIA	SURSURGEON,FOUR SURSURGEON,ONE SURSURGEON,TWO	GENERAL OP TIME: 50 MIN.
10/08/99 63072	SURPATIENT,EIGHTEEN 000-22-3334 ELECTIVE	GENERAL(OR WHEN NOT DEFINED BELOW) CHOLECYSTECTOMY	SURSURGEON,TWO SURSURGEON,FOUR	GENERAL OP TIME: 50 MIN.
10/08/99 63073	SURPATIENT,FIFTYONE 000-23-3221 URGENT, ADD TODAY	OPHTHALMOLOGY INTRAOCULAR LENS, CHOLECYSTECTOMY	SURSURGEON,FOUR SURSURGEON,THREE SURSURGEON,FOUR	SPINAL OP TIME: 50 MIN.
10/08/99 63074	SURPATIENT,FIVE 000-58-7963 ELECTIVE	GENERAL(OR WHEN NOT DEFINED BELOW) HIP REPLACEMENT	SURSURGEON,FOUR SURSURGEON,FOUR SURSURGEON,FIVE	NOT ENTERED OP TIME: 50 MIN.
10/08/99 63075	SURPATIENT,SIX 000-09-8797 ELECTIVE	GENERAL(OR WHEN NOT DEFINED BELOW) PULMONARY LOBECTOMY	SURSURGEON,TWO SURSURGEON,THREE SURSURGEON,TWO	NOT ENTERED OP TIME: 45 MIN.
10/08/99 63077	SURPATIENT,TWELVE 000-41-8719 ELECTIVE	GENERAL(OR WHEN NOT DEFINED BELOW) INGUINAL HERNIA, CHOLECYSTECTOMY	SURSURGEON,FOUR SURSURGEON,THREE SURSURGEON,THREE	GENERAL OP TIME: 63 MIN.
10/08/99 63076	SURPATIENT,FOURTEEN 000-45-7212 ELECTIVE	UROLOGY TURP	SURSURGEON,TWO SURSURGEON,FOUR SURSURGEON,TWO	GENERAL OP TIME: 45 MIN.

TOTAL CASES: 7

## List of Operations (by Surgical Specialty) [SROPLIST1]

The List of Operations (by Surgical Specialty) report contains general information for completed cases within a selected date range. It sorts the cases by surgical specialty and case number.

This report includes information on case type, length of actual operation, surgeon names, and anesthesia technique. The user can request a list for all specialties or a selected specialty.

This report has a 132-column format and is designed to be copied to a printer.

### Example: List of Operations by Surgical Specialty

```
Select CPT/ICD Coding Menu Option: LS List of Operations (by Surgical Specialty)
```

```
List of Operations sorted by Surgical Specialty
```

```
Start with Date: 10/4 (OCT 04, 1999)
```

```
End with Date: 10/8 (OCT 08, 1999)
```

```
Do you want to print the report for all Specialties ? YES// N
```

```
Print the report for which Surgical Specialty ? GENERAL (OR WHEN NOT DEFINED BELOW)
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device: [Select Print Device]
```

-----printout follows-----



MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY SERVICE  
 FROM: OCT 4,1999 TO: OCT 8,1999

DATE REVIEWED:  
 REVIEWED BY:  
 DATE PRINTED: SEP 20,1999

DATE CASE #	PATIENT ID# PRIORITY	OPERATION(S)	SURGEON FIRST ASSISTANT SECOND ASSISTANT	ANESTHESIA TECHNIQUE
-----				
*GENERAL(OR WHEN NOT DEFINED BELOW)*				
10/04/99 63066	SURPATIENT,THREE 000-21-2453 STANDBY	INGUINAL HERNIA	SURSURGEON,THREE SURSURGEON,TWO SURSURGEON,ONE	GENERAL OP TIME: 40 MIN.
10/04/99 63067	SURPATIENT,EIGHT 000-37-0555 ELECTIVE	INGUINAL HERNIA	SURSURGEON,FOUR SURSURGEON,ONE SURSURGEON,TWO	GENERAL OP TIME: 50 MIN.
10/04/99 63068	SURPATIENT,ONE 000-44-7629 ELECTIVE	INGUINAL HERNIA	SURSURGEON,THREE SURSURGEON,ONE SURSURGEON,TWO	GENERAL OP TIME: 45 MIN.
10/07/99 63070	SURPATIENT,SIXTY 000-56-7821 ELECTIVE	INGUINAL HERNIA	SURSURGEON,TWO SURSURGEON,FOUR	GENERAL OP TIME: 45 MIN.
10/08/99 63071	SURPATIENT,FOUR 000-17-0555 ELECTIVE	INGUINAL HERNIA	SURSURGEON,FOUR SURSURGEON,ONE SURSURGEON,TWO	GENERAL OP TIME: 50 MIN.
10/08/99 63072	SURPATIENT,EIGHTEEN 000-22-3334 ELECTIVE	CHOLECYSTECTOMY	SURSURGEON,TWO SURSURGEON,FOUR	GENERAL OP TIME: 50 MIN.
10/08/99 63077	SURPATIENT,TWELVE 000-41-8719 ELECTIVE	INGUINAL HERNIA, CHOLECYSTECTOMY	SURSURGEON,FOUR SURSURGEON,THREE SURSURGEON,THREE	GENERAL OP TIME: 63 MIN.

TOTAL GENERAL(OR WHEN NOT DEFINED BELOW): 7

## Report of Daily Operating Room Activity [SROPACT]

The *Report of Daily Operating Room Activity* option generates a report listing cases started between 6:00 AM on the date selected and 5:59 AM of the following day for all operating rooms.

This report has a 132-column format and is designed to be copied to a printer.

Example: Print the Report of Daily Operating Room Activity

```
Select CPT/ICD Coding Menu Option: D Report of Daily Operating Room Activity
```

```
Print the Report of Daily Activity for which Date ? 3/9 (MAR 09, 1999)
```

```
This report will include all cases started between MAR 9, 1999 at 6:00 AM  
and MAR 10, 1999 at 5:59 AM.
```

```
It is designed to use a 132 column format.
```

```
Print the Report to which Device ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 DAILY REPORT OF OPERATING ROOM ACTIVITY  
 FOR: MAR 09, 1999

PATIENT ID # WARD	AGE	TIME IN OR TIME OUT OR CASE NUMBER	POSTOPERATIVE DIAGNOSIS PROCEDURE(S)	ANESTHESIOLOGIST PRIN. ANESTHETIST	SURGEON FIRST ASST. ATT SURGEON
-------------------------	-----	--	---	---------------------------------------	---------------------------------------

OPERATING ROOM: OR1

SURPATIENT, TWELVE 000-41-8719 1 NORTH 161-1	61	03/09 08:00 03/09 09:10 194	INGUINAL HERNIA INGUINAL HERNIA	SURANESTHESIOLOGIST, O SURANESTHETIST, F	SURSURGEON, E SURSURGEON, O SURSURGEON, T
--	----	-----------------------------------	------------------------------------	---	---

OPERATING ROOM: OR3

SURPATIENT, NINE 000-34-5555 OUTPATIENT	48	03/09 09:15 03/09 12:40 187	CHOLECYSTITIS CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM	SURANESTHESIOLOGIST, T SURANESTHETIST, O	SURSURGEON, T SURSURGEON, F SURSURGEON, T
---	----	-----------------------------------	--	---	---

OPERATING ROOM: OR5

SURPATIENT, SIX 000-09-8797 1 WEST 101-1	50	03/09 19:56 03/09 21:05 188	APPENDICITIS APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY, CRAIN	SURANESTHESIOLOGIST, T SURANESTHETIST, F	SURSURGEON, S SURSURGEON, F SURSURGEON, F
--	----	-----------------------------------	---	---	---

## **PCE Filing Status Report [SRO PCE STATUS]**

The *PCE Filing Status Report* option provides a report of the Patient Care Encounter (PCE) filing status of completed cases performed during the selected date range in accordance with the site parameter controlling PCE updates. If this site parameter is turned off, the report will show no cases. The report may be printed for O.R. surgical cases, non-O.R. procedures or both. The report may also be printed for all specialties or for a single specialty only.

This report is intended to be used as a tool in the review of Surgery case information that is passed to PCE. The report uses 2 status categories:

- (1) FILED - This status indicates that case information has already been filed with PCE.
- (2) NOT FILED - This status indicates that the case information has not been filed with PCE. The case may or may not be missing information needed to file with PCE.

Two forms of the report are available: the short and the long forms. The short form uses an 80-column format and does not include surgeon/provider, attending, principal post-op diagnosis, and CPT and ICD-9 code information. The totals printed at the end will show only the total cases for each status.

The long form uses a 132-column format and prints case information including the surgeon/provider, the attending, the specialty, the principal post-op diagnosis, and the principal procedure. If the PCE filing status is FILED, the CPT codes and ICD diagnosis codes will be printed. If the filing status is NOT FILED, information fields needed for PCE filing that do not contain data will be printed. At the end of the report, the number of cases in each PCE filing status will be printed, plus the number of CPT and ICD codes for cases with a status of FILED.

The PCE Filing Status report will display missing clinical indicator data information, per encounter. This indicates to the user what information is missing. The report displays CPT codes that do not have an associated diagnostic code, and textual diagnoses that do not have a corresponding ICD diagnosis code.

## Example 1: PCE Filing Status Report (Short Form)

Select CPT/ICD Coding Menu Option: **PS** PCE Filing Status Report

### Report of PCE Filing Status

This report displays the filing status of completed cases performed during the selected date range.

Print PCE filing status of completed cases for

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW) GENERAL(  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **6 8** (JUN 08, 2005)

End with Date: **6 10** (JUN 10, 2005)

Print the long form or the short form ? SHORT// **<Enter>**

Print the PCE Filing Status Report to which Printer ? **[Select Print Device]**

-----*printout follows*-----

ALBANY  
PCE FILING STATUS REPORT  
For Completed O.R. Surgical Procedures  
From: JUN 8,2005 To: JUN 10,2005  
Report Printed: JUL 19,2005@10:40

PAGE 1

DATE OF OPERATION CASE #	PATIENT NAME SPECIALTY PRINCIPAL PROCEDURE	PATIENT ID (AGE)	FILING STATUS SCHED STATUS
JUN 8,2005@07:00 277	SURPATIENT,TWELVE GENERAL(OR WHEN NOT TURP	045-14-6822 (80)	NOT FILED <NONE>

Missing Information:

1. CLASSIFICATION INFORMATION
2. PRINCIPAL PROCEDURE CODE
3. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE

JUN 10,2005@07:00 292	SURPATIENT,NINETYONE GENERAL(OR WHEN NOT APPENDECTOMY	604-06-1451P (53)	FILED <NONE>
JUN 10,2005@10:00 295	SURPATIENT,FORTYONE GENERAL(OR WHEN NOT REMOVE THYROID CYST	104-04-0550P (55)	FILED <NONE>

FILED:	2
NOT FILED:	1
-----	
TOTAL CASES:	3

## Example 2: PCE Filing Status Report (Long Form)

Select CPT/ICD Coding Menu Option: **PS** PCE Filing Status Report

### Report of PCE Filing Status

This report displays the filing status of completed cases performed during the selected date range.

Print PCE filing status of completed cases for

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW) GENERAL(  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **6 8** (JUN 08, 2005)

End with Date: **6 10** (JUN 10, 2005)

Print the long form or the short form ? SHORT// **LONG**

Print the PCE Filing Status Report to which Printer ? **[Select Print Device]**

-----*printout follows*-----

ALBANY  
PCE FILING STATUS REPORT  
For Completed O.R. Surgical Procedures  
From: JUN 8,2005 To: JUN 10,2005  
Report Printed: JUL 19,2005@08:19

DATE OF OPERATION CASE #	PATIENT NAME PATIENT ID (AGE) PRINCIPAL PROCEDURE	SURGEON ATTENDING	SPECIALTY PRINCIPAL POST-OP DIAGNOSIS	PCE FILING STATUS SCHD STATUS
JUN 8,2005@07:00 277	SURPATIENT,TWELVE 000-41-8719 (80) TURP	SURSURGEON,ONE SURSURGEON,ONE	GENERAL(OR WHEN NOT DEFINED BELOW) TURPY	NOT FILED <NONE>

Missing Information:

1. CLASSIFICATION INFORMATION
2. PRINCIPAL PROCEDURE CODE
3. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE

JUN 9,2005@15:00 280	SURPATIENT,FIFTEEN 000-98-1234 (60) HERNIA REPAIR	SURSURGEON,THREE SURSURGEON,ONE	GENERAL(OR WHEN NOT DEFINED BELOW) HERNIA, INGUINAL	NOT FILED <NONE>
-------------------------	---	------------------------------------	--	---------------------

Missing Information:

1. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE
2. OTHER PROCEDURE CPT MISSING ASSOCIATED DIAGNOSIS ICD CODE

JUN 10,2005@07:00 292	SURPATIENT,NINETYONE 000-06-1451 (53) APPENDECTOMY	SURSURGEON,ONE SURSURGEON,ONE	GENERAL(OR WHEN NOT DEFINED BELOW) NOT ENTERED	FILED <NONE>
--------------------------	--	----------------------------------	---	-----------------

CPT Code: 44950 APPENDECTOMY

ICD Diagnosis Code: 540.1 ABSCESS OF APPENDIX  
ICD Diagnosis Code: 560.31 GALLSTONE ILEUS

JUN 10,2005@10:00 295	SURPATIENT,FORTYONE 000-04-0550 (55) REMOVE THYROID CYST	SURSURGEON,THREE SURSURGEON,THREE	GENERAL(OR WHEN NOT DEFINED BELOW) THYROID CYST	FILED <NONE>
--------------------------	--	--------------------------------------	--	-----------------

CPT Code: 60200 REMOVE THYROID LESION

ICD Diagnosis Code: 246.2 CYST OF THYROID

	CPT CASES	ICD CODES	ICD CODES
FILED:	2	2	2
NOT FILED:	2		
TOTAL:	3	2	2



## Report of Non-O.R. Procedures [SRONOR]

The *Report of Non-O.R. Procedures* option chronologically lists non-O.R. procedures sorted by surgical specialty or surgeon. This report can be sorted by specialty, provider, or location.

This report prints in a 132-column format and must be copied to a printer.

### Example 1: Report of Non-O.R. Procedures by Specialty

```
Select CPT/ICD Coding Menu Option: R Report of Non-O.R. Procedures
```

```
Report of Non-OR Procedures
```

```
Start with Date: 3/1 (MAR 01, 1999)  
End with Date: 3/31 (MAR 31, 1999)
```

```
How do you want the report sorted ?
```

1. By Specialty
2. By Provider
3. By Location

```
Select Number: 1// <Enter>
```

```
Do you want to print the report for all Specialties ? YES// N
```

```
Print the Report for which Specialty ? CARDIOLOGY
```

```
This report is designed to use a 132 column format.
```

```
Print on Device: [Select Print Device]
```

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT (ID#) LOCATION (IN/OUT-PAT STATUS)	PROVIDER PRINCIPAL ANESTHETIST ANESTHESIOLOGIST SUPERVISOR PROCEDURE(S)	START TIME FINISH TIME
=====			
*** SPECIALTY: CARDIOLOGY ***			
03/02/99 501	SURPATIENT,TWELVE (000-41-8719) AMBULATORY SURGERY (OUTPATIENT)	SURSURGEON,TWO <b>SURANESTHETIST,TWO</b> <b>SURANESTHETIST,ONE</b> CARDIOVERSION	03/02/99 13:05 03/02/99 14:10
03/13/99 500	SURPATIENT,SIXTY (000-56-7821) ICU (INPATIENT)	SURSURGEON,TWO <b>SURANESTHETIST,FOUR</b> <b>SURANESTHETIST,ONE</b> CARDIOVERSION	03/13/99 14:00 03/13/99 14:25

## Example 2: Report of Non-O.R. Procedures by Provider

Select CPT/ICD Coding Menu Option: **R** Report of Non-O.R. Procedures

Report of Non-OR Procedures

Start with Date: **3/1** (MAR 01, 1999)

End with Date: **3/31** (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 1// 2

Do you want to print the report for all Providers ? YES// **N**

Print the Report for which Provider ? **SURSURGEON,SIXTEEN**

This report is designed to use a 132 column format.

Print on Device: [**Select Print Device**]

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT (ID#) LOCATION (IN/OUT-PAT STATUS)	SPECIALTY PRINCIPAL ANESTHETIST ANESTHESIOLOGIST SUPERVISOR PROCEDURE(S)	START TIME FINISH TIME
=====			
*** PROVIDER SURSURGEON, SIXTEEN ***			
03/12/99 195	SURPATIENT,TWO (000-45-1982) PAC(U) - ANESTHESIA (INPATIENT)	PSYCHIATRY SURANESTHETIST,TWO SURANESTHETIST,ONE ELECTROCONVULSIVE THERAPY	03/12/99 08:00 03/12/99 09:00
03/23/99 240	SURPATIENT,NINE (000-34-5555) PAC(U) - ANESTHESIA (INPATIENT)	PSYCHIATRY SURANESTHETIST,SIX SURANESTHETIST,ONE ELECTROCONVULSIVE THERAPY	03/23/99 08:10 03/23/99 08:40
03/25/99 266	SURPATIENT,FOURTEEN (000-45-7212) PAC(U) - ANESTHESIA (INPATIENT)	PSYCHIATRY SURANESTHETIST,TWO SURANESTHETIST,ONE ELECTROCONVULSIVE THERAPY	03/12/99 09:30 03/12/99 10:15

### Example 3: Report of Non-O.R. Procedures by Location

Select CPT/ICD Coding Menu Option: **R** Report of Non-O.R. Procedures

Report of Non-OR Procedures

Start with Date: **3/1** (MAR 01, 1999)  
End with Date: **3/31** (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 1// 3

Do you want to print the report for all Locations ? YES// **N**

Print the Report for which Location ? **AMBULATORY SURGERY**

This report is designed to use a 132 column format.

Print on Device: [**Select Print Device**]

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT (ID#) SPECIALTY (IN/OUT-PAT STATUS)	PROVIDER PRINCIPAL ANESTHETIST ANESTHESIOLOGIST SUPERVISOR PROCEDURE(S)	START TIME FINISH TIME
=====			
*** LOCATION: AMBULATORY SURGERY ***			
03/02/99 201	SURPATIENT,TWELVE (000-41-8719) CARDIOLOGY (OUTPATIENT)	SURSURGEON,TWO SURANESTHETIST,FOUR SURANESTHETIST,ONE CARDIOVERSION	03/02/99 13:05 03/02/99 14:10
03/06/99 198	SURPATIENT,TWENTY (000-45-4886) GENERAL(ACUTE MEDICINE) (OUTPATIENT)	SURSURGEON,FOUR SURANESTHETIST,FIVE SURANESTHETIST,ONE EXCISION OF SKIN LESION	03/07/99 16:30 03/07/99 17:08
03/09/99 193	SURPATIENT,FIFTY (000-45-9999) GENERAL (ACUTE MEDICINE) (OUTPATIENT)	SURANESTHETIST,ONE SURANESTHETIST,FIVE SURANESTHETIST,SEVEN STELLATE NERVE BLOCK	03/09/99 09:45 03/09/99 10:21
03/13/99 200	SURPATIENT,SIXTY (000-56-7821) CARDIOLOGY (INPATIENT)	SURSURGEON,TWO SURANESTHETIST,TWO SURANESTHETIST,ONE CARDIOVERSION	03/13/99 14:00 03/13/99 14:25
03/17/99 194	SURPATIENT,EIGHTEEN (000-22-3334) GENERAL SURGERY (OUTPATIENT)	SURSURGEON,FOUR SURANESTHETIST,SIX SURANESTHETIST,SEVEN EXCISION OF SKIN LESION	03/17/99 13:30 03/17/99 14:42

# Chapter Three: Generating Surgical Reports

---

## Introduction

The Surgery package integrates clinical and patient data to provide a variety of reports for Surgery Service management. This chapter describes reports that are generated for Surgical Service staff. Among the reports generated are the Annual Report of Surgical Procedures, Anesthesia AMIS, Attending Surgeons Report, and Nurse Staffing Report.

## Exiting an Option or the System

The user can enter an up-arrow (^) to stop what he or she is doing. The up-arrow can be used at almost any prompt to stop the line of questioning and return to the previous level in the option. The user should continue entering up-arrows to completely exit the system.

## Option Overview

The main options included in this chapter are listed below. The *Surgery Reports* menu contains submenus. To the left of the option name is the shortcut synonym the user can enter to select the option. A restricted option (such as the *Surgery Reports* menu) will not display if the user does not have security clearance for that option.

Shortcut	Option Name
SR	<i>Surgery Reports</i>
L	<i>Laboratory Interim Report</i>

*(This page included for two-sided copying.)*



# Surgery Reports

## [SRORPTS]

The Chief of Surgery and staff members use the *Surgery Reports* menu to select various reports for the Surgical Service. Among the reports generated are the Annual Report of Surgical Procedures, Anesthesia AMIS, Attending Surgeons Report, and Nurse Staffing Report.



This menu is locked with the SROREP key.

All of the menu items below contain sub-options. To the left of the menu name is the shortcut synonym the user can enter to select the option.

Shortcut	Option Name
M	<i>Management Reports</i>
S	<i>Surgery Staffing Reports</i>
A	<i>Anesthesia Reports</i>
CPT	<i>CPT Code Reports</i>

## Management Reports [SR MANAGE REPORTS]

The *Management Reports* menu provides access to several *Management Reports* options. These options generate reports on completed cases, meaning cases that have an entry for the TIME PAT OUT OR field.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option.

Shortcut	Option Name
S	<i>Schedule of Operations</i>
A	<i>Annual Report of Surgical Procedures</i>
L	<i>List of Operations</i>
LD	<i>List of Operations (by Postoperative Disposition)</i>
LS	<i>List of Operations (by Surgical Specialty)</i>
LP	<i>List of Operations (by Surgical Priority)</i>
P	<i>Report of Surgical Priorities</i>
U	<i>List of Undictated Operations</i>
D	<i>Report of Daily Operating Room Activity</i>
PS	<i>PCE Filing Status Report</i>
NOX	<i>Outpatient Encounters Not Transmitted to NPCD</i>

## Schedule of Operations

### [SR0SCH]

The *Schedule of Operations* option generates the Operating Room Schedule used by the operating room nurses, surgeons, anesthetists, and other hospital services. The report lists operations and patients scheduled for a particular date. It sorts by operating room and includes the procedure(s), blood products requested, and any preoperative x-rays requested. The schedule also provides anesthesia information and surgeon names.

This report can be printed on multiple printers simultaneously. Use the options included within the *Surgery Package Management Menu* option to enter the name of all printers on which the schedule will print.

This report has a 132-column format and is designed to be copied to a printer with wide paper.

#### Example: Print Schedule of Operations

```
Select Management Reports Option:  S  Schedule of Operations
```

```
Print Schedule of Operations for which date ?  9/8  (SEP 08, 1999)
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which device:  [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 SCHEDULE OF OPERATIONS  
 FOR: SEP 08, 1999

PAGE 1

PRINTED: SEP 07, 1999 11:12

SIGNATURE OF CHIEF: DR. MOE HOWARD

PATIENT ID#	AGE	DISPOSITION START TIME	PREOPERATIVE DIAGNOSIS OPERATION(S)	REQ ANESTHESIA ANESTHESIOLOGIST PRIN. ANESTHETIST	SURGEON FIRST ASST. ATT SURGEON
-------------	-----	------------------------	-------------------------------------	---	---------------------------------

OPERATING ROOM: OR1

SURPATIENT, ONE 000-44-7629 TO BE ADMITTED Case # 143	46	WARD 07:30 09:30	CARPAL TUNNEL SYNDROME REVISE MEDIAN NERVE	GENERAL SURANESTHESIOLOGIST, O SURANESTHETIST, T	SURSURGEON, O SURSURGEON, F SURSURGEON, O
--	----	------------------------	---	--	---

PREOPERATIVE XRAYS: CARPAL TUNNEL, R WRIST

OPERATING ROOM: OR2

SURPATIENT, FOURTEEN 000-45-7212 HICU 212-B Case # 141	48	WARD 06:30 08:00	CHOLELITHIASIS CHOLECYSTECTOMY	GENERAL SURANESTHESIOLOGIST, F SURANESTHETIST, O	SURSURGEON, O SURSURGEON, T SURSURGEON, O
---	----	------------------------	-----------------------------------	--	---

REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH  
 CPDA-1 RED BLOOD CELLS - 2 UNITS  
 PREOPERATIVE XRAYS: ABDOMIN

SURPATIENT, TWELVE 000-41-8719 TO BE ADMITTED Case # 142	60	WARD 08:00 09:30	ACUTE DIAPHRAGMATIC HERNIA REPAIR DIAPHRAGMATIC HERNIA	GENERAL SURANESTHESIOLOGIST, T SURANESTHETIST, O	SURSURGEON, T SURSURGEON, O SURSURGEON, T
---	----	------------------------	---	--	---

REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH  
 CPDA-1 RED BLOOD CELLS - 2 UNITS  
 PREOPERATIVE XRAYS: ABDOMEN

SURPATIENT, THIRTY 000-82-9472 TO BE ADMITTED Case # 150	48	WARD 11:15 16:00	CAROTID ARTERY STENOSIS CAROTID ARTERY ENDARTERECTOMY	GENERAL SURANESTHESIOLOGIST, T SURANESTHETIST, F	SURSURGEON, O SURSURGEON, F SURSURGEON, O
---	----	------------------------	--	--	---

\*\* Concurrent Case #157 AORTO CORONARY BYPASS GRAFT  
 REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH  
 CPDA-1 RED BLOOD CELLS - UNITS NOT ENTERED  
 CPDA-1 WHOLE BLOOD - 2 UNITS  
 PREOPERATIVE XRAYS: DOPPLER STUDIES

SURPATIENT, THIRTY 000-82-9472 TO BE ADMITTED Case # 157	48	WARD 11:15 16:00	CORONARY ARTERY DISEASE AORTO CORONARY BYPASS GRAFT	GENERAL SURANESTHESIOLOGIST, O SURANESTHETIST, O	SURSURGEON, T SURSURGEON, F SURSURGEON, T
---	----	------------------------	--	--	---

\*\* Concurrent Case #150 CAROTID ARTERY ENDARTERECTOMY

TOTAL CASES SCHEDULED: 5

## Annual Report of Surgical Procedures

### [SROARSP]

The *Annual Report of Surgical Procedures* option is used to generate the Annual Report of Surgical Procedures required by VA Central Office. This report counts the number of times a procedure was performed, based on the CPT code entry, within a surgical specialty.

The report includes only cases that have not been cancelled and that have an entry for the TIME PAT OUT OR field. Procedures without CPT codes are not included in this report.

This report can be generated for any date range, not only annually.

The report has a 132-column format and is designed to be copied to a printer.

#### Example: Annual Report of Surgical Procedures

```
Select Management Reports Option:  A  Annual Report of Surgical Procedures
```

```
Annual Report of Surgical Procedures
```

```
Start with Date:  9/1  (SEP 01, 2001)
```

```
End with Date:   9/30 (SEP 30, 2001)
```

```
Do you want to print the Annual Report of Surgical Procedures for all Surgical Specialties?  
YES// <Enter>
```

```
This report is designed to use a 132 column format, and must be run on a printer.
```

```
Select Printer:  [Select Print Device]
```

-----printout follows-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 ANNUAL REPORT OF SURGICAL PROCEDURES  
 FROM: SEP 1,2001 TO: SEP 30,2001

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: OCT 20,2001

CPT CODE - OPERATION	TOTAL	STAFF	MAJOR RESIDENT	TOTAL	STAFF	MINOR RESIDENT	TOTAL
----- NEUROSURGERY -----							
61304 OPEN SKULL FOR EXPLORATION	1	1	0	1	0	0	0
61680 INTRACRANIAL VESSEL SURGERY	1	0	0	0	1	0	1
-----							
TOTALS FOR NEUROSURGERY:	2	1	0	1	1	0	1
-----							
ORTHOPEDICS -----							
27130 TOTAL HIP REPLACEMENT	2	0	0	0	1	1	2
27236 REPAIR OF THIGH FRACTURE	1	0	0	0	0	1	1
-----							
TOTALS FOR ORTHOPEDICS:	3	0	0	0	1	2	3
-----							
OTORHINOLARYNGOLOGY (ENT) -----							
31365 REMOVAL OF LARYNX	2	0	0	0	2	0	2
-----							
TOTALS FOR OTORHINOLARYNGOLOGY (ENT):	2	0	0	0	2	0	2
-----							
THORACIC SURGERY (INC. CARDIAC SURG.) -----							
32480 PARTIAL REMOVAL OF LUNG	2	0	0	0	1	1	2
32500 PARTIAL REMOVAL OF LUNG	1	0	0	0	1	0	1
33510 CABG, VEIN, SINGLE	1	0	0	0	0	1	1
-----							
TOTALS FOR THORACIC SURGERY (INC. CARDIAC SURG.):	4	0	0	0	2	2	4
-----							
=====							
TOTAL OPERATIONS:	11	1	0	1	6	4	10
=====							

## List of Operations

### [SROPLIST]

The *List of Operations* option contains general information for completed cases within a specified date range. It sorts the cases by date and includes the procedure(s), surgical service, length of actual operation, surgeons, and anesthesia technique. This report also includes aborted cases.

This report has a 132-column format and is designed to be copied to a printer.

Example: List of Operations

```
Select Management Reports Option:  L  List of Operations
```

```
List of Operations
```

```
Start with Date:  10/8  (OCT 08, 2001)  
End with Date:   10/8  (OCT 08, 2001)
```

```
This report is designed to use a 132 column format.
```

```
Print to device:  [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS  
 FROM: OCT 8,2001 TO: OCT 8,2001

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: SEP 20,2001

DATE CASE #	PATIENT ID# PRIORITY	SERVICE OPERATION(S)	SURGEON 1ST ASSISTANT 2ND ASSISTANT	ANESTHESIA TECH
10/08/01 63071	SURPATIENT, FOUR 000-17-0555 ELECTIVE	GENERAL (OR WHEN NOT DEFINED BELOW) INGUINAL HERNIA	SURSURGEON, FOUR SURSURGEON, ONE SURSURGEON, TWO	GENERAL OP TIME: 50 MIN.
10/08/01 63072	SURPATIENT, EIGHTEEN 000-22-3334 ELECTIVE	GENERAL (OR WHEN NOT DEFINED BELOW) CHOLECYSTECTOMY	SURSURGEON, TWO SURSURGEON, FOUR	GENERAL OP TIME: 50 MIN.
10/08/01 63073	SURPATIENT, FIFTYONE 000-23-3221 URGENT, ADD TODAY	OPHTHALMOLOGY INTRAOCULAR LENS, CHOLECYSTECTOMY	SURSURGEON, FOUR SURSURGEON, THREE SURSURGEON, FOUR	SPINAL OP TIME: 50 MIN.
10/08/01 63074	SURPATIENT, FIVE 000-58-7963 ELECTIVE	GENERAL (OR WHEN NOT DEFINED BELOW) HIP REPLACEMENT	SURSURGEON, FOUR SURSURGEON, FOUR SURSURGEON, FIVE	NOT ENTERED OP TIME: 50 MIN.
10/08/01 63075	SURPATIENT, SIX 000-09-8797 ELECTIVE	GENERAL (OR WHEN NOT DEFINED BELOW) PULMONARY LOBECTOMY	SURSURGEON, TWO SURSURGEON, THREE SURSURGEON, TWO	NOT ENTERED OP TIME: 45 MIN.
10/08/01 63077	SURPATIENT, TWELVE 000-41-8719 ELECTIVE	GENERAL (OR WHEN NOT DEFINED BELOW) INGUINAL HERNIA, CHOLECYSTECTOMY	SURSURGEON, FOUR SURSURGEON, THREE SURSURGEON, THREE	GENERAL OP TIME: 63 MIN.
10/08/01 63076	SURPATIENT, FOURTEEN 000-45-7212 ELECTIVE	UROLOGY TURP	SURSURGEON, TWO SURSURGEON, FOUR SURSURGEON, TWO	GENERAL OP TIME: 45 MIN.

TOTAL CASES: 7



## List of Operations (by Postoperative Disposition)

The *List of Operations (by Postoperative Disposition)* option contains general information for completed cases within a selected date range. It sorts the cases by postoperative disposition and by case number. Reports may also be sorted by specialty.

This report includes information on case type, length of actual operation, surgeon names, and anesthesia technique.

This report has a 132-column format and is designed to be copied to a printer.

### Example 1: List of Operations by Postoperative Disposition (All Dispositions)

```
Select Management Reports Option: LD List of Operations (by Postoperative Disposition)
```

```
List of Operations by Postoperative Disposition:
```

```
Start with Date: 10/8 (OCT 08, 2001)
End with Date: 10/8 (OCT 08, 2001)
```

```
Print the List of Operations for which of the following ?
```

1. All Dispositions
2. A Specific Disposition
3. No Disposition Entered

```
Enter selection: 1// 1 All Dispositions
```

```
Do you want the report sorted by surgical specialty ? Y// <Enter>
```

```
Print for all surgical specialties ? Y// N
```

```
Print the report for which Specialty ? GENERAL(OR WHEN NOT DEFINED BELOW)
```

```
Select An Additional Specialty: <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device: [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY POSTOP DISPOSITION  
 FROM: OCT 8,2001 TO: OCT 8,2001  
 POSTOP DISPOSITION: WARD

PAGE  
1

DATE PRINTED: OCT 20,2001  
 REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT ID#	OPERATION(S)	SURGEON 1ST ASST 2ND ASST	ANESTHESIA TECH IN/OUT-PAT STATUS OP TIME
-----				
>> GENERAL(OR WHEN NOT DEFINED BELOW) <<				
10/08/01 63072	SURPATIENT,EIGHTEEN 000-22-3334	CHOLECYSTECTOMY	SURSURGEON,TWO SURSURGEON,FOUR	GENERAL OUTPATIENT 50 MIN.
10/08/01 63077	SURPATIENT,TWELVE 000-41-8719	INGUINAL HERNIA, CHOLECYSTECTOMY	SURSURGEON,FOUR SURSURGEON,THREE SURSURGEON,THREE	GENERAL OUTPATIENT 63 MIN.
10/08/01 63071	SURPATIENT,FOUR 000-17-0555	INGUINAL HERNIA	SURSURGEON,FOUR SURSURGEON,ONE SURSURGEON,TWO	GENERAL OUTPATIENT 50 MIN.

TOTAL GENERAL(OR WHEN NOT DEFINED BELOW): 3

## Example 2: List of Operations by Postoperative Disposition (A Specific Disposition)

Select Management Reports Option: **LD** List of Operations (by Postoperative Disposition)

List of Operations by Postoperative Disposition:

Start with Date: **10/4** (OCT 04, 2001)  
End with Date: **10/8** (OCT 08, 2001)

Print the List of Operations for which of the following ?

1. All Dispositions
2. A Specific Disposition
3. No Disposition Entered

Enter selection: 1// **2** A Specific Disposition

Print the report for which Disposition ? **OUTPATIENT**           O

Do you want the report sorted by surgical specialty ? Y// **N**

This report is designed to use a 132 column format.

Print the Report on which Device: [**Select Print Device**]

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY POSTOP DISPOSITION  
 FROM: OCT 4,2001 TO: OCT 8,2001  
 POSTOP DISPOSITION: OUTPATIENT

PAGE  
 1

DATE PRINTED: OCT 20,2001  
 REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT ID#	OPERATION(S)	SURGEON 1ST ASST 2ND ASST	ANESTHESIA TECH IN/OUT-PAT STATUS OP TIME
10/04/01 63066	SURPATIENT,THREE 000-21-2453 (GENERAL)	INGUINAL HERNIA	SURSURGEON,THREE SURSURGEON,TWO SURSURGEON,ONE	GENERAL OUTPATIENT 40 MIN.
10/04/01 63067	SURPATIENT,EIGHT 000-37-0555 (GENERAL)	INGUINAL HERNIA	SURSURGEON,FOUR SURSURGEON,ONE SURSURGEON,TWO	GENERAL OUTPATIENT 50 MIN.
10/04/01 63068	SURPATIENT,NINE 000-17-0555 (GENERAL)	INGUINAL HERNIA	SURSURGEON,THREE SURSURGEON,ONE SURSURGEON,TWO	GENERAL OUTPATIENT 45 MIN.
10/07/01 63070	SURPATIENT,SIXTY 000-56-7821 (GENERAL)	INGUINAL HERNIA	SURSURGEON,TWO SURSURGEON,FOUR	GENERAL OUTPATIENT 45 MIN.
10/08/01 63071	SURPATIENT,FOUR 000-17-0555 (GENERAL)	INGUINAL HERNIA	SURSURGEON,FOUR SURSURGEON,ONE SURSURGEON,TWO	GENERAL OUTPATIENT 50 MIN.

TOTAL OUTPATIENT: 5

### Example 3: List of Operations by Postoperative Disposition (No Disposition Entered)

Select Management Reports Option: **LD** List of Operations (by Postoperative Disposition)

List of Operations by Postoperative Disposition:

Start with Date: **10/4** (OCT 04, 2001)  
End with Date: **10/8** (OCT 08, 2001)

Print the List of Operations for which of the following ?

1. All Dispositions
2. A Specific Disposition
3. No Disposition Entered

Enter selection: 1// **3** No Disposition Entered

Do you want the report sorted by surgical specialty ? Y// **N**

This report is designed to use a 132 column format.

Print the Report on which Device: [**Select Print Device**]

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY POSTOP DISPOSITION  
 FROM: OCT 4,2001 TO: OCT 8,2001  
 POSTOP DISPOSITION: DISPOSITION NOT ENTERED

PAGE  
1

DATE PRINTED: SEP 20,2001  
 REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT ID#	OPERATION(S)	SURGEON 1ST ASST 2ND ASST	ANESTHESIA TECH IN/OUT-PAT STATUS OP TIME
10/04/01 63069	SURPATIENT, TEN 000-12-3456 (THORACIC SURGERY )	PULMONARY LOBECTOMY	SURSURGEON, TWO SURSURGEON, FIVE SURSURGEON, ONE	GENERAL OUTPATIENT 60 MIN.
10/08/01 63073	SURPATIENT, FIFTYONE 000-23-3221 (OPHTHALMOLOGY)	INTRAOCULAR LENS, CHOLECYSTECTOMY	SURSURGEON, FOUR SURSURGEON, THREE SURSURGEON, FOUR	SPINAL OUTPATIENT 50 MIN.
10/08/01 63076	SURPATIENT, FOURTEEN 000-45-7212 (UROLOGY)	TURP	SURSURGEON, TWO SURSURGEON, FOUR SURSURGEON, TWO	GENERAL OUTPATIENT 45 MIN.

TOTAL DISPOSITION NOT ENTERED: 3

## List of Operations (by Surgical Specialty)

The *List of Operations (by Surgical Specialty)* option contains general information for completed cases within a selected date range. It sorts the cases by surgical specialty and case number.

This report includes information on case type, length of actual operation, surgeon names, and anesthesia technique. The user can request a list for all specialties or a selected specialty.

This report has a 132-column format and is designed to be copied to a printer.

Example: List of Operations by Surgical Specialty

```
Select Management Reports Option: LS List of Operations (by Surgical Specialty)
```

```
List of Operations sorted by Surgical Specialty
```

```
Start with Date: 10/4 (OCT 04, 2001)  
End with Date: 10/8 (OCT 08, 2001)
```

```
Do you want to print the report for all Specialties ? YES// N
```

```
Print the report for which Surgical Specialty ? GENERAL (OR WHEN NOT DEFINED BELOW)
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device: [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY SERVICE  
 FROM: OCT 4,2001 TO: OCT 8,2001

PAGE 1  
 DATE REVIEWED:  
 REVIEWED BY:  
 DATE PRINTED: SEP 20,2001

DATE CASE #	PATIENT ID# PRIORITY	OPERATION(S)	SURGEON FIRST ASSISTANT SECOND ASSISTANT	ANESTHESIA TECHNIQUE
=====				
*GENERAL(OR WHEN NOT DEFINED BELOW)*				
10/04/01 63066	SURPATIENT,THREE 000-21-2453 STANDBY	INGUINAL HERNIA	SURSURGEON,THREE SURSURGEON,TWO SURSURGEON,ONE	GENERAL OP TIME: 40 MIN.
10/04/01 63067	SURPATIENT,EIGHT 000-37-0555 ELECTIVE	INGUINAL HERNIA	SURSURGEON,FOUR SURSURGEON,ONE SURSURGEON,TWO	GENERAL OP TIME: 50 MIN.
10/04/01 63068	SURPATIENT,TEN 000-12-3456 ELECTIVE	INGUINAL HERNIA	SURSURGEON,THREE SURSURGEON,ONE SURSURGEON,TWO	GENERAL OP TIME: 45 MIN.
10/07/01 63070	SURPATIENT,SIXTY 000-56-7821 ELECTIVE	INGUINAL HERNIA	SURSURGEON,TWO SURSURGEON,FOUR	GENERAL OP TIME: 45 MIN.
10/08/01 63071	SURPATIENT,FOUR 000-17-0555 ELECTIVE	INGUINAL HERNIA	SURSURGEON,FOUR SURSURGEON,ONE SURSURGEON,TWO	GENERAL OP TIME: 50 MIN.
10/08/01 63072	SURPATIENT,EIGHTEEN 000-22-3334 ELECTIVE	CHOLECYSTECTOMY	SURSURGEON,TWO SURSURGEON,FOUR	GENERAL OP TIME: 50 MIN.
10/08/01 63077	SURPATIENT,FIVE 000-58-7963 ELECTIVE	INGUINAL HERNIA, CHOLECYSTECTOMY	SURSURGEON,FOUR SURSURGEON,THREE SURSURGEON,TWO	GENERAL OP TIME: 63 MIN.
TOTAL GENERAL(OR WHEN NOT DEFINED BELOW): 7				



## List of Operations (by Surgical Priority)

The *List of Operations (by Surgical Priority)* option generates a report containing general information for completed cases within a selected date range. It sorts the cases by surgical priority and surgical specialty.

This report includes information on case type, length of actual operation, surgeon names, and anesthesia technique. The user can request a list for all priorities or a selected priority. One or more surgical specialties can also be specified.

This report has a 132-column format and is designed to be copied to a printer.

### Example: List of Operations by Surgical Priority

```
Select Management Reports Option: LP List of Operations (by Surgical Priority)
```

```
List of Operations by Surgical Priority:
```

```
Start with Date: 8/1 (AUG 01, 2001)  
End with Date: 9/30 (SEP 30, 2001)
```

```
Print List of Operations for all priorities ? Y// N
```

```
Print report for which Priority ?
```

1. EMERGENCY
2. ELECTIVE
3. ADD ON TODAY (NONEMERGENT)
4. STANDBY
5. URGENT ADD TODAY
6. PRIORITY NOT ENTERED

```
Select Number: 1// 4
```

```
Do you want the report sorted by surgical specialty ? Y// <Enter>
```

```
Print for all surgical specialties ? Y// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device: [Select Print Device]
```

```
-----printout follows-----
```

ISC-BIRMINGHAM, AL  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY SURGICAL PRIORITY  
 FROM: AUG 1,2001 TO: SEP 30,2001  
 SURGICAL PRIORITY: STANDBY

PAGE:  
1

DATE PRINTED: OCT 20,2001  
 REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT ID#	OPERATION(S)	SURGEON 1ST ASST 2ND ASST	ANESTHESIA TECH
-----				
>> THORACIC SURGERY (INC. CARDIAC SURG.) <<				
08/21/01 62901	SURPATIENT,THREE 000-21-2453	PULMONARY LOBECTOMY	SURSURGEON,FOUR SURSURGEON,TWO SURSURGEON,ONE	GENERAL OP TIME: 170 MIN.
09/02/01 63002	SURPATIENT,NINE 000-34-5555	PULMONARY LOBECTOMY	SURSURGEON,TWO SURSURGEON,TWO	GENERAL OP TIME: 95 MIN.
09/29/01 63042	SURPATIENT,FOURTEEN 000-45-7212	PULMONARY LOBECTOMY	SURSURGEON,TWO SURSURGEON,FOUR	GENERAL OP TIME: 90 MIN.

TOTAL THORACIC SURGERY (INC. CARDIAC SURG.): 3

## Report of Surgical Priorities

The *Report of Surgical Priorities* option provides the total number of completed surgical cases for each surgical priority, such as elective, emergency, and urgent within a date range. The user can sort the report by all surgical specialties, one surgical specialty (Example 1), or by all operations within a date range (Example 2).

This report has an 80-column format and can be viewed on your terminal display screen.

### Example 1: Print Report of Surgical Priorities for a specialty

```
Select Management Reports Option: P Report of Surgical Priorities
```

```
Report of Surgical Priorities
```

```
Start with Date: 3/1 (MAR 01, 2001)
End with Date: T (MAR 26, 2001)
```

```
Do you want to review this information sorted by Surgical Specialty ? YES// <Enter>
```

```
Do you want to print this report for all Surgical Specialties ? YES// N
```

```
Print the report for which Surgical Specialty ? 50          GENERAL(OR WHEN NOT DEFINED BELOW)
GENERAL(OR WHEN NOT DEFINED BELOW)          50
```

```
Print the Report on which Device: [Select Print Device]
```

-----printout follows-----

```
                MAYBERRY, NC
                SURGICAL SERVICE
TOTAL OPERATIONS BY SURGICAL PRIORITY
FROM: MAR 1,2001 TO: MAR 26,2001
```

---

```
GENERAL(OR WHEN NOT DEFINED BELOW)
```

```
1. ELECTIVE                1
2. URGENT                  1
3. EMERGENCY               2
4. ADD ON (NON-EMERGENT)  0
5. STANDBY                 1
```

```
TOTAL SURGICAL CASES:      5
```

## Example 2: Print Report of Surgical Priorities for all Operations

Select Management Reports Option: **P** Report of Surgical Priorities

### Report of Surgical Priorities

Start with Date: **3/1** (MAR 01, 2001)

End with Date: **T** (MAR 26, 2001)

Do you want to review this information sorted by Surgical Specialty ? YES// **N**

Print the Report on which Device: [**Select Print Device**]

-----*printout follows*-----

MAYBERRY, NC  
SURGICAL SERVICE  
TOTAL OPERATIONS BY SURGICAL PRIORITY  
FROM: MAR 1,2001 TO: MAR 26,2001

---

1. ELECTIVE	3
2. URGENT	2
3. EMERGENCY	2
4. ADD ON (NON-EMERGENT)	0
5. STANDBY	4
6. PRIORITY NOT ENTERED	4

TOTAL SURGICAL CASES: 15

## Report of Daily Operating Room Activity

The *Report of Daily Operating Room Activity* option generates a report listing cases started between 6:00 AM on the date selected and 5:59 AM of the following day for all operating rooms.

This report has a 132-column format and is designed to be copied to a printer.

Example: Print the Report of Daily Operating Room Activity

```
Select Management Reports Option: D Report of Daily Operating Room Activity
```

```
Print the Report of Daily Activity for which Date ? 3/9 (MAR 09, 2001)
```

```
This report will include all cases started between MAR 9, 2001 at 6:00 AM  
and MAR 10, 2001 at 5:59 AM.
```

```
It is designed to use a 132 column format.
```

```
Print the Report to which Device ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 DAILY REPORT OF OPERATING ROOM ACTIVITY  
 FOR: MAR 09, 2001

PATIENT ID # WARD	AGE	TIME IN OR TIME OUT OR CASE NUMBER	POSTOPERATIVE DIAGNOSIS PROCEDURE(S)	ANESTHESIOLOGIST PRIN. ANESTHETIST	SURGEON FIRST ASST. ATT SURGEON
=====					
OPERATING ROOM: OR1					
SURPATIENT, TWELVE 000-41-8719 1 NORTH 161-1	62	03/09 08:00 03/09 09:10 194	INGUINAL HERNIA INGUINAL HERNIA	SURANESTHESIOLOGIST, O SURANESTHETIST, F	SURSURGEON, E SURSURGEON, O SURSURGEON, T
OPERATING ROOM: OR3					
SURPATIENT, NINE 000-34-5555 OUTPATIENT	48	03/09 09:15 03/09 12:40 187	CHOLECYSTITIS CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM	SURANESTHESIOLOGIST, T SURANESTHETIST, O	SURSURGEON, T SURSURGEON, F SURSURGEON, T
OPERATING ROOM: OR5					
SURPATIENT, SIX 000-09-8797 1 WEST 101-1	50	03/09 19:56 03/09 21:05 188	APPENDICITIS APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY, CRAIN	SURANESTHESIOLOGIST, T SURANESTHETIST, F	SURSURGEON, S SURSURGEON, F SURSURGEON, F

## **PCE Filing Status Report**

The *PCE Filing Status Report* option provides a report of the Patient Care Encounter (PCE) filing status of completed cases performed during the selected date range in accordance with the site parameter controlling PCE updates. If this site parameter is turned off, the report will show no cases. The report may be printed for O.R. surgical cases, non-O.R. procedures or both. The report may also be printed for all specialties or for a single specialty only.

This report is intended to be used as a tool in the review of Surgery case information that is passed to PCE. The report uses 2 status categories:

- (1) FILED - This status indicates that case information has already been filed with PCE.
- (2) NOT FILED - This status indicates that the case information has not been filed with PCE. The case may or may not be missing information needed to file with PCE.

Two forms of the report are available: the short and the long forms. The short form uses an 80-column format and does not include surgeon/provider, attending, principal post-op diagnosis, and CPT and ICD-9 code information. The totals printed at the end will show only the total cases for each status.

The long form uses a 132-column format and prints case information including the surgeon/provider, the attending, the specialty, the principal post-op diagnosis, and the principal procedure. If the PCE filing status is FILED, the CPT codes and ICD diagnosis codes will be printed. If the filing status is NOT FILED, information fields needed for PCE filing that do not contain data will be printed. At the end of the report, the number of cases in each PCE filing status will be printed, plus the number of CPT and ICD codes for cases with a status of FILED.

The PCE Filing Status report will display missing clinical indicator data information, per encounter. This indicates to the user what information is missing. The report displays CPT codes that do not have an associated diagnostic code, and textual diagnoses that do not have a corresponding ICD diagnosis code.

### Example 1: PCE Filing Status Report (Short Form)

Select Management Reports Option: **PS** PCE Filing Status Report

#### Report of PCE Filing Status

This report displays the filing status of completed cases performed during the selected date range.

Print PCE filing status of completed cases for

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW) GENERAL(  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **6 8** (JUN 08, 2005)

End with Date: **6 10** (JUN 10, 2005)

Print the long form or the short form ? SHORT// **<Enter>**

Print the PCE Filing Status Report to which Printer ? **[Select Print Device]**

-----*printout follows*-----



ALBANY

PCE FILING STATUS REPORT

PAGE 1

For Completed O.R. Surgical Procedures

From: JUN 8,2005 To: JUN 10,2005

Report Printed: JUL 19,2005@10:40

DATE OF OPERATION CASE #	PATIENT NAME SPECIALTY PRINCIPAL PROCEDURE	PATIENT ID (AGE)	FILING STATUS SCHED STATUS
JUN 8,2005@07:00 277	SURPATIENT,TWELVE GENERAL(OR WHEN NOT TURP	000-14-6822 (80)	NOT FILED <NONE>

Missing Information:

1. CLASSIFICATION INFORMATION
2. PRINCIPAL PROCEDURE CODE
3. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE

JUN 10,2005@07:00 292	SURPATIENT,NINETYONE GENERAL(OR WHEN NOT APPENDECTOMY	000-06-1451 (53)	FILED <NONE>
JUN 10,2005@10:00 295	SURPATIENT,FORTYONE GENERAL(OR WHEN NOT REMOVE THYROID CYST	000-04-0550 (55)	FILED <NONE>

FILED: 2  
 NOT FILED: 1  
 -----  
 TOTAL CASES: 3

## Example 2: PCE Filing Status Report (Long Form)

Select CPT/ICD Coding Menu Option: **PS** PCE Filing Status Report

### Report of PCE Filing Status

This report displays the filing status of completed cases performed during the selected date range.

Print PCE filing status of completed cases for

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW) GENERAL(  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **6 8** (JUN 08, 2005)

End with Date: **6 10** (JUN 10, 2005)

Print the long form or the short form ? SHORT// **LONG**

Print the PCE Filing Status Report to which Printer ? **[Select Print Device]**

-----*printout follows*-----

ALBANY  
PCE FILING STATUS REPORT  
For Completed O.R. Surgical Procedures  
From: JUN 8,2005 To: JUN 10,2005  
Report Printed: JUL 19,2005@08:19

DATE OF OPERATION CASE #	PATIENT NAME PATIENT ID (AGE) PRINCIPAL PROCEDURE	SURGEON ATTENDING	SPECIALTY PRINCIPAL POST-OP DIAGNOSIS	PCE FILING STATUS SCHD STATUS
-----------------------------	---	----------------------	--	----------------------------------

JUN 8,2005@07:00 277	SURPATIENT,TWELVE 000-41-8719 (80) TURP	SURSURGEON,ONE SURSURGEON,ONE	GENERAL(OR WHEN NOT DEFINED BELOW) TURPY	NOT FILED <NONE>
-------------------------	---	----------------------------------	---	---------------------

Missing Information:

1. CLASSIFICATION INFORMATION
2. PRINCIPAL PROCEDURE CODE
3. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE

JUN 9,2005@15:00 280	SURPATIENT,FIFTEEN 000-98-1234 (60) HERNIA REPAIR	SURSURGEON,THREE SURSURGEON,ONE	GENERAL(OR WHEN NOT DEFINED BELOW) HERNIA, INGUINAL	NOT FILED <NONE>
-------------------------	---	------------------------------------	--	---------------------

Missing Information:

1. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE
2. OTHER PROCEDURE CPT MISSING ASSOCIATED DIAGNOSIS ICD CODE

JUN 10,2005@07:00 292	SURPATIENT,NINETYONE 000-06-1451 (53) APPENDECTOMY	SURSURGEON,ONE SURSURGEON,ONE	GENERAL(OR WHEN NOT DEFINED BELOW) NOT ENTERED	FILED <NONE>
--------------------------	--	----------------------------------	---	-----------------

CPT Code: 44950 APPENDECTOMY

ICD Diagnosis Code: 540.1 ABSCESS OF APPENDIX  
ICD Diagnosis Code: 560.31 GALLSTONE ILEUS

JUN 10,2005@10:00 295	SURPATIENT,FORTYONE 000-04-0550 (55) REMOVE THYROID CYST	SURSURGEON,THREE SURSURGEON,THREE	GENERAL(OR WHEN NOT DEFINED BELOW) THYROID CYST	FILED <NONE>
--------------------------	--	--------------------------------------	--	-----------------

CPT Code: 60200 REMOVE THYROID LESION

ICD Diagnosis Code: 246.2 CYST OF THYROID

	CPT CASES	ICD CODES	ICD CODES
FILED:	2	2	2
NOT FILED:	2		
TOTAL:	3	2	2

## Outpatient Encounters Not Transmitted to NPCD

Outpatient surgical and non-O.R. procedures that are filed as encounters in the PCE package without an active count clinic identified for each encounter are not transmitted to the National Patient Care Database (NPCD) as workload. The *Outpatient Encounters Not Transmitted to NPCD* option may be used as a tool for identifying these encounters that represent uncounted workload so that corrective actions may be taken in the Surgery package to insure these procedures are associated with an active count clinic. After corrections are made, these encounters may be re-filed with PCE to be transmitted to NPCD.

This option provides functionality:

- To count and/or list surgical cases and non-O.R. procedures that have entries in PCE but have no matching entries in the OUTPATIENT ENCOUNTER file or have matching entries that are non-count encounters or encounters requiring action.
- To re-file with PCE the cases identified as having no matching entries in the OUTPATIENT ENCOUNTER file or having matching entries that are non-count encounters or encounters requiring action.

Both the report and the re-filing process may be run for O.R. surgical cases, non-O.R. procedures or both. The report and the re-filing process may be run for a specific specialty or for all specialties and may be run for a selected date range.

### Example 1: Print List of Cases

```
Select Management Reports Option: NOX Outpatient Encounters Not Transmitted to
NPCD

      Outpatient Surgery Encounters Not Transmitted to NPCD

Surgical cases filed with PCE that have no Scheduling appointment status
or that have an appointment status of ACTION REQUIRED or NON-COUNT indicate
surgical encounters that have not transmitted to the National Patient
Care Database. This option is intended as a tool to identify these
encounters and, after taking appropriate corrective measures, to
reinitiate the encounter transmission process.

1. Print list of cases.
2. Print total number of cases only.
3. Re-file cases in PCE.

Select Number: 1// <Enter>

Print the list for the following.

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// <Enter>

Do you want the report for all Surgical Specialties ? YES// NO

Select Surgical Specialty: 50          GENERAL(OR WHEN NOT DEFINED BELOW)  GENERAL(
OR WHEN NOT DEFINED BELOW)          50

Start with Date: 5/1  (MAY 01, 2001)
End with Date: 5/15 (MAY 15, 2001)

Print report on which printer ? [Select Print Device]
-----printout follows-----
```

MAYBERRY, NC  
 Outpatient Surgery Encounters Not Transmitted to NPCD  
 For Completed O.R. Surgical Procedures  
 From: MAY 1,2001 To: MAY 15,2001  
 Report Printed: MAY 20,2001@06:44

DATE OF OPERATION PATIENT NAME PATIENT ID (AGE)	CASE # PRINCIPAL PROCEDURE	SPECIALTY	SCHED STATUS
MAY 1,2001@09:00 SURPATIENT,FOURTEEN 000-45-7212 (50)	63028 CHOLECYSTECTOMY	GENERAL(OR WHEN NOT	<NONE>
MAY 3,2001@05:45 SURPATIENT,SIXTY 000-56-7821 (42)	63092 CHOLEDOCHOTOMY	GENERAL(OR WHEN NOT	<NONE>
MAY 7,2001@07:15 SURPATIENT,TWELVE 000-41-8719 (73)	63142 REPAIR DIAPHRAGMATIC HERNIA	GENERAL(OR WHEN NOT	<NONE>
MAY 12,2001@06:00 SURPATIENT,NINE 000-34-5555 (64)	63191 INGUINAL HERNIA	GENERAL(OR WHEN NOT	<NONE>
MAY 14,2001@06:00 SURPATIENT,TWELVE 000-41-8719 (73)	63208 CHOLECYSTECTOMY	GENERAL(OR WHEN NOT	ACTION REQUIRED
MAY 15,2001@06:01 SURPATIENT,SIXTY 000-56-7821 (42)	63180 CHOLECYSTECTOMY	GENERAL(OR WHEN NOT	<NONE>

SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)

Total with NO status: 5  
 Total with NON-COUNT: 0  
 Total with ACTION REQUIRED: 1  
 -----  
 Total cases identified: 6

## Example 2: Print Total Number of Cases Only

Select Management Reports Option: **NOX** Outpatient Encounters Not Transmitted to NPCD

### Outpatient Surgery Encounters Not Transmitted to NPCD

Surgical cases filed with PCE that have no Scheduling appointment status or that have an appointment status of ACTION REQUIRED or NON-COUNT indicate surgical encounters that have not transmitted to the National Patient Care Database. This option is intended as a tool to identify these encounters and, after taking appropriate corrective measures, to reinitiate the encounter transmission process.

1. Print list of cases.
2. Print total number of cases only.
3. Re-file cases in PCE.

Select Number: 1// **2**

Print the list for the following.

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW) GENERAL(  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **5/1** (MAY 01, 2001)

End with Date: **5/15** (MAY 15, 2001)

Print report on which printer ? **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
Outpatient Surgery Encounters Not Transmitted to NPCD Page 1  
For Completed O.R. Surgical Procedures  
From: MAY 1,2001 To: MAY 15,2001  
Report Printed: MAY 20,2001@07:25

=====

SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)

Total with NO status:	5
Total with NON-COUNT:	0
Total with ACTION REQUIRED:	1
	-----
Total cases identified:	6

### Example 3: Re-File Cases in PCE

Select Management Reports Option: **NOX** Outpatient Encounters Not Transmitted to NPCD

#### Outpatient Surgery Encounters Not Transmitted to NPCD

Surgical cases filed with PCE that have no Scheduling appointment status or that have an appointment status of ACTION REQUIRED or NON-COUNT indicate surgical encounters that have not transmitted to the National Patient Care Database. This option is intended as a tool to identify these encounters and, after taking appropriate corrective measures, to reinitiate the encounter transmission process.

1. Print list of cases.
2. Print total number of cases only.
3. Re-file cases in PCE.

Select Number: 1// **3**

Re-file the following.

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **1**

Do you want re-filing for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW) GENERAL(  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **5/1** (MAY 01, 2001)  
End with Date: **5/15** (MAY 15, 2001)  
Requested Start Time: NOW// (MAY 20, 2001@07:37:32)  
(Task #652379)

Press RETURN to continue **<Enter>**



## **Surgery Staffing Reports**

### **[SR STAFFING REPORTS]**

The *Surgery Staffing Reports* menu provides access to several staffing related report options.

The options included in this submenu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option.

<b>Shortcut</b>	<b>Option Name</b>
A	<i>Attending Surgeon Reports</i>
S	<i>Surgeon Staffing Report</i>
N	<i>Surgical Nurse Staffing Report</i>
NS	<i>Scrub Nurse Staffing Report</i>
NC	<i>Circulating Nurse Staffing Report</i>

## Attending Surgeon Reports

### [SROATT]

The *Attending Surgeon Reports* option generates the Attending Surgeon Report, which provides staffing information for completed cases (Example 1). The Attending Surgeon Cumulative Report is a table with cumulative totals for each attending code (Example 2). You can print these reports separately or you can print both reports at one time.

The Attending Surgeon Report can be sorted by surgical specialty. They can also be generated for an individual surgeon, or for all attending surgeons.

The Attending Surgeon Report has a 132-column format and is designed to be copied to a printer. The Attending Surgeon Cumulative Report has an 80-column format and can be viewed on the screen.

#### Example 1: Print the Attending Surgeon Report

```
Select Surgery Staffing Reports Option: A Attending Surgeon Reports
```

```
Attending Surgeon Report
```

```
Starting with which Date ? 6/9 (JUN 09, 2004)  
Ending with which Date ? 6/18 (JUN 18, 2004)
```

```
Do you want to print the report for all Attending Surgeons ? YES// <Enter>
```

```
Attending Surgeon Reports
```

1. Attending Surgeon Report
2. Attending Surgeon Cumulative Report
3. Attending Surgeon Report and Attending Surgeon Cumulative Report

```
Select the number corresponding with the desired report(s): 1
```

```
Start report for each attending surgeon on a new page ? NO// <Enter>
```

```
Do you want the report for all Surgical Specialties ? YES// N
```

```
Print the Report for which Surgical Specialty ? 50 GENERAL(OR WHEN NOT DE  
FINED BELOW) GENERAL(OR WHEN NOT DEFINED BELOW) 50
```

```
The Attending Surgeon Report was designed to use a 132 column format.
```

```
Print the report on which Device ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 ATTENDING SURGEON REPORT  
 FROM: JUN 9,2004 TO: JUN 18,2004

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: JUN 20,2004

DATE CASE #	PATIENT ID# ATTENDING CODE	PRINCIPAL DIAGNOSIS PRINCIPAL OPERATIVE PROCEDURE	SURGEON 1ST ASST 2ND ASST
=====			
GENERAL(OR WHEN NOT DEFINED BELOW) =====			
ATTENDING SURGEON: SURSURGEON,TWO -----			
06/17/04 203	SURPATIENT,FOURTEEN 000-45-7212 LEVEL B: ATTENDING IN O.R., SCRUBBED	CHOLELITHIASIS CHOLECYSTECTOMY	SURSURGEON, ONE SURSURGEON, FOUR
06/18/04 202	SURPATIENT,SEVENTEEN 000-45-5119 LEVEL B: ATTENDING IN O.R., SCRUBBED	INCARCERATED INGUINAL HERNIA REPAIR INCARCERATED INGUINAL HERNIA	SURSURGEON, ONE SURSURGEON, FOUR
03/09/04 494	SURPATIENT,TWELVE 000-41-8719 ATTENDING CODE NOT ENTERED	INCARCERATED INGUINAL HERNIA INGUINAL HERNIA	SURSURGEON, THREE SURSURGEON, FOUR
ATTENDING SURGEON: SURSURGEON,ONE -----			
06/10/04 189	SURPATIENT,FIFTYONE 000-23-3221 LEVEL E: EMERGENCY CARE, ATTENDING CONTACTED ASAP	RUPTURED TUBOOVARIAN ABSCESS DRAINAGE OF OVARIAN CYST	SURSURGEON, FOUR
06/09/04 187	SURPATIENT,NINE 000-34-5555 LEVEL C: ATTENDING IN O.R., NOT SCRUBBED	CHOLECYSTITIS CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM	SURSURGEON, TWO SURSURGEON, FOUR SURSURGEON, THREE
ATTENDING SURGEON: SURSURGEON,FOUR -----			
06/09/04 188	SURPATIENT,SIX 000-09-8797 LEVEL D: ATTENDING IN O.R. SUITE, IMMEDIATELY AVAILABLE	APPENDICITIS APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY	SURSURGEON, SIX SURSURGEON, FOUR

## Example 2: Print the Attending Surgeon Cumulative Report

Select Surgery Staffing Reports Option: **A** Attending Surgeon Reports

Attending Surgeon Report

Starting with which Date ? **6/9** (JUN 09, 2004)

Ending with which Date ? **6/18** (JUN 18, 2004)

Do you want to print the report for all Attending Surgeons ? YES// **<Enter>**

Attending Surgeon Reports

1. Attending Surgeon Report
2. Attending Surgeon Cumulative Report
3. Attending Surgeon Report and Attending Surgeon Cumulative Report

Select the number corresponding with the desired report(s): **2**

Do you want the report for all Surgical Specialties ? YES// **N**

Print the Report for which Surgical Specialty ? **50** GENERAL(OR WHEN NOT DE  
FINED BELOW) GENERAL(OR WHEN NOT DEFINED BELOW) 50

The Attending Surgeon Cumulative Report was designed to use a 80 column format.

Print the report on which Device ? **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
SURGICAL SERVICE  
ATTENDING SURGEON CUMULATIVE REPORT  
FROM: JUN 9,2004 TO: JUN 18,2004

=====

GENERAL (OR WHEN NOT DEFINED BELOW)

ATTENDING CODE	TOTAL CASES
-----	-----
LEVEL B: ATTENDING IN O.R., SCRUBBED	2
LEVEL C: ATTENDING IN O.R., NOT SCRUBBED	1
LEVEL D: ATTENDING IN O.R. SUITE, IMMEDIATELY AVAILABLE	1
LEVEL E: EMERGENCY CARE, ATTENDING CONTACTED ASAP	1
* ATTENDING CODE NOT ENTERED	1
TOTAL CASES FROM 06/09/04 TO 06/18/04	6

## Surgeon Staffing Report

### [SROSUR]

The *Surgeon Staffing Report* option lists completed cases sorted by the surgeon and his or her role (i.e., attending, first assistant) for each case. The report provides the procedure, diagnosis and operation date/time.

This report has a 132-column format and is designed to be copied to a printer.

#### Example: Print Surgeon Staffing Report

```
Select Surgery Staffing Reports Option: S Surgeon Staffing Report
```

```
Surgeon Staffing Report
```

```
Start with Date: 3/2 (MAR 02, 2001)
```

```
End with Date: 3/31 (MAR 31, 2001)
```

```
Do you want to print this report for an individual surgeon ? YES// <Enter>
```

```
Select Surgeon: SURSURGEON,ONE
```

```
This report is designed to use a 132 column format.
```

```
Print the report on which Device ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 SURGEON STAFFING REPORT  
 FROM: MAR 2,2001 TO: MAR 31,2001

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: APR 20,2001

DATE/TIME CASE #	PATIENT ID #	OPERATION(S)	DIAGNOSIS
=====			
** SURSURGEON, ONE **			
ROLE: ATTENDING SURGEON			
MAR 09, 2001@09:15 187	SURPATIENT,NINE 000-34-5555	CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM	CHOLECYSTITIS
MAR 10, 2001@07:00 189	SURPATIENT,FIFTYONE 000-23-3221	DRAINAGE OF OVARIAN CYST	APPENDICITIS
MAR 10, 2001@14:00 200	SURPATIENT,FIFTY 000-45-9999	HEMORRHOIDECTOMY	EXTERNAL HEMORRHOIDS
ROLE: SURGEON			
MAR 10, 2001@08:00 199	SURPATIENT,TWO 000-45-1982	CHOLECYSTECTOMY WITH CHOLANGIOGRAM	CHOLELITHIASIS WITH BILIARY COLIC
MAR 17, 2001@12:55 203	SURPATIENT,FOURTEEN 000-45-7212	CHOLECYSTECTOMY	CHOLELITHIASIS
MAR 18, 2001@07:30 202	SURPATIENT,SEVENTEEN 000-45-5119	REPAIR INCARCERATED INGUINAL HERNIA	INCARCERATED INGUINAL HERNIA

## Surgical Nurse Staffing Report

### [SRONSR]

This option generates the Surgical Nurse Staffing Report that lists completed cases within a specified date range. It provides the names of the scrub nurse, the circulating nurse, and the operation times.

This report has a 132-column format and is designed to be copied to a printer.

#### Example: Print Surgical Nurse Staffing Report

```
Select Surgery Staffing Reports Option: N Surgical Nurse Staffing Report
```

```
Surgical Nurse Staffing Report
```

```
Do you want the report for all nurses ? YES// <Enter>
```

```
Start with Date: 3/9 (MAR 09, 2001)
```

```
End with Date: 3/10 (MAR 10, 2001)
```

```
This report is designed to use a 132 column format.
```

```
Print the report on which Device: [Select Print Device]
```

```
-----printout follows-----
```



MAYBERRY, NC  
 SURGICAL SERVICE  
 SURGICAL NURSE STAFFING REPORT  
 FROM: MAR 9,2001 TO: MAR 10,2001

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: MAR 20,2001

DATE CASE #	PATIENT ID#	OPERATION(S)	SCRUB NURSE	CIRC. NURSE	TIME IN TIME OUT ELAPSED (MINS)
03/09/01 194	SURPATIENT,TWELVE 000-41-8719	INGUINAL HERNIA	SURNURSE,TWO	SURNURSE,FIVE	08:00 09:10 70
03/09/01 187	SURPATIENT,NINE 000-34-5555	CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM	SURNURSE,THREE	SURNURSE,ONE	09:15 12:40 205
03/09/01 188	SURPATIENT,SIX 000-09-8797	APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY	SURNURSE,THREE	SURNURSE,SIX	19:56 21:05 69
03/10/01 189	SURPATIENT,FIFTYONE 000-23-3221	DRAINAGE OF OVARIAN CYST	SURNURSE,THREE	SURNURSE,SEVEN	07:00 08:54 114
03/10/01 199	SURPATIENT,TWO 000-45-1982	CHOLECYSTECTOMY WITH CHOLANGIOGRAM	SURNURSE,TWO	SURNURSE,FIVE	08:00 10:08 128
03/10/01 200	SURPATIENT,FIFTY 000-45-9999	HEMORRHOIDECTOMY	SURNURSE,THREE	SURNURSE,ONE	14:00 14:55 55

## Scrub Nurse Staffing Report

### [SROSNR]

The *Scrub Nurse Staffing Report* option lists each operating room scrub nurse and the completed cases they are assigned to within a specified date range. It also provides the circulating nurses, other scrub nurses, and operation times.

This report has a 132-column format and is designed to be copied to a printer.

#### Example: Print Scrub Nurse Staffing Report

```
Select Surgery Staffing Reports Option: NS Scrub Nurse Staffing Report
```

```
Scrub Nurse Staffing Report
```

```
Do you want the report for all nurses ? YES// <Enter>
```

```
Start with Date: 3/8 (MAR 08, 2001)
```

```
End with Date: 3/20 (MAR 20, 2001)
```

```
This report is designed to use a 132 column format.
```

```
Print the report on which Device: [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 SCRUB NURSE STAFFING REPORT  
 FROM: MAR 8,2001 TO: MAR 20,2001

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: MAR 22,2001

DATE CASE #	PATIENT ID#	OPERATION(S)	SCRUB NURSE	CIRC. NURSE	TIME IN TIME OUT ELAPSED (MINS)
*****					
** SURNURSE, SEVEN **					
03/18/01 202	SURPATIENT, SEVENTEEN 000-45-5119	REPAIR INCARCERATED INGUINAL HERNIA	SURNURSE, THREE SURNURSE, SEVEN	SURNURSE, ONE	07:30 09:03 93
** SURNURSE, THREE **					
03/09/01 187	SURPATIENT, NINE 000-34-5555	CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM	SURNURSE, THREE	SURNURSE, ONE	09:15 12:40 205
03/09/01 188	SURPATIENT, SIX 000-09-8797	APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY,	SURNURSE, THREE		19:56 21:05 69
03/10/01 189	SURPATIENT, FIFTYONE 000-23-3221	DRAINAGE OF OVARIAN CYST	SURNURSE, THREE	SURNURSE, SEVEN	07:00 08:54 114
03/10/01 200	SURPATIENT, FIFTY 000-45-9999	HEMORRHOIDECTOMY	SURNURSE, THREE	SURNURSE, ONE	14:00 14:55 55
03/17/01 203	SURPATIENT, FOURTEEN 000-45-7212	CHOLECYSTECTOMY	SURNURSE, THREE	SURNURSE, ONE	12:55 14:30 95
03/18/01 202	SURPATIENT, SEVENTEEN 000-45-5119	REPAIR INCARCERATED INGUINAL HERNIA	SURNURSE, THREE SURNURSE, SEVEN	SURNURSE, ONE	07:30 09:03 93

## Circulating Nurse Staffing Report

### [SROCNR]

The *Circulating Nurse Staffing Report* option provides nurse staffing information, sorted by the circulating nurse's name. It lists the circulating nurses and the completed cases they are assigned to within a specified date range. The report includes the scrub nurse, other circulating nurses, and operation times.

This report has a 132-column format and is designed to be copied to a printer.

#### Example: Print Circulating Nurse Staffing Report

```
Select Surgery Staffing Reports Option: NC Circulating Nurse Staffing Report
```

```
Circulating Nurse Staffing Report
```

```
Do you want the report for all nurses ? YES// <Enter>
```

```
Start with Date: 3/2 (MAR 02, 2001)
```

```
End with Date: 3/31 (MAR 31, 2001)
```

```
This report is designed to use a 132 column format.
```

```
Print the report on which Device: [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 CIRCULATING NURSE STAFFING REPORT  
 FROM: MAR 2, 2001 TO: MAR 31, 2001

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: APR 21, 2001

DATE CASE #	PATIENT ID#	OPERATION(S)	SCRUB NURSE	CIRC. NURSE	TIME IN TIME OUT ELAPSED (MINS)
=====					
** SURNURSE, SEVEN **					
03/10/01 189	SURPATIENT, FIFTYONE 000-23-3221	DRAINAGE OF OVARIAN CYST	SURNURSE, THREE	SURNURSE, SEVEN	07:00 08:54 114
** SURNURSE, ONE **					
03/09/01 187	SURPATIENT, NINE 000-34-5555	CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM	SURNURSE, THREE	SURNURSE, ONE	09:15 12:40 205
03/10/01 200	SURPATIENT, FIFTY 000-45-9999	HEMORRHOIDECTOMY	SURNURSE, THREE	SURNURSE, ONE	14:00 14:55 55
03/17/01 203	SURPATIENT, FOURTEEN 000-45-7212	CHOLECYSTECTOMY	SURNURSE, THREE	SURNURSE, ONE	12:55 14:30 95
03/18/01 202	SURPATIENT, SEVENTEEN 000-45-5119	REPAIR INCARCERATED INGUINAL HERNIA	SURNURSE, THREE SURNURSE, SEVEN	SURNURSE, ONE	07:30 09:03 93
** SURNURSE, TWO **					
03/03/01 205	SURPATIENT, SIXTY 000-56-7821	REMOVE CATARACTS, RETRO BULBAR BLOCK	SURNURSE, THREE	SURNURSE, TWO	09:00 09:20

## Anesthesia Reports

### [SR ANESTH REPORTS]

The *Anesthesia Reports* menu provides options for printing various anesthesia reports.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option:

Shortcut	Option Name
P	<i>List of Anesthetic Procedures</i>
D	<i>Anesthesia Provider Report</i>

Page 297 has been deleted. The *Anesthesia AMIS* option has been removed.

Page 298 has been deleted. The *Anesthesia AMIS* option has been removed.



## List of Anesthetic Procedures

### [SROANP]

The *List of Anesthetic Procedures* option generates a report listing each completed case within the date range selected. It sorts by date order and provides the anesthesia personnel. This report also provides the anesthesia start, end, and elapsed times for each case.

After the user enters the date range, the software will ask whether the user wants the List of Anesthetic Procedures to include 1) only operating room surgical procedures, 2) non-O.R. procedures, or 3) both.

These reports have a 132-column format and are designed to be copied to a printer.

Example 1: Print the List of Anesthetic Procedures for only O.R. Surgical Procedures

```
Select Anesthesia Reports Option: P List of Anesthetic Procedures
```

```
List of Anesthetic Procedures
```

```
Start with Date: 8/8 (AUG 08, 2001)
End with Date: 8/25 (AUG 25, 2001)
```

```
Print List of Anesthetic Procedures for
```

1. O.R. Surgical Procedures.
2. Non-O.R. Procedures.
3. Both O.R. Surgical Procedures and Non-O.R. Procedures.

```
Select Number: 1// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device: [Select Print Device]
```

-----printout follows-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF ANESTHETIC PROCEDURES  
 FROM: AUG 8,2001 TO: AUG 25,2001

PAGE: 1

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: SEP 21,2001

O.R. SURGICAL PROCEDURES

DATE CASE #	PATIENT ID# ASA CLASS	PRINCIPAL DIAGNOSIS PROCEDURE(S)	PRIN ANESTHETIST ANESTH TECHNIQUE ANESTH AGENT	START TIME END TIME ELAPSED
08/08/01 08:00 63085	SURPATIENT,NINE 000-34-5555 MILD DISTURB.	ABDOMINAL WOUND DEHISCENSE CLOSURE ABDOMINAL DEHISCENSE	SURANESTHETIST,ONE GENERAL DESFLURANE 240ML BTL 90	08:00 10:30 90
08/12/01 08:30 63090	SURPATIENT,SIX 000-09-8797 SEVERE DISTURB.	CA OF LARYNX LARYNGECTOMY	SURANESTHETIST,FOUR GENERAL SUFENTANIL CITRATE 5 120	08:35 10:35 120
08/16/01 08:00 63094	SURPATIENT,FOURTEEN 000-45-7212 NO DISTURB.	LESION RT EAR LOBE EXC LESION LESIO RT EAR LOBE	SURANESTHETIST,ONE LOCAL LIDOCAINE 2% (20MG/M 25	08:05 08:30 25
08/21/01 06:00 63100	SURPATIENT,FORTYONE 000-43-2109 MILD DISTURB.	DIAGNOSTIC COLONOSCOPY COLONOSCOPY	SURANESTHETIST,TWO GENERAL PROPOFOL 20ML INJ	06:00 07:05 65
08/21/01 07:00 63104	SURPATIENT,THREE 000-21-2453 SEVERE DISTURB.	PARATHYROID ADENOMA PARATHYROID EXPLORATION AND EXCISION ADENOMA	SURANESTHETIST,FOUR GENERAL SUFENTANIL CITRATE 5 120	07:00 09:00 120
08/22/01 10:10 63106	SURPATIENT,FIFTYTWO 000-99-8888 MILD DISTURB.	HX OF POLYP COLONOSCOPY, POLYPECTOMY	SURANESTHETIST,ONE GENERAL PROPOFOL 20ML INJ	10:15 11:15 60
08/22/01 09:56 63110	SURPATIENT,SIXTY 000-56-7821 MILD DISTURB.	CHOLECYSTITIS LAP CHOLE	SURANESTHETIST,TWO GENERAL DESFLURANE 240ML BTL 115	10:00 11:55 115
08/24/01 14:55 63115	SURPATIENT,FOURTEEN 000-45-7212 MILD DISTURB.	INGUINAL HERNIA INGUINAL HERNIA REPAIR	SURANESTHETIST,FOUR GENERAL PROPOFOL 20ML INJ	14:55 16:05 70

## Example 2: Print the List of Anesthetic Procedures for only Non-OR Procedures

Select Anesthesia Reports Option: **P** List of Anesthetic Procedures

List of Anesthetic Procedures

Start with Date: **1/1** (JAN 01, 2001)  
End with Date: **1/7** (JAN 07, 2001)

Print List of Anesthetic Procedures for

1. O.R. Surgical Procedures.
2. Non-O.R. Procedures.
3. Both O.R. Surgical Procedures and Non-O.R. Procedures.

Select Number: 1// **2**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF ANESTHETIC PROCEDURES  
 FROM: JAN 1,2001 TO: JAN 7,2001

PAGE: 1

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: JAN 15,2001

NON-O.R. PROCEDURES

DATE CASE #	PATIENT ID# ASA CLASS	PRINCIPAL DIAGNOSIS PROCEDURE(S)	PRIN ANESTHETIST ANESTH TECHNIQUE ANESTH AGENT	START TIME END TIME ELAPSED
01/02/01 51051	SURPATIENT, SIXTEEN 000-11-1111 MILD DISTURB.	TB BRONCHOSCOPY	SURANESTHETIST, ONE GENERAL PHENOBARBITAL SODIUM	09:43 10:25 42
01/02/01 51053	SURPATIENT, SIXTEEN 000-11-1111 MILD DISTURB.	ILEITIS COLONOSCOPY	SURANESTHETIST, TWO OTHER FENTANYL 250MCG/5ML	10:00 11:10 70
01/02/01 51057	SURPATIENT, SEVEN 000-84-0987 NO DISTURB.	ESOPHAGEAL VARICES ESOPHAGOSCOPY	SURANESTHETIST, FOUR GENERAL PROPOFOL 20ML INJ	13:10 13:45 35
01/04/01 51169	SURPATIENT, SIXTY 000-56-7821 MILD DISTURB.	HISTOPLASMOSIS BRONCHOSCOPY	SURANESTHETIST, THREE OTHER FENTANYL 250MCG/5ML	08:20 09:15 55
01/04/01 88	SURPATIENT, FORTY 000-77-7777 NO DISTURB.	CARDIAC ARRYTHMIA CARDIOVERSION	SURANESTHETIST, TWO GENERAL PHENOBARBITAL 30MG/7	18:50 19:25 35
01/07/01 51181	SURPATIENT, TEN 000-12-3456 MILD DISTURB.	HISTOPLASMOSIS BRONCHOSCOPY	SURANESTHETIST, THREE OTHER FENTANYL 250MCG/5ML	10:05 11:05 60
01/07/01 51185	SURPATIENT, EIGHT 000-37-0555 MILD DISTURB.	CHRONIC DEPRESSION ELECTROCONVULSIVE THERAPY	SURANESTHETIST, TWO OTHER MIDAZOLAM 1MG/1ML 2M	13:10 13:35 25

## Anesthesia Provider Report

### [SROADOC]

The *Anesthesia Provider Report* option provides information concerning the anesthesia staff and techniques for completed cases within a selected date range. This report can be generated for all anesthesia providers or the user can specify one. It sorts the cases by the principal anesthetist and includes information on anesthesia personnel, technique, agent, level of supervision, and elapsed anesthesia time.

This report has a 132-column format and is designed to be copied to a printer.

Example: Print the Anesthesia Provider Report

```
Select Anesthesia Reports Option: D Anesthesia Provider Report
```

```
Anesthesia Provider Report
```

```
Start with Date: 3/2 (MAR 02, 2001)  
End with Date: 3/15 (MAR 15, 2001)
```

```
Do you want to print the report for all Anesthesia Providers ? YES// N
```

```
Print the report for which Anesthesia Provider ? SURANESTHETIST,ONE
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device: [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 ANESTHESIA PROVIDER REPORT  
 FROM: MAR 23,2001 TO: MAR 24,2001

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: MAR 29,2001

DATE CASE #	PATIENT ID#	PROCEDURE(S)	SUPERVISOR RELIEF ANESTH ASST ANESTH	ASA CLASS PRINCIPAL TECHNIQUE ANESTHESIA AGENT	LEVEL OF SUPERVISION ELAPSED ANES TIME
***** SURANESTHETIST,ONE *****					
03/23/01 54014	SURPATIENT, O 000-44-7629	ESS, SEPTO,WITH LEFT TURBINECTOMY SCAR REVISION	SURANESTHETIST,T SURANESTHETIST,F	MILD DISTURB. GENERAL DESFLURANE 240ML BTL	1 105 MINS.
03/23/01 54020	SURPATIENT, F 000-45-7212	COLONOSCOPY/ATTEMPTED	SURANESTHETIST,T SURANESTHETIST,S	MILD DISTURB. GENERAL DESFLURANE 240ML BTL	1 55 MINS.
03/23/01 54050	SURPATIENT, N 000-34-5555	CYSTO, RETROGRADE, STENT	SURANESTHETIST,T SURANESTHETIST,F	MILD DISTURB. GENERAL DESFLURANE 240ML BTL	1 45 MINS.
03/24/01 54023	SURPATIENT, F 000-58-7963	COLONOSCOPY/POLYPECTOMY	SURANESTHETIST,T SURANESTHETIST,S	SEVERE DISTURB. GENERAL PROPOFOL 20ML INJ	1 50 MINS.
03/24/01 54025	SURPATIENT, E 000-37-0555	COLONOSCOPY	SURANESTHETIST,T SURANESTHETIST,F	MILD DISTURB. GENERAL DESFLURANE 240ML BTL	1 65 MINS.
03/24/01 54024 NON-OR	SURPATIENT, S 000-56-7821	CARDIOVERSION	SURANESTHETIST,T SURANESTHETIST,S	SEVERE DISTURB. GENERAL MIDAZOLAM 1MG/1ML 2M	1 35 MINS.
03/24/01 54058	SURPATIENT, S 000-45-5119	HEMORRHOIDECTOMY	SURANESTHETIST,T SURANESTHETIST,F	SEVERE DISTURB. SPINAL BUPIVACAINE 0.25%	1 45 MINS.
03/24/01 54079	SURPATIENT, F 000-99-8888	EXPL LAP, LYSIS OF ADHESIONS	SURANESTHETIST,T SURANESTHETIST,F SURANESTHETIST,S	SEVERE DIST.-EMERG GENERAL DESFLURANE 240ML BTL	1 120 MINS.

## CPT Code Reports

### [SR CPT REPORTS]

The *CPT Code Reports* menu contains reports based on CPT codes.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option.

<b>Shortcut</b>	<b>Option Name</b>
C	<i>Cumulative Report of CPT Codes</i>
A	<i>Report of CPT Coding Accuracy</i>
M	<i>List Completed Cases Missing CPT Codes</i>

## Cumulative Report of CPT Codes

### [SROACCT]

The *Cumulative Report of CPT Codes* option counts and reports the number of times a procedure was performed (based on CPT codes) during a specified date range. There is also a column showing how many times the procedure was in the Principal Procedure category, and how many times it was in the Other Operative Procedure category.

After the date range is entered, the software will ask if the user wants the Cumulative Report of CPT Codes to include 1) only operating room surgical procedures, 2) non-O.R. procedures, or 3) both.

These reports have a 132-column format and are designed to be copied to a printer.

#### Example 1: Print the Cumulative Report of CPT Codes for only OR Surgical Procedures

```
Select CPT Code Reports Option: C Cumulative Report of CPT Codes
```

```
Cumulative Report of CPT Codes
```

```
Start with Date: 3/28 (MAR 28, 2001)
```

```
End with Date: 4/3 (APR 03, 2001)
```

```
Include which cases on the Cumulative Report of CPT Codes ?
```

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures.

```
Select Number: 1// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Select Device: [Select Print Device]
```

-----printout follows-----



MAYBERRY, NC  
 SURGICAL SERVICE  
 CUMULATIVE REPORT OF CPT CODES  
 FROM: MAR 28,2001 TO: APR 3,2001

REVIEWED BY  
 DATE REVIEWED:

O.R. SURGICAL PROCEDURES

CPT CODE - SHORT DESCRIPTION	TOTAL PROCEDURES	TOTAL PRINCIPAL PROCEDURES	TOTAL OTHER PROCEDURES
10060 DRAINAGE OF SKIN ABSCESS	1	1	0
11440 REMOVAL OF SKIN LESION	1	1	0
11441 REMOVAL OF SKIN LESION	4	4	0
11641 REMOVAL OF SKIN LESION	4	2	2
24075 REMOVE ARM/ELBOW LESION	1	1	0
26989 HAND/FINGER SURGERY	1	1	0
30520 REPAIR OF NASAL SEPTUM	1	1	0
31231 NASAL ENDOSCOPY, DX	1	0	1
45315 PROCTOSIGMOIDOSCOPY	1	0	1
45330 SIGMOIDOSCOPY, DIAGNOSTIC	7	7	0
45333 SIGMOIDOSCOPY & POLYPECTOMY	1	1	0
45378 DIAGNOSTIC COLONOSCOPY	2	2	0
45385 COLONOSCOPY, LESION REMOVAL	3	3	0
47600 REMOVAL OF GALLBLADDER	1	0	1
49000 EXPLORATION OF ABDOMEN	1	1	0
49505 REPAIR INGUINAL HERNIA	2	1	1
66984 REMOVE CATARACT, INSERT LENS	4	3	1
68801 DILATE TEAR DUCT OPENING	1	1	0

## Example 2: Print the Cumulative Report of CPT Codes for only Non-O.R. Procedures

Select CPT Code Reports Option: **C** Cumulative Report of CPT Codes

Cumulative Report of CPT Codes

Start with Date: **7 1 01** (JUL 01, 2001)

End with Date: **12 31 01** (DEC 31, 2001)

Include which cases on the Cumulative Report of CPT Codes ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures.

Select Number: 1// **2**

This report is designed to use a 132 column format.

Select Device: [**Select Print Device**]

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 CUMULATIVE REPORT OF CPT CODES  
 FROM: JUL 1,2001 TO: DEC 31,2001

REVIEWED BY  
 DATE REVIEWED:

NON-O.R. PROCEDURES

CPT CODE - SHORT DESCRIPTION	TOTAL PROCEDURES	TOTAL PRINCIPAL PROCEDURES	TOTAL OTHER PROCEDURES
10060 DRAINAGE OF SKIN ABSCESS	2	2	0
10061 DRAINAGE OF SKIN ABSCESS	1	1	0
11040 DEBRIDE SKIN PARTIAL	8	8	0
11042 DEBRIDE SKIN/TISSUE	1	1	0
11100 BIOPSY OF SKIN LESION	11	11	0
11402 REMOVAL OF SKIN LESION	1	1	0
11420 REMOVAL OF SKIN LESION	1	1	0
11620 REMOVAL OF SKIN LESION	1	1	0
11640 REMOVAL OF SKIN LESION	1	1	0
11730 REMOVAL OF NAIL PLATE	1	1	0
11750 REMOVAL OF NAIL BED	1	1	0
12001 REPAIR SUPERFICIAL WOUND(S)	3	3	0
12011 REPAIR SUPERFICIAL WOUND(S)	2	2	0
14060 SKIN TISSUE REARRANGEMENT	1	1	0
15782 ABRASION TREATMENT OF SKIN	1	1	0
17340 CRYOTHERAPY OF SKIN	1	1	0
20550 INJ TENDON/LIGAMENT/CYST	23	23	0
29799 CASTING/STRAPPING PROCEDURE	1	1	0
46083 INCISE EXTERNAL HEMORRHOID	2	2	0

## Report of CPT Coding Accuracy

### [SR CPT ACCURACY]

The *Report of CPT Coding Accuracy* option lists cases sorted by the CPT code used in the PRINCIPAL PROCEDURES field and OTHER OPERATIVE PROCEDURES field. This option is designed to help check the accuracy of the coding procedures.

#### About the prompts

"Do you want to print the Report of CPT Coding Accuracy for all CPT Codes ?" The user should reply **NO** to this prompt to produce the report for only one CPT code. The software will then prompt the user to enter the CPT code or category.

"Do you want to sort the Report of CPT Coding Accuracy by Surgical Specialty ?" The user should press the **<Enter>** key if he or she wants to sort the report by specialty. The user would enter **NO** to sort the report by date only.

"Do you want to print the Report to Check Coding Accuracy for all Surgical Specialties ?" The user can enter the code or name of the surgical service he or she wants the report to be based on or can press the **<Enter>** key to print the report for all surgical specialties.

Example 1: Print the Report of CPT Coding Accuracy for OR Surgical Procedures, sorted by Surgical Specialty

```
Select CPT Code Reports Option: A Report of CPT Coding Accuracy
```

```
Report to Check CPT Coding Accuracy
```

```
Start with Date: 10 8 01 (OCT 08, 2001)
```

```
End with Date: 10 8 01 (OCT 08, 2001)
```

```
Print the Report of CPT Coding Accuracy for which cases ?
```

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

```
Select Number: 1// <Enter>
```

```
Do you want to print the Report of CPT Coding Accuracy for all  
CPT Codes ? YES// <Enter>
```

```
Do you want to sort the Report of CPT Coding Accuracy by  
Surgical Specialty ? YES// <Enter>
```

```
Do you want to print the Report to Check Coding Accuracy for all  
Surgical Specialties ? YES// NO
```

```
Print the Coding Accuracy Report for which Surgical Specialty ? 50          GENERA  
L(OR WHEN NOT DEFINED BELOW) GENERAL(OR WHEN NOT DEFINED BELOW)          50
```

```
This report is designed to use a 132 column format.
```

```
Select Device: [Select Print Device]
```

-----printout follows-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FOR GENERAL (OR WHEN NOT DEFINED BELOW)  
 FROM: OCT 8, 2001 TO: OCT 8, 2001

REVIEWED BY:  
DATE REVIEWED:

O.R. SURGICAL PROCEDURES

PROCEDURE DATE CASE #	PATIENT ID#	PROCEDURES	SURGEON/PROVIDER ATTEND SURG/PROV
===== 47600 REMOVAL OF GALLBLADDER PRINCIPAL PROCEDURES DESCRIPTION: CHOLECYSTECTOMY; =====			
10/08/01 07:00 63072 SURSURGEON, FOUR	SURPATIENT, EIGHTEEN 000-22-3334	CHOLECYSTECTOMY CPT Codes: 47600-22	SURSURGEON, TWO
===== 47605 REMOVAL OF GALLBLADDER OTHER PROCEDURES DESCRIPTION: CHOLECYSTECTOMY; WITH CHOLANGIOGRAPHY =====			
10/08/01 10:00 63077	SURPATIENT, TWELVE 000-41-8719	INGUINAL HERNIA, OTHER OPERATIONS: CHOLECYSTECTOMY ( CPT Codes: 49521, 47605-22	SURSURGEON, FOUR SURSURGEON, FOUR
===== 49505 REPAIR INGUINAL HERNIA PRINCIPAL PROCEDURES DESCRIPTION: REPAIR INITIAL INGUINAL HERNIA, AGE 5 YEARS OR OVER; REDUCIBLE =====			
10/08/01 06:00 63071	SURPATIENT, FOUR 000-45-7212	INGUINAL HERNIA CPT Codes: 49505	SURSURGEON, FOUR SURSURGEON, SIXTEEN
=====			

## Example 2: Print the Report of CPT Coding Accuracy for OR Surgical Procedures, sorted by Date

Select CPT Code Reports Option: **A** Report of CPT Coding Accuracy

Report to Check CPT Coding Accuracy

Start with Date: **10 1 01** (OCT 01, 2001)

End with Date: **10 7 01** (OCT 07, 2001)

Print the Report of CPT Coding Accuracy for which cases ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// **<Enter>**

Do you want to print the Report of CPT Coding Accuracy for all  
CPT Codes ? YES// **<Enter>**

Do you want to sort the Report of CPT Coding Accuracy by  
Surgical Specialty ? YES// **N**

This report is designed to use a 132 column format.

Select Device: **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FROM: OCT 1,2001 TO: OCT 7,2001

REVIEWED BY:  
 DATE REVIEWED:

O.R. SURGICAL PROCEDURES

PROCEDURE DATE CASE #	PATIENT ID# SPECIALTY	PROCEDURES	SURGEON/PROVIDER ATTEND SURG/PROV
----- 31365 REMOVAL OF LARYNX PRINCIPAL PROCEDURES DESCRIPTION: LARYNGECTOMY; TOTAL, WITH RADICAL NECK DISSECTION -----			
10/03/01 07:00 63059	SURPATIENT,NINETEEN 000-28-7354 THORACIC SURGERY (INC. CARDIAC SURG.)	PULMONARY LOBECTOMY CPT Codes: 31365	SURSURGEON, SEVENTEEN SURSURGEON, FOUR
----- 32440 REMOVAL OF LUNG PRINCIPAL PROCEDURES DESCRIPTION: REMOVAL OF LUNG, TOTAL PNEUMONECTOMY; -----			
10/03/01 10:00 63060	SURPATIENT, TWENTY 000-45-4886 THORACIC SURGERY (INC. CARDIAC SURG.)	PULMONARY LOBECTOMY CPT Codes: 32440	SURSURGEON, FOUR SURSURGEON, FOUR
10/04/01 06:00 63069	SURPATIENT, TEN 000-12-3456 THORACIC SURGERY (INC. CARDIAC SURG.)	PULMONARY LOBECTOMY CPT Codes: 32440	SURSURGEON, TWO SURSURGEON, TWO
----- 32480 PARTIAL REMOVAL OF LUNG PRINCIPAL PROCEDURES DESCRIPTION: REMOVAL OF LUNG, OTHER THAN TOTAL PNEUMONECTOMY; SINGLE LOBE (LOBECTOMY) -----			
10/03/01 06:00 63049	SURPATIENT, TWELVE 000-41-8719 THORACIC SURGERY (INC. CARDIAC SURG.)	PULMONARY LOBECTOMY CPT Codes: 32480	SURSURGEON, TWO SURSURGEON, ONE
10/03/01 07:00 63050	SURPATIENT, SEVENTEEN 000-45-5119 THORACIC SURGERY (INC. CARDIAC SURG.)	PULMONARY LOBECTOMY CPT Codes: 32480	SURSURGEON, TWO SURSURGEON, TWO

### Example 3: Print the Report of CPT Coding Accuracy for Non-O.R. Procedures, sorted by CPT Code and Medical Specialty

Select CPT Code Reports Option: **A** Report of CPT Coding Accuracy

Report to Check CPT Coding Accuracy

Start with Date: **1 1 01** (JAN 01, 2001)  
End with Date: **8 31 01** (AUG 31, 2001)

Print the Report of CPT Coding Accuracy for which cases ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// **2**

Do you want to print the Report of CPT Coding Accuracy for all CPT Codes ? YES// **N**

Print the Coding Accuracy Report for which CPT Code ? **92960**  
HEART ELECTROCONVERSION  
CARDIOVERSION, ELECTIVE, ELECTRICAL CONVERSION OF  
ARRHYTHMIA, EXTERNAL

Do you want to sort the Report of CPT Coding Accuracy by Medical Specialty ? YES// **<Enter>**

Do you want to print the Report to Check Coding Accuracy for all Medical Specialties ? YES// **N**

Print the Coding Accuracy Report for which Medical Specialty ? **MEDICINE**

This report is designed to use a 132 column format.

Select Device: **[Select Print Device]**

-----*printout follows*-----



MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FOR MEDICINE  
 FROM: JAN 1,2001 TO: AUG 31,2001

REVIEWED BY:  
 DATE REVIEWED:

NON-O.R. PROCEDURES

PROCEDURE CASE #	DATE	PATIENT ID#	PROCEDURES	SURGEON/PROVIDER ATTEND SURG/PROV
===== 92960 HEART ELECTROCONVERSION PRINCIPAL PROCEDURES DESCRIPTION: CARDIOVERSION, ELECTIVE, ELECTRICAL CONVERSION OF ARRHYTHMIA, EXTERNAL =====				
01/24/95 15499		SURPATIENT, SEVENTEEN 000-45-5119	CARDIOVERSION CPT Codes (92960)	SURSURGEON, TWO SURSURGEON, TWO
02/09/95 15701		SURPATIENT, NINE 000-34-5555	CARDIOVERSION CPT Codes (92960)	SURSURGEON, ONE SURSURGEON, TWO
03/29/95 15912		SURPATIENT, FIFTEEN 000-98-1234	CARDIOVERSION CPT Codes (92960)	SURSURGEON, THREE
08/04/95 16669		SURPATIENT, SIX 000-09-8797	CARDIOVERSION ( CPT Codes (92960)	SURSURGEON, TWO SURSURGEON, FOUR
08/25/95 16828		SURPATIENT, TWO 000-45-1982	CARDIOVERSION CPT Codes (92960)	SURSURGEON, TWO SURSURGEON, TWO

## List Completed Cases Missing CPT Codes

### [SRSCPT]

The *List Completed Cases Missing CPT Codes* option generates a report of completed cases that are missing the Principal CPT code for a specified date range. Only procedures that have CPT codes will be counted on the Annual Report of Surgical Procedures.

After the date range has been entered, the software will ask if the user wants the Cumulative Report of CPT Codes to include: 1) only operating room surgical procedures, 2) non-O.R. procedures, or 3) both.

This report is in an 80-column format and can be viewed on the screen.

#### Example: List Completed Cases Missing CPT Codes

```
Select CPT Code Reports Option: M List Completed Cases Missing CPT Codes
```

```
Print list of Completed Cases Missing CPT Codes for
```

1. OR Surgical Procedures.
2. Non-OR Procedures.
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

```
Select Number: 1// 1
```

```
Do you want the list for all Surgical Specialties ? YES// <Enter>
```

```
Start with Date: 2/1 (FEB 01, 2005)  
End with Date: 4/30 (APR 30, 2005)
```

```
Print the List of Cases Missing CPT codes to which Printer ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 Completed Cases Missing CPT Codes  
 O.R. Surgical Procedures  
 From: FEB 1,2005 To: APR 30,2005  
 Specialty: GENERAL(OR WHEN NOT DEFINED BELOW)

Operation Date Case #	Patient (ID#)	Surgeon/Provider
FEB 01, 2005 53708	SURPATIENT,TWO (000-45-1982) * EXC LEFT PREAURICULAR LESION	SURSURGEON,TWO
FEB 08, 2005 53747	SURPATIENT,FIVE (000-58-7963) * EXCISION LESIONS SCALP	SURSURGEON,ONE
MAR 12, 2005 53973	SURPATIENT,SEVEN (000-84-0987) * COLONOSCOPY	SURSURGEON,TWO
MAR 23, 2005 54030	SURPATIENT,FORTYONE (000-43-2109) * COLONOSCOPY/ATTEMPTED	SURSURGEON,ONE
APR 27, 2005 54325	SURPATIENT,THIRTY (000-82-9472) * EXCISION RT FOREARM LESIONS * EXC LESION, RT EAR * EXC LESION, RT FOREHEAD * EXC LESION RT SCALP * RXC LESION, NOSE * EXC LESION, LEFT EAR * EXC LESION, LEFT FOREARM * EXC LESION, TOP OF HEAD * EXC LESION, LEFT NECK	SURSURGEON,SEVENTEEN

*(This page included for two-sided copying.)*

# Laboratory Interim Report

[SRO-LRRP]

The *Laboratory Interim Report* option accesses the Laboratory Package to show what lab tests the patient has had. This option will print or display interim reports for a selected patient, within a given time period. The printout will go in inverse date order. This report will output all tests for the time period specified. This option only prints verified results and does not output the microbiology reports.

Example: Print Laboratory Interim Report

```
Select Surgery Menu Option: L Laboratory Interim Report
```

```
Select Patient Name: SURPATIENT,SIXTY          03-03-59      000567821      NO
NON-VETERAN (OTHER)
Date to START with: TODAY//5 15 01 (MAY 15, 2001)
Date to END with: T-7//5 1 01 (MAY 01, 2001)
DEVICE: [Select Print Device]
```

-----printout follows-----

SURPATIENT,SIXTY 09/21/2001 1:21 pm  
SSN: 000-56-7821 SEX: F AGE: 42 LOC: LRC

Provider: SURSURGEON,FOUR  
Specimen: SERUM  
Accession [UID]: CH 0513 1 [3471330001]

05/13/1997 07:00

Test name	Result	units	Ref.	range
GLUCOSE	87	mg/dL	60	- 123
UREA NITROGEN	22	mg/dL	11	- 24
CREATININE	1.8	mg/dl	1	- 2.1
POTASSIUM	4.4	meq/L	3.5	- 4.8
SODIUM	143	meq/L	135	- 145
CHLORIDE	103	meq/L	95	- 105
CO2	27.0	meq/L	20	- 32
CALCIUM	8.7	mg/dL	8.5	- 11

=====  
KEY: "L"=Abnormal low, "H"=Abnormal high, "\*"=Critical value

SURPATIENT,SIXTY 000-56-7821 09/21/2001 1:21 pm PRESS '^' TO STOP

# Chapter Four: Chief of Surgery Reports

---

## Introduction

This chapter describes options and reports for the exclusive use of the Surgical Service Chief, or his or her designee. The Chief has access to lists of cancellations, the Morbidity and Mortality Report, and Patient Occurrences.

## Exiting an Option or the System

The user should enter an up-arrow (^) to stop what he or she is doing. The up-arrow can be used at almost any prompt to terminate the line of questioning and return to the previous level in the routine. Continuing to enter up-arrows will cause the user to completely exit the system.

## Option Overview

The main options included in this chapter are listed below. To the left of the option name is the shortcut synonym that the user can enter to select the option. The *Chief of Surgery Menu* option will not display if the user does not have proper security clearance.

Shortcut	Option Name
CH	<i>Chief of Surgery Menu</i>

*(This page included for two-sided copying.)*



# Chief of Surgery Menu

## [SROCHIEF]

The *Chief of Surgery Menu* is a restricted option (locked with the SROCHIEF key), allowing access to various management reports and functions. It is designed for the Chief of Surgery and his or her designees. The options available from this menu are shown in the following table.

Shortcut	Option or Menu Name
V	<i>View Patient Perioperative Occurrences</i>
M	<i>Management Reports</i>
U	<i>Unlock a Case for Editing</i>
RET	<i>Update Status of Returns Within 30 Days</i>
CAN	<i>Update Cancelled Case ...</i>
D	<i>Update Operations as Unrelated/Related to Death</i>
CODE	<i>Update/Verify Procedure/Diagnosis Codes</i>

## View Patient Perioperative Occurrences [SRROMEN-M&M]

The *View Patient Perioperative Occurrences* option is designed to provide a quick view of any occurrences for a particular case. This report can be viewed on a screen.

Example: View Patient Perioperative Occurrences

Select Chief of Surgery Menu Option: **V** View Patient Perioperative Occurrences

Select Patient: **SURPATIENT,NINE** 09-01-50 000345555

SURPATIENT,NINE 000-34-5555

1. 09-15-04 BYPASS (REQUESTED)
2. 09-15-04 CAROTID ARTERY ENDARTERECTOMY (SCHEDULED)
3. 03-09-04 CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM (COMPLETED)

Select Operation: **3**

SURPATIENT,NINE (000-34-5555) OCCURRENCES

-----  
Date of Operation: JUN 09, 2004 09:15  
Principal Operation: CHOLECYSTECTOMY (47480)

Surgeon: SURSURGEON,TWO  
Attending Surgeon: SURSURGEON,ONE  
Attending Code: LEVEL B: ATTENDING IN O.R., SCRUBBED

Principal Postop Diagnosis: CHOLECYSTITIS (574.01)

Intraoperative Occurrences: PUNCTURED MESENTERIC ARTERY  
Outcome: IMPROVED

Postoperative Occurrences: EDEMA (03/10/92)  
Outcome: IMPROVED

Press RETURN to continue **<Enter>**

## Management Reports [SRO-CHIEF REPORTS]

The *Management Reports* menu is designed to give the Chief of Surgery various management reports. The reports contained on this menu are listed below. To the left of the option/report name is the shortcut synonym that the user can enter to select the option.

Shortcut	Option Name
MM	<i>Morbidity &amp; Mortality Reports</i>
MV	<i>M&amp;M Verification Report</i>
CD	<i>Comparison of Preop and Postop Diagnosis</i>
D	<i>Delay and Cancellation Reports ...</i>
V	<i>List of Unverified Surgery Cases</i>
RET	<i>Report of Returns to Surgery</i>
A	<i>Report of Daily Operating Room Activity</i>
NS	<i>Report of Cases Without Specimens</i>
ICU	<i>Report of Unscheduled Admissions to ICU</i>
OR	<i>Operating Room Utilization Report</i>
WC	<i>Wound Classification Report</i>
BA	<i>Print Blood Product Verification Audit Log</i>
KEY	<i>Key Missing Surgical Package Data</i>
OC	<i>Admitted w/in 14 days of Out Surgery If Postop Occ</i>
DS	<i>Death Within 30 Days of Surgery</i>

## Morbidity & Mortality Reports

### [SRMMM]

The *Morbidity & Mortality Reports* option generates two reports: the Perioperative Occurrences Report and the Mortality Report. The Perioperative Occurrences Report includes all cases that have occurrences, both intraoperatively and postoperatively, and can be sorted by specialty, attending surgeon, or occurrence category. The Mortality Report includes all cases performed within the selected date range that had a death within 30 days after surgery, and sort by specialty within a date range. Each surgical specialty will begin on a separate page.

After the user enters the date range, the software will ask whether to generate both reports. If the user answers **NO**, the software will ask the user to select from the Perioperative Occurrences Report or the Mortality Report.

These reports have a 132-column format and are designed to be copied to a printer.

#### Example 1: Printing the Perioperative Occurrences Report – Sorted by Specialty

```
Select Perioperative Occurrences Menu Option: M Morbidity & Mortality Reports
```

```
The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.
```

```
Do you want to generate both reports ? YES// N
```

1. Perioperative Occurrences Report
2. Mortality Report

```
Select Number: (1-2): 1
```

```
Print Report for:
```

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

```
Select Number: (1-3): 3
```

```
Start with Date: 7/1 (JUL 01, 2006)
```

```
End with Date: 7/31 (JUL 31, 2006)
```

```
Do you want to print all divisions? YES// <Enter>
```

```
Print report by
```

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

```
Select 1, 2 or 3: (1-3): 1// <Enter>
```

Do you want to print this report for all Surgical Specialties ? YES// N

Print the report for which Specialty ? GENERAL (OR WHEN NOT DEFINED BELOW)  
Select an Additional Specialty <Enter>

This report is designed to use a 132 column format.

Print the Report on which Device: [**Select Print Device**]

-----*report follows*-----

*(This page included for two-sided copying.)*

MAYBERRY, NC  
 SURGICAL SERVICE  
 PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
 FROM: JUL 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

PATIENT ID# OPERATION DATE	ATTENDING SURGEON PRINCIPAL OPERATION	OCCURRENCE(S) - (DATE) TREATMENT	OUTCOME
=====			
GENERAL (OR WHEN NOT DEFINED BELOW)			
-----			
SURPATIENT, TWELVE 000-41-8719 JUL 07, 2006@07:15	SURSURGEON, THREE REPAIR DIAPHRAGMATIC HERNIA	MYOCARDIAL INFARCTION ASPIRIN THERAPY	I
		URINARY TRACT INFECTION * (07/09/06) IV ANTBIOTICS	I
SURPATIENT, FOURTEEN 000-45-7212 JUL 31, 2006@09:00	SURSURGEON, FIVE CHOLECYSTECTOMY, APPENDECTOMY	SUPERFICIAL WOUND INFECTION * (08/02/06) ANTIBIOTICS	I

-----  
 OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
 '\*' Represents Postoperative Occurrences  
 -----

## Example 2: Printing the Perioperative Occurrences Report – Sorted by Attending Surgeon

Select Perioperative Occurrences Menu Option: **M** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **1**

Print Report for:

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

Select Number: (1-3): **3**

Start with Date: **7/1** (JUL 01, 2006)

End with Date: **7/31** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

Print report by

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

Select 1, 2 or 3: (1-3): 1// **2**

Do you want to print this report for all Attending Surgeons ? YES//**N**

Print the report for which Attending Surgeon ? **SURGEON,ONE**

Select an Additional Attending Surgeon: **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

-----report follows-----



MAYBERRY, NC  
 SURGICAL SERVICE  
 PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
 FROM: JUL 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

PATIENT ID# OPERATION DATE	SURGICAL SPECIALTY PRINCIPAL OPERATION	OCCURRENCE(S) - (DATE) TREATMENT	OUTCOME
=====			
ATTENDING: SURGEON, ONE			
-----			
SURPATIENT, TWELVE 000-41-8719 JUL 07, 2006@07:15	GENERAL (OR WHEN NOT DEFINED BELOW) REPAIR DIAPHRAGMATIC HERNIA	MYOCARDIAL INFARCTION ASPIRIN THERAPY  URINARY TRACT INFECTION * (07/09/06) IV ANTBIOTICS	I   I
SURPATIENT, THREE 000-21-2453 JUL 22, 2006@10:00	CARDIAC SURGERY CABG	REPEAT VENTILATOR SUPPORT W/IN 30 DAYS *	I
SURPATIENT, FOURTEEN 000-45-7212 JUL 31, 2006@09:00	GENERAL (OR WHEN NOT DEFINED BELOW) CHOLECYSTECTOMY, APPENDECTOMY	SUPERFICIAL WOUND INFECTION * (08/02/06) ANTIBIOTICS	I

-----  
 OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
 ' \* ' Represents Postoperative Occurrences  
 -----

### Example 3: Printing the Perioperative Occurrences Report – Sorted by Occurrence Category

Select Perioperative Occurrences Menu Option: **M** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **1**

Print Report for:

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

Select Number: (1-3): **3**

Start with Date: **7/1** (JUL 01, 2006)

End with Date: **7/31** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

Print report by

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

Select 1, 2 or 3: (1-3): 1// **3**

Do you want to print this report for all occurrence categories? YES// **NO**

Print the report for which Occurrence Category ? **ACUTE RENAL FAILURE**

VASQIP Definition (2011):

Indicate if the patient developed new renal failure requiring renal replacement therapy or experienced an exacerbation of preoperative renal failure requiring initiation of renal replacement therapy (not on renal replacement therapy preoperatively) within 30 days postoperatively. Renal replacement therapy is defined as venous to venous hemodialysis [CVVHD], continuous venous to arterial hemodialysis [CVAHD], peritoneal dialysis, hemofiltration, hemodiafiltration or ultrafiltration.

TIP: If the patient refuses dialysis report as an occurrence because he/she did require dialysis.

Select an Additional Occurrence Category: **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: [Select Print Device]

-----*report follows*-----

MAYBERRY, NC  
SURGICAL SERVICE  
PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
FROM: JUN 1,2007 TO: JUN 30,2007

PAGE 1  
REVIEWED BY:  
DATE REVIEWED:  
DATE PRINTED: AUG 22,2007

PATIENT ID# OPERATION DATE	ATTENDING SURGEON SURGICAL SPECIALTY PRINCIPAL OPERATION	OCCURRENCE(S) - (DATE) TREATMENT	OUTCOME
=====			
CATEGORY: ACUTE RENAL FAILURE			
-----			
SURPATIENT, SEVENTEEN 000-45-5119 JUN 18, 2007@07:15	SURGEON, TWO GENERAL REPAIR INCARCERATED INGUINAL HERNIA	ACUTE RENAL FAILURE DIALYSIS	I

-----  
OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
          '\*' Represents Postoperative Occurrences  
-----

#### Example 4: Print the Mortality Report

Select Management Reports Option: **MM** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **2**

Start with Date: **1/1/02** (JAN 01, 2002)

End with Date: **12/31/02** (DEC 31, 2002)

This report is designed to use a 132 column format.

Print report on which Device: [**Select Print Device**]

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 MORTALITY REPORT  
 FROM: JAN 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

OPERATION DATE	PATIENT ID#	PRINCIPAL OPERATIVE PROCEDURE	DATE OF DEATH AUTOPSY (Y/N)
----- OTORHINOLARYNGOLOGY (ENT) -----			
JAN 22, 2006	SURPATIENT,SIXTEEN 000-11-1111	LARYNGOSCOPY, BRONCHOSCOPY, ESOPHAGOGASTROSCOPY	FEB 09, 2006 NO
JAN 27, 2006	SURPATIENT,TWO 000-45-1982	BRONCHOSCOPY	FEB 26, 2006 NOT AVAILABLE
JAN 29, 2006	SURPATIENT,SIXTEEN 000-11-1111	BILATERAL NECK DISECTION, LARYNGECTOMY	FEB 09, 2006 NO
FEB 08, 2006	SURPATIENT,SIXTEEN 000-11-1111	LIGATION LT INTERNAL JUGLAR , EXPLORATORY LAPARATOMY	FEB 09, 2006 NO
FEB 19, 2006	SURPATIENT,TEN 000-12-3456	TRACH	FEB 21, 2006 NO
JUL 20, 2006	SURPATIENT,FORTY 000-77-7777	LARYNGOSCOPY W/ BX, ESOPHAGOSCOPY	NOV 01, 2006 NOT AVAILABLE

## M&M Verification Report

### [SRO M&M VERIFICATION REPORT]

The *M&M Verification Report* option produces the M&M Verification Report that may be useful for (1) reviewing occurrences and their assignments to operations and (2) reviewing deaths unrelated/related assignments to operations

Two varieties of this report are available. The first variety provides a report of all patients who had operations within the selected date range and experienced intraoperative occurrences, postoperative occurrences, or death within 90 days of surgery. The second variety provides a similar report for all risk-assessed operations that are in a completed state but have not yet been transmitted to the national database.

**Variety #1:** Report information is printed patient-by-patient, listing all operations for the patient that occurred during the selected date range, as well as any operations that may have occurred within 30 days prior to any postoperative occurrences or within 90 days prior to death. Therefore, this report may include some operations that were performed prior to the selected date range, and, if printed by specialty, may include operations performed by other specialties. For every operation that is listed, the intraoperative and postoperative occurrences are also listed. The report also includes information about whether the operation was unrelated or related to death as well as the risk assessment type and status (if assessed). The report may be printed for a selected list of surgical specialties.

**Variety #2:** Report information is printed patient-by-patient in a format similar to Variety #1. This report lists all risk-assessed operations that are in a completed state but have not yet been transmitted to the national database and that have intraoperative occurrences, postoperative occurrences, or death within 90 days of surgery. The report includes any operations that may have occurred within 30 days prior to any postoperative occurrences or within 90 days prior to death. Therefore, this report may include some other operations that may or may not be risk assessed, and, if risk assessed, may have any risk assessment status (incomplete, complete, or transmitted). Every patient listed on this report will have at least one operation with a risk assessment status of "complete."

#### Example 1: Generate an M&M Verification Report (Full Report)

```
Select Management Reports Option: MV M&M Verification Report
```

#### M&M Verification Report

```
The M&M Verification Report is a tool to assist in the review of occurrences and their assignments to operations and in the review of death unrelated or related assignments to operations. Two varieties of this report are available. The first variety provides a report of all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences, or death within 90 days of surgery. The second variety provides a similar report for all risk assessed operations that are in a completed state but have not yet transmitted to the national database.
```

```
Print which variety of the report ?
```

1. Print full report for selected date range.
2. Print pre-transmission report for completed risk assessments.

```
Enter selection (1 or 2): 1// <Enter>
```

```
Start with Date: 12 31 01 (DEC 31, 2001)  
End with Date: 1 31 02 (JAN 31, 2002)
```

Do you want to print this report for all Surgical Specialties ? YES// <Enter>

This report is designed to use a 132 column format.

Print report on which Device: [**Select Print Device**]

-----*printout follows*-----

MAYBERRY, NC  
M&M Verification Report  
From: DEC 31,2001 To: JAN 31,2002  
Report Generated: FEB 21,2002

Reviewed By:  
Date Reviewed:

Op Date	Specialty	Procedure(s)	Death Related	Occurrence(s) - (Date)	Assessment Type/Status
=====					
>>> SURPATIENT,THIRTY (000-82-9472) - DIED 02/27/02					
01/06/02	GENERAL	TOTAL LARYNGECTOMY	NO		NON-CARD/T
12/29/01	THORACIC	CABG, VEIN, SIX+	NO		CARDIAC/I
11/20/01	PERIPHERAL	LT CAROTID ENDOARTERECTOMY	N/A	OTHER OCCURRENCE (11/20/01) ICD: 998.4 FB LEFT DURING PROCEDURE URINARY TRACT INFECTION * (12/08/01) ICD: 599.0 URIN TRACT INFECTION NOS OTHER RESPIRATORY OCCURRENCE * (11/25/01) ICD: 478.25 EDEMA PHARYNX/NASOPHARYX OTHER OCCURRENCE * (NO DATE) ICD: 530.1 ESOPHAGITIS	NON-CARD/T
11/02/01	PERIPHERAL	EVACUATION OF HEMATOMA LT.THIGH	YES	DVT/THROMBOPHLEBITIS * (11/06/01) ICD: 453.8 VENOUS THROMBOSIS NEC BLEEDING/TRANSFUSIONS * (11/04/01) BLEEDING/TRANSFUSIONS * (11/06/01) BLEEDING/TRANSFUSIONS * (11/06/01)	NON-CARD/I

-----  
Occurrences(s): '\*' Denotes Postop Occurrence

-----  
Assessment Status - I:Incomplete, C:Complete, T:Transmitted



## Example 2: Generate an M&M Verification Report (Pre-Transmission Report)

Select Management Reports Option: **MV** M&M Verification Report

### M&M Verification Report

The M&M Verification Report is a tool to assist in the review of occurrences and their assignments to operations and in the review of death unrelated or related assignments to operations. Two varieties of this report are available. The first variety provides a report of all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences, or death within 90 days of surgery. The second variety provides a similar report for all risk assessed operations that are in a completed state but have not yet transmitted to the national database.

Print which variety of the report ?

1. Print full report for selected date range.
2. Print pre-transmission report for completed risk assessments.

Enter selection (1 or 2): 1// 2

Do you want to print this report for all Surgical Specialties ? YES// <Enter>

This report is designed to use a 132 column format.

Print report on which Device: **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
M&M Verification Report  
Pre-Transmission Report for Completed Assessments  
Report Generated: DEC 31,2002

Reviewed By:  
Date Reviewed:

Op Date	Specialty	Procedure(s)	Death Related	Occurrence(s) - (Date)	Assessment Type/Status
=====					
>>> SURPATIENT,FOUR (000-17-0555) - DIED 12/30/02@07:16					
12/24/02	UROLOGY	CYSTOSCOPY	YES		EXCLUDED/C
-----					
>>> SURPATIENT,FIFTYTWO (000-99-8888) - DIED 03/02/02@13:20					
01/31/02	GENERAL	LEFT BKA STUMP DEBRIDEMENT & REVISION	?	URINARY TRACT INFECTION * (02/09/02) ICD: 599.0 URIN TRACT INFECTION NOS PNEUMONIA * (02/15/02) ICD: 485. BRONCOPNEUMONIA ORG NOS	EXCLUDED/C
-----					
>>> SURPATIENT,ONE (000-44-7629) - DIED 08/13/02@19:00					
08/05/02	PERIPHERAL	LEFT LEG ABOVE KNEE AMPUTATION, RIGHT LEG ABOVE KNEE AMPUTATION	NO		EXCLUDED/C
-----					
>>> SURPATIENT,SIXTEEN (000-11-1111) - DIED 10/01/02					
08/21/02	PERIPHERAL	OMEGAPORT PLACEMENT	?		EXCLUDED/C
-----					
>>> SURPATIENT,FIVE (000-58-7963) - DIED 04/08/02					
03/14/02	GENERAL	HICKMAN CATH PLACMENT	NO		EXCLUDED/C
-----					

Occurrences(s): '\*' Denotes Postop Occurrence

Assessment Status - I:Incomplete, C:Complete, T:Transmitted

## Comparison of Preop and Postop Diagnosis

### [SROPPC]

The *Comparison of Preop and Postop Diagnosis* option generates a list of completed cases in which the principal preoperative and principal postoperative diagnoses are different.

Example: Print Comparison of Preop and Postop Diagnosis Report

```
Select Management Reports Option: CD Comparison of Preop and Postop Diagnosis
```

```
Comparison of Preop and Postop Diagnosis
```

```
Start with Date: 3/1 (MAR 01, 2002)
```

```
End with Date: 3/31 (MAR 31, 2002)
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which device: [Select Print Device]
```

```
-----report follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 COMPARISON OF PREOP AND POSTOP DIAGNOSIS  
 FROM: MAR 1,2002 TO: MAR 31,2002

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: APR 22,2002

DATE CASE #	PATIENT ID # SURGICAL SPECIALTY	PREOPERATIVE DIAGNOSIS	POSTOPERATIVE DIAGNOSIS	WOUND CLASS
03/03/02 63064	SURPATIENT, ONE 000-44-7629 GENERAL	APPENDICITIS	ACUTE APPENDICITIS	D
03/04/02 63066	SURPATIENT, THREE 000-21-2453 GENERAL	BILATERAL INGUINAL HERNIA	BILATERAL INGUINAL HERNIA, WITH GANGRENE	C
03/04/02 63068	SURPATIENT, TEN 000-12-3456 GENERAL	BILATERAL INGUINAL HERNIA	BILAT INGUINAL HERNIA	C
03/08/02 63072	SURPATIENT, EIGHTEEN 000-22-3334 GENERAL	CHOLECYSTITIS	CHOLECYSTITIS WITH OBSTRUCTION	C

-----  
 WOUND CLASSIFICATION CODES:  
 C: CLEAN, CC: CLEAN/CONTAMINATED, D: CONTAMINATED, I: INFECTED

## **Delay and Cancellation Reports**

### **[SRO DEL MENU]**

The *Delay and Cancellation Reports* menu provides access to various reports used to track delays and cancellations. The reports on this menu are listed below. To the left of the option/report name is the shortcut synonym the user can enter to select the option.

<b>Shortcut</b>	<b>Option Name</b>
D	<i>Report of Delayed Operations</i>
R	<i>Report of Delay Reasons</i>
T	<i>Report of Delay Time</i>
C	<i>Report of Cancellations</i>
A	<i>Report of Cancellation Rates</i>

## Report of Delayed Operations [SRODELA]

The *Report of Delayed Operations* option will list all cases that have been delayed within a specified date range. The report sorts by surgical service and includes both the delay cause and delay time.

This report is in a 132-column format and should be copied to a printer with wide paper.

### Example: Report of Delayed Operations

Select Delay and Cancellation Reports Option: **D** Report of Delayed Operations

Report of Delayed Operations

Start with which Date ? **7/1** (JUL 01, 1999)

End with which Date ? **7/31** (JUL 31, 1999)

Do you want to print the Report of Delayed Operations for all Surgical  
Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which device ? **[Select Print Device]**

-----report follows-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF DELAYED OPERATIONS  
 NEUROSURGERY  
 FROM: JUL 1,1999 TO: JUL 31,1999

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 13,1999

DATE DELAY TIME	PATIENT ID #	ATTENDING SURGEON OPERATION(S)	DELAY COMMENTS
=====			
OPERATING SURGEON NOT PRESENT -----			
07/13/99 30 MINS.	SURPATIENT, SEVENTEEN 000-45-5119	SURSURGEON, THREE L3-4 LUMBAR LAMINECTOMY WITH PARTIAL FACETECTOMY AND LEFT NEUROFORAMINOTOMY, ADDITIONAL L4-5	
STAFF SURGEON NOT PRESENT -----			
07/28/99 45 MINS.	SURPATIENT, SIXTY 000-56-7821	SURSURGEON, TWO RT. MEDIAN NERVE DECOMPRESSION AT WRIST	WEDNESDAY UNIVERSITY MEETING

## Report of Delay Reasons [SROREAS]

The *Report of Delay Reasons* option lists reasons for delays, and the number of occurrences for delayed operations, within a specified date range.

This report is in an 80-column format and can be viewed on your screen.

### Example: Report of Delay Reasons

```
Select Delay and Cancellation Reports Option: R Report of Delay Reasons
```

```
Report of Delayed Operations
```

```
Start with which Date ? 3/1 (MAR 01, 1999)
```

```
End with which Date ? 3/31 (MAR 31, 1999)
```

```
Do you want to print the Report of Delay Reasons for all Surgical  
Specialties ? YES// <Enter>
```

```
Do you want to display the totals for each Surgical Specialty ? YES// ?
```

```
Enter RETURN to display the totals for delay reasons for each specialty. If  
you want to display the totals for all delay reasons for the entire medical  
center, enter 'NO'.
```

```
Do you want to display the totals for each Surgical Specialty ? YES// <Enter>
```

```
Print the Report on which device: [Select Print Device]
```

```
-----printout follows-----
```



REPORT OF DELAY REASONS  
FROM 03/01/99 TO 03/31/99

GENERAL(OR WHEN NOT DEFINED BELOW)  
-----

ANESTHETIST NOT PRESENT	1
SPECIAL EQUIPMENT NOT READY	1
OTHER	1
TOTAL DELAYS FOR GENERAL(OR WHEN NOT DEFINED BELOW)	3

OTORHINOLARYNGOLOGY (ENT)  
-----

OPERATING SURGEON NOT PRESENT	1
TOTAL DELAYS FOR OTORHINOLARYNGOLOGY (ENT)	1

Press RETURN to continue, or '^' to quit: <Enter>

REPORT OF DELAY REASONS  
FROM 03/01/99 TO 03/31/99

=====

OPERATING SURGEON NOT PRESENT	1
ANESTHETIST NOT PRESENT	1
SPECIAL EQUIPMENT NOT READY	1
OTHER	1
TOTAL DELAY REASONS	4

Press RETURN to continue <Enter>

## Report of Delay Time [SRO DELAY TIME]

The *Report of Delay Time* option provides the total amount of delay time for each delay reason for a specified date range. The report sorts by surgical specialty.

This report is in an 80-column format and can be viewed on a screen.

### Example: Report of Delay Time

```
Select Delay and Cancellation Reports Option: T Report of Delay Time
```

```
Report of Delay Time
```

```
Start with which Date ? 3/1 (MAR 01, 1999)
```

```
End with which Date ? 3/31 (MAR 31, 1999)
```

```
Do you want to print the Report of Delay Time for all delay reasons ? YES// ?
```

```
Enter RETURN to print this report for all delay reasons, or 'NO' to select  
a specific delay reason.
```

```
Do you want to print the Report of Delay Time for all delay reasons ? YES// <Enter>
```

```
Do you want to print the Report of Delayed Operations for all Surgical  
Specialties ? YES// <Enter>
```

```
Print the Report on which device: [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
Report of Delay Times  
From 03/01/99 To 03/31/99

PAGE 1

SURGICAL SPECIALTY	# OF DELAYS	MINUTES DELAYED
=====		
>> Delay Reason: OPERATING SURGEON NOT PRESENT <<		
OTORHINOLARYNGOLOGY (ENT)	1	15
-----		
>> Delay Reason: ANESTHETIST NOT PRESENT <<		
GENERAL(OR WHEN NOT DEFINED BE	1	30
-----		
>> Delay Reason: SPECIAL EQUIPMENT NOT READY <<		
GENERAL(OR WHEN NOT DEFINED BE	1	10
Press RETURN to continue, or '^' to quit. <Enter>		

MAYBERRY, NC  
Report of Delay Times  
From 03/01/99 To 03/31/99

PAGE 2

SURGICAL SPECIALTY	# OF DELAYS	MINUTES DELAYED
=====		
>> Delay Reason: OTHER <<		
GENERAL(OR WHEN NOT DEFINED BE	1	15
Press RETURN to continue, or '^' to quit. <Enter>		

MAYBERRY, NC  
Report of Delay Times  
From 03/01/99 To 03/31/99

PAGE 3

DELAY REASON	# OF DELAYS	MINUTES DELAYED
OPERATING SURGEON NOT PRESENT	1	15
ANESTHETIST NOT PRESENT	1	30
SPECIAL EQUIPMENT NOT READY	1	10
OTHER	1	15
TOTAL	4	70

Press RETURN to continue <Enter>

## Report of Cancellations [SROCAN]

The *Report of Cancellations* option is designed to provide information for cases that have been scheduled and cancelled.

This report is in a 132-column format and must be copied to a printer.

Example: Print Report of Cancellations

```
Select Delay and Cancellation Reports Option: C Report of Cancellations
```

```
Report of Cancellations
```

```
NOTE: This report contains all cancelled cases, including those that were  
cancelled after the patient had entered the operating room. Aborted  
cases are identified by an '*' next to the procedure name.
```

```
Start with Date: 3/1 (MAR 01, 1999)  
End with Date: 3/3 (MAR 03, 1999)
```

```
Do you want to print the report for all Surgical Specialties ? YES// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which device: [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 REPORT OF CANCELLATIONS  
 FROM 03/01/99 TO 03/03/99

PAGE: 1

PRINTED: MAR 23, 1999

REVIEWED BY:  
 DATE REVIEWED:

DATE CASE #	PATIENT ID#	OPERATION(S)	CANCEL DATE REASON
=====			
>> SURGICAL SPECIALTY: OPHTHALMOLOGY <<			
MAR 01, 1999 31725	SURPATIENT,FIVE 000-58-7963	* PHACEOMULSIFICATION, LENS IMPLANT OS	MAR 01, 1999 11:00 MEDICAL
-----			
>> SURGICAL SPECIALTY: ORTHOPEDICS <<			
MAR 01, 1999 32066	SURPATIENT,FIVE 000-58-7963	LT. TOTAL KNEE ARTHROPLASTY	MAR 01, 1999 08:01 MEDICAL
MAR 03, 1999 32143	SURPATIENT,THREE 000-21-2453	HARDWARE REMOVAL RT. ANKLE	MAR 03, 1999 12:49 ADMINISTRATIVE CANCELLATION
-----			
>> SURGICAL SPECIALTY: PLASTIC SURGERY (INCLUDES HEAD AND NECK) <<			
MAR 01, 1999 32089	SURPATIENT,TEN 000-12-3456	DEBRIDMENT OF BACK, NECK WOUNDS, GOLDWEIGHT TO RT. EYE, RT. LATERAL CANTHOPLASTY	MAR 01, 1999 07:36 SURGEON
MAR 03, 1999 32141	SURPATIENT,TEN 000-12-3456	PRIMARY CLOSURE LT. CHEEK, SKIN GRAFT VS SKIN FLAP	APR 02, 1999 08:21 PATIENT NOT NPO
-----			
>> SURGICAL SPECIALTY: THORACIC SURGERY (INC. CARDIAC SURG.) <<			
MAR 01, 1999 32013	SURPATIENT,FORTY 000-77-7777	LT. THORACOTOMY, LOBECTOMY, PNEUMONECTOMY	MAR 01, 1999 07:35 MEDICAL
-----			
>> SURGICAL SPECIALTY: UROLOGY <<			
MAR 03, 1999 32119	SURPATIENT,NINETEEN 000-28-7354	TRANSURETHRAL RESECTION OF BLADDER TUMOR	MAR 19, 1999 08:00 PATIENT/GUARDIAN REFUSES
-----			
>> SURGICAL SPECIALTY: PODIATRY <<			
MAR 02, 1999 31865	SURPATIENT,SEVENTEEN 000-45-5119	1ST METATARSL REMODELING RT. FOOT, REMOVAL OF SOFT TISSUE NODULE RT. FOOT	MAR 29, 1999 08:52 MEDICAL
-----			

## Report of Cancellation Rates [SROCRAT]

The *Report of Cancellation Rates* option generates a report on the calculations of cancellation rates. This report can be printed for one or a few surgical specialties (Example 1), or for all surgical specialties (Example 2). Emergency cases are not included in this report.

This report is in an 80-column format and can be viewed on your screen.

### How the Cancellation Rates Are Calculated

Cancellation Rate for Scheduled Cases =  
(Total Cancels / Total Scheduled) x 100

Avoidable Cancellation Rate for Scheduled Cases =  
(Total Avoidable Cancels / Total Scheduled) x 100

Avoidable Cancellation rate for all Cancelled Cases =  
(Total Avoidable Cancels / Total Cancels) x 100

### Example 1: View for Individual Surgical Specialties

```
Select Delay and Cancellation Reports Option: A Report of Cancellation Rates
```

```
Report of Cancellation Rates
```

```
Start with which Date ? 3/2 (MAR 02, 1999)  
End with which Date ? 3/20 (MAR 20, 1999)
```

```
Do you want to print the report for all Surgical Specialties ? YES// N
```

```
Print the report for which Specialty ? 50          GENERAL (OR WHEN NOT DEFINED BELOW)  
Select An Additional Specialty:  ORTHOPEDICS 54          ORTHOPEDICS  
Select An Additional Specialty:  PLASTIC SURGERY (INCLUDES HEAD AND NECK)  PROCTOLOGY 56  
PLASTIC SURGERY (INCLUDES HEAD AND NECK)  
Select An Additional Specialty: <Enter>
```

```
Print the Report on which device: [Select Print Device]
```

```
-----printout follows-----
```

\*\* GENERAL(OR WHEN NOT DEFINED BELOW) \*\*

TOTAL SCHEDULED SURGICAL CASES: 18  
CANCELLATION RATE FOR SCHEDULED CASES: 17 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 0 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 0 %

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
PREV. CASE LENGTH	3	0
TOTAL CANCELLATIONS	3	0

Press RETURN to continue, or '^' to quit: <Enter>

\*\* ORTHOPEDICS \*\*

TOTAL SCHEDULED SURGICAL CASES: 23  
CANCELLATION RATE FOR SCHEDULED CASES: 26 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 9 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 33 %

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
ADMINISTRATIVE CANCELLATION	1	1
MEDICAL	4	1
SCHEDULING ERROR	1	0
TOTAL CANCELLATIONS	6	2

Press RETURN to continue, or '^' to quit: <Enter>

\*\* PLASTIC SURGERY (INCLUDES HEAD AND NECK) \*\*

TOTAL SCHEDULED SURGICAL CASES: 10  
CANCELLATION RATE FOR SCHEDULED CASES: 30 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 20 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 67 %

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
PATIENT NOT NPO	1	1
PREV. CASE LENGTH	1	0
SURGEON	1	1
TOTAL CANCELLATIONS	3	2

Press RETURN to continue, or '^' to quit: <Enter>



Example 2: View for All Specialties

Select Delay and Cancellation Reports Option: **A** Report of Cancellation Rates

```
Report of Cancellation Rates

Start with which Date ? 3/2 (MAR 02, 1999)
End with which Date ? 3/20 (MAR 20, 1999)

Do you want to print the report for all Surgical Specialties ? YES// <Enter>

Do you want to display the cancellation reasons for each Surgical
Specialty ? YES// <Enter>

Print the Report on which device: [Select Print Device]
```

-----printout follows-----

\*\* GENERAL(OR WHEN NOT DEFINED BELOW) \*\*

```
TOTAL SCHEDULED SURGICAL CASES: 18
CANCELLATION RATE FOR SCHEDULED CASES: 17 %
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 0 %
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 0 %
```

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
PREV. CASE LENGTH	3	0
TOTAL CANCELLATIONS	3	0

Press RETURN to continue, or '^' to quit: <Enter>

\*\* NEUROSURGERY \*\*

```
TOTAL SCHEDULED SURGICAL CASES: 8
CANCELLATION RATE FOR SCHEDULED CASES: 25 %
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 13 %
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 50 %
```

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
OPERATING ROOM	1	0
PATIENT NO-SHOW	1	1
TOTAL CANCELLATIONS	2	1

Press RETURN to continue, or '^' to quit: <Enter>

\*\* ORTHOPEDICS \*\*

```
TOTAL SCHEDULED SURGICAL CASES: 23
CANCELLATION RATE FOR SCHEDULED CASES: 26 %
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 9 %
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 33 %
```

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
ADMINISTRATIVE CANCELLATION	1	1
MEDICAL	4	1
SCHEDULING ERROR	1	0
TOTAL CANCELLATIONS	6	2

Press RETURN to continue, or '^' to quit: <Enter>

\*\* OTORHINOLARYNGOLOGY (ENT) \*\*

TOTAL SCHEDULED SURGICAL CASES: 18  
CANCELLATION RATE FOR SCHEDULED CASES: 6 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 6 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 100 %

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
SCHEDULING ERROR	1	1
TOTAL CANCELLATIONS	1	1

Press RETURN to continue, or '^' to quit: <Enter>

\*\* PERIPHERAL VASCULAR \*\*

TOTAL SCHEDULED SURGICAL CASES: 16  
CANCELLATION RATE FOR SCHEDULED CASES: 25 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 6 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 25 %

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
MEDICAL	2	0
PREV. CASE LENGTH	1	0
SCHEDULING ERROR	1	1
TOTAL CANCELLATIONS	4	1

Press RETURN to continue, or '^' to quit: <Enter>

\*\* PLASTIC SURGERY (INCLUDES HEAD AND NECK) \*\*

TOTAL SCHEDULED SURGICAL CASES: 10  
CANCELLATION RATE FOR SCHEDULED CASES: 30 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 20 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 67 %

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
PATIENT NOT NPO	1	1
PREV. CASE LENGTH	1	0
SURGEON	1	1
TOTAL CANCELLATIONS	3	2

Press RETURN to continue, or '^' to quit: <Enter>

\*\* PODIATRY \*\*

TOTAL SCHEDULED SURGICAL CASES: 14  
CANCELLATION RATE FOR SCHEDULED CASES: 7 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 0 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 0 %

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
MEDICAL	1	0
TOTAL CANCELLATIONS	1	0

Press RETURN to continue, or '^' to quit: <Enter>

\*\* UROLOGY \*\*

TOTAL SCHEDULED SURGICAL CASES: 11  
 CANCELLATION RATE FOR SCHEDULED CASES: 18 %  
 AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 0 %  
 AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 0 %

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
MEDICAL	1	0
PATIENT/GUARDIAN REFUSES	1	0
TOTAL CANCELLATIONS	2	0

Press RETURN to continue, or '^' to quit: <Enter>

TOTAL SURGICAL CASES SCHEDULED FOR MAYBERRY, NC: 118  
 CANCELLATION RATE FOR SCHEDULED CASES: 19 %  
 AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 6 %  
 AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 32 %

CANCELLATION REASON	TOTAL CANCELS	TOTAL AVOIDABLE
ADMINISTRATIVE CANCELLATION	1	1
MEDICAL	8	1
OPERATING ROOM	1	0
PATIENT NO-SHOW	1	1
PATIENT NOT NPO	1	1
PATIENT/GUARDIAN REFUSES	1	0
PREV. CASE LENGTH	5	0
SCHEDULING ERROR	3	2
SURGEON	1	1
TOTAL CANCELLATIONS	22	7

Press RETURN to continue, or '^' to quit: <Enter>

SURGICAL SPECIALTY	PERCENT AVOIDABLE CANCELLATIONS	
	SCHEDULED CASES	CANCELLED CASES
GENERAL(OR WHEN NOT DEFINED BELOW)	0 %	0 %
NEUROSURGERY	13 %	50 %
ORTHOPEDICS	9 %	33 %
OTORHINOLARYNGOLOGY (ENT)	6 %	100 %
PERIPHERAL VASCULAR	6 %	25 %
PLASTIC SURGERY (INCLUDES HEAD AND NECK)	20 %	67 %
PODIATRY	0 %	0 %
UROLOGY	0 %	0 %

Press RETURN to continue <Enter>

## List of Unverified Surgery Cases

### [SROUNV]

The *List of Unverified Surgery Cases* option will generate a list of all completed surgery cases that have not had the procedure, diagnosis, and complications verified. The user can verify a case using the *Surgeon's Verification of Diagnosis & Procedures* option in the *Operation Menu*. This list can be compiled for one or all surgical specialties.

This report is in an 80-column format and can be viewed on your screen.

Example: List of Unverified Surgery Cases

```
Select Management Reports Option: V List of Unverified Surgery Cases
```

```
Do you want the list for all Surgical Specialties ? YES// N
```

```
Select Surgical Specialty: GENERAL(OR WHEN NOT DEFINED BELOW) 50
```

```
Start with Date: 3/9 (MAR 09, 1999)
```

```
End with Date: 3/20 (MAR 20, 1999)
```

```
Print the List of Unverified Cases to which Printer ? [Select Print Device]
```

-----*printout follows*-----

List of Unverified Cases for GENERAL(OR WHEN NOT DEFINED BELOW)

Operation Date	Patient (Case #) Patient ID #	Surgeon Attending Surgeon
MAR 9, 1999	SURPATIENT,SIX (15188) 000-09-8797	SURSURGEON,SIXTEEN SURSURGEON,FOUR
	APPENDECTOMY * CPT CODE MISSING *	
MAR 10, 1999	SURPATIENT,FIFTYONE (15189) 000-23-3221	SURSURGEON,FOUR SURSURGEON,ONE
	DRAINAGE OF OVARIAN CYST * CPT CODE MISSING *	
MAR 10, 1999	SURPATIENT,TWO (15199) 000-45-1982	SURSURGEON,ONE NOT ENTERED
	CHOLECYSTECTOMY WITH CHOLANGIOGRAM * CPT CODE MISSING *	
MAR 17, 1999	SURPATIENT,FOURTEEN (15203) 000-45-7212	SURSURGEON,ONE SURSURGEON,TWO
	CHOLECYSTECTOMY * CPT CODE MISSING *	
MAR 18, 1999	SURPATIENT,SEVENTEEN (15202) 000-45-5119	SURSURGEON,ONE SURSURGEON,TWO
	REPAIR INCARCERATED INGUINAL HERNIA * CPT CODE MISSING *	

Press RETURN to continue, or '^' to quit: . <Enter>

## Report of Returns to Surgery

### [SRORET]

The *Report of Returns to Surgery* option lists cases that have had related surgical procedures performed within 30 days of the date of the operation. The user must enter the date range by which the software will sort.

This report has a 132-column format and must be copied to a printer with wide paper.

Example: Print the Report of Returns to Surgery

Select Management Reports Option: **RET** Report of Returns to Surgery

Report of Returns to Surgery

Start with Date: **7/1** (JUL 01, 1999)  
End with Date: **7/14** (JUL 14, 1999)

This report will list cases completed during the date range entered that have had return cases associated with them. It is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF RETURNS TO SURGERY  
 FROM: JUL 1,1999 TO: JUL 14,1999

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 27,1999

OPERATION DATE	PATIENT (ID#)	PRINCIPAL OPERATIVE PROCEDURE
JUL 03, 1999	SURPATIENT,SEVENTEEN (000-45-5119)	REPAIR GASTRIC PERFORATION
	RETURNS TO SURGERY: JUL 07, 1999	EXPLORATORY LAPAROTOMY
JUL 06, 1999	SURPATIENT,FIVE (000-21-2453)	ATTEMPTED REVISION OF LEFT ARM A-V FISTULA WITH GRAFT
	RETURNS TO SURGERY: JUL 15, 1999	CREATION OF A-V FISTULA W/VASCULAR GRAFT, RT ARM
JUL 06, 1999	SURPATIENT,TWO (000-45-1982)	EXCISION OF GRANULATION TISSUE RT. FOOT
	RETURNS TO SURGERY: AUG 03, 1999	STSG FROM RT. THIGH TO RIGHT FOOT
JUL 06, 1999	SURPATIENT,FORTY (000-77-7777)	IRRIGATION AND DEBRIDEMENT OF LT. FOOT
	RETURNS TO SURGERY: JUL 14, 1999	IRRIGATION AND DEBRIDEMENT OF LT. FOOT
JUL 07, 1999	SURPATIENT,FORTYONE (000-43-2109)	EXPLORATORY LAPAROTOMY
	RETURNS TO SURGERY: AUG 05, 1999	TRACHEOSTOMY
JUL 10, 1999	SURPATIENT,ONE (000-44-7629)	RIGHT LOWER QUADRANT EXPLORATION
	RETURNS TO SURGERY: JUL 13, 1999	SIGMOID COLECTOMY

## **Report of Daily Operating Room Activity**

### **[SROPACT]**

The *Report of Daily Operating Room Activity* option provides a list of completed cases started between 6:00 AM on the date selected and 5:59 AM of the following day for all operating rooms.

Example: Print the Report of Daily Operating Room Activity

```
Select Management Reports Option: A Report of Daily Operating Room Activity
```

```
Print the Report of Daily Activity for which Date ? 7/1 (JUL 01, 1999)
```

```
This report will include all cases started between MAR 12, 1992 at 6:00 AM  
and MAR 13, 1992 at 5:59 AM.
```

```
It is designed to use a 132 column format.
```

```
Print the Report to which Device ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 DAILY REPORT OF OPERATING ROOM ACTIVITY  
 FOR: JUL 01, 1999

PATIENT ID # WARD	AGE	TIME IN OR TIME OUT OR CASE NUMBER	POSTOPERATIVE DIAGNOSIS PROCEDURE(S)	ANESTHESIOLOGIST PRIN. ANESTHETIST	SURGEON FIRST ASST. ATT SURGEON
-------------------------	-----	--	---	---------------------------------------	---------------------------------------

OPERATING ROOM: CYST01

SURPATIENT,SIX 000-09-8797 OUTPATIENT	69	07/01 14:00 07/01 16:05 33536	GROSS HEMATURIA CYSTOURETHROSCOPY WITH BLADDER BIOPSY, TRANSURETHRAL RESECTION OF BLADDER TUMOR	SURSANESTHESIOLOGIST,O SURANESTHETIST,F	SURSURGEON,F  SURSURGEON,O
---	----	-------------------------------------	---	--	----------------------------------

OPERATING ROOM: OR1

SURPATIENT,NINETEEN 000-28-7354 OUTPATIENT	59	07/01 08:00 07/01 16:30 33512	LEFT COLD FOOT LEFT FEMORO-TIB TO TIB PERONEAL TRUNK SAPHENOUS,IN-SITU, TIBIAL-PERONEAL EMBOLECTOMY, EXCLUSION OF POPLITEAL ANEURYSM, COMPLETION ANGIOGRAPHY, COMPLETION DUPLEX	SURSANESTHESIOLOGIST,O SURANESTHETIST,F	SURSURGEON,T SURSURGEON,F SURSURGEON,O
--	----	-------------------------------------	---	--	--

SURPATIENT,SEVENTEEN 000-45-5119 OUTPATIENT	73	07/01 09:10 07/01 13:00 33521	RT. CAROTID STENOSIS RT. CAROTID ENDARTERECTOMY	SURSANESTHESIOLOGIST,T	SURSURGEON,F  SURSURGEON,S
---	----	-------------------------------------	--	------------------------	----------------------------------

OPERATING ROOM: OR2

SURPATIENT,TEN 000-12-3456 OUTPATIENT	60	07/01 06:00 07/01 07:35 33519	APPENDICITIS APPENDECTOMY	SURSANESTHESIOLOGIST,O SURSANESTHESIOLOGIST,O	SURSURGEON,F  SURSURGEON,S
---	----	-------------------------------------	------------------------------	--	----------------------------------

OPERATING ROOM: OR4

SURPATIENT,FIVE 000-58-7963 OUTPATIENT	75	07/01 07:45 07/01 12:00 33409	RT. EAR,RT. EYELID BASAL CELL CA EXCISION OF RT. UPPER EYELID BASAL CELL CA, EXCISION OF RT. EAR BASAL CELL CA	SURSANESTHESIOLOGIST,O SURSANESTHESIOLOGIST,O	SURSURGEON,S  SURSURGEON,F
--	----	-------------------------------------	--	--	----------------------------------

OPERATING ROOM: OR5

SURPATIENT,SIXTEEN 000-11-1111 OUTPATIENT	96	07/01 07:50 07/01 10:27 33399	SINUSITIS ,RHNOPHYMA,NASAL OBSTRUCTION SEPTOPLASTY, TURBINECTOMY, INTERNAL INTRA NASAL SYNOIDECTOMY, LASER RESURFACE OF NOSE, NASAL POLYECTOMY RT., NASAL POLYPECTOMY LT.	SURSANESTHESIOLOGIST,O SURSANESTHESIOLOGIST,O	SURSURGEON,F  SURSURGEON,S
---	----	-------------------------------------	--	--	----------------------------------



## Report of Cases Without Specimens

### [SROSPEC]

The *Report of Cases Without Specimens* option lists all completed cases in which there were no specimens taken from the operative site. The report can be printed for an individual surgical specialty, if it is needed.

This report is in a 132-column format and must be copied to a printer with wide paper.

Example: Print the Report of Cases without Specimens

```
Select Management Reports Option: NS Report of Cases Without Specimens
```

```
Report of Cases Without Specimens
```

```
Starting with which Date ? 7/12 (JUL 12, 1999)
```

```
Ending with which Date ? 7/14 (JUL 14, 1999)
```

```
Do you want the report sorted by Surgical Specialty ? NO// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 CASES WITHOUT SPECIMENS  
 FROM: JUL 12,1999 TO: JUL 14,1999

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: JUL 27,1999

DATE CASE #	PATIENT PATIENT ID	SURGICAL SPECIALTY POSTOPERATIVE DIAGNOSIS OPERATIVE PROCEDURE	SURGEON ATTENDING SURGEON
07/12/99 33613	SURPATIENT,TEN 000-12-3456	PERIPHERAL VASCULAR RENAL FAILURE PLACEMENT OF LEFT FEMORAL DIALYSIS TESSIO-CATHETER	SURSURGEON,THREE SURSURGEON,ONE
07/12/99 33616	SURPATIENT,FOUR 000-17-0555	OTORHINOLARYNGOLOGY (ENT) NASAL OBSTRUCTION LEFT LATERAL RHINOTOMY WITH RECONSTRUCTION OF NASAL VESTIBULE	SURSURGEON,TWO SURSURGEON,ONE
07/12/99 33659	SURPATIENT,SIXTEEN 000-11-1111	UROLOGY SIGMOID CA CYSTOURETOROSCOPY, RETROGRADE PYELOGRAPHY, BILATERAL URETERAL STENT PLACEMENT	SURSURGEON,FOUR SURSURGEON,FOUR
07/12/99 33653	SURPATIENT,SEVENTEEN 000-45-5119	GENERAL(OR WHEN NOT DEFINED BELOW) PROLONGED ANTIBOTIC THERAPHY PLACEMENT OF HICKMAN CATHETER	SURSURGEON,TWO SURSURGEON,SEVEN
07/13/99 33554	SURPATIENT,FIFTY 000-45-9999	OPHTHALMOLOGY CATARACT OS PHACEOMULSIFICATION, LENS IMPLANT OS	SURSURGEON,ONE SURSURGEON,ONE
07/14/99 33598	SURPATIENT,TEN 000-12-3456	PLASTIC SURGERY (INCLUDES HEAD AND NECK) MOH'S DEFECT LT. UPPER LIP FLAP CLOSURE OF MOHS DEFECT LEFT UPPER LIP	SURSURGEON,ONE SURSURGEON,FOUR
07/14/99 33645	SURPATIENT,EIGHTEEN 000-22-3334	PLASTIC SURGERY (INCLUDES HEAD AND NECK) INFECTED DIABETIC FOOT DEBRIDEMENT RIGHT FOOT, SKIN GRAFT RT THIGH TO RT FOOT	SURSURGEON,SIX SURSURGEON,TWO

TOTAL CASES WITHOUT SPECIMENS: 7

## Report of Unscheduled Admissions to ICU

### [SROICU]

The *Report of Unscheduled Admissions to ICU* option lists all unscheduled admissions to the Intensive Care Unit (ICU) based on the requested (expected) postoperative care and actual postoperative disposition.

This report is in a 132-column format and must be copied to a printer with wide paper.

Example: Print Report of Unscheduled Admissions to ICU

```
Select Management Reports Option: ICU Report of Unscheduled Admissions to ICU
```

```
Report of Unscheduled Admissions to the ICU
```

```
Starting with which Date ? 7/1 (JUL 01, 1999)
```

```
Ending with which Date ? 7/31 (JUL 31, 1999)
```

```
Do you want the report for a specific Surgical Specialty ? NO// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 UNSCHEDULED ADMISSIONS TO ICU  
 FROM 07/01/99 TO 07/31/99

REVIEWED BY:  
 DATE REVIEWED:

DATE	PATIENT PATIENT ID REQ DISPOSITION/POSTOP DISPOSITION	SURGICAL SPECIALTY POSTOPERATIVE DIAGNOSIS OPERATIVE PROCEDURE(S)	SURGEON ATTENDING SURGEON
07/01/99	SURPATIENT, EIGHTEEN 000-22-3334 PACU (RECOVERY ROOM)/SICU	GENERAL (OR WHEN NOT DEFINED BELOW) APPENDICITIS APPENDECTOMY	SURSURGEON, ONE SURSURGEON, THREE
07/06/99	SURPATIENT, TEN 000-12-3456 WARD/SICU	GENERAL (OR WHEN NOT DEFINED BELOW) INABILITY TO TAKE ORAL OR USE NG TUBE PLACEMENT OF G-TUBE	SURSURGEON, ONE SURSURGEON, FOUR
07/08/99	SURPATIENT, TWELVE 000-41-8719 WARD/MICU	GENERAL (OR WHEN NOT DEFINED BELOW) GANGRENE LT. FOOT LT. BELOW KNEE AMPUTATION	SURSURGEON, ONE SURSURGEON, THREE
07/23/99	SURPATIENT, TEN 000-12-3456 WARD/SICU	PERIPHERAL VASCULAR IV ACCESS PLACEMENT OF HICKMAN CATHATER, INTRODUCTION OF DOBHOFF TUBE	SURSURGEON, ONE SURSURGEON, FOUR
07/27/99	SURPATIENT, FORTY 000-77-7777 WARD/MICU	GENERAL (OR WHEN NOT DEFINED BELOW) RT BUTTOCK ABCESS I AND D OF RIGHT BUTTOCK ABSCESS	SURSURGEON, ONE SURSURGEON, TWO
07/29/99	SURPATIENT, FOUR 000-17-0555 WARD/MICU	GENERAL (OR WHEN NOT DEFINED BELOW) INCARCERATED EPIGASTRIC HERNIA REPAIR OF INCARCERATED EPIGASTRIC HERNIA	SURSURGEON, ONE SURSURGEON, TWO

## Operating Room Utilization Report

### [SR OR UTL1]

The *Operating Room Utilization Report* option prints utilization information for a selected date range for all operating rooms or for a single operating room. The report displays the percent utilization, the number of cases, the total operation time and the time worked outside normal hours for each operating room individually and all operating rooms collectively.

### How the Percent Utilization is Derived

The percent utilization is derived by dividing the total operation time for all operations (including total time patients were in OR, plus the cleanup time allowed for each case) by the total functioning time, as defined in the SURGERY UTILIZATION file. The quotient is then multiplied by 100.

This report must be copied to a printer with wide paper

Example: Print the Operating Room Utilization Report

```
Select Management Reports Option: OR Operating Room Utilization Report
```

```
Operating Room Utilization Report
```

```
Print utilization information starting with which date ? 3/8 (MAR 08, 1999)
```

```
Print utilization information through which date ? 3/9 (MAR 09, 1999)
```

```
Do you want to print the Operating Room Utilization Report for all  
operating rooms ? YES// <Enter>
```

```
Print the Operating Room Utilization Report on which Device ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 OPERATING ROOM UTILIZATION REPORT  
 FOR ALL OPERATING ROOMS FROM: MAR 8,1999 TO: MAR 9,1999  
 DATE PRINTED: MAR 17,1999

```

=====
OPERATING ROOM      PERCENT UTILIZATION      NUMBER OF CASES      TOTAL OPERATION TIME
                        (INCLUDING OR MAINTENANCE)      TIME WORKED OUTSIDE NORMAL HRS
=====
OR1                  70%                        3                    17 hrs and 35 mins      6 hrs and 20 mins
-----
OR2                  39%                        1                    7 hrs and 25 mins      1 hr and 10 mins
-----
OR3                 133%                       8                    23 hrs and 42 mins      2 hrs and 30 mins
-----
OR4                  29%                        3                    4 hrs and 41 mins      -
-----
OR5                  84%                        7                    18 hrs and 50 mins      5 hrs and 25 mins
-----
OR6                  0                          0                    -                        -
-----
OR7                  0                          0                    -                        -
-----
TOTAL UTILIZATION FOR
ALL ROOMS           63%                       22                   72 hrs and 13 mins      15 hrs and 25 mins
=====
  
```

## Wound Classification Report

### [SROWC]

The *Wound Classification Report* option generates a report showing the total number of surgical cases in each of the various wound classifications for a specified date range. The report is sorted by surgical service.

After selecting a date range, the user has the choice of printing one of three reports.

- **Wound Classification Report:** The user enters the number 1 to print this summary of wound classifications entered for surgical cases performed during the date range.
- **List of Operations by Wound Classification:** The user enters the number 2 to print this list of operations sorted by wound classification and by surgical specialty performed during the date range.
- **Clean Wound Infection Summary:** The user enters the number 3 to print this summary of clean wound infections.

These reports are in an 80-column format and can be viewed on the screen.

#### Example 1: Wound Classification Report (Summary)

```
Select Management Reports Option: WC Wound Classification Report
```

```
Wound Classification Report
```

```
Start with Date: 7/1 (JUL 01, 1999)
```

```
End with Date: 7/15 (JUL 15, 1999)
```

```
Print which of the following ?
```

1. Wound Classification Report (Summary)
2. List of Operations by Wound Classification
3. Clean Wound Infection Summary

```
Select Number: 1// <Enter>
```

```
Do you want to print the report for all Surgical Specialties ? YES// N
```

```
Print the report for which Specialty ? GENERAL(OR WHEN NOT DEFINED BE LOW)  
50
```

```
Select An Additional Specialty: ORTHOPEDICS 54
```

```
Select An Additional Specialty: <Enter>
```

```
Print on Device: [Select Print Device]
```

-----printout follows-----

WOUND CLASSIFICATION REPORT  
FROM: JUL 1,1999 TO: JUL 15,1999

---

SURGICAL SERVICE	CLEAN	CLEAN CONTAMINATED	CONTAMINATED	INFECTED	NO CLASS ENTERED
GENERAL	9	10	4	3	0
ORTHOPEDICS	9	0	0	0	0
SUB TOTAL:	18	10	4	3	0

TOTAL: 35

CLEAN WOUND INFECTION RATE: 0.0%

Press RETURN to continue <Enter>



## Example 2: List of Operations by Wound Classification

Select Management Reports Option: **WC** Wound Classification Report

Wound Classification Report

Start with Date: **7/8** (JUL 08, 1999)

End with Date: **7/8** (JUL 08, 1999)

Print which of the following ?

1. Wound Classification Report (Summary)
2. List of Operations by Wound Classification
3. Clean Wound Infection Summary

Select Number: 1// 2

Do you want to print the report for all Wound Classifications ? YES// **N**

Print report for which Wound Classification ?

1. CLEAN
2. CLEAN/CONTAMINATED
3. CONTAMINATED
4. INFECTED
5. NO CLASS ENTERED

Select Number: **1**

Do you want to print the report for all Surgical Specialties ? YES// **N**

Print the report for which Specialty ? **GENERAL**(OR WHEN NOT DEFINED BELOW) 50

Select An Additional Specialty: **PERIPHERAL VASCULAR** 62

Select An Additional Specialty: **<Enter>**

Print on Device: **[Select Print Device]**

-----printout follows-----

List of Surgical Cases by Wound Classification  
FROM: JUL 8,1999 TO: JUL 8,1999  
Wound Classification: CLEAN

Page:  
1

DATE PRINTED: JUL 27,1999

Operation Date Case #	Patient ID #	Surgeon/Provider
=====		
>> GENERAL(OR WHEN NOT DEFINED BELOW) <<		
JUL 08, 1999 33280	SURPATIENT,TEN 000-12-3456 * RT. INGUINAL HERNIA REPAIR	SURSURGEON,ONE
-----		
JUL 08, 1999 33629	SURPATIENT,FOUR 000-17-0555 * INCARCERATED UMBILICAL HERNIA REPAIR	SURSURGEON,FOUR
-----		

Press RETURN to continue, or '^' to quit: <Enter>

List of Surgical Cases by Wound Classification  
FROM: JUL 8,1999 TO: JUL 8,1999  
Wound Classification: CLEAN

Page:  
2

DATE PRINTED: JUL 27,1999

Operation Date Case #	Patient ID #	Surgeon/Provider
=====		
>> PERIPHERAL VASCULAR <<		
JUL 08, 1999 33478	SURPATIENT,FORTY 000-77-7777 * LEFT CAROTID ENDARTERECTOMY * REOPERATION LEFT CAROTID	SURSURGEON,ONE
-----		
JUL 08, 1999 33575	SURPATIENT,TWO 000-45-1982 * LT. A-V FISTULA WITH LOOP VEIN GRAFT	SURSURGEON,TWO
-----		

Press RETURN to continue <Enter>

### Example 3: Clean Wound Infection Summary

Select Management Reports Option: **WC** Wound Classification Report

#### Wound Classification Report

Start with Date: **6/1** (JUN 01, 1999)

End with Date: **6/30** (JUN 30, 1999)

Print which of the following ?

1. Wound Classification Report (Summary)
2. List of Operations by Wound Classification
3. Clean Wound Infection Summary

Select Number: 1// 3

Do you want to print the report for all Surgical Specialties ? YES// **<Enter>**

Print on Device: **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 CLEAN WOUND INFECTION SUMMARY  
 FROM: JUN 1,1999 TO: JUN 30,1999  
 DATE PRINTED: JUL 18,1999  
 REVIEWED BY:                      DATE REVIEWED:

SURGICAL SERVICE	CLEAN WOUNDS	INFECTIONS	INFECTION RATE
GENERAL	21	1	4.8%
GYNECOLOGY	0	0	0.0%
NEUROSURGERY	11	0	0.0%
OPHTHALMOLOGY	30	0	0.0%
ORTHOPEDECS	20	1	5.0%
OTORHINOLARYNGOLOGY	6	0	0.0%
PLASTIC SURGERY	7	0	0.0%
PROCTOLOGY	0	0	0.0%
THORACIC SURGERY	2	0	0.0%
UROLOGY	2	0	0.0%
ORAL SURGERY	0	0	0.0%
PODIATRY	14	0	0.0%
PERIPHERAL VASCULAR	28	0	0.0%
CARDIAC SURGERY	0	0	0.0%
TRANSPLANTATION	0	0	0.0%
ANESTHESIOLOGY	0	0	0.0%
RHEUMATOLOGY	1	0	0.0%
PULMONARY	0	0	0.0%
GASTROENTEROLOGY	0	0	0.0%
NO SPECIALTY ENTERED	0	0	0.0%
TOTAL	142	2	1.4%

Pages 368-392 have been deleted. The Quarterly Report Menus have been removed.

## Print Blood Product Verification Audit Log

### [SR BLOOD PRODUCT VERIFY AUDIT]

The *Blood Product Verification Audit Log* option is used to print the KERNEL audit log for the *Blood Product Verification* option.

Prior to printing entries from the KERNEL audit log for the *Blood Product Verification* option (located on the *Operation Menu*), the audit function must be turned on either through the *System Manager Menu* option or by invoking the *Establish System Audit Parameters* option in KERNEL, as shown in the following example.

Example: Establish System Audit Parameters

```
Select Systems Manager Menu Option: System Security
```

```
Select System Security Option: Audit Features
```

```
Select Audit Features Option: Maintain System Audit Options
```

```
Select Maintain System Audit Options Option: Establish System Audit Parameters
```

```
Kernel Site Parameter edit

DOMAIN: [Enter your domain here.]

OPTION AUDIT: SPECIFIC OPTIONS AUDITED      FAILED ACCESS ATTEMPTS:
INITIATE AUDIT: [Enter date here.]          TERMINATE AUDIT: [Enter date here.]

Option to audit                               Namespace to audit
SR BLOOD PRODUCT VERIFICATION

User to audit                                 Device to audit

COMMAND:                                     Press <PF1>H for help   Insert
```

## Example: Print Blood Product Verification Audit Log

Select Management Reports Option: **BA** Print Blood Product Verification Audit Log

Enter a date range to print the Blood Verification Audit Log.

\* Previous selection: DATE/TIME from Feb 21,1999

START WITH DATE/TIME: FIRST// <Enter>

DEVICE: [**Select Print Device**]

-----printout follows-----

MENU OPTION AUDIT LOG      APR 2,1999                      3:04 PM                      PAGE 1

-----

\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER: SURSURGEON,TWO

DATE/TIME (ENTRY): MAR 5,1999 09:24      (EXIT): MAR 5,1999 09:24

CPU: VAA                      DEVICE: \_LTA8720:                      JOB: 541070010

\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER: SURSURGEON,SIX

DATE/TIME (ENTRY): MAR 5,1999 09:24      (EXIT): MAR 5,1999 09:24

CPU: VAA                      DEVICE: \_LTA8720:                      JOB: 541070010

\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER: SURSURGEON,ONE

DATE/TIME (ENTRY): MAR 6,1999 13:06      (EXIT): MAR 6,1999 13:07

CPU: VAA                      DEVICE: \_LTA1411:                      JOB: 541072157

\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER: SURSURGEON,ONE

DATE/TIME (ENTRY): MAR 6,1999 13:10      (EXIT): MAR 6,1999 13:11

CPU: VAA                      DEVICE: \_LTA1411:                      JOB: 541072157

\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER: SURSURGEON,ONE

DATE/TIME (ENTRY): MAR 6,1999 13:20      (EXIT): MAR 6,1999 13:20

CPU: VAA                      DEVICE: \_LTA1411:                      JOB: 541072157

## Key Missing Surgical Package Data

### [SROQ MISSING DATA]

The *Key Missing Surgical Package Data* option generates a list of surgical cases performed within the selected date range that are missing key information. This report includes surgical cases with an entry in the TIME PAT IN OR field and does not include aborted cases.

This report has a 132-column format and is designed to be copied to a printer.

#### Example: Key Missing Surgical Package Data

Select Management Reports Option: **KEY** Key Missing Surgical Package Data

#### Report of Key Missing Surgical Package Data

For surgical cases with an entry in the TIME PAT IN OR field and that are not aborted, this option generates a report of cases missing any of the following pieces of information:

- In/Out-Patient Status
- Major/Minor
- Case Schedule Type
- Attending Code
- Time Pat Out OR
- Wound Classification
- ASA Class
- CPT Code (Principal)

Start with Date: Start with Date: **4 1** (APR 01, 2005)  
End with Date: **4 30** (APR 30, 2005)

Do you want the report for all Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print the report to which Printer ? **[Select Print Device]**

-----*printout follows*-----

From: APR 1,2005 To: APR 30,2005

Report Printed: MAY 11,2005@15:09

DATE OF OPERATION CASE #	PATIENT NAME PATIENT ID (AGE)	SURGICAL SPECIALTY PRINCIPAL PROCEDURE	MISSING ITEMS
APR 6,2005@07:40 32474	SURPATIENT,ONE 000-44-7629 (46)	OPHTHALMOLOGY PHACOEMULSIFICATION, LENS IMPLANT OD	D
APR 12,2005@12:00 32508	SURPATIENT,FORTYONE 000-43-2109 (78)	OPHTHALMOLOGY PHACOEMULSIFICATION, LENS IMPLANT OS	D
APR 12,2005@13:50 32534	SURPATIENT,ONE 000-44-7629 (46)	PLASTIC SURGERY (INCLUDES HEAD AND NECK) EXCISION OF RT. WRIST MASS	D
APR 12,2005@14:00 32544	SURPATIENT,THIRTY 000-82-9472 (48)	OPHTHALMOLOGY PHACOEMULSIFICATION OD	D
APR 13,2005@09:20 32513	SURPATIENT,FIFTYTWO 000-99-8888 (79)	OPHTHALMOLOGY PHACOEMULSIFICATION, LENS IMPLANT OD	D
APR 15,2005@13:05 32351	SURPATIENT,FIFTY 000-45-9999 (44)	GENERAL(OR WHEN NOT DEFINED BELOW) EXCISIONAL BIOPSY MASS RT. BREAST	D
APR 19,2005@13:00 32580	SURPATIENT,SEVENTEEN 000-45-5119 (71)	OPHTHALMOLOGY PHACOEMULSIFICATION LENS IMPLANT OD	D
APR 27,2005@13:15 32684	SURPATIENT,SIXTY 000-56-7821 (40)	OPHTHALMOLOGY TRABECULECTOMY OD	F

TOTAL CASES MISSING DATA: 8

MISSING ITEMS CODES: A-IN/OUT-PATIENT STATUS, B-MAJOR/MINOR, C-CASE SCHEDULE TYPE, D-ATTENDING CODE,  
E-TIME PAT OUT OR, F-WOUND CLASSIFICATION, G-ASA CLASS, H-CPT CODE (PRINCIPAL)



## Admitted w/in 14 days of Out Surgery If Postop Occ

### [SROQADM]

The *Admitted w/in 14 days of Out Surgery If Postop Occ* option displays a list of patients with completed outpatient surgical cases that resulted in at least one postoperative occurrence and a hospital admission within 14 days of the surgery.

This report has a 132-column format and is designed to be copied to a printer with wide paper.

Example: Report of Admitted w/in 14 days of Out Surgery If Postop Occ

```
Select Management Reports Option: OC Admitted w/in 14 days of Out Surgery If Po
stop Occ
```

```
Outpatient Cases with Postop Occurrences
and Admissions Within 14 Days
```

```
This report displays the completed outpatient surgical cases which resulted in
at least one postoperative occurrence and a hospital admission within 14 days.
```

```
Start with Date: 9 1 04 (SEP 01, 2004)
```

```
End with Date: 12 31 04 (DEC 31, 2004)
```

```
Do you want the report for all Surgical Specialties ? YES// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the report to which Printer ? [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC

OUTPATIENT CASES WITH POSTOP OCCURRENCES AND ADMISSIONS WITHIN 14 DAYS

PAGE 1

From: SEP 1,2004 To: DEC 31,2004

Report Printed: FEB 12,2005@13:44

DATE OF OPERATION CASE # *OCCURRENCE - (DATE)	PATIENT NAME PATIENT ID (AGE)	SURGICAL SPECIALTY PROCEDURE(S) PERFORMED	ANESTHESIA TECHNIQUE	DATE OF ADMISSION
SEP 24,2004@12:30 30395 *OTHER OCCURRENCE - (10/03/04)	SURPATIENT,FORTY 000-77-7777 (72)	THORACIC SURGERY (INC. CARDIAC MEDIASTINOSCOPY WITH NODE BIOPSY	GENERAL	OCT 3,2004@14:11
SEP 25,2004@14:30 30544 *OTHER OCCURRENCE - (09/28/04)	SURPATIENT,EIGHTEEN 000-22-3334 (71)	GENERAL(OR WHEN NOT DEFINED BE LEFT INGUINAL HERNIORRAPHY HYDROCELECTOMY	GENERAL	SEP 28, 2004@10:06
NOV 18,2004@09:45 31034 *SUPERFICIAL WOUND INFECTION - (11/28/04)	SURPATIENT,FIFTEEN 000-98-1234 (55)	PLASTIC SURGERY (INCLUDES HEAD GANGLION CYST LT. WRIST INCLUSION OF CYST INDEX FINGER LT. EXCISION OF LIPOMA OF LT. FOOT APPLICATION SHORT ARM SPLINT	GENERAL	NOV 28, 2004@12:51
DEC 9,2004@13:35 31242 *SUPERFICIAL WOUND INFECTION - (12/29/04)	SURPATIENT,EIGHT 000-37-0555 (64)	ORTHOPEDICS ORIF RT ULNA REPAIR RT. DISTALRADIOULNAR FX (	GENERAL	DEC 9, 2004@17:55
DEC 31,2004@07:30 31277 *OTHER CNS OCCURRENCE - (01/05/03)	SURPATIENT,FIFTYONE 000-23-3221 (31)	OTORHINOLARYNGOLOGY (ENT) NASAL SINUS SURGERY WITH BIL SPENOETHMOID POLYPECTOMY (CPT Code: 31205) BILATERAL ANTROSTOMY BILATERAL TURBINECTOMY	GENERAL	DEC 31, 2004@18:02

TOTAL CASES: 5

## **Deaths Within 30 Days of Surgery [SROQD]**

The *Deaths Within 30 Days of Surgery* option lists patients who had surgery within the selected date range, died within 30 days of surgery. Two separate reports are available through this option.

**1. Total Cases Summary:** This report may be printed in one of three ways.

A. All Cases

The report will list all patients who had surgery within the selected date range and who died within 30 days of surgery, along with all of the patients' operations that were performed during the selected date range.

B. Outpatient Cases Only

The report will list only the surgical cases that are associated with deaths that are counted as outpatient (ambulatory) deaths.

C. Inpatient Cases Only

The report will list only the surgical cases that are associated with deaths that are counted as inpatient deaths.

**2. Specialty Procedures:** This report will list the surgical cases that are associated with deaths that are counted for the national surgical specialty linked to the local surgical specialty. Cases are listed by national surgical specialty.

These reports have a 132-column format and are designed to be copied to a printer.

## Example 1: Deaths Within 30 Days of Surgery - Total Cases Summary

Select Management Reports Option: DS Deaths Within 30 Days of Surgery

### Deaths Within 30 Days of Surgery

This report lists patients who had surgery within the selected date range and who died within 30 days of surgery.

Start with Date: **4/1** (APR 01, 2005)

End with Date: **4/30** (APR 30, 2005)

Print which report?

1. Total Cases Summary
2. National Specialty Procedures

Select number: 1// **1** Total Cases Summary

Print Deaths within 30 Days of Surgery for

- A - All cases
- O - Outpatient cases only
- I - Inpatient cases only

Select Letter (I, O or A): A// **All Cases**

This report is designed to use a 132 column format.

Print the report to which Printer ? **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC

DEATHS WITHIN 30 DAYS OF SURGERY  
FOR SURGERY PERFORMED FROM: APR 1,2005 TO: APR 30,2005  
Report Printed: MAY 18,2005@12:09

PAGE 1

OP DATE	CASE #	IN/OUT	SURGICAL SPECIALTY	PROCEDURE(S)	DEATH RELATED
-----					
>>> SURPATIENT,FORTY (000-77-7777) - DIED 05/12/05 AGE: 70					
04/13/05	32571	INPAT	GENERAL(OR WHEN NOT DEFINED BELOW)	EXPLORATORY LAPAROTOMY RIGHT HEMICOLECTOMY ILEOSTOMY MUCOUS FISTULA OF COLON	UNRELATED
04/24/05	32693	INPAT	GENERAL(OR WHEN NOT DEFINED BELOW)	CLOSURE OF ABDOMINAL WALL FASCIA	UNRELATED
-----					
>>> SURPATIENT,TEN (000-12-3456) - DIED 05/12/05 AGE: 68					
04/26/05	32702	INPAT	THORACIC SURGERY (INC. CARDIAC SURG	RIGHT THORACOTOMY WITH LUNG BIOPSY DIAPHRAGM BIOPSY	UNRELATED
-----					
>>> SURPATIENT,SIXTY (000-56-7821) - DIED 04/30/05 AGE: 40					
04/21/05	32567	INPAT	THORACIC SURGERY (INC. CARDIAC SURG	ESOPHAGECTOMY ESOPHAGOSCOPY BRONCHOSCOPY FEEDING TUBE JEJUNOSTOMY	RELATED
-----					
TOTAL DEATHS: 3					

## Example 2: Deaths Within 30 Days of Surgery - Specialty Procedures

Select Management Reports Option: DS Deaths Within 30 Days of Surgery  
Deaths Within 30 Days of Surgery

This report lists patients who had surgery within the selected date range and who died within 30 days of surgery.

Start with Date: **4/1** (APR 01, 2005)

End with Date: **4/30** (APR 30, 2005)

Print which report?

1. Total Cases Summary
2. National Specialty Procedures

Select number: 1// **2** Specialty Procedures

Do you want the report for all National Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print the report to which Printer ? **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
 DEATHS WITHIN 30 DAYS OF SURGERY LISTED FOR SPECIALTY PROCEDURES  
 FOR SURGERY PERFORMED FROM: APR 1,2005 TO: APR 30,2005  
 Report Printed: MAY 18,2005@12:38

OP DATE CASE #	PATIENT NAME PATIENT ID# (AGE)	DATE OF DEATH PROCEDURE(S)	LOCAL SPECIALTY	IN/OUT	DEATH RELATED
=====					
>>> GENERAL SURGERY <<<					

04/24/05 32693	SURPATIENT,FORTY 000-77-7777 (70)	05/12/05 CLOSURE OF ABDOMINAL WALL FASCIA	GENERAL(OR WHEN NOT DEFINED BELOW)	INPAT	UNRELATED
-------------------	--------------------------------------	--	------------------------------------	-------	-----------

TOTAL DEATHS FOR GENERAL SURGERY: 1

-----  
 >>> THORACIC SURGERY <<<

04/26/05 32702	SURPATIENT,TEN 000-12-3456 (68)	05/12/05 RIGHT THORACOTOMY WITH LUNG BIOPSY DIAPHRAGM BIOPSY	THORACIC SURGERY (INC. CARDIAC SURG.)	INPAT	UNRELATED
-------------------	------------------------------------	--	---------------------------------------	-------	-----------

04/21/05 32567	SURPATIENT,SIXTY 000-56-7821 (40)	04/30/05 ESOPHAGECTOMY ESOPHAGOSCOPY BRONCHOSCOPY FEEDING TUBE JEJUNOSTOMY	THORACIC SURGERY (INC. CARDIAC SURG.)	INPAT	RELATED
-------------------	--------------------------------------	--	---------------------------------------	-------	---------

TOTAL DEATHS FOR THORACIC SURGERY: 2

-----  
 TOTAL FOR ALL SPECIALTIES: 3

Pages 397c and 397d have been deleted.



*(This page included for two-sided copying.)*

## Unlock a Case for Editing [SRO-UNLOCK]

The Chief of Surgery, or a designee, uses the *Unlock a Case for Editing* option to unlock a case so that it can be edited. A case that has been completed will automatically lock within a specified time after the date of operation. When a case is locked, the data cannot be edited.

With this option, the selected case will be unlocked so that the user can use another option (such as in the *Operation Menu* option or *Anesthesia Menu* option) to make changes. The case will automatically re-lock in the evening. The package coordinator has the ability to set the automatic lock times.

Although the case may be unlocked to allow editing, any field that is included in an electronically signed report, for example in the Nurse Intraoperative Report, will require the creation of an addendum to the report before the edit can be completed.

### Example: Unlock a Case for Editing

```
Select Chief of Surgery Menu Option:  Unlock a Case for Editing
```

```
Select PATIENT NAME:  SURPATIENT,THREE  08-15-91  000212453
```

1. 05-15-91 CAROTID ARTERY ENDARTERECTOMY
2. 05-15-91 AORTO CORONARY BYPASS GRAFT

```
Select Number:  1
```

```
Press <Enter> to continue.  <Enter>
```

```
Case #115 is now unlocked
```

```
Select Chief of Surgery Menu Option:
```

## Update Status of Returns Within 30 Days [SRO UPDATE RETURNS]

The *Update Status of Returns Within 30 Days* option is used to update the status of Returns to Surgery within 30 days of a surgical case.

Example: Update Status of Returns

```
Select Chief of Surgery Menu Option: RET Update Status of Returns Within 30 Days
```

```
Select Patient: SURPATIENT,FIFTY 10-28-45 000459999
```

```
SURPATIENT,FIFTY 000-45-9999
```

1. 07-13-92 SPLENECTOMY (NOT COMPLETE)
2. 06-30-92 CHOLECYSTECTOMY (COMPLETED)
3. 03-10-92 HEMORRHOIDECTOMY (COMPLETED)

```
Select Operation: 2
```

```
SURPATIENT,FIFTY (000-45-9999) Case #213 RETURNS TO SURGERY  
JUN 30,1992 CHOLECYSTECTOMY (CPT MISSING)
```

- 
1. 07/13/92 SPLENECTOMY (CPT MISSING) - RELATED

This return to surgery is currently defined as RELATED to the case selected.  
Do you want to change this status ? NO// **Y**

Press RETURN to continue

## Update Cancelled Cases [SRO UPDATE CANCELLED CASE]



This option is locked with the SROCHIEF key and will not appear on the menu if the user does not have this key.

Normally, a cancelled case cannot be accessed for editing. However, the restricted *Update Cancelled Cases* option allows the Chief of Surgery to edit a cancelled case.

When the user enters this option, the software will allow access to the *Operations Menu* option.

### Example: Update a Cancelled Case

```
Select Chief of Surgery Menu Option: CAN Update Cancelled Case
```

```
Update Cancelled Case
```

```
Select Patient: SURPATIENT,FOURTEEN 08-16-51 000457212
```

```
SURPATIENT,FOURTEEN 000-45-7212
```

1. 09-16-99 CHOLECYSTECTOMY (CANCELLED)
2. 09-15-99 CHOLECYSTECTOMY (CANCELLED)

```
Select Operation: 2
```

```
SURPATIENT,FOURTEEN (000-45-7212) Case #15644 - SEP 15,1992
```

```
I Operation Information
SS Surgical Staff
OS Operation Startup
O Operation
PO Post Operation
PAC Enter PAC(U) Information
OSS Operation (Short Screen)
V Surgeon's Verification of Diagnosis & Procedures
A Anesthesia for an Operation Menu ...
OR Operation Report
AR Anesthesia Report
NR Nurse Intraoperative Report
TR Tissue Examination Report
R Enter Referring Physician Information
RP Enter Irrigations and Restraints
```

```
Select Update Cancelled Case Option:
```

## Update Operations as Unrelated/Related to Death [SRO DEATH RELATED]

The *Update Operations as Unrelated/Related to Death* option is used to update the status of operations performed within 90 days prior to death. The status is either UNRELATED or RELATED TO DEATH. With this option the user can add comments to further document the review of death.

Example: Updating an Operation as Related to Death

```
Select Surgery Risk Assessment Menu Option: D Update Operations as Unrelated/Related to Death
```

```
Update Operations as Unrelated or Related to Death
```

```
Select Patient: SURPATIENT,THIRTY 01-12-32 000829472 NO NON-VETERAN (OTHER)
```

```
Update Operations as Unrelated or Related to Death
```

```
SURPATIENT,THIRTY 000-82-9472 * DIED 02/27/00 *
```

```
Operations in 90 Days Prior to Death:
```

1. 01/29/00 CABG, VEIN, SIX+ (33516) - UNRELATED  
>>> Died 29 days postop. <<<
2. 01/06/00 TOTAL LARYNGECTOMY (CPT MISSING) - UNRELATED  
>>> Died 52 days postop. <<<
3. 12/02/99 EVACUATION OF HEMATOMA LT.THIGH (27301) - UNRELATED  
>>> Died 87 days postop. <<<

```
Select Number of Operation to be Updated: (1-3): 1
```

```
Update Operations as Unrelated or Related to Death
```

```
SURPATIENT,THIRTY 000-82-9472 * DIED 02/27/00 *
```

1. 01/29/00 CABG, VEIN, SIX+ (33516) - UNRELATED  
>>> Died 29 days postop. <<<

```
Was the Death Unrelated or Related to the Surgery?: UNRELATED
```

```
// R RELATED
```

```
Review of Death Comments:
```

```
No existing text  
Edit? NO// <Enter>
```

```
Update Operations as Unrelated or Related to Death
```

```
SURPATIENT,THIRTY 000-82-9472 * DIED 02/27/00 *
```

```
Operations in 90 Days Prior to Death:
```

1. 01/29/00 CABG, VEIN, SIX+ (33516) - RELATED  
>>> Died 29 days postop. <<<
2. 01/06/00 TOTAL LARYNGECTOMY (CPT MISSING) - UNRELATED  
>>> Died 52 days postop. <<<
3. 12/02/99 EVACUATION OF HEMATOMA LT.THIGH (27301) - UNRELATED  
>>> Died 87 days postop. <<<

```
Select Number of Operation to be Updated: (1-3): <Enter>
```

```
Update Operations as Unrelated or Related to Death
```

```
Select Patient:
```

## Update/Verify Procedure/Diagnosis Codes [SRCODING EDIT]

The *Update/Verify Procedure/Diagnosis Codes* option is used to edit and/or verify the CPT and ICD-9 codes for an operation or non-O.R. procedure.

Select Chief of Surgery Menu Option: **CODE** Update/Verify Procedure/Diagnosis Codes

Select Patient: **D8719** SURPATIENT,TWELVE 02-12-28 000418719  
YES SC VETERAN

SURPATIENT,TWELVE (000-41-8719)

Operation Date: FEB 18, 1999@08:45 Case #124

- 
1. Principal Procedure: TRACHEOSTOMY
  2. Principal CPT Code: NOT ENTERED
  3. Other Procedures: \*\* INFORMATION ENTERED \*\*
  4. Postoperative Diagnosis: FOREIGN BODY IN TRACHEA
  5. Principal Diagnosis Code: NOT ENTERED
  6. Other Postop Diagnosis: \*\* INFORMATION ENTERED \*\*
- 

Select Information to Edit: ?

Enter the number corresponding to the information you want to update. You may enter 'ALL' to update all the information displayed on this screen, or a range of numbers separated by a ':' to update more than one item.

Select Information to Edit: **2**

SURPATIENT,TWELVE (000-41-8719)

Operation Date: FEB 18, 1999@08:45 Case #124

-----

Principal Procedure Code (CPT): **31600** INCISION OF WINDPIPE  
TRACHEOSTOMY, PLANNED (SEPARATE PROCEDURE);  
Modifier: **59** DISTINCT PROCEDURAL SERVICE  
Modifier: **<Enter>**

SURPATIENT,TWELVE (000-41-8719)

Operation Date: FEB 18, 1999@08:45 Case #124

- 
1. Principal Procedure: TRACHEOSTOMY
  2. Principal CPT Code: 31600 INCISION OF WINDPIPE  
TRACHEOSTOMY, PLANNED (SEPARATE PROCEDURE);  
Modifiers: -59
  3. Other Procedures: \*\* INFORMATION ENTERED \*\*
  4. Postoperative Diagnosis: FOREIGN BODY IN TRACHEA
  5. Principal Diagnosis Code: NOT ENTERED
  6. Other Postop Diagnosis: \*\* INFORMATION ENTERED \*\*
- 

Select Information to Edit: **3**

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Other Procedures:

1. BRONCHOSCOPY  
CPT Code: NOT ENTERED
2. Enter NEW Other Procedure

Enter selection: (1-2): 1

BRONCHOSCOPY  
CPT Code: NOT ENTERED

OTHER PROCEDURE: BRONCHOSCOPY// <Enter>  
OTHER PROCEDURE CPT CODE: 31622 DX BRONCHOSCOPE/WASH  
BRONCHOSCOPY; DIAGNOSTIC, (FLEXIBLE OR RIGID), WITH OR WITHOUT CELL  
WASHING  
Modifier: <Enter>

Press RETURN to continue <Enter>

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Other Procedures:

1. BRONCHOSCOPY  
CPT Code: 31622 DX BRONCHOSCOPE/WASH
2. Enter NEW Other Procedure

Enter selection: (1-2): 2

Enter new OTHER PROCEDURE: ESOPHAGOSCOPY  
OTHER PROCEDURE CPT CODE: 43200 ESOPHAGUS ENDOSCOPY  
ESOPHAGOSCOPY, RIGID OR FLEXIBLE;  
DIAGNOSTIC, WITH OR WITHOUT COLLECTION OF SPECIMEN(S) BY BRUSHING OR  
WASHING (SEPARATE PROCEDURE)

Modifier: <Enter>

Press RETURN to continue <Enter>

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Other Procedures:

1. BRONCHOSCOPY  
CPT Code: 31622 DX BRONCHOSCOPE/WASH
2. ESOPHAGOSCOPY  
CPT Code: 43200 ESOPHAGUS ENDOSCOPY
3. Enter NEW Other Procedure

Enter selection: (1-3): <Enter>

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

- 
1. Principal Procedure: TRACHEOSTOMY
  2. Principal CPT Code: 31600 INCISION OF WINDPIPE  
TRACHEOSTOMY, PLANNED (SEPARATE PROCEDURE);  
Modifiers: -59
  3. Other Procedures: \*\* INFORMATION ENTERED \*\*
  4. Postoperative Diagnosis: FOREIGN BODY IN TRACHEA
  5. Principal Diagnosis Code: NOT ENTERED
  6. Other Postop Diagnosis: \*\* INFORMATION ENTERED \*\*
- 

Select Information to Edit: 5

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----

Prin Pre-OP ICD Diagnosis Code: **934.0** 934.0 FOREIGN BODY IN TRACHEA  
...OK? Yes// <Enter>

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

- 
1. Principal Procedure: TRACHEOSTOMY
  2. Principal CPT Code: 31600 INCISION OF WINDPIPE  
TRACHEOSTOMY, PLANNED (SEPARATE PROCEDURE);  
Modifiers: -59
  3. Other Procedures: \*\* INFORMATION ENTERED \*\*
  4. Postoperative Diagnosis: FOREIGN BODY IN TRACHEA
  5. Principal Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
  6. Other Postop Diagnosis: \*\* INFORMATION ENTERED \*\*
- 

Select Information to Edit: 6

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----

Other Postop Diagnosis:

1. Enter NEW Other Postop Diagnosis

Enter selection: (1-1): 1

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----

Other Postop Diagnosis:

1. Enter NEW Other Postop Diagnosis

Enter selection: (1-1): 1

Enter new OTHER POSTOP DIAGNOSIS: LARYNGEAL/TRACHEAL BURN  
ICD DIAGNOSIS CODE: **947.1** 947.1 BURN LARYNX/TRACHEA/LUNG  
...OK? Yes// <Enter>



SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Other Postop Diagnosis:

1. LARYNGEAL/TRACHEAL BURN  
ICD9 Code: 947.1 BURN LARYNX/TRACHEA/LUNG
2. Enter NEW Other Postop Diagnosis

Enter selection: (1-2): <Enter>

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

- 
1. Principal Procedure: TRACHEOSTOMY
  2. Principal CPT Code: 31600 INCISION OF WINDPIPE  
TRACHEOSTOMY, PLANNED (SEPARATE PROCEDURE);  
Modifiers: -59
  3. Other Procedures: \*\* INFORMATION ENTERED \*\*
  4. Postoperative Diagnosis: FOREIGN BODY IN TRACHEA
  5. Principal Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
  6. Other Postop Diagnosis: \*\* INFORMATION ENTERED \*\*
- 

Select Information to Edit:

*(This page included for two-sided copying.)*

# Chapter Five: Managing the Software Package

---

## Introduction

This chapter describes options designed for the exclusive use of the Surgery package coordinator. The package coordinator can configure certain Surgery package fields to conform to a facility's needs.

## Exiting an Option or the System

The user should enter an up-arrow (^) to stop what he or she is doing. The up-arrow can be used at almost any prompt to terminate the line of questioning and return to the previous level in the routine. The user would continue entering up-arrows to completely exit the system.

## Option Overview

The main option included in this menu is listed below. To the left of the option name is the shortcut synonym that the user can enter to select the option. This is a restricted option and only users with the SRCOORD security key have access.

Shortcut	Option Name
M	<i>Surgery Package Management Menu</i>

*(This page included for two-sided copying.)*

# Surgery Package Management Menu

## [SRO PACKAGE MANAGEMENT]

The *Surgery Package Management Menu* provides access to options that are used to manage the Surgery software. Each option is discussed in the rest of this chapter.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym that the user can enter to select the option.

Shortcut	Option Name
S	<i>Surgery Site Parameters (Enter/Edit)</i>
OR	<i>Operating Room Information (Enter/Edit)</i>
SU	<i>Surgery Utilization Menu ...</i>
KEY	<i>Person Field Restrictions Menu ...</i>
SD	<i>Update O.R. Schedule Devices</i>
U	<i>Update Staff Surgeon Information</i>
D	<i>Flag Drugs for Use as Anesthesia Agents</i>
F	<i>Update Site Configurable Files</i>
SI	<i>Surgery Interface Management Menu ...</i>
V	<i>Make Reports Viewable in CPRS</i>

## Surgery Site Parameters (Enter/Edit) [SROPARAM]

Surgical Service managers use this option to create or update local site parameters for the Surgery package.

A question mark or two can be entered to access the help text at any prompt.

Example: Enter Surgery Site Parameters

```
Select Surgery Package Management Menu Option: S Surgery Site Parameters (Enter/Edit)
```

```
Edit Parameters for which Surgery Site: MAYBERRY, NC
```

```
MAYBERRY, NC (999) PAGE 1 OF 2
1 MAIL CODE FOR ANESTHESIA: 112G
2 CANCEL IVS: CANCEL
3 DEFAULT BLOOD COMPONENT: CPDA-1 RED BLOOD CELLS
4 CHIEF'S NAME: DR. THREE SURSURGEON
5 LOCK AFTER HOW MANY DAYS:
6 REQUEST DEADLINE: 15:00
7 SCHEDULE CLOSE TIME: 14:00
8 NURSE INTRAOP REPORT: PRINT TITLES WITH INFO ONLY
9 CARDIAC ASSESSMENT IN USE (Y/N): YES
10 ASK FOR RISK PREOP INFO: NO
11 PCE UPDATE ACTIVATION DATE: OCT 01, 1999
12 SURGICAL RESIDENTS (Y/N): NO

Enter Screen Server Function: 5
Lock Completed Cases after How Many Days?: 14
```

```
MAYBERRY, NC (999) PAGE 1 OF 2
1 MAIL CODE FOR ANESTHESIA: 112G
2 CANCEL IVS: CANCEL
3 DEFAULT BLOOD COMPONENT: CPDA-1 RED BLOOD CELLS
4 CHIEF'S NAME: DR. THREE SURSURGEON
5 LOCK AFTER HOW MANY DAYS: 14
6 REQUEST DEADLINE: 15:00
7 SCHEDULE CLOSE TIME: 14:00
8 NURSE INTRAOP REPORT: PRINT TITLES WITH INFO ONLY
9 CARDIAC ASSESSMENT IN USE (Y/N): YES
10 ASK FOR RISK PREOP INFO: NO
11 PCE UPDATE ACTIVATION DATE: OCT 01, 1999
12 SURGICAL RESIDENTS (Y/N): NO

Enter Screen Server Function: <Enter>
```

```

1  REQUIRED FIELDS FOR SCHEDULING: (MULTIPLE)(DATA)
2  REQUEST CUTOFF FOR SUNDAY: SATURDAY
3  REQUEST CUTOFF FOR MONDAY: FRIDAY
4  REQUEST CUTOFF FOR TUESDAY: MONDAY
5  REQUEST CUTOFF FOR WEDNESDAY: TUESDAY
6  REQUEST CUTOFF FOR THURSDAY: WEDNESDAY
7  REQUEST CUTOFF FOR FRIDAY: THURSDAY
8  REQUEST CUTOFF FOR SATURDAY: FRIDAY
9  HOLIDAY SCHEDULING ALLOWED: (MULTIPLE)(DATA)
10 INACTIVE?:
11 AUTOMATED CASE CART ORDERING: YES
12 ANESTHESIA REPORT IN USE: YES
13 DEFAULT CLINIC FOR DOCUMENTS:

```

Enter Screen Server Function: 1

## REQUIRED FIELDS FOR SCHEDULING

```

1  NEW ENTRY

```

Enter Screen Server Function: 1

Select REQUIRED FIELDS FOR SCHEDULING: 27 PRINCIPAL PROCEDURE CODE

ARE YOU ADDING 'PRINCIPAL PROCEDURE CODE' AS

A NEW REQUIRED FIELDS FOR SCHEDULING (THE 1ST FOR THIS SURGERY SITE PARAMETERS)? Y (YES)

REQUIRED FIELDS FOR SCHEDULING: PRINCIPAL PROCEDURE CODE

// <Enter>

## REQUIRED FIELDS FOR SCHEDULING (PRINCIPAL PROCEDURE CODE)

```

1  REQUIRED FIELDS FOR SCHEDULING: PRINCIPAL PROCEDURE CODE
2  COMMENTS: (WORD PROCESSING)

```

Enter Screen Server Function: 2

Comments:

1>This field is required for SPD.

2><Enter>

EDIT Option: <Enter>

## REQUIRED FIELDS FOR SCHEDULING (PRINCIPAL PROCEDURE CODE)

```

1  REQUIRED FIELDS FOR SCHEDULING: PRINCIPAL PROCEDURE CODE
2  COMMENTS: (WORD PROCESSING)(DATA)

```

Enter Screen Server Function: <Enter>

## REQUIRED FIELDS FOR SCHEDULING

```

1  REQUIRED FIELDS FOR SCHEDULING: PRINCIPAL PROCEDURE CODE
2  NEW ENTRY

```

Enter Screen Server Function: <Enter>

1 REQUIRED FIELDS FOR SCHEDULING: (MULTIPLE)(DATA)  
2 REQUEST CUTOFF FOR SUNDAY: SATURDAY  
3 REQUEST CUTOFF FOR MONDAY: FRIDAY  
4 REQUEST CUTOFF FOR TUESDAY: MONDAY  
5 REQUEST CUTOFF FOR WEDNESDAY: TUESDAY  
6 REQUEST CUTOFF FOR THURSDAY: WEDNESDAY  
7 REQUEST CUTOFF FOR FRIDAY: THURSDAY  
8 REQUEST CUTOFF FOR SATURDAY: FRIDAY  
9 HOLIDAY SCHEDULING ALLOWED: (MULTIPLE)(DATA)  
10 INACTIVE?:  
11 AUTOMATED CASE CART ORDERING: YES  
12 ANESTHESIA REPORT IN USE: YES  
13 DEFAULT CLINIC FOR DOCUMENTS:

Enter Screen Server Function:



## Operating Room Information (Enter/Edit) [SRO-ROOM]

The *Operating Room Information (Enter/Edit)* option is used to enter or edit information pertinent to a selected operating room, including start and end times, and cleaning time.

At the TYPE field, the user can enter two question marks (??) to get a list of operating room types from which to select. If an operating room is not in service, the user can enter "YES" at the INACTIVE field to make the operating room inactive and prevent its use by other people using the Surgery software.

### Example: Entering Operating Room Information

```
Select Surgery Package Management Menu Option: OR Operating Room Information (Enter/Edit)
```

```
Enter/Edit Information for which Operating Room ? OR1
```

```
OR1 ** Update O.R. ** PAGE 1 OF 1
```

```
1 LOCATION: 1 WEST
2 PERSON RESP.: SURSURGEON,ONE
3 TELEPHONE: 534-1231
4 TYPE: GENERAL PURPOSE OPERATING ROOM
5 CLEANING TIME: 15
6 REMARKS:
7 INACTIVE?:
```

```
Enter Screen Server Function: 2
```

```
Person Responsible for this Operating Room: SURSURGEON,ONE// SURSURGEON,THIRTY
```

```
OR1 ** Update O.R. ** PAGE 1 OF 1
```

```
1 LOCATION: 1 WEST
2 PERSON RESP.: SURSURGEON,THIRTY
3 TELEPHONE: 555-555-1234
4 TYPE: GENERAL PURPOSE OPERATING ROOM
5 CLEANING TIME: 15
6 REMARKS:
7 INACTIVE?:
```

```
Enter Screen Server Function:
```

## Surgery Utilization Menu [SR OR UTIL]

The *Surgery Utilization Menu* contains options designed to help determine operating room use. With this menu, Surgery Service managers can schedule the normal operating hours for an operating room, as well as the actual hours an operating room was in use. Operating rooms can also be inactivated. A report can be generated to see what percentage of available hours an operating room was in use and to see if an O.R. was used outside normal hours.

Shortcut	Option Name
E	<i>Operating Room Utilization (Enter/Edit)</i>
N	<i>Normal Daily Hours (Enter/Edit)</i>
R	<i>Operating Room Utilization Report</i>
H	<i>Report of Normal Operating Room Hours</i>
P	<i>Purge Utilization Information</i>

## Operating Room Utilization (Enter/Edit)

### [SR UTIL EDIT ROOM]

The *Operating Room Utilization (Enter/Edit)* option is used to update the actual start and end times for operating rooms on a selected date, one operating room at a time. This information is used when generating the operating room utilization reports.

The user first enters the date, then the name of the operating room. The software will default to the start and end times and allow the times to be edited. There is also a prompt for inactivating a room. If the user does not want to edit an entry, pressing the **<Enter>** key will display the next prompt.

When the user is finished entering or editing times for an operating room, he or she will be prompted for the name of the next operating room. If the user does not wish to edit times for any more operating rooms on this date, he or she should press the **<Enter>** key. The software will then prompt for a new date and the cycle begins again. When the user is finished editing times, he or she can press the **<Enter>** key or enter an up-arrow (^) to exit this option.

#### Example: Enter and Edit Operating Room Times

```
Select Surgery Utilization Menu Option: E Operating Room Utilization (Enter/Edit)
```

```
Update Start and End Times for Operating Rooms
```

```
Update Times for which Date ? T (NOV 03, 2003)
```

```
Operating Room Utilization on NOV 3, 2003
```

```
-----  
Update Start and End Times for which Operating Room ? OR1
```

```
Time this Operating Room Begins Functioning: 07:00
```

```
// <Enter>
```

```
Time this Operating Room Stops Functioning: 17:00
```

```
// 13:50 (NOV 03, 2003@13:50)
```

```
Has this Room been Inactivated on this Date ? (Y/N): N NO
```

```
Operating Room Utilization on NOV 3, 2003
```

```
-----  
Update Start and End Times for which Operating Room ? OR2
```

```
Time this Operating Room Begins Functioning: 07:00
```

```
// <Enter>
```

```
Time this Operating Room Stops Functioning: 17:00
```

```
// 13:30 (NOV 03, 2003@13:30)
```

```
Has this Room been Inactivated on this Date ? (Y/N): N NO
```

Operating Room Utilization on NOV 3, 2003

-----

Update Start and End Times for which Operating Room ? **OR3**

Time this Operating Room Begins Functioning: 07:00

// **<Enter>**

Time this Operating Room Stops Functioning: 17:00

// **<Enter>**

Has this Room been Inactivated on this Date ? (Y/N): **Y** YES

Operating Room Utilization on NOV 3, 2003

-----

Update Start and End Times for which Operating Room ? **<Enter>**

Update Start and End Times for Operating Rooms and Surgical Specialties

Update Times for which Date ?

## Normal Daily Hours (Enter/Edit)

### [SR NORMAL HOURS]

The *Normal Daily Hours (Enter/Edit)* option is used to schedule the normal start and end times of an operating room for each day of the week, one operating room at a time. The information is used to help determine operating room use on a weekly basis.

First, the user enters the name of the operating room. Beginning with Sunday, the software will provide an editing schedule for each day of the week and prompt for normal start and end times for each day. There is also a prompt for inactivating a room. When the schedules for the week have been completed, the user will be prompted for the name of the next operating room for which to enter times. When the user finishes editing times, he or she can press the **<Enter>** key or enter an up-arrow (^) to exit this option.

At the "Select information to edit:" prompt, the user can 1) enter the letter **A** to update all the information on the schedule, 2) enter a number to update information in the corresponding field, 3) enter a range of numbers separated by a colon (:), or 4) press the **<Enter>** key to move to the next day's schedule. To edit the schedule for a particular day, the user enters an up-arrow followed by a day of the week. For example, to edit Friday's schedule, **^Friday** would be entered. This is demonstrated in the following example.



The start and end times must be in military time. Also, use a leading zero when the hour is a single digit (e.g., 7 AM is 07:00).

#### Example: Enter Normal Start and End Times for an Operating Room

```
Select Surgery Utilization Menu Option: N Normal Daily Hours (Enter/Edit)
```

```
=====
Normal Daily Schedules for Operating Rooms
=====
```

```
Enter the name of the operating room: OR1
```

```
Editing the SUNDAY Schedule for the OR1 Operating Room
```

```
=====
```

```
1. Normal Start Time: 07:00
2. Normal End Time: 15:30
3. Inactive (Y/N):
```

```
=====
```

```
Select information to edit: <Enter>
```

```
Editing the MONDAY Schedule for the OR1 Operating Room
=====
1. Normal Start Time:
2. Normal End Time:
3. Inactive (Y/N):
=====

Select information to edit: 1:2

Normal Starting Time: 07:00
Normal Ending Time: 15:30
```

```
Editing the MONDAY Schedule for the OR1 Operating Room
=====
1. Normal Start Time: 07:00
2. Normal End Time: 15:30
3. Inactive (Y/N):
=====

Select information to edit: ^FRIDAY
```

```
Editing the FRIDAY Schedule for the OR1 Operating Room
=====
1. Normal Start Time:
2. Normal End Time:
3. Inactive (Y/N):
=====

Select information to edit: 1:2

Normal Starting Time: 07:00
Normal Ending Time: 15:30
```

```
Editing the FRIDAY Schedule for the OR1 Operating Room
=====
1. Normal Start Time: 07:00
2. Normal End Time: 15:30
3. Inactive (Y/N):
=====

Select information to edit: ^
```

```
=====
Normal Daily Schedules for Operating Rooms
=====

Enter the name of the operating room: ^
```

## Operating Room Utilization Report

### [SR OR UTL1]

The *Operating Room Utilization Report* option prints utilization information, within a selected date range, for all operating rooms or for a single operating room. The report displays the percent utilization, the number of cases, the total operation time and the time worked outside normal hours for each operating room individually and all operating rooms collectively.

### How the Percent Utilization is Derived

The percent utilization is derived by dividing the total operation time for all operations (including total time patients were in O.R., plus the cleanup time allowed for each case) by the total functioning time as defined in the SURGERY UTILIZATION file. The quotient is then multiplied by 100.

This report has a 132-column format and is designed to be copied to a printer.

Example: Print the Operating Room Utilization Report

```
Select Management Reports Option: OR Operating Room Utilization Report
```

```
Operating Room Utilization Report
```

```
Print utilization information starting with which date ? 3/8 (MAR 08, 2003)
```

```
Print utilization information through which date ? 3/9 (MAR 09, 2003)
```

```
Do you want to print the Operating Room Utilization Report for all  
operating rooms ? YES// <Enter>
```

```
Print the Operating Room Utilization Report on which Device ? [Select Print Device]
```

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 OPERATING ROOM UTILIZATION REPORT  
 FOR ALL OPERATING ROOMS FROM: MAR 8,2003 TO: MAR 9, 2003  
 DATE PRINTED: MAR 17,2003

PAGE 1

OPERATING ROOM	PERCENT UTILIZATION	NUMBER OF CASES	TOTAL OPERATION TIME (INCLUDING OR MAINTENANCE)	TIME WORKED OUTSIDE NORMAL HRS
OR1	70%	3	17 hrs and 35 mins	6 hrs and 20 mins
OR2	39%	1	7 hrs and 25 mins	1 hr and 10 mins
OR3	133%	8	23 hrs and 42 mins	2 hrs and 30 mins
OR4	29%	3	4 hrs and 41 mins	-
OR5	84%	7	18 hrs and 50 mins	5 hrs and 25 mins
OR6	0	0	-	-
OR7	0	0	-	-
TOTAL UTILIZATION FOR ALL ROOMS	63%	22	72 hrs and 13 mins	15 hrs and 25 mins



## Report of Normal Operating Room Hours

### [SR OR HOURS]

The *Report of Normal Operating Room Hours* option provides the start time and the end time of the normal working hours for all operating rooms or for the selected operating room for each date within the specified date range. The total time of the normal working day is displayed for each operating room for each date.

#### Example: Print Operating Room Normal Working Hours Report

```
Select Surgery Utilization Menu Option: H Report of Normal Operating Room Hours
```

```
Operating Room Normal Working Hours Report
```

```
Print normal working hours starting with which date ? 3/1 (MAR 01, 1999)
```

```
Print normal working hours through which date ? 3/12 (MAR 12, 1999)
```

```
Do you want to print the Operating Room Normal Working Hours Report for all  
operating rooms ? YES// <Enter>
```

```
Print the report on which Device: [Select Print Device]
```

```
-----printout follows-----
```

OPERATING ROOM NORMAL WORKING HOURS  
FROM 03/01/99 TO 03/12/99

OPERATING ROOM	START TIME	END TIME	TOTAL TIME
-----			
** MAR 1, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3		** INACTIVE **	
OR4		** INACTIVE **	
OR5	07:00	17:00	10 hrs
** MAR 2, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3	07:00	15:30	8 hrs and 30 mins
OR4		** INACTIVE **	
OR5	07:00	17:00	10 hrs
** MAR 3, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3	07:00	15:30	8 hrs and 30 mins
OR4	07:00	13:30	6 hrs and 30 mins
OR5	07:00	17:00	10 hrs
** MAR 4, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3	07:00	15:30	8 hrs and 30 mins
OR4	07:00	13:30	6 hrs and 30 mins
OR5	07:00	17:00	10 hrs
** MAR 5, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3	07:00	15:30	8 hrs and 30 mins
OR4	07:00	13:30	6 hrs and 30 mins
OR5	07:00	17:00	10 hrs
** MAR 6, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3	07:00	15:30	8 hrs and 30 mins
OR4	07:00	13:30	6 hrs and 30 mins
OR5	07:00	17:00	10 hrs
** MAR 7, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins

OPERATING ROOM NORMAL WORKING HOURS  
FROM 03/01/99 TO 03/12/99

OPERATING ROOM	START TIME	END TIME	TOTAL TIME
-----			
** MAR 7, 1999 **			
OR3		** INACTIVE **	
OR4		** INACTIVE **	
OR5	07:00	17:00	10 hrs
** MAR 8, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3		** INACTIVE **	
OR4		** INACTIVE **	
OR5	07:00	17:00	10 hrs
** MAR 9, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3	07:00	15:30	8 hrs and 30 mins
OR4		** INACTIVE **	
OR5	07:00	17:00	10 hrs
** MAR 10, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3	07:00	15:30	8 hrs and 30 mins
OR4	07:00	13:30	6 hrs and 30 mins
OR5	07:00	17:00	10 hrs
** MAR 11, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3	07:00	15:30	8 hrs and 30 mins
OR4	07:00	13:30	6 hrs and 30 mins
OR5	07:00	17:00	10 hrs
** MAR 12, 1999 **			
OR1	07:00	15:30	8 hrs and 30 mins
OR2	07:00	15:30	8 hrs and 30 mins
OR3	07:00	15:30	8 hrs and 30 mins
OR4	07:00	13:30	6 hrs and 30 mins
OR5	07:00	17:00	10 hrs

## Purge Utilization Information

### [SR PURGE UTILIZATION]

The *Purge Utilization Information* option is used to purge utilization information for a selected date range. After selecting a starting date, the user can purge all utilization information for dates prior to, and including, that specified starting date.

#### Example: Purge Utilization Information

```
Select Surgery Utilization Menu Option: P Purge Utilization Information
```

```
Purge Utilization Information
```

```
Starting with Date: 2/1 (FEB 28, 1999)
```

```
This option will purge all utilization information for the dates prior to (and including) FEB 28, 1999.
```

```
Are you sure that you want to purge for this date range ? NO// Y
```

```
The option to purge utilization data has been queued.
```

```
Press RETURN to continue
```

## Person Field Restrictions Menu [SROKEY MENU]

The *Person Field Restrictions Menu* contains options used by the package coordinator to maintain restrictions applied to person-type fields (meaning a field that points to the NEW PERSON field) in files.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option. None of these options will display if the user does not have proper security clearance.

Shortcut	Option Name
E	<i>Enter Restrictions for 'Person' Fields</i>
R	<i>Remove Restrictions on 'Person' Fields</i>

## Enter Restrictions for 'Person' Fields

### [SROKEY ENTER]

The *Enter Restrictions for 'Person' Fields* option allows IRM personnel to assign a key to a specific person-type field (meaning any field that points to the NEW PERSON field) in a file or sub-file.

A key limits the acceptable responses to a field. The Surgery software can be tailored to limit acceptable responses in the field to only those people assigned one of the keys used to restrict the field. For example, a prompt asking for the name of the attending surgeon can be modified to accept only the names of surgeons. Additionally, a field can have more than one key assigned to it; thus, the ATTENDING SURGEON field can be modified to accept the names of surgeons and other surgical staff.

Example 1 below shows how to enter the surgeon key for the SURGEON field in the SURGERY file. Example 2 shows how to enter the surgeon, nurse, and anesthetist keys for a sub-field in the SURGERY file.

Keys can be removed using the *Remove Restrictions on 'Person' Fields* option.

The user can enter one or two question marks to access the on-line help if assistance is needed while interacting with the software. A question mark can also be entered at the "Select Additional Key:" prompt for a list of keys from which to select.

#### Example 1: Enter Restrictions

```
Select Person Field Restrictions Menu Option: E Enter Restrictions for 'Person' Fields
```

```
Add 'PERSON' Field Restrictions:
```

```
Select File: SURGERY
```

- 1 SURGERY
- 2 SURGERY CANCELLATION REASON
- 3 SURGERY DISPOSITION
- 4 SURGERY EXTRACT
- 5 SURGERY INTERFACE PARAMETER

```
Press <RETURN> to see more, '^' to exit this list, OR
```

```
CHOOSE 1-5: 1 SURGERY
```

```
Select FIELD: SURGEON
```

- 1 SURGEON
- 2 SURGEON'S DICTATION (word-processing)

```
CHOOSE 1-2: 1 SURGEON
```

```
There are no keys restricting entries in this field.
```

```
Do you want to add a key ? YES// <Enter>
```

```
Select Additional Key: SR SURGEON
```

```
Select Additional Key: <Enter>
```

```
Entering Keys...
```

## Example 2: Enter Restrictions

Select Person Field Restrictions Menu Option: E Enter Restrictions for 'Person' Fields

Add 'PERSON' Field Restrictions:

Select File: **SURGERY**

- 1 SURGERY
- 2 SURGERY CANCELLATION REASON
- 3 SURGERY DISPOSITION
- 4 SURGERY EXTRACT
- 5 SURGERY INTERFACE PARAMETER

Press <RETURN> to see more, '^' to exit this list, OR

CHOOSE 1-5: **1** SURGERY

Select FIELD: **RESTR** & POSITION AIDS (multiple)

Select RESTR & POSITION AIDS SUB-FIELD: **APPLIED BY**

There are no keys restricting entries in this field.

Do you want to add a key ? YES// **<Enter>**

Select Additional Key: **SR NURSE**

Select Additional Key: **SR SURGEON**

Select Additional Key: **SR ANESTHETIST**

Select Additional Key: **<Enter>**

Entering Keys...

## Remove Restrictions on 'Person' Fields

### [SROKEY REMOVE]

The *Remove Restrictions on 'Person' Fields* option allows IRM personnel to remove a key to a specific person-type field in a specific file. A key limits the acceptable responses to a field; removing a key removes a restriction on the acceptable responses.

In the example below, the key that permits the name of an anesthetist is removed from the RESTRAINTS & POSITION AIDS field, leaving the nurse and surgeon keys intact. All of the keys can be removed at one time by entering **ALL** at the "Select Number or 'ALL':" prompt.

#### Example: Remove Restrictions

```
Select Person Field Restrictions Menu Option: R Remove Restrictions on 'Person' Fields
```

```
Remove 'PERSON' field restrictions:
```

```
Select File: SURGERY
```

- 1 SURGERY
- 2 SURGERY CANCELLATION REASON
- 3 SURGERY DISPOSITION
- 4 SURGERY EXTRACT
- 5 SURGERY INTERFACE PARAMETER

```
Press <RETURN> to see more, '^' to exit this list, OR
```

```
CHOOSE 1-5: 1 SURGERY
```

```
Select FIELD: RESTR & POSITION AIDS (multiple)
```

```
Select RESTR & POSITION AIDS SUB-FIELD: APPLIED BY
```

```
Current Restrictions for this Field:
```

1. SR NURSE
2. SR SURGEON
3. SR ANESTHETIST

```
Do you want to remove one of these keys ? YES// <Enter>
```

```
Select Number or "ALL": 3
```

```
Select Person Field Restrictions Option:
```



## Update O.R. Schedule Devices [SR UPDATE SCHEDULE DEVICE]

The *Update O.R. Schedule Devices* option is used to update the list of devices that will print the Schedule of Operations when printing to all pre-defined printers.

Example: Add a New Schedule Device

```
Select Surgery Package Management Menu Option: SD Update O.R. Schedule Devices
```

```
Update O.R. Schedule Devices  
-----
```

```
Select OR SCHEDULE DEVICES: SPD PTR  
  ARE YOU ADDING 'SPD PTR ' AS A NEW OR SCHEDULE DEVICES (THE 1ST FOR THIS SURGERY  
SITE PARAMETERS)? Y (YES)  
Select OR SCHEDULE DEVICES:
```

## Update Staff Surgeon Information [SROSTAFF]

The *Update Staff Surgeon Information* option allows the designation of a user as a staff surgeon by assigning a security key called SR STAFF SURGEON. The Annual Report of Surgical Procedures will count cases performed by holders of this security key as having been performed by “staff.” All other cases will be counted as performed by “resident.”

### Example 1: Designate a Staff Surgeon

```
Select Surgery Package Management Menu Option: U Update Staff Surgeon Information
```

```
Update Information for which Surgeon: SURSURGEON,ONE
```

```
Do you want to designate this person as a 'Staff Surgeon' ? YES// <Enter>
```

```
SURSURGEON,ONE is now designated as a staff surgeon.
```

```
Press RETURN to continue
```

### Example 2: Remove Staff Surgeon Designation

```
Select Surgery Package Management Menu Option: U Update Staff Surgeon Information
```

```
Update Information for which Surgeon: SURSURGEON,ONE
```

```
This person is already designated as a staff surgeon. Do you want to remove  
that designation ? NO// Y
```

```
Removing key designating SURSURGEON,ONE as a staff surgeon...
```

```
Press RETURN to continue
```

## Flag Drugs for Use as Anesthesia Agents [SROCODE]

Surgery Service managers use the *Flag Drugs for Use as Anesthesia Agents* option to mark drugs for use as anesthesia agents. If the drug is not flagged, the user will not be able to select it as an entry for the ANESTHESIA AGENT data field.

To flag a drug, it must already be listed in the Pharmacy DRUG file. To add a drug to this file, the user should contact the facility's Pharmacy Package Coordinator.

Example: Flag Drugs Used as Anesthesia Agents

```
Select Surgery Package Management Menu Option:  D  Flag Drugs for use as Anesthesia Agents
```

```
Enter the name of the drug you wish to flag:  HALOTHANE
```

```
Do you want to flag this drug for SURGERY (Y/N)?  YES
```

```
Enter the name of the drug you wish to flag:
```

## Update Site Configurable Files [SR UPDATE FILES]

The *Update Site Configurable Files* option is designed for the package coordinator to add, edit, or inactivate file entries for the site-configurable files.

The software provides a numbered list of site-configurable files. The user should enter the number corresponding to the file that he or she wishes to update. The software will default to any previously entered information on the entry and provide a chance to edit it. The last prompt asks whether the user wants to inactivate the entry; answering **Yes** or **1** will inactivate the entry.

### Example 1: Add a New Entry to a Site-Configurable File

```
Select Surgery Package Management Menu Option: F Update Site Configurable Files
```

```
=====
                          Update Site Configurable Surgery Files
=====
1.  Surgery Transportation Devices
2.  Prosthesis
3.  Surgery Positions
4.  Restraints and Positional Aids
5.  Surgical Delay
6.  Monitors
7.  Irrigations
8.  Surgery Replacement Fluids
9.  Skin Prep Agents
10. Skin Integrity
11. Patient Mood
12. Patient Consciousness
13. Local Surgical Specialty
14. Electroground Positions
15. Surgery Dispositions
=====
Update Information for which File ? 2
```

```
Update Information in the Prosthesis file.
```

```
=====
Select PROSTHESIS NAME: HUMERAL
  ARE YOU ADDING 'HUMERAL' AS A NEW PROSTHESIS (THE 112TH)? Y (YES)
NAME: HUMERAL // HUMERAL COMPONENT
VENDOR: AMERICAN
MODEL: NEER II
STERILE RESP: MANUFACTURER
SIZE: STEM 150 MM, HEAD 22 MM
QUANTITY: <Enter>
LOT NUMBER: F19705-1087
SERIAL NUMBER: <Enter>
INACTIVE?: <Enter>

Select PROSTHESIS NAME:
```

## Example 2: Re-Activate an Entry

Select Surgery Package Management Menu Option: **F** Update Site Configurable Files

```
=====
                          Update Site Configurable Surgery Files
=====
1.  Surgery Transportation Devices
2.  Prosthesis
3.  Surgery Positions
4.  Restraints and Positional Aids
5.  Surgical Delay
6.  Monitors
7.  Irrigations
8.  Surgery Replacement Fluids
9.  Skin Prep Agents
10. Skin Integrity
11. Patient Mood
12. Patient Consciousness
13. Local Surgical Specialty
14. Electroground Positions
15. Surgery Dispositions
=====
Update Information for which File ? 6
```

Update Information in the Monitors file.

```
=====
Select MONITORS NAME: ECG                ** INACTIVE **
NAME: ECG// <Enter>
INACTIVE?: YES// @
      SURE YOU WANT TO DELETE? Y (YES)

Select MONITORS NAME:
```

## **Surgery Interface Management Menu** **[SRHL INTERFACE]**

The *Surgery Interface Management Menu* contains options that allow the user to set up certain interface parameters that control the processing of Health Level 7 (HL7) messages. The interface adheres to the HL7 protocol and forms the basis for the exchange of health care information between the VistA Surgery package and any ancillary system.

Currently, there are four options on the *Surgery Interface Management Menu*.

<b>Shortcut</b>	<b>Option Name</b>
I	<i>Flag Interface Fields</i>
F	<i>File Download</i>
T	<i>Table Download</i>
P	<i>Update Interface Parameter Field</i>

## Flag Interface Fields

### [SRHL INTERFACE FLDS]

The *Flag Interface Fields* option allows the package coordinator to set the INTERFACE field in the SURGERY INTERFACE file. The categories listed on the first screen correspond to entries in SURGERY INTERFACE file. These categories are listed in the Surgery HL7 Interface Specifications document as being the OBR (Observation Request) text identifiers. Each identifier corresponds to several fields in the VistA Surgery package. This allows the user to control the flow of data between the VistA Surgery package and the ancillary system on a field-by-field basis.

The option lists each identifier and its current setting. To receive the data coming from the ancillary system for a category, the flag the flag should be set to **R** for receive. To ignore the data, the flag should be set to **N** for not receive. To see a second underlying layer of OBX (Observation/Result) text identifiers (the SURGERY file fields) and their settings, the OBR (Observation Request) text identifier should be set to **R** for receive. The option will allow the user to toggle the settings for a range of items or for individual items.

#### Example: Flagging Operation Information to be Received

```
Select Surgery Interface Management Menu Option: I Flag Interface Fields
```

```

                                Surgery Interface Setup Menu

To change the setting in one of the following categories, enter the
corresponding number.
(R - Receive)
(S - Send)
(S/R - Send and Receive)
(I - Ignore)

1. OPERATION (S/R)
2. TOURNIQUET (I)
3. MONITOR (I)
4. MEDICATION (R)
5. ANESTHESIA (R)
6. PROCEDURE (I)
7. PROCEDURE OCCURRENCE (I)
8. INTRAOPERATIVE OCCURRENCE (I)
9. POSTOPERATIVE OCCURRENCE (I)
10. NONOPERATIVE OCCURRENCE (I)

Enter a number: ?

The categories above refer to VistA Surgery data fields. Below are examples:
OPERATION -> File 130 fields.
TOURNIQUET -> TIME TOURNIQUET APPLIED (#.48) and File 130.02 fields.
MONITOR -> MONITORS (#.293) and File 130.41 fields.
MEDICATION -> MEDICATIONS (#.375) and File 130.33 fields.
ANESTHESIA -> ANESTHESIA TECHNIQUE (#.37) and File 130.06 fields.
Enter the corresponding number of the category you wish to edit. To edit
underlying fields, set the category to R for receive or S to send.

Enter a number: 1

Do you wish to change the current setting of OPERATION: IGNORE// RECEIVE

OPERATION DATA

Toggle the current setting to (R)eceive, (S)end, or (I)gnore.
```

1. TIME OPERATION BEGAN (S)	17. OR SETUP TIME (I)
2. TIME OPERATION ENDS (S)	18. ANESTHESIA TEMP (I)
3. NURSE PRESENT TIME (I)	19. HR (I)
4. TIME PATIENT IN HOLDING AREA (I)	20. RR (I)
5. ANESTHESIA AVAILABLE TIME (I)	21. BP (I)
6. TIME PATIENT IN OR (S)	22. ASA CLASS (I)
7. SURGEON PRESENT TIME (I)	23. CASE SCHEDULE TYPE (I)
8. ANESTHESIA CARE START TIME (I)	24. ATTENDING CODE (I)
9. ANESTHESIA CARE END TIME (I)	25. REPLACEMENT FLUID (R)
10. TIME PATIENT OUT OR (I)	26. INDUCTION COMPLETE (I)
11. PRIN. ANES. (I)	27. ANES. SUPERVISE CODE (I)
12. RELIEF ANESTHETIST (I)	28. SURGEON PGY (I)
13. ASSISTANT ANESTHETIST (I)	29. OR LOCATION (I)
14. ANES. SUPER. (I)	30. PAC(U) ADMIT TIME (I)
15. BLOOD LOSS (I)	31. PAC(U) DISCHARGE TIME (I)
16. TOTAL URINE OUTPUT (I)	

Enter a number: ?

The items above refer to VistA Surgery package fields. Below are examples:

```
HR -> End Pulse (#.84)
BP -> End BP      (#.85)
RR -> End Resp   (#.86)
```

To toggle the current setting of an item, enter its corresponding number.



## File Download

### [SRHL DOWNLOAD INTERFACE FILES]

The *File Download* option is used to download Surgery interface files to the Automated Anesthesia Information System (AAIS). The process is currently being done by a screen capture to a file. In the future, this will be changed to a background task that can be queued to send HL7 master file updates.

#### Example: Downloading Interface Files

```
Select Surgery Interface Management Menu Option: F File Download
```

```

      Surgery Interface File Download Option

1. CPT4
2. ICD9
3. MEDICATION
4. MONITOR
5. PERSONNEL
6. REPLACEMENT FLUID
7. ANES SUPERVISE CODE
8. LOCATION

Enter file to Capture: (1-8): 4
Update the MONITOR file? YES// <Enter>
Queuing message
```

## Table Download

### [SRHL DOWNLOAD SET OF CODES]

The *Table Download* option downloads the SURGERY file set of codes to the AAIS. This process is currently being done by a screen capture to a file. In the future, this will be changed to a background task that can be queued to send HL7 master file updates.

Example: Downloading Surgery Set of Codes

```
Select Surgery Interface Management Menu Option: T Table Download
```

```

                Surgery Interface Table Setup Menu

This option allows the users to populate table files on the Automated
Anesthesia Information System.

1. CASE SCHEDULE TYPE                10. TUBE TYPE
2. ATTENDING CODE                    11. EXTUBATED IN
3. SITE TOURNIQUET APPLIED           12. BARICITY
4. MEDICATION ROUTE                  13. EPIDURAL METHOD
5. PRINCIPAL ANES TECHNIQUE (Y/N)    14. ADMINISTRATION METHOD
6. PATIENT STATUS                    15. PROCEDURE OCCURRENCE OUTCOME
7. ANESTHESIA ROUTE                  16. INTRAOP OCCURRENCE OUTCOME
8. ANESTHESIA APPROACH                17. POSTOP OCCURRENCE OUTCOME
9. LARYNGOSCOPE TYPE                  18. NONOP OCCURRENCE OUTCOME

Enter a list or range of numbers (1-18): 2
Update the ATTENDING CODE table? YES// <Enter>
MAD Sending HL7 Master File addition message.....
```

## Update Interface Parameter Field

### [SRHL DOWNLOAD SET OF CODES]

The *Update Interface Parameter Field* option may be used to edit the parameter that determines which Surgery HL7 interface will be used, the interface compatible with HL7 V. 1.6 or the older one compatible with HL7 V. 1.5.

If applications communicating with the Surgery HL7 interface must use the interface designed for use with HL7 V. 1.5, **YES** should be entered. Otherwise, **NO** should be entered or this field should be left blank.

#### Example: Updating Interface Parameter Field

```
Select Surgery Interface Management Menu Option: P Update Interface Parameter Field
```

```
This option may be used to edit the parameter that determines which Surgery  
HL7 interface will be used, the interface compatible with HL7 v1.6 or the  
older one compatible with HL7 v1.5.
```

```
If applications communicating with the Surgery HL7 interface must use the  
interface designed for HL7 v1.5, enter YES. Otherwise, enter NO or  
or leave this field blank.
```

```
Use Surgery Interface Compatible with VistA HL7 v1.5 (Y/N): NO
```

## Make Reports Viewable in CPRS [SR VIEW HISTORICAL REPORTS]

This option allows Operation Reports, Nurse Intraoperative Reports, Anesthesia Reports, and Procedure Reports (Non-O.R.) for historical cases to be moved into TIU as "electronically unsigned" to make them viewable on the CPRS Surgery tab. This option lets the user move reports by division, if necessary.

```
Select Surgery Package Management Menu Option: V Make Reports Viewable in CPRS
```

```
Make Reports Viewable in CPRS
```

```
This option allows Operation Reports, Nurse Intraoperative Reports, Anesthesia Reports and Procedure Reports (Non-O.R.) for historical cases to be moved into TIU as "electronically unsigned" to make them viewable within the CPRS Surgery tab. Historical cases are cases performed before the Surgery Electronic Signature for Operative Reports feature was implemented.
```

```
These "electronically unsigned" reports will contain a disclaimer stating: "This information is provided from historical files and cannot be verified that the author has authenticated/approved this information. The authenticated source document in the patient's medical record should be reviewed to ensure that all information concerning this event has been reviewed or noted."
```

```
CAUTION!! This is a system intensive process that creates new documents in TIU. Please ensure adequate disk space availability before running this process.
```

```
Enter starting date for reports to be moved: T-180 (MAR 19, 2003)
```

```
Move reports for all divisions? YES// NO
```

1. ALBANY
2. PHILADELPHIA, PA
3. SAN JUAN, PR

```
Select Number: (1-3): 1
```

```
Do you want to move the Operation Reports (Y/N)? NO// YES
```

```
Do you want to move the Nurse Intraoperative Reports (Y/N)? NO// YES
```

```
Do you want to move the Anesthesia Reports (if used) (Y/N)? NO// YES
```

```
Do you want to move the Procedure Reports (Non-O.R.) (Y/N)? NO// YES
```

```
The following reports for cases performed MAR 19, 2003 to the present for ALBANY will be moved.
```

```
Operation Report  
Nurse Intraoperative Report  
Anesthesia Report  
Procedure Report (Non-O.R.)
```

```
Is this correct (Y/N)? NO// YES
```

```
Requested Start Time: NOW// <Enter> (SEP 15, 2003@13:13:21)
```

```
Queued as task #158943
```

```
Press RETURN to continue.
```

# Chapter Six: Assessing Surgical Risk

---

## Introduction

Unadjusted surgical mortality and morbidity rates can vary dramatically from hospital to hospital in the VA hospital system, as well as in the private sector. This can be the result of differences in patient mix, as well as differences in quality of care. Studies are being conducted to develop surgical risk assessment models for many of the major surgical procedures done in the VA system. It is hoped that these models will correct differences in patient mix between the hospitals so that remaining differences in adjusted mortality and morbidity might be an indicator of differences in quality of care. The objective of this module is to facilitate data entry and transmission to the national centers in Denver, Colorado, where the data is analyzed. The Veterans Affairs Surgery Quality Improvement Program (VASQIP) Executive Committee oversees the overall direction of the Surgery Risk Assessment program.

This Risk Assessment part of the Surgery software provides medical centers a mechanism to track information related to surgical risk and operative mortality. It gives surgeons an on-line method of evaluating and tracking patient probability of operative mortality. For example, a patient with a history of chronic illness may be more “at risk” than a patient with no prior illness.

## Exiting an Option or the System

To get out of an option, the user should enter an up-arrow (^). The up-arrow can be entered at almost any prompt to terminate the line of questioning and return to the previous level in the routine. To completely exit the system, the user continues entering up-arrows.

*(This page included for two-sided copying.)*

# Surgery Risk Assessment Menu

## [SROA RISK ASSESSMENT]

The *Surgery Risk Assessment Menu* option provides the designated Surgical Clinical Nurse Reviewer with on-line access to medical information. The menu options provide the opportunity to edit, list, print, and update an existing assessment for a patient or to enter information concerning a new risk assessment.



This option is locked with the SR RISK ASSESSMENT key.

This chapter follows the main menu of the Risk Assessment module and contains descriptions of the options and sub-options needed to maintain a Risk Assessment, transmit data, and create reports. The options are organized to follow a logical workflow sequence. Each option description is divided into two main parts: an overview and a detailed example.

The top-level options included in this menu are listed in the following table. To the left is the shortcut synonym that the user can enter to select the option.

Shortcut	Option Name
N	<i>Non-Cardiac Assessment Information (Enter/Edit) ...</i>
C	<i>Cardiac Risk Assessment Information (Enter/Edit) ...</i>
P	<i>Print a Surgery Risk Assessment</i>
U	<i>Update Assessment Completed/Transmitted in Error</i>
L	<i>List of Surgery Risk Assessments</i>
F	<i>Print 30 Day Follow-up Letters</i>
R	<i>Exclusion Criteria (Enter/Edit)</i>
M	<i>Monthly Surgical Case Workload Report</i>
V	<i>M&amp;M Verification Report</i>
O	<i>Update I-Liner Case</i>
T	<i>Queue Assessment Transmissions</i>
CODE	<i>Alert Coder Regarding Coding Issues</i>
ERM	<i>Risk Model Lab Test (Enter/Edit)</i>

*(This page included for two-sided copying.)*



# Non-Cardiac Risk Assessment Information (Enter/Edit)

## [SROA ENTER/EDIT]

The nurse reviewer uses the *Non-Cardiac Risk Assessment Information (Enter/Edit)* option to enter a new risk assessment for a non-cardiac patient. This option is also used to make changes to an assessment that has already been entered. Cardiac cases are evaluated differently from non-cardiac cases and are entered into the software from different options. See the section, “Cardiac Risk Assessment Information (Enter/Edit)” for more information about risk assessments for cardiac cases.

The following options are available from this option, and let the user add in-depth data for a case. To the left is the shortcut synonym that the user can enter to select the option.

Shortcut	Option Name
PRE	<i>Preoperative Information (Enter/Edit)</i>
LAB	<i>Laboratory Test Results (Enter/Edit)</i>
O	<i>Operation Information (Enter/Edit)</i>
D	<i>Patient Demographics (Enter/Edit)</i>
IO	<i>Intraoperative Occurrences (Enter/Edit)</i>
PO	<i>Postoperative Occurrences (Enter/Edit)</i>
RET	<i>Update Status of Returns Within 30 Days</i>
U	<i>Update Assessment Status to 'COMPLETE'</i>
CODE	<i>Alert Coder Regarding Coding Issues</i>

The following example demonstrates how to create a new risk assessment for non-cardiac patients and how to get to the sub-option menu below.

## Creating a New Risk Assessment

1. The user is prompted to select either a patient name or a case. Selecting by case lets the user enter a specific surgery case number. Selecting by patient will display any previously entered assessments for a patient. An asterisk (\*) indicates cardiac cases. The user can then choose to create a new assessment or edit one of the previously entered assessments.
2. After choosing an operation on which to report, the user should respond **YES** to the prompt, "Are you sure that you want to create a Risk Assessment for this surgical case ? " The user must answer **YES** (or press the <Enter> key to accept the **YES** default) to get to any of the sub-options. If the answer is **NO**, the case created in step 1 will not be considered an assessment, although it can appear on some lists, and the software will return the user to the "Select Patient:" prompt.
3. Preoperative, operative, postoperative, and lab information is entered and edited using the sub-option(s).

If assistance is needed while interacting with the software, the user should enter one or two question marks (??) to access the on-line help.

### Example: Creating a New Risk Assessment (Non-Cardiac)

```
Select Surgery Risk Assessment Menu Option: N Non-Cardiac Assessment Information (Enter/Edit)
```

```
Select Patient: ?
```

```
To lookup by patient, enter patient name or patient ID. To lookup by
surgical case/assessment number, enter the number preceded by "#",
e.g., for case 12345 enter "#12345" (no spaces).
```

```
Select Patient: SURPATIENT,THREE 01-01-45 000212453 NSC VETERAN
```

```
SURPATIENT,THREE 000-21-2453
```

1. 02-01-95 INTRAOCULAR LENS (INCOMPLETE)
2. 02-01-95 HIP REPLACEMENT (INCOMPLETE)
3. 09-18-91 FEMORAL POPLITEAL BYPASS GRAFT (INCOMPLETE)
4. ---- CREATE NEW ASSESSMENT

```
Select Surgical Case: 4
```

```
SURPATIENT,THREE 000-21-2453
```

1. 10-03-91 ABDOMINAL AORTIC ANEURYSM RESECTION (NOT COMPLETE)

```
Select Operation: 1
```



---

When selecting a case to be assessed, if coding is completed for the case, and only excluded CPT codes are assigned, the software warns the Nurse Reviewer with the message: “Based on the CPT Codes assigned for this case, this case should be excluded.” This is only a warning. The Nurse Reviewer may still create the assessment.

When selecting a case to be assessed, if no CPT codes have been assigned to the case, the software warns the Nurse Reviewer with the message: “No CPT Codes have been assigned for this case.” This is only a warning. The Nurse Reviewer may still create the assessment.

---

```
Are you sure that you want to create a Risk Assessment for this surgical
case ? YES// <Enter>
```

To enter information for the risk assessment, use the sub-options from this menu option. These options are described in the following sections. For example, to enter operation information, select the *Operation Information Enter/Edit* option.

## Editing an Incomplete Risk Assessment

To edit an incomplete risk assessment, the user can either select the assessment by patient or by surgery case number.

Example: Using the Select by Case Number Function to Edit an Incomplete Assessment

```
Select Surgery Risk Assessment Menu Option: N Non-Cardiac Assessment Information (Enter/Edit)
```

```
Select Patient: #210
```

```
SURPATIENT,TEN 000-12-3456
```

```
03-22-02      HIP REPLACEMENT (INCOMPLETE)
```

1. Enter Risk Assessment Information
2. Delete Risk Assessment Entry
3. Update Assessment Status to 'COMPLETE'

```
Select Number: 1// <Enter>
```

```
Division: ALBANY (500)
```

```
SURPATIENT,TEN 000-12-3456 Case #210 - MAR 22,2002
```

```
PRE Preoperative Information (Enter/Edit)
LAB Laboratory Test Results (Enter/Edit)
O Operation Information (Enter/Edit)
D Patient Demographics (Enter/Edit)
IO Intraoperative Occurrences (Enter/Edit)
PO Postoperative Occurrences (Enter/Edit)
RET Update Status of Returns Within 30 Days
U Update Assessment Status to 'COMPLETE'
CODE Alert Coder Regarding Coding Issues
```

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option:
```

These options are described in the following sections.

## Preoperative Information (Enter/Edit) [SROA PREOP DATA]

The *Preoperative Information (Enter/Edit)* option is used to enter or edit preoperative assessment information. The software will present two pages. At the bottom of each page is a prompt to select one or more preoperative items to edit. If the user does not want to edit any items on the page, pressing the <Enter> key will advance to the next page or, if the user is already on page two, will exit the option.

### About the "Select Preoperative Information to Edit:" Prompt

At this prompt the user enters the item number he or she wishes to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items. Number-letter combinations can also be used, such as **2C**, to update a field within a group, such as CURRENT PNEUMONIA.

Each prompt at the category level allows for an entry of **YES** or **NO**. If **NO** is entered, each item under that category will automatically be answered **NO**. On the other hand, responding **YES** at the category level allows the user to respond individually to each item under the main category.

For instance, if number **2** is chosen, and the "PULMONARY:" prompt is answered **YES**, the user will be asked if the patient is ventilator dependent, has a history of COPD, and has pneumonia. If the "PULMONARY:" prompt is answered **NO**, the software will place a **NO** response in all the fields of the Pulmonary group. The majority of the prompts in this option are designed to accept the letters **Y**, **N**, or **NS** for **YES**, **NO**, and **NO STUDY**.

After the information has been entered or edited, the terminal display screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

This functionality allows the nurse reviewer to duplicate preoperative information from an earlier operation within 60 days of the date of operation on the same patient.

#### Example 1: Enter/Edit Preoperative Information

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: PRE Preoperative Information  
(Enter/Edit)
```

```
This patient had a previous non-cardiac operation on APR 28,1998@09:00
```

```
Case #63592 CHOLEDOCHOTOMY
```

```
Do you want to duplicate the preoperative information from the earlier assessment in this  
assessment? YES// NO
```



- 
- |                             |                       |                                 |           |
|-----------------------------|-----------------------|---------------------------------|-----------|
| <b>1. GENERAL:</b>          | <b>NO</b>             | <b>3. HEPATOBILIARY:</b>        | <b>NO</b> |
| A. Height:                  | 62 INCHES             | A. Ascites:                     | NO        |
| B. Weight:                  | 175 LBS.              |                                 |           |
| C. Diabetes - Long Term:    | INSULIN               | 4. GASTROINTESTINAL:            |           |
| D. Diabetes - 2 Wks Preop:  | INSULIN               | A. Esophageal Varices:          |           |
| E. Tobacco Use:             | NO USE IN LAST 12 MOS |                                 |           |
| F. Tobacco Use Timeframe:   | NOT APPLICABLE        |                                 |           |
| G. ETOH > 2 Drinks/Day:     |                       | 5. CARDIAC:                     |           |
| H. Positive Drug Screening: | NO                    | A. CHF Within 1 Month:          |           |
| I. Dyspnea:                 | NO                    | B. MI Within 6 Months:          |           |
| J. Preop Sleep Apnea:       | LEVEL 1               | C. Previous PCI:                |           |
| K. DNR Status:              | NO                    | D. Previous Cardiac Surgery:    |           |
| L. Preop Funct Status:      | INDEPENDENT           | E. Angina Within 1 Month:       |           |
|                             |                       | F. Hypertension Requiring Meds: |           |
- 
- |                            |    |                                  |  |
|----------------------------|----|----------------------------------|--|
| 2. PULMONARY:              | NO | 6. VASCULAR:                     |  |
| A. Ventilator Dependent:   | NO | A. Revascularization/Amputation: |  |
| B. History of Severe COPD: | NO | B. Rest Pain/Gangrene:           |  |
| C. Current Pneumonia:      | NO |                                  |  |
- 

Select Preoperative Information to Edit: <Enter>

- 
- |                                   |                                     |
|-----------------------------------|-------------------------------------|
| <b>1. RENAL:</b>                  | <b>3. NUTRITIONAL/IMMUNE/OTHER:</b> |
| A. Acute Renal Failure:           | A. Disseminated Cancer:             |
| B. Currently on Dialysis:         | B. Open Wound:                      |
|                                   | C. Steroid Use for Chronic Cond.:   |
| <b>2. CENTRAL NERVOUS SYSTEM:</b> | D. Weight Loss > 10%:               |
| A. Impaired Sensorium:            | E. Bleeding Disorders:              |
| B. Coma:                          | F. Transfusion > 4 RBC Units:       |
| C. Hemiplegia:                    | G. Chemotherapy W/I 30 Days:        |
| D. CVD Repair/Obstruct:           | H. Radiotherapy W/I 90 Days:        |
| E. History of CVD:                | I. Preoperative Sepsis:             |
| F. Tumor Involving CNS:           | J. Pregnancy: NOT APPLICABLE        |
- 

Select Preoperative Information to Edit: 3E

History of Bleeding Disorders (Y/N): Y YES

- 
- |                                   |                                     |
|-----------------------------------|-------------------------------------|
| <b>1. RENAL:</b>                  | <b>3. NUTRITIONAL/IMMUNE/OTHER:</b> |
| A. Acute Renal Failure:           | A. Disseminated Cancer:             |
| B. Currently on Dialysis:         | B. Open Wound:                      |
|                                   | C. Steroid Use for Chronic Cond.:   |
| <b>2. CENTRAL NERVOUS SYSTEM:</b> | D. Weight Loss > 10%:               |
| A. Impaired Sensorium:            | E. Bleeding Disorders: YES          |
| B. Coma:                          | F. Transfusion > 4 RBC Units:       |
| C. Hemiplegia:                    | G. Chemotherapy W/I 30 Days:        |
| D. CVD Repair/Obstruct:           | H. Radiotherapy W/I 90 Days:        |
| E. History of CVD:                | I. Preoperative Sepsis:             |
| F. Tumor Involving CNS:           | J. Pregnancy: NOT APPLICABLE        |
- 

Select Preoperative Information to Edit:

## Laboratory Test Results (Enter/Edit) [SROA LAB]

Use the *Laboratory Test Results (Enter/Edit)* option to enter or edit preoperative and postoperative lab information for an individual risk assessment. The option is divided into the three features listed below. The first two features allow the user to merge (also called “capture” or “load”) lab information into the risk assessment from the VistA software. The third feature provides a two-page summary of the lab profile and allows direct editing of the information.

1. Capture Preoperative Laboratory Information
2. Capture Postoperative Laboratory Information
3. Enter, Edit, or Review Laboratory Test Results

To “capture” preoperative lab data, the user must provide both the date and time the operation began. Likewise, to capture postoperative lab data, the user must provide both the date and time the operation was completed. If this information has already been entered, the system will not prompt for it again.

If assistance is needed while interacting with the software, entering one or two question marks (??) will access the on-line help.

### Example 1: Capture Preoperative Laboratory Information

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: LAB Laboratory Test Results  
(Enter/Edit)
```

```
SURPATIENT,FORTY (000-77-7777) Case #68112  
SEP 19, 2003 CHOLEDOCHOTOMY
```

```
-----  
Enter/Edit Laboratory Test Results
```

1. Capture Preoperative Laboratory Information
2. Capture Postoperative Laboratory Information
3. Enter, Edit, or Review Laboratory Test Results

```
Select Number: 1
```

```
This selection loads the most recent lab data for tests performed within 90 days before the  
operation.
```

```
Do you want to automatically load preoperative lab data ? YES// <Enter>
```

```
The 'Time Operation Began' must be entered before continuing.
```

```
Do you want to enter 'Time Operation Began' at this time ? YES// <Enter>
```

```
Time the Operation Began: 8:00 (SEP 25, 2003@08:00)
```

```
..Searching lab record for latest preoperative test data...
```

```
..Moving preoperative lab test data to Surgery Risk Assessment file...
```

```
Press <RET> to continue <Enter>
```

## Example 2: Capture Postoperative Laboratory Information

Select Non-Cardiac Assessment Information (Enter/Edit) Option: **LAB** Laboratory Test Results (Enter/Edit)

1. Capture Preoperative Laboratory Information
2. Capture Postoperative Laboratory Information
3. Enter, Edit, or Review Laboratory Test Results

Select Number: **2**

This selection loads highest or lowest lab data for tests performed within 30 days after the operation.

Do you want to automatically load postoperative lab data ? YES// **<Enter>**

'Time the Operation Ends' must be entered before continuing.

Do you want to enter the time that the operation was completed at this time ? YES// **<Enter>**

Time the Operation Ends: 12:00 (SEP 25, 2003@12:00)

..Searching lab record for postoperative lab test data...

..Moving postoperative lab data to Surgery Risk Assessment file...

Press <RET> to continue

## Example 3: Enter, Edit, or Review Laboratory Test Results

Select Non-Cardiac Assessment Information (Enter/Edit) Option: **LAB** Laboratory Test Results (Enter/Edit)

Enter/Edit Laboratory Test Results

1. Capture Preoperative Laboratory Information
2. Capture Postoperative Laboratory Information
3. Enter, Edit, or Review Laboratory Test Results

Select Number: **3**

SURPATIENT,FORTY (000-77-7777) Case #68112 PAGE: 1 OF 2  
LATEST PREOP LAB RESULTS IN 90 DAYS PRIOR TO SURGERY UNLESS OTHERWISE SPECIFIED  
SEP 19,2003 CHOLEDOCHOTOMY

-----  
1. Anion Gap (in 48 hrs.): 12 (SEP 18,2003)  
2. Serum Sodium: 139 (SEP 18,2003)  
3. BUN: 13 (SEP 18,2003)  
4. Serum Creatinine: 1 (SEP 18,2003)  
5. Serum Albumin: 4 (SEP 18,2003)  
6. Total Bilirubin: .8 (SEP 18,2003)  
7. SGOT: 29 (SEP 18,2003)  
8. Alkaline Phosphatase: 120 (SEP 18,2003)  
9. WBC: 12.8 (SEP 18,2003)  
10. Hematocrit: 45.7 (SEP 18,2003)  
11. Platelet Count: NS  
12. PTT: NS  
13. PT: NS  
14. INR: NS  
15. Hemoglobin A1c (1000 days): NS  
-----

Select Preoperative Laboratory Information to Edit: **11:13**



SURPATIENT,FORTY (000-77-7777) Case #68112  
SEP 19,2003 CHOLEDOCHOTOMY

-----  
Preoperative Platelet Count (X 1000/mm3): **289**  
Date Preoperative Platelet Count was Performed: **9/18/03** (SEP 18, 2003)  
Preoperative PTT (seconds): **33.7**  
Date Preoperative PTT was Performed: **9/18/03** (SEP 18, 2003)  
Preoperative PT (seconds): **11.8**  
Date Preoperative PT was Performed: **9/18/03** (SEP 18, 2003)

SURPATIENT,FORTY (000-77-7777) Case #68112 PAGE: 1 OF 2  
LATEST PREOP LAB RESULTS IN 90 DAYS PRIOR TO SURGERY UNLESS OTHERWISE SPECIFIED  
SEP 19,2003 CHOLEDOCHOTOMY

-----  
1. Anion Gap (in 48 hrs.): 12 (SEP 18,2003)  
2. Serum Sodium: 139 (SEP 18,2003)  
3. BUN: 13 (SEP 18,2003)  
4. Serum Creatinine: 1 (SEP 18,2003)  
5. Serum Albumin: 4 (SEP 18,2003)  
6. Total Bilirubin: .8 (SEP 18,2003)  
7. SGOT: 29 (SEP 18,2003)  
8. Alkaline Phosphatase: 120 (SEP 18,2003)  
9. WBC: 12.8 (SEP 18,2003)  
10. Hematocrit: 45.7 (SEP 18,2003)  
11. Platelet Count: 289 (SEP 18,2003)  
12. PTT: 33.7 (SEP 18,2003)  
13. PT: 11.8 (SEP 18,2003)  
14. INR: NS  
15. Hemoglobin Alc (1000 days): NS

-----  
Select Preoperative Laboratory Information to Edit: **<Enter>**

SURPATIENT,FORTY (000-77-7777) Case #68112 PAGE: 2 OF 2  
POSTOP LAB RESULTS WITHIN 30 DAYS AFTER SURGERY  
SEP 19,2003 CHOLEDOCHOTOMY

-----  
1. Highest Anion Gap: 12 (SEP 20,2003)  
2. Highest Serum Sodium: 139 (SEP 20,2003)  
3. Lowest Serum Sodium: 135 (SEP 20,2003)  
4. Highest Potassium: 4.4 (SEP 20,2003)  
5. Lowest Potassium: 3.4 (SEP 20,2003)  
6. Highest Serum Creatinine: 1.2 (SEP 20,2003)  
7. Highest CPK: NS  
8. Highest CPK-MB Band: NS  
9. Highest Total Bilirubin: NS  
10. Highest WBC: 11.8 (SEP 20,2003)  
11. Lowest Hematocrit: 40.3 (SEP 20,2003)  
12. Highest Troponin I: 10.18 (SEP 24,2003)  
13. Highest Troponin T: 12.13 (SEP 24,2003)

-----  
Select Postoperative Laboratory Information to Edit: **2**

SURPATIENT,FORTY (000-77-7777) Case #68112  
SEP 19,1998 CHOLEDOCHOTOMY

-----  
Highest Postoperative Serum Sodium: 139// **144**  
Date Highest Serum Sodium was Recorded: **9/21/03** (SEP 21, 2003)

SURPATIENT,FORTY (000-77-7777) Case #68112 PAGE: 2 OF 2  
POSTOP LAB RESULTS WITHIN 30 DAYS AFTER SURGERY  
SEP 19,2003 CHOLEDOCHOTOMY

-----  
1. Highest Anion Gap: 12 (SEP 20,2003)  
2. Highest Serum Sodium: 144 (SEP 21,2003)  
3. Lowest Serum Sodium: 135 (SEP 20,2003)  
4. Highest Potassium: 4.4 (SEP 20,2003)  
5. Lowest Potassium: 3.4 (SEP 20,2003)  
6. Highest Serum Creatinine: 1.2 (SEP 20,2003)  
7. Highest CPK: NS  
8. Highest CPK-MB Band: NS  
9. Highest Total Bilirubin: NS  
10. Highest WBC: 11.8 (SEP 20,2003)  
11. Lowest Hematocrit: 40.3 (SEP 20,2003)  
12. Highest Troponin I: 10.18 (SEP 24,2003)  
13. Highest Troponin T: 12.13 (SEP 24,2003)  
-----

Select Postoperative Laboratory Information to Edit:

## Operation Information (Enter/Edit) [SROA OPERATION DATA]

The *Operation Information (Enter/Edit)* option is used to enter or edit information related to the operation. At the bottom of each page is a prompt to select one or more operative items to edit. If the user does not want to edit any items on the page, pressing the <Enter> key will exit the option. If they are not already there, it is important that the operation's beginning and ending times be entered so that the user can later enter postoperative information.

### About the "Select Operative Information to Edit:" Prompt

The user should first enter the item number to edit at the "Select Operative Information to Edit:" prompt. To respond to every item on the page, the user should enter **A** for **ALL** or enter a range of numbers separated by a colon (:) to respond to a range of items.

After the information has been entered or edited, the display will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data. If information has been entered for the **OTHER PROCEDURES** field or the **CONCURRENT PROCEDURES** field, the summary will display **\*\*\*INFORMATION ENTERED\*\*\*** to the right of the items.


If assistance is needed while interacting with the software, the user should enter one or two question marks (??) to receive on-line help.

Example: Enter/Edit Operation Information

```

Select Non-Cardiac Assessment Information (Enter/Edit) Option: O Operation
Information (Enter/Edit)
-----
SURPATIENT,EIGHT (000-37-0555)          Case #264                PAGE: 1 OF 2
Surgeon: SURSURGEON,ONE                >> Coding Complete <<
JUN 7,2005  ARTHROSCOPY, LEFT KNEE
-----
Postop Diagnosis Code (ICD9): NOT ENTERED
-----
1. Surgical Specialty:      ORTHOPEDICS
2. Principal Operation:     ARTHROSCOPY, LEFT KNEE
3. CPT Codes (view only):  29873-LT
4. Other Procedures:
5. Concurrent Procedure:
6. PGY of Primary Surgeon:
7. Surgical Priority:       ELECTIVE
8. Wound Classification:   CLEAN
9. ASA Classification:     1-NO DISTURB.
10. Princ. Anesthesia Technique: GENERAL
11. RBC Units Transfused:
12. Intraop Disseminated Cancer: NO
13. Intraoperative Ascites NO
-----
Select Operative Information to Edit: 8:9
-----
SURPATIENT,EIGHT (000-37-0555)          Case #264
Surgeon: SURSURGEON,ONE
JUN 7,2005  ARTHROSCOPY, LEFT KNEE
-----
Wound Classification: CLEAN// CL
1  CLEAN
2  CLEAN/CONTAMINATED
Choose 1-2: 2  CLEAN/CONTAMINATED

```



ASA Class: 1-NO DISTURB.// 2 2 2-MILD DISTURB.

SURPATIENT,EIGHT (000-37-0555) Case #264 PAGE: 1 OF 2  
Surgeon: SURSURGEON,ONE >> Coding Complete <<  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

-----  
Postop Diagnosis Code (ICD9): NOT ENTERED

1. Surgical Specialty: ORTHOPEDICS  
2. Principal Operation: ARTHROSCOPY, LEFT KNEE  
3. CPT Codes (view only): 29873-LT  
4. Other Procedures:  
5. Concurrent Procedure:  
6. PGY of Primary Surgeon:  
7. Surgical Priority: ELECTIVE  
8. Wound Classification: CLEAN/CONTAMINATED  
9. ASA Classification: 2-MILD DISTURB.  
10. Princ. Anesthesia Technique: GENERAL  
11. RBC Units Transfused:  
12. Intraop Disseminated Cancer: NO  
13. Intraoperative Ascites NO

-----  
Select Operative Information to Edit: <Enter>

SURPATIENT,EIGHT (000-37-0555) Case #264 PAGE: 2 OF 2  
Surgeon: SURSURGEON,ONE  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

-----  
1. Patient in Room (PIR): JUN 07, 2005 07:00  
2. Procedure/Surgery Start Time (PST): JUN 07, 2005 07:10  
3. Procedure/Surgery Finish (PF): JUN 07, 2005 08:15  
4. Patient Out of Room (POR): JUN 07, 2005 08:40  
5. Anesthesia Start (AS): JUN 07, 2005 06:30  
6. Anesthesia Finish (AF): JUN 07, 2005 09:00  
7. Discharge from PACU (DPACU):

-----  
Select Operative Information to Edit:

## Patient Demographics (Enter/Edit) [SROA DEMOGRAPHICS]

The surgical clinical nurse reviewer uses the *Patient Demographics (Enter/Edit)* option to capture patient demographic information from the Patient Information Management System (PIMS) record. The nurse reviewer can also enter, edit, and review this information. The demographic fields captured from PIMS are Race, Ethnicity, Hospital Admission Date, Hospital Discharge Date, Admission/Transfer Date, Discharge/Transfer Date, Observation Admission Date, Observation Discharge Date, and Observation Treating Specialty. With this option, the nurse reviewer can also edit the length of postoperative hospital stay, in/out-patient status, and transfer status.



The Race and Ethnicity information is displayed, but cannot be updated within this or any other Surgery package option.

### Example: Entering Patient Demographics

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: D Patient Demogr  
aphics (Enter/Edit)
```

```
SURPATIENT,EIGHT (000-37-0555)          Case #264  
JUN 7,2005  ARTHROSCOPY, LEFT KNEE
```

```
-----  
Enter/Edit Patient Demographic Information
```

1. Capture Information from PIMS Records
2. Enter, Edit, or Review Information

```
Select Number: (1-2): 1
```

```
Are you sure you want to retrieve information from PIMS records ? YES// <Enter>
```

```
...EXCUSE ME, JUST A MOMENT PLEASE...
```

```
SURPATIENT,EIGHT (000-37-0555)          Case #264  
JUN 7,2005  ARTHROSCOPY, LEFT KNEE
```

```
-----  
Enter/Edit Patient Demographic Information
```

1. Capture Information from PIMS Records
2. Enter, Edit, or Review Information

```
Select Number: (1-2): 2
```

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

1. Transfer Status: NOT TRANSFERRED  
2. Observation Admission Date/Time: NA  
3. Observation Discharge Date/Time: NA  
4. Observation Treating Specialty: NA  
5. Hospital Admission Date/Time: JUN 06, 2005@14:15  
6. Hospital Discharge Date/Time: JUN 21, 2005@11:32  
7. Admit/Transfer to Surgical Svc.: JUN 06, 2005@08:30  
8. Discharge/Transfer to Chronic Care: JUN 21, 2005@11:32  
9. Length of Postop Hospital Stay: 15 Days  
10. In/Out-Patient Status: INPATIENT  
11. Patient's Ethnicity: NOT HISPANIC OR LATINO  
12. Patient's Race: AMERICAN INDIAN OR ALASKA NATIVE, ASIAN  
13. Date of Death: NA  
14. 30-Day Death: NO

---

Select number of item to edit:

## Intraoperative Occurrences (Enter/Edit) [SRO INTRAOP COMP]

The nurse reviewer uses the *Intraoperative Occurrences (Enter/Edit)* option to enter or change information related to intraoperative occurrences (called complications in earlier versions). Every occurrence entered must have a corresponding occurrence category. For a list of occurrence categories, enter a question mark (?) at the "Enter a New Intraoperative Occurrence:" prompt.

After an occurrence category has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

### Example: Enter an Intraoperative Occurrence

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: IO Intraoperative Occurrences (Enter/Edit)
```

```
SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE
```

-----  
There are no Intraoperative Occurrences entered for this case.

Enter a New Intraoperative Occurrence: **CARDIAC ARREST REQUIRING CPR**

Definition Revised (2011): Indicate if there was any cardiac arrest requiring external or open cardiopulmonary resuscitation (CPR) occurring in the operating room, ICU, ward, or out-of-hospital after the chest had been completely closed and within 30 days of surgery. Patients with AICDs that fire but the patient does not lose consciousness should be excluded.

If patient had cardiac arrest requiring CPR, indicate whether the arrest occurred intraoperatively or postoperatively. Indicate the one appropriate response:

- intraoperatively: occurring while patient was in the operating room
- postoperatively: occurring after patient left the operating room.

Press RETURN to continue: **<Enter>**

```
SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE
```

-----  
1. Occurrence: CARDIAC ARREST REQUIRING CPR  
2. Occurrence Category: CARDIAC ARREST REQUIRING CPR  
3. ICD Diagnosis Code:  
4. Treatment Instituted:  
5. Outcome to Date:  
6. Occurrence Comments:  
-----

Select Occurrence Information: **4:5**

```
SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE
```

-----  
Type of Treatment Instituted: **CPR**  
Outcome to Date: **I IMPROVED**

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

- 
1. Occurrence: CARDIAC ARREST REQUIRING CPR
  2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
  3. ICD Diagnosis Code:
  4. Treatment Instituted: CPR
  5. Outcome to Date: IMPROVED
  6. Occurrence Comments:

---

Select Occurrence Information: <Enter>

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

Enter/Edit Intraoperative Occurrences

1. CARDIAC ARREST REQUIRING CPR  
Category: CARDIAC ARREST REQUIRING CPR

Select a number (1), or type 'NEW' to enter another occurrence:



## Postoperative Occurrences (Enter/Edit) [SRO POSTOP COMP]

The nurse reviewer uses the *Postoperative Occurrences (Enter/Edit)* option to enter or change information related to postoperative occurrences (called complications in earlier versions). Every occurrence entered must have a corresponding occurrence category. For a list of occurrence categories, the user should enter a question mark (?) at the "Enter a New Postoperative Occurrence:" prompt.

After an occurrence category has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

Example: Enter a Postoperative Occurrence

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: PO Postoperative Occurrences  
(Enter/Edit)
```

```
SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE
```

-----  
There are no Postoperative Occurrences entered for this case.

Enter a New Postoperative Occurrence: **ACUTE RENAL FAILURE**

VASQIP Definition (2011):

Indicate if the patient developed new renal failure requiring renal replacement therapy or experienced an exacerbation of preoperative renal failure requiring initiation of renal replacement therapy (not on renal replacement therapy preoperatively) within 30 days postoperatively. Renal replacement therapy is defined as venous to venous hemodialysis [CVVHD], continuous venous to arterial hemodialysis [CVAHD], peritoneal dialysis, hemofiltration, hemodiafiltration or ultrafiltration.

TIP: If the patient refuses dialysis report as an occurrence because he/she did require dialysis.

Press RETURN to continue: <Enter>

```
SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE
```

-----  
1. Occurrence: ACUTE RENAL FAILURE  
2. Occurrence Category: ACUTE RENAL FAILURE  
3. ICD Diagnosis Code:  
4. Treatment Instituted:  
5. Outcome to Date:  
6. Date Noted:  
7. Occurrence Comments:  
-----

Select Occurrence Information: 4

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

Treatment Instituted: **DIALYSIS**

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

1. Occurrence: ACUTE RENAL FAILURE
  2. Occurrence Category: ACUTE RENAL FAILURE
  3. ICD Diagnosis Code:
  4. Treatment Instituted: DIALYSIS
  5. Outcome to Date:
  6. Date Noted:
  7. Occurrence Comments:
- 

Select Occurrence Information: **<Enter>**

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

Enter/Edit Postoperative Occurrences

1. ACUTE RENAL FAILURE  
Category: ACUTE RENAL FAILURE

Select a number (1), or type 'NEW' to enter another occurrence:

## Update Status of Returns Within 30 Days [SRO UPDATE RETURNS]

The *Update Status of Returns Within 30 Days* option is used to update the status of Returns to Surgery within 30 days of a surgical case.

Example: Update Status of Returns

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: RET Update Status of Returns Within 30 Days
```

```
SURPATIENT,SIXTY 000-56-7821
```

1. 07-06-05 REPAIR INGUINAL HERNIA (COMPLETED)
2. 06-25-05 CHOLECYSTECTOMY, APPENDECTOMY (COMPLETED)
3. 06-23-05 CHOLEDOCHOTOMY (COMPLETED)
4. 04-10-04 CRANIOTOMY (COMPLETED)

```
Select Operation: 3
```

```
SURPATIENT,SIXTY (000-56-7821) Case #62192 RETURNS TO SURGERY  
JUN 23,2005 CHOLEDOCHOTOMY
```

- ```
-----
```
1. 07/06/05 REPAIR INGUINAL HERNIA - UNRELATED
  2. 06/25/05 CHOLECYSTECTOMY - UNRELATED

```
-----
```

```
Select Number: 2
```

```
SURPATIENT,SIXTY (000-56-7821) Case #62192 RETURNS TO SURGERY  
JUN 23,2005 CHOLEDOCHOTOMY
```

- ```
-----
```
2. 06/25/05 CHOLECYSTECTOMY - UNRELATED

```
-----
```

```
This return to surgery is currently defined as UNRELATED to the case selected.  
Do you want to change this status ? NO// Y
```

```
SURPATIENT,SIXTY (000-56-7821) Case #62192 RETURNS TO SURGERY  
JUN 23,2005 CHOLEDOCHOTOMY
```

- ```
-----
```
1. 07/06/05 REPAIR INGUINAL HERNIA - UNRELATED
  2. 06/25/05 CHOLECYSTECTOMY - RELATED

```
-----
```

```
Select Number:
```

## Update Assessment Status to 'Complete' [SROA COMPLETE ASSESSMENT]

Use the *Update Assessment Status to 'Complete'* option to upgrade the status of an assessment to Complete. A complete assessment has enough information for it to be transmitted to the centers where data are analyzed. Only complete assessments are transmitted. After updating the status, the patient's entire Surgery Risk Assessment Report can be printed. This report can be copied to a screen or to a printer.

Example : Update Assessment Status to COMPLETE

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: U Update Assessm  
ent Status to 'COMPLETE'
```

```
This assessment is missing the following items:
```

```
1. Rest Pain/Gangrene (Y/N)
```

```
Do you want to enter the missing items at this time? NO// YES  
FOREIGN BODY REMOVAL (Y/N): N NO
```

```
Are you sure you want to complete this assessment ? NO// YES
```

```
Updating the current status to 'COMPLETE'...
```

```
Do you want to print the completed assessment ? YES// NO
```

## Alert Coder Regarding Coding Issues [SROA CODE ISSUE]

This option allows the nurse reviewer to send an alert to the coder when there may be an issue with the CPT codes or the Postoperative Diagnosis codes for a Surgery case. When this option is selected, the nurse reviewer can enter a free-text message that will be sent to the coder on record, as well as to a pre-defined mail group identified in the Surgery Site Parameter titled CODE ISSUE MAIL GROUP. The message will not be sent if there is no coder, or if the mail group is not defined.

Example : Alert Coder Regarding Coding Issues

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: CODE Alert Coder
Regarding Coding Issues
```

```
Select Patient: SURPATIENT,TWO 4-3-23 000451982 YES
SC VETERAN
```

```
SURPATIENT,THREE 000-45-1982
```

1. 05-10-05 CHOLECYSTECTOMY (COMPLETED)
2. 01-27-06 BRONCHOSCOPY (COMPLETED)

```
Select Operation: 1
```

```
SURPATIENT,TWO (000-45-1982) Case #10102
MAY 10,2005 CHOLECYSTECTOMY
```

```
-----
The following "final" codes have been entered for the case.
```

```
Principal CPT Code: 47563 LAPARO CHOLECYSTECTOMY/GRAPH
Other CPT Codes: NOT ENTERED
Postop Diagnosis Code (ICD9): 540.9 ACUTE APPENDICITIS NOS
```

```
If you believe that the information coded is not correct and would like to
alert the coders of the potential issue, enter a brief description of your
concern below.
```

```
Do you want to alert the coders (Y/N)? YES// <Enter>
```

```
==[ WRAP ]==[ INSERT ]====< Coding Discrepancy Comments >====[ <PF1>H=Help ]====
I have reviewed this case for VASQIP. The final Principal CPT Code entered
is 47563. I would like to talk to you regarding the code. I think the code
should be 47562. Please call me at X2545.
<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====
```

1. Transmit Message
2. Edit Text

```
Select Number: 1// <Enter>
```

```
Transmitting message...
```

*(This page included for two-sided copying.)*

# Cardiac Risk Assessment Information (Enter/Edit)

## [SROA CARDIAC ENTER/EDIT]

The Surgical Clinical Nurse Reviewer uses the options within the *Cardiac Risk Assessment Information (Enter/Edit)* menu to create a new risk assessment for a cardiac patient. Cardiac cases are evaluated differently from non-cardiac cases, and the prompts are different. This option is also used to make changes to an assessment that has already been entered.

The example below demonstrates how to create a new risk assessment for cardiac patients and get to the sub-option menu as follows.

| Shortcut | Option Name                                                  |
|----------|--------------------------------------------------------------|
| CLIN     | <i>Clinical Information (Enter/Edit)</i>                     |
| LAB      | <i>Laboratory Test Results (Enter/Edit)</i>                  |
| CATH     | <i>Enter Cardiac Catheterization &amp; Angiographic Data</i> |
| OP       | <i>Operative Risk Summary Data (Enter/Edit)</i>              |
| CARD     | <i>Cardiac Procedures Operative Data (Enter/Edit)</i>        |
| OUT      | <i>Outcome Information (Enter/Edit)</i>                      |
| IO       | <i>Intraoperative Occurrences (Enter/Edit)</i>               |
| PO       | <i>Postoperative Occurrences (Enter/Edit)</i>                |
| R        | <i>Resource Data</i>                                         |
| U        | <i>Update Assessment Status to 'COMPLETE'</i>                |
| CODE     | <i>Alert Coder Regarding Coding Issues</i>                   |

These sub-options are used for entering more in-depth data for a case, and are described in this chapter.

## Creating a New Risk Assessment

1. Enter either the patient's name/patient ID (for example, SURPATIENT,NINETEEN) or the surgical case assessment number preceded by # (for example, #47063). If the patient has any previous assessments, they will be displayed. An asterisk (\*) indicates a cardiac case. The user can now choose to create a new assessment or edit one of the previously entered assessments.
2. After choosing an operation on which to report, the user should respond **YES** to the prompt "Are you sure that you want to create a Risk Assessment for this surgical case ?" The user must answer **YES** (or press the <Enter> key to accept the **YES** default) to get to any of the sub-options. If the answer given is **NO**, the case created in step 1 will not be considered an assessment, although it can appear on some lists, and the software will return the user to the "Select Patient:" prompt.
3. The screen will clear and present the sub-options menu. The user can select a sub-option now to enter more in-depth information for the case, or press the <Enter> key to return to the main menu.

### Example: Creating A New Risk Assessment (Cardiac)

Select Surgery Risk Assessment Menu Option: **C** Cardiac Risk Assessment Information (Enter/Edit)

Select Patient: **SURPATIENT,FORTY** 03-03-45 000777777 NSC VETERAN

SURPATIENT,FORTY 000-77-7777

1. ---- CREATE NEW ASSESSMENT

Select Surgical Case: **1**

SURPATIENT,FORTY 000-77-7777

1. 01-18-95 CORONARY ARTERY BYPASS (COMPLETED)

2. 06-18-93 INGUINAL HERNIA (COMPLETED)

Select Operation: **1**

Are you sure that you want to create a Risk Assessment for this surgical case ? YES// **<Enter>**



## Clinical Information (Enter/Edit) [SROA CLINICAL INFORMATION]

The *Clinical Information (Enter/Edit)* option is used to enter the clinical information required for a cardiac risk assessment. The software will present one page; at the bottom of the page is a prompt to select one or more items to edit. If the user does not want to edit any items on the page, pressing the <Enter> key will advance the user to another option.

### About the "Select Clinical Information to Edit:" Prompt

At the "Select Clinical Information to Edit:" prompt, the user should enter the item number to edit. The user can then enter an **A** for **ALL** to respond to every item on the page, or enter a range of numbers separated by a colon (: ) to respond to a range of items.

After the information has been entered or edited, the terminal display screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data. If assistance is needed while interacting with the software, the user can enter one or two question marks (??) to receive on-line help.

### Example: Enter Clinical Information

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: CLIN Clinical
Information (Enter/Edit)

SURPATIENT,NINETEEN (000-28-7354)          Case #60183          PAGE: 1
JUN 18,2005    CORONARY ARTERY BYPASS

-----
1. Height:                63 in           16. Prior MI:
2. Weight:                 170 lb          17. Num Prior Heart Surgeries:
3. Diabetes - Long Term:   18. Prior Heart Surgeries:
4. Diabetes - 2 Wks Preop: 19. Peripheral Vascular Disease:
5. COPD:                  20. CVD Repair/Obstruct:
6. FEV1:                  21. History of CVD:
7. Cardiomegaly (X-ray):   22. Angina (use CCS Class):
8. Pulmonary Rales:       23. CHF (use NYHA Class):
9. Tobacco Use:           24. Current Diuretic Use:
10. Tobacco Use Timeframe: NOT APPLICABLE 25. Current Digoxin Use:
11. Positive Drug Screening: 26. IV NTG within 48 Hours:
12. Active Endocarditis:    27. Preop Circulatory Device:
13. Resting ST Depression:  28. Hypertension (Y/N):
14. Functional Status:     29. Preop Atrial Fibrillation:
15. PCI:

-----
Select Clinical Information to Edit: A
```

SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
Patient's Height: 63 INCHES// 76  
Patient's Weight: 170 LBS// 210  
Diabetes Mellitus: Chronic, Long-Term Management: I INSULIN  
Diabetes Mellitus: Management Prior to Surgery: I INSULIN  
History of Severe COPD (Y/N): Y YES  
FEV1 : NS  
Cardiomegaly on Chest X-Ray (Y/N): Y YES  
Pulmonary Rales (Y/N): Y YES  
Tobacco Use: 3 CIGARETTES ONLY  
Tobacco Use Timeframe: 1 WITHIN 2 WEEKS  
Positive Drug Screening: N NO  
Active Endocarditis (Y/N): N NO  
Resting ST Depression (Y/N): N NO  
Functional Status: I INDEPENDENT  
PCI: 0 NONE  
Prior Myocardial Infarction: 1 LESS THAN OR EQUAL TO 7 DAYS PRIOR TO SURGERY  
Number of Prior Heart Surgeries: 1 1

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
Prior heart surgeries:

0. None                                   3. CABG/Valve  
1. CABG-only                           4. Other  
2. Valve-only                           5. CABG/Other

Enter your choice(s) separated by commas (0-5): // 2  
                                          2 - Valve-only

Peripheral Vascular Disease (Y/N): Y YES  
Prior Surgical Repair/Carotid Artery Obstruction: 0 NO CVD  
History of CVD Events: 0 NO CVD  
Angina (use CCS Functional Class): IV CLASS IV  
Congestive Heart Failure (use NYHA Functional Class): II SLIGHT LIMITATION  
Current Diuretic Use (Y/N): Y YES  
Current Digoxin Use (Y/N): N NO  
IV NTG within 48 Hours Preceding Surgery (Y/N): Y YES  
Preop use of circulatory Device: N NONE  
History of Hypertension (Y/N): Y YES  
Preoperative Atrial Fibrillation: N NO

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
1. Height:                               76 in                   16. Prior MI:                           < OR = 7 DAYS  
2. Weight:                               210 lb                   17. Num Prior Heart Surgeries:       1  
3. Diabetes - Long Term:               INSULIN               18. Prior Heart Surgeries: VALVE-ONLY  
4. Diabetes - 2 Wks Preop:             INSULIN               19. Peripheral Vascular Disease: YES  
5. COPD:                                 YES                     20. CVD Repair/Obstruct:               NO CVD  
6. FEV1:                                 NS                      21. History of CVD:                     NO CVD  
7. Cardiomegaly (X-ray):               YES                     22. Angina (use CCS Class):             IV  
8. Pulmonary Rales:                    YES                     23. CHF (use NYHA Class):               II  
9. Tobacco Use:                         CIGARETTES ONLY       24. Current Diuretic Use:               YES  
10. Tobacco Use Timeframe: WITHIN 2 WEEKS   25. Current Digoxin Use:               NO  
11. Positive Drug Screening:            NO                     26. IV NTG within 48 Hours:            YES  
12. Active Endocarditis:               NO                     27. Preop Circulatory Device:           NONE  
13. Resting ST Depression:             NO                     28. Hypertension (Y/N):                YES  
14. Functional Status:                  INDEPENDENT           29. Preop Atrial Fibrillation:        NO  
15. PCI:                                 NONE

-----  
Select Clinical Information to Edit:

## Laboratory Test Results (Enter/Edit) [SROA LAB-CARDIAC]

The *Laboratory Test Results (Edit/Edit)* option is used to enter or edit preoperative laboratory test results for an individual cardiac risk assessment. The option is divided into the two features listed below. The first feature allows the user to merge (also called “capture” or “load”) lab information into the risk assessment from the VistA software. The second feature provides a two-page summary of the lab profile and allows direct editing of the information.

1. Capture Laboratory Information
2. Enter, Edit, or Review Laboratory Test Results

To “capture” preoperative lab data, the user must provide both the date and time the operation began. If this information has already been entered, the system will not prompt for it again.

If assistance is needed while interacting with the software, entering one or two question marks (??) allows the user to access the on-line help.

### **About the "Select Laboratory Information to Edit:" Prompt**

At this prompt the user enters the item number to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items.

After the information has been entered or edited, the terminal display screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

#### Example: Enter Laboratory Test Results

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: LAB Laboratory  
Test Results (Enter/Edit)
```

```
SURPATIENT,NINETEEN (000-28-7354)          Case #60183          PAGE: 1  
JUN 18,2005  CORONARY ARTERY BYPASS
```

```
-----  
Enter/Edit Laboratory Test Results
```

- ```
1. Capture Laboratory Information  
2. Enter, Edit, or Review Laboratory Test Results
```

```
Select Number: 1
```

```
This selection loads the most recent cardiac lab data for tests performed  
preoperatively.
```

```
Do you want to automatically load cardiac lab data ? YES// <Enter>
```

```
..Searching lab record for latest test data....
```

```
Press <RET> to continue <Enter>
```

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
JUN 18,2005 CORONARY ARTERY BYPASS  
-----  
Enter/Edit Laboratory Test Results  
1. Capture Laboratory Information  
2. Enter, Edit, or Review Laboratory Test Results  
Select Number: 2

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
PREOPERATIVE LABORATORY RESULTS  
JUN 18,2005 CORONARY ARTERY BYPASS  
-----  
1. HDL: NS  
2. LDL: 168 (JAN 2004)  
3. Total Cholesterol: 321 (JAN 2004)  
4. Serum Triglyceride: >70 (JAN 2004)  
5. Serum Potassium: NS  
6. Serum Bilirubin: NS  
7. Serum Creatinine: NS  
8. Serum Albumin: NS  
9. Hemoglobin: NS  
10. Hemoglobin Alc: NS  
11. BNP: NS  
-----  
Select Laboratory Information to Edit: 1

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
PREOPERATIVE LABORATORY RESULTS  
JUN 18,2005 CORONARY ARTERY BYPASS  
-----  
HDL (mg/dl): NS// 177  
HDL, Date: JAN, 2005 (JAN 2005)

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
PREOPERATIVE LABORATORY RESULTS  
JUN 18,2005 CORONARY ARTERY BYPASS  
-----  
1. HDL: 177 (JAN 2005)  
2. LDL: 168 (JAN 2004)  
3. Total Cholesterol: 321 (JAN 2004)  
4. Serum Triglyceride: >70 (JAN 2004)  
5. Serum Potassium: NS  
6. Serum Bilirubin: NS  
7. Serum Creatinine: NS  
8. Serum Albumin: NS  
9. Hemoglobin: NS  
10. Hemoglobin Alc: NS  
11. BNP: NS  
-----  
Select Laboratory Information to Edit:

## Enter Cardiac Catheterization & Angiographic Data [SROA CATHETERIZATION]

The *Enter Cardiac Catheterization & Angiographic Data* option is used to enter or edit cardiac catheterization and angiographic information for a cardiac risk assessment. The software will present one page. At the bottom of the page is a prompt to select one or more items to edit. If the user does not want to edit any items on the page, pressing the <Enter> key will advance the user to another option.

### **About the "Select Cardiac Catheterization and Angiographic Information to Edit:" Prompt**

At this prompt the user enters the item number to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items.

After the information has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

### Example: Enter Cardiac Catheterization & Angiographic Data

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: CATH Enter Cardiac
Catheterization & Angiographic Data

SURPATIENT,NINETEEN (000-28-7354)          Case #60183          PAGE: 1 OF 2
JUN 18,2005  CORONARY ARTERY BYPASS
-----
1. Procedure:
2. LVEDP:
3. Aortic Systolic Pressure:

For patients having right heart cath
4. PA Systolic Pressure:
5. PAW Mean Pressure:

6. LV Contraction Grade (from contrast
   or radionuclide angiogram or 2D echo):

7. Mitral Regurgitation:
8. Aortic Stenosis:

-----
Select Cardiac Catheterization and Angiographic Information to Edit: A

SURPATIENT,NINETEEN (000-28-7354)          Case #60183          PAGE: 1 OF 2
JUN 18,2005  CORONARY ARTERY BYPASS
-----
Procedure Type: NS NO STUDY/UNKNOWN
Do you want to automatically enter 'NS' for NO STUDY for all other fields within
this option ? YES// <Enter>
```

-----  
1. Procedure: NS  
2. LVEDP: NS  
3. Aortic Systolic Pressure: NS

For patients having right heart cath

4. PA Systolic Pressure: NS  
5. PAW Mean Pressure: NS

6. LV Contraction Grade (from contrast  
or radionuclide angiogram or 2D echo): NO LV STUDY

7. Mitral Regurgitation: NS  
8. Aortic Stenosis: NS

-----  
Select Cardiac Catheterization and Angiographic Information to Edit: **A**

Procedure Type: NO STUDY/UNKNOWN// **CATH CATH**

You have changed the answer from "NS".

Do you want to clear 'NS' from all other fields within this option ? NO// **N** NO

Left Ventricular End-Diastolic Pressure: NS// **56**

Aortic Systolic Pressure: NS// **120**

PA Systolic Pressure: NS//**30**

PAW Mean Pressure: NS//**15**

LV Contraction Grade: NS//?

Enter the grade that best describes left ventricular function.

Screen prevents selection of code III.

Choose from:

I > EQUAL 0.55 NORMAL  
II 0.45-0.54 MILD DYSFUNC.  
IIIa 0.40-0.44 MOD. DYSFUNC. A  
IIIb 0.35-0.39 MOD. DYSFUNC. B  
IV 0.25-0.34 SEVERE DYSFUNC.  
V <0.25 VERY SEVERE DYSFUNC.  
NS NO STUDY

LV Contraction Grade: NO STUDY//**IIIa** 0.40-0.44 MOD. DYSFUNC. A

Mitral Regurgitation: NO STUDY//?

Enter the code describing presence/severity of mitral regurgitation.

Choose from:

0 NONE  
1 MILD  
2 MODERATE  
3 SEVERE  
NS NO STUDY

Mitral Regurgitation: NO STUDY//**2** MODERATE

Aortic Stenosis: NO STUDY//**1** MILD

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1 OF 2  
 JUN 18,2005 CORONARY ARTERY BYPASS

-----

1. Procedure: Cath  
 2. LVEDP: 56 mm Hg  
 3. Aortic Systolic Pressure: 120 mm Hg

For patients having right heart cath

4. PA Systolic Pressure: 30 mm Hg  
 5. PAW Mean Pressure: 15 mm Hg

6. LV Contraction Grade (from contrast  
 or radionuclide angiogram or 2D echo): IIIa 0.40-0.44 MODERATE DYSFUNCTION A

7. Mitral Regurgitation: MODERATE  
 8. Aortic Stenosis: MILD

-----

Select Cardiac Catheterization and Angiographic Information to Edit: <Enter>

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 2 of 2  
 JUN 18,2005 CORONARY ARTERY BYPASS

-----

----- Native Coronaries -----

1. Left main stenosis: NS  
 2. LAD Stenosis: NS  
 3. Right coronary stenosis: NS  
 4. Circumflex Stenosis: NS

If a Re-do, indicate stenosis in graft to:

5. LAD: NS  
 6. Right coronary: NS  
 7. Circumflex: NS

-----

Select Cardiac Catheterization and Angiographic Information to Edit: 3  
 Right Coronary Artery Stenosis: NS// ?  
 Enter the percent (0-100) stenosis.  
 Right Coronary Artery Stenosis: NS// 30

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 2 of 2  
 JUN 18,2005 CORONARY ARTERY BYPASS

-----

----- Native Coronaries -----

1. Left main stenosis: NS  
 2. LAD Stenosis: NS  
 3. Right coronary stenosis: 30  
 4. Circumflex Stenosis: NS

If a Re-do, indicate stenosis in graft to:

5. LAD: NS  
 6. Right coronary: NS  
 7. Circumflex: NS

-----

Select Cardiac Catheterization and Angiographic Information to Edit:

*(This page included for two-sided copying.)*



## Operative Risk Summary Data (Enter/Edit) [SROA CARDIAC OPERATIVE RISK]

The *Operative Risk Summary Data (Enter/Edit)* option is used to enter or edit operative risk summary data for the cardiac surgery risk assessments. This option records the physician's subjective estimate of operative mortality. To avoid bias, this should be completed preoperatively. The software will present one page. At the bottom of the page is a prompt to select one or more items to edit. If the user does not want to edit any of the items, the <Enter> key can be pressed to proceed to another option.

### About the "Select Operative Risk Summary Information to Edit:" prompt

At this prompt the user enters the item number to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items.

### Example: Operative Risk Summary Data

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: OP Operative Risk Summary Data (Enter/Edit)
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1
JUN 18,2005 CORONARY ARTERY BYPASS
>> Coding Complete <<
```

- ```
-----
1. Physician's Preoperative Estimate of Operative Mortality: 78%
   A. Date/Time Collected: JUN 17,2005@18:15
2. ASA Classification: 1-NO DISTURB.
3. Surgical Priority:
4. Preoperative Risk Factors: NONE
5. CPT Codes (view only): 33510
6. Wound Classification: CLEAN
```

This information cannot be edited.

```
-----
Select Operative Risk Summary Information to Edit: 1:3
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183
JUN 18,2005 CORONARY ARTERY BYPASS
```

```
-----
Physician's Preoperative Estimate of Operative Mortality: 78
// 32
Date/Time of Estimate of Operative Mortality: JUN 17, 2005@18:15
// <Enter>
ASA Class: 1-NO DISTURB.// 3 3 3-SEVERE DISTURB.
Cardiac Surgical Priority: ?
Enter the surgical priority that most accurately reflects the acuity of
patient's cardiovascular condition at the time of transport to the
operating room.
Choose from:
1 ELECTIVE
2 URGENT
3 EMERGENT (ONGOING ISCHEMIA)
4 EMERGENT (HEMODYNAMIC COMPROMISE)
5 EMERGENT (ARREST WITH CPR)
Cardiac Surgical Priority: 3 EMERGENT (ONGOING ISCHEMIA)
Date/Time of Cardiac Surgical Priority: JUN 18,2005@13:29 (JUN 18, 2005@13:29)
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1
JUN 18,2005 CORONARY ARTERY BYPASS
>> Coding Complete <<
```

```
-----
1. Physician's Preoperative Estimate of Operative Mortality: 32%
   A. Date/Time Collected: JUN 18,2005 18:15
2. ASA Classification: 3-SEVERE DISTURB.
3. Surgical Priority: EMERGENT (ONGOING ISCHEMIA)
   A. Date/Time Collected: JUN 18,2005 13:29
4. Preoperative Risk Factors: NONE

5. CPT Codes (view only): 33510
6. Wound Classification: CLEAN
```

\*\*\* NOTE: D/Time of Surgical Priority should be < the D/Time Patient in OR.\*\*\*

```
-----
Select Operative Risk Summary Information to Edit:
```

---

The Surgery software performs data checks on the following fields:

The Date/Time Collected field for Physician's Preoperative Estimate of Operative Mortality should be earlier than the Time Pat In OR field. This field is no longer auto-populated.



The Date/Time Collected field for Surgical Priority should be earlier than the Time Pat In OR field. This field is no longer auto-populated.

If the date entered does not conform to the specifications, then the Surgery software displays a warning at the bottom of the screen.

---

## Cardiac Procedures Operative Data (Enter/Edit) [SROA CARDIAC PROCEDURES]

The *Cardiac Procedures Operative Data (Enter/Edit)* option is used to enter or edit information related to cardiac procedures requiring cardiopulmonary bypass (CPB). The software will present two pages. At the bottom of the page is a prompt to select one or more items to edit. If the user does not want to edit any items on the page, pressing the <Enter> key will advance the user to another option.

### **About the "Select Operative Information to Edit:" prompt**

At this prompt, the user enters the item number to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items. You can also use number-letter combinations, such as **11B**, to update a field within a group, such as VSD Repair.

Each prompt at the category level allows for an entry of **YES** or **NO**. If **NO** is entered, each item under that category will automatically be answered **NO**. On the other hand, responding **YES** at the category level allows the user to respond individually to each item under the main category.

Entry of **N** shall allow the user to **Set All to No** for the Cardiac Procedures fields. A verification prompt will follow to ensure that user understands the entry.

Fields that do not have YES/NO responses will be updated as follows.

- Items #1-#5 are numeric and their values will be set to 0.
- Valve Procedures will be set to NONE
- #13 Maze Procedure will be set to NO MAZE PERFORMED

After the information has been entered or edited, the terminal display screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

### **Example: Enter Cardiac Procedures Operative Data**

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: CARD Cardiac Pr  
ocedures Operative Data (Enter/Edit)
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1 OF 2  
JUN 18,2005 CORONARY ARTERY BYPASS
```

```
-----  
Cardiac surgical procedures with or without cardiopulmonary bypass  
CABG distal anastomoses: 13. Maze procedure:  
1. Number with vein: 14. ASD repair:  
2. Number with IMA: 15. VSD repair:  
3. Number with Radial Artery: 16. Myectomy:  
4. Number with Other Artery: 17. Myxoma resection:  
5. Number with Other Conduit: 18. Other tumor resection:  
19. Cardiac transplant:  
6. LV Aneurysmectomy: 20. Great Vessel Repair:  
7. Bridge to transplant/Device: 21. Endovascular Repair:  
8. TMR: 22. Other cardiac procedures:  
  
9. Aortic Valve Procedure:  
10. Mitral Valve Procedure:  
11. Tricuspid Valve Procedure:  
12. Pulmonary Valve Procedure:  
-----
```

```
Select Cardiac Procedures Operative Information to Edit: A
```

SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
CABG Distal Anastomoses with Vein: 1  
CABG Distal Anastomoses with IMA: 1  
Number with Radial Artery: 0  
Number with Other Artery: 1  
CABG Distal Anastomoses with Other Conduit: 1  
LV Aneurysmectomy (Y/N): N NO

Device for bridge to cardiac transplant / Destination therapy: ??  
Definition Revised (2006):  
Indicate if patient received a mechanical support device (excluding IABP) as a bridge to cardiac transplant during the same admission as the transplant procedure; or patient received the device as destination therapy (does not intend to have a cardiac transplant), either with or without placing the patient on cardiopulmonary bypass.

Choose from:

N NONE  
B BRIDGE TO

TRANSPLANT

D DESTINATION THERAPY

Device for bridge to cardiac transplant / Destination therapy: N NONE

Transmyocardial Laser Revascularization: N NO

Aortic Valve Procedure: ??

VASQIP Definition (2010):

Indicate if the patient had an aortic valve replacement (either the native or a prosthetic valve) or a repair (on the native valve to relieve stenosis and/or correct regurgitation -annuloplasty, commissurotomy, etc.); performed with or without additional procedure(s); either with or without placing the patient on cardiopulmonary bypass. (If a repair was attempted, but a replacement occurred, indicate the details of the replacement valve.) Indicate the one most appropriate procedure:

- \* None
- \* Mechanical Valve
- \* Stented Bioprosthetic Valve
- \* Stentless Bioprosthetic Valve
- \* Homograft
- \* Primary Valve Repair
- \* Primary Valve Repair and Annuloplasty Device
- \* Annuloplasty Device alone
- \* Autograft Procedure (Ross Procedure)
- \* Other

Choose from:

N NONE  
M MECHANICAL  
S STENTED BIOPROSTHETIC  
B STENTLESS BIOPROSTHETIC  
H HOMOGRAFT  
PR PRIMARY REPAIR  
PA PRIMARY REPAIR & ANNULOPLASTY DEVICE  
AN ANNULOPLASTY DEVICE ALONE  
AU AUTOGRAFT (ROSS)  
O OTHER

Aortic Valve Procedure: PR PRIMARY REPAIR

Mitral Valve Procedure: N NONE

Tricuspid Valve Procedure: N NONE

Pulmonary Valve Procedure: N NONE

Maze Procedure: N NO MAZE PERFORMED

ASD Repair (Y/N): N NO

VSD Repair (Y/N): N NO

Myectomy (Y/N): N NO

Myxoma Resection (Y/N): N NO

Other Tumor Resection (Y/N): N NO

Cardiac Transplant (Y/N): N NO

Great Vessel Repair (Y/N): N NO

Endovascular Repair of Aorta: N NO

Other Cardiac Procedures (Y/N): **N** NO

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1 of 2  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
Cardiac surgical procedures with or without cardiopulmonary bypass  
CABG distal anastomoses:  
1. Number with vein: 1  
2. Number with IMA: 1  
3. Number with Radial Artery: 0  
4. Number with Other Artery: 1  
5. Number with Other Conduit: 1  
6. LV Aneurysmectomy: NO  
7. Bridge to transplant/Device: NONE  
8. TMR: NO  
9. Aortic Valve Procedure: PRIMARY REPAIR  
10. Mitral Valve Procedure: NONE  
11. Tricuspid Valve Procedure: NONE  
12. Pulmonary Valve Procedure: NONE  
13. Maze procedure: NO MAZE PERFORMED  
14. ASD repair: NO  
15. VSD repair: NO  
16. Myectomy: NO  
17. Myxoma resection: NO  
18. Other tumor resection: NO  
19. Cardiac transplant: NO  
20. Great Vessel Repair: NO  
21. Endovascular Repair: NO  
22. Other cardiac procedures: NO

-----  
Select Operative Information to Edit: **<Enter>**

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 2 of 2  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
Indicate other cardiac procedures only if done with cardiopulmonary bypass  
-----

- 1. Foreign Body Removal:
- 2. Pericardiectomy:

Other Operative Data details:  
-----

- 3. Total CPB Time:
- 4. Total Ischemic Time:
- 5. Incision Type:
- 6. Convert Off Pump to CPB: N/A (began on-pump/ stayed on-pump)

-----  
Select Operative Information to Edit:

## Outcome Information (Enter/Edit) [SROA CARDIAC-OUTCOMES]

This option is used to enter or edit outcome information for cardiac procedures.

Example: Enter Outcome Information

Select Cardiac Risk Assessment Information (Enter/Edit) Option: **OUT** Outcome Information (Enter/Edit)

SURPATIENT, TWENTY (000-45-4886) Case #238 PAGE: 1  
OUTCOMES INFORMATION  
FEB 10, 2004 CABG

-----  
0. Operative Death: NO

Perioperative (30 day) Occurrences:  
-----

|                                   |     |                                     |     |
|-----------------------------------|-----|-------------------------------------|-----|
| 1. Perioperative MI:              | NO  | 9. Tracheostomy:                    | YES |
| 2. Endocarditis:                  | NO  | 10. Repeat ventilator w/in 30 days: | YES |
| 3. Superficial Incisional SSI:    | NO  | 11. Stroke/CVA:                     | NO  |
| 4. Mediastinitis:                 | YES | 12. Coma >= 24 hr:                  | NO  |
| 5. Cardiac arrest requiring CPR:  | YES | 13. New Mech Circ Support:          | YES |
| 6. Reoperation for bleeding:      | NO  | 14. Postop Atrial Fibrillation:     | NO  |
| 7. On ventilator >= 48 hr:        | NO  | 15. Wound Disruption:               | YES |
| 8. Repeat cardiac surg procedure: | NO  | 16. Renal failure require dialysis: | NO  |

-----  
Select Outcomes Information to Edit: **8**  
Repeat Cardiac Surgical Procedure (Y/N): NO// **Y** YES  
Cardiopulmonary Bypass Status: ?

Enter NONE, ON BYPASS, or OFF BYPASS.

|   |            |
|---|------------|
| 0 | None       |
| 1 | On-bypass  |
| 2 | Off-bypass |

Cardiopulmonary Bypass Status: **1** On-bypass

SURPATIENT, TWENTY (000-45-4886) Case #238 PAGE: 1  
OUTCOMES INFORMATION  
FEB 10, 2004 CABG

-----  
0. Operative Death: NO

Perioperative (30 day) Occurrences:  
-----

|                                   |     |                                     |     |
|-----------------------------------|-----|-------------------------------------|-----|
| 1. Perioperative MI:              | NO  | 9. Tracheostomy:                    | YES |
| 2. Endocarditis:                  | NO  | 10. Repeat ventilator w/in 30 days: | YES |
| 3. Superficial Incisional SSI:    | NO  | 11. Stroke/CVA:                     | NO  |
| 4. Mediastinitis:                 | YES | 12. Coma >= 24 hr:                  | NO  |
| 5. Cardiac arrest requiring CPR:  | YES | 13. New Mech Circ Support:          | YES |
| 6. Reoperation for bleeding:      | NO  | 14. Postop Atrial Fibrillation:     | NO  |
| 7. On ventilator >= 48 hr:        | NO  | 15. Wound Disruption:               | YES |
| 8. Repeat cardiac surg procedure: | YES | 16. Renal failure require dialysis: | NO  |

-----  
Select Outcomes Information to Edit:

## Intraoperative Occurrences (Enter/Edit) [SRO INTRAOP COMP]

The nurse reviewer uses the *Intraoperative Occurrences (Enter/Edit)* option to enter or change information related to intraoperative occurrences. Every occurrence entered must have a corresponding occurrence category. For a list of occurrence categories, the user can enter a question mark (?) at the "Enter a New Intraoperative Occurrence:" prompt.

After an occurrence category has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another opportunity to enter or edit data.

### Example: Enter an Intraoperative Occurrence

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: IO Intraoperative Occurrences (Enter/Edit)
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS
```

-----  
There are no Intraoperative Occurrences entered for this case.

Enter a New Intraoperative Occurrence: **CARDIAC ARREST REQUIRING CPR**

Definition Revised (2011): Indicate if there was any cardiac arrest requiring external or open cardiopulmonary resuscitation (CPR) occurring in the operating room, ICU, ward, or out-of-hospital after the chest had been completely closed and within 30 days of surgery. Patients with AICDs that fire but the patient does not lose consciousness should be excluded.

If patient had cardiac arrest requiring CPR, indicate whether the arrest occurred intraoperatively or postoperatively. Indicate the one appropriate response:

- intraoperatively: occurring while patient was in the operating room
- postoperatively: occurring after patient left the operating room

Press RETURN to continue: <Enter>

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS
```

- 
1. Occurrence: CARDIAC ARREST REQUIRING CPR
  2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
  3. ICD Diagnosis Code:
  4. Treatment Instituted:
  5. Outcome to Date:
  6. Occurrence Comments:
- 

Select Occurrence Information: 2:5

SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
Occurrence Category: CARDIAC ARREST REQUIRING CPR

// <Enter>

ICD Diagnosis Code: **102.8** 102.8 LATENT YAWS

...OK? YES// <Enter> (YES)

Type of Treatment Instituted: **CPR**

Outcome to Date: **I** IMPROVED

SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS

- 
1. Occurrence: CARDIAC ARREST REQUIRING CPR
  2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
  3. ICD Diagnosis Code: 102.8
  4. Treatment Instituted: CPR
  5. Outcome to Date: IMPROVED
  6. Occurrence Comments:
- 

Select Occurrence Information: <Enter>

SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
Enter/Edit Intraoperative Occurrences

1. CARDIAC ARREST REQUIRING CPR  
Category: CARDIAC ARREST REQUIRING CPR

Select a number (1), or type 'NEW' to enter another occurrence:



## Postoperative Occurrences (Enter/Edit) [SRO POSTOP COMP]

The nurse reviewer uses the *Postoperative Occurrences (Enter/Edit)* option to enter or change information related to postoperative occurrences. Every occurrence entered must have a corresponding occurrence category. For a list of occurrence categories, the user can enter a question mark (?) at the "Enter a New Postoperative Occurrence:" prompt.

After an occurrence category has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another opportunity to enter or edit data.

### Example: Enter a Postoperative Occurrence

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: PO Postoperative Occurrences  
(Enter/Edit)
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS
```

-----  
There are no Postoperative Occurrences entered for this case.

Enter a New Postoperative Occurrence: **CARDIAC ARREST REQUIRING CPR**

Definition Revised (2011): Indicate if there was any cardiac arrest requiring external or open cardiopulmonary resuscitation (CPR) occurring in the operating room, ICU, ward, or out-of-hospital after the chest had been completely closed and within 30 days of surgery. Patients with AICDs that fire but the patient does not lose consciousness should be excluded.

If patient had cardiac arrest requiring CPR, indicate whether the arrest occurred intraoperatively or postoperatively. Indicate the one appropriate response:

- intraoperatively: occurring while patient was in the operating room
- postoperatively: occurring after patient left the operating room

Press RETURN to continue: **<Enter>**

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS
```

- 
1. Occurrence: CARDIAC ARREST REQUIRING CPR
  2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
  3. ICD Diagnosis Code:
  4. Treatment Instituted:
  5. Outcome to Date:
  6. Date Noted:
  7. Occurrence Comments:
- 

Select Occurrence Information: **4:6**

SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
Treatment Instituted: **CPR**  
Outcome to Date: **I** IMPROVED  
Date/Time the Occurrence was Noted: **6/19/05** (JUN 19, 2005)

SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
1. Occurrence: CARDIAC ARREST REQUIRING CPR  
2. Occurrence Category: CARDIAC ARREST REQUIRING CPR  
3. ICD Diagnosis Code:  
4. Treatment Instituted: CPR  
5. Outcome to Date: IMPROVED  
6. Date Noted: 06/19/05  
7. Occurrence Comments:

-----  
Select Occurrence Information: **<Enter>**

SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS

-----  
Enter/Edit Intraoperative Occurrences

1. CARDIAC ARREST REQUIRING CPR  
Category: CARDIAC ARREST REQUIRING CPR

Select a number (1), or type 'NEW' to enter another occurrence:

## Resource Data (Enter/Edit) [SROA CARDIAC RESOURCE]

The nurse reviewer uses the *Resource Data (Enter/Edit)* option to enter, edit, or review risk assessment and cardiac patient demographic information such as hospital admission, discharge dates, and other information related to the surgical episode.

### Example: Resource Data (Enter/Edit)

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: R Resource Data
```

```
SURPATIENT,TEN (000-12-3456) Case #49413  
OCT 18,2007 CABG X3 USING LSVG TO OMB,LV EXT. OF RCA,LIMA TO LAD  
-----
```

Enter/Edit Patient Resource Data

1. Capture Information from PIMS Records
2. Enter, Edit, or Review Information

Select Number: (1-2): 1

Are you sure you want to retrieve information from PIMS records ? YES// <Enter>

...HMMM, I'M WORKING AS FAST AS I CAN...

```
SURPATIENT,TEN (000-12-3456) Case #49413  
OCT 18,2007 CABG X3 USING LSVG TO OMB,LV EXT. OF RCA,LIMA TO LAD  
-----
```

Enter/Edit Patient Resource Data

1. Capture Information from PIMS Records
2. Enter, Edit, or Review Information

Select Number: (1-2): 2

```
SURPATIENT,TEN (000-12-3456) Case #49413  
OCT 18,2007 CABG X3 USING LSVG TO OMB,LV EXT. OF RCA,LIMA TO LAD  
-----
```

```
1. Hospital Admission Date: FEB 11, 2007@15:39  
2. Hospital Discharge Date: FEB 16, 2007@13:44  
3. Cardiac Catheterization Date:  
4. Time Patient In OR: FEB 12, 2007@06:30  
5. Date/Time Operation Began: FEB 12, 2007@06:40  
6. Date/Time Operation Ended: FEB 12, 2007@08:30  
7. Time Patient Out OR: FEB 12, 2007@08:40  
8. Date/Time Patient Extubated:  
9. Date/Time Discharged from ICU: FEB 16, 2007@13:44  
10. Homeless: NO  
11. Surg Performed at Non-VA Facility: NO  
12. Resource Data Comments:  
13. Employment Status Preoperatively: EMPLOYED PART TIME
```

Select Resource Information to Edit:

```
Employment Status Preoperatively: EMPLOYED FULL TIME// ?
Enter the patient's employment status preoperatively.
Choose from:
1      EMPLOYED FULL TIME
2      EMPLOYED PART TIME
3      NOT EMPLOYED
4      SELF EMPLOYED
5      RETIRED
6      ACTIVE MILITARY DUTY
9      UNKNOWN
Employment Status Preoperatively: 3 NOT EMPLOYED
```

```
SURPATIENT,TEN (000-12-3456)      Case #49413
OCT 18,2007  CABG X3 USING LSVG TO OMB,LV EXT. OF RCA,LIMA TO LAD
```

```
-----
1. Hospital Admission Date:      FEB 11, 2007@15:39
2. Hospital Discharge Date:     FEB 16, 2007@13:44
3. Cardiac Catheterization Date:
4. Time Patient In OR:         FEB 12, 2007@06:30
5. Date/Time Operation Began:   FEB 12, 2007@06:40
6. Date/Time Operation Ended:   FEB 12, 2007@08:30
7. Time Patient Out OR:        FEB 12, 2007@08:40
8. Date/Time Patient Extubated:
9. Date/Time Discharged from ICU: FEB 16, 2007@13:44
10. Homeless:                  NO
11. Surg Performed at Non-VA Facility: NO
12. Resource Data Comments:
13. Employment Status Preoperatively: NOT EMPLOYED
```

```
-----
Select Resource Information to Edit:
```

---

The Surgery software performs data checks on the following fields:

The Date/Time Patient Extubated field should be later than the Time Patient Out OR field, and earlier than the Date/Time Discharged from ICU field.



The Date/Time Discharged from ICU field should be later than the Date/Time Patient Extubated field, and equal to or earlier than the Hospital Discharge Date field.

If the date entered does not conform to the specifications, then the Surgery software displays a warning at the bottom of the screen.

---

*(This page included for two-sided copying.)*

## Update Assessment Status to 'COMPLETE' [SROA COMPLETE ASSESSMENT]

The *Update Assessment Status to 'COMPLETE'* option is used to upgrade the status of an assessment to "Complete." A complete assessment has enough information for it to be transmitted to the centers where data are analyzed. Only complete assessments are transmitted. This option also notifies the user if procedure (CPT) and diagnosis (ICD-9) coding has not been completed.

After updating the status, the user can print the patient's entire Surgery Risk Assessment Report. This report can be copied to a screen or to a printer.

### Example: Update Assessment Status to COMPLETE

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: U Update Assess  
ment Status to 'COMPLETE'
```

```
This assessment is missing the following items:
```

```
1. Foreign Body Removal (Y/N)
```

```
Do you want to enter the missing items at this time? NO// YES  
FOREIGN BODY REMOVAL (Y/N): N NO
```

```
Are you sure you want to complete this assessment ? NO// YES
```

```
Updating the current status to 'COMPLETE'...
```

```
Do you want to print the completed assessment ? YES// NO
```

## Alert Coder Regarding Coding Issues [SROA CODE ISSUE]

This option allows the nurse reviewer to send an alert to the coder when there may be an issue with the CPT codes or the Postoperative Diagnosis codes for a Surgery case. When this option is selected, the nurse reviewer can enter a free-text message that will be sent to the coder on record, as well as to a pre-defined mail group identified in the Surgery Site Parameter titled CODE ISSUE MAIL GROUP. The message will not be sent if there is no coder, or if the mail group is not defined.

Example : Alert Coder Regarding Coding Issues

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: CODE Alert Coder  
Regarding Coding Issues
```

```
Select Patient: SURPATIENT,NINETEEN 000287354 YES  
SC VETERAN
```

```
SURPATIENT,NINETEEN 000-28-7354
```

- 05-10-05 CHOLECYSTECTOMY (COMPLETED)
- 06-18-05 \* CORONARY ARTERY BYPASS (COMPLETED)

```
Select Operation: 2
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS
```

```
-----  
The following "final" codes have been entered for the case.
```

```
Principal CPT Code: 33510  
Other CPT Codes: NOT ENTERED  
Postop Diagnosis Code (ICD9): 402.10 HYP HEART DIS BENING W/O FAIL
```

```
If you believe that the information coded is not correct and would like to  
alert the coders of the potential issue, enter a brief description of your  
concern below.
```

```
Do you want to alert the coders (Y/N)? YES// <Enter>
```

```
==[ WRAP ]==[ INSERT ]====< Coding Discrepancy Comments >====[ <PF1>H=Help ]====  
I have reviewed this case for VASQIP. The final Principal CPT Code entered  
is 33510. I would like to talk to you regarding the code. I think the code  
should be 33502. Please call me at X2545.  
<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====
```

- Transmit Message
- Edit Text

```
Select Number: 1// <Enter>
```

*(This page included for two-sided copying.)*



# Print a Surgery Risk Assessment

## [SROA PRINT ASSESSMENT]

The *Print a Surgery Risk Assessment* option prints an entire Surgery Risk Assessment Report for an individual patient. This report can be displayed temporarily on a screen. As the report fills the screen, the user will be prompted to press the **<Enter>** key to go to the next page. A permanent record can be made by copying the report to a printer. When using a printer, the report is formatted slightly differently from the way it displays on the terminal.

### Example 1: Print Surgery Risk Assessment for a Non-Cardiac Case

```
Select Surgery Risk Assessment Menu Option: P Print a Surgery Risk Assessment

Do you want to batch print assessments for a specific date range ? NO// <Enter>

Select Patient: SURPATIENT,FORTY      05-07-23      000777777      NO      NSC VET
ERAN

SURPATIENT,FORTY  000-77-7777

1. 02-10-04      * CABG (INCOMPLETE)
2. 01-09-06      APPENDECTOMY (COMPLETED)

Select Surgical Case: 2

Print the Completed Assessment on which Device: [Select Print Device]

-----printout follows-----
```



=====

OPERATIVE INFORMATION

Surgical Specialty: GENERAL(OR WHEN NOT DEFINED BELOW)

Principal Operation: APPENDECTOMY

Procedure CPT Codes: 44950

Concurrent Procedure:

CPT Code:

PGY of Primary Surgeon: 0

Emergency Case (Y/N): NO

Wound Classification: CONTAMINATED

ASA Classification: 3-SEVERE DISTURB.

Principal Anesthesia Technique: GENERAL

RBC Units Transfused: 0

Intraop Disseminated Cancer: NO

Intraoperative Ascites: NO

PREOPERATIVE LABORATORY TEST RESULTS

Anion Gap: 12                      (JAN 7,2006)  
Serum Sodium: 144.6              (JAN 7,2006)  
Serum Creatinine: .9              (JAN 7,2006)  
    BUN: 18                      (JAN 7,2006)  
Serum Albumin: 3.5              (JAN 7,2006)  
Total Bilirubin: .9              (JAN 7,2006)  
    SGOT: 46                    (JAN 7,2006)  
Alkaline Phosphatase: 34        (JAN 7,2006)  
White Blood Count: 15.9        (JAN 7,2006)  
    Hematocrit: 43.4            (JAN 7,2006)  
    Platelet Count: 356         (JAN 7,2006)  
    PTT: 25.9                   (JAN 7,2006)  
    PT: 12.1                    (JAN 7,2006)  
    INR: 1.54                   (JAN 7,2006)  
Hemoglobin Alc: NS

POSTOPERATIVE LABORATORY RESULTS

\* Highest Value

\*\* Lowest Value

\* Anion Gap: 11                    (JAN 7,2006)  
\* Serum Sodium: 148              (JAN 12,2006)  
\*\* Serum Sodium: 144.2         (FEB 2,2006)  
\* Potassium: 4.5                  (JAN 12,2006)  
\*\* Potassium: 4.5                  (JAN 12,2006)  
\* Serum Creatinine: 1.4         (FEB 2,2006)  
    \* CPK: 88                    (JAN 12,2006)  
    \* CPK-MB Band: <1         (JAN 12,2006)  
\* Total Bilirubin: 1.3            (JAN 12,2006)  
\* White Blood Count: 12.2       (JAN 12,2006)  
    \*\* Hematocrit: 42.9        (JAN 12,2006)  
    \* Troponin I: 1.42          (JAN 12,2006)  
    \* Troponin T: NS



## Example 2: Print Surgery Risk Assessment for a Cardiac Case

Select Surgery Risk Assessment Menu Option: **P** Print a Surgery Risk Assessment

Do you want to batch print assessments for a specific date range ? NO// **<Enter>**

Select Patient: **R9922** SURPATIENT,NINE 12-19-51 000345555 NO SC  
VETERAN

SURPATIENT,NINE 000-34-5555

1. 07-01-06 \* CABG X3 (1A,2V), ARTERIAL GRAFTING (TRANSMITTED)
2. 03-27-05 INGUINAL HERNIA (TRANSMITTED)
3. 07-03-04 PULMONARY LOBECTOMY (TRANSMITTED)

Select Surgical Case: Select Surgical Case: **1**

Print the Completed Assessment on which Device: **[Select Print Device]**

-----*printout follows*-----

VA SURGICAL QUALITY IMPROVEMENT PROGRAM - CARDIAC SPECIALTY

I. IDENTIFYING DATA

Patient: SURPATIENT,NINE 000-34-5555 Case #: 238 Fac./Div. #: 500  
 Surgery Date: 07/01/06 Address: Anyplace Way  
 Phone: NS/Unknown Zip Code: 33445-1234 Date of Birth: 12/19/51

II. CLINICAL DATA

Gender: MALE Age: 56  
 Height: 72 in Prior MI: NONE  
 Weight: 177 lb Number of prior heart surgeries: NONE  
 Diabetes - Long Term: NO Prior heart surgeries: None  
 Diabetes - 2 Wks Preop: NO Peripheral Vascular Disease: NO  
 COPD: NO CVD Repair/Obstruct: YES/PRIOR SURG  
 FEV1: NS History of CVD: CVA W/O NEURO DEF  
 Cardiomegaly (X-ray): NO Angina (use CCS Class): II  
 Pulmonary Rales: NO CHF (use NYHA Class): II  
 Tobacco Use: NEVER USED TOBACCO Current Diuretic Use: NO  
 Tobacco Use Timeframe: NOT APPLICABLE Current Digoxin Use: NO  
 Positive Drug Screening: NO IV NTG 48 Hours Preceding Surgery: NO  
 Active Endocarditis: NO Preop Circulatory Device: NONE  
 Resting ST Depression: NO Hypertension: YES  
 Functional Status: INDEPENDENT Preoperative Atrial Fibrillation: NO  
 PCI: None

III. DETAILED LABORATORY INFO - PREOPERATIVE VALUES

|               |            |                 |            |
|---------------|------------|-----------------|------------|
| Creatinine:   | mg/dl (NS) | T. Cholesterol: | mg/dl (NS) |
| Hemoglobin:   | mg/dl (NS) | HDL:            | mg/dl (NS) |
| Albumin:      | g/dl (NS)  | LDL:            | mg/dl (NS) |
| Triglyceride: | mg/dl (NS) | Hemoglobin Alc: | % (NS)     |
| Potassium:    | mg/L (NS)  | BNP:            | mg/dl (NS) |
| T. Bilirubin: | mg/dl (NS) |                 |            |

IV. CARDIAC CATHETERIZATION AND ANGIOGRAPHIC DATA

Cardiac Catheterization Date: 06/28/06  
 Procedure: NS Native Coronaries:  
 LVEDP: NS Left Main Stenosis: NS  
 Aortic Systolic Pressure: NS LAD Stenosis: NS  
 Right Coronary Stenosis: NS  
 For patients having right heart cath: Circumflex Stenosis: NS  
 PA Systolic Pressure: NS  
 PAW Mean Pressure: NS If a Re-do, indicate stenosis  
 in graft to:  
 LAD: NS  
 Right coronary (include PDA): NS  
 Circumflex: NS

LV Contraction Grade (from contrast or radionuclide angiogram or 2D Echo):  
 Grade Ejection Fraction Range Definition  
 NO LV STUDY

Mitral Regurgitation: NS  
 Aortic stenosis: NS

V. OPERATIVE RISK SUMMARY DATA

Physician's Preoperative  
 Estimate of Operative Mortality: NS 07/28/06 15:30)  
 ASA Classification: 3-SEVERE DISTURB.  
 Surgical Priority: ELECTIVE 07/28/06 15:31)  
 Principal CPT Code: 33517  
 Other Procedures CPT Codes: 33510  
 Preoperative Risk Factors:  
 Wound Classification: CLEAN

SURPATIENT,NINE 00-34-5555

=====

VI. OPERATIVE DATA

Cardiac surgical procedures with or without cardiopulmonary bypass

|                              |      |                             |                   |
|------------------------------|------|-----------------------------|-------------------|
| CABG distal anastomoses:     |      | Maze procedure:             | NO MAZE PERFORMED |
| Number with Vein:            | 1    | ASD repair:                 | NO                |
| Number with IMA:             | 1    | VSD repair:                 | NO                |
| Number with Radial Artery:   | 0    | Myectomy:                   | NO                |
| Number with Other Artery:    | 1    | Myxoma resection:           | NO                |
| Number with Other Conduit:   | 1    | Other tumor resection:      | NO                |
| LV Aneurysmectomy:           | NO   | Cardiac transplant:         | NO                |
| Bridge to transplant/Device: | NONE | Great Vessel Repair:        | NO                |
| TMR:                         | NO   | Endovascular Repair:        | NO                |
|                              |      | Other Cardiac procedure(s): | NO                |

Aortic Valve Procedure: PRIMARY REPAIR

Mitral Valve Procedure: NONE

Tricuspid Valve Procedure: NONE

Pulmonary Valve Procedure: NONE

\* Other Cardiac procedures (Specify):

Indicate other cardiac procedures only if done with cardiopulmonary bypass

Foreign body removal: YES

Pericardiectomy: YES

Other Operative Data details

Total CPB Time: 85 min Total Ischemic Time: 60 min

Incision Type: FULL STERNOTOMY

Conversion Off Pump to CPB: N/A (began on-pump/ stayed on-pump)

VII. OUTCOMES

Operative Death: NO Date of Death:

Perioperative (30 day) Occurrences:

|                                |    |                                   |             |
|--------------------------------|----|-----------------------------------|-------------|
| Perioperative MI:              | NO | Tracheostomy:                     | NO          |
| Endocarditis:                  | NO | Ventilator supp within 30 days:   | NO          |
| Superficial Incisional SSI:    | NO | Stroke/CVA:                       | NO SYMPTOMS |
| Mediastinitis:                 | NO | Coma > or = 24 Hours:             | NO          |
| Cardiac Arrest Requiring CPR:  | NO | New Mech Circulatory Support:     | NO          |
| Reoperation for Bleeding:      | NO | Postop Atrial Fibrillation:       | NO          |
| On ventilator > or = 48 hr:    | NO | Wound Disruption:                 | NO          |
| Repeat cardiac Surg procedure: | NO | Renal Failure Requiring Dialysis: | NO          |

VIII. RESOURCE DATA

Hospital Admission Date: 06/30/06 06:05

Hospital Discharge Date: 07/10/06 08:50

Time Patient In OR: 07/10/06 10:00

Operation Began: 07/01/06 10:10

Operation Ended: 07/10/06 12:30

Time Patient Out OR: 07/01/06 12:20

Date and Time Patient Extubated:

07/10/06 13:13

Postop Intubation Hrs: +1.9

Date and Time Patient Discharged from ICU: 07/10/06 08:00

Patient is Homeless: NS

Cardiac Surg Performed at Non-VA Facility: UNKNOWN

Resource Data Comments:

=====

IX. SOCIOECONOMIC, ETHNICITY, AND RACE

Employment Status Preoperatively: SELF EMPLOYED

Ethnicity: NOT HISPANIC OR LATINO

Race Category(ies): AMERICAN INDIAN OR ALASKA NATIVE,  
NATIVE HAWAIIAN OR OTHER PACIFIC  
ISLANDER, WHITE

X. DETAILED DISCHARGE INFORMATION

Discharge ICD Codes: 414.01 V70.7 433.10 285.1 412. 307.9 427.31

Type of Disposition: TRANSFER

Place of Disposition: HOME-BASED PRIMARY CARE (HBPC)

Primary care or referral VAMC identification code: 526

Follow-up VAMC identification code: 526

\*\*\* End of report for SURPATIENT,NINE 000-34-5555 assessment #238 \*\*\*

*(This page included for two-sided copying.)*



# Update Assessment Completed/Transmitted in Error

## [SROA TRANSMITTED IN ERROR]

The *Update Assessment Completed/Transmitted in Error* option is used to change the status of a completed or transmitted assessment that contains errors or has been entered in error. The status will change from Completed or Transmitted to Incomplete so that the user can edit the assessment. Transmitted assessments will be re-transmitted if they are re-completed within 14 days of the original transmission date.

Example: Update Assessment Completed/Transmitted in Error

```
Select Surgery Risk Assessment Menu Option: U Update Assessment Completed/Transmitted in Error
```

```
Select Patient: SURPATIENT,NINETEEN 03-03-30 000287354 SC VETERAN
```

```
SURPATIENT,NINETEEN 000-28-7354
```

1. 02-08-95 CORONARY ARTERY BYPASS (INCOMPLETE)
2. 01-25-95 PULMONARY LOBECTOMY (TRANSMITTED)

```
Select Surgical Case: 2
```

```
Are you sure that you want to change the status of this assessment  
from 'TRANSMITTED' to 'INCOMPLETE' ? YES// <Enter>
```

```
The Assessment Status has been changed to 'INCOMPLETE'.
```

```
Press <Enter> to continue
```

*(This page included for two-sided copying.)*

# List of Surgery Risk Assessments

## [SROA ASSESSMENT LIST]

The *List of Surgery Risk Assessments* option is used to print lists of assessments within a date range. Lists of assessments in different phases of completion (for example, incomplete, completed, or transmitted) or a list of all surgical cases entered in the Surgery Risk Assessment software can be printed. The user can also request that the list be sorted by surgical service. The software will prompt for a beginning date and an ending date. The examples in this section illustrate printing assessments in the following formats.

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

### Example 1: List of Incomplete Assessments

```
Select Surgery Risk Assessment Menu Option: L List of Surgery Risk Assessments
```

```
List of Surgery Risk Assessments
```

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

```
Select the Number of the Report Desired: (1-11): 1
```

```
Start with Date: 1 1 06 (JAN 01, 2006)
```

```
End with Date: 6 30 06 (JUN 30, 2006)
```

```
Print by Surgical Specialty ? YES// <Enter>
```

```
Print report for ALL specialties ? YES// <Enter>
```

```
Do you want to print all divisions? YES// NO
```

```
1. MAYBERRY, NC
```

```
Select Number: (1-2): 1
```

```
This report is designed to print to your screen or a printer. When using a printer, a 132 column format is used.
```

```
Print the List of Assessments to which Device: [Select Print Device]
```

```
-----printout follows-----
```

INCOMPLETE RISK ASSESSMENTS  
MAYBERRY, NC  
SURGERY SERVICE  
FROM: JAN 1,2006 TO: JUN 30,2006

PAGE 1

DATE REVIEWED:  
REVIEWED BY:

| ASSESSMENT #<br>OPERATION DATE                               | PATIENT          | SURGEON                        | OPERATIVE PROCEDURE(S)                    | ANESTHESIA TECHNIQUE |
|--------------------------------------------------------------|------------------|--------------------------------|-------------------------------------------|----------------------|
| =====                                                        |                  |                                |                                           |                      |
| ** SURGICAL SPECIALTY: CARDIAC SURGERY **                    |                  |                                |                                           |                      |
| 28519<br>JAN 05, 2006                                        | SURPATIENT,NINE  | 000-34-5555<br>SURSURGEON,ONE  | * CABG X3 (2V,1A)<br><br>CPT Codes: 33736 | GENERAL              |
| -----                                                        |                  |                                |                                           |                      |
| ** SURGICAL SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW) ** |                  |                                |                                           |                      |
| 63063<br>JUN 09, 2006                                        | SURPATIENT,ONE   | 000-44-7629<br>SURSURGEON,TWO  | INGUINAL HERNIA<br><br>CPT Codes: 49521   | SPINAL               |
| -----                                                        |                  |                                |                                           |                      |
| ** SURGICAL SPECIALTY: NEUROSURGERY **                       |                  |                                |                                           |                      |
| 63154<br>JUN 24, 2006                                        | SURPATIENT,EIGHT | 000-37-0555<br>SURSURGEON,FOUR | CRANIOTOMY<br><br>CPT Codes: NOT ENTERED  | NOT ENTERED          |
| -----                                                        |                  |                                |                                           |                      |

## Example 2: List of Completed Assessments

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **2**

Start with Date: **1 1 06** (JAN 01, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC

2. PHILADELPHIA, PA

Select Number: (1-2): **1**

This report is designed to print to your screen or a printer. When using a printer, a 132 column format is used.

Print the List of Assessments to which Device: **[Select Print Device]**

-----*printout follows*-----

COMPLETED RISK ASSESSMENTS  
MAYBERRY, NC  
SURGERY SERVICE  
FROM: JAN 1,2006 TO: JUN 30,2006

PAGE 1

DATE REVIEWED:  
REVIEWED BY:

| ASSESSMENT #<br>OPERATION DATE | PATIENT<br>OPERATIVE PROCEDURE | DATE COMPLETED | ANESTHESIA TECHNIQUE |
|--------------------------------|--------------------------------|----------------|----------------------|
|--------------------------------|--------------------------------|----------------|----------------------|

\*\*\*\*\*  
\*\* SURGICAL SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW) \*\*

|                       |                                                                       |              |         |
|-----------------------|-----------------------------------------------------------------------|--------------|---------|
| 92<br>FEB 23, 2006    | SURPATIENT,SIXTY 000-56-7821<br>CHOLEDOCHOTOMY<br>CPT Code: 47420     | FEB 28, 2006 | GENERAL |
| 63045<br>MAR 01, 2006 | SURPATIENT,FORTYONE 000-43-2109<br>INGUINAL HERNIA<br>CPT Code: 49521 | MAR 29, 2006 | GENERAL |

\*\*\*\*\*  
\*\* SURGICAL SPECIALTY: OPHTHALMOLOGY \*\*

|                      |                                                     |                                            |         |
|----------------------|-----------------------------------------------------|--------------------------------------------|---------|
| 1898<br>APR 28, 2006 | SURPATIENT,FORTYONE 000-43-2109<br>INTRAOCULAR LENS | MAY 28, 2006<br><br>CPT Codes: NOT ENTERED | GENERAL |
|----------------------|-----------------------------------------------------|--------------------------------------------|---------|

### Example 3: List of Transmitted Assessments

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **3**

Print by Date of Operation or by Date of Transmission ?

1. Date of Operation
2. Date of Transmission

Select Number: (1-2): 1// **<Enter>**

Start with Date: **1 1 06** (JAN 01, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print which Transmitted Cases ?

1. Assessed Cases Only
2. Excluded Cases Only
3. Both Assessed and Excluded

Select Number: (1-3): 1// **<Enter>**

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **N**

Print the Report for which Surgical Specialty: **GENERAL SURGERY 50** GENERAL

SURGERY

- |   |    |                  |    |       |
|---|----|------------------|----|-------|
| 1 | 50 | GENERAL SURGERY  | 50 |       |
| 2 | 50 | GASTROENTEROLOGY | 50 | GASTR |
| 3 | 50 | TWO GENERAL      | 50 | TG    |

CHOOSE 1-3: **<Enter>** SURGERY GENERAL SURGERY 50

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

This report is designed to print to your screen or a printer. When using a printer, a 132 column format is used.

Print the List of Assessments to which Device: **[Select Print Device]**

-----*printout follows*-----

TRANSMITTED RISK ASSESSMENTS  
MAYBERRY, NC  
SURGERY SERVICE  
OPERATION DATES FROM: JAN 1,2006 TO: JUN 30,2006

DATE REVIEWED:  
REVIEWED BY:

| ASSESSMENT #<br>OPERATION DATE | PATIENT<br>PRINCIPAL OPERATIVE PROCEDURE | TRANSMISSION DATE | ANESTHESIA TECHNIQUE |
|--------------------------------|------------------------------------------|-------------------|----------------------|
|--------------------------------|------------------------------------------|-------------------|----------------------|

\*\*\*\*\*  
\*\* SURGICAL SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW) \*\*

|                       |                                                                                       |              |         |
|-----------------------|---------------------------------------------------------------------------------------|--------------|---------|
| 63076<br>JAN 08, 2006 | SURPATIENT,FOURTEEN 000-45-7212<br>INGUINAL HERNIA<br>CPT Codes: 49521                | FEB 12, 2006 | GENERAL |
| 63077<br>FEB 08, 2006 | SURPATIENT,FIVE 000-58-7963<br>INGUINAL HERNIA, OTHER PROC1<br>CPT Codes: NOT ENTERED | FEB 30, 2006 | GENERAL |
| 63103<br>MAR 27, 2006 | SURPATIENT,NINE 000-34-5555<br>INGUINAL HERNIA<br>CPT Codes: 49521                    | APR 09, 2006 | GENERAL |
| 63171<br>MAY 17, 2006 | SURPATIENT,FIFTYTWO 000-99-8888<br>CHOLECYSTECTOMY<br>CPT Codes: 47600                | JUN 05, 2006 | GENERAL |



#### Example 4: List of Non-Assessed Major Surgical Cases

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **4**

Start with Date: **1 1 06** (JAN 01, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **N**

Print the Report for which Surgical Specialty: **GENERAL**(OR WHEN NOT  
DEFINED BELOW) GENERAL(OOR WHEN NOT DEFINED BELOW) 50

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

This report is designed to print to your screen or a printer. When  
using a printer, a 132 column format is used.

Print the List of Assessments to which Device: [**Select Print Device**]

-----*printout follows*-----

NON-ASSESSED MAJOR SURGICAL CASES BY SURGICAL SPECIALTY  
MAYBERRY, NC  
SURGERY SERVICE  
FROM: JAN 1,2006 TO: JUN 30,2006

PAGE 1

DATE REVIEWED:  
REVIEWED BY:

| CASE #         | PATIENT                | ANESTHESIA TECHNIQUE |
|----------------|------------------------|----------------------|
| OPERATION DATE | OPERATIVE PROCEDURE(S) | SURGEON              |

=====

SURGICAL SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)

|              |                              |                 |
|--------------|------------------------------|-----------------|
| 63071        | SURPATIENT,FOUR 000-17-0555  | GENERAL         |
| FEB 08, 2006 | INGUINAL HERNIA              | SURSURGEON, TWO |
|              | CPT Codes: 49505             |                 |
| 63136        | SURPATIENT,EIGHT 000-34-5555 | GENERAL         |
| MAR 07, 2006 | CHOLECYSTECTOMY              | SURSURGEON, TWO |
|              | CPT Codes: 47605             |                 |

TOTAL GENERAL(OR WHEN NOT DEFINED BELOW): 2

-----

## Example 5: List of All Major Surgical Cases

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **5**

Start with Date: **1 1 06** (JAN 01, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **N**

Print the Report for which Surgical Specialty: **GENERAL**(OR WHEN NOT  
DEFINED BELOW) GENERAL(OOR WHEN NOT DEFINED BELOW) 50

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

This report is designed to print to your screen or a printer. When using a printer, a 132 column format is used.

Print the List of Assessments to which Device: **[Select Print Device]**

-----*-printout follows-*-----

ALL MAJOR SURGICAL CASES BY SURGICAL SPECIALTY  
MAYBERRY, NC  
SURGERY SERVICE  
FROM: JAN 1,2006 TO: JUN 30,2006

PAGE 1

DATE REVIEWED:  
REVIEWED BY:

| CASE #         | PATIENT                | ASSESSMENT STATUS  | ANESTHESIA TECHNIQUE |
|----------------|------------------------|--------------------|----------------------|
| OPERATION DATE | OPERATIVE PROCEDURE(S) | EXCLUSION CRITERIA | SURGEON              |

=====

SURGICAL SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)

|                       |                                                                                         |                              |                            |
|-----------------------|-----------------------------------------------------------------------------------------|------------------------------|----------------------------|
| 63110<br>JAN 23, 2006 | SURPATIENT,SIXTY 000-56-7821<br>CHOLEDOCHOTOMY<br>CPT Codes: 47420                      | COMPLETED<br>SCNR WAS ON A/L | GENERAL<br>SURSURGEON,TWO  |
| 63131<br>APR 21, 2006 | SURPATIENT,FIFTYTWO 000-99-8888<br>PERINEAL WOUND EXPLORATION<br>CPT Codes: NOT ENTERED | NO ASSESSMENT                | GENERAL<br>SURSURGEON,NINE |
| 63136<br>JUN 07, 2006 | SURPATIENT,EIGHT 000-34-5555<br>CHOLECYSTECTOMY<br>CPT Codes: 47600                     | NO ASSESSMENT                | GENERAL<br>SURSURGEON,ONE  |

TOTAL GENERAL(OR WHEN NOT DEFINED BELOW): 3

-----

## Example 6: List of All Surgical Cases

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **6**

Start with Date: **1 1 06** (JAN 01, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **N**

Print the Report for which Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW)  
GENERAL(OR WHEN NOT DEFINED BELOW) 50

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

This report is designed to print to your screen or a printer. When using a printer, a 132 column format is used.

Print the List of Assessments to which Device: **[Select Print Device]**

-----*printout follows*-----

ALL SURGICAL CASES BY SURGICAL SPECIALTY  
MAYBERRY, NC  
SURGERY SERVICE  
FROM: JAN 1,2006 TO: JUN 30,2006

PAGE 1

DATE REVIEWED:  
REVIEWED BY:

| CASE #         | PATIENT                       | ASSESSMENT STATUS  | ANESTHESIA TECHNIQUE |
|----------------|-------------------------------|--------------------|----------------------|
| OPERATION DATE | PRINCIPAL OPERATIVE PROCEDURE | EXCLUSION CRITERIA | SURGEON              |

=====

SURGICAL SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW)

|                       |                                                                                         |                              |                                |
|-----------------------|-----------------------------------------------------------------------------------------|------------------------------|--------------------------------|
| 63110<br>JAN 23, 2006 | SURPATIENT,SIXTY 000-56-7821<br>CHOLEDOCHOTOMY<br>CPT Codes: 47420                      | COMPLETED<br>SCNR WAS ON A/L | GENERAL<br>SURSURGEON, TWO     |
| 63079<br>APR 02, 2006 | SURPATIENT,FIFTYTWO 000-99-8888<br>INGUINAL HERNIA<br>CPT Codes: NOT ENTERED            | INCOMPLETE                   | GENERAL<br>SURSURGEON, ONE     |
| 63131<br>APR 21, 2006 | SURPATIENT,FIFTYTWO 000-99-8888<br>PERINEAL WOUND EXPLORATION<br>CPT Codes: NOT ENTERED | NO ASSESSMENT                | GENERAL<br>SURSURGEON, NINE    |
| 63180<br>JUN 23, 2006 | SURPATIENT,SIXTY 000-56-7821<br>CHOLECYSTECTOMY<br>CPT Codes: 47600                     | NO ASSESSMENT                | NOT ENTERED<br>SURSURGEON, ONE |

TOTAL GENERAL (OR WHEN NOT DEFINED BELOW): 4

-----

## Example 7: List of Completed/Transmitted Assessments Missing Information

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **7**

Start with Date: **1 1 06** (JAN 01, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

Print the List of Assessments to which Device: **[Select Print Device]**

-----*printout follows*-----

COMPLETED/TRANSMITTED ASSESSMENTS MISSING INFORMATION  
MAYBERRY, NC  
FROM: JAN 1,2006 TO: JUN 30,2006  
DATE PRINTED: JUL 13,2006

PAGE 1

\*\* GENERAL(OR WHEN NOT DEFINED BELOW)

| ASSESSMENT #   | PATIENT                                                          |             | TYPE        | STATUS      |
|----------------|------------------------------------------------------------------|-------------|-------------|-------------|
| OPERATION DATE | OPERATION(S)                                                     |             |             |             |
| 63172          | SURPATIENT,FIFTYTWO                                              | 000-99-8888 | NON-CARDIAC | TRANSMITTED |
| MAY 17, 2006   | REPAIR ARTERIAL BLEEDING                                         |             |             |             |
|                | CPT Code: 33120                                                  |             |             |             |
|                | Missing information:                                             |             |             |             |
|                | 1. The final coding for Procedure and Diagnosis is not complete. |             |             |             |
|                | 2. Anesthesia Technique                                          |             |             |             |
| 63185          | SURPATIENT,SIXTEEN                                               | 000-11-1111 | NON-CARDIAC | TRANSMITTED |
| APR 17, 2006   | INGUINAL HERNIA, CHOLECYSTECTOMY                                 |             |             |             |
|                | Missing information:                                             |             |             |             |
|                | 1. The final coding for Procedure and Diagnosis is not complete. |             |             |             |
|                | 2. Concurrent Case                                               |             |             |             |
|                | 3. History of COPD (Y/N)                                         |             |             |             |
|                | 4. Ventilator Dependent Greater than 48 Hrs (Y/N)                |             |             |             |
|                | 5. Weight Loss > 10% of Usual Body Weight (Y/N)                  |             |             |             |
|                | 6. Transfusion Greater than 4 RBC Units this Admission (Y/N)     |             |             |             |
| 63080          | SURPATIENT,THIRTY                                                | 000-82-9472 | EXCLUDED    | COMPLETE    |
| JAN 03, 2006   | TURP                                                             |             |             |             |
|                | Missing information:                                             |             |             |             |
|                | 1. The final coding for Procedure and Diagnosis is not complete. |             |             |             |

TOTAL FOR GENERAL(OR WHEN NOT DEFINED BELOW): 3

TOTAL FOR ALL SPECIALTIES: 3



## Example 8: List of 1-Liner Cases Missing Information

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **8**

Start with Date: **2 27 06** (FEB 27, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

Print the List of Assessments to which Device: **[Select Print Device]**

-----printout follows-----

1-LINER CASES MISSING INFORMATION  
MABERRY, NC  
FROM: FEB 27,2006 TO: JUN 30,2006  
DATE PRINTED: JUN 30,2006

PAGE 1

\*\* UROLOGY

| CASE #       | PATIENT                             | TYPE    | STATUS   |
|--------------|-------------------------------------|---------|----------|
| OP DATE      | OPERATION(S)                        |         |          |
| 317          | SURPATIENT,FOURTEEN 000-45-7212     | CARDIAC | COMPLETE |
| APR 10, 2006 | Vasectomy<br>CPT Codes: NOT ENTERED |         |          |

Missing information:

1. The final coding for Procedure and Diagnosis is not complete.
2. Attending Code
3. Wound Classification
4. ASA Class

TOTAL FOR UROLOGY: 1

## Example 9: List of Eligible Cases

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **9**

Start with Date: **6 1 06** (JUN 01, 2006)

End with Date: **6 30 07** (JUN 30, 2007)

Print which Eligible Cases ?

1. Assessed Cases Only
2. Excluded Cases Only
3. Non-Assessed Cases only
4. All Cases

Select Number: (1-4): 1// **<Enter>**

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **NO** NO

Print the Report for which Surgical Specialty: **GENERAL** SURGERY 50      GENERAL SURGERY

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

Print the List of Assessments to which Device: **[Select Print Device]**

-----*printout follows*-----

CASES ELIGIBLE FOR ASSESSMENT  
MAYBERRY, NC  
FROM: JUN 1,2006 TO: JUN 30,2007  
DATE PRINTED: JUN 30,2007

PAGE 1

'\*' Denotes Eligible CPT Code

>>> CARDIAC SURGERY

| CASE #       | PATIENT            | TYPE        | STATUS   |
|--------------|--------------------|-------------|----------|
| OP DATE      | OPERATION(S)       |             |          |
| 10095        | SURPATIENT,SEVENTY | 000-00-0125 | CARDIAC  |
| JUN 04, 2006 | CABG, REGRAFT      |             | COMPLETE |

>>> Final CPT Coding is not complete.  
CPT Codes: \*33510, \*33511

|              |                 |             |          |
|--------------|-----------------|-------------|----------|
| 10084        | SURPATIENT,NINE | 000-34-5555 | CARDIAC  |
| JUL 08, 2006 | CABG            |             | COMPLETE |

CPT Codes: \*33502, 11402

|              |                        |             |            |
|--------------|------------------------|-------------|------------|
| 10380        | SURPATIENT,THREE       | 000-21-2453 | NOT LOGGED |
| FEB 06, 2007 | CORONARY ARTERY BYPASS |             | COMPLETE   |

CPT Codes: NOT ENTERED

|              |                |             |             |
|--------------|----------------|-------------|-------------|
| 10383        | SURPATIENT,ONE | 000-44-7629 | NON-CARDIAC |
| FEB 08, 2007 | STENT          |             | COMPLETE    |

CPT Codes: NOT ENTERED

TOTAL FOR CARDIAC SURGERY: 4

>>> GENERAL SURGERY

| CASE #       | PATIENT                   | TYPE        | STATUS      |
|--------------|---------------------------|-------------|-------------|
| OP DATE      | OPERATION(S)              |             |             |
| 10061        | SURPATIENT,FIFTEEN        | 666-98-1288 | NON-CARDIAC |
| FEB 11, 2007 | APPENDECTOMY, SPLENECTOMY |             | COMPLETE    |

>>> Final CPT Coding is not complete.  
CPT Codes: \*44955, \*38100

|              |                    |             |          |
|--------------|--------------------|-------------|----------|
| 10079        | SURPATIENT,SEVENTY | 000-00-0125 | EXCLUDED |
| MAR 31, 2007 | HERNIA             |             | COMPLETE |

>>> Final CPT Coding is not complete.  
CPT Codes: \*49521, \*49521

TOTAL FOR GENERAL SURGERY: 2

## Example 10: List of Cases With No CPT Codes

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **10**

Start with Date: **1 1 07** (JAN 01, 2007)

End with Date: **T** (JAN 23, 2008)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **<Enter>**

Print the List of Assessments to which Device: HOME// **[Select Print Device]**

-----*printout follows*-----

CASES WITHOUT CPT CODES  
 ALBANY - ALL DIVISIONS  
 FROM: JAN 1,2007 TO: JAN 23,2008  
 DATE PRINTED: JAN 23,2008

PAGE 1

>>> CARDIAC SURGERY

| CASE #<br>OP DATE     | PATIENT<br>OPERATION(S)                 | TYPE       | STATUS        |
|-----------------------|-----------------------------------------|------------|---------------|
| 10429<br>FEB 12, 2007 | SURPATIENT,TEN 666-12-3456<br>CABG      | CARDIAC    | COMPLETE      |
| 10420<br>FEB 12, 2007 | SURPATIENT,F. 666-00-0804<br>CABG       | CARDIAC    | TRANSMITTED   |
| 10423<br>MAR 12, 2007 | SURPATIENT,TWO 666-45-1982<br>cabg      | CARDIAC    | INCOMPLETE    |
| 10430<br>MAR 18, 2007 | SURPATIENT,EIGHT 666-37-0555<br>CABG X3 | CARDIAC    | INCOMPLETE    |
| 10374<br>MAY 10, 2007 | SURPATIENT,NINE 666-34-5555<br>CABG X 3 | NOT LOGGED | NO ASSESSMENT |

TOTAL FOR CARDIAC SURGERY: 5

TOTAL FOR ALL SPECIALTIES: 5

## Example 11: Summary List of Assessed Cases

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **11**

Start with Date: **01 01 08** (JAN 01, 2008)

End with Date: **01 30 08** (JAN 30, 2008)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **NO**

1. ALBANY
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

Print the List of Assessments to which Device: HOME// **[Select Print Device]**

SUMMARY LIST OF ASSESSED CASES  
 ALBANY  
 FROM: JAN 1, 2001 TO: JAN 23, 2008  
 DATE PRINTED: JAN 23, 2008

| SURGICAL SPECIALTY             | INCOMPLETE | COMPLETE | TRANSMITTED | EXCLUDED |
|--------------------------------|------------|----------|-------------|----------|
| CARDIAC SURGERY                | 8          | 1        | 1           | 0        |
| GENERAL SURGERY                | 17         | 1        | 1           | 6        |
| NEUROSURGERY                   | 1          | 0        | 1           | 0        |
| OPHTHALMOLOGY                  | 2          | 0        | 0           | 0        |
| ORTHOPEDICS                    | 2          | 0        | 0           | 0        |
| OTORHINOLARYNGOLOGY (ENT)      | 1          | 0        | 0           | 0        |
| PLASTIC SURGERY (INCLUDES HEAD | 2          | 0        | 0           | 0        |
| TWO GENERAL                    | 1          | 0        | 0           | 0        |
| UROLOGY                        | 0          | 0        | 0           | 1        |
| TOTAL FOR ALL SPECIALTIES:     | 34         | 2        | 3           | 7        |



# Print 30 Day Follow-up Letters

## [SROA REPRINT LETTERS]

The Surgical Clinical Nurse Reviewer uses the *Print 30 Day Follow-up Letters* option to automatically print a letter, or a batch of letters, addressed to a specific patient or patients.

### **About the "Do you want to print the letter for a specific assessment?" Prompt**

The user responds **YES** to this prompt in order to print a follow-up letter for a single assessment. The software will ask the user to select the patient and case for which the letter will be printed. See Example 1 below.

The user responds **NO** to this prompt if he or she wants to print a batch of follow-up letters for surgical cases within a data range. The software will ask for the beginning and ending dates of the date range for which the letters will be printed. See Example 2 on the following pages.



If the patient has died, the software notifies the user of the death, and will not print the letter. Also, if a patient has not been discharged, the follow up letter will not print.

### Example 1: Print a Single Follow-up Letter

```
Select Surgery Risk Assessment Menu Option: F Print 30 Day Follow-up Letters
```

```
Do you want to edit the text of the letter? NO// <Enter>
```

```
Do you want to print the letter for a specific assessment ? YES// <Enter>
```

```
Select Patient: SURPATIENT,NINETEEN 03-03-30 000287354 SC VETERAN
```

```
SURPATIENT,NINETEEN 000-28-7354
```

```
1. 06-18-06 CORONARY ARTERY BYPASS (INCOMPLETE)
```

```
2. 01-25-06 PULMONARY LOBECTOMY (TRANSMITTED)
```

```
Select Surgical Case: 1
```

```
Print 30 Day Letters on which Device: [Select Print Device]
```

-----*printout follows*-----

NINETEEN SURPATIENT

JUL 18, 2006  
Operation Date: 06/18/06  
Specialty: GENERAL SURGERY

Dear Mr. Surpatient,

One month ago, you had an operation at the VA Medical Center. We are interested in how you feel. Have you had any health problems since your operation? We would like to hear from you. Please take a few minutes to answer these questions and return this letter in the self-addressed stamped envelope.

Have you been to a hospital or seen a doctor for any reason since your operation?  Yes  No

If you answered NO, you do not need to answer any more questions. Please return this sheet in the self-addressed stamped envelope.

If you have answered YES, please answer the following questions.

1) Have you been seen in an outpatient clinic or doctor's office?  
 Yes  No

Why did you go to the clinic or doctor's office? \_\_\_\_\_

Where? (name and location) \_\_\_\_\_ Date? \_\_\_\_\_

Who was your doctor? \_\_\_\_\_

2) Were you admitted to a hospital?  Yes  No

Why did you go to the hospital? \_\_\_\_\_

Where? (name and location) \_\_\_\_\_ Date? \_\_\_\_\_

Who was your doctor? \_\_\_\_\_

Please return this letter whether or not you have had any medical problems. Your health and opinion are important to us. Thank you.

Sincerely,

Surgical Clinical Nurse Reviewer

## Example 2: Print Letters Within a Date Range

Select Surgery Risk Assessment Menu Option: **P** Print 30 Day Follow-up Letters

Do you want to print the letter for a specific assessment ? YES// **N**

This option will allow you to reprint the 30 day follow up letters for the date that they were originally printed. When printed automatically, the letters print 25 days after the date of operation.

Print letters for BEGINNING date: TODAY// **6/1/07** (JUN 01, 2007)

Print letters for ENDING date: TODAY// **<Enter>** (JUN 02, 2007)

Print 30 Day Letters on which Device: **[Select Print Device]**

-----*printout follows*-----

FORTYONE SURPATIENT  
87 NORTH STREET  
PHILADELPHIA, PA 91776

JUN 02, 2007  
Operation Date: 05/08/07  
Specialty: GENERAL SURGERY

Dear Mr. Surpatient,

One month ago, you had an operation at the VA Medical Center. We are interested in how you feel. Have you had any health problems since your operation? We would like to hear from you. Please take a few minutes to answer these questions and return this letter in the self-addressed stamped envelope.

Have you been to a hospital or seen a doctor for any reason since your operation?  Yes  No

If you answered NO, you do not need to answer any more questions. Please return this sheet in the self-addressed stamped envelope.

If you have answered YES, please answer the following questions.

1) Have you been seen in an outpatient clinic or doctor's office?  
 Yes  No

Why did you go to the clinic or doctor's office? \_\_\_\_\_

Where? (name and location) \_\_\_\_\_ Date? \_\_\_\_\_

Who was your doctor? \_\_\_\_\_

2) Were you admitted to a hospital?  Yes  No

Why did you go to the hospital? \_\_\_\_\_

Where? (name and location) \_\_\_\_\_ Date? \_\_\_\_\_

Who was your doctor? \_\_\_\_\_

Please return this letter whether or not you have had any medical problems. Your health and opinion are important to us. Thank You.

Sincerely,

Surgical Clinical Nurse Reviewer

# Exclusion Criteria (Enter/Edit)

## [SR NO ASSESSMENT REASON]

The *Exclusion Criteria (Enter/Edit)* option is used to flag major cases that will not have a surgery risk assessment due to certain exclusion criteria. At the prompt "Reason an Assessment was not Created:" enter a question mark (?) to see a list of reasons.

Example: Enter Reason for No Assessment

```
Select Surgery Risk Assessment Menu Option: R Exclusion Criteria (Enter/Edit)
```

```
Select Patient: R9922 SURPATIENT,NINE 03-03-34 000345555 NO SC
VETERAN
```

```
SURPATIENT,NINE 000-34-5555
```

1. 11-01-04 TURP (COMPLETED)
2. 08-01-03 CABG X3 (1A,2V), ARTERIAL GRAFTING (COMPLETED)
3. 07-03-01 PULMONARY LOBECTOMY, TURP (COMPLETED)

```
Select Operation: 1
```

```
Reason an Assessment was not Created: 6 SCNR WAS ON ANNUAL LEAVE
```

```
SURPATIENT,NINE (000-34-5555) Case #63159
```

```
Transmission Status: QUEUED TO TRANSMIT
```

```
NOV 1,2004 TURP (CPT Code: 52601-59)
```

- ```
-----
```
1. Exclusion Criteria: SCNR WAS ON A/L
  2. Surgical Priority: ELECTIVE
  3. Surgical Specialty: UROLOGY
  4. Principal Anesthesia Technique: GENERAL
  5. Major or Minor: MAJOR
- ```
-----
```

```
Select Excluded Case Information to Edit:
```

*(This page included for two-sided copying.)*

# Monthly Surgical Case Workload Report

## [SROA MONTHLY WORKLOAD REPORT]

The *Monthly Surgical Case Workload Report* option generates the Monthly Surgical Case Workload Report that may be printed and/or transmitted to the VASQIP national database. The report can be printed for a specific month, or for a range of months.

Example: Monthly Surgical Case Workload Report – Single Month

```
Select Surgery Risk Assessment Menu Option: M Monthly Surgical Case Workload Report
```

```
Report of Monthly Case Workload Totals
```

```
Print which report?
```

1. Report for Single Month
2. Report for Range of Months

```
Select Number (1 or 2): 1// <Enter>
```

```
This option provides a report of the monthly risk assessment surgical case workload totals which include the following categories:
```

1. All cases performed
2. Eligible cases
3. Eligible cases meeting exclusion criteria
4. Assessed cases
5. Not logged eligible cases
6. Cardiac cases
7. Non-cardiac cases
8. Assessed cases per day (based on 20 days/month)

```
The second part of this report provides the total number of incomplete assessments remaining for the month selected and the prior 12 months.
```

```
Compile workload totals for which month and year? MAY 2007// <Enter>
```

```
Do you want to print all divisions? YES// <Enter>
```

```
This report may be printed and/or transmitted to the national database.
```

```
Do you want this report to be transmitted to the central database? NO// <Enter>
```

```
Print report on which Device: [Select Print Device]
```

```
-----printout follows-----
```

MAYBERRY, NC  
 REPORT OF MONTHLY SURGICAL CASE WORKLOAD  
 FOR MAY 2007

|                                  |   |      |
|----------------------------------|---|------|
| -----                            |   |      |
| TOTAL CASES PERFORMED            | = | 249  |
| TOTAL ELIGIBLE CASES             | = | 227  |
| CASES MEETING EXCLUSION CRITERIA | = | 114  |
| NON-SURGEON CASE                 | = | 55   |
| EXCEEDS MAX. ASSESSMENTS         | = | 0    |
| EXCEEDS MAXIMUM TURPS            | = | 0    |
| STUDY CRITERIA                   | = | 59   |
| SCNR WAS ON A/L                  | = | 0    |
| CONCURRENT CASE                  | = | 0    |
| EXCEEDS MAXIMUM HERNIAS          | = | 0    |
| ASSESSED CASES                   | = | 135  |
| NOT LOGGED ELIGIBLE CASES        | = | 0    |
| CARDIAC CASES                    | = | 16   |
| NON-CARDIAC CASES                | = | 119  |
| ASSESSED CASES PER DAY           | = | 6.75 |
| -----                            |   |      |

NUMBER OF INCOMPLETE ASSESSMENTS REMAINING FOR PAST YEAR

|          | CARDIAC | NON-CARDIAC | TOTAL |
|----------|---------|-------------|-------|
|          | -----   | -----       | ----- |
| MAY 2006 | 0       | 0           | 0     |
| JUN 2006 | 0       | 0           | 0     |
| JUL 2006 | 0       | 0           | 0     |
| AUG 2006 | 0       | 0           | 0     |
| SEP 2006 | 0       | 0           | 0     |
| OCT 2006 | 0       | 0           | 0     |
| NOV 2006 | 0       | 0           | 0     |
| DEC 2006 | 0       | 0           | 0     |
| JAN 2007 | 0       | 0           | 0     |
| FEB 2007 | 0       | 0           | 0     |
| MAR 2007 | 0       | 0           | 0     |
| APR 2007 | 0       | 0           | 0     |
| MAY 2007 | 15      | 82          | 97    |
|          | -----   | -----       | ----- |
|          | 15      | 82          | 97    |



## Example: Monthly Surgical Case Workload Report – Range of Months

Select Surgery Risk Assessment Menu Option: **M** Monthly Surgical Case Workload Report

Report of Monthly Case Workload Totals

Print which report?

1. Report for Single Month
2. Report for Range of Months

Select Number (1 or 2): 1// **2**

Start with which month and year? OCT 2006// (OCT 2006) **<Enter>**

End with which month and year? MAY 2007// (MAY 2007) **<Enter>**

Do you want to print all divisions? YES// **<Enter>**

Print report on which Device: **[Select Print Device]**

-----*printout follows*-----

ALBANY - ALL DIVISIONS  
 REPORT OF SURGICAL CASE WORKLOAD  
 FOR OCT 2005 THROUGH MAY 2006

|                                  |   |    |
|----------------------------------|---|----|
| -----                            |   |    |
| TOTAL CASES PERFORMED            | = | 30 |
| TOTAL ELIGIBLE CASES             | = | 5  |
| CASES MEETING EXCLUSION CRITERIA | = | 1  |
| NON-SURGEON CASE                 | = | 0  |
| ANESTHESIA TYPE                  | = | 0  |
| EXCEEDS MAX. ASSESSMENTS         | = | 0  |
| EXCEEDS MAXIMUM TURPS            | = | 0  |
| STUDY CRITERIA                   | = | 0  |
| SCNR WAS ON A/L                  | = | 1  |
| CONCURRENT CASE                  | = | 0  |
| EXCEEDS MAXIMUM HERNIAS          | = | 0  |
| ASSESSED CASES                   | = | 20 |
| NOT LOGGED ELIGIBLE CASES        | = | 0  |
| CARDIAC CASES                    | = | 4  |
| NON-CARDIAC CASES                | = | 16 |
| -----                            |   |    |

# M&M Verification Report

## [SRO M&M VERIFICATION REPORT]

The *M&M Verification Report* option produces the M&M Verification Report, which may be useful for:

- reviewing occurrences and their assignment to operations
- reviewing death unrelated/related assignments to operations

The full report includes all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences or death within 90 days of surgery. The pre-transmission report is similar but includes operations with completed risk assessments that have not yet transmitted to the national database.

### **Full Report:**

Information is printed by patient, listing all operations for the patient that occurred during the selected date range, plus any operations that may have occurred within 30 days prior to any postoperative occurrences or within 90 days prior to death. Therefore, this report may include some operations that were performed prior to the selected date range and, if printed by specialty, may include operations performed by other specialties. For every operation listed, the intraoperative and postoperative occurrences are listed. The report indicates if the operation was flagged as unrelated or related to death and the risk assessment type and status. The report may be printed for a selected list of surgical specialties.

### **Pre-Transmission Report:**

Information is printed in a format similar to the full report. This report lists all completed risk assessed operations that have not yet transmitted to the national database and that have intraoperative occurrences, postoperative occurrences, or death within 90 days of surgery. The report includes any operations that may have occurred within 30 days prior to any postoperative occurrences or within 90 days prior to death. Therefore, this report may include some operations that may or may not be risk assessed, and, if risk assessed, may have a status other than 'complete'. However, every patient listed on this report will have at least one operation with a risk assessment status of 'complete'.

### **Example 1: Generate an M&M Verification Report (Full Report)**

```
Select Surgery Risk Assessment Menu Option: V M&M Verification Report
```

#### M&M Verification Report

```
The M&M Verification Report is a tool to assist in the review of occurrences and their assignment to operations and in the review of death unrelated or related assignments to operations.
```

```
The full report includes all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences or death within 90 days of surgery. The pre-transmission report is similar but includes only operations with completed risk assessments that have not yet transmitted to the national database.
```

Print which report ?

1. Full report for selected date range.
2. Pre-transmission report for completed risk assessments.

Enter selection (1 or 2): 1// **<Enter>**

Start with Date: **03 01 07** (MAR 01, 2007)

End with Date: **03 30 07** (MAR 30, 2007)

Do you want to print all divisions? YES// **<Enter>**

Do you want to print this report for all Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print report on which Device: **[Select Print Device]**

-----*printout follows*-----

REVIEWED BY:  
DATE REVIEWED:

| OP DATE                                                   | CASE # | SURGICAL SPECIALTY<br>PRINCIPAL PROCEDURE                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ASSESSMENT TYPE | STATUS      | DEATH RELATED |
|-----------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|---------------|
| =====                                                     |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |             |               |
| >>> SURPATIENT,FIVE (666-58-7963)                         |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |             |               |
| 03/01/07                                                  | 10401  | GENERAL SURGERY<br>APPENDECTOMY<br>CPT Codes: 44970<br>Occurrences: ACUTE RENAL FAILURE ** POSTOP ** (03/02/07)                                                                                                                                                                                                                                                                                                                                                                                     | NON-CARDIAC     | TRANSMITTED | N/A           |
| -----                                                     |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |             |               |
| >>> SURPATIENT,ONE (666-44-7629)                          |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |             |               |
| 03/07/07                                                  | 10421  | GENERAL SURGERY<br>APPENDECTOMY, CHOLECYSTECTOMY<br>CPT Codes: 44950, 47610<br>Occurrences: URINARY TRACT INFECTION ** POSTOP ** (03/09/07)<br>ACUTE RENAL FAILURE ** POSTOP ** (03/10/07)<br>OTHER RESPIRATORY OCCURRENCE ** POSTOP ** (03/10/07)<br>ICD: 478.25 EDEMA PHARYNX/NASOPHARYX                                                                                                                                                                                                          | NON-CARDIAC     | TRANSMITTED | N/A           |
| -----                                                     |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |             |               |
| >>> SURPATIENT,TWO (666-45-1982)                          |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |             |               |
| 03/07/07                                                  | 10422  | NEUROSURGERY<br>LAMINECTOMY<br>CPT Codes: 22630<br>Occurrences: OTHER OCCURRENCE (03/07/07)<br>ICD: 415.19 OTH PULM EMB & INFARC                                                                                                                                                                                                                                                                                                                                                                    | NON-CARDIAC     | TRANSMITTED | N/A           |
| -----                                                     |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |             |               |
| >>> SURPATIENT,ELEVEN (666-00-0748) - DIED 03/10/07@14:50 |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |             |               |
| 03/10/07                                                  | 10100  | GENERAL SURGERY<br>REMOVAL OF GALLBLADDER<br>CPT Codes: 47600<br>Occurrences: PULMONARY EMBOLISM ** POSTOP ** (03/10/07)<br>>>> Comments:<br>Patient complained of chest pain and shortness of breath. Heparin was administered immediately by IV.<br>Date of Death: 03/10/07@14:50<br>Review of Death Comments: Patient expired from large pulmonary embolus before anticoagulant treatment could take effect.<br>Patient's obesity and prolonged immobilization were likely contributing factors. | NON-CARDIAC     | INCOMPLETE  | NO            |
| -----                                                     |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |             |               |

## Example 2: Generate an M&M Verification Report (Pre-Transmission Report)

Select Surgery Risk Assessment Menu Option: **V** M&M Verification Report

### M&M Verification Report

The M&M Verification Report is a tool to assist in the review of occurrences and their assignment to operations and in the review of death unrelated or related assignments to operations.

The full report includes all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences or death within 90 days of surgery. The pre-transmission report is similar but includes only operations with completed risk assessments that have not yet transmitted to the national database.

Print which variety of the report ?

1. Print full report for selected date range.
2. Print pre-transmission report for completed risk assessments.

Enter selection (1 or 2): 1// **2**

Do you want to print all divisions? YES// **<Enter>**

Do you want to print this report for all Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print report on which Device: **[Select Print Device]**

-----*printout follows*-----

ALBANY - ALL DIVISIONS  
M&M Verification Report  
PRE-TRANSMISSION REPORT FOR COMPLETED ASSESSMENTS  
Report Generated: OCT 23,2007

REVIEWED BY:  
DATE REVIEWED:

| OP DATE                              | CASE # | SURGICAL SPECIALTY<br>PRINCIPAL PROCEDURE                                                                                                                                                             | ASSESSMENT TYPE | STATUS   | DEATH RELATED |
|--------------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|---------------|
| =====                                |        |                                                                                                                                                                                                       |                 |          |               |
| >>> SURPATIENT,TWELVE (666-00-0762)  |        |                                                                                                                                                                                                       |                 |          |               |
| 09/21/07                             | 45466  | PLASTIC SURGERY<br>RHINOPLASTY<br>CPT Codes: 30410<br>Occurrences: DEEP INCISIONAL SSI ** POSTOP ** (09/23/07)                                                                                        | NON-CARDIAC     | COMPLETE | N/A           |
| -----                                |        |                                                                                                                                                                                                       |                 |          |               |
| >>> SURPATIENT,FIFTEEN (666-00-0194) |        |                                                                                                                                                                                                       |                 |          |               |
| 09/16/07                             | 45475  | EAR, NOSE, THROAT (ENT)<br>LARYNGECTOMY (TOTAL)<br>CPT Codes: 31360<br>Occurrences: BLEEDING/TRANSFUSIONS ** POSTOP ** (09/17/07)<br>>>> Comments:<br>Esophageal varices were the source of bleeding. | NON-CARDIAC     | COMPLETE | N/A           |
| -----                                |        |                                                                                                                                                                                                       |                 |          |               |
| >>> SURPATIENT,FORTY (666-00-4174)   |        |                                                                                                                                                                                                       |                 |          |               |
| 09/19/07                             | 45499  | GENERAL SURGERY<br>INGUINAL HERNIA<br>CPT Codes: 49505<br>Occurrences: URINARY TRACT INFECTION ** POSTOP ** (09/21/07)                                                                                | NON-CARDIAC     | COMPLETE | N/A           |
| -----                                |        |                                                                                                                                                                                                       |                 |          |               |

*(This page included for two-sided copying.)*



# Update 1-Liner Case

## [SROA ONE-LINER UPDATE]

The *Update 1-Liner* option may be used to enter missing data for the 1-liner cases (major cases marked for exclusion from assessment, minor cases, and cardiac-assessed cases that transmit to the VASQIP database as a single line or two of data). Cases edited with this option will be queued for transmission to the VASQIP database at Chicago.

### Example: Update 1-Liner Case

```
Select Surgery Risk Assessment Menu Option:  Update 1-Liner Case
Select Patient: SURPATIENT, TWELVE          02-12-28      000418719      YES
SC VETERAN
```

```
SURPATIENT, TWELVE          000-41-8719
1. 08-07-04 REPAIR DIAPHRAGMATIC HERNIA (COMPLETED)
2. 02-18-99 TRACHEOSTOMY, BRONCHOSCOPY, ESOPHAGOSCOPY (COMPLETED)
3. 09-04-97 CHOLECYSTECTOMY (COMPLETED)
Select Case: 1
```

```
SURPATIENT, TWELVE          (000-41-8719)          Case #142
Transmission Status: QUEUED TO TRANSMIT          >> Coding Complete <<
AUG 7, 2004 REPAIR DIAPHRAGMATIC HERNIA (CPT Code: 39540)
-----
1. In/Out-Patient Status:      OUTPATIENT
2. Surgical Specialty:         GENERAL (OR WHEN NOT DEFINED BELOW)
3. Surgical Priority:          STANDBY
4. Attending Code:            LEVEL A. ATTENDING DOING THE OPERATION
5. ASA Class:                  2-MILD DISTURB.
6. Wound Classification:       GENERAL
7. Anesthesia Technique:       GENERAL
8. CPT Codes (view only):      39540
9. Other Procedures:           ***NONE ENTERED***
-----
Select number of item to edit: 6
Wound Classification: C CLEAN
```

```
SURPATIENT, TWELVE          (000-41-8719)          Case #142
Transmission Status: QUEUED TO TRANSMIT          >> Coding Complete <<
AUG 7, 2004 REPAIR DIAPHRAGMATIC HERNIA (CPT Code: 39540)
-----
1. In/Out-Patient Status:      OUTPATIENT
2. Surgical Specialty:         GENERAL (OR WHEN NOT DEFINED BELOW)
3. Surgical Priority:          STANDBY
4. Attending Code:            LEVEL A. ATTENDING DOING THE OPERATION
5. ASA Class:                  2-MILD DISTURB.
6. Wound Classification:       CLEAN
7. Anesthesia Technique:       GENERAL
8. CPT Codes (view only):      39540
9. Other Procedures:           ***NONE ENTERED***
-----
Select number of item to edit:
```

*(This page included for two-sided copying.)*

# Queue Assessment Transmissions

## [SROA TRANSMIT ASSESSMENTS]

The *Queue Assessment Transmissions* option may be used to manually queue the VASQIP transmission process to run at a selected time. The VASQIP transmission process is a part of the nightly maintenance and cleanup process.

Example: Queue Assessment Transmissions

```
Select Surgery Risk Assessment Menu Option: T Queue Assessment Transmissions
Transmit Surgery Risk Assessments
Requested Start Time: NOW// <Enter>
Queued as task #2651700
Press RETURN to continue
```

*(This page included for two-sided copying.)*

# Alert Coder Regarding Coding Issues

## [SROA CODE ISSUE]

This option allows the nurse reviewer to send an alert to the coder when there may be an issue with the CPT codes or the Postoperative Diagnosis codes for a Surgery case. When this option is selected, the nurse reviewer can enter a free-text message that will be sent to the coder on record, as well as to a pre-defined mail group identified in the Surgery Site Parameter titled CODE ISSUE MAIL GROUP. The message will not be sent if there is no coder, or if the mail group is not defined.

Example : Alert Coder Regarding Coding Issues

```
Select Surgery Risk Assessment Menu Option: CODE Alert Coder Regarding Coding
Issues

Select Patient: SURPATIENT, TWELVE          02-12-28      000418719      YES
SC VETERAN

SURPATIENT, TWELVE          000-41-8719

1. 08-07-04 REPAIR DIAPHRAGMATIC HERNIA (COMPLETED)
2. 02-18-99 TRACHEOSTOMY, BRONCHOSCOPY, ESOPHAGOSCOPY (COMPLETED)
3. 09-04-97 CHOLECYSTECTOMY (COMPLETED)

Select Operation: 1

SURPATIENT, TWELVE (000-41-8719)          Case #142
AUG 7, 2004 REPAIR DIAPHRAGMATIC HERNIA
-----

The following "final" codes have been entered for the case.

Principal CPT Code: 39540 REPAIR DIAPHRAGMATIC HERNIA
Other CPT Codes: NOT ENTERED
Postop Diagnosis Code (ICD9): 551.3 DIAPHRAGM HERNIA W GANGR (w C/C)

If you believe that the information coded is not correct and would like to
alert the coders of the potential issue, enter a brief description of your
concern below.

Do you want to alert the coders (Y/N)? YES// <Enter>

==[ WRAP ]==[ INSERT ]=====< Coding Discrepancy Comments >====[ <PF1>H=Help ]====
I have reviewed this case for VASQIP. The final Principal CPT Code entered
is 39540. I would like to talk to you regarding the code. I think the code
should be 39541. Please call me at X2545.
<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====

1. Transmit Message
2. Edit Text

Select Number: 1// <Enter>

Transmitting message...
```



*(This page included for two-sided copying.)*

# Risk Model Lab Test

## [SROA LAB TEST EDIT]

In order to assist the nurse reviewer, in the *Surgery Risk Assessment Menu* is the *Risk Model Lab Test (Enter/Edit)* option, which allows the nurse to map VASQIP data in the RISK MODEL LAB TEST file (#139.2). The option synonym is ERM.

```
Risk Model Lab Test (Enter/Edit)
Select Surgery Risk Assessment Menu Option: Risk Model Lab Test (Enter/Edit)
```

```
Risk Model Lab Test (Enter/Edit)
```

```
Select item to edit from list below:
```

|                               |                       |
|-------------------------------|-----------------------|
| 1. ALBUMIN                    | 14. INR               |
| 2. ALKALINE PHOSPHATASE       | 15. LDL               |
| 3. ANION GAP                  | 16. PLATELET COUNT    |
| 4. B-TYPE NATRIURETIC PEPTIDE | 17. POTASSIUM         |
| 5. BUN                        | 18. PT                |
| 6. CHOLESTEROL                | 19. PTT               |
| 7. CPK                        | 20. SGOT              |
| 8. CPK-MB                     | 21. SODIUM            |
| 9. CREATININE                 | 22. TOTAL BILIRUBIN   |
| 10. HDL                       | 23. TRIGLYCERIDE      |
| 11. HEMATOCRIT                | 24. TROPONIN I        |
| 12. HEMOGLOBIN                | 25. TROPONIN T        |
| 13. HEMOGLOBIN A1C            | 26. WHITE BLOOD COUNT |

```
Enter number (1-25): 6
```

```
Risk Model Lab Test (Enter/Edit)
```

```
Test Name: CHOLESTEROL
```

```
Laboratory Data Name(s): NONE ENTERED
```

```
Specimen: SERUM
```

```
Do you want to edit this test ? NO// YES
```

```
Select LABORATORY DATA NAME: CHOLESTEROL
```

```
1 CHOLESTEROL
```

```
2 CHOLESTEROL CRYSTALS
```

```
CHOOSE 1-2: 1 CHOLESTEROL
```

```
Select LABORATORY DATA NAME: <Enter>
```

```
Specimen: SERUM// <Enter>
```





Risk Model Lab Test (Enter/Edit)

Select item to edit from list below:

- |                               |                       |
|-------------------------------|-----------------------|
| 1. ALBUMIN                    | 14. INR               |
| 2. ALKALINE PHOSPHATASE       | 15. LDL               |
| 3. ANION GAP                  | 16. PLATELET COUNT    |
| 4. B-TYPE NATRIURETIC PEPTIDE | 17. POTASSIUM         |
| 5. BUN                        | 18. PT                |
| 6. CHOLESTEROL                | 19. PTT               |
| 7. CPK                        | 20. SGOT              |
| 8. CPK-MB                     | 21. SODIUM            |
| 9. CREATININE                 | 22. TOTAL BILIRUBIN   |
| 10. HDL                       | 23. TRIGLYCERIDE      |
| 11. HEMATOCRIT                | 24. TROPONIN I        |
| 12. HEMOGLOBIN                | 25. TROPONIN T        |
| 13. HEMOGLOBIN A1C            | 26. WHITE BLOOD COUNT |

Enter number (1-26):

Page 523 has been deleted. Chapter Seven: CoreFLS/Surgery Interface has been removed.

*(This page included for two-sided copying.)*

## Chapter Seven: Code Set Versioning

---

The Code Set Versioning enhancement to the Surgery package ensures that only CPT codes, CPT modifiers, and ICD-9 codes that are active for the operation or procedure date will be available for selection by the user, regardless of when the CPT entry or edit is made. Also, when a future operation or procedure date is entered, only active codes will be available.

It is possible that a new code set will be loaded between the time that an operation or procedure is scheduled and the time the operation or procedure occurs. Re-validation of the codes and modifiers occurs when the date and time that a patient enters the operating room is entered in the Surgery package. If the code (CPT or ICD-9) or CPT modifier is invalid — inactive for the date of operation or procedure — the inactive codes or modifiers will be deleted. Then, these two actions transpire:

1. A warning message displays on the screen, corresponding to the specific code or modifier that is inactive.
2. A MailMan message is sent to the surgeon (or provider), attending surgeon of record, and to the user who edited the record. The MailMan message contains the patient's name, date of operation, case number, free-text operation or procedure name, CPT or ICD-9 codes, CPT modifiers deleted (if any), and the reason for deletion.

The first sample warning message shows an inactive CPT code, its modifiers, and ICD-9 codes, and the second warning message is for a Non-O.R. procedure.

### Example: Warning Message to Surgeon

```
The following codes are no longer active and will be deleted for case # 12426.
```

```
OTHER PROCEDURE CPT CODE:    99900
CPT MODIFIER:                08 - SAMPLE MODIFIER
```

```
PRINCIPAL DIAGNOSIS CODE:    600.0
```

```
New active codes must be re-entered. A MailMan message will be sent to the surgeon and attending surgeon of record and to the user who edited the record with case details for follow-up.
```

### Example: Warning Message to Provider

```
The following codes are no longer active and will be deleted for case #:242
```

```
PRINCIPAL CPT CODE:         00869
CPT MODIFIER:                23 UNUSUAL ANESTHESIA
```

```
New active codes must be re-entered. A MailMan message will be sent to the provider and attending provider of record and to the user who edited the record with case details for follow-up.
```

The following sample MailMan message is sent to the surgeon, attending surgeon of record, and to the user who edited the record. The sample shows ICD-9 codes, CPT codes, and CPT modifiers that are inactive.

### Example: MailMan Message to Surgeon

```
Subj: ICD-9 OR CPT CODE DELETION [#43805] 01/15/03@09:00
1 line
From: SURGERY PACKAGE In 'IN' basket. Page 1
-----
Patient: SURPATIENT,TWELVE          CASE #: 12426
OPERATION DATE: 1/15/03            HERNIA REPAIR

The following codes are no longer active and were deleted for this case when the TIME PAT IN OR
field was entered.

    PRINCIPAL CPT CODE:    99900
    CPT MODIFIER:         08

    PRINCIPAL DIAGNOSIS CODE:    600.0

New active codes must be re-entered.

Enter message action (in IN basket): Ignore//
```



For Non-O.R. procedures, the MailMan message is sent to the provider and attending provider.

### Example: MailMan Message to Provider

```
Subj: ICD-9 OR CPT CODE DELETION [#88073] 06/26/03@12:32 12 lines
From: SURGERY PACKAGE In 'IN' basket. Page 1 *New*
-----
Patient: SURPATIENT,ONE              CASE #: 242
OPERATION DATE: JUN 26, 2003        STELLATE NERVE BLOCK

The following codes are no longer active and were deleted for this
case when the Time Procedure Began was entered.

    PRINCIPAL CPT CODE:    00869
    CPT MODIFIER:         23 UNUSUAL ANESTHESIA

New active codes must be re-entered.

Enter message action (in IN basket): Ignore//
```

The following options allow for re-validation of the ICD-9 and CPT codes and modifiers when the TIME PAT IN OR field or TIME PROCEDURE BEGAN field is entered.

- *Operation*
- *Operation (Short Screen)*
- *Edit Non-O.R. Procedure*
- *Operation Information (Enter/Edit)*
- *Resource Data*

# Chapter Eight: Assessing Transplants

---

## Introduction

The Transplant Assessment module allows qualified personnel to create and manage transplant assessments. Menu options provide the ability to enter transplant assessment information for a patient and transmit the assessment to the Veterans Affairs Surgery Quality Improvement Program (VASQIP) national databases. Options are also provided to print and list transplant assessments.

*(This page included for two-sided copying.)*



# Transplant Assessment Menu

## [SR TRANSPLANT ASSESSMENT]

The *Transplant Assessment Menu* contains options that allow transplant coordinators to create and manage transplant assessments for the following transplant types.

- Kidney
- Liver
- Lung
- Heart

The menu options provide the opportunity to enter information concerning a new transplant assessment and to edit, list, print, and update an existing patient assessment.



This menu is locked with the SR TRANSPLANT security key.

This chapter follows the main menu of the Transplant Assessment module and contains descriptions of the options and sub-options needed to maintain a transplant assessment, transmit data, and create reports. The options are organized to follow a logical workflow sequence. Each option description is divided into two main parts: an overview and a detailed example.

The top-level options included in this menu are listed in the following table. To the left is the shortcut synonym that the user can enter to select the option.

| Shortcut | Option Name                                          |
|----------|------------------------------------------------------|
| E        | <i>Enter/Edit Transplant Assessments</i>             |
| P        | <i>Print Transplant Assessment</i>                   |
| L        | <i>List of Transplant Assessments</i>                |
| S        | <i>Transplant Assessment Parameters (Enter/Edit)</i> |

*(This page included for two-sided copying.)*

# Enter/Edit Transplant Assessments

## [SR TRANSPLANT ENTER/EDIT]

Transplant coordinators use the *Enter/Edit Transplant Assessments* option to enter a new transplant assessment. This option is also used to make changes to an assessment that has already been entered. This option also allows the assessment to be completed and transmitted.

### Creating a New Transplant Assessment

Perform the following steps to create a transplant assessment.

1. The user is prompted to select a patient name which will display any previously entered assessments for the patient selected. The user can then choose to create a new assessment.
2. After choosing to create a new assessment, the user will select one of the following transplant types.
  - Kidney
  - Liver
  - Lung
  - Heart

**Note:** The ability to select a transplant type is based on how your transplant assessment parameters are set. Your facility may not perform every type of transplant.

3. After choosing a transplant type, the user responds to the prompt, “Is this a VA or a Non-VA Transplant (V or N):” with one of the following responses.
  - V for VA
  - N for non-VA

**Note:** If the user identifies the transplant as non-VA, the user will be asked to enter the transplant date.

**Note:** If the user identifies the transplant as VA, the user will be asked to associate the assessment with an existing Surgery case.

4. The user then supplies a VACO ID number and presses <Enter>. A series of data entry forms appear and must be filled in to complete the transplant assessment.

If assistance is needed while interacting with the software, the user should enter one or two question marks (??) to access the on-line help.

### Example: Creating a New Transplant Assessment

In our example for creating a new transplant assessment, a VA Kidney Transplant will be created. The process for creating a lung, liver, and heart transplant assessments is similar. Because the option works the same for creating these other organ transplant assessments, a specific example for these other organs will not be displayed.

```
Division: ALBANY (500)

E   Enter/Edit Transplant Assessments
P   Print Transplant Assessment
L   List of Transplant Assessments
S   Transplant Assessment Parameters (Enter/Edit)

Select Transplant Assessment Menu Option: E Enter/Edit Transplant Assessments

Select Patient:   SURPATIENT,NINETYSIX 05-05-64 666000288 NSC VETERAN

SURPATIENT,NINETYSIX 666-00-0288

1.  ----      CREATE NEW TRANSPLANT ASSESSMENT

Select Assessment: 1

1. Kidney
2. Liver
3. Lung
4. Heart

Select Type of Transplant: (1-4):1

Is this a VA or a Non-VA Transplant (V or N): V

SURPATIENT,NINETYSIX 666-00-0288

1. 09-03-98  APPENDECTOMY (COMPLETED)
2. 06-17-08  KIDNEY TRANSPLANT (COMPLETED)

Select Operation: 2

Sure you want to create a Transplant Assessment for this surgical case? YES// Y

VACO ID: 12121
```

SURPATIENT,NINETY SIX (0288) VACO ID: 12121 CASE: 482 PAGE: 1 OF 5  
JUN 17,2008 KIDNEY TRANSPLANT RECIPIENT INFORMATION

- 1. VACO ID: 12121  
2. Date Placed on Waiting:  
3. Date Started Dialysis:  
4. Recipient ABO Blood Type:  
5. Recipient CMV:

Diagnosis Information

=====

- |                                    |                                    |
|------------------------------------|------------------------------------|
| 6. Calcineurin Inhibitor Toxicity: | 13. Obstructive Uropathy from BPH: |
| 7. Glomerular Sclerosis/Nephritis: | 14. Polycystic Disease:            |
| 8. Graft Failure:                  | 15. Renal Cancer:                  |
| 9. IgA Nephropathy:                | 16. Rejection:                     |
| 10. Lithium Toxicity:              |                                    |
| 11. Membranous Nephropathy:        |                                    |

12. Transplant Comments:  
-----

Select Transplant Information to Edit: **2:5**

SURPATIENT,NINETY SIX (0288) VACO ID: 12121 CASE: 482  
JUN 17,2008 KIDNEY TRANSPLANT

-----  
Date Placed on Waiting List: **05/04/2008** (MAY 04, 2008)  
Date Started Dialysis: **1 21 08** (JAN 21, 2008)  
Recipient ABO Blood Type: **O O**  
Recipient CMV: **+ POSITIVE**

SURPATIENT,NINETY SIX (0288) VACO ID: 12121 CASE: 482 PAGE: 1 OF 5  
JUN 17,2008 KIDNEY TRANSPLANT RECIPIENT INFORMATION

- 1. VACO ID: 12121  
2. Date Placed on Waiting: MAY 04, 2008  
3. Date Started Dialysis: JAN 21, 2008  
4. Recipient ABO Blood Type: O  
5. Recipient CMV: POSITIVE

Diagnosis Information

=====

- |                                    |                                    |
|------------------------------------|------------------------------------|
| 6. Calcineurin Inhibitor Toxicity: | 13. Obstructive Uropathy from BPH: |
| 7. Glomerular Sclerosis/Nephritis: | 14. Polycystic Disease:            |
| 8. Graft Failure:                  | 15. Renal Cancer:                  |
| 9. IgA Nephropathy:                | 16. Rejection:                     |
| 10. Lithium Toxicity:              |                                    |
| 11. Membranous Nephropathy:        |                                    |
| 12. Transplant Comments:           |                                    |

-----  
Select Transplant Information to Edit: **<Enter>**

- 
1. Warm Ischemia time:
  2. Cold Ischemia time:
  3. Total Ischemia time:
  4. Crossmatch D/R:
  5. PRA at Listing:
  6. PRA at Transplant:
  7. IVIG Recipient:
  8. Plasmapheresis:

HLA Typing (#,#,#,#)

- =====
9. Recipient HLA-A:
  10. Recipient HLA-B:
  11. Recipient HLA-C:
  12. Recipient HLA-DR:
  13. Recipient HLA-BW:
  14. Recipient HLA-DQ:

-----  
Select Transplant Information to Edit: <Enter>

- 
1. Diabetic Retinopathy:
  2. Diabetic Neuropathy:
  3. Cardiac Disease:
  4. Liver Disease:
  5. HIV + (positive):
  6. Lung Disease:
  7. Pre-Transplant Malignancy:
  8. Active Infection Immediately Pre-TX req. Antibiotics:
  9. Non-Compliance (Med and Diet):
  10. Recipient Substance Abuse:
  11. Post-TX Prophylaxis for CMV/Antiviral Treatment:
  12. Post-TX Prophylaxis for PCP/Antibiotic Treatment:
  13. Post-TX Prophylaxis for TB/Antimycobacterial Treatment:
  14. Graft Failure Date:

-----  
Select Transplant Information to Edit: <Enter>

-----  
1. Donor Race:  
2. Donor Gender:  
3. Donor Height: HLA Typing (#,#,#,#)  
4. Donor Weight: =====  
5. Donor DOB: 13. Donor HLA-A:  
6. Donor Age: 14. Donor HLA-B:  
7. Donor ABO Blood Type: 15. Donor HLA-C:  
8. Donor CMV: 16. Donor HLA-DR:  
9. Donor Substance Abuse: 17. Donor HLA-BW:  
10. Deceased Donor: 18. Donor HLA-DQ:  
11. Living Donor:  
12. Donor with Malignancy:

-----  
Select Transplant Information to Edit: <Enter>

-----  
1. Pancreas (SPK/PAK): NO STUDY  
2. Glucose at Time of Listing: NO STUDY  
3. C-peptide at Time of Listing: NO STUDY  
4. Pancreatic Duct Anastomosis: NO STUDY  
5. Glucose Post Transplant: NO STUDY  
6. Amylase Post Transplant: NO STUDY  
7. Lipase Post Transplant: NO STUDY  
8. Insulin Req Post transplant: NO STUDY  
9. Oral Hypoglycemics Req Post-TX: NO STUDY

-----  
Select Transplant Information to Edit: <Enter>

Are you ready to complete and transmit this transplant assessment? NO// <Enter>

## Edit a Transplant Assessment

When selecting an existing transplant assessment, the user has the following options.

- Enter Transplant Assessment Information
- Delete Transplant Assessment Entry
- Update Transplant Assessment Status to 'COMPLETE'
- Change VA/Non-VA Transplant Indicator

### Enter Transplant Assessment Information

Example: Editing a Transplant Assessment

```

                                     Division: ALBANY (500)

E      Enter/Edit Transplant Assessments
P      Print Transplant Assessment
L      List of Transplant Assessments
S      Transplant Assessment Parameters (Enter/Edit)

Select Transplant Assessment Menu Option: E Enter/Edit Transplant Assessments
Select Patient:      SURPATIENT,NINETYSIX 05-05-64 666000288      NSC VETERAN

SURPATIENT,NINETYSIX 666-00-0288

1. 06-17-08 KIDNEY TRANSPLANT (INCOMPLETE)
2. ---- CREATE NEW TRANSPLANT ASSESSMENT

Select Assessment: 1

SURPATIENT,NINETYSIX

06-17-06 KIDNEY TRANSPLANT (INCOMPLETE)

1. Enter Transplant Assessment Information
2. Delete Transplant Assessment Entry
3. Update Transplant Assessment Status to 'COMPLETE'
4. Change VA/Non-VA Transplant Indicator

Select Number: 1// <Enter>

SURPATIENT,NINETYSIX (0288) VACO ID: 12121 CASE: 482 PAGE: 1 OF 5
JUN 17,2008 KIDNEY TRANSPLANT RECIPIENT INFORMATION
-----
1. VACO ID: 12121
2. Date Placed on Waiting: MAY 04, 2008
3. Date Started Dialysis: JAN 21, 2008
4. Recipient ABO Blood Type: O
5. Recipient CMV: POSITIVE

Diagnosis Information
=====
6. Calcineurin Inhibitor Toxicity: 13. Obstructive Uropathy from BPB:
7. Glomerular Sclerosis/Nephritis: 14. Polycystic Disease:
8. Graft Failure: 15. Renal Cancer:
9. IgA Nephropathy: 16. Rejection:
10. Lithium Toxicity:
11. Membranous Nephropathy:
12. Transplant Comments:
-----

Select Transplant Information to Edit: 6
```



SURPATIENT,NINETYSEX (0288) VACO ID: 12121 CASE: 482  
JUN 17,2008 KIDNEY TRANSPLANT

-----  
Calcineurin Inhibitor Toxicity: **Y** YES

SURPATIENT,NINETYSEX (0288) VACO ID: 12121 CASE: 482 PAGE: 1 OF 5  
JUN 17,2008 KIDNEY TRANSPLANT RECIPIENT INFORMATION

-----  
1. VACO ID: 12121  
2. Date Placed on Waiting: MAY 04, 2008  
3. Date Started Dialysis: JAN 21, 2008  
4. Recipient ABO Blood Type: O  
5. Recipient CMV: POSITIVE

Diagnosis Information

=====  
6. Calcineurin Inhibitor Toxicity: YES 13. Obstructive Uropathy from BPH:  
7. Glomerular Sclerosis/Nephritis: 14. Polycystic Disease:  
8. Graft Failure: 15. Renal Cancer:  
9. IgA Nephropathy: 16. Rejection:  
10. Lithium Toxicity:  
11. Membranous Nephropathy:  
12. Transplant Comments:

-----  
Select Transplant Information to Edit: **7:10**

SURPATIENT,NINETYSEX (0288) VACO ID: 12121 CASE: 482  
JUN 17,2008 KIDNEY TRANSPLANT

-----  
Glomerular Sclerosis/Nephritis: **Y** YES  
Graft Failure: **N** NO  
IgA Nephropathy: **N** NO  
Lithium Toxicity: **Y** YES

SURPATIENT,NINETYSEX (0288) VACO ID: 12121 CASE: 482 PAGE: 1 OF 5  
JUN 17,2008 KIDNEY TRANSPLANT RECIPIENT INFORMATION

-----  
1. VACO ID: 12121  
2. Date Placed on Waiting: MAY 04, 2008  
3. Date Started Dialysis: JAN 21, 2008  
4. Recipient ABO Blood Type: O  
5. Recipient CMV: POSITIVE

Diagnosis Information

=====  
6. Calcineurin Inhibitor Toxicity: YES 13. Obstructive Uropathy from BPH:  
7. Glomerular Sclerosis/Nephritis: YES 14. Polycystic Disease:  
8. Graft Failure: NO 15. Renal Cancer:  
9. IgA Nephropathy: NO 16. Rejection:  
10. Lithium Toxicity: YES  
11. Membranous Nephropathy:  
12. Transplant Comments:

-----  
Select Transplant Information to Edit: **^**

## Deleting a Transplant Assessment

Example: Deleting a Transplant Assessment

```
Division: ALBANY (500)

E   Enter/Edit Transplant Assessments
P   Print Transplant Assessment
L   List of Transplant Assessments
S   Transplant Assessment Parameters (Enter/Edit)

Select Transplant Assessment Menu Option: E Enter/Edit Transplant Assessments
Select Patient:   SURPATIENT,NINETYONE 05-05-64 666000288 NSC VETERAN

SURPATIENT,NINETYONE 666-00-0288

1. 07-25-08 HEART TRANSPLANT (INCOMPLETE)
2. ---- CREATE NEW TRANSPLANT ASSESSMENT

Select Assessment: 1

SURPATIENT,NINETYONE 666-00-0288

07-25-08 HEART TRANSPLANT (INCOMPLETE)

1. Enter Transplant Assessment Information
2. Delete Transplant Assessment Entry
3. Update Transplant Assessment Status to 'COMPLETE'
4. Change VA/Non-VA Transplant Indicator

Select Number: 1// 2

Are you sure that you want to delete this assessment ? NO// Y

Deleting Transplant Assessment...

Press <RET> to continue <Enter>
```

## Update a Transplant Assessment to Complete

Upon leaving the last data entry page, the following prompt appears.

```
Are you ready to complete and transmit this transplant assessment NO//
```

If the user presses **<Enter>**, the assessment remains incomplete and not transmitted. If the user enters **YES**, the assessment is completed and transmitted immediately.

Alternatively, the user can complete and transmit the assessment using the following screen below.

Example: Update a Transplant Assessment to Complete

```
Division: ALBANY (500)

E   Enter/Edit Transplant Assessments
P   Print Transplant Assessment
L   List of Transplant Assessments
S   Transplant Assessment Parameters (Enter/Edit)

Select Transplant Assessment Menu Option: E Enter/Edit Transplant Assessments
Select Patient:   SURPATIENT,NINETYTHREE 05-05-64 666000288 NSC VETERAN

SURPATIENT,NINETYTHREE 666-00-0288
08-08-08      LUNG TRANSPLANT (INCOMPLETE)

1. Enter Transplant Assessment Information
2. Delete Transplant Assessment Entry
3. Update Transplant Assessment Status to 'COMPLETE'
4. Change VA/Non-VA Transplant Indicator

Select Number: 1// 3

Are you ready to complete and transmit this transplant assessment NO// YES
```

## Change VA/Non-VA Transplant Indicator

Example: Changing the Transplant Indicator

```
Division: ALBANY (500)

E   Enter/Edit Transplant Assessments
P   Print Transplant Assessment
L   List of Transplant Assessments
S   Transplant Assessment Parameters (Enter/Edit)

Select Transplant Assessment Menu Option: E Enter/Edit Transplant Assessments
Select Patient:   SURPATIENT,ONE 05-05-64 666000288   NSC VETERAN

SURPATIENT,ONE 666-00-0288

08-08-08      LUNG TRANSPLANT (INCOMPLETE)

1. Enter Transplant Assessment Information
2. Delete Transplant Assessment Entry
3. Update Transplant Assessment Status to 'COMPLETE'
4. Change VA/Non-VA Transplant Indicator

Select Number: 1// 4

This assessment has a current status of 'Incomplete'
The Transplant Assessment Indicator is a Non-VA type

Are you sure that you want to change the indicator to VA? NO// Y

SURPATIENT,ONE 666-00-0288

1. 08-08-08   LUNG TRANSPLANT (COMPLETE)

Select Operation: 1

Sure you want to assign this Surgical case to the Transplant Assessment? YES//<Enter>

Changing Assessment type...

Press <RET> to continue <Enter>
```

# Print Transplant Assessment

## [SRTP PRINT ASSESSMENT]

The *Print Transplant Assessment* option is used to print a single Surgery transplant assessment.

The following example demonstrates how to print a transplant assessment.

### Printing a Transplant Assessment

1. The user is prompted to select a patient name which will display any previously entered assessments for that patient. The user can then choose an assessment.
2. After choosing the assessment, the user will select a printing device.
3. The assessment displays.

If assistance is needed while interacting with the software, the user should enter one or two question marks (??) to access the on-line help.

Example: Printing a Transplant Assessment

```

Division: ALBANY (500)

E   Enter/Edit Transplant Assessments
P   Print Transplant Assessment
L   List of Transplant Assessments
S   Transplant Assessment Parameters (Enter/Edit)

Select Transplant Assessment Menu Option: P Print Transplant Assessment
Select Patient: SURPATIENT,NINETYFIVE 05-05-34 234516666 NSC VETERAN

```

```

SURPATIENT,NINETYFIVE 234-51-6666

1. 07-28-08 KIDNEY TRANSPLANT (INCOMPLETE)

Select Assessment: 1

Print the Transplant Assessment on which Device: HOME// ENTER PRINTER NAME

```

-----printout follows-----

```

KIDNEY TRANSPLANT ASSESSMENT VA SURGERY CASE #482 PAGE 1
FOR SURPATIENT,NINETYSIX 666-00-0288 (INCOMPLETE)
Medical Center: ALBANY
=====

```

RECIPIENT INFORMATION

```

Age: 74 Transplant Date: JULY 28, 2008
Gender: Ethnicity: UNANSWERED
VACO ID: 12121 Race: UNANSWERED

Date Placed on Waiting: Recipient CMV:
Date Started Dialysis: Recipient ABO Blood Type:
Calcineurin Inhibitor Toxicity: Membranous Nephropathy:
Glomerular Sclerosis/Nephritis: YES Obstructive Uropathy from BPH:
Graft Failure: NO Polycystic Disease:
IgA Nephropathy: NO Renal Cancer:
Lithium Toxicity: YES Rejection:

```

Transplant Comments:

KIDNEY TRANSPLANT INFORMATION

```

Ischemia Time for Organ (minutes)
- Warm Ischemia: Recipient HLA-A:
- Cold Ischemia: Recipient HLA-B:
- Total Ischemia: Recipient HLA-C:
Crossmatch D/R: Recipient HLA-DR:
PRA at Listing: Recipient HLA-BW:
PRA at Transplant: Recipient HLA-DQ:
IVIG Recipient:
Plasmapheresis:

```

RISK ASSESSMENT

|                              |                                   |
|------------------------------|-----------------------------------|
| Diabetic Retinopathy:        | Non-Compliance (Med and Diet):    |
| Diabetic Neuropathy:         | Recipient Substance Abuse:        |
| Cardiac Disease:             | Post Transplant Prophylaxis for   |
| Liver Disease:               | - CMV/Antiviral Treatment:        |
| HIV + (positive):            | - PCP/Antibiotic Treatment:       |
| Lung Disease:                | - TB/Antimycobacterial Treatment: |
| Pre-Transplant Malignancy:   | Graft Failure Date:               |
| Active Infection Immediately |                                   |
| Pre-Trans Req. Antibiotics:  |                                   |

DONOR INFORMATION

|                  |               |
|------------------|---------------|
| Donor Race:      |               |
| Donor Gender:    |               |
| Donor Height:    |               |
| Donor Weight:    |               |
| Donor DOB:       | Donor HLA-A:  |
| Donor Age:       | Donor HLA-B:  |
| ABO Blood Type:  | Donor HLA-C:  |
| Donor CMV:       | Donor HLA-DR: |
| Substance Abuse: | Donor HLA-BW: |
| Deceased Donor:  | Donor HLA-DQ: |
| Living Donor:    |               |
| With Malignancy: |               |

KIDNEY TRANSPLANT ASSESSMENT VA SURGERY CASE #482  
FOR SURPATIENT,NINETY SIX 666-00-0288 (INCOMPLETE)  
Medical Center: ALBANY

PAGE 2

=====

PANCREAS INFORMATION

|                                  |          |
|----------------------------------|----------|
| Pancreas (SPK/PAK):              | NO STUDY |
| Glucose at Time of Listing:      | NO STUDY |
| C-peptide at Time of Listing:    | NO STUDY |
| Pancreatic Duct Anastomosis:     | NO STUDY |
| Glucose Post Transplant:         | NO STUDY |
| Amylase Post Transplant:         | NO STUDY |
| Lipase Post Transplant:          | NO STUDY |
| Insulin Req Post Transplant:     | NO STUDY |
| Oral Hypoglycemics Req. Post TX: | NO STUDY |

# List of Transplant Assessments

## [SRTP ASSESSMENT LIST]

The *List of Transplant Assessments* option is used to print a list of Surgery transplant assessments.

The following example demonstrates how to print a list of transplant assessments.

### Printing a List of Transplant Assessments

1. The user is prompted to enter a start date and end date.
2. After choosing a date range, the user will select one of the following transplant assessment list types.
  - Incomplete Only
  - Transmitted/Complete
  - All
3. After choosing a transplant assessment list type, the user will select one of the following transplant types.
  - Kidney
  - Liver
  - Lung
  - Heart
  - All
4. If the facility is multi-divisional, after choosing a transplant type, the user responds to the prompt, "Do you want to print all divisions? YES//." The user should respond **YES** to print all divisions, or **NO** and then select a single division.
5. At the "Print the List of Transplant Assessments to which Device:" prompt, select a printer or print to the screen.
6. The list of transplant assessments prints.

If assistance is needed while interacting with the software, the user should enter one or two question marks (??) to access the on-line help.



Example: List of Transplant Assessments

```

Division: ALBANY (500)

E   Enter/Edit Transplant Assessments
P   Print Transplant Assessment
L   List of Transplant Assessments
S   Transplant Assessment Parameters (Enter/Edit)

Select Transplant Assessment Menu Option: L List of Transplant Assessments

Start with Date: 070708 (JUL 07, 2008)
End with Date: 083008 (AUG 30, 2008)

Print which Assessment Status ?

1. Incomplete Only
2. Complete/Transmitted
3. ALL

Select Number: (1-3): 3// 3

Select Type of Transplant ?

1. Kidney
2. Liver
3. Lung
4. Heart
5. ALL

Select Number: (1-5): 5// 5

Do you want to print all divisions? YES// <ENTER>

```

This report is designed to print to your terminal screen or a printer. When using a printer, a 132 column format is used.

Print the List of Transplant Assessments to which Device: HOME// <ENTER>

LIST OF TRANSPLANT ASSESSMENTS  
FROM: JUL 7,2008 TO: AUG 30,2008

| VACO ID        | PATIENT                                  | TRANSPLANT DATE | STATUS     |
|----------------|------------------------------------------|-----------------|------------|
| SURGERY CASE # | ORGAN TYPE                               |                 |            |
| 22222<br>N/A   | SURPATIENT,EIGHTY (666-00-0038)<br>HEART | JUL 09, 2008    | INCOMPLETE |
| 179992<br>N/A  | SURPATIENT,EIGHTY (666-00-0038)<br>LIVER | JUL 21, 2008    | INCOMPLETE |
| 107992<br>N/A  | SURPATIENT,EIGHTY (666-00-0038)<br>LUNG  | JUL 21, 2008    | INCOMPLETE |
| 62345<br>N/A   | SURPATIENT,N. (666-00-0279)<br>HEART     | JUL 25, 2008    | INCOMPLETE |

Press <RET> to continue, or '^' to quit

# Transplant Assessment Parameters (Enter/Edit)

## [SR TRANSPLANT PARAMETERS]

The transplant coordinator uses the *Transplant Assessment Parameters (Enter/Edit)* option to change the list of organ transplants assessed at their VA facility. The values entered for these parameters will limit the choices displayed when entering a transplant assessment.

The following example demonstrates how to change transplant assessment parameters.

### Changing Transplant Assessment Parameters

1. The user should enter a surgery site at the prompt, "Edit Parameters for which Surgery Site".
2. After entering a surgery site, the user should verify the chosen surgery site (which displays) and should choose **YES** at the prompt, "...OK? Yes/".
3. The user can change any of the following parameter options.
  - Kidney transplants assessed:
  - Liver transplants assessed:
  - Lung transplants assessed:
  - Heart transplants assessed:

## Example: Changing Transplant Assessment Parameters

In this example, the facility does Kidney and Liver Transplant Assessments.

```
Division: ALBANY (500)

E   Enter/Edit Transplant Assessments
P   Print Transplant Assessment
L   List of Transplant Assessments
S   Transplant Assessment Parameters (Enter/Edit)

Select Transplant Assessment Menu Option: S Transplant Assessment Parameters (Enter/Edit)

Edit Parameters for which Surgery Site: ALBANY NY VAMC 500
...OK? Yes//<Enter>
```

```
ALBANY (500) PAGE 1 OF 1

1   KIDNEY TRANSPLANTS ASSESSED:
2   LIVER TRANSPLANTS ASSESSED:
3   LUNG TRANSPLANTS ASSESSED:
4   HEART TRANSPLANTS ASSESSED:

Enter Screen Server Function: 1:4
KIDNEY TRANSPLANTS ASSESSED: YES
LIVER TRANSPLANTS ASSESSED: YES
LUNG TRANSPLANTS ASSESSED: NO
HEART TRANSPLANTS ASSESSED: NO
```

```
ALBANY (500) PAGE 1 OF 1

1   KIDNEY TRANSPLANTS ASSESSED: YES
2   LIVER TRANSPLANTS ASSESSED: YES
3   LUNG TRANSPLANTS ASSESSED: NO
4   HEART TRANSPLANTS ASSESSED: NO

Enter Screen Server Function:
```

*(This page included for two-sided copying.)*

## Chapter Nine: Glossary

The following table contains terms that are used throughout the *Surgery V.3.0 User Manual*, and will aid the user in understanding the use of the Surgery package.

| Term                      | Definition                                                                                                                                                                                                                                                                      |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Aborted                   | Case status indicating the case was cancelled after the patient entered the operating room. Cases with ABORTED status must contain entries in TIME PAT OUT OR field (#.205) and/or TIME PAT IN OR field (#.232), plus CANCEL DATE field (#17) and/or CANCEL REASON field (#18). |
| ASA Class                 | This is the American Society of Anesthesiologists classification relating to the patient's physiologic status. Numbers followed by an 'E' indicate an emergency.                                                                                                                |
| Attending Code            | Code that corresponds to the highest level of supervision provided by the attending staff surgeon during the procedure.                                                                                                                                                         |
| Blockout Graph            | Graph showing the availability of operating rooms.                                                                                                                                                                                                                              |
| Cancelled Case            | Case status indicating that an entry has been made in the CANCEL DATE field and/or the CANCEL REASON field without the patient entering the operating room.                                                                                                                     |
| CCSHS                     | VA Center for Cooperative Studies in Health Services located at Hines, Illinois.                                                                                                                                                                                                |
| CICSP                     | Continuous Improvement in Cardiac Surgery Program.                                                                                                                                                                                                                              |
| Completed Case            | Case status indicating that an entry has been made in the TIME PAT OUT OR field.                                                                                                                                                                                                |
| Concurrent Case           | A patient undergoing two operations by different surgical specialties at the same time, or back to back, in the same operating room.                                                                                                                                            |
| CPT Code                  | Also called Operation Code. CPT stands for Current Procedural Terminology.                                                                                                                                                                                                      |
| CRT                       | Cathode ray tube display. A display device that uses a cathode ray tube.                                                                                                                                                                                                        |
| Intraoperative Occurrence | Perioperative occurrence during the procedure.                                                                                                                                                                                                                                  |
| Major                     | Any operation performed under general, spinal, or epidural anesthesia plus all inguinal herniorrhaphies and carotid endarterectomies regardless of anesthesia administered.                                                                                                     |
| Minor                     | All operations not designated as Major.                                                                                                                                                                                                                                         |
| New Surgical Case         | A surgical case that has not been previously requested or scheduled such as an emergency case. A surgical case entered in the records without being booked through scheduling will not appear on the Schedule of Operations or as an operative request.                         |
| Non-Operative Occurrence  | Occurrence that develops before a surgical procedure is performed.                                                                                                                                                                                                              |
| Not Complete              | Case status indicating one of the following two situations with no entry in the TIME PAT OUT OR field (#.232).<br><br>1) Case has entry in TIME PAT IN OR field (#.205).<br>2) Case has not been requested or scheduled.                                                        |
| NSQIP                     | National Surgical Quality Improvement Program.                                                                                                                                                                                                                                  |
| Operation Code            | Identifying code for reporting medical services and procedures performed by physicians. See CPT Code.                                                                                                                                                                           |

|                          |                                                                                                                                                                                                                                                 |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PACU                     | Post Anesthesia Care Unit.                                                                                                                                                                                                                      |
| Postoperative Occurrence | Perioperative occurrence following the procedure.                                                                                                                                                                                               |
| Procedure Occurrence     | Occurrence related to a non-O.R. procedure.                                                                                                                                                                                                     |
| Requested                | Operation has been slotted for a particular day but the time and operating room are not yet firm.                                                                                                                                               |
| Risk Assessment          | Part of the Surgery software that provides medical centers a mechanism to track information related to surgical risk and operative mortality. Completed assessments are transmitted to the VASQIP national database for statistical analysis.   |
| Scheduled                | Operation has both an operating room and a scheduled starting time, but the operation has not yet begun.                                                                                                                                        |
| Screen Server            | A format for displaying data on a cathode ray tube display. Screen Server is designed specifically for the Surgery Package.                                                                                                                     |
| Screen Server Function   | The Screen Server prompt for data entry.                                                                                                                                                                                                        |
| Service Blockouts        | The reservation of an operating room for a particular service on a recurring basis. The reservation is charted on a blackout graph.                                                                                                             |
| Transplant Assessments   | Part of the Surgery software that provides medical centers a mechanism to track information related to transplant risk and operative mortality. Completed assessments are transmitted to the VASQIP national database for statistical analysis. |
| VASQIP                   | Veterans Affairs Surgery Quality Improvement Program.                                                                                                                                                                                           |

# Index

---

## A

- AAIS, 437, 438
- anesthesia
  - agents, 130, 162
  - entering data, 163
  - printing information, 170
  - staff, 164
  - techniques, 162
- anesthesia agents
  - flagging a drug, 431
- anesthesia personnel, 61, 130
  - assigning, 173
  - scheduling, 84
- anesthesia technique
  - entering information, 165, 173
- assessment
  - changing existing, 465
  - changing status of, 487
  - creating new, 465
  - upgrading status of, 465
- Automated Anesthesia Information System (AAIS), 437, 438

## B

- bar code reader, 160
- blockout an operating room, 86
- blockout graph, 60
- Blood Bank, 160
- blood product
  - label, 160
  - verification, 160
- book an operation, 25
- book concurrent operation, 45

## C

- cancellation rates
  - calculations, 347
- case
  - cancelled, 345
  - cardiac, 465
  - delayed, 338
  - designation, 97
  - editing cancelled, 400
  - list of requested, 57
  - scheduled, 97, 345
  - updating the cancellation date, 83
  - updating the cancellation reason, 83
  - verifying, 352
- Chief of Surgery, 178, 251, 398
- Code Set Versioning, 525

## coding

- checking accuracy of procedures, 311
- entry, 207
- validation, 207

## comments

- adding, 205

## completed cases, 355, 357

- PCE filing status of, 238, 273
- report of, 232, 234, 257, 265, 267
- reports on, 252
- staffing information for, 285
- surgical priority, 269

## complications, 94, 460

## concurrent case, 94

- adding, 74
- defined, 15
- scheduling, 61
- scheduling unrequested operations, 69

## condensed characters, 26

## count clinic

- active, 278

## CPT codes, 59, 207, 220, 224, 255, 525

## CPT modifiers, 525

## cultures, 155, 197

## cutoff time, 15, 42

## D

- death totals, 378
- deaths
  - reviewing, 330
  - within 30 days of surgery, 183, 327
  - within 90 days of surgery, 330
- delays
  - reasons for, 340
- devices, 157
  - updating list of, 429
- diagnosis, 115, 208, 238, 273
- dosage, 159, 169
- downloading Surgery set of codes, 438

## E

- electronically signing a report
  - Anesthesia Report, 133, 136
  - Nurse Intraoperative Report, 148
- Enter/Edit Transplant Assessments, 531

## F

- flag a drug, 431

## G

Glossary, 549

## H

HL7, 434, 435, 439

master file updates, 437, 438

hospital admission, 385

## I

ICD9 codes, 207, 525

interim reports, 320

intraoperative occurrence

entering, 460, 475

irrigation solutions, 157

## K

KERNEL audit log, 393

Key Missing Surgical Package Data, 394a

## L

laboratory information, 96

entering, 452

Laboratory Package, 320

list of requested cases, 57

List of Transplant Assessments, 544

## M

medical administration, 96

medications, 159, 169

mortality and morbidity rates, 183, 326

multiple fields, 110

## N

new surgical case, 102

non-count encounters, 278

non-O.R. procedure, 187

deleting data, 188

editing data, 188

entering data, 188

NSQIP transmission process, 521

nurse staffing information, 295

nursing care, 142

## O

occurrence, 180

adding information about a postoperative, 178

editing, 176

entering, 176

intraoperative, 330, 460, 475

adding information about an, 176

M&M Verification Report, 330

number of for delayed operations, 340

postoperative, 330, 462

reviewing, 330

viewing, 325

## Operating Room

determining use of, 414

entering information, 413

percent utilization, 361

rescheduling, 74

reserving on a recurring basis, 86

utilization reports, 415

viewing availability of, 26

viewing availability of, 60

## Operating Room Schedule, 89, 253

### operation

book concurrent, 45

booking, 25, 59

canceling scheduled, 81

close of, 121

delayed, 110, 338, 340

discharge, 121

outstanding requests, 28

patient preparation, 110

post anesthesia recovery, 121

requesting, 25

rescheduling, 74

scheduled, 26

scheduled by surgical specialty, 92

scheduling requested, 59

scheduling unrequested, 64

starting time, 115

### operation information

entering or editing, 456

### operation request

deleting, 36

printing a list, 53

## Options

Admissions Within 14 Days of Outpatient Surgery, 394c

Anesthesia Data Entry Menu, 163

Anesthesia for an Operation Menu, 130

Anesthesia Information (Enter/Edit), 164

Anesthesia Menu, 162

Anesthesia Provider Report, 304

Anesthesia Report, 133, 170

Anesthesia Reports, 297

Anesthesia Technique (Enter/Edit), 165

Annual Report of Non-O.R. Procedures, 196

Annual Report of Surgical Procedures, 255

Attending Surgeon Reports, 285

Blood Product Verification, 160

Cancel Scheduled Operation, 81

Cardiac Procedures Requiring CPB (Enter/Edit), 473

Chief of Surgery, 324

Chief of Surgery Menu, 322

Circulating Nurse Staffing Report, 295

Clinical Information (Enter/Edit), 467

Comments Option, 205



Comparison of Preop and Postop Diagnosis, 335  
 CPT Code Reports, 306  
 CPT/ICD Coding Menu, 207  
 CPT/ICD Update/Verify Menu, 208  
 Create Service Blockout, 86  
 Cumulative Report of CPT Codes, 220, 307  
 Deaths Within 30 Days of Surgery, 395  
 Delay and Cancellation Reports, 337  
 Delete a Patient from the Waiting List, 23  
 Delete or Update Operation Requests, 36  
 Delete Service Blockout, 88  
 Display Availability, 26, 60  
 Edit a Patient on the Waiting List, 22  
 Edit Non-O.R. Procedure, 190  
 Ensuring Correct Surgery Compliance Report, 395  
 Enter a Patient on the Waiting List, 21  
 Enter Cardiac Catheterization & Angiographic Data, 469  
 Enter Irrigations and Restraints, 157  
 Enter PAC(U) Information, 123  
 Enter Referring Physician Information, 156  
 Enter Restrictions for 'Person' Fields, 426  
 Exclusion Criteria (Enter/Edit), 507  
 File Download, 437  
 Flag Drugs for Use as Anesthesia Agents, 431  
 Flag Interface Fields, 435  
 Intraoperative Occurrences (Enter/Edit), 176, 460, 475  
 Laboratory Interim Report, 320  
 Laboratory Test Results (Enter/Edit), 452, 469  
 List Completed Cases Missing CPT Codes, 230, 317  
 List of Anesthetic Procedures, 300  
 List of Invasive Diagnostic Procedures, 387  
 List of Operations, 232, 257  
 List of Operations (by Postoperative Disposition), 259  
 List of Operations (by Surgical Priority), 267  
 List of Operations (by Surgical Specialty), 234, 265  
 List of Surgery Risk Assessments, 489  
 List of Unverified Surgery Cases, 352  
 List Operation Requests, 57  
 List Scheduled Operations, 92  
 M&M Verification Report, 330, 513  
 Maintain Surgery Waiting List menu, 17  
 Make a Request for Concurrent Cases, 45  
 Make a Request from the Waiting List, 42  
 Make Operation Requests, 28  
 Make Reports Viewable in CPRS, 440  
 Management Reports, 252, 326  
 Medications (Enter/Edit), 159, 169  
 Monthly Surgical Case Workload Report, 509  
 Morbidity & Mortality Reports, 183, 327  
 Non-Cardiac Risk Assessment Information (Enter/Edit), 445  
 Non-O.R. Procedures, 187  
 Non-O.R. Procedures (Enter/Edit), 188  
 Non-Operative Occurrence (Enter/Edit), 180  
 Normal Daily Hours (Enter/Edit), 417  
 Nurse Intraoperative Report, 142, 217  
 Operating Room Information (Enter/Edit), 413  
 Operating Room Utilization (Enter/Edit), 415  
 Operating Room Utilization Report, 361, 419  
 Operation, 115  
 Operation (Short Screen), 124  
 Operation Information, 105  
 Operation Information (Enter/Edit), 456  
 Operation Menu, 96  
 Operation Report, 131  
 Operation Requests for a Day, 53  
 Operation Startup, 110  
 Operation/Procedure Report, 213  
 Operative Risk Summary Data (Enter/Edit), 471  
 Outpatient Encounters Not Transmitted to NPCD, 278  
 Patient Demographics (Enter/Edit), 458  
 PCE Filing Status Report, 238, 273  
 Perioperative Occurrences Menu, 175  
 Person Field Restrictions Menu, 425  
 Post Operation, 121  
 Postoperative Occurrences (Enter/Edit), 178, 462, 477  
 Print 30 Day Follow-up Letters, 503  
 Print a Surgery Risk Assessment, 481  
 Print Blood Product Verification Audit Log, 393  
 Print Surgery Waiting List, 18  
 Procedure Report (Non-O.R.), 194  
 Purge Utilization Information, 424  
 Queue Assessment Transmissions, 521  
 Remove Restrictions on 'Person' Fields, 428  
 Report of Cancellation Rates, 347  
 Report of Cancellations, 345  
 Report of Cases Without Specimens, 357  
 Report of CPT Coding Accuracy, 224, 311  
 Report of Daily Operating Room Activity, 236, 271, 355  
 Report of Delay Reasons, 340  
 Report of Delay Time, 342  
 Report of Delayed Operations, 338  
 Report of Non-O.R. Procedures, 198, 243  
 Report of Normal Operating Room Hours, 421  
 Report of Returns to Surgery, 353  
 Report of Surgical Priorities, 269  
 Report of Unscheduled Admissions to ICU, 359  
 Request Operations menu, 25  
 Requests by Ward, 55  
 Reschedule or Update a Scheduled Operation, 74  
 Resource Data (Enter/Edit), 479  
 Review Request Information, 52  
 Risk Assessment, 465  
 Schedule Anesthesia Personnel, 84, 173  
 Schedule of Operations, 89, 253  
 Schedule Operations, 59  
 Schedule Requested Operation, 61  
 Schedule Unrequested Concurrent Cases, 69  
 Schedule Unrequested Operations, 64  
 Scrub Nurse Staffing Report, 293  
 Surgeon Staffing Report, 289  
 Surgeon's Verification of Diagnosis & Procedures, 127  
 Surgery Interface Management Menu, 434  
 Surgery Package Management Menu, 409  
 Surgery Reports, 251  
 Surgery Site Parameters (Enter/Edit), 410  
 Surgery Staffing Reports, 284  
 Surgery Utilization Menu, 414  
 Surgical Nurse Staffing Report, 291  
 Surgical Staff, 106  
 Table Download, 438  
 Tissue Examination Report, 155  
 Unlock a Case for Editing, 398

- Update 1-Liner Case, 519
- Update Assessment Completed/Transmitted in Error, 487
- Update Assessment Status to 'Complete', 465, 477, a
- Update Assessment Status to 'COMPLETE', 478
- Update Cancellation Reason, 83
- Update Cancelled Cases, 400
- Update Interface Parameter Field, 439
- Update O.R. Schedule Devices, 429
- Update Operations as Unrelated/Related to Death, 401
- Update Site Configurable Files, 432
- Update Staff Surgeon Information, 430
- Update Status of Returns Within 30 Days, 181, 399, 464
- Update/Verify Procedure/Diagnosis Codes, 209, 402
- View Patient Perioperative Occurrences, 325
- Wound Classification Report, 363

Options:, 197, 199, 220

outstanding requests

- defined, 15

## P

PACU, 123

PCE filing status, 238, 273

percent utilization, 361, 419

person-type field

- assigning a key, 426
- removing a key, 426, 428

Pharmacy Package Coordinator, 431

positioning devices, 157

Post Anesthesia Care Unit (PACU), 123

postoperative occurrence,

- entering, 462, 468, 477

preoperative assessment

- entering information, 449

preoperative information, 15

- editing, 52
- entering, 29, 65
- reviewing, 52
- updating, 74

Preoperative Information (Enter/Edit), 449

principal diagnosis, 105

Printing a Transplant Assessment, 541

procedure

- deleting, 23
- dictating a summary, 190
- editing data for non-O.R., 190
- entering data for non-O.R., 190
- filed as encounters, 278
- summary for non-O.R., 194

purging utilization information, 424

## Q

quick reference on a case, 105

## R

Referring physician information, 156

reporting

- tracking cancellations, 337
- tracking delays, 337

reports

- Anesthesia Provider Report, 304
- Anesthesia Report, 133
- Annual Report of Non-O.R. Procedures, 196
- Annual Report of Surgical Procedures, 255
- Attending Surgeon Cumulative Report, 285, 287
- Attending Surgeon Report, 285
- Cases Without Specimens, 357
- Circulating Nurse Staffing Report, 295
- Clean Wound Infection Summary, 367
- Comparison of Preop and Postop Diagnosis, 335
- Completed Cases Missing CPT Codes, 230, 317
- Cumulative Report of CPT Codes, 220, 222, 307, 309
- Daily Operating Room Activity, 236
- Daily Operating Room Activity, 271
- Daily Operating Room Activity, 326
- Daily Operating Room Activity, 355
- Daily Operating Room Activity, 355
- Ensuring Correct Surgery Compliance Report, 395, 396
- Laboratory Interim Report, 320
- List of Anesthetic Procedures, 300, 302
- List of Operations, 232, 257
- List of Operations (by Surgical Specialty), 234
- List of Operations by Postoperative Disposition, 259, 261, 263
- List of Operations by Surgical Priority, 267
- List of Operations by Surgical Specialty, 265
- List of Operations by Wound Classification, 365
- List of Unverified Cases, 352
- M&M Verification Report, 330, 333, 513, 516
- Monthly Surgical Case Workload Report, 509, 511
- Mortality Report, 183, 327, 328
- Nurse Intraoperative Report, 143
- Operating Room Normal Working Hours Report, 421
- Operating Room Utilization Report, 419
- Operation Report, 132, 213
- Operation Requests, 57
- Operation Requests for a Day, 53
- Outpatient Surgery Encounters Not Transmitted to NPCD, 278, 281
- PCE Filing Status Report, 239, 241, 274, 276
- Perioperative Occurrences Report, 183, 327
- Procedure Report (Non-O.R.), 196, 216
- Procedure Report (Non-OR), 215
- Re-Filing Cases in PCE, 283
- Report of Cancellation Rates, 347, 349
- Report of Cancellations, 345
- Report of CPT Coding Accuracy, 224, 311, 313, 315
- Report of CPT Coding Accuracy for OR Surgical Procedures, 226, 228
- Report of Daily Operating Room Activity, 271
- Report of Delay Time, 342
- Report of Delayed Operations, 338
- Report of Non-O.R. Procedures, 198, 200, 202, 243, 245, 247

- Report of Returns to Surgery, 353
- Report of Surgical Priorities, 269, 270
- Requests by Ward, 55
- Schedule of Operations, 89
- Scheduled Operations, 92
- Scrub Nurse Staffing Report, 293
- Surgeon Staffing Report, 289
- Surgery Risk Assessment, 481, 485
- Surgery Waiting List, 18
- Surgical Nurse Staffing Report, 291
- Tissue Examination Report, 155, 197
- Unscheduled Admissions to ICU, 359
- Wound Classification Report, 363

request an operation, 25

restraint, 110, 157

risk assessment, 330

- changing, 445
- creating, 445, 544
- creating cardiac, 465
- entering non-cardiac patient, 445
- entering the clinical information for cardiac case, 467

Risk Assessment, 481, 550

Risk Assessment module, 443

Risk Model Lab Test, 522

route, 159, 169

## S

schedule an unrequested operation, 64

scheduled, 79, 84, 99, 550

scheduling a concurrent case, 61

Screen Server, 94

- data elements, 6
- Defined, 5
- editing data, 8
- entering a range of elements, 9
- entering data, 7
- header, 6
- multiple screen shortcut, 12
- multiples, 10
- Navigation, 5
- prompt, 6
- turning pages, 8
- word processing, 14

service blackout, 60

- creating, 86
- removing, 88

short form listing of scheduled cases, 92

site-configurable files, 432

specimens, 155, 197

staff surgeon

- designating a user as, 430

surgeon key, 426

Surgery

- major,defined, 110
- minor,defined, 110

Surgery case

- cancelled, 400

- unlocking, 398

Surgery package coordinator, 407

Surgery Site parameters

- entering, 410

Surgical Service Chief, 322

Surgical Service managers, 410

surgical specialty, 21, 57, 74, 234

Surgical staff, 106

## T

time given, 159, 169

Time Out Verified Utilizing Checklist, 124a

transfusion

- error risk management, 160

transplant assessment

- change VA/Non-VA indicator, 540
- changing, 531
- creating, 531
- deleting, 538
- editing, 536
- entering, 531
- printing, 541
- update to complete, 539

Transplant Assessment, 550

Transplant Assessment module, 529

transplant assessment parameters

- change, 546

Transplant Assessment Parameters, 546

## **U**

utilization information, 361, 419  
  purging, 424

## **V**

VA Central Office, 255  
VASQIP, 509, 519, 521, 522c, 527, 550

## **W**

### **Waiting List**

  adding a new case, 21  
  deleting a procedure, 23  
  editing a patient on the, 22  
  entering a patient, 21  
  printing, 18  
waiting lists, 17  
workload  
  report, 509  
  uncounted, 278  
wound classification, 363