



ADVERSE REACTION TRACKING TECHNICAL MANUAL

Version 4.0
GMRA*4*55

April 2017

Product Development
Office of Information Technology
Department of Veterans Affairs

Preface

This manual was developed to assist the Information Resource Management (IRM) Support personnel and Enterprise VistA Support (EVS) personnel in understanding the component structures of the Adverse Reaction Tracking (ART) package. In addition, materials relating to security, resource requirements, and relationships to other VistA packages are included. Familiarity with the M programming language and VistA is assumed.

Revision History

Revision Date	Page or Chapter	Description	Project Manager/ Technical Writer
April 2017	Page 2	Inclusion of details for GMRA*4*55 patch.	Nathaniel Boston
April 2016	Page 2 Pages 34 and 34	Updated description of the GMRA*4*48 - Assessment Clean Up Utility patch. Revised the Assessment Clean Up Utility section. This included describing the process of accessing the GMRA ASSESSMENT UTILITY for the first time.	Rishan Chandarana Blair Sanders
April 2016	i thru 85 iv 2 2, 48 53, 53, 55, 55, 56, 57, 59, and 60	Made grammatical and formatting changes throughout the document. Updated footer to reflect April 2016 date. Updated Revision History. Reference to GMRA*4*46. Added patch summary for GMRA*4*46. Added step 1 to 1. Enter/Edit Site Configurable File menu option. Added information on Patch GMRA*4*46 to clarify Version 1 and 2 for callable routine GMRADPT.	Heidi Cross Blair Sanders
April 2016	2, 34, 34, 36, and 37 34, 59, 68, and 69	Added summary description of GMRA*4*48 – Assessment Clean Up Utility. Also, added description of Assessment Clean-up Utility distributed in GMRA*4.0*48 Added note, rephrased sentence defining a record in Patient Allergies file. Changed definition of Historical, Observed, and True Allergy in Glossary.	Rishan Chandarana Blair Sanders Leon Wisell JoAnn Green Rishan Chandarana Blair Sanders

	46	Added protocols used by GMRA Assessment Utility	
	48	Added Assessment Clean Up Utility to Menu Options	
October 2013	22 46	Updates to Allergy Clean-up Option Updates to protocol list	Kenny Condie/JoAnn Green
April 2006		Updates for GMRA*4.0*26	Al Ebert/JoAnn Green
April-July 2005		Updates for GMRA*4.0*23	Al Ebert/JoAnn Green
December 2004	Throughout manual.	Edits based on SQA review, including removal of Marked on Chart prompts.	Al Ebert/JoAnn Green
November 2004	Pages 1 & 39	NKA deletion enhancement added	Al Ebert/JoAnn Green
October/November 2004	Throughout manual.	Patient name and SSN and provider name updates to comply with Patient privacy SOP.	Al Ebert/JoAnn Green
October 2004		CPRS GUI 25 Release Notes for ART added and updated.	Al Ebert/JoAnn Green
January 2004		Patch 17 (GMRA*4*17) Free Text Allergy Clean Up Utility info added.	Al Ebert/JoAnn Green

Table of Contents

ADVERSE REACTION TRACKING	i
Preface.....	iii
Revision History	iv
Introduction.....	1
Implementation and Maintenance.....	14
Site Parameters.....	14
Edit Allergy File	15
Enter/Edit Signs/Symptoms Data	15
Enter/Edit Site Parameters	15
Sign/Symptoms List.....	20
Allergies File List	21
Allergy Clean-up Utility	22
Free Text Allergy Clean Up Utility	22
Update to New Reactant	27
Add/Edit Patient Reaction.....	30
Assessment Clean Up Utility	34
Signing off on Allergies.....	39
Menu Assignment	41
Security Key Assignment	41
Mail Group Membership.....	41
Bulletins List.....	41
Security	42
Security Keys	42
File Security	42
Option Delegation.....	42
Privacy Act Statement.....	43
Electronic Signature.....	43
GMRA UPDATE RESOURCE.....	43
Routines	44
File List	45
Templates	46
Protocols	46
Exported Options	48
Options Not on a Menu.....	48
Menu Options.....	48
Cross References.....	50
Archiving and Purging.....	51
Resource Requirements	52
Callable Routines	53
External Relations.....	61
Database Integration Agreements	61
SACC Exemptions	62
Internal Relations	63
Package-wide Variables.....	64
How to Generate On-line Documentation	65

Glossary	67
Appendix 1: CPRS (25 and 26) Release Notes Related to ART	70
Appendix 2: ART Data Standardization FAQ	75
ART Data Standardization FAQ.....	75
VA Enterprise Terminology Services (VETS) Push and Deployment Questions....	81
New Term Rapid Turnaround (NTRT) Process Questions.....	82
Site Clean-up Questions.....	85
Health Data Repository (HDR) Questions.....	85

Introduction

The objective of ART is to track and report patient allergy and adverse reaction data. This is accomplished through two interfaces:

1. CPRS GUI
2. ART menus and options within legacy *VISTA*.

Use of ART within CPRS is primarily described in CPRS documentation, but some examples are provided in the ART manuals.

ART and Data Standardization

ART has been modified in order to standardize the data stored in the allergy package. Standardized data is necessary for inclusion in the Health Data Repository (HDR).

Two new cross-references and a new Application Programmer Interface (API) were created that will allow changes to existing reactant terms to propagate through existing allergy entries in the PATIENT ALLERGIES file (120.8).

The GMR ALLERGIES file (120.82) and the SIGNS/SYMPTOMS file (120.83) are being standardized. As a result of standardization, sites will no longer be allowed to add or edit entries in either of these files. In addition, users will no longer be able to add “free text” signs /symptoms.

Changes have been made to ART through recent OR patches (OR*3.0*195, OR*3.0*216), and the following ART patches:

- GMRA*4*17 Free text utility
- GMRA*4*18 HDR/VistA Data Extraction Framework (VDEF) update
- GMRA*4*19 Notifications from CPRS when allergies are added
- GMRA*4*2 Deleting Soundex x-ref & misc
- GMRA*4*20 Allergy data
- GMRA*4*21 Removal of allergies as orders
- GMRA*4*22 HDR Application Installation
- GMRA*4*23 HDR/DS Changes
- GMRA*4*24 Update HDR trigger code
- GMRA*4*25 Blank sign/symptom problem
- GMRA*4*26 Remote Data Interoperability (RDI) update
- GMRA*4*27 ALLERGY ORDER CHECK DOES NOT FIRE FOR CONTRAST MEDIA
- GMRA*4*29 Automated clean up of free text allergies
- GMRA*4*30 PREVENT DECEASED PATIENTS FROM APPEARING ON REPORT
- GMRA*4*31 Check for compiled cross-references in file 120.8
- GMRA*4*33 PREVENT TEST PATIENTS FROM APPEARING ON LIVE REPORT
- GMRA*4*34 Update to HL7 messages
- GMRA*4*36 Remove ability to delete allergy records
- GMRA*4*37 Add remote data to contrast media order checks

GMRA*4*38 Add allergy related progress note to CPRS signature
GMRA*4*40 Updating ANGIOTEN related allergies
GMRA*4*41 Pharmacy Encapsulation Changes
GMRA*4*42 PROGRESS NOTES AND HISTORICAL ALLERGY ENTRIES
GMRA*4*44 RDI VHIM COMPLIANCE UPDATES
GMRA*4*45 ORDER CHECK API UPDATE
GMRA*4*46 ALLERGY ORDER CHECK SIGNS/SYMPTOMS
GMRA*4*48 ASSESSMENT CLEAN UP UTILITY
GMRA*4*55 Native Domain Standardization Patch

GMRA*4*55 – Native Domain Standardization Patch

GMRA*4*55 installs the Native Domain Standardization Patch, which implements a new coding system field with the future intent to store the nationally standardized codes in the GMR ALLERGIES (#120.82) and the SIGNS/SYMPTOMS (#120.83) files.

This new coding system field is intended to aid the effort of interoperability between the VA and the entities that use its data including the DoD. There are two subfields “CODING SYSTEM” and “CODE” within the new coding system fields to house the relevant coding system name (i.e. RxNorm) and the relevant code when available.

These new fields are meant to reside within VistA and will not impact any current Graphical User Interface (GUI) or disrupt daily operations relating to the Allergies domain.

GMRA*4*48 - Assessment Clean Up Utility

GMRA*4*48 installs the Assessment Clean Up Utility, allowing sites to identify and correct any discrepancies between the ADVERSE REACTION ASSESSMENT file (#120.86) and the PATIENT ALLERGIES file (#120.8).

A data discrepancy issue was discovered between the ADVERSE REACTION ASSESSMENT file (#120.86) and the PATIENT ALLERGIES file (#120.8). Specifically, a patient had a value of NO for the assessment and yet they had active reactions. The discrepancy could generate a hard error when attempting to process an Outpatient prescription.

When the patch is installed, the ‘B’ cross-reference for the ADVERSE REACTION ASSESSMENT file (#120.86) is re-indexed. The installer will be notified when the re-indexing is complete.

After the re-indexing is complete, the site should run the GMRA ASSESSMENT UTILITY option. *See Page 34 for further information.*

GMRA*4*46 Allergy Order Check Signs/Symptoms

This patch will enable the Adverse Reaction Tracking package to return additional data within the medication order check message to the Computerized Patient Record System (CPRS) and Pharmacy. This data includes the signs and symptoms of the reaction, the reaction’s severity and the item (ingredient or drug class) that was matched.

GMRA*4*42 - Progress Notes and Historical Allergy Entries

In the allergy package, a progress note is created whenever an observed drug allergy is entered for a patient. That note is then added to the list of items to be signed when changing the patient or refreshing the patient's data.

Historical allergies, regardless of whether they are drug related or not, do not create progress notes.

During internal testing of another issue, it was discovered that a note can be associated, or appear to be associated, to an historical allergy entry.

At this point, any addition historical entries will appear to have a note associated with it. In fact, what is happening is the same note is appearing on the "to be signed" list even though it may already be signed. No new notes are created and the note stays associated with the correct patient and correct allergy.

After the installation of this patch, the system will correctly handle the creation of the progress note for observed entries and will no longer associate a progress note with an historical entry.

While testing this patch, it was discovered that the zero node of the XTMP global entry that stores data from the HDR isn't correctly set at the time the data is retrieved. As a result, the daily clean-up process that clears out the XTMP global will not clear this data, which may cause an unnecessary build up of data in XTMP. The zero node will now be set correctly.

Related to the HDR work, the code that indicates when new allergy data should be sent to the HDR would sometimes stop processing due to a task manager issue. The code has been modified to add a fail-safe so that if the data isn't sent to the HDR as a result of a task related error, a new task will be created to send the data. Previously, manual intervention was required.

GMRA*4*41 - Pharmacy Encapsulation Changes

This patch converts GMRA routines to the new Pharmacy Encapsulation Cycle II APIs (Application Programmer Interfaces). GMRA routines no longer read data directly from Pharmacy files 50.605, 50.416, 50.6.

GMRA*4*40 - Updating ANGIOTEN-Related Allergies

In patch GMRA*4*29, existing free text entries were updated in one of three ways. The entry was either updated to a standardized term, marked as entered in error, or left as free text with the phrase (FREE TEXT) appended to the term.

A group of terms that were included in the updated matrix that had the text ANGIOTEN in common were identified as needing to be updated to ACE INHIBITORS. Of the 19 terms that fell into this group, 6 were correctly identified as needing to be updated to

ACE INHIBITORS. The other 13 terms should have been updated to either ANGIOTENSIN II INHIBITORS or should have been updated to free text if the existing term didn't provide enough information to accurately update it to a standardized term.

Prior to standardization, we were aware that there were about 50 allergies on file at all sites for the 19 "ANGIOTEN" based terms. In addition, the ACE INHIBITORS and ANGIOTENSIN II INHIBITORS are in related classes (CV800 and CV805 respectively) which will cause drug class related order checks to fire when an allergy to either class is on file and an item from either class is ordered.

This patch will find any ANGIOTEN based allergies that were updated by patch 29 and update them to the correct term if need be.

In addition, the post-install will delete and rebuild the "B" cross-reference of the PATIENT ALLERGIES file (#120.8). During installation of patch 29, a few sites reported problems with the post-install not completing. It was discovered that a "B" cross-reference existed for an entry that was no longer in the file. The "B" cross-reference will be deleted and rebuilt to ensure accuracy.

GMRA*4*38 - Add Allergy-Related Progress Note to CPRS Signature

Currently, when a new observed allergy is entered or an existing allergy is marked as entered in error a progress note is created. When these actions are taken from within CPRS GUI the note is not added to the items requiring signature. As a result, when the user is finished working with that patient the progress note is not displayed for signature as is expected.

The progress note is created outside of the context of CPRS and CPRS is therefore unaware of the fact that the progress note needs to be signed.

Beginning with CPRS v27 and the installation of this patch, CPRS will be made aware of the creation of the progress note and it will be added to the list of items to be signed when the patient record is exited or if the sign items action is taken.

Patch 38 also includes a post-install that will identify any allergy entries in the PATIENT ALLERGIES file (#120.8) that have an incorrect pointer value in the GMR ALLERGY field and convert it to a free text entry. The installer will receive an email listing any entries that were updated. The site will need to use the 'allergy clean up utility' to fix those entries.

GMRA*4*37 - Add Remote Data to Contrast Media Order Checks

Patch GMRA*4*26 introduced remote data interoperability (RDI) functionality so that remotely entered allergy data would be considered when determining if an order check should be produced.

Patch 26 only included functionality for pharmacy allergy order checking. This patch will expand the RDI functionality to include remotely entered data when determining if there is a contrast media allergy when ordering radiological procedures.

Upon entering a radiological request that uses contrast, either from within the radiology package or within CPRS, an order check will be displayed if there is contrast media allergy data on file either locally or remotely.

Patch OR*3*267 includes updates to enhance the order check display and should be installed at the same time as this patch. However, these patches can be installed independently of each other without any adverse effect.

GMRA*4*35 - Possible Problem with List by Location Unassessed

Add notation to code for option - List by Location of Undocumented

This report will show patients as not having received an assessment if the assessment was entered after the end date of the range. For this reason, it is recommended to end the range

GMRA*4*36 - Remove Ability to Delete Allergy Records

Clear Quest/Remedy/PSIs

CQ 6683 - ID BAND marked question asked multiple times. This question is now asked only one time per allergy entered.

CQ 8690 - ALLERGY TYPE (3.1) field in PATIENT ALLERGIES (120.8) file is not updated when the associated entry in the GMR ALLERGIES (120.82) file is changed. Code has been modified so that when the ALLERGY TYPE (1) field in the GMR ALLERGIES (120.82) file is updated so is the same field in the PATIENT ALLERGIES (120.8) file. In addition, the post-install routine GMRAY36 will make sure all GMR ALLERGIES (120.82) file entries are in synch.

CQ 12731 - An allergy assessment message is sent to the HDR when a user enters an up-arrow or blank return when prompted with the "does this patient have any allergies" prompt in the roll and scroll environment. The system currently creates an entry in the ADVERSE REACTION ASSESSMENT file (120.86) before the user enters their response to the question. If the user enters an up-arrow or hits return then the entry is deleted, which causes the HL7 message to be sent to the HDR. The entry will now only be created after the user answers the question.

Files Updated

120.82 - GMR ALLERGIES, updated to have a new cross-reference so changes to the ALLERGY TYPE (1) field propagate through all allergy entries. Also, the DRUG INGREDIENTS (4) multiple is modified so only primary ingredients can be chosen.

GMRA*4*34 - Update to HL7 Messages

In patch GMRA*4*23, routines were distributed to send HL7 messages containing allergy data to the Health Data Repository (HDR). This patch adds a check for HL7 control characters that are embedded in text type data elements in the HL7 message and converts these control characters to the correct HL7 Escape Sequence.

****NOTE**** You must suspend the VDEF Request Queue before installing this patch and then re-enable it after installation of the patch. The steps for doing that are outlined in the installation instructions.

GMRA*4*33 - Prevent Test Patients From Appearing on Live Report

This patch will update the Adverse Reaction Tracking reports that display the patient name and/or SSN, and reports that produce counts of reaction data so that they all exclude test patients.

GMRA*4*31 - Check for Compiled Cross-References in File 120.8

In preparation for the installation of the data standardization related patches, sites needed to check to see if file 120.8 had compiled cross-references.

Patch GMRA*4*23, which installed the necessary data dictionary updates in support of the allergies data standardization, added some new cross-references to file 120.8.

In some cases, sites may have compiled the cross-references on file 120.8. If that is the case, then the cross-references that will be added by patch GMRA*4*23 won't be executed as a result of the compilation of the existing cross-references.

In general, the only sites that will have this problem are integrated sites. In some cases, during the integration of the site's database, the cross-references for file 120.8 may have been compiled. In order to ensure that file 120.8 does not have compiled cross-references this informational patch was provided to give directions on how to identify and fix this issue if it existed on a local system.

GMRA*4*30 - Prevent Deceased Patients From Appearing on Report

This patch addresses Remedy ticket HD67463, where deceased patients are appearing on the Patient Not Asked Report [GMRA PRINT-PATIENTS NOT ASKED]. The sites use this report to identify patients who have not had an allergy/adverse reaction assessment. The sites then follow up with the patients on the list to get the allergy information.

By preventing deceased patients from appearing on this list, the sites will not be attempting to contact the family of a deceased individual for this assessment.

GMRA*4*29 - Automated Clean Up of Free Text Allergies

This patch will find all active free text allergies in the PATIENT ALLERGIES (120.8) file and will update the entry in one of three ways based on data in the conversion matrix.

GMRA*4*27 – Allergy Order Check Does Not Fire For Contrast Media

PSI-05-054 documents a patient safety issue due to allergy bulletin not being fired if the contrast media has a VA DRUG CLASS of DX109. Ticket is HD99674. This patch corrects the problem.

GMRA*4.0*26 - Remote Data Interoperability (RDI) Update

GMRA*4.0*26 provides RDI the ability to use remote allergy data when determining drug-allergy order checks.

The remote data will come from the Health Data Repository (HDR) and that data will be used to determine if an order check should be given on the local system for the drug being ordered.

ART retrieves active allergies from HDR-Hx and HDR-IMS via a CPRS API call to CDS and includes those in the drug allergy-drug order checks performed on the local system for the drug being ordered.

GMRA *4.0*25 - Blank Sign/Symptom Problem

Patient Safety Issue - PSI-05-049 identifies a problem where an allergy may be stored without the corresponding drug classes or drug ingredients. As a result, order checking may not occur as expected.

In version 25 of the GUI, a change was made to the way allergies are entered. When the list of signs/symptoms is displayed on the form the site's top ten entries are listed first and then there's a space and a dashed line and another space. It's possible for the user to accidentally select the dashed line or the space as a sign/symptom. When this happens the system fails when attempting to store the allergy data.

With this update, the allergy package will no longer attempt to store non-existent signs/symptoms.

This patch also contains a post-installation routine that will attempt to identify any allergies that may not have been saved correctly. Upon completion of the post-install, a report will be generated listing any patients and their associated allergies that need to be reviewed. In general, the best course of action is to mark the existing allergy as entered in error and then re-enter the allergy information to make sure all required data is accounted for.

GMRA *4*24 - Update HDR Trigger Code

The logic used to determine when messages should be sent to the HDR is updated in this patch. If the patient is a test patient or if a patient merge is occurring at the site, the allergy data will no longer be sent to the HDR.

GMRA *4.0*23 - HDR/DS Changes

This patch introduces the changes necessary to standardize the data stored in the allergy package. Standardized data is necessary for inclusion in the Health Data Repository (HDR).

In addition, this patch introduces two new cross-references and a new Application Programmer Interface (API) that will allow changes to existing reactant terms to propagate through existing allergy entries in the PATIENT ALLERGIES file (120.8).

The GMR ALLERGIES file (120.82) and the SIGNS/SYMPTOMS file (120.83) are being standardized. As a result of standardization, sites will no longer be allowed to add

or edit entries in either of these files. In addition, users will no longer be able to add “free text” signs /symptoms.

Data Dictionary Changes:

- Updated the reactant field to include all of the files that are searched (file 50 was missing)
- Removed the text related to free-text entries
- Changed the description for the OTHER REACTIONS field of the REACTIONS (S/S) multiple in anticipation of standardizing that file. Once standardization is completed on file 120.83 (SIGNS/SYMPTOMS), then the OTHER REACTIONS field will no longer store “user entered text.”
- Changed the help text for the REACTIONS field of the REACTIONS multiple so that it doesn’t say to contact the nursing ADP coordinator to add new signs/symptoms. It now says to contact the allergy coordinator to have the new term added (NTRT).

Mailman Changes:

- Changed email message that is sent when a user attempts to add a free-text term indicating that the NTRT (new term rapid turnaround) process should be used.

GMRA Package (* Affects GUI Functionality)

- Updated cross-reference that allows for auto-updating of existing allergies when definitions related to the allergen are changed
- Updated file structures to support DS (field for VUID)
- Updated code to allow filtering of terms for DS (active/inactive) *
- Removal of the ability to add free text reactions *
- Updated code so that new local entries can no longer be added to the GMR ALLERGIES and SIGNS/SYMPTOMS files
- Changed routine so test patient data is not sent to the HDR (5 leading zeros)
- Incorporated messaging team changes to the HL7 messaging of data to the HDR
- The post-installation routine that converts existing free-text data to standardized terms if appropriate (#120.82 clean-up)
- Prohibit selecting a reactant from #50 *

GMRA*4.0*22 - HDR Application Installation

GMRA*4.0*22 was the second patch in support of the VistA Data Extraction Framework (VDEF) effort, allowing changes to the PATIENT ALLERGIES (#120.8), ADVERSE REACTION REPORTING (#120.85) and ADVERSE REACTION ASSESSMENT (#120.86) files to be transmitted to the HDR (Health Data Repository).

This patch added the infrastructure needed to create and send the HL7 messages to the HDR.

GMRA*4*21 - Removal of Allergies as Orders

NOTE: The following functionality is available only to sites that have installed patches OR*3.0*195, OR*3.0*216, and GMRA*4.0*21. Sites that have not installed these patches will continue to receive the ART functionality that exists in CPRS GUI 24.

At sites that have installed the patches listed above, users can no longer enter allergies and adverse reactions as orders that are placed in the *ORDERS* file. Patch OR*3.0*216 exports a modified order-dialog entry—*GMRAOR ALLERGY*—in the *ORDER DIALOG* file. This entry enables CPRS to interact directly with the Adverse Reaction Tracking (ART) package (i.e., CPRS adds new allergies and adverse reactions directly into the ART package as users submit them.)

With supporting patches OR*3.0*216 and GMRA*4.0*21, CPRS GUI 25 does not display allergy information on the **Orders** tab. It displays allergy information only on the **Cover Sheet** tab. Nevertheless, users can still enter allergy information from the **Orders** tab by selecting **Allergies** in the **Write Orders** pane. (i.e., users can still go to a familiar place to enter allergies.)

In addition, users can no longer select **OTHER ALLERGY/ADVERSE REACTION** as a type of causative agent, nor can they select **OTHER REACTION** as a type of sign/symptom. Changes to the ART package have eliminated these items as choices. These changes mark a continuing effort to end free-text and unspecific entries. If type of causative agent' references the field ALLERGY TYPE, the GUI interface does not allow the user to enter this information. It is determined internally by the selection made during the Reactant lookup process.

Also, CPRS now requires users to enter information about the nature of the reaction that they are documenting (**Allergy**, **Pharmacological**, or **Unknown**).

Finally, CPRS GUI 24 introduced a dialog through which users can request that a causative agent be added to their site's *ALLERGIES* file. Users access this dialog via a warning that pops up when they attempt to enter a free-text causative agent. The warning dialog asks users to indicate—by clicking either its **YES** or **NO** button—if they want to send a causative-agent inclusion request. In CPRS GUI 24, the default button was **YES**. In CPRS GUI 25, the default button is **NO**. Furthermore, when users click the system **X** button (located in the top right-hand corner of each screen) to exit any of the screens that comprise the inclusion-request dialog, CPRS now cancels the request action.

GMRA*4*20 - Allergy Data Updates

This patch updates the free text utility that was distributed in patch GMRA*4*17 so that it can now be used to identify ingredient file based and drug class file based allergies.

GMRA*4*19 - Notifications from CPRS When Allergies are Added

This patch addressed a couple of issues related to the utility that was released in patch GMRA*4*17. In addition, the sending of bulletins related to new allergy entry, need for verification, and need for marking chart/ID bands will now be done when entering an

allergy from CPRS GUI. Due to the change that will cause bulletins to be sent, sites should review all GMRA related mail groups to be sure they are correctly populated.

This patch also changes the order in which files that contain matching reactants appear to the user. With patch GMRA*4*17, the names of the files that contained matching selections were displayed before the list of matches. Although this helps identify the file from which you're choosing, users will still often pick the first match that they see. Selections from the ingredient and drug class file, while legitimate, only supply partial information that is required for order checking to work. As a result, the ingredient and drug class files were moved to the bottom of the selection list to encourage selection from one of the drug related files or the GMR ALELARGIES file (#120.82), which will provide complete information.

Changes in the order in which files appear in the tree view and the prohibition of free text entries for CPRS GUI will be released in v24 (patch OR*3.0*190). Once v24 is installed, the entry of allergies will be consistent between the ART package and CPRS GUI.

This patch also includes a post-install that will review the VERIFIED field (#19) of the PATIENT ALLERGIES file (#120.8) for null entries. A previous patch fixed a problem with the VERIFIED field being incorrectly set to null but did not update entries affected by this problem. The post-install will compare the allergy against the site's auto-verification settings and either mark the allergy as verified or mark it as not verified. For those entries marked as not verified, the sites can use standard allergy options to verify the remaining allergy entries. Each entry that is updated by this process will have a comment indicating that the entry was auto-updated by the patch 19 post-install. In addition, a mail message will be sent to the installer when the post-install finishes to let them know how many entries were reviewed and how many were updated.

GMRA*4.0*18 - HDR/VistA Data Extraction Framework (VDEF) Updates

This patch installed the necessary "triggers" to identify when data should be sent to the HDR.

GMRA*4.0*17 - Free Text Allergy Clean Up Utility

Patch GMRA*4.0*17 provided a utility to help sites identify and fix allergy entries that have free-text reactants. With this patch, free-text entries are no longer allowed from within the Allergy Tracking package. A subsequent patch to CPRS prevents free-text entries from within CPRS as well.

Lower-case entries are also no longer allowed. Previously, lower-case entries could be added to the GMR ALLERGIES file (120.82). A post-installation routine will identify any local entries and update the entries to upper-case. Synonyms will also be checked and converted to upper-case, if required.

A new mail group, GMRA REQUEST NEW REACTANT, is added with this patch. Sites should populate this mail group with the people responsible for addressing requests to add new reactants. If users attempt to enter a reactant that is not found during the

look-up process, they are asked if they would like to send an email requesting the addition of the new reactant. The request can then be reviewed for accuracy and new local entries can be added, if appropriate. Previously, users were asked if they wanted to add the new entry and it was immediately available in the patient's record. Under the new system, the new reactant must be reviewed before it is added to the patient's record.

Overview of Adverse Reaction Tracking Functionality

The four major components of the package are:

1. Data Entry Options - Adverse Reaction Tracking has two options where a user can enter data.
 - a. Enter/Edit Patient Reaction Data - This option allows the clinical users (i.e., doctors, nurses, other clinicians and clerks) to enter data into ART.
 - b. Verify Patient Reaction Data - This option allows the verifiers designated by ART to verify the correctness of data entered by the clinical users into ART. This option does NOT perform evaluation of suspected Advanced Drug Reactions (ADR) as described in Section 5.a.(2).(d) of Directive 10-92-070.
2. Reporting options - These options report the patient causative agent data to the user via a print option. Also, this data is made available to other software applications via a data extract utility.
3. Enter/Edit Site Configurable Files - This menu allows the various site configurable files to be modified to allow ART to better meet the needs of an individual site.
4. Adverse Drug Reaction (ADR) options - These options support implementation of Directive 10-92-070. It allows for the evaluation of a suspected ADR by a qualified individual (e.g., clinical pharmacist, clinical pharmacologist) other than the attending physician, as specified in Section 5.a.(2).(d) of Directive 10-92-070. This component also generates the reports needed by the FDA.

There are four major users of the software:

1. Clinical Users - These are the doctors, nurses, other clinicians, and clerks entering the data into ART. They are required to enter data pertinent for a particular allergy/adverse reaction. If the allergy/adverse reaction was observed at the site, data pertaining to any possible legal action could be tracked. This data is then available to users of any service through the Reporting options, thus avoiding any errors in care. Two other data elements that are tracked are the date/time that the patient chart was marked and the date/time that the patient ID band was marked, indicating the patient's reaction to the particular causative agent. Automated mail bulletins are sent to the appropriate users when the date/time patient chart marked data field has not been recorded.

2. Verifiers - These are users designated by the site to verify the correctness of the data in ART. The verifiers are designated when the Information Resources Management Service (IRM) allocates the GMRA-ALLERGY VERIFY security key to a user and assigns the ART Verifier Menu. The verifiers may be clinical pharmacists, dietitians, or other clinical personnel. Automated mail bulletins are sent to the ART verifiers when an allergy/adverse reaction has been entered and signed (completed) by a user. Verification may be important in observed instances of adverse drug reactions where a Quality Assurance (QA) investigation may be conducted. In general, it is a good principle to have someone verify all of the data entered into ART.
3. Pharmacy and Therapeutics (P&T) Committee users - These users are the members of the hospital's P&T Committee and are assigned the P&T Committee Menu option. They use the information in ART to review Adverse Drug Reactions (ADRs) in the hospital, classify them as significant reactions and determine whether they are related to particular drugs, and depending on the severity of the ADRs, may report them further to the FDA. A printed copy of the form used to report to the Food and Drug Administration (FDA) can be generated by ART. Automated mail bulletins are sent to the P&T Committee users when an observed drug reaction is entered into the system.
4. Software developers - These users use the data extract utility (GMRADPT routine) to gather ART data for display within their specific VISTA application.

Implementation and Maintenance

There are several important considerations for the Application Coordinator (ADPAC) or IRM support person to consider following installation of this software. They include editing site parameters, assigning menus to users, and assigning security keys.

Site Parameters

The Enter/Edit Site Configurable Files menu [GMRA SITE FILE MENU] has six options that the site can use to customize and maintain their use of the software:

- 1 Edit Allergy File
- 2 Enter/Edit Signs/Symptoms Data
- 3 Enter/Edit Site Parameters
- 4 Sign/Symptoms List
- 5 Allergies File List
- 6 Allergies Clean Up Utility

Edit Allergy File

[GMRA ALLERGY FILE EDIT]

Enter/Edit Signs/Symptoms Data

[GMRA REACTION FILE EDIT]

The GMR ALLERGIES file (#120.82) and the SIGNS/SYMPTOMS file (#120.83) are being standardized. As a result of standardization, sites will no longer be allowed to add or edit entries in either of these files. In addition, users will no longer be able to add "free text" signs/symptoms.

Enter/Edit Site Parameters

[GMRA SITE FILE]

The Enter/Edit Site Parameters option allows site configuration for multiple divisions at the site. The software provides a generic site configuration entry called HOSPITAL. The site can customize this entry to fit its needs. These parameters are stored in the GMR Allergy Site Parameters file (#120.84).

The site can configure the following:

1. The list of the ten most common signs/symptoms the user will see.
2. The autoverification of data. Autoverification is the process by which the software automatically changes the status of the data to verified when the user who entered the data signs off (completes) on it. The site can determine which of the types of reactions are to be auto-verified and which are to follow the normal verification procedure.

Three parameters are used to auto-verify data:

- Auto-verify Food/Drug/Other
- Auto-verify Observed/Historical
- Auto-verify Logical Operator

The verification of data is important. Minimally, all drug reactions will need verification. Depending on the site, food and other allergies may also need to be verified. The users who will verify the data must have the GMRA-ALLERGY VERIFY security key.

3. Whether the originator of the data should provide comments.
4. Whether the site documents the marking of a patient's ID band or chart to indicate the presence of an allergy/adverse reaction. There are four parameters with regards to this documentation; Mark ID Band, Flag Method of

Notification, Alert ID Band/Chart Mark, and Send Chart Mark Bulletin for New Admissions.

5. FDA reporting data. The site can choose to require the user to enter FDA data at the time a reaction is entered. Also, the site may edit the reporter information that will appear on the FDA Adverse Reaction reports.
6. Whether to allow comments to be added to the reaction data that is entered in error. This allows the user to indicate why the data is incorrect.

Example:

```
Select Enter/Edit Site Configurable Files Option: 3 Enter/Edit Site Parameters
Select GMR ALLERGY SITE PARAMETERS NAME: ??
HOSPITAL

    You may enter a new GMR ALLERGY SITE PARAMETERS, if you wish
    This field is the name of this set of parameters. The name of the base
    set that is sent out is "HOSPITAL". The code will work more efficiently
    if the name of the base set of parameters is not changed from "HOSPITAL"
.

Select GMR ALLERGY SITE PARAMETERS NAME: HOSPITAL
NAME: HOSPITAL// (No editing)
Select DIVISION: SALT LAKE CITY OIFO// ?
    Answer with DIVISION
    Choose from:
    HINES ISC
    ELY
    SALT LAKE CITY OIFO

    You may enter a new DIVISION, if you wish

    Answer with INSTITUTION NAME, or STATUS, or STATION NUMBER, or
    OFFICIAL VA NAME, or CURRENT LOCATION, or CODING SYSTEM/ID PAIR, or
    NAME (CHANGED FROM), or CODING SYSTEM
    Do you want the entire INSTITUTION List? N (No)
Select DIVISION: SALT LAKE CITY OIFO// <Enter>

The following are the ten most common signs/symptoms:
1. CHILLS                6. DIARRHEA
2. ITCHING,WATERING EYES 7. HIVES
3. HYPOTENSION           8. DRY MOUTH
4. DROWSINESS            9. DRY NOSE
5. NAUSEA,VOMITING       10. RASH
Enter the number of the sign/symptom that you would like to edit: ??
ENTER THE CORRECT NUMBER (1-10) OF THE SIGN/SYMP TOM TO BE EDITED
Enter the number of the sign/symptom that you would like to edit: 6
REACTION: DIARRHEA// ??

    One of the ten most commonly selected reactions.

Choose from:
AGITATION                NATIONAL SIGN/SYMP TOM
AGRANULOCYTOSIS          NATIONAL SIGN/SYMP TOM
ALOPECIA                 NATIONAL SIGN/SYMP TOM
ANAPHYLAXIS              NATIONAL SIGN/SYMP TOM
ANEMIA                   NATIONAL SIGN/SYMP TOM
ANOREXIA                 NATIONAL SIGN/SYMP TOM
ANXIETY                  NATIONAL SIGN/SYMP TOM
APNEA                    NATIONAL SIGN/SYMP TOM
APPETITE,INCREASED       NATIONAL SIGN/SYMP TOM
ARRHYTHMIA               NATIONAL SIGN/SYMP TOM
ASTHENIA                 NATIONAL SIGN/SYMP TOM
ASTHMA                   NATIONAL SIGN/SYMP TOM
ATAXIA                   NATIONAL SIGN/SYMP TOM
ATHETOSIS                NATIONAL SIGN/SYMP TOM
BRADYCARDIA              NATIONAL SIGN/SYMP TOM
BREAST ENGORGEMENT       NATIONAL SIGN/SYMP TOM
BRONCHOSPASM             NATIONAL SIGN/SYMP TOM
```



```

CARDIAC ARREST          NATIONAL SIGN/SYMPTOM
CHEST PAIN              NATIONAL SIGN/SYMPTOM
      ^
REACTION: DIARRHEA// AGITATION          NATIONAL SIGN/SYMPTOM

The following are the ten most common signs/symptoms:
1. CHILLS                6. AGITATION
2. ITCHING, WATERING EYES 7. HIVES
3. HYPOTENSION           8. DRY MOUTH
4. DROWSINESS            9. DRY NOSE
5. NAUSEA, VOMITING      10. RASH
Enter the number of the sign/symptom that you would like to edit: <Enter>
AUTOVERIFY FOOD/DRUG/OTHER: NO AUTOVERIFY// ??
    This field determines which types of allergies a site wants autoverified
    at the user sign off.

    Choose from:
    0      NO AUTOVERIFY
    1      AUTOVERIFY DRUG ONLY
    2      AUTOVERIFY FOOD ONLY
    3      AUTOVERIFY DRUG/FOOD
    4      AUTOVERIFY OTHER ONLY
    5      AUTOVERIFY DRUG/OTHER
    6      AUTOVERIFY FOOD/OTHER
    7      AUTOVERIFY ALL
AUTOVERIFY FOOD/DRUG/OTHER: NO AUTOVERIFY// <Enter>
AUTOVERIFY OBSERVED/HISTORICAL: NO AUTOVERIFY// ??
    This field is configurable by the site to allow autoverification of
    observed or historical allergies.

    Choose from:
    0      NO AUTOVERIFY
    1      AUTOVERIFY HISTORICAL ONLY
    2      AUTOVERIFY OBSERVED ONLY
    3      AUTOVERIFY BOTH
AUTOVERIFY OBSERVED/HISTORICAL: NO AUTOVERIFY//
AUTOVERIFY LOGICAL OPERATOR: OR// ??
    This field will determine how the Autoverify Food/Drug/Other and
    Autoverify Observed/Historical parameters relate to each other. OR means
    that the reaction will be autoverified if it meets the criteria of one of
    the two parameters, while AND means the reaction will be autoverified only
    if it meets the criteria of both parameters. If this field is left null,
    the OR condition will be used.

    For example, if you want to verify only observed drug reactions, you would
    set the Autoverify Food/Drug/Other parameter to AUTOVERIFY FOOD/OTHER
    and the Autoverify Observed/Historical to AUTOVERIFY HISTORICAL ONLY
    , and the
    Autoverify Logical Operator to OR. This means that a reaction that has
    a type of Food/Other OR is Historical will be autoverified, thus leaving
    observed drug reactions to be verified.

    Another example would be if you wanted to verify all observed reactions
    and all drug reactions whether observed or historical. The parameters
    should be set accordingly: Autoverify Food/Drug/Other to AUTOVERIFY
    FOOD/OTHER, Autoverify Observed/Historical to AUTOVERIFY HISTORICAL ONLY and
    Autoverify Logical Operator to AND. In this case to be autoverified, a
    reaction has to have a type of Food/Other AND it must be Historical, all
    other reactions will need to be verified.

    Choose from:
    !      OR
    &      AND
AUTOVERIFY LOGICAL OPERATOR: OR// <Enter>
REQUIRE ORIGINATOR COMMENTS: NO// ??
    This field indicates whether the originator will be required to enter
    comments for an OBSERVED reaction.

    Choose from:
    0      NO
    1      YES
REQUIRE ORIGINATOR COMMENTS: NO// <Enter>
MARK ID BAND FLAG: YES// ??
    This field is an indicator to denote whether the site wants
    to document if the patient ID band should be marked for
    a certain allergy.
    The system will assume the site wants to document the marking of inpatient
    ID bands. If this field is answered NO, the site does not want to
    document the marking of inpatient ID bands.

```

```

Choose from:
0      NO
1      YES
MARK ID BAND FLAG: YES// <Enter>
METHOD OF NOTIFICATION: BULLETIN// ??
This field tells ART if or how the users should be notified for chart
or ID band markings. There are three methods. The first method is the
use of BULLETINS, which is the current way ART works. The
second method is the use of OE/RR Teams. If this method is used, then
you will need to set up different teams for each ward and also assign
printers to these teams. The third method is to turn off the function.

Choose from:
0      BULLETIN
1      OE/RR TEAMS
2      NO NOTIFICATION
METHOD OF NOTIFICATION: BULLETIN// <Enter>
ALERT ID BAND/CHART MARK: YES// ??
This field is to let the system know if you want to issue alerts
if the fields have not been answered in the Enter/Edit Patient Reaction
Data portion of the system. If the field is answered yes(1) or is null
then, the system will continue to issue the alerts. If this field is
no(0), then the system will not issue alerts for this record.

Choose from:
1      YES
0      NO
ALERT ID BAND/CHART MARK: YES// <Enter>
SEND CHART MARK BULLETIN FOR NEW ADMISSIONS: YES// ??
This is to indicate if the site wants to send chart mark bulletin
for a new admission.

Choose from:
1      YES
0      NO
SEND CHART MARK BULLETIN FOR NEW ADMISSIONS: YES// <Enter>
FDA DATA REQUIRED: YES// ??
This field will indicate whether the entry of FDA Data should be required
during the Enter/Edit Patient Reaction Data. If this field is answered "YES",
then the user must enter the FDA Data at the time of entering a reaction.
If this field is left null or answered "NO", then the FDA Data entry will
not be required during the Enter/Edit Patient Reaction Data option.

Choose from:
y      YES
n      NO
FDA DATA REQUIRED: YES// <Enter>
ENABLE COMMENTS FIELD FOR REACTIONS THAT ARE ENTERED IN ERROR: NO
// ??
Permit users to indicate why a reaction was Entered in Error.

Choose from:
1      YES
0      NO
ENABLE COMMENTS FIELD FOR REACTIONS THAT ARE ENTERED IN ERROR: NO
// <Enter>

REPORTER NAME:
ADDRESS:
CITY:
STATE:
ZIP:
PHONE:
OCCUPATION:
Do you want to edit Reporter Information shown above? No// <Enter> (No)

1      Edit Allergy File
2      Enter/Edit Signs/Symptoms Data
3      Enter/Edit Site Parameters
4      Sign/Symptoms List
5      Allergies File List
6      Allergy clean up utility

You have PENDING ALERTS
Enter "VA to jump to VIEW ALERTS option

Select Enter/Edit Site Configurable Files Option:

```

Reporter information will appear on FDA reports generated by the software. This information may be left blank. The user will be prompted for the reporter information when creating an FDA report.

Sign/Symptoms List

[GMRA PRINT SIGN/SYMPTOMS LIST]

The Sign/Symptoms List option prints a listing of all or selected signs/symptoms, with the national or local classification and synonym (when there is one) of each sign/symptom. This option can be a useful tool for the ADPAC to maintain the Sign/Symptoms file (#120.83).

Example:

```
Select Enter/Edit Site Configurable Files Option: 4 Sign/Symptoms List
START WITH NAME: FIRST// <ret>
DEVICE: (Enter a printer name for a hard copy or <ret> to bring the
output to your screen)
```

```
SIGN/SYMPTOMS LIST                               JUN  8,2004  09:23    PAGE 1
NAME                                             Nat'l/Local  SYNONYM
-----
AGITATION                                       National
AGRANULOCYTOSIS                               National
ALOPECIA                                       National
ANAPHYLAXIS                                   National
ANEMIA                                         National
ANOREXIA                                       National
ANXIETY                                        National      ANX
APNEA                                          National
APPETITE, INCREASED                           National
ARRHYTHMIA                                    National
ASTHENIA                                       National
ASTHMA                                        National
ATAXIA                                         National
ATHETOSIS                                     National
BRACHYCARDIA                                  National
BREAST ENGORGEMENT                            National
BRONCHOSPASM                                  National
CARDIAC ARREST                                National
CHEST PAIN                                    National
CHILLS                                        National
COMA                                           National
CONFUSION                                     National
CONGESTION, NASAL                             National
CONJUNCTIVAL CONGESTION                       National
CONSTIPATION                                  National
COUGHING                                       National
DEAFNESS                                       National
DELERIUM                                       National
DELUSION                                       National
DEPRESSION                                    National
DEPRESSION, MENTAL                            National
DEPRESSION, POSTICTAL                         National
. . .
```

Allergies File List

[GMRA PRINT ALLERGIES LIST]

This option prints a captioned list of all entries in the GMR Allergies file (#120.82). The list is sorted alphabetically by NAME. The user may list all entries by accepting the default answer "FIRST" to the "START WITH NAME" prompt or may select a subset to print. The list contains the allergy name, type, whether it is a nationally distributed entry, synonyms if any, VA Drug Class if applicable, and drug ingredients if applicable. This option is meant to be a helpful tool for maintaining the GMR Allergies file.

Example

```
Select Enter/Edit Site Configurable Files Option: 5 Allergies File List
START WITH NAME: FIRST// <ret>
DEVICE: (Enter a printer name for a hard copy or <ret> to bring the output to
your screen)

GMR ALLERGIES LIST                               JUN  8,2004  09:20    PAGE 1
-----

NAME: ADHESIVE TAPE                               ALLERGY TYPE: OTHER
  NATIONAL ALLERGY: NATIONAL ALLERGY

NAME: ALCOHOL                                     ALLERGY TYPE: DRUG, FOOD
  NATIONAL ALLERGY: NATIONAL ALLERGY
DRUG INGREDIENT: ALCOHOL

NAME: ANIMAL HAIR                                 ALLERGY TYPE: OTHER
  NATIONAL ALLERGY: NATIONAL ALLERGY

NAME: ANISE OIL                                   ALLERGY TYPE: DRUG, FOOD
  NATIONAL ALLERGY: NATIONAL ALLERGY
DRUG INGREDIENT: ANISE OIL

NAME: ANTIRABIES SERUM                           ALLERGY TYPE: DRUG, FOOD
  NATIONAL ALLERGY: NATIONAL ALLERGY
VA DRUG CLASSES: IM400
DRUG INGREDIENT: ANTIRABIES SERUM

NAME: ASCORBIC ACID                              ALLERGY TYPE: DRUG, FOOD
  NATIONAL ALLERGY: NATIONAL ALLERGY
VA DRUG CLASSES: VT400
DRUG INGREDIENT: ASCORBIC ACID

NAME: ASPARTAME                                  ALLERGY TYPE: DRUG, FOOD
  NATIONAL ALLERGY: NATIONAL ALLERGY
SYNONYM: NUTRA SWEET
DRUG INGREDIENT: ASPARTAME

NAME: ASPIRIN                                    ALLERGY TYPE: DRUG, FOOD
  NATIONAL ALLERGY: NATIONAL ALLERGY
VA DRUG CLASSES: MS101
DRUG INGREDIENT: ASPIRIN
...
```

Allergy Clean-up Utility

This utility will identify either free text reactants, ingredient-based reactants or drug class based reactants. The user will then be allowed to either update the reactant to a more appropriate choice or they can mark it as entered in error.

```
Select Enter/Edit Site Configurable Files <TEST ACCOUNT> Option: 6 Allergy
clean up utility

      Select one of the following:

          1      Free Text
          2      Ingredient
          3      Drug Class

Select the list you wish to work with:
```

Free Text Allergy Clean Up Utility

Patch GMRA*4.0*17 provided a utility to help sites identify and fix allergy entries that have free-text reactants.

With this patch, free-text entries are no longer allowed from within the Allergy Tracking package. A subsequent patch to CPRS prevents free-text entries from within CPRS as well.

Lower-case entries are also no longer allowed. Previously, lower-case entries could be added to the GMR ALLERGIES file (#120.82). A post-installation routine will identify any local entries and update the entries to upper-case. Synonyms will also be checked and converted to upper-case, if required.

A new mail group, GMRA REQUEST NEW REACTANT, is added with this patch. Sites should populate this mail group with the people responsible for addressing requests to add new reactants. If users attempt to enter a reactant that is not found during the look-up process, they are asked if they would like to send an email requesting the addition of the new reactant. The request can then be reviewed for accuracy and new local entries can be added, if appropriate. Previously, users were asked if they wanted to add the new entry and it was immediately available in the patient's record. Under the new system, the new reactant must be reviewed before it is added to the patient's record.

When you start the utility, a list of currently existing free-text entries is displayed in alphabetical order. This list may take a few minutes to generate, as all existing entries need to be evaluated to determine which ones are "free text." The list shows the name of the reactant and the number of entries for that reactant. In most cases, they will be unique, but there will be some that have many entries (such as an entry for NO KNOWN ALLERGIES).

When entering the utility, any users who are currently working in the utility will be listed. If users are listed as working with the utility, you will not be allowed to update the list. You can only update the list when nobody else is working in the utility.

Once the list is displayed, you can do three things:

1. Mark the entry as entered in error
2. Update it so that it points to an existing reactant (hopefully, the one that it should have been pointed to originally).
3. Add new reactants to the GMR ALLERGIES file (120.82) as local entries, if they are not found in any existing files.

```
Select OPTION NAME:  GMRA SITE FILE MENU      Enter/Edit Site Configurable Files
menu
```

- 1 Edit Allergy File
- 2 Enter/Edit Signs/Symptoms Data
- 3 Enter/Edit Site Parameters
- 4 Sign/Symptoms List
- 5 Allergies File List
- 6 Free text allergy clean up utility

```
You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option
```

```
Select Enter/Edit Site Configurable Files Option: 6
Free text allergy clean up utility
```

NOTE: When you start the utility, you may see 3 different things: 1) If the list has never been built, you'll see the message below (building list...), 2) If the list has been previously built and nobody is using the utility, you'll see a message indicating the last time the list was built and you will be asked if you'd like to rebuild the list, 3) If the list is currently being built, you'll get a message indicating that you must wait. Most times a user will see the message in number 2.

```
Building list of free text allergies...this may take a few minutes
```

```
Allergy Tracking Update      Oct 27, 2003@08:17:58      Page: 1 of 1
```

```
Allergy Tracking Free Text Entries
```

	Reactant	# Active Entries
1	CEFAZOLIN SOD 1GM INJ	1
2	Diabetes Mellitus Type II	1
4	Penicillin	1
5	WATERMELON	3

Select one or more entries

```
AE Add/Edit Allergy File  EE Mark entered in error
DD Detailed Display      UR Update to new reactant
Select Item(s): Quit// ??
```

Use AE to add local allergies to the GMR ALLERGY file. This should only be done if you're sure no existing reactant matches your needs.

Use EE to mark all entries within the selected group as entered in error. You may select multiple groups if you like.

Use DD to get a detailed display. It's highly recommended that you use the detailed display menu to make all changes.

Use UR to update the reactant. Extreme caution should be used when doing mass updates. It would be better to do the updates from within the detailed display menu.

Press enter to continue:

Detailed Display

The detailed display window shows the patient name and the list of currently active allergies, separated by a tilde (~). This way, you can quickly look and see if the patient already has an active allergy that is the same as the free-text entry. In this case, you would mark it as entered in error.

The “free text detailed display” action lets you see a Fileman inquiry-style listing of the free text entry for selected patient(s). You'll now be able to see the comments, reactions, and other associated information for the free text entry that you're fixing.

When doing a group update or selecting multiple patients for updating from the detailed display listing, the reactant you select for the first patient in the list will become the default for the remaining patients. The exception to that would be if you decide to not accept the default while updating one of the patients. In that case, the last chosen reactant will become the default for the next patient. The default only holds while working with a particular group. Once you select a new reactant group or a new group of patients, you must re-select the reactant. This should cut down on the amount of time needed in selecting the reactant for each patient.

1. Select the Free text allergy clean up utility [GMRA FREE TEXT UTILITY] from the GMRA SITE FILE MENU.
2. Select the number of a reactant first, and then select DD to see details about the reactant. (Alternatively, you can select the action, DD, and then select the number of the reactant.)

NOTE: For detailed display, you can only select one group at a time.

```
GMRA SITE FILE MENU      Enter/Edit Site Configurable Files menu

 1      Edit Allergy File
 2      Enter/Edit Signs/Symptoms Data
 3      Enter/Edit Site Parameters
 4      Sign/Symptoms List
 5      Allergies File List
 6      Free text allergy clean up utility

You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option

Select Enter/Edit Site Configurable Files Option: 6 Free text allergy clean up
utility

Building list of free text allergies...this may take a few minutes

Allergy Tracking Update      Oct 24, 2003@15:09:28      Page: 1 of 1
Allergy Tracking Free Text Entries
      Reactant      # Active Entries
-----
1      COCA COLA SYRUP 8OZ      1
2      Diabetes Mellitus Type II      1
3      NO ALLERGIES      1
4      NO KNOWN ALLERGIES      1
```


5	Penicillin	1
6	PIZZA	1
7	POLLEN ANTIGEN MIX	1
+ Select one or more entries		
AE	Add/Edit Allergy File	EE Mark entered in error
DD	Detailed Display	UR Update to new reactant
Select Item(s): Next Screen// 3		

Allergy Tracking Update	Oct 24, 2003@15:09:28	Page: 1 of 1
Allergy Tracking Free Text Entries		
	<u>Reactant</u>	<u># Active Entries</u>
1	COCA COLA SYRUP 8OZ	1
2	Diabetes Mellitus Type II	1
3	NO ALLERGIES	1
4	NO KNOWN ALLERGIES	1
5	Penicillin	1
6	PIZZA	1
7	POLLEN ANTIGEN MIX	1
+ Select one or more entries		
AE	Add/Edit Allergy File	EE Mark entered in error
DD	Detailed Display	UR Update to new reactant
Select Item(s): Next Screen// DD Detailed Display		

Reactant Detailed Display	Oct 24, 2003@15:09:28	Page: 1 of 1
Patient listing for reactant CEFZOLIN SOD 1GM INJ		
	<u>Patient Name</u>	<u>Last 4</u>
1	BABBIT,VERONA	8831
Allergies: PENICILLIN VK ORAL SOLUTION~AMIKACIN~PEANUT OIL~CORTISONE~NUTS~DUST~ STRAWBERRIES~CHICKEN~CHOCOLATE~PHENOL~HAYFEBROL SF~ASA~BILE SALTS~ BILBERRY EXTRACT~POLLEN~POLLEN ALLERGENIC EXTRACT~ ANTIHEMOPHILIC FACTOR,HUMAN~CEFZOLIN SOD 1GM INJ~SHELL FISH~ RANITIDINE		
Select a patient		
EE	Entered in Error	PR Add/Edit Patient Reaction
UR	Update to new reactant	DD Free Text Detailed Display
AE	Add/Edit Allergy File	
Select Item(s): Quit// DD Free Text Detailed Display		
Select Entries from list: 1		
PATIENT: BABBIT,VERONA REACTANT: CEFZOLIN SOD 1GM INJ		
GMR ALLERGY: OTHER ALLERGY/ADVERSE REACTION		
ORINATION DATE/TIME: OCT 02, 2003@14:02		
ORIGINATOR: NABER,DAVID A OBSERVED/HISTORICAL: HISTORICAL		
ORIGINATOR SIGN OFF: YES NATURE OF REACTION: UNKNOWN		
VERIFIED: NO ALLERGY TYPE: DRUG		
Press return to continue or '^' to stop: <Enter>		

Mark Entered in Error

You can mark an entire group as entered in error from this opening screen. Upon marking the reaction as entered in error, a check is made to see if there are still active reactions for the patient. If there are not any, then you are prompted to enter an updated assessment for the patient.

1. Select the Free text allergy clean up utility [GMRA FREE TEXT UTILITY] from the GMRA SITE FILE MENU.
2. Select the number of the reactant(s) you wish to mark as entered in error.
(Alternatively, you can select the action, Mark Entered in Error, and then select the number of the reactant(s).)

```
Select Enter/Edit Site Configurable Files Option: 6 Free text allergy clean up utility
```

```
Building list of free text allergies...this may take a few minutes
```

```
Allergy Tracking Update Sep 19, 2003@11:18:04 Page: 1 of 4
```

```
Allergy Tracking Free Text Entries
```

	Reactant	# Active Entries
1	COCA COLA SYRUP 8OZ	1
2	COLD AIR	1
3	Diabetes Mellitus Type II	1
4	DOG HAIR	1
5	DONUTS	1
6	DOUGH	1
7	DR P'S SNAKE OIL ELIXIR	1
8	DRUGS	1
9	EIEIO	1
10	ENCAINIDE 25MG	1

Select one or more entries

```
AE Add/Edit Allergy File EE Mark entered in error
DD Detailed Display UR Update to new reactant
Select Item(s): Quit// 5
```

3. Type EE for Mark entered in error, and then answer Yes to confirm that you want to mark ALL allergies as entered in error.

```
Select Item(s): Next Screen// EE Mark entered in error

You are about to mark ALL allergies with the selected reactant
as entered in error.

ARE YOU SURE? NO// Yes
```

Update to New Reactant

You may select and update groups of entries from the opening menu; however, it is recommended that you use the detailed display option to review entries in a group before doing a mass update. **Changes cannot be undone!** When the entry is updated, a comment is stored in the PATIENT ALLERGY file indicating who made the change, date/time of change, and a comment that indicates what the previous value was and what the new value is. In addition, the new reactant is compared against current orders and order checking information is returned, if appropriate. When a new reactant is selected, checks are made for duplicate entries and previously entered-in-error information.

NOTE: Due to the way the order checking software works, you may get “false positives.” In other words, if the patient currently has an allergy order check for some other order not related to this new reactant, you may still see the order check.

Finally, the drug ingredient/drug class information is updated, if appropriate.

1. Select the Free text allergy clean up utility [GMRA FREE TEXT UTILITY] from the GMRA SITE FILE MENU.
2. Select a reactant number and then select the action DD.

```
Select Enter/Edit Site Configurable Files Option: 6 Free text allergy clean up
utility

Building list of free text allergies...this may take a few minutes

Allergy Tracking Update Oct 27, 2003@08:35:56 Page: 1 of 1
Allergy Tracking Free Text Entries
```

	Reactant	# Active Entries
1	CEFAZOLIN SOD 1GM INJ	1
2	Diabetes Mellitus Type II	1
3	NO ALLERGIES	1
4	NO KNOWN ALLERGIES	1
5	Penicillin	1
6	WATERMELON	3

```

Select one or more entries
AE Add/Edit Allergy File EE Mark entered in error
DD Detailed Display UR Update to new reactant
Select Item(s): Quit// 6
```

Allergy Tracking Update Oct 27, 2003@08:36:38 Page: 1 of 1

Allergy Tracking Free Text Entries

Reactant	# Active Entries
1 CEFAZOLIN SOD 1GM INJ	1
2 Diabetes Mellitus Type II	1
3 NO ALLERGIES	1
4 NO KNOWN ALLERGIES	1
5 Penicillin	1
6 WATERMELON	3

+ Select one or more entries

AE Add/Edit Allergy File EE Mark entered in error
 DD Detailed Display UR Update to new reactant
 Select Item(s): Quit// **dd** Detailed Display

Reactant Detailed Display Oct 27, 2003@08:25:50 Page: 1 of 1

Patient listing for reactant WATERMELON

Patient Name	Last 4
1 BENOIT,JEAN	8847
Allergies: WATERMELON	
2 ARMSTRONG,BJ	8989
Allergies: WATERMELON	
3 BAXTER,NATHAN	8840
Allergies: ASPIRIN~WATERMELON	

+ Select one or more entries

EE Entered in Error PR Add/Edit Patient Reaction
 UR Update to new reactant DD Free Text Detailed Display
 AE Add/Edit Allergy File
 Select Item(s): Quit// **1**

3. Select an item # in the Detailed Display, then select UR for Update to New Reactant.

Reactant Detailed Display Oct 27, 2003@08:40:29 Page: 1 of 1

Patient listing for reactant WATERMELON

Patient Name	Last 4
1 BENOIT,JEAN	8847
Allergies: WATERMELON	
2 ARMSTRONG,BJ	8989
Allergies: WATERMELON	
3 BAXTER,NATHAN	8840
Allergies: ASPIRIN~WATERMELON	

Select a patient >>>

EE Entered in Error PR Add/Edit Patient Reaction
 UR Update to new reactant DD Free Text Detailed Display
 AE Add/Edit Allergy File
 Select Item(s): Quit// **ur** Update to new reactant

You are about to update the selected patient's
 WATERMELON allergy to a new reactant.

ARE YOU SURE? NO// **YES**
 For patient BENOIT,JEAN

Enter Causative Agent: **ONION**

Checking GMR ALLERGIES (#120.82) file for matches...
 Now checking INGREDIENT (#50.416) file for matches...

EXTRACT

...OK? Yes//<ENTER> (Yes)

You selected ONION EXTRACT

Is this correct? Y// <ENTER> ES

Performing order checking...No problems found

Press enter to continue: <ENTER>

Reactant Detailed Display Oct 27, 2003@08:44:13 Page: 1 of 1

Patient listing for reactant WATERMELON

	Patient Name	Last 4
1	ARMSTRONG,BJ	8989

Allergies: WATERMELON

2	BAXTER,NATHAN	8840
---	---------------	------

Allergies: ASPIRIN~WATERMELON

Select a patient

>>>

EE Entered in Error

PR Add/Edit Patient Reaction

UR Update to new reactant

DD Free Text Detailed Display

AE Add/Edit Allergy File

Select Item(s): Quit//

Add/Edit Patient Reaction

This action allows you to add/edit patient reactions. This allows reviewers using the utility to add a new reaction if you receive a free-text reaction such as MORPHINE, PENICILLIN. When you correct this type of entry, you can only make it be one or the other.

Reactant	Detailed Display	Sep 19, 2003@13:05:28	Page:	1 of	1																																													
Patient listing for reactant DIABETES MELLITUS TYPE II																																																		
Patient Name			Last 4																																															
1	DOE,WILLIAM C	6572																																																
Allergies: AMOXICILLIN~ASPIRIN~MILK~ERYTHROMYCIN~CHROMA-PAK INJECTION~ Diabetes Mellitus Type II~PENICILLINS																																																		
Select a patient																																																		
EE	Entered in Error		PR	Add/Edit Patient Reaction																																														
UR	Update to new reactant		DD	Free Text Detailed Display																																														
AE	Add/Edit Allergy File																																																	
Select Item(s): Quit// PR Add/Edit Patient Reaction																																																		
<p>You should use this option to add NEW reactions only. If you mark existing free text entries as entered in error from within this option it will not update the utility's display until the list is rebuilt upon re-entry of this option. This could cause confusion as the list will no longer be accurate.</p> <p>Press enter to continue: <Enter></p>																																																		
Select PATIENT NAME: ABC,PATIENT 2-22-42 222324321 YES ACTIVE DUTY Enrollment Priority: Category: IN PROCESS End Date:																																																		
<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;">REACTANT</th> <th style="text-align: left;">VER.</th> <th style="text-align: left;">MECH.</th> <th style="text-align: left;">OBS/ HIST</th> <th style="text-align: left;">TYPE</th> </tr> <tr> <th>-----</th> <th>----</th> <th>-----</th> <th>----</th> <th>----</th> </tr> </thead> <tbody> <tr> <td>ALUMINUM ACETATE Reactions: CHILLS</td> <td>AUTO</td> <td>UNKNOWN</td> <td>HIST</td> <td>DRUG</td> </tr> <tr> <td>AMOXICILLIN</td> <td>NO</td> <td>UNKNOWN</td> <td>HIST</td> <td>DRUG</td> </tr> <tr> <td>AMPICILLIN</td> <td>NO</td> <td>UNKNOWN</td> <td>HIST</td> <td>DRUG</td> </tr> <tr> <td>CARAMEL Reactions: HIVES, ITCHING,WATERING EYES</td> <td>YES</td> <td>ALLERGY</td> <td>HIST</td> <td>DRUG</td> </tr> <tr> <td>CN900 (AMITRIPTYLINE, PERPHENAZINE) Reactions: ITCHING,WATERING EYES, ANXIETY, DRY MOUTH</td> <td>YES</td> <td>ALLERGY</td> <td>HIST</td> <td>DRUG</td> </tr> <tr> <td>HAYFEBROL SF (CALCIUM PHOSPHATE, CELLULOSE, CHLORPHENIRAMINE, MAGNESIUM STEARATE, POVIDONE, PSEUDOEPHEDRINE, SODIUM STARCH GLYCOLATE) Reactions: ITCHING,WATERING EYES</td> <td>NO</td> <td>UNKNOWN</td> <td>HIST</td> <td>DRUG</td> </tr> <tr> <td>LOMEFLOXACIN Reactions: ITCHING,WATERING EYES</td> <td>YES</td> <td>UNKNOWN</td> <td>OBS</td> <td>DRUG</td> </tr> </tbody> </table>						REACTANT	VER.	MECH.	OBS/ HIST	TYPE	-----	----	-----	----	----	ALUMINUM ACETATE Reactions: CHILLS	AUTO	UNKNOWN	HIST	DRUG	AMOXICILLIN	NO	UNKNOWN	HIST	DRUG	AMPICILLIN	NO	UNKNOWN	HIST	DRUG	CARAMEL Reactions: HIVES, ITCHING,WATERING EYES	YES	ALLERGY	HIST	DRUG	CN900 (AMITRIPTYLINE, PERPHENAZINE) Reactions: ITCHING,WATERING EYES, ANXIETY, DRY MOUTH	YES	ALLERGY	HIST	DRUG	HAYFEBROL SF (CALCIUM PHOSPHATE, CELLULOSE, CHLORPHENIRAMINE, MAGNESIUM STEARATE, POVIDONE, PSEUDOEPHEDRINE, SODIUM STARCH GLYCOLATE) Reactions: ITCHING,WATERING EYES	NO	UNKNOWN	HIST	DRUG	LOMEFLOXACIN Reactions: ITCHING,WATERING EYES	YES	UNKNOWN	OBS	DRUG
REACTANT	VER.	MECH.	OBS/ HIST	TYPE																																														
-----	----	-----	----	----																																														
ALUMINUM ACETATE Reactions: CHILLS	AUTO	UNKNOWN	HIST	DRUG																																														
AMOXICILLIN	NO	UNKNOWN	HIST	DRUG																																														
AMPICILLIN	NO	UNKNOWN	HIST	DRUG																																														
CARAMEL Reactions: HIVES, ITCHING,WATERING EYES	YES	ALLERGY	HIST	DRUG																																														
CN900 (AMITRIPTYLINE, PERPHENAZINE) Reactions: ITCHING,WATERING EYES, ANXIETY, DRY MOUTH	YES	ALLERGY	HIST	DRUG																																														
HAYFEBROL SF (CALCIUM PHOSPHATE, CELLULOSE, CHLORPHENIRAMINE, MAGNESIUM STEARATE, POVIDONE, PSEUDOEPHEDRINE, SODIUM STARCH GLYCOLATE) Reactions: ITCHING,WATERING EYES	NO	UNKNOWN	HIST	DRUG																																														
LOMEFLOXACIN Reactions: ITCHING,WATERING EYES	YES	UNKNOWN	OBS	DRUG																																														

PENICILLINS	NO	UNKNOWN	HIST	DRUG
Press RETURN to continue or '^' to stop listing:				
REACTANT	VER.	MECH.	OBS/ HIST	TYPE
-----	----	-----	----	----
PENTAMIDINE	YES	ALLERGY	HIST	DRUG
PENTAZOCINE	YES	ALLERGY	HIST	DRUG
RANITIDINE	AUTO	UNKNOWN	OBS	DRUG
(CITRIC ACID, SODIUM CHLORIDE, SODIUM PHOSPHATE)				
Reactions: CHILLS				
TAPE	NO	UNKNOWN	HIST	DRUG
TAVIST	NO	UNKNOWN	HIST	DRUG
(CLEMASTINE)				
TAVIST	NO	UNKNOWN	HIST	DRUG
(CLEMASTINE)				
CHOCOLATE	YES	UNKNOWN	HIST	DRUG
(CHOCOLATE FLAVORING)				
FISH	NO	UNKNOWN		DRUG
(FISH LIVER OIL)				
FLUPHENAZINE DECANOATE	NO	UNKNOWN	HIST	DRUG
FOOD				
PEANUT OIL	NO	UNKNOWN	OBS	DRUG
Reactions: ITCHING,WATERING EYES, ANXIETY				
FOOD				
Press RETURN to continue or '^' to stop listing:				
REACTANT	VER.	MECH.	OBS/ HIST	TYPE
-----	----	-----	----	----
NUTS	YES	ALLERGY	HIST	FOOD
Reactions: HIVES				
STRAWBERRIES	YES	UNKNOWN	HIST	FOOD
DUST	YES	UNKNOWN	HIST	OTHER
Enter Causative Agent:				

Add/Edit Allergy File

The final thing that you can do with the utility is to add a new local allergy, if no good choices exist. This is the last resort and should only be used if no other possibility exists. However, due to regional variances, etc., there might be a need to add a local allergy. Once entered, this allergy will then be available for assignment to currently existing free-text entries

1. Select the Free text allergy clean up utility, to start the ART Clean-up Utility.
2. Select AE, Add/Edit Allergy File.

```
Select Enter/Edit Site Configurable Files Option: 6 Free text allergy clean up
utility

Building list of free text allergies...this may take a few minutes

Allergy Tracking Update Sep 19, 2003@13:05:28 Page: 1 of 4
Allergy Tracking Free Text Entries
  Reactant                                     # Active Entries
  -----
1 COCA COLA SYRUP 8OZ                          1
2 COLD AIR                                       1
3 Diabetes Mellitus Type II                    1
4 DOG HAIR                                       1
5 DONUTS                                         1
6 DOUGH                                          1
7 DR P'S SNAKE OIL ELIXIR                      1
8 DRUGS                                         1
9 EIEIO                                         1
10 ENCAINIDE 25MG                              1

+ Enter ?? for more actions
AE Add/Edit Allergy File EE Mark entered in error
DD Detailed Display UR Update to new reactant
Select Item(s): Next Screen// AE Add/Edit Allergy File

Select a LOCAL ALLERGY/ADVERSE REACTION: DANDER
Are you adding 'DANDER' as a new GMR ALLERGIES (the 112TH)? No// Y (Yes)
GMR ALLERGIES ALLERGY TYPE: ?
Answer with type(s) of this reaction. E.g., FOOD or DRUG, FOOD or F or
DF.
GMR ALLERGIES ALLERGY TYPE: ???
This field contains the type(s) for this allergy/adverse reaction . The
user can enter the type(s) separated by commas, or the following codes:
D=Drug, F=Food, O=Other. If codes are used, do not use commas to
separate multiple codes. Examples of valid entries are: DRUG or DRUG,
FOOD or D or DF or OTHER.

GMR ALLERGIES ALLERGY TYPE: O
NAME: DANDER// <Enter>
Select SYNONYM:
  1 Drug
  2 Food
  3 Other
Select Classification(s) of Causative Agent: 3// <Enter>
Select DRUG INGREDIENT: ??

You may enter a new DRUG INGREDIENTS, if you wish
```


This is one of the drug ingredients that make up this causative agent.

Choose from:

1,1,1 TRICHLOROETHANE
2-AMINO-2-METHYL-1-PROPANOL
2-PHENYLBENZIMIDAZOLE-5-SULFONIC ACID
4-DILAURATE
ABACAVIR SULFATE
ABCIXIMAB
ABSORPTION BASE
ACACIA
ACACIA POWDER
ACARBOSE
ACEBUTOLOL
ACEBUTOLOL HYDROCHLORIDE
ACEMANNAN
ACETAMIDE MEA
ACETAMINOPHEN
ACETANILIDE
ACETATE
ACETAZOLAMIDE
ACETAZOLAMIDE SODIUM
^

Select DRUG INGREDIENT: **<Enter>**

Select VA DRUG CLASSES: ?

You may enter a new VA DRUG CLASSES, if you wish

Answer with VA DRUG CLASS CODE, or CLASSIFICATION

Do you want the entire 573-Entry VA DRUG CLASS List? **N** (No)

Select VA DRUG CLASSES: **<Enter>**

Assessment Clean Up Utility

The first time GMRA ASSESSMENT UTILITY is accessed, a search will process through the ADVERSE REACTION ASSESSMENT file (#120.86) and the PATIENT ALLERGIES file (#120.8), looking for any possible discrepancies. Here is an example of running the utility the first time after installation:

```
Select OPTION NAME: GMRA ASSESSMENT UTILITY           Assessment clean up utility
Assessment clean up utility

I will create a task to build the list of assessments that need review and send
you an email when the list is built.

Shall I notify anyone else when the list is built? NO//
Do you want to include deceased patients in the list? NO//

Enter the date and time below when the assessment list builder should start.

Requested Start Time: NOW// (APR 27, 2016@16:53:53)

Successfully queued the assessment list builder; task #1645492.
```

When the search is completed, the person who started the task, as well as any additional recipients will receive a MailMan message entitled GMRA ASSESSMENT FIX LIST BUILD STATUS.

At this time, the user can go back into the GMRA ASSESSMENT UTILITY option and see a list of patients (if any) who have discrepancies that need to be reviewed and corrected.

NOTE: After the initial search is completed, accessing the option again will show the original list of patients and the status of the discrepancy for each patient.

NOTE: Installation of this patch does not by itself prevent the undefined error from occurring. Sites must use the tool to correct any problems that it identifies in order to prevent the error from occurring.

NOTE: Once the allergies are displayed for the selected patient, the user should review the list for accuracy and mark any that need to be as entered in error. The review should be done **BEFORE** modifying the assessment.

Example

```
Select Systems Manager Menu <TEST ACCOUNT> Option: ART Adverse Reaction
Tracking
 1 Enter/Edit Site Configurable Files ...
 2 Adverse Reaction Tracking User Menu ...
 3 Adverse Reaction Tracking Clinician Menu ...
 4 Adverse Reaction Tracking Verifier Menu ...
```

5 P&T Committee Menu ...

Select Adverse Reaction Tracking <TEST ACCOUNT> Option: 1 Enter/Edit Site Configurable Files

- 1 Edit Allergy File
- 2 Enter/Edit Signs/Symptoms Data
- 3 Enter/Edit Site Parameters
- 4 Sign/Symptoms List
- 5 Allergies File List
- 6 Allergy clean up utility
- 7 Assessment clean up utility

Select Enter/Edit Site Configurable Files <TEST ACCOUNT> Option: 7 Assessment clean up utility

Assessment Corrector Apr 11, 2013@11:33:33 Page: 1 of 1

Allergy Tracking Assessment Corrector

Line	Patient Name	Assessment	# of Allergies	Status
1.	FIFTYONE, INPATIENT	No	2	
2.	FIFTYTWO, INPATIENT	Yes	0	
3.	FIFTYFIVE, INPATIENT	No Assess.	3	

Enter ?? for more actions

SP Select Patient
 Select Action: Quit// **SP** Select Patient
 Enter a number (1-3): 1

Patient Detailed Display Apr 11, 2013@11:33:45 Page: 1 of 1

Patient: FIFTYONE, INPATIENT (0851)
 Inpatient
 Assessment: No known reactions

Line	Reactant	Entered in Error
1.	DUST	NO
2.	QUINOLONES	NO

Enter ?? for more actions

MA Modify Assessment EE Change all to 'Entered in Error'
 RR Review Reaction
 Select Action: Quit// **RR** Review Reaction

Enter a number (1-2): 1

NUMBER: 968 PATIENT: FIFTYONE, INPATIENT
 REACTANT: DUST GMR ALLERGY: DUST
 ORIGINATION DATE/TIME: APR 11, 2013@07:37
 ORIGINATOR: PROVIDER, ONE OBSERVED/HISTORICAL: HISTORICAL
 ORIGINATOR SIGN OFF: YES MECHANISM: ALLERGY
 VERIFIED: YES
 VERIFICATION DATE/TIME: APR 11, 2013@07:39:43
 ALLERGY TYPE: OTHER
 REACTION: ITCHING, WATERING EYES ENTERED BY: PROVIDER, ONE
 DATE ENTERED: APR 1990
 REACTION: SNEEZING ENTERED BY: PROVIDER, ONE
 DATE ENTERED: APR 1990

DATE/TIME: APR 11, 2013@07:39:43 USER ENTERING: PROVIDER,ONE
 Would you like to mark this allergy as 'Entered in Error'? NO// **YES**

Patient Detailed Display Apr 11, 2013@11:34:48 Page: 1 of 1
 Patient: FIFTYONE,INPATIENT (0851)
 Inpatient
 Assessment: No known reactions

Line	Reactant	Entered in Error
1.	DUST	YES
2.	QUINOLONES	NO

Enter ?? for more actions

MA Modify Assessment EE Change all to 'Entered in Error'
 RR Review Reaction
 Select Action: Quit// **MA** Modify Assessment
 Does this patient have any known allergies or adverse reactions? : No// **Yes**

Patient Detailed Display Apr 11, 2013@11:35:52 Page: 1 of 1
 Patient: FIFTYONE,INPATIENT (0851)
 Inpatient
 Assessment: Has known reactions

Line	Reactant	Entered in Error
1.	DUST	YES
2.	QUINOLONES	NO

Enter ?? for more actions

MA Modify Assessment EE Change all to 'Entered in Error'
 RR Review Reaction
 Select Action: Quit// **<Enter>**

Assessment Corrector Apr 11, 2013@11:36:32 Page: 1 of 1
 Allergy Tracking Assessment Corrector

Line	Patient Name	Assessment	# of Allergies	Status
1.	FIFTYONE,INPATIENT	Yes	1	**FIXED**
2.	FIFTYTWO,INPATIENT	Yes	0	
3.	FIFTYFIVE,INPATIENT	No Assess.	3	

Enter ?? for more actions

SP Select Patient
 Select Action: Quit// **SP** Select Patient
 Enter a number (1-3): **3**

Patient Detailed Display Apr 11, 2013@11:37:12 Page: 1 of 1
 Patient: FIFTYFIVE,INPATIENT (0855)
 Inpatient
 Assessment: None on file

Line	Reactant	Entered in Error
1.	CONTRAST MEDIA	NO
2.	STRAWBERRIES	NO

3.	POLLEN	NO
Enter ?? for more actions		
MA	Modify Assessment	EE Change all to 'Entered in Error'
RR	Review Reaction	
Select Action: Quit// EE Change all to 'Entered in Error'		

You are about to mark all of this patient's allergies as 'Entered in Error'.
Do you want to continue? NO// YES

Marking CONTRAST MEDIA as 'Entered in Error'...

Marking STRAWBERRIES as 'Entered in Error'...

Marking POLLEN as 'Entered in Error'...

****NOTE:** By marking this reaction as entered in error, FIFTYFIVE,INPATIENT no longer has an assessment on file. You may reassess this patient now by answering the following prompt or hit return to do it later.

Does this patient have any known allergies or adverse reactions? : NO

Patient Detailed Display	Apr 11, 2013@11:38:29	Page:	1 of	1
Patient: FIFTYFIVE,INPATIENT (0855)				
Inpatient				
Assessment: No known reactions				
Line	Reactant	<u>Entered in Error</u>		
1.	CONTRAST MEDIA	YES		
2.	STRAWBERRIES	YES		
3.	POLLEN	YES		

Enter ?? for more actions		
MA	Modify Assessment	EE Change all to 'Entered in Error'
RR	Review Reaction	
Select Action: Quit// <Enter>		

Assessment Corrector	Apr 11, 2013@11:40:21	Page:	1 of	1
Allergy Tracking Assessment Corrector				
Line	Patient Name	Assessment	# of Allergies	Status
1.	FIFTYONE,INPATIENT	Yes	1	**FIXED**
2.	FIFTYTWO,INPATIENT	Yes	0	
3.	FIFTYFIVE,INPATIENT	No	0	**FIXED**

Enter ?? for more actions		
SP	Select Patient	
Select Action: Quit//		

Signing off on Allergies

Before patch 17, the allergy tracking package allowed users to leave entries in a “not signed off” state. Although not complete, the allergy became part of the patient’s record, even though the user was told that it would not be. Depending on how the entry was made, an alert might not be sent indicating that the entry needed to be signed off. Ultimately, an unfinished entry might never be finished, but still appear in the patient’s record.

A change has been made so that no new entry can be left in a “not signed off” state. Upon entering a new allergy, if the user enters an “^” at any point during the data gathering process, the entry will be deleted. Upon completing the new entry, the user will be asked if the entry is okay. If the user enters no, then they’ll be given the opportunity to edit or delete the entry. The entry must then be deleted or accepted before exiting this process. As a result, no new entries will be allowed to be in an unsigned state.

NOTE: Sites should run the “Patient Allergies Not Signed Off” option to identify all existing entries that have not yet been completed. Each entry should be reviewed and marked as entered-in-error or completed by entering the required information. Once these entries are cleaned up, then no unsigned entries should appear in the patient’s chart. You are not required to update these entries as data may not be available but you should review them and take action if possible. The post-installation routine will also list any allergies that are observed, have been signed off, but are missing either an observed date or a sign/symptom. These entries should also be reviewed and updated if possible.

```
GMRA CLINICIAN MENU      Adverse Reaction Tracking Clinician Menu

  1      Enter/Edit Patient Reaction Data
  2      FDA Enter/Edit Menu ...
  3      Reports Menu ...
  4      Edit Chart and ID Band
  5      Online Reference Card

You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option

Select Adverse Reaction Tracking Clinician Menu Option: 3  Reports Menu

  1      Active Listing of Patient Reactions
  2      Print Patient Reaction Data
  3      Print an FDA Report for a Patient
  4      List by Location of Unmarked ID Bands/Charts
  5      Patient Allergies Not Signed Off
  6      List by Location of Undocumented Allergies
  7      List by Location Not Verified Reactions
  8      List by Location and Date All Signed Reactions
  9      List FDA Data by Report Date

You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option
```

```
Select Reports Menu Option: 5 Patient Allergies Not Signed Off

DEVICE: HOME// ANYWHERE

ALLERGY/ADVERSE REACTIONS TO BE SIGNED OFF
Run Date/Time: 9/30/03 12:12:09 pm

ORIGINATOR          PATIENT          ALLERGY          ORIGINATION DATE/TIME
-----

NO DATA FOR THIS REPORT
Enter RETURN to continue or '^' to exit:
```

Q&A Tips:

What do you do with an entry like number 1?

This entry actually has multiple reactants listed and you need to make sure you account for each of the reactants that are listed. We recommend that you go to the detailed display for the entry in question and then use the add/edit patient reaction option to add the extra reactants and then to update the entry to the first reactant listed.

We have a problem with No Known Allergies type entries; why don't they appear on the list?

If you're one of the sites that added NKA as a local allergy, it won't appear in this list. If you haven't already done so, you need to check your GMR Allergies file to see if there is an entry for NKA or something similar. If there is, then you'll need to enter a NOIS and we'll help you get rid of that entry.

Do I need to fix every entry that's listed?

That would be the goal but the truth is, if you can't figure out what it should be linked to, or if the entry as it exists in the patient allergy file has all of the drug class and drug ingredient information, you can leave it alone. It's better to have information available that you may not be sure is correct and be wrong than to get rid of the information and have it be correct.

Menu Assignment

Assign menus to the users. See the Option Delegation portion of the Security chapter in this manual to determine how the package's menus should be assigned.

Security Key Assignment

Assign security keys when necessary. See the Security Keys portion of the Security chapter of this manual to determine how the package's keys should be assigned.

Mail Group Membership

The software installation process checks for the existence of the necessary package mail groups. If they do not exist, they are created at the time of software installation. The site should review the mail group membership and update it if necessary. The mail group names are as follows:

1. GMRA MARK CHART
2. GMRA P&T COMMITTEE FDA
3. GMRA VERIFY DRUG ALLERGY
4. GMRA VERIFY FOOD ALLERGY
5. GMRA VERIFY OTHER ALLERGY
6. GMRA REQUEST NEW REACTANT

Bulletins List

The following bulletins are created:

1. GMRA ENTERED IN ERROR
2. GMRA MARK CHART
3. GMRA P&T COMMITTEE FDA
4. GMRA SIGNS/SYMPTOMS UPDATE
5. GMRA VERIFY ALLERGY

There are no Forms, Help Frames, or Window Objects exported with this version.

Security

Security Keys

GMRA-ALLERGY VERIFY: This key should be given to personnel (e.g., clinical pharmacists) who verify allergy/adverse reactions.

GMRA-SUPERVISOR: This key should be given to personnel (e.g., ART package ADPAC) who may need to override the package security in order to edit the data.

File Security

File / Field #	File/Field Name	Access					
		DD	RD	WR	DEL	LAYGO	AUDIT
120.8	Patient Allergies	@		@	@	@	@
120.82	GMR Allergies	@		@	@		@
2	National Allergy			^	^		
120.83	Sign/Symptoms	@		@	@		@
1	National Sign/Symptoms			^	^		
120.84	GMR Allergy Site Parameters	@	@	@	@	@	@
120.85	Adverse Reaction Reporting	@		@	@	@	@
120.86	Adverse Reaction Assessment	@	@	@	@	@	@
120.87	GMRA Document	@		@	@	@	@

Option Delegation

Security is partially controlled by the delegation of one of six menus:

- GMRAMGR
- GMRA SITE FILE MENU
- GMRA USER MENU
- GMRA CLINICIAN MENU
- GMRA VERIFIER MENU
- GMRA P&T MENU

IRM personnel and the ART Application Coordinator and their designees should be given the GMRAMGR MENU option. Clinical users (e.g., nurses) of ART should be given the GMRA CLINICIAN MENU option. Clerks should be given the GMRA USER MENU option.

Verifiers (e.g. clinical pharmacists) should be given the GMRA VERIFIER MENU option, and P&T Committee Members should be given the GMRA P&T MENU option.

Privacy Act Statement

In accordance with Office of Personnel Management and VA policies, this information is to be furnished for use only as authorized. It will not be reproduced or used for any other purpose. Any output must be secured in a storage system adequate to insure against disclosure to unauthorized parties. Disposal will be by burning, shredding, or other treatment to destroy their legibility.

Electronic Signature

The software does not prompt for or store a user's electronic signature. However, the software does have a programming interface with the Progress Notes package and that package does prompt for an electronic signature when a progress note is generated.

GMRA UPDATE RESOURCE

ADI (Allergy Domain Implementation/Data Standardization) uses a resource device to control the updating of existing patient allergies. When changes are made to existing allergy definitions in file #120.82, all associated patient allergies in file #120.8 are updated to match the new definition of the entry from #120.82. The resource device controls the updating process. Because of the way the updates are implemented, the resource device needs to manage the updates one at a time. As a result, the resource slots field is set to one and should not be changed.

Routines

Namespace: *GMRA*

XUPRROU (List Routines) prints a list of any or all of the GMRA routines. This option is found on the XUPR-ROUTINE-TOOLS menu on the XUPROG (Programmer Options) menu, which is a sub-menu of the EVE (Systems Manager Menu) option. See the list of checksums in the Install Guide.

```
Select Systems Manager Menu Option: programmer Options
Select Programmer Options Option: routine Tools
Select Routine Tools Option: list Routines
Routine Print
Want to start each routine on a new page: No// [ENTER]
routine(s) ?    >GMRA*
```

The first line of each routine contains a brief description of the general function of the routine. Use the Kernel option XU FIRST LINE PRINT (First Line Routine Print) to print a list of just the first line of each GMRA subset routine.

```
Select Systems Manager Menu Option: programmer Options
Select Programmer Options Option: routine Tools
Select Routine Tools Option: First Line Routine Print
PRINTS FIRST LINES
routine(s) ?    >GMRA*
```

File List

NUMBER	NAME	GLOBAL NAME	DESCRIPTION
120.8	PATIENT ALLERGIES	^GMR(120.8,	Contains patient allergy/adverse reaction information. No data exported with this file.
120.82	GMR ALLERGIES	^GMRD(120.82,	Contains a listing of allergies from which user can select. Per VHA directive 2005-044, this file has been "locked down" by Data Standardization (DS). The file definition (i.e. data dictionary) shall not be modified. All additions, changes and deletions to entries in the file shall be done by Enterprise Reference Terminology (ERT) using the Master File Server (MFS), provided by Common Services (CS). Creating and/or editing locally defined fields in the file are not permitted. Use of locally defined fields that were created prior to VHA Directive 2005-044 shall not be supported.
120.83	SIGN/SYMPTOMS	^GMRD(120.83,	A listing of possible allergic reactions. Per VHA directive 2005-044, this file has been "locked down" by Data Standardization (DS). The file definition (i.e. data dictionary) shall not be modified. All additions, changes and deletions to entries in the file shall be done by Enterprise Reference Terminology (ERT) using the Master File Server (MFS), provided by Common Services (CS). Creating and/or editing locally defined fields in the file are not permitted. Use of locally defined fields that were created prior to VHA Directive 2005-044 shall not be supported.
120.84	GMR ALLERGY SITE PARAMETERS	^GMRD(120.84 ,	Site configurable features for the package. Data comes with the file, but will be added only if no data exists in the file.
120.85	ADVERSE REACTION REPORTING	^GMR(120.85,	This file contains all the data for an Observed Drug reaction. No data exported with this file.
120.86	ADVERSE REACTION ASSESSMENT	^GMR(120.86,	This file is a listing of all the patients who have been asked about allergies/ adverse reactions (ADRs). It contains a pointer to File 2 (PATIENT) and a flag to indicate if the patient has or does not have an Allergy/ADR . No data exported with this file.
120.87	GMRA DOCUMENT	^GMRD(120.87,	This file contains the name and text of documents that can be displayed to the user.

Templates

TYPE	NAME	FILE #	DESCRIPTION
Input None	Print GMRA PRINT AUTOVERIFIED	120.8	This print template is used to print out autoverified reactions over a date range. It is run from the List Autoverified Reaction Data [GMRA PRINT AUTOVERIFIED DATA] option.
	GMRA PRT AUTO HDR	120.8	This print template is used to add the header for the GMRA PRINT AUTOVERIFIED print template.
Sort	GMRA PRINT FILE	120.83	This print template prints a list of signs/symptoms in the Sign/Symptoms file (#120.83). It is called from the Sign/Symptoms List [GMRA PRINT SIGN /SYMPTOMS LIST] option.
	GMRA SORT AUTOVERIFIED	120.8	This sort template sorts the data to be printed by the GMRA PRINT AUTOVERIFIED print template.

Protocols

Name	Description
GMRA ASSESS DET ALL EIE New	These protocols are used by the GMRA ASSESSMENT UTILITY
GMRA ASSESS DET ASSESSMENT New	
GMRA ASSESS DET MENU New	
GMRA ASSESS DET REVIEW New	
GMRA ASSESS MENU New	
GMRA ASSESS SELECT PATIENT New	
GMRA ENTERED IN ERROR	This protocol will be invoked whenever a reaction is Entered in Error.
GMRA FIX DETAIL MENU	
GMRA FIX ADD/EDIT ALLERGY FILE	Add/Edit Allergy File
GMRA FIX ADD/EDIT ALLERGY FILE IN DETAIL	Add/Edit Allergy File
GMRA FIX DETAIL IN DETAIL	Allergy Detailed Display
GMRA FIX DETAIL LIST	Detailed Display
GMRA FIX ENTERED IN ERROR	Mark entered in error
GMRA FIX ENTERED IN ERROR IN DETAIL	Mark entered in error
GMRA FIX FREE TEXT LIST	Free text entries
GMRA FIX PATIENT A/AR EDIT IN DETAIL	Add/Edit Patient Reaction
GMRA FIX UPDATE REACTANT	Update to new reactant
GMRA FIX UPDATE REACTANT IN DETAIL	Update to new reactant
GMRA MEDWATCH DATA COMPLETE	This protocol will be activated whenever a reaction has a MEDWatch form entered.

GMRA RECEIVE	This protocol is invoked when a Health Level Seven (HL7) message is received from the OE/RR package.
GMRA SIGN-OFF ON DATA	This protocol will be activated whenever a reaction is Signed (completed).
GMRA VDEF ORU R01 ADV ASSESS HR	
GMRA VDEF ORU R01 ADV ASSESS VS	
GMRA VDEF ORU R01 ADV REACT HR	
GMRA VDEF ORU R01 ADV REACT VS	
GMRA VDEF ORU R01 ALLERGY HR	
GMRA VDEF ORU R01 ALLERGY VS	
GMRA VERIFY DATA	This protocol will be activated whenever a reaction is Verified.
GMRADGPM MARK CHART	This protocol will hang off of the DGPM MOVEMENT EVENTS protocol and for a new admission will send a bulletin to mark that patient's chart for all active allergies.
GMRAOR ALLERGY ENTER/EDIT	This protocol will allow the user to enter/edit patient allergy/adverse reaction data.

Exported Options

Options Not on a Menu

List by Location Not Verified Reaction (Task) [GMRA TASK A/AR NV] is an option meant to be tasked for a daily run.

Menu Options

Adverse Reaction Tracking menu [GMRAMGR]

- 1 Enter/Edit Site Configurable Files ... [GMRA SITE FILE MENU]
 - 2 Adverse Reaction Tracking User Menu ... [GMRA USER MENU]
 - 3 Adverse Reaction Tracking Clinician Menu ... [GMRA CLINICIAN MENU]
 - 4 Adverse Reaction Tracking Verifier Menu ... [GMRA VERIFIER MENU]
 - 5 P&T Committee Menu ... [GMRA P&T MENU]
-
1. Enter/Edit Site Configurable Files
 1. Edit Allergy File
 2. Enter/Edit Signs/Symptoms Data
 3. Enter/Edit Site Parameters
 4. Sign/Symptoms List
 5. Allergies File List
 6. Allergy clean up utility
 7. Assessment Clean Up Utility
 2. Adverse Reaction Tracking User Menu
 1. Enter/Edit Patient Reaction Data
 2. Active Listing of Patient Reactions
 3. Edit Chart and ID Band
 4. List by Location of Unmarked ID Bands/Charts
 5. Patient Allergies Not Signed Off
 6. List by Location of Undocumented Allergies
 7. Print Patient Reaction Data
 8. Online Reference Card
 3. Adverse Reaction Tracking Clinician Menu
 1. Enter/Edit Patient Reaction Data
 2. FDA Enter/Edit Menu...
 3. Reports Menu...
 4. Edit Chart and ID Band
 5. Online Reference Card
 4. Adverse Reaction Tracking Verifier Menu
 1. Enter/Edit Patient Reaction Data

2. Verify Patient Reaction Data
 3. Reports Menu...
 4. Edit Chart and ID Band
 5. FDA Enter/Edit Menu...
 6. Online Reference Card
-
5. P&T Committee Menu
 1. Enter/Edit P&T Committee Data
 2. Enter/Edit FDA Report Data
 3. Reports Menu...
 1. Print an FDA report for a Patient
 2. Print all FDA events within D/T range
 3. Print Patient FDA Exception Data
 4. Print all FDA Exceptions within a D/T range
 5. Patient Allergies Not Signed Off
 6. Print Patient Reaction Data
 7. Active Listing of Patient Reactions
 8. List by Location of Undocumented Allergies
 9. List Autoverified Reaction Data
 10. List by Location Not Verified Reactions
 11. List by Location and Date all Sign Reactions
 12. List FDA Data by Report Date
 13. List of Fatal Reaction Over a Date Range
 14. Print Summary of Outcomes
 15. Frequency Distribution of Causative Agents
 16. Frequency Distribution of Drug Classes
 17. Total Reported Reactions Over a Date Range
 18. P&T Committee ADR Outcome Report
 19. P&T Committee ADR Report

Cross References

Patch 23 (GMRA*4.0*23) introduces two new cross-references to support data standardization for the Health Data Repository (HDR): AVUID and AMASTERVUID.

120.82^AVUID

```
AMASTERVUID (#493)    RECORD    REGULAR    IR    SORTING ONLY
  Short Descr:    Identifies Master entry for a VUID
  Description:    If multiple entries have the same VUID in the file, this
                  cross-reference can be used to identify the Master entry
                  for a VUID associated with a Term/Concept.
  Set Logic:      S ^GMRD(120.82,"AMASTERVUID",$E(X(1),1,30),X(2),DA)=" "
  Kill Logic:     K ^GMRD(120.82,"AMASTERVUID",$E(X(1),1,30),X(2),DA)
  Whole Kill:     K ^GMRD(120.82,"AMASTERVUID")
                  X(1):    VUID (120.82,99.99) (Subscr 1) (Len 30) (forwards)
                  X(2):    MASTER ENTRY FOR VUID (120.82,99.98) (Subscr 2)
                      (forwards)
```

The AHDR cross-reference sends data to HDR upon entry.

```
AHDR (#443)    RECORD    MUMPS    ACTION
  Short Descr:    Sends data to HDR upon entry
  Description:    This cross reference will send the HDR allergy data upon
                  entry or editing of allergy related data
```

Archiving and Purging

Archiving only needs to be done to the Patient Allergies (#120.8) file. Because of the importance of this data, it should be retained as long as the corresponding Patient (#2) file record exists. Software to perform archiving of this data will be made available in a later release.

No purging capabilities are provided with this version.

Resource Requirements

The disk requirements are estimated as follows:

Globals	Type of Data	Size
GMRD(120.82)		
GMRD(120.83)	Static data for ART	40K
GMRD(120.84)		
GMRD(120.87)		
GMR(120.8)	Patient data for ART	0.4K per Allergy entry
GMR(120.85)	Observed, FDA	0.4K per Reaction
GMR(120.86)	Patient NKA data	0.01K per Patient

Callable Routines

GMRADPT GMRADPT extracts data from the Patient Allergies (120.8) file for a specified patient based on the criteria specified in the GMRA input parameter. The data will be returned in a local array.

Version 1

Patch GMRA*4*46 introduced significant changes to the input and output of this routine. Existing calls to this routine will invoke the Version 1 implementation of this routine (Pre-patch GMRA*4*46 changes). To take advantage of the changes introduced in Patch GMRA*4*46, see Version 2 section below.

Input:

DFN The internal entry number in the Patient file for the patient whose allergy data needs to be extracted.

GMRA This is an optional three-piece variable that will determine which kinds of allergy data will be returned by the extract. The default values which will be used are shown in the discussion of each piece. Consider the variable GMRA with the format $P1^P2^P3^P4$ where

P1 can have the value 0, 1, or 2 where

- 0 means extract all allergies and adverse reactions
- 1 means extract allergies only
- 2 means extract adverse reactions only

A record stored in the Patient Allergies file is an adverse reaction. **Every true allergy is an adverse reaction, but not every adverse reaction is an allergy.** This determination is made by the verifier of the allergy data. The default value for this piece is 0.

P2 can have the value 0, 1, or 2 where

- 0 means extract all verified and non-verified records
- 1 means extract verified records only
- 2 means extract non-verified records only

A record can either be verified by some allergy verifier, or it has not yet been verified. In the case that the site is using autoverification, the record is automatically verified at the time the originator of the record signs off (completes) on it. No record can be extracted before

it has been signed off (completed) by the originator, as it is not part of the medical record. The default value for this piece is 0.

P3 is a three-character string, where each character can have a value of 0 or 1. Consider P3 represented as XYZ where X, Y, and Z are the three different characters. Then the following is what each of these characters represent:

- X determines whether to extract records with the type of Other. If X=0 then records with the type Other will not be extracted, and if X=1 then they will be extracted.
- Y determines whether to extract records with the type of Food. If Y=0 then records with the type Food will not be extracted, and if Y=1 then they will be extracted.
- Z determines whether to extract records with the type of Drug. If Z=0 then records with the type Drug will not be extracted, and if Z=1 then they will be extracted.

A record has a type associated with it. The three types are Food, Drug and Other. This variable will help to determine which of these types of records will be extracted, and which types will not be extracted. The default value for this piece is 111.

P4 can have the value 0 or 1 where
0 means return reactions documented locally
1 means return reactions documented locally and remote reactions stored in the Health Data Repository (HDR)

Output:

GMRAL This variable is an array of the patient's data extracted by this utility based on the criteria specified in the optional GMRA variable. The format of this variable is:

```
GMRAL=(1,0,NULL) GMRAL(DA)=A^B^C^D^E^F^G^H^I^J^K
GMRAL(DA,"S",COUNT)=SIGN
GMRAL("REMOTE",RCOUNT)= A^B^C^D^E^F^G^H^I^J^K
GMRAL("REMOTE",RCOUNT, "S",COUNT)=SIGN
GMRAL("REMOTE",RCOUNT, "SITE")=SITE
```

Where

GMRAL is 1 if patient has Adverse Reaction. is 0 if patient has no known Adverse Reaction. null if patient has not been asked about Adverse Reaction.

DA is the internal entry number of the record in the Patient Allergies (120.8) file.

A is the patient's DFN (from input variables).

B is the name of the allergen.

*C is the type of the allergen where D=Drug, F=Food, and O=Other.

D is a flag denoting if the allergy has been verified where 1=verified and 0=non-verified.

E is a flag denoting whether the allergy is a true allergy, or if it is an adverse reaction where 1=adverse reaction and 0=true allergy.

**F is both the external and internal representation of the allergy Mechanism. It is stored in the format External";"Internal.

Mechanism	
External	Internal
-----	-----
Allergy	0
Pharmacologic	2
Unknown	U

G is the type of the reaction in the form of "F", "D", or "O" or a combination of the three types.

Types

Internal	External format
-----	-----
D	is a drug reaction.
DF	is a drug/food reaction
DFO	is a drug/food/other reaction

DO is a drug/other reaction
 F is a food reaction
 FO is a food/other reaction
 O I s a other reaction

H is both the external and internal representation of the Adverse Reaction Mechanism. It is stored in the format External";"Internal.

	Mechanism	
	External	Internal
	-----	-----
Allergy		A
Pharmacologic		P
Unknown		U

I is a variable pointer to the allergen

J is the observed/historical of the reaction. It is stored in the format External";"Internal

	External	Internal
	-----	-----
OBSERVED		o
HISTORICAL		h

K is the severity of the reaction. It is stored in the format External";"Internal

	External	Internal
	-----	-----
MILD		1
MODERATE		2
SEVERE		3

SIGN is the sign/symptom of the reaction. It is stored in the format External";"Internal where Internal is the pointer to the SIGN/SYMPTOMS file (#120.83).

SITE is the institution that documented the reaction. It is stored in the format INSTITUTION file (#4) pointer"^^"Station name"^^"Station number

Version 2

Patch GMRA*4*46 introduced significant changes to the input and output of this routine. The primary changes are returning remote records and returning additional data for each reaction. To take advantage of the changes introduced in Patch GMRA*4*46, use the EN2 line-tag instead of directly calling the routine.

Input:

- DFN The internal entry number in the Patient file for the patient whose allergy data needs to be extracted.
- GMRA This is an optional four-piece variable that will determine which kinds of allergy data will be returned by the extract. The default values which will be used are shown in the discussion of each piece. Consider the variable GMRA with the format P1^P2^P3^P4 where

P1 can have the value 0, 1, or 2 where

- 0 means extract all allergies and adverse reactions
- 1 means extract allergies only
- 2 means extract adverse reactions only

A record stored in the Patient Allergies file is an adverse reaction. **Every true allergy is an adverse reaction, but not every adverse reaction is an allergy.** This determination is made by the verifier of the allergy data. The default value for this piece is 0.

P2 can have the value 0, 1, or 2 where

- 0 means extract all verified and non-verified records
- 1 means extract verified records only
- 2 means extract non-verified records only

A record can either be verified by some allergy verifier, or it has not yet been verified. In the case that the site is using autoverification, the record is automatically verified at the time the originator of the record signs off (completes) on it. No record can be extracted before it has been signed off (completed) by the originator, as it is not part of the medical record. The default value for this piece is 0.

P3 is a three-character string, where each character can have the value of 0 or 1. Consider P3 represented as XYZ where X, Y and Z are the three different characters. Then the following is what each of these characters represents:

- X determines whether to extract records with the type of Other. If X=0 then records with the type Other will not be extracted, and if X=1 then they will be extracted.
- Y determines whether to extract records with the type of Food. If Y=0 then records with the type Food will not be extracted, and if Y=1 then they will be extracted.
- Z determines whether to extract records with the type of Drug. If Z=0 then records with the type Drug will not be extracted, and if Z=1 then they will be extracted.

A record has a type associated with it. The three types are Food, Drug and Other. This variable will help to determine which of these types of records will be extracted, and which types will not be extracted. The default value for this piece is 111.

P4 can have the value 0 or 1 where

- 0 means only return records documented at the local site
- 1 means return records documented at both the local and all remote sites

Output:

GMRAL This variable is an array of the patient's data extracted by this utility based on the criteria specified in the optional GMRA variable. The format of this variable is:

```
GMRAL=(1,0,NULL)
GMRAL(DA)=A^B^C^D^E^F^G^H
^I^J GMRAL(DA,"S",COUNT)=K
GMRAL(DA,"O",COUNT)=L
GMRAL(DA,"SITE")=M
```

Where

GMRAL is 1 if patient has Adverse Reaction.
 is 0 if patient has no known Adverse Reaction.
 null if patient has not been asked about Adverse Reaction.

DA for locally documented records, the internal entry number of the record in the Patient Allergies (120.8) file and for remotely documented records, the letter "R" followed by the reaction's number in the ^XTMP("ORRDI","ART",DFN) global (DFN is the patient's internal entry number in the PATIENT file).

A is the patient's DFN (from input variables).

- B is the name of the allergen.
- C is null; use G.
- D is a flag denoting if the allergy has been verified where 1=verified and 0=non-verified.
- E is a flag denoting whether the allergy is a true allergy, or if it is an adverse reaction where 1=adverse reaction and 0=true allergy.
- F is null; use H.
- G is the type of the reaction in the form of "F", "D", or "O" or a combination of the three types.

Types	
Internal -----	External format -----
D	is a drug reaction.
DF	is a drug/food reaction
DFO	is a drug/food/other reaction
DO	is a drug/other reaction
F	is a food reaction
FO	is a food/other reaction
O	is a other reaction

- H is both the external and internal representation of the Adverse Reaction Mechanism. It is stored in the format External";Internal. Mechanism

External -----	Internal -----
Allergy	A
Pharmacologic	P
Unknown	U

- I is a pointer to the reaction in variable pointer format; refer to the data dictionary for the GMR ALLERGY field for details.
- J is both the external and internal representation of the OBSERVED/HISTORICAL field. It is stored in the format External";Internal.
- K is both the external and internal representation of the allergy Signs/Symptoms and the date/time it was entered. Each of the Signs/Symptoms will be stored on it's own "S" node in the following format.

External";Internal pointer to Signs/Symptoms file (120.83)"^"External";Internal date entered. If the pointer equals the "OTHER REACTION" then the free text stored in the patient file will be stored in the external representation.

COUNT is the order which the Signs/Symptoms are stored in the GMRAL(DA,"S",COUNT) Array. Count is a positive whole number.

L is both the external and internal representation of the reaction's severity and date/time of the event. Each severity is stored on it's own "O" node in the following format:

External";"Internal severity"^^External";"Internal date/time of event.

COUNT is the order which the observations are stored in the GMRAL(DA,"O",COUNT) Array. Count is a positive whole number.

M is the site that documented the reaction. Only reactions documented remotely will have a "SITE" node defined. It has the following format:

External"^^Internal pointer to Institution file (#4)"^^Station number

External Relations

ART v4.0, patch 23 requires installation of the following packages before its installation:

Health Data & Informatics (HDI) 1.0
Master File Server (MFS) patch XU*8.0*299
Kernel V. 8.0+
VA FileMan V. 21+
MAS V. 5.3+
National Drug File V. 3+

Database Integration Agreements

The Database Administrator (DBA) maintains a list of Integration Agreements (IAs) or mutual agreements between software developers allowing the use of internal entry points or other software-specific features that are not available to the general programming public.

To obtain the current list of IAs, to which ART is a custodian, do the following:

```
Select Integration Agreements Menu Option: 8 <Enter> Custodial Package Menu
  1 ACTIVE by Custodial Package
  2 Print ALL by Custodial Package
  3 Supported References Print All
Select Custodial Package Menu Option: 1 <Enter> ACTIVE by Custodial Package
Select PACKAGE NAME: GMRA
DEVICE: HOME// <Enter> UCX DEVICE Right Margin: 80// <Enter>
```

A new application programming interface (API) was added in patch 23 to allow updates to definitions of reactants to be propagated through existing allergies in the PATIENT ALLERGIES file (120.8).

```
UPDATE^GMRAUTL2(ENTRY,ING,CLASS)

ENTRY is IEN;FILE REFERENCE^TEXT OF FILE ENTRY - For example
23;GMRD(120.82,^STRAWBERRIES

ING - Array of ingredients in the format of ING("A",IEN in file 50.416)
for ingredients being added and ING("D",IEN in file 50.416) for
ingredients being deleted.

CLASS - Array of drug classes in the format of CLASS("A",IEN in file
50.605) for classes being added and CLASS("D",IEN in file 50.605) for
those classes being deleted.
```

See DBIA #4667 for complete details regarding this API.

SACC Exemptions

The SACC has granted the following exemptions:

1. Routines may exceed the 5K limit.
2. Use of the \$GET command with two arguments is permitted.
3. Use of reverse \$ORDER looping is permitted.
4. Use of the MERGE command is permitted.
5. Passing null values in a parameter list is permitted.
6. Use of \$TEXT on a line that does not contain a double semicolon (i.e., ;;) is permitted.

Internal Relations

All options can be independently invoked.

Package-wide Variables

There are no package-wide variables.

How to Generate On-line Documentation

This section describes various methods by which users may generate ART technical documentation.

Question Marks

Entering question marks at the "Select ... Option:" prompt provide users with valuable technical information. For example, a single question mark (?) lists all options which can be accessed from the current option. Entering two question marks (??) lists all options accessible from the current one, showing the formal name and lock (if applicable) for each. Three question marks (???) display a brief description for each option in a menu while an option name preceded by a question mark (?OPTION) shows extended help, if available, for the option.

XINDEX

This utility analyzes routines to determine if they adhere to **VISTA** Programming Standards. The %INDEX output may include the following components: Compiled list of Errors and Warnings, Routine Listing, Local Variables, Global Variables, Naked Global References, Label References and External References. To run the XINDEX utility (DO ^XINDEX) for the ART package, specify the namespace **GMRA*** when prompted for routine names.

Inquire to File Entries

This VA FileMan option provides the following information about a specified option: option name, menu text, option description, type of option. All fields that have a value will be displayed (e.g., Entry Action). To secure information about the ART options, the user must specify the name of the options desired (File #19). The options exported with this package begin with the letters GMRA.

Print Options File

Use this VA FileMan option to generate ad hoc reports about options from the Option file (#19). The user may choose one, many or all ART options. The options exported with this package begin with the letters GMRA.

List File Attributes

This VA FileMan option allows the user to generate documentation pertaining to files and file structure. The ART file numbers 120.8-120.87. See the File List section of this manual for a specific listing. Select the 'Standard' format to get the following data dictionary information for a specified file: file name and description, identifiers, cross-references, files pointed to by the file specified, files which point to the file specified, input templates, print templates and sort templates. In addition, the following applicable data is supplied for each field in the file: field name, number, title, global location, description, help prompt, cross-references, input transform, and date last edited. Select the 'Global Map' format to generate an output which lists all cross-references for the file selected, global location of each field in the file, input templates, print templates and sort

templates. For a more exhaustive option listing and further information about other utilities which supply on-line technical information, please consult the *VISTA* Kernel Systems Manual.

Glossary

Adverse Reaction	Any condition precipitated by a drug that requires patient treatment, admission or transfer; prompts a specialty consultation; or causes injury or death. Every allergy is an adverse reaction, but every adverse reaction is not an allergy.
Adverse Reaction Only	Something that is an adverse reaction but not an allergy.
Adverse Reaction Tracking	The software package that stores and reports the patient allergy or adverse reaction data.
Allergy	A state of hypersensitivity induced by exposure to a certain agent
Application	A system of computer programs and files that have been specifically developed to meet the requirements of a user or group of users. Examples of <i>VISTA</i> applications are the MAS and Nursing modules
Application Coordinator	The person responsible for implementing a set of computer programs (application package) developed to support a specific functional area such as Nursing, MAS, etc.
ART	See Adverse Reaction Tracking.
Causative Agent	The name of the item which caused the patient to have a reaction (e.g., penicillin).
Data Standardization (DS)	The Data Standardization Program is the cornerstone of the VHA's plan to share health information across the entire VHA system. Data standardization establishes a consistent way of defining data that enables all sites in the VA health system to speak the same language and will ensure that data not only crosses from system to system, but retains the same meaning.
Date/Time Chart Marked	In ART, this field indicates when the patient's chart has been marked to indicate this allergy or adverse reaction.
Date/Time ID Band Marked	In ART, this field indicates when the patient ID band or bracelet has been marked to indicate this allergy or adverse reaction
Date/Time MD Notified	A field in ART that indicates when the primary physician has been alerted about a patient allergy or adverse reaction.
Dechallenge	Discontinuation/removal of allergen.
GMR Allergies File	A file of allergies/adverse reactions that are used by ART. The file number is 120.82.

GMRA MARK CHART bulletin	Warning that is generated when Date/Time Chart Marked field is left blank. This warning indicates that someone has to record this allergy or adverse reaction in the patient's chart.
GMRA MARK CHART mail group	This is the group of people who are charged with the responsibility to see that all data entered into ART gets recorded in the patient's chart.
GMRA VERIFY ALLERGY bulletin	Warning that an allergy or adverse reaction has been signed off (completed) by the originator and that it is ready for the verification process.
GMRA-VERIFY ALLERGY security key	Should be given to all verifiers in ART. Allows a verifier access to the verification process
Historical	An allergy or adverse reaction that has been stated by some source versus one that has actually been witnessed by some personnel at this facility before initiation of new therapy.
Ingredient file	A file (#50.416) which contains generic drugs which are components of various drug products.
Likelihood	A measure of the probability that an allergy or adverse reaction was the cause of the patient problems indicated by the signs/symptoms. This field is calculated via an FDA algorithm
Local Drug File	The list of medications used at a particular VA facility. This file is also sent out by the VISTA Pharmacy developers. The file number is 50.
Mechanism	In the context of ART, this is an indicator of whether the data for a patient is an adverse reaction only, or an allergy.
National Drug File	This file is a list of drug products available which includes specific information for each product. Information included for the products are trade name, NDC number, manufacturer, VA Drug Class code, dosage form, route of administration, strength and units, ingredients, ingredient strength and units, package code, package size, package type, VA product name and VA generic name.
Observed	An allergy or adverse reaction that has actually been witnessed by some personnel at this facility or reported by the patient, or his or her caregiver after initiation of a new therapy.
Patient Allergies File	The file where the patient allergy/adverse reaction data is

	stored in ART. The file number of this file is 120.8.
Rechallenge	Reintroduction of allergen after dechallenge.
Severity	This is an index of how the allergy/adverse reaction affected the patient.
Sign/Symptom	Something that could be subjectively or objectively measured that indicates an allergy or adverse reaction.
Sign/Symptoms File	A list of signs/symptoms that can be selected for a patient allergy or adverse reaction. The file number is 120.83.
Top Ten Signs/Symptoms	A site-configurable set of indicators of an allergy or adverse reaction that is used to expedite data entry of these indicators.
Treatment	This is some lab test or drug intervention that was performed as a result of an allergy or adverse reaction.
True Allergy	A reaction triggered by the immune system; however, there are a vast number of symptoms or conditions caused by sensitivities that may or may not involve the immune system. A 'true allergy' COULD require patient treatment, admission or transfer, prompt a specialty consultation, or cause injury or death.
VA Drug Classification System file	A file (#50.605) which contains the VA Drug Classification codes and their descriptions. Each drug product in the National Drug file is assigned a primary code which is part of the information stored for each drug product in the National Drug file.
Verification	The process of reviewing and approving the data entered by some clinical user. This process is done by a verifier.
Verifier	A person who has the GMRA-VERIFY ALLERGY security key. This person can perform verification of patient data in ART.
VHA Unique Identifier (VUID)	A unique meaningless integer assigned to reference terms VHA-wide for data standardization.

Appendix 1: CPRS (25 and 26) Release Notes Related to ART

PATCH OR*3*233

Support for Allergy Synonyms –Allergy synonyms, if present, are now included in the SIGNS/SYMPTOMS selection box. This is included in patch OR*3*233, which will be distributed with GMRA patch 23.

GUI 26

- The “Bulletin has been sent” message that CPRS displays after the user requests the addition of a new causative agent now includes the same warning included in the bulletin about that reactant not being added to the patient's record.
- **Marking Allergies as Entered in Error Now Controlled by Parameter** - In CPRS v25, any user could enter new allergies, mark a patient as NKA (no known allergies), and mark allergies entered in error from the cover sheet and the detailed display window. In v.26, the Entered in Error option requires the new parameter OR ALLERGY ENTERED IN ERROR to be enabled for the user. The other options remain open to all users as before.
- **Free-Text Signs and Symptoms No Longer Allowed** – To support of data standardization efforts, developers removed the ability to enter free-text signs/symptoms. Users must now select items from the list of available signs/symptoms.
- **Inconsistent Sending of Bulletin for Marked on Chart** – CPRS always sent the “Marked on Chart” bulletin if the user entered an allergy from the Orders tab. CPRS never sent the bulletin if the user entered the allergy from the Cover Sheet. This inconsistency has been corrected, and CPRS will never send the bulletin when the user enters a new allergy.

GUI 25

The following functionality is available only to sites that have installed OR*3.0*195, OR*3.0*216, and GMRA*4.0*21. Sites that have not installed these patches will continue to receive the ART functionality that exists in CPRS GUI 24.

- **Allergies No Longer Entered as Orders (NOIS: SHR-0603-71103)** – At sites that have installed the patches listed above, users can no longer enter allergies and adverse reactions as orders that are placed in the *ORDERS* file. Patch OR*3.0*216 exports a modified order-dialog entry—*GMRAOR ALLERGY*—in the *ORDER DIALOG* file. This entry enables CPRS to interact directly with the Adverse Reaction Tracking (ART) package (i.e., CPRS adds new allergies and adverse reactions directly into the ART package as users submit them).

With supporting patches OR*3.0*216 and GMRA*4.0*21, CPRS GUI 25 does not display allergy information on the **Orders** tab. It displays allergy information only on the **Cover Sheet** tab. Nevertheless, users can still enter allergy information from the **Orders** tab by selecting **Allergies** in the **Write Orders** pane. (i.e., users can still go to a familiar place to enter allergies.)

In addition, users can no longer select **OTHER ALLERGY/ADVERSE REACTION** as causative agent, nor can they select **OTHER REACTION** as a sign/symptom. Changes to the ART package have eliminated these items as choices. These changes mark a continuing effort to end free-text and unspecific entries.

If ‘type of causative agent’ references the field ALLERGY TYPE, the GUI interface doesn’t allow the user to enter this information. It is determined internally by the selection made during the Reactant lookup process.

Also, CPRS now requires users to enter information about the nature of the reaction that they are documenting (**Allergy**, **Pharmacological**, or **Unknown**).

Finally, CPRS GUI 24 introduced a dialog through which users can request that a causative agent be added to their site’s *ALLERGIES* file. Users access this dialog via a warning that pops up when they attempt to enter a free-text causative agent. The warning dialog asks users to indicate—by clicking either its **YES** or **NO** button—if they want to send a causative-agent inclusion request. In CPRS GUI 24, the default button was **YES**. In CPRS GUI 25, the default button is **NO**. Furthermore, when users click the system **X** button (located in the top right-hand corner of each screen) to exit any of the screens that comprise the inclusion-request dialog, CPRS now cancels the request action.

- **Allergy Changes on the Cover Sheet** - CPRS now enables users to perform several ART-related actions from the **Cover Sheet** tab—including the following:
 - **Enter new allergy**
 - **Mark selected allergy as entered in error**
 - **Mark patient as having “No Known Allergies” (NKA)**

When users right-click within the **Allergies/Adverse Reactions** pane, CPRS displays a menu offering the three selections listed in the previous paragraph (or a sub-set, depending on the current Allergy information recorded for the patient). When users left click to select one of the allergies listed within the **Allergies/Adverse Reactions** pane, CPRS opens a window that displays details about this allergy-as it always has. However, this window now includes two additional buttons: **Add New** and **Entered in Error**. As the names of these buttons suggest, clicking them enables users to add new allergies and designate the selected allergy as entered in error, respectively. When users mark allergy entries as entered in error, the ART package notifies (via MailMan bulletins) sites’ GMRA MARK CHART mail group.

Depending on how sites have configured their *GMR ALLERGIES SITE PARAMETERS* files, the ART package could also send bulletins to one or more of the following mail groups: GMRA VERIFY DRUG ALLERGY, GMRA VERIFY FOOD ALLERGY, and GMRA VERIFY OTHER ALLERGY. In addition, marking an allergy entry as entered in error triggers the Text Integration Utility (TIU) package to generate an Allergy/Adverse Reaction progress note that is sent to the originator to document the erroneous entry. Whether users enter new allergies via the **Cover Sheet** or **Orders** tab, CPRS displays an **Enter Allergy or Adverse Reaction** dialog, through which users enter adverse reactions and allergies directly into the ART package. This dialog includes several changes, including the following changes:

- CPRS no longer allows users to enter future origination dates or future dates for observed allergies; if users attempt to enter future dates for these items, CPRS prevents them from doing so when they click OK to submit their allergy entries
- A new button containing a question mark is associated with the Severity dialog; when users select this button, CPRS displays a text box defining severity selections
- CPRS displays a hover hint when users mouse over the Observed and Historical option buttons; a user group (as opposed to OI staff) specified the text of the hover-hint
- When the amount of text in the Comments dialog exceeds its viewing area, CPRS adds a scroll bar to the dialog
- Developers altered the tabbing sequence to more closely match users' expectations
- When an allergy is marked as "Entered in Error," Drug allergy, this action generates a Progress Note for the user who marked it as "entered in error" to sign. Once the user who marked the allergy as entered in error or an administrative user signs the note, all CPRS users can view the note to know that an allergy has been removed from the list.
- When an allergy is entered as an "Observed, Drug allergy," this action generates a Progress Note for the user who entered the Allergy/Adverse reaction to sign. Once the user who made the entry or an administrative user signs the note, all CPRS users can view the note.

The **Enter Allergy or Adverse Reaction** dialog also contains a new check box: **ID Band Marked**. If the patients are inpatients and the sites have set the MARK ID BAND parameter in the *GMR ALLERGY SITE PARAMETERS* file to **1 (YES)**, users can select this check box to indicate whether they have marked allergies and adverse reactions on the patient's identification (ID) bands. If users submit an allergy entry without selecting activated **ID Band Marked** check box, the ART package automatically notifies sites' GMRA MARK CHART mail group via a MailMan bulletin. *GMR ALLERGY SITE PARAMETER* file settings also determine to which verification mail groups (GMRA VERIFY DRUG ALLERGY, GMRA VERIFY FOOD ALLERGY, or GMRA VERIFY

OTHER ALLERGY) the ART package sends MailMan bulletins when users enter specific combinations of allergy information.

Deleting an assessment of NKA

From within the ART package, it is now possible to delete an assessment of NKA.

When you select a patient for entering/editing allergies and that patient doesn't have any active allergies on file, the "Does this patient have any known allergies or adverse reactions?" prompt is presented to you. If the patient has no assessment, there is no default answer. If the patient has been assessed as NKA, the default is NO.

In the case where the default answer is NO (meaning, the patient is NKA), you may enter an @ sign to indicate that the assessment should be deleted and the patient should be returned to the 'not assessed' state. This would be used in those rare cases where an assessment is erroneously assigned to the wrong patient.

Examples:

1) Patient who is currently not assessed:

```
Select PATIENT NAME: ARTPATIENT,ONE          1-20-57    456334567
YES      MILITARY RETIREE      THIS IS A TEST
Does this patient have any known allergies or adverse reactions? :
```

2) Patient who has been assessed as NKA:

```
Select PATIENT NAME: ARTPATIENT,ONE          1-20-57    456334567
YES      MILITARY RETIREE      THIS IS A TEST
Does this patient have any known allergies or adverse reactions? :
No//
```

At this point, if I enter a ?, I see what my choices are:

```
Choose from:
1          Yes
0          No
```

You may also enter @ to delete a previous NKA assessment and return the patient to a 'not assessed' state. Use this if the NKA assessment was previously incorrectly entered.

Does this patient have any known allergies or adverse reactions? : No//

The information regarding the use of the @ will only show if the patient is currently NKA. If they are not, then it doesn't show.

3) Finally, here's what it looks like when you delete the assessment:

Select PATIENT NAME: **ARTPATIENT,ONE** 1-20-57 456334567 YES
MILITARY RETIREE THIS IS A TEST
Does this patient have any known allergies or adverse reactions? :
No// @
Assessment deleted.

Appendix 2: ART Data Standardization FAQ

ART Data Standardization FAQ

1. Is there a checklist of everything sites need to do to standardize the Allergy/Outpatient Pharmacy domains?

The release notes for the GMRA*4*23 patch provide a list of patches in the order that they need to be installed in. [To view the release notes, please click this link.](#) This list of patches and other activities that need to be completed are also available in the PowerPoint slides that were sent to the sites. [To view these slides please click this link.](#)

2. Can sites continue to enter local allergies after standardization is complete?

No. The files have been locked down and local additions for allergies are not permitted. The ability to enter free-text additions to the GMR Allergies file 120.82 was taken away from sites two years ago. Removing the ability to enter free-text additions to the Sign/Symptoms file 120.83 was included in the standardization process. Sites can request additions to the GMR Allergies file 120.82 and to the Sign/Symptoms file 120.83 through the New Term Rapid Turnaround (NTRT) process. Please see the [NTRT process](#) section of this document for more information.

3. What will happen if different sites have different attributes, such as drug ingredients, designated to the same inactive term for entries in GMR Allergies file 120.82? Will the attributes stay the same after standardization at each site?

The attributes will stay the same, including drug classes and drug ingredients, for inactive terms after standardization is complete.

4. What happens to local allergies in GMR Allergy file 120.82 that are currently on file when standardization occurs?

If a local allergy on file is in the standard, then the term will remain active, but all of the term attributes (e.g. synonyms, drug classes and drug ingredients) will be overwritten by the standardized file. This standardized term will be available for recording new allergies in the future.

If a local allergy on file is *not* in the standard, then the term will become inactive, and all term attributes (e.g. synonyms, drug classes and drug ingredients) will remain the same, and the data, if applicable, will be available for order checks. However, this term will not be available for selection when recording new allergies.

5. Is there a Sign/Symptom term called “other” in the new standard for file 120.83 Sign/Symptoms?

No. “Other” does not exist in the list of standardized terms for Sign/Symptoms file 120.83. If there is a term that is not available in the Sign/Symptoms list and it needs to be added, please enter an NTRT request. See the [NTRT process](#) section of this document for more information.

6. What does the allergy “contrast media” look like in the new standard for GMR Allergies file 120.82? Will the new standard also contain the many drug classes associated with this allergy?

The contrast media allergy is in the standard GMR Allergies file 120.82. In the standard, this allergy also includes the many drug classes that are associated with this entry. We encourage sites to review and ensure that the standard is comprehensive. Compare the drug ingredients and drug classes that have been recorded in your site’s file with what is in the standard.

If differences exist between what is in the standard and what is in your file, your site data will be overwritten. Submit an NTRT request if you believe that drug classes, drug ingredients, or synonyms should be included in the standards that are not included. Please see the [NTRT process](#) section of this document for more information.

7. Should a local allergy of “Bufferin” be changed to Aspirin in the GMR Allergies file 120.82?

No. Sites are not being asked to change local allergies in the GMR Allergies file 120.82.

8. Will non-standard (inactivated) terms continue to be used for order checking? How?

Yes. Although inactivated terms are not available for new documentation, those that have been stored in patients’ records will continue to be used for order checking. The internal entry numbers (IENs) of the inactivated terms have been preserved, and it is the IENs that are needed for order checking.

9. When will sites receive the standard for GMR Allergies file 120.82 and Sign/Symptoms file 120.83, so they can start comparing it against their local files?

These files were sent to the sites by the HDR Implementation managers. If you have not received them, please contact your [HDR Implementation manager](#).

10. What is the work-around for a site, if the item that the patient is allergic to is not found in the standard GMR Allergies file 120.82 and the terms needs to

be entered as an NTRT request? How does the end user document that a patient is allergic to an item that is not in the standard?

The ability to enter free-text allergies in GMR Allergies file 120.82 was taken away from sites two years ago. Please continue to use your site-developed processes to handle this documentation.

- 11. Currently, there is a message or pop-up box telling an end user in CPRS that the allergy term they are searching for was not found, but that they can request that it be added (Figure 1). However, this message box is not available if a Sign/Symptom is not available. What is the desired work-around for a site to request that a Sign/Symptom term be added, since they will not have the instructions from this pop-up box?**




Figure 1. Causative Agent Not On File Dialog

Sites may wish to handle these additions in the same manner as when requesting a new reactant, or they may wish to handle it differently. We recommend that sites communicate to the end users their desired work-around for handling these requests for additions of Sign/Symptoms.

End users are encouraged to update the patient record with the Sign/Symptom term when it becomes available in the standard. End users can enter free text Sign/Symptoms until CPRS GUI v26 is installed. However, these additions of free text Sign/Symptoms prior to CPRS GUI v26 release are highly discouraged.

- 12. What are sites being asked to do regarding the Top 10 List for Sign/Symptoms?**

After standardization, the Top 10 List for Sign/Symptoms file #120.83 may have inactive terms. The GMRA REQUEST NEW REACTANT mail group will be notified of inactive Top 10 terms at your site after the VETS push has occurred. Sites are being asked to replace inactivated terms with standard terms as soon as possible, to prevent end users from viewing empty space in the GUI. If the inactivated terms are not replaced by active terms in the standard, the end user

will need to click on the scrollbar for the Sign/Symptoms. This will cause the empty space to be auto-adjusted and the gap will no longer display in the GUI. CPRS GUI v26 will fix this so that there is no blank space.

It is possible to receive an email indicating that there are terms on the top ten list that need to be updated, but those terms do not appear when using the option to edit the terms. Some sites actually have more than 10 terms stored in the top 10 list but only the first 10 show to the user. If one of the additional terms is now inactivated, it will be included in the update message although you won't actually see it in the list.

If the e-mail update message contains terms that do not appear to be on your Top 10 list, you may ignore those terms. This problem will be fixed in a future patch.

To change inactive entries:

1. Use the Menu Option GMRA SITE FILE. The parameter is HOSPITAL.
2. Enter the number of the Sign/Symptoms that you need to change.

13. Why are sites getting e-mail messages about order checks to the GMRA mail group as the patch is being loaded and post routines are being run from this GMRA*4*23 patch?

Receipt of these messages is a result of the updates that are occurring to the Patient Allergy file 120.8 when GMR Allergies file 120.82 is standardized. Any time a file 120.82 entry has a change of drug classes or drug ingredients, and a patient has a previous allergy recorded to this entry, then the new drug classes or drug ingredients will be propagated to the Patient Allergy file 120.8. The purpose of the message is to inform the Allergy Clinical Application Coordinator of the possibility of a missed order check based on the updated allergy information. Order checks only occur when the order is placed, which means that updated allergy information is not compared against existing orders. During the update, the new allergy information is compared against the patient's active orders to determine if there are any possible drug-allergy conflicts based on the new information. There is a slight possibility of a false-positive report but each entry should be reviewed for a possible drug-allergy interaction.

14. What is the name of the mail group that will receive the e-mail notifications regarding order checks, as mentioned in the previous question?

The GMRA Request New Reactant mail group will receive these order check notifications through e-mail.

15. How can we record that a patient has No Known Allergies (NKA), when this term is not included in the standard for GMR Allergies file 120.82 and will be inactivated for future selection?

Enter no-known-allergies (NKA) assessments for patients who have no active allergies by taking the following steps in the CPRS GUI from the Coversheet:

1. Right-click within the Allergies/Adverse Reactions pane.
2. From this menu, select "Mark patient as having No Known Allergies (NKA)." CPRS displays the No Known Allergies dialog.

Note: CPRS will allow you to record a patient as having No Known Allergies (NKA) only for patients who have no active allergies. When patients have active allergies, CPRS deactivates this menu selection.

3. Click OK.

16. Can we continue to record allergies and No Known Allergies (NKA) from the Write Orders menu in the CPRS GUI?

Yes. You can continue to record new patient allergies or NKA from the Write Orders menu, or on other site-configured menus on the Orders tab in the CPRS GUI.

17. How do we record that the patient has an "unknown reaction," since this

term is not included in the Sign/Symptoms file 120.83 for selection when recording a patient allergy reaction?

In CPRS GUI v25 you can still enter free-text Sign/Symptoms. This option has been disabled in List Manager. In the GUI, you must press <Enter> after you type the free-text Sign/Symptom. It is also possible to leave the Sign/Symptoms field blank, and make a note in the Comment field that the Sign/Symptom is unknown. Typing free-text Sign/Symptoms will not be possible with CPRS GUI v26. This FAQ will be updated when more information is available.

18. Will sites need to continue to update the Top 10 list of Sign/Symptoms when each NTRT push occurs?

Yes. If the new NTRT push inactivates entries on the Top 10 list of Sign/Symptoms, then an e-mail message will be sent to the “GMRA Request New Reactant” mail group. The message will list which terms have been inactivated and remind sites to use the menu option GMRA SITE FILE to correct these entries.

Details of what was contained in the NTRT push can be learned from the Automated Notification Report (ANR) message that will be sent, or from the NTRT Web site at <http://vista.med.va.gov/ntrt/> (under “NTRT Deployment Log”). The content list for a push will give you an idea about alternative terms that would be appropriate replacements for inactivated terms. If you are not currently receiving the ANR messages, please log a Remedy ticket to be added to the distribution of these messages.

If the e-mail update message contains terms that do not appear to be on your Top 10 list, you may ignore those terms. A problem has been identified where some sites have more than ten entries in their Top 10 list. This problem will be fixed in a future patch.

19. What is an example of a Top 10 List term that may need to be replaced due to an NTRT push?

The Enterprise Reference Terminologists are currently going through the standard for file 120.83 Sign/Symptoms and changing the primary terms to more user- or clinician-friendly terms. For example, in the most current update, some terms such as “Aptyalism,” “Face Goes Red,” and “Cutaneous Eruption” are being made inactive as primary terms, but are being added as synonyms to other primary terms. See question six in the NTRT section of this document for additional information.

In the Top 10 list, you may need to update the Top 10 list to display the updated active terms.

Example:

INACTIVATE as Primary term (Added as Synonym)	ACTIVATE as Primary term
Aptyalism	Dry Mouth
Face Goes Red	Flushing
Cutaneous Eruption	Rash

[To learn more about Data Standardization, please click this link.](#)

VA Enterprise Terminology Services (VETS) Push and Deployment Questions

- 1. How long will it take for a large integrated site to complete the cross-referencing of all the files after the initial VETS push or deployment has occurred, for the Allergy/Outpatient Pharmacy domain?**

It is estimated to take three hours. This is approximately the amount of time it took a large integrated test site to complete this process.

- 2. What happens to an end user who is entering an allergy on a patient when the VETS push or deployment occurs?**

There are not any effects visible to the end user who is entering in allergies while a VETS push or deployment is occurring.

3. Has this software been tested in production and the impact assessed for the use of Bar Coding Medication Administration (BCMA) and passing medications during the VETS push or deployment?

Yes. The three test sites reported that there were no reports of any adverse impacts to BCMA. Also, the software quality assurance testing included BCMA testing by the pharmacy team.

4. When will the VETS pushes or deployments occur?

The VETS pushes or deployments will be scheduled with the sites, most likely on a regular schedule to be determined. The deployments or pushes will be coordinated with the site, the HDR Implementation Manager, and the ERT team. The site will be notified prior to a VETS push.

5. Do sites need to have staff on site when the VETS push or deployment occurs?

No. Site Staff do not need to be present when the VETS deployment or push occurs.

6. Is the VETS push or deployment equivalent to a patch load?

No, a push is not the same as a patch load. The VETS push or deployment is the final step in the standardization of the files after patches are loaded. These pushes or deployments will also continue as new terms are requested from the field. The pushes are HL7 messages that are sent through the interface engine to VistA.

7. Is the VETS push or deployment a site-initiated process?

No, it is not. However, the site will be contacted prior to the VETS push or deployment.

[To learn more about Enterprise Reference Terminology \(ERT\)/ Enterprise Terminology Services \(ETS\)/ or VA Enterprise Terminology Services, click this link.](#)

New Term Rapid Turnaround (NTRT) Process Questions

8. How fast will the NTRT request be granted? Are weekends taken into consideration?

At this time, NTRT requests will be deployed nationally every Thursday. The cutoff date for inclusion of a term in the Thursday deployment is COB the Friday before the scheduled deployment. Over the next 7 months, this timeframe may be adjusted. Any changes to the frequency of NTRT deployments will be communicated to sites and support personnel.

9. If there are a large number of New Term Rapid Turnaround (NTRT) requests at a site, is it necessary to enter each request separately?

If sites have a large number of NTRT requests that need to be submitted, your HDR Implementation Manager can help you get these entries to the ERT team without having to enter all of the requests into the NTRT website.

10. If there is a local term that is a synonym of a national standard term, then is an NTRT request needed for that local term?

No. The local term will not need to be added to the standard. If there is a compelling case for why it should be added, then that can be forwarded on as an NTRT request.

Consider the following example:

Local Term	New Standard Term	Add to standard?
Garbanzo beans	Chickpeas Synonym Garbanzo beans	No. Synonyms are available for searching terms in CPRS.

11. If a new drug ingredient is needed, do we go through the NTRT process or will these still be handled through National Drug File (NDF) updates?

New drug ingredients will need to be added through the NDF process.

12. How has the issue related to Sulfa allergy documentation and order checking in VistA been resolved?

A generic Sulfa entry in the GMR Allergy file (120.82) will be deployed nationally. Standardization identified the need for consistent screening for Sulfa-containing drugs. The Data Standardization and Enterprise Reference Terminology teams have worked with the National Drug File manager to determine which drugs need to be linked to the new generic sulfa entry in the GMR Allergy file 120.82. Once deployed, order check screening for Sulfa allergies will work consistently and completely on all VistA systems.

13. Concerns have been raised about user-friendly terms and equivalents in the Sign/Symptoms file 120.83 from some sites. What is being done to resolve these concerns?

A review of the Sign/Symptoms file 120.83 is underway. The group reviewing this file is comprised of clinicians from the field, as well as terminologists and other key stakeholders.

Concerns have been raised from sites regarding clinical terms that are not user-friendly. For example, “cutaneous eruption” is the primary term in the standard

and “Rash” is a synonym. Primary terms are stored in the patient record and on the patient arm band. Clinicians would like to see Rash become the primary term and cutaneous eruption the synonym. A complete review of the standard is being conducted to identify other terms that may also benefit from a similar change.

Concerns have been raised that some terms in the standard are not equivalent and should not remain as synonyms to the primary term. For example, “Congestion of the Throat” is not the same as “Swelling of the Throat” and should be fixed in the standard. Other non-equivalent synonyms are being identified and will be associated with two separate terms when applicable.

Another area of need is documenting the business rules that apply to the standard, and only modifying the standard in a way that is consistent with those rules. This issue is being addressed and documentation is pending.

14. How are sites being notified that NTRT additions are being made to the standardized files for Allergies?

An Automated Notification Report (ANR) is being sent out through the National Help Desk by e-mail messages that alert sites about the changes that are being made to the Sign/Symptom file 120.83 and the GMR Allergies file 120.82. If you are not currently receiving these ANR messages and would like to in the future, please submit a Remedy ticket and you can be added to the distribution list for future information.

The information about the changes being made by NTRT can also be viewed on the NTRT Web site, under “NTRT Deployment Log.” Those interested can also join the NTRT listserv which provides the same information as the ANR messages, along with the potential for supplementary information. Join by going to <http://vista.med.va.gov/ntrt/> and clicking the link in the middle of the screen called "NTRT Notification Listserv."

15. Is it true that sites are not to update or change the resource slots associated with the GMRA UPDATE Resource device?

Yes. The slot is set to one and needs to stay at one. It is very important that sites not change the number of slots for this resource device. If the resource device does not stay at one, then NTRT pushes may be processed inaccurately and may potentially corrupt Allergy files. If sites have changed this, they need to set it back to one. Then sites will need to work with the ERT team for a redeployment of the push. ERT is looking at ways to control the order in which updates are done in the future. However, in the meantime sites need to be aware of this potential issue and to monitor the GMRA UPDATE Resource device to ensure it stays set at one slot.

[To learn more about Enterprise Reference Terminology \(ERT\)/ Enterprise Terminology Services \(ETS\)/ or VA Enterprise Terminology Services please click this link.](#)

Site Clean-up Questions

16. After allergy standardization, what is the impact to a site that has many free-text patient allergies that need to be cleaned up?

Sites will be able to continue cleaning up the free-text patient allergy entries after Allergy/Outpatient Pharmacy standardization is complete. The patches will not affect this clean-up effort. After standardization, there will be a more comprehensive list of allergies for your site to use for cleaning up free-text patient allergy entries.

New terms should not be added to GMR Allergies file 120.82 prior to standardization in order to map a free text patient allergy. The GMRA*4*23 patch locked down this file so sites can no longer add terms through the roll-and-scroll interface. Sites should clean up the patient allergy file 120.8 prior to standardization with what is currently available. Once standardization is complete, more terms will be available in the GMR Allergies file 120.82 to correct the remaining free text patient allergies.

An automated clean-up patch is being written to help sites in the free-text patient allergy clean-up effort. This patch will be released some time after the standardization patches. The content required for this patch is currently being reviewed. Sites have been asked to clean up free-text entries that have a low number of occurrences. Free-text patient allergies that occur one or two times in the clean-up utility should be cleaned up first. Also, free-text patient allergies that have multiple allergies on one line (e.g. “Aspirin, Penicillin, chocolate”) should be cleaned up by recording each allergy separately for that patient.

The automated clean-up patch will help sites clean up free-text patient allergy entries, but not all data can be cleaned up in an automated fashion. Patient allergy data that has clinical relevance will be left as free text and will need to be cleaned up by the site.

17. What is the impact of Outpatient Pharmacy standardization to sites if they have not finished linking local drugs to the National Drug File (NDF)?

Sites can continue to clean-up the local drug file or file 50 mapping to the National Drug File (NDF) after standardization. The data in the local drug file needs to be mapped so that order checks work optimally.

Health Data Repository (HDR) Questions

18. What happens in the Health Data Repository (HDR) when one site has entered an allergy for Penicillin and another site has entered Penicillin as “entered in error”?

Allergies that are entered in error at one site will not overwrite the allergies recorded at another site. The HDR will err on the side of safety. The HDR will

store both pieces of information: the patient allergy record and the “entered in error” record.

19. In regards to the question above, will one site be notified that another site has entered an allergy in error?

At this time, there is not a mechanism to do this. Site-to-site notification will not be done until a national process is put in place that determines when a site’s allergy record can be overruled. The clinician should get the information via Remote Data Views (RDV) and work with the patient to make sure the record is correct.

20. Where do we go for technical information about turning on the VDEF triggers? Is that something HDR Implementation Managers will help with?

Yes. The HDR Implementation Managers will be in contact with sites when it is time to turn on the VDEF triggers. They will communicate the necessary technical steps at that time.

21. In the CPRS GUI, the end user now sees that a light is blue on the HDR section of Remote Data Views (RDVs). Why is this there?

HDR data can now be seen in RDV. Vitals data has been standardized and it is being sent to the HDR. This blue text means that the patient has vital sign data stored in the HDR. With the release of CPRS GUI v. 26, end users will be able to view data from the HDR.

This may be confusing to some end users, because some patients will only have vital sign data available at the local site and the light will not be blue.

[To learn more about the HDR, please click this link.](#)

[To learn more about HDR Implementation, click this link.](#)